Hongkong. Royal Observatory

CHINA COAST
METEOROLOGICAL REGISTER.
1910.

LIBRARY
APR 6 - 1911
Weather Bureau

LIBRARY
APR 6 1911
Weather Bureau

LIBRARY
WEATHER BUREAU
No. 31158

N.B.—The Barometric Observations at some of the China treaty ports are, from various causes, frequently in error.

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Lason, Inc.
Imaging Subcontractor
Beltsville, MD
December 20, 2000

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st DECEMBER, 1909, P.M.								1st JANUARY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	"	30.24	768.1	...	...	...	0	...	6 a.	...	..	...	...	...	...	...
Hakodate,	"	30.17	766.2	...	...	S E	2	...	"	...	...	...	...	...	...	...
Tokio,	"	30.14	765.6	...	...	E	4	...	"	...	...	...	...	...	...	...
Kochi,	"	29.99	761.8	...	...	S	2	...	"	...	...	...	...	...	...	...
Nagasaki,	"	29.87	758.8	...	...	S	2	...	"	...	...	...	...	...	...	...
Kagoshima,	"	29.92	759.9	...	...	N E	6	...	"	...	...	...	...	...	...	...
Oshima,	"	29.89	759.1	...	...	S	6	...	"	..	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	..	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Is.	"	30.00	762.1	...	...	S W	2	...	"	...	...	...	...	...	...	...
Chefoo,	4 p.	30.01	762.2	31	96	N W	8	c	6 a.	30.26	768.6	27	...	N W	6	o
Weihaiwei,	"	...	...	31	...	N N W	6	c	9 a.	...	...	25	...	W	5	os
Hankow,	"	30.27	768.8	52	53	N E	1	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	"	30.16	766.0	49	85	S W	2	o	"	30.34	770.6	40	92	N E	3	o
Shanghai,	"	30.03	762.7	50	79	N W	6	q	9 a.	30.40	772.1	36	61	N N W	3	o
Gutzlaff,	"	29.97	761.2	49	93	N W	6	cm	"	30.29	769.3	40	65	N N W	6	om
Sharp Peak,	"	29.90	759.4	62	94	S E	1	c	"	30.22	767.6	59	70	N N E	6	o
Amoy,	"	29.92	759.9	69	80	S S W	3	b	6 a.	30.02	762.5	62	67	N E	6	o
Swatow,	"	29.85	758.2	70	76	E S E	3	b	"	30.00	762.0	63	...	N E	2	o
Taihoku,	1 p.	29.91	759.7	...	...	N	4	...	5 a.	30.07	763.7	...	...	E	6	...
Taichu,	"	29.90	759.5	...	...	W	2	...	"	29.95	760.8	...	...	N	2	...
Tainan,	"	29.92	759.9	...	...	W	2	...	"	29.97	761.2	...	...	N E	2	...
Koshun,	"	29.90	759.5	...	...	S	4	...	"	29.95	760.8	...	...	N E	8	...
Pescadores,	"	29.93	760.3	...	...	N E	4	...	"	29.98	761.4	...	...	N E	8	...
Canton,	3 p.	29.94	760.5	70	85	...	0	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.91	759.7	71	79	W	2	o	10 a.	30.07	763.8	68	86	E	3	o
Victoria Peak,	"	...	...	...	...	N W	1	...	"	...	...	...	...	E	4	...
Gap Rock,	"	29.88	758.9	...	...	N	2	...	"	30.02	762.5	...	...	N N W	2	...
Macao,	"	29.93	760.2	69	...	S E	1	c	"	30.07	763.8	67	...	N N W	1	c
Wuchow,	3 p.	...	...	...	...	...	..	...	9 a.	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	..	...	"	...	...	...	...	...	...	...
Pakhoi,	"	...	...	..	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	4 p.	29.87	758.8	73	...	S E	4	c	8 a.	30.03	762.7	68	...	E	2	c
Tourane,	"	29.85	758.1	79	...	S E	2	b	"	30.00	762.0	72	..	S S W	1	o
Cape St. James,	"	...	...	...	...	...	...	...	"	29.92	759.9	77	...	N E	2	c
Aparri,	2 p.	29.86	758.5	86	...	S	2	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	84	64	E S E	1	c	10 a.	29.92	760	82	77	W	1	b
Legaspi,	2 p.	29.85	758.1	81	...	E	2	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	3	b
Iloilo,	"	29.81	757.2	82	...	N E	3	c	"	29.89	759.2	80	...	N	2	b
Cebu,	"	29.82	757.4	81	...	N	1	c	"	29.87	758.7	84	...	N	2	b
Labuan,	"	29.75	755.6	86	...	...	...	...	"	29.88	758.9	82	...	...	...	...

On the 1st at noon.—The Japanese returns are not yet in hand, but probably the depression has passed from the Yellow Sea to the Sea of Japan.

The barometer has risen quickly over China, particularly in the North, and pressure would appear to be high over the continent to the North of the Upper Yangtze valley.

Gradients are rather steep and monsoon gales may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	NE winds, strong breezes to a moderate gale; drizzling rain.
2.—Formosa Channel,	NE gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 1st January, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st JANUARY, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd JANUARY, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.58	751.5	4	...	W	1	o	7 a.	29.65	753.0	24	49	N W	5	o
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	29.45	748.1	...	...	W	6	...
Hakodate,	,,	29.42	747.2	...	...	S W	8	...	,,	29.50	749.2	...	...	W	6	...
Tokio,	,,	29.59	751.6	...	...	N	2	...	,,	29.55	750.6	...	...	...	0	...
Kochi,	,,	29.72	754.8	...	...	S W	2	...	,,	29.84	757.8	...	...	W	4	...
Nagasaki,	,,	29.99	761.8	...	...	N W	8	...	,,	29.99	761.8	...	...	N W	10	...
Kagoshima,	,,	29.92	759.9	...	...	S W	8	...	,,	30.00	761.9	...	...	N	6	...
Oshima,	,,	...	...	...	...	...	...	...	,,	30.08	764.1	...	...	N	6	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.09	764.2	...	...	N	8	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.09	764.3	...	...	N	6	...
Bonin Is.	,,	29.93	760.1	...	...	S	6	...	,,	29.39	759.1	...	...	S W	4	...
Chefoo,	4 p.	30.17	766.3	25	100	W N W	9	c	6 a.	30.15	765.8	23	100	N W	9	c
Weihaiwei,	,,	...	...	25	...	W	5	os	9 a.	...	...	30	...	W N W	3	c
Hankow,	,,	30.52	775.2	39	52	N E	3	o	6 a.	30.61	777.5	31	90	N W	1	b
Kiukiang,	,,	30.41	772.4	39	82	N E	4	o	,,	30.55	775.9	31	78	N E	1	o
Shanghai,	,,	30.35	770.9	34	..	N N W	4	o	9 a.	30.44	773.2	32	..	W N W	4	b
Gutzlaff,	,,	30.26	768.6	37	81	N N W	5	om	,,	30.39	771.9	32	79	N W	6	bm
Sharp Peak,	,,	30.14	765.5	58	81	E N E	4	o	,,	30.31	769.9	55	94	N E	2	c
Amoy,	,,	30.05	763.2	61	66	N E	5	o	6 a.	30.29	767.1	53	80	N E	2	o
Swatow,	,,	30.01	762.2	62	76	E N E	3	o	,,	30.20	767.1	54	68	N	2	o
Taihoku,	1 p.	30.10	764.6	...	...	E	6	...	5 a.	30.28	769.0	...	...	S E	2	...
Taichu,	,,	29.97	761.2	...	...	N	4	...	,,	30.15	765.8	...	...	N	6	...
Tainan,	,,	29.97	761.3	...	...	N	6	...	,,	30.12	764.9	...	...	N	6	...
Koshun,	,,	29.96	761.0	...	...	N	8	...	,,	30.07	763.8	...	...	N	8	...
Pescadores,	,,	30.02	762.4	...	...	N E	10	...	,,	30.16	766.0	...	...	N E	10	...
Canton,	3 p.	29.99	761.7	69	70	N W	1	b	9 a.	30.34	770.6	51	66	N N E	2	b
Hongkong,	4 p.	30.01	762.2	63	91	E	4	o	10 a.	30.27	768.8	61	49	N	2	b
Victoria Peak,	,,	...	...	...	...	E	5	...	,,	...	...	...	...	N	3	...
Gap Rock,	,,	29.93	760.2	...	...	N E	5	...	,,	30.21	767.3	...	...	N N E	4	...
Macao,	,,	30.03	762.7	66	...	E S E	1	odf	,,	30.30	769.6	55	...	N E	4	c
Wuchow,	3 p.	30.10	764.5	58	...	N	2	c	9 a.	30.40	772.1	50	...	N E	4	o
Hoihow,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	..	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.94	760.4	73	...	E S E	3	b	8 a.	30.18	766.5	63	...	E N E	4	o
Tourane,	,,	29.90	759.5	73	...	S S W	1	c	,,	30.08	764.1	70	..	W N W	2	o
Cape St. James,	,,	29.82	757.4	79	...	N E	4	c	,,	29.92	760.0	77	...	N N E	2	c
Aparri,	2 p.	29.89	759.2	81	...	N E	2	b	6 a.	29.97	761.2	77	...	N E	2	o
Manila,	4 p.	29.84	758	82	77	N	2	c	10 a.	30.00	762	81	76	W N W	1	c
Legaspi,	2 p.	29.84	758.0	86	...	E	2	c	6 a.	29.91	759.8	75	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	E N E	3	c
Iloilo,	,,	29.83	757.7	83	...	N E	1	b	,,	29.93	760.2	...	...	N E	2	c
Cebu,	,,	29.83	757.7	84	...	N	1	b	,,	29.93	760.2	79	...	N	1	o
Labuan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...

On the 2nd at 11.55 a.—The depression lying over the Sea of Japan yesterday, is moving into the Pacific to the North of Hokkaido.

An anticyclonic area is central over the continent to the North of the Upper Yangtze and except over E. Japan and the NE coast of the China, the barometer has risen generally, particularly over S. China.

Very strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N to NE winds, fresh; fine.
2.—Formosa Channel,	N to NE winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 2nd January, 1910.

[Printed by NOROSHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd January, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	3rd January, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
divostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
uro, ...	,,	29.57	746.1	...	...	N W	8	...	6 a.	29.49	749.1	...	...	W	8	...
odate, ...	,,	29.46	748.2	...	...	W	6	...	,,	29.65	753.2	...	...	W	6	...
io, ...	,,	29.43	747.6	...	...	N W	4	...	,,	29.95	760.6	...	...	N W	6	...
hi, ...	,,	29.80	756.8	...	...	W	6	...	,,	30.19	766.8	...	...	S W	2	...
asaki, ...	,,	30.11	764.8	...	...	N	8	...	,,	30.27	768.8	...	...	N	4	...
goshima, ...	,,	30.04	762.9	...	...	N W	8	...	,,	30.27	768.9	...	...	N	2	...
jima, ...	,,	30.16	766.1	...	...	N	6	...	,,	30.32	770.1	...	...	N	6	...
ha, ...	,,	...	...	...	...	...	...	...	,,	30.28	769.2	...	...	E	4	...
igakijin a, ...	,,	30.21	767.3	...	...	N	6	...	,,	30.29	769.3	...	...	N	4	...
ain Is.	,,	29.89	759.1	...	...	W	4	...	,,	30.12	765.1	...	...	N W	6	...
foo, ...	4 p.	30.14	765.5	34	100	N W	6	b	6 a.	30.20	767.1	29	100	W	1	b
haiwei, ...	,,	...	...	34	...	W N W	4	b	9 a.	...	...	33	...	S W	1	b
kow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang.....	,,	30.46	773.7	43	44	...	0	b	,,	30.35	770.9	34	90	...	0	o
nghai, ...	,,	30.33	770.4	38	45	W N W	4	b	9 a.	30.39	771.9	34	79	S E	2	c
zlaff, ...	,,	30.35	770.9	38	72	N W	5	bm	,,	30.36	771.1	43	67	S W	1	bv
rp Peak, ...	,,	30.30	769.6	55	87	N E	4	c	,,	30.40	772.1	51	...	N N E	3	c
oy, ...	,,	30.22	767.6	65	84	N E	3	b	6 a.	30.26	768.6	50	72	N	3	b
tow, ...	,,	...	...	...	...	...	...	...	,,	30.25	768.3	50	79	N E	1	b
hoku.....	1 p.	30.30	769.5	...	...	E	4	...	5 a.	30.31	769.8	...	...	E	6	...
hu, ...	,,	30.13	765.3	...	...	N	6	...	,,	30.23	767.9	...	...	...	0	...
an, ...	,,	30.19	766.7	...	...	N	6	...	,,	30.23	767.8	...	...	N E	2	...
nun.....	,,	30.14	765.6	...	...	N E	8	...	,,	30.20	767.0	...	...	N E	10	...
cadores, ...	,,	30.19	766.9	...	...	N E	10	...	,,	30.22	767.6	...	...	N E	8	...
ton, ...	3 p.	30.20	767.1	58	53	N	2	b	9 a.	30.31	769.9	54	74	N	1	b
gkong, ...	4 p.	30.16	766.6	63	48	E	2	b	10 a.	30.28	769.1	61	65	E	4	b
toria Peak, ...	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	S S E	5	...
Rock, ...	,,	30.15	765.8	...	...	E N E	4	...	,,	30.24	768.1	...	...	E N E	6	...
ao, ...	,,	30.19	766.8	60	...	N N E	2	c	,,	...	...	60	...	N E	2	c
chow, ...	3 p.	30.25	768.3	63	...	N E	3	o	9 a.	30.32	770.1	57	...	E	2	c
how, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
choi, ...	,,	30.23	767.8	59	76	N	5	c	,,	...	...	...	...	...	...	...
alien, ...	4 p.	30.15	765.9	64	...	N E	0	o	8 a.	30.21	767.4	59	...	N E	2	o
rane, ...	,,	...	...	...	...	...	...	...	,,	30.12	765.1	72	..	E	3	c
e St. James, .	,,	29.84	758.0	79	...	E	3	c	,,	29.95	760.7	75	...	N E	5	o
rri, ...	2 p.	30.01	762.3	73	...	N E	4	d	6 a.	30.12	764.9	72	...	N E	2	d
pila, ...	4 p.	29.88	759	82	71	E S E	4	c	10 a.	30.00	762	82	71	W N W	0	o
aspi, ...	2 p.	29.87	758.8	79	...	N E	2	o	6 a.	29.97	761.2	77	...	N E	2	b
olod, ...	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	E N E	3	o
lo, ...	,,	29.83	757.7	82	...	N E	3	b	,,	29.95	760.7	80	...	N E	3	b
u, ...	,,	29.65	753.2	81	...	...	0	c	,,	29.95	760.7	89	...	N	2	...
uan, ...	,,	29.77	756.1	82	...	...	...	...	,,	29.89	759.2	83	...	...	...	...

On the 3rd at 12.05 p.—The barometer has risen considerably over S. Japan and the Loochoos, and a moderate rise has taken place also over Luzon.

Pressure is giving way again over China. It is highest over S. China and the Eastern Sea.

The depression is still shown over the Pacific to the N.E. of Japan.

The monsoon will moderate in the Formosa Channel, but continue to blow strongly over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. and E. winds, fresh; fine.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 3rd January, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd JANUARY, 1910, P.M.								4th JANUARY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.90	759.5	4	...	...	0	b	7 a.	29.94	760.5	14	43	E	0	b
Nemuro,	,,	29.61	752.1	...	...	W	6	...	6 a.	29.97	761.1	...	...	W	4	...
Hakodate,	,,	29.81	757.2	...	...	W	6	...	,,	30.05	763.2	...	...	W	8	...
Tokio,	,,	29.93	761.6	...	...	N	2	...	,,	30.26	768.6	...	...	N W	2	...
Kochi,	,,	30.19	766.8	...	...	S	4	...	,,	30.35	770.8	...	...	S	2	...
Nagasaki,	,,	30.31	769.8	...	...	W	6	...	,,	30.31	769.8	...	...	S E	8	...
Kagoshima,	,,	30.27	768.9	...	...	N W	6	...	,,	30.35	770.9	...	...	...	0	...
Oshima,	,,	30.32	770.1	...	...	N	4	...	,,	30.32	770.1	...	...	S	2	...
Naha,	,,	30.28	769.2	...	...	N	2	...	,,	30.28	769.2	...	...	...	0	...
Ishigakijima,	,,	30.25	768.3	...	...	E	6	...	,,	30.21	767.3	...	...	S E	4	...
Bonin Is.	,,	30.16	766.1	...	...	N W	4	...	,,	30.32	770.1	...	...	N	2	...
Chefoo,	4 p.	30.10	764.5	39	91	S W	1	b	6 a.	30.10	764.5	33	100	S W	3	b
Weihaiwei,	,,	...	...	37	...	S W	1	c	9 a.	...	...	40	...	S S W	2	bm
Hankow,	,,	30.40	772.1	42	66	S E	1	c	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.28	769.1	39	46	...	0	o	,,	30.26	768.6	38	100	...	0	or
Shanghai.	,,	30.25	768.3	44	53	S E	3	o	9 a.	30.25	768.3	42	66	N	1	om
Gutzlaff,	,,	30.25	768.3	47	55	S	4	c	,,	30.23	767.8	45	76	N N W	1	om
Sharp Peak,	,,	30.21	767.1	53	...	N	1	c	,,	30.25	768.3	55	...	...	0	b
Amoy,	,,	30.21	767.1	64	63	N	1	b	6 a.	30.22	767.6	54	87	W	3	b
Swatow,	,,	30.17	766.3	64	43	E	1	c	,,	30.15	765.8	58	81	N E	1	c
Taihoku,	1 p.	30.20	767.0	...	...	E	6	...	5 a.	30.21	767.4	...	...	...	0	...
Taichu,	,,	30.17	766.3	...	...	S W	2	...	,,	30.21	767.3	...	...	...	0	...
Tainan,	,,	30.22	767.6	...	...	N W	2	...	,,	30.21	767.2	...	...	N	4	...
Koshun,	,,	30.18	766.5	...	...	N E	10	...	,,	30.17	766.2	...	...	N E	6	...
Pescadores,	,,	30.20	767.2	...	...	N E	6	...	,,	30.19	766.8	...	...	N E	6	...
Canton,	3 p.	30.17	766.3	62	72	N	1	b	9 a.	30.23	767.8	60	83	N	1	b
Hongkong,	4 p.	30.18	766.6	62	68	E	2	c	10 a.	30.23	767.8	69	68	...	0	c
Victoria Peak,	,,	...	...	...	...	E S E	2	...	,,	...	...	...	...	E	1	...
Gap Rock,	,,	30.12	765.0	...	...	E	5	...	,,	30.15	765.8	...	...	N E	3	...
Macao,	,,	30.19	766.8	64	...	E S E	1	c	,,	30.24	768.1	63	...	N	1	c
Wuchow,	3 p.	30.17	766.3	69	...	E	2	b	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.14	765.5	70	66	S E	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.13	765.4	64	...	E N E	1	o	8 a.	30.18	766.5	63	...	N N W	1	c
Tourane,	,,	30.06	763.5	72	...	E	3	o	,,	30.11	764.7	72	..	E	1	c
Cape St. James,	,,	29.86	758.5	77	...	N E	7	o	,,	29.97	761.2	75	...	N E	4	c
Aparri,	2 p.	30.05	763.3	75	...	E	2	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	760	81	70	E	2	c	10 a.	30.00	762	82	71	...	0	c
Legaspi,	2 p.	29.93	760.2	82	...	W	4	c	6 a.	29.97	761.3	79	...	N E	2	c
Bacolod,	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	E N E	1	c
Iloilo,	,,	29.87	758.7	83	...	N E	1	b	,,	29.95	760.7	81	...	N N E	1	b
Cebu,	,,	29.86	758.4	83	...	N	1	b	,,	29.97	761.2	82	...	N	1	b
Labuan,	,,	29.78	756.4	87	...	...	...	...	,,	29.91	759.7	82	...	...	...	...

On the 4th at 11.55 a.—The barometer has risen considerably over E. Japan and the Bonins, and fallen moderately over China.

A depression appears to be moving Eastwards over Manchuria.

The high pressure area lies over the Pacific to the South of Japan.

Light to moderate monsoon may be expected in the Formosa Channel, and moderate to fresh monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N.E. winds, light to moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 4th January, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th January, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	5th January, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
vostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
o, ...	,,	29.96	761.1	...	...	W	4	...	6 a.	30.01	762.1	...	...	S	4	...
late, ...	,,	30.01	762.2	...	...	W	6	...	,,	30.09	764.2	...	...	N W	6	...
.....	,,	30.18	766.6	...	...	S	2	...	,,	30.18	766.6	...	...	N W	2	...
, ...	,,	30.31	769.8	...	...	..	0	...	,,	30.03	762.8	...	...	S W	6	...
aki, ...	,,	30.27	768.8	...	...	S E	2	...	,,	30.03	762.8	...	...	W	8	...
shima, ...	,,	30.27	768.9	...	...	N E	2	...	,,	30.04	762.9	...	...	N	4	...
na, ...	,,	30.24	768.1	...	...	S W	6	...	,,	30.12	765.1	...	...	S W	2	...
,.....	,,	30.20	767.2	...	...	S	2	...	,,	30.17	766.2	...	...	...	0	...
akijima,....	,,	30.13	765.3	...	...	S E	6	...	,,	30.09	764.3	...	...	S	6	...
n Is.....	,,	30.28	769.1	...	...	E	2	...	,,	30.32	770.1	...	...	...	0	..
po, ...	4 p.	30.02	762.5	45	46	S S W	1	c	6 a.	30.09	764.3	29	100	...	0	b
aiwei,.....	,,	...	...	42	...	S W	2	c	9 a.	...	...	36	...	S W	1	bm
ow, ...	,,	30.34	770.6	44	76	S W	1	o	6 a.	30.36	771.7	37	91	E	2	c
ang,.....	,,	30.19	766.8	40	100	...	0	or	,,	30.29	769.3	32	48	...	0	b
hai, ...	,,	30.14	765.5	42	92	E N E	2	or	9 a.	30.28	769.1	42	83	N W	1	o
aff, ...	,,	30.13	765.3	44	92	N	1	omd	,,	30.15	765.3	42	100	N W	3	om
Peak,.....	,,	30.04	763.0	57	...	E S E	1	b	,,	30.19	766.8	57	87	E	1	o
,.....	,,	30.10	764.5	67	64	E	1	b	6 a.	30.09	764.3	62	82	...	0	c
ow, ...	,,	30.08	764.0	63	72	E	1	o	,,	30.05	763.2	62	89	W	1	c
ku,.....	1 p.	30.15	765.3	...	...	N	2	...	5 a.	30.14	765.6	...	...	...	0	...
n, ...	,,	30.13	765.2	...	...	N	4	...	,,	30.12	765.1	...	...	...	0	...
n,.....	,,	30.15	765.8	...	...	N	6	...	,,	30.13	765.2	...	...	N	2	...
n.....	,,	30.12	765.1	...	...	N E	6	...	,,	30.10	764.4	...	...	...	0	...
dores, ...	,,	30.17	766.2	...	...	N E	6	...	,,	...	...	...	...	...	...	...
n,.....	3 p.	30.07	763.8	69	75	N	1	b	9 a.	30.16	766.0	65	90	N	1	b
kong, ...	4 p.	30.10	764.5	69	67	E N E	1	b	10 a.	30.15	765.8	71	73	E S E	1	o
ria Peak,...	,,	...	...	...	...	...	0	...	,,	...	...	...	...	E	1	...
Rock,.....	,,	30.07	763.3	...	...	E N E	3	...	,,	30.12	765.6	...	...	E	3	...
o, ...	,,	30.10	764.5	68	...	E	...	c	,,	30.17	766.3	69	...	S E	1	c
how,.....	3 p.	30.11	764.8	74	...	W	2	b	9 a.	30.21	767.3	64	...	E	1	o
ow, ...	,,	30.13	765.3	68	95	E N E	2	o	,,	...	...	...	...	...	...	...
oi,.....	,,	30.11	764.8	72	66	S E	2	b	,,	30.19	766.8	68	90	E S E	3	o
ien,.....	4 p.	30.08	764.1	70	...	E S E	2	c	8 a.	30.13	765.3	64	...	E N E	1	dh
ane, ...	,,	30.03	762.7	73	...	...	0	c	,,	30.10	764.4	70	..	W N W	1	c
St. James,.	,,	29.87	758.7	77	...	N E	6	b	,,	29.97	761.3	77	...	E N E	4	b
ri, ...	2 p.	30.02	762.5	81	...	E	2	o	6 a.	30.06	763.5	72	...	S E	o	p
la, ...	4 p.	29.92	760	82	77	...	0	o	10 a.	30.00	762	82	71	...	0	o
spi, ...	2 p.	29.92	760.0	79	...	E	2	o	6 a.	29.97	761.1	77	...	N E	2	o
lod,.....	3 p.	...	...	...	...	N E	4	c	9 a.	...	...	...	...	N N E	3	c
,.....	,,	29.87	758.7	84	...	N E	2	b	,,	29.95	760.7	80	...	N E	2	c
,.....	,,	29.86	758.4	85	...	N	2	b	,,	29.96	761.0	82	...	N	2	b
an, ...	,,	29.79	756.6	87	...	...	...	...	,,	29.89	759.2	83	...	...	...	...

On the 5th at 12.05 p.—The barometer has fallen quickly over W. Japan and the Loochoos, and risen slightly er N. China.

The depression is moving Eastwards over the Sea of Japan.

Pressure is highest over the Pacific in the neighbourhood of the Bonins in the East, and over the Yangtze ley in the West.

The monsoon will probably freshen in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. winds, light to fresh; fine at first, cloudy and [misty later.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 5th January, 1910.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th January, 1910; P.M.								6th January, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.01	762.2	21	...	...	0	f	7 a.	30.00	762.0	10	80	...	0	b
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	29.97	761.1	...	...	N E	4	...
Hakodate,	,,	30.01	762.2	...	...	...	0	...	,,	30.01	762.2	...	...	...	0	...
Tokio,	,,	30.02	762.6	...	...	N W	2	...	,,	30.02	762.6	...	...	N W	2	...
Kochi,	,,	29.95	760.8	...	...		0	...	,,	30.15	765.8	...	...	S W	4	...
Nagasaki,	,,	30.07	763.8	...	...	N W	6	...	,,	30.19	766.8	...	...	E	2	...
Kagoshima,	,,	30.07	763.9	...	...	N W	6	...	,,	30.19	766.9	...	...	N	4	...
Oshima,	,,	30.12	765.1	...	...	W	4	...	,,	30.03	764.1	...	...	E	6	...
Naha,	,,	30.09	764.2	...	...	S	2	...	,,	30.05	763.2	...	...	N E	6	...
Ishigakijima,	,,	30.09	764.3	...	...	S	4	...	,,	30.01	762.3	...	...	S W	2	...
Bonin Is.	,,	30.20	767.1	...	...	S E	2	...	,,	30.08	764.1	...	...	...	0	...
Chefoo,	4 p.	30.05	763.2	45	60	S S E	1	b	6 a.	30.02	762.5	39	64	S E	1	b
Weihaiwei,	,,	...	...	46	...	S	1	b	9 a.	...	...	38	...	W S W	1	c
Hankow,	,,	...	...	...	...	...	...	..	6 a.	30.29	769.3	42	100	S E	1	o
Kiukiang,	,,	30.19	766.8	48	85	..	0	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.20	767.1	43	84	N W	1	o	9 a.	30.20	767.1	41	100	E	1	om
Gutzlaff,	,,	30.19	766.8	48	78	N N W	1	cm	,,	30.19	766.8	45	92	E S E	1	om
Sharp Peak,	,,	30.14	765.5	58	...	N E	2	b	,,	30.21	767.3	58	94	E	1	o
Amoy,	,,	30.04	763.0	66	84	S E	1	o	6 a.	30.09	764.3	61	89	S	3	c
Swatow,	,,	29.99	761.7	71	71	E S E	1	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.12	765.0	...	...	N	2	...	5 a.	30.07	763.8	...	...	E	4	...
Taichu,	,,	30.10	764.6	...	...	N E	4	...	,,	30.06	763.5	...	...	...	0	...
Tainan,	,,	30.10	764.5	...	...	N	6	...	,,	30.03	763.9	...	...	N	4	...
Koshun,	,,	30.06	763.4	...	...	E	2	...	,,	30.03	762.7	...	...	...	0	...
Pescadores,	,,	30.09	764.3	...	...	E	4	...	,,	30.07	763.8	...	...	N E	6	...
Canton,	3 p.	30.01	762.2	71	80	N W	1	b	9 a.	30.14	765.5	66	95	...	0	b
Hongkong,	4 p.	30.02	762.5	72	71	W N W	1	c	10 a.	30.15	765.8	69	80	E	3	c
Victoria Peak,	,,	...	...	...	...	N	1	...	,,	...	...	...	...	E N E	4	...
Gap Rock,	,,	29.97	761.2	...	...	N N W	2	...	,,	30.10	764.5	...	...	E	4	...
Macao,	,,	30.03	762.7	71	...	E S E	1	c	,,	30.16	766.0	69	...	E S E	1	c
Wuchow,	3 p.	30.04	763.0	75	...	..	0	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.02	762.5	72	90	...	3	b	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.05	763.2	74	72	S E	1	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.00	762.1	72	...	S E	4	c	8 a.	30.11	764.8	66	...	E N E	2	dl
Tourane,	,,	30.00	761.9	73	...	...	0	c	,,	30.05	763.2	72	..	E S E	1	c
Cape St. James,	,,	29.85	758.2	79	...	E N E	5	b	,,	29.94	760.5	77	...	N E	5	b
Aparri,	2 p.	29.98	761.5	81	...	E	2	b	6 a.	29.97	761.2	72	...	S E	2	b
Manila,	4 p.	29.88	759	86	53	E	3	b	10 a.	29.96	761	81	76	W N W	1	o
Legaspi,	2 p.	29.92	760.0	77	...	E	2	o	6 a.	29.92	759.9	77	...	E	2	o
Bacolod,	3 p.	...	...	...	...	N E	4	c	9 a.	...	...	...	...	E N E	4	c
Iloilo,	,,	29.85	758.2	84	...	N E	1	b	,,	29.91	759.7	81	...	N E	1	d
Cebu,	,,	29.64	757.9	85	...	N	2	b	,,	29.92	759.9	79	...	N	1	..
Labuan,	,,	29.79	756.6	85	...	...	...	...	,,	29.86	758.4	84	...	...	...	..

On the 6th at 12.10 p.—The depression has moved into the Pacific to the E. of Japan.
The barometer has risen in W. Japan, and fallen elsewhere particularly over N. China.
Probably another depression is approaching the latter area from the Westward.
Pressure is highest between the E. coast of China and W. Japan.
Moderate monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; fair.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 6th January, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th JANUARY, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	7th JANUARY, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivostock, ...	2 p.	30.03	762.7	14	...	...	0	b	7 a.	29.87	758.7	26	45	S W	0	b
ro, ...	,,	29.96	761.1	...	...	N E	4	...	6 a.	29.93	760.1	...	...	S	2	...
date, ...	,,	29.97	761.2	...	...	...	0	...	,,	29.89	759.2	...	...	W	2	...
, ...	,,	30.06	763.6	...	...	S	2	...	,,	30.06	763.6	...	...	N	4	...
i, ...	,,	30.07	763.8	...	...	...	0	...	,,	30.15	765.8	...	...	S	4	...
saki, ...	,,	30.15	765.8	...	...	N	2	...	,,	30.19	766.8	...	...	...	0	...
shima, ...	,,	30.11	764.9	...	...	...	0	...	,,	30.15	765.9	...	...	...	0	...
na, ...	,,	30.08	764.1	...	...	...	0	...	,,	30.03	764.1	...	...	S	2	...
,.....	,,	...	...	...	...	...	...	...	,,	30.05	763.2	...	...	N	8	...
akijima, ...	,,	30.01	762.3	...	...	S	2	...	,,	30.05	763.3	...	...	N E	6	...
n Is.....	,,	30.08	764.1	...	...	W	2	...	,,	30.04	763.1	...	...	...	0	...
oo, ...	4 p.	30.06	763.5	44	76	N N W	1	b	6 a.	30.19	766.8	30	100	...	0	b
aiwei, ...	,,	...	...	44	...	S W	1	b	9 a.	...	...	35	...	...	...	b
ow, ...	,,	30.32	770.1	52	86	N W	1	b	6 a.	30.19	766.3	42	100	S W	1	dh
iang.....	,,	30.23	767.8	57	100	W	1	b	,,	30.10	764.5	45	100	...	0	o
ghai, ...	,,	30.13	765.3	51	86	S S W	1	o	9 a.	30.20	767.1	37	100	...	0	f
laff, ...	,,	30.11	764.8	48	85	N N E	1	cm	,,	30.19	766.8	43	100	S W	1	f
p Peak, ...	,,	30.12	765.0	60	...	...	0	b	,,	30.18	766.6	58	88	N E	1	b
y, ...	,,	30.07	763.8	68	74	S E	2	b	6 a.	30.08	764.0	60	82	N E	1	b
ow, ...	,,	30.01	762.2	68	79	E	1	b	,,	30.02	762.5	60	94	N E	1	b
oku, ...	1 p.	30.12	765.0	...	...	N W	6	...	5 a.	30.08	764.0	...	...	E	6	...
nu, ...	,,	30.09	764.2	...	...	N	2	...	,,	30.02	762.6	...	...	...	0	...
an, ...	,,	30.10	764.6	...	...	N E	6	...	,,	30.04	763.0	...	...	N	4	...
un.....	,,	30.03	762.8	...	...	N	4	...	,,	30.00	761.9	...	...	N E	8	...
adores, ...	,,	30.08	764.0	...	...	N E	8	...	,,	30.03	762.8	...	...	N E	8	...
on, ...	3 p.	30.02	762.5	69	95	N W	1	b	9 a.	30.07	763.8	66	89	N	1	c
gkong, ...	4 p.	30.04	763.0	68	76	E	2	b	10 a.	30.09	764.3	66	78	E N E	4	o
oria Peak, ...	,,	...	...	...	...	...	0	...	,,	...	...	...	...	E N E	4	...
Rock, ...	,,	30.00	762.0	...	...	E	4	...	,,	30.04	763.0	...	...	E N E	4	...
o, ...	,,	30.05	763.2	71	...	S E	1	c	,,	30.10	764.5	65	...	E S E	2	o
how, ...	3 p.	30.06	763.5	80	...	E	1	b	9 a.	30.10	764.5	63	...	S E	1	o
ow, ...	,,	30.07	763.8	71	95	E	3	c	,,	...	...	...	...	...	...	...
hoi, ...	,,	30.04	763.0	76	73	S E	2	b	,,	...	...	...	...	...	...	...
lien, ...	4 p.	30.02	762.6	70	...	E	3	or	8 a.	30.01	762.2	68	...	E S E	0	o
ane, ...	,,	29.98	761.4	73	...	E S E	1	c	,,	29.99	761.7	77	..	S E	3	c
St. James, .	,,	29.83	757.7	79	...	E N E	5	c	,,	29.88	758.9	75	...	N E	2	c
ri, ...	2 p.	29.94	760.5	82	...	N E	2	b	6 a.	29.98	761.4	68	...	S W	0	b
la, ...	4 p.	29.88	759	86	53	E	1	c	10 a.	29.92	760	82	57	N E	0	b
spi, ...	2 p.	29.88	758.9	84	...	E	2	c	6 a.	29.89	759.1	77	...	N E	2	b
lod, ...	3 p.	...	...	...	...	N E	...	o	9 a.	...	...	...	...	N E	4	c
o, ...	,,	29.83	757.7	83	...	N E	3	b	,,	29.87	758.7	79	...	N E	3	c
n, ...	,,	29.83	757.7	84	...	N	1	c	,,	29.86	758.4	83	...	N	2	b
an, ...	,,	29.77	756.1	86	...	...	...	...	,,	29.83	757.7	81	...	...	...	...

On the 7th at 12.10 p.—The barometer has risen on the N.E. coast of China, and fallen over the Northern shores f the Sea of Japan.

The depression lying over Manchuria yesterday, appears to be moving into the N.E. part of the Sea of Japan.

The barometer has fallen again over Central and S. China and also at the stations in the South.

Pressure is highest over the Yellow Sea. It is low over the S. part of the China Sea.

Moderate to fresh monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	E. winds, fresh; fair to cloudy and misty.
Formosa Channel, ...	N.E. winds, moderate.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 7th January, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th January, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	8th January, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostook,	2 p.	30.02	762.4	26	...	N E	1	s	7 a.	30.10	764.5	27	76	N	0	b
Nemuro,	"	29.73	755.1	...	...	S W	10	...	6 a.	30.20	767.1	...	...	W	2	...
Hakodate,	"	29.97	761.2	...	...	W	8	...	"	30.32	770.2	...	...	S	2	...
Tokio,	"	30.02	762.6	...	...	...	0	...	"	30.22	767.6	...	...	N W	4	...
Kochi,	"	30.07	763.8	...	...	E	4	...	"	30.15	765.8	...	...	S W	4	...
Nagasaki,	"	30.11	764.8	...	...	S	2	...	"	30.03	762.8	...	...	E	6	...
Kagoshima,	"	30.11	764.9	...	...	S E	2	...	"	30.03	763.9	...	...	N E	2	...
Oshima,	"	30.08	764.1	...	...	N	4	...	"	30.04	763.1	...	...	S	4	...
Naha,	"	30.01	762.2	...	...	E	2	...	"	30.01	762.2	...	...	...	0	...
Ishigakijima,	"	30.01	762.3	...	...	E	6	...	"	29.97	761.3	...	...	S	6	...
Bonin Is.	"	30.04	763.1	...	...	W	4	...	"	30.12	765.1	...	...	N E	2	...
Chefoo,	4 p.	30.07	763.8	45	46	S S E	1	c	6 a.	29.72	754.9	39	91	S E	1	o
Weihaiwei,	"	...	...	42	...	S S E	1	c	9 a.	...	...	38	...	N	1	cm
Hankow,	"	29.94	760.5	43	100	E	1	or	6 a.	30.12	765.0	45	92	N E	1	o
Kiukiang	"	29.86	758.4	53	80	...	0	o	"	30.00	762.0	48	100	W	1	o
Shanghai.	"	29.98	761.5	56	69	S E	2	c	9 a.	29.94	760.5	51	93	W N W	3	om
Gutzlaff,	"	29.93	760.2	51	79	S W	3	c	"	29.91	759.7	52	86	N W	5	om
Sharp Peak,	"	29.98	761.5	60	...	E	1	b	"	30.01	762.2	69	94	...	0	c
Amoy,	"	30.01	762.2	73	58	N E	1	b	6 a.	29.97	761.2	61	88	S E	3	or
Swatow,	"	29.97	761.2	67	74	E	1	c	"	29.94	760.5	73	86	N	0	c
Taihoku	1 p.	30.02	762.4	...	...	E	6	...	5 a.	30.01	762.1	...	...	...	0	...
Taichu,	"	29.98	761.6	...	...	W	2	...	"	30.00	761.9	...	...	N	2	...
Tainan,	"	30.02	762.4	...	...	N	4	...	"	30.00	762.0	...	...	N E	2	...
Koshun	"	29.98	761.4	...	...	E	8	...	"	29.97	761.1	...	...	N E	2	...
Pescadores,	"	30.01	762.3	...	...	N E	3	...	"	29.99	761.6	...	...	N E	4	...
Canton	3 p.	29.94	760.5	71	76	N W	1	b	9 a.	30.02	762.5	67	85	N E	1	b
Hongkong,	4 p.	29.98	761.5	65	78	E	2	o	10 a.	30.04	763.0	71	83	E	1	o
Victoria Peak,	"	...	...	...	...	E	4	...	"	...	...	...	...	E	2	...
Gap Rock,	"	29.93	760.2	...	...	E N E	5	...	"	30.01	762.2	...	...	E N E	3	...
Macao,	"	30.01	762.2	65	...	S E	1	o	"	30.06	763.5	69	...	N E	2	c
Wuchow,	3 p.	29.93	760.2	67	...	S E	2	c	9 a.	...	...	...	...	...	...	...
Hoihow,	"	29.96	761.0	75	72	E S E	4	c	"	...	...	...	...	...	...	...
Pakhoi,	"	29.92	759.9	77	73	S	2	c	"	...	...	...	...	...	...	...
Phulien,	4 p.	29.88	759.0	73	...	S E	4	b	8 a.	29.95	760.8	68	...	S E	2	o
Tourane,	"	29.88	759.0	76	...	S E	3	c	"	29.94	760.4	73	..	S S W	2	c
Cape St. James,	"	...	...	...	...	...	...	...	"	29.86	758.4	75	...	N E	4	b
Aparri,	2 p.	29.92	760.0	82	...	N E	2	...	6 a.	29.93	760.3	66	...	S	2	b
Manila,	4 p.	29.84	758	84	52	E	1	b	10 a.	29.92	760	82	63	E	0	b
Legaspi,	2 p.	29.84	758.0	84	...	E	2	b	6 a.	29.87	758.7	77	...	N E	2	c
Bacolod,	3 p.	...	...	...	...	E N E	3	c	9 a.	...	...	...	...	E N E	3	o
Iloilo,	"	29.77	756.1	82	...	N E	1	c	"	29.87	758.7	79	...	N N E	1	b
Cebu,	"	29.78	756.4	85	...	N	2	b	"	29.87	758.7	81	...	N	1	c
Labuan,	"	29.77	756.1	84	...	...	...	...	"	29.80	756.9	83	...	...	...	...

On the 8th at 12.10 p.—The barometer has risen considerably in E. Japan, and fallen rapidly over N. China.

A rather deep depression, which has advanced Eastwards from the Yangtze valley, is moving into the Yellow Sea.

The depression lying to the North of Japan yesterday, has moved away over the Pacific, and pressure is now high over E. Japan.

The monsoon is expected to freshen considerably in the Formosa Channel and over the northern shores of the China Sea by to-morrow.

Hongkong Rainfall for the 24 hours ending at 10 a.m. *to-day*, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, probably freshening; fair at first, some rain later
2.—Formosa Channel,	Same as No. 1
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 8th January, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th January, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	9th January, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivostock,	2 p.	30.13	765.4	10	...	S E	1	b	7 a.	29.79	756.6	10	36	E	5	b
ro,	,,	30.32	770.1	...	...	...	0	...	6 a.	30.04	763.1	...	...	S E	8	...
date,	,,	30.24	768.2	...	...	E	2	...	,,	29.69	754.2	...	...	E	10	...
,	,,	30.18	766.6	...	...	N W	2	...	,,	29.75	755.6	...	...	N W	4	...
i,	,,	29.99	761.8	...	...	E	2	...	,,	29.91	759.8	...	...	S W	2	...
saki,	,,	29.72	754.8	...	...	S	10	...	,,	30.03	762.8	...	...	N	2	...
shima,	,,	29.92	759.9	...	...	S	4	...	,,	30.00	761.9	...	...	N W	4	...
na,	,,	29.96	761.1	...	...	S	6	...	,,	30.04	763.1	...	...	N	6	...
	,,	30.01	762.2	...	...	S	2	...	,,	30.05	763.2	...	...	N E	2	...
akijima,	,,	30.01	762.3	...	...	S	4	...	,,	30.01	762.3	...	...	E	4	...
n Is.	,,	30.08	764.1	...	...	E	2	...	,,	30.04	763.1	...	...	...	0	...
po,	4 p.	29.88	758.9	41	92	N E	1	b	6 a.	...	...	...	...	...	...	...
aiwei,	,,	...	...	38	...	N	1	c	9 a.	...	...	27	...	N W	7	c
ow,	,,	30.07	763.8	52	79	E	1	b	6 a.	...	...	...	...	...	...	...
ang,	,,	30.03	762.7	56	87	W	1	b	,,	29.91	759.7	49	100	N E	2	o
ghai,	,,	30.02	762.5	50	79	N W	4	c	9 a.	30.12	765.0	46	93	S E	1	om
aff,	,,	29.99	761.7	51	86	N W	4	om	,,	30.11	764.8	50	86	S E	3	ov
Peak,	,,	29.89	759.2	62	...	..	0	c	,,	30.11	764.8	60	82	N E	3	or
	,,	29.94	760.5	71	71	S W	2	c	6 a.	29.95	760.7	65	89	S E	3	c
ow,	,,	29.92	759.9	68	70	E	1	c	,,	29.92	759.9	65	89	N E	1	c
ku,	1 p.	29.98	761.5	...	...	..	0	...	5 a.	29.98	761.4	...	...	...	0	...
u,	,,	29.99	761.7	...	...	N W	2	...	,,	29.98	761.5	...	...	...	0	...
n,	,,	30.01	762.2	...	...	N	4	...	,,	29.98	761.4	...	...	E	2	...
n,	,,	29.98	761.5	...	...	E	6	...	,,	29.97	761.2	...	...	E	6	...
dores,	,,	29.99	761.7	...	...	...	0	...	,,	29.95	760.8	...	...	N E	2	...
n,	3 p.	29.94	760.5	75	77	N W	1	b	9 a.	30.00	762.0	69	95	...	0	o
kong,	4 p.	29.94	760.5	71	77	E	2	c	10 a.	30.02	762.5	71	87	E	1	c
ria Peak,	,,	...	...	...	...	S E	1	...	,,	...	...	...	...	E	3	...
Rock,	,,	29.91	759.7	...	...	E	3	...	,,	29.99	761.7	...	...	E	3	...
o,	,,	29.96	761.0	71	...	S E	1	c	,,	30.04	763.0	73	...	S E	1	c
ow,	3 p.	29.91	759.7	78	...	E	1	c	9 a.	30.01	762.2	68	...	E	1	c
ow,	,,	29.97	761.2	73	95	S S W	4	c	,,	...	...	...	...	...	...	...
oi,	,,	29.92	759.9	75	77	S E	2	o	,,	...	...	...	...	...	...	...
ien,	4 p.	29.89	759.1	72	...	S E	5	o	8 a.	29.97	761.2	70	...	E S E	3	o
ane,	,,	29.86	758.5	75	...	S E	2	b	,,	29.93	760.3	73	..	S S W	2	c
St. James,	,,	29.78	756.3	79	...	E N E	5	b	,,	29.85	758.2	77	...	N E	5	b
i,	2 p.	29.91	759.6	81	...	N E	2	b	6 a.	29.95	760.7	68	...	S	0	b
a,	4 p.	29.84	758	84	58	E N E	1	c	10 a.	29.92	760	84	64	E	1	b
pi,	2 p.	29.83	757.7	79	...	N E	2	o	6 a.	...	...	...	...	...	...	...
od,	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	N N W	1	c
	,,	29.83	757.7	83	...	N E	3	c	,,	29.85	758.2	80	...	N E	1	b
	,,	29.78	756.4	86	...	N	2	b	,,	29.85	758.2	84	...	N	1	b
n,	,,	29.74	755.4	87	...	...	...	...	,,	...	...	...	...	...	...	...

On the 9th at 12.15 p.—The depression lying over the Yellow Sea yesterday, is crossing the Sea of Japan and proaching S. Hokkaido.

The barometer has risen rapidly on the NE coast of China, and fallen again at Kiukiang. Another depression pears to have developed over the Lower Yangtze valley.

High pressure covers N. China.

Moderate to fresh E. and NE winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	E. and NE winds, moderate to fresh; fair to cloudy [and misty.
Formosa Channel,	NE winds, moderate to fresh.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 9th January, 1910.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th JANUARY, 1910, P.M.								10th JANUARY, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.12	765.0	-12	...	N E	1	b	7 a.	30.39	771.7	-8	37	N E	8	b
Nemuro,	,,	29.57	751.1	...	...	S E	10	...	6 a.	29.81	757.1	...	...	W	6	..
Hakodate,	,,	29.61	752.2	...	...	N W	4	...	,,	30.17	766.2	...	...	N W	6	..
Tokio,	,,	29.79	756.6	...	...	N W	4	...	,,	30.02	762.6	...	...	N	4	..
Kochi,	,,	29.95	760.8	...	...	S E	6	...	,,	30.07	763.8	...	...	N W	2	..
Nagasaki,	,,	30.03	762.8	...	...	N	2	...	,,	30.07	763.8	...	...	...	0	..
Kagoshima,	,,	30.04	762.9	...	...	...	0	...	,,	30.04	762.9	...	...	S E	2	..
Oshima,	,,	30.04	763.1	...	...	N	2	...	,,	30.01	762.1	...	...	S	2	..
Naha,	,,	30.05	763.2	...	...	E	4	...	,,	30.01	762.2	...	...	...	0	..
Ishigakijima,	,,	30.01	762.3	...	...	S E	4	...	,,	29.97	761.3	...	...	S	6	..
Bonin Is.	,,	30.00	762.1	...	...	S W	4	...	,,	30.01	762.1	...	...	N W	4	..
Chefoo,	4 p.	30.43	772.9	24	100	N E	6	o	6 a.	30.38	771.6	23	100	N W	2	b
Weihaiwei,	,,	...	...	24	...	N	4	c	9 a.	...	...	27	...	N	2	c
Hankow,	,,	30.08	764.0	60	88	N	1	o	6 a.	30.24	768.1	36	91	N E	1	o
Kiukiang,	,,	29.94	760.5	50	93	N E	2	o	,,	...	...	...	...	...	...	..
Shanghai,	,,	29.99	761.7	50	86	E	3	o	9 a.	30.17	766.3	44	91	N E	4	o
Gutzlaff,	,,	29.98	761.5	53	80	S E	4	ov	,,	30.12	765.0	48	100	N E	5	o
Sharp Peak,	,,	29.93	760.2	60	...	...	0	o	,,	30.10	764.5	61	100	E	1	f
Amoy,	,,	30.00	762.0	66	90	S E	2	c	6 a.	29.97	761.2	62	89	S W	1	o
Swatow,	,,	30.00	762.0	73	95	S E	1	c	,,	...	...	...	...	...	...	..
Taihoku,	1 p.	29.95	760.7	...	...	W	2	...	5 a.	29.98	761.5	...	...	...	0	..
Taichu,	,,	29.98	761.5	...	...	N	2	...	,,	29.99	761.6	...	...	...	0	..
Tainan,	,,	30.01	762.3	...	...	N	4	...	,,	29.98	761.5	...	...	N E	2	..
Koshun,	,,	30.06	763.5	...	...	E	4	...	,,	29.99	761.6	...	...	E	2	..
Pescadores,	,,	30.00	762.1	...	...	E	6	...	,,	29.97	761.2	...	...	E	4	..
Canton,	3 p.	29.92	759.9	75	77	S W	1	c	9 a.	...	...	...	...	...	...	..
Hongkong,	4 p.	29.94	760.5	74	78	E	2	o	10 a.	30.02	762.5	67	95	E	1	o
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E S E	4	..
Gap Rock,	,,	29.91	759.7	...	...	E N E	4	...	,,	29.98	761.5	...	...	E	4	..
Macao,	,,	29.94	760.5	75	...	S E	1	c	,,	30.04	763.0	67	...	E	1	o
Wuchow,	3 p.	29.91	759.7	81	...	W	1	b	9 a.	...	...	...	...	...	...	..
Hoihow,	,,	29.97	761.2	71	100	E S E	2	f	,,	...	...	...	...	...	...	..
Pakhoi,	,,	29.93	760.2	78	70	S	2	b	,,	...	...	...	...	...	...	..
Phulien,	4 p.	29.89	759.2	73	...	S E	1	c	8 a.	29.97	761.3	66	...	E S E	3	o
Tourane,	,,	29.85	758.1	73	...	S S E	1	c	,,	29.95	760.7	73	..	S E	2	c
Cape St. James,	,,	29.77	756.2	77	...	E N E	6	c	,,	29.86	758.3	79	...	E N E	5	c
Aparri,	2 p.	29.89	759.2	82	...	E	2	c	6 a.	29.94	760.4	70	...	E	0	b
Manila,	4 p.	29.84	758	86	53	S E	1	c	10 a.	29.92	760	81	69	W N W	0	o
Legaspi,	2 p.	29.83	757.6	82	...	E	4	o	6 a.	29.87	758.7	77	...	N E	2	c
Bacolod,	3 p.	...	...	...	...	N N E	2	o	9 a.	...	...	...	...	E N E	3	c
Iloilo,	,,	29.79	756.6	83	...	N E	1	c	,,	29.87	758.7	79	...	N E	1	b
Cebu,	,,	29.79	756.6	84	...	N	1	b	,,	29.87	758.7	82	...	N	2	c
Labuan,	,,	29.72	754.9	87	...	...	...	...	,,	29.90	759.4	81	...	...	...	..

On the 10th at 12.15 p.—The barometer has risen over Japan the depression lying over Hokkaido yesterday having moved into the Pacific.

The barometer has fallen slightly over the Loochoos and risen considerably over the Yangtze valley.

The depression lying to the South of the latter area yesterday, has moved into the Eastern Sea.

A high pressure area covers N. China and Manchuria.

The monsoon will probably freshen in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to NE winds, freshening; misty, probably some [rain
2.—Formosa Channel,	NE winds, freshening.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 10th January, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	10TH JANUARY, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	11TH JANUARY, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
vostock,...	2 p.	30.30	769.5	−9	...	N E	3	b	7 a.	30.39	772.0	−8	32	N E	1	b
o, ...	,,	29.93	760.1	...	...	N W	10	...	6 a.	30.12	765.1	...	...	...	0	...
ate, ...	,,	30.20	767.2	...	...	N W	8	...	,,	30.25	768.3	...	...	W	6	...
.....	,,	30.06	763.6	...	...	N E	2	...	,,	30.18	766.6	...	...	N	4	...
.....	,,	30.07	763.8	...	...	N	4	...	,,	30.03	762.8	...	...	S W	2	...
ki, ...	,,	30.03	762.8	...	...	N	2	...	,,	30.03	762.8	...	...	N	2	...
hima, ...	,,	30.00	761.9	...	...	...	0	...	,,	29.96	760.9	...	...	N	6	...
a, ...	,,	29.93	760.1	...	...	S	4	...	,,	29.89	759.1	...	...	S	2	...
.....	,,	29.97	761.2	...	...	S	2	...	,,	29.93	760.2	...	...	S	2	...
kijima, ...	,,	29.97	761.3	...	...	S	4	...	,,	29.93	760.3	...	...	S	6	...
Is.....	,,	29.96	761.1	...	...	N W	2	...	,,	30.01	762.1	...	...	N	2	...
, ...	4 p.	30.33	770.4	28	100	N W	1	c	6 a.	30.22	767.6	24	100	N W	2	b
iwei, ...	,,	...	...	31	...	N	1	cv	9 a.	...	...	28	...	N W	1	c
w, ...	,,	30.34	770.6	34	100	N W	2	or	6 a.	30.31	769.9	31	100	N W	1	s
ng.....	,,	30.14	765.5	41	100	N E	2	or	,,	...	...	...	...	...	...	...
hai, ...	,,	30.09	764.3	44	92	N N E	4	or	9 a.	30.08	764.0	43	100	N N E	3	or
ff, ...	,,	30.04	763.0	49	100	N N E	5	omd	,,	29.99	761.7	47	100	N	5	omr
Peak, ...	,,	29.99	761.7	60	82	E N E	4	o	,,	30.04	763.0	59	100	...	0	o
.....	,,	29.93	760.2	67	84	S E	3	o	6 a.	29.93	760.2	62	94	S E	1	or
w, ...	,,	29.88	758.9	73	81	E	1	b	,,	29.86	758.4	65	100	N	2	o
u, ...	1 p.	29.96	761.0	...	...	N E	2	...	5 a.	29.92	760.0	...	...	N E	2	...
, ...	,,	29.95	760.8	...	...	W	2	...	,,	29.90	759.4	...	...	...	0	...
, ...	,,	29.96	761.1	...	...	W	4	...	,,	29.93	760.1	...	...	N	2	...
.....	,,	29.96	760.9	...	...	S E	6	...	,,	29.91	759.8	...	...	E	2	...
ores, ...	,,	29.97	761.3	...	...	E	4	...	,,	29.93	760.2	...	...	E	4	...
, ...	3 p.	29.88	758.9	76	73	S W	1	b	9 a.	29.94	760.5	70	90	S W	1	b
ong, ...	4 p.	29.91	759.7	71	89	E	1	c	10 a.	29.97	761.2	70	88	E	2	o
a Peak, ...	,,	...	...	...	...	S E	1	...	,,	...	...	...	...	S E	2	...
ock, ...	,,	29.88	758.9	...	...	E N E	4	...	,,	29.96	761.0	...	...	E N E	3	...
.....	,,	29.92	759.9	76	...	E	1	c	,,	29.98	761.5	67	...	S E	1	of
w, ...	3 p.	29.90	759.4	76	...	W	1	c	9 a.	...	...	...	...	...	...	...
w, ...	,,	29.91	759.7	72	100	E N E	3	c	,,	...	...	...	...	...	...	...
i, ...	,,	29.92	759.9	77	82	S	1	o	,,	...	...	...	...	...	...	...
n, ...	4 p.	29.87	758.6	72	...	S E	4	o	8 a.	29.91	759.8	68	...	S W	3	o
ue, ...	,,	29.82	757.5	75	...	S E	2	b	,,	29.89	759.3	75	...	S	2	c
t. James, .	,,	29.76	755.8	79	...	E N E	5	c	,,	29.82	757.5	...	...	N E	3	c
, ...	2 p.	29.88	758.9	82	...	N E	2	b	6 a.	29.88	759.0	72	...	S E	2	b
, ...	4 p.	29.80	757	86	53	E	1	b	10 a.	29.88	759	82	70	W	1	b
i, ...	2 p.	29.83	757.6	82	...	E	2	b	6 a.	29.84	757.9	77	...	N E	2	b
d, ...	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	3	c
.....	,,	29.77	756.1	84	...	N E	3	c	,,	29.83	757.7	79	...	N N E	4	c
.....	,,	29.78	756.4	85	...	N	2	b	,,	29.84	757.9	83	...	N	2	c
n, ...	,,	29.70	754.4	85	...	...	...	...	,,	29.79	756.6	83	...	...	...	...

On the 11th at 12.15 p.—The barometer has risen over E. Japan, and fallen elsewhere except over the Upper ngtze.

The depression remains over the Eastern Sea, and a second area of low pressure lies over the S. coast of China Tongking.

Pressure is still high over N. China and Manchuria.

Variable winds, probably freshening from the Northward, may be expected in the Formosa Channel and along northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	Variable and N. winds, probably freshening; drizzling rain or mist.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 11th January, 1910.

rinted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th January, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.22	767.6	−11	...	N	5	b
Nemuro,	,,	30.03	764.1	...	...	N W	2	...
Hakodate,	,,	30.13	765.2	...	...	N W	4	...
Tokio,	,,	30.14	765.6	...	...	N	6	...
Kochi,	,,	29.91	759.8	...	...	S W	2	...
Nagasaki,	,,	29.91	759.8	...	...	N	4	...
Kagoshima,	,,	29.88	758.9	...	...	N	4	...
Oshima,	,,	29.85	758.1	...	...	S W	4	...
Naha,	,,	29.89	759.2	...	...	S	4	...
Ishigakijima,	,,	29.89	759.3	...	...	S	6	...
Bonin Is.	,,	29.96	761.1	...	...	S W	2	...
Chefoo,	4 p.	30.22	767.6	26	100	N W	3	c
Weihaiwei,	,,	...	...	27	...	N W	2	c
Hankow,	,,	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.08	764.0	43	100	N	3	d
Gutzlaff,	,,	30.00	762.0	47	93	N	6	om
Sharp Peak,	,,	29.95	760.7	60	88	N N E	3	or
Amoy,	,,	29.90	759.4	66	84	S E	1	o
Swatow,	,,	29.85	758.2	69	90	E	1	o
Taihoku,	1 p.	29.93	760.3	...	...	N	4	...
Taichu,	,,	29.90	759.5	...	...	W	2	...
Tainan,	,,	29.92	760.0	...	...	W	4	...
Koshun,	,,	29.90	759.4	...	...	S	4	...
Pescadores,	,,	29.90	759.5	...	...	E	2	...
Canton,	3 p.	29.86	758.4	74	81	W	1	b
Hongkong,	4 p.	29.88	758.9	73	82	N W	1	o
Victoria Peak,	,,	...	...	...	...	N	0	...
Gap Rock,	,,	29.85	758.2	...	...	E N E	2	...
Macao,	,,	29.88	758.9	72	...	S E	1	o
Wuchow,	3 p.	29.88	758.9	80	...	N	1	o
Hoihow,	,,	29.88	758.9	71	95	E	2	o
Pakhoi,	,,	29.88	758.9	75	81	S S E	1	b
Phulien,	4 p.	29.82	757.4	73	...	S E	3	c
Tourane,	,,	29.80	756.9	75	...	S E	3	b
Cape St. James,	,,	29.74	755.5	70	...	E N E	6	c
Aparri,	2 p.	29.83	757.8	84	...	E	2	b
Manila,	4 p.	29.76	756	86	53	E	2	b
Legaspi,	2 p.	29.80	756.8	84	...	N E	2	c
Bacolod,	3 p.	...	...	...	...	N E	3	o
Iloilo,	,,	29.75	755.6	84	...	N E	1	b
Cebu,	,,	29.74	755.4	84	...	N	2	b
Labuan,	,,	29.65	753.1	87	...	...	...	...

Station.	12th January, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	30.22	767.5	−10	42	N	5	b
Nemuro,	6 a.	30.04	763.1	...	...	W	4	...
Hakodate,	,,	30.09	764.2	...	...	N	2	...
Tokio,	,,	29.95	760.6	...	...	N	6	...
Kochi,	,,	29.91	759.8	...	...	S	2	...
Nagasaki,	,,	30.03	762.8	...	...	...	0	...
Kagoshima,	,,	29.96	760.9	...	...	N	4	...
Oshima,	,,	29.97	761.1	...	...	N	2	...
Naha,	,,	29.97	761.2	...	...	N E	4	...
Ishigakijima,	,,	29.93	760.3	...	...	N E	4	...
Bonin Is.	,,	30.01	762.1	...	...	S W	6	...
Chefoo,	6 a.	30.19	766.8	27	100	N W	2	o
Weihaiwei,	9 a.	...	...	27	...	N N W	3	on
Hankow,	6 a.	30.18	766.6	33	90	N E	1	s
Kiukiang,	,,	30.10	764.5	37	100	N E	2	or
Shanghai,	9 a.	30.11	764.8	42	100	N N E	2	or
Gutzlaff,	,,	30.07	763.8	47	100	N E	4	on
Sharp Peak,	,,	30.09	764.3	58	88	E N E	2	o
Amoy,	6 a.	29.98	761.5	59	82	N E	5	o
Swatow,	,,	...	...	...	...	...	...	...
Taihoku,	5 a.	30.01	762.1	...	...	E	6	...
Taichu,	,,	29.93	760.2	...	...	N	2	...
Tainan,	,,	29.94	760.4	...	...	N	4	...
Koshun,	,,	29.92	759.9	...	...	N E	2	...
Pescadores,	,,	29.94	760.4	...	...	N E	8	...
Canton,	9 a.	...	...	...	...	...	...	...
Hongkong,	10 a.	30.00	762.0	66	96	E	2	od
Victoria Peak,	,,	...	...	...	...	E	3	...
Gap Rock,	,,	29.96	761.0	...	...	E N E	3	...
Macao,	,,	29.99	761.7	69	...	S E	1	o
Wuchow,	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...
Phulien,	8 a.	29.90	759.5	70	...	E S E	4	o
Tourane,	,,	29.89	759.1	75	..	S S E	2	c
Cape St. James,	,,	29.84	758.0	77	...	N E	4	c
Aparri,	6 a.	29.90	759.4	72	...	S E	2	o
Manila,	10 a.	29.92	760	82	70	N N E	0	b
Legaspi,	6 a.	29.84	757.9	77	...	E	2	b
Bacolod,	9 a.	...	...	...	...	N E	3	o
Iloilo,	,,	29.83	757.7	80	...	N N E	1	b
Cebu,	,,	29.84	757.9	81	...	N	1	c
Labuan,	,,	29.78	756.4	83	...	...	...	...

On the 12th at 12.10 p.—The barometer has risen slightly over the E. and S. coasts of China and the Loochoo and fallen moderately over N.E. and S.E. of Japan.

The depression lying over the Eastern Sea yesterday, is moving Eastwards to the S. of Japan.

The barometer has fallen again over the Yangtze valley where another depression appears to be developing.

Pressure is highest over N. China and Manchuria.

Fresh or moderate N.E. and E. winds may be expected in the Formosa Channel and along the northern shore of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, fresh or moderate; drizzing ra[or mis
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 12th January, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	12TH JANUARY, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	13TH JANUARY, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ostock,...	2 p.	30.32	770.2	7	...	N	5	c	7 a.	30.28	769.2	−11	34	N	0	b
,.....	,,	29.96	761.1	...	...	W	4	...	6 a.	29.97	761.1	...	...	W	2	...
te,.....	,,	30.05	763.2	...	...	N	2	...	,,	30.13	765.2	...	...	...	0	...
.....	,,	30.02	762.6	...	...	E	6	...	,,	30.06	763.6	...	...	N W	4	...
.....	,,	29.99	761.8	...	...	E	4	...	,,	29.95	760.8	...	...	S W	2	...
ki, ...	,,	29.99	761.8	...	...	N	4	...	,,	29.91	759.8	...	...	...	0	...
ima, ...	,,	29.96	760.9	...	...	S	2	...	,,	29.92	759.9	...	...	N	2	...
a,.....	,,	29.96	761.1	...	...	N	2	...	,,	29.85	758.1	...	...	N E	2	...
.....	,,	29.93	760.2	...	...	E	2	...	,,	29.85	758.2	...	...	S	4	...
kijima,....	,,	29.93	760.3	...	...	E	6	...	,,	29.89	759.3	...	...	S	6	...
Is.....	,,	29.93	760.1	...	...	S	4	...	,,	30.01	762.1	...	...	...	0	...
,.....	4 p.	30.09	764.3	27	88	N N W	3	o	6 a.	30.17	766.3	26	100	N W	2	o
wei,.....	,,	...	...	29	...	...	...	c	9 a.	...	...	31	...	N	3	c
, ...	,,	30.20	767.1	35	100	N W	1	o	6 a.	30.22	767.6	35	90	N W	1	o
ng,.....	,,	30.09	764.3	37	100	N	2	or	,,	30.16	766.0	37	100	...	0	o
ai, ...	,,	30.02	762.5	43	92	N E	3	or	9 a.	30.07	763.8	44	84	N N E	2	om
,, ...	,,	29.98	761.6	47	100	N E	4	omd	,,	...	...	...	...	...	...	...
Peak,.....	,,	29.95	760.7	59	100	...	0	c	,,	30.00	762.0	58	88	N E	2	f
.....	,,	29.95	760.7	64	72	N	1	o	6 a.	29.89	759.2	61	94	N E	1	o
w, ...	,,	29.89	759.2	63	82	...	0	o	,,	29.82	757.4	62	94	N E	1	o
u,.....	1 p.	29.91	759.8	...	...	E	4	...	5 a.	29.89	759.3	...	...	...	0	...
, ...	,,	29.92	760.0	...	...	W	2	...	,,	29.89	759.3	...	...	...	0	...
,.....	,,	29.95	760.8	...	...	N	4	...	,,	29.91	759.7	...	...	N E	2	...
.....	,,	29.97	761.2	...	...	N	6	...	,,	29.88	758.8	...	...	N E	2	...
ores, ...	,,	29.94	760.6	...	...	N E	8	...	,,	29.88	759.0	...	...	E	4	...
,.....	3 p.	29.87	758.7	65	90	N	1	or	9 a.	29.87	758.7	68	95	...	0	o
ong, ...	4 p.	29.88	758.9	66	95	E	3	of	10 a.	29.91	759.7	66	92	E	2	o
a Peak,...	,,	...	...	...	...	E S E	5	...	,,	...	...	...	...	S E	1	...
ock,.....	,,	29.84	757.9	...	...	N E	4	...	,,	29.89	759.2	...	...	E	3	...
, ...	,,	29.89	759.2	67	...	S E	1	cf	,,	29.88	758.9	68	...	S E	3	of
w,.....	3 p.	29.89	759.2	67	...	E	1	c	9 a.	...	...	...	...	...	...	...
w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
i,.....	,,	29.86	758.4	80	70	S	2	c	,,	...	...	...	...	...	...	...
n,.....	4 p.	29.80	756.8	72	...	S E	3	o	8 a.	29.86	758.4	70	...	S E	3	o
ne, ...	,,	29.81	757.1	73	...	S E	2	c	,,	29.86	758.3	73	..	N N W	3	c
t. James,.	,,	29.77	756.1	79	...	E N E	5	c	,,	29.86	758.3	72	...	N E	3	c
,.....	2 p.	29.85	758.3	84	...	E	2	b	6 a.	29.86	758.5	70	...	S	2	b
, ...	4 p.	29.80	757	84	71	...	0	c	10 a.	29.88	759	79	69	S W	1	b
i, ...	2 p.	29.83	757.6	84	...	E	2	c	6 a.	29.83	757.7	75	...	N E	2	b
d, ...	3 p.	...	...	...	...	E N E	4	o	9 a.	...	...	...	...	E N E	3	c
.....	,,	29.77	756.1	83	...	N E	3	c	,,	29.83	757.7	79	...	N E	2	b
.....	,,	29.78	756.4	83	...	N	2	o	,,	29.84	757.9	83	...	N	2	c
n, ...	,,	29.69	754.1	86	...	...	...	...	,,	29.79	756.6	83	...	...	...	...

On the 13th at 12.10 p.—The depression lying to the S. of Japan yesterday, has moved away over the Pacific, the barometer has risen moderately in S.E. Japan.

The barometer has risen slightly over the Yangtze valley, and fallen moderately over W. Japan, the Loochoos and S. China.

A low pressure trough extends from Tongking over S. China to the Eastern Sea, and probably a circular depression is developing over the latter.

Pressure is highest over N. China and Manchuria.

Moderate variable winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	Variable winds, moderate; misty, probably some rain.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 13th January, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th January, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	14th January, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.22	767.6	5	...	N	1	b	7 a.	30.19	766.9	—8	42	N	3	b
Nemuro,	,,	29.96	761.1	...	...	N	4	...	6 a.	29.97	761.1	...	...	N	6	...
Hakodate,	,,	30.05	763.2	...	...	N	6	...	,,	30.05	763.2	...	...	N	4	...
Tokio,	,,	29.94	760.6	...	...	N	4	...	,,	29.95	760.6	...	...	N	4	...
Kochi,	,,	29.80	756.8	...	...	S W	2	...	,,	29.84	757.8	...	...	E	2	...
Nagasaki,	,,	29.83	757.8	...	...	N	2	...	,,	29.80	756.8	...	...	N E	4	...
Kagoshima,	,,	29.84	757.9	...	...	N	4	...	,,	29.80	756.9	...	...	...	0	...
Oshima,	,,	29.85	758.1	...	...	N	4	...	,,	29.81	757.1	...	...	N	6	...
Naha,	,,	29.81	757.2	...	...	N	4	...	,,	29.77	756.2	...	...	N	8	...
Ishigakijima,	,,	29.82	757.3	...	...	S W	8	...	,,	29.82	757.3	...	...	N E	4	...
Bonin Is.	,,	29.93	760.1	...	...	S	4	...	,,	29.89	759.1	...	...	S W	6	...
Chefoo,	4 p.	30.18	766.6	28	100	N W	3	o	6 a.	30.13	765.3	27	100	N W	5	c
Weihaiwei,	,,	...	...	30	...	N	2	cm	9 a.	...	...	27	...	N W	5	b
Hankow,	,,	30.25	768.3	39	91	E	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.05	763.2	44	76	N N E	2	o	9 a.	30.20	767.1	36	80	N W	3	o
Gutzlaff,	,,	29.98	761.5	46	84	N	5	om	,,	30.13	765.3	38	...	N W	5	ov
Sharp Peak,	,,	29.90	759.4	53	81	E	3	or	,,	30.11	764.8	66	95	E	1	o
Amoy,	,,	29.85	758.2	64	90	N E	1	o	6 a.	30.00	762.0	57	87	N E	1	or
Swatow,	,,	29.77	756.1	74	76	W	1	b	,,	29.96	761.0	55	80	N E	3	c
Taihoku,	1 p.	29.84	757.9	...	...	E	6	...	5 a.	30.01	762.1	...	...	S	2	...
Taichu,	,,	29.80	756.8	...	...	W	4	...	,,	29.93	760.1	...	...	N	6	...
Tainan,	,,	29.82	757.4	...	...	S W	6	...	,,	29.90	759.4	...	...	N	6	...
Koshun,	,,	29.83	757.6	...	...	E	6	...	,,	29.87	758.6	...	...	...	0	...
Pescadores,	,,	29.82	757.3	...	...	N W	2	...	,,	29.93	760.2	...	...	N E	8	...
Canton,	3 p.	29.82	757.4	63	82	N	2	o	9 a.	30.12	765.0	51	79	N	2	b
Hongkong,	4 p.	29.80	756.9	73	80	S	1	o	10 a.	30.07	763.8	62	50	N	2	b
Victoria Peak,	,,	...	...	...	...	S S W	2	...	,,	...	...	...	...	N	1	...
Gap Rock,	,,	29.79	756.6	...	...	E	2	...	,,	30.04	763.0	...	...	N N E	4	...
Macao,	,,	29.81	757.2	72	...	S	1	c	,,	30.08	764.0	55	...	N	4	c
Wuchow,	3 p.	29.95	760.7	53	86	N	2	od	9 a.	30.23	767.8	51	...	W	3	b
Hoihow,	,,	29.81	757.2	79	90	N W	2	c	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.85	758.2	69	80	N	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.76	755.9	75	...	S S E	5	c	8 a.	30.02	762.5	63	...	E N E	3	or
Tourane,	,,	29.74	755.5	81	...	S E	1	b	,,	29.91	759.6	75	..	...	0	c
Cape St. James,	,,	29.76	755.8	81	...	E N E	4	c	,,	29.86	758.3	77	...	E N E	4	c
Aparri,	2 p.	29.80	757.0	86	...	N W	2	b	6 a.	29.88	759.0	70	...	S W	2	b
Manila,	4 p.	29.76	756	82	57	S E	2	o	10 a.	29.88	759	82	57	N N W	2	b
Legaspi,	2 p.	29.78	756.3	86	...	E	2	b	6 a.	29.84	757.9	70	...	...	0	c
Bacolod,	3 p.	...	...	...	...	N N E	4	c	9 a.	...	...	...	...	N E	3	c
Iloilo,	,,	29.77	756.1	83	...	N E	1	b	,,	29.85	758.2	79	...	N E	1	b
Cebu,	,,	29.77	756.1	84	...	N	1	b	,,	29.84	757.9	84	...	N	1	b
Labuan,	,,	29.73	755.1	87	...	...	...	...	,,	29.80	756.9	82	...	...	...	...

On the 14th at 12.15 p.—The barometer has fallen moderately over S. Japan and the Loochoos, and risen considerably over S. China and Tongking.

The depression is moving Eastwards over the Pacific to the East of the Loochoos.

Probably pressure is high over China to the North of the Upper Yangtze.

Fresh to strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh or strong; fine.
2.—Formosa Channel,	NE winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 14th January, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	14TH JANUARY, 1910, P.M.								15TH JANUARY, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ostock,...	2 p.	30.09	764.4	4	...	N	3	b	7 a.	30.01	763.2	−8	40	N	5	b
,.....	,,	29.93	760.1	...	...	N W	4	...	6 a.	29.97	761.1	...	...	N	6	...
te,.....	,,	30.01	762.2	...	...	N W	6	...	,,	30.01	762.2	...	...	...	0	...
.....	,,	29.94	760.6	...	...	N E	2	...	,,	29.79	756.6	...	...	N	6	...
.....	,,	29.80	756.8	...	...	...	0	...	,,	29.80	756.8	...	...	N W	2	...
ki, ...	,,	29.72	754.8	...	...	N	2	...	,,	29.88	758.3	...	...	W	2	...
ima, ...	,,	29.72	754.9	...	...	N E	4	...	,,	29.92	759.9	...	...	N	2	...
,.....	,,	29.73	755.1	...	...	N W	2	...	,,	29.97	761.1	...	...	N	8	...
.....	,,	29.85	758.2	...	...	N W	8	...	,,	30.05	763.2	...	...	...	...	...
ijima,....	,,	29.97	761.3	...	...	N W	8	...	,,	30.09	764.3	...	...	N	6	...
ls.....	,,	29.81	757.1	...	...	S W	6	...	,,	29.77	756.1	...	...	S	8	...
.....	4 p.	30.12	765.0	27	100	N W	4	s	6 a.	30.12	765.0	20	100	N W	5	s
wei,.....	,,	...	...	29	...	N W	5	cms	9 a.	...	...	19	...	N W	5	os
,.....	,,	30.34	770.6	44	76	S W	1	c	6 a.	30.31	769.9	37	91	S E	1	c
g,.....	,,	30.28	769.1	42	95	W	1	c	,,	30.20	767.1	35	100	...	0	b
i, ...	,,	30.16	766.0	38	72	N W	3	o	9 a.	30.21	767.3	38	91	W	1	o
,.....	,,	30.09	764.3	40	82	N N W	5	ov	,,	30.17	766.3	40	81	N N W	1	ov
Peak,.....	,,	30.09	764.3	56	87	N E	3	o	,,	30.17	766.3	52	93	W	1	b
.....	,,	30.03	762.7	62	77	N E	3	o	6 a.	30.10	764.5	52	79	N W	1	o
,.....	,,	29.97	761.2	65	73	E	1	b	,,	30.15	765.8	50	79	N E	3	b
,.....	1 p.	30.08	764.0	...	...	W	6	...	5 a.	30.17	766.2	...	...	...	0	...
.....	,,	29.99	761.8	...	...	N	6	...	,,	30.08	763.9	...	...	...	0	...
.....	,,	29.96	761.1	...	...	N	8	...	,,	30.09	764.2	...	...	N	4	...
.....	,,	29.94	760.4	...	...	N E	4	...	,,	30.08	764.1	...	...	E	6	...
res, ...	,,	29.98	761.6	...	...	N E	10	...	,,	30.06	763.9	...	...	N E	10	...
.....	3 p.	30.04	763.0	60	65	N	1	b	9 a.	30.24	768.1	49	78	N	1	b
ng, ...	4 p.	30.01	762.2	68	46	S S E	1	b	10 a.	30.20	767.1	63	62	N W	1	o
Peak,...	,,	...	...	...	...	S	1	...	,,	...	...	...	...	E	2	...
ck,.....	,,	29.98	761.5	...	...	N N E	4	...	,,	30.14	765.5	...	...	E N E	4	...
.....	,,	30.03	762.7	62	...	N N E	4	b	,,	30.22	767.6	53	...	N W	2	o
w,.....	3 p.	30.11	764.8	63	...	N	1	b	9 a.	...	...	...	...	...	...	...
,.....	,,	...	...	...	...	...	...	..	,,	...	...	...	...	...	...	...
.....	,,	30.07	763.8	64	53	N	2	c	,,	...	...	...	...	...	...	...
,.....	4 p.	29.98	761.6	68	...	S S E	2	c	8 a.	30.16	766.0	61	...	E N E	2	o
e, ...	,,	29.87	758.7	75	...	S E	1	c	,,	30.02	762.4	68	..	N N W	2	o
James,.	,,	29.78	756.3	81	...	E N E	5	c	,,	29.87	758.7	77	...	N E	8	c
.....	2 p.	29.88	759.0	81	...	N W	2	b	6 a.	29.99	761.6	73	...	N E	4	p
.....	4 p.	29.80	757	82	63	S S W	1	c	10 a.	29.93	760	81	69	W	1	c
.....	2 p.	29.81	757.1	88	...	N E	2	b	6 a.	29.89	759.1	77	...	N E	2	o
,.....	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N N E	4	o
.....	,,	29.77	756.1	83	...	N E	2	c	,,	29.89	759.2	79	...	N E	4	b
.....	,,	29.78	756.4	84	...	...	...	b	,,	29.87	758.7	83	...	N	2	or
.....	,,	29.73	755.1	84	...	...	...	...	,,	29.83	757.7	82	...	...	...	...

On the 15th at 12.05 p.—The barometer has fallen moderately over S.E. Japan and the Bonins owing to the de-
ion which is moving Eastwards to the North of the latter.

Pressure has increased considerably over the Loochoos and S. China, while it has a tendency to give way again
the Yangtze valley. It is highest over S. China.

Fresh to moderate monsoon may be expected in the Formosa Channel, and strong monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	N.E. winds, fresh or moderate; fair.
ormosa Channel, ...	Same as No. 1.
outh coast of China between Hongkong and Lamocks,.	Same as No. 1.
outh coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 15th January, 1910.

inted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th January, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	16th January, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.96	761.0	3	...	N	5	b	7 a.	29.99	761.6	—3	44	N E	5	o
Nemuro,	,,	29.96	761.1	...	...	N W	4	...	6 a.	30.01	762.1	...	...	W	4	...
Hakodate,	,,	29.93	760.2	...	...	N W	2	...	,,	29.97	761.2	...	...	...	0	...
Tokio,	,,	29.79	756.6	...	...	N W	4	...	,,	29.95	760.6	...	...	N	4	...
Kochi,	,,	29.80	756.8	...	...	E	4	...	,,	29.84	757.8	...	...	W	2	...
Nagasaki,	,,	29.91	759.8	...	...	N W	8	...	,,	29.95	760.8	...	...	W	10	...
Kagoshima,	,,	29.92	759.9	...	...	N W	6	...	,,	30.00	761.9	...	...	W	6	...
Oshima,	,,	29.93	760.1	...	...	S W	4	...	,,	30.12	765.1	...	...	W	4	...
Naha,	,,	30.05	763.2	...	...	N W	6	...	,,	30.17	766.2	...	...	N	6	...
Ishigakijima,	,,	30.09	764.3	...	...	N	6	...	,,	30.17	766.3	...	...	N	4	...
Bonin Is.	,,	29.77	756.1	...	...	W	6	...	,,	30.08	764.1	...	...	N W	4	...
Chefoo,	4 p.	30.13	765.3	18	25	N W	6	s	6 a.	30.13	766.6	20	100	N W	9	s
Weihaiwei,	,,	...	...	16	...	N	5	cs	9 a.	...	...	20	...	N	6	os
Hankow,	,,	30.39	771.9	44	76	N E	1	b	6 a.	30.51	774.9	33	79	N	1	o
Kiukiang,	,,	30.27	768.8	44	92	W	1	c	,,	30.39	771.9	34	69	W	3	o
Shanghai,	,,	30.18	766.6	36	72	N W	4	os	9 a.	30.44	773.2	26	39	N W	3	o
Gutzlaff,	,,	30.13	765.3	42	84	W N W	5	ov	,,	30.37	771.4	31	68	N N W	5	cv
Sharp Peak,	,,	30.09	764.3	59	...	E	1	b	,,	30.26	768.6	54	86	N E	2	c
Amoy,	,,	30.11	764.8	64	58	E N E	3	b	6 a.	30.21	767.3	53	80	N E	1	b
Swatow,	,,	30.07	763.8	58	76	N N E	1	b	,,	...	...	..	...	...	...	...
Taihoku,	1 p.	30.11	764.8	...	...	E	6	...	5 a.	30.17	766.3	...	...	E	6	...
Taichu,	,,	30.09	764.4	...	...	...	0	...	,,	30.15	765.9	...	...	...	0	...
Tainan,	,,	30.00	762.1	...	...	N	4	...	,,	30.15	765.7	...	...	N	4	...
Keshun	,,	30.08	764.0	...	...	N E	6	...	,,	30.11	764.8	...	...	N E	6	...
Pescadores,	,,	30.12	765.0	...	...	N E	6	...	,,	30.14	765.6	...	...	N E	8	...
Canton,	3 p.	30.07	763.8	59	69	N	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.05	763.2	64	61	E	2	b	10 a.	30.13	766.6	65	70	E	4	o
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	6	...
Gap Rock,	,,	30.03	762.7	...	...	E N E	5	...	,,	30.13	765.3	...	...	E	5	...
Macao,	,,	30.08	764.0	53	...	N N E	2	c	,,	30.16	766.0	65	...	S E	2	o
Wuchow,	3 p.	30.16	766.0	54	...	E	1	b	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.07	763.8	66	100	E N E	4	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.04	763.0	63	...	E N E	2	o	8 a.	30.10	764.4	61	...	...	0	o
Tourane,	,,	29.94	760.5	68	...	N W	1	or	,,	30.02	762.5	70	..	...	0	o
Cape St. James,	,,	29.80	757.0	79	...	E N E	6	c	,,	29.89	759.1	77	...	E N E	6	c
Aparri,	2 p.	29.97	761.3	75	...	E	2	o	6 a.	30.04	763.1	66	...	S W	2	o
Manila,	4 p.	29.84	758	82	50	E N E	4	o	10 a.	29.96	761	82	57	E	1	c
Legaspi,	2 p.	29.84	758.0	86	...	N E	4	c	6 a.	29.92	760.0	73	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	3	c
Iloilo,	,,	29.81	757.2	82	...	N N E	2	b	,,	29.91	759.7	79	...	N	3	c
Cebu,	,,	29.81	757.2	83	...	N	2	c	,,	29.91	759.7	82	...	N	2	b
Labuan,	,,	29.74	755.4	84	...	...	...	...	,,	...	...	...	...	...	...	...

On the 16th at 12.15 p.—The depression lying over the Pacific to the S.E. of Japan yesterday, has moved away Eastwards.

The barometer has fallen slightly over the Sea of Japan, where another depression appears to have developed.

Pressure has increased considerably along the Yangtze valley, and given way slightly in Tongking. It is now high over China to the North of the former area.

Strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, fresh to strong; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,

Hongkong Observatory, Sunday, 16th January, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	16TH JANUARY, 1910, P.M.								17TH JANUARY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ostock,...	2 p.	30.04	762.9	−2	...	N E	5	o	7 a.	30.07	763.7	−5	59	N W	5	o
, ...	,,	30.04	763.1	...	...	W	[illegible]	...	6 a.	29.85	758.1	...	...	N E	10	...
te, ...	,,	29.50	749.2	...	...	S E	6	...	,,	29.81	757.2	...	...	[illegible]	2	...
.....	,,	29.71	754.6	...	...	N W	2	...	,,	29.91	759.6	...	...	N W	2	...
.....	,,	29.91	759.8	...	...	W	6	...	,,	30.11	764.8	...	...	S	2	...
ki, ...	,,	30.07	763.8	...	...	S	8	...	,,	30.15	765.8	...	...	N	2	...
ima, ...	,,	30.07	763.9	...	...	N W	6	...	,,	30.15	765.9	...	...	N	2	...
a, ...	,,	30.16	766.1	...	...	N	6	...	,,	30.20	767.1	...	...	S	2	...
.....	,,	30.20	767.2	...	...	N	6	...	,,	30.17	766.2	...	...	E	2	...
kijima, ...	,,	30.13	765.3	...	...	E	6	...	,,	30.09	764.3	...	...	S E	6	...
Is.	,,	30.08	754.1	...	...	W	2	...	,,	30.16	766.1	...	...	...	0	...
.....	4 p.	30.28	769.1	23	100	N W	6	s	6 a.	30.27	768.8	20	100	N W	3	s
wei, ...	,,	...	...	28	...	N	5	c	9 a.	...	...	22	...	N	8	c
, ...	,,	30.42	772.6	35	80	N E	2	o	6 a.	30.60	777.2	32	79	N E	1	o
g, ...	,,	30.45	773.4	37	47	N E	2	o	,,	30.51	774.9	32	79	...	0	o
ai, ...	,,	30.39	771.9	29	55	N W	2	o	9 a.	30.48	774.2	29	...	N W	3	o
, ...	,,	30.33	770.4	31	78	N N W	4	ov	,,	30.41	772.4	31	90	N W	4	ov
Peak, ...	,,	30.21	767.3	55	74	E N E	5	o	,,	30.32	770.1	52	93	N E	1	or
.....	,,	30.17	766.3	63	68	N E	4	b	6 a.	30.15	765.8	55	84	N E	3	o
, ...	,,	30.08	764.0	63	57	N E	3	o	,,	30.10	764.5	57	83	N E	1	o
.....	1 p.	30.18	766.5	...	...	E	6	...	5 a.	30.15	765.8	...	...	E	6	...
.....	,,	30.12	765.1	...	...	S	2	...	,,	30.12	765.1	...	...	...	0	...
.....	,,	30.14	765.5	...	...	N	4	...	,,	30.12	765.1	...	...	N	4	...
.....	,,	30.10	764.5	...	...	N E	8	...	,,	30.06	763.4	...	...	E	6	...
res, ...	,,	30.14	765.6	...	...	N E	8	...	,,	30.10	764.4	...	...	N E	8	...
.....	3 p.	30.06	763.5	64	68	N W	1	b	9 a.	30.21	767.3	53	100	N	2	or
ng, ...	4 p.	30.06	763.5	64	73	E	3	o	10 a.	30.17	766.5	65	70	N E	1	o
a Peak, ...	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E N E	5	...
ock, ...	,,	30.01	762.2	...	...	E N E	6	...	,,	30.13	765.3	...	...	E N E	5	...
.....	,,	30.06	763.5	65	...	E	4	o	,,	30.18	766.6	59	...	N	4	od
w, ...	3 p.	30.12	765.0	63	...	E	1	o	9 a.	30.29	769.3	51	79	N	5	or
, ...	,,	30.07	763.8	68	100	E	3	o	,,	...	...	...	...	...	...	...
, ...	,,	...	...	...	...	...	...	...	,,	30.15	765.8	66	...	S E	3	c
n, ...	4 p.	29.98	761.5	64	...	N	1	dh	8 a.	30.07	763.7	66	...	E N E	3	o
e, ...	,,	29.93	760.1	73	...	..	0	c	,,	30.02	762.4	73	..	E	1	o
. James, .	,,	29.82	757.4	79	...	E N E	4	f	,,	29.92	760.0	77	...	N E	3	c
.....	2 p.	30.00	762.1	77	...	N E	2	o	6 a.	30.03	762.7	68	...	S	2	b
.....	4 p.	29.88	759	81	56	E	3	o	10 a.	29.96	761	81	62	N W	1	b
, ...	2 p.	29.89	759.3	81	...	N E	4	o	6 a.	29.92	760.0	75	...	N E	2	b
d, ...	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N E	4	o
.....	,,	29.83	757.7	83	...	N E	2	b	,,	29.91	759.7	79	...	N N E	3	b
.....	,,	29.84	757.9	83	...	N	2	b	,,	29.89	759.2	82	...	N	2	b
.....	,,	29.79	756.6	85	...	...	...	...	,,	29.90	759.4	82	...	...	...	...

On the 17th at 12.05 p.—The barometer has fallen moderately in N.E. Japan owing to the depression, which is ing into the Pacific to the South of Hokkaido.

The barometer has risen considerably in W. Japan, and a moderate rise has taken place also over N. China.

An anticyclonic area is lying over the continent to the North of the Yangtze valley.

Strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
longkong and Neighbourhood, ...	N. to N.E. winds, strong; rainy, colder.
ormosa Channel, ...	N. to N.E. winds, strong to a gale.
outh coast of China between Hongkong and Lamocks, .	Same as No. 1.
outh coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 17th January, 1910.

rinted by NORONHA & Co., Government Printers.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th January, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	18th January, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.02	762.4	−1	...	N	4	o	7 a.	30.20	767.1	−6	51	N	1	b
Nemuro,	,,	29.77	756.1	...	...	N	10	...	6 a.	30.16	766.1	...	...	N	4	...
Hakodate,	,,	29.81	757.2	...	...	E	2	...	,,	29.93	760.2	...	...	S E	6	...
Tokio,	,,	29.91	759.6	...	...	S W	4	...	,,	29.91	759.6	...	...	N W	2	...
Kochi,	,,	30.03	762.8	...	...	...	0	...	,,	30.03	762.8	...	...	S W	2	...
Nagasaki,	,,	30.07	763.8	...	...	N E	2	...	,,	30.15	765.8	...	...	N	4	...
Kagoshima,	,,	30.07	763.9	...	...	N	2	...	,,	30.15	765.9	...	...	...	0	...
Oshima,	,,	30.08	764.1	...	...	N	4	...	,,	30.16	766.1	...	...	N	8	...
Naha,	,,	30.05	763.2	...	...	N	6	...	,,	30.21	767.2	...	...	N	8	...
Ishigakijima,	,,	30.05	763.3	...	...	N W	8	...	,,	30.21	767.3	...	...	N	3	...
Bonin Is.	,,	30.04	763.1	...	...	S E	4	...	,,	29.89	759.1	...	...	S E	4	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	...	...	23	...	N N W	5	c	9 a.	...	...	24	...	W	2	b
Hankow,	,,	30.69	779.5	41	41	N E	2	b	6 a.	30.52	775.2	34	90	E	2	c
Kiukiang,	,,	30.51	774.9	39	73	...	0	b	,,	30.45	773.4	32	90	N E	4	o
Shanghai,	,,	30.43	772.9	35	...	N W	4	c	9 a.	30.52	775.2	29	...	N W	2	o
Gutzlaff,	,,	30.38	771.6	36	90	N W	5	cv	,,	30.46	773.7	31	100	N W	3	o
Sharp Peak,	,,	30.26	768.6	52	86	N E	2	or	,,	30.37	771.4	49	71	E N E	5	o
Amoy,	,,	30.19	766.8	53	86	N E	2	or	6 a.	30.23	767.8	46	84	N E	5	o
Swatow,	,,	30.12	765.0	53	93	N	1	o	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.23	767.9	...	...	E	6	...	5 a.	30.31	769.9	...	...	E	4	...
Taichu,	,,	30.15	765.8	...	...	N	6	...	,,	30.13	765.3	...	...	N	6	...
Tainan,	,,	30.13	765.3	...	...	N	6	...	,,	30.14	765.5	...	...	N	4	...
Koshun	,,	30.07	763.7	...	...	N	6	...	,,	30.08	764.1	...	...	N E	10	...
Pescadores,	,,	30.13	765.4	...	...	N E	10	...	,,	30.15	765.8	...	...	N E	10	...
Canton,	3 p.	30.17	766.3	50	86	N N E	2	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.09	764.3	56	80	N	2	od	10 a.	30.22	767.6	52	84	E N E	3	o
Victoria Peak,	,,	...	...	...	...	N E	4	...	,,	...	...	...	...	E N E	6	...
Gap Rock,	,,	30.04	763.0	...	...	N N E	5	...	,,	30.17	766.3	...	...	E	6	...
Macao,	,,	30.11	764.8	51	...	N	5	od	,,	30.25	768.3	49	...	N	3	o
Wuchow,	3 p.	30.28	769.1	45	...	N	3	od	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.13	765.3	55	87	N	6	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.02	762.5	63	...	E N E	4	or	8 a.	30.15	765.7	54	...	N E	4	o
Tourane,	,,	29.94	760.4	73	...	N	1	c	,,	30.02	762.6	70	..	N W	1	o
Cape St. James,	,,	29.83	757.8	79	...	E N E	5	o	,,	29.89	759.1	77	...	N E	5	c
Aparri,	2 p.	29.93	760.2	84	...	S E	2	b	6 a.	29.99	761.7	64	...	S E	0	b
Manila,	4 p.	29.84	758	84	58	...	0	c	10 a.	29.96	761	79	76	W	1	b
Legaspi,	2 p.	29.86	758.5	79	...	N E	2	o	6 a.	29.88	758.9	77	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N E	3	cd	9 a.	...	...	...	...	N E	3	c
Iloilo,	,,	29.81	757.2	83	...	N E	1	c	,,	29.80	759.2	79	...	N E	1	o
Cebu,	,,	29.80	756.9	85	...	N	2	c	,,	29.87	758.7	84	...	N	2	b
Labuan,	,,	29.74	755.4	85	...	...	...	...	,,	29.86	758.4	81	...	...	...	...

On the 18th at 12.10 p.—The depression lying to the E. of Japan yesterday, has moved away over the Pacific. A depression which appears to have developed to the South of the Loochoos, has moved Eastwards to the neighbourhood of the Bonins.

Pressure has increased slightly over the China coast and given way a little along the Yangtze valley. The "high" area is still lying to the North of the latter.

Strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.15 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; drizzling rain or mist.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 18th January, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	18TH JANUARY, 1910, P.M.								19TH JANUARY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ostock,...	2 p.	30.22	767.5	6	...	N	1	b	7 a.	30.39	772.0	—6	60	N E	2	b
o, ...	,,	30.08	764.1	...	...	N	6	...	6 a.	29.77	756.1	...	...	N	10	...
ate, ...	,,	29.97	761.2	...	...	E	8	...	,,	29.93	760.2	...	...	N	8	...
.....	,,	29.75	755.6	...	...	N W	2	...	,,	29.95	760.6	...	...	N W	2	...
.....	,,	30.07	763.8	...	...	N	6	...	,,	30.31	769.8	...	...	W	2	...
ki, ...	,,	30.23	767.8	...	...	N	6	...	,,	30.39	771.8	...	...	...	0	...
hima, ...	,,	30.19	766.9	...	...	N	2	...	,,	30.39	771.9	...	...	...	0	...
a, ...	,,	30.20	767.1	...	...	N	8	...	,,	30.32	770.1	...	...	N	4	...
.....	,,	30.20	767.2	...	...	N	8	...	,,	30.28	769.2	...	...	N E	4	...
kijima, ...	,,	30.21	767.3	...	...	N	8	...	,,	30.25	768.3	...	...	E	6	...
Is.....	,,	29.85	758.1	...	...	W	6	...	,,	30.08	764.1	...	...	N	6	...
.....	4 p.	30.44	773.2	30	100	N W	2	b	6 a.	30.44	773.2	23	86	S W	1	b
wei, ...	,,	...	...	31	...	W S W	2	b	9 a.	...	...	29	...	...	...	cm
w, ...	,,	30.46	773.7	36	90	S E	2	o	6 a.	30.36	771.1	33	90	S E	1	or
ng, ...	,,	30.36	771.1	33	90	N E	3	o	,,	30.27	768.8	33	100	N E	2	o
ai, ...	,,	30.38	771.6	36	...	N	2	c	9 a.	30.38	771.6	41	74	E	2	o
ff, ...	,,	30.39	771.9	40	56	N N W	2	cv	,,	30.38	771.6	45	76	E S E	3	ov
Peak, ...	,,	30.32	770.1	48	85	N E	2	or	,,	30.33	770.4	49	85	W N W	3	o
.....	,,	30.24	768.1	50	72	N E	5	o	6 a.	...	...	54	80	N N E	3	o
, ...	,,	30.15	765.8	52	73	E N E	1	o	,,	30.17	766.3	50	93	N N E	4	o
n, ...	1 p.	30.26	768.6	...	...	E	8	...	5 a.	30.21	767.3	...	...	E	6	...
.....	,,	30.14	765.5	...	...	N	4	...	,,	30.17	766.4	...	...	...	0	...
.....	,,	30.16	766.0	...	...	N W	4	...	,,	30.18	766.5	...	...	N E	2	...
.....	,,	30.11	764.9	...	...	N E	10	...	,,	30.15	765.8	...	...	N E	10	...
res, ...	,,	30.15	765.9	...	...	N E	10	...	,,	30.14	765.6	...	...	N E	3	...
.....	3 p.	30.15	765.8	47	93	N	2	c	9 a.	30.17	766.3	50	93	N	1	o
ng, ...	4 p.	30.12	765.0	55	79	E	4	o	10 a.	30.18	766.6	59	81	E	5	o
Peak,...	,,	...	...	...	...	E	7	...	,,	...	...	...	...	E	7	...
ock, ...	,,	30.06	763.5	...	...	E	6	...	,,	30.13	765.3	...	...	E	6	...
.....	,,	30.13	765.3	50	...	N	3	od	,,	30.17	766.3	58	...	E S E	4	o
w, ...	3 p.	30.19	766.8	48	...	N	2	o	9 a.	...	...	...	...	...	...	...
, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n, ...	4 p.	30.03	762.7	59	...	E N E	3	o	8 a.	30.09	764.2	59	...	N E	2	o
e, ...	,,	29.92	759.9	73	...	E	2	c	,,	30.02	762.4	72	..	S E	1	c
. James,.	,,	29.82	757.3	79	...	E N E	6	c	,,	29.91	759.8	75	...	N E	4	c
.....	2 p.	29.99	761.8	75	...	N E	2	o	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.84	758	82	63	...	0	c	10 a.	30.00	762	81	62	W S W	1	o
, ...	2 p.	29.87	758.6	77	...	N E	4	o	6 a.	29.90	759.4	75	...	N E	4	o
, ...	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	N E	3	o
.....	,,	29.81	757.2	81	...	N N E	5	c	,,	29.91	759.7	77	...	N N E	2	o
.....	,,	29.79	756.6	85	...	N	2	b	,,	29.90	759.4	83	...	N	1	c
.....	,,	29.81	757.2	84	...	...	...	...	,,	29.88	758.9	82	...	...	...	...

On the 19th at 12.10 p.—The depression lying to the S.E. of Japan yesterday, is moving away over the Pacific. The barometer has risen considerably over S. Japan and the Bonins, and fallen moderately over China.

The "high" area has spread Eastwards and lies now over the Yellow Sea and Manchuria. Probably another ession is approaching the Yangtze valley from the Westward.

The monsoon will decrease in strength in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	E. winds, strong to fresh; drizzling rain or mist.
ormosa Channel, ...	N.E. winds, strong to moderate.
outh coast of China between Hongkong and Lamocks,.	Same as No. 1.
outh coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
for.

Hongkong Observatory, Wednesday, 19th January, 1910.

rinted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th JANUARY, 1910, P.M.								20th JANUARY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.39	772.0	12	...	N E	1	b	7 a.	30.38	771.7	1	60	N W	0	c
Nemuro,	,,	29.65	753.1	...	...	N W	10	...	6 a.	29.93	760.1	...	...	N	10	...
Hakodate,	,,	29.93	760.2	...	...	N	10	...	,,	30.13	765.2	...	...	W	6	...
Tokio,	,,	30.06	763.6	...	...	N W	8	...	,,	30.22	767.6	...	...	N	6	...
Kochi,	,,	30.27	768.8	...	...	N	4	...	,,	30.31	769.8	...	...	S W	2	...
Nagasaki,	,,	30.35	770.8	...	...	E	2	...	,,	30.31	769.8	...	...	...	0	...
Kagoshima,	,,	30.31	769.9	...	...	S E	2	...	,,	30.27	768.9	...	...	N E	2	...
Oshima,	,,	30.28	769.1	...	...	N E	6	...	,,	30.28	769.1	...	...	S	2	...
Naha,	,,	30.24	768.2	...	...	E	6	...	,,	30.25	768.2	...	...	...	0	...
Ishigakijima,	,,	30.21	767.3	...	...	E	6	...	,,	30.13	765.3	...	...	S E	6	...
Bonin Is.	,,	30.08	764.1	...	...	N	4	...	,,	30.20	767.1	...	...	N	2	...
Chefoo,	4 p.	30.40	772.1	32	100	N N W	1	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	...	...	30	...	W	1	cm	9 a.	...	...	...	...	...	1	c
Hankow,	,,	30.35	770.9	34	100	N W	1	o	6 a.	30.47	773.9	29	100	N W	1	s
Kiukiang,	,,	30.26	768.6	35	100	W	1	or	,,	30.27	768.8	33	100	N E	6	s
Shanghai,	,,	30.17	766.3	50	65	S E	4	o	9 a.	30.24	768.1	35	...	N W	3	r
Gutzlaff,	,,	30.21	767.3	50	65	S E	4	ov	,,	30.21	767.3	38	100	N N W	3	ob
Sharp Peak,	,,	30.20	767.1	51	86	N W	2	o	,,	30.15	765.8	54	93	...	0	c
Amoy,	,,	30.14	765.5	62	77	N E	2	o	6 a.	30.11	764.8	58	88	N E	1	c
Swatow,	,,	30.08	764.0	61	72	E N E	1	o	,,	30.09	764.3	57	94	...	0	o
Taihoku,	1 p.	30.13	765.2	...	...	E	6	...	5 a.	30.11	764.8	...	...	S W	2	...
Taichu,	,,	30.15	765.8	...	...	W	2	...	,,	30.13	765.2	...	...	...	0	...
Tainan,	,,	30.14	765.5	...	...	W	2	...	,,	30.12	764.9	...	...	N	2	...
Koshun	,,	30.14	765.5	...	...	E	4	...	,,	30.10	764.4	...	...	N E	6	...
Pescadores,	,,	30.14	765.6	...	...	N W	8	...	,,	30.10	764.6	...	...	N E	6	...
Canton,	3 p.	30.06	763.5	56	87	N	1	o	9 a.	30.07	763.8	57	94	N	1	o
Hongkong,	4 p.	30.05	763.2	61	84	E	5	o	10 a.	30.09	764.3	64	95	E	2	od
Victoria Peak,	,,	...	...	...	...	E	8	...	,,	...	...	...	...	E S E	7	...
Gap Rock,	,,	29.99	761.7	...	...	E	5	...	,,	30.02	762.5	...	...	E N E	4	...
Macao,	,,	30.06	763.5	60	...	E	3	od	,,	30.09	764.3	62	...	N N E	1	od
Wuchow,	3 p.	30.09	764.3	57	81	N	1	od	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.02	762.5	69	100	S S E	1	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.02	762.5	60	97	N	2	or	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.98	761.6	66	...	E	1	o	8 a.	30.05	763.2	63	...	N E	1	o
Tourane,	,,	29.92	760.0	75	...	S E	2	c	,,	30.01	762.2	70	...	W N W	2	o
Cape St. James,	,,	29.83	757.7	82	...	N E	6	o	,,	29.93	760.1	75	...	N E	3	o
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	81	62	...	0	o	10 a.	30.04	763	79	76	N E	0	d
Legaspi,	2 p.	29.89	759.1	75	...	E	2	r	6 a.	29.95	760.7	75	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	E N E	2	o	9 a.	...	...	...	...	N W	2	o
Iloilo,	,,	29.83	757.7	81	...	N E	1	o	,,	29.95	760.7	78	...	N E	1	o
Cebu,	,,	29.82	757.4	85	...	N	2	c	,,	29.97	761.2	81	...	N	1	c
Labuan,	,,	29.79	756.6	84	...	...	...	...	,,	29.89	759.2	81	...	...	...	...

On the 20th at 12.05 p.—The barometer has risen considerably over E. Japan, and fallen moderately over W. Japan and the China coast.

A depression which has progressed Eastwards along the Yangtze valley, lies now off the E. coast of China.

Pressure is increasing again over the Upper Yangtze. It is highest over N. China and Manchuria.

The monsoon is likely to freshen again in the Formosa Channel by to-morrow. Moderate to fresh monsoon may expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N.E. winds, fresh; misty, some rain.
2.—Formosa Channel,	N.E. winds, freshening.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 20th January, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	20TH JANUARY, 1910, P.M.								21ST JANUARY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ostock,...	2 p.	30.31	769.8	11	...	N	1	b	7 a.	30.25	768.2	3	62	N	0	o
o,.....	,,	30.04	763.1	...	...	W	10	...	6 a.	30.24	768.1	...	...	W	2	...
ate,.....	,,	30.20	767.2	...	...	W	6	...	,,	30.25	768.2	...	...	N	2	...
.....	,,	30.22	767.6	...	...	N E	2	...	,,	30.26	768.6	...	...	N W	2	...
.....	,,	30.27	768.8	...	...	S W	2	...	,,	30.07	763.8	...	...	S W	2	...
ki, ...	,,	30.15	765.8	...	...	N E	6	...	,,	29.91	759.3	...	...	S	10	...
hima, ...	,,	30.23	767.9	...	...	E	2	...	,,	30.00	761.9	...	...	S W	6	...
a,.....	,,	30.24	768.1	...	...	S	4	...	,,	30.08	764.1	...	...	S	4	...
.....	,,	30.13	765.2	...	...	S E	4	...	,,	30.05	763.2	...	...	...	0	...
kijima,....	,,	...	...	...	...	...	...	...	,,	30.01	762.3	...	...	S	6	...
Is.....	,,	30.24	768.1	...	...	E	2	...	,,	30.24	768.1	...	...	N	2	...
.....	4 p.	30.22	767.6	33	100	N E	2	o	6 a.	30.22	767.6	28	88	N W	6	f
wei,.....	,,	...	...	...	...	N	2	c	9 a.	...	...	27	...	N	5	c
w, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ng,.....	,,	30.27	768.8	32	100	W	3	s	,,	30.41	772.4	32	90	W	2	o
ai, ...	,,	30.14	765.5	35	90	N W	3	omr	9 a.	30.26	768.6	35	90	N W	...	odq
ff, ...	,,	30.14	765.5	36	100	N W	3	om	,,	30.20	767.1	38	63	N W	8	om
Peak,.....	,,	30.03	762.7	56	94	N W	1	o	,,	30.13	765.3	56	80	N E	3	or
.....	,,	30.03	762.7	60	77	...	0	o	6 a.	30.00	762.0	60	89	N E	1	o
, ...	,,	29.96	761.0	61	71	N N E	1	o	,,	29.93	761.5	72	95	...	0	c
u,.....	1 p.	30.04	763.1	...	...	N W	2	...	5 a.	30.00	762.0	...	...	S	2	...
.....	,,	30.03	762.7	...	...	N W	2	...	,,	30.01	762.1	...	...	...	0	...
.....	,,	30.04	762.9	...	...	N W	2	...	,,	29.98	761.4	...	...	...	2	...
.....	,,	30.05	763.2	...	...	E	8	...	,,	29.99	761.7	...	...	E	6	...
ores, ...	,,	30.03	762.8	...	...	E	6	...	,,	29.99	761.8	...	...	N E	6	...
.....	3 p.	29.96	761.0	61	94	N	1	o	9 a.	30.17	766.3	50	86	N	2	o
ong, ...	4 p.	29.95	760.7	66	90	E	2	o	10 a.	30.10	764.5	62	85	W	1	o
a Peak,...	,,	...	...	...	...	S S E	3	...	,,	...	...	...	...	N W	6	...
ock,.....	,,	29.92	759.9	...	...	E N E	3	...	,,	30.07	763.8	...	...	N N W	5	...
.....	,,	29.95	760.7	66	...	E	1	of	,,	30.12	765.0	54	...	N N W	4	o
w,.....	3 p.	30.03	762.7	59	...	N	2	od	9 a.	...	...	...	...	...	...	...
w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
,.....	,,	29.97	761.2	64	95	...	0	f	,,	...	...	...	...	...	...	...
n,.....	4 p.	29.91	759.8	68	...	S E	0	o	8 a.	...	...	...	...	...	...	...
e, ...	,,	29.91	759.6	73	...	E	1	c	,,	...	...	...	...	...	...	...
. James,.	,,	29.85	758.3	77	...	N E	4	o	,,	...	...	...	...	...	...	...
.....	2 p.	...	...	...	...	...	...	...	6 a.	29.99	761.8	72	...	S E	2	o
.....	4 p.	29.92	760	79	76	...	0	o	10 a.	30.00	762	81	76	W N W	0	o
i, ...	2 p.	29.93	760.3	75	...	N E	2	...	6 a.	29.95	760.8	73	...	E	2	o
d, ...	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	3	c
.....	,,	29.85	758.2	83	...	N E	2	o	,,	29.95	760.7	79	...	N E	2	b
.....	,,	29.86	758.4	85	...	N	2	c	,,	29.95	760.7	84	...	N	2	c
, ...	,,	29.83	757.7	84	...	...	...	...	,,	29.95	760.7	78	...	...	...	...

On the 21st at 12.20 p.—The barometer has risen considerably in N.E. Japan, and fallen quickly over W. Japan the Loochoos.

The depression lying off the E. coast of China yesterday, has reached Korea Straits. A second area of low ssure is lying to the S. of Formosa.

Pressure is increasing over China, and it is high apparently over the Upper Yangtze valley.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.11 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
longkong and Neighbourhood, ...	N. to N.E. winds, fresh to strong; fair.
ormosa Channel, ...	N. to N.E. winds, strong to a gale.
outh coast of China between Hongkong and Lamocks,.	Same as No. 1.
outh coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 21st January, 1910.

rinted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st JANUARY, 1910, P.M.								22nd JANUARY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.14	765.5	7	...	N W	4	o	7 a.	30.23	767.8	1	70	N	2	b
Nemuro,	,,	30.16	766.1	...	...	S	2	...	6 a.	29.89	759.1	...	...	N E	4	
Hakodate,	,,	30.09	764.2	...	...	N	2	...	,,	29.89	759.2	...	...	N	6	
Tokio,	,,	30.02	762.6	...	...	N	2	...	,,	29.75	755.6	...	...	N W	2	
Kochi,	,,	29.87	758.8	...	...	S	2	...	,,	29.91	759.3	...	...	W	8	
Nagasaki,	,,	29.95	760.8	...	...	W	6	...	,,	30.11	764.8	...	...	N	8	
Kagoshima,	,,	29.96	760.9	...	...	N W	2	...	,,	30.04	762.9	...	...	N W	6	
Oshima,	,,	29.96	761.1	...	...	S	4	...	,,	30.08	764.1	...	...	N	8	
Naba,	,,	29.97	761.2	...	...	S	4	...	,,	30.09	764.2	...	...	N	8	
Ishigakijima,	,,	29.93	760.3	...	...	S	10	...	,,	30.09	764.3	...	...	N	6	
Bonin Is.	,,	30.16	766.1	...	...	S	2	...	,,	30.12	765.1	...	...	...	0	
Chefoo,	4 p.	30.35	770.9	24	100	N W	6	o	6 a.	30.35	770.9	23	86	N W	6	o
Weihaiwei,	,,	...	...	25	...	N W	5	c	9 a.	...	...	25	...	N N W	6	c
Hankow,	,,	30.52	775.2	34	90	N W	1	b	6 a.	30.57	776.5	27	100	S E	1	c
Kiukiang,	,,	30.40	772.1	33	100	W	2	o	,,	30.47	773.9	33	100	N E	1	o
Shanghai,	,,	30.26	768.6	37	91	N W	3	om	9 a.	30.45	773.4	31	79	N N W	3	o
Gutzlaff,	,,	30.20	767.1	39	91	N W	6	om	,,	30.41	772.4	34	79	N N W	4	o
Sharp Peak,	,,	30.05	763.2	56	87	N E	2	or	,,	30.33	770.4	53	73	E N E	5	o
Amoy,	,,	30.03	762.7	62	83	N E	2	o	6 a.	30.14	765.5	52	79	E N E	4	o
Swatow,	,,	30.00	762.0	65	74	E	1	c	,,	30.14	765.5	54	74	N	1	o
Taihoku,	1 p.	30.04	763.1	...	...	...	0	...	5 a.	30.21	767.3	...	...	E	6	
Taichu,	,,	30.01	762.2	...	...	...	0	...	,,	30.10	764.4	...	...	N	4	
Tainan,	,,	30.00	762.1	...	...	N E	2	...	,,	30.09	764.2	...	...	N	6	
Koshun,	,,	29.96	761.1	...	...	W	6	...	,,	30.06	763.6	...	...	N E	8	
Pescadores,	,,	30.02	762.5	...	...	N E	8	...	,,	30.12	765.1	...	...	N E	8	
Canton,	3 p.	30.08	764.0	55	74	N	2	b	9 a.	30.22	767.6	49	73	N	2	
Hongkong,	4 p.	30.02	762.5	57	69	...	0	c	10 a.	30.17	766.3	59	78	E	3	
Victoria Peak,	,,	...	...	...	...	W N W	4	...	,,	...	...	...	...	E	4	
Gap Rock,	,,	29.99	761.7	...	...	N	6	...	,,	30.13	765.3	...	...	E N E	5	
Macao,	,,	30.05	763.2	59	...	N N W	4	c	,,	30.19	766.8	53	...	N N W	2	
Wuchow,	3 p.	30.16	766.0	53	...	W	2	o	9 a.	30.29	769.3	47	...	N	3	
Hoihow,	,,	30.06	763.5	67	100	N E	3	o	,,	...	...	...	...	...	...	
Pakhoi,	,,	30.07	763.8	55	80	N	3	o	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.99	761.7	63	...	E N E	2	o	8 a.	30.14	765.5	57	...	N E	3	
Tourane,	,,	29.92	760.0	73	...	...	0	c	,,	30.04	763.0	72	...	E	1	
Cape St. James,	,,	29.88	758.9	79	...	E S E	2	o	,,	29.97	761.3	75	...	N N E	1	
Aparri,	2 p.	29.92	759.9	...	...	S E	2	o	6 a.	30.01	762.2	72	...	N E	0	
Manila,	4 p.	29.88	759	84	76	S E	2	c	10 a.	30.00	762	82	63	E S E	1	
Legaspi,	2 p.	29.92	759.9	77	...	N E	2	o	6 a.	29.95	760.7	75	...	N E	2	
Bacolod,	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N E	3	
Iloilo,	,,	29.85	758.2	85	...	N E	1	b	,,	29.97	761.2	79	...	N E	1	
Cebu,	,,	29.87	758.7	84	...	N	1	o	,,	29.97	761.2	81	...	N	1	
Labuan,	,,	29.84	757.9	83	...	...	...	...	,,	29.95	760.7	81	...	...	...	

On the 22nd at 12.05 p.—The barometer has fallen rapidly over E. Japan owing to the depression, which moving into the Pacific to the South of Hokkaido.

Pressure has increased moderately over W. Japan, China and Formosa. It remains high to the North of the Yangtze valley.

Strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh to strong; dull, some rain.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 22nd January, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	22ND JANUARY, 1910, P.M.								23RD JANUARY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ostock,...	2 p.	30.20	767.2	11	...	N	1	b	7 a.	30.29	769.3	—4	70	N-E	0	b
o,.....	,,	29.81	757.1	...	...	N	4	...	6 a.	29.97	761.1	...	...	N	6	...
ete,.....	,,	29.85	758.2	...	...	N	6	...	,,	30.05	763.2	...	...	W	2	...
.....	,,	29.79	756.6	...	...	N	4	...	,,	30.06	763.6	...	...	N W	4	...
.....	,,	29.95	760.8	...	...	N	6	...	,,	30.07	763.8	...	...	...	0	...
ki,.....	,,	30.11	764.8	...	...	N W	6	...	,,	30.19	766.8	...	...	N	6	...
hima,.....	,,	30.11	764.9	...	...	N W	6	...	,,	30.19	766.9	...	...	N	4	...
a,.....	,,	30.12	765.1	...	...	N	6	...	,,	30.16	766.1	...	...	...	0	...
.....	,,	30.09	764.2	...	...	N	8	...	,,	30.17	766.2	...	...	N	8	...
kijima,....	,,	30.13	765.3	...	...	N	6	...	,,	30.17	766.3	...	...	N	8	...
Is.....	,,	30.00	762.1	...	...	S	2	...	,,	30.04	763.1	...	...	...	0	...
.....	4 p.	30.42	772.6	24	100	N N W	6	b	6 a.	30.42	772.6	25	100	N W	5	o
wei,.....	,,	...	...	26	...	N	5	c	9 a.	...	...	25	...	N	3	c
,.....	,,	30.61	777.5	37	91	N E	1	b	6 a.	30.66	778.7	34	100	E	1	c
g,.....	,,	30.45	773.4	34	90	N E	3	o	,,	30.56	776.2	29	88	N E	3	c
al,.....	,,	30.39	771.9	31	..	N N W	2	o	9 a.	30.55	775.9	31	...	N W	2	o
,.....	,,	30.36	771.1	34	79	N N W	4	om	,,	30.50	774.7	33	90	N N W	4	ov
Peak,.....	,,	30.20	767.1	52	79	E N E	4	o	,,	30.42	772.6	49	78	E N E	4	o
.....	,,	30.16	766.0	56	69	N E	5	o	6 a.	30.22	767.6	49	71	N E	1	o
.....	,,	30.11	764.8	52	86	N	1	o	,,	30.23	767.8	47	93	N	3	o
a.....	1 p.	30.19	766.9	...	...	E	6	...	5 a.	30.29	769.4	...	...	E	4	...
.....	,,	30.07	763.9	...	...	N	6	...	,,	30.18	766.5	...	...	N	4	...
.....	,,	30.09	764.3	...	...	N W	2	...	,,	30.15	765.8	...	...	N	6	...
.....	,,	30.07	763.9	...	...	E	8	...	,,	30.11	764.8	...	...	N E	8	...
res,.....	,,	30.11	764.8	...	...	N E	10	...	,,	30.17	766.2	...	...	N E	10	...
.....	3 p.	30.19	766.8	46	84	N	2	o	9 a.	...	...	...	...	...	...	...
ng,.....	4 p.	30.12	765.0	55	87	N	1	od	10 a.	30.28	769.1	50	85	N	1	od
Peak,...	,,	...	...	...	...	N	2	...	,,	...	...	...	...	N E	3	...
ck,.....	,,	30.04	763.0	...	...	N	6	...	,,	30.18	766.6	...	...	N E	6	...
.....	,,	30.15	765.8	48	...	N W	5	o	,,	30.28	769.1	45	...	N	5	od
w,.....	3 p.	30.28	769.3	47	...	N	1	od	9 a.	30.41	772.4	41	...	N	2	or
,.....	,,	30.08	764.0	66	100	E N E	6	o	,,	...	...	...	...	...	...	...
,.....	,,	30.15	765.8	50	86	N	4	o	,,	...	...	...	...	...	...	...
n,.....	4 p.	30.07	763.7	57	...	N E	3	o	8 a.	30.26	768.5	54	...	N E	3	o
e,.....	,,	29.94	760.4	75	...	...	0	o	,,	...	...	...	...	...	...	...
James,.	,,	29.85	758.3	79	...	E N E	5	c	,,	29.94	760.5	77	...	E S E	5	c
.....	2 p.	30.00	761.9	70	...	N E	0	d	6 a.	30.04	762.9	72	...	N E	2	d
.....	4 p.	29.88	759	82	77	S E	1	o	10 a.	30.00	762	82	63	E N E	1	o
,.....	2 p.	29.91	759.7	68	...	N E	2	b	6 a.	29.96	760.9	75	...	N E	2	o
,.....	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	E N E	4	o
.....	,,	29.87	758.7	83	...	N E	3	b	,,	29.97	761.2	79	...	N N E	5	b
.....	,,	29.86	758.4	85	...	N	2	c	,,	29.96	761.0	81	...	N	1	b
.....	,,	29.88	758.9	84	...	...	...	...	,,	...	...	...	...	...	...	...

On the 23rd at 12.05 p.—The barometer has risen generally except at the extreme Southern stations.

The anticyclonic area remains over the Continent to the North of the Yangtze valley, and pressure is relatively over the Pacific to the E. of Japan, and over the S. part of the China Sea.

Very strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.15 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	N. to N.E. winds, fresh or strong; dull, rainy.
ormosa Channel, ...	N.E. winds, strong to a gale.
outh coast of China between Hongkong and Lamocks,.	Same as No. 1.
outh coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 23rd January, 1910.

rinted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd JANUARY, 1910, P.M.								24th JANUARY, 1910, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	30.26	768.7	14	...	N E	1	b	7 a.	30.22	767.5	0	69	...	0
Nemuro,	"	30.04	763.1	...	...	N W	4	...	6 a.	30.01	762.1	...	...	...	0
Hakodate,	"	30.09	764.2	...	...	N W	6	...	"	30.05	763.2	...	...	...	0
Tokio,	"	30.06	763.6	...	...	N	4	...	"	30.10	764.6	...	...	N W	2
Kochi,	"	29.99	761.8	...	...	S W	4	...	"	30.11	764.8	...	...	S	4
Nagasaki,	"	30.19	766.8	...	...	N W	6	...	"	30.23	767.8	...	...	N	6
Kagoshima,	"	30.15	765.9	...	...	N W	8	...	"	30.19	766.9	...	...	N	6
Oshima,	"	30.16	766.1	...	...	N	8	...	"	30.20	767.1	...	...	N	6
Naha,	"	30.20	767.2	...	...	N	8	...	"	30.21	767.2	...	...	N	6
Ishigakijima,	"	30.17	766.3	...	...	N E	2	...	"	30.17	766.3	...	...	N	8
Bonin Is.	"	29.96	761.1	...	...	S	2	...	"	30.01	762.1	...	...	N W	4
Chefoo,	4 p.	30.46	773.7	28	100	N W	5	b	6 a.	30.47	773.9	26	87	N	2
Weihaiwei,	"	...	...	26	...	N N W	2	c	9 a.	...	...	27	...	N N W	2
Hankow,	"	30.60	777.2	35	100	E	1	c	6 a.	30.65	778.5	31	100	N W	1
Kiukiang,	"	30.51	774.9	34	79	N E	1	b	"	30.58	777.0	31	100	N E	1
Shanghai,	"	30.48	774.2	33	..	N W	3	o	9 a.	30.55	775.9	32	...	N W	3
Gutzlaff,	"	30.44	773.2	33	90	N	4	ov	"	30.49	774.4	33	100	N N W	5
Sharp Peak,	"	30.30	769.6	59	79	E N E	4	o	"	30.42	772.6	47	85	E N E	2
Amoy,	"	30.22	767.6	53	74	N E	2	c	6 a.	30.26	768.6	49	86	N E	2
Swatow,	"	30.18	766.8	52	86	N	1	o	"	30.24	768.1	49	86	N	1
Taihoku,	1 p.	30.28	769.1	...	...	E	6	...	5 a.	30.30	769.7	...	...	E	4
Taichu,	"	30.15	765.8	...	...	N	6	...	"	30.21	767.3	...	...	N	6
Tainan,	"	30.15	765.7	...	...	N	4	...	"	30.20	767.1	...	...	N	6
Koshun	"	30.14	765.6	...	...	N E	10	...	"	30.18	766.6	...	...	N	4
Pescadores,	"	30.18	766.5	...	...	N E	10	...	"	30.28	767.9	...	...	N E	10
Canton,	3 p.	30.26	768.6	45	92	N	2	or	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	30.22	767.6	51	83	...	0	od	10 a.	30.35	770.9	48	84	N	1
Victoria Peak,	"	...	...	...	...	N W	3	...	"	...	...	...	...	...	...
Gap Rock,	"	30.16	766.0	...	...	N N E	5	...	"	...	...	...	...	...	...
Macao,	"	30.23	767.8	46	...	N N W	3	od	"	30.37	771.4	46	...	N	5
Wuchow,	3 p.	30.33	770.4	44	...	N W	1	od	9 a.	..	...	...	...	...	...
Hoihow,	"	30.18	766.6	60	100	E N E	4	o	"	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...
Phulien,	4 p.	30.18	766.6	55	...	N W	1	or	8 a.	30.36	771.1	52	...	N N E	3
Tourane,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...
Cape St. James,	"	29.86	758.5	79	...	E N E	5	c	"	30.00	761.9	75	...	N N E	2
Aparri,	2 p.	30.02	762.4	79	...	N E	2	o	6 a.	30.05	763.3	73	...	N E	2
Manila,	4 p.	29.88	759	84	58	S E	1	c	10 a.	30.00	762	81	70	E	1
Legaspi,	2 p.	29.90	759.4	84	...	E	2	b	6 a.	29.94	760.5	77	...	...	...
Bacolod,	3 p.	...	...	...	...	E N E	3	c	9 a.	...	...	...	...	N N E	3
Iloilo,	"	29.85	758.2	83	...	N E	2	c	"	29.95	760.7	79	...	N N E	1
Cebu,	"	29.85	758.2	84	...	N	2	b	"	29.94	760.5	82	...	N	1
Labuan,	"	29.84	757.9	84	...	...	...	...	"	29.95	760.7	81	...	...	...

On the 24th at 12.10 p.—The barometer has risen slightly over S. China and Japan, and fallen a little at Wladiwostok.

The anticyclonic area remains over the Continent to the North of the Yangtze valley. Pressure is relatively low to the E. of Japan. and over the S. part of the China Sea.

Monsoon gales may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, fresh or strong; rain at first probably improving later.
2.—Formosa Channel,	N. and N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 24th January, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	24TH JANUARY, 1910, P.M.								25TH JANUARY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
stock, ...	2 p.	30.16	766.0	17	...	N W	0	b	7 a.	30.29	769.3	—4	61	...	0	b
, ...	,,	29.89	759.1	...	...	N W	2	...	6 a.	29.97	761.1	...	...	W	6	...
te, ...	,,	30.01	762.2	...	...	N W	8	...	,,	30.13	765.2	...	...	N W	4	...
.....	,,	30.02	762.6	...	...	N W	4	...	,,	30.18	766.6	...	...	N W	4	...
.....	,,	30.03	762.8	...	...	W	4	...	,,	30.07	763.8	...	...	...	0	...
ki, ...	,,	30.19	766.8	...	...	N	6	...	,,	30.15	765.8	...	...	N	6	...
ima, ...	,,	30.15	765.9	...	...	N W	4	...	,,	30.15	765.9	...	...	N W	4	...
, ...	,,	30.16	766.1	...	...	N	6	...	,,	30.12	765.1	...	...	N	6	...
.....	,,	30.17	766.2	...	...	N	6	...	,,	30.13	765.2	...	...	N	8	...
ijima, ...	,,	30.17	766.3	...	...	N E	6	...	,,	30.17	766.3	...	...	N	6	...
ls.	,,	29.96	761.1	...	...	N	2	...	,,	30.04	763.1	...	...	N	2	...
.....	4 p.	30.40	772.1	27	100	N N W	3	b	6 a.	30.37	771.4	22	100	W	2	c
vei, ...	,,	...	...	27	...	N N W	4	c	9 a.	...	...	27	...	N	1	c
, ...	,,	30.56	776.2	41	92	N W	1	b	6 a.	...	...	...	...	...	...	...
g, ...	,,	30.52	775.2	39	73	W	3	c	,,	30.15	774.9	30	100	...	0	b
i, ...	,,	30.45	773.4	34	..	N W	3	o	9 a.	...	...	...	...	...	...	...
, ...	,,	30.42	772.6	38	91	N N W	4	ov	,,	30.45	773.4	32	100	N W	4	ov
eak, ...	,,	30.34	770.6	48	85	E N E	3	o	,,	30.42	772.6	46	92	...	0	b
.....	,,	30.24	768.1	55	68	N E	3	o	6 a.	30.29	769.3	46	69	N E	1	b
.....	,,	30.22	767.6	52	73	N	1	o	,,	30.30	769.6	42	75	N	1	b
.....	1 p.	30.27	768.8	...	...	E	6	...	5 a.	30.32	770.2	...	...	..	0	...
.....	,,	30.19	766.7	...	...	N	8	...	,,	30.25	768.3	...	...	N	6	...
.....	,,	30.19	766.7	...	...	N	6	...	,,	30.17	766.4	...	...	N	4	...
.....	,,	30.12	765.0	...	...	N E	10	...	,,	30.25	768.2	...	...	N	10	...
res, ...	,,	30.17	766.3	...	...	N E	10	...	,,	30.28	769.0	...	...	N E	10	...
.....	3 p.	30.31	769.9	49	78	N N E	1	b	9 a.	30.45	773.4	41	83	N	2	b
g, ...	4 p.	30.26	768.6	50	64	N	1	o	10 a.	30.38	771.6	53	33	N	3	b
Peak, ...	,,	...	...	...	...	N N W	4	...	,,	...	...	...	...	N	4	...
ck, ...	,,	30.20	767.1	...	...	N N E	5	...	,,	30.35	770.9	...	...	N N E	6	...
.....	,,	30.28	769.1	47	...	N	4	od	,,	30.38	771.6	45	...	N N W	4	b
w, ...	3 p.	30.39	771.9	54	...	N	1	c	9 a.	..	...	...	...	...	...	...
, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	30.35	770.9	50	79	N	2	o	,,	...	...	...	...	...	...	...
, ...	4 p.	30.30	769.6	57	...	...	1	o	8 a.	30.45	773.3	54	...	N N E	5	o
, ...	,,	30.09	764.3	64	...	N W	5	dh	,,	30.26	768.6	63	..	N W	7	f
James, .	,,	29.89	759.3	79	...	E N E	6	c	,,	30.01	762.1	77	...	N N E	2	c
.....	2 p.	30.01	762.3	75	...	N E	2	d	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.92	760	79	84	...	0	o	10 a.	30.04	763	81	70	N N E	1	c
.....	2 p.	29.87	758.8	84	...	N E	2	c	6 a.	...	...	...	...	...	...	...
, ...	3 p.	...	...	...	...	N N E	3	c	9 a.	...	...	...	...	N N E	2	c
.....	,,	29.85	758.2	84	...	N E	2	c	,,	29.95	760.7	79	...	N N E	2	c
.....	,,	29.84	757.9	85	...	N	3	c	,,	29.93	760.2	85	...	N	2	c
.....	,,	29.88	758.9	84	...	...	...	...	,,	29.97	761.2	81	...	...	...	...

On the 25th at 12.05 p.—The barometer has fallen slightly over N. China, W. Japan, and the Loochoos, and a little over Formosa, the S. coast of China and Tongking.

A slight depression lies over the Pacific to the E. of the Loochoos.

The anticyclonic area still covers China, and pressure is relatively low over the S. part of the China Sea.

Strong monsoon may be expected in the Formosa Channel, and monsoon gales over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	N. winds, fresh; fine.
ormosa Channel, ...	N.E. winds, strong.
outh coast of China between Hongkong and Lamocks, .	Same as No. 2.
outh coast of China between Hongkong and Hainan, ...	N. winds, strong to a gale.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 25th January 1910.

rinted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th January, 1910, P.M.								26th January, 1910, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	30.24	768.1	19	...	W	0	b	7 a.	30.28	769.1	—3	72	...	0
Nemuro,	,,	30.12	765.1	...	...	N	8	...	6 a.	30.36	771.1	...	...	N	6
Hakodate,	,,	30.20	767.2	...	...	W	6	...	,,	30.32	770.2	...	...	N	3
Tokio,	,,	30.18	766.6	...	...	N	2	...	,,	30.14	765.6	...	...	N	6
Kochi,	,,	30.03	762.8	...	...	S E	2	...	,,	30.11	764.8	...	...	S W	2
Nagasaki,	,,	30.15	765.8	...	...	N	6	...	,,	30.19	766.8	...	...	N	2
Kagoshima,	,,	30.11	764.9	...	...	N	8	...	,,	30.19	766.9	...	...	N W	2
Oshima,	,,	30.12	765.1	...	...	N W	4	...	,,	30.20	767.1	...	...	N	8
Naha,	,,	30.17	766.2	...	...	N	10	...	,,	30.25	768.2	...	...	N	10
Ishigakijima,	,,	30.21	767.3	...	...	N	8	...	,,	30.25	768.3	...	...	N E	6
Bonin Is.	,,	30.04	763.1	...	...	S	2	...	,,	29.85	758.1	...	...	S	4
Chefoo,	4 p.	30.33	770.4	31	100	W N W	1	b	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	...	...	30	...	W	1	c	9 a.	...	...	34	...	S W	4
Hankow,	,,	30.47	773.9	49	64	S	1	b	6 a.	...	...	...	...	...	...
Kiukiang,	,,	30.43	772.9	50	65	E	2	b	,,	30.32	770.1	33	90	...	0
Shanghai,	,,	30.42	772.6	37	80	W N W	2	c	9 a.	30.37	771.4	37	80	S E	1
Gutzlaff,	,,	30.41	772.4	35	100	N N W	3	cm	,,	30.31	769.9	39	100	W S W	2
Sharp Peak,	,,	30.33	770.4	48	85	E	3	b	,,	30.32	770.1	49	92	S	1
Amoy,	,,	30.25	768.3	58	42	N E	3	b	6 a.	30.28	769.1	44	68	N E	1
Swatow,	,,	30.23	767.8	56	51	E S E	1	b	,,	30.26	768.6	42	83	N E	1
Taihoku,	1 p.	30.34	770.7	...	...	S	2	...	5 a.	30.34	770.5	...	...	...	0
Taichu,	,,	30.24	768.0	...	...	N	8	...	,,	30.23	767.9	...	...	...	0
Tainan,	,,	30.23	767.8	...	...	N	8	...	,,	30.23	767.9	...	...	N	4
Koshun,	,,	30.19	766.8	...	...	N	6	...	,,	30.19	766.7	...	...	N E	10
Pescadores,	,,	30.27	768.8	...	...	N E	10	...	,,	30.24	768.0	...	...	N E	10
Canton,	3 p.	30.31	769.9	54	49	N	1	b	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	30.26	768.6	59	25	N	1	b	10 a.	30.35	770.9	55	47	N E	2
Victoria Peak,	,,	...	...	...	...	N	3	...	,,	...	...	...	...	E N E	2
Gap Rock,	,,	30.23	767.8	...	...	N N E	4	...	,,	30.30	769.6	...	...	E N E	4
Macao,	,,	30.28	769.1	55	...	N	4	b	,,	30.35	770.9	51	...	N	2
Wuchow,	3 p.	30.37	771.4	60	49	S	1	b	9 a.	30.39	771.9	41	...	S E	2
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	30.32	770.1	59	54	N	3	b	,,	...	...	...	...	...	...
Phulien,	4 p.	30.29	769.4	66	...	S S E	3	b	8 a.	30.31	769.8	55	...	E N E	3
Tourane,	,,	30.19	766.8	61	...	N W	5	f	,,	30.20	767.1	64	...	N W	8
Cape St. James,	,,	29.88	758.9	77	...	E N E	6	c	,,	30.00	762.0	75	...	N E	3
Aparri,	2 p.	30.04	763.1	75	...	N	2	o	6 a.	30.08	763.9	66	...	N E	4
Manila,	4 p.	29.88	759	84	64	...	0	c	10 a.	30.00	762	79	70	W S W	1
Legaspi,	2 p.	29.89	759.3	84	...	N E	2	o	6 a.	29.96	760.9	73	...	N E	2
Bacolod,	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	N E	3
Iloilo,	,,	29.87	758.7	84	...	N E	1	b	,,	29.95	760.7	79	...	N E	1
Cebu,	,,	29.84	757.9	85	...	N	2	b	,,	29.92	759.9	83	...	N	2
Labuan,	,,	29.84	757.9	84	...	...	...	...	,,	29.93	760.2	80	...	...	...

On the 26th at 12.10 p.—The barometer has risen moderately over the Loochoos and fallen considerably at the Bonins. The depression over the Pacific has advanced Eastwards to the neighbourhood of the latter area.

Pressure has increased considerably over N.E. Japan, and given way over the China, particularly in the North. Probably a depression is approaching Manchuria from the Westward.

Pressure is high to the N. of Japan and over S. China.

Moderate monsoon may be expected in the Formosa Channel and strong monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 26th January, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	26TH JANUARY, 1910, P.M.								27TH JANUARY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
astock,...	2 p.	30.19	766.8	24	...	S E	1	c	7 a.	30.05	763.3	28	62	S E	0	o
.....	,,	30.40	772.1	...	...	N E	6	...	6 a.	30.44	773.1	...	...	...	0	...
te, ...	,,	30.32	770.2	...	...	N E	6	...	,,	30.32	770.2	...	...	...	0	...
.....	,,	30.06	763.6	...	...	N	6	...	,,	30.38	771.6	...	...	...	0	...
.....	,,	30.15	765.8	...	...	N	6	...	,,	30.35	770.8	...	...	S W	6	...
ki, ...	,,	30.19	766.8	...	...	N	6	...	,,	30.39	771.8	...	...	...	0	...
ima, ...	,,	30.19	766.9	...	...	N	6	...	,,	30.39	771.9	...	...	...	0	...
.....	,,	30.24	768.1	...	...	N	8	...	,,	30.36	771.1	...	...	S	2	...
.....	,,	30.24	768.2	...	...	N E	8	...	,,	30.32	770.2	...	...	N E	2	...
ijima,....	,,	30.25	768.3	...	...	..	0	...	,,	30.29	769.3	...	...	N	4	...
s.	,,	29.93	760.1	...	...	N W	4	...	,,	30.16	766.1	...	...	N	6	...
.....	4 p.	30.00	762.0	45	100	S W	2	b	6 a.	...	...	...	...	...	...	...
wei,.....	,,	...	...	40	...	S S W	6	c	9 a.	...	...	36	...	N N W	1	c
, ...	,,	30.22	767.6	55	87	S E	1	b	6 a.	30.29	769.3	40	91	E	1	c
g,.....	,,	30.22	767.6	55	68	S W	1	b	,,	...	...	...	...	...	...	...
i, ...	,,	30.36	768.6	46	54	S S E	3	b	9 a.	30.29	769.3	44	86	S S E	2	b
, ...	,,	30.28	769.1	45	...	S S E	3	cv	,,	30.31	769.9	48	100	S S E	2	bv
eak, ...	,,	30.31	769.9	48	...	N E	1	b	,,	30.32	770.1	48	93	N	1	c
.....	,,	30.24	768.1	59	48	N N E	3	b	6 a.	30.27	768.8	48	78	W	2	b
.....	,,	30.23	767.8	56	63	E	1	b	,,	30.25	768.3	45	84	S E	1	b
.....	1 p.	30.25	768.3	...	...	E	8	...	5 a.	30.26	768.5	...	...	E	4	...
.....	,,	30.20	767.2	...	...	S	2	...	,,	30.26	768.7	...	...	...	0	...
.....	,,	30.24	768.0	...	...	W	2	...	,,	30.25	768.4	...	...	N E	4	...
.....	,,	30.20	767.0	...	...	E	8	...	,,	30.21	767.4	...	...	N E	10	...
res, ...	,,	30.24	768.0	...	...	N E	8	...	,,	30.24	768.0	...	...	N E	6	...
.....	3 p.	30.22	767.6	54	55	N W	1	b	9 a.	30.28	769.1	50	79	N	1	b
g, ...	4 p.	30.23	767.8	56	54	E	3	b	10 a.	30.27	768.8	61	58	E	2	b
Peak,...	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	7	...
ck,.....	,,	30.18	766.6	...	...	E N E	5	...	,,	30.24	768.1	...	...	E N E	6	...
.....	,,	30.23	767.8	58	...	S E	2	b	,,	30.29	769.3	57	...	N N E	2	b
,.....	3 p.	30.23	767.8	64	...	S	1	b	9 a.	30.32	770.1	49	...	E	2	b
, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	30.20	767.1	62	...	S E	...	b	,,	...	...	...	...	...	...	...
,.....	4 p.	30.17	766.2	64	...	S S E	3	b	8 a.	30.20	767.1	57	...	E N E	4	o
, ...	,,	30.12	765.0	64	...	N W	3	c	,,	30.15	765.8	66	..	...	0	c
James,.	,,	29.92	759.9	79	...	E	6	c	,,	30.04	763.1	72	...	N E	2	b
.....	2 p.	30.10	764.6	68	...	N E	2	d	6 a.	30.15	765.8	68	...	S E	2	d
.....	4 p.	29.92	760	82	57	E	1	c	10 a.	30.08	764	79	61	W N W	0	o
.....	2 p.	29.93	760.1	79	...	N E	2	o	6 a.	29.99	761.6	75	...	N E	2	o
.....	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N N E	3	op
.....	,,	29.87	758.7	82	...	N N E	...	...	,,	...	...	77	...	N N E	2	c
.....	,,	29.86	758.4	85	...	N	3	c	,,	29.97	761.2	82	...	N	3	c
.....	,,	29.88	758.9	84	...	...	...	...	,,	29.94	760.5	81	...	...	...	...

n the 27th at 12.10 p.—The barometer has risen over N. China and fallen in Wladiwostok. The depression ly-ver Manchuria yesterday, appears to be approaching the neighbourhood of the latter station.

The depression which passed to the North of the Bonins yesterday, has moved away Eastwards, and the baro-r has risen considerably over Japan, which is now covered by a high pressure area.

The barometer has fallen slightly over S. China and Tongking.

Moderate monsoon may be expected in the Formosa Channel and fresh monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	E. winds, fresh; fine.
ormosa Channel, ...	E. and N.E. winds, moderate.
outh coast of China between Hongkong and Lamooks,.	Same as No. 1.
outh coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 27th January, 1910.

inted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th January, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	28th January, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.03	762.8	11	...	...	0	c	7 a.	30.20	767.1	23	61	...	0	
Nemuro,	,,	30.36	771.1	...	...	S E	4	...	6 a.	29.93	760.1	...	...	S	8	
Hakodate,	,,	30.20	767.2	...	...	S E	6	...	,,	30.01	762.2	...	...	W	6	
Tokio,	,,	30.34	770.6	...	...	S	2	...	,,	30.22	767.6	...	...	N W	2	
Kochi,	,,	30.35	770.8	...	...	S E	4	...	,,	30.35	770.8	...	...	S W	2	
Nagasaki,	,,	30.35	770.8	...	...	W	6	...	,,	30.35	770.8	...	...	S E	4	
Kagoshima,	,,	30.35	770.9	...	...	S E	2	...	,,	30.35	770.9	...	...	...	0	
Oshima,	,,	30.32	770.1	...	...	E	2	...	,,	30.32	770.1	...	...	S	2	
Naha,	,,	30.28	769.2	...	...	E	4	...	,,	30.28	769.2	...	...	N E	2	
Ishigakijima,	,,	30.25	768.3	...	...	E	8	...	,,	30.21	767.3	...	...	N E	4	
Bonin Is.	,,	30.20	767.1	...	...	N E	4	...	,,	30.28	769.1	...	...	N E	2	
Chefoo,	4 p.	30.35	770.9	37	100	N E	3	b	6 a.	30.48	774.4	27	100	...	0	
Weihaiwei,	,,	...	...	37	...	N N E	1	cm	9 a.	...	...	33	...	N N E	1	
Hankow,	,,	30.30	769.6	48	43	W S W	1	c	6 a.	...	...	...	...	...	..	
Kiukiang,	,,	30.21	767.3	59	59	...	0	c	,,	30.38	771.6	46	92	...	0	
Shanghai,	,,	30.23	767.8	58	47	S S E	2	b	9 a.	30.30	769.6	46	84	E N E	2	
Gutzlaff,	,,	30.24	768.1	53	...	S S E	3	br	,,	30.31	769.9	45	100	N N E	2	
Sharp Peak,	,,	30.23	767.8	55	...	E	1	c	,,	30.25	768.3	55	...	...	0	
Amoy,	,,	30.22	767.6	65	58	S E	1	b	6 a.	30.21	767.3	54	87	S W	2	
Swatow,	,,	30.16	766.0	64	68	E	1	b	,,	30.17	766.3	55	87	...	0	
Taihoku,	1 p.	30.20	767.2	...	...	S	4	...	5 a.	30.21	767.2	...	...	...	0	
Taichu,	,,	30.22	767.5	...	...	N W	2	...	,,	30.23	767.7	...	...	...	0	
Tainan,	,,	30.24	768.1	...	...	N W	4	...	,,	30.22	767.6	...	...	N	4	
Koshun,	,,	30.19	766.8	...	...	E	10	...	,,	30.17	766.3	...	...	E	6	
Pescadores,	,,	30.24	768.2	...	...	N E	6	...	,,	30.22	767.5	...	...	N	6	
Canton,	3 p.	30.16	766.0	60	71	N W	1	b	9 a.	30.23	767.3	59	94	S E	1	
Hongkong,	4 p.	30.18	766.6	65	53	E	3	b	10 a.	30.24	768.1	65	67	E	2	
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	5	
Gap Rock,	,,	30.15	765.8	...	...	E N E	4	...	,,	30.21	767.3	...	...	E N E	5	
Macao,	,,	30.18	766.6	63	...	S E	1	c	,,	30.26	768.6	58	...	N	2	
Wuchow,	3 p.	30.23	767.8	58	...	W	2	c	9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	30.17	766.3	68	70	S S E	1	b	,,	...	...	...	...	...	...	
Phulien,	4 p.	30.14	765.5	64	...	E N E	0	o	8 a.	30.19	766.8	59	...	N E	3	
Tourane,	,,	30.09	764.3	70	...	N W	1	o	,,	30.13	765.2	66	..	W N W	2	
Cape St. James,	,,	29.96	760.9	79	...	E S E	3	c	,,	30.05	763.2	72	...	N N E	2	
Aparri,	2 p.	30.12	765.1	75	...	E	2	o	6 a.	30.10	764.6	66	...	S W	2	
Manila,	4 p.	29.96	761	82	51	S E	2	c	10 a.	30.08	764	77	61	W N W	1	
Legaspi,	2 p.	29.98	761.4	81	...	N E	4	b	6 a.	29.98	761.5	75	...	N E	2	
Bacolod,	3 p.	...	...	...	...	E N E	4	op	9 a.	...	...	...	...	N E	3	
Iloilo,	,,	...	...	81	...	N E	1	od	,,	...	...	78	...	...	3	
Cebu,	,,	29.89	759.2	84	...	N	2	b	,,	29.97	761.2	79	...	N	1	
Labuan,	,,	29.88	758.9	82	...	...	...	...	,,	29.93	760.2	81	...	...	...	

On the 28th at 12.10 p.—The barometer has fallen rapidly in N.E. Japan owing to the depression, which moving into the Pacific to the North of Hokkaido.

The barometer has risen quickly on the N.E. coast of China, and fallen slightly over S. China and the Loochoo

Areas of high pressure are lying over N. China and over the Pacific to the South of Japan.

The monsoon is likely to freshen in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N.E. winds, moderate to fresh; fair.
2.—Formosa Channel,	N.E. winds, freshening.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 28th January, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	28TH JANUARY, 1910, P.M.								29TH JANUARY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
stock,...	2 p.	30.17	766.3	26	...	N	0	b	7 a.	30.33	770.3	—4	56	W	0	c
, ...	,,	29.81	757.1	...	...	N	6	...	6 a.	29.97	761.1	...	...	W	6	...
te, ...	,,	30.09	764.2	...	...	W	8	...	,,	30.17	766.2	...	...	N W	2	...
.....	,,	30.06	763.6	...	...	S	2	...	,,	30.22	767.6	...	...	N W	2	...
.....	,,	30.23	767.8	...	...	S	2	...	,,	30.23	767.8	...	...	S W	2	...
ki, ...	,,	30.27	768.8	...	...	S	2	...	,,	30.19	766.8	...	...	E	2	...
ima, ...	,,	30.27	768.9	...	...	N W	4	...	,,	30.19	766.9	...	...	N	2	...
, ...	,,	30.24	768.1	...	...	N	6	...	,,	30.16	766.1	...	...	S	2	...
.....	,,	30.20	767.2	...	...	E	4	...	,,	30.13	765.2	...	...	N E	2	...
ijima, ...	,,	30.17	766.3	...	...	E	6	...	,,	30.09	764.3	...	...	N	4	...
Is.	,,	30.24	768.1	...	...	E	2	...	,,	30.20	767.1	...	...	N E	2	...
.....	4 p.	30.40	772.1	53	66	...	...	c	6 a.	...	...	...	...	...	...	...
wei, ...	,,	...	...	35	...	N	1	b	9 a.	...	...	31	...	...	0	os
, ...	,,	30.32	770.1	49	86	N E	1	o	6 a.	...	...	...	...	...	..	...
g, ...	,,	30.23	767.8	55	80	E	2	o	,,	30.31	769.9	46	92	W	1	o
ai, ...	,,	30.20	767.1	57	75	E N E	2	c	9 a.	30.24	768.1	45	100	N W	1	of
, ...	,,	30.20	767.1	51	93	E	2	cm	,,	30.22	767.6	40	100	N N W	2	of
Peak, ...	,,	30.14	765.5	56	...	...	0	b	,,	30.19	766.8	57	...	...	0	b
.....	,,	30.13	765.3	64	68	S E	1	b	6 a.	30.14	765.5	56	94	W	1	b
, ...	,,	30.10	764.5	63	72	E	3	c	,,	30.09	764.3	57	87	...	0	c
, ...	1 p.	30.14	765.5	...	...	N W	2	...	5 a.	30.14	765.5	...	...	S	2	...
.....	,,	30.16	766.0	...	...	N W	4	...	,,	30.14	765.5	...	...	...	0	...
.....	,,	30.23	767.9	...	...	N W	4	...	,,	30.13	765.4	...	...	N E	2	...
.....	,,	30.15	765.9	...	...	N E	6	...	,,	30.10	764.4	...	...	...	0	...
res, ...	,,	30.17	766.4	...	...	N E	6	...	,,	30.12	765.0	...	...	N E	6	...
.....	3 p.	30.12	765.0	67	79	S W	1	b	9 a.	30.17	766.3	62	94	...	0	c
ng, ...	4 p.	30.11	764.8	67	66	E	3	o	10 a.	30.18	766.6	68	62	E S E	1	o
Peak, ...	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E S E	2	...
ock, ...	,,	30.09	764.3	...	...	E N E	4	...	,,	30.14	765.5	...	...	E N E	3	...
.....	,,	30.13	765.3	64	...	N E	1	o	,,	30.19	766.8	66	...	N E	1	c
w, ...	3 p.	30.15	765.8	68	...	E	1	o	9 a.	30.29	762.3	60	...	E	1	c
, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
, ...	4 p.	30.10	764.5	66	...	...	0	o	8 a.	30.14	765.5	61	...	N E	2	o
e, ...	,,	30.05	763.2	70	...	N W	3	b	,,	30.09	764.2	70	..	N E	2	o
James, .	,,	...	...	...	...	...	...	...	,,	30.01	762.3	75	...	N E	2	c
.....	2 p.	30.05	763.2	77	...	N E	2	b	6 a.	30.02	762.5	68	...	S	2	b
.....	4 p.	29.92	760	82	63	W S W	2	c	10 a.	30.00	762	77	68	W	1	b
.....	2 p.	29.94	760.4	82	...	N E	4	c	6 a.	29.93	760.2	73	...	N E	2	b
, ...	3 p.	...	...	...	...	E N E	4	op	9 a.	...	...	...	...	N N E	4	o
.....	,,	29.87	758.7	81	...	N E	2	c	,,	29.95	760.7	77	...	N N E	4	b
.....	,,	29.86	758.4	84	...	N	2	o	,,	29.91	759.7	80	...	N	2	o
.....	,,	29.86	758.4	83	...	...	...	...	,,	29.90	759.4	80	...	...	...	...

On the 29th at 12.05 p.—The barometer has risen moderately in N.E. Japan and fallen elsewhere, particularly S.W. Japan and the Loochoos.

The depression lying to the North of Japan yesterday, has moved away over the Pacific.

A new depression is probably developing over the Eastern Sea.

Pressure is highest over N. China and Manchuria.

Variable and N.E. winds may be expected in the Formosa Channel and moderate monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	E. to N. winds, moderate; fair.
ormosa Channel, ...	Variable to N.E. winds, moderate.
outh coast of China between Hongkong and Lamocks,.	Same as No. 1.
outh coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 29th January, 1910.

rinted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th January, 1910, P.M.								30th January, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.23	767.8	19	...	N W	0	b	7 a.	29.85	758.1	0	65	N	3	
Nemuro,	,,	30.00	762.1	...	...	N W	6	...	6 a.	30.16	766.1	...	...	N	4	
Hakodate,	,,	30.20	767.2	...	...	N W	6	...	,,	29.97	761.2	...	...	E	6	
Tokio,	,,	30.18	766.6	...	...	...	0	...	,,	29.99	761.6	...	...	...	0	
Kochi,	,,	30.11	764.8	...	...	S E	2	...	,,	29.95	760.8	...	...	S W	2	
Nagasaki,	,,	30.15	765.8	...	...	N	4	...	,,	30.15	765.8	...	...	N	8	
Kagoshima,	,,	30.11	764.9	...	...	...	0	...	,,	30.08	763.9	...	...	N W	4	
Oshima,	,,	30.06	764.1	...	...	S E	2	...	,,	30.08	764.1	...	...	N	6	
Naha,	,,	30.05	763.2	...	...	N E	4	...	,,	30.13	765.2	...	...	N	8	
Ishigakijima,	,,	30.05	763.3	...	...	E	6	...	,,	30.17	766.3	...	...	N	8	
Bonin Is.	,,	30.08	764.1	...	...	E	4	...	,,	30.04	763.1	...	...	S E	2	
Chefoo,	4 p.	30.34	770.6	29	100	N W	6	s	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	...	...	32	...	W S W	3	cs	9 a.	...	...	14	...	N W	8	
Hankow,	,,	30.53	775.4	43	75	N W	1	o	6 a.	...	...	...	...	...	..	
Kiukiang,	,,	30.38	771.6	44	100	S W	5	or	,,	...	...	...	...	...	...	
Shanghai,	,,	30.23	767.8	86	93	N N W	2	om	9 a.	30.69	779.5	26	...	N N W	5	
Gutzlaff,	,,	30.16	766.0	44	100	N N W	5	f	,,	30.61	777.2	30	89	N N W	7	
Sharp Peak,	,,	30.11	764.8	60	...	E	1	b	,,	30.41	772.4	54	68	E N E	6	
Amoy,	,,	30.06	763.5	65	73	S E	3	b	6 a.	30.27	768.8	53	80	N E	4	
Swatow,	,,	30.04	763.0	64	76	N E	1	b	,,	...	...	...	...	...	...	
Taiboku,	1 p.	30.03	764.0	...	...	N	4	...	5 a.	30.32	770.2	...	...	E	8	
Taichu,	,,	30.07	763.8	...	...	W	6	...	,,	30.15	765.7	...	...	N	6	
Tainan,	,,	30.11	764.7	...	...	N	6	...	,,	30.15	765.8	...	...	N	6	
Koshun,	,,	30.05	763.3	...	...	N W	4	...	,,	30.10	764.4	...	...	N E	10	
Pescadores,	,,	30.10	764.5	...	...	N	8	...	,,	30.17	766.4	...	...	N E	10	
Canton,	3 p.	30.07	763.8	69	70	S W	1	c	9 a.	30.39	771.9	56	63	N E	2	
Hongkong,	4 p.	30.07	763.8	68	57	E	2	o	10 a.	30.31	769.9	60	54	N	4	
Victoria Peak,	,,	...	...	...	...	S E	0	...	,,	...	...	...	...	N N E	6	
Gap Rock,	,,	30.05	763.2	...	...	E N E	3	...	,,	30.28	769.1	...	...	N N E	4	
Macao,	,,	30.09	764.3	68	...	N N E	1	c	,,	30.34	770.6	58	...	N	3	
Wuchow,	3 p.	30.13	765.3	65	...	E	1	c	9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	30.11	764.8	73	81	S S E	1	c	,,	...	...	...	...	...	...	
Phulien,	4 p.	30.08	764.0	68	...	N E	1	o	8 a.	30.25	768.2	66	...	N E	2	
Tourane,	,,	30.02	762.4	70	...	N W	3	o	,,	30.14	765.6	68	..	N W	2	
Cape St. James,	,,	29.92	759.9	81	...	E S E	3	c	,,	30.03	762.8	73	...	N E	2	
Aparri,	2 p.	29.98	761.4	77	...	N E	2	b	6 a.	30.06	763.6	66	...	S W	2	
Manila,	4 p.	29.88	759	81	69	S S W	2	c	10 a.	30.00	762	81	62	...	0	
Legaspi,	2 p.	29.87	758.8	84	...	E	2	b	6 a.	29.89	759.3	70	...	...	0	
Bacolod,	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	E N E	3	
Iloilo,	,,	29.86	758.2	83	...	N	1	b	,,	29.95	760.7	77	...	N N E	3	
Cebu,	,,	29.83	757.7	84	...	N	1	b	,,	29.91	759.7	84	...	N	2	
Labuan,	,,	29.82	757.4	84	...	...	...	...	,,	...	...	...	...	...	...	

On the 30th at 12.10 p.—The barometer has fallen considerably over the Sea of Japan and at the Bonins.

A depression is moving Eastwards over the former area, and a second area of low pressure is moving in the same direction over the Pacific between the Loochoos and the Bonins.

An anticyclone of considerable intensity lies over the continent to the North of Yangtze valley, and pressure has increased rapidly over the China coast.

Monsoon gales may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, moderate gale; fair, squally.
2.—Formosa Channel,	N.E. gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 30th January, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	30TH JANUARY, 1910, P.M.								31ST JANUARY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
stock,...	2 p.	29.78	756.3	1	...	N W	3	s	7 a.	29.88	758.3	2	47	N W	1	o
.....	,,	29.89	759.1	...	...	S E	8	...	6 a.	29.22	742.1	...	...	W	6	...
e,.....	,,	29.54	750.2	...	...	S E	8	...	,,	29.38	746.2	...	...	W	8	...
.....	,,	29.63	752.6	...	...	N	2	...	,,	29.71	754.6	...	...	N	2	...
.....	,,	29.64	752.8	...	...	W	8	...	,,	30.15	765.8	...	...	...	0	...
i, ...	,,	30.23	767.8	...	...	N W	8	...	,,	30.39	771.8	...	...	N	8	...
ima, ...	,,	30.15	765.9	...	...	N W	8	...	,,	30.31	769.9	...	...	N	6	...
.....	,,	30.16	766.1	...	...	N	10	...	,,	30.28	769.1	...	...	N	6	...
.....	,,	...	...	...	...	...	...	...	,,	30.32	770.2	...	...	N	6	...
jima,....	,,	30.25	768.3	...	...	N	8	...	,,	30.33	770.3	...	...	N	6	...
s.....	,,	29.89	759.1	...	...	S	2	...	,,	29.97	761.1	...	...	N W	4	...
.....	4 p.	30.47	773.9	18	84	N W	9	o	6 a.	...	...	...	...	...	...	...
ei,.....	,,	...	...	18	...	N W	6	cs	9 a.	...	...	20	...	...	...	c
.....	,,	30.69	779.5	39	64	N E	3	c	6 a.	...	...	...	...	...	..	...
.....	,,	30.63	778.0	39	73	N E	2	c	,,	30.43	772.9	29	83	N E	1	c
i, ...	,,	30.61	777.5	31	...	N N W	5	c	9 a.	30.57	776.5	28	...	N N W	1	b
.....	,,	30.55	775.9	31	100	N N W	7	cm	,,	30.55	775.9	33	100	N N E	1	cm
eak,.....	,,	30.41	772.4	52	66	E N E	6	o	,,	30.50	774.7	50	86	E	3	o
.....	,,	30.25	768.3	56	63	N E	5	o	6 a.	30.35	770.9	48	63	N E	5	o
.....	,,	...	...	...	...	...	...	...	,,	30.35	770.9	49	73	N E	2	o
.....	1 p.	30.41	772.3	...	...	E	8	...	5 a.	30.44	773.2	...	...	E	4	...
.....	,,	30.18	766.5	...	...	N	8	...	,,	30.31	769.8	...	...	N E	4	...
.....	,,	30.20	767.1	...	...	N	4	...	,,	30.28	769.1	...	...	N	4	...
.....	,,	30.15	765.9	...	...	N E	10	...	,,	30.26	768.6	...	...	N E	10	...
es, ...	,,	30.25	768.3	...	...	N E	10	...	,,	30.33	770.4	...	...	N E	10	...
.....	3 p.	30.30	769.6	60	60	N E	1	c	9 a.	30.39	771.9	48	71	N	2	c
g, ...	4 p.	30.25	768.3	64	55	N	1	o	10 a.	30.36	771.1	55	67	E	2	o
Peak,...	,,	...	...	...	...	N	1	...	,,	...	...	...	...	E	5	...
k,.....	,,	30.22	767.6	...	...	E N E	4	...	,,	30.32	770.1	...	...	E N E	6	...
.....	,,	30.27	768.8	70	...	N	4	o	,,	30.37	771.4	51	...	N	4	o
y,.....	3 p.	30.47	773.9	59	54	N	2	o	9 a.	30.43	772.9	49	...	E	2	o
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	30.31	769.9	56	75	N	5	o	,,	...	...	...	...	...	...	...
.....	4 p.	30.21	767.3	63	...	E N E	5	o	8 a.	30.30	769.6	57	...	E N E	4	o
.....	,,	30.10	764.6	72	...	S E	3	o	,,	30.16	766.0	70	..	E	3	o
James,.	,,	29.90	759.4	77	...	E N E	6	c	,,	30.00	762.0	73	...	N E	3	c
.....	2 p.	30.05	763.2	77	...	N E	2	o	6 a.	30.15	765.9	70	...	E	4	d
.....	4 p.	29.92	760	81	62	W	1	o	10 a.	30.00	762	84	49	E N E	1	c
.....	2 p.	29.89	759.3	79	...	N E	2	o	6 a.	29.94	760.4	75	...	N E	2	o
.....	3 p.	...	...	...	...	N W	3	o	9 a.	...	...	...	...	N E	3	o
.....	,,	29.87	758.7	79	...	N E	1	c	,,	29.93	760.2	78	...	N N E	...	...
.....	,,	29.84	757.9	84	...	N	2	b	,,	29.90	759.4	84	...	N	2	b
.....	,,	29.83	757.7	83	...	...	...	...	,,	29.90	759.4	81	...	...	...	...

On the 31st at 12.10 p.—The barometer has fallen rapidly in N.E. Japan owing to the depression which is now g into the Pacific to the North of Hokkaido.

Pressure has increased considerably over W. Japan, the Loochoos and Formosa, while it is giving way again the Yangtze valley.

The anticyclonic area which is still central to the North of the latter, is spreading Eastwards. Pressure is re-ly low over S. part of the China Sea.

The monsoon will moderate in the Formosa Channel, but continue to blow strongly over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	N.E. winds, strong; fair, cloudy.
ormosa Channel, ...	Same as No. 1.
outh coast of China between Hongkong and Lamocks,.	Same as No. 1.
outh coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 31st January, 1910.

rinted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st JANUARY, 1910, P.M.								1st FEBRUARY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.89	759.2	11	...	N W	0	c	7 a.	30.08	763.9	−5	49	N W	3	c
Nemuro,	,,	29.62	737.1	...	...	W	6	...	6 a.	29.18	741.1	...	...	W	10	...
Hakodate,	,,	29.30	744.2	...	...	W	10	...	,,	29.62	752.2	...	...	W	8	...
Tokio,	,,	29.71	754.6	...	...	N W	4	...	,,	29.95	760.6	...	...	W	4	...
Kochi,	,,	30.11	764.8	...	...	S W	6	...	,,	30.03	762.3	...	...	...	0	...
Nagasaki,	,,	30.39	771.8	...	...	N E	8	...	,,	30.31	769.8	...	...	N	2	...
Kagoshima,	,,	30.31	769.9	...	...	N	6	...	,,	30.35	770.9	...	...	...	0	...
Oshima,	,,	...	...	...	...	...	...	...	,,	30.36	771.1	...	...	N	4	...
Naha,	,,	30.32	770.2	...	...	N	4	...	,,	30.36	771.2	...	...	N E	2	...
Ishigakijima,	,,	30.29	769.3	...	...	N	6	...	,,	30.37	771.3	...	...	N	4	...
Bonin Is.	,,	30.04	773.1	...	...	N W	6	...	,,	30.20	767.1	...	...	N	2	...
Chefoo,	4 p.	30.41	772.4	22	100	S	1	o	6 a.	30.58	776.7	13	100	N E	6	s
Weihaiwei,	,,	...	...	28	...	N E	1	cs	9 a.	...	...	14	...	N	3	c
Hankow,	,,	30.54	775.7	40	56	N W	1	o	6 a.	30.93	785.6	32	79	N	2	b
Kiukiang,	,,	30.47	773.9	42	75	...	0	b	,,	30.62	777.7	38	63	N E	2	c
Shanghai,	,,	30.44	773.2	39	46	W	1	b	9 a.	30.75	781.0	29	...	N N W	4	o
Gutzlaff,	,,	30.43	772.9	36	100	...	0	bv	,,	30.66	778.7	36	100	N	5	b
Sharp Peak,	,,	30.39	771.9	51	86	E	2	b	,,	30.54	775.7	49	78	N W	3	c
Amoy,	,,	30.27	768.8	58	47	N E	2	b	6 a.	30.36	771.1	53	67	N E	3	o
Swatow,	,,	30.27	768.8	54	66	E	1	b	,,	30.37	771.4	45	84	N	1	b
Taihoku,	1 p.	30.30	769.7	...	...	E	8	...	5 a.	30.39	771.9	...	...	E	6	...
Taichu,	,,	30.24	768.2	...	...	...	0	...	,,	30.35	770.8	...	...	...	0	...
Tainan,	,,	30.25	768.4	...	...	N E	2	...	,,	30.32	770.1	...	...	N	4	...
Koshun,	,,	...	...	...	...	E	8	...	,,	30.30	769.7	...	...	N E	8	...
Pescadores,	,,	30.27	768.8	...	...	N E	10	...	,,	30.34	770.6	...	...	N E	10	...
Canton,	3 p.	30.27	768.8	55	74	N	1	b	9 a.	30.48	774.2	53	61	N	2	...
Hongkong,	4 p.	30.26	768.6	57	66	E	2	o	10 a.	30.47	773.9	57	57	N	2	...
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	N	2	...
Gap Rock,	,,	30.23	767.8	...	...	E N E	5	...	,,	30.42	772.6	...	...	N E	5	...
Macao,	,,	30.27	768.8	56	...	N	2	c	,,	30.49	774.4	55	...	N E	3	c
Wuchow,	3 p.	30.30	769.6	57	63	E	2	o	9 a.	30.58	776.7	49	...	N	5	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.23	767.8	63	74	N E	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.21	767.4	63	...	E S E	2	o	8 a.	30.37	771.3	57	...	N E	6	o
Tourane,	,,	30.08	764.1	70	...	E	3	c	,,	30.22	767.5	72	..	E	4	c
Cape St. James,	,,	29.87	758.8	79	...	E N E	6	c	,,	30.01	762.3	77	...	N	1	c
Aparri,	2 p.	30.10	764.6	72	...	N E	4	o	6 a.	30.17	766.3	72	...	E	2	c
Manila,	4 p.	29.88	759	82	50	N E	3	o	10 a.	30.04	763	84	58	E N E	3	c
Legaspi,	2 p.	29.88	758.9	77	...	N E	4	o	6 a.	29.97	761.3	75	...	N E	2	c
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N N E	3	c
Iloilo,	,,	29.85	758.2	84	...	N E	1	b	,,	29.95	760.7	78	...	N E	1	o
Cebu,	,,	29.83	757.7	86	...	N	2	b	,,	29.94	760.5	80	...	N	1	o
Labuan,	,,	29.78	756.4	83	...	...	...	...	,,	29.91	759.7	82	...	...	...	...

On the 1st at 12.15 p.—The depression is still shown over the Pacific to the N.E. of Japan.

Except a slight fall in W. Japan, the barometer has risen generally, particularly over China.

The anticyclone, which is of considerable intensity, is still central over the continent to the North of the Yangtze valley. Pressure is relatively low over the S. part of the China Sea.

Strong monsoon may be expected in the Formosa Channel, and monsoon gales over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E winds, fresh or strong; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 1st February, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ION.	1st FEBRUARY, 1910, P.M.								2nd FEBRUARY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
tock,...	2 p.	30.06	763.6	5	...	N W	3	c	7 a.	30.36	771.0	−5	42	N W	0	b
.....	,,	29.37	746.1	...	...	N W	10	...	6 a.	29.73	755.1	...	...	W	6	...
, ...	,,	29.71	754.2	...	...	N W	4	...	,,	29.89	759.2	...	...	W	2	...
.....	,,	29.91	759.6	...	...	W	6	...	,,	30.10	764.6	...	...	...	0	...
.....	,,	30.15	765.8	...	...	W	6	...	,,	30.43	772.3	...	...	...	0	...
, ...	,,	30.39	771.8	...	...	N	10	...	,,	30.58	776.8	...	...	N	4	...
na, ...	,,	30.27	768.9	...	...	N W	6	...	,,	30.55	776.9	...	...	N	4	...
.....	,,	30.40	772.1	...	...	N W	6	...	,,	30.43	774.1	...	...	N	6	...
.....	,,	30.40	772.2	...	...	N	6	...	,,	30.48	774.2	...	...	N	8	...
ima,....	,,	30.37	771.3	...	...	N E	8	...	,,	30.49	774.3	...	...	N	6	...
.....	,,	30.20	767.1	...	...	N	4	...	,,	30.23	769.1	...	...	N	6	...
.....	4 p.	30.65	778.5	15	100	N W	5	c	6 a.	30.60	777.2	13	100	W	3	b
i,.....	,,	...	...	16	...	N W	4	cs	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	6 a.	30.81	782.6	28	100	N E	1	b
.....	,,	30.86	783.8	36	80	N E	6	o	,,	...	...	...	...	...	...	...
.....	,,	30.78	781.7	26	...	N W	5	bm	9 a.	30.79	782.0	26	...	N W	3	b
.....	,,	30.68	779.3	32	100	N	7	bm	,,	30.75	781.0	28	100	N W	2	cv
k,.....	,,	30.54	775.7	49	71	N E	5	o	,,	30.67	779.0	48	71	N N E	5	o
.....	,,	30.38	771.6	61	50	N E	4	c	6 a	30.45	773.4	48	63	N E	4	o
.....	,,	30.38	771.6	60	55	E	2	c	,,	...	...	...	...	...	...	...
.....	1 p.	30.49	774.4	...	...	E	8	...	5 a.	30.56	776.3	...	...	E	6	...
.....	,,	30.34	770.6	...	...	N	8	...	,,	30.40	772.1	...	...	N	4	...
.....	,,	30.55	770.8	...	...	N	8	...	,,	30.40	772.2	...	...	N	4	...
.....	,,	30.31	769.8	...	...	N E	8	...	,,	30.34	770.7	...	...	N E	10	...
s, ...	,,	30.39	772.0	...	...	N E	10	...	,,	30.44	773.1	...	...	N E	10	...
.....	3 p.	30.44	773.2	55	50	N	2	b	9 a.	30.56	776.2	48	56	N	2	b
, ...	4 p.	30.38	771.6	62	38	N	2	b	10 a.	30.51	774.9	57	44	E	1	b
eak,...	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	3	...
.....	,,	30.35	770.9	...	...	E	3	...	,,	30.46	773.7	...	...	E N E	6	...
.....	,,	30.39	771.9	60	...	N N E	4	b	,,	30.53	775.4	50	...	N	4	b
.....	3 p.	30.59	777.0	45	...	N E	2	o	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	30.51	774.9	51	79	N	5	o	,,	...	...	...	...	...	...	...
.....	4 p.	30.39	772.0	55	...	N N E	3	o	8 a.	30.52	775.3	52	...	N E	2	o
.....	,,	30.18	766.6	68	...	E N E	4	c	,,	30.32	770.0	66	..	E N E	4	o
ames,.	,,	29.95	760.7	79	...	N E	4	c	,,	30.04	763.0	73	...	N E	2	c
.....	2 p.	30.17	766.2	73	...	E	4	o	6 a.	30.23	767.7	72	...	E	2	o
.....	4 p.	29.96	761	82	49	N E	4	o	10 a.	30.08	764	82	57	N E	4	c
.....	2 p.	29.95	760.8	73	...	N E	4	o	6 a.	30.01	762.1	75	...	N E	2	o
.....	3 p.	...	...	...	...	N N E	4	cd	9 a.	...	...	...	...	N E	4	op
.....	,,	29.87	758.7	81	...	N N E	3	o	,,	29.97	761.2	76	...	N N E	4	o
.....	,,	29.85	758.2	83	...	N	2	c	,,	29.96	761.0	79	...	N	1	or
.....	,,	29.82	757.4	84	...	...	...	...	,,	29.93	760.2	83	...	...	...	...

the 2nd at 12.05 p.—The barometer is inclined to fall over N. China. It has risen elsewhere, particularly n.

essure remains low over the Pacific to the N.E. of Japan.

re anticyclone is still central over the continent to the North of the Yangtze valley, and pressure is in excess normal by 0.3 to 0.4 inch over the China coast. W. Japan and the Loochoos. It is relatively low over the S. the China Sea.

rong monsoon may be expected in the Formosa Channel, and monsoon gales over the China Sea.

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	N.E. winds, fresh ; fine.
osa Channel, ...	N.E. winds, strong.
h coast of China between Hongkong and Lamocks,.	Same as No. 2.
h coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

ongkong Observatory, Wednesday, 2nd February, 1910.

ed by Nonosha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd February, 1910, P.M.								3rd February, 1910, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	30.34	770.6	8	...	N W	0	b	7 a.	30.25	768.2	−4	66	W	0
Nemuro,	,,	29.85	758.1	...	...	N W	6	...	6 a.	29.89	759.1	...	...	W	8
Hakodate,	,,	30.01	762.2	...	...	W	6	...	,,	30.09	764.2	...	...	W	6
Tokio,	,,	30.22	767.6	...	...	N	6	...	,,	30.38	771.6	...	...	N W	2
Kochi,	,,	30.43	772.8	...	...	W	4	...	,,	30.54	775.8	...	...	S W	2
Nagasaki,	,,	30.54	775.8	...	...	N	6	...	,,	30.58	776.8	...	...	...	0
Kagoshima,	,,	30.59	776.9	...	...	N	8	...	,,	30.59	776.9	...	...	N	2
Oshima,	,,	30.48	774.1	...	...	N	6	...	,,	30.52	775.1	...	...	...	0
Naha,	,,	30.48	774.2	...	...	N	6	...	,,	30.44	773.2	...	...	N E	4
Ishigakijima,	,,	30.44	773.3	...	...	N	8	...	,,	30.37	771.3	...	...	N E	6
Bonin Is.	,,	30.24	768.1	...	...	N	4	...	,,	30.40	772.1	...	...	N	2
Chefoo,	4 p.	30.52	775.2	31	100	S W	1	b	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	...	...	28	...	W S W	1	b	9 a.	...	...	29	...	W S W	2
Hankow,	,,	30.65	778.5	40	91	E	1	b	6 a.	30.65	778.5	36	90	N E	1
Kiukiang,	,,	30.66	778.7	36	72	N E	2	b	,,	30.53	775.4	35	80	N E	1
Shanghai,	,,	30.65	778.5	34	...	W N W	1	b	9 a.	30.63	778.0	36	61	E N E	1
Gutzlaff,	,,	30.64	778.2	45	100	N	1	cv	,,	30.60	777.2	36	80	E	3
Sharp Peak,	,,	30.55	775.9	48	71	N E	5	o	,,	30.50	774.7	47	85	E	3
Amoy,	,,	30.44	773.2	57	46	N E	4	b	6 a.	30.41	772.4	49	71	N	1
Swatow,	,,	30.37	771.4	58	58	E	2	b	,,	...	...	...	...	...	...
Taihoku,	1 p.	30.48	774.2	...	...	E	8	...	5 a.	30.39	771.8	...	...	E	6
Taichu,	,,	30.37	771.3	...	...	N	6	...	,,	30.38	771.6	...	...	...	0
Tainan,	,,	30.40	772.1	...	...	N	4	...	,,	30.37	771.5	...	...	N	2
Koshun,	,,	30.35	771.0	...	...	N	10	...	,,	30.34	770.5	...	...	N	6
Pescadores,	,,	30.43	772.9	...	...	N E	10	...	,,	30.36	771.2	...	...	N	8
Canton,	3 p.	30.38	771.6	56	51	N	1	b	9 a.	30.45	773.4	50	65	N	2
Hongkong,	4 p.	30.36	771.1	60	48	E S E	1	c	10 a.	30.44	773.2	58	57	E	1
Victoria Peak,	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	E	1
Gap Rock,	,,	30.33	770.4	...	...	E	5	...	,,	30.40	772.1	...	...	E N E	3
Macao,	,,	30.37	771.4	57	...	N	3	b	,,	30.45	773.4	54	...	N E	2
Wuchow,	3 p.	30.48	774.2	47	...	N	1	c	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	30.40	772.1	57	58	N	2	b	,,	...	...	...	...	...	...
Phulien,	4 p.	30.35	770.8	59	...	N W	1	c	8 a.	30.41	772.5	54	...	N W	2
Tourane,	,,	30.21	767.4	68	...	N E	4	f	,,	30.26	768.7	64	...	N W	3
Cape St. James,	,,	29.94	760.6	77	...	N E	5	o	,,	30.04	762.9	75	...	N	2
Aparri,	2 p.	30.21	767.4	72	...	N E	2	o	6 a.	30.21	767.4	70	...	E	2
Manila,	4 p.	30.00	762	81	69	N N E	2	c	10 a.	30.12	765	79	61	N E	1
Legaspi,	2 p.	29.94	760.6	77	...	N E	4	o	6 a.	30.01	762.3	73	...	N E	2
Bacolod,	3 p.	...	...	...	...	N E	4	cq	9 a.	...	...	...	...	N E	3
Iloilo,	,,	29.89	759.2	77	...	N E	2	or	,,	29.99	761.7	76	...	N E	1
Cebu,	,,	29.87	758.7	77	...	N	1	or	,,	29.99	761.7	77	...	N	1
Labuan,	,,	29.85	758.2	82	...	...	...	...	,,	29.91	759.7	76	...	...	...

On the 3rd at 12.10 p.—The barometer has risen considerably over E. Japan and the Bonins, and fallen the continent, particularly along the Yangtze valley.

The anticyclonic area has spread Eastwards and now covers China, S. Japan and the Pacific towards the B

Pressure is relatively low over the Pacific to the N.E. of Japan, and over the S. part of the China Sea.

Moderate monsoon may be expected in the Formosa Channel and strong monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 3rd February, 1910.

[Printed by Norosha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ON.	3RD FEBRUARY, 1910, P.M.								4TH FEBRUARY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ock,...	2 p.	30.18	766.6	17	...	N	0	b	7 a.	30.25	768.4	2	55	W	0	b
.....	,,	29.85	758.1	...	...	W	8	...	6 a.	29.81	757.1	...	...	W	2	...
.....	,,	30.01	762.2	...	...	W	8	...	,,	30.01	762.2	...	...	W	6	...
.....	,,	30.18	766.6	...	...	S	6	...	,,	30.18	766.6	...	...	N W	2	...
.....	,,	30.39	771.8	...	...	W	4	...	,,	30.39	771.8	...	...	S W	4	...
.....	,,	30.50	774.8	...	...	N	4	...	,,	30.47	773.8	...	...	N	2	...
a, ...	,,	30.51	774.9	...	...	W	2	...	,,	30.47	773.9	...	...	N	2	...
.....	,,	30.44	773.1	...	...	N E	6	...	,,	30.36	771.1	...	...	S	2	...
.....	,,	30.40	772.2	...	...	E	6	...	,,	30.28	769.2	...	...	...	0	...
ma,....	,,	30.33	770.3	...	...	N E	6	...	,,	30.21	767.3	...	...	S	6	...
.....	,,	30.36	771.1	...	...	N	4	...	,,	30.36	771.1	...	...	N	2	...
.....	4 p.	30.60	777.2	27	100	N E	2	o	6 a.	30.58	776.7	19	100	N W	1	b
.....	,,	...	...	27	...	N	1	c	9 a.	...	...	26	...	S W	...	b
.....	,,	30.68	779.3	44	68	S E	1	o	6 a.	30.75	781.0	33	79	N W	2	b
.....	,,	30.63	778.0	40	65	N E	1	o	,,	30.62	777.7	32	90	N E	1	c
.....	,,	30.56	776.2	40	65	E N E	2	c	9 a.	30.68	779.3	34	79	N N W	2	c
.....	,,	30.55	775.9	43	59	N N E	2	cv	,,	30.61	777.5	41	66	N	3	cv
k,.....	,,	30.43	772.9	48	85	N E	2	o	,,	30.51	774.9	49	86	E	3	o
.....	,,	30.30	769.6	64	53	N E	2	b	6 a.	30.37	771.4	53	73	N E	1	c
.....	,,	30.29	769.3	59	70	E	1	c	,,	30.34	770.6	50	93	N E	1	c
.....	1 p.	30.31	770.0	...	...	E	6	...	5 a.	30.38	771.6	...	...	...	0	...
.....	,,	30.24	768.2	...	...	N	2	...	,,	30.31	769.8	...	...	N	4	...
.....	,,	30.29	769.3	...	...	N	4	...	,,	30.31	769.9	...	...	N	4	...
.....	,,	30.30	769.6	...	...	E	6	...	,,	30.25	768.2	...	...	N E	8	...
.....	,,	30.33	770.3	...	...	N E	6	...	,,	30.34	770.5	...	...	N E	8	...
.....	3 p.	30.29	769.3	62	77	N	1	b	9 a.	30.45	773.4	51	73	N	2	b
.....	4 p.	30.28	769.1	63	54	E S E	1	b	10 a.	30.39	771.9	62	46	N N E	2	b
ak,...	,,	...	...	...	...	N E	1	...	,,	...	...	...	...	N N E	3	...
.....	,,	30.26	768.6	...	...	E	4	...	,,	30.35	770.9	...	...	N N E	5	...
.....	,,	30.30	769.6	62	...	N N E	2	c	,,	30.42	772.6	56	...	N	3	b
.....	3 p.	30.38	771.6	59	...	N	3	c	9 a.	30.58	776.7	44	...	N	3	o
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	30.31	769.9	60	65	N	3	b	,,	...	...	...	...	...	...	...
.....	4 p.	30.29	769.3	59	...	W N W	0	o	8 a.	30.42	772.6	55	...	N W	2	o
.....	,,	30.16	766.0	64	...	N W	4	o	,,	30.23	767.9	68	...	N N E	4	f
ames,.	,,	29.92	759.9	77	...	E N E	5	c	,,	29.99	761.7	73	...	W	2	c
.....	2 p.	30.17	766.3	75	...	E	2	o	6 a.	30.14	765.5	66	...	S	0	o
.....	4 p.	30.00	762	79	61	N E	2	o	10 a.	30.04	763	82	57	N	1	c
.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	3 p.	...	...	...	...	N E	3	oq	9 a.	...	...	...	...	N N E	3	o
.....	,,	29.85	758.2	78	...	N N E	2	b	,,	29.95	760.7	78	...	N N E	3	c
.....	,,	29.92	759.9	76	...	N	1	or	,,	29.95	760.7	79	...	N	2	o
.....	,,	29.93	760.2	81	...	...	...	...	,,	29.88	758.9	80	...	...	...	...

the 4th at 12.05 p.—The barometer has fallen moderately over Japan and the Loochoos, and a slight fall has lace over Formosa and the Philippines.

depression is shown over the Pacific to the N.E. of Japan, and a shallow area of low pressure in the neighbour- the S. Loochoos.

e anticyclonic area is still central over the continent to the North of the Yangtze valley, where the barometer n slightly. Pressure remains relatively low over the S. part of the China Sea.

ong monsoon may be expected in the Formosa Channel and monsoon gales over the China Sea.

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	N. winds, fresh; fine.
nosa Channel, ...	N.E. winds, strong.
th coast of China between Hongkong and Lamocks,.	Same as No. 1.
h coast of China between Hongkong and Hainan,...	N. winds, strong.

F. G. FIGG,
Director.

ongkong Observatory, Friday, 4th February, 1910.

ted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th February, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.22	767.5	22	...	S	0	b
Nemuro,	,,	29.89	759.1	...	...	N W	4	...
Hakodate,	,,	30.05	763.2	...	...	N W	6	...
Tokio,	,,	30.14	765.6	...	...	N	2	...
Kochi,	,,	30.27	768.8	...	...	S E	2	...
Nagasaki,	,,	30.43	772.8	...	...	N	6	...
Kagoshima,	,,	30.39	771.9	...	...	N	6	...
Oshima,	,,	30.28	769.1	...	...	N E	4	...
Naha,	,,	30.20	767.2	...	...	S	2	...
Ishigakijima,	,,	30.21	767.3	...	...	N	8	...
Bonin Is.	,,	30.28	769.1	...	...	N	2	...
Chefoo,	4 p.	30.51	774.9	29	100	W N W	2	b
Weihaiwei,	,,	...	...	28	...	N W	2	c
Hankow,	,,	30.63	778.0	47	77	N E	1	b
Kiukiang,	,,	30.70	779.8	47	48	N E	1	b
Shanghai,	,,	30.58	776.7	41	49	N	2	c
Gutzlaff,	,,	30.51	774.9	42	66	N	4	bv
Sharp Peak,	,,	30.43	772.9	49	72	N E	5	o
Amoy,	,,	30.30	769.6	60	60	N E	2	c
Swatow,	,,	30.25	768.3	57	...	E	1	b
Taihoku,	1 p.	30.37	771.5	...	...	E	4	...
Taichu,	,,	30.27	768.8	...	...	N	6	...
Tainan,	,,	30.24	768.2	...	...	N	8	...
Koshun	,,	30.20	767.1	...	...	N E	8	...
Pescadores,	,,	30.39	769.5	...	...	N E	10	...
Canton,	3 p.	30.30	769.6	59	59	N	2	b
Hongkong,	4 p.	30.24	768.1	65	41	N	2	c
Victoria Peak,	,,	...	...	...	...	N	3	...
Gap Rock,	,,	30.22	767.6	...	...	N E	4	...
Macao,	,,	30.26	768.6	61	...	N	4	b
Wuchow,	3 p.	30.43	772.9	56	63	N	1	o
Hoihow,	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.32	770.1	60	49	N	3	c
Phulien,	4 p.	30.27	768.9	64	...	N W	3	b
Tourane,	,,	30.16	766.0	66	...	N E	4	f
Cape St. James,	,,	29.89	759.2	77	...	E N E	5	o
Aparri,	2 p.	30.06	763.5	77	...	N E	2	o
Manila,	4 p.	29.92	760	82	57	N N E	4	o
Legaspi,	2 p.	29.89	759.3	84	...	E	0	b
Bacolod,	3 p.	...	...	...	...	N E	4	o
Iloilo,	,,	29.85	758.2	83	...	N E	1	b
Cebu,	,,	29.84	757.9	82	...	N E	1	b
Labuan,	,,	29.77	756.1	83	...	...	...	...

Station.	5th February, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	7 a.	30.58	776.8	10	52	N	0
Nemuro,	6 a.	30.04	763.1	...	...	W	6
Hakodate,	,,	30.13	765.2	...	...	...	0
Tokio,	,,	30.22	767.6	...	...	...	0
Kochi,	,,	30.27	768.8	...	...	S W	0
Nagasaki,	,,	30.35	770.8	...	...	N	6
Kagoshima,	,,	30.35	770.9	...	...	N	2
Oshima,	,,	30.28	769.1	...	...	N E	8
Naha,	,,	30.28	769.2	...	...	N E	8
Ishigakijima,	,,	30.29	769.3	...	...	N E	6
Bonin Is.	,,	30.20	767.1	...	...	...	0
Chefoo,	6 a.	...	...	...	...	...	...
Weihaiwei,	9 a.	...	...	28	...	S W	1
Hankow,	6 a.	30.59	777.0	34	90	E	1
Kiukiang,	,,	30.53	775.4	35	80	N E	1
Shanghai,	9 a.	30.59	777.0	34	69	...	0
Gutzlaff,	,,	30.55	775.9	39	46	N	1
Sharp Peak,	,,	30.49	774.4	48	78	E N E	4
Amoy,	6 a.	30.27	768.8	47	77	N E	1
Swatow,	,,	30.30	769.6	47	85	E N E	1
Taihoku,	5 a.	30.39	771.9	...	...	E	4
Taichu,	,,	30.26	768.5	...	...	N	2
Tainan,	,,	30.27	768.8	...	...	N	4
Koshun	,,	30.21	767.3	...	...	N E	10
Pescadores,	,,	30.27	768.9	...	...	N E	10
Canton,	9 a.	30.39	771.9	47	63	N	2
Hongkong,	10 a.	30.36	771.1	59	54	S E	1
Victoria Peak,	,,	...	...	...	...	N N E	2
Gap Rock,	,,	30.33	770.4	...	...	N E	5
Macao,	,,	30.38	771.6	50	...	N	4
Wuchow,	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...
Phulien,	8 a.	30.34	770.6	57	...	E N E	3
Tourane,	,,	30.23	767.7	63	..	N W	3
Cape St. James,	,,	29.96	761.0	75	...	N E	2
Aparri,	6 a.	30.09	764.3	72	...	N E	2
Manila,	10 a.	29.96	761	84	64	N E	1
Legaspi,	6 a.	29.92	759.9	75	...	N E	2
Bacolod,	9 a.	...	...	...	...	N N E	3
Iloilo,	,,	29.91	759.7	79	...	N N E	1
Cebu,	,,	29.90	759.4	80	...	N	1
Labuan,	,,	29.87	758.7	81	...	...	...

On the 5th at 12.05 p.—The barometer has risen considerably in Wladiwostok and N.E. Japan, and fallen where, except over the S. Loochoos.

The shallow depression over the Pacific appears to be moving Eastwards between the Loochoos and the Bo

The anticyclonic area is further Eastwards and lies now over N. China and Manchuria. Pressure is rela low over the S. part of the China Sea.

The monsoon will moderate in the Formosa Channel, but continue to blow strongly over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh to moderate; fine.
2.—Formosa Channel,	N.E. winds, strong to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 5th February, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ION.	5TH FEBRUARY, 1910, P.M.								6TH FEBRUARY, 1910, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
tock,...	2 p.	30.20	767.1	21	...	N W	0	b	7 a.	30.19	766.7	−0	70	...	0	b
.....	,,	30.00	762.1	...	...	N W	2	...	6 a.	30.04	763.1	...	...	S	4	...
.....	,,	30.13	765.2	...	...	N W	6	...	,,	30.13	765.2	...	...	...	0	...
.....	,,	30.14	765.6	...	...	N	2	...	,,	30.26	768.6	...	...	N	2	...
.....	,,	30.23	767.8	...	...	N	4	...	,,	30.31	769.8	...	...	S	2	...
.....	,,	30.35	770.8	...	...	N	4	...	,,	30.35	770.8	...	...	N E	2	...
a, ...	,,	30.31	769.9	...	...	N	6	...	,,	30.35	770.9	...	...	N E	2	...
.....	,,	30.28	769.1	...	...	N	6	...	,,	30.32	770.1	...	...	S	2	...
.....	,,	30.24	768.2	...	...	N	6	...	,,	30.25	768.2	...	...	N E	4	...
ima,....	,,	30.21	767.3	...	...	N	8	...	,,	30.21	767.3	...	...	N	10	...
.....	,,	30.12	765.1	...	...	S	2	...	,,	30.16	766.1	...	...	N	2	...
.....	4 p.	30.45	773.4	38	100	W S W	3	c	6 a.	...	...	...	...	...	...	...
i,.....	,,	...	...	35	...	W S W	1	b	9 a.	...	...	32	...	S W	1	b
.....	,,	30.46	773.7	49	78	E S E	2	b	6 a.	...	...	...	...	...	...	...
.....	,,	...	...	42	84	...	4	b	,,	30.29	769.3	31	100	N E	1	c
.....	,,	30.42	772.6	42	42	N E	2	bm	9 a.	30.40	772.1	40	65	E S E	2	c
.....	,,	30.44	773.2	39	64	N N E	1	bv	,,	30.38	771.6	42	75	E S E	2	cv
k,.....	,,	30.35	770.9	49	71	N E	5	c	,,	30.35	770.9	46	84	E N E	1	c
.....	,,	30.25	768.3	62	41	N E	4	b	6 a.	30.26	768.6	49	57	N E	1	b
.....	,,	30.20	767.1	59	59	E	1	c	,,	30.22	767.6	47	85	N	1	b
.....	1 p.	30.31	769.8	...	...	E	8	...	5 a.	30.25	768.2	...	...	E	6	...
.....	,,	30.16	766.0	...	...	N	6	...	,,	30.19	766.9	...	...	N E	2	...
.....	,,	30.20	767.1	...	...	N	2	...	,,	30.20	767.1	...	...	N E	4	...
.....	,,	30.16	766.1	...	...	N E	10	...	,,	30.14	765.5	...	...	N E	8	...
, ...	,,	30.22	767.6	...	...	N E	10	...	,,	30.20	767.1	...	...	N E	10	...
.....	3 p.	30.23	767.8	56	51	N	1	b	9 a.	30.25	768.3	53	73	N	1	b
, ...	4 p.	30.21	767.3	58	57	E	2	b	10 a.	30.25	768.3	59	66	E	2	b
eak,...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E N E	3	...
.....	,,	30.20	767.1	...	...	E N E	3	...	,,	30.21	767.3	...	...	E N E	5	...
.....	,,	30.22	767.6	59	...	E	2	b	,,	30.26	768.6	60	...	E	1	c
.....	3 p.	30.29	769.3	63	52	S W	2	b	9 a.	...	...	...	...	N E	1	o
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	30.24	768.1	62	53	N	1	b	,,	...	...	...	...	...	...	...
.....	4 p.	30.20	767.1	64	...	S S E	2	c	8 a.	30.23	767.7	55	...	E N E	2	o
.....	,,	30.12	765.0	63	...	N W	3	or	,,	30.15	765.7	64	..	N W	3	dh
ames,.	,,	29.81	757.2	77	...	N E	4	o	,,	29.91	759.8	75	...	N E	2	c
.....	2 p.	30.04	763.0	70	...	N E	2	d	6 a.	30.02	762.5	79	...	N E	2	d
.....	4 p.	29.84	758	84	58	N N E	3	o	10 a.	29.92	760	84	64	E N E	1	c
.....	2 p.	29.85	758.2	82	...	N E	2	o	6 a.	29.89	759.1	75	...	N E	2	o
.....	3 p.	...	...	...	...	E N E	2	or	9 a.	...	...	...	...	N E	2	o
.....	,,	29.81	757.2	83	...	N N E	1	c	,,	29.89	759.2	89	...	N N E	1	b
.....	,,	29.81	757.2	83	...	N	2	o	,,	29.89	759.2	82	...	N	2	c
.....	,,	29.76	755.9	83	...	...	...	...	,,	29.89	759.2	81	...	...	...	...

the 6th at 11.55 a.—Except in Japan, the barometer has fallen generally, particularly over China.

obably a depression is approaching N. China from the Westward.

he high pressure area, which has decreased in intensity, is now central over the Yellow Sea. Pressure is still er the S. part of the China Sea.

resh or moderate monsoon may be expected in the Formosa Channel, and fresh to strong monsoon over the Sea.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
gkong and Neighbourhood, ...	NE and E. winds, fresh or moderate; fine.
nosa Channel, ...	Same as No. 1.
th coast of China between Hongkong and Lamocks,.	Same as No. 1.
h coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 6th February, 1910.

ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th February, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	7th February, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostook,	2 p.	30.17	766.4	19	...	W	0	b	7 a.	30.09	764.2	2	72	E	1
Nemuro,	,,	30.00	762.1	...	...	N W	2	...	6 a.	30.08	764.1	...	...	S E	2
Hakodate,	,,	30.09	764.2	...	...	N	2	...	,,	30.13	765.2	...	...	W	2
Tokio,	,,	30.14	765.6	...	...	S	4	...	,,	30.18	766.6	...	...	...	0
Kochi,	,,	30.23	767.8	...	...	S E	4	...	,,	30.27	768.8	...	...	S W	2
Nagasaki,	,,	30.31	769.8	...	...	W	2	...	,,	30.31	769.8	...	...	E	2
Kagoshima,	,,	30.31	769.9	...	...	W	2	...	,,	30.31	769.9	...	...	N	2
Oshima,	,,	30.28	769.1	...	...	N	6	...	,,	30.28	769.1	...	...	S	4
Naha,	,,	30.20	767.2	...	...	N E	6	...	,,	30.21	767.2	...	...	N E	2
Ishigakijima,	,,	30.13	765.3	...	...	N E	4	...	,,	30.13	765.3	...	...	E	8
Bonin Is.	,,	30.12	765.1	...	...	N	2	...	,,	30.20	767.1	...	...	...	0
Chefoo,	4 p.	30.22	767.6	44	100	W	1	c	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	...	...	42	...	S W	1	bm	9 a.	...	...	33	...	N W	1
Hankow,	,,	...	...	49	78	E S E	2	b	6 a.	30.28	769.1	43	84	N E	1
Kiukiang,	,,	30.25	768.3	56	57	N E	1	b	,,	30.21	767.3	43	84	N E	2
Shanghai,	,,	30.28	769.1	50	38	S E	2	b	9 a.	30.29	769.3	44	76	E	3
Gutzlaff,	,,	30.31	769.9	44	84	S E	1	bv	,,	30.30	769.6	44	84	E	4
Sharp Peak,	,,	30.23	767.8	50	79	N E	4	b	,,	30.24	768.1	50	93	N E	2
Amoy,	,,	30.24	768.1	60	49	N E	1	b	6 a.	30.18	766.6	54	74	N	1
Swatow,	,,	30.13	765.3	59	70	E	2	b	,,	30.12	765.0	55	81	...	0
Taihoku,	1 p.	30.17	766.2	...	...	E	8	...	6 a.	30.12	765.1	...	...	E	6
Taichu,	,,	30.09	764.3	...	...	N	6	...	,,	30.12	764.9	...	...	...	0
Tainan,	,,	30.11	764.7	...	...	N	6	...	,,	30.10	764.4	...	...	N E	6
Koshun	,,	30.15	765.8	...	...	N E	10	...	,,	30.07	763.8	...	...	N E	6
Pescadores,	,,	30.16	766.0	...	...	N E	10	...	,,	30.12	765.1	...	...	N E	8
Canton,	3 p.	30.10	764.5	61	55	N N W	1	b	9 a.	30.16	766.0	57	84	N	1
Hongkong,	4 p.	30.12	765.0	60	63	E	3	b	10 a.	30.15	765.8	63	63	E	3
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	3
Gap Rock,	,,	30.07	763.8	...	...	E	4	...	,,	30.12	765.0	...	...	E N E	5
Macao,	,,	30.13	765.3	62	...	S E	1	b	,,	30.16	766.0	64	...	S E	1
Wuchow,	3 p.	30.14	765.5	68	...	W	2	...	9 a.	30.19	766.8	52	...	E	2
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	30.12	765.0	67	53	S	1	o	,,	...	...	...	...	...	...
Phulien,	4 p.	30.10	764.6	70	...	S S E	2	c	8 a.	30.12	764.9	61	...	E N E	3
Tourane,	,,	30.05	763.3	64	...	W N W	2	or	,,	30.02	762.4	64	..	N W	3
Cape St. James,	,,	29.84	758.0	77	...	N E	4	o	,,	29.88	758.9	73	...	N E	3
Aparri,	2 p.	29.95	760.7	77	...	N E	2	o	6 a.	29.97	761.3	72	...	S W	2
Manila,	4 p.	29.84	758	81	85	W N W	1	o	10 a.	29.96	761	81	76	W	1
Legaspi,	2 p.	29.83	757.7	84	...	E	2	b	6 a.	29.90	759.4	77	...	N E	2
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	3
Iloilo,	,,	29.81	757.2	83	...	N E	1	b	,,	29.95	760.7	80	...	N E	1
Cebu,	,,	29.82	757.4	84	...	N	1	b	,,	29.90	759.4	82	...	N	1
Labuan,	,,	29.79	756.6	83	...	...	...	...	,,	29.86	758.4	81	...	...	...

On the 7th at 12.05 p.—The barometer has fallen moderately in Wladiwostok and risen slightly on the coast of China.

A depression appears to be moving Eastwards over Manchuria.

Pressure is giving way over S. China, Formosa and Tongking. It is highest over N. China and the Yellow

Moderate *monsoon* may be expected in the Formosa Channel and fresh monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Monday, 7th February, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...N.	7TH FEBRUARY, 1910, P.M.								8TH FEBRUARY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ck,...	2 p.	30.02	762.4	29	...	...	0	b	7 a.	30.06	763.6	5	67	...	0	c
.....	,,	30.00	762.1	...	...	S	4	...	6 a.	29.97	761.1	...	...	S	4	...
.....	,,	30.01	762.2	...	...	S	6	...	,,	30.05	763.2	...	...	W	6	...
.....	,,	30.10	764.6	...	...	S	4	...	,,	30.14	765.6	...	...	...	0	...
.....	,,	30.15	765.8	...	...	S E	2	...	,,	30.07	763.8	...	...	S W	2	...
.....	,,	30.23	767.8	...	...	N	6	...	,,	30.07	763.8	...	...	E	2	...
a, ...	,,	30.19	766.9	...	...	W	4	...	,,	30.00	761.9	...	...	N E	2	...
.....	,,	...	...	...	...	...	...	...	,,	29.97	761.1	...	...	S	6	...
.....	,,	30.13	765.2	...	...	E	4	...	,,	29.93	760.2	...	...	E	2	...
ma, ...	,,	30.05	763.3	...	...	S E	8	...	,,	29.89	759.3	...	...	S W	6	...
.....	,,	30.16	766.1	...	...	N E	2	...	,,	30.12	765.1	...	...	...	0	...
.....	4 p.	30.23	767.8	34	100	N N W	3	b	6 a.	30.17	766.3	25	100	...	0	b
.....	,,	...	...	35	...	...	...	bm	9 a.	...	...	31	...	...	...	b
.....	,,	30.22	767.6	46	84	S W	1	o	6 a.	...	...	...	...	...	...	...
.....	,,	30.16	766.0	45	76	...	0	or	,,	30.25	768.3	42	100	N E	1	o
.....	,,	30.16	766.0	45	68	E	3	o	9 a.	30.21	767.3	38	91	N N W	2	om
.....	,,	30.18	766.6	42	84	E S E	3	ov	,,	30.18	766.6	39	100	N	4	om
k, ...	,,	30.09	764.3	52	93	E	1	c	,,	30.11	764.8	53	93	E	1	o
.....	,,	30.08	764.0	60	76	S S E	3	o	6 a.	30.15	765.8	56	87	W	2	o
.....	,,	30.11	764.8	61	82	E	1	o	,,	...	...	...	...	...	...	...
.....	1 p.	30.06	763.4	...	...	E	4	...	5 a.	30.00	762.0	...	...	N W	4	...
.....	,,	30.07	763.8	...	...	N	4	...	,,	30.01	762.2	...	...	...	0	...
.....	,,	30.06	763.4	...	...	N	6	...	,,	30.00	761.9	...	...	N	4	...
.....	,,	30.03	762.7	...	...	N E	6	...	,,	29.94	760.5	...	...	N	4	...
.....	,,	30.08	764.0	...	...	N E	8	...	,,	30.01	762.3	...	...	N E	6	...
.....	3 p.	30.01	762.2	66	69	N N W	1	b	9 a.	30.09	764.3	59	82	N	1	b
.....	4 p.	30.02	762.5	64	66	E	4	o	10 a.	30.08	764.0	65	64	W	1	b
sak,...	,,	...	...	...	...	E	2	...	,,	...	...	...	...	N W	1	...
.....	,,	29.99	761.7	...	...	E	4	...	,,	30.05	763.2	...	...	N	2	...
.....	,,	30.03	762.7	64	...	S E	1	c	,,	30.10	764.5	63	...	S E	1	cf
.....	3 p.	30.03	762.7	70	...	W	1	b	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	30.00	761.9	72	...	S S E	2	c	8 a.	30.13	765.2	61	...	S	1	or
.....	,,	...	...	...	...	...	...	...	,,	30.03	762.8	66	...	W N W	2	f
ames,.	,,	29.81	757.3	79	...	E N E	4	o	,,	29.91	759.6	77	...	N E	4	o
.....	2 p.	29.89	759.3	77	...	N E	2	b	6 a.	29.88	759.0	72	...	S E	2	b
.....	4 p.	29.80	757	88	54	E S E	2	c	10 a.	29.92	760	82	70	N W	1	c
.....	2 p.	29.84	758.0	86	...	E	2	c	6 a.	29.86	758.4	75	...	...	0	o
.....	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	2	o
.....	,,	29.81	757.2	75	...	N N E	3	o	,,	29.87	758.7	80	...	N N E	3	c
.....	,,	29.81	757.2	84	...	N	1	c	,,	29.87	758.7	83	...	N	1	c
.....	,,	29.74	755.4	84	...	...	...	...	,,	29.85	758.2	81	...	...	...	...

the 8th at 12.10 p.—The barometer has risen slightly over the Yangtze valley, and fallen elsewhere particu-
er S.W. Japan and the Loochoos.
depression has developed over the Eastern Sea. It will probably move Eastwards.
e depression noted yesterday as lying over Manchuria, appears to be passing to the North of Japan.
essure is highest over China to the North of the Yangtze valley.
he monsoon will probably freshen again in the Formosa Channel and the N. part of the China Sea by tomorrow.

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	N. winds, freshening; fine.
osa Channel, ...	N. and N.E. winds, freshening.
th coast of China between Hongkong and Lamocks,.	Same as No. 2.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 8th February, 1910.

ted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th February, 1910, P.M.								9th February, 1910, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.97	761.3	27	...	S	0	b	7 a.	30.01	762.2	3	37	N W	2
Nemuro,	,,	29.93	760.1	...	...	W	2	...	6 a.	29.93	760.1	...	...	...	0
Hakodate,	,,	30.05	763.2	...	...	...	0	...	,,	29.85	758.2	...	...	N W	2
Tokio,	,,	30.02	762.6	...	...	E	4	...	,,	29.63	757.6	...	...	N W	2
Kochi,	,,	29.91	759.8	...	...	S	2	...	,,	29.84	757.8	...	...	N W	2
Nagasaki,	,,	29.91	759.8	...	...	N	6	...	,,	29.99	761.8	...	...	N	2
Kagoshima,	,,	29.80	756.9	...	...	...	0	...	,,	30.00	761.9	...	...	N W	4
Oshima,	,,	29.81	757.1	...	...	...	0	...	,,	30.01	762.1	...	...	N	8
Naha,	,,	...	...	...	...	...	...	...	,,	30.09	764.2	...	...	N	8
Ishigakijima,	,,	29.89	759.3	...	...	N	8	...	,,	30.05	763.3	...	...	N	2
Bonin Is.	,,	30.00	762.1	...	...	S E	4	...	,,	29.49	749.1	...	...	S	10
Chefoo,	4 p.	30.07	763.8	43	100	...	0	b	6 a.	30.21	767.3	29	100	N	6
Weihaiwei,	,,	...	...	40	...	W	1	cm	9 a.	...	...	25	...	N	6
Hankow,	,,	30.37	771.4	48	85	S W	1	o	6 a.	30.21	767.3	41	100	S E	1
Kiukiang,	,,	30.25	768.3	45	93	...	0	o	,,	30.15	765.8	42	92	...	0
Shanghai,	,,	30.16	766.0	43	75	N W	2	o,	9 a.	30.22	767.6	34	79	N	1
Gutzlaff,	,,	30.14	765.5	41	92	N N W	4	om	,,	30.18	766.6	43	84	N N W	1
Sharp Peak,	,,	30.02	762.5	54	87	N E	3	c	,,	30.13	765.3	52	86	N E	2
Amoy,	,,	29.98	761.5	64	68	S E	3	b	6 a.	30.12	765.0	55	74	N E	4
Swatow,	,,	29.94	760.5	64	79	E	2	b	,,	30.04	763.0	54	87	N E	2
Taihoku,	1 p.	30.00	762.1	...	...	N	6	...	5 a.	30.11	764.7	...	...	E	6
Taichu,	,,	29.96	760.9	...	...	N	6	...	,,	30.02	762.4	...	...	...	0
Tainan,	,,	29.97	761.2	...	...	N	8	...	,,	30.02	762.5	...	...	N E	2
Koshun,	,,	29.91	759.7	...	...	N	6	...	,,	30.03	762.7	...	...	N E	10
Pescadores,	,,	29.98	761.6	...	...	N	8	...	,,	30.03	762.7	...	...	N E	8
Canton,	3 p.	29.96	761.0	72	50	N W	1	b	9 a.	30.09	764.3	59	76	S E	1
Hongkong,	4 p.	29.95	760.7	71	55	W	2	b	10 a.	30.10	764.5	61	76	E	4
Victoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	E	5
Gap Rock,	,,	29.94	760.5	...	...	N	3	...	,,	30.06	763.5	...	...	E N E	5
Macao,	,,	29.97	761.2	70	...	S E	1	c	,,	30.11	764.8	63	...	E S E	2
Wuchow,	3 p.	30.03	762.7	71	62	S W	1	b	9 a.	30.08	764.0	58	81	E	1
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	30.01	762.2	71	71	W	1	b	,,	...	...	...	...	...	...
Phulien,	4 p.	29.96	761.1	82	...	N W	2	b	8 a.	...	..	...	...	...	...
Tourane,	,,	29.96	761.1	66	...	N W	2	dh	,,	...	...	...	...	...	...
Cape St. James,	,,	29.80	756.8	79	...	E N E	6	c	,,	...	...	...	...	...	...
Aparri,	2 p.	29.90	759.5	79	...	N	2	c	6 a.	29.93	760.3	73	...	E	2
Manila,	4 p.	29.80	757	86	65	W	1	c	10 a.	29.88	759	79	84	W	1
Legaspi,	2 p.	29.82	757.5	84	...	E	2	c	6 a.	29.84	757.7	77	...	E	2
Bacolod,	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	N N E	2
Iloilo,	,,	29.81	757.2	86	...	N E	1	c	,,	29.87	758.7	81	...	N N E	1
Cebu,	,,	29.80	756.9	85	...	N	1	b	,,	29.85	758.2	83	...	N	1
Labuan,	,,	29.77	756.1	84	...	...	...	...	,,	29.83	757.7	79	...	...	...

On the 9th at 12.15 p.—The depression lying near the Loochoos yesterday, is moving towards E.N.E. bet S.E. Japan and the Bonins where the barometer has fallen rapidly.

The barometer has risen moderately over the Loochoos, while it has fallen again along the Yangtze v Probably a depression is developing over the latter area.

Pressure is highest over N. China.

Fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

Hongkong Observatory, Wednesday, 9th February, 1910.

F. G. FIGG,
Director.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

N.	9TH FEBRUARY, 1910, P.M.								10TH FEBRUARY, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ck,...	2 p.	29.91	759.8	12	...	N E	3	b	7 a.	29.99	761.6	−2	49	N W	1	b
.....	,,	29.69	754.1	...	...	N E	4	...	6 a.	29.06	738.1	...	...	N	8	...
.....	,,	29.54	750.2	...	...	N	4	...	,,	29.34	745.2	...	...	W	6	...
.....	,,	29.51	749.6	...	...	N	4	...	,,	29.63	752.6	...	...	N W	6	...
.....	,,	29.83	757.8	...	...	N W	4	...	,,	29.84	757.8	...	...	W	4	...
.....	,,	29.99	761.8	...	...	N	6	...	,,	30.03	762.8	...	...	N	8	...
.....	,,	29.96	760.9	...	...	W	8	...	,,	30.00	761.9	...	...	N	6	...
.....	,,	29.96	761.1	...	...	N	6	...	,,	30.04	763.1	...	...	N	6	...
.....	,,	30.01	762.2	...	...	N W	6	...	,,	30.09	764.2	...	...	..	0	...
na,....	,,	30.01	762.3	...	...	E	4	...	,,	30.05	763.3	...	...	N E	4	...
.....	,,	29.65	753.1	...	...	N W	8	...	,,	29.89	759.1	...	...	N W	6	...
.....	4 p.	30.37	771.4	20	100	N N W	9	b	6 a.	...	...	...	...	...	...	...
.....	,,	...	...	22	...	N W	5	c	9 a.	...	...	25	...	S W	4	b
.....	,,	30.22	767.6	46	92	N N E	1	o	6 a.	...	...	...	...	...	...	...
.....	,,	30.16	766.0	48	85	N N E	2	o	,,	...	...	...	...	...	...	...
.....	,,	30.11	764.8	50	45	E N E	1	c	9 a.	30.42	772.6	35	70	N N E	3	c
.....	,,	30.13	765.3	47	63	S S W	1	cm	,,	30.37	771.4	39	55	N	6	cv
,.....	,,	30.06	763.5	55	93	E	1	b	,,	30.24	768.1	...	...	N E	5	...
.....	,,	30.02	762.5	65	53	S S E	3	b	6 a.	30.13	765.3	53	80	N E	2	c
.....	,,	29.99	761.7	60	76	E	2	c	,,	...	...	...	...	...	...	...
.....	1 p.	30.00	761.9	...	...	E	6	...	6 a.	30.12	765.0	...	...	S E	4	...
.....	,,	29.99	761.8	...	...	S W	2	...	,,	30.08	763.9	...	...	...	0	...
.....	,,	30.01	762.2	...	...	N	4	...	,,	30.06	763.6	...	...	N	6	...
.....	,,	29.99	761.8	...	...	N E	6	...	,,	30.03	762.8	...	...	N E	4	...
.....	,,	30.02	762.6	...	...	N E	8	...	,,	30.08	764.1	...	...	N E	8	...
.....	3 p.	29.98	761.5	66	69	E	1	b	9 a.	...	...	...	...	...	...	...
.....	4 p.	29.99	761.7	62	69	E	3	b	10 a.	30.14	765.5	63	68	E	3	b
k,...	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	2	...
.....	,,	29.95	760.7	...	...	E	5	...	,,	30.10	764.5	...	...	E	5	...
.....	,,	29.99	761.7	65	...	S E	1	b	,,	30.14	765.5	64	...	E S E	2	c
.....	3 p.	29.97	761.2	71	...	E	1	b	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.93	760.2	74	62	S	2	c	,,	...	...	...	...	...	...	...
.....	4 p.	...	...	...	...	...	...	...	8 a.	...	..	...	...	...	...	...
.....	,,	...	...	...	...	...	...	..	,,	...	...	...	...	...	...	...
mes,.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	2 p.	29.91	759.6	75	...	E	2	o	6 a.	29.95	760.6	73	...	E	0	o
.....	4 p.	29.76	756	88	66	W S W	1	o	10 a.	29.92	760	81	76	E	1	o
.....	2 p.	29.80	756.8	84	...	E	2	b	6 a.	29.87	758.6	77	...	N E	2	c
.....	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	2	c
.....	,,	29.79	756.6	86	...	N E	2	b	,,	29.87	758.7	80	...	N N E	4	b
.....	,,	29.82	757.4	86	...	N	1	b	,,	29.86	758.4	83	...	N	1	c
.....	,,	29.74	755.4	85	...	...	...	...	,,	29.86	758.4	77	...	...	...	...

he 10th at 11.30 a.—The barometer has risen quickly at the Bonins, and fallen rapidly in N.E. Japan. The n has moved to the N.E. and lies now off Hokkaido.

barometer has risen over China, particularly in the North. A high pressure area lies now to the North of gtze valley.

monsoon will increase in strength in the Formosa Channel and the China Sea.

gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

ORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
kong and Neighbourhood, ...	N.E. winds, fresh to strong; fine.
osa Channel, ...	N.E. winds, strong.
coast of China between Hongkong and Lamocks,.	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

ongkong Observatory, Thursday, 10th February, 1910.

d by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th February, 1910, P.M.								11th February, 1910, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	28.90	734.1	...	...	N	10	...	6 a.	29.18	741.1	...	...	N	12
Hakodate, ...	,,	29.34	745.2	...	...	W	8	...	,,	29.58	751.2	...	...	N	8
Tokio, ...	,,	29.55	750.6	...	...	N W	6	...	,,	29.71	754.6	...	...	N W	4
Kochi, ...	,,	29.87	758.8	...	...	W	6	...	,,	29.99	761.8	...	...	...	0
Nagasaki, ...	,,	30.07	763.8	...	...	N	8	...	,,	30.07	763.8	...	...	N	6
Kagoshima, ...	,,	30.00	761.9	...	...	N W	8	...	,,	30.08	763.9	...	...	...	0
Oshima, ...	,,	30.04	763.1	...	...	N	8	...	,,	30.08	764.1	...	...	N	6
Naha, ...	,,	30.09	764.2	...	...	N	8	...	,,	30.09	764.2	...	...	N	8
Ishigakijima, ...	,,	30.09	764.3	...	...	N	8	...	,,	30.09	764.3	...	...	N	6
Bonin Is.	,,	29.81	757.1	...	...	W	6	...	,,	29.81	757.1	...	...	N W	6
Chefoo, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei, ...	,,	...	...	30	...	N W	3	b	9 a.	...	...	27	...	N W	4
Hankow, ...	,,	30.51	774.9	36	80	N N E	3	o	6 a.	30.52	775.2	32	100	N W	1
Kiukiang, ...	,,	30.44	773.2	36	90	N E	4	o	,,	30.45	773.4	33	79	N E	1
Shanghai, ...	,,	30.39	771.9	36	54	N	3	o	9 a.	30.42	772.6	34	...	N W	3
Gutzlaff, ...	,,	30.34	770.6	36	70	N	5	ov	,,	30.38	771.6	37	53	N W	4
Sharp Peak, ...	,,	30.19	766.8	...	...	N E	5	...	,,	...	...	...	...	...	...
Amoy	,,	30.12	765.0	65	49	N E	4	b	6 a.	30.23	767.8	54	74	N E	2
Swatow, ...	,,	30.07	763.8	52	86	N E	0	b	,,	30.17	766.3	51	79	N E	2
Taihoku, ...	1 p.	30.14	765.5	...	...	E	4	...	5 a.	30.21	767.4	...	...	E	4
Taichu, ...	,,	30.03	762.8	...	...	N	6	...	,,	30.12	765.0	...	...	N	4
Tainan, ...	,,	30.05	763.3	...	...	N	6	...	,,	30.13	765.3	...	...	N	6
Koshun	,,	30.02	762.6	...	...	N E	6	...	,,	30.08	763.9	...	...	N E	10
Pescadores, ...	,,	30.08	764.1	...	...	N E	10	...	,,	30.16	766.1	...	...	N E	10
Canton, ...	3 p.	30.03	762.7	68	65	N W	1	b	9 a.	30.26	768.6	54	68	N	2
Hongkong, ...	4 p.	30.04	763.0	62	71	E	4	b	10 a.	30.23	767.8	57	71	N E	2
Victoria Peak, ...	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	3
Gap Rock, ...	,,	30.01	762.2	...	...	E	5	...	,,	30.18	766.6	...	...	E N E	5
Macao, ...	,,	30.05	763.2	64	...	S E	1	c	,,	30.23	767.8	55	...	N	2
Wuchow, ...	3 p.	30.09	764.3	59	...	N	2	c	9 a.	30.31	769.9	50	...	N E	3
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi, ...	,,	30.02	762.5	75	68	S	1	f	,,	...	...	...	...	...	...
Phulien, ...	4 p.	...	...	...	...	...	...	...	8 a.	...	..	...	...	...	...
Tourane, ...	,,	...	...	...	...	...	...	..	,,	...	...	...	..	...	...
Cape St. James, .	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Aparri, ...	2 p.	29.93	760.2	73	...	N E	4	o	6 a.	30.00	762.0	72	...	E	2
Manila, ...	4 p.	29.80	757	84	58	E S E	2	o	10 a.	29.96	761	75	92	...	0
Legaspi, ...	2 p.	29.82	757.5	86	...	E	2	b	6 a.	29.85	758.1	75	...	E	2
Bacolod, ...	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N N E	2
Iloilo, ...	,,	29.79	756.6	86	...	N E	2	b	,,	29.87	758.7	80	...	N E	1
Cebu, ...	,,	29.80	756.9	85	...	N	1	c	,,	29.88	758.9	84	...	N	1
Labuan, ...	,,	29.80	756.9	81	...	...	...	...	,,	29.86	758.4	79	...	...	...

On the 11th at 11.40 a.—The barometer is rising slowly over Japan, but the depression is still shown ove Pacific to the East of Hokkaido.

The anticyclonic area remains over the continent to the North of the Yangtze valley, and pressure has inc moderately over S. China.

Pressure is relatively low over the S. part of the China Sea.

Strong monsoon will continue to prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. and N.E. winds, fresh; fair, cloudy.
2.—Formosa Channel, ...	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 11th February, 1910.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

	11TH FEBRUARY, 1910, P.M.								12TH FEBRUARY, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
k,...	2 p.	29.93	760.3	14	...	N	0	b	7 a.	29.80	757.0	2	63	...	0	f
.....	"	29.33	745.1	...	...	N W	10	...	6 a.	29.41	747.1	...	...	W	10	...
.....	"	29.61	752.2	...	...	N	6	...	"	29.62	752.2	...	...	N W	6	...
.....	"	29.67	753.6	...	...	N	6	...	"	29.79	756.6	...	...	N W	4	...
.....	"	29.91	759.8	...	...	W	6	...	"	29.99	761.8	...	...	S W	2	...
.....	"	30.07	763.8	...	...	N	8	...	"	30.03	762.8	...	...	N	6	...
.....	"	30.04	762.9	...	...	N	6	...	"	30.08	763.9	...	...	N	2	...
.....	"	30.04	763.1	...	...	N	6	...	"	30.08	764.1	...	...	N	6	...
.....	"	30.09	764.2	...	...	N	8	...	"	30.13	765.2	...	...	N	6	...
a,...	"	30.09	764.3	...	...	N	8	...	"	30.13	765.3	...	...	N	4	...
.....	"	29.77	756.1	...	...	N	6	...	"	29.85	756.1	...	...	N W	8	...
.....	4 p.	30.30	769.6	27	100	N N W	4	b	6 a.	...	...	...	...	...	...	...
.....	"	...	...	28	...	N W	4	b	9 a.	...	...	33	...	S W	4	c
.....	"	30.44	773.2	45	84	E	2	b	6 a.	...	...	...	...	...	...	...
.....	"	30.38	771.7	45	61	N E	1	b	..	30.22	767.6	29	100	...	0	b
.....	"	30.33	770.4	42	34	N W	3	b	9 a.	30.26	768.6	38	63	W	1	b
.....	"	30.31	769.9	42	42	N N W	5	cm	"	30.26	768.6	39	64	N W	1	bm
.....	"	30.23	767.8	50	...	N E	1	o	"	30.28	769.1	48	85	E N E	1	c
.....	"	30.19	766.8	59	59	N E	1	c	6 a.	30.19	766.8	49	78	S	1	c
.....	"	30.12	765.0	55	80	N E	1	b	"	30.13	765.3	51	66	N E	1	o
.....	1 p.	30.20	767.0	...	...	E	4	...	5 a.	30.17	766.3	...	...	E	6	...
.....	"	30.11	764.7	...	...	N	8	...	"	30.10	764.5	...	...	N	2	...
.....	"	30.11	764.9	...	...	N	6	...	"	30.12	765.1	...	...	N	4	...
.....	"	30.07	763.9	...	...	N E	8	...	"	30.07	763.8	...	...	N E	10	...
.....	"	30.16	766.1	...	...	N E	8	...	"	30.12	764.9	...	...	N E	10	...
.....	3 p.	30.16	766.0	58	58	N	2	c	9 a.	30.19	766.8	54	68	N	1	c
.....	4 p.	30.12	765.0	61	69	E	1	c	10 a.	30.19	766.8	59	72	E	4	o
k,...	"	...	...	...	...	N	1	...	"	...	...	...	...	E	4	...
.....	"	30.09	764.3	...	...	N E	4	...	"	30.14	765.5	...	...	E N E	5	...
.....	"	30.13	765.3	58	...	N N W	2	o	"	30.19	766.8	58	...	N	1	o
.....	3 p.	30.24	768.1	54	68	N	2	o	9 a.	30.25	768.3	52	73	N W	1	o
.....	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
.....	"	30.18	766.6	56	75	N	5	o	"	...	...	...	...	...	...	...
.....	4 p.	...	...	...	...	...	...	...	8 a.	...	..	...	...	...	...	...
.....	"	...	...	...	...	...	...	..	"	...	...	...	...	...	...	...
nes,.	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
.....	2 p.	29.97	761.2	75	...	E	2	o	6 a.	30.00	761.9	71	...	E	2	o
.....	4 p.	29.84	758	79	84	E S E	1	o	10 a.	29.92	760	82	70	W	1	o
.....	2 p.	29.83	757.6	86	...	E	2	b	6 a.	29.83	759.0	75	...	N E	2	o
.....	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	2	o
.....	"	29.81	757.2	84	...	N N E	2	c	"	29.87	758.7	80	...	N N E	2	c
.....	"	29.81	757.2	85	...	N	2	b	"	29.87	758.7	80	...	N	1	c
.....	"	29.80	756.9	82	...	...	...	...	"	29.86	758.4	78	...	...	...	...

he 12th at 11.50 a.—The barometer has risen slightly in E. Japan, and fallen over China, particularly in a.

ssure remains low over the Pacific to the N.E. of Japan, and probably a depression is approaching N. China Westward.

highest pressure is shown over S. China.

h to moderate monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

ORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
kong and Neighbourhood, ...	E. and N.E. winds, fresh; fair.
osa Channel, ...	Same as No. 1.
coast of China between Hongkong and Lamocks,.	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Saturday, 12th February, 1910.

d by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th February, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	13th February, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.74	755.5	21	...	N E	1	c	7 a.	29.84	757.9	7	50	E S E	0
Nemuro,	,,	29.14	740.1	...	...	W	8	...	6 a.	29.57	751.1	...	...	W	2
Hakodate,	,,	29.61	752.2	...	...	W	6	...	,,	29.62	752.2	...	...	W	4
Tokio,	,,	29.79	756.6	...	...	S E	4	...	,,	29.75	755.6	...	...	...	0
Kochi,	,,	29.91	759.8	...	...	S W	4	...	,,	29.95	760.8	...	...	N	2
Nagasaki,	,,	30.03	762.8	...	...	W	8	...	,,	30.03	762.8	...	...	N	6
Kagoshima,	,,	30.04	762.9	...	...	W	8	...	,,	30.04	762.9	...	...	N	2
Oshima,	,,	30.08	764.1	...	...	N E	6	...	,,	30.08	764.1	...	...	N	4
Naha,	,,	30.09	764.2	...	...	N	6	...	,,	30.13	765.2	...	...	N	4
Ishigakijima,	,,	30.05	763.3	...	...	N E	6	...	,,	30.09	764.3	...	...	N E	6
Bonin Is.	,,	29.89	759.1	...	...	N W	6	...	,,	30.04	763.1	...	...	N	2
Chefoo,	4 p.	30.02	762.5	36	90	N W	4	c	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	...	...	39	...	W N W	4	c	9 a.	...	...	31	...	N	3
Hankow,	,,	30.15	765.8	49	64	S S E	1	o	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	50	93	N	1	c	,,	...	...	...	...	...	...
Shanghai,	,,	30.13	765.3	49	31	W S W	2	b	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	30.13	765.3	46	53	S W	1	bv	,,	30.24	768.1	41	74	W N W	2
Sharp Peak,	,,	30.13	765.3	50	86	E	3	c	,,	...	...	...	...	...	...
Amoy,	,,	30.15	765.8	50	26	S E	3	b	6 a.	30.11	764.8	53	73	W	1
Swatow,	,,	...	...	...	...	...	...	...	,,	30.09	764.3	48	92	N	1
Taihoku,	1 p.	30.09	764.3	...	...	E	6	...	5 a.	30.11	764.8	...	...	E	2
Taichu,	,,	30.07	763.7	...	...	N E	2	...	,,	30.10	764.4	...	...	...	0
Tainan,	,,	30.09	764.2	...	...	N	4	...	,,	30.10	764.4	...	...	N	6
Koshun,	,,	30.05	763.2	...	...	N	6	...	,,	30.05	763.2	...	...	N	4
Pescadores,	,,	30.09	764.3	...	...	N E	8	...	,,	30.10	764.4	...	...	N E	8
Canton,	3 p.	30.05	763.2	69	71	N W	1	b	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	30.04	763.0	60	71	E	3	b	10 a.	30.17	766.3	61	73	E	3
Victoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	E	2
Gap Rock,	,,	30.01	762.2	...	...	E N E	5	...	,,	30.12	765.0	...	...	E N E	5
Macao,	,,	30.05	763.2	64	...	N N E	1	c	,,	30.16	766.0	63	...	S S E	1
Wuchow,	3 p.	30.06	763.5	69	...	N	2	o	9 a.	30.15	765.8	60	...	E	1
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	30.01	762.2	...	...	S E	2	b	,,	...	...	...	...	...	...
Phulien,	4 p.	...	...	...	...	...	...	...	8 a.	30.06	763.4	63	...	E N E	2
Tourane,	,,	...	...	...	...	...	...	...	,,	30.02	762.6	73	...	S E	1
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.91	759.8	77	...	N E	4
Aparri,	2 p.	29.93	760.3	73	...	E	2	o	6 a.	29.97	761.3	71	...	E	0
Manila,	4 p.	29.84	758	81	70	N W	1	o	10 a.	29.96	761	77	75	W S W	1
Legaspi,	2 p.	29.83	757.8	75	...	N E	2	o	6 a.	29.91	759.8	73	...	E	2
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N N W	1
Iloilo,	,,	29.81	757.2	84	...	N E	1	c	,,	29.91	759.7	81	...	N	1
Cebu,	,,	29.79	756.6	85	...	N	2	...	,,	29.91	759.7	...	...	...	0
Labuan,	,,	29.77	756.1	83	...	...	...	...	,,	...	...	...	...	...	...

On the 13th at 12.05 p.—The barometer has risen slightly over N. China and N.E. Japan, and fallen a over S. Japan and S. China.

Pressure remains low over the N. part of the Sea of Japan and the Pacific to the N.E. of Japan. It is h over N. China.

Moderate to fresh monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds moderate to fresh; fine.
2.—Formosa Channel,	N.E. winds, moderate to fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 13th February, 1910.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

	13TH FEBRUARY, 1910, P.M.								14TH FEBRUARY, 1910, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
k,...	2 p.	29.83	757.7	20	...	N	1	b	7 a.	29.99	759.5	7	53	...	0	c
.....	,,	29.53	750.1	...	...	W	4	...	6 a.	29.61	752.1	...	...	...	0	...
.....	,,	29.65	753.2	...	...	N W	6	...	,,	29.73	755.2	...	...	N W	6	...
.....	,,	29.63	752.6	...	...	E	2	...	,,	29.87	758.6	...	...	N W	2	...
.....	,,	29.87	758.8	...	...	W	6	...	,,	30.07	763.8	...	...	S	2	...
.....	,,	30.03	762.8	...	...	N W	10	...	,,	30.15	765.8	...	...	N	4	...
.....	,,	30.04	762.9	...	...	N W	8	...	,,	30.15	765.9	...	...	N	2	...
.....	,,	30.12	765.1	...	...	N	6	...	,,	30.16	766.1	...	...	N	4	...
.....	,,	30.13	765.2	...	...	N	6	...	,,	30.17	766.2	...	...	...	0	...
a,....	,,	30.09	764.3	...	...	N E	8	...	,,	30.13	765.3	...	...	N E	6	...
.....	,,	29.96	761.1	...	...	W	4	...	,,	30.01	762.1	...	...	N W	4	...
.....	4 p.	30.28	769.1	31	100	N W	4	b	6 a.	...	...	...	...	...	...	...
.....	,,	...	...	33	...	N W	3	c	9 a.	...	...	32	...	S W	1	b
.....	,,	30.32	770.1	39	52	S W	1	b	6 a.	30.31	769.9	42	75	E	1	b
.....	,,	30.22	767.6	50	65	N E	2	o	,,	30.24	768.1	43	84	N E	1	o
.....	,,	30.25	768.3	50	45	N E	2	c	9 a.	30.34	770.6	41	57	E S E	1	b
.....	,,	30.22	767.6	45	76	N	3	cm	,,	30.31	769.9	43	71	N N E	1	bv
.....	,,	30.19	766.8	51	86	N E	4	b	,,	...	...	52	93	N	1	o
.....	,,	30.09	764.3	61	82	S E	1	b	6 a.	30.15	765.8	55	74	N E	1	c
.....	,,	30.05	763.2	65	58	E N E	1	...	,,	30.15	765.8	52	93	E N E	1	b
.....	1 p.	30.09	764.4	...	...	E	8	...	5 a.	30.13	765.3	...	...	E	6	...
.....	,,	30.02	762.6	...	...	N	4	...	,,	30.10	764.4	...	...	...	0	...
.....	,,	30.06	763.4	...	...	N	6	...	,,	30.09	764.3	...	...	N	6	...
.....	,,	30.04	762.9	...	...	N E	8	...	,,	30.05	763.2	...	...	N E	10	...
.....	,,	30.07	763.7	...	...	N E	8	...	,,	30.11	764.7	...	...	N E	10	...
.....	3 p.	30.00	762.0	66	64	N W	1	b	9 a.	30.14	765.5	60	82	S E	1	c
.....	4 p.	30.03	762.7	61	73	E	4	b	10 a.	30.15	765.8	61	72	E	4	o
k,...	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	6	...
.....	,,	30.00	762.0	...	...	E	5	...	,,	30.10	764.5	...	...	E N E	6	...
.....	,,	30.04	763.0	63	...	S E	1	b	,,	30.15	765.8	63	...	S E	6	c
.....	3 p.	30.02	762.5	73	...	E	1	b	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	..	,,	...	...	...	...	...	...	...
.....	4 p.	29.98	761.5	63	...	E N E	2	dh	8 a.	30.06	763.5	64	...	E	4	o
.....	,,	29.96	761.0	73	...	S E	2	c	,,	30.03	762.7	73	...	S E	1	b
nes,.	,,	29.83	757.8	77	...	E N E	5	f	,,	29.94	760.4	77	...	N E	2	f
.....	2 p.	29.93	760.2	75	...	E	2	o	6 a.	30.00	761.9	70	...	N E	2	d
.....	4 p.	29.84	758	82	77	E	1	o	10 a.	29.96	761	82	71	E	1	c
.....	2 p.	29.86	758.5	81	...	E	2	o	6 a.	29.93	760.3	75	...	E	2	o
.....	3 p.	...	...	...	...	E	1	o	9 a.	...	...	...	...	E S E	1	c
.....	,,	29.85	758.2	84	...	N E	2	c	,,	29.91	759.7	80	...	N N E	2	b
.....	,,	29.86	758.4	80	...	N	1	o	,,	29.92	759.9	81	...	...	0	c
.....	,,	29.78	756.4	84	...	...	...	...	,,	29.90	759.4	78	...	...	...	...

he 14th at 12.15 p.—The barometer has risen moderately to slightly over Japan and N. China respectively. sure is highest over China to the North of the Lower Yangtze valley. It is still low over the Pacific to the apan.

h monsoon may be expected in the Formosa Channel and the China Sea.

gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

ORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	E. winds, fresh ; fine.
a Channel, ...	N.E. winds, fresh.
coast of China between Hongkong and Lamocks,.	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

gkong Observatory, Monday, 14th February, 1910.

y Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th February, 1910, P.M.								15th February, 1910, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.91	759.6	26	...	N W	0	c	7 a.	30.07	763.8	12	50	N W	0
Nemuro,	,,	29.61	752.1	...	...	W	4	...	6 a.	29.85	758.1	...	...	W	2
Hakodate,	,,	29.77	756.2	...	...	W	8	...	,,	29.89	759.2	...	...	...	0
Tokio,	,,	29.91	759.6	...	...	N W	4	...	,,	29.95	760.6	...	...	...	0
Kochi,	,,	30.03	762.8	...	...	S E	2	...	,,	30.15	765.8	...	...	...	0
Nagasaki,	,,	30.15	765.8	...	...	N	6	...	,,	30.23	767.8	...	...	...	0
Kagoshima,	,,	30.11	764.9	...	...	N W	6	...	,,	30.23	767.9	...	...	N E	2
Oshima,	,,	30.16	766.1	...	...	N	4	...	,,	30.16	766.1	...	...	N E	4
Naha,	,,	30.17	766.2	...	...	N	4	...	,,	30.17	766.2	...	...	N E	2
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.05	763.3	...	...	E	8
Bonin Is.	,,	29.96	761.1	...	...	N W	6	...	,,	30.08	764.0	...	...	N W	2
Chefoo,	4 p.	30.19	766.8	39	100	N W	1	b	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	30.19	766.8	35	...	S	3
Hankow,	,,	30.26	768.6	49	78	N E	1	o	6 a.	30.15	765.8	45	92	E	1
Kiukiang,	,,	30.14	765.5	48	78	N E	2	o	,,	30.09	764.3	45	84	E	1
Shanghai,	,,	30.24	768.1	51	...	E	1	c	9 a.	30.22	767.6	42	...	S E	2
Gutzlaff,	,,	30.26	768.3	44	69	E	1	bv	,,	30.25	768.3	42	100	S E	3
Sharp Peak,	,,	30.16	766.0	52	...	N E	1	o	,,	30.18	766.6	52	93	N	1
Amoy,	,,	30.10	764.5	69	52	E N E	4	b	6 a.	30.11	764.8	57	81	W	1
Swatow,	,,	30.00	762.0	63	62	E	2	b	,,	...	...	...	...	...	...
Taihoku,	1 p.	30.08	764.1	...	...	E	8	...	5 a.	30.04	763.1	...	...	E	6
Taichu,	,,	30.02	762.6	...	...	N W	4	...	,,	30.05	763.3	...	...	...	0
Tainan,	,,	30.06	763.6	...	...	N W	6	...	,,	30.06	763.6	...	...	N	6
Koshun,	,,	30.03	762.7	...	...	E	8	...	,,	30.02	762.6	...	...	E	6
Pescadores,	,,	30.07	763.9	...	...	N E	8	...	,,	30.07	763.8	...	...	N E	8
Canton,	3 p.	30.00	762.0	67	74	S W	1	b	9 a.	30.07	763.8	62	89	N	1
Hongkong,	4 p.	30.02	762.5	63	67	E	4	b	10 a.	30.08	764.0	63	77	E	3
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	5
Gap Rock,	,,	29.99	761.7	...	...	E	4	...	,,	30.03	762.7	...	...	E	5
Macao,	,,	30.03	762.7	63	...	S E	1	c	,,	30.09	764.3	61	...	E	1
Wuchow,	3 p.	30.03	76 27	64	...	N E	1	c	9 a.	30.06	763.5	64	...	E	1
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	30.06	762.0	75	64	S S E	2	b	,,	...	...	...	...	...	...
Phulien,	4 p.	29.94	760.5	70	...	S E	4	c	8 a.	29.98	761.5	64	...	E	4
Tourane,	,,	29.93	760.3	75	...	S E	1	b	,,	29.98	761.4	70	...	S W	1
Cape St. James,	,,	29.84	758.0	79	...	E N E	4	c	,,	29.92	759.9	73	...	N E	2
Aparri,	2 p.	...	...	...	...	...	.	...	6 a.	29.96	760.9	72	...	N E	2
Manila,	4 p.	29.84	758	88	54	E S E	1	c	10 a.	29.96	761	84	71	E S E	0
Legaspi,	2 p.	29.87	758.7	82	...	E	2	o	6 a.	29.93	760.2	79	...	E	2
Bacolod,	3 p.	...	...	...	...	E N E	2	o	9 a.	...	...	...	...	N N E	1
Iloilo,	,,	29.83	757.7	86	...	N N E	1	b	,,	29.91	759.7	80	...	N E	1
Cebu,	,,	29.84	757.9	82	...	...	...	o	,,	29.94	760.5	78	...	...	0
Labuan,	,,	29.79	756.6	83	...	...	...	...	,,	29.88	758.9	79	...	...	...

On the 15th at 11.50 a.—The barometer has risen moderately over Japan, and fallen over China partic along the Yangtze valley.

A depression appears to be developing over the latter area.

The highest pressure is now shown over the Yellow Sea.

Moderate or light monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; fair at first, drizzling [mist
2.—Formosa Channel,	N.E. and E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 15th February, 1910.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

n.	15th FEBRUARY, 1910, P.M.								16th FEBRUARY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
k,...	2 p.	30.07	763.8	25	...	W	0	b	7 a.	30.00	761.9	17	57	...	0	o
.....	,,	...	...	...	...	...	...	...	6 a.	30.01	762.1	...	...	W	2	...
.....	,,	...	...	...	...	...	...	...	,,	30.09	764.2	...	...	...	0	...
.....	,,	...	...	...	...	...	...	...	,,	30.18	766.6	...	...	...	0	...
.....	,,	...	...	...	...	...	...	...	,,	..	...	...	...	S W	2	...
.....	,,	...	...	...	...	...	...	...	,,	30.11	764.8	...	...	S E	2	...
.....	,,	...	...	...	...	...	...	...	,,	30.15	765.9	...	...	E	2	...
.....	,,	...	...	...	...	...	...	...	,,	30.04	763.1	...	...	N	6	...
.....	,,	...	...	...	...	...	...	...	,,	30.01	762.2	...	...	S	4	...
a,.....	,,	...	...	...	...	...	...	...	,,	29.93	760.3	...	...	S	10	...
.....	,,	...	...	...	...	...	...	...	,,	30.12	765.1	...	...	N	2	...
.....	4 p.	30.14	765.5	48	100	S S E	0	b	6 a.	...	...	...	...	...	...	...
.....	,,	30.10	764.5	42	...	S W	3	b	9 a.	30.11	764.8	35	...	...	...	cm
.....	,,	30.11	764.8	54	100	N E	1	or	6 a.	30.15	765.8	44	84	N W	1	or
.....	,,	29.96	761.0	44	100	N E	1	o	,,	30.04	763.0	45	100	N W	2	o
.....	,,	30.03	762.7	44	84	S E	4	om	9 a.	29.94	760.5	47	93	W N W	2	...
.....	,,	30.07	763.8	43	100	S E	5	omd	,,	29.93	760.2	46	100	W N W	5	f
.....	,,	30.01	762.2	53	93	N E	1	o	,,	29.97	761.2	56	100	...	0	f
.....	,,	30.02	762.5	61	85	W	1	or	6 a.	...	...	57	75	W	3	o
.....	,,	29.95	760.7	64	67	E	2	c	,,	29.91	759.7	58	100	E N E	1	or
.....	1 p.	29.97	761.2	...	...	E	6	...	5 a.	29.96	761.0	...	...	W	2	...
.....	,,	29.98	761.6	...	...	N	4	...	,,	29.95	760.7	...	...	...	0	...
.....	,,	30.00	762.0	...	...	N	4	...	,,	29.94	760.5	...	...	N	2	...
.....	,,	29.98	761.6	...	...	E	6	...	,,	29.93	760.2	...	...	...	0	...
.....	,,	30.01	762.3	...	...	N E	8	...	,,	29.95	760.6	...	...	E	6	...
.....	3 p.	29.93	760.2	68	79	S W	1	c	9 a.	30.00	762.0	65	90	S E	1	o
.....	4 p.	29.95	760.7	63	81	E	4	o	10 a.	30.00	762.0	66	86	E	3	o
k,...	,,	...	...	...	...	E	3	...	,,	...	...	...	...	S E	4	...
.....	,,	29.90	759.4	...	...	E	5	...	,,	29.97	761.2	...	...	E	4	...
.....	,,	29.95	760.7	63	...	E	1	o	,,	30.01	762.2	64	...	N E	1	of
.....	3 p.	29.89	752.9	75	...	E	1	c	9 a.	30.01	762.2	63	...	E	1	o
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.92	759.9	76	69	S	1	b	,,	...	...	...	...	...	...	...
.....	4 p.	29.86	758.5	72	...	S E	4	o	8 a.	29.95	760.7	66	...	E S E	3	o
.....	,,	29.85	758.3	72	...	S E	2	b	,,	...	...	...	...	...	...	...
nes,.	,,	29.80	757.0	79	...	N E	5	b	,,	29.93	760.1	79	...	E N E	4	c
.....	2 p.	29.88	759.0	79	...	E	2	c	6 a.	29.91	759.7	72	...	S E	2	b
.....	4 p.	29.84	758	88	54	S E	4	b	10 a.	29.92	760	82	71	W	2	o
.....	2 p.	29.87	758.6	84	...	E	2	c	6 a.	29.89	759.3	79	...	E	2	b
.....	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	E N E	2	o
.....	,,	29.83	757.7	...	...	N N E	2	c	,,	29.89	759.2	80	...	N N E	3	c
.....	,,	29.84	757.9	80	...	...	0	o	,,	29.92	759.9	80	...	...	0	o
.....	,,	29.76	755.9	83	...	...	...	...	,,	29.90	759.4	81	...	...	...	...

e 16th at 12.15 p.—The barometer has risen considerably in E. Japan, and fallen elsewhere, particularly E. coast of China.

depression which developed over Central China, has passed out to sea near the mouth of the Yangtze.

sure is highest over S.E. Japan in the East, and over the Upper Yangtze in the West.

monsoon, at present interrupted, will probably freshen again in the Formosa Channel and along the north-s of the China Sea by to-morrow.

gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

ORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	Variable to N.E. winds, light to fresh; fair at first, [probably some rain later.
sa Channel, ...	Same as No. 1.
coast of China between Hongkong and Lamocks,.	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Wednesday, 16th February, 1910.

by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th February, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	17th February, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,...	2 p.	29.95	760.7	29	...	N	0	b	7 a.	30.03	762.7	4	57	N	2
Nemuro, ...	,,	29.96	761.1	...	...	N W	4	...	6 a.	29.89	759.1	...	...	S	4
Hakodate, ...	,,	30.01	762.2	...	...	W	6	...	,,	29.81	757.2	...	...	...	0
Tokio, ...	,,	30.06	763.6	...	...	S	2	...	,,	29.71	754.6	...	...	W	2
Kochi, ...	,,	30.03	762.8	...	...	S W	2	...	,,	29.60	751.8	...	...	W	2
Nagasaki, ...	,,	29.83	757.8	...	...	N E	6	...	,,	29.76	755.8	...	...	N	6
Kagoshima, ...	,,	29.92	759.9	...	...	E	6	...	,,	29.63	753.9	...	...	N	4
Oshima, ...	,,	29.89	759.1	...	...	S	4	...	,,	29.77	756.1	...	...	N	6
Naha, ...	,,	29.89	759.2	...	...	S	2	...	,,	29.81	757.2	...	...	N	6
Ishigakijima, ...	,,	29.85	758.3	...	...	S E	10	...	,,	29.82	757.3	...	...	N	4
Bonin Is.	,,	30.08	764.1	...	...	N	4	...	,,	29.93	760.1	...	...	S	4
Chefoo, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei, ...	,,	...	...	38	...	N	2	cm	9 a.	30.13	766.6	32	...	N	6
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang, ...	,,	30.04	763.0	44	100	W	2	or	,,	...	...	...	...	...	...
Shanghai, ...	,,	29.99	761.7	45	92	N W	4	o	9 a.	30.21	767.3	41	83	N N W	1
Gutzlaff, ...	,,	29.87	758.7	44	100	N W	5	om	,,	30.17	766.3	41	92	N N W	5
Sharp Peak, ...	,,	29.78	756.4	59	94	...	0	c	,,	30.13	765.3	55	80	E	4
Amoy, ...	,,	29.86	758.4	68	74	S E	2	c	6 a.	29.92	759.9	60	82	N E	2
Swatow, ...	,,	29.84	757.9	72	67	N E	1	b	,,	29.83	757.7	64	95	...	0
Taiboku, ...	1 p.	29.86	758.5	...	...	N W	4	...	5 a.	29.91	759.8	...	...	W	2
Taichu, ...	,,	29.86	758.5	...	...	W	4	...	,,	29.90	759.4	...	...	..	0
Tainan, ...	,,	29.93	760.1	...	...	W	2	...	,,	29.93	760.1	...	...	...	0
Koshun, ...	,,	29.89	759.1	...	...	S	...	...	,,	29.88	758.9	...	...	W	6
Pescadores, ...	,,	29.93	760.3	...	...	N	6	...	,,	29.90	759.5	...	...	N	4
Canton, ...	3 p.	29.87	758.7	67	89	S E	1	c	9 a.	...	...	...	...	...	...
Hongkong, ...	4 p.	29.87	758.7	67	84	E	3	o	10 a.	29.95	760.7	69	85	...	0
Victoria Peak, ...	,,	...	...	...	...	S W	1	...	,,	...	...	...	...	W	0
Gap Rock, ...	,,	29.86	758.4	...	...	E	3	...	,,	29.92	759.9	...	...	E N E	3
Macao, ...	,,	29.89	759.2	67	...	E	1	c	,,	29.96	761.0	67	...	S E	1
Wuchow, ...	3 p.	29.91	759.7	66	...	E	1	c	9 a.	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi, ...	,,	29.89	759.9	73	81	W	1	c	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.82	757.4	72	...	S S E	3	o	8 a.	29.90	759.5	68	...	E	3
Tourane, ...	,,	29.81	757.2	77	...	S E	1	b	,,	29.88	758.9	79	...	S S E	2
Cape St. James, .	,,	29.82	757.5	81	...	E N E	4	c	,,	29.92	759.9	77	...	E N E	2
Aparri, ...	2 p.	29.85	758.3	79	...	N E	2	o	6 a.	29.88	759.0	73	...	S	0
Manila, ...	4 p.	29.80	757	86	59	S S E	3	c	10 a.	29.92	760	82	77	W S W	1
Legaspi, ...	2 p.	29.83	757.7	84	...	E	2	b	6 a.	29.87	758.7	81	...	E	2
Bacolod, ...	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	2
Iloilo, ...	,,	29.81	757.2	85	...	N E	1	b	,,	29.91	759.7	81	...	N E	1
Cebu, ...	,,	29.82	757.4	...	...	N	1	c	,,	29.88	758.9	84	...	N	1
Labuan, ...	,,	29.79	756.6	85	...	...	...	...	,,	29.85	758.2	85	...	...	...

On the 17th at 12.10 p.—The barometer has fallen rapidly over S. Japan, and risen considerably on the E. of China.

The depression, which has deepened considerably, is moving Eastwards over S. Japan.

Pressure is highest over China to the North of the Yangtze valley.

Fresh to strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, freshening; cloudy, drizzling
2.—Formosa Channel, ...	N.E. winds, fresh or strong.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 17th February, 1910.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

17TH FEBRUARY, 1910, P.M.

	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
k,...	2 p.	30.00	761.9	5	...	N	2	b
.....	,,	29.77	756.1	...	...	S E	4	...
.....	,,	29.65	753.2	...	...	N	4	...
.....	,,	29.47	748.6	...	...	N	6	...
.....	,,	29.64	752.8	...	...	N W	6	...
.....	,,	29.80	756.8	...	...	N	10	...
.....	,,	29.76	755.9	...	...	N	8	...
.....	,,	29.81	757.1	...	...	N	8	...
.....	,,	29.85	758.2	...	...	N	8	...
a,....	,,	29.89	759.3	...	...	N	6	...
.....	,,	29.73	755.1	...	...	S	6	...
.....	4 p.	30.11	764.8	33	100	N W	4	c
.....	,,	30.17	766.3	34	...	N	5	b
.....	,,	30.23	767.8	41	91	N W	1	c
.....	,,	30.16	766.0	49	71	S E	2	b
.....	,,	30.15	765.8	45	54	N	3	c
.....	,,	30.12	765.0	44	68	N	5	cm
.....	,,	30.02	762.5	54	74	N E	5	o
.....	,,	29.97	761.2	59	76	N E	4	o
.....	,,	29.86	758.4	60	100	E	2	o
.....	1 p.	29.98	761.6	...	...	E	6	...
.....	,,	29.91	759.8	...	...	N	6	...
.....	,,	29.91	759.8	...	...	N	4	...
.....	,,	29.89	759.2	...	...	N	6	...
.....	,,	29.92	760.0	...	...	E	10	...
.....	3 p.	29.87	758.7	61	94	N E	1	c
.....	4 p.	29.85	758.2	71	75	W N W	1	c
,...	,,	...	...	...	...	W	0	...
.....	,,	29.84	757.9	...	...	E	1	...
.....	,,	29.87	758.7	70	...	S E	1	c
.....	3 p.	29.95	760.7	61	...	N	1	o
.....	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...
.....	4 p.	29.80	756.9	72	...	E S E	4	o
.....	,,	29.75	755.7	79	...	S E	3	b
es,.	,,	29.80	757.0	81	...	E N E	2	c
.....	2 p.	29.85	758.1	70	...	N	2	c
.....	4 p.	29.76	756	88	54	N W	1	b
.....	2 p.	29.80	756.9	86	...	E	2	b
.....	3 p.	...	...	...	...	N N E	2	o
.....	,,	29.81	757.2	86	...	N E	2	b
.....	,,	29.78	756.4	85	...	N	6	b
.....	,,	29.76	755.9	86	...	...	...	...

18TH FEBRUARY, 1910, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.10	764.5	2	50	N W	3	b
6 a.	29.61	752.1	...	...	N	6	...
,,	29.65	753.2	...	...	N	8	...
,,	29.59	751.6	...	...	N W	8	...
,,	29.95	760.8	...	...	W	4	...
,,	30.03	762.8	...	...	N E	2	...
,,	30.04	762.9	...	...	N	2	...
,,	30.01	762.1	...	...	N	8	...
,,	30.01	762.2	...	...	N	8	...
,,	30.01	762.3	...	...	N	4	...
,,	29.73	755.1	...	...	N W	6	...
6 a.	...	...	...	...	...	...	...
9 a.	30.28	769.1	33	...	N W	1	b
6 a.	30.29	769.3	43	93	N E	1	b
,,	30.23	767.8	40	93	N E	1	o
9 a.	30.32	770.1	41	66	N N E	2	c
,,	30.29	769.3	43	67	N	3	cv
,,	30.13	765.3	52	93	N E	1	o
6 a.	30.10	764.5	53	73	N E	4	o
,,	30.07	763.8	55	68	E N E	0	o
5 a.	30.12	764.9	...	...	E	6	...
,,	30.02	762.4	...	...	N	6	...
,,	30.01	762.2	...	...	N	6	...
,,	29.97	761.1	...	...	N	8	...
,,	30.04	763.0	...	...	N E	10	...
9 a.	30.06	763.5	58	81	N	2	o
10 a.	30.08	764.0	61	75	E	6	o
,,	...	...	...	...	E	6	...
,,	30.04	763.0	...	...	E	5	...
,,	30.06	763.5	61	...	E S E	3	oq
9 a.	30.11	764.8	55	80	N	3	o
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.95	760.6	68	...	E N E	3	or
,,	29.90	759.5	72	...	...	0	dh
,,	29.87	758.7	77	...	E N E	4	c
6 a.	29.92	759.9	75	...	N	2	o
10 a.	29.92	760	82	70	W S W	1	c
6 a.	29.88	758.8	77	...	N E	2	b
9 a.	...	...	...	...	N E	3	c
,,	29.91	759.7	81	...	N N E	2	c
,,	29.88	758.9	85	...	N	1	c
,,	29.86	758.4	82	...	...	...	...

e 18th at 11.55 a.—The barometer has fallen moderately over E. Japan and the Bonins, and risen con-
to moderately over W. Japan, the Loochoos and the China coast.
depression has moved into the Pacific to the E. of Japan.
sure is highest over China to the North of the Yangtze valley.
h to strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

ORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	N.E. and E. winds, fresh or strong; fair, cloudy.
sa Channel, ...	N.E. winds, fresh or strong.
coast of China between Hongkong and Lamocks,.	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Friday, 18th February, 1910.

d by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th February, 1910, P.M.								19th February, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	30.04	762.9	18	...	N	1	b	7 a.	29.99	761.8	6	49	W	0
Nemuro,	"	29.53	750.1	...	...	N	8	...	6 a.	29.53	750.1	...	...	W	10
Hakodate,	"	29.69	754.2	...	...	N	8	...	"	29.77	756.2	...	...	W	2
Tokio,	"	29.71	754.6	...	...	N	8	...	"	29.95	760.6	...	...	...	0
Kochi,	"	29.99	761.8	...	...	N	6	...	"	30.15	765.8	...	...	S W	2
Nagasaki,	"	30.07	763.8	...	...	N	6	...	"	30.15	765.8	...	...	...	0
Kagoshima,	"	30.04	762.9	...	...	N W	4	...	"	30.15	765.9	...	...	N	2
Oshima,	"	30.08	764.1	...	...	N	6	...	"	30.16	766.1	...	...	S	2
Naha,	"	30.05	763.2	...	...	N E	4	...	"	30.09	764.2	...	...	E	2
Ishigakijima,	"	30.05	763.3	...	...	N	6	...	"	30.05	763.3	...	...	E	6
Bonin Is.	"	29.77	756.1	...	...	N W	6	...	"	30.04	763.1	...	...	N W	4
Chefoo,	4 p.	30.18	766.6	37	100	E	2	db	6 a.	...	...	...	...	...	...
Weihaiwei,	"	30.22	767.6	36	...	N	1	b	9 a.	30.20	767.1	34	...	N	3
Hankow,	"	30.31	769.9	51	66	N E	1	o	6 a.	...	...	...	...	...	...
Kiukiang,	"	30.16	766.0	48	85	N E	2	o	"	...	...	...	...	...	...
Shanghai,	"	30.22	767.6	47	48	E N E	1	c	9 a.	30.24	768.1	42	77	E N E	2
Gutzlaff,	"	30.23	767.8	48	49	N	2	bv	"	30.22	767.6	42	84	E N E	2
Sharp Peak,	"	30.14	765.5	52	86	E	2	o	"	30.13	765.3	50	93	N	1
Amoy,	"	30.09	764.3	62	56	N E	2	o	6 a.	30.12	765.0	56	75	W	1
Swatow,	"	30.00	762.0	65	68	E	2	o	"	30.03	762.7	55	80	E N E	1
Taihoku,	1 p.	30.08	764.0	...	...	E	8	...	5 a.	30.07	763.7	...	...	E	4
Taichu,	"	29.97	761.2	...	...	W	2	...	"	30.07	763.7	...	...	...	0
Tainan,	"	30.01	762.3	...	...	N	2	...	"	30.08	764.0	...	...	N E	4
Koshun	"	30.01	762.2	...	...	N E	8	...	"	30.05	763.2	...	...	...	0
Pescadores,	"	30.06	763.4	...	...	N E	8	...	"	30.10	764.5	...	...	N E	8
Canton,	3 p.	29.99	761.7	58	88	N N E	2	o	9 a.	30.12	765.0	59	88	N	1
Hongkong,	4 p.	29.99	761.7	60	76	E	5	o	10 a.	30.13	765.3	62	73	E	5
Victoria Peak,	"	...	...	...	...	E	5	...	"	...	...	...	...	E	4
Gap Rock,	"	29.94	760.5	...	...	E N E	6	...	"	30.08	764.0	...	...	E	4
Macao,	"	29.99	761.7	60	...	S E	3	o	"	30.13	765.3	62	...	E S E	3
Wuchow,	3 p.	30.04	763.0	57	...	N	3	o	9 a.	30.14	765.5	57	...	E	3
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...
Pakhoi,	"	29.95	760.7	62	82	E	2	o	"	...	...	...	...	...	...
Phulien,	4 p.	29.86	758.5	72	...	E	4	o	8 a.	29.99	761.7	64	...	E N E	3
Tourane,	"	29.83	757.7	75	...	S E	1	o	"	29.97	761.2	75	...	S E	3
Cape St. James,	"	29.78	756.3	81	...	E	4	c	"	29.93	760.3	77	...	N E	1
Aparri,	2 p.	29.91	759.7	79	...	N E	2	b	6 a.	29.96	761.0	73	...	E	2
Manila,	4 p.	29.80	757	86	65	E S E	2	c	10 a.	29.96	761	82	70	E	0
Legaspi,	2 p.	29.83	757.8	86	...	E	2	b	6 a.	29.89	759.2	79	...	N E	2
Bacolod,	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	N N E	1
Iloilo,	"	29.81	757.2	86	...	N E	1	b	"	29.91	759.7	81	...	N E	1
Cebu,	"	29.80	756.9	86	...	N	2	c	"	29.92	759.9	84	...	N	1
Labuan,	"	29.76	755.9	85	...	...	...	...	"	29.87	758.7	80	...	...	...

On the 19th at 12.05 p.—The depression is still shown over the Pacific to the N.E. of Japan.

The barometer has risen considerably over S. Japan and the Bonins, and a slight rise has taken place also at stations around the China Sea.

Pressure is still highest, but giving way over N. China.

Fresh to moderate monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh to moderate; fair.
2.—Formosa Channel,	N.E. and E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 19th February, 1910.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

	19TH FEBRUARY, 1910, P.M.								20TH FEBRUARY, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
k,...	2 p.	29.91	759.6	22	...	N	0	c	7 a.	29.93	760.1	8	50	N	0	b
.....	,,	29.53	750.1	...	...	W	10	...	6 a.	29.61	752.1	...	...	W	6	...
.....	,,	29.73	755.2	...	...	N W	8	...	,,	29.65	753.2	...	...	N	2	...
.....	,,	29.91	759.6	...	...	N W	6	...	,,	29.75	755.6	...	...	N W	2	...
.....	,,	30.03	762.8	...	...	S E	2	...	,,	29.95	760.8	...	...	S W	4	...
.....	,,	30.11	764.8	...	...	W	6	...	,,	30.07	763.8	...	...	N	6	...
.....	,,	30.11	764.9	...	...	...	0	...	,,	30.08	763.9	...	...	N	2	...
.....	,,	30.08	764.1	...	...	N	2	...	,,	30.08	764.1	...	...	N	6	...
.....	,,	30.05	763.2	...	...	E	2	...	,,	30.05	763.2	...	...	N	6	...
a,....	,,	...	...	...	...	...	...	...	,,	30.09	764.3	...	...	N	6	...
.....	,,	30.00	762.1	...	...	N	4	...	,,	30.04	763.1	...	...	N W	6	...
.....	4 p.	30.25	768.3	31	100	N W	5	c	6 a.	...	...	...	...	...	...	...
.....	,,	30.23	767.8	31	...	N W	4	c	9 a.	30.39	771.9	28	...	N	4	b
.....	,,	30.37	771.4	49	71	N W	1	o	6 a.	...	...	...	...	...	...	...
.....	,,	30.23	767.8	46	84	S W	1	o	,,	...	...	...	...	...	...	...
.....	,,	30.18	766.6	43	67	N E	2	o	9 a.	30.43	772.9	38	63	N N E	3	o
.....	,,	30.12	765.0	45	76	N E	1	ov	,,	30.38	771.6	40	65	N	5	om
.....	,,	30.12	765.0	51	94	N E	1	o	,,	30.27	768.8	51	79	E N E	3	or
.....	,,	30.10	764.5	62	72	S E	2	b	6 a.	30.15	765.8	56	75	N E	3	o
.....	,,	30.06	763.5	62	67	E	1	b	,,	30.08	764.0	56	94	N E	3	o
.....	1 p.	30.07	763.7	...	...	E	2	...	5 a.	30.14	765.5	...	...	E	6	...
.....	,,	30.07	763.7	...	...	N W	2	...	,,	30.04	763.1	...	...	...	0	...
.....	,,	30.01	762.3	...	...	N W	6	...	,,	30.08	763.9	...	...	N	4	...
.....	,,	30.05	763.3	...	...	N W	4	...	,,	30.05	763.2	...	...	...	0	...
.....	,,	30.11	764.8	...	...	N E	8	...	,,	30.09	764.3	...	...	N E	8	...
.....	3 p.	30.03	762.7	64	78	N	1	c	9 a.	30.15	765.8	56	94	N N E	2	o
.....	4 p.	30.03	762.7	63	77	E	4	o	10 a.	30.15	765.8	61	87	E	3	o
,....	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	4	...
.....	,,	30.00	762.0	...	...	E N E	5	...	,,	30.11	764.8	...	...	E	5	...
.....	,,	30.02	762.5	63	...	S E	1	o	,,	30.16	766.0	63	...	N N E	1	o
.....	3 p.	30.07	763.8	59	...	N	2	o	9 a.	30.20	767.1	54	86	N N E	...	om
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.91	759.6	66	...	E N E	5	or	8 a.	30.03	762.7	66	...	E	3	o
.....	,,	29.87	758.8	75	...	S E	2	dh	,,	30.00	762.0	79	...	S E	2	o
es,.	,,	29.83	757.8	81	...	N E	3	c	,,	29.91	759.6	79	...	N E	6	c
.....	2 p.	29.94	760.4	79	...	N E	4	b	6 a.	30.00	762.0	70	...	S	0	b
.....	4 p.	29.88	759	81	76	N E	1	o	10 a.	30.00	762	82	70	W N W	1	o
.....	2 p.	29.90	759.4	75	...	E	2	o	6 a.	29.95	760.8	77	...	E	2	c
.....	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	N N E	2	o
.....	,,	29.85	758.2	85	...	N E	2	o	,,	29.99	761.7	80	...	N N E	2	c
.....	,,	29.85	758.2	84	...	N	2	o	,,	29.97	761.2	83	...	N	2	or
.....	,,	29.73	755.1	87	...	...	...	...	,,	...	...	...	...	...	...	...

e 20th at 11.55 a.—The barometer has fallen moderately in Japan and risen moderately to slightly over the Philippines.

w depression appears to have developed over the N. part of the Sea of Japan.

rea of high pressure now lies over China to the North of the Yangtze valley.

h to strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	N.E. winds, fresh or strong; cloudy, probably some [rain.
sa Channel, ...	Same as No. 1.
coast of China between Hongkong and Lamocks,.	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

gkong Observatory, Sunday, 20th February, 1910.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th February, 1910, P.M.								21st February, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	29.57	751.1	...	...	S E	2	...	6 a.	29.53	750.1	...	...	W	2
Hakodate,	,,	29.65	753.2	...	...	W	8	...	,,	29.73	755.2	...	...	W	6
Tokio,	,,	29.75	755.6	...	...	N	4	...	,,	29.87	758.6	...	...	N	4
Kochi,	,,	29.87	758.8	...	...	W	6	...	,,	30.07	763.8	...	...	...	0
Nagasaki,	,,	30.07	763.8	...	...	N	10	...	,,	30.19	766.8	...	...	N	8
Kagoshima,	,,	30.04	762.9	...	...	N	8	...	,,	30.15	765.9	...	...	N	6
Oshima,	,,	30.04	763.1	...	...	N	8	...	,,	30.16	766.1	...	...	N	8
Naha,	,,	30.09	764.2	...	...	N	8	...	,,	30.17	766.2	...	...	N	6
Ishigakijima,	,,	30.13	765.3	...	...	N	6	...	,,	30.17	766.3	...	...	N	6
Bonin Is.	,,	29.93	760.1	...	...	S	8	...	,,	29.93	760.1	...	...	N	6
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	30.40	772.1	25	100	N W	1
Weihaiwei,	,,	30.35	770.9	30	...	N	2	c	9 a.	30.39	771.9	30	...	W S W	3
Hankow,	,,	30.54	775.7	42	84	N E	2	o	6 a.	...	...	...	...	...	...
Kiukiang,	,,	30.48	774.2	40	91	N E	4	o	,,	30.48	774.2	33	100	N E	5
Shanghai,	,,	30.36	771.1	39	46	N N W	5	o	9 a.	30.48	774.2	35	62	N W	2
Gutzlaff,	,,	30.38	771.6	38	63	N	5	ov	,,	30.43	772.9	39	55	N	3
Sharp Peak,	,,	30.27	768.8	50	72	N E	5	o	,,	30.35	770.9	47	70	N E	5
Amoy,	,,	30.21	767.3	56	66	N E	2	o	6 a.	30.24	768.1	50	72	N E	1
Swatow,	,,	30.14	765.5	58	76	N E	2	o	,,	30.14	765.5	51	79	E N E	2
Taihoku,	1 p.	30.19	766.7	...	...	E	8	...	5 a.	30.22	767.5	...	...	E	6
Taichu,	,,	30.11	764.8	...	...	S E	6	...	,,	30.13	765.2	...	...	N	2
Tainan,	,,	30.09	764.3	...	...	N	6	...	,,	30.12	765.0	...	...	N	6
Koshun,	,,	30.07	763.9	...	...	N E	6	...	,,	30.10	764.6	...	...	N E	10
Pescadores,	,,	30.14	765.6	...	...	E	10	...	,,	30.14	765.5	...	...	N E	10
Canton,	3 p.	30.11	764.8	55	94	N N E	2	o	9 a.	30.18	766.6	49	92	N E	2
Hongkong,	4 p.	30.09	764.3	61	81	E	3	o	10 a.	30.14	765.5	58	80	E	4
Victoria Peak,	,,	...	...	...	...	E N E	4	...	,,	...	...	...	...	E	5
Gap Rock,	,,	30.05	763.2	...	...	E N E	4	...	,,	30.09	764.3	...	...	E	7
Macao,	,,	30.09	764.3	62	...	S E	1	o	,,	30.15	765.8	58	...	E N E	2
Wuchow,	3 p.	30.17	766.3	54	52	N E	3	om	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	30.06	763.5	57	100	N	2	c	,,	...	...	...	...	...	...
Phulien,	4 p.	29.95	760.7	66	...	E N E	3	or	8 a.	30.06	762.6	59	...	N	3
Tourane,	,,	29.91	759.6	73	...	S E	1	dh	,,	29.97	761.3	73	...	S E	3
Cape St. James,	,,	29.84	758.0	81	...	E N E	6	c	,,	29.92	759.9	79	...	N N E	4
Aparri,	2 p.	29.96	761.1	81	...	N E	4	b	6 a.	30.02	762.5	75	...	E	2
Manila,	4 p.	29.92	760	86	59	N W	1	c	10 a.	30.00	762	82	57	E	1
Legaspi,	2 p.	29.93	760.3	82	...	E	2	o	6 a.	29.97	761.2	77	...	N E	0
Bacolod,	3 p.	...	...	...	...	E S E	1	o	9 a.	...	...	...	...	N E	3
Iloilo,	,,	29.85	758.2	81	...	N N E	4	o	,,	29.95	760.7	79	...	N E	1
Cebu,	,,	29.88	758.9	83	...	N	2	c	,,	29.95	760.7	82	...	N	1
Labuan,	,,	29.78	756.4	87	...	...	...	...	,,	29.90	759.4	82	...	...	...

On the 21st at 11.55 a.—The barometer has risen moderately in S. Japan, and fallen slightly over E. Hokk

The depression is shown over the Pacific to the N.E. of Japan.

The anticyclonic area remains over China to the North of the Yangtze valley, and pressure has increased sli along the coast, except in the South.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; dull, some rain.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 21st February, 1910.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

21st FEBRUARY, 1910, P.M.

	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
t,...	2 p.	29.90	759.4	27	...	N W	0	b
.....	,,	29.57	751.1	...	...	N	2	...
.....	,,	29.69	754.2	...	...	W	8	...
.....	,,	29.79	756.6	...	...	N W	8	...
.....	,,	30.07	763.8	...	...	S	2	...
.....	,,	30.19	766.8	...	...	N	6	...
.....	,,	30.19	766.9	...	...	N W	6	...
.....	,,	...	...	...	...	...	...	...
.....	,,	30.17	766.2	...	...	N	6	...
a,....	,,	30.17	766.3	...	...	N E	6	...
.....	,,	29.89	759.1	...	...	W	6	...
.....	4 p.	30.34	770.6	32	100	N W	4	b
.....	,,	30.32	770.1	35	...	N W	3	b
.....	,,	30.49	774.4	39	80	N E	1	o
.....	,,	30.44	773.2	32	100	N E	2	s
.....	,,	30.42	772.6	37	53	N N W	2	o
.....	,,	30.38	771.6	37	71	N N W	3	ov
.....	,,	30.27	768.8	47	85	N	3	or
.....	,,	30.22	767.6	50	79	E N E	4	o
.....	,,	30.14	765.5	50	93	E	3	o
.....	1 p.	30.20	767.0	...	...	E	0	...
.....	,,	30.06	763.5	...	...	N	6	...
.....	,,	30.09	764.4	...	...	N W	10	...
.....	,,	30.05	763.3	...	...	N E	10	...
.....	,,	30.12	765.0	...	...	N E	10	...
.....	3 p.	30.17	766.3	47	93	N N E	2	or
.....	4 p.	30.09	764.3	56	93	E	1	od
.....	,,	...	...	...	...	E N E	4	...
.....	,,	30.04	763.0	...	...	E N E	7	...
.....	,,	30.10	764.5	51	...	N	3	o
.....	3 p.	30.16	766.0	50	...	N	6	or
.....	,,	...	...	...	...	...	...	...
.....	,,	30.05	763.2	54	94	N	2	f
.....	4 p.	29.94	760.4	61	...	E N E	2	or
.....	,,	29.87	758.6	75	...	S E	3	o
es,.	,,	29.87	758.6	79	...	N E	6	f
.....	2 p.	...	...	...	...	...	...	...
.....	4 p.	29.88	759	86	53	E S E	1	c
.....	2 p.	29.92	759.9	84	...	E	2	b
.....	3 p.	...	...	...	...	N E	4	o
.....	,,	29.87	758.7	83	...	N E	2	b
.....	,,	29.86	758.4	84	...	N	2	c
.....	,,	29.82	757.4	88	...	...	...	...

22nd FEBRUARY, 1910, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	...	...	10	51	...	0	b
6 a.	29.65	753.1	...	...	W	6	...
,,	29.81	757.2	...	...	N E	6	...
,,	29.95	760.6	...	...	W	2	...
,,	30.11	764.8	...	...	...	0	...
,,	30.19	766.8	...	...	...	0	...
,,	30.19	766.9	...	...	N	2	...
,,	30.12	765.1	...	...	N	4	...
,,	30.13	765.2	...	...	N E	4	...
,,	30.01	762.3	...	...	N E	6	...
,,	30.01	762.1	...	...	N	4	...
6 a.	30.26	768.6	24	100	S W	1	b
9 a.	30.27	768.8	31	...	S S W	1	c
6 a.	30.48	774.2	32	100	N W	1	o
,,	30.33	770.4	31	100	N E	3	s
9 a.	30.32	770.1	26	51	N W	3	o
,,	30.29	769.3	33	100	N	3	s
,,	30.24	768.1	44	92	N	1	or
6 a.	30.09	764.3	49	85	N E	2	or
,,	29.96	761.0	49	93	E	1	dh
5 a.	30.02	762.5	...	...	E	8	...
,,	29.98	761.5	...	...	...	0	...
,,	29.97	761.1	...	...	N	2	...
,,	29.97	761.3	...	...	N E	10	...
,,	30.02	762.4	...	...	N E	8	...
9 a.	30.11	764.8	46	92	N	2	or
10 a.	30.04	763.0	54	85	N	1	o
,,	...	...	...	...	N	2	...
,,	30.01	762.2	...	...	N E	6	...
,,	30.08	764.0	49	...	N	3	o
9 a.	30.22	767.6	44	...	N	3	or
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.04	762.9	52	...	N	3	or
,,	29.95	760.7	70	...	W N W	2	dh
,,	29.92	760.0	77	...	N E	5	o
6 a.	29.97	761.3	70	...	S	2	b
10 a.	30.00	762	81	69	W S W	1	b
6 a.	29.95	760.6	73	...	N E	2	b
9 a.	...	...	...	...	N E	3	c
,,	29.97	761.2	79	...	N N E	3	b
,,	29.90	759.4	82	...	N	1	b
,,	29.89	759.2	83	...	...	...	...

e 22nd at 12.10 p.—The barometer has risen moderately in E. Japan, and fallen moderately to consider-
the China coast and Formosa.
pressure trough lies over the N. part of the China Sea and the Pacific towards the S. Loochoos, and low
till covers the Pacific to the N.E. of Japan.
area of high pressure remains over China to the North of the Yangtze valley,
ng N.E. and N. winds may be expected in the Formosa Channel and along the northern shores of the China

kong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.08 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	N.E. to N. winds, strong; dull, rainy.
a Channel, ...	N.E. winds, strong.
coast of China between Hongkong and Lamocks,.	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

gkong Observatory, Tuesday, 22nd February, 1910.

by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd February, 1910, P.M.								23rd February, 1910, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.94	760.4	29	...	N	0	b	7 a.	29.94	760.5	10	60	...	0
Nemuro,	,,	29.65	753.1	...	...	N W	4	...	6 a.	29.73	755.1	...	...	S W	6
Hakodate,	,,	29.77	756.2	...	...	N W	6	...	,,	29.89	759.2	...	...	W	6
Tokio,	,,	29.91	759.6	...	...	N W	6	...	,,	29.99	761.6	...	...	N	2
Kochi,	,,	30.03	762.8	...	...	N	4	...	,,	30.03	762.3	...	...	S W	2
Nagasaki,	,,	30.11	764.8	...	...	N E	2	...	,,	30.03	762.8	...	...	N E	2
Kagoshima,	,,	30.11	764.9	...	...	N W	4	...	,,	30.04	762.9	...	...	N	2
Oshima,	,,	30.12	765.1	...	...	N E	2	...	,,	29.93	760.1	...	...	S	2
Naha,	,,	30.05	763.2	...	...	N E	4	...	,,	29.81	757.2	...	...	N	6
Ishigakijima,	,,	29.89	759.3	...	...	S E	8	...	,,	29.86	758.3	...	...	N	6
Bonin Is.	,,	29.96	761.1	...	...	N W	2	...	,,	30.01	762.1	...	...	N W	2
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	30.12	765.0	28	100	...	0
Weihaiwei,	,,	30.16	766.0	37	...	W	1	cm	9 a.	30.13	765.3	31	...	S W	1
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.38	771.6	34	90	...	0
Kiukiang,	,,	30.27	768.8	36	80	N E	1	o	,,	30.27	768.8	34	90	...	0
Shanghai,	,,	30.19	766.8	35	90	N E	2	o	9 a.	30.25	768.3	37	71	N W	2
Gutzlaff,	,,	30.21	767.3	37	81	N	3	ov	,,	30.22	767.6	38	81	N N W	4
Sharp Peak,	,,	30.07	763.8	46	92	N E	1	or	,,	30.17	766.3	47	77	E	4
Amoy,	,,	30.01	762.2	52	93	...	0	or	6 a.	30.10	764.5	53	80	N E	2
Swatow,	,,	29.97	761.2	51	93	N N W	1	or	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.98	761.5	...	...	...	0	...	5 a.	30.01	762.9	...	...	N W	4
Taichu,	,,	29.99	761.8	...	...	N	4	...	,,	30.01	762.3	...	...	N	2
Tainan,	,,	29.97	761.3	...	...	N	4	...	,,	29.99	761.8	...	...	N	6
Koshun	,,	29.93	760.2	...	...	N	6	...	,,	29.95	760.6	...	...	N	6
Pescadores,	,,	30.02	762.4	...	...	N E	10	...	,,	30.03	762.7	...	...	N E	8
Canton,	3 p.	30.04	763.0	47	77	N E	2	or	9 a.	30.17	766.3	45	76	N	2
Hongkong,	4 p.	29.96	761.0	53	92	N	1	od	10 a.	30.13	765.3	55	63	W	1
Victoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	N E	3
Gap Rock,	,,	29.93	760.2	...	...	N	4	...	,,	30.10	764.5	...	...	N N E	3
Macao,	,,	29.99	761.7	48	...	N	4	odf	,,	30.14	765.5	48	...	N	3
Wuchow,	3 p.	30.14	765.5	45	...	N	2	o	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	30.11	764.8	48	78	N	6	o	,,	...	...	...	...	...	...
Phulien,	4 p.	30.00	762.1	55	...	N	2	o	8 a.	30.14	765.6	54	...	N E	2
Tourane,	,,	29.87	758.6	70	...	N W	3	o	,,	30.03	762.7	64	..	N W	3
Cape St. James,	,,	29.83	757.6	81	...	E N E	5	c	,,	29.93	760.2	81	...	N E	4
Aparri,	2 p.	29.87	758.6	82	...	E	2	b	6 a.	29.96	760.9	72	...	S W	2
Manila,	4 p.	29.84	758	86	53	S E	4	c	10 a.	29.96	761	84	58	E S E	1
Legaspi,	2 p.	29.89	759.1	86	...	E	2	b	6 a.	29.95	760.6	70	...	...	0
Bacolod,	3 p.	...	...	...	...	N N E	3	c	9 a.	...	...	...	...	N E	3
Iloilo,	,,	29.85	758.2	84	...	N E	1	b	,,	29.93	760.2	79	...	N E	1
Cebu,	,,	29.84	757.9	84	...	N	1	b	,,	29.92	759.9	84	...	N	1
Labuan,	,,	29.84	757.9	86	...	...	...	...	,,	29.92	759.9	83	...	...	...

On the 23rd at 12.05 p.—The barometer has risen moderately over S. China and Tongking, and fallen considerably over S.W. Japan and the Loochoos.

The depression noted yesterday is moving towards N.E, to the South of the Loochoos.

The area of high pressure remains over the Yangtze valley, and pressure is still low to the North of Japan.

Fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, moderate; fine.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 23rd February, 1910.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

	23rd FEBRUARY, 1910, P.M.								24th FEBRUARY, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
,....	2 p.	29.86	758.5	27	...	S E	0	b	7 a.	29.83	757.6	16	61	...	0	c
....	,,	29.77	756.1	...	...	W	2	...	6 a.	29.81	757.1	...	...	...	0	...
....	,,	29.85	758.2	...	...	W	6	...	,,	29.85	758.2	...	...	...	0	...
....	,,	29.91	759.6	...	...	E	2	...	,,	29.87	758.6	...	...	...	0	...
....	,,	29.87	758.8	...	...	N W	2	...	,,	29.99	761.8	...	...	S	2	...
....	,,	29.95	760.8	...	...	N	4	...	,,	30.07	763.8	...	...	N	2	...
....	,,	29.96	760.9	...	...	N	2	...	,,	30.08	763.9	...	...	N	2	...
....	,,	29.89	759.1	...	...	N	6	...	,,	30.04	763.1	...	...	N	6	...
....	,,	29.93	760.2	...	...	N	4	...	,,	30.09	764.2	...	...	N	2	...
....	,,	29.97	761.3	...	...	N	8	...	,,	30.09	764.3	...	...	N	2	...
....	,,	29.93	760.1	...	...	N W	2	...	,,	29.77	756.1	...	...	S	6	...
....	4 p.	30.00	762.0	47	77	S W	2	b	6 a.	29.96	761.0	35	100	S W	1	b
....	,,	29.98	761.5	45	...	...	...	b	9 a.	...	...	38	...	S W	3	b
....	,,	30.19	766.8	44	60	S W	1	o	6 a.	30.18	766.6	35	90	S E	1	b
....	,,	30.21	767.3	41	74	W	1	o	,,	30.15	765.8	32	100	...	0	b
....	,,	30.13	765.3	47	41	N W	2	c	9 a.	30.18	766.6	42	66	S E	1	b
....	,,	30.14	765.5	45	68	N	2	bm	,,	30.17	766.3	44	68	W N W	1	bv
....	,,	30.15	765.8	48	85	E	3	o	,,	30.19	766.8	48	92	...	0	o
....	,,	30.05	763.2	56	80	E S E	3	o	6 a.	30.15	765.8	51	93	N E	1	o
....	,,	29.98	761.5	60	65	E	1	b	,,	30.09	764.3	52	86	N E	1	o
....	1 p.	30.07	763.9	...	...	N W	2	...	5 a.	30.06	763.6	...	...	E	4	...
....	,,	29.98	761.5	...	...	N	4	...	,,	30.06	763.5	...	...	N	2	...
....	,,	29.98	761.4	...	...	N	4	...	,,	30.06	763.6	...	...	N	2	...
....	,,	29.98	761.4	...	...	N	6	...	,,	30.05	763.3	...	...	N	6	...
....	,,	30.03	762.7	...	...	N E	10	...	,,	30.08	764.1	...	...	N E	6	...
....	3 p.	30.01	762.2	53	73	N N W	1	b	9 a.	30.06	763.5	53	93	N	1	or
....	4 p.	30.00	762.0	59	65	E	3	b	10 a.	30.06	763.5	59	82	E	4	o
,....	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	S E	4	...
....	,,	29.98	761.5	...	...	N N E	2	...	,,	30.02	762.5	...	...	E	5	...
....	,,	30.02	762.5	59	...	E	3	c	,,	30.06	763.5	58	...	S E	2	o
....	3 p.	30.10	764.5	52	...	W	...	c	9 a.	30.10	764.5	52	...	E	1	od
....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
....	,,	30.05	763.2	57	75	...	0	o	,,	...	...	...	...	...	...	...
....	4 p.	29.98	761.5	59	...	S	1	o	8 a.	30.01	762.2	55	...	N E	3	or
....	,,	29.93	760.3	66	...	N W	4	c	,,	29.95	760.8	70	...	...	0	o
es,.	,,	29.86	758.4	81	...	E N E	4	c	,,	29.91	759.8	79	...	E N E	5	c
....	2 p.	29.91	759.7	82	...	N	2	c	6 a.	29.97	761.1	72	...	N E	2	d
....	4 p.	29.84	758	88	59	S S W	1	c	10 a.	30.00	762	81	62	W	1	c
....	2 p.	29.87	758.6	84	...	E	2	b	6 a.	29.91	759.8	75	...	N E	2	c
....	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	N E	3	c
....	,,	29.85	758.2	84	...	N N E	3	c	,,	29.95	760.7	78	...	N N E	1	b
....	,,	29.84	757.9	85	...	N	3	c	,,	29.92	759.9	80	...	N	1	c
....	,,	29.84	757.9	84	...	...	...	...	,,	29.93	760.2	83	...	...	...	...

e 24th at 12.15 p.—The depression over the Pacific is moving towards E.N.E. to the North of the Bonins.
arometer has risen considerably over the Loochoos, and fallen over China particularly in the North.
w depression appears to be advancing towards N. China from the Westward.
ure is highest over the Yangtze valley.
rate monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

kong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	E. winds, fresh or moderate; dull, some rain.
a Channel, ...	N.E. winds, moderate.
coast of China between Hongkong and Lamocks,.	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Thursday, 24th February, 1910.

by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th February, 1910, P.M.								25th February, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostook,	2 p.	29.82	757.4	31	...	N W	0	b	7 a.	29.96	760.9	17	34	...	0
Nemuro,	,,	29.85	758.1	...	...	S	4	...	6 a.	30.01	762.1	...	...	S	4
Hakodate,	,,	29.89	759.2	...	...	W	6	...	,,	30.01	762.2	...	...	...	0
Tokio,	,,	29.87	758.6	...	...	...	0	...	,,	30.18	766.6	...	...	N W	2
Kochi,	,,	29.99	761.8	...	...	S	2	...	,,	30.19	766.8	...	...	...	0
Nagasaki,	,,	30.11	764.8	...	...	N W	6	...	,,	30.15	765.8	...	...	E	2
Kagoshima,	,,	30.11	764.9	...	...	N W	6	...	,,	30.15	765.9	...	...	...	0
Oshima,	,,	30.08	764.1	...	...	N	4	...	,,	30.08	764.1	...	...	...	0
Naha,	,,	30.09	764.2	...	...	N	4	...	,,	30.09	764.2	...	...	...	0
Ishigakijima,	,,	30.05	763.3	...	...	E	8	...	,,	30.01	762.3	...	...	E	[illegible]
Bonin Is.	,,	29.93	760.1	...	...	N W	6	...	,,	30.12	765.1	...	...	N	2
Chefoo,	4 p.	29.95	760.7	50	93	W	2	c	6 a.	29.95	760.7	36	100	...	0
Weihaiwei,	,,	29.89	759.2	46	...	W S W	5	cm	9 a.	29.97	761.2	38	...	S W	1
Hankow,	,,	30.03	762.7	46	100	S E	2	o	6 a.	...	...	...	...	...	...
Kinkiang,	,,	30.00	762.0	43	84	W	1	o	,,	30.01	762.2	40	100	N E	1
Shanghai,	,,	30.04	763.0	47	63	S E	4	c	9 a.	29.92	759.9	47	100	W	1
Gutzlaff,	,,	30.05	763.2	45	68	S E	3	ov	,,	29.89	759.2	51	...	S E	2
Sharp Peak,	,,	30.06	763.5	49	93	E	1	o	,,	29.95	760.7	50	100	...	0
Amoy,	,,	30.06	763.5	56	80	E S E	3	o	6 a.	29.99	761.7	55	94	W	1
Swatow,	,,	29.97	761.2	56	80	E N E	1	o	,,	29.91	759.7	55	94	...	0
Taihoku,	1 p.	30.04	762.9	...	...	E	2	...	5 a.	29.97	761.2	...	...	...	0
Taichu,	,,	29.99	761.7	...	...	N	4	...	,,	29.97	761.2	...	...	...	0
Tainan,	,,	30.03	762.8	...	...	N	4	...	,,	29.95	760.8	...	...	E	2
Koshun,	,,	30.02	762.4	...	...	N E	4	...	,,	29.95	760.7	...	...	E	6
Pescadores,	,,	30.05	763.3	...	...	E	8	...	,,	29.94	760.4	...	...	S E	4
Canton,	3 p.	29.93	760.2	54	94	N	1	o	9 a.	29.91	759.7	58	94	...	0
Hongkong,	4 p.	29.93	760.2	58	89	E	4	od	10 a.	29.91	759.7	61	97	E	4
Victoria Peak,	,,	...	...	...	...	E S E	7	...	,,	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	5
Macao,	,,	29.92	759.9	60	...	S E	3	of	,,	29.90	759.4	64	...	S E	2
Wuchow,	3 p.	29.94	760.5	53	...	E	1	od	9 a.	29.86	758.4	59	...	E	1
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.88	758.9	62	94	E	1	f	,,	...	...	...	...	...	...
Phulien,	4 p.	29.84	757.9	59	...	N E	0	or	8 a.	29.84	758.0	63	...	S S W	1
Tourane,	,,	29.82	757.5	73	...	N W	1	c	,,	29.87	758.7	77	...	S W	2
Cape St. James,	,,	29.81	757.2	79	...	E N E	5	c	,,	29.92	759.9	77	...	E N E	4
Aparri,	2 p.	29.94	760.6	79	...	N E	2	o	6 a.	29.92	760.0	72	...	S E	2
Manila,	4 p.	29.88	759	82	57	E S E	3	c	10 a.	29.92	760	86	47	E	2
Legaspi,	2 p.	29.89	759.3	86	...	E	2	c	6 a.	29.93	760.1	79	...	E	2
Bacolod,	3 p.	...	...	...	...	N N E	3	c	9 a.	...	...	...	...	N E	3
Iloilo,	,,	29.85	758.2	80	...	N N E	1	b	,,	29.91	759.7	79	...	N N E	1
Cebu,	,,	29.84	757.9	85	...	N	2	b	,,	29.90	759.4	81	...	N	2
Labuan,	,,	29.80	756.9	85	...	...	...	...	,,	29.85	758.2	82	...	...	...

On the 25th at 12.20 p.—The barometer has risen considerably over E. Japan and the Bonins, and quickly over China and Tonking.

A depression is moving Eastwards over the Lower Yangtze, and a second depression is shown over S.W. and Tongking.

Pressure is highest over S. Japan.

Moderate variable winds may be expected in the Formosa Channel and moderate S.E. and S. winds along northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. and S. winds, moderate; showery, foggy.
2.—Formosa Channel,	Variable winds, moderate; foggy.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 25th February, 1910.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

25TH FEBRUARY, 1910, P.M.

	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...	2 p.	29.96	760.9	29	...	S W	0	b
...	,,	30.00	762.1	...	...	S	8	...
...	,,	30.01	762.2	...	...	W	6	...
...	,,	30.18	766.6	...	...	S E	4	...
...	,,	30.15	765.8	...	...	S E	2	...
...	,,	29.99	761.8	...	...	E	4	...
...	,,	30.04	762.9	...	...	E	4	...
...	,,	30.00	762.1	...	...	S E	6	...
...	,,	29.97	761.2	...	...	S E	4	...
...	,,	29.93	760.3	...	...	S E	8	...
...	,,	30.16	766.1	...	...	N E	2	...
...	4 p.	29.90	759.4	41	100	E	1	or
...	,,	29.86	758.4	44	...	...	...	c
...	,,	30.02	762.5	52	60	N W	1	o
...	,,	29.94	760.5	47	85	N W	1	o
...	,,	29.83	757.7	49	85	N W	1	o
...	,,	29.84	757.9	45	100	N W	2	fr
...	,,	29.83	757.7	51	100	...	0	or
...	,,	...	...	59	88	...	0	o
...	,,	29.83	757.7	56	87	N N W	1	o
...	1 p.	29.83	757.8	...	...	N W	2	...
...	,,	29.87	758.6	...	...	S	2	...
...	,,	29.86	758.5	...	...	S	8	...
...	,,	29.93	760.1	...	...	E	8	...
...	,,	29.87	758.7	...	...	S	8	...
...	3 p.	29.75	755.6	67	100	S W	1	o
...	4 p.	29.80	756.9	73	86	S	2	o
...	,,	...	...	...	...	S S W	7	...
...	,,	29.78	756.4	...	...	S S E	3	...
...	,,	29.81	757.2	67	...	S	2	of
...	3 p.	29.70	754.4	76	...	W	1	c
...	,,	...	...	...	...	...	...	...
...	,,	29.76	755.9	72	90	W	2	o
...	4 p.	29.69	754.1	68	...	S E	3	o
...	,,	29.76	755.9	79	...	S E	2	b
...es,.	,,	29.80	756.9	82	...	S E	3	c
...	2 p.	29.85	758.1	88	...	S	2	b
...	4 p.	29.84	758	86	46	S E	4	b
...	2 p.	29.87	758.6	84	...	E	2	o
...	3 p.	...	...	...	...	E N E	3	c
...	,,	29.83	757.7	83	...	N E	2	o
...	,,	29.85	758.2	82	...	N	2	o
...	,,	29.86	758.4	88	...	...	...	...

26TH FEBRUARY, 1910, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	29.88	758.8	15	59	N W	3	o
6 a.	30.08	764.1	...	...	E	2	...
,,	29.93	760.2	...	...	N W	4	...
,,	29.95	760.6	...	...	...	0	...
,,	29.76	755.8	...	...	W	2	...
,,	29.80	756.8	...	...	N W	2	...
,,	29.80	756.9	...	...	N W	6	...
,,	29.81	757.1	...	...	S	6	...
,,	29.89	759.2	...	...	S	4	...
,,	29.89	759.3	...	...	S W	8	...
,,	30.16	766.1	...	...	...	0	...
6 a.	...	...	...	...	...	...	...
9 a.	29.27	768.8	25	...	N W	6	b
6 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
9 a.	30.16	766.0	40	91	N N W	2	o
,,	30.13	765.3	47	92	N N W	6	om
,,	30.03	762.7	53	80	E N E	4	f
6 a.	29.87	758.7	60	94	...	0	f
,,	...	...	...	...	...	...	...
5 a.	29.91	759.7	...	...	S	2	...
,,	29.92	759.9	...	...	S	2	...
,,	29.94	760.4	...	...	S	2	...
,,	29.92	759.9	...	...	N W	6	...
,,	29.92	760.0	...	...	S W	2	...
9 a.	29.91	759.7	67	100	S W	1	f
10 a.	29.94	760.5	72	92	W N W	1	o
,,	...	...	...	...	S	6	...
,,	29.93	769.2	...	...	S	2	...
,,	29.95	760.7	69	...	S	2	of
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
6 a.	29.96	760.9	68	...	S E	2	b
10 a.	29.96	761	81	62	W N W	1	b
6 a.	29.90	759.4	77	...	N E	2	o
9 a.	...	...	...	...	N N W	3	c
,,	29.91	759.7	78	...	N N E	2	o
,,	29.91	759.7	80	...	N	1	c
,,	29.90	759.4	82	...	...	...	...

26th at 12.20 p.—The barometer has fallen rapidly over S. Japan and the Loochoos, and risen quickly na.

epression lying near the mouth of the Yangtze yesterday, has reached W. Japan.

ure is still low but increasing over the S. coast of China.

ure is high apparently, over China to the North of the Yangtze valley.

monsoon is expected to set in again over the Formosa Channel and the northern shores of the China Sea ow.

kong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ng and Neighbourhood, ...	Winds probably shifting to N. or N.E. and freshening; squally, rainy, temperature falling.
e Channel, ...	N.E. winds, strong.
coast of China between Hongkong and Lamocks,.	Same as No. 1.
oast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

gkong Observatory, Saturday, 26th February, 1910.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th February, 1910, P.M.								27th February, 1910, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.91	759.6	23	...	N W	3	b	7 a.	30.12	765.0	−2	42	N	0
Nemuro,	,,	29.89	759.1	...	...	E	8	...	6 a.	29.26	743.1	...	...	S W	4
Hakodate,	,,	29.54	750.2	...	...	S E	10	...	,,	29.54	750.2	...	...	N W	10
Tokio,	,,	29.55	750.6	...	...	N	4	...	,,	29.67	753.6	...	...	N	8
Kochi,	,,	29.64	752.8	...	...	W	2	...	,,	29.91	759.8	...	...	N	6
Nagasaki,	,,	29.83	757.8	...	...	N	6	...	,,	30.03	762.8	...	...	N	4
Kagoshima,	,,	29.80	756.9	...	...	...	0	...	,,	30.00	761.9	...	...	N	4
Oshima,	,,	...	...	...	...	...	...	...	,,	29.93	760.1	...	...	N	6
Naha,	,,	29.89	759.2	...	...	N	4	...	,,	29.97	761.2	...	...	N E	2
Ishigakijima,	,,	29.89	759.3	...	...	N E	6	...	,,	29.93	760.3	...	...	N	6
Bonin Is.	,,	29.81	757.1	...	...	S	4	...	,,	29.85	758.1	...	...	S W	6
Chefoo,	4 p.	30.30	769.6	26	100	N W	4	b	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	30.27	768.8	28	...	N	5	c	9 a.	30.23	767.8	30	...	N	1
Hankow,	,,	30.38	771.6	48	49	N E	2	o	6 a.	...	...	...	...	...	...
Kiukiang,	,,	30.19	766.8	42	84	N E	3	o	,,	30.22	767.6	36	100	N E	0
Shanghai,	,,	30.17	766.3	41	66	N N E	3	o	9 a.	30.18	766.6	38	81	N N E	2
Gutzlaff,	,,	30.22	767.6	42	66	N	6	om	,,	30.14	765.5	40	81	N	4
Sharp Peak,	,,	30.02	762.5	52	73	N E	5	o	,,	30.11	764.8	50	86	E	1
Amoy,	,,	29.92	759.9	59	94	N E	4	o	6 a.	29.97	761.2	53	80	N	2
Swatow,	,,	29.83	757.7	74	95	S S W	1	c	,,	29.94	760.5	55	94	E	1
Taihoku,	1 p.	29.96	761.0	...	...	E	6	...	5 a.	29.99	761.8	...	...	E	6
Taichu,	,,	29.93	760.2	...	...	N W	2	...	,,	29.97	761.1	...	...	N	2
Tainan,	,,	29.95	760.8	...	...	W	2	...	,,	29.96	760.9	...	...	N	6
Koshun,	,,	29.92	759.9	...	...	W	8	...	,,	...	...	...	...	...	...
Pescadores,	,,	29.94	760.4	...	...	W	4	...	,,	29.97	761.3	...	...	E	10
Canton,	3 p.	29.81	757.2	74	90	S	1	b	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	29.85	758.2	71	96	N W	1	of	10 a.	29.97	761.2	59	96	E	5
Victoria Peak,	,,	...	...	...	...	S	2	...	,,	...	...	...	...	...	...
Gap Rock,	,,	29.82	757.4	...	...	S S E	3	...	,,	...	...	...	...	...	...
Macao,	,,	29.84	757.9	70	...	S	1	of	,,	29.95	760.7	62	...	S	2
Wuchow,	3 p.	29.91	759.7	59	...	N	3	o	9 a.	29.95	760.7	57	...	E	1
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.81	757.2	75	86	N	1	b	,,	...	...	...	...	...	...
Phulien,	4 p.	29.74	755.4	72	...	S E	4	or	8 a.	29.84	757.9	70	...	S S E	4
Tourane,	,,	29.76	755.8	82	...	S S E	1	c	,,	29.84	757.9	77	...	S S W	3
Cape St. James,	,,	29.82	757.3	84	...	S E	3	c	,,	29.91	759.8	81	...	E N E	2
Aparri,	2 p.	29.89	759.3	82	...	N E	2	b	6 a.	29.93	760.3	68	...	W	2
Manila,	4 p.	29.84	758	88	54	E S E	2	b	10 a.	29.92	760	82	70	S	1
Legaspi,	2 p.	29.87	758.7	84	...	E	2	o	6 a.	29.89	759.2	77	...	N E	2
Bacolod,	3 p.	...	...	...	...	E N E	1	o	9 a.	...	...	...	...	E N E	2
Iloilo,	,,	29.85	758.2	83	...	N E	1	o	,,	29.91	759.7	80	...	N E	1
Cebu,	,,	29.83	757.7	83	...	N	2	b	,,	29.90	759.4	81	...	N	1
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	29.88	758.9	84	...	...	...

On the 27th at 11.55 a.—The barometer has fallen rapidly in N.E. Japan owing to the depression whi moving towards N.E. over Hokkaido.

The barometer has risen considerably in W. Japan, and a slight rise has taken place over S. China.

Pressure remains low with a tendency to give way over Tongking. It is highest over N. China.

Strong N.E. and E. winds may be expected in the Formosa Channel and along the northern shores of the Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds strong; squally, drizzling rain.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 27th February, 1910.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

27TH FEBRUARY, 1910, P.M.

	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...	2 p.	30.09	764.2	6	...	N	2	b
...	,,	29.18	741.1	...	...	W	6	...
...	,,	29.57	751.2	...	...	W	10	...
...	,,	29.75	755.6	...	...	N W	8	...
...	,,	29.91	759.8	...	...	N	8	...
...	,,	29.95	760.8	...	...	E	6	...
...	,,	29.92	759.9	...	...	W	4	...
...	,,	29.93	760.1	...	...	...	0	...
...	,,	29.93	760.2	...	...	N	4	...
...	,,	29.93	760.3	...	...	N E	6	...
...	,,	29.81	757.1	...	...	N W	6	...
...	4 p.	30.18	766.6	34	100	N E	1	b
...	,,	30.16	766.0	34	...	...	...	c
...	,,	30.23	767.8	40	82	N E	1	o
...	,,	30.16	766.0	38	91	N N E	3	o
...	,,	30.11	764.8	37	91	N N E	2	om
...	,,	30.07	763.8	38	91	N N E	5	ov
...	,,	29.97	761.2	51	93	E	1	or
...	,,	29.91	759.7	56	80	N E	1	o
...	,,	29.82	757.4	68	95	S W	1	o
...	1 p.	29.92	759.9	...	...	E	6	...
...	,,	29.91	759.8	...	...	N	2	...
...	,,	29.94	760.5	...	...	N W	4	...
...	,,	29.92	760.0	...	...	N W	4	...
...	,,	29.96	761.1	...	...	N E	8	...
...	3 p.	29.81	757.2	68	95	S W	1	o
...	4 p.	29.85	758.2	59	96	E	5	of
...	,,	...	...	...	...	S E	5	...
...	,,	29.83	757.7	...	...	E	5	...
...	,,	29.85	758.2	62	...	S	2	of
...	3 p.	29.86	758.4	61	...	N	1	o
...	,,	...	...	...	...	...	...	...
...	,,	...	...	75	90	S	1	c
...	4 p.	29.70	754.5	70	...	S E	3	f
...	,,	29.72	755.0	81	...	S S E	2	c
...	,,	29.79	756.6	86	...	S	2	c
...	2 p.	29.83	757.8	82	...	N E	2	b
...	4 p.	29.80	757	88	54	S E	3	c
...	2 p.	29.85	758.1	88	...	E	2	b
...	3 p.	...	...	...	...	N E	3	c
...	,,	29.81	757.2	83	...	N N E	1	c
...	,,	29.82	757.4	83	...	N	2	o
...	,,	29.92	754.9	86	...	...	...	...

28TH FEBRUARY, 1910, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.17	766.3	−2	56	N W	0	b
6 a.	29.34	745.1	...	...	N	10	...
,,	29.73	755.2	...	...	W	10	...
,,	29.91	759.6	...	...	N	8	...
,,	29.99	761.8	...	...	S	2	...
,,	29.95	760.8	...	...	N E	8	...
,,	29.96	760.9	...	...	N	2	...
,,	29.93	760.1	...	...	S	2	...
,,	29.89	759.2	...	...	N E	4	...
,,	29.89	759.3	...	...	N	4	...
,,	29.85	758.1	...	...	...	0	...
6 a.	30.20	767.1	25	100	...	0	o
9 a.	30.22	767.6	33	...	...	...	c
6 a.	30.45	773.4	34	90	S W	1	b
,,	30.22	767.6	34	100	...	0	o
9 a.	30.22	767.6	39	73	N N W	2	o
,,	30.16	766.0	41	82	N	5	ov
,,	30.11	764.8	50	86	E N E	3	o
6 a.	29.98	761.5	53	86	N E	1	o
,,	29.93	760.2	54	94	N E	3	o
5 a.	29.98	761.4	...	...	E	4	...
,,	29.95	760.8	...	...	N E	2	...
,,	29.95	760.7	...	...	N E	2	...
,,	29.91	759.6	...	...	N	4	...
,,	29.97	761.2	...	...	E	8	...
9 a.	30.02	762.5	52	79	N	2	o
10 a.	29.98	761.5	59	97	E	4	od
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	30.00	762.0	57	...	N	3	od
9 a.	30.10	764.5	51	73	N	2	o
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.87	758.7	66	...	E	3	dh
,,	29.81	757.2	79	...	S W	3	b
,,	29.87	758.6	81	...	S W	1	c
6 a.	29.88	758.8	73	...	S	2	b
10 a.	29.88	759	86	53	...	0	o
6 a.	29.86	758.4	77	...	N E	2	c
9 a.	...	...	...	...	E N E	2	o
,,	29.87	758.7	80	...	N N E	3	o
,,	29.89	759.2	81	...	N	1	c
,,	29.82	757.4	81	...	...	...	...

28th at 12.10 p.—The depression is moving away over the Pacific to the N.E. of Japan.
rometer is rising over E. Japan, while it is inclined to fall over S.W. Japan, the Loochoos and the Phi-
It has risen slightly over S. China.
re remains low over Annam. It is highest over China to the North of the Yangtze valley.
to strong monsoon may be expected in the Formosa Channel and along the northern shores of the China

ong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ng and Neighbourhood, ...	N.E. winds, fresh; rainy.
Channel, ...	N.E. winds, fresh to strong.
oast of China between Hongkong and Lamocks,.	Same as No. 1.
oast of China between Hongkong and Hainan,...	E. winds, fresh.

F. G. FIGG,
Director.

kong Observatory, Monday, 28th February, 1910.

y NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	28th February, 1910, P.M.								1st March, 1910, A.M.					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.
Wladivostock,	2 p.	30.14	765.6	14	...	N	6	b	7 a.	30.20	767.0	−1	56	N
Nemuro,	,,	29.57	751.1	...	...	W	10	...	6 a.	29.65	753.1	...	...	N W
Hakodate,	,,	29.77	756.2	...	...	N W	4	...	,,	29.85	758.2	...	...	N W
Tokio,	,,	29.87	758.6	...	...	N W	6	...	,,	29.99	761.6	...	...	N
Kochi,	,,	29.91	759.8	...	...	N E	4	...	,,	30.07	763.8	...	...	S
Nagasaki,	,,	29.95	760.8	...	...	N E	4	...	,,	30.07	763.8	...	...	N E
Kagoshima,	,,	29.96	760.9	...	...	N E	6	...	,,	30.08	763.9	...	...	N
Oshima,	,,	...	...	...	...	...	...	...	,,	29.97	761.1	...	...	...
Naha,	,,	29.93	760.2	...	...	N	6	...	,,	30.01	762.2	...	...	N
Ishigakijima,	,,	29.93	760.3	...	...	N E	8	...	,,	30.01	762.3	...	...	N
Bonin Is.	,,	29.81	757.1	...	...	W	2	...	,,	29.85	758.1	...	...	...
Chefoo,	4 p.	30.13	766.6	38	100	E	1	b	6 a.	30.19	766.8	33	100	...
Weihaiwei,	,,	30.21	767.3	35	...	N	1	c	9 a.	30.19	766.8	38	...	S W
Hankow,	,,	30.22	767.6	45	61	E	1	b	6 a.	...	...	...	...	...
Kiukiang,	,,	30.21	767.3	43	75	N E	1	o	,,	30.26	768.6	34	100	...
Shanghai,	,,	30.15	765.8	44	53	N	2	o	9 a.	30.29	769.3	43	67	N N E
Gutzlaff,	,,	30.15	765.8	42	91	N	4	ov	,,	30.25	768.3	44	84	N
Sharp Peak,	,,	30.03	762.7	50	65	E N E	6	f	,,	30.24	768.1	48	85	E
Amoy,	,,	29.97	761.2	56	81	E	2	o	6 a.	30.12	765.0	48	85	N E
Swatow,	,,	29.92	759.9	59	76	E	1	o	,,	30.05	763.2	56	87	N E
Taihoku,	1 p.	30.00	762.1	...	...	E	6	...	5 a.	30.11	764.8	...	...	E
Taichu,	,,	29.91	759.7	...	...	N	4	...	,,	30.04	763.0	...	...	N
Tainan,	,,	29.91	759.8	...	...	N	6	...	,,	30.04	762.9	...	...	N
Koshun	,,	29.92	759.9	...	...	S	2	...	,,	30.08	763.9	...	...	N W
Pescadores,	,,	29.96	761.1	...	...	N E	10	...	,,	30.06	763.5	...	...	E
Canton,	3 p.	29.96	761.0	51	93	N N E	2	or	9 a.	30.12	765.0	47	93	N N E
Hongkong,	4 p.	29.91	759.7	58	94	E S E	2	o	10 a.	30.08	764.0	55	80	E
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	N E
Gap Rock,	,,	29.87	758.7	...	...	N E	4	...	,,	30.04	763.0	...	...	E N E
Macao,	,,	29.93	760.2	55	...	N	2	odf	,,	30.10	764.5	51	...	N
Wuchow,	3 p.	30.02	762.5	53	67	N	3	o	9 a.	30.13	765.3	39	...	N
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi,	,,	29.92	759.9	56	75	W	3	o	,,	...	...	...	...	...
Phulien,	4 p.	29.81	757.2	66	...	S E	2	o	8 a.	30.02	762.4	59	...	E N E
Tourane,	,,	29.75	755.6	81	...	...	0	o	,,	29.91	759.7	72	...	N W
Cape St. James,	,,	29.76	755.9	86	...	S	2	c	,,	29.88	758.8	81	...	E N E
Aparri,	2 p.	29.84	758.0	...	...	E	2	b	6 a.	29.90	759.4	73	...	S
Manila,	4 p.	29.80	757	86	59	E S E	2	o	10 a.	29.92	760	84	52	N E
Legaspi,	2 p.	29.83	757.7	86	...	E	2	c	6 a.	29.83	758.8	77	...	N E
Bacolod,	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	N E
Iloilo,	,,	29.81	757.2	83	...	N E	1	c	,,	29.91	759.7	79	...	N E
Cebu,	,,	29.82	757.4	83	...	N	1	o	,,	29.90	759.4	82	...	N
Labuan,	,,	29.74	755.4	86	...	...	...	...	,,	29.85	758.2	80	...	...

On the 1st at 11.55 a.—The barometer has fallen slightly on the N.E. coast of China, and risen elsewhere cularly over Japan and S. China.

Pressure is highest over the Yangtze valley. It is still low over the Pacific to the N.E. of Japan, and neighbourhood of the Bonins.

Fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh ; drizzling rain or mist.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

Hongkong Observatory, Tuesday, 1st March, 1910.

F. G. FIGG,
Director.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

	1st MARCH, 1910, P.M.								2nd MARCH, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
k,...	2 p.	30.14	765.6	17	...	N E	2	b	7 a.	30.05	763.3	5-	52	N E	0	b
.....	,,	29.65	753.1	...	...	N W	8	...	6 a.	29.65	753.1	...	...	W	6	...
.....	,,	29.85	758.2	...	...	W	8	...	,,	29.85	758.2	...	...	W	4	...
.....	,,	29.94	760.6	...	...	N W	6	...	,,	30.06	763.6	...	...	...	0	...
.....	,,	30.07	763.8	...	...	N	8	...	,,	30.15	765.8	...	...	S	2	...
.....	,,	30.07	763.8	...	...	N	6	...	,,	30.15	765.8	...	...	N E	2	...
.....	,,	30.11	764.9	...	...	N	6	...	,,	30.15	765.9	...	...	N	4	...
.....	,,	30.12	765.1	...	...	...	0	...	,,	30.01	762.1	...	...	...	0	...
.....	,,	30.01	762.2	...	...	N	4	...	,,	29.93	760.2	...	...	S E	2	...
a,....	,,	30.01	762.3	...	...	N	6	...	,,	29.93	760.3	...	...	...	0	...
.....	,,	30.00	762.1	...	...	N	4	...	,,	29.97	761.1	...	...	N	2	...
.....	4 p.	30.09	764.3	52	93	W S W	3	b	6 a.	...	...	...	...	...	...	...
.....	,,	30.10	764.5	44	...	S W	3	c	9 a.	30.30	769.6	33	...	N N W	3	b
.....	,,	30.22	767.6	50	65	S E	1	c	6 a.	...	...	...	...	...	...	...
.....	,,	30.13	765.3	50	65	N E	2	c	,,	30.20	767.1	42	100	N E	2	or
.....	,,	30.20	767.1	49	50	E N E	2	c	9 a.	30.19	766.8	42	75	N N E	2	od
.....	,,	30.17	766.3	48	71	N	2	bv	,,	30.15	765.8	44	84	N N E	4	om
.....	,,	30.12	765.0	48	85	E N E	2	o	,,	30.05	763.2	47	93	E	1	or
.....	,,	30.08	764.0	56	75	E	2	o	6 a.	30.01	762.2	53	86	N E	1	o
.....	,,	30.01	762.2	57	81	N E	1	o	,,	29.93	760.2	55	94	N E	1	c
.....	1 p.	30.08	764.1	...	...	E	6	...	5 a.	29.96	760.9	...	...	E	4	...
.....	,,	30.00	762.0	...	...	N	2	...	,,	29.97	761.3	...	...	N	2	...
.....	,,	29.99	761.8	...	...	N	4	...	,,	29.99	761.8	...	...	N	2	...
.....	,,	29.98	761.6	...	...	N E	10	...	,,	29.94	760.5	...	...	N E	6	...
.....	,,	30.02	762.5	...	...	N E	10	...	,,	29.97	761.3	...	...	N E	8	...
.....	3 p.	30.00	762.0	50	86	N	1	o	9 a.	...	...	...	...	...	...	...
.....	4 p.	29.96	761.0	56	85	E N E	3	o	10 a.	29.99	761.7	58	92	N	1	od
,....	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	3	...
.....	,,	29.92	759.9	...	...	E	5	...	,,	29.96	761.0	...	...	N N E	4	...
.....	,,	29.98	761.5	53	...	N	2	o	,,	30.01	762.2	51	...	N	3	odf
.....	3 p.	30.04	763.0	52	...	N	2	o	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.96	761.0	55	87	N	2	dh	,,	...	...	...	...	...	...	...
.....	4 p.	29.89	759.2	63	...	E	1	o	8 a.	29.96	761.0	57	...	N N E	1	or
.....	,,	29.82	757.3	70	...	N W	4	o	,,	29.89	759.3	68	...	N W	2	dh
es,.	,,	29.76	756.0	84	...	E	3	c	,,	29.84	757.9	79	...	E N E	5	c
.....	2 p.	29.85	758.1	79	...	S W	2	b	6 a.	29.89	759.2	73	...	S	2	b
.....	4 p.	29.80	757	88	36	S E	5	c	10 a.	29.88	759	82	57	W S W	1	b
.....	2 p.	29.85	758.2	88	...	E	2	b	6 a.	29.85	758.2	75	...	N E	2	o
.....	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	N E	2	o
.....	,,	29.81	757.2	84	...	N N E	2	c	,,	29.87	758.7	80	...	N N E	2	c
.....	,,	29.83	757.7	83	...	N	2	c	,,	29.86	758.4	81	...	N	1	c
.....	,,	29.74	755.4	86	...	...	...	...	,,	29.83	757.7	82	...	...	...	...

e 2nd at 12.15 p.—The barometer has risen moderately to slightly over the N.E. coast of China, S. Japan onins. It has fallen moderately over the N. part of the Sea of Japan, the Loochoos and S. China.
ght depression appears to be moving Eastwards over N. Manchuria, and pressure is low also over the N. e China Sea and the Pacific towards the S. Loochoos.
sure is highest over N. China.
h N. and N.E. winds may be expected in the Formosa Channel and along the northern shores of the China

kong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

ORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	N. and N.E. winds, fresh; drizzling rain.
a Channel, ...	N.E. winds, fresh,
coast of China between Hongkong and Lamocks,.	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Wednesday, 2nd March 1910.

by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	2nd March, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	3rd March, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.98	761.6	21	...	N	2	b	7 a.	29.93	760.1	8	60	N W	
Nemuro,	,,	29.65	753.1	...	...	N	2	...	6 a.	29.65	753.1	...	...	S W	
Hakodate,	,,	29.81	757.2	...	...	N W	6	...	,,	29.77	756.2	...	...	...	
Tokio,	,,	29.94	760.6	...	...	S	4	...	,,	29.79	756.6	...	...	N W	
Kochi,	,,	30.03	762.8	...	...	S E	2	...	,,	29.88	758.8	...	...	S W	
Nagasaki,	,,	30.07	763.8	...	...	N W	4	...	,,	29.99	761.8	...	...	N W	
Kagoshima,	,,	30.07	763.9	...	...	N W	6	...	,,	29.96	760.9	...	...	N	
Oshima,	,,	29.89	759.1	...	...	S E	4	...	,,	29.89	759.1	...	...	N	
Naha,	,,	29.81	757.2	...	...	W	4	...	,,	29.85	758.2	...	...	N	
Ishigakijima,	,,	29.85	758.3	...	...	S	6	...	,,	29.86	758.3	...	...	N	
Bonin Is.	,,	29.96	761.1	...	...	N E	4	...	,,	29.73	755.1	...	...	S	
Chefoo,	4 p.	30.24	768.1	35	100	N E	1	b	6 a.	30.20	767.1	23	100	S W	
Weihaiwei,	,,	30.24	768.1	35	...	N N W	1	c	9 a.	30.14	765.5	36	...	W	
Hankow,	,,	30.22	767.6	53	54	N E	1	o	6 a.	...	...	...	...	...	
Kiukiang,	,,	30.17	766.3	47	77	N E	2	o	,,	...	...	...	...	...	
Shanghai,	,,	30.15	765.8	44	60	N N E	3	o	9 a.	30.29	769.3	41	66	N N E	
Gutzlaff,	,,	30.10	764.5	45	84	N N E	4	ov	,,	30.27	768.8	44	60	N N E	
Sharp Peak,	,,	29.97	761.2	49	100	...	0	o	,,	30.18	766.6	48	78	N E	
Amoy,	,,	29.95	760.7	55	81	E	1	o	6 a.	30.01	762.2	52	86	...	
Swatow,	,,	29.88	758.9	55	87	E	1	or	,,	29.94	760.5	55	94	N E	
Taihoku,	1 p.	29.95	760.7	...	...	N	4	...	5 a.	29.97	761.2	...	...	W	
Taichu,	,,	29.91	759.8	...	...	N	6	...	,,	29.94	760.5	...	...	N	
Tainan,	,,	29.93	760.2	...	...	N	6	...	,,	29.95	760.6	...	...	N	
Koshun	,,	29.88	759.0	...	...	N	4	...	,,	29.89	759.3	...	...	N	
Pescadores,	,,	29.94	760.6	...	...	E	8	...	,,	29.98	761.4	...	...	N E	
Canton,	3 p.	29.93	760.2	52	86	N E	2	or	9 a.	30.12	765.0	49	85	N E	
Hongkong,	4 p.	29.87	758.7	58	90	N	1	o	10 a.	30.08	764.0	55	62	N N E	
Victoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	N	
Gap Rock,	,,	29.85	758.2	...	...	N	5	...	,,	30.06	763.5	...	...	N E	
Macao,	,,	29.90	759.4	53	...	N	3	odf	,,	30.10	764.5	51	...	N	
Wuchow,	3 p.	30.03	762.7	49	...	N	1	o	9 a.	30.20	767.1	50	...	N	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Pakhoi,	,,	29.97	761.2	51	86	N	4	o	,,	...	...	...	...	...	
Phulien,	4 p.	29.85	758.2	61	...	N N E	2	o	8 a.	30.08	764.1	55	...	N E	
Tourane,	,,	29.80	756.9	70	...	N W	1	o	,,	29.98	761.4	68	...	N W	
Cape St. James,	,,	29.75	755.6	81	...	E N E	5	o	,,	...	...	...	...	...	
Aparri,	2 p.	29.79	756.7	84	...	N E	2	b	6 a.	29.88	758.8	70	...	S W	
Manila,	4 p.	29.76	756	86	59	S E	2	b	10 a.	29.88	759	86	58	N W	
Legaspi,	2 p.	29.80	757.0	79	...	N E	2	o	6 a.	29.85	758.2	70	...	...	
Bacolod,	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	N N W	
Iloilo,	,,	29.78	756.4	85	...	N E	3	c	,,	29.87	758.7	82	...	N E	
Cebu,	,,	29.78	756.4	84	...	N	2	c	,,	29.87	758.7	84	...	N	
Labuan,	,,	29.73	755.1	88	...	...	...	...	,,	29.89	759.2	76	...	...	

On the 3rd at 11.55 a.—The barometer has risen moderately over S. China, and fallen moderately to cons over the N.E. coast of China, Japan and the Bonins.

There are two depressions, one to the North of Japan, the other over the Pacific to the North of the They are moving Eastwards.

Pressure is highest over the Yangtze valley.

Fresh to strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, moderate or fresh; fair.
2.—Formosa Channel,	N.E. winds, fresh to strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG
Director.

Hongkong Observatory, Thursday, 3rd March, 1910.

[Printed by NORONHA & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

	3rd MARCH, 1910, P.M.								4th MARCH, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
,....	2 p.	29.86	758.5	21	...	N W	1	b	7 a.	29.90	759.4	3	62	...	0	b
....	,,	29.65	753.1	...	...	N W	6	...	6 a.	29.65	753.1	...	...	W	2	...
....	,,	29.77	756.2	...	...	N	6	...	,,	29.73	755.2	...	...	...	0	...
....	,,	29.75	755.6	...	...	N	4	...	,,	29.79	756.6	...	...	N	2	...
....	,,	29.80	756.8	...	...	E	2	...	,,	29.95	760.8	...	...	...	0	...
....	,,	29.95	760.8	...	...	N	8	...	,,	30.03	762.8	...	...	N	2	...
....	,,	29.92	759.9	...	...	N W	6	...	,,	30.04	762.9	...	...	N	2	...
....	,,	29.93	760.1	...	...	N	8	...	,,	30.04	763.1	...	...	N	8	...
....	,,	29.89	759.2	...	...	N	10	...	,,	30.05	763.2	...	...	N E	2	...
....	,,	29.93	760.3	...	...	N	8	...	,,	30.05	763.3	...	...	...	0	...
....	,,	29.65	753.1	...	...	N E	4	...	,,	29.73	755.1	...	...	N W	4	...
....	4 p.	30.07	763.8	33	100	N W	3	b	6 a.	30.20	767.1	20	70	N W	1	b
....	,,	30.07	763.8	36	...	N N E	2	c	9 a.	30.21	767.3	32	...	S W	2	c
....	,,	30.36	771.1	56	45	N E	1	b	6 a.	30.30	769.6	42	83	N W	1	c
....	,,	30.18	766.6	55	39	N E	1	b	,,	30.26	768.6	37	91	...	o	b
....	,,	30.19	766.8	50	32	N N W	2	b	9 a.	30.23	767.8	45	61	W	2	b
....	,,	30.20	767.1	48	49	N	2	bv	,,	30.20	767.1	46	62	W S W	3	bv
....	,,	30.11	764.8	48	78	E N E	2	o	,,	30.25	768.3	48	85	N	3	o
....	,,	29.99	761.7	56	94	E N E	2	b	6 a.	30.10	764.5	50	72	N E	4	b
....	,,	29.98	761.5	53	80	E	1	o	,,	...	...	55	87	N E	1	c
....	1 p.	30.07	763.7	...	...	E	6	...	5 a.	30.15	765.9	...	...	E	6	...
....	,,	29.94	760.6	...	...	N	6	...	,,	30.04	763.0	...	...	N	2	...
....	,,	29.96	761.1	...	...	N	6	...	,,	30.04	763.0	...	...	N	4	...
....	,,	29.93	760.2	...	...	N E	8	...	,,	30.00	762.0	...	...	N E	8	...
....	,,	30.01	762.2	...	...	N E	10	...	,,	30.06	763.6	...	...	N E	10	...
....	3 p.	30.05	763.2	52	73	N	2	o	9 a.	30.20	767.1	49	78	N	1	o
....	4 p.	30.01	762.2	55	65	N N E	1	o	10 a.	30.19	766.8	55	70	N N E	1	o
....	,,	...	...	...	...	N N W	2	...	,,	...	...	...	...	N E	2	...
....	,,	29.98	761.5	...	...	N E	4	...	,,	30.15	765.8	...	...	N N E	4	...
....	,,	30.03	762.7	52	...	N	3	o	,,	30.19	766.8	51	...	N	3	o
....	3 p.	30.09	764.3	...	...	S W	1	o	9 a.	...	...	...	...	...	...	...
....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
....	,,	30.02	762.5	62	67	N	1	b	,,	...	...	...	...	...	...	...
....	4 p.	29.98	761.4	66	...	S	2	o	8 a.	30.13	765.4	57	...	N E	5	o
....	,,	29.92	760.0	66	...	N W	5	o	,,	30.03	762.8	66	...	N W	2	o
es,.	,,	29.78	756.3	81	...	E	5	o	,,	29.89	759.3	81	...	N N E	2	c
....	2 p.	29.86	758.4	81	...	N	2	b	6 a.	29.93	760.1	75	...	E	2	c
....	4 p.	29.76	756	88	65	S W	1	c	10 a.	29.92	760	82	70	W	1	b
....	2 p.	29.82	757.4	86	...	E	2	b	6 a.	29.89	759.2	77	...	N E	2	b
....	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N W	2	o
....	,,	29.81	757.2	83	...	N E	2	b	,,	29.91	759.7	82	...	N N E	1	b
....	,,	29.80	756.9	85	...	N	1	c	,,	29.92	759.9	83	...	...	0	c
....	,,	29.76	755.9	86	...	...	...	...	,,	29.89	759.2	79	...	...	...	...

e 3rd at 11.55 a.—The depressions lying to the North of Japan and in the neighbourhood of the Bonins are moving away over the Pacific.

arometer has risen moderately over S.W. Japan, the Loochoos and S. China. It has fallen slightly on the f China.

ure is highest over the Yangtze valley.

h to strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	N. to N.E. winds, moderate; fair.
a Channel, ...	N.E. winds, fresh.
coast of China between Hongkong and Lamocks,.	Same as No. 2.
coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

gkong Observatory, Friday, 4th March, 1910.

by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	4th March, 1910, P.M.								5th March, 1910, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.84	757.9	21	...	N	1	b	7 a.	29.82	757.5	8	70	...	[illegible]
Nemuro,	,,	29.53	750.1	...	...	E	2	...	6 a.	29.49	749.1	...	...	W	[illegible]
Hakodate,	,,	29.61	752.2	...	...	N W	6	...	,,	29.53	751.2	...	...	W	[illegible]
Tokio,	,,	29.67	753.6	...	...	E	...	...	,,	29.79	756.6	...	...	...	[illegible]
Kochi,	,,	29.83	757.8	...	...	W	6	...	,,	29.99	761.8	...	...	...	[illegible]
Nagasaki,	,,	30.03	762.8	...	...	N	8	...	,,	30.11	764.8	...	...	N	[illegible]
Kagoshima,	,,	30.04	762.9	...	...	N W	8	...	,,	30.12	764.9	...	...	N	[illegible]
Oshima,	,,	30.08	764.1	...	...	N	6	...	,,	30.12	765.1	...	...	N	[illegible]
Naha,	,,	30.09	764.2	...	...	N	8	...	,,	30.13	765.2	...	...	E	[illegible]
Ishigakijima,	,,	30.09	764.3	...	...	N E	6	...	,,	30.05	763.3	...	...	E	[illegible]
Bonin Is.	,,	29.77	756.1	...	...	N W	6	...	,,	29.97	761.1	...	...	N	[illegible]
Chefoo,	4 p.	30.17	766.3	25	100	N N W	1	b	6 a.	30.22	765.0	28	100	S W	[illegible]
Weihaiwei,	,,	30.17	766.3	33	...	N N E	1	b	9 a.	30.14	765.5	32	...	N	[illegible]
Hankow,	,,	30.30	769.6	58	94	E	1	b	6 a.	30.27	768.8	44	76	N W	[illegible]
Kiukiang,	,,	30.15	765.8	61	45	...	0	b	,,	30.22	767.6	40	82	...	[illegible]
Shanghai,	,,	30.16	766.0	50	58	E N E	3	b	9 a.	30.19	766.8	47	70	S S E	[illegible]
Gutzlaff,	,,	30.14	765.5	45	68	N E	2	bv	,,	30.17	766.3	48	100	S E	[illegible]
Sharp Peak,	,,	30.15	765.8	50	93	N E	1	c	,,	30.27	768.8	50	93	N	[illegible]
Amoy,	,,	30.10	764.5	58	58	E	2	o	6 a.	30.11	764.8	50	86	E N E	[illegible]
Swatow,	,,	30.04	763.0	59	59	E	1	c	,,	...	...	54	94	N E	[illegible]
Taihoku,	1 p.	30.13	765.3	...	...	E	6	...	5 a.	30.15	765.7	...	...	E	[illegible]
Taichu,	,,	30.04	762.9	...	...	N	2	...	,,	30.10	764.6	...	...	N E	[illegible]
Tainan,	,,	30.06	763.6	...	...	N	4	...	,,	30.05	763.3	...	...	N	[illegible]
Koshun,	,,	30.04	763.1	...	...	N E	8	...	,,	30.06	763.4	...	...	...	[illegible]
Pescadores,	,,	30.09	764.2	...	...	N E	10	...	,,	30.11	764.8	...	...	...	[illegible]
Canton,	3 p.	30.06	763.5	66	69	N N W	1	c	9 a.	30.18	766.6	54	87	N	[illegible]
Hongkong,	4 p.	30.04	763.0	57	73	E	2	o	10 a.	30.17	766.3	56	80	E	[illegible]
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E N E	[illegible]
Gap Rock,	,,	30.02	762.5	...	...	N E	4	...	,,	30.13	765.3	...	...	E N E	[illegible]
Macao,	,,	30.06	763.5	56	...	N	1	o	,,	30.18	766.6	55	...	N	[illegible]
Wuchow,	3 p.	30.08	764.0	64	...	E	1	b	9 a.	30.22	767.6	56	...	E	[illegible]
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	[illegible]
Pakhoi,	,,	30.06	763.5	62	67	S S E	1	o	,,	...	...	...	...	...	[illegible]
Phulien,	4 p.	30.01	762.2	61	...	E S E	3	o	8 a.	30.13	765.4	55	...	N E	[illegible]
Tourane,	,,	29.94	760.5	75	...	N W	3	o	,,	30.03	762.7	68	...	W N W	[illegible]
Cape St. James,	,,	29.78	756.5	81	...	E N E	6	c	,,	29.92	759.9	79	...	N E	[illegible]
Aparri,	2 p.	29.91	759.6	79	...	N E	2	o	6 a.	29.95	760.8	72	...	S W	[illegible]
Manila,	4 p.	29.80	757	82	70	E N E	2	d	10 a.	29.96	761	82	70	W S W	[illegible]
Legaspi,	2 p.	29.84	757.9	86	...	E	2	b	6 a.	29.89	759.1	79	...	E	[illegible]
Bacolod,	3 p.	...	...	...	...	N N E	3	c	9 a.	...	...	...	...	N W	[illegible]
Iloilo,	,,	29.81	757.2	87	...	E	2	b	,,	29.91	759.7	81	...	N W	[illegible]
Cebu,	,,	29.82	757.4	86	...	N	2	b	,,	29.93	760.2	84	...	S	[illegible]
Labuan,	,,	29.76	755.9	87	...	...	...	...	,,	29.89	759.2	83	...	...	[illegible]

On the 5th at 12.05 p.—The depression is still shown over the Pacific to the N.E. of Japan.

The barometer has risen considerably at the Bonins, and a slight rise has taken place over S.W. Japan Loochoos.

Pressure is inclined to give way over China, particularly in the North. It is highest over S. China.

Moderate monsoon may be expected in the Formosa Channel and fresh monsoon over the N. part of Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; some rain.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FI[illegible]
Directo[illegible]

Hongkong Observatory, Saturday, 5th March, 1910.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

5TH MARCH, 1910, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	29.78	756.3	23	...	N W	0	b
,,	...	...	...	...	N W	4	...
,,	29.69	754.2	...	...	N W	8	...
,,	29.79	756.6	...	...	...	0	...
,,	29.95	760.8	...	...	N W	6	...
,,	30.11	764.8	...	...	N W	6	...
,,	30.11	764.9	...	...	W	8	...
,,	30.12	765.1	...	...	N	8	...
,,	30.13	765.2	...	...	N E	6	...
,,	30.05	763.3	...	...	N E	6	...
,,	29.93	760.1	...	...	N W	6	...
4 p.	30.15	765.8	...	...	N W	3	b
,,	30.12	765.0	32	...	N W	4	b
,,	...	...	...	...	...	...	...
,,	30.16	766.0	58	49	W	1	c
,,	30.06	763.5	59	33	W N W	3	o
,,	30.08	764.0	51	93	S	3	ov
,,	30.11	764.8	53	93	E	1	c
,,	30.07	763.8	64	58	E N E	2	b
,,	30.03	762.7	59	65	N E	1	c
1 p.	30.11	764.8	...	...	E	6	...
,,	30.04	763.1	...	...	N	2	...
,,	30.06	763.5	...	...	N	4	...
,,	30.03	762.8	...	...	W	4	...
,,	30.10	764.4	...	...	N E	8	...
3 p.	30.08	764.0	56	69	N	1	o
4 p.	30.06	763.5	55	79	E S E	1	o
,,	...	...	...	...	N	4	...
,,	30.05	763.2	...	...	N E	5	...
,,	30.07	763.8	53	...	N	1	o
3 p.	30.13	765.3	61	...	N E	1	o
,,	...	...	...	...	...	...	...
,,	30.07	763.8	59	94	N N E	2	o
4 p.	30.04	762.9	61	...	N	0	o
,,	29.93	760.3	70	...	N W	3	o
,,	29.80	756.9	81	...	E N E	6	o
2 p.	29.94	760.5	75	...	N E	2	o
4 p.	29.80	757	86	65	W S W	1	c
2 p.	29.85	758.3	86	...	E	2	b
3 p.	...	...	...	...	N N E	3	o
,,	29.83	757.7	86	...	N E	1	b
,,	29.84	757.9	86	...	N	1	b
,,	29.77	756.1	85	...	...	...	...

6TH MARCH, 1910, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	29.76	755.9	12	65	N E	0	o
6 a.	...	...	...	...	S W	6	...
,,	29.62	752.2	...	...	W	6	...
,,	29.87	758.6	...	...	N W	2	...
,,	30.03	762.8	...	...	S W	2	...
,,	29.99	761.8	...	...	W	10	...
,,	30.08	763.9	...	...	S	2	...
,,	30.16	766.1	...	...	S	2	...
,,	30.17	766.2	...	...	E	2	...
,,	30.09	764.3	...	...	N E	8	...
,,	30.01	762.1	...	...	N	4	...
6 a.	30.24	768.1	25	100	S W	1	b
9 a.	30.26	768.6	33	...	W	4	c
6 a.	30.40	772.1	42	58	N W	2	b
,,	30.38	771.6	42	53	N E	2	o
9 a.	30.39	771.9	49	48	N N W	2	b
,,	30.35	770.9	45	92	N W	3	cv
,,	30.26	768.6	52	...	...	0	b
6 a.	30.16	766.0	54	74	...	0	c
,,	...	...	55	94	N	1	c
5 a.	30.13	765.3	...	...	E	4	...
,,	30.09	764.3	...	...	...	0	...
,,	30.09	764.2	...	...	N	2	...
,,	30.07	763.8	...	...	N E	4	...
,,	30.10	764.6	...	...	N E	8	...
9 a.	30.20	767.1	56	63	N E	1	c
10 a.	30.18	766.6	59	71	E	3	o
,,	...	...	...	...	E	3	...
,,	30.14	765.5	...	...	E N E	5	...
,,	30.20	767.1	57	...	N	2	o
9 a.	30.27	768.8	55	...	E	1	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.14	765.6	57	...	N N E	2	o
,,	30.05	763.2	68	...	N W	3	c
,,	29.90	759.5	81	...	E N E	6	c
6 a.	30.01	762.1	73	...	N E	2	o
10 a.	29.96	761	84	71	...	0	c
6 a.	29.90	759.5	73	...	...	0	c
9 a.	...	...	...	...	W S W	1	o
,,	29.93	760.2	81	...	N E	1	b
,,	29.93	760.2	83	...	N	1	b
,,	29.92	759.9	83	...	...	...	...

6th at 12.10 p.—The barometer has risen considerably over N. China, and fallen slightly over the W. Sea of Japan.

ressure remains low to the North of Japan, and a "high" area occupies the Yangtze valley.

to strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

kong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
g and Neighbourhood, ...	N.E. winds, fresh; fair.
Channel, ...	N.E. winds, fresh to strong.
oast of China between Hongkong and Lamocks,.	Same as No. 1.
oast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

gkong Observatory, Sunday, 6th March, 1910.

y NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	6th March, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	7th March, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,	2 p.	29.65	753.2	28	...	...	0	o	7 a.	29.73	755.1	19	51	...
Nemuro,	,,	29.49	749.1	...	...	S	8	...	6 a.	29.73	755.1	...	...	W
Hakodate,	,,	29.61	752.2	...	...	W	6	...	,,	29.69	754.2	...	...	...
Tokio,	,,	29.67	753.6	...	...	S W	6	...	,,	29.91	759.6	...	...	S W
Kochi,	,,	29.87	758.8	...	...	W	6	...	,,	30.07	763.8	...	...	S
Nagasaki,	,,	30.11	764.8	...	...	N W	10	...	,,	30.15	765.8	...	...	N
Kagoshima,	,,	30.04	762.9	...	...	N W	8	...	,,	30.15	765.9	...	...	N
Oshima,	,,	30.12	765.1	...	...	N	4	...	,,	30.12	765.1	...	...	W
Naha,	,,	30.13	765.2	...	...	N	6	...	,,	30.17	766.2	...	...	N
Ishigakijima,	,,	30.09	764.3	...	...	N E	6	...	,,	30.13	765.3	...	...	N
Bonin Is.	,,	30.00	762.1	...	...	N	4	...	,,	30.01	762.1	...	...	N W
Chefoo,	4 p.	30.22	767.6	36	100	N N E	1	b	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.30	769.6	37	...	N N W	1	b	9 a.	30.21	767.3	35	...	N W
Hankow,	,,	30.34	770.6	54	94	N E	1	c	6 a.	30.33	770.4	42	83	W
Kiukiang,	,,	30.29	769.3	55	34	E	1	c	,,	30.29	769.3	37	91	W
Shanghai,	,,	30.29	769.3	48	29	N N E	3	b	9 a.	30.30	769.6	46	47	S
Gutzlaff,	,,	30.28	769.1	47	85	N	3	cv	,,	30.29	769.3	45	100	S S W
Sharp Peak,	,,	...	...	51	66	N E	5	b	,,	30.28	769.1	49	93	N E
Amoy,	,,	30.11	764.8	59	88	N N E	2	b	6 a.	30.16	766.0	50	72	N E
Swatow,	,,	30.13	765.3	65	53	E S E	1	b	,,	30.14	765.5	53	93	N E
Taihoku,	1 p.	30.15	765.7	...	...	E	4	...	5 a.	30.17	766.4	...	...	E
Taichu,	,,	30.04	763.0	...	...	W	2	...	,,	30.10	764.6	...	...	N
Tainan,	,,	30.07	763.8	...	...	N	6	...	,,	30.10	764.6	...	...	N
Koshun,	,,	30.04	763.1	...	...	N	6	...	,,	30.08	764.0	...	...	N
Pescadores,	,,	30.10	764.6	...	...	N E	10	...	,,	30.12	765.1	...	...	N E
Canton,	3 p.	30.12	765.0	58	53	N E	1	c	9 a.	...	...	...	...	...
Hongkong,	4 p.	30.09	764.3	63	58	N N E	1	o	10 a.	30.21	767.3	59	71	E
Victoria Peak,	,,	...	...	...	...	N E	1	...	,,	...	...	...	...	E
Gap Rock,	,,	30.07	763.8	...	...	N E	4	...	,,	30.15	765.8	...	...	E
Macao,	,,	30.09	764.3	58	...	N	2	o	,,	30.21	767.3	58	...	N
Wuchow,	3 p.	30.20	767.1	52	...	N	1	o	9 a.	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi,	,,	30.12	765.0	58	88	N N E	1	o	,,	...	...	...	...	...
Phulien,	4 p.	30.08	764.0	59	...	E	1	o	8 a.	30.18	766.5	55	...	E N E
Tourane,	,,	29.95	760.8	66	...	N W	3	f	,,	30.06	763.4	66	...	N W
Cape St. James,	,,	29.81	757.2	81	...	E N E	6	o	,,	29.93	760.2	77	...	E N E
Aparri,	2 p.	29.96	760.9	81	...	N	2	b	6 a.	29.99	761.6	68	...	S W
Manila,	4 p.	29.84	758	81	76	S E	4	o	10 a.	29.96	761	82	63	E
Legaspi,	2 p.	29.87	758.7	82	...	E	2	o	6 a.	29.88	758.9	77	...	N E
Bacolod,	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	N N E
Iloilo,	,,	29.85	758.2	84	...	N N E	1	b	,,	29.91	759.7	81	...	N W
Cebu,	,,	29.85	758.2	85	...	N	1	b	,,	29.90	759.4	83	...	N
Labuan,	,,	29.79	756.6	88	...	...	...	...	,,	29.90	759.4	83	...	...

On the 7th at 12.10 p.—The barometer has risen slightly in Japan, and fallen moderately over the valley.

Pressure remains low over the N. part of the Sea of Japan, and probably a depression is approaching from the Westward.

The highest pressure is shown over S. China.

Moderate monsoon may be expected in the Formosa Channel and fresh to strong monsoon over the N. the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, fresh to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIG

Director.

Hongkong Observatory, Monday, 7th March, 1910.

[Printed by Noronha & Co., Government Printers.]

INA COAST METEOROLOGICAL REGISTER.

7TH MARCH, 1910, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	29.76	755.9	82	...	...	0	o
,,	29.81	757.1	...	...	N E	2	...
,,	29.77	756.2	...	...	...	0	...
,,	29.87	759.6	...	...	S	6	...
,,	29.99	761.8	...	...	W	2	...
,,	30.15	765.8	...	...	N	6	...
,,	30.11	764.9	...	...	N	8	...
,,	30.12	765.1	...	...	N	6	...
,,	30.17	766.2	...	...	N	6	...
,,	30.13	765.3	...	...	N E	6	...
,,	29.96	761.1	...	...	N	2	...
4 p.	30.12	765.0	39	82	N	2	b
,,	30.13	765.3	38	...	N	1	b
,,	30.30	769.6	57	36	N W	1	c
,,	30.21	767.3	59	48	...	0	o
,,	30.18	766.6	57	21	S S W	1	b
,,	30.20	767.1	50	93	S W	2	bv
,,	30.19	766.8	52	79	E N E	4	b
,,	30.13	765.3	64	53	E	3	b
,,	30.07	763.8	60	71	E	3	c
1 p.	30.18	766.6	...	...	E	6	...
,,	30.08	764.0	...	...	N	6	...
,,	30.08	764.1	...	...	N W	6	...
,,	30.08	764.0	...	...	N	8	...
,,	30.13	765.3	...	...	N E	10	...
3 p.	30.11	764.8	59	59	N	1	c
4 p.	30.07	763.8	61	64	E	2	o
,,	...	...	...	...	E	1	...
,,	30.05	763.2	...	...	E	5	...
,,	30.09	764.3	62	...	E	1	c
3 p.	30.15	765.8	60	...	E	1	o
,,	...	...	...	...	...	...	...
,,	30.12	765.0	46	92	N	3	o
4 p.	30.08	764.1	59	...	E N E	2	o
,,	29.98	761.4	66	...	N W	2	or
,,	29.83	757.8	81	...	E N E	6	o
2 p.	29.96	760.9	81	...	N	2	c
4 p.	29.84	758	84	64	S	0	o
2 p.	29.86	758.4	82	...	N E	4	o
3 p.	...	...	...	...	N E	3	o
,,	29.83	757.7	84	...	N N E	2	o
,,	29.81	757.2	85	...	N	1	b
,,	29.80	756.9	86	...	...	...	...

8TH MARCH, 1910, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.01	762.2	21	60	N	0	c
6 a.	30.01	762.1	...	...	N	4	...
,,	29.95	763.2	...	...	...	0	...
,,	30.02	762.6	...	...	N	4	...
,,	30.11	764.8	...	...	S	2	...
,,	30.15	765.8	...	...	N	6	...
,,	30.15	765.9	...	...	E	2	...
,,	30.20	767.1	...	...	S	2	...
,,	30.17	766.2	...	...	E	2	...
,,	30.13	765.3	...	...	N	2	...
,,	30.04	763.1	...	...	N	2	...
6 a.	30.18	766.6	28	100	...	0	b
9 a.	30.32	770.1	36	...	S S W	1	b
6 a.	...	...	...	...	...	...	...
,,	30.24	768.1	46	92	...	0	o
9 a.	30.31	769.9	47	63	N E	1	c
,,	30.27	768.8	50	93	N W	2	bm
,,	30.27	768.8	50	93	N E	1	o
6 a.	30.16	766.0	54	74	...	0	b
,,	30.14	765.5	55	74	N	1	c
5 a.	30.16	766.1	...	...	E	4	...
,,	30.16	766.1	...	...	...	0	...
,,	30.12	765.0	...	...	N	4	...
,,	30.08	764.1	...	...	N	6	...
,,	30.11	764.7	...	...	N E	8	...
9 a.	30.17	766.3	56	75	N	1	o
10 a.	30.18	766.6	60	64	E	3	o
,,	...	...	...	...	E	4	...
,,	30.13	765.3	...	...	E	6	...
,,	30.18	766.6	59	...	N	2	o
9 a.	30.23	767.8	56	75	N	2	o
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.12	765.1	57	...	E N E	2	o
,,	30.03	762.8	68	..	N W	2	o
,,	29.93	760.1	79	...	E N E	6	c
6 a.	...	...	...	...	...	...	...
10 a.	29.96	761	82	63	W	1	c
6 a.	29.91	759.8	73	...	E	2	o
9 a.	...	...	...	...	N E	3	o
,,	29.91	759.7	80	...	N N E	1	b
,,	29.91	759.7	83	...	N	3	c
,,	29.91	759.7	83	...	...	...	...

8th at 12.20 p.—The barometer has risen considerably to moderately over the N. part of the Sea of on the N.E. coast of China respectively, and fallen slightly over S. China.

e is highest over the Yangtze valley. It is relatively low to the E. of Japan and over the S. part of the

monsoon may be expected in the Formosa-Channel and the N. part of the China Sea.

ong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

ECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
g and Neighbourhood, ...	E. winds, fresh to strong; fair.
Channel, ...	N.E. winds, fresh.
ast of China between Hongkong and Lamocks,.	Same as No. 1.
ast of China between Hongkong and Hainan....	Same as No. 1.

F. G. FIGG,
Director.

kong Observatory, Tuesday, 8th March 1910.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th March, 1910, P.M.								9th March, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.07	763.7	31	...	N	0	c	7 a.	30.20	767.1	18	71	N	1	b
Nemuro,	,,	30.04	763.1	...	...	N	6	...	6 a.	30.08	764.1	...	...	N	6	[illegible]
Hakodate,	,,	30.09	764.2	...	...	S W	2	...	,,	30.13	765.2	...	...	N	2	[illegible]
Tokio,	,,	29.98	761.6	...	...	S	4	...	,,	30.10	764.6	...	...	N	4	[illegible]
Kochi,	,,	30.03	762.8	...	...	N W	6	...	,,	30.19	766.8	...	...	W	2	[illegible]
Nagasaki,	,,	30.19	766.8	...	...	N W	3	...	,,	30.27	768.8	...	...	N E	2	[illegible]
Kagoshima,	,,	30.15	765.9	...	...	N W	6	...	,,	30.27	768.9	...	...	N	4	[illegible]
Oshima,	,,	30.20	767.1	...	...	N	2	...	,,	30.24	768.1	...	...	N	6	[illegible]
Naha,	,,	30.17	766.2	...	...	N	2	...	,,	30.25	768.2	...	...	E	2	[illegible]
Ishigakijima,	,,	30.13	765.3	...	...	N E	6	...	,,	30.17	766.3	...	...	N E	6	[illegible]
Bonin Is.	,,	30.04	763.1	...	...	N	4	...	,,	30.08	764.1	...	...	N W	2	[illegible]
Chefoo,	4 p.	30.31	769.9	40	91	N	1	b	6 a.	30.38	771.6	27	100	...	0	[illegible]
Weihaiwei,	,,	30.29	769.3	41	...	N N W	3	bm	9 a.	30.48	774.2	38	...	...	...	b
Hankow,	,,	30.40	772.1	60	94	N E	1	c	6 a.	30.38	771.6	50	86	S E	1	c
Kiukiang,	,,	30.23	767.8	...	...	...	4	or	,,	30.33	770.4	48	71	N E	1	o
Shanghai,	,,	30.31	769.9	52	41	N E	2	c	9 a.	...	...	...	...	...	...	...
Gutzlaff,	,,	30.27	768.8	49	93	N N E	4	cv	,,	30.43	772.9	48	93	E N E	2	[illegible]
Sharp Peak,	,,	30.22	767.6	52	93	N	1	o	,,	30.32	770.1	51	79	E N E	4	[illegible]
Amoy,	,,	30.17	766.3	63	62	E N E	3	o	6 a.	30.26	768.6	54	74	N E	2	[illegible]
Swatow,	,,	30.03	764.0	62	61	E	3	c	,,	30.17	766.3	52	93	E N E	2	[illegible]
Taihoku,	1 p.	30.18	766.6	...	...	E	6	...	5 a.	30.25	768.3	...	...	E	6	[illegible]
Taichu,	,,	30.13	765.2	...	...	...	0	...	,,	30.15	765.8	...	...	N	2	[illegible]
Tainan,	,,	30.11	764.9	...	...	N	4	...	,,	30.13	765.4	...	...	N	6	[illegible]
Koshun	,,	30.09	764.3	...	...	N E	6	...	,,	30.11	764.7	...	...	N E	8	[illegible]
Pescadores,	,,	30.14	765.5	...	...	N E	8	...	,,	30.15	765.7	...	...	N E	10	[illegible]
Canton,	3 p.	30.11	764.8	58	70	N E	2	o	9 a.	30.24	768.1	53	93	N	2	[illegible]
Hongkong,	4 p.	30.09	764.3	60	66	E	3	o	10 a.	30.22	767.6	57	88	E	2	[illegible]
Victoria Peak,	,,	...	...	...	...	E N E	4	...	,,	...	...	...	...	E	5	[illegible]
Gap Rock,	,,	30.04	763.0	...	...	E N E	6	...	,,	30.17	766.3	...	...	E	6	[illegible]
Macao,	,,	30.09	764.3	60	...	N	1	o	,,	30.24	768.1	56	...	N	1	[illegible]
Wuchow,	3 p.	30.19	766.8	56	94	E	1	od	9 a.	30.29	769.3	53	...	N	3	[illegible]
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Pakhoi,	,,	30.10	764.5	56	94	N	2	or	,,	...	...	...	...	...	...	[illegible]
Phulien,	4 p.	30.04	763.1	59	...	E N E	0	or	8 a.	30.18	766.5	57	...	N	1	[illegible]
Tourane,	,,	29.96	761.0	68	...	N W	2	o	,,	30.07	763.7	66	..	N W	3	[illegible]
Cape St. James,	,,	29.81	757.2	81	...	E N E	6	c	,,	29.95	760.6	79	...	E N E	6	[illegible]
Aparri,	2 p.	29.98	761.5	79	...	N E	2	o	6 a.	...	...	...	...	...	...	[illegible]
Manila,	4 p.	29.84	758	84	64	...	0	o	10 a.	30.00	762	82	70	W N W	0	[illegible]
Legaspi,	2 p.	29.89	759.2	77	...	E	2	o	6 a.	29.94	760.4	77	...	N E	2	[illegible]
Bacolod,	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	N N E	3	[illegible]
Iloilo,	,,	29.85	758.2	83	...	N	2	c	,,	29.95	760.7	80	...	N	1	[illegible]
Cebu,	,,	29.83	757.7	86	...	N	1	b	,,	29.92	759.9	85	...	N	1	[illegible]
Labuan,	,,	29.89	759.2	86	...	...	...	...	,,	29.92	759.9	82	...	...	...	[illegible]

On the 9th at 12.15 p.—The barometer has risen generally, particularly over N. China and Japan.

A high pressure area is lying over N. China and the Yellow Sea, and pressure is relatively low over the Pacific to the E. of Japan, and over the S. part of the China Sea.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh to strong; cloudy, some rain.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 9th March, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	9TH MARCH, 1910, P.M.								10TH MARCH, 1910, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
vostock,...	2 p.	30.20	767.2	23	...	N	3	b	7 a.	30.24	768.1	21	69	N	3	b
ro, ...	,,	30.00	762.1	...	...	N	8	...	6 a.	29.93	760.1	...	...	N W	6	...
date, ...	,,	30.05	763.2	...	...	W	...	...	,,	30.01	762.2	...	...	N	4	...
, ...	,,	30.02	762.6	...	...	N W	4	...	,,	30.02	762.6	...	...	N	2	...
, ...	,,	30.11	764.8	...	...	S	2	...	,,	30.27	768.8	...	...	W	2	...
aki, ...	,,	30.23	767.8	...	...	N	4	...	,,	30.35	770.8	...	...	...	0	...
shima, ...	,,	30.23	767.9	...	...	N W	6	...	,,	30.31	769.9	...	...	N W	2	...
a, ...	,,	30.20	767.1	...	...	N	6	...	,,	30.28	769.1	...	...	N	6	...
.....	,,	30.20	767.2	...	...	N	6	...	,,	30.25	768.2	...	...	N E	4	...
akijima, ...	,,	...	...	...	...	...	...	...	,,	30.21	767.3	...	...	W	6	...
Is.....	,,	30.04	763.1	...	...	N W	6	...	,,	30.04	763.1	...	...	W	6	...
o,.....	4 p.	30.28	769.1	42	92	E	3	b	6 a.	...	...	...	...	...	...	...
siwei,.....	,,	30.32	770.1	44	...	N E	1	b	9 a.	30.30	769.6	41	...	S S W	2	b
ow, ...	,,	...	...	...	...	...	...	...	6 a.	30.40	772.1	46	92	E	1	b
ang,.....	,,	30.32	770.1	54	55	N E	1	or	,,	30.36	771.1	40	91	...	0	b
hai, ...	,,	30.38	771.6	54	...	E N E	2	c	9 a.	30.44	773.2	47	63	S E	2	b
aff, ...	,,	30.37	771.4	50	93	E N E	2	c	,,	30.43	772.9	51	92	S E	2	bv
Peak,.....	,,	30.29	769.3	52	79	N	4	o	,,	30.32	770.1	51	86	N E	2	c
.....	,,	30.23	767.8	55	80	N	3	or	6 a.	30.26	768.6	52	66	N E	2	b
w, ...	,,	30.18	766.6	57	73	E	1	o	,,	30.22	767.6	52	93	N E	1	o
ku,.....	1 p.	30.24	768.0	...	...	E	6	...	5 a.	30.29	769.3	...	...	E	6	...
n, ...	,,	30.16	766.1	...	...	N	2	...	,,	30.19	766.9	...	...	N	2	...
n,.....	,,	30.16	766.1	...	...	N	4	...	,,	30.17	766.3	...	...	N	6	...
m.....	,,	30.12	765.1	...	...	N E	10	...	,,	30.08	764.0	...	...	N E	10	...
dores, ...	,,	30.16	766.1	...	...	E	10	...	,,	30.20	767.1	...	...	N E	10	...
n,.....	3 p.	30.13	766.6	53	93	N	2	or	9 a.	30.31	769.9	53	93	N	2	or
kong, ...	4 p.	30.16	766.0	56	91	E N E	1	o	10 a.	30.28	769.1	57	93	N N E	1	od
ria Peak,...	,,	...	...	...	...	E N E	4	...	,,	...	...	...	...	E N E	3	...
Rock,.....	,,	30.10	764.5	...	...	E N E	7	...	,,	30.25	768.3	...	...	E N E	5	...
.....	,,	30.16	766.0	55	...	N	2	odf	,,	30.29	769.3	54	...	N	3	od
ow,.....	3 p.	30.25	768.3	55	...	N	1	or	9 a.	30.35	770.9	55	87	N	1	or
w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
i,.....	,,	30.19	766.8	55	100	N	4	or	,,	...	...	...	...	...	...	...
en,.....	4 p.	30.14	765.5	57	...	N	2	or	8 a.	...	...	...	...	...	...	...
ne, ...	,,	30.00	762.1	68	...	N W	2	or	,,	...	...	...	...	...	...	...
St. James,.	,,	29.85	758.2	82	...	E N E	6	o	,,	...	...	...	...	...	...	...
i, ...	2 p.	30.00	762.0	77	...	E	2	d	6 a.	30.03	762.8	72	...	S W	2	o
a, ...	4 p.	29.88	759	86	53	E N E	3	c	10 a.	30.04	763	81	76	W S W	1	o
pi, ...	2 p.	29.92	759.9	79	...	E	4	o	6 a.	29.98	761.4	75	...	E	4	o
od, ...	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	E N E	3	c
.....	,,	29.85	758.2	84	...	N N E	3	c	,,	29.97	761.2	80	...	N E	1	b
.....	,,	29.87	758.7	83	...	N	3	od	,,	29.94	760.5	82	...	N	1	c
n, ...	,,	29.80	756.9	87	...	...	...	...	,,	29.95	760.7	82	...	...	...	...

On the 10th at 12.15 p.—The barometer has fallen moderately over E. Japan and the N.E. coast of China, and n slightly over W. Japan, the S. coast of China and the Philippines.

The high pressure area lies over the Lower Yangtze and the Yellow Sea. Pressure is relatively low to the N.E. Japan, and over the S. part of the China Sea.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
Hongkong and Neighbourhood, ...	N.E. winds, fresh ; drizzling rain at first, probably [improving later.
Formosa Channel, ...	N.E. winds, strong to fresh.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 10th March, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th March, 1910, P.M.									11th March, 1910, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,...	2 p.	30.18	766.6	31	...	N E	3	b		7 a.	30.08	764.1	21	59	N	1	b	
Nemuro, ...	,,	29.89	759.1	...	...	W	8	...		6 a.	29.89	759.1	...	...	N	8	...	
Hakodate, ...	,,	29.93	760.2	...	...	N W	2	...		,,	30.01	762.2	...	...	N	6	...	
Tokio, ...	,,	29.94	760.6	...	...	N W	6	...		,,	30.06	763.6	...	...	W	2	...	
Kochi, ...	,,	30.19	766.8	...	...	N	4	...		,,	30.27	768.8	...	...	W	2	...	
Nagasaki, ...	,,	30.31	769.8	...	...	N	6	...		,,	30.31	769.8	...	...	E	4	...	
Kagoshima, ...	,,	30.23	767.9	...	...	N	8	...		,,	30.31	769.9	...	...	N	2	...	
Oshima, ...	,,	30.28	769.1	...	...	N	8	...		,,	30.28	769.1	...	...	S	4	...	
Naha, ...	,,	30.24	768.2	...	...	N	6	...		,,	30.28	769.2	...	...	N E	4	...	
Ishigakijima, ...	,,	30.21	767.3	...	...	N	8	...		,,	...	...	...	...	...	...	...	
Bonin Is.	,,	30.00	762.1	...	...	N E	6	...		,,	30.08	764.1	...	...	N E	6	...	
Chefoo, ...	4 p.	30.16	766.0	44	100	E	1	b		6 a.	...	...	...	...	...	...	...	
Weihaiwei, ...	,,	30.17	766.3	39	...	...	...	...		9 a.	...	...	...	...	...	...	...	
Hankow, ...	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...	
Kiukiang, ...	,,	30.25	768.3	64	39	E	2	b		,,	...	...	...	...	...	...	...	
Shanghai, ...	,,	30.34	770.6	56	30	S S E	3	b		9 a.	30.26	768.6	53	42	S	3	c	
Gutzlaff, ...	,,	30.34	770.6	54	87	S E	2	bv		,,	30.26	768.6	51	...	S	3	a	
Sharp Peak, ...	,,	30.30	769.6	53	80	E N E	4	c		,,	30.24	768.1	53	86	N	2	o	
Amoy, ...	,,	30.21	767.3	65	58	E	4	b		6 a.	...	...	54	80	N E	1	b	
Swatow, ...	,,	30.17	766.3	64	53	E	1	c		,,	...	...	...	...	...	...	...	
Taihoku, ...	1 p.	30.26	768.7	...	...	E	6	...		5 a.	30.15	765.9	...	...	E	6	...	
Taichu, ...	,,	30.19	766.7	...	...	N E	2	...		,,	30.15	765.8	...	...	...	0	...	
Tainan, ...	,,	30.20	767.1	...	...	N	6	...		,,	30.16	766.1	...	...	N	2	...	
Koshun	,,	30.14	765.5	...	...	N E	10	...		,,	30.12	765.0	...	...	N E	6	...	
Pescadores, ...	,,	30.21	767.4	...	...	N E	10	...		,,	30.15	765.9	...	...	N E	8	...	
Canton, ...	3 p.	30.19	766.8	58	81	N	1	c		9 a.	30.25	768.3	57	69	...	0	...	
Hongkong, ...	4 p.	30.17	766.3	58	85	E	1	o		10 a.	30.24	768.1	57	92	E	4	...	
Victoria Peak, ...	,,	...	...	...	...	E	2	...		,,	...	...	...	...	E N E	6	...	
Gap Rock, ...	,,	30.13	765.3	...	...	E N E	5	...		,,	30.19	766.8	...	...	E N E	6	...	
Macao, ...	,,	30.18	766.6	58	...	N	1	o		,,	...	...	...	...	...	...	...	
Wuchow, ...	3 p.	30.27	768.8	56	...	W	1	o		9 a.	...	...	...	...	...	...	...	
Hoihow, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pakhoi, ...	,,	30.24	768.1	57	100	N	2	or		,,	...	...	...	...	...	...	...	
Phulien, ...	4 p.	30.18	766.6	61	...	...	0	o		8 a.	30.20	767.0	59	...	N E	2	o	
Tourane, ...	,,	30.05	763.3	68	...	N W	5	o		,,	30.12	764.9	66	...	N W	2	o	
Cape St. James, .	,,	29.89	759.1	81	...	E N E	6	c		,,	30.02	762.4	75	...	N E	1	o	
Aparri, ...	2 p.	30.02	762.4	79	...	N E	2	b		6 a.	30.04	763.1	70	...	E	2	o	
Manila, ...	4 p.	29.92	760	86	59	S E	2	c		10 a.	30.00	762	82	70	W	...	b	
Legaspi, ...	2 p.	29.95	760.8	86	...	E	2	b		6 a.	29.96	761.0	77	...	N E	2	b	
Bacolod, ...	3 p.	...	...	...	...	N E	4	o		9 a.	...	...	...	...	N E	1	o	
Iloilo, ...	,,	29.89	759.2	85	...	N	2	c		,,	29.99	761.7	80	...	N E	1	b	
Cebu, ...	,,	29.89	759.2	84	...	N	2	b		,,	29.97	761.2	84	...	N	1	b	
Labuan, ...	,,	29.84	757.9	86	...	...	...	...		,,	29.95	760.7	82	...	...	...	...	

On the 11th at 12.20 p.—The barometer has fallen considerably over the E. coast of China and in Wladiwostok. Probably a depression is advancing Eastwards over Manchuria, and a second area of low pressure appears to developing over the Yangtze valley.

Pressure is highest over the Yellow Sea.

The monsoon will moderate in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, fresh to moderate ; drizzling rain.
2.—Formosa Channel, ...	N.E. winds, fresh to moderate.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 11th March, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th March, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	12th March, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivostock,	2 p.	29.98	761.6	31	...	N	3	b	7 a.	30.09	764.3	19	60	N E	0	b
aro,	,,	29.89	759.1	...	...	N	8	...	6 a.	29.93	760.1	...	...	N	6	...
date,	,,	29.97	761.2	...	...	N	6	...	,,	29.89	759.2	...	...	N W	2	...
,	,,	29.98	761.6	...	...	N	6	...	,,	29.55	750.6	...	...	N W	4	...
i,	,,	30.11	764.8	...	...	S	4	...	,,	29.54	757.8	...	...	W	6	...
saki,	,,	30.15	765.8	...	...	W	8	...	,,	30.15	765.8	...	...	N	8	...
shima,	,,	30.19	766.9	...	...	S W	4	...	,,	30.15	765.9	...	...	N	8	...
na,	,,	30.24	768.1	...	...	N E	2	...	,,	30.20	767.1	...	...	N	3	...
	,,	...	...	...	...	...	...	...	,,	30.21	767.2	...	...	N	4	...
akijima,	,,	...	...	...	...	...	...	...	,,	30.13	765.3	...	...	N E	8	...
n Is.	,,	30.08	764.1	...	...	N W	6	...	,,	30.04	763.1	...	...	...	0	...
oo,	4 p.	30.39	771.9	33	13	N N W	8	b	6 a.	...	...	...	...	...	...	...
aiwei,	,,	30.33	770.4	34	...	N W	7	b	9 a.	30.47	773.9	34	...	N	1	c
ow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iang,	,,	30.22	767.6	51	86	...	0	s	,,	...	...	...	...	...	...	...
ghai,	,,	30.29	769.3	49	64	N E	6	c	9 a.	30.49	774.4	43	51	N N E	1	c
laff,	,,	30.24	768.1	51	100	N	6	cm	,,	30.44	773.2	45	92	N	3	cv
p Peak,	,,	30.18	766.6	54	94	N E	1	o	,,	30.31	769.9	52	79	E N E	4	c
y,	,,	30.14	765.5	68	65	S S E	3	c	6 a.	30.20	767.1	57	69	N E	5	c
ow,	,,	30.17	766.3	61	82	E	1	o	,,	...	...	...	...	...	...	...
oku,	1 p.	30.12	765.1	...	...	E	4	...	5 a.	30.23	767.9	...	...	E	6	...
iu,	,,	30.15	765.7	...	...	S	2	...	,,	30.12	765.1	...	...	...	0	...
an,	,,	30.15	765.9	...	...	N	4	...	,,	30.12	765.1	...	...	N	2	...
un,	,,	30.12	765.0	...	...	N	4	...	,,	30.12	764.9	...	...	N	2	...
adores,	,,	30.16	766.1	...	...	E	8	...	,,	30.14	765.5	...	...	E	10	...
on,	3 p.	30.15	765.8	60	94	...	0	o	9 a.	30.20	767.1	60	160	...	0	or
kong,	4 p.	30.13	765.3	60	89	E	2	od	10 a.	30.20	767.1	59	87	E	5	od
ria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	7	...
Rock,	,,	30.10	764.5	...	...	N E	4	...	,,	30.16	766.0	...	...	E	6	...
o,	,,	30.14	765.5	58	...	N	1	odf	,,	30.21	767.3	58	...	E	2	od
how,	3 p.	30.19	766.8	61	...	E	1	od	9 a.	...	...	...	...	...	...	...
ow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi,	,,	30.24	768.1	62	94	N N E	1	o	,,	...	...	...	...	...	...	...
ien,	4 p.	30.09	764.4	66	...	S S W	0	o	8 a.	30.15	765.8	63	...	E N E	2	o
ame,	,,	30.05	763.2	68	...	N W	2	o	,,	30.08	764.1	68	...	N W	1	o
St. James,	,,	29.96	761.0	82	...	S E	2	c	,,	30.00	762.0	79	...	N E	2	c
ri,	2 p.	30.02	762.5	77	...	E	4	o	6 a.	30.03	762.8	72	...	S W	0	o
la,	4 p.	29.92	760	84	58	E S E	2	o	10 a.	30.00	762	82	70	W S W	1	c
spi,	2 p.	29.93	760.2	84	...	S E	2	c	6 a.	29.98	761.5	73	...	E	2	o
lod,	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	N W	2	c
,	,,	29.89	759.2	84	...	N N E	2	c	,,	29.99	761.7	81	...	N N E	1	b
,	,,	29.89	759.2	85	...	N	1	c	,,	29.94	760.5	82	...	N	1	c
an,	,,	29.86	758.4	86	...	...	...	...	,,	29.97	761.2	81	...	...	...	...

On the 12th at 12.05 p.—The barometer has fallen quickly over S. Japan, and risen considerably over N. China. The depression, which has become deeper, is moving Eastwards over S.E. Japan.

A high pressure area lies now over China to the Yangtze valley.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.E. and E. winds, strong; drizzling rain.
Formosa Channel,	N.E. winds, strong.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 12th March, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th March, 1910, P.M.								13th March, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.04	763.0	31	...	N	3	b	7 a.	30.16	766.0	11	68	W	0	b
Nemuro,	,,	29.93	760.1	...	...	N W	4	...	6 a.	29.85	758.1	...	...	N	8	...
Hakodate,	,,	29.85	758.2	...	...	S E	4	...	,,	29.93	760.2	...	...	N	4	...
Tokio,	,,	29.51	749.6	...	...	N W	6	...	,,	29.95	760.6	...	...	N W	4	...
Kochi,	,,	29.99	761.8	...	...	N	6	...	,,	30.19	766.8	...	...	W	2	...
Nagasaki,	,,	30.19	766.8	...	...	N	6	...	,,	30.23	767.8	...	...	E	2	...
Kagoshima,	,,	30.15	765.9	...	...	N W	8	...	,,	30.23	767.9	...	...	N	2	...
Oshima,	,,	30.20	767.1	...	...	N	8	...	,,	30.24	768.1	...	...	N	6	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	29.93	760.1	...	...	S W	8	...	,,	...	...	...	...	...	...	...
Chefoo,	4 p.	30.33	770.4	39	91	E	1	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.35	770.9	40	...	W	1	b	9 a.	30.23	769.1	38	...	W S W	4	b
Hankow,	,,	30.37	771.4	51	52	S S E	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.31	769.9	47	63	E	...	o	,,	30.23	769.1	46	69	N E	1	o
Shanghai,	,,	30.40	772.1	52	...	S S E	3	o	9 a.	30.29	769.3	49	64	S S E	4	b
Gutzlaff,	,,	30.35	770.9	47	93	N	3	cv	,,	30.19	766.8	48	100	S E	4	cm
Sharp Peak,	,,	30.29	769.3	53	80	N E	4	o	,,	30.22	767.6	51	86	N	2	o
Amoy,	,,	30.19	766.8	60	55	E	4	c	6 a.	30.17	766.3	56	69	N E	2	c
Swatow,	,,	30.12	765.0	61	66	E	1	c	,,	30.13	765.3	55	68	N E	2	o
Taihoku,	1 p.	30.24	768.1	...	...	E	8	...	5 a.	30.15	765.7	...	...	E	6	...
Taichu,	,,	30.13	765.2	...	...	N	2	...	,,	30.14	765.6	...	...	...	0	...
Tainan,	,,	30.12	765.0	...	...	N	4	...	,,	30.11	764.7	...	...	N	4	...
Koshun	,,	30.09	764.2	...	...	N E	10	...	,,	30.09	764.3	...	...	N E	6	...
Pescadores,	,,	30.15	765.9	...	...	N E	10	...	,,	30.12	764.9	...	...	N E	10	...
Canton,	3 p.	30.10	764.5	62	94	...	0	o	9 a.	30.15	765.8	60	88	S E	1	o
Hongkong,	4 p.	30.09	764.3	61	72	E	6	o	10 a.	30.19	766.8	59	76	E	5	o
Victoria Peak,	,,	...	...	...	...	E	8	...	,,	...	...	...	...	E	6	...
Gap Rock,	,,	30.05	763.2	...	...	E	7	...	,,	30.13	765.3	...	...	E	5	...
Macao,	,,	30.10	764.5	60	...	E	1	o	,,	30.17	766.3	59	...	E	3	o
Wuchow,	3 p.	30.14	765.5	62	...	N	1	od	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.08	764.0	65	100	E	1	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.07	763.7	72	...	S S E	2	c	8 a.	30.09	764.2	64	...	E N E	2	f
Tourane,	,,	30.00	762.0	70	...	W N W	2	dh	,,	30.07	763.7	77	...	S E	2	c
Cape St. James,	,,	29.87	758.6	81	...	E N E	5	c	,,	29.99	761.6	79	...	N E	3	c
Aparri,	2 p.	29.96	761.1	81	...	N E	2	o	6 a.	30.01	762.2	72	...	E	2	o
Manila,	4 p.	29.88	759	84	64	S E	2	o	10 a.	30.00	762	84	58	E	2	o
Legaspi,	2 p.	29.92	759.9	82	...	E	2	o	6 a.	29.95	760.6	77	...	E	2	c
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	E N E	2	o
Iloilo,	,,	29.89	759.2	85	...	E	2	b	,,	29.95	760.7	79	...	N N E	1	b
Cebu,	,,	29.87	758.7	84	...	N	2	b	,,	29.96	761.0	79	...	N	2	o
Labuan,	,,	29.86	758.4	86	...	...	...	...	,,	...	...	...	...	...	...	...

On the 13th at 12.05 p.—The depression is moving away over the Pacific to the East of Japan.

The barometer has risen quickly over S.E. Japan, and fallen considerably over N. China. Probably another depression is approaching the latter area from the Westward.

Pressure is highest over the Yellow Sea.

Fresh to moderate monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh to moderate; fair.
2.—Formosa Channel,	N.E. and E. winds, fresh to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 13th March, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th March, 1910, P.M.								14th March, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock,	2 p.	30.12	765.0	34	...	N E	1	b	7 a.	30.03	762.8	28	72	S E	1	o
muro,	,,	29.85	758.1	...	...	N	8	...	6 a.	30.08	764.1	...	...	N W	6	...
kodate,	,,	29.93	760.2	...	...	N	8	...	,,	30.21	767.2	...	...	...	0	...
kio,	,,	29.98	761.6	...	...	N W	6	...	,,	30.22	767.6	...	...	N W	4	...
ichi,	,,	30.19	766.8	...	...	...	0	...	,,	30.35	770.8	...	...	S	2	...
gasaki,	,,	30.23	767.8	...	...	W	4	...	,,	30.27	768.8	...	...	S E	6	...
goshima,	,,	30.23	767.9	...	...	W	4	...	,,	30.31	769.9	...	...	...	0	...
hima,	,,	30.24	768.1	...	...	N	4	...	,,	30.24	768.1	...	...	...	0	...
ha,	,,	30.20	767.2	...	...	E	4	...	,,	...	...	...	...	...	...	...
igakijima,	,,	30.13	765.3	...	...	E	8	...	,,	...	...	...	...	...	...	...
nin Is.	,,	30.04	763.1	...	...	N W	4	...	,,	30.20	767.1	...	...	N	4	...
efoo,	4 p.	30.11	764.8	52	100	S	2	b	6 a.	...	...	...	...	...	...	...
eihaiwei,	,,	30.15	765.8	44	...	S W	5	b	9 a.	29.87	758.7	48	...	S W	8	c
nkow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
nkiang,	,,	30.11	764.8	51	72	...	0	o	,,	29.96	761.0	52	100	N E	1	o
anghai,	,,	30.18	766.6	52	60	S E	5	c	9 a.	29.93	761.5	52	100	S S E	4	odq
tzlaff,	,,	30.19	766.8	48	93	S E	5	ov	,,	29.96	761.0	51	100	S S E	7	omr
arp Peak,	,,	30.18	766.6	52	86	N	3	or	,,	30.17	766.3	53	93	...	0	o
oy,	,,	30.13	765.3	62	67	N E	3	c	6 a.	30.10	764.5	57	87	S E	3	c
atow,	,,	30.06	763.5	62	77	E N E	2	c	,,	30.03	762.7	57	87	S E	1	b
iboku,	1 p.	30.10	764.6	...	...	E	6	...	5 a.	30.05	763.2	...	...	...	0	...
ichu,	,,	30.12	765.0	...	...	...	0	...	,,	30.07	763.7	...	...	...	0	...
inan,	,,	30.11	764.8	...	...	N W	6	...	,,	30.11	764.8	...	...	N	2	...
shun,	,,	30.09	764.3	...	...	N E	6	...	,,	30.08	764.0	...	...	E	2	...
scadores,	,,	30.12	765.1	...	...	N E	8	...	,,	30.04	763.1	...	...	N E	4	...
nton,	3 p.	30.05	763.2	63	83	S E	1	o	9 a.	30.06	763.5	62	89	S	1	o
ngkong,	4 p.	30.06	763.5	63	71	E	4	c	10 a.	30.10	764.5	61	93	E	2	o
ctoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	S E	6	...
p Rock,	,,	30.02	762.5	...	...	E	5	...	,,	30.07	763.8	...	...	N E	3	...
cao,	,,	30.05	763.2	62	...	S E	2	c	,,	30.09	764.3	62	...	E	1	of
chow,	3 p.	30.05	763.2	61	...	E	...	o	9 a.	...	...	...	...	...	...	...
dhow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
khoi,	,,	30.02	762.5	71	90	S E	2	c	,,	...	...	...	...	...	...	...
ulien,	4 p.	29.98	761.6	68	...	E S E	2	o	8 a.	30.03	762.7	68	...	S E	4	o
arane,	,,	29.94	760.5	75	...	S E	2	o	,,	30.00	762.0	...	...	E S E	3	o
pe St. James,	,,	29.89	759.2	82	...	E N E	4	c	,,	29.97	761.2	81	...	N N W	2	c
arri,	2 p.	29.98	761.4	77	...	E	2	o	6 a.	30.02	762.4	68	...	S E	2	c
nila,	4 p.	29.92	760	82	63	E	2	o	10 a.	30.00	762	82	63	E S E	3	o
gaspi,	2 p.	29.92	759.9	82	...	E	2	c	6 a.	29.96	761.0	93	...	N E	2	o
colod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N N E	3	o
ilo,	,,	29.89	759.2	84	...	N E	1	b	,,	...	...	79	...	N E	1	b
bu,	,,	29.90	759.4	82	...	N	1	b	,,	29.92	759.9	82	...	N	1	o
buan,	,,	29.84	757.9	85	...	...	...	...	,,	29.95	760.7	80	...	...	...	...

On the 14th at 11.55 a.—The barometer has risen considerably over E. Japan and the Bonins, and fallen quickly over N. China.

A rather deep depression is moving Eastwards over the Gulf of Pechili.

The high pressure area lies now over S. Japan.

Moderate E. and S.E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	E. and S.E. winds, moderate; cloudy, fog or mist.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 14th March, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th March, 1910, P.M.								15th March, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.93	760.3	33	...	S E	3	o	7 a.	29.46	748.2	33	90	...	0	f
Nemuro,	,,	30.16	766.1	...	...	N W	4	...	6 a.	30.01	762.1	...	...	S W	8	...
Hakodate,	,,	30.20	767.2	...	...	W	4	...	,,	29.97	761.2	...	...	S W	6	...
Tokio,	,,	30.30	769.6	...	...	N	2	...	,,	30.18	766.6	...	...	...	0	...
Kochi,	,,	30.31	769.8	...	...	S E	6	...	,,	30.23	767.8	...	...	S W	2	...
Nagasaki,	,,	30.23	767.8	...	...	S E	4	...	,,	29.95	760.8	...	...	S	10	...
Kagoshima,	,,	30.23	767.9	...	...	S	2	...	,,	30.08	763.9	...	...	S	6	...
Oshima,	,,	30.16	766.1	...	...	S E	6	...	,,	30.08	764.1	...	...	S	8	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.09	764.2	...	...	S	6	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.05	763.3	...	...	S	8	...
Bonin Is.	,,	30.24	768.1	...	...	N	4	...	,,	30.32	770.1	...	...	...	0	...
Chefoo,	4 p.	29.72	754.9	53	100	S	5	c	6 a.	29.83	757.7	53	100	N	3	o
Weihaiwei,	,,	29.78	756.4	48	...	S	8	cm	9 a.	29.97	761.2	37	...	N	8	cm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.86	758.4	60	88	S E	1	o
Kiukiang,	,,	29.82	757.4	67	69	N E	1	b	,,	29.83	757.7	63	89	N E	1	c
Shanghai,	,,	29.82	757.4	64	78	S	2	o	9 a.	29.85	758.2	65	78	S S W	1	cm
Gutzlaff,	,,	29.84	757.9	56	94	S	5	cm	,,	29.87	758.7	57	87	S S W	5	cr
Sharp Peak,	,,	29.96	761.0	54	100	...	0	c	,,	30.00	762.0	56	94	...	0	c
Amoy,	,,	30.00	762.0	64	78	S E	2	b	6 a.	29.99	761.7	61	89	N E	1	c
Swatow,	,,	29.94	760.5	65	63	E	1	c	,,	29.95	760.7	62	89	...	0	c
Taihoku	1 p.	30.03	762.7	...	...	W	4	...	5 a.	29.99	761.6	...	...	...	0	...
Taichu,	,,	30.05	763.3	...	...	N	4	...	,,	30.02	762.5	...	...	...	0	...
Tainan,	,,	30.04	763.1	...	...	W	6	...	,,	30.01	762.1	...	...	S E	2	...
Koshun	,,	30.02	762.4	...	...	N E	6	...	,,	30.02	762.4	...	...	S E	4	...
Pescadores,	,,	30.04	763.0	...	...	N E	6	...	,,	29.98	761.5	...	...	E	2	...
Canton,	3 p.	29.96	761.0	69	85	S W	1	c	9 a.	30.01	762.2	67	95	S	1	o
Hongkong,	4 p.	29.98	761.5	66	80	E	3	o	10 a.	30.03	762.7	72	81	E	1	b
Victoria Peak,	,,	...	...	...	...	S	...	...	,,	...	...	...	...	S E	2	...
Gap Rock,	,,	29.95	760.7	...	...	E	4	...	,,	29.99	761.7	...	...	E	3	...
Macao,	,,	29.98	761.5	65	...	E	1	o	,,	30.03	762.7	67	...	S E	1	c
Wuchow,	3 p.	29.98	761.5	67	...	N	3	...	9 a.	30.01	762.2	65	...	E	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.85	758.2	76	86	S	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.89	759.2	72	...	S S E	4	o	8 a.	29.97	761.1	68	...	E S E	3	of
Tourane,	,,	29.87	758.7	75	...	S E	2	c	,,	29.94	760.4	77	...	S	1	c
Cape St. James,	,,	29.85	758.3	82	...	E	4	c	,,	29.96	760.9	81	...	E	4	c
Aparri,	2 p.	29.96	761.0	82	...	E	2	c	6 a.	30.00	761.9	72	...	S E	2	c
Manila,	4 p.	29.92	760	84	52	E S E	2	o	10 a.	30.00	762	82	63	N N E	1	c
Legaspi,	2 p.	29.94	760.5	81	...	E	2	...	6 a.	29.94	760.5	75	...	E	2	c
Bacolod,	3 p.	...	...	...	...	N E	4	c	9 a.	...	...	...	...	N E	4	c
Iloilo,	,,	29.87	758.7	84	...	N E	4	b	,,	29.95	760.7	78	...	N E	1	c
Cebu,	,,	29.88	758.9	83	...	N	2	b	,,	29.91	759.7	80	...	N	1	o
Labuan,	,,	29.84	757.9	85	...	...	...	...	,,	29.94	760.5	82	...	...	...	...

On the 15th at 11.55 a.—The barometer has fallen quickly in Wladiwostok and over Japan, the depression moving in an Easterly direction, having reached the neighbourhood of the former station.

The barometer is rising in N. China. It has fallen moderately over S. China.

The area of high pressure lies over the Pacific to the S.E. of Japan, and the barometer has risen at the Bonins.

S.E. or variable winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. or variable winds, light or moderate; fair, fog [at times.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 15th March, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th March, 1910, P.M.								16th March, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
..divostock, ...	2 p.	29.41	746.9	35	...	...	0	o	7 a.	29.76	755.9	24	48	...	0	o
..uro, ...	,,	29.65	753.1	...	...	S	6	...	6 a.	28.94	735.1	...	...	S W	10	...
..kodate, ...	,,	29.57	751.2	...	...	S W	10	...	,,	29.38	746.2	...	...	W	10	...
..io, ...	,,	29.87	758.6	...	...	S W	10	...	,,	29.47	748.6	...	...	N W	2	...
..chi, ...	,,	29.99	761.8	...	...	W	2	...	,,	29.76	755.3	...	...	W	4	...
..asaki, ...	,,	29.87	758.8	...	...	W	10	...	,,	29.95	760.8	...	...	N	4	...
..oshima, ...	,,	29.92	759.9	...	...	S W	6	...	,,	29.92	759.9	...	...	N W	4	...
..ima, ...	,,	30.00	762.1	...	...	S	6	...	,,	29.93	760.1	...	...	S	6	...
..a, ...	,,	30.05	763.2	...	...	S	4	...	,,	30.01	762.2	...	...	S	2	...
..igakijima, ...	,,	30.01	762.3	...	...	S	8	...	,,	29.97	761.3	...	...	S	6	...
..in Is.	,,	30.24	768.1	...	...	S E	2	...	,,	30.08	764.1	...	...	S	2	...
..foo, ...	4 p.	30.14	765.5	40	.	N N W	4	b	6 a.	...	...	...	..	...	...	...
..ihaiwei, ...	,,	30.10	764.5	37	...	N W	5	c	9 a.	30.32	770.1	40	...	S W	1	b
..kow, ...	,,	29.98	761.5	61	89	N E	1	or	6 a.	...	...	...	...	...	...	...
..kiang, ...	,,	29.86	758.4	78	65	N E	1	c	,,	30.22	767.6	45	92	N E	3	c
..nghai, ...	,,	29.89	759.2	64	84	N	4	o	9 a.	30.32	770.1	44	76	N E	3	or
..zlaff, ...	,,	29.85	758.2	65	73	N	4	cm	,,	30.25	768.3	44	92	N	6	omd
..rp Peak, ...	,,	29.89	759.2	61	100	...	0	b	,,	30.13	765.3	58	76	N N E	5	o
..oy, ...	,,	29.84	757.9	78	65	S E	2	c	6 a.	29.94	760.5	62	89	N E	1	f
..tow, ...	,,	29.92	759.9	77	73	S	1	b	,,	29.92	759.9	64	100	...	0	f
..hoku, ...	1 p.	29.97	761.2	...	...	N	2	...	5 a.	29.97	761.2	...	...	E	2	...
..chu, ...	,,	29.98	761.5	...	...	S W	4	...	,,	29.99	761.6	...	...	...	0	...
..nan, ...	,,	30.02	762.6	...	...	S	8	...	,,	29.99	761.6	...	...	S	2	...
..hun	,,	30.02	762.6	...	...	S	6	...	,,	29.99	761.7	...	...	E	2	...
..cadores, ...	,,	30.00	761.9	...	...	W	6	...	,,	29.97	761.1	...	...	W	2	...
..ton, ...	3 p.	29.93	760.2	74	81	S	1	b	9 a.	...	...	...	...	...	...	...
..gkong, ...	4 p.	29.95	760.7	70	84	E	1	o	10 a.	30.03	762.7	73	79	W	1	cf
..toria Peak, ...	,,	...	...	...	...	S	1	...	,,	...	...	...	...	W S W	1	...
.. Rock, ...	,,	29.94	760.5	...	...	E N E	2	...	,,	30.02	762.5	...	...	W N W	2	...
..ao, ...	,,	29.97	761.2	69	...	S	1	c	,,	30.05	763.2	71	...	E	1	c
..chow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
..how, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
..hoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
..lien, ...	4 p.	29.87	758.6	...	...	E S E	...	...	8 a.	29.98	761.5	70	...	E	4	o
..rane, ...	,,	29.89	759.3	77	...	...	0	o	,,	29.92	759.9	75	...	S S W	3	o
..e St. James, .	,,	29.84	757.9	82	...	E	5	c	,,	29.95	760.8	82	...	E N E	2	c
..rri, ...	2 p.	29.94	760.6	82	...	E	2	b	6 a.	29.95	760.7	70	...	S E	0	b
..hila.	4 p.	29.88	759	86	47	N E	3	o	10 a.	29.92	760	82	63	W S W	1	o
..aspi, ...	2 p.	29.89	759.1	81	...	N E	2	o	6 a.	29.86	758.4	73	...	N E	2	o
..olod, ...	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	N N E	2	c
..lo, ...	,,	29.85	758.2	82	...	N E	2	o	,,	29.89	759.2	79	...	N N E	1	c
..u, ...	,,	29.83	757.7	84	...	N	2	o	,,	29.85	758.2	82	...	N	1	c
..uan, ...	,,	29.83	757.7	87	...	...	...	...	,,	29.95	760.7	81	...	...	...	...

On the 16th at 11.55 a.—The barometer has fallen very rapidly over E. Japan owing to the depression which is ..oving into the Pacific to the North of Hokkaido.

Pressure has increased quickly and is now high over N. China. A moderate decrease has taken place over the ..hilippines, pressure being low apparently to the Eastward of the S. part of the Archipelago.

The wind will shift to the N.E. and freshen in the Formosa Channel and along the northern shores of the China ..ea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
-Hongkong and Neighbourhood, ...	Wind shifting to the N.E. and freshening; fine at first, drizzling rain or mist later, cooler.
-Formosa Channel, ...	Same as No. 1.
-South coast of China between Hongkong and Lamocks, .	Same as No. 1.
-South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 16th March, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th March, 1910, P.M.								17th March, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.80	757.0	33	...	N W	3	o	7 a.	30.17	766.2	17	72	...	0	b
Nemuro,	,,	29.02	737.1	...	...	N W	10	...	6 a.	29.69	754.1	...	...	N W	10	...
Hakodate,	,,	29.50	749.2	...	...	W	10	...	,,	29.89	759.2	...	...	N	6	...
Tokio,	,,	29.55	750.6	...	...	N W	8	...	,,	30.02	762.6	...	...	N W	2	...
Kochi,	,,	29.80	756.8	...	...	N	6	...	,,	30.19	766.8	...	...	N E	2	...
Nagasaki,	,,	30.07	763.8	...	...	N	10	...	,,	30.23	767.8	...	...	N E	2	...
Kagoshima,	,,	29.96	760.9	...	...	N	8	...	,,	30.19	766.9	...	...	N	2	...
Oshima,	,,	30.00	762.1	...	...	N W	6	...	,,	30.16	766.1	...	...	N	6	...
Naha,	,,	29.97	761.2	...	...	S E	4	...	,,	30.13	765.2	...	...	N E	6	...
Ishigakijima,	,,	30.01	762.3	...	...	S E	4	...	,,	30.05	763.3	...	...	N E	6	...
Bonin Is.	,,	29.93	760.1	...	...	S	4	...	,,	29.93	760.1	...	...	N W	4	...
Chefoo,	4 p.	30.33	770.4	42	100	N N W	2	b	6 a.	30.37	771.4	31	100	...	0	c
Weihaiwei,	,,	30.36	771.1	43	...	N N W	1	c	9 a.	30.41	772.4	38	...	E	1	b
Hankow,	,,	30.30	769.6	58	70	N E	1	o	6 a.	30.30	769.6	46	84	N W	1	o
Kiukiang,	,,	30.24	768.1	48	78	N E	4	o	,,	30.32	770.1	45	84	N E	4	o
Shanghai,	,,	30.32	770.1	47	48	N E	3	o	9 a.	30.36	771.1	45	63	E N E	3	o
Gutzlaff,	,,	30.24	768.1	46	92	N E	5	om	,,	30.30	769.6	45	72	N E	4	or
Sharp Peak,	,,	30.15	765.8	56	75	E N E	5	or	,,	30.28	769.1	55	94	W N W	1	o
Amoy,	,,	30.03	762.7	65	73	N E	5	o	6 a.	30.14	765.5	58	76	N E	4	c
Swatow,	,,	29.89	759.2	74	81	E	1	b	,,	30.08	764.0	58	76	E	4	c
Taihoku,	1 p.	30.07	763.7	...	...	S W	2	...	5 a.	30.15	765.7	...	...	E	8	...
Taichu,	,,	30.03	762.8	...	...	N	6	...	,,	30.06	763.5	...	...	N	6	...
Tainan,	,,	30.00	762.1	...	...	N W	8	...	,,	30.05	763.3	...	...	N	6	...
Koshun,	,,	29.98	761.5	...	...	E	4	...	,,	30.01	762.1	...	...	N E	10	...
Pescadores,	,,	30.02	762.5	...	...	N	6	...	,,	30.06	763.4	...	...	N E	10	...
Canton,	3 p.	29.92	759.9	76	77	S W	1	b	9 a.	30.09	764.3	69	80	S E	2	b
Hongkong,	4 p.	29.92	759.9	77	71	N W	1	b	10 a.	30.14	765.5	64	77	E	4	c
Victoria Peak,	,,	...	...	...	...	W N W	1	...	,,	...	...	...	...	E	6	...
Gap Rock,	,,	29.93	760.2	...	...	E	1	...	,,	30.10	764.5	...	...	E	6	...
Macao,	,,	29.94	760.5	75	...	E	4	c	,,	30.12	765.0	64	...	S	3	c
Wuchow,	3 p.	29.93	760.2	78	70	E	1	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.93	760.2	80	78	N E	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.86	758.5	73	...	S E	4	o	8 a.	30.02	762.4	72	...	N E	2	o
Tourane,	,,	29.86	758.5	79	...	S E	1	c	,,	29.98	761.5	75	..	S S W	1	dh
Cape St. James,	,,	29.83	757.8	82	...	E S E	3	c	,,	29.94	760.5	81	...	E	2	c
Aparri,	2 p.	29.89	759.3	82	...	E	2	b	6 a.	29.94	760.5	75	...	N E	2	o
Manila,	4 p.	29.80	757	82	57	N E	2	o	10 a.	29.84	758	79	76	N N W	2	o
Legaspi,	2 p.	29.76	755.8	79	...	N E	2	o	6 a.	29.67	753.7	75	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	S S W	1	c
Iloilo,	,,	29.79	756.6	81	...	N	1	o	,,	29.85	758.2	80	...	S W	1	c
Cebu,	,,	29.76	755.9	83	...	S	1	o	,,	29.81	757.2	84	...	S	2	c
Labuan,	,,	29.84	757.9	84	...	...	...	...	,,	29.93	760.2	80	...	...	...	...

On the 17th at 11.55 a.—The barometer has risen rapidly over Japan, the depression lying over Hokkaido yesterday, having moved away over the Pacific.

The barometer has fallen moderately over the S. Philippines, the depression having apparently moved toward N.W. and approached S.E. Luzon.

The area of high pressure remains over N. China and the barometer has risen moderately over the entire coast.

Strong N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, strong; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 17th March, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th March, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	18th March, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
adivostock,...	2 p.	30.14	765.6	36	...	N W	0	b	7 a.	29.99	761.7	30	95	S E	0	o
nuro, ...	,,	29.77	756.1	...	...	N W	10	...	6 a.	29.93	760.1	...	...	W	6	...
kodate, ...	,,	29.89	759.2	...	...	N	6	...	,,	30.09	764.2	...	...	S W	4	...
io, ...	,,	30.02	762.6	...	...	N W	6	...	,,	30.26	768.6	...	...	W	4	...
hi, ...	,,	30.19	766.8	...	...	E	4	...	,,	30.27	768.8	...	...	W	2	...
asaki, ...	,,	30.23	767.8	...	...	E	6	...	,,	30.23	767.8	...	...	S E	8	...
oshima, ...	,,	30.19	766.9	...	...	S E	2	...	,,	30.27	768.9	...	...	N	2	...
ima, ...	,,	30.16	766.1	...	...	E	6	...	,,	30.16	766.1	...	...	...	0	...
a, ...	,,	30.13	765.2	...	...	E	6	...	,,	30.09	764.2	...	...	S E	2	...
igakijima, ...	,,	30.09	764.3	...	...	N E	8	...	,,	30.05	763.3	...	...	N E	6	...
in Is.	,,	30.00	762.1	...	...	N W	4	...	,,	30.20	767.1	...	...	N	2	...
foo, ...	4 p.	30.26	768.6	45	100	E	3	b	6 a.	...	...	...	...	...	...	...
ihaiwei, ...	,,	30.29	769.3	46	...	N W	1	b	9 a.	30.16	766.0	38	...	S W	3	c
ikow, ...	,,	30.28	769.1	39	91	S E	1	o	6 a.	...	...	...	...	...	..	...
kiang, ...	,,	30.26	768.6	45	76	N E	3	o	,,	30.13	765.3	44	92	N E	1	o
nghai, ...	,,	30.28	769.1	46	62	E N E	2	o	9 a.	30.14	765.5	49	85	S	1	or
tzlaff, ...	,,	30.24	768.1	45	92	E N E	4	ov	,,	30.10	764.5	49	93	S E	4	om
rp Peak, ...	,,	...	...	56	87	N E	2	o	,,	30.14	765.5	55	94	N E	1	o
oy, ...	,,	30.07	763.8	70	57	N E	2	b	6 a.	30.68	764.0	58	76	...	0	c
itow, ...	,,	30.03	762.7	64	73	E	1	b	,,	30.66	763.5	58	88	E	1	b
hoku, ...	1 p.	30.09	764.4	...	...	E	8	...	5 a.	30.01	762.1	...	...	E	6	...
chu, ...	,,	30.04	763.0	...	...	N	6	...	,,	30.04	762.9	...	...	S	2	...
nan, ...	,,	30.03	762.7	...	...	N	4	...	,,	30.03	762.7	...	...	N	2	...
hun, ...	,,	30.02	762.5	...	...	N E	8	...	,,	30.01	762.1	...	...	N	6	...
cadores, ...	,,	30.07	763.8	...	...	N E	10	...	,,	30.03	762.8	...	...	N E	8	...
ton, ...	3 p.	29.98	761.5	75	72	S W	1	b	9 a.	30.09	764.3	68	79	S	1	o
ngkong, ...	4 p.	30.01	762.2	65	74	E	3	c	10 a.	30.13	765.3	64	73	E	3	b
toria Peak, ...	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	5	...
Rock, ...	,,	29.97	761.2	...	...	E	6	...	,,	30.08	764.0	...	...	E	5	...
ao, ...	,,	30.02	762.5	66	...	S	2	c	,,	30.12	765.0	69	...	E	2	c
chow, ...	3 p.	29.96	761.0	80	...	N	1	c	9 a.	...	...	...	...	...	...	...
how, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hoi, ...	,,	29.97	761.2	77	77	S E	3	c	,,	...	...	...	...	...	...	...
lien, ...	4 p.	29.90	759.4	79	...	S E	3	c	8 a.	30.05	763.2	70	...	E N E	2	o
rane, ...	,,	29.89	759.2	77	...	S S W	1	o	,,	30.00	761.9	73	...	S E	1	o
e St. James, .	,,	29.77	756.2	82	...	E S E	2	c	,,	29.93	760.1	82	...	N E	2	c
arri, ...	2 p.	29.91	759.8	79	...	N E	2	o	6 a.	29.85	758.1	75	...	N E	2	d
uila, ...	4 p.	29.76	756	82	57	N	2	o	10 a.	29.80	757	82	63	W	1	o
aspi, ...	2 p.	29.60	751.8	73	...	W	2	o	6 a.	29.73	755.2	75	...	W	2	o
olod, ...	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S S W	1	c
lo, ...	,,	29.74	755.4	82	...	N W	4	c	,,	29.87	758.7	81	...	N W	1	c
u, ...	,,	29.73	755.1	86	...	S	2	o	,,	29.87	758.7	85	...	S	1	b
uan, ...	,,	29.82	757.4	85	...	...	...	...	,,	29.99	759.4	79	...	...	...	...

On the 18th at 12.05 p.—The barometer has fallen slightly in N. Luzon and risen a little over the S. part of the Archipelago. The depression appears to be moving Northwards to the E. of Luzon.

Pressure has increased considerably over E. Japan and the Bonins, and fallen quickly over N. China. Another depression appears to be approaching Manchuria from the Westward.

The high pressure area lies now over S. Japan.

Moderate N.E. winds may be expected in the Formosa Channel and strong N.E. winds over the N.E. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	E. winds, fresh to moderate ; fine.
Formosa Channel, ...	N.E. winds, moderate.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 18th March, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th March, 1910, P.M.								19th March, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.85	758.3	35	...	S E	2	o	7 a.	29.59	751.6	31	97	...	0	c
Nemuro,	,,	29.93	760.1	...	...	N	6	...	6 a.	29.85	758.1	...	...	S	2	...
Hakodate,	,,	30.05	763.2	...	...	W	6	...	,,	29.81	757.2	...	...	W	2	...
Tokio,	,,	30.18	766.6	...	...	S	6	...	,,	29.87	758.6	...	...	S W	4	...
Kochi,	,,	30.19	766.8	...	...	S E	4	...	,,	29.95	760.8	...	...	W	2	...
Nagasaki,	,,	29.99	761.8	...	...	S	10	...	,,	30.03	762.8	...	...	N	6	...
Kagoshima,	,,	30.15	765.9	...	...	S E	2	...	,,	30.00	761.9	...	...	W	6	...
Oshima,	,,	30.12	765.1	...	...	S E	6	...	,,	30.04	763.1	...	...	S	4	...
Naha,	,,	30.09	764.2	...	...	E	6	...	,,	30.05	763.2	...	...	...	0	...
Ishigakijima,	,,	30.01	762.3	...	...	E	8	...	,,	29.97	761.3	...	...	E	6	...
Bonin Is.	,,	30.16	766.1	...	...	E	2	...	,,	30.20	767.1	...	...	S E	4	...
Chefoo,	4 p.	29.96	761.0	46	100	S W	1	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.09	764.3	42	...	S W	1	c	9 a.	30.00	762.0	54	...	W S W	3	c
Hankow,	,,	30.21	767.3	56	63	N W	1	c	6 a.	...	...	...	...	...	..	...
Kiukiang,	,,	30.14	765.5	52	79	S W	1	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.02	762.5	53	73	S S W	1	o	9 a.	30.09	764.3	54	68	E	1	bm
Gutzlaff,	,,	30.03	762.7	49	...	W	2	om	,,	29.98	761.5	53	86	N E	1	bm
Sharp Peak,	,,	...	...	57	100	...	0	b	,,	30.06	763.5	58	88	E	3	o
Amoy,	,,	29.97	761.2	69	75	S S E	2	b	6 a.	29.98	761.5	60	89	S E	3	b
Swatow,	,,	29.96	761.0	66	68	E	1	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.99	761.6	...	...	E	6	...	5 a.	29.92	759.9	...	...	E	6	...
Taichu,	,,	30.02	762.4	...	...	W	2	...	,,	29.95	760.7	...	...	...	0	...
Tainan,	,,	30.02	762.4	...	...	N W	6	...	,,	29.97	761.2	...	...	N	2	...
Koshun,	,,	30.00	762.1	...	...	N	6	...	,,	29.93	760.2	...	...	N	4	...
Pescadores,	,,	30.04	763.0	...	...	N E	6	...	,,	29.95	760.7	...	...	N E	6	...
Canton,	3 p.	29.97	761.2	...	...	W S W	1	b	9 a.	30.01	762.2	68	85	S	1	b
Hongkong,	4 p.	29.97	761.2	66	68	E	3	b	10 a.	30.04	763.0	66	85	E	1	o
Victoria Peak,	,,	...	...	...	...	S S W	2	...	,,	...	...	...	...	E S E	1	...
Gap Rock,	,,	29.96	761.0	...	...	E	5	...	,,	30.00	762.0	...	...	N E	3	...
Macao,	,,	29.99	761.7	67	...	S	1	c	,,	30.03	762.7	68	...	S	1	c
Wuchow,	3 p.	30.00	762.0	70	...	W	1	b	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.99	761.7	76	73	S E	2	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.92	760.0	73	...	E	4	c	8 a.	29.99	761.8	68	...	E S E	4	o
Tourane,	,,	29.90	759.5	73	...	E	2	o	,,	29.95	760.8	73	...	S E	3	o
Cape St. James,	,,	29.79	756.7	82	...	E N E	4	c	,,	29.92	759.9	79	...	E N E	5	c
Aparri,	2 p.	29.84	757.9	73	...	N E	4	q	6 a.	29.87	758.7	72	...	W	2	o
Manila,	4 p.	29.72	755	82	70	S W	2	o	10 a.	29.84	758	84	71	W S W	1	b
Legaspi,	2 p.	29.76	755.8	84	...	S W	2	o	6 a.	29.81	757.8	73	...	...	0	b
Bacolod,	3 p.	...	...	...	...	W S W	2	o	9 a.	...	...	...	...	N W	1	c
Iloilo,	,,	29.79	756.6	82	...	N	1	o	,,	29.89	759.2	80	...	S	0	b
Cebu,	,,	29.77	756.1	87	...	S	2	b	,,	29.87	758.7	84	...	N	1	b
Labuan,	,,	29.79	756.6	84	...	...	...	...	,,	29.89	759.2	80	...	...	...	...

On the 19th at 12.05 p.—The barometer has fallen quickly in Wladiwostok and over Japan, the depression lying over Manchuria yesterday, having reached the neighbourhood of the former station.

Pressure has increased slightly over the Philippines and given way moderately over S. China and Formosa.

The depression to the E. of Luzon appears to have moved slowly towards N.N.E. since yesterday.

The highest pressure lies over the Pacific to the Eastward of the Bonins.

Moderate N.E. and E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate ; fair.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 19th March, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th March, 1910, P.M.								20th March, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
adivostock,	2 p.	29.59	751.7	44	...	W	1	b	7 a.	29.91	759.7	26	37	N	0	b
muro,	,,	29.69	754.1	...	...	S	6	...	6 a.	29.77	756.1	...	...	W	2	...
kodate,	,,	29.65	753.2	...	...	S E	2	...	,,	29.81	757.2	...	...	...	0	...
kio,	,,	29.67	753.6	...	...	S W	6	...	,,	29.99	761.6	...	...	...	0	...
chi,	,,	29.91	759.8	...	...	W	6	...	,,	30.03	762.8	...	...	W	2	...
gasaki,	,,	30.03	762.8	...	...	W	8	...	,,	30.07	763.8	...	...	N E	2	...
goshima,	,,	30.00	761.9	...	...	N E	6	...	,,	30.04	762.9	...	...	N	2	...
ima,	,,	30.04	763.1	...	...	N	6	...	,,	30.01	762.1	...	...	S	4	...
ha	,,	30.01	762.2	...	...	E	4	...	,,	29.97	761.2	...	...	S E	2	...
igakijima,	,,	29.93	760.3	...	...	E	8	...	,,	29.86	758.3	...	...	E	6	...
in Is.	,,	...	...	...	...	...	...	...	,,	30.12	765.1	...	...	S	2	...
efoo,	4 p.	29.92	759.9	45	100	S W	2	b	6 a.	30.10	764.5	38	100	E	1	c
ihaiwei,	,,	29.98	761.5	49	...	E N E	2	c	9 a.	30.22	767.6	40	...	N	2	c
nkow,	,,	...	...	...	...	...	...	...	6 a.	30.03	762.7	52	93	N W	1	o
ukiang	,,	29.89	759.2	65	73	...	0	o	,,	29.97	761.2	55	94	N E	1	o
nghai,	,,	30.00	762.0	51	72	E	3	o	9 a.	30.05	763.2	49	93	E N E	3	om
izlaff,	,,	30.02	762.5	49	...	E S E	4	om	,,	30.01	762.2	49	100	E N E	5	f
rp Peak,	,,	29.94	760.5	69	94	E	1	c	,,	29.97	761.2	61	94	...	0	c
oy	,,	29.88	758.9	70	75	S S E	4	b	6 a.	29.90	759.4	64	89	S W	1	b
atow,	,,	29.86	758.4	75	64	E	1	b	,,	...	...	...	...	...	...	...
hoku,	1 p.	29.86	758.5	...	...	E	8	...	5 a.	29.83	758.8	...	...	S W	2	...
chu,	,,	29.91	759.6	...	...	N W	2	...	,,	29.90	759.4	...	...	N	2	...
nan,	,,	29.91	759.7	...	...	N W	4	...	,,	29.91	759.6	...	...	N	6	...
hun,	,,	29.89	759.1	...	...	N W	6	...	,,	29.88	758.9	...	...	...	0	...
cadores,	,,	29.92	759.9	...	...	N E	6	...	,,	29.91	759.6	...	...	N E	8	...
ton,	3 p.	29.87	758.7	75	77	W S W	1	b	9 a.	30.02	762.5	68	90	S E	0	b
ngkong,	4 p.	29.88	758.9	69	75	E	2	b	10 a.	30.03	762.7	67	88	E	1	o
toria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	S E	1	...
Rock,	,,	29.87	758.7	...	...	E	3	...	,,	30.01	762.2	...	...	E	3	...
cao,	,,	29.90	759.4	69	...	S	2	c	,,	30.03	762.7	69	...	S	1	o
chow,	3 p.	29.86	758.4	80	...	W	2	b	9 a.	30.02	762.5	69	...	E	1	c
how,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
alien,	4 p.	29.83	757.6	77	...	S S E	4	b	8 a.	29.97	761.3	72	...	E S E	4	o
rane,	,,	29.85	758.2	75	...	S E	2	c	,,	29.92	760.0	84	...	S E	1	o
e St. James,	,,	29.78	756.3	84	...	E N E	4	c	,,	29.90	759.4	82	...	E N E	5	c
arri,	2 p.	29.78	756.4	81	...	N W	2	o	6 a.	29.89	759.2	73	...	N W	2	o
sila,	4 p.	29.76	756	81	76	W S W	1	o	10 a.	29.92	760	82	71	W S W	1	c
aspi,	2 p.	29.79	756.6	86	...	E	2	b	6 a.	29.89	759.2	75	...	...	0	c
olod,	3 p.	...	...	...	...	N W	2	o	9 a.	...	...	...	...	N N W	1	c
lo,	,,	29.81	757.2	84	...	S W	1	b	,,	29.95	760.7	79	...	N N E	0	o
u,	,,	29.80	756.9	86	...	...	1	...	,,	29.92	759.9	83	...	N	1	c
nan,	,,	29.79	756.6	86	...	...	...	...	,,	...	...	...	...	...	...	...

On the 20th at 12.10 p.—The depression lying in the neighbourhood of Wladiwostok yesterday, is moving away ver the Pacific to the NE of Japan.

The barometer has risen considerably over the NE coast of China and E. Japan, and a slight rise has taken place ver the Philippines. It has fallen slightly to moderately over SE China and the S. Loochoos.

Pressure is low to the E. of Formosa and over the S. part of the Eastern Sea.

Moderate variable winds may be expected in the Formosa Channel and along the northern shores of the China ea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	Variable winds, moderate ; cloudy, misty.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 20th March, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th March, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	21st March, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	29.92	759.9	30	...	W	1	b	7 a.	30.16	766.0	26	32	...	0	c
Nemuro, ...	,,	29.65	753.1	...	...	S E	6	...	6 a.	29.69	754.1	...	...	W	6	...
Hakodate, ...	,,	29.77	756.2	...	...	W	8	...	,,	29.93	760.2	...	...	N W	4	...
Tokio, ...	,,	29.91	759.6	...	...	...	0	...	,,	29.99	761.6	...	...	N	4	...
Kochi, ...	,,	30.03	762.8	...	...	...	0	...	,,	30.07	763.8	...	...	W	2	...
Nagasaki, ...	,,	30.03	762.8	...	...	S W	4	...	,,	30.03	762.8	...	...	S	2	...
Kagoshima, ...	,,	30.04	762.9	...	...	...	0	...	,,	30.00	761.9	...	...	N E	2	...
Oshima, ...	,,	29.93	760.1	...	...	S	2	...	,,	29.93	760.1	...	...	...	0	...
Naha, ...	,,	29.89	759.2	...	...	S E	4	...	,,	29.85	758.2	...	...	N	4	...
Ishigakijima, ...	,,	29.78	756.3	...	...	W	6	...	,,	29.93	760.3	...	...	...	0	...
Bonin Is.....	,,	30.04	763.1	...	...	S	2	...	,,	30.01	762.1	...	...	W	2	...
Chefoo, ...	4 p.	30.26	765.6	41	92	N E	2	o	6 a.	...	...	...	...	...	...	...
Weihaiwei, ...	,,	30.26	768.6	40	...	N N E	3	c	9 a.	30.27	768.8	41	...	N N E	2	c
Hankow, ...	,,	30.05	763.2	54	...	N N E	2	or	6 a.	...	...	...	...	...	...	...
Kiukiang, ...	,,	29.90	759.4	60	82	N E	2	c	,,	29.92	759.9	50	100	N E	3	o
Shanghai, ...	,,	30.00	762.0	49	93	N E	3	odq	9 a.	30.01	762.2	47	100	N E	4	oz
Gutzlaff, ...	,,	29.98	761.5	49	100	E N E	5	f	,,	29.99	761.7	48	100	E	7	f
Sharp Peak, ...	,,	29.83	757.7	62	100	...	0	f	,,	29.93	761.5	61	100	...	0	f
Amoy, ...	,,	29.87	758.7	72	76	S E	2	b	6 a.	29.95	760.7	63	89	...	0	o
Swatow, ...	,,	29.84	757.9	73	72	S	2	b	,,	29.86	758.4	65	100	N E	2	o
Taiboku, ...	1 p.	29.91	759.8	...	...	W	4	...	5 a.	29.95	760.7	...	...	W	2	...
Taichu, ...	,,	29.92	759.9	...	...	N	4	...	,,	29.98	761.4	...	...	...	0	...
Tainan, ...	,,	29.92	759.9	...	...	N	6	...	,,	29.97	761.3	...	...	N E	2	...
Koshun.....	,,	29.89	759.3	...	...	N W	6	...	,,	29.95	760.6	...	...	...	0	...
Pescadores, ...	,,	29.92	760.0	...	...	N E	6	...	,,	29.95	760.8	...	...	N	4	...
Canton, ...	3 p.	29.87	758.7	73	76	S	1	b	9 a.	29.97	761.2	71	90	S	1	c
Hongkong, ...	4 p.	29.88	758.9	71	80	E	1	c	10 a.	29.99	761.7	72	82	E	1	o
Victoria Peak, ...	,,	...	...	...	...	W S W	1	...	,,	...	...	...	...	S	2	...
Gap Rock, ...	,,	29.87	758.7	...	...	E	3	...	,,	29.97	761.2	...	...	E S E	2	...
Macao, ...	,,	29.89	759.2	71	...	S	1	c	,,	30.01	762.2	71	...	S	1	o
Wuchow, ...	3 p.	29.86	758.4	73	...	E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	29.88	758.9	80	87	S W	3	b	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.80	757.0	73	...	S E	5	o	8 a.	29.91	759.8	70	...	S E	5	or
Tourane, ...	,,	29.83	757.6	77	...	S E	2	c	,,	29.91	759.8	77	...	S	1	c
Cape St. James, .	,,	29.81	757.2	82	...	S E	4	o	,,	29.92	760.1	81	...	E N E	5	c
Aparri, ...	2 p.	29.87	758.8	81	...	N	2	c	6 a.	29.92	759.9	73	...	W	0	c
Manila, ...	4 p.	29.80	757	82	77	S W	1	c	10 a.	29.96	761	84	64	W S W	2	c
Legaspi, ...	2 p.	29.84	758.0	86	...	E	2	b	6 a.	29.92	759.9	75	...	...	0	c
Bacolod, ...	3 p.	...	...	...	...	E N E	1	c	9 a.	...	...	...	...	N N W	1	o
Iloilo, ...	,,	29.85	758.2	82	...	S E	0	o	,,	29.93	760.2	80	...	N E	1	o
Cebu, ...	,,	29.85	758.2	82	...	...	0	o	,,	29.93	760.2	81	...	N	1	c
Labuan, ...	,,	29.86	758.4	86	...	...	...	...	,,	29.92	759.9	81	...	...	...	...

On the 21st at 12.10 p.—The barometer has risen over Formosa and fallen over the Loochoos and the Bonins. The "low" area is moving Eastwards to the S.E. of the Loochoos.

The barometer has risen over N. China and Manchuria where pressure is now high.

Pressure is low between Tongking and the Yangtze valley.

Moderate variable winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.E. or variable winds, moderate; probably some rain
2.—Formosa Channel, ...	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 21st March, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st MARCH, 1910, P.M.								22nd MARCH, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
divostock,	2 p.	30.19	766.7	32	...	N E	1	o	7 a.	30.12	764.9	23	76	...	0	o
uro,	,,	29.81	757.1	...	...	N	8	...	6 a.	30.24	768.1	...	...	N	4	...
odate,	,,	30.05	763.2	...	...	N W	6	...	,,	30.25	768.2	...	...	N	2	...
io,	,,	30.02	762.6	...	...	N	6	...	,,	30.22	767.6	...	...	N	2	...
hi,	,,	30.03	762.8	...	...	...	0	...	,,	30.03	762.8	...	...	S W	2	...
asaki,	,,	29.99	761.8	...	...	E	8	...	,,	29.88	758.8	...	...	N E	6	...
oshima,	,,	30.00	761.9	...	...	N E	4	...	,,	29.92	759.9	...	...	N	6	...
ima,	,,	29.89	759.1	...	...	N	4	...	,,	29.89	759.1	...	...	S	6	...
a,	,,	29.89	759.2	...	...	N	4	...	,,	29.93	760.2	...	...	...	0	...
gakijima,	,,	29.93	760.3	...	...	E	6	...	,,	29.89	759.3	...	...	S E	6	...
in Is.	,,	29.89	759.1	...	...	...	0	...	,,	29.89	759.1	...	...	N E	2	...
foo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
haiwei,	,,	30.32	770.1	40	...	N	1	o	9 a.	30.11	764.8	40	...	N N W	3	o
kow,	,,	...	...	54	94	N W	1	or	6 a.	...	...	...	...	...	...	...
tiang,	,,	29.94	760.5	51	91	N E	1	o	,,	30.09	764.3	43	92	N E	2	or
ghai,	,,	29.90	759.4	48	100	E N E	4	om	9 a.	30.01	762.2	45	92	N N W	4	omd
laff,	,,	29.89	759.2	49	100	E	7	fd	,,	...	...	...	...	...	...	...
p Peak,	,,	29.88	758.9	63	94	...	0	f	,,	29.83	757.7	62	100	...	0	f
y,	,,	29.89	759.2	70	75	S S E	3	b	6 a.	29.95	760.7	63	83	S E	1	b
tow,	,,	29.89	759.2	80	78	E	1	b	,,	29.84	757.9	65	95	N E	1	f
oku,	1 p.	29.89	759.1	...	...	N	2	...	5 a.	29.89	759.1	...	...	...	0	...
hu,	,,	29.93	760.1	...	...	W	2	...	,,	29.92	759.9	...	...	...	0	...
ian,	,,	29.94	760.5	...	...	N W	4	...	,,	29.92	759.9	...	...	S W	4	...
bun,	,,	29.94	760.4	...	...	W	4	...	,,	29.91	759.7	...	...	N W	2	...
adores,	,,	29.94	760.5	...	...	N E	4	...	,,	29.89	759.3	...	...	W	6	...
lon,	3 p.	29.85	758.2	77	77	S	2	b	9 a.	29.93	760.2	71	95	S	1	o
gkong,	4 p.	29.89	759.2	70	91	E	2	o	10 a.	29.94	760.5	73	86	E	1	o
oria Peak,	,,	...	...	...	...	S S E	1	...	,,	...	...	...	...	S S E	3	...
Rock,	,,	29.88	758.9	...	...	S E	2	...	,,	29.91	759.7	...	...	S E	2	...
o,	,,	29.90	759.4	70	...	S	1	c	,,	29.96	761.0	71	...	S	1	of
how,	3 p.	29.85	758.2	79	...	E	1	c	9 a.	...	...	...	...	...	...	...
ow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hoi,	,,	29.87	758.7	83	96	S W	2	b	,,	...	...	...	...	...	...	...
lien,	4 p.	29.79	756.7	72	...	E S E	5	or	8 a.	29.88	759.0	72	...	E S E	4	o
ane,	,,	29.79	756.7	79	...	S E	2	b	,,	...	...	...	...	...	...	...
St. James,	,,	...	...	...	...	...	...	...	,,	29.95	760.7	77	...	W	2	or
rri,	2 p.	29.87	758.8	86	...	N	2	b	6 a.	29.90	759.5	73	...	S W	0	c
ila,	4 p.	29.84	758	90	60	W	1	o	10 a.	29.96	761	86	65	N N W	1	o
spi,	2 p.	29.86	758.5	86	...	E	2	b	6 a.	29.92	760.0	75	...	N E	2	o
lod,	3 p.	...	...	...	...	N W	2	c	9 a.	...	...	...	...	N N W	2	o
o,	,,	29.85	758.2	84	...	N E	2	b	,,	29.95	760.7	81	...	N N E	1	c
...	,,	29.84	757.9	84	...	N	2	b	,,	29.92	759.9	83	...	...	0	...
ian,	,,	29.84	757.9	86	...	...	...	...	,,	29.95	760.7	82	...	...	...	...

On the 22nd at 12.10 p.—The depression lying to the E. of the Loochoos yesterday, is moving Eastwards in the ighbourhood of the Bonins.

The barometer has risen over the Yangtze valley, and fallen in N. China and S.W. Japan. A depression coming on the Yangtze valley is moving Eastwards over the Eastern Sea.

Pressure has increased quickly and is now high over E. Japan.

Moderate variable winds may be expected in the Formosa Channel and along the northern shores of the China a.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	S.E. or variable winds, moderate; fair to showery.
Formosa Channel,	Variable winds, moderate.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 22nd March, 1910.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd March, 1910, P.M.								23rd March, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.04	763.0	30	...	S E	1	o	7 a.	29.97	761.3	19	90	N	0	b
Nemuro,	,,	30.24	768.1	...	...	W	2	...	6 a.	30.08	764.1	...	...	E	4	...
Hakodate,	,,	30.20	767.2	...	...	S E	6	...	,,	29.93	760.2	...	...	N	2	...
Tokio,	,,	30.14	765.6	...	...	N	4	...	,,	29.75	755.6	...	...	N	5	...
Kochi,	,,	29.91	759.8	...	...	S	2	...	,,	29.72	754.3	...	...	S-W	2	...
Nagasaki,	,,	29.80	756.8	...	...	N	6	...	,,	29.88	758.8	...	...	N	6	...
Kagoshima,	,,	29.76	755.9	...	...	...	0	...	,,	29.84	757.9	...	...	N	6	...
Oshima,	,,	29.85	758.1	...	...	S	4	...	,,	29.85	758.1	...	...	N	6	...
Naha,	,,	29.89	759.2	...	...	S W	2	...	,,	29.81	757.2	...	...	N	6	...
Ishigakijima,	,,	29.89	759.3	...	...	S	6	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	29.85	758.1	...	...	E	4	...	,,	29.85	758.1	...	...	...	0	...
Chefoo,	4 p.	30.10	764.5	36	90	E	2	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.16	766.0	43	...	N	3	c	9 a.	30.22	767.6	37	...	N N E	3	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.18	766.6	44	92	N E	1	ov	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.02	762.5	43	100	N E	4	omd	9 a.	30.22	767.6	45	76	N N W	3	o
Gutzlaff,	,,	30.01	762.2	45	100	N N E	6	fd	,,	30.17	766.3	45	92	N	5	o
Sharp Peak,	,,	29.77	756.1	64	95	E S E	3	b	,,	30.10	764.5	59	94	E	1	o
Amoy,	,,	29.80	756.9	81	74	S E	3	b	6 a.	29.98	761.5	58	81	N E	5	o
Swatow,	,,	29.79	756.6	82	67	...	0	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.85	758.1	...	...	N	4	...	5 a.	30.05	763.2	...	...	E	4	...
Taichu,	,,	29.89	759.2	...	...	W	6	...	,,	29.97	761.1	...	...	N	6	...
Tainan,	,,	29.93	760.1	...	...	S W	6	...	,,	29.93	760.1	...	...	E	2	...
Koshun	,,	29.90	759.4	...	...	N W	6	...	,,	29.91	759.8	...	...	N	4	...
Pescadores,	,,	29.90	759.4	...	...	W	6	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	29.82	757.4	75	86	S E	2	o	9 a.	30.12	765.0	55	80	N N E	3	c
Hongkong,	4 p.	29.84	757.9	72	93	E	1	od	10 a.	30.01	762.2	69	67	W N W	1	o
Victoria Peak,	,,	...	...	...	...	S	2	...	,,	...	...	...	...	N W	2	...
Gap Rock,	,,	29.81	757.2	...	...	S S E	2	...	,,	29.99	761.7	...	...	N	6	...
Macao,	,,	29.86	758.4	72	...	S	1	of	,,	30.08	764.0	59	...	N	3	o
Wuchow,	3 p.	29.90	759.4	66	73	N	1	o	9 a.	30.21	767.3	55	...	E	3	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.83	757.7	82	71	N W	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.75	755.6	73	...	E S E	4	o	8 a.	29.99	761.8	66	...	N N E	3	o
Tourane,	,,	29.78	756.5	79	...	S E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.81	757.1	84	...	S	4	lt	,,	29.90	759.4	82	...	S W	2	o
Aparri,	2 p.	29.85	758.1	84	...	N	2	o	6 a.	29.90	759.4	73	...	S W	2	o
Manila,	4 p.	29.80	757	88	54	S E	2	o	10 a.	29.92	760	88	59	S E	1	o
Legaspi,	2 p.	29.85	758.3	84	...	E	2	o	6 a.	29.89	759.2	77	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N N E	2	c	9 a.	...	...	...	...	N W	2	o
Iloilo,	,,	29.85	758.2	85	...	N E	1	o	,,	29.95	760.7	82	...	N E	1	b
Cebu,	,,	29.84	757.9	85	...	N	2	c	,,	29.92	759.9	84	...	N	1	o
Labuan,	,,	29.84	757.9	85	...	...	...	...	,,	29.93	760.2	82	...	...	...	...

On the 23rd at 12.05 p.—The barometer has fallen quickly in Japan, and risen considerably over China.

The depression is moving Eastwards over S. Japan.

A high pressure area now lies over the Yangtze valley.

Strong N. and N.E. winds may be expected in the Formosa Channel and over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, strong; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 23rd March, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd MARCH, 1910, P.M.								24th MARCH, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Livestock,	2 p.	29.87	758.6	31	...	...	0	b	7 a.	29.89	759.1	26	99	...	0	o
uro,	,,	29.89	759.1	...	...	E	6	...	6 a.	29.73	755.1	...	...	N	8	...
ndate,	,,	29.77	756.2	...	...	N W	2	...	,,	29.97	761.2	...	...	N W	6	...
o,	,,	29.59	751.6	...	...	N	4	...	,,	29.95	760.6	...	...	N	4	...
i,	,,	29.80	756.8	...	...	N	8	...	,,	30.03	762.8	...	...	S	2	...
saki,	,,	29.91	759.8	...	...	N	8	...	,,	30.15	765.8	...	...	N	2	...
shima,	,,	29.88	758.9	...	...	N	8	...	,,	30.12	764.9	...	...	N	4	...
ma,	,,	29.93	760.1	...	...	N	8	...	,,	30.08	764.1	...	...	N	8	...
	,,	29.93	760.2	...	...	N	6	...	,,	30.09	764.2	...	...	N E	4	...
akijima,	,,	29.97	761.3	...	...	N	6	...	,,	30.09	764.3	...	...	N	2	...
n Is.	,,	29.85	758.1	...	...	S	4	...	,,	29.97	761.1	...	...	...	0	...
oo,	4 p.	30.12	765.0	43	100	E	3	b	6 a.	...	...	...	...	...	...	...
aiwei,	,,	30.19	766.8	45	...	E N E	2	c	9 a.	30.17	766.3	47	...	S W	5	b
ow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iang,	,,	30.25	768.3	51	72	E	1	c	,,	...	...	...	...	...	...	...
ghai,	,,	30.19	766.8	52	35	N N E	2	o	9 a.	30.31	769.9	49	85	S	1	c
Jaff,	,,	30.15	765.8	49	71	N	4	cv	,,	30.28	769.1	50	72	N E	1	c
Peak,	,,	30.11	764.8	56	87	N E	3	o	,,	30.21	767.3	54	80	E N E	4	o
	,,	30.03	762.7	59	76	N E	3	o	6 a.	30.15	765.8	56	69	N E	4	b
ow,	,,	29.95	760.7	63	83	E	1	c	,,	30.06	763.5	54	87	E	2	c
oku,	1 p.	30.08	764.0	...	...	N E	4	...	5 a.	30.17	766.3	...	...	E	6	...
n,	,,	29.97	761.2	...	...	N	6	...	,,	30.10	764.5	...	...	N	4	...
n,	,,	29.95	760.7	...	...	N	6	...	,,	30.08	763.9	...	...	N	4	...
un,	,,	29.94	760.6	...	...	N E	6	...	,,	30.05	763.2	...	...	N	8	...
adores,	,,	29.98	761.6	...	...	N E	10	...	,,	30.58	764.1	...	...	N E	10	...
on,	3 p.	30.03	762.7	60	65	N N E	3	c	9 a.	30.17	766.3	54	74	N E	2	o
kong,	4 p.	29.98	761.5	65	60	N	1	o	10 a.	30.15	765.8	61	66	E N E	1	o
ria Peak,	,,	...	...	...	...	N N W	1	...	,,	...	...	...	...	E N E	3	...
Rock,	,,	29.95	760.7	...	...	N N E	4	...	,,	30.12	765.0	...	...	E	5	...
o,	,,	29.99	761.7	62	...	N	3	o	,,	30.16	766.0	57	...	N	1	o
how,	3 p.	30.15	765.8	56	...	N	3	o	9 a.	...	...	...	...	...	...	...
ow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi,	,,	30,05	763.2	62	67	N	5	o	,,	...	...	...	...	...	...	...
ien,	4 p.	29.99	761.7	64	...	N W	2	o	8 a.	30.13	765.4	59	...	N	3	o
ane,	,,	...	...	...	...	...	...	...	,,	30.03	762.8	68	...	N W	4	o
St. James,	,,	29.77	756.2	86	...	S	3	c	,,	29.93	760.2	79	...	N E	2	c
ri,	2 p.	29.91	759.7	79	...	N	2	p	6 a.	29.98	761.5	73	...	S E	0	o
la,	4 p.	29.84	758	82	77	S S E	2	op	10 a.	29.96	761	82	77	W	1	c
spi,	2 p.	29.86	758.4	82	...	E	2	b	6 a.	29.94	760.4	77	...	N E	2	o
lod,	3 p.	...	...	...	...	E S E	1	ort	9 a.	...	...	...	...	N W	1	c
	,,	29.85	758.2	85	...	S E	1	b	,,	29.97	761.2	82	...	N E	1	b
	,,	29.83	757.7	87	...	N	2	b	,,	29.96	761.0	86	...	N	1	b
an,	,,	29.83	757.7	87	...	...	...	...	,,	29.94	760.5	83	...	...	...	...

On the 24th at 12.10 p.—The depression lying over S. Japan yesterday, is moving away over the Pacific. Pressure has a tendency to give way over the N.E. coast of China. It has increased considerably to moderately r S. Japan and S. China respectively. The "high" area remains over the Yangtze valley.

Fresh to strong monsoon may be expected in the Formosa Channel and over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thurs[redacted]arch, 1910.

Printed by NORONHA & Co., Governme[redacted]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th March, 1910, P.M.								25th March, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.87	758.8	24	...	S W	1	b	7 a.	29.93	760.1	33	99	S E	3	o
Nemuro,	,,	29.89	759.1	...	...	N W	6	...	6 a.	30.16	766.2	...	...	S W	8	...
Hakodate,	,,	30.01	762.2	...	...	N W	6	...	,,	30.28	769.2	...	...	W	4	...
Tokio,	,,	30.06	763.6	...	...	S	4	...	,,	30.46	773.6	...	...	N W	2	...
Kochi,	,,	30.11	764.8	...	...	N	6	...	,,	30.39	771.8	...	...	W	2	...
Nagasaki,	,,	30.23	767.8	...	...	N	8	...	,,	30.35	770.8	...	...	E	4	...
Kagoshima,	,,	30.19	766.9	...	...	N	6	...	,,	30.31	769.9	...	...	E	2	...
Oshima,	,,	30.16	766.1	...	...	N E	8	...	,,	30.28	769.1	...	...	S	2	...
Naha,	,,	30.13	765.2	...	...	N E	6	...	,,	30.17	766.2	...	...	...	0	...
Ishigakijima,	,,	30.09	764.3	...	...	N E	8	...	,,	30.13	765.3	...	...	E	4	...
Bonin Is.	,,	29.96	761.1	...	...	S W	2	...	,,	30.29	767.1	...	...	N	2	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.09	764.3	54	...	W S W	7	bm	9 a.	30.23	767.8	47	...	S W	8	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.16	766.0	56	69	S E	1	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.21	767.3	57	53	S E	2	c	9 a.	30.29	767.1	51	86	E	1	...
Gutzlaff,	,,	30.22	767.6	52	66	N E	2	bv	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	30.20	767.1	55	87	E N E	3	o	,,	30.17	766.3	54	94	N	1	o
Amoy,	,,	30.04	763.0	61	66	N E	3	o	6 a.	30.17	766.3	58	81	W	2	o
Swatow,	,,	30.07	763.8	63	62	E	1	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.15	765.8	...	...	E	8	...	5 a.	30.13	765.4	...	...	S W	4	...
Taichu,	,,	30.04	763.0	...	...	N	6	...	,,	30.12	765.0	...	...	N	2	...
Tainan,	,,	30.11	764.7	...	...	N	4	...	,,	30.10	764.6	...	...	N	2	...
Koshun	,,	30.10	764.5	...	...	N E	8	...	,,	30.09	764.2	...	...	N E	2	...
Pescadores,	,,	30.09	764.3	...	...	N E	8	...	,,	30.11	764.8	...	...	N E	6	...
Canton,	3 p.	30.06	763.5	59	76	N N W	1	c	9 a.	30.14	765.5	59	88	N	2	o
Hongkong,	4 p.	30.03	762.7	62	74	E	3	o	10 a.	30.13	765.3	65	77	E	3	o
Victoria Peak,	,,	...	...	...	...	E N E	4	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	29.99	761.7	...	...	E	5	...	,,	30.08	764.0	...	...	E	5	...
Macao,	,,	30.04	763.0	60	...	N	2	o	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	30.12	765.0	58	76	N	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.00	762.0	63	...	S W	1	o	8 a.	30.09	764.3	61	...	N E	0	o
Tourane,	,,	29.93	760.2	68	...	N W	5	o	,,	30.02	762.6	68	...	N W	3	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.92	759.9	81	...	E N E	6	c
Aparri,	2 p.	29.96	761.1	79	...	N E	2	b	6 a.	30.03	762.7	73	...	S	0	b
Manila,	4 p.	29.84	758	88	66	E S E	1	o	10 a.	30.00	762	88	59	E S E	1	c
Legaspi,	2 p.	29.90	759.5	86	...	E	2	b	6 a.	29.99	761.7	79	...	S E	2	b
Bacolod,	3 p.	...	...	...	...	E N E	1	o	9 a.	...	...	...	...	E N E	2	c
Iloilo,	,,	29.87	758.7	87	...	N E	2	c	,,	29.99	761.7	83	...	N N E	4	b
Cebu,	,,	29.85	758.2	87	...	N	2	b	,,	29.97	761.2	85	...	N	2	b
Labuan,	,,	29.81	757.2	87	...	...	...	...	,,	29.94	760.5	83	...	...	...	...

On the 25th at 12.05 p.—The barometer has risen quickly over Japan, and fallen slightly over China.

A depression is moving Eastwards over Manchuria, and probably a second area of low pressure is developing over the Yangtze valley.

The high pressure area has moved Eastwards and is now central over S.E. Japan.

Moderate E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 25th March, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th March, 1910, P.M.								26th March, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
divostock,	2 p.	29.91	759.8	39	...	E	1	o	7 a.	30.06	763.6	29	99	...	0	o
uro,	,,	30.20	767.1	...	...	S E	2	...	6 a.	30.20	767.1	...	...	S	8	...
odate,	,,	30.24	768.2	...	...	S	4	...	,,	30.32	770.2	...	...	W	4	...
io,	,,	30.42	772.6	...	...	S	4	...	,,	30.50	774.6	...	...	W	2	...
hi,	,,	30.39	771.8	...	...	S	4	...	,,	30.39	771.8	...	...	W	2	...
asaki,	,,	30.31	769.8	...	...	E	8	...	,,	30.15	765.8	...	...	E	6	...
oshima,	,,	30.35	770.9	...	...	S E	2	...	,,	30.19	766.9	...	...	E	8	...
ima,	,,	30.28	769.1	...	...	E	4	...	,,	30.16	766.1	...	...	S	6	...
a.	,,	30.20	767.2	...	...	E	4	...	,,	30.13	765.2	...	...	S E	2	...
igakijima,	,,	30.13	765.3	...	...	E	6	...	,,	30.09	764.3	...	...	S E	8	...
in Is.	,,	30.24	768.1	...	...	E	4	...	,,	30.32	770.1	...	...	E	4	...
fco.	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ihaiwei,	,,	30.03	762.7	52	...	S W	7	c	9 a.	29.95	760.7	42	...	E N E	5	omi
kow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang,	,,	30.16	766.0	56	75	S E	1	o	,,	...	...	...	...	...	...	...
nghai,	,,	30.04	763.0	52	100	S E	2	omd	9 a.	...	...	...	...	...	...	...
zlaff,	,,	30.04	763.0	51	100	S E	4	fd	,,	...	...	56	94	S	1	om
rp Peak,	,,	30.05	763.2	57	100	...	0	b	,,	30.09	764.3	58	94	...	0	c
oy,	,,	30.08	764.0	64	78	S E	4	b	6 a.	30.06	763.5	59	94	S E	2	o
tow,	,,	30.01	762.2	68	70	N E	2	o	,,	29.97	761.2	62	100	N E	2	o
hoku,	1 p.	30.10	764.3	...	...	N	4	...	5 a.	30.04	763.1	...	...	...	0	...
chu,	,,	30.07	763.7	...	...	N	4	...	,,	30.04	763.1	...	...	...	0	...
oan,	,,	30.08	764.0	...	...	W	4	...	,,	30.02	762.4	...	...	E	2	...
hun	,,	30.07	763.9	...	...	E	8	...	,,	30.00	761.9	...	...	S E	4	...
cadores,	,,	30.10	764.6	...	...	N E	6	...	,,	30.03	762.7	...	...	E	4	...
ton	3 p.	30.00	762.0	67	79	N W	1	c	9 a.	30.01	762.2	67	95	S	1	o
ngkong,	4 p.	29.99	761.7	65	87	E	4	o	10 a.	30.04	763.0	68	91	E	3	o
toria Peak,	,,	...	...	...	...	E S E	5	...	,,	...	...	...	...	S E	2	...
Rock,	,,	29.96	761.0	...	...	E	5	...	,,	30.01	762.2	...	...	E	3	...
ao,	,,	30.01	762.2	67	...	E	1	o	,,	30.04	763.0	67	...	S	1	of
chow,	3 p.	30.05	763.2	71	...	E	2	o	9 a.	30.03	762.7	66	...	E	2	c
hew,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hoi,	,,	29.98	761.5	72	90	S E	2	o	,,	...	...	...	...	...	...	...
dien,	4 p.	29.95	760.7	68	...	N N E	0	o	8 a.	30.01	762.1	66	...	N	0	or
rane,	,,	29.92	760.0	72	...	N W	3	o	,,	29.97	761.3	82	...	S S W	1	c
e St. James,	,,	29.86	758.4	81	...	E N E	6	c	,,	29.94	760.4	82	...	E N E	6	c
rri,	2 p.	29.97	761.3	86	...	N E	2	b	6 a.	30.04	762.9	73	...	S E	2	b
ila,	4 p.	29.92	760	86	59	E S E	1	c	10 a.	30.04	763	88	59	E S E	1	c
aspi,	2 p.	29.94	760.6	86	...	S E	2	b	6 a.	29.99	761.7	79	...	N E	2	c
olod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	E N E	2	o
lo,	,,	29.89	759.2	85	...	N N E	4	c	,,	29.99	761.7	82	...	N E	1	b
u,	,,	29.89	759.2	85	...	N	1	b	,,	29.99	761.7	84	...	N	2	b
uan,	,,	29.79	756.6	87	...	...	...	...	,,	29.89	759.2	83	...	...	...	...

On the 26th at 12.10 p.—The depression lying over Manchuria yesterday, appears to have moved away towards .E.

The barometer has risen moderately in Wladiwostok, and fallen moderately to considerably over S.W. Japan nd China.

A depression is moving Eastwards over China to the North of the Yangtze valley.

The high pressure area is still central over S.E. Japan.

Moderate S.E. and S. winds may be expected in the Formosa Channel and along the northern shores of the hina Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	S.E. and S. winds, moderate; foggy, probably some rain.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 26th March, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th March, 1910, P.M.								27th March, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	30.02	762.6	45	...	...	0	o	7 a.	29.66	753.3	32	99	N	0	o
Nemuro, ...	,,	30.20	767.1	...	...	S W	8	...	6 a.	30.12	765.1	...	...	S E	6	...
Hakodate, ...	,,	30.28	769.2	...	...	S W	6	...	,,	29.73	755.2	...	...	S E	8	...
Tokio, ...	,,	30.42	772.6	...	...	S W	6	...	,,	30.06	763.6	...	...	S W	6	...
Kochi, ...	,,	30.23	767.9	...	...	W	2	...	,,	29.95	760.8	...	...	...	0	...
Nagasaki, ...	,,	29.99	761.8	...	...	S	10	...	,,	29.95	760.8	...	...	W	8	...
Kagoshima, ...	,,	30.11	764.9	...	...	S	2	...	,,	30.00	761.9	...	...	W	2	...
Oshima, ...	,,	...	...	...	...	...	...	...	,,	30.04	763.1	...	...	...	0	...
Naha,.....	,,	30.13	765.2	...	...	S	4	...	,,	30.09	764.2	...	...	S	2	...
Ishigakijima,....	,,	30.05	763.3	...	...	S	8	...	,,	...	...	...	...	...	...	...
Bonin Is.....	,,	30.28	769.1	...	...	E	4	...	,,	30.24	768.1	...	...	E	4	...
Chefoo, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,.....	,,	29.75	755.6	51	...	N E	3	orm	9 a.	30.23	767.8	35	...	N N W	8	cn
Hankow, ...	,,	...	...	...	...	,,	...	...	6 a.	30.17	766.3	67	100	...	0	f
Kiukiang,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	,,	29.83	757.7	58	94	N W	4	or	9 a.	30.06	763.5	51	100	N E	2	o
Gutzlaff, ...	,,	29.82	757.4	57	87	N N W	6	cmq	,,	30.07	763.8	53	93	N N W	2	o
Sharp Peak,.....	,,	29.90	759.4	59	88	S E	3	c	,,	30.03	762.7	63	89	N E	2	f
Amoy,.....	,,	30.00	762.0	65	95	...	0	f	6 a.	30.01	762.2	66	95	...	0	f
Swatow, ...	,,	29.94	760.5	67	95	E	1	o	,,	...	...	...	...	...	...	...
Taihoku,.....	1 p.	29.99	761.8	...	...	...	0	...	5 a.	30.00	762.0	...	...	...	0	...
Taichu, ...	,,	30.00	762.0	...	...	S W	2	...	,,	30.03	762.1	...	...	...	0	...
Tainan,.....	,,	30.02	762.6	...	...	S	4	...	,,	30.06	763.6	...	...	...	0	...
Koshun.....	,,	30.06	763.4	...	...	S	6	...	,,	30.04	762.9	...	...	E	2	...
Pescadores, ...	,,	30.02	762.5	...	...	S	4	...	,,	30.01	762.2	...	...	S W	2	...
Canton,.....	3 p.	29.92	759.9	72	95	S	1	o	9 a.	...	...	...	...	...	...	...
Hongkong, ...	4 p.	29.94	760.5	70	92	E N E	1	o	10 a.	30.04	763.0	72	91	E	2	o
Victoria Peak,...	,,	...	...	...	...	S S E	3	...	,,	...	...	...	...	S	1	...
Gap Rock,.....	,,	29.91	759.7	...	...	E	3	...	,,	30.02	762.5	...	...	S	2	...
Macao, ...	,,	29.95	760.7	67	...	S	1	or	,,	30.05	763.2	69	...	S	1	o
Wuchow,.....	3 p.	29.90	759.4	73	...	E	1	c	9 a.	30.05	763.2	71	...	E	1	c
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,.....	,,	29.94	760.5	72	95	W S W	2	o	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.85	758.3	70	...	S S E	3	or	8 a.	29.97	761.1	73	...	S E	4	o
Tourane, ...	,,	29.89	759.1	81	...	S E	1	c	,,	29.93	760.2	79	...	S	3	c
Cape St. James,.	,,	29.83	757.8	82	...	E N E	6	c	,,	29.87	758.7	82	...	E N E	6	c
Aparri, ...	2 p.	29.98	761.6	86	...	N E	2	o	6 a.	29.96	761.0	72	...	S	2	o
Manila, ...	4 p.	29.92	760	90	49	E	1	c	10 a.	30.00	762	90	48	E	2	o
Legaspi, ...	2 p.	29.96	760.9	84	...	E	2	b	6 a.	29.95	760.7	79	...	S	2	o
Bacolod, ...	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	E N E	3	o
Iloilo, ...	,,	29.91	759.7	86	...	N E	2	c	,,	29.91	759.7	81	...	N E	1	b
Cebu,.....	,,	29.91	759.7	83	...	N	1	or	,,	29.94	760.5	81	...	N	2	c
Labuan, ...	,,	29.78	756.4	87	...	...	...	...	,,	...	...	...	...	...	...	...

On the 27th at 12.5 p.—The barometer has fallen quickly over Japan, and risen considerably in N. China.

The depression which crossed the Yellow Sea yesterday evening, is now moving towards NE over the Sea of Japan.

Areas of high pressure are lying over the Pacific to the Eastward of Japan, and over N. China.

The wind will probably freshen from NE and E. in the Formosa Channel and over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. and E. winds, freshening; foggy, probably so
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 27th March, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	27TH MARCH, 1910, P.M.								28TH MARCH, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivestock,...	2 p.	29.75	755.6	36	...	N	1	o	7 a.	30.15	765.8	23	66	...	0	b
ro, ...	,,	29.61	752.1	...	...	S E	10	...	6 a.	29.81	757.1	...	...	S	8	...
date, ...	,,	29.50	749.2	...	...	S W	10	...	,,	30.05	763.2	...	...	W	8	...
, ...	,,	29.87	758.6	...	...	S W	8	...	,,	30.02	762.6	...	...	N	4	...
i, ...	,,	29.87	758.8	...	...	S	2	...	,,	30.05	762.8	...	...	S W	2	...
aki, ...	,,	30.03	762.8	...	...	N	6	...	,,	30.03	762.8	...	...	...	0	...
shima, ...	,,	30.04	762.9	...	...	W	4	...	,,	30.04	762.9	...	...	S	4	...
ia, ...	,,	30.04	763.1	...	...	S	4	...	,,	30.01	762.1	...	...	S	2	...
.....	,,	30.05	763.2	...	...	S	4	...	,,	30.05	763.2	...	...	...	0	...
akijima, ...	,,	30.05	763.3	...	...	S	6	...	,,	30.01	762.3	...	...	S	4	...
Is.	,,	30.20	767.1	...	...	S E	4	...	,,	30.20	767.1	...	...	...	0	...
o, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
aiwei, ...	,,	30.18	766.6	40	...	N	5	o	9 a.	30.16	766.0	37	...	S S E	2	o
ow, ...	,,	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...	...
ang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hai, ...	,,	30.08	764.0	50	93	E N E	2	om	9 a.	30.04	763.0	49	93	E N E	2	ort
aff, ...	,,	30.06	763.5	50	100	E N E	2	fd	,,	...	...	...	...	...	...	...
Peak, ...	,,	29.98	761.5	61	94	E	1	or	,,	30.09	764.3	60	94	E	1	f
.....	,,	29.98	761.5	68	95	S E	1	b	6 a.	30.02	762.5	62	89	S E	3	o
w, ...	,,	29.91	759.7	81	71	S	1	b	,,	29.96	761.0	66	100	N E	1	f
ku, ...	1 p.	29.98	761.5	...	...	N W	6	...	5 a.	30.01	762.1	...	...	...	0	...
u, ...	,,	29.98	761.5	...	...	W	4	...	,,	29.99	761.6	...	...	N	2	...
n, ...	,,	30.02	762.5	...	...	S W	6	...	,,	29.99	761.8	...	...	S E	2	...
m, ...	,,	30.01	762.2	...	...	S	6	...	,,	30.00	761.9	...	...	S E	2	...
dores, ...	,,	30.01	762.2	...	...	W	4	...	,,	29.98	761.8	...	...	E	6	...
n, ...	3 p.	29.90	759.4	79	82	S	2	b	9 a.	30.01	762.2	73	95	S	1	o
kong, ...	4 p.	29.94	760.5	74	88	E	1	o	10 a.	30.04	763.0	75	86	E	1	o
ria Peak, ...	,,	...	...	...	...	S S E	1	...	,,	...	...	...	...	E	2	...
Rock, ...	,,	29.93	760.2	...	...	E S E	2	...	,,	30.01	762.2	...	...	E	2	...
, ...	,,	29.94	760.5	70	...	S	1	of	,,	30.04	763.0	71	...	S	1	of
ow, ...	3 p.	29.92	759.9	74	...	W S W	3	c	9 a.	...	...	...	...	...	...	...
w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi, ...	,,	29.88	758.9	77	86	W	1	b	,,	...	...	...	...	...	...	...
en, ...	4 p.	29.86	758.4	72	...	E S E	4	or	8 a.	29.94	760.5	73	...	E S E	3	o
ne, ...	,,	...	...	...	...	...	...	...	,,	29.90	759.5	79	...	S S E	4	c
St. James, .	,,	29.80	756.8	82	...	E N E	6	c	,,	29.88	758.8	82	...	E N E	5	c
i, ...	2 p.	29.94	760.5	86	...	E	2	b	6 a.	29.97	761.2	72	...	S E	2	b
la, ...	4 p.	29.88	759	90	44	S E	3	b	10 a.	29.92	760	82	70	N N E	1	o
pi, ...	2 p.	29.90	759.5	86	...	E	4	c	6 a.	29.90	759.5	77	...	N E	2	b
od, ...	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	N N W	3	c
.....	,,	29.85	758.2	85	...	N E	1	b	,,	29.91	759.7	81	...	N N E	2	b
.....	,,	29.84	757.9	85	...	N	3	b	,,	29.92	759.9	82	...	N	2	b
m, ...	,,	29.77	756.1	87	...	...	...	...	,,	...	...	...	...	...	...	...

On the 28th at 12.10 p.—The depression lying over the Sea of Japan yesterday, is moving away over the Pacific the North of Hokkaido.

The barometer has risen over Japan while it is inclined to fall again over China. Another depression is probably eloping over the Yangtze valley.

Pressure is highest over Manchuria in the North, and over the Pacific in the neighbourhood of the Bonins in the st.

Moderate E. and S.E. winds may be expected in the Formosa Channel and over the northern shores of the China a.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	E. and S.E. winds, moderate; cloudy, fog or mist.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan....	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 28th March, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th March, 1910, P.M.								29th March, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.11	764.8	37	...	S E	1	b	7 a.	29.92	760.0	30	99	E	1	s
Nemuro,	,,	29.89	759.1	...	...	N	4	...	6 a.	30.04	763.1	...	...	S	2	[illegible]
Hakodate,	,,	30.13	765.2	...	...	W	6	...	,,	30.17	766.2	...	...	...	0	[illegible]
Tokio,	,,	30.10	764.6	...	...	E	6	...	,,	30.10	764.6	...	...	N	4	[illegible]
Kochi,	,,	29.99	761.8	...	...	W	2	...	,,	29.99	761.8	...	...	...	0	[illegible]
Nagasaki,	,,	29.99	761.8	...	...	W	6	...	,,	29.95	760.8	...	...	N E	2	[illegible]
Kagoshima,	,,	30.04	762.9	...	...	W	2	...	,,	29.96	760.9	...	...	...	0	[illegible]
Oshima,	,,	30.04	763.1	...	...	S	4	...	,,	30.01	762.1	...	...	...	0	[illegible]
Naha,	,,	30.05	763.2	...	...	S	4	...	,,	30.05	763.2	...	...	S	2	[illegible]
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.97	761.3	...	...	S	6	[illegible]
Bonin Is.	,,	30.12	765.1	...	...	S E	2	...	,,	30.16	766.1	...	...	S	2	[illegible]
Chefoo,	4 p.	30.08	764.0	40	65	E	3	o	6 a.	...	...	...	...	...	...	[illegible]
Weihaiwei,	,,	30.08	764.0	40	...	N N E	2	c	9 a.	30.08	764.0	42	...	N W	6	[illegible]
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Kiukiang,	,,	29.93	760.2	55	94	N W	1	o	,,	29.98	761.5	51	93	N E	1	o
Shanghai,	,,	29.91	759.7	51	93	E N E	1	omd	9 a.	29.99	761.7	49	100	N W	1	[illegible]
Gutzlaff,	,,	29.98	761.5	52	100	S E	4	f	,,	29.97	761.2	51	100	N	2	or
Sharp Peak,	,,	29.89	759.2	61	100	...	0	c	,,	29.97	761.2	61	94	...	0	c
Amoy,	,,	29.99	761.7	68	79	S S E	2	c	6 a.	29.95	761.0	56	87	...	0	b
Swatow,	,,	29.92	759.9	75	64	E	1	b	,,	29.93	760.2	70	95	...	0	c
Taihoku,	1 p.	30.00	762.1	...	...	N	2	...	5 a.	29.97	761.2	...	...	...	0	[illegible]
Taichu,	,,	29.99	761.7	...	...	N W	4	...	,,	29.97	761.2	...	...	...	0	[illegible]
Tainan,	,,	30.02	762.4	...	...	W	6	...	,,	29.97	761.3	...	...	N E	2	[illegible]
Koshun,	,,	30.01	762.2	...	...	S E	6	...	,,	29.97	761.2	...	...	E	4	[illegible]
Pescadores,	,,	29.97	761.3	...	...	N E	6	...	,,	29.99	761.8	...	...	N E	2	[illegible]
Canton,	3 p.	29.90	759.4	79	82	S	2	b	9 a.	29.98	761.5	74	90	S S E	1	c
Hongkong,	4 p.	29.94	760.5	73	87	E	2	o	10 a.	30.00	762.0	75	84	S E	1	o
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	2	[illegible]
Gap Rock,	,,	29.89	759.2	...	...	E	3	...	,,	29.96	761.0	...	...	E	3	[illegible]
Macao,	,,	29.94	760.5	74	...	S	1	c	,,	30.02	762.5	71	...	S	1	o
Wuchow,	3 p.	29.85	758.2	83	...	E	1	c	9 a.	30.00	762.0	72	...	W	1	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Pakhoi,	,,	29.87	758.7	85	64	S	1	b	,,	...	...	...	...	...	...	[illegible]
Phulien,	4 p.	29.84	757.9	75	...	S E	5	o	8 a.	29.93	760.2	75	...	E S E	3	o
Tourane,	,,	29.82	757.4	79	...	S E	4	c	,,	29.90	759.5	79	...	S	3	c
Cape St. James,	,,	29.76	755.9	82	...	E N E	6	c	,,	29.89	759.2	81	...	N N E	4	c
Aparri,	2 p.	29.92	760.0	86	...	N E	2	b	6 a.	29.94	760.5	72	...	S	2	b
Manila,	4 p.	29.84	758	90	44	E N E	3	b	10 a.	29.92	760	86	59	W	1	c
Legaspi,	2 p.	29.88	758.9	86	...	E	2	b	6 a.	29.89	759.3	79	...	N E	2	c
Bacolod,	3 p.	...	...	...	...	N E	4	c	9 a.	...	...	...	...	E N E	2	c
Iloilo,	,,	29.83	757.7	87	...	N E	3	b	,,	29.91	759.7	82	...	N	3	b
Cebu,	,,	29.83	757.7	85	...	N	2	c	,,	29.89	759.2	84	...	N	2	b
Labuan,	,,	29.73	755.1	87	...	...	...	...	,,	29.77	756.1	85	...	...	...	[illegible]

On the 29th at 12.05 p.—The barometer has risen considerably over E. Japan, and fallen considerably in Wladivostok.

A slight depression, progressing Eastwards from the China coast, has reached the W. part of the Sea of Japan.

Pressure is relatively high over E. Japan and the Pacific towards the neighbourhood of the Bonins.

Light or moderate variable winds may be expected in the Formosa Channel and over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. or variable winds, light or moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 29th March, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th March, 1910, P.M.								30th March, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivostock,	2 p.	29.76	756.0	31	...	E	3	s	7 a.	29.98	761.4	18	49	N W	3	b
uro,	,,	29.93	760.1	...	...	S	6	...	6 a.	29.73	755.1	...	...	E	2	...
date,	,,	29.97	761.2	...	...	S	4	...	,,	29.50	749.2	...	...	S	2	...
o,	,,	30.02	762.6	...	...	N	4	...	,,	29.67	753.6	...	...	...	0	...
i,	,,	29.91	759.8	...	...	...	0	...	,,	29.84	757.8	...	...	N W	2	...
saki,	,,	29.91	759.8	...	...	W	4	...	,,	29.99	761.8	...	...	N	6	...
oshima,	,,	29.92	759.9	...	...	...	0	...	,,	29.92	759.9	...	...	W	2	...
ma,	,,	30.00	762.1	...	...	S W	6	...	,,	29.97	761.1	...	...	S	4	...
	,,	...	...	...	...	...	...	...	,,	30.01	762.2	...	...	S	2	...
gakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n Is.	,,	30.12	765.1	...	...	S	2	...	,,	30.04	763.1	...	...	S	2	...
oo,	4 p.	30.28	769.1	38	100	N N E	6	c	6 a.	...	...	...	...	...	...	...
haiwei,	,,	30.23	767.8	39	...	N	7	c	9 a.	30.41	772.4	36	...	N	8	c
kow,	,,	30.07	763.8	49	100	N E	1	or	6 a.	...	...	...	...	...	...	...
kiang,	,,	29.98	761.5	51	93	N E	4	or	,,	30.13	765.3	43	92	N E	6	o
ghai,	,,	29.96	761.0	49	100	N	2	omd	9 a.	30.26	768.6	41	83	N N E	3	odq
laff,	,,	29.94	760.5	50	100	N	2	o	,,	30.29	767.1	42	92	N E	7	omd
p Peak,	,,	29.81	757.2	69	100	...	0	b	,,	30.08	764.0	62	77	N E	5	o
y,	,,	29.88	758.9	79	74	S S E	4	c	6 a.	29.90	759.4	68	95	...	0	f
ow,	,,	29.90	759.4	76	86	E	3	b	,,	29.89	759.2	72	95	...	0	f
oku,	1 p.	29.94	760.6	...	...	N W	6	...	5 a.	29.95	760.7	...	...	...	0	...
hu,	,,	29.95	760.8	...	...	N	4	...	,,	29.94	760.5	...	...	...	0	...
an,	,,	29.96	761.0	...	...	S	4	...	,,	29.94	760.5	...	...	...	0	...
un,	,,	29.98	761.5	...	...	E	8	...	,,	29.94	760.5	...	...	E	4	...
adores,	,,	29.96	760.9	...	...	S	4	...	,,	29.93	760.2	...	...	S W	2	...
on,	3 p.	29.89	759.2	80	70	S	1	b	9 a.	...	...	...	...	...	...	...
gkong,	4 p.	29.91	759.7	75	84	E	2	c	10 a.	29.98	761.5	75	83	E	1	o
oria Peak,	,,	...	...	...	...	S E	1	...	,,	...	...	...	...	S W	1	...
Rock,	,,	29.89	759.2	...	...	E	3	...	,,	29.95	760.7	...	...	E	3	...
o,	,,	29.92	759.9	75	...	S	1	c	,,	29.99	761.7	75	...	S	1	c
how,	3 p.	29.88	758.9	82	...	E	1	c	9 a.	29.98	761.5	71	90	E	1	b
how,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
noi,	,,	29.89	759.2	80	74	W	1	b	,,	...	...	...	...	...	...	...
lien,	4 p.	29.85	758.1	73	...	E S E	5	o	8 a.	29.92	760.0	73	...	E S E	3	o
ane,	,,	29.83	757.7	79	...	S E	2	c	,,	29.89	759.1	79	...	S S W	2	c
St. James,	,,	29.78	756.5	81	...	E N E	6	c	,,	29.86	758.5	82	...	N E	4	c
rri,	2 p.	29.91	759.7	86	...	N E	2	b	6 a.	29.93	760.3	73	...	S	2	b
ila,	4 p.	29.84	758	91	55	E	3	b	10 a.	29.92	760	82	71	W N W	2	o
spi,	2 p.	29.87	758.7	84	...	E	2	d	6 a.	29.86	758.4	97	...	N E	2	b
lod,	3 p.	...	...	...	...	N N E	4	o	9 a.	...	...	...	...	E N E	2	o
o,	,,	29.83	757.7	87	...	N N E	3	b	,,	29.87	758.7	82	...	N N E	1	c
,	,,	29.83	757.7	86	...	N	3	b	,,	29.87	758.7	84	...	N	2	c
nan,	,,	29.70	754.4	88	...	...	...	...	,,	29.82	757.4	85	...	...	...	...

On the 30th at 11.50 a.—The barometer has fallen rapidly in E. Japan, and risen considerably over the E. and E. coasts of China.

The depression lying over the W. part of the Sea of Japan yesterday, has progressed Eastwards and approached okkaido.

A high pressure area now occupies N. China, and gradient are rather steep along the coast.

Strong N.E. winds will set in over the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.E. winds, strong; fair at first, probably some rain [later; cooler.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 30th March, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th March, 1910, P.M.								31st March, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.99	761.6	28	...	N W	3	c	7 a.	30.15	765.7	16	54	...	0	
Nemuro,	,,	29.41	747.1	...	...	E	2	...	6 a.	29.73	755.1	...	...	N W	8	
Hakodate,	,,	29.46	748.2	...	...	W	3	...	,,	...	...	...	...	W	2	
Tokio,	,,	29.63	752.6	...	...	N	8	...	,,	29.99	761.6	...	...	N	6	
Kochi,	,,	29.87	758.8	...	...	N	6	...	,,	...	...	...	...	E	4	
Nagasaki,	,,	29.99	761.8	...	...	N	6	...	,,	30.11	764.8	...	...	N E	4	
Kagoshima,	,,	29.96	760.9	...	...	N W	4	...	,,	30.04	762.9	...	...	N	4	
Oshima,	,,	...	...	...	...	...	...	...	,,	30.01	762.1	...	...	N	4	
Naha,	,,	...	...	...	...	...	...	...	,,	29.97	761.2	...	...	N E	4	
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.97	761.3	...	...	N E	6	
Bonin Is.	,,	30.00	762.1	...	...	S	2	...	,,	29.97	761.1	...	...	S	2	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	30.37	771.4	35	...	N	8	o	9 a.	30.38	771.6	37	...	N N E	3	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	30.20	767.1	40	100	N E	6	o	,,	30.27	768.8	32	100	N E	5	
Shanghai,	,,	30.21	767.3	39	91	N N E	3	od	9 a.	30.32	770.1	41	66	N N E	3	
Gutzlaff,	,,	30.13	765.3	43	75	N E	6	om	,,	30.27	768.8	42	83	N N E	5	
Sharp Peak,	,,	30.00	762.0	59	76	N E	5	o	,,	30.19	766.8	56	81	N N E	4	
Amoy,	,,	29.96	761.0	69	75	E	4	o	6 a.	30.05	763.2	58	76	N E	5	
Swatow,	,,	29.87	758.7	77	82	E S E	1	c	,,	29.96	761.0	60	94	N E	4	
Taihoku	1 p.	30.00	762.0	...	...	E	8	...	5 a.	30.10	764.6	...	...	E	6	
Taichu,	,,	29.94	760.5	...	...	N W	6	...	,,	30.01	762.2	...	...	N	6	
Tainan,	,,	29.95	760.8	...	...	S E	6	...	,,	30.01	762.1	...	...	N	8	
Koshun	,,	29.94	760.5	...	...	S E	4	...	,,	29.95	760.8	...	...	E	2	
Pescadores,	,,	29.95	760.8	...	...	S	4	...	,,	30.01	762.1	...	...	N E	10	
Canton,	3 p.	29.85	758.2	80	74	S W	1	b	9 a.	29.97	761.2	74	86	S E	2	b
Hongkong,	4 p.	29.88	758.9	72	90	E	1	o	10 a.	30.01	762.2	66	94	E	3	o
Victoria Peak,	,,	...	...	...	...	S W	1	...	,,	...	...	...	...	E	4	
Gap Rock,	,,	29.86	758.4	...	...	E N E	3	...	,,	29.96	761.0	...	...	E	4	
Macao,	,,	29.92	759.9	78	...	S	1	c	,,	30.09	762.0	69	...	E	4	o
Wuchow,	3 p.	29.85	758.2	79	70	E	1	o	9 a.	29.99	761.7	65	...	N	4	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	29.87	758.7	80	74	N W	2	c	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.80	757.0	75	...	S E	5	o	8 a.	29.89	759.2	73	...	E S E	5	o
Tourane,	,,	29.80	756.9	79	...	S E	2	c	,,	29.88	758.8	81	...	S E	2	o
Cape St. James,	,,	29.77	756.1	82	...	E	6	c	,,	29.85	758.1	81	...	N E	6	o
Aparri,	2 p.	29.87	758.8	84	...	N E	2	o	6 a.	29.89	759.3	75	...	S E	2	c
Manila,	4 p.	29.80	757	90	60	W	1	c	10 a.	29.88	759	84	71	W	1	o
Legaspi,	2 p.	29.83	757.8	82	...	E	2	o	6 a.	29.86	758.3	79	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	E N E	2	o
Iloilo,	,,	29.81	757.2	87	...	N	2	c	,,	29.87	758.7	81	...	N	1	
Cebu,	,,	29.81	757.2	85	...	N	2	c	,,	29.83	758.9	80	...	N	1	c
Labuan,	,,	29.73	755.1	88	...	...	...	...	,,	29.92	759.9	81	...	...	...	

On the 31st at 12.10 p.—The depression lying over N.E. Japan yesterday, is moving away over the Pacific. The barometer is rising over Japan, and a slight to moderate increase of pressure has taken place over S. China. The "high" area remains over N. China, and pressure is relatively low over the China Sea.

Strong N.E. and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, strong; drizzling rain or mist.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 31st March, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st MARCH, 1910, P.M.								1st APRIL, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
divostock,	2 p.	30.12	765.1	34	...	N W	3	b	7 a.	30.24	768.0	24	47	...	0	b
uro.	,,	29.81	757.1	...	...	N W	4	...	6 a.	30.08	764.1	...	...	W	4	...
odate.	,,	29.89	759.2	...	...	W	6	...	,,	30.17	766.2	...	...	W	4	...
o.	,,	29.93	761.6	...	...	N W	6	...	,,	30.26	768.6	...	...	N W	6	...
ni.	,,	30.03	762.8	...	...	N	8	...	,,	30.19	766.8	...	...	...	0	...
asaki.	,,	30.11	764.8	...	...	E	6	...	,,	30.19	766.8	...	...	E	2	...
oshima,	,,	30.07	763.9	...	...	S E	2	...	,,	30.15	765.9	...	...	N E	6	...
ma,	,,	30.00	762.1	...	...	N	6	...	,,	30.08	764.1	...	...	...	0	...
a.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
rakijima,	,,	29.97	761.3	...	...	N E	8	...	,,	30.01	762.3	...	...	N E	4	...
n Is.	,,	29.93	760.1	...	...	W	4	...	,,	30.01	762.1	...	...	N	2	...
oo.	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
haiwei,	,,	30.37	771.4	41	...	N	3	o	9 a.	30.28	769.1	40	...	N	1	c
kow.	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang.	,,	30.25	768.3	37	91	E	3	or	,,	...	...	...	...	...	...	...
ghai.	,,	30.20	767.1	40	100	N E	3	od	9 a.	30.23	767.8	39	100	N	1	or
laff.	,,	30.17	766.3	42	83	N E	5	om	,,	30.18	766.6	42	100	N N E	3	omd
p Peak,	,,	30.05	763.2	56	75	N E	4	o	,,	30.16	766.0	54	94	E	1	o
y.	,,	30.04	763.0	64	73	E N E	5	b	6 a.	30.04	763.0	58	76	N E	3	o
tow.	,,	29.94	760.5	67	64	E	2	c	,,	...	...	...	...	...	...	...
oku.	1 p.	30.06	763.6	...	...	E	8	...	5 a.	30.03	762.8	...	...	E	8	...
hu.	,,	29.96	761.0	...	...	N	6	...	,,	29.99	761.7	...	...	...	0	...
an.	,,	29.95	760.7	...	...	N	6	...	,,	30.00	761.9	...	...	N	4	...
hun.	,,	29.94	760.6	...	...	N	10	...	,,	29.97	761.3	...	...	N	4	...
adores,	,,	30.00	761.9	...	...	N E	10	...	,,	29.99	761.7	...	...	N E	8	...
lon.	3 p.	29.56	758.4	79	74	S W	2	b	9 a.	30.02	762.5	65	78	N E	2	o
gkong,	4 p.	29.93	760.2	67	87	E	3	o	10 a.	30.03	762.7	67	83	E	3	o
oria Peak,	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	6	...
Rock,	,,	29.88	758.9	...	...	E	5	...	,,	29.99	761.7	...	...	E	6	...
ao.	,,	29.92	759.9	67	...	E	3	c	,,	30.03	762.7	67	...	E	3	od
chow.	3 p.	29.91	759.7	70	...	N	3	c	9 a.	...	...	...	...	...	...	...
bow.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hoi.	,,	29.86	758.4	80	78	N W	2	c	,,	...	...	...	...	...	...	...
lien.	4 p.	29.75	755.7	75	...	S E	5	o	8 a.	29.94	760.5	68	...	E N E	3	or
rane.	,,	29.77	756.2	79	...	S E	3	c	,,	29.90	759.5	79	...	S	2	c
e St. James,	,,	29.76	755.9	82	...	N E	5	c	,,	29.89	759.3	81	...	N E	2	c
rri.	2 p.	29.85	758.2	86	...	N E	2	b	6 a.	29.93	760.3	73	...	S E	2	b
nila.	4 p.	29.80	757	88	54	S E	3	c	10 a.	29.92	760	88	47	E N E	1	c
aspi.	2 p.	29.83	757.7	81	...	E	2	o	6 a.	29.88	759.0	79	...	E	2	b
olod.	3 p.	...	...	...	...	N E	3	od	9 a.	...	...	...	...	N E	4	o
lo.	,,	29.81	757.2	86	...	N N E	1	c	,,	29.91	759.7	82	...	N N E	2	...
n.	,,	29.89	756.9	85	...	N	2	...	,,	29.90	759.4	85	...	N	2	b
uan,	,,	29.80	756.9	87	...	...	...	...	,,	29.84	757.9	89	...	...	...	...

On the 1st at 12.05 p.—The barometer has risen in Japan, particularly at the Eastern stations. It has fallen oderately over N. China.

The area of high pressure has spread Eastwards and extends now from N. China to the Sea of Japan.

Pressure has increased slightly at the station around the China Sea.

Fresh to moderate N.E. and E. winds may be expected in the Formosa Channel and along the northern shores the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	E. winds, fresh to moderate; cloudy, misty.
Formosa Channel,	N.E. winds, fresh to moderate.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 1st April, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st April, 1910, P.M.								2nd April, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.22	767.6	38	...	...	0	b	7 a.	30.14	765.5	32	93	S E	0	o
Nemuro,	,,	30.12	765.1	...	...	S W	6	...	6 a.	30.32	770.1	...	...	...	0	...
Hakodate,	,,	30.24	768.2	...	...	W	6	...	,,	30.32	770.2	...	...	...	0	...
Tokio,	,,	30.26	768.6	...	...	S	4	...	,,	30.26	768.6	...	...	N W	6	...
Kochi,	,,	30.19	766.8	...	...	S W	2	...	,,	30.03	762.8	...	...	S W	4	...
Nagasaki,	,,	30.15	765.8	...	...	E	4	...	,,	30.03	762.8	...	...	N	2	...
Kagoshima,	,,	30.11	764.9	...	...	E	4	...	,,	30.00	761.9	...	...	N	2	...
Oshima,	,,	...	...	...	...	...	...	...	,,	30.01	762.1	...	...	N	4	...
Naha,	,,	29.97	761.2	...	...	S	4	...	,,	30.01	762.2	...	...	N	8	...
Ishigakijima,	,,	29.97	761.3	...	...	E	6	...	,,	30.05	763.3	...	...	N E	8	...
Bonin Is.	,,	30.68	764.1	...	...	N	4	...	,,	30.16	766.1	...	...	S E	2	...
Chefoo,	4 p.	30.26	768.6	38	100	N N W	2	o	6 a.	30.22	767.6	31	100	S W	1	b
Weihaiwei,	,,	30.25	768.3	39	...	N	3	c	9 a.	30.20	767.1	42	...	S S W	3	b
Hankow,	,,	30.44	773.2	40	91	S W	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang	,,	30.31	769.9	41	92	N E	1	o	,,	30.32	770.1	38	100	N E	1	o
Shanghai.	,,	30.22	767.6	40	82	N N W	2	o	9 a.	30.30	769.6	42	66	N N W	2	o
Gutzlaff,	,,	30.18	766.6	41	92	N	4	ov	,,	30.28	769.1	42	83	N	4	ov
Sharp Peak,	,,	30.04	763.0	55	87	E	1	o	,,	30.24	768.1	54	80	E N E	4	o
Amoy,	,,	30.03	762.7	62	83	E	2	o	6 a.	30.09	764.3	55	94	N N E	4	o
Swatow,	,,	29.95	760.7	64	68	E N E	1	o	,,	30.01	762.2	56	94	N	1	o
Taihoku,	1 p.	30.07	763.8	...	...	W	4	...	5 a.	30.15	765.9	...	...	E	6	...
Taichu,	,,	29.98	761.4	...	...	W	8	...	,,	30.04	763.0	...	...	N	4	...
Tainan,	,,	29.98	761.4	...	...	W	8	...	,,	30.02	762.5	...	...	N	4	...
Koshun	,,	29.96	761.0	...	...	E	6	...	,,	29.99	761.8	...	...	N E	6	...
Pescadores,	,,	30.01	762.3	...	...	N E	8	...	,,	30.04	763.1	...	...	N E	10	...
Canton,	3 p.	30.00	762.0	60	82	N	2	o	9 a.	30.13	765.3	55	68	N	2	o
Hongkong,	4 p.	29.96	761.0	69	91	...	0	od	10 a.	30.08	764.0	65	76	E	1	o
Victoria Peak,	,,	...	...	...	...	N	2	...	,,	...	...	...	...	E N E	4	...
Gap Rock,	,,	29.92	759.9	...	...	E	6	...	,,	30.05	763.2	...	...	E N E	4	...
Macao,	,,	29.96	761.0	65	...	N	2	o	,,	30.10	764.5	58	...	N	3	o
Wuchow,	3 p.	30.12	765.0	53	86	W	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.86	758.4	70	...	E N E	4	o	8 a.	30.02	762.4	63	...	N N W	2	o
Tourane,	,,	...	...	...	...	...	...	...	,,	29.95	760.6	79	...	N W	1	c
Cape St. James,	,,	29.78	756.3	82	...	E	5	c	,,	29.85	758.1	81	...	N E	2	c
Aparri,	2 p.	29.88	759.0	86	...	N E	2	b	6 a.	29.95	760.7	72	...	S E	0	b
Manila,	4 p.	29.80	757	90	48	S E	2	b	10 a.	29.96	761	84	64	W	1	b
Legaspi,	2 p.	29.86	758.4	88	...	E	2	b	6 a.	29.90	759.5	79	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	N E	3	c
Iloilo,	,,	29.83	757.7	87	...	N E	1	d	,,	29.93	760.2	83	...	N E	2	b
Cebu,	,,	29.81	757.2	87	...	N	2	b	,,	29.90	759.4	86	...	N	2	b
Labuan,	,,	29.73	755.1	88	...	...	...	...	,,	29.88	758.9	84	...	...	...	...

On the 2nd at 12.05 p.—The barometer has fallen moderately over W. Japan and the N.E. coast N. China.

A depression of slight intensity is moving Eastwards off S.E. Kiusiu, and a second area of low pressure appears to be approaching Manchuria from the Westward.

Pressure has increased over N.E. Japan and S. China.

Areas of high pressure are lying over the Pacific to the East of Japan, and over the Yangtze valley.

Fresh N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 2nd April, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd April, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	3rd April, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...divostock, ...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
...uro, ...	,,	30.26	768.6	...	...	S S W	3	...	6 a.	30.24	768.1	...	...	N N E	1	...
...odate, ...	,,	30.24	768.2	...	...	E S E	4	...	,,	30.21	767.2	...	...	...	0	...
...o, ...	,,	30.00	762.1	...	...	N W	3	...	,,	30.10	764.6	...	...	N W	1	...
...ni, ...	,,	29.97	761.3	...	...	E	1	...	,,	30.11	764.8	...	...	S E	1	...
...asaki, ...	,,	30.09	764.3	...	...	N N W	3	...	,,	30.17	766.3	...	...	N E	1	...
...oshima, ...	,,	30.04	762.9	...	...	E S E	1	...	,,	30.12	764.9	...	...	...	0	...
...ma, ...	,,	30.02	762.6	...	...	N W	...	...	,,	30.08	764.1	...	...	...	0	...
...a, ...	,,	30.07	763.7	...	...	N N W	2	...	,,	30.03	762.7	...	...	...	0	...
...rakijima, ...	,,	30.05	763.3	...	...	N E	4	...	,,	30.01	762.3	...	...	E	3	...
...in Is. ...	,,	30.10	764.6	...	...	S	1	...	,,	30.12	765.1	...	...	S	1	...
...oo, ...	4 p.	30.14	765.5	55	100	S W	2	b	6 a.	...	...	...	...	...	...	...
...haiwei, ...	,,	30.17	766.3	56	...	S W	5	b	9 a.	30.34	770.6	44	...	W S W	1	o
...kow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...ciang, ...	,,	30.13	765.3	47	70	N E	1	c	,,	30.25	768.3	41	92	N E	1	o
...ghai, ...	,,	30.22	767.6	45	68	N N W	2	o	9 a.	30.26	768.6	47	85	E N E	1	od
...dlaff, ...	,,	30.21	767.3	45	84	N	3	ov	,,	30.25	768.3	47	93	N N E	2	ov
...p Peak, ...	,,	30.11	764.8	53	73	E N E	4	o	,,	30.21	767.9	52	93	...	0	o
...y, ...	,,	30.08	764.0	59	82	E N E	2	or	6 a.	30.08	764.0	55	80	N E	3	o
...tow, ...	,,	29.99	761.7	63	83	E N E	1	o	,,	...	...	...	...	...	...	...
...oku, ...	1 p.	30.11	764.9	...	...	E	8	...	5 a.	30.06	763.5	...	...	N E	6	...
...hu, ...	,,	30.01	762.2	...	...	N	4	...	,,	30.05	763.2	...	...	N	2	...
...an, ...	,,	30.01	762.2	...	...	N	6	...	,,	30.02	762.6	...	...	N	4	...
...hun, ...	,,	29.99	761.7	...	...	N E	10	...	,,	30.01	762.1	...	...	N	6	...
...adores, ...	,,	30.01	762.3	...	...	E	10	...	,,	30.04	763.0	...	...	N E	8	...
...ion, ...	3 p.	30.03	762.7	58	70	N	2	c	9 a.	30.11	764.8	55	87	N	2	o
...gkong, ...	4 p.	29.98	761.5	65	75	E	2	o	10 a.	30.07	763.8	67	84	E	2	o
...oria Peak, ...	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	3	...
... Rock, ...	,,	29.95	760.7	...	...	E N E	5	...	,,	30.03	762.7	...	...	E	5	...
...ao, ...	,,	30.00	762.0	62	...	N	2	o	,,	30.09	764.3	69	...	N	3	o
...chow, ...	3 p.	30.13	765.3	52	...	N	2	o	9 a.	30.18	766.6	51	...	N	2	o
...how, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...hoi, ...	,,	30.03	762.7	55	94	N	4	o	,,	...	...	...	...	...	...	...
...lien, ...	4 p.	29.95	760.3	64	...	E	2	o	8 a.	30.04	762.9	63	...	E N E	3	o
...rane, ...	,,	29.85	758.3	79	...	E	1	c	,,	29.96	761.0	77	..	N W	2	c
...e St. James, .	,,	29.79	756.7	84	...	E	5	c	,,	29.89	759.2	82	...	E N E	6	c
...mi, ...	2 p.	29.88	759.0	84	...	N E	2	b	6 a.	29.94	760.5	73	...	S E	2	b
...ila, ...	4 p.	29.80	757	90	48	N N E	1	c	10 a.	29.92	760	86	56	W	1	b
...aspi, ...	2 p.	29.86	758.4	88	...	E	2	b	6 a.	29.89	759.1	77	...	E	2	o
...olod, ...	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N N W	3	o
...lo, ...	,,	29.83	757.7	87	...	N N E	2	o	,,	29.93	760.2	82	...	N E	1	b
...u, ...	,,	29.82	757.4	87	...	N	2	o	,,	29.89	759.2	82	...	N	1	o
...uan, ...	,,	29.78	756.4	86	...	...	...	...	,,	29.90	759.4	82	...	...	...	...

On the 3rd at 12.10 p.—The barometer has fallen in E. Japan, and risen over W. Japan and the NE coast of ...hina.

The shallow depression has moved away over the Pacific to the E. of Japan.

Pressure is high to the North of Japan, and over China to the North of the Yangtze valley.

Fresh NE and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. and E. winds, fresh; fair.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 3rd April, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd April, 1910, P.M.								4th April, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.11	764.8	38	...	E	1	c	7 a.	30.09	764.2	32	76	E	1	c
Nemuro,	,,	30.18	766.6	...	...	S E	1	...	6 a.	30.18	766.6	...	...	S S W	1	...
Hakodate,	,,	30.20	767.2	...	...	S S E	1	...	,,	30.15	765.7	...	...	...	0	...
Tokio,	,,	30.14	765.6	...	...	S	1	...	,,	30.14	765.6	...	...	N N W	1	...
Kochi,	,,	30.11	764.8	...	...	S S E	1	...	,,	30.11	764.8	...	...	S W	1	...
Nagasaki,	,,	30.13	765.3	...	...	N N W	2	...	,,	30.17	766.3	...	...	...	0	...
Kagoshima,	,,	30.11	764.9	...	...	S S E	1	...	,,	30.13	765.4	...	...	N	2	...
Oshima,	,,	30.08	764.1	...	...	...	0	...	,,	30.08	764.1	...	...	N N W	4	...
Naha,	,,	30.03	762.7	...	...	N	2	...	,,	30.01	762.2	...	...	N N E	2	...
Ishigakijima,	,,	29.97	761.3	...	...	E S E	2	...	,,	30.01	762.3	...	...	N E	3	...
Bonin Is.	,,	30.08	764.1	...	...	S	1	...	,,	30.08	764.1	...	...	...	0	...
Chefoo,	4 p.	30.32	770.1	40	100	N E	2	o	6 a.	30.38	771.6	31	100	N W	1	b
Weihaiwei,	,,	30.35	770.9	47	...	N	3	om	9 a.	30.40	772.1	42	...	N	3	b
Hankow,	,,	30.28	769.1	57	87	N E	3	c	6 a.	30.29	769.3	48	93	N E	1	o
Kiukiang,	,,	30.20	767.1	58	64	N E	2	b	,,	30.27	768.8	47	85	N E	2	o
Shanghai,	,,	30.22	767.6	50	72	N E	2	o	9 a.	30.32	770.1	47	70	N E	3	o
Gutzlaff,	,,	30.20	767.3	51	86	N N W	3	ov	,,	30.35	770.9	48	78	N E	4	o
Sharp Peak,	,,	30.09	764.3	54	74	N E	5	c	,,	30.16	766.0	54	80	N	2	o
Amoy,	,,	30.09	764.3	64	78	N E	2	o	6 a.	30.09	764.3	59	82	N N E	2	o
Swatow,	,,	30.00	762.0	64	78	N E	2	o	,,	30.03	762.7	59	88	E N E	1	o
Taihoku,	1 p.	30.12	765.1	...	...	E	6	...	5 a.	30.09	764.2	...	...	E	6	...
Taichu,	,,	30.02	762.4	...	...	N W	6	...	,,	30.03	762.7	...	...	N	2	...
Tainan,	,,	30.02	762.5	...	...	N	6	...	,,	30.06	763.5	...	...	N	6	...
Koshun,	,,	30.00	762.0	...	...	S W	4	...	,,	29.98	761.5	...	...	N E	6	...
Pescadores,	,,	30.05	763.3	...	...	N E	8	...	,,	30.03	762.8	...	...	N E	8	...
Canton,	3 p.	30.00	762.0	62	77	N	1	c	9 a.	30.07	763.8	58	94	N N E	2	o
Hongkong,	4 p.	29.97	761.2	69	81	E	2	o	10 a.	30.07	763.8	66	79	E	4	o
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	6	...
Gap Rock,	,,	29.94	760.5	...	...	E	5	...	,,	30.02	762.5	...	...	E	6	...
Macao,	,,	29.99	761.7	67	...	N	1	o	,,	30.08	764.0	65	...	N	1	o
Wuchow,	3 p.	30.09	764.3	53	...	N	2	o	9 a.	30.13	765.3	56	...	N	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.96	761.0	61	94	N	2	f	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.90	759.5	64	...	E N E	2	o	8 a.	29.98	761.4	66	...	N	2	o
Tourane,	,,	29.86	758.5	81	...	N W	2	c	,,	29.92	759.9	82	...	S	1	c
Cape St. James,	,,	29.80	757.0	82	...	E N E	5	c	,,	29.90	759.4	79	...	N E	4	o
Aparri,	2 p.	29.89	759.2	84	...	N E	2	b	6 a.	29.92	759.9	73	...	E	0	b
Manila,	4 p.	29.80	757	91	49	S	2	c	10 a.	29.92	760	84	58	E S E	3	c
Legaspi,	2 p.	29.87	758.8	75	...	...	0	o	6 a.	29.88	758.8	75	...	N N W	2	o
Bacolod,	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	N E	2	...
Iloilo,	,,	29.78	756.4	83	...	N	2	c	,,	...	...	...	...	N E	2	c
Cebu,	,,	29.79	756.6	82	...	N	1	o	,,	29.86	758.4	83	...	N	1	c
Labuan,	,,	29.81	757.2	86	...	...	...	...	,,	29.88	758.9	83	...	...	...	...

On the 4th at 11.55 a.—The barometer has risen slightly over N. China, and fallen a little over N.E. Japan, an at the stations around the China Sea.

The high pressure area remains over N. China, and pressure is relatively low over the S. part of the China Se and the S. Philippines.

Strong N.E. and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, strong; fair at first, probabl [some rain late
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 4th April, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th April, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	5th April, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
divostock,	2 p.	30.06	763.5	42	...	N	2	b	7 a.	30.15	765.9	34	47	...	0	b
uro,	,,	30.20	767.1	...	...	S S E	2	...	6 a.	30.06	763.6	...	...	E	4	...
odate,	,,	30.05	763.2	...	...	E	5	...	,,	29.93	760.2	...	...	W	1	...
o,	,,	30.02	762.6	...	...	N	1	...	,,	30.06	763.6	...	...	N N W	3	...
hi,	,,	30.07	763.8	...	...	S S E	1	...	,,	30.17	766.3	...	...	...	0	...
asaki,	,,	30.23	767.8	...	...	W N W	2	...	,,	30.21	767.3	...	...	N N E	4	...
oshima,	,,	30.09	764.4	...	...	...	0	...	,,	30.13	765.4	...	...	N E	1	...
ma,	,,	30.10	764.6	...	...	N	3	...	,,	...	...	...	...	N N W	1	...
a,	,,	...	...	...	...	...	...	...	,,	30.07	763.7	...	...	N E	2	...
gakijima,	,,	30.01	762.3	...	...	N E	4	...	,,	30.01	762.3	...	...	N E	1	...
in Is.	,,	30.04	763.1	...	...	S W	1	...	,,	30.02	762.6	...	...	S W	1	...
oo,	4 p.	30.35	770.9	25	100	N E	1	dh	6 a.	30.31	769.9	39	100	S W	1	b
haiwei,	,,	...	...	...	...	...	...	...	9 a.	30.37	771.4	46	...	W S W	1	b
kow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang,	,,	30.23	767.8	49	85	N E	3	o	,,	30.26	768.6	47	93	N E	3	o
ghai,	,,	30.29	769.3	47	77	N E	3	o	9 a.	30.35	770.9	46	69	N N E	2	o
Haff,	,,	30.26	768.6	48	85	N N E	5	ov	,,	30.30	769.6	47	77	N N E	4	ov
p Peak,	,,	30.16	766.0	54	80	E N E	4	or	,,	30.16	766.0	57	81	E	2	or
y,	,,	30.03	762.7	64	78	E N E	3	c	6 a.	30.07	763.8	58	88	N E	4	o
tow,	,,	29.98	761.5	66	64	E	3	b	,,	30.01	762.2	59	82	E	1	c
oku,	1 p.	30.08	764.1	...	...	E	8	...	5 a.	30.08	763.9	...	...	E	6	...
hu,	,,	30.00	762.0	...	...	N	6	...	,,	30.01	762.2	...	...	N	4	...
an,	,,	30.00	762.0	...	...	N	8	...	,,	30.01	762.1	...	...	N	4	...
hun,	,,	29.97	761.3	...	...	E	8	...	,,	29.98	761.5	...	...	N E	8	...
adores,	,,	30.04	763.0	...	...	N E	10	...	,,	30.02	762.5	...	...	N E	10	...
ton,	3 p.	29.97	761.2	64	78	N N E	2	o	9 a.	30.10	764.5	59	88	N	1	or
gkong,	4 p.	29.94	760.5	68	75	E	3	o	10 a.	30.08	764.0	66	82	E	3	o
oria Peak,	,,	...	...	...	...	E	6	...	,,	...	...	...	...	E N E	6	...
Rock,	,,	29.91	759.7	...	...	E	6	...	,,	30.04	763.0	...	...	E	6	...
ao,	,,	29.95	760.7	68	...	S	1	c	,,	30.09	764.3	64	...	N	2	od
chow,	3 p.	30.04	763.0	56	...	N	2	o	9 a.	30.16	766.0	58	...	N	2	o
how,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
lien,	4 p.	29.87	758.7	66	...	E	3	or	8 a.	30.02	762.6	61	...	N N W	2	or
rane,	,,	29.80	756.9	81	...	S	1	c	,,	29.95	760.6	79	...	E	1	o
St. James,	,,	29.78	756.4	82	...	E	5	c	,,	29.89	759.1	84	...	E N E	2	c
rri,	2 p.	29.85	758.2	88	...	N E	2	b	6 a.	29.94	760.5	75	...	S	2	b
ila,	4 p.	29.80	757	90	55	S E	3	o	10 a.	29.92	760	84	64	W	1	o
aspi,	2 p.	29.83	757.7	84	...	E	2	o	6 a.	29.86	758.5	77	...	N E	2	b
blod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	E N E	2	o
o,	,,	29.77	756.1	85	...	N N E	3	c	,,	29.91	759.7	82	...	N N E	2	o
l,	,,	29.78	756.4	86	...	N	2	b	,,	29.90	759.4	81	...	N	2	c
nan,	,,	29.77	756.1	85	...	...	...	...	,,	29.81	757.2	78	...	...	...	...

On the 5th at 12.10 p.—The barometer has fallen moderately in E. Japan, and risen slightly over W. Japan, e S. coast of China and Tongking.

A shallow depression, which appears to have developed over the Sea of Japan, is moving Eastwards over Hokkaido.

The high pressure area remains over China to the North of the Yangtze valley.

Fresh to strong N.E. and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.E. and E. winds, fresh; cloudy, some rain.
Formosa Channel,	N.E. winds, strong.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 5th April, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th April, 1910, P.M.								6th April, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.15	765.7	50	...	N W	0	b	7 a.	30.25	768.2	34	65	...	0	
Nemuro,	,,	...	...	...	...	E	4	...	6 a.	29.93	760.1	...	...	N N W	6	
Hakodate,	,,	29.93	760.2	...	...	N W	4	...	,,	30.17	766.2	...	...	W N W	1	
Tokio,	,,	30.06	763.6	...	...	...	3	...	,,	30.22	767.6	...	...	N W	2	
Kochi,	,,	30.15	765.8	...	...	S E	1	...	,,	30.19	766.8	...	...	W S W	1	
Nagasaki,	,,	30.17	766.3	...	...	N	1	...	,,	30.23	767.8	...	...	N N E	1	
Kagoshima,	,,	30.17	766.4	...	...	S E	1	...	,,	30.17	765.4	...	...	...	0	
Oshima,	,,	30.08	764.1	...	...	...	0	...	,,	30.10	764.6	...	...	N	5	
Naha,	,,	30.07	763.7	...	...	E N E	2	...	,,	30.09	764.2	...	...	N E	1	
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.05	763.3	...	...	N E	2	
Bonin Is.	,,	30.00	762.1	...	...	...	0	...	,,	30.02	762.6	...	...	S W	1	
Chefoo,	4 p.	...	...	55	87	E N E	2	b	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	30.29	769.3	57	...	N E	1	c	9 a.	30.53	775.4	49	...	...	0	0
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	30.23	767.8	51	86	N E	2	o	,,	...	...	...	...	...	...	
Shanghai,	,,	30.30	769.6	47	85	N E	2	o	9 a.	30.39	771.9	49	78	E N E	1	0
Gutzlaff,	,,	30.27	768.8	47	77	N N E	4	ov	,,	30.36	771.1	48	93	N E	4	0
Sharp Peak,	,,	30.17	766.3	54	80	N N E	4	o	,,	30.26	768.6	53	93	E	1	0
Amoy	,,	30.14	765.5	59	88	E N E	3	or	6 a.	30.13	765.3	54	93	N E	2	0
Swatow,	,,	30.00	762.0	63	78	E N E	1	o	,,	...	...	...	...	...	...	
Taihoku	1 p.	30.12	765.0	...	...	E	6	...	5 a.	30.16	766.0	...	...	E	6	
Taichu,	,,	30.03	762.8	...	...	N	6	...	,,	30.06	763.6	...	...	N	2	
Tainan,	,,	30.02	762.4	...	...	N	6	...	,,	30.06	763.4	...	...	N	6	
Koshun	,,	29.99	761.8	...	...	N E	8	...	,,	30.01	762.1	...	...	N E	8	
Pescadores,	,,	30.05	763.3	...	...	N E	10	...	,,	30.06	763.6	...	...	N E	10	
Canton,	3 p.	30.00	762.0	64	78	N N E	2	c	9 a.	...	...	...	...	...	...	
Hongkong,	4 p.	29.98	761.5	66	81	E	2	o	10 a.	30.13	765.3	65	78	E	4	0
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	7	
Gap Rock,	,,	29.94	760.5	...	...	E N E	6	...	,,	30.08	764.0	...	...	E	6	
Macao,	,,	29.99	761.7	66	...	N	2	o	,,	30.12	765.0	65	...	S	2	0
Wuchow,	3 p.	30.05	763.2	61	...	N	2	o	9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	30.00	762.0	58	77	N	3	o	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.93	760.2	66	...	N N E	0	o	8 a.	30.04	763.1	64	...	N E	2	
Tourane,	,,	29.84	757.9	81	...	E	1	c	,,	29.99	761.7	75	..	N E	2	
Cape St. James,	,,	29.78	756.4	86	...	E S E	3	c	,,	29.87	758.7	82	...	N N E	2	
Aparri,	2 p.	29.88	758.9	84	...	E	2	b	6 a.	29.96	760.9	73	...	S	2	
Manila,	4 p.	29.80	757	82	63	S E	2	c	10 a.	29.92	760	86	59	W	2	
Legaspi,	2 p.	29.84	758.0	86	...	E	2	b	6 a.	29.89	759.2	77	...	E	2	
Bacolod,	3 p.	...	...	...	...	E N E	2	o	9 a.	...	...	...	...	N N W	2	
Iloilo,	,,	29.81	757.2	86	...	N E	2	c	,,	29.93	760.5	81	...	N E	3	
Cebu,	,,	29.80	756.9	85	...	...	...	b	,,	29.90	759.4	84	...	N	1	
Labuan,	,,	29.76	755.9	86	...	...	...	...	,,	29.88	758.9	81	...	...	...	

On the 6th at 12.05 p.—The depression lying over N.E. Japan yesterday, is moving away over the Pacific.
The barometer has risen generally, particularly over N. China and the Sea of Japan.
The anticyclonic area remains over N. China, and pressure is relatively low in the South.
Strong N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 6th April, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th April, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	7th April, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
livostock,...	2 p.	30.21	767.3	56	...	...	0	b	7 a.	30.23	767.8	33	80	...	0	o
uro, ...	,,	30.04	763.1	...	...	N N W	2	...	6 a.	30.26	768.6	...	...	N	3	...
odate, ...	,,	30.15	765.7	...	...	N W	3	...	,,	30.23	769.2	...	...	...	0	...
o.	,,	30.14	765.6	...	...	E	1	...	,,	30.28	769.1	...	...	N N W	1	...
i, ...	,,	30.17	766.3	...	...	N	4	...	,,	30.29	769.3	...	...	S W	1	...
saki, ...	,,	30.23	767.8	...	...	N	5	...	,,	30.31	769.8	...	...	N N W	1	...
oshima, ...	,,	30.15	765.9	...	...	S	1	...	,,	30.27	768.9	...	...	N	1	...
ma.	,,	30.14	765.6	...	...	N	3	...	,,	30.20	767.1	...	...	S	1	...
.....	,,	30.11	764.7	...	...	N N E	4	...	,,	30.13	765.2	...	...	N E	1	...
akijima, ...	,,	30.09	764.3	...	...	N E	...	...	,,	30.05	763.3	...	...	N E	1	...
n Is.	,,	29.98	761.6	...	...	N N E	1	...	,,	29.95	760.6	...	...	N W	1	...
oo.	4 p.	30.35	770.4	55	87	E	2	o	6 a.	30.28	769.1	42	100	S W	1	b
aiwei, ...	,,	30.30	769.6	58	...	N	2	c	9 a.	30.31	769.9	47	...	S S W	4	o
kow, ...	,,	30.29	769.3	48	100	N W	1	o	6 a.	30.22	767.6	46	100	N W	1	o
iang.....	,,	30.19	766.8	50	86	E	1	or	,,	30.16	766.0	46	100	...	0	o
ghai.	,,	30.27	768.8	56	61	E	3	c	9 a.	30.21	767.3	52	86	S E	3	o
laff.	,,	30.32	770.1	51	93	E N E	3	cv	,,	30.22	767.6	52	73	S E	4	ov
p Peak, ...	,,	30.21	767.3	54	80	N N E	4	o	,,	30.16	766.0	53	86	N	1	or
y.....	,,	30.12	765.0	65	73	E N E	3	o	6 a.	30.10	764.5	60	82	W	2	c
ow.	,,	30.07	763.8	70	61	E	2	c	,,	30.05	763.2	59	82	N	1	o
oku.....	1 p.	30.15	765.7	...	...	E	8	...	5 a.	30.03	762.8	...	...	E	6	...
iu, ...	,,	30.02	762.4	...	...	N	6	...	,,	30.05	763.3	...	...	...	0	...
an,.....	,,	30.05	763.2	...	...	N W	6	...	,,	30.04	763.1	...	...	...	0	...
um.....	,,	30.03	762.7	...	...	N E	10	...	,,	30.02	762.6	...	...	N E	2	...
adores, ...	,,	30.06	763.5	...	...	N E	10	...	,,	30.04	763.0	...	...	N	8	...
on,.....	3 p.	30.01	762.2	62	89	N E	1	o	9 a.	30.03	764.0	65	89	N	1	c
kong, ...	4 p.	30.01	762.2	66	73	E	4	o	10 a.	30.09	764.3	66	69	E	4	c
oria Peak,...	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E N E	5	...
Rock,.....	,,	29.97	761.2	...	...	E	6	...	,,	30.02	762.5	...	...	E	6	...
o.	,,	30.00	762.0	67	...	S	2	o	,,	30.10	764.5	69	...	N	2	o
bow,.....	3 p.	30.04	763.0	60	...	N	1	o	9 a.	30.13	765.3	60	..	N	2	o
ow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi,.....	,,	29.98	761.5	63	100	N	2	or	,,	...	...	...	...	...	...	...
ien, ...	4 p.	29.92	760.0	66	...	S S E	0	or	8 a.	30.03	762.8	66	...	N E	3	dh
ane, ...	,,	29.87	758.6	73	...	N W	3	o	,,	29.97	761.1	79	..	N N W	2	c
St. James,.	,,	29.75	755.7	81	...	E N E	7	o	,,	29.87	758.6	79	...	N E	4	o
ri, ...	2 p.	29.91	759.6	84	...	N E	2	b	6 a.	29.95	760.8	75	...	S	2	b
la.	4 p.	29.80	757	90	55	E S E	3	c	10 a.	29.96	761	84	64	W N W	1	o
spi.	2 p.	29.87	758.6	86	...	E	2	c	6 a.	29.90	759.4	77	...	N E	2	b
lod, ...	3 p.	...	...	...	...	N E	4	c	9 a.	...	...	...	...	N N E	2	c
.....	,,	29.93	757.7	88	...	N N E	...	...	,,	29.91	759.7	82	...	N E	1	b
.....	,,	29.82	757.4	86	...	N	3	c	,,	29.90	759.4	84	...	N	2	b
an, ...	,,	29.74	755.4	86	...	...	...	...	,,	29.87	758.7	82	...	...	...	...

On the 7th at 12.05 p.—The barometer has risen moderately in Japan, and fallen over China, particularly in the rth.

A depression appears to be developing over the Yangtze valley.

The high pressure area has moved Eastwards and lies now over the Sea of Japan.

Fresh to moderate N.E. and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	E. winds, fresh to moderate; fair.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 7th April, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th April, 1910, P.M.								8th April, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.20	767.2	43	...	S E	3	c	7 a.	30.17	766.3	39	87	...	0	
Nemuro,	,,	30.30	769.6	...	...	N N E	4	...	6 a.	30.36	771.1	...	...	...	0	
Hakodate,	,,	30.28	769.2	...	...	S	1	...	,,	30.38	771.7	...	...	N	1	
Tokio,	,,	30.22	767.6	...	...	N	1	...	,,	30.40	772.1	...	...	N W	1	
Kochi,	,,	30.25	768.3	...	...	S E	1	...	,,	30.29	769.3	...	...	W S W	1	
Nagasaki,	,,	30.25	768.3	...	...	W S W	2	...	,,	30.13	765.3	...	...	E	1	
Kagoshima,	,,	30.25	768.4	...	...	S E	1	...	,,	30.15	765.9	...	...	E	4	
Oshima,	,,	30.20	767.1	...	...	N	1	...	,,	30.10	764.6	...	...	...	0	
Naha,	,,	30.13	765.2	...	...	E N E	3	...	,,	30.01	762.2	...	...	S E	3	
Ishigakijima,	,,	30.03	762.8	...	...	E	5	...	,,	29.95	760.8	...	...	S S E	4	
Bonin Is.	,,	29.94	760.6	...	...	N	1	...	,,	30.14	765.6	...	...	N E	1	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	30.18	766.6	50	...	S S W	4	c	9 a.	30.13	765.3	47	...	E	2	
Hankow,	,,	30.25	768.3	50	93	N W	1	o	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	30.15	765.8	48	93	N W	2	o	,,	...	...	...	...	...	...	
Shanghai,	,,	30.07	763.8	51	100	S S E	3	or	9 a.	30.05	763.2	51	72	W N W	6	
Gutzlaff,	,,	30.07	763.8	51	93	S E	3	ound	,,	30.04	763.0	51	79	N W	6	
Sharp Peak,	,,	29.99	761.7	55	94	N	1	or	,,	30.05	763.2	56	100	...	0	
Amoy,	,,	30.04	763.0	68	70	E N E	1	c	6 a.	30.02	762.5	62	94	S E	1	
Swatow,	,,	29.98	761.5	66	64	E	3	c	,,	29.97	761.2	62	94	N E	1	
Taihoku,	1 p.	30.02	762.4	...	...	E	4	...	5 a.	30.00	762.0	...	...	...	0	
Taichu,	,,	30.03	762.7	...	...	N	2	...	,,	29.97	761.2	...	...	...	0	
Tainan,	,,	30.05	763.3	...	...	N W	6	...	,,	30.02	762.5	...	...	N	4	
Koshun	,,	30.02	762.6	...	...	N	6	...	,,	29.96	761.0	...	...	N	2	
Pescadores,	,,	30.06	763.4	...	...	N E	6	...	,,	30.02	762.4	...	...	N E	4	
Canton,	3 p.	29.99	761.7	69	80	N	1	o	9 a.	...	...	...	...	...	...	
Hongkong,	4 p.	29.99	761.7	70	70	E	2	o	10 a.	30.04	763.0	74	74	W	1	
Victoria Peak,	,,	...	...	...	...	E N E	3	...	,,	...	...	...	...	N E	1	
Gap Rock,	,,	29.95	760.7	...	...	E	6	...	,,	30.01	762.2	...	...	N	3	
Macao,	,,	29.99	761.7	69	...	S	1	o	,,	30.06	763.5	69	...	N	2	
Wuchow,	3 p.	30.08	764.0	57	...	W	2	od	9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	30.04	763.0	62	89	N	3	o	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.95	760.8	66	...	N N W	2	or	8 a.	30.03	762.8	63	...	N N E	2	
Tourane,	,,	29.87	758.7	77	...	N W	2	f	,,	29.96	761.0	72	...	N W	3	
Cape St. James,	,,	29.79	756.7	75	...	E N E	7	or	,,	29.87	758.6	81	...	E N E	6	
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.92	759.9	75	...	S E	2	
Manila,	4 p.	29.80	757	90	43	E	2	b	10 a.	29.92	760	86	59	W N W	1	
Legaspi,	2 p.	29.87	758.7	86	...	E	2	c	6 a.	29.89	759.1	77	...	N E	2	
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N N E	2	
Iloilo,	,,	29.93	757.7	87	...	N	1	b	,,	29.93	760.2	82	...	N	1	
Cebu,	,,	29.81	757.2	87	...	N	2	b	,,	29.90	759.4	85	...	N	2	
Labuan,	,,	29.77	756.1	89	...	...	...	...	,,	29.88	758.9	81	...	...	...	

On the 8th at 12.05 p.—The barometer has risen moderately over E. Japan and the Bonins, and fallen moderately to considerably over S.W. Japan and N. China.

A depression which has advanced Eastwards from the Yangtze valley, is moving into the Yellow Sea.

The high pressure area is now lying over the E. Japan.

The wind will probably freshen again from N.E. in the Formosa Channel and along the northern shores of China Sea by tomorrow.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, light to fresh ; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 8th April, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	8TH APRIL, 1910, P.M.								9TH APRIL, 1910, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
vostock, ...	2 p.	30.14	765.5	46	...	S E	1	o	7 a.	30.02	762.5	33	88	E	1	o
ro, ...	,,	30.28	769.1	...	...	S	1	...	6 a.	30.26	768.6	...	...	N	3	...
ate, ...	,,	30.30	769.7	...	...	S S E	2	...	,,	30.25	768.2	...	...	...	0	...
.....	,,	30.18	766.6	...	...	N N E	...	...	,,	30.26	768.6	...	...	N W	1	...
.....	,,	30.15	765.8	...	...	S E	2	...	,,	30.03	762.8	...	...	S W	1	...
aki, ...	,,	29.95	760.8	...	...	E N E	5	...	,,	29.89	759.3	...	...	N N E	1	...
shima, ...	,,	29.96	760.9	...	...	S E	2	...	,,	29.82	757.4	...	...	N W	1	...
na, ...	,,	29.87	758.6	...	...	S	6	...	,,	29.93	760.1	...	...	W N W	3	...
.....	,,	29.91	759.7	...	...	S	2	...	,,	29.97	761.2	...	...	N N W	2	...
kijima, ...	,,	29.95	760.8	...	...	N N W	3	...	,,	29.99	761.8	...	...	N	1	...
Is.	,,	30.16	766.1	...	...	N E	1	...	,,	30.10	764.6	...	...	E	1	...
o, ...	4 p.	29.95	760.7	46	100	N E	2	o	6 a.	...	...	...	...	...	...	...
iwei, ...	,,	...	...	47	...	N	1	c	9 a.	30.07	763.8	49	...	W	4	c
ow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hai, ...	,,	30.03	762.7	50	79	N W	6	o	9 a.	30.13	765.3	47	85	N	2	o
aff, ...	,,	30.00	762.0	50	72	N W	...	ov	,,	...	...	...	...	...	...	...
Peak, ...	,,	29.98	761.5	59	94	...	0	b	,,	30.08	764.0	57	87	N W	1	or
, ...	,,	29.96	761.0	66	89	S S E	1	o	6 a.	29.93	761.5	61	74	E N E	4	b
w, ...	,,	29.89	759.2	82	79	E	1	b	,,	29.91	759.7	63	83	S E	1	c
ku, ...	1 p.	30.01	762.2	...	...	N	2	...	5 a.	29.97	761.2	...	...	E	8	...
u, ...	,,	29.96	760.9	...	...	N	6	...	,,	29.92	760.0	...	...	...	0	...
n, ...	,,	29.97	761.2	...	...	N W	8	...	,,	29.92	759.9	...	...	...	0	...
un, ...	,,	29.94	760.4	...	...	N W	6	...	,,	29.94	760.5	...	...	N E	8	...
dores, ...	,,	29.98	761.6	...	...	N E	6	...	,,	29.93	760.3	...	...	N E	8	...
n, ...	3 p.	29.94	760.5	70	70	N	2	b	9 a.	...	...	...	...	...	...	...
kong, ...	4 p.	29.89	759.2	76	71	W	1	c	10 a.	29.96	761.0	69	80	E	4	o
ria Peak, ...	,,	...	...	...	...	W	1	...	,,	...	...	...	...	E	5	...
Rock, ...	,,	29.89	759.2	...	...	N N E	3	...	,,	29.93	760.2	...	...	E	4	...
o, ...	,,	29.91	759.7	76	...	E	2	c	,,	29.95	760.7	70	...	S	2	c
ow, ...	3 p.	30.00	762.0	61	89	N	1	o	9 a.	...	...	...	...	...	...	...
ow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi, ...	,,	29.96	761.0	63	94	N	2	o	,,	...	...	...	...	...	...	...
ien, ...	4 p.	29.89	759.2	68	...	S S E	1	o	8 a.	29.90	759.5	66	...	S S E	3	or
ane, ...	,,	29.84	757.9	73	...	N W	3	o	,,	29.91	759.7	79	...	S S W	3	c
St. James, .	,,	29.78	756.4	82	...	E N E	6	c	,,	29.89	759.1	84	...	N E	5	c
i, ...	2 p.	29.85	758.3	84	...	N E	2	b	6 a.	29.89	759.2	73	...	S E	2	b
a, ...	4 p.	29.80	757	88	54	S S E	3	o	10 a.	29.92	760	84	64	W N W	1	b
pi, ...	2 p.	29.86	758.5	86	...	E	2	b	6 a.	29.88	758.9	77	...	N E	2	b
od, ...	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N N W	2	o
.....	,,	29.85	758.2	87	...	N E	3	o	,,	29.91	759.7	83	...	N N E	2	b
.....	,,	29.83	757.7	86	...	N	2	c	,,	29.90	759.4	86	...	N	2	b
an, ...	,,	29.74	755.4	89	...	...	...	...	,,	29.88	758.9	82	...	...	...	...

On the 9th at 12.05 p.—The barometer has fallen quickly over W. Japan owing to the depression, which is mov- Eastwards over S. Kiusiu.

Pressure has increased slightly on the E. coast of China, and given way moderately over the S. coast of China Tongking. It is low over the latter area.

The high pressure area is now lying over the Pacific to the East of Japan.

Fresh N.E. and E. winds may be expected in the Formosa Channel and along the northern shores of the China

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
Hongkong and Neighbourhood, ...	E. winds, fresh ; cloudy, misty.
Formosa Channel, ...	N.E. winds, fresh.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 9th April, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th April, 1910, P.M.								10th April, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.00	762.0	41	...	S E	1	o	7 a.	29.98	761.5	37	93	...	0	f
Nemuro,	,,	30.22	767.6	...	...	S S E	2	...	6 a.	30.26	768.6	...	...	S S E	2	...
Hakodate,	,,	30.19	766.7	...	...	S E	3	...	,,	30.15	765.7	...	...	...	0	...
Tokio,	,,	30.20	767.1	...	...	N W	2	...	,,	30.16	766.1	...	...	N W	1	...
Kochi,	,,	29.89	759.3	...	...	S E	1	...	,,	30.13	765.3	...	...	...	0	.
Nagasaki,	,,	29.93	760.3	...	...	S W	3	...	,,	30.01	752.3	...	...	N E	1	.
Kagoshima,	,,	29.90	759.4	...	...	W N W	3	...	,,	30.02	762.4	...	...	E N E	1	.
Oshima,	,,	29.93	761.6	...	...	N	4	...	,,	29.99	761.6	...	...	...	0	.
Naha,	,,	30.01	762.2	...	...	N N E	1	...	,,	29.93	760.2	...	...	...	0	.
Ishigakijima,	,,	30.01	762.3	...	...	N E	3	...	,,	29.89	759.3	...	...	E S E	1	.
Bonin Is.	,,	30.06	763.6	...	...	S E	2	...	,,	30.04	763.1	...	...	S	1	.
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	.
Weihaiwei,	,,	30.02	762.5	53	...	N N W	1	c	9 a.	30.07	763.8	52	...	...	0	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	.
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	.
Shanghai,	,,	30.04	763.0	50	79	N E	2	o	9 a.	30.08	764.0	48	100	N N E	3	o
Gutzlaff,	,,	30.03	762.7	49	85	N N E	2	om	,,	30.03	762.7	48	100	N E	5	f
Sharp Peak,	,,	30.00	762.0	58	88	E	3	or	,,	29.94	760.5	57	87	N	1	c
Amoy,	,,	29.99	761.7	65	73	E N E	2	o	6 a.	29.93	760.2	59	94	S E	1	c
Swatow,	,,	29.86	758.4	67	79	E	2	c	,,	29.87	758.7	60	94	E	1	c
Taihoku,	1 p.	29.99	761.7	...	...	E	8	...	5 a.	29.86	758.4	...	...	...	0	.
Taichu,	,,	29.93	760.1	...	...	N	2	...	,,	29.88	759.0	...	...	N	2	.
Tainan,	,,	29.96	760.9	...	...	W	4	...	,,	29.90	759.4	...	...	N E	2	.
Koshun	,,	29.94	760.6	...	...	N E	8	...	,,	29.88	758.8	...	...	E	6	.
Pescadores,	,,	29.95	760.8	...	...	N E	8	...	,,	29.89	759.1	...	...	N E	6	.
Canton,	3 p.	29.80	756.9	71	90	S	1	o	9 a.	...	...	62	83	N	2	c
Hongkong,	4 p.	29.83	757.7	68	90	E	3	od	10 a.	29.94	760.5	68	95	E	1	c
Victoria Peak,	,,	...	...	...	...	E S E	6	...	,,	...	...	...	...	S	1	.
Gap Rock,	,,	29.79	756.6	...	...	E	4	...	,,	29.90	759.4	...	...	E N E	4	.
Macao,	,,	29.82	757.4	70	...	S	2	od	,,	29.95	760.7	67	...	N	2	c
Wuchow,	3 p.	29.83	757.7	63	...	W	2	od	9 a.	...	...	...	...	...	...	.
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	.
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	.
Phulien,	4 p.	29.73	755.2	70	...	S E	1	o	8 a.	29.91	759.6	70	...	E	3	c
Tourane,	,,	29.74	755.4	81	...	S E	3	b	,,	29.85	758.1	84	...	S S W	2	c
Cape St. James,	,,	29.78	756.3	81	...	E	5	c	,,	29.91	759.8	81	...	N E	2	c
Aparri,	2 p.	29.83	757.6	83	...	N E	2	b	6 a.	29.89	759.2	77	...	S	2	b
Manila,	4 p.	29.76	756	90	55	S E	4	b	10 a.	29.92	760	86	65	W	1	b
Legaspi,	2 p.	29.85	758.3	84	...	E	2	...	6 a.	29.88	759.0	75	...	N E	2	c
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	1	.
Iloilo,	,,	29.83	757.7	87	...	N E	2	b	,,	29.91	759.7	84	...	N E	1	.
Cebu,	,,	29.80	756.9	87	...	N	1	b	,,	29.89	759.2	86	...	N	2	.
Labuan,	,,	29.76	755.9	88	...	...	...	...	,,	...	...	...	...	...	...	.

On the 10th at 12.10 p.—The depression lying over SW Japan yesterday, appears to have filled up.

The barometer has risen moderately over W. Japan, and fallen slightly over S. China and the S. Loochoos.

Pressure is high over the Pacific to the E. of Japan, and low over the northern shores of the China Sea and the Pacific towards the S. Loochoos.

Moderate variable winds may be expected in the Formosa Channel and along the S. coast of China

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, moderate ; showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 10th April, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th April, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	11th April, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivostock,	2 p.	29.97	761.2	38	...	E	2	f	7 a.	29.99	759.4	33	96	...	0	f
uro,	,,	30.24	768.1	...	...	S S E	4	...	6 a.	30.12	765.1	...	...	S E	4	...
odate,	,,	30.13	765.2	...	...	S	2	...	,,	29.95	760.7	...	...	...	0	...
o,	,,	...	...	...	...	N W	1	...	,,	29.89	759.1	...	...	...	2	...
ii,	,,	...	...	...	...	...	0	...	,,	29.84	757.8	...	...	W S W	1	...
asaki,	,,	...	...	...	...	E S E	1	...	,,	29.80	756.8	...	...	N N E	1	...
oshima,	,,	29.88	758.9	...	...	E	5	...	,,	29.78	756.4	...	...	N	1	...
ma,	,,	29.87	758.6	...	...	S	3	...	,,	29.81	757.1	...	...	N	2	...
a,	,,	29.83	757.7	...	...	S	2	...	,,	29.87	758.7	...	...	N	4	...
akijima,	,,	29.87	758.8	...	...	S W	2	...	,,	29.93	760.3	...	...	N	3	...
n Is.	,,	30.00	762.1	...	...	S	1	...	,,	30.01	762.1	...	...	S S E	2	...
oo,	4 p.	30.03	762.7	54	100	E	1	b	6 a.	...	...	...	...	...	...	...
haiwei,	,,	30.02	762.5	57	...	N N E	1	b	9 a.	30.15	765.8	50	...	N	3	b
kow,	,,	30.10	764.5	59	94	E	1	b	6 a.	30.11	764.8	50	93	N W	1	o
iang	,,	30.12	765.0	58	76	N W	1	b	,,	...	...	...	...	...	...	...
ghai,	,,	...	...	...	...	...	...	...	9 a.	30.18	766.6	55	74	N N W	2	cm
laff,	,,	29.98	761.5	52	86	N N E	3	cm	,,	30.17	766.3	55	80	N	3	cv
p Peak,	,,	29.94	760.5	57	94	E	1	o	,,	30.13	765.3	57	87	E	3	c
y,	,,	29.93	760.2	61	89	S E	1	o	6 a.	29.98	761.5	57	87	N E	4	o
ow,	,,	29.84	757.9	68	85	S	1	o	,,	29.94	760.5	58	100	N E	3	or
oku,	1 p.	29.91	759.8	...	...	N	4	...	5 a.	30.04	763.1	...	...	S E	2	...
hu,	,,	29.90	759.5	...	...	N W	2	...	,,	29.93	760.3	...	...	N	4	...
an,	,,	29.91	759.8	...	...	N	4	...	,,	29.92	760.0	...	...	N	6	...
un	,,	...	...	...	...	...	...	...	,,	29.91	759.6	...	...	N E	6	...
adores,	,,	29.89	759.3	...	...	N E	8	...	,,	29.94	760.4	...	...	N E	10	...
on,	3 p.	29.91	759.7	59	65	N	2	or	9 a.	...	...	...	...	...	...	...
kong,	4 p.	29.85	758.2	68	94	...	0	ort	10 a.	30.03	762.7	64	84	N	1	o
oria Peak,	,,	...	...	...	...	N N E	1	...	,,	...	...	...	...	N E	2	...
Rock,	,,	29.83	757.7	...	...	N	4	...	,,	30.00	762.0	...	...	N N E	4	...
o,	,,	29.87	758.7	62	...	N	4	o	,,	30.05	763.2	60	...	N	3	o
how,	3 p.	30.00	762.0	58	...	S E	1	r	9 a.	...	...	...	...	...	...	...
ow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi,	,,	29.96	761.0	61	94	N	2	o	,,	...	...	...	...	...	...	...
ien,	4 p.	29.86	758.4	63	...	N W	1	o	8 a.	30.05	763.3	63	...	N N E	2	or
ane,	,,	29.77	756.1	86	...	S S W	2	c	,,	29.95	760.7	73	..	N W	3	o
St. James,	,,	29.79	756.7	84	...	E S E	4	c	,,	29.90	759.4	84	...	E	2	c
ri,	2 p.	29.83	757.8	90	...	N	2	b	6 a.	29.91	759.6	79	...	N	0	c
la,	4 p.	29.76	756	90	48	E S E	1	b	10 a.	29.92	760	86	71	W	1	c
pi,	2 p.	29.83	757.7	86	...	E	2	...	6 a.	29.87	758.7	79	...	N E	2	b
lod,	3 p.	...	...	...	...	E N E	2	...	9 a.	...	...	...	...	...	...	...
,	,,	29.83	757.7	86	...	N N E	1	o	,,	...	...	...	...	...	...	...
,	,,	29.81	757.2	87	...	N	2	b	,,	...	...	...	...	...	...	...
an,	,,	29.81	757.2	77	...	...	...	...	,,	29.88	758.9	81	...	...	...	...

On the 11th at 12.05 p.—The barometer has fallen considerably in Japan, and risen moderately over China.

A depression which appears to have developed over the Eastern Sea, is now situated off S.E. Kiusiu.

Pressure is highest over the Yangtze valley.

Fresh N.E. winds may be expected in the Formosa Channel and over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.69 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N. to N.E. winds, moderate or fresh ; fair.
Formosa Channel,	N.E. winds, fresh.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 11th April, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th April, 1910, P.M.								12th April, 1910, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.81	757.2	50	...	S W	0	c	7 a.	29.82	757.4	35	69	...	0
Nemuro,	,,	29.96	761.1	...	...	S E	5	...	6 a.	29.55	750.6	...	...	N	1
Hakodate,	,,	29.81	757.2	...	...	...	0	...	,,	29.77	756.2	...	...	N W	3
Tokio,	,,	29.69	754.1	...	...	S S W	1	...	,,	29.75	755.6	...	...	N N W	2
Kochi,	,,	29.72	754.8	...	...	N	2	...	,,	29.88	758.8	...	...	W N W	1
Nagasaki,	,,	29.85	758.3	...	...	N	4	...	,,	29.99	761.8	...	...	...	0
Kagoshima,	,,	29.78	756.4	...	...	N	3	...	,,	29.96	760.9	...	...	N W	2
Oshima,	,,	29.85	758.1	...	...	N N E	4	...	,,	29.95	760.6	...	...	N	4
Naha,	,,	29.91	759.7	...	...	N	4	...	,,	29.97	761.2	...	...	N N E	3
Ishigakijima,	,,	29.97	761.3	...	...	N	2	...	,,	30.01	762.3	...	...	N N E	1
Bonin Is.	,,	29.91	759.6	...	...	S	2	...	,,	29.87	758.6	...	...	S	3
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	30.10	764.5	57	...	N	4	b	9 a.	30.01	762.2	55	...	S W	4
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	..	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	.	...	...	...
Shanghai,	,,	30.13	765.3	64	48	N	2	c	9 a.	30.29	767.1	58	47	N	1
Gutzlaff,	,,	30.15	765.8	56	81	N	2	c	,,	30.19	766.8	54	80	N N E	1
Sharp Peak,	,,	30.09	764.3	57	87	N	2	o	,,	30.19	766.8	56	81	N E	4
Amoy,	,,	30.07	763.8	59	82	N E	2	o	6 a.	30.05	763.2	58	81	N E	3
Swatow,	,,	29.99	761.7	60	88	E	1	o	,,	30.03	762.7	56	94	N E	1
Taihoku,	1 p.	30.06	763.6	...	...	E	6	...	5 a.	30.08	764.0	...	...	S E	4
Taichu,	,,	29.94	760.5	...	...	N	6	...	,,	29.97	761.1	...	...	N	4
Tainan,	,,	29.96	760.9	...	...	N	2	...	,,	29.96	761.0	...	...	N	4
Koshun	,,	29.93	760.3	...	...	E	4	...	,,	29.94	760.5	...	...	N E	8
Pescadores,	,,	29.98	761.5	...	...	N E	10	...	,,	29.97	761.3	...	...	N E	10
Canton,	3 p.	30.00	762.0	63	67	N	1	o	9 a.	30.11	764.8	61	82	N	1
Hongkong,	4 p.	29.98	761.5	64	79	N N E	1	o	10 a.	30.09	764.3	64	68	E	1
Victoria Peak,	,,	...	...	...	...	N E	1	...	,,	...	...	...	...	E N E	4
Gap Rock,	,,	29.94	760.5	...	...	E	4	...	,,	30.04	763.0	...	...	E	5
Macao.	,,	29.98	761.5	72	...	N	2	o	,,	30.12	765.0	60	...	N	2
Wuchow,	3 p.	30.06	763.5	61	...	N W	1	o	9 a.	30.15	765.8	59	94	W	1
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.98	761.5	64	73	N	2	o	,,	...	...	...	...	...	...
Phulien,	4 p.	29.96	760.9	70	...	W S W	1	o	8 a.	30.11	764.8	61	...	E N E	0
Tourane,	,,	29.88	759.0	72	...	N W	4	c	,,	29.99	761.8	75	...	N W	3
Cape St. James,	,,	29.80	756.9	84	...	E	4	c	,,	29.86	758.3	82	...	N E	5
Aparri,	2 p.	29.87	758.6	86	...	N E	2	b	6 a.	29.90	759.4	75	...	E	2
Manila,	4 p.	29.80	757	91	49	S S E	4	b	10 a.	29.92	760	86	65	N W	1
Legaspi,	2 p.	29.83	757.8	88	...	N E	2	b	6 a.	29.86	758.3	79	...	E	2
Bacolod,	3 p.	...	...	...	...	N N E	4	c	9 a.	...	...	...	...	N N E	2
Iloilo,	,,	29.83	757.7	87	...	N E	3	b	,,	29.91	759.7	84	...	N E	1
Cebu,	,,	29.88	758.9	88	...	N	2	b	,,	29.89	759.2	85	...	N	1
Labuan,	,,	29.78	756.4	87	...	...	...	...	,,	29.88	758.9	84	...	...	...

On the 12th at 12.05 p.—The barometer has fallen quickly in N.E. Japan, and risen moderately over S.W. Japan and the Loochoos. The depression has moved into the Pacific to the E. of Japan.

The barometer has fallen again on the N.E. coast of China, probably owing to the approach of another depression from the Westward.

Pressure has increased slightly over S. China. It is highest over the Yangtze valley.

Fresh N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh ; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 12th April, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	12TH APRIL, 1910, P.M.								13TH APRIL, 1910, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ivostock, ...	2 p.	29.73	755.2	53	...	S W	0	b	7 a.	29.60	751.8	37	89	...	0	o
re, ...	,,	29.63	752.6	...	...	N	2	...	6 a.	29.83	757.6	...	...	S W	1	...
date, ...	,,	29.79	756.7	...	...	N W	3	...	,,	29.93	760.2	...	...	...	0	...
, ...	,,	29.79	756.6	...	...	S	1	...	,,	30.04	763.1	...	...	N	1	...
i.	,,	29.89	759.3	...	...	S W	1	...	,,	30.07	763.8	...	...	W S W	1	...
aki, ...	,,	29.97	761.3	...	...	N	3	...	,,	30.11	764.8	...	...	...	0	...
shima, ...	,,	29.96	760.9	...	...	S W	3	...	,,	30.10	764.4	...	...	N E	1	...
na, ...	,,	30.00	762.1	...	...	N	2	...	,,	30.06	763.6	...	...	S	1	...
,.....	,,	30.01	762.2	...	...	N	3	...	,,	30.07	763.7	...	...	N E	1	...
akijima, ...	,,	30.03	762.8	...	...	N N E	4	...	,,	30.03	762.8	...	...	N E	2	...
Is.	,,	29.83	757.6	...	...	S	1	...	,,	29.97	761.1	...	...	...	0	...
o.	4 p.	29.91	759.7	69	100	W	6	b	6 a.	...	...	...	...	...	...	...
aiwei, ...	,,	29.91	759.7	64	...	W N W	5	b	9 a.	30.05	763.2	47	...	N	5	b
ow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	..	...	...	...	...
iang, ...	,,	30.17	766.3	...	...	E	1	b	,,	...	...	.	...	...	...	...
hai.	,,	30.11	764.8	68	34	S	1	b	9 a.	30.12	765.0	61	40	S	1	c
aff, ...	,,	30.14	765.5	59	59	N N W	1	bv	,,	...	...	..	..	...	...	...
Peak, ...	,,	...	...	58	81	E N E	4	b	,,	30.17	766.3	57	94	...	0	c
.....	,,	30.05	763.2	68	56	N E	2	c	6 a.	30.08	764.0	59	70	N E	1	c
ow.	,,	30.00	762.0	63	57	E	2	o	,,	30.04	763.0	58	64	N E	1	o
ku.	1 p.	30.09	764.2	...	...	E	6	...	5 a.	30.04	763.0	...	...	E	6	...
n, ...	,,	30.00	762.1	...	...	...	0	...	,,	30.01	762.1	...	...	...	0	...
n.	,,	30.00	762.1	...	...	N	2	...	,,	30.01	762.5	...	...	...	0	...
n.	,,	30.00	761.9	...	...	N E	8	...	,,	30.01	762.1	...	...	N E	6	...
dores, ...	,,	30.02	762.5	...	...	N E	10	...	,,	30.02	762.4	...	...	N E	8	...
n.	3 p.	30.02	762.5	66	79	N E	1	b	9 a.	30.1[illegible]	764.5	64	89	...	0	c
kong, ...	4 p.	30.02	762.5	64	66	E	2	o	10 a.	30.11	764.8	65	39	E	3	o
ria Peak, ...	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	3	...
Rock, ...	,,	29.98	761.5	...	...	E N E	5	...	,,	30.07	763.8	...	...	E N E	5	...
o.	,,	30.03	762.7	66	...	E	1	o	,,	30.12	765.0	65	...	N	1	o
ow, ...	3 p.	30.04	763.0	70	56	S E	1	c	9 a.	30.13	765.3	62	...	E	1	o
ow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi.	,,	30.06	763.5	63	83	...	2	o	,,	...	...	...	...	...	...	...
ien, ...	4 p.	29.98	761.6	70	...	S E	1	c	8 a.	30.10	764.4	61	...	N E	3	or
ane.	,,	29.91	759.8	73	...	N W	4	c	,,	30.02	762.5	72	..	N W	3	o
St. James,.	,,	29.81	757.1	82	...	E	5	c	,,	29.92	760.0	81	...	N N E	4	c
ri, ...	2 p.	29.87	758.7	84	...	N E	2	b	6 a.	29.93	760.1	77	...	N E	2	b
la, ...	4 p.	29.80	757	90	48	E S E	4	c	10 a.	29.92	760	84	58	W N W	1	c
pli, ...	2 p.	29.84	757.9	88	...	S E	2	b	6 a.	29.87	758.7	79	...	N E	2	b
lod, ...	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	...	...	...
.....	,,	29.83	757.7	88	...	N E	1	b	,,	...	...	...	...	...	...	...
.....	,,	29.81	757.2	87	...	N	2	b	,,	...	...	...	...	...	...	...
an, ...	,,	29.76	755.9	87	...	...	...	...	,,	29.88	758.9	84	...	...	...	...

On the 13th at 12.05 p.—The barometer has risen quickly over Japan, and fallen considerably in Wladiwostok. e depression lying over Manchuria yesterday, appears to be passing to the Northward of the latter station.

Pressure has increased moderately on the N.E. coast of China, and given way slightly on the E. coast It is ghest over the Lower Yangtze.

Moderate N.E. winds may be expected in the Formosa Channel, and fresh N.E. winds over the N. part of the na Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
Hongkong and Neighbourhood, ...	N.E. and E. winds, fresh; fair, cloudy.
Formosa Channel, ...	N.E. winds.moderate.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 13th April, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th April, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	14th April, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.53	750.1	44	...	W	3	o	7 a.	29.84	757.8	39	63	...	0
Nemuro,	,,	29.87	758.6	...	...	S S E	3	...	6 a.	29.81	757.1	...	...	S S W	5
Hakodate,	,,	29.87	758.7	...	...	S W	3	...	,,	29.83	757.7	...	...	...	0
Tokio,	,,	30.02	762.6	...	...	S	2	...	,,	29.99	761.6	...	...	W	1
Kochi,	,,	30.13	765.3	...	...	S	1	...	,,	30.09	764.3	...	...	W S W	1
Nagasaki,	,,	30.09	764.3	...	...	S W	4	...	,,	30.11	764.8	...	...	S E	1
Kagoshima,	,,	30.07	763.9	...	...	E S E	1	...	,,	30.12	764.9	...	...	N N W	2
Oshima,	,,	30.14	765.6	...	...	W N W	2	...	,,	30.08	764.1	...	...	S	1
Naha,	,,	30.15	765.7	...	...	E	1	...	,,	30.05	763.2	...	...	N E	1
Ishigakijima,	,,	30.03	762.8	...	...	W	1	...	,,	29.99	761.8	...	...	N E	1
Bonin Is.	,,	30.02	762.6	...	...	N	1	...	,,	30.08	764.1	...	...	N N E	1
Chefoo,	4 p.	30.10	764.5	49	100	E	1	b	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	30.06	763.5	55	...	N	1	b	9 a.	30.01	762.2	45	...	E	6
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	30.06	763.5	65	53	...	0	o	,,	...	...	...	...	...	...
Shanghai,	,,	30.07	763.8	65	35	S S E	1	o	9 a.	30.11	764.8	62	46	S	1
Gutzlaff,	,,	30.10	764.5	57	69	S E	3	cv	,,	30.11	764.8	56	81	S E	3
Sharp Peak,	,,	30.05	763.2	57	87	E N E	2	b	,,	30.12	765.0	53	94	E	1
Amoy,	,,	30.00	762.0	71	57	E S E	2	b	6 a.	30.04	763.0	61	77	...	0
Swatow,	,,	30.02	762.5	65	68	E	1	o	,,	30.02	762.5	61	89	...	0
Taihoku,	1 p.	30.03	762.7	...	...	E	6	...	5 a.	30.02	762.5	...	...	...	0
Taichu,	,,	30.03	762.8	...	...	...	0	...	,,	30.02	762.4	...	...	...	0
Tainan,	,,	30.06	763.4	...	...	N	2	...	,,	30.02	762.6	...	...	N	2
Koshun	,,	30.04	763.1	...	...	N E	4	...	,,	30.08	763.9	...	...	...	0
Pescadores,	,,	30.06	763.4	...	...	N E	8	...	,,	30.02	762.4	...	...	N E	4
Canton,	3 p.	30.03	762.7	68	70	S E	1	c	9 a.	30.09	764.3	64	89	...	0
Hongkong,	4 p.	30.04	763.0	66	27	E	2	o	10 a.	30.09	764.3	68	67	E	1
Victoria Peak,	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E N E	3
Gap Rock,	,,	30.00	762.0	...	...	E N E	5	...	,,	30.06	763.5	...	...	N E	4
Macao,	,,	30.04	763.0	67	...	E	1	o	,,	30.10	764.5	66	...	N	1
Wuchow,	3 p.	30.03	764.0	62	...	N	1	od	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.99	761.8	66	...	E N E	2	o	8 a.	30.08	763.9	64	...	N E	2
Tourane,	,,	29.93	760.2	73	...	N W	3	o	,,	30.01	762.3	73	...	N W	4
Cape St. James,	,,	29.83	757.7	84	...	E N E	5	c	,,	29.93	760.2	81	...	N E	5
Aparri,	2 p.	29.93	760.3	79	...	N E	2	p	6 a.	29.94	760.4	73	...	S W	0
Manila,	4 p.	29.84	758	91	45	S S E	4	b	10 a.	29.96	761	90	48	N N E	1
Legaspi,	2 p.	29.87	758.8	86	...	E	2	b	6 a.	29.90	759.5	79	...	N E	2
Bacolod,	3 p.	...	...	...	...	N N E	4	c	9 a.	...	...	...	...	E N E	2
Iloilo,	,,	29.85	758.2	87	...	N E	3	c	,,	29.95	760.7	84	...	N E	2
Cebu,	,,	29.86	758.4	88	...	N	2	b	,,	29.92	759.9	84	...	N	1
Labuan,	,,	29.78	756.4	88	...	...	...	...	,,	29.90	759.4	81	...	...	...

On the 14th at 12.05 p.—The barometer has risen considerably in Wladiwostok, and fallen slightly over N. Japan.

The depression lying in the neighbourhood of the former station yesterday, is moving Eastwards over the N. part of the Sea of Japan.

Pressure is inclined to give way over China and probably another depression is approaching N. China from the Westward. The highest pressure is shown over W. Japan.

Moderate N.E. and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 14th April, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	14TH APRIL, 1910, P.M.								15TH APRIL, 1910, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
vostock, ...	2 p.	29.81	757.2	51	...	...	0	c	7 a.	29.97	761.2	37	78	S E	0	b
o, ...	,,	29.75	755.6	...	...	S S W	7	...	6 a.	29.95	760.6	...	...	S S W	2	...
ate, ...	,,	29.91	759.7	...	...	W S W	4	...	,,	30.07	763.7	...	...	...	0	...
.....	,,	29.91	759.6	...	...	S	2	...	,,	30.04	763.1	...	...	N W	1	...
.....	,,	30.01	762.3	...	...	S E	4	...	,,	30.09	764.3	...	...	...	0	...
aki, ...	,,	30.07	763.8	...	...	W S W	3	...	,,	30.15	765.8	...	...	...	0	...
hima, ...	,,	30.07	763.9	...	...	S	1	...	,,	30.15	765.9	...	...	N W	1	...
a, ...	,,	30.08	764.1	...	...	N	1	...	,,	30.12	765.1	...	...	S	1	...
.....	,,	30.15	765.7	...	...	N E	1	...	,,	30.09	764.2	...	...	...	0	...
kijima, ...	,,	30.03	762.8	...	...	E	3	...	,,	30.03	762.8	...	...	E	2	...
Is, ...	,,	30.00	762.1	...	...	E N E	1	...	,,	30.01	762.1	...	...	N E	1	...
.....	4 p.	30.00	762.0	63	100	E	4	b	6 a.	...	...	...	...	...	...	...
iwei, ...	,,	29.99	761.7	62	...	S E	4	b	9 a.	29.99	761.7	49	...	S S W	5	o
ow, ...	,,	30.11	764.8	72	95	S	2	b	6 a.	30.05	763.2	59	100	...	0	c
ang, ...	,,	30.05	763.2	75	37	W	1	b	,,	30.06	763.5	56	94	...	0	o
hai, ...	,,	30.04	763.0	71	29	S	1	c	9 a.	30.11	764.8	65	63	S S E	3	c
eff, ...	,,	30.06	763.5	61	77	S E	3	cv	,,	30.12	765.0	57	87	S E	3	bv
Peak, ...	,,	30.08	764.0	61	94	S E	1	b	,,	30.13	765.3	60	94	...	0	c
.....	,,	30.04	763.0	68	65	S S E	2	o	6 a.	30.04	763.0	62	83	W	1	b
w, ...	,,	30.01	762.2	68	70	E	2	b	,,	30.12	765.0	62	77	N E	1	o
ku, ...	1 p.	30.08	764.1	...	...	...	0	...	5 a.	30.04	762.9	...	...	E	4	...
w, ...	,,	30.04	763.0	...	...	N	2	...	,,	30.04	762.9	...	...	...	0	...
n, ...	,,	30.04	763.1	...	...	N	6	...	,,	30.03	762.8	...	...	N	2	...
m, ...	,,	30.02	762.5	...	...	N	4	...	,,	30.03	762.7	...	...	S	2	...
dores, ...	,,	30.05	763.3	...	...	N E	6	...	,,	30.04	762.9	...	...	N	6	...
n, ...	3 p.	30.01	762.2	70	80	S	1	b	9 a.	30.09	764.3	63	85	S	1	c
kong, ...	4 p.	30.01	762.2	69	57	E	2	o	10 a.	30.11	764.8	70	66	E	2	o
ia Peak, ...	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	E	2	...
lock, ...	,,	29.98	761.5	...	...	E N E	3	...	,,	30.08	764.0	...	...	E	4	...
.....	,,	30.02	762.5	72	...	E	1	o	,,	30.11	764.8	62	...	E	1	c
ow, ...	3 p.	30.06	763.5	69	75	E	1	c	9 a.	...	...	...	...	...	...	...
w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
i, ...	,,	30.04	763.0	67	95	N	2	or	,,	...	...	...	...	...	...	...
en, ...	4 p.	30.01	762.2	68	...	N N W	0	o	8 a.	30.06	763.4	70	...	N	1	o
ne, ...	,,	29.94	760.6	72	...	N W	4	o	,,	30.04	762.9	72	...	N W	2	o
St. James, .	,,	29.84	757.9	82	...	E N E	5	c	,,	29.92	759.9	84	...	N E	6	c
i, ...	2 p.	29.92	760.0	84	...	N E	4	b	6 a.	29.96	760.9	77	...	S W	0	b
s, ...	4 p.	29.84	758	95	37	S E	1	b	10 a.	30.00	762	88	54	N W	2	o
pi, ...	2 p.	29.88	758.9	82	...	S E	2	o	6 a.	29.93	760.3	81	...	N E	2	c
od, ...	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N N E	2	c
.....	,,	29.85	758.2	88	...	N E	2	b	,,	29.97	761.2	84	...	N E	2	b
.....	,,	29.85	758.2	87	...	N	2	b	,,	29.94	760.5	85	...	N	2	c
n, ...	,,	29.78	756.4	87	...	...	...	...	,,	29.89	759.2	86	...	...	...	...

On the 15th at 11.55 a.—The barometer has risen moderately in Wladiwostok and N.E. Japan the depression g over that area yesterday, having moved away towards N.E.

Pressure has given way over the Yangtze valley, probably owing to the existence of a depression over N. China.

The highest pressure is shown over W. Japan and the Eastern Sea.

Moderate E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
Hongkong and Neighbourhood, ...	E. winds, moderate ; fair.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 15th April, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th April, 1910, P.M.								16th April, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.94	760.6	43	...	E	1	b	7 a.	29.88	758.8	42	82	S E	3	
Nemuro,	,,	29.93	760.1	...	...	S S W	4	...	6 a.	30.06	763.6	...	...	W N W	1	
Hakodate,	,,	30.07	763.7	...	...	W N W	3	...	,,	30.17	766.2	...	...	...	0	
Tokio,	,,	30.06	763.6	...	...	E	2	...	,,	30.24	768.1	...	...	N	1	
Kochi,	,,	30.07	763.8	...	...	S S W	4	...	,,	30.17	766.3	...	...	W S W	1	
Nagasaki,	,,	30.15	765.8	...	...	W	2	...	,,	30.23	767.8	...	...	S S E	2	
Kagoshima,	,,	30.23	767.9	...	...	S	1	...	,,	30.15	765.9	...	...	N	1	
Oshima,	,,	30.14	765.6	...	...	N	4	...	,,	30.10	764.6	...	...	...	...	
Naha,	,,	30.09	764.2	...	...	E S E	2	...	,,	30.03	762.7	...	...	S E	1	
Ishigakijima,	,,	30.05	763.3	...	...	E	4	...	,,	29.97	761.3	...	...	E	1	
Bonin Is.	,,	30.06	763.6	...	...	N	1	...	,,	30.20	767.1	...	...	...	0	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.84	757.9	55	...	S S W	8	...	9 a.	29.84	757.9	56	...	S S W	...	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Shanghai,	,,	29.98	761.7	74	40	S E	3	c	9 a.	29.92	759.9	66	79	S S E	3	
Gutzlaff,	,,	30.02	762.5	59	76	S E	6	cv	,,	29.93	760.2	55	100	S E	4	
Sharp Peak,	,,	30.03	762.7	61	94	E	1	c	,,	30.00	762.0	63	94	...	0	
Amoy,	,,	30.02	762.5	70	66	S S E	4	c	6 a.	29.99	761.7	64	100	S W	3	
Swatow,	,,	29.99	761.7	70	75	E	1	b	,,	...	...	...	...	...	...	
Taiboku,	1 p.	30.04	763.0	...	...	E	6	...	5 a.	29.97	761.1	...	...	...	0	
Taichu,	,,	30.00	761.9	...	...	...	0	...	,,	29.99	761.7	...	...	N E	2	
Tainan,	,,	30.05	763.3	...	...	...	2	...	,,	29.99	761.8	...	...	N	4	
Koshun	,,	30.04	762.9	...	...	S W	2	...	,,	29.95	760.8	...	...	...	0	
Pescadores,	,,	30.05	763.2	...	...	N E	6	...	,,	29.98	761.4	...	...	N E	6	
Canton,	3 p.	30.02	762.5	74	72	S	1	c	9 a.	30.02	762.5	70	85	S	1	
Hongkong,	4 p.	30.01	762.2	71	68	E	2	b	10 a.	30.04	763.0	72	81	E	1	
Victoria Peak,	,,	...	...	...	...	S W	1	...	,,	...	...	...	...	S E	1	
Gap Rock,	,,	29.99	761.7	...	...	E	4	...	,,	30.02	762.5	...	...	E	2	
Macao,	,,	30.02	762.5	71	...	S E	1	c	,,	30.05	763.2	72	...	S E	1	
Wuchow,	3 p.	30.03	762.7	69	...	E	1	o	9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	29.97	761.2	79	82	S E	2	o	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.96	760.9	75	...	S S E	2	c	8 a.	30.00	762.0	73	...	S E	1	
Tourane,	,,	29.93	760.1	75	...	N W	2	c	,,	29.99	761.7	77	...	N W	1	
Cape St. James,	,,	29.84	758.0	82	...	E N E	6	c	,,	29.93	760.3	79	...	N E	1	
Aparri,	2 p.	29.91	760.1	86	...	N E	2	b	6 a.	29.92	759.9	75	...	S	2	
Manila,	4 p.	29.88	759	88	65	N W	1	b	10 a.	29.96	761	90	60	S E	3	
Legaspi,	2 p.	29.91	759.7	86	...	E	2	o	6 a.	29.90	759.5	81	...	E	2	
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	...	...	
Iloilo,	,,	29.89	759.2	88	...	N N E	1	b	,,	...	...	...	...	...	...	
Cebu,	,,	29.87	758.7	87	...	N	1	c	,,	...	...	...	...	...	...	
Labuan,	,,	29.86	758.4	88	...	...	...	...	,,	29.90	759.4	83	...	...	...	

On the 16th at 12.10 p.—The barometer has risen moderately over E. Japan and the Bonins, and fallen over China, particularly in the North.

The depression over N. China appears to be moving slowly Eastwards.

The "high" area lies over S. Japan and the Pacific towards the Bonins.

Light or moderate S.E. winds may be expected in the Formosa Channel and over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, light or moderate ; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 16th April, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	16TH APRIL, 1910, P.M.								17TH APRIL, 1910, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
o,.....	,,	30.10	764.6	...	...	S	4	...	6 a.	30.12	765.1	...	...	S S E	4	...
ste,.....	,,	30.13	765.2	...	...	S W	2	...	,,	30.01	762.2	...	...	...	0	...
.....	,,	30.20	767.1	...	...	S S E	2	...	,,	30.20	767.1	...	...	N W	1	...
.....	,,	30.15	766.8	...	...	S E	1	...	,,	30.17	766.3	...	...	W S W	1	...
ki, ...	,,	30.07	763.8	...	...	S E	2	...	,,	30.07	763.8	...	...	S E	1	...
ima, ...	,,	30.09	764.4	...	...	S W	1	...	,,	30.08	763.9	...	...	E N E	1	...
,.....	,,	30.04	763.1	...	...	S E	2	...	,,	29.97	761.1	...	...	S	3	...
.....	,,	29.97	761.2	...	...	S E	1	...	,,	29.89	759.2	...	...	E	3	...
ijin a,....	,,	29.93	760.3	...	...	S	1	...	,,	29.88	758.8	...	...	S S W	1	...
Is.....	,,	30.12	765.1	...	...	N E	1	...	,,	30.06	763.6	...	...	N E	1	...
,.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iwei,.....	,,	29.79	756.6	63	...	S W	7	b	9 a.	29.82	757.4	50	...	S S W	6	om
w, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ng.....	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ai, ...	,,	29.84	757.9	76	64	S S E	3	c	9 a.	29.86	758.4	61	100	S E	2	om
ff, ...	,,	29.85	758.2	60	88	S S E	5	cm	,,	29.88	758.9	56	100	S E	5	fd
Peak,.....	,,	...	...	...	...	...	...	...	,,	29.89	759.2	65	95	...	0	f
.....	,,	29.87	758.7	77	69	S W	2	b	6 a.	29.83	757.7	67	84	N	1	b
w, ...	,,	29.85	758.2	78	58	S	2	b	,,	29.83	757.7	68	95	W	1	b
u,.....	1 p.	29.93	760.3	...	...	N	2	...	5 a.	29.87	758.7	...	...	...	0	...
,.....	,,	29.91	759.8	...	...	W	2	...	,,	29.89	759.3	...	...	...	0	...
,.....	,,	29.96	761.1	...	...	S W	6	...	,,	29.92	760.0	...	...	...	0	...
n.....	,,	29.95	760.7	...	...	N W	4	...	,,	29.92	760.0	...	...	N	2	...
ores, ...	,,	29.95	760.7	...	...	N	4	...	,,	29.88	758.9	...	...	W	4	...
,.....	3 p.	29.99	759.4	77	73	S	1	b	9 a.	29.92	759.9	73	99	S	1	b
ong, ...	4 p.	29.91	759.7	74	77	E	1	c	10 a.	29.93	760.2	77	71	W N W	1	b
ia Peak,...	,,	...	...	...	...	S S W	1	...	,,	...	...	...	...	S S E	2	...
ock,.....	,,	29.91	759.7	...	...	E S E	2	...	,,	29.92	759.9	...	...	S S W	3	...
,.....	,,	29.93	760.2	74	...	S	2	c	,,	...	...	...	...	...	...	...
ow,.....	3 p.	29.93	760.2	78	...	W	1	o	9 a.	...	...	...	...	...	...	...
w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
i,.....	,,	29.94	760.5	81	74	W	1	c	,,	...	...	...	...	...	...	...
m,.....	4 p.	29.85	758.1	77	...	S E	2	b	8 a.	29.91	759.7	73	...	S E	4	or
ne, ...	,,	29.85	758.1	81	...	S E	2	b	,,	29.90	759.5	79	...	S S W	3	c
t. James,.	,,	29.84	758.0	82	...	E	5	c	,,	29.93	760.3	82	...	N E	2	o
i,.....	2 p.	29.56	758.5	88	...	N E	2	b	6 a.	29.88	759.0	77	...	N W	0	b
,.....	4 p.	29.84	758	90	48	E S E	2	o	10 a.	29.92	760	86	65	W	2	b
gi,.....	2 p.	29.88	758.9	86	...	E	2	b	6 a.	29.92	759.9	75	...	...	0	c
d,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n, ...	,,	29.84	757.9	85	...	...	...	...	,,	...	...	...	...	...	...	...

On the 17th at 12.05 p.—The barometer has fallen generally, particularly over S China, SW Japan and the choos.

The depression remains over N. China, and the high pressure area has shifted to the E. of Japan.

Light or moderate S. or variable winds may be expected in the Formosa Channel and over the northern shores he China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
Hongkong and Neighbourhood, ...	S. or variable winds, light or moderate ; fair.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 17th April, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th April, 1910, P.M.								18th April, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.85	758.3	42	...	...	0	lt	7 a.	29.42	747.2	42	97	E	1	
Nemuro,	,,	29.98	761.6	...	...	S	1	...	6 a.	30.18	766.6	...	...	E N E	1	
Hakodate,	,,	30.05	763.2	...	...	S S W	3	...	,,	30.05	763.2	...	...	...	0	
Tokio,	,,	30.10	764.6	...	...	S S W	4	...	,,	...	...	...	...	...	0	
Kochi,	,,	30.15	765.8	...	...	S E	2	...	,,	30.03	762.8	...	...	E N E	1	
Nagasaki,	,,	29.95	760.8	...	...	W	2	...	,,	29.91	759.8	...	...	S E	5	
Kagoshima,	,,	30.02	762.4	...	...	S S W	3	...	,,	29.94	760.4	...	...	E	3	
Oshima,	,,	29.94	760.6	...	...	S E	2	...	,,	29.79	756.6	...	...	S E	2	
Naha,	,,	...	...	...	...	...	...	...	,,	29.75	755.7	...	...	S	1	
Ishigakijima,	,,	29.95	760.8	...	...	S	1	...	,,	29.76	755.8	...	...	S	3	
Bonin Is.	,,	30.02	762.6	...	...	N E	1	...	,,	29.97	761.1	...	...	N E	1	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.73	755.1	56	...	S W	8	cm	9 a.	30.06	763.5	53	...	N N W	7	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	29.72	754.9	66	100	N E	2	or	,,	...	...	...	...	...	...	
Shanghai,	,,	29.78	756.4	64	95	S E	3	or	9 a.	29.87	758.7	58	94	N E	3	
Gutzlaff,	,,	29.78	756.4	57	100	S E	5	fd	,,	29.79	756.6	56	100	N N E	5	
Sharp Peak,	,,	29.77	756.1	65	95	S	1	f	,,	29.73	755.1	67	95	N E	1	
Amoy,	,,	29.76	755.9	73	86	S W	4	b	6 a.	29.70	754.4	71	80	...	0	
Swatow,	,,	29.82	757.4	90	81	S W	1	c	,,	29.72	754.9	74	81	S W	2	
Taihoku,	1 p.	29.81	757.1	...	...	N	4	...	5 a.	29.72	754.8	...	...	...	0	
Taichu,	,,	29.80	756.8	...	...	S W	4	...	,,	29.76	755.9	...	...	...	0	
Tainan,	,,	29.89	759.2	...	...	W	4	...	,,	29.84	757.9	...	...	E	2	
Koshun,	,,	29.85	758.1	...	...	W	8	...	,,	29.78	756.3	...	...	N W	8	
Pescadores,	,,	29.85	758.3	...	...	W	6	...	,,	29.78	756.5	...	...	S W	6	
Canton,	3 p.	29.79	756.6	81	74	S W	1	b	9 a.	29.83	757.7	76	91	S	1	
Hongkong,	4 p.	29.81	757.2	80	66	S W	2	c	10 a.	29.86	758.4	80	76	W N W	1	
Victoria Peak,	,,	...	...	...	...	S S W	5	...	,,	...	...	...	...	S W	4	
Gap Rock,	,,	29.81	757.2	...	...	W	2	...	,,	29.83	757.7	...	...	...	0	
Macao,	,,	29.78	756.4	80	...	S	2	c	,,	29.87	758.7	76	...	S	1	
Wuchow,	3 p.	29.82	757.4	86	58	W	3	c	9 a.	29.82	757.4	80	55	E	1	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	29.83	757.7	85	68	S W	2	b	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.76	756.0	77	...	S E	4	o	8 a.	29.80	757.0	75	...	E	3	
Tourane,	,,	29.80	756.9	81	...	S E	2	b	,,	29.81	757.2	...	...	N W	2	
Cape St. James,	,,	29.86	758.4	84	...	E S E	4	o	,,	29.87	758.7	84	...	E	2	
Aparri,	2 p.	29.82	757.4	86	...	N	2	b	6 a.	29.83	757.6	77	...	N	0	
Manila,	4 p.	29.76	756	91	55	N N W	1	b	10 a.	29.80	757	83	65	W	2	
Legaspi,	2 p.	29.82	757.4	88	...	E	2	...	6 a.	29.83	757.6	70	...	...	0	
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Labuan,	,,	29.84	757.9	86	...	...	...	...	,,	29.83	757.7	84	...	...	...	

On the 18th at 12.10 p.—The barometer has risen considerably over N. China, and fallen quickly in Wladivostok. The depression lying over the former area yesterday, has moved into the N.W. part of the Sea of Japan.

A secondary depression has developed over the Eastern Sea, and pressure has decreased at all stations to the South of the 30th parallel.

Pressure is high to the E. of Japan, and over N. China.

The wind is likely to freshen from N.E. in the Formosa Channel and over the northern shores of the China Sea by tomorrow.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, probably shifting to the N.E. and freshening; fine to cloudy and misty, cooler.
2.—Formosa Channel,	N.E. winds, freshening.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 18th April, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	18TH APRIL, 1910, P.M.								19TH APRIL, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
vostock,...	2 p.	29.53	750.0	47	...	N	0	or	7 a.	29.84	757.8	37	89	...	0	b
ro, ...	,,	30.14	765.6	...	...	E N E	2	...	6 a.	30.10	764.6	...	...	S E	3	...
date, ...	,,	29.77	756.2	...	...	S S E	2	...	,,	29.87	758.7	...	...	...	0	...
, ...	,,	30.02	762.6	...	...	S	3	...	,,	29.97	761.1	...	...	N W	1	...
, ...	,,	29.97	761.3	...	...	S E	1	...	,,	29.91	759.8	...	...	W S W	1	...
aki, ...	,,	29.85	758.3	...	...	S	1	...	,,	29.83	758.8	...	...	E	1	...
hima, ...	,,	29.84	757.9	...	...	N E	5	...	,,	29.84	757.9	...	...	N E	4	...
a, ...	,,	29.71	754.6	...	...	S	4	...	,,	29.59	751.6	...	...	...	0	...
.....	,,	29.73	755.2	...	...	E S E	2	...	,,	29.67	753.7	...	...	N	5	...
kijima, ...	,,	29.76	755.8	...	...	S	2	...	,,	29.86	758.3	...	...	N	3	...
Is.	,,	29.89	759.1	...	...	N E	1	...	,,	29.89	795.1	...	...	...	0	...
o, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iwei, ...	,,	29.97	761.2	61	...	N	5	b	9 a.	30.11	764.8	53	...	W	3	b
ow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hai.	,,	29.93	760.2	59	70	N	5	o	9 a.	30.07	763.3	57	69	N N E	2	b
aff, ...	,,	29.84	757.9	54	94	N	6	om	,,	30.05	763.2	56	75	N	3	bm
Peak, ...	,,	29.81	757.2	67	84	E N E	4	c	,,	29.99	761.7	64	95	S E	1	b
.....	,,	29.64	752.8	88	62	S E	3	b	6 a.	29.88	758.9	67	84	N E	2	o
w, ...	,,	29.66	753.3	89	63	S S W	1	b	,,	29.84	757.9	68	85	N E	2	c
ku, ...	1 p.	29.72	754.9	...	...	N W	8	...	5 a.	29.92	760.0	...	...	E	6	...
u, ...	,,	29.76	755.8	...	...	W	4	...	,,	29.84	758.0	...	...	N	2	...
n, ...	,,	29.81	757.1	...	...	S W	4	...	,,	29.84	758.0	...	...	...	0	...
m, ...	,,	29.79	756.6	...	...	N W	8	...	,,	29.86	758.5	...	...	N E	8	...
dores, ...	,,	29.78	756.5	...	...	W	8	...	,,	29.84	758.0	...	...	N E	8	...
n, ...	3 p.	29.75	755.6	84	75	S W	1	b	9 a.	29.85	758.2	77	86	S E	1	or
kong, ...	4 p.	29.76	755.9	82	71	W	1	b	10 a.	29.90	759.4	69	87	E	4	o
ria Peak, ...	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	E	5	...
lock, ...	,,	29.74	755.4	...	...	S W	3	...	,,	29.85	758.2	...	...	E	4	...
.....	,,	29.77	756.1	80	...	S	1	c	,,	29.87	758.7	71	...	E	2	o
ow, ...	3 p.	29.76	755.9	80	78	W	1	c	9 a.	...	...	...	...	...	...	...
w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
pi	,,	29.77	756.1	82	79	W	2	b	,,	...	...	...	...	...	...	...
en, ...	4 p.	29.68	753.9	82	...	S E	4	b	8 a.	29.79	756.7	77	...	E	4	o
me, ...	,,	29.70	754.3	84	...	S E	2	b	,,	29.80	756.8	82	...	S	1	c
St. James, .	,,	29.75	755.6	84	...	S S E	3	c	,,	29.86	758.3	82	...	N W	2	o
i, ...	2 p.	29.77	756.1	88	...	N E	2	b	6 a.	29.84	757.9	79	...	N	2	c
a.	4 p.	29.72	755	90	66	W S W	3	b	10 a.	29.84	758	83	65	N	4	o
pi, ...	2 p.	29.76	756.0	88	...	S E	2	b	6 a.	29.80	756.9	72	...	...	0	o
od, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
an, ...	,,	29.78	756.4	88	...	...	...	...	,,	29.89	759.2	84	...	...	...	...

On the 19th at 11.55 a.—The barometer has risen quickly in Wladiwostok and over the E. coast of China, and en moderately over Japan, the Loochoos and the Bonins.

The depression lying in the neighbourhood of Wladiwostok yesterday, had moved towards N.E. The Eastern depression is moving Eastwards near the Loochoos.

Pressure is highest over N. China.

Fresh to strong N.E. and E. winds may be expected in the Formosa Channel and over the northern shores of China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	E winds, strong; drizzling rain or mist.
Formosa Channel, ...	N.E. winds, fresh.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 19th April, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th April, 1910, P.M.								20th April, 1910, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.85	758.2	57	...	E	0	b	7 a.	30.04	763.1	40	81	...	0
Nemuro,	,,	29.98	761.6	...	...	S E	5	...	6 a.	30.04	763.1	...	...	N N E	1
Hakodate,	,,	29.93	760.2	...	...	S W	3	...	,,	30.07	763.7	...	...	...	0
Tokio,	,,	29.89	759.1	...	...	S	1	...	,,	30.04	763.1	...	...	N W	1
Kochi,	,,	29.89	759.3	...	...	...	0	...	,,	30.01	762.3	...	...	W S W	1
Nagasaki,	,,	29.87	758.8	...	...	W	2	...	,,	29.99	761.8	...	...	N	1
Kagoshima,	,,	29.88	758.9	...	...	E S E	3	...	,,	29.98	761.4	...	...	E	2
Oshima,	,,	29.79	756.6	...	...	N E	4	...	,,	29.91	759.6	...	...	...	0
Naha,	,,	29.75	755.7	...	...	N	6	...	,,	29.87	758.7	...	...	N E	1
Ishigakijima,	,,	29.89	759.3	...	...	N	4	...	,,	29.89	759.3	...	...	N N E	1
Bonin Is.	,,	29.83	757.6	...	...	N E	1	...	,,	29.87	758.6	...	...	E	1
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	30.03	762.7	62	...	N N E	1	b	9 a.	30.02	762.5	53	...	...	0
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	29.99	761.7	65	49	E N E	3	b	9 a.	29.96	761.0	56	94	S E	2
Gutzlaff,	,,	29.98	761.5	58	76	N	2	bm	,,	29.93	760.2	54	100	S E	4
Sharp Peak,	,,	29.96	761.0	65	90	E	3	c	,,	29.93	760.2	63	94	N E	1
Amoy,	,,	29.87	758.7	73	63	N E	3	o	6 a.	29.93	760.2	63	89	...	0
Swatow,	,,	29.83	757.7	69	75	E	3	o	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.95	760.8	...	...	E	6	...	5 a.	29.83	758.8	...	...	E	4
Taichu,	,,	29.87	758.6	...	...	N	4	...	,,	29.87	758.7	...	...	...	0
Tainan,	,,	29.87	758.8	...	...	W	4	...	,,	29.85	758.9	...	...	E	2
Koshun	,,	29.86	758.5	...	...	N E	6	...	,,	29.87	758.7	...	...	S E	4
Pescadores,	,,	29.87	758.8	...	...	N E	10	...	,,	29.88	758.8	...	...	N	6
Canton,	3 p.	29.78	756.4	75	86	S E	1	o	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	29.81	757.2	69	81	E	4	o	10 a.	29.91	759.7	66	86	E	2
Victoria Peak,	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	6
Gap Rock,	,,	29.73	756.4	...	...	E	5	...	,,	29.86	758.4	...	...	E	5
Macao,	,,	29.78	756.4	68	...	E	2	oqr	,,	29.85	758.2	68	...	E	4
Wuchow,	3 p.	29.79	756.6	76	82	N	3	rlt	9 a.	29.90	759.4	72	90	W	1
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.65	753.1	77	...	E S E	5	c	8 a.	29.81	757.1	75	...	E N E	2
Tourane,	,,	29.72	755.0	81	...	S W	1	o	,,	29.81	757.1	82	...	N W	2
Cape St. James,	,,	29.72	754.8	88	...	S	2	c	,,	29.88	758.8	81	...	S W	-
Aparri,	2 p.	29.81	757.1	86	...	N E	2	b	6 a.	29.87	758.6	77	...	N E	2
Manila,	4 p.	29.72	755	90	62	S W	2	o	10 a.	29.84	758	90	55	E N E	1
Legaspi,	2 p.	29.78	756.4	88	...	S E	2	c	6 a.	29.83	757.6	72	...	...	0
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Labuan,	,,	29.78	756.4	88	...	...	...	...	,,	29.89	759.2	84	...	...	...

On the 20th at 12.10 p.—The barometer has risen moderately to considerably over Japan and the Loochoos, fallen moderately over N. China.

The depression lying near the Loochoos yesterday, has moved away Eastwards towards the Bonins.

Another depression is probably developing over the Yangtze valley, and pressure is low also, over the N.W. of the China Sea.

The highest pressure is shown over the Sea of Japan.

Moderate E. and S.E. winds may be expected in the Formosa Channel, and fresh E. winds along the north shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.62 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh; dull, some rain.
2.—Formosa Channel,	E. to S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 20th April, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	20TH APRIL, 1910, P.M.								21ST APRIL, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ivostock,	2 p.	30.01	762.2	59	...	E	0	b	7 a.	30.04	763.1	42	82	...	0	b
iro,	,,	30.00	762.1	...	...	N N E	4	...	6 a.	29.95	760.6	...	...	N	3	...
date,	,,	30.03	762.7	...	...	N	5	...	,,	30.03	762.7	...	...	W N W	1	...
,	,,	29.98	761.6	...	...	N	2	...	,,	30.06	763.6	...	...	N	...	...
i,	,,	29.99	761.8	...	...	S S W	1	...	,,	29.99	761.8	...	...	...	0	...
saki,	,,	30.03	762.8	...	...	S	2	...	,,	29.88	758.8	...	...	E S E	5	...
shima,	,,	30.00	761.9	...	...	...	0	...	,,	29.94	760.4	...	...	E N E	1	...
ra,	,,	29.91	759.6	...	...	S	2	...	,,	29.89	759.1	...	...	S	1	...
	,,	29.89	759.2	...	...	E	2	...	,,	29.87	758.7	...	...	...	0	...
akijima,	,,	29.89	759.3	...	...	S E	2	...	,,	29.88	758.8	...	...	...	0	...
Is.	,,	29.89	759.1	...	...	N E	1	...	,,	29.93	760.1	...	...	N E	6	...
o,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
aiwei,	,,	...	...	62	...	...	...	...	9 a.	29.96	761.0	50	...	N N W	2	c
ow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ghai,	,,	29.89	759.2	55	87	E S E	3	o	9 a.	30.02	762.5	59	70	N W	3	c
laff,	,,	29.91	759.7	54	100	E N E	1	omd	,,	30.00	762.0	59	82	N	4	bm
Peak,	,,	29.88	758.9	65	95	E	1	c	,,	29.99	761.7	64	95	E	1	b
y,	,,	29.87	758.7	68	79	S	3	o	6 a.	29.91	759.7	65	84	W N W	2	o
ow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ku,	1 p.	29.89	759.3	...	...	W	2	...	5 a.	29.89	759.2	...	...	...	0	...
m,	,,	29.90	759.5	...	...	...	0	...	,,	29.88	758.9	...	...	...	0	...
m,	,,	29.90	759.5	...	...	N	2	...	,,	29.86	758.5	...	...	E	2	...
nn,	,,	29.87	758.8	...	...	E	2	...	,,	29.86	758.5	...	...	...	0	...
dores,	,,	29.90	759.5	...	...	N	6	...	,,	29.86	758.4	...	...	E	2	...
on,	3 p.	29.81	757.2	71	90	S E	1	o	9 a.	29.93	760.2	71	89	S	1	b
kong,	4 p.	29.86	758.4	67	96	S S W	1	or	10 a.	29.92	759.9	76	75	E	1	o
ria Peak,	,,	...	...	...	...	N N E	5	...	,,	...	...	...	...	...	0	...
Rock,	,,	29.81	757.2	...	...	N N E	5	...	,,	29.90	759.4	...	...	E N E	4	...
o,	,,	29.84	757.9	67	...	E	2	or	,,	29.94	760.5	72	...	N	1	c
how,	3 p.	29.84	757.9	76	77	E	1	c	9 a.	...	...	...	...	...	...	...
ow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi,	,,	29.83	757.7	80	74	N N E	2	o	,,	...	...	...	...	...	...	...
ien,	4 p.	29.72	755.0	81	...	S E	4	b	8 a.	29.89	759.1	75	...	E	4	o
ane,	,,	29.71	754.6	84	...	N N W	1	b	,,	29.84	757.9	79	...	S W	1	b
St. James,	,,	29.75	755.6	82	...	N	1	o	,,	29.86	758.5	81	...	S W	4	c
ri,	2 p.	29.77	756.1	84	...	N E	2	b	6 a.	29.82	757.5	75	...	S	0	o
la,	4 p.	29.72	755	91	55	E S E	1	c	10 a.	29.80	757	88	65	S	1	o
spi,	2 p.	29.78	756.4	88	...	E	2	c	6 a.	29.82	757.5	72	...	...	0	o
lod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
an,	,,	29.80	756.9	85	...	...	...	...	,,	29.89	759.2	84	...	...	...	...

On the 21st at 12.05 p.—The barometer has fallen moderately in W. Japan, and risen slightly over S. China d Tongking.

The shallow depression lying over the Yangtze valley yesterday, is approaching S.W. Japan.

Pressnre is highest apparently over Central China.

Moderate N.E. winds may be expected in the Formosa Channel, and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.E. winds, moderate; fair.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 21st April, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st APRIL, 1910, P.M.								22nd APRIL, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.02	762.4	58	...	S W	0	b	7 a.	30.07	763.7	37	93	S E	0	c
Nemuro,	,,	29.89	759.1	...	...	N	6	...	6 a.	29.87	758.6	...	...	N W	8	...
Hakodate,	,,	29.95	760.7	...	...	N W	3	...	,,	29.99	761.7	...	...	...	0	...
Tokio,	,,	29.94	760.6	...	...	S S W	2	...	,,	29.95	760.6	...	...	N W	1	...
Kochi,	,,	29.89	759.3	...	...	...	0	...	,,	29.80	756.8	...	...	...	0	...
Nagasaki,	,,	29.80	756.8	...	...	W S W	6	...	,,	29.93	760.3	...	...	N	1	...
Kagoshima,	,,	29.86	758.4	...	...	S	1	...	,,	29.90	759.4	...	...	W N W	1	...
Oshima,	,,	29.87	758.6	...	...	S	2	...	,,	29.93	760.1	...	...	N	2	...
Naha,	,,	29.87	758.7	...	...	S W	1	...	,,	29.95	760.7	...	...	N	2	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.91	759.8	...	...	N E	1	...
Bonin Is.	,,	29.93	760.1	...	...	E	1	...	,,	29.93	760.1	...	...	N E	1	...
Chefoo,	4 p.	29.92	759.9	80	...	E	1	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.95	760.7	59	...	N	2	c	9 a.	30.00	762.0	54	...	W S W	4	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.97	761.2	63	57	N	3	c	9 a.	30.03	762.7	62	61	S E	1	b
Gutzlaff,	,,	29.97	761.2	61	77	N	2	bm	,,	30.03	762.7	57	75	E	3	bv
Sharp Peak,	,,	29.96	761.0	64	95	E	3	c	,,	30.03	762.7	64	89	S E	2	b
Amoy,	,,	29.90	759.4	72	67	E	3	o	6 a.	29.96	761.0	65	68	N E	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.94	760.4	...	...	E	6	...	5 a.	29.99	761.6	...	...	E	6	...
Taichu,	,,	29.87	758.6	...	...	W	4	...	,,	29.90	759.4	...	...	N W	2	...
Tainan,	,,	29.89	759.2	...	...	N E	4	...	,,	29.91	759.7	...	...	N	2	...
Koshun	,,	29.86	758.4	...	...	E	6	...	,,	29.88	759.0	...	...	N E	6	...
Pescadores,	,,	29.85	758.2	...	...	N E	8	...	,,	29.91	759.7	...	...	N E	8	...
Canton,	3 p.	29.81	757.2	77	77	S W	1	b	9 a.	29.94	760.5	73	86	S E	1	c
Hongkong,	4 p.	29.81	757.2	74	77	S E	2	b	10 a.	29.95	760.7	72	72	E	3	c
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	E	5	...
Gap Rock,	,,	29.80	756.9	...	...	E N E	3	...	,,	29.90	759.4	...	...	E	6	...
Macao,	,,	29.83	757.7	76	...	S	1	c	,,	29.96	761.0	75	...	N	1	c
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.75	755.7	79	...	E S E	4	b	8 a.	29.85	758.2	73	...	E	2	o
Tourane,	,,	29.72	754.9	77	...	N W	3	dh	,,	29.82	757.5	82	...	S S E	2	b
Cape St. James,	,,	29.72	754.8	86	...	S W	4	c	,,	29.85	758.2	81	...	S W	3	c
Aparri,	2 p.	29.78	756.5	84	...	N E	2	o	6 a.	29.84	757.8	79	...	E	2	o
Manila,	4 p.	29.72	755	90	60	S S E	3	o	10 a.	29.84	758	86	71	N W	1	o
Legaspi,	2 p.	29.76	755.9	90	...	S E	2	c	6 a.	29.79	756.6	81	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Labuan,	,,	29.78	756.4	90	...	...	...	...	,,	29.86	758.4	85	...	...	...	...

On the 22nd at 12.10 p.—The barometer has fallen moderately over Central and E. Japan, and risen slightly over S.W. Japan and the coast of China.

The depression is moving Eastwards over Central Japan.

Pressure is relatively low also between the S. Philippines and Annam.

The highest pressure is shown over the Yellow Sea and the N.W. part of the Sea of Japan.

Moderate E. winds may be expected in the Formosa Channel, and fresh E. winds along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E winds, fresh; fair.
2.—Formosa Channel,	E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 22nd April, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd April, 1910, P.M.								23rd April, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
divostock,	2 p.	30.05	763.3	50	...	W S W	0	c	7 a.	30.11	764.7	33	94	S E	1	o
uro,	,,	29.83	757.6	...	...	N N W	5	...	6 a.	29.97	761.1	...	...	N N W	7	...
odate,	,,	29.93	760.2	...	...	N N W	4	...	,,	30.07	763.7	...	...	...	0	...
io,	,,	29.93	760.1	...	...	S W	1	...	,,	30.01	762.1	...	...	N N W	1	...
hi,	,,	29.80	756.8	...	...	W	1	...	,,	...	...	...	...	S W	1	...
asaki,	,,	29.95	760.8	...	...	N	3	...	,,	30.13	765.3	...	...	E N E	2	...
oshima,	,,	29.90	759.4	...	...	W N W	2	...	,,	30.04	762.9	...	...	N E	1	...
ima,	,,	29.94	760.6	...	...	N	3	...	,,	30.02	762.6	...	...	S	1	...
a,	,,	29.97	761.2	...	...	N E	2	...	,,	29.99	761.7	...	...	N E	1	...
gakijima,	,,	29.93	760.3	...	...	E N E	4	...	,,	29.93	760.3	...	...	...	0	...
in Is.	,,	29.89	759.1	...	...	E	1	...	,,	29.95	760.6	...	...	...	0	...
foo,	4 p.	29.90	759.4	69	90	S	2	b	6 a.	29.95	760.7	54	94	W	2	o
haiwei,	,,	29.94	760.5	62	...	S	5	b	9 a.	30.01	762.2	57	...	S S W	6	c
kow,	,,	...	...	...	...	...	...	...	6 a.	29.89	759.2	62	94	N E	1	o
kiang,	,,	29.82	757.4	75	64	N E	1	o	,,	...	...	...	...	...	...	...
ghai,	,,	29.95	760.7	63	62	E S E	2	c	9 a.	29.96	761.0	62	72	S E	4	o
zlaff,	,,	29.98	761.5	54	80	E	4	bv	,,	29.97	761.2	55	94	S E	6	cv
p Peak,	,,	29.95	760.7	64	89	E	3	b	,,	30.00	762.0	64	95	...	0	o
y	,,	29.89	759.2	70	70	S E	4	b	6 a.	29.93	760.2	67	69	E	2	o
tow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oku,	1 p.	29.91	759.6	...	...	E	8	...	5 a.	29.92	760.0	...	...	...	0	...
hu,	,,	29.88	758.9	...	...	N	2	...	,,	29.93	760.1	...	...	...	0	...
an,	,,	29.89	759.2	...	...	N W	4	...	,,	29.92	759.9	...	...	N	2	...
hun	,,	29.91	759.7	...	...	E	6	...	,,	29.90	759.4	...	...	N E	4	...
adores,	,,	29.91	759.6	...	...	N E	8	...	,,	29.90	759.5	...	...	N E	6	...
ton,	3 p.	29.87	758.7	79	74	S	1	b	9 a.	29.91	759.7	74	81	S	1	b
gkong,	4 p.	29.85	758.2	72	69	E	2	c	10 a.	29.94	760.5	70	85	E	2	o
oria Peak,	,,	...	...	...	...	E	6	...	,,	...	...	...	...	E	4	...
Rock,	,,	29.82	757.4	...	...	E	5	...	,,	29.88	758.9	...	...	E	4	...
ao,	,,	29.86	758.4	73	...	S	2	c	,,	29.94	760.5	72	...	E	2	o
how,	3 p.	29.81	757.2	81	...	E	2	...	9 a.	...	...	...	...	...	...	...
ow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
lien,	4 p.	29.71	754.7	77	...	S E	5	c	8 a.	29.80	757.0	75	...	E S E	4	or
rane,	,,	29.72	754.8	81	...	S E	3	b	,,	29.82	757.5	81	...	S E	4	c
St. James,	,,	29.72	755.0	86	...	S W	4	c	,,	29.86	758.3	81	...	S W	2	o
rri,	2 p.	29.83	757.6	81	...	E	2	d	6 a.	29.86	758.5	75	...	S	2	c
ila,	4 p.	29.72	755	88	66	N E	1	o	10 a.	29.84	758	88	59	W N W	1	c
spi,	2 p.	29.76	755.8	81	...	S E	2	o	6 a.	...	...	...	...	...	...	...
lod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
o,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
i,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
an,	,,	29.78	756.4	90	...	...	...	...	,,	29.79	756.6	83	...	...	...	...

On the 23rd at 12.05 p.—The barometer has risen moderately in Japan, and fallen slightly over China and ngking.

A depression appears to be developing over the Yangtze valley, and a second area of low pressure is lying over angking.

The highest pressure is shown over the Sea of Japan.

Moderate E. and S.E. winds may be expected in the Formosa Channel, and along the northern shores of the hina Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	E. to S.E. winds, moderate ; mist or drizzling rain.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 23rd April, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd April, 1910, P.M.								24th April, 1910, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	30.10	764.5	41	...	S E	2	b	7 a.	30.20	767.1	38	92	S E	2
Nemuro,	,,	30.00	762.1	...	...	N W	6	...	6 a.	30.10	764.6	...	...	W	1
Hakodate,	,,	30.07	763.7	...	...	W N W	1	...	,,	30.19	766.7	...	...	...	0
Tokio,	,,	30.02	762.6	...	...	S S W	2	...	,,	30.22	767.6	...	...	...	0
Koohi,	,,	30.01	762.3	...	...	S W	1	...	,,	30.17	766.3	...	...	...	0
Nagasaki,	,,	30.03	762.8	...	...	E S E	3	...	,,	30.13	765.3	...	...	E S E	5
Kagoshima,	,,	30.06	763.4	...	...	S E	1	...	,,	30.10	764.4	...	...	E N E	1
Oshima,	,,	30.02	762.6	...	...	N	2	...	,,	30.14	765.6	...	...	...	0
Naha,	,,	29.99	761.7	...	...	E	1	...	,,	30.01	762.2	...	...	S E	1
Ishigakijima,	,,	29.95	760.8	...	...	E	4	...	,,	29.95	760.8	...	...	E S E	1
Bonin Is.	,,	29.96	761.1	...	...	N W	...	...	,,	30.10	764.6	...	...	N E	1
Chefoo,	4 p.	29.98	761.5	64	94	S E	3	o	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	30.00	762.0	56	...	S S W	6	c	9 a.	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	29.78	756.4	67	95	...	0	o	,,	...	...	...	...	...	...
Shanghai,	,,	29.87	758.7	68	70	S E	4	c	9 a.	29.79	756.6	...	...	S	3
Gutzlaff,	,,	29.89	759.2	59	88	S E	5	cm	,,	29.80	756.9	63	94	S	7
Sharp Peak,	,,	29.93	760.2	67	95	S E	1	b	,,	29.95	760.7	68	95	S W	1
Amoy,	,,	29.89	759.2	71	71	S S E	4	c	6 a.	29.92	759.9	68	85	S W	1
Swatow,	,,	29.91	759.7	74	81	E	3	c	,,	29.92	759.9	70	95	N E	1
Taihoku,	1 p.	29.87	758.8	...	...	N	6	...	5 a.	29.92	760.0	...	...	S W	2
Taichu,	,,	29.89	759.1	...	...	N W	4	...	,,	29.93	760.1	...	...	...	0
Tainan,	,,	29.90	759.5	...	...	N W	4	...	,,	29.93	760.2	...	...	N E	2
Koshun	,,	29.92	759.9	...	...	E	6	...	,,	29.92	760.0	...	...	E	4
Pescadores,	,,	29.91	759.7	...	...	N E	6	...	,,	29.91	759.7	...	...	N E	2
Canton,	3 p.	29.82	757.4	79	78	S W	1	b	9 a.	29.93	760.2	78	82	S	1
Hongkong,	4 p.	29.83	757.7	72	90	E	3	o	10 a.	29.93	760.2	76	87	E	3
Victoria Peak,	,,	...	...	...	...	S E	5	...	,,	...	...	...	...	S E	2
Gap Rock,	,,	29.81	757.2	...	...	E N E	4	...	,,	29.91	759.7	...	...	E N E	4
Macao,	,,	29.84	757.9	76	...	S	1	c	,,	29.95	760.7	76	...	S	1
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.77	756.1	73	72	S E	...	c	,,	...	...	...	...	...	...
Phulien,	4 p.	29.71	754.7	77	...	E S E	4	o	8 a.	29.85	758.2	75	...	E S E	4
Tourane,	,,	29.72	754.9	81	...	S E	3	c	,,	29.84	757.8	81	...	S S W	2
Cape St. James,	,,	29.74	755.4	86	...	S W	4	c	,,	29.86	758.4	82	...	W N W	2
Aparri,	2 p.	29.83	757.6	84	...	E	2	b	6 a.	...	...	...	...	...	...
Manila,	4 p.	29.72	755	81	92	...	0	o	10 a.	29.84	758	73	100	N E	1
Legaspi,	2 p.	...	...	86	...	...	...	o	6 a.	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Labuan,	,,	29.76	755.9	88	...	...	...	...	,,	...	...	...	...	...	...

On the 24th at 12.05 p.—The barometer has risen considerably over E. Japan and the Bonins, and fallen quick on the E. coast of China.

The depression over the Yangtze valley is moving Eastwards and approaching the neighbourhood of Shanghai.

Pressure is also relatively low over Annam and the China Sea towards the Philippines. The returns from the latter area are not yet in hand.

The high pressure area remains over the Sea of Japan.

Moderate variable winds may be expected in the Formosa Channel, and moderate E. winds along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate ; mist or drizzling rain.
2.—Formosa Channel,	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 24th April, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th April, 1910, P.M.								25th April, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
divostock,	2 p.	29.87	758.8	41	...	S E	3	or	7 a.	29.56	750.7	37	99	...	0	f
uro,	,,	30.04	763.1	...	...	S S E	3	...	6 a.	29.83	757.6	...	...	S	4	...
odate,	,,	30.07	763.7	...	...	S	1	...	,,	29.62	752.2	...	...	S E	1	...
io,	,,	30.12	765.1	...	...	S	5	...	,,	29.87	758.6	...	...	S S W	3	...
hi,	,,	30.11	764.8	...	...	S S E	1	...	,,	29.84	757.8	...	...	E N E	1	...
asaki,	,,	29.99	761.8	...	...	N E	3	...	,,	29.78	756.3	...	...	W	6	...
oshima,	,,	30.04	762.9	...	...	S S W	4	...	,,	29.86	758.4	...	...	S S W	5	...
ima,	,,	30.02	762.6	...	...	S	4	...	,,	29.97	761.1	...	...	...	0	...
a,	,,	...	...	...	...	...	...	...	,,	29.99	761.7	...	...	S	1	...
gakijima,	,,	...	...	...	...	...	...	...	,,	29.95	760.8	...	...	S	1	...
in Is.	,,	30.12	765.1	...	...	N E	1	...	,,	30.10	764.6	...	...	...	0	...
foo,	4 p.	29.91	759.2	49	100	N E	1	o	6 a.	...	...	...	...	...	...	...
haiwei,	,,	29.88	758.9	51	...	N	3	o	9 a.	29.96	761.0	51	...	W N W	4	c
kow,	,,	30.04	763.0	60	89	N	2	o	6 a.	...	...	...	...	...	...	...
kiang,	,,	29.84	757.9	66	89	W	2	o	,,	...	...	...	...	...	...	...
nghai,	,,	29.76	755.9	74	86	W N W	2	op	9 a.	30.12	765.0	53	76	N	2	o
zlaff,	,,	29.74	755.4	67	84	S	4	cv	,,	30.07	763.8	56	80	N N E	4	ov
rp Peak,	,,	29.86	758.4	71	100	S	1	b	,,	29.94	760.5	72	95	...	0	b
oy,	,,	29.90	759.4	72	81	S E	3	b	6 a.	29.91	759.7	74	81	...	0	b
tow,	,,	29.92	759.9	81	74	E	3	b	,,	29.92	759.9	75	95	...	0	c
hoku,	1 p.	29.90	759.4	...	...	N W	4	...	5 a.	29.93	760.2	...	...	...	0	...
chu,	,,	29.90	759.4	...	...	N W	4	...	,,	29.94	760.5	...	...	...	0	...
nan,	,,	29.92	759.9	...	...	W	6	...	,,	29.93	760.2	...	...	...	0	...
hun,	,,	29.93	760.1	...	...	E	8	...	,,	29.92	760.0	...	...	E	4	...
adores,	,,	29.93	760.1	...	...	N	4	...	,,	29.93	760.1	...	...	N	2	...
ton,	3 p.	29.86	758.4	84	68	S	1	b	9 a.	29.95	760.7	78	86	S	1	b
gkong,	4 p.	29.88	758.9	75	90	E	2	o	10 a.	29.95	760.7	78	84	E S E	1	c
oria Peak,	,,	...	...	...	...	S E	2	...	,,	...	...	...	...	S E	1	...
Rock,	,,	29.82	757.4	...	...	E	4	...	,,	29.93	760.2	...	...	E	2	...
ao,	,,	29.88	758.9	76	...	E	2	c	,,	29.97	761.2	76	...	S	1	cf
show,	3 p.	29.93	760.3	72	...	E	2	c	9 a.	...	...	...	...	...	...	...
how,	,,	29.83	757.7	91	84	S E	3	b	,,	...	...	...	...	...	...	...
hoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
lien,	4 p.	29.78	756.5	79	...	S E	4	b	8 a.	29.93	760.1	79	...	E N E	3	c
rane,	,,	29.77	756.1	81	...	S E	3	c	,,	29.88	759.0	81	...	S E	2	c
St. James,	,,	29.78	756.4	86	...	S S E	3	c	,,	29.88	759.0	82	...	S W	2	c
rri,	2 p.	29.84	757.9	86	...	S	2	d	6 a.	29.89	759.2	75	...	S	2	o
ila,	4 p.	29.76	756	75	91	N N W	1	d	10 a.	29.88	759	81	92	S E	2	od
aspi,	2 p.	29.82	757.5	84	...	S W	2	o	6 a.	29.89	759.2	75	...	...	0	c
lod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
o,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
r,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
nan,	,,	29.78	756.4	90	...	...	...	...	,,	29.90	759.4	85	...	...	...	...

On the 25th at 12.05 p.—The barometer has fallen quickly over Japan, and risen considerably on the E. coast China.

The depression lying over the latter area yesterday, is crossing the Sea of Japan.

Pressure is high over the Pacific to the East of the Bonins, and over the Yangtze valley. It has increased ightly at the stations around of the China Sea.

N.E. and E. winds, freshening, may be expected in the Formosa Channel, and along the northern shores of the hina Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	E. winds, freshening; fine to cloudy and misty.
Formosa Channel,	N.E. winds, freshening.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 25th April, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th April, 1910, P.M.								26th April, 1910, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.48	748.7	55	...	S W	2	c	7 a.	29.62	752.2	44	79	...	0
Nemuro,	,,	29.51	749.6	...	...	S	7	...	6 a.	29.43	747.6	...	...	W S W	3
Hakodate,	,,	29.40	746.7	...	...	S	1	...	,,	29.60	751.7	...	...	W	1
Tokio,	,,	29.59	751.6	...	...	S W	4	...	,,	29.83	757.6	...	...	N N W	1
Kochi,	,,	29.72	754.8	...	...	...	0	...	,,	29.91	759.8	...	...	W S W	1
Nagasaki,	,,	29.85	758.3	...	...	W	3	...	,,	29.99	761.8	...	...	N W	1
Kagoshima,	,,	29.84	757.9	...	...	N N W	2	...	,,	30.00	761.9	...	...	N W	1
Oshima,	,,	...	...	...	...	W	2	...	,,	30.01	762.1	...	...	N	2
Naha,	,,	29.99	761.7	...	...	S	1	...	,,	29.99	761.7	...	...	N	1
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.97	761.3	...	...	E S E	2
Bonin Is.	,,	30.06	763.6	...	...	S S E	1	...	,,	30.08	764.1	...	...	N	1
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.97	761.2	61	...	N	...	c	9 a.	30.05	763.2	61	...	W	4
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	30.11	764.8	65	53	N N E	2	c	9 a.	30.10	764.5	57	58	E S E	2
Gutzlaff,	,,	30.07	763.8	60	76	N N E	3	cv	,,	30.09	764.3	58	70	S E	2
Sharp Peak,	,,	29.97	761.2	69	75	N N E	6	o	,,	30.07	763.8	66	95	S S E	1
Amoy,	,,	29.85	758.2	85	61	S E	2	b	6 a.	29.97	761.2	65	78	N E	3
Swatow,	,,	29.85	758.2	84	75	E	1	c	,,	...	...	69	90	E N E	4
Taihoku,	1 p.	29.93	760.3	...	...	N	4	...	5 a.	30.00	761.9	...	...	E	6
Taichu,	,,	29.91	759.7	...	...	N	6	...	,,	29.95	760.7	...	...	N	4
Tainan,	,,	29.93	760.1	...	...	W	6	...	,,	29.93	760.1	...	...	N	6
Koshun	,,	29.93	760.3	...	...	S E	6	...	,,	29.92	759.9	...	...	E	2
Pescadores,	,,	29.93	760.1	...	...	N	4	...	,,	29.94	760.5	...	...	N E	10
Canton,	3 p.	29.86	758.4	84	72	S W	1	b	9 a.	29.91	759.7	80	82	S W	1
Hongkong,	4 p.	29.86	758.4	78	80	E	2	b	10 a.	29.94	760.5	74	87	E	1
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	6
Gap Rock,	,,	29.85	758.2	...	...	E S E	3	...	,,	29.90	759.4	...	...	E	5
Macao,	,,	29.88	758.9	78	...	S	1	c	,,	29.94	760.5	75	...	E S E	2
Wuchow,	3 p.	29.87	758.7	87	...	E	1	c	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.88	758.9	87	62	S	2	c	,,	...	...	...	...	...	...
Phulien,	4 p.	29.83	757.7	82	...	S E	2	c	8 a.	29.91	759.8	79	...	E	2
Tourane,	,,	...	...	...	...	...	...	...	,,	29.88	759.0	82	...	W	1
Cape St. James,	,,	29.77	756.1	86	...	S	2	c	,,	29.91	759.7	86	...	E	2
Aparri,	2 p.	29.87	758.6	82	...	S E	2	o	6 a.	29.88	759.0	73	...	S	2
Manila,	4 p.	29.84	758	79	92	W	0	d	10 a.	29.92	760	90	60	S E	2
Legaspi,	2 p.	29.86	758.3	81	...	E	2	o	6 a.	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Labuan,	,,	29.78	756.4	88	...	...	...	...	,,	29.89	759.2	86	...	...	...

On the 26th at 11.55 a.—The barometer has fallen quickly at Nemuro owing to the depression which is mo Eastwards to the North of Hokkaido.

The barometer has risen considerably in S.Japan, and fallen slightly on the S. coast of China.

Pressure is relatively low over the middle part of the China Sea. It is high over the Yellow Sea, and over Pacific in the neighbourhood of the Bonins.

Fresh N.E. and E. winds, may be expected in the Formosa Channel, and along the northern shores of the C Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh; cloudy, some rain.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 26th April, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	26TH APRIL, 1910, P.M.								27TH APRIL, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
-rostock,...	2 p.	29.54	750.3	58	...	...	0	c	7 a.	29.75	755.5	51	47	W	0	b
ro,.....	,,	29.41	747.1	...	...	S W	7	...	6 a.	29.53	750.1	...	...	S W	3	...
date,.....	,,	29.61	752.2	...	...	W	5	...	,,	29.73	755.2	...	...	N W	1	...
,.....	,,	29.81	757.1	...	...	S	3	...	,,	29.97	761.1	...	...	N W	1	...
;.....	,,	29.91	759.8	...	...	N W	11	...	,,	30.01	762.3	...	...	W S W	1	...
aki, ...	,,	29.99	761.8	...	...	W S W	3	...	,,	30.05	763.3	...	...	N N E	1	...
-hima, ...	,,	29.98	761.4	...	...	W	2	...	,,	30.04	762.9	...	...	N	1	...
a,.....	,,	30.02	762.6	...	...	N	2	...	,,	30.04	763.1	...	...	S	1	...
.....	,,	29.99	761.7	...	...	E N E	1	...	,,	29.99	761.7	...	...	S E	1	...
ikijima,....	,,	29.97	761.3	...	...	S E	3	...	,,	29.93	760.3	...	...	S W	5	...
Is.....	,,	30.02	762.6	...	...	S	1	...	,,	30.06	763.6	...	...	S S W	1	...
o,.....	4 p.	29.93	760.2	59	88	N N W	3	b	6 a.	...	...	...	...	...	...	...
aiwei,.....	,,	30.02	762.5	63	...	N N W	3	b	9 a.	30.02	762.5	57	...	S E	2	o
ow, ...	,,	30.02	762.5	61	94	S E	1	or	6 a.	...	...	...	...	...	...	...
iang.....	,,	30.09	764.3	60	94	E	2	o	,,	29.88	758.9	60	100	...	6	b
-hai, ...	,,	30.06	763.5	60	55	E S E	1	o	9 a.	29.98	761.5	53	86	S E	3	od
aff, ...	,,	30.04	763.0	57	81	E S E	1	ov	,,	29.99	761.7	52	93	S E	4	omr
Peak,.....	,,	29.97	761.2	66	84	N N E	4	o	,,	29.97	761.2	65	95	...	0	o
.....	,,	29.88	758.9	77	61	E	2	c	6 a.	29.90	759.4	68	74	E	1	c
w, ...	,,	...	...	75	77	E	2	b	,,	...	...	69	85	...	0	o
ku.....	1 p.	29.95	760.7	...	...	E	8	...	5 a.	29.88	758.8	...	...	...	0	...
n, ...	,,	29.88	758.9	...	...	N W	4	...	,,	29.88	758.8	...	...	N E	4	...
n,.....	,,	29.96	760.9	...	...	N W	4	...	,,	29.91	759.6	...	...	...	0	...
an.....	,,	29.94	760.6	...	...	E	4	...	,,	29.89	759.3	...	...	E	4	...
dores, ...	,,	29.92	759.9	...	...	N E	8	...	,,	29.87	758.6	...	...	E	8	...
n.....	3 p.	29.83	757.7	85	68	S W	2	b	9 a.	29.91	759.7	78	82	W	1	c
kong, ...	4 p.	29.83	757.7	75	80	E	2	c	10 a.	29.93	760.2	76	76	E	1	o
ria Peak,...	,,	...	...	...	...	E	4	...	,,	...	...	...	...	S E	1	...
Rock,.....	,,	29.82	757.4	...	...	E	4	...	,,	29.90	759.4	...	...	E S E	3	...
o.....	,,	29.81	757.2	76	...	S E	1	c	,,	29.95	760.7	74	...	S S E	1	o
ow,.....	3 p.	29.83	757.7	87	...	E	1	c	9 a.	...	...	...	...	...	...	...
w,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi.....	,,	29.86	758.4	89	96	S S E	1	c	,,	...	...	...	...	...	...	...
ien.....	4 p.	29.78	756.4	82	...	S E	3	b	8 a.	29.88	759.0	79	...	S S E	2	o
ine, ...	,,	29.77	756.2	82	...	S E	1	c	,,	29.86	758.5	82	...	N W	2	c
St. James,.	,,	29.81	757.1	84	...	S S E	3	c	,,	29.89	759.3	84	...	N E	2	c
ri.....	2 p.	29.85	758.3	86	...	N E	2	c	6 a.	29.91	759.8	73	...	S	2	b
la, ...	4 p.	29.84	758	86	71	S E	1	o	10 a.	29.96	761	86	71	...	0	o
pi,.....	2 p.	29.86	758.5	88	...	E	4	b	6 a.	29.90	759.5	81	...	E	2	b
od,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
;.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
an, ...	,,	29.78	756.4	90	...	...	...	...	,,	29.91	759.7	85	...	...	...	...

On the 27th at 12.10 p.—The barometer has risen moderately in Japan, and fallen considerably over Central ina.

A depression appears to be developing over the Yangtze valley.

Pressure is highest over S. Japan and the Pacific towards the Bonins. It is still low over the N.E. part of the of Japan.

Moderate E. and S.E. winds may be expected in the Formosa Channel and along the northern shores of the ina Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	S.E. winds, moderate; fair.
Formosa Channel, ...	E. and S.E. winds, moderate.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 27th April, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th April, 1910, P.M.								28th April, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.69	754.1	62	...	S W	0	b	7 a.	29.67	753.5	45	88	S E	0
Nemuro,	,,	29.53	750.1	...	...	W S W	4	...	6 a.	29.79	756.6	...	...	N W	2
Hakodate,	,,	29.75	755.7	...	...	W	3	...	,,	29.93	760.2	...	...	...	0
Tokio,	,,	29.94	760.6	...	...	S S W	2	...	,,	29.98	761.6	...	...	N W	1
Kochi,	,,	30.03	762.8	...	...	S E	1	...	,,	29.93	760.3	...	...	W S W	1
Nagasaki,	,,	29.99	761.8	...	...	S	2	...	,,	29.76	755.8	...	...	S E	4
Kagoshima,	,,	30.02	762.4	...	...	W S W	1	...	,,	29.82	757.4	...	...	S W	1
Oshima,	,,	30.00	762.1	...	...	S E	2	...	,,	29.87	758.6	...	...	S	4
Naha,	,,	29.97	761.2	...	...	S	1	...	,,	29.89	759.2	...	...	S	1
Ishigakijima,	,,	29.93	760.3	...	...	S	4	...	,,	29.86	758.3	...	...	S	5
Bonin Is.	,,	30.14	765.6	...	...	S W	1	...	,,	30.10	764.6	...	...	...	0
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.93	760.2	57	...	W S W	3	o	9 a.	30.00	762.0	55	...	N W	3
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	29.83	757.7	54	100	S E	2	ort	9 a.	29.92	759.9	63	72	N W	3
Gutzlaff,	,,	29.84	757.9	54	100	S E	5	fr	,,	29.91	759.7	61	94	N W	2
Sharp Peak,	,,	29.82	757.4	66	95	...	0	c	,,	29.88	758.9	68	95	S E	1
Amoy,	,,	29.82	757.4	73	86	N	2	o	6 a.	...	...	70	90	S E	3
Swatow,	,,	29.78	756.4	81	78	S S W	1	b	,,	29.85	758.2	73	90	...	0
Taihoku,	1 p.	29.87	758.7	...	...	N W	6	...	5 a.	29.86	758.4	...	...	N W	6
Taichu,	,,	29.88	758.9	...	...	...	0	...	,,	29.89	759.2	...	...	...	0
Tainan,	,,	29.87	758.7	...	...	S E	6	...	,,	29.91	759.7	...	...	...	0
Koshun,	,,	29.91	759.7	...	...	S	6	...	,,	29.88	758.9	...	...	N W	4
Pescadores,	,,	...	...	...	...	S	10	...	,,	29.89	759.1	...	...	S W	2
Canton,	3 p.	29.82	757.4	82	75	W S W	1	c	9 a.	29.92	759.9	78	86	S	1
Hongkong,	4 p.	29.82	757.4	76	78	E	2	c	10 a.	29.94	760.5	78	80	E N E	1
Victoria Peak,	,,	...	...	...	...	S E	1	...	,,	...	...	...	...	S W	1
Gap Rock,	,,	29.83	757.7	...	...	E S E	3	...	,,	29.91	759.7	...	...	E	2
Macao,	,,	29.84	757.9	76	...	S E	1	c	,,	29.96	761.0	76	...	S E	1
Wuchow,	3 p.	29.80	756.9	87	...	W	2	c	9 a.	29.90	759.4	80	...	E	2
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.82	757.4	87	96	S W	2	b	,,	...	...	...	...	...	...
Phulien,	4 p.	29.74	755.3	82	...	S S E	5	c	8 a.	29.86	758.5	79	...	S E	5
Tourane,	,,	29.77	756.2	79	...	S E	2	c	,,	29.84	758.0	79	...	S S W	3
Cape St. James,	,,	29.78	756.4	86	...	S E	2	c	,,	29.90	759.5	86	...	E S E	2
Aparri,	2 p.	29.87	758.6	88	...	N E	2	b	6 a.	29.92	760.0	73	...	S	2
Manila,	4 p.	29.84	758	84	77	W S W	1	o	10 a.	29.96	761	84	71	N W	1
Legaspi,	2 p.	29.86	758.5	86	...	E	2	b	6 a.	29.91	759.6	79	...	N E	2
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Cebu,	,,	29.83	757.7	88	...	N	2	c	,,	29.93	760.2	85	...	N	1
Labuan,	,,	29.78	756.4	89	...	...	...	...	,,	29.88	758.9	86	...	...	...

On the 28th at 12.05 p.—The barometer has risen in N.E. Japan, and fallen over S.W. Japan.

The depression lying over the Yangtze valley yesterday, is now approaching the neighbourhood of Korea Strait. A second area of low pressure has appeared over Eastern Manchuria.

Pressure remains high over the Pacific in the neighbourhood of the Bonins.

Light to moderate variable winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light or moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 28th April, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	28TH APRIL, 1910, P.M.								29TH APRIL, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ivostock,...	2 p.	29.57	751.0	52	...	S E	1	b	7 a.	29.88	758.9	41	49	N	2	b
ro,.....	,,	29.75	755.6	...	...	S W	4	...	6 a.	29.69	754.1	...	...	...	0	...
date,.....	,,	29.79	756.7	...	...	S	1	...	,,	29.67	753.7	...	...	S E	1	...
,.....	,,	29.83	757.6	...	...	S W	2	...	,,	29.71	754.6	...	...	N W	1	...
i,.....	,,	29.80	756.8	...	...	...	0	...	,,	29.80	756.8	...	...	S W	1	...
-aki, ...	,,	29.80	756.8	...	...	S W	2	...	,,	29.95	760.8	...	...	N W	1	...
shima, ...	,,	29.84	757.9	...	...	S	1	...	,,	29.92	759.9	...	...	W	1	...
na,.....	,,	29.85	758.1	...	...	S S W	2	...	,,	29.97	761.1	...	...	N	1	...
.....	,,	29.89	759.2	...	...	S S W	2	...	,,	29.97	761.2	...	...	N N W	2	...
akijima,....	,,	29.89	759.3	...	...	S W	5	...	,,	29.93	760.3	...	...	N E	3	...
Is.....	,,	30.06	763.6	...	...	S S W	1	...	,,	30.04	763.1	...	...	S S W	1	...
o.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
aiwei,.....	,,	30.12	765.0	47	...	N	8	o	9 a.	30.25	768.3	47	...	N N W	4	b
ow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iang.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ghai, ...	,,	29.98	761.5	59	76	N N W	3	o	9 a.	30.19	766.8	60	60	N N E	1	b
laff, ...	,,	29.96	761.0	58	88	N	4	ov	,,	30.18	766.6	58	76	N N E	4	bm
Peak,.....	,,	29.87	758.7	70	85	N E	4	c	,,	30.12	765.0	66	84	E N E	4	or
y.....	,,	29.86	758.4	78	74	S E	4	b	6 a.	29.91	759.7	70	85	N E	4	o
ow,.....	,,	29.85	758.2	83	75	S S E	2	b	,,	...	...	...	...	...	...	...
oku.....	1 p.	29.89	759.3	...	...	N W	6	...	5 a.	29.98	761.5	...	...	E	6	...
au, ...	,,	29.88	759.0	...	...	W	4	...	,,	29.99	761.8	...	...	N	2	...
an.....	,,	29.93	760.2	...	...	W	2	...	,,	29.97	761.1	...	...	N	2	...
nn.....	,,	29.92	759.9	...	...	N W	6	...	,,	29.97	761.2	...	...	...	0	...
adores, ...	,,	29.88	758.9	...	...	W	4	...	,,	29.96	761.0	...	...	N	4	...
on,.....	3 p.	29.84	757.9	84	79	S S E	1	b	9 a.	...	...	...	...	...	..	...
ekong, ...	4 p.	29.87	758.7	83	69	W N W	1	b	10 a.	29.98	761.5	78	86	E	3	o
oria Peak,...	,,	...	...	...	...	S W	1	...	,,	...	...	...	...	S S E	1	...
Rock,.....	,,	29.85	758.2	...	...	E S E	3	...	,,	29.95	760.7	...	...	E	3	...
o.....	,,	29.89	759.2	79	...	S E	1	c	,,	29.99	761.7	78	...	E S E	1	o
how,.....	3 p.	29.84	757.9	86	68	E	1	c	9 a.	...	...	...	...	...	...	...
ow,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
noi.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
lien.....	4 p.	29.77	756.2	82	...	S E	5	c	8 a.	29.90	759.4	79	...	E S E	3	o
ane, ...	,,	29.78	756.4	81	...	S S E	3	c	,,	29.88	759.0	81	...	S S E	2	o
St. James..	,,	29.83	757.7	86	...	S E	2	c	,,	29.90	759.4	70	...	E N E	2	c
ri,.....	2 p.	29.88	758.9	88	...	N E	2	b	6 a.	29.93	760.2	75	...	S	2	c
ila.	4 p.	29.84	758	91	49	S E	3	b	10 a.	29.96	761	84	71	W	1	c
spi, ...	2 p.	29.87	758.8	86	...	E	2	b	6 a.	29.91	759.8	79	...	E	2	c
lod,.....	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	N N E	1	c
o.....	,,	29.85	758.2	84	...	N	1	b	,,	29.93	760.2	84	...	N N E	1	b
.....	,,	29.84	757.9	87	...	N	2	b	,,	29.91	759.7	85	...	N	2	c
an, ...	,,	29.80	756.9	82	...	...	...	...	,,	29.89	759.2	84	...	...	...	...

On the 29th at 12.05 p.—The barometer has fallen considerably over E. Japan and risen moderately in W. Japan. he depression is moving Eastwards over the Sea of Japan.

Pressure has increased over China, particularly in the North where it is now high.

Fresh to strong N.E. and E. winds may be expected in the Formosa Channel and along the northern shores of e China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	E. winds, freshening; showery, cooler.
Formosa Channel, ...	N.E. winds, fresh to strong.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 29th April, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th April, 1910, P.M.									30th April, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.87	758.8	43	...	N	2	b		7 a.	29.80	756.8	40	82	S E	5	
Nemuro,	,,	29.57	751.1	...	...	N E	2	...		6 a.	29.71	754.6	...	...	N N W	3	
Hakodate,	,,	29.57	751.2	...	...	S S W	6	...		,,	29.97	761.2	...	...	W N W	3	
Tokio,	,,	29.69	754.1	...	...	E N E	1	...		,,	30.02	762.6	...	...	W N W	1	
Kochi,	,,	29.85	758.3	...	...	N	2	...		,,	29.99	761.8	...	...	W	1	
Nagasaki,	,,	29.99	761.8	...	...	N	3	...		,,	30.09	764.3	...	...	N	1	
Kagoshima,	,,	29.94	760.4	...	...	W S W	2	...		,,	30.03	763.9	...	...	...	0	
Oshima,	,,	30.00	762.1	...	...	N	2	...		,,	...	...	...	...	S	1	
Naha,	,,	30.03	762.7	...	...	N	1	...		,,	30.03	762.7	...	...	S E	0	
Ishigakijima,	,,	29.97	761.3	...	...	N E	6	...		,,	29.97	761.3	...	...	E N E	2	
Bonin Is.	,,	29.96	761.1	...	...	S S W	1	...		,,	30.01	762.1	...	...	S W	1	
Chefoo,	4 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	30.16	766.0	60	...	N E	1	b		9 a.	30.09	764.3	54	...	S W	7	
Hankow,	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	
Shanghai,	,,	30.12	765.0	61	71	E N E	3	...		9 a.	30.05	763.2	54	87	E S E	2	
Gutzlaff,	,,	30.15	765.8	55	87	N N E	3	cm		,,	...	...	...	...	...	...	
Sharp Peak,	,,	29.97	761.2	65	78	N	5	o		,,	30.07	763.8	64	95	...	0	
Amoy,	,,	30.01	762.2	70	75	N E	4	c		6 a.	29.98	761.5	68	99	S	3	
Swatow,	,,	29.95	760.7	71	85	E	2	o		,,	...	...	...	...	...	...	
Taihoku,	1 p.	30.04	763.1	...	...	E	8	...		5 a.	29.99	761.6	...	...	S E	4	
Taichu,	,,	29.96	761.1	...	...	N	4	...		,,	29.98	761.4	...	...	...	0	
Tainan,	,,	29.99	761.6	...	...	N W	6	...		,,	29.98	761.4	...	...	N	4	
Koshun,	,,	29.98	761.4	...	...	N	2	...		,,	29.98	761.4	...	...	S W	2	
Pescadores,	,,	30.00	762.1	...	...	N E	8	...		,,	29.98	761.4	...	...	N E	6	
Canton,	3 p.	29.88	758.9	84	79	S E	2	or		9 a.	29.98	761.5	78	82	S E	2	
Hongkong,	4 p.	29.91	759.7	77	89	E	3	o		10 a.	30.02	762.5	72	88	E	3	
Victoria Peak,	,,	...	...	...	...	S S E	3	...		,,	...	...	...	...	E S E	5	
Gap Rock,	,,	29.87	758.7	...	...	E	3	...		,,	29.95	760.7	...	...	E	4	
Macao,	,,	29.92	759.9	78	...	S S E	2	c		,,	30.00	762.0	73	...	E S E	4	
Wuchow,	3 p.	29.88	758.9	80	...	E	4	ult		9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	
Pakhoi,	,,	29.85	758.2	92	57	W N W	2	c		,,	...	...	...	...	...	...	
Phulien,	4 p.	29.81	757.2	79	...	S S E	4	o		8 a.	29.87	758.6	77	...	S E	4	
Tourane,	,,	29.80	757.0	81	...	S E	3	c		,,	29.89	759.3	82	...	S	2	
Cape St. James,	,,	29.81	757.3	86	...	E	4	c		,,	29.91	759.7	86	...	N E	2	
Aparri,	2 p.	29.90	759.5	88	...	N E	2	b		6 a.	29.94	760.4	75	...	S E	2	
Manila,	4 p.	29.84	758	86	59	E N E	1	o		10 a.	29.96	761	84	77	W N W	1	
Legaspi,	2 p.	29.86	758.9	86	...	E	2	b		6 a.	29.91	759.6	79	...	E	2	
Bacolod,	3 p.	...	...	...	...	N E	3	.		9 a.	...	...	...	...	...	...	
Iloilo,	,,	29.85	758.2	89	...	N E	1	b		,,	29.95	760.7	83	...	N N E	1	
Cebu,	,,	29.83	757.7	87	...	N	1	b		,,	29.92	759.9	85	...	N	1	
Labuan,	,,	29.78	756.4	89	...	...	...	...		,,	29.88	758.9	84	...	...	...	

On the 30th at 12.05 p.—The barometer has risen considerably in Japan, and fallen moderately over N. Chi
The depression lying over the N.E. part of the Sea of Japan yesterday, has moved into the Pacific. A new
pression appears to be approaching Manchuria from the Westward.

The highest pressure is shown over the Yellow Sea.

Moderate E. and S.E. winds may be expected in the Formosa Channel and along the northern shores of China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to S.E. winds, moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 30th April, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

	30TH APRIL, 1910, P.M.								1ST MAY, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ck,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.91	759.6	...	...	N N W	4	...	6 a.	29.91	759.6	...	...	S	6	...
.....	,,	30.11	764.7	...	...	W N W	2	...	,,	29.93	76.02	...	...	W	2	...
.....	,,	30.06	763.6	...	...	S S E	2	...	,,	30.10	764.6	...	...	N W	1	...
.....	,,	30.09	764.3	...	...	S E	4	...	,,	30.11	764.8	...	...	W S W	1	...
.....	,,	30.07	763.8	...	...	W S W	2	...	,,	30.03	762.8	...	...	S E	1	...
.....	,,	30.07	763.9	...	...	S W	1	...	,,	30.04	762.9	...	...	S E	1	...
.....	,,	30.02	762.6	...	...	S S E	1	...	,,	30.01	762.1	...	...	S	1	...
.....	,,	30.01	762.2	...	...	E	1	...	,,	29.97	761.2	...	...	S E	1	...
a,....	,,	29.97	761.3	...	...	S	1	...	,,	29.93	760.3	...	...	S	3	...
.....	,,	30.02	762.6	...	...	N E	1	...	,,	30.08	764.1	...	...	E	1	...
.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	30.07	763.8	67	...	N E	3	c	9 a.	...	...	58	...	S E	2	o
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.96	761.0	59	76	S E	2	o	9 a.	29.92	759.9	59	94	E S E	1	om
.....	,,	29.97	761.2	56	87	S E	4	ov	,,	29.91	759.7	57	100	E S E	2	f
,.....	,,	29.96	761.0	66	95	S	1	b	,,	29.99	761.7	64	95	...	0	f
.....	,,	29.92	759.9	72	81	S E	4	b	6 a.	29.92	759.9	69	85	S E	3	c
.....	,,	29.93	760.2	75	72	E S E	1	b	,,	29.90	759.4	70	95	...	0	o
.....	1 p.	29.97	761.2	...	...	E	4	...	5 a.	29.94	760.5	...	...	...	0	..
.....	,,	29.96	761.0	...	...	N	4	...	,,	29.95	760.6	...	...	...	0	..
.....	,,	29.97	761.2	...	...	N W	4	...	,,	29.95	760.7	...	...	N	4	..
.....	,,	29.98	761.5	...	...	E	2	...	,,	29.93	769.2	...	...	...	0	..
.....	,,	29.99	761.7	...	...	N	6	...	,,	29.93	760.3	...	...	N E	2	..
.....	3 p.	29.88	758.9	83	75	S E	2	c	9 a.	29.91	759.7	79	87	S E	1	o
.....	4 p.	29.91	759.7	73	89	E	3	o	10 a.	29.96	761.0	77	83	E	1	o
ik,...	,,	...	...	...	...	S E	4	...	,,	...	...	...	...	S	2	..
.....	,,	29.88	758.9	...	...	E	4	...	,,	29.93	760.2	...	...	E S E	3	..
.....	,,	29.90	759.4	74	...	E S E	3	cd	,,	29.95	760.7	78	...	S S E	1	c
.....	3 p.	29.83	757.7	88	66	S W	3	o	9 a.	...	...	...	...	...	...	..
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	..
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	.
.....	4 p.	29.78	756.3	79	...	S E	5	o	8 a.	29.87	758.6	79	...	S S E	5	o
.....	,,	29.81	757.1	81	...	S E	3	c	,,	29.85	758.2	79	..	W N W	2	c
ies,.	,,	29.80	757.0	86	...	E	5	c	,,	29.91	759.8	84	...	E N E	5	c
.....	2 p.	29.89	759.3	90	...	N E	2	b	6 a.	29.93	760.2	77	...	S	2	b
.....	4 p.	29.84	758	88	65	N	1	c	10 a.	29.92	760	86	58	W	1	c
.....	2 p.	29.88	758.9	86	...	E	2	b	6 a.	29.90	759.4	79	...	E	2	b
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	E N E	3	o
.....	,,	29.85	758.2	89	...	N N E	1	b	,,	29.93	760.2	84	...	N	1	b
.....	,,	29.83	757.7	87	...	N	2	b	,,	29.91	759.7	87	...	N	1	b
.....	,,	29.78	756.4	89	...	...	...	...	,,	...	...	...	...	...	...	...

ne 1st at 11.55 a.—The barometer has risen moderately over SE Japan and the Bonins, and fallen over ticularly on the E. coast.

pression appears to be moving Eastwards over the Yangtze valley, and the highest pressure is now shown acific to the South of Japan.

rate SE and S. winds may be expected in the Formosa Channel and along the northern shores of the China

kong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ng and Neighbourhood, ...	SE winds, moderate; fair.
Channel, ...	SE winds, moderate; foggy.
oast of China between Hongkong and Lamocks,.	Same as No. 1.
oast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

gkong Observatory, Sunday, 1st May, 1910.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	1st MAY, 1910, P.M.								2nd MAY, 1910, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.99	761.8	52	...	S W	0	b	7 a.	30.02	762.6	40	63	...	
Nemuro,	,,	29.79	756.6	...	...	E N E	3	...	6 a.	29.91	759.6	...	...	S E	
Hakodate,	,,	29.99	761.7	...	...	W	4	...	,,	29.95	760.7	...	...	...	
Tokio,	,,	29.99	761.6	...	...	S S W	4	...	,,	29.85	758.1	...	...	...	
Kochi,	,,	...	...	...	...	...	0	...	,,	29.80	756.8	...	...	...	
Nagasaki,	,,	29.97	761.3	...	...	N E	2	...	,,	29.84	757.8	...	...	N	
Kagoshima,	,,	30.02	762.4	...	...	E	8	...	,,	29.82	757.4	...	...	...	
Oshima,	,,	29.95	760.6	...	...	S	2	...	,,	29.85	758.1	...	...	S W	
Naha,	,,	29.95	760.7	...	...	S S W	1	...	,,	29.83	757.7	...	...	S	
Ishigakijima,	,,	29.93	760.3	...	...	S	3	...	,,	29.89	759.3	...	...	S	
Bonin Is.	,,	30.04	763.1	...	...	E	...	...	,,	30.01	762.1	...	...	S	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Weihaiwei,	,,	30.06	763.5	57	...	N E	3	b	9 a.	30.29	769.3	54	...	N N E	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Shanghai,	,,	29.89	759.2	62	83	E	1	om	9 a.	30.05	763.2	57	37	N E	
Gutzlaff,	,,	29.85	758.2	57	100	E S E	3	f	,,	30.07	763.8	54	94	E N E	
Sharp Peak,	,,	29.81	757.2	69	95	S	1	b	,,	29.87	758.7	70	100	...	
Amoy,	,,	29.88	758.9	80	66	S E	2	b	6 a.	29.81	757.2	72	90	S E	
Swatow,	,,	29.86	758.4	81	74	N E	1	c	,,	29.83	757.7	75	95	...	
Taihoku,	1 p.	29.91	759.6	...	...	N W	4	...	5 a.	29.86	758.3	...	...	...	
Taichu,	,,	29.89	759.3	...	...	W	2	...	,,	29.96	761.0	...	...	...	
Tainan,	,,	29.94	760.5	...	...	N W	6	...	,,	29.89	759.2	...	...	S E	
Koshun	,,	29.94	760.5	...	...	S	6	...	,,	29.88	759.0	...	...	S	
Pescadores,	,,	29.94	760.5	...	...	N	4	...	,,	29.86	758.5	...	...	S	
Canton,	3 p.	29.80	756.9	85	72	W	2	b	9 a.	29.85	758.2	81	87	S	
Hongkong,	4 p.	29.83	757.7	78	88	E	2	c	10 a.	29.33	758.9	82	80	S	
Victoria Peak,	,,	...	...	...	...	S	5	...	,,	...	...	...	...	S S W	
Gap Rock,	,,	29.80	756.9	...	...	E S E	3	...	,,	29.86	758.4	...	...	S	
Macao,	,,	29.84	757.9	78	...	S S E	3	c	,,	29.88	758.9	82	...	S S W	
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Phulien,	4 p.	29.74	755.5	81	...	S E	4	c	8 a.	29.82	757.3	79	...	S S E	
Tourane,	,,	29.78	756.3	82	...	S E	3	c	,,	29.83	757.6	84	...	W S W	
Cape St. James,	,,	29.79	756.7	84	...	E S E	5	c	,,	29.91	759.7	77	...	N W	
Aparri,	2 p.	29.87	758.8	90	...	N E	2	b	6 a.	29.89	759.1	75	...	S	
Manila,	4 p.	29.80	757	86	65	W	1	c	10 a.	29.88	759	86	65	W N W	
Legaspi,	2 p.	29.84	758.0	84	...	E	2	b	6 a.	29.36	758.4	77	...	...	
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	
Iloilo,	,,	29.83	757.7	87	...	N E	1	b	,,	29.91	759.7	83	...	N N E	
Cebu,	,,	29.81	757.2	86	...	N	1	b	,,	...	...	84	...	N	
Labuan,	,,	29.78	756.4	83	...	...	...	...	,,	29.96	761.0	77	...	...	

On the 2nd at 12.05 p.—The barometer has risen considerably over N. China, and fallen quickly over and the *Loochoos*.

The depression lying over the E. coast of China yesterday, has reached S.W. Japan.

Pressure has given way moderately and is low over S. China and Tongking.

A high pressure area lies over N. China.

Squally and unsettled weather may be expected in the Formosa Channel and along the northern shore China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. backing to E. winds, strong; squally,
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIC
Director

Hongkong Observatory, Monday, 2nd May, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ION.	2ND MAY, 1910, P.M.								3RD MAY, 1910, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
stock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.79	756.6	...	...	S	2	...	6 a.	29.79	756.6	...	...	N W	5	...
e,.....	,,	29.85	758.2	...	...	W	1	...	,,	30.07	763.7	...	...	N W	3	...
.....	,,	29.77	756.1	...	...	N E	2	...	,,	30.18	766.6	...	...	N N W	2	...
.....	,,	29.83	757.8	...	...	N	1	...	,,	30.07	763.8	...	...	N W	1	...
i, ...	,,	29.87	758.8	...	...	N E	3	...	,,	30.09	764.3	...	...	N	2	...
na, ...	,,	29.82	757.4	...	...	N E	2	...	,,	30.04	762.9	...	...	E N E	2	...
.....	,,	29.85	758.1	...	...	S S W	1	...	,,	29.91	759.6	...	...	...	0	...
.....	,,	29.87	758.7	...	...	S W	2	...	,,	29.91	759.7	...	...	S	1	...
jima,....	,,	29.87	758.8	...	...	S S W	3	...	,,	29.88	758.8	...	...	S	2	...
.....	,,	29.96	761.1	...	...	S S E	1	...	,,	29.99	761.6	...	...	S W	1	...
.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ei,.....	,,	30.27	768.8	52	...	N	4	o	9 a.	30.27	768.8	53	...	...	0	c
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	29.94	760.5	54	94	N E	5	or	,,	...	...	...	...	...	...	...
.....	,,	29.96	761.0	55	80	N E	4	od	9 a.	30.05	763.2	57	81	E N E	3	om
.....	,,	29.93	760.2	55	87	N N E	4	om	,,	30.01	762.2	55	94	E N E	4	om
ak,.....	,,	29.83	757.7	69	80	N N E	5	o	,,	29.94	760.5	67	90	N E	2	or
.....	,,	29.74	755.4	84	68	S	4	b	6 a.	29.84	757.9	70	85	N E	5	or
.....	,,	29.74	755.4	86	68	S S E	3	b	,,	29.87	758.7	77	90	S W	1	b
.....	1 p.	29.83	757.6	...	...	N	4	...	5 a.	29.89	759.2	...	...	S	2	...
.....	,,	29.85	758.3	...	...	W	6	...	,,	29.89	759.2	...	...	...	0	...
.....	,,	29.88	758.9	...	...	S W	4	...	,,	29.89	759.3	...	...	E	2	...
.....	,,	29.87	758.8	...	...	W	4	...	,,	29.89	759.3	...	...	...	0	...
es, ...	,,	29.87	758.8	...	...	W	6	...	,,	29.87	758.7	...	...	E	2	...
.....	3 p.	29.71	754.6	88	66	S	2	b	9 a.	29.83	757.7	83	83	S	2	b
g, ...	4 p.	29.76	755.9	82	76	S	1	c	10 a.	29.87	758.7	84	76	S	1	c
Peak,...	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	S	3	...
k,.....	,,	29.73	755.1	...	...	S S W	3	...	,,	29.84	757.9	...	...	S E	3	...
.....	,,	29.77	756.1	83	...	S	3	c	,,	29.87	758.7	83	...	S S E	2	c
.....	3 p.	29.74	755.4	70	...	S W	...	q	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.66	753.3	80	...	S E	4	b	8 a.	29.79	756.7	81	...	S E	3	c
.....	,,	29.73	755.1	82	...	S W	2	c	,,	29.80	757.0	84	..	S S E	3	[redacted]
James,.	,,	29.78	756.4	86	...	S	2	lt	,,	29.89	759.2	82	...	S W	2	[redacted]
.....	2 p.	29.81	757.1	88	...	N E	2	b	6 a.	29.88	759.0	75	...	S W	0	[redacted]
.....	4 p.	29.76	756	84	71	E N E	1	o	10 a.	29.88	759	86	71	W S W	1	[redacted]
.....	2 p.	29.80	756.9	88	...	E	2	b	6 a.	29.85	758.1	79	...	...	0	[redacted]
.....	3 p.	...	...	...	...	E	2	olt	9 a.	...	...	...	...	E	2	o
.....	,,	29.81	757.2	87	...	N	1	o	,,	29.91	759.7	84	...	N	1	b
.....	,,	29.77	756.1	87	...	N	1	b	,,	29.87	758.7	86	...	...	0	c
.....	,,	29.80	756.9	81	...	...	...	...	,,	29.91	759.7	82	...	...	...	...

n the 3rd at 12.10 p.—The barometer has risen considerably over S. Japan the depression having moved away Eastward.

he barometer has risen slightly at the Formosa Channel stations, and fallen a little over Tongking.

ressure remains low over the latter area and S.W. China.

he high pressure area covers N. China and the Sea of Japan.

ong N.E. and E. winds may be expected in the Formosa Channel and S. to E. winds along the northern of the China Sea.

ongkong **Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.**

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
gkong and Neighbourhood, ...	S. to E. winds, fresh or strong; squally, showery.
osa Channel, ...	N.E. and E. winds, strong.
h coast of China between Hongkong and Lamocks,.	Same as No. 1.
h coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ongkong Observatory, Tuesday, 3rd May, 1910.

d by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd May, 1910, P.M.								4th May, 1910, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	30.13	765.2	50	...	S E	1	b	7 a.	30.13	765.4	42	92	S E	3
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Hakodate,	,,	...	...	...	...	..	...	...	,,	30.36	771.2	...	...	...	0
Tokio,	,,	30.22	767.6	...	...	N	1	...	,,	...	...	...	...	N W	1
Kochi,	,,	30.17	766.3	...	...	...	0	...	,,	30.29	769.3	...	...	W S W	1
Nagasaki,	,,	30.07	763.8	...	...	E	3	...	,,	30.09	764.3	...	...	N E	3
Kagoshima,	,,	30.07	763.9	...	...	E N E	0	...	,,	...	...	...	...	E	6
Oshima,	,,	29.91	759.6	...	...	E	1	...	,,	29.95	760.6	...	...	S	1
Naha,	,,	29.91	759.7	...	...	S S W	1	...	,,	29.95	760.7	...	...	...	0
Ishigakijima,	,,	29.87	758.8	...	...	S	2	...	,,	29.93	760.3	...	...	S	1
Bonin Is.	,,	29.98	761.6	...	...	W	3	...	,,	...	...	...	...	N E	1
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	30.23	767.8	58	...	E N E	3	c	9 a.	30.23	767.8	59	...	...	0
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kinkiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	30.04	763.0	56	87	N E	3	om	9 a.	30.09	764.3	57	94	N E	2
Gutzlaff,	,,	29.99	761.7	65	100	E N E	5	fd	,,	30.07	763.8	56	100	N N E	2
Sharp Peak,	,,	29.95	760.7	65	89	E	3	o	,,	30.03	762.7	65	100	...	0
Amoy,	,,	29.89	759.2	75	77	E	1	o	6 a.	29.95	760.7	68	90	N E	1
Swatow,	,,	29.79	756.6	78	82	E S E	2	or	,,	...	...	...	...	...	...
Taiboku,	1 p.	29.91	759.7	...	...	E	6	...	5 a.	29.96	760.9	...	...	E	6
Taichu,	,,	29.87	758.7	...	...	W	2	...	,,	29.93	760.1	...	...	N	2
Tainan,	,,	29.91	759.7	...	...	W	6	...	,,	29.94	760.5	...	...	N	2
Koshun	,,	29.89	759.2	...	...	N W	6	...	,,	29.92	760.0	...	...	N	6
Pescadores,	,,	29.89	759.1	...	...	N W	2	...	,,	29.95	760.6	...	...	N	6
Canton,	3 p.	29.77	756.1	77	86	N	3	or	9 a.	29.97	761.2	74	86	S	2
Hongkong,	4 p.	29.81	757.2	83	72	S	1	o	10 a.	29.97	761.2	77	92	E	1
Victoria Peak,	,,	...	...	...	...	S W	3	...	,,	...	...	...	...	S E	2
Gap Rock,	,,	29.76	755.9	...	...	S S E	3	...	,,	29.92	759.9	...	...	E	3
Macao,	,,	29.82	757.4	84	...	S	3	c	,,	29.98	761.5	80	...	E	1
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.67	753.7	86	...	S E	3	b	8 a.	29.84	758.0	82	...	E	6
Tourane,	,,	29.72	754.9	86	...	N W	1	c	,,	29.83	757.7	84	..	S W	1
Cape St. James,	,,	29.78	756.4	86	...	S W	4	lt	,,	29.90	759.5	84	...	S	1
Aparri,	2 p.	29.82	757.4	88	...	N E	2	b	6 a.	29.90	759.5	72	...	S	0
Manila,	4 p.	29.76	756	86	71	...	0	c	10 a.	29.88	759	86	65	W S W	1
Legaspi,	2 p.	29.80	756.9	84	...	N E	2	b	6 a.	29.86	758.4	79	...	N E	
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	E	
Iloilo,	,,	29.81	757.2	87	...	N E	...	c	,,	29.89	759.2	83	...	N N E	
Cebu,	,,	29.76	755.9	87	...	...	0	b	,,	29.87	758.7	86	...	N	
Labuan,	,,	29.81	757.2	89	...	...	...	...	,,	29.92	759.9	82	...	...	

On the 4th at 12.05 p.—The barometer has fallen slightly on the N.E. coast of China, and risen modera S. China and Tongking.

Pressure is high over N. China and Japan, while it is still relatively low over Tongking and Annam.

Fresh N.E. and E. winds may be expected in the Formosa Channel and over the northern shores of th Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh; showery.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG.
Director.

Hongkong Observatory, Wednesday, 4th May, 1910.

[Printed by NOHONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...tion.	4th MAY, 1910, P.M.								5th MAY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...ostock,...	2 p.	30.14	765.6	45	...	S E	3	o	7 a.	30.04	763.0	45	91	S E	3	o
...o.	,,	...	...	...	...	...	...	...	6 a.	29.97	761.1	...	...	...	0	...
...nte, ...	,,	30.26	768.7	...	...	S W	3	...	,,	30.21	767.2	...	...	N W	1	...
.....	,,	30.36	771.1	...	...	S	2	...	,,	30.26	768.6	...	...	...	0	...
.....	,,	30.31	769.8	...	...	S E	1	...	,,	30.17	766.3	...	...	S W	1	...
...ki, ...	,,	30.03	762.8	...	...	E	1	...	,,	...	..	...	...	...	...	...
...ima, ...	,,	30.09	764.4	...	...	E	6	...	,,	30.13	765.4	...	...	E	2	...
.....	,,	29.96	761.1	...	...	...	0	...	,,	30.01	762.1	...	...	S	1	...
.....	,,	29.97	761.2	...	...	S E	1	...	,,	29.99	761.7	...	...	...	0	...
...ijima, ...	,,	29.95	760.8	...	...	S W	2	...	,,	29.97	761.3	...	...	N E	1	...
...ls.	,,	30.16	766.1	...	...	E	3	...	,,	30.14	765.6	...	...	E	2	...
.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	..	...	...	...	...
...iwei, ...	,,	30.17	766.3	58	...	N N E	4	b	9 a.	30.14	765.5	64	...	S S W	4	b
...w, ...	,,	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...	...
...ng, ...	,,	30.11	764.8	63	78	N E	1	o	,,	...	...	...	...	...	...	...
...ai, ...	,,	30.07	763.8	61	82	N N E	2	o	9 a.	30.09	764.3	61	82	E	1	o
...ff.	,,	30.06	763.5	57	100	N	1	om	,,	30.12	765.0	57	94	N N E	1	om
...Peak, ...	,,	30.01	762.2	69	90	E	3	b	,,	30.08	764.0	67	95	E	1	b
.....	,,	29.98	761.5	74	76	S E	3	c	6 a.	30.00	762.2	68	79	N N E	2	or
...y, ...	,,	29.93	760.2	76	82	E S E	1	b	,,	...	...	...	...	...	...	...
...u, ...	1 p.	29.99	761.8	...	...	N E	4	...	5 a.	29.98	761.5	...	...	E	6	...
.....	,,	29.94	760.6	...	...	N	4	...	,,	29.97	761.3	...	...	...	0	...
.....	,,	29.96	761.0	...	...	N W	8	...	,,	29.98	761.4	...	...	N	4	...
.....	,,	29.96	760.9	...	...	W	2	...	,,	29.96	761.0	...	...	E	6	...
...ores, ...	,,	29.97	761.2	...	...	E	8	...	,,	29.97	761.2	...	...	N E	8	...
.....	3 p.	29.89	759.2	79	82	S E	2	b	9 a.	30.02	762.5	72	...	E S E	1	o
...ong, ...	4 p.	29.90	759.4	75	93	E	3	op	10 a.	30.02	762.5	78	79	E	4	c
...a Peak, ...	,,	...	...	...	...	E S E	5	...	,,	...	...	...	...	E	4	...
...ock, ...	,,	29.86	758.4	...	...	E S E	4	...	,,	29.96	761.5	...	...	E	5	...
.....	,,	29.89	759.2	78	...	S E	3	od	,,	29.98	761.5	77	...	E S E	3	c
...w, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.79	756.6	82	...	E S E	6	b	8 a.	29.96	761.0	79	...	E N E	4	o
...e.	,,	29.73	756.4	84	...	S E	2	c	,,	29.92	759.9	84	..	S E	2	c
...James, .	,,	29.79	756.7	84	...	S	4	c	,,	29.91	759.8	84	...	S W	1	c
.....	2 p.	29.87	758.7	86	...	N E	2	c	6 a.	29.91	759.7	75	...	E	2	b
.....	4 p.	29.76	756	90	55	S W	1	b	10 a.	29.88	759	86	71	N	2	o
.....	2 p.	29.80	756.9	84	...	N E	2	b	6 a.	29.83	757.7	73	...	...	0	o
.....	3 p.	...	...	...	...	E	3	c	9 a.	...	...	...	...	N N E	2	o
.....	,,	29.79	756.6	83	...	N W	1	b	,,	29.87	758.7	84	...	N E	1	b
.....	,,	29.76	755.9	87	...	N	2	b	,,	29.80	756.9	86	...	N	1	...
.....	,,	29.83	757.7	85	...	...	...	...	,,	29.93	760.2	84	...	...	...	...

On the 5th at 11.55 a.—The barometer has risen moderately over Tongking and S. China, and fallen slightly ...e S. Philippines.

A depression appears to be situated over the Pacific to the Eastward of the latter area.

The area of high pressure is lying over SE Japan, but the barometer is falling there and also over N. China.

Fresh NE and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...gkong and Neighbourhood, ...	E. winds, fresh; fair.
...mosa Channel, ...	NE winds, fresh.
...th coast of China between Hongkong and Lamocks,.	Same as No. 1.
...th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 5th May, 1910.

...ted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th MAY, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	6th MAY, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,...	2 p.	30.03	762.8	39	...	S E	3	o	7 a.	29.90	759.4	41	99	...	0
Nemuro, ...	,,	30.16	766.1	...	...	S E	2	...	6 a.	30.01	762.1	...	...	...	0
Hakodate, ...	,,	30.13	765.2	...	...	S S E	1	...	,,	30.03	762.7	...	...	...	0
Tokio, ...	,,	30.16	766.1	...	...	S S W	5	...	,,	30.04	763.1	...	...	...	0
Kochi, ...	,,	30.23	767.8	...	...	S S E	1	...	,,	30.01	762.3	...	...	N N E	1
Nagasaki, ...	,,	29.99	761.8	...	...	S W	1	...	,,	29.95	760.8	...	...	S S E	2
Kagoshima, ...	,,	30.02	762.4	...	...	E	3	...	,,	29.98	761.4	...	...	S E	1
Oshima, ...	,,	29.98	761.6	...	...	...	0	...	,,	29.99	761.6	...	...	S	1
Naha,.....	,,	29.99	761.7	...	...	N	2	...	,,	29.99	761.7	...	...	...	0
Ishigakijima,....	,,	29.97	761.3	...	...	E	3	...	,,	29.95	760.8	...	...	N E	2
Bonin Is.....	,,	30.08	764.1	...	...	S E	1	...	,,	30.06	763.6	...	...	S	1
Chefoo,.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,.....	,,	30.09	764.3	72	...	N E	1	b	9 a.	30.05	763.2	65	...	S E	2
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai, ...	,,	30.04	763.0	62	83	N E	1	o	9 a.	30.01	762.2	64	78	E S E	1
Gutzlaff, ...	,,	30.05	763.2	60	88	N N E	2	om	,,	30.03	762.7	57	94	E S E	2
Sharp Peak,.....	,,	30.02	762.5	69	90	E S E	3	b	,,	30.02	762.5	67	100	...	0
Amoy.....	,,	29.96	761.0	74	72	S E	4	b	6 a.	29.96	761.0	69	85	E	2
Swatow, ...	,,	29.93	760.2	76	82	E	2	b	,,	...	...	...	...	...	...
Taihoku.....	1 p.	29.98	761.5	...	...	E	3	...	5 a.	29.93	760.3	...	...	E	6
Taichu, ...	,,	29.95	760.7	...	...	N	2	...	,,	29.93	760.3	...	...	...	0
Tainan,.....	,,	29.97	761.2	...	...	N W	6	...	,,	29.94	760.5	...	...	N	2
Koshun.....	,,	29.97	761.2	...	...	N E	6	...	,,	29.92	760.0	...	...	N	2
Pescadores, ...	,,	30.00	761.9	...	...	N E	6	...	,,	29.94	760.5	...	...	N E	6
Canton,.....	3 p.	29.92	759.9	81	78	W	1	b	9 a.	29.97	761.2	78	86	S E	1
Hongkong, ...	4 p.	29.93	760.2	76	77	E	3	c	10 a.	29.99	761.7	76	82	E	2
Victoria Peak,...	,,	...	...	...	...	E S E	2	...	,,	...	...	...	...	E	2
Gap Rock,.....	,,	29.90	759.4	...	...	E	4	...	,,	29.94	760.5	...	...	E	4
Macao, ...	,,	29.93	760.2	78	...	S E	1	c	,,	29.99	761.7	77	...	E	1
Wuchow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,.....	,,	30.01	762.2	78	86	N E	2	c	,,	...	...	...	...	...	...
Phulien,.....	4 p.	29.87	758.6	72	...	N N W	2	o	8 a.	29.96	760.9	75	...	N	2
Tourane, ...	,,	...	...	...	...	...	...	...	,,	29.92	760.0	83	...	S E	1
Cape St. James,.	,,	29.80	756.9	88	...	S	4	lt	,,	29.91	759.8	82	...	N	1
Aparri, ...	2 p.	29.88	758.9	88	...	N E	2	b	6 a.	29.85	758.2	79	...	N E	2
Manila, ...	4 p.	29.76	756	90	60	...	0	c	10 a.	29.84	758	84	...	W	1
Legaspi, ...	2 p.	...	...	88	...	N E	...	c	6 a.	29.73	755.1	77	...	N W	2
Bacolod, ...	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	...	...
Iloilo, ...	,,	29.79	756.6	87	...	N E	1	o	,,	...	...	...	...	...	...
Cebu, ...	,,	29.76	755.9	88	...	N	1	b	,,	...	...	...	...	...	...
Labuan, ...	,,	29.87	758.7	87	...	...	...	...	,,	29.94	760.5	84	...	...	...

On the 6th at 12.05 p.—The barometer has fallen moderately in the Philippines, the depression having adva in a N.W. direction towards the neighbourhood of S.E. Luzon.

Pressure has given way also over China and Japan, particularly over the latter. It is highest over the Pa to the East of Japan.

Moderate N.E. winds may be expected in the Formosa Channel, and fresh to strong N.E. winds over the N part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, moderate; fair.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 6th May, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	6TH MAY, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	7TH MAY, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
vostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
o, ...	,,	29.85	758.1	...	...	S	3	...	6 a.	29.83	757.6	...	...	S	1	...
ate, ...	,,	29.95	760.7	...	...	S W	2	...	,,	29.89	759.2	...	...	E	1	...
.....	,,	29.98	761.6	...	...	S S W	1	...	,,	29.95	760.6	...	...	...	0	...
, ...	,,	29.97	761.3	...	...	S E	1	...	,,	29.93	760.3	...	...	S W	1	...
aki, ...	,,	29.95	760.8	...	...	S W	2	...	,,	29.95	760.8	...	...	S W	1	...
hima, ...	,,	29.96	760.9	...	...	W	1	...	,,	29.96	760.9	...	...	...	0	...
a, ...	,,	29.98	761.6	...	...	N E	2	...	,,	29.97	761.1	...	...	...	0	...
.....	,,	29.97	761.2	...	...	S E	1	...	,,	29.91	759.7	...	...	E	1	...
kijima, ...	,,	29.93	760.3	...	...	E	4	...	,,	29.86	758.3	...	...	E	3	...
Is.	,,	30.02	762.6	...	...	S S W	1	...	,,	30.04	763.1	...	...	...	0	...
o, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iwei, ...	,,	29.99	761.7	...	...	N E	1	c	9 a.	29.97	761.2	69	...	S W	3	o
ow, ...	,,	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...	...
ang, ...	,,	29.93	760.2	66	95	N E	1	o	,,	...	...	...	...	...	...	...
hai, ...	,,	29.93	760.2	63	78	E S E	2	om	9 a.	29.88	758.9	67	89	W	1	om
aff, ...	,,	29.96	761.0	59	88	S E	4	cv	,,	29.87	758.7	63	89	S S E	3	bm
Peak, ...	,,	29.95	760.7	70	90	E	3	c	,,	29.91	759.7	69	95	...	0	c
.....	,,	29.91	759.7	77	77	S E	4	b	6 a.	29.87	758.7	71	90	...	0	b
w, ...	,,	29.87	758.7	78	78	E	4	b	,,	29.83	757.7	71	95	N	1	c
ku, ...	1 p.	29.88	758.9	...	...	E	3	...	5 a.	29.83	757.7	...	...	E	2	...
u, ...	,,	29.88	758.9	...	...	W	4	...	,,	29.83	757.7	...	...	N	2	...
n, ...	,,	29.92	759.9	...	...	N W	4	...	,,	29.83	757.7	...	...	N	4	...
n, ...	,,	29.90	759.5	...	...	E	6	...	,,	29.84	757.8	...	...	N	6	...
dores, ...	,,	29.93	760.3	...	...	N	8	...	,,	29.84	757.8	...	...	N E	4	...
n, ...	3 p.	29.89	759.2	83	71	S S W	1	b	9 a.	...	...	...	...	...	...	...
kong, ...	4 p.	29.88	758.9	77	80	E	3	b	10 a.	29.90	759.4	80	74	W	1	b
ria Peak, ...	,,	...	...	...	...	S E	1	...	,,	...	...	...	...	...	0	...
Rock, ...	,,	29.87	758.7	...	...	E	4	...	,,	29.89	759.2	...	...	E N E	2	...
, ...	,,	29.89	759.2	78	...	S E	1	c	,,	29.92	759.9	79	...	S E	1	c
ow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi, ...	,,	...	...	...	..	...	...	...	,,	...	...	...	...	...	...	...
en, ...	4 p.	29.82	757.5	82	...	S E	3	b	8 a.	29.90	759.5	71	...	E S E	3	c
ne, ...	,,	29.82	757.4	82	...	S E	2	b	,,	29.86	758.5	82	..	...	0	c
St. James, .	,,	29.81	757.1	86	...	S	3	lt	,,	29.89	759.1	82	...	N E	1	c
i, ...	2 p.	29.78	756.3	84	...	N E	2	p	6 a.	29.61	752.1	77	...	N	6	d
a, ...	4 p.	29.69	754	86	79	S W	4	o	10 a.	29.76	756	88	72	S W	3	o
pi, ...	2 p.	29.69	754.2	86	...	W	2	o	6 a.	29.73	755.1	79	...	S W	2	...
od, ...	3 p.	...	...	...	...	W S W	3	c	9 a.	...	...	...	...	S W	3	o
, ...	,,	29.77	756.1	87	...	N	2	c	,,	29.87	758.7	85	...	S	2	c
.....	,,	29.74	755.4	89	...	S	2	b	,,	29.84	757.9	88	...	S	3	c
n, ...	,,	29.83	757.7	87	...	...	...	...	,,	29.90	759.4	84	...	...	...	...

On the 7th at 12.05 p.—The barometer has fallen quickly in N. Luzon the typhoon having approached the N.E. st. It appears to be moving towards N.W. at present.

Except over the S. Philippines pressure has given way generally, particularly over Formosa and the E. coast of na.

A shallow depression appears to be lying near the mouth of the Yangtze.

Pressure is highest over the Pacific in the neighbourhood of the Bonins.

Strong N. and N.W. winds may be expected over the N.E. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	Variable or N.W. winds, light or moderate; fair.
Formosa Channel, ...	N.E. winds, freshening.
South coast of China between Hongkong and Lamocks, .	N. winds, moderate to fresh.
South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 7th May, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th May, 1910, P.M.								8th May, 1910, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.79	756.6	68	...	...	0	b	7 a.	29.87	758.6	48	73	S	0
Nemuro,	,,	29.69	754.1	...	...	S W	6	...	6 a.	29.87	758.6	...	...	N N W	4
Hakodate,	,,	29.83	757.7	...	...	N W	1	...	,,	...	...	...	...	...	0
Tokio,	,,	29.89	759.1	...	...	S S W	1	...	,,	29.93	760.1	...	...	...	0
Kochi,	,,	29.91	759.8	...	...	...	0	...	,,	29.93	760.3	...	...	...	0
Nagasaki,	,,	29.99	761.8	...	...	W	1	...	,,	29.88	758.8	...	...	S E	5
Kagoshima,	,,	29.96	760.9	...	...	S W	1	...	,,	29.94	760.4	...	...	...	0
Oshima,	,,	29.94	760.6	...	...	...	0	...	,,	29.91	759.8	...	...	...	0
Naha,	,,	29.91	759.7	...	...	S E	1	...	,,	29.87	758.7	...	...	S E	1
Ishigakijima,	,,	29.83	758.7	...	...	E	5	...	,,	29.74	755.3	...	...	E	6
Bonin Is.	,,	30.00	762.1	...	...	S	1	...	,,	...	...	...	...	...	0
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.93	760.2	71	...	S S W	4	c	9 a.	29.95	760.7	64	...	S S W	3
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	29.85	758.2	72	76	W N W	2	o	9 a.	29.91	759.7	58	94	E N E	2
Gutzlaff,	,,	29.84	757.9	71	90	W S W	2	cm	,,	29.90	759.4	59	88	E N E	3
Sharp Peak,	,,	29.84	757.9	72	90	E	2	b	,,	29.81	757.2	73	86	N E	4
Amoy,	,,	29.76	755.9	80	74	S S E	2	b	6 a.	29.71	754.6	74	90	S	2
Swatow,	,,	29.76	755.9	81	74	E	1	b	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.78	756.4	...	...	E	3	...	5 a.	29.69	754.2	...	...	E	6
Taichu,	,,	29.79	756.7	...	...	N W	6	...	,,	29.68	753.8	...	...	...	0
Tainan,	,,	29.80	756.8	...	...	N W	6	...	,,	29.68	753.9	...	...	...	0
Koshun,	,,	29.78	756.3	...	...	N E	8	...	,,	29.66	753.3	...	...	N	4
Pescadores,	,,	29.83	757.6	...	...	N E	8	...	,,	29.68	753.8	...	...	N	6
Canton,	3 p.	29.79	756.6	85	68	S	1	b	9 a.	29.79	756.6	82	79	S	1
Hongkong,	4 p.	29.78	756.4	84	63	W	1	b	10 a.	29.81	757.2	82	75	W	1
Victoria Peak,	,,	...	...	...	...	W N W	1	...	,,	...	...	...	...	...	0
Gap Rock,	,,	29.76	755.9	...	...	E S E	2	...	,,	29.79	756.6	...	...	W S W	3
Macao,	,,	29.80	756.9	82	...	S E	1	c	,,	29.82	757.4	83	...	S S E	1
Wuchow,	3 p.	29.81	757.4	86	...	N W	1	c	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.75	755.7	84	...	S E	4	b	8 a.	29.80	756.8	81	...	S E	3
Tourane,	,,	29.76	756.0	82	...	S E	2	c	,,	29.79	756.6	82	...	S W	2
Cape St. James,	,,	29.76	755.9	86	...	W N W	2	c	,,	29.84	758.0	82	...	S W	2
Aparri,	2 p.	29.56	750.8	79	...	N W	6	r	6 a.	29.59	751.6	77	...	W	4
Manila,	4 p.	29.65	753	84	85	S W	3	o	10 a.	29.76	756	90	60	W	2
Legaspi,	2 p.	29.71	754.6	90	...	S W	2	o	6 a.	29.74	755.4	79	...	W	2
Bacolod,	3 p.	...	...	...	...	W S W	3	c	9 a.	...	...	...	...	S W	2
Iloilo,	,,	29.77	756.1	86	...	S W	4	o	,,	29.87	758.7	85	...	N W	2
Cebu,	,,	29.75	755.6	89	...	S	2	c	,,	29.85	758.2	87	...	S	1
Labuan,	,,	29.78	756.4	89	...	...	...	...	,,	29.88	758.9	84	...	...	...

On the 8th at 12.05 p.—The barometer has fallen considerably over Formosa and the S. and S.E. coasts of C while it is inclined to rise over S. Luzon.

The typhoon is situated slightly to the Eastward of the Balingtang Channel. It is moving slowly tow N.N.W. or N.

Pressure is highest over S.E. Japan in the East and over N. China in the West.

Strong N.E. winds may be expected in the Formosa Channel, and strong N. to W. winds over the N.E. part the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.W. to S.W. winds, moderate; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	N. winds, moderate.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 8th May, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	8TH MAY, 1910, P.M.								9TH MAY, 1910, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
vostock, ...	2 p.	29.90	759.4	50	...	S E	1	o	7 a.	29.86	758.3	48	98	...	0	f
ro, ...	,,	...	...	...	...	N N W	2	...	6 a.	29.95	760.6	...	...	S W	1	...
late, ...	,,	29.99	761.7	...	...	S E	2	...	,,	29.93	760.2	...	...	...	0	...
.....	,,	29.98	761.6	...	...	E N E	1	...	,,	29.99	761.6	...	...	...	0	...
.....	,,	29.97	761.3	...	...	S E	...	...	,,	29.91	759.8	...	...	...	0	...
aki, ...	,,	29.89	759.3	...	...	S W	1	...	,,	29.91	759.8	...	...	...	0	...
hima, ...	,,	29.90	759.4	...	...	S E	1	...	,,	29.94	760.4	...	...	...	0	...
a, ...	,,	29.89	759.1	...	...	S	2	...	,,	29.87	758.6	...	...	S E	2	...
.....	,,	29.83	757.7	...	...	S E	3	...	,,	29.73	755.2	...	...	E S E	3	...
kijima, ...	,,	29.70	754.3	...	...	E	5	...	,,	29.46	748.3	...	...	N N E	7	...
Is.	,,	30.00	762.1	...	...	W S W	1	...	,,	30.02	762.6	...	...	...	0	...
.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
jiwei, ...	,,	29.92	759.9	65	...	E	3	...	9 a.	29.96	761.0	76	...	S S W	5	c
ow, ...	,,	29.85	758.2	91	54	S E	1	b	6 a.	...	...	...	...	...	...	...
ang.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hai, ...	,,	29.86	758.4	69	75	E N E	1	o	9 a.	29.82	757.4	62	94	E	2	omd
iff, ...	,,	29.87	758.7	60	94	E	4	cv	,,	29.82	757.4	58	100	E	4	fd
Peak, ...	,,	29.75	755.6	74	90	E N E	3	o	,,	29.76	755.9	73	95	N	1	b
.....	,,	...	...	...	...	...	...	...	6 a.	29.74	755.4	75	86	S E	3	b
w, ...	,,	29.65	753.1	87	65	S	1	b	,,	...	...	...	...	...	...	...
ku, ...	1 p.	29.67	753.5	...	...	E	4	...	5 a.	29.63	753.9	...	...	...	0	...
a, ...	,,	29.64	752.9	...	...	W	6	...	,,	29.67	753.6	...	...	...	0	...
a, ...	,,	29.66	753.4	...	...	W	6	...	,,	29.67	753.7	...	...	S E	2	...
m, ...	,,	29.67	753.5	...	...	N	6	...	,,	29.67	753.5	...	...	..	0	...
dores, ...	,,	29.66	753.3	...	...	N E	8	...	,,	29.67	753.7	...	...	N	6	...
n, ...	3 p.	29.68	753.9	88	69	S	1	b	9 a.	29.76	755.9	83	83	W	1	c
kong, ...	4 p.	29.68	753.9	85	70	W	1	b	10 a.	29.78	756.4	84	72	...	0	o
ia Peak, ...	,,	...	...	...	...	S S W	6	...	,,	...	...	...	...	S W	2	...
dock, ...	,,	29.67	753.6	...	...	S W	4	...	,,	29.75	755.6	...	...	S	3	...
.....	,,	29.72	754.9	85	...	S S W	2	c	,,	29.80	756.9	84	...	S S W	1	c
ow, ...	3 p.	29.68	753.9	88	...	W	1	c	9 a.	...	...	...	...	...	...	...
w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
i, ...	,,	29.71	754.6	91	100	S W	1	f	,,	...	...	...	...	...	...	...
n, ...	4 p.	29.67	753.5	82	...	S E	4	c	8 a.	29.75	755.5	81	...	E S E	2	c
ne, ...	,,	29.67	753.7	84	...	S	1	b	,,	29.74	755.3	84	..	S S W	3	b
t. James, .	,,	29.76	755.9	82	...	S W	3	It	,,	29.82	757.3	82	...	S W	3	c
i, ...	2 p.	29.66	753.3	79	...	S W	2	p	6 a.	29.76	755.8	73	...	S W	0	c
.....	4 p.	29.69	754	88	72	S W	2	o	10 a.	29.80	757	86	65	W	1	o
i, ...	2 p.	29.71	754.6	91	...	W	2	o	6 a.	29.80	756.8	79	...	S W	2	c
d, ...	3 p.	...	...	...	...	W S W	3	c	9 a.	...	...	...	...	S W	2	c
.....	,,	29.77	756.1	86	...	S	1	c	,,	29.83	757.7	84	...	S W	1	b
.....	,,	29.75	755.6	90	...	S	...	c	,,	29.82	757.4	87	...	S	1	b
n, ...	,,	29.78	756.4	88	...	...	...	...	,,	29.85	758.2	85	...	...	...	...

On the 9th at 11.55 a.—The barometer has risen considerably in N. Luzon, and fallen quickly at Meiaco Sima. The typhoon is situated to the S.E. of the latter. It appears to be moving now towards N.N.E.

Pressure has increased slightly over S.E. Japan, and given way moderately on the E. coast of China. It is high- over the Pacific to the S.E. of Japan.

Moderate or fresh S.W. and S. winds may be expected in the Formosa Channel, and over the northern shores of China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ongkong and Neighbourhood, ...	S.W. and S. winds, moderate; fair.
ormosa Channel, ...	S.W. winds, moderate or fresh.
outh coast of China between Hongkong and Lamocks, .	Same as No. 1.
outh coast of China between Hongkong and Hainan, ...	S. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 9th May, 1910.

inted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th May, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	10th May, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,...	2 p.	29.89	759.1	52	...	S E	1	c	7 a.	29.82	757.5	42	96	S E	0
Nemuro, ...	,,	29.87	758.6	...	...	S S W	3	...	6 a.	29.87	758.6	...	...	S	1
Hakodate, ...	,,	29.89	759.2	...	...	S	1	...	,,	29.97	761.2	...	...	N E	1
Tokio, ...	,,	29.89	759.1	...	...	S S W	3	...	,,	29.99	761.6	...	...	N N W	1
Kochi, ...	,,	29.93	760.3	...	...	E S E	1	...	,,	29.89	759.3	...	...	W N W	1
Nagasaki, ...	,,	29.85	758.3	...	...	S E	1	...	,,	29.80	756.8	...	...	N	1
Kagoshima, ...	,,	29.90	759.4	...	...	S	1	...	,,	29.74	755.4	...	...	N E	3
Oshima, ...	,,	29.79	756.6	...	...	S E	3	...	,,	29.06	738.1	...	...	S E	4
Naha,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Ishigakijima,....	,,	29.54	750.3	...	...	N N W	6	...	,,	29.72	754.8	...	...	W	1
Bonin Is.....	,,	29.99	761.6	...	...	S	1	...	,,	30.01	762.1	...	...	...	0
Chefoo,.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,.....	,,	29.91	759.7	69	...	S W	4	c	9 a.	29.87	758.7	67	...	S S W	3
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai, ...	,,	29.77	756.1	60	94	N N E	2	od	9 a.	29.75	755.6	62	94	N N W	2
Gutzlaff, ...	,,	29.74	755.4	60	100	N N E	2	fd	,,	...	...	...	...	...	...
Sharp Peak,.....	,,	29.64	752.8	75	..	...	0	b	,,	29.74	755.4	74	95	S E	1
Amoy,.....	,,	29.67	753.6	85	61	S E	4	b	6 a.	29.71	754.6	76	86	...	0
Swatow, ...	,,	29.65	753.1	87	65	S	1	b	,,	29.68	753.9	79	74	S W	1
Taihoku,.....	1 p.	29.67	753.7	...	...	N W	6	...	5 a.	29.72	754.8	...	...	N W	2
Taichu, ...	,,	29.69	754.2	...	...	N	6	...	,,	29.76	756.0	...	...	...	0
Tainan,.....	,,	29.71	754.7	...	...	N W	6	...	,,	29.77	756.2	...	...	E	2
Koshun.....	,,	29.68	753.9	...	...	S W	6	...	,,	29.75	755.7	...	...	N	6
Pescadores, ...	,,	29.73	755.1	...	...	N	8	...	,,	29.75	755.6	...	...	S	4
Canton,.....	3 p.	29.65	753.1	89	66	S S W	1	b	9 a.	29.76	755.9	83	83	S	1
Hongkong, ...	4 p.	29.68	753.9	84	69	S S W	3	c	10 a.	29.80	756.9	84	70	W S W	2
Victoria Peak,...	,,	...	...	...	...	S W	3	...	,,	...	...	...	...	S	3
Gap Rock,.....	,,	29.68	753.9	...	...	S W	3	...	,,	29.76	755.9	...	...	S W	4
Macao, ...	,,	29.69	754.1	77	...	S S W	3	c	,,	29.81	757.2	84	...	S	2
Wuchow,.....	3 p.	29.65	753.9	89	...	W	2	c	9 a.	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,.....	,,	29.72	754.9	89	73	W N W	3	b	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.65	753.7	86	...	S E	3	c	8 a.	29.73	755.0	81	...	E	4
Tourane, ...	,,	29.64	753.9	91	...	S E	2	c	,,	29.75	755.5	86	...	...	0
Cape St. James,.	,,	29.72	754.9	82	...	S W	5	lt	,,	29.81	757.1	82	...	S W	2
Aparri, ...	2 p.	29.72	754.9	88	...	N	2	b	6 a.	29.81	757.1	75	...	S	2
Manila, ...	4 p.	29.69	754	88	65	W S W	1	c	10 a.	29.84	758	86	71	N	1
Legaspi, ...	2 p.	29.70	754.5	91	...	S W	2	b	6 a.	...	...	...	...	...	...
Bacolod, ...	3 p.	...	...	...	...	W S W	2	o	9 a.	...	...	...	...	W S W	1
Iloilo, ...	,,	29.76	755.9	86	...	S W	2	c	,,	29.85	758.2	83	...	N W	1
Cebu,.....	,,	...	...	...	...	...	...	...	,,	29.85	758.2	86	...	...	0
Labuan, ...	,,	29.78	756.4	88	...	...	...	...	,,	29.85	758.2	73	...	...	...

On the 10th at 11.55 a.—The barometer has risen considerably at Meiaco Sima, and fallen quickly over Loochoos and S.W. Luzon.

The typhoon is situated near the Central Loochoos. It is moving towards N.E.

Pressure is highest over the Pacific to the S.E. of Japan.

Moderate or fresh S.W. and S. winds may be expected in the Formosa Channel and over the northern shores the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.W. and S. winds, moderate or fresh; fair.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 10th May, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	10TH MAY, 1910, P.M.								11TH MAY, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
vostock,...	2 p.	29.85	758.3	48	...	S E	1	o	7 a.	29.69	754.2	47	99	...	0	f
ro,.....	,,	29.81	757.1	...	...	S	2	...	6 a.	29.91	759.6	...	...	S W	2	...
late,.....	,,	29.89	759.2	...	...	S E	2	...	,,	29.81	757.2	...	...	W N W	1	...
,.....	,,	29.93	760.1	...	...	S S E	1	...	,,	29.69	754.1	...	...	S E	3	...
,.....	,,	29.78	756.3	...	...	E N E	2	...	,,	29.28	743.8	...	...	W	2	...
aki, ...	,,	29.56	750.8	...	...	N	2	...	,,	29.66	753.3	...	...	N N W	3	...
hima, ...	,,	29.44	747.9	...	...	E N E	6	...	,,	29.66	753.4	...	...	W N W	3	...
a.....	,,	29.53	750.1	...	...	N	7	...	,,	29.73	755.1	...	...	S	1	...
.....	,,	29.69	754.2	...	...	W	2	...	,,	29.79	756.7	...	...	W	1	...
kijima,....	,,	29.76	755.8	...	...	S W	1	...	,,	29.80	756.8	...	...	S	3	...
ls.....	,,	29.99	761.6	...	...	S E	1	...	,,	29.95	760.6	...	...	S S E	1	...
o,.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iwei,.....	,,	29.81	757.2	68	...	N W	2	c	9 a.	...	...	71	...	S W	1	b
ow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ang,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hai, ...	,,	29.71	754.6	69	80	N N W	2	o	9 a.	29.79	756.6	65	89	S E	1	om
aff, ...	,,	29.70	754.4	62	89	N W	2	om	,,	29.81	757.2	60	94	N E	3	f
Peak,.....	,,	29.62	752.3	77	90	S	2	b	,,	29.79	756.6	74	95	E	1	f
.....	,,	29.72	754.9	84	72	S E	2	b	6 a.	29.70	754.4	77	90	...	0	o
w,.....	,,	29.64	752.8	89	73	S	1	b	,,	29.68	753.9	79	82	S W	1	b
ku,.....	1 p.	29.72	755.0	...	...	W	6	...	5 a.	29.78	756.4	...	...	...	0	...
,.....	,,	29.78	756.3	...	...	S W	4	...	,,	29.82	757.5	...	...	...	0	...
n,.....	,,	29.81	757.1	...	...	W	6	...	,,	29.82	757.4	...	...	E	4	...
n,.....	,,	29.76	755.9	...	...	N W	6	...	,,	29.82	757.4	...	...	E	4	...
dores, ...	,,	29.77	756.2	...	...	S W	6	...	,,	29.79	756.7	...	...	S W	6	...
n,.....	3 p.	29.67	753.6	88	73	S	2	b	9 a.	...	...	...	...	...	...	...
kong, ...	4 p.	29.70	754.4	85	68	S S W	2	b	10 a.	29.82	757.4	86	66	W S W	2	c
ia Peak,...	,,	...	...	...	...	S W	4	...	,,	...	...	...	...	S	5	...
lock,.....	,,	29.68	753.9	...	...	S W	4	...	,,	29.79	756.6	...	...	S W	3	...
.....	,,	29.71	754.6	84	...	S	3	c	,,	29.84	757.9	84	...	S	2	c
ow,.....	3 p.	...	...	...	...	...	...	..	9 a.	...	...	...	...	...	...	...
w,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
i.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n,.....	4 p.	29.63	752.5	84	...	S E	4	c	8 a.	29.71	754.5	82	...	E S E	4	o
ne, ...	,,	29.65	753.0	86	...	S E	1	b	,,	29.75	755.5	84	..	S S W	3	b
t. James,.	,,	29.73	755.1	86	...	S W	4	c	,,	29.84	757.9	82	...	S W	2	c
i.....	2 p.	29.78	756.3	88	...	N	2	b	6 a.	29.84	757.9	77	...	W	2	b
a, ...	4 p.	29.72	755	90	79	W S W	2	c	10 a.	29.88	759	88	72	N	1	o
pi,.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
d,.....	3 p.	...	...	...	...	S S E	2	o	9 a.	...	...	...	...	W	1	c
.....	,,	29.77	756.1	...	...	S W	1	c	,,	29.87	758.7	84	...	N E	1	b
.....	,,	29.74	755.4	88	...	S	1	b	,,	29.87	758.7	86	...	S	1	c
n, ...	,,	29.81	757.2	83	...	...	...	...	,,	29.89	759.2	84	...	...	...	...

On the 11th at 11.55 a.—The barometer has fallen rapidly in Central Japan owing to the typhoon, which ears to be crossing the Inland Sea and still moving towards N.E.

Pressure has increased quickly over the Loochoos, and slightly over S. China and the Philippines. It is highest the Pacific to the S.E. of Japan.

Moderate S.E. winds may be expected in the Formosa Channel and moderate to fresh S. winds over the northern es of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	S. winds, moderate or fresh; fair.
Formosa Channel, ...	S.E. winds, moderate.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 11th May, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th May, 1910, P.M.								12th May, 1910, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.68	753.9	52	...	S E	1	o	7 a.	29.68	753.8	53	56	N W	3
Nemuro,	,,	29.87	758.6	...	...	S S W	2	...	6 a.	29.55	750.6	...	...	S S E	5
Hakodate,	,,	29.71	754.7	...	...	E S E	2	...	,,	29.48	748.7	...	...	S	1
Tokio,	,,	29.37	746.1	...	...	S S W	5	...	,,	29.26	743.1	...	...	W	1
Kochi,	,,	29.52	749.8	...	...	N N W	3	...	,,	29.76	755.8	...	...	S W	1
Nagasaki,	,,	29.74	755.3	...	...	S W	2	...	,,	29.82	757.3	...	...	S E	1
Kagoshima,	,,	29.70	754.4	...	...	W	3	...	,,	29.82	757.4	...	...	...	0
Oshima,	,,	29.77	756.1	...	...	N	1	...	,,	29.83	757.6	...	...	...	0
Naha,	,,	29.83	757.7	...	...	N	1	...	,,	29.83	757.7	...	...	...	0
Ishigakijima,	,,	29.82	757.3	...	...	S	3	...	,,	29.80	756.8	...	...	E S E	5
Bonin Is.	,,	...	...	...	...	S S E	1	...	,,	29.83	757.6	...	...	S	2
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.84	757.9	76	...	...	0	c	9 a.	30.07	763.8	56	...	N	8
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	29.72	754.9	69	85	E S E	2	o	9 a.	29.72	754.9	72	85	E S E	1
Gutzlaff,	,,	29.76	755.9	61	94	E S E	3	f	,,	29.72	754.9	...	...	S E	4
Sharp Peak,	,,	29.68	753.9	75	100	...	6	f	,,	29.78	756.4	75	100	...	0
Amoy,	,,	29.72	754.9	86	68	S E	4	b	6 a.	29.75	755.6	77	86	S	1
Swatow,	,,	29.68	753.9	95	...	S W	2	b	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.77	756.1	...	...	N	4	...	5 a.	29.79	756.6	...	...	S	2
Taichu,	,,	29.79	756.7	...	...	N W	6	...	,,	29.82	757.5	...	...	...	0
Tainan,	,,	29.85	758.1	...	...	W	6	...	,,	29.84	757.8	...	...	S E	2
Koshun	,,	29.83	757.6	...	...	W	6	...	,,	29.82	757.5	...	...	W	2
Pescadores,	,,	29.82	757.4	...	...	S W	6	...	,,	29.81	757.1	...	...	S	2
Canton,	3 p.	29.69	754.1	89	66	S	1	b	9 a.	29.81	757.2	84	83	S W	1
Hongkong,	4 p.	29.72	754.9	85	66	W S W	1	c	10 a.	29.84	757.9	87	64	S W	1
Victoria Peak,	,,	...	...	...	...	S	5	...	,,	...	...	...	...	S	4
Gap Rock,	,,	29.70	754.4	...	...	S S W	4	...	,,	29.81	757.2	...	...	S S W	4
Macao,	,,	29.78	756.4	84	...	S	3	c	,,	29.84	757.9	85	...	S	2
Wuchow,	3 p.	29.65	753.1	99	...	W	1	c	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.72	754.9	89	63	W	3	b	,,	...	...	...	...	...	...
Phulien,	4 p.	29.60	751.8	84	...	S E	5	c	8 a.	29.70	754.3	82	...	S E	4
Tourane,	,,	...	...	...	...	...	...	...	,,	29.75	755.6	90	..	S E	1
Cape St. James,	,,	29.76	756.0	84	...	S	4	lt	,,	29.85	758.2	82	...	W S W	2
Aparri,	2 p.	29.84	757.1	88	...	N	2	b	6 a.	29.84	758.0	77	...	S W	2
Manila,	4 p.	29.76	756	90	55	W	1	b	10 a.	29.88	759	88	66	W	1
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N N E	2	o	9 a.	...	...	...	...	N W	2
Iloilo,	,,	29.79	756.6	86	...	...	0	o	,,	29.89	759.2	83	...	...	0
Cebu,	,,	29.77	756.1	87	...	S	1	b	,,	29.87	758.7	86	...	S	1
Labuan,	,,	29.78	756.4	89	...	...	...	...	,,	29.89	759.2	85	...	...	...

On the 12th at 11.55 a.—The typhoon, which has continued to move towards NE, is now situated over E Japan.

The barometer has risen considerably in W Japan, and fallen moderately on the E. coast of China.

A depression appears to be developing over the Yangtze valley.

Pressure has increased and is now high over N. China.

Moderate or fresh S winds may be expected in the Formosa Channel and over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, moderate or fresh; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 12th May, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th May, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	13th May, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ostock,...	2 p.	29.72	755.0	65	...	N W	3	b	7 a.	29.86	758.3	51	69	...	0	b
o,.....	,,	29.41	747.1	...	...	S	4	...	6 a.	29.69	754.1	...	...	S W	1	...
ate,.....	,,	29.50	749.2	...	...	W N W	2	...	,,	29.89	759.2	...	...	...	0	...
.....	,,	29.59	751.6	...	...	S S W	2	...	,,	29.85	758.1	...	...	N	8	...
.....	,,	29.76	755.8	...	...	S E	...	...	,,	29.80	756.8	...	...	...	0	...
ki,.....	,,	29.81	757.3	...	...	S W	2	...	,,	29.73	756.3	...	...	N E	1	...
hima,.....	,,	29.82	757.4	...	...	W	1	...	,,	29.78	756.4	...	...	S E	1	...
a.....	,,	29.81	757.1	...	...	S	1	...	,,	29.79	756.6	...	...	S	1	...
.....	,,	29.81	757.2	...	...	S S W	1	...	,,	29.81	757.2	...	...	S	1	...
kijima,....	,,	29.82	757.3	...	...	S S W	6	...	,,	29.82	757.3	...	...	S S W	4	...
Is.....	,,	29.87	758.6	...	...	S W	2	...	,,	29.91	759.6	...	...	...	0	...
.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iwei,.....	,,	30.02	762.5	60	...	N	5	b	9 a.	29.95	760.7	54	...	N N W	6	crm
w,.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	..	...	...
ng,.....	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
hai,.....	,,	29.72	754.9	65	95	N E	2	omd	9 a.	29.92	759.9	62	51	N N E	2	o
ff,.....	,,	29.70	754.4	61	100	N E	3	f	,,	29.88	758.9	61	77	N	3	cm
Peak,.....	,,	29.67	753.6	78	86	S E	4	b	,,	29.81	757.2	...	...	N N E	4	f
.....	,,	29.74	755.4	86	72	S	4	b	6 a.	29.76	755.9	78	86	S E	1	b
w,.....	,,	29.71	754.6	92	96	S S W	2	b	,,	29.81	757.2	79	87	S W	1	b
ku,.....	1 p.	29.76	755.8	...	...	W	2	...	5 a.	29.78	756.4	...	...	...	0	...
u,.....	,,	29.81	757.1	...	...	W	4	...	,,	29.84	757.9	...	...	...	0	...
n,.....	,,	29.85	758.3	...	...	W	4	...	,,	29.85	758.1	...	...	E	2	...
m,.....	,,	29.85	758.2	...	...	W	6	...	,,	29.83	757.6	...	...	N	2	...
flores,.....	,,	29.83	757.7	...	...	W	6	...	,,	29.81	757.2	...	...	S W	4	...
n,.....	3 p.	29.71	754.6	89	66	S	2	b	9 a.	...	...	...	...	...	...	...
kong,.....	4 p.	29.76	755.9	86	70	S	1	c	10 a.	29.84	757.9	87	63	S W	2	c
ia Peak,...	,,	...	...	...	...	S	3	...	,,	...	...	...	...	S	5	...
Rock,.....	,,	29.72	754.9	...	...	S S W	4	...	,,	29.81	757.2	...	...	S W	3	...
.....	,,	29.77	756.1	85	...	S S E	2	c	,,	29.84	757.9	85	...	S	2	c
ow,.....	3 p.	29.70	754.4	90	66	E	1	c	9 a.	29.83	757.7	82	87	E	2	c
w,.....	,,	29.69	754.1	97	78	S E	2	b	,,	...	...	...	...	...	...	...
si,.....	,,	29.70	754.4	97	69	S	2	b	,,	...	...	...	...	...	...	...
en,.....	4 p.	29.62	752.3	84	...	S S E	4	b	8 a.	29.73	755.2	82	...	E S E	4	c
ne,.....	,,	29.66	753.3	88	...	S E	1	b	,,	29.74	755.3	88	..	...	0	b
St. James,.	,,	29.77	756.2	81	...	S W	6	or	,,	29.84	757.9	84	...	W S W	3	c
i.....	2 p.	29.80	756.9	88	...	N	2	b	6 a.	29.85	758.1	79	...	S W	0	b
a,.....	4 p.	29.76	756	90	60	W N W	1	c	10 a.	29.84	758	86	79	N W	1	c
pi,.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
od,.....	3 p.	...	...	...	...	N N E	2	o	9 a.	...	...	...	...	N W	2	c
.....	,,	29.81	757.2	87	...	S W	1	c	,,	29.87	758.7	85	...	N E	1	b
.....	,,	29.79	756.6	89	...	N	1	b	,,	29.86	758.4	86	...	E	1	b
m,.....	,,	29.84	757.9	84	...	...	...	...	,,	29.89	759.2	83	...	...	...	...

On the 13th at 12.05 p.—The barometer has risen quickly in E. Japan, the typhoon having moved away over Pacific.

The barometer has risen considerably on the E. coast of China, and fallen slightly over S.W. Japan and the Loo-os. A shallow depression, which has moved Eastwards from the Yangtze valley, is situated over the Eastern Sea. Pressure is highest over N. China. It remains low over Tongking.

Moderate N.E. winds may be expected in the Formosa Channel, and moderate S. to E. winds over the northern ores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 **inches.**

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	S. to E. winds, moderate; fair.
Formosa Channel, ...	N.E. winds, moderate.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Friday, 13th May, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th May, 1910, P.M.								14th May, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.86	758.4	63	...	S	1	b	7 a.	29.66	753.4	44	94	...	0
Nemuro,	,,	29.77	756.1	...	...	S	3	...	6 a.	30.01	762.1	...	...	S E	2
Hakodate,	,,	29.89	759.2	...	...	N W	1	...	,,	29.77	756.2	...	...	E	0
Tokio,	,,	29.91	759.6	...	...	N	2	...	,,	29.75	755.6	...	...	N W	1
Kochi,	,,	29.74	755.3	...	...	E S E	1	...	,,	29.80	756.8	...	...	S W	1
Nagasaki,	,,	29.68	753.8	...	...	N	1	...	,,	29.84	757.8	...	...	W	1
Kagoshima,	,,	29.68	753.9	...	...	S E	1	...	,,	29.82	757.4	...	...	N W	1
Oshima,	,,	29.75	755.6	...	...	S	2	...	,,	29.83	757.6	...	...	N	2
Naha,	,,	29.81	757.2	...	...	S W	1	...	,,	29.85	758.2	...	...	N	2
Ishigakijima,	,,	29.82	757.3	...	...	S	3	...	,,	29.84	757.8	...	...	S	3
Bonin Is.	,,	29.89	759.1	...	...	...	0	...	,,	29.91	759.6	...	...	...	0
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.90	759.4	63	...	N W	8	b	9 a.	29.91	759.7	63	...	S W	4
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai.	,,	29.89	759.2	67	41	N N W	3	b	9 a.	29.94	760.5	67	41	E S E	2
Gutzlaff,	,,	29.88	758.9	60	71	N	3	cv	,,	29.94	760.6	62	94	S E	2
Sharp Peak,	,,	29.81	757.2	70	85	E N E	4	o	,,	29.95	760.7	74	95	E N E	1
Amoy,	,,	29.72	754.9	83	79	S E	4	b	6 a.	29.86	758.4	72	76	N E	3
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.76	755.8	...	...	W	4	...	5 a.	29.87	758.6	...	...	E	4
Taichu,	,,	29.78	756.4	...	...	N	4	...	,,	29.85	758.2	...	...	...	0
Tainan,	,,	29.82	757.5	...	...	W	4	...	,,	29.86	758.4	...	...	N	2
Koshun	,,	29.80	757.0	...	...	N W	8	...	,,	29.85	758.2	...	...	N	2
Pescadores,	,,	29.81	757.1	...	...	S W	6	...	,,	29.85	758.2	...	...	N	6
Canton,	3 p.	29.70	754.4	90	66	S	1	b	9 a.	29.81	757.2	84	79	S	1
Hongkong,	4 p.	29.74	755.4	87	62	S	2	c	10 a.	29.85	758.2	84	80	...	0
Victoria Peak,	,,	...	...	...	...	S	4	...	,,	...	...	...	...	S	4
Gap Rock,	,,	29.73	755.1	...	...	S W	3	...	,,	29.81	757.2	...	...	S	4
Macao,	,,	29.76	755.9	85	...	S	4	c	,,	29.85	758.2	85	...	S S E	1
Wuchow,	3 p.	29.69	754.1	88	73	S E	1	c	9 a.	...	...	...	...	...	...
Hoihow,	,,	29.71	754.6	94	96	S E	3	c	,,	...	...	...	...	...	...
Pakhoi,	,,	29.71	754.6	95	96	S W	3	b	,,	...	...	...	...	...	...
Phulien,	4 p.	29.63	752.7	84	...	S E	4	c	8 a.	29.75	755.6	82	...	S E	4
Tourane,	,,	29.67	753.5	86	...	S E	2	c	,,	29.77	756.1	88	..	...	0
Cape St. James,	,,	29.74	755.4	79	...	S S W	6	or	,,	29.84	758.0	82	...	S W	2
Aparri,	2 p.	29.79	756.6	90	...	N	2	b	6 a.	29.83	757.7	77	...	S W	2
Manila,	4 p.	29.72	755	90	60	W	1	c	10 a.	29.84	758	86	65	W	1
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N W	3	c	9 a.	...	...	...	...	N N W	2
Iloilo,	,,	29.77	756.1	88	...	N W	1	b	,,	29.89	759.2	84	...	N E	1
Cebu,	,,	29.77	756.1	88	...	N	1	c	,,	29.85	758.2	85	...	...	0
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	29.89	759.2	83	...	...	...

On the 14th at 12.05 p.—The depression lying in the neighbourhood of S.W. Japan yesterday, is moving wards N.E over the Sea of Japan.

The barometer has risen moderately to slightly over S. China and the Loochoos, while it is inclined to fall in China.

Pressure is highest over the Pacific to the N.E. of Japan.

Moderate N.E. and E. winds may be expected in the Formosa Channel, and moderate S.E. and E. winds over northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.89 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, moderate; showery.
2.—Formosa Channel,	N.E. and E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	S.E. and E. winds, moderate.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 14th May, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...ION.	14TH MAY, 1910, P.M.								15TH MAY, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...ostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
..., ...	,,	29.91	759.6	...	...	S E	2	...	6 a.	29.49	749.1	...	...	W	2	...
...te, ...	,,	29.54	750.2	...	...	E	4	...	,,	29.79	756.7	...	...	W N W	4	...
.....	,,	29.61	752.1	...	...	N N W	1	...	,,	...	...	...	...	N N E	1	...
.....	,,	29.74	755.3	...	...	S E	1	...	,,	29.93	760.3	...	...	S W	1	...
...ki.	,,	29.87	758.8	...	...	W S W	1	...	,,	29.89	759.3	...	...	N E	1	...
...ima, ...	,,	29.84	757.9	...	...	W	2	...	,,	29.90	759.4	...	...	S E	1	...
.....	,,	29.89	759.1	...	...	N	1	...	,,	29.91	759.6	...	...	S	2	...
.....	,,	29.87	758.7	...	...	N E	2	...	,,	...	...	...	...	...	...	...
...ijima,....	,,	29.85	758.3	...	...	S S W	2	...	,,	29.88	758.8	...	...	S	...	...
...ls.....	,,	29.91	759.6	...	...	S W	1	...	,,	30.01	762.1	...	...	...	0	...
.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...wei.....	,,	29.92	759.9	73	...	E N E	3	c	9 a.	29.86	758.4	62	...	S W	6	c
...w, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...ng.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...al.	,,	29.87	758.7	61	45	S E	3	o	9 a.	29.84	757.9	66	79	W	3	o
...ff.	,,	29.89	759.2	59	94	S E	4	ov	,,	29.84	757.9	58	94	W	3	om
...Peak,.....	,,	29.87	758.7	68	95	N	1	o	,,	29.88	758.9	71	95	...	0	b
.....	,,	29.88	758.9	71	76	N E	2	o	6 a.	29.88	758.9	71	85	E S E	3	c
...r.....	,,	...	...	...	...	...	...	...	,,	29.79	756.6	73	90	E	1	o
...n.....	1 p.	29.86	758.4	...	...	E	6	...	5 a.	29.87	758.7	...	...	W	2	...
.....	,,	29.84	757.9	...	...	N	4	...	,,	29.89	759.3	...	...	N	2	...
...n.....	,,	29.86	758.4	...	...	S W	6	...	,,	29.89	759.3	...	...	...	0	...
...o.....	,,	29.85	758.1	...	...	N	4	...	,,	29.87	758.7	...	...	E	2	...
...ores, ...	,,	29.87	758.6	...	...	N	6	...	,,	29.88	759.0	...	...	N	6	...
.....	3 p.	29.72	754.9	90	66	S W	1	c	9 a.	29.87	758.7	83	83	S	1	o
...ong, ...	4 p.	29.76	755.9	85	72	S	2	c	10 a.	29.90	759.4	85	71	E	2	o
...a Peak,...	,,	...	...	...	...	S S W	3	...	,,	...	...	...	...	S	4	...
...ock,.....	,,	29.73	755.1	...	...	S	4	...	,,	29.87	758.7	...	...	S W	3	...
.....	,,	29.75	755.6	85	...	S S E	3	c	,,	29.91	759.7	85	...	S E	1	c
...w.....	3 p.	29.70	754.4	90	...	E	1	c	9 a.	...	...	...	...	...	...	...
...w.....	,,	...	...	...	...	...	..	..	,,	...	...	...	...	...	...	...
...i.....	,,	29.70	754.4	96	96	S	1	b	,,	...	...	...	...	...	...	...
...n.....	4 p.	29.64	752.8	88	...	S E	5	c	8 a.	29.80	757.0	82	...	S E	2	or
...e.	,,	29.66	753.4	84	...	S E	2	c	,,	29.78	756.3	86	...	S E	3	c
...t. James,.	,,	29.76	756.0	79	...	W	2	or	,,	29.86	758.5	82	...	S W	2	c
.....	2 p.	29.79	756.7	88	...	E	2	b	6 a.	29.88	758.8	75	...	S W	2	b
.....	4 p.	29.76	756	86	71	N E	1	c	10 a.	29.83	759	86	71	W S W	1	c
...i.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...d.....	3 p.	...	...	...	...	N	3	b	9 a.	...	...	...	...	N N W	1	c
.....	,,	29.79	756.6	84	...	N W	1	b	,,	29.91	759.7	83	...	N E	1	h
.....	,,	29.76	755.9	88	...	N	1	b	,,	29.87	758.7	87	...	N	1	b
...n.....	,,	29.79	756.6	86	...	...	...	...	,,	...	...	...	...	...	...	...

On the 15th at 11.55 a.—The depression lying over the Sea of Japan yesterday, is moving into the Pacific to the ... of Hokkaido.

The barometer has fallen moderately in N. China, and risen slightly over the S. coast of China, Tongking and Philippines.

A depression appears to be advancing Eastwards over N. China.

Pressure is highest over the Pacific in the neighbourhood of the Bonins.

Moderate SE winds may be expected in the Formosa Channel, and over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood.	S.E. winds, moderate; fair.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 15th May, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th May, 1910, P.M.								16th May, 1910, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.83	757.7	58	...	...	0	c	7 a.	29.90	759.5	47	67	S E	3
Nemuro,	,,	29.55	750.6	...	...	N N W	4	...	6 a.	29.93	760.1	...	...	N N W	7
Hakodate,	,,	29.87	758.7	...	...	N W	4	...	,,	30.01	762.2	...	...	...	0
Tokio,	,,	29.99	761.6	...	...	S W	1	...	,,	29.97	761.1	...	...	N W	1
Kochi,	,,	29.95	760.8	...	...	...	0	...	,,	29.86	758.3	...	...	S W	0
Nagasaki,	,,	29.89	759.3	...	...	E	1	...	,,	29.91	759.8	...	...	N N W	1
Kagoshima,	,,	29.92	759.9	...	...	N E	1	...	,,	29.90	759.4	...	...	W S W	1
Oshima,	,,	29.89	759.1	...	...	S	2	...	,,	29.93	760.1	...	...	S	1
Naha,	,,	...	...	...	...	...	...	...	,,	29.93	760.2	...	...	...	0
Ishigakijima,	,,	29.89	759.3	...	...	S	3	...	,,	29.89	759.3	...	...	N	1
Bonin Is.	,,	30.02	762.6	...	...	S W	1	...	,,	30.04	763.1	...	...	...	0
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.81	757.2	64	...	S S W	6	c	9 a.	30.08	764.0	59	...	N E	3
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	29.85	758.2	67	79	W N W	3	c	9 a.	30.05	763.2	66	95	N	2
Gutzlaff,	,,	29.86	758.4	58	94	N W	2	om	,,	30.05	763.2	70	70	N N E	1
Sharp Peak,	,,	29.79	756.6	74	86	E S E	2	b	,,	29.95	760.7	71	80	N N E	5
Amoy	,,	29.85	758.2	82	71	E S E	5	b	6 a.	29.87	758.7	77	86	N E	4
Swatow,	,,	29.81	757.2	84	72	S S E	2	b	,,	29.85	758.2	79	91	N W	2
Taihoku,	1 p.	29.86	758.5	...	...	W	4	...	5 a.	29.88	758.9	...	...	S E	2
Taichu,	,,	29.88	759.0	...	...	W	2	...	,,	29.88	758.9	...	...	...	0
Tainan,	,,	29.89	759.1	...	...	W	6	...	,,	29.88	758.9	...	...	...	0
Koshun	,,	29.81	757.1	...	...	N W	4	...	,,	29.89	759.1	...	...	E	2
Pescadores,	,,	29.89	759.1	...	...	S W	4	...	,,	29.89	759.2	...	...	...	0
Canton,	3 p.	29.80	756.9	89	69	S E	2	b	9 a.	29.92	759.9	84	83	S	1
Hongkong,	4 p.	29.82	757.4	83	75	E	1	c	10 a.	29.94	760.5	85	71	W S W	1
Victoria Peak,	,,	...	...	...	...	S W	2	...	,,	...	...	...	...	E S E	1
Gap Rock,	,,	29.81	757.2	...	...	E S E	3	...	,,	29.89	759.2	...	...	S E	2
Macao,	,,	29.83	757.7	85	...	S E	1	c	,,	29.96	761.0	85	...	S E	1
Wuchow,	3 p.	29.79	756.6	92	...	E	1	c	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.79	756.6	94	96	S	1	c	,,	...	...	...	...	...	...
Phulien,	4 p.	29.71	754.6	84	...	S E	5	c	8 a.	29.86	758.5	79	...	E N E	3
Tourane,	,,	29.70	754.5	84	...	S E	3	dh	,,	29.86	758.4	81	..	...	0
Cape St. James,	,,	29.77	756.6	86	...	S W	2	lt	,,	29.89	759.2	84	...	S W	2
Aparri,	2 p.	29.83	757.6	88	...	N E	2	b	6 a.	29.88	758.9	73	...	W	0
Manila,	4 p.	29.76	756	91	55	W	1	c	10 a.	29.83	759	84	77	S	1
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N W	3	c	9 a.	...	...	...	...	W N W	2
Iloilo,	,,	29.81	757.2	86	...	...	0	b	,,	29.93	760.2	84	...	...	0
Cebu,	,,	29.80	756.9	88	...	N	1	b	,,	29.90	759.4	87	...	S	1
Labuan,	,,	29.81	757.2	87	...	...	...	...	,,	29.94	760.5	85	...	...	...

On the 16th at 12.05 p.—Except over S. Japan and the Loochoos the barometer has risen generally, particula over N. China and NE Japan.

A slight depression appears to be moving Eastwards over the Sea of Japan, and the pressure is now high o N. China.

High pressure also covers the Pacific to the Eastwards of the Bonins.

Moderate to fresh NE and E. winds may be expected in the Formosa Channel, and over the northern shores the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate or fresh; fine at first unsettled [probably thunder sho
2.—Formosa Channel,	NE winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 16th May, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	16TH MAY, 1910, P.M.								17TH MAY, 1910, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
,ostock,...	2 p.	29.96	761.1	47	...	S	1	c	7 a.	29.99	761.6	43	87	...	0	c
o,.....	,,	29.94	760.6	...	...	N	4	...	6 a.	29.99	761.6	...	...	N E	1	...
ate,.....	,,	29.99	761.7	...	...	S E	2	...	,,	30.01	762.2	...	...	...	0	...
.....	,,	29.81	757.1	...	...	...	0	...	,,	29.95	760.6	...	...	E S E	1	...
.....	,,	29.83	757.8	...	...	E	1	...	,,	29.97	761.3	...	...	S W	1	...
aki,.....	,,	29.95	760.8	...	...	N N W	2	...	,,	29.97	761.3	...	...	N E	1	...
hima,.....	,,	29.92	759.9	...	...	N W	2	...	,,	29.96	760.9	...	...	N	1	...
a,.....	,,	29.93	760.1	...	...	N	3	...	,,	29.85	758.1	...	...	...	0	...
.....	,,	...	...	...	...	...	...	...	,,	29.77	756.2	...	...	N N E	1	...
kijima,.....	,,	29.89	759.3	...	...	N E	4	...	,,	29.86	758.3	...	...	N	2	...
Is.....	,,	29.98	761.6	...	...	...	0	...	,,	29.95	760.6	...	...	...	0	...
,.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iwei,.....	,,	30.08	764.0	65	...	E	4	b	9 a.	29.99	761.7	65	...	S S W	3	cm
ow,.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	..	...	...
ang.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hai,.....	,,	30.02	762.5	75	64	E	2	c	9 a.	29.98	761.5	63	72	E S E	2	cm
aff,.....	,,	30.03	762.7	68	90	N N E	2	cv	,,	29.98	761.5	57	94	E	3	cm
Peak,.....	,,	29.94	760.5	70	80	E N E	4	c	,,	29.91	759.7	70	90	N E	1	b
.....	,,	29.90	759.4	81	71	E	3	o	6 a.	29.91	759.7	73	76	N E	1	b
w,.....	,,	29.82	757.4	83	71	E	3	b	,,	29.88	758.9	74	81	N	3	o
ku,.....	1 p.	29.92	759.9	...	...	E	8	...	5 a.	29.90	759.5	...	...	E	4	...
u,.....	,,	29.92	760.0	...	...	N W	6	...	,,	29.86	758.4	...	...	N	2	...
n,.....	,,	29.90	759.5	...	...	N W	6	...	,,	29.87	758.7	...	...	N	4	...
m,.....	,,	29.89	759.1	...	...	N W	6	...	,,	29.86	758.4	...	...	...	0	...
dores,.....	,,	29.93	760.1	...	...	N E	6	...	,,	29.83	759.0	...	...	N	6	...
n,.....	3 p.	29.82	757.4	90	96	S W	2	b	9 a.	29.91	759.7	83	83	S	1	b
kong,.....	4 p.	29.81	757.2	86	67	S S W	2	c	10 a.	29.93	760.2	81	83	E	1	c
ria Peak,...	,,	...	...	...	...	S S W	3	...	,,	...	...	...	...	S E	5	...
Rock,.....	,,	29.80	756.9	...	...	E S E	3	...	,,	29.86	758.9	...	...	S	3	...
,.....	,,	29.83	757.7	85	...	S	1	c	,,	29.89	759.2	85	...	S E	1	c
ow,.....	3 p.	29.90	759.4	78	...	E	1	c	9 a.	...	...	...	...	...	...	...
ow,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi,.....	,,	29.80	756.9	93	96	S E	1	b	,,	...	...	...	...	...	...	...
en,.....	4 p.	29.83	757.6	75	...	N E	3	lt	8 a.	29.88	758.9	82	...	N N E	0	c
me,.....	,,	29.75	755.7	86	...	S E	1	c	,,	29.84	757.8	84	..	S S W	1	c
St. James,.	,,	29.80	756.9	79	...	S W	3	or	,,	29.88	759.0	82	...	S W	3	c
i,.....	2 p.	29.84	758.0	86	...	N	2	b	6 a.	29.85	758.2	73	...	S W	2	o
a,.....	4 p.	29.76	756	88	72	S W	3	c	10 a.	29.83	759	88	72	N N E	1	c
pi,.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
od,.....	3 p.	...	...	...	...	W	2	c	9 a.	...	...	...	...	W	3	o
,.....	,,	29.85	758.2	88	...	S	1	b	,,	...	...	85	...	S W	2	b
,.....	,,	29.81	757.2	90	...	S	1	b	,,	29.86	758.4	89	...	S	1	b
an,.....	,,	29.84	757.9	90	...	...	...	...	,,	29.91	759.7	85	...	...	...	...

On the 17th at 12.05 p.—The barometer has risen moderately over Japan, and fallen a like amount over N. ina, the Loochoos and the Bonins.

A depression is situated over the Pacific to the South of the Loochoos. It appears to be moving Northwards.

Pressure is highest over the Sea of Japan.

Moderate N.E. and E. winds may be expected in the Formosa Channel, and over the northern shores of the ina Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.63 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
Hongkong and Neighbourhood, ...	E. winds, moderate, showery.
Formosa Channel, ...	N.E. winds, moderate.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 17th May, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th May, 1910, P.M.								18th May, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.87	758.6	49	...	N W	1	c	7 a.	29.56	750.9	42	88	...	0
Nemuro,	,,	29.98	761.6	...	...	E S E	1	...	6 a.	30.10	764.6	...	...	S	2
Hakodate,	,,	30.15	765.7	...	...	S	2	...	,,	29.91	759.7	...	...	...	0
Tokio,	,,	30.00	762.1	...	...	S E	2	...	,,	29.99	761.6	...	...	...	0
Kochi,	,,	29.93	760.3	...	...	E S E	1	...	,,	29.91	759.8	...	...	S W	1
Nagasaki,	,,	29.87	758.8	...	...	N E	2	...	,,	29.88	758.8	...	...	...	...
Kagoshima,	,,	29.88	758.9	...	...	E N E	6	...	,,	29.86	758.4	...	...	N E	1
Oshima,	,,	29.79	756.6	...	...	E	1	...	,,	29.73	755.1	...	...	N E	4
Naba,	,,	29.69	754.2	...	...	N N E	5	...	,,	29.73	755.2	...	...	N	4
Ishigakijima,	,,	29.73	756.3	...	...	N	2	...	,,	29.84	757.8	...	...	N N W	1
Bonin Is.	,,	29.89	759.1	...	...	S	1	...	,,	29.81	757.1	...	...	...	0
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.98	761.5	61	...	...	...	cr	9 a.	30.09	764.3	60	...	E N E	4
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	29.91	759.7	75	48	E S E	2	b	9 a.	29.93	760.2	61	73	E N E	1
Gutzlaff,	,,	29.92	759.9	64	95	N E	2	bv	,,	29.93	760.2	64	100	N E	2
Sharp Peak,	,,	29.88	758.9	71	85	E N E	3	c	,,	29.93	760.2	70	95	...	0
Amoy,	,,	29.79	756.6	78	70	S S E	4	c	6 a.	29.93	757.7	73	81	E	2
Swatow,	,,	29.79	756.6	81	71	S S E	1	b	,,	29.87	758.7	75	90	S E	2
Taihoku,	1 p.	29.87	758.7	...	...	N W	4	...	5 a.	29.86	758.5	...	...	S W	2
Taichu,	,,	29.82	757.3	...	...	N	6	...	,,	29.83	757.7	...	...	...	0
Tainan,	,,	29.83	757.8	...	...	N W	8	...	,,	29.84	758.0	...	...	N	4
Koshun	,,	29.85	758.2	...	...	...	0	...	,,	29.84	757.9	...	...	...	0
Pescadores,	,,	29.87	758.7	...	...	N	8	...	,,	29.85	758.1	...	...	N E	4
Canton,	3 p.	29.78	756.4	89	66	S S W	1	b	9 a.	29.86	758.4	83	79	S	1
Hongkong,	4 p.	29.79	756.6	80	84	E	2	c	10 a.	29.89	759.2	85	69	E	1
Victoria Peak,	,,	...	...	...	...	S E	1	...	,,	...	...	...	...	...	0
Gap Rock,	,,	29.78	756.4	...	...	E	4	...	,,	29.86	758.4	...	...	S	3
Macao,	,,	29.81	757.2	84	...	S E	1	c	,,	29.90	759.4	86	...	S	1
Wuchow,	3 p.	29.90	759.4	65	...	W	8	tlrq	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.79	756.6	87	69	E S E	1	c	,,	...	...	...	...	...	...
Phulien,	4 p.	29.74	755.5	84	...	S S E	4	c	8 a.	29.84	757.8	81	...	E N E	1
Tourane,	,,	29.72	755.0	84	...	S E	3	c	,,	29.81	757.2	83	...	...	0
Cape St. James,	,,	29.82	757.5	75	...	S W	3	or	,,	29.88	759.0	79	...	W S W	2
Aparri,	2 p.	29.82	757.3	86	...	N	2	c	6 a.	29.86	758.3	75	...	S	2
Manila,	4 p.	29.76	756	88	72	W S W	2	c	10 a.	29.83	759	86	79	S	1
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	W N W	3	c	9 a.	...	...	...	...	W	3
Iloilo,	,,	29.85	758.2	87	...	S W	3	b	,,	29.93	760.2	84	...	N W	1
Cebu,	,,	29.80	756.9	91	...	S	2	b	,,	29.89	759.2	88	...	S	1
Labuan,	,,	29.85	758.2	87	...	...	...	...	,,	29.94	760.5	83	...	...	...

On the 18th at 12.05 p.—The barometer has fallen moderately over S.W. Japan, the Loochoos and the Bo owing to the depression which is now situated to the E. of the Loochoos and apparently moving towards N.E.

A second depression, is moving Eastwards in the neighbourhood of Wladiwostok.

The barometer has risen moderately in N. China, and fallen slightly over S. China.

Pressure is high to the N.E. of Japan and over N. China.

Moderate N.E. winds may be expected in the Formosa Channel and moderate S.E. and E. winds over northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. and E. winds, moderate, probably thunder [showers
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 18th May, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	18TH MAY, 1910, P.M.								19TH MAY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
rostock,...	2 p.	29.65	753.2	47	...	N W	3	o	7 a.	29.79	756.7	48	76	...	0	b
ro, ...	,,	30.00	762.1	...	...	S	5	...	6 a.	29.79	756.6	...	...	S E	4	...
late, ...	,,	29.73	755.2	...	...	E S E	3	...	,,	29.67	753.7	...	...	N N W	3	...
, ...	,,	29.87	758.6	...	...	S S W	2	...	,,	29.71	754.6	...	...	N N W	1	...
, ...	,,	29.82	757.3	...	...	S E	8	...	,,	29.82	757.3	...	...	W S W	1	...
aki, ...	,,	29.80	756.8	...	...	S W	2	...	,,	29.88	758.8	...	...	..	0	...
hima, ...	,,	29.78	756.4	...	...	E S E	1	...	,,	29.86	758.4	...	...	N N E	2	...
a, ...	,,	29.75	755.6	...	...	...	...	...	,,	29.85	758.1	...	...	N	2	...
.....	,,	29.77	756.2	...	...	N	4	...	,,	29.85	758.2	...	...	...	0	...
kijima, ...	,,	29.85	758.3	...	...	W N W	3	...	,,	29.84	757.8	...	...	..	0	...
Is.....	,,	29.71	754.6	...	...	S S E	1	...	,,	29.34	745.1	...	...	S S W	6	...
o, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
aiwei, ...	,,	30.08	764.0	62	...	E N E	2	c	9 a.	30.08	764.0	...	...	N N E	1	b
ow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ang.....	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
hai, ...	,,	29.91	759.7	65	53	E N E	2	o	9 a.	30.04	763.0	69	61	N E	2	om
aff, ...	,,	29.92	759.9	66	95	N E	3	cm	,,	30.03	762.8	63	94	E N E	2	ov
Peak, ...	,,	29.87	758.7	71	85	E S E	3	c	,,	29.93	760.2	68	79	E N E	5	or
.....	,,	29.83	757.7	79	...	S E	4	dh	6 a.	29.86	758.4	74	76	E	2	b
w, ...	,,	29.79	756.6	83	60	E	1	c	,,	29.94	760.5	76	82	N E	1	b
kn.....	1 p.	29.86	758.4	...	...	E	4	...	5 a.	29.83	757.7	...	...	E	4	...
u, ...	,,	29.82	757.4	...	...	N W	2	...	,,	29.84	758.0	...	...	...	0	...
n, ...	,,	29.86	758.5	...	...	W	6	...	,,	29.87	758.7	...	...	...	0	...
in.....	,,	29.86	758.5	...	...	N W	6	...	,,	29.87	758.7	...	...	N E	2	...
dores, ...	,,	29.82	757.5	...	...	N	6	...	,,	29.86	758.3	...	...	N	4	...
n.....	3 p.	29.83	757.7	80	82	S	1	or	9 a.	29.84	757.9	82	87	S	1	c
kong, ...	4 p.	29.81	757.2	81	77	S W	1	c	10 a.	29.83	758.9	81	79	S	2	o
ria Peak, ...	,,	...	...	...	...	S	4	...	,,	...	...	...	...	S	3	...
Hock, ...	,,	29.79	756.6	...	...	N W	4	...	,,	29.84	757.9	...	...	S	3	...
.....	,,	29.84	757.9	76	...	W	1	c	,,	29.92	759.9	64	...	S E	1	od
ow, ...	3 p.	29.73	755.1	79	...	S W	7	tlrq	9 a.	...	...	...	...	...	...	...
w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.81	757.2	93	96	S	2	c	,,	...	...	...	...	...	...	...
en, ...	4 p.	29.72	754.9	82	...	S E	3	c	8 a.	29.77	756.2	84	...	S S E	2	c
ne, ...	,,	29.71	754.7	84	...	S E	2	b	,,	29.80	756.8	88	..	W S W	2	c
St. James, .	,,	29.79	756.6	79	...	S S W	2	or	,,	29.82	757.4	79	...	S W	4	o
i, ...	2 p.	29.82	757.5	90	...	N	2	b	6 a.	29.87	758.6	75	...	S	2	b
a, ...	4 p.	29.80	757	88	66	S W	1	c	10 a.	29.83	759	88	65	S S E	0	c
pi, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
od, ...	3 p.	...	...	...	...	W S W	3	o	9 a.	...	...	...	...	...	0	c
.....	,,	29.85	758.2	87	...	N W	1	b	,,	29.91	759.7	85	...	...	0	b
.....	,,	29.83	757.7	89	...	S	1	o	,,	29.92	759.9	86	...	S	1	b
m, ...	,,	29.83	757.7	88	...	...	...	...	,,	29.92	759.9	84	...	...	...	...

On the 19th at 12.10 p.—The depression lying to the Eastward of the Loochoos yesterday has moved Eastwards approached the Bonins.

The other depression has crossed the North part of the Sea of Japan and is now situated over Hokkaido.

The barometer has risen moderately over the Loochoos and the E. coast of China, and fallen slightly in Tong-g where pressure remains low. High pressure covers N. China.

Fresh N.E. winds may be expected in the Formosa Channel, and fresh S. to E. winds over the northern shores he China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	S. to E. winds, moderate or fresh; squally, showery.
Formosa Channel, ...	N.E. winds, fresh.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan....	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 19th May, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROL

Station.	19th May, 1910, P.M.								20th May, 1910, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.78	756.5	63	...	...	0	b	7 a.	29.80	757.0	44	91	...	0
Nemuro,	,,	29.61	752.1	...	...	S S E	3	...	6 a.	29.41	747.1	...	...	W N W	7
Hakodate,	,,	29.63	752.7	...	...	W	3	...	,,	29.75	755.7	...	...	N W	5
Tokio,	,,	29.61	752.1	...	...	N N W	4	...	,,	29.91	759.6	...	...	N N W	3
Kochi,	,,	29.78	756.3	...	...	N	4	...	,,	29.99	761.8	...	...	..	0
Nagasaki,	,,	29.85	758.3	...	...	S W	2	...	,,	29.99	761.8	...	...	N N E	1
Kagoshima,	,,	29.86	758.4	...	...	S W	2	...	,,	30.00	761.9	...	...	...	0
Oshima,	,,	29.89	759.1	...	...	N	2	...	,,	30.00	762.1	...	...	S	1
Naha,	,,	29.89	759.2	...	...	N N E	1	...	,,	29.93	760.2	...	...	N E	2
Ishigakijima	,,	...	...	...	...	...	...	...	,,	29.86	758.8	...	...	N W	2
Bonin Is.	,,	29.69	754.1	...	...	W	3	...	,,	30.01	762.1	...	...	..	0
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	30.19	766.8	65	...	...	...	b	9 a.	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...
Shanghai,	,,	30.09	762.0	74	36	E	2	c	9 a.	30.11	764.8	67	55	E N E	1
Gutzlaff,	,,	30.01	762.2	63	90	N E	1	cv	,,	...	...	...	...	...	...
Sharp Peak,	,,	29.97	761.2	65	73	N N E	6	or	,,	30.06	763.5	64	59	N E	1
Amoy,	,,	29.87	758.7	76	73	E	3	o	6 a.	29.98	761.5	67	65	N E	1
Swatow,	,,	29.83	757.7	77	82	E	3	o	,,	...	...	...	...	...	...
Taiboku,	1 p.	29.91	759.6	...	...	S	2	...	5 a.	29.99	761.7	...	...	E	4
Taichu,	,,	29.89	759.2	...	...	...	0	...	,,	29.92	759.9	...	...	N	4
Tainan,	,,	29.87	758.7	...	...	W	6	...	,,	29.92	759.9	...	...	N	2
Koshun	,,	29.87	758.7	...	...	W	6	...	,,	29.91	759.6	...	...	...	0
Pescadores,	,,	29.88	759.0	...	...	N E	6	...	,,	29.93	760.2	...	...	N E	8
Canton,	3 p.	29.84	757.9	78	86	S S E	1	or	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	29.82	757.4	80	84	...	0	opt	10 a.	29.99	761.7	74	84	E	1
Victoria Peak,	,,	...	...	...	...	S W	2	...	,,	...	...	...	...	...	...
Gap Rock,	,,	29.80	756.9	...	...	N N E	3	...	,,	...	...	...	...	...	...
Macao,	,,	29.83	757.7	78	...	N W	1	od	,,	...	...	...	...	...	...
Wuchow,	3 p.	29.88	758.9	73	...	N	1	o	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.80	756.9	88	69	...	...	c	,,	...	...	...	...	...	...
Phulien,	4 p.	29.76	755.8	77	...	E N E	4	lt	8 a.	...	...	...	...	...	...
Tourane,	,,	29.68	753.9	88	...	S E	2	c	,,	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.4	84	...	S W	6	c	,,	...	...	...	...	...	...
Aparri,	2 p.	29.83	757.6	91	...	N E	2	b	6 a.	...	...	...	...	...	...
Manila.	4 p.	29.80	757	90	60	S W	2	c	10 a.	...	...	...	...	...	...
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	W S W	3	o	9 a.	...	...	...	...	...	...
Iloilo,	,,	29.87	758.7	88	...	N W	2	c	,,	...	...	...	...	...	...
Cebu,	,,	29.83	757.7	87	...	S	1	o	,,	...	...	...	...	...	...
Labuan,	,,	29.83	757.7	87	...	...	...	...	,,	...	...	...	...	...	...

On the 20th at 10.25 a.—The depression lying near the Bonins yesterday has moved away Eastwards. The other depression is moving into the Pacific to the East of Hokkaido.

Pressure has increased considerably to moderately over S. Japan, the Bonins, the Loochoos and the coast China. It remains high over N. China.

Fresh N.E. winds may be expected in the Formosa Channel, and over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; cloudy, some rain.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

T. G. FIGG,
Director.

Hongkong Observatory, Friday, 20th May, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	20TH MAY, 1910, P.M.								21ST MAY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
vostock, ...	2 p.	29.76	755.9	59	...	S E	1	b	7 a.	29.83	757.6	49	83	N	0	c
ro, ...	,,	29.67	753.6	...	...	N W	4	...	6 a.	30.10	764.6	...	...	S S W	1	...
late, ...	,,	29.89	759.2	...	...	W N W	4	...	,,	30.05	763.2	...	...	S W	4	...
.....	,,	30.04	763.1	...	...	S	2	...	,,	30.18	766.6	...	...	N W	1	...
.....	,,	30.01	762.3	...	...	S S W	1	...	,,	30.09	764.3	...	...	S W	1	...
aki, ...	,,	29.99	761.8	...	...	W	2	...	,,	30.07	763.8	...	...	N E	1	...
hima, ...	,,	30.02	762.6	...	...	W S W	1	...	,,	30.13	765.4	...	...	N N E	1	...
ia, ...	,,	30.00	762.1	...	...	N	1	...	,,	30.02	762.6	...	...	...	0	...
.....	,,	29.93	760.2	...	...	N E	3	...	,,	29.95	760.7	...	...	N E	3	...
kijima, ...	,,	29.89	759.3	...	...	N	4	...	,,	29.95	760.8	...	...	N	2	...
Is.	,,	20.04	763.1	...	...	S	1	...	,,	30.08	764.1	...	...	S E	1	...
o, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
siwei, ...	,,	30.13	765.3	66	...	W	1	b	9 a.	30.16	766.0	75	...	W	2	b
ow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hai, ...	,,	30.08	764.0	71	57	E S E	1	o	9 a.	30.17	766.3	69	43	...	0	c
aff, ...	,,	30.07	763.8	66	95	E N E	1	cv	,,	30.07	763.8	63	90	N E	1	cv
Peak, ...	,,	30.11	764.8	66	84	E N E	3	c	,,	30.12	765.0	66	95	E	1	b
.....	,,	29.98	761.5	73	67	N E	3	o	6 a.	29.98	761.5	67	60	N E	2	b
ow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ku, ...	1 p.	30.01	762.3	...	...	E	6	...	5 a.	30.05	763.3	...	...	E	4	...
u, ...	,,	29.96	760.9	...	...	N	4	...	,,	29.98	761.5	...	...	N	2	...
n, ...	,,	29.93	760.2	...	...	N	6	...	,,	29.98	761.4	...	...	N	4	...
an, ...	,,	29.93	760.3	...	...	N E	6	...	,,	29.95	760.7	...	...	N E	6	...
dores, ...	,,	29.97	761.2	...	...	N E	8	...	,,	29.98	761.4	...	...	N E	8	...
n, ...	3 p.	29.96	761.0	77	65	N E	1	b	9 a.	30.05	763.2	71	71	N E	2	c
kong, ...	4 p.	29.94	760.5	74	82	E	1	o	10 a.	30.06	763.5	73	75	E	2	o
ia Peak, ...	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E S E	3	...
Rock, ...	,,	29.86	758.9	...	...	E N E	5	...	,,	29.98	761.5	...	...	E	5	...
o, ...	,,	29.95	760.7	75	...	N	2	od	,,	30.05	763.2	75	...	N N E	2	o
ow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ien, ...	4 p.	29.89	759.3	72	...	N W	5	o	8 a.	29.99	761.7	66	...	N W	4	or
ane, ...	,,	29.77	756.1	82	...	N W	1	o	,,	29.87	758.6	73	..	N W	5	o
St. James, .	,,	29.85	758.1	77	...	W S W	5	or	,,	29.91	759.8	79	...	S W	2	c
ri, ...	2 p.	29.84	757.9	90	...	N E	2	b	6 a.	...	...	...	...	...	...	...
la, ...	4 p.	29.84	758	86	71	S W	1	o	10 a.	29.92	760	86	79	S	0	o
pi, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
od, ...	3 p.	...	...	...	...	W S W	2	c	9 a.	...	...	...	...	N W	2	c
.....	,,	29.89	759.2	...	...	N W	1	c	,,	29.95	760.7	84	...	...	0	b
.....	,,	29.86	758.4	86	...	S E	1	c	,,	29.94	760.5	85	...	N	1	c
an, ...	,,	29.82	757.4	88	...	...	...	...	,,	29.94	760.5	86	...	...	...	...

On the 21st at 12.10 p.—The barometer has risen quickly over E. Japan the depression lying off Hokkaido yesterday, having moved away over the Pacific.

The barometer has risen also over S. China, while it is steady in N. China.

Areas of high pressure are lying over N. China and over the Pacific to the S.E. of Japan. Low pressure covers Manchuria.

Fresh N.E. winds may be expected in the Formosa Channel, and over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. winds, fresh; fair cloudy.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 21st May, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st May, 1910, P.M.								22nd May, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.87	758.7	69	...	N E	0	b	7 a.	30.06	763.6	46	86	S W	0	
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	29.95	760.6	...	...	W	1	
Hakodate,	,,	30.01	762.2	...	...	S W	4	...	,,	30.01	762.2	...	...	...	0	
Tokio,	,,	30.12	765.1	...	...	...	0	...	,,	30.12	765.1	...	...	N W	1	
Kochi,	,,	30.05	763.3	...	...	S W	2	...	,,	30.01	762.3	...	...	S W	1	
Nagasaki,	,,	30.01	762.3	...	...	W	3	...	,,	30.03	762.8	...	...	N	1	
Kagoshima,	,,	30.00	761.9	...	...	N E	1	...	,,	30.02	762.4	...	...	...	0	
Oshima,	,,	29.93	761.6	...	...	N	2	...	,,	29.97	761.1	...	...	N	3	
Naha,	,,	29.99	761.7	...	...	N	4	...	,,	29.99	761.7	...	...	N N E	2	
Ishigakijima,	,,	29.99	761.8	...	...	N	4	...	,,	30.01	762.3	...	...	N N E	1	
Bonin Is.	,,	30.04	763.1	...	...	S E	1	...	,,	29.97	761.1	...	...	S S E	1	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	30.12	765.0	77	...	N	2	b	9 a.	30.15	765.8	80	...	W	4	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Shanghai,	,,	30.11	764.8	75	40	N E	2	c	9 a.	30.14	765.5	72	34	S E	1	
Gutzlaff,	,,	30.10	764.5	71	90	N N E	1	bv	,,	30.11	764.8	70	85	...	0	
Sharp Peak,	,,	30.08	764.0	67	84	E N E	4	c	,,	30.10	764.5	64	89	N	2	
Amoy,	,,	29.91	759.7	78	50	E	3	b	6 a.	30.04	763.0	69	56	N E	...	
Swatow,	,,	29.97	761.2	79	51	E	2	b	,,	...	...	...	...	...	...	
Taihoku,	1 p.	30.07	763.9	...	...	E	6	...	5 a.	30.06	763.6	...	...	S	6	
Taichu,	,,	29.98	761.5	...	...	N	2	...	,,	29.96	761.0	...	...	N E	2	
Tainan,	,,	29.97	761.3	...	...	W	4	...	,,	29.98	761.5	...	...	N	2	
Koshun	,,	29.97	761.2	...	...	N E	8	...	,,	29.96	760.9	...	...	N E	6	
Pescadores,	,,	30.00	761.9	...	...	N E	10	...	,,	29.99	761.6	...	...	N E	10	
Canton,	3 p.	29.98	761.5	76	73	N E	1	o	9 a.	30.03	762.7	72	62	N E	1	
Hongkong,	4 p.	29.97	761.2	75	63	E N E	2	o	10 a.	30.01	762.2	77	57	E	3	
Victoria Peak,	,,	...	...	...	...	E N E	3	...	,,	...	...	...	...	E	4	
Gap Rock,	,,	29.91	759.7	...	...	E	5	...	,,	29.96	761.0	...	...	E N E	6	
Macao,	,,	29.97	761.2	74	...	E N E	1	o	,,	30.01	762.2	76	...	N E	2	
Wuchow,	3 p.	...	...	...	...	...	..	...	9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	29.94	760.5	77	82	N	3	f	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.93	760.1	68	...	N W	3	or	8 a.	30.01	762.3	70	...	N W	3	
Tourane,	,,	29.80	757.0	75	...	N W	5	o	,,	...	...	...	..	...	...	
Cape St. James,	,,	29.76	756.0	79	...	S W	6	or	,,	29.91	759.6	...	...	W	2	
Aparri,	2 p.	29.89	759.1	86	...	N E	2	b	6 a.	...	...	...	...	...	...	
Manila,	4 p.	29.84	758	82	77	S E	1	o	10 a.	29.92	760	88	65	E S E	0	
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	N N W	2	
Iloilo,	,,	29.85	758.2	86	...	N W	1	o	,,	29.95	760.7	84	...	E	1	
Cebu,	,,	29.84	757.9	89	...	N	1	c	,,	29.92	759.9	85	...	N	1	
Labuan,	,,	29.83	757.7	89	...	...	...	...	,,	29.93	760.2	86	...	...	...	

On the 22nd at 12.10 p.—The barometer has risen slightly over the S. Loochoos, and fallen slightly to moderately over Japan and the Bonins.

An area of low pressure appears to be lying between the latter group and the Loochoos.

Pressure appears to be low also over the middle part of the China Sea, and the barometer is inclined to fall over S. China.

High pressure covers the Yellow Sea and the Sea of Japan.

Moderate N.E. winds may be expected in the Formosa Channel and strong N.E. winds over the N. part of China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh or strong; fair, squally.
2.—Formosa Channel,	N.E. winds, moderate,
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday 22nd May, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	22ND MAY, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	23RD MAY, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
irostock, ..	2 p.	30.00	762.0	64	...	...	[illegible]	b	7 a.	29.91	759.8	39	97	S E	1	f
iro, ...	,,	29.96	761.1	...	...	N E	4	...	6 a.	29.99	761.6	...	...	E	1	...
date, ...	,,	29.99	761.7	...	...	S	[illegible]	...	,,	29.99	761.7	...	...	...	0	...
, ...	,,	29.93	760.1	...	...	E	[illegible]	...	,,	29.95	760.6	...	...	N W	1	...
i, ...	,,	29.95	760.8	...	...	S E	1	...	,,	29.97	761.3	...	...	S W	[illegible]	...
saki, ...	,,	29.99	761.8	...	...	S W	2	...	,,	30.01	762.3	...	...	...	0	...
shima, ...	,,	30.00	761.9	...	...	E	2	...	,,	30.02	762.4	...	...	...	0	...
...a.....	,,	29.96	761.1	...	...	S	1	...	,,	29.97	761.1	...	...	...	0	...
.....	,,	30.01	762.2	...	...	N	1	...	,,	29.97	761.2	...	...	...	0	...
akijima, ...	,,	30.01	762.3	...	...	N	3	...	,,	29.95	760.8	...	...	N N E	1	...
1 ls.....	,,	29.73	755.1	...	...	S S W	2	...	,,	29.89	759.1	...	...	S	1	...
o.....	4 p.	29.94	760.5	77	53	E	1	b	6 a.	29.89	759.2	67	95	S W	3	o
siwei.....	,,	30.08	764.0	78	...	N	1	b	9 a.	30.02	762.5	7[illegible]	...	S S W	1	c
ow.	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ang.....	,,	30.06	763.5	81	83	W	[illegible]	b	,,	30.04	763.0	84	90	..	0	c
ghai.	,,	30.08	764.0	75	33	E N E	[illegible]	c	9 a.	30.08	764.0	73	43	...	0	bm
laff.	,,	30.09	764.3	70	70	N N E	1	bv	,,	30.07	764.0	70	66	N N E	[illegible]	bv
Peak.....	,,	30.08	764.0	65	89	E N E	2	or	,,	30.07	763.8	65	95	S W	1	b
.....	,,	30.03	762.7	73	43	N E	3	o	6 a.	29.97	761.2	74	[illegible]	N E	3	b
ow, ...	,,	29.94	760.5	77	69	E	2	b	,,	[illegible]	760.5	67	40	E N E	3	b
ku.....	1 p.	30.09	764.4	...	...	E	6	...	5 a.	29.99	761.7	...	..	E	4	...
n.	,,	29.98	761.4	...	...	N	[illegible]	...	,,	29.93	760.2	...	...	...	0	...
n.....	,,	29.95	760.7	...	...	N W	4	...	,,	29.93	760.2	...	...	N	4	...
un.....	,,	29.95	760.7	...	...	N E	10	...	,,	29.89	759.1	...	...	N E	6	...
dores, ...	,,	30.00	761.9	...	...	N E	6	...	,,	29.93	760.2	...	...	N E	8	...
on.....	3 p.	29.97	761.2	75	60	N E	1	c	9 a.	29.97	761.2	73	63	N	2	b
kong.	4 p.	29.91	759.7	78	55	E	3	o	10 a.	29.96	761.0	76	49	E	3	o
ris Peak, ...	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E S E	4	...
Rock, ...	,,	29.87	758.7	...	...	E N E	6	...	,,	29.92	759.9	...	...	E N E	5	...
o.	,,	29.92	759.9	78	...	N	3	o	,,	29.98	761.5	76	...	N E	2	c
how, ...	3 p.	30.04	763.0	72	76	N E	1	o	9 a.	30.03	[illegible]	71	...	E	1	o
ow, ...	,,	29.90	759.4	78	95	...	4	o	,,	...	...	...	...	...	...	...
oi.....	,,	30.01	762.2	76	77	N	3	o	,,	...	...	...	...	...	...	...
gen.....	4 p.	29.94	760.4	72	...	N N W	2	o	8 a.	29.99	761.7	72	...	N W	2	o
ane.	,,	29.80	756.9	75	...	N W	5	o	,,	29.88	759.0	72	..	N W	4	or
St. James, .	,,	29.80	756.9	82	...	N W	2	or	,,	29.86	758.5	79	...	W	2	o
ri.....	2 p.	29.85	758.1	86	...	N E	2	b	6 a.	29.85	758.2	75	...	S W	2	o
la, ...	4 p.	29.80	757	86	71	S W	1	o	10 a.	29.84	758	88	7[illegible]	...	0	o
spi, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
lod, ...	3 p.	...	...	...	...	...	0	c	9 a.	...	...	...	...	N N W	2	c
.....	,,	29.85	758.2	94	...	N W	0	c	,,	29.89	759.2	83	...	...	0	b
.....	,,	29.83	757.7	88	...	N	2	b	,,	29.88	758.9	85	...	S W	1	c
an, ...	,,	29.80	756.9	90	...	...	...	...	,,	29.89	759.2	83	...	...	...	...

On the 23rd at 11.55 a.—The depression lying between the Loochoos and the Bonins yesterday, appears to be [illegible]ving away over the Pacific to the S.E. of Japan.

The low pressure area lying over the middle part of the China Sea yesterday, is probably developing in the [illegible]ighbourhood of the Macclesfield Bank.

A second depression is approaching N. China from the West[illegible]rd.

Pressure is still high over the Yangtze valley and the Yellow Sea.

Fresh to strong N.E. winds may be expected in the Formosa Channel and over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. winds, fresh or strong; fair, squally.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 23rd May, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd MAY, 1910, P.M.								24th MAY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.87	758.7	50	...	E	1	b	7 a.	29.86	758.3	49	89	...	0	f
Nemuro,	,,	29.96	761.1	...	...	S S E	3	...	6 a.	30.04	763.1	...	...	S W	2	
Hakodate,	,,	29.97	761.2	...	...	S	2	...	,,	30.05	763.2	...	...	...	0	
Tokio,	,,	29.93	760.1	...	...	S	2	...	,,	30.02	762.6	...	...	N W	1	
Kochi,	,,	29.97	761.3	...	...	S E	1	...	,,	30.01	762.3	...	...	S W	1	
Nagasaki,	,,	29.99	761.8	...	...	W S W	3	...	,,	30.03	762.8	...	...	...	0	
Kagoshima,	,,	29.96	760.9	...	...	S E	1	...	,,	30.04	762.9	...	...	...	0	
Oshima,	,,	29.98	761.6	...	...	E	1	...	,,	30.01	762.1	...	...	S	1	
Naha,	,,	29.95	760.7	...	...	S E	1	...	,,	29.95	760.7	...	...	S W	1	
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.89	759.3	...	...	N E	2	
Bonin Is.	,,	29.89	759.1	...	...	S E	1	...	,,	29.97	761.1	...	...	...	0	
Chefoo,	4 p.	29.83	757.7	80	48	N E	3	b	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.96	761.0	82	...	S S W	5	c	9 a.	29.89	759.2	72	...	N W	5	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	30.02	762.5	82	52	N E	1	c	,,	...	...	...	...	...	...	
Shanghai,	,,	30.02	762.5	79	47	S E	1	b	9 a.	30.03	762.7	71	49	S	1	
Gutzlaff,	,,	30.04	763.6	71	66	N N E	1	b	,,	30.03	762.7	68	74	S	2	
Sharp Peak,	,,	30.00	762.0	64	...	E	4	b	,,	29.99	761.7	68	...	E N E	3	
Amoy,	,,	29.84	757.9	82	26	E S E	4	b	6 a.	29.92	759.9	67	60	W	3	
Swatow,	,,	29.88	758.9	76	60	E	4	c	,,	29.88	758.9	66	73	N	1	
Taihoku,	1 p.	29.97	761.3	...	...	E	6	...	5 a.	29.92	760.0	...	...	E	4	
Taichu,	,,	29.89	759.2	...	...	N	2	...	,,	29.86	758.5	...	...	...	0	
Tainan,	,,	29.92	760.0	...	...	N	4	...	,,	29.88	758.9	...	...	N E	2	
Koshun,	,,	29.89	759.3	...	...	N E	8	...	,,	29.84	757.9	...	...	N E	10	
Pescadores,	,,	29.92	759.9	...	...	N E	10	...	,,	29.86	758.3	...	...	N E	8	
Canton,	3 p.	29.89	759.2	81	48	S W	1	b	9 a.	29.91	759.7	76	60	N E	1	
Hongkong,	4 p.	29.88	758.9	77	45	E	3	c	10 a.	29.89	759.2	80	45	E	1	
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	3	
Gap Rock,	,,	29.85	758.2	...	...	E	5	...	,,	29.86	758.4	...	...	E N E	5	
Macao,	,,	29.89	759.2	77	...	S E	1	c	,,	29.91	759.7	73	...	N N E	1	
Wuchow,	3 p.	29.92	759.9	82	...	E	1	...	9 a.	29.94	760.5	72	81	E	1	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	29.91	759.7	83	67	W	2	o	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.67	753.7	79	...	S E	2	o	8 a.	29.92	759.9	81	...	N W	2	
Tourane,	,,	29.81	757.1	73	...	N W	3	or	,,	29.89	759.1	73	..	N W	1	
Cape St. James,	,,	29.79	756.6	79	...	N W	2	or	,,	29.86	758.4	79	...	S W	2	
Aparri,	2 p.	29.80	756.8	81	...	N	2	o	6 a.	29.80	757.0	75	...	S	2	
Manila,	4 p.	29.76	756	82	85	S S E	1	o	10 a.	29.80	757	86	79	S	1	
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	S	2	o	9 a.	...	...	...	...	S W	2	
Iloilo,	,,	29.81	757.2	85	...	N W	1	o	,,	29.87	758.7	83	...	N W	...	
Cebu,	,,	29.82	757.4	86	...	...	0	c	,,	29.86	758.4	84	...	S	1	
Labuan,	,,	29.80	756.9	89	...	...	...	...	,,	29.89	759.2	84	...	...	...	

On the 24th at 11.55 a.—The barometer has risen slightly over Japan and the Bonins, and fallen moderately slightly over China and the Philippines.

The depression over the China Sea appears to be almost stationary to the Eastward of the Macclesfield Bank

The northern depression is moving Eastwards over Manchuria.

Pressure remains high over Japan and the Yangtze valley.

Fresh to strong N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh or strong; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 24th May, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th MAY, 1910, P.M.								25th MAY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
divostock,	2 p.	29.85	758.2	56	...	S	0	o	7 a.	29.80	757.0	51	96	...	0	f
uro,	,,	30.00	762.1	...	...	S W	5	...	6 a.	30.01	762.1	...	...	S S W	2	...
odate,	,,	30.03	762.7	...	...	S E	2	...	,,	30.01	762.2	...	...	N W	1	...
io,	,,	29.98	761.6	...	...	S S W	3	...	,,	30.08	764.1	...	...	N N W	1	...
hi,	,,	29.99	761.8	...	...	S W	1	...	,,	30.03	762.8	...	...	S W	1	...
asaki,	,,	30.05	763.3	...	...	S W	2	...	,,	30.01	762.3	...	...	...	0	...
oshima,	,,	30.02	762.4	...	...	S	1	...	,,	30.04	762.9	...	...	...	0	...
ima,	,,	30.00	762.1	...	...	S S E	1	...	,,	30.01	762.1	...	...	S	1	...
a,	,,	29.95	760.7	...	...	E	3	...	,,	29.95	760.7	...	...	N N E	1	...
gakijima,	,,	29.91	759.8	...	...	E N E	4	...	,,	29.88	758.8	...	...	N E	3	...
in Is.	,,	29.96	761.1	...	...	...	0	...	,,	29.97	761.1	...	...	N	1	...
foo,	4 p.	29.85	758.2	71	53	E	2	b	6 a.	...	...	...	...	...	...	...
haiwei,	,,	29.94	760.5	72	...	N	1	b	9 a.	29.92	759.9	71	...	E	1	b
kow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang,	,,	29.94	760.5	84	92	N E	2	b	,,	..	...	...	...	..	...	...
ghai,	,,	29.95	760.7	80	25	S S E	2	b	9 a.	29.97	761.2	76	53	S	2	c
zlaff,	,,	29.97	761.2	71	66	S E	3	bm	,,	29.98	761.5	79	70	S	3	cm
p Peak,	,,	29.94	760.5	70	85	E N E	4	b	,,	29.99	761.7	71	85	N N W	3	b
y,	,,	29.86	758.4	84	91	N E	4	b	6 a.	29.87	758.7	73	58	N	5	b
tow,	,,	29.82	757.4	79	51	E	2	b	,,	29.84	757.9	67	74	N	1	b
oku,	1 p.	29.88	759.6	...	...	E	6	...	5 a.	29.87	758.7	...	...	E	6	...
hu,	,,	29.83	757.7	...	...	S W	2	...	,,	29.82	757.3	...	...	...	0	...
an,	,,	29.85	758.2	...	...	N	4	...	,,	29.82	757.4	...	...	...	0	...
hun,	,,	29.81	757.2	...	...	N E	10	...	,,	29.80	757.0	...	...	N E	10	...
adores,	,,	29.86	758.4	...	...	N E	8	...	,,	29.82	757.3	...	...	N E	6	...
ton,	3 p.	29.78	756.4	83	96	S	1	b	9 a.	...	...	...	...	...	...	...
gkong,	4 p.	29.84	757.9	78	46	E	3	b	10 a.	29.89	759.2	80	49	E	3	b
oria Peak,	,,	...	...	...	...	...	0	...	,,	...	...	...	...	E	4	...
Rock,	,,	29.80	756.9	...	...	E N E	5	...	,,	29.86	758.4	...	...	E	4	...
ao,	,,	29.85	758.2	79	...	S E	1	c	,,	29.91	759.7	79	...	S E	1	c
chow,	3 p.	29.86	758.4	84	...	E	1	c	9 a.	...	...	...	...	...	...	...
how,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hoi,	,,	29.87	758.7	91	81	S	3	f	,,	...	...	...	...	...	...	...
lien,	4 p.	29.84	758.0	82	...	S E	3	o	8 a.	29.89	759.1	79	...	...	0	c
ane,	,,	29.81	757.2	73	...	N W	1	o	,,	29.87	758.7	77	..	N N W	2	c
St. James,	,,	29.78	756.4	81	...	S W	5	or	,,	29.90	759.4	81	...	W	2	o
ri,	2 p.	29.76	756.0	81	...	S	2	d	6 a.	...	...	...	...	...	...	...
ila,	4 p.	29.76	756	86	65	S S W	1	o	10 a.	29.84	758	79	92	S S E	1	o
spi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
lod,	3 p.	...	...	...	...	W S W	3	o	9 a.	...	...	...	...	S	3	o
o,	,,	29.81	757.2	85	...	N W	1	o	,,	29.91	759.7	83	...	...	0	b
,	,,	29.78	756.4	88	...	S	2	b	,,	29.87	758.7	86	...	S	1	b
an,	,,	29.82	757.4	89	...	...	...	...	,,	29.90	759.4	80	...	...	...	...

On the 25th at 12.10 p.—The barometer has risen slightly in the S. Philippines, and fallen a little over Formosa d S. China.

The depression, which does not appear to be deep at present, is situated to the N.W. of Luzon and is apparently oving Northwards.

Pressure remains low over Manchuria and high over Japan.

Strong N.E. and N. winds may be expected in the Formosa Channel and the N.E. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.E. winds, fresh ; fair.
Formosa Channel,	N.E. winds, strong.
South coast of China between Hongkong and Lamocks,	Same as No. 2.
South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 25th May, 1910.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th May, 1910, P.M.									26th May, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.75	755.6	63	...	S	0	b		7 a.	29.79	756.6	47	96	...	0	f
Nemuro,	,,	29.98	761.6	...	...	S	4	...		6 a.	29.95	760.6	...	...	S W	1	
Hakodate,	,,	29.97	761.2	...	...	S S E	2	...		,,	29.95	760.7	...	...	N W	1	
Tokio,	,,	29.98	761.6	...	...	S E	3	...		,,	30.01	762.1	...	...	N W	1	
Kochi,	,,	29.99	761.8	...	...	S S E	1	...		,,	29.99	761.8	...	...	S W	1	
Nagasaki,	,,	29.99	761.8	...	...	S W	2	...		,,	30.01	762.3	...	...	...	0	
Kagoshima,	,,	30.00	761.9	...	...	S S E	2	...		,,	30.02	762.4	...	...	...	0	
Oshima,	,,	29.98	761.5	...	...	S	2	...		,,	29.99	761.6	...	...	...	0	
Naha,	,,	29.95	760.7	...	...	E	3	...		,,	29.93	760.2	...	...	E	1	
Ishigakijima,	,,	29.87	758.8	...	...	E	6	...		,,	29.84	757.8	...	...	E	5	
Bonin Is.	,,	29.94	760.6	...	...	...	0	...		,,	29.95	760.6	...	...	...	0	
Chefoo,	4 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.86	758.4	81	...	S S W	8	cm		9 a.	29.88	758.9	30	...	W	1	
Hankow,	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	
Shanghai,	,,	29.91	759.7	78	50	S	2	o		9 a.	29.92	759.9	68	79	S E	2	
Gutzlaff,	,,	29.92	759.9	71	71	S	4	cm		,,	29.92	759.9	67	90	S E	4	
Sharp Peak,	,,	29.70	759.4	73	90	N W	1	c		,,	29.87	758.7	69	85	N N W	3	
Amoy,	,,	29.83	757.7	85	96	N N E	4	c		6 a.	29.81	757.2	73	72	...	0	
Swatow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	
Taihoku	1 p.	29.87	758.7	...	...	E	6	...		5 a.	29.80	756.8	...	...	E	6	
Taichu,	,,	29.83	757.6	...	...	N W	4	...		,,	29.76	755.0	...	...	...	0	
Tainan,	,,	29.80	756.9	...	...	N W	6	...		,,	29.76	756.0	...	...	N	4	
Koshun	,,	29.80	756.9	...	...	N E	8	...		,,	29.76	755.9	...	...	N E	6	
Pescadores,	,,	29.83	757.6	...	...	N	8	...		,,	29.77	756.2	...	...	N	8	
Canton,	3 p.	29.81	757.2	84	57	W	1	b		9 a.	...	...	...	...	...	...	
Hongkong,	4 p.	29.80	756.9	78	63	E	4	c		10 a.	29.85	758.2	81	64	E S E	1	
Victoria Peak,	,,	...	...	...	...	E	1	...		,,	...	...	...	...	E	1	
Gap Rock,	,,	29.78	756.4	...	...	E	5	...		,,	29.83	757.7	...	...	E N E	3	
Macao,	,,	29.83	757.7	79	...	S E	1	c		,,	29.91	759.7	78	...	S E	1	
Wuchow,	3 p.	...	...	...	...	...	...	...		9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	
Phulien,	4 p.	29.78	756.4	82	...	S E	4	b		8 a.	29.86	758.4	55	...	N E	3	
Tourane,	,,	29.77	756.2	81	...	S E	2	c		,,	29.84	757.9	79	..	...	0	
Cape St. James,	,,	29.78	756.3	82	...	S W	2	o		,,	29.89	759.3	82	...	S W	2	
Aparri,	2 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	
Manila,	4 p.	29.76	756	82	76	S	4	o		10 a.	29.84	758	79	92	S	2	
Legaspi,	2 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	W	3	o		9 a.	...	...	...	...	S	2	
Iloilo,	,,	29.85	758.2	82	...	N	2	or		,,	29.91	759.7	80	...	...	0	
Cebu,	,,	29.83	757.7	89	...	S	2	o		,,	29.87	758.7	88	...	S	2	
Labuan,	,,	29.84	757.9	84	...	...	...	...		,,	29.88	758.9	82	...	...	...	

On the 26th at 12.05 p.—Except over the S. Philippines the barometer has fallen slightly at all stations.

The depression appears to situated in the neighbourhood of the Balingtang Channel and to be moving towards N. or N.E. It gives no indication of being a severe disturbance.

Pressure is highest over S. Japan. It remains low over Manchuria.

Fresh to strong N.E. winds may be expected in the Formosa Channel and N. to W. winds over the north shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, moderate; fair.
2.—Formosa Channel,	N.E. winds, fresh or strong.
3.—South coast of China between Hongkong and Lamocks,	N.W. to W. winds, moderate.
4.—South coast of China between Hongkong and Hainan	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 26th May, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th May, 1910, P.M.								27th May, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ıdivostock,...	2 p.	29.74	755.4	54	...	E	1	c	7 a.	29.78	756.5	50	93	S E	1	f
nuro, ...	,,	29.94	760.6	...	...	S S W	4	...	6 a.	30.02	762.6	...	...	S W	4	...
·odate, ...	,,	29.91	759.7	...	...	S E	2	...	,,	30.01	762.2	...	...	...	0	...
io, ...	,,	29.89	759.1	...	...	S W	2	...	,,	30.01	762.1	...	...	N W	1	...
·hi, ...	,,	29.89	759.3	...	...	S	1	...	,,	29.93	760.3	...	...	...	0	...
·asaki, ...	,,	29.97	761.3	...	...	W	2	...	,,	29.93	760.3	...	...	W S W	1	...
·oshima, ...	,,	29.98	761.4	...	...	W	1	...	,,	29.96	760.9	...	...	N	1	...
·ima, ...	,,	29.94	760.6	...	...	S E	1	...	,,	29.85	758.1	...	...	N E	1	...
·a, ...	,,	29.89	759.2	...	...	E	2	...	,,	29.69	754.2	...	...	E	2	...
·igakijima, ...	,,	29.78	756.3	...	...	E	4	...	,,	29.62	752.3	...	...	E	1	...
·in Is.	,,	29.91	759.6	...	...	N E	1	...	,,	29.93	760.1	...	...	N E	1	...
·foo, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
·ihaiwei, ...	,,	29.87	758.7	83	...	N N E	1	c	9 a.	29.91	759.7	74	...	S W	8	c
·kow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
·kiang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
·nghai, ...	,,	29.89	759.2	74	59	S	2	c	9 a.	29.87	758.7	65	84	S E	2	od
·zlaff, ...	,,	29.90	759.4	68	85	S E	4	om	,,	29.86	758.4	65	73	S E	4	ov
·rp Peak, ...	,,	29.81	757.2	70	95	N W	1	or	,,	29.82	757.4	67	84	N N E	1	c
·y, ...	,,	29.69	754.1	80	74	S S E	4	b	6 a.	29.75	755.6	72	76	N E	3	b
·tow, ...	,,	29.71	754.6	82	71	E	1	c	,,	29.74	755.4	72	81	E	4	c
·hoku	1 p.	29.72	754.8	...	...	E	8	...	5 a.	29.73	755.2	...	...	...	0	...
·hu, ...	,,	29.69	754.0	...	...	W	2	...	,,	29.71	754.7	...	...	N	4	...
·an, ...	,,	29.73	755.2	...	...	N	6	...	,,	29.71	754.7	...	...	N	6	...
·hun	,,	29.72	755.0	...	...	N E	6	...	,,	29.66	753.4	...	...	N	6	...
·adores, ...	,,	29.75	755.6	...	...	N	8	...	,,	29.72	754.9	...	...	N E	10	...
·ton, ...	3 p.	29.73	756.4	79	87	N	2	c	9 a.	29.78	756.4	76	82	W	1	c
·gkong, ...	4 p.	29.76	755.9	81	66	N W	1	o	10 a.	29.79	756.6	79	76	W	1	o
·oria Peak, ...	,,	...	...	...	...	N	1	...	,,	...	...	...	...	N W	0	...
Rock, ...	,,	29.76	755.9	...	...	S E	2	...	,,	29.78	756.4	...	...	...	0	...
·ao, ...	,,	29.79	756.6	78	...	S E	1	c	,,	29.81	757.2	78	...	N N W	1	b
·how, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
·how, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
·hoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
·lien, ...	4 p.	29.78	756.4	75	...	N N E	3	o	8 a.	29.84	758.0	73	...	N W	2	o
·rane, ...	,,	29.72	754.8	82	...	N N W	4	c	,,	29.79	756.7	77	..	N W	3	o
St. James, .	,,	29.76	755.8	86	...	S	4	lt	,,	29.90	759.5	87	...	W S W	4	o
·yi, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
·ila, ...	4 p.	29.80	757	79	84	S S W	1	qr	10 a.	29.84	758	77	97	W S W	1	o
·spi, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
·lod, ...	3 p.	...	...	...	...	S W	3	o	9 a.	...	...	...	...	W S W	3	c
·o, ...	,,	29.81	757.2	84	...	S W	1	o	,,	29.87	758.7	83	...	N N W	2	o
·, ...	,,	29.81	757.2	89	...	S	1	b	,,	29.85	758.2	87	...	S	1	b
·an, ...	,,	29.82	757.4	87	...	...	...	...	,,	29.87	758.7	85	...	...	...	...

On the 27th at 11.25 a.—The barometer has fallen considerably over the S. Loochoos, moderately in Formosa d slightly over the coasts of S. China.

The depression, which is moving towards N.E., is now situated to the South of Meiaco Sima.

Pressure has increased slightly and is highest over E. Japan. It remains low over Manchuria.

Fresh or moderate N. winds may be expected in the Formosa Channel, and moderate W. winds over the north- n shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	W. winds, moderate; cloudy, probably some rain.
Formosa Channel, ...	N. winds, moderate or fresh.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 27th May, 1910.

·rinted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th May, 1910, P.M.								28th May, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.78	756.4	53	...	S E	1	f	7 a.	29.78	756.4	51	99	S E	3	f
Nemuro,	,,	30.02	762.6	...	...	S	4	...	6 a.	30.10	764.6	...	...	S W	3	
Hakodate,	,,	29.99	761.7	...	...	S	2	...	,,	30.03	762.7	...	...	W	1	
Tokio,	,,	29.98	761.6	...	...	S	1	...	,,	30.06	763.6	...	...	N	1	
Kochi,	,,	29.93	760.3	...	...	S E	1	...	,,	29.89	759.3	...	...	...	0	
Nagasaki,	,,	29.89	759.3	...	...	W	1	...	,,	29.84	757.8	...	...	...	0	
Kagoshima,	,,	29.92	759.9	...	...	...	0	...	,,	29.82	757.4	...	...	E S E	3	
Oshima,	,,	29.83	757.6	...	...	S E	1	...	,,	29.73	755.1	...	...	N E	1	
Naha,	,,	29.61	752.2	...	...	W	4	...	,,	29.62	752.2	...	...	N E	1	
Ishigakijima,	,,	29.62	752.3	...	...	W	4	...	,,	29.70	754.3	...	...	N	1	
Bonin Is.	,,	29.96	761.1	...	...	N E	1	...	,,	29.95	760.6	...	...	E	1	
Chefoo,	4 p.	29.73	755.1	75	95	S W	4	b	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.91	759.7	78	...	S W	8	b	9 a.	29.94	760.5	70	...	S S W	1	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	29.75	755.6	82	56	W	2	b	,,	...	...	...	...	...	...	
Shanghai.	,,	29.81	757.2	65	89	S E	2	od	9 a.	29.91	759.7	64	95	E N E	2	
Gutzlaff,	,,	29.83	757.7	62	100	E S E	3	fd	,,	29.84	757.9	63	100	E	2	
Sharp Peak,	,,	29.74	755.4	69	96	E	1	c	,,	29.81	757.2	70	90	S E	1	
Amoy,	,,	29.78	756.4	74	72	S S E	4	o	6 a.	29.77	756.1	72	81	...	0	
Swatow,	,,	29.74	755.4	72	76	E	1	o	,,	29.77	756.1	68	95	N	1	
Taihoku	1 p.	29.76	755.9	...	...	N E	2	...	6 a.	29.77	756.1	...	...	...	0	
Taichu,	,,	29.70	754.5	...	...	N	6	...	,,	29.78	756.4	...	...	...	0	
Tainan,	,,	29.72	755.0	...	...	N W	8	...	,,	29.79	756.7	...	...	N W	2	
Koshun	,,	29.72	755.0	...	...	N W	6	...	,,	29.76	755.8	...	...	N	2	
Pescadores,	,,	29.74	755.5	...	...	N E	8	...	,,	29.78	756.5	...	...	N	6	
Canton,	3 p.	29.71	754.6	83	67	W	1	b	9 a.	29.82	757.4	78	82	...	0	
Hongkong,	4 p.	29.74	755.4	77	83	W N W	1	o	10 a.	29.82	757.4	82	75	E S E	1	
Victoria Peak,	,,	...	...	...	...	W S W	1	...	,,	...	...	...	...	N N E	1	
Gap Rock,	,,	29.74	755.4	...	...	S S W	1	...	,,	29.80	756.9	...	...	N E	2	
Macao,	,,	29.80	756.9	78	...	W S W	1	o	,,	29.84	757.9	80	...	E S E	1	
Wuchow,	3 p.	29.74	755.4	82	60	W	1	c	9 a.	29.85	758.2	76	86	W	1	
Hoihow,	,,	29.79	756.6	78	91	N N E	4	o	,,	...	...	...	...	...	...	
Pakhoi,	,,	29.75	755.6	86	65	N W	2	b	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.72	755.0	86	...	W	2	c	8 a.	29.83	757.7	81	...	S S E	0	
Tourane,	,,	29.70	754.4	77	...	N W	4	c	,,	29.81	757.2	75	..	N W	1	
Cape St. James,	,,	29.75	755.7	79	...	S W	4	or	,,	29.86	758.5	81	...	W	3	
Aparri,	2 p.	29.73	755.2	84	...	N	2	c	6 a.	29.76	755.8	75	...	S W	0	
Manila,	4 p.	29.76	756	81	85	S S W	1	c	10 a.	29.80	757	81	92	S S E	1	
Leguspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	W S W	3	c	9 a.	...	...	...	...	S W	2	
Iloilo,	,,	29.81	757.2	86	...	N W	1	b	,,	29.87	758.7	84	...	...	0	
Cebu,	,,	29.78	756.4	91	...	S	1	c	,,	29.87	758.7	89	...	S	2	
Labuan,	,,	29.78	756.4	89	...	...	...	...	,,	29.88	758.9	86	...	...	...	

On the 28th at 11.45 a.—The barometer has fallen moderately over S.W. Japan and the Loochoos, and risen moderately to slightly over Formosa and the S. coast of China.

The depression is moving towards N.E. to the South of the Loochoos.

Pressure is high over the Pacific to the East of Japan. It remains low over Manchuria.

Light to moderate N.E. and Variable winds may be expected in the Formosa Channel and over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. or variable winds, light to moderate; fair.
2.—Formosa Channel,	N.E. winds, light to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 28th May, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th May, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	29th May, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
divostock,	2 p.	29.76	755.8	51	...	S E	4	f	7 a.	29.71	754.5	51	98	S E	4	f
nro,	,,	30.08	764.1	...	...	S W	5	...	6 a.	30.14	765.6	...	...	S	2	...
odate,	,,	29.99	761.7	...	...	S	1	...	,,	30.01	762.2	...	...	...	0	...
o,	,,	30.02	762.6	...	...	S S W	1	...	,,	29.93	760.1	...	...	E N E	1	...
hi,	,,	29.87	758.8	...	...	...	0	...	,,	29.74	755.3	...	...	W	1	...
asaki,	,,	29.76	755.8	...	...	N E	2	...	,,	29.82	757.3	...	...	N N E	1	...
oshima,	,,	29.74	755.4	...	...	N E	2	...	,,	29.82	757.4	...	...	...	0	...
ima,	,,	29.67	753.6	...	...	...	0	...	,,	29.83	757.6	...	...	...	0	...
a	,,	29.69	754.2	...	...	N	2	...	,,	29.87	758.7	...	...	...	0	...
gakijima,	,,	29.76	755.8	...	...	N N W	2	...	,,	29.84	757.3	...	...	N	1	...
in Is.	,,	29.89	759.1	...	...	E	3	...	,,	29.89	759.1	...	...	S S W	1	...
foo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
haiwei,	,,	29.89	759.2	79	...	E	4	b	9 a.	29.94	760.5	70	...	N W	1	c
kow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ghai,	,,	29.79	756.6	68	79	E N E	2	od	9 a.	29.92	759.9	77	65	...	0	b
zlaff,	,,	29.80	756.9	66	89	E N E	2	om	,,	29.92	759.9	69	90	...	0	cm
p Peak,	,,	29.72	754.9	73	...	E	1	b	,,	29.90	759.4	72	90	N E	3	c
y,	,,	29.71	754.6	80	62	S E	5	b	6 a.	29.81	757.2	72	86	...	0	b
tow,	,,	29.71	754.6	82	71	S S E	1	c	,,	29.79	756.6	72	95	N W	1	b
oku,	1 p.	29.75	755.7	...	...	N W	6	...	5 a.	29.86	758.3	...	...	...	0	...
hu,	,,	29.74	755.4	...	...	W	2	...	,,	29.83	757.7	...	...	...	0	...
an,	,,	29.76	755.8	...	...	N W	6	...	,,	29.84	757.9	...	...	N E	2	...
hun,	,,	29.75	755.7	...	...	N	4	...	,,	29.82	757.4	...	...	...	0	...
adores,	,,	29.76	755.9	...	...	N	6	...	,,	29.83	757.6	...	...	N	6	...
ton,	3 p.	29.74	755.4	83	79	...	0	c	9 a.	29.86	758.4	80	82	S	1	c
gkong,	4 p.	29.74	755.4	84	65	...	0	c	10 a.	29.86	758.4	82	58	W S W	1	c
oria Peak,	,,	...	...	...	...	S W	1	...	,,	...	...	...	...	N	1	...
Rock,	,,	29.74	755.4	...	...	E S E	3	...	,,	29.85	758.2	...	...	N	3	...
ao,	,,	29.76	755.9	82	...	S E	1	c	,,	29.88	758.9	78	...	E	1	c
chow,	3 p.	29.75	755.6	87	51	W	1	c	9 a.	29.89	759.2	76	...	E	1	b
how,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hoi	,,	29.78	756.4	87	...	S W	2	c	,,	...	...	...	...	...	...	...
lien,	4 p.	29.75	755.6	86	...	S S E	1	c	8 a.	29.87	758.6	81	...	S S E	1	c
rane,	,,	29.76	756.0	77	...	N W	2	or	,,	29.86	758.4	79	..	N W	2	o
St. James,	,,	29.78	756.4	81	...	W S W	4	or	,,	29.88	758.8	82	...	W	2	c
rri,	2 p.	29.75	755.6	77	...	N	2	d	6 a.	...	...	...	...	...	...	...
ila,	4 p.	29.80	757	77	92	W	4	r	10 a.	...	...	...	...	...	...	...
espi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
olod,	3 p.	...	...	...	...	W S W	3	o	9 a.	...	...	...	...	W S W	1	t
o,	,,	29.81	757.2	87	...	N W	1	o	,,	29.91	759.7	83	...	...	0	o
a,	,,	29.77	756.1	99	...	S	1	b	,,	29.91	759.7	82	...	...	0	o
uan,	,,	29.80	756.9	89	...	...	...	...	,,	...	...	...	...	...	...	...

On the 29th at 11.55 a.—The barometer has fallen moderately in Central Japan, and risen considerably over the ooochoos.

The depression has continued to move towards N.E., and lies now off the S. coast of Japan.

The depression over Manchuria appears to be moving Eastwards.

Pressure is high to the N.E. of Japan. It has increased slightly over S. China, Tongking and the S. Philippines.

Light N.E. and Variable winds may be expected in the Formosa Channel and over the northern shores of the hina Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.E. or variable winds, light; fair.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 29th May, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th MAY, 1910, P.M.								30th MAY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.69	754.0	50	...	S E	4	dh	7 a.	29.96	754.3	49	99	...	0	
Nemuro,	,,	30.06	763.6	...	...	S W	4	...	6 a.	29.95	760.6	...	...	S E	3	
Hakodate,	,,	29.95	760.7	...	...	E S E	3	...	,,	29.81	757.2	...	...	...	0	
Tokio,	,,	29.75	755.6	...	...	N N W	5	...	,,	29.79	756.6	...	...	N W	1	
Kochi,	,,	29.72	754.8	...	...	S S E	1	...	,,	29.89	759.3	...	...	W S W	1	
Nagasaki,	,,	29.83	757.8	...	...	W S W	4	...	,,	29.95	760.8	...	...	S W	1	
Kagoshima,	,,	29.82	757.4	...	...	W	2	...	,,	29.96	760.9	...	...	N N W	1	
Oshima,	,,	29.85	758.1	...	...	N	2	...	,,	29.95	760.6	...	...	...	0	
Naha,	,,	29.87	758.7	...	...	N N W	1	...	,,	29.95	760.7	...	...	...	0	
Ishigakijima,	,,	29.87	758.8	...	...	E N E	3	...	,,	29.91	759.8	...	...	N E	1	
Bonin Is.	,,	29.93	760.1	...	...	S S W	1	...	,,	29.95	760.6	...	...	S W	1	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.92	759.9	70	...	S W	2	c	9 a.	29.95	760.7	75	...	W S W	4	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Shanghai,	,,	29.88	758.9	79	58	S E	2	c	9 a.	29.90	759.4	73	72	S S E	4	
Gutzlaff,	,,	29.90	759.4	71	76	E S E	2	cv	,,	29.89	759.2	67	95	S S E	[illegible]	
Sharp Peak,	,,	29.89	759.2	74	...	S E	2	b	,,	29.93	760.2	73	...	E	1	
Amoy,	,,	29.85	758.2	79	74	S E	2	b	6 a.	29.87	758.7	73	76	N E	1	
Swatow,	,,	29.80	756.9	80	78	E S E	1	b	,,	29.82	757.4	71	90	N	3	
Taihoku,	1 p.	29.86	758.4	...	...	E	6	...	5 a.	29.89	759.1	...	...	S E	2	
Taichu,	,,	29.83	757.7	...	...	N	6	...	,,	29.88	759.0	...	...	...	0	
Tainan,	,,	29.83	757.8	...	...	W	6	...	,,	29.88	759.0	...	...	...	0	
Koshun	,,	29.35	758.3	...	...	E	6	...	,,	29.88	758.8	...	...	N	2	
Pescadores,	,,	29.85	758.3	...	...	N	6	...	,,	29.88	758.8	...	...	N	5	
Canton,	3 p.	29.80	756.9	86	61	S W	1	b	9 a.	29.88	758.9	81	78	...	0	
Hongkong,	4 p.	29.80	756.9	86	64	N N W	1	o	10 a.	29.89	759.2	82	62	E S E	1	
Victoria Peak,	,,	...	...	...	...	S	1	...	,,	...	...	...	...	E	2	
Gap Rock,	,,	29.79	756.6	...	...	...	0	...	,,	29.86	758.4	...	...	E N E	3	
Macao,	,,	29.81	757.2	83	...	E	1	c	,,	29.90	759.4	82	...	E S E	1	
Wuchow,	3 p.	29.80	756.9	89	...	W	2	c	9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	29.85	758.2	88	88	N W	2	c	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.81	757.2	86	...	S S E	2	c	8 a.	29.88	758.9	81	...	S E	1	
Tourane,	,,	29.79	756.6	79	...	N W	3	c	,,	29.86	758.4	81	..	N	1	
Cape St. James,	,,	29.78	756.5	90	...	W S W	2	c	,,	29.89	759.3	82	...	W	3	
Aparri,	2 p.	29.81	757.2	82	...	S	2	c	6 a.	...	...	...	...	...	...	
Manila,	4 p.	29.84	758	79	92	W S W	3	cd	10 a.	29.92	760	84	77	E S E	0	
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	...	0	
Iloilo,	,,	29.87	758.7	84	...	N W	1	o	,,	29.93	760.2	83	...	...	0	
Cebu,	,,	29.84	757.9	86	...	...	0	o	,,	29.88	758.9	85	...	...	0	
Labuan,	,,	29.80	756.9	89	...	...	...	...	,,	29.89	759.2	85	...	...	...	

On the 30th at 11.59 a.—The barometer has fallen considerably in E. Japan, and risen moderately over Japan and the Loochoos.

The depression is moving away over the Pacific to the E. of Japan.

The other depression remains over Manchuria.

The barometer is inclined to fall on the E. coast of China. It has risen slightly in S. China.

Pressure is highest over the Pacific to the E. of the Loochoos.

Moderate E. winds may be expected in the Formosa Channel and over the northern shores of the China Se

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, moderate ; fair.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 30th May, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	30TH MAY, 1910, P.M.								31ST MAY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ivostock,...	2 p.	29.69	754.0	68	...	...	0	b	7 a.	29.79	756.7	56	72	E	1	b
ro.....	,,	29.79	756.6	...	...	E N E	3	...	6 a.	29.65	753.1	...	...	N	3	...
date,.....	,,	29.73	755.2	...	...	S S W	1	...	,,	29.85	758.2	...	...	W N W	1	...
.....	,,	29.79	756.6	...	...	S	2	...	,,	29.95	760.6	...	...	..	0	...
.....	,,	29.89	759.3	...	...	E S E	1	...	,,	29.95	760.8	...	...	W S W	1	...
aki.	,,	29.93	760.3	...	...	S S W	3	...	,,	29.95	760.8	...	...	...	0	...
hima, ...	,,	29.94	760.4	...	...	S W	2	...	,,	29.98	761.4	...	...	E	1	...
a.....	,,	29.96	761.1	...	...	N E	1	...	,,	29.97	761.1	...	...	...	0	...
.....	,,	29.97	761.2	...	...	E	1	...	,,	29.93	760.2	...	...	S S W	1	...
-kijima,.....	,,	29.91	759.8	...	...	E	4	...	,,	29.82	757.3	...	...	S S W	4	...
ls.....	,,	29.98	761.6	...	...	...	0	...	,,	29.99	761.6	...	...	...	0	...
.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iwei,.....	,,	29.86	758.4	71	...	W S W	6	c	9 a.	29.70	754.4	66	...	S E	7	o
w.	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ang.....	,,	...	...	...	...	...	...	...	,,	..	...	...	...	..	...	...
hai.	,,	29.79	756.6	78	65	S E	4	o	9 a.	29.70	754.4	76	73	S	2	o
ff.	,,	...	...	...	...	...	...	...	,,	29.71	754.6	70	90	S	5	cm
Peak,.....	,,	29.85	758.2	75	...	E N E	3	b	,,	29.80	756.9	74	100	...	0	c
.....	,,	29.83	757.7	83	67	S E	6	c	6 a.	29.81	757.2	75	86	W	4	c
w,.....	,,	29.79	756.6	80	...	E	3	c	,,	29.73	756.4	74	81	N W	2	o
ku.....	1 p.	29.83	757.7	...	...	E	6	...	5 a.	29.82	757.3	...	...	N W	2	...
.....	,,	29.83	757.6	...	...	N	4	...	,,	29.84	757.8	...	...	...	0	...
n.....	,,	29.83	757.6	...	...	N W	6	...	,,	29.83	757.6	...	...	S E	2	...
-n.....	,,	29.85	758.1	...	...	N E	6	...	,,	29.84	757.8	...	...	S	4	...
dores, ...	,,	29.85	758.3	...	...	N E	8	...	,,	29.81	757.0	...	...	N	6	...
.....	3 p.	29.79	756.6	88	56	W	1	b	9 a.	29.83	757.7	81	74	W	1	b
ong.	4 p.	29.80	756.9	80	68	E	3	c	10 a.	29.83	757.7	83	60	W	1	c
ia Peak,...	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	N W	2	...
ock,.....	,,	29.80	756.9	...	...	E	3	...	,,	29.83	757.7	...	...	N E	2	...
.....	,,	29.81	757.2	81	...	S E	1	c	,,	29.85	758.2	81	...	S E	1	c
ow,.....	3 p.	29.81	757.2	87	...	W	1	c	9 a.	29.87	758.7	78	...	W	1	b
w.....	,,	29.82	757.4	85	76	E	2	b	,,	...	...	...	...	...	...	...
d.....	,,	29.81	757.2	93	...	S	2	c	,,	...	...	...	...	...	...	...
n.....	4 p.	29.76	755.8	84	...	S E	3	c	8 a.	29.83	757.7	81	...	S S E	3	o
ie.....	,,	29.76	755.8	84	...	E	1	c	,,	29.80	756.9	84	..	W N W	2	c
d. James,.	,,	29.82	757.4	79	...	N W	3	or	,,	29.88	758.9	79	...	S W	2	lt
.....	2 p.	29.83	757.8	82	...	S	2	o	6 a.	29.86	758.5	72	...	S	2	o
.....	4 p.	29.84	758	88	66	...	0	t	10 a.	29.88	759	86	93	S W	1	o
d.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
d.....	3 p.	...	...	...	...	N N W	3	o	9 a.	...	...	...	...	N N W	3	c
.....	,,	29.83	757.7	86	...	...	0	o	,,	29.89	759.2	83	...	...	0	b
.....	,,	29.83	757.7	85	...	N	1	c	,,	29.89	759.2	85	...	N	1	c
.....	,,	29.81	757.2	89	...	...	...	...	,,	29.89	759.2	85	...	...	...	...

On the 31st at 11.55 a.—The depression lying over the N. part of the Sea of Japan yesterday, is moving into the ...fic to the E. of Hokkaido.

The barometer has risen moderately to slightly in Wladiwostok and S. Japan, and fallen over China, particular... the North.

A depression is moving Eastwards over China to the North of the Lower Yangtze valley.

The highest pressure is shown over the Pacific to the South of Japan.

Moderate to fresh S. and S.W. winds may be expected in the Formosa Channel, and moderate W. or variable ...s over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	Variable or W. winds, moderate ; fair.
ormosa Channel, ...	S. and S.W. winds, moderate to fresh.
outh coast of China between Hongkong and Lamocks,.	Same as No. 1.
outh coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 31st May, 1910.

...ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st MAY, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	1st JUNE, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,...	2 p.	29.80	756.9	61	...	S E	3	b	7 a.	29.76	756.0	56	74	S E	
Nemuro, ...	,,	29.77	756.1	...	...	N N E	4	...	6 a.	30.02	762.6	...	...	N E	
Hakodate, ...	,,	29.87	758.8	...	...	W	3	...	,,	29.99	761.7	...	...	...	
Tokio, ...	,,	29.89	759.1	...	...	S	3	...	,,	29.97	761.1	...	...	...	
Kochi, ...	,,	29.89	759.3	...	...	W S W	1	...	,,	29.89	759.3	...	...	...	
Nagasaki, ...	,,	29.87	758.8	...	...	W	3	...	,,	29.78	756.3	...	...	S E	
Kagoshima, ...	,,	29.90	759.4	...	...	S	1	...	,,	29.74	756.4	...	...	N E	
Oshima, ...	,,	29.89	759.1	...	...	S	4	...	,,	29.81	757.1	...	...	S	
Naba, ...	,,	29.85	758.2	...	...	S S E	1	...	,,	29.85	758.2	...	...	S S W	
Ishigakijima, ...	,,	29.85	758.3	...	...	S W	4	...	,,	29.82	757.3	...	...	S	
Bonin Is.	,,	29.96	761.1	...	...	E	1	...	,,	29.99	761.6	...	...	...	
Chefoo, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Weihaiwei, ...	,,	29.58	751.3	70	...	S S W	3	c	9 a.	29.55	750.5	58	...	W S W	
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Kiukiang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Shanghai, ...	,,	29.61	752.1	...	...	W	3	o	9 a.	29.70	754.4	80	66	N W	
Gutzlaff, ...	,,	29.65	753.1	73	86	S	3	cm	,,	29.66	753.3	71	85	W S W	
Sharp Peak, ...	,,	29.76	755.9	76	...	S E	1	b	,,	29.75	755.6	76	...	...	
Amoy	,,	29.83	757.7	80	74	S E	4	b	6 a.	29.71	754.6	76	90	S E	
Swatow, ...	,,	29.73	755.1	81	74	E	1	c	,,	29.73	755.1	77	86	W	
Taiboku	1 p.	29.79	756.6	...	...	N	4	...	5 a.	29.77	756.2	...	...	...	
Taichu, ...	,,	29.80	756.9	...	...	N	2	...	,,	29.79	756.7	...	...	...	
Tainan, ...	,,	29.85	758.1	...	...	S E	6	...	,,	29.82	757.3	...	...	S E	
Koshun	,,	29.36	758.5	...	...	S E	2	...	,,	29.82	757.3	...	...	...	
Pescadores, ...	,,	29.80	756.9	...	...	S E	8	...	,,	29.78	756.4	...	...	S	
Canton, ...	3 p.	29.73	755.1	88	...	W	1	b	9 a.	29.80	756.9	...	...	S W	
Hongkong, ...	4 p.	29.75	755.6	84	63	S	2	c	10 a.	29.82	757.4	83	70	...	
Victoria Peak, ...	,,	...	...	...	...	S	3	...	,,	...	...	...	...	S S W	
Gap Rock, ...	,,	29.74	755.4	...	...	S	3	...	,,	29.81	757.2	...	...	S W	
Macao, ...	,,	29.77	756.1	82	...	S S E	2	c	,,	29.84	757.9	83	...	W S W	
Wuchow, ...	3 p.	29.76	755.9	87	...	W	1	c	9 a.	29.84	757.7	77	...	N	
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Pakhoi, ...	,,	29.79	756.6	87	66	W	1	c	,,	...	...	...	...	...	
Phulien, ...	4 p.	29.70	754.4	84	...	S E	5	c	8 a.	29.73	755.0	79	...	S E	
Tourane, ...	,,	29.72	754.8	84	...	S E	3	c	,,	29.75	755.7	...	...	...	
Cape St. James, .	,,	29.76	755.8	82	...	S W	4	c	,,	29.84	758.0	82	...	W	
Aparri, ...	2 p.	29.81	757.1	86	...	N E	2	c	6 a.	29.85	758.5	75	...	S	
Manila, ...	4 p.	29.80	757	82	79	...	0	ot	10 a.	29.88	759	84	85	W	
Legaspi, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Bacolod, ...	3 p.	...	...	...	...	E N E	2	c	9 a.	...	...	...	...	...	
Iloilo, ...	,,	29.81	757.2	84	...	...	0	o	,,	29.39	759.2	81	...	...	
Cebu, ...	,,	29.80	756.9	84	...	S	1	c	,,	29.88	758.9	85	...	...	
Labuan, ...	,,	29.78	756.4	88	...	...	...	...	,,	29.34	757.9	85	...	...	

On the 1st at 12.15 p.—The barometer has risen in N.E. Japan the depression having moved away over th
cific.

The depression lying over N. China yesterday, has advanced Eastwards and lies now over the Gulf of Pec
Pressure is giving away over S.W. Japan, and also over Tongking. It is low over the latter area.
The highest pressure is shown over the Pacific to the E. of Japan.
Moderate to fresh S.W. and S. winds may be expected in the Formosa Channel and over the northern sh
the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.W. and S. winds, moderate or fresh; fair a [probably rain
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 1st June, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st JUNE, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd JUNE, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
vostock,...	2 p.	29.72	755.0	60	...	S E	3	o	7 a.	29.58	751.4	53	96	...	0	or
ro.....	,,	30.04	763.1	...	...	N N E	2	...	6 a.	30.10	764.6	...	...	S S E	1	...
date,.....	,,	29.97	761.2	...	...	E S E	5	...	,,	...	...	...	...	E	3	...
.....	,,	29.91	759.6	...	...	S	3	...	,,	29.91	759.6	...	...	S	1	...
.....	,,	29.83	757.8	...	...	N E	1	...	,,	29.76	755.8	...	...	...	0	...
aki, ...	,,	29.71	754.8	...	...	W S W	3	...	,,	29.78	756.3	...	...	W S W	1	...
hima, ...	,,	29.78	756.4	...	...	E N E	1	...	,,	29.78	756.4	...	...	W N W	4	...
a,.....	,,	29.87	758.6	...	...	N	3	...	,,	29.81	757.1	...	...	S	1	...
.....	,,	29.81	757.2	...	...	S W	1	...	,,	29.85	758.2	...	...	...	0	...
kijima,....	,,	...	...	...	...	...	...	...	,,	29.82	757.3	...	...	S S W	2	...
Is.....	,,	29.94	760.6	...	...	N E	1	...	,,	29.95	760.6	...	...	...	0	...
o,.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
siwei,.....	,,	29.62	754.9	65	...	W N W	4	c	9 a.	29.68	753.9	77	...	S W	1	c
ow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ang.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ghai, ...	,,	29.66	753.3	87	36	W N W	3	bm	9 a.	29.70	754.4	79	70	S E	3	c
aff.	,,	29.65	753.1	78	74	W N W	1	bm	,,	29.68	753.9	69	95	S S E	4	f
Peak,.....	,,	29.71	754.6	78	90	S S E	1	c	,,	29.78	756.4	77	100	...	0	or
.....	,,	29.72	754.9	83	71	S E	4	c	6 a.	29.66	753.3	86	92	S E	2	c
w,.....	,,	29.70	754.4	87	62	S	1	c	,,	...	...	...	...	...	...	...
ku.....	1 p.	29.78	756.5	...	...	S E	6	...	5 a.	29.80	756.8	...	...	...	0	...
u.	,,	29.78	756.5	...	...	W	4	...	,,	29.81	757.1	...	...	...	0	...
n.....	,,	29.84	757.9	...	...	S	6	...	,,	29.82	757.5	...	...	S E	2	...
m.....	,,	29.85	758.2	...	...	S W	2	...	,,	29.84	757.8	...	...	...	0	...
dores, ...	,,	29.80	757.0	...	...	S W	6	...	,,	29.80	756.9	...	...	S W	4	...
n.....	3 p.	29.74	755.4	86	61	S W	1	b	9 a.	29.75	755.6	81	83	E	1	or
kong, ...	4 p.	29.76	755.9	82	61	S W	2	o	10 a.	29.80	756.9	74	94	S S E	3	or
ia Peak,...	,,	...	...	...	...	S	5	...	,,	...	...	...	...	S	4	...
ock,.....	,,	29.75	755.6	...	...	S S W	3	...	,,	29.76	755.9	...	...	S E	4	...
.....	,,	29.77	756.1	82	...	S	2	c	,,	29.78	756.4	78	...	S E	2	or
ow,.....	3 p.	29.80	756.9	77	...	S E	1	or	9 a.	...	...	...	...	...	...	...
w.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
i.....	,,	29.74	755.4	78	95	N E	1	or	,,	...	...	...	...	...	...	...
n,.....	4 p.	29.64	752.9	82	...	E S E	5	lt	8 a.	29.70	754.5	79	...	E S E	4	o
ne.	,,	29.72	754.9	86	...	S E	1	c	,,	29.76	755.9	82	..	W	1	c
t. James,.	,,	29.74	755.4	82	...	W S W	3	c	,,	...	...	...	...	...	...	...
i.....	2 p.	29.81	757.1	88	...	N	2	c	6 a.	29.84	757.8	75	...	S W	2	c
s.	4 p.	29.76	756	86	71	E S E	0	o	10 a.	29.84	758	90	66	S E	1	b
pi.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
d,.....	3 p.	...	...	...	...	E S E	2	o	9 a.	...	...	...	...	E	1	c
.....	,,	29.81	757.2	86	...	S	1	c	,,	29.89	759.2	85	...	N E	1	b
.....	,,	29.80	756.9	87	...	N	1	b	,,	29.88	758.9	85	...	N	1	c
.....	,,	29.78	756.4	89	...	...	...	...	,,	29.83	757.7	87	...	...	...	...

... at 11.55 a.—The barometer has risen on the N.E. coast of China and fallen in Wladiwostok.

... ion lying over the Gulf of Pechili yesterday, is moving into the N.W. part of the Sea of Japan.

The barometer has fallen slightly over Tongking and the S. coast of China, and risen a little over the E. coast Formosa.

Pressure is low over China between Tongking and the Lower Yangtze valley. It remains high to the N.E. of ...an.

Moderate to fresh S.E. and S. winds may be expected in the Formosa Channel and over the northern shores of China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.76 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	S.E. and S. winds, moderate or fresh; squally, [thunder showers.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan....	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 2nd June, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd June, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	3rd June, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.60	751.8	52	...	...	0	or	7 a.	29.72	754.9	49	99	...	0	[illegible]
Nemuro,	,,	30.06	763.6	...	...	S S E	2	...	6 a.	30.06	763.6	...	...	S E	2	[illegible]
Hakodate,	,,	29.89	759.2	...	...	E S E	6	...	,,	29.83	757.7	...	...	E S E	1	[illegible]
Tokio,	,,	29.91	759.6	...	...	S	1	...	,,	29.93	760.1	...	...	...	0	[illegible]
Kochi,	,,	29.74	755.3	...	...	S E	1	...	,,	29.86	753.3	...	...	W S W	1	[illegible]
Nagasaki,	,,	29.73	756.3	...	...	W	2	...	,,	29.82	757.3	...	...	S E	1	[illegible]
Kagoshima,	,,	29.80	756.9	...	...	N	2	...	,,	29.83	758.9	...	...	E	4	[illegible]
Oshima,	,,	29.83	757.6	...	...	N	1	...	,,	29.83	757.6	...	...	...	0	[illegible]
Naha,	,,	29.85	758.2	...	...	S	3	...	,,	29.83	757.7	...	...	S W	1	[illegible]
Ishigakijima,	,,	29.82	757.3	...	...	S S W	6	...	,,	29.82	757.3	...	...	S W	3	[illegible]
Bonin Is.	,,	29.98	761.6	...	...	W	1	...	,,	29.91	759.8	...	...	S E	1	[illegible]
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Weihaiwei,	,,	29.62	752.3	80	...	S S W	7	c	9 a.	29.55	750.5	72	...	S S E	3	[illegible]
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Kinkiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Shanghai,	,,	29.60	751.8	83	62	S S E	3	c	9 a.	29.58	751.3	84	64	S S W	2	[illegible]
Gutzlaff,	,,	29.62	752.3	74	90	S S E	3	cm	,,	29.61	752.1	72	90	S S E	4	[illegible]
Sharp Peak,	,,	29.72	754.9	77	...	...	0	o	,,	29.73	755.1	75	90	S W	2	[illegible]
Amoy,	,,	29.77	756.1	75	90	S	3	or	6 a.	29.76	755.9	74	90	N E	2	[illegible]
Swatow,	,,	29.74	755.4	82	87	...	0	b	,,	29.72	754.9	74	100	S W	1	[illegible]
Taihoku,	1 p.	29.78	756.3	...	...	N	4	...	5 a.	29.73	756.5	...	...	...	0	[illegible]
Taichu,	,,	29.77	756.1	...	...	W	4	...	,,	29.80	757.0	...	...	...	0	[illegible]
Tainan,	,,	29.80	757.0	...	...	S	2	...	,,	29.82	757.4	...	...	S E	2	[illegible]
Koshun,	,,	29.83	757.7	...	...	W	4	...	,,	29.83	757.7	...	...	...	0	[illegible]
Pescadores,	,,	29.82	757.3	...	...	S W	4	...	,,	29.79	756.6	...	...	...	0	[illegible]
Canton,	3 p.	29.71	754.6	79	87	S E	1	or	9 a.	29.76	755.9	78	91	S E	1	[illegible]
Hongkong,	4 p.	29.75	755.6	74	96	W	1	ort	10 a.	29.81	757.2	76	95	...	0	[illegible]
Victoria Peak,	,,	...	...	...	...	W N W	6	...	,,	...	...	...	...	S	5	[illegible]
Gap Rock,	,,	29.70	754.4	...	...	S S E	4	...	,,	29.77	756.1	...	...	S S W	4	[illegible]
Macao,	,,	29.75	755.6	74	...	W N W	3	or	,,	29.80	756.9	75	...	S S W	2	[illegible]
Wuchow,	3 p.	29.71	754.6	78	91	S E	1	or	9 a.	...	...	...	...	...	...	[illegible]
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
[illegible]	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
[illegible]	4 p.	29.57	751.0	84	...	S S E	4	c	8 a.	29.67	753.6	82	...	S	2	[illegible]
[illegible]	,,	29.65	753.1	84	...	S E	2	c	,,	29.74	755.3	86	...	...	0	[illegible]
[illegible] James,	,,	29.72	755.0	93	...	S S W	3	c	,,	29.84	758.0	84	...	S W	2	[illegible]
[illegible]	2 p.	29.79	756.7	88	...	N W	2	d	6 a.	...	...	...	...	...	...	[illegible]
[illegible]	4 p.	29.76	756	86	71	S W	1	c	10 a.	29.84	758	84	77	W	1	[illegible]
[illegible]	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
[illegible]	3 p.	...	...	...	...	N N W	3	c	9 a.	...	...	...	...	...	0	[illegible]
[illegible]	,,	29.79	756.6	88	...	...	0	b	,,	29.87	758.7	84	...	N	1	[illegible]
[illegible]	,,	29.80	756.9	89	...	N	1	b	,,	29.87	758.7	86	...	N	1	[illegible]
[illegible]	,,	29.73	755.1	90	...	...	...	...	,,	29.84	757.9	85	...	...	...	[illegible]

[illegible] On the 3rd at 12.05 p.—The barometer has risen moderately to slightly in Wladiwostok and S. Japan, and fell moderately over N. China.

A depression, which probably is moving Eastwards, is lying over China to the North of the Yangtze valley.

Pressure remains high over the Pacific to the E. of Japan.

Fresh S. and S.W. winds may be expected in the Formosa Channel and over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 8.52 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. and S.W. winds, fresh; squally, thunder storms.
2.—Formosa Channel,	S. and S.W. winds, fresh or strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 3rd June, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	3RD JUNE, 1910, P.M.								4TH JUNE, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivostock,	2 p.	29.74	755.3	50	...	S	1	o	7 a.	29.67	753.5	51	95	...	0	o
ro,	,,	30.04	763.1	...	...	S E	2	...	6 a.	30.08	764.1	...	...	S E	2	...
date,	,,	29.89	759.2	...	...	S S E	1	...	,,	29.91	759.7	...	...	E	2	...
	,,	29.83	757.6	...	...	...	0	...	,,	29.83	757.6	...	...	E S E	1	...
i,	,,	29.82	757.3	...	...	E S E	1	...	,,	29.78	756.3	...	...	S W	1	...
aki,	,,	29.76	755.8	...	...	S	2	...	,,	29.66	753.3	...	...	E S E	4	...
hima,	,,	29.80	756.9	...	...	...	0	...	,,	29.74	755.4	...	...	E	1	...
a,	,,	29.81	757.1	...	...	N	1	...	,,	29.75	755.6	...	...	S W	2	...
	,,	...	...	...	...	...	...	...	,,	29.81	757.2	...	...	S S W	1	...
kijima,	,,	29.82	757.3	...	...	S W	4	...	,,	29.78	756.3	...	...	S S W	3	...
Is.	,,	29.93	760.1	...	...	N W	1	...	,,	29.91	759.6	...	...	...	0	...
o.	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
aiwei,	,,	29.49	749.0	67	...	S S W	2	c	9 a.	29.44	747.8	65	84	W S W	5	c
ow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hai,	,,	29.47	748.6	93	46	W S W	3	c	9 a.	29.58	751.3	87	65	W	3	c
aff,	,,	29.52	749.8	78	82	S	3	bm	,,	...	...	...	...	...	...	...
Peak,	,,	29.66	753.3	77	90	S	3	c	,,	29.72	754.9	77	95	S S E	1	b
	,,	29.64	752.8	78	90	S E	1	o	6 a.	29.74	755.4	76	91	S E	2	b
w,	,,	29.71	754.6	83	79	S	1	o	,,	...	...	...	...	...	...	...
ku,	1 p.	29.79	756.6	...	...	W	2	...	5 a.	29.71	755.4	...	...	S E	2	...
n,	,,	29.84	758.0	...	...	S	4	...	,,	29.80	757.0	...	...	...	0	...
n,	,,	29.87	758.6	...	...	N E	4	...	,,	29.81	757.1	...	...	E	2	...
un,	,,	29.83	757.6	...	...	S W	4	...	,,	29.82	757.5	...	...	...	0	...
dores,	,,	29.83	757.8	...	...	S	4	...	,,	29.78	756.5	...	...	S	4	...
n,	3 p.	29.69	754.1	82	79	S W	3	c	9 a.	...	...	...	...	...	...	...
kong,	4 p.	29.70	754.4	78	91	N W	1	op	10 a.	29.77	756.1	80	87	S S W	4	odqlt
ria Peak,	,,	...	...	...	...	S	5	...	,,	...	...	...	...	S	8	...
Rock,	,,	29.68	753.9	...	...	S S W	3	...	,,	29.74	755.4	...	...	S S W	4	...
o,	,,	29.72	754.9	76	...	S	2	od	,,	29.76	755.9	79	...	S	3	od
ow,	3 p.	29.68	753.9	75	...	S W	7	rqlt	9 a.	...	...	...	...	...	...	...
ow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ien,	4 p.	29.54	750.4	88	...	S S E	7	lt	8 a.	29.65	753.2	81	...	S	5	o
ane,	,,	29.64	752.8	86	...	S E	2	c	,,	29.71	754.7	86	...	E S E	2	c
St. James,	,,	29.72	755.0	86	...	S	2	c	,,	29.80	757.0	86	...	S W	1	c
ri,	2 p.	29.79	756.7	88	...	S	0	c	6 a.	29.82	757.5	77	...	S	2	c
la,	4 p.	29.72	755	86	79	W	0	c	10 a.	29.84	758	86	71	S S W	1	b
spi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
od,	3 p.	...	...	...	...	N N W	3	o	9 a.	...	...	...	...	N	2	c
	,,	29.77	756.1	89	...	N E	1	o	,,	29.83	757.7	83	...	...	0	o
	,,	29.77	756.1	89	...	N	1	b	,,	29.87	758.7	85	...	N	1	b
n,	,,	29.76	755.9	87	...	...	...	...	,,	29.79	756.6	85	...	...	...	...

On the 4th at 11.45 a.—The barometer has fallen moderately over the N.E. coast of China and S. Japan.

The depression in the North is moving Eastwards over the Gulf of Pechili.

Pressure is still low and inclined to give away over S. China and Tongking. It remains high over the Pacific to N.E. of Japan.

Fresh to strong S. and S.W. winds may be expected in the Formosa Channel and over the northern shores of China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.52 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	S. and S.W. winds, fresh or strong; squally, thunder [storms.
Formosa Channel,	S. and S.W. winds, fresh or strong.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 4th June, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th June, 1910, P.M.								5th June, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.58	751.3	54	...	S E	6	o	7 a.	29.36	745.7	57	...	E	8	[illegible]
Nemuro,	,,	30.10	764.6	...	...	S S E	3	...	6 a.	30.14	765.6	...	...	E S E	3	[illegible]
Hakodate,	,,	29.89	759.2	...	...	E S E	6	...	,,	29.93	760.2	...	...	E	0	[illegible]
Tokio,	,,	29.77	756.1	...	...	S S E	1	...	,,	29.89	759.1	...	...	E	1	[illegible]
Kochi,	,,	29.76	755.8	...	...	...	0	...	,,	29.78	756.3	...	...	S W	1	[illegible]
Nagasaki,	,,	29.64	752.8	...	...	S	4	...	,,	29.76	755.8	...	...	W S W	1	[illegible]
Kagoshima,	,,	29.70	754.4	...	...	S E	1	...	,,	29.76	755.9	...	...	W	1	[illegible]
Oshima,	,,	...	...	...	...	...	...	...	,,	29.81	757.1	...	...	S	1	[illegible]
Naha,	,,	29.81	757.2	...	...	S S W	1	...	,,	29.85	758.2	...	...	S S W	1	[illegible]
Ishigakijima,	,,	29.80	756.8	...	...	S	3	...	,,	29.80	756.8	...	...	S S W	4	[illegible]
Bonin Is.	,,	29.89	769.1	...	...	S W	1	...	,,	29.91	759.6	...	...	W	1	[illegible]
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Weihaiwei,	,,	29.51	749.5	64	...	W N W	4	o	9 a.	...	...	...	...	...	...	[illegible]
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Shanghai,	,,	29.59	751.5	89	50	N N E	2	c	9 a.	29.81	757.2	64	95	E S E	2	or
Gutzlaff,	,,	29.59	751.6	83	75	N W	3	bm	,,	29.78	756.4	67	84	E N E	4	or
Sharp Peak,	,,	29.63	752.6	78	86	S W	4	b	,,	29.77	756.1	79	100	...	0	c
Amoy,	,,	29.73	755.1	86	75	...	0	o	6 a.	29.76	755.9	78	82	S W	1	o
Swatow,	,,	29.74	755.4	78	90	W	2	or	,,	29.73	755.1	75	95	S W	2	b
Taihoku,	1 p.	29.74	755.4	...	...	W	6	...	5 a.	29.77	756.1	...	...	...	0	[illegible]
Taichu,	,,	29.79	756.6	...	...	S E	4	...	,,	29.79	756.6	...	...	...	0	[illegible]
Tainan,	,,	29.82	757.3	...	...	W	6	...	,,	29.81	757.2	...	...	S E	2	[illegible]
Koshun	,,	29.82	757.3	...	...	W	6	...	,,	29.83	757.7	...	...	...	0	[illegible]
Pescadores,	,,	29.80	757.0	...	...	S	6	...	,,	29.73	756.4	...	...	S	6	[illegible]
Canton,	3 p.	29.71	754.6	80	91	S E	1	or	9 a.	29.79	756.6	79	95	S E	2	or
Hongkong,	4 p.	29.73	755.1	76	95	E	1	od	10 a.	29.85	758.2	83	80	S	3	o
Victoria Peak,	,,	...	...	...	...	S	5	...	,,	...	...	...	...	S W	5	[illegible]
Gap Rock,	,,	29.68	753.9	...	...	E	4	...	,,	29.80	756.9	...	...	S	4	[illegible]
Macao,	,,	29.72	754.9	80	...	S	3	od	,,	29.85	758.2	80	...	S	3	o
Wuchow,	3 p.	29.68	753.9	80	...	E	2	or	9 a.	...	...	...	...	...	...	[illegible]
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Pakhoi,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Phulien,	4 p.	29.54	750.3	84	...	S S E	6	c	8 a.	29.68	753.9	82	...	S S E	6	o
Tourane,	,,	29.61	752.2	84	...	S E	3	c	,,	29.77	756.1	88	..	S	1	c
Cape St. James,	,,	29.70	754.4	86	...	S	2	c	,,	29.83	757.7	82	...	S W	2	c
Aparri,	2 p.	29.78	756.4	88	...	N E	2	b	6 a.	29.84	757.8	77	...	S	2	b
Manila,	4 p.	29.72	755	90	60	S E	2	c	10 a.	29.88	759	93	51	E	1	c
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Bacolod,	3 p.	...	...	...	...	E	2	o	9 a.	...	...	...	...	...	0	c
Iloilo,	,,	29.77	756.1	87	...	N E	1	b	,,	29.89	759.2	84	...	N E	1	b
Cebu,	,,	29.75	755.6	87	...	N	1	c	,,	29.87	758.7	85	...	N	1	b
Labuan,	,,	29.68	753.9	88	...	...	...	...	,,	...	...	...	...	...	...	[illegible]

On the 5th at 12.05 p.—The depression in the North has moved Eastwards and approached the neighbourhood of Wladiwostok.

The barometer has risen over the China coast, particularly in the North.

Pressure remains low apparently, over W. China. It is still high over the Pacific to the NE of Japan.

Fresh S. winds may be expected in the Formosa Channel and over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.49 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, fresh ; squally, showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 5th June, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th JUNE, 1910, P.M.								6th JUNE, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
divostock,	2 p.	29.44	747.7	58	...	S E	4	c	7 a.	29.52	749.8	52	96	...	0	or
uro,	,,	30.08	764.1	...	...	N E	3	...	6 a.	29.99	761.6	...	...	S E	4	...
odate,	,,	29.91	759.7	...	...	E S E	6	...	,,	29.67	753.7	...	...	...	0	...
io,	,,	29.87	758.6	...	...	S	1	...	,,	29.57	751.1	...	...	N N W	1	...
hi,	,,	29.78	756.3	...	...	S W	1	...	,,	29.74	755.3	...	...	W	1	...
asaki,	,,	29.80	756.8	...	...	N	3	...	,,	29.80	756.3	...	...	...	0	...
oshima,	,,	29.80	756.9	...	...	...	0	...	,,	29.80	756.9	...	...	N	1	...
ima,	,,	29.81	757.1	...	...	S W	2	...	,,	29.83	757.6	...	...	S W	2	...
a,	,,	29.87	758.7	...	...	S S W	2	...	,,	29.87	758.7	...	...	S S W	1	...
gakijima,	,,	29.87	758.8	...	...	S S W	4	...	,,	29.83	758.8	...	...	S	1	...
in Is,	,,	29.91	759.6	...	...	N W	1	...	,,	29.91	759.6	...	...	N W	1	...
foo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
haiwei,	,,	29.66	753.3	69	...	W	8	b	9 a.	29.73	755.1	70	...	N N W	5	b
kow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ghai,	,,	29.82	757.4	70	80	S	2	od	9 a.	29.83	757.7	67	84	S	1	omd
zlaff,	,,	29.80	756.9	67	90	S E	3	ov	,,	29.84	757.9	63	94	E	2	omd
p Peak,	,,	29.73	755.1	80	...	S E	3	c	,,	29.79	756.6	80	91	E N E	1	b
y,	,,	29.77	756.1	83	79	S W	1	b	6 a.	29.77	756.1	78	86	S	3	b
tow,	,,	29.74	755.4	82	87	S S W	2	o	,,	29.83	757.7	77	95	S W	1	c
okn,	1 p.	29.83	757.7	...	...	W	6	...	5 a.	29.83	757.7	...	...	...	0	...
du,	,,	29.87	758.6	...	...	W	4	...	,,	29.88	758.9	...	...	...	0	...
an,	,,	29.89	759.1	...	...	S W	4	...	,,	29.89	759.2	...	...	...	0	...
hm,	,,	29.89	759.1	...	...	W	2	...	,,	29.82	759.0	...	...	...	0	...
cadores,	,,	29.89	759.2	...	...	S W	6	...	,,	29.86	758.5	...	...	S	4	...
ie,	3 p.	29.75	755.6	82	90	S E	1	o	9 a.	29.83	757.7	81	87	...	0	c
gkong,	4 p.	29.78	756.4	82	83	S	2	cq	10 a.	29.87	758.7	84	75	S S W	1	c
oria Peak,	,,	...	...	...	...	S W	7	...	,,	...	...	...	...	S	6	...
Rock,	,,	29.76	755.9	...	...	S	4	...	,,	29.84	757.9	...	...	S S W	4	...
ao,	,,	29.78	756.4	80	...	S	3	o	,,	29.87	758.7	83	...	S	3	c
chow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
ow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hei,	,,	29.70	754.4	86	80	S	3	o	,,	...	...	...	...	...	...	...
lien,	4 p.	29.60	751.9	91	...	S S E	1	b	8 a.	29.77	756.1	82	...	S S E	6	c
ame,	,,	29.70	754.4	86	...	S E	3	c	,,	29.81	757.2	84	...	S S W	3	c
St. James,	,,	29.75	755.6	86	...	S S W	2	c	,,	29.86	758.4	81	...	N W	1	o
ri,	2 p.	29.83	757.7	91	...	S	2	b	6 a.	29.90	759.5	79	...	S W	2	b
ila,	4 p.	29.80	757	86	79	S E	1	o	10 a.	29.92	760	86	94	N W	1	c
spi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
dod,	3 p.	...	...	...	...	S E	2	c	9 a.	...	...	...	...	N W	1	c
o,	,,	29.81	757.2	87	...	N E	1	b	,,	29.91	759.7	83	...	N E	1	b
,	,,	29.80	756.9	88	...	N	1	b	,,	29.90	759.4	85	...	N	1	b
an,	,,	29.79	756.6	86	...	...	...	...	,,	29.88	758.9	83	...	...	...	...

On the 6th at 12.05 p.—The barometer has fallen quickly in E. Japan owing to the depression which is moving stwards over the Sea of Japan.

The barometer has risen moderately to slightly over the China coast and at the Southern stations, and pressure now high over the Pacific between Luzon and the Bonins.

Moderate or fresh S. winds may be expected in the Formosa Channel and over the northern shores of the China a.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	S. winds, fresh to moderate; showery.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 6th June, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th JUNE, 1910, P.M.								7th JUNE, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.52	749.8	54	...	E	2	or	7 a.	29.54	750.3	50	92	...	0	[illegible]
Nemuro,	,,	29.93	760.1	...	...	S E	4	...	6 a.	29.47	748.6	...	...	E S E	8	[illegible]
Hakodate,	,,	29.61	752.2	...	...	...	0	...	,,	29.46	748.2	...	...	...	0	[illegible]
Tokio,	,,	29.51	749.6	...	...	E	1	...	,,	29.59	751.6	...	...	N	1	[illegible]
Kochi,	,,	29.70	754.3	...	...	...	0	...	,,	29.70	754.3	...	...	...	0	[illegible]
Nagasaki,	,,	29.78	756.3	...	...	W	1	...	,,	29.74	755.3	...	...	W	1	[illegible]
Kagoshima,	,,	29.80	756.9	...	...	S W	1	...	,,	29.76	755.9	...	...	N N W	1	[illegible]
Oshima,	,,	29.79	756.6	...	...	S W	2	...	,,	29.77	756.1	...	...	...	0	[illegible]
Naha,	,,	29.85	758.2	...	...	S	2	...	,,	29.81	757.2	...	...	S W	1	[illegible]
Ishigakijima,	,,	29.87	758.8	...	...	S	4	...	,,	29.86	758.3	...	...	S S W	2	[illegible]
Bonin Is.	,,	29.89	759.1	...	...	W	1	...	,,	29.87	758.6	...	...	S W	1	[illegible]
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Weihaiwei,	,,	29.79	756.6	75	...	W N W	3	b	9 a.	29.78	756.4	75	...	W N W	2	[illegible]
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Shanghai,	,,	29.77	756.1	78	61	S S W	1	c	9 a.	29.79	756.6	71	80	S	1	[illegible]
Gutzlaff,	,,	29.80	756.9	68	90	S S E	2	om	,,	29.81	757.2	67	95	S	2	[illegible]
Sharp Peak,	,,	29.75	755.6	81	...	S E	2	c	,,	29.80	756.9	78	86	E N E	1	[illegible]
Amoy,	,,	29.77	756.1	85	76	S S E	5	c	6 a.	29.79	756.6	79	87	S W	3	[illegible]
Swatow,	,,	29.79	756.6	89	66	S W	1	b	,,	29.82	757.4	78	90	S W	1	[illegible]
Taihoku,	1 p.	29.81	757.2	...	...	W	6	...	6 a.	29.80	757.0	...	...	S W	2	[illegible]
Taichu,	,,	29.87	758.7	...	...	W	4	...	,,	29.83	757.7	...	...	...	0	[illegible]
Tainan,	,,	29.91	759.6	...	...	W	2	...	,,	29.89	759.3	...	...	...	0	[illegible]
Koshun,	,,	29.38	758.9	...	...	W	6	...	,,	29.37	758.7	...	...	N W	4	[illegible]
Pescadores,	,,	29.88	759.0	...	...	S E	6	...	,,	29.86	758.4	...	...	S W	4	[illegible]
Canton,	3 p.	29.76	755.9	88	76	S	1	b	9 a.	...	...	...	...	...	...	[illegible]
Hongkong,	4 p.	29.81	757.2	83	82	S S E	1	op	10 a.	29.88	758.9	84	75	S W	2	[illegible]
Victoria Peak,	,,	...	...	...	...	S	7	...	,,	...	...	...	...	S	6	[illegible]
Gap Rock,	,,	29.79	756.6	...	...	S	4	...	,,	29.85	758.2	...	...	S S W	4	[illegible]
Macao,	,,	29.83	757.7	83	...	S	3	c	,,	29.83	758.9	83	...	S S W	3	[illegible]
Wuchow,	3 p.	29.72	754.9	84	...	S	...	c	9 a.	...	...	...	...	...	...	[illegible]
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Phulien,	4 p.	29.70	754.3	84	...	S S E	6	c	8 a.	29.77	756.2	82	...	S S E	5	[illegible]
Tourane,	,,	29.75	755.7	84	...	S E	3	c	,,	29.83	757.6	82	...	S E	2	[illegible]
Cape St. James,	,,	29.78	756.4	79	...	S E	2	or	,,	29.86	758.5	75	...	N	2	[illegible]
Aparri,	2 p.	29.86	758.5	91	...	N E	2	b	6 a.	29.89	759.2	77	...	S W	2	[illegible]
Manila,	4 p.	29.80	757	91	55	S E	3	c	10 a.	29.92	760	86	65	W S W	1	[illegible]
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N N W	1	[illegible]
Iloilo,	,,	29.83	757.7	87	...	...	1	o	,,	29.91	759.7	84	...	N N E	1	[illegible]
Cebu,	,,	29.84	757.9	88	...	N	1	c	,,	29.88	758.9	86	...	N	1	[illegible]
Labuan,	,,	29.81	757.2	86	...	...	...	...	,,	29.92	759.9	83	...	...	...	[illegible]

On the 7th at 11.55 a.—The barometer has fallen quickly in N.E. Japan owing to the depression, which is moving slowly Eastwards over Hokkaido.

Barometric changes in other areas are slight.

Pressure is high over the N. part of the China Sea and the Pacific towards the Bonins, and relatively low in the Yangtze valley.

Moderate or fresh S. and S.W. winds may be expected in the Formosa Channel and over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, moderate or fresh; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 7th June, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th June, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	8th June, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
divostock,	2 p.	29.51	749.5	65	...	N N W	0	b	7 a.	29.58	751.3	50	95	...	0	f
auro,	,,	29.51	749.6	...	...	S	5	...	6 a.	29.49	749.1	...	...	N W	1	...
odate,	,,	29.46	748.2	...	...	S W	3	...	,,	29.54	750.2	...	...	W N W	1	...
io,	,,	29.55	750.6	...	...	S	2	...	,,	29.69	754.1	...	...	...	0	...
hi,	,,	29.66	753.3	...	...	S E	1	...	,,	29.72	754.8	...	...	W	1	...
asaki,	,,	29.74	755.3	...	...	W	3	...	,,	29.74	755.3	...	...	...	0	...
oshima,	,,	29.76	755.9	...	...	W	1	...	,,	29.78	756.4	...	...	N N W	1	...
ima,	,,	29.83	757.6	...	...	...	0	...	,,	29.69	754.1	...	...	S S W	3	...
a,	,,	29.83	757.7	...	...	S W	2	...	,,	29.79	756.7	...	...	S S W	1	...
gakijima,	,,	29.82	757.3	...	...	S W	4	...	,,	29.78	756.3	...	...	S	5	...
in Is,	,,	29.87	758.6	...	...	S W	1	...	,,	29.87	758.6	...	...	S W	2	...
foo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ihaiwei,	,,	29.78	756.4	72	...	...	0	...	9 a.	29.80	756.9	76	...	W N W	1	b
ikow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
nghai,	,,	29.78	756.4	62	94	S S E	3	or	9 a.	29.79	756.6	67	84	E N E	2	or
zlaff,	,,	29.79	756.6	63	89	S S E	2	omd	,,	29.76	755.6	62	89	E S E	4	omr
rp Peak,	,,	29.74	755.4	78	...	...	0	o	,,	29.72	754.9	80	87	S W	3	b
oy,	,,	29.72	754.9	86	76	S	5	c	6 a.	29.75	755.6	80	78	S	3	b
tow,	,,	29.75	755.6	92	64	S S W	1	b	,,	29.78	756.4	80	78	S W	1	b
hoku,	1 p.	29.78	756.4	...	...	W	6	...	5 a.	...	...	...	...	...	...	...
hu,	,,	29.84	758.0	...	...	W	4	...	,,	...	...	...	...	...	...	...
an,	,,	29.84	758.0	...	...	W	4	...	,,	...	...	...	...	...	...	...
hun,	,,	29.87	758.6	...	...	W	8	...	,,	...	...	...	...	...	...	...
adores,	,,	29.87	758.6	...	...	S W	6	...	,,	...	...	...	...	...	...	...
ton,	3 p.	29.75	755.6	89	69	S W	1	b	9 a.	29.83	757.7	84	79	S	1	b
gkong,	4 p.	29.80	756.9	85	74	S W	2	c	10 a.	29.87	758.7	85	72	S W	3	cq
oria Peak,	,,	...	...	...	...	S S W	5	...	,,	...	...	...	...	S	5	...
Rock,	,,	29.78	756.4	...	...	S W	4	...	,,	29.86	758.4	...	...	S W	5	...
ao,	,,	29.80	756.9	84	...	S	3	c	,,	29.88	758.9	83	...	S S W	3	ot
shew,	3 p.	29.72	754.9	88	...	S E	1	c	9 a.	...	...	...	...	...	...	...
ow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
lien,	4 p.	29.68	753.9	84	...	S S E	7	c	8 a.	29.79	756.6	82	...	S S E	6	o
ane,	,,	29.71	754.6	82	...	S E	3	c	,,	29.81	757.2	84	..	N N W	2	c
St. James,	,,	29.78	756.3	81	...	E N E	5	c	,,	29.85	758.1	82	...	..	0	c
ri,	2 p.	29.85	758.2	90	...	N	2	b	6 a.	29.89	759.2	77	...	S W	2	b
ila,	4 p.	29.80	757	90	60	S S W	0	o	10 a.	29.83	759	86	71	W N W	1	c
ipd,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
lod,	3 p.	...	...	...	...	N W	3	o	9 a.	...	...	...	...	N N W	2	o
o,	,,	29.85	758.2	88	...	S	2	c	,,	29.91	759.7	84	...	N E	1	b
,	,,	29.83	757.7	88	...	N	2	b	,,	29.87	758.7	84	...	N E	1	c
an,	,,	29.82	757.4	87	...	...	...	...	,,	29.89	759.2	82	...	...	...	...

On the 8th at 12.05 p.—The depression lying over N.E. Japan yesterday, is moving into the Pacific.

The barometer has risen slightly over Japan, and fallen moderately to slightly over the E. coast of China and e Loochoos.

A depression appears to be developing over the Eastern Sea.

Pressure is highest over the N. part of the China Sea and the Pacific towards the Bonins.

Fresh or strong S. and S.W. winds may be expected in the Formosa Channel and over the northern shores of e China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	S. and S.W. winds, fresh; fair, squally.
Formosa Channel,	S.W. winds, fresh to strong.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 8th June, 1910.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th June, 1910, P.M.								9th June, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.52	749.9	62	...	...	0	or	7 a.	29.61	752.0	51	96	...	0	
Nemuro,	,,	29.39	746.6	...	...	S S W	3	...	6 a.	29.41	747.1	...	...	S	1	
Hakodate,	,,	29.63	752.7	...	...	W	3	...	,,	29.62	752.2	...	...	W	1	
Tokio,	,,	29.65	753.1	...	...	S	2	...	,,	29.71	754.6	...	...	...	0	
Kochi,	,,	29.74	755.3	...	...	W N W	1	...	,,	29.76	755.8	...	...	S W	1	
Nagasaki,	,,	29.76	755.8	...	...	W	2	...	,,	29.80	756.8	...	...	S E	1	
Kagoshima,	,,	29.78	756.4	...	...	W S W	1	...	,,	29.80	756.9	...	...	N	1	
Oshima,	,,	29.71	754.6	...	...	...	0	...	,,	29.75	755.6	...	...	N W	1	
Naha,	,,	29.79	756.7	...	...	S W	2	...	,,	29.79	756.7	...	...	S W	1	
Ishigakijima,	,,	...	...	...	...	...	0	...	,,	29.78	756.3	...	...	S	5	
Bonin Is.	,,	29.87	758.6	...	...	S W	1	...	,,	29.91	759.6	...	...	S	1	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.79	756.6	75	...	E N E	2	b	9 a.	29.75	755.6	72	...	S S W	3	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Shanghai,	,,	29.80	756.9	67	74	S S E	3	o	9 a.	29.72	754.9	65	100	S E	2	
Gutzlaff,	,,	29.80	756.9	62	89	E S E	3	ovp	,,	29.71	754.6	65	94	E S E	4	
Sharp Peak,	,,	29.70	754.4	81	...	S S E	2	c	,,	29.70	754.4	82	87	S W	3	
Amoy,	,,	29.72	754.9	88	66	S	5	c	6 a.	29.74	755.4	81	74	S	4	
Swatow,	,,	29.74	755.4	93	64	S W	2	b	,,	29.77	756.1	80	72	S W	1	
Taihoku,	1 p.	29.74	755.5	...	...	W	8	...	5 a.	29.76	755.9	...	...	S	2	
Taichu,	,,	29.85	758.2	...	...	W	6	...	,,	29.84	758.0	...	...	S E	2	
Tainan,	,,	29.90	759.5	...	...	W	4	...	,,	29.87	758.7	...	...	S E	2	
Koshun,	,,	29.85	758.2	...	...	W	8	...	,,	29.85	758.2	...	...	N W	6	
Pescadores,	,,	29.87	758.6	...	...	S	6	...	,,	29.83	757.6	...	...	S	6	
Canton,	3 p.	29.74	755.4	91	60	S W	2	b	9 a.	29.79	756.6	85	76	S	2	
Hongkong,	4 p.	29.80	756.9	85	71	S W	4	cq	10 a.	29.85	758.2	83	74	S S W	2	
Victoria Peak,	,,	...	...	...	...	W	4	...	,,	...	...	...	...	S	5	
Gap Rock,	,,	29.78	756.4	...	...	S W	5	...	,,	29.82	757.4	...	...	S W	5	
Macao,	,,	29.80	756.9	84	...	S S W	3	c	,,	29.84	757.9	83	...	S S W	3	
Wuchow,	3 p.	29.71	754.6	88	96	S	1	c	9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.68	753.8	84	...	S E	5	c	8 a.	29.77	756.1	82	...	S S E	6	
Tourane,	,,	29.73	755.1	84	...	S E	3	b	,,	29.80	756.8	84	...	...	0	
Cape St. James,	,,	29.80	757.0	81	...	E S E	2	o	,,	29.88	758.9	77	...	N N E	2	
Aparri,	2 p.	29.85	758.3	90	...	N	2	d	6 a.	29.88	759.0	77	...	S	2	
Manila,	4 p.	29.80	757	91	61	S	1	o	10 a.	29.88	759	86	71	S S E	0	
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	N N W	3	o	9 a.	...	...	...	...	N	2	
Iloilo,	,,	29.83	757.7	87	...	N E	1	o	,,	29.91	759.7	84	...	...	0	
Cebu,	,,	29.84	757.9	85	...	N	2	o	,,	29.91	759.7	80	...	N	2	
Labuan,	,,	29.81	757.2	83	...	...	...	...	,,	29.89	759.2	83	...	...	...	

On the 9th at 11.55 a.—The barometer has risen slightly in S. Japan, and fallen a little over China.

The depression is still shown over the Pacific to the N.E. of Japan, and low pressure covers Central and Northern China.

Pressure remains high over the N. part of the China Sea and the Pacific towards the Bonins.

Fresh to strong S. and S.W. winds may be expected in the Formosa Channel and over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. and S.W. winds, fresh; fair, squally.
2.—Formosa Channel,	S. and S.W. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG.
Director.

Hongkong Observatory, Thursday, 9th June, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th JUNE, 1910, P.M.								10th JUNE, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
divostock,	2 p.	29.58	751.4	60	...	...	0	c	7 a.	29.63	752.5	54	96	...	0	o
uro,	,,	29.45	748.1	...	...	N N W	3	...	6 a.	29.73	755.1	...	...	W N W	2	...
odate,	,,	29.65	753.2	...	...	W N W	3	...	,,	29.79	756.7	...	...	N N W	1	...
c.	,,	29.71	754.6	...	...	S S W	2	...	,,	29.79	756.6	...	...	...	0	...
ni.	,,	29.78	756.3	...	...	E S E	1	...	,,	29.78	756.3	...	...	..	0	...
saki,	,,	29.76	755.8	...	...	S W	2	...	,,	29.74	755.3	...	...	N E	3	...
oshima,	,,	29.78	756.4	...	...	S S E	1	...	,,	29.74	755.4	...	...	N E	2	...
ma,	,,	29.77	756.1	...	...	...	0	...	,,	29.77	756.1	...	...	S	3	...
	,,	29.79	756.7	...	...	S S W	2	...	,,	29.85	758.2	...	...	S S W	2	...
skijima,	,,	29.78	756.3	...	...	S W	1	...	,,	29.82	757.3	...	...	S S W	6	...
n Is.	,,	29.94	760.6	...	...	S W	2	...	,,	30.01	762.1	...	...	S	1	...
oo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
haiwei,	,,	29.79	756.6	83	50	N N W	1	b	9 a.	29.91	759.7	72	...	...	...	b
kow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ciang	,,	...	...	...	...	...	...	...	,,	..	...	...	...	..	...	...
ghai,	,,	29.67	753.6	68	95	E	2	omd	9 a.	29.83	757.7	70	85	E S E	3	om
laff,	,,	29.67	753.6	65	95	E	4	fd	,,	29.82	757.4	66	95	E	3	om
p Peak,	,,	29.63	752.6	84	83	S S E	5	c	,,	29.78	756.4	81	87	S	3	c
y	,,	29.68	753.9	88	66	S	5	b	6 a.	29.76	755.9	80	78	S	3	b
ow,	,,	29.74	755.4	92	67	S W	1	b	,,	29.76	755.9	79	87	S W	1	c
oku,	1 p.	...	...	...	...	...	...	...	5 a.	29.78	756.4	...	...	S	2	...
hu,	,,	...	...	...	...	...	...	...	,,	29.86	758.5	...	...	S	2	...
an	,,	...	...	...	...	...	...	...	,,	29.89	759.1	...	...	S E	2	...
nn	,,	...	...	...	...	...	...	...	,,	29.82	757.5	...	...	N W	4	...
adores,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	...	...	S	4	...
on	3 p.	29.72	754.9	92	54	S W	2	b	9 a.	...	...	...	...	...	...	...
Kong,	4 p.	29.77	756.1	86	68	S W	2	c	10 a.	29.86	758.4	85	74	S W	3	oq
ria Peak,	,,	...	...	...	...	S	3	...	,,	...	...	...	...	S	5	...
Rock,	,,	29.76	755.9	...	...	S S W	5	...	,,	29.84	757.9	...	...	S W	4	...
o	,,	29.77	756.1	84	...	S S W	3	c	,,	29.86	758.4	83	...	S	3	c
how,	3 p.	29.67	753.6	87	73	W	1	c	9 a.	29.81	757.2	78	...	E	1	o
ow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi	,,	29.76	755.9	87	72	W S W	3	c	,,	...	...	...	...	...	...	...
jen	4 p.	29.67	753.7	84	...	S E	5	c	8 a.	29.80	756.9	81	...	E	2	or
ane,	,,	29.72	754.8	84	...	S E	1	b	,,	29.83	757.6	83	...	...	0	c
St. James,	,,	29.79	756.6	84	...	S	3	c	,,	29.90	759.5	79	...	N W	1	c
gi	2 p.	...	...	...	...	...	...	...	6 a.	29.89	759.2	79	...	S E	2	b
la,	4 p.	29.76	756	91	61	S E	1	c	10 a.	29.92	760	90	66	S E	1	c
pp	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
od	3 p.	...	...	...	...	N W	3	c	9 a.	...	...	...	...	N W	3	c
	,,	29.81	757.2	89	...	N E	1	b	,,	29.93	760.2	84	...	N E	1	b
	,,	29.82	757.4	83	...	N	1	b	,,	29.92	759.9	85	...	N	2	b
ll	,,	29.83	757.7	82	...	...	...	...	,,	29.93	760.2	82	...	...	...	...

On the 10th at 11.55 a.—The barometer has fallen slightly in S.W. Japan, and risen elsewhere, particularly over China, E. Japan and the Bonins.

Pressure is relatively low over the Eastern Sea and Eastern Manchuria, and high pressure covers the Pacific in the neighbourhood of the Bonins towards the coast of Luzon.

Fresh S.W. to S.E. winds may be expected in the Formosa Channel and over the northern shores of the China

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	S.W. to S.E. winds, fresh; squally, showery.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 10th June, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th June, 1910, P.M.								11th June, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.62	752.3	65	...	...	0	b	7 a.	29.76	755.9	55	93	S E	1	
Nemuro,	,,	29.75	755.6	...	...	S	4	...	6 a.	29.87	758.6	...	...	...	0	
Hakodate,	,,	29.77	756.2	...	...	...	1	...	,,	29.87	758.7	...	...	...	0	
Tokio,	,,	29.76	755.6	...	...	S W	1	...	,,	29.91	759.1	...	...	...	0	
Kochi,	,,	29.80	756.8	...	...	W	1	...	,,	29.99	761.8	...	...	S W	1	
Nagasaki,	,,	29.82	757.3	...	...	N W	1	...	,,	29.95	760.8	...	...	...	0	
Kagoshima,	,,	29.86	758.4	...	...	N E	1	...	,,	29.94	760.4	...	...	E	1	
Oshima,	,,	29.83	757.6	...	...	S W	1	...	,,	29.91	759.6	...	...	S	1	
Naha,	,,	29.89	759.2	...	...	S W	2	...	,,	...	...	...	...	..	...	
Ishigakijima,	,,	29.87	758.8	...	...	S S W	4	...	,,	29.91	759.3	...	...	S	3	
Bonin Is.	,,	30.02	762.6	...	...	S W	1	...	,,	30.08	764.1	...	...	S W	1	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.87	758.7	85	...	E	3	b	9 a.	29.92	759.9	75	...	S W	4	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Shanghai,	,,	29.84	757.9	71	76	E S E	3	o	9 a.	29.86	758.4	72	85	S S E	2	
Gutzlaff,	,,	29.85	758.2	69	85	E	3	ov	,,	29.87	758.7	70	90	S E	3	
Sharp Peak,	,,	29.80	756.9	82	...	...	0	o	,,	29.92	759.9	77	86	E N E	3	
Amoy	,,	29.78	756.4	87	92	S S E	2	o	6 a.	29.85	758.2	79	87	E	3	
Swatow,	,,	29.78	756.4	90	...	S W	1	b	..	...	...	...	...	...	...	
Taihoku	1 p.	29.86	758.5	...	...	W	8	...	5 a.	...	...	...	...	...	...	
Taichu,	,,	29.89	759.3	...	...	W	6	...	,,	...	...	...	...	...	...	
Tainan,	,,	29.90	759.5	...	...	W	2	...	,,	...	...	...	...	...	...	
Koshun	,,	29.90	759.4	...	...	W	8	...	,,	...	...	...	...	...	...	
Pescadores,	,,	29.89	759.3	...	...	S	6	...	,,	...	...	...	...	...	...	
Canton,	3 p.	29.77	756.1	83	69	S W	1	c	9 a.	...	...	...	...	...	...	
Hongkong,	4 p.	29.81	757.2	84	74	S W	2	oq	10 a.	29.93	760.2	86	72	S S W	2	
Victoria Peak,	,,	...	...	...	...	S	5	...	,,	...	...	...	...	S	3	
Gap Rock,	,,	29.79	756.6	...	...	S S W	4	...	,,	29.89	759.2	...	...	S	4	
Macao,	,,	29.82	757.4	85	...	S	3	c	,,	29.93	760.2	83	...	S	3	
Wuchow,	3 p.	29.76	755.9	80	...	W	1	o	9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.70	754.5	84	...	S S E	5	c	8 a.	29.82	757.5	82	...	S S E	5	
Tourane,	,,	29.74	755.3	83	...	S E	2	c	,,	29.84	758.0	83	..	...	0	
Cape St. James,	,,	29.81	757.2	81	...	S W	4	c	,,	29.89	759.3	81	...	N W	1	
Aparri,	2 p.	29.87	758.7	90	...	N E	2	b	6 a.	29.93	760.2	77	...	S E	2	
Manila,	4 p.	29.84	758	91	55	E	0	c	10 a.	29.92	760	88	66	S S E	2	
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	S	2	c	9 a.	...	...	...	...	...	0	
Iloilo,	,,	29.85	758.2	89	...	N E	1	b	,,	29.91	759.7	85	...	N E	1	
Cebu,	,,	29.85	758.2	87	...	E	2	c	,,	29.92	759.9	85	...	N	1	
Labuan,	,,	29.82	757.4	89	...	...	...	...	,,	29.83	757.7	83	...	...	...	

On the 11th at 11.55 a.—Except at the extreme Southern stations, the barometer has risen generally, particularly over Japan and the Loochoos.

The Pacific high pressure extends Westwards from the Bonins to the S. China coasts and the Philippines, and relatively low pressure occupies the interior of the continent.

Moderate S. and S.E. winds may be expected in the Formosa Channel and over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. and S.E. winds, moderate; showery.
2.—Formosa Channel,	S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 11th June, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th June, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	12th June, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
divostock,	2 p.	29.75	755.6	59	...	S E	4	c	7 a.	29.71	754.6	61	92	N	0	b
uro,	,,	29.92	760.1	...	...	S E	1	...	6 a.	29.91	759.6	...	...	S S W	3	...
odate,	,,	29.91	759.7	...	...	S	1	...	,,	29.89	759.2	...	...	E S E	1	...
o,	,,	29.91	759.6	...	...	S W	1	...	,,	29.95	760.6	...	...	W S W	1	...
hi,	,,	29.97	761.3	...	...	S E	1	...	,,	29.93	760.3	...	...	...	0	...
saki,	,,	29.91	759.8	...	...	S S E	2	...	,,	29.93	760.3	...	...	S E	1	...
oshima,	,,	29.94	760.4	...	...	E	1	...	,,	29.96	760.9	...	...	...	0	...
ma,	,,	29.96	761.1	...	...	S W	1	...	,,	30.01	762.1	...	...	..	0	...
s,	,,	29.97	761.2	...	...	S S W	1	...	,,	30.03	762.7	...	...	S S W	1	...
akijima,	,,	29.97	761.3	...	...	S S W	4	...	,,	29.99	761.8	...	...	S	2	...
n Is,	,,	30.06	763.6	...	...	S	1	...	,,	30.14	765.6	...	...	...	0	...
oo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
haiwei,	,,	29.83	758.9	81	...	S	3	b	9 a.	29.86	758.4	75	...	S S W	5	b
kow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
tiang,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	..	...	...
ghai,	,,	29.80	756.9	81	74	S S E	2	c	9 a.	29.82	757.4	82	75	S W	2	o
claff,	,,	29.82	757.4	74	90	S S E	3	bv	,,	29.83	757.7	73	90	S	3	cm
p Peak,	,,	29.86	758.4	80	96	E	1	o	,,	29.92	759.9	80	...	...	0	b
y,	,,	29.86	758.4	82	87	S W	2	c	6 a.	29.90	759.4	79	87	S	4	b
tow,	,,	29.85	758.2	85	72	S W	1	b	,,	29.90	759.4	78	95	S	1	c
oku,	1 p.	29.94	760.4	...	...	N E	2	...	5 a.	...	...	...	...	...	...	...
hu,	,,	29.93	760.2	...	...	W	4	...	,,	...	...	...	...	...	...	...
an,	,,	29.96	761.0	...	...	W	6	...	,,	...	...	...	...	...	...	...
um,	,,	29.97	761.2	...	...	S E	6	...	,,	...	...	...	...	...	...	...
adores,	,,	29.94	760.5	...	...	S W	4	...	,,	...	...	...	...	...	...	...
on,	3 p.	...	...	...	...	...	...	...	9 a.	29.91	759.9	83	83	S W	1	c
gkong,	4 p.	29.88	758.9	84	74	S	1	o	10 a.	29.94	760.5	86	61	S	2	c
oria Peak,	,,	...	...	...	...	S W	3	...	,,	...	...	...	...	S S E	3	...
Rock,	,,	29.84	757.9	...	...	S	4	...	,,	29.92	759.9	...	...	S S E	3	...
o,	,,	29.87	758.7	83	...	S S W	4	c	,,	29.94	760.5	84	...	S S E	2	c
bow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ow,	,,	29.89	759.2	98	97	W N W	4	c	,,	...	...	...	...	...	...	...
oi,	,,	29.80	756.9	92	61	S W	1	c	,,	...	...	...	...	...	...	...
ien,	4 p.	29.72	754.9	84	...	S S E	6	c	8 a.	29.82	757.5	81	...	S S E	7	o
ane,	,,	29.80	756.9	86	...	S E	1	b	,,	29.85	758.2	82	...	S E	3	c
St. James,	,,	29.81	757.1	84	...	S	2	c	,,	29.91	759.8	81	...	N E	1	c
ri,	2 p.	29.91	759.7	90	...	N E	2	b	6 a.	29.97	761.1	77	...	S E	2	b
la,	4 p.	29.88	759	86	71	E	1	c	10 a.	29.92	761	82	85	E S E	1	op
spi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
lod,	3 p.	...	...	...	...	E	4	orlt	9 a.	...	...	...	...	N W	1	c
,	,,	29.87	758.7	86	...	N E	...	od	,,	29.95	760.7	84	...	N E	1	b
...	,,	29.85	758.2	87	...	N	2	c	,,	29.93	760.2	84	...	N	2	c
an,	,,	29.83	757.7	87	...	...	...	...	,,	29.86	758.4	81	...	...	...	...

On the 12th at 11.55 a.—The barometer has fallen slightly in N. China, and risen a little at the stations to the th of the 30th parallel.

The high pressure area still extend Westwards from the Bonins to the N.E. part of the China Sea, while pressure ains low over N. China and Manchuria.

Moderate S. and S.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	S. and S.E. winds, moderate; fair.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 12th June, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th June, 1910, P.M.								13th June, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.70	754.4	53	...	N	2	or	7 a.	29.78	756.5	55	74	N	1	
Nemuro,	,,	29.77	756.1	...	...	S	2	...	6 a.	29.63	752.6	...	...	...	0	
Hakodate,	,,	29.77	756.2	...	...	S	1	...	,,	29.56	750.7	...	...	W	1	
Tokio,	,,	29.85	758.1	...	...	S S W	3	...	,,	29.76	755.1	...	...	...	0	
Kochi,	,,	29.89	759.3	...	...	E N E	1	...	,,	29.86	758.3	...	...	..	0	
Nagasaki,	,,	29.89	759.3	...	...	S W	5	...	,,	29.86	758.3	...	...	W S W	4	
Kagoshima,	,,	29.94	760.4	...	...	S W	2	...	,,	29.92	759.9	...	...	W	3	
Oshima,	,,	...	...	...	...	...	...	...	,,	29.97	761.1	...	...	S S W	1	
Naha,	,,	...	...	...	...	...	...	...	,,	29.99	761.7	...	...	...	0	
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.95	760.8	...	...	S	3	
Bonin Is.	,,	30.14	765.6	...	...	W	1	...	,,	30.10	764.6	...	...	...	0	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.79	756.6	85	...	S W	4	c	9 a.	29.79	756.6	65	100	E S E	1	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	..	...	
Shanghai,	,,	29.79	756.6	82	79	S S W	2	op	9 a.	29.63	752.6	74	100	S	3	
Gutzlaff,	,,	29.81	757.2	73	90	S	4	omd	,,	29.67	753.6	71	100	S S W	6	
Sharp Peak,	,,	29.82	757.4	84	...	S S E	2	b	,,	29.86	753.4	82	69	...	0	
Amoy,	,,	29.89	759.2	87	80	S E	5	b	6 a.	29.90	759.4	82	83	S	2	
Swatow,	,,	29.89	759.2	87	72	S	1	b	,,	29.83	758.9	78	90	N	1	
Taihoku,	1 p.	29.93	760.3	...	...	N E	4	...	5 a.	...	...	...	...	...	...	
Taichu,	,,	29.93	760.2	...	...	W	4	...	,,	...	...	...	...	...	...	
Tainan,	,,	29.96	760.9	...	...	S	6	...	,,	...	...	...	...	...	...	
Koshun	,,	...	...	...	...	S E	6	...	,,	...	...	...	...	...	...	
Pescadores,	,,	29.96	760.9	...	...	S	6	...	,,	...	...	...	...	...	...	
Canton,	3 p.	29.85	758.2	89	76	S W	2	or	9 a.	29.89	759.2	83	83	S	1	
Hongkong,	4 p.	29.88	758.9	85	70	S	1	c	10 a.	29.91	759.7	86	65	S E	1	
Victoria Peak,	,,	...	...	...	...	S	2	...	,,	...	...	...	...	S W	2	
Gap Rock,	,,	29.86	758.4	...	...	S S E	3	...	,,	29.89	759.2	...	...	S E	3	
Macao,	,,	29.83	758.9	84	...	S S E	3	c	,,	29.92	759.9	85	...	S	1	
Wuchow,	3 p.	29.80	756.9	79	...	S E	2	c	9 a.	29.85	758.2	80	...	E	2	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.74	755.3	84	...	S S E	3	c	8 a.	29.85	758.2	75	...	N N E	0	
Tourane,	,,	29.77	756.2	82	...	S E	4	c	,,	29.85	758.1	84	..	S	2	
Cape St. James,	,,	29.80	756.9	84	...	E N E	3	c	,,	29.88	758.8	77	...	N E	2	
Aparri,	2 p.	29.91	759.6	91	...	E	2	b	6 a.	29.93	760.3	77	...	S E	2	
Manila,	4 p.	29.92	760	81	85	E N E	0	o	10 a.	29.88	759	86	71	W	1	
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	...	0	
Iloilo,	,,	29.87	758.7	87	...	N E	1	o	,,	29.89	759.2	83	...	N E	1	
Cebu,	,,	29.85	758.2	88	...	N	2	b	,,	29.89	759.2	86	...	N	2	
Labuan,	,,	29.78	756.4	87	...	...	...	...	,,	29.87	758.7	84	...	...	...	

On the 13th at 11.55 a.—The barometer has risen slightly in Wladiwostok, and fallen quickly over E. Jap The depression lying in the neighbourhood of the former station yesterday, has reached N.E. Japan.

The barometer has fallen considerably in Shanghai, a depression, which is probably moving Eastwards, hav appeared over the Lower Yangtze valley.

Pressure remains high in the neighbourhood of the Bonins and Westwards towards the N.E. part of the Ch Sea.

Fresh S. winds may be expected in the Formosa Channel and moderate S.E. winds over the N. part of the Ch Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, moderate; fair.
2.—Formosa Channel,	S. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 13th June, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th JUNE, 1910, P.M.								14th JUNE, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ivostock,...	2 p.	29.72	754.8	70	...	...	0	b	7 a.	29.66	753.4	53	87	..	0	b
iro.....	,,	29.57	751.1	...	...	N	5	...	6 a.	29.63	752.6	...	...	S S W	2	...
date,.....	,,	29.59	751.7	...	...	N N W	5	...	,,	29.73	755.2	...	...	...	0	...
,.....	,,	29.65	753.1	...	...	S S W	2	...	,,	29.67	753.6	...	...	E	2	...
i,.....	,,	29.78	756.3	...	...	E N E	1	...	,,	29.61	752.8	...	...	...	0	...
saki,.....	,,	29.80	756.8	...	...	S W	2	...	,,	29.68	753.8	...	...	W S W	7	...
shima,.....	,,	29.86	758.4	...	...	S	2	...	,,	29.74	755.4	...	...	S W	6	...
na,.....	,,	29.93	760.1	...	...	S	2	...	,,	29.29	759.1	...	...	S S W	1	...
.....	,,	29.95	760.7	...	...	S	1	...	,,	29.91	759.7	...	...	S	1	...
akijima,....	,,	29.93	760.3	...	...	S	3	...	,,	29.89	759.3	...	...	S	5	...
Is.....	,,	30.06	763.6	...	...	S W	1	...	,,	30.08	764.1	...	...	S S W	1	...
o.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
aiwei,.....	,,	29.71	754.6	66	...	N E	3	o	9 a.	29.81	757.2	65	...	N	1	c
ow,.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iang.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ghai,.....	,,	29.62	752.3	79	87	W S W	4	o	9 a.	29.76	755.9	...	...	W S W	1	or
laff,.....	,,	29.61	752.1	73	95	S	5	om	,,	29.72	754.9	71	100	S W	1	fr
Peak,.....	,,	29.76	755.9	83	...	W S W	4	b	,,	29.79	756.6	82	...	S	1	b
,.....	,,	29.82	757.4	89	66	S S E	5	b	6 a.	29.89	759.2	82	83	S	1	b
ow,.....	,,	29.87	758.7	88	62	S S E	3	b	,,	...	...	...	...	...	...	...
ku.....	1 p.	29.87	758.8	...	...	W	4	...	5 a.	...	...	...	...	...	...	...
n.....	,,	29.89	759.1	...	...	W	2	...	,,	...	...	...	...	...	...	...
n.....	,,	29.92	760.0	...	...	S W	4	...	,,	...	..	...	...	...	...	...
n.....	,,	29.93	760.3	...	...	S E	6	...	,,	...	...	...	...	...	...	...
dores,.....	,,	29.90	759.5	...	...	S	6	...	,,	...	...	...	...	...	...	...
n.....	3 p.	29.76	755.9	89	69	S	1	b	9 a.	29.84	757.9	84	79	S	1	b
kong,.....	4 p.	29.85	758.2	86	65	S	1	c	10 a.	29.88	758.9	84	75	S	2	o
ria Peak,...	,,	...	...	...	...	S	2	...	,,	...	...	...	...	S	4	...
ock,.....	,,	29.85	758.2	...	...	S S E	2	...	,,	29.85	758.2	...	...	S	3	...
,.....	,,	29.85	758.2	85	...	S	2	c	,,	29.88	758.9	85	...	S	3	c
ow,.....	3 p.	29.74	755.4	88	62	E	1	c	9 a.	...	...	...	...	...	...	...
w,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
i,.....	,,	29.80	756.9	94	52	S W	1	b	,,	...	...	...	...	...	...	...
er,.....	4 p.	29.75	755.7	75	...	S E	3	o	8 a.	29.79	756.7	81	...	S S E	5	o
ne,.....	,,	29.76	756.0	82	...	S E	3	b	,,	29.82	757.4	84	..	S E	2	c
t. James,.	,,	29.80	756.8	79	...	E N E	6	or	,,	29.86	758.4	84	...	E	5	o
,.....	2 p.	29.86	758.5	90	...	N E	2	b	6 a.	29.89	759.2	79	...	S E	2	b
a,.....	4 p.	29.80	757	88	72	S W	0	o	10 a.	29.88	759	88	72	E S E	2	...
d,.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
d,.....	3 p.	...	...	...	...	N	4	o	9 a.	...	...	...	...	N N W	1	o
.....	,,	29.83	757.7	87	...	E	1	c	,,	29.91	759.7	84	...	...	0	b
.....	,,	29.82	757.4	88	...	N	2	c	,,	29.93	760.2	86	...	N	1	b
n,.....	,,	29.77	756.1	88	...	...	...	...	,,	29.89	759.2	83	...	...	...	...

On the 14th at 11.55 a.—The depression lying over N.E. Japan yesterday, is moving away over the Pacific. The barometer has fallen considerably in S.W. Japan, and risen moderately on the E. coast of China. The de-sion lying over the latter area yesterday, has reached the Sea of Japan.

The high pressure still extends Westwards from the Bonins towards the N.E. part of the China Sea, but with a ency to give way in the latter area.

Fresh to moderate S. and S.E. winds may be expected in the Formosa Channel and over the northern shores of China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	S. to S.E. winds, moderate; showery.
ormosa Channel, ...	S. winds, fresh.
outh coast of China between Hongkong and Lamocks,.	Same as No. 1.
outh coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 14th June, 1910.

inted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th June, 1910, P.M.								15th June, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.60	751.9	72	...	...	0	b	7 a.	29.70	754.4	58	87	S E	2	
Nemuro,	,,	29.53	750.1	...	...	S W	3	...	6 a.	29.67	753.5	...	...	N	2	
Hakodate,	,,	29.65	753.2	...	...	S	4	...	,,	29.77	756.2	...	...	...	0	
Tokio,	,,	29.57	751.1	...	...	N N W	2	...	,,	29.83	757.6	...	...	N	1	
Kochi,	,,	29.66	753.3	...	...	...	0	...	,,	29.78	756.3	...	...	...	0	
Nagasaki,	,,	29.71	754.8	...	...	W	5	...	,,	29.78	756.3	...	...	E S E	1	
Kagoshima,	,,	29.76	755.9	...	...	W S W	4	...	,,	29.82	757.4	...	...	W	2	
Oshima,	,,	29.87	758.6	...	...	S W	3	...	,,	29.89	759.1	...	...	S	1	
Naha	,,	29.91	759.7	...	...	S S W	1	...	,,	...	...	...	...	S	1	
Ishigakijima,	,,	29.89	759.3	...	...	S S W	3	...	,,	29.88	758.8	...	...	S W	5	
Bonin Is.	,,	30.04	763.1	...	...	S	1	...	,,	30.14	765.6	...	...	S	1	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.79	756.6	68	85	N	2	c	9 a.	29.80	756.9	70	...	E S E	3	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Shanghai,	,,	29.69	754.1	71	100	N E	1	omd	9 a.	29.68	753.9	67	95	E N E	2	
Gutzlaff,	,,	29.71	754.6	68	100	N N E	4	omp	,,	29.66	753.3	67	100	E N E	3	
Sharp Peak,	,,	29.72	754.9	85	87	S E	3	b	,,	29.73	755.1	82	...	S	1	
Amoy	,,	29.80	756.9	88	62	S S E	5	b	6 a.	29.32	757.4	82	83	S	2	
Swatow,	,,	29.77	756.1	91	60	S	1	b	,,	29.79	756.6	82	75	S W	1	
Taihoku	1 p.	29.82	757.5	...	...	N W	2	...	5 a.	29.83	757.6	...	...	...	0	
Taichu,	,,	29.83	757.7	...	...	S	4	...	,,	29.86	758.5	...	...	...	0	
Tainan,	,,	29.89	759.2	...	...	S E	6	...	,,	29.89	759.1	...	...	S E	2	
Koshun	,,	29.89	759.2	...	...	S E	4	...	,,	29.89	759.1	...	...	...	0	
Pescadores,	,,	29.87	758.7	...	...	S	6	...	,,	29.86	758.5	...	...	S W	4	
Canton,	3 p.	29.78	756.4	83	83	S	2	or	9 a.	29.83	757.7	84	79	S	2	
Hongkong,	4 p.	29.81	757.2	85	72	S	3	c	10 a.	29.87	758.7	86	69	S W	3	
Victoria Peak,	,,	...	...	...	...	S	6	...	,,	...	...	...	...	S	5	
Gap Rock,	,,	29.79	756.6	...	...	S	4	...	,,	29.84	757.9	...	...	S S W	4	
Macao,	,,	29.82	757.4	82	...	S S E	3	c	,,	29.87	758.7	84	...	S S W	3	
Wuchow,	3 p.	29.73	755.1	79	...	E	2	c	9 a.	29.79	756.6	88	...	E	1	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	29.79	756.6	91	60	S	2	c	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.71	754.6	84	...	S S E	7	c	8 a.	29.79	756.6	84	...	S	4	
Tourane,	,,	29.80	756.8	86	...	N W	3	c	,,	29.88	758.9	84	..	S W	3	
Cape St. James,	,,	29.80	757.0	82	...	E	4	o	,,	29.89	759.2	81	...	N N E	2	
Aparri,	2 p.	29.84	757.9	90	...	N E	2	b	6 a.	29.89	759.2	79	...	S	2	
Manila,	4 p.	29.80	757	91	49	E S E	1	c	10 a.	29.92	760	86	71	N W	2	
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	N N W	3	o	9 a.	...	...	...	...	N N W	1	
Iloilo,	,,	29.83	757.7	89	...	...	0	o	,,	29.89	759.2	84	...	N E	1	
Cebu,	,,	29.82	757.4	88	...	N	2	b	,,	29.89	759.2	85	...	N	2	
Labuan,	,,	29.76	755.9	86	...	...	...	...	,,	29.86	758.4	85	...	...	...	

On the 15th at 11.55 a.—The depression lying over the Sea of Japan yesterday, has moved into the Pacific. The barometer has risen moderately in Japan, and fallen slightly over China. Another depression appears to developing over the Yangtze valley.

The Pacific high pressure still extends Westwards from the Bonins towards Formosa.

Fresh to strong S. and S.W. winds may be expected in the Formosa Channel and over the northern shores the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. and S.W. winds, fresh; fair, squally.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 15th June, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th June, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	16th June, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivostock,	2 p.	29.75	755.9	59	...	S E	3	c	7 a.	29.78	756.4	52	93	S E	0	o
aro,	,,	29.75	755.6	...	...	E S E	1	...	6 a.	29.97	761.1	...	...	S E	1	...
date,	,,	29.77	756.2	...	...	S	1	...	,,	29.87	758.7	...	...	...	0	...
a,	,,	29.85	758.1	...	...	S	1	...	,,	29.81	757.1	...	...	S E	1	...
i,	,,	29.80	756.8	...	...	...	0	...	,,	29.78	756.3	...	...	E N E	1	...
saki,	,,	29.74	755.3	...	...	W S W	7	...	,,	29.70	754.3	...	...	W S W	7	...
shima,	,,	29.80	756.9	...	...	W S W	3	...	,,	29.80	756.9	...	...	S W	3	...
ma,	,,	29.75	755.6	...	...	S	3	...	,,	29.89	759.1	...	...	S	2	...
,	,,	29.89	759.2	...	...	S	2	...	,,	29.89	759.2	...	...	S S W	1	...
akijima,	,,	29.85	758.3	...	...	S	5	...	,,	29.86	758.3	...	...	S	4	...
Is.	,,	30.00	762.1	...	...	S	1	...	,,	30.06	763.6	...	...	...	0	...
o,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
aiwei,	,,	29.76	755.9	76	...	E	3	c	9 a.	29.74	755.4	71	...	S S W	4	c
ow.	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hai.	,,	29.65	753.1	67	95	N E	1	od	9 a.	29.76	755.9	71	90	S S E	1	om
aff.	,,	29.67	753.6	67	95	N N E	4	omd	,,	29.78	756.4	57	94	E S E	1	omd
Peak,	,,	29.67	753.6	85	87	E S E	3	b	,,	29.76	755.9	82	91	S S W	2	c
,	,,	29.72	754.9	89	69	S	4	c	6 a.	29.77	756.1	82	79	S W	2	c
w.	,,	29.69	754.1	95	53	S W	3	b	,,	29.76	755.9	82	83	S W	1	b
ku,	1 p.	29.78	756.4	...	...	W	6	...	5 a.	...	...	...	...	...	...	...
n,	,,	29.82	757.5	...	...	W	6	...	,,	...	...	...	...	...	...	...
n,	,,	29.82	757.5	...	...	W	6	...	,,	...	...	...	...	...	...	...
am,	,,	29.83	757.7	...	...	W	4	...	,,	...	...	...	...	...	...	...
dores,	,,	29.85	758.2	...	...	S W	6	...	,,	...	...	...	...	...	...	...
n,	3 p.	29.74	755.4	91	63	W S W	1	b	9 a.	29.84	757.9	85	79	S S W	1	c
kong,	4 p.	29.79	756.6	87	68	S W	2	oq	10 a.	29.88	758.9	85	71	S W	2	oq
ria Peak,	,,	...	...	...	...	S S W	5	...	,,	...	...	...	...	S	6	...
lock,	,,	29.78	756.4	...	...	S W	4	...	,,	29.87	758.7	...	...	S W	4	...
,	,,	29.80	756.9	85	...	S S W	3	c	,,	29.89	759.2	85	...	S	3	c
ow,	3 p.	29.68	753.9	88	73	E	1	o	9 a.	29.83	757.7	80	91	E	1	o
w.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
i.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
en.	4 p.	29.70	754.3	86	...	S S E	5	c	8 a.	29.78	756.4	82	...	S S E	6	o
ne.	,,	29.78	756.3	88	...	S E	1	b	,,	29.83	757.6	84	...	N N W	3	c
t. James,	,,	29.80	756.9	84	...	S E	3	c	,,	29.88	758.8	79	...	N N E	1	o
i,	2 p.	29.83	757.6	93	...	S E	2	b	6 a.	29.86	753.5	77	...	S E	2	b
a.	4 p.	29.80	757	93	49	...	0	c	10 a.	29.88	759	86	71	...	0	o
pi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
d,	3 p.	...	...	...	...	N N W	3	o	9 a.	...	...	...	...	E	1	ot
	,,	29.83	757.7	89	...	N E	1	b	,,	29.87	758.7	84	...	...	0	o
	,,	29.83	757.7	87	...	N	2	c	,,	29.83	758.0	85	...	N	1	b
n.	,,	29.77	756.1	89	...	...	...	...	,,	29.87	758.7	84	...	...	...	...

On the 16th at 11.55 a.—The barometer has risen moderately over N.E. Japan and the E. coast of China, and n slightly over S. Japan and the Bonins.

A shallow depression is moving Eastwards near Korea Straits.

Pressure is still high over the Pacific in the neighbourhood of the Bonins, and relatively low over the interior of continent.

Fresh S. and S.W. winds may be expected in the Formosa Channel and over the northern shores of the China

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	S.W. and S. winds, fresh; squally, showery.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 16th June, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th June, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	17th June, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.76	756.0	62	...	S	0	b	7 a.	29.80	757.0	47	93	E S E	1
Nemuro,	,,	29.98	761.6	...	...	S E	2	...	6 a.	30.01	762.1	...	...	S E	1
Hakodate,	,,	29.83	757.7	...	...	S E	4	...	,,	29.91	759.7	...	...	E S E	2
Tokio,	,,	29.73	755.1	...	...	N N W	1	...	,,	29.77	756.1	...	...	N N W	1
Kochi,	,,	29.76	755.8	...	...	...	0	...	,,	29.82	757.3	...	...	S W	1
Nagasaki,	,,	29.78	756.3	...	...	W S W	4	...	,,	29.84	757.8	...	...	W	1
Kagoshima,	,,	29.80	756.9	...	...	W S W	6	...	,,	29.84	757.9	...	...	N W	1
Oshima,	,,	29.87	758.6	...	...	S	1	...	,,	29.89	759.1	...	...	S W	1
Naha,	,,	29.89	759.2	...	...	S S W	2	...	,,	29.93	760.2	...	...	S	1
Ishigakijima,	,,	29.87	758.8	...	...	S	6	...	,,	29.88	758.8	...	...	S S W	4
Bonin Is.,	,,	30.02	762.6	...	...	S W	1	...	,,	30.04	763.1	...	...	...	0
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.74	755.4	80	...	S S W	4	c	9 a.	29.83	757.7	65	...	S S W	4
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	29.74	755.4	77	73	S E	1		9 a.	29.83	757.7	73	90	S E	2
Gutzlaff,	,,	29.72	754.9	70	90	E S E	3	cv	,,	29.84	757.9	70	100	S E	3
Sharp Peak,	,,	29.70	754.4	85	...	S S W	4	c	,,	29.87	758.7	82	...	S W	1
Amoy,	,,	29.75	755.6	88	69	S S W	6	c	6 a.	29.81	757.9	82	83	S E	1
Swatow,	,,	29.77	756.1	93	61	S S W	1	b	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.80	756.9	...	...	W	8	...	5 a.	29.81	757.1	...	...	...	0
Taichu,	,,	29.85	758.1	...	...	S W	6	...	,,	29.87	758.6	...	...	...	0
Tainan,	,,	29.89	759.2	...	...	S W	4	...	,,	29.88	758.9	...	...	E	2
Koshun,	,,	29.89	759.2	...	...	W	6	...	,,	29.87	758.6	...	...	...	0
Pescadores,	,,	29.87	758.6	...	...	S W	6	...	,,	29.85	758.1	...	...	S W	6
Canton,	3 p.	29.78	756.4	86	76	S E	1	c	9 a.	29.87	758.7	84	75	S W	1
Hongkong,	4 p.	29.82	757.4	85	71	S W	2	oq	10 a.	29.99	759.4	86	69	S W	2
Victoria Peak,	,,	...	...	...	...	S S W	5	...	,,	...	...	...	...	S S W	3
Gap Rock,	,,	29.79	756.6	...	...	S W	4	...	,,	29.88	758.9	...	...	S W	3
Macao,	,,	29.83	757.7	84	...	S S W	3	o	,,	29.91	759.7	85	...	S	2
Wuchow,	3 p.	29.75	755.6	84	...	E	2	c	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.79	756.6	92	92	S W	2	c	,,	...	...	...	...	...	...
Phulien,	4 p.	29.71	754.6	84	...	S S E	5	c	8 a.	...	...	...	...	...	...
Tourane,	,,	29.76	755.8	84	...	S E	3	c	,,	...	...	...	...	...	...
Cape St. James,	,,	29.82	757.3	88	...	S S E	2	c	,,	...	...	...	...	...	...
Aparri,	2 p.	29.84	758.0	91	...	N E	2	b	6 a.	29.88	758.9	77	...	S E	2
Manila,	4 p.	29.80	757	86	71	...	0	c	10 a.	29.88	759	88	65	E S E	0
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N N W	4	o	9 a.	...	...	...	...	N W	1
Iloilo,	,,	29.81	757.2	89	...	N E	1	b	,,	29.87	758.7	85	...	N E	1
Cebu,	,,	...	...	...	...	...	...	...	,,	29.89	759.2	85	...	N	2
Labuan,	,,	29.78	756.4	87	...	...	...	...	,,	29.89	759.2	84	...	...	...

On the 17th at 12.05 a.—The barometer has fallen slightly in S.E. Japan, and risen moderately on the E. N.E. coasts of China.

The shallow depression lies now off the coast of S.E. Japan.

Pressure is high in neighbourhood of the Bonins and over N.E. Japan. It is still in excess of the normal o the northern shores of the China Sea, and relatively low over the interior of the continent.

Moderate S. winds may be expected in the Formosa Channel and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG.
Director.

Hongkong Observatory, Friday, 17th June, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	17TH JUNE, 1910, P.M.								18TH JUNE, 1910, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ivostock,	2 p.	29.81	757.2	59	...	S	0	c	7 a.	29.82	757.3	53	96	E S E	4	f
iro,	,,	29.98	761.6	...	...	S E	2	...	6 a.	30.02	762.6	...	...	S	1	...
date,	,,	29.91	759.7	...	...	E S E	3	...	,,	29.99	761.7	...	...	E	1	...
,	,,	29.79	756.6	...	...	...	0	...	,,	29.95	760.6	...	...	E	1	...
i,	,,	29.82	757.3	...	...	E S E	1	...	,,	29.93	760.3	...	...	W	4	...
saki,	,,	29.87	758.8	...	...	W	3	...	,,	29.91	759.8	...	...	S E	1	...
shima,	,,	29.86	758.4	...	...	S W	1	...	,,	29.94	760.4	...	...	...	0	...
na,	,,	29.94	760.6	...	...	N	1	...	,,	29.95	760.6	...	...	...	0	...
	,,	29.95	760.7	...	...	S S W	1	...	,,	29.93	760.2	...	...	...	0	...
akijima,	,,	29.91	759.8	...	...	S	3	...	,,	29.91	759.8	...	...	S	3	...
Is.	,,	30.00	762.1	...	...	W S W	1	...	,,	30.02	762.6	...	...	...	0	...
o,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
aiwei,	,,	29.79	756.6	73	...	S W	8	c	9 a.	29.74	755.4	68	...	S W	2	o
ow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ghai,	,,	29.77	756.1	85	76	E S E	3	c	9 a.	29.71	754.6	83	79	S	4	c
laff,	,,	29.79	756.6	72	90	S E	5	cm	,,	29.73	755.1	76	91	S	5	bm
Peak,	,,	29.76	755.9	84	...	S E	3	b	,,	29.82	757.4	83	..	S	1	b
,	,,	29.82	757.4	93	58	S S E	4	c	6 a.	29.84	757.9	82	79	S	2	b
ow,	,,	29.78	756.4	92	...	S	1	b	,,	29.80	756.9	80	82	...	0	c
oku,	1 p.	29.85	758.3	...	...	W	4	...	6 a.	...	...	...	...	...	...	...
u,	,,	29.88	758.9	...	...	W	4	...	,,	...	...	...	...	...	...	...
n,	,,	29.92	759.9	...	...	N W	4	...	,,	...	...	...	...	...	...	...
m,	,,	29.90	759.5	...	...	S	4	...	,,	...	...	...	...	..	...	...
dores,	,,	29.89	759.1	...	...	W	6	...	,,	..	...	...	...	...	...	...
m,	3 p.	29.79	756.6	91	60	S	1	b	9 a.	...	...	...	...	...	...	b
kong,	4 p.	29.82	757.4	88	67	W	1	c	10 a.	29.99	759.4	87	67	S	1	o
ria Peak,	,,	...	...	...	...	S	3	...	,,	...	...	...	...	S	1	...
Rock,	,,	29.81	757.2	...	...	S W	2	...	,,	29.89	759.2	...	...	S	3	...
o,	,,	29.83	757.7	85	...	S S W	3	c	,,	29.91	759.7	85	...	S S E	1	c
ow,	3 p.	29.73	755.1	83	...	E	1	b	9 a.	29.82	757.4	82	...	E	1	o
ow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
o,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ien,	4 p.	29.69	754.2	88	...	S S E	7	c	8 a.	29.79	756.7	82	...	S	7	o
ane,	,,	29.75	755.7	86	...	S E	1	c	,,	29.83	757.6	86	..	...	0	c
St. James,	,,	29.79	756.6	84	...	S S E	3	c	,,	29.88	758.8	81	...	E N E	2	c
ri,	2 p.	29.84	758.0	90	...	N E	2	b	6 a.	29.87	758.6	81	...	S	2	b
la,	4 p.	29.80	757	86	59	E S E	1	o	10 a.	29.88	759	88	71	N N W	0	b
pi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
od,	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	...	0	o
,	,,	29.81	757.2	89	...	N E	1	o	,,	29.89	759.2	85	...	E	1	c
,	,,	29.81	757.2	85	...	N	2	c	,,	29.91	759.7	84	...	S	1	c
an,	,,	29.80	756.9	88	...	...	...	...	,,	29.89	759.2	82	...	...	...	...

On the 18th at 11.55 a.—The barometer has risen moderately in Japan, and fallen a like amount on the E. and E. coasts of China.

A depression, which is probably moving Eastwards, has appeared over China to the North of the Yangtze valley. Pressure remains high over the Pacific to the E. of the Bonins and Japan, and in moderate excess of the normal over the northern shores of the China Sea.

Moderate to fresh S. winds may be expected in the Formosa Channel and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
Hongkong and Neighbourhood,	S. winds, moderate; fair.
Formosa Channel,	S. winds, fresh.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
irector.

Hongkong Observatory, Saturday, 18th June, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th June, 1910, P.M.								19th June, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.86	758.4	53	...	E S E	4	f	7 a.	29.39	746.4	58	97	E	7	
Nemuro,	,,	30.06	763.6	...	...	S S W	4	...	6 a.	30.08	764.1	...	...	S W	4	
Hakodate,	,,	30.05	763.2	...	...	S	2	...	,,	29.99	761.7	...	...	E	1	
Tokio,	,,	30.00	762.1	...	...	E	1	...	,,	30.06	763.6	...	...	...	...	
Kochi,	,,	29.97	761.3	...	...	W N W	1	...	,,	30.01	762.3	...	...	...	0	
Nagasaki,	,,	29.93	760.3	...	...	S W	2	...	,,	29.93	760.3	...	...	E S E	4	
Kagoshima,	,,	29.96	760.9	...	...	S E	1	...	,,	30.00	761.9	...	...	S	1	
Oshima,	,,	29.94	760.6	...	...	E N E	1	...	,,	29.99	761.6	...	...	...	0	
Naha,	,,	29.97	761.2	...	...	S	1	...	,,	29.97	761.2	...	...	S S E	1	
Ishigakijima,	,,	29.95	760.8	...	...	S	2	...	,,	29.93	760.3	...	...	S	3	
Bonin Is.	,,	30.02	762.6	...	...	S W	1	...	,,	30.04	763.1	...	...	...	0	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.62	752.3	60	...	N	6	c	9 a.	29.75	755.6	66	...	S W	4	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Shanghai,	,,	29.66	753.3	90	73	S	4	c	9 a.	29.78	756.4	81	83	N E	1	
Gutzlaff,	,,	29.68	753.9	77	90	S	5	cm	,,	29.79	756.6	76	91	N W	1	
Sharp Peak,	,,	29.79	756.6	86	...	S	3	b	,,	29.85	758.2	84	...	...	0	
Amoy,	,,	29.85	758.2	89	63	S S E	5	b	6 a.	29.90	759.4	81	96	W	2	
Swatow,	,,	29.80	756.9	89	66	S	3	b	,,	29.85	758.2	78	91	N E	1	
Taihoku,	1 p.	29.87	758.7	...	...	N	6	...	5 a.	...	...	...	...	...	...	
Taichu,	,,	29.87	758.6	...	...	W	6	...	,,	29.92	760.0	...	...	...	0	
Tainan,	,,	29.90	759.5	...	...	S W	6	...	,,	29.88	759.0	...	...	E	2	
Koshun	,,	29.92	760.0	...	...	E	4	...	,,	29.91	759.6	...	...	E	4	
Pescadores,	,,	29.91	759.7	...	...	W	4	...	,,	29.88	758.8	...	...	S W	6	
Canton,	3 p.	29.81	757.2	90	63	S	1	b	9 a.	...	...	...	...	...	...	
Hongkong,	4 p.	29.83	757.7	89	62	S	2	c	10 a.	29.91	759.7	87	68	E	1	
Victoria Peak,	,,	...	...	...	...	S	3	...	,,	...	...	...	...	S S E	1	
Gap Rock,	,,	29.82	757.4	...	...	S	3	...	,,	29.89	759.2	...	...	E	1	
Macao,	,,	29.84	757.9	...	...	S S E	2	c	,,	29.93	760.2	85	...	S E	1	
Wuchow,	3 p.	29.75	755.6	89	59	S	1	c	9 a.	29.86	758.4	80	87	S E	1	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	29.77	756.1	92	61	S W	2	c	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.69	754.0	88	...	S S E	6	c	8 a.	29.85	758.1	73	...	N E	4	
Tourane,	,,	29.76	755.8	84	...	S E	4	b	,,	29.85	758.1	84	..	...	0	
Cape St. James,	,,	29.78	756.4	84	...	S E	2	o	,,	29.89	759.2	79	...	S W	1	
Aparri,	2 p.	29.85	758.3	86	...	N E	2	b	6 a.	29.90	759.4	79	...	S	2	
Manila,	4 p.	29.80	757	82	77	E N E	3	rt	10 a.	29.88	759	88	65	E N E	2	
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	N	4	o	9 a.	...	...	...	...	E S E	2	
Iloilo,	,,	29.81	757.2	89	...	N E	1	o	,,	29.91	759.7	84	...	...	0	
Cebu,	,,	29.78	756.4	88	...	N	2	c	,,	29.89	759.2	84	...	E	1	
Labuan,	,,	29.79	756.6	84	...	...	...	...	,,	...	...	...	...	...	...	

On the 19th at 11.35 a.—The barometer has fallen rapidly in Wladiwostok the depression lying over N.E. Chi yesterday, having reached the neighbourhood of that station.

The barometer has risen moderately to slightly over S. Japan, and the coasts of China.

Pressure remains high over the Pacific to the E. of Japan, and in moderate excess of the normal over the nor ern shores of the China Sea.

Moderate S.E. winds may be expected in the Formosa Channel and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 19th June, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	19TH JUNE, 1910, P.M.								20TH JUNE, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
rostock,	2 p.	29.34	745.2	63	...	...	0	o	7 a.	29.43	747.4	57	95	...	0	o
ro,	,,	30.00	762.1	...	...	S S W	5	...	6 a.	29.73	755.1	...	...	S	6	...
date,	,,	29.83	757.7	...	...	S E	2	...	,,	29.63	752.7	...	...	S	1	...
,	,,	30.00	762.1	...	...	S S W	4	...	,,	29.83	757.6	...	...	W S W	1	...
,	,,	29.97	761.3	...	...	...	0	...	,,	29.91	759.8	...	...	...	0	...
aki,	,,	29.89	759.3	...	...	S W	6	...	,,	29.91	759.8	...	...	S W	...	...
shima,	,,	29.94	760.4	...	...	W S W	1	...	,,	29.96	760.9	...	...	W S W	1	...
na,	,,	29.98	761.6	...	...	S S E	1	...	,,	...	...	...	...	...	0	...
	,,	29.97	761.2	...	...	S S W	1	...	,,	29.97	761.2	...	...	...	0	...
akijin a,	,,	29.95	760.8	...	...	S	2	...	,,	29.93	760.3	...	...	S E	1	...
Js,	,,	30.04	763.1	...	...	N W	1	...	,,	30.02	762.6	...	...	...	0	...
o,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
aiwei,	,,	29.72	754.9	72	...	S W	7	b	9 a.	29.81	757.2	70	...	S W	4	o
ow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ghai,	,,	29.74	755.4	82	83	N E	2	om	9 a.	29.81	757.2	79	87	E N E	1	om
aff,	,,	29.74	755.4	79	87	E N E	1	om	,,	29.80	756.9	76	95	E S E	1	f
Peak,	,,	29.81	757.2	86	...	E S E	4	b	,,	29.87	758.7	84	...	...	0	b
,	,,	29.88	758.9	90	70	S S E	5	b	6 a.	29.88	758.9	81	87	W	1	b
w,	,,	29.83	757.7	89	63	S S E	1	b	,,	29.84	757.9	80	90	N	1	c
ku,	1 p.	29.89	759.3	...	...	N	2	...	5 a.	29.91	759.8	...	...	S	2	...
m,	,,	29.91	759.7	...	...	N W	4	...	,,	29.93	760.1	...	...	...	0	...
n,	,,	29.91	759.7	...	...	W	6	...	,,	29.92	759.9	...	...	...	0	...
m,	,,	29.93	760.1	...	...	S E	6	...	,,	29.92	760.0	...	...	E	4	...
dores,	,,	29.90	759.5	...	...	W	6	...	,,	29.90	759.4	...	...	W	4	...
n,	3 p.	29.82	757.4	89	66	S W	1	b	9 a.	29.89	759.2	85	76	S	1	b
kong,	4 p.	29.83	757.7	87	61	S E	2	c	10 a.	29.90	759.4	88	68	E	1	c
ria Peak,	,,	...	...	...	...	S S E	2	...	,,	...	...	...	...	E S E	1	...
Rock,	,,	29.83	757.7	...	...	E S E	2	...	,,	29.87	758.7	...	...	E S E	2	...
,	,,	29.84	757.9	86	...	S S E	1	c	,,	29.93	760.2	85	...	S E	1	c
ow,	3 p.	29.76	755.9	87	...	E	1	o	9 a.	...	...	...	...	...	...	...
ow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
en,	4 p.	29.76	755.9	81	...	S	5	c	8 a.	29.83	757.6	82	...	S S E	5	c
me,	,,	...	...	...	...	...	...	...	,,	29.84	757.9	86	..	S E	2	c
St. James,	,,	29.78	756.5	82	...	S	1	o	,,	29.84	757.9	87	...	S W	1	c
i,	2 p.	29.84	758.0	90	...	E	2	b	6 a.	29.88	758.8	75	...	S E	0	b
a,	4 p.	29.80	757	88	66	S E	2	c	10 a.	...	...	...	...	...	...	...
pi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
od,	3 p.	...	...	...	...	S S W	1	o	9 a.	...	...	...	...	N W	1	o
,	,,	29.85	758.2	81	...	...	0	od	,,	29.89	759.2	81	...	...	0	o
,	,,	29.85	758.2	86	...	S	1	o	,,	29.88	758.9	82	...	N	1	o
n,	,,	29.79	756.6	84	...	...	...	...	,,	29.89	759.2	81	...	...	...	...

On the 20th at 11.55 a.—The barometer has fallen quickly in E. Japan owing to the depression which is moving twards over the N.E. part of the Sea of Japan.

The barometer has risen slightly in N. China, and fallen a little at the stations around the China Sea.

High pressure still extends Westwards from the Bonins towards the S. coast of China.

Moderate S.E. winds may be expected in the Formosa Channel and over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	S.E. winds, light or moderate; fair.
Formosa Channel,	S.E. winds, moderate.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday 20th June, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th JUNE, 1910, P.M.								21st JUNE, 1910, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.36	745.3	74	...	S W	6	c	7 a.	29.50	749.3	62	89	...	6
Nemuro,	,,	29.57	751.1	...	...	S S W	4	...	6 a.	29.53	750.1	...	...	S	2
Hakodate,	,,	29.61	752.2	...	...	W S W	4	...	,,	29.62	752.2	...	...	S W	1
Tokio,	,,	29.67	753.6	...	...	S W	3	...	,,	29.75	755.6	...	...	N E	1
Kochi,	,,	29.83	757.8	...	...	S E	1	...	,,	29.84	757.8	...	...	...	0
Nagasaki,	,,	29.87	758.8	...	...	S W	3	...	,,	29.84	757.8	...	...	S W	6
Kagoshima,	,,	29.92	759.9	...	...	W S W	3	...	,,	29.90	759.4	...	...	W	1
Oshima,	,,	29.93	760.1	...	...	S	2	...	,,	29.95	760.6	...	...	...	0
Naha,	,,	29.93	760.2	...	...	S S W	1	...	,,	29.93	760.2	...	...	...	0
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.89	759.3	...	...	E	1
Bonin Is.	,,	29.96	761.1	...	...	E	1	...	,,	30.01	762.1	...	...	...	0
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.81	757.2	77	...	S S W	1	c	9 a.	29.83	758.8	71	80	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	29.75	755.6	87	76	S S E	1	o	9 a.	29.78	756.4	88	76	S S W	1
Gutzlaff,	,,	29.77	756.1	80	87	S E	2	cm	,,	29.79	756.6	76	90	S	3
Sharp Peak,	,,	29.77	756.1	86	...	S E	2	b	,,	29.89	759.2	84	...	S	1
Amoy,	,,	29.85	758.2	90	66	S E	4	b	6 a.	29.87	758.7	81	87	S W	1
Swatow,	,,	29.82	757.4	87	76	E	1	c	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.88	759.0	...	...	N	4	...	5 a.	29.89	759.3	...	...	...	0
Taichu,	,,	29.89	759.2	...	...	N W	4	...	,,	29.89	759.3	...	...	...	0
Tainan,	,,	29.90	759.4	...	...	W	6	...	,,	29.89	759.2	...	...	E	2
Koshun,	,,	29.90	759.5	...	...	E	6	...	,,	29.89	759.2	...	...	E	2
Pescadores,	,,	29.91	759.6	...	...	W	4	...	,,	29.88	758.8	...	...	W	2
Canton,	3 p.	29.81	757.2	90	66	S	1	b	9 a.	29.89	759.2	86	72	S	1
Hongkong.	4 p.	29.82	757.4	86	68	E	2	b	10 a.	29.89	759.2	87	71	E	2
Victoria Peak,	,,	...	...	...	...	S E	2	...	,,	...	...	...	...	E	1
Gap Rock,	,,	29.80	756.9	...	...	S E	2	...	,,	29.85	758.2	...	...	E S E	3
Macao,	,,	29.84	757.9	86	...	S E	1	c	,,	29.91	759.7	85	...	E	1
Wuchow,	3 p.	29.77	756.1	...	...	E	1	c	9 a.	29.87	758.7	83	79	E	1
Hoihow,	,,	29.71	754.6	91	92	E	6	c	,,	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.75	755.6	84	...	S S E	6	c	8 a.	...	...	...	...	...	...
Tourane,	,,	29.73	755.1	86	...	S E	2	c	,,	...	...	...	..	...	...
Cape St. James,	,,	29.74	755.4	88	...	N W	1	c	,,	...	...	...	...	...	...
Aparri,	2 p.	29.83	757.8	88	...	N E	2	b	6 a.	29.86	758.5	79	...	S	2
Manila,	4 p.	29.76	756	88	65	E N E	1	o	10 a.	29.84	758	86	71	E S E	1
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N	1	o	9 a.	...	...	...	...	N N W	1
Iloilo,	,,	29.81	757.2	84	...	W	2	o	,,	29.87	758.7	82	...	...	0
Cebu,	,,	29.79	756.6	84	...	N	2	o	,,	29.87	758.7	82	...	N	1
Labuan,	,,	29.79	756.6	84	...	...	...	...	,,	29.85	758.2	80	...	...	...

On the 21st at 12.10 p.—The barometer has risen moderately in Wladiwostok and over the N.E. coast of Ch and fallen slightly elsewhere.

The depression remains over the N.E. part of the Sea of Japan, and the high pressure still extends Westw from the Bonins towards the S.E. coast of China.

Pressure is relatively low over the middle part of the China Sea.

Moderate S.E. and E. winds may be expected in the Formosa Channel and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. and E. winds, moderate; fair.
2.—Formosa Channel,	S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG.
Director.

Hongkong Observatory, Tuesday, 21st June, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st JUNE, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	22nd JUNE, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivostock, ...	2 p.	29.46	748.2	76	...	...	0	o	7 a.	29.47	748.6	62	60	W	1	b
iro, ...	,,	29.47	748.6	...	...	S S W	3	...	6 a.	29.53	750.1	...	...	S S W	3	...
date, ...	,,	29.59	751.7	...	...	S W	6	...	,,	29.58	751.2	...	...	E	1	...
, ...	,,	29.73	755.1	...	...	S S E	1	...	,,	29.67	753.6	...	...	...	0	...
i.	,,	29.80	756.8	...	...	...	0	...	,,	29.80	755.8	...	...	...	0	...
aki, ...	,,	29.83	757.8	...	...	S W	5	...	,,	29.82	757.3	...	...	S W	6	...
shima, ...	,,	29.88	758.9	...	...	W N W	4	...	,,	29.83	758.9	...	...	W S W	2	...
ca, ...	,,	29.93	760.1	...	...	N	1	...	,,	29.93	760.1	...	...	S	1	...
.....	,,	29.93	760.2	...	...	S S W	1	...	,,	29.95	760.7	...	...	...	0	...
akijima, ...	,,	29.89	759.3	...	...	S E	3	...	,,	29.39	759.3	...	...	S S W	5	...
Is.	,,	29.98	761.6	...	...	N W	1	...	,,	30.01	762.1	...	...	E	1	...
o.	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
siwei, ...	,,	29.85	758.2	74	...	N	1	o	9 a.	29.91	759.7	70	...	W S W	6	c
ow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iang.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ghai, ...	,,	29.70	754.4	97	...	W	2	c	9 a.	29.77	756.1	93	61	W	2	c
aff, ...	,,	29.72	754.9	79	91	S	3	cm	,,	29.77	756.1	73	90	S W	4	bm
Peak, ...	,,	29.70	754.4	85	...	...	0	b	,,	29.88	758.9	85	...	...	0	b
.....	,,	29.83	757.7	92	51	S E	4	b	6 a.	29.87	758.7	81	83	S W	1	b
ow, ...	,,	...	...	...	...	...	...	...	,,	29.85	758.2	79	95	N N E	1	b
ku, ...	1 p.	29.87	758.7	...	...	N W	2	...	5 a.	29.89	759.2	...	...	S	2	...
n.	,,	29.87	758.6	...	...	N W	6	...	,,	29.91	759.6	...	...	...	0	...
n.....	,,	29.88	759.0	...	...	N W	6	...	,,	29.91	759.8	...	...	E	2	...
m.....	,,	29.93	760.1	...	...	E	4	...	,,	...	...	...	...	...	...	...
dores, ...	,,	29.89	759.2	...	...	N W	4	...	,,	29.88	759.0	...	...	...	0	...
n.....	3 p.	29.82	757.4	89	73	S S E	1	c	9 a.	...	...	...	...	...	...	...
kong.	4 p.	29.81	757.2	85	69	E	2	b	10 a.	29.90	759.4	87	76	E	2	c
ia Peak, ...	,,	...	...	...	...	E	2	...	,,	...	...	...	...	S E	2	...
lock, ...	,,	29.80	756.9	...	...	E	3	...	,,	29.87	758.7	...	...	E	4	...
.....	,,	29.83	757.7	86	...	S E	1	c	,,	29.92	759.9	81	...	E	1	cd
ow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
i, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
en, ...	4 p.	29.77	756.2	86	...	S S E	5	c	8 a.	29.86	758.5	86	...	N N E	2	b
ne, ...	,,	29.72	755.0	84	...	S E	1	c	,,	29.78	756.5	77	..	N W	3	or
t. James, .	,,	29.71	754.7	82	...	S E	2	c	,,	29.80	757.0	79	...	N W	1	o
i.	2 p.	29.81	757.1	90	...	N E	2	b	6 a.	29.90	759.5	77	...	S	2	b
a.	4 p.	29.76	756	86	65	S E	2	o	10 a.	29.92	760	82	77	N	1	o
pi, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
d, ...	3 p.	...	...	...	...	E	2	o	9 a.	...	...	...	...	E	2	o
.....	,,	29.79	756.6	85	...	...	0	o	,,	29.89	759.2	83	...	...	0	c
.....	,,	29.79	756.6	86	...	N	1	b	,,	29.92	759.9	84	...	N	1	b
n, ...	,,	29.75	755.6	87	...	...	...	...	,,	29.81	757.9	84	...	...	...	...

On the 22nd at 11.55 a.—The barometer has risen slightly over the Philippines, and fallen a little in Annam. Pressure is relatively low over the W. part of the China Sea, and a depression may be developing in the neighbhood of the Paracels.

The depression in the North remains over the N.E. part of the Sea of Japan.

The high pressure still extends Westwards from the Bonins towards the S.E. coast of China.

Moderate S.E. winds may be expected in the Formosa Channel, and moderate to fresh E. winds along the S. t of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	E. winds, moderate to fresh; showery.
ormosa Channel, ...	S.E. winds, moderate.
outh coast of China between Hongkong and Lamocks, .	Same as No. 1.
outh coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 22nd June, 1910.

inted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd JUNE, 1910, P.M.								23rd JUNE, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.66	738.2	71	...	N W	0	c	7 a.	29.58	751.2	64	76	...	0	5
Nemuro,	,,	29.47	748.6	...	...	S	5	...	6 a.	29.49	749.1	...	...	W	1	
Hakodate,	,,	29.52	749.7	...	...	W S W	7	...	,,	29.58	751.2	...	...	...	0	
Tokio,	,,	29.63	752.6	...	...	S S W	2	...	,,	29.67	753.6	...	...	...	0	
Kochi,	,,	29.74	755.3	...	...	E	1	...	,,	29.74	755.3	...	...	...	0	
Nagasaki,	,,	29.80	756.8	...	...	W S W	4	...	,,	29.80	756.8	...	...	N	1	
Kagoshima,	,,	29.84	757.9	...	...	N	3	...	,,	29.89	759.9	...	...	N W	1	
Oshima,	,,	29.93	760.1	...	...	S W	2	...	,,	29.87	758.6	...	...	S	1	
Naha,	,,	29.93	760.2	...	...	S S W	1	...	,,	29.89	759.2	...	...	S W	1	
Ishigakijima,	,,	29.85	758.3	...	...	S S W	4	...	,,	29.83	758.8	...	...	S S W	2	
Bonin Is.	,,	29.96	761.1	...	...	S	1	...	,,	29.95	760.6	...	...	...	1	
Chefoo,	4 p.	29.82	757.4	69	90	N W	4	o	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.96	759.4	70	90	N W	1	c	9 a.	29.92	759.9	78	...	...	...	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	29.76	755.9	99	...	S W	1	b	,,	...	...	...	...	...	...	
Shanghai,	,,	29.73	755.1	92	64	N N E	2	c	9 a.	29.89	756.9	79	95	E	2	
Gutzlaff,	,,	29.73	755.1	84	83	S W	4	cm	,,	29.89	756.9	74	100	E N E	4	
Sharp Peak,	,,	29.75	755.6	87	...	S E	2	b	,,	29.82	757.4	85	...	...	0	
Amoy,	,,	29.84	757.9	91	66	S E	4	b	6 a.	29.85	758.2	92	88	S W	1	
Swatow,	,,	29.81	757.2	87	76	E	2	b	,,	29.81	757.2	80	90	N E	1	
Taihoku,	1 p.	29.88	758.9	...	...	N	4	...	5 a.	29.86	758.5	...	...	...	0	
Taichu,	,,	29.89	759.2	...	...	N W	4	...	,,	29.88	759.0	...	...	...	...	
Tainan,	,,	29.91	759.8	...	...	S W	6	...	,,	29.89	759.3	...	...	E	2	
Koshun,	,,	29.91	759.8	...	...	S	6	...	,,	29.89	759.2	...	...	...	0	
Pescadores,	,,	29.93	760.3	...	...	S	6	...	,,	29.86	758.4	...	...	S W	4	
Canton,	3 p.	29.81	757.2	90	63	S	1	b	9 a.	...	...	...	...	...	...	
Hongkong,	4 p.	29.81	757.2	83	74	E S E	1	c	10 a.	29.88	758.9	87	77	E	2	
Victoria Peak,	,,	...	...	...	...	S E	3	...	,,	...	...	...	...	S S E	2	
Gap Rock,	,,	29.78	756.4	...	...	E S E	3	...	,,	29.83	757.7	...	...	E S E	3	
Macao,	,,	29.85	758.2	85	...	S E	1	c	,,	29.86	758.4	85	...	S E	1	
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	29.87	758.7	83	79	E	1	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.75	755.7	86	...	S S E	4	c	8 a.	...	...	...	...	...	...	
Tourane,	,,	29.67	753.7	75	...	N W	3	o	,,	...	...	...	...	...	...	
Cape St. James,	,,	29.76	755.8	73	...	W S W	6	or	,,	...	...	...	...	...	...	
Aparri,	2 p.	29.84	758.0	90	...	N E	2	b	6 a.	29.85	758.3	77	...	S W	0	
Manila,	4 p.	29.80	757	84	77	S	1	o	10 a.	29.84	758	86	71	E N E	1	
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	...	0	
Iloilo,	,,	29.79	756.6	85	...	N N E	1	o	,,	29.83	757.7	83	...	...	0	
Cebu,	,,	29.79	756.6	86	...	N	2	...	,,	29.83	757.7	83	...	...	0	
Labuan,	,,	29.76	755.9	87	...	...	...	...	,,	29.85	758.2	80	...	...	...	

On the 23rd at 12.15 p.—The depression in the North is moving into the Pacific to the N.E. of Japan.

The barometer has risen a little in N. China, and fallen slightly to moderately over S. China, the Loochoos and the Philippines.

The returns from Indo-China are not yet in hand, but probably pressure remains low over the middle and western parts of the China Sea.

Pressure is still in slight to moderate excess of the normal between the Bonins and Formosa,

Moderate S.E. and E. winds may be expected in the Formosa Channel, and over the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and S.E. winds, moderate; showery.
2.—Formosa Channel,	S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 23rd June, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd JUNE, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	24th JUNE, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivostock,...	2 p.	29.57	751.1	78	...	S S W	0	b	7 a.	29.66	753.4	62	76	E	2	c
uro,.....	,,	...	...	...	...	...	...	...	6 a.	29.77	756.1	...	...	W	1	...
date....	,,	...	...	...	...	...	...	...	,,	29.85	758.2	...	...	...	0	...
o.	,,	...	...	...	...	...	...	...	,,	29.89	759.1	...	...	...	0	...
i.	,,	...	...	...	...	...	...	...	,,	29.84	757.8	...	...	...	0	...
saki, ...	,,	...	...	...	...	...	...	...	,,	29.78	756.3	...	...	N	1	...
shima, ...	,,	...	...	...	...	...	...	...	,,	29.80	756.9	...	...	S	1	...
ma,.....	,,	...	...	...	...	...	...	...	,,	29.87	758.6	...	...	...	0	...
.....	,,	...	...	...	...	..	...	...	,,	29.87	758.7	...	...	...	0	...
akijima,....	,,	...	...	...	...	...	...	...	,,	29.86	758.3	...	...	S	2	...
n Is.....	,,	...	...	...	...	...	...	...	,,	29.97	761.1	...	...	...	0	...
oo.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
siwei.....	,,	29.87	758.7	78	...	E N E	2	c	9 a.	29.91	759.7	75	...	S	1	b
zow,.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iang.....	,,	29.71	754.6	98	57	N E	1	c	,,	...	...	...	...	...	...	...
ghai, ...	,,	29.74	755.4	78	86	E S E	2	o	9 a.	29.73	756.4	84	72	E S E	2	c
laff.	,,	29.74	755.4	75	90	E	3	om	,,	...	...	...	...	...	...	...
Peak,.....	,,	29.71	754.6	88	...	S	1	b	,,	29.82	757.4	86	96	...	0	b
y.....	,,	...	..	92	57	S E	4	b	6 a.	29.73	756.4	83	79	E	1	b
ow.....	,,	29.78	756.4	90	63	S S E	1	b	,,	29.76	755.9	79	95	N E	1	b
gku.....	1 p.	29.82	757.5	...	...	N W	4	...	5 a.	29.84	757.9	...	...	...	0	...
hu.	,,	29.82	757.5	...	...	W	4	...	,,	29.85	758.2	...	...	...	0	...
m.....	,,	29.87	758.8	...	...	S W	6	...	,,	29.86	758.3	...	...	S E	2	...
um.....	,,	29.88	758.9	...	...	S E	6	...	,,	29.86	758.4	...	...	S E	2	...
adores, ...	,,	29.85	758.3	...	...	S W	6	...	,,	29.83	757.6	...	...	S W	4	...
on.....	3 p.	29.81	757.2	89	66	S S E	1	c	9 a.	29.86	758.4	84	83	N E	1	c
hong.	4 p.	29.81	757.2	87	70	E S E	1	c	10 a.	29.87	758.7	87	72	E	1	c
nin Peak,...	,,	...	...	...	...	S S E	2	...	,,	...	...	...	...	S E	1	...
Rock.....	,,	29.86	756.9	...	...	S E	3	...	,,	29.85	758.2	...	...	E S E	3	...
o.....	,,	29.83	757.7	86	...	S S E	1	cd	,,	29.90	759.4	85	...	S S E	1	cd
how,.....	3 p.	29.78	756.4	90	63	N	...	c	9 a.	...	...	...	...	...	...	...
ow,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ien.....	4 p.	29.65	753.1	86	...	E N E	9	c	8 a.	29.72	754.9	77	...	E	6	c
ane.	,,	29.60	751.8	77	...	S E	3	o	,,	29.72	754.9	82	..	S E	2	c
St. James,.	,,	29.72	754.9	79	...	S W	4	or	,,	29.81	757.2	75	...	S W	5	or
i.....	2 p.	29.83	757.6	86	...	N E	2	o	6 a.	29.82	757.4	77	...	S	2	b
la.	4 p.	29.76	756	81	85	N N E	1	o	10 a.	29.84	758	86	71	S W	1	o
spi.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
od,.....	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	N N W	1	o
.....	,,	29.77	756.1	84	...	...	0	od	,,	29.83	757.7	83	...	...	0	b
.....	,,	29.76	755.9	85	...	N	1	c	,,	29.82	757.4	83	...	...	0	c
n, ...	,,	29.79	756.6	80	...	...	...	...	,,	29.85	758.2	81	...	...	...	...

On the 23rd at 2.30 p.—Depression in the South part of the Gulf of Tongking, moving W.N.W.
On the 24th at 12.05 p.—The depression entered Tongking last evening.
The barometer has risen considerably in E. Japan, the northern depression having moved away over the Pacific.
Pressure is still inclined to give way over China and the Philippines. It is highest over the Pacific in the neighbourhood of the Bonins.
Light to moderate S.E. winds may be expected in the Formosa Channel and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	S.E. winds, light to moderate; showery.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 24th June, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th JUNE, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	25th JUNE, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	29.74	755.4	60	...	E S E	3	o	7 a.	29.73	755.0	57	97	S E	1	[illegible]
Nemuro, ...	,,	29.81	757.1	...	...	S	4	...	6 a.	29.91	759.6	...	...	S	[illegible]	[illegible]
Hakodate, ...	,,	29.85	758.2	...	...	W S W	1	...	,,	29.91	759.7	...	...	...	[illegible]	[illegible]
Tokio, ...	,,	29.91	759.6	...	...	S	2	...	,,	29.91	759.6	...	...	N	1	[illegible]
Kochi, ...	,,	29.85	758.3	...	...	...	0	...	,,	29.84	757.8	...	...	...	[illegible]	[illegible]
Nagasaki, ...	,,	29.80	756.8	...	...	S W	1	...	,,	29.86	758.3	...	...	S E	[illegible]	[illegible]
Kagoshima, ...	,,	29.82	757.4	...	...	W N W	2	...	,,	29.88	758.9	...	...	W N W	1	[illegible]
Oshima, ...	,,	29.89	759.1	...	...	N	2	...	,,	29.89	759.1	...	...	...	[illegible]	[illegible]
Naha, ...	,,	29.91	759.7	...	...	S W	1	...	,,	29.89	759.2	...	...	...	0	[illegible]
Ishigakijima, ...	,,	29.89	759.3	...	...	S	2	...	,,	29.88	758.8	...	...	S S E	2	[illegible]
Bonin Is.	,,	29.96	761.1	...	...	S S W	1	...	,,	29.99	761.6	...	...	...	[illegible]	[illegible]
Chefoo, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Weihaiwei, ...	,,	29.87	758.7	82	...	N E	1	c	9 a.	29.71	754.6	62	90	S S E	2	[illegible]
Hankow, ...	,,	...	..	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Kiukiang.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Shanghai, ...	,,	29.74	755.4	85	76	E S E	2	c	9 a.	29.69	754.1	83	80	S W	1	[illegible]
Gutzlaff, ...	,,	29.74	755.4	76	91	E	3	f	,,	29.71	754.6	77	95	S	3	[illegible]
Sharp Peak, ...	,,	29.71	754.6	87	...	E	2	b	,,	29.82	757.4	85	..	...	0	[illegible]
Amoy, ...	,,	29.78	756.4	91	54	S E	4	b	6 a.	29.80	756.9	82	79	S W	3	[illegible]
Swatow, ...	,,	29.78	756.4	90	63	S E	2	b	,,	29.80	756.9	81	87	N	1	[illegible]
Taihoku, ...	1 p.	29.81	757.1	...	...	N W	2	...	5 a.	29.85	758.2	...	...	...	[illegible]	[illegible]
Taichu, ...	,,	29.85	758.1	...	...	W	4	...	,,	29.86	758.4	...	...	...	[illegible]	[illegible]
Tainan, ...	,,	29.88	758.9	...	...	W	4	...	,,	29.86	758.4	...	...	E	2	[illegible]
Koshun.....	,,	29.87	758.7	...	...	E	6	...	,,	29.86	758.4	...	...	E	2	[illegible]
Pescadores, ...	,,	29.87	758.6	...	...	W	4	...	,,	29.84	757.9	...	...	W	2	[illegible]
Canton, ...	3 p.	29.79	756.6	90	63	S E	1	b	9 a.	...	...	...	...	...	...	[illegible]
Hongkong, ...	4 p.	29.80	756.9	86	68	E	1	c	10 a.	29.85	758.2	87	70	E	1	[illegible]
Victoria Peak, ...	,,	...	...	...	...	S S E	2	...	,,	...	...	...	...	E	1	[illegible]
Gap Rock, ...	,,	29.78	756.4	...	...	E	2	...	,,	29.82	757.4	...	...	E	2	[illegible]
Macao, ...	,,	29.83	757.7	85	...	S E	1	c	,,	29.83	758.9	87	...	E	1	[illegible]
Wuchow, ...	3 p.	29.77	756.1	90	63	S E	2	c	9 a.	29.86	758.4	80	...	E	1	[illegible]
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Pakhoi, ...	,,	29.77	756.1	88	66	S E	3	c	,,	...	...	...	...	...	...	[illegible]
Phulien, ...	4 p.	29.69	754.1	79	...	E S E	7	c	8 a.	29.80	756.8	82	...	S S E	4	[illegible]
Tourane, ...	,,	29.65	753.2	82	...	S E	2	c	,,	29.77	756.1	82	..	...	0	[illegible]
Cape St. James, .	,,	29.74	755.4	82	...	S	4	o	,,	29.83	757.7	79	...	E S E	4	[illegible]
Aparri, ...	2 p.	29.80	756.9	90	...	N E	2	c	6 a.	29.82	757.5	79	...	S	0	[illegible]
Manila, ...	4 p.	29.76	756	84	77	N N E	0	o	10 a.	29.84	758	82	77	...	0	[illegible]
Legaspi, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Bacolod, ...	3 p.	...	...	...	...	S E	3	o	9 a.	...	...	...	...	S	2	[illegible]
Iloilo, ...	,,	29.77	756.1	84	...	...	0	o	,,	29.83	757.7	82	...	N W	1	[illegible]
Cebu, ...	,,	29.75	755.6	85	...	...	0	o	,,	29.84	757.9	84	...	S	2	[illegible]
Labuan, ...	,,	29.81	757.2	79	...	...	...	...	,,	29.90	759.4	78	...	...	...	[illegible]

On the 25th at 12.05 p.—The barometer has risen moderately in Japan, and fallen considerably over N. China. A depression is approaching the latter area from the Westward.

Pressure has increased over Tongking. It is still high over the Pacific in the neighbourhood of the Bonins, in slight defect over the S. Philippines.

Light to moderate S.E. winds may be expected in the Formosa Channel and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.E. winds, light to moderate; fair.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday 25th June, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th June, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	26th June, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivostock,	2 p.	29.67	753.5	60	...	E S E	3	f	7 a.	29.26	743.1	56	97	E	0	or
aro,	,,	...	...	...	...	S S W	4	...	6 a.	29.97	761.1	...	...	S	3	...
date,	,,	29.85	758.2	...	...	S E	3	...	,,	29.75	755.7	...	...	E	6	...
,	,,	29.85	758.1	...	...	E	2	...	,,	29.85	758.1	...	...	...	0	...
i,	,,	29.85	758.3	...	...	S E	1	...	,,	29.82	757.3	...	...	...	0	...
saki,	,,	29.83	757.8	...	...	E S E	1	...	,,	29.76	755.8	...	...	S W	7	...
shima,	,,	29.86	758.4	...	...	S W	1	...	,,	29.86	758.4	...	...	S W	1	...
na,	,,	29.89	759.1	...	...	N E	1	...	,,	29.89	759.1	...	...	...	0	...
	,,	...	...	...	...	...	...	...	,,	29.89	759.2	...	...	...	0	...
akijima,	,,	29.87	758.8	...	...	S	2	...	,,	29.83	758.8	...	...	S	2	...
Is.	,,	29.96	761.1	...	...	S	1	...	,,	29.99	761.6	...	...	...	0	...
o,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
aiwei,	,,	29.58	751.3	64	...	N	1	o	9 a.	29.78	756.4	71	...	W S W	4	b
ow,	,,	...	..	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ghai,	,,	29.64	752.8	87	76	W S W	3	o	9 a.	29.86	758.4	75	81	N N E	2	or
iaff,	,,	29.67	753.6	80	91	S	4	cm	,,	29.78	756.4	77	95	N N E	5	o
Peak,	,,	29.73	755.1	86	...	E S E	2	b	,,	29.78	756.4	85	...	...	0	b
	,,	29.78	756.4	92	57	S E	4	b	6 a.	29.82	757.4	81	83	S W	3	b
ow,	,,	29.77	756.1	91	...	S	2	b	,,	29.81	757.2	80	91	N E	1	b
ku,	1 p.	29.83	757.6	...	...	N E	4	...	5 a.	29.85	758.2	...	...	S	2	...
u,	,,	29.83	757.8	...	...	S E	6	...	,,	29.85	758.2	...	...	...	0	...
n,	,,	29.83	757.8	...	...	W	6	...	,,	29.84	758.0	...	...	S E	2	...
un,	,,	29.86	758.4	...	...	E	8	...	,,	29.88	758.8	...	...	...	0	...
dores,	,,	29.85	758.1	...	...	W	4	...	,,	29.83	757.7	...	...	S W	4	...
n,	3 p.	29.78	756.4	98	60	S	1	b	9 a.	29.84	757.9	86	76	S	1	b
kong,	4 p.	29.80	756.9	86	71	E	2	c	10 a.	29.83	757.7	87	64	E S E	1	c
ia Peak,	,,	..	...	...	...	S E	2	...	,,	...	...	...	...	E N E	1	...
Rock,	,,	29.79	756.6	...	...	E	3	...	,,	29.83	757.7	...	...	E N E	2	...
,	,,	29.82	757.4	87	...	S E	1	c	,,	29.87	758.7	87	...	S E	1	c
ow,	3 p.	29.80	756.9	88	...	W	1	c	9 a.	...	...	...	...	...	...	...
ow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
en,	4 p.	29.75	755.7	86	...	S E	4	c	8 a.	29.86	758.3	82	...	S	2	c
ne,	,,	29.75	755.6	84	...	N N W	1	o	,,	29.82	757.4	82	..	N W	2	c
St. James,	,,	29.75	755.6	82	...	S E	3	c	,,	29.87	758.6	75	...	W N W	3	o
,	2 p.	29.79	756.7	90	...	E	2	b	6 a.	29.82	757.3	77	...	S	2	b
a,	4 p.	29.80	757	82	85	E S E	1	o	10 a.	...	...	...	...	...	..	...
pi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
od,	3 p.	...	...	...	...	S	2	o	9 a.	...	...	...	...	W S W	2	o
	,,	29.81	757.2	...	...	...	0	o	,,	29.87	758.7	81	...	...	0	c
	,,	29.78	756.4	85	...	S E	1	o	,,	29.85	758.2	84	...	S E	1	b
n,	,,	29.82	757.4	82	...	...	...	...	,,	...	...	...	...	...	...	...

On the 26th at 11.40 a.—The barometer has fallen rapidly in Wladiwostok, and risen moderately over N. China. The depression lying over the latter area yesterday, has reached the N.W. part of the Sea of Japan.

Pressure is high over the Pacific to the E. of Japan, and in moderate to slight excess of the normal between the choos and the S. coast of China. It is relatively low over the middle part of the China Sea.

Light or moderate S.E. and E. winds may be expected in the Formosa Channel and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	E. winds, light or moderate; fair.
Formosa Channel,	S.E. and E. winds, moderate.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday 26th June, 1910.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th JUNE, 1910, P.M.								27th JUNE, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.18	741.1	69	...	W S W	2	c	7 a.	29.43	747.6	58	70	S S W	0	
Nemuro,	,,	29.89	759.1	...	...	S S E	3	...	6 a.	29.83	757.6	...	...	S E	4	
Hakodate,	,,	29.59	751.7	...	...	E S E	7	...	,,	29.73	755.2	...	...	N N W	1	
Tokio,	,,	29.73	755.1	...	...	S S W	3	...	,,	29.77	756.1	...	...	...	0	
Kochi,	,,	29.72	754.8	...	...	E	1	...	,,	29.80	756.8	...	...	...	0	
Nagasaki,	,,	29.76	755.8	...	...	S W	2	...	,,	29.84	757.8	...	...	E N E	1	
Kagoshima,	,,	29.80	756.9	...	...	S W	3	...	,,	29.86	758.4	...	...	W	1	
Oshima,	,,	29.85	758.1	...	...	N	1	...	,,	29.87	758.6	...	...	S	1	
Naha,	,,	29.87	758.7	...	...	S W	1	...	,,	29.87	758.7	...	...	...	0	
Ishigakijima,	,,	29.87	758.8	...	...	S	2	...	,,	29.86	758.3	...	...	S	3	
Bonin Is.	,,	29.94	760.6	...	...	S W	1	...	,,	29.99	761.6	...	...	...	0	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.74	755.4	79	70	S W	5	b	9 a.	29.76	755.9	75	...	S S W	4	
Hankow,	,,	...	..	...	...	..	...	...	6 a.	...	...	...	...	...	...	
Kinkiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Shanghai,	,,	29.77	756.1	77	77	E N E	1	og	9 a.	...	...	...	...	...	...	
Gutzlaff,	,,	29.78	756.4	73	90	E N E	2	ov	,,	...	...	...	...	...	..	
Sharp Peak,	,,	29.71	754.6	86	...	S	2	b	,,	29.77	756.1	84	...	...	0	
Amoy,	,,	29.81	757.2	91	57	S E	2	b	6 a.	29.34	757.9	82	79	W S W	1	
Swatow,	,,	29.75	755.6	90	56	S	2	b	,,	29.77	756.1	80	90	...	0	
Taihoku,	1 p.	29.81	757.1	...	...	N	4	...	5 a.	29.86	758.3	...	...	...	0	
Taichu,	,,	29.81	757.2	...	...	N W	6	...	,,	29.81	757.2	...	...	...	0	
Tainan,	,,	29.83	757.6	...	...	W	6	...	,,	29.82	757.4	...	...	E	4	
Koshun	,,	29.84	758.0	...	...	S E	6	...	,,	29.83	757.7	...	...	E	4	
Pescadores,	,,	29.82	757.5	...	...	W	4	...	,,	29.79	756.6	...	...	S	6	
Canton,	3 p.	29.75	755.6	94	96	S	1	b	9 a.	29.79	756.6	87	69	...	0	
Hongkong,	4 p.	29.75	755.6	86	64	E	2	b	10 a.	29.79	756.6	89	63	E	1	
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	N E	1	
Gap Rock,	,,	29.73	755.1	...	...	E	2	...	,,	29.76	755.9	...	...	E S E	2	
Macao,	,,	29.79	756.6	86	...	S E	1	c	,,	29.81	757.2	87	...	S E	1	
Wuchow,	3 p.	29.80	756.9	91	...	W	1	c	9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.76	755.8	88	...	S E	3	b	8 a.	29.80	757.0	84	...	S S E	1	
Tourane,	,,	29.73	755.1	82	...	N N W	2	c	,,	29.80	757.0	79	..	N N W	1	
Cape St. James,	,,	29.78	756.5	79	...	W N W	3	o	,,	29.86	758.5	79	...	W S W	4	
Aparri,	2 p.	29.77	756.1	86	...	N E	0	p	6 a.	29.75	755.7	79	...	W	2	
Manila,	4 p.	29.76	756	84	77	S E	1	o	10 a.	29.34	758	84	77	E S E	1	
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	S	1	o	9 a.	...	...	...	...	S	1	
Iloilo,	,,	29.81	757.2	83	...	N W	1	od	,,	29.87	758.7	82	...	...	0	
Cebu,	,,	29.80	756.9	86	...	S	1	c	,,	29.88	758.9	81	...	...	0	
Labuan,	,,	29.79	756.6	85	...	...	...	...	,,	29.85	758.2	80	...	...	...	

On the 27th at 12.10 p.—The depression lying in the neighbourhood of Wladiwostok yesterday, is moving slowly away towards N.E.

The barometer has fallen slightly over S. China, Formosa and Luzon, and a low pressure trough appears to be lying over the N. part of the China Sea in about 18° Lat.

Pressure remains high over the Pacific in the neighbourhood of the Bonins.

Light or moderate E. winds may be expected in the Formosa Channel and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, light to moderate; fair.
2.—Formosa Channel,	E. and S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 27th June, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	27TH JUNE, 1910, P.M.								28TH JUNE, 1910, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
vostock,	2 p.	29.44	747.7	63	...	S	1	c	7 a.	29.57	751.0	58	90	E S E	0	o
ro,	,,	29.81	757.1	...	...	S E	4	...	6 a.	29.81	757.1	...	...	N	1	...
late,	,,	29.73	755.2	...	...	S E	2	...	,,	29.77	756.2	...	...	..	0	...
	,,	29.77	756.1	...	...	E	1	...	,,	29.85	758.1	...	...	N W	1	...
	,,	29.82	757.3	...	...	E S E	1	...	,,	29.78	756.3	...	...	...	0	...
aki,	,,	29.82	757.3	...	...	N E	1	...	,,	29.78	756.3	...	...	N	1	...
hima,	,,	29.82	757.4	...	...	W S W	1	...	,,	29.80	756.9	...	...	S W	3	...
a,	,,	29.85	758.1	...	...	S	2	...	,,	29.87	758.6	...	...	S S W	2	...
	,,	29.87	758.7	...	...	S S W	2	...	,,	29.67	758.7	...	...	S	1	...
kijima,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	...	...	S	5	...
Is.	,,	29.81	757.1	...	...	S S E	1	...	,,	29.99	761.6	...	...	S	1	...
o,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iwei,	,,	29.74	755.4	80	...	S W	4	c	9 a.	29.86	758.4	72	...	S W	4	b
ow,	,,	...	..	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hai,	,,	29.73	755.1	67	96	N E	3	o	9 a.	29.80	756.9	71	85	E	1	om
aff,	,,	29.67	753.6	71	100	N N E	6	f	,,	29.77	756.1	74	90	E N E	2	cm
Peak,	,,	29.68	753.9	85	...	E S E	4	b	,,	29.75	755.6	84	...	...	0	c
	,,	29.75	755.6	90	63	W	3	b	6 a.	29.70	754.4	82	83	S	1	b
w,	,,	29.72	754.9	88	69	S E	1	c	,,	29.70	754.4	79	91	N N E	1	c
ku,	1 p.	29.77	756.1	...	...	N W	4	...	5 a.	29.73	755.0	...	...	W	0	...
n,	,,	29.77	756.1	...	...	N W	6	...	,,	29.76	755.9	...	...	...	0	...
n,	,,	29.78	756.5	...	...	W	4	...	,,	29.79	756.6	...	...	S	4	...
m,	,,	29.78	756.5	...	...	N E	6	...	,,	29.81	757.1	...	...	E	4	...
dores,	,,	29.78	756.4	...	...	W	6	...	,,	29.76	755.8	...	...	W	2	...
n,	3 p.	29.70	754.4	92	54	S	1	b	9 a.	29.74	755.4	86	72	S W	1	b
kong,	4 p.	29.70	754.4	86	65	E	2	c	10 a.	29.73	755.1	87	63	S W	1	c
ia Peak,	,,	...	...	...	...	S S E	1	...	,,	...	...	...	...	N E	1	...
lock,	,,	29.69	754.1	...	...	E	2	...	,,	29.73	755.1	...	...	E	3	...
	,,	29.75	755.6	87	...	S E	1	c	,,	29.75	755.6	89	...	S E	1	c
ow,	3 p.	29.73	755.1	80	...	S E	1	c	9 a.	29.79	756.6	78	...	E	2	b
w,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
en,	4 p.	29.69	754.0	88	...	S S E	3	b	8 a.	29.76	755.8	84	...	S S W	1	c
ue,	,,	29.69	754.1	84	...	N E	1	c	,,	29.75	755.7	86	...	S E	1	c
t. James,	,,	29.75	755.6	86	...	W S W	4	c	,,	29.86	758.3	81	...	W	4	c
	2 p.	29.74	755.3	79	...	S	4	p	6 a.	29.81	757.2	75	...	S	2	o
a,	4 p.	29.72	755	84	77	...	0	o	10 a.	29.84	758	86	71	E S E	2	o
pi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
od,	3 p.	...	...	...	...	W S W	2	o	9 a.	...	...	...	...	S	2	o
	,,	29.81	757.2	85	...	S W	1	o	,,	29.89	759.2	82	...	N W	2	o
	,,	29.81	757.2	85	...	S W	1	c	,,	29.94	760.5	82	...	S	2	o
n,	,,	29.78	756.4	87	...	...	...	...	,,	29.89	758.9	80	...	...	...	...

On the 27th at 1.30 p.—Observations received from Aparri indicate that a small depression passed North of that ion moving Westwards this morning.

On the 28th at 11.50 a.—The barometer has risen a little in Luzon, and fallen slightly to moderately on the S. st of China.

The depression, which is apparently of no great intensity at present, is probably situated to the South of Pratas al, and moving towards W. or W.N.W.

Pressure is still low over E. Manchuria. It has increased mo lerately over N. China, and remains high over Pacific in the neighbourhood of the Bonins.

Unsettled weather may be expected in the Formosa Channel and over the N. part of the China Sea.

Black South Cone and Drum hoisted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
Hongkong and Neighbourhood,	N.E. winds, probably freshening; fair to squally [with rain.
Formosa Channel,	E. winds, fresh.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday 28th June, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th JUNE, 1910, P.M.								29th JUNE, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.55	750.6	64	...	E	0	c	7 a.	29.69	754.1	61	92	...	0
Nemuro,	,,	29.83	757.6	...	...	S E	2	...	6 a.	29.89	759.1	...	...	E S E	1
Hakodate,	,,	29.75	755.7	...	...	E	2	...	,,	29.83	757.7	...	...	...	0
Tokio,	,,	29.81	757.1	...	...	N N W	1	...	,,	29.87	758.6	...	...	N W	1
Kochi,	,,	29.78	756.3	...	...	...	0	...	,,	29.88	758.8	...	...	...	0
Nagasaki,	,,	29.80	756.8	...	...	N N W	1	...	,,	29.86	758.3	...	...	S E	1
Kagoshima,	,,	29.80	756.9	...	...	W	2	...	,,	29.86	758.4	...	...	N	1
Oshima,	,,	29.85	758.1	...	...	S S W	2	...	,,	29.91	759.6	...	...	...	0
Naha,	,,	29.87	758.7	...	...	S S W	2	...	,,	29.91	759.7	...	...	S S E	1
Ishigakijima,	,,	29.85	758.3	...	...	S S W	6	...	,,	29.86	758.3	...	...	S	4
Bonin Is.	,,	29.93	760.1	...	...	S W	1	...	,,	29.97	761.1	...	...	S	1
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.84	757.9	78	...	S W	4	c	9 a.	29.89	759.2	71	80	S S W	4
Hankow,	,,	...	..	...	...	..	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	29.75	755.6	76	86	E N E	2	o	9 a.	29.74	755.4	78	91	...	0
Gutzlaff,	,,	29.74	754.4	72	95	E N E	5	omd	,,	..	...	...	...	...	...
Sharp Peak,	,,	29.67	753.6	86	...	S	1	b	,,	29.77	756.1	85	...	E	1
Amoy,	,,	29.73	755.1	88	66	S E	4	b	6 a.	29.74	755.4	82	83	N E	2
Swatow,	,,	29.68	753.9	...	...	E	3	o	,,	29.71	755.1	74	95	S	2
Taihoku,	1 p.	29.75	755.7	...	...	N W	4	...	5 a.	29.80	756.8	...	...	..	0
Taichu,	,,	29.75	755.6	...	...	N W	2	...	,,	29.78	756.3	...	...	...	0
Tainan,	,,	29.75	755.7	...	...	S	8	...	,,	29.78	756.5	...	...	N E	2
Koshun	,,	29.82	757.4	...	...	S E	6	...	,,	29.81	757.1	...	...	E	6
Pescadores,	,,	29.75	755.6	...	...	S W	10	...	,,	29.75	755.7	...	...	S	6
Canton,	3 p.	29.60	751.8	93	58	W	1	b	9 a.	29.64	752.8	82	79	E	2
Hongkong,	4 p.	29.61	752.1	87	74	E	1	o	10 a.	29.62	752.3	77	95	E	3
Victoria Peak,	,,	..		...	...	N E	1	...	,,	...	...	...	...	S S E	5
Gap Rock,	,,	29.58	751.3	...	...	N E	2	...	,,	29.53	750.0	...	...	E S E	7
Macao,	,,	29.66	75[illegible]	92	...	E	1	c	,,	29.62	752.3	78	...	N E	3
Wuchow,	3 p.	29.64	752.8	92	54	W	1	c	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.68	753.9	90	65	W N W	2	b	,,	...	...	...	...	...	...
Phulien,	4 p.	29.63	752.5	88	...	S S E	3	b	8 a.	29.65	753.2	86	...	S	0
Tourane,	,,	29.65	753.0	86	...	S E	2	c	,,	29.68	753.8	82	..	S W	1
Cape St. James,	,,	29.74	755.3	81	...	W S W	5	lt	,,	29.83	757.6	81	...	W S W	5
Aparri,	2 p.	29.78	756.3	81	...	S E	2	o	6 a.	29.84	757.9	79	...	S	2
Manila,	4 p.	29.76	756	79	92	...	0	od	10 a.	29.84	758	86	71	S E	2
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S	3	o	9 a.	...	...	...	...	S	2
Iloilo,	,,	29.81	757.2	84	...	...	0	o	,,	29.89	759.2	82	...	...	0
Cebu,	,,	29.84	757.9	85	...	...	0	o	,,	29.89	759.2	81	...	S	1
Labuan,	,,	29.79	756.6	89	...	...	...	...	,,	29.85	758.2	84	...	...	...

On the 29th at 5.0 a.—Black South Cone hoisted.

At 10.15 a.—Black South Cone and Ball hoisted.

At 12.05 p.—The barometer has fallen considerably to moderately in Hongkong and Tongking, and risen slo on the S.E. coast of China.

The typhoon is probably situated about 100 miles to the S.W. of Hongkong. It is moving towards W.N.W. is likely to reach the coast in the neighbourhood of Kwong Chau Wan.

Pressure has increased over Japan and the Loochoos. It remains high over the Pacific in the neighbourho the Bonins.

Moderate S.E. winds may be expected in the Formosa Channel and strong cyclonic winds to gales along t coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 3.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, strong; squally, rainy.
2.—Formosa Channel,	S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Cyclonic gales.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday 29th June, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	29TH JUNE, 1910, P.M.								30TH JUNE, 1910, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
ivostock,...	2 p.	29.69	754.2	76	...	...	0	b	7 a.	29.76	756.0	61	88	...	0	b
ro.....	,,	29.87	758.6	...	...	S E	2	...	6 a.	29.85	758.1	...	...	S	1	...
date.....	,,	29.83	757.7	...	...	S E	1	...	,,	29.83	757.7	...	...	...	0	...
.....	,,	29.85	758.1	...	...	S	2	...	,,	29.87	758.6	...	...	S W	1	...
i.....	,,	29.87	758.8	...	...	S E	1	...	,,	29.84	757.8	...	...	...	0	...
aki.....	,,	29.85	758.3	...	...	S E	2	...	,,	29.78	756.3	...	...	W S W	5	...
hina.....	,,	29.86	758.4	...	...	...	0	...	,,	29.86	758.4	...	...	W S W	1	...
n.....	,,	29.87	758.6	...	...	S	2	...	,,	29.87	758.6	...	...	...	0	...
.....	,,	...	...	...	...	...	...	...	,,	29.89	759.2	...	...	...	0	...
akijima.....	,,	...	...	...	...	...	..	...	,,	29.86	758.3	...	...	S	5	...
Is.....	,,	29.93	760.1	...	...	W N W	1	...	,,	29.93	760.1	...	...	W	1	...
.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
aiwei.....	,,	29.84	757.9	82	...	S W	1	b	9 a.	29.96	761.0	76	...	N N E	1	b
ow.....	,,	...	..	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ang.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
chai.....	,,	29.72	754.9	77	90	S S W	1	or	9 a.	29.79	756.6	74	100	...	0	omr
aff.....	,,	29.75	755.6	75	95	W S W	1	om	,,	29.79	756.6	76	95	W S W	1	ov
Peak,.....	,,	29.73	755.1	86	...	S	3	c	,,	29.76	755.9	85	...	...	0	c
.....	,,	29.72	754.9	85	79	S E	3	b	6 a.	29.68	753.9	81	83	N E	4	o
w.....	,,	29.65	753.1	78	95	E	2	or	,,	29.64	752.8	78	91	S S E	2	or
ku.....	1 p.	29.77	756.1	...	...	N	4	...	5 a.	29.78	756.3	...	...	..	0	...
u.....	,,	29.75	755.6	...	...	N	4	...	,,	29.79	756.7	...	...	...	0	...
.....	,,	29.75	755.6	...	...	S	8	...	,,	29.78	756.4	...	...	S E	2	...
m.....	,,	29.81	757.1	...	...	S E	8	...	,,	29.82	757.5	...	...	S E	2	...
dores,.....	,,	29.74	755.4	...	...	S	10	...	..	29.74	755.3	...	...	S	8	...
n.....	3 p.	29.53	751.3	80	91	E	2	or	9 a.	29.48	748.8	78	91	E	4	or
kong.....	4 p.	29.50	749.3	82	83	E	4	o	10 a.	29.57	751.1	77	92	S E	5	opq
da Peak,...	,,	...	...	...	...	E	4	...	,,	..	...	...	...	S S W	8	...
dock.....	,,	29.44	747.8	...	...	E S E	7	...	,,	29.50	749.3	...	...	S	9	...
.....	,,	29.48	748.8	78	...	N N E	5	od	..	29.45	748.0	76	...	E	8	orq
ow.....	3 p.	29.58	751.3	78	...	E	5	eq	9 a.	...	...	...	...	...	...	...
w.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n.....	4 p.	29.52	749.7	95	...	S	2	c	8 a.	29.60	751.9	81	...	E N E	4	o
ne.....	,,	29.60	751.8	86	...	...	0	c	,,	29.62	752.2	83	..	N N E	2	c
S. James,.	,,	29.74	755.4	79	...	S W	6	lt	,,	29.81	757.2	79	...	S W	5	c
.....	2 p.	29.75	755.6	90	...	S E	2	b	6 a.	29.80	757.0	77	...	S	2	b
.....	4 p.	29.76	756	81	85	S S W	1	o	10 a.	29.84	758	86	64	S S W	1	b
pi.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
d.....	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S	3	o
.....	,,	29.81	757.2	84	...	...	0	o	,,	29.89	759.2	82	...	...	0	o
.....	,,	29.84	757.9	82	...	S E	1	o	,,	29.88	758.9	81	...	S	1	o
n.....	,,	29.81	757.2	89	...	...	...	...	,,	29.84	757.9	84	...	...	...	...

On the 30th at 8.20 a.—Black Ball hoisted.

The typhoon appears to be moving Northwards and approaching the coast to the West of Macao.

At 12.15 p.—The barometer is inclined to rise in Hongkong, while it has fallen considerably in Macao and ton. Pressure has given way also over Tongking and the S.E. coast of China, and the typhoon would appear to e increased in depth during the past 24 hours.

The barometer has risen over N. China. The highest pressure is still shown over the Pacific in the neighbour- of the Bonins.

Bad weather will continue to prevail between Hongkong and Hainan.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 3.86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ongkong and Neighbourhood, ...	Moderate S. gale; squally, rainy.
ormosa Channel, ...	S.E. winds, fresh.
outh coast of China between Hongkong and Lamocks,.	S. winds, strong.
outh coast of China between Hongkong and Hainan,...	Cyclonic gales.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 30th June, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th JUNE, 1910, P.M.								1st JULY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.79	756.6	72	...	W	0	b	7 a.	29.86	753.5	55	97	...	0	f
Nemuro,	,,	29.83	757.6	...	...	S	2	...	6 a.	29.79	756.6	...	...	E	2	
Hakodate,	,,	29.77	756.2	...	...	S W	1	...	,,	29.83	757.7	...	...	W N W	2	
Tokio,	,,	29.81	757.1	...	...	S W	2	...	,,	...	...	...	...	...	0	
Kochi,	,,	29.82	757.3	...	...	...	0	...	,,	29.91	759.8	...	...	S W	1	
Nagasaki,	,,	29.80	756.8	...	...	S W	3	...	,,	29.83	758.8	...	...	E	1	
Kagoshima,	,,	29.82	757.4	...	...	S W	1	...	,,	29.99	759.4	...	...	N W	1	
Oshima,	,,	29.85	758.1	...	...	S S W	1	...	,,	29.91	759.6	...	...	...	0	
Naha,	,,	29.87	758.7	...	...	S	1	...	,,	29.87	758.7	...	...	...	0	
Ishigakijima,	,,	...	...	...	...	...	..	...	,,	29.82	757.3	...	...	S	4	
Bonin Is.	,,	29.91	759.6	...	...	N W	1	...	,,	29.95	760.6	...	...	...	0	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.92	759.9	79	61	N E	1	b	9 a.	29.84	757.9	...	...	S	2	
Hankow,	,,	...	..	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Shanghai,	,,	29.76	755.9	77	90	E N E	1	od	9 a.	29.68	753.9	82	79	S S E	3	
Gutzlaff,	,,	29.78	756.4	75	95	S S E	1	ovp	,,	29.69	754.1	77	95	S S E	4	
Sharp Peak,	,,	29.73	755.1	85	...	E	3	c	,,	29.69	754.1	83	...	S E	2	
Amoy	,,	29.69	754.1	80	78	S	4	or	6 a.	29.62	752.3	79	86	S E	2	
Swatow,	,,	29.59	751.6	85	79	S	3	c	,,	29.56	750.8	80	87	S	2	
Taihoku,	1 p.	29.72	755.0	...	...	E	2	...	5 a.	29.73	755.0	...	...	..	0	
Taichu,	,,	29.74	755.3	...	...	N	2	...	,,	29.73	755.1	...	...	...	0	
Tainan,	,,	29.73	755.1	...	...	S	10	...	,,	29.74	755.3	...	...	S	6	
Koshun	,,	29.80	757.0	...	...	S E	6	...	,,	29.77	756.1	...	...	E	4	
Pescadores,	,,	29.73	755.1	...	...	S	8	...	,,	29.69	754.0	...	...	S	8	
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	...	..	...	...	...	...	
Hongkong,	4 p.	29.52	749.8	78	84	S	5	cq	10 a.	29.62	752.3	76	94	S S W	3	
Victoria Peak,	,,	...	..	...	...	S S W	9	...	,,	...	...	...	...	...	...	
Gap Rock,	,,	29.47	748.5	...	...	S S W	6	...	,,	29.55	750.5	...	...	S W	6	
Macao,	,,	29.47	748.5	76	...	S	7	orq	,,	29.61	752.1	76	...	S	2	
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.54	750.4	81	...	N E	4	lt	8 a.	29.53	751.2	82	...	W N W	3	
Tourane,	,,	29.58	751.3	84	...	S E	2	c	,,	29.61	752.0	84	...	N W		
Cape St. James,	,,	29.72	754.9	79	...	W S W	7	o	,,	29.82	757.5	75	...	S W		
Aparri,	2 p.	29.74	755.3	91	...	S E	2	b	6 a.	29.79	756.6	79	...	S		
Manila,	4 p.	29.80	757	81	85	S E	1	r	10 a.	29.84	758	82	85	...		
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	..		
Bacolod,	3 p.	...	...	...	...	W	3	o	9 a.	...	...	...	...	S		
Iloilo,	,,	29.81	757.2	83	...	...	0	o	,,	29.87	758.7	82	...	N E	1	
Cebu,	,,	29.81	757.2	82	...	N	1	o	,,	29.90	759.4	82	...	...	0	
Labuan,	,,	29.78	756.4	89	...	...	...	...	,,	29.88	758.9	80	...	...	...	

On the 1st at 12.20 p.—Signals lowered.
The typhoon has probably reached the West river in the neighbourhood of Wuchow.
The barometer is rising in the neighbourhood of Hongkong, and falling over the China coast to the Northward.
A depression appears to be developing over China to the North of the Yangtze valley.
Pressure is highest over the Pacific to the South of Japan.
Strong S.E. to S.W. winds may be expected in the Formosa Channel and over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 8.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. and S.W. winds, strong; squally, rainy.
2.—Formosa Channel,	S.E. and S. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S.W. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 1st July, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st JULY, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd JULY, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
dirostock,...	2 p.	29.91	759.6	64	...	S E	0	b	7 a.	29.89	759.3	59	97	E S E	2	f
uro.	,,	29.81	757.1	...	...	N E	5	...	6 a.	29.93	760.1	...	...	N N E	1	...
odate.	,,	29.37	758.7	...	...	W N W	4	...	,,	30.03	762.7	...	...	N W	1	...
io.	,,	29.89	759.1	...	...	S S W	1	...	,,	30.01	762.1	...	...	E S E	...	...
hi.	,,	29.89	759.3	...	...	S E	10	...	,,	29.99	761.8	...	...	...	0	...
asaki.	,,	29.91	759.8	...	...	S S W	1	...	,,	29.91	759.8	...	...	S E	4	...
oshima.	,,	29.90	759.4	...	...	S	1	...	,,	29.96	760.9	...	...	S S E	1	...
ma.	,,	29.89	759.1	...	...	S	2	...	,,	29.93	760.1	...	...	...	0	...
a.	,,	29.87	758.7	...	...	S	1	...	,,	29.93	760.2	...	...	...	0	...
gakijima.	,,	29.83	757.8	...	...	S	5	...	,,	29.86	758.3	...	...	S	3	...
m Is.	,,	29.93	760.1	...	...	S S W	1	...	,,	30.06	763.6	...	...	S S E	1	...
foe.	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
haiwei.	,,	29.85	758.2	83	43	S	3	c	9 a.	29.85	758.2	...	...	N E	2	b
kow.	,,	...	..	...	...	..	...	...	6 a.	...	...	...	...	...	...	...
kiang.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ghai.	,,	29.62	752.3	84	79	S S E	4	o	9 a.	29.70	754.4	81	78	S S E	3	om
claff.	,,	29.66	753.3	77	69	S S E	6	cm	,,	29.73	755.1	77	91	S	6	omd
p Peak.	,,	29.67	753.6	84	...	E S E	3	c	,,	29.78	756.4	82	...	E	2	b
y.	,,	29.63	752.6	79	82	S	3	or	6 a.	29.69	754.1	77	86	S	2	b
tow.	,,	29.60	751.8	79	95	S	1	or	,,	29.69	754.1	75	...	E	1	c
oku.	1 p.	29.69	754.2	...	...	N	4	...	5 a.	29.79	756.7	...	...	..	0	...
hu.	,,	29.70	754.4	...	...	S E	2	...	,,	29.79	756.7	...	...	...	0	...
an.	,,	29.74	755.4	...	...	S	8	...	,,	29.79	756.6	...	...	S	2	...
hum.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
adores.	,,	29.72	754.9	...	...	S	10	...	,,	29.76	755.7	...	...	S	8	...
ion.	3 p.	29.52	749.8	82	91	S W	1	o	9 a.	29.68	753.9	79	91	S	1	or
gkong.	4 p.	29.59	751.6	80	87	S E	1	o	10 a.	29.68	753.9	79	91	E	1	o
oria Peak. ...	,,	...	...	...	...	S	4	...	,,	...	...	...	...	S E	4	...
Rock.	,,	29.58	751.3	...	...	S W	4	...	,,	29.67	753.6	...	...	E S E	3	...
ao.	,,	29.60	751.8	80	...	S S W	3	o	,,	29.71	754.6	79	...	S E	1	c
how.	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ow.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hoi.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
lien.	4 p.	29.50	749.2	82	...	E N E	3	c	8 a.	29.61	752.0	82	...	E N E	2	b
ane.	,,	29.52	749.9	90	...	..	0	c	,,	29.64	752.9	81	..	E S E	1	o
St. James.	,,	29.76	755.8	73	...	S W	6	or	,,	29.82	757.5	77	...	S W	2	o
ri.	2 p.	29.75	755.6	90	...	N E	2	c	6 a.	29.80	757.0	79	...	S	2	c
ila.	4 p.	29.80	757	82	77	W S W	2	o	10 a.	29.84	758	86	71	S E	1	o
spi.	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
dod.	3 p.	...	...	...	...	W	1	o	9 a.	...	...	...	...	S	2	o
o.	,,	29.81	757.2	83	...	N W	1	o	,,	29.87	758.7	82	...	N W	1	o
.....	,,	29.81	757.2	82	...	S	2	or	,,	29.93	760.2	84	...	S E	1	c
an.	,,	29.80	756.9	87	...	...	...	...	,,	29.85	758.2	82	...	...	...	...

On the 2nd at 12.05 p.—The barometer has risen generally, except over N. China and the Philippines.

The Pacific high pressure extends from the Bonins towards S. Japan and the Loochoos, while low pressure covers e continent between Tongking and the Yangtze valley.

Moderate to fresh S.E. winds may be expected in the Formosa Channel and over the northern shores of the China a.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.70 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	S.E. winds, moderate or fresh; showery.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 2nd July, 1910.

ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd July, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	3rd July, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.91	759.8	62	...	S E	3	o	7 a.	29.91	759.8	56	91	E S E	1	[illegible]
Nemuro,	,,	29.96	761.1	...	...	N	2	...	6 a.	30.02	762.6	...	...	N W	3	[illegible]
Hakodate,	,,	30.01	762.2	...	...	S	2	...	,,	29.97	761.2	...	...	E	1	[illegible]
Tokio,	,,	29.96	761.1	...	...	S	2	...	,,	29.75	755.6	...	...	E S E	1	[illegible]
Kochi,	,,	29.95	760.8	...	...	S E	1	...	,,	29.86	758.3	...	...	W S W	1	[illegible]
Nagasaki,	,,	29.89	759.3	...	...	S W	6	...	,,	29.84	757.8	...	...	S W	6	[illegible]
Kagoshima,	,,	29.94	760.4	...	...	S S W	6	...	,,	29.92	759.9	...	...	W S W	2	[illegible]
Oshima,	,,	29.93	760.1	...	...	S	0	...	,,	...	...	...	...	...	0	[illegible]
Naha,	,,	29.93	760.2	...	...	S	1	...	,,	29.95	760.7	...	...	S	1	[illegible]
Ishigakijima,	,,	29.87	758.8	...	...	S	5	...	,,	29.91	759.8	...	...	S	3	[illegible]
Bonin Is.	,,	30.00	762.1	...	...	N N W	1	...	,,	30.02	762.6	...	...	...	0	[illegible]
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Weihaiwei,	,,	29.79	756.6	74	72	N	1	c	9 a.	29.89	759.2	72	71	N	1	[illegible]
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Shanghai,	,,	29.69	754.1	85	76	S	2	o	9 a.	29.85	758.2	78	86	N W	1	[illegible]
Gutzlaff,	,,	29.69	754.1	79	87	S	...	om	,,	29.81	757.2	80	96	N W	1	[illegible]
Sharp Peak,	,,	29.75	755.6	84	87	E S E	3	b	,,	29.87	758.7	83	...	S E	1	[illegible]
Amoy,	,,	29.69	754.1	80	87	S E	3	b	6 a.	29.82	757.4	81	83	E N E	1	[illegible]
Swatow,	,,	29.69	754.1	83	83	E	3	o	,,	...	...	...	...	...	...	[illegible]
Taihoku,	1 p.	29.80	756.9	...	...	E	4	...	6 a.	29.86	758.4	...	...	E	2	[illegible]
Taichu,	,,	29.80	756.8	...	...	W	6	...	,,	29.84	757.8	...	...	...	0	[illegible]
Tainan,	,,	29.80	756.9	...	...	S	8	...	,,	29.84	757.9	...	...	E	2	[illegible]
Koshun,	,,	29.85	758.2	...	...	E	6	...	,,	...	...	...	...	...	...	[illegible]
Pescadores,	,,	29.74	755.5	...	...	S	8	...	,,	29.81	757.1	...	...	E	4	[illegible]
Canton,	3 p.	29.68	752.6	83	83	S E	2	b	9 a.	29.78	756.4	81	87	S E	1	[illegible]
Hongkong,	4 p.	29.65	753.1	81	86	E	1	o	10 a.	29.79	756.6	83	84	E	2	[illegible]
Victoria Peak,	,,	...	...	...	...	S S E	2	...	,,	...	...	...	...	S E	4	[illegible]
Gap Rock,	,,	29.60	751.8	...	...	E S E	2	...	,,	29.76	755.9	...	...	E	3	[illegible]
Macao,	,,	29.65	753.1	85	...	S E	1	c	,,	29.81	757.2	78	...	S	1	[illegible]
Wuchow,	3 p.	29.68	753.9	82	83	S E	1	...	9 a.	...	...	...	...	...	...	[illegible]
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Phulien,	4 p.	29.56	750.8	86	...	S E	4	c	8 a.	29.75	755.5	86	...	N E	2	[illegible]
Tourane,	,,	29.65	753.2	75	...	N W	2	or	,,	29.73	755.2	79	...	...	0	[illegible]
Cape St. James,	,,	29.75	755.6	79	...	W S W	5	or	,,	...	...	...	...	...	...	[illegible]
Aparri,	2 p.	29.77	756.2	90	...	N E	2	b	6 a.	29.82	757.5	77	...	S	2	[illegible]
Manila,	4 p.	29.80	757	79	86	...	0	d	10 a.	29.84	758	86	71	S S W	0	[illegible]
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Bacolod,	3 p.	...	...	...	...	S W	3	o	9 a.	...	...	...	...	S	2	[illegible]
Iloilo,	,,	29.81	757.2	83	...	S W	1	o	,,	29.87	758.7	82	...	S	1	[illegible]
Cebu,	,,	29.83	757.7	85	...	S	2	c	,,	29.88	758.9	82	...	S	1	[illegible]
Labuan,	,,	29.81	757.2	88	...	...	...	...	,,	...	...	...	...	...	...	[illegible]

On the 3rd at 11.55 a.—The barometer has risen moderately over the China coast and Tongking, and fallen like amount in S. Japan.

A shallow depression has crossed the Yellow Sea and moved into the Sea of Japan.

Pressure is high over the Pacific to the E. and SE of Japan. It is relatively low over the NW part of China Sea.

Moderate E. and SE winds may be expected in the Formosa Channel and over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	SE and E. winds, moderate; showery.
2.—Formosa Channel,	E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG.
Director.

Hongkong Observatory, Sunday, 3rd July, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd July, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	4th July, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...dvostock,....	2 p.	29.89	759.1	59	...	S W	0	o	7 a.	29.87	758.7	55	93	S S E	0	o
...uro.....	,,	...	...	...	...	W N W	2	...	6 a.	29.95	760.6	...	...	E N E	1	...
...edate.....	,,	29.91	759.7	...	...	S E	4	...	,,	29.89	759.2	...	...	N N E	2	...
...o.....	,,	29.63	752.6	...	...	S E	1	...	,,	29.71	754.6	...	...	N W	2	...
...hi.....	,,	29.80	756.8	...	...	...	0	...	,,	29.78	756.3	...	...	S W	1	...
...asaki.....	,,	29.80	756.8	...	...	W S W	6	...	,,	29.88	758.8	...	...	E	1	...
...shima.....	,,	29.83	757.9	...	...	E N E	5	...	,,	29.82	757.4	...	...	N W	1	...
...ma.....	,,	29.93	760.1	...	...	S W	2	...	,,	29.89	759.1	...	...	S W	1	...
...a.....	,,	29.95	760.7	...	...	S S W	1	...	,,	29.91	759.7	...	...	E N E	1	...
...gakijima.....	,,	29.91	759.8	...	...	S	2	...	,,	29.88	758.8	...	...	S	2	...
...n Is.....	,,	30.00	762.1	...	...	S S E	1	...	,,	29.95	760.6	...	...	S	1	...
...o.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...haiwei.....	,,	29.87	758.7	74	85	E N E	4	c	9 a.	29.87	758.7	72	76	S S W	4	c
...kow.....	,,	...	..	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...ing.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...ghai.....	,,	29.82	757.4	83	79	N N W	1	om	9 a.	29.85	758.2	77	90	E S E	2	omd
...laff.....	,,	29.83	757.7	82	83	N N E	2	om	,,	29.84	757.9	75	95	E S E	3	f
...p Peak.....	,,	29.84	757.9	84	...	...	0	b	..	29.88	758.9	84	96	..	0	c
...y.....	,,	29.84	757.9	86	80	E S E	3	c	6 a.	29.81	757.9	86	90	S	1	b
...ow.....	,,	29.83	757.7	80	90	S E	3	c	..	...	...	...	...	...	...	...
...oku.....	1 p.	29.85	758.3	...	...	W	4	...	5 a.	29.85	758.1	...	...	W	2	...
...ku.....	,,	29.81	757.2	...	...	W	2	...	..	29.87	758.6	...	...	..	0	...
...m.....	,,	29.87	758.8	...	...	W	6	...	,,	29.89	759.3	...	...	E	2	...
...m.....	,,	29.89	759.1	...	...	E	6	...	,,	29.86	758.4	...	...	S W	2	...
...olores,.....	,,	29.87	758.7	...	...	N E	6	...	..	29.84	758.0	...	...	...	0	...
...n.....	3 p.	29.74	755.4	84	83	S E	1	c	9 a.	29.89	759.9	82	83	S E	1	b
...ng.....	4 p.	29.74	755.4	80	90	E	4	o	10 a.	29.89	759.9	83	79	E	3	o
...sa Peak,....	,,	...	...	...	...	E	2	...	..	..	...	...	...	E	4	...
...Rock,.....	,,	29.71	754.6	...	...	E	4	...	,,	29.76	755.9	...	...	E	5	...
...e.....	,,	29.75	755.6	81	...	E S E	3	c	..	29.82	757.4	83	...	E	4	c
...how.....	3 p.	29.76	755.9	80	...	W	1	c	9 a.	...	...	...	...	...	...	...
...ow.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...n.....	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
...ien.....	4 p.	29.71	754.6	90	...	S E	2	c	8 a.	29.77	756.2	79	...	N N E	1	o
...ne.....	,,	29.67	753.6	82	...	...	0	o	,,	29.74	755.3	77	..	N W	3	or
St. James,..	,,	29.79	756.7	75	...	W N W	3	or	..	29.84	758.0	77	...	N W	4	c
...d.....	2 p.	29.80	756.8	88	...	E	2	c	6 a.	29.82	757.5	75	...	E	0	o
...la.....	4 p.	29.80	757	81	85	S W	2	od	10 a.	29.84	758	84	77	S E	1	o
...pi.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	..	...	...
...led.....	3 p.	...	...	...	...	S	1	o	9 a.	...	...	...	...	S	2	o
.....	,,	29.81	757.2	84	...	S	2	o	,,	29.89	759.2	83	...	N N W	1	b
.....	,,	29.82	757.4	85	...	S	1	b	,,	29.87	758.7	85	...	S	2	b
...l.....	,,	29.89	759.9	88	...	...	...	...	,,	29.83	758.9	84	...	...	...	...

...e 4th at 11.55 a.—The shallow depression lying over the S. part of the Sea of Japan yesterday, has moved ...acific.

...metric changes in other areas are light

...sure continues relatively low over the N.W. part of the China Sea, and a depression may be forming in the ...rhood of the Paracels.

...sure is high to the Northward of Japan, and between the Loochoos and Bonins.

...erate S.E. winds may be expected in the Formosa Channel and fresh to strong E. winds along the S. coast

...ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.34 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...kong and Neighbourhood, ...	E. winds, fresh or strong; squally, showery.
...osa Channel, ...	S.E. winds, moderate.
...a coast of China between Hongkong and Lamocks,.	Same as No. 1.
...a coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

...ongkong Observatory, Monday, 4th July, 1910.

...ed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th July, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	5th July, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.86	758.4	57	...	S E	1	o	7 a.	29.80	756.8	53	94	E S E	1
Nemuro,	,,	29.91	759.6	...	...	S E	2	...	6 a.	...	...	...	...	...	...
Hakodate,	,,	29.69	759.2	...	...	S S E	2	...	,,	...	...	...	...	...	...
Tokio,	,,	29.75	755.6	...	...	N N W	1	...	,,	...	...	...	...	...	...
Kochi,	,,	29.82	757.3	...	...	N	1	...	,,	...	...	...	...	...	...
Nagasaki,	,,	29.87	758.8	...	...	N	3	...	,,	...	...	...	...	...	...
Kagoshima,	,,	29.82	757.4	...	...	S	1	...	,,	...	...	...	...	...	...
Oshima,	,,	29.89	759.1	...	...	N	2	...	,,	...	...	...	...	...	...
Naha,	,,	29.91	759.7	...	...	S S W	1	...	,,	...	...	...	...	...	...
Ishigakijima,	,,	29.91	759.8	...	...	E	2	...	,,	...	...	...	...	...	...
Bonin Is.	,,	29.93	760.1	...	...	S W	1	...	,,	...	...	...	...	...	...
Chefoo.	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.88	758.9	76	69	S S W	5	c	9 a.	29.72	754.9	68	100	S W	4
Hankow,	,,	...	..	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	29.78	756.4	85	79	E	2	o	9 a.	29.76	755.9	87	76	S	2
Gutzlaff,	,,	29.79	756.6	78	95	S E	3	om	,,	29.78	756.4	78	95	S	2
Sharp Peak,	,,	29.80	756.9	86	...	S	1	b	,,	29.86	758.4	85	96	..	0
Amoy,	,,	29.83	757.7	90	60	S E	2	b	6 a.	29.82	757.4	81	83	S W	1
Swatow,	,,	29.79	756.6	88	76	E	1	b	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.85	758.2	...	...	N E	4	...	5 a.	29.85	758.2	...	...	S	2
Taichu,	,,	29.85	758.1	...	...	N	6	...	..	29.86	758.3	...	...	..	0
Tainan,	,,	29.84	758.0	...	...	N	6	...	,,	29.86	758.4	...	...	S E	2
Koshun	,,	29.87	758.6	...	...	E	8	...	,,	29.87	758.7	...	...	E	2
Pescadores,	,,	29.86	758.4	...	...	N E	6	...	,,	29.82	757.5	...	...	S	2
Canton,	3 p.	29.75	755.6	87	72	S E	1	b	9 a.	29.80	756.9	83	83	S E	1
Hongkong,	4 p.	29.75	755.6	83	76	E	4	c	10 a.	29.81	757.2	80	87	E S E	3
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	S S E	6
Gap Rock,	,,	29.70	754.4	...	...	E	5	...	,,	29.75	755.6	...	...	S S E	6
Macao.	,,	29.77	756.1	83	...	E	5	c	,,	29.81	757.2	81	...	E S E	3
Wuchow,	3 p.	29.78	756.4	81	...	E	1	c	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.69	754.2	79	...	N	4	or	8 a.	29.69	754.1	79	...	N E	4
Tourane.	,,	29.65	753.1	77	...	N W	2	or	,,	29.69	754.0	79	..	S S W	2
Cape St. James,	,,	29.76	756.0	75	...	S W	6	or	,,	29.84	757.8	77	...	S W	3
Aparri,	2 p.	29.80	756.9	84	...	W	2	o	6 a.	29.88	758.9	75	...	S	2
Manila,	4 p.	29.80	757	84	77	W S W	1	o	10 a.	29.92	760	86	71	E S E	0
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	..	...
Bacolod,	3 p.	...	...	...	...	S	1	c	9 a.	...	...	...	...	W S W	1
Iloilo,	,,	...	...	86	...	N W	0	b	,,	29.99	761.7	83	...	...	0
Cebu,	,,	29.82	757.4	87	...	S	1	c	,,	29.92	759.9	85	...	...	0
Labuan,	,,	29.80	756.9	89	...	...	...	...	,,	29.91	759.7	84	...	...	...

On the 4th at 6.55 p.—Red South Cone hoisted. Depression in the China Sea in the neighbourhood of the Paracels.

On the 5th at 11.55 a.—Signals lowered.

The barometer has fallen moderately in Tongking and risen slightly to moderately over the Philippines.

The depression is probably moving towards N.W. over Hainan.

Pressure has given way moderately in N. China owing to the approach of a depression from the Westward.

The Japanese returns are not yet to hand, but apparently pressure remains high over the Pacific between the Loochoos and Bonins.

Moderate S.E. winds may be expected in the Formosa Channel and fresh to strong S.E. winds along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, fresh; squally, showery.
2.—Formosa Channel,	S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	E. to S.E. gale.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 5th July, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th JULY, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	6th JULY, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivostock....	2 p.	29.78	756.3	59	...	E S E	3	f	7 a.	29.57	751.1	59	94	E	5	or
ro.....	,,	29.91	759.6	...	...	S E	1	...	6 a.	29.95	760.6	...	...	S	1	...
date.....	,,	29.89	759.2	...	...	S E	2	...	,,	29.89	759.2	...	...	E	2	...
.....	,,	29.87	758.6	...	...	S	2	...	,,	29.91	759.6	...	...	S E	1	...
i.....	,,	29.78	756.3	...	...	S E	2	...	,,	29.86	758.3	...	...	...	0	...
saki.....	,,	29.87	758.8	...	...	W S W	2	...	,,	29.80	756.8	...	...	S S W	1	...
shima.....	,,	29.86	758.4	...	...	S S E	1	...	,,	29.82	757.4	...	...	S E	1	...
.....	,,	29.87	758.6	...	...	W	1	...	,,	29.85	758.1	...	...	...	0	...
.....	,,	29.89	759.2	...	...	W S W	1	...	,,	29.85	758.2	...	...	S S W	1	...
gkijin a.....	,,	29.87	758.8	...	...	S S W	2	...	,,	29.86	758.3	...	...	S W	3	...
Is.....	,,	29.85	758.1	...	...	S S W	4	...	,,	29.37	758.6	...	...	...	0	...
.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
siwei.....	,,	29.55	750.5	70	95	S W	6	cc	9 a.	29.45	748.0	77	99	S W	2	...
ow.....	,,	...	..	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ang.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ghai.....	,,	29.71	754.6	93	67	S S W	2	c	9 a.	29.66	753.3	89	69	S W	3	o
laff.....	,,	29.68	753.9	82	87	S S E	3	cv	,,	29.67	753.6	81	87	S S W	4	cv
Peak.....	,,	29.77	756.1	88	...	S	1	b	,,	29.82	757.4	84	87	S W	3	b
.....	,,	29.82	757.4	88	69	S E	4	b	6 a.	29.86	758.4	80	78	S	3	c
ow.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ku.....	1 p.	29.84	757.9	...	...	N W	6	...	5 a.	29.83	757.7	...	...	S	2	...
.....	,,	29.80	757.0	...	...	N	4	...	,,	29.89	759.2	...	...	S	2	...
.....	,,	29.87	758.7	...	...	S W	6	...	,,	29.90	759.5	...	...	S E	2	...
.....	,,	29.88	759.0	...	...	S	4	...	,,	29.88	759.0	...	...	N W	4	...
ores.....	,,	29.87	758.7	...	...	S	6	...	,,	29.88	758.8	...	...	S	6	...
.....	3 p.	29.72	754.9	85	79	E	2	c	9 a.	...	...	...	...	..	...	...
kong.....	4 p.	29.76	755.9	82	81	S E	2	o	10 a.	29.84	757.9	80	98	S S W	3	orlt
ia Peak,...	,,	...	...	...	...	S E	3	...	,,	...	...	...	...	S W	4	...
Rock.....	,,	29.72	754.9	...	...	S S E	4	...	,,	29.80	756.9	...	...	S	4	...
.....	,,	29.76	755.9	82	...	S E	2	o	,,	29.85	758.2	82	...	S S E	3	odt
ew.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ow.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	..	,,	...	...	...	...	...	...	...
ien.....	4 p.	29.58	751.3	79	...	E N E	7	orq	8 a.	29.69	754.0	82	...	S E	5	o
.....	,,	29.60	751.8	81	...	S W	2	c	,,	29.75	755.5	84	..	N W	2	c
St. James,.	,,	29.79	756.6	73	...	S W	5	or	,,	29.89	759.2	79	...	S E	2	c
.....	2 p.	29.86	758.4	88	...	S	2	o	6 a.	29.94	760.5	77	...	S E	2	d
a.....	4 p.	29.88	759	86	65	W	1	o	10 a.	29.96	761	82	85	...	0	c
.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	..	...	...
...	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	S W	1	c
...	,,	29.87	758.7	85	...	N	1	b	,,	29.97	761.2	82	...	...	0	b
...	,,	29.85	758.2	88	...	N	2	b	,,	29.93	760.2	84	...	S	1	c
...	,,	29.83	757.7	87	...	...	...	...	,,	29.95	760.7	81	...	...	...	...

6th at 11.55. a.—The depression entered Tongking to the South of Haiphong last evening.
arometer has risen slightly at all stations to the South of the 25th parallel, and fallen considerably over
and at Wladiwostok.
epression in the North is of considerable intensity. It is moving Eastwards over S. Manchuria.
ure is high to the East of Japan, and over the Philippines and adjacent waters.
S. and S.W. winds may be expected in the Formosa Channel and along the S. coast of China.

;kong Rainfall for the 24 hours ending at 10 a.m. to-day, 3.09 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	S. winds, fresh; squally, showery.
Formosa Channel, ...	S. and S.W. winds, fresh.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 6th July, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th July, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	7th July, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.48	748.7	58	...	E S E	5	or	7 a.	29.35	745.4	59	92	...	0	o
Nemuro,	,,	29.91	759.6	...	...	S	3	...	6 a.	29.35	758.1	...	...	S S E	1	...
Hakodate,	,,	29.81	757.2	...	...	E S E	4	...	,,	29.63	752.7	...	...	...	6	...
Tokio,	,,	29.87	758.6	...	...	S S W	1	...	,,	29.69	754.1	...	...	S S W	2	...
Kochi,	,,	29.82	757.3	...	...	...	0	...	,,	29.70	754.3	...	...	S W	1	...
Nagasaki,	,,	29.74	755.3	...	...	S W	4	...	,,	29.68	753.8	...	...	S S E	5	...
Kagoshima,	,,	29.78	756.4	...	...	S E	1	...	,,	29.70	754.4	...	...	W	1	...
Oshima,	,,	29.81	757.1	...	...	N W	1	...	,,	29.77	756.1	...	...	S	1	...
Naha,	,,	29.85	758.2	...	...	S W	1	...	,,	29.79	756.7	...	...	S W	1	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.80	756.8	...	...	S W	4	...
Bonin Is.	,,	29.87	758.6	...	...	N	1	...	,,	29.87	758.6	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.43	747.5	82	83	N E	3	c	9 a.	29.46	748.3	82	79	S W	1	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.62	752.3	86	88	S W	2	c	9 a.	29.59	751.6	90	63	S W	2	c
Gutzlaff,	,,	29.61	752.1	86	76	S S W	4	cv	,,	29.57	751.1	82	87	S W	3	cn
Sharp Peak,	,,	29.72	754.9	86	80	S S E	6	c	,,	29.77	756.1	84	91	S S W	3	b
Amoy,	,,	29.34	757.9	80	87	S W	5	or	6 a.	29.83	757.7	81	83	S W	3	o
Swatow,	,,	29.80	756.9	78	95	W	1	or	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.81	757.1	...	...	S W	6	...	5 a.	29.78	756.5	...	...	...	0	...
Taichu,	,,	29.88	759.0	...	...	S W	6	...	,,	29.85	758.2	...	...	S	2	...
Tainan,	,,	29.96	760.9	...	...	S E	4	...	,,	29.83	759.0	...	...	S E	2	...
Koshun,	,,	29.93	760.3	...	...	N W	4	...	,,	29.88	758.8	...	...	W	6	...
Pescadores,	,,	29.90	759.4	...	...	S	8	...	,,	29.85	758.1	...	...	S W	6	...
Canton,	3 p.	29.75	755.6	83	87	S S E	1	c	9 a.	29.82	757.4	82	87	S	1	b
Hongkong,	4 p.	29.79	756.6	81	87	S	2	op	10 a.	29.86	758.4	84	78	S W	4	oq
Victoria Peak,	,,	...	...	...	...	S E	6	...	,,	...	...	...	...	S	6	...
Gap Rock,	,,	29.75	755.6	...	...	S S W	4	...	,,	29.84	757.9	...	...	S W	4	...
Macao,	,,	29.80	756.9	82	...	S	3	o	,,	29.88	758.9	83	...	S S W	3	c
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.65	753.1	86	84	S	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.65	753.9	86	...	S S E	9	c	8 a.	29.77	756.1	84	...	S S E	6	c
Tourane,	,,	29.71	754.0	84	...	S E	3	c	,,	29.84	757.8	86	...	E	1	b
Cape St. James,	,,	29.87	758.6	77	...	S S W	3	o	,,	29.96	760.9	81	...	E N E	2	f
Aparri,	2 p.	29.91	759.6	91	...	N E	2	b	6 a.	29.92	759.9	77	...	S	2	o
Manila,	4 p.	29.88	759	90	55	...	0	o	10 a.	29.96	761	84	77	W	1	c
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	3	ort	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.87	758.7	86	...	E	1	c	,,	29.95	760.7	83	...	E	1	b
Cebu,	,,	29.89	759.2	82	...	N	1	c	,,	29.93	760.2	83	...	...	0	c
Labuan,	,,	29.87	758.7	84	...	...	...	...	,,	29.96	761.0	81	...	...	...	...

On the 7th at 11.55. a.—The barometer has risen moderately over Tongking and Annam, the depression having moved away over the interior of the continent.

The depression in the North is moving into the Sea of Japan, and pressure has given way considerably in Wladiwostok and Japan.

High pressure covers the N. part of the China Sea and the Philippines.

Fresh to strong S.W. and S. winds may be expected in the Formosa Channel and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, fresh; squally, some showers.
2.—Formosa Channel,	S.W. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 7th July, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	7TH JULY, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	8TH JULY, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
vostock....	2 p.	29.35	745.5	63	...	S W	1	o	7 a.	29.49	749.1	56	91	S S E	0	o
ro.....	,,	29.85	758.1	...	...	S E	2	...	6 a.	29.31	757.1	...	...	E S E	4	...
late.....	,,	29.57	751.2	...	...	E	6	...	,,	29.60	751.7	...	...	S E	1	...
.....	,,	29.65	753.1	...	...	S W	2	...	,,	29.59	751.6	...	...	N	1	...
.....	,,	29.64	752.8	...	...	S E	1	...	,,	29.58	751.3	...	...	...	0	...
aki.....	,,	29.64	752.8	...	...	S W	3	...	,,	29.58	751.3	...	...	...	0	...
hima.....	,,	29.66	753.4	...	...	W S W	1	...	,,	29.62	752.4	...	...	S W	1	...
.....	,,	29.73	755.1	...	...	S W	1	...	,,	29.67	753.6	...	...	S	1	...
.....	,,	29.77	756.2	...	...	S W	1	...	,,	29.71	754.7	...	...	S S W	1	...
kijima....	,,	29.80	756.8	...	...	S W	4	...	,,	29.70	754.3	...	...	S S W	3	...
ls.....	,,	29.85	758.1	...	...	S W	1	...	,,	29.84	757.6	...	...	S	1	...
.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ziwei.....	,,	29.43	747.5	79	78	S S W	1	c	9 a.	29.42	747.2	82	71	S W	1	b
.....	,,	...	..	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
dal.....	,,	29.53	750.0	90	66	W	3	c	9 a.	29.42	747.2	87	69	S W	3	c
ff.....	,,	29.53	750.0	86	76	S W	3	c	,,	29.43	747.5	82	83	S W	3	cv
Peak.....	,,	29.66	753.3	86	88	S E	4	b	,,	29.64	752.8	85	97	S S W	3	b
.....	,,	29.79	756.6	87	72	S	4	c	6 a.	29.76	755.9	81	78	S	3	c
w.....	,,	29.75	755.6	88	69	W S W	1	o	,,	29.78	756.4	80	87	S W	1	b
.....	1 p.	29.76	755.8	...	...	W	8	...	5 a.	29.69	754.2	...	...	S E	2	...
.....	,,	29.86	758.5	...	...	S W	6	...	,,	29.80	757.0	...	...	S	2	...
.....	,,	29.91	759.6	...	...	S W	2	...	,,	29.84	757.9	...	...	S E	2	...
.....	,,	29.88	759.0	...	...	N W	8	...	,,	29.80	757.0	...	...	N W	...	...
dores.....	,,	29.87	758.7	...	...	S W	8	...	,,	29.89	756.9	...	...	S W	8	...
.....	3 p.	29.76	755.9	88	69	S	1	b	9 a.	29.76	755.9	84	83	S	1	b
kong.....	4 p.	29.80	756.9	85	77	S S W	4	cq	10 a.	29.79	756.6	84	77	S W	3	cq
na Peak....	,,	...	...	...	...	S W	5	...	,,	...	...	...	...	S	8	...
ack.....	,,	29.79	756.6	...	...	S W	5	...	,,	29.76	755.4	...	...	S W	5	...
.....	,,	29.83	757.7	84	...	S	3	c	,,	29.80	756.9	84	...	W S W	3	c
s.w.....	3 p.	29.77	756.1	90	...	W	3	c	9 a.	...	...	...	...	...	...	...
w.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
d.....	,,	29.81	757.2	89	66	S W	4	c	,,	...	...	...	...	...	...	...
.....	4 p.	29.75	755.6	88	...	S S E	7	c	8 a.	29.76	756.0	86	...	S	6	c
.....	,,	29.81	757.2	86	...	S E	2	c	,,	29.86	758.3	88	..	S E	1	c
S. James,.	,,	29.88	758.9	84	...	S E	3	c	,,	29.92	760.9	81	...	E	2	c
.....	2 p.	29.89	759.1	90	...	N	2	...	6 a.	29.88	758.8	75	...	S	4	b
a.....	4 p.	29.84	758	88	65	S W	2	c	10 a.	29.92	760	84	71	W S W	1	b
.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	..	...	...
.....	3 p.	...	...	...	...	N W	2	o	9 a.	...	...	...	...	S	3	o
.....	,,	29.89	759.2	86	...	N N W	1	o	,,	29.95	760.7	81	...	S W	1	od
.....	,,	29.87	758.7	85	...	N	1	c	,,	29.94	760.5	85	...	S	1	b
.....	,,	29.89	759.2	85	...	...	...	...	,,	29.94	760.5	83	...	...	...	...

[illegible] 8 a.—The barometer has risen moderately in Wladiwostok the depression lying in the neighbourhood of that station yesterday, having moved away towards N.E.

[illegible] the [illegible] same Southern stations pressure has given way elsewhere, particularly on the E. coast of China. [illegible] depression is progressing Eastwards over N. China.

[illegible] high over the China Sea and the Philippines.

S.W. winds may be expected in the Formosa Channel and over the northern shores of the China Sea.

[illegible] fall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	S.W. winds, strong; fair, squally.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 8th July, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th July, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	9th July, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.53	750.0	60	...	S	0	o	7 a.	29.58	751.2	58	95	...	0	[illegible]
Nemuro,	,,	29.81	757.1	...	...	E S E	3	...	6 a.	29.83	757.6	...	...	E	1	[illegible]
Hakodate,	,,	29.59	751.7	...	...	E	2	...	,,	29.73	755.2	...	...	S E	1	[illegible]
Tokio,	,,	29.57	751.1	...	...	S	1	...	,,	29.57	751.1	...	...	...	0	[illegible]
Kochi,	,,	29.56	750.8	...	...	S S E	1	...	,,	29.54	750.3	...	...	...	0	[illegible]
Nagasaki,	,,	29.54	750.3	...	...	S W	3	...	,,	29.46	748.3	...	...	S S W	6	[illegible]
Kagoshima,	,,	29.58	751.4	...	...	S W	1	...	,,	29.54	750.4	...	...	S S W	2	[illegible]
Oshima,	,,	29.63	752.6	...	...	S S W	2	...	,,	29.61	752.1	...	...	S W	1	[illegible]
Naha,	,,	29.67	753.7	...	...	S W	2	...	,,	29.63	752.7	...	...	S S W	1	[illegible]
Ishigakijima,	,,	29.68	753.8	...	...	S W	6	...	,,	...	...	...	...	...	...	[illegible]
Bonin Is.	,,	29.77	756.1	...	...	S	1	...	,,	29.77	756.1	...	...	E S E	1	[illegible]
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Weihaiwei,	,,	29.49	749.0	82	71	E	2	c	9 a.	29.77	756.1	71	100	N	2	[illegible]
Hankow,	,,	...	..	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Shanghai,	,,	29.37	746.0	76	100	W S W	2	ort	9 a.	29.53	750.0	81	78	N W	1	[illegible]
Gutzlaff,	,,	29.34	745.2	82	91	S	4	om	,,	29.52	749.8	74	81	N W	2	[illegible]
Sharp Peak,	,,	29.48	748.8	86	76	S S E	8	b	,,	29.59	751.6	83	91	S S E	3	[illegible]
Amoy,	,,	29.67	753.6	89	66	S	5	b	6 a.	29.63	752.6	83	75	S	3	[illegible]
Swatow,	,,	29.64	752.8	90	70	S W	3	b	,,	...	...	...	...	...	...	[illegible]
Taihoku,	1 p.	29.61	752.1	...	...	W	8	...	5 a.	29.58	751.4	...	...	...	0	[illegible]
Taichu,	,,	29.78	756.3	...	...	S	6	...	,,	29.73	755.2	...	...	S	4	[illegible]
Tainan,	,,	29.84	757.9	...	...	S	2	...	,,	29.78	756.4	...	...	S E	0	[illegible]
Koshun,	,,	29.81	757.2	...	...	W	8	...	,,	29.74	755.4	...	...	N W	8	[illegible]
Pescadores,	,,	29.78	756.4	...	...	S	8	...	,,	29.72	754.8	...	...	S	8	[illegible]
Canton,	3 p.	29.66	753.3	89	73	S	1	c	9 a.	29.68	753.9	85	79	S	1	[illegible]
Hongkong,	4 p.	29.69	754.1	86	70	S W	4	eq	10 a.	29.73	755.1	85	82	S W	3	[illegible]
Victoria Peak,	,,	...	...	...	...	S W	8	...	,,	...	...	...	...	S	7	[illegible]
Gap Rock,	,,	29.69	754.1	...	...	S W	6	...	,,	29.70	754.4	...	...	S W	5	[illegible]
Macao,	,,	29.71	754.6	84	...	S	4	c	,,	29.75	755.6	85	...	S	2	[illegible]
Wuchow,	3 p.	29.65	753.1	91	...	S W	3	eq	9 a.	...	...	...	...	...	...	[illegible]
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Pakhoi,	,,	...	...	...	..	...	...	...	,,	...	...	...	...	...	...	[illegible]
Phulien,	4 p.	29.66	753.4	93	...	S	5	b	8 a.	29.65	753.2	86	...	S S W	7	[illegible]
Tourane,	,,	29.78	756.3	86	...	S E	2	c	,,	29.78	756.5	88	...	S	1	[illegible]
Cape St. James,	,,	29.87	758.6	84	...	S S E	3	lt	,,	29.92	759.9	81	...	W	2	[illegible]
Aparri,	2 p.	29.84	758.0	90	...	N	2	b	6 a.	29.82	757.3	77	...	S	2	[illegible]
Manila,	4 p.	29.80	757	84	77	S W	1	o	10 a.	29.88	759	86	71	S W	1	[illegible]
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Bacolod,	3 p.	...	...	...	...	S	3	o	9 a.	...	...	...	...	S	3	[illegible]
Iloilo,	,,	29.87	758.7	83	...	...	0	o	,,	29.91	759.7	83	...	...	0	[illegible]
Cebu,	,,	29.87	758.7	86	...	S	2	b	,,	29.93	760.2	85	...	S	2	[illegible]
Labuan,	,,	29.86	758.4	87	...	...	...	...	,,	29.91	759.7	84	...	...	...	[illegible]

On the 9th at 11.55, a.—The barometer has risen considerably in N. China, and fallen moderately to slightly over S.W. Japan and at all stations to the South of the 30th parallel.

The depression, which is very much elongated towards S.W., crossed the Yellow Sea during the night [illegible] central over Korea Straits.

Pressure remains high over the S. part of the China Sea.

Strong S.W. and S. winds may be expected in the Formosa Channel and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, strong; squally, probably thunder [showers
2.—Formosa Channel,	S.W. and S. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 9th July, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	9TH JULY, 1910, P.M.								10TH JULY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
rostock,	2 p.	29.58	751.3	68	...	N W	0	o	7 a.	29.49	748.9	61	94	N N W	0	o
ro,	,,	29.87	758.6	...	...	E N E	3	...	6 a.	29.91	759.6	...	...	E N E	2	...
date,	,,	29.79	756.7	...	...	S E	4	...	,,	29.71	754.7	...	...	E	6	...
	,,	29.61	752.1	...	...	E N E	2	...	,,	29.65	753.1	...	...	N N E	1	...
	,,	29.59	749.3	...	...	S W	2	...	,,	29.56	750.8	...	...	...	0	...
aki,	,,	29.44	747.8	...	...	W S W	5	...	,,	29.66	753.3	...	...	W N W	1	...
hima,	,,	29.59	749.4	...	...	S W	4	...	,,	29.66	753.4	...	...	N N W	1	...
a,	,,	29.59	751.6	...	...	S W	2	...	,,	29.67	753.6	...	...	N	1	...
	,,	...	...	...	...	...	...	...	,,	29.69	754.2	...	...	W	1	...
akijima,	,,	29.64	752.8	...	...	S W	6	...	,,	29.68	753.8	...	...	S S W	1	...
Is,	,,	29.73	755.1	...	...	S E	1	...	,,	29.71	754.6	...	...	...	0	...
o,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
atwei,	,,	29.39	746.5	73	86	E	1	cr	9 a.	29.49	749.0	74	86	N E	1	o
ow,	,,	...	..	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hai,	,,	29.51	749.5	90	53	...	0	c	9 a.	29.55	750.5	88	69	S W	2	c
aff,	,,	29.52	749.8	81	87	S S E	3	bv	,,	29.56	750.8	82	83	S S W	2	bv
Peak,	,,	29.60	751.8	83	...	S E	1	o	,,	29.66	753.3	83	...	...	0	b
	,,	29.63	752.6	86	68	S	2	c	6 a.	29.73	755.1	82	79	S	3	b
w,	,,	29.62	752.3	90	66	W S W	2	c	,,	...	...	...	...	...	...	...
ku,	1 p.	29.60	751.8	...	...	W	10	...	5 a.	29.69	754.1	...	...	S W	2	...
n,	,,	29.75	755.6	...	...	S	6	...	,,	29.77	756.1	...	...	S	2	...
n,	,,	29.79	756.7	...	...	S E	6	...	,,	29.79	756.7	...	...	W	6	...
an,	,,	29.76	755.9	...	...	N W	8	...	,,	29.76	755.9	...	...	W	8	...
dores,	,,	29.74	755.4	...	...	S	8	...	,,	...	...	...	...	...	...	...
m,	3 p.	29.62	752.3	90	66	S	1	b	9 a.	29.71	754.6	86	80	S W	1	b
kong,	4 p.	29.69	754.1	84	75	S W	4	oq	10 a.	29.77	756.1	84	74	S W	3	oq
rin Peak,	,,	...	...	...	...	S W	7	...	,,	...	...	...	...	S S W	7	...
Rock,	,,	29.67	753.6	...	...	S W	5	...	,,	29.74	755.4	...	...	S W	4	...
	,,	29.65	755.1	84	...	S	4	ct	,,	29.77	756.1	83	...	S	4	c
ow,	3 p.	29.60	751.8	93	58	S	3	c	9 a.	...	...	...	...	...	...	...
w,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
bi,	,,	...	...	...	..	...	...	...	,,	...	...	...	...	...	...	...
en,	4 p.	29.55	750.6	95	...	S	6	c	8 a.	29.63	752.6	86	...	S S W	6	c
ne,	,,	29.70	754.3	86	...	S E	1	b	,,	29.75	755.6	88	..	S E	1	c
St. James,	,,	29.83	757.8	84	...	S W	2	c	,,	29.90	759.4	81	...	S W	3	c
i,	2 p.	29.78	756.4	90	...	N	2	b	6 a.	29.82	757.5	77	...	S W	2	b
a,	4 p.	29.80	757	86	71	W S W	4	c	10 a.	29.88	759	86	71	W S W	3	b
pi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	..	...	...
od,	3 p.	...	...	...	...	W S W	2	c	9 a.	...	...	...	...	S	3	o
	,,	29.85	758.2	86	...	N N W	1	b	,,	29.93	760.2	82	...	N W	1	b
	,,	29.83	757.7	88	...	S	2	b	,,	29.89	759.2	87	...	S	1	b
n,	,,	29.83	757.7	89	...	...	...	...	,,	...	...	...	...	...	...	...

On the 10th at 11.50. a.—The barometer has risen moderately over S. Japan, and fallen slightly at the Bonins. depression appears to be situated to the South of Japan.

The barometer has risen slightly over S. China, and fallen again in N. China and at Wladiwostok.

An area of low pressure extends from the Lower Yangtze to the NW part of the Sea of Japan.

Pressure remains high over the S. part of the China Sea and over the Pacific to the NE of Japan.

Fresh SW and S. winds may be expected in the Formosa Channel and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	SW and S. winds, fresh; squally, showery.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 10th July, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th July, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	11th July, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.19	749.1	63	...	N	2	or	7 a.	29.54	750.3	58	97	N N W	[illegible]
Nemuro,	,,	29.94	760.6	...	...	E N E	1	...	6 a.	29.99	761.6	...	...	E S E	3
Hakodate,	,,	29.75	755.7	...	...	E S E	4	...	,,	29.85	758.2	...	...	E S E	1
Tokio,	,,	29.61	752.1	...	...	N N W	1	...	,,	29.75	755.5	...	...	N W	1
Kochi,	,,	29.56	750.8	...	...	N	1	...	,,	29.74	755.3	...	...	S W	1
Nagasaki,	,,	29.68	753.8	...	...	W S W	2	...	,,	29.76	755.8	...	...	S E	1
Kagoshima,	,,	29.64	752.9	...	...	W N W	1	...	,,	29.74	755.4	...	...	E N E	1
Oshima,	,,	29.67	753.6	...	...	N N E	2	...	,,	29.73	755.1	...	...	S	1
Naba,	,,	29.69	754.2	...	...	N W	1	...	,,	29.77	756.2	...	...	...	[illegible]
Ishigakijima,	,,	29.68	753.8	...	...	S W	2	...	,,	29.72	754.8	...	...	S	1
Bonin Is.	,,	29.69	754.1	...	...	S E	1	...	,,	29.71	754.6	...	...	S	1
Chefoo.	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.51	749.5	77	91	W	1	c	9 a.	29.67	753.6	79	74	N	2
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai.	,,	29.52	749.8	91	67	W	2	c	9 a.	29.64	752.8	87	65	W	1
Gutzlaff,	,,	29.53	750.0	84	87	S S W	2	cm	,,	29.62	752.3	81	87	W S W	1
Sharp Peak,	,,	29.61	752.1	83.	91	N	1	t	,,	29.68	753.9	83	...	...	[illegible]
Amoy.	,,	29.71	754.6	89	66	S W	4	c	6 a.	...	...	82	79	S	1
Swatow,	,,	29.73	755.1	...	...	S S W	2	b	,,	29.71	754.6	81	83	W S W	1
Taihoku,	1 p.	29.66	753.3	...	...	W	8	...	5 a.	29.75	755.0	...	...	W	2
Taichu,	,,	29.76	756.0	...	...	S W	6	...	,,	29.83	757.6	...	...	S	2
Tainan,	,,	29.80	757.0	...	...	W	6	...	,,	29.80	756.8	...	...	W	4
Koshun,	,,	29.78	756.4	...	...	W	8	...	,,	29.77	756.1	...	...	N W	6
Pescadores,	,,	29.76	755.9	...	...	S W	8	...	,,	29.77	756.2	...	...	S W	6
Canton.	3 p.	29.61	752.1	90	75	S W	1	b	9 a.	29.73	755.1	85	83	S	1
Hongkong,	4 p.	29.69	754.1	84	75	S S W	2	o	10 a.	29.77	756.1	84	78	S	2
Victoria Peak,	,,	...	...	...	...	E S E	4	...	,,	...	...	...	...	S E	6
Gap Rock,	,,	29.67	753.6	...	...	S W	4	...	,,	29.74	755.4	...	...	S S W	4
Macao,	,,	29.70	754.4	85	...	S	4	c	,,	29.75	756.4	85	...	S	3
Wuchow,	3 p.	...	...	81	...	S	2	o	9 a.	29.72	754.9	86	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.55	750.5	95	...	S	5	b	8 a.	29.62	752.3	86	...	S S W	[illegible]
Tourane,	,,	29.68	753.9	88	...	S E	3	c	,,	29.74	755.4	90	...	...	[illegible]
Cape St. James,	,,	29.80	757.0	86	...	S W	3	b	,,	29.89	759.3	81	...	S W	3
Aparri,	2 p.	29.79	756.7	90	...	N	2	b	6 a.	29.83	757.6	77	...	S	2
Manila,	4 p.	29.88	759	84	71	W S W	3	c	10 a.	29.84	758	86	71	W N W	2
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	W S W	...	c	9 a.	...	...	...	...	W S W	2
Iloilo,	,,	29.85	758.2	85	...	N N W	1	o	,,	29.89	759.2	82	...	N N W	1
Cebu,	,,	29.83	757.7	88	...	S	1	b	,,	29.93	760.2	86	...	S	1
Labuan,	,,	29.83	757.7	86	...	...	...	...	,,	29.93	760.2	83	...	...	...

On the 11th at 11.55. a.—The barometer has risen moderately over N. China, and Japan.

Areas of low pressure are lying over the Yellow Sea and the N.W. part of the Sea of Japan, the Pacific [illegible] S.E. of Japan and W. China and Tongking.

Pressure remains high over the S. part of the China Sea. and the Pacific to the N.E. of Japan.

Fresh to moderate S.W. and S. winds may be expected in the Formosa Channel and along the S. coast of Chi[illegible]

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, fresh to moderate; showery.
2.—Formosa Channel,	S.W. and S. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG.
Director.

Hongkong Observatory, Monday, 11th July, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...TION.	11TH JULY, 1910, P.M.								12TH JULY, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...ostock....	2 p.	29.58	751.2	65	...	W N W	1	o	7 a.	29.72	754.8	55	99	...	0	or
...o.....	,,	29.96	761.1	...	...	S E	1	...	6 a.	29.95	760.6	...	...	E S E	3	...
...ate,.....	,,	29.85	758.2	...	...	E S E	4	...	,,	29.85	758.2	...	...	E S E	2	...
.....	,,	29.75	755.6	...	...	N	1	...	,,	29.69	754.1	...	...	N	1	...
.....	,,	29.70	754.3	...	...	S E	1	...	,,	29.72	754.8	...	...	...	0	...
...ki.	,,	29.72	754.8	...	...	W N W	2	...	,,	29.72	754.8	...	...	...	0	...
...nima.	,,	29.64	753.9	...	...	...	0	...	,,	29.70	754.4	...	...	N	1	...
...g.....	,,	29.71	754.6	...	...	S	1	...	,,	29.67	753.6	...	...	...	0	...
.....	,,	29.71	754.7	...	...	N W	1	...	,,	29.69	754.2	...	...	...	0	...
...kijima....	,,	29.72	754.8	...	...	S E	2	...	,,	29.70	754.3	...	...	S	1	...
...ls.....	,,	29.71	754.6	...	...	S	2	...	,,	29.73	755.1	...	...	S	2	...
...,.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...iwei.....	,,	29.66	753.3	77	77	N W	2	b	9 a.	29.73	755.1	79	74	W	1	c
...w.....	,,	...	..	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...ng.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...hai.	,,	29.61	752.1	90	66	N N W	2	o	9 a.	29.70	754.4	81	76	N N E	2	c
...ff.	,,	29.61	752.1	83	87	W S W	2	cv	,,	29.67	753.6	78	86	N	3	cv
...Peak.....	,,	29.63	752.6	85	87	S E	3	b	,,	29.70	754.4	84	...	...	0	c
.....	,,	29.67	753.6	89	69	S E	3	b	6 a.	29.68	753.9	82	83	S	1	c
...w.....	,,	29.69	754.1	91	67	S W	1	c	,,	29.71	754.6	81	78	W	1	b
...m.....	1 p.	29.70	754.3	...	...	W	6	...	5 a.	29.72	754.9	...	...	...	0	...
...l	,,	29.77	756.1	...	...	S E	4	...	,,	29.78	756.4	...	...	S	2	...
.....	,,	29.80	757.0	...	...	W	4	...	,,	29.80	756.9	...	...	S E	2	...
...n.....	,,	29.78	756.4	...	...	N W	8	...	,,	29.76	756.0	...	...	N W	6	...
...lores.	,,	29.77	756.2	...	...	S W	6	...	,,	29.76	756.0	...	...	S W	6	...
.....	3 p.	29.66	753.3	90	70	S	1	c	9 a.	...	...	...	...	...	...	...
...ong.	4 p.	29.71	754.6	84	77	S S W	2	o	10 a.	29.78	756.4	85	77	S S W	1	o
...m Peak,...	,,	...	...	...	...	S W	3	...	,,	...	...	...	...	S	6	...
...ock.....	,,	29.63	753.9	...	...	S S W	4	...	,,	29.75	755.6	...	...	S S W	4	...
.....	,,	29.72	754.9	85	...	S	3	c	,,	29.78	756.4	85	...	S	3	c
...w.....	3 p.	29.62	752.3	93	...	S E	2	c	9 a.	...	...	...	...	...	...	...
...w.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.61	752.1	74	...	N E	1	c	,,	...	...	...	...	...	...	...
...n.....	4 p.	29.54	750.4	81	...	S S W	4	c	8 a.	29.64	752.9	88	...	S	4	c
...se.	,,	29.72	755.0	86	...	S	2	b	,,	...	...	.	..	...	...	..
...t. James,.	,,	29.80	756.9	84	...	S W	4	c	,,	29.89	759.2	81	...	W S W	4	b
.....	2 p.	29.79	756.7	90	...	N	2	b	6 a.	29.82	757.3	73	...	S	2	b
.....	4 p.	29.80	757	86	71	S W	4	o	10 a.	29.84	758	86	71	W	1	c
...d.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	..	...	...
...d.....	3 p.	...	...	...	...	W S W	3	o	9 a.	...	...	...	...	W S W	1	o
.....	,,	29.81	757.2	86	...	N N W	1	o	,,	29.91	759.7	83	...	S W	1	o
.....	,,	29.84	757.9	86	...	S	1	o	,,	29.90	759.4	85	...	S	1	c
...n.....	,,	29.81	757.2	87	...	...	...	...	,,	29.92	759.9	83	...	...	...	...

On the 12th at 11.55. a.—The barometer has risen moderately in N. China and at Wladiwostok, and fallen ...dly over S. Japan and the Loochoos.

Pressure is relatively low over the Eastern Sea and the Pacific to the South of Japan, also over Tongking. It ...ams high over the S. part of the China Sea, and the Pacific to the N.E. of Japan.

Moderate S.W. and S. winds may be expected in the Formosa Channel and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...ongkong and Neighbourhood, ...	S. winds, moderate; showery.
...ormosa Channel, ...	S.W. and variable winds, moderate.
...outh coast of China between Hongkong and Lamocks,.	Same as No. 1.
...outh coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 12th July, 1910.

...inted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th July, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	13th July, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.70	754.3	68	...	...	0	c	7 a.	29.74	755.4	60	90	N W	1	[illegible]
Nemuro,	,,	29.89	759.1	...	...	E S E	5	...	6 a.	29.79	756.6	...	...	E N E	2	[illegible]
Hakodate,	,,	29.81	757.2	...	...	S E	4	...	,,	29.77	756.2	...	...	S E	1	[illegible]
Tokio,	,,	29.77	756.1	...	...	...	0	...	,,	29.69	754.1	...	...	N	1	[illegible]
Kochi,	,,	29.72	754.8	...	...	S S W	1	...	,,	29.66	753.3	...	...	S W	1	[illegible]
Nagasaki,	,,	29.66	753.3	...	...	S W	1	...	,,	29.68	753.8	...	...	N N E	1	[illegible]
Kagoshima,	,,	29.70	754.4	...	...	S E	1	...	,,	29.66	753.4	...	...	...	0	[illegible]
Oshima,	,,	29.67	753.6	...	...	N	1	...	,,	29.63	752.6	...	...	S	1	[illegible]
Naha,	,,	29.69	754.2	...	...	N W	1	...	,,	29.63	752.7	...	...	N N W	1	[illegible]
Ishigakijima,	,,	29.72	754.8	...	...	E	2	...	,,	29.70	754.3	...	...	N E	1	[illegible]
Bonin Is.,	,,	29.71	754.6	...	...	S	3	...	,,	29.69	754.1	...	...	S	2	[illegible]
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Weihaiwei,	,,	29.71	754.6	78	73	N W	2	c	9 a.	29.70	754.4	81	83	...	0	[illegible]
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Kiukiang,	,,	29.71	754.6	82	83	N E	3	c	,,	...	...	...	...	...	...	[illegible]
Shanghai,	,,	29.66	753.3	84	60	N	2	c	9 a.	29.66	753.3	81	71	N E	2	[illegible]
Gutzlaff,	,,	29.65	753.1	81	83	N N E	2	cv	,,	29.64	752.8	79	82	N N E	1	[illegible]
Sharp Peak,	,,	29.63	752.6	85	...	E S E	3	b	,,	29.66	753.3	85	83	...	0	[illegible]
Amoy,	,,	29.68	753.9	90	66	S E	3	b	6 a.	29.65	753.1	82	87	S E	1	[illegible]
Swatow,	,,	29.66	753.3	95	62	W S W	2	b	,,	29.66	753.3	80	87	W S W	1	[illegible]
Taihoku,	1 p.	29.69	754.2	...	...	W	6	...	5 a.	29.69	754.0	...	...	...	0	[illegible]
Taichu,	,,	29.76	756.0	...	...	W	4	...	,,	29.74	755.3	...	...	S	2	[illegible]
Tainan,	,,	29.80	756.9	...	...	W	2	...	,,	29.76	755.9	...	...	...	0	[illegible]
Koshun,	,,	29.77	756.1	...	...	N W	8	...	,,	29.72	754.8	...	...	N	6	[illegible]
Pescadores,	,,	29.77	756.2	...	...	S	4	...	,,	29.71	754.7	...	...	S W	4	[illegible]
Canton,	3 p.	29.67	753.6	86	80	S	1	o	9 a.	29.70	754.4	85	83	S	1	[illegible]
Hongkong,	4 p.	29.70	754.4	85	74	S	2	c	10 a.	29.73	755.1	86	74	S W	2	[illegible]
Victoria Peak,	,,	...	...	...	...	S	7	...	,,	...	...	...	...	S E	6	[illegible]
Gap Rock,	,,	29.67	753.6	...	...	S S W	4	...	,,	29.69	754.1	...	...	S S W	4	[illegible]
Macao,	,,	29.72	754.9	85	...	S S W	3	c	,,	29.74	755.4	85	...	S	3	[illegible]
Wuchow,	3 p.	29.64	752.8	90	...	...	...	...	9 a.	29.71	754.6	86	...	E	1	[illegible]
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Phulien,	4 p.	29.55	750.5	97	...	W S W	3	c	8 a.	29.63	752.5	90	...	S S W	3	[illegible]
Tourane,	,,	...	...	...	...	...	...	...	,,	29.71	754.7	90	..	S W	1	[illegible]
Cape St. James,	..	29.79	756.7	84	...	S W	4	b	,,	29.89	759.3	81	...	S W	1	[illegible]
Aparri,	2 p.	29.77	756.1	88	...	N	2	c	6 a.	29.76	755.8	75	...	S	0	[illegible]
Manila,	4 p.	29.76	756	88	65	W S W	2	o	10 a.	29.80	757	84	...	N W	2	[illegible]
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Bacolod,	3 p.	...	...	...	...	S W	3	o	9 a.	...	...	...	...	S W	3	[illegible]
Iloilo,	,,	29.81	757.2	85	...	S	1	c	,,	29.83	757.7	82	...	W	1	[illegible]
Cebu,	,,	29.80	756.9	88	...	S	2	b	,,	29.85	758.2	84	...	S	1	[illegible]
Labuan,	,,	29.78	756.4	87	...	...	...	...	,,	29.90	759.4	81	...	...	...	[illegible]

On the 13th at 11.55. a.—The barometer has risen slightly at all stations, except in Wladiwostok.

Pressure is low over the Pacific to the S.E. of the Loochoos, and also over Tongking.

It is highest over the S. part of the China Sea in the South, and over the Pacific to the N.E. of Japan in the North.

Moderate variable winds may be expected in the Formosa Channel, and moderate S.W. and S. winds along the coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, moderate; fair.
2.—Formosa Channel,	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S. winds, moderate.

F. G. Figg.
Director.

Hongkong Observatory, Wednesday, 13th July, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...ATION.	13TH JULY, 1910, P.M.								14TH JULY, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...ivostock,...	2 p.	29.74	755.4	66	...	S E	1	c	7 a.	29.75	755.7	69	83	S E	0	c
...ro.....	,,	29.77	756.1	...	...	N	1	...	6 a.	29.67	753.6	...	...	N N E	6	...
...date.....	,,	29.73	755.2	...	...	S E	2	...	,,	29.69	754.2	...	...	...	0	...
...s.....	,,	29.63	752.6	...	...	N	1	...	,,	29.73	755.1	...	...	...	0	...
...i.....	,,	29.66	753.3	...	...	S	1	...	,,	29.74	755.3	...	...	...	0	...
...saki, ...	,,	29.66	753.3	...	...	S W	2	...	,,	29.79	754.3	...	...	N N E	1	...
...shima, ...	,,	29.64	752.9	...	...	S	1	...	,,	29.70	754.4	...	...	N N E	1	...
...na.....	,,	29.63	752.6	...	...	N	2	...	,,	29.65	753.1	...	...	S	1	...
.....	,,	...	...	...	...	...	...	...	,,	29.63	752.7	...	...	...	0	...
...akijima,....	,,	29.68	753.8	...	...	S W	2	...	,,	29.64	752.8	...	...	N E	1	...
...ls.....	,,	29.73	755.1	...	...	S	2	...	,,	29.83	757.6	...	...	S	1	...
...o.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...aiwei.....	,,	29.67	753.6	79	51	E N E	2	c	9 a.	29.70	754.4	72	...	S W	2	o
...ow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...jang.....	,,	29.53	750.9	93	71	S W	2	b	,,	...	...	...	...	...	...	...
...ghai.	,,	29.61	752.1	83	71	E N E	1	o	9 a.	29.57	751.1	85	75	S E	2	o
...laff.	,,	29.59	751.6	80	78	N E	2	cv	,,	29.56	750.8	81	91	S E	3	cm
...Peak,.....	,,	29.60	751.8	86	...	E	4	b	,,	29.60	751.8	85	...	...	0	c
.....	,,	29.64	752.8	89	66	S E	4	b	6 a.	29.63	752.6	82	87	...	0	b
...ow,.....	,,	29.59	751.6	95	61	W	1	b	,,	29.61	752.1	81	83	S W	1	b
...ku.....	1 p.	29.63	752.7	...	...	W	6	...	5 a.	29.63	752.7	...	...	N W	0	...
...n.	,,	29.69	754.0	...	...	W	4	...	,,	29.70	754.3	...	...	S	2	...
...n.....	,,	29.73	755.2	...	...	W	4	...	,,	29.70	754.4	...	...	E	2	...
...m.....	,,	29.70	754.4	...	...	N W	8	...	,,	29.68	753.8	...	...	N W	6	...
...dores.	,,	29.71	754.7	...	...	S W	6	...	,,	29.67	753.6	...	...	S	6	...
...n.....	3 p.	29.61	752.1	91	67	S S W	1	b	9 a.	29.65	753.1	86	80	S	1	c
...kong.	4 p.	29.64	752.8	86	74	S S W	2	c	10 a.	29.67	753.6	86	72	S S E	1	c
...ria Peak,...	,,	...	...	...	...	S	6	...	,,	...	...	...	...	S	4	...
...Rock,.....	,,	29.63	752.6	...	...	S W	4	...	,,	29.64	752.8	...	...	S S W	4	...
...o.....	,,	29.66	753.3	85	...	S	3	c	,,	29.69	754.1	85	...	S	2	c
...ew,.....	3 p.	29.58	751.3	94	...	S	2	c	9 a.	29.67	753.6	80	...	E	2	c
...w.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...o.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...ien.....	4 p.	29.51	749.6	99	...	S W	4	b	8 a.	29.54	750.3	91	...	S	5	c
...ne.	,,	29.66	753.4	91	...	S E	1	c	,,	29.65	753.0	88	..	S S E	2	c
...St. James,.	,,	29.75	755.6	84	...	S W	5	c	,,	29.79	756.7	81	...	S W	4	c
...d.....	2 p.	29.72	754.9	86	...	N W	2	c	6 a.	29.67	753.5	79	...	S	2	o
...la.	4 p.	29.72	755	84	71	S W	2	o	10 a.	29.73	755	84	77	S W	3	o
...spi.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...fod.....	3 p.	...	...	...	...	S W	3	o	9 a.	...	...	...	...	S W	3	o
.....	,,	29.75	755.6	85	...	S W	2	o	,,	29.82	757.4	83	...	N N W	1	b
.....	,,	29.75	755.6	83	...	S	2	b	,,	29.81	757.2	86	...	S	1	b
...sn.	,,	29.78	756.4	84	...	...	...	...	,,	29.82	757.4	84	...	...	...	...

On the 14th at 11.55. a.—The barometer has fallen moderately in NE Japan, and risen slightly to moderately r S. Japan and the Bonins respectively. A depression is moving towards NE to the E. of Japan.

Pressure has given way moderately over S. China and at the stations around the China Sea, a depression, which probably moving Eastwards, having appeared over the Yangtze valley.

Pressure is now highest over the Pacific in the neighbourhood of the Bonins.

Moderate to fresh S. winds may be expected in the Formosa Channel, and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	S. winds, moderate to fresh; fair to showery.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 14th July, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th July, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	15th July, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.76	755.9	65	...	S E	1	c	7 a.	29.77	756.2	56	95	S E	0	
Nemuro,	,,	29.49	749.1	...	...	N N W	7	...	6 a.	29.67	753.6	...	...	W N W	4	
Hakodate,	,,	29.65	753.2	...	...	S S E	1	...	,,	29.73	755.2	...	...	N W	1	
Tokio,	,,	29.73	755.1	...	...	S	3	...	,,	29.77	756.1	...	...	...	0	
Kochi,	,,	29.74	755.3	...	...	S E	1	...	,,	29.74	755.3	...	...	S W	1	
Nagasaki,	,,	29.68	753.8	...	...	N N W	1	...	,,	29.72	754.8	...	...	E	1	
Kagoshima,	,,	29.68	753.9	...	...	S S W	1	...	,,	29.74	755.4	...	...	N E	1	
Oshima,	,,	29.63	752.6	...	...	S	2	...	,,	29.69	754.1	...	...	...	0	
Naha,	,,	29.63	752.7	...	...	S	1	...	,,	29.69	754.2	...	...	N E	1	
Ishigakijima,	,,	29.66	753.3	...	...	S S W	1	...	,,	29.66	753.3	...	...	N N E	1	
Bonin Is.	,,	29.73	755.1	...	...	S	1	...	,,	29.95	760.6	...	...	...	0	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.48	748.8	77	65	...	...	c	9 a.	29.70	754.4	76	73	E S E	3	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang	,,	29.61	749.5	90	77	N E	1	f	,,	...	...	...	...	...	...	
Shanghai,	,,	29.55	750.5	86	76	S S E	3	o	9 a.	29.58	751.3	85	83	N W	1	
Gutzlaff,	,,	29.53	750.0	82	91	S E	5	cm	,,	29.56	750.8	81	96	S	1	
Sharp Peak,	,,	29.56	750.8	87	...	E S E	3	b	,,	29.65	753.1	85	...	E S E	1	
Amoy,	,,	29.56	750.8	89	66	S E	4	b	6 a.	29.61	752.1	82	87	...	0	
Swatow,	,,	29.55	750.5	97	54	S	1	b	,,	29.60	751.8	91	88	S W	1	
Taihoku,	1 p.	29.60	751.9	...	...	W	2	...	5 a.	29.65	753.0	...	...	S	2	
Taichu,	,,	29.63	752.7	...	...	S W	4	...	,,	29.68	753.8	...	...	...	0	
Tainan,	,,	29.68	753.9	...	...	W	2	...	,,	29.68	753.9	...	...	S E	2	
Koshun,	,,	29.67	753.5	...	...	N W	6	...	,,	29.69	754.1	...	...	N	2	
Pescadores,	,,	29.65	753.2	...	...	S W	6	...	,,	29.65	753.1	...	...	S	4	
Canton	3 p.	29.58	751.3	92	64	S W	1	b	9 a.	29.68	753.9	86	80	...	0	
Hongkong,	4 p.	29.61	752.1	89	67	S W	1	c	10 a.	29.70	754.4	87	69	S W	1	
Victoria Peak,	,,	...	...	...	...	S	6	...	,,	...	...	...	...	S	3	
Gap Rock,	,,	29.57	751.1	...	...	S W	3	...	,,	29.67	753.6	...	...	S W	4	
Macao,	,,	29.63	752.6	85	...	S W	3	c	,,	29.73	755.1	86	...	S W	1	
Wuchow,	3 p.	29.58	751.3	85	83	E	4	c	9 a.	29.70	754.4	86	76	E	1	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	29.56	750.8	91	67	S W	2	c	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.47	748.5	93	...	S S E	4	b	8 a.	29.60	751.8	86	...	S	5	
Tourane,	,,	29.59	751.6	88	...	S E	2	c	,,	29.66	753.3	88	...	S W	1	
Cape St. James,	,,	29.67	753.5	75	...	S W	4	or	,,	29.78	756.5	81	...	S W	4	
Aparri,	2 p.	29.67	753.6	88	...	N E	2	o	6 a.	29.69	754.0	77	...	S	2	
Manila,	4 p.	29.69	754	81	85	W S W	4	o	10 a.	29.76	756	82	77	...	0	
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	W S W	4	o	9 a.	...	...	...	...	S W	3	
Iloilo,	,,	29.74	755.4	83	...	N W	1	o	,,	29.87	758.7	82	...	S	1	
Cebu,	,,	29.72	754.9	83	...	S	2	o	,,	29.83	757.7	86	...	S	3	
Labuan,	,,	29.73	755.1	89	...	...	...	...	,,	29.84	757.9	83	...	...	...	

On the 15th at 12.05. p.—The depression lying to the E. of Japan yesterday, has moved away towards N.E.

The depression which was situated over the Yangtze valley, is now lying over the E. coast of China.

Pressure has increased slightly at the Japanese stations, and over the S. coast of China and the Philippines. It is highest over the Pacific in the neighbourhood of the Bonins.

Moderate S. and S.W. winds may be expected in the Formosa Channel, and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. and S.W. winds, moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 15th July, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th JULY, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	16th JULY, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivestock	2 p.	29.79	756.7	61	...	S E	0	o	7 a.	29.79	756.7	55	96	S E	4	f
ave	,,	29.75	755.6	...	...	N N E	3	...	6 a.	29.85	758.1	...	...	N E	1	...
late	,,	29.73	755.2	...	...	S W	1	...	,,	29.83	757.7	...	...	E	1	...
	,,	29.69	754.1	...	...	...	0	...	,,	29.83	757.6	...	...	E	1	...
i	,,	29.74	755.3	...	...	S E	1	...	,,	29.82	757.3	...	...	S W	1	...
saki	,,	29.72	754.8	...	...	S S E	2	...	,,	29.74	755.3	...	...	S S E	3	...
shima	,,	29.72	754.9	...	...	S	1	...	,,	29.82	757.4	...	...	...	0	...
	,,	29.69	754.1	...	...	S	2	...	,,	29.73	755.1	...	...	...	0	...
	,,	29.67	753.7	...	...	S E	1	...	,,	29.67	753.7	...	...	S E	1	...
kijima	,,	29.66	753.3	...	...	E N E	4	...	,,	29.66	753.3	...	...	N	1	...
ls	,,	29.93	760.1	...	...	S	1	...	,,	29.97	761.1	...	...	...	0	...
	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
aiwei	,,	29.66	753.3	70	75	E N E	4	c	9 a.	29.64	752.8	71	95	N E	1	or
	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kang	,,	29.64	752.8	83	79	W	3	b	,,	29.70	754.4	79	91	W	2	o
hai	,,	29.56	750.8	89	73	N W	2	o	9 a.	29.68	753.9	81	74	N	1	om
kff	,,	29.54	750.3	85	87	S S E	2	om	,,	29.65	753.1	80	91	N	2	ov
Peak	,,	29.58	751.3	86	...	E	3	b	,,	29.66	753.3	85	...	...	0	o
	,,	29.57	751.1	92	67	S E	3	b	6 a.	29.63	752.6	84	79	E	1	o
w	,,	29.57	751.1	97	51	S W	1	b	,,	29.61	752.1	83	83	S W	1	b
kn	1 p.	29.63	752.5	...	...	N W	4	...	5 a.	29.67	753.5	...	...	S	2	...
	,,	29.65	753.2	...	...	W	4	...	,,	29.69	754.1	...	...	...	0	...
	,,	29.69	754.1	...	...	S W	2	...	,,	29.69	754.1	...	...	S	2	...
	,,	29.67	753.7	...	...	N W	6	...	,,	29.67	753.7	...	...	N	2	...
deres	,,	29.67	753.5	...	...	S W	6	...	,,	29.66	753.4	...	...	W	4	...
	3 p.	29.62	752.3	91	60	...	0	b	9 a.	29.71	754.6	86	76	S W	...	...
kong	4 p.	29.65	753.1	88	69	W	1	b	10 a.	29.72	754.9	87	74	W N W	1	c
ia Peak	,,	...	...	...	...	S	3	...	,,	...	...	...	...	W	2	...
Rock	,,	29.64	752.3	...	...	S W	3	...	,,	29.71	754.6	...	...	W	4	...
	,,	29.67	753.6	87	...	S W	2	c	,,	29.75	755.6	87	...	S W	2	c
w	3 p.	29.66	753.3	84	87	E	1	c	9 a.	29.74	755.4	86	76	W	1	c
	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
	,,	29.64	752.8	93	64	S W	3	b	,,	...	...	...	...	...	...	...
	4 p.	29.56	750.9	88	...	S S E	7	b	8 a.	29.70	754.3	86	...	S S E	4	c
	,,	...	...	...	...	...	...	...	,,	29.71	754.6	90	..	S E	1	b
St. James	,,	29.71	754.7	84	...	N W	1	f	,,	29.83	757.6	81	...	S W	4	c
	2 p.	29.67	753.6	82	...	S	2	o	6 a.	29.71	754.5	75	...	S	2	d
	4 p.	29.76	756	79	84	N W	2	p	10 a.	29.80	757	81	92	...	0	o
	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
od	3 p.	...	...	...	...	W S W	2	o	9 a.	...	...	...	...	W S W	1	...
	,,	29.77	756.1	86	...	S	1	b	,,	29.87	758.7	84	...	N N W	1	b
	,,	29.76	755.9	83	...	S	2	b	,,	29.92	759.9	85	...	S	1	c
a	,,	29.76	755.9	88	...	...	...	...	,,	29.87	758.7	85	...	...	...	...

On the 16th at 12.05. p.—The barometer has fallen slightly on the N.E. coast of China, and risen moderately on the coast. The shallow depression appears to be lying over the Yellow Sea.

Pressure has increased moderately to slightly over Japan, Tongking, S.W. China and the Philippines. It is high in the Pacific in the neighbourhood of the Bonins, and relatively low to the South of the Loochoos.

Moderate variable winds may be expected in the Formosa Channel, and moderate W. and S.W. winds along the coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	W. and S.W. winds, moderate; fair.
Formosa Channel,	Variable winds, moderate.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
North coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 16th July, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th July, 1910, P.M.								17th July, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.79	756.6	59	...	S S E	3	o	7 a.	29.76	756.0	65	95	S S E	1	o
Nemuro,	,,	29.85	758.1	...	...	N	1	...	6 a.	29.89	759.1	...	...	S E	1	...
Hakodate,	,,	29.83	757.7	...	...	S E	1	...	,,	29.83	757.7	...	...	E N E	2	...
Tokio,	,,	29.85	758.1	...	...	S S E	1	...	,,	29.75	755.6	...	...	N N W	1	...
Kochi,	,,	29.76	755.8	...	...	S	1	...	,,	29.72	754.8	...	...	E	1	...
Nagasaki,	,,	29.70	754.3	...	...	S S W	3	...	,,	29.72	754.8	...	...	S W	4	...
Kagoshima,	,,	29.70	754.4	...	...	S	1	...	,,	29.74	755.4	...	...	...	0	...
Oshima,	,,	29.71	754.6	...	...	S S W	3	...	,,	29.77	756.1	...	...	S	2	...
Naha,	,,	29.65	753.2	...	...	S	2	...	,,	29.71	754.7	...	...	S	1	...
Ishigakijima,	,,	29.60	751.8	...	...	N E	5	...	,,	29.56	750.8	...	...	S E	9	...
Bonin Is.	,,	29.89	759.1	...	...	W S W	1	...	,,	29.97	761.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.63	752.6	75	90	N W	3	c	9 a.	29.69	754.1	80	66	S W	1	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.58	753.9	76	100	N W	2	or	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.62	752.3	83	72	N E	1	o	9 a.	29.69	754.1	80	87	E	2	o
Gutzlaff,	,,	29.61	752.1	82	83	N N E	1	bv	,,	29.67	753.6	81	91	E S E	4	or
Sharp Peak,	,,	29.59	751.6	87	...	E S E	1	c	,,	29.61	752.1	84	87	N E	2	b
Amoy,	,,	29.56	750.8	91	66	S E	3	c	6 a.	29.64	752.8	82	87	...	0	b
Swatow,	,,	29.52	749.8	99	52	W S W	1	b	,,	29.56	750.8	81	83	N	1	b
Taihoku,	1 p.	29.63	752.5	...	...	N	6	...	5 a.	29.56	750.8	...	...	S	4	...
Taichu,	,,	29.61	752.0	...	...	N W	2	...	,,	29.51	749.6	...	...	...	0	...
Tainan,	,,	29.67	753.5	...	...	W	4	...	,,	29.56	750.8	...	...	N W	4	...
Koshun,	,,	29.62	752.4	...	...	N W	6	...	,,	29.58	751.3	...	...	N	4	...
Pescadores,	,,	29.63	752.5	...	...	W	4	...	,,	29.60	751.8	...	...	S E	4	...
Canton,	3 p.	29.63	752.6	91	63	S W	1	b	9 a.	29.66	753.3	87	89	W	1	...
Hongkong,	4 p.	29.62	752.3	88	71	W	1	c	10 a.	29.67	753.6	87	76	W	1	c
Victoria Peak,	,,	...	...	...	...	W S W	3	...	,,	...	...	...	...	W	2	...
Gap Rock,	,,	29.61	752.1	...	...	W S W	4	...	,,	29.65	753.1	...	...	W S W	4	...
Macao,	,,	29.65	753.1	88	...	S W	2	c	,,	29.70	754.4	87	...	W S W	2	c
Wuchow,	3 p.	29.65	753.1	93	58	W	1	c	9 a.	29.69	754.1	85	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.68	753.9	93	...	S W	2	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.61	752.0	90	...	S E	5	c	8 a.	29.69	754.1	86	...	E	3	c
Tourane,	,,	29.65	753.1	88	...	S E	2	c	,,	29.73	755.0	90	..	...	0	c
Cape St. James,	,,	29.72	755.0	84	...	S W	5	c	,,	29.85	758.1	82	...	S W	2	c
Aparri,	2 p.	29.65	753.2	77	...	S	2	d	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	73	100	N W	1	r	10 a.	29.84	758	81	85	S	1	o
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	W S W	3	o	9 a.	...	...	...	...	S W	4	c
Iloilo,	,,	29.79	756.6	86	...	N W	2	c	,,	29.89	759.2	84	...	...	0	c
Cebu,	,,	29.79	756.6	83	...	S	3	c	,,	29.83	758.9	85	...	S	1	...
Labuan,	,,	29.75	755.6	89	...	...	...	...	,,	...	...	...	...	...	...	...

On the 16th at 6.45 p.—Depression South of Meiaco Sima.

On the 17th at 12.05. p.—The barometer has fallen moderately to slightly over Formosa and the S. and S coasts of China. The depression is now situated to the East of Formosa. It is probably moving towards WNW.

Pressure has increased slightly on the NE coast of China, and given way a little in S. Japan. It remains by over the Pacific in the neighbourhood of the Bonins.

Strong N. and NE winds may be expected in the Formosa Channel, and fresh NW to SW winds along the coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. winds, fresh; fair.
2.—Formosa Channel,	N. and NE winds, strong.
3.—South coast of China between Hongkong and Lamocks,	NW winds, fresh.
4.—South coast of China between Hongkong and Hainan,	W. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 17th July, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th July, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	18th July, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...lirostock,...	2 p.	29.78	756.4	61	...	S S E	2	c	7 a.	29.81	757.1	56	96	S E	1	f
...uro,...	,,	29.83	757.6	...	...	W	1	...	6 a.	29.79	756.6	...	...	W	1	...
...odate,...	,,	29.81	757.2	...	...	E S E	2	...	,,	29.85	758.2	...	...	N	1	...
...o,...	,,	29.65	753.1	...	...	...	0	...	,,	29.85	758.1	...	...	...	0	...
...i,...	,,	29.74	755.3	...	...	...	0	...	,,	29.84	757.8	...	...	S W	1	...
...saki,...	,,	29.78	756.3	...	...	W	2	...	,,	29.86	758.3	...	...	S W	2	...
...oshima,...	,,	29.80	756.9	...	...	W	1	...	,,	29.88	758.9	...	...	...	0	...
...ma,...	,,	29.77	756.1	...	...	S	4	...	,,	29.87	758.6	...	...	S	1	...
...,...	,,	29.75	755.7	...	...	E S E	2	...	,,	29.83	757.7	...	...	S	1	...
...akijima,...	,,	29.52	749.8	...	...	S S E	11	...	,,	29.72	754.8	...	...	S	9	...
...n Is.,...	,,	29.93	760.1	...	...	N E	1	...	,,	29.97	761.1	...	...	...	0	...
...oo,...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...aiwei,...	,,	29.72	754.9	76	73	E	4	c	9 a.	29.72	754.9	79	70	S S W	3	c
...kow,...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...iang,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...ghai,...	,,	29.65	753.1	85	79	E	3	c	9 a.	29.63	752.6	86	72	S S E	4	cq
...laff,...	,,	29.65	753.1	82	91	E	4	cm	,,	29.62	752.3	83	83	S E	5	bm
...p Peak,...	,,	29.54	750.3	85	79	N N E	6	c	,,	29.35	745.5	82	91	W	1	o
...y,...	,,	29.55	750.5	91	60	S E	3	b	6 a.	29.50	749.3	81	78	W	3	or
...ow,...	,,	29.49	749.0	90	66	S	4	c	,,	29.58	751.3	80	82	N W	1	c
...oku,...	1 p.	29.49	749.0	...	...	E	8	...	5 a.	29.38	746.2	...	...	S E	2	...
...u,...	,,	29.39	746.5	...	...	N	6	...	,,	29.51	749.5	...	...	S	6	...
...m,...	,,	29.49	749.0	...	...	N	10	...	,,	29.58	751.2	...	...	W	10	...
...m,...	,,	29.53	750.1	...	...	W	8	...	,,	...	...	...	...	...	...	...
...adores,...	,,	29.52	749.8	...	...	N	10	...	,,	29.51	749.6	...	...	W	10	...
...n,...	3 p.	29.53	750.0	93	64	S W	1	c	9 a.	...	...	...	...	...	...	...
...kong,...	4 p.	29.58	751.3	86	83	S W	1	o	10 a.	29.66	753.3	82	91	W S W	3	orlt
...ua Peak,...	,,	...	...	...	...	S W	7	...	,,	...	...	...	...	S S W	7	...
...Rock,...	,,	29.54	750.3	...	...	W S W	5	...	,,	29.64	752.8	...	...	S W	4	...
...o,...	,,	29.59	751.6	87	...	S W	3	c	,,	29.69	754.1	82	...	S W	3	o
...ow,...	3 p.	29.58	751.3	94	52	W	2	c	9 a.	...	...	...	...	...	...	...
...ow,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...i,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...en,...	4 p.	29.56	750.9	91	...	S E	4	c	8 a.	29.61	752.1	83	...	S S E	3	c
...ne,...	,,	29.67	753.5	81	...	S W	4	c	,,	29.69	754.2	86	...	S S W	3	c
St. James,..	,,	29.78	756.5	81	...	S W	4	c	,,	29.85	758.1	97	...	S W	2	c
...i,...	2 p.	29.70	754.3	81	...	S	2	o	6 a.	29.81	757.1	77	...	S	2	o
...la,...	4 p.	29.80	757	77	92	W N W	2	p	10 a.	29.88	759	84	77	S S E	1	o
...pi,...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...od,...	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	N	2	o
...	,,	29.81	757.2	85	...	N	1	o	,,	29.91	759.7	84	...	N N E	1	o
...	,,	29.81	757.2	83	...	N	2	b	,,	29.89	759.2	84	...	N	1	c
...n,...	,,	29.78	756.4	87	...	...	...	...	,,	29.79	756.6	83	...	...	...	...

On the 18th at 11.55. a.—The typhoon crossed N. Formosa last evening, and is now situated off the coast near ...chow. It is moving towards N.W.

The barometer is falling on the E. coast of China, and rising over S. Japan, the Loochoos, Formosa and N. ...on.

Pressure remains high over the Pacific in the neighbourhood of the Bonins.

S.W. gales may be expected in the Formosa Channel and strong S.W. winds along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...ongkong and Neighbourhood, ...	S.W. winds, strong; squally, thunderstorms.
...ormosa Channel, ...	S.W. gales.
...outh coast of China between Hongkong and Lamocks,.	Same as No. 1.
...outh coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 18th July, 1910.

[...inted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th July, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	19th July, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.80	756.9	60	...	S E	1	f	7 a.	29.79	756.7	62	99	S S E	0	f
Nemuro,	,,	29.77	756.1	...	...	N N W	1	...	6 a.	29.83	757.6	...	...	...	0	...
Hakodate,	,,	29.83	757.7	...	...	S	1	...	,,	29.89	759.3	...	...	W	1	...
Tokio,	,,	29.87	758.6	...	...	S S W	1	...	,,	29.93	760.1	...	...	...	0	...
Kochi,	,,	29.82	757.3	...	...	S E	1	...	,,	29.89	759.3	...	...	W S W	1	...
Nagasaki,	,,	29.85	758.3	...	...	S S W	3	...	,,	29.89	759.3	...	...	E S E	2	...
Kagoshima,	,,	29.88	758.9	...	...	S	1	...	,,	29.94	760.4	...	...	...	0	...
Oshima,	,,	29.87	758.6	...	...	S S E	3	...	,,	29.91	759.6	...	...	S	1	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.89	759.2	...	...	S	1	...
Ishigakijima,	,,	29.76	755.8	...	...	S	9	...	,,	29.82	757.3	...	...	S	7	...
Bonin Is.	,,	29.94	760.6	...	...	N	1	...	,,	29.93	760.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.76	755.9	80	70	S W	4	o	9 a.	29.65	753.1	69	100	N E	5	o
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.55	750.5	88	69	S E	5	oq	9 a.	29.47	748.5	78	95	S	5	q
Gutzlaff,	,,	29.55	750.5	83	83	S E	7	bm	,,	29.48	748.8	76	100	S	8	o
Sharp Peak,	,,	29.42	747.2	81	78	S W	5	or	,,	29.73	755.1	81	87	S W	4	o
Amoy,	,,	29.53	750.0	85	72	S W	4	c	6 a.	29.66	753.3	79	87	S S W	3	o
Swatow,	,,	29.58	751.3	82	83	W	2	o	,,	29.62	752.3	81	91	S W	1	o
Taihoku,	1 p.	29.58	751.3	...	...	N E	2	...	5 a.	29.71	754.5	...	...	...	0	...
Taichu,	,,	29.69	754.2	...	...	S	6	...	,,	29.74	755.3	...	...	...	0	...
Tainan,	,,	29.73	755.1	...	...	S	6	...	,,	29.79	756.7	...	...	S E	4	...
Koshun,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	...	...	N	2	...
Pescadores,	,,	29.65	753.2	...	...	S	8	...	,,	29.74	755.4	...	...	S	10	...
Canton,	3 p.	29.60	751.8	85	83	S E	1	c	9 a.	29.71	754.6	84	83	S S E	2	o
Hongkong,	4 p.	29.64	752.8	82	89	S W	1	o	10 a.	29.76	755.9	84	75	S W	3	o
Victoria Peak,	,,	...	...	...	...	S	5	...	,,	...	...	...	...	S	6	...
Gap Rock,	,,	29.64	752.1	...	...	S W	4	...	,,	29.72	754.9	...	...	S S W	4	...
Macao,	,,	29.65	753.1	82	...	S	3	o	,,	29.74	755.4	84	...	S	3	o
Wuchow,	3 p.	29.58	751.3	94	...	W	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.63	752.6	90	73	S W	3	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.53	750.1	90	...	S E	4	c	8 a.	29.65	753.0	84	...	N N W	3	c
Tourane,	,,	29.63	752.6	88	...	S E	2	c	,,	29.71	754.7	84	...	S W	1	c
Cape St. James,	,,	29.75	755.6	84	...	S	3	c	,,	29.80	756.9	82	...	S W	1	c
Aparri,	2 p.	29.82	757.3	83	...	S	2	o	6 a.	29.85	758.1	75	...	S W	2	f
Manila,	4 p.	29.80	757	86	71	N W	1	o	10 a.	29.84	758	84	77	W	1	c
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N	2	o
Iloilo,	,,	29.81	757.2	88	...	N E	1	o	,,	29.87	758.7	84	...	N E	1	b
Cebu,	,,	29.81	757.2	83	...	N	2	b	,,	29.86	758.4	83	...	N	1	c
Labuan,	,,	29.73	755.1	87	...	...	...	...	,,	29.89	756.9	86	...	...	...	...

On the 19th at 11.40 a.—The barometer has fallen quickly on the E. and N.E. coasts of China owing to a typhoon, which is moving Northwards and crossing the Lower Yangtze, probably in the neighbourhood of Chinkiang. It is likely to recurve to the N.E. and cross the Yellow Sea.

Pressure has increased quickly over Formosa and the S.E. coast of China, and decreased slightly in the Southern Philippines. It is high over the Pacific to the S.E. of Japan.

Fresh S.W. and S. winds may be expected in the Formosa Channel and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. and S. winds, fresh; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong **Observatory, Tuesday, 19th July, 1910.**

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th JULY, 1910, P.M.								20th JULY, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
divostock,	2 p.	29.80	756.9	63	...	...	0	f	7 a.	29.43	747.6	62	98	E	5	or
uro,	,,	29.85	758.1	...	...	S	2	...	6 a.	29.91	759.6	...	...	...	0	...
odate,	,,	29.91	759.7	...	...	S	2	...	,,	29.93	760.2	...	...	...	0	...
io,	,,	29.89	759.1	...	...	S S W	1	...	,,	29.95	760.6	...	...	...	0	...
hi,	,,	29.91	759.8	...	...	S E	1	...	,,	29.93	760.3	...	...	S S W	1	...
asaki,	,,	29.89	759.3	...	...	S	3	...	,,	29.89	759.3	...	...	S	4	...
oshima,	,,	29.92	759.9	...	...	S S W	2	...	,,	29.96	760.9	...	...	S W	2	...
ma,	,,	29.91	759.6	...	...	S	3	...	,,	29.97	761.1	...	...	S	1	...
a,	,,	29.89	759.2	...	...	S S E	2	...	,,	29.95	760.7	...	...	...	0	...
gakijima,	,,	...	...	...	...	...	...	...	,,	29.89	759.3	...	...	S	2	...
in Is.,	,,	29.91	759.6	...	...	S W	1	...	,,	29.93	760.1	...	...	N E	1	...
foo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
hsiwei,	,,	29.54	750.3	68	100	N E	5	or	9 a.	29.64	752.8	75	81	S S W	5	b
kow,	,,	...	..	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ghai,	,,	29.55	750.5	80	91	S	3	ot	9 a.	29.73	756.4	84	79	S S W	1	om
alaff,	,,	29.55	750.5	78	95	S	7	om	,,	29.76	755.9	83	87	S	2	cm
p Peak,	,,	29.71	754.6	81	91	W	2	or	,,	29.86	758.4	82	...	S E	1	b
y,	,,	29.72	754.9	85	72	S	4	b	6 a.	29.80	756.9	80	87	S S W	1	c
tow,	,,	29.72	754.9	87	72	W S W	1	b	,,	29.76	755.9	77	95	S	1	b
oku,	1 p.	29.79	756.6	...	...	S W	2	...	5 a.	29.86	758.5	...	...	...	0	...
hu,	,,	29.84	758.0	...	...	S	6	...	,,	29.37	758.7	...	...	...	0	...
an,	,,	29.86	758.4	...	...	S E	6	...	,,	29.88	758.9	...	...	S E	2	...
un,	,,	29.86	758.4	...	...	S W	8	...	,,	29.89	759.1	...	...	...	0	...
adores,	,,	29.81	757.1	...	...	S	6	...	,,	29.84	758.0	...	...	S	2	...
on,	3 p.	29.67	753.6	84	79	S S W	1	c	9 a.	...	...	...	...	...	...	...
gkong,	4 p.	29.71	754.6	87	70	W S W	2	o	10 a.	29.86	758.4	80	91	S	1	o
pia Peak,	,,	...	...	...	...	S	7	...	,,	...	...	...	...	S E	4	...
Rock,	,,	29.70	754.4	...	...	S S W	4	...	,,	29.81	757.2	...	...	S W	4	...
o,	,,	29.73	755.1	85	...	S	4	c	,,	29.86	758.4	80	...	S S E	2	o
how,	3 p.	29.67	753.6	87	...	W	1	...	9 a.	...	...	...	...	...	...	...
ow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi,	,,	29.69	754.1	90	70	S W	1	o	,,	...	...	...	...	...	...	...
ien,	4 p.	29.61	752.2	88	...	N W	0	o	8 a.	29.73	755.1	79	...	N E	3	o
ane,	,,	29.66	753.3	88	...	S E	1	c	,,	29.73	755.2	90	..	S E	2	c
St. James,	,,	29.74	755.4	86	...	S	4	c	,,	29.82	757.5	82	...	S W	1	c
ri,	2 p.	29.82	757.4	90	...	N E	2	b	6 a.	29.85	758.2	73	...	S	0	b
la,	4 p.	29.76	756	84	71	S E	1	c	10 a.	29.88	759	79	84	...	0	d
spi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
lod,	3 p.	...	...	...	...	N N E	4	c	9 a.	...	...	...	...	N	3	c
	,,	29.77	756.1	89	...	N E	2	b	,,	29.85	758.2	82	...	..	0	o
	,,	29.76	755.9	83	...	N	2	b	,,	29.92	759.9	85	...	...	0	c
on,	,,	29.73	755.1	89	...	...	...	...	,,	29.82	757.4	84	...	...	...	...

On the 20th at 11.55 a.—The barometer has fallen quickly in Wladiwostok, and risen considerably to moderate- over the E. and S. coasts of China respectively.

The depression, which is moving towards N.E., has reached S.E. Manchuria.

High pressure covers the Pacific to the S. and S.E. of Japan.

Moderate S. and S.E. winds may be expected in the Formosa Channel and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.22 **inches.**

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	S. and S.E. winds, moderate; thunder showers.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 20th July, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th JULY, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	21st JULY, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.26	743.1	65	...	E	0	or	7 a.	29.54	750.3	68	90	...	0
Nemuro,	,,	29.91	759.6	...	...	S S E	2	...	6 a.	29.77	756.1	...	...	S S E	[illegible]
Hakodate,	,,	29.83	757.7	...	...	S E	3	...	,,	29.62	752.2	...	...	S W	[illegible]
Tokio,	,,	29.93	760.1	...	...	S S W	2	...	,,	29.81	757.1	...	...	S W	1
Kochi,	,,	29.91	759.8	...	...	S E	1	...	,,	29.95	760.8	...	...	S W	1
Nagasaki,	,,	29.91	759.8	...	...	W S W	6	...	,,	29.93	760.3	...	...	S W	[illegible]
Kagoshima,	,,	29.94	760.4	...	...	W S W	2	...	,,	30.02	762.4	...	...	...	0
Oshima,	,,	29.94	760.6	...	...	N N E	1	...	,,	30.01	762.1	...	...	...	0
Naha,	,,	29.95	760.7	...	...	E S E	1	...	,,	30.01	762.2	...	...	...	0
Ishigakijima,	,,	29.93	760.3	...	...	S	3	...	,,	29.97	761.3	...	...	E	1
Bonin Is.	,,	29.93	760.1	...	...	N E	1	...	,,	29.99	761.6	...	...	N N E	1
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.63	752.6	79	78	S S E	8	c	9 a.	29.74	755.4	81	83	S S W	6
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kinkiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	29.76	755.9	89	66	S	2	c	9 a.	29.83	753.9	86	76	S	3
Gutzlaff,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	82	91	S	4
Sharp Peak,	,,	29.81	757.2	84	91	S	2	b	,,	29.96	761.0	83	...	...	[illegible]
Amoy,	,,	29.83	757.7	87	76	S E	2	b	6 a.	29.97	759.7	82	91	...	[illegible]
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Taihoku	1 p.	29.87	758.6	...	...	N W	6	...	5 a.	29.96	761.0	...	...	S	2
Taichu,	,,	29.89	759.3	...	...	W	2	...	,,	29.96	760.9	...	...	...	...
Tainan,	,,	29.91	759.6	...	...	S W	4	...	,,	29.95	760.7	...	...	N E	2
Koshun	,,	29.91	759.7	...	...	E	6	...	,,	29.95	760.6	...	...	E	2
Pescadores,	,,	29.90	759.5	...	...	S W	6	...	,,	29.94	760.5	...	...	N E	2
Canton	3 p.	...	...	...	...	...	...	...	9 a.	29.94	760.5	80	83	E S E	1
Hongkong,	4 p.	29.82	757.4	84	80	...	6	o	10 a.	29.99	761.7	82	76	E	1
Victoria Peak,	,,	...	...	...	...	S S E	3	...	,,	...	...	...	...	S S E	[illegible]
Gap Rock,	,,	29.81	757.2	...	...	S S E	5	...	,,	29.95	760.7	...	...	S E	2
Macao,	,,	29.84	757.9	83	...	S E	1	cd	,,	30.02	762.5	81	...	S E	1
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.71	754.7	82	...	E	4	o	8 a.	...	...	...	...	...	...
Tourane,	,,	29.72	754.9	86	...	S E	5	c	,,	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.4	84	...	S E	3	c	,,	...	...	...	...	...	...
Aparri,	2 p.	29.86	758.5	84	...	E	2	d	6 a.	29.93	760.3	75	...	S	2
Manila,	4 p.	29.84	758	81	76	N N E	2	o	10 a.	29.92	760	82	70	W N W	3
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	E	3	o	9 a.	...	...	...	...	N	2
Iloilo,	,,	29.79	756.6	86	...	N E	1	o	,,	29.89	759.2	84	...	...	[illegible]
Cebu,	,,	29.78	756.4	87	...	N	1	b	,,	29.90	759.4	86	...	N	1
Labuan,	,,	29.73	755.1	87	...	...	...	...	,,	29.87	758.7	84	...	...	...

On the 21st at 12.05 p.—The barometer has fallen considerably in E. Japan, and risen elsewhere, particu[larly] over the China coast.

The depression, which passed near Wladiwostok last evening, is now over the N.E. part of the Sea of Japa[n].

A high pressure area lies over the Pacific between the Loochoos and the Bonins, and pressure is in con[siderable] excess of the normal over S. China and Luzon.

The returns from Indo-China are lacking.

Light or moderate S.E. and E. winds may be expected in the Formosa Channel and along the S. coast of Chi[na].

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. and E. winds, light or moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. C. FIGG,
Director.

Hongkong Observatory, Thursday, 21st July, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st JULY, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	22nd JULY, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivostock,...	2 p.	29.55	750.1	78	...	E S E	1	c	7 a.	29.59	751.5	69	88	...	0	c
iro,.....	,,	29.67	753.6	...	...	S	6	...	6 a.	29.77	756.1	...	...	...	0	...
date,.....	,,	29.65	753.2	...	...	S W	5	...	,,	29.79	756.7	...	...	N	1	...
,.....	,,	29.81	757.1	...	...	S S W	2	...	,,	29.87	758.6	...	...	N N W	1	...
i,.....	,,	29.93	760.3	...	...	E N E	1	...	,,	29.91	759.8	...	...	S W	1	...
saki,.....	,,	30.01	762.3	...	...	E S E	3	...	,,	29.99	761.8	...	...	...	0	...
shima,.....	,,	30.00	761.9	...	...	W S W	1	...	,,	29.98	761.4	...	...	N N W	1	...
ima,.....	,,	30.02	762.6	...	...	N N E	1	...	,,	30.01	762.1	...	...	S	1	...
.....	,,	30.01	762.2	...	...	S E	1	...	,,	29.99	761.7	...	...	...	0	...
gakijima,....	,,	29.99	761.8	...	...	S E	2	...	,,	29.97	761.3	...	...	S W	1	...
n Is.,.....	,,	29.96	761.1	...	...	N E	1	...	,,	29.91	759.6	...	...	...	0	...
oo,.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
haiwei,.....	,,	29.73	755.1	79	87	S W	5	b	9 a.	29.73	755.1	73	100	S W	4	or
kow,.....	,,	...	..	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang,.....	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
ghai,.....	,,	29.84	757.9	85	96	S	2	c	9 a.	29.85	753.2	91	70	S S W	2	b
zlaff,.....	,,	29.84	757.9	85	83	S	3	bm	,,	29.84	757.9	82	91	S	3	bm
p Peak,.....	,,	29.93	760.2	85	...	E	1	b	,,	29.96	761.0	84	...	...	0	b
y,.....	,,	29.92	759.9	91	74	S E	2	b	6 a.	29.95	760.7	81	73	W	3	b
tow,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oku,.....	1 p.	29.95	760.7	...	...	N	6	...	5 a.	29.97	761.2	...	...	...	0	...
hu,.....	,,	29.94	760.6	...	...	N W	4	...	,,	29.95	760.8	...	...	N	2	...
an,.....	,,	29.98	761.6	...	...	W	4	...	,,	29.97	761.3	...	...	...	0	...
hun,.....	,,	29.99	761.8	...	...	E	6	...	,,	29.97	761.2	...	...	...	0	...
adores,.....	,,	29.94	760.4	...	...	N	4	...	,,	29.95	760.8	...	...	...	0	...
ton,.....	3 p.	29.94	760.5	87	65	S	2	b	9 a.	29.99	761.7	81	87	S	1	c
gkong,.....	4 p.	29.94	760.5	83	75	E	2	c	10 a.	29.98	761.5	85	80	E	1	c
toria Peak,...	,,	...	...	...	...	S	2	...	,,	..	...	...	...	E	1	...
Rock,.....	,,	29.93	760.2	...	...	N E	2	...	,,	29.94	760.5	...	...	E	3	...
ao,.....	,,	29.97	761.2	84	...	S E	1	c	,,	30.00	762.0	86	...	E	1	c
chow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
how,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hoi,.....	,,	...	..	...	...	...	...	...	,,	...	...	...	...	..	...	...
lien,.....	4 p.	29.86	758.5	81	...	E S E	4	c	8 a.	29.96	760.9	79	...	S	3	c
rane,.....	,,	29.84	758.0	84	...	S E	3	b	,,	29.92	759.9	84	..	N W	2	c
e St. James,.	,,	29.82	757.3	84	...	E	5	c	,,	29.91	759.8	82	...	N E	4	c
rri,.....	2 p.	29.92	759.9	90	...	N E	2	b	6 a.	29.94	760.4	77	...	S W	2	b
nila,.....	4 p.	29.88	759	88	66	N	1	o	10 a.	29.92	760	86	65	...	0	c
aspi,.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
olod,.....	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N	2	o
lo,.....	,,	29.85	758.2	89	...	N E	1	b	,,	29.87	758.7	84	...	N E	1	c
n,.....	,,	29.84	757.9	88	...	N	1	b	,,	29.92	759.9	84	...	N	2	o
man,.....	,,	29.76	755.9	83	...	...	...	...	,,	29.89	759.2	84	...	...	...	...

On the 22nd at 11.55 a.—The barometer has risen in N.E. Japan the depression having moved away over the Pacific.

Pressure has increased slightly over Tongking and Annam and given way a little over N. China. Probably a depression has approached Manchuria from the Westward.

The high pressure area, central in the neighbourhood of the Loochoos, still extends over S. China and the N. part of the China Sea.

Light or moderate S.E. and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood, ...	E. winds, light or moderate ; fair.
—Formosa Channel, ...	S.E. winds, light or moderate.
—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 22nd July, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd July, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	23rd July, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.57	751.2	82	...	...	0	c	7 a.	29.65	753.1	69	87	...	0	b
Nemuro,	,,	29.81	757.1	...	...	S S W	4	...	6 a.	29.93	760.1	...	...	S E	2	
Hakodate,	,,	29.79	756.7	...	...	S W	4	...	,,	29.85	758.2	...	...	...		
Tokio,	,,	29.85	758.1	...	...	N	1	...	,,	29.89	759.1	...	...	...	0	
Kochi,	,,	29.83	757.8	...	...	S E	1	...	,,	29.84	757.8	...	...	S W	1	
Nagasaki,	,,	29.93	760.3	...	...	W	3	...	,,	29.88	758.8	...	...	...	0	
Kagoshima,	,,	29.91	759.8	...	...	W	2	...	,,	29.88	758.9	...	...	...	0	
Oshima,	,,	29.94	760.6	...	...	N N E	1	...	,,	29.87	758.6	...	...	S	1	
Naha,	,,	29.95	760.7	...	...	W	1	...	,,	29.87	758.7	...	...	...	0	
Ishigakijima,	,,	29.93	760.3	...	...	S S W	2	...	,,	29.88	758.8	...	...	S S W	1	
Bonin Is.	,,	29.87	758.6	...	...	N N E	1	...	,,	29.75	755.6	...	...	N E	1	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.66	753.3	86	...	S S W	4	cm	9 a.	29.64	752.8	73	90	E S E	4	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kinkiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Shanghai,	,,	29.77	756.1	86	88	S W	2	b	9 a.	29.75	755.6	92	64	S W	1	b
Gutzlaff,	,,	29.78	756.4	86	84	S	3	bm	,,	29.74	755.4	84	91	S	3	b
Sharp Peak,	,,	29.85	758.2	86	...	...	0	b	,,	29.82	757.4	86	...	S S E	1	b
Amoy,	,,	29.87	758.7	90	63	S E	2	b	6 a.	29.84	757.9	80	82	S W	3	b
Swatow,	,,	29.88	758.9	89	66	S S E	1	b	,,	29.87	758.7	80	87	S W	1	b
Taihoku,	1 p.	29.93	760.1	...	...	N	4	...	5 a.	29.86	758.5	...	...	S	2	
Taichu,	,,	29.94	760.5	...	...	N	4	...	,,	29.88	758.9	...	...	...	6	
Tainan,	,,	29.97	761.2	...	...	N W	4	...	,,	29.89	759.2	...	...	E	2	
Koshun,	,,	29.95	760.7	...	...	E	4	...	,,	29.88	758.9	...	...	...	0	
Pescadores,	,,	29.95	760.8	...	...	W	2	...	,,	29.86	758.4	...	...	S W	2	
Canton,	3 p.	29.90	759.4	88	69	S W	1	b	9 a.	29.87	758.7	83	83	W	1	c
Hongkong,	4 p.	29.90	759.4	83	85	E	1	c	10 a.	29.89	759.2	82	81	W	1	
Victoria Peak,	,,	...	...	...	...	S S E	1	...	,,	...	...	...	...	S	1	
Gap Rock,	,,	29.88	758.9	...	...	E	2	...	,,	29.86	758.4	...	...	N W	2	
Macao,	,,	29.92	759.9	85	...	S E	1	c	,,	29.91	759.7	84	...	S E	1	
Wuchow,	3 p.	29.92	759.9	88	66	W	2	c	9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.85	758.1	82	...	S E	5	c	8 a.	29.86	758.5	82	...	S S E	3	
Tourane,	,,	29.85	758.2	84	...	S E	3	c	,,	29.87	758.6	84	...	...	0	
Cape St. James,	,,	29.85	758.2	84	...	E	4	c	,,	29.87	758.7	84	...	N N E	2	
Aparri,	2 p.	29.83	759.0	90	...	N E	2	b	6 a.	29.84	758.0	77	...	S W	2	
Manila,	4 p.	29.84	758	81	92	S E	1	r	10 a.	29.84	758	82	77	W N W	1	
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	...	...	
Iloilo,	,,	29.87	758.7	89	...	N E	1	c	,,	...	...	...	...	...	...	
Cebu,	,,	29.81	757.2	88	...	N	1	b	,,	...	...	...	...	...	...	
Labuan,	,,	29.81	757.2	87	...	...	...	...	,,	29.84	757.9	84	...	...	...	

On the 23rd at 12.05 p.—The barometer has risen moderately in E. Japan, and fallen elsewhere, particu over the Loochoos and Bonins.

A depression has appeared over the Pacific rather far, probably in about 20° Lat., to the South of the Ba group of islands.

A second depression lies over N. China.

Pressure is highest to the E. of Japan, and still in moderate excess of the normal over the N. part of the Chi Sea.

Light or moderate W. and S.W. winds may be expected in the Formosa Channel and along the S. coast of Chi

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. and S.W. winds, light or moderate; fair.
2.—Formosa Channel,	S.W. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG.
Director.

Hongkong Observatory, Saturday, 23rd July, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd JULY, 1910, P.M.								24th JULY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
divostock,	2 p.	29.66	753.4	74	...	E S E	1	c	7 a.	29.76	756.0	63	97	...	0	f
uro,	,,	29.94	760.6	...	...	S	4	...	6 a.	30.02	762.6	...	...	S S E	1	...
odate,	,,	29.85	758.2	...	...	S W	1	...	,,	29.93	760.2	...	...	N E	1	...
o,	,,	29.85	758.1	...	...	S	2	...	,,	29.91	759.6	...	...	N N W	1	...
hi,	,,	29.82	757.3	...	...	S	1	...	,,	29.82	757.2	...	...	W	1	...
saki,	,,	29.83	757.8	...	...	W	3	...	,,	29.82	757.3	...	...	...	0	...
oshima,	,,	29.82	757.4	...	...	W	1	...	,,	29.76	755.9	...	...	E N E	1	...
ma,	,,	29.85	758.1	...	...	N	2	...	,,	29.81	757.1	...	...	S	1	...
	,,	29.85	758.2	...	...	N W	1	...	,,	29.79	756.7	...	...	N	1	...
akijima,	,,	...	...	...	...	...	...	...	,,	29.80	756.8	...	...	N	1	...
n Is.	,,	29.69	754.1	...	...	N E	1	...	,,	29.59	751.6	...	...	N	1	...
oo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
haiwei,	,,	29.59	751.6	74	81	S S W	1	o	9 a.	29.66	753.3	80	82	N	2	b
kow,	,,	...	..	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iang,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
ghai,	,,	29.67	753.6	96	53	S W	2	b	9 a.	29.72	754.9	93	64	S W	1	b
laff,	,,	29.68	753.9	86	88	S	3	bm	,,	29.71	754.6	83	91	S	3	bm
p Peak,	,,	29.74	755.4	87	...	S E	1	b	,,	29.77	756.1	86	...	E S E	1	b
y,	,,	29.78	756.4	90	63	S E	2	b	6 a.	29.76	755.9	80	87	...	0	b
ow,	,,	29.82	757.4	89	69	S	1	b	,,	29.78	756.4	90	88	S W	1	b
eku,	1 p.	29.83	757.7	...	...	N W	4	...	5 a.	29.79	756.6	...	...	...	0	...
hu,	,,	29.85	758.3	...	...	W	4	...	,,	29.80	757.0	...	...	...	0	...
an,	,,	29.89	759.1	...	...	W	4	...	,,	29.82	757.4	...	...	...	0	...
um,	,,	29.87	758.8	...	...	W	4	...	,,	29.80	756.9	...	...	N E	2	...
adores,	,,	29.87	758.7	...	...	W	4	...	,,	29.80	756.8	...	...	W	2	...
on,	3 p.	29.80	756.9	89	60	S S W	2	b	9 a.	29.81	757.2	85	76	S	1	b
ghong,	4 p.	29.80	756.9	87	70	W	1	c	10 a.	29.84	757.9	85	73	W	1	c
ria Peak,	,,	...	...	...	...	S W	2	...	,,	...	...	...	...	...	0	...
Rock,	,,	29.79	756.6	...	...	S W	1	...	,,	29.81	757.2	...	...	W	1	...
o,	,,	29.83	757.7	86	...	S E	1	c	,,	29.86	758.4	85	...	S W	1	c
how,	3 p.	29.80	756.9	89	59	W	2	c	9 a.	29.82	757.4	82	...	E	1	c
ow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi,	,,	29.83	757.7	90	66	S S W	2	c	,,	...	...	...	...	..	...	...
lien,	4 p.	29.73	755.2	86	...	S S E	6	c	8 a.	29.77	756.2	84	...	S S E	5	c
ne,	,,	29.74	755.4	84	...	S E	2	b	,,	29.80	756.8	86	..	S E	3	c
St. James,	,,	29.78	756.5	82	...	E S E	3	lt	,,	29.82	757.5	81	...	N W	2	c
ri,	2 p.	29.81	757.2	88	...	N E	1	b	6 a.	29.78	756.3	77	...	S	0	b
ila,	4 p.	29.76	756	81	85	...	1	o	10 a.	29.80	757	84	77	W	1	c
spu,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
lled,	3 p.	...	...	...	...	N	3	o	9 a.	...	...	...	...	...	0	o
	,,	29.77	756.1	85	...	N W	1	c	,,	29.82	757.4	82	...	...	0	c
	,,	29.74	755.4	86	...	S	1	b	,,	29.80	756.9	84	...	...	0	o
an,	,,	29.83	757.7	87	...	...	...	...	,,	..	...	...	...	...	...	...

On the 24th at 11.55 a.—The barometer has risen moderately in Wladiwostok and N.E. Japan, and fallen considerably at the Bonins. A slight to moderate fall has taken place also, at all stations to the South of the 32nd parallel.

The typhoon, which is likely to move towards N.W., is still lying over the Pacific to the Southward of the Bonins.
A second area of low pressure is situated over the Yellow Sea.
Pressure is high over the Pacific to the East of Japan.
Light S. and S.W. winds may be expected in the Formosa Channel and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	S.W. winds, light; fair.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 24th July, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th July, 1910. P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	25th July, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.81	757.1	70	...	S S E	1	o	7 a.	29.83	757.6	67	97	...	0	f
Nemuro,	,,	30.04	763.1	...	...	S	2	...	6 a.	30.12	765.1	...	...	S	3	[illegible]
Hakodate,	,,	29.95	760.7	...	...	E S E	6	...	,,	29.99	761.7	...	...	...	0	[illegible]
Tokio,	,,	29.91	759.6	...	...	N N E	2	...	,,	29.95	760.6	...	...	N N W	1	[illegible]
Kochi,	,,	29.82	757.3	...	...	E N E	7	...	,,	29.86	758.3	...	...	S W	1	[illegible]
Nagasaki,	,,	29.82	757.3	...	...	W	3	...	,,	29.84	757.8	...	...	...	0	[illegible]
Kagoshima,	,,	29.78	756.4	...	...	S S W	1	...	,,	29.84	757.9	...	...	E N E	1	[illegible]
Oshima,	,,	29.79	756.6	...	...	N N E	2	...	,,	29.77	756.1	...	...	S	1	[illegible]
Naha,	,,	29.79	756.7	...	...	N	2	...	,,	29.77	756.2	...	...	N	1	[illegible]
Ishigakijima,	,,	29.82	757.3	...	...	S S W	1	...	,,	29.80	756.8	...	...	N	1	[illegible]
Bonin Is.	,,	29.55	750.6	...	...	N N E	1	...	,,	29.57	751.1	...	...	...	0	[illegible]
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Weihaiwei,	,,	29.67	753.6	79	87	N E	2	b	9 a.	29.69	754.1	77	95	E S E	2	[illegible]
Hankow,	,,	...	..	...	...	...	...	..	6 a.	...	...	...	...	...	...	[illegible]
Kiukiang,	,,	...	...	...	...	...	...	..	,,	..	...	...	...	...	...	[illegible]
Shanghai,	,,	29.69	754.1	98	51	W	0	b	9 a.	29.74	755.4	90	73	S	1	[illegible]
Gutzlaff,	,,	29.76	754.4	86	88	S	2	bm	,,	29.76	755.9	82	91	S	1	[illegible]
Sharp Peak,	,,	29.74	755.4	87	...	E	1	b	,,	29.80	756.9	84	...	N	1	[illegible]
Amoy	,,	29.73	755.1	91	60	S E	3	b	6 a.	...	...	...	...	...	...	[illegible]
Swatow,	,,	29.67	753.6	91	60	S S W	3	b	,,	29.72	754.9	80	82	...	0	[illegible]
Taihoku	1 p.	29.79	756.7	...	...	N	4	...	5 a.	29.81	757.1	...	...	S	2	[illegible]
Taichu,	,,	29.87	757.2	...	...	S W	4	...	,,	29.82	757.5	...	...	...	0	[illegible]
Tainan,	,,	29.84	757.9	...	...	N	4	...	,,	29.82	757.5	...	...	S	2	[illegible]
Koshun	,,	29.83	757.7	...	...	W	4	...	,,	29.81	757.2	...	...	...	0	[illegible]
Pescadores,	,,	29.82	757.4	...	...	W	4	...	,,	29.80	757.0	...	...	N W	2	[illegible]
Canton,	3 p.	29.77	756.1	91	61	S	1	b	9 a.	29.82	757.4	85	76	E S E	1	[illegible]
Hongkong.	4 p.	29.77	756.1	88	61	S	1	b	10 a.	29.83	757.7	84	70	W N W	1	[illegible]
Victoria Peak,	.	...	...	...	...	S S W	2	...	,,	...	...	...	...	S W	1	[illegible]
Gap Rock,	,,	29.77	756.1	...	...	W S W	2	...	,,	29.81	757.2	...	...	N	2	[illegible]
Macao,	,,	29.80	756.9	86	...	S S E	2	c	,,	29.87	758.7	85	...	S	1	[illegible]
Wuchow,	3 p.	29.76	755.9	90	...	S E	1	c	9 a.	29.85	758.2	78	...	W	1	[illegible]
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Pakhoi,	,,	29.79	756.6	92	57	S W	2	b	,,	...	...	...	...	..	...	[illegible]
Phulien,	4 p.	29.70	754.5	82	...	S E	3	c	8 a.	...	...	...	...	...	...	[illegible]
Tourane,	,,	29.72	755.0	79	...	S E	2	c	,,	...	...	...	..	...	...	[illegible]
Cape St. James,	,,	29.76	755.8	82	...	S W	1	c	,,	...	...	...	...	...	...	[illegible]
Aparri,	2 p.	29.78	756.4	90	...	N E	2	b	6 a.	29.78	756.3	77	...	S W	2	[illegible]
Manila,	4 p.	29.72	755	88	59	W S W	0	c	10 a.	29.50	757	84	77	N W	1	[illegible]
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Bacolod,	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	N	1	[illegible]
Iloilo,	,,	29.75	755.6	84	...	...	0	o	,,	29.83	757.7	83	...	E	1	[illegible]
Cebu,	,,	29.74	755.4	87	...	S	1	c	,,	29.81	757.2	86	...	...	0	[illegible]
Labuan,	,,	29.84	757.9	83	...	...	...	...	,,	29.82	757.4	83	...	...	..	[illegible]

On the 25th at 12.05 p.— The barometer has risen slightly over N. China and Japan, and fallen a little over the Loochoos.

The depression over the Pacific to the Southward of the Bonins appears to be almost stationary.

Pressure remains high over N.E. Japan. It is relatively low over N. China.

Light variable winds may be expected in the Formosa Channel and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. or variable winds, light; fine.
2.—Formosa Channel,	S. or variable winds, light.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. Figg,
Director.

Hongkong Observatory, Monday, 25th July, 1910.

[Printed by Nohonha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	25TH JULY, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	26TH JULY, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
rostock....	2 p.	29.83	757.8	76	...	N W	0	o	7 a.	29.83	757.7	64	97	...	0	f
ro.....	,,	30.12	765.1	...	...	S	4	...	6 a.	30.14	765.6	...	...	S	2	...
late.....	,,	30.05	762.7	...	...	E	6	...	,,	30.11	764.7	...	...	E	1	...
.....	,,	29.93	760.1	...	...	N E	2	...	,,	29.97	761.1	...	...	N W	1	...
.....	,,	29.82	757.3	...	...	...	0	...	,,	...	...	...	...	...	0	...
aki.....	,,	29.82	757.3	...	...	W	2	...	,,	29.84	757.8	...	...	N E	2	...
hima.....	,,	29.80	756.9	...	...	E	3	...	,,	29.80	756.9	...	...	N E	1	...
a.....	,,	29.77	756.1	...	...	N	4	...	,,	29.77	756.1	...	...	N	3	...
.....	,,	29.77	756.2	...	...	N	3	...	,,	29.75	755.7	...	...	N N E	2	...
kijima.....	,,	29.82	757.3	...	...	S E	2	...	,,	29.82	757.3	...	...	N	1	...
Is.....	,,	29.65	753.1	...	...	S E	1	...	,,	29.73	755.1	...	...	S E	1	...
.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iwei.....	,,	29.70	754.4	79	82	S E	2	c	9 a.	29.74	755.4	80	87	S W	2	do
w.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ong.....	,,	29.65	753.1	99	72	N E	1	b	..	29.78	756.4	82	87	...	0	b
hai.....	,,	29.76	755.9	95	56	...	0	cdt	9 a.	29.79	756.6	91	70	...	0	b
ff.....	,,	29.79	756.6	81	...	S S E	1	bm	,,	29.79	756.6	85	87	S	1	bv
Peak.....	,,	29.77	756.1	86	...	E S E	1	b	,,	29.82	757.4	84	...	E	1	b
.....	,,	29.72	754.9	89	66	S E	4	b	6 a.	29.80	756.9	81	83	N E	2	b
w.....	,,	29.72	754.9	90	60	S S E	1	b	..	29.75	755.6	78	81	S	1	b
hu.....	1 p.	29.80	756.8	...	...	N	6	...	5 a.	29.82	757.5	...	...	...	0	..
.....	,,	29.80	757.0	...	...	W	2	...	,,	29.85	758.2	...	...	...	0	..
.....	,,	29.82	757.3	...	...	W	6	...	,,	29.86	758.1	...	...	S E	2	..
.....	,,	29.76	756.0	...	...	N W	4	...	,,	29.85	758.1	...	...	N	2	..
lores.....	,,	29.78	756.7	...	...	W	4	...	,,	29.84	757.9	...	...	...	0	..
.....	3 p.	29.76	755.9	90	66	S S E	2	b	9 a.	29.85	758.2	85	76	W	1	b
ong.....	4 p.	29.77	756.1	87	67	W	1	b	10 a.	29.87	758.7	84	71	N W	1	b
in Peak....	,,	...	...	...	...	S W	1	...	,,	...	...	...	[illegible]	[illegible]	[illegible]	[illegible]
ck.....	,,	29.76	755.9	...	...	W S W	2	...	,,	29.85	758.2	...	[illegible]	[illegible]	[illegible]	[illegible]
.....	,,	29.79	756.6	87	...	S S E	1	c	,,	29.89	759.2	85	[illegible]	[illegible]	[illegible]	[illegible]
w.....	3 p.	29.80	756.9	79	...	W	2	c	9 a.	29.87	758.7	84	[illegible]	[illegible]	[illegible]	[illegible]
w.....	,,	...	...	...	...	...	...	...	,,	...	...	...	[illegible]	[illegible]	[illegible]	[illegible]
i.....	,,	...	...	...	...	...	...	...	,,	...	...	...	[illegible]	[illegible]	...	..
.....	4 p.	29.75	755.7	84	...	S S E	5	c	8 a.	29.88	759.0	84	...	S S W	0	c
ne.....	,,	29.71	754.6	84	...	S E	3	b	,,	29.84	757.9	88	..	S E	2	c
t. James,.	,,	29.73	755.1	84	...	S	2	c	,,	29.86	758.3	77	...	N W	1	or
.....	2 p.	29.79	756.7	90	...	N E	2	b	6 a.	29.82	757.3	75	...	S W	2	b
.....	4 p.	29.72	755	88	65	W	1	c	10 a.	29.64	758	86	71	W S W	1	b
d.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
d.....	3 p.	...	...	...	...	E	4	oilt	9 a.	...	...	...	...	N	1	o
.....	,,	29.79	756.6	84	...	N N W	1	o	,,	29.85	758.2	83	...	...	0	b
.....	,,	29.75	755.6	87	...	S	1	o	,,	29.92	759.9	85	...	N	1	b
.....	,,	29.77	756.1	86	...	...	...	...	,,	29.85	758.2	81	...	...	...	...

On the 26th at 12.05 p.—The barometer has a tendency to fall over the Loochoos. It has risen elsewhere, mo-tely at the Bonins and slightly at the other stations.

The depression over the Pacific appears to be situated between the Bonins and the Loochoos and to be moving ards N.W.

Pressure remains high over N.E. Japan and relatively low over N. China.

Light or moderate variable winds may be expected in the Formosa Channel and light W. winds along the S. coast hina.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	W. winds, light; fine.
ormosa Channel, ...	Variable winds, light or moderate.
outh coast of China between Hongkong and Lamocks,.	Same as No. 1.
uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 26th July, 1910.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th JULY, 1910, P.M.									27th JULY, 1910, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	2 p.	29.83	757.7	64	97	..	0	f		7 a.	29.76	755.9	64	95	S E	2	f	
Nemuro,	,,	30.10	764.6	...	...	S	3	...		6 a.	30.03	764.1	...	...	S	2	...	
Hakodate,	,,	29.99	761.7	...	...	S E	2	...		,,	29.97	761.2	...	...	...	0	...	
Tokio,	,,	29.94	760.6	...	...	S E	2	...		,,	30.02	762.6	...	...	E S E	1	...	
Kochi,	,,	29.83	757.8	...	...	S S W	1	...		,,	29.86	758.3	...	...	...	0	...	
Nagasaki,	,,	29.80	756.8	...	...	W	1	...		,,	29.80	756.8	...	...	N W	1	...	
Kagoshima,	,,	29.78	756.4	...	...	S	3	...		,,	29.76	755.9	...	...	N E	4	...	
Oshima,	,,	29.75	755.6	...	...	N N W	1	...		,,	29.69	754.1	...	...	N	1	...	
Naha	,,	...	...	...	...	...	...	...		,,	29.71	754.7	...	...	N	2	...	
Ishigakijima,	,,	...	...	...	...	...	...	...		,,	29.78	756.3	...	...	N N W	1	...	
Bonin Is.	,,	29.73	755.1	...	...	S E	1	...		,,	29.77	756.1	...	...	N W	1	...	
Chefoo,	4 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...	
Weihaiwei,	,,	29.72	754.9	80	85	W S W	4	cmt		9 a.	29.71	754.6	76	95	S S E	3	c	
Hankow,	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...	
Kiukiang,	,,	29.74	755.4	...	...	...	0	b			29.67	753.6	...	...	...	0	b	
Shanghai,	,,	29.72	754.9	96	53	S	1	c		9 a.	...	...	...	...	...	...	...	
Gutzlaff,	,,	29.78	756.4	83	87	E S E	2	cv		,,	29.75	755.6	81	91	S E	3	b	
Sharp Peak,	,,	29.78	756.4	86	...	E S E	3	b		,,	29.77	756.1	85	...	...	0	b	
Amoy,	,,	29.75	755.6	88	73	S E	3	b		6 a.	29.78	756.4	81	83	S E	1	b	
Swatow,	,,	29.75	755.6	94	63	S E	1	b		,,	29.77	756.1	78	86	S W	1	b	
Taihoku,	1 p.	29.81	757.1	...	...	N W	6	...		6 a.	29.80	756.8	...	...	W	2	...	
Taichu,	,,	29.82	757.3	...	...	N W	4	...		,,	29.82	757.5	...	...	...	0	...	
Tainan,	,,	29.82	757.3	...	...	N W	6	...		,,	29.85	758.1	...	...	...	0	...	
Koshun	,,	29.84	757.9	...	...	N W	6	...		,,	29.83	757.6	...	...	...	0	...	
Pescadores,	,,	29.81	757.1	...	...	W	4	...		,,	29.82	757.3	...	...	S W	2	...	
Canton,	3 p.	29.78	756.4	92	57	S	1	b		9 a.	29.83	757.7	86	72	W	1	b	
Hongkong,	4 p.	29.79	756.6	88	57	S	1	b		10 a.	29.84	757.9	85	73	W	1	b	
Victoria Peak,	,,	...	...	...	...	S W	1	...		,,	...	...	...	...	S W	2	...	
Gap Rock,	,,	29.78	756.4	...	...	W	3	...		,,	29.84	757.9	...	...	W S W	3	...	
Macao,	,,	29.82	757.4	87	...	S S E	1	c		,,	29.87	758.7	85	...	S S W	1	c	
Wuchow,	3 p.	29.78	756.4	92	61	W	2	c		9 a.	29.84	757.9	83	...	W	1	b	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pakhoi,	,,	29.84	757.9	91	63	S W	2	c		,,	...	...	...	...	..	...	...	
Phulien,	4 p.	29.82	757.5	90	...	S	2	c		8 a.	...	...	...	...	...	...	...	
Tourane,	,,	29.78	756.5	86	...	S E	2	c		,,	...	...	...	..	...	...	...	
Cape St. James,	,,	29.78	756.4	82	...	S E	2	c		,,	...	...	...	...	...	...	...	
Aparri,	2 p.	29.80	757.0	91	...	N E	2	b		6 a.	29.83	757.7	77	...	S W	2	b	
Manila,	4 p.	29.76	756	90	69	W	2	c		10 a.	29.84	758	36	71	S S W	1	c	
Legaspi,	2 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	...	0	o		9 a.	...	...	...	...	N	1	c	
Iloilo,	,,	29.81	757.2	84	...	N W	1	o		,,	29.89	759.2	82	...	...	0	b	
Cebu,	,,	29.79	756.6	86	...	E	2	o		,,	29.88	758.9	86	...	S	1	c	
Labuan,	,,	29.79	756.6	86	...	...	...	...		,,	29.90	759.4	81	...	...	...	...	

On the 27th at 12.05 p.—The barometer has risen slightly at the Bonins, and fallen moderately to slightly ov N.E. Japan, S.W. Japan, the Loochoos and China.

The depression is now situated to the E.S.E. of the Loochoos. It continues to move towards N.W.

Pressure remains high over the Pacific to the E. of Japan, and relatively low over N. China.

Light to moderate S.W. and W. winds may be expected in the Formosa Channel and along the S. coast of Chin

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. and S.W. winds, light to moderate; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 27th July, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th July, 1910, P.M.								28th July, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
adivostock,	2 p.	29.74	755.3	67	...	E S E	3	f	7 a.	29.71	754.6	65	99	S E	1	f
uro,	,,	30.04	763.1	...	...	S S W	4	...	6 a.	30.01	762.1	...	...	S	4	...
odate,	,,	29.95	760.7	...	...	S	1	...	,,	29.91	759.7	...	...	...	0	...
io,	,,	29.98	761.6	...	...	S	2	...	,,	30.01	762.1	...	...	...	0	...
hi,	,,	29.85	758.3	...	...	E N E	1	...	,,	29.86	758.3	...	...	S W	1	...
gasaki,	,,	29.76	755.8	...	...	S W	2	...	,,	29.72	754.8	...	...	N	1	...
oshima,	,,	29.74	755.4	...	...	E N E	3	...	,,	29.68	753.9	...	...	E S E	4	...
ima,	,,	29.61	752.1	...	...	N	3	...	,,	29.41	747.1	...	...	N E	1	...
a,	,,	29.67	753.6	...	...	N N W	4	...	,,	29.56	750.7	...	...	W N W	5	...
igakijima,	,,	...	...	...	...	...	...	...	,,	29.70	754.3	...	...	W S W	4	...
in Is.	,,	29.77	756.1	...	...	S E	1	...	,,	29.81	757.1	...	...	E	3	...
foo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ihaiwei,	,,	29.67	753.6	81	78	S W	4	b	9 a.	29.68	753.9	80	78	S S W	5	b
akow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang,	,,	29.70	754.4	...	...	...	0	b	,,	29.70	754.4	83	83	...	0	b
nghai,	,,	29.70	754.4	89	59	S E	2	ct	9 a.	29.70	754.4	87	72	E S E	1	c
zlaff,	,,	29.71	754.6	83	87	S E	3	cv	,,	29.71	754.6	82	91	S S E	2	cv
rp Peak,	,,	29.73	755.1	86	...	E S E	3	c	,,	29.70	754.4	86	...	N W	1	b
oy,	,,	...	...	...	...	...	...	...	6 a.	29.72	754.9	84	79	W	1	b
tow,	,,	29.70	754.4	96	65	S S E	1	b	,,	29.78	756.4	81	78	N W	1	b
ooku,	1 p.	29.77	756.1	...	...	W	6	...	5 a.	29.74	755.3	...	...	S	2	...
hu,	,,	29.80	756.8	...	...	W	2	...	,,	29.76	756.0	...	...	...	0	...
an,	,,	29.83	757.6	...	...	W	6	...	,,	29.78	756.5	...	...	...	0	...
hm,	,,	29.80	757.0	...	...	W	0	...	,,	29.76	755.8	...	...	N	2	...
adores,	,,	29.80	757.0	...	...	W	4	...	,,	29.76	755.9	...	...	S W	2	...
ion,	3 p.	29.74	755.4	93	55	W	1	b	9 a.	29.77	756.1	87	72	W	1	b
gkong,	4 p.	29.76	755.9	88	65	S	1	b	10 a.	29.78	756.4	86	68	W	[redacted]	[redacted]
oria Peak,	,,	...	...	...	...	S S W	1	...	,,	...	...	...	...	W	[redacted]	[redacted]
Hock,	,,	29.76	755.9	...	...	W S W	3	...	,,	29.76	755.9	...	...	W	[redacted]	[redacted]
ao,	,,	29.78	756.4	88	...	S S W	1	c	,,	29.81	757.2	85	...	S	[redacted]	[redacted]
how,	3 p.	29.76	755.9	92	...	S W	2	c	9 a.	...	...	...	...	[redacted]	[redacted]	[redacted]
ow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	[redacted]	[redacted]	[redacted]
hoi,	,,	29.82	757.4	90	63	W	2	c	,,	...	...	...	...	...	...	...
lien,	4 p.	29.76	755.8	91	...	S S E	3	c	8 a.	29.80	757.0	86	...	S	2	b
ane,	,,	29.78	756.3	86	...	S E	2	b	,,	29.81	757.2	84	...	S E	2	c
St. James,	,,	29.82	757.3	77	...	S S W	5	or	,,	29.87	758.6	81	...	N W	2	c
ri,	2 p.	29.80	757.0	90	...	N	2	b	6 a.	29.80	756.8	75	...	S W	2	b
ila,	4 p.	29.76	756	88	72	W S W	2	o	10 a.	29.84	758	86	71	W S W	1	c
ispi,	2 p.	29.77	756.2*	90	...	W	2	c	6 a.	29.82	757.4	77	...	...	0	b
dod,	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	W	2	o
o,	,,	29.81	757.2	86	...	N W	1	b	,,	29.87	758.7	84	...	...	0	o
,	,,	29.79	756.6	87	...	N	2	b	,,	29.91	759.7	88	...	S	2	b
an,	,,	29.83	757.7	86	...	...	...	...	,,	29.93	760.2	81	...	...	...	...

On the 28th at 11.55 a.—Except over the Bonins, the barometer has fallen generally, the fall being considerable on the Loochoos and slight elsewhere.

The depression is now situated over the Central Loochoos. It is moving towards W.N.W. or N.W.

Pressure remains high over the Pacific to the E. of Japan, and relatively low over N. China.

Fresh W. winds may be expected in the Formosa Channel and moderate S.W. winds along the S. coast of China.

Hongkong **Rainfall for the 24 hours ending at 10 a.m. to-day**, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	W. and S.W. winds, moderate; fine.
Formosa Channel,	W. winds, fresh.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 28th July, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th July, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	29th July, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.67	753.7	67	...	S E	0	f	7 a.	29.65	753.1	66	93	S E	0	f
Nemuro,	,,	29.94	760.6	...	...	S S W	4	...	6 a.	29.95	760.6	...	...	S S E	2	[illegible]
Hakodate,	,,	28.89	759.2	...	...	S	1	...	,,	29.87	758.7	...	...	N E	1	[illegible]
Tokio,	,,	29.94	760.6	...	...	S	1	...	,,	29.93	760.1	...	...	S	1	[illegible]
Kochi,	,,	29.83	757.8	...	...	S E	2	...	,,	29.86	758.3	...	...	S W	1	[illegible]
Nagasaki,	,,	29.71	754.8	...	...	E N E	3	...	,,	29.72	754.8	...	...	...	0	[illegible]
Kagoshima,	,,	29.72	754.9	...	...	E	5	...	,,	29.72	754.9	...	...	E S E	1	[illegible]
Oshima,	,,	29.43	747.5	...	...	S S E	3	...	,,	29.55	750.6	...	...	S E	2	[illegible]
Naha,	,,	29.52	749.7	...	...	N W	4	...	,,	29.52	749.7	...	...	S W	2	[illegible]
Ishigakijima,	,,	29.70	754.3	...	...	W	4	...	,,	29.58	751.3	...	...	S W	3	[illegible]
Bonin Is.	,,	29.79	756.6	...	...	E	1	...	,,	29.81	757.1	...	...	E	1	[illegible]
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Weihaiwei,	,,	29.56	750.8	79	...	S W	6	c	9 a.	29.66	753.3	79	82	S S W	6	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Kiukiang,	,,	29.62	752.3	...	...	...	0	b	,,	...	...	...	...	...	...	[illegible]
Shanghai,	,,	29.63	752.6	92	57	E S E	1	b	9 a.	29.63	752.6	88	66	N E	2	[illegible]
Gutzlaff,	,,	29.65	753.1	85	76	E N E	2	bm	,,	29.60	751.8	81	91	N N E	4	[illegible]
Sharp Peak,	,,	29.63	752.6	84	...	S W	1	c	,,	29.60	751.8	84	...	...	0	[illegible]
Amoy,	,,	29.61	752.1	92	70	S E	2	b	6 a.	29.64	752.8	89	82	W	1	[illegible]
Swatow,	,,	29.62	752.3	99	54	...	0	b	,,	29.63	752.6	81	78	S W	1	[illegible]
Taihoku,	1 p.	29.65	753.2	...	...	W	6	...	5 a.	29.62	752.4	...	...	W	2	[illegible]
Taichu,	,,	29.73	755.1	...	...	S W	2	...	,,	29.69	754.2	...	...	S	2	[illegible]
Tainan,	,,	29.76	755.8	...	...	W	4	...	,,	29.67	753.5	...	...	...	0	[illegible]
Koshun,	,,	29.74	755.3	...	...	N W	8	...	,,	29.67	753.7	...	...	N W	6	[illegible]
Pescadores,	,,	29.73	755.2	...	...	W	6	...	,,	29.67	753.6	...	...	W	6	[illegible]
Canton,	3 p.	29.69	754.1	92	57	W	1	b	9 a.	...	...	...	...	...	...	[illegible]
Hongkong,	4 p.	29.70	754.4	87	70	S W	2	b	10 a.	29.72	754.9	85	77	S W	1	[illegible]
Victoria Peak,	,,	...	...	...	...	S S W	5	...	,,	...	...	...	...	S W	3	[illegible]
Gap Rock,	,,	29.70	754.4	...	...	S W	4	...	,,	29.70	754.4	...	...	W S W	5	[illegible]
Macao,	,,	29.73	755.1	87	...	S S W	2	c	,,	29.75	755.6	86	...	S W	2	[illegible]
Wuchow,	3 p.	29.72	754.9	92	57	W	1	c	9 a.	...	...	...	...	...	...	[illegible]
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Pakhoi,	,,	29.79	756.6	90	...	S E	2	b	,,	...	...	...	...	...	...	[illegible]
Phulien,	4 p.	29.71	754.7	88	...	S S E	4	b	8 a.	29.73	755.0	86	...	N E	3	[illegible]
Tourane,	,,	29.73	755.2	86	...	S E	2	c	,,	29.77	756.1	86	...	...	0	[illegible]
Cape St. James,	,,	29.80	756.8	77	...	W	2	or	,,	29.84	757.9	77	...	N W	2	[illegible]
Aparri,	2 p.	29.74	755.4	90	...	N	2	b	6 a.	29.75	755.5	77	...	S	2	[illegible]
Manila,	4 p.	29.76	756	88	66	S W	2	o	10 a.	29.80	757	36	71	W	1	[illegible]
Legaspi,	2 p.	29.76	755.6	91	...	W	2	b	6 a.	29.80	756.9	77	...	...	0	[illegible]
Bacolod,	3 p.	...	...	...	...	S	3	o	9 a.	...	...	...	...	W	3	[illegible]
Iloilo,	,,	29.83	757.7	86	...	N N W	1	o	,,	29.87	758.7	84	...	N N W	1	[illegible]
Cebu,	,,	29.79	756.6	87	...	...	0	o	,,	29.90	759.4	88	...	S	2	[illegible]
Labuan,	,,	29.82	757.4	84	...	...	...	...	,,	29.88	758.9	84	...	...	...	[illegible]

On the 29th at 11.55 a.—The barometer is rising over the Northern Loochoos and falling over Formosa and the coasts of S. China.

The depression, which is now moving Westwards, is over the Eastern Sea to the West of the Loochoos.

Pressure is still high but giving way over E. Japan. Low pressure covers N. China and Manchuria.

Strong W. winds may be expected in the Formosa Channel, and fresh W. and S.W. winds along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. and S.W. winds, fresh; fair.
2.—Formosa Channel,	W. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	W. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 29th July, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th JULY, 1910, P.M.								30th JULY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
adivostock,	2 p.	29.61	752.2	67	...	...	0	f	7 a.	29.60	751.9	66	98	...	0	f
muro,	,,	29.89	759.1	...	...	S	3	...	6 a.	29.91	759.6	...	...	S	3	...
kodate,	,,	29.83	757.7	...	...	S E	1	...	,,	29.83	757.7	...	...	S E	1	...
io,	,,	29.91	759.6	...	...	S S W	2	...	,,	29.91	759.6	...	...	N W	1	...
hi,	,,	29.85	758.3	...	...	S E	2	...	,,	29.88	758.8	...	...	...	0	...
asaki,	,,	29.72	754.8	...	...	E S E	3	...	,,	29.81	756.8	...	...	E S E	3	...
oshima,	,,	29.72	754.9	...	...	E S E	2	...	,,	...	...	...	...	...	...	...
ima,	,,	29.61	752.1	...	...	S S E	3	...	,,	29.71	754.6	...	...	...	0	...
a,	,,	29.58	751.2	...	...	S S W	3	...	,,	29.67	753.7	...	...	S S E	1	...
igakijima,	,,	29.69	751.8	...	...	...	...	...	,,	29.69	751.8	...	...	S S W	5	...
ui Is,	,,	29.79	756.6	...	...	N E	1	...	,,	29.85	758.1	...	...	N E	1	...
foo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ihsiwei,	,,	29.64	752.8	85	75	S W	6	b	9 a.	29.68	753.9	84	75	S S E	2	b
kow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang,	,,	29.59	751.6	83	57	N E	1	b	,,	...	...	...	...	...	...	...
nghai,	,,	29.57	751.1	85	79	N E	5	o	9 a.	29.54	750.3	81	87	E N E	4	oq
zlaff,	,,	29.56	750.8	84	87	N E	6	ogm	,,	29.46	748.3	80	87	E	8	ogm
rp Peak,	,,	29.52	749.8	86	...	S	1	c	,,	29.56	750.8	84	...	E S E	2	c
ey,	,,	29.52	749.8	92	67	S	3	b	6 a.	29.59	751.6	81	83	W	2	b
ktow,	,,	29.55	750.5	97	65	S S W	1	b	,,	29.60	751.8	81	74	S W	1	b
aoku,	1 p.	29.56	750.9	...	...	S W	8	...	5 a.	29.56	750.7	...	...	...	0	...
hu,	,,	29.65	753.2	...	...	S W	4	...	,,	29.67	753.6	...	...	S	2	...
an,	,,	29.70	754.5	...	...	W	6	...	,,	29.69	754.2	...	...	S E	2	...
hun,	,,	...	...	...	...	...	...	...	,,	29.66	753.4	...	...	W	6	...
adores,	,,	29.65	753.2	...	...	W	6	...	,,	29.66	753.3	...	...	S	6	...
ton,	3 p.	29.62	752.3	93	64	W	1	b	9 a.	...	...	...	...	...	...	...
gkong,	4 p.	29.64	752.8	87	65	S W	2	b	10 a.	29.74	755.4	85	66	W	2	o
oria Peak,	,,	...	...	...	...	S W	6	...	,,	...	...	...	...	S W	6	...
Rock,	,,	29.63	752.6	...	...	W S W	4	...	,,	29.71	754.6	...	...	W S W	3	...
ao,	,,	29.66	753.3	87	...	S S W	2	c	,,	29.76	755.9	86	...	S W	4	c
chow,	3 p.	29.65	753.1	92	...	W	1	c	9 a.	29.72	754.9	84	...	W	1	c
ow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hoi,	,,	29.69	754.1	92	64	S S W	2	b	,,	...	...	...	...	...	...	...
lien,	4 p.	29.60	751.8	90	...	S S E	4	b	8 a.	29.68	753.9	86	...	S E	3	c
ame,	,,	29.66	753.3	86	...	S E	2	b	,,	29.73	755.0	83	..	N N E	1	c
St. James,	,,	29.72	755.0	88	...	S W	2	c	,,	29.83	757.6	79	...	W N W	3	o
rri,	2 p.	29.71	754.7	90	...	N	2	b	6 a.	29.76	756.0	77	...	S	2	c
ila,	4 p.	29.72	755	86	71	S W	2	c	10 a.	29.64	758	86	71	S W	1	o
aspi,	2 p.	29.74	755.3	88	...	W	2	c	6 a.	29.80	756.8	79	...	W	2	c
ohod,	3 p.	...	...	...	...	W S W	3	o	9 a.	...	...	...	...	S S W	3	o
u,	,,	29.81	757.2	85	...	N N W	1	o	,,	29.89	759.2	84	...	N N W	1	o
,	,,	29.76	755.9	89	...	S	2	b	,,	29.91	759.7	88	...	S	1	b
ian,	,,	29.80	756.9	86	...	...	...	...	,,	29.87	758.7	83	...	...	...	...

On the 30th at 11.55 a.—The barometer has fallen moderately on the E. coast of China, and risen considerably the Loochoos.

The depression, moving Westwards, has reached the China coast to the North of Wenchow.

Pressure is highest over the Pacific to the East of Japan. It remains low over Manchuria.

Strong to fresh S.W. and S. winds may be expected in the Formosa Channel and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	S.W. winds, fresh; fair, squally.
Formosa Channel,	S.W. and S. winds, strong.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 30th July, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th JULY, 1910, P.M.								31st JULY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	29.78	751.3	74	...	...	...	o	7 a.	29.73	755.2	61	98	E S E	0	
Nemuro, ...	„	29.81	757.1	...	...	S	4	...	6 a.	29.59	751.6	...	...	S	[illegible]	
Hakodate, ...	„	29.75	755.7	...	...	E	2	...	„	29.63	752.7	...	...	N W	1	
Tokio, ...	„	29.85	758.1	...	...	S	[illegible]	...	„	29.83	757.6	...	...	...	0	
Kochi, ...	„	29.87	758.6	...	...	E	1	...	„	29.91	759.8	...	...	W S W	1	
Nagasaki, ...	„	29.80	756.8	...	...	S E	3	...	„	29.89	759.3	...	...	N N E	[illegible]	
Kagoshima, ...	„	29.82	757.4	...	...	S	2	...	„	29.84	757.9	...	...	N N E	1	
Oshima, ...	„	29.75	755.6	...	...	S S E	1	...	„	29.81	757.1	...	...	...	0	
Naha,.....	„	29.71	754.7	...	...	[illegible]	1	...	„	29.79	756.7	...	...	...	[illegible]	
Ishigakijima, ...	„	...	...	...	...	...	...	...	„	29.74	755.3	...	...	S S W	5	
Bonin Is.....	„	29.65	758.1	...	...	E	1	...	„	29.89	759.1	...	...	...	[illegible]	
Chefoo,.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,.....	„	29.73	755.1	85	79	S W	3	c	9 a.	29.81	757.2	84	75	S S W	2	c
Hankow, ...	„	...	..	...	...	..	...	...	6 a.	..	...	...	...	...	...	
Kiukiang,.....	„	...	...	...	...	..	...	...	„	..	...	...	...	...	...	
Shanghai, ...	„	29.49	749.0	84	75	E N E	1	oq	9 a.	29.60	751.8	86	72	S E	[illegible]	c
Gutzlaff, ...	„	29.46	748.3	86	87	[illegible]	[illegible]	oq m	„	29.62	752.3	82	87	S S E	7	b
Sharp Peak,.....	„	29.46	748.3	87	76	S [illegible]	[illegible]	b	„	..	...	83	91	E S E	2	c
Amoy,.....	„	29.56	750.8	92	67	S W	3	b	6 a.	29.69	754.1	81	73	W	2	c
Swatow, ...	„	29.56	750.8	86	45	S S W	1	b	„	29.67	753.6	81	71	S W	1	b
Taihoku.....	1 p.	29.56	750.9	...	...	W	6	...	5 a.	29.70	754.3	...	...	S	2	
Taichu, ...	„	29.70	754.5	...	...	E	...	...	„	29.76	755.8	...	...	S W	2	
Tainan,.....	„	29.74	755.4	...	...	...	0	...	„	29.77	756.2	...	...	E	4	
Koshun.....	„	29.72	754.8	...	...	W	8	...	„	29.76	755.9	...	...	W	6	
Pescadores, ...	„	29.68	753.5	...	...	S E	5	...	„	29.74	755.4	...	...	S	6	
Canton,.....	3 p.	29.62	752.3	92	57	W	1	b	9 a.	29.75	755.6	86	76	W	2	b
Hongkong, ...	4 p.	29.64	752.8	88	51	S W	1	c	10 a.	29.77	756.1	87	67	W S W	2	
Victoria Peak,...	„	...	...	...	...	S W	4	...	„	...	...	...	...	S W	2	
Gap Rock,.....	„	29.64	752.8	...	...	W	3	...	„	29.75	755.6	...	...	W S W	2	
Macao, ...	„	29.67	753.6	87	...	S S W	2	c	„	29.79	756.6	86	...	S S W	2	
Wuchow,.....	3 p.	29.63	752.6	92	...	W	2	c	9 a.	29.79	756.6	76	...	W	1	
Hoihow, ...	„	...	...	...	...	..	...	...	„	...	...	...	...	...	...	
Pakhoi,.....	„	...	...	...	...	..	...	...	„	...	...	...	...	..	...	
Phulien,.....	4 p.	29.60	751.8	88	...	S E	5	c	8 a.	...	...	...	...	...	...	
Tourane, ...	„	29.63	752.6	88	...	S E	2	c	„	...	...	...	..	...	...	
Cape St. James,.	„	29.73	755.2	86	...	W S W	3	c	„	...	...	...	...	...	...	
Aparri, ...	2 p.	29.73	755.2	90	...	N	2	o	6 a.	29.81	757.1	77	...	S	2	
Manila, ...	4 p.	29.76	756	88	66	S W	2	c	10 a.	29.88	759	84	85	W N W	1	
Legaspi, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Bacolod, ...	3 p.	...	...	...	...	W	3	o	9 a.	...	...	...	...	W S W	2	
Iloilo, ...	„	29.81	757.2	86	...	S S W	1	c	„	...	...	82	...	N	3	
Cebu,.....	„	29.80	756.9	89	...	S	2	b	„	29.90	759.4	88	...	S	1	
Labuan, ...	„	29.78	756.4	87	...	...	...	...	„	...	...	...	...	...	...	

On the 31st at 12.10 p.—The depression appears to have reached the Yangtze valley in the neighbourhood Kiukiang.

The barometer has risen moderately to slightly over the China coast, the Loochoos and the Philippines.

It has fallen considerably in NE Japan owing to the approach of a depression from the Westward.

Pressure is highest over the Pacific between SW Japan and the Bonins.

Fresh to moderate SW and S. winds may be expected in the Formosa Channel and moderate SW winds ale the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	SW winds, moderate; fair.
2.—Formosa Channel, ...	SW and S. winds, fresh to moderate.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 31st July, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st JULY, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	1st AUGUST, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
dirostock,...	2 p.	29.74	755.5	61	...	S	2	or	7 a.	29.73	755.0	60	96	...	0	or
mro,.....	,,	29.49	749.1	...	...	...	4	...	6 a.	29.55	750.6	...	...	W	1	...
odate,.....	,,	29.59	751.7	...	...	N W	...	...	,,	29.65	753.2	...	...	N W	4	...
o,.....	,,	29.75	755.6	...	...	S S W	2	...	,,	29.71	754.6	...	...	...	0	...
hi,.....	,,	29.87	758.8	...	...	S S E	1	...	,,	29.84	757.8	...	...	S W	1	...
asaki,.....	,,	29.87	758.8	...	...	W	2	...	,,	29.88	758.8	...	...	...	0	...
oshima,.....	,,	29.88	758.9	...	...	E	1	...	,,	29.90	759.4	...	...	S W	1	...
ima,.....	,,	29.89	759.1	...	...	E S E	2	...	,,	29.85	758.1	...	...	...	0	...
a,.....	,,	29.83	757.7	...	...	S W	1	...	,,	29.83	757.7	...	...	...	0	...
gakijima,....	,,	29.76	755.8	...	...	S S W	6	...	,,	29.76	755.8	...	...	S W	4	...
ie Is.,.....	,,	29.91	759.6	...	...	E S E	1	...	,,	29.89	759.1	...	...	...	0	...
oo,.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
haiwei,.....	,,	29.77	756.1	81	87	S W	5	c	9 a.	29.73	756.4	86	...	S	2	cm
kow,.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang,.....	,,	29.53	750.0	94	97	W	3	b	,,	29.58	751.3	75	90	...	0	or
ghai,.....	,,	29.58	751.3	90	63	S S E	7	cq	9 a.	29.66	753.3	86	68	S	3	cq
laff,.....	,,	29.61	752.1	81	91	S S E	6	cm	,,	29.68	753.9	82	79	S S E	5	cm
Peak,.....	,,	29.61	752.1	85	...	...	0	c	,,	29.74	755.4	83	...	S E	1	b
y,.....	,,	29.67	753.6	88	66	S S W	4	o	6 a.	29.73	755.1	81	73	S W	3	o
low,.....	,,	29.62	752.3	87	45	S S W	1	b	,,	29.67	753.6	82	79	W S W	3	b
oku,.....	1 p.	29.72	754.9	...	...	W	2	...	5 a.	29.75	755.7	...	...	S E	2	...
hu,.....	,,	29.76	755.9	...	...	S W	4	...	,,	29.76	755.8	...	...	...	0	...
an,.....	,,	29.80	756.8	...	...	S W	2	...	,,	29.77	756.2	...	...	S E	2	...
un,.....	,,	29.78	756.4	...	...	N W	6	...	,,	29.77	756.2	...	...	S W	2	...
adores,.....	,,	29.77	756.1	...	...	S W	6	...	,,	29.74	755.3	...	...	W	2	...
on,.....	3 p.	29.65	753.1	94	55	W	1	b	9 a.	29.73	755.1	87	72	W	1	b
gkong,.....	4 p.	29.67	753.6	88	69	S W	1	c	10 a.	29.75	755.6	86	77	W	1	o
oria Peak,...	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	S W	2	...
Rock,.....	,,	29.66	753.3	...	...	S W	2	...	,,	29.73	755.1	...	...	S W	2	...
o,.....	,,	29.70	754.4	87	...	S W	2	c	,,	29.77	756.1	87	...	S S W	2	c
how,.....	3 p.	29.71	754.6	77	...	W	1	c	9 a.	29.76	755.9	85	76	W	1	c
ow,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
o,.....	,,	29.70	754.4	94	96	S	2	c	,,	...	...	...	...	..	...	...
ien,.....	4 p.	29.60	751.9	82	...	N E	3	c	8 a.	...	...	...	...	...	...	...
ane,.....	,,	29.66	753.4	88	...	S E	1	c	,,	...	...	...	...	...	...	...
St. James,.	,,	29.76	755.8	86	...	W S W	3	lt	,,	...	...	...	...	...	...	...
i,.....	2 p.	29.77	756.2	88	...	N	2	p	6 a.	29.81	757.2	77	...	S	2	o
la,.....	4 p.	29.89	757	84	71	W S W	4	o	10 a.	29.68	759	79	84	N	1	d
sp,.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
led,.....	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	S S W	2	o
,.....	,,	...	...	...	...	...	...	...	,,	29.87	758.7	83	...	S	1	o
,.....	,,	29.82	757.4	89	...	S	1	b	,,	29.94	760.5	77	...	S	2	d
an,.....	,,	29.80	756.9	87	...	...	...	...	,,	29.89	759.2	83	...	...	...	...

On the 1st at 11.55 a.—The barometer has risen slightly on the E. coast of China, and fallen a little on the E. coast.

The depression is still shown over China to the North of the Yangtze valley.

The depression lying over N.E. Japan yesterday is moving away over the Pacific.

Pressure is highest over the Pacific between S.W. Japan and the Bonins.

Moderate S. and S.W. winds may be expected in the Formosa Channel and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	S.W. winds, moderate; fair at first, showery later.
Formosa Channel, ...	S. winds, moderate.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 1st August, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st August, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd August, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.69	754.1	65	...	S S E	[illegible]	o	7 a.	29.65	753.1	63	97	S E	0	o
Nemuro,	,,	29.57	751.1	...	...	N W	2	...	6 a.	29.69	754.1	...	...	N E	2	..
Hakodate,	,,	29.53	751.3	...	...	N	4	...	,,	29.63	752.7	...	...	N W	7	..
Tokio,	,,	29.59	751.6	...	...	S	1	...	,,	29.65	754.1	...	...	E	1	..
Kochi,	,,	29.76	755.8	...	...	S E	1	...	,,	29.84	757.8	...	...	S W	1	..
Nagasaki,	,,	29.80	756.8	...	...	W	3	...	,,	29.80	756.8	...	...	...	0	..
Kagoshima,	,,	29.80	756.9	...	...	S W	1	...	,,	29.82	757.4	...	...	N N W	1	..
Oshima,	,,	29.81	757.1	...	...	S	2	...	,,	29.83	757.6	...	...	S	1	..
Naha,	,,	29.81	757.2	...	...	S S E	1	...	,,	29.83	757.7	...	...	...	0	..
Ishigakijima,	,,	29.78	756.3	...	...	S S W	5	...	,,	29.78	756.3	...	...	S	3	...
Bonin Is.	,,	29.85	758.1	...	...	S E	1	...	,,	29.83	757.6	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.72	754.9	83	75	S S E	2	c	9 a.	29.71	754.6	84	75	...	...	c
Hankow,	,,	...	..	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	..
Shanghai,	,,	29.62	752.3	81	91	S	4	c	9 a.	29.65	753.1	85	72	S S E	5	c
Gutzlaff,	,,	29.63	752.6	84	75	S E	6	cm	,,	29.66	753.3	80	91	S E	2	c
Sharp Peak,	,,	29.65	753.1	85	...	S E	2	b	,,	29.73	755.1	83	...	S	1	b
Amoy,	,,	29.68	753.9	89	66	S E	2	b	6 a.	29.71	754.6	80	82	W	1	or
Swatow,	,,	29.61	752.1	91	63	S	1	b	,,	29.66	753.3	80	91	E	1	c
Taihoku,	1 p.	29.72	754.9	...	...	N E	4	...	5 a.	29.75	755.6	...	...	S	2	...
Taichu,	,,	29.72	755.0	...	...	W	6	...	,,	29.77	756.1	...	...	...	.	..
Tainan,	,,	29.74	755.5	...	...	S W	6	...	,,	29.78	756.5	...	...	...	0	..
Koshun,	,,	29.81	757.1	...	...	N W	2	...	,,	29.78	756.3	...	...	...	0	..
Pescadores,	,,	29.74	755.4	...	...	S W	6	...	,,	29.74	755.3	...	...	S W	2	.
Canton,	3 p.	29.62	752.3	93	55	S S W	2	b	9 a.	29.68	753.9	86	85	W	1	c
Hongkong,	4 p.	29.66	755.5	86	68	S W	3	o	10 a.	29.71	754.6	81	86	E	1	o
Victoria Peak,	,,	...	...	...	...	S S W	4	...	,,	..	..	...	...	S W	2	.
Gap Rock,	,,	29.64	752.8	...	...	S W	3	...	,,	29.68	753.9	...	...	S W	3	.
Macao,	,,	29.67	753.6	85	...	S S W	3	c	,,	29.71	754.6	85	...	S W	1	c
Wuchow,	3 p.	29.63	752.6	93	55	W	2	c	9 a.	29.70	754.4	84	...	E	1	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	.
Pakhoi,	,,	29.69	754.1	91	67	S S W	3	o	,,	...	...	...	...	...	...	.
Phulien,	4 p.	29.62	752.3	91	...	S S E	2	c	8 a.	29.65	753.1	86	...	S S E	3	c
Tourane,	,,	29.66	753.4	63	...	S E	2	o	,,	29.69	754.1	88	..	...	0	c
Cape St. James,	,,	29.76	755.9	75	...	W S W	2	or	,,	29.81	757.2	79	...	W S W	3	c
Aparri,	2 p.	29.77	756.1	88	...	N E	2	o	6 a.	29.77	756.1	73	...	S	2	c
Manila,	4 p.	29.80	757	82	77	N W	1	o	10 a.	29.84	758	82	77	S	1	o
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	W S W	3	o	9 a.	...	...	...	...	W S W	3	c
Iloilo,	,,	29.81	757.2	85	...	S W	1	c	,,	29.87	758.7	82	...	S	1	b
Cebu,	,,	29.79	756.6	89	...	S	2	c	,,	29.84	757.9	87	...	S	1	b
Labuan,	,,	29.78	756.4	88	...	...	...	...	,,	29.85	758.2	84	...	...	...	.

On the 2nd at 11.55 a.—The barometer has risen moderately in N. E. Japan, and fallen slightly over N.E. Chi and at the stations around the China Sea.

Pressure is highest between the Loochoos and the Bonins. It is low over the Pacific to the E. of Japan, an also over the interior of China.

Moderate S. and S.E. winds may be expected in the Formosa Channel and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.13 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. and S.E. winds, moderate; thunder showers.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 2nd August, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd August, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	3rd August, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
dirostock,	2 p.	29.66	753.4	64	...	E	3	or	7 a.	29.77	756.2	61	92	...	0	o
uro,	,,	29.73	755.1	...	...	E N	4	...	6 a.	29.81	757.1	...	...	E N E	5	...
odate,	,,	29.65	753.2	...	...	S S E	2	...	,,	29.75	755.7	...	...	E	1	...
jo,	,,	29.65	753.1	...	...	S S E	1	...	,,	29.69	754.1	...	...	N	1	...
hi,	,,	29.70	754.4	...	...	S E	1	...	,,	29.74	755.3	...	...	S W	1	...
asaki,	,,	29.73	756.3	...	...	W	3	...	,,	29.82	757.3	...	...	...	0	...
oshima,	,,	29.76	755.9	...	...	W N W	2	...	,,	29.80	756.9	...	...	N N W	1	...
ima,	,,	29.81	757.1	...	...	N N E	1	...	,,	29.83	757.6	...	...	S	1	...
a,	,,	29.81	757.2	...	...	S	1	...	,,	29.81	757.2	...	...	...	0	...
gakijima,	,,	29.80	756.8	...	...	S W	3	...	,,	29.78	756.3	...	...	S	3	...
in Is.	,,	29.81	757.1	...	...	S W	1	...	,,	29.83	757.6	...	...	S S W	1	...
foo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ihaiwei,	,,	29.67	753.6	83	75	...	2	b	9 a.	...	...	...	...	...	...	...
kow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
nghai,	,,	29.59	751.6	89	63	S S E	4	c	9 a.	29.66	753.3	85	68	S	4	c
zlaff,	,,	29.61	752.1	83	79	S E	5	cv	,,	29.67	753.6	87	83	S E	4	cv
rp Peak,	,,	29.63	752.6	85	83	S S E	4	b	,,	29.74	755.4	83	...	E S E	3	b
oy,	,,	29.69	754.1	82	83	S W	2	b	6 a.	29.73	755.1	79	37	...	0	o
ow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hoku,	1 p.	29.72	755.0	...	...	N	4	...	5 a.	29.74	755.4	...	...	S	2	...
chu,	,,	29.72	754.8	...	...	N	2	...	,,	29.76	755.8	...	...	...	0	...
nan,	,,	29.77	756.1	...	...	S	4	...	,,	29.77	756.2	...	...	S E	2	...
hun,	,,	29.78	756.5	...	...	S	4	...	,,	29.76	755.9	...	...	E	2	...
cadores,	,,	29.74	755.3	...	...	S	4	...	,,	29.73	755.1	...	...	S	4	...
ton,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ngkong,	4 p.	29.64	752.8	79	86	E	1	o	10 a.	29.71	754.6	78	90	...	0	o
toria Peak,	,,	...	...	...	...	S S W	2	...	,,	...	...	...	...	N W	2	...
Rock,	,,	29.62	752.3	...	...	S W	2	...	,,	29.67	753.6	...	...	W N W	2	...
sao,	,,	29.67	753.6	83	...	S	2	c	,,	29.72	754.9	77	...	S S W	2	o
chow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
how,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
lien,	4 p.	29.53	750.1	86	...	E S E	3	o	8 a.	29.59	751.5	81	...	S	5	lt
rane,	,,	29.60	751.8	86	...	...	0	c	,,	29.65	753.2	84	...	S W	3	c
e St. James,	,,	29.69	754.2	82	...	N W	2	lt	,,	29.73	756.5	81	...	W S W	4	c
rri,	2 p.	29.72	755.0	93	...	N E	2	b	6 a.	29.73	756.3	75	...	S	2	c
ila,	4 p.	29.80	757	82	77	W	3	o	10 a.	29.80	757	82	77	W N W	0	c
aspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.80	756.8	77	...	S W	2	b
olod,	3 p.	...	...	...	...	S	3	o	9 a.	...	...	...	...	W	3	o
lo,	,,	29.77	756.1	...	...	...	...	...	,,	29.87	758.7	83	...	N N W	1	b
n,	,,	29.76	755.9	88	...	S	1	b	,,	29.91	759.7	84	...	S	1	b
nan,	,,	29.73	756.4	88	...	...	...	...	,,	29.84	757.9	84	...	...	...	...

On the 3rd at 12.05 p.—The barometer has risen moderately over Wladiwostok and N.E. Japan, and fallen ightly in Tongking and Annam.

Pressure is highest over the Pacific between the Loochoos and the Bonins. It is low over S.E. Japan, and also ver Tongking and the interior of China.

Moderate S.E. and S. winds may be expected in the Formosa Channel and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.97 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	S. and S.E. winds, moderate; thunder showers.
Formosa Channel,	S.E. winds, moderate.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 3rd August, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd August, 1910, P.M.								4th August, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.80	756.9	67	...	S W	1	o	7 a.	29.85	758.2	61	96	S W	0	
Nemuro,	,,	29.85	758.1	...	...	E	4	...	6 a.	29.83	757.6	...	...	N	3	
Hakodate,	,,	29.75	755.7	...	...	E S E	4	...	,,	29.81	757.2	...	...	E	2	
Tokio,	,,	29.73	755.1	...	...	E N E	1	...	,,	29.79	756.6	...	...	...	0	
Kochi,	,,	29.72	754.8	...	...	...	0	...	,,	29.82	757.3	...	...	S W	1	
Nagasaki,	,,	29.80	756.8	...	...	W	3	...	,,	29.88	758.8	...	...	...	0	
Kagoshima,	,,	29.80	756.9	...	...	N N W	2	...	,,	29.86	758.4	...	...	N	1	
Oshima,	,,	29.83	757.6	...	...	S E	1	...	,,	29.85	758.1	...	...	S	1	
Naha,	,,	...	...	...	...	...	...	...	,,	29.85	758.2	...	...	...	0	
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	...	...	S	3	
Bonin Is.	,,	29.81	757.1	...	...	S	1	...	,,	29.83	757.6	...	...	W	1	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.74	755.4	82	79	S W	3	c	9 a.	29.81	757.2	83	79	E	2	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Shanghai,	,,	29.61	752.1	87	69	S S E	3	c	9 a.	29.70	754.4	82	83	S	3	
Gutzlaff,	,,	29.61	752.1	84	79	S S E	5	cv	,,	29.69	754.1	80	87	S	4	
Sharp Peak,	,,	29.68	753.9	84	87	S E	2	c	,,	29.78	756.4	83	91	E S E	3	
Amoy,	,,	29.72	754.9	84	75	S E	2	b	6 a.	29.73	755.1	80	32	...	0	
Swatow,	,,	29.68	753.9	80	87	S E	1	o	,,	29.71	754.6	78	90	S E	1	
Taiboku,	1 p.	29.74	755.5	...	...	N	6	...	5 a.	29.78	756.5	...	...	S W	2	
Taichu,	,,	29.76	755.8	...	...	W	2	...	,,	29.78	756.3	...	...	...	0	
Tainan,	,,	29.80	756.9	...	...	S	6	...	,,	29.77	756.1	...	...	E	2	
Koshun,	,,	29.79	756.6	...	...	S	6	...	,,	29.79	756.7	...	...	N E	2	
Pescadores,	,,	29.76	755.9	...	...	W	6	...	,,	29.76	756.0	...	...	W	2	
Canton,	3 p.	29.62	752.3	84	68	S S E	2	b	9 a.	29.73	755.1	83	83	E S E	2	
Hongkong,	4 p.	29.66	753.3	78	87	E	2	o	10 a.	29.77	756.1	78	93	E	2	
Victoria Peak,	,,	...	...	...	...	S	1	...	,,	...	...	...	...	S E	5	
Gap Rock,	,,	29.62	752.3	...	...	E S E	2	...	,,	29.72	754.9	...	...	S E	3	
Macao,	,,	29.67	753.6	80	...	S E	1	o	,,	29.79	756.6	77	...	S E	2	
Wuchow,	3 p.	29.63	752.6	77	...	S W	2	c	9 a.	29.74	755.4	83	...	E	2	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	29.61	752.1	79	95	W	1	o	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.54	750.4	81	...	S S E	4	o	8 a.	29.65	753.0	82	...	E S E	3	
Tourane,	,,	29.58	751.4	88	...	N E	1	c	,,	29.67	753.5	86	...	N W	1	
Cape St. James,	,,	29.70	754.5	77	...	S W	5	c	,,	29.80	757.0	81	...	W S W	4	
Aparri,	2 p.	29.74	755.4	88	...	N	2	b	6 a.	29.80	756.9	77	...	S W	2	
Manila,	4 p.	29.76	756	86	71	W S W	3	o	10 a.	29.84	758	84	77	W S W	1	
Legaspi,	2 p.	29.76	755.8	90	...	W	2	o	6 a.	29.83	757.6	75	...	...	0	
Bacolod,	3 p.	...	...	...	...	W S W	3	o	9 a.	...	...	...	...	W S W	1	
Iloilo,	,,	29.79	756.6	85	...	N N W	2	o	,,	29.87	758.7	83	...	S	1	
Cebu,	,,	29.79	756.6	87	...	...	0	o	,,	29.86	758.4	85	...	...	0	
Labuan,	,,	29.79	756.6	85	...	...	...	...	,,	29.86	758.4	84	...	...	...	

On the 4th at 11.35 a.—The barometer has risen slightly at all stations.

Pressure is highest between the W. part of the Sea of Japan and the Loochoos. It is relatively low over Tiking and the interior of China

Moderate S.E. winds may be expected in the Formosa Channel and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, moderate; squally, thunder showers.
2.—Formosa Channel,	S.E. winds, moderate; fair.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 4th August, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th August, 1910, P.M.								5th August, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
divostock,	2 p.	29.87	758.6	66	...	S S W	0	o	7 a.	29.89	759.1	63	92	S S E	0	o
uro,	,,	29.91	759.6	...	...	S E	2	...	6 a.	...	...	...	...	...	...	...
odate,	,,	29.85	758.2	...	...	S E	2	...	,,	...	...	...	...	...	...	...
o,	,,	29.75	755.6	...	...	E	1	...	,,	...	...	...	...	...	...	...
hi,	,,	29.76	755.8	...	...	S E	2	...	,,	...	...	...	...	...	...	...
asaki,	,,	29.85	758.3	...	...	W N W	3	...	,,	...	...	...	...	...	...	...
oshima,	,,	29.82	757.4	...	...	W	1	...	,,	...	...	...	...	...	...	...
ima,	,,	29.85	758.1	...	...	N N E	1	...	,,	...	...	...	...	...	...	...
a,	,,	...	...	...	...	...	0	...	,,	...	...	...	...	...	...	...
gakijima,	,,	29.85	758.3	...	...	S S E	2	...	,,	...	...	...	...	...	...	...
in Is.	,,	29.81	757.1	...	...	N W	1	...	,,	...	..	...	...	...	...	...
foo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
haiwei,	,,	29.76	755.9	83	75	E	4	o	9 a.	29.68	753.9	...	...	E	4	c
kow,	,,	...	..	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
nghai,	,,	29.65	753.1	87	72	S E	3	o	9 a.	29.65	753.1	82	52	S	3	o
glaff,	,,	29.66	753.3	83	83	S E	2	c	,,	29.64	752.8	80	91	S	5	ov
p Peak,	,,	29.72	754.9	84	87	S E	4	b	,,	29.77	756.1	83	91	S S E	1	b
y,	,,	29.73	755.1	83	79	S	1	b	6 a.	29.76	755.9	79	87	S W	1	b
tow,	,,	29.72	754.9	82	91	S E	1	o	,,	29.74	755.4	77	95	E	1	c
ochu,	1 p.	29.79	756.6	...	...	N W	4	...	5 a.	29.78	756.5	...	...	S	2	...
chu,	,,	29.79	756.6	...	...	N W	2	...	,,	29.80	757.0	...	...	...	0	...
nan,	,,	29.81	757.1	...	...	S	4	...	,,	29.82	757.3	...	...	S E	4	...
hun,	,,	29.87	758.6	...	...	E	4	...	,,	29.82	757.3	...	...	...	0	...
cadores,	,,	29.80	756.8	...	...	S W	4	...	,,	29.78	756.3	...	...	S W	4	...
ton,	3 p.	29.72	754.9	81	87	S	1	o	9 a.	29.77	756.1	81	87	E	1	c
gkong,	4 p.	29.72	754.9	78	93	E	1	o	10 a.	29.81	757.2	77	94	E	1	op
oria Peak,	,,	...	...	...	...	S E	2	...	,,	...	...	...	...	S E	3	...
Rock,	,,	29.68	753.9	...	...	E	2	...	,,	29.77	756.1	...	...	N W	* 2	...
ao,	,,	29.75	755.6	77	...	E	1	o	,,	29.82	757.4	79	...	S E	1	c
Chow,	3 p.	29.68	753.9	87	...	E	2	oq	9 a.	29.79	756.6	83	...	E	1	c
how,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
lien,	4 p.	29.58	751.4	84	...	E S E	5	o	8 a.	29.69	754.1	77	...	S S E	4	o
rate,	,,	29.63	752.6	88	...	N	1	c	,,	29.69	754.1	90	...	N W	2	c
e St. James,	,,	29.72	754.9	81	...	S W	4	or	,,	29.82	757.4	77	...	W S W	4	c
ri,	2 p.	29.79	756.6	88	...	N	2	b	6 a.	29.81	757.2	79	...	S W	2	b
dia,	4 p.	29.76	756	86	71	W	3	c	10 a.	29.84	758	82	85	S	0	d
aspi,	2 p.	29.79	756.7	79	...	N W	2	o	6 a.	29.81	757.1	75	...	W	2	b
olod,	3 p.	...	...	...	...	W	2	o	9 a.	...	...	...	...	W	2	o
fo,	,,	29.79	756.6	86	...	N N W	2	b	,,	29.87	758.7	81	...	N N W	2	b
a,	,,	29.84	757.9	86	...	...	0	o	,,	29.93	760.2	82	...	...	0	o
nan,	,,	29.79	756.6	88	...	...	...	...	,,	29.92	759.9	79	...	...	...	...

On the 5th at 12.15 p.—The barometer has fallen moderately on the N.E. coast of China, and risen slightly er the S. coast and Tongking.

A depression appears to be advancing Eastwards over N. China, and pressure is still relatively low over Tong-ng and N. Annam.

Pressure is high apparently over the N part of the Sea of Japan. The Japanese returns are however, not yet in nd.

Moderate S.E. winds may be expected in the Formosa Channel and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	S.E. winds, moderate; showery.
Formosa Channel,	S.E. winds,; fair.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 5th August, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th August, 1910, P.M.								6th August, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.89	759.3	68	...	S S E	1	c	7 a.	29.89	759.2	64	92	...	0	[illegible]
Nemuro,	,,	30.04	763.1	...	...	S E	3	...	6 a.	30.14	765.6	...	...	E S E	3	[illegible]
Hakodate,	,,	29.89	759.2	...	...	S E	2	...	,,	29.97	761.2	...	...	E S E	5	[illegible]
Tokio,	,,	29.81	757.1	...	...	E	1	...	,,	29.85	758.1	...	...	...	0	[illegible]
Kochi,	,,	29.78	756.3	...	...	...	0	...	,,	29.82	757.3	...	...	W S W	1	[illegible]
Nagasaki,	,,	29.85	758.3	...	...	S S W	3	...	,,	29.82	757.3	...	...	E	1	[illegible]
Kagoshima,	,,	29.80	756.9	...	...	W	1	...	,,	29.80	756.9	...	...	N N E	1	[illegible]
Oshima,	,,	29.83	757.6	...	...	S E	1	...	,,	29.81	757.1	...	...	S	1	[illegible]
Naha,	,,	29.85	758.2	...	...	...	0	...	,,	29.79	756.7	...	...	S W	4	[illegible]
Ishigakijima,	,,	29.83	757.8	...	...	S S	2	...	,,	29.78	756.3	...	...	S	3	[illegible]
Bonin Is.	,,	29.81	757.1	...	...	S W	1	...	,,	29.83	757.6	...	...	...	0	[illegible]
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Weihaiwei,	,,	29.74	755.4	84	72	E	4	c	9 a.	29.74	755.4	81	78	E S E	6	[illegible]
Hankow,	,,	...	..	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	[illegible]
Shanghai,	,,	29.60	751.8	88	73	S E	3	o	9 a.	29.65	753.1	85	76	W S W	1	[illegible]
Gutzlaff,	,,	29.62	752.3	80	87	S	3	ov	,,	29.63	752.6	83	37	S	1	[illegible]
Sharp Peak,	,,	29.65	753.1	85	79	E S E	5	b	,,	29.73	755.1	83	91	S E	1	[illegible]
Amoy	,,	29.74	755.4	85	79	S E	2	lt	6 a.	29.75	755.6	80	87	S W	3	[illegible]
Swatow,	,,	29.73	755.1	83	87	E S E	1	o	,,	29.72	754.9	78	91	...	0	[illegible]
Taihoku,	1 p.	29.81	757.3	...	...	N W	2	...	5 a.	29.75	755.7	...	...	S	2	[illegible]
Taichu,	,,	29.80	756.8	...	...	S W	2	...	,,	29.81	757.1	...	...	...	0	[illegible]
Tainan,	,,	29.81	757.3	...	...	S	6	...	,,	29.82	757.3	...	...	E	2	[illegible]
Koshun	,,	29.84	757.9	...	...	S	4	...	,,	29.80	756.8	...	...	N W	2	[illegible]
Pescadores,	,,	29.80	757.0	...	...	W	4	...	,,	29.78	756.4	...	...	S	2	[illegible]
Canton,	3 p.	29.72	754.9	83	75	S	1	b	9 a.	...	...	...	...	...	...	[illegible]
Hongkong,	4 p.	29.72	754.9	79	87	E	1	o	10 a.	29.78	756.4	83	82	...	0	[illegible]
Victoria Peak,	,,	...	...	...	...	S	1	...	,,	...	...	...	...	S	2	[illegible]
Gap Rock,	,,	29.71	754.6	...	...	E	3	...	,,	29.75	755.6	...	...	S S W	4	[illegible]
Macao,	,,	29.76	755.9	80	...	S E	2	o	,,	29.81	757.2	77	...	S S E	1	[illegible]
Wuchow,	3 p.	29.72	754.9	82	...	E	2	c	9 a.	...	...	...	...	...	...	[illegible]
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Pakhoi,	,,	29.70	754.4	87	80	N	1	o	,,	...	...	...	...	...	...	[illegible]
Phulien,	4 p.	29.63	752.5	79	...	E S E	4	c	8 a.	29.71	754.7	79	...	E N E	2	[illegible]
Tourane,	,,	...	...	...	...	...	...	...	,,	29.73	755.0	84	...	...	0	[illegible]
Cape St. James,	,,	29.75	755.6	79	...	W S W	6	c	,,	29.85	758.2	81	...	W	3	[illegible]
Aparri,	2 p.	29.78	756.3	93	...	S E	2	b	6 a.	29.32	757.5	79	...	S	2	[illegible]
Manila,	4 p.	29.76	756	86	71	W S W	2	ot	10 a.	29.84	758	84	71	W S W	1	[illegible]
Legaspi,	2 p.	29.79	756.6	90	...	S W	2	c	6 a.	29.85	758.1	77	...	...	0	[illegible]
Bacolod,	3 p.	...	...	...	...	S S W	3	o	9 a.	...	...	...	...	S	2	[illegible]
Iloilo,	,,	29.79	756.6	84	...	...	1	o	,,	29.87	758.7	82	...	S S W	1	[illegible]
Cebu,	,,	29.82	757.4	84	...	E	1	c	,,	29.87	758.7	84	...	N	1	[illegible]
Labuan,	,,	29.84	757.9	84	...	...	...	...	,,	29.90	759.4	82	...	...	...	[illegible]

On the 6th at 11.45 a.—The barometer has fallen slightly on the China coast and at the stations around Eastern Sea, and risen a little over the Philippines and the coasts of Indo-China.

The depression over China to the North of the Lower Yangtze, is progressing slowly Eastwards.

An area of high pressure covers N.E. Japan where the barometer is still rising.

Moderate to fresh S. and S.W. winds may be expected in the Formosa Channel and along the S. coast of Ch

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. and S.W. winds, moderate; squally, the [show
2.—Formosa Channel,	S. and S.W. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 6th August, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th August, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	7th August, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivestock,...	2 p.	29.89	759.3	69	...	S	1	c	7 a.	29.86	758.5	64	94	...	0	o
aro.....	,,	30.12	765.1	...	...	S E	3	...	6 a.	30.10	764.6	...	...	...	0	...
dale.....	,,	29.99	761.7	...	...	E S E	6	...	,,	30.03	762.7	...	...	E	1	...
,.....	,,	29.81	757.1	...	...	...	0	...	,,	29.87	758.6	...	...	...	0	...
i.....	,,	29.76	755.8	...	...	S E	1	...	,,	29.82	757.3	...	...	S W	1	...
saki.....	,,	29.76	755.8	...	...	S E	2	...	,,	29.76	755.8	...	...	E S E	1	...
shima.....	,,	...	...	...	...	S	1	...	,,	29.76	755.9	...	...	N E	1	...
na,.....	,,	29.81	757.1	...	...	...	0	...	,,	29.71	754.6	...	...	S	1	...
.....	,,	29.77	756.2	...	...	...	0	...	,,	29.71	754.7	...	...	...	0	...
akijima,....	,,	29.78	756.3	...	...	S S W	1	...	,,	29.68	753.8	...	...	E	2	...
Is.....	,,	29.83	757.6	...	...	S	1	...	,,	29.87	758.6	...	...	...	0	...
.....	4 p.	29.75	755.6	86	72	E S E	2	c	6 a.	...	...	...	...	...	...	...
aiwei.....	,,	29.72	754.9	81	73	E S E	...	c	9 a.	29.79	756.6	82	75	S E	2	c
ow.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iang.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ghai.....	,,	29.59	751.6	82	79	S E	2	o	9 a.	29.62	752.3	85	76	E N E	1	o
laff.....	,,	29.59	751.6	81	91	S	1	ov	,,	29.61	752.1	82	87	N N E	1	cv
Peak,.....	,,	29.61	752.1	83	83	S S E	5	lt	,,	29.66	753.3	82	...	...	0	c
.....	,,	29.68	753.9	87	72	S E	1	b	6 a.	29.72	754.9	81	62	S W	1	b
ow.....	,,	29.66	753.3	86	80	S S E	1	b	,,	29.66	753.3	89	87	S W	1	c
oku.....	1 p.	29.72	754.9	...	...	N	2	...	5 a.	29.67	753.7	...	...	S E	2	...
m.....	,,	29.74	755.5	...	...	S E	2	...	,,	29.75	755.6	...	...	...	0	...
an.....	,,	29.78	756.5	...	...	S	6	...	,,	29.75	755.7	...	...	S E	4	...
um.....	,,	29.79	756.6	...	...	W	2	...	,,	29.73	755.1	...	...	N W	6	...
adores,.....	,,	29.76	756.0	...	...	S W	6	...	,,	29.73	755.0	...	...	S W	4	...
m.....	3 p.	29.69	754.1	82	87	W	1	or	9 a.	...	...	...	...	...	...	...
kong.....	4 p.	29.71	754.6	82	83	N W	1	o	10 a.	29.74	755.4	80	92	N W	1	o
ia Peak,...	,,	...	...	...	...	S W	1	...	,,	...	...	...	...	S W	3	...
Rock,.....	,,	29.67	753.6	...	...	N N E	2	...	,,	29.72	754.9	...	...	S W	4	...
.....	,,	29.73	755.1	81	...	S S W	1	o	,,	29.76	755.9	83	...	W S W	1	c
ow.....	3 p.	29.68	753.9	91	...	S	2	c	9 a.	...	...	...	...	...	...	...
ow.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ol.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ien.....	4 p.	29.63	752.7	81	...	E N E	5	c	8 a.	29.67	753.7	77	...	E N E	3	o
ane.....	,,	29.65	753.2	86	...	E	1	c	,,	29.73	755.0	86	..	S E	1	c
St. James,.	,,	29.78	756.5	81	...	S W	6	or	,,	29.89	759.2	81	...	S W	3	c
ri.....	2 p.	29.79	756.6	88	...	N E	2	b	6 a.	29.73	756.4	77	...	S	2	c
la.....	4 p.	29.76	756	86	65	W S W	3	o	10 a.	29.84	758	84	77	W	1	c
spi.....	2 p.	29.78	756.3	91	...	W	2	c	6 a.	29.82	757.5	77	...	...	0	c
lod.....	3 p.	...	...	...	...	S S W	3	od	9 a.	...	...	...	...	S	2	o
.....	,,	29.83	757.7	84	...	N W	1	o	,,	29.87	758.7	82	...	S W	1	b
.....	,,	29.81	757.9	87	...	S	2	c	,,	29.87	758.7	85	...	S	2	b
an,.....	,,	29.80	756.9	88	...	...	...	...	,,	...	...	...	...	...	...	...

On the 7th at 11.45 a.—The barometer has risen slightly on the NE coast of China and fallen moderately to ghtly over the Loochoos and S. China.

The depression which now lies over the E. coast of China, is moving into the Eastern Sea.

The high pressure area still covers NE Japan.

Fresh to moderate SW winds may be expected in the Formosa Channel and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	SW winds, moderate; squally, thunder showers.
Formosa Channel, ...	SW winds, fresh.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 7th August, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th August, 1910, P.M.								8th August, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.84	757.9	71	...	...	0	c	7 a.	29.80	756.9	66	98	...	0	c
Nemuro,	,,	30.08	764.1	...	...	S E	1	...	6 a.	30.12	765.1	...	...	S E	2	
Hakodate,	,,	29.99	761.7	...	...	E S E	4	...	,,	29.97	761.2	...	...	E	3	
Tokio,	,,	29.89	759.1	...	...	S S E	2	...	,,	29.93	760.1	...	...	...	0	
Kochi,	,,	29.78	756.3	...	...	S E	1	...	,,	29.78	756.3	...	...	S W	1	
Nagasaki,	,,	29.72	754.8	...	...	S E	2	...	,,	29.72	754.8	...	...	E	1	
Kagoshima,	,,	29.74	755.4	...	...	S	1	...	,,	29.72	754.9	...	...	E	1	
Oshima,	,,	29.67	753.6	...	...	S	2	...	,,	29.59	751.6	...	...	...	1	
Naha,	,,	29.67	753.7	...	...	S	1	...	,,	29.58	751.2	...	...	W	0	
Ishigakijima,	,,	29.70	754.3	...	...	S	4	...	,,	29.64	752.8	...	...	S W	1	
Bonin Is.	,,	29.83	757.6	...	...	S E	1	...	,,	29.87	758.6	...	...	...	1	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.78	756.4	81	74	N E	4	c	9 a.	29.78	756.4	82	67	...	0	c
Hankow,	,,	...	..	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	
Shanghai,	,,	29.59	751.6	85	76	E S E	3	o	9 a.	29.70	754.4	82	83	E N E	2	c
Gutzlaff,	,,	29.58	751.3	82	91	E	2	cv	,,	29.63	752.6	82	87	N E	4	c
Sharp Peak,	,,	29.57	751.1	83	...	W	1	c	,,	29.62	752.3	83	63	...	0	b
Amoy,	,,	29.64	752.3	87	69	S S W	2	b	6 a.	29.64	752.3	80	87	S W	1	b
Swatow,	,,	29.65	753.1	84	79	S	1	c	,,	29.63	752.6	80	91	W	2	b
Taihoku,	1 p.	29.65	753.0	...	...	W	4	...	5 a.	29.63	752.6	...	...	S	2	
Taichu,	,,	29.71	754.7	...	...	S W	4	...	,,	29.71	754.5	...	...	...	0	
Tainan,	,,	29.75	755.7	...	...	W	6	...	,,	29.72	754.8	...	...	S E	2	
Koshun,	,,	29.71	754.7	...	...	N W	6	...	,,	29.69	754.2	...	...	N W	6	
Pescadores,	,,	29.72	754.9	...	...	S W	6	...	,,	29.68	753.9	...	...	S W	4	
Canton,	3 p.	29.62	752.3	86	72	S W	1	b	9 a.	29.66	753.3	83	87	S W	2	
Hongkong,	4 p.	29.64	752.8	84	76	S S W	1	c	10 a.	29.69	754.1	84	78	W	1	
Victoria Peak,	,,	...	...	...	...	S W	3	...	,,	...	...	...	...	S W	3	
Gap Rock,	,,	29.63	752.6	...	...	S W	3	...	,,	29.66	753.3	...	...	S W	3	
Macao,	,,	29.66	753.3	85	...	S S W	2	c	,,	29.71	754.6	85	...	S S W	1	
Wuchow,	3 p.	29.66	753.3	80	...	W	1	c	9 a.	29.69	754.1	84	...	E	1	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	29.67	753.6	79	95	S E	1	or	,,	...	...	...	...	..	...	
Phulien,	4 p.	29.59	751.5	86	...	S S E	5	o	8 a.	29.66	753.4	81	...	S W	0	
Tourane,	,,	29.67	753.5	88	...	...	0	c	,,	29.71	754.7	88	...	...	0	
Cape St. James,	,,	29.78	756.3	84	...	S W	4	c	,,	29.87	758.6	79	...	W	2	
Aparri,	2 p.	29.74	755.5	90	...	N	2	b	6 a.	29.75	755.5	77	...	S	4	
Manila,	4 p.	29.76	756	86	65	W S W	3	c	10 a.	29.84	758	84	77	W S W	1	
Legaspi,	2 p.	29.76	756.0	93	...	W	2	b	6 a.	29.82	757.4	77	...	W	2	
Bacolod,	3 p.	...	...	...	...	S	2	o	9 a.	...	...	...	...	S	4	
Iloilo,	,,	29.81	757.2	85	...	S	1	o	,,	29.89	759.2	82	...	S E	2	
Cebu,	,,	29.79	756.6	88	...	S	1	b	,,	29.87	758.7	82	...	S	1	
Labuan,	,,	29.83	757.7	87	...	...	...	...	,,	29.91	759.7	84	...	...	...	

On the 8th at 11.30 a.—The barometer has risen slightly in Shanghai, and fallen moderately over the Loochoo

The depression, which is now situated over the Eastern Sea, is progressing slowly Eastwards.

The area of high pressure still extends over N.E. Japan from the Pacific.

Fresh variable winds may be expected in the Formosa Channel, and moderate W. and S.W. winds along the coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. and S.W. winds, moderate; fair.
2.—Formosa Channel,	W. and variable winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 8th August, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th August, 1910, P.M.								9th August, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ıdivostock,	2 p.	29.79	756.7	72	...	...	0	o	7 a.	29.75	755.6	66	98	...	0	o
ıuro,	,,	30.12	765.1	...	...	S E	3	...	6 a.	30.14	765.6	...	...	E N E	2	...
kodate,	,,	29.97	761.2	...	...	E S E	4	...	,,	29.99	761.7	...	...	E S E	6	...
io,	,,	29.89	759.1	...	...	S S E	1	...	,,	29.87	758.6	...	...	E	1	...
hi,	,,	29.71	754.8	...	...	S	1	...	,,	29.68	753.8	...	...	...	0	...
asaki,	,,	29.66	753.3	...	...	E S E	1	...	,,	29.64	752.8	...	...	N N E	1	...
oshima,	,,	29.62	752.4	...	...	E	3	...	,,	29.60	751.9	...	...	N E	3	...
ima,	,,	29.54	750.4	...	...	S E	2	...	,,	29.53	750.1	...	...	...	0	...
a,	,,	29.55	750.6	...	...	W N W	2	...	,,	29.58	751.2	...	...	...	0	...
igakijima,	,,	29.63	752.7	...	...	N	2	...	,,	29.64	752.8	...	...	N N E	1	...
in Is.	,,	29.83	757.6	...	...	S E	1	...	,,	29.85	758.1	...	...	S E	1	...
foo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ihaiwei,	,,	29.75	755.6	81	74	N	2	c	9 a.	29.72	754.9	83	71	S W	1	c
kow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang,	,,	29.59	751.6	88	73	N E	1	c	,,	...	...	...	...	...	...	...
nghai,	,,	29.62	752.3	85	72	N E	3	o	9 a.	29.63	752.6	81	83	N E	2	c
glaff,	,,	29.60	751.8	83	83	N E	3	cv	,,	29.61	752.1	80	91	N E	3	ov
p Peak,	,,	29.59	751.6	83	...	W	1	o	,,	29.63	752.6	83	...	...	0	c
y,	,,	29.56	750.8	89	66	S	1	b	6 a.	29.59	751.6	79	87	W	1	c
tow,	,,	29.54	750.3	94	61	S S W	1	b	,,	29.60	751.8	81	83	W	2	b
oku,	1 p.	29.61	752.2	...	...	W	6	...	5 a.	29.63	752.7	...	...	S	4	...
hu,	,,	29.65	753.2	...	...	S W	4	...	,,	29.66	753.3	...	...	S	2	...
an,	,,	29.70	754.5	...	...	N W	2	...	,,	...	...	...	...	...	...	...
han,	,,	29.69	754.1	...	...	W	6	...	,,	29.69	754.2	...	...	N	6	...
adores,	,,	29.71	754.6	...	...	S	6	...	,,	29.65	753.2	...	...	S W	4	...
ion,	3 p.	29.57	751.1	89	66	S	1	b	9 a.	29.63	752.6	85	79	...	0	b
gkong,	4 p.	29.61	752.1	85	76	W	1	c	10 a.	29.66	753.3	85	74	W	2	c
oria Peak,	,,	...	...	...	...	S W	4	...	,,	...	...	...	...	S W	5	...
Rock,	,,	29.59	751.6	...	...	S S W	4	...	,,	29.64	752.8	...	...	S W	3	...
ao,	,,	29.64	752.8	84	...	S S W	2	c	,,	29.69	754.1	86	...	S S W	1	c
hew,	3 p.	29.62	752.3	87	76	S	5	oplt	9 a.	29.67	753.6	89	73	E	1	c
ow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hien,	4 p.	29.58	751.1	88	...	S S E	4	c	8 a.	29.61	752.1	82	...	S W	2	c
ane,	,,	29.65	753.0	88	...	E	1	c	,,	29.68	753.8	91	..	...	0	c
St. James,	,,	29.77	756.1	82	...	S W	4	lt	,,	29.86	758.4	79	...	W	4	c
ri,	2 p.	29.67	753.5	88	...	N	2	b	6 a.	29.73	755.2	77	...	S	2	b
la,	4 p.	29.76	756	86	71	W S W	3	o	10 a.	29.80	757	81	85	W N W	0	o
spi,	2 p.	29.77	756.2	84	...	W	2	o	6 a.	29.80	756.8	77	...	W	2	o
lod,	3 p.	...	...	...	...	S	3	o	9 a.	...	...	...	...	S	3	c
)	,,	29.77	756.1	84	...	S W	1	o	,,	29.87	758.7	84	...	S W	2	b
	,,	29.79	756.6	86	...	S	2	b	,,	29.87	758.7	86	...	S	2	b
an,	,,	29.78	756.4	90	...	...	...	...	,,	29.88	758.9	84	...	...	...	...

On the 9th at 11.35 a.—The barometer is falling in S. Japan, and a slight fall has taken place also over the ina coast and at the stations around the China Sea.

The depression, which continues to move slowly Eastwards, is now situated in the neighbourhood of the North- Loochoos

The area of high pressure still extends over N.E. Japan from the Pacific.

Pressure is relatively high over the S. part of the China Sea, and low over S. China.

Moderate variable winds may be expected in the Formosa Channel, and fresh S.W. winds along the S. coast of ina.

Hongkong **Rainfall for the 24 hours ending at 10 a.m. to-day,** 0.06 **inches.**

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	S.W. winds, moderate to fresh; fair to showery.
Formosa Channel,	Variable winds, moderate.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 9th August, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th August, 1910, P.M.								10th August, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.69	754.1	69	...	...	0	o	7 a.	29.64	752.8	68	73	...	0	c
Nemuro,	,,	30.12	765.1	...	...	S E	1	...	6 a.	30.06	763.6	...	...	E	3	
Hakodate,	,,	29.97	761.2	...	...	E S E	6	...	,,	29.93	760.2	...	...	E	1	
Tokio,	,,	29.81	757.1	...	...	S E	1	...	,,	29.69	754.1	...	...	E S E	2	
Kochi,	,,	29.62	752.3	...	...	S	1	...	,,	29.56	750.8	...	...	S W	1	
Nagasaki,	,,	29.56	750.8	...	...	W S W	2	...	,,	29.58	751.3	...	...	N E	1	
Kagoshima,	,,	29.58	751.4	...	...	E	1	...	,,	29.58	751.4	...	...	...	0	
Oshima,	,,	29.53	750.1	...	...	N	2	...	,,	29.57	751.1	...	...	S	1	
Naha,	,,	29.57	751.2	...	...	W	2	...	,,	29.60	751.7	...	...	W N W	1	
Ishigakijima,	,,	29.74	755.3	...	...	E	1	...	,,	29.66	753.3	...	...	...	0	
Bonin Is.	,,	29.79	756.6	...	...	S E	4	...	,,	29.71	754.6	...	...	S	1	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.68	753.9	80	87	E N E	3	c	9 a.	29.65	753.1	79	73	...	0	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Shanghai,	,,	29.59	751.6	81	87	E N E	2	o	9 a.	29.61	752.1	85	76	E N E	1	
Gutzlaff,	,,	29.57	751.1	81	87	E N E	3	cv	,,	29.60	751.8	76	100	E	2	
Sharp Peak,	,,	29.57	751.1	84	...	E	1	c	,,	29.61	752.1	84	...	S	1	
Amoy,	,,	29.56	750.8	85	79	S	3	c	6 a.	29.61	752.1	81	83	...	0	
Swatow,	,,	29.53	750.0	91	61	S S W	3	c	,,	29.67	753.6	80	91	N W	2	
Taiboku,	1 p.	29.59	751.6	...	...	W	4	...	5 a.	29.63	752.7	...	...	S	2	
Taichu,	,,	29.64	752.9	...	...	W	6	...	,,	29.66	753.4	...	...	...	0	
Tainan,	,,	29.69	754.1	...	...	S E	2	...	,,	29.69	754.1	...	...	S	6	
Koshun	,,	29.70	754.4	...	...	N W	6	...	,,	29.68	753.9	...	...	S W	6	
Pescadores,	,,	29.65	753.1	...	...	S W	6	...	,,	29.63	752.7	...	...	S W	6	
Canton,	3 p.	29.56	750.8	91	63	S W	1	b	9 a.	29.64	752.8	85	83	...	0	
Hongkong,	4 p.	29.58	751.3	87	74	S	1	o	10 a.	29.66	753.3	83	86	W S W	1	
Victoria Peak,	,,	...	...	...	...	S W	3	...	,,	...	...	...	...	S W	5	
Gap Rock,	,,	29.56	750.8	...	...	S W	4	...	,,	29.63	752.6	...	...	S W	4	
Macao,	,,	29.61	752.1	86	...	S S W	2	c	,,	29.68	753.9	83	...	S	2	
Wuchow,	3 p.	29.56	750.8	91	...	N W	6	qlt	9 a.	29.67	753.6	79	...	E	1	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.52	749.8	93	...	S W	2	c	8 a.	29.58	751.2	84	...	S W	2	
Tourane,	,,	29.63	752.6	90	...	S E	2	c	,,	29.67	753.5	90	..	...	0	
Cape St. James,	,,	29.77	756.2	88	...	W S W	4	c	,,	29.85	758.1	79	...	S W	5	
Aparri,	2 p.	29.69	754.2	91	...	S E	2	c	6 a.	29.72	754.8	77	...	S	2	
Manila,	4 p.	29.76	756	81	85	S W	6	d	10 a.	29.80	757	84	77	S W	2	
Legaspi,	2 p.	29.78	756.3	91	...	S W	2	c	6 a.	29.82	757.4	77	...	W	2	
Bacolod,	3 p.	...	...	...	...	S	3	o	9 a.	...	...	...	...	S	3	
Iloilo,	,,	29.81	757.2	86	...	S W	2	c	,,	29.87	758.7	87	...	S W	1	
Cebu,	,,	29.81	757.2	88	...	S	2	c	,,	29.87	758.7	85	...	S	1	
Labuan,	,,	29.83	757.7	88	...	...	...	...	,,	29.89	759.2	84	...	...	...	

On the 10th at 11.40 a.—The barometer has risen slightly at the Loochoos, and fallen considerably over S. Japan and the Bonins.

The depression, which is now situated over the Pacific to the South of Japan, continues to move slowly Eastwards.

Pressure remains low over China between Tongking and the Lower Yangtze valley with a tendency for the barometer to fall along the coast.

The area of high pressure still extends over N.E. Japan from the Pacific.

Fresh S. and S.W. winds may be expected in the Formosa Channel, and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.— Hongkong and Neighbourhood,	S.W. winds, fresh; squally, showery.
2.— Formosa Channel,	S. winds, fresh.
3.— South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Wednesday, 10th August, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th August, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	11th August, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivostock,...	2 p.	29.62	752.3	74	...	...	0	o	7 a.	29.65	753.2	66	94	N	1	or
uro.	,,	30.02	762.6	...	...	E S E	4	...	6 a.	...	...	...	...	...	...	...
odate.	,,	29.37	753.7	...	...	E	5	...	,,	...	...	...	...	...	...	...
io.	,,	29.57	751.1	...	...	E	3	...	,,	...	...	...	...	...	...	...
hi.	,,	29.42	747.3	...	...	N	1	...	,,	...	...	...	...	...	...	...
asaki, ...	,,	29.54	750.3	...	...	N	3	...	,,	...	...	...	...	...	...	...
oshima, ...	,,	29.52	749.9	...	...	...	0	...	,,	...	...	...	...	...	...	...
ima.	,,	29.57	751.1	...	...	N	1	...	,,	...	...	...	...	...	...	...
a.	,,	29.61	752.2	...	...	W	1	...	,,	...	...	...	...	...	...	...
gakijima.	,,	29.66	753.3	...	...	S E	1	...	,,	...	..	...	...	...	...	...
in Is.	,,	29.67	753.6	...	...	S	2	...	,,	...	...	...	...	...	...	...
foo.	4 p.	...	...	...	...	...	..	...	6 a.	..	...	...	...	...	...	...
ihaiwei, ...	,,	29.60	751.8	86	72	E	3	c	9 a.	29.57	751.1	77	36	...	0	o
ikow.	,,	...	..	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang, ...	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
nghai, ...	,,	29.55	750.5	84	75	E S E	2	o	9 a.	29.55	750.5	77	91	N E	2	or
zlaff.	,,	29.55	750.5	81	83	E S E	3	cm	,,	29.55	750.5	80	91	E	2	cm
p Peak, ...	,,	29.54	750.3	84	...	S S E	3	c	,,	29.56	750.8	83	...	...	0	b
y.	,,	29.58	751.3	88	62	W	3	b	6 a.	29.57	751.1	81	87	S	1	b
tow.	,,	29.56	750.8	90	66	S	1	c	,,	29.57	751.1	81	91	S W	2	b
hoku.	1 p.	29.64	752.9	...	...	...	0	...	5 a.	29.59	751.6	...	...	S	2	...
lm.	,,	29.69	754.2	...	...	...	0	...	,,	29.65	753.0	...	...	S	2	...
oan.	,,	29.72	755.0	...	...	S E	4	...	,,	29.68	753.8	...	...	S E	4	...
hun.	,,	29.67	753.7	...	...	N W	6	...	,,	29.67	753.6	...	...	W	6	...
adores, ...	,,	29.66	753.3	...	...	S W	6	...	,,	29.63	752.5	...	...	S W	6	...
ton.	3 p.	29.56	750.8	90	66	S S E	2	b	9 a.	29.61	752.1	86	80	...	0	o
gkong.	4 p.	29.59	751.6	86	75	S W	2	o	10 a.	29.65	753.1	80	91	N W	1	o
toria Peak, ...	,,	...	...	...	...	S W	6	...	,,	...	...	...	...	S W	6	...
Rock, ...	,,	29.58	751.3	...	...	S W	4	...	,,	29.61	752.1	...	...	S S W	4	...
ao.	,,	29.60	751.8	84	...	S S W	3	c	,,	29.66	753.3	85	...	S W	3	o
show.	3 p.	29.59	751.6	78	...	S W	2	lt	9 a.	29.62	752.3	84	...	E	1	c
kow.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hoi.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
dien.	4 p.	29.51	749.6	90	...	S W	1	o	8 a.	29.55	750.5	86	...	S S W	2	c
rane.	,,	29.59	751.7	90	...	S E	1	c	,,	29.67	753.6	90	..	S E	1	c
e St. James, .	,,	29.73	755.1	88	...	S W	3	c	,,	29.84	757.8	81	...	S W	5	o
ri.	2 p.	29.71	754.6	90	...	N E	2	b	6 a.	29.74	755.3	77	...	S	4	c
lla.	4 p.	29.76	756	82	70	W S W	2	o	10 a.	29.54	758	86	71	S W	1	o
aspi.	2 p.	29.77	756.1	88	...	W	2	o	6 a.	29.82	757.4	77	...	...	0	c
olod, ...	3 p.	...	...	...	...	W S W	3	o	9 a.	...	...	...	...	S	3	o
lo.	,,	29.83	757.7	85	...	S W	2	o	,,	29.87	758.7	83	...	...	0	c
a.	,,	29.79	756.6	88	...	S	1	b	,,	29.91	759.7	87	...	N	1	b
uan, ...	,,	29.80	756.9	89	...	...	...	...	,,	29.89	759.2	84	...	...	...	...

On the 11th at 12.10 p.—Pressure remains low over China, and the barometer is still falling along the coast, ticularly in the North.

Pressure is relatively high over the S. part of the China Sea.

The Japanese returns for this morning are not in hand.

Fresh S. and S.W. winds may be expected in the Formosa Channel, and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.56 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	S.W. winds, fresh; squally, thunder showers.
Formosa Channel, ...	S. and S.W. winds, fresh.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 11th August, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th August, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	12th August, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.64	752.9	74	...	N W	0	o	7 a.	29.62	752.3	67	95	N	1	[illegible]
Nemuro,	,,	29.94	760.6	...	...	E	3	...	6 a.	29.95	760.6	...	...	S E	3	[illegible]
Hakodate,	,,	29.71	754.7	...	...	E	7	...	,,	29.67	753.7	...	...	E	6	[illegible]
Tokio,	,,	29.43	747.6	...	...	N N W	1	...	,,	29.55	750.6	...	...	...	0	[illegible]
Kochi,	,,	29.52	749.8	...	...	S W	1	...	,,	29.58	751.3	...	...	W S W	1	[illegible]
Nagasaki,	,,	29.56	750.8	...	...	S E	2	...	,,	29.58	751.3	...	...	N E	1	[illegible]
Kagoshima,	,,	29.56	750.9	...	...	S E	1	...	,,	29.56	750.9	...	...	S W	1	[illegible]
Oshima,	,,	29.57	751.1	...	...	S S W	1	...	,,	29.53	750.1	...	...	S	1	[illegible]
Naha,	,,	29.59	751.7	...	...	S W	1	...	,,	29.60	751.7	...	...	W	3	[illegible]
Ishigakijima,	,,	29.62	752.3	...	...	S W	5	...	,,	29.64	752.8	...	...	W S W	5	[illegible]
Bonin Is.	,,	29.67	753.6	...	...	S S W	3	...	,,	29.69	754.1	...	...	N W	1	[illegible]
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Weihaiwei,	,,	29.58	751.3	80	93	S W	2	c	9 a.	29.65	753.1	77	86	...	0	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Shanghai,	,,	29.53	750.0	85	68	E N E	3	c	9 a.	29.65	753.1	83	67	N N E	0	c
Gutzlaff,	,,	29.51	749.5	78	91	E S E	5	cm	,,	29.64	752.8	84	75	N N E	1	[illegible]
Sharp Peak,	,,	29.54	750.3	84	...	S	3	c	,,	29.66	753.3	83	...	...	0	[illegible]
Amoy	,,	29.58	751.3	82	79	S	1	c	6 a.	29.60	751.8	80	87	S W	1	b
Swatow,	,,	29.59	751.6	82	83	S W	1	o	,,	...	...	...	...	...	...	[illegible]
Taihoku,	1 p.	29.63	752.6	...	...	W	6	...	5 a.	29.63	752.5	...	...	S E	2	[illegible]
Taichu,	,,	29.68	753.8	...	...	S	4	...	,,	29.68	753.8	...	...	...	0	[illegible]
Tainan,	,,	29.70	754.4	...	...	S E	4	...	,,	29.74	755.3	...	...	S E	2	[illegible]
Koshun	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Pescadores,	,,	29.66	753.3	...	...	S W	6	...	,,	29.68	753.9	...	...	S W	6	[illegible]
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	[illegible]
Hongkong,	4 p.	29.59	751.6	86	76	W	1	o	10 a.	29.73	755.1	78	93	S S W	1	[illegible]
Victoria Peak,	,,	...	...	...	...	S	5	...	,,	...	...	...	...	...	...	[illegible]
Gap Hock,	,,	29.58	751.3	...	...	S S W	4	...	,,	...	...	...	...	...	...	[illegible]
Macao,	,,	29.62	752.3	84	...	S W	3	o	,,	29.72	754.9	78	...	S E	2	[illegible]
Wuchow,	3 p.	29.62	752.3	79	...	N W	5	qlt	9 a.	...	...	...	...	...	...	[illegible]
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Phulien,	4 p.	29.49	749.1	90	...	S S W	3	o	8 a.	29.59	751.6	82	...	S S W	4	[illegible]
Tourane,	,,	29.58	757.3	91	...	E S E	1	b	,,	29.71	754.6	88	..	...	0	[illegible]
Cape St. James,	,,	29.79	756.6	77	...	S W	6	or	,,	29.83	753.8	82	...	S W	4	[illegible]
Aparri,	2 p.	29.69	754.1	93	...	S E	2	c	6 a.	29.78	756.3	77	...	S	2	[illegible]
Manila,	4 p.	29.76	756	86	71	W S W	3	c	10 a.	29.88	759	84	77	W	0	[illegible]
Legaspi,	2 p.	29.77	756.1	90	...	W	2	o	6 a.	29.85	758.2	79	...	W	2	[illegible]
Bacolod,	3 p.	...	...	...	...	S	2	o	9 a.	...	...	...	...	S	3	[illegible]
Iloilo,	,,	29.82	757.2	86	...	S W	2	b	,,	...	...	...	...	...	...	[illegible]
Cebu,	,,	29.80	756.9	88	...	S	2	c	,,	29.90	759.4	87	...	...	2	[illegible]
Labuan,	,,	29.78	756.4	89	...	...	...	...	,,	29.95	760.7	81	...	...	...	[illegible]

On the 12th at 12.10 p.—The barometer has fallen slightly over the Loochoos, and risen moderately to slig over China and at the stations around the China Sea.

A depression which appears to have developed over the Lower Yangtze valley, has moved into the Eastern Se

The depression lying off the S.E. coast of Japan yesterday, is moving away over the Pacific.

Pressure is still high over the Pacific to the N.E. of Japan, and also over the S. part of the China Sea.

Moderate variable winds may be expected in the Formosa Channel, and fresh S.W. to S. winds along the coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.40 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.— Hongkong and Neighbourhood,	S.W. and S. winds, fresh; squally, thunder st
2.— Formosa Channel,	Variable winds, moderate.
3.— South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.— South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 12th August, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th August, 1910, P.M.								13th August, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
divostock,	2 p.	29.60	751.8	69	...	N	1	or	7 a.	29.53	751.3	64	93	N	0	or
uro,	,,	29.89	759.1	...	...	E S E	3	...	6 a.	...	...	...	...	...	...	...
odate,	,,	29.67	753.7	...	...	E	5	...	,,	...	...	...	...	...	...	...
o,	,,	29.53	750.1	...	...	S	1	...	,,	...	...	...	...	...	...	...
hi,	,,	29.54	750.3	...	...	...	...	...	,,	...	...	...	...	...	...	...
saki,	,,	29.54	750.3	...	...	E N E	2	...	,,	...	...	...	...	...	...	...
oshima,	,,	29.46	748.4	...	...	N E	4	...	,,	...	...	...	...	...	...	...
ma,	,,	29.51	749.6	...	...	N	3	...	,,	...	...	...	...	...	...	...
,	,,	29.59	751.7	...	...	W S W	1	...	,,	...	...	...	...	...	...	...
rakijima,	,,	29.66	753.3	...	...	S W	3	...	,,	...	...	...	...	...	...	...
n Is.	,,	29.67	753.6	...	...	S S E	1	...	,,	...	...	...	...	...	...	...
oo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
haiwei,	,,	29.60	751.8	82	67	...	...	b	9 a.	29.58	751.3	84	69	W S W	3	c
kow,	,,	...	..	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ghai,	,,	29.59	751.6	87	58	N W	1	o	9 a.	29.59	751.6	82	79	S S E	1	om
laff,	,,	29.60	751.8	83	75	...	0	cv	,,	29.60	751.8	79	87	S	1	cv
p Peak,	,,	29.60	751.8	83	...	S	1	o	,,	29.61	752.1	83	...	...	0	b
y,	,,	29.61	752.1	89	69	S	3	b	6 a.	29.61	752.1	82	83	W	2	o
ow,	,,	29.62	752.3	86	76	S W	3	c	,,	29.61	752.1	80	87	...	2	b
oku,	1 p.	29.63	752.6	...	...	W	8	...	5 a.	29.62	752.4	...	...	S	2	...
hu,	,,	29.74	755.4	...	...	S	2	...	,,	29.68	753.9	...	...	...	0	...
an,	,,	29.77	756.2	...	...	N W	4	...	,,	29.71	754.7	...	...	S E	2	...
un,	,,	29.73	755.2	...	...	N W	6	...	,,	29.70	754.3	...	...	N W	2	...
adores,	,,	29.71	754.7	...	...	S W	4	...	,,	29.71	754.5	...	...	S W	6	...
on,	3 p.	29.62	752.3	80	87	S E	1	or	9 a.	29.61	752.1	84	87	S	2	c
kong,	4 p.	29.64	752.8	84	82	S W	2	opq	10 a.	29.65	753.1	83	86	S W	2	o
ria Peak,	,,	...	...	...	...	S S W	6	...	,,	...	...	...	...	S S W	6	...
Rock,	,,	29.61	752.1	...	...	S S W	4	...	,,	29.62	752.3	...	...	S S W	4	...
o,	,,	29.66	753.3	83	...	S W	3	o	,,	29.67	753.6	86	...	S W	3	c
bow,	3 p.	29.67	753.7	78	...	N W	7	qt	9 a.	...	...	...	...	...	...	...
ow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ien,	4 p.	29.54	750.2	91	...	S W	5	c	8 a.	29.56	750.9	86	...	S S W	5	c
ane,	,,	29.65	753.0	88	...	E S E	1	c	,,	29.69	754.0	90	..	S E	2	c
St. James,	,,	29.78	756.3	82	...	S W	4	c	,,	29.86	758.3	81	...	S W	4	c
ri,	2 p.	29.73	755.2	90	...	N	2	c	6 a.	29.75	755.5	77	...	S	2	b
la,	4 p.	29.80	757	79	84	N N W	1	d	10 a.	29.84	758	75	100	S W	1	r
spi,	2 p.	29.78	756.5	90	...	W	2	c	6 a.	29.80	756.8	79	...	W	2	b
lod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	W S W	3	o
,	,,	29.83	757.7	84	...	N N W	2	o	,,	29.87	758.7	83	...	S W	1	b
...	,,	29.82	757.4	88	...	S	2	c	,,	29.87	758.7	84	...	...	...	c
an,	,,	29.85	758.2	86	...	...	...	...	,,	29.94	760.5	81	...	...	...	...

On the 13th at 12.10 p.—The barometer has fallen slightly over China, Tongking and the Philippines.

Pressure remains low over China. It is relatively high over the S. part of the China Sea.

Tha Japanese returns are not yet in hand.

Fresh S. and S.W. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.25 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	S.W. winds, fresh; squally, showery.
Formosa Channel,	S. winds, fresh.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 13th August, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th AUGUST, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	14th AUGUST, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.60	751.8	65	...	N	0	o	7 a.	29.65	753.2	62	95	N	1
Nemuro,	,,	29.57	758.6	...	...	E S E	4	...	6 a.	29.93	760.1	...	...	E	2
Hakodate,	,,	29.73	755.2	...	...	E S E	4	...	,,	...	...	...	...	...	...
Tokio,	,,	29.43	747.6	...	...	E	3	...	,,	29.34	745.1	...	...	S E	3
Kochi,	,,	29.38	746.3	...	...	N N W	2	...	,,	29.52	749.8	...	...	W	1
Nagasaki,	,,	29.50	749.3	...	...	W	2	...	,,	29.56	750.8	...	...	S S E	1
Kagoshima,	,,	29.50	749.4	...	...	N W	2	...	,,	29.58	751.4	...	...	W	1
Oshima,	,,	29.57	751.1	...	...	N N E	1	...	,,	29.59	751.6	...	...	...	0
Naha,	,,	...	...	...	...	...	...	...	,,	29.62	752.2	...	...	S W	1
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.58	751.3	...	...	S S W	2
Bonin Is.	,,	29.61	752.1	...	...	S W	3	...	,,	29.67	753.6	...	...	S W	1
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.52	749.8	82	63	W	3	...	9 a.	29.56	750.8	78	75	N	5
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	29.54	750.3	81	83	N E	1	o	9 a.	29.61	752.1	81	74	N E	1
Gutzlaff,	,,	29.53	750.0	82	75	E N E	2	ev	,,	29.58	751.3	80	78	N E	2
Sharp Peak,	,,	29.52	749.8	84	87	S S E	3	lt	,,	29.58	751.3	83	...	...	0
Amoy,	,,	29.56	750.8	86	80	S	1	c	6 a.	29.59	751.6	81	87	S	2
Swatow,	,,	29.54	750.3	85	79	S W	1	b	,,	29.60	751.8	81	91	S W	2
Taihoku,	1 p.	29.60	751.8	...	...	W	6	...	5 a.	29.61	752.1	...	...	S	2
Taichu,	,,	29.65	753.0	...	...	S	4	...	,,	29.67	753.6	...	...	...	0
Tainan,	,,	29.69	754.1	...	...	S W	6	...	,,	29.70	754.3	...	...	S E	2
Koshun,	,,	29.68	753.9	...	...	W	6	...	,,	29.67	753.7	...	...	W	6
Pescadores,	,,	29.66	753.3	...	...	S	6	...	,,	29.65	753.1	...	...	S	6
Canton,	3 p.	29.51	749.5	89	69	S	2	c	9 a.	29.59	751.6	86	84	S	2
Hongkong,	4 p.	29.56	750.8	85	79	S W	1	o	10 a.	29.64	752.8	81	91	S	1
Victoria Peak,	,,	...	...	...	...	S W	4	...	,,	...	...	...	...	S	5
Gap Rock,	,,	29.53	750.0	...	...	S S W	4	...	,,	29.59	751.6	...	...	S S W	4
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Wuchow,	3 p.	29.49	749.0	94	52	E	1	o	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.52	749.8	89	73	S W	2	o	,,	...	...	...	...	...	...
Phulien,	4 p.	29.46	748.4	93	...	...	2	c	8 a.	29.54	750.4	84	...	W S W	2
Tourane,	,,	29.60	751.9	90	...	S E	2	c	,,	29.65	753.0	90	..	...	0
Cape St. James,	,,	29.77	756.1	79	...	S W	3	or	,,	29.84	757.8	79	...	W S W	4
Aparri,	2 p.	29.67	753.5	91	...	N	2	b	6 a.	29.71	754.7	77	...	S	2
Manila,	4 p.	29.72	755	84	71	W S W	2	c	10 a.	...	...	...	...	...	...
Legaspi,	2 p.	29.73	755.1	90	...	W	2	c	6 a.	29.78	756.3	79	...	W	2
Bacolod,	3 p.	...	...	...	...	S	3	o	9 a.	...	...	...	...	S	3
Iloilo,	,,	29.77	756.1	85	...	S W	1	b	,,	29.83	757.7	83	...	S W	1
Cebu,	,,	29.75	755.6	88	...	S	1	b	,,	29.83	757.7	88	...	S	1
Labuan,	,,	29.78	756.4	88	...	...	...	...	,,	...	...	...	...	...	...

On the 14th at 11.55 a.—The area of low pressure still extends from Tongking across S. China to the E Sea, and the barometer has fallen slightly over S. China and at the stations around the China Sea. Pressure is tively high over the S. part of the latter area.

Tha depression lying over the Eastern Sea two days ago, has reached SE Japan.

Pressure remains high over the Pacific to the NE of Japan.

Fresh to strong monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.11 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.— Hongkong and Neighbourhood,	SW winds, fresh or strong; squally, thunder
2.—Formosa Channel,	S. winds, fresh.
3.— South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 14th August, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th August, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	15th August, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
divostock,	2 p.	29.69	754.1	69	...	N	2	o	7 a.	29.78	756.3	67	84	N	3	o
uro,	,,	29.93	760.1	...	...	W	2	...	6 a.	30.01	762.1	...	...	N E	3	...
odate,	,,	29.73	755.2	...	...	E	4	...	,,	29.81	757.2	...	...	E	6	...
o,	,,	29.39	746.6	...	...	S S W	2	...	,,	29.57	751.1	...	...	N	1	...
hi,	,,	29.52	749.8	...	...	S E	1	...	,,	29.60	751.8	...	...	W S W	1	...
asaki,	,,	29.58	751.3	...	...	W	2	...	,,	29.66	753.3	...	...	...	0	...
oshima,	,,	29.60	751.9	...	...	S W	2	...	,,	29.64	752.9	...	...	...	0	...
ma,	,,	29.63	752.6	...	...	...	0	...	,,	29.67	753.6	...	...	N	1	...
a,	,,	...	...	...	...	...	...	...	,,	29.71	754.7	...	...	...	0	...
gakijima,	,,	29.68	753.3	...	...	S W	3	...	,,	29.72	754.8	...	...	S W	6	...
in Is.	,,	29.69	754.1	...	...	S S E	1	...	,,	29.77	756.1	...	...	S S E	1	...
foo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
haiwei,	,,	29.58	751.3	82	87	N N W	4	c	9 a.	29.67	753.6	73	81	...	...	o
kow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ghai,	,,	29.61	752.1	82	67	N E	1	o	9 a.	29.68	753.9	83	71	W	1	o
Haff,	,,	29.57	751.1	80	78	N E	3	ov	,,	29.64	752.8	76	90	W	2	omp
p Peak,	,,	29.56	750.8	86	83	S	2	c	,,	29.66	753.3	84	...	S S W	1	b
y,	,,	29.58	751.3	88	73	S	4	b	6 a.	29.70	754.4	81	87	S	1	o
tow,	,,	29.58	751.3	86	80	S W	3	c	,,	29.65	753.1	80	96	S W	3	o
oku,	1 p.	29.63	752.5	...	...	W	6	...	5 a.	29.69	754.1	...	...	S	2	...
bu,	,,	29.68	753.8	...	...	S	6	...	,,	29.74	755.4	...	...	...	0	...
an,	,,	29.72	754.9	...	...	S	4	...	,,	29.76	755.8	...	...	S E	2	...
hun,	,,	29.71	754.6	...	...	W	6	...	,,	29.76	755.8	...	...	W	4	...
adores,	,,	29.68	753.8	...	...	S	6	...	,,	29.72	754.9	...	...	S	4	...
ton,	3 p.	29.54	750.3	88	76	S	2	o	9 a.	29.66	753.3	85	83	S	2	o
gkong,	4 p.	29.60	751.8	85	80	S S W	3	oq	10 a.	29.71	754.6	83	79	S W	3	oq
oria Peak,	,,	...	...	...	...	S	7	...	,,	...	...	...	...	S W	7	...
Rock,	,,	29.56	750.8	...	...	S W	4	...	,,	29.69	754.1	...	...	S S W	4	...
so,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
kow,	3 p.	29.53	750.0	84	...	W	1	c	9 a.	29.69	754.1	81	...	E	1	or
ow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hoi,	,,	29.57	751.1	88	80	W S W	2	o	,,	...	...	...	...	...	...	...
lien,	4 p.	29.54	750.2	84	...	W	4	o	8 a.	29.67	753.6	79	...	N N W	2	o
rane,	,,	29.59	751.5	...	...	S E	...	...	,,	29.68	753.8	91	..	...	0	c
St. James,	,,	29.72	754.8	79	...	S W	5	o	,,	29.82	75.75	79	...	S W	3	c
rri,	2 p.	29.71	754.6	90	...	N E	2	b	6 a.	29.79	756.7	77	...	S	2	b
ila,	4 p.	29.76	756	84	77	S W	1	c	10 a.	29.84	758	84	77	S W	1	o
aspi,	2 p.	29.76	755.9	91	...	W	2	o	6 a.	29.82	757.5	79	...	W	2	o
olod,	3 p.	...	...	...	...	E	3	olt	9 a.	...	...	...	...	S	2	o
o,	,,	29.81	757.2	85	...	S W	1	od	,,	29.89	759.2	81	...	N	2	...
a,	,,	29.78	756.4	77	...	S	1	c	,,	29.93	760.2	81	...	...	0	o
uan,	,,	29.79	756.6	88	...	...	...	...	,,	29.83	758.9	84	...	...	...	...

On the 15th at 11.45 a.—The barometer has risen generally, moderately over China and Japan, and slightly in the Philippines and Annam.

The depression lying over S.E. Japan yesterday, is moving away over the Pacific.

Pressure is still low over S. China, and relatively high over the S. part of the China Sea.

The area of high pressure remains over the Pacific to the N.E. of Japan.

Fresh S. and S.W winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	S.W. winds, fresh; squally, showery.
Formosa Channel,	S. winds, fresh.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 15th August, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th August, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	16th August, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.78	756.6	76	...	N	2	c	7 a.	29.91	759.6	62	87	N N W	1	b
Nemuro,	,,	30.02	762.6	...	...	N E	4	...	6 a.	30.08	764.1	...	...	N E	2	
Hakodate,	,,	29.87	758.7	...	...	E	6	...	,,	29.97	761.2	...	...	E	2	
Tokio,	,,	29.57	751.1	...	...	N N E	1	...	,,	29.63	752.6	...	...	N W	1	
Kochi,	,,	29.60	751.8	...	...	S E	1	...	,,	29.62	752.3	...	...	W S W	1	
Nagasaki,	,,	29.64	752.8	...	...	W S W	3	...	,,	29.64	752.8	...	...	...	0	
Kagoshima,	,,	29.64	752.9	...	...	W N W	2	...	,,	29.64	752.9	...	...	...	0	
Oshima,	,,	29.69	754.1	...	...	N	1	...	,,	29.67	753.6	...	...	S	1	
Naha,	,,	29.73	755.2	...	...	S W	2	...	,,	29.71	754.7	...	...	S W	1	
Ishigakijima,	,,	29.76	755.8	...	...	S W	5	...	,,	29.76	755.8	...	...	S W	4	
Bonin Is.	,,	29.73	755.1	...	...	S W	2	...	,,	29.65	753.1	...	...	S	4	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	...	...	80	68	N	2	c	9 a.	29.74	755.4	87	53	N	3	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Shanghai,	,,	29.67	753.6	80	82	S W	1	o	9 a.	29.74	755.4	83	71	N N W	2	c
Gutzlaff,	,,	29.65	753.1	78	82	S	2	cv	,,	29.69	754.1	83	79	N W	2	c
Sharp Peak,	,,	29.62	752.3	86	84	S W	4	c	,,	29.73	755.1	82	93	N E	1	or
Amoy,	,,	29.73	755.1	88	73	S	2	c	6 a.	29.74	755.4	81	87	S	1	b
Swatow,	,,	29.64	752.8	90	77	S W	1	c	,,	29.70	754.4	79	95	S W	1	c
Taihoku,	1 p.	29.70	754.3	...	...	W	6	...	5 a.	29.72	754.8	...	...	S	2	
Taichu,	,,	29.74	755.4	...	...	S W	4	...	,,	29.75	755.6	...	...	...	0	
Tainan,	,,	29.78	756.3	...	...	S W	4	...	,,	29.75	755.6	...	...	S	2	
Koshun	,,	29.78	756.5	...	...	S W	6	...	,,	29.77	756.1	...	...	W	4	
Pescadores,	,,	29.75	755.7	...	...	S W	6	...	,,	29.74	755.3	...	...	S W	2	
Canton,	3 p.	29.64	752.8	88	76	S	2	o	9 a.	29.75	755.6	84	87	W	1	c
Hongkong,	4 p.	29.69	754.1	84	79	S	1	op	10 a.	29.77	756.1	85	81	W	1	c
Victoria Peak,	,,	...	...	...	...	S	5	...	,,	...	...	...	...	S S W	3	
Gap Rock,	,,	29.65	753.1	...	...	S S W	3	...	,,	29.75	755.6	...	...	S S W	2	
Macao,	,,	29.68	753.9	84	...	S S W	3	o	,,	...	...	...	...	...	...	
Wuchow,	3 p.	29.67	753.6	81	...	E	1	or	9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.63	752.5	84	...	S E	0	o	8 a.	29.71	754.7	81	...	E N E	3	
Tourane,	,,	29.64	752.8	88	...	N W	2	c	,,	29.72	754.9	90	..	N	1	
Cape St. James,	,,	29.74	755.4	79	...	S W	6	or	,,	29.83	757.6	77	...	W S W	4	
Aparri,	2 p.	29.74	755.4	91	...	N E	2	b	6 a.	29.80	757.0	79	...	S	2	
Manila,	4 p.	29.76	756	84	77	S W	2	c	10 a.	29.84	758	84	77	W S W	1	
Legaspi,	2 p.	29.77	756.1	90	...	S W	2	c	6 a.	29.84	758.0	75	...	W	2	
Bacolod,	3 p.	...	...	...	...	W S W	3	o	9 a.	...	...	...	...	...	0	
Iloilo,	,,	29.79	756.6	84	...	S W	2	o	,,	29.89	759.2	81	...	...	2	
Cebu,	,,	29.83	757.7	84	...	...	0	...	,,	29.93	760.2	80	...	...	0	
Labuan,	,,	29.76	755.7	89	...	...	...	...	,,	29.89	759.2	83	...	...	...	

On the 16th at 12.30 p.—The barometer has fallen moderately at the Bonins, and risen moderately to slight over China and Tongking.

Pressure is now practically normal over S. China. It remains low over S. Japan, and high over N.E. Japan and Manchuria.

Light or moderate variable winds may be expected in the Formosa Channel, and light S. and S.W. winds along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. and S. winds, light; fair.
2.—Formosa Channel,	Variable winds, light or moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 16th August, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th August, 1910, P.M.								17th August, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ıdivostock,...	2 p.	29.91	759.8	76	...	N	0	b	7 a.	29.96	761.0	62	81	W S W	0	c
nure.....	,,	30.06	763.6	...	...	N E	3	...	6 a.	...	...	...	...	...	...	...
ıodate,.....	,,	29.97	761.2	...	...	S E	4	...	,,	...	...	...	...	...	...	...
io.	,,	29.63	752.6	...	...	N N W	2	...	,,	...	...	...	...	...	...	...
hi.	,,	29.60	751.8	...	...	N E	1	...	,,	...	...	...	...	...	...	...
asaki, ...	,,	29.64	752.8	...	...	W	2	...	,,	...	...	...	...	...	...	...
oshima, ...	,,	29.62	752.4	...	...	S E	1	...	,,	...	...	...	...	...	...	...
ima.....	,,	29.65	753.1	...	...	N	2	...	,,	...	...	...	...	...	...	...
a.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
gakijima.....	,,	29.74	755.3	...	...	S S W	3	...	,,	...	...	...	...	...	...	...
in Is.....	,,	29.63	752.6	...	...	N W	1	...	,,	...	...	...	...	...	...	...
foo.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ihaiwei,.....	,,	29.73	755.1	79	66	N	3	b	9 a.	29.83	757.7	78	65	N E	3	b
kow, ...	,,	...	..	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang,.....	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
ghai.	,,	29.69	754.1	84	68	N N W	3	c	9 a.	29.79	756.6	82	71	N W	2	c
ıdaff.	,,	29.65	753.1	85	72	N	2	cv	,,	29.73	755.1	79	91	N N E	3	op
p Peak,.....	,,	29.70	754.4	81	87	E N E	2	o	,,	29.80	756.9	80	96	W N W	1	or
y.....	,,	29.72	754.9	89	66	S	4	b	6 a.	29.74	755.4	81	83	N E	3	c
tow,.....	,,	29.64	752.8	94	64	S S W	1	b	,,	29.69	754.1	89	91	N E	1	c
oku.....	1 p.	29.69	754.2	...	...	W	6	...	5 a.	29.75	755.6	...	...	...	0	...
hu.	,,	29.72	754.9	...	...	S W	4	...	,,	29.76	755.9	...	...	...	0	...
an,.....	,,	29.75	755.6	...	...	S W	2	...	,,	29.78	756.5	...	...	S E	2	...
bum.....	,,	29.78	756.4	...	...	W	6	...	,,	29.77	756.1	...	...	N	2	...
adores, ...	,,	29.74	755.3	...	...	S W	6	...	..	29.76	755.9	...	...	S W	2	...
on.....	3 p.	29.67	753.6	90	66	W S W	1	b	9 a.	29.73	756.4	85	83	...	0	b
gkong, ...	4 p.	29.69	754.1	88	67	...	0	c	10 a.	29.79	756.6	86	80	W	1	c
oria Peak,...	,,	...	...	...	...	S S W	3	...	,,	...	...	...	...	S S E	1	...
Rock,.....	,,	29.68	753.9	...	...	S	2	...	,,	29.78	756.4	...	...	S	2	...
o.	,,	29.72	754.9	86	...	S S E	2	c	,,	...	...	...	...	...	...	...
how,.....	3 p.	29.67	753.6	87	...	S W	1	b	9 a.	...	...	...	...	...	...	...
ow.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ien.....	4 p.	29.64	752.9	82	...	E S E	3	o	8 a.	29.75	755.5	81	...	E	2	c
ane.....	,,	29.64	752.9	86	...	N	1	c	,,	29.71	754.6	90	..	N N E	1	c
St. James,.	,,	29.74	755.4	82	...	N W	2	c	,,	29.80	756.9	77	...	S W	5	o
ri.....	2 p.	29.75	755.7	90	...	N E	2	b	6 a.	29.79	756.7	72	...	S	2	b
la, ...	4 p.	29.72	755	88	71	S W	2	c	10 a.	29.34	758	84	77	...	0	o
spi.....	2 p.	29.76	755.9	91	...	W	2	b	6 a.	29.81	757.1	75	...	...	0	b
lod,.....	3 p.	...	...	...	...	W S W	3	o	9 a.	...	...	...	...	W S W	2	o
.....	,,	29.77	756.1	85	...	...	0	b	,,	29.85	758.2	82	...	...	0	o
.....	,,	29.78	756.4	84	...	...	2	b	,,	29.87	758.7	85	...	...	1	b
an, ...	,,	29.79	756.6	86	...	...	...	...	,,	29.85	758.2	82	...	...	...	...

On the 17th at 12.10 p.—The barometer has risen slightly on the China coast, and fallen a little over the Philippines and Annam.

High pressure covers Manchuria and the N. part of the Sea of Japan, and a low pressure trough the N. part of China Sea.

The Japanese returns are not in hand.

Light or moderate N.E. and E. winds may be expected in the Formosa Channel, and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	E. winds, light or moderate; showery.
Formosa Channel, ...	N.E. winds, light or moderate.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 17th August, 1910.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th August, 1910, P.M.									18th August, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.95	760.7	71	...	W S W	6	b		7 a.	29.98	761.4	59	93	...	0	f
Nemuro,	,,	30.00	762.1	...	...	N N E	3	...		6 a.	29.99	761.6	...	...	S	1	
Hakodate,	,,	29.99	761.7	...	...	...	...	...		,,	30.05	763.2	...	...	N N W	1	
Tokio,	,,	29.81	757.1	...	...	N N E	3	...		,,	29.95	760.6	...	...	N N W	1	
Kochi,	,,	29.83	757.8	...	...	N E	1	...		,,	29.84	757.8	...	...	W S W	1	
Nagasaki,	,,	29.70	754.3	...	...	W	1	...		,,	29.82	757.3	...	...	N N E	1	
Kagoshima,	,,	29.70	754.4	...	...	S W	1	...		,,	29.80	756.9	...	...	N E	2	
Oshima,	,,	...	...	...	...	...	...	...		,,	29.75	755.6	...	...	S	1	
Naha,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	
Ishigakijima,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	
Bonin Is.	,,	29.61	752.1	...	...	S W	3	...		,,	29.73	755.1	...	...	W	1	
Chefoo,	4 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.81	757.2	79	70	E N E	5	c		9 a.	29.91	759.7	80	72	E N E	5	b
Hankow,	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	
Shanghai,	,,	29.75	755.6	87	64	N N W	2	c		9 a.	29.83	757.7	83	71	N N W	1	
Gutzlaff,	,,	29.69	754.1	83	67	N	3	cv		,,	29.85	758.2	81	83	N N E	2	
Sharp Peak,	,,	29.76	755.9	82	...	E	1	b		,,	29.83	757.7	82	...	...	0	b
Amoy,	,,	29.71	754.6	86	76	E S E	2	b		6 a.	29.77	756.1	80	91	W	3	
Swatow,	,,	29.69	754.1	86	84	S S E	1	b		,,	29.76	755.9	82	91	S W	1	
Taihoku,	1 p.	29.80	756.8	...	...	W	2	...		5 a.	29.82	757.3	...	...	...	0	
Taichu,	,,	29.79	756.6	...	...	S W	4	...		,,	29.83	757.6	...	...	...	0	
Tainan,	,,	29.82	757.3	...	...	W	4	...		,,	29.84	757.8	...	...	...	0	
Koshun	,,	29.80	757.0	...	...	N W	4	...		,,	29.84	757.8	...	...	E	2	
Pescadores,	,,	29.80	756.9	...	...	W	4	...		,,	29.82	757.3	...	...	E	...	
Canton,	3 p.	29.68	753.9	91	63	S	1	b		9 a.	29.82	757.4	86	80	...	0	b
Hongkong,	4 p.	29.73	755.1	85	77	S	1	c		10 a.	29.84	757.9	85	77	E	1	
Victoria Peak,	,,	...	...	...	...	S	2	...		,,	...	...	...	...	E	1	
Gap Rock,	,,	29.71	754.6	...	...	S W	2	...		,,	29.82	757.4	...	...	S E	2	
Macao,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	
Wuchow,	3 p.	29.70	754.4	87	...	S E	2	c		9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	
Phulien,	4 p.	29.68	753.8	82	...	E N E	3	c		8 a.	29.80	757.0	82	...	N E	2	
Tourane,	,,	29.64	752.8	88	...	S E	2	c		,,	29.77	756.2	86	..	S E	1	
Cape St. James,	,,	29.68	753.9	84	...	S	2	lt		,,	29.86	757.3	79	...	W S W	2	
Aparri,	2 p.	29.78	756.4	91	...	N	2	b		6 a.	29.82	757.5	79	...	S W	2	
Manila,	4 p.	29.72	755	86	71	W N W	1	c		10 a.	29.84	758	86	79	W N W	1	
Legaspi,	2 p.	29.76	755.9	88	...	S E	2	c		6 a.	29.84	757.9	75	...	...	0	
Bacolod,	3 p.	...	...	...	...	E	3	o		9 a.	...	...	...	...	N N W	2	
Iloilo,	,,	29.77	756.1	84	...	...	6	o		,,	29.87	758.7	84	...	...	0	
Cebu,	,,	29.76	755.9	87	...	N	1	b		,,	29.92	759.9	85	...	N	1	
Labuan,	,,	29.76	755.9	88	...	...	...	...		,,	29.88	758.9	89	...	...	...	

On the 18th at 11.55 a.—The barometer has risen generally, more particularly over S. Japan.

Pressure remains high over Manchuria and the N. part of the Sea of Japan. It is relatively low over the Pa to the South of Japan.

Gradients are slight over S. China and the China Sea and light variable winds may be expected along the co

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. or variable winds, light; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 18th August, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th August, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	19th August, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
adivostock,	2 p.	29.96	760.9	73	...	S W	0	b	7 a.	29.95	760.8	62	95	E	0	c
nuro,	,,	29.96	761.1	...	...	W N W	1	...	6 a.	30.04	763.1	...	...	...	0	...
kodate,	,,	30.01	762.2	...	...	S S	2	...	,,	30.07	763.7	...	...	...	0	...
io,	,,	29.98	761.6	...	...	N E	2	...	,,	30.06	763.6	...	...	N W	1	...
hi,	,,	29.83	757.8	...	...	S E	1	...	,,	29.93	760.3	...	...	W S W	1	...
asaki,	,,	29.82	757.3	...	...	N N W	2	...	,,	29.89	759.3	...	...	E N E	1	...
goshima,	,,	29.80	756.9	...	...	S E	3	...	,,	29.82	757.4	...	...	E N E	2	...
ima,	,,	29.77	756.1	...	...	N N E	2	...	,,	29.81	757.1	...	...	S S E	1	...
ha,	,,	29.81	757.2	...	...	N W	1	...	,,	29.81	757.2	...	...	...	0	...
igakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
in Is.	,,	29.75	755.6	...	...	...	0	...	,,	29.81	757.1	...	...	...	0	...
foo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ihaiwei,	,,	29.89	759.2	78	72	E N E	4	b	9 a.	29.89	759.2	77	85	E N E	3	o
kow,	,,	...	..	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
nghai,	,,	29.79	756.6	85	72	N E	2	o	9 a.	29.82	757.4	86	68	E S E	1	c
zlaff,	,,	29.82	757.4	85	79	N E	3	cv	,,	29.86	758.4	83	83	E S E	4	c
rp Peak,	,,	29.76	755.9	84	...	...	0	b	,,	29.83	757.7	83	96	E S E	1	or
oy	,,	29.68	753.9	86	76	E	1	b	6 a.	29.73	755.1	79	87	S W	1	b
tow,	,,	29.73	755.1	86	80	S	1	o	,,	...	...	...	...	...	...	...
hoku	1 p.	29.83	757.7	...	...	S W	2	...	5 a.	29.31	757.1	...	...	S	2	...
hu,	,,	29.80	756.8	...	...	S	2	...	,,	29.79	756.6	...	...	...	0	...
an,	,,	29.83	757.7	...	...	W	4	...	,,	29.82	757.4	...	...	...	0	...
hun	,,	29.80	756.8	...	...	N W	4	...	,,	29.82	757.3	...	...	...	0	...
adores,	,,	29.83	757.6	...	...	W	4	...	,,	29.80	757.0	...	...	S	2	...
ton	3 p.	29.75	755.6	91	60	S	2	b	9 a.	29.85	758.2	86	80	W	1	b
gkong,	4 p.	29.77	756.1	85	73	S	1	c	10 a.	29.86	758.4	85	78	W	1	o
oria Peak,	,,	...	...	...	...	S	2	...	,,	...	...	...	...	S W	1	...
Rock,	,,	29.75	755.6	...	...	S S E	3	...	,,	29.84	757.9	...	...	S W	2	...
ao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
how,	3 p.	29.77	756.1	...	...	W	1	c	9 a.	29.84	757.9	83	87	E	1	c
ow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hoi,	,,	29.67	753.6	84	87	W	1	o	,,	...	...	...	...	..	...	...
lien,	4 p.	29.74	755.5	86	...	S E	1	c	8 a.	29.87	758.6	81	...	E S E	0	o
ane,	,,	29.70	754.3	86	...	E S E	2	b	,,	29.81	757.1	88	..	W S W	2	c
St. James,	,,	29.72	755.0	84	...	S	4	c	,,	29.86	758.5	81	...	W S W	3	c
ri,	2 p.	29.81	757.1	88	...	N W	2	b	6 a.	29.84	757.9	77	...	S	2	c
ila,	4 p.	29.72	755	90	61	W S W	1	b	10 a.	29.84	758	90	60	N N E	0	c
spi,	2 p.	29.79	756.6	91	...	E	2	b	6 a.	29.82	757.5	75	...	...	0	b
lod,	3 p.	...	...	...	...	E	3	o	9 a.	...	...	...	...	N W	2	c
...	,,	29.79	756.6	87	...	N W	...	o	,,	29.87	758.7	84	...	N E	1	b
...	,,	29.76	755.9	88	...	N	2	b	,,	29.87	758.7	85	...	...	0	b
an,	,,	29.78	756.4	85	...	...	...	...	,,	29.81	757.2	83	...	...	...	...

On the 19th at 11.50 a.—The barometer is inclined to fall over N. China. It has risen slightly over Japan and nam.

The high pressure area covers E. Japan, and pressure is relatively low over the interior of China.

Gradients continue slight in the South and light variable winds may be expected in the Formosa Channel and N. part of the China Sea.

Hongkong **Rainfall for the 24 hours ending at 10 a.m. to-day,** 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood,	S.W. or variable winds, light; fair.
ormosa Channel,	Variable winds, light.
outh coast of China between Hongkong and Lamocks,	Same as No. 1.
outh coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 19th August, 1910.

inted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th August, 1910, P.M.								20th August, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.95	760.6	74	...	S	0	b	7 a.	29.94	760.4	61	90	E S E	1	c
Nemuro,	,,	30.04	763.1	...	...	S	3	...	6 a.	30.10	764.6	...	...	S W	2	
Hakodate,	,,	30.03	762.7	...	...	S E	2	...	,,	30.07	763.7	...	...	...	0	
Tokio,	,,	30.04	763.1	...	...	N N W	2	...	,,	30.01	762.1	...	...	N N W	2	
Kochi,	,,	29.91	759.8	...	...	S E	1	...	,,	29.91	759.8	...	...	W S W	1	
Nagasaki,	,,	29.87	758.8	...	...	W	2	...	,,	29.91	759.8	...	...	E S E	1	
Kagoshima,	,,	29.90	759.4	...	...	E N E	1	...	,,	29.92	759.9	...	...	N E	1	
Oshima,	,,	29.81	757.1	...	...	S E	2	...	,,	29.85	758.1	...	...	S S E	1	
Naha,	,,	29.81	757.2	...	...	W N W	1	...	,,	29.83	757.7	...	...	...	0	
Ishigakijima,	,,	29.83	757.8	...	...	S E	2	...	,,	29.82	757.3	...	...	E	1	
Bonin Is.	,,	29.81	757.1	...	...	S	2	...	,,	29.89	759.1	...	...	S S W	2	
Chefoo,	4 p.	...	...	...	...	...	..	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.88	758.9	77	86	S W	1	orm	9 a.	29.83	757.7	77	86	E	2	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Shanghai,	,,	29.76	755.9	90	60	S E	2	c	9 a.	29.75	755.6	85	76	S E	3	
Gutzlaff,	,,	29.81	757.2	83	83	E S E	3	cv	,,	29.81	757.2	83	83	S E	3	
Sharp Peak,	,,	29.76	755.9	84	...	S	1	c	,,	29.80	756.9	84	96	...	0	
Amoy	,,	29.75	755.6	84	79	S S E	1	b	6 a.	29.78	756.4	80	87	S W	3	
Swatow,	,,	29.77	756.1	93	...	S S W	1	b	,,	29.75	755.6	79	91	N N W	1	
Taihoku	1 p.	29.81	757.1	...	...	N W	4	...	5 a.	29.78	756.5	...	...	...	0	
Taichu,	,,	29.82	757.5	...	...	S	2	...	,,	29.81	757.1	...	...	...	0	
Tainan,	,,	29.85	758.3	...	...	W	2	...	,,	29.81	757.2	...	...	E	2	
Koshun	,,	29.86	758.5	...	...	E	2	...	,,	29.83	757.6	...	...	N	2	
Pescadores,	,,	29.34	758.0	...	...	S W	6	...	,,	29.79	756.7	...	...	S	4	
Canton,	3 p.	29.76	755.9	91	63	S	1	b	9 a.	29.82	757.4	85	79	...	0	
Hongkong,	4 p.	29.79	756.6	88	69	S W	1	o	10 a.	29.84	757.9	84	81	W	1	
Victoria Peak,	,,	...	...	...	...	S W	3	...	,,	...	...	...	...	S W	4	
Gap Rock,	,,	29.77	756.1	...	...	W S W	3	...	,,	29.82	757.4	...	...	W S W	3	
Macao,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	
Wuchow,	3 p.	29.77	756.1	87	69	S	4	qt	9 a.	29.82	757.4	82	...	E	1	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.77	756.1	86	...	S E	2	c	8 a.	29.83	757.6	82	...	S S E	2	
Tourane,	,,	29.74	755.5	86	...	S E	2	c	,,	29.84	757.9	88	..	...	0	
Cape St. James,	,,	29.77	756.2	86	...	S W	3	c	,,	29.86	758.4	81	...	W S W	2	
Aparri,	2 p.	29.81	757.2	90	...	N	2	b	6 a.	29.84	757.8	77	...	S W	2	
Manila,	4 p.	29.76	756	84	85	...	0	d	10 a.	29.84	758	83	66	W	1	
Legaspi,	2 p.	29.77	756.1	90	...	E	2	c	6 a.	29.82	757.5	75	...	...	0	
Bacolod,	3 p.	...	...	...	...	N N E	4	o	9 a.	...	...	...	...	N N W	2	
Iloilo,	,,	29.81	757.2	88	...	N E	3	b	,,	29.87	758.7	85	...	N E	1	
Cebu,	,,	29.78	756.4	88	...	N	2	b	,,	29.92	759.9	85	...	E	1	
Labuan,	,,	29.76	755.9	85	...	...	...	...	,,	29.84	757.9	83	...	...	...	

On the 20th at 11.45 a.—The barometer has fallen slightly over China, and risen a little over S.W. Japan and the Bonins

A depression appears to be developing over the Yangtze valley.

Pressure remains high over E. Japan.

Gradients are slight in the South, and light monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood.	S.W. winds, light to moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 20th August, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th August, 1910, P.M.								21st August, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
divostock, ...	2 p.	29.91	759.7	72	...	S W	0	b	7 a.	29.80	756.9	62	81	S	1	o
uro, ...	,,	30.06	763.6	...	...	S W	5	...	6 a.	30.01	762.1	...	...	S W	1	...
odate, ...	,,	30.01	762.2	...	...	E	4	...	,,	29.93	760.2	...	...	E	1	...
io, ...	,,	29.89	759.1	...	...	N N W	2	...	,,	29.75	755.6	...	...	N N W	8	...
hi, ...	,,	29.85	758.3	...	...	S	1	...	,,	29.89	759.3	...	...	S W	1	...
asaki, ...	,,	29.91	759.8	...	...	W S W	2	...	,,	29.88	758.3	...	...	...	3	...
oshima, ...	,,	29.90	759.4	...	...	S	1	...	,,	29.90	759.4	...	...	N E	1	...
ima, ...	,,	29.87	758.6	...	...	S	2	...	,,	29.87	758.6	...	...	...	0	...
a, ...	,,	29.85	758.2	...	...	S W	1	...	,,	29.83	757.7	...	...	...	0	...
gakijima, ...	,,	...	...	...	...	...	...	...	,,	29.82	757.3	...	...	S	1	...
m Is.	,,	...	...	...	...	...	...	...	,,	29.95	760.6	...	...	S S W	1	...
foo, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
haiwei, ...	,,	29.75	755.6	75	88	N E	5	or	9 a.	29.45	748.0	74	95	N W	5	or
kow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ghai, ...	,,	29.66	753.3	88	69	S E	3	c	9 a.	29.61	752.1	84	83	S S W	2	od
klaff, ...	,,	29.74	755.4	81	...	S E	4	cv	,,	29.66	753.3	83	83	S	6	cv
p Peak, ...	,,	29.72	754.9	85	...	S E	1	b	,,	29.75	755.6	83	96	S	1	b
y, ...	,,	29.76	755.9	89	66	S E	2	b	6 a.	29.79	756.6	81	91	S S W	3	b
tow, ...	,,	29.71	754.6	91	63	S W	1	c	,,	29.72	754.9	80	91	S	1	c
oku, ...	1 p.	29.79	756.7	...	...	N W	4	...	5 a.	29.78	756.5	...	...	W	2	...
hu, ...	,,	29.82	757.3	...	...	W	4	...	,,	29.84	757.8	...	...	...	0	...
an, ...	,,	29.85	758.1	...	...	W	6	...	,,	29.84	757.8	...	...	E	2	...
un, ...	,,	29.85	758.1	...	...	W	2	...	,,	29.84	757.9	...	...	...	0	...
adores, ...	,,	29.82	757.5	...	...	S	6	...	,,	29.81	757.1	...	...	S	6	...
on, ...	3 p.	29.73	755.1	90	70	S	2	b	9 a.	29.77	756.1	86	80	W	2	c
gkong, ...	4 p.	29.75	755.6	88	73	S W	1	o	10 a.	29.80	756.9	85	78	S W	2	c
oria Peak, ...	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	S S W	5	...
Rock, ...	,,	29.73	755.1	...	...	S W	3	...	,,	29.77	756.1	...	...	S W	4	...
o, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
how, ...	3 p.	29.72	754.9	91	63	W	1	c	9 a.	29.78	756.4	84	...	...	0	o
ow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi, ...	,,	29.79	756.6	90	70	S W	3	c	,,	...	...	...	...	...	...	...
ien, ...	4 p.	29.72	754.8	90	...	S S E	5	b	8 a.	29.81	757.1	84	...	S	3	c
ane, ...	,,	29.74	755.5	88	...	E S E	1	c	,,	...	...	...	..	...	...	...
St. James, .	,,	29.76	755.8	86	...	S	2	c	,,	29.87	758.7	81	...	S W	1	c
ri, ...	2 p.	29.80	756.9	90	...	N E	2	b	6 a.	29.84	757.9	77	...	S	2	c
la, ...	4 p.	29.76	756	88	72	W N W	0	ot	10 a.	29.88	759	81	85	N E	1	d
spi, ...	2 p.	29.79	756.7	88	...	E	2	o	6 a.	29.86	758.3	77	...	...	0	o
lod, ...	3 p.	...	...	...	...	E	1	o	9 a.	...	...	...	...	S	1	o
.....	,,	29.77	756.1	84	...	...	2	o	,,	29.87	758.7	81	...	...	0	o
.....	,,	29.79	756.6	86	...	N	3	c	,,	29.88	758.9	82	...	...	0	c
an, ...	,,	29.73	755.1	88	...	...	...	...	,,	...	...	...	...	...	...	...

On the 21st at 11.35 a.—The depression lying over the Yangtze valley yesterday, has moved towards NE and ched the neighbourhood of Wei-hai-wei where the barometer has fallen rapidly.

A second depression lies off the SE coast of Japan.

Pressure is still high but giving way over NE Japan.

Fresh SW winds may be expected in the Formosa Channel and over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	SW winds, moderate to fresh; fair to showery.
ormosa Channel, ...	S. and SW winds, fresh.
outh coast of China between Hongkong and Lamocks, .	Same as No. 1.
outh coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 21st August, 1910.

inted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st AUGUST, 1910, P.M.								22nd AUGUST, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.93	760.1	...	...	S	3	...	6 a.	29.85	758.1	...	...	E N E	1	...
Hakodate,	,,	29.87	758.7	...	...	S E	3	...	,,	29.79	756.7	...	...	...	0	...
Tokio,	,,	29.73	755.1	...	...	S W	1	...	,,	29.87	758.6	...	...	...	0	...
Kochi,	,,	29.83	757.8	...	...	S E	1	...	,,	29.84	757.8	...	...	S W	1	...
Nagasaki,	,,	29.82	757.3	...	...	E S E	3	...	,,	29.82	757.3	...	...	S	3	...
Kagoshima,	,,	29.84	757.9	...	...	S W	1	...	,,	29.84	757.9	...	...	...	0	...
Oshima,	,,	29.83	757.6	...	...	S	2	...	,,	29.83	757.6	...	...	S	1	...
Naha,	,,	29.81	757.2	...	...	S S W	1	...	,,	29.85	758.2	...	...	S S W	1	...
Ishigakijima,	,,	29.82	757.3	...	...	S W	4	...	,,	...	...	...	...	S S W	4	...
Bonin Is.	,,	29.94	760.6	...	...	S S E	1	...	,,	29.93	760.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.30	744.2	76	91	S S W	5	c	9 a.	29.46	748.3	79	74	S S W	6	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.58	751.3	87	72	W N W	3	cq	9 a.	29.68	753.9	81	73	S W	1	c
Gutzlaff,	,,	29.65	753.1	83	96	S	3	om	,,	29.73	755.1	78	86	N W	1	cy
Sharp Peak,	,,	29.64	752.8	85	83	S E	4	b	,,	29.76	755.9	84	100	...	0	c
Amoy,	,,	29.68	753.9	87	69	S	5	c	6 a.	29.75	755.6	81	87	S	2	b
Swatow,	,,	29.67	753.6	86	76	S W	2	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.74	755.4	...	...	W	2	...	5 a.	29.73	756.3	...	...	...	0	...
Taichu,	,,	29.77	756.2	...	...	W	4	...	,,	29.80	756.9	...	...	...	0	...
Tainan,	,,	29.83	757.6	...	...	S W	4	...	,,	29.83	757.7	...	...	S E	4	...
Koshun	,,	29.83	757.7	...	...	W	4	...	,,	29.85	758.2	...	...	...	0	...
Pescadores,	,,	29.79	756.7	...	...	S W	6	...	,,	29.82	756.8	...	...	S W	2	...
Canton,	3 p.	29.69	754.1	91	70	S	2	b	9 a.	29.80	756.9	...	...	W	1	c
Hongkong,	4 p.	29.73	755.1	86	71	S W	3	o	10 a.	29.84	757.9	86	73	S W	2	c
Victoria Peak,	,,	...	...	...	...	S	6	...	,,	...	...	...	...	S W	5	...
Gap Rock,	,,	29.70	754.4	...	...	S W	5	...	,,	29.82	757.4	...	...	S W	3	...
Macao,	,,	29.75	755.6	87	...	S S W	3	c	,,	29.85	758.2	87	...	W S W	2	c
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.72	755.0	82	...	N W	3	c	8 a.	29.80	756.8	82	...	S S W	0	c
Tourane,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	84	..	...	0	c
Cape St. James,	,,	29.77	756.1	84	...	S	1	c	,,	29.86	758.3	81	...	N W	1	c
Aparri,	2 p.	29.77	756.1	91	...	N E	2	b	6 a.	29.84	758.0	79	...	S	2	b
Manila,	4 p.	29.80	757	77	100	...	0	d	10 a.	29.88	759	86	71	...	0	b
Legaspi,	2 p.	29.30	757.0	88	...	E	2	...	6 a.	29.88	758.9	75	...	...	0	b
Bacolod,	3 p.	...	...	...	...	E	1	o	9 a.	...	...	...	...	...	...	...
Iloilo,	,,	29.81	757.2	83	...	S W	1	od	,,	...	...	...	...	...	...	...
Cebu,	,,	29.82	757.4	83	...	N	1	c	,,	...	...	...	...	...	...	...
Labuan,	,,	29.86	758.4	86	...	...	...	...	,,	29.85	758.2	82	...	...	...	...

On the 22nd at 11.55 a.—The barometer has risen over N. China, and fallen in N.E. Japan.

The depression lying in the vicinity of Wei-hai-wei yesterday, is moving towards N.E. over Manchuria.

Pressure is now highest over the Pacific in the neighbourhood of the Bonins.

Fresh to moderate S.W. winds may be expected in the Formosa Channel and over the northern shores of China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, moderate; fair.
2.—Formosa Channel,	S.W. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 22nd August, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd August, 1910, P.M.								23rd August, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
divostock,	2 p.	29.37	746.0	66	...	E S E	6	or	7 a.	29.44	747.8	64	95	S S E	1	o
uro,	,,	29.79	756.6	...	...	S S E	1	...	6 a.	...	...	...	...	...	...	...
odate,	,,	29.77	756.2	...	...	E S E	1	...	,,	...	...	...	...	...	...	...
io,	,,	29.81	757.1	...	...	S S W	1	...	,,	...	...	...	...	...	...	...
hi,	,,	29.82	757.3	...	...	S E	2	...	,,	...	...	...	...	...	...	...
asaki,	,,	29.78	756.3	...	...	S S W	4	...	,,	...	...	...	...	...	...	...
oshima,	,,	29.80	756.9	...	...	S W	1	...	,,	...	...	...	...	...	...	...
ima,	,,	29.85	758.1	...	...	S S W	1	...	,,	...	...	...	...	...	...	...
a,	,,	29.87	758.7	...	...	S S W	1	...	,,	...	...	...	...	...	...	...
gakijima,	,,	29.83	757.8	...	...	S W	7	...	,,	...	...	...	...	...	...	...
in Is.	,,	29.94	760.6	...	...	S W	1	...	,,	...	...	...	...	...	...	...
foo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
haiwei,	,,	29.43	747.5	83	75	S	6	c	9 a.	29.57	751.1	83	75	W S W	1	b
kow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ghai,	,,	29.65	753.1	89	59	W S W	2	c	9 a.	29.73	755.1	83	69	S W	2	b
laff,	,,	29.73	755.1	82	79	W S W	2	cv	,,	29.79	756.6	84	87	W S W	1	cv
p Peak,	,,	29.68	753.9	86	87	S	4	b	,,	29.80	756.9	85	100	...	0	b
y,	,,	29.76	755.9	84	79	S	3	b	6 a.	29.78	756.4	81	83	...	0	b
tow,	,,	29.73	755.1	93	64	S W	1	b	,,	29.76	755.9	81	83	S W	1	b
oku,	1 p.	29.78	756.5	...	...	W	6	...	5 a.	29.84	758.0	...	...	S	2	...
hu,	,,	29.83	757.8	...	...	W	6	...	,,	29.85	758.1	...	...	...	0	...
an,	,,	29.87	758.7	...	...	W	4	...	,,	29.85	758.5	...	...	E	2	...
nm,	,,	29.85	758.2	...	...	N W	4	...	,,	29.85	758.2	...	...	N W	2	...
adores,	,,	29.83	757.7	...	...	S W	4	...	,,	29.83	757.6	...	...	S W	2	...
on,	3 p.	29.73	755.1	90	63	S W	1	b	9 a.	29.85	758.2	84	79	...	0	b
gkong,	4 p.	29.76	755.9	86	71	S S W	1	c	10 a.	29.87	758.7	86	71	W	1	c
oria Peak,	,,	...	...	...	...	S	4	...	,,	...	...	...	...	S W	1	...
Rock,	,,	29.74	755.4	...	...	S W	3	...	,,	29.85	758.2	...	...	N W	1	...
o,	,,	29.77	756.1	86	...	S S W	3	c	,,	29.89	759.2	87	...	S E	1	c
how,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ien,	4 p.	29.70	754.4	88	...	S S E	3	c	8 a.	29.81	757.2	77	...	S	2	or
ane,	,,	29.73	755.1	86	...	S E	2	c	,,	...	...	...	...	...	...	...
St. James,	,,	29.76	755.9	84	...	S S E	3	c	,,	...	...	...	...	...	...	...
ri,	2 p.	29.81	757.1	95	...	S E	2	b	6 a.	29.86	758.4	77	...	S W	2	c
la,	4 p.	29.80	757	84	77	W	1	o	10 a.	29.88	759	86	71	E N E	1	o
spi,	2 p.	29.32	757.5	90	...	S E	2	b	6 a.	29.84	758.0	75	...	...	0	o
lod,	3 p.	...	...	...	...	E S E	4	r	9 a.	...	...	...	...	N W	2	o
,	,,	29.81	757.2	85	...	...	0	...	,,	29.87	758.7	82	...	N E	1	o
,	,,	29.82	757.4	83	...	S E	1	b	,,	29.88	758.9	82	...	...	0	c
m,	,,	29.78	756.4	87	...	...	...	...	,,	29.88	758.9	81	...	...	...	...

On the 23rd at 12.10 p.—The barometer has risen slightly over the China coast, and fallen a little in the S. Philippines.

The depression in the North is still shown over E. Manchuria.

Probably pressure is highest over the Pacific in the neighbourhood of the Bonins.

The Japanese returns are however, not in hand.

Gradients are slight in the South and light or moderate variable winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood.	Variable winds, light; fair.
Formosa Channel,	S.W. winds, light or moderate.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
North coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 23rd August, 1910.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd August, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	24th August, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.48	748.8	69	...	S S E	4	c	7 a.	29.68	753.9	64	94	S E	1	c
Nemuro,	,,	29.65	753.1	...	...	S S E	2	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.61	752.2	...	...	S S	1	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.75	755.6	...	...	S S W	2	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.80	756.8	...	...	E S E	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.82	757.3	...	...	S W	3	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.86	758.4	...	...	S S W	1	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.89	759.1	...	...	W	1	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.91	759.7	...	...	S S W	1	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.87	758.8	...	...	S	4	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	29.96	761.1	...	...	W S W	1	...	,,	...	...	...	...	...	...	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.61	752.1	84	62	N E	1	c	9 a.	29.78	756.4	81	67	W	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.73	755.1	94	47	S W	1	c	9 a.	29.84	757.9	89	71	S S W	1	b
Gutzlaff,	,,	29.78	756.4	86	80	W S W	1	cv	,,	29.88	758.9	85	91	S	2	cs
Sharp Peak,	,,	29.76	755.9	85	87	S S E	3	b	,,	29.86	758.4	83	...	...	0	c
Amoy,	,,	29.78	756.4	91	...	S E	3	b	6 a.	29.86	758.4	81	83	S	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.83	757.7	...	...	N W	6	...	5 a.	29.89	759.2	...	...	S E	4	...
Taichu,	,,	29.86	758.5	...	...	W	2	...	,,	29.88	758.9	...	...	...	0	...
Tainan,	,,	29.88	758.9	...	...	W	2	...	,,	29.90	759.5	...	...	E	2	...
Koshun	,,	29.87	758.6	...	...	W	2	...	,,	29.88	758.9	...	...	...	0	...
Pescadores,	,,	29.87	758.6	...	...	S W	4	...	,,	29.87	758.6	...	...	S	2	...
Canton,	3 p.	29.78	756.4	89	63	S W	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.80	756.9	86	70	E S E	1	c	10 a.	29.88	758.9	85	76	E	1	c
Victoria Peak,	,,	...	...	...	...	S S E	2	...	,,	...	...	...	...	S S E	1	...
Gap Rock,	,,	29.79	756.6	...	...	E S E	2	...	,,	29.85	758.2	...	...	S S E	2	...
Macao,	,,	29.83	757.7	87	...	S S E	1	c	,,	29.91	759.7	86	...	S E	1	c
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.74	755.4	84	...	S S E	2	c	8 a.	29.84	758.0	77	...	S S E	3	c
Tourane,	,,	29.73	755.1	84	...	S E	3	c	,,	29.82	757.4	86	..	S E	1	c
Cape St. James,	,,	29.74	755.4	84	...	S	4	c	,,	29.82	757.5	81	...	W	2	c
Aparri,	2 p.	29.83	757.7	88	...	N E	2	c	6 a.	29.85	758.1	75	...	E	0	c
Manila,	4 p.	29.76	756	82	85	...	0	o	10 a.	29.80	756	77	84	...	0	b
Legaspi,	2 p.	29.81	757.1	81	...	...	0	o	6 a.	29.82	757.3	73	...	...	0	b
Bacolod,	3 p.	...	...	...	...	E	3	o	9 a.	...	...	...	...	W N W	1	c
Iloilo,	,,	29.77	756.1	84	...	...	0	c	,,	29.82	757.4	82	...	N N W	2	b
Cebu,	,,	29.79	756.6	86	...	N	1	o	,,	29.84	757.9	85	...	S	1	b
Labuan,	,,	29.78	756.4	86	...	...	...	...	,,	29.87	758.7	82	...	...	...	...

On the 24 at 12.10 p.—The barometer has risen considerably over N. China, and fallen slightly in the Philippines.

The depression lying over Manchuria yesterday, has moved away Northwards

The Japanese returns are not in hand but pressure probably remains high over the Pacific to the Eastwards the Loochoos.

Pressure is now relatively low over the middle part of the China Sea and the Pacific to the Eastward of the Philippines, and gradients indicate light to moderate E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. and E. winds, light to moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 24th August, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th August, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	25th August, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
divostock,	2 p.	29.62	752.4	69	...	W	2	c	7 a.	29.83	757.6	64	93	S W	1	o
ouro,	,,	29.85	758.1	...	...	N E	1	...	6 a.	30.04	763.1	...	...	E	1	...
rodate,	,,	29.81	757.2	...	...	S	1	...	,,	29.95	760.7	...	...	E	2	...
io,	,,	29.83	757.6	...	...	S S E	1	...	,,	29.93	760.1	...	...	N W	1	...
hi,	,,	29.85	758.3	...	...	S E	1	...	,,	29.91	759.8	...	...	S W	1	...
asaki,	,,	29.93	760.3	...	...	W S W	4	...	,,	29.95	760.8	...	...	S S E	1	...
oshima,	,,	29.94	760.4	...	...	N	1	...	,,	29.96	760.9	...	...	...	0	...
ima,	,,	29.94	760.6	...	...	N E	1	...	,,	...	...	...	...	...	...	...
a,	,,	29.95	760.7	...	...	E S E	1	...	,,	29.91	759.7	...	...	...	0	...
igakijima,	,,	29.91	759.8	...	...	S S E	2	...	,,	29.88	758.8	...	...	N E	1	...
in Is.,	,,	29.96	761.1	...	...	E	1	...	,,	29.97	761.1	...	...	...	0	...
foo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ihaiwei,	,,	29.79	756.6	80	82	N	2	b	9 a.	29.77	756.1	73	95	S E	3	...
ikow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
nghai,	,,	29.79	756.6	92	64	N E	1	c	9 a.	29.83	757.7	88	73	S E	2	...
xlaff,	,,	29.79	756.6	88	80	S	1	bm	,,	...	...	84	91	S	3	bm
rp Peak,	,,	29.83	757.7	85	...	E	1	b	,,	29.86	758.4	84	...	E	1	b
y,	,,	29.83	757.7	89	59	S E	3	b	6 a.	29.84	757.9	81	74	S W	1	b
tow,	,,	29.81	757.2	89	69	S	1	b	,,	29.74	755.4	81	83	N E	1	b
hoku,	1 p.	29.85	758.3	...	...	E	4	...	5 a.	29.86	758.4	...	...	S	2	...
chu,	,,	29.87	758.7	...	...	N W	2	...	,,	29.86	758.4	...	...	...	0	...
an,	,,	29.90	759.5	...	...	W	4	...	,,	29.85	758.2	...	...	...	0	...
hun,	,,	29.89	759.2	...	...	E	6	...	,,	29.85	758.2	...	...	E	2	...
cadores,	,,	29.89	759.3	...	...	N W	4	...	,,	29.84	757.9	...	...	N	4	...
ton,	3 p.	29.81	757.2	90	63	S E	2	b	9 a.	...	...	...	...	...	...	...
gkong,	4 p.	29.83	757.7	83	80	E	1	c	10 a.	29.86	758.4	87	71	E S E	1	c
oria Peak,	,,	...	...	...	...	S E	2	...	,,	...	...	...	...	E	1	...
Rock,	,,	29.81	757.2	...	...	S E	2	...	,,	29.83	757.7	...	...	N E	3	...
ao,	,,	29.86	758.4	87	...	S E	1	c	,,	29.90	759.4	88	...	E	1	c
chow,	3 p.	29.83	757.7	81	...	E	1	c	9 a.	29.87	758.7	83	79	E	1	c
how,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
boi,	,,	29.83	757.7	82	...	N E	1	o	,,	...	...	...	...	...	...	...
lien,	4 p.	29.77	756.1	81	...	E S E	4	c	8 a.	29.87	758.7	79	...	N E	1	c
rane,	,,	29.74	755.3	86	...	S E	1	c	,,	...	...	...	..	...	...	...
St. James,	,,	29.72	754.9	82	...	S S W	3	lt	,,	...	...	...	...	...	...	...
rri,	2 p.	29.82	757.5	81	...	E	2	p	6 a.	29.78	756.5	73	...	S	2	c
ila,	4 p.	29.76	756	75	100	S W	1	p	10 a.	29.76	756	84	77	...	0	o
aspi,	2 p.	29.75	755.6	88	...	E	2	o	6 a.	29.77	756.1	73	...	...	0	b
olod,	3 p.	...	...	...	...	S	2	o	9 a.	...	...	...	...	N N W	2	o
o,	,,	29.77	756.1	84	...	S W	1	o	,,	29.80	756.9	82	...	...	0	b
a,	,,	...	...	87	...	S	2	c	,,	29.79	756.6	86	...	...	0	b
nan,	,,	29.74	755.4	86	...	...	...	...	,,	29.79	756.6	84	...	...	...	...

On the 25th at 12.05 p.—The barometer has fallen slightly in S. China, Formosa and the Philippines, and risen considerably in Wladiwostok and N.E. Japan.

Pressure is low over the middle part of the China Sea, where a circular depression seems likely to form.

High pressure covers the Pacific to the E. and S.E. of Japan.

Moderate to fresh E. and N.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	E. winds, moderate; fair.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 25th August, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th August, 1910, P.M.								26th August, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.83	757.8	67	...	W	1	o	7 a.	29.89	759.3	63	93	S E	3	f
Nemuro,	,,	30.12	765.1	...	...	E S E	1	...	6 a.	30.04	763.1	...	...	S S E	2	...
Hakodate,	,,	29.97	761.2	...	...	S E	2	...	,,	30.01	762.2	...	...	E	1	...
Tokio,	,,	29.91	759.6	...	...	E S E	1	...	,,	29.97	761.1	...	...	...	0	...
Kochi,	,,	29.91	759.8	...	...	S W	1	...	,,	29.97	761.3	...	...	...	0	...
Nagasaki,	,,	29.95	760.8	...	...	W S W	1	...	,,	29.97	761.3	...	...	S E	1	...
Kagoshima,	,,	29.92	759.9	...	...	S S E	1	...	,,	29.98	761.4	...	...	N N E	1	...
Oshima,	,,	29.94	760.6	...	...	N N W	3	...	,,	29.95	760.6	...	...	...	0	...
Naha,	,,	29.73	755.2	...	...	E	2	...	,,	29.91	759.7	...	...	...	0	...
Ishigakijima,	,,	29.85	758.3	...	...	E	4	...	,,	29.86	758.3	...	...	E N E	3	...
Bonin Is.	,,	29.93	760.1	...	...	E	1	...	,,	29.93	760.1	...	...	E	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.78	756.4	76	86	S S W	8	ct	9 a.	29.78	756.4	79	89	S E	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.79	756.6	92	61	S S E	2	c	9 a.	29.83	757.7	87	65	S S E	3	c
Gutzlaff,	,,	29.79	756.6	86	84	S S E	2	bm	,,	29.91	759.7	84	79	S	4	c
Sharp Peak,	,,	29.84	757.9	85	...	E	4	b	,,	29.83	757.7	83	...	N	4	c
Amoy,	,,	29.80	756.9	88	62	S E	3	b	6 a.	29.83	757.7	82	79	N W	2	c
Swatow,	,,	29.74	755.4	91	60	S S E	1	b	,,	29.75	755.6	80	87	N N E	1	c
Taihoku,	1 p.	29.81	757.2	...	...	E	8	...	5 a.	29.80	757.0	...	...	E	4	...
Taichu,	,,	29.82	757.3	...	...	N W	4	...	,,	29.81	757.2	...	...	...	0	...
Tainan,	,,	29.83	757.6	...	...	N	4	...	,,	29.81	757.2	...	...	...	0	...
Koshun	,,	29.85	758.1	...	...	E	6	...	,,	29.81	757.1	...	...	N E	6	...
Pescadores,	,,	29.83	757.7	...	...	N	4	...	,,	29.80	756.8	...	...	W	2	...
Canton,	3 p.	29.79	756.6	90	69	S	1	b	9 a.	29.83	757.7	81	83	N E	2	b
Hongkong,	4 p.	29.78	756.4	86	61	E	1	b	10 a.	29.84	757.9	87	68	E	2	o
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	29.76	755.9	...	...	E N E	3	...	,,	29.78	756.4	...	...	E	4	...
Macao,	,,	29.81	757.2	86	...	E S E	1	c	,,	29.85	758.2	86	...	N E	1	c
Wuchow,	3 p.	29.81	757.2	90	...	E	1	c	9 a.	29.83	757.7	84	...	E	1	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.75	755.7	86	...	S S E	3	b	8 a.	29.83	757.6	84	...	N N W	2	b
Tourane,	,,	29.72	754.9	86	...	S E	2	c	,,	29.76	755.8	72	..	W N W	3	c
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.77	756.1	84	...	S E	2	o	6 a.	29.76	756.0	77	...	S	2	c
Manila,	4 p.	29.72	755	86	71	W S W	2	o	10 a.	29.80	757	82	77	N W	2	c
Legaspi,	2 p.	29.74	755.3	82	...	...	0	o	6 a.	29.78	756.5	73	...	...	0	b
Bacolod,	3 p.	...	...	...	...	...	...	o	9 a.	...	...	...	...	W	2	c
Iloilo,	,,	29.74	755.4	84	...	...	0	...	,,	29.82	757.4	83	...	...	0	b
Cebu,	,,	...	...	88	...	S	3	b	,,	29.82	757.4	85	...	...	0	c
Labuan,	,,	29.68	753.9	87	...	...	...	...	,,	29.79	756.6	83	...	...	...	

On the 26th at 11.55 a.—The barometer has fallen slightly at the stations bordering the N. part of the China Sea and risen a little in the S. Philippines.

A depression appears to be forming over the China Sea, probably to the Eastward of the Paracels.

Pressure is high over Japan, and relatively low over N. China.

Moderate to fresh E. and N.E. winds may be expected in the Formosa Channel and over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate to fresh; fair to squally and [showers
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate to fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 26th August, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th August, 1910, P.M.								27th August, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
divostock,	2 p.	29.88	759.0	64	...	S E	3	o	7 a.	29.81	757.1	65	95	E	1	or
uro,	,,	30.00	762.1	...	...	S	2	...	6 a.	30.02	762.6	...	...	S	1	...
odate,	,,	29.99	761.7	...	...	S	1	...	,,	29.99	761.7	...	...	E N E	1	...
io,	,,	29.98	761.6	...	...	S	1	...	,,	30.02	762.6	...	...	S E	1	...
hi,	,,	29.95	760.8	...	...	S E	1	...	,,	29.97	761.3	...	...	S W	1	...
aski,	,,	29.93	760.3	...	...	W	2	...	,,	29.93	760.3	...	...	S E	2	...
oshima,	,,	29.94	760.4	...	...	S	1	...	,,	29.94	760.4	...	...	N E	1	...
ima,	,,	29.93	760.1	...	...	S E	3	...	,,	29.89	759.1	...	...	...	0	...
a	,,	29.87	758.7	...	...	E	2	...	,,	29.81	757.2	...	...	...	0	...
gakijima,	,,	29.83	757.8	...	...	E S E	3	...	,,	29.80	756.8	...	...	E	2	...
in Is.	,,	29.89	759.1	...	...	E	1	...	,,	29.89	759.1	...	...	S	2	...
foo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
haiwei,	,,	29.73	755.1	79	78	S S W	1	c	9 a.	29.74	755.4	77	91	N	2	o
ikow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
nghai,	,,	29.78	756.4	89	65	S	2	c	9 a.	29.78	756.4	86	63	S	2	b
zlaff,	,,	29.87	758.7	84	79	S S E	4	cv	,,	29.87	758.7	84	83	S	3	cv
p Peak,	,,	29.82	757.4	84	...	E	4	b	,,	29.78	756.4	83	...	N	3	c
y	,,	29.75	755.6	92	57	E	3	b	6 a.	29.74	755.4	82	79	W	1	b
tow,	,,	29.73	755.1	89	66	E	1	b	,,	...	...	...	...	...	...	...
ooku	1 p.	29.77	756.1	...	...	E	8	...	5 a.	29.74	755.4	...	...	E	6	...
chu,	,,	29.76	755.8	...	...	W	4	...	,,	29.73	755.1	...	...	...	0	...
an	,,	29.78	756.4	...	...	W	4	...	,,	29.73	755.9	...	...	...	0	...
hun	,,	29.79	756.7	...	...	E	6	...	,,	29.75	755.7	...	...	N E	8	...
adores,	,,	29.76	756.0	...	...	S	4	...	,,	29.71	754.6	...	...	N	2	...
ion	3 p.	29.75	755.6	90	60	S W	2	b	9 a.	29.82	757.4	83	83	...	0	o
gkong,	4 p.	29.77	756.1	85	71	S E	2	c	10 a.	29.83	757.7	86	71	W	1	o
ona Peak,	,,	...	...	...	...	S E	4	...	,,	...	...	...	...	S S W	1	...
Rock,	,,	29.75	755.6	...	...	E S E	4	...	,,	29.79	756.6	...	...	...	0	...
ao,	,,	29.80	756.9	86	...	S E	2	c	,,	29.84	757.9	86	...	S E	1	c
chow,	3 p.	29.77	756.1	83	...	E	1	c	9 a.	29.83	757.7	84	75	E	1	b
how,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
lien,	4 p.	29.72	754.9	91	...	N	2	b	8 a.	...	...	...	...	...	...	...
rane,	,,	29.58	751.4	77	...	N W	4	or	,,	...	...	...	..	...	...	...
St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
rri,	2 p.	29.70	754.5	82	...	N W	2	o	6 a.	29.72	754.9	77	...	S	2	p
ila,	4 p.	29.76	756	88	66	W	1	c	10 a.	29.84	758	86	71	N W	1	o
aspi,	2 p.	29.75	755.7	88	...	W	2	c	6 a.	29.81	757.2	77	...	...	0	b
olod,	3 p.	...	...	...	...	N N W	3	o	9 a.	...	...	...	...	W	2	c
lo,	,,	29.75	755.6	86	...	...	0	o	,,	29.85	758.2	83	...	...	0	b
d	,,	29.75	755.6	88	...	N	1	b	,,	29.84	757.9	83	...	N	2	c
uan,	,,	29.72	754.9	87	...	...	...	...	,,	29.85	758.2	83	...	...	...	...

On the 27th at 12.10 p.—The barometer has risen slightly in the Southern Philippines, and fallen elsewhere, articularly over the Loochoos, Formosa and N. Luzon.

A depression is indicated in the neighbourhood of the Balingtang Channel.

The Indo China observations of this morning are not to hand. Those of last evening show a small depression ing to the Westward of the Paracels. It has probably moved Westwards.

Pressure remains high over Japan and low over N. China.

Unsettled weather may be expected over the N.E. part of the China Sea,

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	Variable winds, light or moderate; fair.
Formosa Channel,	N.E. winds, fresh.
South coast of China between Hongkong and Lamocks,	Variable and N.E. winds, moderate.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 27th August 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th August, 1910, P.M.									28th August, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.69	754.2	66	...	E	1	or		7 a.	29.76	755.9	65	95	N	0	o
Nemuro,	,,	29.94	760.6	...	...	S W	3	...		6 a.	29.91	759.6	...	...	S S W	4	...
Hakodate,	,,	29.95	760.7	...	...	S	1	...		,,	29.89	759.2	...	...	...	0	...
Tokio,	,,	29.98	761.6	...	...	S S W	1	...		,,	30.01	762.1	...	...	S	1	...
Kochi,	,,	29.91	759.8	...	...	S E	2	...		,,	29.93	760.3	...	...	S W	1	...
Nagasaki,	,,	29.89	759.3	...	...	W	2	...		,,	29.86	758.3	...	...	S E	1	...
Kagoshima,	,,	29.86	758.4	...	...	S W	2	...		,,	29.84	757.9	...	...	...	0	...
Oshima,	,,	29.87	758.6	...	...	S E	2	...		,,	29.87	758.6	...	...	...	0	...
Naha,	,,	29.83	757.7	...	...	...	0	...		,,	29.83	757.7	...	...	...	0	...
Ishigakijima,	,,	29.80	756.8	...	...	S E	3	...		,,	29.78	756.3	...	...	S E	2	...
Bonin Is.	,,	29.93	760.1	...	...	S E	1	...		,,	...	...	...	...	S E	1	...
Chefoo,	4 p.	...	...	...	...	...	...	..		6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.65	753.1	72	98	N N E	4	om		9 a.	29.76	755.9	76	86	N	3	c
Hankow,	,,	...	..	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.73	756.4	80	87	...	0	o		,,	...	..	...	...	...	...	...
Shanghai,	,,	29.72	754.9	92	57	S S W	2	c		9 a.	29.82	757.4	80	32	N E	1	o
Gutzlaff,	,,	29.71	754.6	85	79	S	4	cv		,,	29.79	756.6	76	95	N	3	op
Sharp Peak,	,,	29.77	756.1	85	...	E N E	4	b		,,	29.77	756.1	83	...	N	1	b
Amoy,	,,	...	...	91	57	S E	3	b		6 a.	29.73	755.1	83	79	N W	1	b
Swatow,	,,	29.68	753.9	89	63	S S E	3	c		,,	29.72	754.9	80	87	...	0	b
Taihoku,	1 p.	29.72	755.0	...	...	S E	6	...		5 a.	29.69	754.1	...	...	E	6	...
Taichu,	,,	29.72	754.8	...	...	S E	4	...		,,	29.69	754.0	...	...	...	0	...
Tainan,	,,	29.77	756.1	...	...	S E	0	...		,,	29.71	754.7	...	...	E	2	...
Koshun	,,	29.73	755.2	...	...	E	...	...		,,	29.68	753.9	...	...	N E	6	...
Pescadores,	,,	29.72	754.9	...	...	N W	4	...		,,	29.67	753.7	...	...	N E	6	...
Canton,	3 p.	29.74	755.4	90	60	S	1	b		9 a.	29.81	757.2	86	72	S	1	b
Hongkong,	4 p.	29.74	755.4	87	62	S S W	1	b		10 a.	29.82	757.4	84	76	W	1	c
Victoria Peak,	,,	...	...	...	...	S S W	4	...		,,	...	...	...	...	W	3	...
Gap Rock,	,,	29.73	755.1	...	...	S W	2	...		,,	29.80	756.9	...	...	W	3	...
Macao,	,,	29.76	755.9	87	...	S S E	1	c		,,	29.85	758.2	87	...	W S W	2	c
Wuchow,	3 p.	29.74	755.4	92	...	E	1	c		9 a.	29.84	757.9	82	...	W	2	...
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Phulien,	4 p.	...	...	...	...	...	...	...		8 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...		,,	...	...	...	..	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.72	755.0	77	...	S	2	c		6 a.	29.75	755.7	73	...	S	2	r
Manila,	4 p.	29.76	756	86	71	W S W	1	c		10 a.	29.84	758	86	79	W S W	1	c
Legaspi,	2 p.	29.78	756.4	91	...	W	2	o		6 a.	29.85	758.1	77	...	...	0	o
Bacolod,	3 p.	...	...	...	...	S	1	o		9 a.	...	...	...	...	W	3	o
Iloilo,	,,	29.79	756.6	84	...	...	0	c		,,	29.87	758.7	82	...	W	1	b
Cebu,	,,	29.78	756.4	88	...	N	1	c		,,	29.86	758.4	88	...	S	1	b
Labuan,	,,	29.76	755.9	86	...	...	...	...		,,	...	...	...	...	...	...	

On the 28th at 11.15 a.—Red Drum hoisted.

At 11.30 a.—The barometer has fallen moderately in Formosa, and risen slightly in the Philippines.

The depression is now situated to the S.W. of Formosa. It appears to be moving towards N.W.

Pressure has increased slightly in N. China, and given way moderately over Japan. It is low over the N. part of the Sea of Japan, and high over the Pacific to the East of Japan.

Strong winds may be expected in the Formosa Channel and the N.E. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.W. and W. winds, fresh; fine at first, unsettled later
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	N. winds, strong.
4.—South coast of China between Hongkong and Hainan,	W. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 28th August, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th August, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	29th August, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ladivostock,	2 p.	29.73	756.2	71	...	N E	0	o	7 a.	29.72	754.9	65	94	N W	0	b
muro,	,,	29.81	757.1	...	...	W S W	4	...	6 a.	29.75	755.6	...	...	S S W	1	...
kodate,	,,	29.81	757.2	...	...	S W	2	...	,,	29.71	754.7	...	...	...	0	...
kio,	,,	29.94	760.6	...	...	S W	4	...	,,	29.91	759.6	...	...	S W	2	...
chi,	,,	29.76	755.8	...	...	E	1	...	,,	29.97	761.3	...	...	...	0	...
gasaki,	,,	29.85	758.3	...	...	S W	4	...	,,	29.93	760.3	...	...	S	3	...
goshima,	,,	29.86	758.4	...	...	S	1	...	,,	29.96	760.9	...	...	E N E	1	...
hima,	,,	29.85	758.1	...	...	S E	2	...	,,	29.89	759.1	...	...	...	0	...
ha,	,,	29.83	757.7	...	...	S S E	1	...	,,	29.83	757.7	...	...	...	0	...
higakijima,	,,	29.80	756.8	...	...	S S E	2	...	,,	29.76	755.8	...	...	E	3	...
nin Is.	,,	30.00	762.1	...	...	S E	1	...	,,	30.06	763.6	...	...	S E	1	...
efoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ihaiwei,	,,	29.77	756.1	79	78	N W	2	c	9 a.	29.87	758.7	79	82	S S W	1	c
ankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
inkiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
anghai,	,,	29.77	756.1	85	68	N E	1	om	9 a.	29.85	758.2	87	69	S E	1	c
utzlaff,	,,	29.77	756.1	81	91	N	1	ov	,,	29.81	757.9	85	87	S W	3	cv
arp Peak,	,,	29.75	755.6	85	87	E N E	4	b	,,	29.77	756.1	83	87	N N E	3	b
noy,	,,	29.67	753.9	93	58	S E	3	b	6 a.	29.68	753.9	85	54	N E	3	b
atow,	,,	29.67	753.9	90	63	N N E	3	b	,,	...	...	80	82	N W	1	o
ihoku,	1 p.	29.71	754.6	...	...	E	6	...	5 a.	29.70	754.3	...	...	E	6	...
ichu,	,,	29.67	753.7	...	...	...	0	...	,,	29.58	751.2	...	...	...	0	...
iran,	,,	29.71	754.6	...	...	...	0	...	,,	29.59	751.6	...	...	...	0	...
oshun,	,,	29.69	754.1	...	...	N	8	...	,,	29.56	750.7	...	...	N	8	...
scadores,	,,	29.69	754.2	...	...	N	8	...	,,	29.58	751.2	...	...	N	6	...
ntou,	3 p.	29.71	754.6	90	63	S W	1	b	9 a.	29.76	755.9	86	84	W	1	b
ngkong,	4 p.	29.72	754.9	90	64	W S W	1	c	10 a.	29.76	755.9	87	72	W	1	b
ctoria Peak,	,,	...	...	...	...	W N W	2	...	,,	...	...	...	...	N W	3	...
p Rock,	,,	29.71	754.6	...	...	W	3	...	,,	29.74	755.4	...	...	N W	3	...
ccao,	,,	29.76	755.9	89	...	S W	2	c	,,	29.80	756.9	89	...	N W	2	c
chow,	3 p.	29.76	755.9	90	60	W	1	c	9 a.	...	...	...	...	...	...	...
ihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
khoi,	,,	29.79	755.6	88	69	S W	2	c	,,	...	...	...	...	...	...	...
ulien,	4 p.	29.73	755.1	88	...	S S E	4	c	8 a.	29.80	757.0	86	...	E	2	b
arane,	,,	...	...	...	...	...	...	...	,,	29.84	757.9	86	...	...	0	b
pe St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
arvi,	2 p.	29.71	754.6	77	...	S	2	d	6 a.	29.71	754.7	75	...	S	2	p
nila,	4 p.	29.76	756	88	65	W S W	3	c	10 a.	29.84	758	82	77	N N W	0	o
gasapi,	2 p.	29.76	756.0	88	...	W	2	c	6 a.	29.81	757.2	77	...	...	0	c
colod,	3 p.	...	...	...	...	S	1	o	9 a.	...	...	...	...	S	3	o
illo,	,,	29.81	757.2	76	...	S W	...	c	,,	29.87	758.7	82	...	S W	1	c
ia,	,,	29.80	756.9	88	...	N	2	b	,,	29.87	758.7	83	...	...	...	b
buan,	,,	29.78	756.4	87	...	...	...	...	,,	29.89	759.2	84	...	...	...	...

On the 29th at 11.35 a.—The barometer has fallen considerably in S. Formosa, and a slight fall has taken place also over S. China and Luzon.

The depression which is almost stationary over the Bashee Channel, is becoming deeper.

Pressure has increased over N. China and S.W. Japan, and given way in N.E. Japan.

The Northern depression is moving Eastwards over the N part of the Sea of Japan.

Pressure remains high over the Pacific in the neighbourhood of the Bonins.

Strong winds to gales may be expected in the Formosa Channel and the N.E. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.W. winds, fresh; fair.
Formosa Channel,	N.E. gale.
South coast of China between Hongkong and Lamocks,	N. to N.W. winds, strong.
South coast of China between Hongkong and Hainan,	W. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 29th August, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th August, 1910, P.M.								30th August, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostook,	2 p.	29.70	754.5	75	...	S W	0	c	7 a.	29.75	755.6	65	94	...	0	c
Nemuro,	,,	29.61	752.1	...	...	N N W	2	...	6 a.	29.83	757.6	...	...	N	6	...
Hakodate,	,,	29.67	753.7	...	...	W	3	...	,,	29.91	759.7	...	...	N W	1	...
Tokio,	,,	29.92	759.6	...	...	S W	3	...	,,	29.99	761.6	...	...	S W	1	...
Kochi,	,,	29.95	760.8	...	...	S E	2	...	,,	30.01	762.3	...	...	...	0	...
Nagasaki,	,,	29.93	760.3	...	...	W	1	...	,,	29.95	760.8	...	...	E S E	1	...
Kagoshima,	,,	29.92	759.9	...	...	S	1	...	,,	29.96	760.9	...	...	N E	3	...
Oshima,	,,	29.87	758.6	...	...	N E	1	...	,,	29.83	757.6	...	...	...	0	...
Naha,	,,	29.81	757.2	...	...	E	2	...	,,	29.75	755.7	...	...	E N E	2	...
Ishigakijima,	,,	29.78	756.3	...	...	E	5	...	,,	29.74	755.3	...	...	E	1	...
Bonin Is.	,,	30.02	762.6	...	...	S S E	1	...	,,	30.04	763.1	...	...	S E	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.85	758.2	79	82	N	1	c	9 a.	29.91	759.7	79	82	N W	1	h
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.81	757.2	92	61	S S E	2	c	9 a.	29.85	758.2	87	72	S E	2	c
Gutzlaff,	,,	29.83	757.7	84	83	S E	3	cv	,,	29.84	757.9	84	87	S S E	4	cv
Sharp Peak,	,,	29.71	754.6	84	79	N W	4	c	,,	29.75	755.6	83	87	N N E	3	c
Amoy,	,,	29.61	752.1	95	42	N N E	4	b	6 a.	29.64	752.8	85	64	N E	5	c
Swatow,	,,	29.59	751.6	98	...	W	1	b	,,	29.59	751.6	82	75	S E	1	c
Taihoku,	1 p.	29.69	754.2	...	...	E	8	...	5 a.	29.67	753.6	...	...	E	6	...
Taichu,	,,	29.53	750.0	...	...	...	0	...	,,	29.63	752.7	...	...	...	0	...
Tainan,	,,	29.50	749.4	...	...	N	6	...	,,	29.62	752.2	...	...	...	0	...
Koshun	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.53	750.1	...	...	N E	10	...	,,	29.61	752.0	...	...	W	4	...
Canton,	3 p.	29.67	753.6	92	57	W N W	1	b	9 a.	29.68	753.9	86	80	N	1	b
Hongkong,	4 p.	29.65	753.1	90	65	W	1	c	10 a.	29.69	754.1	87	75	W S W	1	c
Victoria Peak,	,,	...	...	...	...	W N W	3	...	,,	...	...	...	...	N N W	2	...
Gap Rock,	,,	29.66	753.3	...	...	W S W	3	...	,,	29.65	753.1	...	...	N N W	3	...
Macao,	,,	29.70	754.4	90	...	S	1	c	,,	29.72	754.9	88	...	N N W	3	c
Wuchow,	3 p.	29.72	754.9	83	...	W	1	c	9 a.	29.74	755.4	85	...	W	1	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.78	756.4	88	73	S W	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.71	754.6	95	...	S	2	b	8 a.	29.74	755.3	86	...	E	2	b
Tourane,	,,	29.74	755.5	86	...	N	1	c	,,	29.79	756.7	88	...	E N E	1	b
Cape St. James,	,,	29.81	757.1	86	...	S W	4	c	,,	29.89	759.2	81	...	W S W	3	c
Aparri,	2 p.	29.71	754.6	77	...	S	2	d	6 a.	29.71	754.5	77	...	S	2	c
Manila,	4 p.	29.76	756	86	71	W S W	2	c	10 a.	29.84	758	81	85	S S W	1	c
Legaspi,	2 p.	29.76	755.8	91	...	W	2	c	6 a.	29.81	757.1	79	...	W	2	c
Bacolod,	3 p.	...	...	...	...	S	2	c	9 a.	...	...	...	...	S	4	...
Iloilo,	,,	29.81	757.2	81	...	S	1	b	,,	29.89	759.2	82	...	N N W	3	c
Cebu,	,,	29.78	756.4	89	...	S	1	c	,,	29.86	758.4	87	...	S	2	h
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	29.94	760.5	77	...	...	...	

On the 30th at 10.30 a.—Black Drum hoisted.
At 11.50 a.—The barometer has risen slightly in S. Formosa, and fallen moderately on the S. coast of China.
The depression appears to be situated to the South of the Formosa Channel, and to be moving Westwards.
Pressure has increased moderately in N.E. Japan, the northern depression having moved away over the Pacific.
High pressure still covers the Pacific to the S.E. of Japan.
Strong winds to gales may be expected over the Formosa Channel and the N.E. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.W. winds, freshening; squally with rain.
2.—Formosa Channel,	N.E. gale.
3.—South coast of China between Hongkong and Lamooks,	N. winds, strong.
4.—South coast of China between Hongkong and Hainan,	N.W. and W. winds, moderate to fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 30th August, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th August, 1910, P.M.								31st August, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ldivostock,	2 p.	29.71	754.7	76	...	E S E	1	b	7 a.	29.79	756.6	63	96	...	0	f
mmuro,	,,	29.89	759.1	...	...	N E	2	...	6 a.	29.93	760.1	...	...	S S E	1	...
akodate,	,,	29.89	759.2	...	...	S E	2	...	,,	29.87	758.7	...	...	...	0	...
kio,	,,	29.89	759.1	...	...	S W	2	...	,,	29.95	760.6	...	...	...	0	...
chi,	,,	29.97	761.3	...	...	N N W	1	...	,,	29.95	760.8	...	...	S W	1	...
gasaki,	,,	29.91	759.8	...	...	S E	2	...	,,	29.88	758.8	...	...	...	0	...
agoshima,	,,	29.90	759.4	...	...	E	4	...	,,	29.86	758.4	...	...	E N E	4	...
hima,	,,	29.77	756.1	...	...	N E	1	...	,,	29.67	753.6	...	...	N E	3	...
ha,	,,	29.69	754.2	...	...	N E	4	...	,,	29.40	746.7	...	...	N N E	6	...
higakijima,	,,	29.74	755.3	...	...	E S E	3	...	,,	29.60	751.8	...	...	N	1	...
nin Is.	,,	30.00	762.1	...	...	E S E	1	...	,,	29.99	761.6	...	...	S S E	1	...
efoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
eihaiwei,	,,	29.83	758.9	80	78	S	2	o	9 a.	29.69	754.1	72	100	W S W	2	or
ankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iukiang,	,,	29.74	755.4	96	96	N E	1	b	,,	...	...	...	...	...	...	...
anghai,	,,	29.79	756.6	90	63	S E	2	c	9 a.	29.74	755.4	89	66	S E	2	c
itzlaff,	,,	29.80	756.9	84	83	E	5	cv	,,	29.75	755.6	84	87	E	2	bm
arp Peak,	,,	29.72	754.9	84	75	N N E	5	b	,,	29.70	754.4	83	91	N E	3	b
noy,	,,	29.62	752.3	91	57	E N E	2	c	6 a.	29.65	753.1	83	79	N E	4	c
atow,	,,	29.60	751.8	81	83	E N E	2	or	,,	29.56	750.8	78	91	S E	1	or
hoku,	1 p.	29.67	753.5	...	...	E	8	...	5 a.	29.67	753.7	...	...	E	2	...
ichu,	,,	29.65	753.1	...	...	S W	2	...	,,	29.68	753.9	...	...	E	2	...
inan,	,,	29.67	753.5	...	...	N W	4	...	,,	29.67	753.7	...	...	...	0	...
oshun,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
scadores,	,,	29.65	753.2	...	...	W	4	...	,,	29.65	753.2	...	...	N E	2	...
nton,	3 p.	29.59	751.6	91	63	...	0	c	9 a.	29.61	752.1	82	87	N N E	2	b
ongkong,	4 p.	29.61	752.1	83	75	W	1	opt	10 a.	29.56	750.8	81	81	N E	3	oq
ctoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	N E	7	...
p Rock,	,,	29.57	751.1	...	...	E N E	2	...	,,	29.48	749.0	...	...	N	7	...
ieao,	,,	29.64	752.8	85	...	S E	2	c	,,	29.60	751.8	82	...	N	3	o
uchow,	3 p.	...	..	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ibow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
khoi,	,,	29.69	754.1	91	70	W	2	c	,,	...	...	...	...	...	...	...
ulien,	4 p.	29.62	752.4	93	...	W S W	3	b	8 a.	29.63	752.5	84	...	E N E	2	c
urane,	,,	29.68	753.8	90	...	...	0	c	,,	29.68	753.9	86	..	...	0	o
pe St. James,	,,	29.77	756.1	82	...	S S W	6	c	,,	...	...	...	...	...	...	...
arri,	2 p.	29.69	754.0	88	...	S W	2	o	6 a.	29.69	754.0	77	...	W	0	o
nila,	4 p.	29.76	756	79	84	S W	3	d	10 a.	29.76	756	83	71	W S W	...	o
gaspi,	2 p.	29.73	755.1	73	...	W	2	c	6 a.	29.76	756.0	79	...	W	2	o
colod,	3 p.	...	...	...	...	W S W	3	o	9 a.	...	...	...	...	W S W	2	o
ilo,	,,	29.81	757.2	84	...	S W	...	b	,,	29.87	758.7	83	...	...	0	d
hu,	,,	29.78	756.4	83	...	S	2	b	,,	29.85	758.2	85	...	...	0	b
buan,	,,	29.81	757.2	86	...	...	...	...	,,	29.87	758.7	83	...	...	...	...

On the 31st at 10.50 a.—Black South Cone and Drum hoisted.

At 11.40 a.—The barometer has fallen quickly in the neighbourhood of Hongkong, and risen slightly in Formosa. The typhoon which is moving Westwards, is situated about 70 miles to the S.E. of Hongkong. It will probably ass near Gap Rock.

Pressure has given way rapidly over the Loochoos owing to the approach of another typhoon from the S.E. A depression is also approaching N. China from the Westward.

Pressure remain high over the Pacific to the Eastward of the Bonins.

Bad weather may be expected over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.33 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.E. to E. gale; squally, rainy.
Formosa Channel,	N.E. winds, fresh.
South coast of China between Hongkong and Lamocks,	E. winds, strong.
South coast of China between Hongkong and Hainan,	N. gale.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 31st August, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	31st AUGUST, 1910, P.M.								1st SEPTEMBER, 1910, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,...	2 p.	29.72	755.0	69	...	S E	1	o	7 a.	29.66	753.4	65	94	S E	6
Nemuro, ...	,,	29.87	758.6	...	...	S S E	2	...	6 a.	29.87	758.6	...	...	S	1
Hakodate, ...	,,	29.85	758.2	...	...	W	1	...	,,	29.83	757.7	...	...	...	0
Tokio, ...	,,	29.91	759.6	...	...	S W	1	...	,,	29.85	758.1	...	...	S W	1
Kochi, ...	,,	29.89	759.3	...	...	S E	1	...	,,	29.89	759.3	...	...	...	0
Nagasaki, ...	,,	29.80	756.8	...	...	E S E	8	...	,,	29.84	757.8	...	...	S	1
Kagoshima, ...	,,	29.82	757.4	...	...	E	2	...	,,	29.80	756.9	...	...	E	1
Oshima, ...	,,	29.63	752.6	...	...	S E	4	...	,,	29.63	752.6	...	...	S E	4
Naha, ...	,,	29.10	739.2	...	...	E	9	...	,,	...	...	...	...	S E	3
Ishigakijima, ...	,,	29.52	749.8	...	...	N	1	...	,,	29.36	745.8	...	...	W	9
Bonin Is.	,,	29.93	760.1	...	...	E S E	1	...	,,	29.91	759.6	...	...	S E	1
Chefoo, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei, ...	,,	29.68	753.9	74	95	N	4	orm	9 a.	29.80	756.9	75	79	N N E	4
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang, ...	,,	...	...	...	...	...	...	...	,,	29.72	754.9	82	83	N E	2
Shanghai, ...	,,	29.67	753.6	92	64	E S E	2	c	9 a.	29.69	754.1	86	76	N N E	2
Gutzlaff, ...	,,	29.69	754.1	85	83	E N E	2	cm	,,	29.65	753.1	84	87	N E	5
Sharp Peak, ...	,,	29.64	752.8	85	...	E	2	b	,,	29.58	751.3	84	...	...	0
Amoy	,,	29.62	752.3	90	63	S E	4	b	6 a.	29.67	753.6	81	87	W	3
Swatow, ...	,,	29.57	751.1	87	72	E	2	b	,,	29.59	751.6	79	91	N E	1
Taihoku, ...	1 p.	29.62	752.4	...	...	W	6	...	5 a.	29.54	750.4	...	...	W	6
Taichu, ...	,,	29.66	753.3	...	...	...	0	...	,,	29.63	752.6	...	...	...	0
Tainan, ...	,,	29.67	753.5	...	...	N W	2	...	,,	29.64	752.8	...	...	...	0
Koshun	,,	...	...	...	...	...	...	...	,,	29.60	751.7	...	...	N W	8
Pescadores, ...	,,	29.67	753.5	...	...	N	6	...	,,	29.62	752.4	...	...	N	4
Canton, ...	3 p.	29.51	749.5	90	63	E	2	o	9 a.	...	...	...	...	...	...
Hongkong, ...	4 p.	29.52	749.8	80	86	E S E	3	oq	10 a.	29.66	753.3	79	93	S E	2
Victoria Peak, ...	,,	...	...	...	...	E S E	6	...	,,	...	...	...	...	S S E	4
Gap Rock, ...	,,	29.43	747.5	...	...	E	7	...	,,	29.60	751.8	...	...	S E	3
Macao, ...	,,	29.53	750.0	79	...	E	4	o	,,	29.65	753.1	80	...	S E	2
Wuchow, ...	3 p.	29.55	750.5	89	...	E	1	c	9 a.	29.71	754.6	86	...	N E	2
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi, ...	,,	29.57	751.1	86	84	W	3	c	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.55	750.5	82	...	S E	3	o	8 a.	29.53	750.1	77	...	N W	5
Tourane, ...	,,	29.57	751.0	88	...	...	0	o	,,	29.56	750.8	84	..	S S W	1
Cape St. James, .	,,	29.72	754.8	82	...	S W	6	lt	,,	...	...	...	...	...	...
Aparri, ...	2 p.	29.64	752.9	88	...	S W	0	o	6 a.	...	...	...	...	...	...
Manila, ...	4 p.	29.72	755	84	77	W S W	4	o	10 a.	29.76	756	86	71	S W	0
Legaspi, ...	2 p.	29.75	755.6	86	...	W	2	o	6 a.	29.76	756.0	79	...	W	2
Bacolod, ...	3 p.	...	...	...	...	W S W	4	olt	9 a.	...	...	...	...	W S W	4
Iloilo, ...	,,	29.77	756.1	81	...	...	0	o	,,	29.83	757.7	80	...	S W	1
Cebu, ...	,,	29.78	756.4	90	...	S	3	o	,,	29.84	757.9	86	...	S	2
Labuan, ...	,,	29.79	756.6	84	...	...	...	...	,,	29.84	757.9	84	...	...	...

On the 31st at 1.30 p.—Black South Cone hoisted.

At 4.30 p.—Black South Cone and Ball hoisted. Typhoon S.S.W. of Gap Rock moving Westwards.

At 9.30 p.—Signal lowered.

On the 1st at 11.55 a.—The barometer has risen moderately in the neighbourhood of Hongkong, and fa quickly over Tongking and N. Annam.

The typhoon is moving into the North part of the Gulf of Tongking.

The barometer is falling rather quickly over N. Formosa and the E. coast of China under the influence of other typhoon, which is now situated to the N.E. of Formosa. It is moving Westwards and threatens to reach China coast in the vicinity of Foochow.

The depression lying over the Gulf of Pechili yesterday, is moving into the N. part of the Sea of Japan.

Pressure is highest over the Pacific to the S.E. of Japan.

Bad weather may be expected over the E. coast of China and the Formosa Channel.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.67 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S. and variable winds, moderate; showery.
2.—Formosa Channel, ...	W. and S.W. winds, probably freshening to a g
3.—South coast of China between Hongkong and Lamocks, .	Variable and S.W. winds, moderate.
4.—South coast of China between Hongkong and Hainan,...	S.E. winds, fresh to moderate.

F. G. FIGG, *Director.*

Hongkong Observatory, Thursday, 1st September, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st September, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd September, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
sdivostock,	2 p.	29.65	753.1	67	...	S S E	1	o	7 a.	29.75	755.6	65	95	S E	0	o
muro,	,,	29.79	756.6	...	...	S E	2	...	6 a.	29.61	752.1	...	...	N W	4	...
kodate,	,,	29.61	752.2	...	...	E S E	6	...	,,	29.77	756.2	...	...	N	3	...
kio,	,,	29.79	756.6	...	...	S S W	4	...	,,	29.35	753.1	...	...	S S W	1	...
chi,	,,	29.87	758.3	...	...	E S E	1	...	,,	29.88	758.8	...	...	S W	1	...
gasaki,	,,	29.78	756.3	...	...	S E	2	...	,,	29.80	756.8	...	...	S S E	3	...
agoshima,	,,	29.80	756.9	...	...	S	2	...	,,	29.82	757.4	...	...	E	3	...
hima,	,,	29.69	754.1	...	...	S	2	...	,,	29.73	755.1	...	...	S E	1	...
ha,	,,	29.56	750.7	...	...	S S E	4	...	,,	29.63	752.7	...	...	S E	3	...
higakijima,	,,	29.38	746.3	...	...	S W	9	...	,,	29.44	747.8	...	...	S	4	...
nin Is.	,,	29.83	757.6	...	...	E	1	...	,,	29.89	759.1	...	...	N N E	2	...
nefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
'ihaiwei,	,,	29.78	756.4	71	85	N	2	c	9 a.	29.82	757.4	73	58	N E	1	c
ankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
inkiang,	,,	29.61	752.1	93	61	E	2	b	,,	...	...	...	...	...	...	...
anghai,	,,	29.63	752.6	87	80	E N E	3	op	9 a.	29.71	754.6	89	69	E N E	1	c
utzlaff,	,,	29.60	751.8	84	87	E N E	4	cm	,,	29.71	754.6	85	83	E	4	cv
arp Peak,	,,	29.60	751.8	87	...	...	0	c	,,	29.35	745.5	83	67	N	10	or
ncy,	,,	29.54	750.3	93	55	S E	2	b	6 a.	29.43	747.5	85	68	W	4	o
atow,	,,	29.57	751.1	88	69	S S E	1	c	,,	29.51	749.5	82	75	W	1	c
ihoku,	1 p.	29.48	748.8	...	...	N	8	...	5 a.	29.27	743.5	...	...	W	6	...
ichu,	,,	29.58	751.3	...	...	W	2	...	,,	29.50	749.2	...	...	S W	6	...
inan,	,,	29.63	752.5	...	...	N W	6	...	,,	...	...	...	...	...	...	...
oshun	,,	29.59	751.5	...	...	W	10	...	,,	...	...	...	...	...	...	...
scadores,	,,	29.61	752.2	...	...	W	4	...	,,	...	...	...	...	...	...	...
nton,	3 p.	29.57	751.1	87	76	E	2	c	9 a.	29.67	753.6	84	83	N	1	c
ongkong,	4 p.	29.57	751.1	82	83	E	2	c	10 a.	29.67	753.6	85	79	W	1	o
ictoria Peak,	,,	...	...	...	...	S S W	1	...	,,	...	...	...	...	W N W	2	...
ap Rock,	,,	29.54	750.3	...	...	S E	3	...	,,	29.66	753.3	...	...	N N W	2	...
acao,	,,	29.60	751.8	83	...	S E	1	c	,,	29.71	754.4	85	...	W	1	c
uchow,	3 p.	29.57	751.1	90	...	E	2	od	9 a.	...	...	...	...	...	...	...
ihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
akhoi,	,,	29.43	747.5	80	91	S S E	5	o	,,	...	...	...	...	..	...	...
hulien,	4 p.	29.39	746.4	81	...	N W	4	c	8 a.	...	...	...	...	...	..	...
ourane,	,,	29.50	749.2	84	...	...	0	o	,,	...	...	...	..	...	...	...
pe St. James,	,,	...	...	...	...	...	...	lt	,,	...	...	...	...	...	...	...
parri,	2 p.	...	..	...	...	...	...	o	6 a.	...	...	...	...	...	...	...
anila,	4 p.	29.72	755	84	77	W S W	4	o	10 a.	29.80	757	84	71	W S W	1	c
gaspi,	2 p.	29.73	751.1	90	...	W	2	o	6 a.	29.77	756.2	81	...	S W	2	o
acolod,	3 p.	...	...	...	...	W S W	4	o	9 a.	...	...	...	...	S	4	o
loilo,	,,	29.75	755.6	83	...	...	0	o	,,	29.85	758.2	83	...	N N W	1	...
ebu,	,,	29.77	756.1	89	...	S	2	c	,,	29.92	759.9	86	...	S	1	...
ebuan,	,,	29.76	755.9	88	...	...	...	...	,,	29.93	760.2	76	...	...	...	...

On the 2nd at 11.55 a.—The barometer has fallen quickly at the Formosa Channel stations owing to the approach of the typhoon, which has continued to move Westwards and is now situated at the northern entrance to the Channel. The Sharp Peak station of the E. E. A. and C. Telegraph Co. reports typhoon force of wind from North at 11.30 a.m.

Last evening the China Sea typhoon was approaching the neighbourhood of Haiphong.

The returns from Indo-China are lacking this morning.

The depression lying over the N. part of the Sea of Japan yesterday, has moved into Pacific.

Pressure is highest over the Pacific to the South of Japan.

Very bad weather may be expected in the Formosa Channel, and freshening monsoon over the North part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	W. and S.W. winds, freshening; fine at first, squally [and showery later.
Formosa Channel,	Cyclonic gales.
South coast of China between Hongkong and Lamocks,	W. and S.W. winds, strong.
South coast of China between Hongkong and Hainan,	Variable and W. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 2nd September, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd September, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	3rd September, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.75	755.7	65	...	S S E	1	o	7 a.	29.76	756.0	64	90	S E	4
Nemuro,	,,	29.77	756.1	...	...	N	3	...	6 a.	29.93	760.1	...	...	E	1
Hakodate,	,,	29.81	757.2	...	...	S	1	...	,,	29.87	758.7	...	...	...	0
Tokio,	,,	29.81	757.1	...	...	S S W	3	...	,,	29.37	753.6	...	...	S W	2
Kochi,	,,	29.85	758.3	...	...	S E	1	...	,,	29.86	758.3	...	...	S E	4
Nagasaki,	,,	29.80	756.8	...	...	W	2	...	,,	29.80	756.8	...	...	...	0
Kagoshima,	,,	29.82	757.4	...	...	E N E	1	...	,,	29.78	756.4	...	...	N E	1
Oshima,	,,	29.73	755.1	...	...	E	1	...	,,	29.67	753.6	...	...	S E	3
Naha,	,,	...	...	...	...	...	...	...	,,	29.56	750.7	...	...	...	0
Ishigakijima,	,,	29.48	748.8	...	...	S W	4	...	,,	29.52	749.8	...	...	N N E	1
Bonin Is.	,,	29.87	758.6	...	...	S E	2	...	,,	29.97	761.1	...	...	S	1
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.80	756.9	76	64	...	0	c	9 a.	...	...	76	77	S W	1
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	29.69	754.1	92	61	N E	2	b	,,	...	...	...	...	...	...
Shanghai,	,,	29.66	753.3	82	96	E	2	c	9 a.	29.77	756.1	89	63	E S E	1
Gutzlaff,	,,	29.67	753.6	84	87	E	3	cv	,,	29.70	754.4	85	79	E N E	2
Sharp Peak,	,,	29.43	747.5	83	71	E N E	9	or	,,	29.67	753.6	81	87	E N E	4
Amoy,	,,	29.36	745.7	30	87	W	7	or	6 a.	29.51	749.5	79	91	E N E	4
Swatow,	,,	29.47	748.5	86	80	W S W	2	lt	,,	29.28	743.7	79	95	W	1
Taihoku,	1 p.	29.48	748.7	...	...	S W	4	...	5 a.	29.59	751.6	...	...	...	0
Taichu,	,,	29.47	748.6	...	...	S	6	...	,,	29.62	752.3	...	...	...	0
Tainan,	,,	...	...	...	...	...	...	...	,,	29.61	752.0	...	...	S E	6
Koshun,	,,	...	...	...	...	...	...	...	,,	29.63	752.7	...	...	N W	2
Pescadores,	,,	...	...	...	...	...	...	...	,,	29.56	750.8	...	...	S	6
Canton,	3 p.	29.58	751.3	90	66	W	1	c	9 a.	29.57	751.1	80	91	N W	3
Hongkong,	4 p.	29.56	750.8	85	77	W	1	o	10 a.	29.55	750.5	77	93	W N W	1
Victoria Peak,	,,	...	...	...	...	W	4	...	,,	...	...	...	...	W N W	8
Gap Rock,	,,	29.56	750.8	...	...	S W	3	...	,,	29.55	750.5	...	...	W	5
Macao,	,,	29.60	751.8	86	...	S W	2	o	,,	29.66	751.8	77	...	N W	3
Wuchow,	3 p.	29.61	752.1	92	61	W	2	c	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.64	752.8	96	63	S W	2	c	,,	...	...	...	...	...	...
Phulien,	4 p.	29.56	750.8	82	...	S E	6	or	8 a.	29.70	754.3	81	...	N W	2
Tourane,	,,	29.58	751.3	86	...	S E	2	c	,,	29.69	754.2	88	..	...	0
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.83	757.6	79	...	W S W	5
Aparri,	2 p.	29.62	752.3	91	...	S W	2	c	6 a.	...	...	...	...	...	...
Manila,	4 p.	29.76	756	79	92	W S W	3	r	10 a.	29.76	756	81	85	S S W	1
Legaspi,	2 p.	29.73	755.2	91	...	W	2	o	6 a.	29.77	756.2	81	...	W	2
Bacolod,	3 p.	...	...	...	...	W S W	4	o	9 a.	...	...	...	...	S	4
Iloilo,	,,	29.77	756.1	84	...	S W	1	o	,,	29.85	758.2	83	...	S W	1
Cebu,	,,	29.77	756.1	91	...	S	3	c	,,	29.84	757.9	89	...	S	1
Labuan,	,,	29.79	756.6	85	...	...	...	...	,,	29.87	758.7	82	...	...	...

On the 3rd at 7.30 a.—Black North Cone and Drum hoisted.

At 11.55 a.—The barometer has risen quickly over the N. part of the Formosa Channel, and fallen consider to moderately at Swatow and Hongkong respectively.

The typhoon, which was off the coast between Foochow and Amoy yesterday afternoon, has moved tow W.S.W. and is now situated on the coast close to Swatow.

Pressure has increased over Tongking and N.E. Japan. It remains low to the South of the Loochoos and t to the Eastwards of the Bonins.

Strong winds and gales may be expected over the S. part of the Formosa Channel and over the northern sh of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.84 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood.	N.W. winds, strong to a gale; squally, rainy.
2.—Formosa Channel,	Cyclonic strong winds and gales.
3.—South coast of China between Hongkong and Lamocks,	Cyclonic gales.
4.—South coast of China between Hongkong and Hainan,	N.W. winds, freshening.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 3rd September, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd September, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	4th September, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ladivostock,...	2 p.	29.75	755.6	65	...	S E	3	o	7 a.	29.77	756.2	64	96	S E	1	o
emuro, ...	,,	29.94	760.6	...	...	E	2	...	6 a.	29.97	761.1	...	...	E N E	1	...
akodate, ...	,,	29.85	758.2	...	...	E	3	...	,,	29.85	758.2	...	...	E S E	4	...
okio, ...	,,	29.85	758.1	...	...	S W	3	...	,,	29.89	759.1	...	...	S W	...	...
ochi, ...	,,	29.83	757.8	...	...	E N E	2	...	,,	29.89	759.3	...	...	S E	4	...
agasaki, ...	,,	29.83	757.8	...	...	E	2	...	,,	29.76	755.8	...	...	N E	1	...
agoshima, ...	,,	29.84	757.9	...	...	E S E	2	...	,,	29.74	755.4	...	...	E S E	3	...
shima, ...	,,	29.61	752.1	...	...	S E	3	...	,,	29.45	748.1	...	...	S E	4	...
aba, ...	,,	29.38	746.2	...	...	S S E	1	...	,,	29.46	748.2	...	...	...	0	...
higakijima, ...	,,	29.56	750.8	...	...	N	3	...	,,	29.34	745.3	...	...	W	5	...
onin Is, ...	,,	29.94	760.6	...	...	S E	1	...	,,	30.02	762.6	...	...	S E	1	...
hefoo, ...	4 p.	...	...	...	...	...	..	...	6 a.	...	...	...	...	...	...	...
eihaiwei, ...	,,	29.88	758.9	75	93	...	0	o	9 a.	29.92	759.9	74	72	N	3	o
ankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
inkiang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hanghai, ...	,,	29.72	754.9	90	66	N E	3	c	9 a.	29.79	756.6	80	79	N N E	5	c
utzlaff, ...	,,	29.67	753.6	87	76	N E	2	cv	,,	29.67	753.6	81	78	N N E	7	cm
harp Peak, ...	,,	29.63	752.6	82	91	E	2	c	,,	29.64	752.8	80	100	...	0	o
moy, ...	,,	29.60	751.8	85	76	E	2	b	6 a.	29.64	752.8	80	73	W	3	b
watow, ...	,,	29.47	748.5	79	95	E	2	or	,,	29.59	751.6	76	95	N E	1	b
aiboku, ...	1 p.	29.66	753.4	...	...	N E	2	...	5 a.	29.60	751.8	...	...	N W	2	...
aichu, ...	,,	29.63	752.7	...	...	N	2	...	,,	29.62	752.3	...	...	N E	2	...
aman, ...	,,	29.65	753.0	...	...	W	4	...	,,	29.61	752.1	...	...	E	2	...
oshun, ...	,,	29.64	752.9	...	...	W	6	...	,,	29.57	751.0	...	...	W	3	...
escadores, ...	,,	29.63	752.5	...	...	E	6	...	,,	29.62	752.3	...	...	N E	6	...
ainton, ...	3 p.	29.46	748.3	80	91	N W	3	or	9 a.	29.63	752.6	79	87	N E	2	or
ongkong, ...	4 p.	29.40	746.7	77	95	W	4	orq	10 a.	29.64	752.8	78	87	E N E	2	o
ictoria Peak, ...	,,	..	...	...	...	W	8	...	,,	...	...	...	...	E	5	...
ap Rock, ...	,,	29.40	746.7	...	...	W S W	6	...	,,	29.61	752.1	...	...	S E	4	...
acao, ...	,,	29.44	747.8	76	...	W N W	4	or	,,	...	...	...	...	...	...	...
uchow, ...	3 p.	29.61	752.1	83	79	N W	1	od	9 a.	29.62	752.3	78	...	N E	2	o
oihow, ...	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
akhoi, ...	,,	29.60	751.8	88	73	N	1	o	,,	...	...	...	...	..	...	...
hulien, ...	4 p.	29.60	751.8	88	...	W	2	c	8 a.	29.63	752.5	81	...	W S W	5	or
ourane, ...	,,	29.61	752.0	86	...	N	2	c	,,	29.63	752.6	86	..	...	0	c
ape St. James, .	,,	29.73	755.2	81	...	W S W	6	o	,,	...	...	...	...	..	...	...
parri, ...	2 p.	29.61	752.0	91	...	S W	4	o	6 a.	29.62	752.4	81	...	S	2	o
anila, ...	4 p.	29.69	754	82	85	S W	2	o	10 a.	29.76	756	79	92	...	0	r
egaspi, ...	2 p.	29.73	755.1	84	...	W	2	o	6 a.	29.75	755.6	79	...	W	2	o
ecolod, ...	3 p.	...	...	...	...	S	4	o	9 a.	...	...	...	...	S S W	3	o
oilo, ...	,,	29.77	756.1	84	...	S W	2	o	,,	29.83	757.7	81	...	S	1	o
ebu, ...	,,	29.84	757.9	83	...	S	2	c	,,	29.83	757.7	87	...	S	1	c
ebuan, ...	,,	29.78	756.4	88	...	...	...	...	,,	...	...	...	...	...	...	...

On the 4th at 5.45 a.—Signal lowered.

At 12.10 p.—The barometer has risen quickly in Swatow and Hongkong, and fallen moderately over Tongking and N. Annam.

The central area of the typhoon, which had filled up considerably, passed near and North of Hongkong last night. The disturbance is shown this morning over the coast between Macao and Kwong-Chan-Wan.

The barometer has fallen at the stations bordering the Eastern Sea under the influence of another typhoon, which is situated between the Loochoos and Meiaco Sima.

Pressure is high over the Pacific to the E. of Japan, and relatively high over N. China.

Unsettled weather will continue to prevail over the China coast.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 3.24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	S.E. and E. winds, moderate; showery at first, improving later.
Formosa Channel, ...	N. and N.W. winds, freshening.
South coast of China between Hongkong and Lamocks, .	Variable winds, moderate.
South coast of China between Hongkong and Hainan, ...	Cyclonic winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 4th September, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th September, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	5th September, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.78	756.3	67	...	S E	2	o	7 a.	29.77	756.1	64	94	...	0
Nemuro,	,,	29.94	760.6	...	...	E S E	2	...	6 a.	29.95	760.6	...	...	E N E	1
Hakodate,	,,	29.85	758.2	...	...	S E	3	...	,,	29.85	758.2	...	...	N E	1
Tokio,	,,	29.83	757.6	...	...	S W	4	...	,,	29.87	758.6	...	...	S W	2
Kochi,	,,	29.85	758.3	...	...	S E	2	...	,,	...	...	...	...	S	1
Nagasaki,	,,	29.72	754.3	...	...	S E	2	...	,,	...	...	...	...	S E	5
Kagoshima,	,,	29.70	754.4	...	...	S E	3	...	,,	29.58	751.4	...	...	S S E	5
Oshima,	,,	29.53	750.1	...	...	W S W	4	...	,,	29.57	751.1	...	...	S	5
Naha,	,,	29.46	748.2	...	...	S E	1	...	,,	29.48	748.7	...	...	S E	1
Ishigakijima,	,,	29.38	746.3	...	...	N E	6	...	,,	29.38	746.3	...	...	N W	6
Bonin Is.	,,	29.98	761.6	...	...	S E	1	...	,,	30.02	762.6	...	...	S E	1
Chefoo,	4 p.	...	...	...	...	...	..	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.83	757.7	77	69	...	0	c	9 a.	29.87	758.7	77	95	N	8
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	29.74	755.4	82	60	N N E	6	c	9 a.	29.75	755.6	80	51	N E	5
Gutzlaff,	,,	29.62	752.3	80	74	N N E	8	om	,,	29.63	752.6	78	70	N N E	7
Sharp Peak,	,,	29.56	750.8	82	...	...	0	c	,,	29.63	752.6	80	...	...	0
Amoy,	,,	29.61	752.1	85	72	S E	1	b	6 a.	29.57	751.1	79	82	W	2
Swatow,	,,	29.58	751.3	83	79	S	2	b	,,	29.58	751.3	80	82	N W	1
Taihoku,	1 p.	29.57	751.0	...	...	N W	6	...	5 a.	29.56	750.9	...	...	W	6
Taichu,	,,	29.59	751.7	...	...	N	6	...	,,	29.60	751.9	...	...	...	0
Tainan,	,,	29.62	752.3	...	...	N	6	...	,,	29.57	751.1	...	...	N W	4
Koshun,	,,	29.59	751.7	...	...	N	8	...	,,	29.53	750.0	...	...	N	8
Pescadores,	,,	29.63	752.5	...	...	N	8	...	,,	29.57	751.1	...	...	N W	6
Canton	3 p.	29.61	752.1	88	62	N E	1	c	9 a.	29.69	754.1	82	71	S E	2
Hongkong,	4 p.	29.60	751.8	80	81	E	3	o	10 a.	29.66	753.3	87	63	N	2
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	N E	2
Gap Rock,	,,	29.56	750.8	...	...	E N E	4	...	,,	29.65	753.1	...	...	N N E	3
Macao,	,,	29.63	752.6	82	...	E S E	1	c	,,	29.71	754.5	84	...	N N E	1
Wuchow,	3 p.	29.63	752.6	79	...	N E	2	c	9 a.	29.74	755.4	82	...	N	1
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.53	750.0	79	95	N	4	or	,,	...	...	...	...	...	...
Phulien,	4 p.	29.53	750.0	79	...	W N W	2	o	8 a.	29.56	750.8	73	...	N E	6
Tourane,	,,	29.56	750.7	82	...	...	0	o	,,	29.59	751.5	84	...	S S W	1
Cape St. James,	,,	29.68	753.9	79	...	W	5	o	,,	29.76	755.8	77	...	W S W	5
Aparri,	2 p.	29.61	752.0	88	...	N	2	o	6 a.	29.63	752.6	79	...	S W	2
Manila,	4 p.	29.72	755	77	92	S S W	0	...	10 a.	29.76	756	79	92	S S W	1
Legaspi,	2 p.	29.71	754.7	90	...	W	2	o	6 a.	29.76	755.8	79	...	...	0
Bacolod,	3 p.	...	...	...	...	W	3	o	9 a.	...	...	...	...	W S W	2
Iloilo,	,,	29.76	755.9	83	...	S S W	1	c	,,	29.83	757.7	81	...	...	0
Cebu,	,,	29.75	755.6	90	...	S	2	b	,,	29.83	757.7	87	...	S	1
Labuan,	,,	29.73	755.1	89	...	...	...	...	,,	29.81	757.2	86	...	...	...

On the 5th at 11.55 a.—The recent typhoon is not yet completely filled up. It has continued to move to W.S.W., and is shown this morning as a moderate depression over the Gulf of Tongking.

The typhoon over the Pacific is situated between Meiaco Sima and the Loochoos. It is moving slowly, pr Northwards.

The barometer is falling over S.W. Japan and N. China. It has risen slightly in the neighbourhood of kohg.

Pressure remains high over the Pacific to the Eastward of the Bonius.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.21 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to W. winds, light to moderate; fair.
2.—Formosa Channel,	N. to W. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 5th September, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th, September, 1910, P.M.								6th September, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock,	2 p.	29.73	755.1	75	...	W	0	b	7 a.	29.73	755.2	63	80	N	0	b
amuro,	,,	29.89	759.1	...	...	N N E	1	...	6 a.	29.63	752.6	...	...	E N E	4	...
akodate,	,,	29.81	757.2	...	...	E N E	1	...	,,	29.62	752.2	...	...	...	0	...
okio,	,,	29.81	757.1	...	...	S W	4	...	,,	29.73	755.1	...	...	S W	3	...
ochi,	,,	29.76	755.8	...	...	S	2	...	,,	29.64	752.8	...	...	S E	3	...
agasaki,	,,	29.56	750.8	...	...	S	5	...	,,	29.50	749.3	...	...	S S W	2	...
agoshima,	,,	29.62	752.4	...	...	S S W	6	...	,,	29.54	750.4	...	...	S S W	5	...
chima,	,,	29.59	751.6	...	...	S	5	...	,,	29.55	750.6	...	...	S	3	...
aba,	,,	29.46	748.2	...	...	S S E	2	...	,,	29.44	747.7	...	...	S S E	2	...
higakijima,	,,	29.44	747.8	...	...	N	4	...	,,	29.52	749.8	...	...	N W	6	...
onin Is.	,,	29.96	761.1	...	...	S E	1	...	,,	29.99	761.6	...	...	..	0	...
hefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
eihaiwei,	,,	29.79	756.6	75	60	N	6	b	9 a.	29.84	757.9	74	79	N	3	c
ankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iukiang,	,,	29.84	757.9	85	44	N E	3	b	,,	29.87	758.7	76	...	E	2	b
anghai,	,,	29.74	755.4	80	44	N N E	5	cq	9 a.	29.78	756.4	76	56	N	3	b
utzlaff,	,,	29.66	753.3	78	61	N N E	7	cv	,,	29.72	754.9	77	57	N	5	cv
arp Peak,	,,	29.59	751.6	82	...	E	3	c	,,	29.72	754.9	78	...	N E	1	b
moy,	,,	29.67	753.6	85	72	S E	3	b	6 a.	29.67	753.6	79	73	N E	2	c
ustow,	,,	29.57	751.1	87	69	E	2	o	,,	29.63	752.6	79	91	E S E	1	c
iboku,	1 p.	29.59	751.7	...	...	N	6	...	5 a.	29.69	754.1	...	...	N W	2	...
ichu,	,,	29.57	751.1	...	...	N W	6	...	,,	29.64	752.9	...	...	N E	6	...
inan,	,,	29.58	751.3	...	...	N	6	...	,,	29.63	752.5	...	...	N	2	...
oshun,	,,	29.56	750.8	...	...	N	6	...	,,	29.61	752.0	...	...	...	0	...
egadores,	,,	29.60	751.9	...	...	N E	6	...	,,	29.64	752.9	...	...	N E	10	...
nton,	3 p.	29.63	752.6	89	56	N E	3	b	9 a.	...	...	...	...	...	...	...
ongkong,	4 p.	29.59	751.6	85	75	...	0	o	10 a.	29.71	754.6	84	63	N E	1	c
ictoria Peak,	,,	...	...	...	...	N N W	1	...	,,	...	...	...	...	N E	1	...
p Rock,	,,	29.57	751.1	...	...	N	2	...	,,	29.68	753.9	...	...	N E	3	...
acao,	,,	29.63	752.6	89	...	N N W	2	c	,,	29.75	755.6	82	...	N	2	c
uchow,	3 p.	29.67	753.6	90	...	S E	1	c	9 a.	29.78	756.4	81	...	E	1	c
oihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
khoi,	,,	29.61	752.1	80	70	S E	2	c	,,	...	...	...	...	..	...	...
ulien,	4 p.	29.53	750.0	75	...	E N E	5	or	8 a.	29.71	754.6	73	...	N E	5	or
urane,	,,	29.54	750.5	84	...	S S W	1	c	,,	29.69	754.1	84	..	N W	1	c
pe St. James,	,,	29.67	753.5	75	...	S W	6	or	,,	29.73	756.5	77	...	W	4	o
arri,	2 p.	29.60	751.9	81	...	S	2	p	6 a.	29.63	752.6	77	...	S	2	d
anila,	4 p.	29.72	755	82	77	S	3	o	10 a.	29.76	756	77	92	N W	1	r
gaspi,	2 p.	29.73	755.1	84	...	S W	2	o	6 a.	...	...	...	...	...	0	o
oolod,	3 p.	...	...	...	...	S	3	o	9 a.	...	...	...	...	W S W	2	o
ilo,	,,	29.74	755.4	81	...	N N W	2	o	,,	29.82	757.4	82	...	N N W	1	o
bu,	,,	29.72	754.9	91	...	S	2	c	,,	29.84	757.9	85	...	S	1	c
buan,	,,	29.74	755.4	85	...	...	...	...	,,	29.85	758.2	82	...	...	...	...

On the 6th at 12.10 a.—The barometer has fallen considerably over Japan, and risen moderately at Meiaco Sima and also over S. China and Tongking.

There are three depressions—one between Meiaco Sima and the S. Loochoos, which appears to be slowly recurving to the N.E., another near Korea Straits also moving to the N.E., and third moving Eastwards over the N.E. part of the Sea of Japan,

Pressure remains high over the Pacific to the Eastward of the Bonins, and relatively so over N. China.

Moderate to fresh N.E. winds may be expected over the Formosa Channel and the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.E. winds, moderate; unsettled, showery.
Formosa Channel,	N.E. winds, moderate to fresh.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 6th September, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th September, 1910, P.M.								7th September, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.71	754.6	76	...	N	1	b	7 a.	29.84	757.9	64	91	...	0	
Nemuro,	,,	29.57	751.1	...	...	E N E	5	...	6 a.	29.77	756.1	...	...	E N E	5	
Hakodate,	,,	29.57	751.2	...	...	W	1	...	,,	29.73	755.2	...	...	E N E	1	
Tokio,	,,	29.61	752.1	...	...	S W	5	...	,,	29.65	753.1	...	...	S W	3	
Kochi,	,,	29.66	753.3	...	...	S W	2	...	,,	29.64	752.8	...	...	S E	8	
Nagasaki,	,,	29.58	751.3	...	...	N N E	1	...	,,	29.43	748.8	...	...	N E	6	
Kagoshima,	,,	29.56	750.9	...	...	S	3	...	,,	29.39	746.4	...	...	S S E	6	
Oshima,	,,	29.51	749.6	...	...	S	6	...	,,	29.47	748.6	...	...	S	3	
Naha,	,,	29.36	745.7	...	...	S	3	...	,,	29.62	752.2	...	...	W	3	
Ishigakijima,	,,	29.60	751.8	...	...	N W	7	...	,,	29.70	754.3	...	...	N	1	
Bonin Is.	,,	30.02	762.6	...	...	S E	1	...	,,	29.95	760.6	...	...	S E	1	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.81	757.2	77	67	N	2	c	9 a.	29.84	757.9	76	69	N E	2	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	29.83	757.7	84	...	N E	2	b	,,	29.89	759.2	70	75	E	2	
Shanghai,	,,	29.73	755.1	81	48	N N E	3	c	9 a.	29.81	757.2	77	53	N	2	
Gutzlaff,	,,	29.68	753.9	78	70	N	5	cv	,,	29.73	755.1	73	61	N	3	
Sharp Peak,	,,	29.71	754.6	79	...	E	3	b	,,	29.80	756.9	76	...	N	1	
Amoy,	,,	29.68	753.9	36	68	E	3	b	6 a.	29.73	755.1	76	69	N E	2	
Swatow,	,,	29.64	752.8	82	83	E	2	b	,,	29.69	754.1	75	86	E N E	1	
Taihoku,	1 p.	29.70	754.5	...	...	N	6	...	5 a.	29.73	755.1	...	...	S	2	
Taichu,	,,	29.63	752.7	...	...	N	6	...	,,	29.70	754.3	...	...	...	0	
Tainan,	,,	29.65	753.0	...	...	N	4	...	,,	29.68	753.9	...	...	E	2	
Koshun	,,	29.66	753.3	...	...	E	6	...	,,	29.67	753.6	...	...	N E	6	
Pescadores,	,,	29.66	753.3	...	...	N E	3	...	,,	29.67	753.6	...	...	N E	8	
Canton,	3 p.	29.68	753.9	88	49	N	2	b	9 a.	...	...	...	...	...	...	
Hongkong,	4 p.	29.66	753.3	82	73	E	2	o	10 a.	29.77	756.1	77	84	S E	1	
Victoria Peak,	,,	...	...	...	...	N	1	...	,,	...	...	...	...	E N E	5	
Gap Rock,	,,	29.64	752.8	...	...	E N E	3	...	,,	29.74	755.4	...	...	E N E	4	
Macao,	,,	29.69	754.1	84	...	N	2	c	,,	29.80	756.9	80	...	N E	1	
Wuchow,	3 p.	29.70	754.4	90	...	S E	1	c	9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	29.69	754.1	82	87	N E	1	c	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.65	753.1	77	...	E N E	4	c	8 a.	29.75	755.5	77	...	S E	2	
Tourane,	,,	...	...	...	...	...	...	...	,,	29.71	754.7	81	..	N W	1	
Cape St. James,	,,	29.70	754.4	79	...	S W	4	o	,,	29.30	756.9	79	...	W S W	4	
Aparri,	2 p.	29.62	752.4	79	...	S	2	d	6 a.	29.65	753.2	75	...	S W	0	
Manila,	4 p.	29.69	754	79	84	W	2	o	10 a.	29.75	756	86	71	S E	1	
Legaspi,	2 p.	29.72	754.9	91	...	S W	2	c	6 a.	29.75	755.7	77	...	...	0	
Bacolod,	3 p.	...	...	...	...	W S W	2	c	9 a.	...	...	...	...	W	3	
Iloilo,	,,	29.75	755.6	80	...	N N W	5	o	,,	29.83	757.7	81	...	S W	1	
Cebu,	,,	29.72	754.9	90	...	S	1	c	,,	29.83	757.7	88	...	S	1	
Labuan,	,,	29.74	755.4	84	...	...	...	...	,,	29.85	758.2	80	...	...	...	

On the 7th at 11.50 a.—The barometer has risen considerably over Meiaco Sima and the S. Loochoos and fal quickly in S.W. Japan, the depression having moved towards N.N.E. and approached the latter area.

The other depression seems to be moving into the Pacific to the E. of Japan.

The barometer has risen slightly over S. China and Tongking.

Pressure remains high over the Pacific in the neighbourhood of the Bonins, and relatively so over N. China low pressure trough lies over the N. part of the China Sea.

Moderate to fresh N.E. winds may be expected over the Formosa Channel and the northern shores of the Chi Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate to fresh; cloudy, some rai
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 7th September, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th September, 1910, P.M.								8th September, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock,	2 p.	29.83	757.8	71	...	S	0	c	7 a.	29.93	760.2	63	94	...	0	c
muro,	,,	29.89	759.1	...	...	N E	2	...	6 a.	30.01	762.1	...	...	...	0	...
kodate,	,,	29.83	757.7	...	...	E S E	4	...	,,	29.95	760.7	...	...	E N E	1	...
kio,	,,	29.83	757.6	...	...	N N E	2	...	,,	29.83	757.6	...	...	N N W	1	...
chi,	,,	29.58	751.3	...	...	S	2	...	,,	...	...	...	...	S E	1	...
gasaki,	,,	29.19	741.3	...	...	E N E	4	...	,,	29.56	750.8	...	...	N	3	...
goshima,	,,	29.41	746.9	...	...	S S W	6	...	,,	29.58	751.4	...	...	W S W	1	...
hima,	,,	...	...	...	...	...	...	...	,,	29.31	757.1	...	...	S	1	...
ha,	,,	29.77	756.2	...	...	E N E	3	...	,,	...	...	...	...	...	...	...
higakijima,	,,	29.76	755.8	...	...	N E	2	...	,,	...	...	...	...	N E	2	...
min Is.	,,	29.93	760.1	...	...	S S E	1	...	,,	30.01	762.1	...	...	..	0	...
efoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ehaiwei,	,,	29.33	757.7	73	61	S W	1	b	9 a.	29.96	761.0	78	65	N E	1	b
nkow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ukiang,	,,	29.86	758.4	85	47	W	1	b	..	29.85	758.2	69	...	..	0	b
anghai,	,,	29.79	756.6	81	45	N N W	2	c	9 a.	29.93	760.2	79	61	N N E	1	c
tzlaff,	,,	29.77	756.1	80	58	N	2	bv	,,	29.86	758.4	73	70	N	1	cv
arp Peak,	,,	29.78	756.4	78	...	E	3	b	,,	29.92	759.9	78	...	N	1	c
ny,	,,	29.73	755.1	87	45	N E	3	b	6 a.	29.80	756.9	76	...	N N E	2	b
atow,	,,	29.71	754.6	83	79	E	3	b	,,	29.77	756.1	74	81	N N E	1	c
iboku,	1 p.	29.71	756.1	...	...	E	6	...	5 a.	29.80	756.9	...	...	E	6	...
ichu,	,,	29.71	754.6	...	...	E	2	...	,,	29.77	756.2	...	...	...	0	...
inan,	,,	29.74	755.3	...	...	W	4	...	,,	29.78	756.5	...	...	..	0	...
shun,	,,	29.72	754.9	...	...	N E	8	...	,,	29.77	756.2	...	...	N	6	...
scadores,	,,	29.74	755.4	...	...	N E	8	...	,,	29.77	756.1	...	...	N E	6	...
ison,	3 p.	29.71	754.6	85	68	S S W	1	b	9 a.	29.84	757.9	80	70	E	2	b
ngkong,	4 p.	29.72	754.9	80	68	E	3	o	10 a.	29.82	757.4	82	53	E	3	c
ctoria Peak,	,,	...	...	...	...	E S E	3	...	,,	..	...	...	...	E	4	...
p Rock,	,,	29.68	753.9	...	...	E	4	...	,,	29.80	756.9	...	...	E N E	5	...
cao,	,,	29.75	755.6	80	...	E S E	2	c	,,	29.86	758.4	82	...	N E	1	c
nchow,	3 p.	29.72	754.9	89	...	S W	1	c	9 a.	...	...	...	...	...	...	...
ilhow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
khoi,	,,	29.68	753.9	84	72	S E	1	c	,,	...	...	...	...	..	...	...
ulien,	4 p.	29.67	753.6	82	...	E N E	4	c	8 a.	29.79	756.7	77	...	E N E	4	c
urane,	,,	29.64	752.8	82	...	N	3	o	,,	29.73	755.1	79	..	N W	3	o
pe St. James,	,,	29.72	754.9	85	...	W N W	3	or	,,	29.80	756.8	77	...	W S W	4	or
arri,	2 p.	29.64	752.9	81	...	N	2	c	6 a.	29.79	756.6	77	...	S	2	o
ila,	4 p.	29.72	755	86	71	W S W	3	c	10 a.	29.84	758	84	71	...	0	o
gaspi,	2 p.	29.73	755.2	91	...	S W	2	c	6 a.	29.82	757.3	75	...	...	0	o
eolod,	3 p.	...	...	...	...	W S W	3	o	9 a.	...	...	...	...	S W	2	o
ilo,	,,	29.75	755.6	85	...	N N W	1	...	,,	29.85	758.2	81	...	N N W	1	o
bu,	,,	29.71	754.6	91	...	S	2	c	,,	29.87	758.7	84	...	N	1	c
huan,	,,	29.75	755.6	87	...	...	...	...	,,	29.84	757.9	84	...	...	...	...

On the 8th at 11.55 a.—The depression which reached the coast of Kiusiu near Nagasaki yesterday afternoon, appears to be filling up over W. Japan.

The barometer has risen at almost all stations—considerably over the Loochoos and E. Japan, and moderately over the E. coast of China, Formosa and Luzon. Over Annam there is little change, and apparently a depression has developed in the low pressure trough to the Eastward of the Paracels.

It is probably moving Westward.

Pressure is high over the Pacific in the neighbourhood of the Bonins, and also over Manchuria and NE Japan.

Fresh to strong NE and E. winds may be expected over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	NE and E. winds, fresh to strong; cloudy, squally.
Formosa Channel,	NE winds, fresh.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	NE winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday 8th September, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th September, 1910, P.M.								9th September, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.91	759.7	77	...	W	0	b	7 a.	29.93	760.3	62	95	...	0	[illegible]
Nemuro,	,,	30.00	762.1	...	...	S	2	...	6 a.	...	...	...	...	...	...	[illegible]
Hakodate,	,,	29.95	760.7	...	...	E S E	4	...	,,	...	...	...	...	...	...	[illegible]
Tokio,	,,	29.89	759.1	...	...	N W	1	...	,,	..	...	...	...	...	...	[illegible]
Kochi,	,,	29.64	752.8	...	...	S E	1	...	,,	...	...	...	...	...	...	[illegible]
Nagasaki,	,,	29.74	755.3	...	...	N	5	...	,,	...	...	...	...	...	...	[illegible]
Kagoshima,	,,	29.70	754.4	...	...	W S W	2	...	,,	...	...	...	...	...	...	[illegible]
Oshima,	,,	29.87	758.6	...	...	N	1	...	,,	...	...	...	...	...	...	[illegible]
Naha,	,,	29.89	759.2	...	...	N N W	1	...	,,	...	...	...	...	...	...	[illegible]
Ishigakijima,	,,	29.85	758.3	...	...	S S E	1	...	,,	...	...	...	...	...	...	[illegible]
Bonin Is.	,,	30.02	762.6	...	...	S	1	...	,,	...	...	...	...	..	...	[illegible]
Chefoo,	4 p.	...	...	...	...	...	...	..	6 a.	...	...	...	...	...	...	[illegible]
Weihaiwei,	,,	29.96	761.0	76	64	...	...	b	9 a.	29.97	761.2	78	65	...	0	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Kiukiang,	,,	29.86	758.4	83	49	N E	1	b	,,	29.92	759.9	70	...	...	0	[illegible]
Shanghai,	,,	29.88	758.9	81	45	N N E	2	c	9 a.	29.94	760.5	79	61	S S E	2	[illegible]
Gutzlaff,	,,	29.86	758.4	79	61	N E	1	b	,,	29.90	759.4	80	66	S E	2	[illegible]
Sharp Peak,	,,	29.87	758.7	79	...	E	4	b	,,	29.93	760.2	78	...	...	0	[illegible]
Amoy,	,,	29.82	757.4	83	46	N E	3	b	6 a.	29.89	759.2	77	69	N E	1	[illegible]
Swatow,	,,	29.77	756.1	82	83	E	3	c	,,	29.81	757.2	76	82	E N E	2	[illegible]
Taihoku,	1 p.	29.83	757.8	...	...	E	8	...	5 a.	29.89	759.2	...	...	...	0	[illegible]
Taichu,	,,	29.79	756.7	...	...	N W	4	...	,,	29.89	759.2	...	...	...	0	[illegible]
Tainan,	,,	29.83	757.6	...	...	S W	6	...	,,	29.89	759.2	...	...	...	0	[illegible]
Koshun	,,	29.83	757.6	...	...	E	4	...	,,	29.90	759.5	...	...	N	2	[illegible]
Pescadores,	,,	29.82	757.3	...	...	N E	8	...	,,	29.88	758.8	...	...	N E	4	[illegible]
Canton,	3 p.	29.77	756.1	86	61	E S E	1	b	9 a.	29.85	758.2	83	67	E	2	[illegible]
Hongkong,	4 p.	29.78	756.4	81	62	E	4	o	10 a.	29.84	757.9	78	93	E	3	[illegible]
Victoria Peak,	,,	...	...	...	...	E S E	3	...	,,	...	...	...	...	E S E	4	[illegible]
Gap Rock,	,,	29.74	755.4	...	...	E N E	5	...	,,	29.79	756.6	...	...	E	5	[illegible]
Macao,	,,	29.81	757.2	81	...	S E	1	c	,,	29.87	758.7	80	...	E N E	3	[illegible]
Wuchow,	3 p.	29.79	756.6	89	53	E	1	c	9 a.	29.88	758.9	82	75	E	1	[illegible]
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Pakhoi,	,,	29.76	755.9	87	62	S E	2	b	,,	...	...	...	...	..	...	[illegible]
Phulien,	4 p.	29.74	755.4	81	...	E S E	4	c	8 a.	29.30	756.8	82	...	N E	3	[illegible]
Tourane,	,,	29.66	753.4	79	...	S W	4	c	,,	29.76	755.0	73	..	N W	4	[illegible]
Cape St. James,	,,	29.65	753.0	79	...	S W	5	o	,,	29.76	756.0	79	...	W S W	4	[illegible]
Aparri,	2 p.	29.79	756.7	86	...	N E	2	b	6 a.	29.87	758.7	75	...	S	2	[illegible]
Manila,	4 p.	29.80	757	84	77	E S E	1	o	10 a.	29.88	759	86	79	...	0	[illegible]
Legaspi,	2 p.	29.82	757.5	82	...	..	0	o	6 a.	29.87	758.7	77	...	...	0	[illegible]
Bacolod,	3 p.	...	...	...	...	W S W	2	o	9 a.	...	...	...	...	E	2	[illegible]
Iloilo,	,,	29.79	756.6	84	...	...	0	o	,,	29.89	759.2	80	...	...	0	[illegible]
Cebu,	,,	29.79	756.6	87	...	N	1	c	,,	29.91	759.7	84	...	N	1	[illegible]
Labuan,	,,	29.71	754.6	85	...	...	...	...	,,	29.92	759.9	81	...	...	...	[illegible]

On the 9th at 12.12 p.—Pressure is very little changed over S. China, Tongking and Annam. It has increas moderately over Formosa and Luzon.

The depression appears to be situated near the SE coast of Hainan and to be moving slowly, probably towar WNW.

Pressure is relatively high over N. China and the Eastern Sea.

The Japanese returns are not in hand.

Strong NE and E. winds may be expected along the S. coast of China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, strong; squally, rainy.
2.—Formosa Channel,	E winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	NE and E. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 9th September, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th September, 1910, P.M.								10th September, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ladivostock,...	2 p.	29.89	759.2	71	...	S E	1	b	7 a.	29.82	757.5	54	89	N	3	or
mmuro, ...	,,	29.96	761.1	...	...	S	4	...	6 a.	29.89	759.1	...	...	S S E	1	...
akodate, ...	,,	29.93	760.2	...	...	S E	5	...	,,	29.85	758.2	...	...	...	0	...
kio, ...	,,	29.85	758.1	...	...	N N W	1	...	,,	29.83	757.6	...	...	N N W	1	...
chi, ...	,,	29.78	756.3	...	...	N	4	...	,,	29.84	757.8	...	...	...	0	...
gasaki, ...	,,	29.87	758.8	...	...	N	2	...	,,	29.89	759.3	...	...	...	0	...
agoshima, ...	,,	29.86	758.4	...	...	E	1	...	,,	29.88	758.9	...	...	N W	1	...
hima, ...	,,	29.93	760.1	...	...	N	1	...	,,	29.91	759.6	...	...	S S W	1	...
ha.....	,,	29.91	759.7	...	...	S S W	1	...	,,	29.89	759.2	...	...	S	1	...
higakijima, ...	,,	29.89	759.3	...	...	S W	5	...	,,	29.91	759.8	...	...	N N W	1	...
min Is.....	,,	29.96	761.1	...	...	S	1	...	,,	29.97	761.1	...	...	N E	1	...
efoo, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
eihaiwei, ...	,,	29.91	759.7	76	73	N	1	o	9 a.	...	...	75	77	S W	1	c
ankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ukiang.....	,,	29.86	758.4	83	52	N E	1	b	,,	...	...	...	...	...	...	...
anghai, ...	,,	29.87	758.7	83	57	E S E	2	c	9 a.	29.85	758.2	81	71	S S E	3	c
utzlaff, ...	,,	29.87	758.7	83	83	N E	1	cv	,,	29.89	759.2	80	70	S S E	2	cv
arp Peak, ...	,,	29.89	759.2	80	...	E	1	b	,,	29.90	759.4	81	...	...	0	b
moy.....	,,	29.88	758.9	84	50	E	3	b	6 a.	29.84	757.9	79	82	S E	1	b
astow, ...	,,	29.81	757.2	80	78	E	3	o	,,	...	...	...	...	...	...	...
aiboku, ...	1 p.	29.91	759.6	...	...	E	4	...	5 a.	29.90	759.4	...	...	E	2	...
aichu, ...	,,	29.88	759.0	...	...	N	4	...	,,	29.89	759.3	...	...	...	0	...
aiman.....	,,	29.92	760.0	...	...	S W	4	...	,,	29.90	759.4	...	...	E	2	...
oshun.....	,,	29.91	759.8	...	...	N	2	...	,,	29.91	759.6	...	...	...	0	...
escadores, ...	,,	29.90	759.4	...	...	N	2	...	,,	29.88	759.0	...	...	S	2	...
anton.....	3 p.	29.78	756.4	86	72	S E	3	o	9 a.	29.85	758.2	81	78	E	2	o
ongkong, ...	4 p.	29.81	757.2	78	91	E	3	o	10 a.	29.87	758.7	76	95	E N E	2	or
ictoria Peak,...	,,	...	...	...	...	E S E	3	...	,,	...	...	...	...	S	5	...
ap Rock,.....	,,	29.75	755.6	...	...	E	4	...	,,	29.83	757.7	...	...	S E	4	...
acao, ...	,,	29.82	757.4	79	...	E	3	o	,,	29.89	759.2	79	...	E	2	c
achow, ...	3 p.	29.81	757.2	87	65	E	2	o	9 a.	...	...	...	...	...	...	...
oihow, ...	,,	29.68	753.9	86	76	S E	2	c	,,	...	...	...	...	...	...	...
akhoi, ...	,,	29.74	755.4	86	68	E	3	b	,,	...	...	...	...	...	...	...
hulien, ...	4 p.	29.68	753.8	84	...	W	2	o	8 a.	29.75	755.5	79	...	S E	6	c
ourane, ...	,,	29.67	753.5	81	...	N N W	4	o	,,	29.75	755.6	79	..	..	0	c
ape St. James,.	,,	29.73	755.2	79	...	W S W	4	o	,,	..	...	...	...	...	...	...
parri, ...	2 p.	29.85	758.1	88	...	N E	2	c	6 a.	29.88	759.0	77	...	W	0	p
anila, ...	4 p.	29.80	757	82	77	..	0	d	10 a.	29.88	759	81	85	...	0	o
egaspi, ...	2 p.	29.80	757.0	90	...	S E	2	c	6 a.	29.86	758.4	77	...	...	0	o
ecolod, ...	3 p.	...	...	...	...	S	2	olt	9 a.	...	...	...	...	E	2	o
oilo, ...	,,	29.79	756.6	81	...	...	0	o	,,	29.87	758.7	80	...	...	0	o
ebu, ...	,,	29.81	757.2	87	...	N	1	b	,,	29.91	759.7	81	...	...	0	o
aituan, ...	,,	29.78	756.4	88	...	...	...	...	,,	29.89	759.2	83	...	...	...	...

On the 10th at 11.50 a.—The depression has entered Tongking.

Pressure has giving way moderately in NE Japan, a depression having appeared over the NE part of the Sea of Japan.

Elsewhere barometric changes are slight, but with a tendency for the mercury to fall over the E. coast of China.

Pressure is highest over the Pacific between the Loochoos and the Bonins.

Moderate SE winds may be expected in the Formosa Channel and over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.27 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood, ...	SE winds, moderate; showery at first, improving later.
—Formosa Channel, ...	SE winds, moderate; fair.
—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 10th September, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th September, 1910, P.M.								11th September, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.70	754.4	62	...	N	3	c	7 a.	29.59	751.5	52	83	N	3	c
Nemuro,	,,	29.81	757.1	...	...	S S W	2	...	6 a.	29.73	755.1	...	...	S S E	4	...
Hakodate,	,,	29.79	756.7	...	...	S	1	...	,,	29.56	750.7	...	...	S S W	1	...
Tokio,	,,	29.77	756.1	...	...	N	1	...	,,	29.69	754.1	...	...	N N W	1	...
Kochi,	,,	29.78	756.3	...	...	E S E	1	...	,,	29.80	756.8	...	...	S W	1	...
Nagasaki,	,,	29.83	757.8	...	...	W S W	1	...	,,	29.84	757.8	...	...	N N E	1	...
Kagoshima,	,,	29.84	757.9	...	...	W S W	1	...	,,	29.80	756.9	...	...	N N W	1	...
Oshima,	,,	29.83	757.6	...	...	S	2	...	,,	29.87	758.6	...	...	...	0	...
Naha,	,,	29.87	758.7	...	...	W	1	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.89	759.3	...	...	S	1	...	,,	...	...	...	...	S S W	2	...
Bonin Is.	,,	29.93	760.1	...	...	S W	1	...	,,	29.97	761.1	...	...	S	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.75	755.6	77	69	N	2	c	9 a.	29.39	759.2	70	66	N	2	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.85	758.2	92	57	N	1	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.77	756.1	84	44	N W	1	c	9 a.	29.83	757.7	87	47	...	0	c
Gutzlaff,	,,	29.83	757.7	80	70	S S E	2	cv	,,	29.89	759.2	82	83	S W	1	cv
Sharp Peak,	,,	29.80	756.9	83	...	S E	3	b	,,	29.87	758.7	82	...	...	0	b
Amoy,	,,	29.82	757.4	85	72	E S E	3	b	6 a.	...	...	80	82	S	2	b
Swatow,	,,	29.78	756.4	85	79	N E	3	c	,,	29.86	758.4	77	91	N E	1	b
Taihoku,	1 p.	29.83	757.6	...	...	W	2	...	5 a.	29.87	758.7	...	...	S	2	...
Taichu,	,,	29.85	758.2	...	...	N	2	...	,,	29.88	758.9	...	...	...	0	...
Tainan,	,,	29.87	758.8	...	...	W	4	...	,,	29.88	758.9	...	...	E	2	...
Kosbun,	,,	29.88	758.9	...	...	E	6	...	,,	...	...	...	...	...	0	...
Pescadores,	,,	29.87	758.6	...	...	N	2	...	,,	29.86	758.5	...	...	...	0	...
Canton,	3 p.	29.82	757.4	84	79	S E	2	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.80	756.9	77	90	S	1	op	10 a.	29.86	758.4	82	78	E	1	c
Victoria Peak,	,,	...	...	...	...	S E	3	...	,,	...	...	...	...	S S E	2	...
Gap Rock,	,,	29.76	755.9	...	...	S S E	3	...	,,	29.84	757.9	...	...	S E	2	...
Macao,	,,	29.82	757.4	77	...	S S W	2	od	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	29.80	756.9	81	...	E	1	c	9 a.	29.86	758.4	82	...	N E	1	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.76	755.9	82	91	E	2	or	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.69	754.2	77	...	E	4	o	8 a.	29.80	756.8	75	...	E	3	or
Tourane,	,,	29.70	754.5	82	...	...	0	o	,,	29.77	756.2	68	...	...	0	c
Cape St. James,	,,	29.78	756.3	82	...	S W	2	c	,,	29.88	758.8	79	...	S S E	2	c
Aparri,	2 p.	29.81	757.2	84	...	N E	2	o	6 a.	29.84	758.0	77	...	S	2	c
Manila,	4 p.	29.80	757	86	71	...	0	o	10 a.	...	...	82	85	...	...	c
Legaspi,	2 p.	29.82	757.4	88	...	E	2	c	6 a.	29.86	758.3	77	...	...	0	c
Bacolod,	3 p.	...	...	...	...	N N W	2	or	9 a.	...	...	...	...	W	2	o
Iloilo,	,,	29.81	757.2	83	...	...	0	c	,,	29.91	759.7	81	...	...	0	c
Cebu,	,,	29.82	757.4	84	...	S	1	c	,,	29.91	759.7	84	...	S	1	b
Labuan,	,,	29.79	756.6	84	...	...	...	...	,,	...	...	...	...	...	...	...

On the 11th at 11.30 a.—The barometer has fallen considerably at the stations around the N.E. part of the Sea of Japan, owing to the depression which is moving Eastwards over that area.

Pressure has increased slightly over Tongking and N. China. It is highest over the Pacific between the Loochoos and the Bonins.

Moderate S.E. winds may be expected over the Formosa Channel and the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.32 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 11th September, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th September, 1910, P.M.								12th September, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock,	2 p.	29.63	752.5	59	...	N	3	o	7 a.	29.84	758.0	54	88	...	0	b
imuro,	,,	29.53	750.1	...	...	S S W	5	...	6 a.	29.41	747.1	...	...	W S W	3	...
kodate,	,,	29.54	750.2	...	...	W	1	...	,,	29.50	749.2	...	...	W	3	...
kio,	,,	29.67	753.6	...	...	S S W	1	...	,,	29.73	755.1	...	...	W N W	1	...
chi,	,,	29.78	756.3	...	...	...	0	...	,,	29.83	756.8	...	...	S W	1	...
gasaki,	,,	29.83	757.8	...	...	W	3	...	,,	29.89	759.3	...	...	N N W	1	...
goshima,	,,	29.82	757.4	...	...	W	2	...	,,	29.90	759.4	...	...	E N E	1	...
hima,	,,	29.87	758.6	...	...	N W	1	...	,,	29.93	760.1	...	...	...	0	...
ha	,,	29.89	759.2	...	...	S W	4	...	,,	29.91	759.7	...	...	...	0	...
igakijima,	,,	29.87	758.8	...	...	S S W	2	...	,,	29.89	759.3	...	...	S S E	1	...
nin Is.	,,	29.81	757.1	...	...	S	1	...	,,	30.02	762.6	...	...	...	0	...
efoo	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
gibaiwei	,,	29.89	759.2	69	63	N N E	3	b	9 a.	29.96	761.0	63	60	N	3	o
nkow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ukiang,	✓ ,,	29.70	754.4	96	97	...	0	c	,,	29.71	754.6	78	91	...	0	b
anghai,	,,	29.78	756.4	86	68	S E	2	c	9 a.	29.81	757.2	84	79	S S E	2	o
tzlaff,	,,	29.84	757.9	85	72	S E	2	cv	,,	29.85	758.2	84	83	S	3	cv
rp Peak,	✓ ,,	29.80	756.9	84	...	E S E	4	b	,,	29.89	759.2	83	...	...	0	b
oy	✓ ,,	...	...	88	62	S S E	4	b	6 a.	29.84	757.9	80	74	E N E	3	b
atow,	✓ ,,	29.78	756.4	86	76	S S E	1	b	,,	29.83	757.7	78	91	...	0	b
hoku	1 p.	29.86	758.5	...	...	...	0	...	5 a.	29.90	759.4	...	...	S	2	...
ichu	,,	29.87	758.6	...	...	N W	2	...	,,	29.89	759.3	...	...	S E	2	...
inan,	,,	29.87	758.7	...	...	W	4	...	,,	29.89	759.1	...	...	...	0	...
shun	,,	29.87	758.8	...	...	E	6	...	,,	29.93	760.2	...	...	E	2	...
adores,	,,	29.87	758.8	...	...	S W	4	...	,,	29.87	758.7	...	...	S	2	...
nton	3 p.	29.76	755.9	84	79	S	1	b	9 a.	29.86	758.4	82	83	S	1	c
ongkong,	4 p.	29.79	756.6	80	83	E	2	o	10 a.	29.88	758.9	82	81	E	1	c
ctoria Peak,	,,	...	...	...	...	S S E	3	...	,,	...	...	...	...	S S E	2	...
p Rock,	,,	29.75	755.6	...	...	S E	2	...	,,	29.85	758.2	...	...	S S E	3	...
cao	,,	29.81	757.2	81	...	S E	1	c	,,	29.90	759.4	83	...	E S E	1	c
achow,	✓ 3 p.	29.75	755.6	83	...	E	1	o	9 a.	29.87	758.7	83	...	E	2	o
ihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
khoi,	✓ ,,	29.77	756.1	86	76	S S E	1	b	,,	...	...	...	...	...	...	...
ulien,	✓ 4 p.	29.71	754.6	81	...	E S E	5	c	8 a.	29.80	757.0	77	...	E S E	1	or
irane,	✓ ,,	29.74	755.4	84	...	...	0	o	,,	29.82	757.4	82	..	..	0	c
e St. James,	✓ ,,	29.73	755.1	81	...	S W	2	c	,,	...	...	...	...	...	...	...
arri,	2 p.	29.83	757.6	88	...	N E	2	c	6 a.	29.90	759.5	75	...	S W	2	o
nila,	4 p.	29.80	757	84	77	S S E	1	o	10 a.	29.92	760	84	77	...	0	c
gaspi,	2 p.	29.85	758.3	84	...	..	0	o	6 a.	29.90	759.5	79	...	E	2	o
colod,	3 p.	...	...	...	...	W S W	2	o	9 a.	...	...	...	...	W S W	2	o
lo,	,,	29.81	757.2	83	...	...	0	o	,,	29.91	759.7	81	...	...	0	o
u,	,,	29.83	757.7	87	...	N E	...	c	,,	29.90	759.4	84	...	S	1	b
nan,	✓ ,,	29.78	756.4	87	...	...	...	...	,,	29.90	759.4	82	...	...	...	...

On the 12th at 11.40 a.—The depression lying over the N.E. part of the Sea of Japan yesterday, is moving into the Pacific.

The barometer has risen over Manchuria and S. Japan, and fallen over the E. coast of China. Pressure appears to be low over the Yangtze valley.

High pressure covers the Pacific between the Bonins and Formosa.

Moderate S.E. winds may be expected over the Formosa Channel and the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	S.E. winds, moderate; fair.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 12th September, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th September, 1910, P.M.								13th September, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.81	757.1	71	...	N E	0	c	7 a.	29.81	757.2	53	93	...	0	b
Namuro,	,,	29.41	747.1	...	...	S W	4	...	6 a.	29.71	754.6	...	...	S W	1	...
Hakodate,	,,	29.67	753.7	...	...	N W	1	...	,,	29.83	757.7	...	...	...	0	...
Tokio,	,,	29.77	756.1	...	...	N W	1	...	,,	29.93	760.1	...	...	N N E	1	...
Kochi,	,,	29.85	758.3	...	...	S E	1	...	,,	29.86	758.3	...	...	..	0	...
Nagasaki,	,,	29.87	758.8	...	...	S W	1	...	,,	29.82	757.3	...	...	S W	6	...
Kagoshima,	,,	29.90	759.4	...	...	S E	1	...	,,	29.83	758.9	...	...	S W	1	...
Oshima,	,,	29.93	760.1	...	...	...	0	...	,,	29.93	760.1	...	...	S	1	...
Naha,	,,	29.93	760.2	...	...	S W	1	...	,,	29.93	760.2	...	...	...	0	...
Ishigakijima,	,,	29.89	759.3	...	...	S W	1	...	,,	29.91	759.8	...	...	S	4	...
Bonin Is.	,,	30.00	762.1	...	...	S S W	1	...	,,	30.04	763.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	..	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.87	758.7	59	...	N N W	2	cr	9 a.	29.93	760.2	71	55	N N E	6	o
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	29.75	755.6	96	60	S W	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.72	754.9	91	57	S S W	1	c	9 a.	29.79	756.6	86	72	N E	2	c
Gutzlaff,	,,	29.77	756.1	86	80	S S E	2	ov	,,	29.83	757.7	83	87	N W	2	cr
Sharp Peak,	,,	29.79	756.6	84	83	E S E	5	b	,,	29.88	758.9	83	...	...	0	b
Amoy,	,,	29.82	757.4	86	72	S E	4	b	6 a.	29.85	758.2	80	82	S S W	1	b
Swatow,	,,	29.79	756.6	86	76	E S E	2	b	,,	29.83	757.7	78	91	S W	1	c
Taihoku,	1 p.	29.85	758.3	...	...	N W	2	...	5 a.	29.89	759.2	...	...	...	0	...
Taichu,	,,	29.85	758.1	...	...	S W	2	...	,,	29.89	759.2	...	...	...	0	...
Tainan,	,,	29.90	759.4	...	...	S W	4	...	,,	29.91	759.8	...	...	S E	2	...
Koshun	,,	29.91	759.6	...	...	E	4	...	,,	29.91	759.8	...	...	...	0	...
Pescadores,	,,	29.87	758.8	...	...	W	2	...	,,	29.88	758.9	...	...	S W	2	
Canton,	3 p.	29.77	756.1	86	68	S	2	b	9 a.	...	...	...	...	...	...	
Hongkong,	4 p.	29.82	757.4	80	85	S	1	c	10 a.	29.91	759.7	81	81	...	0	c
Victoria Peak,	,,	...	...	...	...	S S W	5	...	,,	...	...	...	...	S	1	.
Gap Rock,	,,	29.79	756.6	...	...	S W	4	...	,,	29.88	758.9	...	...	S E	3	.
Macao,	,,	29.83	757.7	81	...	S S E	2	c	,,	29.93	760.2	81	...	S S E	1	c
Wuchow,	3 p.	29.76	755.9	90	...	E	1	c	9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	.
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	.
Phulien,	4 p.	29.71	754.7	77	...	E N E	4	o	8 a.	29.82	757.3	75	...	E	2	c
Tourane,	,,	29.75	756.6	82	...	N N W	3	c	,,	...	...	..	...	...	...	
Cape St. James,	,,	29.82	757.3	77	...	W	5	or	,,	29.94	760.4	79	...	W	1	c
Aparri,	2 p.	29.83	757.7	86	...	N E	2	o	6 a.	29.91	759.6	77	...	S	2	c
Manila,	4 p.	29.80	757	86	71	N W	1	o	10 a.	29.92	760	84	71	W S W	1	c
Legaspi,	2 p.	29.84	757.9	88	...	E	2	o	6 a.	29.88	758.9	75	...	...	0	c
Bacolod,	3 p.	...	...	...	...	E	2	or	9 a.	...	...	...	...	W S W	2	c
Iloilo,	,,	29.81	757.2	81	...	N E	1	ot	,,	29.89	759.2	81	...	...	0	l
Cebu,	,,	29.82	757.4	87	...	N	1	o	,,	29.90	759.4	85	...	S	1	c
Labuan,	,,	29.80	756.9	82	...	...	...	...	,,	29.92	759.9	80	...	...	...	.

On the 13th at 11.55 a.—The barometer has risen considerably in N.E. Japan, the depression lying over the area yesterday having moved away over the Pacific.

Pressure is giving way over W. Japan the depression lying over the Yangtze valley yesterday, having moved into the Yellow Sea.

High pressure still covers the Pacific between the Bonins and Formosa.

Light or moderate S.E. and variable winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. or variable winds, light or moderate; showery
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 13th September, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th September, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	14th September, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ladivostock,	2 p.	29.76	755.9	71	...	N	0	b	7 a.	29.78	756.4	55	85	N N W	0	c
emuro,	,,	29.59	751.6	...	...	N E	4	...	6 a.	29.65	753.1	...	...	W S W	1	...
akodate,	,,	29.73	755.2	...	...	W	3	...	,,	29.77	756.2	...	...	N N W	1	...
okio,	,,	29.89	759.1	...	...	N E	1	...	,,	29.89	759.1	...	...	N N W	1	...
ochi,	,,	29.76	755.8	...	...	N W	1	...	,,	29.80	756.9	...	...	S S W	1	...
agasaki,	,,	29.78	756.3	...	...	W	6	...	,,	29.82	757.3	...	...	N	1	...
agoshima,	,,	29.82	757.4	...	...	W S W	4	...	,,	29.82	757.4	...	...	S W	1	...
shima,	,,	29.89	759.1	...	...	S S E	1	...	,,	29.91	759.6	...	...	S	1	...
aba	,,	...	...	...	...	S W	1	...	,,	29.97	761.2	...	...	S W	1	...
higakijima,	,,	...	...	...	...	...	...	...	,,	29.91	759.8	...	...	S	3	...
onin Is.	,,	30.00	762.1	...	...	S S E	1	...	,,	30.04	763.1	...	...	...	0	...
hefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
eihaiwei,	,,	...	...	72	54	N N E	3	o	9 a.	30.03	762.7	76	45	N	6	c
ankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
inkiang,	✓ ,,	29.78	756.4	89	66	S W	1	b	,,	...	...	...	...	...	...	...
hanghai,	,,	29.78	756.4	77	86	N E	3	o	9 a.	29.95	760.7	74	63	N N E	3	om
utzlaff,	,,	29.80	756.9	81	83	N N E	4	cm	,,	29.92	759.9	72	85	N E	5	ogv
harp Peak,	✓ ,,	29.75	755.6	85	79	S S E	6	b	,,	29.88	758.9	84	91	N E	1	b
moy,	✓ ,,	29.84	757.9	82	83	S E	1	or	6 a.	29.87	758.7	80	91	S S W	3	b
watow,	✓ ,,	29.81	757.2	88	66	S S E	1	b	,,	29.85	758.2	78	91	...	0	b
aihoku,	1 p.	29.87	758.7	...	...	W	2	...	5 a.	29.89	759.1	...	...	S E	2	...
aichu,	,,	29.89	759.2	...	...	W	4	...	,,	29.91	759.6	...	...	...	0	...
ainan,	,,	29.92	760.0	...	...	S	6	...	,,	29.93	760.2	...	...	...	0	...
oshun,	,,	29.91	759.7	...	...	W	6	...	,,	29.92	759.9	...	...	...	0	...
escadores,	,,	29.90	759.5	...	...	S W	4	...	,,	29.89	759.2	...	...	S	4	...
anton,	3 p.	29.82	757.4	84	79	S S E	3	or	9 a.	29.92	759.9	81	83	E S E	1	c
ongkong,	4 p.	29.86	758.4	82	81	S W	1	op	10 a.	29.93	760.2	83	79	E	1	c
ictoria Peak,	,,	...	...	...	...	S E	2	...	,,	...	...	...	...	S	1	...
ap Rock,	,,	29.81	757.2	...	...	S S E	3	...	,,	29.89	759.2	...	...	S S E	3	...
acao,	,,	29.86	758.4	79	...	S E	2	od	,,	29.96	761.0	85	...	E S E	1	c
uchow,	✓ 3 p.	29.80	756.9	83	...	W	1	c	9 a.	29.95	760.7	81	...	E	1	c
oihow,	✓ ,,	29.81	757.2	83	96	N E	3	o	,,	...	...	...	...	...	...	...
akhoi,	✓ ,,	29.78	756.4	80	91	E	1	o	,,	...	...	...	...	...	...	...
hulien,	✓ 4 p.	29.72	754.9	82	...	E S E	4	c	8 a.	29.86	758.4	79	...	E	3	lt
ourane,	✓ ,,	29.78	756.5	75	...	S S E	1	or	,,	29.88	759.0	84	..	N E	2	c
ape St. James,	✓ ,,	29.83	757.6	75	...	W	2	or	,,	29.94	760.4	75	...	N N W	3	o
parri,	2 p.	29.87	758.6	88	...	N E	2	b	6 a.	29.89	759.1	77	...	S W	0	b
anila,	4 p.	29.84	758	81	92	...	0	o	10 a.	29.92	760	77	92	...	0	r
egaspi,	2 p.	29.82	757.5	79	...	E	2	o	6 a.	29.86	758.5	73	...	...	0	b
acolod,	3 p.	...	...	...	...	W	2	or	9 a.	...	...	...	...	E	2	o
ilo,	,,	29.81	757.2	80	...	N E	2	or	,,	29.87	758.7	80	...	...	0	b
ebu,	,,	29.81	757.2	86	...	...	0	o	,,	29.87	758.7	84	...	...	0	c
ahuan,	✓ ,,	29.83	757.7	83	...	...	...	...	,,	29.96	761.0	79	...	...	...	...

On the 14th at 12.05 p.—The barometer has fallen slightly in Japan and risen on the China coast, particularly in the North.

Areas of low pressure are lying to the N.E. Japan and over the Sea of Japan.

Pressure is high over the Pacific between the Bonins and Formosa, and relatively so over N. China, where N.E. monsoon conditions appear to be setting in.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	S.E. and E. winds, moderate; showery.
Formosa Channel,	E. and N.E. winds, moderate to fresh.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 14th September, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th September, 1910, P.M.								15th September, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.74	755.3	68	...	S W	0	c	7 a.	29.80	757.0	55	91	S E	0	b
Nemuro,	,,	29.63	752.6	...	...	S	6	...	6 a.	29.79	756.6	...	...	W N W	2	...
Hakodate,	,,	29.77	756.2	...	...	N W	3	...	,,	29.85	758.2	...	...	S E	1	...
Tokio,	,,	29.87	758.6	...	...	N N E	1	...	,,	29.91	759.6	...	...	N N W	1	...
Kochi,	,,	29.78	756.3	...	...	...	0	...	,,	29.86	758.3	...	...	..	0	...
Nagasaki,	,,	29.83	757.8	...	...	N	4	...	,,	29.91	759.8	...	...	N E	1	...
Kagoshima,	,,	29.78	756.4	...	...	S W	1	...	,,	29.86	758.4	...	...	N	1	...
Oshima,	,,	29.89	759.1	...	...	W	1	...	,,	29.91	759.6	...	...	S	1	...
Naha,	,,	29.93	760.2	...	...	S W	1	...	,,	29.93	760.2	...	...	S W	1	...
Ishigakijima,	,,	29.91	759.8	...	...	S S W	1	...	,,	29.91	759.8	...	...	S	2	...
Bonin Is.	,,	30.02	762.6	...	...	S W	1	...	,,	30.01	762.1	...	...	S	1	...
Chefoo,	4 p.	...	...	...	...	...	...	..	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.99	761.7	74	40	N	3	b	9 a.	29.96	761.0	76	41	W N W	4	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	✓ ,,	29.99	761.7	72	76	N E	5	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.98	761.5	67	95	N N E	2	od	9 a.	30.02	762.5	65	95	N N E	2	or
Gutzlaff,	,,	29.95	760.7	68	95	N E	6	omr	,,	30.03	762.7	67	90	E	5	omr
Sharp Peak,	✓ ,,	29.77	756.1	86	84	E S E	5	b	,,	29.91	759.7	82	96	N E	1	o
Amoy,	✓ ,,	29.83	757.7	88	69	S	2	b	6 a.	29.87	758.7	81	87	S E	1	c
Swatow,	✓ ,,	29.81	757.2	88	69	S	1	b	,,	29.85	758.2	79	91	...	0	b
Taihoku,	1 p.	29.88	759.0	...	...	N E	2	...	5 a.	29.89	759.2	...	...	...	0	...
Taichu,	,,	29.89	759.3	...	...	S W	2	...	,,	29.90	759.4	...	...	...	0	...
Tainan,	,,	29.92	760.0	...	...	W	4	...	,,	29.91	759.7	...	...	S E	2	...
Koshun,	,,	29.92	759.9	...	...	S	6	...	,,	29.90	759.5	...	...	E	2	...
Pescadores,	,,	29.91	759.7	...	...	W	4	...	,,	29.89	759.2	...	...	S	4	...
Canton,	3 p.	29.87	758.7	82	83	S W	1	or	9 a.	29.93	760.2	80	87	N W	1	b
Hongkong,	4 p.	29.86	758.4	84	73	S	1	c	10 a.	29.93	760.2	85	76	...	0	c
Victoria Peak,	,,	...	...	...	...	S	2	...	,,	...	...	...	...	N N E	0	...
Gap Rock,	,,	29.85	758.2	...	...	S	2	...	,,	29.90	759.4	...	...	N E	2	...
Macao,	,,	29.89	759.2	84	...	S S E	2	c	,,	29.97	761.2	85	...	E	1	c
Wuchow,	✓ 3 p.	29.85	758.2	79	...	S E	3	c	9 a.	29.98	761.5	73	...	E	1	o
Hoihow,	✓ ,,	29.85	758.2	83	91	S	2	c	,,	...	...	...	...	...	...	...
Pakhoi,	✓ ,,	29.84	757.9	87	76	W	1	c	,,	...	...	...	...	...	...	...
Phulien,	✓ 4 p.	29.76	755.7	82	...	S E	4	c	8 a.	29.90	759.4	81	...	E N E	3	c
Tourane,	✓ ,,	29.77	756.1	84	...	S E	2	c	,,	29.89	759.1	86	..	...	0	o
Cape St. James,	✓ ,,	29.80	756.9	82	...	N W	2	o	,,	29.89	759.0	75	...	N W	3	o
Aparri,	2 p.	29.85	758.2	82	...	N	0	p	6 a.	29.86	758.3	77	...	S	0	b
Manila,	4 p.	29.80	757	81	85	N	1	o	10 a.	29.88	759	77	92	...	0	...
Legaspi,	2 p.	29.81	757.1	86	...	E	2	o	6 a.	29.85	758.2	93	...	...	0	c
Bacolod,	3 p.	...	...	...	...	W S W	2	o	9 a.	...	...	...	...	E	2	o
Iloilo,	,,	29.81	757.2	81	...	...	0	o	,,	29.87	758.7	89	...	...	0	o
Cebu,	,,	29.80	756.9	86	...	S	1	c	,,	29.90	759.4	82	...	S	1	o
Labuan,	✓ ,,	29.84	757.9	86	...	...	...	...	,,	29.89	759.2	82	...	...	...	...

On the 15th at 11.50 a.—The barometer has fallen slightly on the N.E. coast of China, and risen moderately to slightly over Japan and the E. coast of China.

The area of low pressure is moving away over the Pacific to the N.E. of Japan. Another depression has appeared over Manchuria.

Pressure is high over the Pacific between the Bonins and Formosa, and also over China to the North of the Yangtze valley.

Light or moderate N.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, light or moderate; fair.
2.—Formosa Channel,	N.E. winds, moderate to fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 15th September, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th September, 1910, P.M.								16th September, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock,	2 p.	29.74	755.5	65	...	S W	4	o	7 a.	29.80	756.8	57	78	N	0	c
emuro,	,,	29.77	756.1	...	...	S W	3	...	6 a.	29.93	760.1	...	...	S S W	2	...
akodate,	,,	29.87	758.7	...	...	N W	3	...	,,	29.97	761.2	...	...	...	0	...
okio,	,,	29.94	760.6	...	...	...	0	...	,,	29.99	761.6	...	...	N N W	1	...
ochi,	,,	29.89	759.3	...	...	...	0	...	,,	29.91	759.8	...	...	..	0	...
agasaki,	,,	29.91	759.8	...	...	N E	1	...	,,	29.91	759.8	...	...	...	0	...
agoshima,	,,	29.90	759.4	...	...	S S W	1	...	,,	29.90	759.4	...	...	...	0	...
shima,	,,	29.89	759.1	...	...	N	1	...	,,	29.87	758.6	...	...	S	1	...
aba,	,,	29.91	759.7	...	...	S S W	1	...	,,	29.89	759.2	...	...	S S W	1	...
higakijima,	,,	29.91	759.8	...	...	S W	2	...	,,	29.89	759.3	...	...	S S W	2	...
onin Is.	,,	29.99	761.6	...	...	S	1	...	,,	30.01	762.1	...	...	...	0	...
hefoo,	4 p.	...	...	...	...	...	...	..	6 a.	...	...	...	...	...	...	...
eihaiwei,	,,	29.94	760.5	78	46	N E	1	b	9 a.	29.97	761.2	77	38	S W	1	b
ankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iukiang,	,,	30.02	762.5	70	80	N	3	o	,,	29.94	760.5	67	90	N	1	o
anghai,	,,	29.97	761.2	66	95	N E	2	or	9 a.	30.00	762.0	73	67	N N E	1	om
utzlaff,	,,	29.99	761.7	69	85	E	4	ov	,,	29.97	761.2	73	67	N E	4	ov
harp Peak,	,,	29.83	757.7	81	74	E N E	7	o	,,	29.94	760.5	80	91	E	3	c
moy,	,,	29.83	757.7	89	66	S E	2	b	6 a.	29.88	758.9	80	78	S	3	b
swatow,	,,	29.85	758.2	88	66	S	2	b	,,	29.84	757.9	79	87	N E	1	c
aihoku,	1 p.	29.88	759.0	...	...	N	4	...	5 a.	29.88	758.9	...	...	S	2	...
aichu,	,,	29.86	758.3	...	...	S W	2	...	,,	29.88	758.9	...	...	...	0	...
ainan,	,,	29.91	759.6	...	...	S W	2	...	,,	29.89	759.3	...	...	E	2	...
oshun,	,,	29.91	759.7	...	...	E	6	...	,,	29.91	759.6	...	...	E	4	...
escadores,	,,	29.91	759.6	...	...	W	4	...	,,	29.87	758.7	...	...	E	2	...
anton,	3 p.	29.84	757.9	86	72	W	1	b	9 a.	29.89	759.2	84	79	W	1	b
ongkong,	4 p.	29.83	757.7	85	73	S S E	1	c	10 a.	29.90	759.4	84	74	E	2	c
ictoria Peak,	,,	...	...	...	...	S	0	...	,,	...	...	...	...	E	1	...
ap Rock,	,,	29.81	757.2	...	...	S E	2	...	,,	29.86	758.4	...	...	E N E	3	...
acao,	,,	29.86	758.4	87	...	S E	1	c	,,	29.93	760.2	86	...	S E	1	c
uchow,	3 p.	29.88	758.9	87	...	W	1	c	9 a.	29.95	760.7	81	...	E	1	c
oihow,	,,	29.86	758.4	88	84	E N E	3	b	,,	...	...	...	...	...	...	...
akhoi,	,,	29.85	758.2	87	72	S	1	b	,,	...	...	...	...	...	...	...
hulien,	4 p.	29.81	757.2	81	...	S E	3	c	8 a.	29.90	759.4	82	...	N	2	c
ourane,	,,	29.79	756.6	84	...	E S E	1	c	,,	29.86	758.5	73	..	N E	2	or
ape St. James,	,,	29.77	756.1	81	...	W	2	o	,,	29.82	757.3	77	...	N W	3	o
parri,	2 p.	29.83	757.8	88	...	N E	2	c	6 a.	29.85	758.2	77	...	S	0	b
anila,	4 p.	29.80	757	81	85	W N W	1	o	10 a.	29.84	758	82	77	...	0	o
egaspi,	2 p.	29.81	757.2	82	...	S E	2	o	6 a.	29.83	757.6	75	...	...	0	o
acolod,	3 p.	...	...	...	...	...	2	c	9 a.	...	...	...	...	W	3	c
oilo,	,,	29.77	756.1	83	...	N W	1	o	,,	29.85	758.2	79	...	S W	1	o
ebu,	,,	29.79	756.6	85	...	...	0	c	,,	29.92	759.9	83	...	S	1	c
abuan,	,,	29.79	756.6	86	...	...	...	...	,,	29.84	757.9	82	...	...	...	...

On the 16th at 11.55 a.—The barometer has risen moderately in E. Japan, and fallen slightly over S. China and at the stations around the China Sea.

Pressure appears to be slightly low over the latter area, and a depression may be developing in the neighbourhood of the Macclesfield Bank.

Pressure is high over the Pacific to the S.E. of Japan, and over China to the North of the Yangtze valley.

Fresh N.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.E. winds, moderate to fresh; fair.
Channel,	N.E. winds, moderate.
ast of China between Hongkong and Lamocks,	Same as No. 1.
ast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 16th September, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th September, 1910, P.M.								17th September, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.83	757.6	66	...	N	0	c	7 a.	29.95	760.8	54	90	N	0	c
Nemuro,	,,	29.89	759.1	...	...	S W	7	...	6 a.	29.93	760.1	...	...	S S W	1	...
Hakodate,	,,	29.91	759.7	...	...	S S W	4	...	,,	29.95	760.7	...	...	...	0	...
Tokio,	,,	29.94	760.6	...	...	N W	1	...	,,	29.93	760.1	...	...	N W	1	...
Kochi,	,,	29.87	758.8	...	...	...	0	...	,,	29.91	759.8	...	...	S W	1	...
Nagasaki,	,,	29.89	759.3	...	...	S S E	1	...	,,	29.99	761.8	...	...	..	0	...
Kagoshima,	,,	29.88	758.9	...	...	...	0	...	,,	29.93	761.4	...	...	N	2	...
Oshima,	,,	29.89	759.1	...	...	N	1	...	,,	29.97	761.1	...	...	N	2	...
Naha,	,,	29.91	759.7	...	...	W	1	...	,,	29.95	760.7	...	...	...	0	...
Ishigakijima,	,,	29.91	759.8	...	...	S S W	1	...	,,	29.93	760.3	...	...	N E	1	...
Bonin Is.	,,	29.99	761.6	...	...	S	1	...	,,	30.04	763.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.94	760.5	78	61	E N E	2	b	9 a.	29.97	761.2	70	80	S W	4	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.93	758.9	79	61	N E	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.98	761.5	72	76	...	0	o	9 a.	30.08	764.0	76	64	E	1	c
Gutzlaff,	,,	29.99	761.7	75	64	N E	3	cv	,,	30.07	763.8	75	64	E N E	4	cv
Sharp Peak,	,,	29.88	758.9	80	82	E N E	5	o	,,	30.03	762.7	77	86	N	3	o
Amoy,	,,	29.83	757.7	89	63	S	2	b	6 a.	29.90	759.4	79	82	...	0	c
Swatow,	,,	29.81	757.2	87	72	E	2	b	,,	29.88	758.9	79	91	N E	1	b
Taihoku,	1 p.	29.89	759.2	...	...	N	4	...	5 a.	29.93	760.1	...	...	S	2	...
Taichu,	,,	29.86	758.9	...	...	N	4	...	,,	29.92	759.9	...	...	...	0	...
Tainan,	,,	29.89	759.1	...	...	N W	2	...	,,	29.92	759.9	...	...	E	2	...
Koshun	,,	29.89	759.3	...	...	E	6	...	,,	29.91	759.6	...	...	...	0	...
Pescadores,	,,	29.89	759.3	...	...	N E	6	...	,,	29.91	759.6	...	...	N	2	...
Canton,	3 p.	29.81	757.2	90	60	S S E	1	b	9 a.	29.95	760.7	82	83	E	1	b
Hongkong,	4 p.	29.83	757.7	84	76	E	2	b	10 a.	29.95	760.7	83	79	E	3	c
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E S E	4	...
Gap Rock,	,,	29.80	756.9	...	...	E N E	4	...	,,	29.91	759.7	...	...	E	5	...
Macao,	,,	29.86	758.4	86	...	S S E	1	c	,,	29.97	761.2	85	...	E N E	1	c
Wuchow,	3 p.	29.84	757.9	90	...	W	1	c	9 a.	29.99	761.7	78	...	E	1	b
Hoihow,	,,	29.82	757.4	82	...	E	3	c	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.83	757.7	84	...	S E	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.80	756.8	88	...	S	0	c	8 a.	29.91	759.7	82	...	N E	4	b
Tourane,	,,	29.72	754.9	77	...	N W	5	or	,,	29.83	757.6	82	..	E S E	2	c
Cape St. James,	,,	29.70	754.3	81	...	S W	1	or	,,	29.79	756.5	77	...	N	1	o
Aparri,	2 p.	29.82	757.3	86	...	N E	0	d	6 a.	29.88	758.9	77	...	S	2	o
Manila,	4 p.	29.76	756	81	76	...	0	d	10 a.	29.92	760	82	77	E S E	1	o
Legaspi,	2 p.	29.79	756.6	82	...	E	2	o	6 a.	29.88	753.8	73	...	...	0	c
Bacolod,	3 p.	...	...	...	...	W S W	2	o	9 a.	...	...	...	...	W	2	o
Iloilo,	,,	29.77	756.1	84	...	S	1	c	,,	29.91	759.7	80	...	...	0	o
Cebu,	,,	29.84	757.9	84	...	S	1	c	,,	29.92	759.9	85	...	...	0	b
Labuan,	,,	29.74	755.4	84	...	...	...	...	,,	29.88	758.9	80	...	...	...	...

On the 17th at 11.55 a.—The barometer has fallen slightly over Annam, and risen elsewhere except in E. Japan. The depression over the China Sea appears to have moved Westwards and to be lying off the coast of Annam. Pressure is high over the Pacific in the neighbourhood of the Bonins, and also over the Yellow Sea. Fresh N.E. and E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh; showery.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 17th September, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th September, 1910, P.M.								18th September, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
adivostock,	2 p.	29.90	759.4	64	...	S E	0	o	7 a.	29.82	757.5	60	96	S E	0	o
muro,	,,	29.85	758.1	...	...	S W	5	...	6 a.	...	...	...	...	W N W	1	...
kodate,	,,	29.91	759.7	...	...	N W	1	...	,,	30.07	763.7	...	...	..	0	...
kio,	,,	29.96	761.1	...	...	...	0	...	,,	30.08	764.1	...	...	N W	1	...
chi,	,,	29.95	760.8	...	...	E	1	...	,,	30.09	764.3	...	...	S W	1	...
gasaki,	,,	29.99	761.8	...	...	N E	1	...	,,	30.09	764.3	...	...	N E	1	...
goshima,	,,	29.98	761.4	...	...	...	0	...	,,	30.10	764.4	...	...	N E	1	...
hima,	,,	29.98	761.6	...	...	N	2	...	,,	30.04	763.1	...	...	S	1	...
ba,	,,	29.97	761.2	...	...	N	2	...	,,	30.01	762.2	...	...	...	0	...
higakijima,	,,	29.95	760.8	...	...	E	...	...	,,	29.95	760.8	...	...	N E	1	...
min Is.	,,	30.02	762.6	...	...	S	1	...	,,	30.04	763.1	...	...	...	0	...
efoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ihaiwei,	,,	29.95	760.7	78	50	S S W	6	b	9 a.	29.99	761.7	79	61	S W	2	c
nkow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ukiang,	,,	29.95	760.7	83	67	...	0	c	,,	29.86	758.4	71	95	...	0	b
anghai,	,,	30.00	762.0	79	54	E S E	2	c	9 a.	29.96	761.0	75	81	S	2	o
rtzlaff,	,,	30.07	763.8	78	61	E S E	3	bv	,,	30.05	763.2	74	86	S	5	cm
arp Peak,	,,	29.97	761.2	78	86	N N E	4	o	,,	29.99	761.7	78	95	...	0	b
moy,	,,	29.91	759.7	89	59	N E	4	b	6 a.	29.93	760.2	80	96	N E	3	b
atow,	,,	29.87	758.7	85	76	E	2	b	,,	29.91	759.7	78	86	E N E	1	b
ahoku,	1 p.	29.91	759.8	...	...	E	6	...	5 a.	29.93	760.3	...	...	..	0	...
aichu,	,,	29.91	759.6	...	...	N W	2	...	,,	29.94	760.5	...	...	...	0	...
ainan,	,,	29.94	760.4	...	...	W	4	...	,,	29.95	760.8	...	...	E	2	...
oshun,	,,	29.94	760.4	...	...	E	6	...	,,	29.95	760.8	...	...	...	0	...
escadores,	,,	29.92	760.0	...	...	N E	6	...	,,	29.93	760.3	...	...	N E	4	...
nton,	3 p.	29.86	758.4	84	72	S S E	2	c	9 a.	29.96	761.0	83	75	S E	1	c
ongkong,	4 p.	29.86	758.4	83	81	E	3	c	10 a.	29.96	761.0	79	96	E	3	od
ictoria Peak,	,,	...	...	...	...	E S E	2	...	,,	...	...	...	...	E S E	3	...
ap Rock,	,,	29.81	757.2	...	...	E	5	...	,,	29.90	759.4	...	...	E	4	...
acao,	,,	29.89	759.2	84	...	E S E	3	c	,,	29.97	761.2	78	...	E N E	3	od
uchow,	3 p.	29.91	759.7	79	...	N E	2	c	9 a.	29.97	761.2	81	87	E	1	c
oihow,	,,	29.85	758.2	89	84	E	3	b	,,	...	...	...	...	...	...	...
akhoi,	,,	29.84	757.9	88	80	S E	2	c	,,	...	...	...	...	...	...	...
hulien,	4 p.	29.83	757.8	86	...	E	3	c	8 a.	29.84	758.0	79	...	N E	3	c
ourane,	,,	29.75	755.7	82	...	E	2	o	,,	29.79	756.7	75	..	N W	2	or
ape St. James,	,,	29.69	754.2	79	...	S W	4	o	,,	29.85	758.1	77	...	W S W	6	c
parri,	2 p.	...	...	...	...	...	..	...	6 a.	29.93	760.1	77	...	S	2	c
anila,	4 p.	29.84	758	81	85	...	0	o	10 a.	29.96	761	84	77	W N W	1	b
egaspi,	2 p.	29.85	758.1	86	...	E	2	c	6 a.	29.93	760.3	75	...	...	0	c
acolod,	3 p.	...	...	...	...	N N W	2	or	9 a.	...	...	...	...	N N W	2	o
oilo,	,,	29.83	757.7	83	...	N N W	1	o	,,	29.93	760.2	...	...	...	0	b
ebu,	,,	29.85	758.2	86	...	S	2	b	,,	29.96	761.0	86	...	N	2	b
abuan,	,,	29.79	756.6	85	...	...	...	...	,,	...	...	...	...	...	...	...

On the 18th at 12.10 p.—The barometer has fallen slightly over Annam and Tongking, and risen a little in Cochin China and the Philippines.

The depression over the China Sea appears to be situated to the South of Hainan and to be moving towards NW.

Pressure has increased considerably over Japan, and given way moderately in Wladiwostok and the Yangtze valley. A depression is moving Eastwards over Manchuria and another area of low pressure appears to be developing over the Yangtze valley.

High pressure covers Japan and the Pacific to the Southward.

Strong winds may be expected over the NW part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, fresh to moderate; squally and showery at first, improving later.
2.—Formosa Channel, ...	E. to SE winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	E. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday 18th September, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th September, 1910, P.M.								19th September, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.72	754.9	70	...	S E	3	c	7 a.	29.91	759.6	52	82	N E	0	b
Nemuro,	,,	30.02	762.6	...	...	S S W	4	...	6 a.	29.81	757.1	...	...	S W	6	...
Hakodate,	,,	30.01	762.3	...	...	S E	1	...	,,	29.85	758.2	...	...	...	0	...
Tokio,	,,	30.06	763.6	...	...	N N E	1	...	,,	30.02	762.6	...	...	N W	1	...
Kochi,	,,	30.03	762.8	...	...	S E	1	...	,,	29.99	761.8	...	...	W S W	1	...
Nagasaki,	,,	30.03	762.8	...	...	E S E	2	...	,,	29.91	759.8	...	...	E S E	3	...
Kagoshima,	,,	30.09	764.4	...	...	...	0	...	,,	29.94	760.4	...	...	S S E	1	...
Oshima,	,,	30.00	762.1	...	...	S	1	...	,,	29.95	760.6	...	...	S	1	...
Naha,	,,	29.97	761.2	...	...	E	1	...	,,	29.93	760.2	...	...	...	0	...
Ishigakijima,	,,	29.93	760.3	...	...	E	3	...	,,	29.91	759.8	...	...	S	4	...
Bonin Is.	,,	30.00	762.1	...	...	...	0	...	,,	30.01	762.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.93	760.2	74	72	N N E	2	o	9 a.	29.91	759.7	69	52	N N E	8	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.80	756.9	90	66	W	2	b	,,	29.81	757.2	80	82	N W	2	o
Shanghai,	,,	29.87	758.7	81	74	S	1	om	9 a.	29.78	756.4	83	71	S W	3	c
Gutzlaff,	,,	29.97	761.2	78	86	S	4	ov	,,	29.86	758.4	80	82	S	4	o
Sharp Peak,	,,	29.94	760.5	81	96	E	1	b	,,	29.90	759.4	81	...	...	0	b
Amoy,	,,	29.90	759.4	87	65	S E	2	b	6 a.	29.89	759.2	80	82	N W	2	c
Swatow,	,,	29.89	759.2	84	75	E S E	3	c	,,	29.88	758.9	78	91	E S E	1	c
Taihoku,	1 p.	29.92	759.9	...	...	N W	4	...	5 a.	29.90	759.5	...	...	...	0	...
Taichu,	,,	29.93	760.3	...	...	W	4	...	,,	29.93	760.3	...	...	...	0	...
Tainan,	,,	29.96	760.9	...	...	W	4	...	,,	29.93	760.3	...	...	...	0	...
Koshun	,,	29.95	760.7	...	...	N	2	...	,,	29.91	759.8	...	...	N E	2	...
Pescadores,	,,	29.96	760.9	...	...	N	4	...	,,	29.91	759.7	...	...	W	2	...
Canton,	3 p.	29.84	757.9	87	69	S E	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.85	758.2	81	86	E	2	o	10 a.	29.94	760.5	82	83	E	1	o
Victoria Peak,	,,	...	...	...	...	S	1	...	,,	...	...	...	...	S S E	0	...
Gap Rock,	,,	29.81	757.2	...	...	S	4	...	,,	29.90	759.4	...	...	S E	4	...
Macao,	,,	29.87	758.7	81	...	E S E	2	c	,,	29.95	760.7	83	...	E S E	1	c
Wuchow,	3 p.	29.83	757.7	88	69	E	2	c	9 a.	29.92	759.9	84	...	E	1	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.80	756.9	85	79	E S E	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.76	755.9	81	...	N E	4	c	8 a.	29.81	757.1	81	...	N N E	3	c
Tourane,	,,	29.71	754.6	82	...	..	0	o	,,	29.84	757.8	82	..	E	1	o
Cape St. James,	,,	29.80	756.8	75	...	S S W	6	or	,,	29.92	760.0	81	...	S W	3	c
Aparri,	2 p.	29.89	759.3	83	...	N	2	b	6 a.	29.93	760.1	75	...	S	2	o
Manila,	4 p.	29.88	759	88	66	S S W	1	o	10 a.	29.92	760	82	85	W N W	1	o
Legaspi,	2 p.	29.88	759.0	84	...	E	2	o	6 a.	29.95	760.6	73	...	...	0	o
Bacolod,	3 p.	...	...	...	...	E	2	o	9 a.	...	...	...	...	E	2	o
Iloilo,	,,	29.87	758.7	84	...	...	0	c	,,	29.95	760.7	81	...	N E	1	o
Cebu,	,,	29.85	758.2	87	...	N	2	b	,,	29.93	760.2	85	...	N	1	o
Labuan,	,,	29.84	757.9	81	...	...	...	...	,,	29.95	760.7	82	...	...	...	...

On the 19th at 11.50 a.—The China Sea depression has moved into the Gulf of Tongking.

The barometer has fallen considerably on the E. coast of China and over Japan.

The Yangtze valley depression has progressed Eastwards, and is now moving into the Yellow Sea to the North of Shanghai.

The depression lying over E. Manchuria yesterday, has reached N.E. Japan.

Pressure remains high over the Pacific to the S. and S.E. of Japan.

Moderate S.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.56 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, moderate; fair.
2.—Formosa Channel,	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 19th September, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th September, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	20th September, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ladivostock,	2 p.	29.85	758.2	63	...	N	0	c	7 a.	29.88	758.9	51	76	N	0	b
emuro,	,,	29.77	756.1	...	...	W	4	...	6 a.	29.77	756.1	...	...	E N E	2	...
akodate,	,,	29.31	757.2	...	...	N W	1	...	,,	29.71	754.7	...	...	...	0	...
okio,	,,	29.91	759.6	...	...	S S W	2	...	,,	29.61	752.1	...	...	S S W	3	...
ochi,	,,	29.89	759.3	...	...	...	0	...	,,	29.70	754.3	...	...	..	0	...
agasaki,	,,	29.78	756.3	...	...	S W	5	...	,,	29.80	756.8	...	...	N N E	2	...
agoshima,	,,	29.86	758.4	...	...	S W	2	...	,,	29.78	756.4	...	...	W	1	...
shima,	,,	29.89	759.1	...	...	...	...	...	,,	29.87	758.6	...	...	S	1	...
aha,	,,	29.91	759.7	...	...	S W	1	...	,,	29.91	759.7	...	...	S W	1	...
higakijima,	,,	29.91	759.8	...	...	S S W	1	...	,,	29.89	759.3	...	...	S	2	...
omin Is.	,,	29.90	759.4	...	...	S S W	4	...	,,	29.97	761.1	...	...	E N E	1	...
hefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
eihaiwei,	,,	29.89	759.2	69	47	N	7	c	9 a.	30.07	763.8	72	46	N	6	b
ankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iukiang,	,,	29.87	758.7	73	90	N E	2	o	,,	29.99	761.7	71	90	W	3	o
hanghai,	,,	29.80	758.9	78	74	N W	4	o	9 a.	30.04	763.0	72	71	N E	2	o
utzlaff,	,,	29.85	758.2	81	83	N N W	6	cv	,,	30.06	763.5	76	73	N N E	4	cv
harp Peak,	,,	29.91	759.7	83	...	S S E	3	b	,,	29.89	759.2	81	...	N	1	o
moy,	,,	29.85	758.2	89	66	S E	3	b	6 a.	29.85	758.2	81	87	S W	1	c
watow,	,,	29.84	757.9	86	76	E	1	b	,,	29.84	757.9	79	91	S E	1	c
ahoku,	1 p.	29.88	758.9	...	...	W	4	...	5 a.	29.87	758.7	...	...	..	0	...
aichu,	,,	29.83	759.0	...	...	W	2	...	,,	29.90	759.4	...	...	...	0	...
ainan,	,,	29.91	759.6	...	...	W	4	...	,,	29.90	759.4	...	...	...	0	...
oshun,	,,	29.88	758.9	...	...	N	4	...	,,	29.90	759.4	...	...	E	4	...
scadores,	,,	29.90	759.4	...	...	W	2	...	,,	29.86	758.5	...	...	S	4	...
nton,	3 p.	29.82	757.4	88	66	S S E	2	b	9 a.	29.88	758.9	84	79	S S E	1	b
ongkong,	4 p.	29.82	757.4	83	81	E	2	c	10 a.	29.90	759.4	84	76	E	1	c
ictoria Peak,	,,	...	...	...	...	S S E	1	...	,,	...	...	...	...	S E	0	...
p Rock,	,,	29.80	756.9	...	...	E S E	3	...	,,	29.86	758.4	...	...	E S E	2	...
acao,	,,	29.86	758.4	84	...	S E	1	c	,,	29.92	759.9	84	...	N E	1	c
uchow,	3 p.	29.82	757.4	81	...	E	1	c	9 a.	29.91	759.7	83	...	E	2	c
ihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
khoi,	,,	29.78	756.4	85	83	S	1	o	,,	...	...	...	...	...	...	...
ulien,	4 p.	29.71	754.6	82	...	W S W	3	c	8 a.	29.84	758.0	77	...	N E	1	lt
urane,	,,	29.74	755.4	84	...	E S E	1	c	,,	29.83	757.7	84	..	...	0	c
pe St. James,	,,	29.82	757.3	84	...	S	2	c	,,	29.89	759.3	81	...	S W	2	c
arri,	2 p.	29.85	758.3	84	...	N E	2	b	6 a.	29.86	758.4	77	...	S	2	b
anila,	4 p.	29.84	758	81	85	W	4	d	10 a.	29.88	759	81	85	...	0	o
gasapi,	2 p.	29.83	757.7	86	...	E	2	o	6 a.	...	...	...	...	...	...	...
eelod,	3 p.	...	...	...	...	N N W	2	o	9 a.	...	...	...	...	E	2	o
ello,	,,	29.85	758.2	75	...	N	2	o	,,	29.87	758.7	82	...	...	0	o
hu,	,,	29.81	757.2	87	...	N	1	b	,,	29.87	758.7	84	...	S	1	b
buan,	,,	29.82	757.4	86	...	...	...	...	,,	29.90	759.4	82	...	...	...	...

On the 20th at 11.45 a.—The barometer has risen considerably in N. China, and fallen quickly over S. Japan.

The depression lying over the Yellow Sea yesterday, has moved quickly Eastwards and lies now over the S.E. part of the Sea of Japan.

The barometer has fallen slightly over the S. coast of China, Formosa and the Philippines, and pressure is relatively low over the middle part of the China Sea.

Pressure is high over N. China and over the Pacific to the Eastward of the Bonins.

The wind will probably freshen from N.E. and E. in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	E. winds, freshening; fair.
Formosa Channel,	N.E. winds, fresh.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 20th September, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th September, 1910, P.M.									21st September, 1910, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.85	758.3	67	...	N W	1	b		7 a.	30.04	763.0	49	89	...	0	b
Nemuro,	,,	29.67	753.6	...	...	E N E	5	...		6 a.	29.89	759.1	...	...	N W	3	...
Hakodate,	,,	29.65	753.2	...	...	N W	2	...		,,	29.97	761.2	...	...	...	0	...
Tokio,	,,	29.61	752.1	...	...	S	1	...		,,	29.99	761.6	...	...	N E	1	...
Kochi,	,,	29.78	756.3	...	...	N	2	...		,,	30.03	762.8	...	...	..	0	...
Nagasaki,	,,	29.87	758.8	...	...	N N E	4	...		,,	30.05	763.3	...	...	...	0	...
Kagoshima,	,,	29.84	757.9	...	...	N W	1	...		,,	30.00	761.9	...	...	N N E	1	...
Oshima,	,,	29.87	758.6	...	...	N	2	...		,,	30.01	762.1	...	...	S	1	...
Naha,	,,	29.89	759.2	...	...	N W	1	...		,,	29.95	760.7	...	...	...	0	...
Ishigakijima,	,,	29.89	759.3	...	...	S S W	3	...		,,	29.93	760.3	...	...	E	1	...
Bonin Is.	,,	29.93	760.1	...	...	...	0	...		,,	29.99	761.6	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	..		6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.08	764.0	70	44	N	5	b		9 a.	30.19	766.8	72	46	N N E	2	b
Hankow,	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Shanghai,	,,	30.00	762.0	73	63	N N E	1	o		9 a.	30.11	764.8	72	76	E N E	1	o
Gutzlaff,	,,	30.06	763.5	74	72	N N E	4	ov		,,	30.18	766.6	72	67	E N E	5	ov
Sharp Peak,	✓ ,,	29.87	758.7	80	87	N N E	4	o		,,	29.99	761.7	76	86	N	2	o
Amoy,	✓ ,,	29.83	757.7	90	63	S E	3	b		6 a.	29.94	760.5	80	78	E N E	2	o
Swatow,	✓ ,,	29.81	757.2	89	63	S E	1	b		,,	29.87	758.7	80	91	E	1	b
Taihoku,	1 p.	29.87	758.6	...	...	N	6	...		5 a.	29.93	760.3	...	...	...	0	...
Taichu,	,,	29.87	758.6	...	...	N W	4	...		,,	29.93	760.2	...	...	...	0	...
Tainan,	,,	29.88	758.9	...	...	S W	4	...		,,	29.93	760.2	...	...	...	0	...
Koshun	,,	29.87	758.8	...	...	S E	4	...		,,	29.91	759.8	...	...	E	0	...
Pescadores,	,,	29.86	758.5	...	...	N W	4	...		,,	29.91	759.8	...	...	N E	2	...
Canton,	3 p.	29.79	756.6	89	63	S	1	b		9 a.	29.90	759.4	84	79	S S E	1	c
Hongkong,	4 p.	29.81	757.2	83	76	E	2	c		10 a.	29.90	759.4	83	82	E	2	o
Victoria Peak,	,,	...	...	...	...	S S E	0	...		,,	...	...	...	...	E	4	...
Gap Rock,	,,	29.79	756.6	...	...	E	3	...		,,	29.86	758.4	...	...	E	4	...
Macao,	,,	29.84	757.9	85	...	S E	1	c		,,	29.93	760.2	85	...	E	1	c
Wuchow,	✓ 3 p.	29.82	757.4	88	...	W	2	og		9 a.	29.96	761.0	79	...	N W	1	c
Hoihow,	✓ ,,	29.82	757.4	83	84	S E	2	c		,,	...	...	...	...	...	...	...
Pakhoi,	✓ ,,	29.82	757.4	88	83	N W	1	o		,,	...	...	...	...	...	...	...
Phulien,	✓ 4 p.	29.76	755.9	82	...	E	2	c		8 a.	29.88	759.0	81	...	E N E	3	c
Tourane,	✓ ,,	29.77	756.1	82	...	E S E	2	c		,,	29.84	758.0	82	..	N N W	1	c
Cape St. James,	✓ ,,	29.80	756.8	75	...	S S W	5	or		,,	29.87	758.6	79	...	W N W	3	o
Aparri,	2 p.	29.81	757.2	88	...	N E	2	b		6 a.	29.88	758.9	75	...	S W	2	b
Manila,	4 p.	29.76	756	84	77	N	1	o		10 a.	29.84	758	84	77	N W	1	o
Legaspi,	2 p.	29.80	756.8	79	...	E	2	o		6 a.	29.80	757.0	77	...	...	0	o
Bacolod,	3 p.	...	...	...	...	W S W	2	c		9 a.	...	...	...	...	W S W	3	c
Iloilo,	,,	29.79	756.6	80	...	...	0	o		,,	29.83	757.7	79	...	N	1	o
Cebu,	,,	29.79	756.6	83	...	...	0	o		,,	29.88	758.9	81	...	S	1	o
Labuan,	✓ ,,	29.82	757.4	84	...	...	...	...		,,	29.88	758.9	83	...	...	...	...

On the 21st at 11.50 a.—The barometer has risen quickly in Japan the depression having moved away over the Pacific.

Pressure is now high over N. China and the barometer has risen moderately on the N.E. and E. coasts.

Pressure is relatively low over the middle part of the China Sea and the Pacific to the Eastward of the Philippines, and conditions favour the formation of a depression in some part of the trough.

Fresh N.E. and E. winds and unsettled weather may be expected over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh or strong; squally, showery.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 21st September, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st September, 1910, P.M.								22nd September, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	30.04	763.0	67	...	...	0	c	7 a.	30.22	767.6	50	92	...	0	o
Gemuro,	,,	29.96	761.1	...	...	S	1	...	6 a.	30.14	765.6	...	...	N W	2	...
Hakodate,	,,	30.03	762.7	...	...	W	4	...	,,	30.26	768.7	...	...	...	0	...
Tokio,	,,	30.06	763.6	...	...	E N E	1	...	,,	30.28	769.1	...	...	N	1	...
Kochi,	,,	30.07	763.8	...	...	N W	1	...	,,	30.17	766.3	...	...	S W	1	...
Nagasaki,	,,	30.07	763.8	...	...	E N E	2	...	,,	30.11	764.8	...	...	N E	1	...
Kagoshima,	,,	30.06	763.4	...	...	S W	2	...	,,	30.10	764.4	...	...	N E	1	...
Oshima,	,,	29.96	761.1	...	...	...	0	...	,,	29.97	761.1	...	...	...	0	...
Tsha,	,,	29.95	760.7	...	...	W S W	1	...	,,	29.97	761.2	...	...	...	0	...
Ishigakijima,	,,	29.93	760.3	...	...	S E	2	...	,,	29.95	760.8	...	...	S E	1	...
Bonin Is.	,,	29.98	761.6	...	...	E S E	1	...	,,	30.04	763.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	..	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.24	768.1	70	46	E N E	2	b	9 a.	30.12	765.0	72	54	S S W	3	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	69	90	N E	1	cr	,,	30.05	763.2	69	95	...	0	o
Shanghai,	,,	30.07	763.8	70	66	E N E	2	o	9 a.	30.10	764.5	68	85	E	2	od
Gutzlaff,	,,	30.12	765.0	71	57	E N E	...	ov	,,	30.15	765.8	67	95	E	4	om
Sharp Peak,	,,	29.96	761.0	76	86	N N E	4	o	,,	30.00	762.0	76	...	...	0	c
Amoy,	,,	29.88	758.9	87	62	S E	4	b	6 a.	29.95	760.7	79	78	N E	1	c
Swatow,	,,	29.86	758.4	83	83	E	3	b	,,	29.93	760.2	78	91	N E	1	c
Taihoku,	1 p.	29.88	758.9	...	...	E	6	...	5 a.	29.93	760.2	...	...	S E	2	...
Taichu,	,,	29.86	758.5	...	...	E	4	...	,,	29.95	760.6	...	...	...	0	...
Tainan,	,,	29.92	759.9	...	...	N W	6	...	,,	29.95	760.6	...	...	E	2	...
Koshun,	,,	29.91	759.7	...	...	E	6	...	,,	29.94	760.5	...	...	E	2	...
Pescadores,	,,	29.91	759.6	...	...	N E	6	...	,,	29.93	760.2	...	...	N	6	...
Canton,	3 p.	29.85	758.2	86	72	S S E	1	c	9 a.	29.96	761.0	82	79	E	1	b
Hongkong,	4 p.	29.85	758.2	84	78	E	3	o	10 a.	29.96	761.0	83	73	E	3	o
Victoria Peak,	,,	...	...	...	...	E S E	3	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	29.81	757.2	...	...	E	4	...	,,	29.90	759.4	...	...	E	5	...
Macao,	,,	29.87	758.7	84	...	E S E	2	c	,,	29.98	761.5	84	...	N E	2	c
Foochow,	3 p.	29.87	758.7	89	66	E	1	c	9 a.	30.01	762.2	81	...	E	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.85	758.2	85	79	N E	1	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.81	757.2	86	...	S E	3	c	8 a.	29.92	759.9	77	...	N N E	4	lt
Courane,	,,	29.76	756.0	81	...	N E	2	c	,,	29.86	758.4	79	..	N N W	2	o
Cape St. James,	,,	29.78	756.5	73	...	S W	8	or	,,	29.83	757.7	77	...	W N W	3	or
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.89	759.2	75	...	S	2	b
Manila,	4 p.	29.76	756	79	92	...	0	d	10 a.	29.92	760	82	79	E S E	0	o
Legaspi,	2 p.	29.81	757.1	77	...	W	2	o	6 a.	29.90	759.4	72	...	...	0	b
Bacolod,	3 p.	...	...	...	...	W S W	2	c	9 a.	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	77	...	N	2	or	,,	29.91	759.7	80	...	..	0	o
Cebu,	,,	29.81	757.2	84	...	S	1	o	,,	29.91	759.7	85	...	S	1	b
Labuan,	,,	29.73	755.1	87	...	...	...	...	,,	29.90	759.4	82	...	...	...	...

On the 22nd at 11.55 a.—The barometer has risen slightly over the S. coast of China and the Philippines, and fallen a little in Cochin China.

Pressure appears to be low over the China Sea to the Southward of the Macclesfield Bank and the Paracels.

The high pressure area lying over N. China yesterday, has shifted Eastwards to the Sea of Japan, and the barometer is falling again on the N.E. coast of China.

Fresh to strong N.E. and E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh; fair.
2.—Formosa Channel,	N.E. and E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday 22nd September, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd September, 1910, P.M.								23rd September, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.19	766.8	67	...	S	0	c	7 a.	30.08	764.0	58	94	S E	1	or
Nemuro,	,,	30.14	765.6	...	...	W	1	...	6 a.	30.26	768.6	...	...	W N W	2	...
Hakodate,	,,	30.22	767.7	...	...	W	3	...	,,	30.25	768.2	...	...	...	0	...
Tokio,	,,	30.24	768.1	...	...	N N W	1	...	,,	30.22	767.6	...	...	N N W	1	...
Kochi,	,,	30.23	767.8	...	...	S W	1	...	,,	30.09	764.3	...	...	...	0	...
Nagasaki,	,,	30.05	765.3	...	...	N E	3	...	,,	30.07	763.8	...	...	...	0	...
Kagoshima,	,,	30.06	763.4	...	...	E	5	...	,,	30.04	762.9	...	...	E	3	...
Oshima,	,,	29.94	760.6	...	...	N W	1	...	,,	29.97	761.1	...	...	...	0	...
Naha,	,,	29.97	761.0	...	...	...	0	...	,,	29.97	761.2	...	...	...	0	...
Ishigakijima,	,,	29.95	760.8	...	...	S E	2	...	,,	...	...	...	...	N N E	1	...
Bonin Is.	,,	29.98	761.6	...	...	E	1	...	,,	30.01	762.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.97	761.2	75	72	S W	6	b	9 a.	30.11	764.3	74	59	...	0	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	30.03	762.7	68	...	...	0	b
Shanghai,	,,	30.03	762.7	73	81	E N E	2	om	9 a.	30.05	763.2	76	82	E N E	2	om
Gutzlaff,	,,	30.08	764.0	72	85	E	3	ov	,,	30.12	765.0	74	86	...	4	ov
Sharp Peak,	,,	29.95	760.7	78	86	E N E	4	c	,,	29.98	761.5	78	86	E N E	4	o
Amoy,	,,	29.93	760.2	85	72	S E	3	b	6 a.	29.94	760.5	80	78	N E	2	o
Swatow,	,,	29.86	758.4	84	75	E	1	b	,,	29.90	759.4	79	87	N E	1	b
Taiboku,	1 p.	29.89	759.3	...	...	N	0	...	5 a.	29.92	760.0	...	...	S	2	...
Taichu,	,,	29.91	759.6	...	...	N W	4	...	,,	29.91	759.8	...	...	...	0	...
Tainan,	,,	29.94	760.4	...	...	W	4	...	,,	29.95	760.7	...	...	...	0	...
Koshun	,,	29.92	760.0	...	...	E	6	...	,,	29.94	760.4	...	...	...	0	...
Pescadores,	,,	29.94	760.4	...	...	N E	6	...	,,	29.92	760.0	...	...	N E	6	...
Canton,	3 p.	29.87	758.7	88	59	E	2	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.87	758.7	83	71	E	3	o	10 a.	29.92	759.9	84	69	E	3	c
Victoria Peak,	,,	...	...	...	...	E S E	3	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	29.84	757.9	...	...	E N E	5	...	,,	29.88	758.9	...	...	E	5	...
Macao,	,,	29.90	759.4	85	...	E S E	2	c	,,	29.95	760.7	79	...	S E	2	c
Wuchow,	3 p.	29.91	759.7	88	...	E	1	c	9 a.	29.97	761.2	82	83	E	1	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.87	758.7	87	69	S E	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.83	757.7	82	...	E N E	4	c	8 a.	29.90	759.4	79	...	N E	2	b
Tourane,	,,	29.77	756.1	81	...	S E	2	or	,,	29.81	757.2	82	..	E	2	c
Cape St. James,	,,	29.73	755.1	82	...	S W	3	lt	,,	29.85	758.1	77	...	S W	4	o
Aparri,	2 p.	29.86	758.5	84	...	N E	0	p	6 a.	29.90	759.5	73	...	S E	0	b
Manila,	4 p.	29.80	757	82	77	S E	1	ot	10 a.	29.92	760	84	71	W N W	1	c
Legaspi,	2 p.	29.82	757.4	88	...	E	2	b	6 a.	29.87	758.7	73	...	...	0	b
Bacolod,	3 p.	...	...	...	...	W S W	2	o	9 a.	...	...	...	...	N N W	2	o
Iloilo,	,,	29.81	757.2	84	...	N W	1	b	,,	29.91	759.7	82	...	..	0	b
Cebu,	,,	29.82	757.4	86	...	N	1	b	,,	29.90	759.4	86	...	...	0	c
Labuan,	,,	29.84	757.9	86	...	...	...	...	,,	29.85	758.2	79	...	...	...	...

On the 23rd at 11.55 a.—The barometer has fallen slightly over S. China, Annam and Tongking.
There are indications of the existence of a depression over the China Sea in the neighbourhood of the Paracels.
The high pressure area has moved Eastwards and lies now over E. Japan.
Pressure is giving away in Wladiwostok. It has increased again on the N.E. coast of China.
A depression appears to be moving Eastwards over E. Manchuria.
Strong E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, strong; squally, probably some showers.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	N.E. and E. winds, strong.

F. G. FIGG.
Director.

Hongkong Observatory, Friday, 23rd September, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd September, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	24th September, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ladivostock,	2 p.	30.00	761.9	61	...	S E	3	o	7 a.	29.94	760.4	56	96	...	0	o
emuro,	,,	30.20	767.1	...	...	S S W	3	...	6 a.	30.16	766.1	...	...	S	1	...
ko late,	,,	30.13	765.2	...	...	E	4	...	,,	30.07	763.7	...	...	..	0	...
hio,	,,	30.06	763.6	...	...	N	1	...	,,	30.10	764.6	...	...	N W	1	...
chi,	,,	30.05	763.3	...	...	S E	1	...	,,	30.09	764.3	...	...	S W	1	...
gasaki,	,,	30.03	762.8	...	...	N N W	2	...	,,	30.03	762.8	...	...	S E	1	...
goshima,	,,	30.06	763.4	...	...	N E	2	...	,,	30.02	762.4	...	...	E S E	2	...
bima,	,,	29.96	761.1	...	...	N E	1	...	,,	29.97	761.1	...	...	S	1	...
cha,	,,	29.93	760.2	...	...	N	1	...	,,	29.93	760.2	...	...	...	0	...
higakijima,	,,	29.91	759.8	...	...	E	3	...	,,	29.91	759.8	...	...	N E	1	...
min Is.	,,	29.96	761.1	...	...	...	0	...	,,	29.99	761.6	...	...	...	0	...
efoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
eihaiwei,	,,	30.08	764.0	70	75	N E	2	c	9 a.	30.05	763.2	67	64	N	5	o
ankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iukiang,	,,	29.94	760.5	84	57	...	0	c	,,	29.91	759.7	72	95	N E	1	c
anghai,	,,	29.99	761.7	75	86	E	1	od	9 a.	29.92	759.9	80	82	S E	2	om
atzlaff,	,,	30.06	763.5	75	86	E	4	om	,,	30.01	762.2	77	73	S E	3	cv
arp Peak,	,,	29.94	760.5	79	87	E N E	4	c	,,	29.95	760.7	79	...	E N E	1	c
noy	,,	29.88	758.9	88	62	E	3	b	6 a.	29.92	759.9	80	78	N E	2	b
atow,	,,	29.84	757.9	86	72	E	3	b	,,	29.88	758.9	76	77	E	1	b
aihoku,	1 p.	29.89	759.2	...	...	E	6	...	5 a.	29.90	759.4	...	...	E	4	...
aichu,	,,	29.89	759.1	...	...	N	2	...	,,	29.89	759.3	...	...	...	0	...
inan,	,,	29.93	760.1	...	...	W	4	...	,,	29.91	759.6	...	...	...	0	...
oshun,	,,	29.92	759.9	...	...	E	6	...	,,	29.89	759.3	...	...	N E	4	...
acadores,	,,	29.93	760.1	...	...	N E	6	...	,,	29.89	759.1	...	...	N E	4	...
nton,	3 p.	29.83	757.7	90	96	E	2	b	9 a.	29.87	758.7	83	75	E	2	c
ongkong,	4 p.	29.84	757.9	81	84	S E	3	op	10 a.	29.88	758.9	81	85	E	5	opq
ictoria Peak,	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	5	...
ap Rock,	,,	29.78	756.4	...	...	E	6	...	,,	29.82	757.4	...	...	E S E	6	...
acao,	,,	29.86	758.4	79	...	E	3	c	,,	29.89	759.2	83	...	E S E	4	c
uchow,	3 p.	29.87	758.7	90	...	E	2	c	9 a.	29.88	758.9	82	...	E	1	c
oihow,	,,	29.81	757.2	84	91	E	3	c	,,	...	...	...	...	...	...	...
akhoi,	,,	29.84	757.9	87	69	S E	2	b	,,	...	...	...	...	...	...	...
hulien,	4 p.	29.79	756.6	84	...	E N E	4	c	8 a.	...	...	...	...	..	...	...
ourane,	,,	29.72	754.9	82	...	E S E	2	c	,,	...	...	...	..	...	...	...
pe St. James,	,,	29.80	756.8	77	...	S W	3	c	,,	...	...	...	...	...	...	...
parri,	2 p.	29.85	758.3	83	...	W	2	b	6 a.	29.82	757.4	77	...	N E	4	q
anila,	4 p.	29.84	758	86	71	W	1	o	10 a.	29.80	757	82	77	S S W	1	o
gaspi,	2 p.	29.80	756.8	88	...	S E	2	c	6 a.	29.77	756.1	77	...	W	2	o
acolod,	3 p.	...	...	...	...	W S W	2	...	9 a.	...	...	...	...	W	2	c
ollo,	,,	29.81	757.2	81	...	N	1	ot	,,	29.81	757.2	81	...	N	1	o
ebu,	,,	29.81	757.2	87	...	S	1	or	,,	29.85	758.2	85	...	S	1	c
ibuan,	,,	29.84	757.9	84	...	...	...	...	,,	29.36	758.4	78	...	...	...	...

On the 24th at 12.05 p.—The barometer has fallen generally—markedly over the Philippines, the Yangtze valley and E. Japan.

The China Sea depression is apparently situated in the neighbourhood of Hainan and moving towards N.W. The returns from Indo-China are, however, not in hand.

A typhoon which is probably moving in a Westerly direction has appeared over the Pacific to the E. of Luzon.

Areas of low pressure are lying over the Yangtze valley and in the neighbourhood of Wladiwostok.

The high pressure area has shifted over the Pacific to the E. of Japan.

Strong winds to gales may be expected over the N.W. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.73 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	E. and S.E. winds, strong; squally, and showery at first, improving later.
Formosa Channel,	E. and N.E. winds, moderate.
South coast of China between Hongkong and Lamocks,	E. winds, fresh.
South coast of China between Hongkong and Hainan,	E. and S.E. winds, strong to a gale.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 24th September, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th September, 1910, P.M.								25th September, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.89	759.2	67	...	N E	0	c	7 a.	29.94	760.4	51	64	N E	0	
Nemuro,	,,	30.04	763.1	...	...	S S W	3	...	6 a.	29.81	757.1	...	...	W S W	4	
Hakodate,	,,	29.97	761.2	...	...	S W	4	...	,,	29.89	759.2	...	...	N N W	3	
Tokio,	,,	30.06	763.6	...	...	...	0	...	,,	29.91	759.6	...	...	...	0	
Kochi,	,,	30.01	762.3	...	...	...	0	...	,,	29.93	760.3	...	...	S W	1	
Nagasaki,	,,	29.95	760.8	...	...	S S E	1	...	,,	29.95	760.8	...	...	S	2	
Kagoshima,	,,	29.94	760.4	...	...	E	1	...	,,	29.98	761.4	...	...	...	0	
Oshima,	,,	29.91	759.6	...	...	N	1	...	,,	29.97	761.1	...	...	...	0	
Naha,	,,	29.91	759.7	...	...	S E	1	...	,,	29.93	760.2	...	...	...	0	
Ishigakijima,	,,	29.89	759.3	...	...	E	4	...	,,	29.89	759.3	...	...	E	2	
Bonin Is.	,,	29.94	760.6	...	...	E S E	1	...	,,	30.02	762.6	...	...	...	0	
Chefoo,	4 p.	30.07	763.8	60	82	N	2	or	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	30.04	763.0	62	67	N	5	omr	9 a.	30.14	765.5	69	41	N	7	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	29.85	758.2	90	56	...	0	b	,,	...	...	...	...	...	...	
Shanghai,	,,	29.83	757.7	85	68	S	2	c	9 a.	30.09	764.3	69	90	N W	3	
Gutzlaff,	,,	29.92	759.9	80	91	S E	2	cv	,,	30.11	764.8	76	...	N	5	
Sharp Peak,	,,	29.87	758.7	81	...	E N E	3	b	,,	29.95	760.7	80	...	N	1	
Amoy,	,,	29.85	758.2	89	63	S	2	b	6 a.	29.91	759.7	80	78	N E	2	
Swatow,	,,	29.82	757.4	86	72	E	2	b	,,	29.83	757.7	78	...	N E	1	
Taihoku,	1 p.	29.83	757.7	...	...	E	6	...	5 a.	29.83	757.6	...	...	E	6	
Taichu,	,,	29.84	758.0	...	...	W	2	...	,,	29.82	757.5	...	...	...	0	
Tainan,	,,	29.89	759.1	...	...	W	6	...	,,	29.87	758.7	...	...	...	0	
Koshun,	,,	29.87	758.7	...	...	N E	6	...	,,	29.90	759.4	...	...	E	6	
Pescadores,	,,	29.87	758.6	...	...	N	6	...	,,	29.84	757.9	...	...	...	0	
Canton,	3 p.	29.81	757.2	82	79	E	1	c	9 a.	29.88	758.9	81	83	N	2	
Hongkong,	4 p.	29.81	757.2	79	91	E	2	op	10 a.	29.87	758.7	84	73	E	3	
Victoria Peak,	,,	...	...	...	...	E S E	6	...	,,	...	...	...	...	E S E	3	
Gap Rock,	,,	29.77	756.1	...	...	E S E	5	...	,,	29.82	757.4	...	...	E N E	6	
Macao,	,,	...	...	83	...	E S E	3	c	,,	29.90	759.4	83	...	N E	1	
Wuchow,	3 p.	29.82	757.4	88	...	S E	2	b	9 a.	29.95	760.7	77	...	E	1	
Hoihow,	,,	29.63	752.6	79	95	S E	2	c	,,	...	...	...	...	...	...	
Pakhoi,	,,	29.75	755.6	80	91	E N E	1	o	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.71	754.6	88	...	N	2	b	8 a.	...	...	...	...	..	...	
Tourane,	,,	29.72	754.8	79	...	N W	2	or	,,	...	...	...	...	...	...	
Cape St. James,	,,	29.78	756.5	81	...	S W	2	c	,,	...	...	...	...	...	...	
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Manila,	4 p.	29.65	753	82	77	W	5	d	10 a.	29.80	757	84	77	W S W	1	
Legaspi,	2 p.	29.69	754.2	90	...	W	2	o	6 a.	29.78	756.4	76	...	...	0	
Bacolod,	3 p.	...	...	...	...	S W	3	c	9 a.	...	...	...	...	S W	2	
Iloilo,	,,	29.74	755.4	84	...	N W	1	o	,,	29.81	757.2	82	...	S	1	
Cebu,	,,	29.73	755.1	87	...	S	1	c	,,	29.82	757.4	85	...	S	1	
Labuan,	,,	29.74	755.4	85	...	...	...	...	,,	...	...	...	...	...	...	

On the 25th at 11.10 a.—Red South Cone and Drum hoisted.

At 12.05 p.—The depression lying near Hainan yesterday, has reached Tongking.

The typhoon noticed over the Pacific yesterday, entered the China Sea last night. This morning it appears situated to the West of North Luzon and to be moving towards W.N.W.

The Yangtze valley depression is in the neighbourhood of Korea Straits, and the other depression is moving the Pacific to the North of Japan.

Pressure is high over N. China.

Strong cyclonic winds and gales may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.22 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, freshening, probably to a gale; fai first, squally and rainy later,
2.—Formosa Channel, ...	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	E. to N. winds, increasing.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 25th September, 1910.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th September, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	26th September, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ladivostock,	2 p.	29.92	760.0	67	...	N	0	b	7 a.	30.18	766.6	48	87	E	0	b
mmuro,	,,	29.83	757.6	...	...	N E	1	...	6 a.	30.02	762.6	...	...	W	2	...
akodate,	,,	29.89	759.2	...	...	N N W	1	...	,,	30.09	764.2	...	...	..	0	...
kio,	,,	29.83	757.6	...	...	S W	2	...	,,	30.06	763.6	...	...	E N E	2	...
ochi,	,,	29.89	759.3	...	...	S E	1	...	,,	30.03	762.8	...	...	S W	1	...
agasaki,	,,	29.93	760.3	...	...	W	4	...	,,	30.07	763.8	...	...	N N E	1	...
agoshima,	,,	29.96	760.9	...	...	S S W	1	...	,,	30.06	763.4	...	...	...	0	...
shima,	,,	29.96	761.1	...	...	N N E	1	...	,,	30.02	762.6	...	...	S	1	...
aha	,,	29.91	759.7	...	...	N	3	...	,,	29.99	761.7	...	...	N E	2	...
higakijima,	,,	29.91	759.8	...	...	E	3	...	,,	29.93	760.3	...	...	N E	4	...
enin Is.	,,	30.01	762.1	...	...	E S E	1	...	,,	30.06	763.6	...	...	...	0	...
tefoo,	4 p.	...	...	...	...	...	...	..	6 a.	...	...	...	...	...	...	...
eihaiwei,	,,	30.16	766.0	62	53	N	0	b	9 a.	30.30	769.6	70	38	N	4	c
ankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ickiang,	,,	30.18	766.6	70	70	N E	3	o	,,	...	...	..	...	...	...	...
ianghai,	,,	30.11	764.8	69	80	N N W	5	oq	9 a.	30.27	768.8	71	53	N N E	1	c
utzlaff,	,,	30.14	765.5	71	80	N N E	6	cv	,,	30.28	769.1	73	58	N N E	5	cv
harp Peak,	,,	30.02	762.5	81	...	N N E	4	b	,,	30.10	764.5	77	86	N N E	4	c
moy,	,,	29.81	757.2	88	65	E N E	2	c	6 a.	29.99	761.7	80	66	N E	5	o
swatow,	,,	...	...	87	72	E S E	4	b	,,	29.93	760.2	80	70	E	2	b
aihoku	1 p.	29.88	758.9	...	...	E	8	...	5 a.	29.97	751.2	...	...	E	8	...
aichu,	,,	29.84	758.0	...	...	W	2	...	,,	29.89	759.2	...	...	N	2	...
ainan,	,,	29.84	758.0	...	...	W	4	...	,,	29.89	759.2	...	...	N	2	...
oshun,	,,	29.85	758.2	...	...	E	6	...	,,	29.88	758.9	...	...	N E	10	...
escadores,	,,	29.83	757.7	...	...	N	6	...	,,	29.89	759.3	...	...	N E	10	...
anton,	3 p.	29.77	756.1	89	69	S	2	c	9 a.	...	...	...	...	...	...	...
ongkong,	4 p.	29.79	756.6	84	74	E	3	c	10 a.	29.98	761.5	74	84	N N E	2	od
ictoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	6	...
ap Rock,	,,	29.74	755.4	...	...	E N E	6	...	,,	29.91	759.7	...	...	E N E	7	...
acao,	,,	29.81	757.2	88	...	E	1	c	,,	30.00	762.0	73	...	N	4	or
uchow,	3 p.	29.87	758.7	79	...	E N E	7	o	9 a.	...	...	...	...	...	...	...
ohow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
akhoi	,,	29.81	757.2	86	76	E	2	o	,,	...	...	...	...	...	...	...
hulien,	4 p.	29.76	755.8	79	...	E N E	7	o	8 a.	29.92	759.9	75	...	N	7	c
ourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	..
ape St. James,	,,	29.72	754.8	79	...	S W	6	or	,,	29.81	757.1	81	...	W S W	5	c
parri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
anila,	4 p.	29.76	756	82	71	...	0	o	10 a.	29.84	758	82	77	...	0	...
agaspi,	2 p.	29.71	754.6	88	...	E	2	o	6 a.	29.78	756.5	73	...	...	0	o
acolod,	3 p.	...	...	...	...	W	4	o	9 a.	...	...	...	...	E	3	c
ilo,	,,	29.75	755.6	81	...	N	0	o	,,	29.81	757.2	81	...	..	0	o
ebu	,,	29.75	755.6	85	...	S	1	o	,,	29.85	758.2	83	...	S	1	c
ghman,	,,	29.79	756.6	86	...	...	...	...	,,	29.90	759.4	80	...	...	...	...

On the 25th at 9.05 p.—No. 2 night signal hoisted.

The typhoon appears to be situated about 250 miles to the South South East of the Colony and to be moving towards W.N.W.

On the 26th at 6.00 a.—Black South Cone hoisted.

At 9.10 a.—Signal lowered.

At noon.—Except in Cochin China and the Philippines, the barometer has risen generally, particularly over the China coast and Japan.

The typhoon appears to have moved Westwards and to have reached the neighbourhood of the Paracels.

A high pressure area of considerable intensity lies over N. China, and strong N.E. monsoon prevails over the whole of the China coast.

Rough weather must still be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. winds, moderate gale to strong breezes; squally [and rainy at first, improving later.
Formosa Channel, ...	Strong N.E. gale.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Monday 26th September, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th September, 1910, P.M.								27th September, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.15	765.3	68	...	...	0	b	7 a.	30.21	767.4	48	95	...	0	b
Nemuro,	,,	30.04	763.1	...	...	S W	3	...	6 a.	30.20	767.1	...	...	W	1	...
Hakodate,	,,	30.15	765.7	...	...	N W	4	...	,,	30.28	769.2	...	...	..	0	...
Tokio,	,,	30.18	766.6	...	...	E N E	2	...	,,	30.22	767.6	...	...	N N W	1	...
Kochi,	,,	30.03	762.8	...	...	S E	2	...	,,	30.07	763.8	...	...	...	0	...
Nagasaki,	,,	30.07	763.8	...	...	N	2	...	,,	30.09	764.3	...	...	N N E	1	...
Kagoshima,	,,	30.04	762.9	...	...	S E	1	...	,,	30.08	763.9	...	...	...	0	...
Oshima,	,,	30.00	762.1	...	...	N N W	1	...	,,	30.01	762.1	...	...	...	0	...
Naha,	,,	29.95	760.7	...	...	N E	2	...	,,	29.93	760.2	...	...	N E	2	...
Ishigakijima,	,,	29.93	760.3	...	...	E	3	...	,,	29.84	757.8	...	...	N E	5	...
Bonin Is.	,,	30.06	763.6	...	...	E N E	1	...	,,	30.06	763.6	...	...	N W	1	...
Chefoo,	4 p.	...	...	...	...	...	...	..	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.27	768.8	69	39	E N E	3	b	9 a.	30.30	769.6	70	48	N W	2	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.25	768.3	75	52	N E	3	b	,,	30.31	769.9	63	83	N E	3	b
Shanghai,	,,	30.21	767.3	74	43	N N E	2	c	9 a.	30.25	768.3	71	62	N N E	1	c
Gutzlaff,	,,	30.27	768.8	72	58	N N E	5	cv	,,	30.24	768.1	70	80	N N E	5	cv
Sharp Peak,	,,	30.04	763.0	73	78	E N E	5	c	,,	30.05	763.2	74	...	N	3	c
Amoy,	,,	29.87	758.7	84	50	N E	4	b	6 a.	29.94	760.5	77	61	N E	5	c
Swatow,	,,	29.87	758.7	86	65	E	2	c	,,	29.89	759.2	76	73	N E	3	c
Taihoku,	1 p.	30.01	762.3	...	...	E	6	...	5 a.	29.95	760.8	...	...	N E	2	...
Taichu,	,,	29.89	759.2	...	...	N	4	...	,,	29.83	757.7	...	...	N E	2	...
Tainan,	,,	29.89	759.3	...	...	N E	2	...	,,	29.82	757.3	...	...	N	4	...
Koshun	,,	29.85	758.3	...	...	N E	10	...	,,	29.79	756.6	...	...	N E	8	...
Pescadores,	,,	29.90	759.4	...	...	N E	10	...	,,	29.84	757.8	...	...	N E	10	...
Canton,	3 p.	29.92	759.9	80	66	E	2	c	9 a.	30.03	762.7	75	68	N N E	2	b
Hongkong,	4 p.	29.90	759.4	79	77	E	2	cd	10 a.	29.97	761.2	78	67	N	2	c
Victoria Peak,	,,	...	...	...	...	E N E	7	...	,,	...	...	...	...	N E	4	...
Gap Rock,	,,	29.85	758.2	...	...	E N E	7	...	,,	29.93	760.2	...	...	N N E	5	...
Macao,	,,	29.93	760.2	79	...	N E	3	o	,,	30.01	762.2	75	...	N N E	3	c
Wuchow,	3 p.	30.01	762.2	73	...	N	3	o	9 a.	30.13	765.3	66	...	E	3	c
Hoihow,	,,	29.78	756.4	78	100	E N E	5	or	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.88	758.9	79	74	N	5	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.82	757.5	79	...	N	8	c	8 a.	...	...	...	...	...	...	...
Tourane,	,,	29.43	747.4	75	...	N N W	9	or	,,	...	...	...	..	...	...	...
Cape St. James,	,,	29.69	754.1	82	...	W S W	6	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.72	755	82	77	S W	1	o	10 a.	29.80	757	84	77	W S W	2	o
Legaspi,	2 p.	29.71	754.6	86	...	S E	2	...	6 a.	29.75	755.6	75	...	W	2	o
Bacolod,	3 p.	...	...	...	...	N W	1	o	9 a.	...	...	...	...	S W	3	c
Iloilo,	,,	29.74	755.4	81	...	...	0	o	,,	29.83	757.7	81	...	N N W	2	o
Cebu,	,,	29.77	756.1	82	...	S	2	or	,,	29.84	757.9	81	...	S	2	c
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	29.90	759.4	81	...	...	...	...

On the 27th at 11.55 a.—The barometer has fallen moderately over S. Formosa and at Meiaco Sima, and risen considerably in E. Japan.

Another typhoon has appeared over the Pacific. It is situated to the Eastward of the Balingtang Channel, and apparently it is moving towards N.W.

The China Sea typhoon had reached the neighbourhood of Touron Bay last evening. The returns from Indo-China are lacking this morning.

The anticyclonic area, which is still central over the Continent to the North the Yangtze valley, extends to the Sea of Japan.

N.E. and N. gales may be expected in the Formosa Channel and the N.E. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.13 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh or strong; fair, squally.
2.—Formosa Channel,	Strong N.E. gale.
3.—South coast of China between Hongkong and Lamocks,	N. winds, strong.
4.—South coast of China between Hongkong and Hainan,	N.E. to N. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 27th September, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th September, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	23rd September, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	2 p.	30.15	765.7	70	...	...	0	b	7 a.	30.10	764.4	52	87	S W	0	o
Gemuro,	,,	30.20	767.1	...	...	W	2	...	6 a.	30.08	764.1	...	...	...	0	...
Hakodate,	,,	30.19	766.7	...	...	S	1	...	,,	30.09	764.2	...	...	N N W	1	...
Tokio,	,,	30.10	764.6	...	...	N	1	...	,,	30.12	765.1	...	...	...	0	...
Kochi,	,,	30.05	763.3	...	...	N N E	1	...	,,	30.01	762.3	...	...	S W	1	...
Nagasaki,	,,	30.07	763.8	...	...	N	1	...	,,	30.05	763.3	...	...	N E	2	...
Kagoshima,	,,	30.02	762.4	...	...	...	0	...	,,	30.02	762.4	...	...	N E	1	...
Ishima,	,,	29.96	761.1	...	...	N E	1	...	,,	29.93	760.1	...	...	...	0	...
Misha,	,,	29.91	759.7	...	...	N E	2	...	,,	29.87	758.7	...	...	N E	1	...
Shigakijima,	,,	29.80	756.8	...	...	N E	6	...	,,	29.72	754.8	...	...	E N E	6	...
Sonin Is.	,,	30.00	762.1	...	...	E N E	1	...	,,	29.99	761.6	...	...	E S E	1	...
Chefoo,	4 p.	...	...	...	...	...	...	..	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.23	767.8	71	57	N	1	c	9 a.	30.26	768.6	74	51	N	2	b
Wankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Hankiang,	,,	30.20	767.1	75	95	N E	3	b	,,	30.20	767.1	63	89	N E	2	b
Shanghai,	,,	30.18	766.6	72	54	N N E	2	c	9 a.	30.16	766.0	73	58	N	3	c
Ichitzlaff,	,,	30.21	767.3	71	71	N N E	6	ogm	,,	30.18	766.6	73	63	N E	4	cv
Sharp Peak,	,,	29.95	760.7	78	86	N	2	c	,,	29.93	760.2	76	82	N	5	o
Amoy,	,,	29.75	755.6	87	49	N E	2	b	6 a.	29.79	756.6	80	58	N N E	5	c
Swatow,	,,	29.81	757.2	84	64	E	2	o	,,	29.74	755.4	76	69	N	1	o
Haikokun,	1 p.	29.88	759.0	...	...	E	8	...	5 a.	29.79	756.6	...	...	E	8	...
Haichu,	,,	29.76	755.9	...	...	N	4	...	,,	29.66	753.4	...	...	...	0	...
Hainan,	,,	29.80	756.9	...	...	N E	2	...	,,	29.67	753.5	...	...	N	2	...
Hoshun,	,,	...	...	...	...	...	...	...	,,	29.65	753.1	...	...	N	6	...
Pescadores,	,,	29.80	756.9	...	...	N E	10	...	,,	29.67	753.7	...	...	N E	10	...
Canton,	3 p.	29.92	759.9	79	58	N E	3	b	9 a.	29.94	760.5	73	67	N	1	c
Hongkong,	4 p.	29.86	758.4	82	55	N	2	c	10 a.	29.87	758.7	77	62	N	1	o
Victoria Peak,	,,	...	...	...	...	N	4	...	,,	...	...	...	...	N	4	...
Cap Rock,	,,	29.82	757.4	...	...	N	5	...	,,	29.83	757.7	...	...	N N W	6	...
Macao,	,,	29.87	758.7	80	...	N N W	4	c	,,	29.93	760.2	74	...	N N W	4	o
Pakchow,	3 p.	29.99	761.7	81	56	N	2	o	9 a.	30.03	762.7	74	32	S W	2	c
Kochow,	,,	29.88	758.9	77	100	N N E	4	o	,,	...	...	...	...	...	...	...
Lakhoi,	,,	29.91	759.7	79	74	N N E	2	o	,,	...	...	...	...	...	...	...
Haulien,	4 p.	...	...	...	...	...	...	...	8 a.	...	...	...	...	...	...	...
Sarawak,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Sherri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.69	754	84	77	S W	3	o	10 a.	29.73	755	82	85	S	1	o
Legaspi,	2 p.	29.69	754.1	84	...	W	2	c	6 a.	29.73	755.2	75	...	W	2	o
Iloilo,	3 p.	...	...	...	...	S W	3	c	9 a.	...	...	...	...	N W	2	c
Cebu,	,,	29.74	755.4	83	...	S W	2	c	,,	29.80	756.9	80	...	N	3	o
Labuan,	,,	29.74	755.4	85	...	S	2	...	,,	29.86	758.4	83	...	S	2	c
	,,	29.84	757.9	85	...	...	...	...	,,	29.81	757.2	79	...	...	...	...

On the 28th at noon.—The barometer has fallen generally, particularly over Meiaco Sima, Formosa and the S.E. coast of China.

The typhoon is situated to the S.E. of Formosa. At present it appears to be moving slowly towards N.W.

The high pressure area remains over the continent to the North of the Yangtze valley.

Bad weather may be expected in the Formosa Channel and the N.E. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N. to N.W. winds, fresh to strong; fair, squally.
Formosa Channel,	Strong N.E. gale.
South coast of China between Hongkong and Lamocks,	N. to N.W. winds, strong.
South coast of China between Hongkong and Hainan,	N.W. winds, fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 28th September, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd September, 1910, P.M.								29th September, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.08	764.0	70	...	W	0	b	7 a.	30.19	766.9	50	99	...	0	b
Nemuro,	,,	30.02	762.6	...	...	N	1	...	6 a.	30.04	763.1	...	...	...	0	[illegible]
Hakodate,	,,	30.05	763.2	...	...	W N W	2	...	,,	30.13	765.2	...	...	..	0	[illegible]
Tokio,	,,	30.06	763.6	...	...	N	1	...	,,	30.14	765.6	...	...	N	1	[illegible]
Kochi,	,,	29.99	761.8	...	...	S W	1	...	,,	30.05	763.3	...	...	S W	1	[illegible]
Nagasaki,	,,	30.01	762.3	...	...	N	4	...	,,	30.05	763.3	...	...	N N E	1	[illegible]
Kagoshima,	,,	30.00	761.9	...	...	S S E	1	...	,,	30.02	762.4	...	...	E	3	[illegible]
Oshima,	,,	29.91	759.6	...	...	S E	2	...	,,	29.91	759.6	...	...	...	0	[illegible]
Naha,	,,	29.85	758.2	...	...	E	1	...	,,	29.83	757.7	...	...	N E	1	[illegible]
Ishigakijima,	,,	29.74	755.3	...	...	E	6	...	,,	29.76	755.8	...	...	E	3	[illegible]
Bonin Is.	,,	29.94	760.6	...	...	S E	1	...	,,	29.97	761.1	...	...	E S E	1	[illegible]
Chefoo,	4 p.	...	...	...	...	...	...	..	6 a.	...	...	...	...	...	...	[illegible]
Weihaiwei,	,,	30.23	767.8	70	63	...	0	b	9 a.	30.26	768.6	72	53	N W	1	[illegible]
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Kinkiang,	,,	30.08	764.0	76	53	N E	4	b	..	30.14	765.5	65	84	N E	4	[illegible]
Shanghai,	,,	30.08	764.0	75	52	N E	3	c	9 a.	30.11	764.8	72	68	N E	3	[illegible]
Gutzlaff,	,,	30.13	765.3	73	76	N E	5	cv	,,	30.14	765.5	72	85	N E	6	[illegible]
Sharp Peak,	,,	29.81	757.2	76	77	N N E	5	o	,,	29.82	757.4	77	82	N N E	5	[illegible]
Amoy,	,,	29.58	751.3	86	55	N E	5	b	6 a.	29.53	751.3	80	62	N N E	6	[illegible]
Swatow,	,,	29.62	752.3	88	56	N N W	1	o	,,	...	...	79	66	N	0	[illegible]
Taihoku,	1 p.	29.74	755.4	...	...	E	8	...	5 a.	29.73	755.2	...	...	E	8	[illegible]
Taichu,	,,	29.54	750.2	...	...	N	4	...	,,	29.59	751.6	...	...	...	0	[illegible]
Tainan,	,,	29.56	750.7	...	...	N	2	...	,,	29.60	751.8	...	...	E	2	[illegible]
Koshun	,,	29.52	749.9	...	...	N E	10	...	,,	29.58	751.4	...	...	E	12	[illegible]
Pescadores,	,,	29.57	751.1	...	...	N E	10	...	,,	29.57	757.1	...	...	N E	10	[illegible]
Canton,	3 p.	29.78	756.4	82	..	N	2	b	9 a.	29.80	756.9	76	69	N	2	[illegible]
Hongkong,	4 p.	29.72	754.9	83	53	N	3	cq	10 a.	29.74	755.4	79	66	N	3	[illegible]
Victoria Peak,	,,	...	...	...	...	N	5	...	,,	...	...	...	...	N	6	[illegible]
Gap Rock,	,,	29.68	753.9	...	...	N N W	7	...	,,	29.70	754.4	...	...	N N W	7	[illegible]
Macao,	,,	29.78	756.4	82	...	N W	4	c	,,	29.80	756.9	75	...	N N W	6	[illegible]
Wuchow,	3 p.	29.86	758.4	84	...	N W	2	...	9 a.	29.92	759.9	77	...	N E	1	[illegible]
Hoihow,	,,	29.81	757.2	80	96	N E	2	o	,,	...	...	...	...	...	...	[illegible]
Pakhoi,	,,	29.97	761.7	75	72	N	3	c	,,	...	...	...	...	...	...	[illegible]
Phulien,	4 p.	29.81	757.2	81	...	N	2	c	8 a.	...	...	...	...	...	...	[illegible]
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	[illegible]
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Manila,	4 p.	29.65	753	77	92	W	1	q	10 a.	29.69	754	81	92	S S E	1	[illegible]
Legaspi,	2 p.	29.65	753.0	83	...	S W	2	o	6 a.	29.72	754.9	79	...	...	0	[illegible]
Bacolod,	3 p.	...	...	...	...	S W	4	c	9 a.	...	...	...	...	S W	5	[illegible]
Iloilo,	,,	29.70	754.4	80	...	S W	5	o	,,	29.80	756.9	79	...	S	4	[illegible]
Cebu,	,,	29.72	754.9	85	...	S	3	o	,,	29.80	756.9	84	...	S	3	[illegible]
Labuan,	,,	29.78	756.4	88	...	...	...	...	,,	29.86	758.4	79	...	...	...	[illegible]

On the 28th at 5.5 p.—Red Drum hoisted.

At 5.30 p.—The typhoon is moving into the China Sea near Bashee Channel. It appears to be moving towa W.N.W. at present and to threaten the South coast of China in the neighbourhood of Swatow.

At 10.45 p.—No. 2 night signal hoisted.

On the 29th at 6.0 a.—Black Drum hoisted.

At 11.55 a.——The barometer has fallen considerably over the S. and S.E. coasts of China. It is inclined to in Formosa and the Philippines.

The typhoon is situated about 250 miles to the E.S.E. of Hongkong. It appears now to be moving Westwar

The high pressure area remains over the continent to the North of the Yangtze valley.

Bad weather will continue to prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. to N.E. gale, ; fair at first, squally and rainy
2.—Formosa Channel, ...	N.E. gale.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,...	N. gale.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 29th September, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th September, 1910, P.M.								30th September, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock,	2 p.	30.13	765.4	72	...	W	0	b	7 a.	30.10	764.5	53	31	...	0	b
emuro,	,,	30.00	762.1	...	...	N	1	...	6 a.	30.02	762.6	...	...	W	1	...
akodate,	,,	30.05	763.2	...	...	W	2	...	,,	30.11	764.7	...	...	...	0	...
okio,	,,	30.12	765.1	...	...	N E	1	...	,,	30.18	766.6	...	...	N N W	1	...
ochi,	,,	30.01	762.3	...	...	...	0	...	,,	30.01	762.3	...	...	S W	1	...
agasaki,	,,	30.01	762.3	...	...	E N E	1	...	,,	29.97	761.3	...	...	N N E	1	...
agoshima,	,,	29.98	761.4	...	...	N E	1	...	,,	29.94	760.4	...	...	E	3	...
shima,	,,	29.89	759.1	...	...	...	0	...	,,	29.81	757.1	...	...	S S E	1	...
aba,	,,	29.77	756.2	...	...	E S E	3	...	,,	29.77	756.2	...	...	...	0	...
higakijima,	,,	29.76	755.8	...	...	E S E	4	...	,,	...	...	...	...	...	...	...
onin Is.	,,	29.94	760.6	...	...	S S E	1	...	,,	29.99	761.6	...	...	...	0	...
hefoo,	4 p.	...	...	...	...	...	...	..	6 a.	...	...	...	...	...	...	...
eihaiwei,	,,	30.18	766.6	72	58	N	2	c	9 a.	30.19	766.8	71	71	N	1	c
ankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iukiang,	,,	30.03	762.7	73	63	N E	4	o	,,	...	...	...	...	...	...	...
hanghai,	,,	30.02	762.5	76	53	N E	4	c	9 a.	30.06	763.5	72	67	N E	4	oq
utzlaff,	,,	30.05	763.2	72	76	N E	6	om	,,	30.08	764.0	73	76	N E	6	om
harp Peak,	,,	29.77	756.1	77	86	N	2	o	,,	29.78	756.4	76	82	N	4	o
moy,	,,	29.59	751.6	84	60	N E	4	o	6 a.	29.63	753.9	79	70	N E	4	o
swatow,	,,	29.62	752.3	81	62	N E	2	o	,,	29.65	753.1	78	73	N E	1	o
aihoku,	1 p.	29.74	755.4	...	...	E	6	...	5 a.	29.71	754.7	...	...	E	8	...
aichu,	,,	29.65	753.2	...	...	...	0	...	,,	29.67	753.5	...	...	...	0	...
ainan,	,,	29.65	753.2	...	...	N E	2	...	,,	29.67	753.6	...	...	...	0	...
oshun,	,,	29.63	752.7	...	...	E	8	...	,,	29.68	753.8	...	...	N E	2	...
escadores,	,,	29.65	753.0	...	...	N E	10	...	,,	29.63	752.7	...	...	N E	6	...
anton,	3 p.	29.71	754.6	81	59	N N E	2	c	9 a.	29.79	756.6	77	69	N	2	c
ongkong,	4 p.	29.65	753.1	80	61	N N W	3	oq	10 a.	29.73	755.1	77	67	N	4	oq
ictoria Peak,	,,	...	...	...	...	N	7	...	,,	...	...	...	...	N N E	7	...
ap Rock,	,,	29.59	751.6	...	...	N	7	...	,,	29.68	753.9	...	...	N N E	7	...
acao,	,,	29.69	754.1	80	...	N W	5	o	,,	29.77	756.1	77	...	N N W	5	c
uchow,	3 p.	29.81	757.2	84	...	N	2	c	9 a.	29.90	759.4	76	...	N	1	o
ohow,	,,	29.75	755.6	83	63	N	7	b	,,	...	...	...	...	...	...	...
akhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hulien,	4 p.	29.75	755.6	84	...	N	3	c	8 a.	...	...	...	...	...	...	...
ourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
ape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
parri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
anila,	4 p.	29.65	753	79	92	S S E	1	d	10 a.	29.76	756	84	77	S S E	1	o
egaspi,	2 p.	29.68	753.9	84	...	S W	2	...	6 a.	29.77	756.2	77	...	W	2	b
acolod,	3 p.	...	...	...	...	S W	3	c	9 a.	...	...	...	...	S W	2	c
ilo,	,,	29.70	754.4	80	...	S W	4	o	,,	29.85	758.2	80	...	S S W	4	o
ebu,	,,	29.73	755.1	86	...	S	4	c	,,	29.86	758.4	87	...	S	1	b
ebuan,	,,	29.79	756.6	85	...	...	...	...	,,	29.85	758.2	81	...	...	...	...

On the 29th at 5.10 p.—Black South Cone and Drum hoisted.

On the 30th at 11.55 a.——The barometer is almost steady in Hongkong. It has risen moderately in Formosa and Luzon.

The typhoon appears to be situated to the S.S.E. of Hongkong in about 19° Lat., and to be moving slowly towards W.S.W.

Pressure has given way slightly over the Loochoos and the E. coast of China. It remains high over the continent to the North of the Yangtze valley.

Bad weather will continue to prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.E. gale ; squally, some rain.
Formosa Channel,	N.E. winds, strong.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	N. gale.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 30th September, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	30th September, 1910, P.M.								1st October, 1910, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	30.05	763.2	75	...	N N E	0	b	7 a.	30.10	764.5	54	75	N N E	2
Nemuro,	,,	29.91	759.6	...	...	...	0	...	6 a.	30.04	763.1	...	...	N W	5
Hakodate,	,,	30.03	762.7	...	...	W	2	...	,,	30.13	765.2	...	...	...	0
Tokio,	,,	30.08	764.1	...	...		0	...	,,	30.01	762.1	...	...	N N W	1
Kochi,	,,	29.93	760.3	...	...	S W	1	...	,,	29.84	757.8	...	...	S W	1
Nagasaki,	,,	29.91	759.8	...	...	N N W	1	...	,,	29.89	759.3	...	...	N N E	1
Kagoshima,	,,	29.88	758.9	...	...	...	0	...	,,	29.84	757.9	...	...	...	0
Oshima,	,,	29.77	756.1	...	...	...	0	...	,,	29.79	756.6	...	...	N	1
Naha,	,,	29.79	756.7	...	...	S W	1	...	,,	29.77	756.2	...	...	W S W	1
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.80	756.8	...	...	...	0
Bonin Is.	,,	29.94	760.6	...	...	...	0	...	,,	29.91	759.6	...	...	S S W	2
Chefoo,	4 p.	...	...	...	...	...	...	..	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	30.14	765.6	70	73	N N W	1	o	9 a.	30.13	765.3	74	69	N	2
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	30.07	763.8	76	60	N E	3	c	,,	30.26	768.6	65	84	N E	1
Shanghai,	,,	30.02	762.5	73	58	N N E	3	o	9 a.	30.11	764.8	72	58	N N W	3
Gutzlaff,	,,	30.07	763.8	72	71	N E	6	om	,,	30.13	765.3	72	67	N N E	4
Sharp Peak,	,,	29.79	756.6	76	91	N	1	o	,,	29.99	761.7	73	95	N	3
Amoy,	,,	29.69	754.1	80	74	N E	2	or	6 a.	29.76	755.9	74	81	N E	3
Swatow,	,,	29.67	753.6	76	91	...	0	or	,,	29.76	755.9	72	95	N	1
Taihoku,	1 p.	29.75	755.7	...	...	E	6	...	5 a.	29.82	757.4	...	...	E	4
Taichu,	,,	29.73	755.2	...	...	...	0	...	,,	29.79	756.7	...	...	...	0
Tainan,	,,	29.74	755.4	...	...	N W	4	...	,,	29.79	756.7	...	...	...	0
Koshun	,,	29.72	754.9	...	...	E	4	...	,,	29.80	757.0	...	...	E	4
Pescadores,	,,	29.72	755.0	...	...	N E	8	...	,,	29.77	756.1	...	...	N E	10
Canton,	3 p.	29.73	755.1	81	62	N N E	3	c	9 a.	29.90	759.4	75	68	N E	3
Hongkong,	4 p.	29.69	754.1	78	69	N	4	odq	10 a.	29.85	758.2	77	76	N E	2
Victoria Peak,	,,	...	...	...	...	N N E	7	...	,,	...	...	...	...	E N E	7
Gap Rock,	,,	29.63	752.6	...	...	N E	7	...	,,	29.80	756.9	...	...	E N E	7
Ma cao,	,,	29.73	755.1	78	...	N	4	o	,,	29.90	759.4	73	...	N	4
Wuchow,	3 p.	29.81	757.2	84	...	N W	3	c	9 a.	29.98	761.5	75	...	N	2
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.79	756.6	81	67	N	3	o	,,	...	...	...	...	...	...
Phulien,	4 p.	...	...	...	...	...	...	...	8 a.	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Manila,	4 p.	29.76	756	82	77	S	3	c	10 a.	29.88	759	84	85	W S W	
Legaspi,	2 p.	29.77	756.2	90	...	S W	2	c	6 a.	29.86	758.4	75	...	W	
Bacolod,	3 p.	...	...	...	...	S W	2	b	9 a.	...	...	...	...	S W	
Iloilo,	,,	29.81	757.2	83	...	S	2	c	,,	29.91	759.7	82	...	S W	
Cebu,	,,	29.77	756.1	89	...	S	2	c	,,	29.90	759.4	88	...	S	
Labuan,	,,	29.79	756.6	83	...	...	...	...	,,	29.89	759.2	83	...	...	

On the 30th at 7.45 p.—The typhoon which is still situated to the S.S.E. of the Colony is probably slowing up.

Barometer rising in Hongkong.

On the 1st at 4.30 a.—Signals lowered.

At 11.50 a.—The barometer has risen moderately over S. China, Formosa and the Philippines.

The returns from Indo-China are not to hand, but probably the typhoon has continued to move towards and may now be situated to the N.E. of the Paracels.

A depression is shown this morning over the Pacific to the East of the Loochoos and the barometer is over S. Japan.

Pressure remains high over the continent to the North of the Yangtze valley.

Rough weather must still be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.11 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; squally, some rain.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N.E. gale.

F. G. FIG
Director.

Hongkong Observatory, Saturday, 1st October, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st October, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd October, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
adivostock,	2 p.	30.05	763.3	70	...	N N W	0	b	7 a.	30.10	764.4	53	94	...	0	o
muro,	,,	30.00	762.1	...	...	N N W	4	...	6 a.	30.08	764.1	...	...	N N E	5	...
kodate,	,,	30.07	763.7	...	...	S E	2	...	,,	30.09	764.2	...	...	...	0	...
kio,	,,	29.93	760.1	...	...	N N W	3	...	,,	30.02	762.6	...	...	N W	1	...
chi,	,,	29.83	757.8	...	...	...	0	...	,,	29.89	759.3	...	...	W S W	1	...
gasaki,	,,	29.85	758.3	...	...	N W	3	...	,,	29.91	759.8	...	...	N E	2	...
goshima,	,,	29.82	757.4	...	...	N N W	1	...	,,	29.86	758.4	...	...	N N E	1	...
hima,	,,	29.77	756.1	...	...	N W	2	...	,,	29.81	757.1	...	...	N W	2	...
ha,	,,	29.77	756.2	...	...	N	4	...	,,	29.81	757.2	...	...	N N E	4	...
higakijima,	,,	29.80	756.8	...	...	E	1	...	,,	29.84	757.8	...	...	N N E	4	...
min Is.	,,	29.81	757.1	...	...	S S W	1	...	,,	29.81	757.1	...	...	S W	3	...
efoo,	4 p.	...	...	...	...	...	...	..	6 a.	...	...	...	...	...	...	...
ihaiwei,	,,	30.08	764.0	74	59	N	3	b	9 a.	30.11	764.8	73	63	W S W	2	r
nkow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ukiang,	,,	30.13	765.3	...	...	N E	3	b	,,	30.25	768.3	62	83	N E	1	b
anghai,	,,	30.04	763.0	75	48	N	3	c	9 a.	30.11	764.8	72	50	N N E	2	c
atzlaff,	,,	30.10	764.5	72	62	N	4	cv	,,	30.14	765.5	74	59	N N E	3	ov
arp Peak,	,,	29.91	760.5	73	90	E N E	1	or	,,	30.06	763.5	72	85	N	3	b
noy,	,,	29.80	756.9	75	81	N E	2	o	6 a.	...	...	68	35	N E	4	o
atow,	,,	29.83	757.7	76	73	...	0	o	,,	29.86	758.4	72	71	E	1	b
ihoku,	1 p.	29.90	759.4	...	...	W	4	...	5 a.	29.95	760.7	...	...	E	4	...
ichu,	,,	29.85	758.1	...	...	W	4	...	,,	29.87	758.6	...	...	N	4	...
inan,	,,	29.84	758.0	...	...	E	2	...	,,	29.85	758.2	...	...	N	2	...
oshun,	,,	29.84	758.0	...	...	S	2	...	,,	29.85	758.1	...	...	N E	8	...
scadores,	,,	29.83	757.7	...	...	N E	10	...	,,	29.87	758.6	...	...	N E	10	...
nton,	3 p.	29.87	758.7	73	81	N E	3	o	9 a.	29.97	761.2	74	72	N E	1	b
ongkong,	4 p.	29.84	757.9	75	83	N	1	o	10 a.	29.95	760.7	78	62	E N E	4	c
ctoria Peak,	,,	...	...	...	...	E	7	...	,,	...	...	...	...	E	7	...
p Rock,	,,	29.76	755.9	...	...	E N E	7	...	,,	29.90	759.4	...	...	E N E	7	...
ccao,	,,	29.86	758.4	73	...	N	4	od	,,	29.98	761.5	76	...	N E	3	c
uchow,	3 p.	29.94	760.5	69	...	N E	2	o	9 a.	...	...	...	...	...	2	o
oihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
khoi,	,,	..	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
ulien,	4 p.	...	...	...	...	...	...	...	8 a.	...	...	...	...	...	...	...
urane,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
pe St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
arri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
anila,	4 p.	29.80	757	86	65	S W	3	b	10 a.	29.92	760	84	77	N N E	1	o
gaspi,	2 p.	29.80	757.0	90	...	W	2	b	6 a.	29.82	757.3	79	...	...	0	o
colod,	3 p.	...	...	...	...	S W	3	c	9 a.	...	...	...	...	S W	1	o
ilo,	,,	29.81	757.2	84	...	S W	1	c	,,	29.91	759.7	81	...	S W	1	o
bu,	,,	29.82	757.4	89	...	S	2	c	,,	29.92	759.9	82	...	...	0	or
buan,	,,	29.83	757.7	88	...	...	...	...	,,	...	...	...	...	...	...	...

On the 2nd at 11.55 a.—The barometer has fallen moderately at the Bonins, and a slight fall has taken place also over N. China. It has risen moderately over S. China and Formosa.

The depression lying between the Loochoos and the Bonins is moving towards E.N.E.

Pressure is highest over the Yangtze valley. It remains low apparently, over the middle and western parts of the China Sea.

Strong N.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood,	N.E. winds, strong; fair.
—Formosa Channel,	Same as No. 1.
—South coast of China between Hongkong and Lamocks,	Same as No. 1.
—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 2nd October, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd October, 1910, P.M.								3rd October, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.09	764.2	67	...	S E	1	c	7 a.	30.06	763.5	53	91	...	0	c
Nemuro,	,,	30.08	764.1	...	...	N N E	4	...	6 a.	30.22	767.6	...	...	N N W	1	...
Hakodate,	,,	30.20	767.2	...	...	S E	...	...	,,	30.15	765.7	...	...	E N E	1	...
Tokio,	,,	30.00	762.1	...	...	N N W	1	...	,,	30.08	764.1	...	...	N N W	1	...
Kochi,	,,	29.87	758.8	...	...	S W	1	...	,,	29.95	760.8	...	...	S W	1	...
Nagasaki,	,,	29.91	759.8	...	...	N E	3	...	,,	29.97	761.3	...	...	N N E	1	...
Kagoshima,	,,	29.86	758.4	...	...	E S E	2	...	,,	29.92	759.9	...	...	N N E	1	...
Oshima,	,,	29.83	757.6	...	...	N N E	1	...	,,	29.87	758.6	...	...	W N W	1	...
Naha,	,,	29.83	757.7	...	...	N	4	...	,,	29.85	758.2	...	...	N	4	...
Ishigakijima,	,,	29.87	758.8	...	...	N N E	4	...	,,	29.89	759.3	...	...	N	1	...
Bonin Is.	,,	29.79	756.6	...	...	S W	2	...	,,	29.83	757.6	...	...	S W	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.07	763.8	75	64	N	1	c	9 a.	30.11	764.8	73	58	S W	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.09	764.3	79	43	N E	3	b	,,	30.31	769.9	61	94	N E	1	c
Shanghai,	,,	30.05	763.2	78	43	N E	2	c	9 a.	30.46	766.0	73	58	N N E	2	c
Gutzlaff,	,,	30.10	764.5	76	56	N N E	2	cv	,,	30.17	766.3	72	62	N N E	3	c
Sharp Peak,	,,	29.97	761.2	74	86	E N E	4	c	,,	30.05	763.2	73	86	E N E	2	b
Amoy,	,,	29.84	757.9	82	56	N E	2	b	6 a.	29.85	758.2	76	49	N	2	b
Swatow,	,,	29.88	758.9	80	62	E	2	b	,,	29.90	759.4	70	75	N E	1	b
Taihoku	1 p.	29.96	761.1	...	...	N E	6	...	5 a.	29.94	760.5	...	...	S	2	...
Taichu,	,,	29.86	758.5	...	...	N	6	...	,,	29.87	758.6	...	...	N	2	...
Tainan,	,,	29.87	758.7	...	...	N W	4	...	,,	29.86	758.4	...	...	...	0	...
Koshun	,,	29.87	758.6	...	...	N E	8	...	,,	29.84	757.8	...	...	N E	10	...
Pescadores,	,,	29.90	759.4	...	...	N E	10	...	,,	29.85	758.2	...	...	N E	10	...
Canton,	3 p.	29.89	759.2	79	61	N E	1	c	9 a.	29.93	761.5	77	65	N E	1	b
Hongkong,	4 p.	29.87	758.7	78	67	E	3	o	10 a.	29.93	761.5	78	63	E	3	o
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	29.83	757.7	...	...	E N E	6	...	,,	29.92	759.9	...	...	E N E	6	...
Macao,	,,	29.89	759.2	78	...	E	3	o	,,	30.01	762.2	79	...	E N E	1	c
Wuchow,	3 p.	29.95	760.7	78	...	N E	2	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.79	756.6	81	...	S E	2	b	,,	...	...	...	...	...	...	...
Pakhoi,	,,	..	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	...	...	...	...	...	...	...	8 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.80	757.0	76	...	S W	2	...
Manila,	4 p.	29.84	758	79	84	W	5	r	10 a.	29.84	758	77	92	W N W	1	d
Legaspi,	2 p.	29.80	756.9	82	...	W	2	o	6 a.	29.78	756.5	75	...	S W	2	o
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S W	2	c
Iloilo,	,,	29.81	757.2	80	...	...	0	o	,,	29.89	759.2	80	...	N N W	1	o
Cebu,	,,	29.86	758.4	81	...	S	1	or	,,	29.90	759.4	81	...	S	1	...
Labuan,	,,	29.79	756.6	84	...	...	...	...	,,	29.90	759.4	79	...	...	...	...

On the 3rd at 11.55 a.—The barometer has risen slightly over N. China and Japan, and fallen a little in the Philippines.

Pressure appears to be low over the Pacific to the E. or N.E. of Luzon.

Areas of high pressure are lying to the North of Japan, and over China to the North of the Yangtze valley.

Strong N.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 3rd October, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd October, 1910, P.M.								4th October, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
adivostock,	2 p.	30.02	762.4	66	...	S W	0	c	7 a.	29.98	761.5	50	98	...	0	f
muro,	,,	30.16	766.1	...	...	S	3	...	6 a.	30.08	764.1	...	...	S	3	...
kodate,	,,	30.09	764.2	...	...	E S E	3	...	,,	29.99	761.7	...	...	...	0	...
kio,	,,	30.06	763.6	...	...	N W	2	...	,,	29.93	760.1	...	...	N W	1	...
chi.	,,	29.93	760.3	...	...	..	0	...	,,	29.95	760.8	...	...	S W	3	...
gasaki,	,,	29.95	760.8	...	...	N	1	...	,,	30.01	762.3	...	...	N N E	1	...
goshima,	,,	29.92	759.9	...	...	N E	1	...	,,	29.96	760.9	...	...	N	1	...
hima,	,,	29.87	758.6	...	...	N	1	...	,,	29.99	761.6	...	...	...	0	...
ba,	,,	29.87	758.7	...	...	N	4	...	,,	29.87	758.7	...	...	N N E	1	...
igakijima,	,,	29.89	759.3	...	...	N	5	...	,,	29.91	759.8	...	...	N N E	2	...
nin Is.	,,	29.85	758.1	...	...	S W	1	...	,,	29.89	759.1	...	...	S W	1	...
efoo,	4 p.	...	...	...	...	...	...	..	6 a.	...	...	...	...	...	...	...
eihaiwei,	,,	30.09	764.3	71	64	N	3	b	9 a.	30.17	766.3	69	52	N	3	c
nkow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ukiang,	,,	30.06	763.5	81	35	N E	1	b	..	30.10	764.5	65	78	N E	1	c
anghai,	,,	30.09	764.3	76	45	N N E	2	c	9 a.	30.16	766.0	71	71	N E	1	o
itzlaff,	,,	30.14	765.5	73	63	N N E	3	cv	,,	30.20	767.1	71	57	N E	4	cv
arp Peak,	,,	30.00	762.0	74	...	N E	4	b	,,	30.06	763.5	72	...	N	1	b
noy,	,,	29.88	758.9	80	51	N E	3	b	6 a.	29.88	758.9	71	59	N	2	b
atow,	,,	29.87	758.7	80	70	E	3	b	,,	...	...	...	...	...	...	..
hoku,	1 p.	29.96	761.0	...	...	E	8	...	5 a.	29.95	760.8	...	...	E	6	...
ichu,	,,	29.87	758.7	...	...	N	6	...	,,	29.88	758.9	...	...	...	0	...
inan,	,,	29.89	759.2	...	...	N	4	...	,,	29.89	759.2	...	...	N	2	...
eshun,	,,	29.87	758.8	...	...	N E	8	...	,,	29.86	758.2	...	...	N E	8	...
scadores,	,,	29.91	759.8	...	...	N E	10	...	,,	29.89	759.3	...	...	N	8	...
nton,	3 p.	29.88	758.9	82	63	N	1	c	9 a.	...	...	...	...	...	...	...
ongkong,	4 p.	29.89	759.2	77	67	E	3	c	10 a.	30.02	762.5	79	53	E	4	o
ctoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	4	...
p Rock,	,,	29.85	758.2	...	...	E N E	6	...	,,	29.96	761.0	...	...	E N E	5	...
acao,	,,	29.92	759.9	79	...	E S E	2	c	,,	...	...	...	...	...	...	...
achow,	3 p.	29.91	759.7	84	...	S E	1	o	9 a.	...	...	...	...	...	...	...
ohow,	,,	...	..	...	...	..	...	...	,,	...	...	...	...	...	...	...
akhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
nulien,	4 p.	...	...	...	...	...	...	...	8 a.	...	...	...	...	...	...	...
ourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
pe St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	..
perri,	2 p.	29.78	756.5	77	...	...	...	...	6 a.	29.82	757.3	75	...	S E	0	t
anila,	4 p.	29.76	756	77	92	N W	2	o	10 a.	29.88	759	82	85	S	1	o
gaspi,	2 p.	..	...	...	...	S S W	1	r	6 a.	29.86	758.4	75	...	...	0	o
ccolod,	3 p.	...	...	...	...	S W	1	c	9 a.	...	...	...	...	S W	1	o
oilo,	,,	29.81	757.2	80	...	N W	3	c	,,	29.91	759.7	80	...	S W	1	o
bu,	,,	29.81	757.2	85	...	S	2	b	,,	29.89	759.2	85	...	S	2	b
buan,	,,	29.84	757.9	83	...	...	...	...	,,	29.90	759.4	79	...	...	...	...

On the 4th at 12.05 p.—The barometer has fallen moderately in E. Japan and Wladiwostok, and risen slightly elsewhere.

Pressure remains high over China to the North of the Yangtze valley. It is relatively over the middle part of the China Sea.

Fresh to strong monsoon may be expected over the Formosa Channel and the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
—Formosa Channel,	N.E. winds, fresh to strong.
—South coast of China between Hongkong and Lamocks,	Same as No. 1.
—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 4th October, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th October, 1910, P.M.									5th October, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.93	760.1	67	...	N W	1	b		7 a.	29.98	761.4	51	82	...	0	c
Nemuro,	,,	30.00	762.1	...	...	S E	2	...		6 a.	29.95	760.6	...	...	S S E	1	
Hakodate,	,,	29.89	759.2	...	...	E	1	...		,,	29.95	760.7	...	...	N W	1	
Tokio,	,,	29.85	758.1	...	...	S S E	1	...		,,	30.01	762.1	...	...	N N W	1	
Kochi,	,,	29.93	760.3	...	...	N	6	...		,,	30.01	762.3	...	...	S W	1	
Nagasaki,	,,	30.01	762.3	...	...	N	3	...		,,	30.03	762.3	...	...	N E	1	
Kagoshima,	,,	29.96	760.9	...	...	..	0	...		,,	30.02	762.4	...	...	N N E	1	
Oshima,	,,	29.93	760.1	...	...	N N E	2	...		,,	29.93	760.1	...	...	...	0	
Naha,	,,	29.91	759.7	...	...	N	5	...		,,	29.93	760.2	...	...	E N E	1	
Ishigakijima,	,,	29.93	760.3	...	...	N N E	3	...		,,	29.91	759.8	...	...	N N E	1	
Bonin Is.	,,	29.91	759.6	...	...	S W	1	...		,,	29.97	761.1	...	...	S W	1	
Chefoo,	4 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	30.12	765.0	68	53	N	3	o		9 a.	30.18	766.6	70	70	W	3	c
Hankow,	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	
Kiukiang,	,,	30.09	764.3	73	58	N E	2	o		,,	...	...	...	...	...	...	
Shanghai,	,,	30.09	764.3	75	40	N N E	2	o		9 a.	30.13	765.3	71	71	N N E	2	o
Gutzlaff,	,,	30.16	766.0	74	55	N E	2	ov		,,	30.18	766.6	72	76	N E	1	o
Sharp Peak,	,,	30.04	763.0	71	...	N N E	4	b		,,	30.03	762.7	72	...	N E	1	c
Amoy,	,,	29.84	757.9	83	49	E N E	4	b		6 a.	29.90	759.4	72	56	N N E	2	b
Swatow,	,,	29.88	758.9	85	68	E	2	b		,,	29.91	759.7	68	85	N N E	2	b
Taihoku,	1 p.	29.98	761.5	...	...	E	6	...		5 a.	29.97	761.1	...	...	E	4	
Taichu,	,,	29.87	758.8	...	...	N	4	...		,,	29.89	759.3	...	...	...	0	
Tainan,	,,	29.92	760.0	...	...	N W	2	...		,,	29.89	759.2	...	...	...	0	
Koshun,	,,	29.89	759.3	...	...	N E	8	...		,,	29.84	758.0	...	...	N E	10	
Pescadores,	,,	29.92	760.0	...	...	N E	10	...		,,	29.89	759.1	...	...	N E	10	
Canton,	3 p.	29.89	759.2	82	67	S	1	b		9 a.	29.96	761.0	77	77	E	1	b
Hongkong,	4 p.	29.89	759.2	78	60	E	3	b		10 a.	29.95	760.7	80	61	E	2	c
Victoria Peak,	,,	...	...	...	...	E	2	...		,,	...	...	...	...	E	3	
Gap Rock,	,,	29.86	758.4	...	...	E N E	5	...		,,	29.90	759.4	...	...	E N E	6	
Macao,	,,	29.92	759.9	82	...	E	2	c		,,	29.98	761.5	77	...	E N E	3	c
Wuchow,	3 p.	29.97	761.2	74	...	E	1	c		9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	
Pakhoi,	,,	29.90	759.4	84	64	E S E	1	c		,,	...	...	...	...	...	...	
Phulien,	4 p.	29.88	759.0	79	...	E N E	5	c		8 a.	...	...	...	...	...	...	
Tourane,	,,	29.80	757.0	77	...	N W	4	o		,,	...	...	...	..	...	...	
Cape St. James,	,,	29.83	757.7	73	...	N W	2	or		,,	...	...	...	...	...	...	
Aparri,	2 p.	29.82	757.5	79	...	S W	0	o		6 a.	29.86	758.4	75	...	S E	2	c
Manila,	4 p.	29.84	758	79	92	S S W	0	o		10 a.	29.92	760	86	79	W S W	0	c
Legaspi,	2 p.	29.85	758.2	88	...	S W	4	c		6 a.	29.91	759.6	73	...	...	0	b
Bacolod,	3 p.	...	...	...	...	S W	1	c		9 a.	...	...	...	...	W	1	b
Iloilo,	,,	29.86	758.2	86	...	..	0	o		,,	29.93	760.2	81	...	...	0	b
Cebu,	,,	29.85	758.2	88	...	S	2	c		,,	29.93	760.2	86	...	N	1	b
Labuan,	,,	29.84	757.9	86	...	...	...	...		,,	29.90	759.4	81	...	...	...	

On the 5th at 12.05 p.—The barometer has fallen slightly on the S. coast of China and risen a little in the Philippines.

There are some indications of the existence of a depression over the middle part of the China Sea.

An area of low pressure is moving Eastwards to the North of Japan.

Pressure remains high over China to the North of the Yangtze valley.

Strong NE winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, fresh or strong; fair.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 5th October, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th October, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	6th October, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ladivostock,	2 p.	29.96	761.0	70	...	N	0	c	7 a.	30.09	764.2	53	86	...	0	b
mmuro,	,,	29.94	760.6	...	...	N	1	...	6 a.	30.08	764.1	...	...	W	1	...
akodate,	,,	29.97	761.2	...	...	W	1	...	,,	30.11	764.7	...	...	...	0	...
kio,	,,	30.00	762.1	...	...	E	...	...	,,	30.08	764.1	...	...	N W	1	...
ochi,	,,	30.01	762.3	...	...	..	0	...	,,	30.05	763.3	...	...	S W	1	...
agasaki,	,,	30.01	762.3	...	...	N	1	...	,,	30.07	763.8	...	...	N E	2	...
agoshima,	,,	30.00	762.1	...	...	N N E	1	...	,,	30.02	762.4	...	...	N N E	1	...
hima,	,,	29.93	760.2	...	...	N	1	...	,,	29.95	760.6	...	...	S	1	...
sha,	,,	...	...	...	...	...	...	...	,,	29.91	759.7	...	...	N E	1	...
higakijima,	,,	29.91	759.8	...	...	...	0	...	,,	29.91	759.8	...	...	N E	2	...
min Is.	,,	29.93	760.1	...	...	S S W	1	...	,,	29.93	760.1	...	...	...	0	...
nefoo,	4 p.	...	...	...	...	...	...	..	6 a.	...	...	...	...	...	...	...
ihaiwei,	,,	30.15	765.8	67	55	N	6	c	9 a.	30.14	765.5	65	68	S W	1	c
nkow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
nkiang,	,,	30.06	763.5	76	53	N E	2	c	,,	30.05	763.2	67	79	N E	2	o
anghai,	,,	30.08	764.0	74	55	N E	3	c	9 a.	30.10	764.5	72	58	E N E	1	c
utzlaff,	,,	30.14	765.5	73	63	N E	2	cv	,,	30.16	766.0	73	67	E N E	1	cv
arp Peak,	,,	30.01	762.2	71	...	E N E	4	b	,,	30.01	762.2	72	...	N	2	c
moy	,,	29.89	759.2	85	47	N E	4	b	6 a.	29.93	760.2	73	55	N N E	4	c
watow,	,,	29.85	758.2	84	...	E	3	b	,,	29.90	759.4	77	77	N E	1	b
aihoku,	1 p.	29.96	761.0	...	...	E	6	...	5 a.	29.98	761.4	...	...	E	6	...
aichu,	,,	29.87	758.6	...	...	N W	2	...	,,	29.90	759.4	...	...	N	2	...
ainan,	,,	29.89	759.2	...	...	N	2	...	,,	29.91	759.6	...	...	...	0	...
oshun	,,	29.87	758.8	...	...	N E	8	...	,,	29.87	758.7	...	...	N E	10	...
escadores,	,,	29.90	759.4	...	...	N E	10	...	,,	29.90	759.4	...	...	N E	8	...
anton,	3 p.	29.86	758.4	83	63	S W	1	b	9 a.	29.94	760.5	77	82	...	0	b
ongkong,	4 p.	29.89	759.2	77	69	E	3	o	10 a.	29.95	760.7	80	55	E	2	c
ictoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	3	...
ap Rock,	,,	29.84	757.9	...	...	E	5	...	,,	29.91	759.7	...	...	E N E	5	...
acao,	,,	29.90	759.4	78	...	E	2	c	,,	29.93	761.5	80	...	E N E	1	c
uchow,	3 p.	29.93	760.2	74	...	E	1	c	9 a.	29.99	761.7	72	...	E	1	b
oihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
akhoi,	,,	29.91	759.7	84	64	S E	1	c	,,	...	...	...	...	...	...	...
hulien,	4 p.	29.87	758.8	79	...	S E	2	c	8 a.	29.96	761.0	77	...	N N W	2	c
ourane,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	77	..	N W	3	o
ape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
parri,	2 p.	...	...	...	...	...	...	...	6 a.	29.89	759.3	77	...	W	0	p
anila,	4 p.	29.84	758	86	71	W	1	c	10 a.	29.92	760	84	77	...	0	o
egaspi,	2 p.	29.83	757.6	88	...	N E	2	c	6 a.	29.88	758.9	73	...	...	0	b
acolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	...	...	...
oilo,	,,	29.83	757.7	84	...	S W	1	b	,,	...	..	...	...	...	...	...
ebu,	,,	29.83	757.7	88	...	..	0	c	,,	...	...	...	...	...	...	...
ebuan,	,,	29.83	757.7	87	...	...	...	...	,,	29.99	761.7	84	...	...	...	...

On the 6th at 12.05 p.—The barometer has risen moderately in Japan, and fallen slightly over China. Pressure is highest over the Yellow Sea and the Sea of Japan. It is relatively low over the China Sea. Fresh N.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood,	E. winds, fresh; fair.
—Formosa Channel,	N.E. winds, fresh.
—South coast of China between Hongkong and Lamocks,	Same as No. 1.
—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 6th October, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th October, 1910, P.M.								7th October, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.02	762.5	68	...	...	0	b	7 a.	29.93	761.4	61	84	S E	0	o
Nemuro,	,,	30.10	764.6	...	...	S E	1	...	6 a.	30.18	766.6	...	...	S	1	...
Hakodate,	,,	30.09	764.2	...	...	S W	1	...	,,	30.23	767.7	...	...	...	0	...
Tokio,	,,	30.04	763.1	...	...	N E	2	...	,,	30.26	768.6	...	...	N W	1	...
Kochi,	,,	29.99	761.8	...	...	N N E	3	...	,,	30.11	764.8	...	...	W S W	1	...
Nagasaki,	,,	30.01	762.3	...	...	E	4	...	,,	30.05	763.3	...	...	E S E	3	...
Kagoshima,	,,	30.00	761.9	...	...	E S E	1	...	,,	30.06	763.4	...	...	E N E	1	...
Oshima,	,,	29.93	760.1	...	...	S	1	...	,,	29.95	760.6	...	...	S E	1	...
Naha,	,,	29.89	759.2	...	...	N E	1	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.87	758.8	...	...	N E	6	...	,,	29.89	759.2	...	...	N	1	...
Bonin Is.	,,	29.87	758.6	...	...	S S W	1	...	,,	29.99	761.6	...	...	N N W	1	...
Chefoo,	4 p.	...	...	...	...	...	...	..	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.07	762.8	65	65	...	...	c	9 a.	30.02	762.5	68	67	S W	2	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.01	762.2	74	63	N E	1	c	,,	30.06	763.5	64	89	N W	2	o
Shanghai,	,,	29.99	761.7	76	56	E S E	2	c	9 a.	30.01	762.2	73	72	E S E	1	o
Gutzlaff,	,,	30.07	763.8	73	72	E	1	cv	,,	30.06	763.5	77	73	S E	1	cv
Sharp Peak,	,,	29.97	761.2	74	...	N N E	3	b	,,	29.94	760.5	73	...	...	0	c
Amoy,	,,	29.81	757.2	77	73	E N E	3	or	6 a.	29.85	758.2	74	76	W N W	2	c
Swatow,	,,	29.87	758.7	77	69	E N E	3	o	,,	29.89	759.2	70	...	N E	1	b
Taiboku,	1 p.	29.94	760.5	...	...	E	6	...	5 a.	29.91	759.6	...	...	E	6	...
Taichu,	,,	29.85	758.1	...	...	N W	4	...	,,	29.89	759.1	...	...	...	0	...
Tainan,	,,	29.89	759.3	...	...	N W	2	...	,,	29.90	759.4	...	...	N	2	...
Koshun	,,	29.87	758.7	...	...	N E	3	...	,,	29.88	758.8	...	...	E	4	...
Pescadores,	,,	29.89	759.1	...	...	N E	10	...	,,	29.90	759.5	...	...	N E	6	...
Canton,	3 p.	29.84	757.9	83	67	W	1	b	9 a.	29.96	761.0	77	82	N N E	1	b
Hongkong,	4 p.	29.86	758.4	78	69	E	3	c	10 a.	29.97	761.2	79	68	E S E	2	c
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	...	..
Gap Rock,	,,	29.83	757.7	...	...	E N E	4	...	,,	29.92	759.9	...	...	E N E	4	..
Macao,	,,	29.89	759.2	79	...	S E	1	c	,,	29.99	761.7	78	...	N	1	c
Wuchow,	3 p.	29.87	758.7	89	53	E	1	c	9 a.	29.99	761.7	79	82	E	1	c
Hoihow,	,,	29.86	758.4	79	...	E	2	o	,,	...	...	...	...	...	...	..
Pakhoi,	,,	29.88	758.9	84	68	S W	1	o	,,	...	...	...	...	...	...	..
Phulien,	4 p.	29.85	758.1	84	...	S S W	2	c	8 a.	...	...	...	...	...	...	..
Tourane,	,,	29.78	756.5	75	...	N W	7	o	,,	...	...	...	..	...	...	..
Cape St. James,	,,	29.82	757.4	84	...	S	4	lt	,,	...	...	...	...	...	...	..
Aparri,	2 p.	29.83	757.9	86	...	N E	2	o	6 a.	29.85	758.5	75	...	S	2	c
Manila,	4 p.	29.76	756	86	78	S W	1	c	10 a.	29.92	760	82	85	W N W	1	c
Legaspi,	2 p.	29.80	756.8	90	...	S E	2	b	6 a.	29.84	757.8	73	...	...	0	o
Bacolod,	3 p.	...	...	...	...	S	2	b	9 a.	...	...	...	...	S W	1	b
Iloilo,	,,	29.79	756.6	85	...	N	1	c	,,	29.89	759.2	82	...	...	1	b
Cebu,	,,	29.80	756.9	87	...	..	1	c	,,	29.89	759.2	86	...	S	1	c
Labuan,	,,	29.88	758.9	88	...	...	...	...	,,	30.00	762.0	80	...	...	...	..

On the 7th at 12.05 p.—The barometer has risen moderately in E. Japan, and fallen a like amount over the E and N.E. coasts of China.

A depression is approaching N. China from the Westward, and the high pressure area is now shown over E. Japan.

Moderate N.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 7th October, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th October, 1910, P.M.								8th October, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
adivostock,	2 p.	29.90	759.4	67	...	S S E	3	o	7 a.	29.75	755.7	62	88	S E	3	o
muro,	,,	30.20	767.1	...	...	S S E	4	...	6 a.	30.20	767.1	...	...	S S W	3	...
kodate,	,,	30.19	766.7	...	...	...	0	...	,,	30.13	765.2	...	...	...	0	...
kis,	,,	30.22	767.6	...	...	E N E	1	...	,,	30.20	767.1	...	...	N W	1	...
chi,	,,	30.05	763.3	...	...	S E	1	...	,,	29.95	760.8	...	...	S W	1	...
gasaki,	,,	29.97	761.3	...	...	S E	5	...	,,	29.89	759.3	...	...	E	1	...
goshima,	,,	30.07	763.9	...	...	S E	1	...	,,	29.90	759.4	...	...	N E	1	...
jima,	,,	29.89	759.1	...	...	E	1	...	,,	29.85	758.1	...	...	...	0	...
ha,	,,	29.85	758.2	...	...	E N E	1	...	,,	29.81	757.2	...	...	...	0	...
igakijima,	,,	29.87	758.8	...	...	N E	2	...	,,	29.82	757.3	...	...	N	2	...
ain Is.	,,	30.00	762.1	...	...	N N E	1	...	,,	30.06	763.6	...	...	N E	1	...
nfoo,	4 p.	...	...	...	...	...	...	..	6 a.	...	...	...	...	...	...	...
ihaiwei,	,,	29.92	759.9	70	61	N E	3	b	9 a.	29.99	761.7	62	67	N	7	c
nkow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
akiang,	,,	30.07	763.8	68	79	W	2	o	,,	30.11	764.8	62	94	S E	1	c
anghai,	,,	29.97	761.2	73	63	N	1	om	9 a.	30.06	763.5	72	62	N W	3	c
tzlaff,	,,	30.04	763.0	73	72	N E	1	ogv	,,	30.10	764.5	73	72	N	4	cv
arp Peak,	,,	29.95	760.7	75	...	E	3	c	,,	29.98	761.5	74	...	N	1	c
oy,	,,	29.89	759.2	80	58	E	1	b	6 a.	29.86	758.4	74	76	..	0	b
tow,	,,	29.86	758.4	79	66	E	3	c	,,	29.89	759.2	71	...	N	1	b
iboku,	1 p.	29.91	759.6	...	...	E	6	...	5 a.	29.93	760.1	...	...	E	2	...
ichu,	,,	29.87	758.7	...	...	...	0	...	,,	29.87	758.6	...	...	N	2	...
inan,	,,	29.90	759.5	...	...	N	2	...	,,	29.87	758.7	...	...	N	2	...
shun,	,,	29.87	758.8	...	...	E	4	...	,,	29.85	758.2	...	...	E	2	...
cadores,	,,	29.89	759.3	...	...	N	8	...	,,	29.87	758.7	...	...	N	8	...
ston,	3 p.	29.86	758.4	85	68	W	1	b	9 a.	29.98	761.5	77	69	N N E	1	b
ongkong,	4 p.	29.88	758.9	78	74	E	2	o	10 a.	29.96	761.0	74	60	N N E	1	b
ctoria Peak,	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	N N E	3	...
p Rock,	,,	29.86	758.4	...	...	E	4	...	,,	29.95	760.7	...	...	E N E	3	...
eao,	,,	29.91	759.7	80	...	S E	1	c	,,	29.99	761.7	80	...	N E	2	c
echow,	3 p.	29.90	759.4	89	50	...	1	c	9 a.	30.05	763.2	76	73	E	1	c
how,	,,	29.87	758.7	77	95	N E	4	or	,,	...	...	...	...	...	...	...
khoi,	,,	29.90	759.4	84	72	W	1	o	,,	...	...	...	...	...	...	...
ulien,	4 p.	29.88	758.8	88	...	S W	1	c	8 a.	...	...	...	...	...	...	...
urane,	,,	29.85	758.2	77	...	N W	4	c	,,	...	...	...	..	...	...	...
pe St. James,	,,	29.84	757.9	88	...	S W	2	c	,,	...	...	...	...	...	...	..
arri,	2 p.	29.82	757.4	86	...	N W	2	c	6 a.	29.80	757.0	75	...	S W	2	p
anila,	4 p.	29.80	757	84	77	W S W	2	o	10 a.	29.88	759	84	77	S E	0	o
gaspi,	2 p.	29.80	756.8	90	...	W	2	c	6 a.	29.85	758.2	77	...	W	2	o
colod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S	2	c
ilo,	,,	29.83	757.7	74	...	..	0	o	,,	29.93	760.2	82	...	N W	1	o
bu,	,,	29.84	757.9	86	...	S	1	c	,,	29.90	759.4	84	...	S	1	c
buan,	,,	29.84	757.9	86	...	...	...	...	,,	30.01	762.2	78	...	...	...	...

On the 8th at 11.45 a.—The barometer is rising over N. China, and falling in Japan.
The depression lying over N. China yesterday, has approached the neighbourhood of Wladiwostok.
Pressure has given way slightly over N. Luzon, Formosa and the Loochoos. A depression has appeared over the Pacific to the South of the latter group. It will probably move Northwards.
The high pressure area lies now over the Pacific to the East of Japan.
Moderate to fresh N.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.E. winds, moderate; fine.
Formosa Channel,	N.E. winds, freshening.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 8th October, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th October, 1910, P.M.								9th October, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.67	753.5	64	...	S E	3	o	7 a.	29.70	754.4	40	85	N	3	o
Nemuro,	,,	30.16	766.1	...	...	S	4	...	6 a.	29.93	760.1	...	...	S S E	5	
Hakodate,	,,	30.01	762.2	...	...	E S E	1	...	,,	29.67	753.7	...	...	S	1	
Tokio,	,,	30.10	764.6	...	...	...	0	...	,,	29.79	756.6	...	...	N W	2	
Kochi,	,,	29.82	757.3	...	...	S W	1	...	,,	29.84	757.8	...	...	S W	1	
Nagasaki,	,,	29.83	757.8	...	...	W N W	1	...	,,	29.99	761.8	...	...	N	2	
Kagoshima,	,,	29.84	757.9	...	...	...	0	...	,,	29.94	760.4	...	...	N W	1	
Oshima,	,,	29.81	757.1	...	...	...	0	...	,,	29.87	758.6	...	...	N	5	
Naha,	,,	29.77	756.2	...	...	N	2	...	,,	29.75	755.7	...	...	N	6	
Ishigakijima,	,,	29.80	756.8	...	...	N	6	...	,,	29.76	755.8	...	...	N	7	
Bonin Is.	,,	30.00	762.1	...	...	E	1	...	,,	30.02	762.6	...	...	...	0	
Chefoo,	4 p.	...	...	...	...	...	...	..	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	30.01	762.2	59	54	N	6	c	9 a.	30.20	767.1	55	46	N	7	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	30.11	764.8	78	46	W	1	b	,,	30.15	765.8	...	..	N E	1	b
Shanghai,	,,	30.00	762.0	76	49	N W	3	c	9 a.	30.20	767.1	67	53	N N E	3	c
Gutzlaff,	,,	30.06	763.5	75	64	N	4	cv	,,	30.21	767.3	68	51	N	5	cv
Sharp Peak,	,,	29.95	760.7	75	...	E N E	3	c	,,	30.02	762.5	73	...	N	1	c
Amoy,	,,	29.79	756.6	81	45	N E	1	b	6 a.	29.87	758.7	77	60	N E	1	b
Swatow,	,,	29.84	757.9	78	65	E	1	b	,,	29.94	760.5	72	...	N N E	1	c
Taihoku,	1 p.	29.93	760.1	...	...	E	4	...	5 a.	30.00	762.0	...	...	N E	2	
Taichu,	,,	29.80	756.8	...	...	N	6	...	,,	29.87	758.7	...	...	N E	2	
Tainan,	,,	29.83	757.6	...	...	N	6	...	,,	29.87	758.6	...	...	N	2	
Koshun,	,,	29.83	757.8	...	...	N E	8	...	,,	29.84	757.8	...	...	N E	6	
Pescadores,	,,	29.86	758.5	...	...	N E	10	...	,,	29.89	759.1	...	...	N E	10	
Canton,	3 p.	29.89	759.2	85	54	N N W	2	b	9 a.	30.03	762.7	74	59	N N E	2	b
Hongkong,	4 p.	29.89	759.2	81	74	W	1	c	10 a.	30.00	762.0	81	51	E	1	c
Victoria Peak,	,,	...	...	...	...	S	1	...	,,	...	...	...	...	E	2	
Gap Rock,	,,	29.87	758.7	...	...	E N E	2	...	,,	29.97	761.2	...	...	N E	4	
Macao,	,,	29.92	759.9	84	...	E	1	c	,,	30.05	763.2	77	...	N	3	c
Wuchow,	3 p.	29.97	761.2	82	...	N W	2	c	9 a.	30.11	764.8	77	86	E	1	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.94	760.5	73	...	S W	3	lt	8 a.	...	...	...	...	...	...	
Tourane,	,,	29.87	758.7	75	...	N N W	4	or	,,	...	..	...	..	...	...	
Cape St. James,	,,	29.83	757.7	86	...	W S W	2	c	,,	...	...	...	...	...	...	
Aparri,	2 p.	29.78	756.4	81	...	N W	4	p	6 a.	29.84	757.8	73	...	S W	2	p
Manila,	4 p.	29.80	757	82	85	S W	3	o	10 a.	29.88	759	84	77	W	1	c
Legaspi,	2 p.	29.82	757.5	84	...	W	2	o	6 a.	29.87	758.6	75	...	...	0	c
Bacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S	1	c
Iloilo,	,,	29.83	757.7	83	...	S W	1	o	,,	29.91	759.7	87	...	..	0	c
Cebu,	,,	29.84	757.9	83	...	S	1	o	,,	29.87	758.7	84	...	S	1	c
Labuan,	,,	29.84	757.9	85	...	...	...	...	,,	29.96	761.0	78	...	...	...	

On the 9th at 11.50 a.—The barometer has fallen rapidly in E. Japan, and risen over China, particularly in the North.

The depression which passed near Wladiwostok yesterday, is moving Eastwards over the N. part of the Sea of Japan.

The depression over the Pacific remains to the South of the Loochoos. It is probably recurving slowly towards NE.

A high pressure area now covers N. China.

Strong NE monsoon may be expected over the China coast and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	NE winds, freshening; fair.
2.—Formosa Channel,	NE winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 9th October, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th October, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	10th October, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
-divostock,	2 p.	29.76	755.9	43	...	N W	3	o	7 a.	30.07	763.8	12	48	W N W	1	b
auro,	"	29.71	754.6	...	...	S	5	...	6 a.	29.85	758.1	...	...	W S W	3	...
odate,	"	29.63	752.7	...	...	S W	2	...	"	30.03	762.7	...	...	W	2	...
io,	"	29.75	755.6	...	...	..	0	...	"	30.04	763.1	...	...	N N W	1	...
hi,	"	29.85	758.3	...	...	S W	1	...	"	30.03	762.8	...	...	S W	1	...
-saki,	"	29.99	761.8	...	...	N	4	...	"	30.07	763.8	...	...	E	1	...
-oshima,	"	29.95	760.9	...	...	N N W	2	...	"	30.04	762.9	...	...	N N W	...	...
ima,	"	29.89	759.1	...	...	N N E	5	...	"	29.87	758.6	...	...	N	5	...
a,	"	29.69	754.2	...	...	N N E	7	...	"	29.62	752.2	...	...	E S E	3	...
igakijima,	"	29.70	754.3	...	...	N	9	...	"	29.76	755.8	...	...	N N W	9	...
in Is.	"	30.00	762.1	...	...	..	0	...	"	30.06	763.6	...	...	...	0	...
foo,	4 p.	..	...	..	...	...	...	..	6 a.	..	...	...	...	..	...	...
ihaiwei,	"	30.15	765.8	58	47	N	7	c	9 a.	30.26	768.6	60	49	S S W	5	c
kow,	"	...	...	...	...	...	...	...	6 a.	...	..	...	...	..	...	..
kiang,	"	30.20	767.1	70	48	N E	3	c	..	30.28	769.1	60	71	N E	3	b
nghai,	"	30.18	766.6	70	36	N W	4	c	9 a.	30.26	768.6	65	49	N N W	2	c
ladiff,	"	30.20	767.1	68	51	N	4	cv	"	30.16	766.0	67	51	N	5	cv
rp Peak,	"	30.02	762.5	74	81	E N E	5	o	"	30.05	763.2	69	...	N N E	4	b
oy,	"	29.87	758.7	84	40	N E	4	b	6 a.	29.96	761.0	70	66	N E	3	b
stow,	"	29.91	759.7	79	61	E N E	4	b	"	30.00	762.0	67	89	N E	1	b
Choku,	1 p.	30.01	762.3	...	...	N E	4	...	5 a.	30.06	763.4	...	...	...	0	...
chu,	"	...	...	...	...	...	..	...	"	29.96	760.9	...	...	N	6	...
nan,	"	29.87	758.7	...	...	N	2	...	"	29.94	760.5	...	...	N	6	...
hun,	"	29.87	758.7	...	...	N E	6	...	"	29.91	759.8	...	...	E	2	...
cadores,	"	29.89	759.2	...	...	N	10	..	..	29.96	760.9	..	...	N	10	...
ston,	3 p.	29.94	760.5	82	49	N N E	2	b	9 a.	30.08	764.0	75	40	N E	1	b
ngkong,	4 p.	29.93	760.2	80	58	W	1	b	10 a.	30.07	763.8	77	48	E N E	2	b
toria Peak,	"		...	...	...	N	1	...	"	..	...	...	...	E N E	3	...
Rock,	"	29.92	759.9	...	...	E	3	...	"	30.02	762.5	...	...	E N E	5	...
ao,	"	29.97	761.2	81	...	N E	1	c	"	30.10	764.5	76	...	N	3	c
chow,	3 p.	30.01	762.2	84	...	N E	1	c	9 a.	..	...	...	...	...	...	...
how,	"	29.96	761.0	81	83	E	1	o	"	...	...	...	...	...	...	...
thoi,	"	...	...	...	...	..	...	...	"	...	...	...	...	..	...	...
alien,	4 p.	29.91	759.8	82	...	S E	4	c	8 a.	30.05	763.2	77	...	N E	4	c
rane,	"	29.88	759.0	77	...	E N E	2	c	"	...	..	...	..	..	...	...
e St. James,	"	.	...	..	...	...	...	...	"	29.90	759.5	79	...	N N W	1	c
rn,	2 p.	29.82	757.3	84	...	N	1	o	6 a.	29.90	759.4	75	...	N E	2	o
nila,	4 p.	29.84	758	79	89	S W	2	od	10 a.	29.88	759	84	77	S W	1	o
gaspi,	2 p.	29.81	757.2	84	...	S W	2	o	6 a.	29.88	759.9	72	...	...	0	...
colod,	3 p.	..	...	..	...	S	1	o	9 a.	...	...	...	...	S	1	c
lo,	"	29.83	757.7	83	...	..	0	o	"	29.89	759.2	81	...	..	0	c
o,	"	29.85	758.2	85	...	S	1	o	"	29.90	759.4	83	...	S	1	c
hnan,	"	...	...	86	...	...	...	...	"	29.90	759.4	82	...	...	...	...

On the 10th at 11.55 a.—The barometer has fallen moderately over the S. Loochoos, and risen considerably to lightly over Japan and China respectively.

The depression over the Pacific remains near the Southern Loochoos. It is apparently slowly recurving towards S.E.

The depression lying over the N. part of the Sea of Japan yesterday, is moving away over the Pacific.

The high pressure area remains over China to the North of the Yangtze valley.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood.	N.E. winds, fresh or moderate; fine.
Formosa Channel,	N.E. winds, strong.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 10th October, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th October, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	11th October, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.08	764.1	52	...	S W	1	b	7 a.	30.32	770.1	37	67	N	2	b
Nemuro,	,,	29.94	760.6	...	...	W S W	3	...	6 a.	30.22	767.6	...	...	N	1	...
Hakodate,	,,	30.15	765.7	...	...	W	3	...	,,	30.32	770.2	...	...	...	0	...
Tokio,	,,	30.12	765.1	...	...	N	1	...	,,	30.18	766.6	...	...	N N W	2	...
Kochi,	,,	30.01	762.3	...	...	S W	1	...	,,	30.07	763.8	...	...	S W	1	...
Nagasaki,	,,	30.09	764.3	...	...	E N E	4	...	,,	30.05	763.3	...	...	N N E	1	...
Kagoshima,	,,	30.00	761.9	...	...	...	0	...	,,	30.02	762.4	...	...	N N E	2	...
Oshima,	,,	29.79	756.6	...	...	N E	4	...	,,	29.81	757.1	...	...	S E	2	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.22	742.2	...	...	E S E	7	...
Ishigakijima,	,,	29.83	757.8	...	...	N N W	7	...	,,	29.89	759.3	...	...	N N W	4	...
Bonin Is.	,,	30.04	763.1	...	...	S E	1	...	,,	...	...	...	...	E S E	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.22	767.6	65	44	N E	1	c	9 a.	30.37	771.4	64	48	N	7	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.24	768.1	74	95	N E	2	b	,,	30.34	770.6	58	81	N E	2	b
Shanghai,	,,	30.20	767.1	70	36	N N E	3	c	9 a.	30.29	769.3	68	51	N N E	4	q
Gutzlaff,	,,	30.23	767.8	68	65	N	5	cv	,,	30.28	769.1	68	65	N	8	w
Sharp Peak,	,,	30.07	763.8	70	...	E	2	b	,,	30.18	766.6	67	...	N	1	b
Amoy,	,,	29.90	759.4	80	34	E N E	2	b	6 a.	30.01	762.2	67	60	N N E	3	b
Swatow,	,,	29.95	760.7	77	65	E	2	b	,,	30.06	763.5	66	73	N N E	1	c
Taihoku,	1 p.	30.06	763.5	...	...	N W	6	...	5 a.	30.10	764.5	...	...	N W	4	...
Taichu,	,,	29.94	760.6	...	...	N	6	...	,,	30.02	762.5	...	...	N	4	...
Tainan,	,,	29.96	760.9	...	...	N	6	...	,,	30.01	762.1	...	...	N	6	...
Koshun,	,,	29.94	760.6	...	...	E	6	...	,,	29.97	761.3	...	...	E	4	...
Pescadores,	,,	29.99	761.8	...	...	N	10	...	,,	30.02	762.6	...	...	N E	10	...
Canton,	3 p.	30.00	762.0	80	48	N E	2	b	9 a.	30.16	766.0	71	42	N E	2	b
Hongkong,	4 p.	29.98	761.5	77	63	E	2	b	10 a.	30.13	765.3	76	37	N E	1	b
Victoria Peak,	,,	...	...	...	...	N E	1	...	,,	...	...	...	...	N E	4	...
Gap Rock,	,,	29.96	761.0	...	...	E	4	...	,,	30.10	764.5	...	...	E N E	5	...
Macao,	,,	30.01	762.2	80	...	N E	1	c	,,	30.17	766.3	73	...	N	3	b
Wuchow,	3 p.	30.11	764.8	66	...	N	1	o	9 a.	30.25	768.3	61	...	N E	2	b
Hoihow,	,,	30.00	762.0	71	90	E	2	c	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.04	763.0	80	63	N	2	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.02	762.4	75	...	N N W	4	c	8 a.	30.15	765.8	72	...	N N E	2	o
Tourane,	,,	29.93	760.1	77	...	E	4	o	,,	30.04	763.1	77	..	E N E	4	o
Cape St. James,	,,	29.82	757.3	79	...	N N E	2	o	,,	29.90	759.5	79	...	E S E	3	o
Aparri,	2 p.	29.89	759.3	84	...	S E	2	b	6 a.	29.96	760.9	73	...	S W	2	o
Manila,	4 p.	29.84	758	79	92	S	1	o	10 a.	29.96	761	81	85	N W	1	o
Legaspi,	2 p.	29.84	757.9	86	...	E	2	o	6 a.	29.89	759.2	72	...	...	0	c
Bacolod,	3 p.	...	...	...	...	S	2	c	9 a.	...	...	...	...	S	1	c
Iloilo,	,,	29.81	757.2	82	...	...	0	o	,,	29.89	759.2	80	...	..	0	b
Cebu,	,,	29.84	757.9	85	...	N	1	o	,,	29.93	760.2	81	...	...	0	c
Labuan,	,,	29.84	757.9	85	...	...	...	...	,,	29.94	760.5	83	...	...	...	...

On the 11th at 11.55 a.—The barometer has fallen over the Loochoos and S.W. Japan, and risen elsewhere, particularly over the N. part of the Sea of Japan.

The depression remains near Naha, Southern Loochoos. It is moving very slowly towards N.E.

The high pressure area which is still central over the continent to the North of the Yangtze valley, extends now over the N. part of the Sea of Japan.

Fresh to strong N.E. monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate to fresh; fine.
2.—Formosa Channel,	N.E. winds, fresh to strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 11th October, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th October, 1910, P.M.								12th October, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
adivostock,	2 p.	30.31	770.0	62	...	N N W	1	o	7 a.	30.39	771.9	40	70	N	1	b
muro,	,,	30.22	767.6	...	...	N	2	...	6 a.	30.28	769.1	...	...	N N W	1	...
akodate,	,,	30.23	769.2	...	...	W S W	1	...	,,	30.28	769.2	...	...	...	0	...
kio,	,,	30.16	766.1	...	...	N N W	2	...	,,	30.10	764.6	...	...	N N W	2	...
ochi,	,,	30.05	763.3	...	...	...	0	...	,,	30.03	762.8	...	...	W N W	1	...
gasaki,	,,	30.07	763.8	...	...	N N E	4	...	,,	30.03	762.8	...	...	N E	2	...
egoshima,	,,	30.00	761.9	...	...	N E	2	...	,,	29.98	761.4	...	...	E	3	...
hima,	,,	29.81	757.1	...	...	E	2	...	,,	29.75	755.6	...	...	E	2	...
ha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
higakijima,	,,	29.89	759.3	...	...	N N W	12	...	,,	...	...	...	...	...	...	...
min Is.	,,	30.04	763.1	...	...	S E	1	...	,,	30.02	762.6	...	...	S S E	1	...
efoo,	4 p.	...	...	...	...	...	...	..	6 a.	...	...	...	...	...	...	...
ihaiwei,	,,	30.37	771.4	63	44	N	6	b	9 a.	30.39	771.9	60	49	N	8	c
nkow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ukiang,	,,	30.32	770.1	72	34	N E	2	b	..	30.37	771.4	56	94	...	0	c
anghai,	,,	30.27	768.8	70	40	N N E	4	c	9 a.	30.31	769.9	66	54	N N W	4	cq
utzlaff,	,,	30.26	768.6	69	70	N	7	cv	,,	30.32	770.1	65	73	N	6	ogv
arp Peak,	,,	30.09	764.3	70	...	E	1	b	,,	30.23	767.8	67	...	N	1	b
woy,	,,	30.01	762.2	80	34	E	2	b	6 a.	30.01	762.2	67	55	N N E	4	b
atow,	,,	30.01	762.2	74	59	E	2	b	,,	30.10	764.5	63	78	N	3	b
ihoku,	1 p.	30.11	764.8	...	...	S W	2	...	5 a.	30.15	765.9	...	...	..	0	...
ichu,	,,	29.98	761.6	...	...	N	6	...	,,	30.06	763.4	...	...	N	2	...
inan,	,,	30.01	762.2	...	...	N	6	...	,,	30.03	762.8	...	...	N	4	...
oshun,	,,	29.99	761.8	...	...	E	5	...	,,	30.03	762.7	...	...	N E	6	...
ecadores,	,,	30.02	762.6	...	...	N E	10	...	,,	30.06	763.5	...	...	N E	10	...
nton,	3 p.	30.05	763.2	79	30	N	2	b	9 a.	30.21	767.3	68	47	N N E	2	b
ongkong,	4 p.	30.04	763.0	77	45	E	1	b	10 a.	30.18	766.6	73	41	N E	3	b
ictoria Peak,	,,	...	...	...	...	N	1	...	,,	...	...	...	...	E	5	...
p Rock,	,,	30.02	762.5	...	...	E	3	...	,,	30.13	765.3	...	...	N E	5	...
cao,	,,	30.07	763.7	79	...	N N W	2	b	,,	...	...	...	...	...	...	...
achow,	3 p.	30.10	764.5	83	37	N E	2	b	9 a.	...	...	...	...	...	...	...
nihow,	,,	30.07	763.7	68	...	E	4	o	,,	...	...	...	...	...	...	...
ekhoi,	,,	30.08	764.0	81	56	N N W	2	b	,,	...	...	...	...	...	...	...
nlien,	4 p.	30.07	763.8	77	...	N N W	2	c	8 a.	...	...	...	...	...	...	...
ourane,	,,	29.98	761.4	77	...	N E	4	f	,,	...	...	...	..	...	...	...
pe St. James,	,,	29.83	757.8	77	...	E S E	4	or	,,	..	...	..	...	...	...	...
parri,	2 p.	29.94	760.5	82	...	N E	2	b	6 a.	29.97	761.3	72	...	W	2	b
anila,	4 p.	29.88	759	75	92	N E	0	or	10 a.	29.96	761	84	71	S	0	o
gaspi,	2 p.	29.87	758.6	82	...	S E	2	o	6 a.	...	...	...	...	...	...	...
coolod,	3 p.	...	...	...	...	S	1	od	9 a.	...	...	...	...	S W	1	c
ilo,	,,	29.85	758.2	81	...	...	0	b	,,	29.93	760.2	80	...	..	0	...
bu,	,,	29.84	757.9	83	...	S	1	c	,,	29.94	760.5	82	...	S	1	...
buan,	,,	29.85	758.2	82	...	...	...	...	,,	29.91	759.7	79	...	...	...	...

On the 12th at 11.55 a.—The barometer has fallen slightly over the N. Loochoos and S. Japan, and risen a little over China.

The depression which is still lying over the Loochoos, continues to move very slowly towards N.E.

The high pressure area remains over N. China.

Strong N.E. monsoon will continue to prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 **inches.**

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
Formosa Channel,	N.E. winds, strong.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 12th October, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th October, 1910, P.M.								13th October, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.33	770.5	60	...	N N W	3	b	7 a.	30.26	768.6	38	80	N N W	1	b
Nemuro,	,,	30.28	769.1	...	...	E N E	4	...	6 a.	30.24	768.1	...	...	S E	2	...
Hakodate,	,,	30.15	765.7	...	...	E	1	...	,,	30.19	766.7	...	...	...	0	...
Tokio,	,,	30.14	765.6	...	...	N W	3	...	,,	30.08	764.1	...	...	N N W	1	...
Kochi,	,,	29.99	761.8	...	...	S E	6	...	,,	29.99	761.8	...	...	...	0	...
Nagasaki,	,,	29.99	761.8	...	...	E	2	...	,,	30.03	762.8	...	...	N E	3	...
Kagoshima,	,,	...	...	...	...	N N E	2	...	,,	29.94	760.4	...	...	N N E	1	...
Oshima,	,,	29.75	755.6	...	...	N E	4	...	,,	29.57	751.1	...	...	N N E	2	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	30.00	762.1	...	...	S S E	1	...	,,	30.01	762.1	...	...	S	1	...
Chefoo,	4 p.	...	...	...	...	...	...	..	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.33	770.4	60	...	N N W	8	c	9 a.	30.32	770.1	64	50	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.40	772.1	73	43	N E	3	b	,,	30.35	770.9	58	81	N E	3	b
Shanghai,	,,	30.28	769.1	63	42	N N E	4	c	9 a.	30.29	769.3	65	58	N N E	2	c
Gutzlaff,	,,	30.31	769.9	65	63	N	6	ogv	,,	30.30	769.6	68	60	N	4	ov
Sharp Peak,	,,	30.15	765.8	68	...	E	1	b	,,	30.22	767.6	67	...	E N E	4	b
Amoy,	,,	30.01	762.2	80	55	N E	2	b	6 a.	30.03	762.7	67	60	N N E	3	b
Swatow,	,,	30.05	763.2	75	60	E	2	b	,,	30.10	764.5	63	78	N	3	b
Taihoku,	1 p.	30.16	766.1	...	...	N E	6	...	5 a.	30.13	765.4	...	...	..	0	...
Taichu,	,,	30.03	762.7	...	...	N	6	...	,,	30.04	763.0	...	...	N	2	...
Tainan,	,,	30.04	763.1	...	...	N	4	...	,,	30.04	763.1	...	...	N	2	...
Koshun	,,	30.04	763.0	...	...	E	6	...	,,	30.03	762.8	...	...	N E	8	...
Pescadores,	,,	30.06	763.5	...	...	N	10	...	,,	30.04	763.0	...	...	N	10	...
Canton,	3 p.	30.09	764.3	77	38	N E	2	b	9 a.	30.19	766.8	68	51	N	2	b
Hongkong,	4 p.	30.06	763.5	78	31	N	1	b	10 a.	30.17	766.3	75	43	E N E	1	b
Victoria Peak,	,,	...	...	...	...	N N E	2	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	30.05	763.2	...	...	N N E	4	...	,,	30.13	765.3	...	...	N E	5	...
Macao,	,,	30.10	764.5	76	...	N	2	b	,,	30.20	767.1	71	...	N	2	b
Wuchow,	3 p.	30.14	765.5	81	29	N	2	b	9 a.	30.25	768.3	69	...	N	2	b
Hoihow,	,,	30.12	765.0	70	90	E N E	3	b	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.12	765.0	80	63	N	2	b	,,	...	...	...	...	..	...	...
Phulien,	4 p.	30.09	764.3	81	...	S S E	2	b	8 a.	30.17	766.4	73	...	N N E	3	b
Tourane,	,,	30.01	762.3	77	...	N E	4	o	,,	30.09	764.2	73	..	N E	2	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	..
Aparri,	2 p.	29.99	761.8	75	...	N	2	d	6 a.	29.95	760.6	77	...	N E	2	o
Manila,	4 p.	29.88	759	82	77	S S E	1	o	10 a.	29.92	760	82	77	W S W	1	c
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.91	759.6	70	...	...	0	b
Bacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S	1	b
Iloilo,	,,	29.85	758.2	80	...	..	0	od	,,	29.91	759.7	80	...	..	0	b
Cebu,	,,	29.86	758.4	84	...	...	0	c	,,	29.93	760.2	84	...	N	2	c
Labuan,	,,	29.84	757.9	86	...	...	...	...	,,	29.96	761.0	78	...	...	...	

On the 15th at 11.55 a.—The depression lying near the Southern Loochoos during the past few days, has moved slowly towards N.E. since yesterday. It lies now to the Eastward of the group.

The high pressure area is still central over the continent to the North of the Yangtze valley, but the barometer is falling over Japan and the N.E. coast of China.

Fresh to strong monsoon will continue to prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 13th October, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th October, 1910, P.M.								14th October, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ladivostock,	2 p.	30.18	766.5	53	...	N	0	b	7 a.	30.11	764.8	41	71	..	0	b
muro,	,,	30.18	766.6	...	...	E S E	1	...	6 a.	30.12	765.1	...	...	S	1	...
kodate,	,,	30.13	765.2	...	...	...	0	...	,,	30.09	764.2	...	...	...	0	...
kio,	,,	30.04	763.1	...	...	N N W	1	...	,,	29.93	760.1	...	...	N N W	2	...
ochi,	,,	29.95	760.8	...	...	...	0	...	,,	29.95	760.8	...	...	S S E	1	...
gasaki,	,,	29.97	761.3	...	...	N N E	4	...	,,	30.01	762.3	...	...	E N E	3	...
goshima,	,,	29.92	759.9	...	...	E	3	...	,,	29.92	759.9	...	...	N	1	...
hima,	,,	29.73	755.1	...	...	N N E	6	...	,,	29.81	757.1	...	...	N N W	2	...
ha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
higakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
nin Is.	,,	29.96	761.1	...	...	S E	1	...	,,	29.95	760.6	...	...	S E	1	...
efoo,	4 p.	...	...	...	...	...	...	..	6 a.	...	...	...	...	...	...	...
eihaiwei,	,,	30.25	768.3	65	61	N	2	b	9 a.	30.24	768.1	66	64	S S W	2	b
nkow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
inkiang,	,,	30.33	770.4	71	49	N E	3	b	,,	30.25	768.3	62	77	N E	2	c
anghai,	,,	30.21	767.3	69	47	N	3	c	9 a.	30.21	767.3	68	60	N N E	2	c
utzlaff,	,,	30.24	768.1	68	60	N	4	cv	,,	30.24	768.1	69	65	N	3	cv
arp Peak,	,,	30.13	765.3	69	...	E	1	b	,,	30.17	766.3	67	...	N	1	b
ooy,	,,	30.01	762.2	78	43	E	2	b	6 a.	30.04	763.0	67	66	N E	3	b
atow,	,,	30.03	762.7	74	76	E	2	b	,,	30.07	763.8	62	83	N N E	1	b
ihoku,	1 p.	30.11	764.7	...	...	E	2	...	5 a.	30.09	764.3	...	...	..	0	...
ichu,	,,	30.01	762.2	...	...	N	6	...	,,	30.05	763.2	...	...	N	2	...
inan,	,,	30.04	763.0	...	...	N W	2	...	,,	30.04	762.9	...	...	N	2	...
oshun,	,,	30.04	762.9	...	...	N E	8	...	,,	30.01	762.3	...	...	N E	6	...
ecadores,	,,	30.04	763.1	...	...	N	10	...	,,	30.04	762.9	...	...	N	10	...
ton,	3 p.	30.06	763.5	77	..	N	2	b	9 a.	30.13	765.3	70	61	E	1	b
ongkong,	4 p.	30.06	763.5	74	56	E S E	2	b	10 a.	30.12	765.0	74	58	E	2	b
ictoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	2	...
p Rock,	,,	30.03	762.7	...	...	E N E	5	...	,,	30.09	764.3	...	...	E N E	5	...
acao,	,,	30.09	764.3	78	...	E N E	1	b	,,	30.15	765.8	75	...	N E	1	c
achow,	3 p.	30.11	764.8	80	37	W	1	b	9 a.	30.19	766.8	68	...	E	1	b
oihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
akhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hulien,	4 p.	30.06	763.6	81	...	S E	2	b	8 a.	30.12	765.1	75	...	N N E	3	b
ourane,	,,	30.00	762.1	73	...	N W	3	o	,,	30.06	765.4	70	..	N W	5	c
ape St. James,	,,	29.83	757.6	81	...	N W	4	o	,,	29.93	760.1	77	...	N W	1	c
parri,	2 p.	29.96	760.9	81	...	N E	2	o	6 a.	29.98	761.4	72	...	W	2	o
anila,	4 p.	29.84	758	79	92	...	0	o	10 a.	29.96	761	82	77	N W	1	o
egaspi,	2 p.	29.83	757.8	88	...	S E	2	c	6 a.	29.91	759.8	75	...	...	0	c
ccolod,	3 p.	...	...	...	...	S	2	c	9 a.	...	...	...	...	S	1	o
ailo,	,,	29.81	757.2	85	...	S	1	b	,,	29.93	760.2	81	...	..	0	...
ebu,	,,	29.85	758.2	85	...	N	1	c	,,	29.93	760.2	85	...	N	1	c
abuan,	,,	29.79	756.6	86	...	...	...	...	,,	29.95	760.7	80	...	...	...	...

On the 14th at 11.55 a.—The barometer has risen considerably over the Northern Loochoos, and fallen moderately to slightly over Japan and the Bonins.

The depression which is still situated to the Eastwards of the Loochoos, continues to move slowly towards N.E.

The high pressure area lying over the continent to the North of the Yangtze valley is weaker, and the barometer is falling along the China coast.

Fresh to strong monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.E. winds, fresh to moderate; fine.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 14th October, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th October, 1910, P.M.								15th October, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.03	762.8	58	...	W	0	b	7 a.	30.14	765.6	43	70	N	0	b
Nemuro,	,,	30.06	763.6	...	...	E S E	2	...	6 a.	30.04	763.1	...	...	E S E	1	
Hakodate,	,,	30.01	762.2	...	...	S	2	...	,,	30.09	764.2	...	...	...	0	
Tokio,	,,	29.87	758.6	...	...	N	1	...	,,	29.97	761.1	...	...	N N W	1	
Kochi,	,,	29.85	758.3	...	...	N	2	...	,,	29.86	758.3	...	...	S W	1	
Nagasaki,	,,	29.91	759.8	...	...	N N E	5	...	,,	29.97	761.3	...	...	E	2	
Kagoshima,	,,	29.82	757.4	...	...	N N W	2	...	,,	29.92	759.9	...	...	N E	1	
Oshima,	,,	29.85	758.1	...	...	N	5	...	,,	29.91	759.6	...	...	N	3	
Naha,	,,	...	...	...	...	...	...	...	,,	29.93	760.2	...	...	N	4	
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.99	761.8	...	...	N	1	
Bonin Is.	,,	29.89	759.1	...	...	S	1	...	,,	29.87	758.6	...	...	S	2	
Chefoo,	4 p.	...	...	...	...	...	...	..	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	30.16	766.0	71	64	N	2	b	9 a.	30.17	766.3	69	65	...	...	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	30.16	766.0	71	63	N E	2	b	,,	30.16	766.0	62	89	...	0	o
Shanghai,	,,	30.14	765.5	70	53	N E	3	c	9 a.	30.17	766.3	66	64	N E	1	c
Gutzlaff,	,,	30.19	766.8	75	56	N	3	cv	,,	..	...	..	...	...	...	
Sharp Peak,	,,	30.06	763.5	79	...	E N E	2	b	,,	30.16	766.0	70	...	N E	1	c
Amoy,	,,	29.99	761.7	80	44	E	2	b	6 a.	30.03	762.7	67	69	N E	3	b
Swatow,	,,	30.00	762.0	74	64	E	2	b	,,	30.04	763.0	65	84	N N E	1	b
Taihoku,	1 p.	30.06	763.4	...	...	N E	2	...	5 a.	30.06	763.6	...	...	..	0	
Taichu,	,,	29.98	761.4	...	...	N	4	...	,,	30.02	762.6	...	...	...	...	
Tainan,	,,	30.01	762.2	...	...	W	4	...	,,	30.02	762.5	...	...	N	2	
Koshun	,,	30.00	761.9	...	...	N E	8	...	,,	30.01	762.1	...	...	E	2	
Pescadores,	,,	30.02	762.5	...	...	N E	10	...	,,	30.02	762.5	...	...	N E	8	
Canton,	3 p.	30.01	762.2	77	49	W	1	b	9 a.	30.10	764.5	72	71	S S E	1	b
Hongkong,	4 p.	30.02	762.5	74	54	E	2	b	10 a.	30.10	764.5	75	66	E	2	b
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	3	
Gap Rock,	,,	29.99	761.7	...	...	E N E	4	...	,,	30.06	763.5	...	...	E N E	5	
Macao,	,,	30.05	763.2	76	...	S E	1	b	,,	30.13	765.3	78	...	N E	1	c
Wuchow,	3 p.	30.04	763.0	82	...	E	1	b	9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	30.03	762.7	81	78	S E	2	b	,,	...	...	...	...	...	...	
Phulien,	4 p.	30.01	762.2	79	...	S S E	3	b	8 a.	...	...	...	...	...	...	
Tourane,	,,	29.96	761.1	72	...	N W	4	or	,,	...	...	...	..	...	...	
Cape St. James,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	
Aparri,	2 p.	29.95	760.7	81	...	N E	2	o	6 a.	29.97	761.1	75	...	W	2	p
Manila,	4 p.	29.88	759	77	92	...	0	cd	10 a.	30.00	762	82	77	E S E	0	o
Legaspi,	2 p.	29.86	758.4	84	...	E	2	o	6 a.	29.92	760.0	77	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	S	1	o	9 a.	...	...	...	...	S	1	
Iloilo,	,,	29.81	757.2	84	...	...	0	b	,,	29.97	761.2	82	...	..	0	b
Cebu,	,,	29.85	758.2	86	...	N	1	c	,,	29.95	760.7	84	...	S	1	c
Labuan,	,,	29.83	757.7	87	...	...	...	...	,,	29.96	761.0	73	...	...	...	

On the 15th at 12.05 p.—The barometer has risen moderately over the Loochoos and fallen slightly at the Bonin.
The depression is moving towards E.N.E. to the South of Japan.
Pressure continues to give way on the China coast. It is highest over N. China.
Fresh to moderate monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG.
Director.

Hongkong Observatory, Saturday, 15th October, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th October, 1910, P.M.								16th October, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...divostock, ...	2 p.	30.08	764.0	63	...	N W	0	b	7 a.	30.01	762.3	47	87	...	0	b
...muro, ...	,,	30.10	764.6	...	...	N N E	2	...	6 a.	30.12	765.1	...	...	..	0	...
...kodate, ...	,,	30.09	764.2	...	...	S	1	...	,,	30.07	763.7	...	...	...	0	...
...kio, ...	,,	29.89	759.1	...	...	N N W	3	...	,,	29.83	757.6	...	...	N W	2	...
...chi, ...	,,	29.85	758.3	...	...	N N E	2	...	,,	29.89	759.3	...	...	...	1	...
...gasaki, ...	,,	29.91	759.8	...	...	N	1	...	,,	29.95	760.8	...	...	N E	1	...
...poshima, ...	,,	29.88	758.9	...	...	S E	1	...	,,	29.92	759.9	...	...	N N E	1	...
...hima, ...	,,	29.91	759.6	...	...	N	3	...	,,	29.89	759.1	...	...	N	1	...
...ba.....	,,	29.95	760.7	...	...	N	4	...	,,	29.93	760.2	...	...	N N W	3	...
...igakijima, ...	,,	...	...	...	...	...	...	...	,,	29.99	761.8	...	...	N	1	...
...min Is.....	,,	29.83	757.6	...	...	S S E	1	...	,,	29.81	757.1	...	...	...	0	...
...efoo, ...	4 p.	...	...	...	...	...	...	..	6 a.	30.11	764.8	55	87	S W	1	b
...chaiwei, ...	,,	...	...	..	...	...	...	...	9 a.	30.13	765.3	68	79	N W	1	b
...nkow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
...kiang.....	,,	30.10	764.5	72	58	...	0	c	,,	30.12	765.0	58	94	...	6	c
...anghai.	,,	30.07	763.8	70	48	N E	1	c	9 a.	30.13	765.3	69	61	N N E	1	c
...itzlaff.	,,	30.13	765.3	72	50	N	1	c	,,	30.18	766.6	65	84	N	1	cv
...arp Peak, ...	,,	30.04	763.0	71	...	E	1	c	,,	30.13	765.3	69	...	...	0	b
...noy.....	,,	29.95	760.7	81	45	E	2	b	6 a.	29.99	761.7	68	79	N E	1	b
...ntow, ...	,,	29.93	761.5	75	68	E	2	b	,,	30.01	762.2	66	84	N	3	b
...ihoku.....	1 p.	30.04	763.1	...	...	E	6	...	5 a.	30.05	763.3	...	...	..	0	...
...ichu, ...	,,	30.00	761.9	...	...	N	4	...	,,	30.02	762.6	...	...	...	0	...
...inan.....	,,	29.97	761.3	...	...	W	4	...	,,	30.02	762.6	...	...	N	2	...
...oshun.....	,,	30.01	762.3	...	...	E	6	...	,,	30.00	762.0	...	...	...	0	...
...ecadores, ...	,,	30.03	762.7	...	...	N	8	...	,,	30.01	762.1	...	...	N	4	...
...nton.....	3 p.	29.99	761.7	80	55	W N W	1	b	9 a.	30.08	764.0	73	76	S	1	b
...ongkong, ...	4 p.	30.01	762.2	74	65	E	3	b	10 a.	30.09	764.5	77	64	E	1	b
...ctoria Peak, ...	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	E	1	...
...p Rock, ...	,,	29.98	761.5	...	...	E	4	...	,,	30.05	763.2	...	...	E N E	4	...
...ccao, ...	,,	30.05	762.7	76	...	E S E	1	b	,,	30.12	765.0	78	...	E S E	1	c
...uchow, ...	3 p.	30.00	762.0	83	...	S E	1	b	9 a.	30.11	764.8	66	...	E	1	c
...nihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...aknoi.....	,,	30.01	762.2	81	52	E	2	b	,,	...	...	...	...	..	...	...
...hullen, ...	4 p.	29.98	761.4	77	...	E S E	5	b	8 a.	30.05	763.2	75	...	E N E	3	c
...ourane, ...	,,	29.94	760.6	77	...	N E	2	o	,,	30.02	762.6	73	..	N W	2	or
...pe St. James, .	,,	29.85	758.1	82	...	E N E	2	c	,,	...	...	...	...	...	...	...
...pari, ...	2 p.	...	...	..	...	...	...	...	6 a.	...	...	...	...	...	...	..
...anila.	4 p.	29.88	759	86	71	E S E	1	o	10 a.	29.96	761	84	71	N W	0	c
...agaspi, ...	2 p.	29.89	759.1	82	...	E	2	o	6 a.	29.92	760.0	73	...	...	0	c
...ecolod, ...	3 p.	...	...	...	...	S W	2	or	9 a.	...	...	...	...	S	1	b
...ello, ...	,,	29.87	758.7	81	...	...	0	o	,,	29.95	760.7	82	...	..	0	b
...ibu, ...	,,	29.86	758.4	85	...	S	1	o	,,	29.93	760.2	85	...	...	0	b
...ibuan, ...	,,	29.84	757.9	85	...	...	...	...	,,	...	...	...	...	...	...	...

On the 16th at 11.55 a.—The barometer has fallen over SE Japan and the Bonins owing to the depression which is moving towards ENE between these two areas.

Pressure is highest over China to the North of the Yangtze valley. It is giving way over Manchuria.

Moderate monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	NE winds, moderate; fine.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 16th October, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th October, 1910, P.M.									17th October, 1910, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.96	761.0	60	...	N W	0	b		7 a.	30.12	765.0	32	57	N	5	b
Nemuro,	,,	30.00	762.1	...	...	S E	2	...		6 a.	29.89	759.1	...	...	N N E	1	...
Hakodate,	,,	29.97	761.2	...	...	E	3	...		,,	29.95	760.7	...	...	...	0	...
Tokio,	,,	29.83	757.6	...	...	W N W	1	...		,,	29.89	759.1	...	...	N W	1	...
Kochi,	,,	29.83	757.8	...	...	S E	1	...		,,	29.91	759.8	...	...	S W	1	...
Nagasaki,	,,	29.93	760.3	...	...	N	4	...		,,	30.07	763.8	...	...	..	0	...
Kagoshima,	,,	29.88	758.9	...	...	N W	1	...		,,	30.02	762.4	...	...	N N E	3	...
Oshima,	,,	29.91	759.6	...	...	N	4	...		,,	29.99	761.6	...	...	N	5	...
Naha,	,,	29.95	760.7	...	...	N N W	4	...		,,	30.01	762.2	...	...	N N W	3	...
Ishigakijima,	,,	30.01	762.3	...	...	N N W	2	...		,,	30.03	762.8	...	...	N	1	...
Bonin Is.	,,	29.75	755.5	...	...	...	0	...		,,	29.81	757.1	...	...	W	1	...
Chefoo,	4 p.	30.07	763.8	69	61	N	2	c		6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	...	...	..	...	...	...	...		9 a.	30.16	766.0	61	71	N	2	o
Hankow,	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.10	764.5	67	74	N W	1	o		,,	30.10	764.5	63	89	...	0	o
Shanghai,	,,	30.07	763.8	73	43	N E	1	c		9 a.	30.17	766.3	69	61	E N E	1	cm
Gutzlaff,	,,	30.13	765.3	75	52	N	2	cv		,,	30.23	767.8	73	58	N	2	cv
Sharp Peak,	,,	30.07	763.8	72	...	E	1	b		,,	30.13	765.3	71	...	E	1	...
Amoy,	,,	29.90	759.4	78	58	S E	4	b		6 a.	29.99	761.7	69	80	N E	1	b
Swatow,	,,	29.97	761.2	76	64	E S E	2	b		,,	30.04	763.0	66	...	N	1	b
Taihoku,	1 p.	30.02	762.6	...	...	E	4	...		5 a.	30.07	763.8	...	...	..	0	...
Taichu,	,,	29.99	761.8	...	...	N	2	...		,,	30.04	763.1	...	...	...	0	...
Tainan,	,,	30.01	762.3	...	...	S W	2	...		,,	30.04	762.9	...	...	...	0	...
Koshun	,,	30.00	762.1	...	...	N E	6	...		,,	30.04	763.1	...	...	E	6	...
Pescadores,	,,	30.02	762.5	...	...	N	8	...		,,	30.02	762.6	...	...	N E	4	...
Canton,	3 p.	29.98	761.5	82	56	S	1	b		9 a.	30.08	764.0	76	73	S S E	2	b
Hongkong,	4 p.	29.99	761.7	74	77	E	3	b		10 a.	30.08	764.0	77	70	E	4	o
Victoria Peak,	,,	...	...	...	...	E	1	...		,,	...	...	...	...	E	3	...
Gap Rock,	,,	29.96	761.0	...	...	E	3	...		,,	30.05	763.2	...	...	E	4	...
Macao,	,,	30.02	762.5	77	...	S E	1	c		,,	30.12	765.0	77	...	E	1	o
Wuchow,	3 p.	29.97	761.2	83	53	S W	1	o		9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.00	762.0	77	86	S E	1	o		,,	...	...	...	...	..	...	...
Phulien,	4 p.	29.95	760.8	81	...	S S E	3	b		8 a.	30.03	762.7	77	...	E N E	2	b
Tourane,	,,	29.95	760.7	75	...	N W	1	f		,,	30.01	762.3	77	..	...	...	c
Cape St. James,	,,	29.88	758.9	81	...	E	2	c		,,	29.94	760.5	82	...	N E	3	c
Aparri,	2 p.	...	...	..	...	...	...	...		6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	84	72	N N E	1	o		10 a.	29.96	761	81	76	...	0	o
Legaspi,	2 p.	29.85	758.1	88	...	E	2	b		6 a.	29.95	760.6	73	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	S	2	c		9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.87	758.7	82	...	...	0	o		,,	29.95	760.7	81	...	..	0	b
Cebu,	,,	29.86	758.4	85	...	...	0	b		,,	29.94	760.5	85	...	...	0	c
Labuan,	,,	29.84	757.9	86	...	...	...	...		,,	29.96	761.0	77	...	...	...	...

On the 17th at 11.50 a.—The barometer has risen over S. Japan, and fallen in N.E. Japan. The depression is moving away over the Pacific to the E. of Japan.

Pressure is highest over N. China with a tendency to increase along the coast.

Moderate monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, moderate; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 17th October, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th October, 1910, P.M.								18th October, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.09	764.2	50	...	N	0	b	7 a.	30.16	766.0	38	55	N	0	b
Nemuro,	,,	29.93	760.1	...	...	N N E	7	...	6 a.	30.08	764.1	...	...	...	0	...
Hakodate,	,,	29.93	760.2	...	...	S S E	1	...	,,	30.01	762.2	...	...	...	0	...
Tokio,	,,	29.89	759.1	...	...	N W	1	...	,,	29.91	759.6	...	...	N W	1	...
Kochi,	,,	29.87	758.8	...	...	N	3	...	,,	30.03	762.8	...	...	W	3	...
Nagasaki,	,,	29.97	761.3	...	...	N	4	...	,,	30.15	765.8	...	...	...	0	...
Kagoshima,	,,	29.98	761.4	...	...	N	3	...	,,	30.12	764.9	...	...	N N E	1	...
Oshima,	,,	30.00	762.1	...	...	N	5	...	,,	30.08	764.1	...	...	S	1	...
Naha,	,,	30.01	762.2	...	...	N	4	...	,,	30.09	764.2	...	...	...	0	...
Ishigakijima,	,,	30.03	762.8	...	...	N E	2	...	,,	30.07	763.8	...	...	N E	1	...
Bonin Is.	,,	29.81	757.1	...	...	W	1	...	,,	29.93	760.1	...	...	...	0	...
Chefoo,	4 p.	...	...	..	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.13	765.3	62	83	W N W	2	o	9 a.	30.19	766.8	68	42	W N W	4	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Shanghai,	,,	30.11	764.8	73	43	E	2	c	9 a.	30.20	767.1	54	73	E S E	1	om
Gutzlaff,	,,	30.16	766.0	70	61	E N E	1	cv	,,	30.25	768.3	66	68	E	1	omd
Sharp Peak,	,,	30.08	764.0	72	...	E	3	b	,,	..	..	70	...	N N E	2	c
Amoy,	,,	29.95	760.7	80	48	E	3	b	6 a.	30.01	762.2	69	70	E	1	b
Swatow,	,,	29.98	761.5	75	72	E	3	b	,,	30.04	763.0	66	...	N	1	c
Taihoku,	1 p.	30.03	762.8	...	...	N E	6	...	5 a.	30.06	763.5	...	...	E	4	...
Taichu,	,,	29.98	761.6	...	...	W	2	...	,,	30.02	762.6	...	...	...	0	...
Tainan,	,,	30.03	762.8	...	...	S W	4	...	,,	30.06	763.5	...	...	...	0	...
Koshun	,,	30.02	762.5	...	...	E	6	...	,,	30.06	763.5	...	...	E	6	...
Pescadores,	,,	30.03	762.8	...	...	N E	8	...	,,	30.04	763.1	...	...	N E	6	...
Canton,	3 p.	29.97	761.2	82	...	S S E	1	b	9 a.	...	...	...	.	...	...	...
Hongkong,	4 p.	30.00	762.0	76	71	E	2	c	10 a.	30.09	764.3	75	76	E	3	o
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	29.95	760.7	...	...	E	4	...	,,	30.05	763.2	...	...	E N E	5	...
Macao,	,,	30.02	762.5	77	...	E S E	2	c	,,	30.11	764.8	76	...	E S E	2	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.99	761.7	83	...	E	2	b	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.99	761.7	82	75	S W	1	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.93	760.3	79	...	S S E	4	c	8 a.	30.04	762.9	81	...	E	2	or
Tourane,	,,	29.91	759.7	75	...	E	1	c	,,	30.02	762.4	81	..	S E	3	c
Cape St. James,	,,	29.86	758.4	82	...	E N E	4	c	,,	29.95	760.7	82	...	N E	3	c
Aparri,	2 p.	29.96	760.9	82	...	N E	2	b	6 a.	30.01	762.3	75	...	E	2	o
Manila,	4 p.	29.88	759	77	92	...	0	o	10 a.	30.00	762	82	85	W N W	1	o
Legaspi,	2 p.	29.89	759.1	81	...	N E	2	o	6 a.	29.94	764.0	79	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	S W	3	o	9 a.	...	...	...	...	S W	3	o
Iloilo,	,,	29.85	758.2	84	...	N E	1	...	,,	29.97	761.2	80	...	N	1	o
Cebu,	,,	29.86	758.4	86	...	N	2	c	,,	29.93	760.2	86	...	S	1	c
Labuan,	,,	29.89	759.2	84	...	...	...	...	,,	29.90	759.4	80	...	...	...	...

On the 13th at 11.30 a.—The barometer has risen moderately over Japan and the Bonins the depression having moved away over the Pacific.

Pressure has increased slightly and is highest over N. China.

Moderate monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, moderate; fair.
2.—Formosa Channel, ...	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 18th October, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th October, 1910, P.M.								19th October, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.13	765.2	52	...	NNE	2	b	7 a.	30.21	767.2	43	59	N	1	b
Nemuro,	,,	30.10	764.6	...	...	N E	1	...	6 a.	30.20	767.1	...	...	...	0	...
Hakodate,	,,	29.99	761.7	...	...	S E	4	...	,,	30.17	766.2	...	...	S S E	2	...
Tokio,	,,	29.93	760.1	...	...	N	2	...	,,	30.14	765.6	...	...	N W	1	...
Kochi,	,,	30.03	762.8	...	...	NNE	1	...	,,	30.17	766.3	...	...	S W	1	...
Nagasaki,	,,	30.13	765.3	...	...	N	3	...	,,	30.21	767.3	...	...	N E	3	...
Kagoshima,	,,	30.09	764.4	...	...	...	0	...	,,	30.17	766.4	...	...	..	0	...
Oshima,	,,	30.08	764.1	...	...	N	3	...	,,	30.24	768.1	...	...	...	0	...
Naha,	,,	30.07	763.7	...	...	N	3	...	,,	30.09	764.2	...	...	N E	1	...
Ishigakijima,	,,	30.07	763.8	...	...	E N E	4	...	,,	30.07	763.8	...	...	N E	1	...
Bonin Is.	,,	29.94	760.6	...	...	N	1	...	,,	30.01	762.1	...	...	...	0	...
Chefoo,	4 p.	...	...	..	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.16	765.8	66	61	W N W	2	c	9 a.	30.20	767.1	62	89	S S W	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.09	764.3	59	100	N E	2	or	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.16	765.8	63	83	S S E	1	od	9 a.	30.13	765.3	61	100	E	2	or
Gutzlaff,	,,	30.20	767.1	67	69	E	1	om	,,	30.20	767.1	65	84	E	1	ogy
Sharp Peak,	,,	30.09	764.3	72	...	N N E	3	c	,,	30.09	764.3	71	...	N	1	c
Amoy,	,,	29.95	760.7	83	49	E	3	b	6 a.	29.96	761.0	71	76	W S W	1	b
Swatow,	,,	30.00	762.0	77	61	E	3	b	,,	30.04	763.0	69	...	N	1	c
Taihoku,	1 p.	30.04	763.1	...	...	E	6	...	5 a.	30.04	763.0	...	...	...	0	...
Taichu,	,,	30.02	762.5	...	...	N W	2	...	,,	30.05	763.3	...	...	...	0	...
Tainan,	,,	30.04	763.1	...	...	S W	4	...	,,	30.04	763.1	...	...	E	2	...
Koshun,	,,	30.04	762.9	...	...	E	6	...	,,	30.05	763.2	...	...	E	2	...
Pescadores,	,,	30.04	763.0	...	...	N	6	...	,,	30.04	763.0	...	...	N	4	...
Canton,	3 p.	29.98	761.6	82	65	S	1	b	9 a.	30.07	763.8	77	82	E	1	c
Hongkong,	4 p.	30.01	762.2	75	78	E	3	o	10 a.	30.08	764.0	78	72	E	2	o
Victoria Peak,	,,	...	...	...	...	S E	1	...	,,	...	...	...	...	E S E	2	...
Gap Rock,	,,	29.96	761.0	...	...	E N E	5	...	,,	30.04	763.0	...	...	E N E	4	...
Macao,	,,	30.06	763.5	76	...	S E	2	o	,,	30.10	764.5	80	...	E	2	c
Wuchow,	3 p.	29.97	761.2	86	...	E	1	c	9 a.	30.11	764.8	77	...	E	1	o
Hoihow,	,,	29.99	761.7	82	87	E	2	c	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.93	760.3	81	...	S S E	4	c	8 a.	30.04	763.0	75	...	E	2	or
Tourane,	,,	29.91	759.7	79	...	S E	2	b	,,	30.01	762.3	81	..	...	0	b
Cape St. James,	,,	29.85	758.3	81	...	N E	3	c	,,	29.95	760.8	81	...	N E	2	c
Aparri,	2 p.	29.97	761.3	84	...	N E	2	b	6 a.	29.99	761.8	73	...	E	2	b
Manila,	4 p.	29.92	760	86	65	S E	1	c	10 a.	30.00	762	84	71	W	0	c
Legaspi,	2 p.	29.92	760.0	84	...	E	2	o	6 a.	29.93	760.2	77	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	S W	2	c	9 a.	...	...	...	...	S W	5	c
Iloilo,	,,	29.89	759.2	83	...	N	2	c	,,	29.95	760.7	81	...	N E	1	b
Cebu,	,,	29.88	758.9	85	...	N	1	c	,,	29.94	760.5	83	...	N	2	c
Labuan,	,,	29.84	757.9	85	...	...	...	...	,,	29.89	759.2	83	...	...	...	...

On the 19th at 11.55 a.—The barometer has risen moderately in Japan, and fallen slightly on the E. coast of China.

A depression appears to be developing over the Yangtze valley, and the high pressure area now covers the Sea of Japan.

Moderate monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 19th October, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th October, 1910, P.M.								20th October, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock, ...	2 p.	30.19	766.8	57	...	N W	0	b	7 a.	30.25	768.2	46	82	E	0	o
mmuro, ...	,,	30.22	767.6	...	...	S	3	...	6 a.	30.30	769.6	...	...	S E	1	...
akodate, ...	,,	30.19	766.7	...	...	N E	0	...	,,	30.30	769.7	...	...	N	1	...
kio, ...	,,	30.14	765.6	...	...	N E	1	...	,,	30.28	769.1	...	...	N N W	1	...
ochi, ...	,,	30.16	765.8	...	...	N	2	...	,,	30.21	767.3	...	...	S W	1	...
agasaki, ...	,,	30.17	766.3	...	...	E N E	3	...	,,	30.17	766.3	...	...	E	1	...
agoshima, ...	,,	30.17	766.4	...	...	E S E	2	...	,,	30.15	765.9	...	...	N E	2	...
hima, ...	,,	30.10	764.6	...	...	N E	1	...	,,	30.04	763.1	...	...	..	0	...
ha	,,	30.05	763.2	...	...	S E	1	...	,,	30.01	762.2	...	...	...	0	...
higakijima, ...	,,	30.05	763.3	...	...	E	3	...	,,	30.01	762.5	...	...	N	1	...
min Is.	,,	30.02	762.6	...	...	N E	1	...	,,	30.08	764.1	...	...	N	1	...
efoo, ...	4 p.	...	...	..	...	...	...	...	6 a.	...	...	...	...	...	...	...
ihaiwei, ...	,,	...	...	...	...	...	...	...	9 a.	30.20	767.1	68	70	S S E	1	b
ankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ukiang, ...	,,	30.09	764.3	64	94	N E	1	o	,,	...	...	...	...	...	...	...
anghai.	,,	30.05	763.2	63	94	S E	3	or	9 a.	30.09	764.3	67	84	N W	2	om
utzlaff, ...	,,	30.12	765.0	63	94	E S E	5	omd	,,	30.13	765.3	64	95	N W	4	om
arp Peak, ...	,,	30.02	762.5	74	...	E	1	c	,,	30.05	763.2	74	...	S	1	b
moy	,,	29.92	759.9	80	58	S E	3	b	6 a.	29.95	760.7	72	85	W S W	2	b
wtow, ...	,,	29.94	760.5	73	74	E	1	b	,,	30.00	762.0	69	...	N E	1	b
ihoku	1 p.	29.99	761.7	...	...	N	6	...	5 a.	30.02	762.4	...	...	...	0	...
ichu, ...	,,	30.00	761.9	...	...	W	2	...	,,	30.03	762.7	...	...	...	0	...
inan	,,	30.04	763.0	...	...	W	4	...	,,	30.04	763.1	...	...	N	2	...
ashun	,,	30.04	763.1	...	...	E	6	...	,,	30.02	762.6	...	...	E	2	...
acadores, ...	,,	30.03	762.7	...	...	N	6	...	,,	30.01	762.3	...	...	...	0	...
nton, ...	3 p.	29.97	761.2	81	74	W	1	c	9 a.	30.05	763.2	78	82	S	1	b
ongkong, ...	4 p.	29.99	761.7	76	80	E	3	c	10 a.	30.05	763.2	79	76	E	3	c
ictoria Peak, ...	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	S E	1	...
p Rock, ...	,,	29.95	760.7	...	...	E N E	4	...	,,	30.02	762.5	...	...	E N E	3	...
eao.	,,	30.06	763.5	78	...	S E	1	c	,,	30.08	764.0	81	...	S E	1	c
ichow, ...	3 p.	29.98	761.5	83	67	S W	1	o	9 a.	...	...	...	...	...	...	...
ihow.	,,	30.00	762.0	84	83	E	2	b	,,	...	...	...	...	...	...	...
khoi, ...	,,	29.99	761.7	61	...	S W	2	b	,,	...	...	...	...	...	...	...
ulien, ...	4 p.	29.93	760.2	82	...	S S E	4	c	8 a.	30.03	762.8	..	...	E N E	...	...
ourane, ...	,,	29.93	760.1	77	...	S	1	o	,,	...	...	...	..	...	...	...
ge St. James, .	,,	29.86	758.4	84	...	E	1	c	,,	...	...	...	...	...	...	...
arri, ...	2 p.	29.95	760.8	79	...	N E	4	b	6 a.	29.97	761.3	73	...	E	2	b
anila.	4 p.	29.88	759	82	77	S	1	c	10 a.	29.96	761	86	65	...	0	c
gaspi, ...	2 p.	29.89	759.2	88	...	N E	2	b	6 a.	29.91	759.6	79	...	N E	2	b
eolod, ...	3 p.	...	...	...	...	S W	5	d	9 a.	...	...	...	...	S W	5	c
ello, ...	,,	29.87	758.7	...	...	N E	1	d	,,	29.89	759.2	82	...	N N E	2	b
bu, ...	,,	29.86	758.4	86	...	N	1	b	,,	29.92	759.9	87	...	N	1	c
ibuan, ...	,,	29.83	757.7	89	...	...	...	...	,,	29.89	759.2	83	...	...	...	...

On the 20th at 11.55 a.—The barometer has risen moderately in E. Japan, and fallen slightly over the Loochoos and S. China.

A shallow depression, formed over the Yangtze valley, is moving Eastwards off the E. coast of China.

The high pressure area is now central to the North of Japan.

Moderate or light monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood, ...	E. winds, light or moderate; fine.
—Formosa Channel, ...	Variable winds, light or moderate.
—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
—South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 20th October, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th October, 1910, P.M.								21st October, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.22	767.7	56	...	S S E	1	c	7 a.	30.19	766.8	51	85	E	3	c
Nemuro,	,,	30.32	770.1	...	...	N	2	...	6 a.	30.42	772.6	...	...	W	1	...
Hakodate,	,,	30.32	770.2	...	...	S	1	...	,,	30.34	770.7	...	...	E	1	...
Tokio,	,,	30.26	768.6	...	...	N	1	...	,,	30.24	768.1	...	...	N N W	2	...
Kochi,	,,	30.17	766.3	...	...	S W	1	...	,,	30.07	763.8	...	...	S W	1	...
Nagasaki,	,,	30.15	765.8	...	...	N E	1	...	,,	30.09	764.3	...	...	E N E	2	...
Kagoshima,	,,	30.09	764.4	...	...	E	4	...	,,	30.06	763.4	...	...	N E	3	...
Oshima,	,,	30.02	762.6	...	...	N	1	...	,,	30.02	762.6	...	...	...	0	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.03	762.7	...	...	...	0	...
Ishigakijima,	,,	29.93	761.8	...	...	W N W	1	...	,,	30.03	762.8	...	...	N N E	1	...
Bonin Is.	,,	30.04	763.1	...	...	N E	1	...	,,	30.02	762.6	...	...	...	0	...
Chefoo,	4 p.	...	...	..	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	30.21	767.3	63	86	N N E	2	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.09	764.3	68	79	N W	1	o	..	30.14	765.5	59	94	...	0	b
Shanghai,	,,	30.03	762.7	67	89	N W	1	od	9 a.	30.15	765.8	69	85	N E	2	ore
Gutzlaff,	,,	30.08	764.0	66	95	N E	3	omr	,,	30.19	766.8	71	90	N E	2	ov
Sharp Peak,	,,	30.00	762.0	75	...	E	1	c	,,	30.11	764.8	72	95	N	1	o
Amoy,	,,	29.90	759.4	81	83	S E	3	b	6 a.	29.95	760.7	75	86	N E	1	o
Swatow,	,,	29.92	759.9	83	60	S	1	b	,,	29.99	761.7	75	90	S E	2	o
Taihoku,	1 p.	29.98	761.6	...	...	N	4	...	5 a.	30.02	762.4	...	...	...	0	...
Taichu,	,,	29.99	761.8	...	...	N W	4	...	,,	30.03	762.8	...	...	...	0	...
Tainan,	,,	30.02	762.4	...	...	N W	4	...	,,	30.03	762.8	...	...	E	2	...
Koshun	,,	30.00	761.9	...	...	N	2	...	,,	30.02	762.6	...	...	...	0	...
Pescadores,	,,	30.00	762.0	...	...	N	2	...	,,	30.02	762.5	...	...	N E	2	...
Canton,	3 p.	29.95	760.7	84	64	W	1	b	9 a.	30.06	763.5	79	82	...	0	b
Hongkong,	4 p.	29.97	761.2	78	80	E	2	b	10 a.	30.06	763.5	80	89	E	1	o
Victoria Peak,	,,	...	...	...	...	S E	1	...	,,	...	...	...	...	...	0	...
Gap Rock,	,,	29.95	760.7	...	...	E	3	...	,,	30.03	762.7	...	...	E N E	2	...
Macao,	,,	30.00	762.0	80	...	S E	1	c	,,	30.09	761.3	83	...	E	1	c
Wuchow,	3 p.	29.99	761.7	75	...	S W	1	c	9 a.	30.11	764.8	71	...	E	1	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.98	761.5	86	61	S W	2	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.93	760.3	82	...	S S E	4	b	8 a.	30.04	763.1	81	...	E S E	2	c
Tourane,	,,	29.93	760.1	77	...	S E	3	o	,,	30.01	762.2	79	..	S E	2	c
Cape St. James,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	79	92	S S E	1	c	10 a.	29.96	761	84	64	...	0	b
Legaspi,	2 p.	29.86	758.4	86	...	N E	2	c	6 a.	29.91	759.6	81	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	S W	2	b	9 a.	...	...	...	...	S	1	c
Iloilo,	,,	29.83	757.7	86	...	...	0	b	,,	29.91	759.7	82	...	...	0	b
Cebu,	,,	29.82	757.4	87	...	N	2	b	,,	29.92	759.9	86	...	N	1	c
Labuan,	,,	29.78	756.4	89	...	...	...	...	,,	29.89	759.2	83	...	...	...	...

On the 21st at 12.05 p.—The barometer has risen slightly on the E. coast of China, and fallen moderately over S. Japan and the Bonins.

The shallow depression appears to be moving Eastwards to the South of Japan.

The high pressure area still covers N.E. Japan.

Light to moderate N.E. and E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, light to moderate; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 21st October, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st October, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	22nd October, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ladivostock, ...	2 p.	...	...	...	...	...	...	...	7 a.	30.18	766.6	51	91	E	1	o
emuro, ...	,,	30.38	771.6	...	...	S	3	...	6 a.	30.40	772.1	...	...	S S E	1	...
akodate, ...	,,	30.28	769.2	...	...	E S E	4	...	,,	30.26	768.7	...	...	S E	3	...
kio, ...	,,	30.18	766.6	...	...	N N W	2	...	,,	30.14	765.6	...	...	N W	2	...
ochi.	,,	30.01	762.3	...	...	...	0	...	,,	30.11	764.8	...	...	W S W	1	...
agasaki, ...	,,	30.05	763.3	...	...	N N W	2	...	,,	...	...	...	...	N N E	1	...
agoshima, ...	,,	30.04	762.9	...	...	S E	1	...	,,	30.10	764.4	...	...	N N W	1	...
ihima, ...	,,	30.00	762.1	...	...	N	1	...	,,	30.02	762.6	...	...	S	1	...
ha, ...	,,	30.01	762.2	...	...	N W	1	...	,,	30.03	762.7	...	...	...	0	...
higakijima, ...	,,	30.03	762.8	...	...	S S E	2	...	,,	30.03	762.8	...	...	N	1	...
nin Is.	,,	29.94	760.6	...	...	S	1	...	,,	29.99	761.6	...	...	...	0	...
efoo, ...	4 p.	...	...	..	...	...	...	...	6 a.	...	...	...	...	...	...	...
chaiwei, ...	,,	30.16	766.0	68	74	N E	1	b	9 a.	30.24	768.1	68	70	S	1	b
nkow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ukiang, ...	,,	30.13	765.3	70	75	N E	1	o	,,	30.17	766.3	60	...	...	0	b
anghai, ...	,,	30.10	764.5	71	...	N E	2	c	9 a.	30.19	766.8	68	85	N E	2	om
utzlaff, ...	,,	30.15	765.8	70	90	N E	1	cv	,,	30.24	768.1	69	89	E N E	2	ov
erp Peak, ...	,,	30.07	763.8	73	...	E	3	c	,,	30.13	765.3	71	90	E	2	o
moy, ...	,,	29.96	761.0	79	78	E	3	o	6 a.	29.98	761.5	73	76	N E	1	o
utow, ...	,,	29.96	761.0	80	78	E	1	b	,,	30.03	762.7	74	86	E	1	o
ihoku, ...	1 p.	29.98	761.6	...	...	E	8	...	5 a.	30.05	763.3	...	...	E	4	...
ichu, ...	,,	29.93	761.6	...	...	N E	...	...	,,	30.05	763.2	...	...	...	0	...
iman, ...	,,	30.00	762.1	...	...	N W	2	...	,,	30.04	762.9	...	...	N E	2	...
eshun, ...	,,	30.01	762.3	...	...	E	4	...	,,	30.02	762.4	...	...	N	4	...
ecadores, ...	,,	30.00	762.0	...	...	N E	6	...	,,	30.04	763.0	...	...	N	6	...
nton, ...	3 p.	29.97	761.2	83	67	W	1	b	9 a.	30.08	764.0	77	86	S	1	o
ongkong, ...	4 p.	29.98	761.5	79	75	E	2	c	10 a.	30.08	764.0	80	70	E	2	c
ctoria Peak, ...	,,	...	...	...	...	S E	1	...	,,	...	...	...	...	E	1	...
p Rock, ...	,,	29.96	761.0	...	...	E	3	...	,,	30.06	763.5	...	...	E N E	4	...
cao.	,,	30.01	762.2	81	...	S E	1	c	,,	30.11	764.8	82	...	E	1	c
chow, ...	3 p.	30.02	762.5	74	...	N	2	c	9 a.	30.14	765.5	73	72	N	1	od
ihow, ...	,,	30.00	762.0	84	83	E	2	b	,,	...	...	...	...	...	...	...
khoi.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
nlien, ...	4 p.	29.95	760.7	82	...	S E	4	c	8 a.	30.06	763.6	77	...	E N E	3	c
ccane, ...	,,	29.94	760.4	77	...	S E	2	b	,,	30.03	762.8	79	..	N W	2	c
pe St. James, .	,,	...	...	...	...	..	..	...	,,	...	...	...	...	...	...	...
parri, ...	2 p.	29.93	760.1	86	...	N E	2	b	6 a.	29.97	761.2	75	...	E	0	b
ila, ...	4 p.	29.88	759	79	92	...	0	c	10 a.	29.96	761	79	92	...	0	o
gaspi, ...	2 p.	29.87	758.6	77	...	S E	2	o	6 a.	29.90	759.4	79	...	N E	2	c
colod, ...	3 p.	...	...	...	...	S	2	cr	9 a.	...	...	...	...	S	1	c
ilo, ...	,,	29.81	757.2	86	...	...	...	...	,,	29.95	760.7	83	...	...	0	b
ba, ...	,,	29.83	757.7	85	...	N	1	o	,,	29.92	759.9	81	...	S	1	c
buan, ...	,,	29.79	756.6	86	...	...	...	...	,,	29.90	759.4	80	...	...	...	...

On the 22nd at 11.45 a.—The barometer has risen slightly over China, and fallen moderately to slightly over E. Japan and the Bonins.

The shallow depression is moving away over the Pacific to the S.E. Japan.

The high pressure area still covers N.E. Japan.

Light to moderate monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. and E. winds, moderate; fine.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan....	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 22nd October, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd October, 1910, P.M.								23rd October, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.15	765.9	56	...	S E	0	c	7 a.	30.13	765.2	54	94	S E	1	
Nemuro,	,,	30.36	771.1	...	...	S S E	3	...	6 a.	30.34	770.6	...	...	S E	2	
Hakodate,	,,	30.20	767.2	...	...	S E	4	...	,,	30.23	767.7	...	...	E	2	
Tokio,	,,	30.10	764.6	...	...	N N W	1	...	,,	30.10	764.6	...	...	N N W	2	
Kochi,	,,	30.05	763.3	...	...	S S W	1	...	,,	30.09	764.3	...	...	S W	1	
Nagasaki,	,,	30.07	763.8	...	...	N	3	...	,,	30.11	764.8	...	...	N E	1	
Kagoshima,	,,	30.06	763.4	...	...	...	0	...	,,	30.08	763.9	...	...	N E	1	
Oshima,	,,	29.98	761.6	...	...	N N E	1	...	,,	30.02	762.6	...	...	S	1	
Naha,	,,	30.01	762.2	...	...	N W	1	...	,,	29.97	761.2	...	...	...	0	
Ishigakijima,	,,	30.01	762.3	...	...	N E	3	...	,,	29.99	761.8	...	...	N N E	1	
Bonin Is.	,,	29.93	760.1	...	...	S E	1	...	,,	29.91	759.6	...	...	...	0	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	30.17	766.3	70	59	E N E	5	c	9 a.	...	...	...	...	...	...	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	30.10	764.5	72	71	N E	2	c	,,	30.08	764.0	64	100	...	0	
Shanghai,	,,	30.14	765.5	71	62	E N E	2	c	9 a.	30.14	765.5	66	84	E N E	1	
Gutzlaff,	,,	30.19	766.8	70	75	E N E	2	bv	,,	30.18	766.6	69	80	E	3	
Sharp Peak,	,,	30.08	764.0	72	...	N N E	3	o	,,	30.09	764.3	71	...	...	0	
Amoy	,,	29.95	760.7	78	70	N E	1	c	6 a.	29.96	761.0	73	63	N E	1	
Swatow,	,,	29.97	761.2	78	78	E	3	b	,,	30.00	762.0	73	86	N E	1	
Taihoku,	1 p.	30.03	762·8	...	...	E	6	...	5 a.	30.00	761.9	...	...	E	4	
Taichu,	,,	29.96	761.1	...	...	N	4	...	,,	29.98	761.5	...	...	...	0	
Tainan,	,,	30.01	762.3	...	...	N W	6	...	,,	30.00	761.9	...	...	...	0	
Koshun	,,	30.02	762.6	...	...	E	6	...	,,	30.00	762.0	...	...	N E	2	
Pescadores,	,,	30.02	762.5	...	...	N E	8	...	,,	29.99	761.6	...	...	N	6	
Canton,	3 p.	29.98	761.5	80	74	N E	1	c	9 a.	30.07	763.8	78	82	S	1	
Hongkong,	4 p.	30.00	762.0	78	80	E S E	2	c	10 a.	30.08	764.0	80	69	E	2	
Victoria Peak,	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	E	3	
Gap Rock,	,,	29.96	761.0	...	...	E N E	3	...	,,	30.05	763.2	...	...	E N E	4	
Macao,	,,	30.02	762.5	79	...	E S E	1	c	,,	30.11	764.8	81	...	E	1	
Wuchow,	3 p.	30.02	762.5	83	...	S W	1	c	9 a.	30.11	764.8	76	...	S E	1	
Hoihow,	,,	30.01	762.2	84	83	E	2	b	,,	...	...	...	...	...	...	
Pakhoi,	,,	30.00	762.8	85	...	W	1	b	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.94	760.5	82	...	S S E	4	b	8 a.	30.06	763.4	77	...	N E	1	
Tourane,	,,	29.95	760.7	77	...	N E	3	c	,,	30.02	762.6	75	..	N W	1	
Cape St. James,	,,	29.85	758.2	82	...	E	4	c	,,	29.94	760.4	77	...	N	2	
Aparri,	2 p.	29.94	760.4	81	...	E	0	o	6 a.	29.95	760.7	73	...	S E	2	
Manila,	4 p.	29.88	759	82	85	...	0	o	10 a.	29.96	761	79	92	N	1	
Legaspi,	2 p.	29.87	758.7	84	...	N E	2	o	6 a.	29.91	759.8	75	...	N E	2	
Bacolod,	3 p.	...	...	...	...	S	2	or	9 a.	...	...	...	...	S	1	
Iloilo,	,,	29.85	758.2	81	...	...	0	or	,,	29.91	759.7	82	...	N E	1	
Cebu,	,,	29.83	757.7	87	...	N	2	c	,,	29.90	759.4	85	...	N	1	
Labuan,	,,	29.79	756.6	84	...	...	...	...	,,	...	...	...	...	...	...	

On the 23rd at 11.45 a.—The barometer has fallen slightly over China and Japan.

A depression appears to be developing over the Yangtze valley, and pressure is low also over the Pacific to South of the Bonins.

The high pressure area still covers NE Japan.

Light to moderate monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 23rd October, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd October, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	24th October, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivostock,	2 p.	30.07	763.9	57	...	S S E	0	c	7 a.	30.14	765.6	39	90	N	0	o
uro,	,,	30.32	770.1	...	...	S E	2	...	6 a.	30.12	765.1	...	...	E	2	...
odate,	,,	30.20	767.2	...	...	E S E	5	...	,,	30.08	764.2	...	...	...	0	...
o,	,,	30.04	763.1	...	...	N N E	2	...	,,	30.04	763.1	...	...	N W	1	...
ii,	,,	29.99	761.8	...	...	S E	1	...	,,	30.03	762.8	...	...	S W	1	...
saki,	,,	30.03	762.8	...	...	S	1	...	,,	29.99	761.8	...	...	N N E	1	...
oshima,	,,	30.04	762.9	...	...	...	0	...	,,	30.02	762.4	...	...	N E	1	...
ma,	,,	29.98	761.6	...	...	N N E	1	...	,,	29.95	760.6	...	...	...	0	...
,	,,	...	...	...	...	..	...	...	,,	29.91	759.7	...	...	W	1	...
gakijima,	,,	29.99	761.8	...	...	S	1	...	,,	29.95	760.8	...	...	N	1	...
n Is.	,,	29.87	758.6	...	...	N E	1	...	,,	29.91	759.6	...	...	...	0	...
oo,	4 p.	...	...	..	...	...	...	...	6 a.	...	...	...	...	..	...	...
haiwei,	,,	...	...	...	...	...	...	...	9 a.	30.29	769.3	62	36	N	6	b
kow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iang,	,,	30.10	764.5	65	95	N E	1	or	,,	30.20	767.1	62	89	N E	2	o
ghai,	,,	30.06	763.5	68	90	E N E	1	r	9 a.	30.18	766.6	67	84	N N E	1	om
laff,	,,	30.12	765.0	69	80	E	3	oqm	,,	30.20	767.1	67	79	N N E	3	ov
p Peak,	,,	30.05	763.2	73	90	N N E	1	o	,,	30.10	764.5	72	...	N E	1	c
y	,,	29.92	759.9	80	82	S	3	b	6 a.	29.95	760.7	73	81	E	1	o
ow,	,,	29.98	761.5	80	91	E	3	b	,,	30.01	762.2	71	95	N	1	b
oku	1 p.	30.00	762.0	...	...	E	6	...	5 a.	30.01	762.1	...	...	...	0	...
tu,	,,	29.99	761.8	...	...	N	2	...	,,	29.99	761.7	...	...	...	0	...
an,	,,	30.00	762.1	...	...	N W	2	...	,,	...	...	...	...	...	...	...
rum	,,	30.01	762.2	...	...	N W	2	...	,,	...	...	...	...	...	..	...
adores,	,,	30.02	762.4	...	...	N E	6	...	,,	...	...	...	...	...	...	...
on,	3 p.	29.98	761.5	84	68	W	1	b	9 a.	30.08	764.0	74	72	N	2	c
gkong,	4 p.	29.99	761.7	79	74	E	2	b	10 a.	30.07	763.8	79	69	...	0	o
oria Peak,	,,	...	...	...	...	S S E	1	...	,,	...	...	...	...	N N E	2	...
Rock,	,,	29.96	761.0	...	...	E	3	...	,,	30.05	763.2	...	...	E N E	2	...
o,	,,	30.03	762.7	80	...	S E	1	c	,,	30.10	764.5	79	...	N E	1	c
how,	3 p.	30.00	762.0	88	...	S W	1	c	9 a.	30.16	766.0	65	...	N	3	o
ow,	,,	...	...	...	..	...	...	...	,,	...	...	...	...	...	...	...
oi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hien,	4 p.	29.96	760.9	82	...	S S E	4	b	8 a.	30.07	763.8	79	...	N N E	2	b
ane,	,,	29.94	760.4	77	...	N E	1	c	,,	30.01	762.2	79	..	N E	3	o
St. James,	,,	29.85	758.2	82	...	E N E	4	o	,,	29.89	759.3	81	...	N E	1	c
ri,	2 p.	29.92	759.9	86	...	N E	2	b	6 a.	29.94	760.5	75	...	E	0	b
lla,	4 p.	29.88	759	93	81	E	1	c	10 a.	29.92	760	86	65	S W	1	b
spi,	2 p.	29.85	758.1	82	...	N E	2	o	6 a.	29.89	759.3	75	...	N E	2	o
lod,	3 p.	...	...	...	...	S	2	o	9 a.	...	...	...	...	S	1	o
,	,,	29.85	758.2	84	...	N E	1	o	,,	29.87	758.7	81	...	N E	1	o
	,,	29.81	757.2	87	...	N	1	...	,,	29.89	759.2	85	...	N	1	c
an,	,,	29.79	756.6	86	...	...	...	...	,,	29.91	759.7	77	...	...	...	...

On the 24th at 11.55 a.—The barometer has risen moderately in N. China, and fallen slightly to moderately over the Loochoos and Japan.

A area of low pressure is lying over the Pacific between the Loochoos and the Bonins, and a high pressure area spreading over N. China from the NW.

The monsoon will freshen in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N. and NE winds, freshening; fair.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 24th October, 1910.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th OCTOBER, 1910, P.M.								25th OCTOBER, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.09	764.3	49	...	N	0	b	7 a.	30.18	766.6	38	71	N E	0	b
Nemuro,	,,	29.98	761.6	...	...	N E	4	...	6 a.	29.97	761.1	...	...	W	1	...
Hakodate,	,,	30.05	763.2	...	...	S E	1	...	,,	30.07	763.7	...	...	W	2	...
Tokio,	,,	30.00	762.1	...	...	S S W	1	...	,,	30.04	763.1	...	...	N N W	1	...
Kochi,	,,	29.99	761.8	...	...	...	0	...	,,	29.99	761.8	...	...	W	1	...
Nagasaki,	,,	29.99	761.3	...	...	N	3	...	,,	30.03	762.8	...	...	N E	2	...
Kagoshima,	,,	29.98	761.4	...	...	N N E	2	...	,,	30.00	761.9	...	...	...	0	...
Oshima,	,,	29.89	759.1	...	...	N N E	2	...	,,	29.93	760.1	...	...	N	5	...
Naha,	,,	29.91	759.7	...	...	N W	3	...	,,	29.99	761.7	...	...	N	5	...
Ishigakijima,	,,	29.95	760.8	...	...	N	4	...	,,	30.03	762.8	...	...	N N E	2	...
Bonin Is.	,,	29.91	759.6	...	...	E	1	...	,,	29.89	759.1	...	...	S S W	2	...
Chefoo,	4 p.	...	...	..	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	30.24	768.1	64	55	S W	2	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.21	767.3	...	...	N E	4	b	,,	...	...	..	...	...	..	...
Shanghai,	,,	30.16	766.0	70	66	N N E	2	c	9 a.	30.28	769.1	63	57	N N E	2	b
Gutzlaff,	,,	30.20	767.1	70	66	N N E	3	cv	,,	30.20	767.1	65	63	N N E	3	cv
Sharp Peak,	,,	30.07	763.8	71	...	N	2	o	,,	30.20	767.1	70	...	N	3	o
Amoy,	,,	29.90	759.4	73	74	E S E	2	o	6 a.	30.01	762.2	71	66	N E	1	c
Swatow,	,,	29.96	761.0	78	74	E	2	b	,,	30.02	762.5	71	90	N E	1	o
Taihoku,	1 p.	30.02	762.6	...	...	E	2	...	5 a.	30.01	762.3	...	...	...	0	...
Taichu,	,,	29.95	760.8	...	...	N	6	...	,,	...	...	...	...	...	...	...
Tainan,	,,	29.98	761.5	...	...	N W	6	...	,,	30.03	762.8	...	...	N	4	...
Koshun	,,	29.97	761.2	...	...	E	6	...	,,	29.99	761.8	...	...	N E	6	...
Pescadores,	,,	30.00	761.9	...	...	N	3	...	,,	30.03	762.8	...	...	N	10	...
Canton,	3 p.	30.01	762.2	77	69	N	2	c	9 a.	30.14	765.5	73	67	N	2	c
Hongkong,	4 p.	30.00	762.0	79	75	W S W	1	c	10 a.	30.12	765.0	74	78	E	2	o
Victoria Peak,	,,	...	...	...	...	N E	1	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	29.97	761.2	...	...	E N E	2	...	,,	30.07	763.8	...	...	E N E	4	...
Macao,	,,	30.02	762.5	81	...	N N E	2	c	,,	30.15	765.8	77	...	N E	2	c
Wuchow,	3 p.	30.10	764.5	69	...	N	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	..	..	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.03	762.7	84	64	N N W	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.98	761.6	82	...	S S E	3	c	8 a.	30.10	764.6	75	...	E N E	3	b
Tourane,	,,	29.95	760.7	77	...	S E	4	o	,,	30.03	762.8	79	..	S E	5	o
Cape St. James,	,,	29.81	757.1	77	...	E N E	6	or	,,	29.93	760.0	81	...	N E	1	o
Aparri,	2 p.	29.90	759.5	84	...	N E	2	b	6 a.	29.97	761.3	75	...	N E	0	c
Manila,	4 p.	29.80	757	88	60	...	0	b	10 a.	29.96	761	86	65	S S E	1	c
Legaspi,	2 p.	29.83	757.7	88	...	E	2	b	6 a.	29.91	759.6	79	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	S	4	c	9 a.	...	...	...	...	S	1	o
Iloilo,	,,	29.81	757.2	86	...	N E	1	o	,,	29.93	760.3	81	...	N E	1	o
Cebu,	,,	29.81	757.2	87	...	N	2	c	,,	29.93	760.3	85	...	N	2	c
Labuan,	,,	29.80	756.9	82	...	...	...	...	,,	29.90	759.4	80	...	...	...	...

On the 25th at 11.55 a.—The barometer has fallen slightly over S. Japan and the Bonins, and risen moderately to slightly over S. China, the Southern Loochoos and the Philippines.

The shallow depression lying between the Loochoos and the Bonins, is moving towards the E.N.E.

Pressure is high over the Yangtze valley.

Fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 25th October, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th October, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	26th October, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Hivostock,	2 p.	30.16	766.0	51	...	N N E	0	b	7 a.	30.22	767.5	37	62	...	0	b
uro,	,,	29.94	760.6	...	...	N N E	1	...	6 a.	30.08	764.1	...	...	N N W	6	...
odate,	,,	30.03	762.7	...	...	N W	3	...	,,	30.13	765.2	...	...	N	1	...
o,	,,	29.98	761.6	...	...	N N W	2	...	,,	30.08	764.1	...	...	N N W	1	...
ii,	,,	29.95	760.8	...	...	N	3	...	,,	30.09	764.3	...	...	N	1	...
saki,	,,	30.01	762.3	...	...	N	4	...	,,	30.15	765.8	...	...	E N E	2	...
shima,	,,	29.96	760.9	...	...	E S E	1	...	,,	30.10	764.4	...	...	N N E	1	...
ma,	,,	29.96	761.1	...	...	N	3	...	,,	30.04	763.1	...	...	N N W	2	...
i,	,,	30.01	762.2	...	...	N	5	...	,,	30.07	763.7	...	...	E N E	1	...
gakijima,	,,	30.05	763.3	...	...	N	5	...	,,	30.09	764.3	...	...	N N E	2	...
n Is.	,,	29.87	758.6	...	...	S S W	1	...	,,	29.91	759.6	...	...	S S W	1	...
oo,	4 p.	...	...	..	...	...	...	...	6 a.	...	...	...	..	..	...	...
naiwei,	,,	30.19	766.8	69	38	N N E	1	b	9 a.	30.24	768.1	65	53	S W	2	b
kow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iang,	,,	30.20	767.1	72	62	N E	2	b	,,	30.23	767.8	61	88	N E	1	o
ghai,	,,	30.21	767.3	67	46	N N E	1	c	9 a.	30.28	769.1	64	63	N N E	1	b
laff,	,,	30.26	768.6	68	60	N	2	b	,,	30.33	770.4	64	63	N N E	1	cv
p Peak,	,,	30.13	765.3	70	...	N N E	2	c	,,	30.24	768.1	69	...	N E	3	c
y,	,,	29.95	760.7	79	66	N E	2	b	6 a.	30.03	764.0	70	57	N E	3	c
ow,	,,	30.02	762.5	78	65	E	2	c	,,	30.04	763.0	69	61	N E	3	c
oku,	1 p.	30.12	765.0	...	...	E	6	...	5 a.	30.13	765.3	...	...	E	4	...
au,	,,	30.01	762.3	...	...	N	6	...	,,	30.06	763.6	...	...	N E	2	...
an,	,,	30.03	762.7	...	...	S W	4	...	,,	30.08	763.9	...	...	N E	2	...
un	,,	30.03	762.7	...	...	N E	6	...	,,	30.06	763.6	...	...	N E	6	...
adores,	,,	30.05	763.2	...	...	N	10	...	,,	30.07	763.8	...	...	N	10	...
on,	3 p.	30.04	763.0	89	69	S	1	c	9 a.	30.14	765.5	73	81	S S E	1	c
gkong,	4 p.	30.05	763.2	75	74	E	2	o	10 a.	30.15	765.8	76	64	E	3	o
ria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E S E	4	...
Rock,	,,	30.00	762.0	...	...	E N E	5	...	,,	30.09	764.3	...	...	E N E	4	...
so,	,,	30.07	763.8	76	...	E	1	c	,,	30.16	766.0	75	...	E	2	o
how,	3 p.	30.08	764.0	82	...	E	1	o	9 a.	30.18	766.6	72	...	E	2	o
ow,	,,	...	...	..	..	...	...	...	,,	...	...	...	...	...	...	...
hoi,	,,	30.06	763.5	81	71	W	2	c	,,	...	...	...	...	...	...	...
lien,	4 p.	30.00	762.1	79	...	S S E	4	b	8 a.	30.11	764.8	79	...	N E	3	b
ane,	,,	29.96	761.0	77	...	S E	4	o	,,	30.06	763.6	77	..	E N E	4	o
St. James,	,,	29.86	758.5	77	...	N N E	6	f	,,	29.93	760.1	79	...	N E	2	c
ri,	2 p.	29.94	760.5	84	...	N E	2	b	6 a.	30.01	762.3	75	...	S E	2	p
lla,	4 p.	29.88	759	79	92	...	0	o	10 a.	29.96	761	86	65	W S W	0	c
spi,	2 p.	29.87	758.3	88	...	N E	2	b	6 a.	29.95	760.6	77	...	S E	2	c
dod,	3 p.	...	...	...	...	S	3	o	9 a.	...	...	...	...	S	2	c
o,	,,	29.83	757.7	80	...	...	0	b	,,	29.95	760.7	83	...	N E	1	...
i,	,,	29.84	757.9	86	...	N	2	c	,,	29.94	760.5	86	...	N	1	c
ian,	,,	29.80	756.9	81	...	...	...	...	,,	29.91	759.7	83	...	...	...	...

On the 26th at 11.55 a.—The depression lying to the South of Japan yesterday, has moved away over the Pacific d pressure has increased at the Japanese stations.

The high pressure area is still central over the continent to the North of the Yangtze valley.

Fresh monsoon will continue to prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 26th October, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th October, 1910, P.M.								27th October, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.18	766.5	55	...	SSE	0	o	7 a.	30.15	765.7	51	87	SSE	0	c
Nemuro,	,,	30.14	766.6	...	...	NNE	2	...	6 a.	30.28	769.1	...	...	WNW	1	...
Hakodate,	,,	30.15	765.7	...	...	NNW	2	...	,,	30.28	769.2	...	...	...	0	...
Tokio,	,,	30.06	763.6	...	...	NNW	1	...	,,	30.20	767.1	...	...	NW	2	...
Kochi,	,,	30.07	763.8	...	...	N	2	...	,,	30.15	765.8	...	...	SW	1	...
Nagasaki,	,,	30.11	764.8	...	...	N	3	...	,,	30.17	766.3	...	...	NNE	1	...
Kagoshima,	,,	30.07	763.9	...	...	ESE	1	...	,,	30.13	765.4	...	...	NE	1	...
Oshima,	,,	30.04	763.1	...	...	N	2	...	,,	30.03	764.1	...	...	S	1	...
Naha,	,,	30.05	763.2	...	...	N	4	...	,,	30.03	762.7	...	...	NE	3	...
Ishigakijima,	,,	30.09	764.3	...	...	NE	3	...	,,	30.05	763.3	...	...	NNE	1	...
Bonin Is.	,,	29.89	759.1	...	...	SW	1	...	,,	29.93	760.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.19	766.8	67	55	NNE	1	b	9 a.	30.21	767.3	64	63	SSW	3	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.17	766.3	72	58	NE	2	c	,,	...	...	...	...	...	...	...
Shanghai.	,,	30.20	767.1	68	56	E	1	b	9 a.	30.22	767.6	63	72	NNE	1	om
Gutzlaff,	,,	30.25	768.3	69	52	NNE	2	cv	,,	30.25	768.3	65	73	NE	2	or
Sharp Peak,	,,	30.15	765.8	60	...	E	4	c	,,	30.16	766.0	67	...	N	3	c
Amoy,	,,	30.00	762.0	78	65	NE	2	b	6 a.	29.99	761.7	63	65	NE	1	c
Swatow,	,,	30.03	762.7	77	65	E	2	c	,,	30.05	763.2	66	68	NE	1	b
Taihoku	1 p.	30.12	765.0	...	...	E	6	...	5 a	30.04	763.0	...	...	E	4	...
Taichu,	,,	30.04	762.9	...	...	N	4	...	,,	30.03	762.7	...	...	...	0	...
Tainan,	,,	30.03	762.8	...	...	W	4	...	,,	30.04	762.9	...	...	...	0	...
Koshun	,,	30.04	763.1	...	...	NE	8	...	,,	30.03	762.7	...	...	E	4	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	30.04	763.0	...	...	N	6	...
Canton,	3 p.	30.03	762.7	78	74	N	1	c	9 a.	30.10	764.5	73	86	SE	1	c
Hongkong,	4 p.	30.04	763.0	75	68	E	3	c	10 a.	30.11	764.8	76	69	ESE	2	c
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	29.99	761.7	...	...	ENE	5	...	,,	30.07	763.8	...	...	ENE	5	...
Macao,	,,	30.06	763.5	77	...	E	2	c	,,	30.12	765.0	77	...	ESE	3	c
Wuchow,	3 p.	30.01	763.0	83	...	W	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.03	762.7	81	74	SE	1	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.99	761.8	81	...	SE	4	c	8 a.	30.10	764.6	75	...	NNE	3	o
Tourane,	,,	29.95	760.7	77	...	N	2	o	,,	30.03	762.8	72	..	E	3	or
Cape St. James,	,,	29.80	757.0	77	...	ENE	6	o	,,	29.95	760.6	79	...	ENE	3	o
Aparri,	2 p.	29.96	761.1	82	...	NE	2	b	6 a.	29.99	761.7	73	...	NE	3	d
Manila,	4 p.	29.84	758	86	71	...	0	c	10 a.	29.96	761	86	65	NNE	1	c
Legaspi,	2 p.	29.83	757.7	90	...	NE	2	c	6 a.	29.86	758.4	79	...	E	2	b
Bacolod,	3 p.	...	...	...	...	W	4	d	9 a.	...	...	...	...	SW	3	b
Iloilo,	,,	29.81	757.2	86	...	NE	3	b	,,	29.91	759.7	82	...	NE	1	b
Cebu,	,,	29.80	756.9	87	...	N	2	b	,,	29.88	758.9	83	...	N	1	c
Labuan,	,,	29.79	756.6	85	...	...	...	...	,,	29.90	759.4	80	...	...	...	...

On the 27th at 11.55 a.—The barometer has risen considerably in E. Japan, and fallen slightly over China and the Philippines.

A depression is probably approaching N. China from the Westward.

An area of high pressure now covers N.E. Japan, and pressure is still relatively high over the Lower Yangtze valley.

Fresh monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh to moderate; fair.
2.—Formosa Channel,	N.E. winds, fresh to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 27th October, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th October, 1910, P.M.								28th October, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
divostock,	2 p.	30.12	765.0	56	...	S S E	1	c	7 a.	30.12	765.1	53	97	S S E	0	c
uro,	,,	...	...	...	...	S S E	1	...	6 a.	30.30	769.6	...	...	S	2	...
odate,	,,	30.24	768.2	...	...	S	1	...	,,	...	...	...	...	...	0	...
o,	,,	30.16	766.1	...	...	N E	1	...	,,	30.24	768.1	...	...	N W	1	...
hi,	,,	30.11	764.8	...	...	S E	1	...	,,	30.17	766.3	...	...	W S W	1	...
ssaki,	,,	30.13	765.3	...	...	E N E	1	...	,,	30.15	765.8	...	...	E N E	1	...
oshima,	,,	30.11	764.9	...	...	S S E	1	...	,,	30.13	765.4	...	...	E N E	2	...
ma,	,,	30.06	763.6	...	...	N N E	1	...	,,	30.06	763.6	...	...	S	1	...
s,	,,	30.03	762.7	...	...	N N E	3	...	,,	30.01	762.2	...	...	N E	1	...
gakijima,	,,	30.03	762.8	...	...	N E	3	...	,,	30.05	763.3	...	...	N	1	...
n Is.	,,	29.93	760.1	...	...	S W	1	...	,,	29.99	761.6	...	...	...	0	...
oo,	4 p.	...	...	..	...	...	...	...	6 a.	...	...	...	...	..	...	...
haiwei,	,,	...	...	...	...	...	...	...	9 a.	30.21	767.3	66	59	S S W	1	b
kow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ciang,	,,	30.15	765.8	72	58	...	0	b	..	30.17	766.3	55	94	...	0	b
ghai,	,,	30.15	765.8	70	48	E	1	c	9 a.	30.20	767.1	67	79	E N E	1	c
laff,	,,	30.24	767.3	69	70	N E	1	ov	,,	30.25	768.3	69	89	N E	1	cv
p Peak,	,,	30.14	765.5	68	...	N	1	c	,,	30.17	766.3	67	...	N	1	c
y,	,,	29.95	760.7	80	51	N E	1	b	6 a.	30.01	762.2	63	70	E	3	b
ow,	,,	30.00	762.0	77	61	E	1	b	,,	30.11	764.8	71	71	N E	1	b
oku,	1 p.	30.05	763.2	...	...	E	8	...	6 a.	30.07	763.7	...	...	E	2	...
hu,	,,	29.98	761.4	...	...	S W	2	...	,,	30.03	762.7	...	...	...	0	...
an,	,,	30.05	763.2	...	...	N W	6	...	,,	30.04	763.0	...	...	N	2	...
un,	,,	30.02	762.6	...	...	N E	6	...	,,	30.02	762.5	...	...	..	0	...
adores,	,,	30.04	763.1	...	...	N	8	...	,,	30.03	762.8	...	...	N	8	...
on,	3 p.	30.05	763.2	71	85	N N E	2	o	9 a.	30.12	765.0	70	75	N E	1	c
gkong,	4 p.	30.04	763.0	74	70	E	2	o	10 a.	30.09	764.3	75	68	E	2	o
oria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	2	...
Rock,	,,	29.98	761.5	...	...	E	5	...	,,	30.05	763.2	...	...	E N E	4	...
o,	,,	30.06	763.2	76	...	E S E	1	c	,,	30.13	765.3	72	...	N N E	1	o
how,	3 p.	30.11	764.8	73	...	N	2	o	9 a.	30.16	766.0	71	76	N	1	o
ow,	,,	30.01	762.2	83	91	E	2	b	,,	...	...	...	...	...	...	...
oi,	,,	30.06	763.5	76	73	N	2	c	,,	...	...	...	...	...	...	...
ien,	4 p.	30.03	762.8	73	...	E	4	c	8 a.	30.10	764.5	73	...	N	2	c
ane,	,,	29.93	760.2	77	...	N E	1	c	,,	30.00	761.9	73	..	E	3	or
St. James,	,,	29.89	759.2	77	...	N E	2	...	,,	...	...	...	...	...	...	...
ri,	2 p.	29.94	760.5	81	...	N E	2	o	6 a.	29.96	760.9	77	...	N E	2	o
la,	4 p.	29.84	758	82	77	...	0	c	10 a.	...	...	82	70	S W	0	o
spi,	2 p.	29.83	757.6	88	...	E	2	b	6 a.	29.87	758.6	79	...	N E	2	...
lod,	3 p.	...	...	...	...	S	2	c	9 a.	...	...	...	...	S W	2	o
...	,,	29.81	757.2	86	...	E	2	o	,,	29.89	759.2	78	...	N E	...	...
...	,,	29.81	757.2	86	...	N	1	o	,,	29.88	758.9	82	...	N	1	c
an,	,,	29.79	756.6	85	...	...	...	...	,,	29.85	758.2	82	...	...	...	...

On the 28th at 12.05 p.—Barometric changes are slight.

The high pressure area still covers N.E. Japan, and pressure is relatively low over Manchuria.

The barometer reads slightly below the normal also, over the Southern Philippines and adjacent waters.

Fresh to strong monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood,	E. and N.E. winds, moderate; fair.
ormosa Channel,	Same as No. 1.
outh coast of China between Hongkong and Lamocks,	Same as No. 1.
outh coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 28th October, 1910.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th OCTOBER, 1910, P.M.								29th OCTOBER, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.10	764.5	58	...	S S E	2	c	7 a.	30.13	765.3	54	97	S S E	0	c
Nemuro,	,,	30.28	769.1	...	...	S	4	...	6 a.	30.30	769.6	...	...	S S W	1	...
Hakodate,	,,	30.26	768.7	...	...	S	1	...	,,	30.28	769.2	...	...	...	0	...
Tokio,	,,	30.20	767.1	...	...	N	1	...	,,	30.18	766.6	...	...	N W	1	...
Kochi,	,,	30.11	764.8	...	...	...	0	...	,,	30.13	765.3	...	...	S W	1	...
Nagasaki,	,,	30.09	764.3	...	...	N N W	1	...	,,	30.17	766.3	...	...	N E	1	...
Kagoshima,	,,	30.07	763.9	...	...	E N E	1	...	,,	30.15	765.9	...	...	E N E	2	...
Oshima,	,,	30.04	763.1	...	...	N	2	...	,,	30.08	764.1	...	...	S	1	...
Naha,	,,	...	...	...	...	..	...	...	,,	30.07	763.7	...	...	N E	1	...
Ishigakijima,	,,	30.01	762.3	...	...	N N E	3	...	,,	30.05	763.3	...	...	N N E	1	...
Bonin Is.	,,	29.94	760.6	...	...	S	1	...	,,	30.02	762.6	...	...	S S W	1	...
Chefoo,	4 p.	30.10	764.5	70	53	S W	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	30.28	769.1	68	65	S S E	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.14	765.5	76	52	...	0	b	,,	30.20	767.1	55	100	...	0	b
Shanghai,	,,	30.15	765.8	72	54	E N E	1	c	9 a.	30.28	769.1	69	61	E S E	1	b
Gutzlaff,	,,	30.22	767.6	69	75	N E	1	cv	,,	30.31	769.9	71	66	E N E	1	bv
Sharp Peak,	,,	30.11	764.8	69	...	E N E	2	b	,,	30.21	767.3	69	...	N	3	b
Amoy,	,,	29.94	760.5	79	54	E	1	b	6 a.	30.02	762.5	67	60	N E	1	b
Swatow,	,,	30.00	762.0	74	72	E	2	c	,,	29.99	761.7	71	71	N E	1	c
Taihoku,	1 p.	30.06	763.6	...	...	E	6	...	5 a.	30.09	764.2	...	...	S E	4	...
Taichu,	,,	30.00	761.9	...	...	N	4	...	,,	30.04	763.1	...	...	...	0	...
Tainan,	,,	30.02	762.5	...	...	N	4	...	,,	30.04	762.9	...	...	N	2	...
Koshun	,,	30.02	762.6	...	...	S E	6	...	,,	30.00	762.0	...	...	N E	3	...
Pescadores,	,,	30.03	762.8	...	...	N	8	...	,,	30.04	762.9	...	...	N	8	...
Canton,	3 p.	29.99	761.7	77	57	N	1	c	9 a.	30.13	765.3	73	63	E	1	b
Hongkong,	4 p.	30.03	762.7	74	75	E	2	o	10 a.	30.13	765.3	75	62	E	4	c
Victoria Peak,	,,	...	...	...	...	S E	2	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	29.98	761.5	...	...	E N E	4	...	,,	30.08	764.0	...	...	E N E	5	...
Macao,	,,	30.05	763.2	76	...	E N E	1	o	,,	30.15	765.8	78	...	E	2	c
Wuchow,	3 p.	30.07	763.8	76	60	N	2	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.98	761.4	82	...	W	2	c	8 a.	30.09	764.2	72	...	N E	2	or
Tourane,	,,	29.91	759.7	77	...	E	4	c	,,	30.02	762.6	77	..	E S E	4	o
Cape St. James,	,,	29.82	757.5	79	...	E N E	4	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.93	760.2	84	...	N E	2	b	6 a.	29.96	760.9	75	...	S	0	c
Manila,	4 p.	29.84	758	84	71	N E	2	o	10 a.	29.92	760	82	70	N E	1	o
Legaspi,	2 p.	29.81	757.2	82	...	N E	2	o	6 a.	29.86	758.3	79	...	E	2	c
Bacolod,	3 p.	...	...	...	...	S	2	c	9 a.	...	...	...	...	S	1	b
Iloilo,	,,	29.77	756.1	82	...	N E	1	c	,,	29.89	759.2	81	...	N E	1	b
Cebu,	,,	29.78	756.4	85	...	N	2	c	,,	29.89	759.2	85	...	N	2	c
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	29.87	758.7	83	...	...	...	...

On the 29th at 11.55 a.—The barometer has risen slightly over China. Over the Philippines there is no change.

Areas of high pressure are covering N.E. Japan and the Yellow Sea, and pressure is relatively low over Manchuria in the North, and over the S. Philippines and adjacent waters in the South.

Fresh to strong monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 29th October, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th OCTOBER, 1910, P.M.								30th OCTOBER, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock, ...	2 p.	30.11	764.7	61	...	S S E	2	b	7 a.	30.04	763.1	35	63	N	5	c
emuro, ...	,,	30.26	768.6	...	...	S	4	...	6 a.	30.22	767.6	...	...	S	1	...
akodate, ...	,,	30.20	767.2	...	...	S S E	1	...	,,	30.21	767.2	...	...	N N W	1	...
kio, ...	,,	30.10	764.6	...	...	N W	1	...	,,	30.10	764.6	...	...	N N W	2	...
ochi, ...	,,	30.09	764.3	...	...	S S W	1	...	,,	30.21	767.3	...	...	W	1	...
agasaki, ...	,,	30.15	765.8	...	...	N	4	...	,,	30.25	768.3	...	...	N E	2	...
agoshima, ...	,,	30.11	764.9	...	...	...	0	...	,,	30.23	767.9	...	...	..	0	...
shima, ...	,,	30.10	764.6	...	...	N	3	...	,,	30.16	766.1	...	...	S	1	...
ba, ...	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
higakijima, ...	,,	...	...	...	...	...	...	...	,,	30.07	763.8	...	...	N E	3	...
oin Is.	,,	29.98	761.6	...	...	S S W	1	...	,,	30.01	762.1	...	...	...	0	...
lefoo, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	..	...	...
ihaiwei, ...	,,	30.25	768.3	63	65	N E	3	c	9 a.	30.38	771.6	60	65	W	1	b
nkow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
nkiang, ...	,,	30.17	766.3	...	...	N E	2	b	,,	30.19	766.8	60	94	N E	1	b
anghai, ...	,,	30.24	768.1	71	53	E N E	2	b	9 a.	30.32	770.1	68	56	E N E	1	b
nlaff, ...	,,	30.29	769.3	68	65	N E	2	bv	,,	30.36	771.1	67	60	E N E	3	cv
arp Peak, ...	,,	30.15	765.8	70	...	N E	2	b	,,	30.23	767.8	68	...	N	3	c
ey, ...	,,	29.99	761.7	81	45	N E	2	b	6 a.	30.03	762.7	67	60	N E	3	b
ntow, ...	,,	30.04	763.5	77	65	E	2	b	,,	30.04	763.0	63	65	N E	3	b
ichow, ...	1 p.	30.10	764.6	...	...	E	8	...	5 a	30.12	764.9	...	...	E	4	...
ichu, ...	,,	30.00	762.0	...	...	N	4	...	,,	30.06	763.4	...	...	...	0	...
nan, ...	,,	30.04	763.0	...	...	N W	4	...	,,	30.06	763.6	...	...	N	2	...
ahun, ...	,,	...	...	...	...	...	...	...	,,	30.04	763.1	...	...	N	4	...
ondores, ...	,,	30.06	763.5	...	...	N E	10	...	,,	30.06	763.5	...	...	N E	5	...
ron, ...	3 p.	30.04	763.0	79	63	W S W	1	b	9 a.	30.14	765.5	73	72	E	1	...
ngkong, ...	4 p.	30.05	763.2	75	65	E	2	b	10 a.	30.13	765.3	75	52	E	4	...
ctoria Peak, ...	,,	...	..	...	...	E	3	...	,,	...	...	...	...	E	7	...
Rock, ...	,,	30.00	762.0	...	...	E	5	...	,,	30.09	764.3	...	...	E N E	6	...
eso, ...	,,	30.07	763.8	75	...	E S E	2	c	,,	...	...	...	...	...	...	...
ehow, ...	3 p.	30.05	763.2	84	...	E	1	c	9 a.	30.18	766.6	70	...	E	1	...
how, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoi, ...	,,	30.02	762.5	81	71	N N E	1	c	,,	...	...	...	...	...	...	...
alen, ...	4 p.	29.98	761.6	79	...	E S E	6	c	8 a.	30.09	764.2	77	...	N E	2	...
ane, ...	,,	29.94	760.6	77	...	E S E	4	c	,,	30.04	762.9	79	..	E N E	4	...
St. James, ..	,,	29.80	756.8	81	...	N E	5	c	,,	29.92	759.9	79	...	N E	2	...
arri, ...	2 p.	29.96	760.9	82	...	N E	2	p	6 a.	29.97	761.2	75	...	W	2	...
ala, ...	4 p.	29.84	758	88	57	N E	1	o	10 a.	29.88	759	88	66	N N E	1	...
gapi, ...	2 p.	29.80	756.8	88	...	N E	2	o	6 a.	...	...	...	...	...	...	...
olod, ...	3 p.	...	...	..	...	S	2	c	9 a.	...	...	...	...	S	1	...
lo, ...	,,	29.77	756.1	85	...	N E	1	b	,,	29.87	758.7	82	...	N E	1	...
k, ...	,,	29.79	756.6	84	...	N	1	o	,,	29.85	758.2	85	...	S	1	...
hian, ...	,,	29.78	756.4	87	...	...	...	...	,,	...	...	...	...	...	...	...

On the 30th at 11.55 a.—Pressure is low over the S. Philippines and adjacent waters and still slowly giving way.
The barometer has fallen moderately in E. Japan, and risen slightly to moderately over N. China and W. Japan.
An area of low pressure is passing from the continent to the N.E. part of the Sea of Japan.
A high pressure area now lies over N. China.
Strong monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood.	N.E. winds, fresh to strong; fine.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 30th October, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th October, 1910, P.M.								31st October, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.05	763.2	40	...	N N E	2	o	7 a.	30.48	774.2	...	50	N N E	2	
Nemuro,	,,	30.14	765.6	...	...	S	3	...	6 a.	30.24	768.1	...	...	...	0	
Hakodate,	,,	30.17	766.2	...	...	N	4	...	,,	30.26	768.7	...	...	N	2	
Tokio,	,,	30.12	766.1	...	...	N W	2	...	,,	30.24	768.1	...	...	N N W	1	
Kochi,	,,	30.17	766.3	...	...	N N W	2	...	,,	30.27	768.8	...	...	S W	2	
Nagasaki,	,,	30.21	767.3	...	...	E N E	4	...	,,	30.27	768.8	...	...	N E	3	
Kagoshima,	,,	30.17	766.4	...	...	S E	1	...	,,	30.23	767.9	...	...	E	1	
Oshima,	,,	30.14	765.6	...	...	N E	2	...	,,	30.16	766.1	...	...	S	1	
Naha,	,,	30.09	764.2	...	...	N	3	...	,,	30.07	763.7	...	...	N E	1	
Ishigakijima,	,,	30.07	763.8	...	...	N E	6	...	,,	30.03	762.8	...	...	N E	2	
Bonin Is.	,,	29.96	761.1	...	...	N	1	...	,,	29.97	761.1	...	...	N	1	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	30.33	770.4	65	73	N N E	1	c	9 a.	30.31	769.9	64	84	S S W	1	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	30.13	765.3	78	...	N E	1	b	,,	30.05	763.2	62	89	N E	1	
Shanghai,	,,	30.23	767.8	70	48	E	1	c	9 a.	30.20	767.1	67	69	E S E	2	
Gutzlaff,	,,	30.34	770.6	68	56	E	3	cv	,,	30.29	769.3	68	74	E	5	
Sharp Peak,	,,	30.17	766.3	70	...	N N E	2	c	,,	30.13	765.3	69	...	N	1	
Amoy,	,,	29.98	761.5	81	48	E	2	b	6 a.	30.05	763.2	70	70	N E	1	
Swatow,	,,	30.02	762.5	78	65	E	2	b	,,	30.03	762.7	66	...	N	1	
Taihoku,	1 p.	30.11	764.7	...	...	E	8	...	5 a	30.03	762.7	...	...	E	6	
Taichu,	,,	30.02	762.4	...	...	N	2	...	,,	30.01	762.2	...	...	...	0	
Tainan,	,,	30.03	762.7	...	...	N	6	...	,,	30.00	762.0	...	...	...	0	
Koshun	,,	30.04	763.1	...	...	E	6	...	,,	30.00	762.0	...	...	N E	6	
Pescadores,	,,	30.06	764.3	...	...	N	10	...	,,	29.98	761.4	...	...	N	6	
Canton,	3 p.	30.00	762.0	80	58	S E	1	b	9 a.	30.09	764.3	74	76	E	1	
Hongkong,	4 p.	30.02	762.5	74	61	E	3	b	10 a.	30.07	763.8	76	61	E	3	
Victoria Peak,	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	E	3	
Gap Rock,	,,	29.97	761.2	...	...	E	5	...	,,	29.98	761.5	...	...	E N E	5	
Macao,	,,	30.04	763.0	76	...	S E	1	b	,,	30.10	764.5	76	...	N E	1	
Wuchow,	3 p.	30.05	763.2	72	...	E	1	c	9 a.	30.08	764.0	82	...	E	1	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.96	761.1	77	...	S E	6	b	8 a.	30.05	763.2	73	...	E N E	3	
Tourane,	,,	29.93	760.1	77	...	E N E	3	c	,,	30.01	762.1	79	..	E N E	4	
Cape St. James,	,,	29.83	757.6	77	...	N N E	4	o	,,	...	...	...	...	...	...	
Aparri,	2 p.	29.89	759.3	86	...	N E	2	b	6 a.	29.78	756.5	75	...	...	0	
Manila,	4 p.	29.76	756	86	65	E S E	1	b	10 a.	29.80	757	84	77	N	2	
Legaspi,	2 p.	29.73	755.1	81	...	N E	2	o	6 a.	...	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	S	2	c	9 a.	...	...	...	...	S	2	
Iloilo,	,,	29.74	755.4	82	...	...	0	c	,,	29.76	756.9	82	...	...	0	
Cebu,	,,	29.76	755.9	83	...	...	0	r	,,	29.72	754.9	81	...	S	1	
Labuan,	,,	29.79	756.6	84	...	...	...	...	,,	29.85	758.2	81	...	...	...	

On the 31st at 11.55 a.—The barometer has fallen quickly over the Philippines a typhoon, which appears to moving towards W.N.W., having approached S.E. Luzon.

Pressure has given way also over China, and apparently a depression is developing over the Yangtze valley.

The high pressure area occupies Manchuria and the N. part of the Sea of Japan.

Strong winds to gales from N. and N.E. may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh to strong; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 31st October, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st OCTOBER, 1910, P.M.								1st NOVEMBER, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
livostock, ...	2 p.	30.37	771.5	36	...	N N E	3	o	7 a.	30.28	763.1	44	66	...	0	o
uro, ...	,,	30.32	770.1	...	...	N	4	...	6 a.	30.48	774.1	...	...	E	1	...
odate, ...	,,	30.32	770.2	...	...	N	3	...	,,	30.42	772.7	...	...	N N W	1	...
o, ...	,,	30.22	767.6	...	...	E	1	...	,,	30.36	771.1	...	...	N N W	1	...
ri, ...	,,	30.19	766.8	...	...	S E	1	...	,,	30.29	769.3	...	...	S W	1	...
saki, ...	,,	30.21	767.3	...	...	N N E	2	...	,,	30.21	767.3	...	...	N N E	1	...
oshima, ...	,,	30.17	766.4	...	...	E	1	...	,,	30.17	766.4	...	...	E	4	...
ma, ...	,,	30.12	765.1	...	...	N N E	2	...	,,	30.10	764.6	...	...	S	1	...
,.....	,,	30.05	763.2	...	...	E N E	4	...	,,	30.07	763.7	...	...	E	1	...
gakijima, ...	,,	29.99	761.8	...	...	E N E	5	...	,,	30.01	762.3	...	...	E N E	2	...
in Is.	,,	29.91	759.6	...	...	N N E	1	...	,,	29.95	760.6	...	...	N N W	2	...
loo, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
haiwei, ...	,,	...	...	...	...	...	...	...	9 a.	30.21	767.1	60	88	N	1	op
kow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
xiang, ...	,,	30.07	763.8	62	89	N E	2	o	,,	...	...	...	..	...	...	...
ghai, ...	,,	30.13	765.3	67	69	E	1	om	9 a.	30.13	765.3	67	89	W	1	om
laff, ...	,,	30.22	767.6	60	66	S E	3	ev	,,	30.23	767.8	66	100	S E	2	on
p Peak, ...	,,	30.06	763.5	77	...	E	3	c	,,	30.09	764.3	71	...	N	1	c
y.....	,,	29.90	759.4	82	52	E	3	b	6 a.	29.96	761.0	71	57	N E	1	b
low, ...	,,	29.95	760.7	77	69	E	3	b	,,	29.98	761.5	67	..	N	1	b
oku.....	1 p.	29.98	761.4	...	...	E	6	...	5 a.	29.99	761.8	...	...	E	6	...
hu, ...	,,	29.94	760.6	...	...	N W	2	...	,,	29.97	761.3	...	...	...	0	...
an, ...	,,	29.98	761.5	...	...	W	2	...	,,	29.98	761.5	...	...	N	2	...
hum.....	,,	29.98	761.4	...	...	N E	6	...	,,	29.94	760.5	...	...	N E	10	...
adores, ...	,,	29.98	761.5	...	...	N	8	...	,,	29.96	761.0	...	...	N	8	...
ton, ...	3 p.	29.97	761.2	81	56	S	1	b	9 a.	30.06	763.5	74	81	S S E	1	b
gkong, ...	4 p.	29.98	761.5	76	67	E	2	o	10 a.	30.04	763.0	80	61	E	1	b
oria Peak, ...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	N E	3	...
Rock, ...	,,	29.95	760.7	...	...	E N E	4	...	,,	30.01	762.2	...	...	E N E	5	...
ao, ...	,,	30.01	762.2	77	...	E S E	1	c	,,	30.08	764.0	77	...	N E	1	c
chow, ...	3 p.	30.00	762.0	82	...	E	1	c	9 a.	30.12	765.0	69	...	E	2	b
how, ...	,,	30.01	762.2	82	...	E	2	b	,,	...	...	...	...	...	...	...
hoi, ...	,,	29.99	761.7	83	...	N W	1	b	,,	...	...	...	...	...	...	...
lien, ...	4 p.	29.95	760.7	79	...	N E	5	c	8 a.	...	...	...	...	...	...	...
rane, ...	,,	29.90	759.5	77	...	E N E	4	c	,,	...	...	...	..	...	...	...
e St. James, .	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
rri, ...	2 p.	29.85	758.1	79	...	N E	2	p	6 a.	29.86	758.3	79	...	N E	2	p
ila, ...	4 p.	29.72	755	83	59	N N E	2	o	10 a.	29.76	756	86	71	N	3	o
aspi, ...	2 p.	29.64	752.8	79	...	N E	2	o	6 a.	29.53	752.5	77	...	E	8	o
olod, ...	3 p.	...	...	...	...	S W	2	or	9 a.	...	...	...	...	S W	5	or
lo, ...	,,	29.64	752.8	81	...	...	...	o	,,	29.56	750.8	73	...	N	4	or
u, ...	,,	29.62	752.3	82	...	S	1	or	,,	29.46	748.3	79	...	S	8	or
uan, ...	,,	29.80	756.9	81	...	...	...	...	,,	29.83	757.7	79	...	...	...	...

On the 1st at 12.05 p.—The barometer has fallen quickly over the Southern Philippines owing to the typhoon which is moving Westwards to the Northwest of Cebu.

Pressure has given way moderately to slightly over the E. coast of China and W. Japan, a shallow depression having passed from the mainland to the Yellow Sea.

The anticyclonic area has shifted to the Eastward and lies now over N.E. Japan.

Rough weather may be expected over the China Sea during the next two or three days.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. winds, fresh or strong; fine.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 1st November, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st November, 1910, P.M.								2nd November, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.21	767.3	50	...	W S W	0	o	7 a.	29.98	761.5	52	98	S S E	0	o
Nemuro,	,,	30.44	773.1	...	...	W	2	...	6 a.	30.38	771.6	...	...	S S E	5	...
Hakodate,	,,	30.34	770.7	...	...	...	0	...	,,	30.23	767.7	...	...	S S E	1	...
Tokio,	,,	30.28	769.1	...	...	N N W	1	...	,,	30.30	769.6	...	...	N W	1	...
Kochi,	,,	30.21	767.3	...	...	S W	1	...	,,	30.19	766.8	...	...	S W	1	...
Nagasaki,	,,	30.13	765.3	...	...	E S E	3	...	,,	30.13	765.3	...	...	S E	1	...
Kagoshima,	,,	30.11	764.9	...	...	E	2	...	,,	30.13	765.4	...	...	N E	1	...
Oshima,	,,	30.06	763.6	...	...	E	1	...	,,	30.10	764.6	...	...	S	1	...
Naha,	,,	30.03	762.7	...	...	E	2	...	,,	30.07	763.7	...	...	...	0	...
Ishigakijima,	,,	30.01	762.3	...	...	E	4	...	,,	30.05	763.3	...	...	N N E	2	...
Bonin Is.	,,	29.93	760.1	...	...	N E	2	...	,,	30.06	763.6	...	...	N N E	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	30.23	767.8	63	52	N	8	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	64	84	N E	1	o	,,	30.30	769.6	61	94	N E	1	or
Shanghai,	,,	30.11	764.8	65	84	N N W	1	om	9 a.	30.25	768.3	61	94	N W	2	om
Gutzlaff,	,,	30.20	767.1	66	95	N	2	cm	,,	30.32	770.1	62	89	N W	3	ogm
Sharp Peak,	,,	30.05	763.2	73	...	E	3	b	,,	30.15	765.8	72	...	N N E	2	c
Amoy,	,,	29.85	758.2	86	61	N E	3	b	6 a.	29.96	761.0	77	57	...	0	b
Swatow,	,,	29.93	760.2	80	66	E	1	b	,,	30.00	762.0	69	...	N	1	b
Taihoku,	1 p.	29.98	761.5	...	...	E	8	...	5 a.	30.06	763.4	...	...	E	6	...
Taichu,	,,	29.97	761.3	...	...	N	2	...	,,	30.00	762.0	...	...	...	0	...
Tainan,	,,	29.97	761.3	...	...	W	4	...	,,	30.01	762.2	...	...	E	2	...
Koshun	,,	29.94	760.5	...	...	N E	10	...	,,	30.00	761.9	...	...	N E	8	...
Pescadores,	,,	29.96	760.9	...	...	N	4	...	,,	29.98	761.5	...	...	N E	6	...
Canton,	3 p.	29.93	760.2	83	60	N	0	b	9 a.	30.12	765.0	74	72	N N E	2	b
Hongkong,	4 p.	29.95	760.7	76	75	E	3	b	10 a.	30.10	764.5	79	62	N N E	1	c
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E N E	1	...
Gap Rock,	,,	29.92	759.9	...	...	E	5	...	,,	30.06	763.5	...	...	E N E	4	...
Macao,	,,	29.98	761.5	73	...	S E	1	c	,,	30.13	765.3	77	...	N N E	2	c
Wuchow,	3 p.	29.97	761.2	85	...	W	1	...	9 a.	30.19	766.8	72	67	N E	1	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.98	761.5	81	...	S W	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.95	760.8	81	...	S S E	4	b	8 a.	30.08	764.1	79	...	N	2	b
Tourane,	,,	29.91	759.6	77	...	E	3	o	,,	30.01	762.3	77	..	E N E	3	c
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	82	...	N W	1	f
Aparri,	2 p.	29.82	757.4	84	...	N E	2	o	6 a.	29.89	759.1	79	...	N E	2	o
Manila,	4 p.	29.69	754	79	84	N N E	1	o	10 a.	29.80	757	82	77	E S E	1	o
Legaspi,	2 p.	29.69	754.0	82	...	N E	2	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N	6	cq	9 a.	...	...	...	...	S	2	r
Iloilo,	,,	29.30	744.2	79	...	N	6	pq	,,	29.82	757.4	79	...	...	0	o
Cebu,	,,	29.54	750.3	80	...	S	8	od	,,	29.80	756.9	82	...	E	1	c
Labuan,	,,	29.88	758.9	78	...	...	...	...	,,	29.80	756.9	81	...	...	...	...

On the 2nd at 11.55 a.—The barometer has risen quickly over the Southern Philippines the typhoon, which passed near Iloilo last evening, having moved away Westwards. This morning it is situated to the N.W. of Palawan.

The northern depression has moved towards N.E. and approached the neighbourhood of Wladiwostok. Pressure is giving way over E. Japan and increasing over China.

Areas of high pressure are lying over the Pacific to the E. of Japan, and over N. China.

Rough weather is expected to prevail over the China Sea for the next two days.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh or strong; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 2nd November, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd November, 1910, P.M.								3rd November, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.82	757.4	64	...	S W	0	or	7 a.	29.96	761.0	34	47	N W	1	b
Nemuro,	,,	30.24	768.1	...	...	S S W	4	...	6 a.	29.91	759.6	...	...	S S E	7	...
Hakodate,	,,	30.09	764.2	...	...	S	1	...	,,	29.63	752.7	...	...	S	4	...
Tokio,	,,	30.16	766.1	...	...	S S E	1	...	,,	29.89	759.1	...	...	S S W	3	...
Kochi,	,,	30.07	763.8	...	...	..	0	...	,,	29.95	760.8	...	...	S W	1	...
Nagasaki,	,,	30.01	762.3	...	...	W S W	3	...	,,	30.09	764.3	...	...	N	1	...
Kagoshima,	,,	30.04	762.9	...	...	S	1	...	,,	30.06	763.4	...	...	N N W	3	...
Oshima,	,,	30.06	763.6	...	...	...	0	...	,,	30.08	764.1	...	...	N	2	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.07	763.7	...	...	N N E	4	...
Ishigakijima,	,,	30.03	762.8	...	...	N E	4	...	,,	30.07	763.8	...	...	N N E	2	...
Bonin Is.	,,	30.00	762.1	...	...	N N E	1	...	,,	30.01	762.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.24	768.1	60	55	N	8	c	9 a.	30.39	771.9	53	42	N W	5	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.30	769.6	64	84	N W	1	or	,,	30.27	768.8	60	76	N E	2	o
Shanghai,	,,	30.21	767.3	63	83	N N W	3	o	9 a.	30.37	771.4	61	55	N N E	2	o
Gutzlaff,	,,	30.28	769.1	65	95	N	5	oq	,,	30.32	770.1	65	58	N	5	cv
Sharp Peak,	,,	30.13	765.3	73	86	N	4	o	,,	30.21	767.3	70	...	N N E	2	b
Amoy,	,,	29.95	760.7	85	51	E	3	b	6 a.	29.96	761.0	70	70	N E	1	b
Swatow,	,,	29.95	760.7	79	61	E	3	b	,,	30.05	763.2	69	90	E.	1	b
Taihoku,	1 p.	30.04	763.0	...	...	E	8	...	5 a.	30.12	765.0	...	...	E	6	...
Taichu,	,,	29.98	761.4	...	...	N W	2	...	,,	30.02	762.6	...	...	...	0	...
Tainan,	,,	30.00	761.9	...	...	N W	4	...	,,	30.02	762.6	...	...	N	2	...
Koshun,	,,	29.98	761.6	...	...	N E	10	...	,,	30.02	762.4	...	...	N E	8	...
Pescadores,	,,	30.00	762.1	...	...	N E	10	...	,,	30.03	762.7	...	...	N E	10	...
Canton,	3 p.	30.00	762.0	83	...	N N E	2	b	9 a.	30.13	765.3	72	67	N N E	2	c
Hongkong,	4 p.	29.93	761.5	79	67	E	3	o	10 a.	30.11	764.8	75	65	N E	2	c
Victoria Peak,	,,	...	...	...	...	N	3	...	,,	...	...	...	...	E N E	4	...
Gap Rock,	,,	29.95	760.7	...	...	E N E	4	...	,,	30.06	763.5	...	...	E N E	7	...
Macao,	,,	30.01	762.2	81	...	N N W	3	c	,,	30.14	765.5	73	...	N E	3	c
Wuchow,	3 p.	30.05	763.2	83	...	N	1	c	9 a.	30.20	767.1	68	74	N	1	c
Hoihow,	,,	30.02	762.5	81	...	E	3	b	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.02	762.5	81	29	N E	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.99	761.7	82	...	S S E	3	c	8 a.	30.09	764.3	73	...	N E	4	c
Tourane,	,,	29.91	759.8	77	...	N E	4	c	,,	29.88	758.8	75	..	N N W	6	f
Cape St. James,	,,	29.76	756.0	86	...	S W	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	..	...	...	...	...	6 a.	29.99	761.8	75	...	S	2	d
Manila,	4 p.	29.76	756	81	76	E	2	o	10 a.	29.92	760	84	77	W	1	c
Legaspi,	2 p.	29.79	756.7	84	...	E	2	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S	2	o	9 a.	...	...	...	...	S	2	c
Iloilo,	,,	29.75	755.6	80	...	N W	...	...	,,	29.89	759.2	80	...	N E	1	b
Cebu,	,,	29.78	756.4	85	...	N	1	c	,,	29.90	759.4	86	...	N	1	...
Labuan,	,,	29.86	758.4	87	...	...	...	...	,,	29.85	758.2	82	...	...	...	...

On the 3rd at 12.10 a.—The barometer has risen moderately in the Philippines, and fallen decidedly on the Annam coast.

The typhoon appears to be situated to the Southward of the Macclesfield Bank, and to be moving now towards W.N.W.

The barometer has fallen rapidly in E. Japan, the northern depression having moved Eastwards and approached Hokkaido.

The high pressure area lies over the continent to the North of the Yangtze valley and pressure has increased over N. China.

Rough weather may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; fair, squally.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 3rd November, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd November, 1910, P.M.								4th November, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.93	760.1	42	...	N W	1	b	7 a.	30.08	764.1	33	53	...	0	b
Nemuro,	,,	29.59	751.6	...	...	S	7	...	6 a.	29.89	759.1	...	...	W N W	3	...
Hakodate,	,,	29.79	756.7	...	...	N W	6	...	,,	30.03	762.7	...	...	W N W	1	...
Tokio,	,,	29.71	754.6	...	...	N W	1	...	,,	30.10	764.6	...	...	N	1	...
Kochi,	,,	29.95	760.8	...	...	N	4	...	,,	30.15	765.8	...	...	N N E	1	...
Nagasaki,	,,	30.11	764.8	...	...	N	2	...	,,	30.19	766.8	...	...	...	0	...
Kagoshima,	,,	30.04	762.9	...	...	N	2	...	,,	30.15	765.9	...	...	N	1	...
Oshima,	,,	30.10	764.6	...	...	N	4	...	,,	30.12	765.1	...	...	N	3	...
Naha,	,,	30.07	763.7	...	...	N N E	4	...	,,	30.11	764.7	...	...	N E	1	...
Ishigakijima,	,,	30.07	763.8	...	...	S E	4	...	,,	30.07	763.8	...	...	N E	4	...
Bonin Is.	,,	29.94	760.6	...	...	W	1	...	,,	29.97	761.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.32	770.1	53	54	N N W	2	b	9 a.	30.24	768.1	56	51	S S W	4	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.29	769.3	63	89	N E	2	o	,,	30.28	769.1	57	81	N E	1	o
Shanghai,	,,	30.29	769.3	65	44	N N E	2	c	9 a.	30.31	769.9	60	55	N N E	1	c
Gutzlaff,	,,	30.39	771.9	64	58	N	5	cv	,,	30.39	771.9	65	44	N N E	4	or
Sharp Peak,	,,	30.17	766.3	69	80	N N E	5	o	,,	30.23	767.8	69	...	N	1	c
Amoy	,,	29.98	761.5	79	47	N E	5	b	6 a.	30.06	763.5	63	65	N E	1	o
Swatow,	,,	30.00	762.0	76	64	E	3	b	,,	30.07	763.8	66	89	N N E	1	or
Taihoku,	1 p.	30.11	764.7	...	...	E	6	...	5 a.	30.12	765.1	...	...	E	6	...
Taichu,	,,	29.99	761.8	...	...	N	6	...	,,	30.02	762.6	...	...	...	0	...
Tainan,	,,	30.03	762.8	...	...	W	4	...	,,	30.03	762.7	...	...	N	4	...
Koshun	,,	30.00	762.0	...	...	N E	8	...	,,	30.02	762.6	...	...	N E	6	...
Pescadores,	,,	30.05	763.2	...	...	N	10	...	,,	30.04	763.0	...	...	N E	10	...
Canton,	3 p.	30.01	762.2	79	58	N	1	b	9 a.	30.15	765.8	65	95	N N E	2	or
Hongkong,	4 p.	30.00	762.0	75	70	E	3	o	10 a.	30.11	764.8	69	86	N E	2	od
Victoria Peak,	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	7	...
Gap Rock,	,,	29.96	761.0	...	...	E N E	6	...	,,	30.05	763.2	...	...	N E	7	...
Macao,	,,	30.03	762.7	77	...	N E	2	o	,,	30.14	765.5	67	...	N	3	or
Wuchow,	3 p.	30.06	763.5	80	51	N	1	c	9 a.	30.21	767.3	67	...	N	2	or
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.00	762.0	80	58	N	4	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	...	...	..	...	...	...	...	8 a.	...	...	..	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.92	760.0	77	...	N E	2	c	6 a.	29.96	760.9	73	...	S E	2	d
Manila,	4 p.	29.80	757	86	71	...	0	o	10 a.	29.96	761	75	100	...	0	r
Legaspi,	2 p.	29.83	757.6	86	...	E	2	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	2	or	9 a.	...	...	...	...	S	1	c
Iloilo,	,,	29.79	756.6	83	...	...	0	b	,,	29.87	758.7	82	...	N E	1	b
Cebu,	,,	29.84	757.9	86	...	N	2	b	,,	29.89	759.2	86	...	N	1	b
Labuan,	,,	29.73	755.1	87	...	...	...	...	,,	29.88	758.9	79	...	...	...	...

On the 4th at 12.10 p.—No returns have been received from Indo-China since yesterday morning. Probably the typhoon entered Annam last night.

The depression lying over N.E. Japan yesterday, has moved into the Pacific.

Pressure has increased considerably in Japan and given way moderately over N. China. It is highest over the Yangtze valley.

Strong N.E. winds may still be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.27 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; rain at first, improving later.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday 4th November, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th November, 1910, P.M.								5th November, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	30.05	763.3	47	...	S W	0	b	7 a.	29.98	761.4	33	93	...	0	b
Nemuro,	,,	29.91	759.6	...	...	W	3	...	6 a.	30.10	764.6	...	...	W	1	...
Hakodate,	,,	30.05	763.2	...	...	N W	3	...	,,	30.15	765.7	...	...	...	0	...
Tokio,	,,	30.10	764.6	...	...	N N W	1	...	,,	30.16	766.1	...	...	N W	1	...
Kochi,	,,	30.07	763.8	...	...	...	0	...	,,	30.13	765.3	...	...	S W	1	...
Nagasaki,	,,	30.17	766.3	...	...	N N W	1	...	,,	30.19	766.8	...	...	...	0	...
Kagoshima,	,,	30.13	765.4	...	...	N N W	1	...	,,	30.15	765.9	...	...	N	1	...
Oshima,	,,	30.08	764.1	...	...	N	3	...	,,	30.12	765.1	...	...	N N W	1	...
Naha,	,,	30.11	764.7	...	...	N E	2	...	,,	30.13	765.2	...	...	E	1	...
Ishigakijima,	,,	30.07	763.8	...	...	N E	4	...	,,	30.09	764.3	...	...	N N E	1	...
Bonin Is.	,,	29.96	761.1	...	...	N	1	...	,,	30.01	762.1	...	...	N N E	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	30.17	766.3	64	53	W	4	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.20	767.1	68	74	N E	1	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.21	767.3	63	57	N E	1	c	9 a.	30.29	769.3	61	66	E S E	1	cm
Gutzlaff,	,,	30.32	770.1	63	67	E N E	2	cv	,,	30.37	771.4	65	58	E N E	1	cv
Sharp Peak,	,,	30.17	766.3	67	84	W	3	o	,,	30.22	767.6	66	89	N	2	o
Amoy,	,,	30.01	762.2	72	67	N E	4	o	6 a.	30.03	762.7	67	74	N E	2	or
Swatow,	,,	30.09	764.3	68	65	...	0	or	,,	30.05	763.2	64	...	N E	2	or
Taihoku,	1 p.	30.11	764.8	...	...	E	8	...	5 a.	30.11	764.7	...	...	E	6	...
Taichu,	,,	30.02	762.4	...	...	N	4	...	,,	30.01	762.2	...	...	N	4	...
Tainan,	,,	30.03	762.8	...	...	N	6	...	,,	30.02	762.5	...	...	N	6	...
Koshun	,,	30.01	762.3	...	...	N E	8	...	,,	30.01	762.1	...	...	E	8	...
Pescadores,	,,	30.04	763.1	...	...	N E	10	...	,,	30.03	762.7	...	...	N	8	...
Canton,	3 p.	30.05	763.2	67	89	N N E	2	or	9 a.	30.14	765.5	61	95	N N E	2	or
Hongkong,	4 p.	30.01	762.2	69	88	N	1	cd	10 a.	30.10	764.5	63	89	N	1	od
Victoria Peak,	,,	...	...	...	...	E N E	4	...	,,	...	...	...	...	E N E	5	...
Gap Rock,	,,	29.95	760.7	...	...	E N E	6	...	,,	30.04	763.0	...	...	E N E	6	...
Macao,	,,	30.03	762.7	67	...	N	3	or	,,	30.13	765.3	66	...	N	2	or
Wuchow,	3 p.	30.11	764.8	66	89	N	1	or	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.04	763.0	67	89	N	4	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	...	...	...	...	...	...	...	8 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.92	759.9	77	...	S E	0	p	6 a.	29.96	760.9	72	...	S	0	b
Manila,	4 p.	29.84	758	81	92	...	0	c	10 a.	29.92	760	84	71	E N E	0	c
Legaspi,	2 p.	29.84	757.9	88	...	N E	2	c	6 a.	29.88	758.8	77	...	...	...	b
Bacolod,	3 p.	...	...	...	...	S	2	c	9 a.	...	...	...	...	S	2	o
Iloilo,	,,	29.79	756.6	85	...	N E	1	b	,,	29.89	759.2	81	...	N E	...	...
Cebu,	,,	29.80	756.9	87	...	N	2	c	,,	...	...	...	...	N	2	b
Labuan,	,,	29.81	757.2	86	...	...	...	...	,,	29.90	759.4	79	...	...	...	...

On the 5th at 11.55 a.—The barometer has risen moderately in N.E. Japan, and fallen a like amount over N. China and Wladiwostok.

A depression appears to be moving Eastwards over Manchuria.

The highest pressure is shown over the Yangtze valley and Yellow Sea.

Fresh monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.61 **inches.**

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, fresh; rain at first, improving later.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 5th November, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th November, 1910, P.M.								6th November, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.92	760.0	55	...	S S W	0	b	7 a.	30.16	766.1	33	68	N N E	1	b
Nemuro,	,,	30.04	763.1	...	...	S W	2	...	6 a.	29.95	760.6	...	...	W	1	...
Hakodate,	,,	30.03	762.7	...	...	N E	...	...	,,	30.07	763.7	...	...	...	0	...
Tokio,	,,	30.04	763.1	...	...	N	1	...	,,	30.10	764.6	...	...	N N W	1	...
Kochi,	,,	30.07	763.8	...	...	S E	1	...	,,	30.19	766.8	...	...	S W	1	...
Nagasaki,	,,	30.17	766.3	...	...	N N W	2	...	,,	30.25	768.3	...	...	..	0	...
Kagoshima,	,,	30.11	764.9	...	...	N	2	...	,,	30.21	767.4	...	...	N N E	1	...
Oshima,	,,	30.12	765.1	...	...	N	4	...	,,	30.16	766.1	...	...	N N E	3	...
Naha,	,,	30.09	764.2	...	...	N N W	2	...	,,	30.13	765.2	...	...	N E	1	...
Ishigakijima,	,,	30.09	764.3	...	...	N E	4	...	,,	30.09	764.3	...	...	N E	2	...
Bonin Is.	,,	29.94	760.6	...	...	N W	1	...	,,	29.99	761.6	...	...	N W	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	...	..	...	...	...	...	...	9 a.	30.20	767.1	65	68	S S W	1	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	..	...	..
Kinkiang,	,,	30.17	766.3	65	73	N E	1	o	,,	30.18	766.6	54	...	..	0	b
Shanghai,	,,	30.21	767.3	65	53	E S E	1	...	9 a.	30.27	768.3	67	64	E S E	1	b
Gutzlaff,	,,	30.32	770.1	63	62	E	2	cv	,,	30.37	771.4	63	70	S E	2	cr
Sharp Peak,	,,	30.14	765.5	67	90	N N E	3	o	,,	30.21	767.3	65	89	N	2	o
Amoy,	,,	29.99	761.7	69	75	N E	3	o	6 a.	30.07	763.8	66	84	N E	1	or
Swatow,	,,	30.05	763.2	67	84	E	1	or	,,	30.07	763.8	64	95	N E	1	o
Taihoku,	1 p.	30.10	764.5	...	...	E	6	...	5 a.	30.11	764.7	...	...	E	6	...
Taichu,	,,	30.03	762.8	...	...	...	0	...	,,	30.03	762.7	...	...	..	0	...
Tainan,	,,	30.04	762.9	...	...	N	6	...	,,	30.04	763.0	...	...	N	4	...
Koshun,	,,	30.01	762.3	...	...	N E	8	...	,,	30.00	761.9	...	...	N E	10	...
Pescadores,	,,	30.05	763.3	...	...	N E	8	...	,,	30.04	762.9	...	...	N E	8	...
Canton,	3 p.	30.05	763.2	65	95	N N E	2	or	9 a.	30.13	765.3	67	89	N	1	o
Hongkong,	4 p.	30.03	762.7	68	97	E	1	od	10 a.	30.11	764.8	70	79	E	2	o
Victoria Peak,	,,			...	...	...	..	...	,,	...	...	...	...	E	7	...
Gap Rock,	,,	29.98	761.5	...	...	N	6	...	,,	30.07	763.8	...	...	E N E	6	...
Macao,	,,	30.06	763.5	66	...	N	2	or	,,	30.14	765.5	67	...	N N E	2	o
Wuchow,	3 p.	30.11	764.8	66	...	N E	1	od	9 a.	30.16	766.0	68	...	E	1	fr
Hoihow,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.01	762.2	71	85	N N E	4	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	...	...	..	...	...	...	...	8 a.	...	...	..	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Cape St. James,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.91	759.7	82	...	N	2	b	6 a.	29.95	760.7	75	...	S E	0	d
Manila,	4 p.	29.84	758	82	71	N E	1	c	10 a.	29.92	760	84	79	W	1	o
Legaspi,	2 p.	29.84	758.0	79	...	E	2	o	6 a.	29.89	759.1	79	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	S	2	o	9 a.	...	...	...	...	S W	2	or
Iloilo,	,,	29.79	756.6	83	...	...	0	o	,,	29.87	758.7	80	...	N N W	1	o
Cebu,	,,	29.81	757.2	86	...	N	1	c	,,	29.89	759.2	81	...	N	2	or
Labuan,	,,	29.85	758.2	79	...	...	...	...	,,	...	...	...	...	...	...	...

On the 6th at 11.50 a.—The barometer has risen in Wladiwostok and fallen over NE Japan. The depression lying over E. Manchuria yesterday, is moving into the Pacific to North of Hokkaido.

Pressure is very little changed in other areas. It is highest over the Yangtze valley and the Yellow Sea, and relatively low over the middle part of the China Sea and Southern Philippines.

Fresh to strong NE winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	NE winds, fresh or strong; cloudy, dull.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 6th November, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th November, 1910, P.M.								7th November, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.18	766.6	45	...	N W	0	b	7 a.	30.24	763.0	35	74	...	0	b
Nemuro,	,,	29.96	761.1	...	...	N N W	7	...	6 a.	30.14	765.6	...	...	N	4	...
Hakodate,	,,	30.07	763.7	...	...	N	4	...	,,	30.23	769.2	...	...	...	0	...
Tokio,	,,	30.08	764.1	...	...	N E	1	...	,,	30.20	767.1	...	...	N W	1	...
Kochi,	,,	30.11	764.8	...	...	N N W	1	...	,,	30.23	767.8	...	...	W	1	...
Nagasaki,	,,	30.21	767.3	...	...	N	3	...	,,	30.29	769.3	...	...	...	0	...
Kagoshima,	,,	30.17	766.4	...	...	N W	1	...	,,	30.25	768.4	...	...	N N E	2	...
Oshima,	,,	30.16	766.1	...	...	N	2	...	,,	30.20	767.1	...	...	S	2	...
Naha,	,,	...	...	...	...	N E	3	...	,,	30.13	765.2	...	...	N E	2	...
Ishigakijima,	,,	30.07	763.8	...	...	N E	4	...	,,	30.09	764.3	...	...	N E	1	...
Bonin Is.	,,	29.96	761.1	...	...	N N E	1	...	,,	30.01	762.1	...	...	N	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.18	766.6	65	63	N E	3	b	9 a.	30.25	768.3	60	...	S W	2	b
Tankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.15	765.8	69	65	N	2	b	,,	30.16	766.0	61	89	N E	2	c
Shanghai,	,,	30.17	766.3	70	48	S S E	2	c	9 a.	30.24	768.1	67	69	E S E	1	c
Gutzlaff,	,,	30.29	769.3	69	70	S E	3	cv	,,	30.33	770.4	70	75	E S E	4	cv
Sharp Peak,	,,	30.13	765.3	67	...	N	1	o	,,	30.19	766.8	66	..	N	3	c
Amoy	,,	30.02	762.5	72	67	N E	3	o	6 a.	30.03	762.7	70	70	N E	4	b
Swatow,	,,	30.04	763.0	67	84	N E	1	o	,,	30.07	763.8	67	90	...	1	b
Taihoku	1 p.	30.09	764.3	...	...	E	6	...	5 a.	30.10	764.4	...	...	E	6	...
Taichu,	,,	30.05	763.3	...	...	N	2	...	,,	30.04	762.9	...	...	...	0	...
Tainan,	,,	30.05	763.2	...	...	N	6	...	,,	30.05	763.2	...	...	N E	2	...
Koshun	,,	...	...	...	...	...	...	...	,,	30.02	762.6	...	...	N E	6	...
Pescadores,	,,	30.06	763.4	...	...	N E	8	...	,,	30.04	763.0	...	...	N E	6	...
Canton,	3 p.	30.02	762.5	72	81	N N E	1	o	9 a.	30.11	764.8	69	90	N N E	1	o
Hongkong,	4 p.	30.01	762.2	71	83	E	3	o	10 a.	30.08	764.0	73	72	E	4	o
Victoria Peak,	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	6	...
Gap Rock,	,,	29.96	761.0	...	...	E N E	6	...	,,	30.05	763.2	...	...	E N E	5	...
Macao,	,,	30.02	762.5	71	...	N	2	o	,,	30.13	765.3	73	...	N E	2	o
Wuchow,	3 p.	...	...	...	...	E	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.92	759.9	74	86	N N E	0	or	,,	...	...	...	...	...	...	...
Phulien,	4 p.	...	...	..	...	...	...	...	8 a.	...	...	..	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	..	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.89	759.1	81	...	N E	2	o	6 a.	29.96	761.0	73	...	S W	2	b
Manila,	4 p.	29.84	758	79	92	..	0	o	10 a.	29.92	760	82	71	W S W	1	c
Legaspi,	2 p.	29.83	757.6	84	...	E	2	o	6 a.	29.88	758.9	79	...	E	2	o
Bacolod,	3 p.	...	...	...	...	S W	2	or	9 a.	...	...	...	...	S	1	c
Iloilo,	,,	29.78	756.4	81	...	N	1	o	,,	29.89	759.2	81	...	...	0	o
Cebu,	,,	29.81	757.2	85	...	N	1	c	,,	29.90	759.4	83	...	N	1	o
Labuan,	,,	29.82	757.4	84	...	...	...	...	,,	29.96	761.0	77	...	...	...	...

On the 7th at 12.05 p.—The barometer has risen considerably in E. Japan, and fallen slightly over S. China.

The high pressure area has shifted Eastwards and now occupies the Sea of Japan.

Pressure is relatively low over the middle part of the China Sea.

Fresh to strong N.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 7th November, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th November, 1910, P.M.								8th November, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	30.18	766.5	49	...	S E	4	c	7 a.	30.17	766.4	33	44	N E	5	o
Nemuro,	,,	30.22	767.6	...	...	N	2	...	6 a.	30.28	769.1	...	...	W S W	1	...
Hakodate,	,,	30.26	768.7	...	...	S	1	...	,,	30.26	763.7	...	...	...	0	...
Tokio,	,,	30.22	767.6	...	...	N E	1	...	,,	30.32	770.1	...	...	N W	1	...
Koohi,	,,	30.17	766.3	...	...	S E	1	...	,,	30.27	768.8	...	...	S W	1	...
Nagasaki,	,,	30.23	767.8	...	...	N	1	...	,,	30.23	767.8	...	...	N N E	1	...
Kagoshima,	,,	30.19	766.9	...	...	N	1	...	,,	30.23	767.9	...	...	N E	1	...
Oshima,	,,	...	...	...	...	...	...	...	,,	30.16	766.1	...	...	S	1	...
Naba,	,,	...	...	...	...	...	...	...	,,	30.09	764.2	...	...	E	1	...
Ishigakijima,	,,	30.05	763.3	...	...	E N E	1	...	,,	29.97	761.3	...	...	S E	5	...
Bonin Is.	,,	29.96	761.1	...	...	N	1	...	,,	30.04	763.1	...	...	N W	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.19	766.8	77	31	S S W	2	b	9 a.	30.24	768.1	55	87	N N E	4	or
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.09	764.3	64	89	...	0	or	,,	30.15	765.8	61	94	N E	1	or
Shanghai,	,,	30.16	766.0	67	64	E S E	4	o	9 a.	30.11	764.8	61	100	S S E	1	or
Gutzlaff,	,,	30.26	768.6	67	79	E S E	6	ov	,,	30.21	767.3	62	100	E S E	4	0pm
Sharp Peak,	,,	30.11	764.8	67	95	N	1	or	,,	30.10	764.5	67	95	..	0	o
Amoy,	,,	29.97	761.2	75	68	N E	4	c	6 a.	29.96	761.0	69	90	W	3	or
Swatow,	,,	29.99	761.7	73	75	E	2	o	,,	30.01	762.2	68	95	N	1	or
Taihoku,	1 p.	30.04	762.9	...	...	E	8	...	5 a.	29.97	761.3	...	...	E	2	...
Taichu,	,,	29.98	761.6	...	...	...	0	...	,,	29.99	761.8	...	...	...	0	...
Tainan,	,,	30.03	762.7	...	...	S W	4	...	,,	30.00	762.0	...	...	..	0	...
Koshun	,,	30.01	762.2	...	...	N E	6	...	,,	29.99	761.8	...	...	N	2	...
Pescadores,	,,	30.02	762.4	...	...	N	6	...	,,	29.99	761.8	...	...	N	6	...
Canton,	3 p.	30.02	762.5	73	81	N N E	1	o	9 a.	30.06	763.5	71	90	...	0	o
Hongkong,	4 p.	30.02	762.5	73	78	E	2	o	10 a.	30.03	762.7	75	72	E	3	o
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	5	...
Gap Rock,	,,	29.97	761.2	...	...	E N E	4	...	,,	30.02	762.5	...	...	E N E	5	...
Macao,	,,	30.04	763.0	73	...	N E	1	od	,,	30.08	764.0	73	...	N E	1	o
Wuchow,	3 p.	30.04	763.0	74	...	E	1	od	9 a.	30.08	764.0	71	...	E	1	od
Hoihow,	,,	29.99	761.7	78	95	N	2	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.98	761.5	77	82	E	3	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	...	...	..	...	...	...	...	8 a.	...	...	..	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.91	759.7	84	...	E	2	b	6 a.	29.93	760.2	73	...	S	2	b
Manila,	4 p.	29.84	758	84	77	N W	1	o	10 a.	29.92	760	82	77	W	1	o
Legaspi,	2 p.	29.84	758.0	83	...	S E	2	c	6 a.	29.88	758.9	77	...	E	2	c
Bacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.79	756.6	84	...	E	1	o	,,	29.87	758.7	82	...	N E	1	b
Cebu,	,,	29.82	757.4	85	...	N	2	o	,,	29.88	758.9	87	...	...	0	c
Labuan,	,,	29.86	758.4	79	...	...	...	...	,,	29.91	759.7	78	...	...	...	...

On the 8th at 11.55 a.—The barometer has risen moderately in E. Japan, and fallen over China particularly on the E. coast, where a depression is developing.

The high pressure area has moved Eastwards and now occupies E. Japan.

Moderate monsoon may be expected over the N. part of the China Sea for the next two days.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate ; fair.
2.—Formosa Channel,	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 8th November, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th November, 1910, P.M.								9th November, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	30.16	766.0	41	...	N E	4	c	7 a.	30.27	768.8	26	70	N	0	b
Nemuro,	,,	30.16	766.1	...	...	S E	1	...	6 a.	30.01	762.1	...	...	S	1	...
Hakodate,	,,	30.17	766.2	...	...	N W	2	...	,,	30.09	764.2	...	...	...	1	...
Tokio,	,,	30.22	767.6	...	...	S S E	1	...	,,	30.14	765.6	...	...	N N W	1	...
Kochi,	,,	30.19	766.8	...	...	S E	1	...	,,	30.11	764.8	...	...	W S W	1	...
Nagasaki,	,,	30.17	766.3	...	...	...	0	...	,,	30.01	762.3	...	...	E	1	...
Kagoshima,	,,	30.15	765.9	...	...	E N E	1	...	,,	30.08	763.9	...	...	N N E	1	...
Oshima,	,,	30.06	763.6	...	...	S E	2	...	,,	30.01	762.1	...	...	...	0	...
Naha,	,,	30.01	762.2	...	...	S E	4	...	,,	29.95	760.7	...	...	...	0	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.89	759.3	...	...	...	0	...
Bonin Is.	,,	30.02	762.6	...	...	N E	1	...	,,	30.02	762.6	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.23	767.8	52	79	N N E	6	o	9 a.	30.11	764.8	44	92	N	8	r
Yankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.05	763.2	62	89	E	1	o	9 a.	30.05	763.2	54	94	W	6	oq
Sutziaff,	,,	30.03	762.7	63	100	E S E	4	omr	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	30.01	762.2	68	95	E	1	c	,,	30.06	763.5	69	95	..	0	o
Amoy,	,,	29.89	759.2	73	76	W	2	c	6 a.	29.39	759.2	69	90	N N E	1	or
Swatow,	,,	29.94	760.5	73	76	E	1	o	,,	...	...	...	...	...	...	..
Taihoku	1 p.	29.96	761.0	...	...	N W	4	...	5 a.	29.97	761.1	...	...	S E	2	...
Taichu,	,,	29.95	760.8	...	...	N	2	...	,,	29.91	759.8	...	...	...	0	...
Tainan,	,,	29.97	761.3	...	...	N	6	...	,,	29.94	760.5	...	...	N	4	...
Koshun	,,	29.93	760.3	...	...	N	6	...	,,	29.91	759.6	...	...	N	2	...
Pescadores,	,,	29.98	761.4	...	...	N	6	...	,,	29.92	760.0	...	...	N	3	...
Canton,	3 p.	29.95	760.7	76	82	N N E	2	c	9 a.	30.11	764.8	67	84	N	2	or
Hongkong,	4 p.	29.94	760.5	76	69	E	2	o	10 a.	30.05	763.2	71	92	E	3	od
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	29.90	759.4	...	...	E	4	...	,,	30.02	762.5	...	...	N	5	...
Macao,	,,	29.97	761.2	76	...	E	1	o	,,	30.10	764.5	69	...	N	2	od
Wuchow,	3 p.	29.97	761.2	75	...	E	1	o	9 a.	...	...	...	...	...	...	..
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.92	759.9	81	78	S E	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	...	...	..	...	...	...	...	8 a.	30.06	763.6	75	...	N N E	2	c
Tourane,	,,	...	...	...	...	...	...	...	,,	29.99	761.6	75	..	N W	3	dh
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.83	757.6	86	...	N	2	c	6 a.	...	..	...	...	...	...	...
Manila,	4 p.	29.84	758	88	86	W N W	1	c	10 a.	29.92	760	84	77	W S W	1	c
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.88	758.9	72	...	...	0	c
Bacolod,	3 p.	...	...	...	...	S	1	c	9 a.	...	...	...	...	S W	1	o
Iloilo,	,,	29.77	756.1	85	...	N E	1	b	,,	29.89	759.2	81	...	...	0	o
Cebu,	,,	29.80	756.9	85	...	N	2	c	,,	29.90	759.4	81	...	N	1	c
Labuan,	,,	29.84	757.9	84	...	...	...	...	,,	29.93	760.2	79	...	...	...	...

On the 9th at 11.55 a.—The barometer has risen slightly over Tongking and S.W. China, and fallen considerably over N. China, Japan and the Loochoos.

The depression lying over the E. coast of China yesterday, has moved Northeastwards into the Yellow Sea. A second area of low pressure lies betweeu Formosa and the Loochoos.

Probably a high pressure area is advancing over China from the N.W., and the monsoon will set in strongly again along the coast and over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, fresh to strong; rain at first, improving later.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 9th November, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th November, 1910, P.M.								10th November, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.20	767.1	32	...	N N E	1	b	7 a.	30.02	762.6	22	80	N N E	3	c
Nemuro,	,,	29.96	761.1	...	...	N	3	...	6 a.	30.01	762.1	...	...	N	3	...
Hakodate,	,,	30.05	763.2	...	...	N N W	1	...	,,	30.03	762.7	...	...	...	0	...
Tokio,	,,	30.02	762.6	...	...	...	0	...	,,	29.35	758.1	...	...	N N W	1	...
Kochi,	,,	29.99	761.8	...	...	S E	1	...	,,	29.52	749.8	...	...	E	2	...
Nagasaki,	,,	29.93	760.3	...	...	S E	5	...	,,	29.66	753.3	...	...	W N W	8	...
Kagoshima,	,,	29.94	760.4	...	...	...	0	...	,,	29.68	753.9	...	...	N W	2	...
Oshima,	,,	29.87	758.6	...	...	S S E	2	...	,,	29.81	757.1	...	...	W	3	...
Naha,	,,	29.85	758.2	...	...	S E	1	...	,,	29.85	758.2	...	...	N N E	6	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.95	760.8	...	...	N	5	...
Bonin Is.	,,	29.96	761.1	...	...	S E	1	...	,,	29.89	759.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	..	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.92	759.9	42	100	N	8	ohr	9 a.	...	..	45	92	N	8	o
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.30	769.6	55	87	N W	5	b	,,	30.24	768.1	43	83	N W	1	b
Shanghai,	,,	30.05	763.2	49	78	W N W	6	oq	9 a.	30.04	763.0	47	63	W	4	bq
Gutzlaff,	,,	30.01	762.2	52	86	N W	9	ogv	,,	30.05	763.2	46	69	W	7	ov
Sharp Peak,	,,	29.97	761.2	68	95	...	0	or	,,	30.13	765.3	58	...	W	1	b
Amoy,	,,	29.92	759.9	73	76	W	1	or	6 a.	29.94	760.5	56	51	W N W	3	b
Swatow,	,,	29.94	760.5	70	85	N	2	o	,,	30.01	762.2	55	59	N N W	3	b
Taihoku,	1 p.	29.94	760.4	...	...	N W	4	...	5 a.	30.04	762.9	...	...	S W	2	...
Taichu,	,,	29.90	759.4	...	...	N	2	...	,,	29.97	761.2	...	...	N	4	...
Tainan,	,,	29.90	759.5	...	...	N W	8	...	,,	29.94	760.5	...	...	N	8	...
Koshun	,,	29.88	759.0	...	...	E	2	...	,,	29.91	759.6	...	...	S E	4	...
Pescadores,	,,	29.93	760.3	...	...	N	8	...	,,	29.97	761.8	...	...	N E	3	...
Canton,	3 p.	30.05	763.2	70	61	N N E	2	b	9 a.	30.19	766.8	58	58	N	2	b
Hongkong,	4 p.	30.01	762.2	70	65	N	2	o	10 a.	30.19	764.5	67	31	N N E	1	b
Victoria Peak,	,,	...	...	...	...	N	4	...	,,	..	...	...	...	N	4	...
Gap Rock,	,,	29.96	761.0	...	...	N	6	...	,,	30.07	763.8	...	...	N	6	...
Macao,	,,	30.04	763.0	68	...	N	4	c	,,	30.16	766.0	61	...	N	5	c
Wuchow,	3 p.	30.13	765.3	72	50	N	4	b	9 a.	29.26	763.6	59	...	N	1	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.07	763.8	73	63	N	5	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	...	...	..	...	...	...	...	8 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	..	...	...	..	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.85	758.1	75	...	S	2	p
Manila,	4 p.	29.76	756	88	62	W	1	c	10 a.	29.84	758	84	77	W N W	1	o
Legaspi,	2 p.	29.78	756.5	88	...	S E	2	c	6 a.	29.83	757.7	70	...	...	0	b
Bacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	2	c
Iloilo,	,,	29.77	756.1	83	...	S W	1	c	,,	29.83	757.7	81	...	...	0	b
Cebu,	,,	29.77	756.1	84	...	N	1	o	,,	29.84	757.9	83	...	...	0	b
Labuan,	,,	29.90	759.4	80	...	...	...	...	,,	29.93	760.2	79	...	...	...	...

On the 10th at 12.05 p.—The barometer has fallen rapidly over S. Japan and risen slightly over S. China. The depression, which has become much deeper, has moved Eastwards and now occupies W. Japan. A second area of low pressure is moving Eastwards to the S.E. of the Loochoos. The high pressure area is lying over W. China. Pressure has given way slightly in the Philippines, and gradients are rather steep over the N. part of the China Sea, where strong Northerly winds to gales may be expected.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, strong; fine, squally.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 10th November, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th November, 1910, P.M.								11th November, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock, ...	2 p.	29.80	757.0	32	...	N	4	o	7 a.	29.69	754.1	23	87	N N E	4	o
muro, ...	,,	29.89	759.1	...	...	N N E	1	...	6 a.	29.57	751.1	...	...	N	5	...
akodate, ...	,,	29.85	758.2	...	...	E N E	3	...	,,	29.53	751.2	...	...	E N E	1	...
kio, ...	,,	29.45	748.1	...	...	N W	2	...	,,	29.57	751.1	...	...	...	0	...
ochi, ...	,,	29.52	749.8	...	...	W	8	...	,,	29.64	752.3	...	...	S W	1	...
agasaki, ...	,,	29.64	752.8	...	...	W	9	...	,,	29.66	753.3	...	...	W	9	...
agoshima, ...	,,	29.68	753.9	...	...	W N W	5	...	,,	29.74	755.4	...	...	W N W	2	...
hima, ...	,,	29.79	756.6	...	...	N	4	...	,,	29.91	759.6	...	...	W	1	...
aha, ...	,,	29.91	759.7	...	...	N W	6	...	,,	29.97	761.2	...	...	N W	4	...
higakijima, ...	,,	29.95	760.8	...	...	N N E	3	...	,,	30.03	762.8	...	...	N	1	...
min Is.	,,	29.77	756.1	...	...	S S W	2	...	,,	29.83	757.6	...	...	...	0	...
efoo, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ihaiwei, ...	,,	29.56	759.8	45	92	N N W	8	r	9 a.	29.77	756.1	49	59	N	4	c
ikow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ikiang, ...	,,	30.11	764.8	59	48	...	0	b	,,	...	...	...	...	...	...	...
anghai, ...	,,	29.94	760.5	52	47	W	6	cq	9 a.	30.05	763.2	53	67	W S W	1	b
utzlaff, ...	,,	29.94	760.5	52	60	W N W	8	cv	,,	30.05	763.2	53	73	N W	6	bm
arp Peak, ...	,,	30.00	762.0	62	...	E	1	b	,,	30.12	765.0	59	...	...	0	b
oey, ...	,,	29.92	759.9	70	28	S W	2	b	6 a.	29.99	761.7	57	53	S E	1	b
atow, ...	,,	29.97	761.2	76	73	N E	1	b	,,	30.02	762.5	51	40	N N E	1	b
ihoku, ...	1 p.	30.02	762.4	...	...	S W	2	...	5 a.	30.08	764.1	...	...	..	0	...
ichu, ...	,,	29.96	761.0	...	...	N	6	...	,,	30.06	763.4	...	...	N E	2	...
iman, ...	,,	29.95	760.8	...	...	N W	8	...	,,	30.02	762.4	...	...	N	6	...
oshun, ...	,,	29.93	760.1	...	...	N E	6	...	,,	29.96	760.9	...	...	N E	8	...
escadores, ...	,,	29.93	760.3	...	...	N E	8	...	,,	30.02	762.5	...	...	N E	3	...
anton, ...	3 p.	30.06	763.5	66	36	N	2	b	9 a.	...	...	...	...	...	...	...
ongkong, ...	4 p.	30.00	762.0	68	28	N	2	b	10 a.	30.10	764.5	68	34	E	2	b
ictoria Peak, ...	,,	...	...	...	...	N	3	...	,,	...	...	...	...	E	3	...
ap Rock, ...	,,	29.97	761.2	...	...	N	5	...	,,	30.06	763.5	...	...	E N E	4	...
acao, ...	,,	30.05	763.2	66	...	N N W	3	b	,,	30.13	765.3	62	...	N	2	b
uchow, ...	3 p.	30.09	764.3	72	30	N	3	b	9 a.	...	...	...	...	...	...	..
oihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ikhoi, ...	,,	30.08	764.0	72	42	N	2	b	,,	...	...	...	...	...	...	...
hulien, ...	4 p.	30.03	762.7	75	...	S W	2	b	8 a.	...	...	...	...	...	...	...
ourane, ...	,,	29.96	760.9	72	...	N N W	5	o	,,	...	...	...	..	...	...	...
ape St. James, .	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
parri, ...	2 p.	29.80	756.9	82	...	N E	2	p	6 a.	29.86	758.3	75	...	N E	2	o
anila, ...	4 p.	29.76	756	86	71	...	0	o	10 a.	29.84	758	82	77	...	0	o
egaspi, ...	2 p.	29.76	755.8	81	...	N E	2	o	6 a.	29.81	757.2	72	...	...	0	o
ecolod, ...	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S	1	o
oilo, ...	,,	29.77	756.1	82	...	...	0	o	,,	29.83	757.7	79	...	...	0	o
ebu, ...	,,	29.83	757.7	84	...	S	1	or	,,	29.84	757.9	80	...	...	0	c
ebuan, ...	,,	29.79	756.6	84	...	...	...	...	,,	29.91	759.7	77	...	...	...	...

On the 11th at 11.55 a.—The barometer has fallen rapidly in Wladiwostok and E. Japan, and risen moderately over the Loochoos.

The depression lying over S. Japan yesterday, has moved into the Pacific. It is followed by a second centre which is moving Eastwards over the Sea of Japan.

Pressure is highest over W. China. It is relatively low over the Southern Philippines and adjacent waters.

Strong monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. to N.E. winds, fresh ; fine.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 11th November, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th November, 1910, P.M.								12th November, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.65	753.1	34	...	N N E	1	o	7 a.	29.73	755.1	33	78	...	0	c
Nemuro,	,,	29.69	754.1	...	...	N	3	...	6 a.	29.79	756.6	...	...	N	3	...
Hakodate,	,,	29.57	751.2	...	...	S E	7	...	,,	29.73	755.2	...	...	E	5	...
Tokio,	,,	29.55	750.6	...	...	S W	3	...	,,	29.81	757.1	...	...	N N W	1	...
Kochi,	,,	29.64	752.8	...	...	W	2	...	,,	29.99	761.8	...	...	S W	1	...
Nagasaki,	,,	29.78	756.3	...	...	N N W	6	...	,,	30.03	762.8	...	...	...	0	...
Kagoshima,	,,	29.80	756.9	...	...	W	2	...	,,	30.02	762.4	...	...	N	2	...
Oshima,	,,	29.93	760.1	...	...	N W	1	...	,,	30.06	763.6	...	...	N	1	...
Naha,	,,	29.99	761.7	...	...	N W	4	...	,,	30.07	763.7	...	...	N E	1	...
Ishigakijima,	,,	30.01	762.3	...	...	N	2	...	,,	30.09	764.3	...	...	N	2	...
Bonin Is.	,,	29.81	757.1	...	...	N W	1	...	,,	30.01	762.1	...	...	N E	1	...
Chefoo,	4 p.	29.79	756.6	53	...	W	4	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.78	756.4	54	55	W N W	4	c	9 a.	30.00	762.0	50	45	W	6	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.06	763.5	75	52	W	1	b	..	30.13	766.6	52	86	...	0	b
Shanghai,	,,	29.99	761.7	59	43	W	4	b	9 a.	30.15	765.8	56	63	S W	1	b
Gutzlaff,	,,	30.00	762.0	60	59	W N W	3	bm	,,	30.15	765.8	60	82	W	3	bm
Sharp Peak,	,,	30.04	763.0	63	...	...	0	b	,,	30.10	764.5	69	...	W	1	b
Amoy,	,,	29.90	759.4	71	37	S	4	b	6 a.	30.02	762.5	59	73	N E	1	b
Swatow,	,,	29.96	761.0	69	43	E	1	b	..	30.05	763.2	53	80	N E	1	b
Taihoku,	1 p.	30.04	762.9	...	...	E	4	...	5 a.	30.10	764.4	...	...	S W	2	...
Taichu,	,,	29.98	761.6	...	...	N	6	...	,,	30.08	763.9	...	...	..	0	...
Tainan,	,,	30.00	762.0	...	...	N	6	...	,,	30.06	763.6	...	...	N	4	...
Koshun	,,	30.02	762.6	...	...	N E	8	...	,,	29.98	761.5	...	...	N	6	...
Pescadores,	,,	30.02	762.4	...	...	N	8	...	,,	30.05	763.3	...	...	N	6	...
Canton,	3 p.	30.01	762.2	68	47	N N W	1	b	9 a.	30.16	766.0	62	77	N	1	b
Hongkong,	4 p.	30.01	762.2	69	42	E S E	1	b	10 a.	30.14	765.5	70	38	E	1	c
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	29.96	761.0	...	...	E	4	...	,,	30.12	765.0	...	...	E N E	3	...
Macao,	,,	30.04	763.0	63	...	S E	1	b	,,	30.19	766.8	66	...	N E	1	c
Wuchow,	3 p.	30.07	763.8	61	...	E	1	b	9 a.	30.19	766.8	64	...	E	1	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.04	763.0	74	...	S W	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.98	761.6	75	...	S S E	3	b	8 a.	...	...	...	...	...	...	...
Tourane,	,,	29.96	761.1	72	...	N W	3	o	,,	...	...	...	..	...	...	...
Cape St. James,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.87	758.8	75	...	N E	4	d	6 a.	29.94	760.5	73	...	N E	2	d
Manila,	4 p.	29.72	755	86	71	S S W	1	o	10 a.	29.84	758	79	84	N N W	1	o
Legaspi,	2 p.	29.74	755.3	84	...	S E	2	...	6 a.	29.84	758.0	72	...	...	0	c
Bacolod,	3 p.	...	...	...	...	S	1	o	9 a.	...	...	...	...	S	1	c
Iloilo,	,,	29.74	755.4	83	...	...	0	c	,,	29.85	758.2	80	...	...	0	b
Cebu,	,,	29.76	755.6	83	...	...	0	o	,,	29.83	757.7	83	...	...	0	c
Labuan,	,,	29.86	758.4	77	...	...	...	...	,,	29.90	759.4	80	...	...	...	...

On the 12th at 11.55 a.—Except in the Southern Philippines, the barometer has risen generally, particularly over N. China and Japan.

The depression over the Sea of Japan appears to be filling up.

Pressure is highest over W. China. It remains low over the Southern Philippines and adjacent waters.

Strong monsoon will continue to prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, moderate; fine.
2.—Formosa Channel,	N. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 12th November, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th November, 1910, P.M.								13th November, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	29.65	753.1	43	...	S E	4	or	7 a.	29.94	760.4	28	65	W N W	0	b
Gemuro,	,,	29.91	759.6	...	...	N	2	...	6 a.	30.01	762.1	...	...	N N E	3	...
Hakodate,	,,	29.83	757.7	...	...	S W	8	...	,,	29.89	759.2	...	...	S S W	5	...
Tokio,	,,	29.91	759.6	...	...	S S W	1	...	,,	30.06	763.6	...	...	N W	1	...
Kochi,	,,	29.99	761.8	...	...	S S E	1	...	,,	30.15	765.8	...	...	S W	1	...
Nagasaki,	,,	30.05	763.3	...	...	N W	3	...	,,	30.21	767.3	...	...	...	0	...
Kagoshima,	,,	30.06	763.4	...	...	N	2	...	,,	30.17	766.4	...	...	N E	1	...
Oshima,	,,	30.08	764.1	...	...	N N W	1	...	,,	30.18	766.6	...	...	S	1	...
Taiwan,	,,	30.11	764.7	...	...	N N E	2	...	,,	30.15	765.7	...	...	N E	1	...
Ishigakijima,	,,	30.13	765.3	...	...	N N E	3	...	,,	30.13	765.3	...	...	N	1	...
Bonin Is.	,,	30.00	762.1	...	...	N	1	...	,,	30.06	763.6	...	...	N	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.06	763.5	46	47	W N W	8	c	9 a.	30.27	768.8	45	46	S W	4	b
Tenkow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	30.09	764.3	68	47	...	0	b	,,	30.26	763.6	52	86	N E	1	c
Shanghai,	,,	30.10	764.5	66	64	W	2	b	9 a.	30.30	769.6	62	77	N E	1	c
Gutzlaff,	,,	30.12	765.0	64	73	W	2	bm	,,	30.27	768.3	65	63	N E	1	bm
Sharp Peak,	,,	30.01	762.2	63	...	E N E	1	b	,,	30.26	768.6	62	83	N	3	b
Amoy,	,,	29.94	760.5	74	36	N E	2	b	6 a.	30.03	762.7	62	71	N N E	1	b
Swatow,	,,	30.04	763.0	69	56	E	1	b	,,	30.10	764.5	55	87	N	1	b
Tuiboku,	1 p.	30.08	764.1	...	...	E	8	...	5 a.	30.12	765.0	...	...	E	6	...
Taichu,	,,	30.03	762.7	...	...	N	2	...	,,	30.08	764.0	...	...	..	0	...
Tainan,	,,	30.06	763.5	...	...	W	4	...	,,	30.07	763.8	...	...	N E	2	...
Koshun	,,	30.02	762.5	...	...	N E	8	...	,,	30.07	763.7	...	...	N E	6	...
Pescadores,	,,	30.05	763.3	...	...	N	8	...	,,	30.05	763.3	...	...	N	8	...
Canton,	3 p.	30.04	763.0	71	...	N N W	1	b	9 a.	30.17	766.3	64	68	E	1	b
Hongkong,	4 p.	30.04	763.0	69	42	E	1	b	10 a.	30.16	766.0	69	49	E	4	b
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	5	...
Gap Rock,	,,	29.97	761.2	...	...	E N E	4	...	,,	30.11	764.8	...	...	E N E	6	...
Macao,	,,	30.06	763.5	74	...	E S E	1	c	,,	30.19	766.8	69	...	N E	1	c
Wuchow,	3 p.	30.06	763.5	78	...	E	1	c	9 a.	30.20	767.1	64	...	E	1	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.05	763.2	75	44	N E	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.02	762.4	72	...	E N E	3	o	8 a.	...	...	...	...	...	...	...
Tourane,	,,	29.94	760.4	73	...	S E	1	c	,,	...	...	...	..	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.91	759.7	73	...	N E	4	q	6 a.	29.98	761.5	73	...	E	2	d
Manila,	4 p.	29.80	757	81	85	N N E	1	od	10 a.	29.84	758	81	70	N N W	2	o
Legaspi,	2 p.	29.72	754.9	86	...	N E	2	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S	1	o	9 a.	...	...	...	...	S	1	or
Iloilo,	,,	29.74	755.4	83	...	...	0	c	,,	29.82	757.4	80	...	..	0	o
Cebu,	,,	29.73	755.1	86	...	...	1	c	,,	29.80	756.9	82	...	S	1	o
Labuan,	,,	29.81	757.2	79	...	...	...	...	,,	...	...	...	...	...	...	...

On the 13th at 11.50 a.—The barometer has risen considerably over Japan and the E. and NE coasts of China, and fallen slightly in the Southern Philippines.

The area of low pressure remains over the latter area.

The northern depression has moved northeastwards and is now situated over the NE part of the Sea of Japan.

The high pressure area lies over the Yangtze valley.

Very strong monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	NE winds, fresh to strong; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 13th November, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th November, 1910, P.M.									14th November, 1910, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.00	762.0	38	...	S W	0	b		7 a.	30.13	765.3	32	74	E S E	1	o
Nemuro,	,,	29.93	760.1	...	...	S	3	...		6 a.	30.06	763.6	...	...	W	2	...
Hakodate,	,,	30.03	762.7	...	...	W	4	...		,,	30.17	766.2	...	...	W N W	2	...
Tokio,	,,	30.04	763.1	...	...	W N W	1	...		,,	30.22	767.6	...	...	N W	2	...
Kochi,	,,	30.15	765.8	...	...	S E	1	...		,,	30.25	768.3	...	...	W S W	1	...
Nagasaki,	,,	30.25	768.3	...	...	W S W	3	...		,,	30.27	768.8	...	...	N E	1	...
Kagoshima,	,,	30.21	767.4	...	...	N W	1	...		,,	30.23	767.9	...	...	N N E	1	...
Oshima,	,,	30.20	767.1	...	...	N N E	2	...		,,	30.20	767.1	...	...	S	1	...
Naha,	,,	30.15	765.7	...	...	N E	3	...		,,	30.17	766.2	...	...	N E	2	...
Ishigakijima,	,,	30.11	764.8	...	...	N E	5	...		,,	30.07	763.8	...	...	N E	3	...
Bonin Is.	,,	30.04	763.1	...	...	N E	1	...		,,	30.02	762.6	...	...	N	1	...
Chefoo,	4 p.	30.13	765.3	56	68	S	4	b		6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.17	766.3	54	61	S S W	7	b		9 a.	30.21	767.3	55	87	S W	1	o
Hankow,	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.08	764.0	67	55	N N E	1	c		,,	30.23	767.8	55	94	...	0	c
Shanghai,	,,	30.22	767.6	64	53	S S E	1	c		9 a.	30.19	766.8	61	77	S E	2	ota
Gutzlaff,	,,	30.24	768.1	63	78	N E	1	cm		,,	30.21	767.3	67	79	S E	3	cy
Sharp Peak,	,,	30.17	766.3	65	89	N	2	b		,,	30.14	765.5	64	...	N	1	c
Amoy,	,,	29.98	761.6	75	48	E N E	4	b		6 a.	30.00	762.0	65	68	S	2	c
Swatow,	,,	30.06	763.5	72	54	E	2	b		,,	30.06	763.5	60	82	N E	1	b
Taihoku,	1 p.	30.11	764.8	...	...	E	8	...		5 a.	30.07	763.7	...	...	E	4	...
Taichu,	,,	30.04	763.0	...	...	N W	2	...		,,	30.04	762.9	...	...	..	0	...
Tainan,	,,	29.98	761.4	...	...	S W	4	...		,,	30.03	762.7	...	...	E	2	...
Koshun,	,,	30.06	763.6	...	...	N E	6	...		,,	29.99	761.6	...	...	N E	8	...
Pescadores,	,,	...	...	...	...	...	...	...		,,	29.99	761.8	...	...	N E	4	...
Canton,	3 p.	30.06	763.5	72	54	S E	1	b		9 a.	30.11	764.8	66	79	E	1	b
Hongkong,	4 p.	30.04	763.0	71	55	E	2	b		10 a.	30.08	764.0	71	59	E	3	b
Victoria Peak,	,,	...	...	...	...	E	2	...		,,	...	...	...	...	E	5	...
Gap Rock,	,,	30.00	762.0	...	...	E N E	5	...		,,	30.06	765.5	...	...	E N E	5	...
Macao,	,,	30.07	763.7	73	...	S E	1	b		,,	30.11	764.8	71	...	E	2	b
Wuchow,	3 p.	30.06	763.5	78	...	E	1	b		9 a.	30.14	765.5	67	...	E	2	b
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.06	763.5	76	...	S E	1	b		,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.00	761.9	73	...	E S E	5	o		8 a.	30.05	763.3	70	...	E N E	3	c
Tourane,	,,	29.97	761.2	73	...	E S E	2	c		,,	30.05	763.2	70	..	S E	2	dh
Cape St. James,	,,	...	...	...	...	...	...	...		,,	29.95	760.7	79	...	W	2	c
Aparri,	2 p.	29.92	760.0	79	...	N E	2	o		6 a.	29.32	757.5	77	...	N E	4	q
Manila,	4 p.	29.76	756	82	71	N	0	o		10 a.	29.76	756	77	92	N	3	r
Legaspi,	2 p.	29.67	753.5	79	...	...	0	o		6 a.	29.75	755.7	75	...	...	0	o
Bacolod,	3 p.	...	...	...	...	S	1	o		9 a.	...	...	...	...	S W	2	b
Iloilo,	,,	29.72	754.9	81	...	...	0	o		,,	29.80	756.9	81	...	S	1	o
Cebu,	,,	29.71	754.6	84	...	...	0	od		,,	29.84	757.9	81	...	...	0	o
Labuan,	,,	29.86	758.4	79	...	...	...	...		,,	29.90	759.4	79	...	...	...	...

On the 14th at 11.45 a.—The barometer has fallen considerably in W. and N. Luzon, while it is inclined to rise at the stations in the South part of the Archipelago.

The typhoon is situated off the coast of Luzon to the South of Manila, and apparently it is moving towards W.N.W.

Pressure is giving way over China, and increasing in Japan.

The high pressure area has shifted Eastwards and lies now over the S. part of the Sea of Japan.

Rough weather may be expected over the China Sea to the Southward of the 20th parallel during the next two days.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, strong; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 14th November, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th November, 1910, P.M.								15th November, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	30.09	764.2	40	...	S E	0	c	7 a.	30.26	768.7	26	60	N N E	1	c
Gemuro,	,,	29.96	761.1	...	...	S W	4	...	6 a.	29.93	760.1	...	...	W	5	...
Hakodate,	,,	30.11	764.7	...	...	W	3	...	,,	30.15	765.2	...	...	N W	3	...
Tokio,	,,	30.16	766.1	...	...	N N E	1	...	,,	30.18	766.6	...	...	N W	1	...
Kochi,	,,	30.17	766.3	...	...	S W	1	...	,,	30.17	766.3	...	...	W	1	...
Nagasaki,	,,	30.19	766.8	...	...	S W	1	...	,,	30.11	764.8	...	...	E S E	2	...
Kagoshima,	,,	30.17	766.4	...	...	S E	1	...	,,	30.17	766.4	...	...	N N E	1	...
Ishima,	,,	30.10	764.6	...	...	N	1	...	,,	30.04	763.1	...	...	S E	1	...
Taiwan,	,,	30.05	763.2	...	...	E N E	4	...	,,	29.97	761.2	...	...	E N E	1	...
Ishigakijima,	,,	29.99	761.8	...	...	E N E	4	...	,,	29.91	759.8	...	...	E N E	1	...
Bonin Is.	,,	30.04	763.1	...	...	N N E	1	...	,,	30.08	764.1	...	...	N	1	...
Chefoo,	4 p.	...	...	...	...	...	..	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.17	766.3	56	81	N	1	o	9 a.	30.06	763.5	46	92	N	7	oqr
Tientsin,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.06	763.5	62	77	W S W	1	o	..	30.25	763.3	54	100	S W	2	o
Shanghai,	,,	30.09	764.3	63	72	E	3	c	9 a.	30.13	765.3	56	87	W	4	odq
Gutzlaff,	,,	30.12	765.0	63	83	S E	5	cv	,,	30.08	764.0	61	82	N W	5	oqv
Sharp Peak,	,,	30.02	762.5	66	...	N	1	c	,,	30.02	762.5	67	...	..	0	b
Amoy,	,,	29.86	758.4	80	31	N E	2	b	6 a.	29.89	759.2	66	73	W S W	2	b
Swatow,	,,	29.93	760.2	73	72	E	1	c	,,	30.04	763.0	62	89	N	1	b
Taihoku,	1 p.	29.94	760.5	...	...	E	8	...	5 a.	29.90	759.4	...	...	E	6	...
Taichu,	,,	29.93	760.1	...	...	N W	2	...	,,	29.91	759.8	...	...	..	0	...
Tainan,	,,	29.94	760.4	...	...	W	4	...	,,	29.91	759.8	...	...	E	2	...
Koshun	,,	29.93	760.1	...	...	N E	8	...	,,	29.88	758.9	...	...	N E	2	...
Pescadores,	,,	29.95	760.8	...	...	N	6	...	,,	29.90	759.5	...	...	N	8	...
Canton,	3 p.	...	...	73	58	W N W	1	b	9 a.	30.05	763.2	67	74	N	1	b
Hongkong,	4 p.	29.95	760.7	71	64	E	2	c	10 a.	30.01	762.2	77	47	N	1	c
Victoria Peak,	,,	...	...	...	...	E	0	...	,,	...	...	...	...	N	4	...
Gap Rock,	,,	29.91	759.7	...	...	E N E	4	...	,,	29.97	761.2	...	...	N	3	...
Macao,	,,	29.97	761.2	74	...	E S E	3	c	,,	30.04	763.0	73	...	N N W	1	c
Wuchow,	3 p.	29.98	761.5	78	...	E	1	b	9 a.	30.11	764.8	66	...	E	1	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.91	759.7	75	...	S S E	4	c	8 a.	30.05	763.3	70	...	E N E	3	o
Tourane,	,,	29.92	759.9	73	...	N W	2	c	,,	..	...	...	..	...	...	...
Cape St. James,	,,	29.81	757.2	86	...	N W	2	c	,,	29.91	759.8	82	...	E S E	2	c
Aparri,	2 p.	29.78	756.5	77	...	E	0	p	6 a.	29.81	757.1	73	...	E	0	d
Manila,	4 p.	29.65	753	81	76	E N E	2	o	10 a.	29.84	758	86	59	E S E	2	c
Legaspi,	2 p.	29.70	754.5	86	...	E	2	c	6 a.	29.80	757.0	75	...	...	0	b
Bacolod,	3 p.	...	...	...	...	S	2	o	9 a.	...	...	...	...	S	1	b
Iloilo,	,,	29.72	754.9	83	...	...	0	o	,,	29.83	757.7	82	...	S W	1	b
Cebu,	,,	29.73	755.1	84	...	S	1	c	,,	29.86	758.4	84	...	N	1	c
Labuan,	,,	29.79	756.6	84	...	...	...	...	,,	29.90	759.4	80	...	...	...	...

On the 15th at 11.55 a.—The barometer has risen slightly over the S. Philippines, and fallen moderately to considerably over the China coast, the Loochoos and Japan.

The typhoon appears to be situated to the E.S.E. of the Macclesfield Bank, and to be moving towards W.N.W. at present.

In the North a depression has passed from the continent to the Yellow Sea, and a second depression is moving into the Pacific to the N.E. of Hokkaido.

Pressure is high over E. Manchuria, and over the Upper Yangtze valley.

Rough weather may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, strong; fine, squally.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 15th November, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th November, 1910, P.M.								16th November, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.17	766.2	28	...	N N E	0	o	7 a.	29.65	753.2	24	95	N N E	1	s
Nemuro,	,,	29.96	761.1	...	...	N W	5	...	6 a.	30.14	765.6	...	...	N N E	2	...
Hakodate,	,,	30.13	765.2	...	...	W N W	4	...	,,	30.03	762.7	...	...	E	2	...
Tokio,	,,	30.10	764.6	...	...	N E	1	...	,,	29.93	760.1	...	...	N W	1	...
Kochi,	,,	30.05	763.3	...	...	S E	1	...	,,	29.89	759.3	...	...	S W	1	...
Nagasaki,	,,	29.99	761.8	...	...	N N E	1	...	,,	30.09	764.3	...	...	N N W	5	...
Kagoshima,	,,	30.00	761.9	...	...	...	0	...	,,	30.04	762.9	...	...	N N W	5	...
Oshima,	,,	29.94	760.6	...	...	S S E	1	...	,,	30.01	762.1	...	...	N	6	...
Naha,	,,	29.89	759.2	...	...	S S W	3	...	,,	30.09	764.2	...	...	N	7	...
Ishigakijima,	,,	29.87	758.8	...	...	S E	1	...	,,	30.09	764.3	...	...	N	6	...
Bonin Is.	,,	30.02	762.6	...	...	E N E	1	...	,,	30.02	762.6	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	..	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.10	764.5	43	75	N N W	7	cq	9 a.	30.23	767.8	33	90	W	6	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.33	770.4	59	70	N W	3	o	..	30.47	773.9	49	78	N E	3	o
Shanghai,	,,	30.17	766.3	56	69	N W	4	cq	9 a.	30.46	773.7	46	62	N W	2	o
Gutzlaff,	,,	30.13	765.3	59	76	N	6	cv	,,	30.40	772.1	50	58	N	5	ov
Sharp Peak,	,,	30.00	762.0	69	...	E	1	c	,,	30.33	770.4	65	...	N	2	c
Amoy	,,	29.90	759.4	77	53	W N W	1	b	6 a.	30.04	763.0	66	50	N E	5	ov
Swatow,	,,	29.90	759.4	83	67	...	0	c	,,	...	...	65	73	N N E	1	f
Taihoku,	1 p.	29.92	760.0	...	...	E	2	...	5 a.	30.25	763.4	...	...	E	2	...
Taichu,	,,	29.89	759.3	...	...	...	0	...	,,	30.02	762.5	...	...	N	6	...
Tainan,	,,	29.91	759.6	...	...	N	6	...	,,	30.01	762.1	...	...	N	8	...
Koshun,	,,	29.88	759.0	...	...	N	2	...	,,	29.94	760.4	...	...	N E	10	...
Pescadores,	,,	29.93	760.1	...	...	N E	8	...	,,	30.02	762.6	...	...	N E	10	...
Canton,	3 p.	29.96	761.0	76	56	N	2	b	9 a.	30.17	766.3	62	61	N	3	c
Hongkong,	4 p.	29.93	760.2	78	42	N E	2	cq	10 a.	30.12	765.0	64	62	N	1	o
Victoria Peak,	,,	...	...	...	...	N N E	7	...	,,	...	...	...	...	E N E	7	...
Gap Rock,	,,	29.89	759.2	...	...	E	4	...	,,	30.08	764.0	...	...	N E	6	...
Macao,	,,	29.96	761.0	77	...	N N W	3	c	,,	30.16	766.0	64	...	N N W	4	o
Wuchow,	3 p.	30.04	763.0	75	...	N	3	c	9 a.	30.23	767.8	64	...	..	1	hq
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.03	762.7	76	...	N	2	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.98	761.4	70	...	N N E	5	o	8 a.	30.13	765.4	70	...	N	3	c
Tourane,	,,	29.89	759.1	73	...	N W	3	c	,,	29.98	761.4	73	..	S N E	4	o
Cape St. James,	,,	29.80	756.8	84	...	S W	2	c	,,	29.89	759.1	79	...	S W	1	o
Aparri,	2 p.	29.79	756.6	82	...	E	0	o	6 a.	29.58	758.8	73	...	E	0	p
Manila,	4 p.	29.72	755	86	71	E S E	1	b	10 a.	29.84	758	83	62	..	0	b
Legaspi,	2 p.	29.76	755.6	86	...	E	2	b	6 a.	29.82	757.5	79	...	E	2	o
Bacolod,	3 p.	...	...	...	...	S	2	o	9 a.	...	...	...	...	S W	3	o
Iloilo,	,,	29.74	755.4	84	...	...	0	b	,,	29.83	757.7	82	...	E	1	b
Cebu,	,,	29.74	755.4	87	...	N	1	b	,,	29.82	757.4	85	...	N	1	...
Labuan,	,,	29.79	756.6	83	...	...	...	...	,,	29.91	759.7	76	...	...	...	...

On the 16th at 12.05 p.—The barometer has risen slightly in Luzon, and fallen a little in S. Annam.

The depression over the China Sea is probably moving slowly Westwards to the Southward of the Macclesfield Bank.

The depression in the North is moving Eastwards over the Sea of Japan.

The anticyclonic area lies over the Yangtze valley, and pressure has increased over the China coast, particularly in the North.

Very strong monsoon prevails along the coast, and rough weather may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, strong; squally, rain at first, improving later.
2.—Formosa Channel,	N.E. gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

G. FIGG,
Director.

Hongkong Observatory, Wednesday, 16th November, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th November, 1910, P.M.								17th November, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock, ...	2 p.	29.38	746.3	32	...	N N E	3	s	7 a.	29.57	751.0	29	55	N W	3	o
Gensan, ...	,,	29.98	761.6	...	...	S E	3	...	6 a.	29.30	744.1	...	...	N W	3	...
Hakodate, ...	,,	29.57	751.2	...	...	S E	8	...	,,	29.38	746.2	...	...	W	4	...
Tokio, ...	,,	29.77	756.1	...	...	S E	1	...	,,	29.65	753.1	...	...	...	0	...
Kochi, ...	,,	29.93	760.3	...	...	W S W	3	...	,,	30.09	764.3	...	...	S W	1	...
Nagasaki, ...	,,	30.17	766.3	...	...	N N W	6	...	,,	30.25	768.3	...	...	N W	6	...
Kagoshima, ...	,,	30.11	764.9	...	...	N NW	3	...	,,	30.23	767.9	...	...	N W	3	...
Fushima, ...	,,	30.14	765.6	...	...	N	5	...	,,	30.28	769.1	...	...	N	...	...
Misaka, ...	,,	30.16	765.7	...	...	N N E	6	...	,,	30.28	769.2	...	...	N N E	7	...
Shigakijima, ...	,,	30.15	765.8	...	...	N E	6	...	,,	30.27	768.8	...	...	N N E	6	...
Formin Is.	,,	29.96	761.1	...	...	S S E	1	...	,,	30.04	763.1	...	...	...	0	...
Chefoo, ...	4 p.	...	...	...	...	...	..	...	6 a.	...	...	...	...	...	...	...
Weihaiwei, ...	,,	30.26	768.6	30	100	W N W	7	osq	9 a.	30.42	772.6	32	99	N N W	6	bq
Tientsin, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Chinkiang, ...	,,	30.54	775.7	50	45	N E	3	o	,,	...	...	...	...	...	...	...
Shanghai, ...	,,	30.43	772.9	49	57	N W	3	o	9 a.	30.66	778.7	38	39	N N W	3	cq
Gutzlaff, ...	,,	30.42	772.6	49	100	N	3	om	,,	30.62	777.7	41	92	N N W	6	cv
Sharp Peak, ...	,,	30.28	769.1	64	78	E N E	5	o	,,	30.48	774.4	53	...	N	2	o
Amoy, ...	,,	...	...	65	31	N E	4	o	6 a.	30.21	767.3	58	58	N E	2	b
Swatow, ...	,,	30.08	764.0	67	74	N E	3	o	,,	30.22	767.6	54	87	N	1	o
Taihoku, ...	1 p.	30.26	768.5	...	...	E	8	...	5 a.	30.38	771.5	...	...	E	6	...
Taichu, ...	,,	29.98	761.6	...	...	N	6	...	,,	30.16	766.1	...	...	N	6	...
Tainan, ...	,,	30.00	761.9	...	...	N	6	...	,,	30.15	765.8	...	...	N	6	...
Koshun	,,	29.97	761.2	...	...	N E	12	...	,,	30.06	763.6	...	...	N E	10	...
Pescadores, ...	,,	30.04	763.1	...	...	N E	10	...	,,	30.18	766.6	...	...	N	10	...
Canton, ...	3 p.	30.10	764.5	69	43	N E	2	o	9 a.	30.34	770.6	57	52	N E	3	o
Hongkong, ...	4 p.	30.09	764.3	65	60	N	3	od	10 a.	30.29	769.3	58	63	N N E	4	oq
Victoria Peak, ...	,,	...	...	...	...	N E	4	...	,,	...	...	...	...	N	8	...
Ship Rock, ...	,,	30.04	763.0	...	...	N E	6	...	,,	30.24	768.1	...	...	N	7	...
Lecao, ...	,,	30.12	765.0	65	...	N	3	o	,,	30.32	770.1	53	...	N	5	o
Kiuchow, ...	3 p.	30.14	765.5	75	...	N E	2	b	9 a.	30.52	775.2	58	...	N	3	o
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	30.08	764.0	74	...	N	2	c	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	30.07	763.9	68	...	W N W	6	c	8 a.	30.29	769.3	63	...	N N E	3	o
Tourane, ...	,,	29.92	759.9	73	...	N W	5	f	,,	30.03	762.7	68	..	N N W	7	or
Cape St. James, .	,,	29.82	757.3	81	...	S E	2	o	,,	29.91	759.6	81	...	S W	2	c
Aparri, ...	2 p.	29.91	759.6	82	...	N E	4	o	6 a.	...	...	...	...	...	...	...
Manila, ...	4 p.	29.80	757	84	64	N N E	2	o	10 a.	29.88	759	77	84	...	0	o
Legaspi, ...	2 p.	29.77	756.2	82	...	N E	2	o	6 a.	29.83	757.7	79	...	E	2	o
Bacolod, ...	3 p.	...	...	...	...	S W	2	...	9 a.	...	...	...	...	S W	1	b
Iloilo, ...	,,	29.75	755.6	83	...	N	2	od	,,	29.87	758.7	81	...	..	0	b
Cebu, ...	,,	29.76	755.9	83	...	N	1	o	,,	29.87	758.7	84	...	...	0	c
Labuan, ...	,,	...	...	81	...	...	...	...	,,	29.90	759.4	79	...	...	...	...

On the 17th at 11.55 a.—The barometer has fallen very rapidly in N.E. Japan, the northern depression having crossed the N. part of the Sea of Japan and reached the Eastern shores of Hokkaido.

The anticyclonic area lying over the continent is of considerably intensity. It has spread towards the S.E. and pressure has increased considerably over China, W. Japan and the Loochoos.

Over the Eastern and Western shores of the China Sea the barometer has risen slightly. The depression to the Southward of the 15th parallel is probably filling up.

Very strong monsoon prevails over the whole of the China coast, and hard monsoon gales may be expected over the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. to N.E. winds, moderate gale ; fair, squally.
2.—Formosa Channel, ...	Strong N.E. gale.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 17th November, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th November, 1910, P.M.								18th November, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.71	754.6	31	...	W N W	1	o	7 a.	30.10	764.5	21	54	...	0	c
Nemuro,	,,	29.18	741.1	...	...	W	6	...	6 a.	29.49	749.1	...	...	N N W	7	...
Hakodate,	,,	29.34	746.2	...	...	W S W	4	...	,,	29.73	755.3	...	...	N	2	...
Tokio,	,,	29.67	753.6	...	...	E S E	2	...	,,	29.99	761.6	...	...	...	0	...
Kochi,	,,	30.11	764.8	...	...	W S W	2	...	,,	30.23	767.8	...	...	...	0	...
Nagasaki,	,,	30.29	769.3	...	...	N N W	4	...	,,	30.35	770.8	...	...	N N W	3	...
Kagoshima,	,,	30.23	767.9	...	...	S E	3	...	,,	30.33	770.4	...	...	N	1	...
Oshima,	,,	...	...	...	...	...	...	...	,,	30.32	770.1	...	...	N	5	...
Naha,	,,	30.28	769.2	...	...	N	5	...	,,	30.32	770.2	...	...	N N E	4	...
Ishigakijima,	,,	30.27	768.8	...	...	N N E	5	...	,,	30.33	770.3	...	...	N	3	...
Bonin Is.	,,	30.04	763.1	...	...	S E	1	...	,,	30.12	765.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.41	772.4	34	...	N	6	c	9 a.	30.53	775.4	34	90	N	3	os
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.65	778.5	46	54	N E	2	b	,,	30.71	780.0	33	39	E	3	b
Shanghai,	,,	30.57	776.5	42	27	N W	4	bg	9 a.	30.67	779.0	37	...	N W	3	b
Gutzlaff,	,,	30.56	776.2	42	...	N	6	cv	,,	30.62	777.7	43	92	N	5	cv
Sharp Peak,	,,	30.40	772.1	58	81	N	3	o	,,	30.52	775.3	54	80	N	2	b
Amoy,	,,	...	...	62	41	N E	3	o	6 a.	...	...	...	...	...	...	...
Swatow,	,,	30.21	767.3	64	53	N N E	1	o	,,	30.20	767.1	54	61	N	1	o
Taihoku,	1 p.	30.38	771.6	...	...	E	8	...	5 a.	30.42	772.7	...	...	E	6	...
Taichu,	,,	30.14	765.5	...	...	N	6	...	,,	30.21	767.2	...	...	N	6	...
Tainan,	,,	30.14	765.6	...	...	N	8	...	,,	30.22	767.5	...	...	N	6	...
Koshun,	,,	30.09	764.4	...	...	N E	10	...	,,	30.12	765.0	...	...	N E	10	...
Pescadores,	,,	30.18	766.6	...	...	N E	10	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.31	769.9	56	68	N E	3	o	9 a.	30.41	772.4	54	...	N E	3	c
Hongkong,	4 p.	30.24	768.1	58	57	N	3	oq	10 a.	30.35	770.9	58	45	N	2	o
Victoria Peak,	,,	...	...	...	...	N N E	6	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	30.18	766.6	...	...	N N E	6	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.26	768.6	57	...	N	5	o	,,	30.39	771.9	55	...	N	3	c
Wuchow,	3 p.	30.39	771.9	60	...	N	3	o	9 a.	30.51	774.9	47	...	N	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.31	769.9	63	62	N E	3	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.22	767.5	66	...	N E	4	o	8 a.	30.36	771.0	59	...	N E	4	o
Tourane,	,,	29.99	761.8	68	...	N N E	6	or	,,	30.13	765.3	68	..	N E	6	or
Cape St. James,	,,	29.80	756.9	84	...	S W	2	c	,,	29.96	760.9	77	...	N N W	3	c
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	30.03	762.7	73	...	N E	4	q
Manila,	4 p.	29.80	757	79	84	N N W	1	od	10 a.	29.92	760	82	77	..	0	o
Legaspi,	2 p.	29.80	756.8	86	...	E	2	b	6 a.	29.89	759.1	79	...	E	2	b
Bacolod,	3 p.	...	...	...	...	...	1	...	9 a.	...	...	...	...	S	1	c
Iloilo,	,,	29.77	756.1	83	...	...	0	b	,,	29.91	759.7	81	...	..	0	b
Cebu,	,,	29.79	756.6	85	...	S	1	b	,,	29.90	759.4	85	...	...	0	c
Labuan,	,,	29.84	757.9	86	...	...	...	...	,,	29.90	759.4	80	...	...	...	...

On the 18th at 12.05 p.—According to observations received from Quinhon this morning, the typhoon entered the Annam coast near that port last evening.

Pressure has increased considerably over the Sea of Japan, and slightly to moderately elsewhere.

The northern depression is moving away over the Pacific to the N.E. of Japan.

The anticyclonic area, which is still central over the continent to the North of the Yangtze valley, continues to spread Southwards and Eastwards.

Strong monsoon gales may still be expected over the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. gale.
3.—South coast of China between Hongkong and Lamocks,	N. to N.E. winds, strong.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 18th November, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th November, 1910, P.M.								19th November, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostook, ..	2 p.	30.10	764.6	24	...	N E	2	b	7 a.	30.18	766.5	15	54	E N E	0	b
amuro, ...	,,	29.75	755.6	...	...	N N W	6	...	6 a.	29.87	758.6	...	...	N W	2	...
akodate, ...	,,	29.85	758.2	...	...	W N W	3	...	,,	29.95	761.7	...	...	N	1	...
okio, ...	,,	29.96	761.1	...	...	S S E	1	...	,,	30.12	765.1	...	...	N W	1	...
oohi, ...	,,	30.19	766.8	...	...	W S W	1	...	,,	30.31	769.8	...	...	W S W	3	...
agasaki, ...	,,	30.35	770.8	...	...	N N E	5	...	,,	30.39	771.8	...	...	N	1	...
agoshima, ...	,,	30.31	769.9	...	...	W N W	3	...	,,	30.37	771.4	...	...	N	1	...
shima, ...	,,	30.32	770.1	...	...	N	4	...	,,	30.32	770.1	...	...	N	4	...
aha, ...	,,	30.30	769.7	...	...	N E	5	...	,,	30.28	769.2	...	...	N N E	3	...
shigakijima, ...	,,	30.29	769.3	...	...	N N E	4	...	,,	30.29	769.3	...	...	N N E	3	...
onin Is.	,,	30.08	764.1	...	...	W	1	...	,,	30.12	765.1	...	...	N	1	...
hefoo, ...	4 p.	...	...	...	...	..	..	...	6 a.	...	..	...	...	...	...	...
Weihaiwei, ...	,,	30.49	774.4	37	71	W N W	3	os	9 a.	30.50	774.7	42	59	S S W	2	c
ankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iukiang, ...	,,	30.64	778.2	45	46	N E	3	c	,,	30.55	775.9	39	73	N E	2	o
hanghai, ...	,,	...	...	...	...	...	...	...	9 a.	30.56	776.2	42	66	N N W	1	b
utzlaff, ...	,,	30.57	776.5	46	...	N	4	cv	,,	30.51	774.9	50	79	N	4	cv
harp Peak, ...	,,	30.33	770.4	56	75	E N E	5	b	,,	30.41	772.4	64	84	N	2	c
moy, ...	,,	...	...	64	30	E	3	c	6 a.	...	...	...	...	...	...	...
watow, ...	,,	30.21	767.3	66	54	E	3	c	,,	30.20	767.1	53	54	N E	1	b
ihoku, ...	1 p.	30.35	771.0	...	...	E	6	...	5 a.	30.33	770.4	...	...	E	6	...
hichu, ...	,,	30.21	767.4	...	...	N	6	...	,,	30.18	766.6	...	...	..	0	...
ainan, ...	,,	30.16	766.0	...	...	N W	4	...	,,	30.23	767.7	...	...	N	4	...
oshun	,,	30.15	765.7	...	...	N E	10	...	,,	30.13	765.3	...	...	N E	10	...
escadores, ...	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
anton, ...	3 p.	30.26	768.6	61	40	N N E	2	b	9 a.	30.35	770.9	54	49	N N E	2	b
ongkong, ...	4 p.	30.24	768.1	62	37	N	2	o	10 a.	30.30	769.6	26	45	E N E	1	o
ictoria Peak, ...	,,	...	...	...	...	N N E	2	...	,,	...	...	...	...	N E	5	...
ap Rock, ...	,,	30.19	766.8	...	...	N E	5	...	,,	30.25	768.3	...	...	N E	6	...
acao, ...	,,	30.27	768.8	60	...	N N W	3	c	,,	30.34	770.6	57	...	N N E	2	c
uchow, ...	3 p.	30.33	770.4	65	...	N	3	o	9 a.	30.40	772.1	57	...	N E	1	c
oihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
akhoi, ...	,,	30.23	769.1	63	57	N	3	o	,,	...	...	...	...	...	...	...
hulien, ...	4 p.	30.24	768.0	64	...	E N E	2	o	8 a.	30.30	769.7	63	...	N E	3	o
ourane, ...	,,	30.09	764.2	68	...	N N E	4	dh	,,	...	...	..	..	...	...	...
ape St. James, .	,,	29.83	757.8	86	...	W N W	2	c	,,	29.93	760.2	77	...	N	2	o
parri, ...	2 p.	29.95	760.7	73	...	N E	4	p	6 a.	30.02	762.5	73	...	N E	4	d
anila, ...	4 p.	29.84	758	84	71	...	0	o	10 a.	29.92	769	77	92	..	0	o
egaspi, ...	2 p.	29.81	757.2	81	...	...	0	o	6 a.	29.85	758.2	73	...	...	0	o
acolod, ...	3 p.	...	...	...	...	S	1	o	9 a.	...	...	...	...	S	2	b
ollo, ...	,,	29.77	756.1	85	...	..	0	b	,,	29.87	758.7	81	...	..	0	b
ebu, ...	,,	29.78	756.4	87	...	N	1	c	,,	29.87	758.7	85	...	S	1	c
ahuan, ...	,,	29.78	756.4	87	...	...	...	...	,,	29.90	759.4	81	...	...	...	...

On the 19th at 11.55 a.—The barometer has risen considerably in E. Japan, and fallen moderately over China.

The depression lying to the N.E. of Japan yesterday, has moved away over the Pacific.

The anticyclonic area, which is still central over the continent to the North of the Yangtze valley, has weakened.

Pressure remains relatively low over the S. part of the China Sea with a tendency to give way again over the Southern Philippines.

The monsoon will moderate in the Formosa Channel, but continue to blow strongly over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood, ...	N.E. winds, fresh; fine.
—Formosa Channel, ...	N.E. winds, strong to fresh.
—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
—South coast of China between Hongkong and Hainan, ...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 19th November, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th November, 1910, P.M.								20th November, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.14	765.6	30	...	..	0	b	7 a.	29.95	760.7	23	94	...	0	b
Nemuro,	,,	29.91	759.6	...	...	W N W	2	...	6 a.	...	...	...	...	W	2	...
Hakodate,	,,	29.99	761.7	...	...	N W	4	...	,,	30.11	764.7	...	...	W	2	...
Tokio,	,,	30.10	764.6	...	...	S S W	1	...	,,	30.24	768.1	...	...	...	0	...
Kochi,	,,	30.25	768.3	...	...	S E	1	...	,,	30.29	769.3	...	...	W S W	1	...
Nagasaki,	,,	30.37	771.3	...	...	N	2	...	,,	...	...	...	...	S E	1	...
Kagoshima,	,,	30.33	770.4	...	...	W N W	2	...	,,	30.35	770.9	...	...	N N E	1	...
Oshima,	,,	30.30	769.6	...	...	N N E	3	...	,,	30.28	769.1	...	...	S	1	...
Naha,	,,	30.24	768.2	...	...	N	4	...	,,	30.23	767.7	...	...	N E	1	...
Ishigakijima,	,,	30.23	767.8	...	...	N E	5	...	,,	30.27	768.8	...	...	N E	2	...
Bonin Is.	,,	30.12	765.1	...	...	N N W	1	...	,,	30.18	766.6	...	...	N	1	...
Chefoo,	4 p.	30.38	771.6	44	47	S W	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.38	771.6	45	61	S S W	3	b	9 a.	30.26	768.6	46	40	S S W	2	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.42	772.6	49	50	E N E	1	c	,,	30.39	771.9	43	83	E	1	o
Shanghai,	,,	30.43	772.9	49	50	N E	2	c	9 a.	30.33	770.4	52	79	E S E	1	o
Gutzlaff,	,,	30.43	772.9	53	61	N	2	cv	,,	30.33	770.4	57	69	S E	2	cv
Sharp Peak,	,,	30.32	770.1	56	81	N	3	o	,,	30.27	768.8	57	...	N	1	o
Amoy,	,,	...	...	65	49	N E	3	o	6 a.	...	...	...	...	..	...	...
Swatow,	,,	30.16	766.0	68	51	E	3	o	,,	30.17	766.3	65	87	N E	1	b
Taihoku	1 p.	30.26	768.5	...	...	S E	10	...	5 a.	30.17	766.4	...	...	E	6	...
Taichu,	,,	30.08	764.0	...	...	N	2	...	,,	30.12	764.9	...	...	...	0	...
Tainan,	,,	30.14	765.5	...	...	W	4	...	,,	30.12	764.9	...	...	N	2	...
Koshun	,,	30.11	764.7	...	...	N E	10	...	,,	30.08	764.0	...	...	N E	10	...
Pescadores,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.19	766.3	63	47	N	2	b	9 a.	30.25	768.3	59	54	N N E	1	b
Hongkong,	4 p.	30.17	766.3	66	49	N	1	c	10 a.	30.21	767.3	69	49	E	2	c
Victoria Peak,	,,	...	...	...	...	E N E	2	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	30.13	765.3	...	...	N E	5	...	,,	30.18	766.6	...	...	E N E	5	...
Macao,	,,	30.20	767.1	63	...	N	2	c	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	30.22	767.6	67	15	N	1	c	9 a.	...	...	...	...	E	1	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Pakhoi,	,,	30.19	766.8	69	...	S	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.17	766.2	68	...	E N E	1	c	8 a.	30.23	767.7	68	...	E N E	3	b
Tourane,	,,	30.06	763.5	70	...	N E	5	or	,,	30.09	764.3	68	..	N W	4	dh
Cape St. James,	,,	29.82	757.3	81	...	S	2	o	,,	29.88	759.0	77	...	N E	1	c
Aparri,	2 p.	29.98	761.6	73	...	N E	4	p	6 a.	29.98	761.4	75	...	N E	4	p
Manila,	4 p.	29.84	758	81	76	...	0	o	10 a.	29.88	759	84	77	E	1	c
Legaspi,	2 p.	29.82	757.5	81	...	N E	2	o	6 a.	29.83	757.6	79	...	N E	2	c
Bacolod,	3 p.	...	...	...	...	S	1	o	9 a.	...	...	...	...	S	2	c
Iloilo,	,,	29.77	756.1	81	...	...	0	o	,,	29.83	757.7	80	...	N E	1	b
Cebu,	,,	29.81	757.2	82	...	...	0	od	,,	29.84	757.9	84	...	N	1	c
Labuan,	,,	29.81	757.2	87	...	...	...	...	,,	...	...	...	...	...	...	...

On the 20th at 11.55 a.—The barometer has risen in E. Japan, and fallen over China, particularly in the North.

A depression is moving Eastwards over Manchuria, and the high pressure area lies now over the Lower Yangtze valley and the Yellow Sea.

Pressure is still low over the S. part of the China Sea and the S. Philippines.

Strong monsoon must still be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	NE winds, fresh; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 20th November, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th November, 1910, P.M.								21st November, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...divostock, ...	2 p.	29.83	757.6	40	...	W	3	b	7 a.	30.26	768.5	21	73	N N E	2	b
...uro, ...	,,	29.96	761.1	...	...	S W	3	...	6 a.	29.75	755.6	...	...	S W	2	...
...odate, ...	,,	30.07	763.7	...	...	W	4	...	,,	29.93	760.2	...	...	W	3	...
...o, ...	,,	30.18	766.6	...	...	S S E	1	...	,,	30.14	765.6	...	...	...	0	...
...i, ...	,,	30.25	768.3	...	...	S E	1	...	,,	30.29	769.3	...	...	W	1	...
...saki, ...	,,	30.27	768.8	...	...	S S E	1	...	,,	30.33	770.3	...	...	N N E	1	...
...shima, ...	,,	30.25	768.4	...	...	S E	1	...	,,	30.29	769.4	...	...	N	1	...
...ma, ...	,,	30.22	767.6	...	...	N	1	...	,,	30.24	768.1	...	...	S	1	...
...a, ...	,,	30.17	766.2	...	...	E N E	4	...	,,	30.19	766.7	...	...	N E	1	...
...akijima, ...	,,	30.13	765.3	...	...	N E	5	...	,,	30.13	765.3	...	...	N E	2	...
...n Is.	,,	30.12	765.1	...	...	N E	1	...	,,	30.12	765.1	...	...	...	0	...
...oo, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...haiwei, ...	,,	30.21	767.3	51	86	S S W	1	b	9 a.	30.37	771.4	50	45	N E	3	b
...kow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...iang, ...	,,	30.28	769.1	57	46	N W	2	o	,,	30.32	770.1	49	78	...	0	o
...ghai, ...	,,	30.22	767.6	59	54	S	2	c	9 a.	30.33	770.4	56	75	N E	1	s
...dff, ...	,,	30.22	767.6	60	60	S E	3	cv	,,	30.31	769.9	55	81	S E	1	cv
...p Peak, ...	,,	30.20	767.1	60	...	N	1	o	,,	30.24	768.1	61	...	N	1	c
...y, ...	,,	30.02	762.5	67	60	N E	3	b	6 a.	...	...	...	...	...	...	...
...tow, ...	,,	30.13	765.3	69	80	S E	3	b	,,	30.11	764.8	58	94	N	1	c
...oku, ...	1 p.	30.09	764.2	...	...	E	8	...	5 a.	30.11	764.7	...	...	E	4	...
...hu, ...	,,	30.06	763.6	...	...	N W	2	...	,,	30.11	764.7	...	...	...	0	...
...an, ...	,,	30.09	764.3	...	...	W	6	...	,,	30.11	764.7	...	...	N	2	...
...nn, ...	,,	30.06	763.4	...	...	N E	8	...	,,	30.08	764.1	...	...	N E	6	...
...adores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...on, ...	3 p.	30.10	764.5	68	47	N	1	b	9 a.	30.19	766.8	62	67	N	1	b
...gkong, ...	4 p.	30.08	764.0	70	53	S E	1	b	10 a.	30.17	766.3	70	65	E	1	b
...oria Peak, ...	,,	...	...	...	...	E	0	...	,,	...	...	...	...	E N E	3	...
...Rock, ...	,,	30.66	763.5	...	...	N E	4	...	,,	30.14	765.5	...	...	E N E	5	...
...vo, ...	,,	30.12	765.0	69	...	N N E	1	c	,,	30.20	767.1	70	...	N	1	c
...how, ...	3 p.	30.15	765.8	71	...	N E	1	c	9 a.	30.25	768.3	57	...	N E	1	f
...ow, ...	,,	30.12	765.0	69	...	N E	3	b	,,	...	...	...	...	...	...	...
...hoi, ...	,,	30.11	764.8	70	66	N W	2	b	,,	...	...	...	...	...	...	...
...lien, ...	4 p.	30.10	764.6	72	...	W	2	b	8 a.	30.18	766.6	66	...	E N E	2	c
...ane, ...	,,	30.01	762.2	70	...	N N W	3	or	,,	30.06	763.6	70	...	N N E	3	or
...St. James, .	,,	29.82	757.3	81	...	N E	2	o	,,	29.86	758.5	79	...	N E	3	c
...ri, ...	2 p.	29.94	760.4	79	...	N E	2	p	6 a.	29.39	761.6	75	...	E	2	o
...ila, ...	4 p.	29.84	758	79	92	...	0	c	10 a.	29.84	758	81	76	N E	1	o
...aspi, ...	2 p.	29.75	755.7	86	...	E	4	c	6 a.	29.78	756.4	79	...	N E	2	o
...lod, ...	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	1	o
...o, ...	,,	29.77	756.1	81	...	..	0	o	,,	29.83	757.7	81	...	...	0	o
...a, ...	,,	29.76	755.9	86	...	...	0	c	,,	29.82	757.4	83	...	...	0	c
...an, ...	,,	29.79	756.6	86	...	...	...	...	,,	29.91	759.7	77	...	...	...	...

On the 21st at 11.55 a.—The depression lying over Manchuria yesterday, is moving into the Pacific to the North Hokkaido.

The barometer has risen considerably in Wladiwostok and over the N.E. coast of China, and fallen slightly at e stations around the China Sea.

Pressure remains low over the Southern Philippines and adjacent waters. It is high over China to the North Yangtze valley.

Strong monsoon will continues to prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. winds, fresh; fine.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 21st November, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st NOVEMBER, 1910, P.M.								22nd NOVEMBER, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	30.33	770.4	20	...	N N E	1	b	7 a.	30.26	768.6	31	80	S E	2	c
Nemuro,	,,	29.79	756.6	...	...	N	7	...	6 a.	30.30	769.6	...	...	N W	6	...
Hakodate,	,,	30.11	764.7	...	...	N W	6	...	,,	30.40	772.2	...	...	N	...	...
Tokio,	,,	30.10	764.6	...	...	N	3	...	,,	30.34	770.6	...	...	N W	1	...
Kochi,	,,	30.23	767.8	...	...	S W	1	...	,,	30.35	770.8	...	...	S W	1	...
Nagasaki,	,,	30.29	769.3	...	...	N N W	2	...	,,	30.35	770.8	...	...	N E	1	...
Kagoshima,	,,	30.23	767.9	...	...	N	1	...	,,	30.31	769.9	...	...	N E	1	...
Oshima,	,,	30.20	767.1	...	...	N	2	...	,,	30.20	767.1	...	...	...	0	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.19	766.7	...	...	E N E	1	...
Ishigakijima,	,,	30.13	765.3	...	...	N E	5	...	,,	30.13	765.3	...	...	N E	1	...
Bonin Is.	,,	30.04	763.1	...	...	N	1	...	,,	30.14	765.6	...	...	N	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.36	771.1	48	56	N N E	3	c	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	30.26	768.6	60	44	N E	2	b	,,	30.21	767.3	51	93	...	0	o
Shanghai,	,,	30.26	768.6	60	71	N E	1	o	9 a.	30.22	767.6	57	87	E S E	1	cm
Gutzlaff,	,,	30.26	768.6	60	76	S E	1	cv	,,	30.24	768.1	58	81	E	1	cv
Sharp Peak,	,,	30.16	766.0	63	...	N	1	c	,,	30.21	767.3	64	95	N	1	c
Amoy,	,,	29.94	760.5	75	60	E	1	c	6 a.	...	...	...	...	...	...	...
Swatow,	,,	30.04	763.0	70	70	E	1	b	,,	30.02	762.5	60	94	...	0	b
Taihoku,	1 p.	30.07	763.9	...	...	S E	6	...	5 a.	30.10	764.6	...	...	E	6	...
Taichu,	,,	30.02	762.5	...	...	S W	2	...	,,	30.07	763.7	...	...	...	0	...
Tainan,	,,	30.07	763.3	...	...	N W	4	...	,,	30.07	763.8	...	...	N E	2	...
Koshun,	,,	30.06	763.5	...	...	N E	6	...	,,	30.02	762.6	...	...	N E	10	...
Pescadores,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.06	763.5	70	57	N N W	1	b	9 a.	30.17	766.3	65	84	...	0	b
Hongkong,	4 p.	30.06	763.5	69	68	E	2	b	10 a.	30.17	766.3	70	73	E	3	o
Victoria Peak,	,,	...	...	...	...	E N E	3	...	,,	...	...	...	...	E N E	4	...
Gap Rock,	,,	30.02	762.5	...	...	E N E	5	...	,,	30.12	765.0	...	...	E N E	5	...
Macao,	,,	30.06	763.5	72	...	E	1	c	,,	30.19	766.3	70	...	N E	2	c
Wuchow,	3 p.	30.09	764.3	77	...	W	1	b	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.09	764.3	70	...	E N E	2	o	,,	...	...	...	...	..	...	...
Pakhoi,	,,	30.02	762.5	75	52	S S W	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.05	763.3	75	...	N W	1	c	8 a.	30.12	764.9	66	...	N	2	c
Tourane,	,,	29.99	761.7	70	...	N N W	3	or	,,	30.06	763.5	72	..	...	0	dh
Cape St. James,	,,	29.78	756.4	81	...	E N E	6	c	,,	29.92	760.0	77	...	N E	2	o
Aparri,	2 p.	29.96	761.0	81	...	N E	2	o	6 a.	29.83	757.7	77	...	N E	4	o
Manila,	4 p.	29.80	757	82	70	...	0	o	10 a.	29.76	756	70	91	N N W	2	r
Legaspi,	2 p.	29.72	754.8	81	...	N E	2	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S	1	o	9 a.	...	...	...	...	S	1	c
Iloilo,	,,	29.74	755.4	81	...	..	0	o	,,	29.79	756.6	80	...	...	0	c
Cebu,	,,	29.74	755.4	83	...	N	1	od	,,	29.80	756.9	84	...	S	2	c
Labuan,	,,	29.84	757.9	84	...	...	...	...	,,	29.91	759.7	79	...	...	...	...

On the 22nd at 11.40 a.—The barometer has fallen considerably in Luzon a typhoon, which appears to be moving towards W.N.W., having approached the S.E. coast.

Pressure has increased quickly in E. Japan, and given way moderately over the E. coast of China.

The high pressure area lies now over the Sea of Japan, and probably a depression is approaching N. China from the Westward.

Rough weather will set in again over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and N.E. winds, fresh; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 22nd November, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd November, 1910, P.M.								23rd November, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.15	765.7	36	...	S E	2	o	7 a.	29.85	758.1	35	96	...	0	f
Nemuro,	,,	30.28	769.1	...	...	W	1	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	30.34	770.7	...	...	N W	2	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30.32	770.1	...	...	E	1	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.25	768.3	...	...	S E	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.25	768.3	...	...	S E	4	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.23	767.9	...	...	E S E	1	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.26	768.6	...	...	E	1	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.13	765.2	...	...	E N E	3	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.09	764.3	...	...	N E	5	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	30.12	765.1	...	...	N	1	...	,,	...	...	...	...	...	...	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.18	766.6	48	85	S S E	1	ogmr	9 a.	30.10	764.5	49	73	W S W	2	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.18	766.6	57	63	W	2	o	,,	30.30	769.6	50	86	N E	3	b
Shanghai,	,,	30.12	765.0	64	78	S S E	1	o	9 a.	30.24	768.1	56	81	W N W	2	c
Gutzlaff,	,,	30.13	765.3	62	83	S E	3	cv	,,	30.23	767.8	54	94	N W	3	om
Sharp Peak,	,,	30.11	764.8	68	...	...	0	b	,,	30.18	766.6	66	95	N	1	c
Amoy,	,,	29.93	760.2	82	42	N E	2	b	6 a.	...	...	...	...	...	...	...
Swatow,	,,	29.99	761.7	74	63	E	1	b	,,	30.02	762.5	61	94	...	0	b
Taiboku,	1 p.	30.05	763.3	...	...	E	6	...	5 a.	30.06	763.4	...	...	E	6	...
Taichu,	,,	30.03	762.7	...	...	N W	2	...	,,	30.01	762.3	...	...	...	0	...
Tainan,	,,	30.03	762.8	...	...	N W	4	...	,,	30.01	762.2	...	...	N E	2	...
Koshun	,,	30.02	762.6	...	...	N E	8	...	,,	29.98	761.5	...	...	N E	8	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.04	763.0	73	67	...	0	b	9 a.	30.11	764.8	67	74	N	1	b
Hongkong,	4 p.	30.03	762.7	73	67	E	1	b	10 a.	30.08	764.0	76	52	N	3	oq
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	N E	6	...
Cap Rock,	,,	30.01	762.2	...	...	E N E	5	...	,,	30.05	763.2	...	...	E N E	3	...
Macao,	,,	30.06	763.5	73	...	N E	1	c	,,	...	...	72	...	N N E	3	c
Wuchow,	3 p.	30.11	764.8	68	...	E	1	c	9 a.	30.17	766.3	65	...	N E	1	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.04	763.0	77	65	E	1	o	,,	...	...	...	...	...	...	...
Pinlien,	4 p.	30.03	762.7	68	...	N	2	o	8 a.	30.10	764.7	72	...	E N E	3	c
Tourane,	,,	29.98	761.5	73	...	N N W	1	f	,,	30.04	763.0	73	...	N N E	3	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.88	758.8	79	...	N E	2	c
Aparri,	2 p.	29.83	757.8	77	...	N E	4	d	6 a.	29.86	758.4	75	...	E	2	r
Manila,	4 p.	29.65	752	75	92	N N W	2	d	10 a.	29.88	759	84	71	E	1	o
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S	1	o	9 a.	...	...	...	...	S	2	o
Iloilo,	,,	29.74	755.4	82	...	N W	1	o	,,	29.87	758.7	81	...	...	0	b
Cebu,	,,	29.75	755.6	86	...	S	2	c	,,	29.89	759.2	82	...	S	2	c
Labuan,	,,	29.79	756.6	84	...	...	...	...	,,	29.91	759.7	77	...	...	...	...

On the 23rd at 11.55 a.—The barometer has risen moderately in the Philippines, and fallen slightly over the northern and western shores of the China Sea.

The typhoon is situated to the Eastward of the Macclesfield Bank. At present it appears to be moving towards W.N.W.

The depression lying over N. China yesterday, has reached the neighbourhood of Wladiwostok.

Pressure has increased and is now highest over the Yangtze valley.

The Japanese returns are lacking.

Rough weather may be expected over the N. part of the China Sea for the next two days.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, strong; fair, squally,
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 23rd November, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd November, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	24th November, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostook,	2 p.	29.77	756.1	47	...	S W	0	c	7 a.	30.01	762.2	29	56	N N E	1	b
Nemuro,	,,	30.00	762.1	...	...	S S W	1	...	6 a.	29.63	752.6	...	...	...	0	..
Hakodate,	,,	29.95	760.7	...	...	S	2	...	,,	29.69	754.2	...	...	...	0	..
Tokio,	,,	30.06	763.6	...	...	N N W	1	...	,,	29.77	756.1	...	...	N W	1	..
Kochi,	,,	30.05	763.3	...	...	...	0	...	,,	29.97	761.3	...	...	S W	1	..
Nagasaki,	,,	30.03	762.8	...	...	S S W	3	...	,,	30.09	764.3	...	...	N N W	1	..
Kagoshima,	,,	30.07	763.9	...	...	S S W	1	...	,,	...	...	...	...	N N W	3	..
Oshima,	,,	30.06	763.6	...	...	S	1	...	,,	30.08	764.1	...	...	S	1	..
Naha,	,,	...	...	...	...	...	...	...	,,	30.07	763.7	...	...	N E	4	..
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.03	762.8	...	...	N E	4	..
Bonin Is.	,,	30.06	763.6	...	...	E	1	...	,,	30.02	762.6	...	...	..	0	..
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Weihaiwei,	,,	30.07	763.8	51	72	W N W	5	c	9 a.	30.28	769.1	49	71	W	5	m
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	..	...	...	...	.
Kiukiang,	,,	30.22	767.6	47	77	N	1	b	,,	..	...	...	...	...	...	..
Shanghai,	,,	30.17	766.3	60	88	N W	3	b	9 a.	30.30	769.6	54	80	N N E	1	b
Gutzlaff,	,,	30.19	766.8	56	75	E	2	om	,,	30.27	768.8	59	70	N	2	b
Sharp Peak,	,,	30.07	763.8	68	...	E	2	b	,,	30.22	767.6	65	78	N E	5	o
Amoy,	,,	29.91	759.7	79	47	E	1	c	6 a.	30.04	763.0	68	60	N N E	3	b
Swatow,	,,	29.96	760.7	71	76	E	1	c	,,	29.98	761.5	66	90	N E	3	c
Taihoku,	1 p.	30.02	762.6	...	...	E	8	...	5 a.	30.07	763.8	...	...	E	8	..
Taichu,	,,	29.94	760.4	...	...	N W	2	...	,,	29.94	760.4	...	...	...	0	..
Tainan,	,,	29.96	761.0	...	...	N	4	...	,,	29.96	760.9	...	...	N	2	..
Koshun,	,,	29.94	760.6	...	...	N E	8	...	,,	29.92	759.9	...	...	N E	10	.
Pescadores,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	
Canton,	3 p.	29.97	761.2	79	51	N E	2	b	9 a.	30.08	764.0	69	70	N	1	b
Hongkong,	4 p.	29.95	760.7	75	71	E	1	o	10 a.	30.05	763.2	73	71	E	2	o
Victoria Peak,	,,	...	...	...	...	N E	4	...	,,	...	...	...	...	E N E	6	.
Gap Rock,	,,	29.91	759.7	...	...	E	3	...	,,	30.00	762.0	...	...	E N E	7	.
Macao,	,,	29.98	761.5	79	...	N	3	c	,,	30.08	764.0	71	...	N E	2	o
Wuchow,	3 p.	30.03	762.7	79	...	E	1	c	9 a.	30.13	765.3	68	...	N E	1	o
Hoihow,	,,	29.97	761.2	81	56	S S W	2	c	,,	...	...	...	...	..	...	.
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.99	761.7	73	...	N W	4	c	8 a.	30.02	762.6	73	...	N E	3	c
Tourane,	,,	29.94	760.6	75	...	N W	2	c	,,	29.95	760.7	72	..	N W	4	f
Cape St. James,	,,	29.80	756.8	79	...	E N E	5	o	,,	29.84	758.0	77	...	S S W	2	o
Aparri,	2 p.	29.83	757.7	79	...	S E	2	o	6 a.	29.90	759.4	73	...	S E	0	o
Manila,	4 p.	29.76	756	84	77	S E	2	o	10 a.	29.88	759	86	83	N N E	1	c
Legaspi,	2 p.	29.79	756.6	88	...	E	2	b	6 a.	29.86	758.3	79	...	...	0	b
Bacolod,	3 p.	...	...	...	...	S	1	or	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.75	755.6	81	...	...	0	o	,,	29.87	758.7	81	...	...	0	b
Cebu,	,,	29.79	756.6	85	...	S	1	c	,,	29.83	758.9	86	...	...	1	c
Labuan,	,,	29.79	756.6	85	...	...	...	...	,,	29.90	759.4	82	...	...	...	

On the 24th at 11.55 a.—The barometer has risen slightly in Luzon, and fallen moderately over Indo-China.

The typhoon appears to be situated near the Paracels, and to be moving towards W.N.W.

The depression lying in the neighbourhood of Wladiwostok yesterday, has reached N.E. Japan.

Pressure is highest over the Yangtze valley. It has increased moderately in N. China.

Rough weather may still be expected over the N.W. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; cloudy, squally,
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N.E. gale.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 24th November, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th November, 1910, P.M.								25th November, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
livostock,...	2 p.	30.02	762.4	32	...	N	6	c	7 a	30.21	767.3	15	60	N	0	b
uro, ...	,,	29.47	748.6	...	...	N	5	...	6 a.	29.77	756.1	...	...	N W	7	...
date, ...	,,	29.75	755.7	...	...	W N W	7	...	,,	29.95	760.7	...	...	N W	2	...
o, ...	,,	29.75	755.6	...	...	N W	4	...	,,	30.08	764.1	...	...	N N W	2	...
ii, ...	,,	29.99	761.8	...	...	N	2	...	,,	30.15	765.8	...	...	W S W	1	...
saki, ...	,,	30.11	764.8	...	...	N	6	...	,,	30.19	766.8	...	...	...	0	...
shima, ...	,,	30.07	763.9	...	...	N	2	...	,,	30.15	765.9	...	...	N N E	1	...
ma, ...	,,	30.06	763.6	...	...	N	3	...	,,	30.10	764.6	...	...	S	1	...
.....	,,	...	...	...	...	...	...	...	,,	30.07	763.7	...	...	N E	1	...
akijima, ...	,,	30.01	762.3	...	...	E N E	4	...	,,	30.03	762.8	...	...	N E	4	...
n Is.	,,	29.94	760.6	...	...	W S W	1	...	,,	29.95	760.6	...	...	..	0	...
o, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
aiwei, ...	,,	30.25	768.3	55	68	W	1	m	9 a.	30.28	769.1	52	53	N	1	em
ow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
ang, ...	,,	30.07	766.3	62	94	N E	2	b	,,	30.24	768.1	46	92	...	0	b
hai, ...	,,	30.20	767.1	60	44	N	1	b	9 a.	30.28	769.1	57	69	N E	1	bm
aff, ...	,,	30.19	766.8	60	70	N	1	bv	,,	30.25	768.3	58	76	N	1	bm
Peak, ...	,,	30.12	765.0	65	...	N N E	2	c	,,	30.20	767.1	62	94	N	1	or
.....	,,	29.91	759.7	75	52	N E	2	c	6 a.	30.04	763.0	65	78	N E	3	c
w, ...	,,	29.95	760.7	70	75	E	2	o	,,	29.98	761.5	65	84	E S E	1	c
ku, ...	1 p.	30.07	763.7	...	...	E	8	...	5 a	30.07	763.7	...	...	E	6	...
u, ...	,,	29.95	760.7	...	...	N	4	...	,,	30.00	761.9	...	...	...	0	...
n, ...	,,	29.96	760.9	...	...	N	4	...	,,	29.98	761.5	...	...	N E	2	...
n.....	,,	29.93	760.3	...	...	N E	10	...	,,	29.97	761.2	...	...	N E	10	...
flores, ...	,,	...	...	...	...	...	..	...	..	...	...	...	...	...	...	...
n, ...	3 p.	29.96	761.0	74	55	N	2	o	9 a.	30.06	763.5	66	84	N N E	2	o
kong, ...	4 p.	29.96	761.0	70	75	E	2	o	10 a.	30.03	762.7	70	75	E N E	4	o
ia Peak, ...	,,	...	...	...	...	E N E	4	...	,,	...	...	...	...	E	7	...
Rock, ...	,,	29.90	759.4	...	...	E N E	7	...	,,	29.97	761.2	...	...	E N E	8	...
.....	,,	29.97	761.2	72	...	E S E	2	o	,,	30.06	763.5	70	...	N N E	2	o
w, ...	3 p.	30.00	762.0	76	...	N E	1	o	9 a.	...	...	...	...	...	...	...
w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
i, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n, ...	4 p.	29.90	759.4	81	...	W	3	c	8 a.	29.98	761.5	63	...	N N W	4	or
ne, ...	,,	29.81	757.2	70	...	N W	6	f	,,	29.90	759.4	73	..	N W	3	c
t. James, .	,,	29.79	756.7	81	...	S S E	2	c	,,	29.83	759.0	75	...	N E	2	c
.....	2 p.	29.85	758.2	81	...	N E	2	o	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.80	757	84	77	...	0	o	10 a.	29.88	759	82	77	...	0	o
i, ...	2 p.	29.82	757.5	81	...	E	2	o	6 a.	29.85	758.1	79	...	N E	2	o
d, ...	3 p.	...	...	...	...	S W	2	or	9 a.	...	...	...	...	S W	2	o
.....	,,	29.77	756.1	83	...	E	1	o	,,	29.87	758.7	80	...	N E	1	o
.....	,,	29.81	757.2	85	...	N	1	or	,,	29.86	758.4	81	...	N	1	o
.....	,,	29.73	756.4	87	...	...	...	...	,,	29.90	759.4	80	...	...	...	...

On the 25th at 12.05 p.—The barometer has fallen slightly over N. Annam and the S. coast of China.
The typhoon which has moved towards N.W. since yesterday, is now situated near the S.E. coast of Hainan.
The northern depression has moved into the Pacific to the E. of Hokkaido, and pressure has increased consider-
in E. Japan.
The highest pressure is shown over N. China.
Rough weather must still be expected over the N.W. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ngkong and Neighbourhood, ...	Moderate E. gale; squally, some rain
mosa Channel, ...	N.E. winds, fresh.
th coast of China between Hongkong and Lamocks, .	E. and N.E. winds, strong.
th coast of China between Hongkong and Hainan,...	E. gale.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 25th November, 1910.

inted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th November, 1910, P.M.								26th November, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,..	2 p.	30.19	766.8	19	...	N N E	2	b	7 a	29.92	759.9	23	74	...	0	c
Nemuro, ...	,,	29.75	755.6	...	...	W N W	4	...	6 a.	29.91	759.6	...	...	W	3	...
Hakodate, ...	,,	30.01	762.2	...	...	W N W	4	...	,,	30.05	763.2	...	...	W	1	...
Tokio, ...	,,	30.02	762.6	...	...	S S W	1	...	,,	30.14	765.6	...	...	N N W	1	...
Kochi, ...	,,	30.13	765.3	...	...	S E	1	...	,,	30.19	766.8	...	...	S W	1	...
Nagasaki, ...	,,	30.17	766.3	...	...	N E	3	...	,,	30.21	767.3	...	...	...	0	...
Kagoshima, ...	,,	30.11	764.9	...	...	S E	1	...	,,	30.15	765.9	...	...	N E	1	...
Oshima, ...	,,	30.08	764.1	...	...	N	1	...	,,	30.03	764.1	...	...	S	1	...
Naha, ...	,,	30.09	764.2	...	...	N	2	...	,,	30.09	764.2	...	...	...	0	...
Ishigakijima, ...	,,	30.03	762.8	...	...	N E	4	...	,,	30.05	763.3	...	...	N E	3	...
Bonin Is.	,,	29.91	759.6	...	...	N N E	1	...	,,	29.99	761.6	...	...	N	1	...
Chefoo, ...	4 p.	30.22	767.6	50	72	E	1	b	6 a.	...	...	...	...	...	...	...
Weihaiwei, ...	,,	30.23	767.8	51	72	N E	2	c	9 a.	30.21	767.3	49	64	S S W	2	bm
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kiukiang, ...	,,	30.17	766.3	62	61	N E	2	c	,,	...	...	...	...	...	...	...
Shanghai, ...	,,	30.20	767.1	58	58	N E	2	o	9 a.	30.22	767.6	58	64	E	1	cm
Gutzlaff, ...	,,	30.20	767.1	56	69	N E	3	cv	,,	30.21	767.3	56	81	N E	1	cv
Sharp Peak, ...	,,	30.12	765.0	63	89	N	1	o	,,	30.18	766.6	63	89	N N E	3	o
Amoy, ...	,,	29.91	759.7	70	66	N E	2	c	6 a.	30.06	763.5	66	73	N E	1	c
Swatow, ...	,,	29.96	761.0	74	63	E	2	c	,,	30.01	762.2	66	79	N N E	3	o
Taihoku, ...	1 p.	30.07	763.8	...	...	E	8	...	5 a	30.04	762.9	...	...	E	8	...
Taichu, ...	,,	29.96	760.9	...	...	N	4	...	,,	30.00	761.9	...	...	...	0	...
Tainan, ...	,,	29.95	760.8	...	...	N W	2	...	,,	30.00	761.9	...	...	N E	2	...
Koshun	,,	29.94	760.6	...	...	N E	10	...	,,	29.98	761.5	...	...	N E	8	...
Pescadores, ...	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Canton, ...	3 p.	29.96	761.0	68	70	N N E	2	o	9 a.	30.06	763.5	64	95	N	1	or
Hongkong, ...	4 p.	29.95	760.7	69	82	E	4	o	10 a.	30.06	763.5	68	80	E	5	oq
Victoria Peak, ...	,,	...	...	...	...	E	7	...	,,	...	...	...	...	E	5	...
Gap Rock, ...	,,	29.90	759.4	...	...	E	7	...	,,	30.00	762.0	...	...	E	7	...
Macao, ...	,,	29.98	761.5	67	...	N N E	1	od	,,	30.09	764.3	67	...	E	1	o
Wuchow, ...	3 p.	30.02	762.5	65	...	N	3	o	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Pakhoi, ...	,,	29.95	760.7	67	95	N	4	o	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.93	760.3	64	...	N N W	5	or	8 a.	30.02	762.6	65	...	N N E	3	o
Tourane, ...	,,	29.84	758.0	72	...	N W	5	c	,,	29.96	761.0	72	..	N W	4	c
Cape St. James, .	,,	29.78	756.5	82	...	S E	2	c	,,	29.88	759.0	77	...	N E	1	o
Aparri, ...	2 p.	29.87	758.8	82	...	E	2	b	6 a.	...	...	...	...	...	...	...
Manila, ...	4 p.	29.80	757	82	65	E	1	o	10 a.	29.92	760	82	77	N E	1	o
Legaspi, ...	2 p.	29.81	757.2	79	...	N E	2	o	6 a.	29.86	758.5	79	...	N E	2	o
Bacolod, ...	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	N E	2	c
Iloilo, ...	,,	29.77	756.1	81	...	N E	1	o	,,	29.87	758.7	81	...	N E	1	b
Cebu, ...	,,	29.73	756.4	83	...	N	1	c	,,	29.88	758.9	82	...	N	2	c
Labuan, ...	,,	29.79	756.6	85	...	...	...	...	,,	29.90	759.4	80	...	...	...	...

On the 26th at 12.05 p.—The barometer has risen slightly at the stations around the N. part of the China Sea. Probably the depression is filling up in the neighbourhood of the Paracels.

Pressure has increased in E. Japan, and given way over N. China and at Wladiwostock. A depression is advancing Eastwards over Manchuria.

The highest pressure is shown over the Yellow Sea.

The wind is expected to decrease in force over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, probably moderating; squally, some rain
2.—Formosa Channel, ...	N.E. and E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 26th November, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th November, 1910, P.M.								27th November, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.83	757.7	39	...	W	2	b	7 a	30.21	767.3	13	48	...	0	b
Nemuro,	,,	29.85	758.1	...	...	W	4	...	6 a	29.79	756.6	...	...	WNW	2	...
Hakodate,	,,	29.87	758.7	...	...	W	1	...	,,	30.03	762.7	...	...	WNW	6	...
Tokio,	,,	30.08	764.1	...	...	S	1	...	,,	30.06	763.6	...	...	NW	1	...
Kochi,	,,	30.11	764.8	...	...	...	0	...	,,	30.15	765.8	...	...	SW	1	...
Nagasaki,	,,	30.11	764.8	...	...	ESE	2	...	,,	30.19	766.8	...	...	...	0	...
Kagoshima,	,,	30.13	765.4	...	...	NNE	1	...	,,	30.11	764.9	...	...	...	0	...
Oshima,	,,	30.02	762.6	...	...	N	1	...	,,	30.10	764.6	...	...	NE	4	...
Naha,	,,	30.05	763.2	...	...	NNE	1	...	,,	30.07	763.7	...	...	NE	4	...
Ishigakijima,	,,	30.03	762.8	...	...	NE	4	...	,,	30.04	763.3	...	...	NE	3	...
Bonin Is.	,,	29.94	760.6	...	...	ENE	1	...	,,	29.93	760.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a	...	...	...	...	...	...	...
Weihaiwei,	,,	30.15	765.8	53	42	NNW	2	c	9 a	30.30	769.6	47	70	NE	4	o
Hankow,	,,	...	...	...	...	...	...	...	6 a	...	...	...	...	...	...	..
Kiukiang,	,,	30.14	765.5	57	81	NE	1	o	,,	30.07	763.8	54	94	NE	1	o
Shanghai,	,,	30.16	766.0	57	69	NE	1	o	9 a.	...	...	...	...	...	...	...
Gutzlaff,	,,	30.14	765.5	56	94	N	1	ov	,,	30.20	767.1	58	81	E	4	cv
Sharp Peak,	,,	30.10	764.5	64	89	N	1	o	,,	30.17	766.3	63	89	N	1	or
Amoy,	,,	29.91	759.7	71	62	ENE	2	o	6 a.	...	...	..	...	...	...	...
Swatow,	,,	29.98	761.5	68	74	E	2	o	,,	30.00	762.0	65	84	NNE	3	c
Taihoku,	1 p.	30.05	763.2	...	...	E	8	...	5 a	30.04	763.1	...	...	E	6	...
Taichu,	,,	29.98	761.4	...	...	...	0	...	,,	30.04	763.1	...	...	N	2	...
Tainan,	,,	30.00	762.0	...	...	NE	2	...	,,	30.03	762.7	...	...	N	2	...
Koshun,	,,	29.99	761.7	...	...	NE	6	...	,,	30.01	762.2	...	...	N	6	...
Pescadores,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	29.96	761.0	66	89	N	1	o	9 a.	30.04	763.0	67	90	NE	1	o
Hongkong,	4 p.	29.96	761.0	69	82	E	4	oq	10 a.	30.05	763.2	69	85	E	5	odq
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	5	...
Gap Rock,	,,	29.90	759.4	...	...	ENE	6	...	,,	30.01	762.2	...	...	E	5	...
Macao,	,,	...	...	68	...	E	2	o	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	30.07	763.8	65	...	N	3	o	9 a.	30.06	763.5	65	...	E	1	or
Hoihow,	,,	29.93	760.2	75	100	E	2	o	,,	...	...	...	...	..	...	...
Pakhoi,	,,	29.97	761.2	67	100	N	3	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.94	760.5	70	...	NNE	1	o	8 a.	30.01	762.1	68	...	ENE	0	c
Tourane,	,,	29.88	759.0	72	...	NW	5	o	,,	...	...	72	..	NW	3	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.97	761.1	73	...	S	0	b
Manila,	4 p.	29.84	758	81	69	NW	1	p	10 a.	29.96	761	79	76	...	1	o
Legaspi,	2 p.	29.83	757.6	81	...	NE	2	o	6 a.	29.88	758.9	77	...	NE	2	o
Bacolod,	3 p.	...	...	...	...	NE	2	o	9 a.	...	...	...	...	NE	2	o
Iloilo,	,,	29.75	755.6	83	...	NE	1	o	,,	29.87	758.7	78	...	N	1	or
Cebu,	,,	29.78	756.4	85	...	N	2	c	,,	29.89	759.2	79	...	N	2	o
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	...	...	...	...	...	...	...

On the 27th at 11.55 a.—The depression lying to the North of Wladiwostock yesterday, is moving into the Pacific to the N.E. of Japan.

The barometer has risen on the N.E. coast of China and fallen over the Yangtze valley. Probably a depression is developing over the latter area.

Pressure is highest over N. China. It remains low over the northern shores of the China Sea.

Strong or fresh E. winds may be expected along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, strong or fresh; squally, misty.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 27th November, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th November, 1910, P.M.								28th November, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.19	766.8	25	...	W	0	b	7 a.	30.45	773.4	12	50	N N E	0	b
Nemuro,	,,	29.83	757.6	...	...	W N W	3	...	6 a.	29.95	760.6	...	...	N W	6	
Hakodate,	,,	30.05	763.2	...	...	...	4	...	,,	30.13	765.2	...	...	N W	3	
Tokio,	,,	30.02	762.6	...	...	N W	1	...	,,	30.12	765.1	...	...	N W	1	
Kochi,	,,	30.11	764.8	...	...	S S W	1	...	,,	30.21	767.3	...	...	S S W	1	
Nagasaki,	,,	30.15	765.8	...	...	N N W	1	...	,,	30.15	765.8	...	...	E S E	3	
Kagoshima,	,,	30.13	765.4	...	...	S S E	1	...	,,	30.15	765.9	...	...	N N E	1	
Oshima,	,,	30.08	764.1	...	...	N N E	2	...	,,	30.06	763.6	...	...	S E	1	
Naha,	,,	...	...	...	...	...	...	...	,,	30.03	762.7	...	...	...	0	
Ishigakijima,	,,	...	...	...	...	...	..	...	,,	29.97	761.3	...	...	S E	4	
Bonin Is.	,,	29.93	760.1	...	...	N N E	1	...	,,	30.02	762.6	...	...	...	0	
Chefoo,	4 p.	30.29	769.3	45	68	E	6	o	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.29	769.3	44	60	N E	5	o	9 a.	30.37	771.4	39	91	N E	6	o
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	30.09	764.3	...	...	N E	5	or	,,	...	...	...	...	...	...	
Shanghai,	,,	30.08	764.0	61	66	S S E	1	og	9 a.	29.79	761.2	59	94	S	1	o
Gutzlaff,	,,	30.11	764.8	59	82	S E	4	omd	,,	29.96	761.0	60	94	S E	4	o
Sharp Peak,	,,	30.06	763.5	63	89	N	1	or	,,	30.03	762.5	65	...	...	0	
Amoy,	,,	29.91	759.7	77	61	E N E	2	b	6 a.	29.88	758.9	67	84	S S W	1	o
Swatow,	,,	29.92	759.9	72	76	E N E	2	c	,,	29.92	759.9	67	89	N E	1	o
Taihoku,	1 p.	29.97	761.3	...	...	E	8	...	5 a	29.99	761.7	...	...	...	0	
Taichu,	,,	29.98	761.4	...	...	W	2	...	,,	30.00	762.0	...	...	...	0	
Tainan,	,,	30.02	762.4	...	...	N W	6	...	,,	29.98	761.4	...	...	N	2	
Koshun,	,,	29.99	761.8	...	...	N E	6	...	,,	29.98	761.5	...	...	...	0	
Pescadores,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	
Canton,	3 p.	29.93	760.2	74	76	S	1	c	9 a.	30.01	762.2	71	85	S S W	1	h
Hongkong,	4 p.	29.95	760.7	69	85	E	4	oq	10 a.	30.02	762.5	72	78	E	3	o
Victoria Peak,	,,	...	...	...	...	E S E	5	...	,,	...	...	...	...	E	4	
Gap Rock,	,,	29.91	759.7	...	...	E	5	...	,,	29.98	761.5	...	...	E	5	
Macao,	,,	29.96	761.0	69	...	E S E	3	o	,,	30.05	763.2	73	...	E S E	2	o
Wuchow,	3 p.	29.95	760.7	68	...	S E	2	omd	9 a.	30.00	762.0	70	...	E	1	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.91	759.6	73	...	N W	1	c	8 a.	29.97	761.3	70	...	E N E	2	o
Tourane,	,,	29.91	759.6	73	...	N W	2	or	,,	29.95	760.7	75	..	...	0	o
Cape St. James,	,,	29.79	756.6	72	...	E N E	6	or	,,	...	...	...	...	..	...	
Aparri,	2 p.	29.90	759.4	84	...	N E	2	b	6 a.	29.94	760.5	72	...	S	0	
Manila,	4 p.	29.84	758	82	71	E	1	o	10 a.	29.92	760	84	71	...	0	o
Legaspi,	2 p.	29.82	757.5	84	...	E	4	o	6 a.	29.84	757.9	79	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N	1	o	9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.77	756.1	79	...	N	1	o	,,	29.83	757.7	78	...	...	0	o
Cebu,	,,	29.83	757.7	79	...	...	0	o	,,	29.86	758.4	77	...	...	0	o
Labuan,	,,	29.79	756.6	83	...	...	...	...	,,	29.90	759.4	79	...	...	...	

On the 28th at 11.55 a.—The barometer has fallen considerably on the East coast of China owing to a depressio which is moving Eastwards over the Lower Yangtze valley.

An area of high pressure occupies Manchuria and the barometer has risen over the N. part of the Sea of Japan.

Pressure has given way slightly and is still in moderate defect of the normal over the S. Philippines.

Moderate monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, moderate to light; fair.
2.—Formosa Channel, ...	Variable winds, light or moderate.
3.—South coast of China between Hongkong and Lamooks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan....	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 28th November, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th November, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	29th November, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Weather.
Vladivostock,	2 p.	30.42	772.7	15	...	N N E	3	o	7 a.	30.45	773.3	8	54	N E	
Gensan,	,,	...	...	...	...	...	...	...	6 a.	30.08	764.1	...	...	W	
Hakodate,	,,	...	...	...	...	...	...	...	,,	30.19	766.7	...	...	N W	
Tokio,	,,	...	...	...	...	...	...	...	,,	30.24	768.1	...	...	...	
Kochi,	,,	...	...	...	...	...	...	...	,,	30.19	766.8	...	...	S W	
Nagasaki,	,,	...	...	...	...	...	...	...	,,	30.07	763.8	...	...	N E	
Kagoshima,	,,	...	...	...	...	...	...	...	,,	30.06	763.4	...	...	E N E	
Ishima,	,,	...	...	...	...	...	...	...	,,	29.95	760.6	...	...	N	
Taiwan,	,,	...	...	...	...	...	...	...	,,	29.97	761.2	...	...	N	
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.97	761.3	...	...	N	
Pomin Is.	,,	...	...	...	...	...	...	...	,,	30.01	762.1	...	...	...	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Weihaiwei,	,,	29.28	769.1	42	66	N N E	3	b	9 a.	30.27	768.8	47	70	E	
Tientsin,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Kiukiang,	,,	29.98	761.5	57	94	N E	3	o	,,	30.00	762.0	53	93	N E	
Shanghai,	,,	29.94	760.5	64	73	N W	3	c	9 a.	30.09	764.3	59	94	E	
Hutzlaff,	,,	29.92	759.9	61	88	N W	...	cgm	,,	30.05	763.2	59	100	E S E	
Sharp Peak,	,,	29.91	759.7	68	...	...	0	b	,,	30.07	763.8	66	...	N E	
Amoy,	,,	29.82	757.4	76	60	S	3	b	6 a.	...	...	66	89	N E	
Swatow,	,,	29.90	759.4	76	64	E	1	b	,,	29.94	760.5	65	...	...	
Taihoku,	1 p.	29.96	760.9	...	...	N W	6	...	6 a.	29.97	761.1	...	...	...	
Taichu,	,,	29.97	761.3	...	...	N	4	...	,,	29.97	761.1	...	...	...	
Tainan,	,,	29.93	761.5	...	...	N	6	...	,,	29.97	761.1	...	...	E	
Toshun,	,,	29.94	760.6	...	...	N W	4	...	,,	29.99	761.8	...	...	E	
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Canton,	3 p.	29.89	759.2	78	78	S	1	c	9 a.	29.99	761.7	73	86	...	
Hongkong,	4 p.	29.92	759.9	73	75	E	3	b	10 a.	30.00	762.0	74	85	E S E	
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	S	
Cap Rock,	,,	29.89	759.2	...	...	E	4	...	,,	29.98	761.5	...	...	E	
Macao,	,,	29.94	760.5	73	...	S E	2	c	,,	30.04	763.0	73	...	E S E	
Fuchow,	3 p.	29.89	759.2	77	...	N E	2	c	9 a.	29.99	761.7	72	...	E	
Foihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	
Takhoi,	,,	29.97	761.2	78	...	S	1	b	,,	...	...	...	...	...	
Ichulien,	4 p.	29.85	758.3	75	...	S E	4	c	8 a.	29.93	760.2	73	...	S S E	
Tourane,	,,	29.87	758.6	75	...	S E	1	b	,,	29.93	760.2	73	..	S E	
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	
Aparri,	2 p.	29.86	758.4	82	...	N E	2	b	6 a.	29.91	759.8	72	...	S	
Manila,	4 p.	29.84	758	82	70	N N W	1	o	10 a.	29.92	760	79	85	...	
Legaspi,	2 p.	29.81	757.1	81	...	N E	2	o	6 a.	29.83	757.6	79	...	N E	
Iloilo,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	
Iloilo,	,,	29.75	755.6	79	...	N E	1	o	,,	29.83	757.7	78	...	N E	
Cebu,	,,	29.78	756.4	79	...	...	0	c	,,	29.85	758.2	76	...	N	
Labuan,	,,	29.80	756.9	82	...	...	...	...	,,	29.87	758.7	81	...	...	

On the 29th at 11.55 a.—The barometer has risen moderately on the E. coast of China, and fallen a like over S.W. Japan and the Loochoos.

The depression lying over the Lower Yangtze valley yesterday, has reached the neighbourhood of the Loochoos.

Pressure remains low over S. China and probably another depression is developing to the South of the valley.

Pressure is low also over the Southern Philippines.

The high pressure area still lies over Manchuria.

Moderate or light monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	E. winds, light or moderate; fair.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Tuesday, 29th November, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th November, 1910, P.M.								30th November, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.44	773.1	17	...	N N E	2	b	7 a	30.32	770.0	10	84	N E	3	
Nemuro,	,,	29.98	761.6	...	...	N W	6	...	6 a.	30.18	766.6	...	...	N W	5	
Hakodate,	,,	30.17	766.2	...	...	N W	6	...	,,	30.30	769.7	...	...	...	0	
Tokio,	,,	30.20	767.1	...	...	...	0	...	,,	30.26	768.6	...	...	N W	1	
Kochi,	,,	30.15	765.8	...	...	S	1	...	,,	30.15	765.8	...	...	S W	10	
Nagasaki,	,,	30.07	763.8	...	...	E N E	2	...	,,	29.99	761.8	...	...	E S E	3	
Kagoshima,	,,	30.06	763.4	...	...	E	6	...	,,	30.03	762.9	...	...	E	5	
Oshima,	,,	29.96	761.1	...	...	E	1	...	,,	30.01	762.1	...	...	...	0	
Naha,	,,	...	...	...	...	...	...	...	,,	30.01	762.2	...	...	...	0	
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.99	761.8	...	...	...	0	
Bonin Is.	,,	30.06	763.6	...	...	N	1	...	,,	30.08	764.1	...	...	E	1	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a	...	...	...	...	...	...	
Weihaiwei,	,,	30.19	766.8	48	78	E	2	o	9 a	30.11	764.8	45	92	N N W	6	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	29.98	761.5	55	100	N E	1	or	,,	30.22	767.6	44	92	N E	2	
Shanghai,	,,	29.96	761.0	60	100	E S E	1	or	9 a.	30.05	763.2	53	93	W N W	4	
Gutzlaff,	,,	29.98	761.5	59	100	E	4	opf	,,	30.03	762.7	56	100	N W	6	
Sharp Peak,	,,	29.99	761.7	68	95	E	1	b	,,	30.05	763.2	68	95	S W	1	
Amoy,	,,	29.92	759.9	73	76	S S E	3	b	6 a.	...	...	...	...	...	...	
Swatow,	,,	30.01	762.2	75	77	E S E	1	b	,,	29.98	761.5	68	95	N E	1	
Taihoku,	1 p.	29.94	760.6	...	...	S E	6	...	5 a	29.99	761.7	...	...	...	0	
Taichu,	,,	29.94	760.5	...	...	N W	4	...	,,	29.99	761.6	...	...	...	0	
Tainan,	,,	29.94	760.6	...	...	N W	4	...	,,	29.99	761.7	...	...	N	2	
Koshun,	,,	29.95	760.7	...	...	E	4	...	,,	29.99	761.6	...	...	...	0	
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Canton,	3 p.	29.89	759.2	79	74	S	1	b	9 a.	30.05	763.2	73	86	...	0	
Hongkong,	4 p.	29.92	759.9	73	85	E	3	b	10 a.	30.06	763.5	74	80	E	1	
Victoria Peak,	,,	...	...	...	...	S E	1	...	,,	...	...	...	...	E	2	
Gap Rock,	,,	29.89	759.2	...	...	E	3	...	,,	30.04	763.0	...	...	N E	3	
Macao,	,,	29.95	760.7	75	...	E S E	1	c	,,	30.09	764.3	73	...	N E	1	
Wuchow,	3 p.	29.92	759.9	71	...	...	0	c	9 a.	30.06	763.5	80	...	E	1	
Hoihow,	,,	29.91	759.7	78	86	E	4	b	,,	...	...	...	...	..	...	
Pakhoi,	,,	29.89	759.2	79	78	S W	1	c	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.85	758.2	75	...	S S E	5	c	8 a.	30.01	762.1	75	...	E S E	2	
Tourane,	,,	29.85	758.3	75	...	S E	1	b	,,	29.97	761.1	75	..	S E	2	
Cape St. James,	,,	29.75	755.6	79	...	N E	5	c	,,	...	...	...	...	...	...	
Amarri,	2 p.	29.88	759.0	84	...	E	2	b	6 a.	29.93	760.2	72	...	S E	0	
Manila,	4 p.	29.84	758	79	92	...	0	o	10 a.	29.92	760	82	70	...	0	
Legaspi,	2 p.	29.82	757.4	82	...	N E	2	o	6 a.	29.87	758.6	77	...	N E	2	
Bacolod,	3 p.	...	...	...	...	S	2	o	9 a.	...	...	...	...	S W	1	
Iloilo,	,,	29.74	755.4	79	...	N E	1	o	,,	29.87	758.7	78	...	N E	1	
Cebu,	,,	29.76	755.9	78	...	N	1	o	,,	...	...	81	...	N	1	
Labuan,	,,	29.79	756.6	85	...	...	...	...	,,	29.90	759.4	81	...	...	...	

On the 30th at 11.55 a.—The barometer has fallen over the N.E. coast of China, W. Japan and Wladiwost and risen elsewhere, particularly over the Yangtze valley.

The depression lying over the E. coast of China yesterday, has moved towards N.E., and is now situated o the Yellow Sea.

Pressure is high over the N.E. part of the Sea of Japan, and also to the North of the Upper Yangtze valley.

The monsoon will probably freshen again in the Formosa Channel and the N. part of the China Sea by tomorr

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, freshening; fair to cloudy and misty.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 30th November, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th NOVEMBER, 1910, P.M.								1st DECEMBER, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.13	766.5	13	...	N N E	1	s	7 a.	29.91	759.6	13	95	N E	3	s
Nemuro,	,,	30.20	767.1	...	...	N W	4	...	6 a.	30.18	766.6	...	...	W N W	1	...
Hakodate,	,,	30.24	768.2	...	...	N E	1	...	,,	30.01	762.2	...	...	E	2	...
Tokio,	,,	30.20	767.1	...	...	N W	2	...	,,	29.77	756.1	...	...	N N W	1	...
Kochi,	,,	29.99	761.8	...	...	S W	1	...	,,	29.82	757.3	...	...	S W	1	...
Nagasaki,	,,	29.89	759.3	...	...	S E	2	...	,,	29.91	759.8	...	...	N W	1	...
Kagoshima,	,,	29.90	759.4	...	...	S S E	1	...	,,	29.92	759.9	...	...	N W	1	...
Oshima,	,,	29.94	760.6	...	...	N	2	...	,,	30.01	762.1	...	...	N W	3	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.03	762.7	...	...	N	4	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.03	762.8	...	...	N	1	...
Bonin Is.	,,	30.04	763.1	...	...	E S E	1	...	,,	30.01	762.1	...	...	S E	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.08	764.0	51	93	N	5	op	9 a.	30.35	770.9	32	90	N	7	oqs
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	30.22	767.6	46	92	W	3	o	,,	30.36	771.1	44	92	N E	3	o
Shanghai,	,,	30.05	763.2	51	86	N W	4	oq	9 a.	30.36	771.1	44	84	N N W	4	oq
Gutzlaff,	,,	30.05	763.2	52	86	N W	7	ogv	,,	30.31	769.9	50	86	N	6	ogm
Sharp Peak,	,,	29.94	760.5	70	...	...	0	b	,,	30.21	767.3	65	78	N	4	or
Amoy,	,,	29.85	758.2	80	62	...	0	c	6 a.	...	...	...	...	...	...	...
Swatow,	,,	29.92	759.9	78	65	E	1	b	,,	29.99	761.7	71	95	...	0	o
Taihoku,	1 p.	29.98	761.4	...	...	N W	2	...	5 a.	30.06	763.5	...	...	E	6	...
Taichu,	,,	30.00	762.0	...	...	N	6	...	,,	30.02	762.5	...	...	...	0	...
Tainan,	,,	29.98	761.4	...	...	N W	6	...	,,	30.01	762.2	...	...	E	2	...
Koshun,	,,	29.97	761.2	...	...	E	6	...	,,	30.00	761.9	...	...	E	2	...
Pescadores,	,,	...	...	...	...	...	..	...	..	...	...	...	...	...	...	...
Canton,	3 p.	29.91	759.7	77	77	...	0	b	9 a.	30.09	764.3	68	79	N	2	o
Hongkong,	4 p.	29.94	760.5	75	74	E	3	c	10 a.	30.07	763.8	75	80	E	1	o
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	2	
Gap Rock,	,,	29.91	759.7	...	...	E	4	...	,,	30.03	762.7	...	...	N E	3	
Macao,	,,	29.97	761.2	75	...	E S E	1	c	,,	30.10	764.5	72	...	N	2	
Wuchow,	3 p.	29.95	760.7	80	...	N W	1	c	9 a.	30.16	766.0	64	...	N E	1	
Hoihow,	,,	29.95	760.7	78	86	E N E	4	b	,,	...	...	...	...	..	...	
Pakhoi,	,,	29.94	760.5	79	78	S	1	b	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.89	759.3	77	...	S E	5	c	8 a.	...	...	...	...	...	...	
Tourane,	,,	29.88	759.0	75	...	E	3	c	,,	...	...	...	...	...	...	
Cape St. James,	,,	29.76	755.8	79	...	N E	5	o	,,	...	...	...	...	..	...	
Aparri,	2 p.	29.90	759.5	82	...	E	0	p	6 a.	29.96	760.9	73	...	S	0	
Manila,	4 p.	29.84	758	82	79	...	0	o	10 a.	...	...	...	...	...	...	
Legaspi,	2 p.	29.82	757.5	79	...	N E	2	o	6 a.	29.88	758.9	79	...	N E	2	
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	2	
Iloilo,	,,	29.77	756.1	81	...	N E	1	o	,,	29.87	758.7	79	...	N E	1	
Cebu,	,,	29.79	756.6	84	...	N	2	b	,,	29.88	758.9	81	...	N	2	
Labuan,	,,	29.79	756.6	84	...	...	...	...	,,	29.90	759.4	81	...	...	...	

On the 1st at 11.55 a.—The barometer has risen considerably in Central and Northern China, and fallen quickly over the Sea of Japan, the depression lying over the Yellow Sea yesterday, having reached the latter area.

A high pressure area is spreading over China from the N.W., and strong monsoon will set in again over the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 **inches.**

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh to strong; some rain, cooler.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 1st December, 1910.

[Printed by Nobonha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st DECEMBER, 1910, P.M.									2nd DECEMBER, 1910, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.92	759.9	14	...	N E	3	o		7 a.	30.02	762.4	7	44	W N W	0	b
Nemuro,	,,	30.06	763.6	...	...	E S E	1	...		6 a.	29.39	746.6	...	...	S E	7	...
Hakodate,	,,	29.83	757.7	...	...	S E	4	...		,,	29.69	754.2	...	...	W	4	...
Tokio,	,,	29.75	755.6	...	...	...	0	...		,,	29.75	755.6	...	...	N N W	1	...
Kochi,	,,	29.80	756.8	...	...	W	2	...		,,	29.99	761.8	...	...	W	1	...
Nagasaki,	,,	29.97	761.3	...	...	N W	2	...		,,	30.21	767.3	...	...	N	7	...
Kagoshima,	,,	29.94	760.4	...	...	N N W	2	...		,,	30.17	766.4	...	...	N W	3	...
Oshima,	,,	30.02	762.6	...	...	N	3	...		,,	30.18	766.6	...	...	N	4	...
Naha,	,,	30.07	763.7	...	...	N	3	...		,,	30.17	766.2	...	...	N N E	4	...
Ishigakijima,	,,	30.03	762.8	...	...	N E	4	...		,,	30.13	765.3	...	...	N N E	4	...
Bonin Is.	,,	29.94	760.6	...	...	S W	1	...		,,	30.01	762.1	...	...	W	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.32	770.1	29	100	N W	7	s		9 a.	30.47	773.9	31	79	W N W	4	cs
Hankow,	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	30.40	772.1	41	83	N E	5	o		,,	30.65	778.5	36	45	N E	6	o
Shanghai,	,,	30.39	771.9	44	84	N N W	3	or		9 a.	30.62	777.7	34	69	N W	3	o
Gutzlaff,	,,	30.30	769.6	47	85	N	7	ogm		,,	30.51	774.9	38	72	N	6	ogm
Sharp Peak,	,,	30.14	765.5	65	84	N N E	3	o		,,	30.38	771.6	61	77	N E	4	o
Amoy,	,,	29.99	761.7	70	70	N E	3	o		6 a.	...	...	...	...	...	...	...
Swatow,	,,	29.98	761.5	65	90	E	1	c		,,	30.16	766.0	59	94	N	2	o
Taihoku,	1 p.	30.09	764.3	...	...	E	8	...		5 a.	30.28	769.2	...	...	E	6	...
Taichu,	,,	29.98	761.5	...	...	N	2	...		,,	30.10	764.6	...	...	N E	2	...
Tainan,	,,	30.01	762.1	...	...	N	2	...		,,	30.09	764.2	...	...	N	4	...
Koshun	,,	30.00	761.9	...	...	N E	8	...		,,	30.06	763.5	...	...	N E	6	...
Pescadores,	,,	...	...	...	...	...	..	...		,,	...	...	...	...	...	...	...
Canton,	3 p.	30.00	762.0	72	67	N	2	c		9 a.	30.30	769.6	53	93	N N E	2	or
Hongkong,	4 p.	29.98	761.5	73	85	E	2	o		10 a.	30.20	767.1	61	80	N	1	o
Victoria Peak,	,,	...	...	...	...	E	4	...		,,	...	...	...	...	E	5	...
Gap Rock,	,,	29.93	760.2	...	...	E N E	4	...		,,	30.15	765.8	...	...	N N E	6	...
Macao,	,,	30.00	762.0	75	...	N E	2	o		,,	30.26	768.6	55	...	N	4	od
Wuchow,	3 p.	30.09	764.3	65	...	N	2	o		9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.97	761.2	78	...	E N E	2	b		,,	...	...	...	...	..	...	...
Pakhoi,	,,	29.97	761.2	77	82	N	1	c		,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.95	760.7	75	...	E	4	b		8 a.	30.10	764.4	68	...	E N E	5	or
Tourane,	,,	29.89	759.1	75	...	E	2	o		,,	29.99	761.8	73	...	E	3	or
Cape St. James,	,,	29.77	756.2	77	...	E N E	4	or		,,	...	...	...	...	..	...	...
Aparri,	2 p.	29.93	760.3	82	...	N E	2	b		6 a.	30.00	762.0	75	...	E	2	o
Manila,	4 p.	29.84	758	86	59	E	1	c		10 a.	29.96	761	79	84	N N W	2	o
Legaspi,	2 p.	29.84	757.9	79	...	N E	2	o		6 a.	29.87	758.6	79	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N E	2	o		9 a.	...	...	...	...	N E	3	o
Iloilo,	,,	29.77	756.1	81	...	N E	1	o		,,	29.85	758.2	79	...	N E	1	o
Cebu,	,,	29.81	757.2	82	...	...	0	c		,,	29.85	758.2	82	...	N	2	c
Labuan,	,,	29.79	756.6	85	...	...	...	...		,,	29.90	759.4	82	...	...	...	...

On the 2nd at 11.55 a.—The barometer has fallen rapidly in N.E. Japan, and risen considerably over China, W. Japan and the Loochoos.

The depression which deepened during its progress across the Sea of Japan yesterday, is now situated over Hokkaido.

The anticyclonic area, which is central over the continent to the North of the Yangtze valley, is of considerable intensity. It is spreading towards the S.E.

Pressure is low and inclined to give way over the S. Philippines and adjacent waters.

Very strong monsoon prevails along the whole of the China coast, and strong N.E. gales may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.13 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Moderate N.E. gale; squally with rain at first, [probably improving later.
2.—Formosa Channel,	Strong N.E. gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 2nd December, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd December, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	3rd December, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.99	761.8	13	...	W N W	0	c	7 a.	30.27	768.8	6	48	N E	0	b
Nemuro,	,,	29.24	742.6	...	...	W	4	...	6 a.	29.63	752.6	...	...	W	7	...
Hakodate,	,,	29.79	756.7	...	...	W	4	...	,,	29.97	761.2	...	...	N W	2	...
Tokio,	,,	29.73	755.1	...	...	N N W	1	...	,,	30.03	764.1	...	...	...	0	...
Kochi,	,,	30.03	762.3	...	...	N N W	1	...	,,	30.31	769.3	...	...	W S W	1	...
Nagasaki,	,,	30.25	768.3	...	...	N N W	6	...	,,	30.41	772.3	...	...	N N E	1	...
Kagoshima,	,,	30.19	766.9	...	...	N N W	6	...	,,	30.39	771.9	...	...	N N E	1	...
Oshima,	,,	30.30	769.6	...	...	S W	1	...	,,	30.28	769.1	...	...	S	1	...
Naha,	,,	30.20	767.2	...	...	N	6	...	,,	30.26	768.7	...	...	N E	2	...
Ishigakijima,	,,	30.15	765.8	...	...	E	9	...	,,	30.19	766.8	...	...	N E	4	...
Bonin Is.	,,	30.00	762.1	...	...	N E	1	...	,,	30.14	765.6	...	...	N	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.46	773.7	30	89	W N W	4	cqs	9 a.	30.43	772.9	34	69	W N W	4	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	30.62	777.7	37	80	N E	3	o	,,	30.67	779.0	34	79	N E	2	o
Shanghai,	,,	30.54	776.7	...	...	N W	2	o	9 a.	30.61	777.5	32	...	W N W	2	o
Gutzlaff,	,,	30.53	775.4	38	72	N	5	om	,,	30.58	776.7	37	81	N	5	om
Sharp Peak,	,,	30.37	771.4	59	76	E N E	5	o	,,	30.41	772.4	55	80	N	2	o
Amoy	,,	30.13	765.3	66	54	N E	2	c	6 a.	...	...	...	...	...	...	...
Swatow,	,,	30.23	767.8	64	78	...	0	o	,,	30.23	767.8	52	79	N	2	o
Taiboku,	1 p.	30.26	768.6	...	...	E	8	...	5 a.	30.28	769.0	...	...	E	6	...
Taichu,	,,	30.06	763.5	...	...	N	6	...	,,	30.14	765.6	...	...	N	2	...
Tainan,	,,	30.07	763.7	...	...	N	4	...	,,	30.15	765.7	...	...	N	4	...
Koshun	,,	30.02	762.6	...	...	N E	10	...	,,	30.11	764.7	...	...	N	10	...
Pescadores,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.23	767.8	52	73	N	2	or	9 a.	30.40	772.1	47	85	N	2	o
Hongkong,	4 p.	30.12	765.0	59	72	N	2	o	10 a.	30.27	768.8	58	66	N	1	o
Victoria Peak,	,,	...	...	...	...	E N E	4	...	,,	...	...	...	...	N	5	...
Gap Rock,	,,	30.08	764.0	...	...	N N E	5	...	,,	30.23	767.8	...	...	N	5	...
Macao,	,,	30.17	766.3	53	...	N	5	o	,,	30.34	770.6	49	...	N N W	6	o
Wuchow,	3 p.	30.35	770.9	45	...	N W	3	o	9 a.	30.40	772.1	43	...	N W	1	od
Hoihow,	,,	...	...	.	...	...	...	...	,,	...	...	...	...	..	...	...
Pakhoi,	,,	30.20	767.1	51	93	N	5	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.07	763.8	61	...	N E	6	o	8 a.	...	...	...	...	...	...	...
Tourane,	,,	29.93	760.1	76	...	E	3	o	,,	...	...	...	..	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Aparri,	2 p.	29.96	761.0	82	...	E	2	b	6 a.	29.99	761.7	77	...	E	2	p
Manila,	4 p.	29.84	758	79	84	...	2	o	10 a.	29.92	760	82	79	N E	1	o
Legaspi,	2 p.	29.81	757.2	84	...	E	2	c	6 a.	29.82	757.4	77	...	E	4	o
Bacolod,	3 p.	...	...	...	...	N W	3	o	9 a.	...	...	...	...	N E	4	o
Iloilo,	,,	29.74	755.4	83	...	N E	2	o	,,	29.68	753.9	78	...	N E	4	o
Cebu,	,,	29.73	755.1	85	...	N	3	c	,,	29.74	755.4	80	...	N	3	o
Labuan,	,,	29.79	756.6	83	...	...	...	...	,,	29.88	753.9	80	...	...	...	...

On the 3rd at 12.05 p.—The barometer has fallen considerably over the S. part of the Philippines Archipelago owing to the typhoon, which appears to be entering the Sulu Sea and to be moving in a Westerly direction.

The northern depression is moving away over the Pacific to the N.E. of Japan.

Pressure has increased considerably over Japan, and a moderate rise has taken place over S. China and the Loochoos.

The anticyclonic area is still central over the continent to the North of the Yangtze valley,

Strong N. and N.E. gales may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, strong; fair.
2.—Formosa Channel,	N. and N.E. gales.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 3rd December, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd December, 1910, P.M.								4th December, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.22	767.6	16	...	W N W	0	b	7 a.	30.17	766.3	9	81	..	0	o
Nemuro,	,,	29.83	757.6	...	...	W N W	4	...	6 a	30.14	765.6	...	...	W N W	2	...
Hakodate,	,,	30.09	764.2	...	...	S	5	...	,,	30.13	765.2	...	...	...	0	...
Tokio,	,,	30.18	766.6	...	...	N	3	...	,,	30.26	768.6	...	...	N-W	1	...
Kochi,	,,	30.27	768.3	...	...	S S W	1	...	,,	30.35	770.3	...	...	W	1	...
Nagasaki,	,,	30.39	771.8	...	...	N N W	2	...	,,	30.43	772.8	...	...	N N W	1	...
Kagoshima,	,,	30.33	770.4	...	...	N	1	...	,,	30.43	772.9	...	...	N	1	...
Oshima,	,,	30.28	769.1	...	...	N E	1	...	,,	30.32	770.1	...	...	..	0	...
Naha,	,,	30.22	767.7	...	...	N E	3	...	,,	30.25	768.2	...	...	N N E	1	...
Ishigakijima,	,,	30.13	765.3	...	...	N E	6	...	,,	30.17	766.3	...	...	N N E	3	...
Bonin Is.	,,	30.14	765.6	...	...	N	1	...	,,	30.26	768.6	...	...	N	1	...
Chefoo,	4 p.	30.37	771.4	35	...	W	3	b	6 a	...	...	...	...	...	...	...
Weihaiwei,	,,	30.37	771.4	36	90	W S W	5	b	9 a.	30.47	773.9	38	46	W	3	bm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	30.59	777.0	43	51	N W	2	c	..	...	...	...	...	...	...	...
Shanghai,	,,	30.52	775.2	26	...	N W	2	o	9 a.	30.61	777.5	36	...	W	1	b
Gutzlaff,	,,	30.52	775.2	38	63	N	5	om	,,	30.65	778.5	42	66	N	2	cv
Sharp Peak,	,,	30.36	771.1	56	84	N	2	or	,,	30.43	772.9	54	80	N N E	4	o
Amoy,	,,	30.11	764.8	66	54	E N E	3	b	6 a	...	...	...	...	...	...	...
Swatow,	,,	30.20	767.1	63	52	N	1	c	,,	30.24	768.1	52	73	N	1	o
Taihoku,	1 p.	30.26	768.6	...	...	E	6	...	5 a	30.31	769.9	...	...	E	6	...
Taichu,	,,	30.12	765.1	...	...	N	6	...	,,	30.15	765.8	...	...	N	6	...
Tainan,	,,	30.20	767.1	...	...	N	6	...	,,	30.16	766.0	...	...	N	6	...
Koshun	,,	30.11	764.8	...	...	N	8	...	,,	30.09	764.3	...	...	E	10	...
Pescadores,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.31	769.9	47	85	N	2	or	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.20	767.1	57	69	N	2	o	10 a.	30.27	768.8	59	59	N	1	c
Victoria Peak,	,,	...	...	...	...	N	5	...	,,	...	...	...	...	N N W	3	...
Gap Rock,	,,	30.15	765.8	...	...	E N E	6	...	,,	30.23	767.8	...	...	N	5	...
Macao,	,,	30.27	768.8	49	...	N	6	o	,,	...	...	..	...	...	...	...
Wuchow,	3 p.	30.43	772.9	...	...	N	2	or	9 a.	30.47	773.9	44	84	N	1	o
Hoihow,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.33	770.4	40	100	N	5	or	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.27	768.8	54	...	N E	4	o	8 a.	30.36	771.0	52	...	N N W	1	o
Tourane,	,,	30.01	762.2	70	...	E N E	6	f	,,	30.15	765.8	64	..	N	8	dh
Cape St. James,	,,	29.81	757.2	81	...	E N E	5	c	,,	29.91	759.6	75	...	W	1	c
Aparri,	2 p.	29.95	760.8	79	...	E	2	o	6 a.	29.99	761.6	72	...	S W	2	p
Manila,	4 p.	29.84	758	75	91	E	1	od	10 a.	29.92	760	86	65	S E	1	c
Legaspi,	2 p.	29.82	757.3	77	...	E	4	o	6 a.	29.89	759.1	79	...	E	2	o
Bacolod,	3 p.	...	...	...	...	...	3	o	9 a.	...	...	...	...	N E	2	c
Iloilo,	,,	29.60	751.8	80	...	N E	4	o	,,	29.85	758.2	80	...	N E	1	...
Cebu,	,,	...	...	83	...	N	3	o	,,	29.89	759.2	84	...	N	1	c
Labuan,	,,	29.79	756.6	83	...	...	...	...	,,	29.85	758.2	82	...	...	...	...

On the 4th at 11.50 a.—The barometer has risen considerably over the Southern Philippines, the typhoon having moved away towards WNW. The disturbance appears now to be situated to the NW. of Palawan.

Pressure has increased over E. Japan and the Bonins, and given way in Wladiwostock. A depression is probably moving Eastwards to the North of the latter station.

The anticyclonic area is still central over the continent to the North of the Yangtze valley,

Very rough weather will prevail over the N. part of the China Sea for the next two days.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and NE winds, strong; fair.
2.—Formosa Channel,	N. and NE gales.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 4th December, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th DECEMBER, 1910, P.M.								5th DECEMBER, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.17	766.3	20	...	N E	0	b	7 a.	30.43	772.8	12	45	N W	0	b
Nemuro,	,,	30.04	763.1	...	...	W	1	...	6 a.	30.12	765.1	...	...	W	3	...
Hakodate,	,,	30.13	765.2	...	...	N N W	2	...	,,	30.25	768.2	...	...	W N W	4	...
Tokio,	,,	30.18	766.6	...	...	S S W	1	...	,,	30.24	768.1	...	...	W	1	...
Kochi,	,,	30.33	770.3	...	...	...	0	...	,,	30.47	773.8	...	...	N	4	...
Nagasaki,	,,	30.43	772.8	...	...	N N E	1	...	,,	30.52	775.3	...	...	E N E	1	...
Kagoshima,	,,	30.39	771.9	...	...	N	1	...	,,	30.47	773.9	...	...	N	2	...
Oshima,	,,	30.30	769.6	...	...	N	1	...	,,	30.38	771.6	...	...	N E	2	...
Naha	,,	30.20	767.2	...	...	E	2	...	,,	30.26	768.7	...	...	E N E	4	...
Ishigakijima,	,,	30.15	765.8	...	...	N E	4	...	,,	30.17	766.3	...	...	N E	5	...
Bonin Is.	,,	30.26	768.6	...	...	N E	1	...	,,	30.32	770.1	...	...	S	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.65	778.5	38	...	W S W	2	bm	9 a.	30.64	778.2	36	62	N	2	os
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	...	...	...	...	...	...	...	,,	30.54	775.7	38	91	N E	1	o
Shanghai,	,,	30.54	775.7	42	50	N	1	c	9 a.	30.60	777.2	44	84	N N E	1	om
Gutzlaff,	,,	30.60	777.2	44	68	N	1	cv	,,	30.61	777.5	60	72	E S E	4	om
Sharp Peak,	,,	30.37	771.4	55	74	N E	5	o	,,	30.42	772.6	55	80	N	2	o
Amoy,	,,	30.12	765.0	65	58	N E	2	c	6 a.	30.17	766.3	60	65	N E	4	o
Swatow,	,,	30.09	764.3	60	76	N E	1	c	,,	30.20	767.1	55	80	N E	2	b
Taihoku,	1 p.	30.30	769.5	...	...	E	8	...	5 a.	30.29	769.4	...	...	E	6	...
Taichu,	,,	30.09	764.4	...	...	N	6	...	,,	30.12	765.1	...	...	...	0	...
Tainan,	,,	30.12	765.0	...	...	N	6	...	,,	30.13	765.3	...	...	N	4	...
Koshun	,,	30.07	763.7	...	...	N E	10	...	,,	30.05	763.2	...	...	N E	10	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.23	767.8	53	67	N	2	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.17	766.3	62	54	N	1	o	10 a.	30.27	768.8	60	71	...	0	od
Victoria Peak,	,,	...	...	...	...	N	2	...	,,	...	...	...	...	..	...	...
Gap Rock,	,,	30.14	765.5	...	...	N	4	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.22	767.6	55	...	N	2	o	,,	30.31	769.9	54	...	N	2	o
Wuchow,	3 p.	30.34	770.6	49	...	N W	2	o	9 a.	30.41	772.4	50	...	N	1	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.29	769.3	49	85	N	6	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.22	767.5	63	...	N W	3	c	8 a.	30.30	769.5	54	...	N N W	2	o
Tourane,	,,	30.05	763.2	66	...	N W	6	f	,,	30.09	764.3	64	...	N W	6	dh
Cape St. James,	,,	29.81	757.1	79	...	S	2	o	,,	29.83	757.7	73	...	N N W	5	o
Aparri,	2 p.	29.98	761.5	77	...	E	0	d	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	82	77	E	1	o	10 a.	30.00	762	82	77	...	0	o
Legaspi,	2 p.	29.88	758.9	...	...	E	2	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	1	c	9 a.	...	...	...	...	E	1	c
Iloilo,	,,	29.81	757.2	83	...	N E	1	c	,,	29.93	760.2	81	...	N E	1	b
Cebu,	,,	29.85	758.2	84	...	N	1	c	,,	29.93	760.2	84	...	N	2	o
Labuan,	,,	29.79	756.6	84	...	...	...	...	,,	29.90	759.4	81	...	...	...	...

On the 5th at 12.05 p.—The barometer has risen slightly in the S. Philippines, and fallen moderately on the Cochin China coast. The typhoon over the China Sea is advancing Westwards towards the coast of S. Annam.

Pressure has increased considerably on the NE coast of China and in Wladiwostock; and given way slightly over S. China.

The anticyclonic area which has spread Eastwards over the Sea of Japan, is still central over the continent to the North of the Yangtze valley,

Rough weather must still be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and NE winds, fresh or strong; cloudy, some rain.
2.—Formosa Channel,	N. and NE gales.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 5th December, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th DECEMBER, 1910, P.M.								6th DECEMBER, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.43	773.0	18	...	W	0	b	7 a.	30.38	771.5	8	92	...	0	b
Nemuro,	,,	30.04	763.1	...	...	S E	4	...	6 a.	30.16	766.1	...	...	W	4	...
Hakodate,	,,	30.28	769.2	...	...	W	2	...	,,	30.32	770.2	...	...	N	1	...
Tokio,	,,	30.28	769.1	...	...	N N W	1	...	,,	30.34	770.6	...	...	N N W	1	...
Kochi,	,,	30.44	773.3	...	...	N N E	2	...	,,	30.45	773.3	...	...	S W	1	...
Nagasaki,	,,	30.52	775.3	...	...	E N E	2	...	,,	30.49	774.3	...	...	N N E	1	...
Kagoshima,	,,	30.45	773.4	...	...	E	1	...	,,	30.45	773.4	...	...	N N E	1	...
Oshima,	,,	30.38	771.6	...	...	N E	4	...	,,	30.34	770.6	...	...	N E	1	...
Naha,	,,	30.24	768.2	...	...	E N E	4	...	,,	30.20	767.2	...	...	E	3	...
Ishigakijima,	,,	30.13	765.3	...	...	N E	3	...	,,	30.11	764.3	...	...	E	4	...
Bonin Is.	,,	30.28	769.1	...	...	N	1	...	,,	30.26	768.6	...	...	N	1	...
Chefoo,	4 p.	30.71	780.0	38	63	N W	1	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.60	777.2	42	50	N N W	2	c	9 a.	30.63	778.0	41	49	W	2	bm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	30.50	774.7	40	91	N E	2	o	,,	30.55	775.9	40	100	N W	1	or
Shanghai,	,,	30.56	776.2	49	71	E N E	2	omd	9 a.	30.56	776.2	47	77	N E	3	o
Gutzlaff,	,,	30.54	775.7	51	66	E N E	4	om	,,	30.56	775.9	51	66	N E	6	om
Sharp Peak,	,,	30.32	770.1	55	80	N N E	4	o	,,	30.41	772.4	55	87	N	2	or
Amoy	,,	30.14	765.5	70	57	N E	2	o	6 a.	...	...	...	...	...	...	...
Swatow,	,,	30.11	764.8	75	72	N E	1	o	,,	30.17	766.3	62	77	N N E	1	b
Taihoku	1 p.	30.25	768.3	...	...	E	6	...	5 a	30.19	766.8	...	...	E	0	...
Taichu,	,,	30.13	765.4	...	...	N	4	...	,,	30.13	765.4	...	...	N	2	...
Tainan,	,,	30.12	765.0	...	...	N	6	...	,,	30.13	765.2	...	...	N	4	...
Koshun	,,	30.08	764.1	...	...	N E	8	...	,,	30.08	763.9	...	...	N E	8	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.21	767.3	59	70	N	1	b	9 a.	30.32	770.1	50	93	N	2	or
Hongkong,	4 p.	30.18	766.6	58	85	N	1	o	10 a.	30.23	767.8	65	65	N	1	o
Victoria Peak,	,,	...	...	...	...	N N E	3	...	,,	...	...	...	...	N N E	2	...
Gap Rock,	,,	30.14	765.5	...	...	N N E	4	...	,,	30.19	766.8	...	...	N	4	...
Macao,	,,	30.21	767.4	58	...	N N W	2	o	,,	30.28	769.1	65	...	N	3	o
Wuchow,	3 p.	30.30	769.6	57	...	N	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.16	766.0	57	100	N N E	4	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.23	767.0	57	81	N	4	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.17	766.3	64	...	W S W	0	o	8 a.	30.27	768.9	55	...	N N E	3	or
Tourane,	,,	29.98	761.5	64	...	N W	6	or	,,	29.99	761.6	73	...	E	5	dh
Cape St. James,	,,	29.80	757.0	73	...	N N W	3	o	,,	29.90	759.7	73	...	N	2	o
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	30.02	762.6	72	...	S E	0	b
Manila,	4 p.	29.88	759	84	71	E S E	1	b	10 a.	30.00	762	84	65	N E	0	c
Legaspi,	2 p.	29.90	759.4	86	...	E	2	c	6 a.	29.95	760.6	77	...	N E	2	c
Bacolod,	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	N E	2	o
Iloilo,	,,	29.83	757.7	84	...	N E	1	b	,,	29.93	760.2	80	...	N	2	c
Cebu,	,,	29.86	758.4	85	...	N	1	b	,,	29.94	760.5	83	...	N	2	c
Labuan,	,,	29.84	757.9	85	...	...	...	...	,,	29.95	760.2	82	...	...	...	...

On the 6th at 11.50 a.—The barometer has fallen moderately at Tourane owing to the typhoon, which has entered Annam to the South of that station.

The anticyclonic, central over the continent to the North of the Yangtze valley, still covers China and Japan. There is a tendency however, for pressure to give way over S. China and at the stations around the Eastern Sea.

Strong monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and NE winds, fresh; cloudy, probably some rain
2.—Formosa Channel,	NE winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 6th December, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th DECEMBER, 1910, P.M.								7th DECEMBER, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.34	770.6	20	...	N N E	0	c	7 a.	30.34	770.5	5	47	N N E	0	b
Nemuro,	,,	30.08	764.1	...	...	W N W	1	...	6 a.	29.97	761.2	...	...	S E	6	...
Hakodate,	,,	30.26	768.7	...	...	W	4	...	,,	...	...	...	...	S E	5	...
Tokio,	,,	30.24	768.1	...	...	S	1	...	,,	30.14	765.6	...	...	N N W	1	...
Kochi,	,,	30.35	770.8	...	...	...	0	...	,,	30.27	768.8	...	...	S	1	...
Nagasaki,	,,	30.42	772.3	...	...	N	1	...	,,	30.33	770.3	...	...	N E	1	...
Kagoshima,	,,	30.35	770.9	...	...	...	0	...	,,	30.27	768.9	...	...	N	2	...
Oshima,	,,	30.24	768.1	...	...	N	1	...	,,	30.18	766.6	...	...	N N E	2	...
Naha,	,,	30.13	765.2	...	...	E	3	...	,,	30.11	764.7	...	...	N E	1	...
Ishigakijima,	,,	30.07	763.8	...	...	W	3	...	,,	30.07	763.3	...	...	N E	6	...
Bonin Is.	,,	30.20	767.1	...	...	N E	1	...	,,	30.12	765.1	...	...	N N E	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.56	776.2	43	67	W	4	c	9 a.	30.43	772.9	40	56	W S W	3	cm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	30.50	774.7	44	92	N E	1	o	,,	30.48	774.2	43	100	N E	1	or
Shanghai,	,,	30.49	774.4	49	71	N N E	2	o	9 a.	30.45	773.4	47	85	N	1	om
Gutzlaff,	,,	30.49	774.4	50	79	N E	5	om	,,	30.46	773.7	49	78	N E	3	omp
Sharp Peak,	,,	30.26	768.6	59	82	N N E	2	o	,,	30.24	768.1	58	88	N	1	or
Amoy	,,	30.08	764.0	68	74	N E	2	o	6 a.	30.10	764.5	64	78	N N E	2	c
Swatow,	,,	30.11	764.8	67	79	N E	1	o	,,	30.10	764.5	60	71	N E	1	b
Taihoku,	1 p.	30.20	767.1	...	...	E	6	...	5 a.	30.15	765.8	...	...	E	6	...
Taichu,	,,	30.07	763.8	...	...	N	8	...	,,	30.03	762.7	...	...	N	2	...
Tainan,	,,	30.07	763.9	...	...	N	6	...	,,	30.05	763.2	...	...	N	2	...
Koshun	,,	30.06	763.6	...	...	N E	6	...	,,	30.00	762.0	...	...	N E	10	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.23	767.8	51	86	N	2	or	9 a.	30.26	768.6	50	93	N	2	o
Hongkong,	4 p.	30.15	765.8	63	64	N	2	o	10 a.	30.19	766.8	62	69	...	0	o
Victoria Peak,	,,	...	...	...	...	N N W	2	...	,,	...	...	...	...	N N E	3	...
Gap Rock,	,,	30.10	764.5	...	...	N N W	7	...	,,	30.15	765.8	...	...	N N E	4	...
Macao,	,,	30.16	766.0	56	...	N	4	o	,,	30.24	768.1	53	...	N	3	o
Wuchow,	3 p.	30.33	770.4	52	...	N	2	od	9 a.	30.37	771.4	48	...	N	1	od
Hoihow,	,,	30.10	764.5	62	100	N E	4	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.24	768.1	52	93	N	5	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.17	766.3	57	...	N N W	2	or	8 a.	30.24	768.1	55	...	N N E	0	or
Tourane,	,,	29.91	759.8	72	...	E	3	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.86	758.5	77	...	N E	2	c	,,	29.92	760.0	77	...	N E	2	c
Aparri,	2 p.	29.97	761.3	84	...	S E	2	c	6 a.	29.97	761.2	73	...	S E	0	o
Manila,	4 p.	29.88	759	86	65	...	0	b	10 a.	29.96	761	81	85	...	0	o
Legaspi,	2 p.	29.89	759.3	86	...	E	2	c	6 a.	29.88	759.0	77	...	N E	2	c
Bacolod,	3 p.	...	...	...	...	N	2	c	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.83	757.7	83	...	N E	1	o	,,	29.83	757.7	80	...	...	0	c
Cebu,	,,	29.85	758.2	84	...	N	2	o	,,	29.90	759.4	80	...	...	0	or
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	29.89	759.2	84	...	...	...	...

On the 7th at 12.10 p.—The barometer has fallen generally, particularly over N. China and Japan.

A depression has appeared over the NE part of the Sea of Japan, and a second area of low pressure is probably approaching Manchuria from the Westward.

The anticyclonic area, which appears to have decreased in intensity, is still central over the continent to the North of the Yangtze valley.

Strong monsoon will continue to prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and NE winds, fresh or strong; cloudy, some rain.
2.—Formosa Channel,	NE winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 7th December, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th December, 1910, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	8th December, 1910, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.23	767.7	11	...	N N E	0	b	7 a.	30.25	768.4	−2	78	N	0	b
Nemuro,	,,	29.89	759.1	...	...	W N W	4	...	6 a.	29.97	761.1	...	...	W S W	2	...
Hakodate,	,,	30.07	763.7	...	...	W	5	...	,,	30.05	763.2	...	...	...	0	...
Tokio,	,,	30.08	764.1	...	...	E N E	1	...	,,	30.04	763.1	...	...	N N W	1	...
Kochi,	,,	30.13	765.3	...	...	E S E	1	...	,,	30.11	764.8	...	...	S W	1	...
Nagasaki,	,,	30.23	767.8	...	...	N	2	...	,,	30.15	765.8	...	...	N	1	...
Kagoshima,	,,	30.19	766.9	...	...	N W	1	...	,,	30.13	765.4	...	...	N	0	...
Oshima,	,,	30.12	765.1	...	...	N E	2	...	,,	30.06	763.6	...	...	N	4	...
Naha,	,,	30.05	763.2	...	...	N E	4	...	,,	30.01	762.2	...	...	N N E	4	...
Ishigakijima,	,,	30.03	762.8	...	...	N E	4	...	,,	29.95	760.3	...	...	W	1	...
Bonin Is.	,,	30.04	763.1	...	...	N E	1	...	,,	30.01	762.1	...	...	...	0	...
Chefoo,	4 p.	30.34	770.6	40	65	N W	3	b	6 a.	30.43	772.9	30	100	N	8	s
Weihaiwei,	,,	30.33	770.4	42	75	W	4	c	9 a.	30.45	773.4	25	89	N	8	s
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	30.39	771.9	43	92	N E	1	o	,,	30.34	770.6	42	92	N E	1	o
Shanghai,	,,	30.35	770.9	48	63	N N E	2	o	9 a.	30.33	770.4	44	76	N N E	1	om
Gutzlaff,	,,	30.37	771.4	49	57	N N E	4	om	,,	30.35	770.9	47	77	N	3	cm
Sharp Peak,	,,	30.18	766.6	59	88	N	2	or	,,	30.19	766.8	58	94	N	1	or
Amoy,	,,	30.07	763.8	65	78	N E	2	o	6 a.	...	...	...	...	...	...	...
Swatow,	,,	30.06	763.5	64	78	N N E	1	o	,,	30.08	764.0	55	80	N	1	or
Taiboku,	1 p.	30.07	763.8	...	...	E	8	...	5 a.	30.08	764.1	...	...	E	2	...
Taichu,	,,	29.98	761.6	...	...	N	2	...	,,	30.01	762.3	...	...	N	2	...
Tainan,	,,	29.96	761.0	...	...	W	2	...	,,	29.99	761.8	...	...	N	4	...
Koshun	,,	30.01	762.2	...	...	N E	6	...	,,	29.97	761.2	...	...	N E	6	...
Pescadores,	,,	...	...	...	...	..	...	...	,,	..	...	...	...	...	...	...
Canton,	3 p.	30.23	767.8	51	86	N	2	o	9 a.	30.21	767.3	50	93	N	1	o
Hongkong,	4 p.	30.12	765.0	56	88	...	0	od	10 a.	30.17	766.3	56	86	N	1	od
Victoria Peak,	,,	...	...	...	...	N N W	4	...	,,	...	...	...	...	N E	1	...
Gap Rock,	,,	30.06	763.5	...	...	N N W	6	...	,,	30.13	766.3	...	...	N N E	4	...
Macao,	,,	30.16	766.0	52	...	N N W	4	od	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	30.28	769.1	49	...	N	1	od	9 a.	30.30	769.6	51	...	N E	1	c
Hoihow,	,,	30.15	765.8	60	...	N	2	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.22	767.6	52	...	N	5	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.16	766.1	57	...	N N E	2	or	8 a.	30.20	767.1	57	...	N N E	0	o
Tourane,	,,	...	...	...	...	...	...	...	,,	30.08	764.1	66	...	N W	4	or
Cape St. James,	,,	29.82	757.5	79	...	E N E	5	c	,,	29.91	759.8	77	...	N	2	dh
Aparri,	2 p.	29.90	759.5	81	...	E	2	c	6 a.	29.92	760.0	72	...	S	2	b
Manila,	4 p.	29.84	758	84	71	...	0	o	10 a.	29.92	760	82	63	...	0	b
Legaspi,	2 p.	29.83	757.7	86	...	E	2	b	6 a.	29.88	758.8	72	...	...	0	c
Bacolod,	3 p.	...	...	...	...	N E	2	or	9 a.	...	...	...	...	N E	2	c
Iloilo,	,,	29.77	756.1	79	...	E	1	o	,,	29.89	759.2	77	...	N E	1	b
Cebu,	,,	29.80	756.9	84	...	N	2	c	,,	29.91	759.7	82	...	N	1	b
Labuan,	,,	29.78	756.4	83	...	...	...	...	,,	29.87	758.7	83	...	...	...	..

On the 8th at 11.55 a.—The barometer has fallen moderately over the E. coast of China, S. Japan and the Loochoos. It is rising over the NE coast of China.

The depression lying to the North of Japan yesterday is moving away over the Pacific. A second depression appears to be developing over the Pacific to the South of the Loochoos.

The high pressure area remains over the continent to the North of the Yangtze valley.

Fresh to strong monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.15 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; rain at first, improving later.
2.—Formosa Channel,	NE winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 8th December, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th December, 1910, P.M.								9th December, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.21	767.1	1	...	N N E	1	b	7 a.	30.30	769.7	-13	57	N E	2	b
Nemuro,	,,	29.89	759.1	...	...	W	1	...	6 a.	29.77	756.1	...	...	W N W	5	...
Hakodate,	,,	29.87	758.7	...	...	N N W	4	...	,,	29.95	760.7	...	...	N	2	...
Tokio,	,,	29.89	759.1	...	...	..	0	...	,,	29.93	760.1	...	...	N N W	1	...
Kochi,	,,	30.01	762.3	...	...	S W	1	...	,,	30.07	763.8	...	...	S W	1	...
Nagasaki,	,,	30.11	764.8	...	...	N	4	...	,,	30.17	766.3	...	...	N N W	3	...
Kagoshima,	,,	30.04	762.9	...	...	N	1	...	,,	30.17	766.4	...	...	N	1	...
Oshima,	,,	30.00	762.1	...	...	N N E	4	...	,,	30.10	764.6	...	...	...	0	...
Naha,	,,	29.99	761.7	...	...	N E	2	...	,,	30.07	763.7	...	...	N E	3	...
Ishigakijima,	,,	29.95	760.8	...	...	N E	4	...	,,	30.03	762.8	...	...	N E	3	...
Bonin Is.	,,	29.87	758.6	...	...	S E	1	...	,,	29.93	760.1	...	...	...	0	...
Chefoo,	4 p.	30.49	774.4	10	100	N	6	s	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.48	774.2	20	70	N	6	sqm	9 a.	30.44	773.2	22	88	N N W	4	cs
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	..	...	...	...	..
Kiukiang,	,,	30.31	769.5	47	77	N W	1	o	,,	30.40	772.1	43	75	N E	1	o
Shanghai,	,,	30.28	769.1	48	56	N N W	2	o	9 a.	30.40	772.1	43	67	N E	2	o
Gutzlaff,	,,	30.31	764.8	48	71	N	3	om	,,	30.41	772.4	45	76	N	5	ov
Sharp Peak,	,,	30.14	765.5	58	81	N N E	4	or	,,	...	...	56	94	N	1	o
Amoy	,,	30.00	762.0	63	78	N E	2	o	6 a.	...	...	...	...	...	...	...
Swatow,	,,	30.03	762.7	61	77	N	1	o	,,	30.11	764.8	56	81	N N E	1	b
Taihoku,	1 p.	30.07	763.8	...	...	E	6	...	5 a.	30.13	765.3	...	...	E	4	...
Taichu,	,,	29.98	761.6	...	...	N	6	...	,,	30.03	762.8	...	...	N	4	...
Tainan,	,,	30.00	761.9	...	...	N	6	...	,,	30.03	762.9	...	...	N	4	...
Koshun	,,	29.97	761.2	...	...	N E	8	...	,,	30.01	762.1	...	...	N E	8	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.11	764.8	57	75	N	1	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.01	763.8	62	69	N	1	o	10 a.	30.20	767.1	60	75	...	0	o
Victoria Peak,	,,	...	...	...	...	N W	3	...	,,	...	...	...	...	N E	2	...
Gap Rock,	,,	30.04	763.0	...	...	N	4	...	,,	30.17	766.3	...	...	N N E	3	...
Macao,	,,	30.11	764.8	56	...	N	2	c	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	30.15	765.8	62	...	S E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.13	765.3	59	82	N	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.08	764.1	63	...	S S W	0	c	8 a.	30.18	766.6	61	...	E N E	3	c
Tourane,	,,	...	..	...	...	...	...	...	,,	30.08	764.0	66	..	W N W	2	o
Cape St. James,	,,	29.82	757.3	81	...	E N E	4	c	,,	29.89	759.2	81	...	N E	2	c
Aparri,	2 p.	29.89	759.2	82	...	N E	2	b	6 a.	29.95	760.6	75	...	W	2	b
Manila,	4 p.	29.84	758	84	64	W	1	c	10 a.	29.92	760	81	...	W S W	0	b
Legaspi,	2 p.	29.86	758.4	86	...	E	2	b	6 a.	29.87	758.7	77	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	1	or
Iloilo,	,,	29.79	756.6	82	...	...	0	o	,,	29.87	758.7	79	...	N E	1	b
Cebu,	,,	29.80	756.9	84	...	N	2	b	,,	29.87	758.7	85	...	N	1	b
Labuan,	,,	29.76	755.9	85	...	...	...	...	,,	29.85	758.2	82	...	...	...	...

On the 9th at 12.05 p.—The barometer has risen slightly over S. China and the Loochoos, and fallen moderately in E. Japan.

The depression in the North is still shown over the Pacific to the NE of Japan.

The high pressure area remains over the continent to the North of the Yangtze valley.

Strong monsoon will continue to prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	NE winds, fresh; fair, cloudy.
2.—Formosa Channel,	NE winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 9th December, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th DECEMBER, 1910, P.M.								10th DECEMBER, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.24	768.1	−8	...	N N E	4	b	7 a.	30.26	768.6	−31	57	N E	3	b
Nemuro,	,,	29.73	755.1	...	...	W N W	5	...	6 a.	29.77	756.1	...	...	W	5	...
Hakodate,	,,	29.89	759.2	...	...	W N W	3	...	,,	29.91	759.7	...	...	W	3	...
Tokio,	,,	29.89	759.1	...	...	N E	1	...	,,	29.95	760.6	...	...	N W	1	...
Kochi,	,,	29.99	761.8	...	...	W	3	...	,,	30.15	765.8	...	...	S W	1	...
Nagasaki,	,,	30.21	767.3	...	...	N N W	4	...	,,	30.27	768.8	...	...	N	4	...
Kagoshima,	,,	30.13	765.3	...	...	N W	3	...	,,	30.21	767.3	...	...	N N E	6	...
Oshima,	,,	30.10	764.6	...	...	N	4	...	,,	30.16	766.1	...	...	N	2	...
Naha,	,,	30.07	763.7	...	...	N N E	4	...	,,	30.09	764.2	...	...	S S E	3	...
Ishigakijima,	,,	30.05	763.3	...	...	N N E	4	...	,,	30.07	763.8	...	...	N E	4	...
Bonin Is.	,,	29.91	759.6	...	...	W N W	1	...	,,	30.04	763.1	...	...	...	0	...
Chefoo,	4 p.	30.36	771.1	26	...	W N W	2	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.36	771.1	25	87	S W	2	b	9 a.	30.53	775.4	19	84	N N W	7	osq
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.31	769.9	48	71	N E	1	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.31	769.9	44	60	N N E	2	o	9 a.	30.46	773.7	39	73	N	2	o
Gutzlaff,	,,	30.34	770.6	49	57	N	4	o	,,	30.48	774.2	42	66	N	3	ov
Sharp Peak,	,,	30.13	766.6	57	81	N E	4	o	,,	30.30	769.6	58	88	E N E	2	o
Amoy,	,,	30.03	762.7	66	59	E N E	2	c	6 a.	...	...	...	...	...	...	...
Swatow,	,,	30.06	763.5	62	77	...	0	o	,,	30.09	764.3	...	...	N E	2	b
Taihoku,	1 p.	30.08	764.0	...	...	E	6	...	5 a.	30.14	765.6	...	...	E	4	...
Taichu,	,,	30.02	762.4	...	...	N	6	...	,,	30.10	764.5	...	...	N	4	...
Tainan,	,,	30.02	762.4	...	...	N W	2	...	,,	30.09	764.3	...	...	N	2	...
Koshun,	,,	30.00	761.9	...	...	N E	10	...	,,	30.05	763.2	...	...	N	6	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.12	765.0	60	65	N N E	1	b	9 a.	30.26	768.6	54	80	N N E	1	o
Hongkong,	4 p.	30.09	764.3	62	69	N	1	o	10 a.	30.22	767.6	63	63	N	1	o
Victoria Peak,	,,	...	...	...	...	E N E	3	...	,,	...	...	...	...	N N E	1	...
Gap Rock,	,,	30.06	763.5	...	...	N E	5	...	,,	30.20	767.1	...	...	N E	4	...
Macao,	,,	30.13	765.2	58	...	N	2	o	,,	30.26	768.6	58	...	N N W	2	o
Wuchow,	3 p.	...	...	63	...	E	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.08	764.0	63	94	E N E	2	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.12	765.0	60	82	W S W	2	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.07	763.7	64	...	E	1	o	8 a.	30.19	766.8	59	...	E N E	4	o
Tourane,	,,	29.97	761.3	68	...	W N W	3	o	,,	30.09	764.2	70	...	W N W	2	o
Cape St. James,	,,	29.80	756.9	81	...	E N E	6	c	,,	29.93	760.1	77	...	N E	1	o
Aparri,	2 p.	29.91	759.6	81	...	N	2	b	6 a.	29.95	760.7	72	...	S W	2	b
Manila,	4 p.	29.80	757	84	71	S	1	b	10 a.	29.92	760	81	62	...	0	o
Legaspi,	2 p.	29.80	757.0	84	...	N E	2	o	6 a.	29.83	758.8	75	...	...	0	o
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N	1	c
Iloilo,	,,	29.77	756.1	82	...	N E	1	c	,,	29.87	758.7	80	...	N E	1	b
Cebu,	,,	29.78	756.4	86	...	N	2	b	,,	29.88	758.9	86	...	N	1	c
Labuan,	,,	29.76	755.9	85	...	...	...	...	,,	29.87	758.7	82	...	...	...	...

On the 10th at 11.50 a.—The barometer has risen slightly over China, S. Japan and the Bonins.

The anticyclonic area is still central over the continent to the North of the Yangtze valley, and pressure remains low over the Pacific to the NE of Japan.

Pressure is relatively low also over the S. Philippines and adjacent waters.

Strong monsoon will continue to prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	NE winds, fresh; fair, cloudy.
2.—Formosa Channel,	NE winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 10th December, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th December, 1910, P.M.								11th December, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.23	767.8	-6	...	N E	3	b	7 a.	30.32	770.1	-11	54	N N E	1	b
Nemuro,	,,	29.73	755.1	...	...	W	2	...	6 a.	29.75	755.6	...	...	W	4	...
Hakodate,	,,	29.89	759.2	...	...	W	3	...	,,	29.95	760.7	...	...	N	1	...
Tokio,	,,	29.85	758.1	...	...	...	0	...	,,	30.01	762.1	...	...	...	0	...
Kochi,	,,	30.11	764.8	...	...	W	2	...	,,	30.23	767.8	...	...	W	1	...
Nagasaki,	,,	30.25	768.3	...	...	N	2	...	,,	30.35	770.8	...	...	N	3	...
Kagoshima,	,,	30.31	769.9	...	...	N N E	2	...	,,	30.31	769.9	...	...	N N E	1	...
Oshima,	,,	...	...	...	...	...	...	...	,,	30.24	768.1	...	...	N N W	4	...
Naha,	,,	30.13	765.2	...	...	N E	4	...	,,	30.19	766.7	...	...	E N E	4	...
Ishigakijima,	,,	30.07	763.8	...	...	N E	4	...	,,	30.15	765.3	...	...	N E	3	...
Bonin Is.	,,	30.04	763.1	...	...	N	1	...	,,	30.14	765.6	...	...	N W	1	...
Chefoo,	4 p.	30.50	774.7	20	100	N	5	s	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.51	774.9	18	...	...	8	osq	9 a.	30.62	777.7	20	70	N	8	osq
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	..	...	...	...	..
Kiukiang,	,,	30.48	774.2	42	75	N E	3	o	,,	30.58	776.7	35	80	N E	3	c
Shanghai,	,,	30.40	772.1	41	57	N	2	o	9 a.	30.61	777.5	34	60	N	3	c
Gutzlaff,	,,	30.47	773.9	43	59	N	4	ov	,,	30.62	777.7	38	72	N	5	ov
Sharp Peak,	,,	30.25	768.3	57	81	N E	4	or	,,	30.38	771.6	53	80	N	2	o
Amoy,	,,	30.05	763.2	68	56	E	3	c	6 a.	...	...	...	...	...	...	...
Swatow,	,,	30.09	764.3	65	78	E N E	1	c	,,	30.17	766.3	56	81	E	1	c
Taihoku,	1 p.	30.15	765.7	...	...	E	6	...	5 a.	30.28	769.0	...	...	E	6	...
Taichu,	,,	30.04	763.1	...	...	N	6	...	,,	30.14	765.6	...	...	N	4	...
Tainan,	,,	30.05	763.3	...	...	N	6	...	,,	30.12	765.0	...	...	N	6	...
Koshun	,,	30.04	762.9	...	...	N E	8	...	,,	30.05	763.3	...	...	N E	10	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.17	766.3	59	70	N N E	1	b	9 a.	30.30	769.6	54	68	N N E	1	c
Hongkong,	4 p.	30.13	765.3	64	62	N N E	1	o	10 a.	30.27	768.8	62	64	N	1	o
Victoria Peak,	,,	...	...	...	...	N	1	...	,,	...	...	...	...	N E	2	...
Gap Rock,	,,	30.10	764.5	...	...	N	4	...	,,	30.24	768.1	...	...	E N E	4	...
Macao,	,,	30.17	766.3	61	...	N N W	2	c	,,	30.30	769.6	57	...	N N E	2	o
Wuchow,	3 p.	30.23	767.8	62	...	E	1	o	9 a.	30.38	771.6	41	...	N	1	o
Hoihow,	,,	30.14	765.5	65	100	N E	3	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.18	766.6	61	88	N	2	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.13	765.3	63	...	E N E	1	o	8 a.	30.22	767.5	57	...	E N E	4	or
Tourane,	,,	30.02	762.4	70	...	W N W	2	dh	,,	30.09	764.3	72	...	E	2	o
Cape St. James,	,,	29.85	758.1	82	...	E N E	2	c	,,	29.93	760.1	79	...	N E	4	c
Aparri,	2 p.	29.94	760.4	79	...	S	0	c	6 a.	29.97	761.3	73	...	S W	2	p
Manila,	4 p.	29.83	759	81	76	E S E	1	d	10 a.	29.96	761	84	71	E N E	1	c
Legaspi,	2 p.	29.85	758.1	79	...	N E	2	o	6 a.	29.88	759.0	77	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N E	2	o
Iloilo,	,,	29.77	756.1	84	...	N E	2	o	,,	29.89	759.2	80	...	N E	2	c
Cebu,	,,	29.79	756.6	87	...	N	2	c	,,	29.88	758.9	84	...	N	1	c
Labuan,	,,	29.78	756.4	87	...	...	...	...	,,	...	...	...	...	...	...	...

On the 11th at 11.55 a.—The anticyclonic area lying over the continent has strengthened, and pressure has increased moderately over China and Japan.

Pressure remains low over the Pacific to the NE of Japan, and relatively so over the S. Philippines and adjacent waters.

Strong monsoon will continue to prevail along the China coast and over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	NE winds, fresh or strong; fair, cloudy.
2.—Formosa Channel,	NE winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 11th December, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th December, 1910, P.M.								12th December, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.26	768.5	−4	...	N N E	3	o	7 a.	30.40	772.1	−5	52	N E	3	b
Nemuro,	,,	29.75	755.6	...	...	N W	6	...	6 a.	29.79	756.6	...	...	N W	4	...
Hakodate,	,,	29.95	760.7	...	...	W	2	...	,,	29.99	761.7	...	...	W	1	...
Tokio,	,,	29.94	760.6	...	...	S	1	...	,,	30.05	763.6	...	...	N N W	1	...
Kochi,	,,	30.17	766.3	...	...	S W	2	...	,,	30.35	770.8	...	...	S W	1	...
Nagasaki,	,,	30.35	770.8	...	...	N N W	4	...	,,	30.47	773.8	...	...	N	1	...
Kagoshima,	,,	30.29	769.4	...	...	N N W	3	...	,,	30.43	772.9	...	...	N N W	1	...
Oshima,	,,	...	...	...	...	...	...	...	,,	30.32	770.1	...	...	N	4	...
Naha,	,,	30.22	767.7	...	...	N N E	..	...	,,	30.28	769.2	...	...	N N E	4	...
Ishigakijima,	,,	30.19	766.8	...	...	N E	5	...	,,	30.21	767.3	...	...	N N E	4	...
Bonin Is.	,,	30.10	764.6	...	...	...	0	...	,,	30.12	765.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.52	775.2	22	72	N	6	osq	9 a.	30.67	779.0	28	76	W S W	5	os
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	30.61	777.5	35	80	N E	5	o	,,	30.63	778.0	32	90	N E	4	o
Shanghai,	,,	30.57	776.5	41	41	W N W	4	c	9 a.	30.61	777.5	38	81	N	1	o
Gutzlaff,	,,	30.59	777.0	39	55	N	4	cv	,,	30.61	777.5	43	75	N	4	ov
Sharp Peak,	,,	30.34	770.6	54	80	N E	4	o	,,	30.45	773.4	53	86	N	2	o
Amoy,	,,	30.16	766.0	63	52	N E	3	o	6 a.	...	...	...	...	...	...	...
Swatow,	,,	30.27	768.8	61	66	E	1	o	,,	30.22	767.6	56	94	E N E	3	c
Taihoku,	1 p.	30.26	768.5	...	...	E	8	...	5 a.	30.29	769.3	...	...	E	6	...
Taichu,	,,	30.07	763.9	...	...	N	6	...	,,	30.13	765.4	...	...	...	0	...
Tainan,	,,	30.11	764.7	...	...	N	6	...	,,	30.15	765.7	...	...	N	4	...
Koshun	,,	30.07	763.8	...	...	N E	10	...	,,	30.08	763.9	...	...	N E	10	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.19	766.8	61	60	N N E	1	c	9 a.	30.31	769.9	52	73	N N E	1	o
Hongkong,	4 p.	30.19	766.8	63	74	E	1	o	10 a.	30.28	769.1	63	59	N	1	b
Victoria Peak,	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	N E	2	...
Gap Rock,	,,	30.15	765.8	...	...	E N E	4	...	,,	30.24	768.1	...	...	E N E	5	...
Macao,	,,	30.22	767.6	60	...	N	1	o	,,	30.26	768.6	57	...	N	2	c
Wuchow,	3 p.	30.31	769.9	55	...	N	1	o	9 a.	30.37	771.4	52	...	N	3	c
Hoihow,	,,	30.14	765.5	66	95	N E	5	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.17	766.3	66	68	E	3	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.13	765.3	61	...	N E	3	o	8 a.	30.19	766.9	59	...	E N E	4	o
Tourane,	,,	30.02	762.5	73	...	E	3	o	,,	30.10	764.4	72	...	E N E	2	o
Cape St. James,	,,	29.84	757.9	81	...	E N E	5	c	,,	29.93	760.1	77	...	N E	2	c
Aparri,	2 p.	29.96	761.1	93	...	N E	2	d	6 a.	29.96	761.0	72	...	E	4	p
Manila,	4 p.	29.84	758	84	64	E N E	0	c	10 a.	29.92	760	82	70	...	0	o
Legaspi,	2 p.	29.85	758.3	82	...	N E	2	c	6 a.	29.90	759.5	79	...	N E	2	c
Bacolod,	3 p.	...	...	...	...	N	1	c	9 a.	...	...	...	...	N E	2	o
Iloilo,	,,	29.81	757.2	82	...	N	1	c	,,	29.87	758.7	79	...	N E	1	or
Cebu,	,,	29.81	757.2	85	...	N	1	c	,,	29.89	759.2	82	...	N	2	c
Labuan,	,,	29.78	756.4	87	...	...	...	...	,,	29.85	758.2	81	...	...	...	...

On the 12th at 11.55 a.—The barometer has risen moderately over S. Japan, and fallen slightly in the Philippines.

The anticyclonic area, central over the continent to the North of the Yangtze valley, still covers China, W. Japan and the Loochoos.

Pressure is low to the N.E. of Japan, and over the S. Philippines and adjacent waters.

Strong monsoon will continue to prevail over the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 12th December, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th December, 1910, P.M.								13th December, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	30.59	777.1	4	...	N E	1	b	7 a.	30.32	770.2	7	61	..	0	b
Nemuro,	,,	29.81	757.1	...	...	N W	5	...	6 a.	30.01	762.1	...	...	W S W	2	...
Hakodate,	,,	30.01	762.2	...	...	W	3	...	,,	30.11	764.7	...	...	N N E	1	...
Tokio,	,,	30.10	764.6	...	...	N N W	3	...	,,	30.30	769.6	...	...	N N W	1	...
Kochi,	,,	30.29	769.3	...	...	N W	1	...	,,	...	...	...	...	S W	1	...
Nagasaki,	,,	30.43	772.8	...	...	N N E	3	...	,,	30.45	773.3	...	...	...	0	...
Kagoshima,	,,	30.35	770.9	...	...	N W	2	...	,,	30.41	772.4	...	...	N N E	2	...
Oshima,	,,	30.32	770.1	...	...	N N E	4	...	,,	30.30	769.6	...	...	...	0	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.25	768.2	...	...	E N E	2	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.15	765.8	...	...	E	4	...
Bonin Is.	,,	30.10	764.6	...	...	N W	1	...	,,	30.20	767.1	...	...	N	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.63	778.0	29	100	S W	2	b	9 a.	30.54	775.7	30	77	W S W	3	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	30.58	776.7	31	90	N E	2	s	,,	30.56	776.2	32	90	N E	1	s
Shanghai,	,,	30.56	776.2	43	59	N E	2	o	9 a.	30.47	773.9	42	92	N E	1	or
Gutzlaff,	,,	30.54	775.7	44	76	N	4	ov	,,	30.47	773.9	45	92	E N E	4	omr
Sharp Peak,	,,	30.33	770.4	53	86	N	3	o	,,	30.29	769.3	53	86	N	1	o
Amoy,	,,	30.14	765.5	64	63	N E	3	c	6 a.	30.14	765.5	59	70	N	2	b
Swatow,	,,	30.16	766.0	63	72	E N E	1	c	,,	30.19	766.8	56	75	N E	1	c
Taihoku	1 p.	30.21	767.4	...	...	E	8	...	5 a.	30.11	764.7	...	...	E	6	...
Taichu,	,,	30.11	764.8	...	...	N W	2	...	,,	30.13	765.3	...	...	...	0	...
Tainan,	,,	30.13	765.4	...	...	N W	4	...	,,	30.14	765.5	...	...	N	2	...
Koshun	,,	30.10	764.6	...	...	N W	10	...	,,	30.11	764.8	...	...	N E	8	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.26	767.1	59	65	E N E	1	b	9 a.	30.36	771.1	49	71	N	3	o
Hongkong,	4 p.	30.17	766.3	63	60	N E	2	o	10 a.	30.27	768.8	59	65	N	1	b
Victoria Peak,	,,	...	...	...	...	N E	1	...	,,	...	...	...	...	N W	4	...
Gap Rock,	,,	30.14	765.5	...	...	E N E	4	...	,,	30.23	767.8	...	...	N N W	6	...
Macao,	,,	30.21	767.3	62	...	N	2	o	,,	30.32	770.1	53	...	N N W	5	c
Wuchow,	3 p.	30.26	768.6	56	...	N	3	o	9 a.	30.48	774.2	47	...	N	1	o
Hoihow,	,,	30.15	765.8	68	90	E	2	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.19	766.8	59	76	S W	2	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.13	765.3	61	...	E N E	5	or	8 a.	30.28	769.2	54	...	N N E	2	o
Tourane,	,,	30.03	762.7	72	...	E	3	o	,,	30.10	764.5	70	...	E N E	4	o
Cape St. James,	,,	29.83	757.8	71	...	E N E	4	c	,,	29.93	760.2	79	...	...	1	c
Aparri,	2 p.	29.96	760.9	79	...	E	4	p	6 a.	29.97	761.3	75	...	E	4	q
Manila,	4 p.	29.84	758	82	77	...	0	o	10 a.	29.92	760	81	76	N N E	1	o
Legaspi,	2 p.	29.84	757.9	84	...	E	2	c	6 a.	29.86	758.3	77	...	N E	2	c
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N	1	c
Iloilo,	,,	29.79	756.6	83	...	N E	1	c	,,	29.87	758.7	80	...	N E	2	o
Cebu,	,,	29.80	756.9	84	...	N	2	o	,,	29.87	758.7	83	...	N	1	c
Labuan,	,,	29.74	755.4	86	...	...	...	...	,,	...	...	...	...	...	...	...

On the 13th at 11.55 a.—Pressure has given way on the E. and N.E. coasts of China, and increased over Tongking and S.W. China.

The anticyclonic area is still central over the continent to the North of the Upper Yangtze, and pressure remains relatively low over the S. Philippines and adjacent waters.

The barometer has risen considerably in E. Japan the depression having moved away over the Pacific.

Strong monsoon will continue to prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh or strong; fine.
2.—Formosa Channel,	N. and N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 13th December, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th December, 1910, P.M.								14th December, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.30	769.6	13	...	...	0	b	7 a.	30.43	772.8	5	59	N E	0	b
Nemuro,	,,	29.93	760.1	...	...	W N W	1	...	6 a.	30.02	762.6	...	...	N W	6	...
Hakodate,	,,	30.11	764.7	...	...	W N W	5	...	,,	30.21	767.2	...	...	N N W	2	...
Tokio,	,,	30.22	767.6	...	...	...	0	...	,,	30.22	767.6	...	...	N N W	1	...
Kochi,	,,	30.31	769.8	...	...	N N W	1	...	,,	30.29	769.3	...	...	S S E	2	...
Nagasaki,	,,	30.39	771.8	...	...	N N W	2	...	,,	30.35	770.8	...	...	...	0	...
Kagoshima,	,,	30.35	770.9	...	...	E N E	1	...	,,	30.31	769.9	...	...	N N E	1	...
Oshima,	,,	...	...	...	...	N E	1	...	,,	30.14	765.6	...	...	...	0	...
Naha,	,,	30.19	760.7	...	...	E N E	1	...	,,	30.07	763.7	...	...	S	1	...
Ishigakijima,	,,	30.09	764.3	...	...	S E	5	...	,,	30.11	764.8	...	...	N	3	...
Bonin Is.	,,	30.14	765.6	...	...	N W	1	...	,,	30.16	766.1	...	...	...	0	...
Chefoo,	4 p.	30.50	774.7	30	100	W	1	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.47	773.9	34	79	W N W	2	o	9 a.	30.51	774.9	34	80	N N W	4	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	30.51	774.9	35	90	N	1	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.39	771.9	44	92	N E	2	or	9 a.	30.55	775.9	44	53	N N W	3	o
Gutzlaff,	,,	30.43	772.9	46	92	E N E	5	omr	,,	30.55	775.9	43	83	N	6	ov
Sharp Peak,	,,	30.21	767.3	56	...	N	1	c	,,	30.45	773.4	55	94	N N E	1	o
Amoy,	,,	30.11	764.8	68	60	S	3	c	6 a.	30.22	767.6	56	63	N E	2	c
Swatow,	,,	30.13	765.3	68	70	N	1	b	,,	30.23	767.8	48	71	N N W	2	b
Taihoku,	1 p.	30.12	765.1	...	...	N W	6	...	5 a	30.26	768.6	...	...	...	0	...
Taichu,	,,	30.12	765.1	...	...	N	6	...	,,	30.15	765.9	...	...	N	4	...
Tainan,	,,	30.15	765.7	...	...	N	6	...	,,	30.15	765.9	...	...	N	6	...
Koshun	,,	30.10	764.5	...	...	N	6	...	,,	30.10	764.4	...	...	N W	2	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.25	768.3	54	61	N	2	b	9 a.	30.38	771.6	46	69	N	2	b
Hongkong,	4 p.	30.15	765.8	63	51	N	1	b	10 a.	30.29	769.3	56	49	N	2	b
Victoria Peak,	,,	...	...	...	...	N W	6	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	30.13	765.3	...	...	N N W	7	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.21	767.3	56	...	N N W	4	c	,,	30.34	770.6	50	...	N N W	5	c
Wuchow,	3 p.	30.34	770.6	54	...	...	1	o	9 a.	30.47	773.9	47	...	N	1	o
Hoihow,	,,	30.18	766.6	52	100	N E	2	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.27	768.8	53	86	N	4	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.19	766.9	55	...	N N E	3	or	8 a.	30.34	770.5	54	...	N	3	o
Tourane,	,,	30.02	762.4	70	...	E N E	4	f	,,	30.14	765.6	68	...	E N E	4	o
Cape St. James,	,,	29.83	757.7	82	...	N E	3	c	,,	29.93	760.0	81	...	E N E	2	c
Aparri,	2 p.	29.94	760.4	77	...	E	4	p	6 a.	29.95	760.8	73	...	E	2	p
Manila,	4 p.	29.80	757	81	77	N E	1	od	10 a.	29.92	760	84	71	..	0	c
Legaspi,	2 p.	29.81	757.1	82	...	S E	2	b	6 a.	29.84	758.0	77	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N	2	c
Iloilo,	,,	29.75	755.6	83	...	N E	1	c	,,	29.87	758.7	81	...	N E	1	b
Cebu,	,,	29.77	756.1	85	...	N	1	c	,,	29.87	758.7	82	...	...	0	c
Labuan,	,,	29.73	755.1	87	...	...	...	...	,,	29.85	758.2	80	...	...	...	...

On the 14th at 11.55 a.—The barometer has fallen moderately to considerably over S. Japan and the Loochoos, and risen moderately on the E. coast of China.

A shallow depression which will probably move towards N.E., has appeared over the Eastern Sea to the W. of the Loochoos.

The anticyclonic area is still central over the continent to the North of the Upper Yangtze valley and pressure emains low over the S. Philippines and adjacent waters.

Very strong monsoon will continue to prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh or strong; fine.
2.—Formosa Channel,	N. and N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 14th December, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th DECEMBER, 1910, P.M.								15th DECEMBER, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostook,	2 p.	30.41	772.3	14	...	N E	1	b	7 a.	30.40	772.2	1	63	N N E	1	b
Nemuro,	,,	30.06	763.6	...	...	N W	6	...	6 a.	30.14	765.6	...	...	N W	5	...
Hakodate,	,,	30.20	767.2	...	...	W	3	...	,,	30.28	769.2	...	...	N	1	...
Tokio,	,,	30.18	766.6	...	...	N N W	2	...	,,	30.26	768.6	...	...	N N W	1	...
Kochi,	,,	30.23	767.8	...	...	...	0	...	,,	30.27	768.8	...	...	S W	1	...
Nagasaki,	,,	30.31	769.8	...	...	N N W	1	...	,,	30.35	770.8	...	...	N	1	...
Kagoshima,	,,	30.29	769.4	...	...	N N W	1	...	,,	30.33	770.4	...	...	N	1	...
Oshima,	,,	30.16	766.1	...	...	N	6	...	,,	30.28	769.1	...	...	N	4	...
Naha,	,,	30.09	764.2	...	...	N N E	5	...	,,	30.28	769.2	...	...	N N E	4	...
Ishigakijima,	,,	30.13	765.3	...	...	N	3	...	,,	30.21	767.3	...	...	N N E	4	...
Bonin Is.	,,	30.10	764.6	...	...	N E	1	...	,,	30.06	763.6	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.46	773.7	35	63	N	5	b	9 a.	30.44	773.2	36	79	S W	3	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kinkiang,	,,	30.63	778.0	41	74	N E	2	c	..	30.55	775.9	31	100	...	0	b
Shanghai,	,,	30.50	774.7	42	58	N	3	o	9 a.	30.55	775.9	35	80	N W	3	b
Gutzlaff,	,,	30.51	774.9	43	67	N	5	ov	,,	30.58	776.7	42	58	N	2	cv
Sharp Peak,	,,	30.30	769.6	57	75	E N E	5	o	,,	30.49	772.1	54	80	N W	2	b
Amoy,	,,	30.15	765.8	66	45	N E	3	b	6 a.	30.16	766.0	57	69	N E	5	b
Swatow,	,,	30.16	766.0	64	68	N	1	b	,,	30.25	768.3	49	71	N N W	2	o
Taihoku,	1 p.	30.26	768.6	...	...	E	4	...	6 a.	30.29	769.3	...	...	E	6	...
Taichu,	,,	30.09	764.4	...	...	N	8	...	,,	30.15	765.7	...	...	...	0	...
Tainan,	,,	30.09	764.4	...	...	N	6	...	,,	30.14	765.5	...	...	N	2	...
Koshun	,,	30.06	763.5	...	...	N E	10	...	,,	30.11	764.8	...	...	N E	10	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.24	768.1	56	51	N	2	b	9 a.	30.43	772.9	44	68	N	1	b
Hongkong,	4 p.	30.18	766.6	61	41	N	1	b	10 a.	30.35	770.9	54	57	N	1	o
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.23	767.8	57	...	N N W	4	c	,,	30.39	772.0	47	...	N N W	3	c
Wuchow,	3 p.	30.34	770.6	57	...	E	2	b	9 a.	30.48	774.2	45	61	N	3	b
Hoihow,	,,	30.18	766.6	60	94	...	2	b	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.29	769.3	54	61	N	5	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.24	768.0	61	...	W N W	0	c	8 a.	30.37	771.4	54	...	N N E	2	o
Tourane,	,,	30.09	764.4	66	...	N N E	3	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.7	81	...	E S E	2	o	,,	29.92	760.0	72	...	N	1	c
Aparri,	2 p.	29.93	760.2	75	...	E	4	p	6 a.	29.97	761.3	73	...	E	4	q
Manila,	4 p.	29.80	757	82	70	E N E	0	c	10 a.	29.92	760	82	70	..	0	o
Legaspi,	2 p.	29.80	756.8	82	...	E	2	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.77	756.1	84	...	E	2	o	,,	29.85	758.2	80	...	N E	1	c
Cebu,	,,	29.77	756.1	86	...	N	1	c	,,	29.86	758.4	83	...	...	0	c
Labuan,	,,	29.74	755.4	85	...	...	...	...	,,	29.85	758.2	82	...	...	...	...

On the 15th at 11.55 a.—The barometer has risen considerably over the Loochoos and fallen moderately at the Bonins, the shallow depression having moved Eastwards towards the latter area.

Pressure has given way slightly over N. China and increased a little in S. China.

The anticyclonic area appears to be central over the Upper Yangtze valley. Pressure remains low over the Southern Philippines and adjacent waters.

Very strong monsoon will continue to prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh or strong; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 15th December, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th December, 1910, P.M.									16th December, 1910, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.35	770.9	9	...	N E	3	b		7 a.	30.25	768.3	0	66	N E	4	b
Nemuro,	,,	30.18	766.6	...	...	N W	3	...		6 a.	30.26	768.6	...	...	W N W	2	...
Hakodate,	,,	30.28	769.2	...	...	N W	1	...		,,	30.28	769.2	...	...	N	1	...
Tokio,	,,	30.22	767.6	...	...	N N E	2	...		,,	30.26	768.6	...	...	N N W	1	...
Kochi,	,,	30.21	767.3	...	...	S E	1	...		,,	30.21	767.3	...	...	...	0	...
Nagasaki,	,,	30.21	769.8	...	...	N	2	...		,,	30.29	769.3	...	...	N N W	1	...
Kagoshima,	,,	30.31	768.9	...	...	N	2	...		,,	30.27	768.9	...	...	N N E	1	...
Oshima,	,,	30.27	768.1	...	...	N	3	...		,,	30.26	768.6	...	...	N	2	...
Naha,	,,	30.24	767.7	...	...	N N E	5	...		,,	30.28	769.2	...	...	N	1	...
Ishigakijima,	,,	30.21	767.3	...	...	N N E	4	...		,,	30.23	767.8	...	...	N N E	4	...
Bonin Is.	,,	30.00	762.1	...	...	...	0	...		,,	30.02	762.6	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.41	772.4	34	30	W	5	os		9 a.	30.47	773.9	31	90	N N W	6	b
Hankow,	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	30.59	777.0	45	92	...	0	b		,,	...	...	...	...	...	...	...
Shanghai,	,,	30.49	774.4	45	53	N W	2	b		9 a.	30.57	776.5	35	70	N W	2	d
Gutzlaff,	,,	30.54	775.7	44	45	N	1	bv		,,	30.60	777.2	40	74	N	4	cm
Sharp Peak,	,,	30.34	770.6	55	80	N N E	4	o		,,	30.43	772.9	53	80	N	4	c
Amoy,	,,	30.19	766.8	64	48	E	4	c		6 a.	...	...	...	...	...	...	...
Swatow,	,,	30.19	766.8	65	58	E N E	1	b		,,	30.28	769.1	40	74	N N W	2	b
Taihoku,	1 p.	30.25	768.3	...	...	E	8	...		5 a	30.33	770.4	...	...	E	6	...
Taichu,	,,	30.13	765.3	...	...	N	2	...		,,	30.21	767.4	...	...	N	2	...
Tainan,	,,	30.13	765.3	...	...	S W	2	...		,,	30.20	767.1	...	...	N	4	...
Koshun,	,,	30.11	764.8	...	...	N E	10	...		,,	30.15	765.9	...	...	N E	10	...
Pescadores,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Canton,	3 p.	30.28	769.1	53	61	N	2	b		9 a.	30.45	773.4	46	69	N	2	b
Hongkong,	4 p.	30.24	768.1	58	50	N E	1	b		10 a.	30.38	771.6	55	53	N	1	b
Victoria Peak,	,,	...	...	...	...	N	1	...		,,	...	...	...	...	N	3	...
Gap Rock,	,,	30.21	767.3	...	...	N	5	...		,,	30.33	770.4	...	...	N N E	5	...
Macao,	,,	30.28	769.1	55	...	N N W	2	c		,,	30.43	772.9	50	...	N N W	2	c
Wuchow,	3 p.	30.32	770.1	60	44	S E	1	b		9 a.	30.51	774.9	45	...	N E	1	b
Hoihow,	,,	30.27	768.8	59	88	E N E	2	b		,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.27	768.8	58	53	N	2	b		,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.23	767.9	64	...	S S W	2	b		8 a.	30.40	772.1	57	...	N E	3	b
Tourane,	,,	30.13	765.3	66	...	N N E	2	o		,,	30.24	768.0	64	...	N W	2	c
Cape St. James,	,,	29.87	758.6	79	...	S S E	2	c		,,	29.99	761.6	73	...	N	2	o
Aparri,	2 p.	29.94	760.6	73	...	E	2	o		6 a.	30.06	763.6	70	...	N E	2	q
Manila,	4 p.	29.80	757	82	77	...	0	o		10 a.	29.96	761	82	77	..	0	o
Legaspi,	2 p.	29.80	757.0	82	...	N E	2	c		6 a.	29.88	758.8	77	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	N E	1	o		9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.79	756.6	83	...	N E	1	o		,,	...	...	80	...	N E	1	c
Cebu,	,,	29.80	756.9	85	...	N	1	o		,,	29.91	759.7	82	...	...	0	o
Labuan,	,,	29.74	755.4	86	...	...	...	...		,,	29.90	759.4	79	...	...	...	...

On the 16th at 11.55 a.—The barometer has risen slightly over China, Annam and the Philippines, and fallen moderately in Wladiwostok.

The anticyclonic area is still central over the continent to the North of the Upper Yangtze valley.

A slight depression lies over the Sea of Japan, and pressure is still relatively low over the S. Philippines and adjacent waters.

Very strong monsoon will continue to prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fine.
2.—Formosa Channel,	N. and N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 16th December, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th December, 1910, P.M.								17th December, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	30.17	766.4	-11	...	N E	4	b	7 a.	30.22	767.6	1	68	N E	2	b
Nemuro,	,,	30.20	767.1	...	...	N N W	2	...	6 a.	30.08	764.1	...	...	E N E	1	...
Hakodate,	,,	30.15	765.7	...	...	E	2	...	,,	29.99	761.7	...	...	E N E	3	...
Tokio,	,,	30.08	764.1	...	...	E N E	1	...	,,	29.77	756.1	...	...	N N W	2	...
Kochi,	,,	30.03	762.8	...	...	S	1	...	,,	30.15	765.8	...	...	W N W	1	...
Nagasaki,	,,	30.21	767.3	...	...	N N W	6	...	,,	30.29	769.3	...	...	N E	1	...
Kagoshima,	,,	30.15	765.9	...	...	N N W	4	...	,,	30.27	768.9	...	...	N N E	3	...
Oshima,	,,	30.22	767.6	...	...	N	4	...	,,	30.24	768.1	...	...	N	2	...
Naha,	,,	30.24	768.2	...	...	N N W	5	...	,,	30.26	768.7	...	...	N N W	4	...
Ishigakijima,	,,	30.23	767.8	...	...	N E	5	...	,,	30.23	767.8	...	...	N E	3	...
Bonin Is.	,,	29.94	760.6	...	...	N	1	...	,,	29.97	761.1	...	...	N W	1	...
Chefoo,	4 p.	30.45	773.4	31	...	N W	6	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.45	773.4	34	60	N N W	5	b	9 a.	30.38	771.6	31	78	S W	2	cm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	30.60	777.2	38	91	N E	1	b	,,	30.31	769.9	32	...	N E	1	b
Shanghai,	,,	30.50	774.7	38	54	N N W	2	c	9 a.	30.39	771.9	36	61	N W	1	...
Gutzlaff,	,,	30.53	775.4	42	58	N	4	cy	,,	30.46	773.7	41	74	N W	1	cm
Sharp Peak,	,,	30.34	770.6	53	73	E N E	5	c	,,	30.33	770.4	51	79	N	2	o
Amoy,	,,	30.21	767.3	65	40	N E	3	b	6 a.	...	...	...	...	...	...	...
Swatow,	,,	30.22	767.6	63	57	E	1	c	,,	30.21	767.3	47	77	N N E	1	b
Taihoku,	1 p.	30.30	769.6	...	...	E	8	...	5 a	30.26	768.5	...	...	E	6	...
Taichu,	,,	30.15	765.9	...	...	N	6	...	,,	30.17	766.3	...	...	...	0	...
Tainan,	,,	30.19	766.7	...	...	N W	6	...	,,	30.19	766.8	...	...	N	2	...
Koshun	,,	30.15	765.7	...	...	E	10	...	,,	30.14	765.6	...	...	N E	10	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.29	769.3	55	75	N	2	b	9 a.	30.25	768.3	50	79	...	0	b
Hongkong,	4 p.	30.25	768.3	59	53	N E	1	b	10 a.	30.22	767.6	59	63	E	3	o
Victoria Peak,	,,	...	...	...	...	N	1	...	,,	...	...	...	...	E N E	3	...
Gap Rock,	,,	30.24	768.1	...	...	N	4	...	,,	30.19	766.8	...	...	E N E	5	...
Macao,	,,	30.28	769.1	55	...	N	2	b	,,	30.26	768.6	55	...	N	1	c
Wuchow,	3 p.	30.34	770.6	61	...	N	1	b	9 a.	30.30	769.6	46	...	E	1	b
Hoihow,	,,	30.31	769.9	60	...	N E	2	c	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.27	768.8	62	61	N	2	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.24	768.0	66	...	S W	2	b	8 a.	30.22	767.5	57	...	E N E	3	b
Tourane,	,,	30.15	765.9	66	...	N W	2	c	,,	30.12	765.0	64	...	N W	4	o
Cape St. James,	,,	29.92	760.0	79	...	S W	2	o	,,	29.92	761.2	72	...	N W	1	c
Aparri,	2 p.	30.02	762.6	75	...	N E	4	d	6 a.	30.06	763.4	73	...	E	4	o
Manila,	4 p.	29.88	759	81	76	N	1	c	10 a.	29.92	760	81	69	N	1	o
Legaspi,	2 p.	29.83	757.6	86	...	S E	2	c	6 a.	29.90	759.4	75	...	E	2	o
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	2	o
Iloilo,	,,	29.81	757.2	84	...	E	1	b	,,	29.89	759.2	80	...	N E	1	b
Cebu,	,,	29.82	757.4	85	...	...	0	c	,,	29.90	759.4	85	...	N	1	c
Labuan,	,,	29.74	755.4	85	...	...	...	...	,,	29.85	758.2	79	...	...	...	...

On the 17th at 11.55 a.—The depression lying over the Sea of Japan yesterday, has moved Eastwards and now occupies S.E. Japan.

The barometer has fallen quickly over China, and probably a depression is developing over the Yangtze valley. Pressure is now highest over the East coast of China.

Gradients are less steep and the monsoon will moderate over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 17th December, 1910

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th DECEMBER, 1910, P.M.								18th DECEMBER, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.15	765.8	-12	...	N E	2	b	7 a.	30.21	767.4	-6	66	...	0	b
Nemuro,	,,	29.98	761.6	...	...	E N E	4	...	6 a.	30.01	762.1	...	...	E S E	1	...
Hakodate,	,,	29.95	760.7	...	...	...	0	...	,,	30.05	763.2	...	...	N	1	...
Tokio,	,,	29.71	754.6	...	...	N N W	4	...	,,	30.08	764.1	...	...	N N W	1	...
Kochi,	,,	30.13	765.3	...	...	N W	2	...	,,	30.27	768.8	...	...	S W	1	...
Nagasaki,	,,	30.27	768.8	...	...	W N W	2	...	,,	30.33	770.3	...	...	...	0	...
Kagoshima,	,,	30.21	767.4	...	...	N N W	1	...	,,	30.31	769.9	...	...	N N W	1	...
Oshima,	,,	30.20	767.1	...	...	N	3	...	,,	30.24	768.1	...	...	S	1	...
Naha,	,,	30.17	766.2	...	...	N	2	...	,,	30.21	767.2	...	...	E N E	1	...
Ishigakijima,	,,	30.17	766.3	...	...	E N E	4	...	,,	30.17	766.3	...	...	N E	2	...
Bonin Is.	,,	29.93	760.1	...	...	N W	3	...	,,	30.04	763.1	...	...	N	2	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.26	768.6	32	90	S S W	3	o	9 a.	30.38	771.6	35	80	S S W	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	30.25	768.3	47	93	S E	1	c	,,	30.19	766.8	39	91	N E	1	o
Shanghai,	,,	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Gutzlaff,	,,	30.23	767.8	45	76	N E	2	bv	,,	30.27	768.8	53	80	S E	4	cv
Sharp Peak,	,,	30.18	766.6	55	94	N	1	o	,,	30.22	767.6	54	94	N	1	o
Amoy,	,,	30.07	763.8	64	53	N E	3	b	6 a.	...	...	...	...	...	...	...
Swatow,	,,	30.07	763.8	64	63	E	1	b	,,	30.07	763.8	57	81	E N E	3	o
Taihoku,	1 p.	30.10	764.6	...	...	E	8	...	5 a	30.14	765.6	...	...	...	0	...
Taichu,	,,	30.09	764.2	...	...	N	2	...	,,	30.14	765.6	...	...	N E	2	...
Tainan,	,,	30.11	764.8	...	...	N W	2	...	,,	30.10	764.5	...	...	N	2	...
Koshun	,,	30.08	764.0	...	...	E	8	...	,,	30.07	763.7	...	...	E	6	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.08	764.0	59	64	S	1	b	9 a.	30.09	764.3	56	87	...	0	o
Hongkong,	4 p.	30.06	763.5	60	67	E	2	b	10 a.	30.09	764.3	63	72	E	4	o
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	30.05	763.2	...	...	E	5	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.09	764.0	62	...	E	1	c	,,	30.11	764.8	61	...	N E	1	o
Wuchow,	3 p.	30.09	764.0	66	...	E	1	b	9 a.	30.13	765.3	56	81	E	1	o
Hoihow,	,,	30.11	764.8	66	84	N E	2	b	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.08	764.0	65	68	S S E	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.01	762.2	64	...	S S E	4	b	8 a.	30.03	762.7	63	...	N W	0	c
Tourane,	,,	30.01	762.2	66	...	N W	3	c	,,	30.00	762.0	64	...	N W	2	f
Cape St. James,	,,	29.87	758.6	81	...	S W	1	o	,,	29.90	759.5	73	...	N W	1	dh
Aparri,	2 p.	29.99	761.7	75	...	E	4	o	6 a.	30.03	762.7	68	...	S W	0	o
Manila,	4 p.	29.84	758	81	62	...	0	o	10 a.	29.96	761	82	63	E	1	c
Legaspi,	2 p.	29.83	757.6	81	...	N E	2	o	6 a.	29.92	760.0	77	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	N E	4	c	9 a.	...	...	...	...	N E	2	o
Iloilo,	,,	29.77	756.1	83	...	N E	4	b	,,	29.87	758.7	79	...	N	1	b
Cebu,	,,	29.81	757.2	85	...	N	2	c	,,	29.93	760.2	82	...	N	2	o
Labuan,	,,	29.74	755.4	85	...	...	...	...	,,	29.85	758.2	81	...	...	...	...

On the 18th at 11.55 a.—The barometer has risen quickly in S.E. Japan, the depression having moved away Eastwards over the Pacific.

The barometer has fallen considerably over S. China, a depression apparently having developed over S.W. China.

The highest pressure is now shown over the Yellow Sea.

Moderate monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, strong; cloudy, some rain.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 18th December, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th December, 1910, P.M.								19th December, 1910, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostook,	2 p.	30.19	766.9	20	...	...	0	b	7 a.	30.14	765.5	14	87	...	0	o
Nemuro,	,,	30.00	762.1	...	...	E	1	...	6 a.	30.12	765.1	...	...	N E	1	...
Hakodate,	,,	30.05	763.2	...	...	N W	4	...	,,	30.19	766.7	...	...	N N W	1	...
Tokio,	,,	30.08	764.1	...	...	N N W	2	...	,,	30.28	769.1	...	...	S E	1	...
Kochi,	,,	30.27	768.8	...	...	S S W	1	...	,,	30.31	769.8	...	...	S W	1	...
Nagasaki,	,,	30.29	769.3	...	...	N	3	...	,,	30.29	769.3	...	...	N	1	...
Kagoshima,	,,	30.23	767.9	...	...	N E	1	...	,,	30.27	768.9	...	...	E N E	1	...
Oshima,	,,	30.22	767.6	...	...	N	2	...	,,	30.20	767.1	...	...	S	1	...
Naha	,,	...	...	...	...	...	...	...	,,	30.19	766.7	...	...	S E	1	...
Ishigakijima,	,,	30.15	765.8	...	...	S E	5	...	,,	30.11	764.8	...	...	E S E	4	...
Bonin Is.	,,	30.04	763.1	...	...	N	1	...	,,	30.24	768.1	...	...	E N E	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.26	768.6	40	74	S S E	1	o	9 a.	30.24	768.1	38	91	N	1	r
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.22	767.6	44	76	...	0	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.20	767.1	57	69	S E	1	c	9 a.	30.20	767.1	43	93	N N W	1	om
Gutzlaff,	,,	30.18	766.6	57	75	S E	3	cv	,,	30.25	768.3	43	100	N W	3	f
Sharp Peak,	,,	30.10	764.5	57	...	...	0	o	,,	30.13	765.3	59	100	...	0	c
Amoy	,,	30.07	763.8	66	59	S	2	c	6 a.	29.99	761.7	62	72	W S W	1	c
Swatow,	,,	30.01	762.2	65	68	E N E	1	c	,,	30.03	762.7	72	76	E	1	or
Taihoku	1 p.	30.09	764.4	...	...	...	0	...	5 a	30.07	763.8	...	...	S E	2	...
Taichu,	,,	30.04	763.0	...	...	N	4	...	,,	30.07	763.8	...	...	N	2	...
Tainan,	,,	30.05	763.3	...	...	N W	4	...	,,	30.06	763.5	...	...	N	2	...
Koshun	,,	30.06	763.6	...	...	N E	6	...	,,	30.06	763.6	...	...	N E	6	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton	3 p.	29.99	761.7	59	83	N	2	b	9 a.	30.08	764.0	58	94	N	1	or
Hongkong,	4 p.	29.98	761.5	63	77	E	4	o	10 a.	30.06	763.5	63	94	E	4	od
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	S E	6	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	30.06	763.5	...	...	N W	4	...
Macao,	,,	...	...	62	...	N	1	o	,,	30.11	764.8	59	...	N W	2	odf
Wuchow,	3 p.	30.00	762.0	67	69	E	2	b	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.97	761.2	62	77	E N E	3	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.96	761.0	70	80	S E	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.92	760.0	66	...	E S E	4	c	8 a.	30.03	762.7	64	...	E N E	3	b
Tourane,	,,	29.91	759.8	72	...	...	0	f	,,	30.00	762.0	72	...	...	0	f
Cape St. James,	,,	29.86	758.4	79	...	S W	1	o	,,	29.93	760.3	73	...	N W	1	o
Aparri,	2 p.	29.99	761.9	75	...	S E	0	o	6 a.	30.01	762.3	68	...	S	0	c
Manila,	4 p.	29.88	759	82	58	E	1	c	10 a.	30.00	762	81	62	N N W	1	b
Legaspi,	2 p.	29.89	759.2	82	...	E	2	c	6 a.	29.92	760.0	77	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	4	o
Iloilo,	,,	29.85	758.2	81	...	N E	1	b	,,	29.91	759.7	89	...	N E	1	c
Cebu,	,,	29.85	758.2	85	...	N	1	c	,,	29.92	759.9	81	...	N	1	o
Labuan,	,,	29.76	755.9	78	...	...	...	...	,,	29.90	759.4	81	...	...	...	...

On the 19th at 12.05 p.—The barometer has risen moderately over E. Japan, and fallen slightly to moderately over the E. coast of China and the Loochoos.

A shallow depression has passed from the continent to the Yellow Sea, and a second area of low pressure lies over the S. coast of China and the Formosa Channel.

The highest pressure is shown over S. Japan.

The monsoon will probably freshen again over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.15 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; rainy.
2.—Formosa Channel,	Variable to N.E. winds, light to fresh.
3.—South coast of China between Hongkong and Lamocks,	E. to N. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 19th December, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th December, 1910, P.M.								20th December, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.02	762.4	22	...	...	0	dh	7 a.	30.16	766.1	3	54	N	1	b
Nemuro,	,,	30.02	762.6	...	...	S W	3	...	6 a.	29.65	753.1	...	...	S S W	2	...
Hakodate,	,,	30.07	763.7	...	...	E S E	1	...	,,	29.89	759.2	...	...	W N W	4	...
Tokio,	,,	30.16	766.1	...	...	...	0	...	,,	30.02	762.6	...	...	S W	1	...
Kochi,	,,	30.19	766.8	...	...	E N E	1	...	,,	30.09	764.3	...	...	S W	1	...
Nagasaki,	,,	30.17	766.3	...	...	...	0	...	,,	29.99	761.8	...	...	E	1	...
Kagoshima,	,,	30.17	766.4	...	...	...	0	...	,,	30.08	763.9	...	...	...	0	...
Oshima,	,,	30.16	766.1	...	...	S	1	...	,,	30.06	763.6	...	...	S	2	...
Naha,	,,	30.11	764.7	...	...	S	1	...	,,	30.07	763.7	...	...	...	0	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.03	762.8	...	...	S	4	...
Bonin Is.	,,	30.12	765.1	...	...	N	1	...	,,	30.12	765.1	...	...	..	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.23	767.8	37	81	N	6	o	9 a.	30.46	773.7	30	67	N W	6	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.14	765.5	51	72	N W	2	om	9 a.	30.26	768.6	46	92	N	2	om
Gutzlaff,	,,	30.20	767.1	49	93	N N W	1	om	,,	30.27	768.8	46	100	N	4	om
Sharp Peak,	,,	30.03	762.7	61	88	E	1	c	,,	30.15	765.8	60	94	N E	1	or
Amoy,	,,	29.97	761.2	68	70	S S E	2	c	6 a.	29.97	761.2	62	77	N E	3	c
Swatow,	,,	30.01	762.2	65	78	E	1	o	,,	30.06	763.5	60	100	...	0	or
Taihoku,	1 p.	29.98	761.5	...	...	N W	4	...	5 a.	30.05	763.3	...	...	...	0	...
Taichu,	,,	29.98	761.6	...	...	N	6	...	,,	30.05	763.3	...	...	...	0	...
Tainan,	,,	30.01	762.3	...	...	S W	4	...	,,	30.04	763.0	...	...	...	0	...
Koshun,	,,	30.07	763.8	...	...	E	8	...	,,	30.03	762.7	...	...	...	0	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	29.97	761.2	62	94	N	1	or	9 a.	30.10	764.5	60	88	N	1	b
Hongkong,	4 p.	29.96	761.0	66	87	E S E	1	o	10 a.	30.05	763.2	68	81	W S W	1	c
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	N N E	1	...
Gap Rock,	,,	29.93	760.2	...	...	N	4	...	,,	30.05	763.2	...	...	N N W	4	...
Macao,	,,	29.99	761.7	63	...	N	1	o	,,	30.11	764.8	64	...	E N E	1	c
Wuchow,	3 p.	30.01	762.2	67	...	E	1	o	9 a.	30.17	766.3	59	...	N E	2	o
Hoihow,	,,	29.97	761.2	73	81	E N E	4	b	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.98	761.5	68	85	E S E	1	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.93	760.3	72	...	S E	1	c	8 a.	30.06	763.4	64	...	E N E	4	c
Tourane,	,,	29.92	760.0	72	...	...	0	o	,,	30.00	761.9	70	...	N W	2	c
Cape St. James,	,,	29.83	757.8	77	...	W N W	2	or	,,	29.91	759.7	73	...	N N W	2	o
Aparri,	2 p.	29.96	761.0	77	...	N E	0	c	6 a.	29.97	761.3	66	...	S	0	b
Manila,	4 p.	29.88	759	82	58	E	4	c	10 a.	29.96	761	79	69	W N W	1	o
Legaspi,	2 p.	29.87	758.7	84	...	N E	2	c	6 a.	29.93	760.1	77	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	2	o
Iloilo,	,,	29.83	757.7	83	...	N E	...	c	,,	29.91	759.7	79	...	N E	1	c
Cebu,	,,	29.86	758.4	84	...	N	1	c	,,	29.91	759.7	86	...	N	2	o
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	29.90	759.4	81	...	...	...	...

On the 20th at 11.55 a.—The barometer has fallen quickly over Japan and the Loochoos, and risen over China particularly in the North.

The depression lying over the Yellow Sea yesterday, has reached N.E. Japan. A second area of low pressure lies over the Eastern Sea.

A high pressure area appears to be spreading over N. China from the Westward.

Strong monsoon is expected to set in again along the coast and over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, freshening; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 20th December, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th DECEMBER, 1910, P.M.								21st DECEMBER, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	30.14	765.6	10	...	N N E	1	b	7 a.	30.14	765.6	2	47	N E	0	b
Nemuro,	,,	29.69	754.1	...	...	N W	6	...	6 a.	29.81	757.1	...	...	W	2	...
Hakodate,	,,	29.91	759.7	...	...	W N W	4	...	,,	29.97	761.2	...	...	N	3	...
Tokio,	,,	29.85	758.1	...	...	...	0	...	,,	29.99	761.6	...	...	N N W	1	...
Kochi,	,,	29.95	760.8	...	...	E S E	1	...	,,	29.99	761.8	...	...	N N W	1	...
Nagasaki,	,,	30.03	762.8	...	...	...	0	...	,,	29.99	761.8	...	...	S W	1	...
Kagoshima,	,,	30.00	761.9	...	...	W N W	1	...	,,	30.10	764.4	...	...	N	1	...
Oshima,	,,	30.02	762.6	...	...	N	1	...	,,	30.03	764.1	...	...	N	1	...
Naha,	,,	...	...	...	...	...	..	...	,,	30.05	763.2	...	...	...	0	...
Ishigakijima,	,,	30.03	762.8	...	...	S	3	...	,,	30.03	762.8	...	...	N	4	...
Bonin Is.	,,	30.06	763.6	...	...	N	1	...	,,	30.04	763.1	...	...	N	2	...
Chefoo,	4 p.	30.45	773.4	27	...	N	6	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.40	772.1	27	52	N	7	bq	9 a.	30.40	772.1	33	44	W	4	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	30.38	771.6	37	100	N E	1	or	,,	30.56	776.2	34	90	N E	2	o
Shanghai,	,,	30.27	768.8	42	92	N N E	3	omd	9 a.	30.50	774.7	37	71	N N W	2	om
Gutzlaff,	,,	30.27	768.8	45	100	N	7	omd	,,	30.52	775.2	41	66	N	5	ov
Sharp Peak,	,,	30.11	764.8	59	82	N N E	4	or	,,	30.31	769.9	57	81	N N E	4	o
Amoy,	,,	29.98	761.5	63	89	...	0	or	6 a.	30.07	763.8	56	87	N E	2	or
Swatow,	,,	30.00	762.0	62	94	E	1	or	,,	30.12	765.0	56	87	N	3	o
Taihoku,	1 p.	30.01	762.3	...	...	E	6	...	5 a.	30.17	766.2	...	...	W	4	...
Taichu,	,,	29.99	761.7	...	...	N	4	...	,,	30.12	764.9	...	...	N	6	...
Tainan,	,,	30.01	762.2	...	...	E	6	...	,,	30.08	764.1	...	...	N	4	...
Koshun	,,	29.99	761.7	...	...	E	6	...	,,	30.04	762.9	...	...	E	2	...
Pescadores,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.01	762.2	67	74	N	2	b	9 a.	30.27	768.8	51	72	N	2	c
Hongkong,	4 p.	30.01	762.2	67	81	W	1	o	10 a.	30.20	767.1	64	60	...	0	o
Victoria Peak,	,,	...	...	...	...	S W	1	...	,,	...	...	...	...	N E	1	...
Gap Rock,	,,	29.98	761.5	...	...	N N W	3	...	,,	30.18	766.6	...	...	N N E	3	...
Macao,	,,	30.02	762.6	65	...	N	2	c	,,	30.25	768.3	55	...	N	3	o
Wuchow,	3 p.	30.09	764.3	63	...	N	1	o	9 a.	30.35	770.9	50	65	N	2	o
Hoihow,	,,	29.97	761.2	69	100	E N E	3	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.02	762.6	66	84	E	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.99	761.7	68	...	E S E	2	o	8 a.	30.16	766.0	63	...	E N E	3	o
Tourane,	,,	29.94	760.4	70	...	N W	1	dh	,,	30.07	763.7	68	...	N W	1	or
Cape St. James,	,,	29.84	757.9	81	...	E S E	1	o	,,	29.91	759.8	75	...	N W	2	o
Aparri,	2 p.	29.92	759.9	82	...	E	0	b	6 a.	29.99	761.8	68	...	S W	0	o
Manila,	4 p.	29.88	759	81	69	...	0	o	10 a.	29.92	760	79	76	N W	2	c
Legaspi,	2 p.	29.87	758.7	82	...	N E	2	o	6 a.	29.81	757.1	75	...	N	2	...
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.81	757.2	82	...	E	2	...	,,	29.87	758.7	79	...	N E	1	c
Cebu,	,,	29.83	757.7	84	...	N	1	o	,,	29.86	758.4	81	...	S	1	c
Labuan,	,,	29.84	757.9	86	...	...	...	...	,,	29.90	759.4	80	...	...	...	...

On the 21st at 11.55 a.—The barometer has fallen in the Philippines, a depression having appeared to the Eastward of the S. part of the Archipelago.

The barometer has risen considerably over China, a high pressure area now occupying the continent to the North of the Yangtze valley.

The depression lying over N.E. Japan yesterday, is moving away over the Pacific.

Strong monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 21st December, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st DECEMBER, 1910, P.M.								22nd DECEMBER, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	30.08	764.1	12	...	N E	0	b	7 a.	30.08	764.1	1	87	...	0	b
Nemuro,	,,	29.83	757.6	...	...	N W	4	...	6 a.	29.83	757.6	...	...	W	2	...
Hakodate,	,,	29.95	760.7	...	...	N W	4	...	,,	29.93	760.2	...	...	W	2	...
Tokio,	,,	29.94	760.6	...	...	...	0	...	,,	29.99	761.6	...	...	...	0	...
Kochi,	,,	29.97	761.3	...	...	...	0	...	,,	30.03	762.8	...	...	W S W	1	...
Nagasaki,	,,	30.05	763.3	...	...	N	4	...	,,	30.19	766.8	...	...	W	1	...
Kagoshima,	,,	30.07	763.9	...	...	N W	4	...	,,	30.17	766.4	...	...	N N W	3	...
Oshima,	,,	30.08	764.1	...	...	N	4	...	,,	30.16	766.1	...	...	N	4	...
Naha,	,,	30.07	763.7	...	...	N	6	...	,,	30.19	766.7	...	...	N	6	...
Ishigakijima,	,,	30.07	763.8	...	...	N N E	4	...	,,	30.19	766.8	...	...	N N E	5	...
Bonin Is.	,,	29.96	761.1	...	...	W	1	...	,,	29.97	761.1	...	...	W	1	...
Chefoo,	4 p.	30.41	772.4	30	100	N W	4	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.37	771.4	31	78	N N W	4	b	9 a.	30.35	770.9	31	57	W S W	4	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	30.52	775.2	38	72	N E	2	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.44	773.2	40	48	N N W	3	...	9 a.	30.51	774.9	32	...	N W	3	b
Gutzlaff,	,,	30.47	773.9	40	56	N	5	ov	,,	30.52	775.2	36	70	N N W	4	bm
Sharp Peak,	,,	30.23	767.8	56	75	E N E	5	o	,,	30.38	771.6	54	74	E	5	o
Amoy,	,,	30.05	763.2	59	70	E	2	o	6 a.	30.17	766.3	51	79	N E	5	o
Swatow,	,,	30.09	764.3	62	83	E	1	o	,,	30.20	767.1	51	79	E	1	o
Taihoku,	1 p.	30.19	766.8	...	...	E	6	...	5 a	30.27	768.9	...	...	S E	4	...
Taichu,	,,	30.04	763.0	...	...	N	6	...	,,	30.15	765.7	...	...	N	4	...
Tainan,	,,	30.07	763.7	...	...	N	6	...	,,	30.14	765.5	...	...	N	6	...
Koshun	,,	30.03	762.7	...	...	N E	8	...	,,	30.10	764.6	...	...	N E	10	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.17	766.3	57	63	N E	2	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.10	764.5	65	54	N	1	c	10 a.	30.27	768.8	53	58	N	2	b
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	N N E	2	...
Gap Rock,	,,	30.09	764.3	...	...	N	4	...	,,	30.25	768.3	...	...	N N E	4	...
Macao,	,,	30.15	765.8	59	...	N	3	c	,,	30.32	770.1	50	...	N	3	c
Wuchow,	3 p.	30.26	768.6	57	52	N	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.13	765.3	66	95	N E	2	o	,,	...	...	...	...	...	...	.
Pakhoi,	,,	30.20	767.1	58	76	N	4	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.08	764.1	66	...	E N E	5	c	8 a.	30.03	769.5	54	...	N N E	3	o
Tourane,	,,	29.98	761.6	72	...	N W	1	f	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.8	79	...	S E	1	o	,,	29.95	760.6	75	...	N W	4	o
Aparri,	2 p.	29.94	760.5	77	...	E	2	o	6 a.	29.99	761.6	68	...	W	0	b
Manila,	4 p.	29.84	758	81	69	S E	0	o	10 a.	29.92	760	81	76	N N E	1	o
Legaspi,	2 p.	29.80	756.8	77	...	W	0	o	6 a.	29.80	756.8	75	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.77	756.1	82	...	...	1	o	,,	29.85	758.2	79	...	N E	1	o
Cebu,	,,	29.77	756.1	83	...	...	0	o	,,	29.84	757.9	81	...	S	1	c
Labuan,	,,	29.85	758.2	81	...	...	...	...	,,	29.91	759.7	77	...	...	...	...

On the 22nd at 11.55 a.—The depression remains to the Eastward of the Southern Philippines, where pressure still shows a tendency to give way.

The anticyclonic area lying over the continent has spread towards S.E., and pressure has increased moderately over S. China and the Loochoos.

Very strong monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh ; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 22nd December, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd DECEMBER, 1910, P.M.								23rd DECEMBER, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	18	...	...	0	b	7 a.	29.92	760.0	3	86	...	0	b
Nemuro, ...	,,	29.75	755.6	...	...	W N W	1	...	6 a.	29.73	755.1	...	...	W S W	2	...
Hakodate, ...	,,	29.89	759.2	...	...	N W	3	...	,,	29.83	757.7	...	...	W	3	...
Tokio, ...	,,	29.93	760.1	...	...	N	1	...	,,	29.93	760.1	...	...	N W	1	...
Kochi, ...	,,	30.05	763.3	...	...	N N W	2	...	,,	...	...	...	...	S W	1	...
Nagasaki, ...	,,	30.19	766.8	...	...	N	4	...	,,	30.21	767.3	...	...	N	1	...
Kagoshima, ...	,,	30.17	766.4	...	...	N N W	3	...	,,	30.13	765.4	...	...	N N E	1	...
Oshima, ...	,,	...	...	...	...	...	...	...	,,	30.16	766.1	...	...	N	3	...
Naha, ...	,,	30.17	766.2	...	...	N	4	...	,,	30.15	765.7	...	...	N N E	3	...
Ishigakijima, ...	,,	30.17	766.3	...	...	N E	4	...	,,	30.15	765.8	...	...	N N E	4	...
Bonin Is.	,,	29.93	760.1	...	...	W	1	...	,,	29.99	761.6	...	...	W S W	1	...
Chefoo, ...	4 p.	30.25	768.3	30	100	N N W	5	b	6 a.	...	...	...	...	...	...	...
Weihaiwei, ...	,,	30.24	768.1	33	69	W S W	6	b	9 a.	30.26	768.6	34	60	W N W	4	bm
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kiukiang, ...	,,	30.49	774.4	43	51	N	1	b	,,	30.51	774.9	33	79	N E	1	c
Shanghai, ...	,,	30.40	772.1	38	...	N W	2	b	9 a.	...	...	...	...	...	...	...
Gutzlaff, ...	,,	30.42	772.6	41	57	N N W	3	cm	,,	30.48	774.2	36	70	N W	5	bm
Sharp Peak, ...	,,	30.28	769.1	54	80	N E	2	o	,,	30.35	768.3	51	86	E N E	3	b
Amoy, ...	,,	30.15	765.8	59	59	N E	2	o	6 a.	...	...	...	...	...	...	..
Swatow, ...	,,	30.16	766.0	57	75	E N E	1	o	,,	30.21	767.3	46	84	N	1	o
Taihoku, ...	1 p.	30.24	768.2	...	...	E	6	...	5 a	30.23	767.8	...	...	E	2	...
Taichu, ...	,,	30.11	764.8	...	...	N	6	...	,,	30.13	765.2	...	...	N	4	...
Tainan, ...	,,	30.12	765.0	...	...	N	6	...	,,	30.14	765.6	...	...	N	4	...
Koshun	,,	30.07	763.7	...	...	N E	10	...	,,	30.08	764.3	...	...	N E	8	...
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton, ...	3 p.	30.23	767.8	56	63	N N E	2	b	9 a.	...	...	...	...	...	...	...
Hongkong, ...	4 p.	30.19	766.3	59	52	N	2	c	10 a.	30.30	769.6	55	50	N N W	1	b
Victoria Peak, ...	,,	...	...	...	...	N E	1	...	,,	...	...	...	...	N N E	2	...
Gap Rock, ...	,,	30.17	766.3	...	...	N	3	...	,,	30.27	768.8	...	...	N	4	...
Macao, ...	,,	30.23	767.8	56	...	N	2	c	,,	30.34	770.6	49	...	N	2	b
Wuchow, ...	3 p.	30.33	770.4	55	56	N	1	o	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	30.17	766.3	62	94	E N E	3	o	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	30.29	769.3	59	70	N	5	o	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	30.21	767.4	61	...	W N W	0	o	8 a.	30.38	771.5	52	...	N N W	3	o
Tourane, ...	,,	...	...	...	...	...	...	...	,,	30.18	766.6	68	..	E N E	4	f
Cape St. James, .	,,	29.85	758.1	79	...	N E	6	o	,,	29.93	760.1	73	...	N E	3	o
Aparri, ...	2 p.	29.94	760.4	75	...	N E	4	d	6 a.	29.96	761.0	72	...	E	4	p
Manila, ...	4 p.	29.84	758	79	84	E S E	0	o	10 a.	29.83	759	82	63	N	2	o
Legaspi, ...	2 p.	29.74	755.3	79	...	N E	4	o	6 a.	29.80	757.0	77	...	N E	2	o
Bacolod, ...	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	1	c
Iloilo, ...	,,	29.74	755.4	71	...	N E	1	c	,,	29.83	757.7	80	...	...	0	c
Cebu, ...	,,	29.75	755.6	81	...	S	2	o	,,	29.83	757.7	80	...	S	2	or
Labuan, ...	,,	29.84	757.9	83	...	...	...	...	,,	29.91	759.7	79	...	...	...	...

On the 23rd at 11.45 a.—The shallow depression in the South appears to have moved Westwards, and to be lying over the S. part of the Philippine Archipelago.

The barometer has fallen over the N. part of the Sea of Japan owing to a depression which has appeared to the N. of Hokkaido.

The anticyclonic area is central over the Upper Yangtze valley.

Strong monsoon gales may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. winds, fresh; fine.
2.—Formosa Channel, ...	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 23rd December, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd DECEMBER, 1910, P.M.								24th DECEMBER, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.38	758.8	22	...	...	0	b	7 a.	29.98	761.5	8	78	...	0	b
Nemuro,	,,	29.65	753.1	...	...	W	3	...	6 a.	29.73	755.1	...	...	W	2	...
Hakodate,	,,	29.79	756.7	...	...	W	4	...	,,	29.89	759.2	...	...	W	4	...
Tokio,	,,	29.83	757.6	...	...	N	1	...	,,	...	...	...	...	...	0	...
Kochi,	,,	30.01	762.3	...	...	W	1	...	,,	30.13	765.3	...	...	S W	1	...
Nagasaki,	,,	30.15	765.8	...	...	N N W	4	...	,,	30.21	767.3	...	...	N N W	1	...
Kagoshima,	,,	...	...	...	...	N	3	...	,,	30.19	766.9	...	...	...	0	...
Oshima,	,,	30.12	765.1	...	...	N	3	...	,,	30.18	766.6	...	...	N	1	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.17	766.2	...	...	N	5	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.17	766.3	...	...	N N E	3	...
Bonin Is.	,,	29.93	760.1	...	...	N W	1	...	,,	29.97	761.1	...	...	N	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.21	767.3	34	60	W N W	5	c	9 a.	30.25	768.3	37	53	S S W	2	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	30.43	772.9	46	47	S W	1	b	,,	30.42	772.6	30	90	...	0	b
Shanghai,	,,	30.34	770.6	42	42	W N W	3	c	9 a.	30.40	772.1	36	61	W S W	1	c
Gutzlaff,	,,	30.40	772.1	43	59	N N W	2	bm	,,	30.46	773.7	39	64	N W	2	bm
Sharp Peak,	,,	30.28	769.1	53	80	E N E	4	c	,,	30.35	770.9	51	...	N E	1	b
Amoy,	,,	30.10	764.5	61	50	E	2	b	6 a.	30.16	766.0	48	71	N E	3	b
Swatow,	,,	30.16	766.0	62	61	E	1	c	,,	30.21	767.3	..	...	N	3	b
Taihoku,	1 p.	30.20	767.2	...	...	E	4	...	6 a.	30.24	768.1	...	...	E	4	...
Taichu,	,,	30.09	764.3	...	...	N	6	...	,,	30.15	765.9	...	...	N	2	...
Tainan,	,,	30.12	765.1	...	...	N	6	...	,,	30.16	766.0	...	...	N	4	...
Koshun	,,	30.10	764.5	...	...	N E	8	...	,,	30.13	765.2	...	...	N E	8	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.22	767.6	55	50	N	1	b	9 a.	30.33	770.4	46	54	N	1	b
Hongkong,	4 p.	30.19	766.8	59	42	N	1	b	10 a.	30.28	769.1	59	45	N W	1	b
Victoria Peak,	,,	...	...	...	...	N	3	...	,,	...	...	...	...	N N E	2	...
Gap Rock,	,,	30.17	766.3	...	...	N N W	4	...	,,	30.26	768.6	...	...	N N E	4	...
Macao,	,,	30.22	767.7	55	...	N N W	1	b	,,	30.33	770.4	51	...	N W	1	c
Wuchow,	3 p.	30.29	769.3	60	...	N	1	b	9 a.	30.40	772.1	50	65	N E	1	b
Hoihow,	,,	30.24	768.1	59	88	N E	2	c	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.27	768.8	57	52	N	2	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.20	767.1	55	...	N N W	4	o	8 a.	30.33	770.3	55	...	N N E	2	o
Tourane,	,,	30.11	764.9	63	...	N W	4	dh	,,	30.19	766.8	61	...	N W	5	dh
Cape St. James,	,,	29.87	758.8	79	...	E S E	2	c	,,	30.01	762.1	72	...	N E	2	c
Aparri,	2 p.	29.96	761.0	73	...	N E	4	p	6 a.	30.01	762.1	72	...	E	2	o
Manila,	4 p.	29.80	757	82	63	N N E	3	o	10 a.	29.92	760	81	70	N W	1	o
Legaspi,	2 p.	29.74	755.5	79	...	N E	2	o	6 a.	29.87	758.7	77	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	2	or
Iloilo,	,,	29.74	755.4	81	...	...	0	od	,,	29.83	757.7	79	...	...	0	o
Cebu,	,,	29.74	755.4	81	...	S	1	o	,,	29.88	758.9	83	...	N	1	c
Labuan,	,,	29.79	756.6	84	...	...	...	...	,,	29.90	759.4	82	...	...	...	...

On the 24th at 11.55 a.—Pressure is still low but increasing in the neighbourhood of the Southern Philippines.

The barometer is falling over China, the high pressure area lying over the Upper Yangtze valley, having become weaker.

Paessure remains low over the Pacific to the N.E. of Japan.

Very strong monsoon must still be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 24th December, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th DECEMBER, 1910, P.M.								25th DECEMBER, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	29.96	761.1	23	...	...	0	o	7 a.	29.96	761.0	7	93	...	0	c
Nemuro,	,,	29.73	755.1	...	...	N N W	1	...	6 a.	29.91	759.6	...	...	W	2	...
Hakodate,	,,	...	...	...	...	...	...	...	,,	30.09	764.2	...	...	...	0	...
Tokio,	,,	29.94	760.6	...	...	N N W	2	...	,,	30.16	766.1	...	...	N N W	1	...
Kochi,	,,	30.07	763.8	...	...	E S E	1	...	,,	30.21	767.3	...	...	S W	1	...
Nagasaki,	,,	30.19	766.8	...	...	N	2	...	,,	30.21	767.3	...	...	...	0	...
Kagoshima,	,,	30.15	765.9	...	...	N N W	3	...	,,	30.21	767.4	...	...	N N E	1	...
Osbima,	,,	...	...	...	...	...	...	...	,,	30.18	766.6	...	...	S	1	...
Naha,	,,	30.16	766.1	...	...	N	3	...	,,	30.19	766.7	...	...	E N E	1	...
Ishigakijima,	,,	30.15	765.8	...	...	N E	4	...	,,	30.17	766.3	...	...	E N E	2	...
Bonin Is.	,,	29.94	760.6	...	...	N	4	...	,,	30.03	764.1	...	...	N	1	...
Chefoo,	4 p.	30.19	766.8	39	...	S W	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.16	766.0	41	49	W N W	1	bm	9 a.	30.07	763.8	37	53	S S W	1	bm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	30.33	770.4	51	46	S W	1	s	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.29	769.3	45	39	W	1	b	9 a.	30.29	769.3	37	...	S W	1	b
Gutzlaff,	,,	30.37	771.4	44	53	N W	2	cm	,,	30.36	771.1	45	...	S W	2	bm
Sharp Peak,	,,	30.25	768.3	52	79	E N E	4	b	,,	30.36	771.1	49	...	N E	1	b
Amoy,	,,	30.10	764.5	62	36	N E	2	b	6 a.	...	...	...	...	...	...	...
Swatow,	,,	30.17	766.3	59	48	E	1	b	,,	30.23	767.8	44	...	N	1	b
Taihoku,	1 p.	30.21	767.3	...	...	E	6	...	5 a	30.25	768.3	...	...	E	0	...
Taichu,	,,	30.11	764.9	...	...	N	4	...	,,	30.20	767.0	...	...	N	2	...
Tainan,	,,	30.10	764.6	...	...	N	2	...	,,	30.19	766.7	...	...	N	6	...
Koshun,	,,	30.10	764.6	...	...	N E	8	...	,,	30.14	765.6	...	...	N	6	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.20	767.1	56	40	N	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.19	766.8	60	53	N W	1	b	10 a.	30.33	770.4	61	25	N N W	2	c
Victoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	N N E	1	...
Gap Rock,	,,	30.16	766.0	...	...	N N E	3	...	,,	30.30	769.6	...	...	N	3	...
Macao,	,,	30.22	767.6	56	...	N E	1	c	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	30.27	768.8	61	...	...	1	c	9 a.	30.44	773.2	51	...	S W	1	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.20	767.1	60	60	N W	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.20	767.1	59	...	E N E	0	o	8 a.	30.42	772.7	55	...	N E	4	o
Tourane,	,,	30.13	766.2	61	...	N W	3	dh	,,	30.27	768.8	63	...	N W	3	o
Cape St. James,	,,	29.92	759.9	77	...	S E	2	c	,,	30.05	763.2	75	...	N W	1	c
Aparri,	2 p.	29.98	761.6	77	...	N E	2	o	6 a.	30.04	763.1	70	...	S	2	o
Manila,	4 p.	29.84	758	81	69	W	0	o	10 a.	30.00	762	82	70	N E	1	c
Legaspi,	2 p.	29.77	756.2	77	...	N E	2	o	6 a.	29.91	759.8	77	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N E	3	or	9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.75	755.6	83	...	N E	1	c	,,	29.93	760.2	79	...	N E	1	o
Cebu,	,,	29.78	756.4	85	...	N	1	c	,,	29.96	761.0	82	...	...	0	o
Labuan,	,,	29.79	756.6	85	...	...	...	...	,,	29.90	759.4	82	...	...	...	...

On the 25th at 11.55 a.—The barometer has fallen considerably over N. China, a depression having approached Manchuria from the Westward.

Pressure has increased in E. Japan, also over S.W. China, Annam and the Philippines.

The anticyclonic area is lying over the Upper Yangtze valley.

Strong monsoon will continue to prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

C. G. FIGG,
Director.

Hongkong Observatory, Sunday, 25th December, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th DECEMBER, 1910, P.M.								26th DECEMBER, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.85	758.2	28	...	...	0	c	7 a.	30.04	762.9	9	60	N N E	1	b
Nemuro,	,,	29.96	761.1	...	...	...	0	...	6 a.	29.81	757.1	...	...	...	0	...
Hakodate,	,,	30.01	762.2	...	...	...	0	...	,,	29.81	759.2	...	...	...	0	...
Tokio,	,,	30.08	764.1	...	...	...	0	...	,,	29.87	758.6	...	...	...	0	...
Kochi,	,,	30.07	763.8	...	...	E	1	...	,,	29.95	760.8	...	...	S W	1	...
Nagasaki,	,,	30.09	764.3	...	...	W	1	...	,,	...	...	...	...	N W	4	...
Kagoshima,	,,	30.11	764.8	...	...	E S E	1	...	,,	30.00	761.9	...	...	W N W	1	...
Oshima,	,,	...	...	...	...	...	...	...	,,	30.14	765.6	...	...	N	3	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.19	766.7	...	...	N N W	4	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.21	767.3	...	...	N	3	...
Bonin Is.	,,	30.08	764.1	...	...	N	1	...	,,	30.02	762.6	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.97	761.2	42	42	W N W	1	b	9 a.	30.15	765.8	38	46	S S W	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	30.31	769.9	58	37	...	0	b	,,	30.31	769.9	28	88	...	o	b
Shanghai,	,,	30.17	766.3	52	29	W S W	2	bv	9 a.	30.32	770.1	40	65	W	1	b
Gutzlaff,	,,	...	...	48	63	W	2	cm	,,	30.37	771.4	45	68	W N W	2	bm
Sharp Peak,	,,	30.21	767.3	52	...	E	1	b	,,	30.33	770.4	55	...	N	1	b
Amoy,	,,	30.14	765.5	61	50	E	2	b	6 a.	...	...	...	...	...	...	...
Swatow,	,,	30.15	765.8	65	40	N	1	b	,,	30.19	766.8	45	68	N	1	b
Taihoku,	1 p.	30.23	767.8	...	...	S W	2	...	5 a	30.28	769.1	...	...	...	0	...
Taichu,	,,	30.17	766.4	...	...	N	6	...	,,	30.18	766.5	...	...	..	0	...
Tainan,	,,	30.15	765.9	...	...	N	6	...	,,	30.15	765.9	...	...	N	4	...
Koshun	,,	30.12	765.0	...	...	N	4	...	,,	30.12	764.9	...	...	N E	10	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.23	767.8	59	43	N	2	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.20	767.1	65	19	N	1	b	10 a.	30.24	768.1	65	21	E	1	b
Victoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	30.18	766.6	...	...	N N W	5	...	,,	30.22	767.6	...	...	N N E	4	...
Macao,	,,	30.23	767.9	62	...	N	1	c	,,	30.28	769.1	57	...	N N W	2	c
Wuchow,	3 p.	30.30	769.6	63	...	W	2	b	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.26	768.6	64	...	N	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.25	768.3	66	...	W N W	3	b	8 a.	30.31	769.8	54	...	N	3	b
Tourane,	,,	30.17	766.4	63	...	N	3	f	,,	30.21	767.4	63	...	N W	4	f
Cape St. James,	,,	29.96	760.9	82	...	W S W	2	c	,,	30.02	762.6	72	...	N N W	2	o
Aparri,	2 p.	30.00	762.0	77	...	E	2	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	82	70	...	0	o	10 a.	...	...	...	...	...	..	...
Legaspi,	2 p.	29.87	758.8	81	...	E	0	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N	1	o	9 a.	...	...	...	...	N	2	c
Iloilo,	,,	29.83	757.7	82	...	N E	1	o	,,	29.91	759.7	80	...	N E	1	b
Cebu,	,,	29.84	757.9	84	...	N	1	b	,,	29.92	759.9	84	...	N	1	c
Labuan,	,,	29.89	759.2	85	...	...	...	...	,,	29.89	759.2	83	...	...	...	...

On the 26th at 11.30 a.—The barometer has risen moderately in N. China, and fallen considerably over Japan.

The depression lying over Manchuria yesterday, has reached E. Japan.

Pressure has given way moderately over S. China, and Tongking. It is still highest over the Upper Yangtze valley.

Strong monsoon must still be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 26th December, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th DECEMBER, 1910, P.M.								27th DECEMBER, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.04	763.0	17	...	N N E	1	b	7 a.	29.87	753.7	15	93	...	0	s
Nemuro,	,,	29.77	756.1	...	...	N	3	...	6 a.	30.02	762.6	...	...	N	4	...
Hakodate,	,,	29.83	757.7	...	...	N N W	4	...	,,	30.13	765.2	...	...	N N E	1	...
Tokio,	,,	29.75	755.6	...	...	N N W	1	...	,,	30.16	766.1	...	...	N W	1	...
Kochi,	,,	30.01	762.3	...	...	N W	2	...	,,	30.27	768.8	...	...	S W	1	...
Nagasaki,	,,	30.13	765.3	...	...	N N W	4	...	,,	30.27	768.8	...	...	S E	2	...
Kagoshima,	,,	30.11	764.9	...	...	N W	3	...	,,	30.31	769.9	...	...	...	0	...
Oshima,	,,	...	...	...	...	...	...	...	,,	30.28	769.1	...	...	S	1	...
Naha,	,,	30.20	767.2	...	...	N	5	...	,,	30.26	768.7	...	...	N E	1	...
Ishigakijima,	,,	30.17	766.3	...	...	N E	5	...	,,	30.21	767.3	...	...	N E	2	...
Bonin Is.	,,	29.93	760.1	...	...	S S W	3	...	,,	30.14	766.6	...	...	N W	2	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.09	764.3	39	64	S W	3	c	9 a.	30.13	766.3	39	64	N	8	bm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	30.20	767.1	58	...	S W	1	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.19	766.8	52	35	S	1	b	9 a.	30.32	770.1	45	61	W	2	o
Gutzlaff,	,,	30.28	769.1	50	58	W N W	1	bm	,,	30.35	770.9	48	71	W	4	bm
Sharp Peak,	,,	30.24	768.1	52	...	E	3	b	,,	30.31	769.9	51	...	E	1	b
Amoy,	,,	30.10	764.5	60	39	N	3	b	6 a.	...	...	...	...	...	...	...
Swatow,	,,	30.11	764.8	66	23	E	1	b	,,	30.19	766.8	43	71	N	1	b
Taihoku,	1 p.	30.20	767.2	...	...	E	8	...	5 a.	30.20	767.1	...	...	E	0	...
Taichu,	,,	30.08	764.1	...	...	N	2	...	,,	30.19	766.7	...	...	...	0	...
Tainan,	,,	...	...	...	...	...	...	...	,,	30.17	766.4	...	...	N E	2	...
Koshun,	,,	...	...	...	...	...	...	...	,,	30.14	765.6	...	...	N E	10	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.15	765.3	61	40	N W	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.15	765.8	63	33	E	3	b	10 a.	30.26	768.6	65	23	E	2	c
Victoria Peak,	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	30.12	765.0	...	...	E N E	4	...	,,	30.21	767.3	...	...	E N E	5	...
Macao,	,,	30.18	766.6	64	...	E	1	b	,,	30.28	769.1	59	...	N	1	c
Wuchow,	3 p.	30.19	766.8	65	...	N W	1	b	9 a.	30.33	770.4	49	78	N E	1	b
Hoihow,	,,	30.13	765.3	63	...	E N E	2	b	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.17	766.3	65	40	S W	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.14	765.5	68	...	S S W	2	b	8 a.	30.23	767.9	59	...	E N E	3	b
Tourane,	,,	30.13	765.3	63	...	N W	3	f	,,	30.16	766.1	64	...	N W	2	o
Cape St. James,	,,	29.97	761.3	77	...	S E	2	c	,,	30.05	763.2	70	...	N E	3	or
Aparri,	2 p.	29.99	761.7	75	...	E	2	o	6 a.	30.05	763.3	70	...	S E	0	o
Manila,	4 p.	29.88	759	81	76	S S E	1	d	10 a.	30.00	762	81	76	...	0	o
Legaspi,	2 p.	29.88	758.9	86	...	E	2	b	6 a.	29.94	760.5	77	...	N E	2	c
Bacolod,	3 p.	...	...	...	...	N	1	o	9 a.	...	...	...	...	N E	2	c
Iloilo,	,,	29.83	757.7	83	...	N E	1	o	,,	29.91	759.7	81	...	N E	2	c
Cebu,	,,	29.86	758.4	85	...	N	1	c	,,	29.95	760.7	85	...	N	1	...
Labuan,	,,	29.79	756.6	85	...	...	...	...	,,	29.95	760.7	79	...	...	...	...

On the 27th at 11.55 a.—The barometer has risen considerably in Japan, the depression having moved away over the Pacific.

Pressure has given way again in Wladiwostok another depression having appeared over E. Manchuria.

The highest pressure is shown over the Yangtze valley and the Eastern Sea.

Fresh to strong monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 27th December, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th DECEMBER, 1910, P.M.								28th DECEMBER, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.67	753.6	25	...	N E	0	o	7 a.	30.13	765.2	4	53	N W	0	b
Nemuro,	,,	30.06	763.6	...	...	...	0	...	6 a.	29.38	746.1	...	...	E S E	8	...
Hakodate,	,,	30.01	762.2	...	...	S W	1	...	,,	29.63	752.7	...	...	W	6	...
Tokio,	,,	30.04	763.1	...	...	S S E	1	...	,,	...	...	...	...	N W	1	...
Kochi,	,,	30.13	765.3	...	...	E N E	1	...	,,	30.15	765.8	...	...	W	1	...
Nagasaki,	,,	30.17	766.3	...	...	W S W	4	...	,,	30.31	769.8	...	...	N N W	1	...
Kagoshima,	,,	30.23	767.9	...	...	...	0	...	,,	30.27	768.9	...	...	N N W	2	...
Oshima,	,,	...	...	...	...	...	...	...	,,	30.28	769.1	...	...	N	3	...
Naha,	,,	30.24	768.2	...	...	N	2	...	,,	30.28	769.2	...	...	E S E	1	...
Ishigakijima,	,,	30.21	767.3	...	...	E N E	4	...	,,	30.25	768.3	...	...	N E	2	...
Bonin Is.	,,	30.14	765.6	...	...	N	1	...	,,	30.18	766.6	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.28	769.1	34	6	N	8	c	9 a.	30.36	771.1	36	30	S W	3	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	30.41	772.4	51	40	N E	3	b	,,	30.52	775.2	38	63	...	0	o
Shanghai,	,,	30.40	772.1	48	36	N N W	8	m	9 a.	30.50	774.7	36	80	N N W	1	b
Gutzlaff,	,,	30.42	772.6	46	55	N	6	bm	,,	30.52	775.2	47	63	N	1	...
Sharp Peak,	,,	30.25	768.3	53	...	E	1	b	,,	30.46	773.7	54	80	N	2	b
Amoy	,,	30.05	763.2	69	39	E	3	b	6 a.	30.17	766.3	58	58	N E	1	o
Swatow,	,,	30.14	765.5	68	65	...	0	c	,,	30.26	768.6	57	37	N E	2	c
Taihoku,	1 p.	30.19	766.7	...	...	E	4	...	5 a.	30.32	770.1	...	...	E	6	...
Taichu,	,,	30.16	766.0	...	...	N	4	...	,,	30.24	768.0	...	...	...	0	...
Tainan,	,,	30.17	766.2	...	...	N	4	...	,,	30.22	767.5	...	...	N	2	...
Koshun	,,	...	...	...	...	...	...	...	,,	30.18	766.6	...	...	N E	8	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.17	766.3	62	..	N N W	1	b	9 a.	30.36	771.1	55	56	N	1	b
Hongkong,	4 p.	30.19	766.8	63	31	E	2	b	10 a.	30.33	770.4	68	33	...	0	b
Victoria Peak,	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	N E	3	...
Gap Rock,	,,	30.15	765.8	...	...	E N E	4	...	,,	30.31	769.9	...	...	N E	3	...
Macao,	,,	30.22	767.6	65	...	E S E	1	c	,,	30.36	771.1	62	...	N	1	c
Wuchow,	3 p.	30.22	767.6	69	43	E	...	b	9 a.	30.46	773.7	48	...	N E	1	b
Hoihow,	,,	30.10	764.5	64	...	E N E	2	c	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.21	767.3	65	73	N W	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.18	766.6	70	...	S S E	2	b	8 a.	30.37	771.3	55	...	N N W	3	b
Tourane,	,,	30.13	765.3	63	...	N W	3	f	,,	30.23	767.7	64	..	W N W	4	o
Cape St. James,	,,	29.95	760.7	79	...	N	2	c	,,	30.02	762.5	75	...	S W	1	c
Aparri,	2 p.	30.03	762.8	77	...	E	2	o	6 a.	30.11	764.7	73	...	E	2	o
Manila,	4 p.	29.92	760	79	84	W N W	0	d	10 a.	30.08	764	73	100	...	0	r
Legaspi,	2 p.	29.92	760.0	86	...	N E	2	c	6 a.	29.98	761.4	77	...	E	2	o
Bacolod,	3 p.	...	...	...	...	N E	4	c	9 a.	...	...	...	...	N E	2	c
Iloilo,	,,	29.85	758.2	84	...	E	2	c	,,	29.95	760.7	80	...	N E	1	c
Cebu,	,,	29.82	758.4	85	...	N	1	b	,,	29.91	759.7	84	...	N	1	b
Labuan,	,,	29.84	757.9	86	...	...	...	...	,,	29.90	759.4	82	...	...	...	...

On the 28th at 11.55 a.—The barometer has fallen rapidly in E. Japan, and risen over China, particularly in the North.

The depression lying over the N. part of the Sea of Japan yesterday, has reached Hokkaido.

The anticyclonic area is situated over the Upper Yangtze valley.

Pressure has increased and is now slightly above normal over Luzon.

Strong monsoon will continue to prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 28th December, 1910.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th December, 1910, P.M.								29th December, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	30.09	764.3	9	...	N E	1	b	7 a.	29.94	760.4	−3	86	...	0	b
Nemuro,	,,	29.33	745.1	...	...	W	6	...	6 a.	29.73	755.1	...	...	W	4	...
Hakodate,	,,	29.83	757.7	...	...	W N W	5	...	,,	29.95	760.7	...	...	N N W	4	...
Tokio,	,,	29.87	758.6	...	...	N N W	3	...	,,	30.01	762.1	...	...	N N W	1	...
Kochi,	,,	30.07	763.8	...	...	E S E	1	...	,,	30.19	766.8	...	...	S W	1	...
Nagasaki,	,,	30.25	768.3	...	...	N N W	2	...	,,	30.29	769.3	...	...	N E	1	...
Kagoshima,	,,	30.21	767.4	...	...	W N W	4	...	,,	30.23	767.9	...	...	N N E	2	...
Oshima,	,,	30.22	767.6	...	...	N	1	...	,,	30.22	767.6	...	...	N	2	...
Naha,	,,	30.24	768.2	...	...	N	3	...	,,	30.23	767.7	...	...	N	3	...
Ishigakijima,	,,	30.23	767.8	...	...	N N E	3	...	,,	30.23	767.8	...	...	N N E	1	...
Bonin Is.	,,	30.08	764.1	...	...	N N W	1	...	,,	30.02	762.6	...	...	W	2	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.20	767.1	37	62	W S W	3	b	9 a.	30.20	767.1	34	69	S W	2	bm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	30.39	771.9	52	41	S W	1	b	..	...	...	...	...	...	...	...
Shanghai,	,,	30.38	771.6	47	41	W S W	1	b	9 a.	30.31	769.9	40	82	S S W	1	b
Gutzlaff,	,,	30.44	773.2	47	55	W N W	1	bm	,,	30.38	771.6	48	78	S	2	bm
Sharp Peak,	,,	30.32	770.1	55	...	E	4	b	,,	30.32	770.1	56	...	N	1	b
Amoy,	,,	30.19	766.8	67	37	E	3	f	6 a.	30.19	766.8	50	65	N E	1	b
Swatow,	,,	30.19	766.8	64	63	E	3	c	,,	30.20	767.1	40	..	N E	1	b
Taihoku,	1 p.	30.29	769.4	...	...	E	6	...	5 a	30.26	768.5	...	...	E	4	...
Taichu,	,,	30.19	766.8	...	...	N	4	...	,,	30.20	767.1	...	...	...	0	...
Tainan,	,,	30.21	767.4	...	...	N	4	...	,,	30.20	767.1	...	...	N	4	...
Koshun	,,	30.19	766.8	...	...	N E	8	...	,,	30.15	765.9	...	...	N E	8	...
Pescadores,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.24	768.1	67	37	N	2	b	9 a.	30.25	768.3	52	60	N	1	b
Hongkong,	4 p.	30.23	767.8	64	66	E	2	b	10 a.	30.23	767.8	66	49	S E	1	b
Victoria Peak,	,,	...	...	...	...	N N W	1	...	,,	...	...	...	...	E	3	...
Cap Rock,	,,	30.20	767.1	...	...	N E	2	...	,,	30.21	767.3	...	...	N E	4	...
Macao,	,,	30.25	768.3	69	...	N N W	2	b	,,	30.26	768.6	59	...	N E	1	c
Wuchow,	3 p.	30.31	769.9	67	50	N W	1	b	9 a.	30.32	770.1	46	...	N E	1	b
Hoihow,	,,	30.26	768.6	68	79	N N E	2	b	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.27	768.8	...	...	N	2	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.25	768.3	73	...	W S W	1	b	8 a.	30.26	768.6	59	...	S	2	b
Tourane,	,,	30.18	766.5	64	...	W N W	4	or	,,	30.18	766.6	64	..	W N W	3	f
Cape St. James,	,,	29.93	760.3	79	...	S	2	lt	,,	30.00	762.0	75	...	N W	1	c
Aparri,	2 p.	30.09	764.2	75	...	E	2	o	6 a.	30.08	764.1	72	...	E	2	o
Manila,	4 p.	30.00	762	75	92	N E	1	r	10 a.	30.04	763	79	76	...	0	o
Legaspi,	2 p.	29.96	761.1	77	...	E	4	o	6 a.	29.97	761.3	77	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N E	4	c
Iloilo,	,,	29.89	759.2	74	...	N E	2	c	,,	29.95	760.7	77	...	N E	3	od
Cebu,	,,	29.89	759.2	86	...	N	2	c	,,	29.96	761.0	82	...	N	2	c
Labuan,	,,	29.84	757.9	85	...	...	...	...	,,	29.92	759.9	82	...	...	...	...

On the 23th at 11.50 a.—The barometer has risen considerably in E. Japan, the depression lying over Hokkaido yesterday, having moved away over the Pacific.

Pressure has given way moderately over China, another depression having approached Manchuria from the Westward.

The highest pressure is shown over S. China.

Fresh monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
— Hongkong and Neighbourhood,	N.E. winds, moderate; fine.
— Formosa Channel,	Same as No. 1.
— South coast of China between Hongkong and Lamocks,	Same as No. 1.
— South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday 29th December, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th DECEMBER, 1910, P.M.								30th DECEMBER, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	29.92	759.9	0	...	W	0	o	7 a.	30.19	766.8	-14	75	N E	0	b
Nemuro,	,,	29.75	755.6	...	...	N W	5	...	6 a.	29.75	755.6	...	...	W	2	...
Hakodate,	,,	29.95	760.7	...	...	W N W	4	...	,,	29.93	760.2	...	...	W N W	4	...
Tokio,	,,	29.98	761.6	...	...	N E	1	...	,,	29.95	760.6	...	...	N W	1	...
Koohi,	,,	30.11	764.8	...	...	S E	1	...	,,	30.09	764.3	...	...	S W	1	...
Nagasaki,	,,	30.17	766.3	...	...	S W	1	...	,,	30.21	767.3	...	...	...	0	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	30.13	765.4	...	...	N E	1	...
Oshima,	,,	...	...	...	...	...	...	...	,,	30.14	765.6	...	...	S	1	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.13	765.2	...	...	...	0	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.11	764.8	...	...	E	1	...
Bonin Is.	,,	29.98	761.6	...	...	N N W	2	...	,,	30.04	763.1	...	...	N	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.10	764.5	41	49	...	...	b	9 a.	30.11	764.8	38	72	N E	1	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	30.15	765.8	52	53	N W	1	b	,,	30.19	766.8	41	...	S W	1	b
Shanghai,	,,	30.16	766.0	53	42	S S E	1	c	9 a.	30.12	765.0	45	84	W S W	2	om
Gutzlaff,	,,	30.23	767.8	52	60	S S W	3	bm	,,	30.19	766.8	46	84	W	4	om
Sharp Peak,	,,	30.15	765.8	53	...	...	0	b	,,	30.15	765.8	53	...	...	0	b
Amoy,	,,	30.05	763.2	66	40	E	3	f	6 a.	...	...	...	...	...	...	...
Swatow,	,,	30.10	764.5	65	58	E N E	1	b	,,	30.11	764.8	52	..	...	0	b
Taihoku,	1 p.	30.13	765.2	...	...	E	8	...	5 a.	30.13	765.2	...	...	...	0	...
Taichu,	,,	30.07	763.8	...	...	...	0	...	,,	30.14	765.5	...	...	...	0	...
Tainan,	,,	30.11	764.7	...	...	W	4	...	,,	30.11	764.8	...	...	N	4	...
Koshun	,,	...	...	...	...	...	..	...	,,	30.08	763.9	...	...	...	0	...
Pescadores,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.09	764.3	63	47	N	1	b	9 a.	30.15	765.8	55	80	N	1	b
Hongkong,	4 p.	30.12	765.0	62	52	E	3	b	10 a.	30.16	766.0	67	50	E S E	1	b
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	1	...
Gap Rock,	,,	30.09	764.3	...	...	E N E	4	...	,,	30.15	765.8	...	...	E N E	3	...
Macao,	,,	30.15	765.8	63	...	S E	1	c	,,	30.20	767.0	62	...	N W	1	b
Wuchow,	3 p.	30.13	765.3	58	...	W	1	b	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.17	766.3	69	75	N E	2	b	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.12	765.0	70	...	S	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.08	764.1	72	...	S S E	2	b	8 a.	30.17	766.4	59	...	E N E	2	b
Tourane,	,,	30.07	763.9	64	...	W N W	2	f	,,	30.11	764.7	66	..	W N W	3	f
Cape St. James,	,,	29.90	759.4	81	...	N W	1	o	,,	29.97	761.1	79	...	S E	2	c
Aparri,	2 p.	30.03	762.7	73	...	E	2	d	6 a.	30.01	762.3	68	...	S E	0	o
Manila,	4 p.	29.92	760	81	62	E	2	o	10 a.	30.00	762	79	76	N E	1	c
Legaspi,	2 p.	29.92	759.9	79	...	E	4	o	6 a.	29.93	760.3	77	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N E	5	o	9 a.	...	...	...	...	N E	4	c
Iloilo,	,,	29.85	758.2	82	...	N	2	o	,,	29.93	760.2	79	...	N E	2	c
Cebu,	,,	29.85	758.2	85	...	N	2	o	,,	29.95	760.7	80	...	N	1	od
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	29.90	759.4	81	...	...	...	...

On the 30th at 12.05 p.—The depression lying over E. Manchuria yesterday, has moved towards N.E. and pressure has increased considerably in Wladiwostok.

The barometer has fallen over China, W. Japan and the Loochoos owing to a depression, which is passing from the continent to the Yellow Sea to the North of Shanghai.

Pressure is probably increasing over the Upper Yangtze valley and the monsoon, at present interrupted along the China coast, will set in again by tomorrow.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable to N. winds, light to fresh; fine.
2.—Formosa Channel,	Variable to N.E. winds, light to strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 30th December, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th DECEMBER, 1910, P.M.								31st DECEMBER, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.12	765.1	−7	...	N E	2	b	7 a.	30.04	763.0	−31	49	N N E	1	b
Nemuro,	,,	29.77	756.1	...	...	W S W	3	...	6 a.	29.87	758.6	...	...	W	2	...
Hakodate,	,,	29.87	758.7	...	...	...	5	...	,,	29.87	758.7	...	...	N	1	...
Tokio,	,,	29.91	759.6	...	...	...	0	...	,,	29.83	757.6	...	...	N W	1	...
Kochi,	,,	29.99	761.8	...	...	S W	1	...	,,	29.82	757.3	...	...	S W	1	...
Nagasaki,	,,	30.03	762.8	...	...	W N W	4	...	,,	30.03	762.3	...	...	N	4	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	30.00	761.9	...	...	S W	3	...
Oshima,	,,	...	...	...	...	...	...	...	,,	30.06	763.6	...	...	N	4	...
Naha,	,,	30.05	763.2	...	...	S S W	1	...	,,	30.13	765.2	...	...	N N W	5	...
Ishigakijima,	,,	30.07	763.8	...	...	S	2	...	,,	30.15	765.8	...	...	N E	3	...
Bonin Is.	,,	30.02	762.6	...	...	W	1	...	,,	30.02	762.6	...	...	S W	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	30.33	770.4	22	...	N E	6	b
Weihaiwei,	,,	30.10	764.5	38	81	N N W	6	os	9 a.	30.40	772.1	31	...	N	6	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	..	...	...	...	..
Kinkiang,	,,	30.23	767.8	58	37	S W	1	b	,,	30.38	771.6	33	...	N E	1	b
Shanghai,	,,	30.11	764.8	52	47	W N W	4	bq	9 a.	30.39	771.9	38	72	N N W	1	b
Gutzlaff,	,,	30.13	765.3	51	59	N W	7	om	,,	30.41	772.4	45	61	N	2	bv
Sharp Peak,	,,	30.04	763.0	55	...	...	0	b	,,	30.26	768.6	56	81	N E	2	b
Amoy,	,,	29.97	761.2	66	59	S E	4	dh	6 a.	30.15	765.8	55	100	...	0	f
Swatow,	,,	29.99	761.7	67	68	E	1	b	,,	30.10	764.5	50	..	N E	1	b
Taihoku,	1 p.	30.06	763.5	...	...	N W	6	...	5 a.	30.16	766.0	...	...	E	6	...
Taichu,	,,	30.06	763.4	...	...	N W	2	...	,,	30.10	764.6	...	...	...	0	...
Tainan,	,,	30.05	763.2	...	...	N	6	...	,,	30.07	763.9	...	...	N	4	...
Koshun	,,	...	...	...	...	...	..	...	,,	30.06	763.4	...	...	N E	8	...
Pescadores,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.04	763.0	65	78	N	1	b	9 a.	30.15	765.8	58	76	.	0	b
Hongkong,	4 p.	30.05	763.2	67	65	W	1	b	10 a.	30.12	765.0	63	44	E	3	b
Victoria Peak,	,,	...	...	...	...	S E	0	...	,,	...	...	...	...	E	6	...
Gap Rock,	,,	30.02	762.5	...	...	N	2	...	,,	30.10	764.5	...	...	E N E	5	...
Macao,	,,	30.08	764.0	67	...	E	1	b	,,	30.15	765.8	63	...	N	1	b
Wuchow,	3 p.	30.09	764.3	67	55	W	1	b	9 a.	30.21	767.3	51	...	E	1	f
Hoihow,	,,	30.06	763.5	69	...	N E	2	b	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.08	764.0	69	70	S W	2	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.04	763.0	72	...	S S E	2	b	8 a.	30.13	765.3	55	...	N N E	2	c
Tourane,	,,	30.02	762.6	70	...	W N W	2	c	,,	30.07	763.7	70	..	...	0	c
Cape St. James,	,,	29.86	758.4	81	...	E N E	2	c	,,	29.95	760.7	75	...	N E	1	c
Aparri,	2 p.	29.95	760.7	79	...	E	2	b	6 a.	29.99	761.8	72	...	E	0	o
Manila,	4 p.	29.92	760	81	76	S E	1	o	10 a.	29.96	761	79	76	N W	2	o
Legaspi,	2 p.	29.91	759.7	81	...	N E	2	o	6 a.	29.93	760.2	77	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	..
Iloilo,	,,	29.85	758.2	81	...	N E	1	o	,,	29.91	759.7	78	...	N E	1	o
Cebu,	,,	29.86	758.4	84	...	N	2	c	,,	29.91	759.7	81	...	N	2	o
Labuan,	,,	29.84	757.9	85	...	...	...	...	,,	29.90	759.4	82	...	...	...	...

On the 31st at 11.55 a.—The barometer has fallen considerably in S. Japan, and risen quickly over N. China.
The depression lying over the Yellow Sea yesterday, has reached the S. part of the Sea of Japan.
A high pressure area lies over the continent to the North of the Yangtze valley.
Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 31st December, 1910.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st DECEMBER, 1910, P.M.								1st JANUARY, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.94	760.5	−1	...	N W	0	b	7 a.	30.04	763.1	−9	78	...	0	b
Nemuro,	,,	29.77	756.1	...	...	N N W	2	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.67	753.7	...	...	N N W	5	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.57	751.1	...	...	N N W	1	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.91	759.8	...	...	N W	4	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.11	764.8	...	...	N N W	5	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.09	764.4	...	...	N N W	5	...	,,	...	...	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.15	765.7	...	...	N	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.15	765.8	...	...	N E	4	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	29.96	761.1	...	...	S	3	...	,,	...	...	...	...	..	...	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	..	...
Weihaiwei,	,,	30.32	770.1	25	87	N	1	b	9 a.	30.08	764.0	32	69	N	8	o
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	30.22	767.6	48	49	N E	1	o	,,	30.35	770.9	43	67	S W	1	o
Shanghai,	,,	30.33	770.4	45	39	N E	2	...	9 a.	30.27	768.8	43	75	S S W	1	c
Gutzlaff,	,,	30.35	770.9	48	49	N	1	cv	,,	30.34	770.6	45	76	S W	2	mv
Sharp Peak,	,,	30.23	767.8	55	80	E	4	c	,,	30.29	769.3	53	93	W	1	o
Amoy,	,,	30.00	762.0	65	49	E	5	c	6 a	30.18	766.6	54	87	N E	3	or
Swatow,	,,	30.05	763.2	63	72	E	3	o	,,	30.14	765.5	53	93	N E	1	b
Taihoku,	1 p.	30.13	765.3	...	...	E	8	...	5 a.	...	...	...	...	E	6	...
Taichu,	,,	29.99	761.7	...	...	...	2	...	,,	30.12	765.1	...	...	N E	2	...
Tainan,	,,	30.04	763.1	...	...	W	4	...	,,	30.11	764.8	...	...	N	6	...
Koshun,	,,	30.07	763.8	...	...	E	6	...	,,	30.07	763.7	...	...	E	2	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.05	763.2	66	64	N	1	b	9 a.	30.21	767.3	60	65	N	1	b
Hongkong,	4 p.	30.08	764.0	65	67	E	5	b	10 a.	30.19	766.8	65	71	E S E	1	b
Victoria Peak,	,,	...	...	...	...	E	5	...	,,	...	...	...	...	N N E	3	...
Gap Rock,	,,	30.04	763.0	...	...	E N E	5	...	,,	30.16	766.0	...	...	E N E	4	...
Macao,	,,	30.08	764.0	65	...	S E	1	c	,,	30.23	767.8	64	...	E	1	c
Wuchow,	3 p.	30.08	764.0	70	...	E	1	b	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.07	763.8	70	80	N E	2	c	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.06	763.5	70	61	S	3	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.04	762.9	70	...	E S E	2	b	8 a.	30.22	767.5	63	...	E N E	3	o
Tourane,	,,	29.98	761.6	75	...	..	0	b	,,	30.13	765.3	72	..	W N W	1	o
Cape St. James,	,,	29.89	759.2	79	...	N E	4	c	,,	30.00	761.9	73	...	N E	2	c
Aparri,	2 p.	29.98	761.4	77	...	E	2	c	6 a.	30.03	762.8	70	...	S E	2	o
Manila,	4 p.	29.92	760	77	64	...	0	o	10 a.	30.00	762	79	69	N W	1	c
Legaspi,	2 p.	29.90	759.5	77	...	E	2	o	6 a.	29.99	761.7	73	...	E	2	o
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Iloilo,	,,	29.85	758.2	81	...	N E	...	o	,,	29.95	760.7	79	...	N E	1	c
Cebu,	,,	29.85	758.2	84	...	N	2	o	,,	29.96	761.0	82	...	N	2	o
Labuan,	,,	29.84	757.9	83	...	...	...	...	,,	29.93	760.2	81	...	...	...	...

On the 1st at 12.15 p.—The barometer has fallen quickly on the NE coast of China, and risen slightly over S. China, Annam and the Philippines.

Another depression has appeared over the Yellow Sea.

The Japanese returns are lacking this morning but probably the depression lying over the S. part of the Sea of Japan yesterday, has moved into the Pacific.

Pressure is highest over the Upper Yangtze valley

Moderate to fresh monsoon may be expected overthe China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	NE and N. winds, moderate; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 1st January, 1911.

[Printed by NORONHA & Co., Government Printers.]