3

LIBRARY
MAR 15 1900

The China coast meteorological Register issued daily in 1879 from The Hongkong Observatory

QC
990
H6
H6
1879

N. B. The barometric readings made at some of the China treaty ports and published in this Register are, from various causes, defective.

J.T.

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Lason, Inc.
Imaging Subcontractor
Beltsville, MD
December 20, 2000

LIBRARY
MAR 18 1900
LIBRARY
WEATHER BUREAU
No. 21634
Class

CHINA COAST METEOROLOGICAL REGISTER.

31st DECEMBER, 1898, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	30.15	34	..	.	0	b
Tokio,	30.10	..	..	N	4	..
Kochi,	30.19	..	..	NE	2	..
Nagasaki,	30.19	..	..	N	2	..
Kagoshima,	30.19	..	..	NE	2	..
Gutzlaff,	30.35	40	74	NNE	3	cv
Sharp Peak,	30.19	50	82	NE	5	o
Amoy,	30.10	62	67	ENE	3	c
Swatow,	30.06	64	..	E	4	b
Canton,	30.08	60	55	N	2	o
Hongkong,	30.08	65	51	..	0	o
Victoria Peak,	.	..	..	WSW	1	..
Gap Rock,	30.07	..	..	N	3	..
Macao,	30.09	66	..	NE	1	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	SE	2	b
	..	..	..	..	..	..
	..	..	..	..	..	..

1st JANUARY, 1899, AT 10 A.

Wladivostock,	30.10	8	90	NW	1	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,		..	..	..	..	..
Gutzlaff,	30.20	43	83	NE	3	ov
Sharp Peak,	30.11	51	79	NNW	4	o
Amoy,	30.15	58	81	NE	2	o
Swatow,	30.19	58	..	N	2	.
Canton,	30.17	52	73	N	1	c
Hongkong,	30.14	60	71	ENE	4	o
Victoria Peak,	..	..	..	E	3	
Gap Rock,	30.12	.	..	N	5	..
Macao,	30.16	58	..	NW	1	o
Haiphong,	30.10	58	..	E	4	o
Cape S. James,	..	..	..	N	3	f
	..	..	—	..	..	..
	..	..	..	..	..	..

On the 1st at 11.55 a. The barometer is falling over China. Pressure seems to be highest on the E. with moderate gradients and fresh monsoon on the coast, and in the N. part of the China Sea. Forecast:—fresh or moderate NE winds; fair.

F. G. FIGG,
First Assistant

G OBSERVATORY, Sunday 1st January 1899

CHINA COAST METEOROLOGICAL REGISTER

1st JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	30.04	32	..	..	0	b
Tokio,	30.10	..	..	..	0	..
Kochi,	30.11	..	..	SE	2	..
Nagasaki,	30.11	..	..	N	4	..
Kagoshima,	30.11	..	..	SE	2	..
Gutzlaff,	30.26	43	92	NE	4	ov
Sharp Peak,	30.10	57	60	N	2	o
Amoy,	30.04	62	72	N	2	c
Swatow,	30.06	63	..	NE	..	c
Canton,	30.05	57	69	N	1	o
Hongkong,	30.04	66	56	W	1	b
Victoria Peak,	..	..	..	NNE	1	..
Gap Rock,	30.04	..		ENE	2	
Macao,	30.06	64	..	NNW	1	..
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	..	..	..
	..	..	..	..	..	..
	..	..	..	..	..	..

2nd JANUARY, 1899, AT 10 A.

Wladivostock,	30.07	16	52	N	2	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.27	30	100	NNW	5	omd
Sharp Peak,	30.18	53	86	NE	2	o
Amoy,	30.14	59	76	SE	1	o
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	30.17	60	57	WNW	2	b
Victoria Peak,	..	..	..	NW	5	
Gap Rock,	30.16	..		NNW	4	
Macao,	30.21	56		NNW	2	c
Haiphong,	..	..	..		..	..
Cape S. James,	..	..	..	NE	2	f
	..	..		..	..	..
	..	..	..	..	..	..

On the 2nd at 1125 a. Barometric changes are slight. Pressure is highest and increasing over Central China, slightly low in the neighbourhood of the Loochoos. Gradients moderate with fresh monsoon on the coast, and in the N. part of the China Sea. Forecast:—moderate to fresh N winds; fine.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Monday 2nd January 1899.

CHINA COAST METEOROLOGICAL REGISTER.

2nd JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.99	31	..	NW	1	b
Tokio,	29.90	..	..	SW	2	..
Kochi,	..	..	..	.	..	..
Nagasaki,	30.03	..	..	N	1	..
Kagoshima,	29.99	..	..	NW	2	..
Gutzlaff,	30.24	42	83	NNW	4	cv
Sharp Peak,	30.10	53	86	E	3	o
Amoy,	30.08	63	72	NNE	2	o
Swatow,	30.08	66	..	NW	2	b
Canton,	30.13	57	58	NE	1	b
Hongkong,	30.09	59	54	WNW	3	b
Victoria Peak,	.	..	..	NW	6	..
Gap Rock,	30.08	..	..	NNW	5	..
Macao,	30.12	60	..	NNW	2	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	SE	2	b
	..	..	..	..	..	..
	..	..	..	..	..	..

3rd JANUARY, 1899, AT 10 A.

Wladivostock,	29.97	15	55	N	4	c
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,		..	..	..	..	..
Gutzlaff,	30.27	39	82	NW	4	bv
Sharp Peak,	30.23	51	72	NE	3	o
Amoy,	30.19	57	81	SW	1	o
Swatow,	30.23	56	..	N	2	o
Canton,	30.25	49	64	N	2	b
Hongkong,	30.22	52	47	..	0	b
Victoria Peak,	..	..	..	NNE	1	-
Gap Rock,	30.22	..	..	NNW	3	..
Macao,	30.25	53	..	N	2	c
Haiphong,	30.22	56	..	..	0	o
Cape S. James,	..	..	..	NE	3	f
	..	..	..	..	..	..
	..	..	..	..	..	..

On the 3rd at 11.30 a. The barometer has risen in S. China, fallen in the extreme North. Pressure igh in Central China, low in a shallow area lying over Japan. Gradients moderate on the coast, rather ɔp with strong monsoon in the N. part of the China Sea. Forecast:—moderate N winds; fine.

J. G. FOG.

MAG. OBSERVATORY, Tuesday, 3rd January, 99.

CHINA COAST METEOROLOGICAL REGISTER.

3rd JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.91	26	..	NE	4	c
Tokio,	..	..	..	..	..	..
Kochi,	29.83	..	..	W	2	..
Nagasaki,	29.99	..	..	N	6	..
Kagoshima,	29.99	..	..	N	6	..
Gutzlaff,	30.22	44	76	N	1	bm
Sharp Peak,	30.15	53	67	E	4	o
Amoy,	30.10	61	66	NE	1	c
Swatow,	30.12	61	..	ESE	3	c
Canton,	30.13	58	53	N	1	b
Hongkong,	30.09	59	48	W	1	b
Victoria Peak,	.	..	..	NE	1	..
Gap Rock,	30.10	..	..	N	3	..
Macao,	30.12	61	..	NNW	1	b
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	NE	2	o
	..	..	..	..	..	..
	..	..	..	..	..	..

4th JANUARY, 1899, AT 10 A.

Wladivostock,	29.82	14	62	N	1	c
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.29	40	82	WNW	4	bm
Sharp Peak,	30.32	50	79	WNW	1	o
Amoy,	30.26	53	73	NW	2	c
Swatow,	30.30	56	..	N	2	b
Canton,	..	.	..		..	..
Hongkong,	30.24	58	43	..	0	b
Victoria Peak,	..	..	..	NNE	1	
Gap Rock,	30.23	..	..	NNE	3	..
Macao,	30.27	57	..	NW	1	b
Haiphong,	30.24	48	..	E	1	c
Cape S. James,	..	..	..	N	3	om
	..	..	.	..	..	..
	..	.	..	..	..	..

On the 4th at 11.40 a.m. The barometer has risen slightly on the China coast, fallen moderately in the extreme North. Pressure remains high over Central China, and low in a shallow area lying in the Sea of Japan. Gradients moderate on the China coast, rather steep with strong monsoon in the N. part of the China sea. Forecast:—moderate N to NE winds; fine.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Wednesday 4th January 1899.

CHINA COAST METEOROLOGICAL REGISTER.

4th JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,.....	.	..	..	..	..	..
Tokio, ...	29.75	..	..	SE	2	..
Kochi, ...	29.91	..	..	NW	6	..
Nagasaki, ...	30.03	..	..	NW	6	..
Kagoshima,.....	30.03	..	..	N	6	..
Gutzlaff, ...	30.30	42	83	N	4	cm
Sharp Peak, ...	30.24	53	45	E	3	b
Amoy, ...	30.20	62	51	E	1	b
Swatow, ...	30.20	62	..	ESE	3	b
Canton, ...	30.21	63	38	E	1	b
Hongkong, ...	30.19	62	28	NE	2	b
Victoria Peak, ...	.	..	..	N	1	..
Gap Rock, ...	30.18	..	..	NNW	4	..
Macao,.....	30.20	63	..	N	1	b
Haiphong, ...	..	..	..	..	..	..
Cape S. James,.....	..	..	..	SE	2	f
.....	..	..	..	..	..	..
.....	..	..	..	..	..	..

5th JANUARY, 1899, AT 10 A.

Wladivostock,.....	..	..	..	..	..	..
Tokio.	..	..	..	..	..	..
Koshi, ...	..	..	..	..	..	..
Nagasaki, ...	..	..	..	..	..	..
Kagoshima,.....	..	..	..	..	..	..
Gutzlaff.	30.48	36	80	N	4	bv
Sharp Peak, ...	30.41	54	58	NE	4	c
Amoy, ...	30.34	53	61	NE	3	b
Swatow, ...	..	..	..	..	..	..
Canton, ...	20.34	54	49	NE	1	b
Hongkong, ...	30.32	58	31	ENE	2	b
Victoria Peak, ...	..	..	..	E	3	
Gap Rock, ...	30.31	..	..	NE	4	..
Macao,.....	30.34	60	..	N	1	c
Haiphong, ...	30.26	55	..	..	0	b
Cape S. James, ...	..	..	..	..	0	om
.....	..	..	..	..	..	..
.....	..	..	..	..	..	..

On the 5th at 11.45 a. The barometer has risen on the China coast, particularly in the North. A pressure area is central in N. China with moderate gradients and fresh monsoon on the coast, and r steep gradients and strong monsoon in the N. part of the China Sea. Forecast:—moderate to fresh r.nds; fine.

F. G. FIGG,
First Assistant.

s Observatory, Thursday 5th January 1899.

CHINA COAST METEOROLOGICAL REGISTER

5th JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.67	..	..	N	4	..
Kochi,	30.03	..	..	W	6	..
Nagasaki,	30.19	..	..	NW	8	..
Kagoshima,	30.15	..	..	N	8	..
Gutzlaff,	30.45	39	55	N	2	bv
Sharp Peak,	30.36	52	53	E	7	b
Amoy,	30.25	61	45	NE	3	b
Swatow,	30.23	61	..	ENE	4	c
Canton,	30.22	63	47	..	0	..
Hongkong,	30.21	60	42	E	2	b
Victoria Peak,	..	..	..	ENE	3	..
Gap Rock,	30.21	..	..	ENE	4	..
Macao,	30.22	63	..	ENE	1	b
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	..	0	o
	..	..	..	..	..	..
	..	..	..	..	..	..

6th JANUARY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.44	42	83	N	2	cv
Sharp Peak,	30.36	53	73	W	1	o
Amoy,	30.32	54	68	.	..	c
Swatow,	30.32	57	..	NE	1	b
Canton,	20.29	55	56	N	1	b
Hongkong,	30.28	60	56	ENE	2	o
Victoria Peak,	..	..	..	E	3	.
Gap Rock,	30.26	..	..	ENE	4	..
Macao,	30.28	59	..	NNE	1	c
Haiphong,	..	..	..	..	..	
Cape S. James,	..	..	..	..	0	om
	..	..		..	..	..
	.	.	..	..		..

On the 6th at 11.50 a. The barometer has fallen on the China coast. The high pressure are spreading over Japan. Gradients moderate with fresh monsoon on the coast, and in the N. part of China Sea. Forecast:—fresh NE winds; fair.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Friday 6th January 1899.

CHINA COAST METEOROLOGICAL REGISTER.

6th JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,.....	..	..	..	..	..	..
Tokio, ...	..	..	..	..	..	..
Kochi, ...	30.23	..	..	N	8	..
Nagasaki, ...	30.31	..	..	NW	4	..
Kagoshima,.....	30.27	..	..	N	2	..
Gutzlaff, ...	30.33	46	77	E	1	cv
Sharp Peak, ...	30.25	54	64	NNW	1	c
Amoy, ...	30.20	65	58	NE	2	b
Swatow, ...	30.20	6.3	..	ESE	2	b
Canton, ...	30.15	66	54	..	0	b
Hongkong, ...	30.16	62	36	ESE	1	o
Victoria Peak, ...	-	..	..	E	2	..
Gap Rock, ...	30.14	..	..	ENE	4	..
Macao,.....	30.17	64	..	NNE	1	c
Haiphong, ...	..	..	..	..	..	..
Cape S. James, ...	..	..	..	..	0	of
.....	..	..	..	..	..	..
....	..	..	..	..	..	..

7th JANUARY, 1899, AT 10 A.

Wladivostock,.....	..	..	..	..	..	..
Tokio, ...	..	..	..	..	..	..
Kochi, ...	..	..	..	..	..	..
Nagasaki, ...	..	..	..	..	..	..
Kagoshima,.....	.	..	..	..	..	..
Gutzlaff, ...	30.35	47	93	ESE	1	ov
Sharp Peak, ...	30.26	54	74	..	0	.
Amoy, ...	30.25	57	81	SW	2	b
Swatow, ...	30.27	61	..	NE	2	bf
Canton, ...	20.22	60	65	..	0	o
Hongkong, ...	30.22	64	54	E	4	
Victoria Peak, ...	..	..	..	E	4	
Gap Rock, ...	30.21	.	..	ENE	4	..
Macao,.....	30.22	68	..	NNW	1	c
Haiphong, ...	30.14	58	..	N	1	c
Cape S. James, ...	..	..	..	..	0	om
. ...	..	..		..	..	..
. ...	.		..	..	.	.

the 7th at 11.55 A. The barometer continues to fall on the China coast. Pressure appears to be now
t over Japan. Gradients slight to moderate. Forecast:—moderate or fresh NE to E winds; fair.

F. G. FIGG,
First Assistant.

Observatory, Saturday 7th January 1899.

CHINA COAST METEOROLOGICAL REGISTER

7th JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,.....	..	..	..	..	..	..
Tokio, ...	30.22	..	..	..	0	..
Kochi,.....	30.23	..	..	SW	2	..
Nagasaki, ...	30.27	..	..	NW	2	..
Kagoshima,.....	30.23	..	..	SE	2	..
Gutzlaff, ...	30.30	47	93	NE	1	cv
Sharp Peak, ...	30.19	58	79	E	1	c
Amoy, ...	30.15	63	78	SE	4	b
Swatow, ...	30.15	67	..	ESE	2	b
Canton, ...	30.15	66	54	N	1	c
Hongkong, ...	30.10	65	55	E	4	b
Victoria Peak, ...	..	..	..	E	5	..
Gap Rock, ...	30.10	..	..	ENE	5	..
Macao,.....	30.13	68	..	S	1	c
Haiphong, ...	..	..	..	..	..	..
Cape S. James, ...	..	..	..	SE	2	of
.....	..	..	..	..	..	..
.....	..	..	..	..	..	..

8th JANUARY, 1899, AT 10 A.

Wladivostock,.....	..	..	..	..	..	..
Tokio, ...	..	..	..	..	..	..
Kochi,.....	..	..	..	..	..	..
Nagasaki, ...	..	..	..	..	..	..
Kagoshima,.....	..	..	..	..	..	..
Gutzlaff, ...	30.36	49	93	ESE	3	cv
Sharp Peak, ...	30.27	59	79	WNW	1	o
Amoy,.....	30.25	57	87	SW	2	c
Swatow, ...	..	..	..	..	..	..
Canton, ...	..	..	..	..	..	..
Hongkong, ...	30.20	62	77	E	6	o
Victoria Peak, ...	..	..	..	E	7	..
Gap Rock, ...	30.17	..	..	ENE	5	..
Macao,.....	30.20	67	..	ESE	1	c
Haiphong, ...	30.13	61	..		0	o
Cape S. James, ...	..	..	..	NE	3	om
.....	..	..		..	..	..
.....			..	..		..

On the 8th at 11.55 a. Barometric changes are slight. Pressure is normal on the China coast with higher pressure over Japan. Gradients slight to moderate. Forecast:—fresh NE to E winds; fair.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Sunday 8th January 1899.

CHINA COAST METEOROLOGICAL REGISTER.

8th JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.14	..	..	..	0	..
Kochi,	30.23	..	..	SE	2	..
Nagasaki,	30.27	..	..	N	4	..
Kagoshima,	30.27	..	..	NW	6	..
Gutzlaff,	30.27	50	86	E	4	cv
Sharp Peak,	30.18	62	77	E	1	c
Amoy,	30.12	63	65	NE	2	b
Swatow,	30.17	66	..	ESE	4	b
Canton,	30.09	74	63	SW	2	b
Hongkong,	30.11	63	76	E	5	b
Victoria Peak,	..	..	..	E	6	..
Gap Rock,	30.09	..	..	ENE	5	..
Macao,	30.13	68	..	SE	1	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	..	..	..
	..	..	..	..	..	..
	..	..	..	..	..	..

9th JANUARY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.25	48	100	NW	5	cm
Sharp Peak,	30.24	61	82	W	1	o
Amoy,	30.25	59	88	SW	1	c
Swatow,	30.29	63	..	NW	1	bf
Canton,		..	..	..	..	..
Hongkong,	30.24	65	71	E	4	o
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	30.21	..	..	ENE	5	..
Macao,	30.25	68	..	NE	1	c
Haiphong,	30.19	67	..		0	c
Cape S. James,	..	..	..	NE	5	b
	..	..	..	..	..	..
	..	..	..	..	..	..

On the 9th at 11.40 a. The barometer has fallen moderately on the E. coast of China, risen a little e S. coast. Pressure is slightly low in an area lying between the E. coast of China and Japan, with ighest pressure over Central China. Gradients slight to moderate. Forecast:—fresh NE winds;

F. G. FIGG,
First Assistant.

Observatory, Monday 9th January 1899.

CHINA COAST METEOROLOGICAL REGISTER

9th JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.14	..	..	E	2	..
Kochi,	30.19	..	..	SE	2	..
Nagasaki,	30.19	..	..	SE	6	..
Kagoshima,	30.19	..	..	S	4	..
Gutzlaff,	30.25	45	92	NW	5	om
Sharp Peak,	30.14	65	92	..	0	b
Amoy,	30.15	69	..	SE	3	b
Swatow,	30.17	68	..	ESE	3	b
Canton,	30.14	74	63	W	1	b
Hongkong,	30.15	65	73	E	2	o
Victoria Peak,	-	..	..	NE	1	..
Gap Rock,	30.13	..	..	ENE	4	..
Macao,	30.16	67	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	NE	7	bm
	..	..	..	..	..	..
	..	..	..	..	..	..

10th JANUARY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.45	41	92	NNW	3	cm
Sharp Peak,	30.36	53	83	NE	6	og
Amoy,		..	..	..	..	
Swatow,	30.27	64	..	ENE	5	o
Canton,	30.22	60	44	N	1	o
Hongkong,	30.20	69	58	E	3	b
Victoria Peak,	..	..	..	E	3	
Gap Rock,	30.18	..	..	NE	4	..
Macao,	30.20	72	..	N	1	c
Haiphong,	30.16	64	..	E	3	o
Cape S. James,	..	..	..	NE	3	f
	..	..	..	..	..	..
	..	..	..	..	..	..

On the 10th at 11.50 a. The barometer has risen considerably on the E. coast of China, fallen slightly on the S. coast. Pressure is high in N. China, and low in an area lying over Japan. Gradients rather steep with very strong monsoon in the Formosa Channel, increasing with the monsoon freshening in the N. part of the China Sea. Forecast:—fresh to strong NE winds; cloudy, misty.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Tuesday 10th January 1899.

HINA COAST METEOROLOGICAL REGISTER.

10th JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.71	..	..	..	0	..
Kochi,	29.91	..	..	NW	4	..
Nagasaki,	30.19	..	..	NW	8	..
Kagoshima,	30.15	..	..	NW	6	..
Gutzlaff,	30.35	43	75	NNW	1	cv
Sharp Peak,	30.27	52	73	E	6	o
Amoy,	30.20	63	67	NE	4	c
Swatow,	30.15	65	..	ESE	4	c
Canton,	30.11	67	..	N	2	b
Hongkong,	30.12	64	78	ENE	5	c
Victoria Peak,	.	..	..	E	5	..
Gap Rock,	30.08	..	..	ENE	4	..
Macao,	30.11	72	..	ENE	1	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	NE	3	f
	..	..	..	..	..	..
	..	..	..	..	..	..

11th JANUARY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.20	41	100	SE	4	cmr
Sharp Peak,	30.19	55	77	NNW	1	o
Amoy,	30.21	59	88	..	0	o
Swatow,	30.19	63	..	NE	1	o
Canton,	30.18	59	65	N	1	od
Hongkong,	30.14	63	76	E	4	o
Victoria Peak,	..	..	..	E	5	.
Gap Rock,	30.11	..	..	NE	5	..
Macao,	30.15	66	..	ENE	1	o
Haiphong,	30.08	65	..	E	3	o
Cape S. James,	..	..	..	NE	6	bm
	..	..	..	..	..	..
	..	..	..	..	..	..

On the 11th at 11.45 a. Pressure has given way quickly on the China coast, and a depression appears advancing Eastwards over Central China. The highest pressure is probably covering W. Japan. nts decreasing in S. China, and in the N. part of the China Sea. Forecast:—moderate E winds; , misty.

F. G. FIGG,
First Assistant.

Observatory, Wednesday 11th January 1899.

CHINA COAST METEOROLOGICAL REGISTER.

11th JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.98	37	..	ESE	2	c
Tokio,	30.22	..	..	N	2	..
Kochi,	30.23	..	..	SW	2	..
Nagasaki,	30.19	..	..	E	4	..
Kagoshima,	30.19	..	..	SE	2	..
Gutzlaff,	30.10	48	100	S	2	omd
Sharp Peak,	30.09	57	84	..	0	o
Amoy,	30.08	61	88	..	0	of
Swatow,	30.08	64	..	SE	3	b
Canton,	30.02	64	78	N	3	o
Hongkong,	30.06	65	74	E	2	o
Victoria Peak,	..	..	..	E	2	..
Gap Rock,	30.03	..	..	NE	5	..
Macao,	30.06	69	..	ESE	1	o
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	E	6	om
	..	..	..	..	..	..
	..	..	..	..	..	..

12th JANUARY, 1899, AT 10 A.

Wladivostock,	29.93	21	95	..	0	f
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.14	43	83	N	5	cv
Sharp Peak,	30.07	53	93	..	0	or
Amoy,	30.05	60	94	..	..	or
Swatow,	30.16	64	..	W	1	d
Canton,		..	..		..	..
Hongkong,	30.10	66	92	W	1	o
Victoria Peak,	..	..	..	WSW	1	..
Gap Rock,	30.10	..	..	N	2	..
Macao,	30.10	69	..	NW	1	o
Haiphong,	30.12	65	..	E	..	r
Cape S. James,	..	..	..	NE	3	bm
	..	..	—	..	..	..
	..	..	..	..	..	..

On the 12th at 11.45 a. The barometer has fallen on the China coast and in the extreme North. The depression appears to be moving into the Sea of Japan. Pressure is highest over the interior of China. Gradients slight to moderate for N winds on the China coast. Forecast:—moderate to fresh N winds; dull, some rain.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Thursday 12th January 1899.

INA COAST METEOROLOGICAL REGISTER.

12th JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,.....	..	..	..	..	..	..
Tokio, ...	30.02	..	..	S	2	..
Kochi, ...	29.99	..	..	SW	2	..
Nagasaki, ...	29.91	..	..	E	2	..
Kagoshima,.....	29.95	..	..	..	0	..
Gutzlaff, ...	30.12	44	92	NNW	4	ov
Sharp Peak, ...	30.06	59	76	E	2	or
Amoy, ...	30.04	67	74	..	0	or
Swatow, ...	30.02	68	..	N	2	o
Canton, ...	29.99	72	76	N	1	b
Hongkong, ...	30.00	72	68	..	0	b
Victoria Peak, ...	.	..	..	NW	3	..
Gap Rock, ...	30.01	..	..	N	3	..
Macao,.....	30.01	69	..	ESE	1	c
Haiphong, ...	..	..	..	..	..	..
Cape S. James, ...	..	..	..	E	5	bm
.....	..	..	..	..	..	..
.....	..	..	..	..	..	..

13th JANUARY, 1899, AT 10 A.

Wladivostock,.....	..	..	..	..	..	..
Tokio, ...	29.71	..	..	NW	2	..
Kochi, ...	29.83	..	..	N	4	..
Nagasaki, ...	29.95	..	..	N	2	..
Kagoshima,.....	29.95	..	..	N	6	..
Gutzlaff, ...	30.23	40	91	NNW	3	bm
Sharp Peak, ...	30.17	54	80	E	2	o
Amoy, ...	30.14	59	88	NE	1	o
Swatow, ...	..		..	..	..	..
Canton, ...	30.12	61	71	N	1	b
Hongkong, ...	30.12	65	76		0	b
Victoria Peak, ...	..	..	..	ESE	1	..
Gap Rock, ...	30.12	..	..	N	2	..
Macao,.....	30.12	68	..	NNE	1	c
Haiphong, ...	30.12	63	..	S	1	c
Cape S. James, ...	..	..	..	NE	3	f
.....	..	..	..	..	..	..
.....	..	..	..	..	..	..

e 13th at 11.55 a. The barometer has fallen much in Japan, risen slightly on the China coast. ssion lies now in E. Japan, and the highest pressure is over Central China. Gradients slight on moderate in the N part of the China Sea. Forecast:—light or moderate NE winds; cloudy,

F. G. FIGG,
First Assistant.

BSERVATORY, Friday 13th January 1899.

CHINA COAST METEOROLOGICAL REGISTER

13th JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,.....	30.07	15	..	N	4	b
Tokio, ...	29.63	..	..	N	4	..
Kochi,.....	29.75	..	..	W	4	..
Nagasaki, ...	29.91	..	..	W	8	..
Kagoshima,.....	29.91	..	..	N	6	..
Gutzlaff, ...	30.19	46	84	N	5	bm
Sharp Peak, ...	30.11	55	77	E	5	o
Amoy, ...	30.03	65	78	NE	2	b
Swatow, ...	30.05	67	..	ESE	4	b
Canton, ...	30.02	70	66	N	1	b
Hongkong, ...	30.04	67	62	W	1	b
Victoria Peak, ...	.	..	..	W	1	..
Gap Rock, ...	30.04	..	..	N	2	..
Macao,.....	30.04	70	..	E	1	c
Haiphong, ...	..	..	..	..	..	..
Cape S. James, ...	..	..	..	E	3	b
.....	..	..	..	..	..	..
.....	..	..	..	..	..	..

14th JANUARY, 1899, AT 10 A.

Wladivostock,.....	30.07	–3	45	N	3	c
Tokio, ...	..	..	..	..	..	..
Kochi,.....	..	..	..	..	..	..
Nagasaki, ...	..	..	..	..	..	..
Kagoshima,.....	..	..	..	..	..	..
Gutzlaff, ...	30.47	32	90	NNW	6	cv
Sharp Peak, ...	30.32	49	71	NE	7	o
Amoy, ...	30.28	56	75	NE	2	c
Swatow, ...	30.27	61	..	NE	3	b
Canton, ...	30.18	62	67	N	1	r
Hongkong, ...	30.17	63	68	NE	2	o
Victoria Peak, ...	..	..	..	NE	3	
Gap Rock, ...	30.15	..	..	ENE	5	..
Macao,.....	30.18	62	..	NNE	1	c
Haiphong, ...	30.04	65	..	ESE	..	g
Cape S. James, ...	..	..	..	N	2	f
.. ..	..	..	..	..	..	..
.....	..	..	..	..	..	..

On the 14th at 11.50 a. The barometer has risen on the China coast, particularly in the North. high pressure area now covers Central China, and the depression in E. Japan is probably moving into t Pacific. Pressure is also slightly low in the Pacific to the SE. Gradients rather steep generally with v strong monsoon on the coast, and in the N. part of the China Sea. Forecast:—strong NE winds; cl some drizzling rain or mist.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Saturday 14th January 1899.

HINA COAST METEOROLOGICAL REGISTER.

14th JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.63	..	..	N	8	..
Kochi,	29.95	..	..	W	6	..
Nagasaki,	30.23	..	..	N	8	..
Kagoshima,	30.15	..	..	NW	6	..
Gutzlaff,	30.46	36	80	NNW	4	cv
Sharp Peak,	30.31	49	67	ENE	6	o
Amoy,	30.28	61	66	NE	3	b
Swatow,	30.16	63	..	NE	8	c
Canton,	30.13	65	68	NE	1	o
Hongkong,	30.12	61	60	E	1	o
Victoria Peak,	.	..	..	E	2	..
Gap Rock,	30.09	..	..	ENE	5	..
Macao,	30.11	64	..	ENE	1	o
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	E	2	b
	..	..	..	..	..	..
	..	..	..	..	..	..

15th JANUARY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.51	40	74	ENE	4	cv
Sharp Peak,	30.36	48	74	NNE	3	o
Amoy,	30.34	55	74	NE	3	c
Swatow,	30.28	58	..	NNE	5	b
Canton,	30.28	59	88	NE	1	o
Hongkong,	30.22	61	68	E	4	c
Victoria Peak,	..	..	..	ESE	5	.
Gap Rock,	30.20	..	..	ENE	5	..
Macao,	30.23	65	..	E	2	c
Haiphong,	30.12	65	..	E	..	og
Cape S. James,	..	..	..	N	2	bm
	..	..	..	..	..	..
	..	..	..	..	..	..

On the 15th at 11.55 a. The barometer has risen slightly on the China coast. The high pressure appears to be central over the NE coast of China, and pressure is still slightly low in the Pacific to the Gradients continue rather steep with very strong monsoon on the coast, and in the N. part of the a Sea. Forecast:—strong to fresh NE winds; fair.

F. G. FIGG.
First Assistant

NG OBSERVATORY, Sunday 15th January 1899.

CHINA COAST METEOROLOGICAL REGISTER

15th JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,		..	..	..	..	..
Tokio,	29.82	..	..	NW	6	..
Kochi,	30.15	..	..	NW	6	..
Nagasaki,	30.38	..	..	N	6	..
Kagoshima,	30.34	..	..	N	8	..
Gutzlaff,	30.46	42	75	ENE	3	cv
Sharp Peak,	30.28	51	75	N	3	o
Amoy,	30.20	64	68	NE	3	c
Swatow,	30.19	64	..		..	b
Canton,	30.18	62	83	NE	1	o
Hongkong,	30.14	61	68	ESE	3	b
Victoria Peak,	-	..	..	ENE	1	..
Gap Rock,	30.11	..	..	ENE	5	..
Macao,	30.14	68	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	..	..	..
	..	..	..	..	..	..
	..	..	..	..	..	..

16th JANUARY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.39	42	100	ENE	5	v
Sharp Peak,	30.25	54	68	WNW	2	o
Amoy,	30.23	58	81	NE	1	or
Swatow,	30.22	60	..	NNE	1	d
Canton,	..	..	..	..	..	..
Hongkong,	30.15	62	73	E	4	b
Victoria Peak,	..	..	..	E	3	..
Gap Rock,	30.14	..	..	ENE	4	..
Macao,	30.17	67	..	SSE	1	c
Haiphong,	30.08	63	..	..	0	o
Cape S. James,	..	..	..	..	0	om
	..	..	..	..	..	..
	..	..	..	..	..	..

On the 16th at 11.45 a. The barometer has fallen on the China coast. The high pressure area probably central over Corea Gradients moderate with fresh monsoon on the coast, and in the N. part the China Sea. Forecast:—fresh NE winds; fair.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Monday 16th January 1899.

NA COAST METEOROLOGICAL REGISTER.

16th JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.86	..	..	NW	6	..
Kochi,	30.11	..	..	W	6	..
Nagasaki,	30.30	..	..	N	6	..
Kagoshima,	30.27	..	..	N	6	..
Gutzlaff,	30.33	42	92	E	5	omd
Sharp Peak,	30.16	53	90	N	2	o
Amoy,	30.08	64	78	NE	2	o
Swatow,	30.10	64	..	E	1	o
Canton,	30.05	69	75	W	1	b
Hongkong,	30.07	63	72	E	3	b
Victoria Peak,	.	..	..	.	0	..
Gap Rock,	30.05	..	..	ENE	4	..
Macao,	30.08	67	..	ESE	1	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	E	3	b
	..	..	..	..	..	..
	..	..	..	..	..	..

17th JANUARY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.47	38	100	N	5	ovd
Sharp Peak,	30.28	53	77	NNE	3	o
Amoy,	30.20	60	82	NE	2	b
Swatow,	30.23	62	..	N	1	o
Canton,	.	..	..	..	..	..
Hongkong,	30.20	62	68	N	2	o
Victoria Peak,	..	..	..	N	1	..
Gap Rock,	30.18	..	..	N	4	..
Macao,	30.22	59	..	NW	1	c
Haiphong,	30.08	65	..	E	4	o
Cape S. James,	..	..	..	NE	2	f
	..	..	.	..	..	..
	..	..	..	..	.	..

he 17th at 11.55 a. The barometer has risen slightly on the China coast. Pressure remains r N. China with moderate to rather steep gradients and strong monsoon on the coast, and in the f the China Sea. Forecast:—fresh N to NE winds; fair.

F. G. FIGG,
First Assistant.

OBSERVATORY, Tuesday 17th January 1899.

CHINA COAST METEOROLOGICAL REGISTER

17th JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,.....	30.21	10	..	N	5	b
Tokio, ...	29.94	..	..	NW	8	..
Kochi, ...	30.19	..	..	N	4	..
Nagasaki, ...	30.31	..	..	N	6	..
Kagoshima,.....	30.27	..	..	N	4	..
Gutzlaff, ...	30.41	39	82	N	5	ov
Sharp Peak, ...	30.27	52	79	NNE	2	o
Amoy, ...	30.15	63	67	NE	..	o
Swatow, ...	30.16	64	..	N	2	o
Canton, ...	30.19	54	68	N	3	o
Hongkong, ...	30.14	64	48	N	3	b
Victoria Peak, ...	-	..	..	NW	3	..
Gap Rock, ...	30.12	..	..	NNW	5	..
Macao,.....	30.16	60	..	NW	2	c
Haiphong, ...	..	..	..	..	..	..
Cape S. James, ...	..	..	..	E	3	bm
.....	..	..	..	..	..	..
.....	..	..	..	..	..	..

18th JANUARY, 1899, AT 10 A.

Wladivostock,.....	30.28	-1	46	N	2	c
Tokio, ...	..	..	..	..	..	..
Kochi, ...	..	..	..	..	..	..
Nagasaki, ...	..	..	..	..	..	..
Kagoshima,.....	..	..	..	..	..	..
Gutzlaff, ...	30.57	36	90	NNE	3	cv
Sharp Peak, ...	30.41	54	76	ENE	5	o
Amoy, ...	..	..	..	..	..	..
Swatow, ...	..	..	..		..	..
Canton, ...	30.38	49	37	N	2	b
Hongkong, ...	30.34	56	56		0	o
Victoria Peak, ...	..	..	..	NE	2	..
Gap Rock, ...	30.32	..	..	N	4	..
Macao,.....	30.37	55	..	NNW	2	c
Haiphong, ...	30.26	56	..	NE	..	o
Cape S. James, ...	..	..	..	NE	2	f
.....	..	..	..	..	..	..
.....	..	..	..	..	..	..

On the 18th at 11.45 a. The barometer has risen on the China coast. The high pressure area remains central over N. China. Gradients moderate to rather steep with strong monsoon on the coast and in the N. part of the China Sea. Forecast:—moderate N to NE winds; fine.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Wednesday 18th January 1899.

HINA COAST METEOROLOGICAL REGISTER.

18th JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,.....	30.23	24	..	NW	2	c
Tokio, ...	30.26	..	..	SE	2	..
Kochi,.....	30.27	..	..	SE	2	..
Nagasaki, ...	30.38	..	..	W	6	..
Kagoshima,.....	30.34	..	..	N	4	..
Gutzlaff, ...	30.55	37	81	N	3	cv
Sharp Peak, ...	30.36	51	62	E	6	o
Amoy, ...	30.29	62	61	NE	2	o
Swatow, ...	30.27	63	..	SE	3	b
Canton, ...	30.28	58	12	NW	2	o
Hongkong, ...	30.27	61	55	W	2	b
Victoria Peak, ...	.	..	..	WNW	1	..
Gap Rock, ...	30.28	..	..	N	4	..
Macao,.....	30.28	62	..	NNW	2	b
Haiphong, ...	..	..	..	..	..	..
Cape S. James, ...	..	..	..	E	3	b
.....	..	..	..	..	..	..
....	..	..	..	..	..	..

19th JANUARY, 1899, AT 10 A.

Wladivostock,.....	30.41	3	67	N	1	b
Tokio, ...	..	..	..	..	..	..
Kochi,.....	..	..	..	..	..	..
Nagasaki, ...	..	..	..	..	..	..
Kagoshima,.....	..	..	..	..	..	..
Gutzlaff, ...	30.55	37	91	N	3	cv
Sharp Peak, ...	30.46	50	69	NNE	1	c
Amoy,.....	30.39	57	69	NE	3	o
Swatow, ...	..	..	..		..	..
Canton, ...	30.44	53	54	N	2	b
Hongkong, ...	30.40	59	49		0	b
Victoria Peak, ...	..	..	..	NE	2	
Gap Rock, ...	30.39	..	..	NE	5	..
Macao,.....	30.43	61	..	NW	1	b
Haiphong, ...	30.34	56	..	NE	1	o
Cape S. James, ...	..	..	..	NE	3	f
....	..	..	—	..	..	..
.....	..	..	..	..	..	..

e 18th at 11.45 a. The barometer has risen in S. China and Japan. The high pressure area, N China, extends now over the whole of the coasts of China and Japan. Gradients slight on rather steep with strong monsoon in the N. part of the China Sea. Forecast:—moderate NE e.

F. G. FIGG,
First Assistant

BSERVATORY, Thursday 19th January 1899.

CHINA COAST METEOROLOGICAL REGISTER.

19th JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,.....	..	..	..	..	..	..
Tokio, ...	30.14	..	..	S	2	..
Kochi, ...	30.27	..	..	S	2	..
Nagasaki, ...	30.38	..	..	NE	4	..
Kagoshima,.....	30.31	..	..	NW	4	..
Gutzlaff, ...	30.46	40	74	N	3	cv
Sharp Peak, ...	30.35	51	72	E	4	o
Amoy, ...	30.25	65	53	NE	3	b
Swatow, ...	30.31	63	..	ESE	3	b
Canton, ...	30.27	63	62	NE	1	b
Hongkong, ...	30.29	64	53	WNW	1	b
Victoria Peak, ...	.	..	..	NNW	1	..
Gap Rock, ...	30.28	..	..	N	3	..
Macao,.....	30.31	66	..	NNE	1	b
Haiphong, ...	..	..	..	..	..	..
Cape S. James, ...	..	..	..	NE	5	o
.....	..	..	..	..	..	..
.....	..	..	..	..	..	..

20th JANUARY, 1899, AT 10 A.

Wladivostock,.....	..	..	..	..	..	..
Tokio, ...	..	..	..	..	..	..
Kochi, ...	..	..	..	..	..	..
Nagasaki, ...	..	..	..	..	..	..
Kagoshima,.....	..	..	..	..	..	..
Gutzlaff, ...	30.54	40	82	N	3	cv
Sharp Peak, ...	30.43	51	72	..	..	o
Amoy, ...	30.41	56	75	NE	2	b
Swatow, ...	30.41	58	..	N	2	c
Canton, ...	30.35	51	72	NE	1	o
Hongkong, ...	30.36	56	54		0	o
Victoria Peak, ...	..	..	..	NNE	3	..
Gap Rock, ...	30.35	..	..	N	4	..
Macao,.....	30.41	55	..	N	1	o
Haiphong, ...	30.32	58	..		0	o
Cape S. James, ...	..	..	..	N	3	om
.....	..	..	..	..	..	..
.....	..	..	..	..	..	..

On the 20th at 11.55 a. Barometric changes are slight. The high pressure area remains central over N. China with slight gradients on the coast, and rather steep gradients and strong monsoon in the N. part of the China Sea. Forecast:—moderate N to NE winds; fair.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Friday 20th January 1899.

INA COAST METEOROLOGICAL REGISTER.

20th JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.94	..	..	S	4	..
Kochi,	30.11	..	..	SW	4	..
Nagasaki,	30.27	..	..	N	8	..
Kagoshima,	30.23	..	..	N	6	..
Gutzlaff,	30.46	40	91	N	4	cv
Sharp Peak,	30.32	53	73	E	6	c
Amoy,	30.25	65	58	ENE	3	b
Swatow,	30.26	62	..	ESE	3	o
Canton,	30.17	62	56	NE	1	b
Hongkong,	30.22	62	51	SW	1	o
Victoria Peak,	.	..	..	NNE	1	..
Gap Rock,	30.23	..	..	NE	4	..
Macao,	30.24	65	..	NNW	1	c
Haiphong,	..	..	..	..	.	..
Cape S. James,	..	..	..	NE	6	bm
	..	..	..	..	..	..
	..	..	..	..	..	..

21st JANUARY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.54	40	74	NNE	5	ov
Sharp Peak,	30.40	49	60	NE	5	o
Amoy,	.	..	..		..	..
Swatow,	30.38	61	..	E	1	o
Canton,	30.30	53	67	NE	1	o
Hongkong,	30.33	59	5[illegible]		0	o
Victoria Peak,	..	..	..	E	1	-
Cap Rock,	30.32	.	..	NE	4	..
Macao,	30.[illegible]5	58	..	NW	1	o
Haiphong,	30.25	58	..	ENE	1	c
Cape S. James,	..	..	..	NE	3	bm
	..	..	..	..	..	..
	..	..	..	..	..	..

21st at 11.[illegible]0 a. Pressure is very little changed. The anticyclone remains central over N. radients slight to moderate on the coast, rather steep with strong monsoon in the N. part of the
Forecast:—moderate NE winds; fair.

F. G. FIGG,
First Assistant.

EVATORY, Saturday 21st January 1899.

CHINA COAST METEOROLOGICAL REGISTER

21st JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.94	..	..	N	8	..
Kochi,	30.23	..	..	N	6	..
Nagasaki,	30.34	..	..	N	6	..
Kagoshima,	30.31	..	..	N	6	..
Gutzlaff,	30.47	40	75	NE	5	cv
Sharp Peak,	30.32	51	66	NNE	2	o
Amoy,	30.26	60	65	NE	3	o
Swatow,	30.24	61	..	E	4	o
Canton,	30.22	63	57	NE	1	b
Hongkong,	30.19	64	51	WSW	1	b
Victoria Peak,	-	..	..	NW	2	..
Gap Rock,	30.19	..	..	N	4	..
Macao,	30.20	65	..	NE	1	b
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	NE	6	m
	..	..	..	..	..	..
	..	..	..	..	..	..

22nd JANUARY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.51	38	100	N	4	cv
Sharp Peak,	30.41	50	72	N	3	o
Amoy,	30.34	56	75	NE	3	o
Swatow,	30.36	58	..	N	2	b
Canton,	30.41	51	59	N	2	b
Hongkong,	30.33	57	54		0	o
Victoria Peak,	..	..	..	N	1	-
Gap Rock,	30.30	..	..	NNW	4	..
Macao,	30.36	54	..	N	2	c
Haiphong,	30.25	60	..	E	3	o
Cape S. James,	..	..	..	NE	5	f
	..	..	..	..	..	..
	..	..	..	..	..	..

On the 22nd at 11.5[illegible] a. Barometric changes are slight. The anticyclone remains central over China. Gradients slight to moderate on the coast, rather steep with strong monsoon in the N. part of China Sea. Forecast:—moderate N winds; fair.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Sunday 22nd January 1899.

HINA COAST METEOROLOGICAL REGISTER.

22nd JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,.....	..	..	..	..	..	..
Tokio, ...	30.22	..	..	S	4	..
Kochi, ...	30.31	..	..	W	2	..
Nagasaki, ...	30.39	..	..	N	4	..
Kagoshima,.....	30.31	..	..	SE	2	..
Gutzlaff, ...	30.44	40	82	NNE	4	cv
Sharp Peak, ...	30.29	51	72	N	2	o
Amoy, ...	30.21	59	70	NE	2	o
Swatow, ...	..	..	..	.	..	.
Canton, ...	30.24	62	56	N	3	b
Hongkong, ...	30.20	63	52	W	1	b
Victoria Peak, ...	.	..	..	NW	1	..
Gap Rock, ...	30.19	..	..	ENE	4	..
Macao,.....	30.21	64	..	NNE	1	c
Haiphong, ...	..	..	..	..	..	..
Cape S. James, ...	..	..	..	..	..	..
.....	..	..	..	..	..	..
.....	..	..	..	..	..	..

23rd JANUARY, 1899, AT 10 A.

Wladivostock,.....	..	..	..	..	..	..
Tokio, ...	..	..	..	..	..	..
Kochi, ...	..	..	..	..	..	..
Nagasaki, ...	..	..	..	..	..	..
Kagoshima,.....	..	..	..	..	..	..
Gutzlaff, ...	30.44	41	83	N	3	cv
Sharp Peak, ...	30.31	50	80	E	3	o
Amoy, ...	30.29	57	81	NE	2	b
Swatow, ...	30.30	58	..	N	4	b
Canton, ...	30.30	50	65	NE	2	b
Hongkong, ...	30.25	57	52	.	0	b
Victoria Peak, ...	..	..	..	N	1	.
Gap Rock, ...	30.23	..	..	N	4	..
Macao,.....	30.30	56	..	N	1	c
Haiphong, ...	30.21	60	..	E	3	o
Cape S. James, ...	..	..	..	NE	2	1 m
.....	..	..	..	..	..	..
.....	..	..	..	..	.	.

n the 23rd at 11.50 a. The anticyclone remains central over N Chiua, but pressure is giving way coast Gradients slight on the coast, moderate with fresh monsoon in the N part of the China Sea. st:—moderate N winds; fine.

F. G. FIGG,
First Assistant.

OBSERVATORY. Monday 23rd January 1899.

CHINA COAST METEOROLOGICAL REGISTER.

23rd JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.14	..	..	S	2	..
Kochi,	30.23	..	..	..	0	..
Nagasaki,	30.27	..	..	W	2	..
Kagoshima,	20.27	..	..	E	2	..
Gutzlaff,	30.38	41	83	NNE	4	cv
Sharp Peak,	30.24	50	72	NE	3	o
Amoy,	30.18	62	67	E	3	c
Swatow,	30.19	63	..	ESE	4	b
Canton,	30.14	62	51	NNE	1	b
Hongkong,	30.11	62	45	..	0	b
Victoria Peak,	.	..	..	E	1	..
Gap Rock,	30.11	..	..	NNE	3	..
Macao,	30.13	63	..	NNW	1	b
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	NE	5	om
	..	..	..	..	..	..
	..	..	..	..	..	..

24th JANUARY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.47	38	81	N	4	cv
Sharp Peak,	30.37	48	78	NNW	2	or
Amoy,	30.31	55	80	SE	1	o
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	30.28	59	43	N	1	o
Victoria Peak,	..	..	..	N	2	-
Gap Rock,	30.28	..	..	N	3	..
Macao,	30.32	55	..	NNW	1	c
Haiphong,	30.21	60	..	N	1	o
Cape S. James,	..	..	..	NE	3	f
	..	..	..	..	..	..
	..	..	..	..	..	..

On the 24th at 11.45 a. The barometer has risen slightly on the China coast. The anticyclone remains central over N. China, and pressure is comparatively low in the Pacific to the E. of the Loochoos. Gradients slight on the coast, moderate to rather steep with strong monsoon in the N. part of the China Sea. Forecast.—moderate N. winds; fair.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Tuesday 24th January 1899.

INA COAST METEOROLOGICAL REGISTER.

24th JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	30.26	19	..	NW	1	b
Tokio,	30.02	..	..	E	4	..
Kochi,	30.11	..	..	..	0	..
Nagasaki,	30.23	..	..	NW	6	..
Kagoshima,	30.19	..	..	N	6	..
Gutzlaff,	30.44	40	82	NNW	4	bm
Sharp Peak,	30.30	46	78	E	6	o
Amoy,	30.23	59	70	NE	2	c
Swatow,	30.23	65	..	N	2	b
Canton,	30.23	57	58	N	1	b
Hongkong,	30.18	61	33	N	3	b
Victoria Peak,	..	..	..	N	3	..
Gap Rock,	30.17	..	..	NNW	4	..
Macao,	30.21	61	..	NNE	2	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	NE	5	cm
	..	..	..	..	..	..
	..	..	..	..	..	..

25th JANUARY, 1899, AT 10 A.

Wladivostock,	30.25	2	73	..	0	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.53	35	90	NE	3	cv
Sharp Peak,	30.44	46	62	N	3	o
Amoy,	30.34	52	73	NE	1	o
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	30.31	54	58	NE	2	o
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	30.26	..	..	ENE	5	..
Macao,	30.32	53	..	N	1	o
Haiphong,	30.23	52	..	..	3	of
Cape S. James,	..	..	..	NE	2	f
	..	..	..	..	..	..
	..	..	..	..	..	..

e 25th at 11.45 a. The barometer has risen slightly on the China coast. The high pressure ins central over N. China with moderate gradients on the coast, and rather steep gradients and nsoon in the N. part of the China Sea. Forecast:—moderate NE winds; fair.

F. G. FIGG,

First Assistant.

BSERVATORY, Wednesday 25th January 1899.

CHINA COAST METEOROLOGICAL REGISTER.

25th JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	30.22	21	..	N	3	b
Tokio,	30.02	..	..	E	2	..
Kochi,	30.15	..	..	W	6	..
Nagasaki,	30.30	..	..	N	8	..
Kagoshima,	30.23	..	..	N	6	..
Gutzlaff,	30.46	38	81	NNE	3	cv
Sharp Peak,	30.36	44	64	NNE	3	og
Amoy,	30.28	56	63	NE	3	o
Swatow,	30.28	59	..	NE	2	o
Canton,	30.25	51	66	N	1	o
Hongkong,	30.21	57	48	ENE	1	o
Victoria Peak,	..	..	..	ENE	1	..
Gap Rock,	30.19	..	..	ENE	4	..
Macao,	30.23	56	..	NNW	1	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	NE	5	bm
	..	..	..	..	..	..
	..	..	..	..	..	..

26th JANUARY, 1899, AT 10 A.

Wladivostock,	30.24	1	85	..	0	c
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.49	40	82	NNE	3	cm
Sharp Peak,	30.37	45	65	N	2	og
Amoy,	..	..	..	..	..	..
Swatow,	30.34	59	..	NNW	2	b
Canton,	..	..	..	..	..	..
Hongkong,	30.31	58	52	E	1	b
Victoria Peak,	..	..	..	NNW	1	..
Gap Rock,	30.29	..	..	NNE	4	..
Macao,	30.32	57	..	NW	1	c
Haiphong,	30.22	54	..	NE	3	f
Cape S. James,	..	..	..	NE	3	bm
	..	..	..	..	..	..
	..	..	..	..	..	..

On the 26th at 11.30 a. Barometric changes are slight. The high pressure area remains centred over N. China. Gradients slight on the coast, rather steep with strong monsoon in the N. part of China Sea. Forecast:—moderate N to NE winds; fine.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Thursday 26th January 1899.

INA COAST METEOROLOGICAL REGISTER.

26th JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,.....	30.17	27	..	..	0	b
Tokio, ...	30.18	..	..	N	4	..
Kochi, ...	30.27	..	..	..	0	..
Nagasaki, ...	30.34	..	..	N	4	..
Kagoshima,.....	30.31	..	..	S	2	..
Gutzlaff, ...	30.45	44	76	N	2	cv
Sharp Peak, ...	30.31	47	74	WNW	2	o
Amoy, ...	30.28	63	67	NE	3	b
Swatow, ...	30.21	62	..	SE	3	b
Canton, ...	30.23	57	58	NE	1	o
Hongkong, ...	30.30	61	50	W	2	b
Victoria Peak, ...	.	..	..	NW	1	..
Gap Rock, ...	30.21	..	..	NNW	3	..
Macao,.....	30.21	62	..	NNW	1	b
Haiphong, ...	..	..	..	..	..	..
Cape S. James, ...	..	..	..	NE	5	bm
.....	..	..	..	..	..	..
.....	..	..	..	..	..	..

27th JANUARY, 1899, AT 10 A.

Wladivostock,.....	30.29	6	90	..	0	b
Tokio, ...	..	..	..	..	..	..
Kochi, ...	..	..	..	..	..	..
Nagasaki, ...	..	..	..	..	..	..
Kagoshima,.....	..	..	..	..	..	..
Gutzlaff, ...	30.41	45	76	E	3	cv
Sharp Peak, ...	30.32	49	74	WNW	2	o
Amoy, ...	30.29	55	80	..	0	b
Swatow, ...	30.30	62	..	N	3	b
Canton, ...	30.29	53	48	N	1	b
Hongkong, ...	30.28	57	70	NE	1	o
Victoria Peak, ...	..	..	..	ENE	1	
Gap Rock, ...	30.25	..	..	ENE	3	..
Macao,.....	30.29	57	..	NW	1	o
Haiphong, ...	30.25	54	50	NNW	3	o
Cape S. James, ...	..	..	..	.	0	f
.....	..	..	..	..	..	..
.....	..	..	..	..	..	..

he 27th at 11.50 a. The barometer has fallen slightly on the China coast, risen in Japan. The ure area seems to be central between China and Japan. Gradients slight on the coast, moderate steep with strong monsoon in the N. part of the China Sea. Forecast:—moderate N to NE e.

F. G. FIGG,
First Assistant.

SERVATORY, Friday 27th January 1899.

CHINA COAST METEOROLOGICAL REGISTER

27th JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock, ...	..	..	..	..	..	..
Tokio, ...	30.18	..	..	S	2	..
Kochi, ...	30.27	..	..	S	2	..
Nagasaki, ...	30.27	..	..	S	2	..
Kagoshima, ...	30.27	..	..	S	2	..
Gutzlaff, ...	30.30	46	84	ENE	1	ov
Sharp Peak, ...	30.20	52	70	WNW	1	o
Amoy, ...	30.11	64	63	NE	1	c
Swatow, ...	30.15	64	..	ESE	4	b
Canton, ...	30.16	60	65	N	1	b
Hongkong, ...	30.17	61	60	W	2	b
Victoria Peak, ...	.	..	..	NW	3	..
Gap Rock, ...	30.17	..	..	NNW	3	..
Macao, ...	30.15	63	..	ESE	1	c
Haiphong, ...	..	..	..	..	..	..
Cape S. James, ...	..	..	..	E	5	b
.....	..	..	..	..	..	..
.....	..	..	..	..	..	..

28th JANUARY, 1899, AT 10 A.

Wladivostock, ...	..	..	..	..	..	..
Tokio, ...	..	..	..	..	..	..
Kochi, ...	..	..	..	..	..	..
Nagasaki, ...	..	..	..	..	..	..
Kagoshima, ...	..	..	..	..	..	..
Gutzlaff, ...	30.21	38	81	NNW	4	om
Sharp Peak, ...	30.15	52	63	WNW	3	c
Amoy, ...	30.11	56	63	W	2	b
Swatow, ...	..	..	..	.	..	..
Canton, ...	30.25	50	58	N	1	b
Hongkong, ...	30.22	54	49	NNE	1	b
Victoria Peak, ...	..	..	..	N	4	..
Gap Rock, ...	30.21	..	..	NNW	5	..
Macao, ...	30.24	54	..	NNW	3	b
Haiphong, ...	30.28	54	..	N	3	c
Cape S. James, ...	..	..	..	N	2	f
.....	..	..	..	..	..	..
.....	..	..	..	..	..	..

On the 28th at 11.35 a. The barometer has fallen on the China coast, particularly in the No[illegible] shallow low pressure area seems to be lying between the E. coast of China and Japan, and high [illegible] covers Central China. Gradients moderate on the coast, rather steep with strong monsoon in the [illegible] of the China Sea. Forecast:—fresh N winds; fine.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Saturday 28th January 1899.

INA COAST METEOROLOGICAL REGISTER.

29th JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,.....	..	..	..	..	..	..
Tokio, ...	30.22	..	..	N	2	..
Kochi, ...	30.11	..	..	SW	2	..
Nagasaki, ...	29.95	..	..	NW	2	..
Kagoshima,.....	29.95	..	..	E	6	..
Gutzlaff, ...	30.14	43	83	N	2	bm
Sharp Peak, ...	30.08	57	54	E	2	b
Amoy, ...	30.06	62	56	NE	2	b
Swatow, ...	30.09	65	..	NNW	4	b
Canton, ...	30.10	59	65	N	1	b
Hongkong, ...	30.08	62	27	..	0	b
Victoria Peak, ...	.	..	..	N	3	..
Gap Rock, ...	30.09	..	..	NNW	5	..
Macao,.....	30.10	64	..	NNW	2	b
Haiphong, ...	..	..	..	..	..	..
Cape S. James, ...	..	..	..	E	3	bm
.....	..	..	..	..	..	..
....	..	..	..	..	..	..

29th JANUARY, 1899, AT 10 A.

Wladivostock,.....	..	..	.	..	..	..
Tokio, ...	..	..	..	..	..	..
Kochi, ...	..	..	..	..	..	..
Nagasaki, ...	..	..	..	..	..	..
Kagoshima,.....	..	..	..	..	..	..
Gutzlaff, ...	30.22	42	92	W	3	bm
Sharp Peak, ...	30.20	51	46	NW	2	b
Amoy, ...	30.16	55	44	NE	2	b
Swatow, ...	30.20	60	..	SW	3	b
Canton, ...	30.19	54	49	NE	..	b
Hongkong, ...	30.18	60	31	..	0	b
Victoria Peak, ...	..	..	..	ENE	1	..
Gap Rock, ...	30.17	..	..	ENE	3	..
Macao,.....	30.20	60	..	NNE	1	b
Haiphong, ...	30.15	54	..	E	1	c
Cape S. James, ...	..	..	..	NE	2	of
....	..	..	—	..	..	..
. ...	..	..	..	..	..	..

29th at 11.55 a. Barometric changes on the China coast are slight. The depression lies in . Japan, and pressure is highest over Central China. Gradients slight on the coast, rather ong monsoon in the NE part of the China Sea. Forecast:—moderate N to NE winds; fine.

F. G. FIGG,
First Assistant.

RVATORY, Sunday 29th January 1899.

CHINA COAST METEOROLOGICAL REGISTER.

29th JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.82	..	..	N	6	..
Kochi,	29.78	..	..	NW	8	..
Nagasaki,	29.95	..	..	N	6	..
Kagoshima,	29.95	..	..	NW	6	..
Gutzlaff,	30.15	48	78	WSW	3	bm
Sharp Peak,	30.08	56	57	E	3	b
Amoy,	30.06	63	47	SE	1	b
Swatow,	30.13	63	..	ESE	4	b
Canton,	30.11	65	49	NW	1	b
Hongkong,	30.09	58	38	E	3	b
Victoria Peak,	..	..	..	E	1	..
Gap Rock,	30.08	..	..	ENE	3	..
Macao,	30.10	61	..	SSE	1	b
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	..	..	..
	..	..	..	..	..	..
	..	..	..	..	..	..

30th JANUARY, 1899, AT 10 A.

Wladivostock,	..	..	.	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.31	42	83	NE	4	cv
Sharp Peak,	30.23	53	54	WNW	2	b
Amoy,	30.19	53	67	..	0	b
Swatow,	..		..	..	..	..
Canton,	30.17	54	68	NE	1	b
Hongkong,	30.17	59	48	E	4	b
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	30.15	..	..	ENE	4	..
Macao,	30.17	62	..	NE	1	b
Haiphong,	30.07	55	..	E	1	b
Cape S. James,	..	..	..	NE	6	of
	..	..	—	..	..	..
	..	..	..	..	..	..

On the 30th at 11.50 a. The barometer has risen moderately on the E. coast of China, fallen slightly on the S. coast. The depression in E. Japan is moving into the Pacific, and pressure is highest in China. Gradients slight to moderate, for NE winds, on the coast and in the N. part of the China Sea. Forecast:—moderate NE winds; fine.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Monday 30th January 1899.

HINA COAST METEOROLOGICAL REGISTER.

30th JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock, ...	..	..	..	..	..	..
Tokio, ...	29.51	..	..	E	2	..
Kochi, ...	29.79	..	..	NW	6	..
Nagasaki, ...	30.07	..	..	N	6	..
Kagoshima, ...	30.03	..	..	N	8	..
Gutzlaff, ...	30.34	42	75	N	4	o
Sharp Peak, ...	30.17	58	42	NNE	3	o
Amoy, ...	30.14	65	40	NE	3	..
Swatow, ...	30.13	64	..	E	3	b
Canton, ...	30.07	68	56	S	1	b
Hongkong, ...	30.10	60	55	E	4	b
Victoria Peak, ...	..	..	..	E	4	..
Gap Rock, ...	30.09	..	..	ENE	4	..
Macao, ...	30.10	64	..	SE	1	b
Haiphong, ...	..	..	..	..	..	..
Cape S. James, ...	..	..	..	NE	6	bm
.....	..	..	..	..	..	..
.....	..	..	..	..	..	..

31st JANUARY, 1899, AT 10 A.

Wladivostock, ...	..	..	.	..	..	..
Tokio, ...	..	..	..	..	..	..
Kochi, ...	..	..	..	..	..	..
Nagasaki, ...	..	..	..	..	..	..
Kagoshima, ...	..	..	..	..	..	..
Gutzlaff, ...	30.42	40	65	NNE	3	bv
Sharp Peak, ...	30.31	53	67	N	4	c
Amoy, ...	30.26	55	68	NE	3	b
Swatow, ...	..	-	..	..	..	.
Canton, ...	30.20	58	76	E	1	b
Hongkong, ...	30.23	61	59	ENE	3	b
Victoria Peak, ...	..	..	..	E	5	..
Gap Rock, ...	30.21	..	..	ENE	5	..
Macao, ...	30.24	64	..	ENE	1	b
Haiphong, ...	30.13	60	..	E	4	o
Cape S. James, ...	..	..	..	NE	6	f
.....	..	..	—	..	..	..
.....	..	.	..	..	.	..

e 31st at 11.30 a. The barometer has risen moderately on the China coast. Pressure is highest na; with moderate gradients and strong monsoon on the coast, and in the N. part of the China coast:—fresh NE winds; fine.

F. G. FIGG,
First Assistant

ERVATORY, Tuesday 31st January 1899.

CHINA COAST METEOROLOGICAL REGISTE

31st JANUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,.....	..	..	..	..	..	..
Tokio, ...	29.78	..	..	NW	6	..
Kochi, ...	30.03	..	..	N	6	..
Nagasaki, ...	30.15	..	..	N	6	..
Kagoshima,.....	30.11	..	..	NW	6	..
Gutzlaff, ...	30.39	40	60	NNE	3	cv
Sharp Peak, ...	30.24	52	66	E	6	b
Amoy, ...	30.20	61	50	NE	2	b
Swatow, ...	30.18	62	..	E	6	b
Canton, ...	30.15	64	53	N	1	o
Hongkong, ...	30.15	59	70	E	4	b
Victoria Peak, ...	..	..	..	NE	1	..
Gap Rock, ...	30.15	..	..	ENE	4	..
Macao,.....	30.17	64	..	SE	1	c
Haiphong, ...	..	..	..	..	..	..
Cape S. James, ...	..	..	..	NE	6	b
.....	..	..	..	..	..	..
.....	..	..	..	..	..	..

1st FEBRUARY, 1899, AT 10 A.

Wladivostock,.....	..	..	.	..	..	..
Tokio, ...	29.90	..	..	NW	4	..
Kochi, ...	30.11	..	..	SW	2	..
Nagasaki, ...	30.19	..	..	..	0	..
Kagoshima,.....	30.19	..	..	N	6	..
Gutzlaff, ...	30.37	38	81	N	2	cv
Sharp Peak, ...	30.30	50	65	ENE	1	o
Amoy, ...	30.29	54	61	N	..	b
Swatow, ...	30.28	60	..	ENE	3	b
Canton, ...	30.26	57	63	NE	1	c
Hongkong, ...	30.25	60	61	ESE	1	b
Victoria Peak, ...	..	..	..	ENE	3	..
Gap Rock, ...	30.25	..	..	NE	3	..
Macao,.....	30.27	63	..	N	1	b
Haiphong, ...	30.13	61	..	ENE	3	o
Cape S. James, ...	..	..	..	NE	3	bm
... .	..	..	—	..	..	..
. ...	..	..	..	..		..

On the 1st at 11.40 a. Barometric changes are slight. Pressure is highest in N. China, lo the E. of Japan. Gradients slight on the coast, moderate with fresh monsoon in the N. part of the Sea. Forecast:—moderate NE winds; fine.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Wednesday 1st February 1899.

NA COAST METEOROLOGICAL REGISTER.

1st FEBRUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.82	..	..	N	4	..
Kochi,	30.03	..	..	W	2	..
Nagasaki,	30.11	..	..	NW	2	..
Kagoshima,	30.11	..	..	W	6	..
Gutzlaft,	30.34	41	74	N	2	bv
Sharp Peak,	30.20	53	70	E	4	b
Amoy,	30.15	62	46	NE	3	b
Swatow,	30.19	63	..	ESE	4	b
Canton,	30.14	69	47	NE	1	b
Hongkong,	30.15	60	63	E	3	b
Victoria Peak,	..	..	..	..	0	..
Gap Rock,	30.16	..	..	E	3	..
Macao,	30.16	64	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	NE	3	b
	..	..	..	..	..	..
	..	..	..	..	..	..

2nd FEBRUARY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.33	41	92	S	2	cv
Sharp Peak,	30.30	52	60	WNW	1	c
Amoy,	30.25	53	67	NE	2	c
Swatow,	..	..	..	..	..	..
Canton,	30.29	55	87	NE	1	d
Hongkong,	30.27	58	62		0	b
Victoria Peak,	..	..	..	NNE	2	..
Gap Rock,	30.25	..	..	ENE	4	..
Macao,	30.27	59	..	N	1	c
Haiphong,	30.23	54	..	N	3	or
Cape S. James,	..	..	..	NE	5	f
	..	..	—	..	..	..
	..	..	..	..	..	..

the 2nd at 11.50 a. The barometer has fallen in the North, and remains steady in the South. A sure area seems to be advancing Eastwards in N. China, and pressure is highest in W. China. e slight on the coast, moderate with strong monsoon in the N. part of the China Sea. Forecast: e N. winds; cloudy.

F. G. FIGG,
First Assistant.

OBSERVATORY, Thursday 2nd February 1899.

CHINA COAST METEOROLOGICAL REGISTER.

2nd FEBRUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.90	..	..	N	6	..
Kochi,	30.07	..	..	SE	2	..
Nagasaki,	30.15	..	..	NW	6	..
Kagoshima,	30.15	..	..	NW	6	..
Gutzlaff,	30.25	48	71	SSW	2	bv
Sharp Peak,	30.23	55	65	E	2	c
Amoy,	30.17	60	44	NE	3	..
Swatow,	30.20	60	..	ENE	1	c
Canton,	30.21	57	69	N	1	d
Hongkong,	30.20	59	50	N	1	c
Victoria Peak,	..	..	..	NW	4	..
Gap Rock,	30.17	..	..	NNW	4	..
Macao,	30.22	59	..	NNW	1	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	NE	5	hm
	..	..	..	..	..	..
	..	..	..	..	..	..

3rd FEBRUARY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.40	37	91	NNW	5	cm
Sharp Peak,	30.38	52	63	NNW	1	c
Amoy,	30.27	54	74	WNW	1	od
Swatow,	..	..	..	..	..	..
Canton,	30.32	56	63	.	1	b
Hongkong,	30.30	59	40	N	3	b
Victoria Peak,	..	..	..	NNE	4	
Gap Rock,	30.29	..	..	N	4	..
Macao,	30.32	62	..	NE	1	b
Haiphong,	30.31	51	..	NW	.	c
Cape S. James,	..	..	..	NE	6	of
	..	..	..	..	..	..
	..	..	..	..	..	..

On the 3rd at 11.40 a. The area of slightly low pressure has moved towards the North of the Sea of Japan, and pressure has increased and is high over China. Gradients moderate to rather steep for strong monsoon on the coast, and in the N. part of the China Sea. Forecast:—fresh to moderate winds; fine.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Friday 3rd February 1899.

NA COAST METEOROLOGICAL REGISTER.

3rd FEBRUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.02	..	..	NW	6	..
Kochi,	30.11	..	..	SE	4	..
Nagasuki,	30.11	..	..	N	6	..
Kagoshima,	30.15	..	..	W	4	..
Gutzlaff,	30.37	38	72	N	5	ov
Sharp Peak,	30.22	52	66	E	5	o
Amoy,	30.24	55	80	ENE	3	or
Swatow,	..	..	..	..	..	..
Canton,	30.16	67	37	N	1	b
Hongkong,	30.18	64	21	N	3	b
Victoria Peak,	-	..	..	NNE	4	..
Gap Rock,	30.20	..	..	..	0	..
Macao,	30.20	57	..	N	1	b
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	NE	6	f
	..	..	..	..	..	..
	..	..	..	..	..	..

4th FEBRUARY, 1899, AT 10 A.

Wladivostock,	..	..	.	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasuki,	..	..	..	..	..	..
Kagoshima,	-	..	..		..	..
Gutzlaff,	30.47	37	81	N	4	cv
Sharp Peak,	30.39	48	67	E	3	b
Amoy,	30.38	49	71	NE	3	c
Swatow,	30.36	58	..	NNE	2	b
Canton,	30.34	55	44	NE	1	b
Hongkong,	30.35	59	20	NNE	3	b
Victoria Peak,	..	..	..	NNE	5	..
Gap Rock,	30.22	..	..	NNE	4	..
Macao,	30.35	60	..	NNE	1	b
Haiphong,	30.25	52	..		0	o
Cape S. James,	..	..	..	N	3	bm
	..	..	..	..	..	..
	..	..	..	..	..	..

he 4th at 11.35 a. The barometer has risen on the China coast. A high pressure area covers h mo lerate to rather steep gradients and strong mons.o.. o.. the coast, and in the N. part of the A. Forecast:—fresh to moderate NE winds; fine.

F. G. FIGG.
First Assistant

BSERVATORY, Saturday 4th February 1899.

CHINA COAST METEOROLOGICAL REGISTER.

4th FEBRUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	30.30	28	..	N	3	b
Tokio,	30.18	..	..	N	2	..
Kochi,	30.07	..	..	SE	2	..
Nagasaki,	30.15	..	..	N	4	..
Kagoshima,	30.07	..	..	N	2	..
Gutzlaff,	30.45	37	71	N	5	ov
Sharp Peak,	30.32	51	59	E	6	b
Amoy,	30.27	59	54	NE	3	b
Swatow,	30.31	60	..	ESE	4	b
Canton,	..	..	..	..	.	..
Hongkong,	30.18	59	36	SE	3	b
Victoria Peak,	.	..	..	NE	2	.
Gap Rock,	30.18	..	..	ENE	3	..
Macao,	30.19	64	..	NE	1	b
Haiphong,	..	..	..	..	.	.
Cape S. James,	..	..	..	NE	6	cf
	..	..	..	..	..	..
	..	..	..	.		..

5th FEBRUARY, 1899, AT 10 A.

Wladivostock,	30.26	13	64	N	1	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,		..	..		..	..
Gutzlaff,	30.43	34	90	NNW	4	ov
Sharp Peak,	30.44	47	70	N	1	o
Amoy,	30.39	48	63	NE	3	o
Swatow,	..		..		..	
Canton,	..	..		..	.	..
Hongkong,	30.40	54	30	N	1	o
Victoria Peak,		..	.	NE	2	
Gap Rock,	30.27	.	..	ENE	3	..
Macao,	30.41	58	..	N	1	c
Haiphong,	30.27	58	..	ENE	3	o
Cape S. James,	..	..	..	NE	3	bm
	..	..	–	..	..	..
	..	..	..	..	..	..

On the 5th at 11.55 A The barometer has risen slightly on the China coast, fallen in the extreme. The anticyclone still covers China, and pressure seems to be low to the South of Japan. Gradients at the coast, rather steep with strong monsoon in the N. part of the China Sea. Forecast:—moderate NE winds; fair.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Sunday 5th February 1899.

INA COAST METEOROLOGICAL REGISTER.

5th FEBRUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.02	..	..	NW	4	..
Kochi,	29.99	..	..	N	6	..
Nagasaki,	30.15	..	..	N	6	..
Kagoshima,	30.07	..	..	N	10	..
Gutzlaff,	30.45	38	72	NNW	4	ov
Sharp Peak,	30.35	48	71	E	2	o
Amoy,	30.29	54	55	NW	2	o
Swatow,	30.32	56	..	NE	1	c
Canton,	30.31	66	23	NE	1	c
Hongkong,	30.27	60	26	..	0	b
Victoria Peak,	..	..	..	NW	1	.
Gap Rock,	30.27	..	..	N	2	..
Macao,	30.28	62	..	ENE	1	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	..	..	..
	..	..	..	..	..	..
	..	..	..	..	..	..

6th FEBRUARY, 1899, AT 10 A.

Wladivostock,	-	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	.	..	..		..	..
Gutzlaff,	30.47	36	90	N	2	bv
Sharp Peak,	30.42	48	74	NNE	1	c
Amoy,	30.38	49	64	NE	3	b
Swatow,	..	.	..	..	..	.
Canton,		..	..	..	..	..
Hongkong,	30.38	57	46		0	b
Victoria Peak,	..	..	..	NE	1	
Gap Rock,	30.35	.	..	NE	3	..
Macao,	30.40	63	..	NW	1	c
Haiphong,	30.27	58	..	N	3	o
Cape S. James,	..	..	..	NNE	6	f
	..	..	—	..	..	..
	..	..	..	..	..	..

th at 11.40 a. Barometric changes are slight. Anticyclonic conditions continue to prevail Gradients slight on the coast, rather steep with strong monsoon in the N. part of the China t:—moderate or light N winds; fine.

F. G. FIGG,
First Assistant.

VATORY, Monday 6th February 1899.

CHINA COAST METEOROLOGICAL REGISTER

6th FEBRUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	..	..	..	..	..	..
Tokio,	29.90	..	..	N	2	..
Kochi,	29.95	..	..	S	4	..
Nagasaki,	30.15	..	..	N	8	..
Kagoshima,	30.23	..	..	N	8	..
Gutzlaff,	30..8	43	59	..	0	bv
Sharp Peak,	30.33	53	61	NE	3	b
Amoy,	30.27	60	44	NE	3	b
Swatow,	30.32	59	..	E	4	b
Canton,	30.24	67	33	N	1	b
Hongkong,	30.25	57	45	E	3	b
Victoria Peak,	..	..	..	ENE	1	.
Gap Rock,	30.25	..	..	ENE	3	..
Macao,	30..5	62	..	ESE	1	b
Haiphong,	..	..	..	..	.	..
Cape S. James,	..	..	..	NE	3	bm
	..	..	..	..	..	..
	..	..	..	..	..	..

7th FEBRUARY, 1899, AT 10 A.

Wladivostock,	-	..	..	.	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	.	..	..		..	..
Gutzlaff,	30.37	39	73	NW	5	bm
Sharp Peak,	30.36	53	32		0	b
Amoy,	30.37	49	85	SW	2	b
Swatow,	30.39	58	..	NNW	.	bf
Canton,	30.35	55	62	..	0	b
Hongkong,	30.34	62	45		0	b
Victoria Peak,	..	..	..	ENE	2	
Gap Rock,	30.34	.	..	NE	2	..
Macao,	30.35	64	..	N	1	b
Haiphong,	30.29	60	..		0	o
Cape S. James,	..	..	..	NE	3	b
	..	..		..	..	..
	..	.	..	..	..	..

On the 7th at 11.45 a. The barometer has fallen in the North, and remains almost steady South. Pressure is high over Central China, and low, apparently, in the extreme North. Gra slight on the coast, rather steep with strong monsoon in the N. part of the China Sea. Forecast- or moderate N winds; fine.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Tuesday 7th February 1899.

INA COAST METEOROLOGICAL REGISTER.

7th FEBRUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,.....	..	..	..	..	..	..
Tokio, ...	29.78	..	..	S	2	..
Kochi, ...	29.99	..	..	W	4	..
Nagasaki, ...	30.11	..	..	NW	2	..
Kagoshima,.....	30.11	..	..	W	6	..
Gutzlaff, ...	30.29	47	70	W	5	bm
Sharp Peak, ...	30.27	53	73	ENE	1	b
Amoy, ...	30.26	60	65	SE	3	b
Swatow, ...	..	..	..	..	..	..
Canton, ...	..	..	..	..	.	..
Hongkong, ...	30.21	62	38	E	3	b
Victoria Peak, ...	.	..	..	..	0	.
Gap Rock, ...	30.21	..	..	NE	2	..
Macao,.....	30.18	65	..	SSE	1	b
Haiphong, ...	..	..	..	..	..	..
Cape S. James, ...	..	..	..	SE	3	.
....	..	..	..	..	..	..
....	..	..	..	..		..

8th FEBRUARY, 1899, AT 10 A.

Wladivostock,.....	-	..	..	-	..	..
Tokio, ...	..	..	..	..	..	..
Kochi, ...	..	..	..	..	..	..
Nagasaki, ...	..	..	..	..	..	.
Kagoshima,.....	.	..	..	.	.	.
Gutzlaff, ...	30.31	45	70	SW	4	bm
Sharp Peak, ...	30.28	55	69	W	1	b
Amoy, ...	30.32	52	73	SW	1	c
Swatow, ...	..			..		
Canton, ...	30.26	57	69		0	b
Hongkong, ...	30.26	65	29	E	2	b
Victoria Peak, ...	..	..	..	ENE	8	
Gap Rock, ...	30.25	.	..	ENE	2	..
Macao,.....	30.27	67	..	NE	1	b
Haiphong, ...	30.26	57	..		0	c
Cape S. James, ...	..	..	..	N	2	
... .	..	..		..	..	..
.....	.	..	..	..	.	..

8th at 11.50 a. The barometer has fallen on the China coast. Pressure remains low in the rth, and highest over Central China Gradients slight on the coast, moderate with fresh the N. part of the China Sea. Forecast:—light or moderate NE to N winds; fine.

F. G. FIGG,
First Assistant.

SERVATORY, Wednesday 8th February 1899.

CHINA COAST METEOROLOGICAL REGISTE

8th FEBRUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.74	..	..	S	4	..
Kochi,	29.91	..	..	W	4	..
Nagasaki,	30.03	..	..	W	10	..
Kagoshima,	30.07	..	..	N	6	..
Gutzlaff,	30.31	45	76	N	4	bm
Sharp Peak,	30.22	57	81	E	1	b
Amoy,	30.16	63	52	SW	1	b
Swatow,	30.20	65	..	ESE	3	b
Canton,	30.17	74	47	W	1	b
Hongkong,	30.18	64	32	E	3	c
Victoria Peak,	.	..	..	E	1	.
Gap Rock,	30.18	..	..	ENE	4	..
Macao,	30.18	63	..	SSE	1	b
Haiphong,	..	..	..	..	.	..
Cape S. James,	..	..	..	SE	3	b
	..	..	..	..	..	..
	..	..	..	..		..

9th FEBRUARY, 1899, AT 10 A.

Wladivostock,	.	..	..	.	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,		..	..		..	..
Gutzlaff,	30.47	40	65	NNE	4	cv
Sharp Peak,	30.35	54	80	NNE	4	o
Amoy,	30.30	56	81	NE	1	b
Swatow,	.			..	..	
Canton,	30.22	60	65		0	
Hongkong,	30.23	63	58	E	5	c
Victoria Peak,		.	.	E	7	
Gap Rock,	30.21	.	..	ENE	5	..
Macao,	30.23	67	..	ENE	1	c
Haiphong,	30.18	58	..	NNW	3	o
Cape S. James,	..	..	..	N	3	f
	..	..	..	..	..	..
	..		..	..	..	..

On the 9th at 11.5 a. The barometer has risen considerably in the North, fallen slightly South. Pressure is high over N. China, and gradients are rather steep to moderate with strong m on the coast; slight, but increasing with the monsoon freshening in the N. part of the Chi Forecast:—fresh NE winds; fair.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Thursday 9th February 1899.

INA COAST METEOROLOGICAL REGISTER.

9th FEBRUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.78	..	..	NW	10	..
Kochi,	30.15	..	..	N	8	..
Nagasaki,	30.31	..	..	N	6	..
Kagoshima,	30.27	..	..	N	4	..
Gutzlaff,	30.40	45	68	E	2	cv
Sharp Peak,	30.26	55	78	NNE	4	o
Amoy,	30.14	67	46	E	3	b
Swatow,	.	..	..	.	..	..
Canton,	30.14	75	52	SW	1	b
Hongkong,	30.13	62	69	E	5	b
Victoria Peak,	..	..	..	E	7	..
Gap Rock,	30.12	..	..	ENE	4	..
Macao,	30.16	63	..	ESE	1	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	W	2	bm
	..	..	..	..	..	..
	..	..	..	..	..	..

10th FEBRUARY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	30.10	..	..	NW	6	..
Kochi,	30.27	..	..	SW	2	..
Nagasaki,	30.27	..	..	NE	2	..
Kagoshima,	30.19	..	..	SE	2	..
Gutzlaff,		..	..		..	..
Sharp Peak,	30.16	65	87	W	1	o
Amoy,	30.19	65	68	SW	1	b
Swatow,	..	..	..	..	..	..
Canton,	..	.	..	..	..	..
Hongkong,	30.16	62	71	E	4	o
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	30.15	.	..	ENE	4	..
Macao,	30.15	63	..	NE	1	c
Haiphong,	30.05	60	..	..	0	f
Cape S. James,	..	..	..	N	3	..
	..	..	—	..	..	..
	..	..	..	..	..	..

ue 10th at noon. The barometer has fallen rapidly on the E. coast of China, risen in E. Japan. sion is advancing Eastwards over Central China, and pressure is now highest over the Loochoos Japan. Gradients slight on the coast, and in the N. part of the China Sea. Forecast:—moderate K winds; fair but misty.

F. G. FIGG,
First Assistant.

OBSERVATORY, Friday 10th February 1899.

CHINA COAST METEOROLOGICAL REGISTER

10th FEBRUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.06	..	..	NW	6	..
Kochi,	30.15	..	..	S	2	..
Nagasaki,	30.19	..	..	NE	2	..
Kagoshima,	30.19	..	..	..	0	..
Gutzlaff,	30.16	50	93	..	0	om
Sharp Peak,	29.99	60	85	.	0	o
Amoy,	29.99	60	94	SE	3	b
Swatow,	30.08	67	..	E	3	b
Canton,	29.99	74	90	.	0	b
Hongkong,	30.03	65	68	E	3	c
Victoria Peak,	..	..	..	ENE	1	.
Gap Rock,	30.03	..	..	ENE	4	..
Macao,	30.04	68	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	SE	3	bm
	..	..	..	..	..	..
	..	..	..	..	..	..

11th FEBRUARY, 1899, AT 10 A.

Wladivostock,	-	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	.	..	..	..	..	..
Gutzlaff,	30.36	43	92	NNE	5	c
Sharp Peak,	30.22	56	78	NNE	3	o
Amoy,	30.15	59	82	NE	1	o
Swatow,	..	..	..	..	..	
Canton,	..	..	..	..	..	..
Hongkong,	30.13	70	65	..	0	c
Victoria Peak,	..	..	..	E	2	.
Gap Rock,	30.11	.	..	NNE	2	..
Macao,	30.13	74	..	ENE	1	c
Haiphong,	30.07	63	..	E	1	om
Cape S. James,	..	..	..	NE	3	b
	..	..	—	..	..	..
	..	..	..	..	..	..

On the 11th at 11.40 a. The barometer has risen quickly on the E. coast of China, the depr having passed from the continent moving towards Japan. Pressure is again high in N. Chin gradients have increased with strong monsoon setting down the coast. Forecast:—NE winds, fres considerably; changeable, probably some drizzling rain or mist.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Saturday 11th February 1899.

NA COAST METEOROLOGICAL REGISTER.

11th FEBRUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.86	..	..	S	4	..
Kochi,	29.91	..	..	NW	4	..
Nagasaki,	30.11	..	..	N	6	..
Kagoshima,	30.07	..	..	N	6	..
Gutzlaff,	30.37	42	83	N	6	om
Sharp Peak,	30.21	55	84	E	5	o
Amoy,	30.11	60	88	NE	2	c
Swatow,	..	..	..	..	..	..
Canton,	30.02	80	70	SW	1	b
Hongkong,	30.03	70	67	E	3	b
Victoria Peak,	.	..	..	E	2	.
Gap Rock,	30.05	..	..	ENE	2	..
Macao,	30.05	75	..	WSW	1	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	E	2	f
	..	..	..	..	..	..
	..	..	..	..	..	..

12th FEBRUARY, 1899, AT 10 A.

Wladivostock,	–	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	.	..	..	..	..	..
Gutzlaff,	30.50	36	80	NNE	4	ov
Sharp Peak,	30.38	49	85	NE	5	o
Amoy,	30.27	55	74	NE	1	o
Swatow,	..	..	..	..	..	.
Canton,	30.23	61	94	NW	..	c
Hongkong,	30.24	57	87	E	3	o
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	30.20	..	..	ENE	5	..
Macao,	30.23	63	..	E	2	c
Haiphong,	30.08	65	..	E	1	o
Cape S. James,	..	..	..	N	2	r
	..	..	—	..	..	..
	..	..	..	..	..	..

e 12th at 11.50 a. The barometer has risen on the China coast. A high pressure area lies over of China, and the depression has passed to the E. of Japan. Gradients rather steep with strong n the coast, moderate with increasing monsoon in the N. part of the China Sea. Forecast:— winds; dull, misty.

F. G. FIGG,
First Assistant.

SERVATORY, Sunday 12th February 1899.

CHINA COAST METEOROLOGICAL REGISTE

12th FEBRUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock, ...	..	..	..	..	..	..
Tokio, ...	29.82	..	..	N	8	..
Kochi, ...	30.07	..	..	SW	2	..
Nagasaki, ...	30.19	..	..	N	6	..
Kagoshima, ...	30.19	..	..	NW	6	..
Gutzlaff, ...	..	..	..	..	..	..
Sharp Peak, ...	30.26	49	75	NE	6	o
Amoy, ...	30.19	62	61	NE	2	o
Swatow, ...	30.19	63	..	E	6	b
Canton, ...	30.15	68	60	.	0	
Hongkong, ...	30.12	61	78	ESE	3	c
Victoria Peak, ...	..	..	..	NE	1	.
Gap Rock, ...	30.12	..	..	ENE	3	..
Macao, ...	30.12	65	..	SE	1	c
Haiphong, ...	..	..	..	..	..	..
Cape S. James, ...	..	..	..	..	.	..
....	..	..	..	..	..	..
.....	..	..	..	..		..

12th FEBRUARY, 1899, AT 10 A.

Wladivostock, ...	-	..	..	..	..	..
Tokio, ...	..	..	..	..	..	..
Kochi, ...	..	..	..	..	..	..
Nagasaki, ...	..	..	..	..	..	..
Kagoshima, ...		..	..	..	..	..
Gutzlaff, ...	30.40	41	66	.	1	bv
Sharp Peak, ...	30.28	50	75	WNW	1	o
Amoy, ...	30.24	56	81	NW	1	c
Swatow, ...	..	..	..	..	.	
Canton, ...	30.18	58	70	..	1	o
Hongkong, ...	30.18	61	75	SE	1	o
Victoria Peak, ...	..	..	..	E	4	
Gap Rock, ...	30.15	.	..	ENE	4	..
Macao, ...	30.17	64	..	NE	1	c
Haiphong, ...	30.05	59	..	E	4	o
Cape S. James, ...	..	..	..	NE	3	cm
... .	..	..	—	..	..	..
.....	..	..	..	..	..	..

On the 13th at 11.45 a. The barometer has fallen in China. Pressure is highest between coast of China and Japan with moderate gradients and fresh monsoon on the coast, and in the N. the China Sea. Forecast:—moderate NE winds; fair.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Monday 13th February 1899.

CHINA COAST METEOROLOGICAL REGISTER.

13th FEBRUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	30.17	22	..	E	1	b
Tokio,	30.02	..	..	S	2	..
Kochi,	30.19	..	..	SE	2	..
Nagasaki,	30.27	..	..	N	2	..
Kagoshima,	30.23	..	..	NW	4	..
Gutzlaff,	30.36	43	75	E	2	cv
Sharp Peak,	30.19	52	77	ENE	2	o
Amoy,	30.12	67	64	NE	3	c
Swatow,	..	..	..	..	..	..
Canton,	30.06	67	..	..	0	o
Hongkong,	30.06	63	69	E	1	o
Victoria Peak,	..	..	..	ENE	3	.
Gap Rock,	30.05	65	..	ENE	4	..
Macao,	30.10	63	..	ESE	1	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	SE	3	b
	..	..	..	..	..	..
	..	..	..	..	..	..

14th FEBRUARY, 1899, AT 10 A.

Wladivostock,	30.33	1	79	..	0	c
Tokio,	30.26	..	..	N	6	..
Kochi,	30.34	..	..	N	4	..
Nagasaki,	30.34	..	..	NE	2	..
Kagoshima,	30.23	..	..	..	0	..
Gutzlaff,	30.37	40	82	ENE	4	cv
Sharp Peak,	30.17	53	94	NNW	2	or
Amoy,	30.14	59	88	SE	1	or
Swatow,	..	..	..	..	..	..
Canton,	..		..	..	..	..
Hongkong,	30.07	64	86	E	3	o
Victoria Peak,	..	..	..	E	5	..
Gap Rock,	30.05	.	..	ENE	4	..
Macao,	30.07	68	..	NE	1	c
Haiphong,	30.05	61	..	E	3	or
Cape S. James,	..	..	..	..	0	b
	..	..	—	..	..	..
	..	..	..	..	..	..

On the 14th at 11.45 a. The barometer has risen in the Sea of Japan, fallen in S. China. Pressure is highest over Corea, and relatively low off the S. coast of China. Gradients moderate to rather steep with strong monsoon on the coast, slight with moderate monsoon in the N. part of the China Sea. Forecast:—fresh NE to E winds; cloudy, some drizzling rain.

F. G. FIGG,
First Assistant.

[redacted] Observatory, Tuesday 14th February 1899.

CHINA COAST METEOROLOGICAL REGISTER

14th FEBRUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.18	..	..	NW	2	..
Kochi,	30.27	..	..	SE	2	..
Nagasaki,	30.31	..	..	SE	6	..
Kagoshima,	30.27	..	..	E	2	..
Gutzlaff,	30.27	44	84	NE	4	ov
Sharp Peak,	30.07	53	90	E	2	or
Amoy,	30.03	60	94	E	2	or
Swatow,	30.01	63	..	E	..	..
Canton,	29.94	68	74	..	0	o
Hongkong,	29.95	63	83	E	4	o
Victoria Peak,	.	..	..	E	2	..
Gap Rock,	29.94	..	..	ENE	4	..
Macao,	29.95	67	..	SSE	1	o
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	3	b
	..	..	..	..	..	..
	..	..	..	..		..

15th FEBRUARY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	-	..	..	..	..	..
Nagasaki,	..	..	..	-	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.04	46	100	NE	5	omr
Sharp Peak,	29.93	54	90	W	1	o
Amoy,	30.02	57	87	ESE	1	or
Swatow,	..	..	..	..	..	
Canton,	..	.	..	.	.	
Hongkong,	30.03	64	89	WSW	1	o
Victoria Peak,	..	..	..	NNW	3	..
Gap Rock,	30.01	.	..	NNW	3	..
Macao,	30.04	67	..	NNW	1	c
Haiphong,	30.05	61	..	E	1	o
Cape S. James,	..	..	..	NE	2	of
	..	..	—	..	..	..
	..	.	..	..	.	..

On the 15th at 11.50 a. The barometer has fallen rapidly on the E. coast of China owing **depression which appears to be moving Northwards to the W. of the Loochoos. Gradients rather in the North, slight in the South.** Forecast:—moderate or fresh N winds; fair, but misty.

F. G. FIGG.

First Assistant.

HONGKONG OBSERVATORY, Wednesday 15th February 1899.

NA COAST METEOROLOGICAL REGISTER.

16th FEBRUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.22	..	..	NW	4	..
Kochi,	30.19	..	..	SW	2	..
Nagasaki,	29.87	..	..	NE	10	..
Kagoshima,	29.91	..	..	SE	10	..
Gutzlaff,	30.01	44	92	N	5	ofd
Sharp Peak,	29.92	57	87	E	1	c
Amoy,	29.90	63	83	SE	4	b
Swatow,	29.93	60	..	E	2	b
Canton,	29.93	74	59	N	1	b
Hongkong,	29.90	71	62	WNW	1	c
Victoria Peak,	..	..	..	NW	1	.
Gap Rock,	29.92	..	..	..	0	..
Macao,	29.92	73	..	ENE	1	b
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	S	3	b
	..	..	..	..	..	..
	..	..	..	..	..	..

16th FEBRUARY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	–	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.25	41	92	NNW	4	cv
Sharp Peak,	30.13	56	60	E	4	o
Amoy,	30.09	57	75	NE	2	o
Swatow,	30.13	60	..	ENE	2	o
Canton,	.		..	..	..	.
Hongkong,	30.02	62	84	E	5	o
Victoria Peak,	..	..	..	E	7	..
Gap Rock,	29.99	.	..	ENE	4	..
Macao,	30.02	67	..	NE	1	..
Haiphong,	29.99	61	..	ENE	1	or
Cape S. James,	..	..	..	S	2	o
	..	..	—	..	..	..
	..	..	..	..	..	..

16th at 11.45 a. The depression is moving to the NE in Japan, and the barometer has risen on the E. coast of China. Pressure is high over N. China and gradients are moderate with oon on the coast, slight with increasing monsoon in the N. part of the China Sea. Forecast:— nds; cloudy, misty.

F. G. FIGG,
First Assistant.

SERVATORY, Thursday 16th February 1899.

CHINA COAST METEOROLOGICAL REGISTE

16th FEBRUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	30.27	20	..	N	5	c
Tokio,	..	..	..	..	..	..
Kochi,	29.68	..	..	NW	8	..
Nagasaki,	29.98	..	..	N	8	..
Kagoshima,	29.87	..	..	N	8	..
Gutzlaff,	30.24	43	92	NNE	4	cv
Sharp Peak,	30.11	54	74	ENE	5	c
Amoy,	30.02	63	67	NE	2	b
Swatow,	30.03	64	..	ESE	3	b
Canton,	29.93	64	73	SW	2	c
Hongkong,	29.95	61	74	E	4	c
Victoria Peak,	..	..	..	E	6	.
Gap Rock,	29.93	..	..	E	4	..
Macao,	29.94	64	..	ESE	1	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	S	2	b
	..	..	..	..	..	..
	..	..	..	..	..	..

17th FEBRUARY, 1899, AT 10 A.

Wladivostock,	30.22	7	59	N	3	c
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	.	..	..	..	..	..
Gutzlaff,	30.31	41	92	NNE	4	omd
Sharp Peak,	30.14	50	86	NW	3	or
Amoy,	30.10	56	87	..	0	or
Swatow,	..	..	..		.	.
Canton,	..		..	..	..	.
Hongkong,	30.03	58	91	E	4	od
Victoria Peak,	..	..	..	ESE	6	.
Gap Rock,	29.99	.	..	ENE	4	
Macao,	30.04	61	..	NW	1	o l
Haiphong,	30.04	63	..	ENE	3	or
Cape S. James,	..	..	..	NE	3	b
	..	..	.	..	..	..
	..	..	..	..	..	..

On the 17th at 11.40 a. The barometer has fallen in the Sea of Japan, risen on the E coast China. Pressure is highest in N. China, and the depression, now in E. Japan, continues moving to NE. Gradients moderate with strong monsoon on the coast, slight with moderate monsoon in the N. of the China Sea. Forecast:—fresh NE winds; dull, rainy.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Friday 17th February 1899.

A COAST METEOROLOGICAL REGISTER.

17th FEBRUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	30.16	31	..	NW	2	c
Tokio,	..	..	..	..	..	..
Kochi,	30.07	..	..	N	4	..
Nagasaki,	30.14	..	..	E	4	..
Kagoshima,	30.11	..	..	..	0	..
Gutzlaff,	30.24	42	92	NNE	4	omd
Sharp Peak,	30.05	51	90	WNW	2	fr
Amoy,	30.01	57	87	..	0	or
Swatow,	.	..	..	..	..	..
Canton,	29.98	51	93	NW	1	or
Hongkong,	29.95	59	96	..	0	od
Victoria Peak,	.	..	..	NW	1	.
Gap Rock,	29.94	..	..	NNW	6	..
Macao,	29.96	55	..	NNW	2	od
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	SE	3	b
	..	..	..	..	..	..
	..	..	..	..	.	..

18th FEBRUARY, 1899, AT 10 A.

Wladivostock,	30.24	8	..	NW	4	c
Tokio,	..	..	..	..	..	..
Kochi,	.	..	..	..	..	..
Nagasaki,	..	..	..	.	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.26	41	92	NNE	4	cv
Sharp Peak,	30.12	46	54	NNE	3	o
Amoy,	30.10	54	87	NE	3	o
Swatow,	..	..	..	..	..	..
Canton,			..	.	.	
Hongkong,	30.08	56	65	N	2	o
Victoria Peak,	..	..	..	NNW	1	..
Gap Rock,	30.07	.	..	NNW	4	
Macao,	30.11	54	..	NNW	2	c
Haiphong,	30.10	58	..	E	3	o
Cape S. James,	..	..	..	SE	2	o
	..	..	.	..	..	..
	..	..	..	..	.	..

th at 11.45 a. The barometer has fallen slightly on the E. coast of China, risen a little on ressure is highest over N. China. Gradients moderate with fresh monsoon on the coast, erate monsoon in the N. part of the China Sea. Forecast:—moderate N to NE winds; fair.

F. G. FIGG,

First Assistant.

VATORY, Saturday 18th February 1899.

CHINA COAST METEOROLOGICAL REGISTE

18th FEBRUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	..	..	..	..	..	c
Tokio,	30.14	..	..	N	4	..
Kochi,	30.07	..	..	..	0	..
Nagasaki,	30.07	..	..	N	2	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.24	42	83	N	4	cv
Sharp Peak,	30.07	50	72	E	7	o
Amoy,	30.02	56	81	NE	3	o
Swatow,	30.03	58	..	NNE	2	o
Canton,	30.02	57	69	NE	2	o
Hongkong,	29.98	59	63	W	1	o
Victoria Peak,	.	..	..	NNW.	1	..
Gap Rock,	29.96	..	..	N	3	..
Macao,	29.99	58	..	N	1	o
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	SE	2	b
	..	..	..	..	..	..
	..	..	..	..		..

19th FEBRUARY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	-	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.28	46	77	E	2	cv
Sharp Peak,	30.13	51	72	N	2	o
Amoy,	30.10	53	80	.	0	c
Swatow,	..	..	..		..	..
Canton,	30.09	51	86	E	1	og
Hongkong,	30.03	54	88	ENE	5	or
Victoria Peak,	..	..	..	ENE	6	..
Gap Rock,	30.00	.	..	ENE	5	..
Macao,	30.03	53	..	N	1	o
Haiphong,	30.02	56	..	E	3	o
Cape S. James,	..	..	..	NE	6	of
	..	..	..	..	..	..
	..	..	..	..	..	..

On the 19th at noon. The barometer has fallen on the S. coast of China, and remains steady North. Pressure is highest over NE China, and relatively low in the N. part of the China depression was moving to the NE to the E of the Loochoos yesterday evening. Gradients moderate fresh monsoon on the China coast. Forecast:—fresh NE winds; cloudy, some rain.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Sunday 19th February 1899.

CHINA COAST METEOROLOGICAL REGISTER.

19th FEBRUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	30.09	19	..	N	1	s
Tokio,	30.10	..	..	N	6	..
Kochi,	30.07	..	..	NE	4	..
Nagasaki,	30.15	..	..	N	4	..
Kagoshima,	30.11	..	..	SE	2	..
Gutzlaff,	30.22	50	79	E	2	bv
Sharp Peak,	30.07	52	72	NNE	3	o
Amoy,	30.01	57	75	NE	2	c
Swatow,	30.01	56	..	NE	4	o
Canton,	..	..	..	..	..	..
Hongkong,	29.91	55	85	ENE	5	od
Victoria Peak,	..	..	..	E	6	..
Gap Rock,	29.87	..	..	ENE	5	..
Macao,	29.88	56	..	NNE	..	of
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	..	..	..
	..	..	..	..	..	..
	..	..	..	..	..	..

20th FEBRUARY, 1899, AT 10 A.

Wladivostock,	30.25	−3	75	N	3	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.25	48	85	E	4	cm
Sharp Peak,	30.13	54	87	WNW	2	or
Amoy,	29.96	55	94	..	0	cr
Swatow,	..	..	..	..	..	..
Canton,		..	..	..	..	..
Hongkong,	29.97	59	91	E	2	od
Victoria Peak,	..	..	..	E	2	..
Gap Rock,	29.94	..	..	ENE	5	..
Macao,	29.95	55	..	NW	1	od
Haiphong,	29.96	65	..		0	or
Cape S. James,	..	..	..	NE	3	o
	..	..	..	..	..	..
	..	..	..	..	..	..

the 20th at 11.50 a. The barometer has fallen in S. China. Pressure remains highest over NE nd relatively low on the S. and SE coasts. Gradients moderate with fresh monsoon on the coast. :—fresh NE winds; dull, rainy.

F. G. FIGG,
First Assistant.

OBSERVATORY, Monday 20th February 1899.

CHINA COAST METEOROLOGICAL REGISTE

20th FEBRUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.18	..	..	..	0	..
Kochi,	30.23	..	..	S	2	..
Nagasaki,	30.23	..	..	N	4	..
Kagoshima,	30.23	..	..	S	2	..
Gutzlaff,	30.17	46	92	E	4	omr
Sharp Peak,	29.91	56	91	NNW	2	o
Amoy,	29.91	59	88		0	o
Swatow,	29.94	59	..	NE	2	o
Canton,	29.92	55	95	N	1	o
Hongkong,	29.88	59	94		0	od
Victoria Peak,	.	..	..	NE	2	.
Gap Rock,	29.86	..	..	N	5	..
Macao,	29.89	56	..	NW	1	od
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	SE	3	b
	..	..	..	..	..	..
	..	..	..	..	.	..

21st FEBRUARY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	-	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.95	48	93	NE	7	omr
Sharp Peak,	29.90	58	91	W	1	o
Amoy,	29.93	58	94	.	0	c
Swatow,	.	..	..	..	.	..
Canton,	30.04	54	80	N	1	o
Hongkong,	30.01	57	91	NW	3	o
Victoria Peak,	..	..	..	NW	6	.
Gap Rock,	29.99	.	..	NNW	5	.
Macao,	30.02	55	..	NW	1	o
Haiphong,	30.06	60	..	E	1	o
Cape S. James,	..	..	..	S	2	c
	..	..	.	..	..	..
	.	.	..	..	.	..

On the 21st at 11.40 a. The barometer has risen slightly on the S. coast of China, fallen on the E. coast. Pressure is highest over N. China, and a depression is moving Northwards of the Loochoos. Gradients steep in the North, moderate in the South. Forecast:— fresh N with rain at first, probably improving later.

F. G. FIGG,
First Assist

HONGKONG OBSERVATORY, Tuesday 21st February 1899.

NA COAST METEOROLOGICAL REGISTER.

21st FEBRUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.26	..	..	N	4	..
Kochi,	30.23	..	..		0	..
Nagasaki,	30.03	..	..	SE	2	..
Kagoshima,	30.03	..	..	E	6	..
Gutzlaff,	29.95	48	93	NE	6	omd
Sharp Peak,	29.86	64	63	WSW	2	o
Amoy,	29.95	60	88	S	1	or
Swatow,	29.94	59	..	NW	2	o
Canton,	29.97	59	70	N	2	o
Hongkong,	29.92	57	81	WNW	1	o
Victoria Peak,	..	..	..	NW	4	..
Gap Rock,	29.91	..	..	NNW	6	..
Macao,	29.91	54	..	NW	1	o
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	S	3	b
	..	..	..	..	..	..
	..	..	..	..	..	..

22nd FEBRUARY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..		..	..
Gutzlaff,	30.09	48	100	NNE	4	omd
Sharp Peak,	30.01	57	75		0	o
Amoy,	30.01	57	81	NE	2	c
Swatow,	30.06	58	..	NNW	2	o
Canton,	30.14	52	73	N	1	b
Hongkong,	30.09	58	58	N	1	o
Victoria Peak,	..	..	..	N	4	..
Gap Rock,	30.08	..	..	NNW	6	..
Macao,	30.11	58	..	NW	1	c
Haiphong,	30.09	60	..	E	1	c
Cape S. James,	..	..	..	E	3	o
	..	..	..	..	..	..
	..	..	..	..	..	..

2nd at 11 40 a. The barometer is rising on the China coast. The depression is probably NE off the S coast of Japan. Pressure is highest over N. China. Gradients moderate on it but increasing in the N. part of the China Sea. Forecast:—fresh N winds; fine.

F. G. FIGG,

First Assistant

RVATORY, Wednesday 22nd February 1899.

CHINA COAST METEOROLOGICAL REGISTER

22nd FEBRUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	30.34	31	..	SE	3	o
Tokio,	30.33	..	..	N	4	..
Kochi,	29.91	..	..	..	0	..
Nagasaki,	29.68	..	..	NE	10	..
Kagoshima,	29.56	..	..	E	10	..
Gutzlaff,	30.08	47	93	NNE	4	om
Sharp Peak,	30.00	56	72	..	0	o
Amoy,	30.01	58	81	..	0	c
Swatow,	30.01	62	..	N	3	o
Canton,	30.03	46	45	N	1	b
Hongkong,	29.98	66	45	N	1	b
Victoria Peak,	.	..	..	NNW	3	.
Gap Rock,	29.99	..	..	NNW	5	..
Macao,	30.01	64	..	NW	1	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	E	3	o
	..	..	..	..	..	..
	..	..	..	..	.	..

23rd FEBRUARY, 1899, AT 10 A.

Wladivostock,	30.34	27	83	S	1	o
Tokio,	..	..	..	..	..	..
Kochi,	.	..	..	..	..	..
Nagasaki,	..	..	..	.	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	.	..	..	..	..	..
Sharp Peak,	30.19	59	70	E	1	..
Amoy,	30.16	54	80	N	1	b
Swatow,	30.21	59	..	NNE	3	b
Canton,	30.20	57	63	SE	1	b
Hongkong,	30.18	60	52		0	b
Victoria Peak,	..	..	..	ENE	1	..
Gap Rock,	30.16	.	..	NE	4	..
Macao,	30.20	61	..	NW	1	c
Haiphong,	30.09	60	..	E	1	o
Cape S. James,	..	..	..	NE	7	f
	..	..	..	..	..	..
	..	..	..	..	.	..

On the 23rd at 11.55 a. The barometer has risen on the China coast. The depression is moving NE across Japan. Gradients slight on China coast, moderate with fresh monsoon in the N. part of China Sea. Forecast:—moderate N winds; fine.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Thursday 23rd February 1899.

INA COAST METEOROLOGICAL REGISTER.

23rd FEBRUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	30.30	33	..	SE	4	c
Tokio,	30.06	..	..	N	4	..
Kochi,	..	..	..	..	..	..
Nagasaki,	29.72	..	..	N	4	..
Kagoshima,	29.64	..	..	NW	8	..
Gutzlaff,	30.13	46	77	NNW	5	bm
Sharp Peak,	30.10	57	72	E	2	b
Amoy,	30.09	64	63	ESE	3	b
Swatow,	30.11	63	..	ESE	3	b
Canton,	30.06	64	53	NE	1	b
Hongkong,	30.06	60	54	E	2	o
Victoria Peak,	.	..	..	N	2	.
Gap Rock,	30.06	..	..	ENE	3	..
Macao,	30.08	65	..	ENE	..	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	NE	7	f
	..	..	..	..	..	..
	..	..	..	..		..

24th FEBRUARY, 1899, AT 10 A.

Wladivostock,	30.15	32	74	S	1	c
Tokio,	..	..	..	..	..	
Kochi,	.	..	..	..	..	..
Nagasaki,	..	..	..	.	..	..
Kagoshima,	.	..	..	..	..	..
Gutzlaff,	30.22	45	92	SE	1	bm
Sharp Peak,	30.15	56	75	WNW	1	o
Amoy,	30.16	53	70	..	0	o
Swatow,		..	..	..	..	.
Canton,		.	..	.	.	.
Hongkong,	30.09	60	56	E	4	o
Victoria Peak,	..	..	..	E	5	..
Gap Rock,	30.08	.	..	ENE	4	..
Macao,	30.09	63	..	ESE	1	c
Haiphong,	30.04	61	..		0	o
Cape S. James,	..	..	..	NE	7	bm
	..	..	..	..	..	..
	..	.	..	..	..	..

4th at 11.5 a. The barometer has fallen in S. China and in the extreme North. Pressure r the E. coast of China. Gradients slight on the ... of the China st:—moderate to fresh NE winds; cloudy, some drizzling rain or mist.

F. G. FIGG,
First Assistant.

VATORY, Friday 24th February 1899.

CHINA COAST METEOROLOGICAL REGISTE

24th FEBRUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.14	..	..	N	6	..
Kochi,	29.95	..	..	NE	2	..
Nagasaki,	30.03	..	..	N	6	..
Kagoshima,	29.99	..	..	N	6	..
Gutzlaff,	30.14	52	73	SE	3	bv
Sharp Peak,	30.06	56	78	E	2	o
Amoy,	30.06	59	76	NNE	1	o
Swatow,	30.02	61	..	NE	2	c
Canton,	29.97	63	72	..	0	o
Hongkong,	29.98	60	64	E	4	o
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	29.97	..	..	ENE	4	..
Macao,	29.97	62	..	ESE	1	o
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	NE	6	bm
	..	..	..	..	..	..
	..	..	..	..	..	..

25th FEBRUARY, 1899, AT 10 A.

Wladivostock,		..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.21	49	93	SE	4	ov
Sharp Peak,	30.11	54	90	WNW	1	or
Amoy,	30.06	56	94	..	0	or
Swatow,		..	..	..	..	
Canton,	30.03	60	88	N		o
Hongkong,	30.05	61	85	E	4	o
Victoria Peak,	..	..	..	ESE	6	..
Gap Rock,	30.02		..	ENE	4	..
Macao,	30.04	60	..	NE	1	o
Haiphong,	30.00	63	..	E	1	or
Cape S. James,	..	..	..	NE	5	of
	..	..		..	..	..
	..	..	..	..	..	..

On the 25th at 11.50 a. The barometer has fallen in China and pressure is now highest over Japan. Gradients moderate to slight with moderate monsoon on the coast, and in the N. part of the China Sea. Forecast:—moderate NE and E winds; cloudy, misty.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Saturday 25th February 1899.

INA COAST METEOROLOGICAL REGISTER.

25th FEBRUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.17	..	..	NE	2	..
Kochi,	30.27	..	..	SE	4	..
Nagasaki,	30.19	..	..	..	0	..
Kagoshima,	30.19	..	..	E	8	..
Gutzlaff,	30.19	51	93	SE	4	ov
Sharp Peak,	30.06	58	88	E	3	c
Amoy,	30.02	60	82	NW	2	o
Swatow,	30.03	64	..	NNE	1	o
Canton,	29.92	64	80	..	0	o
Hongkong,	29.95	62	85	E	4	od
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	29.96	..	..	ENE	4	..
Macao,	29.93	64	..	SSE	1	o
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	NE	5	bm
	..	..	..	..	..	..
	..	..	..	..	..	..

26th FEBRUARY, 1899, AT 10 A.

Wladivostock,	-	..	..	..	..	..
Tokio,	30.41	..	..	..	0	..
Kochi,	30.46	..	..	..	0	..
Nagasaki,	30.38	..	..	..	0	..
Kagoshima,	30.38	..	..	E	6	..
Gutzlaff,	30.29	51	93	E	4	cm
Sharp Peak,	30.15	58	88	NNW	2	og
Amoy,	30.10	59	..	SW	1	c
Swatow,	..	..	..	..	..	..
Canton,	..	..			.	
Hongkong,	30.04	62	85	E	5	o
Victoria Peak,	..	..	..	ESE	5	..
Gap Rock,	30.03	..	..	ENE	4	..
Macao,	30.03	67	..	SSE	1	c
Haiphong,	29.96	65	..	E	1	or
Cape S. James,	..	..	..	NE	6	f
	..	..	—	..	..	..
	..	..	..	..	..	..

e 26th at 11.40 a. The barometer has risen in Japan and on the E. coast of China. A high
ea is central over Japan, and pressure is relatively low off the S. coast of China. Gradients
e North, moderate on the S. and SE coasts of China. Forecast:—fresh NE and E winds; some
ain or mist.

F. G. FIGG,
First Assistant.

SERVATORY, Sunday 26th February 1899.

CHINA COAST METEOROLOGICAL REGISTER

28th FEBRUARY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.30	..	..	S	2	..
Kochi,	30.23	..	..	SE	6	..
Nagasaki,	29.99	..	..	S	10	..
Kagoshima,	30.07	..	..	S	8	..
Gutzlaff,	30.13	46	92	N	4	om
Sharp Peak,	30.00	60	88	..	0	f
Amoy,	30.02	71	80	SE	1	c
Swatow,	30.05	73	..	ESE	1	b
Canton,	29.98	77	73	SW	1	c
Hongkong,	30.00	69	82	E	2	c
Victoria Peak,	.	..	..	SE	2	..
Gap Rock,	29.99	..	..	NE	3	..
Macao,	29.99	73	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	NE	6	bm
	..	..	..	..	..	..
	..	..	..	..		..

1st MARCH, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	.	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.24	44	92	NNW	4	o
Sharp Peak,	30.13	57	87	E	2	og
Amoy,	30.09	64	89	NE	2	o
Swatow,		.	..	..	..	..
Canton,	30.03	60	88		0	b
Hongkong,	30.11	71	80	E	1	o
Victoria Peak,	..	..	..	E	1	..
Gap Rock,	30.09	.	..	N	2	..
Macao,	30.11	70	..	WNW	1	c
Haiphong,	30.02	68	..	E	1	o
Cape S. James,	..	..	..	NE	7	f
	..	..	.	..	..	..
	..	..	..	..	.	..

On the 1st at 11.50 a. The barometer has risen on the E. coast, pressure now being highest over China. The depression is probably moving Eastwards in Japan. Gradients slight to moderate on China coast. Forecast:—moderate NE winds; cloudy, misty.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Wednesday 1st March 1899.

NA COAST METEOROLOGICAL REGISTER.

1st MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,.....	..	..	..	..	..	..
Tokio, ...	30.06	..	..	S	4	..
Kochi, ...	29.91	..	..	E	2	..
Nagasaki, ...	29.95	..	..	N	2	..
Kagoshima,.....	29.95	..	..	W	2	..
Gutzlaff, ...	30.22	47	48	NNW	5	om
Sharp Peak, ...	30.10	56	87	E	4	o
Amoy, ...	30.04	63	83	SE	3	o
Swatow, ...	30.01	76	..	S	2	b
Canton, ...	30.02	81	61	N	2	b
Hongkong, ...	30.01	72	77	WNW	2	b
Victoria Peak, ...	..	..	..	..	0	..
Gap Rock, ...	30.01	..	..	N	2	..
Macao,.....	30.04	75	..	SSE	..	..
Haiphong, ...	..	..	..	..	..	..
Cape S. James, ...	..	..	..	NE	6	m
.....	..	..	..	..	..	..
.....	..	..	..	..	..	..

2nd MARCH, 1899, AT 10 A.

Wladivostock,.....	..	..	..	..	..	..
Tokio, ...	..	..	..	..	..	..
Kochi, ...	..	..	..	..	..	..
Nagasaki, ...	.	..	..	..	..	..
Kagoshima,.....	..	..	..	..	..	..
Gutzlaff, ...	30.35	48	92	NNW	5	om
Sharp Peak, ...	30.24	55	87	E	4	o
Amoy, ...	30.25	59	82	NE	2	o
Swatow, ...	30.25	64	..	NE	3	o
Canton, ...	30.23	59	70	N	2	b
Hongkong, ...	30.21	63	74	ESE	3	o
Victoria Peak, ...	..	..	..	ENE	2	..
Gap Rock, ...	30.19	.	..	NE	4	..
Macao,.....	30.22	65	..	NNW	1	o
Haiphong, ...	30.14	65	..	E	1	o
Cape S. James, ...	..	..	..	NE	7	f
.....	..	..	-	..	..	..
.....	..	..	..	..	..	..

d at 11.50 a. Pressure is high over China and the barometer has risen on the coast e low pressure area probably lies in E. Japan. Gradients slight to moderate with fresh he coast, and in the N. part of the China Sea. Forecast:—moderate NE winds; fair

F. G. FIGG,

First Assistant.

VATORY, Thursday 2nd March 1899.

CHINA COAST METEOROLOGICAL REGISTER

2nd MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	29.87	..	..	..	0	..
Nagasaki,	29.90	..	..	N	4	..
Kagoshima,	29.99	..	..	NW	0	..
Gutziaff,	30.02	45	76	N	4	c
Sharp Peak,	30.21	53	83	E	4	c
Amoy,	30.17	65	63	ENE	2	c
Swatow,	30.16	63	..	SE	1	c
Canton,	30.15	65	63	N	2	b
Hongkong,	30.11	65	70	..	0	c
Victoria Peak,	..	..	..	NNW	1	..
Gap Rock,	30.10	..	..	N	4	..
Macao,	30.12	67	..	N	1	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	NE	0	b
..	..	..	..	..	..	..
..	..	..	..	..	..	..

3rd MARCH, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	.	..	..	..	..	..
Nagasaki,	.	..	..	..	..	..
Kagoshima,	..	..	..	.	..	..
Gutziaff,	30.38	41	75	N	3	c
Sharp Peak,	30.30	59	80	E	4	c
Amoy,	30.26	59	75	NE	3	c
Swatow,	30.28	60	..	NE	3	c
Canton,	30.26	60	66	N	1	c
Hongkong,	30.24	62	67	ENE	2	c
Victoria Peak,	..	..	..	E	1	..
Gap Rock,	30.22	.	..	ENE	4	..
Macao,	30.24	64	..	N	1	c
Haiphong,	30.15	64	..	ENE	3	c
Cape S. James,	..	..	..	N	2	b
..	..	..	..	..	..	..
..	..	..	..	..	..	..

On the 3rd at 11.40 a. The barometer has risen slightly on the China coast. Pressure below over China with slight to moderate gradients and fresh monsoon on the coast, and in the N. part of China Sea. Forecast.—moderate NE winds; fair.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Friday 3rd March 1899.

COAST METEOROLOGICAL REGISTER.

3rd MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.10	..	..	E	2	..
Kochi,	30.11	..	..	S	2	..
Nagasaki,	30.15	..	..	N	6	..
Kagoshima,	30.11	..	..	SE	2	..
Gutzlaff,	30.35	46	62	N	2	b
Sharp Peak,	30.25	56	75	E	2	b
Amoy,	30.21	62	72	SE	1	o
Swatow,	30.15	64	..	ESE	4	b
Canton,	30.13	70	53	N	1	b
Hongkong,	30.12	62	69	E	3	b
Victoria Peak,	..	..	..	E	1	..
Gap Rock,	30.12	..	..	ENE	4	..
Macao,	30.14	67	..	ESE	1	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	E	6	b
	..	..	..	..	..	..
	..	..	..	..		..

4th MARCH, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	.	..	..	..	..	..
Kagoshima,	..	..	..	.	..	..
Gutzlaff,	30.44	45	68	NE	2	cv
Sharp Peak,	30.33	55	74	N	2	c
Amoy,	30.31	56	75	NE	1	c
Swatow,	30.30	60	..	NE	2	b
Canton,	30.22	62	77	E	1	b
Hongkong,	30.24	63	64	NE	3	c
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	30.21	.	..	ENE	5	..
Macao,	30.23	66	..	E	1	c
Haiphong,	30.12	61	..	E	3	b
Cape S. James,	..	..	..	NE	7	m
	..	..	—	..	..	..
	..	..	..	..	..	..

at 11.46 a. The barometer has risen slightly on the E. coast of China, and is inclined to ast The high pressure area seems to be central between N. China and Japan. Gradients fresh monsoon on the coast, and in the N. part of the China Sea. Forecast:—moderate or ls; fine.

F. G. FIGG,

First Assistant.

VATORY, Saturday 4th March 1899.

CHINA COAST METEOROLOGICAL REGIS

4th MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.06	..	..	E	6	..
Kochi,	30.15	..	..	N	6	..
Nagasaki,	30.27	..	..	N	6	..
Kagoshima,	30.19	..	..	NW	6	..
Gutzlaff,	30.37	53	54	E	2	bv
Sharp Peak,	30.25	54	59	NE	5	c
Amoy,	30.20	63	47	NE	2	c
Swatow,	30.16	64	..	E	6	b
Canton,	30.10	70	70	S	1	b
Hongkong,	30.11	63	63	E	4	b
Victoria Peak,	..	..	..	E	3	..
Gap Rock,	30.11	..	..	ENE	5	..
Macao,	30.11	66	..	E	2	b
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	NE	6	f
	..	..	..	..	..	..
	..	..	..	..	..	..

5th MARCH, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	.	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.34	49	85	ESE	3	ov
Sharp Peak,	30.21	54	.	.		
Amoy,	30.22	58	75	NW	1	b
Swatow,	.	..	..	.	.	..
Canton,	30.17	64	78	ENE	1	o
Hongkong,	30.15	62	65	E	3	o
Victoria Peak,	..	..	..	E	5	..
Gap Rock,	30.13	..	..	ENE	4	..
Macao,	30.15	63	..	N	1	o
Haiphong,	30.07	65	..	.	.	or
Cape S. James,	..	..	..	NE	7	om
	..	..	..	..	..	..
	..	.	..	..	..	..

On the 5th at 11.55 a. Pressure is giving way on the China coast with indications of [illegible] Eastwards, of a low pressure area over Central China. Pressure is highest in Japan. Gradie[illegible] to slight with fresh monsoon on the coast, and in the N. part of the China Sea. Forecast:— E winds; cloudy, probably some drizzling rain.

F. G. FIGG,
First Ass[illegible]

HONGKONG OBSERVATORY, Sunday 5th March 1899.

A COAST METEOROLOGICAL REGISTER.

5th MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.14	..	..	S	4	..
Kochi,	30.19	..	..	SE	4	..
Nagasaki,	30.23	..	..	SW	4	..
Kagoshima,	30.23	..	..	SE	2	..
Gutzlaff,	30.24	50	93	SE	4	om
Sharp Peak,	30.12	59	88	NE	2	..
Amoy,	30.07	65	68	SE	3	b
Swatow,	30.08	66	..	ESE	4	b
Canton,	30.07	68	74	E	2	o
Hongkong,	30.05	66	59	E	3	o
Victoria Peak,	..	..	..	E	6	.
Gap Rock,	30.04	..	..	ENE	5	..
Macao,	30.06	60	..	NE	..	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	..	..	..
	..	..	..	..	..	..
	..	..	..	..		..

6th MARCH, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	.	..	..	.	..	..
Kagoshima,	..	..	..		..	..
Gutzlaff,	30.23	51	93	SE	4	ov
Sharp Peak,	30.15	58	91	..	0	o
Amoy,	30.15	60	88	..	0	b
Swatow,	..	..	..	.	.	.
Canton,	30.12	68	80	E	1	b
Hongkong,	30.11	65	82	ENE	4	o
Victoria Peak,	..	..	..	E	7	..
Gap Rock,	30.09	.	..	NE	4	.
Macao,	30.11	70	..	E	1	c
Haiphong,	30.03	67	..	E	3	o
Cape S. James,	..	..	..	NE	6	bm
	..	..	..	..	..	..
	..	.	..	..	.	..

6th at 11.46 a. The barometer is still falling over China. Pressure is highest in the Pacific Japan. Gradients slight with moderate or light monsoon on the coast, and in the N. part of Sea. Forecast:—moderate E winds ; cloudy, misty.

F. G. FIGG,
First Assistant.

SERVATORY, Monday 6th March 1899.

CHINA COAST METEOROLOGICAL REGISTER.

6th MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.06	..	..	S	2	..
Kochi,	30.15	..	..	SE	4	..
Nagasaki,	30.19	..	..	W	2	..
Kagoshima,	30.15	..	..	SW	4	..
Gutzlaff,	30.14	51	93	SE	5	omd
Sharp Peak,	30.06	62	83	E	2	o
Amoy,	30.04	67	74	SE	3	b
Swatow,	30.10	67	..	ESE	3	o
Canton,	30.01	74	72	S	1	o
Hongkong,	30.04	66	79	ESE	3	o
Victoria Peak,	..	..	..	SE	4	.
Gap Rock,	30.03	..	..	ENE	4	..
Macao,	30.03	69	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	NE	5	b
	..	..	..	..	..	..
	..	..	..	..	..	..

7th MARCH, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	.	..	..	.	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.13	52	93	NW	3	om
Sharp Peak,	30.09	60	91		0	o
Amoy,	30.10	62	89	SE	1	c
Swatow,	..	..	..		..	.
Canton,	..	.	..	.	..	.
Hongkong,	30.11	72	69	E	1	b
Victoria Peak,	..	..	..	E	1	.
Gap Rock,	30.11	.	..	NE	3	..
Macao,	30.12	77	..	WSW	1	c
Haiphong,	30.12	67	..	E	1	c
Cape S. James,	..	..	..	NE	7	f
	..	..	..	..	..	.
	..	..	..	..	..	..

On the 7th at 11.50 a. The barometer has fallen in the North. A slight depression, which has pas
from the continent moving Eastwards, lies now between the E coast of China and W. Japan. Gradi
slight but increasing with the monsoon freshening on the coast. Forecast:—N winds, light to moder
fair.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Tuesday 7th March 1899.

NA COAST METEOROLOGICAL REGISTER.

7th MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.06	..	..	S	4	..
Kochi,	30.07	..	..	SW	..	..
Nagasaki,	30.03	..	..	E	4	..
Kagoshima,	30.07	..	..	E	2	..
Gutzlaff,	30.11	51	100	NNW	5	om
Sharp Peak,	30.00	64	89	E	1	b
Amoy,	29.98	66	79	SE	3	c
Swatow,	30.00	72	..	ESE	3	b
Canton,	29.97	82	60	W	1	b
Hongkong,	29.99	74	65	N	1	b
Victoria Peak,	..	..	..	N	1	.
Gap Rock,	30.00	..	..	ENE	2	..
Macao,	30.01	75	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	NE	6	b
	..	..	..	..	..	..
	..	..	..	..		..

8th MARCH, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,		..	..	..	..	..
Nagasaki,	.	..	..	.	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.31	48	93	NNE	3	cv
Sharp Peak,	30.22	60	85	N	2	og
Amoy,	30.20	65	84	NE	1	b
Swatow,	30.16	69	..	E	2	c
Canton,	.		..		..	.
Hongkong,	30.11	74	60	ESE	2	b
Victoria Peak,	..	..	..	ESE	2	.
Gap Rock,	30.10	.	..	NNE	2	.
Macao,	30.11	75	..	SSE	1	b
Haiphong,	30.07	67	..	W	1	o
Cape S. James,	..	..	..	NE	7	m
	..	..	.	..	..	.
	..	..	..	..	.	..

th at 11.45 a. The barometer has risen considerably on the E coast of China. Pressure is N. China, and the low area is probably crossing Japan. Gradients moderate with fresh he coast, slight but increasing with the monsoon freshening in the N. part of the China Sea. esh NE winds ; fair to cloudy, misty.

F. G. FIGG,
First Assistant.

RVATORY, Wednesday 8th March 1899.

CHINA COAST METEOROLOGICAL REGIST

8th MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..		..	..
Tokio,	29.78	..	..	W	6	..
Kochi,	29.99	..	..	W	2	..
Nagasaki,	30.11	..	..	N	4	..
Kagoshima,	30.03	..	..	NW	2	..
Gutzlaff,	30.22	52	79	ENE	2	c
Sharp Peak,	30.16	61	80	E	3	o
Amoy,	30.07	71	66	ENE	2	b
Swatow,	30.08	70	..	ESE	5	b
Canton,	29.97	82	56	S	1	b
Hongkong,	30.02	67	80	E	4	c
Victoria Peak,	-	..	..	E	4	.
Gap Rock,	30.01	..	..	ENE	4	..
Macao,	30.02	72	..	E	1	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	NE	3	b
	..	..	..	..	..	..
	..	..	..	..		..

9th MARCH, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	.	..	..	.	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.04	59	100	SE	3	onp
Sharp Peak,	30.08	62	80	..	..	b
Amoy,	.	..	..	..	.	.
Swatow,	30.13	68	..	ESE	1	b
Canton,	30.10	68	..	E	1	o
Hongkong,	30.11	66	76	ENE	1	o
Victoria Peak,	..	..	..	E	2	..
Gap Rock,	30.09	.	..	NE	4	.
Macao,	30.10	74	..	NE	1	c
Haiphong,	30.03	67	..	E	3	o
Cape S. James,	..	..	..	NE	6	of
	..	..	..	..	..	..
	..	..	..	..	.	..

On the 9th at 11.50 a. Pressure has given way rapidly on the E coast and a depression appears to be moving Eastwards over Central China. Pressure is highest in W. Japan. Gradients slight in S. and in the N. part of the China Sea. Forecast:—E to N winds, moderate or light; fair.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Thursday 9th March 1899.

NA COAST METEOROLOGICAL REGISTER.

9th MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,.....	30.11	34	..	WNW	1	b
Tokio, ...	29.98	..	..	NW	2	..
Kochi, ...	29.99	..	..	..	0	..
Nagasaki, ...	29.95	..	..	W	6	..
Kagoshima,.....	29.99	..	..	W	4	..
Gutzlaff, ...	30.09	47	100	N	6	omd
Sharp Peak, ...	30.07	64	84	ESE	1	b
Amoy, ...	29.95	66	73	SE	3	bf
Swatow, ...	30.03	71	..	ESE	1	b
Canton, ...	29.98	78	90	NW	1	o
Hongkong, ...	29.99	68	76	E	2	b
Victoria Peak, ...	..	..	..	SSE	1	.
Gap Rock, ...	30.00	..	..	ENE	3	..
Macao,.....	30.00	74	..	SSE	1	c
Haiphong, ...	..	..	..	..	..	..
Cape S. James, ...	..	..	..	NE	4	b
.....	..	..	..	..	..	..
....	..	..	..	..	..	..

10th MARCH, 1899, AT 10 A.

Wladivostock,.....	30.02	18	88	NW	1	c
Tokio, ...	..	..	..	..	..	..
Kochi, ...	..	..	..	..	..	..
Nagasaki, ...	.	..	..	..	..	..
Kagoshima,.....	..	..	..	..	..	..
Gutzlaff, ...	30.36	45	76	NNE	4	cv
Sharp Peak, ...	30.28	57	78	NE	5	o
Amoy, ...	30.20	61	82	NE	4	o
Swatow, ...	30.10	66	..	E	5	o
Canton, ...	30.09	72	81	..	0	b
Hongkong, ...	30.12	67	87	E	3	b
Victoria Peak, ...	..	..	..	SE	1	..
Gap Rock, ...	30.11	..	..	ENE	3	..
Macao,.....	30.12	68	..	SSE	1	o
Haiphong, ...	30.12	69	..	E	1	o
Cape S. James, ...	..	..	..	NE	2	bm
....	..	..	..	..	..	..
.....	..	..	..	..	..	..

a at 11.45 a. The barometer has risen rapidly on the E. coast of China, fallen in the Sea of pression, which left the E. coast moving Eastwards yesterday evening, has probably Pressure is again high over N. China. Gradients rather steep with strong monsoon off asts of China. Forecast:—NE winds, freshening considerably; cloudy, misty.

F. G. FIGG,

First Assistant.

rony, Friday 10th March 1899.

CHINA COAST METEOROLOGICAL REGISTER

10th MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.10	..	..	E	2	..
Kochi,	30.07	..	..	SE	4	..
Nagasaki,	30.15	..	..	W	6	..
Kagoshima,	30.07	..	..	SE	2	..
Gutzlaff,	30.29	46	84	NE	3	ov
Sharp Peak,	30.18	59	79	ENE	4	o
Amoy,	30.13	62	78	E	2	c
Swatow,	30.12	68	..	ESE	4	c
Canton,	30.02	81	56	S	2	b
Hongkong,	30.07	67	85	E	4	o
Victoria Peak,	.	..	..	E	5	.
Gap Rock,	30.03	..	..	ENE	4	..
Macao,	30.07	73	..	ESE	1	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	S	2	bm
	..	..	..	..	..	..
	..	..	..	..		..

11th MARCH, 1899, AT 10 A.

Wladivostock,	..	..	..	-	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	.	..	..	.	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.46	43	83	N	5	cv
Sharp Peak,	30.34	55	90	NE	6	ov
Amoy,	30.26	62	77	NE	2	o
Swatow,			.	.	..	.
Canton,	30 25	70	70	N	2	b
Hongkong,	30.22	70	70	..	0	o
Victoria Peak,	..	..	..	NNE	2	..
Gap Rock,	30.22	.	..	ENE	4	.
Macao,	30.23	75	..	WSW	1	c
Haiphong,	30.10	69	..	ENE	1	b
Cape S. James,	..	..	..	NE	3	b
	..	..	.	..	..	..
	.	.	..	..	..	..

On the 11th at 11.59 a. A high pressure area is central over N. China, and the barometer has risen on the coast generally. Gradients moderate with strong monsoon on the coast, and in the N. part of China Sea. Forecast:—fresh to moderate N and NE winds; fair.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Saturday 11th March 1899.

NA COAST METEOROLOGICAL REGISTER.

11th MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.98	..	..	SE	2	..
Kochi,	29.99	..	..	..	0	..
Nagasaki,	30.11	..	..	N	6	..
Kagoshima,	30.11	..	..	NW	6	..
Gutzlaff,	30.46	45	92	N	5	c
Sharp Peak,	30.30	59	88	E	5	og
Amoy,	30.22	66	68	NE	2	o
Swatow,	30.20	65	..	E	4	o
Canton,	30.21	67	64	NE	3	o
Hongkong,	30.15	70	48	N	2	o
Victoria Peak,	.	..	..	NNE	2	..
Gap Rock,	30.15	..	..	ENE	2	..
Macao,	30.16	73	..	NNE	2	c
Haiphong,	..	..	..	..	.	..
Cape S. James,	..	..	..	SE	5	b
	..	..	..	..	..	..
	..	..	..	..	.	..

12th MARCH, 1899, AT 10 A.

Wladivostock,	..	..	..	.	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	.	..	..	.	..	..
Kagoshima,	..	..	..		..	..
Gutzlaff,	30.51	44	68	N	3	cv
Sharp Peak,	30.43	54	80	NNE	6	ov
Amoy,	30.34	55	74	NE	3	c
Swatow,			..	.	.	.
Canton,	30.20	62	61	NE	1	b
Hongkong,	30.29	64	50	ESE	1	b
Victoria Peak,	..	..	..	ENE	2	..
Gap Rock,	30.28	.	..	NNE	4	.
Macao,	30.30	66	..	N	1	c
Haiphong,	30.22	67	..	ENE	3	o
Cape S. James,	..	..	..	NE	3	b
	..	..	..	..	..	..
	..	..	..	..	.	..

11th at 11.30 a. The anticyclone remains central over N. China, and a further increase of taken place on the coast. Gradients moderate with strong monsoon on the coast, and in the China Sea. Forecast:—fresh or moderate NE winds; fair.

F. G. FIGG,
First Assistant.

SERVATORY, Sunday 12th March 1899.

CHINA COAST METEOROLOGICAL REGISTE

12th MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.90	..	..	NW	8	..
Kochi,	30.11	..	..	N	8	..
Nagasaki,	30.23	..	..	N	6	..
Kagoshima,	30.19	..	..	NW	6	..
Gutzlaff,	30.43	49	44	N	3	bv
Sharp Peak,	30.31	53	90	..	..	b
Amoy,	30.20	62	56	NE	4	c
Swatow,	..	..	..	..	..	..
Canton,	30.14	74	40	NE	1	b
Hongkong,	30.14	64	61	ESE	3	b
Victoria Peak,	.	..	..	E	2	.
Gap Rock,	30.12	..	..	E	4	..
Macao,	30.14	68	..	SSE	1	..
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	..	.	..
	..	..	..	..	..	..
	..	..	..	..	.	..

13th MARCH, 1899, AT 10 A.

Wladivostock,	..	..	..	-	..	..
Tokio,	..	..	..	..	..	..
Kochi,	.	..	..	..	..	..
Nagasaki,	.	..	..	-	..	..
Kagoshima,	..	..	..	.	..	..
Gutzlaff,	30.39	47	70	SSE	1	bv
Sharp Peak,	30.29	54	87	NE	1	ov
Amoy,	30.26	57	69	..	0	b
Swatow,		.	..	..	..	..
Canton,	30 21	66	68	E	1	b
Hongkong,	30.23	62	67	ENE	3	c
Victoria Peak,	..	..	..	E	2	..
Gap Rock,	30.20	.	..	ENE	4	..
Macao,	30.23	66	..	ESE	1	c
Haiphong,	30.15	65	..	ENE	1	o
Cape S. James,	..	..	..	S	2	om
	..	..	..	..	..	..
	..	..	..	..	.	..

On the 13th at 11.45 a Pressure is giving way over China, and the high pressure area is prob central in W. Japan. Gradients slight on the coast, moderate with strong monsoon in the N. pa China Sea. Forecast:—moderate NE winds ; fine.

F. G. FIGG,
First Assistan

HONGKONG OBSERVATORY, Monday 13th March 1899.

NA COAST METEOROLOGICAL REGISTER.

13th MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,.....	30.00	31	..	SW	4	c
Tokio, ...	30.10	..	..	W	4	..
Kochi, ...	30.15	..	..	SE	4	..
Nagasaki, ...	30.22	..	..	W	4	..
Kagoshima,.....	30.19	..	..	SW	4	..
Gutzlaff, ...	30.26	52	66	SE	2	a
Sharp Peak, ...	30.17	56	75	E	5	c
Amoy, ...	30.15	65	73	E	3	b
Swatow, ...	30.15	65	..	E	4	b
Canton, ...	30.07	75	56	SW	1	b
Hongkong, ...	30.09	63	62	E	3	b
Victoria Peak, ...	..	..	..	E	3	..
Gap Rock, ...	30.10	..	..	ENE	4	..
Macao,.....	30.11	68	..	E	1	c
Haiphong, ...	..	..	..	..	..	..
Cape S. James, ...	..	..	..	NE	3	b
.....	..	..	..	..	..	..
....	..	..	..	..	..	..

14th MARCH, 1899, AT 10 A.

Wladivostock,.....	30.05	25	69	N	1	c
Tokio, ...	..	..	..	..	..	..
Kochi, ...	..	..	..	..	..	..
Nagasaki, ...	.	..	..	..	..	..
Kagoshima,.....	..	..	..	..	..	..
Gutzlaff, ...	30.30	51	79	ESE	2	o
Sharp Peak, ...	30.21	57	75	..	0	o
Amoy, ...	30.15	58	81	..	0	b
Swatow, ...	..		..	..	..	..
Canton, ...		..	..	..	.	
Hongkong, ...	30.15	65	77	E	3	b
Victoria Peak, ...	..	..	..	E	2	..
Gap Rock, ...	30.13	.	..	ENE	4	..
Macao,.....	30.16	70	..	SSE	1	c
Haiphong, ...	30.07	65	..	..	0	o
Cape S. James, ...	..	..	..	NW	5	o
.....	..	..	..	..	..	..
.....	..	..	..	..	..	..

14th at 11.40 a. The barometer has fallen on the China coast. Pressure appears to be highest E. coast of China and Japan. Gradients slight on the coast, moderate with fresh monsoon rt of the China Sea. Forecast:—moderate NE winds; fine.

F. G. FIGG,
First Assistant

ERVATORY, Tuesday 14th March 1899.

CHINA COAST METEOROLOGICAL REGIST

14th MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	.	..	..
Tokio,	30.02	..	..	S	4	..
Kochi,	30.11	..	..	SE	2	..
Nagasaki,	30.19	..	..	N	4	..
Kagoshima,	30.15	..	..	NW	4	..
Gutzlaff,	30.26	54	61	E	3	cv
Sharp Peak,	30.13	58	81	E	6	c
Amoy,	30.09	68	60	ENE	2	b
Swatow,	30.08	68	..	E	3	b
Canton,	30.01	78	58	SW	2	b
Hongkong,	30.02	65	70	E	3	b
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	30.01	..	..	ENE	4	..
Macao,	30.03	70	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	3	b
	..	..	..	..	..	..
	..	..	..	..	.	..

15th MARCH, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	.	..	..	..	..	..
Nagasaki,	.	..	..	..	..	..
Kagoshima,	..	..	..	.	..	..
Gutzlaff,	30.14	52	79	SE	4	cv
Sharp Peak,	30.17	58	76	W	2	og
Amoy,	30.14	60	82	SW	1	b
Swatow,	30.18	66	..	W	1	o
Canton,		..	..	..	.	
Hongkong,	30.11	67	67	E	3	o
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	30.09	.	..	ENE	4	..
Macao,	30.10	69	..	ESE	1	c
Haiphong,	30.00	67	..	ENE	3	o
Cape S. James,	..	..	..	N	2	f
	..	..	.	..	..	..
	..	..	..	..	..	..

On the 15th at 11.45 a. The barometer has fallen considerably on the E. coast with indicat depression moving Eastwards over Central China Gradients slight on the coast, and in the N the China Sea. Forecast:—moderate E winds ; fair.

F. G. FIGG,
First Assistan

HONGKONG OBSERVATORY, Wednesday 15th March 1899.

A COAST METEOROLOGICAL REGISTER.

15th MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.22	..	..	S	6	..
Kochi,	30.27	..	..	SE	4	..
Nagasaki,	30.17	..	..	S	8	..
Kagoshima,	30.19	..	..	SE	4	..
Gutzlaff,	30.07	67	75	NW	1	cv
Sharp Peak,	30.00	62	69	E	1	b
Amoy,	29.99	68	70	SE	3	b
Swatow,	30.06	68	..	E	4	o
Canton,	30.04	72	71	E	1	o
Hongkong,	30.04	70	66	ESE	1	o
Victoria Peak,	.	..	..		0	.
Gap Rock,	30.03	..	..	NE	4	..
Macao,	30.03	71	..	NE	1	o
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	SE	3	b
	..	..	..	..	..	..
	..	..	..	..	..	..

16th MARCH, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	.	..	..	..	..	..
Nagasaki,	.	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.24	48	68	N	5	cm
Sharp Peak,	30.22	56	81	NNE	6	og
Amoy,	30.16	62	89	NE	3	o
Swatow,		.	..	.	..	.
Canton,	30.12	66	83	NW	1	od
Hongkong,	30.09	69	80	..	0	o
Victoria Peak,	.	..	..	NW	3	..
Gap Rock,	30.08	.	..	NNW	4	..
Macao,	30.12	70	..	NW	1	c
Haiphong,	30.10	69	..	E	1	o
Cape S. James,	..	..	..	NE	3	om
	..	..	..	..	..	..
	..	..	..	..	..	..

at 11.45 a. The barometer has risen considerably on the E. coast of China, the depression eastwards moving towards Japan. Pressure is again high over N. China. Gradients ong monsoon on the coast, slight with moderate monsoon in the N. part of the China Sea. NE winds, moderate to fresh; fair.

F. G. FIGG,
First Assistant.

ronv, Thursday 16th March 1899.

CHINA COAST METEOROLOGICAL

16th MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.74	..	..	S	4	..
Kochi,	29.75	..	..	SW	2	..
Nagasaki,	29.99	..	..	NW	8	..
Kagoshima,	29.95	..	..	NW	8	..
Gutzlaff,	30.32	45	53	N	4	cm
Sharp Peak,	30.17	55	80	ENE	6	og
Amoy,	30.07	59	76	NE	4	or
Swatow,	30.16	66	..	E	4	o
Canton,	30.07	63	72	N	3	og
Hongkong,	30.01	71	70	W	2	o
Victoria Peak,	.	..	..	WNW	5	.
Gap Rock,	30.00	..	..	NNW	5	..
Macao,	30.05	70	..	NNW	2	c
Haiphong,	..	..	..	..	.	..
Cape S. James,	..	..	..	S	3	b
	..	..	..	..	..	..
	..	..	..	..	.	..

17th MARCH, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	29.63	..	..	N	2	..
Kochi,	29.87	..	..	W	6	.
Nagasaki,	30.07	..	..	N	8	.
Kagoshima,	30.07	..	..	N	8	..
Gutzlaff,	30.40	42	75	N	3	b
Sharp Peak,	30.30	55	65	NE	3	c
Amoy,	30.24	56	75	NE	2	b
Swatow,	30.26	62	..	ENE	3	c
Canton,	30.24	62	61	E	1	b
Hongkong,	30.18	63	62	ENE	3	o
Victoria Peak,	..	..	..	E	3	..
Gap Rock,	30.18	.	..	ENE	4	..
Macao,	30.18	66	..	NE	1	c
Haiphong,	30.13	64	..	NE	1	o
Cape S. James,	..	..	..	N	3	f
	..	..		..	..	..
	.		..	..	.	..

On the 17th at 11.4 a. The barometer has risen on the China coast. The depression lies off the coast of Japan, and a high pressure area is central over N. China Gradients moderate with fresh [illegible] on the coast, and in the N. part of the China Sea. Forecast:—moderate NE winds; fine.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Friday 17th March 1899.

NA COAST METEOROLOGICAL REGISTER.

17th MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	.	..	..
Tokio,	29.51	..	..	N	4	..
Kochi,	29.83	..	..	W	2	..
Nagasaki,	30.03	..	..	NW	4	..
Kagoshima,	30.03	..	..	NW	10	..
Gutzlaff,	30.35	46	54	N	3	b
Sharp Peak,	30.21	54	61	E	7	b
Amoy,	30.15	64	48	NE	4	b
Swatow,	30.11	65	..	ESE	6	b
Canton,	30.14	73	58	W	1	b
Hongkong,	30.07	63	65	E	4	o
Victoria Peak,	.	..	..	E	3	.
Gap Rock,	30.05	..	..	ENE	5	..
Macao,	30.07	69	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Cape S. James,	..	..	..	SE	3	bm
	..	..	..	..	..	..
	..	..	..	..	.	..

18th MARCH, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.40	46	54	ESE	1	cv
Sharp Peak,	30.31	53	70	N	2	b
Amoy,	30.30	55	62	NE	2	b
Swatow,	30.27	60	..	ENE	6	b
Canton,	..	..	..		..	.
Hongkong,	30.21	61	51	E	4	c
Victoria Peak,	..	..	..	E	3	..
Gap Rock,	30.19	.	..	ENE	5	..
Macao,	30.20	68	..	ESE	1	c
Haiphong,	.	..	..	.	..	.
Cape S. James,	..	..	..	NE	3	f
..	..	..	..	..	..	..
..	..	..	..	..	..	..

at 11.45 a. Barometric changes on the China coast are slight. The high pressure area spreading over Japan, and pressure is relatively low in the S. part of the China Sea. to moderate on the coast, rather steep with very strong monsoon in the N. part of the coast:—fresh NE winds; fair.

F. G. FIGG,
First Assistant

TORY, Saturday 18th March 1899.

CHINA COAST METEOROLOGICAL REGIST

18th MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.75	34	..	E	3	..
Tokio,	29.82	..	..	S	4	..
Kochi,	30.03	..	..	W	2	..
Nagasaki,	30.15	..	..	NW	6	..
Kagoshima,	30.15	..	..	NW	6	..
Gutzlaff,	30.35	47	55	E	1	cgv
Sharp Peak,	30.19	57	69	ENE	4	b
Amoy,	30.15	65	49	NE	3	b
Swatow,	30.13	64	..	ESE	5	b
Canton,	30.03	75	64	SW	1	b
Hongkong,	30.05	63	52	E	4	b
Victoria Peak,	-	..	..	E	3	.
Gap Rock,	30.05	..	..	ENE	6	..
Macao,	30.04	68	..	SE	1	b
Haiphong,	..	..	..	..	..	..
Manila,	29.84	81	60	N	2	o
Cape S. James,	..	..	..	NE	5	f
	..	..	..	..		..

19th MARCH, 1899, AT 10 A.

Wladivostock,	29.92	32	65	N	1	c
Tokio,		..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,		..	..		..	.
Gutzlaff,	30.33	50	72	SE	3	bv
Sharp Peak,	30.24	55	74	E	2	o
Amoy,	30.19	58	78	..	0	c
Swatow,		..	..	..	.	.
Canton,	30.16	66	89	E	1	b
Hongkong,	30.16	63	62	E	4	c
Victoria Peak,	..	..	..	ENE	4	..
Gap Rock,	30.12	.	..	ENE	5	.
Macao,	30.16	68	..	E	2	c
Haiphong,	30.02	66	..	E	3	or
Manila,	..	..	..	..		
Cape S. James,	..	..		NE	5	f
	.	..	..	..		..

On the 19th at 11.50 a.m. The barometer has risen in the South, fallen over China. Pre highest between the E. coast of China and Japan Gradients moderate with fresh monsoon on the and in the N. part of the China Sea. Forecast:—fresh NE winds; fine.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Sunday 19th March 1899.

A COAST METEOROLOGICAL REGISTER.

19th MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.96	46	..	N	5	c
Tokio,	29.86	..	..	S	2	..
Kochi,	30.03	..	..	SE	4	..
Nagasaki,	30.19	..	..	NW	8	..
Kagoshima,	30.15	..	..	NW	6	..
Gutzlaff,	30.28	53	79	ESE	3	c
Sharp Peak,	30.13	56	78	E	6	c
Amoy,	30.09	65	58	SE	2	c
Swatow,	30.07	67	..	E	3	b
Canton,	30.02	77	73		0	b
Hongkong,	30.04	65	70	E	4	b
Victoria Peak,	.	..	..	E	5	.
Gap Rock,	30.02	..	..	ENE	5	..
Macao,	30.05	70	..	ESE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	86	58	SW	1	c
Cape S. James,	..	..	..	..	..	..
	..	..	..	..	.	..

20th MARCH, 1899, AT 10 A.

Wladivostock,	30.23	29	60	W	2	b
Tokio,		..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,		..	..	..	..	..
Gutzlaff,	30.33	52	73	ESE	3	bv
Sharp Peak,	30.22	57	72	E	1	ov
Amoy,	30.20	61	71	NE	1	c
Swatow,		..	..		..	.
Canton,	30.16	69	75	SE	1	b
Hongkong,	30.16	65	69	E	4	o
Victoria Peak,	..	..	..	E	.	.
Gap Rock,	30.13	.	..	ENE	4	
Macao,	30.15	70	..	ENE	1	c
Haiphong,	30.07	65	..	ESE	4	o
Manila,	..	..	..	..		.
Cape S. James,	..	..		NE	6	f
	..	.	..	.		.

11.45 a. The barometer has risen in the extreme North, and remains almost steady on Pressure is highest over the W. part of the Sea of Japan. Gradients slight to moderate resh monsoon on the coast, and in the N. part of the China Sea. Forecast:—moderate

F. G. FIGG,
First Assistant.

RY, Monday 20th March 1899.

CHINA COAST METEOROLOGICAL REGISTER

20th MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	.	..		..	..
Tokio,	30.10	..	..	NW	8	..
Kochi,	30.19	..	..	NE	2	..
Nagasaki,	30.19	..	..	SW	4	..
Kagoshima,	30.19	..	..	E	4	..
Gutzlaff,	30.26	54	74	E	3	cv
Sharp Peak,	30.13	59	76	E	4	c
Amoy,	30.09	65	73	SE	3	b
Swatow,	30.07	69	..	E	4	b
Canton,	..	..	..		.	.
Hongkong,	30.04	66	73	E	4	b
Victoria Peak,	.	..	..	E	1	.
Gap Rock,	30.01	..	..	ENE	4	..
Macao,	30.03	72	..	ENE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	.	..	..	..
Cape S. James,	..	..	..	NE	6	bm
	..	..	..	..	.	..

21st MARCH, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	.	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,		..	..		..	..
Gutzlaff,	30.31	50	93	NE	3	cmd
Sharp Peak,	30.17	59	82	NNW	1	o
Amoy,	30.18	62	83	SE	1	o
Swatow,	.	..	..		..	.
Canton,	30.14	70	80	SE	2	b
Hongkong,	30.15	67	68	E	3	b
Victoria Peak,	..	..	..	E	3	..
Gap Rock,	30.13	.	..	ENE	4	..
Macao,	30.14	72	..	ENE	1	c
Haiphong,	30.06	69	..	ESE	3	..
Manila,	..	..	..	..		
Cape S. James,	..	..		NE	7	f
	..	..	..	..	.	..

On the 21st at 11.45 a. Barometric changes are slight. Pressure is highest over the Yell with slight to moderate gradients and moderate to fresh monsoon on the coast, and in the N. part China Sea. Forecast:—moderate NE winds; fair.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Tuesday 21st March 1899.

A COAST METEOROLOGICAL REGISTER.

21st MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.18	..	..	S	4	..
Kochi,	30.19	..	..	SE	2	..
Nagasaki,	30.19	..	..	W	6	..
Kagoshima,	30.19	..	..	NE	2	..
Gutzlaff,	30.29	52	93	E	2	om
Sharp Peak,	30.10	58	81	E	3	og
Amoy,	30.09	66	73	SE	3	b
Swatow,	30.05	68	..	E	4	b
Canton,	30.02	82	71	SW	1	b
Hongkong,	30.02	68	75	E	4	b
Victoria Peak,	..	..	..	E	1	..
Gap Rock,	30.02	..	..	ENE	4	..
Macao,	30.03	73	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	86	65	WNW	1	cm
Cape S. James,	..	..	..	NE	7	f
....	..	..	..	..	..	..

22nd MARCH, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.27	51	93	NE	3	cm
Sharp Peak,	30.16	57	87	E	2	ov
Amoy,	30.17	62	83	ENE	3	..
Swatow,	..	..	..	..	..	..
Canton,	..			.	..	..
Hongkong,	30.11	69	72	E	2	o
Victoria Peak,	..	..	..	E	2	..
Gap Rock,	30.09	.	..	ENE	4	..
Macao,	30.11	72	..	SE	1	c
Haiphong,	30.06	67	..	E	3	o
Manila,	..	..	..	..	..	.
Cape S. James,	..	..	..	NE	6	of
....	..	..	..	..	.	..

t 11.45 a.m. Pressure is very little changed, and is still highest over the Yellow Sea.
moderate with moderate monsoon on the coast, and in the N. part of the China Sea.
te NE winds; fair.

F. G. FIGG,
First Assistant

RY, Wednesday 22nd March 1899.

CHINA COAST METEOROLOGICAL REGISTER

22nd MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..		..	..
Tokio,	30.06	..	..	SE	2	..
Kochi,	30.07	..	..	S1	2	..
Nagasaki,	30.07	..	..	W	4	..
Kagoshima,	30.07	..	..	SW	4	..
Gutzlaff,	30.18	52	86	E	3	cgv
Sharp Peak,	30.05	59	87	E	5	og
Amoy,	30.02	64	78	NE	3	o
Swatow,	30.03	68	..	ESE	2	b
Canton,	29.96	72	76	S	1	h
Hongkong,	29.98	68	74	E	3	b
Victoria Peak,	..	..	..	E	1	..
Gap Rock,	29.98	..	..	ENE	4	..
Macao,	29.99	72	..	SE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	84	58	E	1	o
Cape S. James,	..	..	..	NE	6	m
..	..	..	..	..	..	..

23rd MARCH, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.15	47	93	NNW	1	ov
Sharp Peak,	30.09	56	87	..	0	og
Amoy,	30.05	62	89	NE	1	or
Swatow,	30.11	60	..	N	1	o
Canton,	30.05	69	80	NE	1	o
Hongkong,	30.05	69	78		0	o
Victoria Peak,	..	..	..	NW	1	..
Gap Rock,	30.05	..	..	NNE	3	..
Macao,	30.06	74	..	SW	1	c
Haiphong,	30.06	69	..	ENE	1	o
Manila,	..	..	..	..	..	..
Cape S. James,	..	..	..	NE	3	om
..	..	..	..	..	..	..

On the 22rd at 11.5[illegible] a. The barometer has fallen, particularly on the E. coast of China. A depr[illegible] probably lies near SW Japan. Gradients slight with light to moderate monsoon on the coast, and i[illegible] N. part of the China Sea. Forecast:—moderate N winds; cloudy, probably some rain.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Thursday 23rd March 1899.

A COAST METEOROLOGICAL REGISTER.

23rd MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.88	31	..	NW	1	b
Tokio,	29.82	..	..	SE	4	..
Kochi,	29.87	..	..	S	2	..
Nagasaki,	29.87	..	..	SW	6	..
Kagoshima,	29.87	..	..	S	2	..
Gutzlaff,	30.09	54	61	NNW	2	bv
Sharp Peak,	29.99	59	85	E	1	o
Amoy,	29.97	65	78	SE	3	c
Swatow,	29.94	71	..	E	4	b
Canton,	29.92	82	83	S	1	b
Hongkong,	29.92	71	72	ESE	1	o
Victoria Peak,	..	..	..	SW	1	..
Gap Rock,	29.92	..	..	..	0	..
Macao,	29.92	74	..	E	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	.	..	..	..	.
Cape S. James,	..	..	..	SE	5	bm
....	..	..	..	..	..	..

24th MARCH, 1899, AT 10 A.

Wladivostock,	29.89	26	82	..	0	c
Tokio,		..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	.	..	..
Gutzlaff,	30.14	54	74	SW	3	bv
Sharp Peak,	30.14	57	84	E	2	o
Amoy,	30.10	61	82	NE	1	b
Swatow,	..	..	..	..	..	..
Canton,	..	..	.	.	..	.
Hongkong,	30.09	67	74	E	4	c
Victoria Peak,	.	..	..	E	4	..
Gap Rock,	30.07	.	..	ENE	4	.
Macao,	30.09	73	..	E	1	c
Haiphong,	29.98	68	..	.	0	o
Manila,	..	..	..	..		
Cape S. James,	..	..	..	NE	6	f
.	..	..	..	..		..

at 11.55 a. Barometric changes are slight. The depression appears to be still lying in
Gradients slight with light to moderate monsoon in S. China, and in the N. part of
orecast:—moderate E winds; fair.

F. G. FIGG,
First Assistant

ORY, Friday 24th March 1899.

CHINA COAST METEOROLOGICAL REG

24th MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.82	..	..	N	8	..
Kochi,	29.83	..	..	W	2	..
Nagasaki,	29.95	..	..	NW	8	..
Kagoshima,	29.95	..	..	N	8	..
Gutzlaff,	30.09	61	82	SW	3	cm
Sharp Peak,	30.06	61	79	E	1	b
Amoy,	30.03	70	53	NE	3	b
Swatow,	30.03	70	..	ESE	4	b
Canton,	29.97	80	87	..	0	o
Hongkong,	29.95	69	59	E	4	c
Victoria Peak,	..	..	..	E	3	..
Gap Rock,	29.94	..	..	ENE	5	..
Macao,	29.94	73	..	ESE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	86	79	ESE	1	b
Cape S. James,	..	..	..	NE	3	m
	..	..	..	..	..	..

25th MARCH, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.11	57	63	ESE	1	cgm
Sharp Peak,	30.01	61	71	NW	1	c
Amoy,	30.05	63	78	NW	1	c
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	30.00	68	82	E	3	o
Victoria Peak,	..	..	..	ESE	4	..
Gap Rock,	29.98	..	..	E	3	..
Macao,	30.00	72	..	ESE	1	c
Haiphong,	29.94	70	..	ENE	..	o
Manila,	29.96	82	63	..	0	c
Cape S. James,	..	..	..	NE	2	om
	..	..	..	..	..	..

On the 25th at 11.5 a. The barometer continues to fall on the China coast. Pressure ap highest between the E. coast of China and Japan. Gradients slight with light to moderate E the coast, and in the N. part of the China Sea. Forecast:—moderate E winds; cloudy, som rain or mist.

F. G. FIGG,
First Assistan

HONGKONG OBSERVATORY, Saturday 25th March 1899.

A COAST METEOROLOGICAL REGISTER.

25th MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.06	..	..	S	4	..
Kochi,	29.99	..	..	SE	2	..
Nagasaki,	30.07	..	..	W	6	..
Kagoshima,	30.07	..	..	SW	4	..
Gutzlaff,	30.13	52	93	NW	3	omd
Sharp Peak,	30.07	60	88	..	0	od
Amoy,	29.94	65	73	SE	1	or
Swatow,	29.95	68	..	NNE	2	o
Canton,	29.91	65	95	NE	1	o
Hongkong,	29.93	67	88	E	1	od
Victoria Peak,	.	..	..	NE	1	..
Gap Rock,	29.89	..	..	E	3	..
Macao,	29.94	70	..	NNW	1	r
Haiphong,	..	..	..	..	..	..
Manila,	29.84	84	58	SSE	3	c
Cape S. James,	..	..	..	SE	3	f
..	..	..	..	..	..	..

26th MARCH, 1899, AT 10 A.

Wladivostock,	..	.	..	..	..	.
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	.	..	..	..	..	..
Gutzlaff,	30.23	46	47	NW	6	cm
Sharp Peak,	30.18	61	80	E	1	c
Amoy,	30.12	61	71	N	2	o
Swatow,	30 16	66	..	N	2	c
Canton,	30.17	64	..	S	1	b
Hongkong,	30.15	64	53	NNE	2	o
Victoria Peak,	..	..	..	N	2	..
Gap Rock,	30.13	.	..	N	4	..
Macao,	30.16	65	..	NNE	1	od
Haiphong,	30.19	65	..	W	3	or
Manila,	..	..	..	..	..	.
Cape S. James,	..	..	.	SE	3	o
..	..	..	..	..		

26th at 11.59 a. A high pressure area covers Central China and the barometer has risen on erally Pressure is low, probably over Japan. Gradients moderate with fresh monsoon on d in the N. part of the China Sea. Forecast:—moderate N to NE winds; fine.

F. G. FIGG,
First Assistant

SERVATORY, Sunday 26th March 1899.

CHINA COAST METEOROLOGICAL REGISTER.

26th MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.90	..	..	..	0	..
Kochi,	29.73	..	..	W	4	..
Nagasaki,	29.91	..	..	W	3	..
Kagoshima,	29.91	..	..	N	3	..
Gutzlaff,	30.17	53	36	NW	5	bm
Sharp Peak,	30.10	61	71	E	2	of
Amoy,	30.05	66	68	E	1	b
Swatow,	30.01	68	..	E	4	b
Canton,	30.03	73	81	S	1	c
Hongkong,	30.02	72	31	NNE	2	c
Victoria Peak,	..	..	..	N	2	-
Gap Rock,	30.03	..	..	NE	4	..
Macao,	30.00	73	..	N	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	88	54	SW	1	c
Cape S. James,	..	..	..	..	..	..
....	..	..	..	..	..	..

27th MARCH, 1899, AT 10 A.

Wladivostock,	..	.	..	..	..	.
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.09	52	66	SSW	5	bm
Sharp Peak,	30.15	61	66	.	0	b
Amoy,	30.18	59	76	NE	1	b
Swatow,	30 15	64	..	NE	3	bf
Canton,	30.11	66	84	E	1	b
Hongkong,	30.12	66	63	E	3	b
Victoria Peak,	..	..	..	E	3	..
Gap Rock,	30.09	.	..	ENE	4	..
Macao,	30.12	70	..	NE	1	b
Haiphong,	30.08	60	..	..	0	b
Manila,	.	..	..	..	..	.
Cape S. James,	..	..		NE	2	f
....	..	..	..	.	.	..

On the 27th at 11.50 a. The barometer is falling over China, particularly in the North where pressure seems to be again low. The highest pressure extends from S. China towards the Loochoos Gradients slight to moderate with moderate monsoon in S. China, and fresh monsoon in the N. part of the China Sea. Forecast:—moderate NE winds; fine.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Monday 27th March 1899.

CHINA COAST METEOROLOGICAL REGISTER.

27th MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.82	..	..	SE	4	..
Kochi,	29.91	..	..	SE	4	..
Nagasaki,	30.03	..	..	W	6	..
Kagoshima,	30.03	..	..	W	4	..
Gutzlaff,	30.00	58	58	S	5	bm
Sharp Peak,	30.02	60	68	ENE	2	b
Amoy,	30.02	65	58	SE	3	b
Swatow,	30.02	67	..	ESE	3	b
Canton,	29.98	79	87	SW	1	b
Hongkong,	29.98	67	52	E	3	b
Victoria Peak,	.	..	..	E	1	..
Gap Rock,	29.98	..	..	ENE	4	..
Macao,	29.99	71	..	SSE	1	b
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Cape S. James,	..	..	..	NE	2	bm
.....	..	..	..	..	..	..

28th MARCH, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	.
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.09	59	88	SSW	3	cm
Sharp Peak,	30.11	62	69	NE	1	b
Amoy,	30.16	58	76	W	1	c
Swatow,	30.16	65	..	N	2	b
Canton,	30.10	68	85	E	1	b
Hongkong,	30.12	68	65	E	2	b
Victoria Peak,	..	..	..	E	2	..
Gap Rock,	30.10	.	..	ENE	5	..
Macao,	30.12	72	..	ENE	1	c
Haiphong,	30.01	66	..	NNW	..	c
Manila,	..	..	..	..	..	.
Cape S. James,	..	..	..	N	2	of
.....	.	..	..	..	.	.

On the 28th at 11.55 A. Barometric changes are slight Pressure remains highest over S. China, and low apparently, in N. China. Gradients slight on the coast, moderate with fresh monsoon in the N. part of the China Sea. Forecast:—moderate NE winds; fine.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Tuesday 28th March 1899.

CHINA COAST METEOROLOGICAL REGISTER.

28th MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.98	..	..	S	4	..
Kochi,	30.03	..	..	SE	2	..
Nagasaki,	30.07	..	..	SW	8	..
Kagoshima,	30.11	..	..	W	6	..
Gutzlaff,	30.07	66	59	S	2	cm
Sharp Peak,	30.01	62	75	E	1	b
Amoy,	30.02	68	65	SE	3	b
Swatow,	30.02	70	..	E	3	b
Canton,	29.96	81	87	..	0	b
Hongkong,	29.96	69	68	E	3	o
Victoria Peak,	..	..	..	E	1	..
Gap Rock,	29.95	..	..	ENE	4	..
Macao,	29.97	74	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	86	52	SE	2	c
Cape S. James,	..	..	..	NE	2	m
.....	..	..	..	..	..	..

29th MARCH, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,		..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.08	57	87	S	3	cm
Sharp Peak,	30.07	65	73	..	0	b
Amoy,	30.10	62	77	..	0	c
Swatow,	..	..	..	..	..	..
Canton,	29.99	73	86	S	1	b
Hongkong,	30.03	69	84	E	2	o
Victoria Peak,	..	..	..	ESE	3	..
Gap Rock,	30.01	..	..	ENE	2	..
Macao,	30.02	74	..	ENE	1	c
Haiphong,	29.99	68	..	E	3	o
Manila,	..	..	..	..	..	..
Cape S. James,	..	..	..	NE	6	bm
.....	..	..	..	..	..	..

On the 29th at 11.50 a. The barometer has fallen in S. China. Pressure is highest over the Pacific in the neighbourhood of the Loochoos, and still low in N. China. Gradients slight with light to moderate monsoon in S. China, and in the N. part of the China Sea. Forecast:—moderate or light E winds; cloudy, misty.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Wednesday 29th March 1899.

CHINA COAST METEOROLOGICAL REGISTER.

29th MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.14	..	..	S	4	..
Kochi,	30.15	..	..	SE	4	..
Nagasaki,	30.15	..	..	SW	4	..
Kagoshima,	30.19	..	..	S	4	..
Gutzlaff,	30.03	61	82	SSE	4	cm
Sharp Peak,	29.97	66	79	E	1	b
Amoy,	29.94	67	64	SE	3	c
Swatow,	..	..	..	..	..	..
Canton,	29.92	81	91	SE	1	o
Hongkong,	29.94	71	86	E	3	o
Victoria Peak,	..	..	..	SE	4	..
Gap Rock,	29.93	..	..	ENE	4	..
Macao,	29.94	74	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	84	71	E	1	c
Cape S. James,	..	..	..	NE	6	bm
	..	..	..	..	..	..

30th MARCH, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	.
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.14	47	93	N	7	omd
Sharp Peak,	29.93	66	81	..	0	b
Amoy,	29.99	66	84	..	0	o
Swatow,	..	..	..	..	..	..
Canton,	29.96	77	86	W	1	o
Hongkong,	29.97	72	85	E	1	o
Victoria Peak,	..	..	..	S	2	..
Gap Rock,	29.97	..	..	E	1	..
Macao,	29.97	74	..	SSE	1	c
Haiphong,	29.98	70	..	E	1	o
Manila,	..	..	..	..	..	.
Cape S. James,	..	..	–	NE	3	bm
	..	..	..	..	..	..

On the 30th at 11.45 a. The barometer is rising in N. China, falling in S. China. A depression has left the E. coast of China moving Eastwards towards Japan. Gradients increasing with the monsoon freshening on the coast. Forecast:—N and NE winds, freshening; changeable, probably some rain.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Thursday 30th March 1899.

CHINA COAST METEOROLOGICAL REGISTER.

30th MARCH, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.75	36	..	N	2	c
Tokio,	29.90	..	..	SW	6	..
Kochi,	29.91	..	..	S	2	..
Nagasaki,	29.79	..	..	S	6	..
Kagoshima,	29.72	..	..	S	6	..
Gutzlaff,	30.22	42	83	N	7	omd
Sharp Peak,	29.86	68	82	ESE	2	o
Amoy,	29.86	75	77	SE	3	c
Swatow,	..	..	..	.	..	..
Canton,	30.04	55	87	NW	3	r
Hongkong,	29.95	68	73	WNW	4	oq
Victoria Peak,	..	..	..	NW	7	..
Gap Rock,	29.94	..	..	NNW	6	..
Macao,	29.98	61	..	NW	2	o
Haiphong,		..	..	..	..	..
Manila,	29.88	75	91	SE	1	od
Cape S. James,	..	..	..	SE	3	b
.....	..	..	..	..	..	..

31st MARCH, 1899, AT 10 A.

Wladivostock,	29.81	30	54	SW	1	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.21	42	83	NW	6	cv
Sharp Peak,	30.17	59	76	E	6	ov
Amoy,	30.12	59	76	NE	2	o
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	.	..
Hongkong,	30.11	61	42	W	1	o
Victoria Peak,	..	..	..	NW	1	..
Gap Rock,	30.10	..	..	N	3	..
Macao,	30.13	61	..	NNE	2	c
Haiphong,	30.20	60	..	N	1	c
Manila,	29.96	82	78	..	0	o
Cape S. James,	..	..		NE	3	om
.....	..	..	..	..	..	..

On the 31st at 11.55 a. The barometer has risen on the China coast, fallen in the extreme North. The depression is moving to the NE in the NE part of the Sea of Japan, and pressure is high over Central China. Gradients moderate with fresh to strong monsoon on the coast and in the N. part of the China Sea. Forecast:—moderate N to NE winds ; fair.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Friday 31st March 1899.

CHINA COAST METEOROLOGICAL REGISTER.

31st ~~APRIL~~ March, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.80	43	..	SW	1	b
Tokio,	29.75	..	..	NE	2	..
Kochi,	29.87	..	..	N	2	..
Nagasaki,	29.91	..	..	NW	4	..
Kagoshima,	29.91	..	..	N	4	..
Gutzlaff,	30.14	50	51	NE	2	bv
Sharp Peak,	30.06	54	65	E	2	o
Amoy,	30.03	61	45	NE	3	b
Swatow,	..	..	..	..	..	..
Canton,	30.09	71	90	NE	2	b
Hongkong,	29.99	63	52	E	2	o
Victoria Peak,	..	..	..	SE	2	..
Gap Rock,	29.98	..	..	ENE	2	..
Macao,	30.01	68	..	ESE	1	b
Haiphong,		..	..	..	..	..
Manila,	29.80	79	84	NE	3	oq
Cape S. James,	..	..	..	E	5	b
.....	..	..	..	..	..	..

1st APRIL, 1899, AT 10 A.

Wladivostock,	29.80	36	78	SE	5	o
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.09	50	72	SSE	5	bv
Sharp Peak,	30.10	56	69	WNW	1	b
Amoy,	30.11	57	75	NE	1	b
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	30.04	64	84	E	3	od
Victoria Peak,	..	..	..	ESE	5	..
Gap Rock,	30.00	..	..	E	4	..
Macao,	30.02	67	..	ENE	1	od
Haiphong,	29.96	62	..	E	3	c
Manila,	..	..	..	..	..	..
Cape S. James,	..	..	..	NE	6	f
.....	..	..	..	..	..	..

On chart for at 11.55 a. The barometer has fallen on the China coast. Pressure is probably highest in the Pacific near the Liochoos, and a depression exists in NE China. Gradients slight to moderate for local SE winds on the China coast. Forecast:—fresh or moderate E winds; cloudy, some drizzling rain or mist.

F. G. FIGG.
First Assistant

[illegible] Observatory, Saturday 1st April 1899.

CHINA COAST METEOROLOGICAL REGISTER.

1st APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.06	..	..	S	4	..
Kochi,	30.07	..	..	SE	4	..
Nagasaki,	30.03	..	..	SW	4	..
Kagoshima,	30.07	..	..	S	4	..
Gutzlaff,	29.98	56	69	S	..	cv
Sharp Peak,	29.96	57	69	E	2	b
Amoy,	29.92	64	68	SE	3	c
Swatow,	..	..	..	.	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.90	64	90	E	4	od
Victoria Peak,	..	..	..	ESE	5	..
Gap Rock,	..	..	..	..	..	..
Macao,	29.89	66	..	E	1	od
Haiphong,		..	..	..	..	..
Manila,	29.84	89	55	S	1	c
Cape S. James,	..	..	..	SE	3	b
	..	..	..	..	..	..

2nd APRIL, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.97	53	100	SSE	3	cmg
Sharp Peak,	29.97	59	85	..	0	c
Amoy,	30.00	61	94	..	0	o
Swatow,	..	..	..	..	..	..
Canton,	29.97	70	81	SE	..	o
Hongkong,	29.97	70	92	E	3	o
Victoria Peak,	..	..	..	S	5	..
Gap Rock,	.	.	..	..	.	..
Macao,	29.96	74	..	SE	1	c
Haiphong,	29.90	70	..	E	3	o
Manila,	..	..	..	.	..	..
Cape S. James,	..	..		NE	3	o
	..	..	..	..	..	..

On the 2th at 11.55 a. The barometer continues to fall on the China coast. Pressure is highest over the Pacific to the S. of Japan, and still low in N. China. Gradients slight for SE winds on the coast. Forecast:—moderate or light SE winds; cloudy, some drizzling rain or mist.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Sunday 2nd April 1899.

CHINA COAST METEOROLOGICAL REGISTER.

2nd APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,.....	29.96	44	..	SW	2	b
Tokio, ...	30.10	..	..	S	4	..
Kochi, ...	30.07	..	..	.	0	..
Nagasaki, ...	30.03	..	..	S	6	..
Kagoshima,.....	30.03	..	..	S	4	..
Gutzlaff, ...	29.97	53	100	N	3	of
Sharp Peak, ...	29.83	67	87	SW	2	o
Amoy, ...	29.87	70	85	SE	2	c
Swatow, ...	29.88	77	..	E	2	v
Canton, ...	29.84	75	95	SE	3	o
Hongkong, ...	29.86	70	91	ESE	2	o
Victoria Peak, ...	..	..	..	SSE	4	..
Gap Rock, ...	29.85	..	..	ESE	3	..
Macao,.....	29.85	74	..	S	1	o
Haiphong, ...		..	..	..	..	..
Manila, ...	29.88	86	65	ENE	1	a
Cape S. James, ...	..	..	..	.	..	..
....	..	..	..	..	..	..

3rd APRIL, 1899, AT 10 A.

Wladivostock,.....	30.09	31	40	NW	1	c
Tokio, ...	..	..	..	..	..	..
Kochi, ...	..	..	..	..	..	..
Nagasaki, ...	..	..	..	..	..	..
Kagoshima,.....	..	..	..	..	..	..
Gutzlaff, ...	30.00	50	100	NNE	4	cm
Sharp Peak, ...	29.95	63	82	E	2	c
Amoy, ...	29.96	68	90	..	0	b
Swatow, ...	..	..	..	..	..	..
Canton, ...	29.93	74	95	S	1	o
Hongkong, ...	29.93	72	90	E	1	o
Victoria Peak, ...	..	..	..	SSE	5	..
Gap Rock, ...	29.92	.	..	ESE	3	..
Macao,.....	29.91	74	..	S	1	o
Haiphong, ...	29.85	72	..	E	2	o
Manila, ...	..	..	..	..	..	..
Cape S. James, ...	..	..		S	2	..
. ...	..	..	..	..	..	..

In the 3rd at 11.55 a. The barometer has risen in the extreme North, fallen in S. China. Pressure ... over N. China, and a low area probably lies near W. Japan. Gradients slight for E and SE ... China coast and in the N. part of the China Sea. Forecast:—light or moderate SE to E ..., probably some rain.

F. G. FIGG,
First Assistant

... OBSERVATORY, Monday 3rd April 1899.

CHINA COAST METEOROLOGICAL REGISTER.

3rd APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.98	..	..	N	2	..
Kochi,	29.95	..	..	..	0	..
Nagasaki,	29.83	..	..	NE	6	..
Kagoshima,	29.83	..	..	E	4	..
Gutzlaff,	29.98	51	93	NNE	3	om
Sharp Peak,	29.86	61	82	E	4	o
Amoy,	29.78	75	77	ESE	2	b
Swatow,	29.83	77	..	S	3	b
Canton,	29.81	80	82	S	2	c
Hongkong,	29.80	74	88	E	3	o
Victoria Peak,	..	..	..	SSE	3	..
Gap Rock,	29.79	..	..	ESE	3	..
Macao,	29.81	76	..	S	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	84	77	ENE	1	c
Cape S. James,	..	..	..	..	..	..
	..	..	..	..	..	..

4th APRIL, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.02	52	93	NE	4	fd
Sharp Peak,	29.86	62	86	..	0	o
Amoy,	29.88	66	95	SE	1	c
Swatow,	..	..	..	..	..	..
Canton,	29.87	78	91	S	1	b
Hongkong,	29.89	76	86	W	2	o
Victoria Peak,	..	..	..	S	5	..
Gap Rock,	29.89	..	..	SSE	1	..
Macao,	29.88	78	..	S	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Cape S. James,	..	..	..	SE	2	o
	..	..	..	..	..	..

On the 4th at 11.55 A. The barometer has fallen in S. China. Pressure is highest over N. China, and the depression is probably moving Eastwards in Japan. Gradients slight on the coast, and in the N. part of the China Sea. Forecast:— light or moderate SE and S winds; cloudy.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Tuesday 4th April 1899.

EAST METEOROLOGICAL REGISTER.

4th APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	..	..	..	..	..	..
[illegible]	29.94	..	..	N	2	..
[illegible]	29.75	..	..	..	0	..
[illegible]	29.83	..	..	NE	4	..
[illegible]	29.79	..	..	..	0	..
[illegible]	30.05	49	100	NNE	5	omd
Sharp Peak,	29.82	60	88	E	6	omr
Amoy,	29.81	73	86	ESE	2	o
Swatow,	29.79	80	..	SSW	3	o
Canton,	29.76	84	79	E	2	o
Hongkong,	29.80	80	69	SW	2	c
Victoria Peak,	..	..	..	SSE	3	.
Gap Rock,	29.80	..	..	SE	1	..
Macao,	29.78	78	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.76	93	46	ESE	2	c
Cape S. James,	..	..	..	S	2	b
[illegible]	..	..	..	..	.	..

5th APRIL, 1899, AT 10 A.

Wladivostock,	..	.	..	..	..	.
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.38	47	70	N	5	cm
Sharp Peak,	30.20	53	84	E	5	og
Amoy,	30.17	60	82	NE	3	or
Swatow,	30.09	68	..	NNE	3	o
Canton,	.	..	..	..	..	..
Hongkong,	30.06	65	90	E	5	od
Victoria Peak,	..	..	..	E	8	..
Gap Rock,	29.97	..	..	E	4	..
Macao,	30.02	67	..	NNW	1	og
Haiphong,	29.86	71	..	NNW	3	o
Manila,	..	..	..	..	..	
Cape S. James,	..	..	—	S	2	o
[illegible]	..	..	..	..		..

the 5th at 11.45 a. The barometer has risen rapidly on the China coast, particularly in the [illegible] high pressure area is central over N.E. China, and pressure is relatively low in the N. part of [illegible]. Gradients steep with strong monsoon on the coast, and in the N. part of the China Sea [illegible] strong to fresh N.E. winds; dull, rainy.

F. G. FIGG,
First Assistant

OBSERVATORY, Wednesday 5th April 1899.

CHINA COAST METEOROLOGICAL REGISTER.

5th APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.71	..	..	N	4	..
Kochi,	29.95	..	..	N	2	..
Nagasaki,	30.07	..	..	N	6	..
Kagoshima,	30.07	..	..	N	8	..
Gutzlaff,	30.32	48	71	NNE	5	cv
Sharp Peak,	30.15	56	75	E	6	b
Amoy,	30.08	62	77	NE	3	o
Swatow,	..	..	..	..	..	..
Canton,	29.97	61	88	E	1	o
Hongkong,	29.94	65	86	E	5	odg
Victoria Peak,	..	..	..	E	8	..
Gap Rock,	29.91	..	..	ENE	5	..
Macao,	29.96	65	..	NNE	1	od
Haiphong,	..	..	..	..	..	..
Manila,	29.80	91	39	NE	1	b
Cape S. James,	..	..	..	..	..	..
	..	..	..	..	..	..

6th APRIL, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	.
Tokio,	30.14	..	..	E	2	..
Kochi,	30.19	..	..	..	0	..
Nagasaki,	30.23	..	..	N	4	..
Kagoshima,	30.19	..	..	N	2	..
Gutzlaff,	30.41	44	84	NNE	5	cv
Sharp Peak,	30.28	52	76	NNW	4	r
Amoy,	30.25	58	94	NE	1	o
Swatow,	..	..	..	..	..	..
Canton,	30.12	60	94	E	1	r
Hongkong,	30.10	64	86	E	5	o
Victoria Peak,	..	..	..	E	7	..
Gap Rock,	30.06	..	..	ENE	6	..
Macao,	30.11	66	..	NNE	1	od
Haiphong,	29.93	69	..	E	3	or
Manila,	..	..	..	..	..	–
Cape S. James,	..	..	–	..	..	..
	..	..	..	..	..	..

On the 6th at 11.55 A. The barometer has risen on the China coast, and over Japan. The high pressure area remains central over N.E. China, and pressure is relatively low in the N. part of the China Sea. Gradients steep with strong monsoon on the coast, and in the N. part of the China Sea Forecast:—: strong to fresh NE winds; dull, some drizzling rain.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Thursday 6th April 1899.

CHINA COAST METEOROLOGICAL REGISTER.

6th APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.95	36	..	S	4	c
Tokio,	30.18	..	..	N	4	..
Kochi,	30.15	..	..	..	0	..
Nagasaki,	30.19	..	..	N	6	..
Kagoshima,	30.15	..	..	.	0	..
Gutzlaff,	30.39	46	62	NE	5	cv
Sharp Peak,	30.22	53	77	ENE	3	o
Amoy,	30.16	60	88	..	0	or
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Honekong,	30.04	63	94	NNW	1	od
Victoria Peak,	..	..	..	NE	4	..
Gap Rock,	30.02	..	..	ENE	5	..
Macao,	30.07	64	..	NNE	1	ort
Haiphong,		..	..	..	..	..
Manila,	29.88	90	48	ENE	2	c
Cape S. James,	..	..	..	E	2	b
...	..	..	..	..	..	..

7th APRIL, 1899, AT 10 A.

Wladivostock,	30.00	33	68	SW	2	c
Tokio,	30.14	..	..	N	2	..
Kochi,	30.23	..	..	..	0	..
Nagasaki,	30.23	..	..	N	6	..
Kagoshima,	30.19	..	..	NW	4	..
Gutzlaff,	30.35	46	48	NNE	3	cv
Sharp Peak,	30.29	52	76	E	6	b
Amoy,	30.24	58	81	NE	1	o
Swatow,	..	..	..	..	..	..
Canton,	..	.	..	..	..	..
Hongkong,	30.20	62	87	..	0	od
Victoria Peak,	..	..	..	NE	3	..
Gap Rock,	30.19	..	..	ENE	5	..
Macao,	30.21	62	..	NW	1	o
Haiphong,	30.11	67	..	E	..	tr
Manila,	..	..	..	..	..	
Cape S. James,	..	..	.	NE	6	f
...	..	..	..			..

[illegible] 7th at 11.55 a. The barometer has risen on the S coast of China, fallen on the E. coast. [illegible] pressure area remains central over China, with moderate gradients and fresh monsoon on the [illegible] and strong monsoon in the N. part of the China Sea. Forecast:—: moderate NE and N winds; [illegible] at first, improving later.

F. G. FIGG,
First Assistant

[illegible] OBSERVATORY, Friday 7th April 1899.

CHINA COAST METEOROLOGICAL REGISTER.

7th APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.10	..	..	..	0	..
Kochi,	30.15	..	..	..	0	..
Nagasaki,	30.23	..	..	N	4	..
Kagoshima,	30.15	..	..	N	4	..
Gutzlaff,	30.38	46	62	NNE	2	cv
Sharp Peak,	30.25	52	79	ENE	6	or
Amoy,	30.21	60	88	ENE	1	or
Swatow,	..	..	..	..	..	..
Canton,	30.08	59	88	NE	1	o
Hongkong,	30.10	62	76	..	0	o
Victoria Peak,	..	..	..	NNE	2	..
Gap Rock,	30.09	..	..	NNE	4	..
Macao,	30.13	61	..	NNW	1	o
Haiphong,	..	..	..	..	..	..
Manila,	29.88	90	44	E	2	c
Cape S. James,	..	..	..	..	..	..
..	..	..	..	..	..	..

8th APRIL, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.39	48	62	N	2	cv
Sharp Peak,	30.29	53	80	NNE	3	o
Amoy,	30.22	57	81	NE	2	o
Swatow,	30.21	62	..	NNE	3	o
Canton,	30.24	54	96	NE	1	r
Hongkong,	30.20	62	81	..	0	o
Victoria Peak,	..	..	..	ENE	2	..
Gap Rock,	30.17	..	..	NNE	4	..
Macao,	30.21	60	..	NNW	1	o
Haiphong,	..	..	..	..	..	..
Manila,	30.16	60	85	S	1	o
Cape S. James,	..	..	..	..	..	..
..	..	..	..	..	..	..

On the 8th at 11.40 a. Barometric changes are slight. The high pressure area remains central over China, with moderate gradients and fresh [illegible]oon on the coast, and strong monsoon in the N. part of the China Sea. Forecast:—: moderate N and NE winds; fair.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Saturday 8th April 1899.

CHINA COAST METEOROLOGICAL REGISTER.

8th APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,.....	29.81	40	..	SW	4	c
Tokio, ...	30.02	..	..	S	2	..
Kochi, ...	30.07	..	..	S	2	..
Nagasaki, ...	30.15	..	..	NW	6	..
Kagoshima,.....	30.15	..	..	W	4	..
Gutzlaff, ...	30.32	50	65	N	1	cv
Sharp Peak, ...	30.20	54	80	W	2	r
Amoy, ...	30.14	67	60	NE	2	o
Swatow, ...	..	..	..	..	..	..
Canton, ...	30.18	56	94	N	1	r
Hongkong, ...	30.10	64	73	NNE	1	o
Victoria Peak, ...	..	..	..	NW	3	.
Gap Rock, ...	30.08	..	..	NNE	4	o
Macao,.....	30.13	60	..	NNW	1	o
Haiphong, ...		..	..	..	..	..
Manila, ...	29.88	82	71	WNW	1	o
Cape S. James, ...	..	..	..	NE	5	c
.....	..	..	..	..		..

9th APRIL, 1899, AT 10 A.

Wladivostock,.....	29.92	35	61	NNW	1	b
Tokio, ...	..	..	..	..	..	..
Kochi, ...	..	..	..	..	..	..
Nagasaki, ...	..	..	..	..	..	..
Kagoshima,.....	..	..	..	..	..	..
Gutzlaff, ...	30.38	48	85	N	1	cm
Sharp Peak, ...	30.29	53	77	N	3	o
Amoy, ...	30.21	58	88	NE	2	c
Swatow, ...	..	..	..	.	..	..
Canton, ...	..	..		..	..	.
Hongkong, ...	30.20	63	75	..	0	o
Victoria Peak, ...	..	..	..	ENE	2	..
Gap Rock, ...	30.19	.	..	NNE	4	..
Macao,.....	30.21	61	..	NNW	1	o
Haiphong, ...	30.14	61	..	E	1	o
Manila, ...	..	..	..	NE	5	b
Cape S. James, ...	..	..		..	..	..
.....	..	..	..	..	..	..

On the 9th at 11.15 a. Barometric changes are slight. The high pressure area remains central over China with moderate gradients and fresh monsoon on the coast, and strong monsoon in the N. part of the China Sea. Forecast:—moderate N and NE winds; fair.

F. G. FIGG,
First Assistant.

OBSERVATORY, Sunday 9th April 1899.

CHINA COAST METEOROLOGICAL REGISTER.

9th APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	..	..	..	.	..	..
Tokio,	29.98	..	..	S	6	..
Kochi,	30.11	..	..	S	2	..
Nagasaki,	30.23	..	..	W	8	..
Kagoshima,	30.19	..	..	W	6	..
Gutzlaff,	30.31	56	63	E	2	bm
Sharp Peak,	30.19	57	78	NNE	2	c
Amoy,	30.16	65	68	NE	3	c
Swatow,	..	..	..	..	..	..
Canton,	30.10	69	75	N	1	c
Hongkong,	30.08	66	73	E	2	c
Victoria Peak,	..	..	..	E	1	..
Gap Rock,	30.09	..	..	ENE	5	..
Macao,	30.09	70	..	ENE	1	c
Haiphong,		..	..	..	..	..
Manila,	29.88	88	54	NE	2	c
Cape S. James,	..	..	..	.	..	..
	..	..	..	..	..	..

10th APRIL, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.31	59	72	SE	3	cv
Sharp Peak,	30.22	56	81	E	1	c
Amoy,	30.19	60	88	SE	2	bv
Swatow,	..	..	..	..	..	..
Canton,	30.16	66	84	..	0	c
Hongkong,	30.16	68	74	E	2	c
Victoria Peak,	..	..	..	E	2	..
Gap Rock,	30.14	.	..	ENE	4	..
Macao,	30.15	70	..	ESE	1	c
Haiphong,	30.11	63	..	.	0	c
Manila,	..	..	..	.	.	..
Cape S. James,	..	..		NE	4	b
	.	..	..	..	.	.

On the 10th at 11.40 a. The barometer is falling in China and the high pressure area appears to be now centred over W. Japan. Gradients slight with moderate monsoon on the coast, and in the N. part of the China Sea. Forecast:—moderate N.E. to E winds; fair.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Monday 10th April 1899.

CHINA COAST METEOROLOGICAL REGISTER.

10th APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,.....	29.90	48	..	NW	1	o
Tokio, ...	30.26	..	..	S	4	..
Kochi, ...	30.23	..	..	SE	2	..
Nagasaki, ...	30.23	..	..	SW	6	..
Kagoshima,.....	30.23	..	..	S	2	..
Gutzlaff, ...	30.27	52	73	SSE	4	cv
Sharp Peak, ...	30.14	58	78	E	3	o
Amoy, ...	30.13	65	73	SE	2	c
Swatow, ...	..	..	..		..	..
Canton, ...	30.08	75	77	W	1	o
Hongkong, ...	30.07	67	76	E	3	o
Victoria Peak, ...	..	..	..	ENE	1	..
Gap Rock, ...	30.07	..	..	ENE	3	..
Macao,.....	30.07	71	..	SSE	1	o
Haiphong, ...		..	..	..	..	..
Manila, ...	29.88	90	44	E	2	c
Cape S. James, ...	..	..	..	NE	5	c
....	..	..	..	..	..	..

11th APRIL, 1899, AT 10 A.

Wladivostock,.....	30.06	38	67	E	2	c
Tokio, ...	..	..	..	..	..	..
Kochi, ...	..	..	..	..	..	..
Nagasaki, ...	..	..	..	..	..	..
Kagoshima,.....	..	..	..	..	..	..
Gutzlaff, ...	30.21	51	10	ESE	3	cm
Sharp Peak, ...	30.15	62	82	E	1	b
Amoy, ...	30.15	62	83	NE	1	b
Swatow, ...	..	..	..		..	..
Canton, ...	30.15	68	90	S	1	o
Hongkong, ...	30.16	67	76	E	3	o
Victoria Peak, ...	..	..	..	E	2	..
Gap Rock, ...	30.15	..	..	ENE	4	..
Macao, ...	30.15	70	..	ESE	1	o
Haiphong, ...	30.07	67	..	NE	1	r
Manila, ...	..	..	..		..	.
Cape S. James, ...	..	..		NE	4	b
....	..	..	..	..		

On the 11that 11.40 a, The barometer has risen in the extreme North, fallen on the E. coast of China. Pressure is highest over Japan, and a low area seems to be advancing Eastwards in N. China. Gradients slight with light monsoon on the coast, and moderate monsoon in the N. part of the China Sea. Forecast:—moderate or light E winds; fair.

F. G. FIGG,
First Assistant.

NGKONG OBSERVATORY, Tuesday 11th April 1899.

CHINA COAST METEOROLOGICAL REGISTER.

11th APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.26	..	..	S	2	..
Kochi,	30.23	..	..	SE	4	..
Nagasaki,	30.15	..	..	N	2	..
Kagoshima,	30.15	..	..	S	6	..
Gutzlaff,	30.13	59	82	SSE	3	cv
Sharp Peak,	30.04	61	82	E	1	c
Amoy,	30.08	67	79	SE	3	b
Swatow,	..	..	..		..	..
Canton,	30.04	76	77	SW	1	b
Hongkong,	30.03	72	64	..	0	b
Victoria Peak,	..	..	..	E	1	..
Gap Rock,	30.04	..	..	NE	4	..
Macao,	30.04	73	..	NE	1	c
Haiphong,		..	..	..	..	..
Manila,	29.88	88	59	ENE	1	c
Cape S. James,	..	..	..	NE	3	b
	..	..	..	..	..	..

12th APRIL, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.17	52	93	ESE	3	f
Sharp Peak,	30.09	63	83	WNW	1	o
Amoy,	30.09	65	89	NE	1	b
Swatow,	..	..	..	..	..	..
Canton,	30.04	73	81	S	1	b
Hongkong,	30.04	71	78	E	3	b
Victoria Peak,	..	..	..	SE	2	..
Gap Rock,	30.04	.	..	ENE	3	..
Macao,	30.04	74	..	SSE	1	b
Haiphong,	30.01	71	..	E	3	o
Manila,	..	..	..	..	..	.
Cape S. James,	..	..		NE	5	c
	..	..	..	..	..	..

On the 12th at 11.45 a. The barometer continues to fall on the China coast. Pressure is highest in the Pacific to the S. of Japan, and the low pressure area appears to be still lying in N. China. Gradients slight on the coast, and in the N. part of the China Sea. Forecast:—light or moderate E winds; fine.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Wednesday 12th April, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

12th APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.90	..	..	N	4	..
Kochi,	29.95	..	..	SE	2	..
Nagasaki,	30.03	..	..	W	4	..
Kagoshima,	29.95	..	..	SE	2	..
Gutzlaff,	30.08	52	93	SE	4	omd
Sharp Peak,	29.99	64	84	E	2	o
Amoy,	29.95	67	84	SE	3	b
Swatow,	30.01	71	..	E	2	b
Canton,	29.95	83	83	S	1	b
Hongkong,	29.95	72	77	E	2	o
Victoria Peak,	..	..	..	S	1	..
Gap Rock,	29.95	..	..	ENE	3	..
Macao,	29.97	76	..	SSE	1	c
Haiphong,		..	..	..	..	..
Manila,	29.84	88	60	W	1	c
Cape S. James,	..	..	..	NE	4	o
	..	..	..	..	..	..

13th APRIL, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.01	51	100	ENE	5	df
Sharp Peak,	29.98	64	100		0	m
Amoy,	30.04	67	89	SW	1	o
Swatow,	30.04	71	..	W	1	o
Canton,	..	.		..	..	..
Hongkong,	30.00	75	80	E	2	c
Victoria Peak,	..	..	..	SSW	1	..
Gap Rock,	30.00	..	..	E	3	..
Macao,	29.99	79	..	SSE	1	c
Haiphong,	29.97	71	..	E	3	o
Manila,	..	..	..	..	..	..
Cape S. James,	..	..		NE	5	c
	..	..	..	..	..	..

On the 13th at 11.55 a, The barometer has fallen on the China coast. Pressure appears to be highest in NE China, and low in E. Japan. Gradients slight, but increasing, in S. China. Forecast:—E winds, probably freshening; fair at first, unsettled later.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Thursday 13th April, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

13th APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.82	..	..	S	4	..
Kochi,	29.99	..	..	S	2	..
Nagasaki,	29.99	..	..	E	6	..
Kagoshima,	29.95	..	..		0	..
Gutzlaff,	30.03	51	100	NNE	4	omr
Sharp Peak,	29.86	68	89	E	1	b
Amoy,	29.88	71	62	SE	3	c
Swatow,	29.92	76	..	E	3	b
Canton,	29.91	85	68	..	0	b
Hongkong,	29.91	74	82	E	1	o
Victoria Peak,	.	..	..	NW	1	..
Gap Rock,	29.91	..	..	E	3	..
Macao,	29.91	80	..	SE	1	c
Haiphong,		..	..	..	..	..
Manila,	29.84	91	56	SSE	1	b
Cape S. James,	..	..	..	..	..	..
	..	..	..	..	..	..

14th APRIL, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.19	50	79	NNE	3	cm
Sharp Peak,	30.04	62	83	NE	5	o
Amoy,	29.98	72	90	SW	1	b
Swatow,	30.03	75	..	W	2	b
Canton,	..	.		..	..	.
Hongkong,	30.02	76	77	W	1	b
Victoria Peak,	..	..	..	NNW	1	..
Gap Rock,	30.02	.	..	NW	3	..
Macao,	30.03	80	..	NNW	1	c
Haiphong,	29.97	72	..	..	0	c
Manila,	..	..	..		.	.
Cape S. James,	..	..		NE	5	f
	..	..	..	..	.	..

On the 14th at 11.55 a. The barometer has risen on the E coast of China. Pressure is highest over NE China, and low in Japan. Gradients slight to moderate with freshening monsoon on the S and SE coasts of China. Forecast:—N to NE winds, moderate or fresh; fine to cloudy, misty.

F. G. FIGG.
First Assistant

HONGKONG OBSERVATORY, Friday 4th April, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

14th APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock, ...	..	..	..	..	..	..
Tokio, ...	29.90	..	..	..	0	..
Kochi, ...	29.87	..	..	..	0	..
Nagasaki, ...	29.95	..	..	N	6	..
Kagoshima, ...	29.91	..	..	E	2	..
Gutzlaff, ...	30.18	55	68	N	2	bv
Sharp Peak, ...	29.96	60	85	E	5	o
Amoy, ...	29.96	73	72	NE	3	c
Swatow, ...	29.91	82	..	WNW	3	b
Canton, ...	29.91	86	48	NE	1	b
Hongkong, ...	29.90	80	58	SW	2	b
Victoria Peak, ...	..	..	..	NW	3	..
Gap Rock, ...	29.90	..	..	NNW	3	..
Macao, ...	29.92	87	..	NW	1	c
Haiphong, ...		..	..	..	..	..
Manila, ...	29.80	86	71	SE	2	c
Cape S. James, ...	..	..	..	NE	5	b
....	..	..	..	..	..	..

15th APRIL, 1899, AT 10 A.

Wladivostock, ...	..	..	..	..	..	..
Tokio, ...	..	..	..	..	..	..
Kochi, ...	..	..	..	..	..	..
Nagasaki, ...	..	..	..	..	..	..
Kagoshima, ...	..	..	..	..	..	..
Gutzlaff, ...	30.24	54	74	SE	2	bv
Sharp Peak, ...	30.18	60	76	NNE	4	o
Amoy, ...	30.12	65	68	NE	3	o
Swatow, ...	30.13	71	..	ENE	3	c
Canton, ...	30.04	72	71	E	1	o
Hongkong, ...	30.06	71	77	ENE	6	o
Victoria Peak, ...	..	..	..	E	7	..
Gap Rock, ...	30.04	..	..	ENE	4	..
Macao, ...	30.06	73	..	E	2	..
Haiphong, ...	29.97	74	..	..	0	c
Manila, ...	..	..	..	..	..	..
Cape S. James, ...	..	..		NE	3	b
....	..	..	..	..	..	..

On the 15th at 11.30 a, The barometer has risen on the China coast, and in W. Japan. Pressure is high between the E coast of China and W. Japan, and low in E. Japan. Gradients moderate with strong monsoon in the Formosa Channel and on the S. coast of China. Forecast:—fresh E winds; fair.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Saturday 15th April, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

15th APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.98	..	..	N	2	..
Kochi,	30.03	..	..	S	2	..
Nagasaki,	30.11	..	..	W	4	..
Kagoshima,	30.11	..	..	SE	2	..
Gutzlaff,	30.14	58	70	SSE	4	bv
Sharp Peak,	30.07	62	77	E	3	c
Amoy,	30.02	73	63	NE	3	c
Swatow,	30.62	73	..	E	3	b
Canton,	29.93	80	70	..	0	c
Hongkong,	29.94	71	73	E	5	c
Victoria Peak,	..	..	..	E	6	..
Gap Rock,	29.95	..	..	E	5	..
Macao,	29.96	77	..	ESE	1	c
Haiphong,		..	..	..	..	..
Manila,	..	..	..		..	..
Cape S. James,	..	..	..	E	3	c
	..	..	..	..	..	..

16th APRIL, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.94	59	88	SSE	4	cm
Sharp Peak,	29.97	63	78	E	1	c
Amoy,	29.97	66	79	NE	1	c
Swatow,	..	..	..	..	..	..
Canton,	..	..		..	..	.
Hongkong,	29.97	70	88	E	2	o
Victoria Peak,	..	..	..	ESE	4	..
Gap Rock,	29.95	.	..	E	4	..
Macao,	29.99	75	..	ESE	1	c
Haiphong,	29.92	74	..	ESE	3	o
Manila,	29.88	88	59	NNE	2	c
Cape S. James,	..	..		N	1	c
	..	..	..	..	..	..

On the 16th at 11.55 a. The barometer has fallen rapidly on the E. coast of China. A depression is advancing Eastwards on the mainland to the [illegible] and pressure is highest in E. Japan. Gradients slight in S. China. Forecast:—moderate or light [illegible] cloudy, misty.

F. G. FIGG,
First Assistant.

CHINA COAST METEOROLOGICAL REGISTER.

16th APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.06	..	..	E	6	..
Kochi,	30.15	..	..	SE	4	..
Nagasaki,	30.03	..	..	W	4	..
Kagoshima,	30.07	..	..	SE	4	..
Gutzlaff,	29.79	59	94	S	5	om
Sharp Peak,	29.81	64	84	ESE	1	o
Amoy,	29.84	72	71	NE	2	c
Swatow,	29.85	75	..	E	1	b
Canton,	29.85	78	78	S	3	o
Hongkong,	29.83	72	85	E	2	o
Victoria Peak,	..	..	..	SSE	1	..
Gap Rock,	29.83	..	..	E	3	..
Macao,	29.84	75	..	ESE	1	cm
Haiphong,		..	..	..	..	..
Manila,	29.76	91	45	E	2	c
Cape S. James,	..	..	..	..	..	..
	..	..	..	..	..	..

17th APRIL, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.87	56	94	NNW	4	cf
Sharp Peak,	29.82	67	92	S	1	o
Amoy,	29.87	72	90	..	0	c
Swatow,	29.88	76	..	NW	1	bf
Canton,	29.84	78	86	E	2	c
Hongkong,	29.87	75	84	E	2	o
Victoria Peak,	..	..	..	S	2	..
Gap Rock,	29.87	.	..	E	3	..
Macao,	29.87	79	..	S	1	c
Haiphong,	29.84	75	..	E	3	or
Manila,	..	..	..	..	..	.
Cape S. James,	..	..		ENE	1	o
	..	..	..		.	.

On the 17th at 11.45 a. The barometer has fallen on the China coast generally, but has now commenced rise on the E. coast. The depressi n, having left the coast to the N. of Shanghai, is now moving towards Japan. Gradients slight, but increasing in S. China, with the monsoon probably freshening nsiderably in the Formosa Channel and on the S. coast. Forecast:—light variable winds at first, probably eshening from N or NE later; changeable, unsettled.

F. G. FIGG,
First Assistant

ONG OBSERVATORY, Monday 17th April, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

17th APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.75	52	..	E	1	b
Tokio,	29.98	..	..	S	4	..
Kochi,	29.75	..	..	SE	4	..
Nagasaki,	29.72	..	..	SW	6	..
Kagoshima,	29.79	..	..	SW	4	..
Gutzlaff,	29.89	56	94	N	3	om
Sharp Peak,	29.68	79	70	SSE	4	o
Amoy,	29.71	81	62	SE	2	c
Swatow,	..	..	..	..	..	..
Canton,	29.79	72	85	E	1	r
Hongkong,	29.79	79	68	SSW	2	o
Victoria Peak,	..	.	..	SSW	2	..
Gap Rock,	29.78	..	..	SE	2	..
Macao,	29.79	79	..	SSE	1	c
Haiphong,		..	..	..	..	..
Manila,	29.76	91	82	SE	1	c
Cape S. James,	..	..	..	SSE	2	c
	..	..	..	..	..	..

18th APRIL, 1899, AT 10 A.

Wladivostock,	29.93	38	44	NW	6	c
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.04	56	94	NW	2	cm
Sharp Peak,	29.95	63	86	E	3	og
Amoy,	..	..	..	..	..	..
Swatow,		..	..	..	..	..
Canton,	29.98	74	81	..	0	c
Hongkong,	29.94	74	91	..	0	o
Victoria Peak,	..	..	..	S	2	..
Gap Rock,	29.94	.	..	ESE	3	..
Macao,	29.94	75	..	NW	1	o
Haiphong,	29.90	76	..	E	3	c
Manila,	..	..	..	..	..	.
Cape S. James,	..	..		..	..	..
	..	..	..	..	..	..

On the 18th at 11.45 a. The barometer has risen on the China coast. The depression has reached E. Japan, and pressure is highest over N. China. Gradients continue slight on the China coast. Forecast:—N to NE winds, light or moderate; unsettled, some thunder showers.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Tuesday 18th April, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

18th APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.94	..	..	S	4	..
Kochi,	29.91	..	..	SE	2	..
Nagasaki,	29.87	..	..	W	2	..
Kagoshima,	29.83	..	..	S	4	..
Gutzlaff,	30.03	59	82	NNW	1	ov
Sharp Peak,	29.95	64	84	E	3	o
Amoy,	29.87	74	81	SE	3	c
Swatow,	29.91	79	..	S	3	o
Canton,	29.90	75	90	..	0	r
Hongkong,	29.89	73	88	E	1	o
Victoria Peak,	..	..	..	E	1	..
Gap Rock,	29.88	75	..	SW	2	..
Macao,	29.92	75	..	SSE	1	c
Haiphong,		..	..	..	..	..
Manila,	29.84	86	65	ESE	2	c
Cape S. James,	..	..	..	..	..	..
	..	..	..	..	..	..

19th APRIL, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.15	54	94	ENE	2	f
Sharp Peak,	30.08	65	84	E	1	o
Amoy,	30.02	68	90	ENE	2	om
Swatow,	30.02	73	..	E	2	c
Canton,	29.92	77	86	..	0	o
Hongkong,	29.96	74	86	E	3	o
Victoria Peak,	..	..	..	ESE	3	..
Gap Rock,	29.95	..	..	ENE	3	..
Macao,	29.96	77	..	S	1	c
Haiphong,	29.88	76	..	E	3	o
Manila,	..	..	..	..	..	..
Cape S. James,	..	..	..	..	0	m
	..	..	..	..	..	..

On the 19th at 11.45 a. The barometer has risen on the E. coast of China, and is little changed on the S. coast. Pressure is highest over NE China, with slight to moderate gradients and moderate monsoon on the coast. Forecast:—moderate or fresh E winds; cloudy, some drizzling rain or mist.

F. G. FIGG,
First Assistant

HONG OBSERVATORY. Wednesday 19th April, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

19th APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.82	..	..	S	4	..
Kochi,	29.87	..	..	E	2	..
Nagasaki,	29.99	..	..	SW	6	..
Kagoshima,	29.95	..	..	W	6	..
Gutzlaff,	30.06	58	88	ESE	3	cm
Sharp Peak,	29.96	66	87	E	4	o
Amoy,	29.96	70	85	SE	3	c
Swatow,	29.93	72	..	E	4	o
Canton,	29.81	80	78	SE	2	c
Hongkong,	29.85	72	94	E	3	o
Victoria Peak,	..	..	..	ESE	4	..
Gap Rock,	29.83	..	..	E	4	..
Macao,	29.83	75	..	ESE	1	om
Haiphong,		..	..	..	..	..
Manila,	29.80	90	60	SE	2	c
Cape S. James,	..	..	..	SSE	1	o
	..	..	..	..	..	..

20th APRIL, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	30.14	..	..	E	2	..
Kochi,	30.07	..	..	SE	2	..
Nagasaki,	30.03	..	..	SE	6	..
Kagoshima,	30.03	..	..	S	2	..
Gutzlaff,	30.08	56	94	SE	5	cv
Sharp Peak,	29.90	65	89	..	0	om
Amoy,	29.94	70	90	NE	2	o
Swatow,	..	..	..	..	..	..
Canton,	29.88	74	100	N	2	r
Hongkong,	29.88	73	94	E	3	o
Victoria Peak,	..	..	..	SE	6	..
Gap Rock,	29.87	.	..	ESE	3	..
Macao,	29.84	75	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	.
Cape S. James,	..	..	.	SW	1	m
	..	..	..	..	..	..

On the 20th at 11.45 a. The barometer has fallen over China, risen in Japan. Pressure is high in E Japan and low over S. China. Gradients slight to moderate for SE winds on the China coast. Forecast:—moderate SE winds; unsettled, rainy.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Thursday 20th April, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

20th APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	30.07	57	..	NNE	1	o
Tokio,	30.10	..	..	S	4	..
Kochi,	30.03	..	..	SE	4	..
Nagasaki,	29.95	..	..	SW	8	..
Kagoshima,	29.99	..	..	S	4	..
Gutzlaff,	29.85	57	94	S	5	om
Sharp Peak,	29.83	66	88	..	0	og
Amoy,	29.78	72	90	..	0	o
Swatow,	..	.	..	..	..	..
Canton,	29.79	72	90	N	1	r
Hongkong,	29.82	70	99	SSE	1	or
Victoria Peak,	..	..	..	N	2	..
Gap Rock,	29.82	..	..	ENE	2	..
Macao,	29.79	71	..	WNW	1	or
Haiphong,		..	..	..	..	..
Manila,	29.76	91	45	SSE	2	c
Cape S. James,	..	..	..	S	2	m
	..	..	..	..	..	..

21st APRIL, 1899, AT 10 A.

Wladivostock,	29.77	45	37	SE	3	o
Tokio,	30.02	..	..	SE	4	..
Kochi,	29.79	..	..	S	4	..
Nagasaki,	29.79	..	..	NW	6	..
Kagoshima,	29.79	..	..	W	4	..
Gutzlaff,	29.97	59	88	NW	4	cm
Sharp Peak,	29.96	63	91	NNE	4	odg
Amoy,	29.88	72	90	N	1	b
Swatow,	..	..	..	.	..	.
Canton,	29.94	73	72	N	2	b
Hongkong,	29.93	75	82	NW	1	o
Victoria Peak,	..	..	..	NW	3	..
Gap Rock,	29.92	.	..	NNE	4	..
Macao,	29.93	75	..	NNW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..		..	.
Cape S. James,	..	..	.	SW	2	o
	..	..	..	..	..	..

On the 21st at 11.50 a.m. The barometer is rising on the China coast, falling in Japan. A depression is moving Eastwards in the W. part of the Sea of Japan. Gradients slight with moderate monsoon on the China coast. Forecast:—moderate N to NE winds; fair.

F. G. FIGG,
First Assistant.

KONG OBSERVATORY, Friday 21st April, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

21st APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	..	..	..		..	..
Tokio,	29.86	..	..	S	8	..
Kochi,	29.68	..	..	..	0	..
Nagasaki,	29.79	..	..	W	6	..
Kagoshima,	29.79	..	..	NW	6	..
Gutzlaff,	29.94	63	78	W	4	cm
Sharp Peak,	29.96	64	80	E	2	og
Amoy,	29.89	68	85	NE	4	o
Swatow,	..	.	..	..	..	..
Canton,	29.87	82	60	N	1	b
Hongkong,	29.86	75	77	S	1	o
Victoria Peak,	..	..	..	NNW	1	..
Gap Rock,	29.86	..	..	NNW	3	..
Macao,	29.87	81	..	ENE	1	c
Haiphong,		..	..	..	..	..
Manila,	29.76	91	49	SSE	2	c
Cape S. James,	..	..	..	SW	4	or
	..	..	..	..		..

22nd APRIL, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	.	..	..
Kagoshima,		..	..	..	..	..
Gutzlaff,	30.05	59	82	W	3	cm
Sharp Peak,	30.04	66	79	..	0	b
Amoy,	30.06	67	85	NE	2	b
Swatow,	..	..	..	.	..	..
Canton,	29.99	73	86	E	1	c
Hongkong,	30.00	70	81	E	4	od
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	29.99	.	..	ENE	4	..
Macao,	29.99	75	..	ESE	2	o
Haiphong,	...	..	..	..	..	..
Manila,	..	..	..		.	.
Cape S. James,	..	..		W	1	b
	..	..	..	..	..	.

On the 22nd at 11.30 a. The barometer has risen on the China coast. The depression seems to be still lying in the Sea of Japan. Gradients slight with moderate monsoon in S. China. Forecast:—moderate NE winds; fair.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Saturday 22nd April, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

22nd APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.41	39	..		0	f
Tokio,	29.63	..	..	N	2	..
Kochi,	29.79	..	..	S	6	..
Nagasaki,	29.91	..	..	SE	8	..
Kagoshima,	29.91	..	..	S	8	..
Gutzlaff,	30.02	65	73	NE	1	cm
Sharp Peak,	29.98	70	61	ESE	1	c
Amoy,	29.94	75	40	E	3	c
Swatow,	29.95	74	..	E	4	c
Canton,	29.90	74	..	S	1	c
Hongkong,	29.90	72	62	ENE	3	o
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	29.89	..	..	ENE	4	..
Macao,	29.90	74	..	ESE	2	o
Haiphong,		..	..	..	..	..
Manila,	29.80	90	48	W	3	c
Cape S. James,	..	..	..	SW	2	c
	..	..	..	..	..	..

23rd APRIL, 1899, AT 10 A.

Wladivostock,	29.78	40	68	N	1	o
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	.	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.99	60	82	SE	4	cm
Sharp Peak,	30.03	67	84	W	2	o
Amoy,	29.99	69	66	NE	2	o
Swatow,	..	..	..	..	..	..
Canton,	29.89	72	71	E	1	g
Hongkong,	29.94	71	79	ENE	3	o
Victoria Peak,	..	..	..	ESE	3	..
Gap Rock,	29.91	.	..	ENE	4	..
Macao,	29.91	73	..	ESE	1	o
Haiphong,	..		..	..	..	..
Manila,	29.92	80	78	W	1	b
Cape S. James,	..	..		SW	2	b
	..	..	..	..	..	..

On the 23rd at 11.50 a. The barometer has fallen on the China coast, risen in Japan. Pressure seems to be highest in the Pacific to the S. of Japan, and another depression appears to exist over Central China. Gradients slight to moderate for E and SE winds on the China coast. Forecast:—moderate or fresh E winds ; dull, some drizzling rain.

F. G. FIGG,
First Assistant

HONG OBSERVATORY, Sunday 23rd April, 1899.

CHINA COAST METEOROLOGICAL REGISTER

23rd APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.87	51	..	W	2	c
Tokio,	29.78	..	..	S	6	..
Kochi,	29.95	..	..	SE	2	..
Nagasaki,	30.03	..	..	SW	6	..
Kagoshima,	29.99	..	..	N	4	..
Gutzlaff,	30.06	62	77	SE	4	cm
Sharp Peak,	29.94	65	78	..	0	r
Amoy,	29.90	73	58	NE	2	o
Swatow,	29.90	72	..	E	4	o
Canton,	29.78	76	86	SE	..	d
Hongkong,	29.85	71	85	E	4	o
Victoria Peak,	..	..	..	ESE	6	..
Gap Rock,	29.82	..	..	ENE	4	..
Macao,	29.83	74	..	E	1	o
Haiphong,		..	..	..	..	..
Manila,	29.76	88	72	WSW	3	b
Cape S. James,	..	..	..	..	..	..
	..	..	..	..	..	..

24th APRIL, 1899, AT 10 A.

Wladivostock,	29.88	41	95	SE	4	f
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.10	60	82	S	..	cm
Sharp Peak,	29.98	63	86	NNW	4	or
Amoy,	29.98	65	89	W	1	r
Swatow,	..	..	..	..	..	..
Canton,	.	..	..	..	..	..
Hongkong,	29.90	71	86	E	4	o
Victoria Peak,	..	..	..	SE	8	..
Gap Rock,	29.89	.	..	ENE	4	..
Macao,	29.89	74	..	SE	1	o
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Cape S. James,	..	..		SW	3	o
	..	..	..	..	..	..

On the 24th at 11.55 a. Barometric changes are slight. Pressure is highest over Japan, and low [redacted] China. Gradients slight to moderate for NE winds in S. China. Forecast:—moderate E winds; d[redacted] some drizzling rain or mist.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Monday 24th April, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

24th APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.18	..	..	S	6	..
Kochi,	30.11	..	..	SE	2	..
Nagasaki,	30.03	..	..	SW	4	..
Kagoshima,	30.03	..	..	S	4	..
Gutzlaff,	30.06	59	88	NE	1	cmp
Sharp Peak,	29.92	63	89	N	2	cg
Amoy,	29.83	67	89	SE	2	o
Swatow,	..	.	..	..	..	..
Canton,	29.82	73	95	SE	1	or
Hongkong,	29.82	70	92	E	4	o
Victoria Peak,	..	..	..	E	3	..
Gap Rock,	29.85	..	..	ENE	5	..
Macao,	29.82	74	..	ENE	1	cd
Haiphong,		..	..	..	..	..
Manila,	29.76	90	66	SW	2	c
Cape S. James,	..	..	..	SW	3	c
	..	..	..	..	..	..

25th APRIL, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	.	..	..
Kagoshima,	.	..	..	..	..	..
Gutzlaff,	30.13	60	88	NE	1	cm
Sharp Peak,	30.01	64	89	E	2	.
Amoy,	30.00	68	90	NE	1	c
Swatow,	..	..	..	..	..	..
Canton,	30.00	69	90	..	0	o
Hongkong,	29.98	70	89	ENE	3	o
Victoria Peak,	..	..	..	ENE	4	..
Gap Rock,	29.97	.	..	ENE	4	..
Macao,	29.97	71	..	NNE	1	od
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Cape S. James,	..	..		SSW	3	c
	..	..	..	..	..	..

On the 24th at 11.55 a. The barometer has risen on the China coast. Pressure is highest over ntral China, with slight gradients and moderate monsoon on the coast. Forecast:—moderate NE nds; cloudy, some drizzling rain or mist.

F. G. FIGG,
First Assistant

KONG OBSERVATORY, Tuesday 25th April, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

25th APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.80	43	..	SE	2	o
Tokio,	30.26	..	..	E	2	..
Kochi,	30.15	..	..	SE	2	..
Nagasaki,	30.07	..	..	SW	4	..
Kagoshima,	30.07	..	..	S	6	..
Gutzlaff,	30.13	64	78	E	2	c
Sharp Peak,	29.98	65	84	E	5	o
Amoy,	29.93	72	81	NE	2	c
Swatow,	..	..	..	..	..	..
Canton,	29.93	76	75	N	1	b
Hongkong,	29.93	72	83	E	2	o
Victoria Peak,	..	..	..	NE	2	..
Gap Rock,	29.92	..	..	ENE	4	..
Macao,	29.93	74	..	NNE	1	o
Haiphong,	..	..	..	..	..	..
Manila,	29.80	90	60	NW	2	c
Cape S. James,	..	..	..	SSW	4	or
..	..	..	..	..	..	..

26th APRIL, 1899, AT 10 A.

Wladivostock,	29.99	46	60	N	1	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.22	63	72	ESE	1	cv
Sharp Peak,	30.09	66	84	NE	4	o
Amoy,	30.05	70	75	N	2	c
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	30.03	73	67	E	3	o
Victoria Peak,	..	..	..	E	5	..
Gap Rock,	30.03	..	..	ENE	5	..
Macao,	30.02	76	..	E	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	1	o
..	..	..	..	..	..	..

On the 26th at 11.30 a. [illegible] has risen on the China coast. Pressure is high between the E coast of China and [illegible] of the Sea of Japan. Gradients slight to moderate with moderate monsoon [illegible] coast.—fresh or moderate NE winds; fair.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Wednesday 6th April, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

26th APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.94	56	..	W	1	b
Tokio,	29.94	..	..	NW	2	..
Kochi,	30.03	..	..	S	2	..
Nagasaki,	30.03	..	..	W	6	..
Kagoshima,	30.03	..	..	SW	4	..
Gutzlaff,	30.18	65	73	NE	1	c
Sharp Peak,	30.04	68	85	ENE	5	o
Amoy,	29.97	76	64	NE	3	b
Swatow,	..	..	..	..	..	..
Canton,	29.97	77	73	..	0	o
Hongkong,	29.96	72	74	E	4	o
Victoria Peak,	..	..	..	E	5	..
Gap Rock,	29.93	..	..	ENE	4	..
Macao,	29.96	74	..	ESE	1	c
Haiphong,		..	..	..	..	..
Manila,	29.80	90	60	WSW	2	o
Cape S. James,	..	..	..	S	1	b
..	..	..	..	..	..	..

27th APRIL, 1899, AT 10 A.

Wladivostock,	29.74	41	74	NE	2	o
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.15	60	65	ESE	2	cm
Sharp Peak,	30.05	69	70	E	3	b
Amoy,	30.02	70	70	NE	2	c
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	30.00	72	70	ENE	2	o
Victoria Peak,	..	..	..	E	2	..
Gap Rock,	29.99	..	..	ENE	4	..
Macao,	30.00	74	..	ENE	1	c
Haiphong,	..		..	..	..	..
Manila,	..	..	..	..	..	..
Cape S. James,	..	..		SW	2	or
..	..	..	..	..	..	..

On the 27th at 11.55 a. The barometer has fallen on the China coast, and in the extreme North. Pressure is low in the N. part of the Sea of Japan, and highest between the E. coast of China and W. Japan. Gradients slight with moderate monsoon on the China coast. Forecast:—moderate E winds ; dull, probably some rain.

F. G. FIGG,
First Assistant.

KONG OBSERVATORY, Thursday 27th April, 1899.

CHINA COAST METEOROLOGICAL REGISTER

27th APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.53	50	..	S	1	c
Tokio,	29.82	..	..	S	6	..
Kochi,	29.95	..	..	S	2	..
Nagasaki,	29.99	..	..	W	6	..
Kagoshima,	29.99	..	..	S	4	..
Gutzlaff,	30.10	67	74	SE	2	cm
Sharp Peak,	29.99	67	71	E	4	b
Amoy,	29.95	78	58	ENE	3	c
Swatow,	..	..	..	..	..	..
Canton,	29.95	71	86	..	0	o
Hongkong,	29.93	71	76	ENE	1	od
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	29.92	..	..	ENE	4	..
Macao,	29.95	75	..	ENE	..	cd
Haiphong,		..	..	..	..	..
Manila,	29.76	88	72	..	0	c
Cape S. James,	..	..	..	NE	1	c
	..	..	..	..	..	..

28th APRIL, 1899, AT 10 A.

Wladivostock,	29.36	49	65	NW	2	o
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.09	62	83	SE	3	cm
Sharp Peak,	30.02	67	81	..	0	o
Amoy,	30.02	71	80	NE	1	c
Swatow,	..	..	..	..	..	..
Canton,	29.99	75	81	..	0	o
Hongkong,	29.99	76	62	E	3	c
Victoria Peak,	..	..	..	E	3	..
Gap Rock,	29.98	..	..	ENE	4	..
Macao,	29.99	80	..	NE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Cape S. James,	..	..	..	SE	1	o
	..	..	..	..	..	..

On the 28th at 11.55 a. The barometer has fallen rapidly in the exteme North, owing to a depression lying in the NE part of the Sea of Japan. Pressure is highest between the E. coast of China and the Loochoos. Gradients slight in S. China. *Forecast*:—moderate or light NE winds ; fair.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Friday 28th April, 1899.

CHINA COAST METEOROLOGICAL REGISTER

28th APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,.....	..	..	..	..	..	..
Tokio, ...	29.71	..	..	SW	6	..
Kochi, ...	29.87	..	..	SE	4	..
Nagasaki, ...	30.03	..	..	W	6	..
Kagoshima,.....	29.99	..	..	W	6	..
Gutzlaff, ...	30.06	67	79	SE	3	cv
Sharp Peak, ...	29.98	68	77	E	3	o
Amoy, ...	29.97	75	77	SE	3	c
Swatow, ...	..	.	..	..	..	..
Canton, ...	29.92	87	62	..	0	b
Hongkong, ...	29.92	74	70	E	3	b
Victoria Peak, ...	..	..	..	E	1	..
Gap Rock, ...	29.94	..	..	ENE	4	..
Macao,.....	29.94	80	..	SSE	1	c
Haiphong, ...		..	..	..	..	..
Manila, ...	29.80	90	66	SW	2	c
Cape S. James, ...	..	..	..	S	1	o
.....	..	..	..	..	..	..

29th APRIL, 1899, AT 10 A.

Wladivostock,.....	..	..	..	..	..	..
Tokio, ...	..	..	..	..	..	..
Kochi, ...	..	..	..	..	..	..
Nagasaki, ...	..	..	..	..	..	..
Kagoshima,.....	..	..	..	..	..	..
Gutzlaff, ...	30.15	64	89	SE	3	cv
Sharp Peak, ...	30.04	71	80	E	1	b
Amoy, ...	30.03	72	85	W	1	b
Swatow, ...	..	..	..	..	..	..
Canton, ...	30.02	77	82	..	0	cf
Hongkong, ...	30.03	76	74	ESE	3	c
Victoria Peak, ...	..	..	..	E	2	..
Gap Rock, ...	30.01	.	..	ENE	3	..
Macao,.....	30.02	80	..	ENE	1	c
Haiphong, ...	..	..	..	..	..	..
Manila, ...	..	..	..	..	..	..
Cape S. James, ...	..	..		S	2	c
.....	..	..	..	..	..	..

On the 29th at 11.50 a. The barometer has risen slightly on the China coast. Pressure is highest tween the E. coast of China and W Japan, and the depression probably lies to the E. of Japan. adients slight with light E. winds on the China coast. Forecast:—moderate or light E winds ; fine.

F. G. FIGG,
First Assistant

ONG OBSERVATORY, Saturday 29th April, 1899.

CHINA COAST METEOROLOGICAL REGISTE

29th APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	..	..	..	..	..	..
Tokio,	29.90	..	..	NE	4	..
Kochi,	29.95	..	..	E	3	..
Nagasaki,	29.99	..	..	SW	6	..
Kagoshima,	29.95	..	..	W	6	..
Gutzlaff,	30.11	70	75	SSE	2	bv
Sharp Peak,	29.90	68	87	E	3	c
Amoy,	29.97	79	66	S	3	b
Swatow,	..	..	..	..	..	..
Canton,	29.90	87	65	S	1	b
Hongkong,	29.92	74	69	E	3	o
Victoria Peak,	..	..	..	S	1	..
Gap Rock,	29.93	..	..	ENE	3	..
Macao,	29.92	78	..	S	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	88	66	W	1	c
Cape S. James,	..	..	..	S	1	c
..	..	..	..	..	..	..

30th APRIL, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.04	62	83	SE	3	ov
Sharp Peak,	29.94	68	87	NNW	1	o
Amoy,	29.93	72	85	SE	1	c
Swatow,	29.97	73	..	ENE	1	c
Canton,	29.96	75	90	SW	1	o
Hongkong,	29.94	76	74	E	3	o
Victoria Peak,	..	..	..	E	1	..
Gap Rock,	29.95	..	..	E	3	..
Macao,	29.96	80	..	WSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Cape S. James,	..	..	..	..	..	..
..	..	..	..	..	..	..

On the 29th at 11.55 a. The barometer has fallen on the China coast, risen in the Sea of Jap
A depression seems to be advancing Eastwards over Central China. Gradients slight in S Ch
Forecast:—varying winds, light or moderate; fair at first, probably becoming unsettled with rain later.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Sunday 30th April, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

30th APRIL, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock, ...	..	..	..	..	..	..
Tokio, ...	30.02	..	..	S	6	..
Kochi, ...	30.03	..	..	SE	2	..
Nagasaki, ...	29.99	..	..	SW	6	..
Kagoshima, ...	29.99	..	..	S	4	..
Gutzlaff, ...	29.98	57	81	SE	4	cmd
Sharp Peak, ...	29.82	70	87	..	0	o
Amoy, ...	29.87	74	74	SE	3	c
Swatow, ...	29.87	75	..	ESE	3	c
Canton, ...	29.86	83	75	SE	1	c
Hongkong, ...	29.85	76	73	E	1	o
Victoria Peak, ...	..	..	..	N	1	..
Gap Rock, ...	29.85	..	..	E	3	..
Macao, ...	29.87	80	..	S	1	c
Haiphong, ...		..	..	..	..	..
Manila, ...	29.80	86	71	WSW	2	c
Cape S. James, ...	..	..	..	..	..	..
.. ..	..	..	..	..	.	..

1st MAY, 1899, AT 10 A.

Wladivostock, ...	..	..	..	..	..	..
Tokio, ...	..	..	..	..	..	..
Kochi, ...	..	..	..	..	..	..
Nagasaki, ...	..	..	..	..	..	..
Kagoshima, ...	..	..	..	..	..	..
Gutzlaff, ...	29.87	58	94	NW	4	cv
Sharp Peak, ...	29.84	71	85	..	0	o
Amoy, ...	29.94	72	90	SW	2	b
Swatow, ...	29.94	75	..	W	1	b
Canton, ...	..	..	..	..	..	..
Hongkong, ...	29.90	80	70	WNW	1	b
Victoria Peak, ...	..	..	..	N	2	..
Gap Rock, ...	29.91	..	..	NNW	1	..
Macao, ...	29.90	86	..	WSW	1	c
Haiphong, ...	..	.	..	..	..	..
Manila, ...	..	..	..	..	..	..
Cape S. James, ...	..	..		..	0	o
.....	..	..	..	..		.

On the 1st at 11.55 a. The barometer has fallen on the China coast. The depression has left the continent and is moving Eastwards between the E. coast of China and W Japan. Gradients slight, but increasing in S. China, with freshening monsoon in the Formosa Channel. Forecast:—N to NE winds, light to moderate; fair.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Monday 1st May, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

1st MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.98	..	..	S	8	..
Kochi,	30.07	..	..	SE	2	..
Nagasaki,	29.95	..	..	SE	4	..
Kagoshima,		..	..	.	..	..
Gutzlaff,	29.87	60	88	NW	5	cm
Sharp Peak,	29.80	75	84	ESE	1	o
Amoy,	29.85	81	59	SE	2	c
Swatow,	..	..	..	..	..	..
Canton,	29.84	88	66	W	1	c
Hongkong,	29.83	82	62	..	0	b
Victoria Peak,	..	..	..	SSE	1	..
Gap Rock,	29.84	..	..	W	1	..
Macao,	29.82	88	..	SSE	1	c
Haiphong,		..	..	..	..	..
Manila,	29.80	88	72	WSW	2	c
Cape S. James,	..	..	..	S	2	b
	..	..	..	..	..	..

2nd MAY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	.	..	..
Kagoshima,	.	..	..		..	..
Gutzlaff,	30.04	60	76	N	5	cv
Sharp Peak,	30.01	74	76	..	0	b
Amoy,	29.97	75	77	NE	2	b
Swatow,	..	..	..	.	..	.
Canton,	..	..	.	..	..	..
Hongkong,	29.93	84	37	..	0	b
Victoria Peak,	..	..	..	E	2	..
Gap Rock,	29.99	.	..	NNW	2	..
Macao,	29.99	88	..	NE	1	b
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Cape S. James,	..	..		..	..	..
	..	..	..	..	..	..

On the 2nd at 11.55 a. The barometer has risen on the China coast, fallen in Japan. Pressure is highest over Central China, and the depression is probably lying over Japan. Gradients slight in S. China. Forecast:—light to moderate NE winds; fine.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Tuesday 2nd May, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

2nd MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,.....	30.02	61	..	..	0	b
Tokio, ...	29.98	..	..	S	4	..
Kochi, ...	30.03	..	..	SE	2	..
Nagasaki, ...	29.79	..	..	SE	6	..
Kagoshima,.....	29.83	..	..	E	6	..
Gutzlaff, ...	30.02	65	78	N	3	c
Sharp Peak, ...	29.93	72	81	E	3	b
Amoy, ...	29.93	76	73	SE	3	b
Swatow, ...	29.97	78	..	ESE	4	b
Canton, ...	29.93	93	38	NW	1	b
Hongkong, ...	29.92	81	44	E	3	b
Victoria Peak, ...	..	..	..	ESE	1	..
Gap Rock, ...	29.92	..	..	E	2	..
Macao,.....	29.92	88	..	S	1	b
Haiphong, ...		..	..	..	..	..
Manila, ...	29.84	88	72	WSW	2	o
Cape S. James, ...	..	..	..	S	1	b
....	..	..	..	..	..	..

3rd MAY, 1899, AT 10 A.

Wladivostock,.....	29.83	43	75	SE	1	c
Tokio, ...	..	..	..	..	..	..
Kochi, ...	..	..	..	..	..	..
Nagasaki, ...	..	..	..	.	..	..
Kagoshima,.....	..	..	..	.	..	..
Gutzlaff, ...	30.01	63	62	ESE	1	bv
Sharp Peak, ...	30.00	73	74	..	0	b
Amoy, ...	29.98	71	76	W	2	b
Swatow, ...	..	.	..	..	..	
Canton, ...	30.02	80	70	..	0	b
Hongkong, ...	29.99	80	82	ESE	3	b
Victoria Peak, ...	..	..	..	E	1	..
Gap Rock, ...	29.98	.	..	ENE	3	..
Macao,.....	30.00	82	..	SSE	1	c
Haiphong, ...	..	..	..	..	..	..
Manila, ...	..	..	..	..	..	.
Cape S. James, ...	..	..		S	2	or
. ...	..	..	..	..	..	.

On the 3rd at 11.55 a. The barometer has fallen in the extreme North, and remains steady on the China coast. Pressure is highest near the Loochoos, and low over the Sea of Japan Gradients slight on the China coast. Forecast:—light or moderate NE winds; fine.

F. G. FIGG,
First Assistant

KONG OBSERVATORY, Wednesday 3rd May, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

3rd MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.90	..	..	NE	2	..
Kochi,	29.76	..	..	E	4	..
Nagasaki,	29.76	..	..	W	4	..
Kagoshima,	29.79	..	..	N	4	..
Gutzlaff,	29.98	70	61	..	0	cv
Sharp Peak,	29.90	74	83	E	1	b
Amoy,	29.92	..	..	SE	4	b
Swatow,	29.91	78	..	E	4	b
Canton,	29.89	90	56	W	2	b
Hongkong,	29.90	77	68	E	1	b
Victoria Peak,	..	..	..	SE	1	..
Gap Rock,	29.92	..	..	E	2	..
Macao,	29.90	83	..	SSE	1	c
Haiphong,		..	..	..	..	..
Manila,	29.80	88	66	SW	1	ot
Cape S. James,	..	..	..	S	1	b
.....	..	..	..	..	..	..

4th MAY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	.	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.97	64	73	S	3	cm
Sharp Peak,	29.96	73	74	..	0	b
Amoy,	..	70	66	S	3	b
Swatow,	..	..	..		..	.
Canton,	29.90	80	74	S	2	b
Hongkong,	29.94	77	73	E	2	b
Victoria Peak,	..	..	..	SE	1	..
Gap Rock,	29.94	.	..	ESE	2	..
Macao,	29.93	82	..	SE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	.	..	.
Cape S. James,	..	..		NE	1	b
.....	..		..	..		..

On the 4th at 11.55 a. The barometer is falling on the China coast. A low pressure area probably exists in N. China. Gradients slight for SE winds on the China coast. Forecast:—light SE winds: fine.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Thursday 4th May, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

4th MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.63	51	..	SE	4	b
Tokio,	29.75	..	..	S	4	..
Kochi,	29.79	..	..	SW	4	..
Nagasaki,	29.87	..	..	W	4	..
Kagoshima,	29.83	..	..	W	4	..
Gutzlaff,	29.89	71	76	SE	2	cm
Sharp Peak,	29.86	74	76	ESE	2	c
Amoy,	29.87	80	41	SE	3	b
Swatow,	29.84	80	..	E	4	b
Canton,		88	59	S	2	c
Hongkong,	29.84	79	64	S	2	c
Victoria Peak,	..	..	..	SSE	2	..
Gap Rock,	29.85	..	..	ESE	2	..
Macao,	29.84	83	..	SSE	1	c
Haiphong,		..	..	..	..	..
Manila,	29.84	79	92	SW	2	c
Cape S. James,	..	..	..	SE	2	c
	..	..	..	..		..

5th MAY, 1899, AT 10 A.

Wladivostock,	29.77	37	..	WNW	1	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	.	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.00	61	88	NNE	5	cmd
Sharp Peak,	29.90	72	85	..	0	c
Amoy,	29.93	73	86	SW	1	c
Swatow,	29.92	76	..	ENE	1	c
Canton,	29.89	80	78	S	1	c
Hongkong,	29.90	78	72	E	2	c
Victoria Peak,	..	..	..	SE	1	..
Gap Rock,	29.89	.	..	ESE	3	..
Macao,	29.89	73	..	ESE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Cape S. James,	..	..		..	0	f
	..	..	..			

[illegible] at 11.5 a. The barometer is rising on the E. coast of China, falling on the S. coast. A [illegible]ion appears to have passed from the continent and to be now lying in the N. part of the Sea [illegible]. Gradients slight, but increasing in S. China, with freshening monsoon in the Formosa Channel [illegible] on the S. coast. Forecast:—moderate or fresh NE winds; fair at first, probably some rain later.

F. G. FIGG,
First Assistant.

KONG OBSERVATORY, Friday 5th May, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

5th MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.82	..	..	S	4	..
Kochi,	29.87	..	..	N	2	..
Nagasaki,	29.91	..	..	SW	4	..
Kagoshima,	29.88	..	..	W	4	..
Gutzlaff,	30.01	59	76	NE	6	cm
Sharp Peak,	29.84	73	86	..	0	o
Amoy,	29.86	78	65	W	2	o
Swatow,	29.86	80	..	SE	3	b
Canton,	29.83	84	72	S	1	o
Hongkong,	29.83	78	71	E	2	o
Victoria Peak,	..	..	..	SSE	2	..
Gap Rock,	29.82	..	..	ESE	2	..
Macao,	29.83	84	..	SE	1	o
Haiphong,		..	..	..	..	..
Manila,	29.80	90	60	WSW	3	c
Cape S. James,	..	..	..	SW	2	c
	..	..	..	..	..	..

6th MAY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.09	55	94	NE	4	cmd
Sharp Peak,	29.98	70	83	E	3	o
Amoy,	29.93	71	90	NW	1	o
Swatow,	..	..	..		..	.
Canton,	29.88	79	82	SE	1	o
Hongkong,	29.89	78	80	E	2	o
Victoria Peak,	..	..	..	SE	2	..
Gap Rock,	29.89	.	..	SE	3	..
Macao,	29.88	83	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	.
Cape S. James,	..	..	..	SW	2	b
	..	..	..	..	.	..

On the 6th at 11.55 a The barometer has risen on the E coast of China, and is little changed on the S. coast. Pressure is highest over NE China, with moderate gradients for NE winds on the coast. Forecast:—moderate E winds; cloudy, some showers.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Saturday 6th May, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

6th MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.81	50	..	SE	4	c
Tokio,	30.02	..	..	NE	4	..
Kochi,	29.91	..	..	..	0	..
Nagasaki,	29.91	..	..	W	2	..
Kagoshima,	29.91	..	..	W	2	..
Gutzlaff,	30.04	55	94	NE	4	om
Sharp Peak,	29.87	69	85	E	2	o
Amoy,	29.87	70	95	NNE	2	or
Swatow,	..	..	..	..	..	..
Canton,	29.80	75	90	.	0	or
Hongkong,	29.80	78	81	E	2	o
Victoria Peak,	..	..	..	SW	1	..
Gap Rock,	29.78	..	..	SE	2	..
Macao,	29.81	83	..	S	1	c
Haiphong,		..	..	..	..	..
Manila,	29.80	90	66	WSW	2	c
Cape S. James,	..	..	..	S	2	b
	..	..	..	..	..	..

7th MAY, 1899, AT 10 A.

Wladivostock,	29.84	41	96	NE	1	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.12	68	88	NNE	3	cv
Sharp Peak,	29.96	67	95	ENE	5	ov
Amoy,	29.95	69	90	NE	3	or
Swatow,	..	..	..	..	..	..
Canton,	29.89	70	100	SE	1	o
Hongkong,	29.89	73	89	ENE	3	od
Victoria Peak,	..	..	..	E	6	..
Gap Rock,	29.88	..	..	ENE	4	..
Macao,	29.88	75	..	NNW	1	od
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Cape S. James,	..	..	—	SW	2	b
	..	..	..	..	..	..

On the 7th at 10,50 a. Barometric changes are slight. Pressure is high over the NE coast of China, and gradients continue moderate with fresh monsoon on the coast. Forecast:—fresh or moderate NE winds; dull, rainy.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Sunday 7th May, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

7th MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.83	49	..	SSE	3	b
Tokio,	29.98	..	..	N	2	..
Kochi,	29.91	..	..	S	2	..
Nagasaki,	29.95	..	..	SW	4	..
Kagoshima,	29.96	..	..	S	2	..
Gutzlaff,	30.09	64	73	NE	2	cv
Sharp Peak,	29.94	67	92	E	5	o
Amoy,	29.91	70	95	NE	2	or
Swatow,	..	..	..	..	..	..
Canton,	..	75	81	.	0	c
Hongkong,	29.84	72	94	E	3	o
Victoria Peak,	..	..	..	E	6	..
Gap Rock,	29.82	..	..	ENE	4	..
Macao,	29.82	74	..	NE	1	od
Haiphong,		..	..	..	..	..
Manila,	29.84	90	66	WSW	2	c
Cape S. James,	..	..	..	..	..	..
	..	..	..	..	..	..

8th MAY, 1899, AT 10 A.

Wladivostock,	29.82	36	99	NE	1	f
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.11	60	71	NE	2	cv
Sharp Peak,	29.99	64	86	NNE	1	og
Amoy,	..	..	..	..	..	..
Swatow,	..	..	..	..	..	..
Canton,	29.90	70	100	..	0	r
Hongkong,	29.90	75	90	E	4	o
Victoria Peak,	..	..	..	SE	3	..
Gap Rock,	29.89	.	..	SSW	3	..
Macao,	29.88	79	..	NW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Cape S. James,	..	..		..	0	b
	..	..	..	..	.	..

On the 8th at 11.55 a. Pressure is very little changed, remaining high over the E. coast of China and relatively low on the S coast. Gradients moderate to slight, mainly for E. winds, on the coast. Forecast:—moderate E to SE winds; unsettled, some thunder showers.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Monday 8th May, 1899.

A COAST METEOROLOGICAL REGISTER.

8th MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.81	67	..	SE	3	b
Tokio,	29.04	..	..	S	6	..
Kochi,	30.06	..	..	SE	4	..
Nagasaki,	29.90	..	..	SW	4	..
Kagoshima,	29.90	..	..	SE	2	..
Gutzlaff,	30.08	60	71	SE	1	ev
Sharp Peak,	29.92	64	88	N	1	og
Amoy,	29.87	69	70	NE	2	or
Swatow,	29.90	70	..	NE	2	od
Canton,	29.87	68	95	.	0	or
Hongkong,	29.83	71	95	N	1	orlt
Victoria Peak,	.	..	..	NNW	2	..
Gap Rock,	29.88	77	..	NW	6	..
Macao,	29.83	70	..	NNW	1	orlt
Haiphong,		..	..	..	..	..
Manila,	29.84	88	66	N	1	c
Cape S. James,	..	..	..	S	3	b
..	..	..	.	.	.	..

9th MAY, 1899, AT 10 A.

Wladivostock,	29.91	44	87	ENE	2	c
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	.	..	..
Kagoshima,	.	..	..	..	..	..
Gutzlaff,	30.11	60	65	..	0	ev
Sharp Peak,	30.02	64	80	NNE	3	or
Amoy,	29.98	65	95	NE	3	orf
Swatow,	..	..	..		..	.
Canton,	..	..	.	..	..	..
Hongkong,	29.99	74	83	NNE	1	c
Victoria Peak,	..	..	..	N	3	..
Gap Rock,	29.98	.	..	N	4	..
Macao,	30.01	70	..	NNW	1	c
Haiphong,	..	.	..	..	..	..
Manila,	..	..	..	..	..	..
Cape S. James,	..	..		..	0	f
..	..	..	..	..	.	

11.30 a. The barometer has risen in S. China, fallen in the extreme North. Pressure ... coast of China, Low in the N. part of the Sea of Japan, and slightly low near S. Formosa. ... moderate for NE winds on the S and SE coasts of China. Forecast:—moderate N to ...

F. G. FIGG,
First Assistant

...ory, Tuesday 9th May, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

9th MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.59	59	..	NNW	3	c
Tokio,	29.90	..	..	SW	3	..
Kochi,	29.99	..	..	..	0	..
Nagasaki,	29.95	..	..	..	0	..
Kagoshima,	29.95	..	..	NE	4	..
Gutzlaff,	30.06	60	88	SW	1	cv
Sharp Peak,	29.99	63	89	NNE	2	o
Amoy,	29.97	68	85	NE	3	or
Swatow,	..	..	..	..	..	..
[illegible]	29.95	83	46	N	2	b
[illegible]	29.92	79	43	N	1	o
[illegible]	.	..	..	NNE	1	..
[illegible]	29.93	..	..	NNW	3	..
[illegible]	29.95	82	..	NNW	1	c
[illegible]		..	..	..	..	..
Manila,	29.84	91	61	SSE	2	c
Cape S. James,	..	..	..	.	0	o
[illegible]	..	..	..	..	..	..

10th MAY, 1899, AT 10 A.

Wladivostock,	29.81	50	62	N	1	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	.	..	..
Kagoshima,	.	..	..	..	..	..
Gutzlaff,	30.08	64	73	S	1	hv
Sharp Peak,	30.05	67	79	E	2	b
Amoy,	30.06	67	84	NW	1	c
Swatow,	..	..	..	..	..	.
Canton,	.	..	.	..	..	..
Hongkong,	30.06	76	72	ESE	1	c
Victoria Peak,	..	..	..	ENE	1	..
Gap Rock,	30.05	.	..	ENE	3	..
Macao,	30.05	79	..	SE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Cape S. James,	..	..	..	NE	1	o
[illegible]	..	..	..	..	.	..

On the 10th at 11.55 A. The barometer has risen in the extreme North, and over S. China. Pressure is low in E. Japan, and high between S. China and the Loochoos. Gradients slight with moderate monsoon on the S and SE coasts of China. Forecast:—moderate NE winds; fine.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Wednesday 10th May, 1899.

[illegible] COAST METEOROLOGICAL REGISTER.

10th MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.82	..	..	S	6	..
Kochi,	29.95	..	..		0	..
Nagasaki,	29.95	..	..	SW	4	..
Kagoshima,	29.95	..	..	S	2	..
Cutzlaff,	30.06	70	70	S	1	cv
Sharp Peak,	30.00	67	79	E	2	o
Amoy,	30.01	72	76	SE	3	b
Swatow,	..	..	..	..	..	..
Canton,	29.98	87	49	SW	2	b
Hongkong,	29.96	78	59	E	2	c
Victoria Peak,	..	..	..	NE	5	..
Gap Rock,	29.96	..	..	ENE	3	..
Macao,	29.97	82	..	SE	1	c
Haiphong,		..	..	..	..	..
Manila,	29.84	86	65	ENE	2	c
Cape S. James,	..	..	..	NE	4	c
..	..	..	..	..	..	..

11th MAY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	30.10	..	..	..	0	..
Kochi,	30.11	..	..	..	0	..
Nagasaki,	30.07	..	..	W	2	..
Kagoshima,	30.03	..	..	N	2	..
Gutzlaff,	30.13	66	55	SE	2	bv
Sharp Peak,	30.11	70	80	N	1	b
Amoy,	..	..	..	..	..	..
Swatow,	..	..	..		..	..
Canton,	30.[illegible]	79	61	E	1	b
Hongkong,	30.06	78	47	E	3	b
Victoria Peak,	..	..	..	E	2	..
Gap Rock,	30.03	..	..	ENE	3	..
Macao,	30.06	80	..	ENE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Cape S. James,	..	..		NNE	2	b
..	..	..	..	..	..	..

On the 11th at 11.55 a. The barometer has risen on the E. coast of China and over Japan. Pressure is high over the China coast and Japan generally, with slight gradients for E winds on the China coast. Forecast:—moderate E winds; fine.

F. G. FIGG,
First Assistant.

KONG OBSERVATORY, Thursday 11th May, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

11th MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.14	..	..	SE	4	..
Kochi,	30.11	..	..	..	0	..
Nagasaki,	30.07	..	..	W	6	..
Kagoshima,	30.07	..	..	SE	2	..
Gutzlaff,	30.12	69	80	SSE	2	bv
Sharp Peak,	30.06	70	85	E	2	c
Amoy,	30.03	76	73	SE	3	b
Swatow,	..	..	..	..	..	..
Canton,	30.00	88	48	S	2	b
Hongkong,	30.00	78	41	E	3	c
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	29.99	..	..	ENE	3	..
Macao,	29.99	83	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	91	49	ESE	1	c
Cape S. James,	..	..	..	..	..	..
	..	..	..	..	..	..

12th MAY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.24	66	84	SSE	3	cv
Sharp Peak,	30.19	70	83	NE	2	c
Amoy,	30.16	71	83	..	0	c
Swatow,	..	..	..		..	
Canton,	30.13	79	54	SE	1	b
Hongkong,	30.12	77	46	E	4	c
Victoria Peak,	..	..	..	E	5	..
Gap Rock,	30.10	.	..	ENE	4	..
Macao,	30.11	81	..	ESE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Cape S. James,	..	..		N	2	c
	..	..	..	..	.	..

On the 12th at 11.55 a. The barometer has risen and is high on the China coast and over Japan generally. Gradients slight to moderate with moderate to strong monsoon in the Formosa Channel and over the N. part of the China Sea. Forecast:—fresh or moderate E winds; fair.

F. G. FIGG,
First Assistant.

Observatory, Friday 12th May, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

12th MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.89	56	..	SE	3	b
Tokio,	30.14	..	..	E	4	..
Kochi,	30.11	..	..	SE	2	..
Nagasaki,	30.19	..	..	SW	6	..
Kagoshima,	30.19	..	..	W	6	..
Gutzlaff,	30.20	75	77	SSE	4	cm
Sharp Peak,	30.16	70	80	E	3	c
Amoy,	30.17	72	81	S	1	c
Swatow,	..	..	..	..	..	..
Canton,	30.07	88	43	SE	2	b
Hongkong,	30.06	75	60	E	3	c
Victoria Peak,	..	..	..	E	7	..
Gap Rock,	30.04	..	..	ENE	5	..
Macao,	30.07	82	..	E	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	91	45	E	3	c
Cape S. James,	..	..	..	NE	4	c
..	..	..	..	..	..	..

13th MAY, 1899, AT 10 A.

Wladivostock,	29.81	48	99	..	0	f
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.20	60	88	SSE	4	bv
Sharp Peak,	30.15	70	68	E	1	c
Amoy,	30.13	70	75	W	1	b
Swatow,	..	..	..		..	..
Canton,	..	..	..	..	..	..
Hongkong,	30.10	77	61	ENE	4	b
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	30.09	..	..	ENE	5	..
Macao,	30.10	82	..	SSE	1	c
Haiphong,	..		..	..	..	..
Manila,	..	..	..	..	..	..
Cape S. James,	..	..		NE	2	b
..	..	..	..	..	..	..

On the 13th at 11.55 a. The barometer is falling in the extreme North of China. The high pressure area, central between the E. coast of China and the Loochoos, still extends over the coasts of China and Japan. Gradients slight on the coast, moderate with fresh monsoon in the N. part of the China Sea. Forecast:—moderate E winds; fine.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Saturday 13th May, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

13th MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,.....	..	..	..	..	..	..
Tokio, ...	30.02	..	..	S	4	..
Kochi, ...	30.15	..	..	SE	4	..
Nagasaki, ...	30.19	..	..	SW	4	..
Kagoshima,.....	30.19	..	..	S	8	..
Gutzlaff, ...	30.11	69	80	SSE	4	bm
Sharp Peak, ...	30.06	73	83	ESE	4	c
Amoy, ...	30.07	77	77	SE	3	b
Swatow, ...	..	..	..	..	..	..
Canton, ...	30.00	89	98	S	2	b
Hongkong, ...	30.01	78	34	E	3	b
Victoria Peak, ...	..	..	..	E	2	..
Gap Rock, ...	30.00	..	..	ENE	4	..
Macao,.....	30.01	83	..	SSE	1	c
Haiphong, ...	..	..	..	..	..	..
Manila, ...	29.88	88	54	NE	2	c
Cape S. James, ...	..	..	..	NE	4	c
.....	..	..	..	..	..	..

14th MAY, 1899, AT 10 A.

Wladivostock,.....	..	..	..	..	..	..
Tokio, ...	..	..	..	..	..	..
Kochi, ...	..	..	..	..	..	..
Nagasaki, ...	..	..	..	..	..	..
Kagoshima,.....	..	..	..	..	..	..
Gutzlaff, ...	30.01	67	60	S	4	cm
Sharp Peak, ...	30.01	75	81	..	0	c
Amoy, ...	30.00	74	86	W	1	b
Swatow, ...	..	..	..	..	..	..
Canton, ...	..	..	..	..	..	..
Hongkong, ...	30.03	77	71	E	2	b
Victoria Peak, ...	..	..	..	ESE	..	..
Gap Rock, ...	30.02	.	..	ENE	3	..
Macao,.....	30.03	82	..	SE	1	c
Haiphong, ...	..	..	..	..	..	..
Manila, ...	..	..	..	..	..	..
Cape S. James, ...	..	..		NE	2	c
.....	..	.	..	..	.	..

On the 14th at 11.55 a. The barometer has fallen in China, particularly on the E. coast. A depression is moving Eastwards in N. China, and pressure is highest in the Pacific to the S. of Japan. Gradients slight in S. China. Forecast:—E or varying winds, moderate to light; fair.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Sunday 14th May, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

14th MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,.....	..	..	..	..	..	..
Tokio, ...	30.02	..	..	S	4	..
Kochi, ...	30.11	..	..	SE	4	..
Nagasaki, ...	30.07	..	..	S	5	..
Kagoshima,.....	30.11	..	..	S	2	..
Gutzlaff, ...	29.99	78	76	S	2	cm
Sharp Peak, ...	29.92	76	84	NNE	2	c
Amoy, ...	29.90	78	74	S	2	b
Swatow, ...	..	..	..	..	..	..
Canton, ...	..	..	..	..	..	..
Hongkong, ...	29.92	78	78	E	2	c
Victoria Peak, ...	..	..	..	E	1	..
Gap Rock, ...	29.92	..	..	ENE	3	..
Macao,.....	29.93	83	..	SSE	1	c
Haiphong, ...	..	..	..	..	..	..
Manila, ...	29.84	84	64	SSE	2	c
Cape S. James, ...	..	..	..	..	..	..
....	..	..	..	..	..	..

15th MAY, 1899, AT 10 A.

Wladivostock,.....	..	..	..	..	..	..
Tokio, ...	..	..	..	..	..	..
Kochi, ...	..	..	..	..	..	..
Nagasaki, ...	..	..	..	..	..	..
Kagoshima,.....	..	..	..	..	..	..
Gutzlaff, ...	30.03	61	94	NE	1	cmd
Sharp Peak, ...	29.95	74	86	..	0	c
Amoy, ...	30.01	75	86	SE	2	b
Swatow, ...	..	..	..	..	..	..
Canton, ...	..	..	..	..	..	..
Hongkong, ...	29.97	79	75	..	0	c
Victoria Peak, ...	..	..	..	..	0	..
Gap Rock, ...	29.97	..	..	NNE	3	..
Macao,.....	29.97	80	..	ESE	1	c
Haiphong, ...	..	..	..	..	..	..
Manila, ...	..	..	..	..	..	..
Cape S. James, ...	..	..	..	ENE	3	b
....	..	..	..	..	..	..

On the 15th at 11.55 a. The barometer is rising on the E. coast of China, falling on the S. coast. The depression seems to be moving Eastwards between the E. coast of China and the Sea of Japan. Gradients slight on the China coast. Forecast:—N or varying winds, light or moderate; probably some thunder showers.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Monday 15th May, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

15th MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.88	56	..	SE	3	b
Tokio,	29.98	..	..	S	6	..
Kochi,	30.03	..	..	SE	2	..
Nagasaki,	30.00	..	..	W	4	..
Kagoshima,	30.03	..	..	SE	2	..
Gutzlaff,	30.00	61	94	NE	4	fr
Sharp Peak,	29.89	74	86	E	2	o
Amoy,	29.92	78	82	SE	1	c
Swatow,	..	..	..	..	..	..
Canton,	29.92	85	61	..	0	c
Hongkong,	29.91	80	72		0	o
Victoria Peak,	..	..	..	NNW	4	..
Gap Rock,	29.92	..	..	NNE	2	..
Macao,	29.94	82	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	88	59	E	2	c
Cape S. James,	..	..	..	NE	5	c
..	..	..	..	..	..	..

16th MAY, 1899, AT 10 A.

Wladivostock,	29.80	49	90	SE	3	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.09	61	82	N	3	cv
Sharp Peak,	29.98	71	88	E	3	rg
Amoy,	30.01	77	91	SE	1	c
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.98	81	76	W	1	o
Victoria Peak,	..	..	..	NNW	1	..
Gap Rock,	29.98	..	..	NNW	2	..
Macao,	29.98	86	..	NW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Cape S. James,	..	..		NE	3	c
..	..	..	..	..	..	..

On the 16th at 11.55 a. The barometer has fallen in the extreme North, risen on the E. coast of China. Pressure is high over the NE coast of China, and low in the W. part of the Sea of Japan. Gradients slight for NE winds on the China coast. Forecast:—N and NE winds, light to moderate; fair.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Tuesday, 16th May, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

16th MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	29.70	64	..	ESE	4	b
Tokio,	29.90	..	..	S	6	..
Kochi,	29.87	..	..	..	0	..
Nagasaki,	29.91	..	..	N	4	..
Kagoshima,	29.91	..	..	W	6	..
Gutzlaff,	30.05	61	82	N	2	cv
Sharp Peak,	29.98	69	90	E	5	or
Amoy,	29.89	80	78	SE	2	c
Swatow,	..	..	..	..	..	..
Canton,	29.80	88	66	N	1	b
Hongkong,	29.90	85	68	NW	1	c
Victoria Peak,	..	..	..	NW	..	..
Gap Rock,	29.90	..	..	NNW	2	..
Macao,	29.90	82	..	ENE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	81	76	NNW	1	or
Cape St. James,	..	..	..	SE	2	b
..	..	..	..	..	..	..

17th MAY, 1899, AT 10 A.

Wladivostock,	29.89	51	47	N	2	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.11	60	88	ESE	3	cv
Sharp Peak,	30.05	69	90	NE	1	c
Amoy,	30.04	74	86	NE	2	c
Swatow,	..	..	..	..	..	..
Canton,	29.99	84	72	E	1	b
Hongkong,	29.99	81	75	E	3	b
Victoria Peak,	..	..	..	ENE	1	..
Gap Rock,	30.00	..	..	ENE	2	..
Macao,	29.99	86	..	E	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Cape St. James,	..	..	..	NE	1	b
..	..	..	..	..	..	..

[illegible]. The barometer has risen slightly on the China coast. Pressure is highest [illegible] and lowest in a depression lying over the E. part of the [illegible] Sea of Japan. [illegible] light for S winds on the China coast. Forecast—light to moderate winds; fair.

F. G. FIGG,
First Assistant

Hongkong Observatory, Wednesday 17th May, 1899.

METEOROLOGICAL REGISTER.

[illegible] MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	29.87	68	..	NNW	3	b
Tokio,	29.78	..	..	S	4	..
Kochi,	29.95	..	..	SE	2	..
Nagasaki,	29.99	..	..	SW	6	..
Kagoshima,	29.95	..	..	SE	2	..
Gutzlaff,	30.10	68	95	SSE	2	cv
Sharp Peak,	29.99	69	90	E	1	o
Amoy,	29.97	75	81	SE	3	o
Swatow,	..	..	..	..	..	..
Canton,	29.89	92	57	W	1	b
Hongkong,	29.92	80	88	E	3	o
Victoria Peak,	.	..	..	SE	1	..
Gap Rock,	29.92	..	..	E	2	..
Macao,	29.91	85	..	S	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	81	85	NE	1	c
Cape S. James,	..	..	..	E	1	c
[illegible]	..	..	..	..	..	..

16th MAY, 1899, AT 10 A.

Wladivostock,	29.99	54	63	ENE	1	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.15	64	68	SE	3	cv
Sharp Peak,	30.04	68	92		0	o
Amoy,	30.01	73	86	NE	2	o
Swatow,	..	..	..		..	..
Canton,		..	..	..	..	..
Hongkong,	29.98	80	76	E	4	o
Victoria Peak,	..	..	..	ESE	1	..
Gap Rock,	29.97	.	..	E	3	..
Macao,	29.98	85	..	E	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	.
Cape S. James,	..	..		NE	2	b
[illegible]	..	..	..	..	..	..

On the 15th at 11.55 a. The barometer has risen over the Sea of Japan, and continues almost steady on the China coast. Pressure is highest over W. Japan and above the normal on the China coast generally. Gradients slight for all winds. Forecast:—moderate E winds; fair.

F. G. EGG,
First Assistant.

HONGKONG OBSERVATORY, Thursday 18th May, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

18th MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.97	55	..	SE	4	b
Tokio,	30.14	..	..	E	4	..
Kochi,	30.07	..	..	SE	2	..
Nagasaki,	30.07	..	..	W	4	..
Kagoshima,	30.07	..	..	S	4	..
Gutzlaff,	30.09	65	89	S	2	cv
Sharp Peak,	29.97	67	92	NE	6	o
Amoy,	29.95	75	86	SE	3	o
Swatow,	..	..	..	..	..	..
Canton,	29.84	90	60	S	2	b
Hongkong,	29.88	79	83	E	4	c
Victoria Peak,	..	..	..	SE	2	..
Gap Rock,	29.89	..	..	E	3	..
Macao,	29.90	85	..	E	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	82	77	ESE	1	c
Cape S. James,	..	..	..	E	5	f
	..	..	..	..	..	..

19th MAY, 1899, AT 10 A.

Wladivostock,	29.81	50	99	SE	4	f
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.96	59	94	E	4	omd
Sharp Peak,	29.87	68	93		0	od
Amoy,	29.93	73	86	SE	2	c
Swatow,	..	..	..		..	.
Canton,	29.91	85	72	W	1	c
Hongkong,	29.90	82	77		0	c
Victoria Peak,	..	..	..	SW	1	..
Gap Rock,	29.91	.	..		0	..
Macao,	29.88	87	..	SSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	.
Cape S. James,	..	..		NE	4	b
	..	..	..	..	.	..

On the 19th at 11.55 a. The barometer has fallen on the China coast generally, particularly in the North A depression, moving Eastwards, has appeared in N China. Gradients slight in S. China. Forecast:—light or moderate SW to NW winds; fair.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Friday 19th May, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

19th MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.76	52	..	SE	4	o
Tokio,	30.06	..	..	S	2	..
Kochi,	29.99	..	..	..	0	..
Nagasaki,	29.91	..	..	SE	4	..
Kagoshima,	29.91	..	..	E	6	..
Gutzlaff,	29.90	63	94	E	3	ofd
Sharp Peak,	29.79	70	95		0	r
Amoy,	29.74	80	78	SE	3	c
Swatow,	..	..	..	..	..	..
[illegible],	29.79	92	57	W	1	b
[illegible]phong,	29.79	82	68	S	2	c
Victoria Peak,	..	..	..	S	2	..
Gap Rock,	29.80	..	..	SE	3	..
Macao,	29.80	86	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.76	88	66	SE	3	c
Cape S. James,	..	..	..	E	3	c
[illegible]	..	..	..	..	..	..

20th MAY, 1899, AT 10 A.

Wladivostock,	29.67	50	99	SE	1	f
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.93	79	95	E	2	f
Sharp Peak,	29.84	69	100	ENE	3	or
Amoy,	29.79	77	91	SE	2	c
Swatow,	..	..	..	..	..	..
[illegible]		..		..	..	..
[illegible]	29.83	83	69	WSW	1	o
[illegible] Peak,	..	..	..	SW	3	..
[illegible] Rock,	29.83	..	..	SSW	3	..
Macao,	..	..	..	..	..	..
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Cape S. James,	..	..		E	2	o
[illegible]	..	..	..	..	..	..

On the 2[illegible]th at 11.55 a. The barometer has fallen on the China coast, and in the extreme North. The [illegible] is moving Eastwards in the W. part [illegible] Sea of Japan. Gradients slight on the China coast. Forecast:—SW or varying winds, light to moderate; less settled weather, probably some showers.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 20th May, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

20th MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.60	67	..	E	1	c
Tokio,	29.78	..	..	NE	2	..
Kochi,	29.68	..	..	.	0	..
Nagasaki,	29.72	..	..	SW	4	..
Kagoshima,	29.72	..	..	SE	2	..
Gutzlaff,	29.80	70	85	SE	2	cm
Sharp Peak,	29.78	69	95	E	1	r
Amoy,	29.72	80	82	SE	2	c
Swatow,	..	..	..	..	..	..
Canton,	29.68	94	61	S	1	b
Hongkong,	29.74	83	73	S	1	o
Victoria Peak,	..	..	..	SSW	3	..
Gap Rock,	29.75	..	..	SW	3	..
Macao,	29.74	87	..	SW	1	c
Haiphong,	..	..	..	..	..	.
Manila,	29.72	91	61	W	1	c
Cape S. James,	..	..	..	SSE	1	c
...	..	..	..	..	..	..

21st MAY, 1899, AT 10 A.

Wladivostock,	29.70	55	85	..	0	c
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.93	63	80	ESE	3	f
Sharp Peak,	29.85	68	95	E	..	o
Amoy,	29.88	75	90	E	1	odr
Swatow,	..	.	..	.	..	..
Canton,		..		..	..	..
Hongkong,	29.79	83	72	SW	3	o
Victoria Peak,	..	..	..	SSW	4	..
Gap Rock,	.	..	..	..	..	..
Macao,	29.78	87	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Cape S. James,	..	..	.	N	1	f
.	..	..	..		.	.

On the 21st at 11.55 a. Barometric changes are unimportant. The depression probably lies in the part of the Sea of Japan, and pressure is also slightly low over the S. coast of China. Gradients remain light on the China coast. Forecast:—SW and varying winds, light to moderate; probably some thunder showers.

F. G. FIGG,
First Assistant.

HONG OBSERVATORY, Sunday 21st May, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

21st MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.70	69	..	N	1	or
Tokio,	29.78	..	..	S	2	..
Kochi,	29.83	..	..	SE	2	..
Nagasaki,	29.79	..	..	W	4	.
Kagoshima,	29.79	..	..	S	4	..
Gutzlaff,	29.88	70	80	SE	2	bv
Sharp Peak,	29.81	69	92	E	2	o
Amoy,	29.75	75	90	NE	2	o
Swatow,	..	..	..	..	..	..
Canton,		..	..		..	..
Hongkong,	29.71	83	75	..	0	o
Victoria Peak,	..	..	..	S	4	..
Gap Rock,	..	..	..	..	..	..
Macao,	29.71	85	..	SW	1	c
Haiphong,	..	..	..	..	..	.
Manila,	29.69	90	66	..	0	c
Cape S. James,	..	..	..	..	..	..
	..	..	..	..	..	..

22nd MAY, 1899, AT 10 A.

Wladivostock,	29.85	64	70	E	2	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.89	65	89	SE	4	cv
Sharp Peak,	29.82	69	92	.	0	ov
Amoy,	29.82	75	86	NE	1	o
Swatow,	..	..	..		..	.
Canton,	29.72	80	62	S	2	o
Hongkong,	29.76	83	75	S	1	o
Victoria Peak,	..	..	..	S	3	..
Gap Rock,		.	..	.	..	..
Macao,	29.74	85	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Cape S. James,	..	..		NNW	2	b
	..	..	..	..	.	..

On the 22nd at 11.56 a. The barometer has fallen slightly on the China coast, risen in the Sea of Japan. Pressure is highest over W. Japan, and still low over S. China. Gradients slight for S and SE winds over the S. coast. Forecast:—light or moderate S winds; showery.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Monday 22nd May, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

22nd MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.86	62	..	SE	3	c
Tokio,	29.94	..	..	S	2	..
Kochi,	29.87	..	..	S	2	..
Nagasaki,	29.79	..	..	SW	6	..
Kagoshima,	29.84	..	..	E	6	..
Gutzlaff,	29.85	65	89	SE	4	cgm
Sharp Peak,	29.76	71	93	NE	1	o
Amoy,	29.75	76	86	SE	3	o
Swatow,	..	..	..	..	..	..
Canton,	29.66	87	80	E	1	o
Hongkong,	29.69	83	73	S	2	o
Victoria Peak,	.	.	..	S	3	..
Gap Rock,	29.69	83	..	S	3	..
Macao,	29.68	86	..	SW	1	c
Haiphong,	..	..	..	..	..	.
Manila,	29.65	82	70	ENE	2	o
Cape S. James,	..	..	..	..	..	..
..	..	..	..	..	..	..

23rd MAY, 1899, AT 10 A.

Wladivostock,	29.88	53	74	E	1	o
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.88	63	94	SE	3	cv
Sharp Peak,	29.74	71	95	..	0	o
Amoy,	29.70	77	91	SE	1	o
Swatow,	..	..	..		..	.
Canton,		..	..	..	..	..
Hongkong,	29.75	82	78	S	1	o
Victoria Peak,	..	..	..	S	2	..
Gap Rock,	29.75	.	..	SSE	3	..
Macao,	29.74	85	..	SSW	1	c
Haiphong,	..	.	..	..	..	..
Manila,	..	..	..	..	..	..
Cape S. James,	..	..		SW	3	c
..	..	..	..	..	.	..

On the 23rd at 11.55 a. The barometer has fallen in the Formosa Channel and is little changed elsewhere. Pressure is highest over the E. coast of China and in Japan, and low in S. China, and also in a trough, between NE and SW winds, extending across the China Sea and the Phillipines in about 12° Lat. Gradients slight on the China coast. Forecast:—SW and varying winds, light to moderate; unsettled, showery.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Tuesday 23rd May, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

23rd MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.85	54	..	SE	4	b
Tokio,	30.02	..	..	S	4	..
Kochi,	29.91	..	..	E	2	..
Nagasaki,	29.75	..	..	E	4	..
Kagoshima,	29.79	..	..	E	4	..
Gutzlaff,	29.88	65	89	NE	2	cv
Sharp Peak,	29.71	72	95		0	d
Amoy,	29.71	80	91	SE	2	o
Swatow,	..	..	..	..	.	..
Canton,	29.60	84	87	..	2	r
Hongkong,	29.66	84	72	SSW	1	o
Victoria Peak,	.	..	..	S	2	..
Gap Rock,	29.66	..	..	SW	3	..
Macao,	29.66	87	..	SSW	1	c
Haiphong,	..	..	..	.	..	.
Manila,	29.65	81	85	SE	4	or
Cape S. James,	..	..	..	SW	2	or
..	..	..	..	.	..	..

24th MAY, 1899, AT 10 A.

Wladivostock,	29.77	47	99	SE	3	r
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.98	66	89	E	2	cv
Sharp Peak,	29.87	69	92	NW	1	o
Amoy,	29.83	73	90	NE	2	o
Swatow,	..	..	..		..	.
Canton,	29.71	81	91	..	0	b
Hongkong,	29.76	84	68	ESE	2	o
Victoria Peak,		..	..	ESE	1	..
Gap Rock,	29.75	..	..	E	3	..
Macao,	29.75	88	..	SSE	1	c
Haiphong,			..	..	..	.
Manila,	29.80	86	71	SE	2	c
Cape S. James,	..	..		SW	4	c
..	..	..	..	.	.	.

On the 24th at 11.55 a. The barometer has fallen in the extreme North, risen on the China coast except in the South. Pressure is low in the Sea of Japan, and also in a trough, between NE and SW winds, lying across the middle part of the China Sea. Gradients slight to moderate for E winds on the China coast. Forecast:—moderate or fresh E winds; fair.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Wednesday 24th May, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

24th MAY, 1899, AT 4 P.

Station.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	29.75	48	..	SSE	1	o
Tokio,	29.90	..	..	S	4	..
Kochi,	29.83	..	..	SW	2	..
Nagasaki,	29.83	..	..	W	4	..
Kagoshima,	29.83	..	..	S	2	..
Gutzlaff,	29.95	68	85	E	2	cm
Sharp Peak,	29.81	71	88	E	3	ov
Amoy,	29.70	78	82	NE	2	o
Swatow,	..	..	..	..	..	..
Canton,	29.66	84	83	..	..	b
Hongkong,	29.64	83	78	E	3	o
Victoria Peak,	..	..	..	E	3	..
Cap Rock,	29.64	..	..	ENE	3	..
Macao,	29.68	86	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.76	84	71	SW	3	c
Cape S. James,	..	..	..	SW	4	o
	..	..	..	..	..	..

25th MAY, 1899, AT 10 A.

Wladivostock,	29.82	48	99	S	1	o
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.91	66	95	SE	4	og
Sharp Peak,	29.84	71	92	E	2	o
Amoy,	29.78	75	90	NE	2	or
Swatow,	..	..	..	..	..	..
Canton,	29.74	84	83	E	2	b
Hongkong,	29.71	81	77	E	3	o
Victoria Peak,	..	..	..	E	2	..
Cap Rock,	29.69	..	..	NE	4	..
Macao,	29.70	86	..	ENE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	3	c
	..	..	..	..	..	..

On the 24th at 5.10p. Depression in the China Sea to the South of Hongkong. Red South Cone hoisted.

On the 25th at 11.40 a. The barometer is falling on the China coast. The depression, situated to the Southward of Hongkong probably in about 18° Lat., seems to be moving slowly Northwards at present. Forecast:—NE winds, probably freshening considerably; squally, showery. Bad weather in the N. part of the China Sea.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Thursday 25th May, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

25th MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.82	53	..	SW	3	c
Tokio,	29.86	..	..	S	2	..
Kochi,	29.91	..	..	SE	2	..
Nagasaki,	29.87	..	..	SW	6	..
Kagoshima,	29.87	..	..	SE	4	..
Gutzlaff,	29.85	66	95	SE	3	of
Sharp Peak,	29.73	73	90	E	2	o
Amoy,	29.68	78	86	NE	2	o
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong	29.61	82	75	E	3	o
Victoria Peak,	.	..	..	E	1	..
Gap Rock	29.59	..	..	ENE	4	..
Macao,	29.61	87	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.76	84	77	..	0	c
Cape S. James,	..	..	..	SW	5	clt
	..	..	..	..	..	..

26th MAY, 1899, AT 10 A.

Wladivostock,	29.74	49	99	SE	1	o
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.86	65	100	NE	5	fd
Sharp Peak,	29.68	75	90	ESE	1	o
Amoy,	29.66	76	95	NE	2	or
Swatow,	..	..	..	.	..	.
Canton,	..	..	..		..	..
Hongkong,	29.63	85	72	W	2	o
Victoria Peak,	..	..	..	WNW	3	..
Gap Rock,	29.65	..	..	NW	3	..
Macao,	29.65	87	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	.	..	..
Cape S. James,	..	..		SW	3	c
	..	..	..	..	.	..

On the 26th at 10.30 a. Black Drum hoisted.

At 11.10 a. The barometer has fallen considerably on the S. and SE coasts of China. The depression seems to be situated to the South of Swatow, and moving towards the S. part of the Formosa Channel.

Forecast:—NW to SW winds; fair, squally.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Friday 26th May, 1899.

[illegible] METEOROLOGICAL REGISTER.

26th MAY, 1899, AT 4 P.

	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
[illegible] Vladivostock,	29.72	49	..	E	1	o
[illegible]	29.78	..	..	S	5	..
[illegible]	29.79	..	..		0	..
[illegible]	29.72	..	..	W	4	..
[illegible]	29.72	..	..	SE	2	..
[illegible]	29.85	65	95	E	4	cmp
[illegible]	29.67	74	90	E	2	d
[illegible]	29.47	76	95	NE	3	or
[illegible]	..	..	..	..	..	..
[illegible]	29.55	95	62	W	1	b
[illegible]	29.54	87	65	WSW	3	b
[illegible] Peak,	..	..	..	SW	3	..
[illegible]	29.57	..	..	SW	3	..
[illegible]	29.56	90	..	SW	1	c
[illegible]	..	..	..	..	..	..
[illegible]	29.76	84	78	WSW	3	..
Cape St. James,	..	..	..	SW	3	c
[illegible]	..	..	..	..	..	..

27th MAY, 1899, AT 10 A.

Wladivostock,	29.77	46	98	S	1	o
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.94	64	95	ENE	3	ct
[illegible] Peak,	29.87	71	92	NNE	7	og
[illegible]	29.69	77	91	NE	2	o
[illegible]	..	..	..	..	..	..
[illegible]	29.66	86	84	S	1	b
[illegible]	29.68	84	75		0	o
[illegible]	..	..	..	..	0	..
[illegible] Peak,	29.66	..	..	WSW	8	..
Hap Rock,	29.68	84	..	SW	1	orlt
Mincao,	..	..	..	..	..	..
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	SW	4	o
Cape S. James,	..	..	..	..	..	..
[illegible]	..	..	..	..	..	..

On the 26th at 1.15 p. Black Drum lowered.

On the 27th at 11.25 a. The barometer has risen slightly on the China coast, except in the N. part of the Formosa Channel. The depression is probably crossing Formosa and moving towards NE. Gradients steep for NE winds on the E. coast of China, slight in the South. Forecast.—SW and varying winds, moderate; unsettled, squally, thunderstorms probable.

F. G. FIGG,
First Assistant.

CHINA COAST METEOROLOGICAL REGISTER.

27th MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.81	52	..	SW	3	c
Tokio,	29.55	..	..	NW	8	..
Kochi,	29.79	..	..	N	4	..
Nagasaki,	29.83	..	..	SW	4	..
Kagoshima,	29.83	..	..	SW	4	..
Gutzlaff,	29.91	65	84	NE	4	cv
Sharp Peak,	29.74	72	88	E	3	o
Amoy,	29.72	79	82	E	2	o
Swatow,	..	..	..	..	..	..
Canton,	29.60	91	74	S	2	c
Hongkong,	29.63	81	84	SSE	1	o
Victoria Peak,	..	..	..	S	2	..
Gap Rock,	29.65	..	..	S	4	..
Macao,	29.63	84	..	S	1	cr
Haiphong,	..	..	..	..	..	..
Manila,	29.76	90	66	SW	3	c
Cape S. James,	..	..	..	SW	4	c
..	..	..	..	..	..	..

28th MAY, 1899, AT 10 A.

Wladivostock,	29.85	47	92	SSE	2	c
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.87	64	84	NE	3	ov
Sharp Peak,	29.84	67	87	ENE	4	og
Amoy,	29.80	72	81	ESE	3	o
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.74	74	95	..	0	or
Victoria Peak,	..	..	..	WSW	3	..
Gap Rock,	29.72	..	..	WNW	4	..
Macao,	29.71	78	..	WSW	1	cd
Haiphong,	..	..	..	..	..	..
Manila,	29.84	90	66	SSW	3	c
Cape S. James,	..	..	..	SW	3	c
..	..	..	..	..	..	..

On the 28th at 11 55 a. The barometer has risen on the China coast, particularly in the Formosa Channel. The depression is previously situated to the N. of the Loochoos, and moving towards S. Japan. Gradients moderate for NE winds on the China coast, except in the South. Forecast:—variable and E winds, moderate or fresh; unsettled, rainy.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Sunday 28th May, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

28th MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	29.88	49	..	SE	3	o
Tokio,	29.82	.	..	NE	2	..
Kochi,	29.83	..	..	N	4	..
Nagasaki,	29.83	..	..	E	4	..
Kagoshima,	29.79	..	..	E	4	..
Gutzlaff,	29.95	67	89	NNE	2	cv
Sharp Peak,	29.83	67	92	E	5	or
Amoy,	29.78	73	86	NE	3	od
Swatow,	..	..	..	..	..	..
Canton,	29.66	79	95	WNW	1	or
Hongkong,	29.67	79	86	E	2	o
Victoria Peak,	..	..	..	E	2	..
Gap Rock,	29.65	..	..	E	2	..
Macao,	29.66	82	..	WSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	86	71	W	3	c
Cape S. James,	..	..	..	..	..	..
..	..	..	..	..	..	..

29th MAY, 1899, AT 10 A.

Wladivostock,	29.90	48	99	ESE	2	f
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.00	68	85	SE	3	ov
Sharp Peak,	29.91	67	89		0	or
Amoy,	29.91	71	90	NE	1	
Swatow,	..	..	..		..	.
Canton,	29.81	80	82	SE	2	r
Hongkong,	29.82	76	92	ESE	4	or
Victoria Peak,	..	..	..	ESE	5	..
Gap Rock,	29.79	.	..	E	5	..
Macao,	29.80	78	..	E	1	od
Haiphong,	..	..	..	..	.	..
Manila,	..	..	..	..	..	..
Cape S. James,	..	..		SW	3	o
..	..	..	..			

On the 29th at 11.55 a. The barometer is still rising on the China coast, except in the South. Pressure is highest over the E. coast of China, low to the SE of Japan, and lowest [illegible] over the S. part of the China Sea. Gradients slight to moderate for [illegible] on the China coast, and for SW winds in the S. part of the China Sea. Forecast:—*fresh or moderate E winds; unsettled, rainy.*

F. G. FIGG,
First Assistant

HONG OBSERVATORY, Monday 29th May, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

29th MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.91	50	..	SE	4	f
Tokio,	30.02	..	..	SE	4	..
Kochi,	29.99	..	..	SE	2	..
Nagasaki,	29.95	..	..	W	4	..
Kagoshima,	29.99	..	..	S	4	..
Gutzlaff,	29.94	69	73	SSE	4	o
Sharp Peak,	29.84	70	92	E	1	og
Amoy,	29.86	75	86	NE	2	o
Swatow,	..	..	..		..	..
Canton,	29.74	80	91	SE	1	o
Hongkong,	29.74	76	94	E	3	od
Victoria Peak,	..	..	..	ESE	5	..
Cap Sock,	29.73	..	..	E	4	..
Macao,	29.73	79	..	ESE	2	..
Haiphong,	..	..	..	..	..	..
Manila,	29.80	91	56	WSW	1	o
Cape S. James,	..	..	..	SW	5	or
..	..	..	..	..	..	..

30th MAY, 1899, AT 10 A.

Wladivostock,	29.96	50	99	SE	4	r
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.88	65	95	ESE	5	omd
Sharp Peak,	29.78	71	82	..	0	o
Amoy,	..	..	..	..	..	..
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.83	81	88	SSE	3	or
Victoria Peak,	..	..	..	SW	4	..
Cap Sock,	29.83	..	..	S	3	..
Macao,	29.82	86	..	SSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Cape S. James	..	..	..	SW	4	o
..	..	..	..	..	..	..

On the 29th at 11.30 a. The barometer has fallen considerably the North, risen slightly in the South. A depression seems to be lying over [illegible] and pressure is highest in Japan. Gradients slight to [illegible] with moderate SW monsoon [illegible] and SE winds in the North Forecast:—moderate or fresh SW winds; equally, some thunder showers.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Tuesday 30th May, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

30th MAY, 1899, AT 4 P.

Station	Barometer.	Temperature.	Humidity.	Wind.		Weather.
				Direction.	Force.	
Wladiwostock,	29.96	66	..	SE	4	f
Tokio,	30.18	..	..	S	6	..
Kochi,	30.07	..	..	..	0	..
Nagasaki,	29.95	..	..	NE	2	..
Kagoshima,	29.91	..	..	SE	8	..
Gutzlaff,	29.89	67	98	N	3	cm
Sharp Peak,	29.78	71	95	W	1	fr
Amoy,	29.80	80	87	SE	3	c
Swatow,	..	..	..	..	..	..
Canton,	29.75	88	80	S	1	c
Hongkong,	29.77	83	83	ESE	1	c
Victoria Peak,	..	..	..	ESE	6	..
Gap Rock,	29.77	..	..	S	4	..
Macao,	29.77	82	..	SSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	83	71	WSW	2	c
Cape S. James,	..	..	..	SW	3	f
..	..	..	..	..	..	..

31st MAY, 1899, AT 4 P.

Wladiwostock,	29.88	64	93	ENE	6	c
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.79	68	86	ESE	3	cm
Sharp Peak,	29.82	70	90	NE	1	c
Amoy,	29.85	78	95	..	0	..
Swatow,	..	..	..	..	..	..
Canton,	29.81	84	61	S	1	c
Hongkong,	29.84	84	78	SW	1	c
Victoria Peak,	..	..	..	..	..	..
Gap Rock,	29.84	..	..	SSW	3	..
Macao,	29.80	86	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	3	c
..	..	..	..	..	..	..

On the 31st at 11.55 A. The barometer has fallen in the extreme North, and is little changed elsewhere. Pressure is high to the E. of Japan and low over the W. part of the Sea of Japan. Gradients slight with moderate N. monsoon on the China coast. Forecast:—moderate S. winds; showery.

F. C. FINN,
Chief Assistant.

Observatory, Wednesday 31st May, 1899.

METEOROLOGICAL REGISTER.

31st MAY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	..	..	..		..	..
Tokio,	30.06	..	..	S	4	..
Kochi,	29.76	..	..	W	2	..
Nagasaki,	29.76	..	..	NW	2	..
Kagoshima,	29.76	..	..	E	4	..
Gutzlaff,	29.86	73	86	SSE	3	c
Sharp Peak,	29.80	71	93	ENE	2	cg
Amoy,	29.75	82	87	S	3	cr
Swatow,	..	..	..	..	..	..
Canton,	29.74	82	91	E	2	ir
Hongkong,	29.76	82	83	SSW	2	cp
Victoria Peak,	..	..	..	S	4	..
Cap Rock,	29.76	..	..	SSW	4	
Macao,	29.76	83	..	SSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	84	86	SW	1	cl
Cape S. James,	..	..	..	SSW	3	c
....	..	..	..	..	..	..

1st JUNE, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.80	70	92	SSW	3	bv
Sharp Peak,	29.80	72	95	SW	1	o
Amoy,	29.77	79	95	SE	1	o
Swatow,	..	..	..		..	..
Canton,	29.78	85	87	S	2	od
Hongkong,	29.80	84	78	SSW	3	o
Victoria Peak,	..	..	..	S	7	..
Cap Rock,	29.81	..	..	SSW	4	..
Macao,	29.80	85	..	SSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.92	88	72	WSW	1	b
Cape S. James,	...	..		SW	1	b
....	..	..	..	..	..	..

On the 1st at 11.50 a. The barometer has fallen on the China coast, particularly in the North. Pressure is low over N. China, and gradients are slight for S. winds along the coast generally. Forecast:— moderate S winds; squally, showery.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Thursday 1st June, 1899.

CHINA COAST METEOROLOGICAL REGISTER

1st JUNE, 1899, AT 4 P.

Station.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	29.68	52	..	SE	1	c
Tokio,	29.52	..	..	NW	3	..
Kochi,	29.68	..	..	SE	2	..
Nagasaki,	29.75	..	..	SW	4	..
Kagoshima,	29.76	..	..	W	3	..
Gutzlaff,	29.77	78	82	SE	2	c
Sharp Peak,	29.78	73	95	E	1	c
Amoy,	29.75	80	91	SE	2	c
Swatow,	..	..	..	..	..	..
Canton,	29.69	88	80	S	4	c
Hongkong,	29.79	82	83	SW	4	c
Victoria Peak,	..	..	..	S	7	..
Cap Rock,	29.73	..	..	SSW	4	.
Macao,	29 71	84	..	SSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	88	59	SW	1	c
Cape S. James,	..	..	..	SSW	3	c
..	..	..	..	..	..	..

2nd JUNE, 1899, AT 10 A.

Wladivostock,	29.57	49	99	SE	1	c
Tokio,	29.63	..	..	S	4	..
Kochi,	29.75	..	..	SE	2	..
Nagasaki,	29.75	..	..	SW	2	..
Kagoshima,	29.75	..	..	SE	2	.
Gutzlaff,	29.67	69	100	SE	4	f
Sharp Peak,	29.66	78	93	S	5	cd
Amoy,	29.73	80	87	S	3	c
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.73	84	76	SW	5	cq
Victoria Peak,	..	..	..	SSW	8	..
Cap Rock,	29.75	..	..	SSW	5	..
Macao,	29.71	87	..	SSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	.	..
Cape S. James,	..	..	..	SW	2	c
..	..	..	..	..	.	.

On the 2nd at 11.55 a. The barometer has fallen generally, particularly in the North. The depression over Central China seems to be advancing Eastwards. Gradients moderate with strong S. monsoon on the China coast. Forecast:—fresh or strong SW winds; squally, showery.

H. G. HAGG,
First Assistant

OBSERVATORY, Friday 2nd June, 1899

CHINA COAST METEOROLOGICAL REGISTER.

2nd JUNE, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.54	59	..	SE	3	f
Tokio,	29.67	.	..	S	4	..
Kochi,	29.72	..	..	SE	2	..
Nagasaki,	29.68	..	..	SW	5	..
Kagoshima,	29.72	..	..	SE	4	..
Gutzlaff,	29.56	76	91	S	1	c
Sharp Peak,	29.68	77	95	ESE	4	r
Amoy,	29.68	81	91	S	4	o
Swatow,	..	..	..	..	..	..
Canton,	29.60	87	72	SW	3	c
Hongkong,	29.64	85	89	SSW	4	cq
Victoria Peak,	..	..	..	S	8	..
Cap Rock,	29.66	..	..	SSW	6	.
Macao,	29.64	86	.	SW	2	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	84	77	SW	1	c
Cape S. James,	..	..	..	..	..	..
..	..	..	..	..	..	..

3rd JUNE, 1899, AT 10 A.

Wladivostock,	29.41	63	99	NE	1	r
Tokio,	..	..	.	.	.	..
Kochi,	..	.	..	..	..	..
Nagasaki,	.	.	..	.	..	..
Kagoshima,	..	.	..	.	.	.
Gutzlaff,	29.70	68	85	N	4	cr
Sharp Peak,	29.59	78	93	SSW	1	c
Amoy,	29.70	80	91	E	2	c
Swatow,	.	.	..	.	.	.
Canton,	..	..	.	..	.	..
Hongkong,	29.70	85	83	SW	6	cq
Victoria Peak,	..	.	..	SSW	8	.
Cap Rock,	29.72	..	..	SW	6	.
Macao,	29.68	87	..	SW	2	c
Haiphong,	.	..	.	.	.	.
Manila,	..	..	.	.	.	.
Cape S. James,	.	..	.	SW	2	c
.	.	..	..	.	.	..

On the 3rd at 12.10 p. The barometer has fallen in the extreme North, and is inclined to rise on the China coast. The depression has moved into the W part of the Sea of Japan. Gradients rather steep on the China coast, for N winds in the North and SW winds in the South. Forecast:—strong SW winds, decreasing; squally, showery

P. G. LAGG,
First Assistant.

HONGKONG OBSERVATORY, Saturday 3rd June, 1899

CHINA COAST METEOROLOGICAL REGISTER.

3rd JUNE, 1899, AT 4 P.

Station.	Barometer.	Temperature.	Humidity.	Wind.		Weather.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.59	..	..	SE	4	..
Kochi,	29.56	..	..	SW	2	..
Nagasaki,	29.44	..	..	W	4	..
Kagoshima,	29.44	..	..	NW	8	..
Gutzlaff,	29.71	73	58	E	1	cv
Sharp Peak,	29.61	74	86	SE	7	r
Amoy,	29.68	80	91	S	3	or
Swatow,	..	..	..	..	..	.
Canton,	29.60	86	40	W	3	b
Hongkong,	29.65	82	64	SW	5	odq
Victoria Peak,	..	..	..	SSW	7	..
Gap Rock,	29.67	..	..	SW	6	.
Macao,	29.63	85	..	SW	2	cd
Haiphong,	..	..	..	..	..	
Manila,	29.80	93	52	S	1	b
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	S	2	b

4th JUNE, 1899, AT 10 A.

Wladivostock,	..	..	..	..	.	..
Tokio,	..	..	..	.		
Kochi,	..	..	..	.		
Nagasaki,	..	..	..	..		
Kagoshima,	..	..	..			
Gutzlaff,	..	..	..			
Sharp Peak,	29.92	69	85	E	1	o
Amoy,	..	79	91	NE	2	or
Swatow,	..	..	..	..	..	.
Canton,	29.88	78	78	NW	1	c
Hongkong,	29.84	77	73	N	1	o
Victoria Peak,	..	..	..	NNW	1	.
Gap Rock,	29.80	.	..	NE	3	.
Macao,	29.81	81	..	N	1	c
Haiphong,	..	..	..	..	.	.
Manila,	..	..	..	..	..	..
Malate,	..	..		..		.
Cape S. James,	..	..	..	SW	2	c

On the 4th at 11.55 a. The barometer has risen considerably and is normal in S. China. The depression has probably moved into E. Japan. Gradients slight on the S. coast of China. Forecast:—NE and varying winds, moderate; showery to fair.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Sunday 4th June, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

4th JUNE, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	..	..	..	..	..	..
Tokio,	29.67	..	..	S	4	..
Kochi,	29.72	..	..	..	0	..
Nagasaki,	29.73	..	..	SW	3	..
Kagoshima,	29.83	..	..	S	4	..
Gutzlaff,	29.77	76	70	WSW	3	bm
Sharp Peak,	29.82	71	80	E	3	c
Amoy,	..	80	91	E	1	o
Swatow,	..	..	..	..	..	..
Canton,	29.76	84	64	..	0	c
Hongkong,	29.77	78	79	..	0	o
Victoria Peak,	.	..	..	ENE	1	..
Gap Rock,	29.77	..	..	NE	1	..
Macao,	29.77	79	..	NNW	1	o
Haiphong,	..	..	..	..	..	..
Manila,	29.84	86	66	WSW	3	o
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	..	..	..

5th JUNE, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.95	71	85	SW	2	bm
Sharp Peak,	29.94	73	86		0	b
Amoy,	..	..	..	..	..	..
Swatow,	..	..	..	..	..	..
Canton,	.	..	.	..	..	..
Hongkong,	29.88	78	73	E	3	o
Victoria Peak,	..	..	..	E	4	.
Gap Rock,	29.87	..	..	ENE	4	..
Macao,	29.87	84	..	ESE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..		..	..	.
Cape S. James,	..		..	N	1	b

On the 5th at 11.55 a. The barometer has risen on the China coast. Pressure is high between the E. coast of China and the Loo-choos, and relatively low to the S. and SW. winds, in the N. part of the China Sea. Gradients slight to moderate for the season. Forecast:—moderate or fresh S. winds; fair.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Monday 5th June, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

5th JUNE, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.90	..	..	S	4	..
Kochi,	29.99	..	..	SE	2	..
Nagasaki,	29.99	..	..	SW	6	..
Kagoshima,	29.99	..	..	S	2	..
Gutzlaff,	29.94	78	65	SSW	2	bm
Sharp Peak,	29.92	74	81	ESE	1	d
Amoy,	29.85	79	78	NE	2	b
Swatow,	..	..	..	..	..	..
Canton,	29.79	89	50	SE	1	b
Hongkong,	29.83	78	68	E	4	c
Victoria Peak,	..	..	..	ESE	5	..
Gap Rock,	29.81	..	..	ENE	5	..
Macao,	29.84	81	..	E	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	88	72	WSW	3	c
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	1	b

6th JUNE, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.05	71	85	S	5	cm
Sharp Peak,	29.99	75	84	E	3	c
Amoy,	29.96	74	81	NNE	2	c
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.87	78	81	E	5	c
Victoria Peak,	..	..	..	E	7	..
Gap Rock,	29.83	..	..	E	5	..
Macao,	29.84	82	..	E	2	cd
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	2	c

On the 6th at 11.30 a. The barometer has risen moderately on the E coast of China, fallen slightly on the S. coast. Pressure is high in the Pacific and relatively low in the N. part of the China Sea in an area lying between N and ... Gradients may be forming moderate for E winds in S. China. Forecast:—fresh ..., unsettled, squally, some rain.

F. G. FIGG,
First Assistant

HONG KONG OBSERVATORY, Tuesday 6th June, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

6th JUNE, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.10	..	..	E	4	..
Kochi,	30.15	..	..	E	..	..
Nagasaki,	30.11	..	..	SW	4	..
Kagoshima,	30.15	..	..	S	4	..
Gutzlaff,	30.02	78	81	S	4	cm
Sharp Peak,	29.93	75	81	E	3	c
Amoy,	29.92	78	78	NE	3	o
Swatow,	..	..	..	..	..	..
Canton,	29.81	85	61	E	2	c
Hongkong,	29.79	74	93	E	5	od
Victoria Peak,	..	..	..	E	5	..
Gap Rock,	29.77	..	..	ESE	4	..
Macao,	29.77	76	..	E	2	od
Haiphong,	..	..	..	..	..	..
Manila,	29.80	93	61		0	c
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	2	o

7th JUNE, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.01	68	95	ESE	3	cgm
Sharp Peak,	29.95	70	87		0	r
Amoy,	29.92	72	90	ENE	1	o
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.83	77	91	E	2	o
Victoria Peak,	..	..	..	SSW	2	..
Gap Rock,	29.84	..	..	NNW	3	..
Macao,	29.83	83	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	..	..	..
Cape S. James,				W	1	c

On the 7th at 11.50 a. The barometer has fallen slightly on the China coast. Pressure is high over the E. coast of China and Japan, and relatively low along the S. coast of China. Gradients moderate for E winds in the Formosa Channel, slight for SW winds in the N. part of the China Sea. Forecast:—moderate SW winds; some thunder showers.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Wednesday 7th June, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

7th JUNE, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	30.02	59	..	SSE	1	c
Tokio,	30.14	..	..	SW	4	..
Kochi,	30.15	..	..	.	0	..
Nagasaki,	30.03	..	..	E	4	..
Kagoshima,	30.03	..	..	SE	2	..
Gutzlaff,	29.97	78	86	SE	2	cv
Sharp Peak,	29.89	69	90	..	0	r
Amoy,	29.83	72	90	NNE	2	or
Swatow,	..	..	..	..	..	..
Canton,	29.82	77	92	N	1	ot
Hongkong,	29.78	82	75	SW	1	c
Victoria Peak,	..	..	..	SSW	2	..
Gap Rock,	29.77	..	..	W	2	..
Macao,	29.78	84	..	W	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	79	92	ENE	1	od
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	..	0	c

8th JUNE, 1899, AT 10 A.

Wladivostock,	29.94	51	98	W	1	f
Tokio,	..	..	..	.	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.96	67	95	NE	3	cv
Sharp Peak,	29.90	69	92	NW	1	o
Amoy,	29.86	73	90	NE	2	o
Swatow,	..	..	..	..	..	..
Canton,	29.86	77	82	NNE	3	o
Hongkong,	29.84	77	93	E	1	od
Victoria Peak,	..	..	..	SE	2	..
Gap Rock,	29.82	..	..	ESE	2	..
Macao,	29.83	81	..	NNE	1	o
Haiphong,	..	..	..	..	..	..
Manila,	29.88	84	77	WNW	1	c
Malate,	..	..	..	..	..	..
Cape S. James,	.	.	..	SW	2	b

On the 8th at 11.50 a. The barometer has fallen slightly in the Formosa Channel and on the E. coast of China, but is still above the normal in the latter area. Pressure seems to be low in the neighbourhood of the Loochoos. Gradients slight, mainly for NE winds, on the China coast. Forecast:—For varying winds, moderate; unsettled, thunder showers.

F. G. FIGG,
First Assistant.

OBSERVATORY, Thursday 8th June, 1899.

CHINA COAST METEOROLOGICAL REGISTER

8th JUNE, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	29.81	59	..	S	2	f
Tokio,	29.98	..	..	..	0	.
Kochi,	29.68	..	..	E	2	..
Nagasaki,	29.75	..	..	W	4	..
Kagoshima,	29.76	..	..	NW	4	..
Gutzlaff,	29.93	71	80	ENE	2	cv
Sharp Peak,	29.89	70	92	..	0	r
Amoy,	29.83	74	90	ENE	1	or
Swatow,	..	..	..	..	..	..
Canton,	29.78	77	78	NW	3	o
Hongkong,	29.78	79	83	SW	3	o
Victoria Peak,	..	..	..	SSW	5	..
Gap Rock,	29.77	..	..	SW	3	..
Macao,	29.80	76	..	N	1	o
Haiphong,	..	..	..	..	..	.
Manila,	29.80	88	72	W	1	b
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	3	o

9th JUNE, 1899, AT 10 A.

Wladivostock,	29.71	54	98	S	1	o
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.94	70	92	S	2	cv
Sharp Peak,	29.97	69	85	.	0	r
Amoy,	29.94	68	95	NE	2	or
Swatow,	..	..	..	..	..	..
Canton,		..	..	..	..	
Hongkong,	29.86	76	94	..	0	od
Victoria Peak,	..	..	..	E	1	..
Gap Rock,	29.82	.	..	NW	3	..
Macao,	29.84	79	..	NNW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.92	86	71	W	1	c
Malate,	..	.		..	..	.
Cape S. James,	..			SW	2	c

On the 9th at 11.55 a. The barometer has fallen [illegible] North, risen in the Formosa Channel. Pressure is high over the SE coast [illegible] of Japan. Gradients mostly slight on the China coast. Forecast:—[illegible] winds, moderate; unsettled, rainy.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Friday 9th June, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

9th JUNE, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.51	..	..	S	4	..
Kochi,	29.75	..	..	S	2	..
Nagasaki,	29.83	..	..	W	6	..
Kagoshima,	29.87	..	..	W	6	..
Gutzlaff,	29.90	78	78	S	2	cv
Sharp Peak,	29.94	68	87	W	1	r
Amoy,	29.93	70	90	NNE	2	or
Swatow,	..	..	..	..	..	..
Canton,	29.84	74	90	NE	1	r
Hongkong,	29.80	74	90	NE	1	o
Victoria Peak,	..	..	..	ENE	4	..
Gap Rock,	29.79	..	..	ENE	4	..
Macao,	29.79	76	..	NNW	1	od
Haiphong,	..	..	..	..	..	..
Manila,	29.84	88	72	W	2	c
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	3	c

10th JUNE, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.96	73	86	S	2	c
Sharp Peak,	29.94	70	80	WNW	1	c
Amoy,	29.91	68	95	..	0	c
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.86	75	80	ENE	1	c
Victoria Peak,	..	..	..	ENE	3	..
Gap Rock,	29.84	..	..	ENE	5	..
Macao,	29.86	76	..	NNE	1	od
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	1	b

On the 10th at 11.55 a Barometric chart: P[illegible] is high over the SE coast of China and the Loochoos, and relatively low, in an [illegible] winds, in the N. part of the China Sea. Gradients slight to moderate for [illegible] China. Forecast:—fresh or moderate NE winds; unsettled, some rain.

P. G. FIGG,
First Assistant

HONG KONG OBSERVATORY, Saturday 10th June, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

10th JUNE, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.78	..	..	S	2	..
Kochi,	29.91	..	..	..	0	..
Nagasaki,	29.95	..	..	W	6	..
Kagoshima,	29.95	..	..	W	4	..
Gutzlaff,	29.81	78	78	S	2	cv
Sharp Peak,	29.90	78	86	E	3	c
Amoy,	29.91	78	90	NE	1	cd
Swatow,	..	..	..	..	..	..
Canton,	29.81	82	75	S	1	b
Hongkong,	29.79	75	87	ENE	2	c
Victoria Peak,	..	..	..	ENE	2	..
Gap Rock,	29.80	77	..	NE	5	..
Macao,	29.79	80	..	E	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	90	66	SW	2	c
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	4	c

11th JUNE, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.95	73	81	S	3	cv
Sharp Peak,	29.88	71	95	WNW	0	er
Amoy,	29.88	72	95	W	2	c
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.88	77	83	E	1	c
Victoria Peak,	..	..	..	..	..	..
Gap Rock,	29.87	..	..	ENE	3	..
Macao,	29.87	80	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	W	1	b

On the 11th at 12.10 p. The barometer has risen slightly on the S. coast of China, fallen a little over the E. coast. Pressure is still slightly above the normal on the China coast but seems to be low in the extreme north of China. Gradients slight on the China coast. Forecast:—variable winds, light; fair.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Sunday 11th June, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

11th JUNE, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.66	64	..	SW	1	o
Tokio,	29.78	..	..	S	6	.
Kochi,	29.91	..	..	SE	2	..
Nagasaki,	29.95	..	..	W	6	
Kagoshima,	29.95	..	..	SW	4	..
Gutzlaff,	29.82	74	86	SSE	3	cv
Sharp Peak,	29.85	72	90	E	4	o
Amoy,	29.82	78	86	NE	1	o
Swatow,	..	..	..	..	..	..
Canton,	29.81	85	73	S	1	ed
Hongkong,	29.82	80	78	SE	1	o
Victoria Peak,	..	..	..	SSE	1	..
Gap Rock,	29.83	..	..	ESE	2	..
Macao,	29.85	82	..	SSE	1	c
Haiphong,	..	..	..		..	.
Manila,	29.88	84	71	SW	1	o
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	..	..	.

12th JUNE, 1899, AT 10 A.

Wladivostock,	29.77	53	96	SE	1	f
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	.
Gutzlaff,	29.68	73	90	ENE	2	cv
Sharp Peak,	29.81	74	90		0	c
Amoy,	29.84	74	90	SE	1	c
Swatow,	..	..	..	..	..	.
Canton,	29.85	89	66	SE	1	o
Hongkong,	29.81	82	78	NW	1	c
Victoria Peak,	..	..	..	SSW	1	..
Gap Rock,	29.83	.	..	SSE	3	..
Macao,	29.80	85	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	.		.	..
Malate,	..	..	.	..	.	.
Cape S. James,	..	..	..	SW	2	b

On the 12th at 11.55 a. The barometer has fallen on the China coast generally. Pressure remains low, apparently, over N. China with slight gradients mainly for SE winds, on the coast. Forecast:—Moderate S winds, squally, showery.

F. G. FIGG,
First Assistant

HONG OBSERVATORY, Monday 12th June, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

12th JUNE, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.76	58	..	ESE	2	f
Tokio,	29.90	..	..	S	2	..
Kochi,	29.95	..	..	SE	2	..
Nagasaki,	29.83	..	..	SE	2	..
Kagoshima,	29.87	..	..	E	6	..
Gutzlaff,	29.86	75	90	SSE	3	cm
Sharp Peak,	29.78	75	90	E	2	c
Amoy,	29.81	77	86	SE	2	c
Swatow,	..	..	..	..	..	..
Canton,	29.77	81	91	NE	1	rtl
Hongkong,	29.75	81	80	S	1	c
Victoria Peak,	..	..	..	SSW	3	..
Gap Rock,	29.76	..	..	SSW	3	..
Macao,	29.75	82	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	88	66	SW	1	c
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	..	0	c

13th JUNE, 1899, AT 10 A.

Wladivostock,	29.79	60	92	N	1	
Tokio,	..	..	..	..	.	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.91	71	90	ESE	2	cf
Sharp Peak,	29.82	75	95		0	c
Amoy,	29.80	76	73	SE	1	..
Swatow,	..	..	..		..	
Canton,	29.80	83	87	SE	1	cg
Hongkong,	29.82	76	87	SSW	1	odlt
Victoria Peak,	..	..	..	SSE	7	..
Gap Rock,	29.82	.	..	S	3	..
Macao,	29.81	82	..	S	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	..	..	.
Cape S. James,			..	SW	2	c

On the 12th at 11.55 a. Barometric changes are slight. Pressure is lowest over China with slight gradients, for S winds, on the [illegible] winds; squally, some thunder showers.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Tuesday 13th June, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

13th JUNE, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.78	74	..	NW	1	c
Tokio,	29.86	..	..	N	4	..
Kochi,	29.91	..	..	SE	2	..
Nagasaki,	29.83	..	..	SW	6	..
Kagoshima,	29.83	..	..	E	6	..
Gutzlaff,	29.92	72	90	ESE	2	cv
Sharp Peak,	29.79	77	91	E	3	o
Amoy,	29.81	79	91	S	1	o
Swatow,	..	..	..	..	..	..
Canton,	29.72	80	91	SE	1	r
Hongkong,	29.76	80	84	.	0	o
Victoria Peak,	..	..	..	SSW	3	..
Gap Rock,	29.75	..	..	S	4	..
Macao,	29.74	81	..	S	1	c
Haiphong,	..	..	..	..	..	.
Manila,	29.80	86	71	SW	1	o
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	4	o

14th JUNE, 1899, AT 10 A.

Wladivostock,	29.78	61	87	..	0	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	.	.
Gutzlaff,	29.90	74	86	ESE	3	cm
Sharp Peak,	29.88	75	95	ENE	5	oq
Amoy,	29.85	76	95	SE	1	o
Swatow,	..	..	..		.	.
Canton,	29.82	80	91	E	1	c
Hongkong,	29.84	79	85	SSE	3	or
Victoria Peak,	..	..	..	S	5	..
Gap Rock,	29.84	..	..	SSE	4	..
Macao,	29.82	80	..	S	1	c
Haiphong,	..	..	..	..	.	.
Manila,	..	..	..	.	.	..
Malate,	..	..		.	.	..
Cape S. James,	..		.	SW	2	o

On the 14th at 11.5[illegible] a The barometer has risen slightly on the China coast. Pressure appears to be highest over the NE coast of China and lowest in Japan Gradients slight for SE winds on the China coast. Forecast:—moderate SE winds; squally, some thunder showers.

F. G. FIGG,
First Assistant

HONG OBSERVATORY, Wednesday 14th June, 1899.

CHINA COAST METEOROLOGICAL REGISTER

14th JUNE, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.78	74	..	WSW	1	b
Tokio,	29.90	..	..	S	4	..
Kochi,	29.91	..	..	E	2	..
Nagasaki,	29.87	..	..	SW	4	..
Kagoshima,	29.87	..	..	NE	4	..
Gutzlaff,	29.99	76	77	ESE	2	cm
Sharp Peak,	29.87	73	93	ENE	5	fr
Amoy,	29.83	78	91	SSW	2	or
Swatow,	..	..	..	..	..	..
Canton,	29.78	78	95	SE	1	r
Hongkong,	29.79	77	92	.	0	od
Victoria Peak,	..	..	..	SSW	5	..
Gap Rock,	29.78	..	..	S	3	..
Macao,	29.79	80	..	SSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	88	72	..	0	c
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	2	o

15th JUNE, 1899, AT 10 A.

Wladivostock,	29.78	63	78	ESE	2	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.02	73	86	SE	2	cm
Sharp Peak,	29.93	72	95	.	0	od
Amoy,	29.94	77	91	E	1	o
Swatow,	..	..	..	.	..	..
Canton,	.	..	..	..	..	..
Hongkong,	29.91	76	86	NNW	2	orlt
Victoria Peak,	..	..	..	WSW	4	..
Gap Rock,	29.90	..	..	SSE	3	..
Macao,	29.87	76	..	NW	1	od
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	..	..	.
Cape S. James,	..	..	..	N	1	c

On the 15th at 12.15 p The barometer is above the normal and continues rising slowly on the China coast. Gradients are slight generally. Forecast:—variable winds, moderate; squally, with thunder showers at first, probably improving later.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Thursday 15th June, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

15th JUNE, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.73	53	..	E	3	c
Tokio,	29.94	..	..	E	4	..
Kochi,	29.95	..	..	SW	2	..
Nagasaki,	29.91	..	..	SW	6	..
Kagoshima,	29.91	..	..	S	4	..
Gutzlaff,	29.90	75	86	SE	3	cm
Sharp Peak,	29.90	73	93	E	1	o
Amoy,	29.87	78	91	ESE	2	o
Swatow,	..	..	..	..	..	..
Canton,	29.81	83	83	S	2	o
Hongkong,	29.86	74	98	NW	1	or
Victoria Peak,	..	..	..	SW	4	..
Gap Rock,	29.86	80	..	NW	3	.
Macao,	29.84	76	..	SSW	1	od
Haiphong,	..	..	..	..	..	..
Manila,	29.84	88	66	WSW	1	b
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SSW	2	c

16th JUNE, 1899, AT 10 A.

Wladivostock,	29.61	61	94	ENE	1	o
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.89	71	100	SE	5	cmd
Sharp Peak,	29.85	75	77	..	0	o
Amoy,	29.86	78	95	.	0	c
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	.
Hongkong,	29.90	82	80	SW	3	o
Victoria Peak,	..	..	..	S	7	..
Gap Rock,	29.89	.	..	S	3	.
Macao,	29.87	85	..	SSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	.	..	..	..
Malate,	..	..		..	..	.
Cape S. James,	.	..	..	.	0	b

On the 16th at 11.55 a. The barometer has fallen on the E coast of China and in the extreme North depression seems to be moving eastwards over N. China. Gradients slight for S winds, except in the north. Forecast:—moderate SW winds; fair.

F. G. FIGG,
First Assistant.

KONG OBSERVATORY, Friday 16th June, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

16th JUNE, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.61	65	..	N	1	or
Tokio,	29.82	..	..	S	2	..
Kochi,	29.91	..	..	SE	4	..
Nagasaki,	29.91	..	..	W	4	..
Kagoshima,	29.91	..	..	SW	4	..
Gutzlaff,	29.79	71	100	SE	5	om
Sharp Peak,	29.77	79	91	SE	3	o
Amoy,	29.82	82	87	NE	2	c
Swatow,	..	..	..	..	..	..
Canton,	29.81	85	83	S	1	c
Hongkong,	29.83	81	81	SW	3	o
Victoria Peak,	.	..	..	SSW	6	..
Gap Rock,	29.82	..	..	SW	4	..
Macao,	29.81	85	..	SSW	1	c
Haiphong,	..	..	..	..	..	.
Manila,	29.84	88	72	ENE	1	c
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	S	3	c

17th JUNE, 1899, AT 10 A.

Wladivostock,	29.82	82	75	NE	1	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.78	73	95	SSE	1	cv
Sharp Peak,	29.75	78	93	S	2	o
Amoy,	29.78	79	91	S	1	c
Swatow,	..	..	..		..	.
Canton,	..	..	..	..	..	.
Hongkong,	29.86	81	89	SSW	1	oq
Victoria Peak,	..	..	..	SSW	6	..
Gap Rock,	29.85	..	..	SSW	4	..
Macao,	29.83	82	..	SSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	.	..	..	..
Malate,	..	..	.	..	..	.
Cape S. James,	..	..	..	NW	1	b

On the 17th at 11.55 a. The barometer has fallen on the China coast, risen in the extreme North. The depression appears to have passed into the [illegible] part of the Sea of Japan Gradients slight for S winds on the China coast. Forecast:—moderate SW winds; fair.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Saturday 17th June, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

17th JUNE, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	.	..	..	.	..	..
Tokio,	29.74	..	..	S	6	..
Kochi,	29.87	..	..	S	2	..
Nagasaki,	29.87	..	..	SW	4	..
Kagoshima,	29.87	..	..	SW	2	..
Gutzlaff,	29.71	77	91	N	1	cm
Sharp Peak,	29.71	80	91	SE	4	o
Amoy,	29.77	80	91	S	3	or
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.78	82	80	SSW	3	o
Victoria Peak,	..	..	..	SSW	6	..
Gap Rock,	29.79	82	..	SW	4	..
Macao,	29.79	86	..	SSW	1	c
Haiphong,	..	..	..	..	..	.
Manila,	29.84	88	72	S	2	ot
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SSW	1	b

18th JUNE, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	.	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	.	..	..
Gutzlaff,	29.78	73	95	SW	3	cv
Sharp Peak,	29.80	79	93	S	3	o
Amoy,	29.84	80	87	SSE	2	c
Swatow,	..	..	..		..	.
Canton,	29.85	85	87	ESE	1	c
Hongkong,	29.86	83	82	SSW	1	o
Victoria Peak,	..	..	..	S	5	..
Gap Rock,	29.87	.	..	SSW	4	..
Macao,	29.85	81	..	SSW	1	cdt
Haiphong,	.	.	..	..	..	..
Manila,	29.92	90	66	SW	1	c
Malate,	..	..		..	..	.
Cape S. James,		..	..	SW	1	b

On the 18th at 11.50 a. Barometric changes are unimportant. Pressure is lowest over China with slight gradients for S. winds on the coast. Forecast:—moderate S. winds; showery.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Sunday 18th June, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

18th JUNE, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.72	60	..	SE	4	i
Tokio,	29.98	..	..	[illegible]	6	.
Kochi,	29.95	..	..	SE	2	..
Nagasaki,	29.87	..	..	S	3	..
Kagoshima,	29.91	..	..	SE	4	..
Gutzlaff,	29.78	79	82	SW	3	cv
Sharp Peak,	29.77	81	89	S	3	c
Amoy,	29.79	82	87	SSE	2	c
Swatow,	..	..	..	..	..	.
Canton,	29.80	84	..	SW	2	c
Hongkong,	29.83	81	84	SSW	3	c
Victoria Peak,	..	..	.	SSW	.	..
Gap Rock,	29.83	..	.	SSW	4	..
Macao,	29.81	85	..	SSW	1	c
Haiphong,	..	..	..	..	..	.
Manila,	29.84	80	78	NE	1	c
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	..	..	..

19th JUNE, 1899, AT 10 A.

Wladivostock,	29.71	61	99	..	0	or
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.86	79	91	S	..	cv
Sharp Peak,	29.87	81	96	S	1	c
Amoy,	29.93	80	91	..	0	c
Swatow,	..	..	..		..	.
Canton,	29.90	87	80	SW	2	b
Hongkong,	29.94	83	77	SSW	1	c
Victoria Peak,	..	..	..	SSW	3	..
Gap Rock,	29.94	.	..	SSW	3	..
Macao,	29.92	86	..	SSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..		..	..	.
Cape S. James,	..	..	..	SW	2	b

On the 19th at 10 a. The barometer has risen on the China coast generally. Pressure is high over S. China and the N. part of the China Sea, and low in the N. part of the Sea of Japan. Gradients slight for S. winds on the China coast. Forecast:—moderate S. winds; fair.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY. Monday 19th June, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

19th JUNE, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.70	60	..	WNW	1	f
Tokio,	29.82	..	..	S	6	..
Kochi,	29.95	..	..	..	0	..
Nagasaki,	29.87	..	..	SW	10	..
Kagoshima,	29.91	..	..	S	2	..
Gutzlaff,	..	..	..	..	..	..
Sharp Peak,	29.83	82	91	S	2	o
Amoy,	29.85	85	83	SW	3	c
Swatow,	..	..	..	..	..	..
Canton,	29.86	85	79	S	2	o
Hongkong,	29.88	85	69	SSW	2	o
Victoria Peak,	..	..	..	S	2	..
Gap Rock,	29.88	..	..	SSW	3	..
Macao,	29.87	88	..	SW	1	c
Haiphong,	..	..	..	..	..	.
Manila,	29.84	91	61	WNW	1	c
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	2	o

20th JUNE, 1899, AT 10 A.

Wladivostock,	29.80	56	96	SSE	1	o
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.85	78	91	S	2	cv
Sharp Peak,	29.87	82	93	..	0	c
Amoy,	..	..	..	..	..	..
Swatow,	..	..	..	..	..	..
Canton,	.	..	..		..	.
Hongkong,	29.95	84	69	W	1	c
Victoria Peak,	..	..	..	SSW	3	..
Gap Rock,	29.94	.	..	SSW	2	..
Macao,	29.95	87	..	WSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..		..	..	.
Cape S. James,	..	..	..	N	1	f

On the 20th at 11.55 a. The barometer has risen in the Sea of Japan, and is little changed elsewhere. Pressure remains high over S. China and the N. part of the China Sea, with slight gradients for S. winds on the China coast. Forecast:—SW or varying winds, light; fine.

F. G. FIGG,
First Assistant

HONG OBSERVATORY, Tuesday 20th June, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

20th JUNE, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	29.85	61	..	SE	4	o
Tokio,	29.75	..	..	S	4	..
Kochi,	29.87	..	..	SE	4	..
Nagasaki,	29.87	..	..	SW	6	..
Kagoshima,	29.91	..	..	..	0	..
Gutzlaff,	29.78	83	79	S	2	cv
Sharp Peak,	29.77	83	94	S	3	o
Amoy,	29.79	86	88	SE	2	c
Swatow,	..	..	..	..	..	..
Canton,	29.84	93	67	SW	2	b
Hongkong,	29.86	85	67	SW	2	b
Victoria Peak,	..	..	..	SSW	4	..
Gap Rock,	29.86	..	..	SW	2	..
Macao,	29.87	88	..	SSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	91	61	WSW	1	c
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SE	2	b

21st JUNE, 1899, AT 10 A.

Wladivostock,	29.87	58	96	ENE	1	f
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.75	76	95	S	3	cv
Sharp Peak,	29.79	82	91	S	..	c
Amoy,	..	..	..	..	..	..
Swatow,	..	..	..	..	..	..
Canton,	..	..	..		..	.
Hongkong,	29.89	85	73	WSW	1	o
Victoria Peak,	..	..	..	SSW	4	..
Gap Rock,	29.88	.	..	SW	3	..
Macao,	29.87	86	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..		..	..	.
Cape S. James,	..	..	..	WNW	1	o

On the 21st at 12.5p. The barometer has risen in the Sea of Japan, fallen on the China coast. Pressure is lowest over N. China, with slight gradients for S. winds on the coast. Forecast:—moderate SW winds; fair.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Wednesday 21st June, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

21st JUNE, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.84	46	..	SE	1	o
Tokio,	29.90	..	..	NE	2	..
Kochi,	29.83	..	..	E	2	..
Nagasaki,	29.79	..	..	W	8	..
Kagoshima,	29.83	..	..	W	6	..
Gutzlaff,	29.67	78	91	S	3	cv
Sharp Peak,	29.70	88	78	S	3	o
Amoy,	29.78	87	84	SE	2	c
Swatow,	..	..	..	..	..	..
Canton,	29.76	93	64	SW	1	b
Hongkong,	29.79	85	70	SW	2	o
Victoria Peak,	..	..	..	SW	3	..
Gap Rock,	29.80	..	..	SW	3	..
Macao,	29.78	..	..	SW	1	c
Haiphong,	..	..	..	..	..	.
Manila,	29.84	79	84	E	1	or
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SSW	1	c

22nd JUNE, 1899, AT 10 A.

Wladivostock,	29.83	59	96	SSE	2	o
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.76	77	95	SSE	2	cm
Sharp Peak,	29.76	81	96	..	0	c
Amoy,	..	..	..	..	..	..
Swatow,	..	..	..	.	..	.
Canton,	29.85	87	76	SW	1	bf
Hongkong,	29.85	86	71	WSW	3	b
Victoria Peak,	..	..	..	SW	5	..
Gap Rock,	29.85	.	..	SW	3	..
Macao,	29.84	89	..	WSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..		..	..	.
Cape S. James,	..	..	..	SW	2	c

On the 22nd at 12.5p. The barometer is still falling slowly on the China coast. Pressure remains lowest over N. China, with slight gradients for S. winds on the coast. Forecast:—moderate SW winds; fair.

F. G. FIGG,
First Assistant

KONG OBSERVATORY, Thursday 22nd June, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

22nd JUNE, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.81	64	..	..	2	o
Tokio,	29.94	..	..	N	2	..
Kochi,	29.83	..	..	SW	2	..
Nagasaki,	29.79	..	..	SW	3	..
Kagoshima,	29.83	..	..	SW	4	..
Gutzlaff,	29.74	83	83	E	1	cm
Sharp Peak,	29.68	84	96	SE	4	c
Amoy,	..	..	..	..	..	..
Swatow,	..	..	..	..	..	..
Canton,	29.74	93	64	S	2	b
Hongkong,	29.76	85	68	SW	2	b
Victoria Peak,	.	..	..	SSW	6	..
Gap Rock,	29.77	..	..	SW	3	..
Macao,	29.75	90	..	SW	1	c
Haiphong,	..	..	..	..	..	.
Manila,	29.80	84	77	SW	2	c
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SSW	1	b

23rd JUNE, 1899, AT 10 A.

Wladivostock,	29.71	62	85	SSE	1	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.71	79	91	S	4	cm
Sharp Peak,	29.72	82	96	WSW	4	o
Amoy,	..	..	..	.	..	..
Swatow,	..	..	..		..	..
Canton,	29.81	86	..	SSW	1	..
Hongkong,	29.80	84	70	SW	2	o
Victoria Peak,	..	..	..	SSW	4	..
Gap Rock,	29.77	.	..	SW	3	..
Macao,	29.79	88	..	WSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..		..	..	.
Cape S. James,	..	..	..	SW	2	c

On the 23rd at 12.15 p. The barometer has fallen generally. Pressure remains low over N. China, with slight gradients for SW winds on the coast. Forecast:—moderate SW winds; fair.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Friday 23rd June, 1899.

CHINA COAST METEOROLOGICAL REGISTER

23rd JUNE, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.67	..	..		0	..
Kochi,	29.79	..	..	SE	2	..
Nagasaki,	29.79	..	..	SW	6	..
Kagoshima,	29.83	..	..	SW	2	..
Gutzlaff,	29.74	81	87	SSW	1	cm
Sharp Peak,	29.67	83	100	S	4	c
Amoy,	29.73	86	76	SE	3	b
Swatow,	..	..	..	..	..	..
Canton,	29.73	96	62	S	2	b
Hongkong,	29.74	85	73	WSW	2	o
Victoria Peak,	..	..	..	SSW	4	..
Gap Rock,	29.75	..	..	SW	3	..
Macao,	29.75	90	..	SW	1	c
Haiphong,	..	..	..	.	..	.
Manila,	29.80	88	72	W	1	c
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	2	or

24th JUNE, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.76	77	93	SW	3	cv
Sharp Peak,	29.76	83	96	S	2	c
Amoy,	29.84	83	83	.	0	b
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	.
Hongkong,	29.78	84	75	WSW	2	o
Victoria Peak,	..	..	..	SSW	1	..
Gap Rock,	29.79	.	..	SW	3	..
Macao,	29.78	88	..	SSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..		..	..	.
Cape S. James,	..	..	..	SW	2	o

On the 24th at 11.55 a. Barometric changes are slight. Pressure remains lowest over China, with slight gradients and light S monsoon on the coast. Forecast:—moderate S winds; fair.

F. G. FIGG,
First Assistant

HONG OBSERVATORY Saturday 24th June, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

24th JUNE, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.62	65	..	SE	4	o
Tokio,	29.78	..	..	S	4	..
Kochi,	29.83	..	..	SE	2	..
Nagasaki,	29.83	..	..	S	2	..
Kagoshima,	29.87	..	..	W	6	..
Gutzlaff,	29.79	78	91	SSW	2	cv
Sharp Peak,	29.69	83	96	S	4	o
Amoy,	29.80	85	76	SE	3	c
Swatow,	..	..	..	..	..	..
Canton,	29.69	94	64	..	0	b
Hongkong,	29.71	86	69	SSW	2	c
Victoria Peak,	..	..	..	SSW	3	..
Gap Rock,	29.72	..	..	SW	3	..
Macao,	29.70	91	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.76	86	71	SW	3	c
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	6	or

25th JUNE, 1899, AT 10 A.

Wladivostock,	29.60	59	99	SE	2	f
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.81	80	82	S	3	cv
Sharp Peak,	29.79	81	98	S	1	c
Amoy,	29.80	83	83	SE	2	b
Swatow,	..	..	..	..	..	..
Canton,	29.79	89	73	S	1	b
Hongkong,	29.81	84	75	..	0	cd
Victoria Peak,	..	..	..	SSW	2	..
Gap Rock,	29.82	..	..	SSW	1	..
Macao,	29.79	90	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	86	71	WSW	1	c
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	2	c

On the 25th at 12.0c p. Barometric cha[illegible] coast are unimportant. A depression lies in the W. part of the Sea of Japan. Grad[illegible] with light S. monsoon on the China coast. Forecast:—light S. winds; mostly fine, but some showers.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Sunday 25th June, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

25th JUNE, 1890, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	..	..	..	..	..	..
Tokio,	29.82	..	..	..	0	..
Kochi,	29.87	..	..	SE	4	..
Nagasaki,	29.87	..	..	SW	3	..
Kagoshima,	29.91	..	..	SE	2	..
Gutzlaff,	29.81	82	83	SSW	2	cv
Sharp Peak,	29.78	83	96	SW	3	c
Amoy,	29.84	80	76	SE	3	c
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.79	86	66	S	2	o
Victoria Peak,	..	..	..	S	0	..
Cap Rock,	29.74	..	..	WNW	1	..
Macao,	29.74	70	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	86	71	WNW	2	o
Malate,	..	..	..	..	..	..
Cape St. James,	..	..	..	..	..	..

26th JUNE, 1890, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.81	79	87	S	3	cv
Sharp Peak,	29.81	83	91	..	0	b
Amoy,	29.80	81	80	..	0	b
Swatow,	..	..	..	..	..	..
Canton,	29.76	88	73	SW	2	d
Hongkong,	29.76	84	77	E	3	o
Victoria Peak,	..	..	..	SSE	3	..
Cap Rock,	29.78	..	..	SE	4	..
Macao,	29.71	87	..	NE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	..	..	
Cape St. James,	..	..	..	WNW	2	o

On the 24th at 12 Mn. The barometer has fallen on the S. coast of China, and remains almost steady elsewhere. Pressure appears to be highest near the Loochoos, and lowest over the N. part of the China Sea. Gradients slight for SE winds on the China coast. Forecast:—moderate SE to E winds; showery.

F. G. FIGG,
First Assistant.

KONG OBSERVATORY, Monday 26th June, 1890.

CHINA COAST METEOROLOGICAL REGISTER.

26th JUNE, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	29.61	81	..	W	1	b
Tokio,	29.78	..	..	S	2	..
Kochi,	29.87	..	..	SE	½	..
Nagasaki,	29.91	..	..	SW	0	..
Kagoshima,	29.91	..	..	S	2	..
Gutzlaff,	29.78	84	79	S	2	cv
Sharp Peak,	29.75	82	87	E	4	b
Amoy,	29.79	86	76	SW	3	c
Swatow,	..	..	..	..	..	..
Canton,	29.70	87	72	ESE	2	b
Hongkong,	29.71	82	81	SE	3	op
Victoria Peak,	..	..	..	SE	4	..
Gap Rock,	29.69	..	..	E	4	..
Macao,	29.71	85	..	ESE	1	r
Haiphong,	..	..	..	..	..	.
Manila,	29.80	79	84	ENE	2	c
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	4	or

27th JUNE, 1899, AT 10 A.

Wladivostock,	29.68	68	91	..	0	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.84	80	87	S	4	bv
Sharp Peak,	29.84	83	91	..	0	b
Amoy,	29.82	83	83	SE	1	c
Swatow,	..	..	..		..	.
Canton,	29.77	80	96	E	2	o
Hongkong,	29.77	82	77	SE	3	oq
Victoria Peak,	..	..	..	SE	7	..
Gap Rock,	29.77	..	..	SSE	6	..
Macao,	29.76	82	..	SSE	2	cp
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	..	..	.
Cape S. James,	..	..	..	SW	4	c

On the 27th at 11.55 a. Barometric changes are slight. Pressure is highest in the neighbourhood the Loochoos, and low in the NW part of the China Sea. Gradients slight to moderate for SE winds the China coast. Forecast:—fresh SE winds; squally, showery.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Tuesday 27th June, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

27th JUNE, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.69	77	..	SE	3	b
Tokio,	29.78	..	..	S	4	..
Kochi,	29.91	..	..	SE	2	..
Nagasaki,	29.96	..	..	W	4	..
Kagoshima,	29.96	..	..	NW	4	..
Gutzlaff,	29.84	83	79	S	4	bv
Sharp Peak,	29.84	82	91	E	2	c
Amoy,	29.84	84	79	SE	2	o
Swatow,	..	..	..	..	..	..
Canton,	29.72	80	87	SE	2	o
Hongkong,	29.77	80	82	SSE	2	o
Victoria Peak,	..	..	..	SSE	4	..
Gap Rock,	29.75	..	..	SSW	5	..
Macao,	29.74	82	..	SSW	2	c
Haiphong,	..	..	..	..	..	..
Manila,	29.76	90	66	SW	1	c
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	4	c

28th JUNE, 1899, AT 10 A.

Wladivostock,	29.68	69	93	..	0	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.89	78	82	S	4	.
Sharp Peak,	29.86	83	89	..	0	c
Amoy,	29.87	83	79	..	0	c
Swatow,	..	..	..		..	.
Canton,	29.83	78	95	SE	1	r
Hongkong,	29.82	82	81	SE	3	o
Victoria Peak,	..	..	..	SSE	3	..
Gap Rock,	29.80	.	..	ESE	5	..
Macao,	29.80	79	..	SSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..		..	..	..
Cape S. James,	..	..	..	SW	3	c

On the 28th at 11.25 a. The barometer has risen slightly on the China coast. Pressure is highest in the neighbourhood of the Loochoos, and low pressure, in some part of which a depression may be forming, appears to extend from the middle part of the China Sea across the Phillipines to the Pacific. Gradients slight to moderate for SE winds in S. China. Forecast:—fresh SE to E winds; squally, showery.

F. G. FIGG,
First Assistant

HONG OBSERVATORY, Wednesday 28th June, 1899.

CHINA COAST METEOROLOGICAL REGISTER

28th JUNE, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.69	77	..	ESE	2	o
Tokio,	29.82	..	..	S	4	..
Kochi,	29.83	..	..	S	2	..
Nagasaki,	29.91	..	..	SW	4	..
Kagoshima,	29.91	..	..	NW	4	..
Gutzlaff,	29.86	82	87	S	2	c
Sharp Peak,	29.82	82	91	E	2	o
Amoy,	29.82	88	62	SE	1	c
Swatow,	..	..	..	..	..	..
Canton,	29.77	82	87	SE	..	c
Hongkong,	29.77	82	77	E	4	o
Victoria Peak,	..	..	..	SE	4	..
Gap Rock,	29.76	..	..	E	3	..
Macao,	29.77	79	..	SSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.61	77	100	SW	4	or
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	2	o

29th JUNE, 1899, AT 10 A.

Wladivostock,	29.70	64	95	SE	1	f
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.87	81	87	S	4	cv
Sharp Peak,	29.79	83	92	E	1	c
Amoy,	29.79	84	79		0	b
Swatow,	..	..	..			
Canton,	29.81	85	83			b
Hongkong,	29.78	84	79		3	c
Victoria Peak,	..	..	..	ESE	2	..
Gap Rock,	29.78	..	..	E	4	..
Macao,	29.78	86	..	ENE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.72	84	78	ESE	1	c
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	4	o

On the 29th at 11.45 a. The barometer is falling on the China coast. A depression probably exists in the China Sea to the W. of Luzon in about 15° Lat. Gradients slight to moderate for NE winds in S. China. Forecast:—fresh E to NE winds; fair.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Thursday 29th June, 1899.

CHINA COAST METEOROLOGICAL REGISTER

29th JUNE, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.74	64	..	SSE	3	o
Tokio,	29.82	..	..	S	0	
Kochi,	29.83	..	..	SE	4	..
Nagasaki,	29.91	..	..	W	4	..
Kagoshima,	29.87	..	..	NW	6	..
Gutzlaff,	29.81	81	87	SSE	4	cv
Sharp Peak,	29.75	82	93	E	4	b
Amoy,	29.76	88	69	SE	2	b
Swatow,	..	..	..	..	..	..
Canton,	29.71	92	67	E	1	b
Hongkong,	29.70	84	66	E	5	b
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	29.69	..	..	E	5	..
Macao,	29.69	89	..	ENE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.69	81	85	SSE	1	o
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	5	or

30th JUNE, 1899, AT 10 A.

Wladivostock,	29.73	64	98	SE	4	or
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.86	79	87	S	4	cv
Sharp Peak,	29.81	82	89	..	0	o
Amoy,	29.81	86	72	NE	1	c
Swatow,	..	..	..		..	
Canton,	29.75	87	69	E	1	o
Hongkong,	29.72	84	79	E	6	oq
Victoria Peak,	..	..	..	E	7	..
Gap Rock,	29.70	..	..	ENE	6	..
Macao,	29.72	84	..	NE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..		..	..	
Cape S. James,		..	..	SW	4	f

On the 29th at 4.25p. Red South Cone hoisted.

On the 30th at 11.0 a. Black South Cone hoisted. The barometer has fallen on the S. coast of China, and is little changed elsewhere. The depression seems to be situated to the SSW of Hongkong in about 18° Lat., and moving apparently towards NW. Forecast:—E winds, strong; possibly a fresh gale; squally, showery.

F. G. Hogg,
First Assistant

HONGKONG OBSERVATORY, Friday 30th June, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

30th JUNE, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	29.72	65	..	SE	6	or
Tokio,	29.94	..	..	NE	4	..
Kochi,	29.83	..	..	..	0	..
Nagasaki,	29.91	..	..	SW	4	..
Kagoshima,	29.91	..	..	W	4	..
Gutzlaff,	29.82	84	83	S	4	cv
Sharp Peak,	29.77	84	91	E	4	b
Amoy,	29.76	87	74	SE	2	b
Swatow,	..	..	..	..	..	..
Canton,	29.70	90	81	E	2	p
Hongkong,	29.68	88	76	E	6	oq
Victoria Peak,	..	..	..	E	6	..
Gap Rock,	29.65	..	..	E	6	..
Macao,	29.66	86	..	E	2	c
Haiphong,	..	..	..	..	..	.
Manila,	29.80	81	85	NNW	1	o
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	6	o

1st JULY, 1899, AT 10 A.

Wladivostock,	29.74	64	97	ESE	5	o
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.85	80	82	S	3	cv
Sharp Peak,	29.82	83	89	..	0	c
Amoy,	29.83	85	76	..	0	c
Swatow,	—	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.67	82	82	E	7	oq
Victoria Peak,	..	..	..	..	..	..
Gap Rock,	29.65	82	..	E	6	..
Macao,	29.66	85	..	E	2	5
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	..	..	.
Cape S. James,	..	..	..	SW	5	0

On the 1st at 11.25 a. The barometer has fallen slightly in the neighbourhood of Hongkong, risen in the South. The depression, to the SW of Hongkong, appears to be approaching the coast near Hainan Straits. Forecast:—E, veering to SE, winds, moderate or fresh gale; squally, showery.

F. G. FIGG,
First Assistant

Hongkong Observatory, Saturday 1st July, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

1st JULY, 1899, AT 4 P.M.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	..	..	..	..	..	..
Tokio,	29.94	..	..	NE	2	..
Kochi,	29.91	..	..	SE	2	..
Nagasaki,	29.91	..	..	W	4	..
Kagoshima,	29.91	..	..	W	2	..
Gutzlaff,	29.84	86	80	S	4	cv
Sharp Peak,	29.76	83	96	E	2	b
Amoy,	29.76	85	76	SE	2	b
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.63	79	89	ESE	6	odq
Victoria Peak,	..	..	..	ESE	8	..
Gap Rock,	..	..	..	..	..	..
Macao,	29.61	81	..	E	2	od
Haiphong,	..	..	..	..	..	..
Manila,	29.80	86	71	W	2	c
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	6	or

2nd JULY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.82	80	82	S	3	cv
Sharp Peak,	29.78	82	98		0	c
Amoy,	29.78	84	83	S	1	c
Swatow,	..	..	..	..	..	..
Canton,	29.68	79	96	ENE	4	op
Hongkong,	29.67	78	94	SE	4	orq
Victoria Peak,	..	..	..	SE	6	..
Gap Rock,	..	..	..	..	..	..
Macao,	29.64	81	..	ESE	2	o
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	4	o

On the 1st at 4.10 p.m. Black Ball hoisted.

On the 2nd at 11.30 a.m. The barometer has fallen in the South, and is little changed on the China Coast. The depression off the coast to the north of Hainan, seems to be moving slowly towards NNW. Another depression appears to exist to the E of N. Luzon. Forecast:—SE winds, decreasing; squally, etc.

F. G. FIGG.
First Assistant.

No Observations, Sunday 2nd July, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

2nd JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.61	67	..	ESE	6	o
Tokio,	29.86	..	..	NE	2	..
Kochi,	29.83	..	..	SE	2	..
Nagasaki,	29.83	..	..	SW	6	..
Kagoshima,	29.83	..	..	W	4	..
Gutzlaff,	29.79	86	80	S	2	cv
Sharp Peak,	29.74	85	94	E	2	b
Amoy,	29.75	88	76	S	2	c
Swatow,	..	..	..	..	..	..
Canton,	29.63	82	91	NE	4	..
Hongkong,	29.65	79	91	ESE	3	od
Victoria Peak,	..	..	..	SE	6	..
Gap Rock,	..	..	..	..	..	..
Macao,	29.62	80	..	E	1	or
Haiphong,	..	..	..	..	..	.
Manila,	29.72	84	85	W	1	c
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	..	..	..

3rd JULY, 1899, AT 10 A.

Wladivostock,	29.50	67	99	SE	1	or
Tokio,	..	..	..	..	.	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.77	81	87	S	2	cv
Sharp Peak,	29.73	84	96	NNE	1	o
Amoy,	..	..	..	..	..	..
Swatow,	..	..	..	.	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.71	82	82	E	3	o
Victoria Peak,	..	..	..	SE	3	..
Gap Rock,	..	..	..	.	..	..
Macao,	29.69	87	..	ESE	1	o
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..		..	..	.
Cape S. James,	..	..	..	SW	4	f

On the 2nd at 2.40p. Black Ball lowered.

On the 3rd at 12.5 p. The barometer has risen slightly on the S. coast of China, fallen elsewhere. The depression appears to be still situated to the E. of Luzon, and another depression lies in the N. part of the Sea of Japan. Gradients slight on the China coast. Forecast:—moderate SE winds; showery to fair.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Monday 3rd July, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

3rd JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.82	..	..	S	4	..
Kochi,	29.75	..	..	SE	2	..
Nagasaki,	29.75	..	..	W	6	..
Kagoshima,	29.75	..	..	SW	2	..
Gutzlaff,	29.72	89	77	S	1	b
Sharp Peak,	29.66	84	85	E	1	b
Amoy,	29.64	88	69	SSE	3	b
Swatow,	..	..	..	..	..	..
Canton,	29.65	87	80	E	1	b
Hongkong,	29.64	83	84	ESE	3	c
Victoria Peak,	.	..	..	SSE	3	..
Gap Rock,	29.64	..	..	E	4	..
Macao,	29.63	88	..	ESE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.61	88	72	WSW	3	o
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	WSW	5	o

4th JULY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.72	81	87	SSE	2	cv
Sharp Peak,	29.68	84	87	ESE	1	b
Amoy,	29.68	85	76	NE	1	b
Swatow,	..	..	..		..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.68	84	76	W	1	b
Victoria Peak,	..	..	..	NNW	1	..
Gap Rock,	29.68		..	NNW	1	..
Macao,	29.68	86	..	ENE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..		..	..	..
Cape S. James,			..		..	..

On the 3rd at 4.0p The recent depression in the China Sea is felt in Haiphong. The depression in the Pacific to the East of North Luzon seems to be moving towards NW.

On the 4th at 11.55 a. The barometer is falling slowly on the China coast. The typhoon seems to be situated to the East of the Balingtang Channel, and it is apparently moving towards NW. Gradients light, but increasing, for N. winds in the Formosa Channel and on the S. coast of China. Forecast:— Variable and NW winds, light to moderate; fine.

F. G. FIGG,
First Assistant

KONG OBSERVATORY, Tuesday 4th July, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

4th JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.74	..	..	S	6	..
Kochi,	29.75	..	..	S	2	..
Nagasaki,	29.72	..	..	SW	4	..
Kagoshima,	29.72	..	..	SE	4	..
Gutzlaff,	29.69	86	80	NE	1	cv
Sharp Peak,	29.61	83	96	E	1	b
Amoy,	29.66	87	65	SE	3	b
Swatow,	..	..	..	..	..	..
Canton,	29.63	95	63	W	1	b
Hongkong,	29.62	87	73	W	1	b
Victoria Peak,	..	..	..	W	1	..
Gap Rock,	29.64	85	..	SW	1	..
Macao,	29.63	90	..	SSE	1	c
Haiphong,	..	..	..	..	..	.
Manila,	29.61	82	85	SW	3	c
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	3	c

5th JULY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.68	82	87	SSE	2	cv
Sharp Peak,	29.60	84	79		0	b
Amoy,	29.60	86	72	NE	1	b
Swatow,	..	..	..		..	..
Canton,	..	..	..	..	..	.
Hongkong,	29.64	86	80	W	1	b
Victoria Peak,	..	..	..	WNW	3	..
Gap Rock,	29.65	.	..	W	3	..
Macao,	29.64	88	..	SW	1	b
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	..	..	.
Cape S. James.	..	..	..	SW	3	f

On the 5th at 11.55 a. The barometer continues to fall slowly on the China coast. The typhoon appears to be situated to the East of Formosa, and moving slowly towards NW. Gradients slight, but increasing, for NE to NW winds on the China coast. Forecast:—moderate NW to SW winds; fine.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Wednesday 5th July, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

5th JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.68	68	..	SW	1	f
Tokio,	29.82	..	..	S	4	..
Kochi,	29.75	..	..	SE	2	..
Nagasaki,	29.64	..	..	S	2	..
Kagoshima,	29.68	..	..	E	2	..
Gutzlaff,	29.64	84	87	E	3	cv
Sharp Peak,	29.50	84	85	E	1	b
Amoy,	29.47	88	66	SE	3	b
Swatow,	..	..	..	..	..	..
Canton,	29.57	99	54	W	1	b
Hongkong,	29.54	89	69	W	3	b
Victoria Peak,	..	..	..	WNW	5	..
Gap Rock,	29.55	..	..	WNW	4	..
Macao,	29.57	96	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.57	86	78	SW	3	o
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	4	o

6th JULY, 1899, AT 10 A.

Wladivostock,	29.69	63	99	..	0	or
Tokio,	..	..	..	..	.	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.60	82	91	E	1	cf
Sharp Peak,	29.50	85	79		0	c
Amoy,	29.53	84	79	SE	1	c
Swatow,	..	..	..	..	..	.
Canton,	..	..	..	..	..	..
Hongkong,	29.59	86	79	W	1	o
Victoria Peak,	..	..	..	WNW	4	..
Gap Rock,	29.60	.	..	WSW	4	..
Macao,	29.58	88	..	SW	1	c
Haiphong,	..	.	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	.	..	..	.
Cape S. James,		..	..	SW	3	o

On the 6th at 11.50 a. The barometer is still falling on the China coast. The depression is of great extent, the typhoon centre being situated, apparently, to the E. of N. Formosa near Meiaco Sima. The disturbance seems to be still moving slowly towards NW. Forecast:—fresh W to SW winds; fair at first, possibly thunder showers later. Very strong SW monsoon over the China Sea.

F. G. FIGG,
First Assistant

HONG OBSERVATORY, Thursday 6th July, 1899.

CHINA COAST METEOROLOGICAL REGISTER

6th JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		
				D.		
Wladivostock,	..	..				
Tokio,	29.82	.				
Kochi,	29.72	..				
Nagasaki,	29.56	.				
Kagoshima,	29.52					
Gutzlaff,	29.57	87	80			
Sharp Peak,	29.43	85	79			
Amoy,	29.42	88	69			
Swatow,	..	..	..			
Canton,	..	..	..	..		
Hongkong,	29.50	89	68	SW	1	o
Victoria Peak,	.	..	..	WSW	3	..
Gap Rock,	29.51	..	..	WSW	4	.
Macao,	29.50	95	..	WSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.61	84	77	WSW	2	o
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	3	o

7th JULY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.53	82	75	NE	1	cm
Sharp Peak,	29.44	84	83	.	0	b
Amoy,	29.46	82	83	SW	2	c
Swatow,	29.52	87	..	W	2	b
Canton,	29.54	93	58	W	1	b
Hongkong,	29.53	88	76	WSW	2	c
Victoria Peak,	..	..	..	WSW	2	..
Gap Rock,	29.54	.	..	WSW	5	..
Macao,	29.54	92	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	..	..	.
Cape S. James,	.	..	..	SW	3	c

On the 6th at 4.30p The typhoon, central between Meiaco Sima and Southern Loochoo, shows a tendency to recurve.

On the 7th at 11.55 a The barometer has fallen slightly on the China coast. The typhoon is probably moving to the NNE between the Loochoos and SW Japan. Gradients slight for N winds on the E. coast of China, moderate for SW winds on the S. coast. Forecast:—fresh SW winds; fair at first, probably thunder showers later. Very strong SW monsoon over the China Sea.

F. G. FIGG,
First Assistant

HONGKONG OBSERVATORY, Friday 7th July, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

7th JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	.	..	..
Tokio,	29.71	..	..	N	2	..
Kochi,	29.56	..	..	..	0	..
Nagasaki,	29.28	..	..	NE	8	..
Kagoshima,	29.20	..	..	SE	10	..
Gutzlaff,	29.51	76	95	NNE	5	cmr
Sharp Peak,	29.40	85	79	E	3	or
Amoy,	29.43	88	73	SE	2	b
Swatow,	..	..	..	..	..	..
Canton,	29.47	99	52	W	1	b
Hongkong,	29.50	86	76	SW	3	o
Victoria Peak,	..	..	..	SW	5	..
Gap Rock,	29.51	..	..	WSW	5	..
Macao,	29.50	89	..	WSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	5	or

8th JULY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.51	78	91	NNE	4	cv
Sharp Peak,	29.46	83	75	SW	1	b
Amoy,	29.47	83	83	SW	1	b
Swatow,	.	..	..	..	..	..
Canton,	29.55	89	69	W	1	b
Hongkong,	29.56	87	77	W	1	b
Victoria Peak,	..	..	..	SSW	2	..
Gap Rock,	29.56	..	..	WSW	4	..
Macao,	29.55	91	..	WSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..		..	..	.
Cape S. James,			..	SW	3	c

On the 8th at 11.55 a. The barometer has fallen slightly on the E. coast of China, and is inclined to on the S coast. The typhoon centre is probably moving to the NNE near the SE coast of Kiusiu, SW en. Forecast:—fresh SW winds; mostly fine, but probably some showers. Strong SW monsoon over China Sea.

F. G. FIGG,
First Assistant

NG OBSERVATORY, Saturday 8th July, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

8th JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.76	74	...	SW	2	o
Tokio,	29.74	..	...	NE	6	..
Kochi,	29.24	..	...	SE	10	..
Nagasaki,	28.73	..	..	NE	10	..
Kagoshima,	28.53	..	..	N	8	..
Gutzlaff,	29.46	88	92	NNE	2	cv
Sharp Peak,	29.41	86	70	SE	3	b
Amoy,	29.45	91	54	SE	2	b
Swatow,	29.47	91	..	WSW	3	b
Canton,	29.50	85	..		..	b
Hongkong,	29.48	89	74	W	1	b
Victoria Peak,	-	..	..		0	..
Gap Rock,	29.50	..	..	SW	3	..
Macao,	29.50	86	..	NW	1	c
Haiphong,	..	..	..	..	..	.
Manila,	29.69	84	85	WSW	2	c
Malate,	..	..	..	..	.	..
Cape S. James,	..	..	..	SW	5	o

9th JULY, 1899, AT 10 A.

Wladivostock,	29.79	83	84	WSW	2	b
Tokio,	..	..	..	.	.	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.54	79	87	NNW	3	cv
Sharp Peak,	29.49	86	74	..	0	b
Amoy,			..			
Swatow,	29.58	87	..	W	1	b
Canton,			.	.	..	.
Hongkong,	29.59	87	77	W	1	c
Victoria Peak,	..	..	..	SSW	2	.
Gap Rock,	29.61	..	..	SW	3	..
Macao,	29.59	90	..	SW	1	..
Haiphong,	..		..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	..	..	..
Cape S. James,	..		..	SW	4	o

On the 8th at 11.55 a. The barometer continues to rise slowly on the China coast. The typhoon centre is probably moving NE and crossing Japan near Kobe. Gradients remain slight on the China coast and moderate with strong SW monsoon over the China Sea. Forecast:—moderate to fresh SW winds; mostly fine, but probably some showers.

F. G. FIGG,
Acting Assistant

HONGKONG OBSERVATORY, Sunday 9th July, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

9th JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	29.78	72	..	WSW	3	b
Tokio,	29.67	..	..	NW	4	..
Kochi,	..	..	..	.	..	..
Nagasaki,	29.16	..	..	W	10	..
Kagoshima,	..	..	..	.	..	..
Gutzlaff,	29.53	82	79	N	2	cv
Sharp Peak,	29.43	87	78	S	4	c
Amoy,	29.49	93	67	SE	3	b
Swatow,	..	..	..	..	..	..
Canton,		..	..	..	..	.
Hongkong,	29.53	88	69		0	c
Victoria Peak,	.	..	..	SSW	2	..
Gap Rock,	29.54	..	..	SW	3	..
Macao,	29.53	91	..	S	1	c
Haiphong,	..	..	..	.	..	.
Manila,	29.69	79	100	WNW	1	or
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	..	..	..

10th JULY, 1899, AT 10 A.

Wladivostock,	29.80	65	85	.	0	b
Tokio,	..	..	..	..	.	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	.	..	..
Gutzlaff,	29.64	80	82	W	1	cv
Sharp Peak,	29.59	85	85	E	1	c
Amoy,	29.57	87	80	NE	1	b
Swatow,	.	..	..	..	.	.
Canton,	29.60	89	80	E	1	c
Hongkong,	29.62	87	77	WNW	1	b
Victoria Peak,	..	..	..	SSW	1	..
Gap Rock,	29.63	.	..	SW	2	..
Macao,	29.62	91	..	S	1	c
Haiphong,	..			..	..	..
Manila,	29.76	77	100	W	1	o
Malate,	..	..			..	
Cape S. James,		.	..	SW	3	c

On the 10th at 12.5p. The barometer continues to rise on the China coast. The typhoon is probably moving to the NE in Central Japan. Gradients remain slight on the China coast. Forecast:—variable and SE winds, light or moderate; changeable, probably becoming cooler.

F. G. FIGG,

Acting Assistant

HONGKONG OBSERVATORY, Monday 10th July, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

10th JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.80	73	..	SW	1	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	.	..	..
Nagasaki,	29.52	..	..	W	6	..
Kagoshima,	29.56	..	..	W	6	..
Gutzlaff,	29.62	85	87	SSE	1	cv
Sharp Peak,	29.55	85	81	SE	2	c
Amoy,	29.55	89	69	SE	2	b
Swatow,	29.57	92	..	S	3	b
Canton,	29.55	98	57	E	1	b
Hongkong,	29.56	85	79	SSE	1	c
Victoria Peak,	.	..	..	SSE	3	..
Gap Rock,	29.55	..	..	ESE	1	..
Macao,	29.56	89	..	S	1	c
Haiphong,	..	..	..	.	..	.
Manila,	29.72	77	100	W	2	c
Malate,	..	..	..	..	.	..
Cape S. James,	..	..	..	SW	4	c

11th JULY, 1899, AT 10 A.

Wladivostock,	29.78	67	85	NE	1	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	.	..	..
Gutzlaff,	29.72	81	87	SE	1	cv
Sharp Peak,	29.65	86	80	ESE	1	c
Amoy,	29.64	85	79	SE	1	b
Swatow,	29.67	86	..	ENE	.	b
Canton,	29.65	90	77	E	1	b
Hongkong,	29.63	85	79	E	1	c
Victoria Peak,	..	..	..	SSE	1	..
Gap Rock,	29.64	..	..	SW	3	.
Macao,	29.63	88	..	SE	1	c
Haiphong,	..	..	..	..	.	.
Manila,	29.80	75	100	WSW	1	or
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	3	f

On the 11th at 11.55 a.m. The barometer has risen over the Formosa Channel and E. coast of China, and remains almost steady on the S. coast. Gradients slight for SE winds on the China coast. Forecast:—light to moderate SE winds; fair to showery.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Tuesday 11th July, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

11th JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	29.77	76	..	W	1	lt
Tokio,	29.86	..	..	N	2	..
Kochi,	29.83	..	..	SE	4	..
Nagasaki,	29.79	..	..	SE	4	..
Kagoshima,	29.79	..	..	S	4	..
Gutzlaff,	29.70	85	87	SE	2	cv
Sharp Peak,	29.60	83	87	ESE	..	..
Amoy,	29.60	89	69	SE	3	b
Swatow,	29.64	87	..	ESE	4	b
Canton,	29.60	87	80	N	1	or
Hongkong,	29.59	84	81	E	1	o
Victoria Peak,	..	..	..	SSE	1	..
Gap Rock,	29.60	..	..	SW	2	..
Macao,	29.58	89	..	WNW	1	cd
Haiphong,	..	..	..	..	..	.
Manila,	29.72	81	84	SW	2	o
Malate,	..	..	..	..	.	..
Cape S. James,	..	..	..	SW	4	o

12th JULY, 1899, AT 10 A.

Wladivostock,	29.74	67	83	ESE	2	b
Tokio,	..	..	..	.	.	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.76	81	91	S	3	cv
Sharp Peak,	29.71	85	79	.	0	c
Amoy,	29.67	85	79	SE	1	b
Swatow,	29.72	85	..	ENE	2	b
Canton,	.	..	..	.	..	.
Hongkong,	29.66	82	86	ENE	3	o
Victoria Peak,	..	..	..	E	2	.
Gap Rock,	29.65		..	E	3	.
Macao,	29.64	88	..	E	1	c
Haiphong,	..		..	..	..	.
Manila,	29.72	82	78	SW	1	c
Malate,	..	..	..	..	..	
Cape S. James,			..	SW	3	o

On the 12th at 11.50 a. The barometer has risen slightly on the China coast, fallen a little over the N. part of the China Sea. Pressure is highest over the Pacific to the S. of Japan, and a trough of slightly low pressure, in some part of which a depression may form, extends across the China Sea to the Pacific in the from about 15° to 20° Lat. Forecast:—moderate or fresh E winds; unsettled, showery.

F. G. FIGG.

First Assistant

HONG OBSERVATORY, Wednesday 12th July, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

12th JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..		..	..
Tokio,	29.86	..	..	S	4	..
Kochi,	29.83	..	..	SE	4	..
Nagasaki,	29.79	..	..	W	4	..
Kagoshima,	29.79	..	..	SE	2	..
Gutzlaff,	29.75	85	87	S	3	cv
Sharp Peak,	29.65	85	79	E	4	c
Amoy,	29.65	89	66	SE	3	b
Swatow,	29.67	86	..	E	4	b
Canton,	29.60	88	84	E	1	c
Hongkong,	29.61	84	79	E	3	o
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	29.59	..	..	E	3	..
Macao,	29.61	85	..	ESE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.65	82	77	SW	2	c
Malate,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	4	f

13th JULY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.80	83	87	SSE	2	cv
Sharp Peak,	29.71	84	77		0	b
Amoy,	29.67	85	76	N	1	c
Swatow,	29.72	84	..	ESE	2	b
Canton,		..	..		..	..
Hongkong,	29.67	83	79	E	4	c
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	29.65		..	E	4	..
Macao,	29.66	87	..	ESE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..			..	
Cape S. James,			..	SW	4	c

On the 12th at 11.55 a. The barometer is inclined to fall in S. China. Pressure is highest in the Pacific to the S. of Japan, and the low pressure trough between NE and SW winds, in which a depression may be forming, still extends across the China Sea to the Pacific in from about 18° to 20° Lat. Gradients slight for E and SE winds on the China coast. Forecast:—moderate or fresh E winds; unsettled, showery.

F. G. FIGG,
Actg Director.

HONGKONG OBSERVATORY, Thursday 13th July, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

13th JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	29.74	66	..	SE	3	f
Tokio,	29.86	..	..	SE	4	..
Kochi,	29.83	..	..	SE	2	..
Nagasaki,	29.79	..	..	SW	4	..
Kagoshima,	29.79	..	..	SE	4	..
Gutzlaff,	29.79	82	91	SSE	4	cv
Sharp Peak,	29.66	85	79	E	4	c
Amoy,	29.64	89	66	SE	2	b
Swatow,	29.68	86	..	ESE	4	b
Canton,	29.60	95	65	SE	1	b
Hongkong,	29.60	84	81	E	3	o
Victoria Peak,	..	..	..	E	5	..
Gap Rock,	29.59	..	..	E	4	..
Macao,	29.61	84	..	SSE	1	c
Haiphong,	..	..	..	..	..	...
Manila,	29.65	81	84	SW	2	o
Malate,	..	..	..	WSW	4	o
Bacolod,	..	..	..	SW	1	o
Iloilo,	29.69	81	..	SW	6	o
Cebu,	29.71	84	..	SW	4	c
Cape S. James,	..	..	..	SW	5	or

14th JULY, 1899, AT 10 A.

Wladivostock,	29.74	64	99	SSE	3	f
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.79	82	83	SSE	3	cv
Sharp Peak,	29.76	85	79	..	0	c
Amoy,	29.68	89	79	NE	1	c
Swatow,	29.73	85	..	E	2	c
Canton,	..	..	..	..	..	..
Hongkong,	29.65	83	80	ENE	4	o
Victoria Peak,	..	..	..	E	7	..
Gap Rock,	29.62	..	..	E	5	o
Macao,	29.65	89	..	E	2	c
Haiphong,	..	..	..	..	..	..
Manila,	29.76	79	92	SW	1	o
Malate,	..	..	..	S	3	or
Bacolod,	..	..	..	S	1	b
Iloilo,	29.81	81	..	..	..	c
Cebu,	29.82	85	..	SW	4	b
Cape S. James,	..	..	..	SW	4	o

[illegible] 14th at 11.0a. The barometer has fallen slightly on the S. coast of China, and is inclined to [illegible] where Pressure is highest in the Pacific to the S. of Japan, and a shallow depression seems to have [illegible] and to be lying to the Southward of Hongkong in about 19° Lat. Gradients slight, except on the coast of China and the N. part of the China Sea. Forecast:—strong E winds; squally, showery.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Friday 14th July, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

14th JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.90	..	..	S	6	..
Kochi,	29.87	..	..	S	2	..
Nagasaki,	29.79	..	..	SW	4	..
Kagoshima,	29.79	..	..	S	2	..
Gutzlaff,	29.74	85	79	SSE	4	cv
Sharp Peak,	29.71	83	85	E	3	b
Amoy,	29.67	88	73	SE	3	b
Swatow,	29.71	87	..	..	3	b
Canton,	29.59	91	42	E	1	cp
Hongkong,	29.60	81	89	E	5	opq
Victoria Peak,	..	..	..	E	6	..
Gap Rock,	29.56	..	..	ENE	6	..
Macao,	29.60	87	..	E	1	cdq
Haiphong,	..	..	..	..	..	..
Manila,	29.72	84	77	SW	2	c
Malate,	..	..	..	SW	1	o
Bacolod,	..	..	..	SW	4	b
Iloilo,	29.77	81	..	W	3	or
Cebu,	29.78	86	..	SW	4	c
Cape S. James,	..	..	..	..	..	..

15th JULY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.79	83	79	SSE	3	cv
Sharp Peak,	29.73	85	76	..	0	b
Amoy,	29.71	85	83	SE	1	b
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.66	78	89	E	5	cdq
Victoria Peak,	..	..	..	SE	7	..
Gap Rock,	..	..	..	..	..	..
Macao,	29.62	84	..	E	3	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	86	78	..	1	c
Malate,	..	..	..	SW	1	c
Bacolod,	..	..	..	SE	2	o
Iloilo,	29.85	81	..	W	3	c
Cebu,	29.88	85	..	SW	2	b
Cape S. James,	..	..	..	SW	3	c

On the 14th at 5.3 p. Black South Cone hoisted. On the 15th at 10.25 a. Black Ball hoisted. At 10.45 a. The depression is approaching the neighbourhood of Hainan Straits, moving WNW. The barometer has risen over the Philippines and is little changed on the China coast, but with a tendency to rise in Hongkong. Gradients slight, except along the S. coast and in the N. part of the China Sea. Forecast:—SE winds; strong at first, moderating later: squally, showery.

Telegraphic communication between the Observatory and Gap Rock is interrupted

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Saturday 15th July, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

15th JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	29.72	69	..	ESE	3	f
Tokio,	29.85	..	..	S	6	..
Kochi,	29.87	..	..	SE	4	..
Nagasaki,	29.72	..	..	SW	6	..
Kagoshima,	29.79	..	..	SW	4	..
Gutzlaff,	29.75	80	80	SSE	3	cv
Sharp Peak,	29.72	84	77	SE	3	b
Amoy,	29.69	89	60	SE	2	b
Swatow,	29.73	88	..	E	4	cp
Canton,	29.64	84	83	E	2	or
Hongkong,	29.61	83	83	SE	6	oq
Victoria Peak,	..	..	..	SE	7	..
Gap Rock,	29.61	..	..	ESE	4	..
Macao,	29.61	82	..	ESE	3	c
Haiphong,	..	..	..	..	..	..
Manila,	29.76	86	78	WSW	4	c
Malate,	..	..	..	W	4	c
Bacolod,	..	..	..	SW	1	b
Hoilo,	29.81	82	..	SW	2	c
Cebu,	29.80	88	..	SW	5	..
Cape S. James,	..	..	..	NW	2	o

16th JULY, 1899, AT 10 A.

Wladivostock,	29.73	62	49	N	1	f
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.80	83	79	SSE	2	cv
Sharp Peak,	29.73	84	83	..	0	c
Amoy,	29.72	86	100	..	0	c
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.70	83	77	SE	2	o
Victoria Peak,	..	..	..	SSE	4	..
Gap Rock,	29.69	..	..	SSE	4	..
Macao,	29.69	88	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	84	85	WSW	3	c
Malate,	..	..	..	SW	4	b
Bacolod,	..	..	..	SW	1	o
Hoilo,	29.85	82	..	SW	2	b
Cebu,	29.83	87	..	SW	5	b
Cape S. James,	..	..	..	SW	3	c

On the 15th at 4.30 p. Black Ball lowered.

On the 16th at 11.50 a. The barometer has risen on the S. coast, fallen slightly over the Philipines. A depression is probably situated on land to the N. of the Gulf of Tongking. There are also indications of another depression in the Pacific to the Eastward of the Balingtang Channel. Gradients slight on the China coast. Forecast:—moderate SE winds; squally, showery.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Sunday 16th July, 1899.

CHINA COAST METEOROLOGICAL REGISTER

16th JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.72	74	..	SSE	1	o
Tokio,	29.74	..	..	S	6	..
Kochi,	29.79	..	..	S	2	..
Nagasaki,	29.75	..	..	S	6	..
Kagoshima,	29.75	..	..	SE	4	..
Gutzlaff,	29.73	86	80	SSE	4	bv
Sharp Peak,	29.65	85	79	E	2	c
Amoy,	29.65	85	87	SE	3	c
Swatow,	29.69	87	..	S	3	b
Canton,	..	..	..	..	..	..
Hongkong,	29.66	84	75	SSE	2	o
Victoria Peak,	..	..	..	SSE	4	..
Gap Rock,	29.65	..	..	SSE	3	..
Macao,	29.65	86	..	S	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.76	84	77	WSW	4	o
Malate,	..	..	..	SW	5	c
Bacolod,	..	..	..	SW	2	cp
Iloilo,	29.77	83	..	SW	3	c
Cebu,	29.77	88	..	SW	6	b
Cape S. James,	..	..	..	..	..	..

17th JULY, 1899, AT 10 A.

Wladivostock,	29.71	51	99	SE	3	f
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.74	84	87	SSE	2	bm
Sharp Peak,	29.65	86	78	E	1	b
Amoy,	29.63	86	84	..	0	b
Swatow,	29.69	85	..	WNW	3	b
Canton,	..	..	..	..	..	..
Hongkong,	29.70	85	80	WNW	1	c
Victoria Peak,	..	..	..	SSW	1	..
Gap Rock,	29.69	..	..	SSE	3	..
Macao,	29.69	86	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	SW	5	o
Bacolod,	..	..	..	SE	..	pq
Iloilo,	29.81	82	..	W	3	c
Cebu,	29.80	85	..	SW	4	c
Cape S. James,	..	..	..	SW	3	b

On the 17th at 1.5p. The barometer is falling slowly over the Phillipines and on the China coast. The depression is probably situated to the E. of Formosa and S. of the Loochoos, moving slowly. Forecast: W or variable winds, light; fair.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Monday 17th July, 1899.

CHINA COAST METEOROLOGICAL REGISTER

17th JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.70	68	..	SE	3	o
Tokio,	29.78	..	..	..	0	..
Kochi,	29.75	..	..	SE	2	..
Nagasaki,	29.68	..	..	SW	4	..
Kagoshima,	29.72	..	..	E	6	..
Gutzlaff,	29.71	86	84	SE	3	bm
Sharp Peak,	29.60	85	70	SE	1	b
Amoy,	29.57	90	66	SE	2	b
Swatow,	29.58	92	..	WSW	2	b
Canton,	29.61	94	64	W	1	b
Hongkong,	29.60	87	66	W	2	c
Victoria Peak,	..	..	..	SW	3	..
Gap Rock,	29.60	..	..	SW	2	..
Macao,	..	..	..	..	..	..
Haiphong,	..	..	..	..	..	..
Manila,	29.61	84	77	WSW	5	o
Malate,	..	..	..	WSW	4	o
Bacolod,	..	..	..	SW	1	cp
Iloilo,	29.73	83	..	SW	4	c
Cebu,	29.72	87	..	SW	5	c
Cape S. James,	..	..	..	SW	3	o

18th JULY, 1899, AT 10 A.

Wladivostock,	29.70	66	99	SE	1	f
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.71	84	83	E	3	cm
Sharp Peak,	29.56	86	72	..	0	b
Amoy,	29.57	83	75	..	0	b
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.60	86	79	W	1	b
Victoria Peak,	..	..	..	NW	1	..
Gap Rock,	29.61	..	..	NW	1	..
Macao,	..	..	..	..	..	..
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	..	0	orq
Bacolod,	..	..	..	SE	2	opq
Iloilo,	29.77	81	..	W	2	cr
Cebu,	29.77	84	..	SW	5	c
Cape S. James,	..	..	..	SW	3	c

On the 17th at 5.30p. Typhoon East of and slowly approaching Formosa.
On the 18th at 11.45a. The barometer continues to fall over China, particularly on the S. and SE coasts. The typhoon is still E. of Formosa, and threatens to pass over the Northern part of the island.
Forecast:—light or moderate W winds; fine.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Tuesday 18th July, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

18th JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.68	68	..	SSE	2	f
Tokio,	29.82	..	..	S	2	..
Kochi,	29.79	..	..	W	2	..
Nagasaki,	29.68	..	..	SE	4	..
Kagoshima,	29.68	..	..	NE	6	..
Gutzlaff,	29.67	87	80	ESE	3	cm
Sharp Peak,	29.48	85	78	E	7	c
Amoy,	29.49	90	63	SE	2	b
Swatow,	29.52	89	..	S	3	b
Canton,	29.53	98	63	W	1	b
Hongkong,	29.50	89	70	SSW	1	c
Victoria Peak,	..	..	..	SW	3	..
Gap Rock,	29.52	..	..	WSW	3	..
Macao,	29.52	93	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.65	77	100	NE	1	or
Malate,	..	..	..	..	0	or
Bacolod,	..	..	..	SW	4	pq
Iloilo,	29.69	83	..	SW	5	..
Cebu,	29.71	85	..	SW	6	or
Cape S. James,	..	..	..	SW	6	or

19th JULY, 1899, AT 10 A.

Wladivostock,	29.67	69	92	SSW	1	c
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.70	84	96	E	4	cmp
Sharp Peak,	29.52	86	70	NE	2	c
Amoy,	29.56	82	83	SW	2	c
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.60	87	76	W	1	c
Victoria Peak,	..	..	..	W	2	..
Gap Rock,	29.59	..	..	WSW	4	..
Macao,	..	..	..	..	..	..
Haiphong,	..	..	..	..	..	..
Manila,	29.80	73	100	SSW	2	or
Malate,	..	..	..	S	3	or
Bacolod,	..	..	..	SE	2	pq
Iloilo,	29.85	81	..	SW	3	c
Cebu,	29.85	83	..	SW	4	c
Cape S. James,	..	..	..	SW	2	c

On the 19th at 11.-5a. The barometer has risen over the Phillipines, fallen slightly on the China coast. The typhoon seems to be situated near the NE coast of Formosa, apparently moving very slowly towards NW. Forecast:—moderate to fresh SW winds; fair at first, probably some thunder showers later.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Wednesday 19th July, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

19th JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.67	71	..	SE	3	f
Tokio,	29.82	..	..	SE	2	..
Kochi,	29.83	..	..	..	0	..
Nagasaki,	29.72	..	..	SE	6	..
Kagoshima,	29.75	..	..	E	6	..
Gutzlaff,	29.66	85	83	ENE	4	c
Sharp Peak,	29.45	87	70	E	2	c
Amoy,	29.51	90	66	SSE	2	ct
Swatow,	..	..	..	..	..	..
Canton,	29.54	94	64	W	1	b
Hongkong,	29.53	86	71	SW	1	c
Victoria Peak,	..	..	..	SSW	1	..
Gap Rock,	29.53	..	..	WSW	5	..
Macao,	29.52	91	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.78	75	100	ESE	1	or
Malate,	..	..	..	..	0	or
Bacolod,	..	..	..	SW	4	c
Iloilo,	29.81	82	..	SW	2	c
Cebu,	29.81	85	..	SW	6	c
Cape S. James,	..	..	..	SW	5	c

20th JULY, 1899, AT 10 A.

Wladivostock,	29.71	69	99	ESE	1	f
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.43	80	91	NE	8	cmp
Sharp Peak,	29.45	86	68	..	0	c
Amoy,	29.55	83	83	NW	2	b
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.59	85	74	W	1	b
Victoria Peak,	..	..	..	WNW	2	..
Gap Rock,	29.60	..	..	WNW	1	..
Macao,	..	..	..	..	..	..
Haiphong,	..	..	..	..	..	..
Manila,	29.84	75	91	E	1	or
Malate,	..	..	..	..	0	c
Bacolod,	..	..	..	SE	3	c
Iloilo,	29.89	79	..	SW	1	cr
Cebu,	29.92	84	..	SW	4	c
Cape S. James,	..	..	..	SW	2	c

On the 19th at 11.10 a. The barometer has fallen rapidly on the E. coast of China, risen slightly the Phillipines. The typhoon appears to be moving to the NNW between Wenchow and the Loochoo Is. Forecast:—moderate or fresh SW winds; fine at first, probably thunder showers later.

F. G. FIGG,
First Assistant.

HONG OBSERVATORY, Thursday 20th July, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

20th JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	..	..	..	..	..	..
Tokio,	29.74	..	..	..	0	..
Kochi,	29.75	..	..	S	2	..
Nagasaki,	29.68	..	..	SE	4	..
Kagoshima,	29.72	..	..	S	6	..
Gutzlaff,	29.29	78	95	NE	9	omp
Sharp Peak,	29.46	80	66	..	0	o
Amoy,	29.48	92	64	SE	2	b
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.55	85	65	SW	3	o
Victoria Peak,	..	..	..	SSW	5	..
Gap Rock,	29.57	..	..	SW	3	..
Macao,	29.56	88	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	73	100	E	1	or
Malate,	..	..	..	..	0	or
Bacolod,	..	..	..	W	6	op
Iloilo,	29.85	78	..	S	1	c
Cebu,	29.86	86	..	SW	4	..
Cape S. James,	..	..	..	SW	3	o

21st JULY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	28.96	76	100	NNE	8	omd
Sharp Peak,	29.45	87	76	S	2	o
Amoy,	29.54	86	76	SW	1	b
Swatow,	29.62	87	..	SW	3	b
Canton,	..	..	..	..	..	..
Hongkong,	29.66	79	87	SW	1	od
Victoria Peak,	..	..	..	SW	6	..
Gap Rock,	29.64	..	..	SSW	4	..
Macao,	29.64	86	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.92	75	100	NE	1	e
Malate,	..	..	..	E	1	o
Bacolod,	..	..	..	..	0	b
Iloilo,	29.93	80	..	SW	1	b
Cebu,	29.94	85	..	SW	4	b
Cape S. James,	..	..	..	SW	2	b

On the 20th at 4.15p. The typhoon is approaching the neighbourhood of Shanghai.

On the 21st at 11.15 a. The barometer has fallen very rapidly in the neighbourhood of Shanghai, and is rising slowly in S. China. The typhoon, with its centre now close to Gutzlaff, is moving Northwards and will probably recurve in the Yellow Sea. Gradients steep for SW winds in S China and over the N. part of the China Sea. Forecast:—fresh to strong SW winds; squally, thunder storms.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Friday 21st July, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

21st JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.67	..	..	NE	2	..
Kochi,	29.64	..	..	S	0	..
Nagasaki,	29.60	..	..	S	6	..
Kagoshima,	29.63	..	..	S	6	..
Gutzlaff,	29.05	75	100	N	10	omp
Sharp Peak,	29.41	92	53	SW	2	o
Amoy,	29.54	87	76	SSE	4	ot
Swatow,	..	..	..	..	..	..
Canton,	29.55	84	..	SW	1	ot
Hongkong,	29.59	78	93	..	0	o
Victoria Peak,	..	..	..	S	4	..
Gap Rock,	29.59	..	..	SW	5	..
Macao,	..	..	..	.	..	..
Haiphong,	..	..	..	..	..	..
Manila,	29.80	82	84	WNW	2	c
Malate,	..	..	..	..	0	o
Bacolod,	..	..	..	SW	2	b
Iloilo,	29.85	84	..	S	2	b
Cebu,	29.84	87	..	SW	4	b
Cape S. James,	..	..	..	SW	2	c

22nd JULY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.32	76	100	NNE	9	omd
Sharp Peak,	29.45	87	62	WSW	4	o
Amoy,	..	..	..	..	..	..
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.66	84	78	W	1	op
Victoria Peak,	..	..	..	SSW	3	..
Gap Rock,	29.67	..	..	SW	4	..
Macao,	..	..	..	..	..	..
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	.
Malate,	..	..	..	W	2	b
Bacolod,	..	..	..	SE	2	b
Iloilo,	29.89	82	..	W	2	b
Cebu,	29.89	87	..	SW	2	b
Cape S. James,	..	..	..	SW	2	b

On the 22nd at 11.40 a. The barometer has risen considerably in the neighbourhood of Shanghai, changed in S. China and has fallen slightly over the Phillipines. The typhoon seems to have recurved be moving Eastwards between Gutzlaff and W. Japan at present. Gradients remain steep for SW in S. China and over the N. part of the China Sea. Forecast:—fresh SW winds; squally, thunder

F.G. FIGG,
First Assistant.

OBSERVATORY, Saturday 22nd July, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

22nd JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.40	82	..	NW	1	c
Tokio,	29.47	..	..	SE	2	..
Kochi,	29.53	..	..	NE	2	..
Nagasaki,	29.44	..	..	E	6	..
Kagoshima,	29.44	..	..	S	4	..
Gutzlaff,	29.40	78	95	N	8	omp
Sharp Peak,	29.41	93	79	SW	2	o
Amoy,	29.51	92	57	W	3	c
Swatow,	29.58	91	..	SW	4	c
Canton,	29.59	94	85	SW	1	b
Hongkong,	29.62	84	82	SW	2	o
Victoria Peak,	..	..	..	SW	5	..
Gap Rock,	29.61	..	..	SW	4	..
Macao,	29.61	87	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	86	78	WSW	4	c
Malate,	..	..	..	SW	3	b
Bacolod,	..	..	..	SW	2	b
Iloilo,	29.85	84	..	SW	2	b
Cebu,	29.82	89	..	SW	4	b
Cape S. James,	..	..	..	SW	2	c

23rd JULY, 1899, AT 10 A.

Wladivostock,	29.52	68	90	N	1	o
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.57	77	91	N	5	cm
Sharp Peak,	29.47	87	55	..	0	o
Amoy,	29.57	86	76	W	3	c
Swatow,	29.65	86	..	W	1	c
Canton,	29.65	88	88	SW	1	c
Hongkong,	29.68	86	76	WSW	1	o
Victoria Peak,	..	..	..	SW	3	..
Gap Rock,	29.70	..	..	SW	5	..
Macao,	29.68	89	..	WSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	SW	3	b
Bacolod,	..	..	..	SE	4	c
Iloilo,	29.89	83	..	S	2	c
Cebu,	29.88	83	..	SW	2	c
Cape S. James,	..	..	..	SW	2	c

On the 23rd at 11.55 a. The barometer is rising quickly on the E. coast of China, and slowly on the S. coast. The typhoon, probably now near SW Japan, continues moving Eastwards. A second area of low pressure, which has been lying in the N. part of the Sea of Japan during the past two days, seems to be now passing away over E Japan to the Pacific. Gradients continue rather steep for SW winds in S. China. Forecast:—fresh SW winds; squally, showery.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Sunday 23rd July, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

23rd JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.51	74	..	SSW	1	o
Tokio,	29.35	..	..	SE	6	..
Kochi,	29.48	..	..	E	2	..
Nagasaki,	29.44	..	..	SE	4	..
Kagoshima,	29.40	..	..	SE	2	..
Gutzlaff,	29.58	80	78	N	5	c
Sharp Peak,	29.51	86	78	E	2	c
Amoy,	29.53	94	61	SSE	2	c
Swatow,	29.63	90	..	S	3	c
Canton,	29.64	94	89	SW	1	b
Hongkong,	29.61	86	65	SW	1	o
Victoria Peak,	..	..	..	SSW	5	..
Gap Rock,	29.62	..	..	WSW	4	..
Macao,	29.62	90	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	86	71	WSW	4	b
Malate,	..	..	..	SW	3	b
Bacolod,	..	..	..	SW	2	b
Iloilo,	29.81	84	..	SW	2	b
Cebu,	29.80	88	..	SW	3	b
Cape S. James,	..	..	..	..	..	..

24th JULY, 1899, AT 10 A.

Wladivostock,	29.54	64	99	SW	4	o
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.69	79	82	N	3	cv
Sharp Peak,	29.66	85	72	E	..	b
Amoy,	29.63	84	83	..	0	b
Swatow,	29.70	86	..	NW	1	b
Canton,	29.70	90	77	W	1	b
Hongkong,	29.69	86	80	W	1	c
Victoria Peak,	..	..	..	WSW	2	..
Gap Rock,	29.69	..	..	SW	3	..
Macao,	29.68	91	..	WSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	86	71	WSW	1	c
Malate,	..	..	..	SSW	2	b
Bacolod,	..	..	..	SW	2	c
Iloilo,	29.85	82	..	SW	2	c
Cebu,	29.87	83	..	SW	2	o
Cape S. James,	..	..	..	..	..	..

On the 24th at 11.50 a. The barometer has risen on the China coast, moderately in the North and ...htly in the South. The typhoon has apparently filled up to a great extent, and probably exists now as ...epression of moderate intensity to the S. of SW Japan. Gradients slight on the China coast. Forecast: ...derate or light SW winds; fair.

F. G. FIGG,
First Assistant,

...GKONG OBSERVATORY, Monday 24th July, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

24th JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.54	67	..	SW	4	o
Tokio,	29.43	..	..	SE	6	..
Kochi,	29.44	..	..	..	0	..
Nagasaki,	29.36	..	..	N	6	..
Kagoshima,	29.28	..	..	NE	4	..
Gutzlaff,	29.68	84	79	NNE	2	cv
Sharp Peak,	29.65	83	83	E	2	c
Amoy,	29.60	89	69	SE	2	b
Swatow,	..	..	..	..	..	..
Canton,	29.60	97	59	WSW	1	b
Hongkong,	29.63	86	76	SW	3	o
Victoria Peak,	..	..	..	SSW	6	..
Gap Rock,	29.65	..	..	SW	5	..
Macao,	29.61	91	..	SW	2	c
Haiphong,	..	..	..	..	..	..
Manila,	29.76	86	78	W	2	c
Malate,	..	..	..	SW	4	b
Bacolod,	..	..	..	SE	2	b
Iloilo,	29.81	84	..	SW	2	c
Cebu,	29.80	87	..	SW	4	c
Cape S. James,	..	..	..	..	..	..

25th JULY, 1899, AT 10 A.

Wladivostock,	29.52	66	79	WSW	1	o
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.80	77	77	NE	1	cv
Sharp Peak,	29.70	85	81	E	1	b
Amoy,	29.71	85	79	..	0	c
Swatow,	..	..	..	..	.	.
Canton,	..	..	..	..	..	..
Hongkong,	29.71	86	73	W	1	b
Victoria Peak,	..	..	..	WNW	1	..
Gap Rock,	29.72	..	..	WSW	3	..
Macao,	29.70	90	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	88	72	SW	1	c
Malate,	..	..	..	SW	1	c
Bacolod,	..	..	..	SE	2	o
Iloilo,	29.85	82	..	W	2	c
Cebu,	29.87	87	..	SW	2	c
Cape S. James,	..	..	..	SW	1	c

On the 25th at 11.55 a. The barometer has risen moderately on the E. coast of China, slightly on the S. coast. The depression is probably moving Eastwards along the S. coast of Japan. Gradients slight on the China coast. Forecast:—SW to SE winds, moderate or light; fair.

F G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Tuesday 25th July, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

25th JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.40	75	..	SW	3	c
Tokio,	29.47	..	..	SW	6	..
Kochi,	29.56	..	..	NW	2	..
Nagasaki,	29.64	..	..	SW	4	..
Kagoshima,	29.64	..	..	SW	4	..
Gutzlaff,	29.79	81	96	NE	1	cv
Sharp Peak,	29.69	84	83	SE	2	b
Amoy,	29.67	86	76	SE	3	b
Swatow,	..	..	..	..	..	..
Canton,	29.63	95	71	SW	1	b
Hongkong,	29.66	86	76	S	1	o
Victoria Peak,	..	..	..	S	3	..
Gap Rock,	29.66	..	..	SW	4	..
Macao,	29.65	91	..	SW	1	o
Haiphong,	..	..	..	..	..	..
Manila,	29.76	86	78	WSW	1	..
Malate,	..	..	..	WSW	1	b
Bacolod,	..	..	..	S	2	c
Iloilo,	29.81	83	..	SSW	2	o
Cebu,	29.80	86	..	SW	5	c
Cape S. James,	..	..	..	W	4	c

26th JULY, 1899, AT 10 A.

Wladivostock,	29.49	66	94	..	0	o
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.88	77	77	SE	1	cv
Sharp Peak,	29.81	83	87	..	0	c
Amoy,	29.77	83	83	..	0	b
Swatow,	..	..	..	..	.	.
Canton,	..	..	..	..	..	..
Hongkong,	29.80	84	79	W	1	c
Victoria Peak,	..	..	..	SSW	3	..
Gap Rock,	29.79	..	..	SW	3	..
Macao,	29.78	90	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	84	77	NNW	1	c
Malate,	..	..	..		0	b
Bacolod,	..	..	..	S	2	o
Iloilo,	29.89	81	..	W	1	c
Cebu,	29.87	83	..	SW	2	o
Cape S. James,	..	..	..	SW	2	b

On the 25th at 11.5[illegible] a. The barometer has risen moderately on the China coast, fallen slightly in extreme North. Pressure is low over E. Japan and the N part of the Sea of Japan, normal in S. and highest in the Pacific near the Loochoos. Gradients gentle on the China coast. Forecast:—[illegible]able winds, light; fair at first, probably thunder showers later.

F. G. FIGG,
First Assistant.

ZOKA OBSERVATORY, Wednesday 26th July, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

26th JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.51	75	..	N	4	c
Tokio,	29.64	..	..	SE	4	..
Kochi,	29.69	..	..	SE	2	..
Nagasaki,	29.68	..	..	W	6	..
Kagoshima,	29.72	..	..	W	6	..
Gutzlaff,	29.85	80	78	NE	1	cv
Sharp Peak,	29.77	84	79	E	2	c
Amoy,	29.75	87	72	SE	3	b
Swatow,	..	..	..	..	..	..
Canton,	29.73	91	74	SW	1	b
Hongkong,	29.75	86	66	SW	1	c
Victoria Peak,	..	..	..	S	4	..
Gap Rock,	29.76	..	..	S	3	..
Macao,	29.75	88	..	S	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.76	84	77	SW	2	c
Malate,	..	..	..	SW	3	c
Bacolod,	..	..	..	SE	4	b
Iloilo,	29.81	81	..	SW	1	b
Cebu,	29.78	85	..	NE	2	c
Cape S. James,	..	..	..	SW	1	b

27th JULY, 1899, AT 10 A.

Wladivostock,	29.52	68	85	NNE	3	c
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.85	79	82	ESE	1	c
Sharp Peak,	29.78	85	79	..	0	c
Amoy,	29.77	83	79	SW	1	c
Swatow,	..	..	..	..	..	..
Canton,	29.78	88	84	E	1	b
Hongkong,	29.81	83	78	..	0	b
Victoria Peak,	..	..	..	S	1	..
Gap Rock,	29.82	..	..	ESE	1	..
Macao,	29.80	90	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	82	85	NW	2	c
Malate,	..	..	..		0	b
Bacolod,		..	..	S	2	c
Iloilo,	29.89	79	..	SW	1	c
Cebu,	29.87	83	..	SW	2	c
Cape S. James,	..	..	..	SW	2	b

On the 27th at 11.40 a. Barometric changes are slight. Pressure remains low in the N part of the Sea of Japan, and near the normal on the China coast and over the Phillipines. Gradients slight generally, except in the Sea of Japan. Forecast:—S and variable winds, light; mostly fine, but some showers.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Thursday 27th July, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

27th JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	29.51	73	..	NNE	3	o
Tokio,	29.63	..	..	S	2	..
Kochi,	29.60	..	..	..	0	..
Nagasaki,	29.68	..	..	W	4	..
Kagoshima,	29.68	..	..	W	2	..
Gutzlaff,	29.80	84	72	ESE	1	cm
Sharp Peak,	29.70	85	76	E	4	o
Amoy,	29.73	87	69	SE	3	b
Swatow,	..	..	..	..	..	..
Canton,	29.73	95	78	SE	1	b
Hongkong,	29.77	86	70	SW	1	o
Victoria Peak,	..	..	..	SSW	3	..
Gap Rock,	29.75	..	..	SSW	2	..
Macao,	29.76	91	..	SW	1	o
Haiphong,	..	..	..	..	..	..
Manila,	29.80	82	85	WSW	2	o
Malate,	..	..	..		0	op
Bacolod,	..	..	..	SW	3	c
Iloilo,	29.81	80	..	W	3	o
Cebu,	29.81	84	..	SW	2	c
Cape S. James,	..	..	..	SSW	2	o

8th JULY, 1899, AT 10 A.

Wladivostock,	29.57	65	81	NE	3	o
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.78	78	86	ESE	2	cv
Sharp Peak,	29.71	85	79	..	0	c
Amoy,	29.73	85	76	SW	1	b
Swatow,	..	..	..	..	..	..
Canton,	29.80	88	86	W	1	b
Hongkong,	29.80	85	74	..	0	o
Victoria Peak,	..	..	..	SW	2	..
Gap Rock,	29.81	..	..	SW	3	..
Macao,	29.80	91	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	82	85	W	1	c
Malate,	..	..	..		0	b
Bacolod,	..	..	..	S	2	b
Iloilo,	29.89	79	..	SW	2	c
Cebu,	29.91	84	..	SW	2	b
Cape S. James,	..	..	..	WNW	1	c

[illegible] at 11.55 a. The barometer has fallen on the E. coast of China and is little changed [illegible] Gradients slight for SW to SE winds on the China coast — light or moderate SW winds; fair.

F G. FIGG,
First Assistant.

[illegible] Observatory, Friday 28th July, 1899.

CHINA COAST METEOROLOGICAL REGISTER

28th JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	.	..
Tokio,	29.63	..	..	S	6	..
Kochi,	29.64	..	..	SE	2	..
Nagasaki,	29.68	..	..	W	6	..
Kagoshima,	29.68	..	..	S	4	..
Gutzlaff,	29.75	83	79	SSE	2	cv
Sharp Peak,	29.66	85	62	W	6	ot
Amoy,	29.66	91	67	SE	2	b
Swatow,	..	..	..	..	..	..
Canton,	29.72	..	62	SW	1	b
Hongkong,	29.74	87	70	SW	2	o
Victoria Peak,	..	..	..	SW	4	..
Gap Rock,	29.76	..	..	SW	3	..
Macao,	29.74	91	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	84	71	SW	4	c
Malate,	..	..	..	SW	4	b
Bacolod,	..	..	..	SW	3	b
Iloilo,	29.85	80	..	SSW	2	c
Cebu,	29.81	86	..	SW	3	c
Cape S. James,	..	..	..	SW	2	o

29th JULY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.76	78	86	SE	3	cv
Sharp Peak,	29.71	86	76	..	0	b
Amoy,	29.73	82	88	SW	1	b
Swatow,	..	..	..	..	.	.
Canton,	.	..	..	..	.	..
Hongkong,	29.82	85	77	W	1	o
Victoria Peak,	..	..	..	SSW	4	..
Gap Rock,	29.83	..	..	SW	3	..
Macao,	29.82	90	..	WSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..		..	.
Malate,	..	..	..	SW	1	b
Bacolod,		..	..	S	2	b
Iloilo,	29.89	81	..	W	1	b
Cebu,	29.91	85	..	SW	3	b
Cape S. James,	..	..	..	SW	2	o

On the 9th at 11.50 a. Pressure is very little changed and remains near the normal on the China coast and over the Philippines. Gradients slight for SW to SE winds on the China coast. *Forecast*:—light or moderate SW winds; fair.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Saturday 29th July, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

29th JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.74	..	..	S	6	..
Kochi,	29.72	..	..	E	2	..
Nagasaki,	29.72	..	..	W	4	..
Kagoshima,	29.72	..	..	S	4	..
Gutzlaff,	29.73	78	91	SE	4	cv
Sharp Peak,	29.65	86	76	SE	4	c
Amoy,	29.67	92	64	SE	2	c
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.76	87	62	SW	1	c
Victoria Peak,	..	..	..	SSW	4	..
Gap Rock,	29.77	..	..	WSW	3	..
Macao,	29.77	89	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	86	71	WSW	3	b
Malate,	..	..	..	SSW	2	b
Bacolod,	..	..	..	SW	2	b
Iloilo,	29.89	83	..	SW	3	b
Cebu,	29.84	88	..	SW	4	c
Cape S. James,	..	..	..	SW	3	c

30th JULY, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.81	80	87	ESE	1	cv
Sharp Peak,	29.76	86	72	S	1	b
Amoy,	29.76	81	91	S	2	c
Swatow,	..	..	..	..	.	.
Canton,	..	..	..	..		..
Hongkong,	29.87	81	91	..	0	op
Victoria Peak,	..	..	..	SW	5	..
Gap Rock,	29.86	..	..	SW	2	..
Macao	29.85	86	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.92	84	77	WNW	1	c
Malate,	..	..	..	..	0	b
Bacolod,		..	..	S	2	b
Iloilo,	29.93	81	..	SW	1	b
Cebu,	29.93	85	..	SW	2	
Cape S. James,	..	..	..	NW	1	f

at 11.55 a. The barometer has risen slightly in all areas. Pressure is high over the with light gradients for SW to SE winds on the coast Forecast:—light or moderate S winds;

F. G. FIGG,
First Assistant.

ONG OBSERVATORY, Sunday 30th July, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

30th JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	29.67	67	..	SE	2	o
Tokio,	29.74	..	..	S	4	..
Kochi,	29.79	..	..	E	2	..
Nagasaki,	29.79	..	..	W	6	..
Kagoshima,	29.79	..	..	W	4	..
Gutzlaff,	29.78	83	83	ENE	2	ev
Sharp Peak,	29.66	87	76	S	5	c
Amoy,	29.71	88	86	SE	3	c
Swatow,	29.80	92	..	SW	1	b
Canton,	..	..	..	..	..	..
Hongkong,	29.79	86	70	SW	3	b
Victoria Peak,	..	..	..	SSW	3	..
Gap Rock,	29.81	..	..	SW	2	..
Macao,	29.77	93	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	86	78	SW	2	c
Malate,	..	..	..	SSW	4	b
Bacolod,	..	..	..	S	2	o
Iloilo,	29.85	83	..	W	3	..
Cebu,	29.86	87	..	N	2	od
Cape S. James,	..	..	..	..	..	..

31st JULY, 1899, AT 10 A.

Wladivostock,	29.69	65	96	N	2	o
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.82	82	83	SE	3	c
Sharp Peak,	29.76	86	74	..	0	c
Amoy,	29.77	92	58	SW	1	c
Swatow,	..	..	..	..	.	.
Canton,	..	..	..	..	.	..
Hongkong,	29.85	86	76	W	1	c
Victoria Peak,	..	..	..	SW	4	..
Gap Rock,	29.86	..	..	SSW	2	..
Macao,	29.84	91	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	.	..
Malate,	..	..	..	..	0	b
Bacolod,		..	..	SE	2	o
Iloilo,	29.93	81	..	SSW	1	c
Cebu,	29.91	82	..	SW	1	b
Cape S. James,	..	..	..	NW	1	f

On the 31st at 11.40 a. Barometric changes are unimportant. Pressure remains high over the China Sea, and gradients slight for SW to SE winds on the coast. Forecast:—light or moderate S winds; fine.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Monday 31st July, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

31st JULY, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	29.67	77	..	N	4	b
Tokio,	29.74	..	..	S	4	..
Kochi,	29.75	..	..	SE	2	..
Nagasaki,	29.75	..	..	W	4	..
Kagoshima,	29.72	..	..	S	2	..
Gutzlaff,	29.76	86	72	ENE	2	cv
Sharp Peak,	29.66	85	78	SE	4	ot
Amoy,	29.68	89	69	SE	2	b
Swatow,	29.73	92	..	SW	3	b
Canton,	29.72	99	81	W	1	b
Hongkong,	29.75	88	64	SW	2	c
Victoria Peak,	..	..	..	SSW	3	..
Gap Rock,	29.74	..	..	SW	2	..
Macao,	29.75	91	..	SSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	88	72	SW	2	ot
Malate,	..	..	..	SW	2	b
Bacolod,	..	..	..	S	2	b
Iloilo,	29.81	83	..	SW	1	..
Cebu,	29.81	85	..	SW	2	od
Cape S. James,	..	..	..	SW	2	c

1st AUGUST, 1899, AT 10 A.

Wladivostock,	29.76	64	92	ENE	1	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.73	79	91	E	4	cv
Sharp Peak,	29.70	85	72	..	0	c
Amoy,	29.69	84	84	..	0	c
Swatow,	..	..	..	..	.	.
Canton,	29.78	90	81	SW	1	b
Hongkong,	29.77	84	81	W	1	b
Victoria Peak,	.	..	..	SW	2	..
Gap Rock,	29.77	..	..	WSW	2	..
Macao,	29.77	85	..	WSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	84	71	ENE	1	c
Malate,	..	..	..	NW	2	b
Bacolod,	..	..	..	S	2	b
Iloilo,	29.85	82	..	..	0	c
Cebu,	29.86	82	..	SW	1	c
Cape S. James,	..	..	..	SW	2	c

On the 1st at 11.55 a. The barometer has risen in the Sea of Japan, fallen on the China coast and in the Phillipines. Pressure is slightly in defect over the E. coast of China, and normal in the South. Indications slight for E winds in the North, and for SW winds in the South. Forecast:—light to moderate W winds; fair to showery.

F. G. FIGG,
First Assistant.

HONG KONG OBSERVATORY, Tuesday 1st August, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

1st AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.78	72	..	S	3	c
Tokio,	29.75	..	..	N	2	..
Kochi,	29.79	..	..	.	0	..
Nagasaki,	29.76	..	..	SW	2	..
Kagoshima,	29.76	..	..	S	2	..
Gutzlaff,	29.70	78	95	ESE	4	cmp
Sharp Peak,	29.62	86	70	S	5	c
Amoy,	29.64	90	72	SE	1	c
Swatow,	29.66	91	..	SSW	4	c
Canton,	29.65	99	49	S	1	b
Hongkong,	29.67	88	67	SW	2	c
Victoria Peak,	..	..	..	SSW	4	..
Gap Rock,	29.69	..	..	WSW	3	..
Macao,	29.67	92	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.73	88	72	W	2	c
Mulate,	..	..	..	SW	3	b
Bacolod,	..	..	..	SE	2	c
Iloilo,	29.77	81	..	..	0	c
Cebu,	..	..	..	..	..	..
Cape S. James,	..	..	..	S	2	c

2nd AUGUST, 1899, AT 10 A.

Wladivostock,	29.83	64	86	SE	4	c
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.74	80	91	..	0	cv
Sharp Peak,	29.69	85	76	ESE	1	c
Amoy,	29.68	82	79	W	1	c
Swatow,	29.73	87	..	WNW	1	b
Canton,	29.71	90	66	SW	.	b
Hongkong,	29.74	86	78	W	1	b
Victoria Peak,	..	..	..	SW	2	..
Gap Rock,	29.74	..	..	SW	2	..
Macao,	29.72	91	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	.
Mulate,	..	..	..	NNW	2	c
Bacolod,	..	..	..	SE	2	c
Iloilo,	29.81	81	..	W	3	c
Cebu,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	3	c

On the 2nd at 11.55 a. The barometer has risen in the Sea of Japan, fallen slightly over S. China. Pressure is a little in defect along the China coast and over the Phillipines. Gradients slight for SW to SE winds on the China coast. Forecast:—light SW winds; fine.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Wednesday 2nd August, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

2nd AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	29.83	65	..	SE	6	o
Tokio,	29.86	..	..	S	4	..
Kochi,	29.87	..	..	SE	2	..
Nagasaki,	29.83	..	..	E	4	..
Kagoshima,	29.83	..	..	E	6	..
Gutzlaff,	29.71	83	87	SE	1	cv
Sharp Peak,	29.62	87	74	S	5	c
Amoy,	29.65	90	77	S	2	c
Swatow,	29.66	89	..	S	3	c
Canton,	29.63	97	56	SW	1	b
Hongkong,	29.66	84	82	SSW	1	c
Victoria Peak,	..	..	..	SW	4	..
Gap Rock,	29.66	..	..	SW	2	..
Macao,	29.66	93	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.73	77	92	E	1	od
Malate,	..	..	..	SW	2	orlt
Bacolod,	..	..	..	SW	..	o
Iloilo,	29.73	80	..	W	2	o
Cebu,	29.73	83	..	SW	3	o
Cape S. James,	..	..	..	SW	5	ol

3rd AUGUST, 1899, AT 10 A.

Wladivostock,	29.79	64	88	SE	6	o
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.74	78	91	W	3	cvp
Sharp Peak,	29.68	86	80	..	0	b
Amoy,	29.67	83	83	.	0	b
Swatow,	29.73	86	..	W	1	c
Canton,	29.73	91	84	W	1	b
Hongkong,	29.73	87	72	W	1	c
Victoria Peak,	..	..	..	SW	2	..
Gap Rock,	29.71	..	..	WSW	2	..
Macao,	29.72	81	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	.
Malate,	..	..	..	.	0	b
Bacolod,	.	..	..	SW	4	c
Iloilo,	29.77	80	..	SSW	3	o
Cebu,	29.79	82	..	SW	3	o
Cape S. James,	..	..	..	SW	2	b

On the 3rd at 11.4[illegible] a.m. Barometric changes are unimportant. Pressure remains a little below the [illegible] in all areas, and there are slight indications of a depression moving Eastwards over NE China. [illegible] continue gentle, mainly for SW winds, in S. China and over the N. part of China Sea. Forecast: SW winds; fair.

F. G. FIGG,
First Assistant.

[illegible] OBSERVATORY, Thursday 3rd August, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

3rd AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.94	..	..	N	2	..
Kochi,	29.87	..	..	..	0	..
Nagasaki,	29.79	..	..	S	6	..
Kagoshima,	29.83	..	..	S	6	..
Gutzlaff,	29.72	84	88	W	2	ve
Sharp Peak,	29.65	85	79	SE	1	c
Amoy,	29.61	88	69	SE	3	b
Swatow,	..	..	..	..	..	..
Canton,	29.61	89	69	SW	..	c
Hongkong,	29.64	89	59	SSW	2	c
Victoria Peak,	..	..	..	SSW	2	..
Gap Rock,	29.66	..	..	SW	2	..
Macao,	29.63	93	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.65	86	71	WSW	2	o
Malate,	..	..	..	W	2	o
Bacolod,	..	..	..	S	2	op
Hoilo,	29.69	79	..	SW	3	c
Cebu,	29.72	84	..	SW	3	o
Cape S. James,	..	..	..	SW	3	b

4th AUGUST, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.77	83	87	S	3	cv
Sharp Peak,	29.67	84	79	NNE	1	o
Amoy,	29.64	85	79	NE	1	c
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.65	87	74	W	1	c
Victoria Peak,	..	..	..	WNW	2	..
Gap Rock,	29.65	..	..	SW	3	..
Macao,	29.65	92	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.65	86	71	W	2	c
Malate,	..	..	..	NW	..	c
Bacolod,	..	..	..	S	4	cp
Hoilo,	29.73	80	..	S	6	o
Cebu,	29.76	82	..	SW	7	o
Cape S. James,	..	..	..	SW	2	c

On the 4th at 11.10 a. The barometer has fallen moderately over S. China and the Phillipines. A depression, which will probably move towards WNW, has developed in the Pacific to the East of the Balingtang Channel. Pressure is highest over E. Japan. Gradients increasing for NE winds in the Formosa Channel; for NW winds on the S. coast of China. Forecast—SW to NW winds, light to moderate; fair.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Friday 4th August, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

4th AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.82	65	..	SE	4	cr
Tokio,	29.80	..	..	SW	6	..
Kochi,	29.91	..	..	E	4	..
Nagasaki,	29.83	..	..	SW	6	..
Kagoshima,	29.87	..	..	SW	4	..
Gutzlaff,	29.73	87	80	SSE	3	cv
Sharp Peak,	29.60	84	77	E	6	o
Amoy,	29.57	88	75	SE	2	b
Swatow,	..	..	..	..	..	..
Canton,	29.55	99	66	NW	1	b
Hongkong,	29.55	85	71	SW	1	o
Victoria Peak,	..	..	..	SW	2	..
Gap Rock,	29.55	..	..	SW	3	..
Macao,	29.56	93	..	SW	1	clt
Haiphong,	..	..	..	..	..	..
Manila,	29.61	86	78	WSW	3	o
Malate,	..	..	..	SW	3	o
Bacolod,	..	..	..	SE	2	op
Iloilo,	29.69	80	..	SW	4	c
Cebu,	29.73	78	..	SW	4	o
Cape S. James,	..	..	..	SSW	5	o

5th AUGUST, 1899, AT 10 A.

Wladivostock,	29.87	66	92	SE	4	o
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.79	83	87	SE	4	cm
Sharp Peak,	29.43	84	79	E	8	oq
Amoy,	29.41	88	62	NNE	3	c
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.50	87	73	W	1	c
Victoria Peak,	..	..	..	WNW	3	..
Gap Rock,	29.51	..	..	NW	4	..
Macao,	29.51	94	..	NW	2	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	SW	4	opq
Bacolod,	..	..	..	S	4	op
Iloilo,	29.77	..	..	SW	2	orq
Cebu,	29.81	82	..	SW	6	o
Cape S. James,	..	..	..	SW	3	c

On the 5th at 10.20 a. Red Drum hoisted. At 10.35 a. Typhoon near South Formosa moving WNW. The barometer is falling rapidly in the Formosa Channel and on the S. coast of China, rising over Japan and the Southern Philipines. Pressure is highest over Japan. Forecast:—NW. winds, increasing; fine at first, unsettled later. Bad weather between Hongkong and Foochow.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Saturday 5th August, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

5th AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	..	..	..	.	..	.
Tokio,	29.88	..	..	S	6	..
Kochi,	29.99	..	..	..	0	..
Nagasaki,	29.91	..	..	SW	4	..
Kagoshima,	29.91	..	..	S	6	..
Gutzlaff,	29.76	84	91	SE	4	cm
Sharp Peak,	29.29	84	77	E	10	o
Amoy,	29.25	92	57	NNE	5	o
Swatow,	29.29	94	..	WNW	5	o
Canton,	29.48	96	59	N	2	b
Hongkong,	29.38	87	74	NNW	3	op
Victoria Peak,	..	..	..	NW	6	..
Gap Rock,	29.41	..	..	NW	4	..
Macao,	29.42	97	..	NW	2	o
Haiphong,	..	..	..	..	..	..
Manila,	29.61	84	85	SW	1	o
Malate,	..	..	..	SW	5	opq
Bacolod,	..	..	..	W	2	o
Iloilo,	29.69	79	..	S	3	o
Cebu,	29.71	86	..	SW	6	o
Cape S. James,	..	..	..	SW	5	or

6th AUGUST, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.80	83	84	ESE	6	cm
Sharp Peak,	29.34	79	95	E	8	r
Amoy,	29.06	80	87	ESE	6	or
Swatow,	..	.	..	..	..	..
Canton,			..	..	..	..
Hongkong,	29.81	82	73	W	2	o
Victoria Peak,	..	..	..	WNW	8	..
Gap Rock,	29.84	..	..	W	5	..
Macao,	29 83	88	..	W	2	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	.	..
Malate,	..	..	..	SW	6	org
Bacolod,	..	..	..	W	4	op
Iloilo,	29 81	80	..	S	2	or
Cebu,	29 81	83	..	SW	2	o
Cape S. James,	..	..	..	SW	6	o

On the 5th at 4.5p The typhoon is crossing the S. part of the Formosa Channel. It will probably enter the coast between Amoy and Swatow. At 5.30p. Black Drum hoisted.

On the 6th at 10.15 a. Black North Cone hoisted. At 10.55 a. The typhoon entered the coast between Amoy and Swatow this morning. It apparently continues moving WNW on the mainland. The typhoon is now probably filling up to some extent and the barometer is inclined to rise in Hongkong. Forecast:—W backing to SW winds, strong; squally, showery.

F. G. FIGG,
First Assistant.

[redacted] Observatory, Sunday 6th August, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

6th AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND		WEATHER.
				Direction.	Force.	
Wladivostock,	29.87	67	..	SE	3	f
Tokio,	29.90	..	..	S	4	..
Kochi,	29.95	..	..	SE	2	..
Nagasaki,	29.91	..	..	SW	4	..
Kagoshima,	29.91	..	..	SE	4	..
Gutzlaff,	29.80	84	74	SE	6	cm
Sharp Peak,	29.47	79	95	E	4	or
Amoy,	29.24	79	87	NNE	6	or
Swatow,	..	..	..	..	..	..
Canton,	29.28	89	69	NW	3	o
Hongkong,	29.30	82	73	SW	5	cq
Victoria Peak,	..	..	..	SW	7	..
Gap Rock,	29.32	..	..	WNW	5	..
Macao,	29.31	86	..	WSW	2	b
Haiphong,	..	..	..	..	..	..
Manila,	29.69	84	77	W	1	o
Malate,	..	..	..	SSW	2	o
Bacolod,	..	..	..	W	3	o
Iloilo,	29.77	..	..	S	1	o
Cebu,	29.77	86	..	SW	4	o
Cape S. James,	..	..	..	..	..	..

7th AUGUST, 1899, AT 10 A.

Wladivostock,	29.85	66	92	SE	2	f
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29 80	81	87	SE	5	cm
Sharp Peak,	29.69	80	93	E	3	or
Amoy,	29.60	81	83	SSE	6	od
Swatow,	29.61	80	..	S	6	op
Canton,	29.46	84	83	E	2	o
Hongkong,	29.54	84	79	S	1	o
Victoria Peak,	..	..	..	S	7	..
Gap Rock,	29.54	..	..	SW	5	..
Macao,	29 51	89	..	SW	2	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	..	0	o
Bacolod,	..	..	..	SE	2	b
Iloilo,	29.89	80	..	SW	3	orq
Cebu,	29 86	85	..	..	0	c
Cape S. James,	..	..	..	SW	5	o

On the 6th at 4p. Black North Cone lowered.

On the 7th at 11.40 a. The barometer has risen much on the S and SE coasts of China, fallen slightly ongking. The recent typhoon is moving Westwards as an ordinary depression to the NW of Hong- Gradients continue rather steep for S and SE winds between Hong Kong and the Formosa Channel. est:—strong S winds ; squally, showery.

F G FIGG,
First Assistant.

ngs Observatory, Monday 7th August, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

7th AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	.	..	.
Tokio,	29.94	..	..	..	0	..
Kochi,	29.91	..	..	SW	2	..
Nagasaki,	29.83	..	..	SW	4	..
Kagoshima,	29.87	..	..	E	8	..
Gutzlaff,	29.85	84	87	SE	5	cv
Sharp Peak,	29.71	81	89	ESE	1	o
Amoy,	29.67	79	91	.	0	or
Swatow,	29.62	81	..	S	5	op
Canton,	..	..	..	.	..	..
Hongkong,	29.53	83	83	SSE	3	cq
Victoria Peak,	..	..	..	SSE	4	..
Gap Rock,	29.52	..	..	SSW	4	..
Macao,	29.51	90	..	SSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.76	84	77	WNW	3	o
Malate,	..	..	..	WNW	1	o
Bacolod,	..	..	..	SW	1	b
Iloilo,	29.81	..	..	..	..	o
Cebu,	29.80	86	..	SW	1	b
Cape S. James,	..	..	..	SW	5	o

8th AUGUST, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.91	84	83	E	1	cm
Sharp Peak,	29.81	82	91	ENE	1	o
Amoy,	29.76	82	87	..	0	c
Swatow,	29.79	81	..	E	1	c
Canton,	29.72	80	96	..	1	or
Hongkong,	29.74	78	95	E	8	od
Victoria Peak,	..	..	..	S	2	..
Gap Rock,	29.73	..	..	SW	2	..
Macao,	29.71	80	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	86	72	WSW	1	b
Malate,	..	..	..	..	0	b
Bacolod,	..	..	..	W	2	b
Iloilo,	29.85	82	..	S	1	b
Cebu,	29.86	85	..	SW	2	b
Cape S. James,	..	..	..	SW	4	o

On the 8th at 11.55 a The barometer has risen on the China coast, particularly in the South. The depression is still faintly indicated over SW China, and the highest pressure seems to be covering the E. coast of China. Gradients slight for E and SE winds on the China coast. Forecast:—moderate SE winds; showery to fair.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Tuesday 8th August, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

8th AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.70	78	..	W	1	c
Tokio,	29.78	..	..	SW	4	..
Kochi,	29.91	..	..	SE	2	..
Nagasaki,	29.87	..	..	SW	4	..
Kagoshima,	29.87	..	..	W	4	..
Gutzlaff,	29.88	86	80	ESE	2	cv
Sharp Peak,	29.79	83	89	E	2	c
Amoy,	29.75	86	83	SE	2	b
Swatow,	29.77	83	..	ESE	3	b
Canton,	..	..	..	.	..	..
Hongkong,	29.70	80	96	E	3	c
Victoria Peak,	..	..	..	ESE	1	..
Gap Rock,	29.71	..	..	ENE	3	..
Macao,	29.68	86	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	88	66	WSW	2	b
Malate,	..	..	..	SW	2	b
Bacolod,	..	..	..	W	2	b
Iloilo,	29.77	83	..	W	2	..
Cebu,	29.78	86	..	NW	1	c
Cape S. James,	..	..	..	NW	5	or

9th AUGUST, 1899, AT 10 A.

Wladivostock,	29.69	69	95	..	0	f
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.83	85	83	ESE	1	cv
Sharp Peak,	29.78	82	89	..	0	c
Amoy,	29.76	82	87	ENE	1	c
Swatow,	29.82	82	..	E	1	b
Canton,	29.80	86	84	E	2	c
Hongkong,	29.78	80	88	E	1	c
Victoria Peak,	..	..	..	E	2	..
Gap Rock,	29.76	..	..	NE	3	..
Macao,	29.76	85	..	ESE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	86	71	WNW	1	c
Malate,	..	..	..	SW	1	b
Bacolod,	..	..	..	..	0	b
Iloilo,	29.85	82	..	.	0	c
Cebu,	29.86	86	..	..	0	b
Cape S. James,	..	..	..	SW	2	c

h the 9th at 11.35 a. The barometer has risen on the S. coast of China, fallen on the E. coast
re is near the normal on the China coast and over the Phillipines, with slight gradients for SE winds
China coast. A depression was lying to the E. of the Loochoos yesterday. Forecast:—moderate
nds; showery.

F G. FIGG,
First Assistant.

e Observatory, Wednesday 9th August, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

9th AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	.	..	..
Tokio,	29.78	..	..	S	4	..
Kochi,	29.87	..	..	S	2	..
Nagasaki,	29.83	..	..	SW	6	..
Kagoshima,	29.87	..	..	SE	6	..
Gutzlaff,	29.76	88	88	SE	2	cv
Sharp Peak,	29.71	84	81	S	2	c
Amoy,	29.73	84	83	SE	2	b
Swatow,	29.69	84	..	ESE	3	b
Canton,	29.69	94	68	SE	2	b
Hongkong,	29.70	82	85	E	3	o
Victoria Peak,	..	..	..	E	1	..
Gap Rock,	29.72	..	..	SE	2	..
Macao,	29.71	88	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.76	90	66	W	1	c
Malate,	..	..	..	SW	2	b
Bacolod,	..	..	..	W	2	o
Iloilo,	29.77	83	..	W	1	o
Cebu,	29.75	87	..	SW	2	c
Cape S. James,	..	..	..	SW	2	or

10th AUGUST, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.66	83	83	..	0	cv
Sharp Peak,	29.69	84	75	..	0	b
Amoy,	29.70	81	87	..	0	b
Swatow,	..	..	..	.	..	..
Canton,	29.71	85	83	E	1	b
Hongkong,	29.73	81	89	.	0	od
Victoria Peak,	..	..	..	S	2	..
Gap Rock,	29.72	..	..	SW	2	..
Macao,	29.73	87	..	WNW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	86	65	WNW	1	c
Malate,	..	..	..	WNW	2	b
Bacolod,	..	..	..	E	2	b
Iloilo,	29.81	79	..	N	1	c
Cebu,	29.86	80	..	..	..	o
Cape S. James,	..	..	..	W	2	b

On the 10th at 11.55 a. The barometer has fallen on the China coast, particularly in the North; risen in Tongking. A shallow depression, which may have advanced from the Loochoos, lies over the E. coast of China. Gradients slight for S winds in S. China. Forecast:—light to moderate SW winds; showery.

F G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Thursday 10th August, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

10th AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND		WEATHER.
				Direction.	Force.	
Wladivostock,	29.52	75	..	NNW	1	o
Tokio,	29.71	..	..	S	4	..
Kochi,	29.83	..	..	SE	4	..
Nagasaki,	29.94	..	..	S	10	..
Kagoshima,	29.75	..	..	S	8	..
Gutzlaff,	29.61	88	80	SSE	1	cv
Sharp Peak,	29.61	86	76	SSE	4	c
Amoy,	29.65	88	73	SE	3	c
Swatow,	29.71	85	..	ESE	2	b
Canton,	29.68	95	65	W	1	b
Hongkong,	29.65	83	81	E	2	c
Victoria Peak,	..	..	..	WNW	1	..
Gap Rock,	29.66	..	..	ESE	1	..
Macao,	29.66	90	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.76	84	77	NNW	1	o
Malate,	..	..	..	SW	1	..
Bacolod,	..	..	..	.	0	b
Iloilo,	29.77	81	..	W	1	or
Cebu,	29.77	81	..	SW	1	or
Cape S. James,	..	..	..	WNW	1	b

11th AUGUST, 1899, AT 10 A.

Wladivostock,	29.50	67	98	N	1	or
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.69	82	91	WNW	2	cv
Sharp Peak,	29.71	85	71	..	0	c
Amoy,	29.71	82	83	SE	1	op
Swatow,	29.75	85	..	E	1	c
Canton,	29.70	88	76	E	1	c
Hongkong,	29.73	81	88	W	1	o
Victoria Peak,	..	..	..	SSW	3	..
Gap Rock,	29.72	..	..	SW	3	..
Macao,	29.72	84	..	WSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	.	..	..	..	..	..
Malate,	..	..	..	N	2	o
Bacolod,	..	..	..	W	2	o
Iloilo,	29.83	81	..	..	0	c
Cebu,	29.86	82	..	SW	2	c
Cape S. James,	..	..	..	WNW	2	b

On the 11th at 11.55 a Barometric changes are unimportant A depression lies in the sea of Japan, pressure is highest over the China Sea. Gradients continue slight for S winds in S. China. Forecast: for moderate SW winds; showery.

F G. FIGG,
First Assistant.

THE OBSERVATORY, Friday 11th August, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

11th AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY	WIND		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.71	..	..	S	8	..
Kochi,	29.79	..	..	S	4	..
Nagasaki,	29.75	..	..	S	10	..
Kagoshima,	29.79	..	..	SW	4	..
Gutzlaff,	29.70	86	80	SW	2	cv
Sharp Peak,	29.66	86	74	S	4	o
Amoy,	29.68	86	76	SE	3	c
Swatow,	29.70	85	..	S	3	c
Canton,	29.67	83	87	SE	1	r
Hongkong,	29.69	79	87	..	0	o
Victoria Peak,	..	..	..	SSW	4	..
Gap Rock,	29.67	..	..	SSW	3	..
Macao,	29.66	88	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	75	91	ESE	1	or
Malate,	..	..	..	.	0	or
Bacolod,	..	..	..	SW	2	b
Iloilo,	29.77	83	..	S	2	b
Cebu,	29.78	85	..	SW	1	c
Cape S. James,	..	..	..	W	1	b

13th AUGUST, 1899, AT 10 A.

Wladivostock,	..		..	..	..	..
Tokio,	..		..	..	..	..
Kochi,	..	.	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.80	80	91	E	2	cv
Sharp Peak,	29.76	83	79	S	1	o
Amoy,	29.76	83	83	SE	1	c
Swatow,	..	.	..	..	..	..
Canton,	29.76	85	83	E	1	o
Hongkong,	29.78	78	92	..	0	od
Victoria Peak,	..	..	..	SSW	5	..
Gap Rock,	29.77	..	..	SSE	3	..
Macao,	29.76	82	..	S	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	82	77	WSW	1	c
Malate,	..	..	..	SW	1	c
Bacolod,	..	..	..	S	2	b
Iloilo,	29.89	82	..	S	1	c
Cebu,	29.90	83	..	SW	3	c
Cape S. James,	..	..	..	WSW	1	o

On the 11th at 11.15 a. The barometer is rising on the China coast and in the South. The depression seems to be moving East wards in the N. part of the Sea of Japan, and pressure is highest over the China Sea and Pacific. Gradients slight for S. and SE winds on the China coast. Forecast:—light to moderate S winds; showery.

F. G. FIGG,
In Charge.

HONGKONG OBSERVATORY, Saturday 12th August, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

12th AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.78	..	..	SW	8	..
Kochi,	29.87	..	..	SW	4	..
Nagasaki,	29.87	..	..	SW	6	..
Kagoshima,	29.87	..	..	NW	2	..
Gutzlaff,	29.80	81	87	E	1	cv
Sharp Peak,	29.73	85	70	S	3	o
Amoy,	29.75	84	83	SE	2	o
Swatow,	29.77	84	..	S	4	og
Canton,	29.72	83	91	SE	2	or
Hongkong,	29.74	78	91	..	0	or
Victoria Peak,	..	..	..	SSW	4	..
Gap Rock,	29.73	..	..	SW	3	..
Macao,	29.71	81	..	SSW	1	od
Haiphong,	..	..	..	..	..	..
Manila,	29.80	84	71	SW	2	o
Malate,	..	..	..	SW	2	o
Bacolod,	..	..	..	W	2	c
Iloilo,	29.81	82	..	W	3	b
Cebu,	29.82	86	..	SW	2	c
Cape S. James,	..	..	..	WSW	2	c

13th AUGUST, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.84	81	91	SE	4	cv
Sharp Peak,	29.83	84	83	S	1	o
Amoy,	29.85	82	87	W	1	b
Swatow,	29.86	82	..	E	2	o
Canton,	29.80	80	96	S	1	r
Hongkong,	29.83	86	96	..	0	or
Victoria Peak,	..	..	..	SSW	4	..
Gap Rock,	29.82	..	..	SW	2	..
Macao,	29.81	77	..	NW	1	or
Haiphong,	..	..	..	..	..	..
Manila,	29.92	84	77	W	1	c
Malate,	..	..	..	..	0	or
Bacolod,	..	..	..	SW	2	b
Iloilo,	29.89	84	..	SW	1	b
Cebu,	29.90	84	..	SW	1	b
Cape S. James,	..	..	..	WNW	1	o

On the 12th at 11.55 a. The barometer continues to rise on the China coast and over the Phillipines. Pressure is highest over the Chiua Sea and Pacific, lowest in the NE part of the Sea of Japan. Gradients light for S and SE winds on the China coast. Forecast:—light or moderate S to SE winds; showery.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Sunday 13th August, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

13th AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.86	..	..	S	4	..
Kochi,	29.99	..	..	SE	2	..
Nagasaki,	29.91	..	..	SW	2	..
Kagoshima,	29.91	..	..	S	4	..
Gutzlaff,	29.82	83	83	NNW	1	cv
Sharp Peak,	29.75	84	79	SE	4	c
Amoy,	29.80	86	76	W	2	b
Swatow,	29.77	79	..	NW	2	c
Canton,	29.75	87	80	SW	1	or
Hongkong,	29.77	77	92	E	3	o
Victoria Peak,	..	..	..	S	3	..
Gap Rock,	29.76	..	..	SSW	3	..
Macao,	29.78	84	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	86	71	WSW	2	c
Malate,	..	..	..	SW	3	b
Bacolod,	..	..	..	SW	2	b
Iloilo,	29.85	88	..	S	3	c
Cebu,	29.84	83	..	SW	3	c
Cape S. James,	..	..	..	..	..	..

14th AUGUST, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.82	81	91	..	0	cv
Sharp Peak,	29.77	84	79	..	0	o
Amoy,	29.79	80	66	SW	1	c
Swatow,	29.85	80	..	E	1	c
Canton,	29.79	82	91	E	1	o
Hongkong,	29.81	80	90	SE	1	od
Victoria Peak,	..	..	..	SSW	4	..
Gap Rock,	29.81	..	..	SSW	3	..
Macao,	29.82	79	..	WSW	1	ort
Haiphong,	..	..	..	..	..	..
Manila,	29.88	84	77	NW	1	c
Malate,	..	..	..	NW	1	b
Bacolod,	..	..	..	..	0	b
Iloilo,	29.89	83	..	W	2	b
Cebu,	29.89	87	..	SW	2	b
Cape S. James,	..	..	..	SW	1	c

On the 14th at 11.55 a. The barometer is normal, but falling slightly on the China coast and over the Phillipines. Pressure is highest in the Pacific to the SE of Japan, lowest in a belt stretching across S. China, Formosa and eastwards to the Pacific. Gradients gentle with light variable winds on the China coast. Forecast:—S or variable winds, light; showery.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Monday 14th August, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

14th AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.90	70	..	SSE	2	o
Tokio,	29.94	..	..	S	2	..
Kochi,	29.95	..	..	SE	2	..
Nagasaki,	29.79	..	..	SW	6	..
Kagoshima,	29.79	..	..	SE	8	..
Gutzlaff,	29.77	86	76	SSE	1	cv
Sharp Peak,	29.70	85	77	S	3	c
Amoy,	29.71	87	76	SSE	2	b
Swatow,	29.78	82	..	S	2	cp
Canton,	29.67	80	100	E	1	or
Hongkong,	29.74	80	90	NW	1	o
Victoria Peak,	..	..	..	SW	2	..
Gap Rock,	29.73	..	..	SW	2	..
Macao,	29.73	78	..	SSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	79	92	NNE	1	ot
Malate,	..	..	..	SW	3	or
Bacolod,	..	..	..	SE	2	o
Iloilo,	29.81	89	..	W	2	..
Cebu,	29.83	86	..	N	2	o
Cape S. James,	..	..	..	SW	1	c

15th AUGUST, 1899, AT 10 A.

Wladivostock,	29.72	64	92	SSE	2	o
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	..	..	..	..	..	..
Sharp Peak,	29.73	84	75	S	1	c
Amoy,	29.75	82	87	SW	1	c
Swatow,	.	.	..	..	..	..
Canton,	29.76	84	91	E	1	o
Hongkong,	29.77	86	75	SSW	2	c
Victoria Peak,	..	..	..	S	3	..
Gap Rock,	29.77	..	..	SSW	2	..
Macao,	29.76	87	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	..	0	o
Bacolod,	..	..	..	..	0	o
Iloilo,	29.85	82	..	..	0	o
Cebu,	29.88	80	..	SW	1	or
Cape S. James,	..	..	..	W	2	c

On the 15th at 11.55 a. The barometer has fallen considerably in the North, slightly in the South. Pressure is highest in the Pacific to the SE of Japan, lowest over Corea and the W. part of the Sea of Japan, where a depression probably exists. Gradients slight for S winds in S China. Forecast:—light to moderate S winds; showery.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Tuesday 15th August, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

15th AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.78	..	..	S	6	..
Kochi,	29.60	..	..	SW	2	..
Nagasaki,	29.72	..	..	SW	8	..
Kagoshima,	29.75	..	..	W	6	..
Gutzlaff,	29.62	87	80	S	3	cv
Sharp Peak,	29.62	86	80	S	5	c
Amoy,	29.70	86	80	SSE	2	b
Swatow,	29.73	86	..	S	4	c
Canton,	29.67	80	100	E	1	r
Hongkong,	29.69	83	81	S	2	op
Victoria Peak,	..	..	..	S	4	..
Gap Rock,	29.69	..	..	SSW	3	..
Macao,	29.69	83	..	SSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.76	86	71	WSW	3	c
Malate,	..	..	..	WSW	1	c
Bacolod,	..	..	..	..	0	b
Iloilo,	29.77	89	..	..	0	..
Cebu,	29.80	82	..	SW	2	or
Cape S. James,	..	..	..	..	..	..

16th AUGUST, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	27.75	76	95	NNE	2	cvp
Sharp Peak,	29.73	84	79	S	1	o
Amoy,	29.75	82	87	SW	2	o
Swatow,	29.81	83	..	W	1	o
Canton,	29.71	85	87	SE	1	b
Hongkong,	29.75	84	77	S	1	o
Victoria Peak,	..	..	..	S	2	..
Gap Rock,	29.75	..	..	SSW	2	..
Macao,	29.74	84	..	SSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	81	85	NW	2	c
Malate,	..	..	..	WNW	1	b
Bacolod,	..	..	..	..	0	cp
Iloilo,	29.81	82	..	..	0	o
Cebu,	29.83	79	..	..	0	o
Cape S. James,	..	..	..	SW	1	b

On the 16th at 11.30 A. The barometer has risen moderately on the E. coast of China, fallen a little on the S. coast and over the Phillipines. The depression lying in the Sea of Japan yesterday has probably moved to the N.E. and there are indications of the formation of another depression in the Pacific to the E. of Luzon. Gradients slight on the China coast. Forecast:—light or moderate S winds; showery.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Wednesday 16th August, 1899.

CHINA COAST METEOROLOGICAL REGISTER,

16th AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.63	..	..	S	4	..
Kochi,	29.75	..	..	S	4	..
Nagasaki,	29.72	..	..	SW	10	..
Kagoshima,	29.79	..	..	SW	6	..
Gutzlaff,	29.73	79	82	ENE	2	cv
Sharp Peak,	29.65	87	72	S	5	c
Amoy,	29.68	86	76	SSE	2	c
Swatow,	29.73	86	..	S	4	b
Canton,	29.68	91	74	SW	2	b
Hongkong,	29.68	84	74	SSW	1	o
Victoria Peak,	..	..	..	S	3	..
Gap Rock,	29.68	..	..	SSW	3	..
Macao,	29.67	86	..	SSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.76	84	70	W	2	or
Malate,	..	..	..	SW	1	b
Bacolod,	..	..	..	SE	2	o
Iloilo,	29.77	84	..	W	2	o
Cebu,	29.74	84	..	SW	3	o
Cape S. James,	..	..	..	SW	4	o

17th AUGUST, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	..	..	..	..	..	..
Sharp Peak,	29.77	85	76	SE	1	c
Amoy,	29.77	81	87	SW	1	cq
Swatow,	29.84	83	..	S	3	b
Canton,	29.76	86	84	E	1	b
Hongkong,	29.78	82	82	NE	1	o
Victoria Peak,	..	..	..	S	3	..
Gap Rock,	29.77	..	..	SSE	4	..
Macao,	29.75	87	..	SSW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	SW	2	b
Bacolod,	..	..	..	SE	2	b
Iloilo,	29.81	82	..	W	2	o
Cebu,	29.82	84	..	SW	2	b
Cape S. James,	..	..	..	SW	4	b

...16th at 11.55 a. Barometric changes are unimportant. Pressure is highest over the S. part ...e China Sea, and still slightly low in the Pacific to the E. of Luzon. Gradients slight for E and SE ...inds on the China coast. Forecast:—moderate S to SE winds; showery.

F. G. FIGG,
First Assistant.

...KONG OBSERVATORY, Thursday 17th August, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

17th AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.56	69	..	SSW	1	o
Tokio,	29.71	..	..	S	6	..
Kochi,	29.83	..	..	..	0	..
Nagasaki,	29.83	..	..	SE	4	..
Kagoshima,	29.87	..	..	W	2	..
Gutzlaff,	29.74	76	95	NE	3	ovp
Sharp Peak,	29.72	87	72	ESE	5	c
Amoy,	29.75	86	76	SE	2	b
Swatow,	29.78	86	..	S	4	d
Canton,	29.71	85	87	SE	1	b
Hongkong,	29.73	84	75	SSE	2	o
Victoria Peak,	..	..	..	SSE	3	..
Gap Rock,	29.72	..	..	SSE	4	..
Macao,	29.71	85	..	SSE	2	c
Haiphong,	..	..	..	..	..	..
Manila,	29.72	81	92	E	1	o
Malate,	..	..	..	SE	1	or
Bacolod,	..	..	..	SW	4	or
Iloilo,	29.73	81	..	W	2	o
Cebu,	29.74	85	..	SW	2	..
Cape S. James,	..	..	..	SW	4	o

18th AUGUST, 1899, AT 10 A.

Wladivostock,	29.75	63	83	SE	6	o
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	..	..	..	..	..	..
Sharp Peak,	29.80	84	77	E	1	c
Amoy,	29.79	81	87	SW	1	o
Swatow,	29.86	84	..	E	1	c
Canton,	29.81	85	83	E	1	c
Hongkong,	29.84	78	90	SE	2	od
Victoria Peak,	..	..	..	SE	2	..
Gap Rock,	29.82	..	..	ESE	3	..
Macao,	29.82	88	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.76	77	92	NNW	1	o
Malate,	..	..	..	..	0	or
Bacolod,	..	..	..	S	4	op
Iloilo,	29.81	83	..	SW	3	or
Cebu,	29.83	84	..	SW	3	c
Cape S. James,	..	..	..	SW	3	c

On the 18th at 11.49 a The barometer has risen over Japan and S. China, fallen in Luzon. Pressure seems to high over Japan, and low in the Pacific to the E. of Luzon. Gradients slight for E winds on the China coast. Forecast:—moderate E winds ; showery.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Friday 18th August, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

18th AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.90	..	..	S	6	..
Kochi,	29.91	..	..	..	0	..
Nagasaki,	29.91	..	..	SE	2	..
Kagoshima,	29.95	..	..	N	2	..
Gutzlaff,	29.77	75	95	NNE	6	cv
Sharp Peak,	29.74	85	79	S	3	c
Amoy,	29.75	86	84	SE	1	o
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.76	83	78	ESE	3	o
Victoria Peak,	..	..	..	ESE	2	..
Gap Rock,	29.76	..	..	E	3	..
Macao,	29.76	87	..	E	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.69	82	78	W	1	o
Malate,	..	..	..	NW	2	o
Bacolod,	..	..	..	SE	2	o
Iloilo,	29.73	82	..	W	5	or
Cebu,	29.75	87	..	SW	2	o
Cape S. James,	..	..	..	SW	4	or

19th AUGUST, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.85	74	95	E	2	cv
Sharp Peak,	29.82	83	85	E	1	c
Amoy,	29.77	82	77	WSW	1	b
Swatow,	29.85	83	..	N	1	c
Canton,	29.86	85	79	E	1	b
Hongkong,	29.82	84	73	E	3	o
Victoria Peak,	..	..	..	E	2	.
Gap Rock,	29.80	..	..	ENE	4	
Macao,	29.81	89	..	NNE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.76	82	85	WNW	1	c
Malate,	..	..	..	..	0	o
Bacolod,	..	..	..	W	4	cp
Iloilo,	29.77	81	..	W	3	o
Cebu,	29.82	78	..		0	or
Cape S. James,	..	..	..	W	2	o

On the 19th at 11.5[illegible] a Barometric changes are unimportant Pressure remains low in the Pacific e.E. of Luzon Also a trough of low pressure, between NE and SW winds, appears to be lying across middle part of the China Sea. High pressure over Japan. Gradients slight for E winds on the Canna Forecast:—moderate to fresh E winds ; fair to showery.

F.G. FIGG,
1st Assistant.

KING OBSERVATORY, Saturday 19th August, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

19th AUGUST, 1899, AT 4 P.

Station.	Barometer.	Temperature.	Humidity.	Wind.		Weather.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.98	..	..	S	6	..
Kochi,	30.03	..	..	..	0	..
Nagasaki,	29.91	..	..	S	6	..
Kagoshima,	29.91	..	..	SE	4	..
Gutzlaff,	29.81	76	91	SE	3	omr
Sharp Peak,	29.75	84	83	ESE	1	o
Amoy,	29.71	90	61	SE	3	b
Swatow,	29.78	87	..	E	2	b
Canton,	29.73	94	64	..	0	b
Hongkong,	29.75	84	72	E	3	o
Victoria Peak,	..	..	..	E	3	..
Gap Rock,	29.72	..	..	E	4	..
Macao,	29.75	84	..	ESE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.69	82	85	W	2	o
Malate,	..	..	..	W	1	o
Bacolod,	..	..	..	SE	2	or
Iloilo,	29.69	81	..	W	2	.
Cebu,	29.73	78	..	SW	4	or
Cape S. James,	..	..	..	SW	2	b

20th AUGUST, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.80	82	91	S	3	cv
Sharp Peak,	29.76	86	76	..	0	c
Amoy,	29.76	84	83	SW	2	c
Swatow,	29.79	84	..	W	1	b
Canton,	29.76	86	84	E	2	b
Hongkong,	29.77	80	82	ENE	2	c
Victoria Peak,	..	..	..	E	3	..
Gap Rock,	29.74	..	..	E	4	..
Macao,	29.77	88	..	ENE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.72	82	84	SSW	1	c
Malate,	..	..	..	ENE	1	b
Bacolod,	..	..	..	SW	4	o
Iloilo,	29.73	82	..	SW	3	c
Cebu,	29.76	82	..	SW	3	..
Cape S. James,	..	..	..	SW	3	o

On the 20th at 11.57 a. The barometer is falling slowly on the China coast and over the Phillipines. Pressure remains low in the Pacific to the E. of Luzon, and also across the middle part of the China Sea. Pressure is still high over Japan. Gradients slight for E winds on the China coast. Forecast:—moderate E winds; fair to showery.

F. G. FIGG,
2nd Assistant.

Hongkong Observatory, Sunday 20th August, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

20th AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.02	..	..	S	8	..
Kochi,	30.03	..	..	SE	4	..
Nagasaki,	29.91	..	..	SW	6	..
Kagoshima,	29.95	..	..	NE	4	..
Gutzlaff,	29.77	82	87	SSW	3	cv
Sharp Peak,	29.72	85	77	E	3	c
Amoy,	29.70	87	80	SE	3	c
Swatow,	29.73	87	..	S	4	b
Canton,	..	..	..	..	..	..
Hongkong,	29.71	83	81	ESE	2	o
Victoria Peak,	..	..	..	ESE	1	..
Gap Rock,	29.70	..	..	ENE	3	..
Macao,	29.70	87	..	E	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.65	86	71	SW	2	c
Malate,	..	..	..	WNW	3	c
Bacolod,	..	..	..	SW	4	or
Iloilo,	29.69	81	..	SW	5	o
Cebu,	29.72	81	..	SW	5	o
Cape S. James,	..	..	..	..	..	..

21st AUGUST, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.85	82	87	SE	2	cv
Sharp Peak,	29.77	83	81	N	3	o
Amoy,	29.70	84	85	NW	1	b
Swatow,	29.78	85	..	NNE	2	b
Canton,	..	..	..	..	..	..
Hongkong,	29.73	85	67	W	1	b
Victoria Peak,	..	..	..	N	1	..
Gap Rock,	29.74	..	..	NNW	2	..
Macao,	29.73	88	..	ENE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	SW	4	c
Bacolod,	..	..	..	SE	6	o
Iloilo,	29.77	..	..	SW	4	c
Cebu,	29.82	81	..	SW	6	o
Cape S. James,	..	..	..	SW	4	f

On the 21st at [illegible] The barometer has fallen slightly in S. China, risen a little in the Southern Phillipines. The d[illegible] in the Pacific seems to be now situated to the E. of the Balingtang Channel, and it is probably moving towards NW. Gradients increasing for N and NW winds in the Formosa Channel and on the S. coast of China. Forecast:—light to moderate NW winds; fine.

F. G. FIGG,
1st Assistant.

HONGKONG OBSERVATORY, Monday 21st August, 1899.

CHINA COAST METEOROLOGICAL REGISTER.

21st AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.94	..	..	S	6	..
Kochi,	30.03	..	..	SE	2	..
Nagasaki,	29.95	..	..	S	6	..
Kagoshima,	29.99	..	..	SE	4	..
Gutzlaff,	29.84	85	83	SSE	3	cv
Sharp Peak,	29.71	84	79	NNE	5	c
Amoy,	29.64	90	96	NNE	4	b
Swatow,	..	..	..	..	..	..
Canton,	29.63	95	65	W	1	b
Hongkong,	29.65	87	70	W	1	b
Victoria Peak,	..	..	..	W	1	..
Gap Rock,	29.66	..	..	W	3	..
Macao,	29.64	93	..	SW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.65	82	85	SW	5	o
Malate,	..	..	..	SW	4	.
Bacolod,	..	..	..	SW	4	cp
Iloilo,	29.69	82	..	SW	4	c
Cebu,	29.75	84	..	SW	4	c
Cape S. James,	..	..	..	SW	2	b

22nd AUGUST, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.90	83	87	SE	4	cm
Sharp Peak,	29.57	84	79	E	8	o
Amoy,	29.46	87	92	NNE	4	o
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	.
Hongkong,	29.61	86	72	W	2	o
Victoria Peak,	..	..	..	NW	1	..
Gap Rock,	29.63	..	..	NW	4	..
Macao,	..	..	..	..	..	..
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	.
Malate,	..	..	..	SW	5	gr
Bacolod,	..	..	..	S	2	op
Iloilo,	29.81	82	..	SW	2	c
Cebu,	29.86	81	..	SW	5	o
Cape S. James,	..	..	..	SW	3	o

On the 2nd at 10.35 a Red Drum hoisted. The barometer has fallen quickly on the S. and SE coasts of China, more slightly on the E. coast and over the Philippines. The typhoon seems to be situated near S. Formosa, and moving WNW. High pressure over Japan. Forecast:—NW winds, increasing to strong breezes; fair at first, squally with rain later. Bad weather between Hongkong and Foochow.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Tuesday 22nd August 1899.

CHINA COAST METEOROLOGICAL REGISTER.

22nd AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.70	81	..	SE	2	b
Tokio,	29.90	..	..	S	6	..
Kochi,	30.07	..	..	..	0	..
Nagasaki,	30.03	..	..	W	4	..
Kagoshima,	30.03	..	..	..	0	..
Gutzlaff,	29.58	84	83	SSE	4	cv
Sharp Peak,	29.58	82	83	NNE	7	o
Amoy,	29.48	89	92	NE	5	m
Swatow,	..	..	..	..	..	..
Canton,	29.53	97	59	NW	1	b
Hongkong,	29.51	87	69	W	3	o
Victoria Peak,	..	..	..	WNW	7	..
Gap Rock,	29.52	..	..	WNW	3	..
Macao,	29.55	92	..	W	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.76	77	92		0	or
Malate,	..	..	..	W	1	or
Bacolod,	..	..	..	S	4	op
Iloilo,	29.77	82	..	W	2	..
Cebu,	29.79	84	..	SW	4	c
Cape S. James,	..	..	..	SW	2	c

23rd AUGUST, 1899, AT 10 A.

Wladivostock,	29.69	71	88	..	0	c
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki;	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	..	..	..	..	..	..
Sharp Peak,	29.73	81	83	E	3	o
Amoy,	29.62	81	91	SE	6	or
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.50	80	87	WNW	3	op
Victoria Peak,	..	..	..	W	7	..
Gap Rock,	29.51	..	..	WSW	5	..
Macao,	..	..	..	..	..	..
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	SE	2	or
Bacolod,	..	..	..	S	2	o
Iloilo,	29.81	81	..	SW	1	c
Cebu,	29.85	82	..	SW	3	c
Cape S. James,	..	..	..	SW	2	o

On the 22nd at 4.30p. Black Drum hoisted.

On the 23rd at 10.20 a. Black North Cone hoisted. The typhoon entered the coast near Swatow during the night. It is probably moving Westwards on the mainland, where it will gradually fill up. The barometer has risen in the Formosa Channel, fallen, but now inclined to rise, in Hongkong. Forecast: Strong or fresh W to SW winds; squally, showery.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Wednesday 23rd August 1899.

CHINA COAST METEOROLOGICAL REGISTER.

23rd AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.90	..	..	S	4	..
Kochi,	29.99	..	..	SE	2	..
Nagasaki,	29.99	..	..	W	4	..
Kagoshima,	29.99	..	..	S	4	..
Gutzlaff,	29.86	83	87	SE	4	cm
Sharp Peak,	29.70	82	83	E	1	o
Amoy,	..	..	..	..	..	..
Swatow,	..	..	..	..	..	..
Canton,	29.42	80	96	W	2	or
Hongkong,	29.44	83	78	SW	3	oq
Victoria Peak,	..	..	..	SW	8	..
Gap Rock,	29.45	..	..	WSW	4	..
Macao,	29.43	84	..	WSW	2	odt
Haiphong,	..	..	..	..	..	..
Manila,	29.72	77	100	ESE	1	or
Malate,	..	..	..	SSW	2	or
Bacolod,	..	..	..	SW	2	o
Iloilo,	29.73	83	..	W	2	o
Cebu,	29.78	86	..	SW	2	c
Cape S. James,	..	..	..	SW	4	o

24th AUGUST, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.90	82	91	SSE	4	cv
Sharp Peak,	29.78	80	87	NE	1	o
Amoy,	..	..	..	..	..	..
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.67	79	89	SSE	2	od
Victoria Peak,	..	..	..	S	8	..
Gap Rock,	29.66	..	..	S	4	..
Macao,	..	..	..	..	..	..
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	SE	1	o
Bacolod,	..	..	..	S	2	b
Iloilo,	29.81	82	..	..	0	o
Cebu,	29.85	84	..	SW	2	c
Cape S. James,	..	..	..	SW	4	c

On the 23rd at 1.50p. Black North Cone lowered.

On the 24th at 11.45 a. The barometer has risen on the S. and SE coasts of China. The depression has moved westwards and lies now over SW China. Pressure remains high over Japan. Gradients slight to moderate for SE and E winds on the China coast. Forecast:—fresh SE winds; squally, showery. Telegraphic communication between the Observatory and Hongkong is interrupted.

F.G. FIGG,

HONGKONG OBSERVATORY, Thursday 24th August 1899.

CHINA COAST METEOROLOGICAL REGISTER.

24th AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.82	..	..	S	6	..
Kochi,	29.99	..	..	SE	2	..
Nagasaki,	29.99	..	..	W	6	..
Kagoshima,	29.99	..	..	S	4	..
Gutzlaff,	29.88	82	87	SSE	4	cv
Sharp Peak,	29.78	84	81	ENE	2	c
Amoy,	..	..	..	..	..	..
Swatow,	..	..	..	..	..	..
Canton,	29.63	82	91	E	1	o
Hongkong,	29.67	79	84	E	1	o
Victoria Peak,	..	..	..	SE	2	..
Gap Rock,	29.66	..	..	E	3	..
Macao,	29.65	81	..	ESE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.76	81	85	SW	2	o
Malate,	..	..	..	SSW	3	o
Bacolod,	..	..	..	SW	2	o
Iloilo,	29.77	83	..	SW	2	o
Cebu,	29.78	86	..	SW	2	o
Cape S. James,	..	..	..	SW	4	or

25th AUGUST, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.96	83	83	SSE.	3	c
Sharp Peak,	29.85	83	88	NNE	3	o
Amoy,	..	..	..	..	..	..
Swatow,	..	..	..	..	..	..
Canton,	29 82	83	87	E	1	b
Hongkong,	29.80	79	85	E	2	o
Victoria Peak,	..	..	..	SE	4	..
Gap Rock,	29.80	..	..	SE	3	..
Macao,	29.80	85	..	ESE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	84	77	NE	1	c
Malate,	..	..	..	SW	1	c
Bacolod,	..	..	..	SE	2	b
Iloilo,	29.85	82	..	SW	2	c
Cebu,	29.87	81	..		0	o
Cape S. James,	..	..	..	SW	4	o

On the 25th at 11.50 a. The barometer has risen, and is near the normal, on the China coast and over the Philippines. Pressure is lowest in Tongking, highest over the Pacific to the S. of Japan. Gradients slight, mainly for E winds, on the China coast. Forecast:—moderate SE to E winds; showery.

F.G. FIGG,

Director.

HONGKONG OBSERVATORY, Friday 25th August 1899.

CHINA COAST METEOROLOGICAL REGISTER.

25th AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	..	..	..	..		
Tokio,	29.94	..	..	S	6	..
Kochi,	30.03	..	..	SE	4	
Nagasaki,	30.03	..	..	W	4	.
Kagoshima,	30.03	..	..	S	4	..
Gutzlaff,	29.91	85	83	S	3	cv
Sharp Peak,	29.86	83	83	NNE	4	o
Amoy,	..	..	..	..	..	.
Swatow,	..	..	..	..	..	..
Canton,	29.80	84	83	E	1	b
Hongkong,	29.80	77	95	E	1	od
Victoria Peak,	..	..	..	SE	4	..
Gap Rock,	29.78	..	..	SE	4	..
Macao,	29.79	84	..	E	1	cr
Haiphong,	..	..	..	..	..	..
Manila,	29.76	88	66	W	3	c
Malate,	..	..	..	SW	1	b
Bacolod,	..	..	..	S	..	o
Iloilo,	29.73	83	..	SW	3	..
Cebu,	29.77	82	..	SW	3	o
Cape S. James,	..	..	..	SW	2	o

26th AUGUST, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.92	81	87	S	5	cr
Sharp Peak,	29.91	82	79	WNW	2	o
Amoy,	..	.	.		..	
Swatow,	..	..	..	..		
Canton,		..	..	.		
Hongkong,	29.89	81	88	E	1	o
Victoria Peak,	..	..	..	ESE	4	
Gap Rock,	29.87	..	..	ESE	4	
Macao,	29.88	79	..	ENE	1	
Haiphong,	..	..	..	..	..	
Manila,	29.88	79	92	N		c
Malate,	..	..	..	ENE		
Bacolod,	..	..	..	S	2	c
Iloilo,	29.93	82	..	SW	2	c
Cebu,	29.93	83	.	SW	1	c
Cape S. James,	..	..	..	SW	2	c

On the 26th at 11.45 a. The barometer has fallen on the S. coast of China, risen in S. China and over the Phillipines. High pressure extends from the Pacific S. of Japan, to the coasts of S. China, with lower pressure over N. China and the Gulf of Tongking. Gradients slight for E winds in S. China. Forecast:—moderate E winds; showery.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Saturday 26th August 1899.

CHINA COAST METEOROLOGICAL REGISTER.

26th AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.94	..	..	S	6	..
Kochi,	29.99	..	..	SW	3	..
Nagasaki,	29.90	..	..	SW	6	..
Kagoshima,	29.99	..	..	SE	4	..
Gutzlaff,	29.85	86	83	S	4	cv
Sharp Peak,	29.86	84	79	E	2	c
Amoy,	29.84	86	96	SE	2	b
Swatow,	29.87	85	..	E	2	b
Canton,	29 86	85	83	SE	2	c
Hongkong,	29.84	83	82	ESE	4	c
Victoria Peak,	..	..	..	ESE	4	..
Gap Rock,	29.83	..	..	E	4	..
Macao,	29.83	86	..	ESE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	81	92	SW	3	c
Malate,	..	..	..	SW	3	c
Bacolod,	..	..	..	SW	2	b
Iloilo,	29.85	83	..	W	2	c
Cebu,	29.87	87	..	SW	3	b
Cape S. James,	..	..	..	SW	4	c

27th AUGUST, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.87	76	95	NNW	4	cv
Sharp Peak,	29.85	86	76	S	1	c
Amoy,	29.87	83	91	SW	2	c
Swatow,	29.92	83	..	N	1	b
Canton,	29.92	83	87	.	..	c
Hongkong,	29.90	82	85	E	2	c
Victoria Peak,	..	..	..	E	2	..
Gap Rock,	29.88	..	..	E	3	..
Macao,	29.88	85	..	ENE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.92	84	77	SW	1	c
Malate,	..	..	..	..	0	c
Bacolod,	..	..	..	S	2	b
Iloilo,	29.93	82	..	..	0	c
Cebu,	29.95	86	..	SW	3	b
Cape S. James,	..	..	..	SW	2	c

On the 27th at 11.55 a. The barometer has fallen on the E. coast of China, risen in Tongking and on the S. part of the China Sea. A low pressure area seems to have left the NE coast of China and to be now moving towards the Sea of Japan. Pressure remains high over S. China and the Phillipines. Gradients slight, except in the North. Forecast:—SE or varying winds, moderate to light; mostly fine, probably some showers.

F.G. FIGG,
First Assistant.

...ORE OBSERVATORY, Sunday 27th August 1899.

CHINA COAST METEOROLOGICAL REGISTER.

27th AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.90	..	..	SW	8	..
Kochi,	29.91	..	..	SE	2	..
Nagasaki,	29.83	..	..	SE	6	..
Kagoshima,	29.87	..	..	S	4	..
Gutzlaff,	29.81	74	93	N	2	omd
Sharp Peak,	29.75	85	83	SE	8	o
Amoy,	..	..	..	..	..	..
Swatow,	29.85	87	..	SE	2	b
Canton,	.	.	.	..	..	..
Hongkong,	29.82	83	76	E	3	b
Victoria Peak,	..	..	..	SE	1	..
Cap Rock,	29.82	..	..	E	2	..
Macao,	29.83	86	..	SSE	1	o
Haiphong,	..	..	..	..	..	..
Manila,	29.88	84	77	WSW	3	o
Malate,	..	..	..	WSW	3	o
Bacolod,	..	..	..	W	2	b
Iloilo,	29.85	89	..	SW	1	b
Cebu,	29.85	88	..	SW	2	o
Cape S. James,	..	..	..	..	..	..

28th AUGUST, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.87	68	90	N	4	cv
Sharp Peak,	29.79	82	85	..	0	o
Amoy,	..	..	..	..	..	..
Swatow,	29.83	84	..	W	1	b
Canton,	29.84	82	87	N	1	o
Hongkong,	29.84	84	80	WNW	1	o
Victoria Peak,	..	..	..	NW	1	..
Cap Rock,	29.84	..	..	NNW	1	..
Macao,	29.85	88	..	W	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	S	1	b
Bacolod,	..	..	..	S	2	o
Iloilo,	29.93	82	..	W	1	o
Cebu,	29.96	85	..	SW	2	b
Cape S. James,	..	..	..	W	2	•

On the 28th at 11.30 a. The barometer has fallen in S. China and Japan. The depression seem to have moved into W. Japan. Pressure remains high over the S. part of the China Sea. Gradients slight in S. China. Forecast:—light W to SW winds; fair.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Monday 28th August 1899.

CHINA COAST METEOROLOGICAL REGISTER.

28th AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.71	70	..	SE	2	o
Tokio,	29.86	..	..	S	8	..
Kochi,	29.64	..	..	SE	4	..
Nagasaki,	29.56	..	..	N	8	..
Kagoshima,	29.44	..	..	N	4	..
Gutzlaff,	29.81	77	95	N	4	cv
Sharp Peak,	29.80	76	77	NE	4	od
Amoy,	29.73	85	91	NE	2	c
Swatow,	29.78	84	..	E	1	or
Canton,	29.75	90	66	N	2	b
Hongkong,	29.75	83	83	..	0	odt
Victoria Peak,	..	..	..	NW	1	..
Gap Rock,	29.75	..	..	..	0	..
Macao,	29.76	82	..	NNE	1	orlt
Haiphong,	..	..	..	..	..	..
Manila,	29.84	84	77	WSW	2	o
Malate,	..	..	..	WSW	3	c
Bacolod,	..	..	..	SE	4	o
Iloilo,	29.85	88	..	W	2	c
Cebu,	29.84	87	..	SW	3	b
Cape S. James,	..	..	..	SW	3	o

29th AUGUST, 1899, AT 10 A.

Wladivostock,	29.49	61	94	N	3	o
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.92	75	64	WNW	3	cv
Sharp Peak,	29.91	77	95	NW	1	o
Amoy,	..	..	..	..	..	.
Swatow,	29.89	83	..	ENE	2	o
Canton,	29.88	77	86	NW	1	od
Hongkong,	29.84	80	78	E	3	o
Victoria Peak,	..	..	..	SE	3	..
Gap Rock,	29.82	..	..	NE	3	..
Macao,	29.83	84	..	NE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	.	..	..	..		..
Malate,	..	..	..	NE	2	c
Bacolod,	..	..	..	SE	2	b
Iloilo,	29.89	83	..	W	1	b
Cebu,	29.92	84	..	SW	2	c
Cape S. James,	..	..	..	SW	2	c

On the 29th at 11.50 a. The barometer has fallen considerably in the extreme North, rises on the China coast, except in the South. The depression is moving to the NE. in the Sea of Japan. Pressure is high over the SE coast of China and in the S. part of the China Sea, relatively low in the N part of the China Sea. Forecast:—moderate or fresh E winds; squally, showery.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Tuesday 29th August 1899.

CHINA COAST METEOROLOGICAL REGISTER.

29th AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	29.83	..	..	SW	2	..
Nagasaki,	29.87	..	..	W	6	..
Kagoshima,	29.87	..	..	NW	4	..
Gutzlaff,	29.90	81	62	SW	2	cv
Sharp Peak,	29.87	78	56	NE	4	o
Amoy,	..	..	..	..	..	..
Swatow,	29.85	81	..	ESE	3	c
Canton,	..	..	..	..	..	..
Hongkong,	29.78	77	91	ENE	4	od
Victoria Peak,	..	..	..	E	5	..
Gap Rock,	29.77	..	..	E	2	..
Macao,	29.77	82	..	E	2	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	79	84	WSW	1	o
Malate,	..	..	..	SW	1	c
Bacolod,	..	..	..	S	2	..
Iloilo,	29.85	88	..	SW	2	b
Cebu,	29.84	87	..	SW	2	o
Cape S. James,	..	..	..	SW	2	c

30th AUGUST, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	..	..	..	..	..	..
Sharp Peak,	29.89	76	73	NNW	1	o
Amoy,	..	..	..	..	..	..
Swatow,	29.90	81	..	NE	1	b
Canton,	..	..	..	..	..	..
Hongkong,	29.85	78	92	E	3	or
Victoria Peak,	..	..	..	ESE	6	..
Gap Rock,	29.85	..	..	ESE	3	..
Macao,	29.85	80	..	SSE	1	cd
Haiphong,	..	..	..	..	..	..
Manila,	29.92	86	71	SE	1	c
Malate,	..	..	..	SSE	1	b
Bacolod,	..	..	..	W	2	b
Iloilo,	29.93	82	..	W	1	b
Cebu,	29.93	85	..	SW	2	b
Cape S. James,	..	..	..	SW	2	o

On the 30th at 11.55 a. Barometric changes are unimportant. Pressure remains high over the E. coast of China and S. part of the China Sea, and relatively low in the NW part of the China Sea. Gradients slight for E and SE winds in S. China. Forecast:—moderate E to SE winds; squally, showery.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Wednesday 30th August 1899.

CHINA COAST METEOROLOGICAL REGISTER.

30th AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	30.03	..	..	.	0	..
Nagasaki,	29.99	..	..	SE	4	..
Kagoshima,	29.99	..	..	SE	2	..
Gutzlaff,	29.97	77	73	ESE	2	cv
Sharp Peak,	29.87	76	86	E	1	cg
Amoy,	..	..	..	..	..	..
Swatow,	29.85	82	..	ESE	4	b
Canton,	29.79	82	.	E	2	c
Hongkong,	29.78	79	88	E	3	cr
Victoria Peak,	..	..	..	E	3	..
Gap Rock,	29.76	..	..	E	1	..
Macao,	29.76	82	..	E	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	86	71	W	1	c
Malate,	..	..	..	W	2	b
Bacolod,	..	..	..	..	0	c
Iloilo,	29.81	89	..	SW	3	c
Cebu,	29.81	85	..	N	2	c
Cape S. James,	..	..	..	SSW	2	c

31st AUGUST, 1899, AT 10 A.

Wladivostock,	29.95	72	89	SE	1	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.91	79	87	SE	4	cv
Sharp Peak,	29.83	80	82	WSW	2	c
Amoy,	..	..	..	..	..	..
Swatow,	..	..	..	.	..	..
Canton,	..	..	..	..	.	.
Hongkong,	29.85	83	75	ENE	3	c
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	29.84	..	..	E	4	..
Macao,	29.85	85	..	ENE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	84	77	W	1	c
Malate,	..	..	..	SW	1	b
Bacolod,	..	..	..		0	b
Iloilo,	29.89	82	..	..	0	b
Cebu,	29.89	86	..	SW	2	b
Cape S. James,	..	..	..	SW	2	c

On the 31st at 11.55 a. The barometer has risen in the Sea of Japan, fallen on the E. coast of China & the Phillipines. Pressure is high over Japan, and relatively low across the N. part of the China Sea & the Pacific to the E. of Luzon. Forecast:—moderate E. winds; fair.

F.G. FIGG,
First Assistant.

The Observatory, Thursday 31st August 1899.

CHINA COAST METEOROLOGICAL REGISTER.

31st AUGUST, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.02	..	..	NE	2	..
Kochi,	29.95	..	..	..	0	..
Nagasaki,	29.91	..	..	E	2	..
Kagoshima,	29.91	..	..	NE	6	..
Gutzlaff,	29.84	79	95	SSE	3	cm
Sharp Peak,	29.78	81	83	E	3	c
Amoy,	29.78	85	91	SE	3	b
Swatow,	29.82	84	..	ESE	4	b
Canton,	29.78	92	70	S	2	c
Hongkong,	29.77	82	78	ESE	3	c
Victoria Peak,	..	..	..	E	3	..
Gap Rock,	29.76	..	..	ENE	4	..
Macao,	29.76	86	..	E	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	86	71	WSW	2	c
Malate,	..	..	..	SW	2	b
Bacolod,	..	..	..	S	3	c
Iloilo,	29.77	88	..	..	0	c
Cebu,	29.77	87	..	SW	2	c
Cape S. James,	..	..	..	SW	4	c

1st SEPTEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.88	73	90	NNW	3	cm
Sharp Peak,	29.85	83	87	..	0	b
Amoy,	29.84	80	96	SW	2	c
Swatow,	..	..	..	..	..	..
Canton,	29.86	86	80	E	1	b
Hongkong,	29.83	83	76	NE	2	c
Victoria Peak,	..	..	..	ENE	4	..
Gap Rock,	29.83	..	..	ENE	4	..
Macao,	29.83	86	..	NE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	WSW	1	c
Bacolod,	..	..	..	N	4	c
Iloilo,	29.85	82	..	E	1	c
Cebu,	29.86	81	..	N	3	c
Cape S. James,	..	..	..	SW	2	c

On the 1st at 11.50 a. The barometer has fallen over Japan and the Philippines. A depression seems to be moving to the NE near W. Japan. Pressure is highest in the Pacific to the E. of the Loochoos, and relatively low in the N. part of the China Sea and in the Pacific to the E. of Luzon. Forecast:—moderate or fresh E winds; fair to showery.

F.C. FIGG,
First Assistant.

Observatory, Friday, 1st September 1899.

CHINA COAST METEOROLOGICAL REGISTER.

1st SEPTEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.75	..	..	NW	4	..
Kochi,	29.78	..	..	SE	2	..
Nagasaki,	29.83	..	..	N	6	..
Kagoshima,	29.87	..	..	SE	2	..
Gutzlaff,	29.86	75	77	NNW	3	cr
Sharp Peak,	29.78	84	83	E	2	c
Amoy,	29.78	87	92	ESE	3	b
Swatow,	29.82	81	..	ESE	4	b
Canton,	29.78	15	15	E	1	b
Hongkong,	29.75	81	83	E	4	o
Victoria Peak,	..	..	..	E	5	.
Gap Rock,	29.75	..	..	ENE	4	..
Macao,	29.73	89	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.76	84	77	SE	1	c
Malate,	..	..	..	..	0	c
Bacolod,	..	..	..	S	2	c
Iloilo,	29.77	88	..	SW	1	c
Cebu,	29.77	85	..	..	0	o
Cape S. James,	..	..	..	SW	4	o

2nd SEPTEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	.
Tokio,	..	..	..	..	..	.
Kochi,	..	.	..	..	..	..
Nagasaki,	..	..	..	..	.	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	..	.	.	..	..	.
Sharp Peak,	29.90	84	83	E	1	c
Amoy,	..	..	.	..	..	.
Swatow,	29.94	84	..	E	2	b
Canton,	.	..	..	..	..	..
Hongkong,	29.89	81	89	ESE	2	c
Victoria Peak,	..	..	..	S	3	.
Gap Rock,	29.88	..	..	SE	2	..
Macao	29.87	84	..	SSE	1	c
Haiphong,	..	..	..	..	..	.
Manila,	..	..	.	..	.	..
Malate,	..	..	..	..	0	b
Bacolod,	..	..	..	..	0	o
Iloilo,	29.85	82	..	..	0	o
Cebu,	29.87	79	..	.	0	cr
Cape S. James,	..	..	..	SW	2	o

On the 2nd at 11.55 a. The barometer has risen on the China coast. Pressure appears to be highest in the Loochoos, and relatively low in the N. part of the China Sea. Over the latter to those of Luzon winds gentle on the China coast. Forecast:—S and varying winds, fine generally, some thunderstorms.

F.G. FIGG,
First Assistant.

HONG KONG OBSERVATORY, Saturday 2nd September 1899.

CHINA COAST METEOROLOGICAL REGISTER.

2nd SEPTEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.82	..	..	E	4	..
Kochi,	29.79	..	..	..	0	..
Nagasaki,	29.83	..	..	W	6	..
Kagoshima,	29.87	..	..	..	0	..
Gutzlaff,	29.94	75	90	NE	2	cv
Sharp Peak,	29.85	84	81	E	1	c
Amoy,	29.83	89	88	SE	2	c
Swatow,	29.87	86	..	SSE	3	b
Canton,	..	..	..	..	..	..
Hongkong,	29.85	80	89	.	0	o
Victoria Peak,	..	..	..	S	2	..
Gap Rock,	29.85	..	..	S	2	..
Macao,	29.85	81	..	S	1	od
Haiphong,	..	..	..	..	..	..
Manila,	29.76	88	72	ESE	1	c
Malate,	..	..	..	SSW	1	b
Bacolod,	..	..	..	..	0	c
Iloilo,	29.77	81	..	W	1	or
Cebu,	29.79	82	..	SW	2	o
Cape S. James,	..	..	..	SW	2	c

3rd SEPTEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.01	77	77	ESE	2	cv
Sharp Peak,	29.94	85	79	E	1	c
Amoy,	..	..	.	..	..	..
Swatow,	29.96	83	..	S	2	b
Canton,	.	..	..	..	..	..
Hongkong,	29.96	82	83	ESE	2	c
Victoria Peak,	..	..	..	ESE	2	..
Gap Rock,	29.94	..	..	ENE	3	..
Macao,	29.96	86	..	SE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	86	71	N	1	c
Malate,	..	..	..	NNW	1	b
Bacolod,	..	..	..	..	0	b
Iloilo,	29.85	82	..	.	0	b
Cebu,	29.85	84	..	SW	2	b
Cape S. James,	..	..	..	SW	2	c

On the 3rd at 11 55 a. The barometer has risen on the China coast. High pressure extends from the Loochoo islands to the China coast, and pressure seems to be slightly low over the Pacific to the E. of Luzon. Gradients slight for E. winds on the China coast. Forecast:—moderate E winds; mostly fine, but some showers.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Sunday 3rd September 1899.

CHINA COAST METEOROLOGICAL REGISTER.

3rd SEPTEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.78	69	..	W	2	c
Tokio,	29.78	..	..	S	4	..
Kochi,	29.83	..	..	SE	4	..
Nagasaki,	29.91	..	..	W	4	..
Kagoshima,	29.87	..	..	W	4	..
Gutzlaff,	29.98	73	95	NNE	3	cv
Sharp Peak,	29.88	83	79	E	2	b
Amoy,	29.86	89	84	SE	2	b
Swatow,	29.89	87	..	SE	3	b
Canton,	29.87	87	80	NW	1	c
Hongkong,	29.87	83	79	E	3	c
Victoria Peak,	..	..	..	ESE	3	..
Gap Rock,	29.85	..	..	ENE	3	..
Macao,	29.88	86	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	77	92	..	0	o
Malate,	..	..	..	NW	1	o
Bacolod,	..	..	..	NW	2	o
Iloilo,	29.77	84	..	W	2	o
Cebu,	29.77	86	..	N	3	c
Cape S. James,	..	..	..	..	..	..

4th SEPTEMBER, 1899, AT 10 A.

Wladivostock,	29.77	63	71	SE	1	c
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.08	68	95	ENE	5	cmd
Sharp Peak,	29.94	84	77	N	1	c
Amoy,	..	..	..	..	..	..
Swatow,	29.96	84	..	NW	1	b
Canton,	29.96	83	83	W	1	b
Hongkong,	29.94	85	73	E	2	c
Victoria Peak,	..	..	..	ENE	2	..
Gap Rock,	29.93	..	..	ENE	4	..
Macao,	29.94	86	..	N	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	77	92	N	1	or
Malate,	..	..	..	N	1	or
Bacolod,	..	..	..	..	0	b
Iloilo,	29.85	82	..	E	1	b
Cebu,	29.86	85	..	SW	2	c
Cape S. James,	..	..	..	SW	1	c

On the 4th at 11.55 a. The barometer has risen on the E. coast of China, and is little changed elsewhere. Pressure remains high over the China coast generally, and still slightly low in the Pacific to the E. of Luzon. Gradients slight for NE winds on the coast and in the N. part of the China Sea. Forecast: Moderate NE winds; fair.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Monday 4th September 1899.

CHINA COAST METEOROLOGICAL REGISTER.

4th SEPTEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	.	..
Tokio,	29.94	..	..	N	4	..
Kochi,	29.95	..	..	SE	4	..
Nagasaki,	29.99	..	..	NW	4	..
Kagoshima,	29.95	..	..	SE	2	..
Gutzlaff,	30.04	68	95	ENE	4	omd
Sharp Peak,	29.88	84	79	ENE	4	c
Amoy,	29.85	87	92	SE	3	b
Swatow,	29.90	88	..	S	4	b
Canton,	29.89	91	88	.	0	b
Hongkong,	29.88	85	69	E	3	b
Victoria Peak,	..	..	..	ESE	1	..
Gap Rock,	29.87	..	..	NE	3	..
Macao,	29.87	88	..	NNE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	81	84	..	0	o
Malate,	..	..	..	W	1	..
Bacolod,	..	..	..	SE	2	o
Iloilo,	29.77	83	..	SW	2	o
Cebu,	29.76	87	..	SW	3	c
Cape S. James,	..	..	..	NE	2	or

5th SEPTEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.06	70	95	NE	4	omd
Sharp Peak,	29.96	84	79	E	2	o
Amoy,	..	..	.	..	..	..
Swatow,	29.98	85	..	N	1	b
Canton,	..	..	..	..	.	..
Hongkong,	29.96	85	65	E	2	b
Victoria Peak,	..	..	..	E	3	..
Gap Rock,	29.95	..	..	ENE	4	..
Macao,	29.97	87	..	NE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	84	77	W	1	b
Malate,	..	..	..	WSW	1	b
Bacolod,	.	..	..	..	0	b
Iloilo,	29.85	82	..	..	0	b
Cebu,	29.88	81	..	SW	2	o
Cape S. James,	..	..	..	N	1	f

On the 5th at 11.35 a. Barometric changes are unimportant Pressure remains high over the China coast generally, and slightly low in the Pacific to the E. of Luzon. Gradients slight for NE winds on the coast and in the N. part of the China Sea. Forecast:—moderate NE winds; fine.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Tuesday 5th September 1899.

CHINA COAST METEOROLOGICAL REGISTER.

5th SEPTEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	.	..
Tokio,	29.98	..	..	NE	2	..
Kochi,	29.99	..	..	..	0	..
Nagasaki,	30.03	..	..	N	6	..
Kagoshima,	29.99	..	..	SW	2	..
Gutzlaff,	30.05	69	95	NE	5	omd
Sharp Peak,	29.90	84	79	ENE	4	c
Amoy,	.	..	..		..	..
Swatow,	29.89	87	..	ESE	4	bf
Canton,	29.90	89	80	W	1	c
Hongkong,	29.89	84	75	E	1	b
Victoria Peak,	..	..	..	E	2	..
Gap Rock,	29.88	..	..	ENE	4	..
Macao,	29.89	88	..	ESE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	79	84	SW	1	o
Malate,	..	..	..	WNW	1	o
Bacolod,	..	..	..	SW	3	og
Iloilo,	29.81	83	..	W	3	b
Cebu,	29.80	86	..	SW	2	c
Cape S. James,	..	..	..	SW	1	c

6th SEPTEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.08	69	95	NE	4	omd
Sharp Peak,	29.97	79	82	NE	4	o
Amoy,	..	..	.	..	.	..
Swatow,	29.96	84	..	NE	2	b
Canton,	..	..	..	..		..
Hongkong,	29.95	86	67	..	0	b
Victoria Peak,	..	..	..	ENE	1	..
Gap Rock,	29.95	..	..	NNE	3	..
Macao,	29.96	88	..	NE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	84	77	WNW	1	c
Malate,	..	..	..	NE	1	c
Bacolod,		..	..	SW	2	b
Iloilo,	29.89	82	..	..	0	c
Cebu,	29.91	81	..		0	o
Cape S. James,	..	..	..	SE	2	o

On the 6th at 1.55 a. The baro meter has risen slightly in the Phillipines, and remains almost steady elsewhere. Pressure is still high over the China coast, with a slight gradient for NE winds along the coast and over the N. part of the China Sea. Forecast:—light or moderate NE winds; fine.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Wednesday 6th September 1899.

CHINA COAST METEOROLOGICAL REGISTER.

6th SEPTEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.06	..	..	N	6	..
Kochi,	29.91	..	..	..	0	..
Nagasaki,	29.95	..	..	E	2	..
Kagoshima,	29.91	..	..	SW	2	..
Gutzlaff,	30.02	73	76	NE	4	cv
Sharp Peak,	29.90	79	80	ENE	6	o
Amoy,	29.85	85	91	E	3	c
Swatow,	29.89	86	..	ESE	4	b
Canton,	29.88	93	64	W	1	b
Hongkong,	29.86	86	68	..	0	c
Victoria Peak,	..	..	..	SSW	1	..
Gap Rock,	29.86	..	..	E	2	..
Macao,	29.87	89	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.54	79	92	W	..	o
Malate,	..	..	..	S	.	o
Bacolod,	..	..	..	SW	2	o
Iloilo,	29.77	83	..	W	3	b
Cebu,	29.79	85	..	SW	..	c
Cape S. James,	..	..	..	SE	1	c

7th SEPTEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.01	73	72	NNE	5	cv
Sharp Peak,	29.93	77	73	NE	2	o
Amoy,	..	..	..	..	..	..
Swatow,	29.93	87	..	NE	2	o
Canton,	..	..	..	..	.	..
Hongkong,	29.90	89	90	E	3	op
Victoria Peak,	..	..	..	ENE	1	..
Gap Rock,	29.90	..	..	NE	2	..
Macao,	29.89	87	..	NNE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	84	78	W	1	b
Malate,	..	..	..	S	1	b
Bacolod,	..	..	..	S	2	o
Iloilo,	29.85	82	..	..	0	c
Cebu,	29.91	78	..	..	0	o
Cape S. James,	..	..	..	SE	1	o

On the 7th at 11.55 a. The barometer has fallen slightly on the China coast. There are indications of a depression, moving Northwards, in the Pacific to the E. of the Loochoos. Pressure is still high over China with a slight gradient for NE winds on the coast and in the N. part of the China Sea. Forecast:—light or moderate NE winds; fair.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Thursday 7th September 1899.

CHINA COAST METEOROLOGICAL REGISTER.

7th SEPTEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	.	..
Tokio,	29.94	..	..	N	4	..
Kochi,	29.83	..	..	SE	2	..
Nagasaki,	29.79	..	..	N	6	..
Kagoshima,	29.72	..	..	NE	6	..
Gutzlaff,	29.99	76	72	NE	5	cv
Sharp Peak,	29.89	78	71	ENE	5	o
Amoy,	29.82	85	91	NE	2	b
Swatow,	29.87	82	..	ESE	4	b
Canton,	29.81	86	80	W	1	o
Hongkong,	29.83	82	80	E	2	o
Victoria Peak,	..	..	..	E	1	..
Gap Rock,	29.82	..	..	E	3	..
Macao,	29.81	90	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	82	77	NE	1	c
Malate,	..	..	..	NW	2	o
Bacolod,	..	..	..	W	2	o
Iloilo,	29.77	83	..	W	1	o
Cebu,	29.77	81	..	SW	2	or
Cape S. James,	..	..	..	SW	3	c

8th SEPTEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.06	73	67	NNE	5	cv
Sharp Peak,	30.00	77	69	ENE	2	o
Amoy,	..	..	.	..	..	..
Swatow,	30.01	79	..	NE	1	c
Canton,	29.96	83	87	E	2	c
Hongkong,	29.96	80	80	E	4	o
Victoria Peak,	..	..	..	E	3	..
Gap Rock,	29.95	..	..	ENE	4	..
Macao,	29.97	81	..	E	2	cd
Haiphong,	..	..	..	..	..	..
Manila,	29.88	86	78	SW	1	c
Malate,	..	..	..	S	1	b
Bacolod,	..	..	..	..	0	b
Iloilo,	29.89	82	..	W	1	c
Cebu,	29.90	84	..	..	0	b
Cape S. James,	..	..	..	..	0	o

On the 8th at 11.45 a. The barometer has risen on the China coast. The depression is probably ing towards NE in Central Japan. Pressure remains high over China, with a slight gradient for NE from the coast and in the N. part of the China Sea. Forecast:—moderate NE winds; fair.

F.G. FIGG,
First Assistant.

...ZE OBSERVATORY, Friday 8th September 1899.

CHINA COAST METEOROLOGICAL REGISTER.

8th SEPTEMBER, 1899, AT 4 P.

Station.	Barometer.	Temperature.	Humidity.	Wind.		Weather.
				Direction.	Force.	
Wladivostock,	30.01	75	..	W	3	b
Tokio,	..	..	..	..	.	..
Kochi,	29.68	..	..	..	0	..
Nagasaki,	29.83	..	..	N	6	..
Kagoshima,	29.75	..	..	NW	4	..
Gutzlaff,	30.02	74	68	NNE	3	cv
Sharp Peak,	29.96	78	63	E	3	..
Amoy,	29.90	86	66	NE	2	b
Swatow,	29.93	82	..	SE	5	o
Canton,	29.92	79	74	..	0	or
Hongkong,	29.96	82	76	E	3	c
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	29.87	..	..	ENE	5	..
Macao,	29.89	85	..	ESE	2	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	91	55	WNW	2	o
Malate,	..	..	..	NW	1	b
Bacolod,	..	..	..	SE	2	og
Iloilo,	29.85	83	..	W	1	o
Cebu,	29.82	85	..	NW	3	b
Cape S. James,	..	..	..	SW	2	c

9th SEPTEMBER, 1899, AT 10 A.

Wladivostock,	30.02	62	86	N	4	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.08	76	60	E	1	cv
Sharp Peak,	30.03	77	69	NNE	1	o
Amoy,	..	..	.	..	..	..
Swatow,	..	..	..	..	..	..
Canton,	..	..		..	..	.
Hongkong,	30.01	82	73	E	4	o
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	30.00	..	..	E	5	..
Macao,	30.02	86	..	E	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.96	86	71	SW	1	b
Malate,	..	..	..	WSW	1	b
Bacolod,	..	..	..	NW	2	b
Iloilo,	29.97	83	..	..	0	b
Cebu,	29.94	82	..	.	0	c
Cape S. James,	..	..	..	SW	1	c

On the 9th at 11.30 a. The barometer has risen on the China coast and over the Phillipines. The depression has probably passed to the Pacific to the E. of Japan. Pressure remains high over the China coast, with a slight gradient for NE winds on the coast and in the N. part of the China Sea. Forecast:—moderate NE winds; fine.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Saturday 9th September 1899.

CHINA COAST METEOROLOGICAL REGISTER.

9th SEPTEMBER, 1899, AT 4 P.

Station.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	..	..	..	..	.	..
Tokio,	29.86	..	..	S	4	..
Kochi,	29.87	..	..	N	6	..
Nagasaki,	29.91	..	..	NE	6	..
Kagoshima,	29.87	..	..	S	4	..
Gutzlaff,	30.02	80	66	SE	1	cv
Sharp Peak,	29.97	79	70	SE	3	b
Amoy,	29.91	85	91	NE	2	b
Swatow,	29.96	82	..	ESE	4	b
Canton,	29.96	89	77	.	0	b
Hongkong,	29.95	81	71	E	3	b
Victoria Peak,	..	..	..	ESE	3	..
Gap Rock,	29.94	..	..	ENE	4	..
Macao,	29.95	88	..	E	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	91	61	WNW	2	c
Malate,	..	..	..	SW	1	b
Bacolod,	..	..	..	SE	2	o
Iloilo,	29.81	83	..	..	0	o
Cebu,	29.84	86	..	SW	1	b
Cape S. James,	..	..	..	SW	2	o

10th SEPTEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	29.94	..	..	N	4	..
Kochi,	29.91	..	..	..	0	..
Nagasaki,	29.91	..	..	W	2	..
Kagoshima,	29.91	..	..	E	4	..
Gutzlaff,	30.02	73	81	E	1	cgv
Sharp Peak,	29.98	78	78	..	0	o
Amoy,	..	..	.	.	..	..
Swatow,	30.04	81	..	NE	1	o
Canton,	..	..	..	..	.	
Hongkong,	30.01	83	69	E	1	o
Victoria Peak,	.	..	..	E	1	..
Gap Rock,	30.01	..	..	ENE	3	..
Macao,	30.01	88	..	ENE		c
Haiphong,	..	..	..	.	..	..
Manila,	29.98	86	71	W	1	c
Malate,	..	..	..	SW	1	b
Bacolod,		..	..		0	b
Iloilo,	29.93	83	..	E	1	b
Cebu,	29.95	85	..	SW	3	c
Cape S. James,	..	..	..	NE	2	c

[illegible] 10th at 11.55 a. The barometer has fallen a little on the E. coast of China and over W. Japan. [illegible] high over S. China, and slightly low in the Pacific to the E. of the Loochoos. Gradients slight [illegible]. Forecast:—light NE winds; fine.

F.G. FIGG,
First Assistant.

HONG OBSERVATORY, Sunday 10th September 1899.

CHINA COAST METEOROLOGICAL REGISTER.

10th SEPTEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	.	..
Tokio,	29.90	..	..	E	2	..
Kochi,	29.87	..	..	SE	2	..
Nagasaki,	29.87	..	..	SW	4	..
Kagoshima,	29.87	..	..	SE	2	..
Gutzlaff,	29.98	75	76	ENE	1	cgv
Sharp Peak,	29.92	80	68	E	2	c
Amoy,	..	..	..	..	..	..
Swatow,	29.94	84	..	ESE	3	b
Canton,	..	..	..	..	..	..
Hongkong,	29.91	83	74	E	1	o
Victoria Peak,	..	..	..	..	0	..
Gap Rock,	29.91	..	..	ESE	2	..
Macao,	29.91	86	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	88	65	NNE	1	c
Malate,	..	..	..	NNE	1	o
Bacolod,	..	..	..	..	0	or
Iloilo,	29.85	89	..	..	0	o
Cebu,	29.83	88	..	N	3	o
Cape S. James,	..	..	..	..	..	..

11th SEPTEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	.	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	.	..
Gutzlaff,	30.02	73	76	N	2	cv
Sharp Peak,	29.96	77	84	..	0	o
Amoy,	..	..	.	..	..	..
Swatow,	29.98	82	..	N	1	o
Canton,	..	..		..	..	.
Hongkong,	29.97	85	73	..	0	o
Victoria Peak,	..	..	..	..	0	..
Gap Rock,	29.98	..	..	NW	1	..
Macao,	29.99	83	..	NNE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..		..
Malate,	..	..	..	W	1	b
Bacolod,	..	..	..	NW	2	c
Iloilo,	29.89	83	..	E	1	b
Cebu,	29.95	88	..	N	2	c
Cape S. James,	..	..	..	NE	4	or

On the 11th at 11.55 a. Barometric changes are unimportant. Pressure is high over China, and low apparently, in the Pacific to the S. of Japan. Gradients slight generally. Forecast:—N or varying winds, light; showery to fair.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Monday 11th September 1899.

CHINA COAST METEOROLOGICAL REGISTER.

11th SEPTEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	.	..
Tokio,	29.86	..	..	NE	4	..
Kochi,	29.83	..	..	..	0	..
Nagasaki,	29.83	..	..	N	4	..
Kagoshima,	29.83	..	..	N	2	..
Gutzlaff,	29.98	79	74	NNE	1	cv
Sharp Peak,	29.89	79	78	E	3	c
Amoy,	29.86	84	91	SE	3	c
Swatow,	29.92	82	..	E	1	o
Canton,	29.90	90	70	W	1	b
Hongkong,	29.89	82	81	..	0	o
Victoria Peak,	..	..	..	NW	1	..
Gap Rock,	29.89	..	..	NNW	2	..
Macao,	29.89	83	..	ESE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	84	71	NE	2	c
Malate,	..	..	..	..	0	b
Bacolod,	..	..	..	SE	..	op
Iloilo,	29.81	82	..	W	1	or
Cebu,	29.80	87	..	N	3	c
Cape S. James,	..	..	..	E	2	c

12th SEPTEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	.	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	.	..
Gutzlaff,	30.02	73	76	ENE	3	cv
Sharp Peak,	29.97	75	77	N	2	o
Amoy,	..	..	.	..	..	..
Swatow,	..	..	..	..	..	.
Canton,	29.96	84		N	1	b
Hongkong,	29.96	84	71	..	0	c
Victoria Peak,	..	..	..	NE	1	..
Gap Rock,	29.96	..	..	NW	1	..
Macao,	29.96	88	..	NNE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.92	84	85	W	2	..
Malate,	..	..	..	..	0	b
Bacolod,	..	..	..		0	b
Iloilo,	29.89	83	..	E	2	b
Cebu,	29.90	87	..	SW	3	b
Cape S. James,	..	..	..	NE	2	c

On the 12th at 11.55 a. Barometric changes are unimportant. Pressure remains high over China Sea, apparently, in the Pacific to the S. of Japan. Gradients slight generally. Forecast:—N or varying light; mostly fine, but some showers.

F.G. FIGG,
First Assistant.

ZIKAWEI OBSERVATORY, Tuesday 12th September 1899.

CHINA COAST METEOROLOGICAL REGISTER.

12th SEPTEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	.	..
Tokio,	29.90	..	..	N	2	..
Kochi,	29.83	..	..	SE	2	..
Nagasaki,	29.87	..	..	NW	4	..
Kagoshima,	29.87	..	..	S	2	..
Gutzlaff,	30.00	73	63	NE	2	cv
Sharp Peak,	29.94	74	83	NE	1	o
Amoy,	29.87	85	91	NE	2	b
Swatow,	29.91	82	..	E	2	c
Canton,	29.90	90	63	SE	1	b
Hongkong,	29.86	84	67	ESE	1	c
Victoria Peak,	..	..	..	NE	1	
Gap Rock,	29.86	..	..	ENE	2	..
Macao,	29.87	89	..	E	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	86	78	ENE	1	c
Malate,	..	..	..	NNE	1	o
Bacolod,	..	..	..	..	0	b
Iloilo,	29.81	83	..	W	1	o
Cebu,	29.80	88	..	SW	3	o
Cape S. James,	..	..	..	SE	1	c

18th SEPTEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	.	..	..	..	..	..
Kochi,	..	.	..	..	..	..
Nagasaki,	..	..	..	.	..	..
Kagoshima,	..	..	..	..	.	..
Gutzlaff,	30.07	73	67	NE	2	c
Sharp Peak,	29.99	76	77	NE	1	o
Amoy,	..	..	.	..	..	..
Swatow,	..	..	..	..	..	..
Canton,		..		..	..	..
Hongkong,	29.95	83	77	E	3	o
Victoria Peak,	..	..	..	E	3	..
Gap Rock,	29.94	..	..	ENE	3	..
Macao,	29.94	88	..	NE	1	c
Haiphong,	..	..	..	.	..	..
Manila,	29.92	84	78	W	1	c
Malate,	..	..	..	WNW	1	b
Bacolod,	.	..	..		0	o
Iloilo,	29.89	82	..	.	0	o
Cebu,	29.90	80	..	SW	1	o
Cape S. James,	..	..	..	SW	1	o

On the 17th at 11.45 a. The barometer has risen slightly on the E. coast of China, fallen a little on the S. coast. Pressure remains high over China, with a slight gradient for NE winds on the coast and in the N. part of the China Sea. Forecast:—moderate NE winds; mostly fine, but some showers.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Wednesday 13th September 1899.

CHINA COAST METEOROLOGICAL REGISTER.

13th SEPTEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	.	..
Tokio,	29.94	..	..	S	4	..
Kochi,	29.95	..	..	SE	2	..
Nagasaki,	29.95	..	..	NE	6	..
Kagoshima,	29.95	..	..	SE	2	..
Gutzlaff,	30.03	75	72	NE	3	cv
Sharp Peak,	29.95	78	78	ENE	4	o
Amoy,	29.88	85	91	NE	2	b
Swatow,	29.91	88	..	E	4	b
Canton,	29.89	93	64	E	1	o
Hongkong,	29.87	82	76	E	3	o
Victoria Peak,	..	..	..	ESE	3	..
Gap Rock,	29.87	..	..	ENE	3	..
Macao,	29.87	83	..	ESE	1	..
Haiphong,	..	..	..	..	..	..
Manila,	29.80	84	77	E	1	c
Malate,	..	..	..	SW	1	o
Bacolod,	..	..	..	..	0	o
Iloilo,	29.77	84	..	.	0	o
Cebu,	29.79	88	..	N	2	c
Cape S. James,	..	..	..	SW	2	c

14th SEPTEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..		..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	.	..	..
Kagoshima,	..	..	..	..		..
Gutzlaff,	30.09	76	69	E	2	cv
Sharp Peak,	30.01	76	75	..	0	o
Amoy,	29.96	80	91	NE	1	c
Swatow,	30.00	81	..	ENE	3	c
Canton,	29.98	79	70	E	1	o
Hongkong,	29.97	78	91	E	3	or
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	29.94	..	..	E	4	..
Macao,	29.96	78	..	SSE	1	od
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..		..
Malate,	..	..	..	NW	1	b
Bacolod,	..	..	..		0	o
Iloilo,	29.85	82	..	E	1	b
Cebu,	29.88	84	..	.	0	c
Cape S. James,	..	..	..	SW	2	o

On the 14th at 11.55 a. Barometric changes are unimportant. Pressure remains high over China Japan, with slight gradients for NE winds on the coast and in the N. part of the China Sea. Forecast: erate NE winds; rainy.

F.G. FIGG,
First Assistant.

ONG OBSERVATORY, Thursday 14th September 1899.

CHINA COAST METEOROLOGICAL REGISTER

14th SEPTEMBER, 1899, AT 4 P.

Station.	Barometer.	Temperature.	Humidity.	Wind		Weather
				Direction.	Force.	
Wladivostock,	29.80	75	..	SW	4	o
Tokio,	30.07	..	..	NE	2	..
Kochi,	29.93	..	..	SE	2	..
Nagasaki,	29.99	..	..	SE	4	..
Kagoshima,	29.99	..	..	E	4	..
Gutzlaff,	30.05	75	77	NE	2	cv
Sharp Peak,	29.96	78	70	E	3	o
Amoy,	29.96	85	76	E	2	b
Swatow,	29.93	83	..	ENE	3	c
Canton,	29.87	82	91	..	0	or
Hongkong,	29.87	81	77	E	4	od
Victoria Peak,	..	..	..	E	5	..
Gap Rock,	29.85	..	..	E	4	..
Macao,	29.87	81	..	NE	1	od
Haiphong,	..	..	..	..	..	..
Manila,	29.80	86	71	NE	1	c
Malate,	..	..	..	NNE	1	o
Bacolod,	..	..	..	N	6	og
Iloilo,	29.77	87	..	W	2	b
Cebu,	29.79	85	..	N	3	o
Cape S. James,	..	..	..	SW	2	o

15th SEPTEMBER, 1899, AT 10 A.

Wladivostock,	30.02	62	88	..	0	b
Tokio,	.	.	..	.		..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	.	..		..	..
Kagoshima,	..	..	..	..		..
Gutzlaff,	30.08	75	81	ENE	3	cv
Sharp Peak,	29.98	77	65	NE	2	o
Amoy,	29.94	80	96	NE	1	b
Swatow,	29.98	80	..	ENE	2	b
Canton,	..	..	..	..	..	..
Hongkong,	29.94	79	80	NE	3	o
Victoria Peak,	..	..	..	E	3	..
Gap Rock,	29.92	..	..	E	4	..
Macao,	29.94	86	..	NNE	1	c
Haiphong,	..	..	..		..	..
Manila,	29.84	84	77	WNW	1	c
Malate,	..	..	..	NW	1	b
Bacolod,	..	..	..	SE	4	op
Iloilo,	29.81	82	..	W	1	o
Cebu,	29.87	84	..	SW	1	o
Cape S. James,	..	..	..	SW	2	o

On the 15th at 12.15 p. The barometer is falling slowly on the China coast and over the Philippines. Pressure seems to be low in the Pacific to the E. of Luzon, but is still high on the China coast. Gradients slight to moderate for NE winds on the coast and in the N. part of the China Sea. Forecasts—moderate to fresh NE winds; cloudy, some rain.

Telegraphic communication between the Observatory and Hongkong is interrupted.

F.G. FIGG,
First Assistant.

Hongkong Observatory, Friday 15th September 1899.

CHINA COAST METEOROLOGICAL REGISTER.

15th SEPTEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.02	..	..	S	2	..
Kochi,	30.03	..	..	.	0	..
Nagasaki,	30.03	..	..	NE	4	..
Kagoshima,	29.99	..	..	SE	4	..
Gutzlaff,	30.06	78	70	E	4	cv
Sharp Peak,	29.95	77	65	NNE	7	o
Amoy,	29.88	85	76	NE	8	b
Swatow,	29.91	83	..	ENE	4	c
Canton,	29.87	87	76	E	1	o
Hongkong,	29.88	81	75	E	3	o
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	29.87	..	..	ENE	4	..
Macao,	29.88	84	..	E	..	b
Haiphong,	..	..	..	..	..	..
Manila,	29.76	82	85	ESE	1	o
Malate,	..	..	..	S	1	c
Bacolod,	..	..	..	SE	2	o
Iloilo,	29.73	85	..	W	3	..
Cebu,	29.74	85	..	SW	3	o
Cape S. James,	..	..	..	SSW	3	o

16th SEPTEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..		..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	.	..
Gutzlaff,	30.10	76	64	ENE	3	cv
Sharp Peak,	29.99	78	74	NNW	2	o
Amoy,	29.93	80	91	NW	1	b
Swatow,	..	.	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.93	81	62	E	5	b
Victoria Peak,	..	..	..	ESE	5	..
Gap Rock,	29.93	..	..	ENE	5	..
Macao,	29.93	88	..	ENE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	.	..	..
Malate,	..	..	..	NW	1	c
Bacolod,	.	..	..	SW	2	o
Iloilo,	29.81	82	..	W	4	o
Cebu,	29.86	81	..	SW	3	o
Cape S. James,	..	..	..	.	..	..

On the 16th at 10 a. Barometric changes are unimportant. Pressure remains high over China Japan, and low in the Pacific to the E. of Luzon. Gradients slight to moderate for NE winds on the and in the N. part of the China Sea. Forecast:—fresh NE winds; fair.

F.G. FIGG,
First Assistant.

ZIKA OBSERVATORY, Saturday 16th September 1899.

CHINA COAST METEOROLOGICAL REGISTER.

16th SEPTEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	..	..	..	..	..	..
Tokio,	30.06	..	..	NE	4	..
Kochi,	30.07	..	..	SE	2	..
Nagasaki,	30.07	..	..	NE	6	..
Kagoshima,	30.03	..	..	E	4	..
Gutzlaff,	30.05	78	82	ENE	3	cv
Sharp Peak,	29.92	80	74	NE	6	o
Amoy,	29.87	88	92	N	3	b
Swatow,	29.94	81	..	ENE	1	b
Canton,	29.86	91	67	E	1	b
Hongkong,	29.86	82	66	ENE	3	b
Victoria Peak,	..	..	..	E	3	..
Gap Rock,	29.86	..	..	ENE	5	..
Macao,	29.87	86	..	E	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.72	82	77	NNE	1	c
Malate,	..	..	..	NNE	1	o
Bacolod,	..	..	..	SE	2	op
Iloilo,	29.69	82	..	SW	2	o
Cebu,	29.75	82	..	SW	3	o
Cape S. James,	..	..	..	SW	2	o

17th SEPTEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	.	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	.	..
Gutzlaff,	30.08	73	95	SE	4	omd
Sharp Peak,	29.96	78	84	NNE	3	o
Amoy,	29.90	84	91	NE	2	b
Swatow,	..	..	..	..	..	..
Canton,	29.91	84	83	E	1	b
Hongkong,	29.91	83	64	ENE	5	b
Victoria Peak,	..	..	..	E	7	..
Gap Rock,	29.90	..	..	ENE	6	..
Macao,	29.92	88	..	ENE	1	c
Haiphong,	..	..	..	..	..	..
Manila,		..	..		..	.
Malate,	..	..	..	NE	1	o
Bacolod,		..	..	SE	4	op
Iloilo,	29.77	82	..	SW	4	o
Cebu,	29.86	80	..	SW	6	cd
Cape S. James,	..	..	..	.	..	..

On the 17th at 12.10 p. The barometer has fallen a little on the China coast, and is unchanged in the Phillipines. Pressure is still slightly above the normal on the China coast and high over Japan. Low pressure lies over the Phillipine Archipelago in about Lat., and extends, probably, westwards in the China Sea. Gradients moderate for NE winds in S. China and in the N. part of the China Sea. Forecast:—fresh NE winds; fine.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Sunday 17th September 1899.

CHINA COAST METEOROLOGICAL REGISTER.

17th SEPTEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.14	..	..	NW	2	..
Kochi,	30.11	..	..	SE	2	..
Nagasaki,	30.07	..	..	NE	2	..
Kagoshima,	30.07	..	..	SE	4	..
Gutzlaff,	30.02	73	90	ESE	4	omd
Sharp Peak,	29.89	83	79	NNE	3	o
Amoy,	29.84	91	88	NE	1	b
Swatow,	29.85	86	..	E	4	b
Canton,	29.84	91	77	WSW	1	b
Hongkong,	29.81	85	66	ESE	3	b
Victoria Peak,	..	..	..	E	2	..
Gap Rock,	29.81	..	..	ENE	5	..
Macao,	29.81	91	..	NNE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.72	79	92	NE	1	o
Malate,	..	..	..	W	1	o
Bacolod,	..	..	..	SE	1	o
Iloilo,	29.69	81	..	SW	5	o
Cebu,	29.73	83	..	SW	6	o
Cape S. James,	..	..	..	..	..	..

18th SEPTEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	.	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	.	..	..	.	..	..
Kagoshima,	..	..	..	..	.	..
Gutzlaff,	29.97	70	90	ENE	5	omd
Sharp Peak,	29.86	80	82	NE	1	o
Amoy,	29.86	83	91	W	1	b
Swatow,	..	..	..	..	..	..
Canton,	29.90	87	72	E	2	b
Hongkong,	29.89	83	76	E	4	o
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	29.86	..	..	ENE	6	..
Macao,	29.87	89	..	ENE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.76	84	77	ESE	1	c
Malate,	..	..	..	SW	..	o
Bacolod,	..	..	..	SE	..	oq
Iloilo,	29.81	83	..	SW	6	o
Cebu,	29.83	83	..	SW	6	o
Cape S. James,	..	..	..	NW	3	f

On the 18th at 4.55 a. The barometer has fallen moderately on the E. coast of China, and slightly the S. coast and over the Philippines. An elongated area of low pressure seems to be lying across the China Sea and Philippines in about 14° Lat. Pressure remains high over Japan. Gradients moderate for winds on the coast and in the N. part of the China Sea. Forecast:—fresh NE winds; fine.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Monday 18th September 1899.

CHINA COAST METEOROLOGICAL REGISTER.

18th SEPTEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.14	..	..	N	4	..
Kochi,	30.07	..	..	..	0	..
Nagasaki,	30.03	..	..	SE	2	..
Kagoshima,	30.03	..	..	E	6	..
Gutzlaff,	29.88	72	100	ENE	5	omr
Sharp Peak,	29.81	82	81	ENE	3	o
Amoy,	29.79	88	96	SE	1	b
Swatow,	29.81	85	..	E	4	b
Canton,	29.79	94	64	SE	1	b
Hongkong,	29.78	84	72	E	4	b
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	29.77	..	..	ENE	5	..
Macao,	29.79	89	..	ESE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.69	84	77	W	1	o
Malate,	..	..	..	SW	2	g
Bacolod,	..	..	..	SE	4	c
Iloilo,	29.69	82	..	W	3	o
Cebu,	29.75	81	..	SW	5	o
Cape S. James,	..	..	..	SW	4	f

19th SEPTEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	30.18	..	..	N	4	..
Kochi,	30.03	..	..	SW	2	..
Nagasaki,	29.95	..	..	NE	2	..
Kagoshima,	29.95	..	..	E	6	..
Gutzlaff,	29.86	71	95	NE	6	omp
Sharp Peak,	29.81	82	83	NNE	2	o
Amoy,	29.79	84	96	SW	1	b
Swatow,	29.83	84	..	NE	2	c
Canton,		93	67	W	1	c
Hongkong,	29.80	87	69	E	1	b
Victoria Peak,	..	..	..	E	2	..
Gap Rock,	29.79	..	..	ENE	4	..
Macao,	29.81	90	..	NE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	77	92	SE	1	or
Malate,	..	..	..	S	2	og
Bacolod,	..	..	..	S	4	op
Iloilo,	29.81	82	..	SW	2	o
Cebu,	29.84	82	..	SW	4	o
Cape S. James,	..	..	..	.	..	..

On the 19th at 11.55 a. The barometer has fallen on the China coast and over Japan. A depression has formed, apparently, between the E. coast of China and the Loochoos. It seems to be moving Northwards and will probably recurve over W. Japan. An elongated area of low pressure is still lying across the China Sea in about 15° Lat. Forecast:—fresh NE winds; fine.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Tuesday 19th September 1899.

CHINA COAST METEOROLOGICAL REGISTER.

19th SEPTEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.10	..	..	N	4	..
Kochi,	29.95	..	..	SW	2	..
Nagasaki,	29.91	..	..	NE	6	..
Kagoshima,	29.87	..	..	E	8	..
Gutzlaff,	29.82	72	95	NE	6	omd
Sharp Peak,	29.74	82	81	ENE	3	c
Amoy,	29.74	87	92	SE	3	b
Swatow,	29.72	85	..	E	3	c
Canton,	29.75	94	64	NW	1	c
Hongkong,	29.70	85	72	ESE	3	b
Victoria Peak,	..	..	..	E	1	..
Gap Rock,	29.70	..	..	ENE	4	..
Macao,	29.71	91	..	SE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.69	79	92	SSE	1	o
Malate,	..	..	..	S	2	or
Bacolod,	..	..	..	..	..	op
Iloilo,	29.69	82	..	W	3	o
Cebu,	29.74	84	..	SW	5	o
Cape S. James,	..	..	..	SW	4	om

20th SEPTEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	..	..	..	..	..	..
Sharp Peak,	29.83	78	80	NNW	3	o
Amoy,	29.77	83	91	NE	1	c
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.76	86	65	ENE	1	c
Victoria Peak,	..	..	..	NE	3	..
Gap Rock,	29.77	..	..	ENE	3	..
Macao,	29.77	90	..	N	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.69	77	92	WSW	1	or
Malate,	..	..	..	WSW	5	orq
Bacolod,	..	..	..	SE	6	op
Iloilo,	29.77	84	..	SW	3	o
Cebu,	29.81	84	..	SW	5	o
Cape S. James,	..	..	..	SW	4	or

On the 20th at 11.40 a. The barometer has risen on the E. coast of China, fallen on the S. coast and the Phillipines The depression, lying to the W. of the Loochoos yesterday, has probably moved NE towards Japan. A new typhoon, which will probably move towards WNW, has formed near the NE. coast of Luzon. Gradients increasing for N and NE winds in S. China and in the N. part of the China Sea. Forecast.—N winds, increasing; fair.

F.G. FIGG,

Assistant.

HONG OBSERVATORY, Wednesday 20th September 1899.

CHINA COAST METEOROLOGICAL REGISTER.

20th SEPTEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	30.13	71	..	N	1	c
Tokio,	30.02	..	..	N	6	..
Kochi,	29.75	..	..	NE	2	..
Nagasuki,	29.68	..	..	NE	10	..
Kagoshima,	29.64	..	..	E	8	..
Gutzlaff,	29.87	74	76	NNE	5	cm
Sharp Peak,	29.77	79	72	ENE	4	o
Amoy,	29.72	84	72	NE	4	c
Swatow,	29.72	83	..	E	4	c
Canton,	29.71	93	61	N	1	b
Hongkong,	29.70	85	72	ESE	1	c
Victoria Peak,	..	..	..	E	1	..
Gap Rock,	29.70	..	..	ENE	3	..
Macao,	29.70	92	..	N	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.57	79	100	SE	5	or
Malate,	..	..	..	SE	4	or
Bacolod,	..	..	..	S	..	opq
Iloilo,	29.65	82	..	SW	5	o
Cebu,	29.71	86	..	SW	5	o
Cape S. James,	..	..	..	SW	5	or

21st SEPTEMBER, 1899, AT 10 A.

Wladivostock,	30.17	62	89	NNE	1	c
Tokio,	.	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	29.93	72	67	N	5	cv
Sharp Peak,	29.87	78	61	N	5	c
Amoy,	29.86	80	91	NE	3	b
Swatow,		..	..	..	.	
Canton,	29.83	84	64	E	1	b
Hongkong,	29.83	80	78	ENE	2	od
Victoria Peak,	..	..	..	E	2	..
Gap Rock,	29.82	..	..	ENE	5	..
Macao,	29.83	89	..	NE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.69	82	77	SSW	2	o
Malate,	..	..	..	S	4	o
Bacolod,		..	..	S	6	cq
Iloilo,	29.73	81	..	S	7	oq
Cebu,	29.80	84	..	SW	6	o
Cape S. James,	..	..	..	W	4	f

On the 21st at 10.30 a. Red South Cone hoisted. At 11.20 a. The barometer has risen slightly on the China coast. The typhoon has entered the China Sea and appears to be now situated off the W. coast of Luzon in about 16° Lat, moving apparently WNW. The northern depression is probably moving ENE along the S coast of Japan. High pressure over N. China with very strong monsoon on the coast. Forecast:—NE winds, freshening considerably; squally, showery. N and NE gales in the N. part of the China Sea.

F.G. FIGG,

1st Assistt.

HONGKONG OBSERVATORY, Thursday 21st September 1899.

CHINA COAST METEOROLOGICAL REGISTER.

21st SEPTEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	30.13	72	..	S	1	c
Tokio,	29.98	..	..	NW	6	..
Kochi,	29.60	..	..	W	2	..
Nagasaki,	29.52	..	..	N	2	..
Kagoshima,	29.52	..	..	NW	4	..
Gutzlaff,	29.90	75	68	N	5	c
Sharp Peak,	29.79	78	67	E	7	b
Amoy,	29.75	86	92	NE	3	b
Swatow,	29.76	84	..	ESE	4	c
Canton,	29.78	88	73	E	2	b
Hongkong,	29.78	81	73	E	1	op
Victoria Peak,	..	..	..	E	1	..
Gap Rock,	29.76	..	..	ENE	4	..
Macao,	29.78	86	..	ESE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.61	79	92	ESE	1	or
Malate,	..	..	..	SE	1	or
Bacolod,	..	..	..	SW	6	op
Iloilo,	29.65	83	..	SW	..	c
Cebu,	29.71	86	..	SW	6	c
Cape S. James,	..	..	..	NW	4	c

22nd SEPTEMBER, 1899, AT 10 A.

Wladivostock,	30.06	58	99	..	0	c
Tokio,	30.06	..	..	N	6	..
Kochi,	29.75	..	..	SE	6	..
Nagasaki,	29.68	..	..	W	6	..
Kagoshima,	29.72	..	..	S	2	..
Gutzlaff,	29.92	71	85	NNW	5	bm
Sharp Peak,	29.92	76	55	NNE	3	b
Amoy,	29.87	78	82	N	1	b
Swatow,	29.94	71	..	NE	2	c
Canton,			..	..	..	..
Hongkong,	29.89	83	64	E	1	b
Victoria Peak,	..	..	..	E	2	..
Gap Rock,	29.89	..	..	ENE	3	..
Macao,	29.88	88	..	NNE	2	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..		
Malate,	..	..	..	NNW	1	c
Bacolod,	..	..	..	S	4	op
Iloilo,	29.77	..	..	S	4	c
Cebu,	29.79		..	SW	5	c
Cape S. James,	..	..	..	NW	2	c

the 22nd at 11.55 a. Red South Cone lowered. The barometer has risen in S. China and over and remains almost steady in the Philippines. The Northern depression, still lying in W. Japan, ased in intensity, and the typhoon near N. Luzon seems also to be filling up at present. Gradients steep for N and NE winds over the N. part of the China Sea. Forecasts—moderate NE winds; fair.

F.G. FIGG,
First Assistant.

Observatory, Friday 22nd September 1899.

CHINA COAST METEOROLOGICAL REGISTER.

22nd SEPTEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.02	..	..	NE	6	..
Kochi,	29.75	..	..	SE	4	..
Nagasaki,	29.68	..	..	W	6	..
Kagoshima,	29.72	..	..	SW	4	..
Gutzlaff,	29.89	74	76	N	4	cv
Sharp Peak,	29.86	78	50	E	4	b
Amoy,	29.81	86	92	ENE	1	b
Swatow,	..	..	..	..	..	..
Canton,	29.85	80	77	N	1	b
Hongkong,	29.83	82	71	E	2	o
Victoria Peak,	..	..	..	NNE	1	..
Gap Rock,	29.83	..	..	ENE	3	..
Macao,	29.83	90	..	NNE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.69	82	85	E	1	o
Malate,	..	..	..	SSW	1	o
Bacolod,	..	..	..	SW	6	op
Iloilo,	29.69	83	..	W	4	b
Cebu,	29.73	85	..	SW	6	c
Cape S. James,	..	..	..	NW	4	c

23rd SEPTEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	30.06	..	..	N	4	..
Kochi,	29.91	..	..	..	0	..
Nagasaki,	29.87	..	..	..	0	..
Kagoshima,	29.87	..	..	E	6	..
Gutzlaff,	29.99	72	85	N	5	cv
Sharp Peak,	29.95	76	55	N	1	b
Amoy,	29.93	77	91	N	1	b
Swatow,	29.97	80	..	NNE	4	b
Canton,			..	..	..	..
Hongkong,	29.94	82	59	ENE	1	b
Victoria Peak,	..	..	..	NE	2	..
Gap Rock,	29.92	..	..	NE	4	..
Macao,	29.93	86	..	NNE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	79	84	ENE	1	c
Malate,	..	..	..	SSE	2	b
Bacolod,	..	..	..	SE	2	opq
Iloilo,	29.81	82	..	W	2	or
Cebu,	29.83	84	..	SW	4	o
Cape S. James,	..	..	..	..	..	

On the 23rd at 7.15 a. The barometer has risen generally. Pressure is high over China, and low in the Pacific to the E. of the Loochoos. Fresh monsoon on the China coast and in the N part of the China Sea. Forecast:—moderate NE winds; fine.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Saturday 23rd September 1899.

CHINA COAST METEOROLOGICAL REGISTER.

23rd SEPTEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.02	..	..	N	2	..
Kochi,	29.91	..	..	E	2	..
Nagasaki,	29.83	..	..	SW	2	..
Kagoshima,	29.79	..	..	SE	4	..
Gutzlaff,	29.97	74	76	N	5	cv
Sharp Peak,	29.90	78	54	E	6	b
Amoy,	29.85	86	61	NNE	2	b
Swatow,	29.89	82	..	ESE	.	b
Canton,	29.88	90	47	N	1	b
Hongkong,	29.86	80	68	ESE	3	b
Victoria Peak,	..	..	..	E	1	..
Gap Rock,	29.86	..	..	ENE	3	..
Macao,	29.86	86	..	ESE	1	c
Haiphong,	..	..	..	..	..	.
Manila,	29.72	84	78	S	2	c
Malate,	..	..	..	S	2	c
Bacolod,	..	..	..	S	2	o
Iloilo,	29.73	82	..	W	3	o
Cebu,	29.73	81	..	SW	5	o
Cape S. James,	..	..	..	N	2	c

24th SEPTEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.04	72	71	NNE	5	cv
Sharp Peak,	29.96	76	58	N	3	c
Amoy,	29.92	72	90	W	1	c
Swatow,	29.98	80	..	N	3	c
Canton,	29.96	83	57	N	..	c
Hongkong,	29.95	82	64	E	2	c
Victoria Peak,	..	..	..	ENE	2	..
Gap Rock,	29.94	..	..	ENE	3	..
Macao,	29.94	86	..	E	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	84	77	W	1	c
Malate,	..	..	..	WSW	1	b
Bacolod,	..	..	..	S	4	op
Iloilo,	29.77	82	..	W	2	r
Cebu,	29.84	82	..	SW	4	c
Cape S. James,	..	..	..	SW	2	f

On the 24th at 11.55 a. Barometric changes are slight. Pressure remains high over the interior of A and low in the Pacific to E or SE of the Loochoos. Gradients slight to moderate with fresh monsoon h coast and in the N part of the China Sea. Forecast:—moderate NE winds; fine.

F.G. FIGG,
First Assistant.

ZIKAWEI OBSERVATORY, Sunday 24th September 1899.

CHINA COAST METEOROLOGICAL REGISTER.

24th SEPTEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.98	..	..	S	2	..
Kochi,	29.91	..	..	SW	2	..
Nagasaki,	29.83	..	..	NE	4	..
Kagoshima,	29.79	..	..	E	6	..
Gutzlaff,	29.97	73	63	N	5	bv
Sharp Peak,	29.87	79	61	E	3	b
Amoy,	29.87	86	88	NE	1	c
Swatow,	29.85	88	..	ESE	4	b
Canton,	29.85	89	50	NW	1	b
Hongkong,	29.84	81	61	SE	3	b
Victoria Peak,	..	..	..	E	1	..
Gap Rock,	29.83	..	..	ENE	3	..
Macao,	29.84	86	..	SSE	2	c
Haiphong,	..	..	..	..	..	..
Manila,	29.69	90	66	W	1	c
Malate,	..	..	..	SW	1	b
Bacolod,	..	..	..	S	4	opq
Hoilo,	29.73	81	..	SW	2	or
Cebu,	29.76	83	..	SW	4	o
Cape S. James,	..	..	..	..	..	..

25th SEPTEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	30.02	..	..	NE	4	..
Kochi,	29.91	..	..	SW	2	..
Nagasaki,	29.83	..	..	NE	4	..
Kagoshima,	29.83	..	..	E	6	..
Gutzlaff,	29.97	73	81	NNE	4	cv
Sharp Peak,	29.89	77	63	NNW	2	b
Amoy,	29.87	79	78	NNE	1	b
Swatow,	29.93	80	..	NW	1	b
Canton,	29.91	83	75	..	0	b
Hongkong,	29.90	81	62	..	0	b
Victoria Peak,	..	..	..	NE	1	..
Gap Rock,	29.89	..	..	NE	3	..
Macao,	29.89	88	..	NW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	84	77	SW	1	c
Malate,	..	..	..	SW	1	b
Bacolod,	..	..	..	SE	2	op
Hoilo,	29.77	84	..	..	0	r
Cebu,	29.81	81	..	SW	4	o
Cape S. James,	..	..	..	..	..	..

On the 25th at 11.50 a. The barometer has fallen slightly on the China coast. The typhoon is situated to the S. of the Luchoos and apparently moving slowly Westwards at present. Pressure is high over the interior of China and in the Pacific to the E. of Japan. Gradients slight to moderate for N and NE winds on the China coast. Forecast:—N winds, light or moderate; fine.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Monday 25th September 1899.

CHINA COAST METEOROLOGICAL REGISTER.

25th SEPTEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	.	..	..	..	.	..
Tokio,	29.98	..	..	N	2	..
Kochi,	29.83	..	..	SW	2	..
Nagasaki,	29.83	..	..	N	4	..
Kagoshima,	29.79	..	..	E	6	..
Gutzlaff,	29.92	73	81	NNE	5	cv
Sharp Peak,	29.81	80	66	E	3	b
Amoy,	29.78	84	75	SE	3	c
Swatow,	29.79	84	..	SW	1	b
Canton,	29.79	91	60	NW	1	b
Hongkong,	29.80	82	69	S	1	o
Victoria Peak,	..	..	..	SSW	2	..
Gap Rock,	29.80	..	..	..	0	..
Macao,	29.80	88	..	SSE	1	c
Haiphong,	..	..	..	..	..	.
Manila,	29.72	86	71	WSW	2	b
Malate,	..	..	..	SW	3	b
Bacolod,	..	..	..	SE	6	op
Iloilo,	29.69	81	..	W	3	r
Cebu,	29.76	84	..	SW	4	o
Cape S. James,	..	..	..	SW	2	c

26th SEPTEMBER, 1899, AT 10 A.

Wladivostock,	..	.	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	.	..	..
Gutzlaff,	29.96	73	86	NNE	4	cm
Sharp Peak,	29.87	79	64	NNE	3	b
Amoy,	29.85	79	82	NNE	1	b
Swatow,	29.88	83	..	N	2	b
Canton,	29.91	84	60	N	1	b
Hongkong,	29.89	84	68	..	0	c
Victoria Peak,	..	..	..	N	1	..
Gap Rock,	29.89	..	..	..	0	..
Macao,	29.88	91	..	NNW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	.	..	..			..
Malate,	..	..	..	SSW	2	b
Bacolod,	..	..	..	SE	4	op
Iloilo,	29.81	80	..	W	2	r
Cebu,	29.91	78	..	SW	4	or
Cape S. James,	..	..	..	SW	3	o

On the 26th at 11.55 a The barometer is inclined to fall on the China coast, and to rise in the Phillipines The depression seems to be still lying to the E of Formosa, apparently moving very slowly Gradients slight to moderate for N and NE winds on the China coast. Forecast:—N or varying winds, light; fine.

F.G. FIGG,

Hongkong Observatory, Tuesday 26th September 1899.

CHINA COAST METEOROLOGICAL RECORD.

26th SEPTEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	29.86	65	..	S	5	o
Tokio,	29.98	..	..	N	2	..
Kochi,	29.87	..	..	..	0	..
Nagasaki,	29.83	..	..	SW	4	..
Kagoshima,	29.86	..	..	SE	2	..
Gutzlaff,	29.84	74	84	NNE	3	cm
Sharp Peak,	29.79	81	73	E	3	o
Amoy,	29.77	85	91	SE	2	b
Swatow,	..	..	..	..	..	..
Canton,	29.84	92	54	N	1	b
Hongkong,	29.80	85	68	W	1	o
Victoria Peak,	..	..	..	SW	2	..
Gap Rock,	29.80	..	..	..	0	..
Macao,	29.80	90	..	NE	1	c
Haiphong,	..	..	..	..	..	.
Manila,	29.76	84	71	W	2	o
Mulate,	..	..	..	SW	2	o
Bacolod,	..	..	..	SE	4	cp
Iloilo,	29.73	81	..	SW	3	c
Cebu,	29.79	80	..	SW	4	o
Cape S. James,	.	..	..	..	.	.

27th SEPTEMBER, 1899, AT 10 A.

Wladivostock,	29.69	57	67	..	0	o
Tokio,	..	..	..	..	..	..
Kochi,		..	..	..	..	..
Nagasaki,	.	..	..	..	..	..
Kagoshima,		..	..	.	..	..
Gutzlaff,			..		.	..
Sharp Peak,	[illegible]	79	66	N	4	o
Amoy,	29.84	83	79	NE	2	c
Swatow,	29.91	87	..	NNW	3	c
Canton,	29.8[illegible]	88	58	N	3	b
Hongkong,	29.91	79	42	N	2	b
Victoria Peak,	.		..	N	4	..
Gap Rock,	29.95		.	NW	5	..
Macao,	29.94	8[illegible]	..	NNW	2	..
Haiphong,		.	..	.	..	..
Manila,	29.84	86	79	W	1	c
Mulate,	..	..	..	W	1	b
Bacolod,		..	..	SE	2	o
Iloilo,	29.89	84	..	E	1	c
Cebu,	29.93	80	..	SW	2	c
Cape S. James,	.	..	..	SW	2	o

On the 27th at 1.55 a. The barometer has fallen in the Formosa Channel, risen slightly elsewhere on the China coast and also over the Philippines. The typhoon seems to be slowly approaching the E. coast of Formosa at present, but there is some probability that it may recurve. Another depression lies in the N. part of the Sea of Japan. High pressure covers the interior of China. Gradients rather steep with strong S. and S.E. winds on the China coast, and gales in the Formosa Channel. Forecasts—fresh N. winds; fine.

F.G. FIGG,

Hongkong Observatory, Wednesday 27th September 1899.

CHINA COAST METEOROLOGICAL REGISTER.

27th SEPTEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.90	..	..	S	4	..
Kochi,	29.75	..	..	SE	2	..
Nagasaki,	29.87	..	..	W	4	..
Kagoshima,	29.85	..	..	W	4	..
Gutzlaff,	30.08	73	55	N	5	cv
Sharp Peak,	29.87	79	70	NE	7	o
Amoy,	29.81	85	91	N	2	c
Swatow,	29.80	85	..	N	2	o
Canton,	29.90	90	44	N	1	b
Hongkong,	29.85	84	50	N	2	od
Victoria Peak,	..	..	..	N	4	..
Gap Rock,	29.84	..	..	N	5	..
Macao,	29.86	90	..	N	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	86	71	WSW	3	b
Malate,	..	..	..	SW	.	b
Bacolod,	..	..	..	SE	2	o
Iloilo,	29.81	83	..	SW	2	b
Cebu,	29.84	85	..	SW	2	o
Cape S. James,	..	..	..	SW	1	or

28th SEPTEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	29.90	..	..	NW	4	..
Kochi,	29.99	..	..	.	0	..
Nagasaki,	29.95	..	..	NE	6	..
Kagoshima,	29.99	..	..	E	2	..
Gutzlaff,	30.17	68	56	N	4	cv
Sharp Peak.	30.05	73	55	NE	6	o
Amoy,	29.97	76	86	NNE	3	r
Swatow,	30.02	75	..	NE	2	d
Canton,	30.03	75	68	E	2	o
Hongkong.	29.99	79	48	NNE	4	o
Victoria Peak,	.	..	..	NNE	5	..
Gap Rock.	29.98	..	..	NNE	4	..
Macao.	30.01	78	..	N	2	c
Haiphong,	..	..	..		..	..
Manila.	29.88	86	78	W	1	
Malate.	..	..	..	SW	1	b
Bacolod,		..	..	SE	5	o
Iloilo,	29.89	82	..	W	2	c
Cebu,	29.92	81	..	SW	1	o
Cape S. James,	..	..	..	..	..	..

On the 28th at 11.55 a. The barometer has fallen in E. Japan, risen elsewhere except in the Philippines. Depression lying near S. Formosa yesterday seems to have filled up. The Northern depression has moved Eastward over NE Japan. High pressure area over China. Gradients rather steep with strong winds on the coast and in the N part of the China Sea. Forecast:—fresh N winds; fair.

F.G. FIGG,
First Assistant.

The Observatory, Thursday 28th September 1899.

CHINA COAST METEOROLOGY.

26th SEPTEMBER, 1899, AT 8 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY	WIND. Direction.	WIND. Force	WEATHER.
Wladivostock,	29.82	65	..	SW	5	b
Tokio,	29.94	..	..	..	0	..
Kochi,	29.91	..	..	N	2	..
Nagasuki,	29.95	..	..	N	6	..
Kagoshima,	29.95	..	..	SE	2	..
Gutzlaff,	30.01	71	57	N	4	c
Sharp Peak,	29.99	73	72	ENE	6	o
Amoy,	29.91	86	48	NW	2	c
Swatow,	29.97	75	..	NE	2	or
Canton,	29.98	79	61	E	1	o
Hongkong,	29.92	77	59	NNE	3	o
Victoria Peak,	..	..	..	N	3	..
Gap Rock,	29.91	..	..	NE	4	..
Macao,	29.92	82	..	NNW	2	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	88	72	WSW	1	c
Malate,	..	..	..	SW	.	b
Bacolod,	..	..	..	SE	2	o
Hoilo,	29.77	82	..	W	2	o
Cebu,	29.82	..	..	SW	2	o
Cape S. James,	..	..	..		0	or

29th SEPTEMBER, 1899, AT 10 A.

Wladivostock,	29.92	54	72	..	0	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..			
Nagasuki,	..	..	..	..	..	
Kagoshima,		..	..	..		..
Gutzlaff,	30.11	68	70	NNE	2	ov
Sharp Peak,	30.05	73	[illegible]	NNE		[illegible]
Amoy,	29.99	[illegible]	..			[illegible]
Swatow,	30.06	[illegible]	..			
Canton,	30.05	77	[illegible]	NW		b
Hongkong,	30.01	76	76			
Victoria Peak,	..	..		[illegible]		
Gap Rock,	29.99	..	..	[illegible]		
Macao,	[illegible]	82		N		
Haiphong,		..	..	..	..	..
Manila,	29.88	84	78	W	2	b
Malate,	..	..	..	W	1	b
Bacolod,		..	..	S	2	o
Hoilo,	29.89	79	..	E	1	o
Cebu,	29.93	[illegible]	[illegible]	SW	2	c
Cape S. James,	..	..	..	..	..	..

On the 29th at 11.55 a. The barometer has fallen slightly on the E coast of China, risen a little on the S. coast. Pressure remains high over China, with moderate gradients and fresh monsoon on the coast and in the N part the China Sea. Forecast:—moderate N winds; fair.

F.G. FIGG,
Asst Assistant.

HONGKONG OBSERVATORY, Friday 29th September 1899.

CHINA COAST METEOROLOGICAL REGISTER.

29th SEPTEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	..	..	..	..	..	..
Tokio,	30.06	..	..	NW	6	..
Kochi,	29.95	..	..	..	0	..
Nagasaki,	29.95	..	..	SE	4	..
Kagoshima,	29.95	..	..	..	0	..
Gutzlaff,	30.05	71	62	NNE	2	cv
Sharp Peak,	29.96	76	60	E	4	c
Amoy,	29.89	80	96	WSW	2	b
Swatow,	29.96	76	..	N	1	o
Canton,	29.97	81	56	NW	1	b
Hongkong,	29.92	80	59	E	2	o
Victoria Peak,	..	..	..	NE	2	..
Gap Rock,	29.93	..	..	NNE	3	..
Macao,	29.92	85	..	N	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.76	86	71	W	2	o
Malate,	..	..	..	SW	3	b
Bacolod,	..	..	..	S	2	b
Iloilo,	29.81	82	..	SW	2	o
Cebu,	29.81	83	..	SW	2	o
Cape S. James,	..	..	..	S	2	c

30th SEPTEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	29.90	..	..	NW	4	..
Kochi,	29.83	..	..	..	0	..
Nagasaki,	29.95	..	..	NW	2	..
Kagoshima,	29.95	..	..	NW	4	..
Gutzlaff,	30.13	68	60	N	5	cm
Sharp Peak,	30.07	73	65	NE	3	o
Amoy,	29.99	76	91	NNE	1	b
Swatow,	30.01	76	..	N	2	b
Canton,	..	..	..	..	..	..
Hongkong,	30.02	78	39	N	4	b
Victoria Peak,	..	..	..	NE	4	..
Gap Rock,	30.01	..	..	NNE	1	..
Macao,	30.04	..	..	N	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	86	71	NW	1	c
Malate,	..	..	..	NW	1	c
Bacolod,	..	..	..	S	2	o
Iloilo,	29.85	82	..	W	2	c
Cebu,	29.91	82	..	SW	2	c
Cape S. James,	..	..	..	..	..	..

On the 30th at 11.55 a. The barometer has fallen over Japan and the Phillipines. Pressure remains high over China, and a shallow depression lies in central Japan. Pressure appears to be low also, in the Pacific to the E. of Luzon. Gradients moderate with fresh monsoon in the coast and in the N. part of the China Sea. Forecast:—moderate N winds; fine.

F.G. FIGG,
First Assistant.

...NG OBSERVATORY, Saturday 30th September 1899.

CHINA COAST METEOROLOGICAL REGISTER.

25th SEPTEMBER 1899, AT 4 P.

Station.	Barometer.	Temperature.	Humidity.	Wind		Weather
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.78	..	..	..	0	..
Kochi,	29.79	..	..	SE	2	..
Nagasaki,	29.91	..	..	W	6	..
Kagoshima,	9.91	..	..	NW	6	..
Gutzlaff,	30.13	79	52	NNW	5	cr
Sharp Peak,	30.00	74	59	E	6	c
Amoy,	29.92	83	87	NE	3	b
Swatow,	29.96	79	..	ESE	2	b
Canton,	2 .95	85	44	NE	2	b
Hongkong,	2 .94	82	37	NNE	2	b
Victoria Peak,	..	..	..	NNE	3	..
Gap Rock,	29.94	..	..	NNE	3	..
Macao,	29,96	85	..	N	1	c
Hai-phong,	..	..	..	..	..	.
Manila,	29.76	91	60	WSW	2	c
Malate,	..	..	..	WSW	3	c
Bacolod,	..	..	..	S	0	..
Iloilo,	29,77	82	..	W	3	c
Cebu,	29.80	85	..	SW	4	c
Cape S. James,	..	..	..	S	1	c

1st OCTOBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	.	..	.	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	.	..	..	..	..	..
Gutzlaff	3 .24	68	67	N	4	c
Sharp Peak,	30.13	72	43	NNE	6	b
Amoy,	30.01	74	61	NNE	3	c
Swatow,	30.07	75	..	N	2	b
Canton,	..			.	.	
Hongkong,	30.04	78	32	N	3	b
Victoria Peak,	..	..	..	N	4	..
Gap Rock,	30.04	..	..	N	4	..
Macao,	29,95	81	..	N	2	c
Hai-phong,	..	..	..	..	..	..
Manila,	29.84	86	71	W	1	c
Malate,	..	.	..	SSW	1	c
Bacolod,	..	..	..	SE	2	b
Iloilo,	29.89	82	..	W	2	c
Cebu,	9.91	.	..	SW	2	c
Cape S. James,	..	..	..	NW	2	c

On the 1st at 1.55 a. The barometer has risen south China coast, particularly in the North. The high pressure area still lies over China, and pressure remains in the deflect over the Pacific to the E of Luzon. Squalls in the Straits with very heavy rain on the coast and in the N. part of the China S.S. Forecast.—moderate N winds; fine.

F. C. FIGG,

Director.

Observatory, Sunday 1st October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

1st OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND		WEATHER.
				Direction.	Force.	
Wladivostock,	29. 2	52	..	NW	5	or
Tokio,	29.78	..	..	..	0	..
Kochi,	2. 95	..	..	..	0	..
Nagasaki,	30.07	..	..	N	6	..
Kagoshima,	30.03	..	..	N	6	..
Gutzlaff,	30.10	69	47	N	3	cv
Sharp Peak,	30.0	71	57	E	7	c
Amoy,	29. 6	80	41	NE	4	b
Swatow,	2 . 5	78	..	SE	3	b
Canton,	2 .98	85	55	NE	3	b
Hongkong,	2 .94	80	51	NNE	1	o
Victoria Peak,	..	..	..	N	2	..
Cap Rock,	29.94	..	..	N	2	..
Macao,	29.95	85	..	N	2	c
Haiphong,	..	..	..	..	..	.
Manila,	29.76	84	71	SW	2	o
Malate,	..	..	..	WSW	3	o
Bacolod,	..	..	..	SE	2	o
Iloilo,	29.77	83	..	S	2	b
Cebu,	29.82	85	..	SW	3	o
Cape S. James,	..	..	..	.		..

2nd OCTOBER, 189 , AT 10 A.

Wladivostock,	29.95	54	65	W	2	b
Tokio,	..	..	..	..	..	..
Kochi,	..	.	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	3 .25	67	55	NNE	4	cv
Sharp Peak,	30.09	70	61	N	4	o
Amoy,	29.9	78	81	NNE	4	b
Swatow,	3 .02	74	..	N	2	b
Canton,	..					
Hongkong,	30.02	78	56	NNE	1	b
Victoria Peak,	..	..	..	N	1	..
Cap Rock,	30.01	..	..	NNE	3	..
Macao,	30.01	80	..	NNW	1	b
Haichong,	..	..	..	.	..	..
Manila,	29.84	82	85	WSW	2	o
Malate,	..	..	..	SW	3	cr
Bacolod,		..	..	S	2	b
Iloilo,	29.93	83	..	W	2	c
Cebu,	29.92	86	..	SW	2	c
Cape S. James,	..	..	..	N	1	o

On the 1st at 1.4 a The barometer is inclined to E from the China coast Th. high pressure area still covers China, and pressure remains low in the Pacific to the NE of Luzon Gradients moderate to the steep, with very stormy monsoon in the Formosa Channel and N part of the China Sea. Forecast:— moderate N winds; fine.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Monday 2nd October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

2nd OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.96	67	..	NE	2	b
Tokio,	30.02	..	..	NW	4	..
Kochi,	30.07	..	..	NE	2	..
Nagasaki,	30.11	..	..	E	6	..
Kagoshima,	30.07	..	..	SE	4	..
Gutzlaff,	30.18	69	47	N	4	cv
Sharp Peak,	30.00	72	81	NE	8	o
Amoy,	29.88	83	67	NE	4	b
Swatow,	29.89	89	..	WSW	2	b
Canton,	29.91	85	41	NW	1	b
Hongkong,	29.91	80	41	W	2	b
Victoria Peak,	..	..	..	NW	1	..
Gap Rock,	29.91	80	..	NNW	4	..
Macao,	29.92	83	..	NNW	1	b
Haiphong,	..	..	..	..	..	.
Manila,	29.76	84	78	WSW	3	o
Malate,	..	..	..	SW	2	o
Bacolod,	..	..	..	SW	4	b
Iloilo,	29.81	83	..	W	3	b
Cebu,	29.81	88	..	SW	3	b
Cape S. James,	..	..	..	SW	2	o

3rd OCTOBER, 1899, AT 10 A.

Wladivostock,	30.05	57	85	..	0	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.10	68	56	NE	3	cv
Sharp Peak,	30.03	71	66	N	2	o
Amoy,	29.94	74	64	N	2	o
Swatow,	29.98	76	..	NNW	2	o
Canton,	30.03	76	53	NW	1	b
Hongkong,	29.98	78	32	N	1	b
Victoria Peak,	..	..	..	N	1	..
Gap Rock,	29.99	..	..	N	4	..
Macao	30.01	82	..	N	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	84	72	WSW	1	c
Malate,	..	..	..	NW	1	b
Bacolod,	..	..	..	SE	6	o
Iloilo,	29.93	83	..	S	2	c
Cebu,	29.91	86	..	SW	2	.
Cape S. James,	..	..	..	..	..	.

On the 3rd at 1.45 a. The barometer at present is fall slowly on the China coast. The low pressure area in the Pacific seems to be moving slowly, at present in a WNW direction towards the South of Formosa, but it will probably fill up or recurve. Pressure remains high over the interior of China. Gradients moderate to fresh steep, with N and NE gales in the Formosa Channel and NE part of the China Sea. Forecast:—Moderate N winds; fine.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Tuesday 3rd October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

3rd OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.18	..	..	NE	4	..
Kochi,	30.19	..	..	SE	2	..
Nagasaki,	30.07	..	..	NE	4	..
Kagoshima,	30.07	..	..	SE	6	..
Gutzlaff,	30.11	69	56	NE	4	cv
Sharp Peak,	29.94	71	69	N	5	o
Amoy,	29.82	80	82	NNE	2	c
Swatow,	29.88	80	..	SE	2	c
Canton,	29.91	86	47	N	1	b
Hongkong,	29.87	81	48	WSW	1	b
Victoria Peak,	..	..	..	SW	1	..
Gap Rock,	29.89	..	..	N	2	..
Macao,	29.87	75	..	NNW	1	b
Haiphong,	..	..	..	..	..	..
Manila,	29.76	84	77	WNW	2	o
Malate,	..	..	..	W	2	c
Bacolod,	..	..	..	SW	3	b
Iloilo,	29.77	83	..	W	3	o
Cebu,	29.78	87	..	SW	4	c
Cape S. James,	..	..	..	SW	2	c

4th OCTOBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.09	67	89	NE	4	cvp
Sharp Peak,	29.99	71	71	N	3	o
Amoy,	29.86	76	71	N	1	o
Swatow,	29.92	77	..	NE	2	o
Canton,			..	..		..
Hongkong,	29.91	81	47	NE	2	o
Victoria Peak,	..	..	..	NE	3	..
Gap Rock,	29.91	..	..	N	4	..
Macao,	29.92	83	..	N	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.76	86	71	W	2	o
Malate,	..	..	..	SW	3	o
Bacolod,		..	..	S	4	o
Iloilo,	29.81	82	..	S	4	c
Cebu,	29.83	86	..	SW	4	o
Cape S. James,	..	..	..	..		..

On the 4th at 12.5 p. The barometer has fallen on the China coast and over the Phillipines. The depression seems to be situated near N. Luzon, and probably moving in a Westerly direction The highest pressure lies over N China and Japan. Gradients moderate to rather steep, with strong monsoon on the coast generally, and gales in the NE part of the China Sea. Forecast:—fresh N winds; fair, squally.

F.G. FIGG,
First Assistant.

ZIKAWEI OBSERVATORY, Wednesday 4th October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

4th OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	30.02	70	..	SE	2	b
Tokio,	30.18	..	..	NE	4	..
Kochi,	30.03	..	..	S	2	..
Nagasaki,	29.99	..	..	NE	6	..
Kagoshima,	29.91	..	..	E	6	..
Gutzlaff,	30.04	71	66	NNE	4	cv
Sharp Peak,	29.90	74	65	NNE	4	o
Amoy,	29.86	83	67	NNE	2	b
Swatow,	..	79	..	NE	1	o
Canton,	29.86	84	83	E	2	o
Hongkong,	29.82	79	51	N	3	o
Victoria Peak,	..	..	..	N	4	..
Gap Rock,	29.81	79	..	NNE	4	..
Macao,	29.82	80	..	N	1	o
Haiphong,	..	..	..	..	..	..
Manila,	29.69	86	71	WSW	2	c
Malate,	..	..	..	SW	3	b
Bacolod,	..	..	..	SW	6	cg
Iloilo,	29.73	83	..	W	4	c
Cebu,	29.74	84	..	SW	1	or
Cape S. James,	..	..	..		0	or

5th OCTOBER, 1899, AT 10 A.

Wladivostock,	30.04	60	96	SE	2	o
Tokio,	30.18	..	..	NW	4	..
Kochi,	29.95	..	..	W	2	..
Nagasaki,	29.91	..	..	NE	6	..
Kagoshima,	29.83	..	..	E	6	..
Gutzlaff,	30.04	67	74	NNE	4	cv
Sharp Peak,	29.95	73	69	N	3	c
Amoy,	29.87	75	21	NE	2	b
Swatow,	29.91	77	..	..	2	c
Canton,	29.92	82	42	N	3	b
Hongkong,	29.89	82	36	N	3	c
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	29.87	..	..	NE	4	..
Macao,	29.89	86	..	N	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.76	86	71	SW	1	c
Malate,	..	..	..	SSW	1	b
Bacolod,	..	..	..	SE	4	cp
Iloilo,	29.77	80	..	S	2	or
Cebu,	29.82	82	..	SW	3	o
Cape S. James,	..	..	..	..	..	..

On the 5th at 11.45 a. The barometer has fallen moderately in Japan and slightly on the China coast. The depression is moving Northwards near the Loochoo islands, and will probably recurve over Japan. Gradients moderate in the South, rather steep in the North with fresh to strong monsoon on the coast and in the N part of the China Sea. Forecast:—moderate N winds; fine.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Thursday 5th October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

5th OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.10	..	..	N	6	..
Kochi,	29.91	..	..	..	0	..
Nagasaki,	29.81	..	..	NE	4	..
Kagoshima,	29.79	..	..	E	8	..
Gutzlaff,	30.00	70	66	N	4	cv
Sharp Peak,	29.86	75	60	E	5	b
Amoy,	29.82	83	60	NE	4	b
Swatow,	29.84	79	..	ESE	4	b
Canton,	29.81	84	47	N	2	b
Hongkong,	29.80	80	55	E	3	b
Victoria Peak,	..	..	..	NNE	1	..
Gap Rock,	29.81	..	..	ENE	1	..
Macao,	29.80	90	..	N	1	c
Haiphong,	..	..	..	..	..	.
Manila,	29.72	84	77	WSW	2	c
Malate,	..	..	..	WSW	3	c
Bacolod,	..	..	..	SW	4	pq
Iloilo,	29.69	81	..	W	2	o
Cebu,	29.75	84	..	SW	4	c
Cape S. James,	..	..	..	S	2	c

6th OCTOBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	.	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..		..	..
Kagoshima,	..	..	..		..	..
Gutzlaff,	30.02	69	80	NNE	5	bm
Sharp Peak,	30.00	73	67	N	1	b
Amoy,	29.94	73	72	NNE	2	b
Swatow,	..	..	..	..	..	..
Canton,		..	..		..	..
Hongkong,	29.95	81	48	E	2	b
Victoria Peak,	..	..	..	ENE	2	..
Gap Rock,	29.94	..	..	ENE	4	..
Macao,	29.96	84	..	N	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	88	66	WSW	1	c
Malate,	..	..	..	S	1	b
Bacolod,		..	..	SE	2	o
Iloilo,	29.89	82	..	S	1	or
Cebu,	29.93	83	..	SW	2	o
Cape S. James,	..	..	..	W	2	o

On the 6th at 11.50 a. The barometer has risen over the Phillipines. and on the China coast, except in the North. The depression is probably moving to the NE near SW Japan. Gradients moderate with fresh monsoon in S. China and the N part of the China Sea. Forecast:—moderate NE winds; fine

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Friday 6th October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

6th OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.85	60	..	E	2	o
Tokio,	29.94	..	..	N	2	..
Kochi,	29.75	..	..	SE	2	..
Nagasaki,	29.64	..	..	NW	6	..
Kagoshima,	29.68	..	..	E	4	..
Gutzlaff,	29.97	72	67	N	5	bm
Sharp Peak,	29.93	74	74	E	2	b
Amoy,	29.88	83	57	NE	5	b
Swatow,	29.91	78	..	ESE	5	b
Canton,	.	..	..	..	..	.
Hongkong,	29.88	78	67	ESE	4	b
Victoria Peak,	..	..	..	ESE	2	..
Gap Rock,	29.86	..	..	E	3	..
Macao,	29.86	86	..	ESE	1	c
Haiphong,	..	..	..	..	..	.
Manila,	29.80	88	72	WSW	2	o
Malate,	..	..	..	SW	2	b
Bacolod,	..	..	..	SW	2	.
Iloilo,	29.81	82	..	W	2	o
Cebu,	29.85	83	..	SW	2	o
Cape S. James,	..	..	..	SW	2	c

7th OCTOBER, 1899, AT 10 A.

Wladivostock,	29.75	50	90	N	2	o
Tokio,		..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..		..	..
Gutzlaff,	30.11	66	73	N	3	by
Sharp Peak,	30.10	73	61	NW	2	b
Amoy,	30.02	75	64	NNE	2	b
Swatow,	30.08	74	..	N	1	b
Canton,	30.07	79	51	E	1	b
Hongkong,	30.04	77	45	ENE	3	o
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	30.04	..	..	NE	6	..
Macao,	30.03	84	..	ENE	2	c
Haiphong,	..	..	..	..	..	..
Manila,	29.96	82	77	SE	2	cd
Malate,	..	..	..	SSE	2	o
Bacolod,		..	..	N	2	o
Iloilo,	29.97	80	..	..	0	or
Cebu,	29.99	85	..	SW	2	c
Cape S. James,	..	..	..	..	..	..

On the 7th at 11.55 a. The barometer has risen moderately on the China coast and over the Phillipines, fallen rapidly in Japan. The depression is moving NE in Central Japan. Gradients moderate with fresh to strong monsoon on the coast and in the N. part of the China Sea. Forecast:—fresh NE winds; fair.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Saturday 7th October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

7th OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.61	..	..	E	10	..
Kochi,	29.56	..	..	NW	2	..
Nagasaki,	29.83	..	..	N	8	..
Kagoshima,	29.76	..	..	NW	8	..
Gutzlaff,	30.07	73	55	SW	2	bv
Sharp Peak,	30.07	73	48	E	4	b
Amoy,	29.99	83	60	NE	4	b
Swatow,	30.03	77	..	..	5	o
Canton,	30.04	90	44	E	1	b
Hongkong,	30.03	68	83	NE	3	or
Victoria Peak,	..	..	..	ENE	6	..
Gap Rock,	30.00	..	..	NE	6	..
Macao,	30.03	69	..	E	2	or
Haiphong,	..	..	..	..	..	..
Manila,	29.88	84	77	SSE	2	od
Malate,	..	..	..	E	2	c
Bacolod,	..	..	..	..	0	b
Iloilo,	29.85	82	..	W	1	b
Cebu,	29.91	86	..	N	3	c
Cape S. James,	..	..	..	SW	1	b

8th OCTOBER, 1899, AT 10 A.

Wladivostock,	.	..	..	..	..	..
Tokio,	.	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..		..	..
Kagoshima,	..	..	..		..	..
Gutzlaff,	30.22	61	60	NNW	2	bv
Sharp Peak,	30.18	70	68	N	2	c
Amoy,	30.07	72	67	NW	2	c
Swatow,	30.19	7[illegible]	..	N	2	o
Canton,	30.18	78	91	NNE	1	b
Hongkong,	30.14	75	48	NE	2	o
Victoria Peak,	.	..	..	ENE	6	..
Gap Rock,	30.19	..	..	ENE	6	..
Macao,	30.15	76	..	NNE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.96	84	77	W	1	c
Malate,	..	..	..	SSW	1	c
Bacolod,	..	..	..	..	0	b
Iloilo,	29.97	82	..	E	1	b
Cebu,	30.01	87	..	SW	1	b
Cape S. James,	..	..	..	..	..	..

On the 8th at 11.5[illegible] a. The barometer has risen on the China coast and over the Philippines. The depression has probably passed to the Eastward of Japan. Pressure is high over China with strong monsoon on the coast and in the N. part of the China Sea. Forecast:—fresh NE winds; fair.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Sunday 8th October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

8th OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.56	58	..	SW	4	b
Tokio,	29.86	..	..	E	2	..
Kochi,	29.99	..	..	..	0	..
Nagasaki,	30.03	..	..	W	6	..
Kagoshima,	30.03	..	..	E	2	..
Gutzlaff,	30.16	68	34	N	3	bv
Sharp Peak,	30.11	74	70	E	3	c
Amoy,	30.05	81	52	ENE	1	c
Swatow,	30.11	77	..	ENE	1	o
Canton,	30.07	85	61	SW	1	b
Hongkong,	30.05	78	59	ENE	4	o
Victoria Peak,	..	..	..	ENE	4	..
Gap Rock,	30.04	..	..	ENE	5	..
Macao,	30.07	78	..	NNE	1	c
Haiphong,	..	..	..	..	..	.
Manila,	29.92	86	71	NE	2	o
Malate,	..	..	..	WSW	1	o
Bacolod,	..	..	..	..	0	b
Iloilo,	29.93	84	..		0	c
Cebu,	29.92	86	..	N	3	o
Cape S. James,	..	..	..	.	..	..

9th OCTOBER, 1899, AT 10 A.

Wladivostock,	29.65	49	85	NW	1	or
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	.	..	..
Gutzlaff,	30.28	62	77	NNW	2	bm
Sharp Peak,	30.24	73	72	NNW	3	c
Amoy,	30.15	73	67	NNE	2	b
Swatow,	..	..	..	..	..	..
Canton,	30.17	79	43	E	1	b
Hongkong,	30.15	77	52	ENE	4	o
Victoria Peak,	..	..	..	E	6	..
Gap Rock,	30.12	..	..	ENE	6	..
Macao,	30.16	78	..	NNE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	30.00	82	77	W	1	c
Malate,	..	..	..	SW	..	b
Bacolod,		..	..	NW	..	b
Iloilo,	29.97	82	..	E	1	b
Cebu,	29.99	87	..	SW	1	b
Cape S. James,	..	..	..	..	..	..

On the 9th at 11.55 a. The barometer has risen on the E. coast of China, and remains steady on the S. coast and over the Phillipines. Pressure is low in the NE part of the Sea of Japan, and a high pressure area covers China. Gradients moderate on the coast, rather steep with very strong monsoon in the N. part of the China Sea. Forecast:—fresh NE winds; fair.

F.G. FIGG,
Head Assistant.

HONGKONG OBSERVATORY, Monday, 9th October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

9th OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	..	..	..	..	..	..
Tokio,	29.90	..	..	..	0	..
Kochi,	30.11	..	..	W	4	..
Nagasaki,	30.19	..	..	SW	6	..
Kagoshima,	30.19	..	..	N	6	..
Gutzlaff,	30.24	69	47	N	1	cv
Sharp Peak,	30.17	74	72	E	5	c
Amoy,	30.08	83	53	NE	5	b
Swatow,	30.11	75	..	E	3	o
Canton,	30.16	80	66	E	2	b
Hongkong,	30.07	75	65	E	5	odq
Victoria Peak,	..	..	..	ENE	6	..
Gap Rock,	30.04	..	..	ENE	6	..
Macao,	30.08	76	..	E	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.92	86	71	NNE	1	c
Malate,	..	..	..	W	1	c
Bacolod,	..	..	..	NW	3	b
Iloilo,	29.89	90	..	NE	1	b
Cebu,	29.87	85	..	N	3	c
Cape S. James,	..	..	..	S	1	c

10th OCTOBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,		..	..	..	.	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..		..	..
Kagoshima,	..	..	..			..
Gutzlaff,	30.29	68	47		0	cv
Sharp Peak,	30.24	72	71	N	3	o
Amoy,	30.15	74	72	N	2	c
Swatow,	30.20	7[illegible]	..	NE	1	o
Canton,	30.17	79	47	E	1	o
Hongkong,	30.15	71	76	E	3	od
Victoria Peak,	..	..	..	E	7	..
Gap Rock,	30.11	..	..	ENE	7	..
Macao,	30.13	76	..	NNE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.99	82	85	NE	1	o
Malate,	..	..	..	NNE	1	or
Bacolod,		..	..	..	6	o
Iloilo,	29.94	83	..	E	1	c
Cebu,	29.96	87	..	N	1	b
Cape S. James,	..	..	..	NE	2	c

On the 10th at 11.55 a. Barometric changes are slight The high pressure area, central over China, extends now over Japan and the Loochoos. Gradients moderate on the coast, rather steep with very strong monsoon in the N. part of the China Sea. Forecast:—fresh NE winds; dull, some rain.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Tuesday 10th October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

10th OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.14	..	..	S	4	..
Kochi,	30.07	..	..	SE	2	..
Nagasaki,	30.15	..	..	W	6	..
Kagoshima,	30.15	..	..	W	2	..
Gutzlaff,	30.22	73	46	SW	1	cv
Sharp Peak,	30.16	72	65	NE	4	o
Amoy,	30.09	78	82	NE	2	o
Swatow,	30.12	76	..	ENE	1	o
Canton,	30.04	83	53	SE	1	o
Hongkong,	30.05	78	73	ENE	3	o
Victoria Peak,	..	..	..	E	6	..
Gap Rock,	30.02	..	..	ENE	7	..
Macao,	30.05	76	..	ENE	1	o
Haiphong,	..	..	..	..	..	..
Manila,	29.88	82	85	ENE	1	c
Malate,	..	..	..	NNE	2	o
Bacolod,	..	..	..	N	6	b
Iloilo,	29.85	90	..	W	1	o
Cebu,	29.84	87	..	N	3	o
Cape S. James,	..	..	..	E	2	c

10th OCTOBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	.	.	..	..	.	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,		..	..		..	..
Gutzlaff,	30.22	69	65	S	2	cv
Sharp Peak,	30.19	72	71	NNE	4	c
Amoy,	30.10	74	68	NNE	2	c
Swatow,			..		..	..
Canton,	30.10	78	61	N	1	o
Hongkong,	30.1	75	62	E	4	o
Victoria Peak,	.	.	..	E	5	.
Gap Rock,	30.06	.	..	ENE	6	..
Macao,	30.12	74	..	NE	1	c
Haiphong,	.	..	..		..	..
Manila,	29.90	84	77	W	1	c
Malate,	..	..	..	SW	1	b
Bacolod,		..	..	NW	2	o
Iloilo,	29.89	82	..	E	3	b
Cebu,	29.92	84	..	E	1	c
Cape S. James,	..	..	..	N	1	b

On the 11th at 11.55 a. The barometer is still about 0.1 and 0.2 inch above normal in Luzon and S. China respectively, but inclined to fall in both areas. The high pressure covers S. of King and the Pacific towards the Ladrones. Gradients moderate on the coast, rather steep with very strong monsoon in the N. part of the China Sea. Forecasts:—fresh NE winds; fair.

F. G. FIGG,

Superintendent.

Observatory, Wednesday 11th October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

11th OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER
				Direction.	Force.	
Wladivostock,	..	..	..	..		
Tokio,	30.06	..	..	S	4	..
Kochi,	30.03	..	..	SW	2	..
Nagasaki,	30.11	..	..	NW	4	..
Kagoshima,	30.07	..	..	NW	6	..
Gutzlaff,	30.15	74	59	S	1	cv
Sharp Peak,	30.10	74	63	E	6	c
Amoy,	30.03	79	61	ENE	4	o
Swatow,	30.07	75	..	ENE	1	o
Canton,	30.04	81	67	NW	1	o
Hongkong,	30.03	75	64	ENE	4	o
Victoria Peak,	..	..	..	ENE	6	..
Gap Rock,	30.00	75	..	ENE	6	..
Macao,	30.02	77	..	E	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	84	77	ESE	1	o
Malate,	..	..	..	SE	2	c
Bacolod,	..	..	..	NW	2	b
Iloilo,	29.85	83	..	..	0	c
Cebu,	29.84	84	..	N	2	o
Cape S. James,	..	..	..	S	1	c

12th OCTOBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	30.14	..	..	N	4	..
Kochi,	30.15	..	..		0	..
Nagasaki,	30.19	..	..	NE	4	..
Kagoshima,	30.19	..	..	SE	2	..
Gutzlaff,	30.19	69	70	S	1	c
Sharp Peak,	30.17	72	71	NNW	2	c
Amoy,	30.07	74	59	NE	2	b
Swatow,	30.16	74	..		1	c
Canton,	30.11	79	78	E	1	b
Hongkong,	30.11	75	58	E	5	c
Victoria Peak,	..	..	..	E	6	..
Gap Rock,	30.09	..	..	ENE	5	..
Macao,	30.11	81	..	E	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.96	84	71	W	1	c
Malate,	..	..	..	W	1	c
Bacolod,	..	..	..	N	6	o
Iloilo,	29.89	82	..	E	3	c
Cebu,	29.94	86	..	N	2	b
Cape S. James,	..	..	..	N	1	b

On the 12th at 11.55 a. Barometric changes are slight. Pressure remains high over S. China, the Loochoo islands and Japan. Gradients moderate on the coast, rather steep with strong monsoon in the N. part of the China Sea. Forecast:—fresh NE winds; fair.

F.G. FIGG,
First Assistant.

KOWLOON OBSERVATORY, Thursday 12th October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

12th OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.10	..	..	N	4	..
Kochi,	30.11	..	..	E	2	..
Nagasaki,	30.15	..	..	N	4	..
Kagoshima,	30.11	..	..	S	2	..
Gutzlaff,	30.14	76	56	S	1	cv
Sharp Peak,	30.09	74	68	ENE	4	c
Amoy,	30.02	82	49	NE	2	c
Swatow,	30.05	77	..	ESE	3	b
Canton,	30.02	87	58	E	1	b
Hongkong,	30.03	75	62	ESE	4	c
Victoria Peak,	..	..	..	ESE	5	..
Gap Rock,	30.01	77	..	ENE	4	..
Macao,	30.02	79	..	E	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	88	72	NW	1	c
Malate,	..	..	..	WSW	1	c
Bacolod,	..	..	..	N	2	b
Iloilo,	29.81	90	..	E	1	c
Cebu,	29.85	86	..	N	3	c
Cape S. James,	..	..	..	S	2	c

13th OCTOBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.20	70	75	S	3	cv
Sharp Peak,	30.18	74	74	NNW	2	c
Amoy,	30.11	75	68	N	2	b
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	30.14	76	71	E	5	b
Victoria Peak,	..	..	..	E	5	..
Gap Rock,	30.11	..	..	ENE	5	..
Macao,	30.13	82	..	SE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	30.00	84	71	W	1	b
Malate,	..	..	..	SW	..	b
Bacolod,	..	..	..	N	2	b
Iloilo,	29.93	83	..	E	2	c
Cebu,	29.98	87	..	NE	3	b
Cape S. James,	..	..	..	..	..	..

On the 12th at 11.55 a. Barometric changes are unimportant. High pressure still extends over S. China and the Pacific towards Japan. Gradients moderate on the coast, rather steep with strong monsoon in the N. part of the China Sea. Forecast:—fresh NE winds; fine.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Friday 13th October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

13th OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.89	52	..	W	3	b
Tokio,	29.10	..	..	S	2	..
Kochi,	30.15	..	..	..	0	..
Nagasaki,	30.15	..	..	W	4	..
Kagoshima,	30.15	..	..	N	4	..
Gutzlaff,	..	..	..	..	..	.
Sharp Peak,	30.08	77	71	E	3	b
Amoy,	30.01	84	60	E	3	b
Swatow,	..	..	..	..	..	..
Canton,	30.05	88	62	S	1	b
Hongkong,	30.04	76	70	E	4	c
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	30.02		..	ENE	4	..
Macao,	30.04	79	..	S.E	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.92	84	77	SSE	1	c
Malate,	..	..	..	SW	2	or
Bacolod,	..	..	..	.	0	b
Iloilo,	29.85	90	..	S	1	b
Cebu,	29.86	86	..	N	2	b
Cape S. James,	..	..	..	S	1	c

14th OCTOBER, 1899, AT 10 A.

Wladivostock,	29.83	47	82	SE	6	c
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,		..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.09	62	100	ESE	2	cmd
Sharp Peak,	30.04	74	74		0	c
Amoy,	.	.	..	..	..	..
Swatow,	..		..	..	..	..
Canton,	29.97	80	78		0	b
Hongkong,	30.09	80	71	ESE	2	b
Victoria Peak,	..	..	..	E	1	..
Gap Rock,	30.08	..	..	ENE	4	..
Macao,	30.09	85	..	NE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	.	..	.	..	.
Malate,	..	..	..	W	1	b
Bacolod,		..	..	N	2	b
Iloilo,	29.93	83	..	E	1	b
Cebu,	29.97	86	..	NE	1	b
Cape S. James,	..	..	..	N	1	f

On the 14th at 11.30 a. The barometer has fallen on the China coast, particularly in the North. A depression seems to be advancing Eastwards over North China. Gradients slight on the coast, moderate and fresh monsoon in the N. part of the China Sea. Forecast:—moderate E winds; fine.

F.G. FIGG,

Asst. Observer.

KOKUNG OBSERVATORY, Saturday 14th October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

14th OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.71	56	..	S	4	c
Tokio,	30.10	..	..	S	2	..
Kochi,	30.07	..	..	..	0	..
Nagasaki,	30.03	..	..	NE	2	..
Kagoshima,	30.03	..	..	S	2	..
Gutzlaff,	29.97	62	94	NNW	5	omp
Sharp Peak,	29.93	76	82	E	1	c
Amoy,	29.89	80	70	SE	3	b
Swatow,	29.97	81	..	E	3	b
Canton,	29.94	92	61	W	1	b
Hongkong,	29.97	79	66	..	0	c
Victoria Peak,	..	..	..	ESE	5	..
Gap Rock,	29.97	.	..	ENE	3	..
Macao,	29.97	82	..	SSE	1	c
Haiphong,	..	..	..	..	..	.
Manila,	29.88	90	60	W	1	c
Malate,	..	..	..	WSW	1	b
Bacolod,	..	..	..	NW	4	o
Iloilo,	29.85	89	..	E	1	c
Cebu,	29.85	86	..	N	1	c
Cape S. James,	..	..	..	SE	1	c

15th OCTOBER, 1899, AT 10 A.

Wladivostock,	29.94	36	67	NE	4	or
Tokio,	30.02	..	..	N	4	..
Kochi,	29.91	..	..	SW	2	..
Nagasaki,	29.83	..	..	E	4	..
Kagoshima,	29.79	..	..	E	4	..
Gutzlaff,	30.10	66	84	W	4	bv
Sharp Peak,	30.05	75	64	NE	1	b
Amoy,	30.03	74	81	SW	1	c
Swatow,	30.07	76	..	N	3	c
Canton,	30.07	80	66	NW	1	o
Hongkong,	30.05	81	67	W	1	o
Victoria Peak,	..	..	..	ESE	1	..
Gap Rock,	30.05	..	..	NW	2	..
Macao,	30.06	84	..	E	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.96	84	77	W	1	c
Malate,	..	..	..	SW	1	o
Bacolod,	..	..	..	..	0	o
Iloilo,	29.97	82	..	..	0	c
Cebu,	29.97	86	..	SW	2	o
Cape S. James,	..	..	..	N	1	o

On the 15th at 11.55 a. The barometer has fallen considerably in Japan, and is inclined to rise on the China coast. The depression seems to be moving Eastwards near W. Japan. The monsoon will probably freshen again on the China coast. Forecast:—light to moderate N. winds; fine.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Sunday 15th October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

15th OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.90	..	..	N	4	..
Kochi,	29.76	..	..	SW	2	..
Nagasaki,	29.76	..	..	N	4	..
Kagoshima,	29.76	..	..	W	6	..
Gutzlaff,	29.94	71	76	W	4	b
Sharp Peak,	29.95	76	53	ESE	3	b
Amoy,	29.87	78	70	ESE	3	b
Swatow,	29.95	80	..	ESE	4	b
Canton,	29.95	87	69	N	1	c
Hongkong,	29.97	84	63	..	0	c
Victoria Peak,	..	..	..	ESE	1	..
Gap Rock,	29.93	..	..	SW	1	..
Macao,	29.93	89	..	NW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	82	71	NE	1	c
Malate,	..	..	..	N	1	c
Bacolod,	..	..	..	..	0	c
Iloilo,	29.85	84	..	W	1	c
Cebu,	29.87	86	..	N	3	b
Cape S. James,	..	..	..	..	..	..

16th OCTOBER, 1899, AT 10 A.

Wladivostock,	..	..	..	.	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	.	..	..	..	..	..
Gutzlaff,	30.19	51	72	NNW	5	cv
Sharp Peak,	30.14	74	72	E	6	c
Amoy,	30.06	72	81	.	0	b
Swatow,	30.12	77	..	N	2	b
Canton,	..			..		..
Hongkong,	30.09	78	74	E	3	c
Victoria Peak,	..	..	..	ESE	3	..
Gap Rock,	30.07	..	..	ENE	4	..
Macao,	30.08	82	..	ESE	2	c
Haiphong,	..	..	..	..	..	..
Manila,	30.00	84	71	WNW	1	c
Malate,	..	..	..	W	1	c
Bacolod,	..	..	..	N	6	b
Iloilo,	29.93	86	..	NE	1	b
Cebu,	29.97	86	..	N	2	b
Cape S. James,	..	..	..	..	..	..

On the 16th at 11.55 a. The barometer has risen on the China coast, particularly in the North. The depression is probably situated in E. Japan, and a high pressure area lies over Central China. Strong monsoon in the North, and freshening monsoon on the S. coast of China and in the N. part of the China Sea. Forecast:—fresh NE winds; fair.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Monday 16th October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

16th OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.51	36	..	N	5	s
Tokio,	29.27	..	..	SW	2	..
Kochi,	29.64	..	..	W	6	..
Nagasaki,	29.75	..	..	W	10	..
Kagoshima,	29.79	..	..	W	8	..
Gutzlaff,	30.16	55	50	NNW	5	cv
Sharp Peak,	30.08	74	70	E	2	c
Amoy,	30.00	81	61	E	4	b
Swatow,	30.06	79	..	ESE	4	b
Canton,	30.00	89	63	E	1	b
Hongkong,	30.02	77	75	ESE	4	b
Victoria Peak,	..	..	..	ESE	2	..
Gap Rock,	30.00	..	..	ENE	4	..
Macao,	30.01	80	..	ESE	2	c
Haiphong,	..	..	..	..	..	..
Manila,	29.92	90	66	WSW	1	c
Malate,	..	..	..	WSW	1	b
Bacolod,	..	..	..	N	3	b
Iloilo,	29.85	84	..	E	2	b
Cebu,	29.86	86	..	NE	4	b
Cape S. James,	..	..	..	NE	2	o

17th OCTOBER, 1899, AT 10 A.

Wladivostock,	29.81	41	67	N	4	c
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.28	56	69	NNW	3	cv
Sharp Peak,	30.25	70	59	NE	3	o
Amoy,	30.15	73	63	NE	4	b
Swatow,	30.22	75	..	ENE	5	b
Canton,	..	..	..	..	..	..
Hongkong,	30.15	75	72	ENE	6	o
Victoria Peak,	..	..	..	E	6	..
Gap Rock,	30.14	..	..	E	5	..
Macao,	30.15	79	..	ESE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.96	84	64	NE	1	c
Malate,	..	..	..	NW	1	c
Bacolod,	..	..	..	N	6	b
Iloilo,	29.93	85	..	NE	1	c
Cebu,	29.97	85	..	N	3	c
Cape S. James,	..	..	..	..	..	..

On the 17th at 11.55 a. The barometer continues to rise on the China coast. The depression has probably passed to the Pacific, E. of Japan, and the high pressure area still lies over Central China. Gradients moderate with strong monsoon on the coast and in the N. part of the China Sea. Forecast:—fresh NE winds; fine.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Tuesday 17th October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

17th OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	..	..	..	..	..	..
Tokio,	29.78	..	..	S	4	..
Kochi,	29.99	..	..	W	2	..
Nagasaki,	30.07	..	..	N	2	..
Kagoshima,	30.07	..	..	NW	4	..
Gutzlaff,	.	..	..	..	..	..
Sharp Peak,	30.17	71	62	E	4	c
Amoy,	30.07	79	67	ENE	3	b
Swatow,	30.13	77	..	ESE	5	b
Canton,	30.06	83	67	W	2	o
Hongkong,	30.08	75	71	ENE	5	c
Victoria Peak,	..	..	..	ESE	5	..
Gap Rock,	30.06	.	..	ENE	5	..
Macao,	30.07	77	..	ESE	2	c
Haiphong,	..	..	..	..	..	..
Manila,	29.92	82	77	E	1	c
Malate,	..	..	..	SE	1	c
Bacolod,	..	..	..	NE	2	o
Iloilo,	29.85	84	..	E	2	b
Cebu,	29.86	86	..	NE	3	c
Cape S. James,	..	..	..	NE	5	c

18th OCTOBER, 1899, AT 10 A.

Wladivostock,	..	.	..	..	..	..
Tokio,	30.15	..	..	N	6	..
Kochi,	30.28	..	..	N	4	..
Nagasaki,	30.27	..	..	..	0	..
Kagoshima,	30.27	..	..	E	4	..
Gutzlaff,	30.31	64	68	E	3	cv
Sharp Peak,	30.24	69	70	NNW	2	o
Amoy,	30.16	71	71	N	2	b
Swatow,	30.23	75	..	NNW	2	b
Canton,	30.17	79	61	E	1	b
Hongkong,	30.18	75	74	E	5	c
Victoria Peak,	..	..	..	E	6	..
Gap Rock,	30.17	..	..	ENE	5	..
Macao,	30.19	77	..	E	1	c
Haiphong,	..	..	..	..	..	..
Manila,	30.00	81	76	NNE	2	c
Malate,	..	..	..	N	1	c
Bacolod,	..	..	..	..	6	b
Iloilo,	29.93	85	..	NE	2	c
Cebu,	29.94	85	..	N	4	c
Cape S. James,	..	..	..	..	.	..

On the 18th at 11.55 a. The barometer has risen much in Japan, and is little changed elsewhere. The high pressure area seems to be now central between the E. coast of China and Japan. Gradients slight in the North, moderate with strong monsoon in the South. Forecast:—fresh E winds; fair.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Wednesday 18th October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

18th OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	30.16	57	..	W	1	b
Tokio,	30.10	..	..	S	6	..
Kochi,	30.19	..	..	SE	2	..
Nagasaki,	30.23	..	..	NW	4	..
Kagoshima,	30.19	..	..	S	2	..
Gutzlaff,	30.25	65	68	ESE	3	cv
Sharp Peak,	30.14	72	71	E	2	o
Amoy,	30.08	80	58	E	3	b
Swatow,	30.12	78	..	E	2	b
Canton,	30.10	87	65	S	1	b
Hongkong,	30.11	75	79	E	3	c
Victoria Peak,	..	..	..	ESE	3	..
Gap Rock,	30.08	..	..	ENE	5	..
Macao,	30.11	80	..	ESE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	81	76	NNE	2	c
Malate,	..	..	..	NNE	1	c
Bacolod,	..	..	..	NE	2	o
Iloilo,	29.85	89	..	E	2	b
Cebu,	29.88	85	..	NE	3	c
Cape S. James,	..	..	..	ENE	5	c

19th OCTOBER, 1899, AT 10 A.

Wladivostock,	30.15	44	92	SE	1	c
Tokio,	30.30	..	..	N	2	..
Kochi,	30.23	..	..	..	0	..
Nagasaki,	30.23	..	..	N	4	..
Kagoshima,	30.23	..	..	E	4	..
Gutzlaff,	30.21	61	82	ESE	4	cv
Sharp Peak,	30.17	73	76	NW	1	b
Amoy,	30.10	73	72	NNE	1	b
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	30.16	77	69	E	3	c
Victoria Peak,	..	..	..	E	3	..
Gap Rock,	30.14	..	..	ENE	4	..
Macao,	30.15	87	..	E	2	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	
Malate,	..	..	..	N	1	or
Bacolod,	..	..	..	NE	2	b
Iloilo,	29.85	85	..	N	2	c
Cebu,	29.88	84	..	N	2	o
Cape S. James,	..	..	..	N	2	c

On the 19th at 11.55 a. The barometer has fallen on the China coast and over the Phillipines. The high pressure area is central in E. Japan, and pressure is slightly low over the Southern Phillipines. Gradients slight on the coast, moderate with strong monsoon in the N. part of the China Sea. Forecast: moderate E winds; fine.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Thursday 19th October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

19th OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.22	..	..	S	4	..
Kochi,	30.11	..	..	SW	2	..
Nagasaki,	30.15	..	..	W	4	..
Kagoshima,	30.15	..	..	S	2	..
Gutzlaff,	30.16	63	89	ESE	3	omd
Sharp Peak,	30.08	75	75	ENE	1	c
Amoy,	30.01	79	82	SE	3	b
Swatow,	30.07	78	..	E	2	b
Canton,	30.05	89	66	NW	1	b
Hongkong,	30.06	77	69	ESE	2	b
Victoria Peak,	..	..	..	ENE	1	..
Gap Rock,	30.06	.	..	ENE	4	..
Macao,	30.06	82	..	SE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	77	92	NNW	1	o
Malate,	..	..	..	NW	2	c
Bacolod,	..	..	..	N	2	c
Iloilo,	29.73	83	..	..	0	o
Cebu,	29.75	81	..	NE	1	o
Cape S. James,	..	..	..	NE	4	c

20th OCTOBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	.	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	.	..	..
Gutzlaff,	30.30	62	77	N	4	cv
Sharp Peak,	30.20	71	85	NNE	5	od
Amoy,	30.10	75	77	NE	1	o
Swatow,	.	..	..	..	..	..
Canton,	30.17	76	69	NE	2	b
Hongkong,	30.16	76	77	E	3	o
Victoria Peak,	..	..	..	E	2	..
Gap Rock,	30.14	..	..	ENE	4	..
Macao,	30.15	82	..	N	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.96	81	92	N	1	c
Malate,	..	..	..	NW	1	c
Bacolod,	..	..	..	NE	1	b
Iloilo,	29.85	85	..	N	1	b
Cebu,	29.92	85	..	N	3	c
Cape S. James,	..	..	..	.	.	..

On the 20th at 11.55 a. The barometer has risen on the E. coast of China, and remains steady on the S. coast and over the Phillipines. Pressure is high over the interior of China, slightly low over the Southern Phillipines. Gradients moderate with fresh to strong monsoon on the coast, and in the N. part of the China Sea. Forecast:—fresh NE winds; fine.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Friday 20th Oct[illegible]

CHINA COAST METEOROLOGICAL REGISTER.

20th OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.86	..	..	NNE	1	b
Tokio,	30.06	..	..	N	2	..
Kochi,	30.03	..	..	..	0	..
Nagasaki,	30.11	..	..	N	6	..
Kagoshima,	30.11	..	..	W	6	..
Gutzlaff,	30.29	65	73	NNE	5	cv
Sharp Peak,	30.16	70	77	NNE	3	o
Amoy,	30.06	79	70	E	5	c
Swatow,	30.10	78	..	ENE	4	b
Canton,	30.06	85	61	NE	1	b
Hongkong,	30.07	77	75	ESE	2	b
Victoria Peak,	..	..	..	E	2	..
Gap Rock,	30.05	.	..	ENE	4	..
Macao,	30.07	81	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	76	71	NE	1	c
Malate,	..	..	..	ESE	2	c
Bacolod,	..	..	..	N	2	o
Iloilo,	29.81	83	..	N	4	b
Cebu,	29.84	81	..	NE	2	c
Cape S. James,	..	..	..	NE	5	f

21st OCTOBER, 1899, AT 10½A.

Wladivostock,	29.94	41	53	W	5	b
Tokio,	.	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.31	62	61	ENE	3	cv
Sharp Peak,	30.23	69	82	NNE	2	o
Amoy,	30.14	73	76	NE	1	b
Swatow,	30.21	76	..	NNN	1	c
Canton,	30.17	79	61	N	1	b
Hongkong,	30.18	78	67	ESE	2	o
Victoria Peak,	..	..	..	E	3	..
Gap Rock,	30.17	..	..	ENE	4	..
Macao,	30.19	8?	..	NNE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	30.00	86	65	..	0	c
Malate,	..	..	..	WSW	..	b
Bacolod,	..	..	..	NE	2	b
Iloilo,	29.93	85	..	NE	1	b
Cebu,	29.96	85	..	N	2	c
Cape S. James,	..	..	..	N	2	c

On the 21st at 11.55 a. Barometric changes are slight. High pressure extends over Central China and W. Japan, with moderate monsoon on the China coast and strong monsoon in the N. part of the China Sea. Forecast:—moderate NE winds; fair.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Saturday 21st October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

21st OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.98	..	..	..	0	..
Kochi,	30.07	..	..	SW	2	..
Nagasaki,	30.15	..	..	W	6	..
Kagoshima,	30.15	..	..	W	6	..
Gutzlaff,	30.24	63	72	SE	2	cvg
Sharp Peak,	30.07	70	83	ENE	1	o
Amoy,	30.04	82	67	NE	3	b
Swatow,	30.09	78	..	ESE	3	c
Canton,	30.05	88	62	E	1	b
Hongkong,	30.06	78	74	E	1	o
Victoria Peak,	..	..	..	NE	2	..
Gap Rock,	30.05	.	..	ENE	4	..
Macao,	30.07	82	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.92	82	77	NE	1	c
Malate,	..	..	..	NW	1	o
Bacolod,	..	..	..	NE	4	o
Iloilo,	29.85	90	..	E	2	b
Cebu,	29.87	85	..	NE	5	c
Cape S. James,	..	..	..	NE	5	c

22nd OCTOBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	.	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..		..	..
Gutzlaff,	30.21	61	82	E	1	cv
Sharp Peak,	30.15	70	85	NNE	2	o
Amoy,	30.09	74	81	NE	2	c
Swatow,	30.14	76	..	NE	2	c
Canton,					..	..
Hongkong,	30.12	78	73	E	2	b
Victoria Peak,	..	..	..	ESE	5	..
Gap Rock,	30.11	..	..	ENE	5	..
Macao,	30.12	82	..	E	2	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	WSW	1	b
Bacolod,	..	..	..	..	0	b
Iloilo,	29.93	82	..	NE	1	b
Cebu,	29.95	86	..	NE	2	c
Cape S. James,	..	..	..	NE	4	c

On the 22nd at 11.55 a. The barometer has fallen on the China coast. The highest pressure covers the E. coast of China and W. Japan, with moderate monsoon on the China coast and strong monsoon in the S. part of the China Sea. Forecast:—moderate NE winds; fine.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Sunday 22nd October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

22nd OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.83	42	..	SW	2	c
Tokio,	29.78	..	..	..	0	..
Kochi,	29.99	..	..	W	4	..
Nagasaki,	30.11	..	..	SW	2	..
Kagoshima,	30.11	..	..	W	4	..
Gutzlaff,	30.16	58	94	E	3	omd
Sharp Peak,	30.04	73	81	E	3	b
Amoy,	30.00	78	78	SSW	2	b
Swatow,	30.03	79	..	E	3	b
Canton,	30.02	90	33	S	2	b
Hongkong,	30.01	77	69	ESE	3	b
Victoria Peak,	..	..	..	ESE	1	..
Gap Rock,	30.00	.	..	E	4	..
Macao,	..	..	..	..	..	.
Haiphong,	..	..	..	..	..	..
Manila,	29.88	81	85	NW	1	c
Malate,	..	..	..	NW	1	c
Bacolod,	..	..	..	..	0	o
Iloilo,	29.85	87	..	E	1	o
Cebu,	29.86	85	..	SW	2	o
Cape S. James,	..	..	..	..	..	..

23rd OCTOBER, 1899, AT 10 A.

Wladivostock,	29.84	37	59	W	2	c
Tokio,	.	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	.	..	..
Gutzlaff,	30.28	54	80	NNW	5	cv
Sharp Peak,	30.16	66	81	NNE	7	or
Amoy,	30.04	75	81	NE	2	o
Swatow,	30.12	77	..	N	1	o
Canton,	30.11	73	67	N	3	c
Hongkong,	30.08	78	71	E	2	b
Victoria Peak,	..	..	..	E	2	..
Gap Rock,	30.07	..	..	ENE	4	..
Macao,	30.09	81	..	ENE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.92	84	71	W	1	c
Malate,	..	..	..	NW	1	c
Bacolod,		..	..	N	2	o
Iloilo,	29.85	83	..	E	1	b
Cebu,	29.91	85	..	SW	1	c
Cape S. James,	..	..	..	N	2	c

On the 23rd at 11.55 a. The barometer has risen on the E. coast of China, fallen on the S. coast and over the Phillipines. A high pressure area lies over Central China, and pressure is low in the NE part of the Sea of Japan. Also there are slight indications of the existence of low pressure in the Pacific to the E. of Luzon. Strong monsoon in the Formosa Channel, and increasing monsoon in the N. part of the China Sea. Forecast:—NE to N winds, freshening; fair.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Monday 23rd October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

23rd OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,	..	..	..	.	..	..
Tokio,	29.86	..	..	N	4	..
Kochi,	29.99	..	..		0	..
Nagasaki,	30.11	..	..	N	4	..
Kagoshima,	30.11	..	..	N	4	..
Gutzlaff,	30.24	59	65	N	4	cv
Sharp Peak,	30.12	65	73	NE	5	og
Amoy,	30.00	70	85	NE	5	o
Swatow,	30.05	75	..	NE	3	or
Canton,	30.01	75	56	N	2	c
Hongkong,	30.01	79	50	NE	2	o
Victoria Peak,	..	..	..	NNE	3	..
Gap Rock,	30.01		..	ENE	3	..
Macao,	30.02	78	..	NNW	2	b
Haiphong,	..	..	..	..	..	.
Manila,	29.80	81	77	ESE	1	o
Malate,	..	..	..	SSW	1	o
Bacolod,	..	..	..	.	.	o
Iloilo,	29.77	.	..	NE	2	o
Cebu,	29.80	85	..		0	o
Cape S. James,	..	..	..	NE	2	c

21th OCTOBER, 1899, AT 10 A.

Wladivostock,	..	..	..	.	..	..
Tokio,	.	..	..	.	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..		..	..
Gutzlaff,	30.34	58	58	NNE	3	cv
Sharp Peak,	30.26	64	60	NNW	2	o
Amoy,	30.14	68	65	NNE	3	b
Swatow,	..	..	..	..	..	..
Canton,	30.21	67	55	N	1	o
Hongkong,	30.17	73	55	ENE	3	b
Victoria Peak,	..	..	..	ENE	5	..
Gap Rock,	30.18	..	..	NE	4	..
Macao,	30.18	73	..	NNW	1	c
Haiphong,	..	..	..		..	..
Manila,	29.92	84	85	NNE	1	c
Malate,	..	..	..	N	1	o
Bacolod,	..	..	..	..	0	o
Iloilo,	29.89	84	..	NE	2	b
Cebu,	29.93	86	..	NE	1	..
Cape S. James,	..	..	..	N	1	c

On the 24th at 11.55 a. The barometer has risen moderately on the China coast and slightly over the Phillipines. The high pressure area is central over N. China, with moderate gradients and fresh monsoon on the coast, and rather steep gradients and very strong monsoon in the N. part of the China Sea. Forecast:—fresh NE winds; fine.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Tuesday 24th October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

24th OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.18	..	..	NE	4	..
Kochi,	30.19	..	..	SE	2	..
Nagasaki,	30.23	..	..	N	4	..
Kagoshima,	30.23	..	..	SE	2	..
Gutzlaff,	30.29	61	88	NNE	2	cv
Sharp Peak,	30.18	66	71	NNE	3	o
Amoy,	30.07	75	60	NE	3	b
Swatow,	30.12	74	..	ENE	3	c
Canton,	30.13	78	46	NW	1	b
Hongkong,	30.08	74	59	ESE	2	b
Victoria Peak,	..	..	..	NNE	1	..
Gap Rock,	30.08		..	ENE	4	..
Macao,	30.10	78	..	N	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	77	92	ENE	1	or
Malate,	..	..	..	N	2	o
Bacolod,	..	..	..	..	0	b
Iloilo,	29.77	87	..		0	o
Cebu,	29.81	86	..	N	3	..
Cape S. James,	..	..	..	ENE	5	b

25th OCTOBER, 1899, AT 10 A.

Wladivostock,	..	..	..	.	..	..
Tokio,	30.22	..	..	NW	4	..
Kochi,	30.31	..	..	W	2	..
Nagasaki,	30.34	..	..	..	0	..
Kagoshima,	30.34	..	..	SE	2	..
Gutzlaff,	30.41	59	65	NNE	3	bv
Sharp Peak,	30.28	65	78	NNW	3	o
Amoy,	30.16	72	67	NNE	3	b
Swatow,	30.23	74	..	N	2	b
Canton,	30.21	73	46	N	1	b
Hongkong,	30.20	75	54	ENE	2	b
Victoria Peak,	..	..	..	ENE	3	..
Gap Rock,	30.18	..	..	ENE	5	..
Macao,	30.21	78	..	NNE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.96	82	77	W	1	c
Malate,	..	..	..	WNW	1	b
Bacolod,	..	..	..	NE	2	b
Iloilo,	29.89	83	..	NE	1	b
Cebu,	29.92	82	..	NE	1	c
Cape S. James,	..	..	..	NE	3	c

On the 25th at 11.55 a. The barometer has risen slightly on the China coast and over Japan. The high pressure area is central over the E. coast of China and W. Japan. Gradients moderate to rather steep. Fresh monsoon on the coast, very strong monsoon in the N. part of the China Sea. Forecast:—fresh NE winds; fine.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Wednesday 25th October 1899.

HINA COAST METEOROLOGICAL REGISTER.

25th OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.14	..	..	..	0	..
Kochi,	30.23	..	..	SW	2	..
Nagasaki,	30.31	..	..	N	4	..
Kagoshima,	30.27	..	..	S	2	..
Gutzlaff,	30.38	61	60	NE	2	bv
Sharp Peak,	30.22	66	73	NE	5	o
Amoy,	30.09	79	61	NE	4	b
Swatow,	..	..	..	..	..	.
Canton,	30.12	82	52	N	1	b
Hongkong,	30.10	74	64	E	4	b
Victoria Peak,	..	..	..	E	2	..
Gap Rock,	30.08		..	ENE	5	..
Macao,	30.09	82	..	ENE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	84	77	..	0	c
Malate,	..	..	..	SSE	1	c
Bacolod,	..	..	..	NE	7	b
Iloilo,	29.81	84	..	E	7	c
Cebu,	29.81	85	..	N	3	c
Cape S. James,	..	..	..	NE	5	c

26th OCTOBER, 1899, AT 10 A.

Wladivostock,	..	..	..	.	..	..
Tokio,	30.26	..	..	NW	4	..
Kochi,	30.31	..	..	N	4	..
Nagasaki,	30.34	..	..	N	2	..
Kagoshima,	30.31	..	..	N	4	..
Gutzlaff,	30.41	61	71	ENE	4	cv
Sharp Peak,	30.28	66	73	NNW	3	o
Amoy,	30.16	72	71	NNE	2	o
Swatow,			..		..	..
Canton,	30.23	75	56	N	1	b
Hongkong,	30.20	75	66	E	3	c
Victoria Peak,	..	..	..	E	3	..
Gap Rock,	30.18	..	..	ENE	5	..
Macao,	30.20	80	..	ENE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.96	84	77	WSW	1	c
Malate,	..	..	..	N	1	c
Bacolod,	..	..	..	N	7	b
Iloilo,	29.85	83	..	NE	2	c
Cebu,	29.89	85	..	NE	2	cd
Cape S. James,	..	..	..	N	2	c

e 26th at 11.55 a. Barometric changes are slight. The high pressure area is still central over
of China and W Japan, and pressure is slightly low over the Southern Phillipines Gradients
rather steep. Fresh monsoon on the coast, very strong monsoon in the N. part of the China
ast:—fresh NE winds; fair.

F.G. FIGG,
First Assistant.

SERVATORY, Thursday 26th October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

26th OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	30.13	56	..	W	1	b
Tokio,	30.14	..	..	E	2	..
Kochi,	30.19	..	..	SE	2	..
Nagasaki,	30.27	..	..	NW	2	..
Kagoshima,	30.23	..	..	E	4	..
Gutzlaff,	30.36	60	65	NE	5	cv
Sharp Peak,	30.21	66	76	NNW	3	og
Amoy,	..	..	..	..	..	..
Swatow,	..	..	..	..	..	..
Canton,	30.11	85	54	NW	1	b
Hongkong,	30.11	75	68	E	3	bv
Victoria Peak,	..	..	..	ENE	1	..
Gap Rock,	30.09	..	..	E	4	..
Macao,	30.11	79	..	SE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	86	65	ENE	1	c
Malate,	..	..	..	NE	1	b
Bacolod,	..	..	..	N	4	o
Iloilo,	29.77	89	..	N	3	c
Cebu,	29.80	87	..	N	3	c
Cape S. James,	..	..	..	E	2	c

27th OCTOBER, 1899, AT 10 A.

Wladivostock,	30.14	42	84	.	0	b
Tokio,	30.22	..	..	W	2	..
Kochi,	30.23	..	..	..	0	..
Nagasaki,	30.23	..	..	..	0	..
Kagoshima,	30.23	..	..	NE	2	..
Gutzlaff,	30.34	59	65	NNE	3	cv
Sharp Peak,	30.26	65	78	NNW	3	o
Amoy,	30.12	73	67	NE	3	b
Swatow,		..	..		..	..
Canton,	30.18	75	64	NE	1	b
Hongkong,	30.15	78	55	WNW	2	c
Victoria Peak,	..	..	..	ENE	3	..
Gap Rock,	30.14	..	..	ENE	4	..
Macao,	30.16	80	..	NNE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.92	88	66	NW	1	c
Malate,	..	..	..	ENE	1	b
Bacolod,	..	..	..	..	0	or
Iloilo,	29.85	82	..	E	1	o
Cebu,	29.90	80	..	N	2	o
Cape S. James,	..	..	..	..	..	..

On the 27th at 11.55 a. The barometer has fallen generally. The high pressure area is central over N. China, and pressure seems to be relatively low in the Pacific to the E. of Luzon. Gradients moderate to rather steep. Strong monsoon on the coast and in the N. part of the China Sea. Forecast:—fresh NE to N winds; fine.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Friday 27th October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

27th OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.18	..	..	S	4	..
Kochi,	30.15	..	..	..	0	..
Nagasaki,	30.15	..	..	NW	2	..
Kagoshima,	30.15	..	..	NW	2	..
Gutzlaff,	30.29	60	82	NNE	3	cv
Sharp Peak,	30.15	65	78	NNW	3	oq
Amoy,	30.00	72	81	NE	2	o
Swatow,	.	..	..	..	..	.
Canton,	30.06	83	49	NW	1	b
Hongkong,	30.05	75	65	ESE	3	o
Victoria Peak,	..	..	..	NE	1	..
Gap Rock,	30.05	.	..	ENE	4	..
Macao,	30.04	84	..	NE	1	c
Haiphong,	..	..	..	..	..	.
Manila,	29.84	88	72	W	1	c
Malate,	..	..	..	WNW	1	c
Bacolod,	..	..	..	..	0	o
Iloilo,	29.77	86	..	N	3	o
Cebu,	29.81	86	..	N	2	od
Cape S. James,	..	..	..	NE	3	o

28th OCTOBER, 1899, AT 10 A.

Wladivostock,	..	..	..	.	..	..
Tokio,	30.18	..	..	NW	4	..
Kochi,	30.11	..	..	.	0	..
Nagasaki,	30.15	..	..	N	6	..
Kagoshima,	30.15	..	..	NW	2	..
Gutzlaff,	30.32	57	69	NNW	3	bv
Sharp Peak,	30.25	64	80	N	3	o
Amoy,	30.13	72	67	NE	3	b
Swatow,		..	..	.	..	..
Canton,	..	..	..		..	..
Hongkong,	30.16	76	53	ESE	1	c
Victoria Peak,	..	..	..	ENE	1	..
Gap Rock,	30.15	..	..	NE	4	..
Macao,	30.17	78	..	N	2	c
Haiphong,	..	..	..	..	..	..
Manila,	29.96	81	85	E	1	c
Malate,	..	..	..	SSE	1	or
Bacolod,	..	..	..	NW	2	o
Iloilo,	29.93	82	..	..	0	c
Cebu,	29.95	82	..		0	c
Cape S. James,	..	..	..	N	7	f

On the 28th at 11.50 a. The barometer has risen over the Philippines fallen in Japan High pressure [illegible] China, and pressure seems to be low in the Pacific to the S. of Japan. Gradients moderate. [illegible] on the east, strong monsoon in the N. part of the China Sea. Forecast:—fresh NE to N winds; fine.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Saturday 8th October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

28th OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	30.21	53	..	W	1	c
Tokio,	30.06	..	..	N	6	..
Kochi,	30.07	..	..	..	0	..
Nagasuki,	30.07	..	..	NW	8	..
Kagoshima,	30.07	..	..	NW	6	..
Gutzlaff,	30.28	62	61	NNW	2	cv
Sharp Peak,	30.17	65	76	E	6	o
Amoy,	30.05	76	60	ENE	3	b
Swatow,	..	..	..	..	..	.
Canton,	30.07	80	55	NE	1	b
Hongkong,	30.08	73	65	E	3	o
Victoria Peak,	..	..	..	E	1	..
Gap Rock,	30.07	.	..	NE	4	..
Macao,	30.07	82	..	NNW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	84	77	NW	1	c
Malate,	..	..	..	SW	1	c
Bacolod,	..	..	..	N	1	b
Iloilo,	29.81	88	..	..	0	c
Cebu,	29.84	86	..	N	2	b
Cape S. James,	..	..	..	ENE	2	o

29th OCTOBER, 1899, AT 10 A.

Wladivostock,	30.08	39	83	N	1	b
Tokio,	30.14	..	..	N	2	..
Kochi,	30.03	..	..	.	0	..
Nagasaki,	30.15	..	..	N	2	..
Kagoshima,	30.11	..	..	NW	6	..
Gutzlaff,	30.33	59	65	N	2	cv
Sharp Peak,	30.28	64	73	N	4	o
Amoy,	30.14	70	66	NE	3	b
Swatow,		..		..	..	..
Canton,	30.19	72	67	SE	1	b
Hongkong,	30.18	73	66	ENE	4	c
Victoria Peak,	..	..	..	E	2	..
Gap Rock,	30.16	..	..	ENE	6	..
Macao,	30.17	78	..	NE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	30.00	81	85	NE	1	c
Malate,	..	..	..	NE	1	b
Bacolod,		..	..	NE	2	b
Iloilo,	29.93	..	..	NE	1	c
Cebu,	29.97	86	..	N	2	c
Cape S. James,	..	..	..	..	..	..

On the 29th at 11.55 a. Barometric changes are slight. Pressure remains high over China, with moderate gradients and fresh to strong monsoon on the coast, and in the N. part of the China Sea. Forecast:—fresh NE winds; fair.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Sunday 29th October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

29th OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.02	..	..	NW	2	..
Kochi,	29.95	..	..	N	8	..
Nagasaki,	30.11	..	..	NW	4	..
Kagoshima,	30.07	..	..	W	6	..
Gutzlaff,	30.26	60	60	N	3	cv
Sharp Peak,	30.19	65	49	E	4	o
Amoy,	30.08	75	58	ENE	2	c
Swatow,	..	..	..	..	..	..
Canton,	30.11	81	62	NE	1	b
Hongkong,	30.10	72	68	ENE	4	o
Victoria Peak,	..	..	..	ESE	4	..
Gap Rock,	30.06	.	..	ENE	5	..
Macao,	30.08	76	..	ESE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	81	85	ENE	1	c
Malate,	..	..	..	ESE	3	or
Bacolod,	..	..	..	N	2	o
Iloilo,	29.85	90	..	E	2	c
Cebu,	29.85	85	..	NE	4	b
Cape S. James,	..	..	..	..	..	..

30th OCTOBER, 1899, AT 10 A.

Wladivostock,	..	..	..	.	..	.
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.28	60	65	NE	2	cv
Sharp Peak,	30.23	63	67	NNW	2	cd
Amoy,	30.13	67	69	NE	1	b
Swatow,		.	..	.	..	..
Canton,	30.13	75	77	E	1	b
Hongkong,	30.14	73	63	E	4	o
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	30.13	..	..	ENE	5	..
Macao,	30.14	78	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.96	84	71	W	1	c
Malate,	..	..	..	WNW	1	b
Bacolod,	..	..	..	NE	2	o
Iloilo,	29.93	85	..	N	1	b
Cebu,	29.96	86	..	N	2	c
Cape S. James,	..	..	..	..	..	..

On the 30th at 11.55 a. The barometer is falling in China. Pressure is high between the E. coast China and W. Japan. Gradients slight to moderate. Moderate monsoon on the coast, strong monsoon in S. part of the China Sea. Forecast:—fresh E winds; fine.

F.G. FIGG,
First Assistant.

KONG OBSERVATORY, Monday 30th October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

30th OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.98	..	..	N	6	..
Kochi,	30.15	..	..	N	6	..
Nagasaki,	30.19	..	..	E	4	..
Kagoshima,	30.15	..	..	SE	2	..
Gutzlaff,	30.19	62	61	E	3	o
Sharp Peak,	30.11	64	78	NNW	1	b
Amoy,	30.03	75	60	ENE	2	b
Swatow,	30.03	74	..	ESE	4	b
Canton,	..	..	..	..	..	..
Hongkong,	30.04	72	67	ESE	3	o
Victoria Peak,	..	..	..	ESE	2	..
Gap Rock,	30.03	..	..	E	4	..
Macao,	30.03	76	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	..	..	N	1	c
Malate,	..	..	..	NW	2	c
Bacolod,	..	..	..	N	3	b
Iloilo,	29.81	90	..	..	1	c
Cebu,	29.85	86	..	NE	4	b
Cape S. James,	..	..	..	ESE	1	o

31st OCTOBER, 1899, AT 10 A.

Wladivostock,	..	..	..	.	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.11	55	100	NE	3	omd
Sharp Peak,	30.05	66	81	..	0	o
Amoy,	30.04	68	85	W	2	c
Swatow,		..	..	.	..	..
Canton,		..	..	..	.	..
Hongkong,	30.03	75	78	E	4	b
Victoria Peak,	..	..	..	ESE	4	..
Gap Rock,	30.03	..	..	E	4	..
Macao,	30.01	77	..	E	2	c
Haiphong,	..	..	..	..	..	..
Manila,	29.96	86	71	W	1	c
Malate,	..	..	..	NNW	..	b
Bacolod,		..	..	N	2	b
Iloilo,	29.89	85	..	N	1	c
Cebu,	29.94	84	..	.	0	c
Cape S. James,	..	..	..	..	..	..

On the 31st at 11.55 a. The barometer has fallen in China, particularly on the E. coast. A low pressure area seems to be lying between the E. coast and the Loochoos. Gradients slight in the South with moderate monsoon in the N. part of the China Sea. Forecast:—moderate E to N winds; fair.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Tuesday 31st October 1899.

CHINA COAST METEOROLOGICAL REGISTER.

31st OCTOBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.18	..	..	NE	2	..
Kochi,	30.19	..	..	..	0	..
Nagasaki,	30.07	..	..	SE	6	..
Kagoshima,	30.11	..	..	E	4	..
Gutzlaff,	..	..	..	..	..	..
Sharp Peak,	29.98	68	82	E	1	o
Amoy,	29.96	70	90	SE	3	c
Swatow,	..	..	..	..	..	..
Canton,	29.91	83	71	S	2	or
Hongkong,	29.94	75	79	ESE	3	b
Victoria Peak,	..	..	..	SSW	1	..
Gap Rock,	29.93	..	..	E	3	..
Macao,	29.94	78	..	ESE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	84	77	NNE	1	c
Malate,	..	..	..	NW	2	c
Bacolod,	..	..	..	NE	2	b
Iloilo,	29.81	90	..	E	2	b
Cebu,	29.84	86	..	NE	3	b
Cape S. James,	..	..	..	SW	1	c

1st NOVEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.26	59	82	N	4	cv
Sharp Peak,	30.18	65	81	NE	4	o
Amoy,	30.08	72	81	NE	2	o
Swatow,		..	..	..	..	..
Canton,	30.16	65	95	N	1	od
Hongkong,	30.12	77	68	E	1	o
Victoria Peak,	..	..	..	E	2	..
Gap Rock,	30.11	..	..	ENE	4	..
Macao,	30.12	72	81	NNW	2	c
Haiphong,	..	..	..	..	..	..
Manila,	30.00	86	65	E	1	c
Malate,	..	..	..	W	1	b
Bacolod,	..	..	..	N	2	b
Iloilo,	29.93	85	..	N	1	b
Cebu,	29.97	86	..	..	0	b
Cape S. James,	..	..	..	N	1	o

On the 1st at 11.55 a. The barometer has risen on the China coast. The low pressure area is probably lying in W. Japan, and pressure is highest over N. China. Gradients slight to moderate. Fresh northerly winds on the coast, and in the N. part of the China Sea. Forecast:—fresh NE winds, fine.

[illegible],
First Assistant.

KONG OBSERVATORY, Wednesday 1st November 1899.

CHINA COAST METEOROLOGICAL REGISTER.

1st NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	30.02	53	..	N	2	b
Tokio,	30.06	..	..	NW	4	..
Kochi,	30.03	..	..	..	0	..
Nagasaki,	30.03	..	..	N	4	..
Kagoshima,	29.99	..	..	E	2	..
Gutzlaff,	30.25	62	56	NNE	3	bv
Sharp Peak,	30.15	66	33	ENE	4	o
Amoy,	30.03	75	68	ENE	3	o
Swatow,	30.09	76	..	ESE	4	c
Canton,	30.07	72	76	E	1	b
Hongkong,	30.05	75	74	E	1	o
Victoria Peak,	..	..	..	E	1	..
Gap Rock,	30.04	.	..	ENE	3	..
Macao,	30.06	75	..	NW	1	o
Haiphong,	..	..	..	..	..	..
Manila,	29.92	88	66	SSE	1	o
Malate,	..	..	..	SSW	1	c
Bacolod,	..	..	..	N	2	b
Iloilo,	29.85	90	..	E	1	b
Cebu,	29.88	86	..	NE	3	b
Cape S. James,	..	..	..	..	..	..

2nd NOVEMBER, 1899, AT 10 A.

Wladivostock,	30.06	26	72	N	4	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.33	59	88	NNE	3	cv
Sharp Peak,	30.18	65	70	NNE	4	o
Amoy,	30.16	71	71	N	1	o
Swatow,	30.24	74	..	NE	2	c
Canton,	30.20	68	85	N	1	o
Hongkong,	30.19	72	81	E	3	o
Victoria Peak,	..	..	..	ESE	4	..
Gap Rock,	30.17	..	..	ENE	4	..
Macao,	30. 0	71	.	N	1	od
Haiphong,	..	..	..	..	..	..
Manila,	30.04	77	92	ESE	1	c
Malate,	..	..	..	NNE	1	or
Bacolod,	..	..	..	N	2	b
Iloilo,	29.97	86	..	N	1	c
Cebu,	29.98	84	..	.	0	o
Cape S. James,	..	..	..	..	..	..

On the 2nd at 11.55 a. The barometer continues to rise on the China coast. Pressure is high over N. China, with slight to moderate gradients and fresh monsoon on the coast, and in the N. part of the China Sea. Forecast:—moderate NE winds; fair.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Thursday 2nd November 1899.

CHINA COAST METEOROLOGICAL REGISTER.

2nd NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.98	..	..	..	0	..
Kochi,	30.03	..	..	N	4	..
Nagasaki,	30.15	..	..	N	6	..
Kagoshima,	30.07	..	..	N	2	..
Gutzlaff,	30.27	60	88	N	3	cv
Sharp Peak,	30.20	66	68	E	1	o
Amoy,	30.07	77	61	ENE	3	c
Swatow,	30.13	74	..	ESE	4	c
Canton,	.	..	..	..	..	..
Hongkong,	30.11	73	77	ESE	1	o
Victoria Peak,	..	..	..	NE	1	..
Gap Rock,	30.10	.	..	ENE	4	..
Macao,	30.12	76	..	NNE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.92	84	77	NW	1	c
Malate,	..	..	..	NW	2	c
Bacolod,	..	..	..	N	2	b
Iloilo,	29.85	89	..	..	0	c
Cebu,	29.87	84	..	SW	1	o
Cape S. James,	..	..	..	NE	4	c

3rd NOVEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.35	59	76	N	5	cm
Sharp Peak,	30.27	63	83	WNW	1	o
Amoy,	30.16	70	75	NNE	2	o
Swatow,	..	..	..	..	..	..
Canton,	30.21	67	84	N	1	o
Hongkong,	30.18	71	77	NE	1	o
Victoria Peak,	..	..	..	E	2	..
Gap Rock,	30.16	..	..	ENE	4	..
Macao,	30.19	73	.	NNW	1	o
Haiphong,	..	..	..	..	..	..
Manila,	..		.	.	..	..
Malate,	..	..	..	NW	2	o
Bacolod,	..	..	..	N	2	.
Iloilo,	29.85	83	..	SW	3	o
Cebu,	29.90	81	..	SW	2	o
Cape S. James,	..	..	..	N	1	c

On the 3rd at 11.10 a. The barometer has fallen over the Phillipines, and remains almost steady on the ...a coast. Pressure is low, apparently, in the Pacific to the E. or SE of Luzon, and still high over ...n. Gradients moderate. Fresh monsoon on the coast, strong monsoon in the N. part of the China ... Forecast:—moderate NE winds; fair.

F.G. FIGG,
First Assistant.

...KONG OBSERVATORY, Friday 3rd November 1899.

CHINA COAST METEOROLOGICAL REGISTER.

3rd NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	30.11	41	..	N	3	b
Tokio,	29.94	..	..	W	6	..
Kochi,	30.03	..	..	SW	2	..
Nagasaki,	30.11	..	..	NW	8	..
Kagoshima,	30.11	..	..	S	6	..
Gutzlaff,	30.85	56	63	N	5	cv
Sharp Peak,	30.21	63	80	NW	1	o
Amoy,	30.08	73	67	NE	3	o
Swatow,	..	..	..	..	..	..
Canton,	30.10	79	43	N	1	o
Hongkong,	30.08	75	63	..	0	b
Victoria Peak,	..	..	..	NE	1	..
Gap Rock,	30.09	..	..	NE	3	..
Macao,	30.10	75	..	N	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	75	100	NNW	2	or
Malate,	..	..	..	NNW	1	or
Bacolod,	..	..	..	S	2	o
Iloilo,	29.77	86	..	W	4	o
Cebu,	29.82	84	..	SW	4	c
Cape S. James,	..	..	..	ESE	1	c

4th NOVEMBER, 1899, AT 10 A.

Wladivostock,	29.95	31	82	..	0	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.39	52	66	NNW	5	cv
Sharp Peak,	30.28	62	77	NNE	6	og
Amoy,	30.15	67	84	NNE	4	o
Swatow,	..	..	..	..	..	..
Canton,						..
Hongkong,	30.18	71	73	E	4	o
Victoria Peak,	..	..	..	E	5	..
Gap Rock,	30.15	..	..	ENE	5	..
Macao,	30.18	69	.	NNW	1	o
Haiphong,	..	..	..	..	..	..
Manila,	29.92	84	71		2	c
Malate,	..	..	..	NE	1	c
Bacolod,	..	..	..	S	2	b
Iloilo,	29.89	84	..	N	1	c
Cebu,	29.95	84	..	SW	2	c
Cape S. James,	..	..	..	..	..	.

On the 4th at 11.55 a. Barometric changes are slight. The high pressure area remains central over N. China, and a low area seems to be situated in NE Japan. Gradients moderate with strong monsoon on the coast and in the N. part of the China Sea. Forecast:—fresh NE winds; fair.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Saturday 4th November 1899.

CHINA COAST METEOROLOGICAL REGISTER.

4th NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.86	..	..	NE	2	..
Kochi,	29.95	..	..	N	4	..
Nagasaki,	30.15	..	..	N	6	..
Kagoshima,	30.11	..	..	NW	8	..
Gutzlaff,	30.34	53	54	NNW	4	cv
Sharp Peak,	30.22	61	89	NE	7	og
Amoy,	.	..	..	..	..	..
Swatow,	30.12	75	..	NE	3	c
Canton,	30.14	67	74	N	1	o
Hongkong,	30.11	71	73	E	3	o
Victoria Peak,	..	..	..	E	1	..
Gap Rock,	30.07	.	..	ENE	5	..
Macao,	30.10	70	..	NNW	1	o
Haiphong,	..	..	..	..	..	.
Manila,	29.84	81	84	SE	2	o
Malate,	..	..	..	SW	3	o
Bacolod,	..	..	..	N	1	o
Iloilo,	29.81	83	..	W	1	b
Cebu,	29.85	83	..	NE	2	c
Cape S. James,	..	..	..	SW	2	c

5th NOVEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.37	51	52	NNW	4	cv
Sharp Peak,	30.29	60	68	N	3	og
Amoy,	30.15	66	79	N	2	c
Swatow,	30.21	71	.	N	3	b
Canton,	30.21	65	84	NW	1	o
Hongkong,	30.17	69	72	N	1	o
Victoria Peak,	..	..	..	NE	1	..
Gap Rock,	30.17	..	..	NNE	5	..
Macao,	30.19	69	.	NNW	2	c
Haiphong,	..	..	..	..	..	..
Manila,	29.96	81	85	WNW	1	c
Malate,	..	..	..	N	1	b
Bacolod,	..	..	..	NE	1	b
Iloilo,	29.93	84	..		0	c
Cebu,	29.96	84	..	NE	1	c
Cape S. James,	..	..	..	NNW	2	c

On the 5th at 11.55 a. Barometric changes are unimportant. The high pressure area remains central over China, with moderate gradients and strong monsoon on the coast, and in the N. part of the China Sea.

Forecast.—fresh NE winds; fair.

F.G. FIGG,
First Assistant.

Observatory, Sunday 5th November 1899.

CHINA COAST METEOROLOGICAL REGISTER.

5th NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.79	41	..	NW	3	o
Tokio,	29.86	..	..	S	6	..
Kochi,	30.03	..	..	W	4	..
Nagasaki,	30.15	..	..	W	8	..
Kagoshima,	30.15	..	..	NW	4	..
Gutzlaff,	30.30	54	49	N	4	cv
Sharp Peak,	30.21	61	66	NE	7	o
Amoy,	30.08	73	58	NE	4	o
Swatow,	30.11	71	..	E	5	o
Canton,	30.17	65	95	.	..	b
Hongkong,	30.09	72	64	ESE	2	o
Victoria Peak,	..	..	..	NE	2	..
Gap Rock,	30.08		..	ENE	4	..
Macao,	30.12	75	..	NNW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	81	92	SE	2	or
Malate,	..	..	..	SW	1	c
Bacolod,	..	..	..	..	0	o
Iloilo,	29.85	86	..	SW	1	c
Cebu,	29.88	85	..	..	0	o
Cape S. James,	..	..	..	..	..	..

6th NOVEMBER, 1899, AT 10 A.

Wladivostock,	29.95	38	70	SW	1	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.32	53	61	NNW	2	cv
Sharp Peak,	30.27	59	79	N	2	o
Amoy,	30.13	65	73	NE	2	o
Swatow,	30.20	69	.	NE	2	o
Canton,	..	..		..	..	..
Hongkong,	30.15	71	65	..	0	o
Victoria Peak,	..	..	..	NE	2	..
Gap Rock,	30.14	..	..	NNE	4	..
Macao,	30.15	75	.	NNW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.96	81	85	WSW	1	c
Malate,	..	..	..	SW	1	c
Bacolod,	.	..	..	..	0	o
Iloilo,	29.97	86	..	.	0	c
Cebu,	29.98	84	..	NE	1	b
Cape S. James,	..	..	..	..	..	..

On the 6th at 11.55 a. The barometer is falling slowly on the China coast. Pressure seems to be highest between the E. coast of China and W. Japan. Gradients moderate to slight, with fresh monsoon on the coast, and in the N. part of the China Sea. Forecast:—moderate NE winds; fair.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Monday 6th November 1899.

CHINA COAST METEOROLOGICAL REGISTER.

6th NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.10	..	..	N	6	..
Kochi,	30.15	..	..	SW	2	..
Nagasaki,	30.19	..	..	W	4	..
Kagoshima,	30.19	..	..	S	2	..
Gutzlaff,	30.23	55	87	NW	1	bv
Sharp Peak,	30.15	62	74	E	3	o
Amoy,	30.04	72	67	NE	2	o
Swatow,	30.07	72	..	ESE	4	c
Canton,	30.03	75	72	W	1	c
Hongkong,	30.03	70	76	ESE	3	o
Victoria Peak,	..	..	..	E	1	..
Gap Rock,	30.02		..	ENE	4	..
Macao,	30.00	75	..	NNW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.92	82	85	NE	3	o
Malate,	..	..	..	NE	3	o
Bacolod,	..	..	..	SE	2	o
Iloilo,	29.85	85	..	..	0	o
Cebu,	29.87	85	..	NE	3	o
Cape S. James,	..	..	..	W	2	o

7th NOVEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..		..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.22	58	81	NE	1	bv
Sharp Peak,	30.18	63	86	NW	1	o
Amoy,	30.08	67	79	N	1	o
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	30.08	72	72	ENE	3	o
Victoria Peak,	..	..	..	E	4	..
Gap Rock,	30.05	..	..	ENE	5	..
Macao,	30.09	73	..	NNE	1	o
Haiphong,	..	..	..	..	..	..
Manila,	30.00	75	100	NNW	1	or
Malate,	..	..	..	NNE	1	or
Bacolod,	..	..	..	NW	2	o
Iloilo,	29.97	86	..		0	o
Cebu,	29.95	87	..	NE	1	b
Cape S. James,	..	..	..	SW	3	c

On the 7th at 11.50 a. The barometer is still falling on the China coast. Pressure appears to be lowest between the E. coast of China and Japan. Gradients slight in the North, moderate with fresh monsoon in the South. Forecast:—fresh NE winds; dull, probably some rain.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Tuesday 7th November 1899.

CHINA COAST METEOROLOGICAL REGISTER.

7th NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.73	58	..	W	2	c
Tokio,	29.95	..	..	NW	2	..
Kochi,	30.07	..	..	W	4	..
Nagasaki,	30.15	..	..	W	6	..
Kagoshima,	30.11	..	..	W	4	..
Gutzlaff,	30.21	60	82	NNE	2	..
Sharp Peak,	30.07	68	82	E	1	o
Amoy,	30.00	75	77	SSE	1	..
Swatow,	30.03	73	..	ESE	2	o
Canton,	30.02	74	76	N	1	o
Hongkong,	30.00	72	77	E	3	o
Victoria Peak,	..	..	..	E	3	..
Gap Rock,	30.00	.	..	ENE	4	..
Macao,	30.00	74	..	NE	1	o
Haiphong,	..	..	..	..	..	..
Manila,	29.88	86	78	W	1	c
Malate,	..	..	..	W	2	c
Bacolod,	..	..	..	N	6	b
Iloilo,	29.85	86	..	NE	1	c
Cebu,	29.84	85	..	..	0	o
Cape S. James,	..	..	..	SW	2	c

8th NOVEMBER, 1899, AT 10 A.

Wladivostock,	30.21	29	58	..	0	b
Tokio,	30.06	..	..	NW	4	..
Kochi,	30.19	..	..	..	0	..
Nagasaki,	30.23	..	..	N	2	..
Kagoshima,	30.19	..	..	N	6	..
Gutzlaff,	30.26	61	71	ENE	3	cv
Sharp Peak,	30.16	66	89	N	2	od
Amoy,	30.04	72	85	NNE	1	o
Swatow,	..	.	.	..	..	..
Canton,	30.06	75	90	..	0	b
Hongkong,	30.06	73	81	ENE	6	o
Victoria Peak,	..	..	..	E	7	..
Gap Rock,	30.05	..	..	ENE	5	..
Macao,	30.05	78	.	E	2	c
Haiphong,	..	..	..	..	..	..
Manila,	29.96	81	85	W	1	c
Malate,	..	..	..	E	1	c
Bacolod,	..	..	..	N	2	op
Iloilo,	29.89	83	..	NW	1	o
Cebu,	29.90	79	..	SW	1	o
Cape S. James,	..	..	..	..	..	..

On the 8th at 11.50 a. The barometer has risen slightly in the North, fallen a little in the South. Pressure is high over N China, and relatively low in the N. part of the China Sea. Gradients moderate, with fresh monsoon on the coast and strong monsoon in the N. part of the China Sea. Forecast:—strong NE winds; cloudy, misty.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Wednesday 8th November 1899.

CHINA COAST METEOROLOGICAL REGISTER.

8th NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.02	..	..	..	0	..
Kochi,	30.11	..	..	SE	2	..
Nagasaki,	30.15	..	..	NW	4	..
Kagoshima,	30.15	..	..	N	4	..
Gutzlaff,	30.21	63	83	E	3	cv
Sharp Peak,	30.10	67	92	..	0	r
Amoy,	29.99	79	70	NE	2	o
Swatow,	30.01	76	..	ESE	4	b
Canton,	29.96	84	72	SW	1	c
Hongkong,	29.98	74	82	E	5	o
Victoria Peak,	..	..	..	E	8	..
Gap Rock,	29.95	..	..	ENE	5	..
Macao,	29.99	76	..	E	2	c
Haiphong,	..	..	..	..	..	..
Manila,	29.84	84	77	NNE	1	c
Malate,	..	..	..	W	1	c
Bacolod,	..	..	..	N	1	op
Iloilo,	29.77	86	..	N	1	o
Cebu,	29.77	82	..	..	0	o
Cape S. James,	..	..	..	SW	1	c

9th NOVEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.19	65	73	ESE	3	cv
Sharp Peak,	30.08	66	92	NNW	3	ogd
Amoy,	..	..	.	..	..	.
Swatow,	..		.	.	..	..
Canton,	..	..	..	..	..	..
Hongkong,	30.03	74	86	E	4	o
Victoria Peak,	..	..	..	E	6	..
Gap Rock,	30.01	..	..	ENE	5	..
Macao,	30.03	75	.	ENE	2	od
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	.	..	..
Malate,	..	..	..	NW	1	o
Bacolod,	..	..	..	S	2	op
Iloilo,	29.69	82	..	SW	1	o
Cebu,	29.76	78	..	SW	2	o
Cape S. James,	..	..	..	WNW	2	o

On the 9th at 10.45 a. The barometer has fallen generally, particularly in the Southern Phillipines. depression, which is probably moving Westwards, seems to be situated to the SE of Luzon. Pressure highest over Japan. Gradients moderate on the coast, rather steep with very strong monsoon in the N. of the China Sea. Forecast:—fresh E winds; cloudy, some drizzling rain.

F.G. FIGG,
First Assistant.

KONG OBSERVATORY, Thursday 9th November 1899.

CHINA COAST METEOROLOGICAL REGISTE

9th NOVEMBER, 1899, AT 4 P.

Station.	Barometer.	Temperature.	Humidity.	Wind.		Weather.
				Direction.	Force.	
Wladivostock,	30.03	49	..	SW	5	b
Tokio,	30.18	..	..	N	4	..
Kochi,	*30.25*	..	..	SE	2	..
Nagasaki,	30.15	..	..	E	6	..
Kagoshima,	30.15	..	..	S	2	..
Gutzlaff,	*30.10*	*62*	*100*	SE	3	*rf*
Sharp Peak,	29.98	68	95	WNW	1	o
Amoy,	29.97	75	80	SE	2	b
Swatow,	*29.87*	78	..	ESE	2	o
Canton,	29.94	80	78	E	1	o
Hongkong,	29.85	74	83	E	3	o
Victoria Peak,	..	..	..	E	5	..
Gap Rock,	*29.84*	.	..	ENE	4	..
Macao,	29.94	77	..	ESE	3	c
Hoihong,	..	..	..	..	..	..
Manila,	*29.76*	*75*	91	N	3	..
Mulate,	..	..	..	NW	1	or
Bacolod,	..	..	..	SE	2	*or*
Iloilo,	29.58	82	..	SW	4	o
Cebu,	29.70	70	..	SW	3	..
Cape S. James,	..	..	..	SSW	2	c

10th NOVEMBER, 1899, AT 10 A.

Wladivostock,	30.06	41	93	..	0	or
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.05	65	100	SE	3	ound
Sharp Peak,	30.01	72	93	.	0	od
Amoy,	29.97	71	95	SE	1	g
Swatow,	29.90	73	.	NE	1	f
Canton,	..	..	..	..	..	..
Hongkong,	29.90	77	75	ENE	1	o
Victoria Peak,	.	..	..	E	4	..
Gap Rock,	29.88	..	..	ENE	4	..
Macao,	29.9	79	.	NE	1	o
Hoihong,	..	..	..	..	..	..
Manila,	29.84	81	92	NE	1	c
Mulate,	..	..	..	NNW	1	c
Bacolod,	..	..	..	S	2	o
Iloilo,	29.82	84	..	SW	2	c
Cebu,	29.88	79	..	SW	1	o
Cape S. James,	..	..	..	..	..	..

On the 10th at 1.55 a. The barometer has fallen on the China coast, particularly in the North; *risen* in the Southern Philippines. The depression is probably moving Westwards off the W coast of Luzon. *Another depression* lies over Central China. *Gradients slight on the coast, rather steep with strong* NE winds in the N *part of the China Sea.* Forecast:—moderate E winds; cloudy, some drizzling rain.

F.G. FIGG,
First Assistant.

OBSERVATORY, Friday 10th November 1899.

CHINA COAST METEOROLOGICAL REGISTER.

10th NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	30.02	52	..	..	0	b
Tokio,	30.18	..	..	NW	4	..
Kochi,	30.15	..	..	..	0	..
Nagasaki,	30.11	..	..	NE	4	..
Kagoshima,	30.11	..	..	SE	4	..
Gutzlaff,	..	..	..	..	..	..
Sharp Peak,	29.91	73	90	..	0	c
Amoy,	29.88	75	86	SE	2	b
Swatow,	29.94	78	..	E	3	b
Canton,	29.88	80	87	.	0	od
Hongkong,	29.90	79	66	E	3	o
Victoria Peak,	..	..	..	E	3	..
Gap Rock,	29.89	.	..	ENE	4	..
Macao,	29.90	79	..	NE	1	c
Haiphong,	..	..	..	..	..	.
Manila,	29.76	81	95	SE	2	o
Mulate,	..	..	..	S	1	o
Bacolod,	..	..	..	SW	1	b
Iloilo,	29.78	85	..	SW	4	c
Cebu,	29.79	84	..	SW	3	o
Cape S. James,	..	..	..	SW	1	o

11th NOVEMBER, 1899, AT 10 A.

Wladivostock,	29.85	46	99	SE	1	o
Tokio,	30.18	..	..	NW	4	..
Kochi,	30.11	..	..	SW	2	..
Nagasaki,	29.95	..	..	E	6	..
Kagoshima,	29.95	..	..	SE	4	..
Gutzlaff,	29.99	63	100	E	2	cv
Sharp Peak,	29.97	70	90	.	0	bf
Amoy,	29.94	70	90	..	0	f
Swatow,	30.00	74	.	N	1	o
Canton,	..	..	..	..	..	..
Hongkong,	29.96	78	74	E	2	o
Victoria Peak,	..	..	..	E	3	..
Gap Rock,	29.94	..	..	ENE	4	..
Macao,	29.97	80	.	NNE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	84	71	ESE	1	c
Mulate,	..	..	..	E	1	o
Bacolod,	..	..	..	S	3	o
Iloilo,	29.85	84	..	..	2	o
Cebu,	29.91	83	..	NE	1	
Cape S. James,	..	..	..	..	..	..

On the 11th at 11.55 a. The barometer has risen slightly in the Phillipines, fallen considerably in W. The Southern depression is probably moving WNW between Palawan and the Paracels, and the other depression moving Eastwards between the E. coast of China and Corea. Gradients slight on the rather steep with strong NE winds in the N. part of the China Sea. Forecast:—moderate or fresh N winds; fair.

F.G. FIGG,
First Assistant.

KONG OBSERVATORY, Saturday 11th November 1899.

CHINA COAST METEOROLOGICAL REGISTER.

11th NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.77	51	..	SE	2	c
Tokio,	..	..	..	..	..	..
Kochi,	29.95	..	..	SW	2	..
Nagasaki,	29.79	..	..	SE	8	..
Kagoshima,	29.83	..	..	S	4	..
Gutzlaff,	29.94	62	100	NNE	3	ofd
Sharp Peak,	29.84	72	83	..	0	of
Amoy,	29.67	67	86	SE	3	b
Swatow,	29.89	82	..	E	1	o
Canton,	29.85	88	69	W	1	b
Hongkong,	29.86	79	74	E	3	o
Victoria Peak,	..	..	..	ENE	3	..
Gap Rock,	29.85	..	..	ENE	4	..
Macao,	29.87	82	..	SSE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	77	92	SE	1	or
Malate,	..	..	..	SE	1	or
Bacolod,	..	..	..	SW	2	o
Iloilo,	29.77	83	..	W	1	or
Cebu,	29.83	85	..	SW	2	o
Cape S. James,	..	..	..	SSW	1	c

12th NOVEMBER, 1899, AT 10 A.

Wladivostock,	29.63	42	90	..	0	c
Tokio,	29.63	..	..	..	0	..
Kochi,	29.75	..	..	E	2	..
Nagasaki,	29.87	..	..	NW	6	..
Kagoshima,	29.87	..	..	W	6	..
Gutzlaff,	30.11	56	81	N	5	cv
Sharp Peak,	30.00	68	92	NNE	5	odfg
Amoy,	29.90	73	86	NE	1	o
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	29.90	77	75	..	0	o
Victoria Peak,	..	..	..	NNE	4	..
Gap Rock,	29.89	..	..	NE	3	..
Macao,	29.91	74	..	NW	2	od
Haiphong,	..	..	..	..	..	..
Manila,	29.88	82	85	NE	1	b
Malate,	..	..	..	NE	1	c
Bacolod,	..	..	..	..	0	o
Iloilo,	29.89	84	..	..	0	c
Cebu,	29.91	79	..	..	0	o
Cape S. James,	..	..	..	..	..	..

On the 12th at 11.55 a. The barometer has risen on the E. coast of China, fallen on the S. coast and over Japan. The Northern depression is moving Eastwards in the Sea of Japan, and the China Sea depression is probably moving towards the coast of Annam. Gradients moderate to rather steep, with increasing monsoon on the coast and in the N part of the China Sea. Forecast.—NE to N winds, freshening considerably; cloudy, some rain.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Sunday 12th November 1899.

CHINA COAST METEOROLOGICAL REGISTER.

12th NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.51	..	..	..	0	..
Kochi,	29.68	..	..	W	4	..
Nagasaki,	29.87	..	..	NW	6	..
Kagoshima,	29.83	..	..	NW	6	..
Gutzlaff,	30.08	57	63	N	3	od
Sharp Peak,	29.93	65	87	NW	5	or
Amoy,	29.86	71	85	NE	1	or
Swatow,		..	..	..	..	..
Canton,	29.82	82	60	NE	1	c
Hongkong,	29.81	75	88	ESE	2	o
Victoria Peak,	..	..	..	ENE	3	..
Gap Rock,	29.80	.	..	ENE	4	..
Macao,	29.82	76	..	NNE	1	o
Haiphong,	..	..	..	..	..	..
Manila,	29.76	86	71	W	1	o
Malate,	..	..	..	WSW	1	c
Bacolod,	..	..	..	..	0	o
Iloilo,	29.73	82	..	..	0	cd
Cebu,	29.78	81	..	SW	1	o
Cape S. James,	..	..	..	..	..	..

13th NOVEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	29.78	..	..	NW	6	..
Kochi,	30.03	..	..	NW	4	..
Nagasaki,	30.11	..	..	N	4	..
Kagoshima,	30.07	..	..	N	6	..
Gutzlaff,	30.18	59	65	E	3	cv
Sharp Peak,	30.10	61	80	N	4	r
Amoy,	29.95	65	89	NNE	4	r
Swatow,	29.96	68	.	ENE	2	or
Canton,	29.98	70	70	N	1	o
Hongkong,	29.95	66	93	..	0	od
Victoria Peak,	..	..	..	NE	5	..
Gap Rock,	29.92	..	..	NNE	4	..
Macao,	29.94	69	.	N	1	o
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	..	..	..
Bacolod,	..	..	..	.	..	..
Iloilo,	..	..	..	..	..	..
Cebu,	..	..	..	..	..	..
Cape S. James,	..	..	..	SW	3	o

On the 12th at 11.50 a. The barometer has risen on the China coast and over Japan. The depression in the North has passed to the E. of Japan, the China Sea depression seems to be near the Annam coast. There are also indications of the existence of an area of low pressure to the SE of Formosa. Gradients rather steep, with very strong monsoon in the Formosa Channel and N. part of the China Sea. Forecast: fresh or strong NE winds; dull, rainy.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Monday 13th November 1899.

CHINA COAST METEOROLOGICAL REGISTER

13th NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	29.78	45	..	WSW	5	c
Tokio,	29.78	..	..	NW	4	..
Kochi,	29.95	..	..	N	6	..
Nagasaki,	30.07	..	..	N	6	..
Kagoshima,	30.03	..	..	NW	2	..
Gutzlaff,	30.14	62	61	ENE	2	cv
Sharp Peak,	30.03	60	82	WNW	2	or
Amoy,	29.93	65	89	NE	3	r
Swatow,	29.95	67	..	ENE	2	or
Canton,	29.88	75	64	E	1	o
Hongkong,	29.88	65	94	..	0	or
Victoria Peak,	..	..	..	ENE	5	..
Gap Rock,	29.85	.	..	NNE	5	..
Macao,	29.88	67	..	N	1	od
Haiphong,	..	..	..	..	..	..
Manila,	29.76	82	70	W	1	o
Malate,	..	..	..	SW	1	..
Bacolod,	..	..	..	..	0	o
Iloilo,	29.69	81	..	..	0	o
Cebu,	29.70	80	..	W	1	o
Cape S. James,	..	..	..	SW	3	o

14th NOVEMBER, 1899, AT 10 A.

Wladivostock,	29.89	38	55	W	2	b
Tokio,	30.02	..	..	N	2	..
Kochi,	30.15	..	..	W	2	..
Nagasaki,	30.23	..	..	.	0	..
Kagoshima,	30.19	..	..	E	2	..
Gutzlaff,	30.26	60	71	NE	2	bv
Sharp Peak,	30.16	63	78	N	4	od
Amoy,	30.03	66	89	NNE	3	o
Swatow,	..	..	.	..	..	..
Canton,	..	..	.	..	..	.
Hongkong,	30.04	66	87	N	3	cd
Victoria Peak,	..	..	..	NE	4	..
Gap Rock,	30.02	..	..	NNE	5	..
Macao,	30.05	65	.	N	1	od
Haiphong,	..	..	..	..	..	..
Manila,	29.76	73	100	N	1	o
Malate,	..	..	..	N	1	or
Bacolod,	..	..	..	SE	2	b
Iloilo,	29.69	82	..	W	1	o
Cebu,	29.78	78	..	SW	2	o
Cape S. James,	..	..	..	..	..	..

On the 14th at 11.55 a. The barometer has risen on the China coast and over Japan, fallen in the Philippines. A depression seems to be situated to the E. Luzon, and pressure is highest over the NE coast of China. Gradients moderate on the coast, rather steep with very strong monsoon in the N. part of the China Sea. Forecast:—strong or fresh NE winds; rainy at first, probably improving later.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Tuesday 14th November 1899.

CHINA COAST METEOROLOGICAL REGISTER.

14th NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.90	..	..	S	2	..
Kochi,	29.07	..	..	SE	2	..
Nagasaki,	30.15	..	..	SW	4	..
Kagoshima,	30.11	..	..	W	4	..
Gutzlaff,	30.27	60	65	N	4	cv
Sharp Peak,	30.09	63	89	NE	3	od
Amoy,	29.89	70	80	NNE	2	o
Swatow,	..	..	..	..	..	..
Canton,	30.01	68	79	NE	2	cd
Hongkong,	29.96	69	79	NNE	1	o
Victoria Peak,	..	..	..	NE	3	..
Gap Rock,	29.95	.	..	NE	5	..
Macao,	29.99	67	..	NNW	2	cd
Haiphong,	..	..	..	..	..	..
Manila,	29.61	73	100	NW	1	or
Malate,	..	..	..	NW	1	or
Bacolod,	..	..	..	S	1	cr
Iloilo,	29.65	82	..	W	3	o
Cebu,	29.69	80	..	SW	2	o
Cape S. James,	..	..	..	NE	2	o

15th NOVEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	.	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.41	53	61	N	4	cv
Sharp Peak,	30.24	61	79	NNW	5	o
Amoy,	30.07	68	70	NE	3	o
Swatow,	..	..	.	..	..	..
Canton,	30.16	68	60	N	1	c
Hongkong,	30.08	71	53	NNW	3	c
Victoria Peak,	..	..	..	N	5	..
Gap Rock,	30.07	..	..	N	5	..
Macao,	30.10	72	.	N	2	c
Haiphong,	..	..	..	..	..	..
Manila,	29.72	75	100	SE	2	or
Malate,	..	..	..	SE	1	cr
Bacolod,	..	..	..	SE	2	op
Iloilo,	29.81	82	..	S	1	or
Cebu,	29.88	82	..	SW	6	o
Cape S. James,	..	..	..	NW	1	or

On the 15th at 11.10 a. The barometer has risen in the Southern Phillipines and on the China coast. depression has entered the China Sea, and appears to be moving in a Westerly direction off the W. of Luzon. A high pressure area is central over Mid China. Gradients steep, with heavy monsoon the Formosa Channel and N. part of the China Sea. Forecast:—strong N winds; fair.

F.G. FIGG,
First Assistant.

KONG OBSERVATORY, Wednesday 15th November 1899.

CHINA COAST METEOROLOGICAL REGISTER

15th NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.14	..	..	N	4	..
Kochi,	29.23	..	..	..	0	..
Nagasaki,	30.27	..	..	N	2	..
Kagoshima,	30.23	..	..	NE	2	..
Gutzlaff,	30.36	55	93	N	3	cv
Sharp Peak,	30.17	61	82	NNE	5	o
Amoy,	30.00	73	67	NNE	5	c
Swatow,	..	..	..	..	..	..
Canton,	30.05	70	44	N	1	b
Hongkong,	29.98	75	50	NNE	2	o
Victoria Peak,	..	..	..	NNE	1	..
Gap Rock,	29.98	..	..	NNE	4	..
Macao,	29.99	76	..	NNW	2	c
Haiphong,	..	..	..	..	..	..
Manila,	29.72	75	100	ESE	1	or
Malate,	..	..	..	SSE	2	o
Bacolod,	..	..	..	S	3	oq
Iloilo,	29.73	82	..	W	1	o
Cebu,	29.80	81	..	SW	3	o
Cape S. James,	..	..	..	SW	1	o

16th NOVEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	30.26	..	..	NW	2	..
Kochi,	30.31	..	..	..	0	..
Nagasaki,	30.34	..	..	NE	2	..
Kagoshima,	30.31	..	..	NW	2	..
Gutzlaff,	30.42	54	49	N	5	cv
Sharp Peak,	30.23	60	73	NNE	6	o
Amoy,	..	..	..	..	..	..
Swatow,	..	..	..	..	..	..
Canton,	30.19	67	55	N	1	b
Hongkong,	30.10	71	51	N	1	o
Victoria Peak,	..	..	..	N	3	..
Gap Rock,	30.09	..	..	N	5	..
Macao,	30.13	70	.	N	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	79	92	WSW	2	or
Malate,	..	..	..	SE	1	o
Bacolod,	..	..	..	SE	2	b
Iloilo,	29.89	84	..	S	1	c
Cebu,	29.94	82	..	SW	3	o
Cape S. James,	..	..	..	SW	1	or

On the 16th at 11.55 a The barometer has risen in the Phillipines, and is little changed on the China coast. The high pressure area is central over Mid China, and the depression is probably recurving near Balingtang Channel. Gradients remain steep, with heavy weather in the Formosa Channel and NE part of the China Sea. Forecast:—fresh N winds; fair.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Thursday 16th November 1899.

CHINA COAST METEOROLOGICAL REGISTER.

16th NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.10	..	..	S	4	..
Kochi,	30.19	..	..	E	2	..
Nagasaki,	30.31	..	..	N	6	..
Kagoshima,	30.19	..	..	S	2	..
Gutzlaff,	30.39	56	56	NNE	5	cv
Sharp Peak,	30.15	61	77	ENE	6	og
Amoy,	29.97	75	52	NE	3	c
Swatow,	29.99	72	..	ENE	3	o
Canton,	30.09	74	51	N	1	b
Hongkong,	30.00	73	52	NNW	2	c
Victoria Peak,	..	..	..	N	4	..
Gap Rock,	29.99	.	..	NW	5	..
Macao,	30.02	72	..	NW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.76	81	85	SSW	2	c
Malate,	..	..	..	SW	4	c
Bacolod,	..	..	..	..	0	o
Iloilo,	29.77	83	..	W	3	c
Cebu,	29.84	83	..	SW	2	o
Cape S. James,	..	..	..	SE	2	o

17th NOVEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	.	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..		..	..
Gutzlaff,	30.37	54	74	NE	5	cv
Sharp Peak,	30.20	60	71	NNE	5	o
Amoy,	30.03	65	89	NE	6	o
Swatow,	..	..	.	..	..	..
Canton,	..	..	..	..	..	.
Hongkong,	30.11	69	45	NNE	1	c
Victoria Peak,	..	..	..	N	3	..
Gap Rock,	30.11	..	..	N	5	..
Macao,	30.14	69	.	NNE	2	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	82	85	SSW	1	c
Malate,	..	..	..	SW	2	b
Bacolod,	..	..	..	E	2	b
Iloilo,	29.89	84	..	S	1	c
Cebu,	29.91	83	..	SW	1	c
Cape S. James,	..	..	..	SW	1	o

On the 17th at 11.55 a. The barometer has fallen slightly on the E. coast of China, risen a little in ... The depression seems to be almost stationary near the Bolingtang Channel. The high pressure ... in central over Mid China. Gradients continue steep, with heavy weather in the Formosa ... and N.E. part of the China Sea. Forecast:—fresh N winds; fine.

F.G. FIGG,
First Assistant.

... OBSERVATORY, Friday 17th November 1899.

CHINA COAST METEOROLOGICAL REGISTER.

17th NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	30.24	25	..	N	1	b
Tokio,	30.14	..	..	NW	5	..
Kochi,	30.23	..	..	N	8	..
Nagasaki,	30.23	..	..	NE	6	..
Kagoshima,	30.19	..	..	E	4	..
Gutzlaff,	30.32	66	63	NE	5	cv
Sharp Peak,	30.13	61	77	NE	6	o
Amoy,	29.99	72	68	NE	5	b
Swatow,	30.02	73	..	E	3	c
Canton,	30.09	73	43	NE	1	b
Hongkong,	30.03	72	40	NNE	2	b
Victoria Peak,	..	..	..	NNE	2	..
Gap Rock,	30.03	.	..	NNW	5	..
Macao,	30.04	73	..	NNW	2	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	84	78	SW	2	c
Malate,	..	..	..	SW	2	b
Bacolod,	..	..	..	SE	2	o
Iloilo,	29.81	83	..	W	3	c
Cebu,	29.86	75	..	SW	1	o
Cape S. James,	..	..	..	E	3	c

18th NOVEMBER, 1899, AT 10 A.

Wladivostock,	30.24	28	95	..	0	c
Tokio,	30.33	..	..	N	4	..
Kochi,	30.31	..	..	W	2	..
Nagasaki,	30.31	..	..	..	0	..
Kagoshima,	30.27	..	..	E	2	..
Gutzlaff,	30.38	54	68	NNE	4	cv
Sharp Peak,	30.22	61	71	NNW	3	o
Amoy,	30.07	65	73	NE	1	b
Swatow,	30.15	67	.	N	2	b
Canton,	30.23	63	47	NW	2	b
Hongkong,	30.16	69	43	..	0	b
Victoria Peak,	..	..	..	N	2	..
Gap Rock,	30.16	..	..	NE	5	..
Macao,	30.19	66	.	NNE	2	c
Haiphong,	..	..	..	..	..	..
Manila,	29.92	82	77	N	2	c
Malate,	..	..	..	NNE	1	c
Bacolod,	..	..	..	SE	2	b
Iloilo,	29.93	85	..	..	0	c
Cebu,	29.93	85	..	SW	2	b
Cape S. James,	..	..	..	NE	1	c

On the 18th at 11.55 a. The barometer has risen slightly at all stations. The depression seems to be filling up to the SE of Formosa. The high pressure area remains central over Mid China. Gradients moderate to rather steep, with very strong monsoon on the coast and in the N. part of the China Sea. Forecast:—fresh N winds; fine.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Saturday 18th November 1899.

CHINA COAST METEOROLOGICAL REGISTER.

18th NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	30.16	39	..	S	1	b
Tokio,	30.26	..	..	E	2	..
Kochi,	30.23	..	..	..	0	..
Nagasaki,	30.23	..	..	N	4	..
Kagoshima,	30.19	..	..	S	2	..
Gutzlaff,	30.32	55	62	N	2	bv
Sharp Peak,	30.13	62	86	ENE	4	o
Amoy,	29.98	74	59	NE	3	b
Swatow,	30.02	73	..	SE	3	b
Canton,	30.09	73	64	N	1	b
Hongkong,	30.04	71	40	N	1	b
Victoria Peak,	..	..	..	NNW	3	..
Gap Rock,	30.03	.	..	NNW	5	..
Macao,	30.04	73	..	NNE	2	b
Haiphong,	..	..	..	..	..	..
Manila,	29.80	84	78	WNW	1	o
Malate,	..	..	..	NNW	2	o
Bacolod,	..	..	..	SW	2	b
Iloilo,	29.81	83	..	W	3	b
Cebu,	29.83	86	..	SW	1	b
Cape S. James,	..	..	..	ENE	3	c

19th NOVEMBER, 1899, AT 10 A.

Wladivostock,	30.05	29	73	NNE	1	b
Tokio,	30.26	..	..	N	4	..
Kochi,	30.31	..	..	N	6	..
Nagasaki,	30.38	..	..	..	0	..
Kagoshima,	30.34	..	..	NW	4	..
Gutzlaff,	30.42	56	63	NE	4	cv
Sharp Peak,	30.26	61	69	N	6	o
Amoy,	30.16	67	71	NE	3	o
Swatow,	30.18	69	.	N	2	b
Canton,	30.29	65	58	W	2	b
Hongkong,	30.19	71	41	..	0	b
Victoria Peak,	..	..	..	NE	1	..
Gap Rock,	30.18	..	..	NNE	4	..
Macao,	30.20	70	.	NW	2	b
Haiphong,	..	..	..	..	..	..
Manila,	29.92	82	77	WNW	1	c
Malate,	..	..	..	WNW	1	b
Bacolod,	..	..	..	..	0	b
Iloilo,	29.93	86	..	..	0	b
Cebu,	29.94	86	..	NE	1	c
Cape S. James,	..	..	..	ENE	2	c

On the 19th at 1 : 55 a. The barometer has risen slightly on the China coast and in W. Japan. The pressure area is still central over China, and pressure is relatively low to the S. of Formosa. Gradients are steep, with very strong monsoon on the coast and in the N. part of the China Sea. Forecast:—Strong N winds; fine.

F.G. FIGG,
First Assistant.

KING OBSERVATORY, Sunday 19th November 1899.

CHINA COAST METEOROLOGICAL REGISTER.

19th NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	30.24	39	..	N	1	b
Tokio,	30.18	..	..	NE	4	..
Kochi,	30.27	..	..	N	6	..
Nagasaki,	30.31	..	..	N	6	..
Kagoshima,	30.27	..	..	N	4	..
Gutzlaff,	30.38	59	59	E	4	cv
Sharp Peak,	30.18	62	83	NE	4	og
Amoy,	30.09	72	67	NE	3	c
Swatow,	30.08	73	..	ESE	3	b
Canton,	30.10	74	55	NE	1	b
Hongkong,	30.09	71	50	W	1	b
Victoria Peak,	..	..	..	SW	1	..
Gap Rock,	30.09	.	..	ENE	3	..
Macao,	30.10	74	..	ENE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	80	71	W	1	b
Malate,	..	..	..	W	1	b
Bacolod,	..	..	..	N	2	b
Iloilo,	29.85	88	..	W	2	b
Cebu,	29.86	85	..	N	3	b
Cape S. James,	..	..	..	..	..	..

20th NOVEMBER, 1899, AT 10 A.

Wladivostock,	30.23	25	69	NE	1	c
Tokio,	30.37	..	..	NW	2	..
Kochi,	30.38	..	..	SW	2	..
Nagasaki,	30.34	..	..	N	2	..
Kagoshima,	30.38	..	..	E	2	..
Gutzlaff,	30.35	60	82	E	3	cv
Sharp Peak,	30.24	63	83	NW	3	ofg
Amoy,	30.09	70	75	N	1	o
Swatow,	30.17	71		N	2	o
Canton,	30.22	68	66	N	1	b
Hongkong,	30.18	73	47	N	1	o
Victoria Peak,	..	..	..	N	3	..
Gap Rock,	30.17	..	..	NNW	5	..
Macao,	30.26	74	.	NNW	2	c
Haiphong,	..	..	..	..	..	..
Manila,	30.00	82	85	W	1	c
Malate,	..	..	..	W	1	b
Bacolod,	..	..	..	N	2	b
Iloilo,	29.93	82	..	E	2	b
Cebu,	29.96	85	..	NE	1	b
Cape S. James,	..	..	..	..	0	c

On the 2 th at 1.55 a. The barometer has fallen slightly on the China coast, risen a little in Japan. The high pressure area is central between the NE coast of China and Japan, and pressure continues relatively low to the SE of Formosa. Gradients moderate with strong monsoon in the Formosa Channel and N. part of the China Sea. Forecast:—fresh N winds; fair.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Monday 20th November 1899.

CHINA COAST METEOROLOGICAL REGISTER.

20th NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.30	..	..	S	2	..
Kochi,	30.31	..	..	SE	2	..
Nagasaki,	30.31	..	..	NW	2	..
Kagoshima,	30.27	..	..	S	2	..
Gutzlaff,	30.30	62	77	ENE	3	cv
Sharp Peak,	..	..	..	..	..	..
Amoy,	30.04	73	76	NNE	1	o
Swatow,	30.09	73	..	ESE	2	o
Canton,	30.10	78	46	NE	1	b
Hongkong,	30.07	76	64	N	1	o
Victoria Peak,	..	..	..	NNE	2	..
Gap Rock,	30.07	.	..	NNW	4	..
Macao,	30.10	77	..	NNW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	90	66	WSW	1	c
Malate,	..	..	..	SW	0	b
Bacolod,	..	..	..	N	2	b
Iloilo,	29.85	88	..	W	1	b
Cebu,	29.84	84	..	N	2	..
Cape S. James,	.	..	..	ENE	3	c

21st NOVEMBER, 1899, AT 10 A.

Wladivostock,	.	..	.	..	..	..
Tokio,	30.22	..	..	..	0	..
Kochi,	30.19	.	..	..	0	..
Nagasaki,	30.27	..	..	N	2	..
Kagoshima,	30.27	..	..	W	4	..
Gutzlaff,	30.41	55	68	N	5	cv
Sharp Peak,	30.29	62	83	ENE	4	od
Amoy,	30.14	67	84	NE	2	o
Swatow,	30.21	69	.	N	2	o
Canton,	..	..	..	.	.	..
Hongkong,	30.19	69	57	NNE	2	o
Victoria Peak,	..	..	..	NNE	7	..
Gap Rock,	30.17	..	..	N	5	..
Macao,	30.20	72	.	N	3	c
Haiphong,	..	..	..	.	..	..
Manila,	29.92	81	76	NNW	1	c
Malate,	..	..	..	NW	1	b
Bacolod,	..	..	..	N	2	o
Iloilo,	29.85	81	..	E	1	o
Cebu,	29.85	80	..	..	0	b
Cape S. James,	..	..	..	..	..	..

On the 21st at 11.55 a. The barometer has risen on the China coast, fallen in the Phillipines and Japan. The high pressure area still covers China, and pressure seems to be low in the Pacific, probably to the SE of the Luochoos Gradients moderate to rather steep, with very strong monsoon in the N. part of the China Sea. Forecast:—fresh N winds; fair.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Tuesday 21st November 1899.

CHINA COAST METEOROLOGICAL REGISTER.

21st NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	30.05	39	..	NW	1	b
Tokio,	29.94	..	..	S	2	..
Kochi,	30.11	..	..	..	0	..
Nagasaki,	30.19	..	..	N	6	..
Kagoshima,	30.15	..	..	NW	2	..
Gutzlaff,	30.40	53	61	NNW	5	cv
Sharp Peak,	30.23	63	75	NE	5	o
Amoy,	30.10	72	71	NE	3	b
Swatow,	30.13	72	..	ENE	3	o
Canton,	30.13	76	41	N	1	b
Hongkong,	30.13	71	50	N	2	o
Victoria Peak,	..	..	..	N	4	..
Gap Rock,	30.11	..	..	N	3	..
Macao,	30.11	70	..	NNE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.80	82	77	WSW	1	c
Malate,	..	..	..	SW	2	c
Bacolod,	..	..	..	..	0	o
Iloilo,	29.77	85	..	SW	1	c
Cebu,	29.80	85	..	..	0	b
Cape S. James,	..	..	..	E	2	c

22nd NOVEMBER, 1899, AT 10 A.

Wladivostock,	30.10	27	70	N	2	b
Tokio,	29.98	..	..	N	2	..
Kochi,	30.11	..	..	..	0	..
Nagasaki,	30.27	..	..	N	6	..
Kagoshima,	30.23	..	..	NW	8	..
Gutzlaff,	30.48	46	77	NNW	5	bv
Sharp Peak,	30.38	60	41	NE	4	b
Amoy,	..	..	..	..	..	..
Swatow,	30.30	67	.	N	2	b
Canton,	30.34	65	49	N	2	b
Hongkong,	30.27	67	36	NNE	3	b
Victoria Peak,	..	..	..	N	5	..
Gap Rock,	30.28	..	..	N	5	..
Macao,	30.30	69	.	N	1	b
Haiphong,	..	..	..	..	..	..
Manila,	29.84	82	77	..	0	c
Malate,	..	..	..	NW	1	o
Bacolod,	..	..	..	S	2	o
Iloilo,	29 85	82	..	W	3	c
Cebu,	29.91	82	..	SW	2	c
Cape S. James,	..	..	..	..	..	..

On the 22nd at 11 40 a. The barometer has risen on the China coast, fallen in Japan. The high pressure area is central over Mid China, and pressure is low to the E. of Japan and also to the E. of Luson. Gradients moderate to steep with very strong monsoon on the coast and in the N. part of the China Sea. Forecast:—fresh S winds; fine.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Wednesday 22nd November 1899.

CHINA COAST METEOROLOGICAL REGISTER.

22nd NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	30.13	36	..	NE	1	b
Tokio,	29.90	..	..	N	4	..
Kochi,	30.07	..	..	E	6	..
Nagasaki,	30.23	..	..	N	6	..
Kagoshima,	30.19	..	..	N	8	..
Gutzlaff,	30.44	48	56	NNW	5	cv
Sharp Peak,	30.30	58	50	E	6	b
Amoy,	30.13	69	43	NE	4	b
Swatow,	30.18	69	..	ESE	4	b
Canton,	30.22	73	35	N	1	b
Hongkong,	30.18	72	25	NNE	2	b
Victoria Peak,	..	..	..	N	5	..
Gap Rock,	30.17	.	..	N	3	..
Macao,	30.19	73	..	WNW	1	b
Haiphong,	..	..	..	..	..	..
Manila,	29.76	84	71	W	1	o
Malate,	...	..	..	WNW	2	o
Bacolod,	..	..	..	SW	1	o
Hoilo,	29.81	87	..	NW	5	b
Cebu,	29.80	86	..	SW	6	o
Cape S. James,	..	..	..	S	2	o

23rd NOVEMBER, 1899, AT 10 A.

Wladivostock,	30.31	27	71	..	0	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.48	45	53	NNW	6	cv
Sharp Peak,	30.38	58	53	ENE	4	b
Amoy,	30.24	61	77	NE	5	c
Swatow,	30.33	61	.	N	2	c
Canton,	..	..	..			..
Hongkong,	30.33	62	29	NE	1	b
Victoria Peak,	..	..	..	ENE	2	..
Gap Rock,	30.31	..	..	NNE	4	..
Macao,	30.35	64	.	NNE	2	..
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	N	2	b
Bacolod,	..	..	..	S	2	o
Hoilo,	29.89	82	..	W	3	b
Cebu,	29.92	84	..	NW	1	b
Cape S. James,	..	..	..	NE	3	c

On the 23rd at 11.45 a. The barometer has risen slightly on the S. coast of China and in the Phillipines. high pressure area remains central over China, and pressure is relatively low in the Pacific to the E. ason. Gradients moderate on the coast, steep with very strong monsoon in the N. part of the China Forecast:—moderate N to NE winds; fine.

F.G. FIGG,
Asst Assistant.

ONG OBSERVATORY, Thursday 23rd November 1899.

CHINA COAST METEOROLOGICAL TELEGRAM

23rd NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.18	..	..	NW	6	..
Kochi,	30.27	..	..	N	8	..
Nagasaki,	30.31	..	..	N	4	..
Kagoshima,	30.27	..	..	SE	4	..
Gutzlaff,	30.44	49	64	NNW	5	cv
Sharp Peak,	30.31	57	55	NE	6	b
Amoy,	30.16	65	40	NE	5	b
Swatow,	30.24	66	..	ESE	2	b
Canton,	30.27	66	36	E	1	b
Hongkong,	30.23	64	34	W	1	b
Victoria Peak,	..	..	..	NW	1	..
Gap Rock,	30.22	..	..	ENE	3	..
Macao,	30.24	66	..	N	1	b
Haiphong,	..	..	..	..	..	..
Manila,	29.84	84	78	W	1	c
Malate,	..	..	..	WSW	1	b
Bacolod,	..	..	..	S	2	b
Hoilo,	29.81	87	..	SW	4	b
Cebu,	29.80	87	..	SW	3	b
Cape S. James,	..	..	..	NE	4	om

24th NOVEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	30.18	..	..	N	2	..
Kochi,	30.34	..	..	..	0	..
Nagasaki,	30.31	..	..	NE	4	..
Kagoshima,	30.31	..	..	E	2	..
Gutzlaff,	30.39	48	85	NNW	4	cv
Sharp Peak,	30.30	58	61	NE	2	c
Amoy,	30.19	66	65	N	2	b
Swatow,	30.27	62	.	N	2	b
Canton,	30.31	58	42	N	2	b
Hongkong,	30.27	64	32	N	2	b
Victoria Peak,	..	..	..	N	3	..
Gap Rock,	30.24	..	..	N	4	..
Macao,	30.28	65	.	N	2	c
Haiphong,	..	..	..	..	..	..
Manila,	29.96	81	76	WNW	1	c
Malate,	..	..	..	SW	1	b
Bacolod,	..	..	..	N	2	o
Hoilo,	29.89	82	..	E	1	b
Cebu,	29.94	85	..	..	0	b
Cape S. James,	..	..	..	NE	2	c

On the 24th at 10 45 a. The barometer has risen a little in the Philippines, fallen slightly elsewhere. The high pressure area remains central over Mid China. Gradients moderate on the coast, rather steep with very strong monsoon in the N. part of the China Sea. Forecast:—moderate N winds; fine.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Friday 24th November 1899.

CHINA COAST METEOROLOGICAL REGISTER.

24th NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force	WEATHER.
Wladivostock,	..	..	..	..	..	..
Tokio,	30.30	..	..	S	2	..
Kochi,	30.27	..	..	SW	2	..
Nagasaki,	30.27	..	..	N	4	..
Kagoshima,	30.23	..	..	E	4	..
Gutzlaff,	30.32	52	66	N	2	bv
Sharp Peak,	30.21	61	66	E	5	b
Amoy,	30.13	70	53	NE	2	b
Swatow,	..	..	..	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	30.17	67	39	SE	1	b
Victoria Peak,	..	..	..	ENE	1	..
Gap Rock,	30.17	..	..	ENE	4	..
Macao,	30.17	70	..	NNW	2	b
Haiphong,	..	..	..	..	..	..
Manila,	29.88	84	64	NW	1	c
Malate,	..	..	..	W	1	b
Bacolod,	..	..	..	S	2	b
Iloilo,	29.81	88	..	SW	1	b
Cebu,	29.83	83	..	NE	3	c
Cape S. James,	..	..	..	NE	1	c

25th NOVEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	..	..	..	..	..	..
Sharp Peak,	30.23	62	72	NW	2	..
Amoy,	30.13	66	71	NW	2	..
Swatow,	30.24	63	..	N	1	b
Canton,	30.25	60	55	N	1	b
Hongkong,	30.12	68	46	E	2	bv
Victoria Peak,	..	..	..	E	2	..
Gap Rock,	30.20	..	..	ENE	3	..
Macao,	30.23	71	..	NW	1	b
Haiphong,	..	..	..	..	..	..
Manila,	30.09	81	76	NW	1	b
Malate,	..	..	..	SW	1	b
Bacolod,	..	..	..	N	6	b
Iloilo,	29.93	82	..	E	1	b
Cebu,	29.97	83	..	NE	1	b
Cape S. James,	..	..	..	..	..	..

On the 25th at 11.55 a. The barometer has risen slightly in the Philippines, fallen moderately on the China coast. Pressure remains high over China. Gradients slight on the coast, moderate with fresh monsoon in the N part of the China Sea. Forecast:—moderate NE winds; fine.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Saturday 25th November 1899.

CHINA COAST METEOROLOGICAL REGISTER

25th NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	30.10	35	..	NNW	4	c
Tokio,	30.06	..	..	NW	2	..
Kochi,	30.03	..	..	..	0	..
Nagasaki,	30.11	..	..	N	4	..
Kagoshima,	30.03	..	..	NW	2	..
Gutzlaff,	30.25	52	74	N	3	cv
Sharp Peak,	30.14	63	67	E	4	b
Amoy,	30.06	69	56	SE	1	b
Swatow,	30.13	69	..	ESE	2	b
Canton,	30.13	70	40	NW	1	b
Hongkong,	30.11	66	54	E	3	b
Victoria Peak,	..	..	..	ESE	1	..
Gap Rock,	30.11	..	..	ENE	2	..
Macao,	30.11	70	..	NE	1	b
Haiphong,	..	..	..	..	..	..
Manila,	29.88	88	66	..	0	b
Malate,	..	..	..	SW	1	b
Bacolod,	..	..	..	N	5	b
Iloilo,	29.85	88	..	NE	2	c
Cebu,	29.87	83	..	NE	1	c
Cape S. James,	..	..	..	NE	2	b

26th NOVEMBER, 1899, AT 10 A.

Wladivostock,	30.15	17	80	NE	2	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.34	50	65	N	5	cv
Sharp Peak,	30.30	63	65	NW	2	c
Amoy,	30.22	61	82	NE	2	b
Swatow,	30.29	64	.	N	2	b
Canton,	30.33	50	48	NE	1	b
Hongkong,	30.27	56	36	N	2	b
Victoria Peak,	..	..	..	NNE	4	..
Gap Rock,	30.25	..	..	NNE	4	..
Macao,	30.30	68	.	N	1	b
Haiphong,	..	..	..	..	..	..
Manila,	30.00	79	76	W	1	b
Malate,	..	..	..	W	1	b
Bacolod,	..	..	..	N	5	b
Iloilo,	29.93	83	..	N	1	b
Cebu,	29.98	84	..	N	2	b
Cape S. James,	..	..	..	N	2	c

On the 26th at 11.55 a. The barometer has risen on the China coast. The high pressure area is still central over Mid China. Gradients moderate with strong monsoon on the coast and in the N. part of the China Sea. Forecast.—moderate N winds; fine.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Sunday 26th November 1899.

CHINA COAST METEOROLOGICAL REGISTER.

26th NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	29.82	..	..	N	2	..
Kochi,	29.87	..	..	W	4	..
Nagasaki,	30.07	..	..	W	8	..
Kagoshima,	30.03	..	..	NW	8	..
Gutzlaff,	30.23	47	63	NNW	5	cv
Sharp Peak,	30.18	61	55	E	5	c
Amoy,	30.18	67	50	ENE	3	b
Swatow,	30.22	67	..	ESE	4	b
Canton,	30.24	69	35	NE	1	c
Hongkong,	30.19	68	32	N	3	c
Victoria Peak,	..	..	..	N	3	..
Gap Rock,	30.17		..	NW	4	..
Macao,	30.22	70	..	NNW	1	c
Haiphong,	..	..	..	..	..	.
Manila,	29.92	84	64	S	..	b
Malate,	..	..	..	S	1	b
Bacolod,	..	..	..	N	3	b
Iloilo,	29.85	88	..	N	1	b
Cebu,	29.87	84	..	NE	4	b
Cape S. James,	..	..	..	..	..	..

27th NOVEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.44	36	61	NW	4	b
Sharp Peak,	30.41	56	51	E	4	c
Amoy,	30.28	58	51	N	3	b
Swatow,	30.36	61	.	N	3	b
Canton,	..	..	..	..	..	..
Hongkong,	30.35	58	23	N	4	b
Victoria Peak,	..	..	..	NNE	6	..
Gap Rock,	30.33	..	..	NE	5	..
Macao,	30.38	61	.	NNE	2	b
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	.	..	..
Malate,	..	..	..	SW	1	b
Bacolod,		..	..	N	2	b
Iloilo,	29.97	82	..	SW	2	b
Cebu,	29.98	82	..	N	2	b
Cape S. James,	..	..	..	N	2	c

On the 27th at 10 a. The barometer continues to rise on the China coast. The high pressure remains central over Mid China, and pressure is probably in defect over E. Japan. Gradients rather generally, with very strong monsoon on the coast, and in the N. part of the China Sea. Forecast:—N winds; fine.

F.G. FIGG,
First Assistant.

HONG OBSERVATORY, Monday 27th November 1899.

CHINA COAST METEOROLOGICAL REGISTER.

27th NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..		..
Tokio,	29.78	..	..	N	6	..
Kochi,	30.03	..	..	N	6	..
Nagasaki,	30.15	..	..	NW	6	..
Kagoshima,	30.15	..	..	NW	6	..
Gutzlaff,	30.43	40	48	NNW	6	bv
Sharp Peak,	30.33	54	53	E	5	b
Amoy,	30.20	65	53	NE	2	b
Swatow,	30.26	65	..	N	2	b
Canton,	30.26	63	33	N	2	b
Hongkong,	30.24	61	21	N	2	c
Victoria Peak,	..	..	..	N	3	..
Gap Rock,	30.24	.	..	N	4	..
Macao,	30.26	64	..	N	3	b
Haiphong,	..	..	..	..	..	..
Manila,	29.92	79	69	N	1	c
Malate,	..	..	..	NNE	1	c
Bacolod,	..	..	..	N	5	b
Iloilo,	29.85	83	..	E	3	b
Cebu,	29.88	83	..	NE	2	c
Cape S. James,	..	..	..	E	2	b

28th NOVEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.46	40	56	NNW	2	bv
Sharp Peak,	30.41	55	59	N	4	c
Amoy,	30.26	56	63	NNE	4	o
Swatow,	30.36	58	..	N	1	o
Canton,	..	..	..	..	..	..
Hongkong,	30.22	60	35	ESE	1	o
Victoria Peak,	..	..	..	ENE	3	..
Gap Rock,	30.31	..	..	NE	4	..
Macao,	30.33	60	.	NNE	1	b
Haiphong,	..	..	..	..	..	..
Manila,	30.04	79	76	NW	1	b
Malate,	..	..	..	N	1	b
Bacolod,	..	..	..	N	6	b
Iloilo,	29.97	82	..	SW	1	b
Cebu,	29.99	83	..	NE	3	c
Cape S. James,	..	..	..	NNE	2	c

On the 28th at 11 55 a. Pressure is still high over China, but giving way. Gradients moderate to rather steep, with strong monsoon on the coast and in the N. part of the China Sea. Forecast:—moderate NE winds; fair.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Tuesday 28th November 1899.

CHINA COAST METEOROLOGICAL REGISTER.

28th NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.14	..	..	S	4	..
Kochi,	30.23	..	..	SW	4	..
Nagasaki,	30.31	..	..	N	4	..
Kagoshima,	30.27	..	..	NW	6	..
Gutzlaff,	30.41	43	44	NW	2	bv
Sharp Peak,	30.30	56	51	N	3	o
Amoy,	30.19	60	82	NE	2	c
Swatow,	30.24	60	..	NE	1	o
Canton,	30.21	64	42	..	0	b
Hongkong,	30.20	60	44	ESE	3	o
Victoria Peak,	..	..	..	E	1	..
Gap Rock,	30.19	..	..	ENE	4	..
Macao,	30.20	64	..	NNW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.92	82	57	E	3	b
Malate,	..	..	..	SE	1	b
Bacolod,	..	..	..	NE	5	o
Iloilo,	29.85	83	..	E	3	b
Cebu,	29.86	84	..	NE	2	c
Cape S. James,	..	..	..	S	1	b

29th NOVEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.40	47	63	SW	1	cv
Sharp Peak,	30.32	57	66	NW	3	r
Amoy,	30.21	57	87	W	1	r
Swatow,	..	..	..	..	..	..
Canton,	30.29	60	44	NNW	1	b
Hongkong,	30.27	64	49	..	0	b
Victoria Peak,	..	..	..	N	1	..
Gap Rock,	30.26	..	..	N	4	..
Macao,	30.28	66	..	N	1	c
Haiphong,	..	..	..	..	..	..
Manila,	..	..	..	..	..	..
Malate,	..	..	..	..	..	..
Bacolod,	..	..	..	..	..	..
Iloilo,	..	..	..	..	..	..
Cebu,	..	..	..	..	..	..
Cape S. James,	..	..	..	N.	1	f

On the 29th at 11.55 a. The barometer continues to fall on the China coast.] [Pressure is still high central China, and relatively low, apparently, in the Pacific near the Loochoos. Gradients slight on east, moderate; with strong monsoon in the N. part of the China Sea.] Forecast:—moderate N winds;

F.G. FIGG,
First Assistant.

KONG OBSERVATORY, Wednesday 29th November 1899.

CHINA COAST METEOROLOGICAL REGISTER

29th NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	30.20	32	..	NE	1	c
Tokio,	30.22	..	..	SW	4	..
Kochi,	30.31	..	..	W	2	..
Nagasaki,	30.31	..	..	SE	6	..
Kagoshima,	30.31	..	..	SE	2	..
Gutzlaff,	30.24	49	64	NW	2	cv
Sharp Peak,	30.22	56	75	NNW	2	or
Amoy,	30.14	60	88	W	2	or
Swatow,	30.19	60	..	NE	1	o
Canton,	30.21	67	64	NW	..	b
Hongkong,	30.16	66	30	NW	2	b
Victoria Peak,	..	..	..	NW	4	..
Gap Rock,	30.17	..	..	NNW	5	..
Macao,	30.18	67	..	NNW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.92	86	65	W	1	c
Malate,	..	..	..	W	1	b
Bacolod,	..	..	..	N	5	o
Iloilo,	29.85	88	..	E	2	b
Cebu,	29.86	86	..	N	2	c
Cape S. James,	..	..	..	E	2	c

30th NOVEMBER, 1899, AT 10 A.

Wladivostock,	30.29	22	62	N	1	c
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.48	49	78	N	5	cv
Sharp Peak,	30.39	53	70	N	4	o
Amoy,	30.24	56	87	NE	4	o
Swatow,	30.32	59	.	N	1	o
Canton,	30.38	57	41	N	1	b
Hongkong,	30.33	63	33	N	3	b
Victoria Peak,	..	..	..	NNE	3	..
Gap Rock,	30.30	..	..	N	5	..
Macao,	30.35	62	.	N	2	c
Haiphong,	..	..	..	..	..	..
Manila,	30.00	82	70	NNW	1	b
Malate,	..	..	..	NNW	2	b
Bacolod,	..	..	..	N	2	b
Iloilo,	29.93	86	..	N	1	b
Cebu,	29.97	84	..	N	2	b
Cape S. James,	..	..	..	N	1	c

On the 30th at 11.55 a. The barometer has risen on the China coast. A high pressure area is central over Middle China, and pressure is relatively low near the Loochoos. Gradients moderate to rather steep, with strong monsoon on the coast and in the N. part of the China Sea. Forecast:—fresh N winds; fine.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Thursday 30th November 1899.

CHINA COAST METEOROLOGICAL REGISTER.

30th NOVEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.10	..	..	..	0	..
Kochi,	30.27	..	..	N	6	..
Nagasaki,	30.31	..	..	NE	4	..
Kagoshima,	30.27	..	..	N	4	..
Gutzlaff,	30.46	50	65	N	5	cv
Sharp Peak,	30.31	56	60	ENE	3	c
Amoy,	30.31	64	78	NE	3	b
Swatow,	30.24	64	..	ESE	2	c
Canton,	30.27	65	55	N	1	b
Hongkong,	30.23	64	29	N	1	b
Victoria Peak,	..	..	..	NE	1	..
Gap Rock,	30.23	..	..	NNE	4	..
[illegible]	30.24	66	..	NNW	2	b
[illegible]	..	..	..	..	..	..
[illegible]	29.88	84	71	WNW	1	c
[illegible]	..	..	..	SW	1	c
Bacolod,	..	..	..	N	5	b
Iloilo,	29.85	90	..	E	2	b
Cebu,	29.86	86	..	NE	2	b
Cape S. James,	..	..	..	ENE	3	c

1st DECEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.47	49	71	NNE	4	bv
Sharp Peak,	30.36	55	65	NNW	3	o
Amoy,	30.29	56	75	W	2	o
Swatow,	30.35	59	.	N	2	b
Canton,	..	..	..	..	..	..
Hongkong,	30.31	63	38	WSW	1	b
Victoria Peak,	..	..	..	NNE	1	..
Gap Rock,	30.29	..	..	NE	4	..
Macao,	30.33	64	.	NNW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.96	81	85	W	1	c
Malate,	..	..	..	SW	..	b
Bacolod,	..	..	..	N	6	b
Iloilo,	29.89	86	..	N	2	b
Cebu,	29.93	86	..	N	2	b
Cape S. James,	..	..	..	NNE	1	c

On the 1st at 11.55 a. The barometer has fallen slightly on the China coast and over the Phillipines. High pressure area is still central over China. Gradients moderate to rather steep, with strong soon on the coast and in the N. part of the China Sea. Forecast:—fresh N to NE winds; fine.

F.G. FIGG,
First Assistant.

KONG OBSERVATORY, Friday 1st December 1899.

CHINA COAST METEOROLOGICAL REGISTE

1st DECEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.33	..	..	NE	2	..
Kochi,	30.27	..	..	SE	2	..
Nagasaki,	30.31	..	..	NE	6	..
Kagoshima,	30.27	..	..	NE	4	..
Gutzlaff,	30.40	51	66	N	3	cv
Sharp Peak,	30.27	57	67	ENE	6	o
Amoy,	30.14	64	68	NE	2	b
Swatow,	30.21	65	..	E	2	b
Canton,	30.21	66	45	N	1	b
Hongkong,	30.19	64	41	W	2	b
Victoria Peak,	..	..	..	NW	1	..
Gap Rock,	30.18	..	..	N	4	..
Macao,	30.20	67	..	NNW	1	b
Haiphong,	..	..	..	..	..	..
Manila,	29.88	81	84	WNW	1	c
Malate,	..	..	..	W	1	or
Bacolod,	..	..	..	N	5	o
Iloilo,	29.81	88	..	E	2	c
Cebu,	29.84	85	..	NE	3	c
Cape S. James,	..	..	..	E	1	o

2nd DECEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.43	50	65	N	3	bv
Sharp Peak,	30.33	57	72	NNW	2	o
Amoy,	30.24	57	81	NW	2	b
Swatow,	30.27	60	.	N	2	c
Canton,	30.28	57	52	N	1	b
Hongkong,	30.24	65	41	..	0	o
Victoria Peak,	..	..	..	NE	3	..
Gap Rock,	30.23	..	..	NNE	4	..
Macao,	30.25	64	.	N	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.96	82	77	W	2	c
Malate,	..	..	..	W	1	b
Bacolod,	..	..	..	N	2	b
Iloilo,	29.89	85	..	NE	2	c
Cebu,	29.91	84	..	NE	2	b
Cape S. James,	..	..	..	N	2	c

On the 2nd at 11.55 a. The barometer has fallen slightly on the China coast. The high pressure area remains central over China, with moderate gradients and fresh to strong monsoon on the coast and in the N. part of the China Sea. Forecast:—*moderate N to NE winds; fair.*

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Saturday 2nd December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

2nd DECEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	30.20	40	..	..	0	b
Tokio,	30.33	..	..	..	0	..
Kochi,	30.27	..	..	E	2	..
Nagasaki,	30.27	..	..	W	2	..
Kagoshima,	30.27	..	..	N	4	..
Gutzlaff,	30.37	52	73	N	2	ov
Sharp Peak,	30.24	61	69	NNW	2	o
Amoy,	30.09	69	65	NE	2	b
Swatow,	30.18	65	..	ESE	2	o
Canton,	..	..	..	..	..	..
Hongkong,	30.16	60	73	E	3	or
Victoria Peak,	..	..	..	SSW	1	..
Gap Rock,	30.15	..	..	ENE	4	..
Macao,	30.16	67	..	ENE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	86	59	E	2	b
Malate,	..	..	..	NE	1	b
Bacolod,	..	..	..	N	3	b
Iloilo,	29.81	89	..	E	2	b
Cebu,	29.82	85	..	NE	4	b
Cape S. James,	..	..	..	SW	1	c

3rd DECEMBER, 1899, AT 10 A.

Wladivostock,	30.17	23	99	..	0	b
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.35	50	93	NE	2	cv
Sharp Peak,	30.21	60	76	N	4	o
Amoy,	30.16	60	94	NE	3	r
Swatow,	30.21	63	..	NW	1	od
Canton,	30.21	61	88	..	0	b
Hongkong,	30.18	59	98	..	0	or
Victoria Peak,	..	..	..	NNE	1	..
Gap Rock,	30.17	..	..	NE	3	..
Macao,	30.18	61	..	NNW	1	od
Haiphong,	..	..	..	..	..	..
Manila,	29.96	82	77	W	1	c
Malate,	..	..	..	WSW	1	..
Bacolod,	..	..	..	N	2	b
Iloilo,	29.89	84	..	NE	1	c
Cebu,	29.91	84	..	NE	2	b
Cape S. James,	..	..	..	..	..	..

On the 3rd at 11.55 a. The barometer has fallen on the China coast. Pressure is highest over the rior of China, with moderate gradients and fresh to strong monsoon on the coast and in the N. part of China Sea. Forecast:—moderate or fresh N winds; rainy at first, improving later.

F.G. FIGG,
First Assistant.

KONG OBSERVATORY, Sunday 3rd December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

3rd DECEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	30.13	44	..	..	0	b
Tokio,	30.26	..	..	..	0	..
Kochi,	30.19	..	..	SE	2	..
Nagasaki,	30.19	..	..	N	4	..
Kagoshima,	30.19	..	..	SE	2	..
Gutzlaff,	30.26	56	75	E	2	cv
Sharp Peak,	30.10	60	79	W	3	o
Amoy,	30.10	66	54	..	0	or
Swatow,	30.11	62	..	W	1	or
Canton,	30.09	70	70	..	0	c
Hongkong,	30.08	63	89	..	0	od
Victoria Peak,	..	..	..	SE	1	..
Gap Rock,	30.07	.	..	N	3	..
Macao,	30.08	67	..	NNW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	82	85	NW	1	b
Malate,	..	..	..	W	1	b
Bacolod,	..	..	..	N	2	o
Iloilo,	29.81	88	..	E	3	b
Cebu,	29.81	85	..	SE	3	b
Cape S. James,	..	..	..	..	..	..

4th DECEMBER, 1899, AT 10 A.

Wladivostock,	30.09	25	99	..	0	b
Tokio,	30.22	..	..	N	2	..
Kochi,	30.15	..	..	SW	2	..
Nagasaki,	30.19	..	..	..	0	..
Kagoshima,	30.15	..	..	NW	6	..
Gutzlaff,	30.25	51	100	NE	4	omd
Sharp Peak,	30.13	61	88	..	0	ofd
Amoy,	30.04	66	79	SW	1	o
Swatow,	..	..	.	..	..	..
Canton,	..	..	..	..	..	..
Hongkong,	30.13	68	57	..	0	b
Victoria Peak,	..	..	..	E	1	..
Gap Rock,	30.12	..	..	NNE	3	..
Macao,	30.14	66	.	NNE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.96	81	70	WNW	1	c
Malate,	..	..	..	SW	..	c
Bacolod,	..	..	..	N	2	b
Iloilo,	29.89	82	..	E	2	b
Cebu,	29.92	81	..	NE	1	c
Cape S. James,	..	..	..	NE	2	c

On the 4th at 11.55 a. The barometer has fallen on the China coast and over Japan. Pressure is highest over Central China, and relatively low between Formosa and the Loochoos. Gradients slight with moderate monsoon on the coast and in the N. part of the China Sea. Forecast:—moderate N winds; fine.

F.G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Monday 4th December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

4th DECEMBER, 1899, AT 4 P.

STATION.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
				Direction.	Force.	
Wladivostock,	..	..	..	..	..	..
Tokio,	30.10	..	..	N	2	..
Kochi,	30.07	..	..	..	0	..
Nagasaki,	30.11	..	..	W	2	..
Kagoshima,	30.07	..	..	E	2	..
Gutzlaff,	30.23	54	74	NE	3	cv
Sharp Peak,	30.07	62	88	ENE	5	o
Amoy,	29.99	69	80	SE	1	b
Swatow,	30.07	69	..	W	1	c
Canton,	..	..	..	.	..	..
Hongkong,	30.06	66	76	NW	1	o
Victoria Peak,	..	..	..	SSW	1	..
Gap Rock,	30.05	..	..	NNW	2	..
Macao,	30.05	68	..	ENE	1	c
Haiphong,	..	..	..	..	..	..
Manila,	29.88	86	71	ESE	1	c
Malate,	..	..	..	SW	1	c
Bacolod,	..	..	..	N	5	b
Iloilo,	29.81	89	..	NE	1	b
Cebu,	29.81	84	..	NE	3	b
Cape S. James,	..	..	..	E	2	c

5th DECEMBER, 1899, AT 10 A.

Wladivostock,	..	..	..	..	..	..
Tokio,	..	..	..	..	..	..
Kochi,	..	..	..	..	..	..
Nagasaki,	..	..	..	..	..	..
Kagoshima,	..	..	..	..	..	..
Gutzlaff,	30.28	49	78	NNE	4	cv
Sharp Peak,	30.18	58	81	E	5	od
Amoy,	30.09	68	60	SE	1	r
Swatow,	30.17	65	.	N	1	od
Canton,	30.22	63	67	..	0	b
Hongkong,	30.17	63	56	..	0	o
Victoria Peak,	..	..	..	SE	1	..
Gap Rock,	30.16	..	..	N	3	..
Macao,	30.18	66	.	NW	1	c
Haiphong,	..	..	..	..	..	..
Manila,	30.00	82	77	WNW	1	b
Malate,	..	..	..	WNW	1	b
Bacolod,	..	..	..	N	2	b
Iloilo,	29.89	84	..	E	2	b
Cebu,	29.93	82	..	NE	4	c
Cape S. James,	..	..	..	..	..	..

On the 5th at 11 55 a. The barometer is rising on the China coast. Pressure is highest over Central and relatively low near the Loochoos. The monsoon will probably freshen on the coast and in the S of the China Sea. Forecast:—moderate or fresh N winds; fair.

F.G. FIGG,
First Assistant.

HONG OBSERVATORY, Tuesday 5th December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

5th DECEMBER, 1899, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind.		Weather.
					Direction.	Force.	
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.98	..	..	N	2	..
Kochi,	,,	30.03	..	..	N	6	..
Nagasaki,	,,	30.07	..	..	N	6	..
Kagoshima,	,,	30.07	..	..	SE	2	..
Taihoku,	1 p.	30.11	..	..	E	6	..
Taichu,	,,	30.04	..	..	N	4	..
Tainan,	,,	30.05	..	..	NW	6	..
Koshun,	,,	30.05	..	..	N	6	..
Pescadores,	,,	30.09	..	..	NE	10	..
Gutzlaff,	3 p.	30.12	51	70	N	3	cv
Sharp Peak,	,,	30.14	56	84	ENE	5	og
Amoy,	,,	30.04	66	84	NE	2	o
Swatow,	,,	30.10	66	..	E	1	o
Canton,	,,	30.05	70	53	NW	1	b
Hongkong,	4 p.	30.07	67	71	ESE	1	bv
Victoria Peak,	,,	..	..	..	ESE	1	..
Gap Rock,	,,	30.06	..	..	NE	2	..
Macao,	,,	30.08	68	..	E	1	..
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	82	78	..	0	c
Malate,	3 p.	..	..	..	NNE	0	o
Bacolod,	,,	..	..	..	N	3	o
Iloilo,	,,	29.81	90	..	NE	1	b
Cebu,	,,	29.80	84	..	NE	3	c
Cape S. James,	,,	..	..	..	N	3	c

6th DECEMBER, 1899, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.12	..	..	E	6	.
Taichu,	,,	30.05	..	..	N	4	..
Tainan,	,,	30.05	..	..	N	4	..
Koshun,	,,	30.02	..	..	NE	8	..
Pescadores,	,,	30.08	..	..	NE	10	..
Gutzlaff,	9 a.	30.20	49	100	NNW	1	bm
Sharp Peak,	,,	30.16	59	82	.	0	o
Amoy,	,,	30.06	63	83	NE	1	b
Swatow,	,,	..	..	.	..	..	..
Canton,	,,	..	..	..	..	..	..
Hongkong,	10 a.	30.15	69	57	..	0	b
Victoria Peak,	,,	..	..	..	NE	1	..
Gap Rock,	,,	30.13	..	..	NNE	2	..
Macao,	,,	30.15	72	.	NNW	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	..	..	..	..	..	..
Malate,	9 a.	..	..	..	SW	1	b
Bacolod,	,,		..	..	N	2	b
Iloilo,	,,	29.89	85	..	N	1	b
Cebu,	,,	29.92	85	..	NE	1	c
Cape S. James,	7 a.	..	..	..	NE	2	o

On the 6th at 11.55 a. Barometric changes are slight. Pressure is highest over China, and low, apparently, between Formosa and Japan. Gradients slight, with moderate monsoon on the coast and in the N. part of the China Sea. Forecast:—moderate N winds; fine.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Wednesday 6th December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

6th DECEMBER, 1899, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind.		Weather.
					Direction.	Force.	
Wladivostock, ..	2 p.	29.87	40	..	S	3	b
Tokio, ...	,,	30.22	..	..	..	0	..
Kochi, ...	,,	30.15	..	..	..	0	..
Nagasaki, ...	,,	30.03	..	..	W	2	..
Kagoshima, ...	,,	30.03	..	..	E	4	..
Taihoku, ...	1 p.	30.08	..	..	E	8	..
Taichu, ...	,,	30.00	..	..	N	2	..
Tainan, ...	,,	30.02	..	..	N	4	..
Koshun, ...	,,	30.04	..	..	NE	4	..
Pescadores, ...	,,	30.05	..	..	NE	8	..
Gutzlaff, ...	3 p.	30.15	55	87	W	1	bv
Sharp Peak, ..	,,	30.06	62	72	E	5	c
Amoy, ...	,,	29.97	70	75	E	1	b
Swatow, ...	,,	30.04	64	..	ESE	1	b
Canton, ...	,,	30.08	71	62	W	1	b
Hongkong, ...	4 p.	30.04	63	72	W	1	c
Victoria Peak,	,,	..	..	..	W	1	..
Gap Rock, ...	,,	30.04		..	NE	1	..
Macao, ...	,,	30.05	71	..	NE	1	c
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.84	84	78	ESE	1	c
Malate, ...	3 p.	..	..	..	SSE	2	c
Bacolod, ...	,,	..	..	..	N	5	o
Iloilo, ...	,,	29.85	89	..	NE	1	b
Cebu, ...	,,	29.83	84	..	NE	2	b
Cape S. James,	,,	..	..	..	NE	3	c

7th DECEMBER, 1899, A. M.

Wladivostock, ..	7 a.	29.72	31	53	W	1	b
Tokio, ...	10 a.	..	..	..	..	..	..
Kochi, ...	,,	..	..	..	..	..	..
Nagasaki, ...	,,	..	..	..	..	..	..
Kagoshima, ...	,,	..	..	..	..	..	..
Taihoku, ...	5 a.	30.11	..	..	E	4	..
Taichu, ...	,,	30.04	..	..	..	0	..
Tainan, ...	,,	30.05	..	..	N	2	..
Koshun, ...	,,	30.05	..	..	..	0	..
Pescadores, ...	,,	30.08	..	..	NE	10	..
Gutzlaff, ...	9 a.	30.24	51	86	N	3	bv
Sharp Peak, ..	,,	30.19	59	82	N	2	o
Amoy, ...	,,	30.10	64	80	NNE	1	c
Swatow, ...	,,	..	..	..	..	..	..
Canton, ...	,,	30.17	63	52	..	0	b
Hongkong, ...	10 a.	30.15	69	50	..	0	b
Victoria Peak,	,,	..	..	..	E	2	..
Gap Rock, ...	,,	30.14	..	..	NE	2	..
Macao..... ..	,,	30.15	70	.	NE	1	c
Haiphong, ...	7 a.	..	..	..	..	..	..
Manila, ...	10 a.	29.96	81	76	WNW	1	b
Malate, ...	9 a.	..	..	..	W	1	b
Bacolod, ...	,,	..	..	..	N	2	b
Iloilo, ...	,,	29.89	84	..	..	0	c
Cebu, ...	,,	29.93	84	..	NE	2	c
Cape S. James,	7 a.	..	..	..	..	..	..

On the 7th at 11.55 a. The barometer has fallen in the extreme North, and is inclined to rise on the E. coast. Pressure is highest over China, and a depression is moving Eastwards in the N. part of the Sea of Japan. The monsoon will probably freshen on the coast and in the N. part of the China Sea. Coast:—moderate or fresh N winds; fine.

F. G. FIGG,
First Assistant.

HONG OBSERVATORY, Thursday 7th December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

7th DECEMBER, 1899, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,..	2 p.	29.72	36	..	W	3	b
Tokio, ...	,,	29.94	..	..	..	0	..
Kochi, ...	,,	29.95	..	..	..	0	..
Nagasaki, ...	,,	30.03	..	..	N	4	..
Kagoshima,....	,,	29.99	..	..	N	6	..
Taihoku, ...	1 p.	30.13	..	..	E	6	..
Taichu, ...	,,	30.05	..	..	N	4	..
Tainan, ...	,,	30.05	..	..	N	6	..
Koshun, ...	,,	30.06	..	..	NE	2	..
Pescadores, ...	,,	30.10	..	..	NE	10	..
Gutzlaff, ...	3 p.	30.21	53	73	NNE	4	cm
Sharp Peak, ..	,,	30.11	60	73	E	5	b
Amoy, ...	,,	30.01	69	70	ENE	2	b
Swatow, ...	,,	30.08	70	..	E	2	b
Canton, ...	,,	30.04	73	55	N	1	b
Hongkong, ...	4 p.	30.05	66	67	ESE	2	b
Victoria Peak,	,,	..	..	..	E	1	..
Gap Rock, ...	,,	30.05	..	..	ENE	2	..
Macao, ...	,,	30.06	69	..	SE	1	c
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.88	88	66	W	1	c
Malate, ...	3 p.	..	..	..	SW	..	b
Bacolod, ...	,,	..	..	..	N	3	b
Iloilo, ...	,,	29.85	88	..	NE	1	b
Cebu, ...	,,	29.83	84	..	NE	3	b
Cape S. James,	,,	..	..	..	E	2	c

8th DECEMBER, 1899, A. M.

Wladivostock,..	7 a.	29.88	19	47	N	1	b
Tokio, ...	10 a.	29.78	..	..	..	0	..
Kochi, ...	,,	29.99	..	..	W	2	..
Nagasaki, ...	,,	30.23	..	..	NW	4	..
Kagoshima,....	,,	30.19	..	..	N	8	..
Taihoku, ...	5 a.	30.27	..	..	NE	2	..
Taichu, ...	,,	30.14	..	..	NE	2	..
Tainan, ...	,,	30.14	..	..	N	6	..
Koshun, ...	,,	30.12	..	..	NE	8	..
Pescadores,....	,,	30.20	..	..	NE	8	..
Gutzlaff, ...	9 a.	30.41	44	68	NNW	4	c
Sharp Peak, ..	,,	30.32	61	69	NE	4	b
Amoy, ...	,,	30.2[illegible]	60	88	NE	2	b
Swatow, ...	,,	30.30	66		N	2	b
Canton, ...	,,	30.26	64	58	N	1	b
Hongkong, ...	10 a.	30.25	67	41	N	2	b
Victoria Peak,	,,	..	..	..	SE	3	..
Gap Rock, ...	,,	30.25	..	..	NE	4	..
Macao, ...	,,	30.27	69	.	NNE	1	c
Haiphong, ...	7 a.	..	..	..	..	..	..
Manila, ...	10 a.	30.00	84	71	WSW	1	c
Malate, ...	9 a.	..	..	..	NNE	1	c
Bacolod, ...	,,	..	..	..	N	6	c
Iloilo, ...	,,	29.93	82	..	E	2	c
Cebu, ...	,,	29.99	84	..	NE	3	b
Cape S. James,	7 a.	..	..	..	NE	2	c

On the 8th at 11.50 a. The barometer has risen on the China coast, fallen in E. Japan. A high pressure area is centrul over China, and the depression has reached E. Japan. Gradients moderate with strong monsoon on the coast and in the N. part of the China Sea. Forecast:—fresh NE winds; fine.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Friday 8th December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

8th DECEMBER, 1899, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind.		Weather.
					Direction.	Force.	
Wladivostock,..	2 p.	29.81	26	..	W	4	c
Tokio, ...	,,	29.83	..	..	S	2	..
Kochi, ...	,,	29.95	..	..	NW	6	..
Nagasaki, ...	,,	30.05	..	..	NW	8	..
Kagoshima,....	,,	30.11	..	..	NW	6	..
Taihoku, ...	1 p.	30.29	..	..	E	4	..
Taichu, ...	,,	30.14	..	..	N	6	..
Tainan, ...	,,	30.15	..	..	N	6	..
Koshun, ...	,,	30.17	..	..	NE	8	..
Pescadores, ...	,,	30.22	..	..	NE	8	..
Gutzlaff, ...	3 p.	30.40	44	45	N	3	bv
Sharp Peak, ..	,,	30.28	58	73	E	5	b
Amoy, ...	,,	30.13	68	83	NE	2	b
Swatow, ...	,,	..	..	..	..	..	..
Canton, ...	,,	..	..	..	..	..	..
Hongkong, ...	4 p.	30.16	68	55	ESE	1	b
Victoria Peak,	,,	..	..	..	NE	1	..
Gap Rock, ...	,,	30.16	..	..	ENE	3	..
Macao, ...	,,	30.17	72	..	N	..	c
Haiphong, ...	1 p.	..	..	..	..	..	.
Manila, ...	4 p.	29.92	82	77	NE	1	o
Malate, ...	3 p.	..	..	..	NNW	2	c
Bacolod, ...	,,	..	..	..	NE	2	o
Iloilo, ...	,,	29.81	89	..	N	1	c
Cebu, ...	,,	29.86	84	..	NE	3	c
Cape S. James,	,,	..	..	..	NE	3	c

8th DECEMBER, 1899, A. M.

Wladivostock,..	7 a.	30.06	14	47	NW	9	b
Tokio, ...	10 a.	..	..	..	..	..	..
Kochi, ...	,,	..	..	..	..	..	..
Nagasaki, ...	,,	.	..	..	..	..	..
Kagoshima,....	,,	..	..	..	..	..	..
Taihoku, ...	5 a.	..	..	..	..	..	..
Taichu, ...	,,	..	..	..	..	..	..
Tainan, ...	,,	..	..	..	..	..	..
Koshun, ...	,,	..	..	..	..	..	..
Pescadores,....	,,	..	..	..	..	..	..
Gutzlaff, ...	9 a.	30.45	48	56	SSE	2	bv
Sharp Peak, ..	,,	30.38	56	69	ENE	2	o
Amoy, ...	,,	30.23	59	76	NNE	1	o
Swatow, ...	,,	..	..	..	..	..	..
Canton, ...	,,	..	..	..	..	..	..
Hongkong, ...	10 a.	30.28	63	65	ENE	3	o
Victoria Peak,	,,	..	..	..	E	7	..
Gap Rock, ...	,,	30.26	..	..	ENE	6	..
Macao,..... ..	,,	30.28	66	.	NE	1	c
Haiphong, ...	7 a.	..	..	..	..	..	..
Manila, ...	10 a.	30.00	82	70	W	1	c
Malate, ...	9 a.	..	..	..	W	1	b
Bacolod, ...	,,	..	..	..	N	5	o
Iloilo, ...	,,	29.89	82	..	E	1	b
Cebu, ...	,,	29.97	80	..	..	0	o
Cape S. James,	7 a.	..	..	..	NE	3	o

h the 9th at 11.55 a. The barometer has risen in Japan, and is little changed elsewhere. The area
pressure seems to be central between the E. coast of China and Japan. Gradients moderate with
monsoon in S. China and the N. part of the China Sea. Forecast:—fresh NE winds; fair.

F. G. FIGG,
First Assistant.

NG OBSERVATORY, Saturday 9th December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

9th DECEMBER, 1899, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.06	26	..	NW	2	b
Tokio,	,,	29.94	..	..	S	2	..
Kochi,	,,	30.23	..	..	..	0	..
Nagasaki,	,,	30.34	..	..	N	6	..
Kagoshima,	,,	30.31	..	..	NW	6	..
Taihoku,	1 p.	30.27	..	..	E	8	..
Tsichu,	,,	30.18	..	..	W	4	..
Tainan,	,,	30.14	..	..	N	4	..
Koshun,	,,	30.19	..	..	NE	6	..
Pescadores,	,,	30.24	..	..	NE	10	..
Cuntzuit,	3 p.	30.37	54	61	SE	2	bv
Sharp Peak,	,,	30.28	57	72	NW	3	o
Amoy,	,,	30.13	70	76	NE	2	b
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	..	..	..	..	..	..
Hongkong,	4 p.	30.15	64	68	E	3	o
Victoria Peak,	,,	..	..	..	E	3	..
Gap Rock,	,,	30.15	..	..	ENE	5	..
Macao,	,,	30.15	69	..	NE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	86	65	E	2	c
Malate,	3 p.	..	..	..	NE	1	c
Bacolod,	,,	..	..	..	N	3	o
Iloilo,	,,	29.81	88	..	NE	2	c
Cebu,	,,	29.84	83	..	NE	4	c
Cape S. James,	,,	..	..	..	..	..	..

10th DECEMBER, 1899, A. M.

Wladivostock,	7 a.	29.96	23	80	SE	1	b
Tokio,	10 a.	30.30	..	..	NW	2	..
Kochi,	,,	30.38	..	..	..	0	..
Nagasaki,	,,	30.34	..	..	SE	6	..
Kagoshima,	,,	30.34	..	..	E	2	..
Taihoku,	5 a.	30.24	..	..	E	6	..
Tsichu,	,,	30.17	..	..	..	0	..
Tainan,	,,	30.18	..	..	N	2	..
Koshun,	,,	30.15	..	..	NE	6	..
Pescadores,	,,	30.21	..	..	NE	6	..
Cuntzuit,	9 a.	30.21	57	87	S	4	cv
Sharp Peak,	,,	30.22	59	85	W	2	o
Amoy,	,,	30.14	61	88	NE	2	c
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	..	..	..	..	..	..
Hongkong,	10 a.	30.18	68	61	ENE	4	c
Victoria Peak,	,,	..	..	..	E	5	..
Gap Rock,	,,	30.18	..	..	ENE	4	..
Macao,	,,	30.19	69	..	NE	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.00	84	71	SW	1	b
Malate,	9 a.	..	..	..	W	..	b
Bacolod,	,,	..	..	..	N	6	o
Iloilo,	,,	29.85	83	..	N	1	or
Cebu,	,,	29.93	79	..	N	3	o
Cape S. James,	7 a.	..	..	..	..	..	..

On the 10th at 11 55 a. The barometer has risen considerably over E. Japan, fallen quickly on the China coast. The high pressure area is central over Japan, and a depression is advancing Eastwards over N. China. Gradients slight, with decreasing monsoon in S. China and the N. part of the China Sea. Forecast:—moderate E winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 10th December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

10th DECEMBER, 1899, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,..	2 p.	29.81	38	..	SSW	5	c
Tokio, ...	,,	30.22	..	..	S	2	..
Kochi, ...	,,	30.27	..	..	S	2	..
Nagasaki, ...	,,	30.23	..	..	S	4	..
K[illegible]	,,	30.23	..	..	SE	2	..
Tai[illegible]	1 p.	30.13	..	..	E	4	..
Taichu, ...	,,	30.17	..	..	..	0	..
Tainan, ...	,,	30.18	..	..	N	2	..
Koshun, ...	,,	30.16	..	..	NE	6	..
Pescadores, ...	,,	30.21	..	..	NE	6	..
Gu[illegible], ...	3 p.	30.08	60	82	S	4	cv
Sharp P[illegible], ..	,,	30.09	64	81	E	1	..
Amoy, ...	,,	30.05	70	75	SE	1	c
Swatow, ...	,,	30.13	69	..	E	1	o
Canton, ...	,,	30.08	75	68	E	..	b
Ho[illegible], ...	4 p.	30.09	71	54	..	0	o
V[illegible] Peak,	,,	..	..	..	ESE	2	..
Gap Rock, ...	,,	30.08		..	ENE	4	..
[illegible]	,,	30.09	71	..	NE	1	o
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.88	84	64	ENE	2	c
Malate, ...	3 p.	..	..	..	E	2	b
Bacolod, ...	,,	..	..	..	N	2	or
Iloilo, ...	,,	29.77	86	..	NE	3	o
Cebu, ...	,,	29.84	80	..	NE	4	o
Cape S. James,	,,	..	..	..	..	..	..

11th DECEMBER, 1899, A. M.

Wladivostock,..	7 a.	29.90	20	81	NNE	2	s
Tokio, ...	10 a.	29.86	..	..	NW	4	..
Kochi, ...	,,	29.95	..	..	SW	2	..
Nagasaki, ...	,,	30.03	..	..	NW	6	..
Kagoshima,....	,,	30.03	..	..	NW	4	..
Taihoku, ...	5 a.	30.14	..	..	..	0	.
Taichu, ...	,,	30.11	..	..	..	0	..
Tainan, ...	,,	30.13	..	..	N	4	..
Koshun, ...	,,	30.13	..	..	NE	4	..
Pescadores,....	,,	30.14	..	..	NW	4	..
Cazalaff, ...	9 a.	30.18	55	68	NNE	1	cv
Sharp Peak, ..	,,	30.13	63	86	.	0	o
Amoy, ...	,,	30.09	65	89	NE	1	c
Swatow, ...	,,		..	.	..	..	..
Canton, ...	,,	..	..	..	..	..	..
Hongkong, ...	10 a.	30.13	73	75	ESE	1	o
Victoria Peak,	,,	..	..	..	E	2	..
Gap Rock, ...	,,	30.12	..	..	ENE	3	..
Macao,..... ..	,,	30.13	75	.	NE	1	c
Haiphong, ...	7 a.	..	..	..	..	..	..
Manila, ...	10 a.	29.96	82	70	W	1	c
Malate, ...	9 a.	..	..	..	W	1	b
Bacolod, ...	,,	.	..	..	N	5	op
Iloilo, ...	,,	29.89	82	..	..	.	..
Cebu, ...	,,	29.94	79	..	NE	2	o
Cape S. James,	7 a.	..	..	..	N	2	c

On the 11th at 11.55 a. The barometer has fallen rapidly in Japan, and is inclined to rise on the coast. The depression is moving Eastwards in the Sea of Japan, and pressure is highest over China. Monsoon will probably freshen on the coast and in the N. part of the China Sea. Forecast:—moderate NE to N winds; mostly fair, but some drizzling rain.

F. G. FIGG,
First Assistant.

KONG OBSERVATORY, Monday 11th December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

11th DECEMBER, 1899, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.59	..	..	SW	6	..
Kochi,	,,	29.79	..	..	W	4	..
Nagasaki,	,,	29.99	..	..	W	8	..
Kagoshima,	,,	29.95	..	..	NW	6	..
Taihoku,	1 p.	30.14	..	..	..	0	..
Taichu,	,,	30.06	..	..	N	6	..
Tainan,	,,	30.07	..	..	N	6	..
Koshun,	,,	30.10	..	..	NE	4	..
Pescadores,	,,	30.12	..	..	NE	8	..
Gutzlaff,	3 p.	30.12	55	87	NNE	1	cm
Sharp Peak,	,,	30.04	66	81	SE	1	c
Amoy,	,,	29.99	70	57	NE	..	o
Swatow,	,,	30.06	70	..	..	0	o
Canton,	,,	30.02	80	70	..	0	o
Hongkong,	4 p.	30.04	71	83	ESE	2	o
Victoria Peak,	,,	..	..	..	E	1	..
Gap Rock,	,,	30.03	..	..	NE	2	..
Macao,	,,	30.06	72	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	84	58	E	2	c
Malate,	3 p.	..	..	..	SE	1	c
Bacolod,	,,	..	..	..	N	3	op
Hoilo,	,,	29.77	81	..	E	2	o
Cebu,	,,	29.80	79	..	NE	3	o
Cape S. James,	,,	..	..	..	E	3	c

12th DECEMBER, 1899, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,		..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.15	..	..	..	0	..
Taichu,	,,	30.12	..	..	..	0	..
Tainan,	,,	30.12	..	..	N	2	..
Koshun,	,,	30.12	..	..		0	..
Pescadores,	,,	30.14	..	..	NE	4	..
Gutzlaff,	9 a.	30.18	59	100	N	1	omd
Sharp Peak,	,,	30.15	67	79	..	0	b
Amoy,	,,	30.09	66	84	SE	1	o
Swatow,	,,	30.16	72	.	N	1	c
Canton,	,,	..	..	..	..	..	..
Hongkong,	10 a.	30.14	74	75	W	1	c
Victoria Peak,	,,	..	..	..	ENE	2	..
Gap Rock,	,,	30.14	..	..	N	1	..
Macao,	,,	30.15	77	.	SSW	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	84	71	ESE	1	c
Malate,	9 a.	..	..	..	NNE	1	c
Bacolod,	,,	..	..	..	N	2	o
Hoilo,	,,	29.85	83	..	NE	2	o
Cebu,	,,	29.89	80	..	..	0	o
Cape S. James,	7 a.	..	..	..	NNE	2	c

On the 12th at 1 55 a. Barometric changes are slight. The depression has probably reached E. Japan. Pressure is highest over China. The monsoon is likely to freshen on the coast and in the N. part of the China Sea. Forecast:—N winds, probably freshening; changeable.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 12th December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

12th DECEMBER, 1899, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,..	2 p.	..	..	..	..	..	..
Tokio, ...	,,	29.82	..	..	N	2	..
Kochi, ...	,,	29.91	..	..	..	0	..
Nagasaki, ...	,,	29.99	..	..	W	6	..
Kagoshima,....	,,	29.99	..	..	NW	6	..
Taihoku, ...	1 p.	30.11	..	..	NW	4	..
Taichu, ...	,,	30.05	..	..	N	2	..
Tainan, ...	,,	30.06	..	..	N	4	..
Koshun, ...	,,	..	..	..	..	..	..
Pescadores, ...	,,	30.11	..	..	N	6	..
Gutzlaff, ...	3 p.	30.14	53	87	N	2	bm
Sharp Peak, ..	,,	30.05	67	79	..	0	b
Amoy, ...	,,	29.98	71	76	SE	2	b
Swatow, ...	,,	30.05	76	..	E	1	b
Canton, ...	,,	30.08	84	94	N	1	b
Hongkong, ...	4 p.	30.03	76	72	N	1	b
Victoria Peak,	,,	..	..	..	S	1	..
Gap Rock, ...	,,	30.04	..	..	N	1	..
Macao, ...	,,	30.02	78	..	S	1	c
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.88	84	58	E	2	o
Malate, ...	3 p.	..	..	..	E	2	c
Bacolod, ...	,,	..	..	..	N	5	o
Iloilo, ...	,,	29.77	82	..	NE	3	o
Cebu, ...	,,	29.83	79	..	NE	1	o
Cape S. James,	,,	..	..	..	NE	4	c

13th DECEMBER, 1899, A. M.

Wladivostock,..	7 a.	..	..		..	..	..
Tokio, ...	10 a.	..	..	..	..	..	..
Kochi, ...	,,	..	..	..	..	..	..
Nagasaki, ...	,,	.	..	..	..	..	..
Kagoshima,....	,,	..	..	..	..	.	..
Taihoku, ...	5 a.	30.10	..	..	E	4	..
Taichu, ...	,,	30.05	..	..	..	0	..
Tainan, ...	,,	30.06	..	..	N	4	..
Koshun, ...	,,	30.08	..	..	NE	4	..
Pescadores,....	,,	30.09	..	..	NE	6	..
Gutzlaff, ...	9 a.	30.13	54	94	S	3	bm
Sharp Peak, ..	,,	30.11	67	76	NNE	1	b
Amoy, ...	,,	30.05	65	89	NE	1	o
Swatow, ...	,,	30.16	70		ENE	2	b
Canton, ...	,,	30.09	72	46	N	1	b
Hongkong, ...	10 a.	30.09	72	61	E	3	b
Victoria Peak,	,,	..	..	..	E	4	..
Gap Rock, ...	,,	30.08	..	..	ENE	3	..
Macao..... ..	,,	30.10	75	.	ESE	1	c
Haiphong, ...	7 a.	..	..	..	..	..	..
Manila, ...	10 a.	29.96	82	70	WNW	1	c
Malate, ...	9 a.	..	..	..	N	1	b
Bacolod, ...	,,	.	..	..	N	2	o
Iloilo, ...	,,	29.85	83	..	NE	2	c
Cebu, ...	,,	29.90	84	..	NE	2	c
Cape S. James,	7 a.	..	..	..	NE	2	c

On the 12th at 11.55 a. The barometer has fallen slightly on the China coast. A low pressure area is to be moving Eastwards over N. China. Gradients continue slight, with moderate monsoon in S. and the N. part of the China Sea. Forecast:—moderate NE winds; fine.

F. G. FIGG,
First Assistant.

KONG OBSERVATORY, Wednesday 13th December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

18th DECEMBER, 1899, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.65	30	..	NE	1	..
Tokio,	,,	29.78	..	..	S	4	..
Kochi,	,,	29.91	..	..	SW	6	..
Nagasaki,	,,	30.03	..	..	W	6	..
Kagoshima,	,,	30.03	..	..	W	6	..
Taihoku,	1 p.	30.07	..	..	E	6	..
Taichu,	,,	30.01	..	..	W	2	..
Tainan,	,,	30.04	..	..	NW	4	..
Koshun,	,,	30.08	..	..	E	4	..
Pescadores,	,,	30.07	..	..	NE	6	..
Gutzlaff,	3 p.	30.04	58	81	S	2	bm
Sharp Peak,	,,	30.05	67	71	SE	2	b
Amoy,	,,	29.97	72	81	NE	1	c
Swatow,	,,	30.03	72	..	ESE	1	b
Canton,	,,	29.89	80	66	W	1	b
Hongkong,	4 p.	29.99	67	86	E	5	b
Victoria Peak,	,,	..	..	..	E	6	..
Gap Rock,	,,	29.97	..	..	ENE	4	..
Macao,	,,	30.00	73	..	SE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	86	53	ENE	3	c
Malate,	3 p.	..	..	..	NE	1	c
Bacolod,	,,	..	..	..	N	2	b
Iloilo,	,,	29.77	83	..	E	2	c
Cebu,	,,	29.76	83	..	NE	2	b
Cape S. James,	,,	..	..	..	NE	3	o

14th DECEMBER, 1899, A. M.

Wladivostock,	7 a.	29.98	16	99	..	0	b
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,		..	..	..	..	..
Kagoshima,	,,	..	..	..	..		..
Taihoku,	5 a.	30.05	..	..	..	0	..
Taichu,	,,	30.06	..	..	..	0	..
Tainan,	,,	30.07	..	..	NW	2	..
Koshun,	,,	30.09	..	..	..	0	..
Pescadores,	,,	30.07	..	..		0	..
Gutzlaff,	9 a.	30.07	55	87	SW	3	bm
Sharp Peak,	,,	30.07	66	73	WSW	1	c
Amoy,	,,	30.04	66	89	SW	1	o
Swatow,	,,	..	..	..		..	..
Canton,	,,	..	..	..	..	..	..
Hongkong,	10 a.	30.09	72	76	ESE	2	c
Victoria Peak,	,,	..	..	..	ESE	2	..
Gap Rock,	,,	30.07	..	..	ENE	5	..
Macao,	,,	30.09	77	.	NNW	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.00	81	69	W	1	c
Malate,	9 a.	..	..	..	W	1	b
Bacolod,	,,		..	..	NW	2	b
Iloilo,	,,	29.85	84	..	NE	1	b
Cebu,	,,	29.93	84	..	NE	2	b
Cape S. James,	7 a.	..	..	..	NE	2	o

On the 14th at 11·55 a. Barometric changes are slight. The depression seems to be now lying in the Sea of Japan. Gradients continue slight, with light variable winds on the coast, and light to moderate monsoon in the N. part of the China Sea. Forecast:—moderate E winds; fair.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Thursday 14th December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

14th DECEMBER, 1899, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind.		Weather.
					Direction.	Force.	
Wladivostock,..	2 p.	..	..	..	..	..	..
Tokio, ...	,,	29.78	..	..	S	4	..
Kochi, ...	,,	29.87	..	..	E	2	..
Nagasaki, ...	,,	29.91	..	..	SW	8	..
Kagoshima,.....	,,	29.95	..	..	W	6	..
Taihoku, ...	1 p.	30.11	..	..	S	2	..
Taichu, ...	,,	30.06	..	..	SW	2	..
Tainan, ...	,,	30.07	..	..	N	2	..
Koshun, ...	,,	30.08	..	..	N	2	..
Pescadores, ...	,,	30.11	..	..	NE	2	..
Gutzlaff.	3 p.	30.10	54	68	N	5	bm
Sharp Peak, ..	,,	30.00	69	75	NNE	1	bm
Amoy.	,,	29.98	73	72	SE	2	b
Swatow.	,,	30.05	76	..	E	1	b
Canton.	,,	..	..	..	..	..	..
Hongkong, ...	4 p.	29.99	72	76	ESE	2	b
Victoria Peak,	,,	..	..	..	ESE	2	..
Cap Rock, ...	,,	29.98	..	..	ENE	4	..
[illegible]	.	30.01	78	..	SSE	1	c
[illegible]	4 p.	..	..	..	..	..	.
[illegible]	4 p.	29.88	86	65	W	1	c
[illegible]	3 p.	..	..	..	W	1	b
Bacolod, ...	,,	..	..	..	N	5	b
Iloilo, ...	,,	29.81	84	..	E	2	c
Cebu, ...	,,	29.84	83	..	NE	3	b
Cape S. James,	,,	..	..	..	E	2	c

15th DECEMBER, 1899, A. M.

Wladivostock,..	7 a.	..	..	..	..	..	..
Tokio, ...	10 a.	..	..	..	..	..	..
Kochi.	,,	..	..	..	..	..	..
Nagasaki, ...	,,		..	..	..	..	..
Kagoshima,....	,,	..	..	..	..	.	..
Taihoku.	5 a.	30.20	..	..	NE	6	..
Taichu, ...	,,	30.10	..	..	..	0	..
Tainan, ...	,,	30.12	..	..	..	0	..
Koshun, ...	,,	30.10	..	..	E	6	..
Pescadores,....	,,	30.14	..	..	NE	8	..
Gutzlaff.	9 a.	30.32	53	67	ESE	3	cv
Sharp Peak, ..	,,	30.27	61	60	NE	3	c
Amoy.	,,	30.12	65	58	NE	4	b
Swatow.	,,	..	..	.		..	.
Canton.	,,	30.14	7[illegible]	90	..	0	c
Hongkong, ...	10 a.	30.15	69	77	E	5	c
Victoria Peak,	,,	.	..	..	ENE	5	..
Cap Rock, ...	,,	30.12	..	..	ENE	4	..
[illegible]	,,	30.13	76	.	ENE	1	c
[illegible]	7 a.	..	..	..	..	..	..
Manila, ...	10 a.	30.00	81	62	W	1	b
Molate, ...	9 a.	..	..	..	W	1	b
Bacolod, ...	,,	.	..	..	N	2	b
Iloilo, ...	,,	29.89	84	..	N	2	b
Cebu, ...	,,	29.92	83	..	NE	2	b
Cape S. James,	7 a.	..	..	..		..	..

On the 15th at 11.55 a. The barometer has risen on the China coast, particularly in the North. [illegible]ure is highest, apparently, between the E. coast of China and W. Japan. Gradients moderate, with [illegible]s monsoon in the Formosa Channel and N. part of the China Sea. Forecast:—fresh to strong NE [illegible]s; cloudy, some drizzling rain or mist.

F. G. FIGG,
First Assistant.

[illegible]KONG OBSERVATORY, Friday 15th December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

15th DECEMBER, 1899, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,..	2 p.	..	..	..	..	..	..
Tokio, ...	,,	29.90	..	..	NW	8	..
Kochi, ...	,,	30.15	..	..	NW	6	..
Nagasaki, ...	,,	30.19	..	..	NW	4	..
Kagoshima,.....	,,	30.15	..	..	SE	4	..
Taihoku, ...	1 p.	30.18	..	..	E	8	..
Taichu, ...	,,	30.08	..	..	N	2	..
Tainan, ...	,,	30.10	..	..	NW	2	..
Koshun, ...	,,	30.12	..	..	NE	4	..
Pescadores, ...	,,	30.15	..	..	NE	8	..
Gutzlaff, ...	3 p.	30.12	56	74	ESE	3	cm
Sharp Peak, ..	,,	30.17	65	66	E	1	c
Amoy, ...	,,	30.05	71	57	NE	3	b
Swatow, ...	,,	..	..	..	..	..	..
Canton, ...	,,	..	..	..	..	..	..
Hongkong, ...	4 p.	30.06	67	83	E	5	c
Victoria Peak,	,,	..	..	..	E	7	..
Gap Rock, ...	,,	30.04	..	..	ENE	4	..
Macao,.....	,,	30.08	71	..	E	1	c
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.88	84	64	ENE	2	c
Malate, ...	3 p.	..	..	..	W	1	c
Bacolod, ...	,,	..	..	..	N	3	o
Iloilo, ...	,,	29.81	84	..	NE	2	o
Cebu, ...	,,	29.82	84	..	NE	4	b
Cape S. James,	,,	..	..	..	NE	4	c

16th DECEMBER, 1899, A. M.

Wladivostock,..	7 a.	..	..	..	..	..	..
Tokio, ...	10 a.	30.18	..	..	NW	2	..
Kochi, ...	,,	30.27	..	..	W	2	..
Nagasaki, ...	,,	30.27	..	..	..	0	..
Kagoshima,.....	,,	30.27	..	..	..	0	..
Taihoku, ...	5 a.	30.16	..	..	SE	2	..
Taichu, ...	,,	30.15	..	..	N	2	..
Tainan, ...	,,	30.14	..	..	N	4	..
Koshun, ...	,,	30.13	..	..	NE	2	..
Pescadores,....	,,	30.17	..	..	NE	4	..
Gutzlaff, ...	9 a.	30.16	56	87	SE	4	cm
Sharp Peak, ..	,,	30.16	64	73	W	1	o
Amoy,..... ..	,,	30.09	62	83	W	1	b
Swatow, ...	,,	..	..	.		..	.
Canton, ...	,,	..	..	..	..	..	..
Hongkong, ...	10 a.	30.15	69	75	E	4	o
Victoria Peak,	,,	..	..	..	E	3	..
Gap Rock, ...	,,	30.13	..	..	ENE	5	..
Macao,..... ..	,,	30.16	71	.	ENE	1	c
Haiphong, ...	7 a.	..	..	..	..	..	..
Manila, ...	10 a.	30.00	82	70	W	1	c
Malate, ...	9 a.	..	..	..	NNW	1	b
Bacolod, ...	,,	..	..	..	N	2	o
Iloilo, ...	,,	29.89	83	..	N	1	c
Cebu, ...	,,	29.94	76	..	..	6	..
Cape S. James,	7 a.	..	..	..	E	5	c

On the 16th at 11 55 a. The barometer has fallen on the E. coast of China, risen in Japan. Pressure is highest over Japan, and a low pressure area seems to be advancing Eastwards over N. China. Gradients slight, with variable winds on the coast and moderate monsoon in the N. part of the China Sea. Forecast: moderate E winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 16th December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

16th DECEMBER, 1899, P. M.

STATION.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
					Direction.	Force.	
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	30.10	..	..	..	0	..
Kochi,	,,	30.19	..	..	.	0	..
Nagasaki,	,,	30.23	..	..	E	4	..
Kagoshima,	,,	30.19	..	..	..	0	..
Taihoku,	1 p.	30.09	..	..	..	0	..
Taichu,	,,	30.07	..	..	N	2	..
Tainan,	,,	30.09	..	..	N	2	..
Koshun,	,,	30.12	..	..	N	4	..
Pescadores,	,,	30.12	..	..	NE	6	..
Gutzlaff,	3 p.	30.07	59	94	SE	3	cm
Sharp Peak,	,,	30.02	66	71	ESE	1	b
Amoy,	,,	29.98	70	70	SE	2	b
Swatow,	,,	30.05	72	..	E	1	c
Canton,	,,	30.03	78	70	W	1	b
Hongkong,	4 p.	30.03	69	70	ESE	3	c
Victoria Peak,	,,	..	..	..	E	2	..
Gap Rock,	,,	30.01		..	ENE	4	..
Macao,	,,	30.02	72	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	.
Manila,	4 p.	29.88	84	94	E	1	b
Malate,	3 p.	..	..	..	NE	1	b
Bacolod,	,,	..	..	..	N	5	b
Iloilo,	,,	29.81	84	..	NE	2	c
Cebu,	,,	29.82	82	..	NE	4	c
Cape S. James,	,,	..	..	..	NE	6	c

17th DECEMBER, 1899, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	.	..
Taihoku,	5 a.	30.10	..	..	..	0	..
Taichu,	,,	30.07	..	..	..	0	..
Tainan,	,,	30.07	..	..	N	2	..
Koshun,	,,	30.08	..	..	N	2	..
Pescadores,	,,	30.07	..	..	NE	4	..
Gutzlaff,	9 a.	30.02	56	100	S	.	f
Sharp Peak,	,,	30.07	66	79	WSW	1	b
Amoy,	,,	30.09	65	89	W	1	o
Swatow,	,,	30.07	69	.	..	0	o
Canton,	,,	30.05	69	95	SE	2	o
Hongkong,	10 a.	30.07	72	67	..	0	o
Victoria Peak,	,,	..	..	..	ESE	1	..
Gap Rock,	,,	30.07	..	..	ENE	3	..
Macao,	,,	30.08	76	.	ENE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	82	70	WNW	1	b
Malate,	9 a.	..	..	..	N	1	b
Bacolod,	,,	..	..	..	N	5	cr
Iloilo,	,,	29.85	82	..	NE	1	c
Cebu,	,,	29.90	78	..	N	2	o
Cape S. James,	7 a.	..	..	..	..	..	..

On the 17th at 11 55 a. The barometer continues falling over China, particularly in the North. depression in N. China seems to be moving slowly Eastwards. Gradients slight, with light variable nds on the coast and light monsoon in the N. part of the China Sea. Forecast:—E or varying winds, ht; fair.

F. G. FIGG,
First Assistant.

KONG OBSERVATORY, Sunday 17th December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

17th DECEMBER, 1899, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind.		Weather.
					Direction.	Force.	
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	30.14	..	..	N	2	..
Kochi,	,,	30.15	..	..	SW	2	..
Nagasaki,	,,	29.95	..	..	SE	3	..
Kagoshima,	,,	29.99	..	..	E	4	..
Taihoku,	1 p.	30.04	..	..	..	0	..
Taichu,	,,	30.01	..	..	W	4	..
Tainan,	,,	30.04	..	..	N	2	..
Koshun,	,,	30.05	..	..	E	4	..
Pescadores,	,,	30.03	..	..	NE	4	..
Gutzlaff,	3 p.	29.95	59	94	NNW	1	f
Sharp Peak,	,,	29.95	68	79	..	0	c
Amoy,	,,	29.99	68	85	SE	3	c
Swatow,	,,	30.03	73	..	E	1	c
Canton,	,,	29.98	78	74	S	2	b
Hongkong,	4 p.	29.98	72	70	E	2	c
Victoria Peak,	,,	..	..	..	S	1	..
Gap Rock,	,,	29.98		..	ENE	2	..
Macao,	,,	29.99	76	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	84	94	NNE	1	c
Malate,	3 p.	..	..	..	NNE	1	c
Bacolod,	,,	..	..	..	N	2	or
Iloilo,	,,	29.77	85	..	N	3	c
Cebu,	,,	29.81	79	..	N	2	or
Cape S. James,	,,	..	..	..	..	..	..

18th DECEMBER, 1899, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.05	..	..	..	0	..
Taichu,	,,	30.05	..	..	..	0	..
Tainan,	,,	30.04	..	..	NW	2	..
Koshun,	,,	30.03	..	..	..	0	..
Pescadores,	,,	30.06	..	..	N	2	..
Gutzlaff,	9 a.	30.18	50	93	N	6	omd
Sharp Peak,	,,	30.02	65	84	E	5	of
Amoy,	,,	30.06	68	85	SW	2	b
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	30.05	71	76	E	1	c
Hongkong,	10 a.	30.04	77	66	ESE	1	b
Victoria Peak,	,,	..	..	..	E	1	..
Gap Rock,	,,	30.04	..	..	N	2	..
Macao,	,,	30.04	79	.	NNE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.92	81	69	NNE	2	c
Malate,	9 a.	..	..	..	N	1	b
Bacolod,	,,	..	..	..	..	0	c
Iloilo,	,,	29.81	81	..	..	0	or
Cebu,	,,	29.85	81	..	..	0	..
Cape S. James,	7 a.	..	..	..	NE	2	c

On the 18th at 11.55 a. The barometer has risen considerably on the E. coast of China, fallen slightly on the S. coast and over the Phillipines. Pressure is highest over N. China, and the depression is probably moving Eastwards in W. Japan. Pressure is also low, apparently, in the Pacific to the SE of Luzon. The monsoon will probably freshen considerably in the Formosa Channel and N. part of the China Sea. Forecast:—NE winds, freshening; changeable, becoming cooler.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 18th December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

18th DECEMBER, 1899, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind.		Weather.
					Direction.	Force.	
Wladivostock,	2 p.	30.21	14	..	NE	4	b
Tokio,	,,	29.90	..	..	N	4	..
Kochi,	,,	29.75	..	..	..	0	..
Nagasaki,	,,	29.83	..	..	SW	4	..
Kagoshima,	,,	29.83	..	..	W	4	..
Taihoku,	1 p.	30.04	..	..	N	8	..
Taichu,	,,	29.98	..	..	N	4	..
Tainan,	,,	29.98	..	..	NW	4	..
Koshun,	,,	30.01	..	..	NW	2	..
Pescadores,	,,	30.04	..	..	N	2	..
Gutzlaff,	3 p.	30.18	51	79	N	6	cv
Sharp Peak,	,,	30.06	65	73	ENE	5	og
Amoy,	,,	29.93	74	76	SE	2	b
Swatow,	,,	30.00	77	..	ESE	1	b
Canton,	,,	29.97	80	70	W	1	b
Hongkong,	4 p.	29.95	74	76	E	2	b
Victoria Peak,	,,	..	..	..	E	1	..
Gap Rock,	,,	29.96		..	ENE	1	..
Macao,	,,	29.96	78	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	.
Manila,	4 p.	29.80	77	40	N	1	or
Malate,	3 p.	..	..	..	N	1	or
Bacolod,	,,	..	..	..	SE	2	b
Hoilo,	,,	29.73	..	..	SW	1	c
Cebu,	,,	29.80	75	..	SW	2	o
Cape S. James,	,,	..	..	..	E	2	c

19th DECEMBER, 1899, A. M.

Wladivostock,	7 a.	30.25	7	67	..	0	b
Tokio,	10 a.	30.14	..	..	N	2	..
Kochi,	,,	30.19	..	..	N	2	..
Nagasaki,	,,	30.23	..	..	N	2	..
Kagoshima,	,,	30.19	..	..	N	6	..
Taihoku,	5 a.	30.19	..	..	E	6	.
Taichu,	,,	30.05	..	..	NE	4	..
Tainan,	,,	30.04	..	..	N	8	..
Koshun,	,,	30.01	..	..	NE	8	..
Pescadores,	,,	30.13	..	..	NE	12	..
Gutzlaff,	9 a.	30.33	50	65	N	4	cv
Sharp Peak,	,,	30.25	58	76	NE	4	o
Amoy,	,,	..	..		..	..	..
Swatow,	,,	..	..		..	..	..
Canton,	,,	30.14	66	68	N	1	o
Hongkong,	10 a.	30.12	68	79	E	5	o
Victoria Peak,	,,	..	..	..	E	5	..
Gap Rock,	,,	30.08	..	..	ENE	5	..
Macao,	,,	30.11	69	.	ESE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.80	77	92	E	2	o
Malate,	9 a.	..	..	..	E	3	o
Bacolod,	,,		..	..	..	0	b
Hoilo,	,,	29.85	82	..	W	1	b
Cebu,	,,	29.90	84	..	SW	1	b
Cape S. James,	7 a.	..	..	..		..	..

On the 19th at 4.55 a. The barometer has risen over China and Japan, fallen in Luzon. Pressure high in N. China, and the low pressure area lying SE of Luzon yesterday, has moved Westwards and is situated off the SW coast of Luzon. Gradients rather steep, with very strong monsoon in the Formosa Channel and N. part of the China Sea. *Forecast:—fresh to strong NE winds; fair.*

F. G. FIGG,
First Assistant.

Observatory, Tuesday 19th December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

19th DECEMBER, 1899, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, ..	2 p.	..	..	..	..	..	..
Tokio, ...	,,	30.10	..	..	N	2	..
Kochi, ...	,,	30.11	..	..	N	4	..
Nagasaki, ...	,,	30.19	..	..	N	6	..
Kagoshima, ...	,,	30.11	..	..	N	4	..
Taihoku, ...	1 p.	30.16	..	..	NE	6	..
Taichu, ...	,,	30.01	..	..	N	4	..
Tainan, ...	,,	30.01	..	..	N	6	..
Koshun, ...	,,	30.02	..	..	NE	8	..
Pescadores, ...	,,	30.07	..	..	NE	10	..
Gutzlaff, ...	3 p.	30.26	53	61	NE	4	cv
Sharp Peak, ..	,,	30.16	59	73	NNE	2	og
Amoy, ...	,,	30.01	70	61	NE	3	b
Swatow, ...	,,	30.06	70	..	E	3	b
Canton, ...	,,	30.02	72	67	NW	1	b
Hongkong, ...	4 p.	30.01	68	77	ESE	2	b
Victoria Peak,	,,	..	..	..	ENE	1	..
Gap Rock, ...	,,	30.01	.	..	ENE	4	..
Macao, ...	,,	30.01	70	..	SE	1	c
Haiphong, ...	1 p.	..	..	..	..	..	.
Manila, ...	4 p.	29.76	75	41	SE	4	or
Malate, ...	3 p.	..	..	..	SSE	2	or
Bacolod, ...	,,	..	..	..	S	2	o
Iloilo, ...	,,	29.77	86	..	SW	2	c
Cebu, ...	,,	29.80	86	..	SW	2	b
Cape S. James,	,,	..	..	..	E	2	c

20th DECEMBER, 1899, A. M.

Wladivostock, ..	7 a.	..	..	..	..	..	..
Tokio, ...	10 a.	..	..	..	..	..	..
Kochi, ...	,,	..	..	..	..	..	..
Nagasaki, ...	,,	..	..	..	..	..	..
Kagoshima, ...	,,		..	..	..	..	..
Taihoku, ...	5 a.	30.14	..	..	E	6	..
Taichu, ...	,,	30.05	..	..	..	0	..
Tainan, ...	,,	30.06	..	..	N	2	..
Koshun, ...	,,	30.05	..	..	NE	6	..
Pescadores, ...	,,	30.05	..	..	NE	10	..
Gutzlaff, ...	9 a.	30.24	52	93	E	4	omd
Sharp Peak, ..	,,	30.20	59	79	NNW	1	c
Amoy, ...	,,	30.10	63	83	N	1	b
Swatow, ...	,,	..	..	.	..	..	..
Canton, ...	,,		..		..	.	..
Hongkong, ...	10 a.	30.13	65	68	ENE	1	o
Victoria Peak,	,,	..	..	..	ENE	2	..
Gap Rock, ...	,,	30.11	..	..	ENE	4	..
Macao, ...	,,	30.13	67	.	NE	1	od
Haiphong, ...	7 a.	..	..	..	..	..	..
Manila, ...	10 a.	29.92	79	84	E	1	c
Malate, ...	9 a.	..	..	..	SE	1	c
Bacolod, ...	,,		..	..	..	0	b
Iloilo, ...	,,	29.93	84	..	..	0	b
Cebu, ...	,,	29.96	84	..	..	0	..
Cape S. James,	7 a.	..	..	..	..	..	..

On the 20th at 2 10 p. The barometer has fallen on the E. coast of China, risen in the Phillipines. Pressure is highest over N. China, and the low area in the China Sea is probably situated to the NW of Palawan. Gradients moderate, with strong monsoon in the Formosa Channel and N. part of the China Sea. Forecast:—moderate NE to N winds; cloudy, probably some light rain.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 20th December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

20th DECEMBER, 1899, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,..	2 p.	..	..	..	..	..	..
Tokio, ...	,,	30.22	..	..	N	4	..
Kochi, ...	,,	30.23	..	..	E	2	..
Nagasaki, ...	,,	30.19	..	..	NE	6	..
Kagoshima,....	,,	30.19	..	..	NE	6	..
Taihoku, ...	,,	30.04	..	..	E	4	..
Taichu, ...	1 p.	30.01	..	..	N	4	..
Tainan, ...	,,	30.01	..	..	N	4	..
Koshun, ...	,,	30.01	..	..	NE	6	..
Pescadores, ...	,,	30.07	..	..	NE	8	..
Gutzlaff, ...	,,	30.10	53	93	E	4	omd
Sharp Peak, ..	3 p.	30.04	62	77	..	0	o
Amoy, ...	,,	29.99	70	70	SE	2	b
Swatow, ...	,,	30.04	69	..	W	1	o
Canton, ...	,,	30.04	66	95	..	0	od
Hongkong, ...	,,	30.02	67	89	..	0	o
Victoria Peak,	4 p.	..	..	..	N	2	..
Gap Rock, ...	,,	30.01		..	NE	3	..
Macao, ...	,,	30.04	69	..	NNW	1	c
Haiphong, ...	,,	..	..	..	..	..	..
Manila, ...	1 p.	29.84	84	71	W	1	c
Malate, ...	4 p.	..	..	..	W	1	b
Bacolod, ...	3 p.	..	..	..	NW	2	b
Iloilo, ...	,,	29.81	86	..	SW	1	b
Cebu, ...	,,	29.86	85	..	NE	2	c
Cape S. James,	,,	..	..	..	E	2	c

21st DECEMBER, 1899, A. M.

Wladivostock,..	7 a.	..	..	..	..	..	..
Tokio, ...	10 a.	..	..	..	..	..	..
Kochi, ...	,,	..	..	..	..	..	..
Nagasaki, ...	,,	..	..	..	..	..	..
Kagoshima,....	,,	..	..	..	..	..	..
Taihoku, ...	5 a.	30.09	..	..	W	2	-
Taichu, ...	,,	30.03	..	..	..	0	..
Tainan, ...	,,	30.02	..	..	N	2	..
Koshun, ...	,,	30.02	..	..	..	0	..
Pescadores,....	,,	30.06	..	..	NE	6	..
Gutzlaff, ...	9 a.	30.23	51	..	N	5	cv
Sharp Peak, ..	,,	30.12	63	86	E	2	c
Amoy,..... ..	,,	30.01	65	89	SE	1	o
Swatow, ...	,,	30.15	69		NW	3	c
Canton, ...	,,	30.12	63	83	N	1	b
Hongkong, ...	10 a.	30.10	72	47	NNE	2	o
Victoria Peak,	,,	..	..	..	NE	2	..
Gap Rock, ...	,,	30.10	..	..	N	3	..
Macao, ...	,,	30.11	72	-	NE	1	c
Haiphong, ...	7 a.	..	..	..	..	..	..
Manila, ...	10 a.	29.96	81	76	WNW	1	b
Malate, ...	9 a.	..	..	..	W	1	b
Bacolod, ...	,,		..	..	..	0	b
Iloilo, ...	,,	29.93	84	..		0	b
Cebu, ...	,,	29.97	85	..	SW	1	b
Cape S. James,	7 a.	..	..	..		..	..

On the 21st at 1.55 a. The barometer has fallen slightly on the China coast. Pressure is highest N. China, and a shallow area of low pressure seems to be moving Eastwards between N. Formosa and Japan. Forecast:—moderate or fresh N winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 21st December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

21st DECEMBER, 1899, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,..	2 p.	30.10	16	..	NE	1	o
Tokio, ...	,,	30.22	..	..	NW	6	..
Kochi, ...	,,	29.99	..	..	SW	2	..
Nagasaki, ...	,,	30.03	..	..	N	4	..
Kagoshima,....	,,	29.95	..	..	N	4	..
Taihoku, ...	1 p.	30.09	..	..	E	6	..
Taichu, ...	,,	29.97	..	..	N	6	..
Tainan, ...	,,	30.00	..	..	N	6	..
Koshun, ...	,,	30.01	..	..	NW	4	..
Pescadores, ...	,,	30.06	..	..	NE	8	..
Gutzlaff, ...	3 p.	30.16	52	79	N	2	cv
Sharp Peak, ..	,,	30.05	60	76	ENE	4	og
Amoy, ...	,,	29.95	70	90	E	3	b
Swatow, ...	,,	30.05	74	..	WSW	1	b
Canton, ...	,,	30.05	70	61	N	1	b
Hongkong, ...	4 p.	30.01	70	69	W	1	o
Victoria Peak,	,,	..	..	..	NW	3	..
Gap Rock, ...	,,	30.00		..	NNW	4	..
Macao,.....	,,	30.02	72	..	NW	2	c
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.84	86	71	W	1	b
Malate, ...	3 p.	..	..	..	SW	..	b
Bacolod, ...	,,	..	..	..	...	0	b
Iloilo, ...	,,	29.81	87	..	SW	1	b
Cebu, ...	,,	29.86	86	..	NE	2	c
Cape S. James,	,,	..	..	...	E	1	c

22nd DECEMBER, 1899, A. M.

Wladivostock,..	7 a.	30.09	9	70	NNE	4	b
Tokio, ...	10 a.	30.02	..	..	NE	4	..
Kochi, ...	,,	30.11	..	..	SW	2	..
Nagasaki, ...	,,	30.15	..	..	..	0	..
Kagoshima,....	,,	30.11	..	..	SE	4	..
Taihoku, ...	5 a.	30.11	..	..	..	0	..
Taichu, ...	,,	30.07	..	..	..	0	..
Tainan, ...	,,	30.06	..	..	N	4	..
Koshun, ...	,,	30.05	..	..	..	0	..
Pescadores,....	,,	30.10	..	..	NE	8	..
Gutzlaff, ...	9 a.	30.16	55	62	E	3	bv
Sharp Peak, ..	,,	30.14	59	76	N	1	o
Amoy,..... ..	,,	30.07	63	87	NE	1	o
Swatow, ...	,,	...	..	.	..	..	..
Canton, ...	,,	...	..	..	...	..	.
Hongkong, ...	10 a.	30.11	69	75	E	2	o
Victoria Peak,	,,	..	..	..	ESE	2	..
Gap Rock, ...	,,	30.09	..	..	ENE	4	..
Macao,..... ..	,,	30.10	71	.	ENE	1	c
Haiphong, ...	7 a.	..	..	..	..	..	..
Manila, ...	10 a.	30.00	82	85	W	1	c
Malate, ...	9 a.	..	..	..	SSW	1	b
Bacolod, ...	,,	..	..	..	..	0	b
Iloilo, ...	,,	30.05	86	..	..	0	b
Cebu, ...	,,	29.98	86	..	..	0	b
Cape S. James,	7 a.	..	..	..	.	..	..

On the 22nd at 11.55 a. The barometer has fallen in E. Japan and on the E. coast of China. Pressure remains in defect on the China coast with indications of the existence of another depression over Central China. Gradients slight generally, with moderate monsoon on the coast and in the N. part of the China Sea. Forecast:—moderate or light E winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 22nd December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

22nd DECEMBER, 1899, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind.		Weather.
					Direction.	Force.	
Wladivostock,..	2 p.	30.11	26	..	NNE	1	b
Tokio, ...	,,	30.10	..	..	N	4	..
Kochi, ...	,,	30.07	..	..	SE	2	..
Nagasaki, ...	,,	30.03	..	..	N	4	..
Kagoshima,....	,,	30.03	..	..	E	6	..
Taihoku, ...	1 p.	30.09	..	..	NW	2	..
Taichu, ...	,,	30.02	..	..	N	6	..
Tainan, ...	,,	30.04	..	..	NW	6	..
Koshun, ...	,,	30.03	..	..	S	4	..
Pescadores, ...	,,	30.07	..	..	N	8	..
Gutzlaff, ...	3 p.	..	..	..	..	..	..
Sharp Peak, ..	,,	30.08	61	77	E	3	b
Amoy, ...	,,	29.96	66	73	SE	2	b
Swatow, ...	,,	30.05	70	..	ESE	1	b
Canton, ...	,,	..	..	..	..	..	..
Hongkong, ...	4 p.	30.01	67	81	E	3	c
Victoria Peak,	,,	..	..	..	S	2	..
Gap Rock, ...	,,	30.01	..	..	ENE	3	..
Macao, ...	,,	30.01	70	..	SSE	1	c
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.88	86	65	SE	2	b
Malate, ...	3 p.	..	..	..	SE	1	b
Bacolod, ...	,,	..	..	..	NW	5	b
Iloilo, ...	,,	29.85	89	..	W	1	..
Cebu.	,,	29.86	84	..	NE	3	b
Cape S. James,	,,	..	..	..	ESE	2	c

23rd DECEMBER, 1899, A. M.

Wladivostock,..	7 a.	30.24	–2	79	NE	4	o
Tokio, ...	10 a.	.	..	..	..	..	..
Kochi, ...	,,	..	..	..	..	..	..
Nagasaki, ...	,,	..	..	..	..	..	..
Kagoshima,....	,,	..	..	..	..	..	..
Taihoku, ...	5 a.	30.16	..	..	..	0	..
Taichu, ...	,,	30.12	..	..	N	2	..
Tainan, ...	,,	30.10	..	..	N	..	..
Koshun, ...	,,	30.10	..	..	..	0	..
Pescadores,....	,,	30.13	..	..	NE	6	..
Gutzlaff, ...	9 a.	30.24	46	84	NNW	6	cv
Sharp Peak, ..	,,	30.14	63	80	..	0	b
Amoy, ...	,,	30.08	63	89	..	0	o
Swatow, ...	,,	30.19	68	.	ENE	2	b
Canton, ...	,,	30.10	71	90	E	1	b
Hongkong, ...	10 a.	30.14	69	82	E	1	o
Victoria Peak,	,,	..	..	..	SE	4	..
Gap Rock.	,,	30.13	..	..	E	3	..
Macao,..... ..	,,	30.14	73	.	S	1	c
Haiphong, ...	7 a.	..	..	..	..	..	..
Manila, ...	10 a.	30.04	81	85	W	1	b
Malate, ...	9 a.	..	..	..	N	1	c
Bacolod, ...	,,	.	..	..	N	5	b
Iloilo, ...	,,	29.97	84	..	NE	2	b
Cebu, ...	,,	30.01	85	..	NE	2	c
Cape S. James,	7 a.	..	..	..	.	..	..

On the 23rd at 11.55 a. The barometer is rising on the China coast. The depression is moving towards between the E. coast of China and W. Japan: Pressure is high over N. China. The monsoon probably freshen considerably in the Formosa Channel and N. part of the China Sea. Forecast:—NE to E, freshening; changeable, probably some light rain.

F. G. FIGG,
First Assistant.

HONG OBSERVATORY, Saturday 23rd December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

23rd DECEMBER, 1899, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind.		Weather.
					Direction.	Force.	
Wladivostock,..	2 p.	..	..	..	..	..	..
Tokio, ...	,,	29.98	..	..	NW	2	..
Kochi, ...	,,	29.83	..	..	SW	2	..
Nagasaki, ...	,,	29.91	..	..	W	10	..
Kagoshima,....	,,	29.91	..	..	W	6	..
Taihoku, ...	1 p.	30.14	..	..	NW	6	..
Taichu, ...	,,	30.09	..	..	NW	2	..
Tainan, ...	,,	30.09	..	..	N	6	..
Koshun,.....	,,	30.12	..	..	NE	2	..
Pescadores, ...	,,	30.14	..	..	N	6	..
Gutzlaff, ...	3 p.	30.31	43	83	NNW	5	cv
Sharp Peak, ..	,,	30.09	63	80	..	..	c
Amoy, ...	,,	30.01	68	79	SE	2	b
Swatow, ...	,,	30.08	71	..	E	1	c
Canton, ...	,,	30.02	74	81	SE	2	o
Hongkong, ...	4 p.	30.05	68	86	E	3	c
Victoria Peak,	,,	..	..	..	SE	2	..
Gap Rock, ...	,,	30.04		..	E	2	..
Macao,.....	,,	30.06	70	..	SSE	1	c
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.92	88	59	SW	1	b
Malate, ...	3 p.	..	..	..	SW	1	b
Bacolod, ...	,,	..	..	..	N	3	o
Iloilo, ...	,,	29.89	88	..	NE	1	c
Cebu, ...	,,	29.91	85	..	NE	3	o
Cape S. James,	,,	..	..	..	E	2	c

24th DECEMBER, 1899, A. M.

Wladivostock,..	7 a.	.	..	..	..	..	..
Tokio, ...	10 a.	..	..	..	..	..	..
Kochi, ...	,,	.	..	..	..	..	..
Nagasaki, ...	,,	..	..	..	..	..	..
Kagoshima,....	,,	.	..	..	..	..	..
Taihoku, ...	5 a.	30.20	..	..	NE	6	.
Taichu, ...	,,	30.15	..	..	N	2	..
Tainan, ...	,,	30.15	..	..	..	0	..
Koshun, ...	,,	30.16	..	..	NE	4	..
Pescadores,....	,,	30.18	..	..	N	8	..
Gutzlaff, ...	9 a.	30.36	45	92	ENE	3	o
Sharp Peak, ..	,,	30.29	58	78	N	2	o
Amoy, ...	,,	30.15	62	83	NE	2	o
Swatow, ...	,,	30.24	66	..	NE	3	o
Canton, ...	,,	..	..	..	..	..	..
Hongkong, ...	10 a.	30.17	67	85	ENE	5	o
Victoria Peak,	,,	..	..	..	ESE	6	..
Gap Rock, ...	,,	30.15	..	..	ENE	4	..
Macao,.....	,,	30.17	70	.	E	2	o
Haiphong, ...	7 a.	..	..	..	..	..	..
Manila, ...	10 a.	..	..	..	..	..	..
Malate, ...	9 a.	..	..	..	N	1	b
Bacolod, ...	,,	..	..	..	NE	2	b
Iloilo, ...	,,	29.97	84	..	N	3	b
Cebu, ...	,,	30.01	83	..	N	2	b
Cape S. James,	7 a.	..	..	..	..	..	..

On the 24th at 12.5p. The barometer has risen on the China coast. The depression has probably reached E. Japan, and pressure is high over N. China. Gradients moderate, with strong monsoon on the coast and in the N. part of the China Sea. Forecast:—fresh NE winds; cloudy, some drizzling rain or mist.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 24th December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

24th DECEMBER, 1899, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	29.90	..	..	NW	6	..
Kochi,	,,	30.11	..	..	N	2	..
Nagasaki,	,,	30.10	..	..	NW	4	..
Kagoshima,	,,	30.15	..	..	NE	2	..
Taihoku,	1 p.	30.14	..	..	E	6	..
Taichu,	,,	30.11	..	..	N	4	..
Tainan,	,,	30.14	..	..	NW	4	..
Koshun,	,,	30.14	..	..	E	2	..
Pescadores,	,,	30.18	..	..	N	8	..
Gutzlaff,	3 p.	30.26	48	78	ENE	3	om
Sharp Peak,	,,	30.15	59	79	..	0	og
Amoy,	,,	30.09	..	.	NE	2	c
Swatow,	,,	30.13	68	..	ESE	1	o
Canton,	,,	30.05	75	77	E	1	c
Hongkong,	4 p.	30.09	67	81	E	4	o
Victoria Peak,	,,	..	..	..	ESE	2	..
Gap Rock,	,,	30.08	..	..	ENE	4	..
Macao,	,,	30.08	70	..	ESE	2	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.96	86	58	W	1	b
Malate,	3 p.	..	..	..	W	1	b
Bacolod,	,,	..	..	..	NE	5	o
Hoilo,	,,	29.89	84	..	E	2	b
Cebu,	,,	29.89	83	..	NE	4	c
Cape S. James,	,,	..	..	..	..	..	..

25th DECEMBER, 1899, A. M.

Wladivostock,	7 a.	.	..	..	..	..	..
Tokio,	10 a.	30.10	..	..	N	4	..
Kochi,	,,	30.27	..	..	SW	2	..
Nagasaki,	,,	30.31	..	..	..	0	..
Kagoshima,	,,	30.31	..	..	NE	6	..
Taihoku,	5 a.	30.21	..	..	..	0	.
Taichu,	,,	30.20	..	..	NE	6	..
Tainan,	,,	30.18	..	..	N	4	..
Koshun,	,,	30.18	..	..	.	0	..
Pescadores,	,,	30.20	..	..	NE	6	..
Gutzlaff,	9 a.	30.25	52	93	ESE	5	omd
Sharp Peak,	,,	30.13	60	88	..	0	o
Amoy,	,,	30.18	63	80	..	0	o
Swatow,	,,	30.20	68	..	NNE	1	o
Canton,	,,	30.18	71	90	SE	3	b
Hongkong,	10 a.	30.18	70	75	E	4	b
Victoria Peak,	,,	..	..	..	E	5	..
Gap Rock,	,,	30.16	..	..	ENE	4	..
Macao,	,,	30.18	72	.	E	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.08	81	69	WSW	1	o
Malate,	9 a.	..	..	..	N	1	c
Bacolod,	,,	..	..	..	.	0	b
Hoilo,	,,	29.97	85	..	N	1	c
Cebu,	,,	30.03	85	..	NE	2	c
Cape S. James,	7 a.	..	..	..	..	..	..

On the 25th at 12.15 p.m. The barometer has risen in Japan, fallen on the E coast of China. Pressure highest over W. Japan, and a low area appears to be devecoping over Central China. Gradients slight to moderate monsoon on the coast and in the N. part of the China Sea. Forecast:—moderate E winds;

F. G. FIGG,
First Assistant.

KONG OBSERVATORY, Monday 25th December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

25th DECEMBER, 1899, P. M.

STATION.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,..	2 p.	30.15	22	..	..	0	b
Tokio, ...	„	30.02	..	..	S	4	..
Kochi, ...	„	30.15	..	..	..	0	..
Nagasaki, ...	„	30.27	..	..	N	4	..
Kagoshima,....	„	30.23	..	..	N	4	..
Taihoku, ...	1 p.	30.16	..	..	..	0	..
Taichu, ...	„	30.12	..	..	N	2	..
Tainan, ...	„	30.16	..	..	N	4	..
Koshun,.....	„	30.17	..	..	NE	2	..
Pescadores, ...	„	30.20	..	..	NE	6	..
Gutzlaff, ...	3 p.	30.16	52	100	E	5	omd
Sharp Peak, ..	„	30.11	61	85	ESE	2	o
Amoy, ...	„	30.09	66	84	SE	1	b
Swatow, ...	„	30.13	70	..	E	2	c
Canton, ...	„	30.07	78	74	NE	3	b
Hongkong, ...	4 p.	30.09	68	84	E	4	b
Victoria Peak,!	„	..	..	..	ESE	1	..
Gap Rock, ...	„	30.06	..	..	ENE	4	..
Macao,.....	„	30.09	75	..	SSE	1	c
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	30.00	79	76	ESE	1	o
Malate, ...	3 p.	..	..	..	..	0	o
Bacolod, ...	„	..	..	..	N	2	o
Iloilo, ...	„	29.89	80	..	NE	1	c
Cebu, ...	„	29.91	84	..	NE	3	b
Cape S. James,	„	..	..	..	..	..	..

26th DECEMBER, 1899, A. M.

Wladivostock,..	7 a.	30.18	9	62	..	0	b
Tokio, ...	10 a.	..	..	..	..	..	..
Kochi, ...	„	..	..	..	.	..	..
Nagasaki, ...	„	..	..	..	..	..	..
Kagoshima,....	„	..	..	..	..	..	..
Taihoku, ...	5 a.	30.15	..	..	..	0	..
Taichu, ...	„	30.12	..	..	NE	2	..
Tainan, ...	„	30.17	..	..	N	2	..
Koshun, ...	„	30.17	..	..	..	0	..
Pescadores,....	„	30.19	..	..	NE	6	..
Gutzlaff, ...	9 a.	30.38	47	93	N	5	cv
Sharp Peak, ..	„	30.23	61	88	E	2	odf
Amoy,..... ..	„	30.13	65	84	NE	1	o
Swatow, ...	„	30.20	70	..	NNE	2	b
Canton, ...	„	30.19	73	85	..	0	b
Hongkong, ...	10 a.	30.18	73	68	..	0	b
Victoria Peak,	„	..	..	..	E	2	..
Gap Rock, ...	„	30.17	..	..	NE	4	..
Macao,..... ..	„	30.19	73	.	ENE	1	c
Haiphong, ...	7 a.	..	..	..	..	..	..
Manila, ...	10 a.	30.08	82	68	ESE	1	b
Malate, ...	9 a.	..	..	..	..	2	b
Bacolod, ...	„	..	..	..	NE	6	cr
Iloilo, ...	„	29.97	84	..	N	2	o
Cebu, ...	„	30.02	83	..	NE	4	..
Cape S. James,	7 a.	..	..	..	..	..	..

On the 26th at 12.10 p. The barometer has risen on the E. coast of China. Pressure is high over N. China, and low, probably, in W. Japan. Gradients slight to moderate. Freshening monsoon on the coast and in the N. part of the China Sea. Forecast:—NE to N winds, freshening; fine.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Tuesday 26th December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

26th DECEMBER, 1899, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind.		Weather.
					Direction.	Force.	
Wladivostock,..	2 p.	..	..	..	..	..	..
Tokio, ...	,,	30.02	..	..	N	4	..
Kochi, ...	,,	30.03	..	..		0	..
Nagasaki, ...	,,	30.15	..	..	N	4	..
Kagoshima,....	,,	30.11	..	..	N	4	..
Taihoku, ...	1 p.	30.22	..	..	NE	4	..
Taichu, ...	,,	30.14	..	..	N	6	..
Tainan, ...	,,	30.13	..	..	N	6	..
Koshun, ...	,,	30.15	..	..	E	2	..
Pescadores, ...	,,	30.18	..	..	NE	8	..
Gotzlaff, ...	3 p.	30.34	48	85	N	4	bv
Sharp Peak, ..	,,	30.21	59	88	E	6	of
Amoy, ...	,,	30.05	67	84	SE	2	b
Swatow, ...	,,	30.11	74	..	ESE	2	b
Canton, ...	,,	30.11	73	67	NE	2	o
Hongkong, ...	4 p.	30.08	73	75	W	1	b
Victoria Peak,	,,	..	..	..	ENE	1	..
Gap Rock, ...	,,	30.08		..	NE	2	..
Macao,.....	,,	30.11	78	..	NNE	1	c
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.96	84	52	E	2	b
Malate, ...	3 p.	..	..	..	ENE	4	b
Bacolod, ...	,,	..	..	..	N	5	b
Iloilo, ...	,,	29.89	89	..	N	1	c
Cebu, ...	,,	29.91	83	..	NE	4	c
Cape S. James,	,,	..	..	..	NE	4	c

27th DECEMBER, 1899, A. M.

Wladivostock,..	7 a.	..	..	..	..	..	..
Tokio, ...	10 a.	..	..	..	..	..	..
Kochi, ...	,,	..	..	..	..	..	..
Nagasaki, ...	,,	..	..	..	..	..	..
Kagoshima,....	,,	..	..	..	..	..	..
Taihoku, ...	5 a.	30.27	..	..	N	2	..
Taichu, ...	,,	30.21	..	..	N	2	..
Tainan, ...	,,	30.19	..	..	N	2	..
Koshun, ...	,,	30.20	..	..	NE	4	..
Pescadores,....	,,	30.23	..	..	NE	8	..
Gotzlaff, ...	9 a.	30.42	49	71	ENE	4	cv
Sharp Peak, ..	,,	30.34	59	76	NNE	1	o
Amoy, ...	,,	..	..	..	..	..	..
Swatow, ...	,,	..	..	..	..	..	..
Canton, ...	,,	..	..	..	..	..	..
Hongkong, ...	10 a.	30.23	67	85	E	4	o
Victoria Peak,	,,	..	..	..	E	7	..
Gap Rock, ...	,,	30.22	..	..	ENE	5	..
Macao,..... ..	,,	30.24	71	..	NW.	1	od
Haiphong, ...	7 a.	..	..	..	..	..	..
Manila, ...	10 a.	..	..	..	..	..	..
Malate, ...	9 a.	..	..	..	SW	1	b
Bacolod, ...	,,		..	..	NE	5	o
Iloilo, ...	,,	30.01	81	..	N	1	c
Cebu, ...	,,	30.04	79	..	N	2	o
Cape S. James,	7 a.	..	..	..	NE	5	c

On the 27th at 11 55 a. The barometer continues to rise on the China coast. Pressure is highest N. China, with slight to moderate gradients and strong monsoon in the Formosa Channel and N. part s China Sea. Forecast:—fresh NE winds; fair.

F. G. FIGG,
First Assistant.

KONG OBSERVATORY, Wednesday 27th December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

27th DECEMBER, 1899, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	30.14	..	..	..	0	..
Kochi,	,,	30.19	..	..	..	0	..
Nagasaki,	,,	30.23	..	..	NW	4	..
Kagoshima,	,,	30.19	..	..	..	0	..
Taihoku,	1 p.	30.22	..	..	E	6	..
Taichu,	,,	30.16	..	..	N	4	..
Tainan,	,,	30.17	..	..	N	4	..
Koshun,	,,	30.18	..	..	E	2	..
Pescadores,	,,	30.22	..	..	NE	3	..
Gutzlaff,	3 p.	30.33	47	93	ENE	4	omd
Sharp Peak,	,,	30.23	60	82	NNE	1	o
Amoy,	,,	30.12	68	79	NE	2	o
Swatow,	,,	30.19	68	..	E	2	o
Canton,	,,	30.15	70	75		0	b
Hongkong,	4 p.	30.13	66	83	E	4	o
Victoria Peak,	,,	..	..	..	E	5	..
Gap Rock,	,,	30.12	..	..	ENE	5	..
Macao,	,,	30.14	68	..	NW	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.96	84	64	W	1	c
Malate,	3 p.	..	..	..	W&W	1	c
Bacolod,	,,	..	..	..	N	3	b
Iloilo,	,,	29.80	84	..	NE	1	c
Cebu,	,,	29.99	82	..	..	0	o
Cape S. James,	,,	..	..	..	E	2	b

28th DECEMBER, 1899, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	9 a.	..	..	..	..	..	..
Taichu,	,,		..	..	..	..	..
Tainan,	,,		..	..	..	..	..
Koshun,	,,		..	..		..	..
Pescadores,	,,		..	..			..
Gutzlaff,	9 a.	30.40	51	75	E	4	cv
Sharp Peak,	,,	30.34	58	85	N	3	o
Amoy,	,,	30.18	63	78	NE	2	c
Swatow,	,,			..	..	..	..
Canton,	,,	..	..	..	..	..	..
Hongkong,	10 a.	30.19	67	83	E	6	o
Victoria Peak,	,,		..	..	E	7	..
Gap Rock,	,,	30.16	..	..	ENE	5	..
Macao,	,,	30.19	72		ESE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	..	..	..			..
Malate,	9 a.	..	..	..	SW	1	b
Bacolod,	,,		..	..	NE	6	o
Iloilo,	,,	29.89	84	..	N	3	c
Cebu,	,,	29.98	78	..	..	0	o
Cape S. James,	7 a.	..	..	..	..	..	..

On the 28th at 11.55 a. The barometer has fallen slightly in S. China and over the Philippines. Pressure remains high over N. China, with moderate gradients and strong monsoon on the coast and in the S. part of the China Sea. Forecast:—fresh NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 28th December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

28th DECEMBER, 1899, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind.		Weather.
					Direction.	Force.	
Wladivostock,..	2 p.	30.26	24	..	..	0	h
Tokio, ...	,,	30.18	..	..	N	6	..
Kochi, ...	,,	30.27	..	..	SE	2	..
Nagasaki, ...	,,	30.31	..	..	NE	4	..
Kagoshima,....	,,	30.27	..	..	E	4	..
Taihoku, ...	1 p.	30.21	..	..	NE	6	..
Taichu, ...	,,	30.06	..	..	NW	2	..
Tainan, ...	,,	30.12	..	..	NW	4	..
Koshun, ...	,,	30.13	..	..	E	4	..
Pescadores, ...	,,	30.15	..	..	NE	10	..
Gutzlaff, ...	3 p.	30.23	54	74	SE	4	cv
Sharp Peak, ..	,,	30.16	59	85	NNW	3	o
Amoy, ...	,,	30.05	71	71	NE	3	b
Swatow, ...	,,	30.11	69	..	E	5	b
Canton, ...	,,	30.10	70	80	.	0	b
Hongkong, ...	4 p.	30.08	65	85	ENE	4	o
Victoria Peak,	,,	..	..	..	E	5	..
Gap Rock, ...	,,	30.06	.	..	ENE	5	..
Macao,.....	,,	30.08	68	..	ESE	1	c
Haiphong, ...	1 p.	..	..	..	..	..	.
Manila, ...	4 p.	29.92	82	63	NE	2	c
Malate, ...	3 p.	..	..	..	WSW	1	c
Bacolod, ...	,,	..	..	..	NE	5	or
Iloilo, ...	,,	29.85	88	..	NE	1	c
Cebu, ...	,,	29.88	82	..	NE	3	o
Cape S. James,	,,	..	..	..	NE	3	c

29th DECEMBER, 1899, A. M.

Wladivostock,..	7 a.	30.00	14	75	N	1	c
Tokio, ...	10 a.	..	..	..	..	..	..
Kochi, ...	,,	..	..	..	.	..	..
Nagasaki, ...	,,	..	..	..	..	..	..
Kagoshima,....	,,	..	..	..	..	..	..
Taihoku, ...	5 a.	30.11	..	..	W	2	..
Taichu, ...	,,	30.10	..	..	..	0	..
Tainan, ...	,,	30.11	..	..	N	2	..
Koshun, ...	,,	30.10	..	..	..	0	..
Pescadores,....	,,	30.12	..	..	NE	6	..
Gutzlaff, ...	9 a.	30.12	46	84	NW	7	cv
Sharp Peak, ..	,,	30.11	61	88	..	0	c
Amoy,..... ..	,,	30.05	65	89	SW	1	b
Swatow, ...	,,	30.17	70	..	W	1	b
Canton, ...	,,	30.19	67	64	N	1	cq
Hongkong, ...	10 a.	30.15	71	68	..	0	b
Victoria Peak,	,,	..	..	..	..	0	..
Gap Rock, ...	,,	30.14	..	..	NNE	3	..
Macao..... ..	,,	30.16	73	.	NW	1	c
Haiphong, ...	7 a.	..	..	..		..	..
Manila, ...	10 a.	30.00	81	76	W	1	b
Malate, ...	9 a.	..	..	..	W	1	b
Bacolod, ...	,,	..	..	..	N	2	o
Iloilo, ...	,,	29.93	81	..	N.	1	c
Cebu, ...	,,	29.93	81	..	NE	1	o
Cape S. James,	7 a.	..	..	..	NE	3	b

On the 29th at 11.50 a. The barometer has fallen rapidly in the North. A depression, which passed the E. coast of China during the night, is now moving Eastwards towards W. Japan. Pressure is rably increasing quickly over the interior of China, and the monsoon is likely to freshen considerably in Formosa Channel and N part of the China Sea. Forecast:—N winds, freshening; fair, cooler.

F. G. FIGG,
First Assistant.

KONG OBSERVATORY, Friday 29th December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

29th DECEMBER, 1899, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind.		Weather.
					Direction.	Force.	
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	,,	30.22	..	..	N	4	..
Kochi,	,,	29.99	..	..	SW	2	..
Nagasaki,	,,	29.83	..	..	SW	8	..
Kagoshima,	,,	29.95	..	..	..	0	..
Taihoku,	1 p.	30.14	..	..	..	0	..
Taichu,	,,	30.09	..	..	NW	4	..
Tainan,	,,	30.11	..	..	N	6	..
Koshun,	,,	30.08	..	..	N	6	..
Pescadores,	,,	30.14	..	..	NE	4	..
Gutzlaff,	3 p.	30.16	44	84	NW	7	cv
Sharp Peak,	,,	30.01	65	84	SE	1	c
Amoy,	,,	29.96	70	75	SE	3	b
Swatow,	,,	30.02	75	..	ENE	1	b
Canton,	,,	30.01	75	77	NW	2	b
Hongkong,	4 p.	29.99	72	69	.	0	b
Victoria Peak,	,,	..	..	..	S	1	..
Gap Rock,	,,	29.99	.	..	..	0	..
Macao,	,,	29.98	68	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	86	65	SE	1	c
Malate,	3 p.	..	..	..	E	2	c
Bacolod,	,,	..	..	..	N	2	o
Iloilo,	,,	29.85	82	..	NE	1	o
Cebu,	,,	29.88	81	..	N	2	b
Cape S. James,	,,	..	..	..	E	2	c

30th DECEMBER, 1899, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	.	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.17	..	..	E	8	..
Taichu,	,,	30.04	..	..	..	0	..
Tainan,	,,	30.05	..	..	N	4	..
Koshun,	,,	30.05	..	..	NE	6	..
Pescadores,	,,	30.08	..	..	NE	8	..
Gutzlaff,	9 a.	30.21	45	92	NNW	3	cv
Sharp Peak,	,,	30.24	59	82	NNE	4	o
Amoy,	,,	30.09	69	56	NE	3	b
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	..	..	..	..	..	..
Hongkong,	10 a.	30.11	68	74	ENE	5	c
Victoria Peak,	,,	..	..	..	E	6	..
Gap Rock,	,,	30.10	..	..	ENE	4	..
Macao,	,,	30.10	70	.	E	2	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	82	70	NNW	1	c
Malate,	9 a.	..	..	..	WNW	1	b
Bacolod,	,,	..	..	..	NW	2	b
Iloilo,	,,	29.93	84	..	N	1	c
Cebu,	,,	29.97	84	..	NE	1	c
Cape S. James,	7 a.	..	..	..	..	.	..

On the 30th at 11.50 a. The barometer has risen considerably on the E. coast of China, fallen slightly on the S. coast. The depression has probably reached E. Japan. Pressure is high over N. China, with moderate gradients and strong monsoon on the coast and in the N. part of the China Sea. Forecast:—fresh NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 30th December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

30th DECEMBER, 1899, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind.		Weather.
					Direction.	Force.	
Wladivostock,..	2 p.	30.13	13	..	N	5	b
Tokio, ...	,,	29.86	..	..	S	2	..
Kochi, ...	,,	29.95	..	..	W	2	..
Nagasaki, ...	,,	30.07	..	..	N	4	..
Kagoshima,....	,,	30.03	..	..	NW	6	..
Taihoku, ...	1 p.	30.08	..	..	E	8	..
Taichu, ...	,,	..	..	..	..	..	..
Tainan, ...	,,	30.02	..	..	N	4	..
Koshun, ...	,,	30.03	..	..	NE	8	..
Pescadores, ...	,,	30.06	..	..	NE	10	..
Gutzlaff, ...	3 p.	30.21	49	78	NNW	3	cv
Sharp Peak, ..	,,	30.10	60	72	NE	4	c
Amoy, ...	,,	29.99	70	90	ENE	4	b
Swatow, ...	,,	30.08	69	..	E	4	c
Canton, ...	,,	29.98	75	77	S	2	b
Hongkong, ...	4 p.	29.99	67	74	E	5	b
Victoria Peak,	,,	..	..	..	E	4	..
Gap Rock, ...	,,	29.99		..	ENE	4	..
Macao, ...	,,	30.00	70	..	ESE	2	c
Haiphong, ...	1 p.	..	..	..	..	..	.
Manila, ...	4 p.	29.84	88	66	W	1	c
Malate, ...	3 p.	..	..	..	W	1	b
Bacolod, ...	,,	..	..	..	N	2	b
Iloilo, ...	,,	29.81	82	..	NE	1	b
Cebu, ...	,,	29.84	84	..	NE	3	b
Cape S. James,	,,	..	..	..	E	2	c

31st DECEMBER, 1899, A. M.

Wladivostock,..	7 a.	30.06	10	79	NNE	3	o
Tokio, ...	10 a.	..	..	..	..	..	..
Kochi, ...	,,	..	..	..	.	..	..
Nagasaki, ...	,,	..	..	..	..	..	..
Kagoshima,....	,,	..	..	..	..	..	..
Taihoku, ...	5 a.	.	..	..	..	..	..
Taichu, ...	,,	.	..	..	..	..	..
Tainan, ...	,,	..	..	..	..	..	..
Koshun, ...	,,	..	..	..	..	..	..
Pescadores,....	,,	..	..	..	..	..	..
Gutzlaff, ...	9 a.	30.21	45	100	NE	6	omd
Sharp Peak, ..	,,	30.11	59	79	NNW	1	o
Amoy, ...	,,	30.03	63	83	NE	1	c
Swatow, ...	,,	30.11	66	..	E	1	o
Canton, ...	,,	30.04	68	85	E	1	b
Hongkong, ...	10 a.	30.06	66	80	E	4	b
Victoria Peak,	,,	..	..	..	E	2	..
Gap Rock, ...	,,	30.05	..	..	ENE	5	..
Macao, ...	,,	30.05	72	.	ESE	1	c
Haiphong, ...	7 a.	..	..	..	.	..	..
Manila, ...	10 a.	29.96	82	77	WSW	1	b
Malate, ...	9 a.	..	..	..	WSW	1	b
Bacolod, ...	,,		..	..		0	b
Iloilo, ...	,,	29.89	81	..	E	1	b
Cebu, ...	,,	29.93	84	..	NE	1	b
Cape S. James,	7 a.	..	..	..	..	.	..

On the 31st at 1.55 a. The barometer has fallen on the China coast. A shallow area of low pressure to be lying between the E. coast and the Loochoos. Pressure remains high over N. China. Gradients ate to slight, with mo lerate but increasing monsoon in the Formosa Channel and N. part of the China

Forecast:—fresh N E winds; fine.

F. G. FIGG,
First Assistant.

ONG OBSERVATORY, Sunday 31st December 1899.

CHINA COAST METEOROLOGICAL REGISTER.

31st, DECEMBER, 1899, P. M.

STATION.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock, ..	2 p.	30.01	14	..	NE	4	b
Tokio, ...	,,	29.90	..	..	SE	2	..
Kochi, ...	,,	29.91	..	..	NE	2	..
Nagasaki, ...	,,	29.99	..	..	NW	6	..
Kagoshima, ...	,,	29.99	..	..	NW	4	..
Taihoku, ...	1 p.	30.06	..	..	E	6	..
Taichu, ...	,,	29.97	..	..	N	2	..
Tainan, ...	,,	29.99	..	..	N	6	..
Koshun, ...	,,	..	..	..	NW	2	..
Pescadores, ...	,,	30.04	..	..	NE	6	..
Gutzlaff, ...	3 p.	30.27	40	92	NNE	8	omd
Sharp Peak, ..	,,	29.99	60	82	E	2	o
Amoy, ...	,,	29.94	67	95	SE	1	c
Swatow, ...	,,	30.00	68	..	S	1	c
Canton, ...	,,	29.98	75	72	E	3	b
Hongkong, ...	4 p.	29.96	67	82	E	2	o
Victoria Peak,	,,	..	..	..	NE	1	..
Gap Rock, ...	,,	29.95		..	NE	4	..
Macao, ...	,,	29.97	74	..	ENE	1	c
Haiphong, ...	1 p.	..	..	..	..	..	.
Manila.	4 p.	29.84	84	64	SE	1	c
Malate, ...	3 p.	..	..	..	ESE	1	c
Bacolod, ...	,,	..	..	..	N	3	b
Hoilo, ...	,,	29.81	87	..	NE	1	b
Cebu.	,,	29.86	84	..	NE	2	o
Cape S. James,	,,	..	..	..	..	..	..

1st JANUARY, 1900, A. M.

Wladivostock, ..	7 a.	30.15	0	60	..	0	b
Tokio, ...	10 a.	..	..	..	..	..	..
Kochi, ...	,,	..	..	..	..	..	..
Nagasaki, ...	,,	..	..	..	..	..	..
Kagoshima, ...	..	..	..	..	..	..	..
Taihoku, ...	9 a.	30.22	..	..	E	6	.
Taichu, ...	,,	30.02	..	..	N	2	..
Tainan, ...	,,	30.04	..	..	N	8	..
Koshun, ...	,,	30.02	..	..	NE	8	..
Pescadores, ...	,,	..	..	..	..	..	..
Gutzlaff, ...	9 a.	30.14	38	90	NNW	7	cv
Sharp Peak, ..	,,	30.36	49	78	NNE	5	od
Amoy, ...	,,	..	55	74	NE	3	c
Swatow, ...	,,	30.31	40	..	N	4	v
Canton, ...	,,	30.26	48	71	E	5	c
Hongkong, ...	10 a.	30.20	54	73	N	1	o
Victoria Peak,	,,	..	..	..	N	1	..
Gap Rock, ...	,,	30.17	..	..	NNW	5	..
Macao, ...	,,	30.22	53	.	NW	3	o
Haiphong, ...	7 a.	..	..	..	..	..	..
Manila, ...	10 a.	30.00	82	63	E	1	b
Malate, ...	9 a.	..	..	..	S	1	b
Bacolod, ...	,,		..	..	.	0	o
Hoilo, ...	,,	29.93	81	..	E	1	b
Cebu, ...	,,	29.98	81	..	NE	2	c
Cape S. James,	7 a.	..	..	..	..		

On the 1st at 11 55 a. The barometer has risen considerably on the China coast. An anticyclone covers China, and gradients are rather steep with very heavy monsoon along the coast and in the N. part of the China Sea. Forecast:—strong N winds; fair.

F. G. FIGG,
First Assistant.

HONGKONG OBSERVATORY, Monday 1st January 1900.