Hongkong Royal Observatory

CHINA COAST
METEOROLOGICAL REGISTER.
1911.

LIBRARY
NOAA
U.S. Dept. of Commerce

LIBRARY
APR 22 1912
Weather Bureau

LIBRARY
OCT 21 1912
Weather Bureau

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Lason, Inc.
Imaging Subcontractor
Beltsville, MD
December 20, 2000

LIBRARY
WEATHER BUREAU
No. 32524

N.B.—The barometric observations at some of the China treaty ports are, from various causes, frequently in error.

LIBRARY
APR 22 1912
Weather Bureau

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st DECEMBER, 1910, P.M. Hour.	Barometer. Inches.	Barometer. ✓ Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	1st JANUARY, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
divostock,	2 p.	29.94	760.5	−1	...	N W	0	b	7 a.	30.04	763.1	−9	78	...	0	b
muro,	,,	29.77	756.1	...	...	N N W	2	...	6 a.	...	...	...	...	...	...	...
kodate,	,,	29.67	753.7	...	...	N N W	5	...	,,	...	...	...	...	...	...	...
kio,	,,	29.57	751.1	...	...	N N W	1	...	,,	...	...	...	...	...	...	...
chi,	,,	29.91	759.8	...	...	N W	4	...	,,	...	...	...	...	...	...	...
gasaki,	,,	30.11	764.8	...	...	N N W	5	...	,,	...	...	...	...	...	...	...
goshima,	,,	30.09	764.4	...	...	N N W	5	...	,,	...	...	...	...	...	...	...
hima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ha,	,,	30.15	765.7	...	...	N	4	...	,,	...	...	...	...	...	...	...
igakijima	,,	30.15	765.8	...	...	N E	4	...	,,	...	...	...	...	...	...	...
nin Is.	,,	29.96	761.1	...	...	S	3	...	,,	...	...	...	...	...	...	...
efoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ihaiwei,	,,	30.32	770.1	25	87	N	1	b	9 a.	30.08	764.0	32	69	N	3	o
nkow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
nkiang,	,,	30.22	767.6	48	49	N E	1	o	,,	30.35	770.9	43	67	S W	1	o
anghai,	,,	30.33	770.4	45	39	N E	2	...	9 a.	30.27	768.8	43	75	S S W	1	c
tzaff,	,,	30.35	770.9	48	49	N	1	cv	,,	30.34	770.6	45	76	S W	2	mv
arp Peak,	,,	30.23	767.8	55	80	E	4	c	,,	30.29	769.3	53	93	W	1	o
ioy,	,,	30.00	762.0	65	49	E	5	c	6 a.	30.18	766.6	54	87	N E	3	or
atow,	,,	30.05	763.2	63	72	E	3	o	,,	30.14	765.5	53	93	N E	1	b
ihoku,	1 p.	30.13	765.3	...	...	E	8	...	5 a.	...	...	...	...	E	6	...
ioku,	,,	29.99	761.7	...	...	...	2	...	,,	30.12	765.1	...	...	N E	2	...
inan,	,,	30.04	763.1	...	...	W	4	...	,,	30.11	764.8	...	...	N	6	...
shan,	,,	30.07	763.8	...	...	E	6	...	,,	30.07	763.7	...	...	E	2	...
scadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
nton,	3 p.	30.05	763.2	66	64	N	1	b	9 a.	30.21	767.3	60	65	N	1	b
ngkong,	4 p.	30.08	764.0	65	67	E	5	b	10 a.	30.19	766.8	65	71	S S E	1	b
toria Peak,	,,	...	...	...	...	E	5	...	,,	...	...	...	...	N N E	3	...
p Rock,	,,	30.04	763.0	...	...	S N E	5	...	,,	30.16	766.0	...	...	E N E	4	...
cao,	,,	30.08	764.0	65	...	S E	1	c	,,	30.23	767.8	64	...	E	1	c
ichow,	3 p.	30.08	764.0	70	...	E	1	b	9 a.	...	...	...	...	...	...	...
ihow,	,,	30.07	763.8	70	80	N E	2	c	,,	...	...	...	...	...	...	...
khoi,	,,	30.06	763.5	70	61	S	3	c	,,	...	...	...	...	...	...	...
nlan,	4 p.	30.04	762.9	70	...	E S E	2	b	8 a.	30.22	767.5	63	...	E N E	3	o
rame,	,,	29.98	761.6	75	...	...	0	b	,,	30.13	765.3	72	...	W N W	1	o
e St. James,	,,	29.89	759.2	79	...	N E	4	c	,,	30.00	761.9	73	...	N E	2	c
arri,	2 p.	29.98	761.4	77	...	E	2	c	6 a.	30.03	762.8	70	...	S E	2	o
nila,	4 p.	29.92	760	77	64	...	0	o	10 a.	30.00	762	79	69	N W	1	c
gaspi,	2 p.	29.90	759.5	77	...	E	2	o	6 a.	29.99	761.7	73	...	E	2	o
colod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ilo,	,,	29.85	758.2	81	...	N E	...	o	,,	29.95	760.7	79	...	N E	1	c
ou,	,,	29.85	758.2	84	...	N	2	o	,,	29.96	761.0	82	...	N	2	o
nan,	,,	29.84	757.9	83	...	...	...	...	,,	29.93	760.2	81	...	...	...	...

On the 1st at 12.15 p.—The barometer has fallen quickly on the NE coast of China, and risen slightly over S. China, Annam and the Philippines.

Another depression has appeared over the Yellow Sea.

The Japanese returns are lacking this morning but probably the depression lying over the S. part of the Sea of Japan yesterday, has moved into the Pacific.

Pressure is highest over the Upper Yangtze valley

Moderate to fresh monsoon may be expected overthe China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	NE and N. winds, moderate; fine.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 1st January, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st JANUARY, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd JANUARY, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock	2 p.	30.01	762.2	3	...	E	0	o	7 a.	30.22	767.6	-15	76	N N E	0
Nemuro	,,	29.57	751.1	...	...	N W	9	...	6 a.	29.77	756.1	...	...	W	2
Hakodate	,,	29.83	760.2	...	...	N	3	...	,,	29.85	758.2	...	...	N W	3
Tokio	,,	30.00	762.1	...	...	S	1	...	,,	29.79	756.6	...	...	...	0
Kochi	,,	30.09	764.3	...	...	E S E	1	...	,,	29.99	761.8	...	...	N W	1
Nagasaki	,,	30.15	765.8	...	...	W S W	1	...	,,	30.21	767.3	...	...	N	6
Kagoshima	,,	30.15	765.9	...	...	W S W	1	...	,,	30.19	766.9	...	...	N W	3
O-shima	,,	30.14	765.6	...	...	...	0	...	,,	30.16	766.1	...	...	N	4
Naha	,,	30.15	765.7	...	...	N	1	...	,,	30.19	766.7	...	...	N	6
Ishigakijima	,,	30.09	764.3	...	...	N E	4	...	,,	30.23	767.8	...	...	E	4
Bonin Is.	,,	30.04	763.1	...	...	S W	1	...	,,	30.02	762.6	...	...	W	2
Chefoo	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei	,,	30.26	768.6	24	60	N	8	cq	9 a.	30.40	772.1	34	53	...	...
Hankow	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang	,,	30.35	770.9	76	45	S S W	2	b	,,	30.45	773.4	35	80	N E	2
Shanghai	,,	30.26	768.6	52	36	W N W	4	b	9 a.	30.50	774.7	34	...	N N W	1
Gutzlaff	,,	30.29	769.3	50	55	N	5	bm	,,	30.54	775.7	36	80	N	3
Sharp Peak	,,	30.21	767.5	76	...	E	1	b	,,	30.39	771.9	54	68	N N E	5
Amoy	,,	30.06	764.0	62	72	E	1	c	6 a.	...	...	...	...	...	...
Swatow	,,	30.15	765.8	62	77	E S E	1	c	,,	30.15	765.8	53	80	S E	1
Taiboku	1 p.	30.16	766.0	...	...	...	0	...	5 a.	30.29	769.4	...	...	E	4
Taichu	,,	30.11	764.8	...	...	N E	4	...	,,	30.12	764.9	...	...	N	4
Tainan	,,	30.07	763.9	...	...	N	6	...	,,	30.14	765.6	...	...	N	6
Kosbun	,,	...	...	...	...	...	...	...	,,	30.06	763.4	...	...	N E	10
Pescadores	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Canton	3 p.	30.16	766.0	69	...	N	1	b	9 a.	...	...	...	...	...	...
Hongkong	4 p.	30.13	765.3	63	82	E	2	b	10 a.	30.27	768.8	63	48	E	2
Victoria Peak	,,	...	...	...	...	N N W	1	...	,,	...	...	...	...	E	3
Gap Rock	,,	30.09	764.3	...	...	S N E	3	...	,,	30.24	768.1	...	...	N N E	3
Macao	,,	30.14	765.5	67	...	S E	1	b	,,	30.31	769.9	53	...	N N E	2
Wuchow	3 p.	30.07	763.8	68	...	W	1	b	9 a.	...	...	...	...	...	...
Hoihow	,,	30.14	766.5	69	80	N E	2	b	,,	...	...	...	...	...	...
Pakhoi	,,	30.16	766.0	65	70	W	1	b	,,	...	...	...	...	...	...
Phulien	4 p.	30.16	765.7	73	...	S S E	2	c	8 a.	30.27	768.9	63	...	N N E	1
Tourane	,,	30.08	763.9	72	...	W N W	2	b	,,	30.15	765.8	70	...	N E	2
Cape St. James	,,	29.92	760.0	79	...	E	4	c	,,	30.09	762.0	75	...	N N E	3
Aparri	2 p.	...	...	...	...	...	...	...	6 a.	29.99	761.7	68	...	E	0
Manila	4 p.	29.96	761	82	70	S E	2	o	10 a.	30.00	762	81	76	W N W	1
Legaspi	2 p.	29.94	760.5	79	...	N E	2	o	6 a.	29.95	760.7	75	...	N E	2
Baccolod	2 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Iloilo	,,	29.89	759.2	...	...	N E	1	o	,,	29.93	760.2	78	...	N E	1
Cebu	,,	29.90	759.4	83	...	N	2	b	,,	29.95	760.7	81	...	N	2
Labuan	,,	...	...	...	...	...	...	...	,,	29.92	759.9	82	...	...	...

On the 2nd at 11.45 a.m. The depression lying over the Yellow Sea yesterday, has reached SE Japan.

The barometer has risen over China, particularly on the E. and NE coasts.

The high pressure area is situated to the North of the Yangtze valley.

Strong monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	Forecast.
1.—Hongkong and Neighbourhood,	NE winds, fresh; fine.
2.—Formosa Channel,	NE winds, strong.
3.—South coast of China between Hongkong and Lamock,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

P. C. TIGG,
Director.

Hongkong Observatory, Monday 2nd January, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd January, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	3rd January, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
livostock,	2 p.	30.16	766.1	−3	...	N E	0	b	7 a.	30.21	767.3	−8	64	S W	0	b
uro,	,,	29.65	753.1	...	...	W	2	...	6 a.	29.71	754.6	...	...	W N W	4	...
date,	,,	29.83	757.7	...	...	W N W	4	...	,,	29.91	759.7	...	...	N W	5	...
,	,,	29.89	759.1	...	...	N W	5	...	,,	30.14	765.6	...	...	W	1	...
,	,,	30.09	764.3	...	...	N W	2	...	,,	30.31	769.8	...	...	S W	4	...
saki,	,,	30.27	768.8	...	...	N	3	...	,,	30.37	771.3	...	...	...	0	...
oshima,	,,	30.21	767.4	...	...	N W	3	...	,,	30.35	770.9	...	...	N N W	1	...
ima,	,,	30.20	767.1	...	...	N	61	...	,,	30.30	769.6	...	...	S	1	...
a,	,,	30.19	766.7	...	...	N	4	...	,,	30.25	768.2	...	...	E	1	...
igakijima,	,,	30.19	766.8	...	...	N E	4	...	,,	30.21	767.3	...	...	N E	2	...
in Is.	,,	29.94	760.6	...	...	W	4	...	,,	30.14	765.6	...	...	N W	6	
foo,	4 p.	30.28	769.1	35	...	S W	2	b	6 a	...	...	...	...	...	...	
haiwei,	,,	30.29	769.3	55	70	S W	4	b	9 a	30.23	767.3	39	73	S W	4	
kow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
kiang,	,,	30.32	770.1	49	55	N E	2	b	,,	30.25	768.3	33	90	...	0	b
ghai,	,,	30.37	771.4	42	58	E	1	b	9 a	30.29	769.3	42	83	S S E	1	b
laff,	,,	30.48	774.2	43	83	N	1	c	,,	30.35	770.9	49	85	S	4	cv
p Peak,	,,	30.32	770.1	53	73	E	5	b	,,	30.32	770.1	49	93	W N W	1	c
oy,	,,	30.15	765.8	61	55	N E	2	b	6 a.	...	...	...	...	...	...	...
low,	,,	30.11	764.8	60	65	E S E	4	b	,,	30.12	765.0	54	68	S E	1	b
hoku,	1 p.	30.26	768.5	...	...	E	6	...	5 a.	30.20	767.0	...	...	E	6	...
hu,	,,	30.11	764.9	...	...	N	6	...	,,	30.19	766.7	...	...	...	0	...
an,	,,	30.13	765.4	...	...	N	6	...	,,	30.17	766.2	...	...	N	4	...
hun,	,,	...	...	...	...	...	...	...	,,	30.14	765.6	...	...	N E	8	...
cadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ton,	3 p.	30.17	766.3	62	51	N	1	b	9 a.	30.26	768.6	54	74	E	1	b
ngkong,	4 p.	30.18	766.6	61	63	E	3	b	10 a.	30.26	768.6	60	60	E	1	b
toria Peak,	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	E	4	...
Rock,	,,	30.17	766.3	...	...	E N E	4	...	,,	30.23	767.8	...	...	E N E	5	...
ao,	,,	30.22	767.6	63	...	S E	1	b	,,	30.28	769.1	63	...	E	2	c
chow,	3 p.	30.11	764.8	67	...	E	1	b	9 a.	...	...	...	...	...	...	...
how,	,,	30.14	765.5	69	85	E N E	4	b	,,	...	...	...	...	...	...	...
oi,	,,	30.22	767.6	67	84	N W	1	f	,,	...	...	...	...	...	...	...
ien,	4 p.	30.15	765.7	70	...	S S E	2	b	8 a.	30.19	766.8	61	...	E N E	3	c
rane,	,,	30.10	764.6	68	...	N E	2	o	,,	30.15	765.7	68	...	N W	1	f
e St. James,	,,	29.93	760.2	79	...	E S E	2	c	,,	30.01	762.3	75	...	N E	2	c
arri,	2 p.	29.96	761.0	73	...	N E	1	p	6 a.	30.02	762.4	72	...	N E	2	d
nila,	4 p.	29.88	759	82	63	S E	3	b	10 a.	30.04	763	81	69	E S E	1	c
aspi,	2 p.	29.90	759.5	84	...	N E	1	c	6 a.	29.97	761.2	73	...	N E	2	c
olod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	..
lo,	,,	29.89	759.2	81	...	E	2	c	,,	...	...	...	...	...	...	...
u,	,,	29.88	758.9	84	...	N	1	b	,,	...	...	...	...	...	...	...
uan,	,,	29.84	757.9	86	...	...	...	...	,,	29.95	760.7	82	...	...	...	...

On the 3rd at 11.55 a.—The depression lying off the E. coast of Japan yesterday, has moved away over the Pacific. Pressure has increased considerably in S. Japan, and given way quickly over N. China. Another depression appears to be advancing Eastwards to the North of the Yangtze valley.

The highest pressure is now shown over W. Japan.

Fresh to moderate monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	E. winds, moderate; fine.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 3rd January, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd JANUARY, 1911, P.M.									4th JANUARY, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock....	2 p.	30.16	766.1	8	...	N E	1	b		7 a.	30.22	767.6	1	52	N N E	4	
Nemuro, ...	,,	29.83	757.6	...	...	W	5	...		6 a.	30.02	762.6	...	...	W N W	4	
Hakodate, ...	,,	30.13	765.2	...	...	W N W	4	...		,,	30.19	766.7	...	...	W N W	3	
Tokio, ...	,,	30.14	765.6	...	...	N W	1	...		,,	30.28	769.1	...	...	N W	1	
Kochi, ...	,,	30.25	768.3	...	...	E S E	1	...		,,	30.37	771.3	...	...	S W	1	
Nagasaki, ...	,,	30.31	769.8	...	...	S E	4	...		,,	30.35	770.8	...	...	N E	1	
Kagoshima, ...	,,	30.29	769.4	...	...	...	0	...		,,	30.37	771.4	...	...	E	1	
Oshima, ...	,,	30.28	769.1	...	...	...	0	...		,,	30.34	770.6	...	...	S	1	
Naha, ...	,,	30.22	767.7	...	...	E	1	...		,,	30.28	769.2	...	...	E N E	1	
Ishigakijima, ...	,,	30.19	766.8	...	...	E S E	4	...		,,	30.21	767.3	...	...	E	5	
Bonin Is.	,,	30.16	766.1	...	...	N	1	...		,,	30.32	770.1	...	...	N N W	1	
Chefoo, ...	4 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	
Weihaiwei, ...	,,	30.19	766.8	40	65	S W	3	b		9 a.	30.18	766.6	37	91	S W	1	
Lankow, ...	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	
Kiukiang, ...	,,	30.16	766.0	57	52	N E	1	b		,,	...	...	...	...	...	...	
Shanghai, ...	,,	30.20	767.1	54	38	S	2	b		9 a	30.18	766.6	49	78	S S E	1	
Gutzlaff, ...	,,	30.25	768.3	53	93	S	3	bv		,,	30.25	768.3	56	87	S	1	
Sharp Peak, ...	,,	30.20	767.1	53	...	...	0	b		,,	30.20	767.1	55	...	E	1	
Amoy, ...	,,	30.10	764.5	67	...	S	2	f		6 a.	...	...	...	...	...	...	
Swatow, ...	,,	30.14	765.5	58	76	E	2	o		,,	30.17	766.3	60	76	S E	1	
Taihoku, ...	1 p.	30.13	765.4	...	...	E	6	...		6 a.	30.15	765.7	...	...	...	0	
Taichu, ...	,,	30.12	765.1	...	...	N W	6	...		,,	30.12	765.1	...	...	..	0	
Tainan, ...	,,	30.14	765.6	...	...	N W	6	...		,,	30.13	765.3	...	...	N	2	
Koshun, ...	,,	30.12	765.1	...	...	N E	6	...		,,	30.13	765.4	...	...	E	6	
Pescadores, ...	,,	...	...	...	...	...	..	...		,,	..	...	...	...	...	...	
Canton, ...	5 p.	30.13	765.3	66	59	W S W	1	b		9 a.	...	...	...	..	...	...	
Hongkong, ...	4 p.	30.14	765.5	60	69	E	3	b		10 a.	30.21	767.3	63	68	E	2	
Victoria Peak, ...	,,	...	...	...	...	...	0	...		,,	...	...	...	...	S E	...	
Gap Rock, ...	,,	30.12	765.0	...	...	E	5	...		,,	30.17	766.3	...	...	E N E	4	
Macao, ...	,,	30.17	766.3	63	...	S E	1	b		,,	30.23	767.8	62	...	N E	1	
Wuchow, ...	3 p.	30.14	765.5	69	...	N E	1	b		9 a	30.22	767.6	56	...	E	1	
Hoihow, ...	,,	30.12	765.0	69	90	E	2	c		,,	...	...	...	...	...	...	
Pakhoi, ...	,,	30.12	765.0	69	65	E	2	b		,,	...	...	...	...	...	...	
Phulien, ...	4 p.	30.07	763.8	66	...	E S E	5	b		8 a	30.15	765.8	63	...	E	2	
Tourane, ...	,,	30.06	763.5	73	...	...	0	f		,,	30.12	765.1	70	...	...	0	
Cape St. James, .	,,	29.94	760.5	79	...	N E	4	o		,,	30.03	762.7	77	...	N	2	
Aparri, ...	2 p.	30.00	762.0	73	...	E	2	o		6 a.	30.08	764.0	72	...	E	0	
Manila, ...	4 p.	29.92	760	81	62	E S E	1	c		10 a.	30.04	763	82	63	N N E	1	
Legaspi, ...	2 p.	29.94	760.4	82	...	E	2	o		6 a.	30.00	761.9	75	...	E	2	
Bacolod, ...	3 p.	...	...	...	...	...	...	...		9 a.	...	...	...	...	N E	2	
Iloilo, ...	,,	29.89	759.2	81	...	E	2	c		,,	29.95	760.7	77	...	N E	1	
Cebu, ...	,,	29.88	758.9	84	...	N	2	...		,,	29.97	761.2	81	...	N	1	
Labuan, ...	,,	29.84	757.9	85	...	...	...	...		,,	29.94	760.5	83	...	...	...	

On the 4th at 11.55 a.—The barometer has risen considerably in E. Japan, and fallen moderately over China. The depression is still lying over China to the North of the Yangtze valley, and the high pressure area remains over S. Japan.

The monsoon is temporary interrupted in the North. Moderate or light monsoon may be expected over the part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, moderate or light; fine.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 4th January, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th JANUARY, 1911, P.M.								5th JANUARY, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...stock,...	2 p.	30.10	764.6	10	...	N E	0	s	7 a.	30.10	764.5	−4	83	N N E	1	b
.....	,,	30.08	764.1	...	...	N W	5	...	6 a.	30.04	763.1	...	...	S S E	1	...
...e,.....	,,	30.17	766.2	...	...	N W	3	...	,,	29.95	760.7	...	...	N	1	...
.....	,,	30.18	766.6	...	...	S S W	1	...	,,	30.02	762.6	...	...	...	0	...
.....	,,	30.25	768.3	...	...	E S E	1	...	,,	29.97	761.3	...	...	S W	1	...
...ki, ...	,,	30.25	768.3	...	...	S E	4	...	,,	29.83	758.8	...	...	S W	6	...
...shima, ...	,,	30.27	768.9	...	...	S	1	...	,,	29.93	761.4	...	...	N	1	...
.....	,,	...	...	...	...	..	...	...	,,	30.04	763.1	...	...	...	0	...
.....	,,	30.18	766.6	...	...	S S E	2	...	,,	30.03	762.7	...	...	S	1	...
...kijima,...	,,	30.13	765.3	...	...	S E	5	...	,,	30.07	763.8	...	...	S	3	...
.....	,,	30.26	768.6	...	...	E S E	1	...	,,	30.20	767.1	...	...	...	0	...
.....	4 p.	...	...	...	...	...	...	...	6 a.	..	...	...	...	...	..	...
...wei,.....	,,	30.13	765.3	39	82	N N W	3	o	9 a	30.46	773.7	21	71	N W	8	osq
...ow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	..	...	...	...	..
...ang,.....	,,	30.11	764.8	57	69	N W	1	o	..	30.42	772.6	44	84	W	2	o
...ni, ...	,,	30.05	763.2	59	59	S	1	o	9 a	30.46	773.7	41	66	N	3	cq
.....	,,	30.16	766.0	56	94	S	4	cv	,,	30.47	773.9	40	...	N	7	ov
...Peak,.....	,,	30.10	764.5	60	94	E S E	1	c	,,	30.22	767.6	60	94	...	0	c
.....	,,	...	...	64	68	...	0	o	6 a.	30.03	762.7	59	88	...	0	o
.....	,,	30.06	763.5	...	...	E	1	c	,,	30.12	765.0	69	75	E	1	b
.....	1 p.	30.06	763.6	...	...	N W	2	...	5 a	30.14	765.5	...	...	...	0	...
.....	,,	30.07	763.8	...	...	N	4	...	,,	30.11	764.8	...	...	N	4	...
.....	,,	30.12	765.0	...	...	N W	4	...	,,	30.10	764.4	...	...	N	6	...
.....	,,	30.10	764.5	...	...	E	6	...	,,	30.05	763.2	...	...	...	0	...
...dges, ...	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
.....	3 p.	30.05	763.2	68	79	E	1	b	9 a.	30.19	766.8	62	77	N	1	c
...kong, ...	4 p.	30.08	764.0	66	57	E	1	b	10 a.	30.18	766.6	68	69	W	1	bf
...ria Peak,...	,,	...	...	...	...	S E	1	...	,,	...	...	...	...	N	1	...
...ock,.....	,,	30.07	763.8	...	...	E N E	4	...	,,	30.18	766.6	...	...	N N E	3	...
.....	,,	30.11	764.8	67	...	E S E	1	c	,,	30.22	767.6	66	...	N	1	c
...ow,.....	3 p.	30.13	765.3	59	...	E	1	o	9 a.	30.26	768.6	60	88	E	1	o
.....	,,	30.09	764.3	71	85	...	3	b	,,	...	...	...	...	...	...	...
.....	,,	30.07	763.8	74	76	S E	0	b	,,	...	...	...	...	...	...	...
.....	4 p.	30.03	762.7	70	...	S E	4	b	8 a.	30.19	766.9	64	...	E N E	3	b
.....	,,	30.04	762.9	73	...	N E	1	f	,,	30.15	765.7	72	..	S S E	1	c
...James,.	,,	29.96	761.1	81	...	E S E	2	c	,,	30.07	763.7	73	...	N N E	2	o
.....	2 p.	30.00	762.1	79	...	S	2	o	6 a.	30.03	762.8	70	...	S	2	b
.....	4 p.	29.96	761	82	70	E	1	o	10 a.	30.04	763	84	71	N E	1	o
.....	2 p.	29.94	760.5	79	...	N E	2	o	6 a.	29.99	761.7	73	...	..	0	c
.....	3 p.	...	...	...	...	N E	2	or	9 a.	...	...	...	...	N	1	b
.....	,,	29.89	759.2	82	...	N E	1	o	,,	29.95	760.7	80	...	...	0	b
.....	,,	29.89	759.2	84	...	N	1	b	,,	29.98	761.5	84	...	...	0	b
.....	,,	29.84	757.9	85	...	...	...	...	,,	30.00	762.0	80	...	...	...	...

...n the 5th at 11.50 a.—The barometer has fallen quickly in S. Japan, and risen considerably over the Yangtze ...

...e depression lying over the latter area yesterday, has moved Eastwards and reached the neighbourhood of ...straits.

...ressure is again high over the Yangtze valley, and strong monsoon is expected to set in again over the For-...Channel and the N. part of the China Sea.

...ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...gkong and Neighbourhood, ...	N. and N.E. winds, fresh to strong; fine.
...osa Channel, ...	N. and N.E. gale.
...a coast of China between Hongkong and Lamocks,.	Same as No. 1.
...h coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

...ongkong Observatory, Thursday, 5th January, 1911

...d by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th JANUARY, 1911, P.M.								6th JANUARY, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.06	763.6	3	...	N	1	b	7 a.	30.25	768.4	−7	60	N	2	[illegible]
Nemuro,	,,	29.85	758.1	...	...	S S E	1	...	6 a.	28.94	735.1	...	...	N E	9	[illegible]
Hakodate,	,,	29.65	753.2	...	...	N	1	...	,,	29.43	748.7	...	...	N N W	3	[illegible]
Tokio,	,,	29.59	751.6	...	...	...	0	...	,,	29.75	755.6	...	...	N N W	11	[illegible]
Koohi,	,,	29.76	755.8	...	...	W	3	...	,,	30.09	764.3	...	...	W N W	1	[illegible]
Nagasaki,	,,	30.03	762.8	...	...	N N W	6	...	,,	30.29	769.3	...	...	N	2	[illegible]
Kagoshima,	,,	30.00	761.9	...	...	W N W	3	...	,,	30.23	767.9	...	...	N N W	1	[illegible]
Oshima,	,,	...	...	...	...	N N E	6	...	,,	30.22	767.6	...	...	N	1	[illegible]
Naha,	,,	30.07	763.7	...	...	N N W	7	...	,,	30.23	767.7	...	...	N	5	[illegible]
Ishigakijima,	,,	30.09	764.3	...	...	N E	3	...	,,	30.23	767.8	...	...	N N E	5	[illegible]
Bonin Is.	,,	30.08	764.1	...	...	S	1	...	,,	29.91	759.6	...	...	N	1	[illegible]
Chefoo,	4 p.	30.62	775.2	22	...	N W	6	s	6 a.	...	...	...	...	...	..	[illegible]
Weihaiwei,	,,	30.48	774.2	22	58	N	8	cqs	9 a.	30.58	776.7	29	77	W S W	2	[illegible]
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	[illegible]
Kiukiang,	,,	30.45	773.4	47	...	N E	4	b	,,	30.48	774.2	34	79	N E	3	[illegible]
Shanghai,	,,	30.46	773.7	39	55	N	4	o	9 a.	30.57	776.5	37	62	N N E	2	[illegible]
Gutzlaff,	,,	30.48	774.2	41	83	N	7	ov	,,	30.61	777.5	40	82	N	6	[illegible]
Sharp Peak,	,,	30.20	767.1	69	82	E N E	4	o	,,	30.45	773.4	56	75	E N E	5	[illegible]
Amoy,	,,	30.00	762.0	69	65	E	2	f	6 a.	30.18	766.6	53	61	N E	5	[illegible]
Swatow,	,,	30.11	764.8	67	74	E	1	b	,,	30.18	766.6	56	87	N E	3	[illegible]
Taihoku,	1 p.	30.18	766.6	...	...	E	6	...	5 a.	30.32	770.2	...	...	E	6	[illegible]
Taichu,	,,	30.06	763.6	...	...	N E	4	...	,,	30.19	766.9	...	...	N	6	[illegible]
Tainan,	,,	30.05	763.3	...	...	N	8	...	,,	30.17	766.5	...	...	N	6	[illegible]
Koshun,	,,	30.07	763.8	...	...	E	4	...	,,	30.12	764.9	...	...	N E	10	[illegible]
Pescadores,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	[illegible]
Canton,	3 p.	30.08	764.0	73	55	N N E	1	b	9 a.	30.27	768.8	62	72	E	1	[illegible]
Hongkong,	4 p.	30.09	764.3	68	71	N W	1	b	10 a.	30.23	769.1	66	77	E	4	[illegible]
Victoria Peak,	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	E	3	[illegible]
Gap Rock,	,,	30.06	763.5	...	...	...	0	...	,,	30.24	768.1	...	...	E	6	[illegible]
Macao,	,,	30.12	765.0	73	...	N E	1	c	,,	30.29	769.3	63	...	E S E	3	[illegible]
Wuchow,	3 p.	30.15	765.8	73	63	E	1	b	9 a.	30.27	768.8	60	...	E	1	[illegible]
Hoihow,	,,	30.13	765.3	72	81	E N E	2	b	,,	...	...	...	...	...	...	[illegible]
Pakhoi,	,,	30.14	765.5	67	89	N W	1	b	,,	...	...	...	...	...	...	[illegible]
Phulien,	4 p.	30.10	764.6	72	...	S S E	3	c	8 a.	30.19	766.9	64	...	E S E	0	[illegible]
Tourane,	,,	30.07	763.7	75	...	...	0	c	,,	30.16	766.0	68	..	...	0	[illegible]
Cape St. James,	,,	29.98	761.5	79	...	E N E	4	o	,,	30.02	762.4	77	...	N E	3	[illegible]
Aparri,	2 p.	29.99	761.7	82	...	N	2	b	6 a.	30.05	763.3	75	...	N E	2	[illegible]
Manila,	4 p.	29.92	760	84	77	W S W	0	c	10 a.	30.00	762	84	77	N E	1	[illegible]
Legaspi,	2 p.	29.92	760.0	84	...	E	2	c	6 a.	29.96	760.9	73	...	..	0	[illegible]
Bacolod,	3 p.	...	...	...	...	N	1	b	9 a.	...	...	...	...	N	1	[illegible]
Iloilo,	,,	29.89	759.2	84	...	E	1	b	,,	29.95	760.7	80	...	N E	2	[illegible]
Cebu,	,,	29.89	759.2	86	...	N	1	c	,,	29.95	760.7	85	...	N	1	[illegible]
Labuan,	,,	29.89	759.2	84	...	...	...	...	,,	29.97	761.2	82	...	...	...	[illegible]

On the 6th at 11.50 a.—The barometer has fallen very rapidly in N.E. Japan, and risen quickly over W. J[illegible]

The depression, which deepened considerably during its passage across the Sea of Japan, lies now off Sou[illegible] Hokkaido.

The anticyclonic area is lying to the North of the Yangtze valley, and pressure has increased moderately o[illegible] China coast.

Very strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. and E. winds, strong; fair, cloudy.
2.—Formosa Channel, ...	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. C. FIGG,
Director.

Hongkong Observatory, Friday, 6th January, 1911

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ion.	6th JANUARY, 1911, P.M.								7th JANUARY, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
pstock,...	2 p.	30.27	768.9	2	...	N E	1	b	7 a.	30.47	774.0	−0	43	N N E	1	b
.....	,,	29.14	740.1	...	...	N N W	11	...	6 a	29.67	753.6	...	...	N W	9	...
te,.....	,,	29.67	753.7	...	...	N W	6	...	,,	30.07	763.7	...	...	N W	6	...
.....	,,	29.89	759.1	...	...	N N W	6	...	,,	30.20	767.1	...	...	N W	1	...
.....	,,	30.13	765.3	...	...	N	2	...	,,	30.37	771.3	...	...	S W	1	...
d, ...	,,	30.31	769.8	...	...	N	3	...	,,	30.41	772.3	...	...	E	1	...
ima, ...	,,	30.25	768.4	...	...	N W	1	...	,,	30.37	771.4	...	...	N E	1	...
.....	,,	30.26	768.6	...	...	N	5	...	,,	30.32	770.1	...	...	S	1	...
.....	,,	30.22	767.7	...	...	N E	4	...	,,	30.28	769.2	...	...	N E	1	...
ijima,...	,,	30.23	767.8	...	...	N E	4	...	,,	30.25	768.3	...	...	N N E	1	...
a.....	,,	29.94	760.6	...	...	W	2	...	,,	30.16	766.1	...	...	N	1	...
.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	..	...
wei,.....	,,	30.49	774.4	34	74	W S W	4	b	9 a.	30.41	772.4	29	77	S S W	1	o
w, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	..	...	...	...	..
ng,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	.	...	...
ai, ...	,,	30.48	774.2	41	57	N E	1	o	9 a	30.36	771.1	42	92	S	1	om
r, ...	,,	30.50	774.7	43	75	N E	4	ogv	,,	30.40	772.1	47	93	E S E	3	ov
Peak,.....	,,	30.35	770.9	55	80	E N E	4	o	,,	30.36	771.1	50	93	N W	3	c
.....	,,	30.19	766.8	62	41	E	4	b	6 a.	30.09	764.3	52	...	E N E	3	b
,.....	,,	30.17	766.3	58	81	E	2	c	,,	30.21	767.3	54	87	N E	1	c
,.....	1 p.	30.28	769.2	...	...	E	6	...	5 a	30.28	769.0	...	...	E	4	...
.....	,,	30.14	765.6	...	...	N	6	...	,,	30.24	768.0	...	...	N	2	...
.....	,,	30.16	766.1	...	...	N	4	...	,,	30.22	767.5	...	...	N	4	...
.....	,,	30.13	765.4	...	...	N E	10	...	,,	30.18	766.6	...	...	N E	6	...
ates, ...	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
.....	3 p.	30.15	765.8	68	65	S	1	c	9 a.	30.28	769.1	59	82	S W	1	b
ong, ...	4 p.	30.18	766.6	59	74	E	3	o	10 a.	30.28	769.1	60	70	E	5	o
Peak,...	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	6	...
ook,.....	,,	30.14	765.5	...	...	E	6	...	,,	30.24	768.1	...	...	E N E	6	...
.....	,,	30.19	766.9	60	...	E S E	2	o	,,	30.30	769.6	62	...	E S E	1	c
w,.....	3 p.	30.17	766.3	66	...	E	1	c	9 a.	30.29	769.3	61	...	E	1	o
,.....	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	30.08	764.0	73	...	S E	2	c	8 a.	30.19	766.7	66	...	E	4	o
.....	,,	30.06	763.6	73	...	E	1	c	,,	30.15	765.8	72	..	...	0	c
James,.	,,	29.93	760.3	79	...	N E	2	c	,,	30.01	762.1	75	...	N E	3	c
.....	2 p.	30.04	762.9	75	...	E	2	o	6 a.	30.09	764.3	72	...	E	2	o
.....	4 p.	29.92	760	84	64	N E	1	c	10 a.	30.04	763	81	76	W S W	1	o
.....	2 p.	29.91	759.6	84	...	N E	2	c	6 a.	29.99	761.6	77	...	N E	2	c
.....	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	2	c
.....	,,	29.87	758.7	84	...	N E	1	b	,,	29.95	760.7	80	...	N E	3	c
.....	,,	29.86	758.4	86	...	N	2	o	,,	29.96	761.0	82	...	N	2	b
.....	,,	29.84	757.9	85	...	...	...	...	,,	29.94	760.5	83	...	...	...	...

n the 7th at 11.45 a.—The barometer has risen quickly in Japan the depression having moved away over the

ressure has given way considerably on the E. and N.E. coasts of China, and probably another depression is ing Eastwards along the Yangtze valley.

he high pressure area lies now over the W. part of the Sea of Japan.

he monsoon is expected to moderate in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	E. winds, fresh to moderate; fair.
osa Channel, ...	Same as No. 1.
h coast of China between Hongkong and Lamocks,.	Same as No. 1.
h coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 7th January, 1911.

ted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th JANUARY, 1911, P.M.								8th JANUARY, 1911, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostook,	2 p.	30.44	773.3	3	...	..	0	o	7 a.	30.20	767.1	4	88	...	0
Nemuro,	,,	29.94	760.6	...	...	...	...	...	6 a.	30.28	769.1	...	...	W N W	3
Hakodate,	,,	30.24	768.2	...	...	N N W	4	...	,,	30.34	770.7	...	...	...	0
Tokio,	,,	30.28	769.1	...	...	N N W	3	...	,,	30.38	771.6	...	...	N N W	1
Kochi,	,,	30.33	770.3	...	...	S E	1	...	,,	30.33	770.3	...	...	...	0
Nagasaki,	,,	30.33	770.3	...	...	W	1	...	,,	30.29	769.3	...	...	E S E	2
Kagoshima,	,,	30.31	769.9	...	...	E N E	1	...	,,	30.31	769.9	...	...	N E	1
Oshima,	,,	30.26	768.6	...	...	S W	1	...	,,	30.30	769.6	...	...	S	1
Naha,	,,	30.22	767.7	...	...	E	1	...	,,	30.28	769.2	...	...	N	1
Ishigakijima,	,,	30.23	767.8	...	...	...	1	...	,,	30.25	768.3	...	...	N E	2
Bonin Is.	,,	30.18	766.6	...	...	N	1	...	,,	30.28	769.1	...	...	N	1
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	..
Weihaiwei,	,,	30.28	769.1	33	90	S W	1	os	9 a.	30.38	771.6	30	77	W	3
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	..	...	...	...
Kiukiang,	,,	30.38	771.6	42	75	N W	1	o	,,	...	...	...	...	...	...
Shanghai,	,,	30.27	768.8	46	62	W S W	1	o	9 a.	30.43	772.9	38	91	N N W	2
Gutzlaff,	,,	30.32	770.1	47	85	W N W	2	om	,,	30.48	774.2	40	82	N	3
Sharp Peak,	,,	30.22	767.6	56	...	N	1	b	,,	30.34	770.6	54	...	...	0
Amoy,	,,	30.10	764.5	66	54	S	2	b	6 a.	...	...	...	...	...	...
Swatow,	,,	30.13	765.3	61	77	E	1	c	,,	30.14	765.5	57	81	N E	1
Taihoku,	1 p.	30.18	766.5	...	...	E	6	...	5 a	30.24	768.0	...	...	E	4
Taichu,	,,	30.17	766.2	...	...	N	4	...	,,	30.22	767.6	...	...	...	0
Tainan,	,,	30.14	765.5	...	...	N W	8	...	,,	30.23	767.7	...	...	N	4
Koshun,	,,	30.13	765.2	...	...	N E	8	...	,,	30.19	766.7	...	...	N E	4
Pescadores,	,,	...	...	...	...	...	..	...	,,	..	...	...	...	...	...
Canton,	3 p.	30.14	765.5	65	78	W	1	b	9 a.	30.25	768.3	63	83	S	1
Hongkong,	4 p.	30.16	766.0	60	75	E	3	b	10 a.	30.25	768.3	66	69	E	4
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	4
Gap Rock,	,,	30.13	765.3	...	...	E N E	5	...	,,	30.22	767.6	...	...	E	5
Macao,	,,	30.15	765.7	62	...	E S E	1	c	,,	...	...	64	...	N	1
Wuchow,	3 p.	30.15	765.8	72	...	E	1	c	9 a.	...	...	62	89	E	2
Hoihow,	,,	30.14	765.5	68	...	N E	3	o	,,	...	...	...	...	...	...
Pakhoi,	,,	30.07	763.8	82	71	S S E	1	b	,,	...	...	...	...	...	...
Phulien,	4 p.	30.11	764.8	68	...	E S E	4	c	8 a.	30.21	767.4	64	...	N E	2
Tourane,	,,	30.07	763.7	75	...	N W	1	b	,,	30.15	765.9	72	..	...	0
Cape St. James,	,,	29.91	759.8	81	...	N E	4	b	,,	30.03	762.7	75	...	N E	2
Aparri,	2 p.	30.06	763.5	75	...	E	2	o	6 a.	30.12	765.0	70	...	E	2
Manila,	4 p.	29.92	760	82	70	...	0	c	10 a.	30.08	764	81	69	N W	1
Legaspi,	2 p.	29.91	759.6	81	...	N E	2	o	6 a.	29.99	761.8	75	...	N E	2
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	3
Iloilo,	,,	29.85	758.2	83	...	E	4	o	,,	29.93	760.2	73	...	N E	1
Cebu,	,,	29.86	758.4	84	...	N	2	o	,,	29.95	760.7	80	...	N	1
Labuan,	,,	29.84	757.9	86	...	...	...	...	,,	29.97	761.2	82	...	...	...

On the 8th at 11.55 a.—The barometer has risen moderately over N. China, and fallen considerably in Wladivostok.

A shallow depression appears to be moving into the NW part of the Sea of Japan.

Areas of high pressure are lying over the Yangtze valley and over E. Japan.

Fresh monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	NE winds, fresh; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 8th January, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

N.	8TH JANUARY, 1911, P.M.								9TH JANUARY, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
tock,...	2 p.	30.13	765.2	7	...	N N E	3	o	7 a.	30.26	768.6	0	75	N N E	4	b
.....	,,	30.28	769.1	...	...	W N W	1	...	6 a.	30.26	768.6	...	...	S S E	1	...
.....	,,	30.24	768.2	...	...	...	0	...	,,	30.05	763.2	...	...	E	1	...
.....	,,	30.26	768.6	...	...	N N W	1	...	,,	30.16	766.1	...	...	N W	1	...
.....	,,	30.21	767.3	...	...	S E	1	...	,,	30.21	767.3	...	...	S W	1	...
.....	,,	30.21	767.3	...	...	S E	3	...	,,	30.27	768.8	...	...	N E	1	...
ima, ...	,,	30.23	767.9	...	...	...	0	...	,,	30.25	768.4	...	...	N	1	...
.....	,,	30.22	767.6	...	...	N W	1	...	,,	30.20	767.1	...	...	N	1	...
.....	,,	30.22	767.7	...	...	N N E	1	...	,,	30.17	766.2	...	...	N E	1	...
kijima, ...	,,	30.17	766.3	...	...	E	3	...	,,	30.05	763.3	...	...	E	9	...
.....	,,	30.22	767.6	...	...	N	1	...	,,	30.18	766.6	...	...	...	0	...
.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	..	...
rei,.....	,,	30.36	771.1	33	79	S W	4	bm	9 a.	30.38	771.6	34	64	S S W	1	b
w, ...	,,	30.40	772.1	40	82	N E	1	or	6 a.	...	...	...	...	...	...	..
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	.	...	...
.....	,,	30.35	770.9	43	67	N E	1	o	9 a.	30.25	768.3	43	100	E N E	2	od
.....	,,	30.43	772.9	40	82	N N E	3	om	,,	30.31	769.9	46	92	E	5	omr
Peak, ...	,,	30.22	767.6	56	80	E	4	b	,,	30.20	767.1	56	...	N	1	o
.....	,,	30.09	764.3	66	68	S E	2	b	6 a.	30.08	764.0	58	81	S E	2	b
.....	,,	30.11	764.8	69	61	S E	1	b	,,	30.14	765.5	59	83	N E	2	c
.....	1 p.	30.17	766.2	...	...	E	6	...	5 a.	30.10	764.5	...	...	W	2	...
.....	,,	30.12	765.0	...	...	N	4	...	,,	30.13	765.4	...	...	..	0	...
.....	,,	30.17	766.2	...	...	N W	6	...	,,	30.12	765.1	...	...	N	2	...
.....	,,	30.17	766.2	...	...	E	6	...	,,	30.09	764.2	...	...	N	4	...
lores, ...	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
.....	3 p.	30.11	764.8	69	70	S E	1	b	9 a.	30.12	765.0	63	78	E	1	b
ong, ...	4 p.	30.12	765.0	65	58	E	3	b	10 a.	30.13	765.3	66	71	E	4	b
a Peak, ...	,,	...	...	...	...	S E	2	...	,,	...	...	...	...	S E	3	...
ook,.....	,,	30.08	764.0	...	...	E	5	...	,,	30.10	764.5	...	...	E	5	...
.....	,,	30.14	765.6	67	...	S E	1	b	,,	30.15	765.9	63	...	E S E	1	c
ow, ...	3 p.	30.10	764.8	73	...	E	2	c	9 a.	30.14	765.5	64	...	N	1	o
.....	,,	30.11	765.0	60	...	E N E	4	b	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	30.07	763.7	72	...	S E	4	b	8 a.	30.08	763.9	64	...	S S E	1	o
.....	,,	30.05	763.2	75	...	...	0	c	,,	30.06	763.4	70	..	...	0	f
t. James,.	,,	29.93	760.3	79	...	N E	4	c	,,	29.97	761.1	75	...	E N E	2	c
.....	2 p.	30.05	763.2	79	...	E	2	o	6 a.	29.99	761.6	68	...	E	0	o
.....	4 p.	29.92	760	82	63	...	0	c	10 a.	29.96	761	81	69	W N W	1	o
.....	2 p.	29.90	759.5	81	...	N E	2	o	6 a.	29.92	759.9	75	...	N E	2	o
.....	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N E	2	...
.....	,,	29.89	759.2	80	...	N E	1	b	,,	29.89	759.2	79	...	N E	2	c
.....	,,	29.86	758.4	83	...	N	2	b	,,	29.90	759.4	83	...	N	1	c
.....	,,	...	...	...	...	...	...	...	,,	29.90	759.4	82	...	...	...	...

On the 9th at 11.55 a.—The shallow depression lying over the N.W. part of the Sea of Japan yesterday, has left E. Japan.

Pressure has given way considerably over S. China, the Loochoos and the Southern stations.

A depression appears to be developing between Formosa and the Loochoos, and the highest pressere is now over N. China.

Moderate monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	E. to N.E. winds, moderate; fair.
osa Channel, ...	Same as No. 1.
h coast of China between Hongkong and Lamocks,.	Same as No. 1.
h coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ongkong Observatory, Monday 9th January, 1911.

ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th January, 1911, P.M.								10th January, 1911, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	30.21	767.3	10	...	N N E	3	b	7 a.	30.26	768.6	0	72	N E	4
Nemuro,	,,	30.14	765.6	...	...	E N E	3	...	6 a.	30.10	764.6	...	...	N	5
Hakodate,	,,	30.07	763.7	...	...	N N W	3	...	,,	30.28	769.2	...	...	N W	2
Tokio,	,,	30.10	764.6	...	...	S	1	...	,,	30.28	769.1	...	...	N N W	1
Kochi,	,,	30.15	765.8	...	...	E	1	...	,,	30.19	766.8	...	...	...	0
Nagasaki,	,,	30.19	766.8	...	...	N E	1	...	,,	30.15	765.8	...	...	N E	2
Kagoshima,	,,	30.15	765.9	...	...	..	0	...	,,	30.11	764.9	...	...	E	2
Oshima,	,,	30.10	764.6	...	...	N	3	...	,,	30.06	763.6	...	...	...	0
Naha,	,,	30.05	763.2	...	...	E N E	3	...	,,	29.97	761.2	...	...	E N E	1
Ishigakijima,	,,	29.99	761.8	...	...	S E	5	...	,,	30.01	762.3	...	...	N	2
Bonin Is.	,,	30.08	764.1	...	...	S E	1	...	,,	30.08	764.1	...	...	N E	1
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	..
Weihaiwei,	,,	30.30	769.6	37	71	S W	1	om	9 a.	30.30	769.6	38	45	..	0
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kinkiang,	,,	...	...	...	...	...	...	...	,,	30.33	770.4	39	100	N	1
Shanghai,	,,	30.14	765.5	44	100	N E	2	or	9 a.	30.26	768.6	43	92	N	1
Gutzlaff,	,,	30.21	767.3	45	100	E	5	omd	,,	30.26	768.6	48	93	N	2
Sharp Peak,	,,	30.07	763.8	58	...	N	1	b	,,	30.12	765.0	57	...	E	1
Amoy,	,,	...	...	64	73	S	4	b	6 a.	30.05	763.2	57	87	...	0
Swatow,	,,	30.10	764.5	65	68	E	1	b	,,	30.04	763.0	57	94	N E	1
Taihoku,	1 p.	30.04	763.1	...	...	N	6	...	5 a.	30.09	764.2	...	...	...	0
Taichu,	,,	30.02	762.4	...	...	N	6	...	,,	30.04	763.0	...	...	...	0
Tainan,	,,	30.05	763.2	...	...	W	4	...	,,	30.02	762.4	...	...	N	6
Koshun,	,,	30.01	762.2	...	...	N	6	...	,,	29.98	761.5	...	...	N E	6
Pescadores,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...
Canton,	3 p.	30.00	762.0	70	66	...	0	b	9 a.	30.09	764.3	62	72	E N E	1
Hongkong,	4 p.	30.02	762.5	67	68	E	3	b	10 a.	30.09	764.3	67	76	E	1
Victoria Peak,	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	E N E	1
Gap Rock,	,,	29.98	761.5	...	...	E N E	5	...	,,	30.04	763.0	...	...	N	3
Macao,	,,	30.05	763.2	67	...	S E	1	b	,,	30.12	765.1	67	...	N W	1
Wuchow,	3 p.	30.03	762.7	74	59	W	1	c	9 a.	30.20	767.1	52	...	E	1
Hoihow,	,,	30.02	762.5	70	90	S E	2	c	,,	...	...	...	...	...	...
Pakhoi,	,,	30.08	764.0	68	95	...	0	c	,,	...	...	...	...	...	...
Phulien,	4 p.	29.97	761.3	72	...	S E	3	c	8 a.	..	...	...	...	...	...
Tourane,	,,	29.96	760.9	73	...	E	1	c	,,	...	...	...	..	...	...
Cape St. James,	,,	29.86	758.4	79	...	E	4	c	,,	...	...	...	...	...	...
Aparri,	2 p.	29.90	759.4	81	...	S E	0	c	6 a.	29.90	759.5	70	...	S E	0
Manila,	4 p.	29.84	758	82	70	N W	1	c	10 a.	29.88	759	84	64	N E	0
Legaspi,	2 p.	29.83	757.6	82	...	N E	2	c	6 a.	29.86	758.3	70	...	...	0
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N	1
Iloilo,	,,	29.79	756.6	83	...	N E	1	c	,,	29.87	758.7	80	...	N E	1
Cebu,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	84	...	N	1
Labuan,	,,	29.80	756.9	82	...	...	...	...	,,	29.87	758.7	81	...	...	...

On the 10th at 12.05 p.—The shallow depression lying over E. Japan yesterday, has moved into the Pacific. The barometer has risen slightly over the Yangtze valley, and fallen moderately over W. Japan and the Loochoos. The depression over the Pacific is situated to the South of the Loochoos. It appears to be moving towards Pressure is highest over China to the North of the Yangtze valley.

Monsoon will probably freshen again in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, probably freshening; fine.
2.—Formosa Channel,	N.E. winds, freshening.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 10th January, 1911

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

N.	10th JANUARY, 1911, P.M.								11th JANUARY, 1911, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
tock,	2 p.	30.25	768.3	15	...	...	0	c	7 a.	30.06	763.5	29	96	S E	2	o
	,,	30.18	766.6	...	...	N W	4	...	6 a.	30.36	771.1	...	...	...	0	...
	,,	30.28	769.2	...	...	W N W	1	...	,,	30.36	771.2	...	...	...	0	...
	,,	30.24	768.1	...	...	N N W	2	...	,,	30.32	770.1	...	...	N N W	1	...
	,,	30.07	763.8	...	...	W	1	...	,,	30.11	764.8	...	...	S W	1	...
	,,	30.09	764.3	...	...	N N E	1	...	,,	30.07	763.8	...	...	S E	1	...
ima,	,,	30.04	762.9	...	...	N	2	...	,,	30.08	763.9	...	...	E N E	3	...
	,,	29.94	760.6	...	...	N N E	1	...	,,	29.99	761.6	...	...	...	0	...
	,,	29.95	760.7	...	...	N	3	...	,,	29.99	761.7	...	...	N E	1	...
ima,	,,	29.95	760.8	...	...	E	3	...	,,	29.99	761.8	...	...	N	2	...
	,,	30.04	763.1	...	...	E S E	1	...	,,	30.01	762.1	...	...	E S E	1	...
	4 p.	30.20	767.1	38	...	N W	2	c	6 a.	...	...	...	...	...	..	...
ei,	,,	30.19	766.8	42	59	S W	4	c	9 a.	30.47	773.9	18	68	N W	9	csq
	,,	30.20	767.1	...	...	E	2	b	6 a.	...	...	...	...	...	...	..
	,,	30.19	766.8	45	76	N	1	o	,,	30.47	773.9	41	100	N E	1	o
	,,	30.20	767.1	45	76	N N W	1	om	9 a.	30.33	770.4	41	92	N W	...	od
	,,	30.22	767.6	46	84	N	4	ov	,,	30.35	770.9	44	92	N	6	om
Peak,	,,	30.08	764.0	57	81	N N E	3	o	,,	30.18	766.6	56	...	N E	1	o
	,,	29.99	761.7	68	60	E	3	b	6 a.	30.07	763.8	56	75	E	1	b
	,,	29.96	761.0	64	73	E	1	c	,,	30.06	763.2	57	87	N E	1	o
	1 p.	30.01	762.3	...	...	N E	4	...	5 a.	30.06	763.6	...	...	...	0	...
	,,	29.91	759.8	...	...	N	4	...	,,	30.03	762.7	...	...	...	0	...
	,,	29.95	760.7	...	...	N W	2	...	,,	30.01	762.1	...	...	N	4	...
	,,	29.94	760.5	...	...	N E	8	...	,,	29.99	761.7	...	...	N	2	...
ions,	,,	...	...	...	...	...	..	...	..	...	...	...	...	...	...	...
	3 p.	29.97	761.2	69	61	N	1	b	9 a.	30.17	766.3	57	81	N	2	o
ong,	4 p.	29.97	761.2	65	84	E	1	b	10 a.	30.16	765.8	63	79	N	1	o
a Peak,	,,	...	...	...	...	S	1	...	,,	...	...	...	...	N	1	...
ook,	,,	29.95	760.7	...	...	N	3	...	,,	30.10	764.5	...	...	E N E	5	...
	,,	30.00	762.0	67	...	S E	1	c	,,	30.18	766.6	61	...	N	1	o
	3 p.	30.07	763.8	63	...	N W	2	o	9 a.	30.27	768.8	54	...	N	1	od
	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
	,,	30.01	762.2	67	89	N W	1	o	,,	...	...	...	...	...	...	...
	4 p.	29.94	760.4	70	...	E S E	5	c	8 a.	30.11	764.7	64	...	E N E	3	o
	,,	29.91	759.8	77	...	...	0	b	,,	30.02	762.6	73	..	...	0	c
t. James,	,,	29.81	757.2	81	...	E	2	c	,,	29.93	760.1	75	...	N N E	3	o
	2 p.	29.85	758.1	79	...	N	2	o	6 a.	29.90	759.4	72	...	N E	2	r
	4 p.	29.76	756	86	65	...	0	b	10 a.	29.88	759	82	79	W	1	c
	2 p.	29.79	756.7	84	...	S E	2	b	6 a.	29.85	758.1	70	...	...	0	b
	3 p.	...	...	...	...	N E	2	b	9 a.	...	...	...	...	N E	1	b
	,,	29.77	756.1	85	...	N E	1	b	,,	29.87	758.7	80	...	E	1	b
	,,	29.79	756.6	86	...	N	2	b	,,	29.87	758.7	83	...	N	1	b
	,,	29.74	755.4	85	...	...	...	...	,,	29.87	758.7	83	...	...	...	...

On the 11th at 11.50 a.—The barometer has fallen considerably in Wladiwostok, and risen over China, particu- in the North.

A depression is advancing Eastwards over E. Manchuria, and the "low" area over the Pacific is moving East- between the Loochoos and the Bonins.

Areas of high pressure cover E. Japan, and China to the North of the Yangtze valley.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
kong and Neighbourhood,	N. and N.E. winds, fresh to strong; fair.
osa Channel,	N.E. gale.
coast of China between Hongkong and Lamocks,	Same as No. 1.
coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

ongkong Observatory, Wednesday, 11th January, 1911.

ed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th January, 1911, P.M.								12th January, 1911, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	30.09	764.3	10	...	N N E	4	s	7 a.	30.15	765.7	−7	58	N E	2
Nemuro,	,,	30.36	771.1	...	...	...	0	...	6 a.	30.02	762.6	...	...	S E	6
Hakodate,	,,	30.22	767.7	...	...	E	4	...	,,	29.79	756.7	...	...	E S E	2
Tokio,	,,	30.14	765.6	...	...	N W	1	...	,,	29.89	759.1	...	...	N W	1
Kochi,	,,	29.99	761.8	...	...	...	0	...	,,	29.86	758.3	...	...	E	1
Nagasaki,	,,	30.03	762.8	...	...	N	3	...	,,	30.11	764.8	...	...	N	2
Kagoshima,	,,	30.06	763.4	...	...	N N W	1	...	,,	30.02	762.4	...	...	N N W	1
Oshima,	,,	29.94	760.6	...	...	N N E	1	...	,,	30.04	763.1	...	...	N	1
Naha,	,,	29.97	761.2	...	...	N	3	...	,,	30.09	764.2	...	...	N N W	1
Ishigakijima,	,,	29.99	761.8	...	...	N	3	...	,,	30.15	765.8	...	...	N	6
Bonin Is.	,,	29.93	760.1	...	...	S E	1	...	,,	29.97	756.1	...	...	W	1
Chefoo,	4 p.	30.49	774.4	14	...	N	8	s	6 a.	30.54	775.7	18	84	N N W	2
Weihaiwei,	,,	30.49	774.4	14	63	N	8	b	9 a.	30.53	775.4	28	...	N	5
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang	,,	30.52	775.2	40	82	N E	2	o	,,	30.60	777.2	33	79	N	2
Shanghai,	,,	30.38	771.6	37	81	N N W	6	od	9 a.	30.57	776.5	25	...	N W	4
Gutzlaff,	,,	30.35	770.9	40	92	N	9	om	,,	30.60	777.2	30	...	N	5
Sharp Peak,	,,	30.15	765.8	56	81	N N E	3	o	,,	30.37	771.4	54	87	E N E	2
Amoy,	,,	30.07	763.8	65	58	N E	4	c	6 a.	30.28	769.1	50	65	N E	6
Swatow,	,,	30.03	762.7	62	77	E	1	o	,,	30.20	767.1	49	85	N	2
Taihoku,	1 p.	30.10	764.6	...	...	N	2	...	5 a.	30.28	769.2	...	...	E	2
Taichu,	,,	30.01	762.2	...	...	N	3	...	,,	30.11	764.8	...	...	N	4
Tainan,	,,	30.01	762.2	...	...	N	6	...	,,	30.12	764.9	...	...	N	6
Koshun	,,	29.98	761.6	...	...	N	6	...	,,	30.05	763.2	...	...	N E	8
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Canton,	3 p.	30.15	765.8	54	80	N	2	o	9 a.	30.30	769.6	50	65	N E	2
Hongkong,	4 p.	30.07	763.8	64	57	N	2	o	10 a.	30.25	768.3	54	62	N	1
Victoria Peak,	,,	...	...	...	...	N N W	4	...	,,	...	...	...	...	N E	4
Gap Rock,	,,	30.03	762.7	...	...	N N W	6	...	,,	30.21	767.3	...	...	N E	4
Macao,	,,	30.11	764.8	59	...	N	4	c	,,	30.28	769.0	50	...	N	3
Wuchow,	3 p.	30.28	769.1	49	...	E	1	o	9 a.	30.42	772.6	...	...	E	1
Hoihow,	,,	30.05	763.2	...	...	E N E	4	o	,,	...	...	...	...	...	...
Pakhoi,	,,	30.18	766.6	67	81	N	2	o	,,	...	...	...	...	...	...
Phulien,	4 p.	30.07	763.9	63	...	N E	5	o	8 a.	30.25	768.3	54	...	N E	4
Tourane,	,,	29.96	761.0	73	...	...	0	c	,,	30.06	763.6	68	..	E	3
Cape St. James,	,,	29.81	757.2	81	...	E N E	4	c	,,	29.93	760.1	75	...	N E	3
Aparri,	2 p.	29.88	758.9	75	...	N E	2	d	6 a.	29.96	760.9	70	...	E	4
Manila,	4 p.	29.76	756	86	71	...	...	...	10 a.	29.92	760	82	70	S	0
Legaspi,	2 p.	29.80	756.9	83	...	E	2	b	6 a.	29.87	758.6	66	...	...	0
Bacolod,	3 p.	...	...	...	...	N E	1	b	9 a.	...	...	...	...	N E	1
Iloilo,	,,	29.77	756.1	84	...	E	1	...	,,	29.87	758.7	89	...	N E	1
Cebu,	,,	29.79	756.6	85	...	N	2	b	,,	29.88	758.9	85	...	S	1
Labuan,	,,	29.79	756.6	85	...	...	...	...	,,	29.88	758.9	80	...	...	...

On the 12th at 11.45 a.—The barometer has fallen quickly over E. Japan and the Bonins, and risen consid to moderately over China and the Loochoos.

The depression lying over E. Manchuria yesterday, is moving Eastwards over the Eastern part of the S Japan. The Pacific depression is moving in the same direction to the North of the Bonins.

The anticyclonic area is central over the continent to the North of the Yangtze valley.

Monsoon gales may be expected over the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, strong; fair.
2.—Formosa Channel,	N. and N.E. gales.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 12th January, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...n.	12TH JANUARY, 1911, P.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...ock,...	2 p.	30.19	766.9	—1	...	N E	2	b
...	,,	29.75	755.6	...	...	S S E	7	...
...	,,	29.77	756.2	...	...	W	3	...
...	,,	29.61	752.1	...	...	N W	2	...
...	,,	29.87	758.8	...	...	N E	4	...
...	,,	30.17	766.3	...	...	N	5	...
...ma,...	,,	30.07	763.9	...	...	N W	3	...
...	,,	30.10	764.6	...	...	N	6	...
...	,,	30.15	765.7	...	...	N N W	6	...
...jima,...	,,	30.19	766.8	...	...	N	4	...
...	,,	29.79	756.6	...	...	S W	1	...
...	4 p.	30.48	774.2	22	100	N N W	5	o
...ei,...	,,	30.48	774.2	22	72	N N W	3	s
...	,,	...	...	...	...	...	...	...
...	,,	30.51	774.9	33	79	N E	2	o
...	,,	30.50	774.7	29	...	N N W	2	s
...	,,	30.52	775.2	32	100	N	5	ov
...ak,...	,,	30.30	769.6	53	73	N N E	5	c
...	,,	30.13	765.3	56	51	E N E	4	o
...	,,	30.15	765.8	58	70	N E	1	c
...	1 p.	30.29	769.3	...	...	E	6	...
...	,,	30.11	764.7	...	...	N	6	...
...	,,	30.13	765.4	...	...	N	6	...
...	,,	30.09	764.4	...	...	N E	10	...
...res,...	,,	...	...	...	...	...	...	...
...	3 p.	30.18	766.6	54	61	N	2	c
...ng,...	4 p.	30.15	765.8	55	66	E	1	o
...Peak,...	,,	...	...	...	...	E	3	...
...ck,...	,,	30.13	765.3	...	...	E N E	4	...
...	,,	30.17	766.3	53	...	N	2	o
...,...	3 p.	30.24	768.1	55	62	N	2	o
...	,,	30.14	765.5	59	...	N E	5	o
...	,,	30.21	767.3	55	71	N	2	o
...,...	4 p.	30.13	765.2	59	...	E	2	o
...	,,	30.01	762.3	68	...	E	3	f
...James,.	,,	29.87	758.6	81	...	E N E	4	c
...	2 p.	29.97	761.2	72	...	E	4	d
...	4 p.	29.84	758	82	70	...	0	o
...,...	2 p.	29.83	757.6	86	...	S E	2	b
...,...	3 p.	...	...	...	...	N E	2	c
...	,,	29.79	756.6	85	...	N E	1	b
...	,,	29.81	757.2	86	...	N	1	b
...	,,	29.79	756.6	83	...	...	...	...

13TH JANUARY, 1911, A.M.							
Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.32	770.1	—11	44	N W	0	h
6 a.	29.36	745.6	...	...	N	1	...
,,	29.87	758.7	...	...	N W	5	...
,,	29.91	759.6	...	...	N N W	5	...
,,	30.17	766.3	...	...	...	0	...
,,	30.31	769.8	...	...	N	1	...
,,	30.29	769.4	...	...	N W	1	...
,,	30.26	768.6	...	...	N N W	3	...
,,	30.25	768.2	...	...	E N E	1	...
,,	30.21	767.3	...	...	N	3	...
,,	30.02	762.6	...	...	N W	2	...
6 a.	...	...	...	...	...	...	...
9 a.	30.50	774.7	27	52	S W	6	b
6 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
9 a	30.56	776.2	31	...	N N W	2	c
,,	30.58	776.7	37	91	N	...	cv
,,	30.40	772.1	50	86	N	2	o
6 a.	...	...	42	56	E	4	o
,,	30.24	768.1	46	84	N E	2	b
5 a.	30.27	768.9	...	...	E	6	...
,,	30.17	766.2	...	...	...	0	...
,,	30.16	766.0	...	...	N E	4	...
,,	30.16	766.1	...	...	N E	10	...
,,	...	...	...	...	...	...	...
9 a.	30.27	768.8	49	71	N	2	o
10 a.	30.25	768.3	57	63	E	4	o
,,	...	...	...	...	E	4	...
,,	30.22	767.6	...	...	E	6	...
,,	30.28	769.1	53	...	N	3	o
9 a.	30.32	770.1	46	...	N	1	od
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.13	766.6	72	...	E N E	4	o
,,	30.08	764.1	64	...	N W	1	dh
,,	29.96	760.9	72	...	N E	3	f
6 a.	30.02	762.5	63	...	E	0	d
10 a.	29.96	761	82	63	N E	0	o
6 a.	29.90	759.4	73	...	...	0	c
9 a.	...	...	...	...	N E	1	cd
,,	29.91	759.7	79	...	N E	1	b
,,	29.92	759.9	85	...	N	1	c
,,	29.90	759.4	81	...	...	...	...

On the 13th at 11.55 a.—The depression lying over the Sea of Japan yesterday, is moving into the Pacific near ...ra, E. Hokkaido.

Pressure has increased considerably over W. Japan, the Loochoos and the Bonins. It has a tendency to give ...gain over N. China.

The anticyclonic area is still central over the continent to the North of the Yangtze valley.

Very strong monsoon will continue to prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...ngkong and Neighbourhood, ...	N.E. winds, strong; fair.
...mas Channel, ...	Same as No. 1.
...th coast of China between Hongkong and Lamocks,.	Same as No. 1.
...th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

...gkong Observatory, Friday, 13th January, 1911.

...d by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	13th JANUARY, 1911, P.M.								14th JANUARY, 1911, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	29.65	753.6	...	...	N W	2	...	6 a.	30.26	768.6	...	...	N W	
Hakodate,	,,	30.01	762.2	...	...	N W	4	...	,,	30.28	769.2	...	...	W	
Tokio,	,,	30.12	765.1	...	...	N N W	4	...	,,	30.40	772.1	...	...	N N W	
Koobi,	,,	30.27	768.8	...	...	E	1	...	,,	30.41	772.3	...	...	S W	
Nagasaki,	,,	30.39	771.8	...	...	N N E	1	..	,,	30.45	773.3	...	...	E S E	
Kagoshima,	,,	30.33	770.4	...	...	N W	2	...	,,	30.41	772.4	...	...	N N E	
Oshima,	,,	30.32	770.1	...	...	N N E	2	...	,,	30.34	770.6	...	...	N E	
Naha,	,,	30.26	768.7	...	...	N N E	3	...	,,	30.25	768.2	...	...	N N E	
Ishigakijima,	,,	30.23	767.8	...	...	N N E	4	...	,,	30.17	766.3	...	...	N E	
Bonin Is.	,,	30.10	764.6	...	...	N W	1	...	,,	30.24	768.1	...	...	N	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Weihaiwei,	,,	30.44	773.2	31	79	W S W	4	bm	9 a.	30.43	774.2	32	78	W S W	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Kiukiang,	,,	30.49	774.4	31	90	N E	1	o	,,	30.60	777.2	39	...	N W	
Shanghai,	,,	30.46	773.7	36	61	N E	1	o	9 a	30.55	775.9	35	70	N N E	
Gutzlaff,	,,	30.49	774.4	40	82	N	4	ov	,,	30.55	775.9	38	81	N	
Sharp Peak,	,,	30.34	770.6	50	79	N	4	o	,,	30.39	771.9	50	73	N	
Amoy,	,,	30.15	765.8	56	51	N E	4	o	6 a.	30.15	765.8	53	67	S	
Swatow,	,,	30.20	767.1	56	81	E	2	c	,,	30.26	768.6	49	86	N	
Taihoku,	1 p.	30.24	768.0	...	...	E	6	...	5 a.	30.24	768.0	...	...	E	
Taichu,	,,	30.13	765.4	...	...	N	2	...	,,	30.20	767.1	...	...	...	
Tainan,	,,	30.18	766.6	...	...	N	4	...	,,	30.19	766.8	...	...	N	
Koshun	,,	30.14	765.5	...	...	E	10	...	,,	30.15	765.9	...	...	N E	
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Canton,	3 p.	30.22	767.6	52	66	N	2	o	9 a.	...	...	...	...	...	
Hongkong,	4 p.	30.20	767.1	56	68	E	3	o	10 a.	30.30	769.6	56	63	N E	
Victoria Peak,	,,	...	...	...	...	N E	3	...	,,	...	...	...	...	...	
Gap Rock,	,,	30.14	765.5	...	...	N E	5	...	,,	...	...	...	...	...	
Macao,	,,	30.21	767.3	55	...	N	2	o	,,	30.36	771.0	53	...	N	
Wuchow,	3 p.	30.29	769.3	48	...	N	1	cd	9 a.	30.43	772.9	45	76	N	
Hoihow,	,,	30.11	764.8	56	95	E	6	o	,,	...	...	...	...	...	
Pakhoi,	,,	30.20	767.1	51	93	N	1	o	,,	...	...	...	...	...	
Phulien,	4 p.	30.14	765.5	55	...	N E	1	o	8 a.	30.30	769.7	50	...	N E	
Fourane,	,,	...	...	...	...	...	...	...	,,	30.16	766.0	65	..	W N W	
Cape St. James,	,,	29.94	759.4	79	...	E N E	3	c	,,	30.02	762.4	75	...	N E	
Aparri,	2 p.	30.05	763.3	70	...	N E	4	d	6 a.	30.06	763.4	72	...	E	
Manila,	4 p.	29.88	759	84	64	...	0	c	10 a.	30.00	762	82	70	N	
Legaspi,	2 p.	29.90	759.5	77	...	E	2	o	6 a.	29.95	760.6	70	...	N E	
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N E	
Iloilo,	,,	29.83	757.7	85	...	N E	1	b	,,	29.91	759.7	80	...	N E	
Cebu,	,,	29.86	758.4	85	...	N	2	c	,,	29.93	760.2	83	...	N	
Labuan,	,,	29.82	757.4	84	...	...	...	...	,,	29.95	760.7	82	...	...	

On the 14th at 11.55 a.—The barometer has risen rapidly over E. Japan the depression having moved aw the Pacific.

Pressure has increased also over S. China and at the stations in the South.

The anticyclonic area, which is still central over the continent to the North of the Yangtze valley, has Eastwards, and now covers Japan and adjacent waters.

Very strong monsoon will continue to prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, fresh; fair.
2.—Formosa Channel,	N.E.. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 14th January, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

	14TH JANUARY, 1911, P.M.								15TH JANUARY, 1911, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ock,...	2 p.	30.19	766.8	17	...	S E	0	b	7 a.	30.22	767.5	5	71	...	o	b
.....	,,	30.26	768.6	...	...	..	0	...	6 a.	...	...	...	...	...	...	...
.....	,,	30.28	769.2	...	...	W	3	...	,,	...	...	...	...	...	...	...
.....	,,	30.34	770.6	...	...	...	0	...	,,	...	...	...	...	...	...	...
.....	,,	30.29	769.3	...	...	...	0	...	,,	...	...	...	...	...	...	...
.....	,,	30.39	771.8	...	...	N N E	2	...	,,	...	...	...	...	...	...	...
.....	,,	30.35	770.9	...	...	N	1	...	,,	...	...	...	...	...	...	...
.....	,,	30.24	768.1	...	...	N N E	1	...	,,	...	...	...	...	...	...	...
.....	,,	30.09	764.2	...	...	E N E	1	...	,,	...	...	...	...	...	...	...
ijima,...	,,	30.13	765.3	...	...	S	2	...	,,	...	...	...	...	...	...	...
.....	,,	30.14	765.6	...	...	N E	1	...	,,	...	...	...	...	..	...	...
.....	4 p.	30.43	772.9	32	...	W	4	b	6 a.	...	...	...	...	...	...	...
..ai,.....	,,	30.41	772.4	34	69	S W	6	bm	9 a.	30.48	774.2	31	...	S S W	1	bm
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
ig,.....	,,	30.53	775.4	41	66	N W	2	b	,,	30.49	774.4	32	...	E	1	b
ai, ...	,,	30.49	774.4	38	54	N N W	1	c	9 a.	30.52	775.2	32	...	N N W	1	b
.....	,,	30.51	774.9	42	...	N	2	cv	,,	30.52	775.2	38	81	N	4	cm
eak,.....	,,	30.32	770.1	51	93	N	1	or	,,	30.37	771.4	49	86	N	2	or
.....	,,	30.14	765.5	58	58	E N E	4	o	6 a.	30.21	767.3	50	79	E	2	o
.....	,,	30.16	766.0	59	70	E	1	c	..	30.24	768.1	47	85	N	2	o
.....	1 p.	30.22	767.6	...	...	E	6	...	5 a	30.25	768.3	...	...	E	2	...
.....	,,	30.12	765.0	...	...	N	4	...	,,	30.14	765.5	...	...	N	4	...
.....	,,	30.15	765.8	...	...	N	6	...	,,	30.15	765.9	...	...	N	6	...
.....	,,	30.13	765.2	...	...	N E	4	...	,,	30.11	764.8	...	...	N E	6	...
.....	,,	...	...	...	...	...	..	...	,,	..	...	...	...	...	...	...
.....	3 p.	30.29	769.3	48	78	N	2	o	9 a.	30.34	770.6	45	76	N E	2	o
ng, ...	4 p.	30.18	766.6	60	53	E S E	1	o	10 a.	30.28	769.1	52	63	N	1	o
Peak,...	,,	...	...	...	...	S E	1	...	,,	...	...	...	...	N	3	...
ck,.....	,,	30.16	766.0	...	...	E N E	3	...	,,	30.24	768.1	...	...	N N E	4	...
.....	,,	30.22	767.6	54	...	N W	1	o	,,	30.31	769.8	47	...	N	2	o
w,.....	3 p.	30.38	771.6	44	...	N	1	od	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	30.21	767.4	57	...	N N W	1	o	8 a.	30.33	770.3	52	...	E N E	2	o
e, ...	,,	30.06	763.5	66	...	N W	4	o	,,	...	...	...	..	...	...	...
James,.	,,	29.90	759.4	81	...	N E	2	c	,,	29.99	761.7	75	...	N E	2	c
.....	2 p.	29.99	761.7	75	...	E	2	o	6 a.	29.99	761.6	70	...	E	0	d
.....	4 p.	29.88	759	86	71	...	0	o	10 a.	29.96	761	84	71	..	0	b
i, ...	2 p.	29.91	759.7	86	...	N E	2	b	6 a.	29.90	759.4	72	...	...	0	b
d, ...	3 p.	...	...	...	...	N E	2	or	9 a.	...	...	...	...	N E	2	b
.....	,,	29.63	757.7	85	...	..	0	o	,,	29.91	759.7	81	...	N E	1	b
.....	,,	29.85	758.2	85	...	N	1	b	,,	29.92	759.9	84	...	N	1	b
.....	,,	29.84	757.9	85	...	...	...	...	,,	...	...	...	...	...	...	...

On the 15th at 12.15 p.—The barometer is inclined to fall over China and at the stations in the South.

The anticyclonic area is still central over the continent to the North of the Yangtze valley, and pressure is ively low over the S. part of the China Sea.

The Japanese returns are lacking.

Strong monsoon will continue to prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	N. and N.E. winds, fresh; fair.
sa Channel, ...	Same as No. 1.
coast of China between Hongkong and Lamocks,.	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

gkong Observatory, Sunday, 15th January, 1911.

d by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	15th January, 1911, P.M.								16th January, 1911, A.M.					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.
Wladivostock,	2 p.	30.23	767.9	10	...	N E	4	o	7 a.	30.48	774.2	-12	48	N N E
Nemuro,	,,	30.14	765.6	...	...	S E	2	...	6 a.	29.91	759.6	...	...	S W
Hakodate,	,,	30.05	763.2	...	...	N N W	2	...	,,	30.03	762.7	...	...	N W
Tokio,	,,	30.04	763.1	...	...	N N W	2	...	,,	30.04	763.1	...	...	N N W
Kochi,	,,	30.13	765.3	...	...	N	2	...	,,	30.21	767.3	...	...	S W
Nagasaki,	,,	30.25	768.3	...	...	N	4	...	,,	30.29	769.3	...	...	...
Kagoshima,	,,	30.19	766.9	...	...	N N E	1	...	,,	30.25	768.4	...	...	N E
Oshima,	,,	30.12	765.1	...	...	N	5	...	,,	30.16	766.1	...	...	N
Naha,	,,	30.09	764.2	...	...	N E	5	...	,,	30.13	765.2	...	...	N E
Ishigakijima,	,,	30.13	765.3	...	...	N N E	6	...	,,	30.11	764.8	...	...	N N E
Bonin Is.	,,	29.87	758.6	...	...	S E	1	...	,,	29.73	755.1	...	...	N N W
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.47	773.9	36	61	N N E	3	c	9 a.	30.49	774.4	35	44	N
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	,,	30.43	772.9	42	59	N E	1	c	,,	...	...	...	...	...
Shanghai,	,,	30.42	772.6	40	39	N	2	c	9 a.	30.46	773.7	34	...	N N W
Gutzlaff,	,,	30.45	773.4	41	57	N	4	cm	,,	30.48	774.2	40	82	N
Sharp Peak,	,,	30.30	769.6	50	86	N	3	o	,,	30.32	770.1	47	93	N
Amoy,	,,	30.15	765.8	53	61	N E	3	c	6 a.	30.11	764.8	50	58	N N E
Swatow,	,,	30.16	766.0	47	48	N E	3	o	,,	30.18	766.6	47	93	N
Taihoku,	1 p.	30.26	768.6	...	...	E	4	...	5 a	30.19	766.7	...	...	E
Taichu,	,,	30.06	763.5	...	...	N	6	...	,,	30.11	764.8	...	...	N E
Tainan,	,,	30.09	764.2	...	...	N	8	...	,,	30.11	764.8	...	...	N
Keelung	,,	30.04	763.1	...	...	N E	8	...	,,	30.06	763.4	...	...	N E
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Canton,	3 p.	30.20	767.1	50	65	N N E	2	o	9 a.	30.25	768.3	44	92	N N E
Hongkong,	4 p.	30.15	765.8	54	66	N	1	o	10 a.	30.21	767.3	54	69	E
Victoria Peak,	,,	...	...	...	...	N N E	2	...	,,	...	...	...	...	E N E
Gap Rock,	,,	30.12	765.0	...	...	N N E	4	...	,,	30.16	766.0	...	...	E N E
Macao,	,,	30.18	766.0	50	...	N	1	o	,,	30.23	767.8	48	...	N N W
Wuchow,	3 p.	...	...	49	...	N	1	o	9 a.	30.34	770.6	44	...	N
Hoihow,	,,	30.11	764.8	66	71	N N E	2	o	,,	...	...	...	...	...
Pakhoi,	,,	30.21	767.3	61	72	N	2	o	,,	...	...	...	...	...
Phulien,	4 p.	30.13	765.2	61	...	S S W	1	c	8 a.	30.19	766.9	52	...	E N E
Tourane,	,,	30.03	762.8	64	...	N W	6	o	,,	30.10	764.4	63	..	N W
Cape St. James,	,,	29.86	758.5	77	...	N E	6	c	,,	29.97	761.3	73	...	N E
Aparri,	2 p.	29.95	760.7	72	...	N E	2	d	6 a.	29.97	761.3	70	...	E
Manila,	4 p.	29.80	757	86	63	S	1	b	10 a.	29.96	761	81	76	N W
Legaspi,	2 p.	29.82	757.4	88	...	E	2	b	6 a.	29.86	758.3	75	...	N E
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N E
Iloilo,	,,	29.79	756.6	84	...	N E	...	...	,,	29.91	759.7	81	...	N E
Cebu,	,,	29.82	757.4	85	...	N	1	b	,,	29.89	759.2	84	...	...
Labuan,	,,	29.81	757.2	85	...	...	...	...	,,	29.90	759.4	80	...	...

On the 16th at 11.40 a.—The barometer has risen considerably in Wladiwostok, and fallen quickly over Japan and the Bonins.

There are two depressions, one moving Eastwards to the North of Hokkaido, and the other moving in the direction in the neighbourhood of the Bonins.

The anticyclonic area is lying over N. China and Manchuria. Pressure is giving way over S. China and ...king.

Fresh to strong monsoon is still expected to prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 16th January, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

	16th JANUARY, 1911, P.M.								17th JANUARY, 1911, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...k,...	2 p.	30.43	772.8	–8	...	N E	2	c	7 a.	30.34	770.7	–8	40	N E	0	b
.....	,,	29.71	764.6	...	...	W S W	4	...	6 a.	29.75	755.6	...	...	W N W	6	...
.....	,,	30.01	762.2	...	...	W N W	5	...	,,	29.99	761.7	...	...	W	3	...
.....	,,	30.02	762.6	...	...	N W	6	...	,,	30.14	765.6	...	...	N W	1	...
.....	,,	30.15	765.9	...	...	N	2	...	,,	30.25	768.3	...	...	S W	6	...
.....	,,	30.21	767.3	...	...	N	2	...	,,	30.29	769.3	...	...	...	0	...
.....	,,	30.19	766.9	...	...	S E	1	...	,,	30.27	768.9	...	...	N	1	...
.....	,,	30.16	766.1	...	...	N N E	2	...	,,	30.24	768.1	...	...	S S E	1	...
.....	,,	...	...	...	...	N N E	3	...	,,	30.19	766.7	...	...	N E	2	...
.....	,,	30.11	764.8	...	...	N N E	5	...	,,	30.11	764.8	...	...	N E	4	...
.....	,,	29.89	759.1	...	...	N	2	...	,,	30.08	764.1	...	...	N	1	...
.....	4 p.	...	...	...	...	...	...	...	6 a.	30.44	773.2	28	100	W	3	o
.....	,,	30.43	772.9	36	70	W	1	c	9 a.	30.42	772.6	29	82	N	1	o
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
.....	,,	30.40	772.1	39	64	N E	1	o	,,	30.40	772.1	35	100	N E	2	o
.....	,,	30.41	772.4	43	83	N	1	o	9 a	30.40	772.1	38	63	N E	1	om
.....	,,	30.45	773.4	42	75	N	4	ov	,,	30.43	772.9	40	82	N	4	ov
.....	,,	30.29	769.3	48	78	N	2	or	,,	30.25	768.3	48	93	N	1	or
.....	,,	30.11	764.8	49	78	N N E	2	or	6 a.	30.11	764.8	50	72	N E	3	o
.....	,,	30.12	765.0	57	68	N E	1	o	,,	30.18	766.6	49	85	N	1	c
.....	1 p.	30.17	766.2	...	...	E	4	...	5 a	30.16	766.1	...	...	E	2	...
.....	,,	30.10	764.5	...	...	...	0	...	,,	30.12	764.9	...	...	...	0	...
.....	,,	30.09	764.3	...	...	N	6	...	,,	30.14	765.6	...	...	N	4	...
.....	,,	30.07	763.9	...	...	N	6	...	,,	30.07	763.7	...	...	N E	6	...
.....	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
.....	3 p.	30.20	767.1	45	92	N	2	or	9 a.	30.27	768.8	44	92	N	2	o
.....	4 p.	30.14	765.5	55	61	N N E	1	o	10 a.	30.22	767.6	54	75	N N E	1	o
.....	,,	...	...	...	...	N N E	1	...	,,	...	...	...	...	N E	2	...
.....	,,	30.10	764.5	...	...	N E	5	...	,,	30.18	766.6	...	...	N N E	5	...
.....	,,	30.17	766.3	47	...	N N E	2	o	,,	30.26	768.6	48	...	N	3	o
.....	3 p.	30.29	769.3	45	...	N E	1	od	9 a.	30.35	770.9	47	77	N	1	o
.....	,,	30.14	765.5	56	100	N E	2	o	,,	...	...	...	...	...	...	...
.....	,,	30.24	768.1	48	85	N	2	o	,,	...	...	...	...	...	...	...
.....	4 p.	30.14	765.5	52	...	N E	2	o	8 a.	30.26	768.6	48	...	N N E	0	or
.....	,,	30.01	762.2	64	...	N W	5	c	,,	30.08	763.9	66	..	N	2	o
...mes,.	,,	29.87	758.8	77	...	E N E	5	c	,,	29.99	761.7	75	...	N E	2	c
.....	2 p.	29.98	761.4	70	...	E	2	p	6 a.	30.00	761.9	68	...	S E	0	o
.....	4 p.	29.88	759	82	70	S E	4	c	10 a.	29.96	761	79	76	W	1	b
.....	2 p.	29.87	758.8	86	...	N E	2	o	6 a.	29.90	759.5	75	...	N E	2	b
.....	3 p.	...	...	...	...	N E	2	b	9 a.	...	...	...	...	N E	3	...
.....	,,	29.81	757.2	84	...	N E	1	c	,,	29.91	759.7	80	...	E	1	b
.....	,,	29.82	757.4	87	...	...	0	c	,,	29.93	760.2	83	...	N	1	c
.....	,,	29.84	757.9	85	...	...	...	...	,,	29.89	759.2	84	...	...	...	...

On the 17th at 12.10 p.—The depression lying to the North of Hokkaido yesterday, is moving away over the sea.

The barometer has risen considerably at the Bonins the other depression having passed away Eastwards.
The anticyclonic area still lies over the continent to the North of the Yangtze valley, but pressure is inclined to weak over N. China.
Fresh to strong monsoon will continue to prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N. and N.E. winds, fresh; fair, cloudy.
Formosa Channel, ...	N.E.. winds, fresh.
S. coast of China between Hongkong and Lamocks,.	Same as No. 1.
N. coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 17th January, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	17th January, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	18th January, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostook,	2 p.	30.26	768.5	1	...	N E	0	b	7 a.	30.29	769.4	1	56	N E
Nemuro,	,,	29.69	754.1	...	...	W N W	5	...	6 a.	29.59	751.6	...	...	N W
Hakodate,	,,	29.95	760.7	...	...	W	5	...	,,	29.97	761.2	...	...	N W
Tokio,	,,	30.08	764.1	...	...	N	1	...	,,	30.20	767.1	...	...	N W
Kochi,	,,	30.17	766.3	...	...	S S E	1	...	,,	30.25	768.3	...	...	S W
Nagasaki,	,,	30.25	768.3	...	...	N N W	1	...	,,	30.27	768.8	...	...	...
Kagoshima,	,,	30.21	767.4	...	...	N N W	1	...	,,	30.19	766.9	...	...	...
Oshima,	,,	30.20	767.1	...	...	N	3	...	,,	30.16	766.1	...	...	...
Naha,	,,	30.13	765.2	...	...	E N E	4	...	,,	...	...	...	...	E N E
Ishigakijima,	,,	30.05	763.3	...	...	E	4	...	,,	30.03	762.8	...	...	N E
Bonin Is.	,,	30.10	764.6	...	...	N	1	...	,,	30.16	766.1	...	...	N E
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.38	771.6	30	77	W N W	2	o	9 a.	30.42	772.6	31	57	N N W
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Shanghai,	,,	30.32	770.1	41	66	N E	1	o	9 a.	30.42	772.6	38	81	N N W
Gutzlaff,	,,	30.35	770.9	42	75	N	3	ov	,,	30.43	772.9	41	83	N
Sharp Peak,	,,	30.19	766.8	47	93	N	1	or	,,	30.29	769.3	51	93	N
Amoy,	,,	30.06	763.5	59	65	S S W	1	c	6 a.	30.08	764.0	52	79	N E
Swatow,	,,	30.09	764.3	60	65	E	2	c	,,	30.18	766.6	51	86	N
Taihoku,	1 p.	30.08	764.1	...	...	E	6	...	5 a.	30.15	765.8	...	...	S E
Taichu,	,,	30.06	763.5	...	...	N W	2	...	,,	30.08	764.0	...	...	...
Tainan,	,,	30.04	763.1	...	...	N W	6	...	,,	30.15	765.8	...	...	S E
Koshun	,,	30.06	763.4	...	...	N	4	...	,,	30.06	763.6	...	...	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Canton,	3 p.	30.17	766.3	60	79	N	2	c	9 a.	30.28	769.1	46	92	N
Hongkong,	4 p.	30.13	765.3	57	71	W N W	1	o	10 a.	30.23	767.8	55	74	W
Victoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	N N W
Gap Rock,	,,	30.09	764.3	...	...	N N E	4	...	,,	30.20	767.1	...	...	N N W
Macao,	,,	30.16	766.0	51	...	N N W	1	o	,,	30.26	768.6	48	...	N W
Wuchow,	3 p.	30.23	767.8	52	67	E	2	o	9 a.	30.36	771.1	48	...	N
Hoihow,	,,	30.24	768.1	57	94	N E	2	o	,,	...	...	...	...	...
Pakhoi,	,,	30.24	768.1	60	68	N	4	o	,,	...	...	...	...	...
Phulien,	4 p.	30.13	765.2	57	...	W N W	0	o	8 a.	30.26	768.6	52	...	N N W
Tourane,	,,	30.04	763.0	63	...	N W	5	dh	,,	30.12	765.0	64	..	N W
Cape St. James,	,,	29.89	759.1	79	...	N E	6	c	,,	29.99	761.8	73	...	N E
Aparri,	2 p.	29.95	760.7	75	...	S E	2	o	6 a.	29.99	761.7	72	...	E
Manila,	4 p.	29.84	758	84	64	W S W	1	b	10 a.	30.00	762	82	70	N N E
Legaspi,	2 p.	29.86	758.5	86	...	E	2	b	6 a.	29.93	760.3	72	...	...
Bacolod,	3 p.	...	...	...	...	N E	1	b	9 a.	...	...	...	...	N E
Iloilo,	,,	29.81	757.2	85	...	N E	1	b	,,	29.93	760.2	80	...	N E
Cebu,	,,	29.83	757.7	86	...	N	2	b	,,	29.93	760.2	84	...	N
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	29.92	759.9	83	...	...

On the 18th at 11.55 a.—The depression is still shown over the Pacific to the N.E. of Hokkaido.

The barometer has fallen over the Loochoos, and a depression appears to be developing to the Southward group.

The anticyclonic area remains over the continent to the North of the Yangtze valley.

Fresh to strong monsoon will continue to prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. HIGG
Director.

Hongkong Observatory, Wednesday, 18th January, 1911.

[Printed by NORONHA & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

18TH JANUARY, 1911, P.M.

	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...ck,...	2 p.	30.24	768.0	9	...	N N E	0	b
.....	,,	29.83	757.6	...	...	W	2	...
.....	,,	30.05	763.2	...	...	N W	3	...
.....	,,	30.12	765.1	...	...	N	1	...
.....	,,	30.13	765.3	...	...	...	0	...
.....	,,	30.17	766.3	...	...	...	0	...
.....	,,	30.15	765.9	...	...	...	1	...
.....	,,	30.04	763.1	...	...	S E	1	...
.....	,,	29.99	761.7	...	...	S W	1	...
...ma,...	,,	30.05	763.3	...	...	N	1	...
.....	,,	30.16	766.1	...	...	E	1	...
.....	4 p.	...	...	...	...	...	...	...
...l,.....	,,	30.37	771.4	50	72	N N W	6	c
.....	,,	...	...	...	...	...	...	...
.....	,,	30.44	773.2	41	66	N E	1	o
.....	,,	30.34	770.6	41	57	N	1	o
.....	,,	30.38	771.6	41	74	N	4	ov
...k,.....	,,	30.23	767.8	51	93	N	1	o
.....	,,	30.09	764.3	59	75	N E	2	c
.....	,,	30.09	764.3	66	59	N	1	c
.....	1 p.	30.14	765.5	...	...	S E	2	...
.....	,,	30.07	763.9	...	...	N	6	...
.....	,,	30.07	763.7	...	...	N	8	...
.....	,,	30.04	762.9	...	...	N W	2	...
...s,.....	,,	...	...	...	...	...	...	...
.....	3 p.	30.19	766.8	52	73	N	2	o
...g,.....	4 p.	30.13	766.3	58	65	N	1	o
Peak,...	,,	...	...	...	...	N W	4	...
...k,.....	,,	30.10	764.5	...	...	N	5	...
.....	,,	...	...	...	...	...	...	...
.....	3 p.	30.26	768.6	55	...	N E	2	o
.....	,,	30.18	766.6	56	...	N	2	o
.....	,,	30.26	768.6	52	73	N	2	o
.....	4 p.	30.16	766.0	57	...	S W	1	o
.....	,,	30.04	763.1	66	...	N W	4	o
James,.	,,	29.91	759.7	79	...	N E	3	c
.....	2 p.	29.94	760.4	82	...	N	2	p
.....	4 p.	29.84	758	85	59	S W	1	b
.....	2 p.	29.88	758.9	86	...	S E	2	b
.....	3 p.	...	...	...	...	N E	2	o
.....	,,	29.83	757.7	85	...	E	2	c
.....	,,	29.85	758.2	86	...	N	1	c
.....	,,	29.79	756.6	86	...	...	...	...

19TH JANUARY, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.25	768.4	--8	86	...	0	b
6 a.	29.99	761.6	...	...	W N W	5	...
,,	30.09	764.2	...	...	W N W	3	...
,,	30.14	765.6	...	...	N W	1	...
,,	30.09	764.3	...	...	S W	1	...
,,	30.13	765.3	...	...	...	0	...
,,	30.12	764.9	...	...	N N E	1	...
,,	30.04	763.1	...	...	N N W	4	...
,,	30.05	763.2	...	...	N	4	...
,,	30.09	764.3	...	...	N N E	3	...
,,	30.08	764.1	...	...	...	0	...
6 a.	...	...	...	...	...	...	...
9 a.	30.39	771.9	32	73	N N W	4	c
6 a.	...	...	...	...	...	...	..
,,	30.51	774.9	35	80	N W	2	o
9 a.	30.45	773.4	33	90	N W	2	s
,,	30.46	773.7	35	80	N	5	ogr
,,	30.33	770.4	50	85	N	3	o
6 a	30.11	764.8	51	72	N E	3	o
,,	30.20	767.1	50	72	N	3	o
5 a.	30.20	767.1	...	...	S	2	...
,,	30.14	765.5	...	...	N	4	...
,,	30.13	765.3	...	...	N	4	...
,,	30.11	764.7	...	...	N	2	...
,,	...	...	...	...	...	...	...
9 a.	30.36	771.1	46	77	N N E	2	o
10 a.	30.28	769.1	50	55	N	1	o
,,	...	...	...	...	N E	5	...
,,	30.25	768.3	...	...	N N E	5	...
,,	...	...	...	...	...	...	...
9 a.	30.45	773.4	47	...	N	2	o
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.36	771.0	52	...	N N E	3	o
,,	30.17	766.2	63	..	N W	4	dh
,,	30.00	761.9	73	...	N E	2	c
6 a.	30.02	762.4	79	...	W	0	p
10 a.	29.96	761	81	76	N E	1	o
6 a.	29.90	759.5	73	...	...	0	o
9 a.	...	...	...	...	N E	3	c
,,	29.93	760.2	81	...	N E	1	c
,,	29.93	760.2	85	...	N	2	c
,,	29.92	759.9	83	...	...	...	...

...the 13th at 12.05 p.—The barometer has risen considerably in N.E. Japan, and fallen moderately over S. ...and the Bonins.

...depression lying off Hokkaido yesterday, has moved away over the Pacific. The other depression is moving ...ards between the Loochoos and the Bonins.

...he anticyclonic area is central over the continent to the North of the Upper Yangtze valley, and pressure is in...g over S. China.

...trong monsoon will continue to prevail over the China Sea.

...ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...ong and Neighbourhood, ...	N. winds, fresh or strong; dull, cloudy.
...a Channel, ...	N. and N.E. winds, strong.
...coast of China between Hongkong and Lamocks,.	Same as No. 1.
...coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

...gkong Observatory, Thursday, 19th January, 1911.

...d by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	19th January, 1911, P.M.								20th January, 1911, A.M.					
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,	2 p.	30.21	767.3	15	...	...	0	b	7 a.	30.04	763.0	19	73	E S E
Nemuro,	,,	29.94	760.6	...	...	N W	4	...	6 a.	30.14	765.6	...	...	N
Hakodate,	,,	30.11	764.7	...	...	W N W	5	...	,,	30.19	766.7	...	...	...
Tokio,	,,	30.04	763.1	...	...	N N W	1	...	,,	30.06	763.6	...	...	N N W
Kochi,	,,	30.01	762.3	...	...	..	0	...	,,	30.05	763.3	...	...	N
Nagasaki,	,,	30.07	763.8	...	...	N N W	1	...	,,	30.11	764.8	...	...	...
Kagoshima,	,,	30.04	762.9	...	...	W	1	...	,,	30.08	763.9	...	...	N
Oshima,	,,	...	...	...	...	...	...	...	,,	30.12	765.1	...	...	N W
Naha,	,,	...	...	...	...	...	..	...	,,	30.13	765.2	...	...	N
Ishigakijima,	,,	...	...	...	...	..	...	...	,,	30.13	765.3	...	...	N N E
Bonin Is.	,,	29.96	761.1	...	...	...	0	...	,,	29.95	760.6	...	...	S W
Chefoo	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.31	769.9	34	69	N N W	3	o	9 a.	30.25	763.3	34	69	W S W
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kinkiang,	,,	30.36	771.1	39	64	N W	1	o	,,	30.38	771.6	28	65	...
Shanghai,	,,	30.37	771.4	37	53	N W	2	c	9 a.	30.38	771.6	34	...	N W
Gutzlaff,	,,	30.38	771.6	38	63	N	6	cv	,,	30.44	773.2	34	90	N N W
Sharp Peak,	,,	30.22	767.6	55	87	E N E	2	o	,,	30.32	770.1	49	85	N
Amoy,	,,	30.14	765.5	53	67	E	2	o	6 a.	30.17	766.3	47	63	E
Swatow,	,,	30.17	766.3	53	80	N	1	o	,,	30.19	766.8	48	78	N
Taiboku,	1 p.	30.22	767.7	...	...	N W	4	...	5 a	30.22	767.6	...	...	...
Taichu,	,,	30.13	765.3	...	...	N	8	...	,,	30.14	765.5	...	...	N
Tainan,	,,	30.13	765.4	...	...	N	8	...	,,	30.16	766.1	...	...	N
Koshun	,,	30.09	764.3	...	...	N	6	...	,,	30.11	764.7	...	...	N
Pescadores,	,,	...	...	...	...	...	..	...	,,	..	...	...	...	...
Canton,	3 p.	30.26	768.6	47	70	N	2	o	9 a.	30.28	769.1	45	68	N
Hongkong,	4 p.	30.21	767.3	49	51	N	2	o	10 a.	30.25	768.3	52	54	N
Victoria Peak,	,,	...	...	...	...	N	4	...	,,	...	...	...	...	N E
Gap Rock,	,,	30.17	766.3	...	...	N	5	...	,,	30.22	767.6	...	...	N N E
Macao,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...
Wuchow,	3 p.	30.34	770.6	51	...	N	2	o	9 a.	30.55	770.9	47	63	N
Hoihow,	,,	30.24	768.1	53	93	N N E	2	o	,,	...	...	...	...	...
Pakhoi,	,,	30.28	769.1	53	48	N	1	c	,,	...	...	...	...	...
Phulien,	4 p.	30.21	767.4	57	...	N N W	1	o	8 a.	30.28	769.0	52	...	N E
Fourane,	,,	30.11	764.7	61	...	N W	5	o	,,	30.12	765.0	63	..	N W
Cape St. James,	,,	29.91	759.8	79	...	E N E	5	c	,,	29.97	761.2	73	...	N E
Aparri,	2 p.	29.99	761.7	75	...	N W	2	c	6 a.	30.01	762.3	68	...	N E
Manila,	4 p.	29.88	759	84	64	W S W	1	b	10 a.	30.00	762	79	76	N
Legaspi,	2 p.	29.90	759.4	84	...	N E	2	o	6 a.	29.91	759.8	77	...	N
Bacolod,	3 p.	...	...	...	...	N E	2	...	9 a.	...	...	...	...	N E
Iloilo,	,,	29.83	757.7	85	...	N E	2	b	,,	29.93	760.3	80	...	N E
Cebu,	,,	29.85	758.2	86	...	N	2	b	,,	29.94	760.5	82	...	N E
Labuan,	,,	29.82	757.4	81	...	...	...	...	,,	29.92	759.9	84	...	...

On the 20th at 11.40 a.—The barometer has risen slightly over the Loochoos and fallen moderately at the
The depression over the Pacific is moving Eastwards to the North of the latter area.
Pressure has given way over China, particularly in the North, a depression having appeared over Manchu
The high pressure area remains over the Upper Yangtze valley.
Fresh to strong monsoon will continue to prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. and N.E. winds, moderate; fair, cloudy.
2.—Formosa Channel, ...	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 20th January 1911.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

20TH JANUARY, 1911, P.M.

	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ck,...	2 p.	29.97	761.3	30	...	S E	1	o
.....	,,	30.18	766.6	...	...	N	1	...
.....	,,	30.19	766.7	...	...	..	0	...
.....	,,	30.08	764.1	...	...	N N W	2	...
.....	,,	30.05	763.3	...	...	W	1	...
.....	,,	30.13	765.3	...	...	S W	1	...
.....	,,	30.11	764.9	...	...	W N W	1	...
.....	,,	30.12	765.1	...	...	N	2	...
.....	,,	30.15	765.7	...	...	N	3	...
.....	,,	30.13	765.3	...	...	N E	4	...
.....	,,	29.96	761.1	...	...	W	3	...
.....	4 p.	...	...	...	...	...	...	...
.....	,,	30.15	765.8	39	64	S W	1	c
.....	,,	...	...	...	...	...	...	...
.....	,,	30.24	768.1	47	85	..	0	b
.....	,,	30.25	768.3	42	34	S S W	1	b
.....	,,	30.34	770.6	39	82	N E	1	om
.....	,,	30.22	767.6	50	...	E N E	1	c
.....	,,	30.12	765.0	57	46	E	2	b
.....	,,	30.14	765.5	53	61	N E	1	o
.....	1 p.	30.20	767.2	...	...	W	2	...
.....	,,	30.17	766.3	...	...	N	2	...
.....	,,	30.15	765.7	...	...	N	6	...
.....	,,	30.11	764.8	...	...	N	6	...
.....	,,	...	...	...	...	...	...	...
.....	3 p.	30.16	766.0	52	53	N	1	b
.....	4 p.	30.15	765.8	53	58	E	1	o
ak,...	,,	...	...	...	...	E	1	...
.....	,,	30.12	765.0	...	...	N E	4	...
.....	,,	30.17	766.4	50	...	N	1	o
.....	3 p.	30.21	767.3	53	54	N	2	c
.....	,,	30.17	766.3	55	94	N E	3	o
.....	,,	30.17	766.3	55	62	..	0	0
.....	4 p.	30.13	765.3	57	...	S S W	1	o
.....	,,	30.07	763.8	64	...	N W	2	c
nes,.	,,	29.92	759.9	73	...	N N E	4	c
.....	2 p.	29.99	761.8	77	...	N	2	c
.....	4 p.	29.92	760	81	76	N E	0	o
.....	2 p.	29.93	760.2	82	...	N E	2	o
.....	3 p.	...	...	...	...	N E	3	o
.....	,,	29.85	758.2	83	...	N E	2	c
.....	,,	29.86	758.4	85	...	N	2	c
.....	,,	29.82	757.4	84	...	...	...	...

21ST JANUARY, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.01	762.1	12	83	...	0	f
6 a.	30.28	769.1	...	...	W N W	1	...
,,	30.25	768.2	...	...	...	0	...
,,	30.26	768.6	...	...	N W	1	...
,,	30.19	766.8	...	...	S W	1	...
,,	30.13	765.3	...	...	S E	5	...
,,	30.15	765.9	...	...	N E	1	...
,,	30.14	765.6	...	...	S	1	...
,,	30.11	764.7	...	...	N E	1	...
,,	30.05	763.3	...	...	N E	3	...
,,	30.10	764.6	...	...	N W	1	...
6 a.	...	...	...	...	...	...	...
9 a.	30.14	765.5	33	85	...	...	om
6 a.	...	...	..	...	...	...	..
,,	30.27	768.8	36	90	...	0	b
9 a	30.26	768.6	37	81	S W	1	b
,,	30.30	769.6	43	92	W S W	1	bm
,,	30.21	767.3	49	...	...	0	c
6 a.	30.11	764.8	51	66	N N E	1	o
,,	30.13	765.3	49	78	N	1	o
5 a.	30.16	766.1	...	...	...	0	...
,,	30.17	766.3	...	...	..	0	...
,,	30.14	765.6	...	...	N	4	...
,,	30.10	764.4	...	...	N	2	...
,,	...	...	...	...	..	...	...
9 a.	30.21	767.3	50	72	N	1	c
10 a.	30.21	767.3	55	73	W	1	o
,,	...	...	...	...	N N W	1	...
,,	30.17	766.3	...	...	N N E	4	...
,,	30.23	767.8	51	...	N	1	o
9 a	30.29	769.3	48	...	...	0	o
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.22	767.5	52	...	E N E	3	o
,,	30.12	764.9	64	..	N W	1	c
,,	...	...	...	...	...	...	...
6 a.	30.01	762.1	66	...	N	0	b
10 a.	30.00	762	81	69	W	0	b
6 a.	29.93	760.3	77	...	E	2	o
9 a.	...	...	...	...	N E	2	o
,,	29.91	759.7	79	...	N E	1	c
,,	29.92	759.9	84	...	N	1	c
,,	29.92	759.9	82	...	...	...	...

he 21st at 11.55 a.—The barometer has risen moderately over E. Japan and the Bonins, and fallen over rticularly in the North.

depression lying in the neighbourhood of the Bonins yesterday, has moved away Eastwards. The other remains over Manchuria.

ure is high over E. Japan, and over the Upper Yangtze valley.

h to moderate monsoon may be expected over the China Sea.

gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

ORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	N. winds, moderate; fair, cloudy.
Channel, ...	N.E. winds, moderate.
coast of China between Hongkong and Lamocks,.	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

gkong Observatory, Saturday, 21st January, 1911.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	21st JANUARY, 1911, P.M.								22nd JANUARY, 1911, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.96	761.0	28	...	N N E	0	c	7 a.	30.11	764.7	-4	75	N	
Nemuro,	,,	30.26	768.6	...	...	S S W	2	...	6 a.	30.10	764.6	...	...	S S E	
Hakodate,	,,	30.19	766.7	...	...	S E	1	...	,,	29.81	757.2	...	...	E	
Tokio,	,,	30.20	767.1	...	...	N W	1	...	,,	30.02	762.6	...	...	...	
Koohi,	,,	30.11	764.8	...	...	..	0	...	,,	30.07	763.8	...	...	S W	
Nagasaki,	,,	30.11	764.8	...	...	N	2	...	,,	30.15	765.8	...	...	...	
Kagoshima,	,,	30.11	764.9	...	...	E S E	1	...	,,	30.17	766.4	...	...	N	
Oshima,	,,	30.14	765.6	...	...	...	0	...	,,	30.15	766.1	...	...	N	
Naha,	,,	30.09	764.2	...	...	N N E	3	...	,,	30.17	766.2	...	...	N	
Ishigakijima,	,,	30.07	763.8	...	...	N	5	...	,,	30.13	765.3	...	...	N N E	
Bonin Is.	,,	30.08	764.1	...	...	N N E	1	...	,,	30.14	765.6	...	...	...	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Weihaiwei,	,,	30.17	766.3	28	76	N	8	csq	9 a.	30.46	773.7	27	52	N N W	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Kiukiang,	,,	30.17	766.3	50	58	N W	1	c	,,	...	...	...	...	...	
Shanghai,	,,	30.19	766.8	50	45	W S W	2	b	9 a.	30.51	774.9	35	62	N	
Gutzlaff,	,,	30.24	768.1	47	77	S W	2	bm	,,	30.51	774.9	39	91	N	
Sharp Peak,	,,	30.14	765.5	53	...	E	1	b	,,	30.36	771.1	51	79	N N E	
Amoy,	,,	30.05	763.2	57	63	S	2	o	6 a.	...	...	...	...	...	
Swatow,	,,	30.05	763.2	59	59	E	1	c	,,	30.17	766.3	53	93	N N E	
Taihoku,	1 p.	30.15	765.8	...	...	...	0	...	5 a	30.25	768.4	...	...	E	
Taichu,	,,	30.11	764.7	...	...	N	2	...	,,	30.13	765.4	...	...	N E	
Tainan,	,,	30.09	764.4	...	...	N	5	...	,,	30.14	765.5	...	...	N	
Koshun	,,	30.06	763.6	...	...	N	6	...	,,	30.08	763.9	...	...	N	
Pescadores,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	
Canton,	3 p.	30.10	764.5	53	67	N	1	c	9 a.	...	...	...	...	...	
Hongkong,	4 p.	30.09	764.3	58	70	W	1	o	10 a.	30.26	768.6	58	61	E N E	
Victoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	E	
Gap Rock,	,,	30.06	763.5	...	...	N	3	...	,,	30.23	768.3	...	...	N E	
Macao,	,,	30.11	764.8	54	...	N E	1	o	,,	30.27	768.8	55	...	N N W	
Wuchow,	8 p.	30.15	765.8	57	...	S W	1	o	9 a.	...	...	...	...	...	
Hoihow,	,,	...	...	58	...	...	2	o	,,	...	...	...	...	...	
Pakhoi,	,,	30.14	765.5	57	75	N	2	o	,,	...	...	...	...	...	
Phulien,	4 p.	30.10	764.5	55	...	N N E	1	o	8 a.	30.27	768.9	54	...	N N W	
Tourane,	,,	30.02	762.4	70	...	N W	2	c	,,	30.13	765.4	64	...	N W	
Cape St. James,	,,	29.90	759.5	79	...	E N E	5	c	,,	29.98	761.5	75	...	N E	
Aparri,	2 p.	29.95	760.8	81	...	N E	2	b	6 a.	29.99	761.8	70	...	N E	
Manila,	4 p.	29.88	759	84	64	S W	1	c	10 a.	30.00	762	81	76	W	
Legaspi,	2 p.	29.88	759.0	75	...	N E	2	c	6 a.	29.93	760.3	72	...	N E	
Bacolod,	3 p.	...	...	...	...	N E	2	cd	9 a.	...	...	...	...	N E	
Iloilo,	,,	29.81	757.2	84	...	N E	1	c	,,	29.91	759.7	80	...	N N E	
Cebu,	,,	29.84	757.9	86	...	N	2	b	,,	29.94	760.5	85	...	...	
Labuan,	,,	29.83	757.7	88	...	...	...	...	,,	...	...	...	...	...	

On the 22nd at 11.45 a.—The barometer has fallen quickly in E. Japan, and risen considerably over N.

The depression lying over E. Manchuria yesterday, has reached the Eastern part of the Sea of Japan.

The anticyclonic area is lying over the continent to the North of the Yangtze valley.

The monsoon will increase in strength over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh to strong; fair, cloudy.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Sunday, 22nd January, 1911.

[Printed by NORONHA & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

	22ND JANUARY, 1911, P.M.								23RD JANUARY, 1911, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
k,...	2 p.	30.16	766.1	4	...	N	2	b	7 a.	30.30	769.5	--9	49	N E	1	b
.....	,,	29.77	766.1	...	...	S S E	5	...	6 a.	29.75	755.6	...	...	...	0	...
.....	,,	29.75	755.7	...	...	W S W	4	...	,,	29.77	756.2	...	...	W N W	5	...
.....	,,	29.81	757.1	...	...	N	1	...	,,	29.95	760.6	...	...	N W	1	...
.....	,,	30.05	763.3	...	...	S W	1	...	,,	30.19	766.3	...	...	S S W	1	...
.....	,,	30.21	767.3	...	...	N	4	...	,,	30.31	769.3	...	...	...	0	...
.....	,,	30.17	766.4	...	...	N W	5	...	,,	30.27	768.9	...	...	N	1	...
.....	,,	30.16	766.1	...	...	N	4	...	,,	30.20	767.1	...	...	N E	3	...
.....	,,	...	...	...	...	...	0	...	,,	30.21	767.2	...	...	N N E	3	...
.....	,,	...	...	...	...	...	0	...	,,	30.15	765.8	...	...	N E	4	...
.....	,,	30.06	763.6	...	...	N N E	1	...	,,	30.02	762.6	...	...	N W	1	...
.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	30.43	772.9	28	88	W N W	7	cs	9 a.	30.52	775.2	23	59	N N E	1	cs
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
.....	,,	30.45	773.4	43	51	N E	2	b	,,	30.42	772.6	32	90	N E	2	b
.....	,,	30.45	773.4	40	48	N	2	c	9 a.	30.44	773.2	36	...	N N E	1	o
.....	,,	30.50	774.7	38	63	N	5	ov	,,	30.46	773.7	41	74	N E	2	ov
.....	,,	30.29	769.3	57	79	E N E	4	c	,,	30.33	770.4	49	...	N	1	c
.....	,,	30.15	765.8	56	40	E N E	5	o	6 a	30.20	767.1	48	63	N E	1	b
.....	,,	30.16	766.0	58	53	N E	2	c	,,	30.17	766.3	47	85	E	2	b
.....	1 p.	30.26	768.7	...	...	E	4	...	5 a	30.25	768.3	...	...	E	2	...
.....	,,	30.13	765.3	...	...	N	6	...	,,	30.17	766.3	...	...	N	6	...
.....	,,	30.13	765.2	...	...	N	6	...	,,	30.12	765.1	...	...	N	6	...
.....	,,	30.09	764.2	...	...	N E	10	...	,,	30.11	764.8	...	...	N E	6	...
.....	,,	...	...	...	...	...	..	...	,,	...	...	...	...	..	...	...
.....	3 p.	30.18	766.6	59	48	N	2	o	9 a.	...	...	...	...	...	...	...
.....	4 p.	30.16	766.0	58	64	E	3	o	10 a.	30.25	768.3	59	59	E	3	c
k,...	,,	...	...	...	...	E N E	3	...	,,	...	...	...	...	E	1	...
.....	,,	30.13	765.3	...	...	N E	5	...	,,	30.21	767.3	...	...	N E	4	...
.....	,,	30.19	766.7	57	...	N	1	o	,,	30.27	768.9	56	...	N N E	1	c
.....	3 p.	30.26	768.6	51	...	N	1	o	9 a.	30.32	770.1	50	79	..	0	b
.....	,,	30.19	766.8	57	...	E N E	4	o	,,	...	...	...	...	...	...	...
.....	,,	30.18	766.6	58	76	N	2	o	,,	...	...	...	...	...	...	...
.....	4 p.	30.17	766.4	61	...	N W	1	o	8 a.	30.23	767.8	57	...	N N W	0	c
.....	,,	30.05	763.3	66	...	N W	1	o	,,	30.12	765.0	66	..	N W	3	or
nes,.	,,	29.91	759.6	79	...	N E	2	c	,,	29.94	760.5	75	...	N E	2	c
.....	2 p.	29.96	761.0	79	...	N E	2	b	6 a.	29.97	761.2	70	...	N E	2	r
.....	4 p.	29.84	758	82	70	...	0	o	10 a.	29.92	760	81	69	S W	1	c
.....	2 p.	29.87	758.8	82	...	N E	2	o	6 a.	29.89	759.1	73	...	N E	2	o
.....	3 p.	...	...	...	...	N E	1	b	9 a.	...	...	...	...	N E	2	c
.....	,,	29.81	757.2	84	...	N E	1	b	,,	29.87	758.7	79	...	N E	1	c
.....	,,	29.84	757.9	85	...	N	1	b	,,	29.89	759.2	83	...	N	1	c
.....	,,	29.79	756.6	86	...	...	...	...	,,	29.90	759.4	82	...	...	...	...

he 23rd at 11.55 a.—The depression lying over N.E. Japan yesterday, is moving into the Pacific.
arometer has risen moderately over W. Japan and Manchuria, and fallen moderately to slightly over S. and at the stations in the South.
nticyclonic area is still central over the continent to the North of the Yangtze valley.
ng monsoon may be expected over the China Sea.

gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

ORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	N.E. winds, fresh; fair.
Channel, ...	Same as No. 1.
oast of China between Hongkong and Lamocks,.	Same as No. 1.
oast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

gkong Observatory, Monday, 23rd January, 1911.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	23rd JANUARY, 1911, P.M.								24th JANUARY, 1911, A.M.					
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,	2 p.	30.26	768.6	2	...	N E	1	b	7 a.	30.18	766.5	--12	78	...
Nemuro,	,,	29.67	753.6	...	...	E	5	...	6 a.	30.02	762.6	...	...	W N W
Hakodate,	,,	29.93	760.2	...	...	W N W	6	...	,,	30.17	766.2	...	...	N
Tokio,	,,	29.94	760.6	...	...	N W	2	...	,,	30.20	767.1	...	...	N N W
Koohi,	,,	30.11	764.8	...	...	N	2	...	,,	30.23	767.8	...	...	N N W
Nagasaki,	,,	30.27	768.8	...	...	N	3	...	,,	30.27	768.8	...	...	...
Kagoshima,	,,	30.19	766.9	...	...	N W	2	...	,,	30.23	767.9	...	...	...
Oshima,	,,	30.14	765.6	...	...	N N E	2	...	,,	30.18	766.6	...	...	S
Naha,	,,	30.09	764.2	...	...	N E	2	...	,,	30.13	765.2	...	...	N E
Ishigakijima,	,,	30.11	764.8	...	...	N	3	...	,,	30.07	763.8	...	...	N E
Bonin Is.	,,	29.98	761.6	...	...	N N E	1	...	,,	30.01	762.1	...	...	N E
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.45	773.4	27	64	N	2	c	9 a.	30.33	770.4	32	79	S W
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kinkiang,	,,	30.28	769.1	48	49	E	2	b	,,	...	...	...	...	...
Shanghai,	,,	30.35	770.9	42	58	N E	1	o	9 a.	30.27	768.8	41	74	E S E
Gutzlaff,	,,	30.39	771.9	44	..	N E	4	cv	,,	30.34	770.6	44	...	E
Sharp Peak,	,,	...	...	50	79	E N E	4	b	,,	30.17	766.3	47	...	W
Amoy,	,,	30.06	763.5	61	44	E N E	4	b	6 a.	30.08	764.0	48	78	N N W
Swatow,	,,	30.11	764.8	59	59	E	1	b	,,	30.09	764.3	44	84	N E
Taihoku,	1 p.	30.21	767.3	...	...	E	4	...	5 a.	30.09	764.3	...	...	E
Taichu,	,,	30.09	764.2	...	...	N	6	...	,,	30.08	764.0	...	...	...
Tainan,	,,	30.10	764.6	...	...	N	8	...	,,	30.06	763.6	...	...	N
Koshun	,,	30.07	763.9	...	...	N E	6	...	,,	30.02	762.5	...	...	N E
Pescadores,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...
Canton,	3 p.	30.12	765.0	60	49	W	1	b	9 a.	30.17	766.3	53	80	E
Hongkong,	4 p.	30.11	764.8	58	59	E	3	b	10 a.	30.17	766.3	61	50	E
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E
Gap Rock,	,,	30.09	764.3	...	...	N E	5	...	,,	30.14	765.5	...	...	E N E
Macao,	,,	30.17	766.3	61	...	S E	1	c	,,	30.19	766.7	57	...	E
Wuchow,	2 p.	30.16	766.0	64	53	..	0	b	9 a.	...	...	...	...	...
Hoihow,	,,	30.13	765.3	62	...	E N E	4	b	,,	...	...	...	...	...
Pakhoi,	,,	30.12	765.0	61	...	S W	0	...	,,	...	...	...	...	...
Phulien,	4 p.	30.08	764.1	66	...	S S E	1	b	8 a.	30.09	764.3	57	...	E N E
Tourane,	,,	30.02	762.4	66	...	W N W	1	c	,,	30.03	762.8	63	..	N W
Cape St. James,	,,	29.83	757.7	75	...	E N E	6	c	,,	29.89	759.3	77	...	N E
Aparri,	2 p.	29.94	760.5	73	...	N E	4	c	6 a.	29.95	760.7	72	...	E
Manila,	4 p.	29.80	757	82	63	...	0	c	10 a.	29.88	759	81	69	S W
Legaspi,	2 p.	29.82	757.4	82	...	N E	4	c	6 a.	29.83	757.7	70	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	b	9 a.	...	...	...	...	N E
Iloilo,	,,	...	...	84	...	E	2	b	,,	29.83	757.7	79	...	N E
Cebu,	,,	29.79	756.6	86	...	N	2	o	,,	29.84	757.9	84	...	N
Labuan,	,,	29.74	755.4	83	...	...	...	...	,,	29.85	758.2	82	...	...

On the 24th at 11.55 a.—The barometer has risen considerably in E. Japan, and fallen elsewhere over China.

A depression is probably developing over the Yangtze valley. Pressure is low also over the S. part of the Sea.

The highest pressure is shown over the Yellow Sea.

Fresh or moderate monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh to moderate; fair.
2.—Formosa Channel,	N.E. and E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 24th January, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

	24TH JANUARY, 1911, P.M.								25TH JANUARY, 1911, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
stock....	2 p.	30.09	764.2	7	...	S W	0	b	7 a.	30.04	763.0	--1	86	...	0	o
.....	,,	30.06	763.6	...	...	W N W	1	...	6 a.	30.12	765.1	...	...	W N W	2	...
e,.....	,,	30.16	766.7	...	...	W	3	...	,,	30.01	762.2	...	...	S	3	...
.....	,,	30.16	766.1	...	...	N E	1	...	,,	30.13	765.6	...	...	N	1	...
.....	,,	30.13	765.3	...	...	S E	1	...	,,	30.21	767.3	...	...	S W	1	...
i,.....	,,	30.21	767.3	...	...	N	1	...	,,	30.25	768.3	...	...	...	0	...
ma,.....	,,	30.11	764.9	...	...	N W	1	...	,,	30.23	767.9	...	...	N E	1	...
.....	,,	30.10	764.6	...	...	N N E	1	...	,,	30.16	766.1	...	...	S W	1	...
.....	,,	30.05	763.2	...	...	E N E	2	...	,,	30.11	764.7	...	...	N E	1	...
jima,....	,,	30.03	762.8	...	...	E	3	...	,,	30.05	763.3	...	...	E	3	...
.....	,,	30.00	762.1	...	...	N	1	...	,,	30.08	764.1	...	...	N	1	...
.....	4 p.	30.23	767.8	36	...	W	1	b	6 a.	...	...	...	...	...	...	...
.....	,,	30.25	768.3	40	82	S W	1	b	9 a.	30.18	766.6	34	99	S S W	1	om
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	30.21	767.3	45	68	...	0	o	,,	30.11	764.8	38	91	N E	2	o
.....	,,	30.19	766.8	50	51	S S E	2	o	9 a.	30.21	767.3	46	77	S E	2	b
.....	,,	30.24	768.1	47	85	S E	3	cv	,,	30.26	768.6	48	85	S E	4	bv
.....	,,	30.14	765.5	50	...	N	1	b	,,	30.17	766.3	57	...	W	1	b
.....	,,	29.96	760.7	59	76	S E	3	b	6 a.	30.05	763.2	52	79	...	0	b
.....	,,	30.01	762.2	62	56	E	1	b	,,	30.04	763.0	49	...	N E	1	b
.....	1 p.	30.06	763.4	...	...	E	6	...	5 a.	30.03	764.1	...	...	E	6	...
.....	,,	30.02	762.4	...	...	N	6	...	,,	30.05	763.2	...	...	...	0	...
.....	,,	30.02	762.6	...	...	N W	6	...	,,	30.04	762.9	...	...	N	2	...
.....	,,	30.02	762.4	...	...	N E	6	...	,,	30.02	762.4	...	...	N E	4	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	3 p.	30.06	763.5	60	65	N	1	b	9 a.	30.10	764.5	55	80	E S E	1	b
g.....	4 p.	30.03	762.7	61	58	E	1	b	10 a.	30.12	765.0	61	57	E	4	b
Peak,...	,,	...	...	...	...	N	1	...	,,	...	...	...	...	E	1	...
k,.....	,,	30.01	762.2	...	...	E N E	3	...	,,	30.07	763.8	...	...	E N E	5	...
.....	,,	30.05	763.2	61	...	S E	1	c	,,	...	...	...	...	...	...	...
.....	8 p.	...	...	63	...	E	2	o	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	30.01	762.2	69	61	S E	2	o	,,	...	...	...	...	...	...	...
.....	4 p.	29.98	761.5	59	...	E N E	2	cr	8 a.	30.02	762.4	61	...	E S E	3	c
.....	,,	29.96	761.1	66	...	N W	1	o	,,	30.01	762.2	63	..	S S W	2	c
James,.	,,	29.82	757.5	79	...	E N E	4	f	,,	29.94	760.4	72	...	N E	3	b
.....	2 p.	29.91	759.8	82	...	N E	2	o	6 a.	29.96	760.9	70	...	E	0	o
.....	4 p.	29.80	757	81	62	N N E	2	o	10 a.	29.92	760	79	76	W S W	1	o
.....	2 p.	29.79	756.6	82	...	E	2	b	6 a.	29.88	758.8	72	...	...	0	b
.....	3 p.	...	...	...	...	N E	2	b	9 a.	...	...	...	...	N E	2	b
.....	,,	29.74	756.4	84	...	N E	1	b	,,	29.87	758.7	80	...	N E	1	c
.....	,,	29.76	755.9	86	...	N	1	b	,,	29.90	759.4	82	...	N	1	o
.....	,,	29.77	756.1	83	...	...	...	...	,,	29.90	759.4	82	...	...	...	...

he 25th at 11.55 a.—The barometer has fallen moderately over the northern shores of the Sea of Japan, a having appeared over that area.

are is low and still giving way over China, particularly in the North. The barometer has risen over the S. China Sea.

e highest pressure is shown over S. Japan and the Yellow Sea.

k or moderate monsoon may be expected over the N. part of the China Sea.

kong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ng and Neighbourhood, ...	E. winds, fresh or moderate; fair.
Channel, ...	Same as No. 1.
oast of China between Hongkong and Lamocks,.	Same as No. 1.
oast of China between Hongkong and Hainan....	Same as No. 1.

F. G. FIGG,
Director.

kong Observatory, Wednesday, 25th January, 1911.

y NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	25th JANUARY, 1911, P.M.								26th JANUARY, 1911, A.					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.
Wladivostock,	2 p.	29.90	759.5	14	...	...	0	s	7 a.	30.26	768.6	1	78	N
Nemuro,	,,	30.08	764.1	...	...	S	3	...	6 a.	29.99	761.6	...	...	S
Hakodate,	,,	30.09	764.2	...	...	N W	2	...	,,	29.97	761.2	...	...	N
Tokio,	,,	30.12	765.1	...	...	...	0	...	,,	30.06	763.6	...	...	N W
Kochi,	,,	30.17	766.3	...	...	E S E	2	...	,,	30.17	766.3	...	...	S W
Nagasaki,	,,	30.21	767.3	...	...	W	3	...	,,	30.21	767.3	...	...	E S E
Kagoshima,	,,	30.17	766.4	...	...	S E	1	...	,,	30.17	766.4	...	...	...
Oshima,	,,	30.14	765.6	...	...	S E	1	...	,,	30.08	764.1	...	...	E
Naha,	,,	30.14	764.7	...	...	E	1	...	,,	30.05	763.2	...	...	...
Ishigakijima,	,,	30.05	763.3	...	...	E	4	...	,,	29.99	761.8	...	...	S S E
Bonin Is.	,,	30.12	765.1	...	...	N	1	...	,,	30.16	766.1	...	...	N
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.13	765.3	38	81	N	2	b	9 a.	30.29	769.3	32	68	N E
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	,,	...	...	43	83	N E	2	o	,,	29.94	760.5	44	92	N E
Shanghai,	,,	30.08	764.0	53	54	S E	4	oq	9 a.	30.02	762.5	50	93	E
Gutzlaff,	,,	30.13	765.3	49	85	S E	5	cv	,,	30.08	764.0	48	93	S E
Sharp Peak,	,,	30.08	764.0	53	...	N E	3	b	,,	29.98	761.5	55	...	...
Amoy,	,,	29.94	760.5	66	49	E S E	3	c	6 a	29.95	760.7	56	87	N E
Swatow,	,,	29.96	761.0	65	63	E	1	c	,,	29.94	760.5	56	100	N E
Taihoku	1 p.	30.05	763.3	...	...	E	8	...	5 a	29.97	761.2	...	...	W
Taichu,	,,	30.02	762.4	...	...	N	6	...	,,	29.98	761.5	...	...	...
Tainan,	,,	30.02	762.4	...	...	N	4	...	,,	29.97	761.2	...	...	N E
Koshun,	,,	30.03	762.8	...	...	N E	6	...	,,	29.95	760.6	...	...	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Canton,	3 p.	29.95	760.7	66	59	S	1	b	9 a.	29.96	761.0	60	76	E S E
Hongkong,	4 p.	29.97	761.2	61	76	E	4	c	10 a.	29.97	761.2	62	77	E
Victoria Peak,	,,	...	...	...	...	E	6	...	,,	...	...	...	...	S E
Gap Rock,	,,	29.93	760.2	...	...	E	6	...	,,	29.94	760.5	...	...	E
Macao,	,,	29.97	761.2	63	...	S E	2	c	,,	29.98	761.5	60	...	S E
Wuchow,	3 p.	29.89	759.2	71	53	E	2	c	9 a.	29.95	760.7	60	82	E
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Phulien,	4 p.	29.85	758.1	66	...	S E	5	c	8 a.	29.87	758.6	66	...	S S E
Tourane,	,,	29.87	758.8	72	...	S	2	b	,,	...	...	...	...	...
Cape St. James,	,,	29.82	757.5	75	...	E N E	4	c	,,	29.92	760.0	73	...	N E
Aparri,	2 p.	29.94	760.4	75	...	E	2	o	6 a.	29.91	759.7	70	...	E
Manila,	4 p.	29.84	758	81	70	...	0	o	10 a.	29.88	759	81	76	W N W
Legaspi,	2 p.	29.82	757.4	86	...	E	2	b	6 a.	29.86	758.3	75	...	N E
Bacolod,	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	N E
Iloilo,	,,	29.75	755.6	85	...	N E	...	...	,,	29.83	757.7	80	...	N E
Cebu,	,,	29.79	756.6	85	...	N	2	b	,,	29.86	758.4	84	...	N
Labuan,	,,	29.74	755.4	86	...	...	...	...	,,	29.85	758.2	82	...	...

On the 26th at 11.55 a.—The barometer has fallen considerably over S. China and Tongking, and ris amount on the N.E. coast of China and at Wladiwostok.

A depression lies over S. China. It extends from Tongking to the Lower Yangtze valley.

The depression lying over the northern shores of the Sea of Japan yesterday, is passing to the Pacif North of Hokkaido.

High pressure now covers Manchuria.

Light monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and S.E. winds, fresh or moderate ; clo
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. Fi
Director.

Hongkong Observatory, Thursday, 26th January, 1911.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

26TH JANUARY, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.31	769.8	12	...	N E	2	b
,,	29.94	760.6	...	...	N	4	...
,,	30.01	762.2	...	...	N	3	...
,,	30.00	762.1	...	...	N N W	1	...
,,	30.07	763.8	...	...	S	1	...
,,	30.11	764.8	...	...	N E	1	...
,,	30.09	764.4	...	...	...	0	...
,,	30.02	762.6	...	...	...	0	...
,,	29.99	761.7	...	...	S S E	2	...
,,	29.95	760.8	...	...	S	2	...
,,	30.12	765.1	...	...	S	1	...
4 p.	...	...	...	...	...	...	...
,,	30.26	768.6	31	85	N	3	o
,,	...	...	...	...	...	...	...
,,	29.97	761.2	43	100	N W	2	or
,,	29.91	759.7	51	93	E	1	or
,,	29.99	761.7	49	100	S E	5	odf
,,	...	...	56	...	..	0	b
,,	29.84	757.9	68	65	S	3	c
,,	29.87	758.7	60	88	..	0	o
1 p.	29.89	759.2	...	...	N W	2	...
,,	29.89	759.1	...	...	N	4	...
,,	29.94	760.4	...	...	W	6	...
,,	29.92	760.0	...	...	E	6	...
,,	...	...	...	...	...	..	...
3 p.	29.84	757.9	65	78	E	1	c
4 p.	29.86	758.4	62	85	E	4	o
,,	...	...	...	...	S E	2	...
,,	29.84	757.9	...	...	N E	4	...
,,	29.88	758.9	62	...	S E	1	c
3 p.	29.81	757.2	69	...	E	3	o
,,	29.80	756.9	73	...	S S E	1	b
,,	...	...	...	...	...	...	...
4 p.	29.73	755.2	68	...	S E	5	c
,,	29.77	756.1	77	...	S S W	1	b
,,	29.82	757.5	77	...	S E	1	c
2 p.	29.85	758.2	81	...	E	2	b
4 p.	29.76	756	86	65	S	1	c
2 p.	29.80	757.0	84	...	N E	2	c
3 p.	...	...	...	...	N E	2	b
,,	29.77	756.1	85	...	N E	1	b
,,	29.79	756.6	86	...	N	1	b
,,	29.74	755.4	86	...	...	...	...

27TH JANUARY, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	...	...	5	64	N E	2	b
6 a.	30.08	764.1	...	...	N W	6	...
,,	30.19	766.7	...	...	N W	2	...
,,	30.18	766.6	...	...	N N W	1	...
,,	30.13	765.3	...	...	S W	1	...
,,	30.01	762.3	...	...	N E	2	...
,,	30.04	762.9	...	...	E	3	...
,,	29.95	760.6	...	...	S	1	...
,,	29.91	759.7	...	...	...	0	...
,,	29.86	758.3	...	...	N W	2	...
,,	30.12	765.1	...	...	...	0	...
6 a.	...	...	...	...	...	...	...
9 a.	30.20	767.1	34	100	N	1	os
6 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
9 a.	29.97	761.2	45	100	W N W	3	omd
,,	30.03	762.7	45	100	N W	4	fd
,,	29.88	758.9	57	100	...	0	f
6 a	...	...	57	87	...	0	b
,,	29.91	759.7	58	100	...	0	o
5 a.	29.87	758.6	...	...	...	0	...
,,	29.89	759.1	...	...	...	0	...
,,	29.87	758.7	...	...	N	2	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
9 a.	29.88	758.9	64	89	S E	1	o
10 a.	29.92	759.9	65	89	E	3	c
,,	...	...	...	...	S E	2	...
,,	29.91	759.7	...	...	E N E	3	...
,,	...	...	64	...	S E	1	o
9 a.	29.91	759.7	63	...	N E	1	or
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.83	757.7	66	...	E S E	3	c
,,	...	...	...	..	...	...	...
,,	29.95	760.6	73	...	E S E	1	o
6 a.	...	...	...	...	...	...	...
10 a.	29.88	759	81	75	...	0	b
6 a.	29.83	757.7	70	...	...	0	b
9 a.	...	...	...	...	N E	1	b
,,	29.85	758.2	81	...	E	1	b
,,	29.86	758.4	85	...	...	0	c
,,	...	...	...	...	...	...	...

e 27th at 12.10 p.—The barometer has fallen moderately over the China coast, W. Japan and the Loochoos, considerably in E. Japan.

ression, which developed in the low pressure covering S. China, has moved into the Eastern Sea.

re remains high over Manchuria and probably it is increasing quickly over Central China. The monsoon again set in strongly along the coast.

kong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
g and Neighbourhood, ...	Light variable winds, probably freshening later from N. and N.E.; unsettled and squally, probably [some rain.
Channel, ...	Same as No. 1.
ast of China between Hongkong and Lamocks,.	Same as No. 1.
ast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

kong Observatory, Friday, 27th January, 1911.

y NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	27th JANUARY, 1911, P.M.								28th JANUARY, 1911, A.M					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.
Wladivostock,	2 p.	30.28	769.2	19	...	...	0	b	7 a.	30.23	767.8	8	68	...
Nemuro,	,,	30.14	765.6	...	...	N W	6	...	6 a.	30.18	766.6	...	...	N W
Hakodate,	,,	30.24	768.2	...	...	N	3	...	,,	30.26	768.7	...	...	...
Tokio,	,,	30.16	766.1	...	...	E N E	1	...	,,	30.22	767.6	...	...	N W
Kochi,	,,	30.09	764.3	...	...	...	0	...	,,	29.93	760.3	...	...	S W
Nagasaki,	,,	29.93	760.3	...	...	N E	4	...	,,	29.88	758.8	...	...	...
Kagoshima,	,,	29.96	760.9	...	...	E	6	...	,,	29.86	758.4	...	...	E
Oshima,	,,	29.85	758.1	...	...	S	4	...	,,	29.83	757.6	...	...	N W
Naha,	,,	29.85	758.2	...	...	S S E	1	...	,,	29.85	758.2	...	...	S
Ishigakijima,	,,	29.82	757.3	...	...	E S E	1	...	,,	29.82	757.3	...	...	N
Bonin Is.	,,	30.04	763.1	...	...	...	0	...	,,	30.01	762.1	...	...	E S E
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.15	766.8	33	100	N E	4	or	9 a.	30.19	766.8	39	73	N
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Shanghai,	,,	29.93	760.2	...	...	W N W	4	omq	9 a	30.09	764.3	40	100	N N W
Gutzlaff,	,,	29.99	761.7	44	92	N W	6	om	,,	30.13	765.3	42	92	N W
Sharp Peak,	,,	...	...	60	...	E	1	b	,,	30.06	763.5	57	87	N E
Amoy,	,,	...	...	70	70	N W	1	b	6 a	...	...	59	94	...
Swatow,	,,	29.80	756.9	65	84	E	1	c	,,	29.82	757.4	58	...	N E
Taihoku,	1 p.	29.84	758.0	...	...	N	4	...	5 a.	29.87	758.6	...	...	...
Taichu,	,,	29.83	757.7	...	...	N	2	...	,,	29.86	758.4	...	...	...
Tainan,	,,	29.85	758.3	...	...	W	2	...	,,	29.84	758.0	...	...	N
Koshun,	,,	29.83	757.7	...	...	N	4	...	,,	29.85	758.1	...	...	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Canton,	3 p.	29.78	756.4	67	96	S E	1	o	9 a.	29.89	759.2	58	88	N
Hongkong,	4 p.	29.80	756.9	64	84	E	3	c	10 a.	29.92	759.9	65	86	E
Victoria Peak,	,,	...	...	...	...	S W	1	...	,,	...	...	...	...	E S E
Gap Rock,	,,	29.78	756.4	...	...	E N E	4	...	,,	29.87	758.7	...	...	E
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Wuchow,	3 p.	...	...	69	76	N E	2	o	9 a.	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi,	,,	29.77	756.1	72	...	N	2	b	,,	...	...	...	...	...
Phulien,	4 p.	29.69	754.1	72	...	S E	4	b	8 a.	29.78	756.5	64	...	E N E
Tourane,	,,	29.72	754.8	81	...	S S W	1	b	,,	29.77	756.2	61	..	S S W
Cape St. James,	,,	29.77	756.2	84	...	S W	1	c	,,	29.87	758.7	75	...	S
Aparri,	2 p.	29.81	757.1	84	...	E	0	b	6 a.	29.83	757.6	70	...	E
Manila,	4 p.	29.76	756	86	59	S	1	b	10 a.	29.88	759	81	76	W S W
Legaspi,	2 p.	29.78	756.5	84	...	E	2	c	6 a.	29.81	757.1	72	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N E
Iloilo,	,,	29.74	755.4	86	...	N W	1	c	,,	29.83	757.7	81	...	N E
Cebu,	,,	29.76	755.9	87	...	N	2	b	,,	29.85	758.2	86	...	...
Labuan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...

On the 28th at 12.10 p.—The barometer has fallen considerably over W. Japan, and risen moderately on coast of China.

The depression lying over the Eastern Sea yesterday, is moving Eastwards near the Northern Loochoos. Pressure is high over the Eastern part of the Sea of Japan, and probably it has increased considerably China to the North of the Yangtze valley. It remains in considerable defect of the normal over S. China and king.

The monsoon is expected to freshen over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh to strong, cloudy, prob
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan	Same as No. 1.

F. G. FIG
Director

Hongkong Observatory, Saturday, 28th January, 1911.

[Printed by Noronha & Co., Government Printers.]

INA COAST METEOROLOGICAL REGISTER.

28TH JANUARY, 1911, P.M.								29TH JANUARY, 1911, A.M.							
Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.20	767.1	12	...	N E	4	b	7 a.	30.13	765.3	4	71	S S E	0	b
,,	30.16	766.1	...	...	N W	6	...	6 a.	30.16	766.1	...	...	S W	7	...
,,	30.19	766.7	...	...	...	0	...	,,	30.15	765.7	...	...	...	0	...
,,	30.10	764.6	...	...	N N W	2	...	,,	30.62	762.6	...	...	N N W	2	...
,,	29.85	758.3	...	...	S W	1	...	,,	29.91	759.8	...	...	S W	1	...
,,	29.83	757.8	...	...	...	0	...	,,	29.93	760.3	...	...	E N E	1	...
,,	29.82	757.4	...	...	E	1	...	,,	29.86	758.4	...	...	N	1	...
,,	29.83	757.6	...	...	N W	1	...	,,	29.87	758.6	...	...	N N W	2	...
,,	...	...	...	...	...	...	...	,,	29.91	759.7	...	...	N N W	3	...
,,	29.87	758.8	...	...	N N E	4	...	,,	29.95	760.8	...	...	N N E	3	...
,,	29.89	759.1	...	...	S E	1	...	,,	29.75	755.6	...	...	S W	1	...
4 p.	30.17	766.3	37	...	N	2	b	6 a.	...	...	...	...	...	...	...
,,	30.16	766.0	39	82	N	1	b	9 a.	30.11	764.8	39	73	N E	1	c
,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
,,	30.11	764.8	39	100	N W	2	o	,,	...	...	...	...	...	...	...
,,	30.05	763.2	46	77	N	2	o	9 a.	30.04	763.0	43	100	E	1	om
,,	30.12	765.0	44	92	N	5	ov	,,	30.11	764.8	44	100	E N E	1	f
,,	29.97	761.2	57	88	N	1	o	,,	30.01	762.2	55	94	E	1	o
,,	...	...	62	83	N E	3	o	6 a.	29.92	759.9	58	81	N E	2	o
,,	29.84	757.4	62	...	E	1	b	,,	...	...	...	...	...	...	...
1 p.	29.90	759.5	...	...	E	6	...	5 a	29.94	760.5	...	...	E	6	...
,,	29.86	758.3	...	...	W	2	...	,,	29.92	759.9	...	...	...	0	...
,,	29.89	759.3	...	...	N W	4	...	,,	29.93	760.1	...	...	N	4	...
,,	29.88	759.0	...	...	N W	6	...	,,	29.94	760.5	...	...	N	2	...
,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
3 p.	29.80	756.9	62	83	N	1	c	9 a.	...	...	...	...	...	...	...
4 p.	29.84	757.9	63	88	E	4	o	10 a.	29.95	760.7	60	95	E	4	od
,,	...	...	...	...	S E	5	...	,,	...	...	...	...	E	4	...
,,	29.80	756.9	...	...	E N E	3	...	,,	29.89	759.2	...	...	E	5	...
,,	...	...	64	...	E S E	2	cf	,,	29.89	759.1	63	...	S E	6	cq
3 p.	29.84	757.9	...	...	E	2	o	9 a.	...	...	...	...	...	...	...
,,	29.73	755.1	78	...	S S W	2	b	,,	...	...	...	...	...	...	...
,,	29.75	755.6	77	65	S W	2	b	,,	...	...	...	...	...	...	...
4 p.	29.69	754.0	70	...	S E	5	c	8 a.	29.71	754.6	70	...	S S E	5	or
,,	29.72	754.9	81	...	S	1	b	,,	29.76	755.9	77	..	S S W	3	b
,,	29.77	756.2	81	...	S	2	c	,,	29.86	758.3	77	...	E N E	2	c
2 p.	29.81	757.2	84	...	E	2	b	6 a.	29.37	758.6	73	...	...	0	o
4 p.	29.72	755	90	55	S E	0	b	10 a.	29.88	759	84	71	N N W	1	b
2 p.	29.77	756.2	86	...	S E	2	b	6 a.	29.84	757.9	73	...	...	0	b
3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	...	c
,,	29.75	755.6	86	...	N E	1	...	,,	29.87	758.7	81	...	N E	1	c
,,	29.75	755.6	87	...	N	1	b	,,	29.87	758.7	85	...	...	0	c
,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...

29th at 12.10 p.—The barometer has fallen considerably over S.E. Japan and the Bonins, and risen r S.W. Japan and the Loochoos.

pression lying in the vicinity of the latter area yesterday, is moving Eastwards to the North of the

remains in considerable defect of the normal over China and Tongking with a tendency to give way eas.

ession, which appears to be stationary, covers S.W. China and Tongking.

re is highest over the N. part of the Sea of Japan.

E. and S.E. winds and unsettled weather may be expected over the northern shores of the China Sea.

ong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
g and Neighbourhood, ...	E. winds, strong; squally, some rain.
Channel, ...	N.E. and E. winds, moderate.
ast of China between Hongkong and Lamocks,.	Same as No. 1.
ast of China between Hongkong and Hainan,...	E. and S.E. winds, strong.

F. G. FIGG,
Director.

ong Observatory, Sunday, 29th January, 1911.

y Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	29th JANUARY, 1911, P.M.								30th JANUARY, 1911, A					
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,	2 p.	30.13	765.3	16	...	N N E	1	b	7 a.	30.22	767.6	6	66	N E
Nemuro,	,,	30.08	764.1	...	...	N W	1	...	6 a.	30.12	765.1	...	...	N
Hakodate,	,,	30.07	763.7	...	...	...	0	...	,,	30.15	765.7	...	...	N W
Tokio,	,,	29.98	761.6	...	...	N E	1	...	,,	30.10	764.6	...	...	N W
Kochi,	,,	29.95	760.8	...	...	S S W	1	...	,,	30.05	763.3	...	...	...
Nagasaki,	,,	29.93	760.3	...	...	N E	3	...	,,	29.99	761.8	...	...	N
Kagoshima,	,,	29.92	759.9	...	...	S	1	...	,,	30.00	761.9	...	...	N E
Oshima,	,,	...	...	...	...	N	1	...	,,	29.93	760.1	...	...	S
Naha,	,,	...	...	...	...	W	2	...	,,	29.93	760.2	...	...	...
Ishigakijima,	,,	29.93	760.3	...	...	E N E	3	...	,,	29.89	759.3	...	...	S E
Bonin Is.	,,	29.71	754.6	...	...	N W	1	...	,,	29.89	759.1	...	...	N
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.05	763.2	41	83	E	3	o	9 a.	29.74	755.4	40	100	S E
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Shanghai,	,,	29.89	759.2	53	80	S E	4	c	9 a	29.83	757.7	50	94	N W
Gutzlaff,	,,	29.99	761.7	49	93	S E	4	cm	,,	29.87	758.7	52	100	S S E
Sharp Peak,	,,	29.91	759.7	55	94	N	1	o	,,	29.85	758.2	56	100	...
Amoy,	,,	29.85	758.2	61	77	N E	3	o	6 a	...	...	57	87	...
Swatow,	,,	29.82	757.4	63	78	N E	1	b	,,	...	...	...	...	...
Taihoku,	1 p.	29.91	759.6	...	...	E	8	...	5 a.	29.83	757.6	...	...	S W
Taichu,	,,	29.90	759.5	...	...	N	4	...	,,	29.80	757.0	...	...	...
Tainan,	,,	29.93	760.3	...	...	N W	4	...	,,	29.85	758.1	...	...	E
Koshun,	,,	29.89	759.3	...	...	E	6	...	,,	29.86	758.4	...	...	E
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Canton,	3 p.	29.76	755.9	67	79	S	1	c	9 a.	...	...	...	...	...
Hongkong,	4 p.	29.79	756.6	62	88	E	4	o	10 a.	29.81	757.2	67	95	N
Victoria Peak,	,,	...	...	...	...	E S E	7	...	,,	...	...	...	...	S S W
Gap Rock,	,,	29.75	755.6	...	...	E	5	...	,,	29.78	756.4	...	...	S E
Macao,	,,	29.80	756.9	62	...	S E	3	eq	,,	...	...	64	...	N N W
Wuchow,	8 p.	...	...	75	...	E	3	o	9 a.	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi,	,,	29.66	753.3	74	76	S W	2	b	,,	...	...	...	...	...
Phulien,	4 p.	29.59	751.6	75	...	S S E	5	b	8 a.	29.73	755.0	70	...	S
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Cape St. James,	,,	29.78	756.5	81	...	S E	2	b	,,	29.89	759.3	73	...	N W
Aparri,	2 p.	29.83	757.6	81	...	E	2	b	6 a.	29.85	758.2	72	...	E
Manila,	4 p.	29.76	756	88	59	S E	1	b	10 a.	29.88	759	82	70	N N W
Legaspi,	2 p.	29.80	757.0	86	...	S E	2	b	6 a.	29.86	758.3	75	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N E
Iloilo,	,,	29.75	755.6	85	...	N E	1	b	,,	29.85	758.2	81	...	N E
Cebu,	,,	29.78	756.4	85	...	N	2	b	,,	29.87	758.7	85	...	N
Labuan,	,,	...	...	...	...	...	...	...	,,	...	...	84	...	...

On the 30th at 12.05 p.—The barometer has risen moderately over S. Japan and the Bonins, the depres in the vicinity of the latter area yesterday, having moved away Eastwards.

Pressure has given way considerably in N. China and moderately over S. China.

The depression remains over S.W. China and Tongking, and another one is moving Eastwards over Sha

Pressure is highest over the northern shores of the Sea of Japan.

Strong winds and squally weather may be expected over the whole of the China coast.

N.B.—Manila Observatory reports:—Since Friday 8.10 p.m. frequent shocks Earthquake which still c

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Strong winds probably shifting from the to the Northward; squally, rainy.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIG

Director

Hongkong Observatory, Monday, 30th January, 1911.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

30TH JANUARY, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.18	766.6	14	...	N E	4	o
,,	30.12	765.1	...	...	N	1	...
,,	30.19	766.7	...	...	N W	3	...
,,	30.10	764.6	...	...	S E	1	...
,,	30.03	762.8	...	...	S	1	...
,,	29.99	759.8	...	...	S E	6	...
,,	29.98	761.4	...	...	S E	10	...
,,	29.91	759.6	...	...	S E	1	...
,,	...	...	...	...	...	..	...
,,	29.83	757.8	...	...	S S E	6	...
,,	29.91	759.6	...	...	N E	1	...
4 p.	...	...	...	...	...	...	..
,,	29.53	760.0	41	92	S S W	8	d
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	29.83	757.7	42	83	N W	5	o
,,	29.90	769.4	43	92	N	6	ov
,,	29.77	756.1	56	100	...	0	o
,,	...	...	61	94	W	1	c
,,	...	...	...	...	...	..	...
1 p.	29.80	756.8	...	...	N W	6	...
,,	29.78	756.5	...	...	S	4	...
,,	29.84	757.9	...	...	S	3	...
,,	29.83	757.8	...	...	E	6	...
,,	...	...	...	...	...	..	...
3 p.	...	...	...	...	...	...	...
4 p.	29.73	755.1	67	96	...	0	of
,,	...	...	...	...	S S W	4	...
,,	29.69	754.1	...	...	S W	4	...
,,	29.75	755.6	67	...	E	1	olf
8 p.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
4 p.	29.60	751.9	79	...	S E	3	b
,,	29.67	753.5	84	...	S S E	2	b
,,	29.78	756.4	82	...	S	3	c
2 p.	29.82	757.3	82	...	E	2	b
4 p.	29.76	756	86	65	W N W	1	o
2 p.	29.80	757.0	82	...	...	0	c
3 p.	...	...	...	...	N E	2	b
,,	29.77	756.1	86	...	E	1	c
,,	29.78	756.4	86	...	N	1	b
,,	...	...	87	...	...	...	...

31ST JANUARY, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	29.81	757.1	27	93	S E	5	s
6 a.	30.28	769.1	...	...	N N W	1	...
,,	30.17	766.2	...	...	N E	1	...
,,	30.12	765.1	...	...	N N W	1	...
,,	29.84	757.8	...	...	S E	4	...
,,	29.68	753.8	...	...	S	1	...
,,	29.78	756.4	...	...	S E	2	...
,,	29.83	757.6	...	...	S S W	1	...
,,	29.81	757.2	...	...	S	1	...
,,	29.84	757.8	...	...	N N E	1	...
,,	30.06	763.6	...	...	S E	1	...
6 a.	...	...	...	...	...	...	...
9 a.	29.80	756.9	33	90	W N W	6	bq
6 a.	...	...	..	...	...	...	...
,,	...	...	...	...	...	...	...
9 a.	30.03	762.7	39	73	W N W	2	c
,,	30.10	764.5	41	91	N W	4	ov
,,	29.95	760.7	56	87	N	1	f
6 a.	...	...	58	91	...	0	ov
,,	...	...	...	...	...	...	...
5 a.	29.87	758.7	...	...	...	0	...
,,	29.85	758.1	...	...	N	2	...
,,	29.84	757.8	...	...	...	0	...
,,	29.84	757.9	...	...	...	0	...
,,	...	...	...	...	...	...	...
9 a.	...	...	...	...	...	...	...
10 a.	29.81	757.2	65	95	E	2	o
,,	...	...	...	...	S S W	4	...
,,	29.77	756.1	...	...	S E	3	...
,,	29.81	757.2	68	...	S S E	1	cf
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.68	753.9	70	...	S S E	3	b
,,	29.75	755.7	81	...	S W	1	b
,,	29.86	758.4	77	...	S W	2	c
6 a.	29.86	758.3	72	...	E	0	b
10 a.	29.83	759	81	70	...	0	b
6 a.	29.86	758.4	73	...	...	0	...
9 a.	...	...	...	...	N E	1	c
,,	29.85	758.2	81	...	N E	...	c
,,	29.83	758.9	82	...	...	0	c
,,	29.84	757.9	84	...	...	...	...

the 31st at 11.50 a.—The barometer has risen considerably over the E. and N.E. coasts of China, and fallen in W. Japan and Wladiwostok.

northern depression, which was situated over Shantung yesterday, has reached N. Korea.

southern depression remain over S.W. China and Tongking.

h pressure covers N.E. Japan.

ditions continue very abnormal, and strong winds with unsettled weather are indicated over the whole of the ast.

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.34 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
g and Neighbourhood, ...	E. winds, moderate to strong: squally, drizzling rain or mist.
Channel, ...	N.E. winds, strong.
ast of China between Hongkong and Lamocks,.	Same as No. 1.
ast of China between Hongkong and Hainan....	S.E. and E. winds, strong.

F. G. FIGG,
Director.

ong Observatory, Tuesday, 31st January, 1911.

NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	31st JANUARY, 1911, P.M.								1st FEBRUARY, 1911, A						
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	
Wladivostock,	2 p.	29.54	750.2	29	...	S E	5	s	7 a.	29.61	752.0	22	72	...	s
Nemuro,	,,	30.20	767.1	...	...	S E	1	...	6 a.	29.69	754.1	...	...	S E	
Hakodate,	,,	29.95	760.7	...	...	E S E	8	...	,,	29.54	750.2	...	...	W	
Tokio,	,,	29.94	760.6	...	...	N W	1	...	,,	29.67	753.6	...	...	N W	
Kochi,	,,	29.66	753.3	...	...	S	2	...	,,	29.78	756.3	...	...	S W	
Nagasaki,	,,	29.82	757.3	...	...	N W	5	...	,,	29.82	757.3	...	...	N	
Kagoshima,	,,	29.80	756.9	...	...	N W	3	...	,,	29.84	757.9	...	...	...	
Oshima,	,,	29.87	758.6	...	...	N	3	...	,,	29.81	757.1	...	...	S	
Naha,	,,	29.87	758.7	...	...	N	6	...	,,	29.79	756.7	...	...	S S E	
Ishigakijima,	,,	29.89	759.3	...	...	N E	4	...	,,	29.76	755.8	...	...	S W	
Bonin Is.	,,	30.04	763.1	...	...	S E	1	...	,,	29.97	761.1	...	...	S S E	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Weihaiwei	,,	29.85	758.2	37	81	W	4	b	9 a.	29.93	760.7	37	47	N	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Kiukiang,	,,	29.96	761.0	30	79	N W	1	o	,,	...	...	...	...	...	
Shanghai,	,,	29.95	760.7	42	66	N E	2	o	9 a	30.01	762.2	37	91	N	
Gutzlaff,	,,	30.04	763.0	41	74	N	1	ov	,,	30.07	763.8	40	91	N	
Sharp Peak,	,,	29.90	759.4	56	87	N	0	or	,,	29.85	758.2	55	87	E N E	
Amoy,	,,	29.76	755.9	60	88	...	0	o	6 a.	...	...	56	94	N E	
Swatow,	,,	29.82	757.4	61	88	E S E	1	o	,,	...	...	...	...	...	
Taihoku,	1 p.	29.87	758.7	...	...	E	8	...	5 a	29.79	756.7	...	...	S W	
Taichu,	,,	29.82	757.5	...	...	E	2	...	,,	29.81	757.2	...	...	...	
Tainan,	,,	29.85	758.2	...	...	S W	4	...	,,	29.82	757.3	...	...	S E	
Koshun,	,,	29.85	758.3	...	...	E	4	...	,,	29.88	759.0	...	...	...	
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Canton,	3 p.	29.68	755.9	66	95	...	0	o	9 a.	29.80	756.9	56	87	N	
Hongkong,	4 p.	29.72	754.9	65	94	E N E	1	o	10 a.	29.79	756.6	70	92	N W	
Victoria Peak,	,,	...	...	...	...	S	7	...	,,	...	...	...	...	S W	
Gap Rock,	,,	29.69	754.1	...	...	S E	3	...	,,	29.77	756.1	...	...	S S W	
Macao,	,,	29.72	755.6	66	...	S E	1	of	,,	29.82	757.4	67	...	E S E	
Wuchow,	3 p.	29.73	755.1	59	...	N E	2	o	9 a.	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Phulien,	4 p.	29.60	751.8	84	...	W S W	5	b	8 a.	29.78	756.4	63	...	E S E	
Tourane,	,,	29.64	752.9	84	...	S	3	b	,,	29.77	756.2	79	...	...	
Cape St. James,	,,	29.74	755.4	84	...	S	1	o	,,	...	...	75	...	S W	
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Manila,	4 p.	29.76	756	90	48	E S E	1	b	10 a.	29.88	759	82	70	W N W	
Legaspi,	2 p.	29.82	757.3	84	...	E	2	b	6 a.	29.86	758.3	79	...	E	
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N E	
Iloilo,	,,	29.77	756.1	86	...	N E	1	c	,,	29.87	758.7	81	...	N E	
Cebu,	,,	29.80	756.9	86	...	N	2	b	,,	29.87	758.7	85	...	N	
Labuan,	,,	29.74	755.4	87	...	...	...	...	,,	29.85	758.2	84	...	...	

On the 1st at 11.55 a.—The barometer has fallen rapidly in E. Japan, and risen moderately over S and the N.E. coast of China.

The depression lying over N. Korea yesterday morning, has reached the N.E. part of the Sea of Japan.

The barometer has fallen slightly over the E. coast of China, and risen moderately in Tongking.

The southern depression, which is much elongated, lies over the S. coast of China, the Formosa Chan S. part of the Eastern Sea.

Pressure is highest apparently, over China to the North of the Yangtze valley.

Unsettled squally weather must still be expected over the whole of the China coast.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. to N.W. winds, squally; drizzling
2.—Formosa Channel,	N.E. and variable winds, squally.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. Fig
Director.

Hongkong Observatory, Wednesday, 1st February 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

From,	1st FEBRUARY, 1911, P.M.								2nd FEBRUARY, 1911, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
stook,	2 p.	29.54	750.4	27	...	N N E	0	o	7 a.	29.62	752.3	12	52	...	0	b
,	,,	29.49	749.1	...	...	W N W	1	...	6 a.	29.30	744.1	...	...	N W	1	...
te,	,,	29.63	752.7	...	...	N W	1	...	,,	29.40	746.7	...	...	W	1	...
	,,	29.59	751.6	...	...	...	0	...	,,	29.55	750.6	...	...	...	0	...
	,,	29.66	753.3	...	...	W	1	...	,,	29.82	757.3	...	...	S S W	1	...
ri,	,,	29.78	756.3	...	...	N N W	2	...	,,	29.95	760.8	...	...	N N W	2	...
ima,	,,	29.78	756.4	...	...	...	0	...	,,	29.80	756.9	...	...	...	0	...
,	,,	29.75	755.6	...	...	N N W	2	...	,,	29.89	759.1	...	...	N	4	...
	,,	29.76	755.7	...	...	W S W	2	...	,,	29.89	759.2	...	...	N N E	1	...
ijima,	,,	29.78	756.3	...	...	W	6	...	,,	29.86	758.3	...	...	N E	4	...
s.	,,	29.91	759.6	...	...	S S W	2	...	,,	29.89	759.1	...	...	S S W	1	...
	4 p.	...	...	...	...	...	...	...	6 a	...	...	...	...	...	...	...
wei,	,,	29.91	759.7	37	71	W	8	c	9 a.	30.19	766.8	27	64	N N W	8	c
r,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
g,	,,	30.00	762.0	41	83	N W	1	o	,,	...	...	...	...	...	...	...
ai,	,,	29.96	761.0	41	83	N N E	1	cm	9 a	30.22	767.6	40	82	N	1	om
f,	,,	30.05	763.2	42	83	N	2	ogv	,,	30.26	768.6	41	83	N	4	ogm
'eak,	,,	29.87	758.7	55	94	E	1	or	,,	30.04	763.0	52	100	...	0	f
	,,	29.72	754.9	57	87	N E	1	c	6 a	...	...	55	87	E N E	3	o
,	,,	29.73	755.1	61	94	N E	1	f	,,	...	...	56	94	N N E	1	o
	1 p.	29.80	756.8	...	...	N	2	...	5 a	29.91	759.6	...	...	E	2	...
	,,	29.79	756.6	...	...	W	2	...	,,	29.86	758.5	...	...	N	2	...
	,,	29.81	757.2	...	...	S W	6	...	,,	29.88	759.0	...	...	N	4	...
	,,	...	...	...	...	W	6	...	,,	29.87	758.6	...	...	N	2	...
res,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
	3 p.	29.75	755.6	60	82	N	2	o	9 a.	30.02	762.5	56	81	N	1	c
ng,	4 p.	29.72	754.9	68	82	...	0	of	10 a.	30.00	762.0	64	93	...	0	of
Peak	,,	...	...	...	...	S S W	3	...	,,	...	...	...	...	N	1	...
ok,	,,	29.70	754.4	...	...	N N E	3	...	,,	29.96	761.0	...	...	N N W	3	...
	,,	29.74	755.5	64	...	N E	1	of	,,	30.01	762.2	62	...	W N W	1	c
w,	3 p.	29.83	757.7	54	...	N	1	c	9 a	30.04	763.0	49	...	N	1	b
	,,	29.74	755.4	67	100	N W	4	b	,,	...	...	...	...	...	...	...
	,,	29.76	755.9	71	62	N N W	2	b	,,	...	...	...	...	...	...	...
	4 p.	29.70	754.6	68	...	S E	5	b	8 a.	...	...	...	...	...	...	...
,	,,	29.70	754.5	81	...	...	0	b	,,	...	...	...	...	...	...	...
James..	,,	29.80	757.0	81	...	S W	2	c	,,	...	...	...	...	...	...	...
	2 p.	29.78	756.5	86	...	S E	2	b	6 a.	29.88	758.8	73	...	N E	2	b
	4 p.	29.76	756	90	55	E S E	1	b	10 a.	29.92	760	82	70	S W	1	c
	2 p.	29.81	757.1	86	...	E	2	b	6 a.	29.89	759.3	68	...	...	0	b
	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	N E	2	b
	,,	29.77	756.1	86	...	N E	2	b	,,	29.91	759.7	80	...	N E	1	b
	,,	29.80	756.9	86	...	N	1	b	,,	29.91	759.7	84	...	N	1	c
	,,	29.75	755.6	87	...	...	...	...	,,	29.90	759.4	82	...	...	...	...

On the 2nd at 12.05 p.—The barometer has fallen over E. Japan and the Bonins, and risen elsewhere, particularly China.

The depression lying over the N.E. part of the Sea of Japan yesterday, is moving into the Pacific to the E. of aido.

Pressure is high apparently over China to the North of the Yangtze valley, and normal conditions will probably established along the coast during the next 24 hours.

The monsoon will freshen again over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
kong and Neighbourhood,	N. and N.E. winds, freshening; fair.
a Channel,	N.E. winds, strong.
coast of China between Hongkong and Lamocks..	Same as No. 1.
coast of China between Hongkong and Hainan....	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Thursday, 2nd February, 1911.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	2nd February, 1911, P.M.								3rd February, 1911, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.65	753.0	19	...	...	0	c	7 a.	29.77	756.1	7	51	N W	
Nemuro,	,,	29.22	742.1	...	...	N W	1	...	6 a.	29.39	746.6	...	...	W S W	
Hakodate,	,,	29.46	748.2	...	...	W N W	5	...	,,	29.52	749.7	...	...	W N W	
Tokio,	,,	29.51	749.6	...	...	E S E	1	...	,,	29.65	753.1	...	...	...	
Kochi,	,,	29.76	755.8	...	...	S W	2	...	,,	29.91	759.8	...	...	W	
Nagasaki,	,,	29.99	761.8	...	...	N N W	4	...	,,	30.09	764.3	...	...	N	
Kagoshima,	,,	29.92	759.9	...	...	N W	4	...	,,	30.06	763.4	...	...	N	
Oshima,	,,	29.93	760.1	...	...	N	3	...	,,	30.04	763.1	...	...	N	
Naha,	,,	29.91	759.7	...	...	N	1	...	,,	30.05	763.2	...	...	N N E	
Ishigakijima,	,,	29.89	759.3	...	...	E N E	4	...	,,	30.07	763.8	...	...	N	
Bonin Is.	,,	29.83	757.6	...	...	S S W	3	...	,,	29.85	758.1	...	...	...	
Chefoo,	4 p.	30.26	768.3	27	...	N W	6	c	6 a.	...	...	...	...	...	
Weihaiwei,	,,	30.21	767.3	28	53	N N W	8	b	9 a.	30.25	768.3	31	63	W	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Kiukiang,	,,	30.31	769.9	43	75	N E	4	o	,,	...	...	...	...	...	
Shanghai,	,,	30.27	768.8	38	63	N N W	2	o	9 a	30.42	772.6	32	...	N W	
Gutzlaff,	,,	30.29	769.3	39	73	N	6	ogm	,,	30.46	773.7	33	90	N	
Sharp Peak,	,,	30.07	763.8	53	80	N N E	2	o	,,	30.28	769.1	51	86	E N E	
Amoy,	,,	29.95	760.7	57	81	E	2	o	6 a	30.06	763.5	51	66	E	
Swatow,	,,	29.98	761.5	59	94	...	0	o	,,	...	...	55	81	N	
Taihoku,	1 p.	29.98	761.6	...	...	N W	2	...	5 a	30.17	766.3	...	...	E	
Taichu,	,,	29.94	760.5	...	...	N	6	...	,,	30.04	763.1	...	...	N E	
Tainan,	,,	29.93	760.1	...	...	N	4	...	,,	30.03	762.7	...	...	N	
Koshun	,,	29.90	759.5	...	...	N	2	...	,,	30.01	762.1	...	...	N E	
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Canton,	3 p.	29.98	761.5	62	72	N	2	b	9 a.	30.28	769.1	49	73	N	
Hongkong,	4 p.	29.94	760.5	67	79	...	0	o	10 a.	30.23	767.8	58	56	N	
Victoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	N N E	
Gap Rock,	,,	29.91	759.7	...	...	N N E	4	...	,,	30.21	767.3	...	...	N	
Macao,	,,	29.96	761.0	66	...	N	1	c	,,	30.27	768.8	53	...	N N W	
Wuchow,	3 p.	30.06	763.5	60	65	E	1	...	9 a.	30.37	771.4	39	...	N	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Pakhoi,	,,	29.98	761.5	69	65	N	2	b	,,	...	...	...	...	...	
Phulien,	4 p.	29.93	760.3	70	...	E S E	3	b	8 a.	30.23	767.7	55	...	E N E	
Tourane,	,,	29.85	758.2	72	...	N W	4	f	,,	30.05	763.2	63	..	N W	
Cape St. James,	,,	29.84	758.0	81	...	S	2	c	,,	29.97	761.1	73	...	N E	
Aparri,	2 p.	29.90	759.4	84	...	N E	2	b	6 a.	29.94	760.4	73	...	N	
Manila,	4 p.	29.84	758	86	65	W	1	b	10 a.	29.96	761	82	70	..	
Legaspi,	2 p.	29.83	757.8	86	...	E	2	b	6 a.	29.91	759.7	77	...	N E	
Bacolod,	3 p.	...	...	...	...	N E	2	b	9 a.	...	...	...	...	N E	
Iloilo,	,,	29.81	757.2	85	...	N E	1	b	,,	29.91	759.7	77	...	N E	
Cebu,	,,	29.84	757.9	85	...	N E	...	b	,,	29.92	759.2	83	...	N	
Labuan,	,,	29.81	757.2	85	...	...	...	...	,,	29.91	759.7	80	...	...	

On the 3rd at 11.55 a.—The barometer has risen generally, particularly over China.

The depression is still shown over the Pacific to the N.E. of Japan, and an anticyclonic area now lies o Yangtze valley.

Pressure has reached the normal on the China coast, while it remains in considerable defect over Easte

Strong monsoon may be expected along the China coast and over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. Fig

Director.

Hongkong Observatory, Friday, 3rd February, 1911.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

	3rd FEBRUARY, 1911, P.M.								4th FEBRUARY, 1911, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
stock....	2 p.	29.79	756.6	15	...	N N E	0	b	7 a.	30.00	762.0	–6	83	..	0	c
.....	,,	29.39	746.6	...	...	W	4	...	6 a.	29.71	754.6	...	...	W S W	3	...
.....	,,	29.57	751.2	...	...	W S W	4	...	,,	29.89	759.2	...	...	S W	2	...
.....	,,	29.69	754.1	...	...	N E	1	...	,,	30.06	763.6	...	...	N W	1	...
.....	,,	29.99	761.8	...	...	S S W	1	...	,,	30.31	769.8	...	...	S W	1	...
.....	,,	30.13	765.3	...	...	N	4	...	,,	30.25	768.3	...	...	...	0	...
.....	,,	30.07	763.9	...	...	N N W	3	...	,,	30.25	768.4	...	...	N	1	...
.....	,,	30.08	764.1	...	...	N N E	4	...	,,	30.20	767.1	...	...	N W	1	...
.....	,,	30.09	764.2	...	...	N	4	...	,,	30.19	766.7	...	...	N	3	...
.....	,,	30.11	764.8	...	...	N N E	4	...	,,	30.21	767.3	...	...	N E	3	...
.....	,,	29.87	758.6	...	...	W	1	...	,,	30.06	763.6	...	...	...	0	...
.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	30.21	767.3	34	74	W N W	6	b	9 a.	30.25	768.3	29	100	W N W	6	s
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	30.30	769.6	44	60	...	0	b	,,	...	...	...	...	...	...	...
.....	,,	30.37	771.4	38	45	N W	2	b	9 a	30.44	773.2	35	..	...	1	b
.....	,,	30.42	772.6	38	63	N	3	b	,,	30.49	774.4	37	91	N N W	2	bv
.....	,,	30.26	768.6	61	79	E	4	o	,,	30.37	771.4	43	...	E	1	b
.....	,,	30.13	765.3	55	68	E	4	o	6 a	30.23	76.78	46	77	E	3	o
.....	,,	30.14	765.5	56	81	E	1	o	,,	...	...	...	...	...	...	...
.....	1 p.	30.22	767.7	...	...	E	4	...	6 a	30.27	768.8	...	...	E	4	...
.....	,,	30.10	764.5	...	...	N	6	...	,,	30.18	766.6	...	...	N	2	...
.....	,,	30.10	764.5	...	...	N	6	...	,,	30.18	766.6	...	...	N	4	...
.....	,,	30.08	764.1	...	...	N E	6	...	,,	30.13	765.4	...	...	N E	8	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	3 p.	30.18	766.6	58	53	N	2	b	9 a.	...	...	...	...	...	...	...
.....	4 p.	30.12	765.0	61	49	N	1	b	10 a.	30.31	769.9	58	53	N N E	1	b
.....	,,	...	...	...	...	N	2	...	,,	...	...	...	...	N N E	2	...
.....	,,	30.10	764.5	...	...	E N E	3	...	,,	...	...	...	...	...	...	...
.....	,,	30.16	766.1	57	...	N	1	c	,,	30.34	770.6	62	...	N	2	b
.....	3 p.	30.23	767.8	58	...	N	2	c	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	30.17	766.3	61	...	N	3	b	,,	...	...	...	...	...	...	...
.....	4 p.	30.11	764.8	68	...	S S W	1	b	8 a.	30.27	768.9	55	...	E N E	5	b
.....	,,	30.03	762.8	66	...	N N W	2	dh	,,	30.14	765.6	64	..	N W	4	o
.....	,,	29.90	759.4	75	...	E N E	5	c	,,	30.01	762.1	75	...	E N E	4	c
.....	2 p.	29.95	760.8	75	...	N	2	d	6 a.	30.03	762.8	72	...	N E	2	r
.....	4 p.	29.84	758	86	69	S S E	3	b	10 a.	30.00	762	82	70	N N E	1	c
.....	2 p.	29.88	759.0	90	...	E	2	c	6 a.	29.93	760.2	77	...	N E	2	c
.....	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N	4	b
.....	,,	29.81	757.2	84	...	N E	1	c	,,	29.93	760.2	80	...	N E	3	b
.....	,,	29.85	758.2	86	...	N	1	b	,,	29.95	760.7	86	...	N	2	c
.....	,,	29.80	756.9	84	...	...	...	...	,,	29.91	759.7	82	...	...	...	...

On the 4th at 12.05 a.—Except over N. China the barometer has risen generally, particularly at the Japanese ...ure is still low over Pacific to the N.E. of Japan, and the anticyclonic area remains over the Yangtze ... Strong monsoon will continue to prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...ong and Neighbourhood, ...	N.E. winds, fresh; fine.
...a Channel, ...	N.E. winds, strong.
...coast of China between Hongkong and Lamocks,.	Same as No. 1.
...coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

...ngkong Observatory, Saturday, 4th February, 1911.

...d by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	4th FEBRUARY, 1911, P.M.								5th FEBRUARY, 1911, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	
Wladivostock,	2 p.	29.95	760.7	16	...	S E	1	b	7 a.	[illegible]	761.1	1	53	...	
Nemuro,	,,	29.81	757.1	...	...	W	3	...	6 a.	[illegible]	759.6	...	...	W	
Hakodate,	,,	29.97	761.2	...	...	W	3	...	,,	29.99	761.7	...	...	W S W	
Tokio,	,,	30.02	762.6	...	...	S S E	1	...	,,	30.14	765.6	...	...	N W	
Kochi,	,,	30.23	767.8	...	...	E S E	4	...	,,	30.29	769.3	...	...	W S W	
Nagasaki,	,,	30.25	768.3	...	...	N	3	...	,,	30.33	770.3	...	...	...	
Kagoshima,	,,	30.23	767.9	...	...	N W	3	...	,,	30.33	770.4	...	...	N N E	
Oshima,	,,	30.24	768.1	...	...	N	3	...	,,	30.30	769.6	...	...	S	
Naha,	,,	30.24	768.2	...	...	N N W	3	...	,,	30.28	769.2	...	...	E N E	
Ishigakijima,	,,	30.23	767.8	...	...	N N E	4	...	,,	30.25	768.3	...	...	N E	
Bonin Is.	,,	30.06	763.6	...	...	N	1	...	,,	30.16	766.1	...	...	N	
Chefoo,	4 p.	30.35	770.9	29	...	N W	2	b	6 a.	...	...	...	...	...	
Weihaiwei,	,,	30.30	769.6	32	79	N N W	3	b	9 a	30.27	768.8	35	53	W	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Kiukiang,	,,	30.41	772.4	47	48	...	0	b	,,	30.43	772.9	37	...	...	
Shanghai,	,,	30.40	772.1	45	46	N W	2	b	9 a	30.41	772.4	39	73	S	
Gutzlaff,	,,	30.45	773.4	44	76	N	2	b	,,	30.46	773.7	42	66	S	
Sharp Peak,	,,	30.33	770.4	51	79	N N E	4	b	,,	30.37	771.4	47	93	W	
Amoy,	,,	30.22	767.6	60	44	E	2	b	6 a	30.30	769.6	48	71	E	
Swatow,	,,	30.21	767.3	57	75	E	1	c	,,	30.22	767.6	45	92	N	
Taihoku,	1 p.	30.30	769.5	...	...	E	6	...	5 a	30.28	769.0	...	...	E	
Taichu,	,,	30.20	767.1	...	...	N	6	...	,,	30.25	768.4	...	...	...	
Tainan,	,,	30.21	767.3	...	...	N	4	...	,,	30.23	767.7	...	...	N	
Koshun,	,,	30.18	766.5	...	...	N E	8	...	,,	30.17	766.3	...	...	N E	
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Canton,	3 p.	30.22	767.6	57	87	N	1	b	9 a.	30.35	770.9	53	73	...	
Hongkong,	4 p.	30.19	766.8	59	56	E	2	b	10 a.	30.32	770.1	59	65	E	
Victoria Peak,	,,	...	...	...	...	E N E	...	...	,,	...	...	...	...	...	
Gap Rock,	,,	30.17	766.3	...	...	N E	4	...	,,	...	...	...	...	...	
Macao,	,,	30.21	767.4	59	...	N N E	2	c	,,	30.34	770.7	59	...	N E	
Wuchow,	3 p.	30.24	768.1	53	...	S E	2	b	9 a	...	...	54	87	E	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Phulien,	4 p.	30.17	766.4	64	...	S S E	2	c	8 a.	30.29	769.4	59	...	E N E	
Tourane,	,,	30.08	764.1	64	...	W N W	3	o	,,	30.18	766.6	66	..	N W	
Cape St. James,	,,	29.93	760.2	77	...	E N E	6	c	,,	30.06	763.6	75	...	E N E	
Aparri,	2 p.	30.06	763.6	72	...	N E	2	r	6 a.	30.08	764.1	72	...	E	
Manila,	4 p.	29.88	759	86	65	...	0	o	10 a.	30.08	764	77	84	N	
Legaspi,	2 p.	29.91	759.8	86	...	E	2	c	6 a.	29.96	761.0	75	...	N E	
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	
Iloilo,	,,	29.85	758.2	86	...	N E	2	b	,,	29.91	759.7	80	...	N E	
Cebu,	,,	29.85	758.2	87	...	N E	2	b	,,	29.93	760.2	83	...	N	
Labuan,	,,	29.84	757.9	86	...	...	...	...	,,	...	..	...	...	...	

On the 5th at 11.55 a.—The barometer has risen moderately at the Japanese stations, and fallen slig
N. China.

A depression is probably approaching Manchuria from the Westward.

The anticyclonic area which has spread Eastwards over the Eastern Sea, is still central over the Yangt

Strong monsoon will continue to prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	NE winds, moderate; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamooks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. C. FIGG,
Director.

Hongkong Observatory, Sunday, 5th February, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

5TH FEBRUARY, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	29.87	758.8	15	...	S W	0	c
,,	29.85	757.6	...	...	W S W	4	...
,,	29.99	761.7	...	...	W N W	2	...
,,	30.04	763.1	...	...	S	1	...
,,	30.19	766.8	...	...	N E	2	...
,,	30.29	769.3	...	...	N	2	...
,,	30.27	768.9	...	...	N N W	3	...
,,	30.24	768.1	...	...	N	1	...
,,	30.24	768.2	...	...	N	1	...
,,	30.23	767.8	...	...	E	3	...
,,	30.10	764.6	...	...	N	1	...
4 p.	30.36	771.1	33	...	N	3	b
,,	30.32	770.1	35	90	N	3	b
,,	...	...	...	...	...	...	...
,,	30.37	771.4	51	...	...	0	b
,,	30.36	771.1	51	34	W N W	1	c
,,	30.40	772.1	45	68	S W	1	cv
,,	30.28	769.1	56	87	N E	3	c
,,	30.15	765.8	57	63	N E	1	b
,,	30.18	766.6	60	88	S E	3	b
1 p.	30.24	768.2	...	...	E	6	...
,,	30.17	766.3	...	...	N	6	...
,,	30.22	767.6	...	...	N	6	...
,,	30.18	766.6	...	...	N E	8	...
,,	...	...	...	...	...	...	...
3 p.	30.21	767.3	61	50	N	1	b
4 p.	30.20	767.1	64	59	...	0	b
,,	...	...	...	...	N	1	...
,,	30.18	766.6	...	...	N N E	3	...
,,	30.23	767.8	61	...	N E	1	b
8 p.	30.22	767.6	61	...	W	1	b
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
4 p.	30.22	767.6	57	...	E N E	2	o
,,	30.13	765.3	63	...	N W	1	o
,,	29.95	760.7	77	...	E N E	6	c
2 p.	30.05	763.3	75	...	E	4	o
4 p.	29.96	761	77	84	...	0	o
2 p.	29.92	759.9	86	...	E	4	c
3 p.	...	...	...	...	N E	3	o
,,	29.83	757.7	...	...	N E	2	c
,,	29.86	758.4	86	...	N	1	o
,,	29.85	758.2	83	...	...	...	...

6TH FEBRUARY, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.17	766.3	--1	51	...	0	b
6 a.	29.95	751.6	...	...	N	1	...
,,	29.83	757.7	...	...	N W	6	...
,,	29.95	760.6	...	...	W	1	...
,,	30.19	766.8	...	...	S W	1	...
,,	30.31	769.8	...	...	N N E	1	...
,,	30.27	768.9	...	...	N N E	2	...
,,	30.22	767.6	...	...	N	2	...
,,	30.23	767.7	...	...	E N E	1	...
,,	30.21	767.3	...	...	N	2	...
,,	30.10	764.6	...	...	N	1	...
6 a.	...	...	...	...	...	...	...
9 a.	30.38	771.6	35	74	S S W	2	b
6 a.	...	...	...	...	...	...	...
,,	30.36	771.1	38	91	...	0	c
9 a	30.42	772.4	40	82	E S E	1	bm
,,	30.46	773.7	44	68	N N E	1	bv
,,	30.35	770.9	50	86	N N E	1	b
6 a.	...	...	...	...	...	...	...
,,	30.21	767.3	48	93	N E	1	b
5 a.	30.28	769.1	...	...	E	6	...
,,	30.19	766.7	...	...	...	0	...
,,	30.17	766.4	...	...	N	4	...
,,	30.14	765.5	...	...	N	4	...
,,	...	...	...	...	...	...	...
9 a.	...	...	...	...	...	...	...
10 a.	30.24	768.1	60	59	E	2	c
,,	...	...	...	...	E	4	...
,,	30.20	767.1	...	...	E N E	5	...
,,	30.26	768.6	61	...	E	1	o
9 a	...	...	...	...	...	..	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.24	768.1	57	...	N E	2	o
,,	30.15	765.9	64	..	W N W	1	o
,,	30.03	762.5	77	...	E N E	4	f
6 a.	30.05	763.3	72	...	E	4	b
10 a.	29.96	761	75	92	...	0	d
6 a.	29.90	759.4	77	...	N E	2	c
9 a.	...	...	...	...	N E	2	o
,,	29.87	758.7	78	...	N E	3	o
,,	29.89	759.2	80	...	N	1	o
,,	29.90	759.4	82	...	...	...	...

...e 6th at 11.35 a.—The barometer has fallen considerably in E. Japan, and risen moderately on the N.E. ...hina and at Wladiwostok.

...ressions which appears to have passed to the North of the latter station yesterday, lies now off Eastern

...arometer is falling over S. China and at the Southern stations.

...igh pressure area lies now over the Yellow Sea, and pressure is relatively low over the Southern Philippi... ...djacent waters.

... to strong monsoon may be expected over the China Sea.

...gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

...ORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...ng and Neighbourhood, ...	N.E. to E. winds, fresh; fine.
... Channel, ...	Same as No. 1.
...oast of China between Hongkong and Lamocks,.	Same as No. 1.
...oast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

...gkong Observatory, Monday, 6th February, 1911.

...by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	6th February, 1911, P.M.								7th February, 1911, A.M.					
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,	2 p.	30.16	766.1	5	...	N W	0	b	7 a.	30.31	769.9	-1	43	N E
Nemuro,	,,	29.69	754.1	...	...	N N W	6	...	6 a.	29.95	760.6	...	...	W
Hakodate,	,,	29.95	760.7	...	...	W	5	...	,,	30.05	763.2	...	...	W N W
Tokio,	,,	29.93	760.1	...	...	N W	3	...	,,	30.22	767.6	...	...	W
Kochi,	,,	30.17	766.3	...	...	S S E	1	...	,,	30.37	771.3	...	...	S W
Nagasaki,	,,	30.31	769.8	...	...	N	3	...	,,	30.41	772.3	...	...	N E
Kagoshima,	,,	30.25	768.4	...	...	N W	1	...	,,	30.37	771.4	...	...	N E
Oshima,	,,	30.24	768.1	...	...	N	3	...	,,	30.30	769.6	...	...	S
Naha,	,,	30.20	767.2	...	...	N N E	2	...	,,	30.25	768.2	...	...	N E
Ishigakijima,	,,	30.19	766.8	...	...	N N E	4	...	,,	30.17	766.3	...	...	N E
Bonin Is.	,,	30.04	763.1	...	...	N	1	...	,,	30.16	766.1	...	...	N
Chefoo,	4 p.	30.33	770.4	37	...	N E	2	b	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.36	771.1	38	63	N E	1	bm	9 a.	30.37	771.4	35	90	S W
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	,,	30.28	769.1	53	54	N E	1	o	,,	30.30	769.6	44	45	...
Shanghai,	,,	30.36	771.1	50	46	E	1	...	9 a.	30.36	771.1	46	77	E S E
Gutzlaff,	,,	30.41	772.4	45	68	N E	1	bv	,,	30.38	771.6	50	79	S E
Sharp Peak,	,,	30.24	768.1	51	86	N E	3	c	,,	30.31	769.9	52	...	N
Amoy,	,,	30.13	765.3	63	42	E	4	b	6 a.	30.15	765.8	55	62	...
Swatow,	,,	30.11	764.8	62	61	E	1	c	,,	...	...	54	74	...
Taihoku,	1 p.	30.21	767.4	...	...	E	8	...	5 a.	30.22	767.5	...	...	E
Taichu,	,,	30.11	764.9	...	...	N	2	...	,,	30.16	766.1	...	...	...
Tainan,	,,	30.14	765.5	...	...	N	6	...	,,	30.17	766.4	...	...	N
Koshun	,,	30.11	764.8	...	...	E	8	...	,,	30.15	765.8	...	...	N E
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Canton,	3 p.	30.13	765.3	62	61	N	1	b	9 a.	...	...	...	...	...
Hongkong,	4 p.	30.14	765.5	60	65	E	4	b	10 a.	30.24	768.1	61	59	E
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E
Gap Rock,	,,	30.09	764.3	...	...	E N E	5	...	,,	30.20	767.1	...	...	E N E
Macao,	,,	30.15	765.8	61	...	S E	1	c	,,	30.26	768.6	60	...	N E
Wuchow,	8 p.	30.22	767.6	51	...	N	2	o	9 a.	30.28	769.1	54	...	E
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi,	,,	30.26	768.6	65	68	N	2	o	,,	...	...	...	...	...
Phulien,	4 p.	30.12	765.0	61	...	N N W	0	c	8 a.	30.20	767.0	55	...	N
Tourane,	,,	30.07	763.7	64	...	W N W	3	f	,,	30.13	765.2	72	...	S E
Cape St. James,	,,	29.93	760.1	75	...	E N E	3	c	,,	30.03	762.7	75	...	N E
Aparri,	2 p.	30.04	762.9	75	...	E	4	o	6 a.	30.07	763.8	68	...	S E
Manila,	4 p.	29.88	759	79	84	S E	1	o	10 a.	30.00	762	79	69	E
Legaspi,	2 p.	29.86	758.5	81	...	E	4	o	6 a.	29.93	760.2	77	...	N E
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E
Iloilo,	,,	29.79	756.6	80	...	N E	1	o	,,	29.89	759.2	77	...	N E
Cebu,	,,	29.86	758.4	78	...	N	1	or	,,	29.93	760.2	76	...	N
Labuan,	,,	29.81	757.2	84	...	...	...	...	,,	29.89	759.2	81	...	...

On the 7th at 11.25 a.—The barometer has risen considerably over Japan, and fallen moderately over China.

The depression lying off E. Hokkaido yesterday, has moved away over the Pacific.

The high pressure area is now central over the Western part of the Sea of Japan, and there are indications of the advance of a depression towards Central China from the Westward.

Fresh monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. to E. winds, fresh; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Tuesday, 7th February, 1911.

[Printed by NORONHA & Co., Government Printers.]

INA COAST METEOROLOGICAL REGISTER.

7TH FEBRUARY, 1911, P.M.								8TH FEBRUARY, 1911, A.M.							
	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Barometer.		Temperature.	Humidity.	Wind.		Weather.
Hour.	Inches.	Millrs.			Direction.	Force.		Hour.	Inches.	Millrs.			Direction.	Force.	
2 p.	30.30	769.5	6	...	N W	0	b	7 a.	30.30	769.5	3	51	N E	1	b
,,	29.89	759.1	...	...	W	2	...	6 a.	30.01	762.1	...	...	N N E	1	...
,,	30.05	763.2	...	...	W N W	3	...	,,	30.13	765.2	...	...	W N W	2	...
,,	30.18	766.6	...	...	S S W	1	...	,,	30.22	767.6	...	...	S E	1	...
,,	30.29	769.3	...	...	S E	1	...	,,	30.33	770.3	...	...	S W	1	...
,,	30.35	770.8	...	...	N	2	...	,,	30.31	769.8	...	...	..	0	...
,,	30.31	769.9	...	...	S	1	...	,,	30.29	769.4	...	...	E	1	...
,,	30.26	768.6	...	...	S E	1	...	,,	30.22	767.6	...	...	...	0	...
,,	30.20	767.2	...	...	E	2	...	,,	30.15	765.7	...	...	S E	1	...
,,	30.13	765.3	...	...	S E	3	...	,,	30.09	764.3	...	...	N E	1	...
,,	30.20	767.1	...	...	N	2	...	,,	30.24	768.1	...	...	S E	1	...
4 p.	30.26	768.6	45	...	N E	1	b	6 a.	...	...	...	...	...	...	...
,,	30.19	766.8	41	17	S S W	2	b	9 a.	30.49	774.4	31	90	N	6	cm
,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
,,	30.21	767.3	58	58	...	0	b	,,	30.29	769.3	48	85	...	0	o
,,	30.24	768.1	52	73	S E	2	o	9 a.	30.34	770.6	50	86	N E	1	om
,,	30.28	769.1	49	85	E S E	4	ov	,,	30.35	770.9	50	86	N E	2	cv
,,	30.18	766.6	54	94	...	0	o	,,	30.22	767.6	56	...	...	0	b
,,	30.09	764.3	61	66	S S E	3	c	6 a.	30.06	763.5	57	81	...	0	o
,,	30.11	764.8	63	78	E	3	c	,,	30.12	765.0	57	...	N E	1	c
1 p.	30.15	765.7	...	...	E	6	...	5 a.	30.15	765.7	...	...	...	0	...
,,	30.11	764.7	...	...	N	2	...	,,	30.13	765.4	...	...	..	0	...
,,	30.16	766.0	...	...	N W	6	...	,,	30.14	765.5	...	...	N	4	...
,,	30.11	764.8	...	...	E	6	...	,,	30.10	764.6	...	...	S E	2	...
,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
3 p.	30.10	764.5	63	78	S	1	c	9 a.	...	...	...	...	...	...	...
4 p.	30.10	764.5	60	65	E	3	o	10 a.	30.19	766.8	65	67	E	2	o
,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	3	...
,,	30.07	763.8	...	...	E N E	5	...	,,	30.15	765.8	...	...	E N E	4	...
,,	30.16	766.0	61	...	E	2	o	,,	30.21	767.3	62	...	E S E	1	c
8 p.	30.05	763.2	64	73	E	1	op	9 a.	30.18	766.6	57	94	E	1	of
,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
,,	30.10	764.5	63	94	N	1	o	,,	...	...	...	...	...	...	...
4 p.	30.06	763.4	59	...	W N W	1	dh	8 a.	30.13	765.3	61	...	E N E	3	or
,,	30.04	763.0	60	...	W N W	1	f	,,	30.07	763.7	68	..	...	0	o
,,	29.92	759.9	77	...	E N E	3	c	,,	29.97	761.2	75	...	N N E	2	f
2 p.	30.01	762.3	75	...	S E	2	o	6 a.	30.01	762.3	70	...	S	2	o
4 p.	29.88	759	82	57	E	2	o	10 a.	29.96	761	81	56	N E	0	o
2 p.	29.90	759.5	82	...	E	4	c	6 a.	29.93	760.1	77	...	N E	2	c
3 p.	...	...	...	...	N E	2	or	9 a.	...	...	...	...	N E	2	o
,,	29.79	756.6	79	...	E	3	o	,,	29.91	759.7	77	...	N E	3	c
,,	29.87	758.7	77	...	N	2	od	,,	29.93	760.2	79	...	N	1	c
,,	29.78	756.4	82	...	...	...	...	,,	29.84	757.9	82	...	...	...	...

e 8th at 11.40 a.—The barometer has fallen slightly to moderately over S. China, S.W. Japan and the and risen moderately on the N.E. coast of China.

gh pressure area covers N. China and the W. part of the Sea of Japan, and a shallow area of low pressure be lying over the Western part of the Eastern Sea.

onsoon will probably freshen over the Formosa Channel and the S. coast of China tomorrow. Moderate er the China Sea.

kong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ng and Neighbourhood, ...	N.E. winds, moderate to strong; fair.
Channel, ...	Same as No. 1.
ast of China between Hongkong and Lamocks,.	Same as No. 1.
oast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

kong Observatory, Wednesday, 8th February, 1911.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	8th February, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	9th February, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,	2 p.	30.29	769.4	11	...	N E	1	b	7 a.	30.48	774.2	-3	72	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	30.02	762.6	...	...	W
Hakodate,	,,	30.09	764.2	...	...	N W	4	...	,,	30.15	765.7	...	...	N W
Tokio,	,,	30.08	764.1	...	...	E S E	1	...	,,	30.16	766.1	...	...	N N W
Kochi,	,,	30.18	766.8	...	...	E S E	1	...	,,	30.37	771.3	...	...	N N W
Nagasaki,	,,	30.27	768.8	...	...	N	1	...	,,	30.43	772.8	...	...	N E
Kagoshima,	,,	30.25	768.4	...	...	...	0	...	,,	30.43	772.9	...	...	N
Oshima,	,,	30.18	766.6	...	...	S	3	...	,,	30.25	768.6	...	...	N N E
Naha,	,,	30.15	765.7	...	...	...	0	...	,,	30.19	766.7	...	...	N E
Ishigakijima,	,,	30.11	764.8	...	...	N W	1	...	,,	30.17	766.3	...	...	N N E
Bonin Is.	,,	30.22	767.6	...	...	N E	1	...	,,	30.20	767.1	...	...	..
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.57	776.5	32	79	N	6	b	9 a.	30.67	779.0	33	59	N E
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	,,	30.33	770.4	52	86	N E	3	c	,,	...	...	...	...	...
Shanghai,	,,	30.36	771.1	52	79	N N E	3	o	9 a.	30.57	776.5	44	68	N E
Gutzlaff,	,,	30.37	771.4	48	93	N E	4	om	,,	30.54	775.7	45	68	N E
Sharp Peak,	,,	30.18	766.6	68	76	E N E	5	b	,,	30.39	771.9	55	80	N
Amoy,	,,	...	...	69	61	E S E	3	c	6 a.	30.14	765.5	59	59	N E
Swatow,	,,	30.09	764.3	66	54	E N E	1	c	,,	30.16	766.0	56	75	...
Taihoku,	1 p.	30.13	765.2	...	...	E	6	...	5 a.	30.24	768.0	...	...	E
Taichu,	,,	30.08	764.0	...	...	N	6	...	,,	30.15	765.7	...	...	...
Tainan,	,,	30.11	764.7	...	...	N W	2	...	,,	30.15	765.9	...	...	N
Koshun,	,,	30.08	764.0	...	...	E	6	...	,,	30.12	764.9	...	...	S E
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Canton,	3 p.	30.09	764.3	69	70	S E	1	b	9 a.	...	...	...	...	...
Hongkong,	4 p.	30.09	764.3	64	66	E	4	b	10 a.	30.25	768.3	63	62	E
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E
Gap Rock,	,,	30.06	763.5	...	...	E N E	5	...	,,	30.19	766.8	...	...	E
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Wuchow,	3 p.	30.09	764.3	72	67	E	1	c	9 a.	30.25	768.3	60	...	E
Hoihow,	,,	30.09	764.3	69	85	E N E	2	b	,,	...	...	...	...	...
Pakhoi,	,,	30.09	764.3	72	67	S S E	1	c	,,	...	...	...	...	...
Phulien,	4 p.	30.04	763.1	63	...	E N E	2	o	8 a.	30.16	766.0	63	...	E N E
Tourane,	,,	30.00	762.0	73	...	...	0	f	,,	30.11	764.7	72	..	S E
Cape St. James,	,,	29.89	759.1	77	...	E	3	c	,,	30.01	762.1	70	...	N N E
Aparri,	2 p.	29.97	761.2	77	...	E	2	c	6 a.	30.04	762.9	70	...	S
Manila,	4 p.	29.88	759	82	50	E	2	c	10 a.	30.00	762	82	57	N W
Legaspi,	2 p.	29.89	759.2	84	...	E	4	o	6 a.	29.93	760.1	77	...	N E
Bacolod,	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	N E
Iloilo,	,,	29.79	756.6	81	...	N E	4	o	,,	29.89	759.2	77	...	N E
Cebu,	,,	29.89	759.2	82	...	N	2	b	,,	29.91	759.7	81	...	N
Labuan,	,,	29.74	755.4	86	...	...	...	...	,,	29.81	757.2	82	...	...

On the 9th at 12.05 p.—Except over E. Japan and the Bonins the barometer has risen generally, par over the E. and N.E. coasts of China.

An anticyclonic area of considerable intensity is central over the continent to the North of the Yangtze and pressure is relatively low over the S. part of the China Sea.

Gradients are rather steep and very strong monsoon may be expected along the coast and over the China

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Moderate E. and N.E. gale; fair.
2.—Formosa Channel,	Fresh N.E gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Thursday, 9th February, 1911.

[Printed by Noronha & Co., Government Printers.]

INA COAST METEOROLOGICAL REGISTER.

9TH FEBRUARY, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.44	773.3	18	...	N W	0	b
,,	30.08	764.1	...	...	N W	2	...
,,	30.24	768.2	...	...	W N W	4	...
,,	30.26	768.6	...	...	N N W	5	...
,,	30.44	773.3	...	...	N	4	...
,,	30.48	774.3	...	...	N N E	4	...
,,	30.41	772.4	...	...	E S E	3	...
,,	30.30	769.6	...	...	S S E	2	...
,,	30.22	767.7	...	...	N N E	4	...
,,	30.21	767.3	...	...	N E	6	...
,,	30.16	766.1	...	...	N	1	...
4 p.	30.58	776.7	37	71	E	1	o
,,	30.59	777.0	35	90	E N E	1	o
,,	...	...	...	...	...	...	...
,,	30.30	769.6	43	92	N E	3	o
,,	30.48	774.2	48	56	E N E	2	c
,,	30.49	774.4	47	70	E N E	4	cm
,,	30.32	770.1	57	81	N E	3	b
,,	30.13	765.3	71	49	E	4	b
,,	30.16	766.0	62	83	E	3	b
1 p.	30.28	769.0	...	...	E	8	...
,,	30.14	765.5	...	...	N	6	...
,,	30.17	766.2	...	...	N W	2	...
,,	30.15	765.9	...	...	N E	8	...
,,	...	...	...	...	...	...	...
3 p.	30.14	765.5	71	66	S	1	b
4 p.	30.15	765.8	64	63	E	6	b
,,	...	...	...	...	E	8	...
,,	30.10	764.5	...	...	E	7	...
,,	...	...	...	...	...	...	...
3 p.	30.18	766.6	69	...	E	2	c
,,	30.14	765.5	68	...	E N E	3	b
,,	30.15	765.8	74	63	E S E	3	c
4 p.	30.07	763.9	70	...	E S E	6	c
,,	30.04	763.1	73	...	S E	1	c
,,	29.99	759.9	77	...	S E	3	o
2 p.	30.05	763.2	77	...	E	4	b
4 p.	29.88	759	84	58	E	2	c
2 p.	29.88	758.9	84	...	N E	4	c
3 p.	...	...	...	...	N E	3	o
,,	29.81	757.2	83	...	N E	3	c
,,	29.84	757.9	84	...	N	1	c
,,	29.76	755.9	86	...	...	...	...

10TH FEBRUARY, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.22	767.5	12	80	...	0	o
6 a.	30.22	767.6	...	...	S W	1	...
,,	30.36	771.2	...	...	W S W	3	...
,,	30.56	776.1	...	...	N N E	1	...
,,	30.54	775.8	...	...	S W	1	...
,,	30.52	775.3	...	...	...	0	...
,,	30.51	774.9	...	...	N E	3	...
,,	30.40	772.1	...	...	N E	1	...
,,	30.30	769.7	...	...	N E	3	...
,,	30.25	768.3	...	...	N E	6	...
,,	30.30	769.6	...	...	N N E	1	...
6 a.	...	...	...	...	...	...	...
9 a.	30.48	774.2	34	79	S S W	1	cms
6 a.	...	...	...	...	...	...	...
,,	30.43	772.9	42	...	N E	1	o
9 a	30.43	772.9	50	79	S E	2	c
,,	30.45	773.4	54	74	E S E	3	cm
,,	30.38	771.5	56	...	N	1	c
6 a	...	...	60	65	N E	2	o
,,	30.24	768.1	53	86	N E	1	b
5 a.	30.26	768.5	...	...	E	4	...
,,	30.19	766.9	...	...	...	0	...
,,	30.20	767.1	...	...	N	4	...
,,	30.19	766.8	...	...	E	6	...
,,	...	...	...	...	...	...	...
9 a.	30.32	770.1	62	83	S	1	b
10 a.	30.33	770.4	66	60	E	3	c
,,	...	...	...	...	E	6	...
,,	30.28	769.1	...	...	E N E	6	...
,,	...	...	...	...	...	...	...
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.24	768.0	64	...	E	5	c
,,	30.17	766.2	73	...	E S E	1	c
,,	30.02	762.6	72	...	N W	2	c
6 a.	30.12	765.0	73	...	E	2	b
10 a.	30.04	763	82	85	N W	1	b
6 a.	29.98	761.0	77	...	N E	2	c
9 a.	...	...	...	...	N E	1	cd
,,	29.95	760.7	79	...	N E	2	c
,,	29.93	761.0	82	...	N	1	b
,,	29.95	760.2	82	...	...	...	...

e 10th at 11.45 a.—The barometer has fallen considerably over N. China and at Wladiwostok, and risen , particularly over Japan.
anticyclonic area has shifted Eastwards and is now central over S. Japan.
ression is probably approaching Manchuria from the Westward.
onsoon will moderate in the Formosa Channel, but continue to blow strongly over the China Sea.

kong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

ORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	E. winds, strong to moderate; fair.
a Channel, ...	N.E and E. winds, moderate.
coast of China between Hongkong and Lamocks,.	Same as No. 1.
coast of China between Hongkong and Hainan....	Same as No. 1.

F. G. HIGG,
Director.

gkong Observatory, Friday 10th February 1911.

d by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	10th February, 1911, P.M.								11th February, 1911, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	
Wladivostock,	2 p.	30.09	764.3	3	...	...	0	o	7 a.	30.31	769.9	13	43	N E	
Nemuro,	,,	30.14	765.6	...	...	S S W	1	...	6 a.	...	...	...	...	...	
Hakodate,	,,	30.30	769.7	...	...	W	4	...	,,	...	...	...	...	...	
Tokio,	,,	30.48	774.1	...	...	S S W	1	...	,,	...	...	...	...	...	
Kochi,	,,	30.52	775.3	...	...	S E	1	...	,,	...	...	...	...	...	
Nagasaki,	,,	30.46	773.8	...	...	E S E	2	...	,,	...	...	...	...	...	
Kagoshima,	,,	30.47	773.9	...	...	S S E	1	...	,,	...	...	...	...	...	
Oshima,	,,	30.40	772.1	...	...	S E	1	...	,,	...	...	...	...	...	
Naha,	,,	30.32	770.2	...	...	E	3	...	,,	...	...	...	...	...	
Ishigakijima,	,,	30.25	768.3	...	...	E	5	...	,,	...	...	...	...	...	
Bonin Is.	,,	30.34	770.6	...	...	N E	2	...	,,	...	...	...	...	...	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	30.45	775.7	30	...	W N W	
Weihaiwei,	,,	30.43	772.9	34	90	N	2	os	9 a.	30.56	767.2	35	70	N	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Kiukiang,	,,	30.41	772.4	46	92	W	2	o	,,	30.54	775.7	40	...	...	
Shanghai,	,,	30.32	770.1	60	...	S S E	2	b	9 a	30.54	775.7	42	83	N N W	
Gutzlaff,	,,	30.34	770.6	53	80	S E	4	bn	,,	30.56	776.2	44	84	N	
Sharp Peak,	,,	30.28	769.1	59	...	N	1	c	,,	30.36	771.1	58	...	N N E	
Amoy,	,,	30.15	765.8	74	59	N E	3	b	6 a	30.21	767.3	60	82	...	
Swatow,	,,	30.21	767.3	68	74	E	1	b	,,	30.25	768.3	54	...	...	
Taihoku,	1 p.	30.24	768.2	...	...	E	8	...	5 a	30.22	767.5	...	...	E	
Taichu,	,,	30.20	767.0	...	...	W	2	...	,,	30.25	768.3	...	...	...	
Tainan,	,,	30.24	768.1	...	...	N W	4	...	,,	30.26	768.5	...	...	...	
Koshun,	,,	30.19	766.8	...	...	N E	8	...	,,	30.22	767.4	...	...	N E	
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Canton,	3 p.	30.20	767.1	71	62	E S E	1	b	9 a.	...	...	...	...	...	
Hongkong,	4 p.	30.21	767.3	64	70	E	4	c	10 a.	30.32	770.1	66	72	E	
Victoria Peak,	,,	...	...	...	...	E S E	3	...	,,	...	...	...	...	E	
Gap Rock,	,,	30.18	766.6	...	...	N E	5	...	,,	30.26	768.6	...	...	E N E	
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Wuchow,	3 p.	30.22	767.6	73	58	E	1	o	9 a.	30.36	771.1	60	...	E	
Hoihow,	,,	30.18	766.6	68	...	N E	2	o	,,	...	...	...	...	...	
Pakhoi,	,,	30.20	767.1	73	63	S E	2	b	,,	...	...	...	...	...	
Phulien,	4 p.	30.15	765.8	68	...	E	6	c	8 a.	30.29	769.3	63	...	E N E	
Tourane,	,,	30.10	764.6	72	...	E	2	o	,,	30.19	766.9	72	..	E	
Cape St. James,	,,	29.94	760.6	77	...	E	4	o	,,	30.04	762.9	75	...	N E	
Aparri,	2 p.	30.11	764.7	77	...	E	2	o	6 a.	30.12	764.9	73	...	E	
Manila,	4 p.	29.96	761	86	47	N N E	1	o	10 a.	30.04	763	84	58	N N E	
Legaspi,	2 p.	29.94	760.5	81	...	N E	2	o	6 a.	29.97	761.3	75	...	...	
Bacolod,	3 p.	...	...	...	...	N E	2	b	9 a.	...	...	...	...	N E	
Iloilo,	,,	29.87	758.7	83	...	N E	1	c	,,	29.95	760.7	79	...	N E	
Cebu,	,,	29.88	758.9	85	...	N	2	b	,,	29.98	761.5	84	...	N	
Labuan,	,,	29.86	758.2	85	...	...	...	...	,,	29.98	761.5	84	...	...	

On the 11th at 12.05 p.—The barometer has risen over N. China and at Wladiwostok the depression in Manchuria yesterday, having moved away Eastwards.

Pressure remains high over China.

The monsoon will freshen again in the Formosa Channel, and continue to blow strongly over the China Sea.

The Japanese returns are lacking.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday 11th February, 1911.

[Printed by NORONHA & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

11TH FEBRUARY, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.29	769.4	22	...	W	0	b
,,	...	...	...	...	N	7	...
,,	30.05	763.2	...	...	W N W	5	...
,,	30.08	764.1	...	...	N	1	...
,,	30.27	768.8	...	...	...	0	...
,,	30.33	770.3	...	...	N	1	...
,,	30.31	769.9	...	...	E S E	1	...
,,	30.36	771.1	...	...	S	1	...
,,	30.34	770.7	...	...	E	2	...
,,	30.29	769.3	...	...	E	6	...
,,	30.32	770.1	...	...	N E	1	...
4 p.	...	...	...	...	...	...	...
,,	30.57	776.5	37	66	N N W	3	b
,,	...	...	...	...	...	...	...
,,	30.54	775.7	43	92	N N E	2	o
,,	30.51	774.9	44	76	N N W	2	o
,,	30.54	775.7	45	84	N	3	ogv
,,	30.30	769.6	58	81	E S E	4	c
,,	30.18	766.6	66	84	..	0	or
,,	30.20	767.1	71	...	E S E	3	b
1 p.	30.24	768.2	...	...	E	6	...
,,	30.23	767.9	...	...	N W	2	...
,,	30.25	768.3	...	...	N W	2	...
,,	30.22	767.6	...	...	E	6	...
,,	...	...	...	...	...	..	...
3 p.	30.20	767.1	72	67	W	1	b
4 p.	30.21	767.3	67	68	E	3	b
,,	...	...	...	...	E	2	...
,,	30.19	766.8	...	...	E N E	5	...
,,	30.25	768.3	69	...	S E	2	b
8 p.	30.31	769.9	73	...	N E	2	c
,,	...	...	...	...	...	..	...
,,	30.25	768.3	74	59	S S E	2	b
4 p.	30.19	766.8	72	...	E S E	4	c
,,	30.12	765.0	72	...	E	2	o
,,	29.95	760.7	77	...	E N E	6	c
2 p.	30.11	764.7	75	...	N E	4	p
4 p.	29.96	761	79	84	N E	1	o
2 p.	29.96	760.9	84	...	E	2	c
3 p.	...	...	...	...	N E	2	o
,,	29.89	759.2	85	...	N E	1	o
,,	29.91	759.7	85	...	N	1	c
,,	29.87	758.4	84	...	...	...	...

12TH FEBRUARY, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.59	774.8	6	46	N N E	0	b
6 a.	30.02	762.6	...	...	N	3	...
,,	30.19	766.7	...	...	N W	4	...
,,	30.26	768.6	...	...	N N W	1	...
,,	30.39	771.8	...	...	S W	1	...
,,	30.43	772.8	...	...	N E	1	...
,,	30.39	771.9	...	...	N	3	...
,,	30.36	771.1	...	...	...	0	...
,,	30.32	770.2	...	...	N E	1	...
,,	30.29	769.3	...	...	E	3	...
,,	30.30	769.6	...	...	...	0	...
6 a.	...	...	...	...	...	...	o
9 a.	30.68	779.3	33	79	N N E	3	b
6 a.	...	...	...	...	...	...	...
,,	30.52	775.2	40	100	W	1	or
9 a.	30.54	775.7	46	69	N E	3	o
,,	30.55	775.9	47	77	N E	4	cv
,,	30.40	772.1	55	80	E N E	4	or
6 a.	...	...	...	...	...	...	...
,,	30.24	768.1	58	...	...	0	c
6 a.	30.26	768.5	...	...	E	4	...
,,	30.24	768.1	...	...	...	0	...
,,	30.26	768.5	...	...	...	0	...
,,	30.22	767.5	...	...	N E	4	...
,,	...	...	...	...	...	...	...
9 a.	30.33	770.4	62	77	N N E	1	b
10 a.	30.30	769.6	67	63	E N E	5	c
,,	...	...	...	...	E	7	...
,,	30.27	768.8	...	...	E N E	6	...
,,	30.33	770.4	65	...	E N E	2	c
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.27	768.9	68	...	N N E	4	c
,,	30.18	766.5	70	..	E N E	2	o
,,	30.01	762.3	75	...	E	4	c
6 a.	30.14	765.6	75	...	E	4	o
10 a.	30.08	764	82	70	...	0	c
6 a.	30.00	761.9	77	...	E	2	o
9 a.	...	...	...	...	N E	1	b
,,	29.99	761.7	80	...	N E	1	c
,,	29.98	761.5	83	...	N	1	c
,,	...	...	...	...	...	...	...

e 12th at 11.55 a.—The barometer has risen considerably in N.E. Japan the depression lying over that area having moved away over the Pacific.

nticyclonic area, which covers China and Japan, is central over N. China.

monsoon will continue to prevail over the China Sea.

ong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ng and Neighbourhood, ...	N.E. winds, strong; fair.
Channel, ...	Same as No. 1.
oast of China between Hongkong and Lamocks, .	Same as No. 1.
oast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

kong Observatory, Sunday 12th February, 1911.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	12th February, 1911, P.M. Hours.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	13th February, 1911, A. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock	2 p.	30.46	773.7	19	...	W S W	0	b	7 a.	30.36	771.1	1	84	...
Nemuro,	,,	30.08	764.1	...	...	N	4	...	6 a.	30.12	765.1	...	...	...
Hakodate,	,,	30.20	767.2	...	...	W N W	5	...	,,	30.30	769.7	...	...	W
Tokio,	,,	30.26	768.6	...	...	N N W	3	...	,,	30.42	772.6	...	...	E
Kochi,	,,	30.37	771.3	...	...	S E	1	...	,,	30.45	773.3	...	...	S
Nagasaki,	,,	30.43	772.8	...	...	N	2	...	,,	30.37	771.3	...	...	S E
Kagoshima,	,,	30.39	771.9	...	...	S E	1	...	,,	30.37	771.4	...	...	N E
Oshima,	,,	30.34	770.6	...	...	N	2	...	,,	30.34	770.6	...	...	S
Naha,	,,	...	...	...	...	...	...	...	,,	30.28	769.2	...	...	N E
Ishigakijima	,,	30.27	768.8	...	...	N E	5	...	,,	30.23	767.8	...	...	E S E
Bonin Is.	,,	30.22	767.6	...	...	N W	1	...	,,	30.28	769.1	...	...	N E
Chefoo,	4 p.	30.56	776.2	34	90	...	0	c	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.54	775.7	34	69	N N E	2	b	9 a.	30.41	772.4	32	90	S W
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	,,	30.45	773.4	46	100	N E	1	or	,,	30.41	772.4	39	100	N E
Shanghai,	,,	30.44	773.2	50	72	E N E	1	om	9 a	30.37	771.4	44	100	N N W
Gutzlaff,	,,	30.46	773.7	47	85	N E	2	om	,,	30.40	772.1	45	100	N
Sharp Peak	,,	30.29	769.3	57	94	N	1	or	,,	30.23	767.8	58	94	N
Amoy	,,	30.13	765.3	70	61	E	3	o	6 a.	30.11	764.8	59	82	...
Swatow,	,,	30.17	766.3	63	89	E	3	b	,,	30.11	764.8	57	94	S E
Taihoku	1 p.	30.22	767.5	...	...	E	8	...	5 a	30.17	766.2	...	...	...
Taichu,	,,	30.19	766.7	...	...	W	2	...	,,	30.19	766.9	...	...	...
Tainan	,,	30.24	768.1	...	...	W	6	...	,,	30.22	767.5	...	...	N
Koshun	,,	30.24	768.1	...	...	E	6	...	,,	30.18	766.5	...	...	N
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Canton	3 p.	30.21	767.3	70	61	W N W	1	b	9 a.	30.23	767.8	62	72	N N E
Hongkong,	4 p.	30.20	767.1	65	72	E S E	3	b	10 a.	30.24	768.1	64	82	E
Victoria Peak,	,,	...	...	...	...	E	0	...	,,	...	...	...	...	E
Gap Rock,	,,	30.16	766.0	...	...	E N E	6	...	,,	30.18	766.6	...	...	E N E
Macao,	,,	30.25	768.3	71	...	E	1	c	,,	30.25	768.3	64	...	N N E
Wuchow,	3 p.	...	...	71	...	E	1	c	9 a.	...	...	57	...	E
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi,	,,	30.20	767.1	76	60	S E	2	b	,,	...	...	...	...	...
Phulien,	4 p.	30.15	765.8	70	...	E S E	8	c	8 a.	30.18	766.5	64	...	E N E
Fourane,	,,	30.08	764.1	70	...	E N E	1	f	,,	30.11	764.7	72	..	E N E
Cape St. James,	,,	29.92	759.9	77	...	E N E	6	c	,,	29.96	760.9	75	...	E N E
Aparri,	2 p.	30.10	764.6	79	...	E	4	c	6 a.	30.09	764.2	73	...	E
Manila,	4 p.	29.96	761	84	58	E N E	1	o	10 a.	30.08	764	79	59	...
Legaspi,	2 p.	29.96	760.9	79	...	S E	2	o	6 a.	29.98	761.4	75	...	N E
Bacolod,	3 p.	...	...	...	...	N E	2	or	9 a.	...	...	...	...	N E
Iloilo,	,,	29.89	759.2	82	...	N E	3	o	,,	29.99	761.7	77	...	N E
Cebu,	,,	29.91	759.7	81	...	N	2	...	,,	29.97	761.2	79	...	N
Labuan,	,,	29.83	757.7	85	...	...	...	...	,,	29.92	759.9	82	...	...

On the 13th at 11.55 a.—The barometer has risen moderately in E. Japan, and fallen over China, parti the North.

A depression is probably approaching Manchuria from the Westward.

Pressure is high over the Sea of Japan and the Yangtze valley.

Fresh monsoon may still be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and N.E. winds, fresh; cloudy, drizzl
2.—Formosa Channel,	N.E winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan	Same as No. 1.

F. G. Flo
Director

Hongkong Observatory, Monday, 13th February, 1911.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

13TH FEBRUARY, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.30	769.5	18	...	W	0	o
,,	30.20	767.1	...	...	N W	5	...
,,	30.40	772.2	...	...	N W	5	...
,,	30.38	771.6	...	...	...	0	...
,,	30.37	771.3	...	...	...	0	...
,,	30.27	768.8	...	...	...	0	...
,,	30.27	768.9	...	...	E S E	1	...
,,	30.26	768.6	...	...	S	2	...
,,	30.22	767	...	...	E S E	2	...
,,	30.19	766.8	...	...	E S E	4	...
,,	30.32	770.1	...	...	N E	1	...
4 p.	...	...	...	...	...	...	...
,,	30.32	770.1	33	90	N E	1	o
,,	...	...	...	...	...	...	...
,,	30.33	770.4	43	92	N	1	o
,,	30.29	769.3	48	78	N	1	o
,,	30.33	770.4	49	86	N	1	om
,,	30.23	767.8	58	94	E	1	o
,,	30.11	764.8	67	64	S E	2	b
,,	30.10	764.5	66	79	E	1	c
1 p.	30.12	765.0	...	...	S E	5	...
,,	30.18	766.6	...	...	N W	2	...
,,	30.19	766.8	...	...	N W	6	...
,,	30.20	767.2	...	...	W	2	...
,,	...	...	...	...	...	...	...
3 p.	30.13	765.3	68	74	...	0	c
4 p.	30.13	765.3	62	84	E	2	o
,,	...	...	...	...	...	0	...
,,	30.09	764.3	...	...	E N E	5	...
,,	30.14	765.5	66	...	S E	1	o
3 p.	30.16	766.0	63	...	S E	2	c
,,	30.17	766.3	70	100	E N E	3	o
,,	...	...	...	...	...	...	...
4 p.	30.08	764.1	66	...	E	2	o
,,	30.04	762.9	72	...	N E	1	o
,,	29.89	759.1	77	...	E	2	c
2 p.	30.06	763.6	79	...	E	4	b
4 p.	29.92	760	84	52	E	1	c
2 p.	29.94	760.6	81	...	N E	2	o
3 p.	...	...	...	...	N E	3	c
,,	29.89	759.2	82	...	N E	1	c
,,	29.88	758.9	83	...	N	2	b
,,	29.82	757.9	84	...	...	...	...

14TH FEBRUARY, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.06	763.5	10	74	...	0	o
6 a.	30.30	769.6	...	...	...	0	...
,,	30.25	768.2	...	...	...	0	...
,,	30.20	767.1	...	...	N W	1	...
,,	30.23	767.8	...	...	S W	1	...
,,	30.17	766.3	...	...	S S E	1	...
,,	30.17	766.4	...	...	...	0	...
,,	30.18	766.6	...	...	S S W	2	...
,,	30.21	767.2	...	...	...	0	...
,,	30.11	764.8	...	...	E	3	...
,,	30.36	771.1	...	...	...	0	...
6 a.	30.15	765.8	32	100	N E	6	o
9 a.	30.16	766.0	35	85	S W	2	o
6 a.	...	...	...	...	...	...	...
,,	30.21	767.3	41	92	W	2	o
9 a.	30.18	766.6	43	92	...	0	ofr
,,	30.25	768.3	44	100	N E	2	omr
,,	30.14	765.5	57	100	...	0	f
6 a.	30.09	764.3	52	88	S E	1	o
,,	30.10	764.5	58	94	S E	1	c
5 a.	30.10	764.6	...	...	N W	2	...
,,	30.11	764.7	...	...	...	0	...
,,	30.13	765.3	...	...	N	2	...
,,	30.10	764.4	...	...	N E	4	...
,,	...	...	...	...	...	...	...
9 a.	30.20	767.1	64	84	W N W	1	o
10 a.	30.19	766.8	68	69	E	2	c
,,	...	...	...	...	E S E	1	...
,,	30.15	765.8	...	...	E N E	4	...
,,	30.21	767.3	67	...	N W	1	c
9 a.	...	...	56	87	N W	2	o
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.20	767.0	66	...	E S E	1	o
,,	30.13	765.4	70	..	N W	2	dh
,,	29.97	761.3	77	...	E N E	2	c
6 a.	30.04	763.0	68	...	S E	2	o
10 a.	30.00	762	81	70	N N E	1	o
6 a.	29.94	760.4	73	...	N E	2	o
9 a.	...	...	...	...	N E	2	b
,,	29.99	761.7	79	...	N E	1	c
,,	29.94	760.5	82	...	N	1	b
,,	29.93	760.2	81	...	...	...	...

e 14th at 11.45 a.—The barometer has fallen considerably over N. China and W. Japan, and risen mode-
r N.E. Japan and the Bonins.

pression which has advanced from the Westward, is situated over N. Korea.

ighest pressure is shown over the Pacific to the East of Japan.

rate monsoon may be expected over the N. part of the China Sea.

gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

OREUAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	E. to N. winds, light or moderate; fair.
a Channel, ...	Variable to N. winds, moderate.
coast of China between Hongkong and Lamocks,.	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Tuesday 14th February, 1911.

d by NOBONEA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	14th February, 1911, P.M.								15th February, 1911, A					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.
Wladivostock,	2 p.	29.94	760.5	27	...	...	0	o	7 a.	29.80	756.8	21	88	N E
Kemuro,	,,	30.20	767.1	...	...	S	2	...	6 a.	29.77	756.1	...	...	S E
Hakodate,	,,	30.15	765.7	...	...	W	2	...	,,	29.65	753.2	...	...	...
Tokio,	,,	30.13	766.6	...	...	S S W	1	...	,,	29.69	754.1	...	...	N N W
Kochi,	,,	30.07	763.8	...	...	...	0	...	,,	29.91	759.8	...	...	S W
Nagasaki,	,,	30.03	762.8	...	...	S S W	3	...	,,	30.11	764.8	...	...	N N W
Kagoshima,	,,	30.09	764.4	...	...	S S W	1	...	,,	30.10	764.4	...	...	N W
Oshima	,,	30.12	765.1	...	...	S	2	...	,,	30.10	764.6	...	...	N
Naha,	,,	30.07	763.7	...	...	S E	2	...	,,	30.09	764.2	...	...	...
Ishigakijima,	,,	30.09	764.3	...	...	S E	3	...	,,	30.11	764.8	...	...	N
Bonin Is.	,,	30.28	769.1	...	...	S S E	1	...	,,	30.20	767.1	...	...	S E
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.07	763.8	37	81	W	2	cm	9 a.	30.41	772.4	26	63	N
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	,,	30.27	768.8	48	85	W	2	o	,,	30.29	769.3	43	100	W
Shanghai,	,,	30.15	765.8	47	86	W N W	3	om	9 a	30.40	772.1	41	74	N N W
Gutzlaff,	,,	30.21	767.3	45	100	N	2	om	,,	30.42	772.6	42	83	N
Sharp Peak,	,,	30.09	764.3	58	100	...	0	f	,,	30.25	768.3	57	87	N E
Amoy,	,,	30.03	762.7	65	84	S	2	c	6 a.	30.09	764.3	59	88	E
Swatow,	,,	30.05	763.2	77	61	W	1	c	,,	30.11	764.8	58	94	N E
Taihoku,	1 p.	30.11	764.9	...	...	N W	4	...	5 a.	30.16	766.0	...	...	E
Taichu,	,,	30.10	764.7	...	...	W	4	...	,,	30.11	764.7	...	...	...
Tainan,	,,	30.13	765.4	...	...	N W	4	...	,,	30.12	764.9	...	...	N
Koshun,	,,	30.09	764.4	...	...	N	6	...	,,	30.08	764.1	...	...	N E
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Canton,	3 p.	30.11	764.8	70	75	N W	1	b	9 a.	...	...	...	...	...
Hongkong,	4 p.	30.10	764.5	71	73	W	1	c	10 a.	30.21	767.3	70	52	E
Victoria Peak,	,,	...	...	...	...	N N W	1	...	,,	...	...	...	...	E
Gap Rock,	,,	30.08	764.0	...	...	E N E	2	...	,,	30.17	766.3	...	...	N E
Macao,	,,	30.17	766.4	71	...	N E	1	o	,,	30.23	767.8	65	...	N
Wuchow,	3 p.	30.19	766.8	67	64	S W	2	b	9 a.	30.25	768.3	62	...	N E
Hoihow,	,,	30.16	766.0	78	...	E	2	b	,,	...	...	...	...	...
Pakhoi,	,,	30.20	767.1	73	63	N	2	b	,,	...	...	...	...	...
Phulien,	4 p.	30.11	764.9	70	...	S S E	4	b	8 a.	30.21	767.2	61	...	W N W
Tourane,	,,	30.07	763.9	70	...	N W	2	c	,,	30.14	765.6	72	..	N W
Cape St. James,	,,	29.90	759.4	77	...	E N E	6	c	,,	29.99	761.7	75	...	N E
Aparri,	2 p.	30.01	762.2	79	...	S E	2	o	6 a.	30.01	762.3	75	...	E
Manila,	4 p.	29.92	760	82	70	N E	0	o	10 a.	30.00	762	81	70	...
Legaspi,	2 p.	29.87	758.8	81	...	N E	2	c	6 a.	29.89	759.2	75	...	N E
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N E
Iloilo,	,,	29.85	758.2	81	...	N E	1	c	,,	29.89	759.2	79	...	N
Cebu,	,,	29.84	757.9	84	...	S	1	or	,,	29.88	758.9	80	...	...
Labuan,	,,	29.84	757.9	87	...	...	...	...	,,	29.95	760.7	82	...	...

On the 15th at 11.55 a.—The barometer has fallen rapidly in E. Japan, and risen considerably over N.
The depression lying over Korea yesterday morning, has reached the Eastern shores of the Sea of Jap
high pressure area now occupies N. China.
Pressure has given way and is relatively low in the neighbourhood of the Southern Philippines.
The monsoon will freshen again in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, freshening; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. Tho
Director.

Hongkong Observatory, Wednesday 15th February, 1911.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

15TH FEBRUARY, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	29.93	760.1	20	...	N E	3	b
,,	29.43	747.6	...	...	N N E	2	...
,,	29.59	751.7	...	...	W N W	4	...
,,	29.71	754.6	...	...	S	1	...
,,	29.93	760.3	...	...	S W	2	...
,,	30.17	766.3	...	...	N	2	...
,,	30.11	764.9	...	...	N W	3	...
,,	30.12	765.1	...	...	N	3	...
,,	30.13	765.2	...	...	N	5	...
,,	30.15	765.8	...	...	N	6	...
,,	30.12	765.1	...	...	S	1	...
4 p.	...	...	...	...	...	...	...
,,	30.41	772.4	25	74	N	5	os
,,	...	...	...	...	...	...	...
,,	30.35	770.9	50	79	N E	2	o
,,	30.38	771.6	41	83	N N W	1	o
,,	30.41	772.4	42	83	N	5	ogv
,,	30.24	768.1	57	87	E N E	2	o
,,	30.13	765.3	69	56	E	2	b
,,	30.09	764.3	64	89	E	2	b
1 p.	30.20	767.2	...	...	E	6	...
,,	30.08	764.1	...	...	N	5	...
,,	30.10	764.5	...	...	N W	6	...
,,	30.08	764.0	...	...	N E	8	...
,,	...	...	...	...	...	...	...
3 p.	30.11	764.8	70	57	N W	1	b
4 p.	30.11	764.8	65	68	E	4	b
,,	...	...	...	...	E S E	4	...
,,	30.08	764.0	...	...	E N E	4	...
,,	30.13	765.2	69	...	S E	2	c
8 p.	...	...	...	...	...	...	...
,,	30.16	766.0	69	...	E N E	2	b
,,	30.15	765.8	76	60	E S E	2	b
4 p.	30.08	764.0	75	...	S S E	3	b
,,	30.08	764.1	72	...	N E	1	c
,,	29.89	759.2	77	...	N E	5	c
2 p.	30.00	761.9	79	...	N E	2	c
4 p.	29.84	758	86	59	S W	1	o
2 p.	29.85	758.1	77	...	N E	2	o
3 p.	...	...	...	...	N E	4	o
,,	29.79	756.6	83	...	N E	2	c
,,	29.79	756.6	85	...	N	2	o
,,	29.83	757.7	85	...	...	...	...

16TH FEBRUARY, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.25	768.2	3	46	N E	1	b
6 a.	29.75	755.5	...	...	N N W	4	...
,,	29.91	759.7	...	...	N W	3	...
,,	29.95	760.6	...	...	N W	1	...
,,	30.13	765.3	...	...	S W	1	...
,,	30.29	769.3	...	...	N	3	...
,,	30.23	767.9	...	...	N N W	2	...
,,	30.22	767.6	...	...	N	4	...
,,	30.21	767.2	...	...	N E	4	...
,,	30.19	766.8	...	...	N N E	3	...
,,	30.08	764.1	...	...	S S W	1	...
6 a.	...	...	...	...	...	...	...
9 a.	30.58	776.7	33	79	N	4	c
6 a.	...	...	...	...	...	...	...
,,	30.40	772.1	48	92	N E	3	o
9 a	30.57	776.5	38	63	N N E	2	o
,,	30.58	776.7	40	65	N	6	ov
,,	30.56	771.1	55	80	N N W	4	o
6 a	30.16	766.0	54	74	N E	4	b
,,	30.19	766.8	53	80	N E	3	c
5 a	30.25	768.4	...	...	E	6	...
,,	30.13	765.4	...	...	...	0	...
,,	30.13	765.2	...	...	N	6	...
,,	30.08	763.9	...	...	N E	10	...
,,	...	...	...	...	...	...	...
9 a.	...	...	...	...	...	...	...
10 a.	30.25	768.3	60	81	E	2	o
,,	...	...	...	...	E	3	...
,,	30.18	766.6	...	...	E N E	5	...
,,	30.24	768.1	62	...	E S E	2	c
9 a	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.14	765.5	64	...	E N E	4	b
,,	30.13	765.2	72	..	E N E	3	o
,,	29.99	761.7	75	...	N E	2	o
6 a.	30.01	762.3	72	...	N E	2	o
10 a.	29.96	761	82	67	...	0	c
6 a.	29.85	758.1	75	...	N E	2	o
9 a.	...	...	...	...	N E	1	o
,,	29.87	758.7	79	...	N E	2	c
,,	29.86	758.4	83	...	S	1	b
,,	29.92	759.9	81	...	...	...	...

e 16th at 11.50 a.—The barometer is *rising* over Japan, the depression lying over Hokkaido yesterday, sed to the Pacific.

nticyclonic area remains over N. China, and pressure has increased along the coast particularly in the

re is low with a tendency to give way in the neighbourhood of the Southern Philippines.

monsoon will continue to prevail over the China Sea.

kong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ng and Neighbourhood, ...	N.E. winds, fresh to strong; fair.
Channel, ...	N.E. winds, strong.
ast of China between Hongkong and Lamocks,.	Same as No. 1.
ast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

kong Observatory, Thursday 16th February, 1911.

NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	16th February, 1911, P.M.								17th February, 1911, A					
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,	2 p.	30.27	768.8	11	...	N E	3	b	7 a.	30.33	771.6	−0	46	...
Nemuro,	,,	29.83	757.6	...	...	N N W	5	...	6 a.	30.08	764.1	...	...	N N W
Hakodate,	,,	29.95	760.7	...	...	N W	4	...	,,	30.07	763.7	...	...	W
Tokio,	,,	29.96	761.1	...	...	N W	2	...	,,	30.18	766.6	...	...	N N W
Kochi,	,,	30.11	764.8	...	...	E	1	...	,,	30.25	768.3	...	...	W S W
Nagasaki,	,,	30.29	769.3	...	...	N	3	...	,,	30.39	771.8	...	...	N E
Kagoshima,	,,	30.23	767.9	...	...	W N W	2	...	,,	30.37	771.4	...	...	N
Oshima,	,,	30.24	768.1	...	...	N	5	...	,,	30.28	769.3	...	...	N
Naha,	,,	...	...	...	...	...	...	...	,,	30.26	768.7	...	...	N E
Ishigakijima,	,,	30.21	767.3	...	...	N N E	5	...	,,	30.21	767.3	...	...	N E
Bonin Is.	,,	30.02	762.6	...	...	W	1	...	,,	30.12	765.1	...	...	N
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	30.69	779.5	25	100	N W
Weihaiwei,	,,	30.59	777.0	23	65	N	3	c	9 a.	30.69	779.5	...	...	N
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	,,	30.46	773.7	43	75	N E	4	o	,,	30.54	775.7	37	81	N E
Shanghai,	,,	30.52	775.2	40	56	N N E	2	o	9 a.	30.63	778.0	39	64	N N E
Gutzlaff,	,,	30.54	775.7	41	92	N N E	4	ov	,,	30.63	778.0	41	92	N N E
Sharp Peak,	,,	30.33	770.4	55	87	N	2	o	,,	30.39	771.9	51	72	N N W
Amoy,	,,	30.14	765.5	67	69	E N E	4	b	6 a	...	...	...	...	...
Swatow,	,,	30.12	765.0	65	63	E	2	b	,,	30.18	766.6	55	68	N E
Taihoku,	1 p.	30.29	769.4	...	...	E	6	...	5 a	30.29	769.4	...	...	E
Taichu,	,,	30.11	764.7	...	...	N	6	...	,,	30.17	766.4	...	...	N
Tainan,	,,	30.13	765.4	...	...	N	6	...	,,	30.16	766.1	...	...	N
Koshun,	,,	30.11	764.7	...	...	N E	10	...	,,	30.09	764.2	...	...	N E
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Canton,	3 p.	30.12	765.0	69	80	E	1	b	9 a.	30.26	768.6	61	66	N
Hongkong,	4 p.	30.14	765.5	62	70	E	4	o	10 a.	30.27	768.8	61	71	E
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E
Gap Rock,	,,	30.10	764.5	...	...	E	5	...	,,	30.22	767.6	...	...	E N E
Macao,	,,	30.15	765.8	63	...	S E	2	c	,,	30.29	769.3	62	...	E
Wuchow,	3 p.	30.19	766.8	72	54	E	1	c	9 a.	30.27	768.8	60	...	E
Hoihow,	,,	30.13	765.3	69	90	E N E	3	b	,,	...	...	...	...	...
Pakhoi,	,,	30.13	765.3	75	90	S	2	b	,,	...	...	...	...	...
Phulien,	4 p.	30.04	763.1	70	...	E S E	7	c	8 a.	30.14	765.6	64	...	E
Fourane,	,,	30.03	762.8	70	...	E	2	o	,,	30.11	764.8	72	...	...
Cape St. James,	,,	29.88	759.0	77	...	E	4	b	,,	29.99	761.7	73	...	N E
Aparri,	2 p.	29.99	761.7	75	...	N E	4	o	6 a.	29.99	761.7	72	...	N E
Manila,	4 p.	29.84	758	88	47	N E	1	o	10 a.	29.92	760	82	63	N N E
Legaspi,	2 p.	29.81	757.2	81	...	N E	2	o	6 a.	29.84	757.9	77	...	N E
Bacolod,	3 p.	...	...	...	...	N E	2	or	9 a.	...	...	...	...	N E
Iloilo,	,,	29.77	756.1	83	...	N E	2	o	,,	29.87	758.7	79	...	N E
Cebu,	,,	29.78	756.4	83	...	...	0	c	,,	29.86	758.4	85	...	...
Labuan,	,,	29.82	757.4	83	...	...	...	...	,,	29.92	759.9	83	...	...

On the 17th at 11.55 a.—The barometer has risen moderately to considerably over N. China and Japan ively.

The anticyclonic area is still central over the continent to the North of the Yangtze valley, and press mains low in the neighbourhood of the Southern Philippines.

Strong monsoon will continue to prevail along the China coast and over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Friday 17th February, 1911.

[Printed by Noronha & Co., Government Printers.]

INA COAST METEOROLOGICAL REGISTER.

17TH FEBRUARY, 1911, P.M.								18TH FEBRUARY, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...	2 p.	30.35	770.9	13	...	N E	1	c	7 a.	30.49	774.3	−3	73	N N E	0	b
...	,,	30.10	764.6	...	...	N	1	...	6 a.	30.24	768.1	...	...	...	0	...
...	,,	30.09	764.2	...	...	N	2	...	,,	30.26	768.7	...	...	N W	1	...
...	,,	30.14	765.6	...	...	N N W	1	...	,,	30.26	768.6	...	...	N	1	...
...	,,	30.19	766.8	...	...	S E	2	...	,,	30.33	770.3	...	...	S W	1	...
...	,,	30.37	771.3	...	...	N	3	...	,,	30.41	772.3	...	...	N	1	...
...	,,	30.27	768.9	...	...	W N W	1	...	,,	30.35	770.9	...	...	N N E	1	...
...	,,	30.28	769.1	...	...	N	4	...	,,	30.30	769.6	...	...	N	4	...
...	,,	30.24	768.2	...	...	N	5	...	,,	30.25	768.2	...	...	N E	2	...
...	,,	30.21	767.3	...	...	N E	6	...	,,	30.23	767.8	...	...	N N E	4	...
...	,,	30.08	764.1	...	...	N	1	...	,,	30.12	765.1	...	...	...	0	...
...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...	,,	30.63	778.0	31	90	N N W	5	b	9 a.	30.65	778.5	32	68	W	6	c
...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...	,,	30.54	775.7	38	81	N E	5	o	,,	30.54	775.7	34	90	N E	4	o
...	,,	30.58	776.7	38	63	N N E	2	o	9 a.	30.63	778.0	37	62	N N E	2	s
...	,,	30.58	776.7	40	91	N	5	ov	,,	30.60	777.2	39	91	N	5	oqv
...	,,	30.32	770.1	52	73	N	5	o	,,	30.44	773.2	52	73	N	4	c
...	,,	30.14	765.5	65	53	E	2	b	6 a.	30.16	766.0	53	61	N E	4	c
...	,,	30.16	766.0	59	70	E	2	b	,,	30.24	768.1	52	73	N E	3	c
...	1 p.	30.28	769.2	...	...	E	8	...	5 a.	30.33	770.4	...	...	E	6	...
...	,,	30.11	764.7	...	...	N	6	...	,,	30.16	766.1	...	...	N	6	...
...	,,	30.13	765.4	...	...	N	6	...	,,	30.20	767.0	...	...	N	6	...
...	,,	30.11	764.9	...	...	N E	10	...	,,	30.10	764.6	...	...	N E	6	...
...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...	3 p.	30.16	766.0	67	60	N W	1	b	9 a.	30.31	769.9	57	69	N	2	c
...	4 p.	30.17	766.3	61	71	E	3	o	10 a.	30.31	769.9	60	64	E	2	o
...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	3	...
...	,,	30.13	765.3	...	...	E N E	5	...	,,	30.25	768.3	...	...	E N E	6	...
...	,,	30.19	766.7	63	...	E S E	1	o	,,	30.33	770.4	59	...	E S E	2	o
...	8 p.	30.19	766.8	69	...	E	1	c	9 a.	30.32	770.1	54	...	E	2	or
...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...	,,	30.14	765.5	70	66	E	2	b	,,	...	...	...	...	...	...	...
...	4 p.	30.06	763.6	66	...	E S E	6	o	8 a.	30.19	766.7	64	...	E	5	o
...	,,	30.03	762.8	72	...	E	3	c	,,	30.13	765.3	72	..	E	3	o
...s,.	,,	29.89	759.3	75	...	E N E	5	c	,,	30.02	762.4	73	...	N E	2	c
...	2 p.	29.98	761.4	73	...	N E	4	o	6 a.	30.02	762.5	72	...	N E	4	d
...	4 p.	29.84	758	88	54	N E	1	c	10 a.	29.96	761	82	63	N N E	4	o
...	2 p.	29.80	756.9	84	...	E	2	o	6 a.	29.84	758.0	73	...	...	0	b
...	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	1	od
...	,,	29.79	756.6	83	...	N E	1	c	,,	29.91	759.7	79	...	N E	1	c
...	,,	29.78	756.4	85	...	...	0	b	,,	29.87	758.7	83	...	N	2	o
...	,,	29.82	757.4	85	...	...	...	...	,,	29.94	760.5	81	...	...	...	...

e 18th at 11.55 a.—The barometer is inclined to fall in N. China. It has risen moderately over E. Japan. anticyclonic area is still central over the continent to the North of the Yangtze valley, and pressure re- but with a tendency to increase, in the *neighbourhood of the Southern Philippines.*

monsoon will probably moderate along the China coast, but continue to blow strongly over the China Sea.

gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	N.E. winds, strong to fresh; fair.
e Channel, ...	Same as No. 1.
oast of China between Hongkong and Lamocks,.	Same as No. 1.
oast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Saturday, 18th February, 1911.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	18th February, 1911, P.M.								19th February, 1911, A.M.					
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,	2 p.	30.50	774.7	10	...	N E	3	b	7 a.	30.59	777.0	−0	59	N N E
Nemuro,	,,	...	...	...	...	N E	1	...	6 a.	30.32	770.1	...	...	...
Hakodate,	,,	30.24	768.2	...	...	S	1	...	,,	30.40	772.2	...	...	N
Tokio,	,,	30.22	767.6	...	...	E	1	...	,,	30.36	771.1	...	...	N
Kochi,	,,	30.24	768.3	...	...	S E	1	...	,,	30.47	773.8	...	...	N E
Nagasaki,	,,	30.37	771.3	...	...	N	3	...	,,	30.56	776.3	...	...	N
Kagoshima,	,,	30.31	769.9	...	...	W N W	2	...	,,	30.43	772.9	...	...	N
Oshima,	,,	30.28	769.1	...	...	N	4	...	,,	30.32	770.1	...	...	N
Naha,	,,	30.24	768.2	...	...	N N E	5	...	,,	30.30	769.7	...	...	N N E
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.20	769.3	...	...	N E
Bonin Is.	,,	30.06	763.6	...	...	...	0	...	,,	30.08	764.1	...	...	N
Chefoo,	4 p.	30.70	779.8	32	...	N N W	1	b	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.66	778.7	35	62	N N E	2	b	9 a.	30.74	780.8	39	46	W
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	,,	30.59	777.0	37	91	N E	4	or	,,	...	...	...	...	...
Shanghai,	,,	30.62	777.7	38	63	N	1	o	9 a.	30.67	779.0	41	66	N
Gutzlaff,	,,	30.62	777.7	40	91	N	5	ogv	,,	30.67	779.0	42	92	N
Sharp Peak,	,,	30.40	772.1	52	73	N N E	5	c	,,	30.51	774.9	50	86	N
Amoy,	,,	30.22	767.6	63	42	N N E	4	b	6 a.	30.28	769.1	52	60	N E
Swatow,	,,	30.21	767.3	59	65	E	2	c	,,	...	...	52	60	E N E
Taihoku,	1 p.	30.32	770.1	...	...	E	8	...	5 a.	30.40	772.1	...	...	E
Taichu,	,,	30.17	766.2	...	...	N	8	...	,,	30.28	769.2	...	...	N
Tainan,	,,	30.17	766.2	...	...	N	6	...	,,	30.28	769.1	...	...	N
Koshun	,,	30.16	766.0	...	...	N E	10	...	,,	30.23	767.8	...	...	N E
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Canton,	3 p.	30.24	768.1	65	58	N N W	1	c	9 a.	30.42	772.6	53	67	N N E
Hongkong,	4 p.	30.24	768.1	60	69	E	2	o	10 a.	30.33	771.6	59	71	E N E
Victoria Peak,	,,	...	...	...	...	N E	3	...	,,	...	...	...	...	E
Gap Rock,	,,	30.21	767.3	...	...	E N E	6	...	,,	30.34	770.6	...	...	E N E
Macao,	,,	30.26	768.5	61	...	S E	2	c	,,	30.42	772.6	57	...	N
Wuchow,	3 p.	30.32	770.1	52	...	N	3	o	9 a.	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi,	,,	30.22	767.6	66	59	N N E	2	o	,,	...	...	...	...	...
Phulien,	4 p.	30.10	764.6	64	...	E N E	6	o	8 a.	30.27	768.8	59	...	E N E
Tourane,	,,	30.07	763.8	72	...	E	3	o	,,	30.19	766.7	72	..	E
Cape St. James,	,,	29.93	760.1	77	...	E	4	c	,,	30.04	763.0	75	...	N E
Aparri,	2 p.	30.07	763.7	73	...	N E	4	o	6 a.	...	...	...	...	...
Manila,	4 p.	29.88	759	86	53	N N E	2	c	10 a.	30.04	763	82	50	E
Legaspi,	2 p.	29.83	757.8	82	...	E	2	c	6 a.	29.91	759.7	73	...	N E
Bacolod,	3 p.	...	...	...	...	N E	1	c	9 a.	...	...	...	...	N E
Iloilo,	,,	29.81	757.2	84	...	N E	1	o	,,	29.93	760.2	77	...	N E
Cebu,	,,	29.80	756.9	87	...	S	1	o	,,	29.91	759.7	81	...	N
Labuan,	,,	29.78	758.7	85	...	...	...	...	,,	...	...	...	...	...

On the 19th at 11.50 a.—The barometer has risen generally, particularly over China and Japan.

The anticyclonic area, which is still central over the continent to the North of the Yangtze valley, covers and Japan and adjacent waters.

Pressure remains relatively low in the neighbourhood of the Southern Philippines.

Strong monsoon will continue to prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong to fresh; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 19th February, 1911.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

19TH FEBRUARY, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.54	775.8	20	...	N E	4	b
,,	30.32	770.1	...	...	N W	1	...
,,	30.44	773.2	...	...	N N W	1	...
,,	30.38	771.6	...	...	N N W	4	...
,,	30.44	773.3	...	...	N W	5	...
,,	30.48	774.3	...	...	E N E	6	...
,,	30.43	772.9	...	...	E N E	1	...
,,	30.34	770.6	...	...	N	1	...
,,	30.30	769.7	...	...	N	6	...
,,	30.31	769.8	...	...	N	4	...
,,	30.08	764.1	...	...	N	2	...
4 p.	...	...	...	...	...	...	...
,,	30.68	779.3	36	70	N N E	1	b
,,	...	...	...	...	...	...	...
,,	30.61	777.5	46	40	N E	2	b
,,	30.59	777.0	43	59	N N E	2	o
,,	30.63	778.0	46	84	N	3	cv
,,	30.43	772.9	51	73	E	5	b
,,	30.18	766.6	63	47	E	2	b
,,	30.27	768.8	60	71	E S E	4	b
1 p.	30.41	772.4	...	...	E	6	...
,,	30.24	768.0	...	...	N	6	...
,,	30.28	769.1	...	...	N	4	...
,,	30.18	766.5	...	...	N E	10	...
,,	...	...	...	...	...	...	...
3 p.	30.32	770.1	60	55	N	2	b
4 p.	30.31	769.9	60	66	E S E	2	o
,,	...	...	...	...	E N E	1	...
,,	30.27	768.8	...	...	E N E	5	...
,,	30.32	770.1	59	...	N N E	1	o
3 p.	30.40	772.1	50	...	N	3	o
,,	30.17	766.3	66	95	N E	3	o
,,	30.34	770.6	56	75	N	3	o
4 p.	30.26	768.7	55	...	N N E	2	or
,,	30.13	765.4	72	...	E	3	o
,,	29.94	760.6	77	...	E N E	5	c
2 p.	30.16	766.0	77	...	N E	4	o
4 p.	29.96	761	81	56	N E	1	o
2 p.	...	...	...	...	...	...	...
3 p.	...	...	...	...	N E	3	or
,,	29.85	758.2	77	...	N E	1	o
,,	29.86	758.4	81	...	...	0	o
,,	...	...	...	...	...	...	...

20TH FEBRUARY, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.31	769.8	15	82	...	0	o
6 a.	30.38	771.6	...	...	S W	2	...
,,	30.59	774.7	...	...	W	2	...
,,	30.58	776.6	...	...	N N W	2	...
,,	30.56	776.3	...	...	S W	1	...
,,	30.54	775.8	...	...	E N E	1	...
,,	30.51	774.9	...	...	N E	2	...
,,	30.40	772.1	...	...	S	1	...
,,	30.34	770.7	...	...	N E	2	...
,,	30.33	770.3	...	...	E S E	2	...
,,	30.20	767.1	...	...	N E	1	...
6 a.	...	...	...	...	...	...	...
9 a.	30.65	778.5	35	62	W S W	1	c
6 a.	...	...	...	...	...	...	...
,,	30.60	777.2	38	91	N	2	or
9 a.	30.62	777.7	39	73	N	1	c
,,	30.64	778.2	42	53	N	2	cv
,,	30.54	775.7	49	...	N	1	b
6 a.	30.26	768.6	50	72	N E	2	b
,,	30.36	771.1	48	78	N E	1	b
5 a.	30.38	771.6	...	...	E	6	...
,,	30.30	769.7	...	...	...	0	...
,,	30.30	769.6	...	...	N	2	...
,,	30.26	768.7	...	...	N E	8	...
,,	...	...	...	...	...	...	...
9 a.	30.44	773.2	53	67	N N E	1	b
10 a.	30.42	772.6	62	49	N E	1	b
,,	...	...	...	...	N E	1	...
,,	30.39	771.9	...	...	E N E	5	...
,,	30.44	773.2	60	...	N	2	c
9 a.	30.47	773.9	50	...	N	2	c
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.34	770.7	55	...	E N E	4	or
,,	30.25	768.3	70	..	E	4	c
,,	30.07	763.8	75	...	N E	4	c
6 a.	30.20	767.0	59	...	E	4	d
10 a.	30.08	764	82	50	E	0	c
6 a.	30.01	762.1	73	...	N E	4	o
9 a.	...	...	...	...	N	3	qr
,,	29.99	761.7	76	...	N E	4	o
,,	29.93	760.2	81	...	N	2	o
,,	30.04	763.0	75	...	...	...	...

e 20th at 12.05 p.—The barometer has fallen moderately over N. China and at Wladiwostok, and risen sewhere.

bly a depression is approaching N. Manchuria from the Westward.

nticyclonic area still covers China, Japan and adjacent waters, and pressure is relatively low over the S. China Sea and Southern Philippines.

monsoon will continue to prevail over the China Sea.

gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

ORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	N.E. winds, fresh; fair.
a Channel, ...	Same as No. 1.
oast of China between Hongkong and Lamocks,.	Same as No. 1.
oast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

gkong Observatory, Monday, 20th February, 1911.

by NOHONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	20th February, 1911, P.M.								21st February, 1911, A					
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,	2 p.	30.19	766.8	29	...	...	0	o	7 a.	30.34	770.6	15	72	N
Nemuro,	,,	30.22	767.6	...	...	S S W	1	...	6 a.	30.01	762.1	...	...	W S W
Hakodate,	,,	30.38	771.7	...	...	W	2	...	,,	30.15	765.7	...	...	W N W
Tokio,	,,	30.46	773.6	...	...	...	0	...	,,	30.34	770.6	...	...	N W
Koohi,	,,	30.46	773.8	...	...	S	1	...	,,	30.41	772.3	...	...	S W
Nagasaki,	,,	30.46	773.8	...	...	W	1	...	,,	30.45	773.3	...	...	...
Kagoshima,	,,	30.43	772.9	...	...	S E	1	...	,,	...	...	...	...	...
Oshima,	,,	30.38	771.6	...	...	N E	1	...	,,	30.36	771.1	...	...	S
Naha,	,,	30.32	770.2	...	...	E S E	3	...	,,	30.30	769.7	...	...	...
Ishigakijima	,,	30.31	769.8	...	...	N E	4	...	,,	30.17	766.3	...	...	N E
Bonin Is.	,,	30.24	768.1	...	...	N	2	...	,,	30.30	769.6	...	...	N E
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.57	776.5	40	65	W	1	c	9 a.	30.58	776.7	39	64	N
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	,,	30.54	775.7	29	82	N E	2	or	,,	30.52	775.2	34	100	N E
Shanghai,	,,	30.50	774.7	47	63	N E	1	o	9 a.	30.53	775.4	43	75	N E
Gutzlaff,	,,	30.54	775.7	45	76	N	1	cv	,,	30.53	775.4	46	77	N N E
Sharp Peak,	,,	30.37	771.4	51	79	N N E	4	c	,,	30.40	772.1	51	79	N
Amoy,	,,	30.19	766.8	66	49	E	1	b	6 a.	30.28	769.1	53	61	E
Swatow,	,,	30.31	769.9	59	82	E	3	b	,,	30.30	769.6	50	...	N N E
Taihoku,	1 p.	30.34	770.7	...	...	E	8	...	5 a.	30.32	770.0	...	...	E
Taichu,	,,	30.25	768.4	...	...	N	6	...	,,	30.28	769.0	...	...	...
Tainan,	,,	30.27	768.8	...	...	N W	2	...	,,	30.27	768.8	...	...	N
Koshun,	,,	30.27	768.8	...	...	N E	8	...	,,	30.23	767.9	...	...	N E
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Canton,	3 p.	30.29	769.3	62	67	W	1	b	9 a.	30.37	771.4	58	81	E
Hongkong,	4 p.	30.27	768.8	59	64	E	2	b	10 a.	30.35	770.9	63	61	E
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E
Gap Rock,	,,	30.23	767.8	...	...	E N E	5	...	,,	30.31	769.9	...	...	N E
Macao,	,,	30.29	769.3	63	...	E	1	c	,,	30.38	771.5	64	...	S E
Wuchow,	3 p.	30.31	769.9	65	40	E	1	c	9 a.	30.45	773.4	49	...	N
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi,	,,	30.29	769.3	60	71	N	4	o	,,	...	...	...	...	...
Phulien,	4 p.	30.23	767.9	55	...	N W	3	c	8 a.	30.34	770.6	54	...	N
Tourane,	,,	30.15	765.7	72	...	E	3	o	,,	30.23	767.8	70	..	N E
Cape St. James,	,,	29.96	761.0	77	...	E N E	5	c	,,	30.09	764.2	73	...	N E
Aparri,	2 p.	30.15	765.9	72	...	N E	2	o	6 a.	30.13	765.4	72	...	E
Manila,	4 p.	29.96	761	84	52	N E	2	o	10 a.	30.04	763	81	62	S S W
Legaspi,	2 p.	29.95	760.8	75	...	N E	2	o	6 a.	29.99	761.7	75	...	N E
Bacolod,	3 p.	...	...	...	...	N	3	or	9 a.	...	...	...	...	N
Iloilo,	,,	29.87	758.7	77	...	N E	...	o	,,	29.99	761.7	77	...	N E
Cebu,	,,	29.85	758.2	83	...	N	2	o	,,	29.94	760.5	82	...	N
Labuan,	,,	29.92	759.9	84	...	...	...	...	,,	30.03	762.7	80	...	...

On the 21st at 11.55 a.—The barometer has fallen considerably in E. Japan the depression lying over M churia yesterday, having reached the Pacific to the North of Hokkaido.

The anticyclonic area is still central over the continent to the North of the Yangtze valley, but pre giving way along the China coast.

Strong monsoon must still be expected to prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Tuesday, 21st February, 1911.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

21st FEBRUARY, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.30	769.5	28	...	W	0	b
,,	30.00	762.1	...	...	N	5	...
,,	30.15	765.7	...	...	W N W	5	...
,,	30.20	767.1	...	...	N	2	...
,,	30.29	769.3	...	...	...	0	...
,,	30.35	770.8	...	...	W	1	...
,,	30.33	770.4	...	...	...	0	...
,,	30.26	768.6	...	...	S E	6	...
,,	30.22	767.7	...	...	E	2	...
,,	30.23	767.8	...	...	N E	3	...
,,	30.26	768.6	...	...	N E	1	...
4 p.	30.49	774.4	37	...	...	0	b
,,	30.48	774.2	39	73	N	1	b
,,	...	...	...	...	...	...	...
,,	30.50	774.7	38	100	W	1	or
,,	30.41	772.4	43	75	N E	1	o
,,	30.46	773.7	43	83	N	3	ov
,,	30.30	769.6	53	87	N E	3	c
,,	30.21	767.3	67	46	N E	1	b
,,	30.20	767.1	64	63	E	3	b
1 p.	30.24	768.2	...	...	E	8	...
,,	30.19	766.8	...	...	N	6	...
,,	30.22	767.5	...	...	N W	8	...
,,	30.21	767.4	...	...	E	2	...
,,	...	...	...	...	...	...	...
3 p.	30.23	767.8	63	62	N	2	b
4 p.	30.18	766.6	63	68	E	1	c
,,	...	...	...	...	E	1	...
,,	30.15	765.8	...	...	E	5	...
,,	30.22	767.6	65	...	N N E	1	c
8 p.	30.32	770.1	64	...	N	1	o
,,	30.20	767.1	68	90	E N E	4	b
,,	30.23	767.8	57	75	N	5	c
4 p.	30.21	767.3	55	...	N N E	2	or
,,	30.15	765.9	72	...	E	1	o
,,	29.97	761.3	77	...	E N E	4	c
2 p.	30.09	764.4	77	...	E	2	c
4 p.	29.96	761	81	62	N E	1	o
2 p.	29.92	760.0	75	...	N	2	o
3 p.	...	...	...	...	N	3	od
,,	29.85	758.2	80	...	N E	2	o
,,	29.84	757.9	84	...	N	2	o
,,	29.91	759.7	85	...	...	...	...

22nd FEBRUARY, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.23	767.9	19	56	N E	1	b
6 a.	30.12	765.1	...	...	S W	1	...
,,	30.21	767.2	...	...	...	0	...
,,	30.24	768.1	...	...	N N E	1	...
,,	30.25	768.3	...	...	S W	1	...
,,	30.29	769.3	...	...	...	0	...
,,	30.23	767.9	...	...	N	1	...
,,	30.20	767.1	...	...	...	0	...
,,	30.15	765.7	...	...	S E	1	...
,,	30.13	765.3	...	...	N N E	1	...
,,	30.26	768.6	...	...	...	0	...
6 a.	...	...	...	...	...	...	...
9 a.	30.44	773.2	36	70	W N W	2	b
6 a.	...	...	...	...	...	...	...
,,	30.44	773.2	37	91	W	1	o
9 a.	30.42	772.6	40	82	N	1	om
,,	30.45	773.4	41	92	N	2	ov
,,	30.24	768.1	53	80	E	4	b
6 a.	30.07	763.3	54	61	E	2	b
,,	30.14	765.5	52	86	N E	1	c
5 a.	30.15	765.7	...	...	S E	2	...
,,	30.13	765.3	...	...	...	0	...
,,	30.15	765.7	...	...	N	4	...
,,	30.11	764.8	...	...	N E	4	...
,,	...	...	...	...	...	...	...
9 a.	...	...	...	...	...	...	...
10 a.	30.22	767.6	66	59	E	2	b
,,	...	...	...	...	E	3	...
,,	30.18	766.6	...	...	E N E	5	...
,,	30.26	768.3	62	...	N E	1	o
9 a.	30.36	771.1	47	...	N	2	or
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.23	767.9	54	...	S E	3	c
,,	30.16	766.1	68	..	N W	1	o
,,	30.03	762.7	72	...	N E	2	f
6 a.	30.06	763.4	63	...	E	2	b
10 a.	30.00	762	79	61	S W	1	c
6 a.	29.92	760.0	73	...	N E	2	o
9 a.	...	...	...	...	N	2	o
,,	29.99	761.7	78	...	N E	1	c
,,	29.91	759.7	80	...	S	1	b
,,	29.99	761.7	80	...	...	...	...

e 22nd at 12.05 p.—The barometer has risen moderately in N.E. Japan the depression noticed yesterday, ved away over the Pacific.

are has given way elsewhere, particularly over China and S.W. Japan. It is highest over the Yangtze

to moderate monsoon may be expected over the China Sea.

kong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
g and Neighbourhood, ...	N.E. winds, fresh to moderate; fair.
Channel, ...	Same as No. 1.
ast of China between Hongkong and Lamocks,.	Same as No. 1.
ast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

kong Observatory, Wednesday, 22nd February, 1911.

y Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGIST

Station.	22nd February, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	23rd February, 1911, Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,	2 p.	30.27	768.8	21	...	N E	3	b	7 a.	30.50	774.6	8	66	...
Nemuro,	,,	29.96	761.1	...	...	S S W	3	...	6 a.	30.10	764.6	...	...	N
Hakodate,	,,	30.09	764.2	...	...	N	5	...	,,	30.19	766.7	...	...	W
Tokio,	,,	30.12	765.1	...	...	N N E	1	...	,,	30.20	767.1	...	...	N W
Kochi,	,,	30.17	766.3	...	...	W	1	...	,,	30.25	768.3	...	...	N N E
Nagasaki,	,,	30.23	767.8	...	...	N N W	1	...	,,	30.27	768.8	...	...	N E
Kagoshima,	,,	30.21	767.4	...	...	N N W	1	...	,,	30.19	766.9	...	...	E
Oshima,	,,	30.14	765.6	...	...	S	1	...	,,	30.12	765.1	...	...	...
Naha,	,,	30.11	764.7	...	...	E	1	...	,,	30.07	763.7	...	...	...
Ishigakijima,	,,	30.09	764.3	...	...	E	4	...	,,	30.07	763.8	...	...	N
Bonin Is.	,,	30.20	767.1	...	...	N	1	...	,,	30.24	768.1	...	...	...
Chefoo,	4 p.	30.48	774.2	35	...	N	6	b	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.44	773.2	36	70	N	6	b	9 a.	30.57	776.5	33	69	N
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	,,	30.45	773.4	34	100	...	0	or	,,	30.54	775.7	37	81	W
Shanghai,	,,	30.33	770.4	42	83	N N E	1	om	9 a.	30.54	775.7	41	74	N
Gutzlaff,	,,	30.36	771.1	42	83	N	4	ov	,,	30.53	775.4	45	76	N
Sharp Peak,	,,	30.15	765.8	54	80	E N E	4	c	,,	30.37	771.4	52	70	N
Amoy,	,,	30.04	763.0	63	62	S	3	c	6 a.	30.10	764.5	55	74	N E
Swatow,	,,	30.09	764.3	62	83	N E	1	c	,,	30.23	767.8	52	73	N W
Taihoku,	1 p.	30.13	765.3	...	...	E	6	...	6 a.	30.28	769.0	...	...	W
Taichu,	,,	30.05	763.2	...	...	N	6	...	,,	30.16	766.1	...	...	N
Tainan,	,,	30.07	763.8	...	...	N W	2	...	,,	30.16	766.1	...	...	N
Koshun,	,,	30.11	764.9	...	...	E	2	...	,,	30.10	764.6	...	...	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Canton,	3 p.	30.20	767.1	60	79	N N E	2	o	9 a.	30.38	771.6	49	64	N N E
Hongkong,	4 p.	30.14	765.5	59	74	W N W	2	o	10 a.	30.30	769.6	61	48	N N E
Victoria Peak,	,,	...	...	...	...	N W	6	...	,,	...	...	...	...	N
Gap Rock,	,,	30.10	764.5	...	...	N N W	6	...	,,	30.28	769.1	...	...	N N E
Macao,	,,	30.17	766.3	53	...	N W	2	od	,,	30.35	770.9	63	...	N N W
Wuchow,	3 p.	30.26	768.6	61	...	N	1	o	9 a.	30.47	773.9	42	...	S E
Hoihow,	,,	30.15	765.8	65	...	N E	0	o	,,	...	...	...	...	...
Pakhoi,	,,	30.24	768.1	56	81	N	5	o	,,	...	...	...	...	...
Phulien,	4 p.	30.13	765.3	59	...	S S E	2	o	8 a.	30.34	770.5	52	...	N N E
Tourane,	,,	30.03	762.8	66	...	N W	4	c	,,	...	...	...	...	...
Cape St. James,	,,	29.93	760.3	77	...	E	3	c	,,	30.04	762.9	73	...	N E
Aparri,	2 p.	29.98	761.6	77	...	N E	2	b	6 a.	30.02	762.6	72	...	N E
Manila,	4 p.	29.88	759	81	69	W S W	1	b	10 a.	30.04	763	79	69	W S W
Legaspi,	2 p.	29.84	758.0	82	...	N E	2	o	6 a.	29.92	760.0	72	...	...
Bacolod,	3 p.	...	...	...	...	N	3	or	9 a.	...	...	...	...	N E
Iloilo,	,,	29.83	757.7	83	...	N E	3	c	,,	29.99	761.7	79	...	N E
Cebu,	,,	29.82	757.4	81	...	N	1	o	,,	29.95	760.2	83	...	S
Labuan,	,,	...	...	...	...	...	...	...	,,	30.00	762.0	79	...	...

On the 23rd at 11.50 a.—The barometer has risen moderately over China, and fallen slightly over the b

A shallow depression is moving Eastwards to the South of the latter area, and the anticyclonic area the China, is central to the North of the Yangtze valley.

Fresh to strong monsoon will continued to prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fine.
2.—Formosa Channel,	N. and N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIN
Director.

Hongkong Observatory, Thursday, 23rd February, 1911.

[Printed by NORONHA & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

23RD FEBRUARY, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.52	770.2	26	...	...	0	b
,,	30.28	769.1	...	...	N N W	7	...
,,	30.34	770.7	...	...	N W	4	...
,,	30.26	768.6	...	...	N N W	2	...
,,	30.27	768.8	...	...	N W	1	...
,,	30.33	770.3	...	...	N E	2	...
,,	30.23	767.9	...	...	N W	1	...
,,	30.12	765.1	...	...	N	1	...
,,	30.11	764.7	...	...	N	7	...
,,	30.19	766.8	...	...	...	0	...
,,	30.16	766.1	...	...	E N E	1	...
4 p.	30.56	776.2	34	...	N	2	b
,,	30.51	774.9	38	72	N	5	b
,,	...	...	...	...	...	...	...
,,	30.52	777.0	42	75	N E	2	o
,,	30.48	774.2	43	69	N N W	2	o
,,	30.50	774.7	44	68	N	5	cv
,,	30.29	769.3	63	60	E N E	4	c
,,	30.16	766.0	60	55	E	3	c
,,	30.19	766.8	70	44	N E	1	b
7 p.	30.29	769.4	...	...	E	4	...
,,	30.12	765.0	...	...	N	8	...
,,	30.14	765.6	...	...	N	8	...
,,	30.13	765.2	...	...	N E	8	...
,,	...	...	...	...	...	...	...
8 p.	30.30	769.6	55	66	S N E	2	b
4 p.	30.24	768.1	63	42	N	2	b
,,	...	...	...	...	N N W	4	...
,,	30.21	767.3	...	...	N N W	5	...
,,	30.26	768.6	59	...	N E	2	c
8 p.	30.36	771.1	46	...	W	3	o
,,	30.28	769.1	62	72	N E	4	c
,,	30.36	771.1	51	...	N	4	o
4 p.	30.26	768.6	57	...	N N E	2	c
,,	30.13	765.4	70	...	E	2	c
,,	29.95	760.7	75	...	E N E	3	c
2 p.	30.03	762.8	79	...	N	2	b
4 p.	29.83	759	54	58	S	1	c
2 p.	29.89	759.1	82	...	N E	2	c
8 p.	...	...	...	...	N E	2	b
,,	29.85	758.2	84	...	N E	1	c
,,	29.85	758.2	84	...	N	1	c
,,	29.90	758.4	85	...	...	...	...

24TH FEBRUARY, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.41	772.5	8	83	...	0	b
6 a.	30.18	766.6	...	...	W S W	1	...
,,	30.32	770.2	...	...	...	0	...
,,	30.36	771.1	...	...	N N W	2	...
,,	30.37	771.3	...	...	S W	1	...
,,	30.37	771.3	...	...	N E	2	...
,,	30.29	769.4	...	...	N N E	2	...
,,	30.18	766.6	...	...	N N E	3	...
,,	30.19	766.7	...	...	N	5	...
,,	30.27	768.9	...	...	N	4	...
,,	30.28	769.1	...	...	E S E	1	...
9 a.	30.55	775.9	26	...	W S W	2	b
9 a.	30.59	777.0	35	62	W N W	4	c
9 a.	...	...	...	...	...	...	...
,,	30.61	777.5	36	90	N E	2	o
9 a.	30.63	778.0	35	80	N N W	3	cm
,,	30.64	778.2	37	81	N	4	ov
,,	30.49	774.2	51	73	N N E	4	b
6 a.	...	...	51	66	E	2	b
,,	30.33	770.4	51	68	N	1	c
6 a.	30.38	771.6	...	...	E	4	...
,,	30.27	768.8	...	...	N	6	...
,,	30.25	769.0	...	...	N	2	...
,,	30.24	768.1	...	...	N E	6	...
,,	...	...	...	...	...	...	...
3 a.	30.48	774.2	48	63	E N E	2	c
10 a.	30.46	773.7	56	50	...	0	b
,,	...	...	...	...	N	3	...
,,	30.42	772.6	...	...	N	6	...
,,	30.50	774.7	50	...	N E	2	c
9 a	30.52	775.2	44	84	N	3	or
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.50	774.6	48	...	N	2	o
,,	30.28	769.1	70	...	E	5	c
,,	30.09	764.2	75	...	N E	4	c
6 a.	30.13	765.4	70	...	N E	4	d
10 a.	30.08	764	61	62	W S W	1	b
6 a.	29.97	761.1	75	...	...	0	b
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	30.06	763.5	75	...	...	...	...

24th at 12.05 p.—The barometer has risen generally, except over N.E. China and at Wladiwostok.
ticyclonic area covering China is still central to the North of the Yangtze valley.
re is relatively low over the Pacific to the East of the Loochoos, and over the S. part of the China Sea.
rong monsoon will continue to prevail over the China Sea.

ong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast Districts.	
g and Neighbourhood, ...	N. winds, fresh to moderate; fine.
Channel, ...	N. and N.E. winds, fresh.
st of China between Hongkong and Lemchow,	Same as No. 1.
st of China between Hongkong and Lukeau, ...	Same as No. 1.

F. G. EGG,
Director.

ong Observatory, Friday, 24th February, 1911.

NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGIST

Station.	24th FEBRUARY, 1911, P.M.								25th FEBRUARY, 1911					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	W
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.
Wladivostock,	2 p.	30.42	772.6	31	...	S S E	0	b	7 a.	30.23	767.9	20	92	...
Nemuro,	,,	30.44	773.1	...	...	W	5	...	6 a.	30.26	768.6	...	...	W
Hakodate,	,,	30.50	774.7	...	...	S	1	...	,,	30.32	770.2	...	...	
Tokio,	,,	30.48	774.1	...	...	N N W	2	...	,,	...	...	...	...	N N
Kochi,	,,	30.27	768.8	...	...	S S W	1	...	,,	...	...	...	...	W S
Nagasaki,	,,	30.33	770.3	...	...	N E	3	...	,,	30.39	771.8	...	...	N N
Kagoshima,	,,	30.27	768.9	...	...	N E	1	...	,,	30.31	769.9	...	...	N
Oshima,	,,	30.20	767.1	...	...	N	4	...	,,	30.30	769.6	...	...	N
Naha,	,,	30.19	766.7	...	...	N	4	...	,,	30.24	768.2	...	...	N
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.23	767.8	...	...	N
Bonin Is.	,,	30.22	767.6	...	...	E	1	...	,,	30.22	767.6	...	...	S E
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.54	775.7	40	48	N	2	c	8 a.	30.50	774.7	39	55	N W
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	,,	30.60	777.2	43	67	N E	2	o	,,	30.53	775.4	37	81	...
Shanghai,	,,	30.55	775.9	43	51	N N W	2	c	9 a.	30.55	775.9	37	62	N N
Gutzlaff,	,,	30.58	776.7	41	83	N	4	ov	,,	30.58	776.7	38	72	N
Sharp Peak,	,,	30.39	771.9	52	79	E N E	4	o	,,	30.41	772.4	51	...	...
Amoy,	,,	30.24	768.1	56	63	E	3	o	6 a.	30.31	769.9	50	65	E
Swatow,	,,	30.31	769.9	58	70	E	1	c	,,	30.34	770.6	50	65	N
Taihoku,	1 p.	30.37	771.5	...	...	E	6	...	5 a.	30.30	769.7	...	...	...
Taichu,	,,	30.24	768.2	...	...	N	8	...	,,	30.27	768.9	...	...	N
Tainan,	,,	30.28	769.2	...	...	N	4	...	,,	...	...	...	...	...
Koshun,	,,	30.26	768.6	...	...	N	6	...	,,	...	...	...	...	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Canton,	3 p.	30.39	771.9	62	53	N	1	c	9 a.	30.46	773.7	43	63	N N
Hongkong,	4 p.	30.32	770.1	57	47	N	1	o	10 a.	30.41	772.4	56	57	N
Victoria Peak,	,,	...	...	...	...	N	1	...	,,	...	...	...	...	N W
Gap Rock,	,,	30.30	769.6	...	...	N E	3	...	,,	30.33	771.6	...	...	N N
Macao,	,,	30.35	770.9	54	...	N E	2	o	,,	...	...	50	...	N E
Wuchow,	3 p.	30.49	774.4	47	77	N	1	o	9 a	30.51	774.9	46	...	N
Hothow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi,	,,	30.44	773.2	46	84	N	5	o	,,	...	...	...	...	...
Phulien,	4 p.	30.39	771.8	50	...	N E	1	o	8 a.	30.49	774.4	50	...	N
Tourane,	,,	30.19	766.8	68	...	E	5	o	,,	30.30	769.6	61	...	N W
Cape St. James,	,,	29.96	761.1	75	...	E N E	5	b	,,	30.14	765.5	73	...	N
Aparri,	2 p.	30.11	764.9	75	...	N E	4	o	6 a.	30.12	765.1	72	...	N
Manila,	4 p.	29.96	761	84	58	W	1	o	10 a.	30.08	764	81	62	N N W
Legaspi,	2 p.	29.91	759.8	84	...	N E	2	c	6 a.	29.95	760.8	75	...	N E
Bacolod,	3 p.	...	...	...	...	N E	2	c	8 a.	...	...	...	...	N E
Iloilo,	,,	29.89	759.2	84	...	N	1	b	,,	30.05	763.2	80	...	N E
Cebu,	,,	29.90	759.4	85	...	S	1	c	,,	29.98	761.5	82	...	E
Labuan,	,,	29.96	761.0	78	...	...	...	...	,,	...	...	...	...	...

On the 25th at 11.55 a.—The barometer has fallen moderately in N. China and at Wladiwostok owing to the existence of a depression over N. Manchuria.

The anticyclonic area covering China, is apparently central over the Upper Yangtze valley.

Strong monsoon will continue to prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; fair.
2.—Formosa Channel,	N. and N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. Fi

Director.

Hongkong Observatory, Saturday 25th February 1911.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

25TH FEBRUARY, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.10	764.6	31	...	S E	0	b
,,	30.08	764.1	...	...	S	1	...
,,	30.17	766.2	...	...	S E	1	...
,,	30.12	765.1	...	...	N N W	1	...
,,	...	...	...	...	...	...	...
,,	30.29	769.3	...	...	N	3	...
,,	30.21	767.4	...	...	N	1	...
,,	30.22	767.6	...	...	N	5	...
,,	30.19	766.7	...	...	N N E	3	...
,,	30.19	766.8	...	...	N N E	2	...
,,	30.24	768.1	...	...	S E	1	...
4 p.	...	...	...	...	...	...	...
,,	30.34	770.6	42	42	N N E	1	c
,,	...	...	...	...	...	...	...
,,	30.48	774.2	49	64	N W	2	c
,,	30.41	772.4	42	50	N N W	1	o
,,	30.48	774.2	40	74	N	2	ov
,,	30.32	770.1	52	86	N	3	o
,,	30.22	767.6	55	62	S E	1	o
,,	30.30	769.6	58	81	N E	1	o
1 p.	30.26	768.5	...	...	N E	2	...
,,	30.21	767.3	...	...	N	8	...
,,	30.24	768.1	...	...	N	6	...
,,	30.19	766.9	...	...	N W	6	...
,,	...	...	...	...	...	...	...
3 p.	30.35	770.9	64	74	N	2	o
4 p.	30.27	768.8	60	52	N W	1	o
,,	...	...	...	...	N W	4	...
,,	30.26	768.6	...	...	N N W	6	...
,,	30.28	769.1	54	...	E N E	2	o
3 p.	30.38	771.6	56	...	S W	2	c
,,	...	...	...	...	...	...	...
,,	30.40	772.1	...	...	N	4	o
4 p.	30.39	771.8	52	...	N	3	o
,,	30.24	768.0	61	...	N W	4	o
,,	29.99	761.7	75	...	E	4	b
2 p.	30.06	763.6	77	...	N E	4	o
4 p.	29.92	760	86	47	E	4	o
2 p.	29.89	759.1	77	...	N E	2	o
3 p.	...	...	...	...	N E	2	c
,,	29.87	758.7	85	...	N E	1	c
,,	29.86	758.4	84	...	N	2	b
,,	29.93	760.2	83	...	...	...	...

26TH FEBRUARY, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.02	762.5	22	93	N N E	1	b
6 a.	29.93	760.1	...	...	W	1	...
,,	30.09	764.2	...	...	W	3	...
,,	30.12	765.1	...	...	N	1	...
,,	30.05	763.3	...	...	S W	1	...
,,	30.15	765.8	...	...	...	0	...
,,	30.15	765.9	...	...	N N E	1	...
,,	30.12	765.1	...	...	N W	2	...
,,	30.11	764.7	...	...	N E	1	...
,,	30.09	764.3	...	...	N	1	...
,,	30.10	764.6	...	...	...	0	...
6 a.	...	...	...	...	...	...	...
8 a.	30.22	767.8	43	62	S W	3	b
6 a.	...	...	...	...	...	...	...
,,	30.33	770.4	34	90	...	0	b
9 a.	30.37	771.4	42	66	W S W	1	b
,,	30.41	772.4	45	68	N	1	bm
,,	30.27	768.8	51	...	E N E	1	o
6 a.	...	...	...	...	...	...	...
,,	30.20	767.1	50	65	N N W	1	o
6 a.	30.20	767.1	...	...	...	0	...
,,	30.16	766.0	...	...	N	6	...
,,	30.15	765.8	...	...	N	6	...
,,	30.11	764.9	...	...	N	2	...
,,	...	...	...	...	...	...	...
9 a.	30.32	770.1	48	63	N	2	b
10 a.	30.28	769.1	57	50	W	1	b
,,	...	...	...	...	N W	3	...
,,	30.24	768.1	...	...	N	4	...
,,	30.30	769.7	52	...	N N W	2	b
9 a.	30.40	772.1	47	...	S W	2	b
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.37	771.3	54	...	N N W	2	c
,,	30.27	768.9	57	...	N W	5	o
,,	30.07	763.7	73	...	N E	2	f
6 a.	30.01	762.3	70	...	N E	2	d
10 a.	30.09	762	81	76	...	0	o
6 a.	29.89	759.3	73	...	...	0	o
9 a.	...	...	...	...	N E	1	o
,,	30.01	762.2	81	...	...	0	c
,,	29.94	760.5	85	...	S	2	b
,,	...	...	...	...	...	...	...

26th at 12.05 p.—The barometer has fallen generally, particularly over N. China and Japan.
ssions are moving Eastwards to the NE of Japan, and over the Northwest part of the Sea of Japan.
nticyclonic area remains over the Upper Yangtze valley.
to strong monsoon will still prevail over the China Sea.

kong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.

ng and Neighbourhood, ...	N. winds, moderate; fine.
Channel, ...	Same as No. 1.
ast of China between Hongkong and Lamocks,.	Same as No. 1.
ast of China between Hongkong and Hainan,...	Same as No. 1.

F. C. FIGG,
Director.

kong Observatory, Sunday 26th February, 1911.

y NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGIST

Station.	26th FEBRUARY, 1911, P.M.								27th FEBRUARY, 1911					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	W
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Dir tio
Wladivostock,	2 p.	30.01	762.1	31	...	N E	4	b	7 a.	30.04	763.1	19	58	N
Nemuro,	,,	29.91	759.6	...	...	S E	2	...	6 a.	29.91	759.6	...	...	...
Hakodate,	,,	30.01	762.2	...	...	W	2	...	,,	29.97	761.2	...	...	...
Tokio,	,,	30.00	762.1	...	...	...	2	...	,,	29.99	761.6	...	...	N W
Kochi,	,,	29.97	761.5	...	...	E N E	1	...	,,	30.05	763.3	...	...	S W
Nagasaki,	,,	30.11	764.8	...	...	N W	6	...	,,	30.23	767.8	...	...	...
Kagoshima,	,,	30.09	764.4	...	...	W N W	2	...	,,	30.12	764.9	...	...	N N
Oshima,	,,	30.10	764.6	...	...	N	3	...	,,	30.08	764.1	...	...	N
Naha,	,,	30.07	763.7	...	...	N	2	...	,,	30.05	763.2	...	...	N E
Ishigakijima,	,,	30.05	763.3	...	...	N	7	...	,,	30.03	762.8	...	...	N N
Bonin Is.	,,	29.98	761.6	...	...	E S E	1	...	,,	29.95	760.6	...	...	...
Chefoo,	4 p.	30.21	767.3	41	...	...	0	b	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.14	765.5	42	66	N W	2	bm	9 a.	30.09	764.3	41	74	S W
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang	,,	30.26	768.3	56	35	...	0	b	,,	30.20	767.1	35	90	...
Shanghai,	,,	30.24	768.1	52	41	N W	1	bv	9 a.	30.23	767.8	45	63	S
Gutzlaff,	,,	30.29	769.3	49	50	N	1	bm	,,	30.28	769.1	48	71	N
Sharp Peak,	,,	30.21	767.3	61	86	E	3	o	,,	30.17	766.3	50	...	...
Amoy,	,,	30.10	764.5	59	59	E	1	c	6 a.	30.11	764.8	51	59	...
Swatow,	,,	30.13	765.3	60	65	E N E	1	b	,,	30.09	764.3	50	79	N E
Taihoku,	1 p.	30.18	766.6	...	...	E	4	...	5 a.	30.12	765.1	...	...	W
Taichu,	,,	30.10	764.6	...	...	N	6	...	,,	30.08	764.0	...	...	N
Tainan,	,,	30.12	765.1	...	...	N	4	...	,,	30.08	764.1	...	...	N
Koshun,	,,	30.09	764.4	...	...	N	8	...	,,	30.04	763.1	...	...	N
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Canton,	3 p.	30.16	766.0	58	47	N	2	b	9 a.	30.18	766.6	50	65	N N W
Hongkong,	4 p.	30.14	765.5	61	47	W	1	b	10 a.	30.17	766.3	60	66	E S E
Victoria Peak,	,,	...	...	...	...	S W	1	...	,,	...	...	...	...	E S E
Gap Rock,	,,	30.13	765.3	...	...	N	3	...	,,	30.14	765.5	...	...	N E
Macao,	,,	30.15	765.8	58	...	N N E	1	c	,,	30.20	767.1	58	...	N
Wuchow,	8 p.	30.27	768.8	55	...	E	1	c	9 a.	30.24	768.1	43	...	N E
Hoihow,	,,	30.21	767.3	58	81	N W	2	b	,,	...	...	...	...	...
Pakhoi,	,,	30.13	765.3	61	50	N N W	2	b	,,	...	...	...	...	...
Phulien,	4 p.	30.16	766.0	66	...	S S E	4	b	8 a.	30.19	766.7	57	...	N N E
Tourane,	,,	30.15	765.8	59	...	N W	5	o	,,	30.17	766.3	61	...	N W
Cape St. James,	,,	29.93	760.3	75	...	N E	4	b	,,	30.03	762.7	73	...	N E
Aparri,	2 p.	29.98	761.4	73	...	N	2	o	6 a.	29.97	761.3	68	...	N E
Manila,	4 p.	29.92	760	77	84	...	0	d	10 a.	30.00	762	77	84	...
Legaspi,	2 p.	29.87	758.8	77	...	N E	2	o	6 a.	29.91	759.6	73	...	...
Bacolod,	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	N E
Iloilo,	,,	29.83	757.7	83	...	N N W	1	b	,,	29.99	761.7	79	...	N
Cebu,	,,	29.84	757.9	85	...	N	2	o	,,	29.92	759.9	84	...	E
Labuan,	,,	...	...	...	...	...	...	...	,,	29.97	761.2	79	...	...

On the 27th at 12.05 p.—The depression lying over the N. part of the Sea of Japan yesterday, has m the Pacific.

The barometer continues to fall over China and another depression appears to be approaching N. C the Westward.

Pressure is highest over the Yangtze valley.

Moderate monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate or light; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 27th February, 1911.

[Printed by NORONHA & Co., Government Printers.]

A COAST METEOROLOGICAL REGISTER.

27TH FEBRUARY, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.01	762.1	30	...	...	0	c
,,	29.93	760.1	...	...	...	0	...
,,	29.97	761.2	...	...	N W	2	...
,,	29.98	761.6	...	...	S S E	2	...
,,	30.01	762.3	...	...	E S E	1	...
,,	30.07	763.8	...	...	N	1	...
,,	30.06	763.4	...	...	S S E	1	...
,,	30.06	763.6	...	...	N	3	...
,,	...	...	...	...	...	0	...
,,	30.03	762.8	...	...	N E	5	...
,,	29.91	759.6	...	...	...	0	...
4 p.	30.01	762.2	57	...	S	5	b
,,	30.01	762.2	50	65	S W	6	b
,,	...	...	...	...	...	...	...
,,	30.07	763.8	62	36	W	1	b
,,	30.06	763.5	54	58	S S E	2	b
,,	30.16	766.0	51	66	S E	1	bv
,,	30.09	764.3	52	...	E	2	b
,,	30.00	762.0	64	53	S	2	b
,,	30.01	762.2	58	70	E N E	1	b
1 p.	30.09	764.4	...	...	E	4	...
,,	30.03	762.7	...	...	N	6	...
,,	30.04	763.1	...	...	N W	6	...
,,	30.02	762.5	...	...	N	6	...
,,	...	...	...	...	..	...	...
3 p.	30.04	763.0	60	55	W	1	b
4 p.	30.04	763.0	61	59	E	1	o
,,	...	...	...	...	...	0	...
,,	30.02	762.5	...	...	E N E	3	...
,,	30.04	763.1	62	...	S S E	1	c
8 p.	30.12	765.0	63	...	N	2	c
,,	30.11	764.8	62	72	N E	2	b
,,	30.03	762.7	66	95	S W	2	b
4 p.	30.01	762.3	66	...	S S E	4	c
,,	29.98	761.6	...	...	N N W	2	b
,,	29.90	759.5	73	...	E N E	4	b
2 p.	29.92	760.0	77	...	N	2	b
4 p.	29.84	758	84	64	W	1	b
2 p.	29.85	758.1	82	...	N E	2	c
3 p.	...	...	...	...	N E	2	b
,,	29.83	757.7	84	...	N W	1	c
,,	29.83	757.7	85	...	N	1	b
,,	29.86	758.4	77	...	...	...	...

28TH FEBRUARY, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	29.98	761.5	30	83	S E	0	o
6 a.	30.04	763.1	...	...	...	0	...
,,	30.13	765.2	...	...	...	0	...
,,	30.12	765.1	...	...	N N W	1	...
,,	30.09	764.3	...	...	S W	1	...
,,	30.11	764.8	...	...	...	0	...
,,	30.10	764.4	...	...	...	0	...
,,	30.06	763.6	...	...	S	1	...
,,	30.03	762.7	...	...	N E	2	...
,,	29.97	761.3	...	...	N E	2	...
,,	29.99	761.6	...	...	...	0	...
6 a.	...	...	...	...	...	...	...
9 a.	29.89	759.2	49	91	S S W	8	c
6 a	...	...	...	...	...	...	...
,,	30.05	763.2	42	92	...	0	b
9 a.	30.05	763.2	49	71	S S E	2	b
,,	30.10	764.5	50	72	S E	3	cv
,,	30.07	763.8	50	...	...	0	b
6 a.	30.02	762.5	51	79	W	1	b
,,	30.02	762.5	49	85	N N E	1	b
6 a	30.02	762.4	...	...	E	2	...
,,	30.01	762.1	...	...	...	0	...
,,	30.03	762.7	...	...	N	2	...
,,	30.01	762.1	...	...	N	2	...
,,	...	...	...	...	...	...	...
9 a.	...	...	...	...	...	...	...
10 a.	30.12	765.0	63	59	E	1	c
,,	...	...	...	...	S E	0	...
,,	30.08	764.0	...	...	E N E	4	...
,,	30.13	765.3	62	...	E S E	1	c
9 a	30.14	765.5	48	...	E	1	b
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.08	763.9	59	...	E	3	c
,,	...	...	...	..	..	...	..
,,	29.99	761.6	73	...	E N E	5	c
6 a.	29.93	760.1	68	...	N	2	b
10 a.	29.96	761	79	69	W N W	1	c
6 a	29.90	759.4	72	...	...	0	b
9 a	...	...	...	...	N E	2	c
,,	29.93	760.2	81	...	N W	1	b
,,	29.91	759.7	84	...	...	0	b
,,	29.97	761.2	77	...	...	...	...

28th at 11.50 a.—The barometer has risen moderately in E. Japan, and fallen over China, particularly n.

pression over N. China is moving Eastwards and approaching the Gulf of Pechili.

e *is highest* over Japan in the East, and over Western China in the West.

te or light monsoon may be expected over the China Sea.

ong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
g and Neighbourhood, ...	E. to N. winds, light or moderate; fair.
Channel, ...	Variable winds, light or moderate.
st of China between Hongkong and Lamocks, .	Same as No. 1.
st of China between Hongkong and Hainan,...	Same as No. 1.

F. C. FIGG,
Director.

ong Observatory, Tuesday, 28th February, 1911.

NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGIST

Station.	28th February, 1911, P.M.								1st March 1911, A.M					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wi
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.
Wladivostock,	2 p.	29.96	760.9	26	...	S S E	0	o	7 a.	29.79	756.7	29	94	S E
Nemuro,	,,	30.04	763.1	...	...	E N E	1	...	6 a.	30.20	767.1	...	...	...
Hakodate,	,,	30.11	764.7	...	...	N W	1	...	,,	30.15	765.7	...	...	...
Tokio,	,,	30.10	764.6	...	...	N N W	1	...	,,	30.06	763.6	...	...	N N W
Kochi,	,,	30.03	762.8	...	...	E S E	1	...	,,	30.01	762.3	...	...	...
Nagasaki,	,,	30.05	763.3	...	...	W	4	...	,,	29.93	760.3	...	...	S E
Kagoshima,	,,	30.02	762.4	...	...	E S E	1	...	,,	29.98	761.4	...	...	N W
Oshima,	,,	30.02	762.6	...	...	S E	1	...	,,	29.99	761.6	...	...	...
Naha,	,,	29.99	761.7	...	...	E	2	...	,,	29.99	761.7	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.99	761.8	...	...	N
Bonin Is.	,,	29.98	761.6	...	...	N	1	...	,,	30.07	763.8	...	...	N
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Weihaiwei,	,,	29.86	758.4	40	91	S W	3	or	9 a.	29.97	761.2	35	62	N N W
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kinkiang,	,,	30.08	764.0	63	78	W	2	b	,,	30.29	769.3	41	92	...
Shanghai,	,,	29.94	760.5	64	54	W S W	3	b	9 a.	30.22	767.6	46	54	W N W
Gutzlaff,	,,	30.01	762.2	55	62	S S E	3	bv	,,	30.25	768.3	47	63	N N W
Sharp Peak,	,,	30.00	762.0	53	...	...	0	b	,,	30.21	767.3	54	...	E
Amoy,	,,	29.90	759.4	65	49	S	1	b	6 a.	30.03	762.7	54	80	N W
Swatow,	,,	29.97	761.2	63	62	E	1	b	,,	30.04	763.0	51	...	N W
Taihoku,	1 p.	30.00	762.0	...	...	...	0	...	5 a	30.10	764.5	...	...	...
Taichu,	,,	29.99	761.8	...	...	N	2	...	,,	30.07	763.7	...	...	...
Tainan,	,,	30.03	762.7	...	...	N W	6	...	,,	30.05	763.2	...	...	N
Koshun,	,,	29.99	761.8	...	...	N W	6	...	,,	30.02	762.6	...	...	W
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Canton,	3 p.	30.00	762.0	66	64	W	1	b	9 a.	30.19	766.8	69	55	N
Hongkong,	4 p.	30.01	762.2	69	52	N W	1	b	10 a.	30.18	766.6	69	26	N N E
Victoria Peak,	,,	...	...	...	...	W N W	1	...	,,	...	...	...	...	N
Gap Rock,	,,	29.99	761.7	...	...	E	2	...	,,	30.15	765.8	...	...	N N E
Macao,	,,	30.02	762.6	65	...	S E	1	c	,,	30.21	767.3	65	...	N E
Wuchow,	3 p.	30.03	762.7	57	...	W	2	b	9 a.	30.23	767.8	54	80	...
Hoihow,	,,	30.05	763.2	72	85	E N E	2	b	,,	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Phulien,	4 p.	30.01	762.2	70	...	S S E	3	b	8 a.	30.21	767.2	64	...	N W
Tourane,	,,	29.96	760.9	70	...	S E	1	b	,,	30.17	766.3	68	..	N W
Cape St. James,	,,	29.91	759.7	73	...	E N E	5	b	,,	30.05	763.2	73	...	N E
Aparri,	2 p.	29.91	759.7	79	...	N	2	...	6 a.	29.99	761.7	70	...	N
Manila,	4 p.	29.84	758	84	64	W S W	1	b	10 a.	30.00	762	82	58	N N W
Legaspi,	2 p.	29.85	758.3	86	...	E	2	b	6 a.	29.94	760.5	70	...	...
Bacolod,	3 p.	...	...	...	...	N E	1	b	9 a.	...	...	...	...	N E
Iloilo,	,,	29.85	758.2	84	...	N	1	c	,,	29.93	760.2	81	...	E
Cebu,	,,	29.85	758.2	86	...	S	1	d	,,	29.95	760.7	83	...	...
Labuan,	,,	29.96	761.0	77	...	...	...	...	,,	30.01	762.2	79	...	...

On the 1st at 11.40 a.—The barometer has fallen moderately in Wladiwostok and over W. Japan, and ri China, particularly in the North.

The depression lying over the Gulf of Pechili yesterday, is moving into the Western part of the Sea of J

Pressure appears to be high over Western China.

The monsoon will freshen again along the coast and over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, freshening; fine.
2.—Formosa Channel,	N. and N.E. winds, freshening.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. Figg.
Director.

Hongkong Observatory, Wednesday, 1st March 1 11.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

1st MARCH 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	29.69	754.1	27	...	N E	3	s
,,	30.16	766.1	...	...	S S E	1	...
,,	29.99	761.7	...	...	E S E	4	...
,,	29.93	760.1	...	...	S	1	...
,,	29.83	757.8	...	...	S E	1	...
,,	29.95	760.8	...	...	N W	6	...
,,	29.80	756.9	...	...	N W	6	...
,,	30.00	762.1	...	...	N	5	...
,,	30.01	762.2	...	...	N	7	...
,,	30.11	764.8	...	...	N N E	6	...
,,	29.94	760.6	...	...	E	1	...
4 p.	30.03	762.7	85	...	N E	7	b
,,	29.98	761.5	85	62	N W	8	c
,,	...	...	...	...	...	...	...
,,	30.24	768.1	61	35	W	1	b
,,	30.15	765.8	55	34	N W	4	c
,,	30.15	766.8	52	53	N N W	1	ov
,,	30.14	765.5	55	...	E	1	b
,,	29.95	760.7	68	42	E	4	b
,,	30.07	763.8	61	71	E	2	c
1 p.	30.16	766.1	...	...	E	8	...
,,	30.02	762.4	...	...	N	8	...
,,	30.06	763.6	...	...	N	6	...
,,	30.04	762.9	...	...	N E	8	...
,,	...	...	...	...	...	...	...
3 p.	30.10	764.5	70	...	W N W	1	b
4 p.	30.08	764.0	72	28	E	2	b
,,	...	...	...	...	S E	1	...
,,	30.06	763.5	...	...	N N E	3	...
,,	30.14	765.5	73	...	N N E	1	b
3 p.	30.12	765.0	72	46	S	1	...
,,	30.10	764.5	74	...	...	2	b
,,	...	...	...	...	...	...	...
4 p.	30.09	764.2	75	...	S S E	2	c
,,	30.07	763.9	68	...	N W	1	o
,,	29.98	761.5	73	...	E N E	6	c
2 p.	29.99	761.7	79	...	N	2	b
4 p.	29.88	759	82	70	W S W	3	b
2 p.	29.89	759.1	88	...	E	2	b
3 p.	...	...	...	...	N E	2	b
,,	29.85	758.2	84	...	S W	1	b
,,	29.85	758.2	87	...	N	1	b
,,	29.87	758.7	84	...	...	...	...

2nd MARCH, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	29.50	749.3	23	91	N E	5	s
6 a.	29.81	757.1	...	...	S	7	...
,,	29.56	750.7	...	...	...	0	...
,,	29.57	751.1	...	...	...	0	...
,,	29.84	757.8	...	...	S W	1	...
,,	29.91	759.8	...	...	N N W	5	...
,,	29.94	760.4	...	...	W N W	1	...
,,	30.04	763.1	...	...	N	4	...
,,	...	...	...	...	N N W	7	...
,,	...	...	...	...	N N E	2	...
,,	29.77	756.1	...	...	N	3	...
6 a.	...	...	...	...	...	...	...
9 a.	30.11	764.8	34	60	N N W	6	bv
6 a.	...	...	...	...	...	...	...
,,	30.26	768.6	40	91	...	0	b
9 a.	30.25	768.3	44	53	W N W	1	b
,,	30.28	769.1	46	69	N N W	2	bv
,,	30.23	767.8	53	...	...	0	b
6 a.	30.12	765.0	58	47	N	1	b
,,	30.10	764.5	50	86	N E	1	b
5 a.	30.16	766.1	...	...	S E	4	...
,,	30.11	764.7	...	...	...	0	...
,,	30.10	764.6	...	...	N	6	...
,,	30.08	764.1	...	...	N E	6	...
,,	...	...	...	...	...	...	...
9 a	30.16	766.0	61	60	E	1	b
10 a.	30.18	766.6	66	51	S E	2	b
,,	...	...	...	...	E	2	...
,,	30.15	765.8	...	...	N E	4	...
,,	30.19	766.8	66	...	E S E	1	bf
9 a.	30.18	766.6	55	...	E	1	c
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.13	765.4	63	...	E	1	c
,,	30.15	765.9	65	,,	...	0	o
,,	30.02	762.4	73	...	E N E	6	f
6 a.	29.93	761.7	70	...	N E	4	d
10 a.	30.00	762	75	84	N	1	d
6 a.	29.94	760.4	70	...	...	0	c
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	29.99	761.7	79	...	...	...	...

e 2nd at 11.55 a.—The barometer has fallen quickly over E. Japan, and risen moderately in N. China.
epression is moving Eastwards over the Sea of Japan.
ere is highest over the Yangtze valley. It has a tendency to give way over S.W. China and Tongking.
ate to fresh monsoon may be expected over the China Sea.

gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

ORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	N.E. winds, moderate; fine.
a Channel, ...	Same as No. 1.
oast of China between Hongkong and Lamocks, .	Same as No. 1.
oast of China between Hongkong and Hainan....	Same as No. 1.

F. C. FIGG,
Director.

gkong Observatory, Thursday 2nd March 1911.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	2nd March 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	3rd March, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro,	,,	29.49	749.1	...	...	S S E	7	...	6 a.	29.37	746.1	...	...	W S W
Hakodate,	,,	29.48	748.7	...	...	N W	1	...	,,	29.44	747.7	...	...	W S W
Tokio,	,,	29.39	746.6	...	...	S W	6	...	,,	29.67	753.6	...	...	W S W
Kochi,	,,	29.78	756.3	...	...	W S W	2	...	,,	29.86	758.3	...	...	S W
Nagasaki,	,,	29.67	758.8	...	...	N W	6	...	,,	29.95	760.8	...	...	N W
Kagoshima,	,,	29.92	759.9	...	...	N W	5	...	,,	29.98	761.4	...	...	N W
Oshima,	,,	30.04	763.1	...	...	N	4	...	,,	30.06	763.6	...	...	N
Naha,	,,	30.11	764.7	...	...	N N W	6	...	,,	30.07	763.7	...	...	N
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.13	765.3	...	...	N
Bonin Is.	,,	29.79	756.6	...	...	N W	1	...	,,	29.91	759.6	...	...	N
Chefoo,	4 p.	30.15	765.8	34	90	N N W	6	b	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.09	764.3	36	54	N	6	c	8 a.	30.15	765.8	39	46	N W
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	,,	30.14	765.5	64	89	...	0	b	,,	30.04	763.0	49	85	N W
Shanghai,	,,	30.18	766.6	63	...	N N W	3	b	9 a.	30.21	767.3	48	49	E
Gutzlaff,	,,	30.24	768.1	49	50	N	1	bv	,,	30.25	768.3	47	63	S E
Sharp Peak,	,,	30.11	764.8	54	...	E	2	b	,,	30.18	766.6	53	...	...
Amoy,	,,	29.97	761.2	69	...	S E	4	b	6 a.	30.08	764.0	54	80	N W
Swatow,	,,	30.07	763.8	63	67	E	2	b	,,	30.05	763.2	48	93	N E
Taihoku,	1 p.	30.11	764.9	...	...	E	8	...	5 a.	30.08	764.1	...	...	E
Taichu,	,,	30.07	763.8	...	...	N	6	...	,,	30.10	764.6	...	...	...
Tainan,	,,	30.12	765.0	...	...	N W	6	...	,,	30.12	764.9	...	...	N
Koshun,	,,	30.10	764.5	...	...	E	8	...	,,	30.08	763.9	...	...	E
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Canton,	3 p.	30.05	763.2	72	38	S	1	b	9 a.	...	...	...	...	...
Hongkong,	4 p.	30.08	764.0	65	57	E	2	b	10 a.	30.12	765.0	63	63	E
Victoria Peak,	,,	...	...	...	...	S E	2	...	,,	...	...	...	...	E
Gap Rock,	,,	30.04	763.0	...	...	E N E	4	...	,,	30.06	763.5	...	...	E
Macao,	,,	30.09	764.2	66	...	S E	2	lf	,,	30.12	765.0	65	...	E S E
Wuchow,	3 p.	30.04	763.0	72	...	S E	1	c	9 a.	30.06	763.5	60	...	E
Hoihow,	,,	30.04	763.0	69	85	E	2	c	,,	...	...	...	...	...
Pakhoi,	,,	30.05	763.2	75	...	W S W	1	c	,,	...	...	...	...	...
Phulien,	4 p.	29.98	761.6	7[illegible]	...	S S E	3	b	8 a.	29.99	761.7	63	...	E
Tourane,	,,	29.99	761.8	72	...	E	1	b	,,	29.97	761.2	68	..	S S E
Cape St. James,	,,	29.91	759.7	73	...	E N E	6	f	,,	29.98	76.15	73	...	E N E
Aparri,	2 p.	30.01	762.3	72	...	N E	2	o	6 a.	30.01	762.3	70	...	E
Manila	4 p.	29.88	759	81	69	S S W	1	o	10 a.	30.00	762	81	62	W N W
Legaspi,	2 p.	29.89	759.2	84	...	N E	2	c	6 a.	29.92	760.0	70	...	...
Bacolod,	3 p.	...	...	...	...	N E	1	b	9 a.	...	...	...	...	N E
Iloilo,	,,	29.85	758.2	84	...	N W	1	o	,,	29.99	761.7	79	...	N E
Cebu,	,,	29.84	757.9	86	...	S	1	b	,,	29.93	760.2	84	...	N
Labuan,	,,	29.89	759.2	84	...	...	...	...	,,	29.96	761.0	82	...	...

On the 3rd at 11.55 a.—The depression lying over the Sea of Japan yesterday, is moving into the Pacif North of Hokkaido.

The barometer has fallen over S. China and Tongking and a depression appears to be developing over the valley.

Pressure is highest over the E. coast of China.

Moderate monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. F

Director

Hongkong Observatory, Friday, 3rd March, 1911.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

3rd MARCH, 1911, P.M.								4th MARCH, 1911, A.M.							
Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	29.63	752.5	28	...	N N E	1	o	7 a.	29.88	758.8	12	61	...	0	c
,,	29.43	747.6	...	...	S W	8	...	6 a.	29.51	749.6	...	...	S W	3	...
,,	29.52	749.7	...	...	W S W	4	...	,,	29.67	753.7	...	...	W	3	...
,,	29.61	752.1	...	...	E S E	1	...	,,	29.87	758.6	...	...	N N W	1	...
,,	29.88	758.8	...	...	N W	3	...	,,	30.03	762.8	...	...	S W	1	...
,,	30.01	762.3	...	...	N W	4	...	,,	30.07	763.8	...	...	...	0	...
,,	30.00	761.9	...	...	W N W	4	...	,,	30.08	763.9	...	...	...	0	...
,,	30.18	764.6	...	...	N	3	...	,,	30.10	764.6	...	...	S	1	...
,,	30.15	765.7	...	...	N N W	3	...	,,	30.11	764.7	...	...	S E	1	...
,,	30.17	766.3	...	...	E	3	...	,,	30.09	764.3	...	...	S E	2	...
,,	29.89	759.1	...	...	N	1	...	,,	29.99	761.6	...	...	N	1	...
4 p.	30.04	763.0	40	56	E S E	1	c	6 a.	...	...	...	...	...	...	...
,,	30.06	763.5	39	46	E S E	2	b	8 a.	30.02	762.5	42	66	S S E	3	b
,,	...	...	...	...	...	...	...	6 a	...	...	...	...	...	...	...
,,	29.94	760.5	59	70	N E	1	o	,,	29.85	758.2	58	64	...	0	or
,,	30.05	763.2	56	94	E	3	b	8 a.	29.94	760.5	59	93	S S E	2	od
,,	30.13	765.3	60	65	S E	3	bv	,,	30.01	762.2	59	93	S S E	4	ovr
,,	30.10	764.5	65	94	E	1	c	,,	30.03	762.7	56	100	...	0	o
,,	29.99	761.7	69	...	E	2	b	6 a.	30.00	762.0	57	75	...	0	c
,,	30.02	762.5	63	67	E	2	b	,,	29.97	761.2	56	81	N E	1	b
1 p.	30.10	764.5	...	...	E	0	...	5 a.	30.04	763.1	...	...	...	0	...
,,	30.09	764.4	...	...	W	2	...	,,	30.03	762.8	...	...	...	0	...
,,	30.04	763.0	...	...	N W	6	...	,,	30.04	763.0	...	...	E	2	...
,,	30.09	764.3	...	...	E	0	...	,,	30.00	761.9	...	...	S E	6	...
,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
3 p.	29.97	761.2	70	61	S	2	b	9 a.	29.97	761.2	65	84	S S E	2	o
4 p.	29.99	761.7	65	70	E	2	o	10 a.	30.01	762.2	64	83	E	3	o
,,	...	...	...	...	E	4	...	,,	...	...	...	...	S E	6	...
,,	29.94	760.5	...	...	E	5	...	,,	29.99	761.7	...	...	E S E	3	...
,,	29.99	761.7	64	...	S E	2	c	,,	30.01	762.2	66	...	S E	2	o
8 p.	29.92	759.9	72	...	S	4	c	9 a.	29.92	759.9	64	...	S E	1	b
,,	30.01	762.2	73	81	S E	2	b	,,	...	...	...	...	...	...	...
,,	29.96	76.10	74	68	S	3	o	,,	...	...	...	...	...	...	...
4 p.	29.86	758.4	66	...	E S E	5	o	8 a.	29.88	758.9	66	...	E S E	4	or
,,	29.86	758.4	73	...	S E	3	b	,,	29.90	759.5	70	..	S S E	5	f
,,	29.86	758.5	73	...	E N E	6	c	,,	29.94	760.4	73	...	E N E	3	c
2 p.	30.03	762.8	72	...	E	2	o	6 a.	30.00	762.0	66	...	E	1	o
4 p.	29.88	759	86	59	N E	1	c	10 a.	30.00	762	79	69	E S E	1	o
2 p.	29.91	759.8	75	...	N E	2	o	6 a.	29.97	761.1	75	...	E	2	o
3 p.	...	...	...	...	N E	2	b	9 a.	...	...	...	...	N E	1	b
,,	29.89	759.2	75	...	N E	1	b	,,	29.99	761.7	79	...	N E	...	c
,,	29.85	758.2	86	...	N	1	b	,,	29.93	760.2	87	...	N	1	c
,,	29.87	758.7	84	...	...	...	...	,,	29.89	759.2	81	...	...	...	...

he 4th at 11.50 a.—The barometer has risen moderately over Japan. The depression, however, is still shown . of Hokkaido.

are has given way over China, particularly on the E. coast.

ression, which is probably moving Eastwards, lies over the Yangtze valley.

ighest pressure is now shown over the Pacific in the neighbourhood of the Loochoos.

rate S.E. winds may be expected over the N. part of the China Sea.

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

ORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	S.E. winds, moderate; cloudy, misty.
Channel, ...	Same as No. 1.
oast of China between Hongkong and Lamocks,.	Same as No. 1.
oast of China between Hongkong and Hainan....	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Saturday, 4th March 1911.

by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	4th March, 1911, P.M.								5th March, 1911, A.M.					
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock....	2 p.	29.90	759.5	32	...	W	1	b	7 a.	30.03	762.8	15	83	...
Nemuro, ...	,,	29.57	751.1	...	...	N E	2	...	6 a.	29.97	761.1	...	...	N N W
Hakodate, ...	,,	29.79	756.7	...	...	W N W	3	...	,,	30.09	764.2	...	...	...
Tokio, ...	,,	29.87	758.6	...	...	N N W	1	...	,,	30.16	766.1	...	...	N N W
Kochi, ...	,,	30.01	762.3	...	...	E S E	2	...	,,	30.19	766.8	...	...	W S W
Nagasaki, ...	,,	30.09	764.3	...	...	W	3	...	,,	30.11	764.8	...	...	S E
Kagoshima, ...	,,	30.09	764.4	...	...	W N W	2	...	,,	30.13	765.4	...	...	E
Oshima, ...	,,	30.10	764.6	...	...	N N E	2	...	,,	30.10	764.6	...	...	...
Naha, ...	,,	30.09	764.2	...	...	S W	1	...	,,	30.15	765.7	...	...	...
Ishigakijima, ...	,,	30.09	764.3	...	...	S	4	...	,,	30.01	762.3	...	...	S S E
Bonin Is.	,,	30.00	762.1	...	...	N	8	...	,,	30.12	765.1	...	...	...
Chefoo, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Weihaiwei, ...	,,	29.97	761.2	47	70	S S E	2	c	9 a.	29.99	761.7	39	91	E
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang, ...	,,	29.75	755.6	60	82	N E	1	o	,,	...	...	...	...	...
Shanghai, ...	,,	29.81	757.2	58	81	S E	3	od	9 a.	29.79	756.6	53	100	S S E
Gutzlaff, ...	,,	29.90	754.9	53	93	S E	4	om	,,	29.85	758.2	54	94	S
Sharp Peak, ...	,,	29.91	759.7	57	94	S E	2	o	,,	29.88	758.9	58	100	...
Amoy	,,	29.89	759.2	63	62	S	2	o	6 a.	...	...	...	...	...
Swatow, ...	,,	29.91	759.7	68	70	E	1	o	,,	29.79	756.6	64	95	...
Taihoku	1 p.	29.96	761.1	...	...	N	2	...	5 a.	29.94	760.4	...	...	N E
Taichu, ...	,,	29.97	761.3	...	...	N	2	...	,,	29.94	760.4	...	...	...
Tainan, ...	,,	30.01	762.2	...	...	S W	6	...	,,	29.95	760.7	...	...	S E
Koshun	,,	30.01	762.3	...	...	E	8	...	,,	29.97	761.3	...	...	E
Pescadores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Canton, ...	3 p.	29.86	758.4	70	80	S	2	c	9 a.	29.90	759.4	68	95	S S E
Hongkong, ...	4 p.	29.88	758.9	67	86	E	3	o	10 a.	29.93	760.2	74	81	S
Victoria Peak, ...	,,	...	...	...	...	S S E	6	...	,,	...	...	...	...	S
Gap Rock, ...	,,	29.85	758.2	...	...	S E	3	...	,,	29.90	759.4	...	...	E S E
Macao, ...	,,	29.89	759.3	65	...	S E	1	odf	,,	29.96	761.0	68	...	S E
Wuchow, ...	3 p.	29.82	757.4	67	...	E	1	c	9 a.	29.37	758.7	63	...	E
Hoihow, ...	,,	29.80	756.9	76	86	S S E	2	c	,,	...	...	...	...	...
Pakhoi, ...	,,	29.81	757.2	70	80	W	1	o	,,	...	...	...	...	...
Phulien, ...	4 p.	29.77	756.2	64	...	E S E	8	or.	8 a.	29.85	758.2	66	...	E S E
Tourane, ...	,,	29.79	756.7	73	...	S E	5	f	,,	29.87	758.7	72	..	S
Cape St. James, .	,,	29.87	758.7	75	...	E N E	3	b	,,	29.95	760.8	75	...	E N E
Aparri, ...	2 p.	29.95	760.7	79	...	E	2	b	6 a.	29.97	761.2	68	...	E
Manila, ...	4 p.	29.88	759	84	59	E S E	1	b	10 a.	30.00	762	84	52	E
Legaspi, ...	2 p.	29.93	760.3	84	...	E	2	b	6 a.	29.98	761.5	75	...	N E
Bacolod, ...	3 p.	...	...	...	...	N E	2	b	9 a.	...	...	...	...	N E
Iloilo, ...	,,	29.85	758.2	84	...	N E	1	b	,,	30.01	762.2	78	...	N E
Cebu, ...	,,	29.87	758.7	83	...	N	1	c	,,	29.97	761.2	84	...	N
Labuan, ...	,,	29.84	757.9	84	...	...	...	...	,,	...	...	...	...	...

On the 5th at 11.55 a.—The barometer has risen quickly in E. Japan, and fallen over China, particular E. coast.

The depression lying over the Yangtze valley, is progressing slowly Eastwards.

Pressure is highest over S. Japan and adjacent waters.

The N.E. monsoon is temporarily interrupted and moderate S.E. and S. winds may be expected over the Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S. winds, moderate; squally, probably some
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 5th March, 1911.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

5TH MARCH, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.00	762.0	34	...	S E	1	c
,,	30.02	762.6	...	...	S	2	...
,,	30.13	765.2	...	...	N W	2	...
,,	30.16	766.1	...	...	S	2	...
,,	30.15	765.8	...	...	S E	1	...
,,	30.03	762.8	...	...	S E	6	...
,,	30.09	764.4	...	...	...	0	...
,,	30.06	763.6	...	...	S	4	...
,,	...	...	...	...	...	...	...
,,	29.99	761.8	...	...	S	6	...
,,	30.10	764.6	...	...	N	1	...
4 p.	...	..	...	...	...	...	...
,,	29.91	759.7	37	91	N N E	3	or
,,	...	...	...	...	...	...	...
,,	..	...	...	...	...	...	...
,,	29.72	754.9	62	89	S W	1	om
,,	29.78	756.4	56	94	S S W	3	opf
,,	29.84	757.9	59	100	...	0	o
,,	29.89	759.2	68	85	S	1	or
,,	29.81	757.2	76	73	S	2	c
1 p.	29.89	759.3	...	...	S	4	...
,,	29.90	759.5	...	...	W	2	...
,,	29.94	760.6	...	...	S	8	...
,,	29.96	760.9	...	...	S	6	...
,,	...	...	...	...	...	..	...
3 p.	29.77	756.1	73	81	S W	2	c
4 p.	29.80	756.9	72	80	S S W	1	o
,,	...	...	...	...	S S W	5	...
,,	29.78	756.4	...	...	S	6	...
,,	29.82	757.4	70	...	S W	2	c
8 p.	29.76	755.9	68	...	E	3	c
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
4 p.	29.72	754.8	70	...	E S E	4	o
,,	29.78	756.4	81	...	S E	1	b
,,	29.85	758.2	81	...	S	2	c
2 p.	29.90	759.5	84	...	E	2	b
4 p.	29.88	759	86	47	S S E	4	b
2 p.	29.95	760.7	84	...	E	2	b
3 p.	...	...	...	...	N E	2	b
,,	29.89	759.2	83	...	N E	1	b
,,	29.87	758.7	84	...	N	1	b
,,	...	...	...	...	...	...	...

6TH MARCH, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	29.86	758.3	32	94	N E	2	s
6 a.	30.16	766.1	...	...	S S W	1	...
,,	30.15	765.7	...	...	N W	1	...
,,	30.16	766.1	...	...	N N W	1	...
,,	30.01	762.3	...	...	...	0	...
,,	29.80	756.8	...	...	S S W	9	...
,,	29.92	759.9	...	...	S S E	3	...
,,	29.97	761.1	...	...	S	1	...
,,	29.97	761.2	...	...	S S E	1	...
,,	29.91	759.8	...	...	S	7	...
,,	30.14	765.6	...	...	N E	1	...
6 a.	...	...	...	...	...	...	...
9 a.	29.94	760.5	37	62	N N W	8	b
6 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
9 a.	30.01	762.2	46	92	N N W	3	or
,,	30.02	762.5	46	92	N	5	om
,,	29.88	758.9	62	94	...	0	b
6 a.	29.86	758.4	63	94	...	6	or
,,	...	...	67	95	...	1	c
5 a	29.82	757.5	...	...	S E	2	...
,,	29.86	758.4	...	...	...	0	...
,,	29.92	759.9	...	...	S E	2	...
,,	29.91	759.8	...	...	...	0	...
,,	...	...	...	...	...	...	...
9 a.	29.96	761.0	67	74	N E	2	b
10 a.	29.96	761.0	73	80	N N W	1	of
,,	...	...	...	...	W N W	2	...
,,	29.93	760.2	...	...	E N E	1	...
,,	29.98	761.4	68	...	N N W	1	of
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.89	759.1	79	...	E S E	4	c
,,	29.85	758.1	79	..	S W	3	f
,,	29.91	759.7	75	...	E	2	c
6 a.	29.93	760.3	70	...	S	2	b
10 a.	30.00	762	81	56	W S W	1	b
6 a.	29.94	760.5	66	...	...	0	b
9 a.	...	...	...	...	N E	1	b
,,	...	...	79	...	N E	1	b
,,	29.95	760.7	83	...	N	1	b
,,	29.91	759.7	82	...	...	...	...

e 6th at 11.55 a.—The barometer has risen considerably on the E. coast of China, and fallen quickly over

epression lying over the Yangtze valley yesterday, has reached S. Korea.
re is highest over E. Japan in the East, and over the Yangtze valley in the West.
onsoon will probably set in again over the N. part of the China Sea by to-morrow.

kong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

OREOAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	Wind shifting to N.E. and freshening; cloudy, misty.
Channel, ...	Same as No. 1.
oast of China between Hongkong and Lamocks,.	Same as No. 1.
oast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

gkong Observatory, Monday, 6th March, 1911.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGIST

Station.	6th March, 1911, P.M.								7th March, 1911, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	W	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	
Wladivostock,	2 p.	29.82	757.3	27	...	N E	3	s	7 a.	29.99	761.8	8	58	N N E	
Nemuro,	,,	30.04	763.1	...	...	S S E	2	...	6 a.	29.51	749.6	...	...	S	
Hakodate,	,,	29.93	760.2	...	...	E S E	5	...	,,	29.42	747.2	...	...	...	
Tokio,	,,	29.96	761.1	...	...	S	3	...	,,	29.61	752.1	...	...	S W	
Kochi,	,,	29.87	758.8	...	...	S	1	...	,,	29.84	757.8	...	...	W	
Nagasaki,	,,	29.74	755.3	...	...	S	4	...	,,	30.03	762.8	...	...	N N W	
Kagoshima,	,,	29.84	757.9	...	...	S S W	1	...	,,	30.00	761.9	...	...	N N E	
Oshima,	,,	29.93	760.1	...	...	S S W	4	...	,,	30.01	762.1	...	...	N	
Naha,	,,	29.93	760.2	...	...	S	2	...	,,	30.01	762.2	...	...	N	
Ishigakijima,	,,	29.89	759.3	...	...	S S E	4	...	,,	30.01	762.3	...	...	N N E	
Bonin Is.	,,	30.08	764.1	...	...	S	1	...	,,	30.04	763.1	...	...	...	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Weihaiwei,	,,	30.00	762.0	40	65	N N W	5	bm	9 a.	30.15	765.8	41	57	S S W	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Shanghai,	,,	30.05	763.2	45	84	N N W	2	om	9 a.	30.21	767.3	47	70	E S E	
Gutzlaff,	,,	30.00	762.0	45	84	N	6	om	,,	30.23	767.8	49	71	N E	
Sharp Peak,	,,	29.87	758.7	62	77	N N E	4	f	,,	30.17	766.3	59	82	N N E	
Amoy,	,,	...	...	75	64	S	1	b	6 a.	29.91	759.7	62	72	S	
Swatow,	,,	29.80	756.9	82	75	W	2	b	,,	30.01	762.2	60	76	N E	
Taihoku,	1 p.	29.86	758.5	...	...	N W	8	...	5 a	30.06	763.4	...	...	E	
Taichu,	,,	29.87	758.8	...	...	S	4	...	,,	29.98	761.5	...	...	N	
Tainan,	,,	29.94	760.5	...	...	S	2	...	,,	29.99	761.5	...	...	N	
Koshun,	,,	29.91	759.6	...	...	W	6	...	,,	29.96	761.0	...	...	N E	
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Canton,	3 p.	29.87	758.7	74	59	N W	1	b	9 a.	...	...	...	...	...	
Hongkong,	4 p.	29.84	757.9	77	62	W	1	c	10 a.	30.01	762.2	62	93	E	
Victoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	E	
Gap Rock,	,,	29.80	756.9	...	...	N N E	1	...	,,	29.95	760.7	...	...	E	
Macao,	,,	29.87	758.7	76	...	E N E	1	c	,,	29.99	761.7	64	...	E	
Wuchow,	3 p.	29.89	759.2	73	67	E	1	c	9 a.	29.94	760.5	65	...	E	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Phulien,	4 p.	29.78	756.3	75	...	S E	5	b	8 a.	29.89	759.2	66	...	E S E	
Tourane,	,,	29.76	755.9	84	...	...	0	f	,,	29.86	758.5	75	..	...	
Cape St. James,	,,	29.82	757.4	81	...	S	2	b	,,	29.90	759.5	77	...	E	
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Manila,	4 p.	29.84	758	86	47	S E	2	b	10 a.	30.00	762	81	70	...	
Legaspi,	2 p.	29.89	759.1	84	...	E	2	b	6 a.	29.93	760.1	72	...	N E	
Bacolod,	3 p.	...	...	...	...	N E	2	b	9 a.	...	...	...	...	N E	
Iloilo,	,,	29.89	759.2	84	...	N E	1	b	,,	29.99	761.7	79	...	N E	
Cebu,	,,	29.86	758.4	84	...	N	2	c	,,	29.91	759.7	83	...	N	
Labuan,	,,	29.80	756.9	88	...	...	...	...	,,	29.88	758.9	83	...	...	

On the 7th at 11.55 a.—The barometer has fallen rapidly in E. Japan, the depression having crossed the Japan and reached Hokkaido.

Pressure has increased over China, particularly in the North. It is highest over the Lower Yangtze val

Fresh to strong N.E. and E. winds may be expected over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, strong; drizzling rain.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 7th March, 1911.

[Printed by Noronha & Co., Government Printers.]

A COAST METEOROLOGICAL REGISTER.

7TH MARCH, 1911. P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.03	762.8	22	...	N	1	b
,,	29.26	743.1	...	...	W N W	2	...
,,	29.57	751.2	...	...	W N W	6	...
,,	29.65	753.1	...	...	N N W	4	...
,,	29.93	760.3	...	...	N N W	2	...
,,	30.05	763.3	...	...	N N W	2	...
,,	30.00	761.9	...	...	W S W	1	...
,,	30.02	762.6	...	...	N	2	...
,,	30.01	762.2	...	...	E S E	1	...
,,	30.01	762.3	...	...	N N E	3	...
,,	30.04	763.1	...	...	S S W	1	...
4 p.	...	...	...	...	...	...	...
,,	30.05	763.2	24	45	S S W	4	b
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	30.05	763.2	47	70	E	3	o
,,	30.11	764.8	46	77	E	4	cv
,,	30.03	762.7	59	82	N E	3	c
,,	29.93	760.2	68	56	E	1	o
,,	29.92	759.9	63	72	N E	3	o
1 p.	30.02	762.4	...	...	E	8	...
,,	29.97	761.2	...	...	S W	2	...
,,	29.98	761.6	...	...	N W	4	...
,,	29.98	761.5	...	...	N E	6	...
,,	...	...	...	...	...	...	...
3 p.	29.87	758.7	69	80	S	1	o
4 p.	29.93	760.2	60	96	E	4	od
,,	...	...	...	...	E	4	...
,,	29.88	758.9	...	...	E	5	...
,,	29.90	759.4	63	...	E S E	5	od
8 p.	29.90	759.4	69	80	E	1	o
,,	...	...	...	...	...	...	...
,,	29.83	757.7	77	77	...	0	o
4 p.	29.78	756.3	72	...	E S E	4	o
,,	29.75	755.6	77	...	S S E	2	f
,,	29.81	757.1	77	...	E	4	b
2 p.	29.92	759.9	81	...	N E	2	b
4 p.	29.64	757.9	86	47	S S E	4	c
2 p.	29.89	759.3	86	...	E	2	b
3 p.	...	...	...	...	N E	2	b
,,	29.85	758.2	84	...	N E	2	b
,,	29.84	757.9	85	...	N E	2	b
,,	29.78	756.4	87	...	...	...	...

8TH MARCH, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	29.95	760.7	24	65	E S E	1	o
6 a.	29.81	757.1	...	...	N W	6	...
,,	30.11	764.7	...	...	N N W	2	...
,,	30.12	765.1	...	...	N N W	2	...
,,	30.13	765.3	...	...	S W	1	...
,,	30.07	763.8	...	...	S E	3	...
,,	30.10	764.4	...	...	N E	1	...
,,	30.04	763.1	...	...	S	1	...
,,	30.01	762.2	...	...	...	0	...
,,	29.99	761.8	...	...	N E	1	...
,,	30.04	763.1	...	...	...	0	...
6 a.	...	...	...	...	...	...	...
9 a.	29.96	761.0	43	67	S S W	4	o
6 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
9 a.	30.04	763.0	60	88	W N W	1	om
,,	30.09	764.3	45	93	N W	2	ov
,,	30.03	762.7	53	94	...	0	f
6 a.	...	...	58	88	E	2	o
,,	29.96	761.0	59	94	N E	1	o
5 a.	29.98	761.5	...	...	N W	2	...
,,	29.97	761.3	...	...	...	0	...
,,	29.99	761.8	...	...	N E	2	...
,,	29.98	761.5	...	...	...	0	...
,,	...	...	...	...	...	...	...
9 a.	...	...	...	...	...	...	...
10 a.	30.00	762.0	65	92	E	3	of
,,	...	...	...	...	S E	6	...
,,	29.95	760.7	...	...	E	4	...
,,	29.99	761.8	64	...	S E	2	odf
9 a.	29.91	759.7	68	...	...	0	o
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.89	759.1	70	...	E S E	4	o
,,	29.88	758.9	73	...	S S W	1	f
,,	29.91	759.7	77	...	E N E	5	c
6 a.	29.96	761.0	70	...	E	2	b
10 a.	30.00	762	81	57	N W	1	b
6 a.	29.95	760.7	73	...	E	2	o
9 a.	...	...	...	...	N E	1	c
,,	29.99	761.7	79	...	N E	2	...
,,	29.93	760.2	83	...	N	2	b
,,	29.89	759.2	82	...	...	...	...

8th at 11.55 a.—The barometer has risen quickly in E. Japan, the depression lying over Hokkaido yes-
ing moved away over the Pacific.

re has given way considerably on the E. and NE coasts of China, a depression having appeared over N.
essure is low also over SW China and Tongking.

ghest pressure is shown over the S. part of the Sea of Japan.

ate SE winds may be expected over the N. part of the China Sea.

kong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.07 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ng and Neighbourhood, ...	SE winds, moderate; cloudy, fog or mist.
Channel, ...	E. winds, moderate.
oast of China between Hongkong and Lamocks,.	Same as No. 1.
oast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

gkong Observatory, Wednesday, 8th March, 1911.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGIST

Station.	8th March, 1911, P.M.								9th March, 1911, A.					
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,	2 p.	29.90	759.4	29	...	S E	5	s	7 a.	29.82	757.5	19	37	N W
Nemuro,	,,	29.98	761.6	...	...	N N W	6	...	6 a.	29.97	761.1	...	...	E S E
Hakodate,	,,	30.09	764.2	...	...	N W	1	...	,,	29.77	756.2	...	...	...
Tokio,	,,	30.02	762.6	...	...	...	...	...	,,	29.95	760.6	...	...	...
Kochi,	,,	30.07	763.8	...	...	E S E	1	...	,,	29.95	760.8	...	...	S W
Nagasaki,	,,	29.97	761.3	...	...	S	6	...	,,	29.99	761.8	...	...	N
Kagoshima,	,,	30.02	762.4	...	...	..	0	...	,,	29.98	761.4	...	...	...
Oshima,	,,	29.98	761.6	...	...	S	1	...	,,	...	...	...	...	S S W
Naha,	,,	...	..	...	...	...	...	...	,,	29.97	761.2	...	...	...
Ishigakijima,	,,	29.97	761.3	...	...	S	2	...	,,	29.95	760.8	...	...	...
Bonin Is.	,,	30.02	762.6	...	...	N E	1	...	,,	30.04	763.1	...	...	...
Chefoo,	4 p.	30.04	763.0	38	63	N W	5	c	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.01	762.2	41	66	N W	8	b	9 a.	30.32	770.1	36	54	N N E
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	,,	30.01	762.2	55	80	...	0	o	,,	...	...	...	...	...
Shanghai,	,,	30.02	762.5	49	86	N N W	2	om	9 a.	30.18	766.6	46	77	N E
Gutzlaff,	,,	30.07	763.8	50	86	N	2	om	,,	30.20	767.1	45	84	N E
Sharp Peak,	,,	29.95	760.7	59	94	E	1	o	,,	30.13	765.3	57	87	N
Amoy,	,,	...	...	60	88	...	0	o	6 a.	29.95	760.7	58	88	...
Swatow,	,,	29.89	759.2	62	89	E	1	o	,,	29.93	760.2	62	100	N E
Taihoku,	1 p.	29.95	760.8	...	...	N	2	...	5 a.	29.99	761.8	...	...	N W
Taichu,	,,	29.94	760.4	...	...	W	2	...	,,	29.97	761.2	...	...	...
Tainan,	,,	29.97	761.2	...	...	S W	4	...	,,	29.99	761.7	...	...	...
Koshun,	,,	29.95	760.8	...	...	S	6	...	,,	29.95	760.8	...	...	S E
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Canton,	3 p.	29.84	757.9	73	86	S	2	b	9 a.	29.93	760.2	71	90	S S E
Hongkong,	4 p.	29.89	759.2	66	91	E	3	of	10 a.	29.98	761.5	63	94	E
Victoria Peak,	,,	...	...	...	...	S	3	...	,,	...	...	...	...	S
Gap Rock,	,,	29.85	758.2	...	...	E S E	3	...	,,	29.95	760.7	...	...	S E
Macao,	,,	29.90	759.4	66	...	S E	1	of	,,	29.98	761.5	67	...	E
Wuchow,	8 p.	29.82	757.4	75	...	N	1	o	9 a.	...	...	67	...	N E
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi,	,,	29.85	758.2	77	73	W	2	b	,,	...	...	...	...	...
Phulien,	4 p.	29.79	756.6	72	...	S E	4	c	8 a.	29.36	758.4	72	...	S E
Tourane,	,,	29.77	756.1	77	...	S E	5	f	,,	29.84	757.8	75	..	S
Cape St. James,	,,	29.83	757.7	77	...	E N E	4	c	,,	29.95	760.6	75	...	N E
Aparri,	2 p.	29.90	759.5	84	...	E	2	b	6 a.	29.93	760.3	70	...	E
Manila,	4 p.	29.80	757	86	47	S E	4	b	10 a.	30.00	762	79	70	W S W
Legaspi,	2 p.	29.88	758.9	84	...	E	2	o	6 a.	29.91	759.7	77	...	N E
Bacolod,	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	N E
Iloilo,	,,	29.85	758.2	85	...	N E	2	b	,,	29.99	761.7	78	...	N E
Cebu,	,,	29.85	758.2	84	...	N	1	b	,,	29.93	760.2	84	...	...
Labuan,	,,	29.81	757.2	87	...	...	...	...	,,	29.91	759.7	84	...	...

On the 9th at 11.55 a.—The barometer has risen quickly in N. China, and fallen considerably over the Japan.

The depression lying over S. Manchuria yesterday, is approaching Hokkaido.

Pressure is now high over N. China. It remains low over S.W. China and Tongking.

Moderate to fresh S.E. and E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. and E. winds, freshening; cloudy, dri
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Thursday, 9th March, 1911.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

9TH MARCH, 1911, P.M.								10TH MARCH, 1911, A.M.							
Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
	Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
2 p.	29.87	758.8	27	...	W N W	2	b	7 a.	30.15	765.9	6	56	...	0	b
,,	29.65	753.1	...	...	S E	3	...	6 a.	29.81	757.1	...	...	W	2	...
,,	29.75	755.7	...	...	W	5	...	,,	30.01	762.2	...	...	W N W	4	...
,,	29.81	757.1	...	...	S W	2	...	,,	29.93	760.1	...	...	N N W	2	...
,,	29.99	761.8	...	...	E S E	2	...	,,	29.91	759.8	...	...	...	0	...
,,	29.99	761.8	...	...	E S E	3	...	,,	29.97	761.3	...	...	N N E	1	...
,,	29.98	761.4	...	...	.	0	...	,,	29.94	760.4	...	...	N N W	1	...
,,	29.94	760.6	...	...	N	1	...	,,	29.93	760.1	...	...	S	1	...
,,	29.95	760.7	...	...	W S W	3	...	,,	29.91	759.7	...	...	...	0	...
,,	29.97	761.3	...	...	S	1	...	,,	29.89	759.3	...	...	S	2	...
,,	29.98	761.6	...	...	S S E	1	...	,,	30.02	762.6	...	...	...	0	...
4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
,,	30.32	770.1	37	47	N	2	b	9 a.	30.30	769.6	30	77	N N E	5	om
,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
,,	30.10	764.5	45	61	N E	4	omq	9 a.	30.13	765.3	37	91	N E	4	orq
,,	30.17	766.3	45	68	E N E	6	om	,,	30.16	765.8	40	91	N N E	7	omp
,,	30.00	762.0	55	87	E	1	f	,,	29.95	760.7	57	87	E	1	or
,,	29.89	759.2	63	78	E	1	o	6 a.	29.90	759.4	58	88	E	1	o
,,	29.90	759.4	64	95	E	1	c	,,	29.83	757.7	60	91	N E	1	o
1 p.	29.94	760.5	...	...	N	4	...	5 a.	29.89	759.2	...	...	...	0	...
,,	29.95	760.7	...	...	N	2	...	,,	29.89	759.2	...	...	...	0	...
,,	29.98	761.4	...	...	W	4	...	,,	29.91	759.6	...	...	N	2	...
,,	29.96	761.0	...	...	...	...	...	,,	29.89	759.3	...	...	...	0	...
,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
3 p.	29.81	757.2	75	86	S	2	or	9 a.	...	...	...	...	...	...	...
4 p.	29.87	758.7	74	73	S S E	2	o	10 a.	29.92	759.9	72	90	S	2	o
,,	...	...	...	...	S S E	5	...	,,	...	...	...	...	S S W	6	...
,,	29.84	757.9	...	...	S S E	3	...	,,	29.90	759.4	...	...	S	2	...
,,	29.86	758.4	71	...	S E	2	of	,,	29.93	760.1	69	...	S	4	of
3 p.	29.76	755.9	74	81	...	0	o	9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
,,	29.78	756.4	80	70	N W	1	o	,,	...	...	...	...	...	...	...
4 p.	29.73	755.1	70	...	S E	4	o	8 a.	29.87	758.6	70	...	E N E	3	o
,,	29.76	756.8	79	...	S S E	3	f	,,	29.83	757.6	79	..	S W	3	f
,,	29.84	757.9	81	...	S E	2	c	,,	29.93	760.1	79	...	E S E	2	c
2 p.	29.89	759.3	84	...	N W	2	b	6 a.	29.88	759.0	70	...	S E	2	b
4 p.	29.88	759	84	52	W S W	1	c	10 a.	29.96	761	79	61	W	2	b
2 p.	29.87	758.6	88	...	E	2	b	6 a.	29.89	759.2	73	...	N E	2	b
3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	N E	2	b
,,	29.86	758.2	85	...	N E	2	b	,,	29.91	759.7	81	...	N E	1	c
,,	29.86	758.2	86	...	N	1	c	,,	29.89	759.2	83	...	S	1	c
,,	29.80	756.9	86	...	...	...	...	,,	29.89	759.2	84	...	...	...	...

10th at 11.55 a.—The depression lying over N.E. Japan yesterday, is moving away over the Pacific.
arometer has risen considerably over the N. part of the Sea of Japan, and fallen moderately to slightly
na and at the stations in the South.
ngated depression lies over Tongking, the S. coast of China and the S. part of the Eastern Sea.
re remains high over N. China.
led, squally weather may be expected over the Northern shores of the China Sea.

kong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.04 inches.

OREC AST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ng and Neighbourhood, ...	S. winds, moderate or fresh; squally, showery.
Channel, ...	N.E. and variable winds, squally.
oast of China between Hongkong and Lamocks,.	Same as No. 1.
oast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Friday, 10th March, 1911.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGIST

Station.	10th March, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	11th March, 1911, A. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostoch	2 p.	30.11	764.8	24	...	E N E	1	b	7 a.	30.24	768.1	2	63	N
Nemuro,	,,	29.85	758.1	...	...	S	2	...	6 a.	29.97	761.2	...	...	N
Hakodate,	,,	30.03	762.7	...	...	W N W	3	...	,,	30.05	763.2	...	...	N
Tokio,	,,	29.89	759.1	...	...	E N E	2	...	,,	29.91	759.6	...	...	N
Kochi,	,,	29.85	758.3	...	...		0	...	,,	29.88	758.8	...	...	W
Nagasaki,	,,	29.93	760.3	...	...	N N E	2	...	,,	30.01	762.3	...	...	N
Kagoshima,	,,	29.86	758.4	...	...	N N E	1	...	,,	29.96	760.9	...	...	N W
Oshima,	,,	29.85	758.1	...	...	S S W	3	...	,,	29.95	760.6	...	...	N
Naha,	,,	29.89	759.2	...	...	S S W	2	...	,,	30.01	762.2	...	...	N W
Ishigakijima,	,,	29.89	759.3	...	...	S	5	...	,,	30.03	762.8	...	...	N
Bonin Is.	,,	29.96	761.1	...	...	S S W	1	...	,,	30.01	762.1	...	...	S S W
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.28	769.1	33	60	N N E	2	o	9 a.	30.31	769.9	36	70	S S
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Shanghai,	,,	30.08	764.0	39	82	N N W	3	odq	9 a.	30.30	769.6	41	66	N N
Gutzlaff,	,,	30.13	765.3	40	91	N N E	6	omp	,,	30.34	770.6	45	91	N
Sharp Peak,	,,	29.91	759.7	56	87	N E	3	or	,,	30.22	767.6	54	86	N N E
Amoy,	,,	29.81	757.2	58	88	E	1	or	6 a.	30.05	763.2	55	89	E
Swatow,	,,	29.85	758.2	62	100	E	1	o	,,	30.00	762.0	57	94	E
Taihoku	1 p.	29.93	760.1	...	...	N W	2	...	5 a	30.12	765.1	...	...	E
Taichu,	,,	29.91	759.7	...	...	N	2	...	,,	30.01	762.2	...	...	N
Tainan	,,	29.91	759.6	...	...	S W	6	...	,,	29.99	761.8	...	...	N
Koshun	,,	29.89	759.1	...	...	S	6	...	,,	29.99	761.7	...	...	N E
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Canton	3 p.	29.78	756.4	77	86	S W	1	c	9 a.	...	...	...	...	...
Hongkong,	4 p.	29.83	757.7	70	92	E	1	of	10 a.	30.02	762.5	66	82	E
Victoria Peak,	,,	...	...	...	...	S	4	...	,,	...	...	...	...	E
Gap Rock	,,	29.80	756.9	...	...	S	3	...	,,	29.99	761.7	...	...	E
Macao,	,,	29.83	757.7	72	...	S	3	of	,,	30.03	762.7	65	...	E S E
Wuchow	3 p.	...	...	70	...	N	2	c	9 a.	30.03	762.7	61	71	N
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi	,,	29.81	757.2	79	74	W	2	b	,,	...	...	...	...	...
Phulien,	4 p.	29.76	755.8	79	...	S S E	4	b	8 a.	29.92	759.9	70	...	S E
Tourane,	,,	29.73	755.2	84	...	...	0	f	,,	...	...	...	...	...
Cape St. James,	,,	29.83	756.8	82	...	S	2	c	,,	29.90	759.4	77	...	E
Aparri,	2 p.	29.86	758.5	84	...	E	2	b	6 a.	29.96	760.9	70	...	N E
Manila,	4 p.	29.84	758	84	68	W	2	c	10 a.	29.96	761	82	63	W
Legaspi,	2 p.	29.80	756.8	82	...	E	2	c	6 a.	29.86	758.5	73	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N E
Iloilo,	,,	29.81	757.2	86	...	N E	1	o	,,	29.93	760.2	81	...	N E
Cebu,	,,	29.82	757.4	86	...	N	1	o	,,	29.90	759.4	83	...	...
Labuan,	,,	29.79	756.6	85	...	...	...	...	,,	29.81	757.2	81	...	...

On the 11th at 11.55 a.—The barometer has risen considerably to moderately over S. China and the and fallen slightly in S. Japan.

A shallow depression is moving Eastwards over the Pacific to the S. of Japan.

Pressure remains high over N. China. It is still relatively low over the S. coast of China.

Strong E. winds may be expected over the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, strong; squally, some rain.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Saturday, 11th March, 1911.

[Printed by NORONHA & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

11TH MARCH, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.22	767.7	18	...	N E	1	b
,,	30.20	767.1	...	...	N	3	...
,,	30.07	763.7	...	...	N	2	...
,,	30.00	762.1	...	...	N	2	...
,,	30.11	764.8	...	...	N	2	...
,,	30.17	766.3	...	...	E	3	...
,,	30.09	764.4	...	...	N W	2	...
,,	30.12	765.1	...	...	N	8	...
,,	30.13	765.2	...	...	N	3	...
,,	...	...	...	...	...	...	...
,,	29.98	761.6	...	...	S W	1	...
4 p.	...	...	...	...	...	...	...
,,	30.18	766.6	47	48	S W	3	b
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	30.18	766.6	50	58	E S E	2	c
,,	30.22	767.6	49	71	E S E	1	cv
,,	30.12	765.0	53	80	E N E	4	c
,,	29.94	760.5	59	76	E	4	c
,,	30.00	762.0	59	94	E	1	o
1 p.	30.11	764.8	...	...	E	8	...
,,	30.01	762.3	...	...	N	6	...
,,	30.02	762.5	...	...	N	6	...
,,	30.03	762.7	...	...	E	10	...
,,	...	...	...	...	...	...	...
3 p.	29.94	760.5	66	79	E	1	o
4 p.	29.94	760.5	62	94	E	5	od
,,	...	...	...	...	E	8	...
,,	29.89	759.2	...	...	E	6	...
,,	29.96	761.0	63	...	E	6	odf
3 p.	29.92	759.9	67	64	E	2	o
,,	29.86	758.4	79	91	S E	2	o
,,	29.85	758.2	75	86	S E	2	o
4 p.	29.78	756.4	75	...	S W	5	b
,,	...	...	...	...	...	...	...
,,	29.82	757.3	82	...	S S E	2	c
2 p.	29.96	760.9	82	...	N E	2	b
4 p.	29.80	757	88	54	N E	1	c
2 p.	29.84	758.0	79	...		0	o
3 p.	...	...	...	...	N E	2	or
,,	29.83	757.7	86	...	N E	1	...
,,	29.82	757.4	86	...	N	1	b
,,	29.79	756.6	84	...	...	...	...

12TH MARCH, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.14	765.5	27	83	S E	2	o
6 a.	30.20	767.1	...	...	W N W	3	...
,,	30.34	770.7	...	...	W	2	...
,,	30.46	773.6	...	...	N N W	1	...
,,	30.35	770.8	...	...	S W	1	...
,,	30.23	767.8	...	...	W N W	1	...
,,	30.25	768.4	...	...	E S E	2	...
,,	30.20	767.1	...	...	S E	1	...
,,	30.13	765.2	...	...	E S E	1	...
,,	30.09	764.3	...	...	S E	4	...
,,	30.22	767.6	...	...	N	1	...
6 a.	...	...	...	...	...	...	...
9 a.	30.02	762.5	41	92	S S E	1	om
6 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
9 a	30.00	762.0	49	100	S S W	2	od
,,	30.01	762.2	51	93	S S E	6	cv
,,	30.09	764.3	54	94	E	1	b
6 a.	30.05	763.2	56	87	E	2	o
,,	30.02	762.5	57	87	N E	1	c
5 a	30.01	762.3	...	...	E	2	...
,,	30.01	762.3	...	...	...	0	...
,,	30.05	763.3	...	...	N	4	...
,,	30.02	762.6	...	...	E	6	...
,,	...	...	...	...	...	...	...
9 a.	30.03	762.7	66	89	E S E	1	o
10 a.	30.07	763.8	62	96	E	4	od
,,	...	...	...	...	E S E	5	...
,,	30.00	762.0	...	...	E	5	...
,,	...	...	64	...	S E	2	odf
9 a.	29.99	761.7	65	..	E	2	b
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.93	760.2	70	...	E S E	4	o
,,	29.91	759.7	73	..	E S E	4	f
,,	29.91	759.8	77	...	E	4	c
6 a.	29.97	761.3	73	...	E	0	d
10 a.	29.96	761	79	84	N E	1	dt
6 a.	29.91	759.8	77	...	...	0	c
9 a.	...	...	...	...	N E	1	c
,,	29.99	761.7	82	...	N E	1	b
,,	29.95	760.7	85	...	N	1	c
,,	29.88	758.9	83	...	...	...	...

the 12th at 11.55 a.—The barometer has fallen quickly in N. China a depression, which is moving East-, having appeared over Shantung.

. high pressure area is now central over SE Japan and pressure has increased considerably at the Japanese n.

resh to moderate E. and SE winds may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	E. and SE winds, fresh to moderate; drizzling rain [or mist.
Channel, ...	Same as No. 1.
coast of China between Hongkong and Lamocks, .	Same as No. 1.
coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Sunday, 12th March, 1911.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	12th March, 1911, P.M.								13th March, 1911, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	
Wladivostock,	2 p.	30.03	762.7	31	...	S E	1	o	7 a.	29.98	761.5	29	68	N N E	
Nemuro,	,,	30.22	767.6	...	...	S W	4	...	6 a.	30.02	762.6	...	...	S W	
Hakodate,	,,	30.30	769.7	...	...	W S W	2	...	,,	30.01	762.2	...	...	S W	
Tokio,	,,	30.38	771.6	...	...	S E	1	...	,,	30.14	765.6	...	...	..	
Kochi,	,,	30.33	770.3	...	...	...	0	...	,,	30.03	762.8	...	...	S S W	
Nagasaki,	,,	30.15	765.8	...	...	S S E	1	...	,,	30.05	763.3	...	...	N W	
Kagoshima,	,,	30.19	766.9	...	...	S E	5	...	,,	30.08	763.9	...	...	N W	
Oshima,	,,	30.16	766.1	...	...	S	3	...	,,	30.10	764.6	...	...	...	
Naha,	,,	30.13	765.2	...	...	S	1	...	,,	30.09	764.2	...	...	S S E	
Ishigakijima,	,,	30.09	764.3	...	...	S E	4	...	,,	30.05	763.3	...	...	N E	
Bonin Is.	,,	30.28	769.1	...	...	E N E	1	...	,,	30.26	768.6	...	...	E S E	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Weihaiwei,	,,	29.94	760.5	45	84	N E	1	cm	9 a.	30.08	764.0	36	90	N N E	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Shanghai,	,,	29.97	761.2	54	80	W	2	o	9 a	29.94	760.5	51	100	S S E	
Gutzlaff,	,,	30.02	762.5	53	93	N W	2	cv	,,	30.02	762.5	51	100	S E	
Sharp Peak,	,,	29.99	761.7	54	94	...	0	b	,,	29.99	761.7	56	100	...	
Amoy,	,,	29.96	761.0	63	78	S	1	b	6 a.	29.91	759.7	61	89	S	
Swatow,	,,	29.98	761.5	70	75	S E	1	c	,,	30.04	763.0	66	90	S E	
Taihoku,	1 p.	30.06	763.5	...	...	E	2	...	5 a	30.02	762.6	...	...	...	
Taichu,	,,	30.04	763.0	...	...	N	6	...	,,	30.03	762.8	...	...	...	
Tainan,	,,	30.05	763.2	...	...	N W	6	...	,,	30.03	762.8	...	...	N	
Koshun,	,,	30.04	762.9	...	...	E	6	...	,,	30.01	762.1	...	...	E	
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Canton,	3 p.	29.96	761.0	69	90	S S E	1	o	9 a.	30.00	762.0	68	95	S E	
Hongkong,	4 p.	29.96	761.0	67	87	E	3	o	10 a.	30.02	762.5	69	94	E	
Victoria Peak,	,,	...	...	...	...	S	5	...	,,	...	...	...	...	S E	
Gap Rock,	,,	29.92	759.9	...	...	E	4	...	,,	29.98	761.5	...	...	E	
Macao,	,,	29.97	761.2	66	...	S E	2	o	,,	30.03	762.7	68	...	S E	
Wuchow,	3 p.	29.90	759.4	69	...	E N E	1	og	9 a.	29.97	761.2	...	...	E	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Phulien,	4 p.	29.83	757.6	73	...	S S E	7	o	8 a.	29.92	760.0	70	...	S S E	
Tourane,	,,	29.83	757.7	75	...	S E	2	c	,,	29.92	760.0	75	..	S S E	
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.95	760.7	77	...	E	
Aparri,	2 p.	29.94	760.6	81	...	E	2	o	6 a.	29.99	761.8	72	...	S E	
Manila,	4 p.	29.92	760	81	70	W N W	1	o	10 a.	30.00	762	82	70	N W	
Legaspi,	2 p.	...	...	...	...	..	...	...	6 a.	29.97	761.2	77	...	...	
Bacolod,	3 p.	...	...	...	...	N E	1	b	9 a.	...	...	...	...	N E	
Iloilo,	,,	29.89	759.2	87	...	N E	1	b	,,	30.03	762.7	82	...	N E	
Cebu,	,,	29.88	758.9	87	...	N	1	b	,,	29.94	760.5	85	...	N	
Labuan,	,,	29.83	757.7	86	...	...	...	...	,,	29.93	760.2	84	...	...	

On the 13th at 11.55 a.—The barometer has fallen considerably in Japan, the depression lying over yesterday, having reached the Sea of Japan.

Pressure is inclined to give way again over China, and another depression appears to be developing Yangtze valley.

Pressure is high over the Pacific to the SE of Japan.

Moderate SE winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	SE winds, moderate; foggy, misty.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Monday, 13th March, 1911.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

13TH MARCH, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.03	762.7	27	...	N E	1	c
,,	29.69	754.1	...	...	W S W	5	...
,,	29.85	758.2	...	...	...	0	...
,,	29.89	759.1	...	...	S S W	4	...
,,	29.95	760.8	...	...	...	0	...
,,	29.97	761.3	...	...	W N W	2	...
,,	29.96	760.9	...	...	S	1	...
,,	30.04	763.1	...	...	N E	1	...
,,	30.05	763.2	...	...	S	2	...
,,	30.05	763.3	...	...	S S E	3	...
,,	30.14	765.6	...	...	S E	1	...
4 p.	...	...	...	...	...	...	...
,,	29.98	761.5	36	90	N	2	ons
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	29.79	756.6	64	78	S S E	1	c
,,	29.88	758.9	56	100	S E	3	ovp
,,	29.93	760.2	59	94	E	1	b
,,	29.87	758.7	66	79	S	2	o
,,	29.90	759.4	68	100	E	1	o
1 p.	30.00	762.0	...	...	W	4	...
,,	30.03	762.7	...	...	...	0	...
,,	30.02	762.4	...	...	N W	2	...
,,	30.00	762.0	...	...	E	6	...
,,	...	...	...	...	...	...	...
3 p.	29.86	758.4	71	95	...	0	or
4 p.	29.89	759.2	69	95	E	3	of
,,	...	...	...	...	S E	5	...
,,	29.86	758.4	...	...	E	3	...
,,	29.90	759.5	67	...	S E	2	of
3 p.	29.82	757.4	74	...	E	2	c
,,	29.82	757.4	79	95	N W	2	b
,,	29.86	758.4	78	74	W	2	o
4 p.	29.78	756.5	72	...	S E	5	or
,,	29.81	757.1	81	...	S	3	f
,,	29.86	758.5	77	...	S E	3	c
2 p.	29.92	760.0	86	...	E	2	b
4 p.	29.88	759	90	48	S E	3	b
2 p.	29.92	760.0	88	...	N E	2	c
3 p.	...	...	...	...	N E	2	b
,,	29.87	758.7	87	...	N E	1	b
,,	29.86	758.4	87	...	N	2	b
,,	29.83	757.7	88	...	...	...	...

14TH MARCH, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	29.93	760.3	15	61	N E	3	b
6 a.	29.85	758.1	...	...	N E	4	...
,,	29.91	759.7	...	...	N W	2	...
,,	29.71	754.6	...	...	N N W	1	...
,,	29.78	756.3	...	...	S W	1	...
,,	29.86	758.3	...	...	W	4	...
,,	29.86	758.4	...	...	W N W	2	...
,,	29.95	760.6	...	...	S	1	...
,,	29.95	760.7	...	...	N W	1	...
,,	29.97	761.3	...	...	S S E	2	...
,,	30.10	764.8	...	...	S W	1	...
6 a.	...	...	...	...	...	...	...
9 a.	30.11	764.8	37	81	W N W	4	o
6 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
9 a.	30.06	763.5	44	92	N N E	2	or
,,	30.10	764.8	46	92	N	4	omp
,,	29.92	759.9	62	100	...	0	f
6 a.	29.84	757.9	65	95	...	0	f
,,	29.89	759.2	67	95	...	0	f
6 a.	29.95	760.6	...	...	N E	2	...
,,	29.95	760.7	...	...	...	0	...
,,	29.96	761.0	...	...	...	0	...
,,	29.97	761.1	...	...	E	4	...
,,	...	...	...	...	...	...	...
9 a.	...	...	...	...	...	...	...
10 a.	29.95	760.7	72	94	S E	1	of
,,	...	...	...	...	S	4	...
,,	29.93	760.2	...	...	S S E	3	...
,,	29.97	761.2	71	...	S S E	1	of
9 a.	29.88	758.9	70	,,	E	1	o
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.86	758.4	72	...	S E	4	o
,,	...	...	...	,,	...	...	...
,,	29.93	760.3	72	...	E	4	c
6 a.	29.96	760.9	73	...	E	2	b
10 a.	30.00	762	88	54	...	0	b
6 a.	29.93	760.2	77	...	N E	2	b
9 a.	...	...	...	...	N E	2	c
,,	29.99	761.7	81	...	N E	1	c
,,	29.93	760.2	85	...	N	1	b
,,	29.91	759.7	84	...	...	...	...

14th at 11.55 a.—The barometer has risen moderately in N. China, and fallen considerably over S. Japan. depression lying over the N.E. part of the Sea of Japan yesterday, has moved into the Pacific, and the ession, after crossing the Yellow Sea, has reached the S. part of the Sea of Japan.
e has given way slightly, and is still low over S.W. China and Tongking.
is relatively high over the Pacific in the neighbourhood of the Bonins, and over N. China.
te S.E. winds may be expected over the N. part of the China Sea.

kong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
g and Neighbourhood, ...	S.E. and S. winds, moderate to fresh; unsettled, squally and showery.
Channel, ...	Variable winds, moderate or fresh.
st of China between Hongkong and Lamocks, .	Same as No. 1.
st of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

kong Observatory, Tuesday, 14th March, 1911.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGIST

Station.	14th March, 1911, P.M.								15th March, 1911, A					
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,	2 p.	28.87	758.7	24	...	...	0	o	7 a.	30.12	765.0	18	51	N
Nemuro,	,,	29.91	759.6	...	...	N E	2	...	6 a.	29.87	753.6	...	...	E
Hakodate,	,,	29.85	758.2	...	...	S E	2	...	,,	29.79	756.7	...	...	W
Tokio,	,,	29.71	754.6	...	...	N	2	...	,,	29.83	757.6	...	...	N N
Kochi,	,,	29.72	754.8	...	...	S S W	1	...	,,	29.89	759.3	...	...	N E
Nagasaki,	,,	29.83	757.8	...	...	N	3	...	,,	29.97	761.3	...	...	N
Kagoshima,	,,	29.82	757.4	...	...	S W	1	...	,,	29.90	759.4	...	...	N
Oshima,	,,	29.89	759.1	...	...	W S W	1	...	,,	29.87	758.6	...	...	N
Naha,	,,	...	...	...	...	...	...	...	,,	29.91	759.7	...	...	
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.91	759.8	...	...	N
Bonin Is.	,,	29.98	761.6	...	...	S S W	1	...	,,	29.93	760.1	...	...	S W
Chefoo,	4 p.	30.20	767.1	38	81	N	3	b	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.16	766.0	40	65	N	5	c	9 a.	30.28	769.1	33	69	N N
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	,,	30.02	762.2	58	88	N E	3	or	,,	30.04	763.0	...	...	N E
Shanghai,	,,	30.03	762.7	45	92	N	3	om	9 a.	30.12	765.0	45	76	E N
Gutzlaff,	,,	30.05	763.2	45	100	N	4	ogm	,,	30.14	765.5	46	84	N E
Sharp Peak,	,,	29.81	757.2	64	100	..	0	f	,,	30.03	762.7	58	88	E
Amoy,	,,	29.76	755.9	75	77	S	2	c	6 a.	29.87	758.7	67	60	N E
Swatow,	,,	29.81	757.2	80	74	S	1	c	,,	29.87	758.7	74	86	...
Taihoku,	1 p.	29.86	758.4	...	...	N W	2	...	5 a.	29.93	760.3	...	...	E
Taichu,	,,	29.89	759.3	...	...	S W	4	...	,,	29.92	760.0	...	...	N W
Tainan,	,,	29.94	760.4	...	...	S W	8	...	,,	29.93	760.1	...	...	...
Koshun,	,,	29.94	760.4	...	...	N E	6	...	,,	29.90	759.5	...	...	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Canton,	3 p.	29.80	756.9	76	91	S	1	o	9 a.	29.86	758.4	73	90	S
Hongkong,	4 p.	29.83	757.7	76	85	S S W	1	o	10 a.	29.91	759.7	76	82	S
Victoria Peak,	,,	...	...	...	...	S	5	...	,,	...	...	...	...	S
Gap Rock,	,,	29.81	757.2	...	...	E S E	2	...	,,	29.88	758.9	...	...	E
Macao,	,,	29.83	757.8	73	...	S S E	4	of	,,	29.90	759.4	73	...	S S E
Wuchow,	8 p.	29.75	755.6	78	...	E	1	o	9 a.	29.80	756.9	69	..	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi,	,,	29.78	756.4	78	78	W	2	o	,,	...	...	...	...	...
Phulien,	4 p.	29.73	755.1	73	...	S E	5	o	8 a.	29.78	756.4	72	...	E S
Tourane,	,,	29.76	756.0	81	...	S E	3	f	,,	...	...	...	..	...
Cape St. James,	,,	29.83	757.6	77	...	E	4	c	,,	29.90	759.4	77	...	E
Aparri,	2 p.	29.89	759.3	86	...	E	2	b	6 a.	29.90	759.5	72	...	E
Manila,	4 p.	29.84	758	90	49	S E	3	c	10 a.	29.96	761	82	70	W S W
Legaspi,	2 p.	29.89	759.2	86	...	E	2	...	6 a.	29.88	759.0	77	...	N E
Bacolod,	3 p.	...	...	...	...	N E	2	b	9 a.	...	...	...	...	N E
Iloilo,	,,	29.87	758.7	87	...	N E	2	b	,,	29.91	759.7	83	...	N E
Cebu,	,,	29.85	758.2	86	...	N	1	d	,,	29.92	759.9	84	...	N
Labuan,	,,	29.80	756.9	87	...	...	...	...	,,	29.82	757.4	83	...	...

On the 15th at 11.50 a.—The depression lying over S. Japan yesterday, is moving into the Pacific.

The barometer has risen moderately over N. China and W. Japan, and fallen slightly over the S. coast Tongking and the Philippines.

Pressure remains low over S.W. China and Tongking. It is now high over N. China.

Unsettled, squally weather may be expected over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. to E. winds, fresh; squally, some rain.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. Fl

Directo

Hongkong Observatory, Wednesday, 15th March, 1911.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

15TH MARCH, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.15	765.8	25	...	N N W	3	b
,,	29.71	754.6	...	...	S E	4	...
,,	29.85	758.2	...	...	W N W	6	...
,,	29.89	759.1	...	...	N N W	2	...
,,	29.95	760.5	...	...	N	3	...
,,	29.95	760.8	...	...	E N E	2	...
,,	29.94	760.4	...	...	E N E	1	...
,,	29.91	759.6	...	...	N E	2	...
,,	29.93	760.2	...	...	W N W	2	...
,,	29.89	759.3	...	...	E S E	2	...
,,	29.89	759.1	...	...	W	4	...
4 p.	...	...	...	...	...	...	...
,,	30.20	767.1	35	62	N	6	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	29.96	761.0	46	84	E N E	3	o
,,	30.02	762.5	46	84	E N E	3	om
,,	29.93	760.2	59	94	N E	1	o
,,	29.82	757.4	61	88	E	2	or
,,	29.83	757.7	64	89	E	1	o
1 p.	29.90	759.5	...	...	N	4	...
,,	29.88	758.9	...	...	N	6	...
,,	29.91	759.6	...	...	W	6	...
,,	29.90	759.4	...	...	S	4	...
,,	...	...	...	...	...	...	...
3 p.	29.75	755.6	75	90	W S W	1	o
4 p.	29.79	756.6	76	80	S	2	oq
,,	...	...	...	...	S S W	5	...
,,	29.76	755.9	...	...	S E	3	...
,,	29.80	756.9	73	...	S S E	4	o
8 p.	29.68	753.9	73	...	E	2	c
,,	29.67	753.6	87	76	N E	1	b
,,	29.79	756.4	78	78	W N W	2	o
4 p.	29.63	752.6	75	...	S S E	5	c
,,	...	...	...	...	...	...	...
,,	29.80	757.0	82	...	E	2	c
2 p.	29.85	758.2	84	...	E	2	b
4 p.	29.80	757	90	48	E S E	2	b
2 p.	29.85	758.3	88	...	N E	2	b
3 p.	...	...	...	...	N E	1	b
,,	29.81	757.2	88	...	N E	1	b
,,	29.81	757.2	87	...	N	1	b
,,	29.77	756.1	87	...	...	...	...

16TH MARCH, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.37	771.3	16	56	N E	1	b
6 a.	30.08	764.1	...	...	N	6	...
,,	30.19	766.7	...	...	N	1	...
,,	30.18	766.6	...	...	N	1	...
,,	30.05	763.3	...	...	...	0	...
,,	29.97	761.3	...	...	N	1	...
,,	29.94	760.4	...	...	E N E	6	...
,,	29.83	757.6	...	...	S	2	...
,,	29.87	758.7	...	...	S	1	...
,,	29.86	758.3	...	...	S	3	...
,,	29.95	760.6	...	...	...	0	...
6 a.	...	...	...	...	...	...	...
9 a.	30.14	765.5	38	81	N N E	1	o
6 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
9 a.	29.93	760.2	48	100	N E	1	om
,,	29.97	761.2	48	100	N E	3	fr
,,	29.85	758.2	58	100	...	0	c
6 a.	29.89	759.2	58	94	E	3	o
,,	29.84	757.9	62	94	S	1	or
5 a.	29.88	759.0	...	...	...	0	...
,,	29.90	759.4	...	...	...	0	...
,,	29.92	759.9	...	...	N E	2	...
,,	29.89	759.1	...	...	...	0	...
,,	...	...	...	...	...	...	...
9 a.	29.83	757.7	74	90	S	1	o
10 a.	29.89	759.2	76	82	S E	2	o
,,	...	...	...	...	S	5	...
,,	29.86	758.4	...	...	S S E	4	...
,,	29.88	758.9	73	...	S E	4	o
9 a	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.77	756.2	72	...	E S E	3	c
,,	29.79	756.6	84	...	S S W	2	f
,,	29.91	759.6	82	...	S E	2	c
6 a.	29.87	758.6	73	...	S E	2	b
10 a.	29.92	760	84	52	W N W	1	b
6 a.	29.89	759.1	77	...	...	0	b
9 a.	...	...	...	...	N E	1	b
,,	29.91	759.7	82	...	N E	1	b
,,	29.90	759.4	85	...	S	1	c
,,	29.90	759.4	84	...	...	...	...

n the 16th at 11.55 a.—The barometer has risen quickly over E. Japan, and fallen considerably on the E. and oasts of China.

he depression lying over N.E. Japan yesterday, has moved away over the Pacific.

. depression is developing over the Eastern Sea, and a low pressure area still covers Tongking and S.W. China.

he high pressure area lies now over E. Manchuria.

oderate S.E. winds may be expected over the N. part of the China Sea.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	S. winds, fresh; squally, showery.
a Channel, ...	Variable winds, moderate.
coast of China between Hongkong and Lamocks,.	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ongkong Observatory, Thursday, 16th March, 1911.

ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGIST

Station.	16th March, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	17th March, 1911, A. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction
Wladivostock,	2 p.	30.35	770.8	24	...	N E	1	b	7 a.	30.22	767.6	15	44	N E
Nemuro,	,,	30.22	767.6	...	...	N	2	...	6 a.	30.36	771.1	...	...	S S
Hakodate,	,,	30.24	768.2	...	...	W N W	3	...	,,	30.32	770.2	...	...	...
Tokio,	,,	30.20	767.1	...	...	S E	1	...	,,	30.16	766.1	...	...	N N
Kochi,	,,	30.05	763.3	...	...	N E	2	...	,,	29.72	754.8	...	...	S S
Nagasaki,	,,	29.87	756.8	...	...	E N E	3	...	,,	29.80	756.8	...	...	N
Kagoshima,	,,	29.88	758.9	...	...	E	7	...	,,	29.72	754.9	...	...	N N
Oshima,	,,	29.81	757.1	...	...	S S W	2	...	,,	29.83	757.6	...	...	W
Naha,	,,	29.85	758.2	...	...	S W	2	...	,,	29.89	759.2	...	...	N W
Ishigakijima,	,,	29.87	758.8	...	...	S	4	...	,,	29.88	758.8	...	...	N
Bonin Is.	,,	29.91	759.6	...	...	S	2	...	,,	29.95	760.6	...	...	S W
Chefoo,	4 p.	...	...	...	...	..	...	...	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.12	765.0	39	91	N	1	or	9 a.	30.16	766.0	38	100	N W
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Shanghai,	,,	29.93	760.2	46	92	N N W	2	od	9 a.	30.16	766.0	46	84	N N
Gutzlaff,	,,	29.95	760.7	48	100	N N W	3	fr	,,	30.19	766.8	45	92	N
Sharp Peak	,,	29.80	756.9	59	94	..	0	o	,,	30.05	763.2	57	87	N
Amoy,	,,	29.73	755.1	65	84	S W	1	c	6 a.	29.82	757.4	59	88	N E
Swatow,	,,	29.79	756.6	67	95	E	1	o	,,	29.79	756.6	68	95	...
Taihoku,	1 p.	29.83	757.6	...	...	W	2	...	5 a.	29.95	760.8	...	...	E
Taichu,	,,	29.85	758.1	...	...	S W	4	...	,,	29.93	760.1	...	...	...
Tainan,	,,	29.89	759.1	...	...	S W	6	...	,,	29.92	759.9	...	...	S E
Koshun	,,	29.87	758.7	...	...	W	4	...	,,	29.89	759.2	...	...	N W
Pescadores,	,,	...	...	...	...	...	...	...	,,	29.88	759.0	...	...	S
Canton,	3 p.	29.75	755.6	77	86	S	1	o	9 a.	...	...	...	...	...
Hongkong,	4 p.	29.79	756.6	76	79	S	1	o	10 a.	29.93	760.2	67	38	...
Victoria Peak,	,,	...	...	...	...	S	6	...	,,	...	...	...	...	S
Gap Rock,	,,	29.76	755.9	...	...	S	2	...	,,	29.89	759.2	...	...	N N
Macao,	,,	29.79	756.6	74	...	S E	3	o	,,	29.98	761.5	59	...	N N
Wuchow,	3 p.	29.74	755.4	72	67	N	3	c	9 a.	...	...	...	...	...
Hoihow,	,,	29.73	755.1	83	83	...	2	b	,,	...	...	...	...	...
Pakhoi,	,,	29.70	754.4	78	82	N W	1	o	,,	...	...	...	...	...
Phulien,	4 p.	29.64	752.8	79	...	E S E	3	f	8 a.	29.90	759.4	68	...	E N
Tourane,	,,	29.71	754.7	82	...	S	2	f	,,	29.82	757.8	84	..	...
Cape St. James,	,,	29.82	757.3	82	...	S	2	b	,,	29.93	760.2	81	...	S
Aparri,	2 p.	29.87	758.6	86	...	N	2	b	6 a.	29.90	759.5	75	...	N
Manila,	4 p.	29.84	758	93	61	S E	2	b	10 a.	29.96	761	84	64	W
Legaspi,	2 p.	29.86	758.5	86	...	N E	2	b	6 a.	29.89	759.2	79	...	...
Bacolod,	3 p.	...	...	...	...	N E	1	c	9 a.	...	...	...	...	N E
Iloilo,	,,	29.85	758.8	88	...	N E	1	b	,,	29.99	761.7	84	...	N
Cebu,	,,	29.83	757.7	88	...	N	1	b	,,	29.92	759.9	86	...	...
Labuan,	,,	29.78	756.4	83	...	...	...	...	,,	29.96	761.0	89	...	...

On the 17th at 12.05 p.—The barometer has risen considerably on the E. coast of China, and fallen W. Japan.

The depression lying over the Eastern Sea yesterday, has reached the S.W. coast of Japan.

Pressure is still low but increasing over the northern shores of the China Sea.

The high pressure area has shifted Eastwards and lies now over N.E. Japan. Relatively high pr covers N. China.

N.E. monsoon will set in again over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, fresh or strong; rain [bably imp
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. F

Directo

Hongkong Observatory, Friday, 17th March, 1911.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

17TH MARCH, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.13	765.3	29	...	S S E	3	o
,,	30.32	770.1	...	...	S E	3	...
,,	30.19	766.7	...	...	E S E	3	...
,,	29.98	761.6	...	...	N N W	3	...
,,	29.78	756.3	...	...	..	0	...
,,	29.89	759.3	...	...	N	5	...
,,	29.82	757.4	...	...	N	3	...
,,	29.91	759.6	...	...	N	3	...
,,	...	...	...	...	...	.	...
,,	29.91	759.8	...	...	N E	4	...
,,	29.91	759.6	...	...	N	5	...
4 p.	..	...	...	...	..	...	...
,,	30.18	766.6	43	67	W N W	1	b
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	30.16	766.0	49	71	N	1	o
,,	30.20	767.1	46	92	N	4	ov
,,	30.05	763.2	56	81	N E	4	o
,,	29.89	759.2	58	81	E	5	or
,,	29.86	758.4	62	94	E	1	or
1 p.	30.04	762.9	...	...	E	6	...
,,	29.96	761.1	...	...	N	6	...
,,	29.95	760.7	...	...	S W	4	...
,,	29.95	760.7	...	...	N E	10	...
,,	...	...	...	...	...	..	...
3 p.	29.95	760.7	56	87	N	2	or
4 p.	29.90	759.4	63	93	W N W	1	odlt
,,	...	...	...	...	N W	4	...
,,	29.84	757.9	...	...	N N W	6	...
,,	29.92	760.0	55	...	N W	2	od
3 p.	30.04	763.0	55	...	N	1	o
,,	...	...	...	...	...	...	...
,,	29.94	760.5	65	63	N	4	o
4 p.	29.87	758.6	75	...	S S E	2	b
,,	29.77	756.1	88	...	...	0	f
,,	29.83	757.8	82	...	S S W	4	c
2 p.	29.89	759.3	84	...	N	2	b
4 p.	29.84	758	83	65	W	2	b
2 p.	29.87	758.6	86	...	N E	2	b
3 p.	...	...	...	...	N E	1	c
,,	29.81	757.2	89	...	N E	1	b
,,	29.82	757.4	88	...	N	2	b
,,	29.91	759.7	77	...	...	...	...

18TH MARCH, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.06	763.5	23	87	S E	1	s
6 a.	30.18	766.6	...	...	S E	7	...
,,	29.99	761.7	...	...	...	0	...
,,	29.87	758.6	...	...	N W	1	...
,,	29.91	759.3	...	...	...	0	...
,,	29.99	761.8	...	...	N E	2	...
,,	29.92	759.9	...	...	N	1	...
,,	29.93	760.1	...	...	N N W	2	...
,,	29.91	759.7	...	...	N E	1	...
,,	29.86	758.3	...	...	E	3	...
,,	29.95	760.6	...	...	S W	1	...
6 a.	...	...	...	...	...	...	...
9 a.	30.32	770.1	40	65	N	5	c
6 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	..	...
9 a.	30.25	768.3	43	92	N	2	omd
,,	30.28	769.1	44	84	N	4	ogv
,,	30.10	764.5	53	87	N	1	o
6 a.	29.93	760.2	55	87	N E	3	o
,,	..	...	...	...	...	...	...
5 a.	29.93	760.1	...	...	E	4	...
,,	29.83	758.9	...	...	N	2	...
,,	29.89	759.2	...	...	N	4	...
,,	29.87	758.6	...	...	S E	6	...
,,	29.89	759.1	...	...	N E	8	...
9 a.	30.12	765.0	51	72	N	2	b
10 a.	30.08	764.0	64	61	N N W	1	b
,,	...	...	...	...	N	3	...
,,	30.05	763.2	...	...	N N W	5	...
,,	30.12	765.0	55	...	N N W	1	c
9 a.	...	...	...	..	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.12	765.0	61	...	E N E	4	o
,,	30.02	762.6	70	..	N W	5	f
,,	29.94	760.5	77	...	W S W	2	c
6 a.	29.90	759.5	73	...	N E	2	b
10 a.	29.92	760	82	77	N W	1	b
6 a.	29.91	759.6	77	...	...	0	b
9 a.	...	...	...	...	N E	1	c
,,	29.99	761.7	83	...	N E	1	b
,,	29.91	759.7	85	...	N	2	c
,,	29.94	760.5	81	...	...	...	...

the 18th at 11.55 a.—The barometer has fallen considerably over E. Japan the depression lying over W. yesterday, having moved Eastwards.

high pressure area lies over N. China and the barometer has risen considerably along the coast and over ing.

pressure is still relatively low in the neighbourhood of Formosa.

Strong monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hong and Neighbourhood, ...	N. winds, fresh; fine.
Channel, ...	N.E. winds, strong.
Coast of China between Hongkong and Lamocks, .	Same as No. 1.
Coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 18th March, 1911.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGIST

Station.	18th March, 1911, P.M.								19th March, 1911, A					
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction
Wladivostock....	2 p.	...	...	..	...	...	...	...	7 a.	...	..	...	...	
Nemuro, ...	,,	30.14	765.6	...	...	S E	6	...	6 a.	29.95	760.6	...	...	E N
Hakodate, ...	,,	29.93	760.2	...	...	N W	1	...	,,	29.95	760.7	...	...	N N
Tokio, ...	,,	29.83	757.6	...	...	N	1	...	,,	29.75	755.6	...	...	N N
Kochi, ...	,,	29.87	758.8	...	...	...	0	...	,,	29.89	759.3	...	...	N N
Nagasaki, ...	,,	29.95	760.8	...	...	N	9	...	,,	30.05	763.3	...	...	N N
Kagoshima, ...	,,	29.92	759.9	...	...	...	0	...	,,	30.04	762.9	...	...	N
Oshima, ...	,,	29.89	759.1	...	...	N N W	1	...	,,	30.02	762.6	...	...	N
Naha, ...	,,	29.79	756.7	...	...	S W	4	...	,,	30.05	763.2	...	...	N N
Ishigakijima, ...	,,	29.85	758.3	...	...	N W	4	...	,,	30.09	764.3	...	...	N
Bonin Is.	,,	29.91	759.6	...	...	S W	1	...	,,	29.85	758.1	...	...	S S
Chefoo, ...	4 p.	30.33	770.4	38	63	N	3	b	6 a.	...	...	...	...	
Weihaiwei, ...	,,	30.30	769.6	40	56	N	3	bq	9 a.	30.38	771.6	39	46	N N
Hankow, ...	,,	...	...	...	...	..	...	..	6 a.	...	...	...	..	
Kiukiang, ...	,,	30.36	770.9	51	72	N E	2	b	,,	30.31	769.9	44	92	N E
Shanghai, ...	,,	30.23	767.8	45	84	N	1	o	9 a	30.40	772.1	45	63	N E
Gutzlaff, ...	,,	30.25	768.3	45	84	N	4	ogv	,,	30.41	772.4	47	85	N
Sharp Peak, ...	,,	30.13	765.3	54	87	E	2	c	,,	30.28	769.1	53	80	N N
Amoy, ...	,,	29.95	760.7	57	75	E	4	o	6 a.	30.16	766.0	52	73	N E
Swatow, ...	,,	30.00	762.0	62	72	E	2	o	,,	30.07	763.8	54	74	E
Taihoku, ...	1 p.	30.10	764.5	...	...	S	2	...	5 a.	30.21	767.2	...	...	E
Taichu, ...	,,	30.01	762.3	...	...	N	8	...	,,	30.08	764.1	...	...	N
Tainan, ...	,,	29.98	761.5	...	...	N	8	...	,,	30.08	764.1	...	...	N
Koshun.....	,,	29.90	759.4	...	...	N	8	...	,,	30.05	763.2	...	...	N E
Pescadores, ...	,,	30.02	762.6	...	...	N	10	...	,,	30.09	764.3	...	...	N
Canton, ...	3 p.	30.02	762.5	61	55	E	2	b	9 a.	30.17	766.3	55	74	N N
Hongkong, ...	4 p.	29.97	761.2	65	50	N E	2	b	10 a.	30.16	766.0	60	67	E
Victoria Peak, ...	,,	...	...	...	...	N N E	2	...	,,	...	...	...	...	E
Gap Rock, ...	,,	29.95	760.7	...	...	E N E	3	...	,,	30.09	764.3	...	...	E
Macao, ...	,,	30.00	762.0	63	...	N	2	c	,,	30.17	766.3	60	...	E
Wuchow, ...	3 p.	30.01	762.2	65	...	S E	2	b	9 a.	30.18	766.6	58	..	N
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	
Pakhoi, ...	,,	...	...	...	...	..	...	...	,,	...	...	...	...	
Phulien, ...	4 p.	29.94	760.6	72	...	S	3	c	8 a.	30.06	763.6	63	...	E N
Tourane, ...	,,	29.89	759.3	70	...	W N W	4	o	,,	30.01	762.1	73	..	S W
Cape St. James, .	,,	29.83	757.7	84	...	S S W	2	c	,,	29.96	760.9	77	...	E N E
Aparri, ...	2 p.	29.89	759.3	84	...	N	2	c	6 a.	...	...	...	...	
Manila, ...	4 p.	29.84	758	86	71	S W	3	b	10 a.	...	...	...	...	
Legaspi, ...	2 p.	29.87	758.7	83	...	N E	2	c	6 a.	...	...	...	...	
Bacolod, ...	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N E
Iloilo, ...	,,	29.85	758.2	87	...	S W	1	c	,,	29.99	761.7	83	...	N
Cebu, ...	,,	29.83	757.7	85	...	S	1	c	,,	29.92	759.9	85	...	N
Labuan, ...	,,	29.88	758.9	86	...	...	...	...	,,	...	...	...	...	

On the 19th at 12.10 p.—The barometer has fallen moderately over E. Japan and the Bonins, and risen ably over the E. coast of China, Formosa and the Loochoos.

The depression lying in the neighbourhood of the latter area yesterday, has moved towards N.E. and S.E. Japan.

The high pressure area remains over N. China. Pressure is inclined to give way again over S.W. Tongking.

Strong monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. and E. winds, strong; squally, fair [half
2.—Formosa Channel, ...	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. Ho
Director.

Hongkong Observatory, Sunday, 19th March, 1911.

[Printed by Noronha & Co., Government Printers.]

A COAST METEOROLOGICAL REGISTER.

19TH MARCH, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.17	766.4	16	...	N E	3	b
,,	29.71	754.6	...	...	E	5	...
,,	29.77	756.2	...	...	N N W	5	...
,,	29.69	754.1	...	...	N N W	4	...
,,	29.89	759.3	...	...	W	3	...
,,	30.11	764.8	...	...	N	5	...
,,	30.02	762.4	...	...	N	5	...
,,	30.12	765.1	...	...	N	9	...
,,	...	...	...	...	...	...	...
,,	30.13	765.3	...	...	N E	5	...
,,	29.79	756.6	...	...	W	1	...
4 p.	...	...	...	...	...	...	...
,,	30.31	769.9	39	51	N	2	c
,,	...	...	...	...	...	...	...
,,	30.24	768.1	51	...	N E	2	o
,,	30.32	770.1	51	59	N N E	1	c
,,	30.36	771.1	48	93	N	2	cv
,,	30.24	768.1	53	73	N E	5	o
,,	30.12	765.0	57	68	N E	4	c
,,	30.08	764.0	61	60	E	3	c
1 p.	30.21	767.3	...	...	N E	6	...
,,	30.11	764.8	...	...	N	2	...
,,	30.10	764.6	...	...	N	4	...
,,	30.06	763.5	...	...	N E	10	...
,,	30.12	765.1	...	...	N E	10	...
3 p.	30.07	763.8	58	76	N N E	2	c
4 p.	30.05	763.2	60	69	E N E	5	cq
,,	...	...	...	...	E	6	...
,,	29.99	761.7	...	...	E N E	7	...
,,	...	...	59	...	E	1	cd
8 p.	30.12	765.0	56	...	N	1	c
,,	29.93	760.2	69	...	E N E	4	o
,,	30.01	762.2	59	94	N E	2	c
4 p.	29.91	759.6	63	...	E N E	4	o
,,	29.84	758.0	77	...	S S E	2	b
,,	29.87	758.8	81	...	E	3	c
2 p.	29.98	761.5	75	...	E	4	o
4 p.	29.84	758	90	55	S E	2	b
2 p.	29.90	759.5	83	...	N E	2	b
3 p.	...	...	...	...	N E	1	c
,,	29.81	757.2	84	...	N E	1	o
,,	29.84	757.9	83	...	N	1	c
,,	29.89	759.2	85	...	...	...	...

20TH MARCH, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.23	767.7	11	52	N E	3	o
6 a.	29.41	747.1	...	...	N	8	...
,,	29.65	751.2	...	...	N W	5	...
,,	29.93	760.1	...	...	N N W	1	...
,,	30.23	767.8	...	...	S W	1	...
,,	30.27	768.8	...	...	E S E	1	...
,,	30.23	767.9	...	...	N	2	...
,,	30.20	767.1	...	...	N N W	1	...
,,	30.21	767.2	...	...	...	0	...
,,	30.17	766.3	...	...	N E	2	...
,,	30.04	763.1	...	...	N E	2	...
6 a.	...	...	...	...	...	...	...
9 a.	30.23	767.8	39	82	S S W	3	c
6 a.	...	...	...	...	...	...	...
,,	30.15	765.8	47	93	N E	1	o
9 a.	30.32	770.1	46	69	E S E	2	o
,,	30.35	770.9	47	93	E S E	3	ov
,,	30.23	767.8	52	86	N	2	o
6 a.	30.13	765.3	53	80	N E	1	o
,,	30.08	764.0	52	93	N E	2	or
5 a.	30.10	764.6	...	...	E	6	...
,,	30.04	763.1	...	...	N	2	...
,,	30.06	763.5	...	...	N	2	...
,,	30.06	763.5	...	...	E	10	...
,,	30.04	763.1	...	...	N E	8	...
9 a.	30.08	764.0	56	94	S S E	2	or
10 a.	30.07	763.8	59	89	E N E	6	odq
,,	...	...	...	...	E	8	...
,,	30.01	762.2	...	...	E	6	...
,,	30.06	763.4	60	...	E	1	o
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.96	761.0	61	...	E N E	3	dh
,,	30.01	762.1	73	...	S E	1	f
,,	29.97	761.1	81	...	E N E	3	f
6 a.	...	...	...	...	...	...	...
10 a.	30.04	763	75	84	...	...	d
6 a.	29.94	760.4	77	...	N E	2	c
9 a.	...	...	...	...	N E	1	b
,,	30.00	762.0	81	...	N E	1	b
,,	29.94	760.5	85	...	N	1	b
,,	29.96	761.0	81	...	...	...	...

20th at 12.05 p.—The depression lying to the S.E. of Japan yesterday, has moved towards N.E. and lies kaido.

e has increased considerably over S. Japan and the Loochoos, and given way moderately over China and

h pressure area has shifted Eastwards and now occupies the Yellow Sea.
e is relatively low over Tongking and the northern shores of the China Sea.
N.E. and E. winds may be expected along the S. coast of China.

kong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.33 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.

ng and Neighbourhood, ...	E. winds, strong; squally, rainy.
Channel, ...	N.E. and E. winds, fresh.
oast of China between Hongkong and Lamocks,.	Same as No. 1.
oast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

gkong Observatory, Monday, 20th March, 1911.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGIST

Station.	20th March, 1911, P.M.								21st March, 1911, A					
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	W Dir tio
Wladivostock,	2 p.	30.24	768.2	19	...	N E	4	b	7 a.	30.44	773.2	14	56	N
Nemuro,	,,	29.55	750.6	...	...	N N W	11	...	6 a.	30.02	762.6	...	...	N N
Hakodate,	,,	29.85	758.2	...	...	N N W	6	...	,,	30.28	769.2	...	...	N
Tokio,	,,	29.96	761.1	...	...	N W	1	...	,,	30.32	770.1	...	...	N
Kochi,	,,	30.17	766.3	...	...	W N W	1	...	,,	30.35	770.8	...	...	
Nagasaki,	,,	30.23	767.8	...	...	N W	2	...	,,	30.29	769.3	...	...	S
Kagoshima,	,,	30.21	767.4	...	...	S E	1	...	,,	30.27	768.9	...	...	N
Oshima,	,,	30.20	767.1	...	...	N	3	...	,,	30.22	767.6	...	...	S
Naha,	,,	30.19	766.7	...	...	E S E	2	...	,,	30.15	765.7	...	...	E N
Ishigakijima,	,,	30.13	765.3	...	...	E	4	...	,,	30.07	763.8	...	...	E S
Bonin Is.	,,	30.08	764.1	...	...	N	2	...	,,	30.22	767.6	...	...	N
Chefoo,	4 p.	...	...	...	...	...	.	...	6 a.	...	...	...	...	
Weihaiwei,	,,	30.24	768.1	40	82	N E	3	om	9 a.	30.32	770.1	41	72	S
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	
Shanghai,	,,	30.20	767.1	48	71	E S E	3	o	9 a.	30.14	765.5	49	100	E S
Gutzlaff,	,,	30.26	768.6	48	93	E S E	4	cv	,,	30.15	765.8	49	100	E S
Sharp Peak,	,,	30.13	765.3	56	94	N	1	or	,,	30.05	763.2	53	93	
Amoy,	,,	29.97	761.2	57	87	E	1	o	6 a.	29.96	761.0	55	94	N W
Swatow,	,,	30.00	762.0	56	81	E N E	1	or	,,	29.93	760.2	55	94	E N
Taihoku,	1 p.	30.08	764.1	...	...	E	2	...	5 a	29.99	761.6	...	...	
Taichu,	,,	30.10	764.6	...	...	N W	2	...	,,	30.01	762.1	...	...	
Tainan,	,,	30.07	763.9	...	...	...	0	...	,,	29.99	761.6	...	...	E
Koshun,	,,	30.06	763.4	...	...	S E	8	...	,,	30.01	762.2	...	...	E
Pescadores,	,,	30.07	763.9	...	...	N E	8	...	,,	29.97	761.3	...	...	N E
Canton,	3 p.	29.95	760.7	56	94	E	1	or	9 a.	29.96	761.0	59	94	
Hongkong,	4 p.	29.93	760.2	61	92	E N E	4	odq	10 a.	29.99	761.7	65	93	E
Victoria Peak,	,,	...	...	...	...	E	6	...	,,	...	...	...	...	S
Gap Rock,	,,	29.86	758.4	...	...	E	6	...	,,	29.94	760.5	...	...	E N
Macao,	,,	29.93	760.2	61	...	E S E	4	od	,,	30.00	762.0	63	...	N
Wuchow,	3 p.	29.95	760.7	55	...	N	1	or	9 a.	...	...	...	..	...
Hoihow,	,,	29.80	756.9	80	82	S E	2	c	,,	...	...	...	...	...
Pakhoi,	,,	29.85	758.2	79	91	S E	3	o	,,	...	...	...	...	
Phulien,	4 p.	29.76	755.9	66	...	E	2	dh	8 a.	29.90	759.4	68	...	E S
Tourane,	,,	29.80	756.8	79	...	S E	2	dh	,,	29.86	758.3	79	..	S S
Cape St. James,	,,	29.85	758.3	82	...	E S E	2	c	,,	29.95	760.6	82	...	E S
Aparri,	2 p.	...	...	79	...	E	2	o	6 a.	29.99	761.6	72	...	E
Manila,	4 p.	29.88	759	81	76	E	1	d	10 a.	30.00	762	86	59	S E
Legaspi,	2 p.	29.90	759.5	83	...	N E	2	c	6 a.	29.93	760.3	77	...	N E
Bacolod,	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E
Iloilo,	,,	29.85	758.2	...	...	N E	1	b	,,	30.03	762.7	82	...	N E
Cebu,	,,	29.86	758.4	86	...	N E	2	b	,,	29.97	761.2	86	...	N
Labuan,	,,	29.84	757.9	84	...	...	...	...	,,	29.95	760.7	82	...	

On the 21st at 12.05 p.—The barometer has risen quickly in E. Japan, the depression lying of yesterday, having moved away over the Pacific.

Pressure is low and still giving way over S. China and Tongking. A depression is probably forming to the South of the Yangtze valley.

The high pressure area covers E. Manchuria and the Sea of Japan.

Moderate S.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.72 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and S.E. winds, fresh; squally, some ra
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIG
Director.

Hongkong Observatory, Tuesday, 21st March, 1911.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

21st MARCH, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.42	772.6	27	...	N	1	b
,,	30.22	767.6	...	...	N N E	6	...
,,	30.34	770.7	...	...	N	2	...
,,	30.36	771.1	...	...	E N E	1	...
,,	30.33	770.3	...	...	E	1	...
,,	30.31	769.8	...	...	N	1	...
,,	30.31	769.9	...	...	E	1	...
,,	30.20	767.1	...	...	S E	2	...
,,	30.13	765.2	...	...	E S E	1	...
,,	30.05	763.3	...	...	S E	5	...
,,	30.22	767.6	...	...	N	1	...
4 p.	...	...	...	...	...	.	...
,,	30.32	770.1	44	84	E S E	3	c
,,	...	...	...	...	...	...	...
,,	30.10	764.5	53	86	N E	1	or
,,	30.05	763.2	51	100	E N E	3	or
,,	30.06	763.5	50	100	E	7	fr
,,	29.96	761.0	55	100	...	0	c
,,	29.90	759.4	60	88	N W	1	o
,,	29.91	759.7	60	100	...	0	or
1 p.	30.00	762.0	...	...	S W	2	...
,,	29.99	761.7	...	...	N	2	...
,,	29.97	761.2	...	...	N	4	...
,,	30.00	762.1	...	...	N E	6	...
,,	29.98	761.5	...	...	N	6	...
3 p.	29.90	759.4	60	94	N	1	o
4 p.	29.91	759.7	65	92	E	3	cd
,,	...	...	...	...	S	3	...
,,	29.86	758.4	...	...	N E	4	...
,,	29.92	759.9	66	...	S E	1	o
3 p.	29.94	760.5	61	82	N	2	o
,,	29.81	757.2	81	74	N E	2	b
,,	29.89	759.2	68	79	N	3	c
4 p.	29.82	757.3	70	...	N N E	1	o
,,	...	...	...	...	...	...	...
,,	29.85	758.3	82	...	S	2	c
2 p.	29.93	760.1	86	...	S E	2	b
4 p.	29.88	759	90	55	S E	2	c
2 p.	29.92	760.0	90	...	N E	1	o
3 p.	...	...	...	...	N E	1	o
,,	29.93	760.2	87	...	N E	2	b
,,	29.86	758.4	83	...	N	2	b
,,	29.83	757.7	87	...	...	...	...

22nd MARCH, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.36	771.0	22	77	...	0	o
6 a.	30.42	772.6	...	...	N W	1	...
,,	30.46	773.7	...	...	W N W	1	...
,,	30.48	774.1	...	...	N W	1	...
,,	30.39	771.8	...	...	...	0	...
,,	30.31	769.8	...	...	N	1	...
,,	30.29	769.4	...	...	E N E	4	...
,,	30.16	766.1	...	...	S E	4	...
,,	30.07	763.7	...	...	S E	2	...
,,	30.01	762.3	...	...	S E	4	...
,,	30.26	768.6	...	...	N E	1	...
6 a.	...	...	...	...	...	...	...
9 a.	30.37	771.4	42	92	E	3	om
6 a.	...	...	...	...	...	...	...
,,	30.18	766.6	49	93	...	0	o
9 a	30.07	763.8	51	100	N E	1	omr
,,	30.08	764.3	50	100	N E	1	f
,,	29.89	759.2	57	94	...	0	o
6 a.	29.98	761.5	60	94	N W	1	o
,,	29.97	761.2	61	100	N W	1	o
5 a	29.99	761.6	...	...	...	0	...
,,	29.99	761.8	...	...	...	0	...
,,	30.00	762.0	...	...	S E	2	...
,,	29.98	761.5	...	...	..	0	...
,,	29.98	761.4	...	...	S	2	...
9 a.	30.07	763.8	59	88	N	2	o
10 a.	30.06	763.5	66	97	...	0	odf
,,	...	...	...	...	S E	2	...
,,	30.03	762.7	...	...	N N E	4	...
,,	30.08	763.9	60	...	N W	3	odf
9 a.	...	...	...	..	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.02	762.6	64	...	E N E	2	or
,,	29.96	761.0	72	..	N W	1	lt
,,	29.96	761.0	79	...	E N E	2	o
6 a.	29.99	761.4	70	...	E	2	b
10 a.	30.04	763	82	63	N W	4	b
6 a.	29.96	761.0	77	...	N E	2	b
9 a.	...	...	...	...	N E	2	c
,,	29.99	761.7	83	...	N E	2	b
,,	29.93	760.2	85	...	N	2	b
,,	29.95	760.7	85	...	...	...	...

22nd at 11.55 a.—The barometer has fallen slightly over the E. coast of China and the Loochoos, and ately over the S. coast of China and Tongking.

ssion is passing from the E. coast of China to the Eastern Sea.

h pressure area is still lying over the Sea of Japan.

nsoon will probably set in again over the N. part of the China Sea by to-morrow.

kong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
g and Neighbourhood, ...	N. to N.E. winds, moderate or fresh; showery.
Channel, ...	Same as No. 1.
ast of China between Hongkong and Lamocks,.	Same as No. 1.
ast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

kong Observatory, Wednesday, 22nd March, 1911.

y NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	22nd March, 1911, P.M.								23rd March, 1911, A.M.					
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,	2 p.	30.42	772.6	27	...	N	1	b	7 a.	30.35	770.8	20	58	N N E
Nemuro,	,,	30.32	770.1	...	...	W S W	4	...	6 a.	30.18	766.6	...	...	N W
Hakodate,	,,	30.36	771.2	...	...	W	2	...	,,	30.25	768.2	...	...	N N W
Tokio,	,,	30.38	771.6	...	...	...	0	...	,,	30.20	767.1	...	...	N N W
Kochi,	,,	30.31	769.8	...	...	E S E	1	...	,,	30.15	765.8	...	...	S W
Nagasaki,	,,	30.21	767.3	...	...	...	0	...	,,	29.97	761.3	...	...	N E
Kagoshima,	,,	30.17	766.4	...	...	E	3	...	,,	29.94	760.4	...	...	E S E
Oshima,	,,	30.10	764.6	...	...	S E	2	...	,,	29.91	759.6	...	...	W N W
Naha,	,,	30.01	762.2	...	...	S S E	1	...	,,	29.97	761.2	...	...	N W
Ishigakijima,	,,	29.97	761.3	...	...	S	5	...	,,	30.03	762.8	...	...	N
Bonin Is.	,,	30.22	767.6	...	...	E S E	1	...	,,	30.14	765.6	...	...	S E
Chefoo,	4 p.	...	...	...	...	...		...	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.32	770.1	45	84	E N E	1	om	9 a.	30.42	772.6	37	62	N
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	,,	30.21	767.3	52	93	...	0	o	,,	30.35	770.9	49	93	W
Shanghai,	,,	30.05	763.2	50	93	N	2	or	9 a	30.31	769.9	48	78	N N W
Gutzlaff,	,,	30.05	763.2	49	100	N W	5	f	,,	30.29	769.3	46	92	N
Sharp Peak,	,,	30.00	762.0	58	100	...	0	c	,,	30.20	767.1	59	94	...
Amoy,	,,	29.92	759.9	66	90	S	4	f	6 a	30.04	763.0	62	89	N E
Swatow,	,,	29.96	761.0	64	95	E	1	o	,,	30.05	763.2	61	88	N
Taihoku,	1 p.	29.99	761.7	...	...	N	2	...	5 a	30.11	764.8	...	...	E
Taichu,	,,	29.99	761.7	...	...	...	0	...	,,	30.03	762.7	...	...	N
Tainan,	,,	30.00	762.0	...	...	N W	6	...	,,	30.05	763.2	...	...	N E
Koshun,	,,	29.97	761.2	...	...	W	6	...	,,	30.00	762.0	...	...	...
Pescadores,	,,	30.00	762.0	...	...	N	4	...	,,	30.02	762.6	...	...	N E
Canton,	3 p.	30.04	763.0	60	82	N	2	c	9 a.	30.18	766.6	59	76	N
Hongkong,	4 p.	30.00	762.0	64	94	W	2	cd	10 a.	30.16	766.0	64	73	...
Victoria Peak,	,,	...	...	...	...	W	2	...	,,	...	...	...	...	N N E
Gap Rock,	,,	29.96	761.0	...	...	N N W	5	...	,,	30.12	765.0	...	...	N E
Macao,	,,	30.03	762.7	59	...	N N W	1	cdf	,,	30.20	767.1	60	...	N N W
Wuchow,	3 p.	30.17	766.3	62	...	N	1	o	9 a.	...	...	...	..	...
Hoihow,	,,	29.91	759.7	72	100	N	2	o	,,	...	...	...	...	...
Pakhoi,	,,	30.01	762.2	64	78	N	2	o	,,	...	...	...	...	...
Phulien,	4 p.	30.00	761.9	66	...	N N E	2	o	8 a.	30.14	765.6	64	...	E
Tourane,	,,	29.87	758.8	73	...	W N W	2	It	,,	30.08	764.1	72	..	N W
Cape St. James,	,,	29.85	758.3	81	...	E S E	3	c	,,	29.97	761.2	79	...	E
Aparri,	2 p.	29.94	760.5	84	...	E	2	b	6 a.	30.00	762.0	73	...	N E
Manila,	4 p.	29.88	759	88	54	S S E	2	b	10 a.	30.04	763	84	64	N W
Legaspi,	2 p.	29.93	760.1	91	...	N E	2	c	6 a.	29.97	761.1	73	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	N E
Iloilo,	,,	29.87	758.7	87	...	N E	2	b	,,	30.01	762.2	83	...	N E
Cebu,	,,	29.87	758.7	87	...	N	1	b	,,	29.97	761.2	84	...	N
Labuan,	,,	29.83	757.7	87	...	...	...	...	,,	29.94	760.5	83	...	...

On the 23rd at 11.55 a.—The barometer has fallen quickly in Japan, and risen considerably to mode China and Tongking.

The depression lying over the Eastern Sea yesterday, has reached the neighbourhood of Van Diemen S

A high pressure area now occupies N. China.

Fresh to strong monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.54 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, moderate to fresh; fair.
2.—Formosa Channel,	N.E. winds, fresh to strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 23rd March, 1911.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

23RD MARCH, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.33	770.3	27	...	N N E	3	b
,,	30.20	767.1	...	...	N N E	3	...
,,	30.28	769.2	...	...	W	1	...
,,	30.04	763.1	...	...	N N W	1	...
,,	29.99	761.8	...	...	S W	1	...
,,	29.93	760.3	...	...	N	2	...
,,	29.84	757.9	...	...	E S E	5	...
,,	29.85	758.1	...	...	N N W	2	...
,,	29.97	761.2	...	...	W N W	5	...
,,	30.05	763.3	...	...	N N W	5	...
,,	30.04	763.1	...	...	E	1	...
4 p.	30.43	772.9	38	63	N	10	b
,,	30.37	771.4	42	59	N	8	c
,,	...	...	...	...	...	...	...
,,	30.40	772.1	52	79	N E	3	o
,,	30.31	769.9	45	84	N	4	o
,,	30.33	770.4	45	92	N	6	om
,,	30.14	765.5	59	94	...	0	c
,,	29.99	761.7	64	73	E	3	o
,,	30.09	764.3	63	89	...	0	o
1 p.	30.20	767.1	...	...	E	6	...
,,	30.04	762.9	...	...	N	6	...
,,	30.04	763.1	...	...	N	4	...
,,	30.04	762.9	...	...	E	8	...
,,	30.09	764.2	...	...	N	10	...
3 p.	30.16	766.0	60	76	N	2	o
4 p.	30.12	765.0	63	72	N E	1	c
,,	...	...	...	...	N E	3	...
,,	30.08	764.0	...	...	N	5	...
,,	30.14	765.5	63	...	N N W	3	o
3 p.	30.24	768.1	58	...	N	1	od
,,	30.11	764.8	59	88	E N E	4	o
,,	30.16	766.0	59	94	N	5	o
4 p.	30.11	764.8	61	...	E N E	3	o
,,	30.01	762.2	73	...	N W	2	dh
,,	29.91	759.7	79	...	N E	3	b
2 p.	29.95	760.8	84	...	N E	2	b
4 p.	29.88	759	88	54	S S E	3	c
2 p.	29.91	759.8	91	...	N E	2	b
3 p.	...	...	...	...	N E	2	o
,,	29.89	759.2	87	...	N E	1	o
,,	29.85	758.2	87	...	N	2	b
,,	29.83	757.7	88	...	...	...	...

24TH MARCH, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.32	770.0	16	60	N N E	3	b
6 a.	30.24	768.1	...	...	W	1	...
,,	30.21	767.2	...	...	...	0	...
,,	30.01	762.1	...	...	N N W	2	...
,,	29.93	760.3	...	...	E	1	...
,,	30.05	763.3	...	...	N	3	...
,,	30.00	761.9	...	...	N	3	...
,,	29.99	761.6	...	...	N	5	...
,,	30.05	763.2	...	...	N N W	6	...
,,	30.13	765.3	...	...	N N E	3	...
,,	29.85	758.1	...	...	S S W	2	...
6 a.	30.43	772.9	34	79	N W	8	b
9 a.	30.37	771.4	38	91	N	7	b
6 a.	...	...	...	...	...	...	...
,,	30.41	772.4	44	76	N E	4	o
9 a	30.41	772.4	42	58	N N W	2	c
,,	30.42	772.6	44	92	N	5	ov
,,	30.29	769.3	56	81	E N E	4	o
6 a.	30.17	766.3	55	80	N E	2	c
,,	30.15	765.8	57	87	E N E	2	c
5 a	30.23	767.7	...	...	E	4	...
,,	30.09	764.3	...	...	N	4	...
,,	30.10	764.6	...	...	N	6	...
,,	30.04	763.0	...	...	N E	10	...
,,	30.12	764.9	...	...	N E	10	...
9 a.	30.25	768.3	55	94	N	2	o
10 a.	30.22	767.6	61	75	E	2	o
,,	...	...	...	...	E	2	...
,,	30.19	766.8	...	...	N E	5	...
,,	30.23	767.9	57	...	N	1	o
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.23	767.7	57	...	N E	3	or
,,	30.10	764.4	75	...	...	0	b
,,	29.98	761.5	81	...	E	5	c
6 a.	30.01	762.3	75	...	N E	4	o
10 a.	30.00	762	82	63	W S W	1	o
6 a.	29.96	760.9	70	...	...	0	b
9 a.	...	...	...	...	N E	3	o
,,	30.03	762.7	82	...	N E	1	c
,,	29.94	760.5	85	...	N	2	b
,,	29.97	761.2	84	...	...	...	...

24th at 11.55 a.—The barometer has fallen considerably over S.E. Japan and the Bonins, and risen mo-
er S.W. Japan and China.
pression lying in the neighbourhood of Van Diemen Strait yesterday, is moving Eastwards to the South

icyclonic area remains over the continent to the North of the Yangtze valley.
monsoon may be expected over the N. part of the China Sea.

ong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
g and Neighbourhood, ...	N.E. winds, fresh or strong; fair, cloudy.
Channel, ...	N.E. winds, strong.
st of China between Hongkong and Lamocks,.	Same as No. 1.
st of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

kong Observatory, Friday, 24th March, 1911.

NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGIST

Station.	24th March, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	25th March, 1911, A Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	W Direction
Wladivostock....	2 p.	30.24	768.1	30	...	N E	3	b	7 a.	30.21	767.2	24	41	N E
Nemuro, ...	,,	30.14	765.6	...	...	S	2	...	6 a.	30.22	767.6	...	...	W S
Hakodate, ...	,,	30.17	766.2	...	...	S E	2	...	,,	30.25	768.2	...	...	
Tokio, ...	,,	29.94	760.6	...	...	N N W	2	...	,,	30.20	767.1	...	...	N
Kochi, ...	,,	29.91	759.8	...	...	N	2	...	,,	30.15	765.8	...	...	S S W
Nagasaki, ...	,,	30.05	763.3	...	...	N	5	...	,,	30.17	763.3	...	...	...
Kagoshima, ...	,,	30.02	762.4	...	...	N N E	2	...	,,	30.13	765.4	...	...	...
Oshima, ...	,,	30.04	763.1	...	...	N	4	...	,,	30.10	764.6	...	...	N
Naha, ...	,,	30.09	764.2	...	...	N N W	5	...	,,	30.11	764.7	...	...	N E
Ishigakijima, ...	,,	...	...	...	...	...	...	...	,,	30.15	765.8	...	...	N
Bonin Is.	,,	29.76	755.6	...	...	W	3	...	,,	29.95	760.6	...	...	N N E
Chefoo, ...	4 p.	30.35	770.9	36	70	N N W	6	b	6 a	...	...	...	...	...
Weihaiwei, ...	,,	30.31	769.9	42	42	N N W	4	c	9 a.	30.29	769.3	41	57	N W
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kinkiang, ...	,,	30.34	770.6	48	71	N E	2	o	,,	30.28	769.1	44	84	...
Shanghai, ...	,,	30.31	769.9	46	62	N	2	o	9 a	30.33	770.4	42	66	N
Gutzlaff, ...	,,	30.33	770.4	45	68	N	3	cv	,,	30.37	771.4	43	75	N
Sharp Peak, ...	,,	30.20	767.1	56	81	E N E	3	•or	,,	30.25	768.3	54	87	E
Amoy, ...	,,	30.10	764.5	55	68	E	5	or	6 a.	30.16	766.0	51	86	N E
Swatow, ...	,,	30.12	765.0	59	82	N E	1	o	,,	30.16	766.0	51	100	E N E
Taihoku, ...	1 p.	30.22	767.6	...	...	E	8	...	5 a	30.21	767.2	...	...	E
Taichu, ...	,,	30.11	764.9	...	...	N	4	...	,,	30.14	765.6	...	...	N
Tainan, ...	,,	30.10	764.6	...	...	W	2	...	,,	30.13	765.3	...	...	N
Koshun	,,	30.09	764.3	...	...	N E	8	...	,,	30.09	764.3	...	...	N
Pescadores, ...	,,	30.13	765.2	...	...	N	10	...	,,	30.14	765.6	...	...	N E
Canton, ...	3 p.	30.20	767.1	55	94	N	2	or	9 a.	30.23	767.8	54	94	N
Hongkong, ...	4 p.	30.15	765.8	60	81	N N E	1	o	10 a.	30.22	767.6	59	86	N N E
Victoria Peak, ...	,,	...	...	...	...	N	1	...	,,	...	...	...	...	E N E
Gap Rock, ...	,,	30.10	764.5	...	...	N N E	4	...	,,	30.19	766.8	...	...	E N E
Macao, ...	,,	30.18	766.6	63	...	N W	1	o	,,	30.23	767.9	55	...	N
Wuchow, ...	3 p.	30.26	768.6	55	...	N	2	or	9 a.	30.29	769.3	53	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi, ...	,,	30.13	765.3	56	94	N N E	2	o	,,	...	...	...	...	...
Phulien, ...	4 p.	30.13	765.4	61	...	E	1	or	8 a.	30.23	767.8	54	...	N N E
Tourane, ...	,,	30.01	762.2	72	...	N W	3	o	,,	30.09	764.2	70	..	W N W
Cape St. James, .	,,	29.88	758.9	79	...	E	6	c	,,	29.94	760.5	79	...	E N E
Aparri, ...	2 p.	30.00	762.1	77	...	N E	4	o	6 a.	30.01	762.3	73	...	N E
Manila, ...	4 p.	29.88	759	88	54	E N E	2	o	10 a.	30.00	762	82	70	W N W
Legaspi, ...	2 p.	29.91	759.7	90	...	N E	2	b	6 a.	...	...	...	...	...
Bacolod, ...	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E
Iloilo, ...	,,	29.87	758.7	87	...	N E	1	o	,,	29.99	761.7	83	...	N E
Cebu, ...	,,	29.87	758.7	87	...	N	1	c	,,	29.96	761.0	85	...	N
Labuan, ...	,,	29.83	757.7	87	...	...	...	...	,,	29.95	760.7	84	...	...

On the 25th at 12.05 p.—The barometer has risen considerably to moderately over S. Japan, the Lo the Bonins the depression lying to the Northward of the later area yesterday, having moved away Eastwar

Pressure is still high over China but inclined to give way, particularly in the North.

Strong monsoon must still be expected to prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, fresh; rain at first, probably
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. Figg,
Director.

Hongkong Observatory, Saturday, 25th March, 1911.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

25TH MARCH, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.15	765.7	29	...	N N E	3	b
,,	30.20	767.1	...	...	S	3	...
,,	30.24	768.2	...	...	S W	2	...
,,	30.18	766.6	...	...	N	1	...
,,	30.23	767.8	...	...	E	1	...
,,	30.15	765.8	...	...	N N W	1	...
,,	30.13	765.4	...	...	S E	1	...
,,	30.12	765.1	...	...	N N E	2	...
,,	30.13	765.2	...	...	N	2	...
,,	30.13	765.3	...	...	E	3	...
,,	30.00	762.1	...	...	N	8	...
4 p.	30.20	767.1	40	82	N E	1	b
,,	30.21	767.3	40	65	N N E	1	c
,,	...	...	...	...	...	...	...
,,	30.26	768.6	60	60	N E	1	b
,,	30.25	768.3	50	61	N	1	c
,,	30.29	769.3	50	58	N	1	bv
,,	30.23	767.8	55	80	E N E	3	c
,,	30.10	764.5	60	71	E	3	o
,,	30.13	765.3	58	76	E N E	1	o
1 p.	30.21	767.2	...	...	S E	6	...
,,	30.16	766.0	...	...	N	4	...
,,	30.16	766.1	...	...	N	6	...
,,	30.13	765.4	...	...	N E	4	...
,,	30.18	766.6	...	...	N E	8	...
3 p.	30.16	766.0	58	76	N	2	o
4 p.	30.15	765.8	61	74	N E	1	cp
,,	...	...	...	...	E N E	2	...
,,	30.10	764.5	...	...	E N E	5	...
,,	30.16	766.0	56	...	N N W	1	cd
8 p.	30.22	767.6	55	...	E	1	...
,,	...	...	...	...	...	...	...
,,	30.19	766.8	58	94	N	2	o
4 p.	30.14	765.6	61	...	W	1	or
,,	30.03	762.8	68	...	N W	4	o
,,	29.86	758.5	79	...	E N E	6	c
2 p.	30.02	762.5	77	...	N E	4	o
4 p.	29.88	759	88	60	N E	1	c
2 p.	29.91	759.8	88	...	N E	2	c
3 p.	...	...	...	...	N E	2	c
,,	29.85	758.2	88	...	N E	1	b
,,	29.84	757.9	87	...	N	2	b
,,	29.82	757.4	87	...	...	...	...

26TH MARCH, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.13	765.3	30	83	S E	0	o
6 a.	30.26	768.6	...	...	...	0	...
,,	30.32	770.2	...	...	...	0	...
,,	30.28	769.1	...	...	N N W	1	...
,,	30.21	767.3	...	...	S W	1	...
,,	30.21	767.3	...	...	...	0	...
,,	30.19	768.9	...	...	...	0	...
,,	30.18	766.6	...	...	S	..	...
,,	30.19	766.7	...	...	N E	1	...
,,	30.19	766.8	...	...	N E	3	...
,,	30.16	766.1	...	...	E	1	...
6 a	...	...	...	...	...	...	...
9 a.	30.11	764.8	41	74	S S W	6	oq
6 a.	...	...	...	...	...	...	..
,,	30.26	768.6	42	100	...	0	b
9 a.	30.30	769.6	50	72	S S E	2	b
,,	30.35	770.9	49	71	S E	1	bv
,,	30.26	768.6	54	87	E	1	b
6 a.	30.22	767.6	52	86	N E	2	b
,,	30.18	766.6	52	...	N E	1	b
5 a.	30.23	767.7	...	...	E	4	...
,,	30.17	766.4	...	...	N	2	...
,,	30.16	766.0	...	...	N	4	...
,,	30.12	765.1	...	...	N E	6	...
,,	30.16	766.0	...	...	N E	8	...
9 a.	30.24	768.1	58	94	N	1	o
10 a.	30.26	768.6	62	75	E	3	o
,,	...	...	...	...	E	4	...
,,	30.22	767.6	...	...	E N E	4	...
,,	30.27	768.8	60	...	E S E	1	o
9 a.	30.23	767.8	59	88	E	1	o
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.19	766.9	57	...	N N W	3	dh
,,	30.11	764.7	70	..	W N W	2	o
,,	29.97	761.3	79	...	E N E	6	f
6 a.	30.06	763.5	75	...	E	4	o
10 a.	...	...	...	...	...	...	...
6 a.	30.00	762.0	73	...	N E	2	o
9 a.	...	...	...	...	N E	1	c
,,	30.03	762.7	82	...	N E	2	b
,,	29.96	761.0	85	...	N	2	c
,,	...	..	..	...	...	...	...

26th at 11.55 a.—The barometer has fallen considerably on the N.E. coast of China and risen moderately

ression is approaching Manchuria from the Westward.
of high pressure are lying over E. Japan, and S. China.
to strong monsoon will continue to prevail over the China Sea.

kong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.

g and Neighbourhood, ...	N.E. winds, fresh; fair, cloudy.
Channel, ...	Same as No. 1.
ast of China between Hongkong and Lamocks,.	Same as No. 1.
ast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

kong Observatory, Sunday, 26th March, 1911.

y NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGIST

Station.	26th March, 1911, P.M.									27th March, 1911, A					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	W	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction	
Wladivostock,....	2 p.	30.08	764.0	33	...	S E	3	o	7 a.	30.03	762.8	32	92	...	ok,
Nemuro, ...	,,	30.24	768.1	...	...	S	1	...	6 a.	30.16	766.1	...	...	S W	
Hakodate, ...	,,	30.24	768.2	...	...	S	2	...	,,	30.15	765.7	...	...	...	
Tokio, ...	,,	30.20	767.1	...	...	N N W	1	...	,,	30.18	766.6	...	...	N W	
Kochi, ...	,,	30.17	766.3	...	...	S E	1	...	,,	30.21	767.3	...	...	S W	
Nagasaki, ...	,,	30.19	766.8	...	...	W	3	...	,,	30.27	768.8	...	...	N W	
Kagoshima, ...	,,	30.19	766.9	...	...	S S W	1	...	,,	30.25	768.4	...	...	N	
Oshima, ...	,,	30.20	767.1	...	...	N N E	2	...	,,	30.26	768.6	...	...	S	
Naha,.....	,,	30.20	767.2	...	...	N	3	...	,,	30.25	768.2	...	...	N E	
Ishigakijima,....	,,	30.21	767.3	...	...	E N E	4	...	,,	30.21	767.3	...	...	N E	
Bonin Is.....	,,	30.14	765.6	...	...	S S E	1	...	,,	30.18	766.6	...	...	E S E	
Chefoo,.....	4 p.	30.06	763.5	45	68	W N W	5	b	6 a.	...	...	...	...	...	
Weihaiwei,.....	,,	30.05	763.2	45	76	W	8	cq	9 a.	30.38	771.6	41	45	N N W	
Haukow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Kiukiang,.....	,,	30.20	767.1	65	58	N E	2	c	,,	30.29	769.3	52	93	N E	
Shanghai, ...	,,	...	...	...	...	...	...	...	9 a.	30.40	772.1	55	68	N N E	
Gutzlaff, ...	,,	30.25	768.3	56	63	S	1	bv	,,	30.40	772.1	54	74	S	
Sharp Peak,.....	,,	30.24	768.1	56	87	E	1	c	,,	30.31	769.9	55	87	E N E	
Amoy,.....	,,	30.06	763.5	59	82	N E	3	b	6 a.	30.15	765.8	57	75	W N W	
Swatow, ...	,,	30.05	763.2	63	72	E S E	3	c	,,	30.16	766.0	56	81	N W	
Taihoku,.....	1 p.	30.20	767.2	...	...	E	8	...	5 a.	30.19	766.7	...	...	E	
Taichu, ...	,,	30.19	766.7	...	...	N	4	...	,,	30.19	766.7	...	...	N	
Tainan,.....	,,	30.18	766.5	...	...	N W	6	...	,,	30.19	766.8	...	...	N	
Koshun.....	,,	30.14	765.6	...	...	N E	8	...	,,	...	...	...	...	...	
Pescadores, ...	,,	30.20	767.1	...	...	N E	8	...	,,	30.19	766.9	...	...	N E	
Canton,.....	3 p.	30.14	765.5	64	84	S E	1	o	9 a.	30.22	767.6	60	94	N	
Hongkong, ...	4 p.	30.14	765.5	62	66	E	4	c	10 a.	30.23	767.8	66	71	E	
Victoria Peak,...	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	
Gap Rock,.....	,,	30.07	763.8	...	...	E	6	...	,,	30.18	766.6	...	...	E N E	
Macao, ...	,,	30.15	765.8	64	...	N E	3	o	,,	30.25	768.3	67	...	E S E	
Wuchow,.....	3 p.	30.16	766.0	60	44	N	1	...	9 a.	...	...	...	...	...	
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Pakhoi,.....	,,	30.12	765.0	60	94	N	2	o	,,	...	...	...	...	...	
Phulien, ...	4 p.	30.06	763.4	64	...	E S E	1	o	8 a.	30.17	766.3	63	...	N W	
Tourane, ...	,,	30.03	762.7	66	...	N W	3	dh	,,	30.13	765.4	68	..	N W	
Cape St. James,.	,,	29.88	759.0	79	...	E N E	6	c	,,	...	...	...	...	...	
Aparri, ...	2 p.	30.05	763.2	79	...	E	4	o	6 a.	...	...	...	...	...	
Manila, ...	4 p.	29.96	761	79	76	E S E	1	d	10 a.	30.08	764	82	63	E	
Legaspi, ...	2 p.	29.96	761.1	77	...	N E	2	o	6 a.	30.00	761.9	77	...	N E	
Bacolod, ...	3 p.	...	...	...	...	N E	1	or	9 a.	...	...	...	...	N E	
Iloilo, ...	,,	29.89	759.2	85	...	N E	1	o	,,	30.05	763.2	81	...	N E	
Cebu,.....	,,	29.86	758.4	86	...	N	2	b	,,	30.01	762.2	85	...	N	
Labuan, ...	,,	...	...	...	...	...	...	...	,,	30.01	762.2	79	...	...	

On the 27th at 11.50 a.—The barometer has risen quickly on the N.E. coast of China, and fallen in in Wladiwostok and E. Japan.

The depression lying over Manchuria yesterday, has moved into the N. part of the Sea of Japan.

Pressure remains high over China.

Fresh to strong monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. and E. winds, fresh; fair.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 27th March, 1911.

[Printed by Noronha & Co., Government Printers.]

A COAST METEOROLOGICAL REGISTER.

27TH MARCH, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.06	763.4	38	...	S W	0	c
,,	29.96	761.1	...	...	N E	1	...
,,	30.07	763.7	...	...	W S W	2	...
,,	30.02	762.6	...	...	S S E	1	...
,,	30.13	765.3	...	...	W S W	3	...
,,	30.29	769.3	...	...	N W	5	...
,,	30.25	768.4	...	...	N W	4	...
,,	30.30	769.6	...	...	N	1	...
,,	30.26	768.7	...	...	N	2	...
,,	30.23	767.8	...	...	E	6	...
,,	30.14	765.6	...	...	S	1	...
4 p.	...	...	...	...	...	...	...
,,	30.33	770.4	46	54	N	2	b
,,	...	...	...	...	...	...	...
,,	30.23	767.8	62	72	W	0	o
,,	30.30	769.6	62	61	E	1	c
,,	30.35	770.9	52	86	E	2	cv
,,	30.29	769.3	56	87	N	2	o
,,	30.14	765.5	64	73	W	1	b
,,	30.15	765.8	65	73	E N E	2	b
1 p.	30.24	768.1	...	...	E	8	...
,,	30.20	767.1	...	...	N	4	...
,,	30.19	766.8	...	...	N	6	...
,,	30.17	766.3	...	...	E	6	...
,,	30.22	767.5	...	...	N E	8	...
3 p.	30.13	765.3	68	79	N	1	b
4 p.	30.13	765.3	64	75	E S E	3	c
,,	...	...	...	...	E	4	...
,,	30.12	765.0	...	...	E	5	...
,,	30.15	765.7	67	...	W	1	b
3 p.	30.12	765.0	64	...	E	1	o
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
4 p.	30.05	763.2	68	...	E S E	2	dh
,,	30.02	762.6	73	...	W N W	2	c
,,	29.92	759.9	79	...	E	6	c
2 p.	30.07	763.8	81	...	N E	2	o
4 p.	29.96	761	82	70	S E	3	c
2 p.	29.98	761.5	82	...	N E	2	o
3 p.	...	...	...	...	N E	2	o
,,	29.91	759.7	87	...	N E	2	c
,,	29.89	759.2	87	...	N	2	b
,,	29.89	759.2	85	...	...	...	...

28TH MARCH, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.05	763.2	32	85	..	0	b
6 a.	30.06	763.6	...	...	W	1	...
,,	30.21	767.2	...	...	...	0	...
,,	30.28	769.1	...	...	N N W	1	...
,,	30.33	770.3	...	...	S W	1	...
,,	30.29	769.3	...	...	...	0	...
,,	30.33	770.4	...	...	N	1	...
,,	30.28	769.1	...	...	S	1	...
,,	30.25	768.2	...	...	N E	1	...
,,	30.19	766.8	...	...	E	4	...
,,	30.18	766.6	...	...	...	0	...
6 a.	...	...	...	...	...	...	...
9 a.	30.27	768.8	44	76	S W	7	cm
6 a.	...	...	...	...	...	...	...
..	30.18	766.6	55	87	...	0	o
9 a.	30.28	769.1	55	80	S E	2	o
,,	30.32	770.1	52	93	S E	3	cm
,,	30.28	769.1	56	100	...	0	c
6 a.	30.17	766.3	58	81	...	0	c
,,	30.16	766.0	58	88	E	1	o
5 a.	30.18	766.5	...	...	...	0	...
,,	30.19	766.8	...	...	...	0	...
,,	30.17	766.3	...	...	N	4	...
,,	30.14	765.6	...	...	N	6	...
,,	30.18	766.6	...	...	N	8	...
9 a.	...	...	...	...	..	...	...
10 a.	30.23	767.8	65	72	E	4	c
,,	...	...	...	...	E	6	...
,,	30.18	766.6	...	...	E	6	...
,,	30.23	767.8	65	...	S E	2	c
9 a.	30.17	766.3	63	...	S E	2	o
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.14	765.5	66	...	E S E	2	dh
,,	30.12	764.9	77	..	N N E	2	f
,,	29.99	761.6	79	...	E N E	5	f
6 a.	30.06	763.6	75	...	E	2	o
10 a.	30.04	763	86	59	...	0	c
6 a.	29.98	761.5	75	...	N E	2	c
9 a.	...	...	...	...	N E	1	b
,,	30.03	762.7	82	...	N E	2	c
,,	29.92	759.9	85	...	N	2	b
,,	29.96	761.0	84	...	...	...	...

28th at 11.55 a.—The barometer has risen moderately in S. Japan, and fallen over China, particularly in

pression lying over the N. part of the Sea of Japan yesterday, has moved into the Pacific.
y a depression is developing over W. China.
h pressure area has shifted Eastwards to W. Japan.
nsoon will probably decrease in strength over the China Sea.

ong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

ECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.

and Neighbourhood, ...	E. winds, fresh; fair.
Channel, ...	E. winds, moderate.
st of China between Hongkong and Lamocks,.	Same as No. 1.
st of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ong Observatory, Tuesday, 28th March, 1911.

NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGIST

Station.	28th March, 1911, P.M.								29th March, 1911, A						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	W	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Dire tion	
Wladivostock,	2 p.	30.00	762.0	42	...	S S E	1	c	7 a.	30.45	773.5	19	58	N N	
Nemuro,	"	30.06	763.6	...	...	S S W	1	...	6 a.	30.06	763.6	...	...	S	
Hakodate,	"	30.20	767.2	...	...	W	1	...	"	30.15	765.7	...	...	W	
Tokio,	"	30.28	769.1	...	...	S S W	2	...	"	30.30	769.6	...	...	N W	
Kochi,	"	30.29	769.3	...	...	S	1	...	"	30.29	769.3	...	...	S W	
Nagasaki,	"	30.31	769.8	...	...	W	2	...	"	30.35	770.8	...	...	...	
Kagoshima,	"	30.29	769.4	...	...	S E	1	...	"	30.31	769.9	...	...	N E	
Oshima,	"	30.28	769.1	...	...	N	2	...	"	30.30	769.6	...	...	S W	
Naha,	"	30.24	768.2	...	...	E	2	...	"	30.25	768.2	...	...	E	
Ishigakijima,	"	30.21	767.3	...	...	E	3	...	"	30.19	766.8	...	...	E	
Bonin Is.	"	30.18	766.6	...	...	S W	1	...	"	30.22	767.6	...	...	N E	
Chefoo,	4 p.	30.17	766.3	61	77	S W	3	b	6 a.	30.26	768.6	45	92	E	
Weihaiwei,	"	30.21	767.3	53	54	S W	2	bm	9 a.	30.31	769.9	43	71	S E	
Hankow,	"	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Kiukiang,	"	30.12	765.0	60	100	...	0	or	"	30.14	765.5	61	88	N E	
Shanghai,	"	30.21	767.3	64	63	S E	3	b	9 a.	30.18	766.6	63	78	S E	
Gutzlaff,	"	30.24	768.1	55	87	S E	4	bm	"	30.24	768.1	53	93	S E	
Sharp Peak,	"	30.20	767.1	58	88	E	2	c	"	30.21	767.3	60	94	...	
Amoy,	"	30.08	764.0	65	63	S	5	b	6 a.	30.12	765.0	58	88	...	
Swatow,	"	30.11	764.8	65	89	E	1	c	"	30.14	765.5	58	88	N	
Taihoku,	1 p.	30.16	766.1	...	...	N	2	...	5 a.	30.14	765.6	...	...	...	
Taichu,	"	30.15	765.9	...	...	N	6	...	"	30.16	766.0	...	...	...	
Tainan,	"	30.16	766.1	...	...	N	4	...	"	30.16	766.0	...	...	N	
Koshun,	"	30.15	765.7	...	...	E	6	...	"	30.14	765.5	...	...	E	
Pescadores,	"	30.18	766.5	...	...	N E	6	...	"	30.14	765.6	...	...	N E	
Canton,	3 p.	30.09	764.3	74	72	S	2	b	9 a.	30.17	766.3	67	84	S E	
Hongkong,	4 p.	30.11	764.8	66	73	E	4	b	10 a.	30.18	766.6	67	73	E	
Victoria Peak,	"	...	...	...	...	E	4	...	"	...	...	...	...	E S E	
Gap Rock,	"	30.08	764.0	...	...	E	4	...	"	30.13	765.3	...	...	E	
Macao,	"	30.15	765.8	69	...	S E	2	c	"	30.19	766.8	68	...	N E	
Wuchow,	3 p.	30.08	764.0	73	...	E	2	c	9 a.	30.14	765.5	68	...	E	
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	
Phulien,	4 p.	30.02	762.6	68	...	E S E	4	o	8 a.	30.08	763.9	70	...	E S E	
Tourane,	"	30.01	762.2	75	...	S E	2	b	"	30.04	763.0	75	..	S	
Cape St. James,	"	29.88	759.0	79	...	E N E	5	c	"	29.97	761.1	81	...	E N E	
Aparri,	2 p.	30.04	762.9	77	...	E	2	o	6 a.	30.06	763.6	72	...	E	
Manila,	4 p.	29.92	760	86	53	E	1	c	10 a.	30.04	763	90	79	E	
Legaspi,	2 p.	29.96	760.9	86	...	N E	2	c	6 a.	29.97	761.2	79	...	N E	
Bacolod,	3 p.	...	...	...	...	N E	1	or	9 a.	...	...	...	...	N E	
Iloilo,	"	29.91	759.7	87	...	N E	2	b	"	30.01	762.2	81	...	N E	
Cebu,	"	29.89	759.2	87	...	N	2	c	"	29.93	760.2	85	...	N	
Labuan,	"	29.87	758.7	82	...	...	...	...	"	29.94	760.5	84	...	...	

On the 29th at 12.05 p.—The barometer continues to fall over S. China and Tongking, probably owi formation of a depression over W. China.

Pressure remains high over S. Japan and adjacent waters, while a shallow depression seems to be mov wards to the N.E. of Japan.

Fresh E. and S.E. winds may be expected over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh; fair.
2.—Formosa Channel,	E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	E. and S.E. winds, fresh.

F. G. FIG
Director.

Hongkong Observatory, Wednesday, 29th March, 1911.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

29TH MARCH, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.51	775.0	23	...	N	2	b
,,	29.89	759.1	...	...	S W	6	...
,,	30.20	767.2	...	...	N W	4	...
,,	30.22	767.6	...	...	S S W	3	...
,,	30.31	769.8	...	...	S E	1	...
,,	30.31	769.8	...	...	N W	1	...
,,	30.29	769.4	...	...	S S E	1	...
,,	30.28	769.1	...	...	S	1	...
,,	30.24	768.2	...	...	S E	2	...
,,	30.23	767.8	...	...	E	4	...
,,	30.22	767.6	...	...	N E	1	...
4 p.	...	...	...	...	...	...	...
,,	30.17	766.3	42	75	E	5	c
,,	...	...	...	...	...	...	...
,,	29.93	760.2	80	55	W	2	c
,,	30.03	762.7	71	71	S E	3	cm
,,	30.10	764.5	59	88	S E	5	om
,,	30.13	765.3	65	94	E	1	b
,,	29.99	761.7	63	74	S	1	b
,,	30.12	765.0	66	89	E	0	c
1 p.	30.11	764.9	...	...	E	6	...
,,	30.15	765.9	...	...	N	4	...
,,	30.16	766.0	...	...	N W	4	...
,,	30.15	765.9	...	...	E	8	...
,,	30.17	766.2	...	...	N	6	...
3 p.	30.08	764.0	72	67	S E	1	o
4 p.	30.08	764.0	68	76	E	4	c
,,	...	...	...	...	E	4	...
,,	30.04	763.0	...	...	E	5	...
,,	30.09	764.3	68	...	E S E	2	o
8 p.	30.03	762.7	75	...	E	3	c
,,	...	...	...	...	...	...	...
,,	30.03	762.7	79	61	S E	3	c
4 p.	29.97	761.3	73	...	S E	5	c
,,	29.95	760.7	77	...	S E	3	c
,,	29.87	758.6	79	...	E N E	6	c
2 p.	30.06	763.4	81	...	E	2	c
4 p.	29.92	760	90	48	E	2	b
2 p.	29.95	760.8	88	...	N E	2	c
3 p.	...	...	...	...	N E	3	c
,,	29.89	759.2	87	...	N E	3	b
,,	29.87	758.7	88	...	N	3	o
,,	29.82	757.4	88	...	...	...	...

30TH MARCH, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.37	771.3	18	47	N N E	3	o
6 a.	30.34	770.6	...	...	W N W	6	...
,,	30.42	772.7	...	...	...	0	...
,,	30.30	769.6	...	...	N N W	1	...
,,	30.25	768.3	...	...	S W	1	...
,,	30.19	766.8	...	...	S E	4	...
,,	30.21	767.4	...	...	...	0	...
,,	30.20	767.1	...	...	...	0	...
,,	30.19	766.7	...	...	...	0	...
,,	30.15	765.8	...	...	S E	3	...
,,	30.18	766.6	...	...	E	1	...
6 a.	...	...	...	...	...	...	...
9 a.	29.97	761.2	38	...	N	8	oqm
6 a.	...	...	...	...	...	...	...
,,	30.12	765.0	64	89	N W	2	c
9 a.	30.04	763.0	69	75	S W	1	o
,,	30.07	763.8	60	82	S S W	5	ov
,,	30.13	765.3	64	95	...	0	c
6 a.	30.10	764.5	61	89	...	0	f
,,	30.10	764.5	62	94	N E	1	c
5 a.	30.10	764.6	...	...	...	0	...
,,	30.13	765.2	...	...	...	0	...
,,	30.12	765.1	...	...	...	0	...
,,	30.16	766.1	...	...	E	4	...
,,	30.12	765.0	...	...	N	2	...
9 a.	30.11	764.8	71	85	S E	1	c
10 a.	30.12	765.0	73	71	E	4	c
,,	...	...	...	...	E	4	...
,,	30.08	764.0	...	...	E N E	5	...
,,	30.15	765.8	73	...	S E	3	c
9 a.	30.11	764.8	65	...	...	0	o
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.06	763.6	70	...	E N E	3	c
,,	30.02	762.4	79	..	S E	2	b
,,	29.99	761.6	79	...	N E	5	c
6 a.	30.05	763.3	70	...	E	0	b
10 a.	30.00	762	88	42	E	1	c
6 a.	29.99	761.6	79	...	N E	2	b
9 a.	...	...	...	...	N E	3	o
,,	29.99	761.7	81	...	N E	2	c
,,	29.92	759.9	83	...	N	1	c
,,	29.94	760.5	84	...	...	...	...

30th at 11.55 a.—The barometer has fallen considerably on the E. and N.E. coasts of China, and risen E. Japan.

sion, which was situated over the Yangtze valley yesterday, is moving into the Yellow Sea.

pressure area has shifted Eastwards, and now occupies the N.E. part of the Sea of Japan.

E. winds may be expected over the N. part of the China Sea.

ng Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

ECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
and Neighbourhood, ...	E. winds, moderate; fair.
hannel, ...	Variable winds, moderate.
t of China between Hongkong and Lamocks,.	Same as No. 1.
t of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ong Observatory, Thursday, 30th March, 1911.

NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGIST

Station.	30th March, 1911, P.M.									31st March, 1911, A					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	W
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Dire tio
Wladivostock....	2 p.	30.25	768.4	19	...	N N E	2	s		7 a.	30.21	767.4	17	61	N N
Nemuro, ...	,,	30.30	769.6	...	...	N	2	...		6 a.	30.10	764.6	...	...	E
Hakodate, ...	,,	..	...	...	...	S	1	...		,,	29.81	757.2	...	...	E
Tokio, ...	,,	30.18	766.6	...	...	N E	1	...		,,	29.65	753.1	...	...	S W
Kochi, ...	,,	30.11	764.8	...	...	S E	1	...		,,	29.88	758.8	...	...	S W
Nagasaki, ...	,,	30.07	763.5	...	...	S W	7	...		,,	30.05	763.3	...	...	N
Kagoshima, ...	,,	30.14	765.4	...	...	S	2	...		,,	30.02	762.4	...	...	N W
Oshima, ...	,,	...	...	...	...	...	...	...		,,	30.06	763.6	...	...	S
Naha, ...	,,	30.24	768.2	...	...	S S E	1	...		,,	30.09	764.2	...	...	
Ishigakijima, ...	,,	30.13	765.3	...	...	S	2	...		,,	30.09	764.3	...	...	N E
Bonin Is.	,,	30.14	765.6	...	...	E	1	...		,,	30.06	763.6	...	...	...
Chefoo, ...	4 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...
Weihaiwei, ...	,,	30.13	765.3	37	81	N N W	8	cq		9 a.	30.43	772.9	39	55	N N
Hankow, ...	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...
Kiukiang, ...	,,	30.15	765.8	61	82	N E	2	o		,,	...	...	...	...	...
Shanghai, ...	,,	30.13	765.3	51	93	N	2	cd		9 a.	30.38	771.6	44	76	N N E
Gutzlaff, ...	,,	30.15	765.8	50	93	N	4	om		,,	30.41	772.4	44	76	N
Sharp Peak, ...	,,	30.04	763.0	66	...	...	0	b		,,	30.19	766.8	61	77	E N E
Amoy, ...	,,	29.93	760.2	68	79	W	2	c		6 a.	29.97	761.2	62	89	E
Swatow, ...	,,	...	...	71	85	E	1	c		,,	30.00	762.0	63	94	S E
Taihoku, ...	1 p.	30.08	764.1	...	...	N W	2	...		5 a	30.06	763.6	...	...	E
Taichu, ...	,,	30.09	764.2	...	...	N	6	...		,,	30.04	762.9	...	...	N E
Tainan, ...	,,	30.12	765.0	...	...	W	4	...		,,	30.02	763.5	...	...	N
Koshun	,,	30.10	764.5	...	...	E	6	...		,,	30.05	763.3	...	...	...
Pescadores, ...	,,	30.11	764.8	...	...	N	4	...		,,	30.04	763.1	...	...	N
Canton, ...	3 p.	30.01	762.2	78	74	S S W	1	c		9 a.	30.07	763.8	71	90	...
Hongkong, ...	4 p.	30.05	763.2	72	74	E	2	o		10 a.	30.08	764.0	72	77	E
Victoria Peak, ...	,,	...	...	...	...	E	3	...		,,	...	...	...	...	S E
Gap Rock, ...	,,	30.01	762.2	...	...	E	4	...		,,	30.05	763.2	...	...	E
Macao, ...	,,	30.05	763.3	73	...	S S E	1	c		,,	30.09	764.3	72	...	E
Wuchow, ...	3 p.	30.08	764.0	68	...	N W	6	cq		9 a.	30.16	766.0	66	95	..
Hoihow, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...
Pakhoi, ...	,,	30.04	763.0	70	90	N	2	c		,,	...	...	...	...	...
Phulien, ...	4 p.	29.99	761.7	73	...	N E	3	o		8 a.	30.06	763.6	68	...	E N E
Tourane, ...	,,	29.92	760.0	77	...	S E	2	dh		,,	30.00	761.9	82	..	S E
Cape St. James, .	,,	29.86	758.4	79	...	N E	5	c		,,	29.93	760.1	77	...	E N E
Aparri, ...	2 p.	30.01	762.2	82	...	N E	2	b		6 a.	29.99	761.8	70	...	E
Manila, ...	4 p.	29.92	760	90	38	E N E	1	b		10 a.	29.95	761	86	53	N W
Legaspi, ...	2 p.	29.93	760.1	88	...	N E	2	c		6 a.	29.91	759.6	79	...	N E
Bacolod, ...	3 p.	...	...	...	...	N E	2	o		9 a.	...	...	...	...	N E
Iloilo, ...	,,	29.89	759.2	85	...	N E	4	o		,,	29.91	759.7	80	...	N E
Cebu, ...	,,	29.86	758.4	86	...	N	2	o		,,	29.93	760.2	82	...	N
Labuan, ...	,,	29.80	756.9	88	...	...	...	...		,,	29.91	759.7	84	...	...

On the 31st at 11.55 a.—The barometer has fallen quickly over Japan, and risen considerably over N.C
The depression lying over the Yellow Sea yesterday, has become deeper during its progress Eastward
now situated over the S.E. part of the Sea of Japan.

A high pressure area lies over the continent to the North of the Yangtze valley, and gradients are rat
along the China coast.

Strong N.E. winds may be expected in the Formosa Channel and over the northern shores of the China

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, freshening to strong breezes; [probably so
2.—Formosa Channel, ...	Moderate N.E. gale.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 31st March, 1911.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

31st MARCH, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.22	767.7	26	...	N N E	2	c
,,	29.87	758.6	...	...	E N E	7	...
,,	29.83	757.7	...	...	N W	4	...
,,	29.67	753.6	...	...	N N W	4	...
,,	29.95	760.8	...	...	N	4	...
,,	30.07	763.6	...	...	N	4	...
,,	30.02	762.4	...	...	N	3	...
,,	30.06	763.6	...	...	N	3	...
,,	30.05	763.2	...	...	N	4	...
,,	30.05	763.3	...	...	S E	2	...
,,	29.94	760.6	...	...	S S W	1	...
4 p.	...	...	...	...	...	...	...
,,	30.38	771.6	42	68	N	5	c
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	30.30	769.6	45	76	N	2	cd
,,	30.33	770.4	44	84	N	4	ogmd
,,	30.16	766.0	59	76	N E	5	o
,,	29.96	761.0	66	68	E	2	o
,,	30.07	763.8	64	89	E	2	o
1 p.	30.07	763.9	...	...	E	8	...
,,	30.06	763.6	...	...	N	4	...
,,	30.06	763.4	...	...	N	4	...
,,	30.02	762.5	...	...	N E	4	...
,,	30.08	764.1	...	...	N E	4	...
3 p.	29.99	761.7	72	99	E	1	o
4 p.	29.99	761.7	69	83	E	2	o
,,	...	...	...	...	S E	2	...
,,	29.93	760.2	...	...	E	3	...
,,	30.00	761.9	72	...	...	0	o
3 p.	30.02	762.5	71	80	E	1	o
,,	...	...	...	...	...	...	...
,,	29.99	761.7	74	90	W N W	1	c
4 p.	29.93	760.2	77	...	S S E	2	c
,,	29.91	759.7	75	...	S E	1	dh
,,	29.81	757.1	79	...	E N E	5	c
2 p.	29.91	759.8	82	...	E	4	b
4 p.	29.84	758	88	54	S E	2	c
2 p.	29.85	758.3	90	...	N E	2	b
3 p.	...	...	...	...	N E	2	o
,,	29.81	757.2	85	...	N E	1	o
,,	29.78	756.4	83	...	N	1	o
,,	29.78	756.4	87	...	...	...	...

1st APRIL 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.33	770.3	19	74	...	0	b
6 a.	30.01	762.1	...	...	N	5	...
,,	30.11	764.7	...	...	N	4	...
,,	30.06	763.6	...	...	N N W	2	...
,,	30.19	766.8	...	...	N	2	...
,,	30.21	767.3	...	...	E N E	4	...
,,	30.12	764.9	...	...	N N E	1	...
,,	30.04	763.1	...	...	N N W	1	...
,,	30.03	762.7	...	...	N E	1	...
,,	30.01	762.3	...	...	N E	2	...
,,	29.91	759.6	...	...	W	1	...
6 a.	...	...	...	...	...	...	...
9 a.	30.35	770.9	41	66	N E	1	o
6 a.	...	...	...	...	...	...	..
,,	...	...	...	...	...	...	...
9 a.	30.27	768.8	45	84	N E	1	om
,,	30.29	769.3	47	77	N E	3	om
,,	30.12	765.0	57	75	E	5	or
6 a.	30.04	763.0	56	87	E	1	o
,,	30.02	762.5	57	87	N E	4	o
6 a.	30.09	764.2	...	...	E	6	...
,,	30.02	762.6	...	...	N	4	...
,,	30.04	762.9	...	...	N	4	...
,,	29.96	761.0	...	...	...	0	...
,,	30.03	762.8	...	...	N E	10	...
9 a	30.03	762.7	68	79	S	1	o
10 a.	30.07	763.8	64	79	E	4	o
,,	...	...	...	...	E	6	...
,,	30.02	762.5	...	...	E	5	...
,,	30.08	764.0	64	...	S E	4	oq
9 a.	...	...	...	...	...	..	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.99	761.6	70	...	E S E	2	dh
,,	29.97	761.2	75	..	S E	1	dh
,,	29.89	759.1	79	...	E N E	4	b
6 a.	29.94	760.5	79	...	E	2	b
10 a.	29.92	760	82	57	W N W	2	c
6 a.	29.84	757.9	79	...	N E	2	c
9 a.	...	...	...	...	N E	2	c
,,	29.87	758.7	84	...	N E	1	b
,,	29.85	758.2	86	...	N	1	c
,,	29.88	758.9	82	...	...	...	...

st at 11.55 a.—The barometer has risen quickly over E. Japan, the depression having moved away over

pressure area has shifted Eastwards and lies now over Manchuria.
meter is falling over China and the Philippines, and pressure is now relatively low over the S. part of
and adjacent waters.
moderate E. and N.E. winds may be expected over the N. part of the China Sea.

ng Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

ECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
and Neighbourhood, ...	E. winds, fresh; some rain.
hannel, ...	N.E. winds, fresh.
t of China between Hongkong and Lamocks, .	Same as No. 1.
t of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

ng Observatory, Saturday, 1st April, 1911.

NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	1st APRIL 1911, P.M.								2nd APRIL 1911, A.M.					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wi
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.
Wladivostock....	2 p.	30.27	768.9	34	...	W S W	0	b	7 a.	30.21	767.3	23	90	..
Nemuro, ...	,,	30.10	764.6	...	...	N	4	...	6 a.	30.20	767.1	...	...	W
Hakodate, ...	,,	30.17	766.2	...	...	N	4	...	,,	30.32	770.2	...	...	...
Tokio, ...	,,	30.10	764.6	...	...	N N W	5	...	,,	30.40	772.1	...	...	N W
Kochi, ...	,,	30.17	766.3	...	...	N	3	...	,,	30.27	768.8	...	...	S W
Nagasaki, ...	,,	30.17	766.3	...	...	N E	4	...	,,	30.19	768.8	...	...	N
Kagoshima, ...	,,	30.11	764.9	...	...	E N E	3	...	,,	30.17	766.4	...	...	E N E
Oshima, ...	,,	30.00	762.1	...	...	N E	1	...	,,	30.06	763.6	...	...	S E
Naha, ...	,,	...	...	...	...	...	...	...	,,	30.03	762.7	...	...	N N E
Ishigakijima.....	,,	...	...	...	...	...	...	...	,,	29.99	761.3	...	...	N E
Bonin Is.....	,,	29.91	759.6	...	...	N	2	...	,,	30.20	767.1	...	...	...
Chefoo, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Weihaiwei, ...	,,	30.29	769.3	42	66	N E	1	o	9 a.	30.24	768.1	41	83	N N E
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kinkiang.....	,,	30.19	766.8	50	79	N E	3	o	,,	30.26	768.6	48	85	N E
Shanghai, ...	,,	30.20	767.1	49	71	N E	3	o	9 a.	30.22	767.6	53	80	E
Gutzlaff, ...	,,	30.23	767.8	47	85	N E	2	om	,,	30.24	768.1	50	86	E
Sharp Peak, ...	,,	30.12	765.0	57	81	E N E	4	o	,,	30.14	765.5	56	94	...
Amoy, ...	,,	29.98	761.5	63	72	E	2	o	6 a.	29.98	761.5	57	87	E
Swatow, ...	,,	29.99	761.7	66	68	E	1	c	,,	30.05	763.2	57	87	N E
Taihoku, ...	1 p.	30.07	763.8	...	...	N	8	...	5 a	30.05	763.2	...	...	E
Taichu, ...	,,	29.96	761.1	...	...	N	4	...	,,	30.02	762.6	...	...	N
Tainan, ...	,,	30.00	762.1	...	...	N W	6	...	,,	30.02	762.5	...	...	N E
Koshun.....	,,	29.99	761.6	...	...	E	6	...	,,	30.01	762.1	...	...	...
Pescadores, ...	,,	30.03	762.7	...	...	N E	10	...	,,	30.00	761.9	...	...	N E
Canton, ...	3 p.	29.98	761.5	69	90	S	2	o	9 a.	30.09	764.3	67	84	E
Hongkong, ...	4 p.	29.97	761.2	63	87	E	4	op	10 a.	30.10	764.5	67	77	E
Victoria Peak, ...	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E
Gap Rock, ...	,,	29.94	760.5	...	...	E	5	...	,,	30.05	763.2	...	...	E
Macao, ...	,,	30.07	763.8	64	...	S E	3	o	,,	30.12	765.0	68	...	E
Wuchow, ...	3 p.	29.96	761.0	67	...	...	0	c	9 a.	30.08	764.0	69	65	N
Hoihow, ...	,,	29.93	760.2	74	...	N E	2	c	,,	...	...	...	...	...
Pakhoi, ...	,,	29.90	759.4	75	86	S E	1	o	,,	...	...	...	...	...
Phulien, ...	4 p.	29.86	758.4	75	...	S E	4	c	8 a.	30.01	762.3	70	...	E S E
Tourane, ...	,,	29.85	758.1	75	...	S E	2	b	,,	29.95	760.8	81	..	S E
Cape St. James, .	,,	29.78	756.5	79	...	E N E	5	c	,,	29.88	758.9	81	...	E N E
Aparri, ...	2 p.	29.89	759.1	82	...	N E	2	b	6 a.	29.94	760.5	70	...	E
Manila, ...	4 p.	29.80	757	90	44	S E	2	c	10 a.	29.92	760	85	53	W N W
Legaspi, ...	2 p.	29.80	756.8	84	...	N E	2	o	6 a.	29.88	758.9	77	...	N E
Bacolod, ...	3 p.	...	...	...	...	N E	1	c	9 a.	...	...	...	...	N E
Iloilo, ...	,,	29.77	756.1	83	...	N N E	1	o	,,	29.87	758.7	82	...	N E
Cebu, ...	,,	29.75	755.6	87	...	S	1	c	,,	29.86	758.4	85	...	N
Labuan, ...	,,	29.77	756.1	87	...	...	...	...	,,	...	...	...	...	...

On the 2nd at 11.55 a.—The barometer has risen considerably over E. Japan, and fallen moderately on coast of China and at Wladiwostok.

The high pressure area has shifted Eastwards and lies now over E. Japan.

Pressure has increased slightly over the S. China. It remains relatively low over the S. part of the Ch

Fresh E. and N.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. and N.E. winds, fresh; fair.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Sunday, 2nd April, 1911.

[Printed by NORONHA & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

2ND APRIL 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.14	765.6	39	...	S S E	1	o
,,	30.18	766.6	...	...	S W	3	...
,,	30.28	769.2	...	...	W S W	1	...
,,	30.32	770.1	...	...	E S E	1	...
,,	30.23	767.8	...	...	S E	1	...
,,	30.17	766.3	...	...	N	1	...
,,	30.15	765.9	...	...	E	2	...
,,	30.08	764.1	...	...	S S E	2	...
,,	30.05	763.2	...	...	S E	1	...
,,	30.05	763.3	...	...	S S W	2	...
,,	30.08	764.1	...	...	N E	2	...
4 p.	...	...	...	...	...	...	...
,,	30.17	766.3	45	84	N	2	o
,,	...	...	...	...	...	...	...
,,	30.18	766.6	56	75	N E	1	c
,,	30.14	765.5	55	68	E S E	1	o
,,	30.18	766.6	52	79	E	2	cm
,,	30.09	764.3	59	82	E N E	4	b
,,	30.01	762.2	64	73	S S W	2	b
,,	30.00	762.0	68	70	E S E	1	b
1 p.	30.07	763.8	...	...	E	6	...
,,	30.04	763.0	...	...	N	4	...
,,	30.03	762.8	...	...	N W	6	...
,,	30.02	762.6	...	...	E	4	...
,,	30.06	763.5	...	...	N E	8	...
3 p.	29.99	761.7	71	80	N	1	c
4 p.	30.00	762.0	67	74	E	3	b
,,	...	...	...	...	E	2	...
,,	29.97	761.2	...	...	E	5	...
,,	30.01	762.3	68	...	S E	2	c
3 p.	29.98	761.5	72	...	S E	1	c
,,	29.94	760.5	78	...	E	3	o
,,	29.93	760.2	76	82	S E	2	b
4 p.	29.90	759.5	75	...	E S E	4	c
,,	29.89	759.3	79	...	E S E	2	b
,,	29.80	757.0	79	...	E	6	c
2 p.	29.92	759.9	82	...	N E	4	b
4 p.	29.80	757	90	44	...	0	c
2 p.	29.84	758.6	84	...	N E	2	c
3 p.	...	...	...	...	N E	2	o
,,	29.81	757.2	83	...	N E	1	c
,,	29.81	757.2	86	...	N	2	c
,,	29.85	758.2	82	...	...	...	...

3RD APRIL 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.08	764.1	34	89	S E	0	c
6 a.	30.28	769.1	...	...	S	1	...
,,	30.28	769.2	...	...	...	0	...
,,	30.28	769.1	...	...	N N W	1	...
,,	...	...	...	...	S W	1	...
,,	30.07	763.8	...	...	N N E	1	...
,,	30.00	761.9	...	...	N N W	1	...
,,	30.06	763.6	...	...	S	1	...
,,	30.07	763.7	...	...	N	1	...
,,	30.05	763.3	...	...	N E	1	...
,,	30.14	765.6	...	...	E	1	...
6 a.	...	...	...	...	...	...	...
9 a.	30.20	767.1	50	65	S W	2	b
6 a.	...	...	...	...	...	...	...
,,	...	...	59	86	N E	1	o
9 a.	30.25	768.3	57	87	S E	1	c
,,	30.28	769.1	54	80	E S E	2	cm
,,	30.21	767.3	57	87	E N E	2	c
6 a.	30.01	762.2	59	82	E	1	b
,,	30.04	763.0	61	88	N E	1	c
5 a.	30.08	764.1	...	...	E	6	...
,,	30.07	763.8	...	...	...	0	...
,,	30.08	764.1	...	...	N	4	...
,,	30.04	763.0	...	...	N E	2	...
,,	30.06	763.5	...	...	N E	6	...
9 a.	30.11	764.8	69	85	S	1	o
10 a.	30.13	765.3	65	73	E	3	o
,,	...	...	...	...	E	5	...
,,	30.10	764.5	...	...	E N E	5	...
,,	30.14	765.5	67	...	E S E	4	c
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.03	762.8	72	...	E	4	o
,,	30.01	762.2	79	..	E	1	c
,,	29.91	759.7	79	...	N E	5	c
6 a.	29.99	761.6	70	...	E	2	b
10 a.	29.96	761	81	77	W	2	c
6 a.	29.88	758.9	73	...	...	0	c
9 a.	...	...	...	...	N E	2	o
,,	29.89	759.2	80	...	N E	1	c
,,	29.87	758.7	85	...	N	2	c
,,	29.88	758.9	81	...	...	...	...

d at 11.55 a.—The barometer has fallen moderately in S. Japan and Wladiwostok, and risen slightly and the Philippines.

ion appears to be approaching Manchuria from the Westward, and a second area of low pressure lies ast of Japan.

pressure area lies now over the Pacific to the East of Japan.

N.E. and E. winds may be expected over the N. part of the China Sea.

g Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

ECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.

and Neighbourhood, ...	E. winds, moderate; fair.
annel, ...	N.E. winds, moderate.
of China between Hongkong and Lamocks,.	Same as No. 1.
of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ng Observatory, Monday, 3rd April, 1911.

NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGIST

Station.	3rd April 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	4th April 1911, A Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,	2 p.	30.08	764.1	40	...	S E	1	c	7 a.	30.17	766.3	32	99	N
Nemuro,	,,	30.24	768.1	...	...	S W	4	...	6 a.	30.24	768.1	...	...	N
Hakodate,	,,	30.22	767.7	...	...	S E	2	...	,,	30.15	765.7	...	...	N
Tokio,	,,	30.18	766.6	...	...	N N W	1	...	,,	29.85	758.1	...	...	N
Kochi,	,,	29.95	760.8	...	...		0	...	,,	30.07	763.8	...	...	S
Nagasaki,	,,	30.13	765.3	...	...	N	3	...	,,	30.19	766.8	...	...	
Kagoshima,	,,	30.07	763.9	...	...	N N E	2	...	,,	30.13	765.4	...	...	N N
Oshima,	,,	30.12	765.1	...	...	N W	3	...	,,	30.18	766.6	...	...	S
Naha,	,,	30.13	765.2	...	...	N	4	...	,,	30.13	765.2	...	...	
Ishigakijima,	,,	30.11	764.8	...	...	E N E	3	...	,,	30.07	763.8	...	...	E
Bonin Is.	,,	30.08	764.1	...	...	S E	1	...	,,	29.99	761.6	...	...	N
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.15	766.8	57	58	E N E	1	c	9 a.	30.33	770.4	40	91	N N
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kinkiang	,,	30.06	763.5	55	94	N E	2	o	,,	...	...	...	...	...
Shanghai,	,,	30.18	766.6	59	54	E	2	c	9 a.	30.14	765.5	51	93	E S
Gutzlaff,	,,	30.23	767.8	53	80	E	3	bm	,,	30.20	767.1	51	86	S
Sharp Peak,	,,	30.13	765.3	58	81	E N E	4	o	,,	30.13	765.3	59	94	N
Amoy,	,,	29.95	760.7	70	61	E	3	c	6 a.	30.02	762.5	62	77	N W
Swatow,	,,	30.00	762.0	68	74	E	1	c	,,	30.06	763.5	61	88	N N
Taihoku,	1 p.	30.11	764.8	...	...	E	4	...	5 a	30.04	763.9	...	...	S
Taichu,	,,	30.05	763.3	...	...	N	6	...	,,	30.06	763.6	...	...	...
Tainan,	,,	30.06	763.6	...	...	N W	6	...	,,	30.06	763.5	...	...	N
Koshun	,,	30.04	763.1	...	...	E	6	...	,,	30.04	763.1	...	...	N E
Pescadores,	,,	30.09	764.2	...	...	N E	8	...	,,	30.05	763.3	...	...	N E
Canton,	3 p.	30.02	762.5	74	76	S	1	c	9 a.	30.08	764.0	68	85	S E
Hongkong,	4 p.	30.03	762.7	68	74	S E	2	o	10 a.	30.09	764.3	70	72	E
Victoria Peak,	,,	...	...	...	...	E S E	2	...	,,	...	...	...	...	E S E
Gap Rock,	,,	30.01	762.2	...	...	E	4	...	,,	30.06	763.5	...	...	E N E
Macao,	,,	30.04	763.0	67	...	E S E	3	o	,,	30.10	764.6	70	...	E
Wuchow,	3 p.	30.05	763.2	77	...	E	1	...	9 a.	30.11	764.8	66	...	E
Hoihow,	,,	30.02	762.5	75	...	E	2	o	,,	...	...	...	...	...
Pakhoi,	,,	30.00	762.0	77	73	S E	3	o	,,	...	...	...	...	...
Phulien,	4 p.	29.93	760.3	91	...	S S E	3	c	8 a.	30.00	761.9	72	...	E S E
Tourane,	,,	29.92	760.0	79	...	S S E	2	c	,,	29.98	761.4	77	..	S
Cape St. James,	,,	29.85	758.1	79	...	E N E	5	c	,,	29.85	758.2	81	...	E
Aparri,	2 p.	29.98	761.5	82	...	E	2	o	6 a.	29.97	761.2	73	...	E
Manila,	4 p.	29.84	758	86	59	N E	1	o	10 a.	29.96	761	82	70	E
Legaspi,	2 p.	29.86	758.4	91	...	N E	2	c	6 a.	29.89	759.2	79	...	N E
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E
Iloilo,	,,	29.81	757.2	85	...	N N E	1	o	,,	29.91	759.7	82	...	N E
Cebu,	,,	29.84	757.9	86	...	N	1	c	,,	29.91	759.7	81	...	N
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	29.89	759.2	84	...	...

On the 4th at 12.05 p.—The depression lying near S.W. Japan yesterday, has moved Eastwards a situated off the S.E. coast.

Pressure has increased over W. Japan and the N.E. coast of China and given way on the E. coast of C

A shallow depression appears to be lying over the Lower Yangtze valley.

Pressure is high over N. China.

Moderate E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Tuesday, 4th April, 1911.

[Printed by NORONHA & Co., Government Printers.]

A COAST METEOROLOGICAL REGISTER.

4TH APRIL 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.18	766.7	42	...	N E	4	b
,,	30.22	767.6	...	...	S E	3	...
,,	30.01	762.2	...	...	E N E	3	...
,,	29.69	754.1	...	...	N	3	...
,,	29.99	761.8	...	...	W N W	3	...
,,	30.13	765.3	...	...	N	3	...
,,	30.11	764.9	...	...	N	3	...
,,	30.12	765.1	...	...	N	2	...
,,	30.11	764.7	...	...	E	1	...
,,	30.07	763.8	...	...	E S E	4	...
,,	29.96	761.1	...	...	N	1	...
4 p.	...	...	...	...	...	...	...
,,	30.28	769.1	44	76	N	1	o
,,	...	...	...	...	...	...	...
,,	29.98	761.5	58	100	N E	1	o
,,	30.06	763.5	50	93	E	4	orq
,,	30.15	765.8	56	93	E S E	4	omp
,,	30.00	762.0	60	94	.	0	c
,,	29.83	757.7	66	68	S	4	b
,,	29.97	761.2	67	79	E	1	o
1 p.	30.03	762.7	...	...	N E	2	...
,,	30.06	763.5	...	...	N	4	...
,,	30.03	762.7	...	...	N W	6	...
,,	30.04	763.0	...	...	E	8	...
,,	30.04	763.1	...	...	N E	6	...
3 p.	29.98	761.5	75	72	S	1	c
4 p.	29.99	761.7	69	72	E	2	o
,,	...	...	...	...	E	1	...
,,	29.96	761.0	...	...	E	4	...
,,	30.01	762.2	69	...	S E	1	o
8 p.	30.00	762.0	70	...	E	1	b
,,	29.94	760.5	79	87	S E	3	c
,,	29.94	760.5	80	74	S E	2	c
4 p.	29.88	758.9	75	...	S S E	6	c
,,	29.88	759.0	77	...	S E	2	c
,,	29.83	757.7	79	...	E	5	c
2 p.	29.93	760.3	81	...	S E	4	c
4 p.	29.84	758	86	59	E S E	1	b
2 p.	29.87	758.8	88	...	E	4	o
3 p.	...	...	...	...	N E	2	o
,,	29.81	757.2	86	...	N E	1	o
,,	29.82	757.4	88	...	N	2	c
,,	29.77	756.1	88	...	...	...	...

5TH APRIL 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.24	763.1	37	65	N N E	1	b
6 a.	30.20	767.1	...	...	E N E	4	...
,,	...	...	...	...	N	3	...
,,	...	...	...	...	N W	1	...
,,	30.07	763.8	...	...	N	1	...
,,	30.19	766.8	...	...	E N E	3	...
,,	30.13	765.4	...	...	N	1	...
,,	30.08	764.1	...	...	N	3	...
,,	30.07	763.7	...	...	...	0	...
,,	30.03	762.8	...	...	S E	2	...
,,	29.93	760.1	...	...	N	3	...
6 a.	...	...	...	...	...	...	...
9 a.	30.36	771.1	44	76	N E	1	b
6 a.	...	...	...	...	...	...	...
,,	30.09	764.3	53	100	N E	1	or
9 a.	30.19	766.8	51	93	E	3	o
,,	30.23	767.8	50	100	E	3	ogn
,,	30.08	764.0	61	...	..	0	o
6 a.	30.01	762.2	60	94	E	1	f
,,	30.02	762.5	62	...	N E	1	c
5 a	30.04	762.9	...	...	...	0	...
,,	30.02	762.6	...	...	N	2	...
,,	30.02	762.5	...	...	N	6	...
,,	29.99	761.8	...	...	...	0	...
,,	30.01	762.1	...	...	N E	6	...
9 a.	30.03	762.7	70	90	E	1	c
10 a.	30.04	763.0	75	66	E	2	c
,,	...	...	...	...	E	3	...
,,	30.02	762.5	...	...	E N E	4	...
,,	...	...	..	...	...	...	...
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.98	761.4	72	...	E	3	c
,,	29.93	760.3	77	..	S E	2	o
,,	29.88	758.9	79	...	E N E	6	c
6 a.	29.94	760.4	72	...	S E	2	b
10 a.	29.92	760	86	47	...	0	c
6 a.	29.88	758.9	77	...	N E	2	b
9 a.	...	...	...	...	N E	2	c
,,	29.89	759.2	83	...	N E	1	c
,,	29.87	758.7	85	...	N	2	c
,,	29.86	758.4	82	...	...	...	...

h at 12.05 p.—The barometer has risen moderately over the Yangtze valley, and fallen slightly over nd S. China.

ssion is still shown over the Pacific to the S.E. of Japan, and the high pressure area remains over N.

E. and N.E. winds may be expected over the N. part of the China Sea.

g Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

CAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.

and Neighbourhood, ...	E. winds, moderate; fair.
annel, ...	N.E. winds, moderate to fresh.
of China between Hongkong and Lamocks,.	Same as No. 1.
of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ng Observatory, Wednesday, 5th April, 1911.

OBONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGIST

Station.	5th April, 1911, P.M.								6th April, 1911, A.M.					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.
Wladivostock,	2 p.	30.20	767.2	50	...	N N E	3	b	7 a.	30.12	765.1	33	85	...
Nemuro,	,,	30.10	764.6	...	...	E	4	...	6 a.	29.83	757.6	...	...	N
Hakodate,	,,	29.95	760.7	...	...	N N E	3	...	,,	29.91	759.7	...	...	
Tokio,	,,	29.67	753.6	...	...	N W	5	...	,,	29.89	759.1	...	...	N N
Kochi,	,,	29.99	761.8	...	...	N N W	2	...	,,	30.09	764.3	...	...	
Nagasaki,	,,	30.15	765.8	...	...	N N E	4	...	,,	30.17	766.3	...	...	E N
Kagoshima,	,,	30.06	763.4	...	...	S S E	1	...	,,	30.13	765.4	...	...	N
Oshima,	,,	30.08	764.1	...	...	N N E	2	...	,,	30.10	764.6	...	...	S
Naha,	,,	30.05	763.2	...	...	S E	1	...	,,	30.07	763.7	...	...	N
Ishigakijima,	,,	30.01	762.3	...	...	S S E	3	...	,,	30.03	762.8	...	...	N
Bonin Is.	,,	29.91	759.6	...	...	W	1	...	,,	29.93	760.1	...	...	W
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.31	769.9	45	68	N E	1	b	9 a.	30.29	769.3	51	52	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Shanghai,	,,	30.16	766.0	52	91	E	3	or	9 a.	30.19	766.8	52	86	E
Gutzlaff,	,,	30.21	767.3	50	100	E	4	omp	,,	30.23	767.8	51	93	E
Sharp Peak,	,,	30.03	762.7	60	88	N E	3	o	,,	30.13	765.3	61	88	E
Amoy,	,,	29.87	758.7	65	78	S	3	b	6 a.	30.02	762.5	62	89	E
Swatow,	,,	29.96	761.0	70	80	E	1	b	,,	30.01	762.2	62	94	N E
Taihoku,	1 p.	30.02	762.4	...	...	N	4	...	5 a	30.06	763.4	...	...	...
Taichu,	,,	30.00	762.1	...	...	N	6	...	,,	30.04	763.0	...	...	N
Tainan,	,,	30.00	762.0	...	...	W	4	...	,,	30.03	762.7	...	...	N
Koshun,	,,	30.00	761.9	...	...	E	6	...	,,	30.00	761.9	...	...	...
Pescadores,	,,	30.02	762.4	...	...	N	6	...	,,	30.03	762.7	...	...	N
Canton,	3 p.	29.94	760.5	78	65	S	1	c	9 a.	30.05	763.2	73	81	S
Hongkong,	4 p.	29.96	761.0	72	77	E	3	c	10 a.	30.07	763.8	69	82	E
Victoria Peak,	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	E
Gap Rock,	,,	29.93	760.2	...	...	E	4	...	,,	30.02	762.5	...	...	E
Macao,	,,	29.98	761.5	74	...	S E	2	c	,,	30.07	763.7	70	...	S
Wuchow,	3 p.	30.01	762.2	67	...	E	1	b	9 a.	30.10	764.5	71	...	E
Hoihow,	,,	29.97	761.2	77	86	E	2	c	,,	...	...	...	...	...
Pakhoi,	,,	29.90	759.4	80	66	S E	3	b	,,	...	...	...	...	...
Phulien,	4 p.	29.90	759.4	73	...	S E	5	o	8 a.	29.99	761.7	72	...	E S
Tourane,	,,	29.88	758.9	79	...	E S E	2	b	,,	29.96	761.0	75	...	S
Cape St. James,	,,	29.78	756.5	79	...	E N E	5	c	,,	29.87	758.6	81	...	E N
Aparri,	2 p.	29.89	759.3	82	...	N E	2	b	6 a.	29.95	760.8	72	...	E
Manila,	4 p.	29.84	758	86	59	E N E	1	c	10 a.	29.92	760	90	48	...
Legaspi,	2 p.	29.85	758.3	86	...	N E	2	o	6 a.	29.88	759.0	77	...	N E
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E
Iloilo,	,,	29.81	757.2	87	...	N E	2	c	,,	29.89	759.2	83	...	N E
Cebu,	,,	29.81	757.2	84	...	N	1	c	,,	29.89	759.2	85	...	N
Labuan,	,,	29.84	757.9	88	...	...	...	...	,,	29.87	758.7	83	...	...

On the 6th at 11.55 a.—The depression lying off S.E. Japan yesterday, has moved towards N.E. a
situated to the S.E. of Hokkaido.

Pressure is still high, but giving way over N. China. In the South, barometric changes are unimpor
Moderate E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; cloudy, misty.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIG
Director

Hongkong Observatory, Thursday, 6th April, 1911.

[Printed by Noronha & Co., Government Printers.]

IA COAST METEOROLOGICAL REGISTER.

6TH APRIL, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.11	764.8	50	...	N E	3	b
,,	29.65	753.1	...	...	N	4	...
,,	29.81	757.2	...	...	N N W	5	...
,,	29.87	758.6	...	...	N W	5	...
,,	30.05	763.3	...	...	S E	2	...
,,	30.15	765.8	...	...	N N W	2	...
,,	30.07	763.9	...	...	S S E	1	...
,,	30.10	764.6	...	...	S S W	6	...
,,	30.07	763.7	...	...	E	1	...
,,	30.03	762.8	...	...	S S W	2	...
,,	29.96	761.1	...	...	N W	1	...
4 p.	30.23	767.8	50	79	E	1	c
,,	30.22	767.6	51	66	N E	1	b
,,	...	...	...	...	...	...	...
,,	30.14	765.5	54	87	N W	2	o
,,	30.13	765.3	52	93	E	2	or
,,	30.16	766.0	50	100	E	4	omp
,,	30.05	763.2	61	88	E	3	c
,,	29.88	758.9	69	70	S	3	b
,,	29.99	761.7	70	80	E	1	c
1 p.	30.02	762.6	...	...	...	0	...
,,	30.00	762.1	...	...	N	4	...
,,	30.01	762.3	...	...	N W	8	...
,,	30.00	762.1	...	...	E	6	...
,,	30.04	762.9	...	...	N E	6	...
3 p.	29.96	761.0	78	70	S	1	b
4 p.	30.06	762.0	69	79	E	3	o
,,	...	...	...	...	E	4	...
,,	29.96	761.0	...	...	E N E	4	...
,,	30.01	762.2	69	...	S E	2	c
3 p.	29.95	760.7	79	...	E	1	o
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
4 p.	29.93	760.2	75	...	E	2	o
,,	29.89	759.1	79	...	S E	2	c
,,	29.78	756.5	79	...	E	6	c
2 p.	29.92	760.0	84	...	E	4	b
4 p.	29.84	758	88	42	E	1	b
2 p.	29.89	759.1	86	...	N E	2	o
3 p.	...	...	...	...	N E	3	c
,,	29.81	757.2	87	...	N E	1	c
,,	29.80	756.9	87	...	N	3	c
,,	29.68	753.9	88	...	...	...	...

7TH APRIL, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.15	765.9	35	60	S S E	0	b
6 a.	29.75	755.6	...	...	N N W	1	...
,,	30.03	762.7	...	...	N W	2	...
,,	30.08	764.1	...	...	N W	1	...
,,	30.15	765.8	...	...	N W	1	...
,,	30.15	765.8	...	...	..	0	...
,,	30.15	765.9	...	...	E	1	...
,,	30.12	765.1	...	...	S	1	...
,,	30.07	763.7	...	...	S E	1	...
,,	30.01	762.3	...	...	N E	1	...
,,	30.06	763.6	...	...	..	0	...
6 a.	..	...	...	...	...	...	...
9 a.	30.18	766.6	50	65	...	0	o
6 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
9 a.	30.10	764.5	52	100	E	1	or
,,	30.12	765.0	51	86	E S E	3	omp
,,	30.06	762.5	61	94	S E	1	f
6 a.	29.98	761.5	62	89	S E	1	b
,,	29.95	761.0	62	89	N E	1	o
6 a.	30.01	762.2	...	...	...	0	...
,,	29.99	761.7	...	...	N	2	...
,,	29.99	761.8	...	...	N	2	...
,,	29.98	761.5	...	...	E	2	...
,,	29.98	761.5	...	...	N E	6	...
9 a.	30.03	762.7	71	85	S	1	o
10 a.	30.04	763.0	69	83	E	3	o
,,	...	...	...	...	E	4	...
,,	29.99	761.7	...	...	E N E	4	...
,,	30.04	763.0	71	...	S E	3	c
9 a.	29.98	761.5	74	...	E	1	b
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.96	761.0	70	...	E N E	3	o
,,	29.93	760.3	73	..	S	3	lt
,,	29.88	759.0	79	...	N E	3	c
6 a.	29.94	760.5	70	...	E	2	b
10 a.	29.92	760	84	59	W N W	2	b
6 a.	29.88	758.8	77	...	N E	2	b
9 a.	...	...	...	...	N E	2	od
,,	29.89	759.2	82	...	N E	2	c
,,	29.86	758.4	84	...	N	2	c
,,	29.82	757.4	83	...	...	...	...

h at 12.05 p.—The depression lying off E. Japan yesterday, is moving away over the Pacific.
eter is falling over China, particularly in the North. Probably a depression is developing over the

now highest over the Sea of Japan.
E. winds may be expected over the N. part of the China Sea.

g Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

CAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
nd Neighbourhood, ...	E. winds, moderate; cloudy, misty.
annel, ...	Same as No. 1.
of China between Hongkong and Lamocks,.	Same as No. 1.
of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ng Observatory, Friday, 7th April, 1911.

ORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGIST

Station.	7th April, 1911, P.M.								8th April, 1911, A.M.					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.
Wladivostock,	2 p.	30.03	764.1	49	...	S S E	2	b	7 a.	30.00	762.0	37	75	...
Nemuro,	,,	29.81	757.1	...	...	N N W	6	...	6 a.	30.01	762.1	...	...	S W
Hakodate,	,,	30.05	763.2	...	...	N	6	...	,,	30.13	765.2	...	...	N W
Tokio,	,,	30.04	763.1	...	...	S S W	3	...	,,	30.18	766.6	...	...	N E
Kochi,	,,	30.11	764.8	...	...	E S E	1	...	,,	30.15	765.8	...	...	
Nagasaki,	,,	30.11	764.8	...	...	N W	1	...	,,	30.07	763.8	...	...	S
Kagoshima,	,,	30.11	764.9	...	...	S W	1	...	,,	30.12	764.9	...	...	
Oshima,	,,	30.10	764.6	...	...	S	3	...	,,	30.06	763.6	...	...	S E
Naha,	,,	...	...	...	...	...	...	...	,,	30.05	763.2	...	...	
Ishigakijima,	,,	30.03	762.8	...	...	S S E	3	...	,,	29.99	761.8	...	...	S E
Bonin Is.	,,	30.08	764.1	...	...	N E	1	...	,,	30.16	766.1	...	...	E
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	
Weihaiwei,	,,	30.13	765.3	55	56	E	1	o	9 a.	30.03	762.7	42	92	N
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	
Kiukiang,	,,	29.99	761.7	55	100	N E	1	or	,,	...	...	...	...	
Shanghai,	,,	29.99	761.7	57	63	E S E	1	om	9 a.	29.94	760.5	56	100	W
Gutzlaff,	,,	30.06	763.5	53	93	E S E	3	om	,,	29.94	760.5	56	87	S
Sharp Peak,	,,	29.99	761.7	63	...	E	1	b	,,	29.97	761.2	63	100	
Amoy,	,,	29.83	757.7	66	79	S	4	o	6 a.	29.94	760.5	65	84	S
Swatow,	,,	29.94	760.5	70	75	E	1	c	,,	29.92	759.9	65	89	E N
Taihoku	1 p.	29.99	761.7	...	...	N	2	...	5 a	29.97	761.1	...	...	...
Taichu,	,,	29.98	761.4	...	...	N	4	...	,,	29.93	760.2	...	...	...
Tainan,	,,	30.00	762.0	...	...	W	6	...	,,	29.96	760.9	...	...	N
Koshun	,,	29.99	761.8	...	...	E	6	...	,,	29.94	760.5	...	...	N E
Pescadores,	,,	30.00	762.1	...	...	N	6	...	,,	29.94	760.3	...	...	N E
Canton,	3 p.	29.93	760.2	77	69	S	1	c	9 a.	29.96	761.0	72	85	S S E
Hongkong,	4 p.	29.95	760.7	69	79	E	2	o	10 a.	29.96	761.0	75	67	E
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E
Gap Rock,	,,	29.90	759.4	...	...	E N E	5	...	,,	29.94	760.5	...	...	E N E
Macao,	,,	29.96	761.0	70	...	S E	2	o	,,	29.99	761.6	75	...	E S E
Wuchow,	3 p.	29.87	758.7	80	...	E	1	o	9 a.	29.95	760.7	72	...	E
Hoihow,	,,	29.90	759.4	82	95	S E	3	o	,,	...	...	...	...	...
Pakhoi,	,,	29.99	761.7	77	67	S	1	c	,,	...	...	...	...	
Phulien,	4 p.	29.84	758.0	77	...	S S E	4	c	8 a.	29.94	760.5	72	...	E N E
Tourane,	,,	29.84	757.9	77	...	S E	2	o	,,	29.90	759.4	81	..	S
Cape St. James,	,,	29.80	756.9	79	...	E N E	5	c	,,	29.86	758.4	81	...	E N E
Aparri,	2 p.	29.91	759.8	79	...	S E	2	o	6 a.	29.92	759.9	66	...	E
Manila,	4 p.	29.84	758	88	54	E S E	1	c	10 a.	29.92	760	82	70	W
Legaspi,	2 p.	29.83	757.8	90	...	N E	2	b	6 a.	29.87	758.7	75	...	
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E
Iloilo,	,,	29.79	756.6	87	...	N E	1	c	,,	29.89	759.2	83	...	N E
Cebu,	,,	29.78	756.4	87	...	N	1	c	,,	29.88	758.9	85	...	N
Labuan,	,,	29.70	754.4	88	...	...	...	...	,,	29.87	758.7	84	...	...

On the 8th at 11.55 a.—The barometer has risen moderately in E. Japan, and fallen over the China co
cularly in the North.

A depression, which was lying over the Yangtze valley yesterday, is now moving into the Yellow Sea.

The highest pressure is shown over S.E. Japan and adjacent waters.

Light or moderate E. and S.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate or light; fair.
2.—Formosa Channel,	Variable winds, light or moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIG
Director.

Hongkong Observatory, Saturday, 8th April, 1911.

[Printed by Noronha & Co., Government Printers.]

IA COAST METEOROLOGICAL REGISTER.

8TH APRIL, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	29.93	760.3	55	...	...	0	b
,,	29.91	759.6	...	...	W S W	4	...
,,	30.05	763.2	...	...	N W	1	...
,,	30.06	763.6	...	...	S S W	4	...
,,	30.09	764.3	...	...	S E	1	...
,,	29.95	761.8	...	...	S	5	...
,,	30.04	762.9	...	...	S	2	...
,,	30.04	763.1	...	...	S	2	...
,,	30.01	762.2	...	...	S S E	1	...
,,	29.97	761.3	...	...	S S E	4	...
,,	30.12	765.1	...	...	E S E	1	...
4 p.	29.91	759.7	43	100	N E	2	c
,,	29.88	758.9	43	100	N	1	or
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	29.90	759.4	59	76	W N W	3	o
,,	29.94	760.5	59	88	N W	2	om
,,	29.84	757.9	65	...	..	0	b
,,	...	...	74	72	S E	3	b
,,	29.83	757.7	74	76	E	1	b
1 p.	29.93	760.2	...	...	N	2	...
,,	29.91	759.6	...	...	N E	4	...
,,	29.92	760.0	...	...	S W	6	...
,,	29.93	760.1	...	...	E	6	...
,,	29.92	759.9	...	...	E	4	...
3 p.	29.82	757.4	80	66	S	1	c
4 p.	29.93	757.7	74	80	E	2	c
,,	...	...	...	...	E S E	2	...
,,	29.81	757.2	...	...	E	3	...
,,	29.86	758.4	74	...	S E	2	c
3 p.	29.80	756.9	77	...	S E	1	o
,,	...	...	...	...	..	...	...
,,	29.83	757.7	78	82	S	2	o
4 p.	29.75	755.7	77	...	S S E	4	b
,,	29.79	756.7	77	...	S E	2	c
,,	29.79	756.6	81	...	E	4	c
2 p.	29.83	757.8	84	...	E	4	b
4 p.	29.76	756	91	44	S E	2	c
2 p.	29.82	757.3	86	...	N E	2	o
3 p.	...	...	...	...	N E	2	o
,,	29.77	756.1	88	...	N E	1	c
,,	29.76	755.9	88	...	N	2	b
,,	29.74	755.4	87	...	...	...	...

9TH APRIL, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	29.93	760.1	33	78	N E	3	o
6 a.	29.99	761.6	...	...	N E	2	...
,,	30.03	762.7	...	...	N N E	1	...
,,	29.99	761.6	...	...	S W	2	...
,,	30.03	762.8	...	...	...	0	...
,,	29.91	759.8	...	...	W	2	...
,,	29.94	760.4	...	...	S S W	1	...
,,	29.99	761.6	...	...	S	2	...
,,	29.97	761.2	...	...	S E	1	...
,,	29.91	759.3	...	...	S S E	...	...
,,	30.16	766.1	...	...	E	1	...
6 a.	...	...	...	...	...	...	...
9 a.	29.92	759.9	43	92	W	5	c
6 a.	...	...	...	...	...	...	...
,,	30.02	762.5	52	93	N E	1	or
9 a.	30.04	763.0	49	93	N N E	1	omr
,,	30.08	764.0	49	93	N E	1	ogv
,,	29.92	759.9	63	89	E	2	o
6 a.	..	...	...	...	...	..	...
,,	29.80	756.9	68	95	N N E	1	c
5 a.	29.88	758.9	...	...	...	0	...
,,	29.89	759.1	...	...	...	0	...
,,	29.83	759.0	...	...	E	2	...
,,	29.88	758.8	...	...	E	2	...
,,	29.87	758.7	...	...	N E	2	...
9 a.	...	..	...	...	...	...	...
10 a.	29.90	759.4	74	85	E	1	o
,,	...	...	...	...	..	0	...
,,	29.87	758.7	...	...	E	1	...
,,	29.92	759.9	75	...	E S E	2	o
9 a	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.80	756.8	73	...	E S E	5	o
,,	...	...	79	..	S	2	b
,,	29.86	758.5	82	...	E	4	o
6 a.	29.86	758.3	73	...	E	2	b
10 a.	29.88	759	86	65	W N W	1	c
6 a.	29.83	757.7	77	...	...	0	c
9 a.	...	...	...	...	N E	1	b
,,	29.87	758.7	84	...	..	0	c
,,	29.85	758.2	87	...	...	0	c
,,	...	...	...	...	...	...	...

h at 11.55 a.—The barometer has risen moderately on the E. coast of China, and fallen elsewhere, er S. Japan and Tongking.

ession lying over the Yellow Sea yesterday, has moved into the Sea of Japan. Pressure is low also, and S.W. China.

st pressure is shown over the Pacific in the neighbourhood of the Bonins.

oderate S.E. winds are indicated over the N. part of the China Sea.

Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

CAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
nd Neighbourhood, ...	S.E. winds, light or moderate; probably some rain.
annel, ...	N.E. winds, moderate.
of China between Hongkong and Lamocks,.	Same as No. 1.
of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ng Observatory, Sunday, 9th April, 1911.

NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGIST

Station.	9th April, 1911, P.M.								10th April, 1911, A.M.					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	W
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction
Wladivostock,	2 p.	29.88	759.0	38	...	N N E	2	o	7 a.	29.76	756.0	33	96	...
Nemuro,	,,	30.00	762.1	...	...	E	2	...	6 a.	29.91	759.6	...	...	E
Hakodate,	,,	29.91	759.7	...	...	...	0	...	,,	29.75	755.7	...	...	S E
Tokio,	,,	29.93	760.1	...	...	S W	6	...	,,	29.81	757.1	...	...	S S W
Kochi,	,,	29.91	759.8	...	...	E N E	1	...	,,	29.84	757.8	...	...	N N
Nagasaki,	,,	29.87	758.8	...	...	W N W	2	...	,,	29.89	759.3	...	...	N W
Kagoshima,	,,	29.92	759.9	...	...	W S W	2	...	,,	29.88	758.9	...	...	N W
Oshima,	,,	29.93	760.1	...	...	S	3	...	,,	29.89	759.1	...	...	S S W
Naha,	,,	29.91	759.7	...	...	S S E	1	...	,,	29.89	759.2	...	...	S
Ishigakijima,	,,	29.87	758.7	...	...	S W	4	...	,,	29.86	758.3	...	...	E S
Bonin Is.	,,	30.10	764.6	...	...	S E	1	...	,,	30.10	764.6	...	...	...
Chefoo,	4 p.	...	...	...	...	..	...	...	6 a.	...	...	...	...	...
Weihaiwei,	,,	29.91	759.7	45	84	W N W	2	b	9 a.	29.91	759.7	52	66	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	,,	29.95	760.7	61	71	E N E	2	b	,,	...	...	...	...	...
Shanghai,	,,	29.94	760.5	53	80	N	1	om	9 a.	29.98	761.5	48	93	E S
Gutzlaff,	,,	29.99	761.7	52	86	N	2	ov	,,	30.07	763.8	47	93	N E
Sharp Peak,	,,	29.86	758.4	62	89	E	1	c	,,	29.90	759.4	61	88	E
Amoy,	,,	29.63	752.6	69	85	S	3	or	6 a.	...	...	...	...	...
Swatow,	,,	29.73	755.1	73	74	S	4	o	,,	29.77	756.1	74	72	S E
Taihoku,	1 p.	29.82	757.4	...	...	E	2	...	5 a.	29.83	757.7	...	...	E
Taichu,	,,	29.87	758.7	...	...	N	2	...	,,	29.83	757.7	...	...	...
Tainan,	,,	29.85	758.2	...	...	S	6	...	,,	29.82	757.5	...	...	S E
Koshun,	,,	29.87	758.7	...	...	S E	6	...	,,	29.83	757.6	...	...	...
Pescadores,	,,	29.85	758.2	...	...	S W	6	...	,,	29.81	757.2	...	...	N E
Canton,	3 p.	29.75	755.6	76	82	S	1	c	9 a.	29.80	756.9	74	90	...
Hongkong,	4 p.	29.75	755.6	72	89	E	2	o	10 a.	29.84	757.9	73	94	...
Victoria Peak,	,,	...	...	...	...	S	1	...	,,	...	...	...	...	S
Gap Rock,	,,	29.73	755.1	...	...	E S E	3	...	,,	29.80	756.9	...	...	S E
Macao,	,,	29.78	756.4	73	...	S E	1	c	,,	29.82	757.4	73	...	S E
Wuchow,	8 p.	...	...	...	...	N	1	c	9 a.	...	...	...	...	...
Hoihow,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Phulien,	4 p.	29.68	753.9	73	...	E S E	6	o	8 a.	29.81	757.2	73	...	E N
Tourane,	,,	29.69	754.1	79	...	W S W	2	c	,,	29.80	756.9	82	..	W N
Cape St. James,	,,	29.76	755.9	79	...	E	2	c	,,	29.86	758.4	82	...	S S
Aparri,	2 p.	29.78	756.4	88	...	N E	2	b	6 a.	29.81	757.2	72	...	S
Manila,	4 p.	29.76	756	81	70	N E	4	o	10 a.	29.88	759	91	49	E S
Legaspi,	2 p.	29.78	756.3	81	...	E	2	o	6 a.	29.82	757.4	79	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E
Iloilo,	,,	29.75	755.6	87	...	N E	1	c	,,	29.83	757.7	84	...	N E
Cebu,	,,	29.75	755.6	87	...	N	1	o	,,	29.86	758.4	86	...	N
Labuan,	,,	...	...	...	...	...	...	...	,,	29.85	758.2	84	...	...

On the 10th at 11.55 a.—The barometer has fallen at the Japanese stations and over S. China.
The depression in the North has progressed Eastwards, and lies now over the Eastern part of the S
The depression covering the Gulf of Tongking and the S. coast of China appears to be also moving E
Pressure remains high over the Pacific to the Eastward of the Bonins.
Squally weather may be expected over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.13 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. and variable winds, squally, thunderst
2.—Formosa Channel,	S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. Fl
Director

Hongkong Observatory, Monday, 10th April, 1911.

[Printed by Noronha & Co., Government Printers.]

IA COAST METEOROLOGICAL REGISTER.

10TH APRIL, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	29.75	755.7	41	...	S W	1	c
,,	29.71	754.6	...	...	N N W	2	...
,,	29.71	754.7	...	...	S W	5	...
,,	29.91	759.6	...	...	S W	5	...
,,	29.80	756.8	...	...	E S E	2	...
,,	...	...	...	...	N W	1	...
,,	29.84	757.9	...	...	W N W	2	...
,,	29.83	757.6	...	...	S	2	...
,,	29.79	756.7	...	...	S S W	1	...
,,	29.82	757.3	...	...	S E	6	...
,,	30.06	763.6	...	...	S E	1	...
4 p.	...	...	...	...	..	...	...
,,	29.82	757.4	49	78	S W	5	c
,,	...	...	...	...	...	...	...
,,	29.94	760.5	66	68	W	2	c
,,	...	...	...	...	...	...	..
,,	29.97	761.2	47	100	E N E	1	cmp
,,	29.82	757.4	62	94	E	1	or
,,	29.73	755.1	69	65	E	1	or
,,	29.74	755.4	67	90	E	2	or
1 p.	29.78	756.4	...	...	S E	6	...
,,	29.82	757.3	...	...	N W	4	...
,,	29.82	757.3	...	...	S W	6	...
,,	29.81	757.1	...	...	E	6	...
,,	29.82	757.4	...	...	N	6	...
3 p.	29.77	756.1	69	85	N	2	o
4 p.	29.74	755.4	71	93	...	0	o
,,	...	...	...	...	N N E	1	...
,,	29.69	754.1	...	...	N N W	4	...
,,	29.76	755.9	70	...	...	0	c
3 p.	29.84	757.9	65	...	...	0	o
,,	...	...	...	...	..	...	...
,,	...	...	...	...	...	...	...
4 p.	29.75	755.6	79	...	E N E	4	c
,,	...	...	...	...	...	...	...
,,	29.76	755.9	86	...	S	3	c
2 p.	29.80	756.9	84	...	N E	2	b
4 p.	29.72	755	91	55	S S E	1	c
2 p.	29.80	756.8	91	...	E	2	b
3 p.	...	...	...	...	N E	2	od
,,	29.74	755.4	88	...	N E	2	b
,,	29.76	755.9	86	...	N	2	b
,,	29.75	755.6	83	...	...	...	...

11TH APRIL, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	29.72	754.9	35	98	S E	0	f
6 a.	29.81	757.1	...	...	...	0	...
,,	29.87	758.7	...	...	N N W	1	...
,,	29.71	754.6	...	...	S S W	6	...
,,	29.68	753.8	...	...	S W	1	...
,,	29.73	756.3	...	...	N	1	...
,,	29.76	755.9	...	...	N W	1	...
,,	29.71	754.6	...	...	S	2	...
,,	29.85	758.2	...	...	S S W	1	...
,,	29.78	756.3	...	...	N N W	1	...
,,	30.04	763.1	...	...	S E	1	...
6 a.	...	...	...	...	...	...	...
9 a.	29.86	758.4	50	93	...	...	o
6 a.	...	...	...	...	...	...	...
,,	29.96	761.0	53	100	S W	1	b
9 a.	29.97	761.2	57	81	W S W	1	cm
,,	30.04	763.0	55	87	N N W	1	cv
,,	29.95	760.7	59	94	E	1	or
6 a.	..	...	...	...	...	..	...
,,	29.75	755.6	61	94	S E	1	o
5 a.	29.86	758.4	...	...	N E	2	...
,,	29.79	756.6	...	...	N	4	...
,,	29.78	756.3	...	...	N W	2	...
,,	29.76	756.0	...	...	...	0	...
,,	29.78	756.3	...	...	N E	8	...
9 a.	29.92	759.9	66	79	N	2	b
10 a.	29.89	759.2	71	75	W S W	1	o
,,	...	...	...	...	N	1	...
,,	29.87	758.7	...	...	N N W	4	...
,,	29.93	760.2	69	...	N	2	c
9 a.	29.95	760.7	64	...	...	0	b
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.93	760.1	70	...	S W	3	c
,,	29.88	758.8	73	..	W	3	dh
,,	29.84	757.8	82	...	S	2	c
6 a.	29.80	756.9	72	...	N E	0	c
10 a.	29.84	758	88	66	N W	1	b
6 a.	29.81	757.1	75	...	...	0	b
9 a.	...	...	...	...	N E	1	b
,,	29.87	758.7	84	...	..	0	b
,,	29.84	757.9	87	...	N	1	c
,,	29.87	758.7	82	...	...	...	...

h at 11.55 a.—The barometer has risen moderately over Tongking and the S. coast of China, and Loochoos and S. Japan.
sion lying over the E. part of the Sea of Japan yesterday, has moved into the Pacific.
pression has appeared over the Sea of Japan, and a second centre is lying near the Loochoos.
still high over the Pacific to the Eastward of the Bonins.
. winds may be expected over the northern shores of the China Sea.

Rainfall for the 24 hours ending at 10 a.m. to-day, 1.09 inches.

AST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
d Neighbourhood, ...	N. winds, moderate; fair.
nel, ...	N.E. winds, moderate.
f China between Hongkong and Lamocks,.	Same as No. 1.
f China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

g Observatory, Tuesday, 11th April, 1911.

RONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGIST

Station.	11th APRIL, 1911, P.M.								12th APRIL, 1911, A					
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	W Dire tion
Wladivostock,....	2 p.	29.74	755.3	38	...	S E	1	f	7 a.	30.04	762.9	36	72	N N
Nemuro, ...	,,	29.81	757.1	...	...	N E	1	...	6 a.	29.93	760.1	...	...	N
Hakodate, ...	,,	29.83	757.7	...	...	W S W	1	...	,,	29.99	761.7	...	...	N
Tokio, ...	,,	29.65	753.1	...	...	S S W	4	...	,,	29.91	759.6	...	...	N
Kochi, ...	,,	29.72	754.8	...	...	...	0	...	,,	29.93	760.3	...	...	W S
Nagasaki, ...	,,	29.82	757.3	...	...	W N W	3	...	,,	30.01	762.3	...	...	N N
Kagoshima, ...	,,	29.78	756.4	...	...	N W	2	...	,,	29.93	761.4	...	...	N
Oshima, ...	,,	29.51	757.1	...	...	N N W	3	...	,,	29.95	760.6	...	...	N N
Naha, ...	,,	...	...	...	...	...	...	...	,,	29.95	760.7	...	...	N
Ishigakijima, ...	,,	29.83	757.8	...	...	N	2	...	,,	29.93	760.3	...	...	N
Bonin Is.	,,	29.96	761.1	...	...	S E	1	...	,,	30.01	762.1	...	...	S
Chefoo, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	
Weihaiwei, ...	,,	29.82	757.4	59	70	E	1	b	9 a.	30.01	762.2	50	86	S
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	
Kiukiang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	
Shanghai, ...	,,	29.92	759.9	67	68	...	0	c	9 a.	30.04	763.0	59	70	E
Gutzlaff, ...	,,	29.98	761.5	60	71	N W	1	bv	,,	30.10	764.5	54	94	S
Sharp Peak, ...	,,	29.95	760.7	60	94	E	1	o	,,	30.01	762.2	59	83	N
Amoy, ...	,,	29.76	755.9	66	64	N E	2	o	6 a.	29.84	757.9	59	82	E
Swatow, ...	,,	29.83	757.7	67	84	E	1	o	,,	29.87	758.7	65	73	E
Taihoku, ...	1 p.	29.92	760.0	...	...	E	4	...	5 a.	29.93	760.2	...	...	E
Taichu, ...	,,	29.84	758.0	...	...	N	4	...	,,	29.90	759.4	...	...	
Tainan, ...	,,	29.83	757.7	...	...	N	6	...	,,	29.90	759.5	...	...	N
Koshun	,,	29.82	757.5	...	...	E	4	...	,,	29.89	759.3	...	...	E
Pescadores, ...	,,	29.85	758.2	...	...	N E	10	...	,,	29.90	759.5	...	...	N
Canton, ...	3 p.	29.82	757.4	73	63	N	0	b	9 a.	29.90	759.4	70	75	S
Hongkong, ...	4 p.	29.83	757.7	71	82	E	3	c	10 a.	29.93	760.2	70	66	E N
Victoria Peak, ...	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	E N
Gap Rock, ...	,,	29.80	756.9	...	...	N N E	2	...	,,	29.87	758.7	...	...	
Macao, ...	,,	29.84	757.9	75	...	E S E	1	c	,,	29.93	760.2	69	...	S
Wuchow, ...	3 p.	29.83	757.7	75	...	E	1	b	9 a.	...	...	...	...	
Hoihow, ...	,,	29.83	757.7	76	82	N E	3	b	,,	...	...	...	...	
Pakhoi, ...	,,	29.84	757.9	76	64	N	4	c	,,	...	...	...	...	
Phulien, ...	4 p.	29.80	756.8	73	...	S	2	c	8 a.	29.88	758.9	70	...	E N
Tourane, ...	,,	29.79	756.7	73	...	N W	3	o	,,	29.88	759.0	75	..	S
Cape St. James, .	,,	29.72	754.9	86	...	S	2	c	,,	29.88	758.8	82	...	E N
Aparri, ...	2 p.	29.77	756.1	86	...	N E	2	c	6 a.	29.87	758.6	72	...	N
Manila, ...	4 p.	29.72	755	90	61	W S W	2	c	10 a.	29.88	759	90	55	S
Legaspi, ...	2 p.	29.76	756.0	91	...	E	4	b	6 a.	29.86	758.5	75	...	
Bacolod, ...	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N
Iloilo, ...	,,	...	...	87	...	...	0	c	,,	29.89	759.2	85	...	N
Cebu, ...	,,	29.74	755.4	90	...	N	1	b	,,	29.88	758.9	87	...	
Labuan, ...	,,	29.69	754.1	85	...	...	...	...	,,	29.88	758.9	85	...	

On the 12th at 11.55 a.—The barometer is inclined to fall over S.W. China and Tongking. It ha
where, particularly over N. China and Japan.

The depression lying over the Sea of Japan yesterday, is moving away over the Pacific.

Another depression is probably developing over W. China.

Pressure is highest over Korea and E. Manchuria.

Fresh E. winds may be expected over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, fresh; fair to unsettled.
2.—Formosa Channel, ...	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. H
Direct

Hongkong Observatory, Wednesday, 12th April, 1911.

[Printed by Noronha & Co., Government Printers.]

A COAST METEOROLOGICAL REGISTER.

12th APRIL, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.04	763.1	42	...	N N E	3	c
,,	29.98	761.6	...	...	S S E	1	...
,,	30.05	763.2	...	...	W	1	...
,,	30.00	762.1	...	...	E N E	2	...
,,	29.97	761.3	...	...	E S E	1	...
,,	30.03	762.8	...	...	S W	2	...
,,	30.00	761.9	...	...	S	1	...
,,	30.00	762.1	...	...	N	2	...
,,	29.99	761.7	...	...	E	2	...
,,	29.95	760.8	...	...	E N E	5	...
,,	29.96	761.1	...	...	S S W	2	...
4 p.	...	...	...	...	..	..	...
,,	30.02	762.5	62	67	S S E	4	c
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	30.00	762.0	65	58	S E	3	o
,,	30.07	763.8	55	94	S E	4	cv
,,	29.99	761.7	61	94	E	2	o
,,	29.90	759.4	69	70	S E	1	o
,,	29.91	759.7	68	74	E	1	o
1 p.	29.94	760.5	...	...	E	8	...
,,	29.89	759.3	...	...	N	4	...
,,	29.91	759.6	...	...	W	2	...
,,	29.85	758.3	...	...	E	8	...
,,	29.91	759.7	...	...	N E	8	...
3 p.	29.87	758.7	67	84	E	2	o
4 p.	29.88	758.9	66	83	E	2	o
,,	...	...	...	...	E	5	...
,,	29.83	757.7	...	...	E N E	5	...
,,	29.88	758.9	64	...	N	3	olt
8 p.	29.81	757.2	69	...	S E	1	o
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	..	...
4 p.	29.74	755.4	73	...	E S E	1	o
,,	29.74	755.4	79	...	S E	3	b
,,	29.77	756.1	84	...	S E	2	c
2 p.	29.82	757.5	86	...	N E	2	b
4 p.	29.76	756	91	65	S S E	1	c
2 p.	29.82	757.4	91	...	E	2	b
3 p.	...	...	...	...	N E	1	or
,,	29.77	756.1	87	...	..	0	o
,,	29.77	756.1	86	...	N	2	b
,,	29.74	755.4	89	...	...	...	...

13th APRIL, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.38	771.6	28	80	N N E	3	b
6 a.	30.26	768.6	...	...	...	0	...
,,	30.28	769.2	...	...	W	1	...
,,	30.24	768.1	...	...	N N W	1	...
,,	30.21	767.3	...	...	N N E	1	...
,,	30.15	765.8	...	...	N N E	1	...
,,	30.15	765.9	...	...	E	3	...
,,	30.06	763.6	...	...	S	1	...
,,	30.03	762.7	...	...	N N E	1	...
,,	29.95	760.8	...	...	E	4	...
,,	30.06	763.6	...	...	S S W	1	...
6 a.	...	...	...	...	...	...	...
9 a.	30.27	768.8	43	100	N E	1	m
6 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
9 a.	30.14	765.5	62	72	E S E	2	c
,,	30.19	766.8	55	87	E S E	3	cv
,,	30.05	763.2	60	82	E	3	o
6 a.	29.91	759.7	62	100	N W	3	o
,,	29.93	760.2	59	94	S E	1	or
5 a.	29.95	760.8	...	...	...	0	...
,,	29.95	760.7	...	...	N	2	...
,,	29.95	760.8	...	...	N	4	...
,,	29.92	760.0	...	...	N E	2	...
,,	29.95	760.6	...	...	N E	6	...
9 a.	29.99	761.7	67	99	E	1	o
10 a.	29.99	761.7	70	85	E	2	c
,,	...	...	...	...	E	5	...
,,	29.98	761.5	...	...	E	5	...
,,	30.03	762.7	68	...	E S E	2	c
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.91	759.6	72	...	N N E	1	o
,,	29.87	758.7	77	..	N W	2	lt
,,	29.91	759.6	82	...	S E	1	c
6 a.	29.91	759.7	73	...	N E	0	b
10 a.	29.96	761	84	64	N W	1	o
6 a.	29.88	759.0	79	...	N E	2	b
9 a.	...	...	...	...	N E	1	b
,,	29.91	759.7	84	...	N E	1	b
,,	29.88	758.9	87	...	N	1	b
,,	29.90	759.4	85	...	...	...	...

h at 11.55 a.—The barometer has risen generally, particularly over N. China and Japan.
ssure area, which is central over Manchuria, covers N. China and the Sea of Japan.
relatively low over the N. part of the China Sea.
inds may be expected along the S. coast of China.

Rainfall for the 24 hours ending at 10 a.m. to-day, 2.36 inches.

CAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
nd Neighbourhood, ...	E. winds, fresh; rain at first, improving later.
nnel, ...	Same as No. 1.
of China between Hongkong and Lamocks,.	Same as No. 1.
of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

g Observatory, Thursday, 13th April, 1911.

OBONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGIST

Station.	13th April, 1911, P.M.								14th April, 1911, A					
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,	2 p.	30.37	771.5	42	...	N	1	c	7 a.	30.26	768.6	35	77	S
Nemuro,	,,	30.22	767.6	...	...	...	0	...	6 a.	30.44	773.1	...	...	N
Hakodate,	,,	30.30	769.7	...	...	W	1	...	,,	30.40	772.2	...	...	N
Tokio,	,,	30.26	768.6	...	...	E	1	...	,,	30.36	771.1	...	...	N N
Kochi,	,,	30.23	767.8	...	...	S E	1	...	,,	30.23	767.8	...	...	S
Nagasaki,	,,	30.19	766.8	...	...	W	2	...	,,	30.17	766.3	...	...	N
Kagoshima,	,,	30.19	766.9	...	...	E	5	...	,,	30.12	764.9	...	...	E N
Oshima,	,,	30.10	764.6	...	...	E	1	...	,,	30.12	765.1	...	...	S
Naha,	,,	...	...	...	...	...	...	...	,,	29.99	761.7	...	...	N
Ishigakijima,	,,	29.99	761.8	...	...	E N E	4	...	,,	29.87	758.7	...	...	E N
Bonin Is.	,,	30.06	763.6	...	...	S S W	1	...	,,	30.08	764.1	...	...	...
Chefoo,	4 p.	...	...	...	...	..	...	...	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.22	767.6	48	85	N E	1	f	9 a.	30.17	766.3	42	100	N
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	..	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	30.09	764.3	62	89	...
Shanghai,	,,	30.11	764.8	65	68	E	2	o	9 a.	30.16	766.0	57	94	N
Gutzlaff,	,,	30.16	766.0	56	87	E	4	c v	,,	30.18	766.6	56	94	E
Sharp Peak,	,,	30.06	763.5	61	88	N	2	o	,,	30.03	762.7	62	94	N
Amoy,	,,	29.87	758.7	69	75	N	1	c	6 a.	29.89	759.2	62	89	N
Swatow,	,,	29.94	760.5	71	80	E	1	c	,,	29.95	760.7	63	94	S
Taihoku,	1 p.	30.02	762.4	...	...	...	0	...	5 a	29.95	760.7	...	...	...
Taichu,	,,	29.99	761.7	...	...	N	4	...	,,	29.95	760.7	...	...	N
Tainan,	,,	29.96	761.0	...	...	N	6	...	,,	29.93	760.1	...	...	N
Koshun,	,,	29.94	760.5	...	...	N	6	...	,,	29.90	759.4	...	...	N
Pescadores,	,,	29.96	761.0	...	...	N E	8	...	,,	29.95	760.6	...	...	N
Canton,	3 p.	29.93	760.2	69	90	N E	2	o	9 a.	30.01	762.2	69	90	E
Hongkong,	4 p.	29.95	760.7	67	87	E	2	o	10 a.	30.04	763.0	67	89	E
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E
Gap Rock,	,,	29.88	758.9	...	...	E N E	4	...	,,	29.99	761.7	...	...	E N
Macao,	,,	29.95	760.7	70	...	E	1	od	,,	30.05	763.2	67	...	E S
Wuchow,	3 p.	29.92	759.9	67	...	S E	1	o	9 a.	...	...	...	...	...
Hoihow,	,,	29.86	758.4	66	95	E	2	o	,,	...	...	...	...	...
Pakhoi,	,,	29.85	758.2	75	86	E	2	o	,,	...	...	...	...	...
Phulien,	4 p.	...	...	72	...	E N E	4	or	8 a.	29.97	761.1	72	...	E N
Tourane,	,,	29.78	756.5	79	...	S	1	c	,,	29.93	760.2	77	..	N N
Cape St. James,	,,	29.78	756.3	88	...	S	2	c	,,	29.89	759.2	84	...	N
Aparri,	2 p.	29.83	757.7	90	...	E	2	c	6 a.	29.88	758.9	72	...	W
Manila,	4 p.	29.80	757	90	55	S E	5	b	10 a.	29.88	759	88	54	S E
Legaspi,	2 p.	29.85	758.1	91	...	E	2	b	6 a.	29.86	758.4	79	...	N
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N
Iloilo,	,,	29.81	757.2	88	...	N E	1	b	,,	29.89	759.2	81	...	N
Cebu,	,,	29.81	757.2	88	...	N	1	b	,,	29.89	759.2	86	...	N
Labuan,	,,	29.73	756.4	88	...	...	...	...	,,	...	...	...	...	...

On the 14th at 11.55 a.—The barometer has risen slightly over Tongking and the S. coast of China moderately over the Southern Loochoos.

A shallow depression, which will probably move towards N.E., is lying over the Pacific to the South of Sima.

The high pressure area lying over Manchuria yesterday, has shifted Eastwards to the N.E. part of the Moderate N.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; cloudy, misty.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. H
Director.

Hongkong Observatory, Friday, 14th April, 1911.

[Printed by Noronha & Co., Government Printers.]

A COAST METEOROLOGICAL REGISTER.

14TH APRIL, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
3 p.	30.21	767.4	35	...	S E	1	o
,,	30.40	772.1	...	...	S S E	2	...
,,	30.32	770.2	...	...	E S E	4	...
,,	30.28	769.1	...	...	E N E	2	...
,,	30.17	766.3	...	...	E S E	2	...
,,	30.07	763.8	...	...	W	2	...
,,	30.09	764.4	...	...	S S E	4	...
,,	29.98	761.6	...	...	S E	1	...
,,	...	...	...	...	...	...	...
,,	29.87	758.8	...	...	E N E	1	...
,,	30.04	763.1	...	...	S E	1	...
4 p.	...	...	...	...	..	..	...
,,	30.22	767.6	44	84	W N W	4	b
,,	...	...	...	...	...	..	...
,,	30.07	763.8	68	60	N E	3	b
,,	30.11	764.8	60	88	N E	2	om
,,	30.13	765.3	58	94	N E	1	f
,,	30.00	762.0	64	89	E N E	4	b
,,	29.85	758.2	70	75	S	5	b
,,	29.88	758.9	68	...	E S E	2	b
1 p.	29.96	760.9	...	...	E	4	...
,,	29.91	759.8	...	...	N	6	...
,,	29.92	759.9	...	...	N	6	...
,,	29.89	759.3	...	...	N	4	...
,,	29.95	760.8	...	...	N E	8	...
3 p.	29.94	760.5	71	90	E	1	o
4 p.	29.92	759.9	68	86	E	2	o
,,	...	...	...	...	N E	1	...
,,	29.89	759.2	...	...	E N E	4	...
,,	29.91	759.8	69	...	E	2	o
8 p.	29.95	760.7	69	...	E	1	o
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
4 p.	29.88	758.9	75	...	E S E	2	o
,,	29.84	757.9	79	...	N N W	1	f
,,	29.80	757.0	84	...	S E	3	c
2 p.	29.84	758.0	84	...	N	2	c
4 p.	29.76	756	91	66	S W	1	c
2 p.	29.82	757.4	93	...	E	2	b
3 p.	...	...	...	...	N E	2	..
,,	29.77	756.1	88	...	N E	1	b
,,	29.79	756.6	87	...	N	1	b
,,	29.80	756.9	86	...	...	...	...

15TH APRIL, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.08	763.9	34	94	...	0	f
6 a.	30.24	768.1	...	...	E S E	1	...
,,	30.19	766.7	...	...	N W	1	...
,,	30.16	765.1	...	...	N N W	1	...
,,	30.03	762.8	...	...	S S E	1	...
,,	29.97	761.3	...	...	E	1	...
,,	29.92	759.9	...	...	E S E	4	...
,,	29.83	757.6	...	...	..	0	...
,,	29.81	757.2	...	...	N N W	1	...
,,	29.89	759.3	...	...	N	2	...
,,	30.01	762.1	...	...	S E	1	...
6 a.	...	...	...	...	...	...	...
9 a.	30.15	765.3	44	63	N N W	4	c
6 a.	...	...	...	...	...	...	...
..	...	...	..	...	...	...	..
9 a.	30.10	764.5	55	94	N E	1	om
,,	30.16	766.0	55	94	N E	4	om
,,	30.04	763.0	63	89	E	3	f
6 a.	29.89	759.2	64	78	N E	1	b
,,	29.92	759.9	62	100	E	1	c
5 a	29.98	761.5	...	...	E	4	...
,,	29.93	760.2	...	...	...	0	...
,,	29.91	759.8	...	...	...	0	...
,,	29.92	759.9	...	...	N E	2	...
,,	29.92	760.0	...	...	N E	8	...
9 a	30.03	762.7	69	90	S	1	o
10 a.	30.05	763.2	69	79	E	2	o
,,	...	...	...	...	E	3	...
,,	30.01	762.2	...	...	E N E	4	...
,,	30.05	763.2	69	...	E S E	2	o
9 a	29.99	761.7	69	95	S E	1	o
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.97	761.1	72	...	E N E	3	or
,,	29.94	760.5	77	..	N N W	1	dh
,,	29.91	759.8	77	...	E	4	lt
6 a.	29.87	758.6	73	...	N	2	c
10 a.	29.88	759	86	65	N E	1	b
6 a.	29.83	757.7	73	...	..	0	b
9 a.	...	...	...	...	N E	1	b
,,	29.87	758.7	84	...	N E	1	c
,,	29.85	758.2	86	...	S	1	b
,,	29.89	759.2	82	...	...	...	...

h at 11.40 a.—The barometer has fallen considerably over Japan and the Loochoos.
ion lying to the South of Meiaco Sima yesterday, has moved towards N.E. and is now situated to the hoos.
essure area has shifted Eastwards, and lies at present over the Pacific to the East of Japan.
fresh N.E. and E. winds may be expected over the N. part of the China Sea.

Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

AST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.

nd Neighbourhood, ...	N.E. and E. winds, moderate; fair.
nnel, ...	N.E. winds, fresh.
of China between Hongkong and Lamocks,.	Same as No. 1.
of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

g Observatory, Saturday, 15th April, 1911.

ORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th April, 1911, P.M.								16th April, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.01	762.3	41	...	..	0	f	7 a.	29.99	761.6	36	82	N E	1	o
Nemuro,	,,	30.14	765.6	...	...	S E	2	...	6 a.	29.93	760.1	...	...	...	0	...
Hakodate,	,,	30.05	763.2	...	...	S	2	...	,,	29.85	758.2	...	...	...	0	...
Tokio,	,,	30.02	762.6	...	...	N N W	1	...	,,	29.59	751.6	...	...	N W	3	...
Kochi,	,,	29.85	758.3	...	...	E	1	...	,,	29.82	757.3	...	...	S W	1	...
Nagasaki,	,,	29.85	758.3	...	...	N	3	...	,,	29.91	759.8	...	...	N N E	1	...
Kagoshima,	,,	29.86	758.4	...	...	E	3	...	,,	29.88	758.9	...	...	N N W	1	...
Oshima,	,,	29.81	757.1	...	...	N	5	...	,,	29.91	759.6	...	...	N	2	...
Naha,	,,	29.79	756.7	...	...	N	5	...	,,	29.91	759.7	...	...	E S E	1	...
Ishigakijima,	,,	29.91	759.8	...	...	N N W	4	...	,,	29.95	760.8	...	...	N N W	1	...
Bonin Is.	,,	29.91	759.6	...	...	S E	1	...	,,	29.87	758.6	...	...	S	2	...
Chefoo,	4 p.	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.05	763.2	49	71	N N W	2	bm	9 a.	30.00	762.0	45	92	N E	2	er
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	30.08	764.0	...	...	E	2	c	,,	30.10	764.5	55	94	...	0	b
Shanghai,	,,	30.07	763.8	58	76	N E	1	o	9 a.	30.08	764.0	56	75	N N W	1	o
Gutzlaff,	,,	30.11	764.8	54	87	N N E	2	om	,,	30.12	765.0	55	80	N	3	ov
Sharp Peak,	,,	29.99	761.7	63	89	E	2	c	,,	30.06	763.5	61	88	E	3	o
Amoy,	,,	29.83	757.7	75	56	E	2	b	6 a.	29.84	757.9	64	68	N E	3	o
Swatow,	,,	29.93	760.2	69	80	E	1	c	,,	29.93	760.2	63	72	E N E	3	b
Taihoku,	1 p.	30.00	761.9	...	...	E	6	...	5 a	30.00	761.9	...	...	E	4	...
Taichu,	,,	29.91	759.8	...	...	N	6	...	,,	29.94	760.5	...	...	...	0	...
Tainan,	,,	29.93	760.1	...	...	W	0	...	,,	29.94	760.4	...	...	E	2	...
Koshun,	,,	29.92	760.0	...	...	N E	6	...	,,	29.95	760.7	...	...	N	2	...
Pescadores,	,,	29.94	760.5	...	...	N E	10	...	,,	29.94	760.5	...	...	N E	8	...
Canton,	3 p.	29.93	760.2	76	73	S	1	c	9 a.	29.99	761.7	70	75	S	1	o
Hongkong,	4 p.	29.92	759.9	70	67	E	4	b	10 a.	29.99	761.7	63	78	E	3	o
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	29.90	759.4	...	...	E N E	4	...	,,	29.95	760.7	...	...	E	4	...
Macao,	,,	29.94	760.5	70	...	E S E	2	c	,,	30.01	762.2	68	...	E S E	3	o
Wuchow,	3 p.	29.88	758.9	72	85	...	0	o	9 a.	29.98	761.5	67	..	N E	1	od
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.91	759.7	77	77	S E	2	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.85	758.2	72	...	E	3	o	8 a.	29.93	760.1	72	...	E N E	3	lt
Tourane,	,,	29.82	757.5	81	...	E S E	2	b	,,	29.91	759.6	77	..	S	1	o
Cape St. James,	,,	29.83	757.8	81	...	E	2	lt	,,	29.93	760.3	81	...	E N E	2	c
Aparri,	2 p.	29.85	758.3	84	...	N E	2	c	6 a.	...	...	..	...	...	...	...
Manila,	4 p.	29.76	756	88	65	S W	3	c	10 a.	29.88	759	84	71	W	1	b
Legaspi,	2 p.	29.79	756.7	93	...	N E	2	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	1	b	9 a.	...	...	...	...	...	1	...
Iloilo,	,,	29.77	756.1	88	...	...	0	o	,,	29.91	759.7	85	...	...	0	b
Cebu,	,,	29.78	756.4	87	...	N	1	c	,,	29.85	758.2	86	...	S	1	b
Labuan,	,,	29.82	757.4	88	...	...	...	...	,,	...	...	...	...	...	...	...

On the 16th at 11.40 a.—The barometer has fallen quickly in E. Japan, and risen moderately over the Loochoos. The depression lying to the East of the latter area yesterday, has reached the S.E. coast of Japan. Pressure is now highest over the Yangtze valley. It is inclined to give way over S. China and Tongking. Moderate N.E. and E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate or fresh; fair.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 16th April, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th April, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	17th April, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
divostock,	2 p.	29.91	759.8	48	...	N N W	1	o	7 a.	30.03	762.7	36	85	S	0	o
uro,	,,	29.77	756.1	...	...	N	11	...	6 a.	30.02	762.6	...	...	N	5	...
kodate,	,,	29.73	755.2	...	...	S W	1	...	,,	29.97	761.2	...	...	W N W	1	...
kio,	,,	29.61	752.1	...	...	N N W	2	...	,,	29.91	759.6	...	...	E	2	...
shi,	,,	29.76	755.8	...	...	S	1	...	,,	29.82	757.3	...	...	...	0	...
gasaki,	,,	29.87	758.8	...	...	N	2	...	,,	29.86	758.3	...	...	S	1	...
goshima,	,,	29.84	757.9	...	...	W N W	3	...	,,	29.90	759.4	...	...	N W	1	...
hima,	,,	...	...	...	...	N	1	...	,,	29.95	760.6	...	...	N	2	...
ha,	,,	...	...	...	...	..	...	...	,,	29.95	760.7	...	...	N	5	...
higakijima,	,,	29.95	760.8	...	...	N N W	1	...	,,	29.99	761.6	...	...	N N E	2	...
min Is.	,,	29.87	758.6	...	...	..	0	...	,,	29.95	760.6	...	...	...	0	...
efoo,	4 p.	29.96	761.0	51	86	E	2	b	6 a.	...	...	...	...	...	...	...
eihaiwei,	,,	29.95	760.7	50	86	N E	1	c	9 a.	29.87	758.7	44	76	N N W	7	bq
nkow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
nkiang,	,,	30.08	764.0	62	77	...	0	o	,,	30.20	767.1	52	93	...	0	b
anghai,	,,	30.00	762.0	59	59	N W	1	o	9 a.	30.11	764.8	55	44	N W	4	bq
tzlaff,	,,	30.06	763.5	55	80	...	0	om	,,	30.14	765.5	56	57	N W	5	bm
arp Peak,	,,	29.94	760.5	61	88	E S E	2	c	,,	30.13	765.3	62	89	E	1	b
moy,	,,	29.85	758.2	70	57	E	1	c	6 a.	29.97	761.2	61	82	E	2	o
atow,	,,	29.90	759.4	70	57	E N E	2	b	,,	30.01	762.2	62	67	N E	3	o
ihoku,	1 p.	29.93	760.2	...	...	E	8	...	5 a	30.08	764.1	...	...	E	2	...
ichu,	,,	29.92	760.0	...	...	N W	4	...	,,	29.97	761.3	...	...	N	4	...
inan,	,,	29.94	760.4	...	...	W	6	...	,,	29.97	761.1	...	...	N	6	...
oshun	,,	29.92	760.0	...	...	E	6	...	,,	29.94	760.5	...	...	E	2	...
escadores,	,,	29.95	760.8	...	...	N	6	...	,,	29.99	761.8	...	...	N E	10	...
anton,	3 p.	29.93	760.2	69	85	N	1	or	9 a.	...	...	...	...	...	..	...
ongkong,	4 p.	29.91	759.7	67	73	E	2	o	10 a.	30.10	764.5	64	71	N	1	o
ictoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	N N E	3	...
ap Rock,	,,	29.86	758.4	...	...	E N E	5	...	,,	30.05	763.2	...	...	N E	4	...
acao,	,,	29.92	759.9	68	...	N N E	2	o	,,	30.10	764.6	63	...	N N W	2	o
uchow,	3 p.	29.97	761.2	65	84	E	1	o	9 a.	30.14	765.5	64	...	N	1	o
ihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
khoi,	,,	29.81	757.2	78	86	N	5	o	,,	...	...	...	...	...	...	...
hulien,	4 p.	29.88	759.0	72	...	N E	5	or	8 a.	30.13	765.4	61	...	N N W	2	or
urane,	,,	29.81	757.1	81	...	E S E	1	b	,,	29.97	761.3	75	..	N W	3	o
pe St. James,	,,	29.80	756.8	84	...	S E	2	lt	,,	29.94	760.4	82	...	S W	2	c
parri,	2 p.	29.84	757.9	81	...	E	4	o	6 a.	29.89	759.1	73	...	E	2	b
anila,	4 p.	29.76	756	88	65	W S W	1	b	10 a.	29.88	759	86	71	W	1	c
gaspi,	2 p.	29.81	757.1	91	...	E	2	...	6 a.	29.88	759.0	73	...	..	0	c
colod,	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	N E	1	o
oilo,	,,	29.81	757.2	87	...	...	0	o	,,	29.91	759.7	83	...	...	0	o
bu,	,,	29.82	757.4	87	...	...	0	c	,,	29.88	758.9	86	...	...	0	b
buan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...

On the 17th at 11.55 a.—The depression lying off the E. coast of Japan yesterday, has moved away over the Pacific.

A new depression, formed over the Yellow Sea, is moving into the W. part of the Sea of Japan.

A high pressure area now lies over the Yangtze valley.

Fresh to strong N.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N. to N.E. winds, moderate to fresh; fair.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 17th April, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th April, 1911, P.M.								18th April, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.97	761.3	39	...	S W	0	o	7 a.	29.63	752.7	35	82	N N E	1	c
Nemuro,	,,	30.14	765.6	...	...	E N E	2	...	6 a.	30.01	762.1	...	...	E	3	.
Hakodate,	,,	30.01	762.2	...	...	S E	5	...	,,	29.54	750.2	...	...	E	2	.
Tokio,	,,	29.81	757.1	...	...	E N E	2	...	,,	29.47	748.6	...	...	S S W	3	..
Koobi,	,,	29.72	754.8	...	...	...	0	...	,,	29.70	754.3	...	...	S	1	..
Nagasaki,	,,	29.80	756.8	...	...	W	6	...	,,	29.80	756.8	...	...	N W	9	..
Kagoshima,	,,	29.82	757.4	...	...	W N W	6	...	,,	29.84	757.9	...	...	W N W	5	..
Oshima,	,,	29.93	760.1	...	...	N W	3	...	,,	29.99	761.6	...	...	N	3	..
Naha,	,,	...	...	...	...	..	...	...	,,	30.07	763.7	...	...	N N W	6	..
Ishigakijima,	,,	30.01	762.3	...	...	N N E	3	...	,,	30.09	764.3	...	...	N E	2	..
Bonin Is.	,,	29.89	759.1	...	...	S	1	...	,,	29.85	753.1	...	...	S S W	2	...
Chefoo,	4 p.	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.86	758.4	48	63	N W	7	bm	9 a.	29.88	758.9	53	61	S W	1	br
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.21	767.8	63	67	...	0	c	,,	30.16	766.0	48	93	...	0	c
Shanghai,	,,	30.07	763.8	60	39	N W	5	cq	9 a.	30.09	764.3	60	49	S W	2	b
Gutzlaff,	,,	30.09	764.3	57	69	N	4	cv	,,	30.18	765.3	55	68	W	1	cn
Sharp Peak,	,,	...	...	62	94	E	1	c	,,	30.15	765.3	60	94	N	1	o
Amoy,	,,	29.90	759.4	69	56	E	3	c	6 a.	30.00	762.0	62	61	N E	1	o
Swatow,	,,	30.01	762.3	63	94	E	2	o	,,	30.05	763.2	60	71	N E	1	o
Taihoku,	1 p.	30.09	764.2	...	...	E	2	...	5 a.	30.12	764.9	...	...	E	4	...
Taichu,	,,	30.06	764.9	...	...	N	6	...	,,	30.11	764.7	...	...	N	2	...
Tainan,	,,	30.02	762.4	...	...	N	6	...	,,	30.04	763.1	...	...	...	0	...
Koshun	,,	29.96	761.0	...	...	N E	8	...	,,	30.06	763.4	...	...	N E	8	...
Pescadores,	,,	30.03	762.7	...	...	E	10	...	,,	30.05	763.2	...	...	N E	8	...
Canton,	3 p.	30.07	763.8	65	63	N	2	o	9 a.	30.13	765.3	64	73	...	1	o
Hongkong,	4 p.	30.05	763.2	64	73	N	1	op	10 a.	30.12	765.0	68	88	E	3	o
Victoria Peak,	,,	...	...	...	...	N	4	...	,,	...	...	...	...	E N E	3	...
Gap Rock,	,,	30.00	762.0	...	...	E N E	5	...	,,	30.07	763.8	...	...	E N E	5	...
Macao,	,,	30.07	763.8	62	...	N	2	od	,,	30.13	765.3	66	...	N N E	1	o
Wuchow,	3 p.	30.10	764.5	65	...	...	0	o	9 a.	30.15	765.8	64	...	...	0	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.01	762.2	66	73	N	3	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.05	763.2	64	...	N	1	o	8 a.	30.16	766.1	59	...	N N W	4	or
Tourane,	,,	29.91	759.7	70	...	N W	4	o	,,	...	...	...	..	...	...	...
Cape St. James,	,,	29.79	756.7	84	...	S	2	o	,,	29.95	760.8	77	...	N N E	2	o
Aparri,	2 p.	29.82	757.4	84	...	N E	2	b	6 a.	29.91	759.6	73	...	N E	4	b
Manila,	4 p.	29.76	756	90	61	S W	3	c	10 a.	29.88	759	86	71	W N W	1	c
Legaspi,	2 p.	29.82	757.4	91	...	E	2	c	6 a.	29.86	758.5	73	...	...	0	c
Bacolod,	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.79	756.6	87	...	S	1	b	,,	29.91	759.7	84	...	N E	1	b
Cebu,	,,	29.81	757.2	88	...	N	1	c	,,	29.89	759.2	87	...	S	1	c
Labuan,	,,	29.80	756.9	88	...	...	...	...	,,	29.93	760.2	86	...	...	...	...

On the 18th at 11.55 a.—The depression in the North has advanced Eastwards and now occupies the Eastern part of the Sea of Japan.

Pressure remains high over the S. China. It is inclined to give way again in N. China.

Fresh to strong N.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate ; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamooks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 18th April, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th April, 1911, P.M.								19th April 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
divostock,...	2 p.	29.50	749.4	50	...	N E	1	o	7 a.	29.53	751.2	39	67	...	0	b
uro, ...	,,	29.49	749.1	...	...	S E	6	...	6 a.	29.16	740.6	...	...	S	4	...
bodate, ...	,,	29.30	744.2	...	...	S W	1	...	,,	29.48	748.7	...	...	W	6	...
io, ...	,,	29.41	747.1	...	...	S W	4	...	,,	29.87	758.6	...	...	N W	1	...
hi, ...	,,	29.74	755.3	...	...	W N W	3	...	,,	30.03	762.8	...	...	S W	1	...
asaki, ...	,,	29.89	759.3	...	...	N W	1	...	,,	30.05	763.3	...	...	...	0	...
goshima, ...	,,	29.90	759.4	...	...	W S W	5	...	,,	30.08	763.9	...	...	...	0	...
ima, ...	,,	30.02	762.6	...	...	N	3	...	,,	30.03	764.1	...	...	S	1	...
ha, ...	,,	30.09	764.2	...	...	N	4	...	,,	..	...	...	...	...	...	...
igakijima, ...	,,	30.11	764.8	...	...	N	3	...	,,	30.07	763.8	...	...	N E	...	...
kin Is.	,,	29.37	758.6	...	...	S S W	1	...	,,	30.06	763.6	...	...	N W	1	...
efoo, ...	4 p.	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...	...
eihaiwei, ...	,,	29.77	756.1	60	44	E	1	b	9 a.	29.32	744.7	50	89	S W	8	oqitl
nkow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	...
ukiang, ...	,,	29.97	761.2	74	95	W	1	c	,,	29.93	760.2	...	...	W	1	c
anghai, ...	,,	29.98	761.5	68	30	S W	2	c	9 a	29.85	758.2	66	49	S S W	4	bq
atzlaff, ...	,,	30.06	763.5	59	54	S W	2	cv	,,	29.94	760.5	60	65	S	5	cv
arp Peak, ...	,,	30.09	764.3	61	...	...	0	c	,,	30.06	763.5	60	...	S S E	1	c
moy, ...	,,	29.95	760.7	67	55	E	3	o	6 a.	30.00	762.0	63	72	N E	1	o
swatow, ...	,,	30.03	762.7	66	70	E	1	o	,,	...	...	62	77	N E	1	o
aihoku, ...	1 p.	30.08	764.0	...	...	E	8	...	5 a.	30.05	763.3	...	...	E	2	...
aichu, ...	,,	30.06	763.4	...	...	S	2	...	,,	30.06	763.5	...	...	E	2	...
ainan, ...	,,	30.06	763.5	...	...	S W	2	...	,,	30.03	762.8	...	...	N E	2	...
oshun.....	,,	30.04	762.9	...	...	N E	8	...	,,	30.01	762.3	...	...	N E	6	...
escadores, ...	,,	30.05	763.3	...	...	N E	8	...	,,	30.02	762.5	...	...	N E	2	...
anton, ...	3 p.	30.02	762.5	69	52	S S E	1	c	9 a.	30.12	765.0	64	84	N W	1	or
ongkong, ...	4 p.	30.02	762.5	67	45	E S E	2	o	10 a.	30.11	764.8	63	80	N	1	od
ictoria Peak, ...	,,	...	...	...	...	E	4	...	,,	...	...	...	...	N	2	...
ap Rock, ...	,,	29.99	761.7	...	...	E N E	4	...	,,	30.07	763.2	...	...	N E	4	...
acao, ...	,,	30.07	763.8	67	...	S E	2	o	,,	30.12	765.1	61	...	N N E	1	od
uchow, ...	3 p.	30.10	764.5	68	...	...	0	o	9 a.	30.15	765.8	59	..	...	0	o
ihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
kkhoi, ...	,,	30.08	764.0	66	68	N	2	o	,,	...	...	...	...	...	...	...
hulien, ...	4 p.	30.04	763.0	66	...	N W	2	o	8 a.	30.12	765.1	61	...	N W	2	o
urane, ...	,,	...	...	...	...	...	...	...	,,	30.05	763.2	72	..	W N W	3	c
ape St. James, .	,,	29.84	758.0	86	...	S	2	c	,,	29.98	761.5	75	...	N N E	3	or
parri, ...	2 p.	29.93	760.1	75	...	N E	4	o	6 a.	29.94	760.5	73	...	E	2	c
anila, ...	4 p.	29.80	757	90	60	S W	1	b	10 a.	29.92	760	84	71	S W	1	o
egaspi, ...	2 p.	29.83	757.8	86	...	N E	2	o	6 a.	29.88	758.9	73	...	..	0	c
acolod, ...	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	N E	1	o
loilo, ...	,,	29.81	757.2	87	...	...	0	o	,,	29.93	760.2	83	...	N E	1	o
ebu, ...	,,	29.82	757.4	86	...	N	1	c	,,	29.89	759.2	86	...	S	1	b
abuan, ...	,,	29.85	758.2	86	...	...	...	...	,,	29.97	761.2	85	...	...	...	...

On the 19th at 11.55 a.—The depression lying over the E. part of the Sea of Japan yesterday, is moving into the Pacific to the North of Hokkaido.

The barometer has risen considerably in S. Japan and fallen rapidly over N. China.

A deep depression has advanced Eastwards over the continent and reached the Gulf of Pechili.

Areas of high pressure are lying over W. China and over the Pacific between the Loochoos and the Bonins.

Fresh N. and N.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. winds, moderate; cloudy, some rain.
2.—Formosa Channel, ...	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 19th April, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th April, 1911, P.M.								20th April, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.55	750.6	56	...	S W	2	b	7 a.	29.20	741.6	36	79	S E	3	c
Nemuro,	,,	29.43	747.6	...	...	E S E	3	...	6 a.	29.97	761.1	...	...	W S W	2	...
Hakodate,	,,	29.67	753.7	...	...	W S W	4	...	,,	29.89	759.2	...	...	...	0	...
Tokio,	,,	29.96	761.1	...	...	S	2	...	,,	30.02	762.6	...	...	S S W	3	...
Kochi,	,,	30.05	763.3	...	...	E S E	2	...	,,	29.99	761.8	...	...	S W	1	...
Nagasaki,	,,	30.01	762.3	...	...	S W	6	...	,,	30.13	765.3	...	...	N W	6	...
Kagoshima,	,,	30.04	762.9	...	...	S S E	2	...	,,	30.15	765.9	...	...	N W	1	...
Oshima,	,,	30.08	764.1	...	...	S	1	...	,,	30.12	765.1	...	...	..	0	...
Naha,	,,	30.07	763.7	...	...	S S E	1	...	,,	30.13	765.2	...	...	...	0	...
Ishigakijima,	,,	30.05	763.3	...	...	S S E	2	...	,,	30.09	764.3	...	...	N E	2	...
Bonin Is.	,,	30.08	764.1	...	...	N E	1	...	,,	30.16	766.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.69	754.1	39	64	N W	8	bqm	9 a.	29.82	757.4	51	40	W S W	7	bm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.02	762.5	...	..	W	3	b	,,	30.09	764.3	53	91	N E	1	c
Shanghai,	,,	29.94	760.5	64	48	N W	3	oq	9 a.	30.12	765.0	60	60	S E	3	b
Gutzlaff,	,,	29.97	761.2	60	49	N	6	om	,,	30.17	766.3	57	75	S	4	bv
Sharp Peak,	,,	29.97	761.2	63	78	S	4	b	,,	30.19	766.8	62	83	E N E	4	b
Amoy,	,,	29.93	760.2	68	65	N E	3	b	6 a.	29.97	761.2	62	83	S W	1	b
Swatow,	,,	29.99	761.7	68	79	E	1	c	,,	...	...	62	100	N E	1	f
Taihoku,	1 p.	30.07	763.8	...	...	...	0	...	5 a.	30.13	765.3	...	...	...	0	...
Taichu,	,,	30.09	764.2	...	...	N	2	...	,,	30.12	764.9	...	...	...	0	...
Tainan,	,,	30.06	763.5	...	...	N	5	...	,,	30.08	764.1	...	...	N E	2	...
Koshun,	,,	30.02	762.4	...	...	N E	4	...	,,	30.05	763.3	...	...	E	4	...
Pescadores,	,,	30.07	763.8	...	...	N E	5	...	,,	30.09	764.2	...	...	N	6	...
Canton,	3 p.	30.06	763.5	65	84	N	1	c	9 a.	30.12	765.0	66	89	N N W	1	c
Hongkong,	4 p.	30.04	763.0	68	76	W S W	1	o	10 a.	30.13	765.3	70	74	E	1	o
Victoria Peak,	,,	...	...	...	...	N N E	2	...	,,	...	...	...	...	S E	1	...
Gap Rock,	,,	30.01	762.2	...	...	N	4	...	,,	30.09	764.3	...	...	N N E	2	...
Macao,	,,	30.06	763.5	64	...	N N E	1	o	,,	30.15	765.7	71	...	E	2	c
Wuchow,	3 p.	30.09	764.3	63	...	W	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.10	764.5	66	79	N	2	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.07	763.8	66	...	N N W	2	o	8 a.	30.13	765.4	70	...	N W	1	c
Tourane,	,,	29.98	761.6	70	...	W N W	5	c	,,	30.10	764.4	70	..	N W	3	o
Cape St. James,	,,	29.89	759.1	84	...	S W	2	lt	,,	30.02	762.5	81	...	E S E	2	c
Aparri,	2 p.	29.92	760.0	79	...	N E	2	o	6 a.	29.97	761.1	75	...	E	0	b
Manila,	4 p.	29.84	758	88	59	W	2	c	10 a.	29.96	761	84	77	...	0	o
Legaspi,	2 p.	29.87	758.7	86	...	...	0	o	6 a.	29.93	760.2	75	...	..	0	c
Bacolod,	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.85	758.2	75	...	N E	1	or	,,	29.99	761.7	83	...	N E	1	c
Cebu,	,,	...	...	...	...	...	...	...	,,	29.95	760.7	84	...	...	0	o
Labuan,	,,	29.88	758.9	88	...	...	...	...	,,	29.96	761.0	84	...	...	...	...

On the 20th at 11.55 a.—The barometer has fallen considerably in Wladiwostok, and risen elsewhere, particularly over N.E. Japan and N. China.

The depression lying over the latter area yesterday, has reached the neighbourhood of Wladiwostok.

The other depression, which was situated over Hokkaido, has moved away over the Pacific.

A band of high pressure lies over S. China and the Pacific towards the Bonins.

Moderate N.E. winds are indicated over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, light or moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamooks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 20th April, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th April, 1911, P.M.								21st April, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
divostock....	2 p.	29.32	744.7	42	...	S W	4	c	7 a.	29.60	751.7	37	83	...	0	o
muro, ...	,,	29.87	758.6	...	...	S	4	...	6 a.	29.81	757.1	...	...	S S W	1	...
kodate, ...	,,	29.89	759.2	...	...	W	3	...	,,	29.73	755.2	...	...	S S W	2	...
kio, ...	,,	29.89	759.1	...	...	S W	5	...	,,	29.97	761.1	...	...	S W	1	...
chi, ...	,,	29.99	761.8	...	...	S W	2	...	,,	30.17	766.3	...	...	S W	1	...
gasaki, ...	,,	30.11	764.8	...	...	W	3	...	,,	30.17	766.3	...	...	S W	2	...
goshima, ...	,,	30.09	764.4	...	...	W	3	...	,,	30.19	766.9	...	...	..	0	...
hima, ...	,,	30.14	765.6	...	...	N	3	...	,,	30.18	766.6	...	...	S	1	...
na, ...	,,	30.13	765.2	...	...	N	3	...	,,	30.17	766.2	...	...	..	0	...
igakijima, ...	,,	30.11	764.8	...	...	E	4	...	,,	30.17	766.3	...	...	S E	1	...
min Is.	,,	30.10	764.6	...	...	S S W	1	...	,,	30.13	766.6	...	...	N N E	1	...
efoo, ...	4 p.	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...	...
ihaiwei, ...	,,	29.83	757.7	55	28	W N W	6	cm	9 a.	30.04	763.0	55	42	S W	1	bm
mkow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang, ...	,,	30.01	762.2	83	40	N E	1	b	,,	30.07	763.5	61	82	...	0	c
anghai, ...	,,	29.98	761.5	69	52	S S E	3	b	9 a	30.06	763.5	74	51	S W	2	b
tzlaff, ...	,,	30.04	763.0	64	66	S	4	bm	,,	30.09	764.3	61	71	S W	5	cm
arp Peak, ...	,,	30.10	764.5	64	89	E	1	b	,,	30.16	766.0	64	...	...	0	b
moy, ...	,,	29.99	761.7	76	53	E	3	b	6 a.	30.03	762.7	65	78	S W	1	b
atow, ...	,,	30.02	762.5	73	76	E	3	c	,,	29.98	761.5	69	83	N W	1	b
ihoku, ...	1 p.	30.09	764.3	...	...	E	6	...	5 a	30.08	764.1	...	...	S W	2	...
ichu, ...	,,	30.06	763.4	...	...	N	6	...	,,	30.10	764.4	...	...	...	0	...
inan, ...	,,	30.06	763.6	...	...	N W	6	...	,,	30.10	764.6	...	...	N	2	...
oshun.....	,,	30.05	763.3	...	...	N E	6	...	,,	30.09	764.2	...	...	N	2	...
scadores.	,,	30.09	764.2	...	...	N	6	...	,,	30.10	764.4	...	...	N	6	...
anton, ...	3 p.	30.02	762.5	73	72	S	1	b	9 a.	30.15	765.8	72	76	S	1	b
ongkong, ...	4 p.	30.02	762.5	73	61	E S E	2	c	10 a.	30.15	765.8	74	72	E	2	b
ctoria Peak, ...	,,	...	...	...	...	E	2	...	,,	..	...	...	...	E	1	...
ap Rock, ...	,,	30.02	762.5	...	...	N E	2	...	,,	30.13	765.3	...	...	E N E	3	...
acao, ...	,,	...	...	73	...	S E	1	c	,,	30.17	766.4	74	...	E	1	c
uchow, ...	3 p.	30.05	763.2	72	76	S	1	b	9 a.	30.16	766.0	68	..	W	1	o
oihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
akhoi, ...	,,	30.02	762.5	75	64	W N W	2	c	,,	...	...	...	...	...	...	...
hulien, ...	4 p.	30.00	762.1	77	...	S	2	b	8 a.	30.15	765.8	68	...	N E	2	c
ourane, ...	,,	...	...	...	...	...	...	..	,,	30.09	764.2	75	..	N N W	2	c
ape St. James,	,,	29.92	760.0	81	...	E N E	4	c	,,	30.00	761.9	...	...	N	2	c
parri, ...	2 p.	29.94	760.4	82	...	N E	2	o	6 a.	30.02	762.4	73	...	E	0	c
anila, ...	4 p.	29.88	759	86	71	...	0	o	10 a.	30.09	762	83	65	W N W	1	c
gaspi, ...	2 p.	29.90	759.5	91	...	N E	2	c	6 a.	...	...	...	...	..	...	..
acolod, ...	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	2	o
ollo, ...	,,	29.85	758.2	87	...	N E	1	o	,,	29.99	761.7	83	...	N E	1	o
ebu, ...	,,	29.86	758.4	86	...	N	1	o	,,	29.92	759.9	83	...	N	2	or
abuan, ...	,,	29.89	759.2	88	...	...	...	...	,,	29.96	761.0	85	...	...	...	...

On the 21st at 11.55 a.—The barometer has risen considerably in Wladiwostok, and fallen moderately over Hokkaido.

The depression lying near the former station yesterday, has reached the N.E. part of the Sea of Japan.

Pressure remains high over S. China, and the Pacific to the South of Japan.

Moderate N.E. winds are indicated over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. and E. winds, light or moderate; fine.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 21st April, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st April, 1911, P.M.								22nd April, 1911, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.65	753.1	45	...	...	0	o	7 a.	29.63	752.5	41	62	E S E	0
Nemuro,	,,	29.59	751.6	...	...	S W	8	...	6 a.	29.69	754.1	...	...	W	3
Hakodate,	,,	29.67	753.7	...	...	W S W	6	...	,,	29.83	757.7	...	...	..	0
Tokio,	,,	29.91	759.6	...	...	S	2	...	,,	29.97	761.1	...	...	N W	1
Kochi,	,,	30.09	764.3	...	...	E S E	1	...	,,	30.09	764.3	...	...	S W	1
Nagasaki,	,,	30.07	763.8	...	...	S S W	5	...	,,	30.11	764.8	...	...	..	0
Kagoshima,	,,	30.13	765.4	...	...	S	1	...	,,	30.13	765.4	...	...	N N W	1
Oshima,	,,	30.16	766.1	...	...	...	0	...	,,	30.12	765.1	...	...	S	1
Naha,	,,	30.15	765.7	...	...	E	1	...	,,	30.13	765.2	...	...	...	0
Ishigakijima,	,,	30.13	765.3	...	...	S E	2	...	,,	30.17	766.8	...	...	N E	1
Bonin Is.	,,	30.14	765.6	...	...	N N E	1	...	,,	30.12	765.1	...	...	...	0
Chefoo,	4 p.	...	...	...	...	..	...	...	6 a.	..	...	...	..	..	...
Weihaiwei,	,,	30.01	762.2	57	41	E N E	1	bm	9 a.	29.92	759.9	62	41	W S W	6
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kinkiang,	,,	30.02	762.5	...	...	E	1	b	,,	30.11	764.6	61	94	...	0
Shanghai,	,,	30.01	762.2	...	...	N W	2	b	9 a	30.07	763.8	71	66	S E	2
Gutzlaff,	,,	30.00	762.0	75	56	W	2	bm	,,	30.11	764.8	57	100	S E	3
Sharp Peak,	,,	30.07	763.8	68	...	...	0	b	,,	30.10	764.5	68	...	...	0
Amoy,	,,	29.96	761.0	74	63	S E	4	b	6 a.	29.97	761.2	66	84	...	0
Swatow,	,,	30.01	762.2	77	61	E	1	b	,,	29.98	761.5	64	89	N	1
Taihoku,	1 p.	30.10	764.5	...	...	W	4	...	5 a.	30.02	762.6	...	...	...	0
Taichu,	,,	30.10	764.5	...	...	N	4	...	,,	30.04	763.0	...	...	...	0
Tainan,	,,	30.09	764.3	...	...	N W	6	...	,,	30.04	762.9	...	...	N E	2
Koshun	,,	30.08	764.0	...	...	N E	4	...	,,	30.04	763.1	...	...	E	2
Pescadores,	,,	30.10	764.6	...	...	N E	6	...	,,	30.04	763.0	...	...	N E	4
Canton,	3 p.	30.04	763.0	78	65	S	1	b	9 a.	30.08	764.0	74	81	S	1
Hongkong,	4 p.	30.05	763.2	73	72	E	2	b	10 a.	30.10	764.5	77	72	...	0
Victoria Peak,	,,	...	...	...	...	N E	1	...	,,	...	...	...	...	S	1
Gap Rock,	,,	30.03	762.7	...	...	E N E	3	...	,,	30.06	763.5	...	...	E N E	3
Macao,	,,	30.07	763.8	75	...	S E	2	c	,,	30.12	764.9	75	...	...	0
Wuchow,	3 p.	30.08	764.0	71	...	...	0	b	9 a.	30.08	764.0	70	...	...	0
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	30.06	763.5	74	72	...	0	b	,,	...	...	...	...	...	...
Phulien,	4 p.	30.02	762.6	79	...	S S E	2	b	8 a.	30.10	764.4	72	...	S E	1
Tourane,	,,	30.00	762.0	77	...	N W	3	c	,,	30.06	763.6	75	..	N W	2
Cape St. James,	,,	29.90	759.4	82	...	E	4	c	,,	29.96	760.9	77	...	N	3
Aparri,	2 p.	29.97	761.3	86	...	E	2	o	6 a.	29.99	761.7	73	...	E	0
Manila,	4 p.	29.88	759	90	48	N E	1	c	10 a.	29.92	760	86	65	...	0
Legaspi,	2 p.	29.90	759.5	84	...	N E	2	o	6 a.	29.89	759.3	81	...	N E	2
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	2
Iloilo,	,,	29.87	758.7	84	...	N E	1	o	,,	29.91	759.7	82	...	N E	2
Cebu,	,,	29.87	758.7	86	...	N	1	o	,,	29.90	759.9	82	...	N	1
Labuan,	,,	...	...	...	...	...	...	...	,,	29.93	760.2	82	...	...	...

On the 22nd at 11.55 a.—The depression lying over the N.E. part of the Sea of Japan yesterday, has move the Pacific.

Another depression appears to have reached Manchuria from the Westward.

High pressure still covers S. China and the Pacific towards the Bonins, but the barometer is falling over areas.

Light to moderate N.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 22nd April, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

.TION.	22ND APRIL, 1911, P.M.								23RD APRIL, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
ɔ,.....	,,	29.61	752.1	...	...	S W	6	...	6 a.	29.47	748.5	...	...	W	3	...
ate,.....	,,	29.73	755.2	...	...	S W	4	...	,,	29.71	754.7	...	...	...	0	...
.....	,,	29.93	760.1	...	...	S	2	...	,,	29.91	759.8	...	...	...	0	...
.....	,,	30.03	762.8	...	...	E S E	6	...	,,	30.03	762.8	...	...	S W	1	...
ki, ...	,,	30.11	764.8	...	...	W N W	2	...	,,	30.07	763.8	...	...	S E	1	...
ıima, ...	,,	30.07	763.9	...	...	S S E	1	...	,,	30.06	763.4	...	...	N E	1	...
,.....	,,	30.12	765.1	...	...	N N E	2	...	,,	30.06	763.6	...	...	..	0	...
.....	,,	30.11	764.7	...	...	E S E	1	...	,,	30.03	762.7	...	...	...	0	...
ijima,....	,,	30.07	763.8	...	...	E	3	...	,,	29.97	761.3	...	...	S E	2	...
Is.....	,,	30.12	765.1	...	...	N E	1	...	,,	30.10	764.6	...	...	E	1	...
.....	4 p.	29.77	756.1	...	...	S	2	b	6 a.	...	...	...	...	...	...	...
wei,.....	,,	29.81	757.2	60	71	S W	7	b	9 a.	29.75	755.6	60	71	S W	6	b
v, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	...
ıg,.....	,,	29.88	758.9	...	...	...	0	b	,,	29.83	757.7	71	85	N E	1	c
ai, ...	,,	29.94	760.5	80	48	S S E	2	c	9 a.	29.84	757.9	74	72	S	3	c
f, ...	,,	30.00	762.0	60	94	S E	5	f	,,	29.90	759.4	63	100	S S E	4	cm
Peak,.....	,,	30.01	762.2	70	...	E	3	b	,,	29.95	760.7	71	95	...	0	f
.....	,,	29.90	759.4	74	72	S S E	4	b	6 a.	...	...	...	...	...	...	...
,.....	,,	29.95	760.7	78	65	E	1	b	,,	29.91	759.7	67	64	...	0	o
ı,.....	1 p.	30.00	761.9	...	...	N	4	...	5 a.	29.94	760.4	...	...	N W	4	...
.....	,,	30.01	762.3	...	...	N	2	...	,,	29.96	760.9	...	...	...	0	...
.....	,,	30.04	763.0	...	...	W	6	...	,,	29.97	761.2	...	...	...	0	...
.....	,,	30.02	762.5	...	...	E	6	...	,,	29.95	760.6	...	...	S	2	...
res, ...	,,	30.04	763.0	...	...	N	6	...	,,	29.95	760.7	...	...	N	2	...
.....	3 p.	29.97	761.2	83	51	S	1	b	9 a.	29.96	761.0	76	82	S	1	b
ng, ...	4 p.	29.95	760.7	76	71	E N E	1	b	10 a.	29.96	761.0	75	84	E	3	o
Peak,...	,,	...	...	...	...	S	1	...	,,	...	...	...	...	S S E	3	...
ck,.....	,,	29.94	760.5	...	...	E	2	...	,,	29.94	760.5	...	...	E	3	...
.....	,,	29.99	761.7	78	...	S E	2	c	,,	29.99	761.6	75	...	S E	1	o
v,.....	3 p.	29.95	760.7	84	...	W	1	b	9 a.	29.96	761.0	74	...	W	1	b
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	30.01	762.2	83	63	S	1	b	,,	...	...	...	...	...	...	...
.....	4 p.	29.93	760.3	81	...	S S E	3	b	8 a.	29.95	760.7	73	...	S S E	3	c
,.....	,,	29.94	760.4	75	...	N W	2	c	,,	29.93	760.3	81	..	S S W	1	b
James,.	,,	29.87	757.7	84	...	S E	3	c	,,	29.91	759.8	82	...	N N E	2	c
.....	2 p.	29.92	760.0	84	...	E	2	b	6 a.	29.90	759.4	73	...	E	2	c
.....	4 p.	29.84	758	84	71	...	0	o	10 a.	29.84	758	73	91	E S E	1	r
.....	2 p.	29.80	757.0	82	...	N E	2	o	6 a.	29.74	755.3	77	...	S E	2	o
.....	3 p.	...	...	...	...	N E	2	or	9 a.	...	...	...	...	N E	1	c
.....	,,	29.81	757.2	83	...	...	0	cd	,,	29.83	757.7	82	...	N E	2	b
.....	,,	29.80	756.9	82	...	N	2	o	,,	29.82	757.4	84	...	N	3	b
.....	,,	29.82	757.4	88	...	...	...	...	,,	...	...	...	...	...	...	...

n the 23rd at 11.55 a.—The barometer has fallen generally, particularly over Luzon and China.
depression, which appears to be moving Westwards, has approached S.E. Luzon.
the North, a depression is moving Eastwards over N. China, and another one is shown to the N.E. of Japan.
essure is highest over the Pacific to the South of Japan.
and N.E. winds, freshening, may be expected over the N. part of the China Sea to the South of the 20th l.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	E. winds, light or moderate; fair.
osa Channel, ...	S.E. winds, moderate.
coast of China between Hongkong and Lamocks,.	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ongkong Observatory, Sunday, 23rd April, 1911.

ed by NORONHA & Co., Government Printers.]

6

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd April, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	24th April, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock....	2 p.	29.43	747.6	51	...	S S E	1	c	7 a.	29.50	749.3	46	72	...	0	o
Nemuro, ...	,,	29.63	752.6	...	...	N	6	...	6 a.	29.85	758.1	...	...	S W	4	...
Hakodate, ...	,,	29.79	756.7	...	...	N W	5	...	,,	29.73	755.2	...	...	..	0	...
Tokio, ...	,,	29.91	759.6	...	...	S W	2	...	,,	29.97	761.1	...	...	N W	1	...
Kochi, ...	,,	29.99	761.8	...	...	E S E	2	...	,,	29.99	761.8	...	...	S W	1	...
Nagasaki, ...	,,	30.01	762.3	...	...	S W	1	...	,,	29.93	760.3	...	...	S E	3	...
Kagoshima, ...	,,	30.02	762.4	...	...	S S E	1	...	,,	29.98	761.4	...	...	S S E	1	...
Oshima, ...	,,	30.04	763.1	...	...	S	2	...	,,	30.06	763.6	...	...	S W	1	...
Naha, ...	,,	30.01	762.2	...	...	S	1	...	,,	29.93	760.2	...	...	S	1	...
Ishigakijima, ...	,,	29.97	761.3	...	...	S E	2	...	,,	29.88	758.8	...	...	S E	2	...
Bonin Is.	,,	30.06	763.6	...	...	S E	1	...	,,	30.03	764.1	...	...	...	0	...
Chefoo, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei, ...	,,	29.67	753.6	63	67	S S W	5	o	9 a.	29.60	751.8	52	100	S E	2	omr
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kinkiang.....	,,	29.67	753.6	84	68	S W	2	c	,,	29.65	753.1	68	100	...	0	b
Shanghai, ...	,,	29.70	754.4	82	63	S S E	3	c	9 a	29.66	753.3	75	81	W S W	2	cm
Gutzlaff, ...	,,	29.77	756.1	66	89	S S E	4	bm	,,	29.73	755.1	63	94	S S W	3	v
Sharp Peak, ...	,,	29.84	757.9	72	...	E	1	b	,,	29.75	755.6	72	...	...	0	b
Amoy, ...	,,	...	...	77	69	S	3	b	6 a.	29.76	755.9	72	85	S W	1	b
Swatow, ...	,,	29.88	758.9	81	74	E	3	c	,,	29.85	758.2	70	90	E S E	1	b
Taihoku, ...	1 p.	29.89	759.2	...	...	N	4	...	5 a.	29.83	757.7	...	...	...	0	...
Taichu, ...	,,	29.91	759.7	...	...	N W	4	...	,,	29.86	758.4	...	...	...	0	...
Tainan, ...	,,	29.91	759.7	...	...	S E	6	...	,,	29.84	758.0	...	...	N E	2	...
Koshun.....	,,	29.91	759.7	...	...	S E	8	...	,,	29.83	757.6	...	...	S E	4	...
Pescadores, ...	,,	29.91	759.8	...	...	N W	4	...	,,	29.67	753.7	...	...	...	0	...
Canton, ...	3 p.	29.83	757.7	83	67	S W	1	b	9 a.	29.88	758.9	76	86	S S W	1	c
Hongkong, ...	4 p.	29.85	758.2	75	83	E	3	c	10 a.	29.88	758.9	78	81	W	1	c
Victoria Peak, ...	,,	...	...	...	...	S S E	1	...	,,	...	...	...	...	N W	1	...
Gap Rock, ...	,,	29.84	757.9	...	...	N N E	2	...	,,	29.86	758.4	...	...	N	3	...
Macao, ...	,,	29.87	758.7	78	...	S S E	2	c	,,	..	...	...	...	...	...	...
Wuchow, ...	3 p.	29.86	758.4	83	...	W	1	b	9 a.	29.89	759.2	76	82	...	0	b
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	..	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.79	756.7	79	...	S S E	4	c	8 a.	29.88	758.9	73	...	E S E	3	db
Tourane, ...	,,	29.80	756.8	81	...	S E	2	b	,,	29.87	758.7	81	..	S S E	1	b
Cape St. James, .	,,	29.80	757.0	82	...	E	3	o	,,	29.92	760.0	79	...	W	2	c
Aparri, ...	2 p.	29.81	757.2	84	...	E	4	o	6 a.	29.78	756.5	75	...	S E	2	b
Manila, ...	4 p.	29.65	753	75	94	N N W	5	r	10 a.	29.88	755	84	71	S	1	ov
Legaspi, ...	2 p.	29.76	756.0	88	...	S	2	c	6 a.	29.85	758.1	77	...	...	0	c
Bacolod, ...	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	1	b
Iloilo, ...	,,	29.79	756.6	84	...	S W	2	b	,,	29.91	759.7	83	...	S W	1	c
Cebu, ...	,,	29.80	756.9	87	...	N E	2	c	,,	29.90	759.4	87	...	S	1	b
Labuan, ...	,,	29.84	757.9	84	...	...	...	...	,,	29.93	760.2	81	...	...	...	...

On the 23rd at 6.10 p.—Typhoon in Southern Luzon moving W.N.W.

On the 24th at 11.55 a.—The barometer has risen moderately in the South Philippines, and fallen a like amount at the stations bordering the N. part of the China Sea.

The typhoon is probably situated about midway between the W. coast of Luzon and the Macclesfield Bank. At present it appears to be moving towards N.W.

Pressure has given way considerably over the E. and N.E. coasts of China under the influence of a depression which is moving Eastwards over Shantung. Another depression is shown over E. Manchuria.

Pressure remains high over the Pacific in the neighbourhood of the Bonins.

Unsettled squally weather is indicated over the whole of the China coast, and strong winds to gales, between N. and E. over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	Variable winds probably freshening from the Northward; fine at first, squally with rain later.
2.—Formosa Channel, ...	S.W. and variable winds; squally.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 24th April, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th April, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	25th April, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.56	750.8	64	...	N N E	3	o	7 a.	29.68	753.8	47	64	...	0	o
Gemuro,	,,	29.53	750.1	...	...	S	5	...	6 a.	29.89	759.1	...	...	N E	6	...
Hakodate,	,,	29.59	751.7	...	...	S W	5	...	,,	29.83	757.7	...	...	..	0	...
Tokio,	,,	29.85	758.1	...	...	S	2	...	,,	29.81	757.1	...	...	S W	1	...
Kochi,	,,	29.93	760.3	...	...	S E	...	...	,,	29.62	752.3	...	...	S S W	2	...
Nagasaki,	,,	29.74	755.3	...	...	S	9	...	,,	29.72	754.8	...	...	W N W	5	...
Kagoshima,	,,	29.88	758.9	...	...	S E	3	...	,,	29.76	755.9	...	...	W	2	...
Oshima,	,,	29.91	759.6	...	...	S S E	4	...	,,	29.85	758.1	...	...	S	2	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.85	758.2	...	...	S S W	2	...
Ishigakijima,	,,	29.85	758.3	...	...	S S E	5	...	,,	29.86	758.3	...	...	S S E	3	...
Bonin Is.	,,	30.08	764.1	...	...	...	0	...	,,	30.06	763.6	...	...	..	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.55	750.5	58	94	E S E	1	cm	9 a.	29.61	752.1	58	88	S W	7	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	..	...	...	...	...	...
Kiukiang,	,,	29.67	753.6	93	...	W	1	b	,,	...	..	...	...	...	...	..
Shanghai,	,,	29.59	751.6	85	58	W S W	2	b	9 a.	29.77	755.1	77	77	S S E	2	b
Sutzlaff,	,,	29.65	753.1	71	90	S W	3	bm	,,	29.84	757.9	64	84	S E	4	bm
Sharp Peak,	,,	29.68	753.9	75	...	W N W	2	b	,,	29.82	757.4	74	95	S	1	b
Amoy,	,,	...	...	85	61	S W	2	b	6 a.	29.87	758.7	73	86	S W	1	b
Swatow,	,,	29.74	755.4	87	65	S S E	2	b	,,	29.81	757.2	73	95	S S E	1	c
Taihoku,	1 p.	29.81	757.1	...	...	N W	4	...	5 a.	29.82	757.4	...	...	...	0	...
Taichu,	,,	29.82	757.3	...	...	N	6	...	,,	29.83	757.7	...	...	...	0	...
Tainan,	,,	29.81	757.2	...	...	N W	8	...	,,	29.83	757.6	...	...	N	2	...
Koshun	,,	29.82	757.3	...	...	E	6	...	,,	29.82	757.3	...	...	..	0	...
Pescadores,	,,	29.81	757.2	...	...	N	6	...	,,	29.80	757.0	...	...	N	2	...
Canton,	3 p.	29.74	755.4	84	64	S W	1	b	9 a.	29.86	758.4	79	82	S S W	1	b
Hongkong,	4 p.	29.76	755.9	82	67	W	1	c	10 a.	29.86	758.4	80	78	W	1	b
Victoria Peak,	,,	...	...	...	...	S S W	2	...	,,	...	...	...	...	N W	0	...
Gap Rock,	,,	29.75	755.6	...	...	S E	3	...	,,	29.85	758.2	...	...	S W	2	...
Macao,	,,	29.78	756.4	80	...	S S E	2	c	,,	29.93	760.2	80	...	S W	1	c
Kuchow,	3 p.	29.77	756.1	85	61	W	1	c	9 a.	29.88	758.9	72	...	W	1	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.81	757.2	84	64	W	1	c	,,	...	...	...	...	..	...	...
Phulien,	4 p.	29.75	755.7	79	...	S E	4	c	8 a.	29.87	758.6	75	...	E	2	c
Tourane,	,,	29.74	755.4	82	...	S	3	b	,,	29.84	757.8	82	..	S S W	3	b
Cape St. James,	,,	29.76	756.0	88	...	N W	2	c	,,	29.88	759.0	81	...	W	1	c
Aparri,	2 p.	29.72	755.0	86	...	E	2	b	6 a.	29.82	757.4	71	...	S W	2	b
Manila,	4 p.	29.88	759	82	77	W S W	2	o	10 a.	29.92	760	86	65	...	0	c
Legaspi,	2 p.	29.80	756.9	90	...	S W	2	b	6 a.	29.88	759.0	75	...	...	0	b
Tacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.81	757.2	85	...	S W	2	c	,,	29.99	761.7	83	...	S W	1	c
Cebu,	,,	29.83	757.7	80	...	S	2	c	,,	29.93	760.2	82	...	S	2	b
Labuan,	,,	29.82	757.4	82	...	...	...	...	,,	29.93	760.2	84	...	...	...	...

On the 25th at 11.55 a.—The barometer has risen slightly in the Philippines. It remains practically steady at the other stations around the China Sea.

The typhoon has, apparently, filled up.

The depression lying over Shantung yesterday, has moved into the S. part of the Sea of Japan, and the one situated over the N.E. part of the Sea of Japan has moved away over the Pacific.

Pressure remains low over N. China, and high over the Pacific to the East of the Bonins.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood,	S.W. winds, light or moderate; fine.
—Formosa Channel,	S. winds, light or moderate.
—South coast of China between Hongkong and Lamooks,	Same as No. 2.
—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 25th April, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th April, 1911, P.M.								26th April, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	29.63	752.7	46	...	W	0	o	7 a.	29.23	743.8	34	93	W	2	or
Nemuro	,,	29.98	761.6	...	...	E S E	2	...	6 a.	29.63	752.6	...	...	E N E	4	...
Hakodate	,,	29.76	755.7	...	...	E	4	...	,,	29.52	749.7	...	...	..	0	...
Tokio	,,	29.71	749.6	...	...	S W	6	...	,,	29.59	751.6	...	...	S	1	...
Kochi	,,	29.64	752.8	...	...	W	4	...	,,	29.76	757.3	...	...	S W	1	...
Nagasaki	,,	...	...	...	...	...	...	...	,,	29.80	756.8	...	...	W S W	5	...
Kagoshima	,,	29.78	756.4	...	...	W S W	3	...	,,	29.82	757.4	...	...	..	0	...
Oshima	,,	29.89	759.1	...	...	N	1	...	,,	29.89	759.1	...	...	S	1	...
Naha	,,	29.91	759.7	...	...	S W	2	...	,,	29.89	759.2	...	...	..	0	...
Ishigakijima	,,	29.87	758.8	...	...	S E	1	...	,,	29.86	758.8	...	...	N	1	...
Bonin Is.	,,	30.04	763.1	...	...	S S W	1	...	,,	29.99	761.6	...	...	S	1	...
Chefoo	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei	,,	29.57	751.1	54	94	N W	8	eq	9 a.	30.00	762.0	54	38	W	5	...
Hankow	,,	...	...	...	...	...	...	..	6 a.	...	...	...	...	...	...	...
Kinkiang	,,	...	...	...	...	..	...	..	,,	...	...	...	...	...	...	..
Shanghai	,,	29.72	754.9	...	...	S S W	2	b	9 a.	30.19	767.0	57	46	N	2	on
Gutzlaff	,,	29.76	755.6	72	76	S S E	4	bm	,,	30.19	767.8	54	55	N	5	bm
Sharp Peak	,,	29.77	756.1	76	...	...	0	b	,,	30.11	764.8	71	76	N	5	o
Amoy	,,	29.81	757.2	85	61	S E	4	b	6 a.	29.89	759.2	73	86	E	1	c
Swatow	,,	29.79	756.6	86	58	S	2	b	,,	...	...	...	...	...	...	...
Taihoku	1 p.	29.81	757.1	...	...	N	6	...	6 a.	29.88	758.8	...	...	...	0	...
Taichu	,,	29.83	757.7	...	...	N W	2	...	,,	29.89	759.1	...	...	...	0	...
Tainan	,,	29.83	757.8	...	...	S W	6	...	,,	29.88	758.8	...	...	...	0	...
Koshun	,,	29.84	757.9	...	...	W	4	...	,,	29.86	758.4	...	...	N W	2	...
Pescadores	,,	29.83	757.6	...	...	N W	2	...	,,	29.87	758.7	...	...	N W	4	...
Canton	3 p.	29.78	756.4	87	62	W	1	b	9 a.	...	...	...	...	...	...	...
Hongkong	4 p.	29.79	756.6	85	62	N W	1	b	10 a.	29.91	759.7	82	72	N W	1	b
Victoria Peak	,,	...	...	...	...	S S W	1	...	,,	...	...	...	...	N W	1	...
Gap Rock	,,	29.80	756.9	...	...	S W	3	...	,,	29.90	759.4	...	...	W S W	3	...
Macao	,,	29.81	757.2	83	...	S	2	c	,,	29.94	760.5	82	...	S W	1	c
Wuchow	3 p.	29.83	758.9	77	...	W	1	b	9 a	...	...	...	...	...	...	...
Hoihow	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi	,,	30.02	762.5	86	55	...	0	o	,,	...	...	...	...	...	...	...
Phulien	4 p.	29.76	755.9	81	...	S S E	4	c	8 a.	29.90	759.5	79	...	E	2	c
Tourane	,,	29.76	756.0	82	...	S S E	3	c	,,	29.89	759.3	84	..	S E	1	c
Cape St. James	,,	29.80	756.9	88	...	S	3	c	,,	29.94	760.5	81	...	W S W	2	c
Aparri	2 p.	29.82	757.5	82	...	N E	2	d	6 a.	29.89	759.3	75	...	N E	0	c
Manila	4 p.	29.80	757	86	79	W S W	3	b	10 a.	29.96	761	82	85	N W	1	c
Legaspi	2 p.	29.85	758.2	...	...	..	.	b	6 a.	29.92	760.0	75	...	..	0	b
Bacolod	3 p.	...	...	...	...	S W	2	or	9 a.	...	...	...	...	S W	1	b
Iloilo	,,	29.85	758.2	86	...	S W	2	c	,,	29.99	761.7	73	...	..	0	b
Cebu	,,	29.85	758.2	90	...	S	2	c	,,	29.96	761.0	88	...	S	1	b
Labuan	,,	29.87	758.7	88	...	...	...	...	,,	29.97	761.2	85	...	...	...	...

On the 26th at 11.55 a.—The barometer has fallen quickly over the North and East of the Sea of Japan, and risen rapidly over N. China.

The depression lying over the S. part of the Sea of Japan yesterday, has reached S.E. Japan.

A deep depression, which has advanced Eastwards over Manchuria, is now moving into the N.E. part of the Sea of Japan.

A high pressure area is lying over the Yangtze valley, and strong winds to gales from N. and N.E., are indicated over the whole of the China coast.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	Winds shifting to N.E. and increasing to a strong breeze or moderate gale; fine first; squally and unsettled later, cooler.
2.—Formosa Channel, ...	N.E. gale.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 1.

P. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 26th April, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th April, 1911, P.M.								27th April, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock....	2 p.	29.15	740.5	39	...	S W	0	or	7 a.	29.52	749.9	44	62	W N W	0	o
Nemuro, ...	,,	29.47	748.6	...	...	N E	5	...	6 a.	..	..	...	...	..	0	...
Hakodate, ...	,,	29.46	748.2	...	...	E N E	2	...	,,	29.63	752.7	...	...	W S W	3	...
Tokio, ...	,,	29.55	750.6	...	...	S	4	...	,,	29.73	755.1	...	...	N	2	...
Kochi, ...	,,	29.63	753.8	...	...	E S E	2	...	,,	29.84	757.8	...	...	S W	1	...
Nagasaki, ...	,,	29.85	758.3	...	...	N W	4	...	,,	29.93	760.3	...	...	...	0	...
Kagoshima, ...	,,	29.82	757.4	...	...	W	2	...	,,	29.90	759.4	...	...	N	1	...
Oshima, ...	,,	29.89	759.1	...	...	N W	1	...	,,	29.89	759.1	...	...	N	3	...
Naha, ...	,,	29.85	758.2	...	...	S W	1	...	,,	29.87	758.7	...	...	N N E	3	...
Ishigakijima, ...	,,	29.87	758.8	...	...	N	6	...	,,	29.89	759.3	...	...	N N E	1	...
Bonin Is.	,,	29.91	759.6	...	...	S S W	1	...	,,	29.93	760.1	...	...	...	0	...
Chefoo, ...	4 p.	29.96	761.0	61	...	N W	3	b	6 a.	..	..	...	...	...	...	...
Weihaiwei, ...	,,	29.90	759.4	63	20	W N W	6	b	9 a.	29.32	759.9	50	65	N W	6	bm
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang, ...	,,	30.10	764.5	70	21	E	3	o	.	29.94	760.5	61	77	E	1	o
Shanghai, ...	,,	30.10	764.5	63	28	N N E	2	om	9 a.	30.04	763.0	60	44	S S E	2	b
Lutzlaff, ...	,,	30.12	765.0	58	42	N	3	bm	,,	30.04	763.0	60	55	S E	2	bm
Sharp Peak, ...	,,	30.01	762.2	70	80	E	5	o	,,	29.98	761.5	66	95	E	1	o
Amoy, ...	,,	29.92	759.9	77	53	E	6	c	6 a.	29.93	760.2	64	67	E	1	o
Swatow, ...	,,	29.86	758.4	80	74	E	2	o	,,	29.95	760.7	64	89	N N E	1	o
Taihoku, ...	1 p.	29.99	761.8	...	...	E	8	...	5 a.	29.91	759.7	...	...	E	6	...
Taichu, ...	,,	29.87	758.7	...	...	N	6	...	,,	29.89	759.2	...	...	...	0	...
Tainan, ...	,,	29.88	758.9	...	...	N	8	...	,,	29.88	758.9	...	...	N	2	...
Koshun	,,	29.91	759.7	...	...	N	4	...	,,	29.88	758.9	...	...	...	0	...
Pescadores, ...	,,	29.91	759.6	...	...	N E	8	...	,,	29.91	759.6	...	...	N E	8	...
Canton, ...	3 p.	29.79	756.6	85	61	E	1	o	9 a.	29.91	759.7	77	77	S E	1	o
Hongkong, ...	4 p.	29.80	756.9	81	77	S W	1	o	10 a.	29.94	760.5	69	74	E N E	4	o
Victoria Peak, ...	,,	...	...	...	...	S S W	3	...	,,	..	..	...	...	E	7	...
Gap Rock, ...	,,	29.78	756.4	...	...	W S W	3	...	,,	29.89	759.2	...	...	E	6	...
Macao, ...	,,	29.82	757.5	82	...	S W	2	o	,,	29.95	760.7	68	...	E S E	4	od
Wuchow, ...	3 p.	29.87	758.7	75	...	S E	1	b	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	29.87	758.7	80	78	N	5	c	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.78	756.5	82	...	N W	5	b	8 a.	29.92	759.9	79	...	W N W	2	c
Tourane, ...	,,	29.78	756.5	77	...	...	0	c	,,	29.87	758.7	79	..	W N W	2	o
Cape St. James, .	,,	29.80	757.0	86	...	S W	4	c	,,	29.92	759.9	82	...	S W	3	o
Aparri, ...	2 p.	29.83	757.8	86	...	N E	2	b	6 a.	29.85	758.2	75	...	N	0	d
Manila, ...	4 p.	29.84	758	82	85	W S W	4	op	10 a.	29.92	761	84	71	S W	1	c
Legaspi, ...	2 p.	29.83	757.8	90	...	S W	2	b	6 a.	29.88	759.0	77	...	..	0	b
Bacolod, ...	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	1	c
Iloilo, ...	,,	29.85	758.2	84	...	S W	2	c	,,	29.99	761.7	83	...	S	1	c
Cebu, ...	,,	29.83	757.7	91	...	S	1	c	,,	29.92	759.9	87	...	S	2	b
Labuan, ...	,,	29.37	758.7	89	...	...	...	...	,,	29.94	760.5	84	...	...	...	...

On the 27th at 12.05 p.—The depression lying over the N. part of the Sea of Japan yesterday, is moving into the Pacific.

Pressure has increased moderately over Japan, and given way quickly over the Yangtze valley. A depression is probably forming over the latter area.

The highest pressure is shown over the E. coast of China.

Fresh E. winds and squally weather may be expected over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, fresh : squally, some rain.
2.—Formosa Channel, ...	E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 27th April, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th April, 1911, P.M.								28th April, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.54	750.3	48	...	W N W	1	o	7 a.	29.77	756.2	42	69	...	0	o
Nemuro,	,,	29.61	752.1	...	...	S W	7	...	6 a.	29.77	756.1	...	...	S S W	1	...
Hakodate,	,,	29.71	754.7	...	...	S W	4	...	,,	29.81	757.2	...	...	...	0	...
Tokio,	,,	29.79	756.6	...	...	N N E	2	...	,,	29.79	756.6	...	...	...	0	...
Kochi,	,,	29.82	757.3	...	...	S	1	...	,,	29.86	758.3	...	...	...	0	...
Nagasaki,	,,	29.87	758.8	...	...	W	2	...	,,	29.93	760.3	...	...	...	0	...
Kagoshima,	,,	29.86	758.4	...	...	S S E	1	...	,,	29.94	760.4	...	...	N	1	...
Oshima,	,,	29.87	758.6	...	...	N E	2	...	,,	29.89	759.1	...	...	N	1	...
Naha,	,,	29.89	759.2	...	...	N	3	...	,,	29.89	759.2	...	...	N E	1	...
Ishigakijima,	,,	29.89	759.3	...	...	N E	2	...	,,	29.88	758.8	...	...	N N E	1	...
Bonin Is.	,,	...	...	...	...	W N W	3	...	,,	29.76	755.6	...	...	S	1	...
Chefoo,	4 p.	30.00	762.0	51	72	N W	3	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.95	760.7	53	42	N N W	5	c	8 a.	30.04	763.0	55	44	S W	1	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.89	759.2	81	67	N W	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.92	759.9	68	...	S S E	2	b	9 a.	30.04	763.0	60	65	E	2	c
Gutzlaff,	,,	...	...	60	88	S E	3	bm	,,	30.07	763.8	58	70	S E	3	cv
Sharp Peak,	,,	29.94	760.5	67	95	E	1	c	,,	29.97	761.2	66	95	E	1	b
Amoy,	,,	29.91	759.7	64	73	S E	1	o	6 a.	29.94	760.5	63	72	E	1	b
Swatow,	,,	29.90	759.4	68	79	E N E	1	o	,,	29.96	761.0	62	94	N N E	1	b
Taihoku,	1 p.	29.93	760.3	...	...	E	6	...	5 a	29.89	759.1	...	...	E	6	...
Taichu,	,,	29.91	759.7	...	...	E	2	...	,,	29.88	758.9	...	...	...	0	...
Tainan,	,,	29.89	759.1	...	...	W	4	...	,,	29.86	758.4	...	...	...	0	...
Koshun	,,	29.88	759.0	...	...	S E	6	...	,,	29.86	758.4	...	...	N	4	...
Pescadores.	,,	29.90	759.4	...	...	N E	8	...	,,	29.86	758.5	...	...	N E	6	...
Canton,	3 p.	29.86	758.4	76	69	S E	2	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.84	757.9	66	86	E	4	od	10 a.	29.91	759.7	71	80	E N E	3	o
Victoria Peak,	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	6	...
Gap Rock,	,,	29.80	756.9	...	...	E	6	...	,,	29.86	758.4	...	...	E	5	...
Macao,	,,	29.86	758.4	66	...	E	2	od	,,	29.93	760.2	71	...	E S E	2	o
Wuchow,	3 p.	29.80	756.9	84	...	E	1	b	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	86	58	S W	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.73	755.2	90	...	S S E	2	c	8 a.	29.83	757.7	76	...	E	3	c
Tourane,	,,	29.78	756.4	79	...	W N W	1	c	,,	29.78	756.4	79	..	W N W	2	c
Cape St. James,	,,	29.82	757.5	77	...	S W	4	o	,,	29.90	759.4	73	...	S W	3	or
Aparri,	2 p.	29.76	755.8	84	...	E	2	c	6 a.	29.80	756.9	73	...	S E	2	c
Manila,	4 p.	29.80	757	79	84	S W	4	cq	10 a.	29.38	759	82	77	W	1	o
Legaspi,	2 p.	29.79	756.6	91	...	S W	2	c	6 a.	29.83	757.6	79	...	S W	2	c
Bacolod,	3 p.	...	...	...	...	S W	2	c	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.87	758.7	86	...	S W	1	b	,,	29.89	759.2	84	...	...	0	b
Cebu,	,,	29.80	756.9	91	...	S	1	c	,,	29.89	759.2	89	...	S	1	b
Labuan,	,,	29.81	757.2	89	...	...	...	...	,,	29.99	759.4	85	...	...	...	...

On the 28th at 11.55 a.—The barometer has fallen slightly at the stations bordering the China Sea, and risen moderately over N. China and the N. part of the Sea of Japan.

An area of low pressure, probably of slight intensity, lies over the N. part of the China Sea, and a depression is shown also over the Pacific in the neighbourhood of the Bonins.

Pressure is highest over the Yellow Sea.

Fresh N.E. and E. winds, and squally weather are indicated over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, fresh; squally, some rain.
2.—Formosa Channel,	E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 28th April, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	28TH APRIL, 1911, P.M.								29TH APRIL, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
vostock,	2 p.	29.83	757.7	49	...	N E	0	c	7 a.	29.98	761.4	40	80	S	1	b
ro,	,,	29.75	755.6	...	...	S S W	2	...	6 a.	29.95	760.6	...	...	N E	3	...
late,	,,	29.79	756.7	...	...	S	2	...	,,	30.01	762.2	...	...	...	0	...
,	,,	29.73	755.1	...	...	S	3	...	,,	29.99	761.6	...	...	N N W	1	...
,	,,	29.82	757.3	...	...	N W	1	...	,,	29.99	761.5	...	...	S W	1	...
aki,	,,	29.93	760.3	...	...	W	2	...	,,	29.99	761.5	...	...	N E	1	...
ihima,	,,	29.90	759.4	...	...	W S W	2	...	,,	30.00	761.9	...	...	N E	1	...
a,	,,	29.93	760.1	...	...	N N E	2	...	,,	29.99	761.6	...	...	S	1	...
	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	0	...
kijima,	,,	...	...	...	...	...	...	...	,,	29.93	760.3	...	...	E N E	1	...
Is.	,,	29.71	754.6	...	...	W	2	...	,,	29.89	759.1	...	...	...	0	...
o,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iwei,	,,	29.99	761.7	57	36	N E	2	b	9 a.	30.04	763.0	52	66	...	...	c
ow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ang,	,,	29.76	755.9	...	...	N E	2	b	,,	...	...	...	...	...	...	...
hai,	,,	29.92	759.9	66	49	S E	2	c	9 a.	29.89	759.2	66	68	S E	3	o
aff,	,,	29.99	761.7	57	75	E	3	cm	,,	29.93	760.2	58	83	S E	7	cm
Peak,	,,	29.92	759.9	67	90	E	2	b	,,	29.95	760.7	65	95	...	0	c
,	,,	29.85	758.2	72	67	S	5	b	6 a.	29.89	759.2	65	68	E	1	b
w,	,,	29.88	758.9	75	68	E	3	b	,,	29.92	759.9	64	89	E S E	1	or
ku,	1 p.	29.87	758.8	...	...	E	8	...	5 a	29.89	759.3	...	...	...	0	...
u,	,,	29.86	758.5	...	...	W	2	...	,,	29.93	760.2	...	...	...	0	...
n,	,,	29.87	758.7	...	...	W	6	...	,,	29.92	759.9	...	...	N E	2	...
m,	,,	29.87	758.8	...	...	E	6	...	,,	29.91	759.6	...	...	...	0	...
dores,	,,	29.89	759.2	...	...	N	8	...	,,	29.90	759.4	...	...	N E	4	...
n,	3 p.	29.83	757.6	79	74	S	1	o	9 a.	29.87	758.7	71	90	E	1	or
kong,	4 p.	29.82	757.4	72	83	E	3	o	10 a.	29.90	759.4	71	93	E	3	o
ia Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E S E	5	...
Rock,	,,	29.78	756.4	...	...	E	4	...	,,	29.86	758.4	...	...	E	4	...
,	,,	29.83	757.6	70	...	E S E	3	o	,,	29.90	759.4	73	...	S E	1	cf
ow,	3 p.	...	...	81	...	S E	1	c	9 a.	...	...	...	...	...	...	...
w,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
i,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
en,	4 p.	29.69	754.0	79	...	E S E	6	b	8 a.	29.77	756.2	82	...	E S E	5	c
ne,	,,	29.72	754.8	82	...	...	0	o	,,	29.78	756.3	84	...	...	0	c
St. James,	,,	29.80	756.8	81	...	S W	4	o	,,	29.90	759.5	81	...	S W	3	o
i,	2 p.	29.79	756.7	84	...	N	2	c	6 a.	29.88	759.0	75	...	N E	2	d
a,	4 p.	29.76	756	86	71	S W	3	c	10 a.	29.88	759	82	85	W	1	o
pi,	2 p.	29.78	756.3	86	...	S W	2	o	6 a.	29.84	757.9	77	...	S W	2	b
od,	3 p.	...	...	...	...	S W	2	b	9 a.	...	...	...	...	S W	1	b
	,,	29.83	757.7	86	...	S W	1	o	,,	29.91	759.7	83	...	S W	1	b
	,,	29.79	756.6	91	...	S	2	c	,,	29.84	757.9	89	...	S	1	b
n,	,,	29.80	756.9	89	...	...	...	...	,,	29.91	759.7	84	...	...	...	...

On the 29th at 11.55 a.—The barometer has risen moderately at the Japanese stations, and fallen decidedly on E. coast of China.

A depression is moving Eastwards over the Yangtze valley, and pressure is low also over Tongking.

The highest pressure is shown over the Sea of Japan.

Fresh to moderate S.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.27 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood,	E. to S.E. winds. fresh to moderate; misty, some [rain.
mosa Channel,	Same as No. 1.
th coast of China between Hongkong and Lamocks,	Same as No. 1.
th coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 29th April, 1911.

nted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th April, 1911, P.M.								30th April, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.96	761.1	41	...	S E	3	c	7 a.	29.98	761.4	40	97	S	0	o
Nemuro,	,,	29.94	760.6	...	...	N E	3	...	6 a.	30.06	763.6	...	...	N W	2	...
Hakodate,	,,	29.97	761.2	...	...	W N W	1	...	,,	30.15	765.7	...	...	...	0	...
Tokio,	,,	30.00	762.1	...	...	E N E	2	...	,,	30.06	763.6	...	...	N	1	...
Kochi,	,,	29.99	761.8	...	...	S S W	1	...	,,	29.99	761.8	...	...	...	0	...
Nagasaki,	,,	29.99	761.8	...	...	W	2	...	,,	30.01	762.3	...	...	N E	1	...
Kagoshima,	,,	29.96	760.9	...	...	S	1	...	,,	30.02	762.4	...	...	E N E	1	...
Oshima,	,,	29.96	761.1	...	...	N N E	2	...	,,	29.97	761.1	...	...	S	1	...
Naha,	,,	29.95	760.7	...	...	E S E	1	...	,,	29.81	757.2	...	...	...	0	...
Ishigakijima,	,,	29.93	760.3	...	...	S E	2	...	,,	29.91	759.8	...	...	E S E	2	...
Bonin Is.	,,	29.93	760.1	...	...	N N E	1	...	,,	29.99	761.6	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.02	762.5	58	57	S E	1	b	9 a.	30.17	766.3	59	48	W	1	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.79	756.6	70	70	N E	4	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.81	757.2	67	74	E	2	o	9 a.	30.09	764.3	55	80	N E	3	od
Gutzlaff,	,,	29.84	757.9	60	94	S E	6	om	,,	30.07	763.8	53	100	N E	6	omr
Sharp Peak,	,,	29.86	758.4	69	...	E	1	b	,,	29.91	759.7	68	90	E	3	c
Amoy,	,,	29.90	759.4	72	71	S E	2	c	6 a.	29.88	758.9	71	85	S	1	c
Swatow,	,,	29.89	759.2	73	81	E	1	o	,,	29.91	759.7	70	95	N N E	1	c
Taihoku,	1 p.	29.89	759.1	...	...	N	6	...	5 a.	29.88	759.0	...	...	...	0	...
Taichu,	,,	29.92	759.9	...	...	N W	4	...	,,	29.91	759.8	...	...	...	0	...
Tainan,	,,	29.91	759.7	...	...	W	6	...	,,	29.89	759.3	...	...	...	0	...
Koshun,	,,	29.90	759.5	...	...	E	6	...	,,	29.90	759.4	...	...	...	0	...
Pescadores,	,,	29.90	759.4	..	...	N	4	...	,,	29.88	758.8	...	...	S	4	...
Canton,	3 p.	29.82	757.4	79	82	S	1	c	9 a.	29.88	758.9	76	90	E	1	or
Hongkong,	4 p.	29.83	757.7	73	88	E	3	o	10 a.	29.91	759.7	73	97	E	1	or
Victoria Peak,	,,	...	...	...	...	S E	6	...	,,	...	...	...	...	E S E	3	...
Gap Rock,	,,	29.80	756.9	...	...	E	4	...	,,	29.88	758.9	...	...	E S E	3	...
Macao,	,,	29.84	758.0	74	...	S E	2	cf	,,	29.91	759.7	75	...	S E	3	c
Wuchow,	3 p.	29.81	757.2	85	68	E	1	c	9 a.	29.86	758.4	76	...	E	1	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.76	755.9	88	96	S W	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.69	754.1	81	...	S S E	5	c	8 a.	29.80	756.8	79	...	S E	4	o
Tourane,	,,	29.72	754.8	82	...	N W	1	c	,,	29.89	757.0	83	..	S W	2	b
Cape St. James,	,,	29.83	757.8	73	...	S W	4	or	,,	29.91	759.6	82	...	S W	3	c
Aparri,	2 p.	29.83	757.8	86	...	N E	2	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	84	71	W S W	2	o	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.81	757.1	84	...	N	2	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	2	b	9 a.	...	...	...	...	S W	1	o
Iloilo,	,,	29.81	757.2	86	...	S W	1	b	,,	29.91	759.7	83	...	S	1	c
Cebu,	,,	29.80	756.9	88	...	...	0	c	,,	29.87	758.7	86	...	S	1	o
Labuan,	,,	29.78	756.4	89	...	...	...	...	,,	...	...	..	...	...	...	...

On the 30th at 12.10 p.—The barometer has risen considerably on the E. and NE coasts of China, and fallen slightly over the Loochoos.

The depression lying over the Yangtze valley yesterday, has moved into the Eastern Sea.

Pressure remains low over Tongking.

Areas of high pressure are lying over E. Japan, and N. China.

Moderate SE winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.49 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	SE and E. winds, moderate to fresh; squally, showe
2.—Formosa Channel,	NE winds, freshening.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 30th April, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th April, 1911, P.M.									1st May, 1911, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	30.04	763.0	49	...	S S E	6	c		7 a.	30.15	765.8	36	96	...	0	f
Nemuro,	,,	30.06	764.1	...	...	N N E	1	...		6 a.	30.14	765.6	...	...	N E	1	...
Hakodate,	,,	30.11	764.7	...	...	S	3	...		,,	30.17	766.2	...	...	W N W	1	...
Tokio,	,,	30.02	762.6	...	...	N N E	1	...		,,	30.16	766.1	...	...	N N W	1	...
Kochi,	,,	30.03	762.8	...	...	...	0	...		,,	30.13	765.3	...	...	S W	1	...
Nagasaki,	,,	30.05	763.3	...	...	N	1	...		,,	30.11	764.8	...	...	E N E	5	...
Kagoshima,	,,	30.02	762.4	...	...	N	1	...		,,	30.12	764.9	...	...	E S E	7	...
Oshima,	,,	29.96	761.1	...	...	S	1	...		,,	29.99	761.6	...	...	S	1	...
Naha,	,,	29.97	761.2	...	...	W	1	...		,,	29.95	760.7	...	...	...	0	...
Ishigakijima,	,,	...	...	...	...	...	...	...		,,	29.97	761.3	...	...	E N E	1	...
Bonin Is.	,,	29.96	761.1	...	...	S E	1	...		,,	30.01	762.1	...	...	...	0	...
Chefoo,	4 p.	30.16	766.0	62	67	N W	1	b		6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.16	766.0	60	44	N	3	b		9 a.	30.25	768.3	65	31	...	...	b
Hankow,	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.08	764.0	56	94	N E	3	o		,,	30.12	765.0	55	94	N E	2	o
Shanghai,	,,	30.11	764.8	54	87	N E	2	op		9 a.	30.19	766.8	61	71	N E	2	om
Gutzlaff,	,,	30.11	764.8	52	93	N E	6	omr		,,	30.20	767.1	56	81	N E	4	om
Sharp Peak,	,,	29.93	760.2	68	70	E S E	6	o		,,	30.09	764.3	65	84	N N E	4	o
Amoy,	,,	29.96	761.0	81	71	S E	2	b		6 a.	...	...	67	84	N E	2	o
Swatow,	,,	29.90	759.4	81	78	E S E	1	b		,,	...	...	73	95	E N E	1	c
Taihoku,	1 p.	29.92	760.0	...	...	N	4	...		5 a.	29.99	761.7	...	...	E	4	...
Taichu,	,,	29.95	760.7	...	...	S	2	...		,,	29.97	761.3	...	...	...	0	...
Tainan,	,,	29.95	760.7	...	...	S W	6	...		,,	29.98	761.5	...	...	N W	2	...
Koshun	,,	29.94	760.4	...	...	S E	4	...		,,	29.96	760.9	...	...	..	0	...
Pescadores,	,,	29.94	760.4	..	...	S W	6	...		,,	29.96	761.0	...	...	N E	8	...
Canton,	3 p.	29.84	757.9	80	87	S S E	1	c		9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.84	757.9	75	96	E	2	o		10 a.	29.96	761.0	77	92	N E	1	o
Victoria Peak,	,,	...	...	...	...	S E	5	...		,,	...	...	...	...	S	5	...
Gap Rock,	,,	29.79	756.6	...	...	S E	3	...		,,	29.91	759.7	...	...	S E	3	...
Macao,	,,	29.84	758.0	75	...	S E	2	of		,,	29.95	760.8	78	...	S S E	1	otf
Wuchow,	3 p.	29.83	757.7	77	...	E	3	o		9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.79	756.6	89	63	S	2	b		,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.72	755.0	82	...	S E	5	c		8 a.	29.88	759.0	81	...	E	4	c
Tourane,	,,	29.77	756.1	84	...	S W	1	c		,,	29.87	758.7	84	..	S W	1	c
Cape St. James,	,,	29.82	757.4	82	...	N N W	4	it		,,	29.95	760.6	82	...	S W	2	c
Aparri,	2 p.	...	...	...	...	...	...	...		6 a.	29.92	759.9	73	...	E	2	b
Manila,	4 p.	29.84	758	84	71	S	1	o		10 a.	29.92	760	86	71	W	1	c
Legaspi,	2 p.	29.83	757.6	84	...	...	0	o		6 a.	29.92	759.9	73	...	...	0	c
Bacolod,	3 p.	...	...	...	...	S W	1	od		9 a.	...	...	...	...	S W	1	o
Iloilo,	,,	29.85	758.2	82	...	...	0	o		,,	29.93	760.2	82	...	...	0	b
Cebu,	,,	29.84	757.9	86	...	...	0	...		,,	29.88	759.9	84	...	...	0	o
Labuan,	,,	...	...	...	...	...	...	...		,,	29.93	760.2	86	...	...	...	...

On the 1st at 11.55 a.—The barometer has risen at all stations—moderately in the North and slightly in the South.

An area of high pressure covers N. China and the Sea of Japan, and pressure is relatively low over S.W. China and Tongking.

Moderate S.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood,	S.E. and E. winds, moderate to fresh; squally, thunder [showers.
—Formosa Channel,	N.E. winds, fresh.
—South coast of China between Hongkong and Lamocks,	Same as No. 1.
—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 1st May, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st May, 1911, P.M.								2nd May, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.12	765.0	53	...	E S E	2	b	7 a.	30.16	766.1	44	91	S S E	1	o
Nemuro,	,,	30.12	765.1	...	...	N E	5	...	6 a.	30.18	766.6	...	...	N N W	3	...
Hakodate,	,,	30.15	765.7	...	...	S W	3	...	,,	30.26	768.7	...	...	...	0	...
Tokio,	,,	30.14	765.6	...	...	N	2	...	,,	30.28	769.1	...	...	N W	1	...
Kochi,	,,	30.19	766.8	...	...	...	0	...	,,	30.27	768.8	...	...	S W	1	...
Nagasaki,	,,	30.17	766.3	...	...	E	2	...	,,	30.19	766.8	...	...	E	1	...
Kagoshima,	,,	30.13	765.4	...	...	E S E	3	...	,,	30.17	766.4	...	...	E S E	6	...
Oshima,	,,	29.96	761.1	...	...	S S W	3	...	,,	29.99	761.6	...	...	S E	2	...
Naha,	,,	29.99	761.7	...	...	W N W	1	...	,,	29.97	761.2	...	...	...	0	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.99	761.8	...	...	N	1	...
Bonin Is.	,,	29.93	761.6	...	...	N N E	2	...	,,	30.04	763.1	...	...	N E	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.19	766.8	65	26	E N E	2	b	9 a.	30.19	766.8	66	36	S S W	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.10	764.5	...	...	N E	2	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.15	765.8	66	54	E N E	3	c	9 a.	30.15	765.8	58	94	E S E	1	od
Gutzlaff,	,,	30.17	766.3	60	82	N E	2	cm	,,	30.17	766.3	58	88	E N E	2	om
Sharp Peak,	,,	30.04	763.0	65	73	E	1	o	,,	30.10	764.5	65	89	E	2	o
Amoy,	,,	29.97	761.2	70	75	E	1	o	6 a.	29.98	761.5	66	84	N E	1	o
Swatow,	,,	29.96	761.0	72	76	N E	3	o	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.02	762.5	...	...	E	6	...	5 a.	30.03	762.7	...	...	E	4	...
Taichu,	,,	29.99	761.7	...	...	N	6	...	,,	30.01	762.2	...	...	N	2	...
Tainan,	,,	29.98	761.6	...	...	N W	6	...	,,	30.00	762.0	...	...	N	6	...
Koshun	,,	29.93	761.5	...	...	E	6	...	,,	29.95	760.7	...	...	N E	2	...
Pescadores,	,,	30.00	761.9	...	...	N E	8	...	,,	30.01	762.1	...	...	N E	4	...
Canton,	3 p.	29.83	758.9	79	91	S S E	1	c	9 a.	29.96	761.0	76	86	S E	1	o
Hongkong,	4 p.	29.89	759.2	77	93	E	3	ot	10 a.	30.00	762.0	71	97	E	4	od
Victoria Peak,	,,	...	...	...	...	S E	5	...	,,	...	...	...	...	E	6	...
Gap Rock,	,,	29.86	758.4	...	...	S E	2	...	,,	29.95	760.7	...	...	E	4	...
Macao,	,,	29.90	759.4	75	...	S E	2	oft	,,	29.99	761.7	73	...	E S E	5	of
Wuchow,	3 p.	29.85	758.2	80	78	S E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.80	756.8	81	...	S S E	5	c	8 a.	29.90	759.4	81	...	S S E	4	c
Tourane,	,,	29.79	756.6	84	...	S	2	c	,,	29.85	758.1	84	..	S S E	1	b
Cape St. James,	,,	29.85	758.1	84	...	S S W	2	lt	,,	29.95	760.7	84	...	S W	3	c
Aparri,	2 p.	29.89	759.2	84	...	N E	2	b	6 a.	29.93	760.2	73	...	E	2	b
Manila,	4 p.	29.84	758	81	92	...	0	o	10 a.	29.92	760	84	77	S	0	c
Legaspi,	2 p.	29.88	759.0	90	...	N E	2	o	6 a.	29.86	758.4	77	...	...	0	o
Bacolod,	3 p.	...	...	...	...	S W	1	or	9 a.	...	...	...	...	S W	1	b
Iloilo,	,,	29.81	757.2	82	...	S W	1	o	,,	29.91	759.7	83	...	...	0	b
Cebu,	,,	29.83	757.7	84	...	S	1	c	,,	29.86	758.4	89	...	S	1	c
Labuan,	,,	29.82	757.4	87	...	...	...	...	,,	29.94	760.5	85	...	...	...	...

On the 2nd at 11.55 a.—The barometer has risen moderately in Japan and fallen slightly over N. China.

The high pressure area is central over the Sea of Japan.

Pressure is still relatively low over S.W. China and Tongking.

Moderate to fresh E. and S.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.68 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh or moderate; squally, rainy.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamooks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 2nd May, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd May, 1911, P.M.								3rd May, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.11	764.7	50	...	S E	1	c	7 a.	29.99	761.6	43	97	S S E	2	f
Nemuro,	,,	30.12	765.1	...	...	S	2	...	6 a.	30.02	762.6	...	...	S S W	2	...
Hakodate,	,,	30.22	767.7	...	...	W N W	4	...	,,	30.21	767.2	...	...	S W	4	...
Tokio,	,,	30.26	768.6	...	...	N N E	1	...	,,	30.32	770.1	...	...	...	0	...
Kochi,	,,	30.25	768.3	...	...	S E	2	...	,,	30.31	769.8	...	...	S W	1	...
Nagasaki,	,,	30.15	765.8	...	...	S E	2	...	,,	30.17	766.3	...	...	S E	3	...
Kagoshima,	,,	30.17	766.4	...	...	E	4	...	,,	30.17	766.4	...	...	E S E	3	...
Oshima,	,,	30.00	762.1	...	...	S E	3	...	,,	30.06	763.6	...	...	S E	2	...
Naha,	,,	29.97	761.2	...	...	W	1	...	,,	29.99	761.7	...	...	S	1	...
Ishigakijima,	,,	29.99	761.8	...	...	N W	2	...	,,	29.99	761.8	...	...	N	1	...
Bonin Is.	,,	30.06	763.6	...	...	N E	1	...	,,	30.18	766.6	...	...	N E	1	...
Chefoo,	4 p.	30.11	764.8	61	88	..	0	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.11	764.8	65	55	E	4	c	9 a.	30.04	763.0	59	93	E S E	1	om
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	30.06	763.5	73	72	N E	2	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.05	763.2	64	78	S E	2	o	9 a.	29.93	760.2	65	89	S E	2	om
Gutzlaff,	,,	30.08	764.0	66	82	E S E	3	cm	,,	29.96	761.0	61	100	S E	1	f
Sharp Peak,	,,	30.03	762.7	66	84	E	3	b	,,	30.00	762.0	67	95	E	1	c
Amoy,	,,	30.00	762.0	74	68	N E	3	b	6 a.	29.97	761.2	68	74	N E	1	c
Swatow,	,,	29.97	761.2	73	81	E	1	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.01	762.2	...	...	E	3	...	5 a	29.97	761.1	...	...	E	2	...
Taichu,	,,	29.97	761.3	...	...	N	4	...	,,	29.97	761.1	...	...	N	2	...
Tainan,	,,	29.97	761.2	...	...	W	6	...	,,	29.98	761.4	...	...	N	2	...
Koshun,	,,	29.97	761.5	...	...	E	4	...	,,	29.96	761.0	...	...	...	0	...
Pescadores,	,,	29.99	761.7	..	...	N	8	...	,,	29.97	761.3	...	...	N	6	...
Canton,	3 p.	29.89	759.2	78	86	S E	2	or	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.91	759.7	71	94	E	3	od	10 a.	29.97	761.2	72	93	E	2	od
Victoria Peak,	,,	...	...	...	...	E	6	...	,,	...	...	...	...	E S E	3	...
Gap Rock,	,,	29.84	757.9	...	...	E	5	...	,,	29.91	759.7	...	...	E	4	...
Macao,	,,	29.90	759.4	73	...	E S E	5	of	,,	29.97	761.2	74	...	S E	4	o
Wuchow,	3 p.	29.89	759.2	78	86	E	1	od	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.75	755.6	82	...	S S E	5	c	8 a.	29.86	758.4	81	...	S E	5	c
Tourane,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	84	..	S	2	c
Cape St. James,	,,	29.82	757.4	86	...	S W	4	c	,,	29.96	760.9	73	...	N E	4	lt
Aparri,	2 p.	29.89	759.1	84	...	N E	2	b	6 a.	29.92	759.9	72	...	E	2	d
Manila,	4 p.	29.80	757	86	71	S S E	1	o	10 a.	29.88	759	86	65	...	0	c
Legaspi,	2 p.	29.80	756.9	82	...	N E	2	o	6 a.	29.86	758.3	79	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N	2	o	9 a.	...	...	...	...	N	1	o
Iloilo,	,,	29.79	756.6	81	...	...	0	o	,,	29.87	758.7	81	...	N E	1	c
Cebu,	,,	29.84	757.9	83	...	...	0	o	,,	29.87	758.7	84	...	S	1	c
Labuan,	,,	29.83	757.7	86	...	...	...	...	,,	29.91	759.7	84	...	...	...	...

On the 3rd at 11.55 a.—The barometer has fallen considerably over the E. and N.E. coasts of China, a depression having appeared over the Yangtze valley.

The high pressure area has shifted Eastwards, and is now central over S.E. Japan.

Pressure is giving way over the northern shores of the Sea of Japan, probably owing to the existence of a depression over Manchuria.

Moderate E. winds are indicated over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; cloudy, misty.
2.—Formosa Channel,	S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 3rd May, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd May, 1911, P.M.								4th May, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.94	760.5	43	...	S S E	1	f	7 a.	29.96	761.0	40	80	N E	2	o
Nemuro,	,,	...	...	...	...	S W	4	...	6 a.	29.87	758.6	...	...	S W	3	...
Hakodate,	,,	30.15	765.7	...	...	W S W	2	...	,,	29.97	761.2	...	...	W S W	1	...
Tokio,	,,	30.24	768.1	...	...	S S W	5	...	,,	30.14	765.6	...	...	S W	3	...
Kochi,	,,	30.29	769.3	...	...	W	1	...	,,	30.17	766.3	...	...	S W	1	...
Nagasaki,	,,	30.11	764.8	...	...	S S E	4	...	,,	30.03	762.8	...	...	S S E	6	...
Kagoshima,	,,	30.15	765.9	...	...	S E	2	...	,,	30.06	763.4	...	...	S E	1	...
Oshima,	,,	30.10	764.6	...	...	E S E	3	...	,,	30.08	764.1	...	...	S E	1	...
Naha,	,,	30.03	762.7	...	...	S S E	2	...	,,	30.05	763.2	...	...	S E	1	...
Ishigakijima,	,,	29.99	761.8	...	...	S E	3	...	,,	30.01	762.3	...	...	E	1	...
Bonin Is.	,,	30.18	766.6	...	...	E	1	...	,,	30.22	767.6	...	...	E	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.96	761.0	47	100	N E	3	or	9 a.	30.10	764.5	60	72	...	5	bm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.87	758.7	71	80	S S E	1	or	9 a.	30.02	762.5	60	100	N N E	1	omd
Gutzlaff,	,,	29.92	759.9	65	89	S E	1	opf	,,	30.02	762.5	63	100	N	1	fr
Sharp Peak,	,,	29.92	759.9	69	...	E	1	b	,,	29.97	761.2	70	...	E	1	b
Amoy,	,,	29.93	760.2	73	67	N E	4	b	6 a.	29.96	761.0	70	85	S E	1	b
Swatow,	,,	29.93	760.2	78	78	E	1	b	,,	29.95	760.7	71	...	N E	1	b
Taihoku,	1 p.	29.93	760.2	...	...	N E	2	...	5 a.	29.96	761.0	...	...	...	0	...
Taichu,	,,	29.95	760.7	...	...	N W	4	...	,,	29.99	761.7	...	...	...	0	...
Tainan,	,,	29.96	761.0	...	...	W	4	...	,,	29.97	761.3	...	...	...	0	...
Koshun	,,	29.99	761.8	...	...	E	4	...	,,	29.97	761.3	...	...	S E	2	...
Pescadores,	,,	29.97	761.3	..	...	E	6	...	,,	29.96	761.0	...	...	N	2	...
Canton,	3 p.	29.90	759.4	78	86	S	1	or	9 a.	29.99	761.7	77	86	S E	1	b
Hongkong,	4 p.	29.92	759.9	74	87	E	3	o	10 a.	30.01	762.2	78	82	E	2	c
Victoria Peak,	,,	...	...	...	...	E S E	3	...	,,	...	...	...	...	E	1	...
Gap Rock,	,,	29.88	758.9	...	...	E	4	...	,,	29.96	761.0	...	...	E	4	...
Macao,	,,	29.91	759.7	74	...	S E	4	od	,,	30.02	762.6	78	...	S E	2	c
Wuchow,	3 p.	29.91	759.4	77	...	E	1	b	9 a.	29.98	761.5	79	87	E	1	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.75	755.6	84	...	S S E	5	c	8 a.	29.92	759.9	81	..	S E	1	c
Tourane,	,,	...	...	...	...	...	...	...	,,	29.89	759.2	82	..	S	3	b
Cape St. James,	,,	29.83	757.7	79	...	E	2	lt	,,	29.97	761.1	79	...	S W	1	or
Aparri,	2 p.	29.87	758.6	84	...	E	2	b	6 a.	29.93	760.1	72	...	E	2	b
Manila,	4 p.	29.80	757	86	65	S S W	1	o	10 a.	29.92	760	82	70	...	0	c
Legaspi,	2 p.	29.83	757.7	82	...	N E	2	o	6 a.	29.90	759.4	73	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N	1	o	9 a.	...	...	...	...	N	1	c
Iloilo,	,,	29.81	757.2	84	...	N	1	o	,,	29.91	759.7	82	...	N E	1	b
Cebu,	,,	29.81	757.2	85	...	S	1	c	,,	29.89	759.2	84	...	...	0	c
Labuan,	,,	29.82	757.4	87	...	...	...	...	,,	29.94	760.5	85	...	...	...	...

On the 4th at 11.55 a.—The barometer has fallen moderately over Japan, and risen over China, particularly in the North.

The depression lying over the Yangtze valley yesterday, has moved into the Yellow Sea.

The other depression which was situated over Manchuria, is passing to the Pacific to the North of Hokkaido.

The high pressure area now lies over the Pacific to the S.E. of Japan.

Moderate E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; fine.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamooks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 4th May, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th May, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	5th May, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.94	760.5	50	...	N E	2	b	7 a.	30.10	764.4	39	73	...	0	b
Nemuro,	,,	29.77	756.1	...	...	S W	5	...	6 a.	29.85	758.1	...	...	N E	5	...
Hakodate,	,,	29.87	758.7	...	...	S W	1	...	,,	29.93	760.2	...	...	N N W	4	...
Tokio,	,,	30.06	763.6	...	...	S W	4	...	,,	29.87	758.6	...	...	S W	3	...
Kochi,	,,	30.13	765.3	...	...	...	0	...	,,	29.95	760.8	...	...	S W	1	...
Nagasaki,	,,	29.97	761.3	...	...	S	5	...	,,	29.99	761.8	...	...	N N E	2	...
Kagoshima,	,,	30.07	763.9	...	...	S S E	1	...	,,	30.00	761.9	...	...	S S W	1	...
Oshima,	,,	30.06	763.6	...	...	S	2	...	,,	30.04	763.1	...	...	S S W	2	...
Naha,	,,	30.05	763.2	...	...	S E	1	...	,,	30.05	763.2	...	...	..	0	...
Ishigakijima,	,,	30.01	762.3	...	...	S E	2	...	,,	30.03	762.8	...	...	S S E	1	...
Bonin Is.	,,	30.16	766.1	...	...	E S E	1	...	,,	30.14	765.6	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.10	764.5	53	54	N	5	bm	9 a.	30.22	767.6	53	43	N	5	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang	,,	30.01	762.2	65	95	N E	2	or	,,	30.18	766.6	55	100	N E	3	or
Shanghai,	,,	30.04	763.0	58	94	N N W	2	or	9 a.	30.22	767.6	55	89	N	1	om
Gutzlaff,	,,	30.08	764.0	47	93	N	5	f	,,	30.20	767.1	55	74	N N E	4	om
Sharp Peak,	,,	30.04	763.0	73	...	E	1	b	,,	30.21	767.3	70	85	E	4	o
Amoy,	,,	29.93	760.2	87	55	S E	1	b	6 a	29.97	761.2	76	77	S W	1	b
Swatow,	,,	29.93	760.2	85	64	E	1	b	,,	29.99	761.7	73	86	N N E	1	b
Taihoku,	1 p.	29.98	761.4	...	...	N	4	...	5 a.	30.01	762.2	...	...	...	0	...
Taichu,	,,	29.99	761.8	...	...	N	4	...	,,	30.05	763.2	...	...	...	0	...
Tainan,	,,	29.97	761.3	...	...	N W	8	...	,,	30.03	762.7	...	...	...	0	...
Koshun	,,	29.97	761.2	...	...	E	6	...	,,	30.01	762.3	...	...	...	0	...
Pescadores,	,,	29.96	761.7	..	...	N	6	...	,,	30.01	762.1	...	...	W	2	...
Canton,	3 p.	29.91	759.7	82	67	S	1	c	9 a.	30.01	762.2	73	82	W	1	b
Hongkong,	4 p.	29.90	759.4	73	73	E	2	b	10 a.	30.01	762.2	79	82	E	1	c
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	29.89	759.2		...	E	4	...	,,	29.97	761.2	...	...	E	3	...
Macao,	,,	29.92	759.9	78	...	S E	2	c	,,	30.06	763.6	78	...	S E	1	c
Wuchow,	8 p.	...	...	85	72	S E	1	c	9 a.	30.08	764.0	75	...	E	1	b
Hoihow,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.81	757.2	86	68	S E	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.85	758.1	72	...	N	2	lt	8 a.	29.95	760.8	79	...	E S E	4	c
Tourane,	,,	29.80	756.8	82	...	S E	2	b	,,	29.94	760.4	82	..	S S W	1	b
Cape St. James,	,,	29.83	757.7	82	...	S	2	c	,,	30.01	762.3	72	...	S E	1	or
Aparri,	2 p.	29.87	758.8	88	...	E	2	b	6 a.	29.96	761.0	73	...	E	0	b
Manila,	4 p.	29.88	759	82	77	E S E	1	o	10 a.	29.96	761	81	71	S E	2	o
Legaspi,	2 p.	29.87	758.7	90	...	N E	2	o	6 a.	29.96	760.9	77	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N	1	or	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.85	758.2	83	...	S W	1	o	,,	29.99	761.7	82	...	N E	1	b
Cebu,	,,	29.85	758.2	85	...	S	1	c	,,	29.92	759.9	85	...	N	1	b
Labuan,	,,	29.81	757.2	87	...	...	...	...	,,	29.94	760.5	84	...	...	...	...

On the 5th at 12.05 p.—The barometer has fallen considerably over S.E. Japan, the depression lying over the Yellow Sea yesterday, having reached that area.

Pressure has increased over China, particularly in the North. A slight increase has taken place also at the stations bordering the China Sea.

Area of high pressure are lying over N. China, and over the Pacific to the East of the Bonins.

Moderate to fresh E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, freshening; fine to cloudy and misty.
2.—Formosa Channel,	N.E. winds, freshening.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 5th May, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th May, 1911, P.M.									6th May, 1911, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.01	762.2	56	...	E	1	b		7 a.	29.91	759.8	41	60	S E	0	b
Nemuro,	,,	29.89	759.1	...	...	N E	5	...		6 a.	29.95	760.6	...	...	S	1	...
Hakodate,	,,	29.97	761.2	...	...	S W	2	...		,,	30.05	763.2	...	...	...	0	...
Tokio,	,,	29.89	759.1	...	...	N N W	2	...		,,	30.06	763.6	...	...	N N W	1	...
Kochi,	,,	29.91	759.8	...	...	E S E	1	...		,,	29.95	760.8	...	...	...	0	...
Nagasaki,	,,	29.99	761.8	...	...	N	2	...		,,	30.01	762.3	...	...	N E	1	...
Kagoshima,	,,	29.95	760.9	...	...	W N W	1	...		,,	29.98	761.4	...	...	W N W	1	...
Oshima,	,,	30.00	762.1	...	...	S W	4	...		,,	29.99	761.6	...	...	S	1	...
Naha,	,,	30.03	762.7	...	...	S W	1	...		,,	30.03	762.7	...	...	...	0	...
Ishigakijima,	,,	30.01	762.3	...	...	S	3	...		,,	30.01	762.3	...	...	...	0	...
Bonin Is.	,,	30.06	763.6	...	...	S	1	...		,,	30.04	763.1	...	...	...	0	...
Chefoo,	4 p.	30.18	766.6	64	61	N W	2	c		6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.13	765.3	69	33	N N W	2	c		9 a.	30.04	763.0	62	41	S W	1	c
Hankow,	,,	...	...	...	...	...	...	...		6 a	...	...	...	...	...	...	...
Kiukiang,	,,	30.15	766.8	54	87	N E	3	or		,,	30.18	766.6	53	86	N E	2	o
Shanghai,	,,	30.17	766.3	51	93	N N E	1	or		9 a.	30.17	766.3	52	66	...	0	om
Gutzlaff,	,,	30.18	766.6	52	86	N N E	4	omp		,,	30.22	767.6	48	85	N E	2	om
Sharp Peak,	,,	30.03	762.7	69	80	E N E	5	o		,,	30.09	764.3	65	84	E	2	o
Amoy,	,,	29.96	761.0	80	66	S E	6	b		6 a.	30.03	762.7	70	75	N E	2	o
Swatow,	,,	29.95	760.7	82	75	E	1	c		,,	30.01	762.2	76	90	S E	2	b
Taihoku,	1 p.	30.00	762.0	...	...	N	6	...		5 a.	30.03	762.7	...	...	E	6	...
Taichu,	,,	30.01	762.3	...	...	N	6	...		,,	30.01	762.3	...	...	N	2	...
Tainan,	,,	30.01	762.2	...	...	S W	6	...		,,	30.01	762.1	...	...	N	2	...
Koshun	,,	29.99	761.8	...	...	S E	6	...		,,	29.99	761.8	...	...	...	0	...
Pescadores,	,,	30.01	762.3	..	...	N E	6	...		,,	30.00	762.0	...	...	N E	8	...
Canton,	3 p.	29.93	760.2	84	68	S	1	b		9 a.	30.00	762.0	80	78	S	1	b
Hongkong,	4 p.	29.92	759.9	78	82	E	3	b		10 a.	30.03	762.7	78	83	E	1	o
Victoria Peak,	,,	...	...	...	...	N E	3	...		,,	...	...	...	...	E	3	...
Gap Rock,	,,	29.90	759.4	...	...	E N E	3	...		,,	29.99	761.7	...	...	E	3	...
Macao,	,,	29.95	760.7	80	...	S E	2	c		,,	30.04	763.0	81	...	E S E	2	c
Wuchow,	3 p.	29.94	760.5	75	...	E	1	od		9 a.	30.08	764.0	77	...	N	1	o
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.94	760.5	87	69	S E	1	c		,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.84	758.0	84	...	S S E	4	c		8 a.	29.96	761.0	81	...	E S E	2	c
Tourane,	,,	29.84	758.0	84	...	S	2	b		,,	29.94	760.4	84	..	...	0	b
Cape St. James,	,,	29.86	758.5	82	...	S W	2	c		,,	29.96	761.0	75	...	E N E	1	o
Aparri,	2 p.	29.89	759.1	88	...	E	2	b		6 a.	29.95	760.6	75	...	E	0	b
Manila,	4 p.	29.88	759	84	77	...	0	o		10 a.	29.96	761	86	71	S E	0	o
Legaspi,	2 p.	29.89	759.1	90	...	E	2	c		6 a.	29.94	760.5	77	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N E	2	o		9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.87	758.7	83	...	E	1	od		,,	29.99	761.7	81	...	...	0	b
Cebu,	,,	29.86	758.2	87	...	N	1	c		,,	29.92	759.9	85	...	S	1	b
Labuan,	,,	29.84	757.9	85	...	...	...	...		,,	29.95	760.7	81	...	...	...	...

On the 6th at 11.55 a.—The barometer has risen in E. Japan, the depression having moved away over the Pacific Pressure is giving way over N. China owing to a depression which appears to be moving Eastwards over Manchuria.

The area of high pressure remains over the Yangtze valley.

Moderate E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; misty, probably some rain.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 6th May, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th May, 1911, P.M.								7th May, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.80	757.0	54	...	S S E	0	b	7 a.	29.64	752.8	42	91	S E	0	o
Nemuro,	,,	29.87	758.6	...	...	S W	2	...	6 a.	29.81	757.1	...	...	S S W	2	...
Hakodate,	,,	29.95	760.7	...	...	W	2	...	,,	29.81	757.2	...	...	...	0	...
Tokio,	,,	30.00	762.1	...	...	...	0	...	,,	29.85	758.1	...	...	N W	1	...
Kochi,	,,	29.93	760.3	...	...	S E	1	...	,,	29.91	759.8	...	...	S W	1	...
Nagasaki,	,,	29.97	761.3	...	...	W S W	1	...	,,	30.01	762.3	...	...	...	0	...
Kagoshima,	,,	29.94	760.4	...	...	W N W	2	...	,,	30.02	762.4	...	...	...	0	...
Oshima,	,,	29.96	761.1	...	...	N N E	2	...	,,	30.01	762.1	...	...	N N W	1	...
Naha,	,,	29.97	761.2	...	...	W S W	1	...	,,	29.97	761.2	...	...	N E	1	...
Ishigakijima,	,,	29.99	761.8	...	...	N	1	...	,,	29.97	761.3	...	...	N	1	...
Bonin Is.	,,	30.00	762.1	...	...	S W	1	...	,,	30.01	762.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.95	760.7	67	65	W N W	2	b	9 a.	29.90	759.4	69	39	S W	2	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	...	...	60	65	N E	2	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.11	764.8	61	45	...	0	om	9 a	30.11	764.8	61	50	S E	1	c
Gutzlaff,	,,	30.14	765.5	58	53	N	2	cm	,,	30.13	765.3	61	49	E	1	cm
Sharp Peak,	,,	30.03	762.7	66	84	E	4	o	,,	30.08	764.0	65	89	E	2	o
Amoy,	,,	29.97	761.2	76	64	S E	4	b	6 a.	30.02	762.5	68	74	E	2	o
Swatow,	,,	29.98	761.5	77	82	E	1	b	,,	29.98	761.5	70	85	N E	2	b
Taihoku,	1 p.	30.02	762.5	...	...	E	6	...	5 a.	29.99	761.6	...	...	E	6	...
Taichu,	,,	29.99	761.8	...	...	N	6	...	,,	29.98	761.5	...	...	N	2	...
Tainan,	,,	29.98	761.4	...	...	N W	6	...	,,	29.96	761.0	...	...	N	6	...
Koshun,	,,	29.97	761.3	...	...	S E	6	...	,,	29.97	761.3	...	...	E	2	...
Pescadores,	,,	30.00	761.9	...	...	N E	8	...	,,	29.97	761.1	...	...	N E	8	...
Canton,	3 p.	29.90	759.4	86	61	S	1	b	9 a.	29.95	760.7	77	86	E	1	or
Hongkong,	4 p.	29.92	759.9	77	85	E	2	c	10 a.	29.97	761.2	76	85	E	4	o
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	6	...
Gap Rock,	,,	29.90	759.4	...	...	E N E	4	...	,,	29.92	759.9	...	...	E	5	...
Macao,	,,	29.99	761.7	77	...	S E	3	c	,,	29.97	761.2	77	...	S E	3	o
Wuchow,	8 p.	29.96	761.0	83	63	N E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.95	760.7	84	75	N	4	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.82	757.5	81	...	S E	5	c	8 a.	29.94	760.4	75	...	S S E	2	or
Tourane,	,,	29.80	756.8	82	...	S E	2	b	,,	29.88	759.0	..	..	S	1	c
Cape St. James,	,,	29.83	757.7	82	...	S	1	c	,,	29.95	760.7	81	...	N E	1	o
Aparri,	2 p.	29.86	758.5	88	...	N E	2	b	6 a.	29.89	759.3	75	...	E	0	b
Manila,	4 p.	29.84	758	86	71	...	0	c	10 a.	29.92	760	88	65	...	0	c
Legaspi,	2 p.	29.86	758.4	91	...	N E	2	c	6 a.	29.92	760.0	75	...	S W	2	c
Bacolod,	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.83	757.7	86	...	N	1	o	,,	29.99	761.7	...	...	S W	1	o
Cebu,	,,	29.84	757.9	87	...	...	0	c	,,	29.96	761.0	82	...	...	0	c
Labuan,	,,	29.32	757.4	88	...	...	...	...	,,	...	...	...	...	...	...	...

On the 7th at 11.55 a.—The barometer has fallen considerably at the extreme northern stations owing to the depression, which is moving Eastwards over Manchuria.

Pressure is relatively low over the middle part of the China Sea, and the barometer is falling in S. China, Luzon and Annam.

The highest pressure is shown over the E. coast of China.

Fresh E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh; squally, showery.
2.—Formosa Channel,	NE winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 7th May, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th May, 1911, P.M.								8th May, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	29.64	760.4	55	...	S E	1	b	7 a.	29.58	751.4	49	60	...	0	o
Nemuro,	,,	29.69	754.1	...	...	S W	6	...	6 a.	29.53	750.1	...	...	S	1	...
Hakodate,	,,	29.69	754.2	...	...	S W	6	...	,,	29.65	753.2	...	...	...	0	...
Tokio,	,,	29.81	757.1	...	...	N N W	1	...	,,	29.97	761.1	...	...	...	0	...
Kochi,	,,	29.89	759.3	...	...	S S W	1	...	,,	30.03	762.8	...	...	S W	1	...
Nagasaki,	,,	29.99	761.8	...	...	W S W	3	...	,,	30.03	762.8	...	...	...	0	...
Kagoshima,	,,	29.96	760.9	...	...	W S W	1	...	,,	30.04	762.9	...	...	N E	1	...
Oshima,	,,	29.98	761.6	...	...	N N E	2	...	,,	29.99	761.6	...	...	S	1	...
Naha,	,,	29.97	761.2	...	...	N N W	2	...	,,	29.95	760.7	...	...	...	0	...
Ishigakijima,	,,	29.95	760.8	...	...	N	1	...	,,	29.93	760.3	...	...	N E	1	...
Bonin Is.	,,	29.98	761.6	...	...	S W	1	...	,,	30.01	762.1	...	...	S	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.96	761.0	70	53	W N W	1	b	9 a.	29.95	760.7	69	61	S S W	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.01	762.2	68	34	E S E	2	c	9 a.	30.06	763.5	61	77	E S E	1	o
Gutzlaff,	,,	30.06	763.5	62	51	S E	1	cv	,,	30.08	764.0	59	76	S E	2	om
Sharp Peak,	,,	29.99	761.7	65	84	E	3	o	,,	30.00	762.0	64	89	E	1	or
Amoy,	,,	29.97	761.2	76	60	E	1	b	6 a.	29.96	761.0	68	79	E	1	o
Swatow,	,,	29.94	760.5	79	66	S E	1	b	,,	29.90	759.4	69	85	N E	1	c
Taihoku,	1 p.	29.97	761.3	...	...	E	8	...	6 a.	29.92	760.0	...	...	E	4	...
Taichu,	,,	29.95	760.8	...	...	N	4	...	,,	29.92	759.9	...	...	...	0	...
Tainan,	,,	29.96	760.9	...	...	W	8	...	,,	29.91	759.6	...	...	N	2	...
Koshun	,,	29.93	760.3	...	...	N W	6	...	,,	29.90	759.4	...	...	...	0	...
Pescadores,	,,	29.98	761.6	...	...	N	8	...	,,	29.91	759.6	...	...	N	6	...
Canton,	3 p.	29.89	759.2	90	81	E	1	o	9 a.	29.87	758.7	77	82	E S E	2	o
Hongkong,	4 p.	29.89	759.2	73	89	E	3	op	10 a.	29.88	758.9	73	94	E	4	odq
Victoria Peak,	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	6	...
Gap Rock,	,,	29.84	757.9	...	...	E	5	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.89	759.2	74	...	S E	3	od	,,	29.89	759.2	73	...	E	4	od
Wuchow,	3 p.	29.86	758.4	84	91	E	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.85	758.2	87	62	S S E	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.74	755.5	82	...	S E	3	c	8 a.	29.34	757.9	74	...	S E	4	lt
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.7	84	...	S S W	1	c	,,	29.90	759.5	81	...	S W	1	c
Aparri,	2 p.	29.83	757.8	86	...	N E	2	o	6 a.	29.85	758.1	72	...	S E	2	b
Manila,	4 p.	29.88	759	75	92	E	1	d	10 a.	29.92	760	84	77	...	0	b
Legaspi,	2 p.	29.85	758.2	84	...	...	0	...	6 a.	29.88	758.9	72	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	N E	1	b
Iloilo,	,,	29.87	758.7	83	...	S W	1	...	,,	29.91	759.7	83	...	N E	1	b
Cebu,	,,	29.85	758.2	85	...	...	0	c	,,	29.89	759.2	86	...	S	1	b
Labuan,	,,	29.78	756.4	87	...	...	...	...	,,	29.92	759.9	85	...	...	...	...

On the 8th at 12.05 p.—The area of low pressure is lying over the N. part of the China Sea, and the barometer continues to fall over S. China, Tongking and the Philippines.

The depression lying over Manchuria yesterday, is moving Eastwards to the North of Hokkaido.

The highest pressure is shown over the Yellow Sea.

Strong E. and NE winds and squally weather may be expected over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, strong; squally, rainy.
2.—Formosa Channel,	NE winds, moderate.
3.—South coast of China between Hongkong and Lamooks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 8th May, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th May, 1911, P.M.								9th May, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.63	752.5	72	...	N N E	0	dh	7 a.	29.82	757.4	49	78	S E	1	c
Nemuro,	,,	29.39	746.6	...	...	W S W	6	...	6 a.	29.81	757.1	...	...	W	1	...
Hakodate,	,,	29.66	750.7	...	...	W N W	1	...	,,	29.99	761.7	...	...	E	1	...
Tokio,	,,	29.89	759.1	...	...	S S W	4	...	,,	30.08	764.1	...	...	...	0	...
Kochi,	,,	30.01	762.3	...	...	E S E	1	...	,,	30.13	765.3	...	...	S W	1	...
Nagasaki,	,,	30.01	762.3	...	...	N E	3	...	,,	30.09	764.3	...	...	S E	1	...
Kagoshima,	,,	30.04	762.9	...	...	..	0	...	,,	30.08	763.9	...	...	S	1	...
Oshima,	,,	30.02	762.6	...	...	N	1	...	,,	29.97	761.1	...	...	...	0	...
Naha,	,,	29.93	760.2	...	...	N W	1	...	,,	29.95	760.7	...	...	...	0	...
Ishigakijima,	,,	29.91	759.8	...	...	E N E	4	...	,,	29.89	759.3	...	...	E	2	...
Bonin Is.	,,	29.98	761.6	...	...	W	1	...	,,	30.02	762.6	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.90	759.4	76	49	N E	2	b	9 a.	30.08	764.0	63	57	S W	4	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.99	761.7	69	43	E S E	2	c	9 a.	30.04	763.0	67	64	S E	2	o
Gutzlaff,	,,	30.00	762.0	66	45	E S E	2	cm	,,	30.07	763.8	60	83	E S E	4	cv
Sharp Peak,	,,	29.96	760.7	64	84	E N E	4	or	,,	30.00	762.0	64	89	E	1	or
Amoy,	,,	29.91	759.7	77	65	E	1	c	6 a.	29.93	760.2	71	76	E	1	o
Swatow,	,,	29.86	758.4	77	73	E	2	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.91	759.6	...	...	E	8	...	5 a	29.87	758.6	...	...	E	4	...
Taichu,	,,	29.89	759.2	...	...	N	6	...	,,	29.89	759.2	...	...	...	0	...
Tainan,	,,	29.89	759.3	...	...	N W	4	...	,,	29.88	758.9	...	...	N	2	...
Koshun	,,	29.89	759.3	...	...	E	6	...	,,	29.87	758.6	...	...	...	0	...
Pescadores,	,,	29.91	759.7	..	...	N	6	...	,,	29.87	758.7	...	...	N E	6	...
Canton,	3 p.	29.78	756.4	79	87	S E	1	o	9 a.	29.86	758.4	77	86	S E	1	o
Hongkong,	4 p.	29.78	756.4	73	95	E	3	od	10 a.	29.89	759.2	73	94	E	3	od
Victoria Peak,	,,	...	...	...	...	E S E	4	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	29.73	755.1	...	...	E	5	...	,,	29.85	758.2	...	...	E N E	4	...
Macao,	,,	29.79	756.6	73	...	E	3	or	,,	29.89	759.2	75	...	E	4	c
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.67	753.7	81	...	S S E	5	c	8 a.	29.78	756.4	81	...	S E	5	c
Tourane,	,,	...	...	..	...	...	...	...	,,	...	...	..	...	...	...	...
Cape St. James,	,,	29.82	757.5	81	...	S	2	o	,,	29.95	760.7	76	...	S S W	2	or
Aparri,	2 p.	29.81	757.1	82	...	E	2	c	6 a.	29.88	759.0	73	...	S E	2	o
Manila,	4 p.	29.80	757	88	60	W S W	1	c	10 a.	29.92	760	86	71	S S E	0	c
Legaspi,	2 p.	29.81	757.2	90	...	N E	2	c	6 a.	29.89	759.3	73	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	1	b	9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.81	757.2	86	...	S W	2	c	,,	29.99	761.7	82	...	...	0	c
Cebu,	,,	29.81	757.2	88	...	N	1	c	,,	29.95	760.7	86	...	...	0	c
Labuan,	,,	29.78	756.4	90	...	...	...	...	,,	29.92	759.9	85	...	...	...	...

On the 9th at 11.55 a.—The barometer has risen quickly in E. Japan the depression lying to the North of Hokkaido yesterday, having moved away over the Pacific.

Pressure continues relatively low over Tongking and the northern shores of the China Sea.

The high pressure area has shifted Eastwards and lies now over S. Japan.

Fresh E. and S.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.72 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and S.E. winds, fresh to moderate; showery.
2.—Formosa Channel,	E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 9th May, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th May, 1911, P.M.									10th May, 1911, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.72	755.0	73	...	S W	0	c		7 a.	29.96	760.9	52	73	...	0	b
Nemuro,	,,	29.81	757.1	...	...	S W	6	...		6 a.	29.83	757.6	...	...	S W	4	...
Hakodate,	,,	29.97	761.2	...	...	W	3	...		,,	30.09	764.2	...	...	E	1	...
Tokio,	,,	30.10	764.6	...	...	S	1	...		,,	30.22	767.6	...	...	...	0	...
Kochi,	,,	30.11	764.8	...	...	S E	1	...		,,	30.19	766.8	...	...	S W	1	...
Nagasaki,	,,	30.07	763.8	...	...	W S W	2	...		,,	30.09	764.3	...	...	S E	3	...
Kagoshima,	,,	30.07	763.9	...	...	E	3	...		,,	30.07	763.9	...	...	E	4	...
Oshima,	,,	29.98	761.6	...	...	N N E	2	...		,,	29.99	761.6	...	...	S	1	...
Naha,	,,	29.99	761.7	...	...	E S E	1	...		,,	29.95	760.7	...	...	...	0	...
Ishigakijima,	,,	29.91	759.8	...	...	E S E	2	...		,,	29.88	758.8	...	...	E	3	...
Bonin Is.	,,	30.06	763.6	...	...	N E	1	...		,,	30.04	763.1	...	...	...	0	...
Chefoo,	4 p.	30.01	762.2	60	76	S S E	2	b		6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.02	762.5	74	36	S W	1	b		9 a.	30.04	763.0	66	49	E	1	c
Hankow,	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.87	758.7	70	90	N E	2	o		,,	...	...	...	...	...	...	...
Shanghai,	,,	29.94	760.5	71	62	E S E	3	o		9 a.	29.95	760.7	68	90	E S E	2	om
Gutzlaff,	,,	29.99	761.7	63	83	E S E	2	om		,,	30.01	762.2	61	100	S E	4	f
Sharp Peak,	,,	29.92	759.9	65	95	N	1	or		,,	29.92	759.9	67	95	S	1	c
Amoy,	,,	29.87	758.7	76	81	N E	2	or		6 a.	29.92	759.9	72	85	N E	1	o
Swatow,	,,	29.86	758.4	73	90	E	1	or		,,	29.88	758.9	71	95	E N E	1	o
Taihoku,	1 p.	29.85	758.3	...	...	E	6	...		5 a.	29.86	758.5	...	...	...	0	...
Taichu,	,,	29.87	758.8	...	...	N	2	...		,,	29.89	759.3	...	...	...	0	...
Tainan,	,,	29.90	759.5	...	...	S W	2	...		,,	29.87	758.7	...	...	...	0	...
Koshun	,,	29.91	759.6	...	...	E	2	...		,,	29.86	758.5	...	...	...	0	...
Pescadores,	,,	29.89	759.1	..	...	N	8	...		,,	29.87	758.6	...	...	N	6	...
Canton,	3 p.	29.78	756.4	80	82	S	1	c		9 a.	29.86	758.4	78	86	S E	2	c
Hongkong,	4 p.	29.79	756.6	74	90	E	3	o		10 a.	29.92	759.9	74	94	E	3	od
Victoria Peak,	,,	...	...	...	...	E	3	...		,,	...	...	...	...	E	4	...
Gap Rock,	,,	29.75	755.6	...	...	E	5	...		,,	29.86	758.4	...	...	E S E	5	...
Macao,	,,	29.80	756.8	76	...	S E	4	c		,,	29.91	759.7	76	...	E	4	o
Wuchow,	3 p.	29.76	755.9	79	91	E	1	orq		9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.86	758.4	90	60	S W	2	c		,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.64	752.8	84	...	S S E	5	c		8 a.	29.74	755.4	82	...	S S E	4	b
Tourane,	,,	29.71	754.7	84	...	S	3	c		,,	29.81	757.1	86	...	N W	1	c
Cape St. James,	,,	29.83	757.8	81	...	S S W	2	c		,,	29.92	760.0	82	...	S S E	1	c
Aparri,	2 p.	29.85	758.1	82	...	N E	2	c		6 a.	29.87	758.7	73	...	S	4	o
Manila,	4 p.	29.84	758	86	71	S	1	o		10 a.	29.92	760	84	77	S W	1	b
Legaspi,	2 p.	29.84	757.9	90	...	...	0	c		6 a.	29.89	759.1	73	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	1	c		9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.81	757.2	83	...	N	1	o		,,	29.99	761.7	83	...	N E	1	b
Cebu,	,,	29.82	757.4	89	...	S	1	c		,,	29.90	759.4	86	...	S	2	b
Labuan,	,,	29.75	755.6	89	...	...	...	...		,,	29.91	759.7	85	...	...	...	...

On the 10th at 12.15 p.—The barometer has fallen moderately on the E. coast of China, and risen a like amount over E. Japan.

Pressure remains low over S.W. China and Tongking, and a depression appears to be developing over the Yangtze valley.

The high pressure area is now central over S.E. Japan.

Moderate to fresh E. and S.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and S.E. winds, moderate or fresh; squally, showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 10th May, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th May, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	11th May, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.90	759.4	67	...	...	0	b	7 a.	29.95	760.7	51	68	S E	2	c
Nemuro,	,,	29.98	761.6	...	...	E N E	3	...	6 a.	30.18	766.6	...	...	E S E	1	...
Hakodate,	,,	30.09	764.2	...	...	W	1	...	,,	30.21	767.2	...	...	...	0	...
Tokio,	,,	30.18	766.6	...	...	S S E	2	...	,,	30.24	768.1	...	...	N W	1	...
Kochi,	,,	30.17	766.3	...	...	S E	1	...	,,	30.13	765.3	...	...	...	0	...
Nagasaki,	,,	...	...	...	...	...	0	...	,,	30.03	762.8	...	...	N E	1	...
Kagoshima,	,,	30.06	763.4	...	...	E N E	3	...	,,	30.00	761.9	...	...	E S E	6	...
Oshima,	,,	29.98	761.6	...	...	S	1	...	,,	29.97	761.1	...	...	...	0	...
Naha,	,,	29.95	760.7	...	...	S E	2	...	,,	29.91	759.7	...	...	S E	1	...
Ishigakijima,	,,	29.87	758.8	...	...	E	2	...	,,	29.84	757.8	...	...	N N W	1	...
Bonin Is.	,,	30.04	763.1	...	...	S W	1	...	,,	30.02	762.6	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.99	761.7	72	38	E	1	c	9 a.	30.00	762.0	59	94	S S E	1	omr
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.89	759.2	75	86	E S E	3	c	9 a.	29.89	759.2	76	73	S E	2	c
Gutzlaff,	,,	29.95	760.7	63	100	S E	4	f	,,	29.95	760.7	63	100	S E	3	f
Sharp Peak,	,,	29.90	759.4	70	...	E	1	b	,,	...	...	70	95	E	1	b
Amoy,	,,	29.90	759.4	77	77	S	4	b	6 a.	29.88	758.9	72	90	S E	1	o
Swatow,	,,	29.88	758.9	78	82	E	1	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.86	758.5	...	...	N	4	...	5 a.	29.85	758.2	...	...	...	0	...
Taichu,	,,	29.90	759.4	...	...	N	4	...	,,	29.89	759.1	...	...	...	0	...
Tainan,	,,	29.89	759.3	...	...	N W	4	...	,,	29.89	759.3	...	...	...	0	...
Koshun,	,,	29.88	759.0	...	...	N W	4	...	,,	29.88	758.8	...	...	...	0	...
Pescadores,	,,	29.91	759.6	..	...	N	6	...	,,	29.88	758.8	...	...	...	0	...
Canton,	3 p.	29.81	757.2	83	79	W	2	o	9 a.	...	..	...	...	...	...	...
Hongkong,	4 p.	29.81	757.2	75	93	E	3	op	10 a.	29.94	760.5	76	91	S	1	od
Victoria Peak,	,,	...	...	...	...	S E	2	...	,,	...	...	...	...	S	4	...
Gap Rock,	,,	29.79	756.6	...	...	E	3	...	,,	29.90	759.4	...	...	S S E	5	...
Macao,	,,	29.83	757.7	76	...	S E	2	o	,,	29.93	760.2	75	...	S E	4	o
Wuchow,	3 p.	29.74	755.4	85	72	E	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.78	756.4	93	96	S W	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.66	753.4	84	...	S S E	5	b	8 a.	29.78	756.5	82	...	S S E	6	c
Tourane,	,,	29.70	754.5	86	...	S E	1	b	,,	29.81	757.2	86	...	S	1	b
Cape St. James,	,,	29.82	757.3	82	...	S	2	c	,,	29.93	760.1	82	...	S W	1	c
Aparri,	2 p.	29.85	758.3	86	...	S	0	b	6 a.	29.89	759.3	75	...	S	2	o
Manila,	4 p.	29.84	758	82	70	E S E	0	o	10 a.	29.92	760	86	65	W S W	1	b
Legaspi,	2 p.	29.86	758.4	90	...	E	2	o	6 a.	29.87	758.6	75	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.83	757.7	87	...	N E	1	b	,,	29.91	759.7	84	...	N E	1	b
Cebu,	,,	29.83	757.7	88	...	N	1	c	,,	29.91	759.7	85	...	...	0	b
Labuan,	,,	29.82	757.4	86	...	...	...	...	,,	29.83	757.7	83	...	...	...	...

On the 11th at 11.55 a.—The barometer has fallen slightly over S.W. Japan and the E. and N.E. coasts of China, and risen considerably in N.E. Japan.

The low pressure area extends from Tongking, in a Northeast direction, to the Yangtze valley.

The high pressure area still lies over E. Japan.

Moderate to fresh S.E. and S. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 3.15 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. and S. winds, moderate or fresh: squally, showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 11th May, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th May, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	12th May, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.91	759.8	54	...	S S E	3	o	7 a.	29.75	755.5	49	87	S S E	0	o
Nemuro,	,,	30.04	763.1	...	...	S	2	...	6 a.	29.99	761.6	...	...	W S W	5	...
Hakodate,	,,	30.11	764.7	...	...	S	1	...	,,	29.99	761.7	...	...	...	0	...
Tokio,	,,	30.14	765.6	...	...	S	2	...	,,	29.97	761.1	...	...	N N W	3	...
Kochi,	,,	30.09	764.3	...	...	E S E	1	...	,,	30.01	762.3	...	...	S W	1	...
Nagasaki,	,,	29.97	761.3	...	...	W S W	1	...	,,	29.97	761.3	...	...	S	1	...
Kagoshima,	,,	30.04	762.9	...	...	E S E	4	...	,,	30.00	761.9	...	...	E N E	2	...
Oshima,	,,	29.94	760.6	...	...	N	1	...	,,	29.93	760.1	...	...	S	1	...
Naha,	,,	29.91	759.7	...	...	E S E	1	...	,,	29.87	758.7	...	...	...	0	...
Ishigakijima,	,,	29.85	758.3	...	...	W	2	...	,,	29.86	758.3	...	...	N N E	1	...
Bonin Is.	,,	29.98	761.6	...	...	...	0	...	,,	29.95	760.6	...	...	S S W	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.91	759.7	57	94	E S E	4	or	9 a.	29.93	760.2	52	100	N	4	orm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	29.81	757.2	73	95	...	0	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.81	757.2	80	70	E S E	4	c	9 a.	29.83	757.7	70	95	S S E	2	od
Gutzlaff,	,,	29.86	758.4	65	95	S E	5	fr	,,	29.89	759.2	63	100	S E	4	f
Sharp Peak,	,,	29.86	758.4	72	...	E	1	b	,,	29.89	759.2	73	95	S	1	f
Amoy,	,,	29.86	758.4	79	74	S E	4	b	6 a.	...	...	75	81	...	0	b
Swatow,	,,	29.85	758.2	80	78	E	1	b	,,	29.88	758.9	74	86	N W	1	b
Taihoku,	1 p.	29.88	759.0	...	...	N	4	...	5 a.	29.86	758.4	...	...	...	0	...
Taichu,	,,	29.91	759.7	...	...	N	4	...	,,	29.89	759.2	...	...	...	0	...
Tainan,	,,	29.89	759.3	...	...	W	6	...	,,	29.89	759.1	...	...	...	0	...
Koshun	,,	29.89	759.3	...	...	N W	6	...	,,	29.88	759.0	...	...	...	0	...
Pescadores,	,,	29.91	759.6	...	...	N	6	...	,,	29.84	758.0	...	...	...	0	...
Canton,	3 p.	29.83	757.7	81	83	W	1	c	9 a.	29.90	759.4	78	91	S	1	or
Hongkong,	4 p.	29.83	757.7	77	90	E	1	c	10 a.	29.93	760.2	75	97	...	0	or
Victoria Peak,	,,	...	...	...	...	S	2	...	,,	...	...	...	...	S	4	...
Gap Rock,	,,	29.81	757.2	...	...	E S E	3	...	,,	29.89	759.2	...	...	S S E	2	...
Macao,	,,	29.84	757.9	77	...	S E	2	o	,,	29.95	760.7	74	...	S W	2	or
Wuchow,	3 p.	29.79	756.6	78	...	E	...	od	9 a.	29.97	761.2	77	...	E	1	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.70	754.3	86	...	S S E	5	c	8 a.	29.85	758.2	81	...	S S W	1	c
Tourane,	,,	29.73	755.2	84	...	S S E	3	c	,,	29.84	757.9	84	...	S W	2	b
Cape St. James,	,,	29.81	757.1	84	...	S S W	1	c	,,	29.91	759.6	82	...	E N E	1	c
Aparri,	2 p.	29.84	758.0	88	...	E	2	b	6 a.	29.88	759.0	75	...	S	2	b
Manila,	4 p.	29.80	757	88	65	N W	0	o	10 a.	29.88	759	84	71	N W	1	c
Legaspi,	2 p.	29.82	757.4	95	...	E	2	b	6 a.	29.88	758.8	81	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	2	od	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.81	757.2	87	...	N E	1	c	,,	29.89	759.2	84	...	N E	1	c
Cebu,	,,	29.82	757.4	87	...	...	0	c	,,	29.86	758.4	87	...	N	1	b
Labuan,	,,	29.73	755.1	88	...	...	...	...	,,	29.89	759.2	83	...	...	...	...

On the 12th at 11.55 a.—The barometer has fallen considerably over the Sea of Japan, owing to a depression which appears to be moving Eastwards over N. Korea.

Pressure remains low over Yangtze valley with the barometer still falling on the E. coast of China. Pressure has increased slightly over S.W. China and Tongking.

Moderate S.E. and S. winds are indicated over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, moderate; squally, showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 12th May, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th May, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	13th May, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.63	752.7	50	...	S E	3	o	7 a.	29.89	759.2	50	45	W	0	b
Nemuro,	,,	29.87	758.6	...	...	S S W	5	...	6 a.	29.53	750.1	...	...	S S W	4	...
Hakodate,	,,	29.83	757.7	...	...	S	2	...	,,	29.65	753.2	...	...	W N W	3	...
Tokio,	,,	29.79	756.6	...	...	N	3	...	,,	29.73	755.1	...	...	E N E	1	...
Kochi,	,,	29.89	759.3	...	...	E	1	...	,,	29.84	757.8	...	...	S W	1	...
Nagasaki,	,,	29.91	759.8	...	...	W	3	...	,,	29.95	760.8	...	...	S E	3	...
Kagoshima,	,,	29.94	760.4	...	...	S W	1	...	,,	29.86	758.4	...	...	E N E	1	...
Oshima,	,,	29.91	759.6	...	...	S	1	...	,,	29.83	757.6	...	...	...	0	...
Naha,	,,	29.85	758.3	...	...	S S E	1	...	,,	29.85	758.2	...	...	...	0	...
Ishigakijima,	,,	...	...	...	...	...	0	...	,,	29.88	758.8	...	...	N N W	1	...
Bonin Is.	,,	29.87	758.6	...	...	S W	1	...	,,	29.93	760.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.99	761.7	58	100	N	7	om	9 a.	30.06	763.5	57	63	N	6	c
Hankow,	,,	...	...	...	...	...	...	...	6 a	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.76	755.9	76	86	S	2	o	9 a	29.99	761.7	62	56	N	2	cm
Gutzlaff,	,,	29.79	756.6	65	100	S E	2	cm	,,	29.98	761.5	59	70	N	5	cm
Sharp Peak,	,,	29.77	756.1	75	95	S	1	c	,,	29.89	759.2	74	90	N	1	o
Amoy,	,,	29.86	758.4	82	71	S E	5	b	6 a	29.84	757.9	78	82	...	0	c
Swatow,	,,	29.83	757.7	81	78	E	1	c	,,	29.82	757.4	77	91	W	1	b
Taihoku,	1 p.	29.85	758.3	...	...	N W	6	...	5 a	29.85	758.1	...	...	...	0	...
Taichu,	,,	29.91	759.7	...	...	S W	2	...	,,	29.88	758.9	...	...	...	0	...
Tainan,	,,	29.91	759.7	...	...	N W	6	...	,,	29.88	758.8	...	...	E	2	...
Koshun	,,	29.88	759.0	...	...	N	6	...	,,	29.86	758.3	...	...	N	4	...
Pescadores,	,,	29.89	759.2	..	...	W	4	...	,,	29.85	758.1	...	...	S W	4	...
Canton,	3 p.	29.83	757.7	81	83	W	1	o	9 a.	29.89	759.2	80	87	W	1	o
Hongkong,	4 p.	29.82	757.4	76	91	...	0	o	10 a.	29.91	759.7	80	84	W	1	o
Victoria Peak,	,,	...	...	...	...	W	2	...	,,	...	...	...	...	S S W	2	...
Gap Rock,	,,	29.81	757.2	...	...	W N W	3	...	,,	29.88	758.9	...	...	S S W	2	...
Macao,	,,	29.85	758.2	75	...	S W	1	o	,,	29.92	759.9	82	...	W S W	2	c
Wuchow,	3 p.	29.80	756.9	82	...	S	2	or	9 a	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.74	755.3	84	...	S S E	4	c	8 a.	29.87	758.7	79	...	S W	1	c
Tourane,	,,	29.78	756.3	84	...	S S E	1	b	,,	29.38	758.8	86	...	...	0	b
Cape St. James,	,,	29.83	757.7	84	...	S	2	c	,,	29.93	760.3	82	...	E	1	c
Aparri,	2 p.	29.82	757.4	88	...	N E	2	b	6 a.	29.88	758.9	77	...	N E	2	b
Manila,	4 p.	29.80	757	82	77	E	0	o	10 a.	29.88	759	86	71	W S W	1	o
Legaspi,	2 p.	29.81	757.1	93	...	E	2	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	or	9 a.	...	...	...	...	N E	1	...
Iloilo,	,,	29.77	756.1	88	...	N E	1	c	,,	29.89	759.2	83	...	N E	1	c
Cebu,	,,	29.78	756.4	88	...	N	1	c	,,	29.89	759.2	84	...	...	0	c
Labuan,	,,	29.77	756.1	84	...	...	...	...	,,	29.89	759.2	85	...	...	...	...

On the 13th at 11.55 a.—The barometer has fallen rapidly over E. Japan, and risen moderately over N. China. The depression lying over N. Korea yesterday, has moved Eastwards and lies now to the North of Hokkaido. An area of high pressure is shown over N. China, and N.E. and E. winds probably set in again over the Formosa Channel and the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. to E. winds, moderate; showery.
2.—Formosa Channel,	N.E. winds, freshening.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 13th May, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th May, 1911, P.M.									14th May, 1911, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.76	755.9	60	...	S W	0	c		7 a.	29.89	759.3	48	55	...	0	b
Nemuro,	,,	29.43	747.6	...	...	N	5	...		6 a.	29.77	756.1	...	...	...	0	...
Hakodate,	,,	29.69	754.2	...	...	W N W	6	...		,,	29.91	759.7	...	...	W	1	...
Tokio,	,,	29.69	754.1	...	...	S	2	...		,,	29.93	760.1	...	...	E N E	1	...
Kochi,	,,	29.80	756.8	...	...	S E	1	...		,,	29.76	755.8	...	...	...	0	...
Nagasaki,	,,	29.80	756.8	...	...	N	3	...		,,	29.76	755.8	...	...	N E	1	...
Kagoshima,	,,	29.78	756.4	...	...	E	1	...		,,	29.74	755.4	...	...	...	0	...
Oshima,	,,	...	...	...	...	...	...	...		,,	29.77	756.1	...	...	...	0	...
Naha,	,,	29.83	757.7	...	...	W	1	...		,,	29.83	757.7	...	...	...	0	...
Ishigakijima,	,,	29.85	753.3	...	...	S	1	...		,,	29.80	756.8	...	...	N E	2	...
Bonin Is.	,,	29.94	760.4	...	...	S W	1	...		,,	29.93	760.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.02	762.5	60	39	N N W	3	b		9 a.	29.94	760.5	61	45	N N W	4	c
Hankow,	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Shanghai,	,,	29.93	760.2	70	44	N N W	3	c		9 a.	29.97	761.2	57	63	N	2	o
Gutzlaff,	,,	29.94	760.5	62	72	N	5	cm		,,	29.99	761.7	58	88	N	5	ogm
Sharp Peak,	,,	29.85	758.2	73	95	N	1	o		,,	29.88	758.9	60	70	E	1	or
Amoy,	,,	29.77	756.1	80	78	S S E	2	c		6 a.	...	...	...	...	...	...	...
Swatow,	,,	29.76	755.9	87	69	S S W	1	c		,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.84	758.0	...	...	N E	6	...		5 a.	29.82	757.3	...	...	E	2	...
Taichu,	,,	29.86	758.5	...	...	W	4	...		,,	29.86	758.4	...	...	...	0	...
Tainan,	,,	29.89	759.1	...	...	S W	6	...		,,	29.84	758.0	...	...	E	2	...
Koshun	,,	29.88	758.9	...	...	N W	6	...		,,	29.84	758.0	...	...	N	4	...
Pescadores,	,,	29.86	758.5	...	...	W	6	...		,,	29.82	757.4	...	...	S	4	...
Canton,	3 p.	29.79	756.6	82	83	W	1	o		9 a.	29.83	757.7	81	87	S S W	1	c
Hongkong,	4 p.	29.78	756.4	82	80	W S W	3	oq		10 a.	29.85	758.2	81	87	S W	2	o
Victoria Peak,	,,	...	...	...	...	S	6	...		,,	...	...	...	...	S S W	5	...
Gap Rock,	,,	29.77	756.1	...	...	S W	3	...		,,	29.83	757.7	...	...	S S W	3	...
Macao,	,,	29.80	756.8	81	...	S S W	2	o		,,	29.87	758.7	81	...	W	2	c
Wuchow,	3 p.	29.76	755.9	83	...	S	1	o		9 a.	29.84	757.9	78	91	E	1	o
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.75	755.6	82	...	S S E	5	c		8 a.	29.81	757.2	81	...	S S E	4	c
Tourane,	,,	29.76	756.0	82	...	S E	3	b		,,	29.86	758.4	86	...	S	2	b
Cape St. James,	,,	29.81	757.2	82	...	E N E	1	c		,,	29.91	759.8	84	...	E N E	1	c
Aparri,	2 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	91	55	S E	1	o		10 a.	29.88	753	86	71	W S W	1	c
Legaspi,	2 p.	29.83	757.8	90	...	N E	2	c		6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	o		9 a.	...	...	...	...	N E	1	b
Iloilo,	,,	29.79	756.6	83	...	N E	2	o		,,	29.89	759.2	84	...	N N E	1	c
Cebu,	,,	29.84	757.9	84	...	N	2	c		,,	29.91	759.7	84	...	S	1	o
Labuan,	,,	29.78	756.4	88	...	...	...	...		,,	...	...	...	...	...	...	...

On the 14th at 11.55 a.—The depression lying over Hokkaido yesterday, has moved away over the Pacific and barometer has risen considerably in E. Japan.

A depression, which developed over the Eastern Sea, lies off S.W. Japan, and an area of low pressure is situated over S. China.

Pressure is relatively high over N. China and S.E. Japan.

Moderate S. and S.W. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.13 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, moderate or fresh; squally, thunder [showers.
2.—Formosa Channel,	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 14th May, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th May, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	15th May, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.80	757.0	62	...	W	0	b	7 a.	29.82	757.3	47	67	S E	0	b
Nemuro,	,,	29.77	756.1	...	...	N W	5	...	6 a.	29.79	756.6	...	...	...	0	...
Hakodate,	,,	29.87	758.7	...	...	S W	4	...	,,	29.87	758.7	...	...	S S E	1	...
Tokio,	,,	29.85	758.1	...	...	N N W	2	...	,,	29.89	759.1	...	...	N N W	1	...
Kochi,	,,	29.68	753.8	...	...	...	0	...	,,	29.86	758.3	...	...	N	1	...
Nagasaki,	,,	29.76	755.8	...	...	N N E	3	...	,,	29.82	757.3	...	...	N E	1	...
Kagoshima,	,,	29.72	754.9	...	...	W N W	2	...	,,	29.86	758.4	...	...	N	1	...
Oshima,	,,	29.79	756.6	...	...	N	1	...	,,	29.83	757.6	...	...	N W	1	...
Naha,	,,	29.81	757.2	...	...	N N W	1	...	,,	29.83	757.7	...	...	N N E	3	...
Ishigakijima,	,,	29.82	757.3	...	...	W	4	...	,,	29.84	757.8	...	...	N	2	...
Bonin Is.	,,	29.91	759.6	...	...	S S W	2	...	,,	29.93	760.1	...	...	S	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.92	759.9	60	100	N N W	4	bm	9 a.	30.03	762.7	68	38	...	...	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.94	760.5	66	45	N	2	c	9 a.	30.09	764.3	65	31	N N E	1	b
Gutzlaff,	,,	29.96	761.0	61	60	N	3	cv	,,	30.09	764.3	63	57	N	2	bv
Sharp Peak,	,,	29.88	758.9	68	85	E N E	4	o	,,	30.02	762.5	65	89	N	2	o
Amoy,	,,	29.89	759.1	73	86	N E	1	or	6 a.	29.96	761.0	65	84	E	1	o
Swatow,	,,	29.81	757.2	74	95	E N E	1	or	,,	29.88	758.9	68	95	N E	2	or
Taihoku,	1 p.	29.84	757.9	...	...	E	6	...	5 a.	29.92	759.9	...	...	E	2	...
Taichu,	,,	29.87	758.6	...	...	S	4	...	,,	29.83	759.0	...	...	...	0	...
Tainan,	,,	29.87	758.8	...	...	S	2	...	,,	29.88	758.8	...	...	N	6	...
Koshun,	,,	29.85	758.2	...	...	N	6	...	,,	29.85	758.2	...	...	E	2	...
Pescadores,	,,	29.84	758.0	...	...	S	6	...	,,	29.86	758.4	...	...	N E	8	...
Canton,	3 p.	29.76	755.9	86	72	W	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.77	756.1	81	82	S	2	op	10 a.	29.89	759.2	74	95	E	3	or
Victoria Peak,	,,	...	...	...	...	S	3	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	29.75	755.6	...	...	S W	3	...	,,	29.86	758.4	...	...	E S E	1	...
Macao,	,,	29.78	756.3	81	...	S W	2	c	,,	29.89	759.3	77	...	S E	2	od
Wuchow,	3 p.	29.72	754.9	84	...	W	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.70	754.4	84	...	S S E	3	c	8 a.	29.84	757.8	75	...	E	4	or
Tourane,	,,	29.75	755.7	84	...	S E	2	b	,,	29.82	757.4	90	..	S	2	b
Cape St. James,	,,	29.80	757.0	86	...	S	1	c	,,	29.91	759.7	81	...	N W	1	c
Aparri,	2 p.	29.81	757.1	90	...	N E	1	b	6 a.	29.86	758.3	75	...	S E	2	b
Manila,	4 p.	29.76	756	93	56	S E	2	o	10 a.	29.88	759	86	71	W S W	1	c
Legaspi,	2 p.	29.82	757.4	82	...	N E	2	o	6 a.	29.87	758.7	77	...	...	0	o
Bacolod,	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.81	757.2	...	...	E	1	c	,,	29.87	758.7	82	...	N E	1	c
Cebu,	,,	29.84	757.9	84	...	...	0	...	,,	29.88	758.9	85	...	...	0	c
Labuan,	,,	29.76	755.9	87	...	...	...	...	,,	29.88	758.9	80	...	...	...	...

On the 15th at 11.55 a.—The barometer has risen moderately over the E. and N.E. coasts of China and in W. Japan.

Pressure is high over N. China, and relatively low over the N. part of the China Sea, and the Pacific to the South of Japan.

Fresh to strong E. winds and unsettled squally weather must still be expected over the northern shores of the China Sea.

Note.—A slight earthquake was felt this morning at 0h. 41m. Standard Time. The initial shock was followed 15 seconds later by a stronger one, which lasted 4 seconds.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh to strong ; squally, rainy.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 15th May, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th May, 1911, P.M.								16th May, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.78	756.5	55	...	S S E	1	c	7 a.	29.86	758.3	47	91	S E	1	o
Nemuro,	,,	29.75	755.6	...	...	S S W	4	...	6 a.	29.95	760.6	...	...	W S W	1	...
Hakodate,	,,	29.87	758.7	...	...	W	5	...	,,	30.11	764.7	...	...	...	...	...
Tokio,	,,	29.94	760.6	...	...	...	0	...	,,	30.18	766.6	...	...	N W	1	...
Kochi,	,,	29.87	758.8	...	...	S S E	1	...	,,	30.11	764.8	...	...	S W	1	...
Nagasaki,	,,	29.93	760.3	...	...	N	4	...	,,	30.11	764.8	...	...	...	0	...
Kagoshima,	,,	29.88	758.9	...	...	S E	2	...	,,	30.10	764.4	...	...	E	1	...
Oshima,	,,	29.91	759.6	...	...	N	3	...	,,	30.02	762.6	...	...	S	1	...
Naha,	,,	29.91	759.7	...	...	N E	5	...	,,	30.01	762.2	...	...	E	1	...
Ishigakijima,	,,	29.93	760.3	...	...	N	2	...	,,	29.99	761.8	...	...	N N E	1	...
Bonin Is.	,,	29.91	759.6	...	...	S S W	1	...	,,	29.93	760.1	...	...	S S W	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.02	762.5	69	47	E	2	b	9 a.	30.00	762.0	64	53	S W	5	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.07	763.8	71	29	N E	2	b	9 a.	30.09	764.3	66	59	E S E	2	c
Gutzlaff,	,,	30.10	764.5	63	57	N	1	bv	,,	30.11	764.8	65	63	E N E	3	bm
Sharp Peak,	,,	30.01	762.2	66	68	E N E	6	b	,,	30.08	764.0	64	89	N	2	o
Amoy,	,,	29.93	760.2	73	67	E	4	o	6 a.	30.05	763.2	67	60	E N E	1	c
Swatow,	,,	29.94	760.5	72	76	E	1	o	,,	29.99	761.7	67	55	E N E	2	o
Taihoku,	1 p.	30.02	762.4	...	...	E	4	...	5 a.	30.02	762.4	...	...	E	6	...
Taichu,	,,	29.94	760.5	...	...	N	6	...	,,	29.97	761.1	...	...	...	0	...
Tainan,	,,	29.93	760.2	...	...	N	6	...	,,	29.97	761.1	...	...	...	0	...
Koshun,	,,	29.91	759.8	...	...	S E	6	...	,,	29.96	760.9	...	...	N E	8	...
Pescadores,	,,	29.96	760.9	..	...	N E	10	...	,,	29.97	761.1	...	...	N	8	...
Canton,	3 p.	29.85	758.2	76	86	E	1	o	9 a.	29.94	760.5	73	81	S E	2	o
Hongkong,	4 p.	29.86	758.4	73	94	E N E	4	od	10 a.	29.96	761.0	69	88	E	5	odq
Victoria Peak,	,,	...	...	...	...	E	6	...	,,	...	...	...	...	E	7	...
Gap Rock,	,,	29.81	757.2	...	...	E	5	...	,,	29.89	759.2	...	...	E N E	7	...
Macao,	,,	29.90	759.4	75	...	E S E	5	od	,,	29.96	760.9	71	...	S E	7	odq
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.84	757.9	78	86	N	4	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.77	756.1	81	...	E N E	1	c	8 a.	29.84	758.0	79	...	E N E	3	o
Tourane,	,,	29.77	756.2	82	...	S E	3	c	,,	29.84	758.0	86	...	S	1	b
Cape St. James,	,,	29.82	757.4	82	...	S S W	2	c	,,	29.91	759.8	81	...	N W	0	c
Aparri,	2 p.	29.81	757.1	83	...	E	2	b	6 a.	29.90	759.5	75	...	N E	0	o
Manila,	4 p.	29.76	756	91	61	...	0	c	10 a.	29.92	760	82	70	E S E	1	o
Legaspi,	2 p.	29.82	757.4	91	...	E	2	b	6 a.	29.88	758.9	75	...	...	0	c
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.79	756.6	85	...	N E	1	o	,,	29.91	759.7	82	...	N E	1	o
Cebu,	,,	29.81	757.2	85	...	S	2	c	,,	29.91	759.7	83	...	...	0	c
Labuan,	,,	29.81	757.2	85	...	...	...	...	,,	29.91	759.7	83	...	...	...	...

On the 16th at 11.55 a.—The barometer has risen considerably over Japan and the Loochoos, and a moderate rise has taken place also, over S. China. Pressure is inclined to give way over N. China.

The high pressure area has shifted Eastwards and lies now over Japan. Pressure continues relatively low over the N.W. part of the China Sea.

Strong winds and squally, unsettled weather will continue to prevail over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.78 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, strong ; squally, rainy.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 16th May, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th May, 1911, P.M.								17th May, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.73	755.2	51	...	S E	4	o	7 a.	29.80	757.0	51	72	S W	0	b
Nemuro,	,,	29.94	760.6	...	...	S	5	...	6 a.	30.04	763.1	...	...	S W	6	...
Hakodate,	,,	30.09	764.2	...	...	S W	4	...	,,	29.97	761.2	...	...	...	0	...
Tokio,	,,	30.14	765.6	...	...	S E	1	...	,,	30.24	768.1	...	...	...	0	...
Kochi,	,,	30.11	764.8	...	...	S E	1	...	,,	30.17	766.3	...	...	...	0	...
Nagasaki,	,,	30.05	763.3	...	...	S E	1	...	,,	30.17	763.8	...	...	N E	1	...
Kagoshima,	,,	30.09	764.4	...	...	S	1	...	,,	30.06	763.4	...	...	E	4	...
Oshima,	,,	30.02	762.6	...	...	S E	4	...	,,	30.01	762.1	...	...	...	0	...
Naha,	,,	29.99	761.7	...	...	E N E	3	...	,,	29.93	760.2	...	...	E	1	...
Ishigakijima,	,,	29.97	761.3	...	...	E	4	...	,,	29.89	759.3	...	...	N E	1	...
Bonin Is.	,,	29.93	760.1	...	...	S	1	...	,,	29.97	761.1	...	...	N E	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.96	761.0	66	49	S W	4	c	9 a.	30.00	762.0	65	63	S W	4	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.00	762.0	69	43	S E	3	o	9 a.	30.00	762.0	71	66	S S E	1	b
Gutzlaff,	,,	30.04	763.0	61	77	S E	4	cm	,,	30.04	763.0	64	89	S E	2	om
Sharp Peak,	,,	29.99	761.7	63	94	N	1	or	,,	29.98	761.5	64	95	N	1	or
Amoy,	,,	29.98	761.5	68	70	N N E	3	c	6 a.	29.96	761.0	66	89	N	1	or
Swatow,	,,	29.94	760.5	71	86	E N E	1	c	,,	29.92	759.9	66	95	N	1	o
Taihoku,	1 p.	29.93	760.2	...	...	E	6	...	5 a.	29.90	759.4	...	...	...	0	...
Taichu,	,,	29.92	760.0	...	...	...	0	...	,,	29.92	759.9	...	...	...	0	...
Tainan,	,,	29.93	760.1	...	...	W	4	...	,,	29.91	759.7	...	...	N	2	...
Koshun	,,	29.92	760.0	...	...	N E	6	...	,,	29.88	758.8	...	...	...	0	...
Pescadores,	,,	29.94	760.5	..	...	N	8	...	,,	29.90	759.4	...	...	N	6	...
Canton,	3 p.	29.89	759.2	72	85	E	1	or	9 a.	29.91	759.7	73	90	E	2	c
Hongkong,	4 p.	29.86	758.2	69	96	E	4	orq	10 a.	29.92	759.9	73	87	E	2	o
Victoria Peak,	,,	...	...	...	...	E N E	6	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	29.81	757.2	...	...	E N E	6	...	,,	29.88	758.9	...	...	E	5	...
Macao,	,,	29.88	758.9	70	...	E N E	2	or	,,	29.94	760.4	73	...	N	1	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.83	757.7	82	83	N E	1	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.74	755.4	82	...	E S E	5	c	8 a.	29.81	757.1	77	...	E N E	4	o
Tourane,	,,	29.77	756.2	82	...	S E	3	c	,,	29.84	758.0	82	..	S S W	1	c
Cape St. James,	,,	29.84	757.9	82	...	S W	1	c	,,	29.91	759.8	81	...	W	1	c
Aparri,	2 p.	29.82	757.4	86	...	E	2	b	6 a.	29.86	758.3	75	...	S E	2	b
Manila,	4 p.	29.80	757	81	76	E S E	1	od	10 a.	29.88	759	86	71	N W	1	c
Legaspi,	2 p.	29.85	758.2	86	...	E	2	b	6 a.	29.86	758.5	75	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	2	or	9 a.	...	...	...	...	N E	1	b
Iloilo,	,,	29.81	757.2	87	...	N E	1	o	,,	29.93	760.2	83	...	N E	1	c
Cebu,	,,	29.83	757.7	86	...	N	2	c	,,	29.89	759.2	86	...	...	0	c
Labuan,	,,	29.83	757.7	87	...	...	...	...	,,	29.89	759.2	84	...	...	...	...

On the 17th at 11.55 a.—The barometer has fallen moderately over the E. coast of China, Formosa and the Loochoos: and risen slightly in S.E. Japan.

The high pressure area is central in the neighbourhood of the latter district.

A depression is moving Eastwards over E. Manchuria, and pressure is still relatively low over Tongking and the N.W. part of the China Sea.

Moderate E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.73 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; cloudy, mist or drizzling rain.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 17th May, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th May, 1911, P.M.								18th May, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.83	757.8	68	...	W	0	b	7 a.	30.05	763.2	51	50	E S E	0	b
Nemuro,	,,	30.04	763.1	...	...	S W	7	...	6 a.	30.04	763.1	...	...	S S W	4	...
Hakodate,	,,	30.05	763.2	...	...	S W	5	...	,,	30.13	765.2	...	...	...	0	...
Tokio,	,,	30.16	766.1	...	...	S	1	...	,,	30.12	765.1	...	...	N W	1	...
Kochi,	,,	30.13	765.3	...	...	S E	1	...	,,	30.07	763.8	...	...	S W	1	...
Nagasaki,	,,	30.07	763.8	...	...	N	1	...	,,	30.05	763.3	...	...	...	0	...
Kagoshima,	,,	30.02	762.4	...	...	E N E	2	...	,,	30.02	762.4	...	...	E	2	...
Oshima,	,,	29.94	760.6	...	...	S S E	1	...	,,	29.93	760.1	...	...	S	1	...
Naha,	,,	29.91	759.7	...	...	E N E	1	...	,,	29.89	759.2	...	...	E N E	1	...
Ishigakijima,	,,	29.89	759.3	...	...	N N E	1	...	,,	29.89	759.3	...	...	N E	2	...
Bonin Is.	,,	29.94	760.6	...	...	N E	1	...	,,	29.89	759.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.99	761.7	73	43	E	3	c	9 a.	30.02	762.5	60	65	S S W	2	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.95	760.7	80	51	N E	1	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.97	761.2	74	63	E N E	2	b	9 a.	30.00	762.0	71	66	E S E	2	c
Gutzlaff,	,,	30.01	762.2	65	84	E	1	bm	,,	30.05	763.2	63	83	S E	3	cv
Sharp Peak,	,,	29.93	760.2	65	94	N	1	o	,,	29.96	761.0	67	90	N	2	o
Amoy,	,,	29.88	758.9	71	85	E	1	or	6 a.	29.94	760.5	69	80	E N E	4	c
Swatow,	,,	29.88	758.9	70	90	E N E	1	or	,,	29.90	759.4	69	90	N E	2	o
Taihoku,	1 p.	29.91	759.6	...	...	E	4	...	5 a.	29.89	759.1	...	...	E	6	...
Taichu,	,,	29.91	759.8	...	...	N	4	...	,,	29.86	758.4	...	...	...	0	...
Tainan,	,,	29.88	759.0	...	...	N	6	...	,,	29.85	758.1	...	...	...	0	...
Koshun,	,,	29.86	758.5	...	...	N	2	...	,,	29.83	757.6	...	...	E	4	...
Pescadores,	,,	29.91	759.7	...	...	N	6	...	,,	29.85	758.2	...	...	N	8	...
Canton,	3 p.	29.85	758.2	77	82	S W	2	o	9 a.	29.86	758.4	76	86	S S E	1	o
Hongkong,	4 p.	29.84	757.9	75	84	E S E	2	o	10 a.	29.88	758.9	74	83	E	4	o
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	29.81	757.2	...	...	E N E	4	...	,,	29.85	758.2	...	...	E N E	5	...
Macao,	,,	29.86	758.4	75	...	S E	1	o	,,	29.89	759.2	73	...	E S E	3	o
Wuchow,	3 p.	29.80	756.9	81	...	S E	1	o	9 a.	29.73	756.4	75	...	E	1	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.87	758.7	79	95	E N E	1	or	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.75	755.6	75	...	E	3	or	8 a.	29.76	755.9	77	...	N E	2	c
Tourane,	,,	29.80	756.8	73	...	S W	3	or	,,	29.79	756.7	86	...	S W	1	c
Cape St. James,	,,	29.79	756.6	88	...	S W	1	c	,,	29.92	760.0	79	...	S W	1	o
Aparri,	2 p.	29.78	756.3	88	...	S E	2	c	6 a.	29.82	757.5	75	...	S	2	o
Manila,	4 p.	29.76	756	86	71	W N W	1	c	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.80	757.0	93	...	N E	2	b	6 a.	29.83	757.7	72	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	2	or	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.77	756.1	86	...	N E	1	o	,,	29.87	758.7	83	...	N E	1	b
Cebu,	,,	29.79	756.6	88	...	N	1	c	,,	29.92	759.9	84	...	...	0	r
Labuan,	,,	29.78	756.4	89	...	...	...	...	,,	29.89	759.2	82	...	...	...	...

On the 18th at 11.50 a.—A low pressure trough lies over the N. part of the China Sea, and the barometer is falling slowly on the adjacent coasts.

The depression lying to the North of the Sea of Japan yesterday, has moved away Eastwards.

Pressure is still high over Japan, but giving way at the Southern stations.

Fresh to strong E. winds and squally weather may be expected over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh to strong; squally, showery.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 18th May, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th May, 1911, P.M.								19th May, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.95	760.8	59	...	S S E	1	b	7 a.	29.83	757.7	50	96	S E	2	f
Nemuro,	,,	30.00	762.1	...	...	S S W	6	...	6 a.	30.16	766.1	...	...	N E	1	...
Hakodate,	,,	30.09	764.2	...	...	W	1	...	,,	30.13	765.2	...	...	S S E	1	...
Tokio,	,,	30.06	763.6	...	...	E N E	2	...	,,	30.12	765.1	...	...	N N W	1	...
Koobi,	,,	30.01	762.3	...	...	E S E	1	...	,,	30.09	764.3	...	...	S W	1	...
Nagasaki,	,,	30.01	762.3	...	...	W S W	2	...	,,	30.05	763.3	...	...	S S E	1	...
Kagoshima,	,,	30.00	761.9	...	...	E S E	3	...	,,	30.06	763.4	...	...	E	2	...
Oshima,	,,	29.93	760.1	...	...	N E	1	...	,,	29.99	761.6	...	...	...	0	...
Naha,	,,	29.91	759.7	...	...	E N E	2	...	,,	29.93	760.2	...	...	E	1	...
Ishigakijima,	,,	29.91	759.8	...	...	S W	4	...	,,	29.88	758.8	...	...	E	3	...
Bonin Is.	,,	29.83	757.6	...	...	S S W	1	...	,,	29.89	759.1	...	...	N	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.96	761.0	62	74	S W	3	o	9 a.	29.92	759.9	60	76	S W	5	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	67	95	...	0	or
Shanghai,	,,	29.92	759.9	76	33	S E	3	o	9 a.	29.92	759.9	71	66	S E	3	c
Gutzlaff,	,,	29.99	761.7	64	84	S E	4	cm	,,	29.98	761.5	64	94	S S E	3	om
Sharp Peak,	,,	29.92	759.9	69	90	N	3	c	,,	29.91	759.7	66	90	N	3	or
Amoy,	,,	29.87	758.7	79	61	E	4	c	6 a.	29.90	759.4	72	81	E N E	1	o
Swatow,	,,	29.84	757.9	78	78	E	1	c	,,	29.85	758.2	70	85	E N E	1	b
Taihoku,	1 p.	29.88	758.9	...	...	E	8	...	5 a.	29.85	758.1	...	...	E	4	...
Taichu,	,,	29.85	758.1	...	...	S W	2	...	,,	29.86	758.5	...	...	...	0	...
Tainan,	,,	29.85	758.1	...	...	W	4	...	,,	29.85	758.2	...	...	N E	2	...
Koshun	,,	29.83	757.8	...	...	E	8	...	,,	29.83	757.7	...	...	N E	4	...
Pescadores,	,,	29.88	759.0	..	...	N	8	...	,,	29.84	757.9	...	...	N E	4	...
Canton,	3 p.	29.80	756.9	79	78	S	2	c	9 a.	29.81	757.2	75	86	S E	2	or
Hongkong,	4 p.	29.82	757.4	73	91	E	3	od	10 a.	29.83	757.7	74	93	E	4	od
Victoria Peak,	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E S E	5	...
Gap Rock,	,,	29.78	756.4	...	...	E	5	...	,,	29.79	756.6	...	...	E	5	...
Macao,	,,	29.82	757.4	...	...	S E	4	c	,,	29.83	757.7	76	...	S E	4	odq
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.82	757.4	82	91	S E	2	c	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.67	753.6	77	95	S W	1	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.64	752.9	82	...	S S E	4	c	8 a.	29.70	754.3	82	...	S S E	4	c
Tourane,	,,	29.70	754.5	82	...	S	1	c	,,	29.73	755.2	88	...	S	2	b
Cape St. James,	,,	29.76	755.9	82	...	S S W	1	c	,,	29.83	757.7	82	...	N	1	c
Aparri,	2 p.	29.76	756.0	86	...	N	2	o	6 a.	29.83	757.7	75	...	S	2	c
Manila,	4 p.	29.76	756	86	71	N E	2	o	10 a.	29.84	758	88	66	W N W	1	c
Legaspi,	2 p.	29.78	756.5	90	...	N E	2	c	6 a.	29.86	758.3	72	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	1	c	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.77	756.1	87	...	N E	1	o	,,	29.87	758.7	83	...	...	0	b
Cebu,	,,	29.76	756.9	87	...	N	1	c	,,	29.87	758.7	83	...	...	0	c
Labuan,	,,	29.78	756.4	85	...	...	...	...	,,	29.84	757.9	85	...	...	...	...

On the 19th at 11.55 a.—The barometer has fallen moderately to slightly over the China coast and Tongking, and risen slightly over Japan.

Areas of low pressure are lying over S.W. China and Tongking, and over Manchuria, while high pressure still covers Japan.

Fresh to moderate E. and S.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and S.E. winds, fresh to moderate; squally, rainy.
2.—Formosa Channel,	E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S.E. winds, fresh to moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 19th May, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th May, 1911, P.M.								20th May, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	29.76	755.8	51	...	S S E	4	o	7 a.	29.63	752.5	50	84	E S E	1	o
Nemuro,	,,	30.12	766.1	...	...	S E	3	...	6 a.	30.16	766.1	...	...	S	1	...
Hakodate,	,,	30.07	763.7	...	...	S S E	2	...	,,	30.07	763.7	...	...	...	0	...
Tokio,	,,	30.10	764.6	...	...	N E	1	...	,,	30.18	766.6	...	...	N W	1	...
Kochi,	,,	30.09	764.3	...	...	S E	1	...	,,	30.11	764.8	...	...	S W	1	...
Nagasaki,	,,	30.03	762.8	...	...	W	2	...	,,	30.03	762.8	...	...	S E	2	...
Kagoshima,	,,	30.04	762.9	...	...	...	0	...	,,	30.04	762.9	...	...	N E	2	...
Oshima,	,,	29.98	761.6	...	...	S E	2	...	,,	29.97	761.1	...	...	...	0	...
Naha,	,,	29.95	760.7	...	...	E	...	...	,,	...	...	...	...	S E	1	...
Ishigakijima,	,,	29.87	758.8	...	...	E	5	...	,,	29.86	758.3	...	...	S E	3	...
Bonin Is.	,,	29.91	759.6	...	...	N E	1	...	,,	29.95	760.6	...	...	N E	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.83	757.7	67	64	S W	5	c	9 a.	29.78	756.4	63	83	S W	5	cm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.87	758.7	73	72	S S E	3	o	9 a	29.80	756.9	65	95	E S E	1	or
Gutzlaff,	,,	29.93	760.2	65	95	S E	3	opf	,,	29.85	758.2	62	100	S E	4	fr
Sharp Peak,	,,	29.84	757.9	67	95	N	1	or	,,	29.81	757.2	68	95	N	0	o
Amoy,	,,	29.82	757.4	77	73	S E	4	o	6 a	29.86	758.4	72	85	E N E	1	o
Swatow,	,,	29.83	757.7	76	77	E N E	2	o	,,	29.83	757.7	72	90	N E	1	o
Taihoku,	1 p.	29.81	757.1	...	...	E	4	...	5 a	29.82	757.5	...	...	S	2	...
Taichu,	,,	29.83	757.8	...	...	N	4	...	,,	29.85	758.1	...	...	...	0	...
Tainan,	,,	29.85	758.1	...	...	W	4	...	,,	29.84	757.8	...	...	E	2	...
Koshun	,,	29.83	757.8	...	...	S E	6	...	,,	29.83	757.6	...	...	...	0	...
Pescadores,	,,	29.84	757.9	..	...	N	6	...	,,	29.82	757.5	...	...	N	2	...
Canton,	3 p.	29.75	755.6	77	91	S E	1	or	9 a.	29.80	756.9	77	90	S E	1	o
Hongkong,	4 p.	29.77	756.1	75	89	E	3	od	10 a.	29.81	757.2	75	97	S E	3	orq
Victoria Peak,	,,	...	...	...	...	E	6	...	,,	...	...	...	...	S S E	4	...
Gap Rock,	,,	29.72	754.9	...	...	E S E	4	...	,,	29.78	756.4	...	...	S E	2	...
Macao,	,,	29.77	756.2	76	...	S E	4	od	,,	29.82	757.5	73	...	S	7	or
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.58	751.4	82	...	S S E	5	c	8 a.	29.75	755.7	81	...	N E	3	o
Tourane,	,,	29.65	753.0	84	...	S S W	1	lt	,,	29.73	755.1	91	...	...	0	b
Cape St. James,	,,	29.75	755.7	84	...	S S W	2	c	,,	29.83	757.7	82	...	S W	1	c
Aparri,	2 p.	29.77	756.2	86	...	E	2	b	6 a.	29.83	757.6	75	...	S E	2	b
Manila,	4 p.	29.76	756	88	65	S S E	2	c	10 a.	29.84	758	86	65	W	1	b
Legaspi,	2 p.	29.79	756.7	93	...	N E	2	b	6 a.	29.83	757.7	79	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	1	b
Iloilo,	,,	29.85	758.2	86	...	S W	1	o	,,	29.87	758.7	82	...	N N E	1	b
Cebu,	,,	29.83	757.7	84	...	S	2	c	,,	29.91	759.7	85	...	...	0	c
Labuan,	,,	29.72	754.9	90	...	...	...	...	,,	29.85	758.2	80	...	...	...	...

On the 20th at 11.55 a.—The barometer has fallen moderately over the E. and N.E. coasts of China and in Wladiwostok. Changes in other areas are slight.

The depression shown over Manchuria is moving slowly Eastwards.

The area of low pressure lying over China, extends from the S.W. coast to the Lower Yangtze valley.

The high pressure area covering Japan, is central off the E. coast.

Unsettled squally weather is indicated over the whole of the China coast.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.44 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	Variable winds; squally, thunder storms.
2.—Formosa Channel, ...	S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 20th May, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th May, 1911, P.M.								21st May, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	29.67	753.7	51	...	W S W	0	o	7 a.	29.75	755.6	47	92	...	0	b
Nemuro,	,,	30.12	765.1	...	...	S	6	...	6 a.	30.10	764.6	...	...	S	4	...
Hakodate,	,,	30.01	762.2	...	...	S E	2	...	,,	29.97	761.2	...	...	N W	1	...
Tokio,	,,	30.10	764.6	...	...	S S W	2	...	,,	30.04	763.1	...	...	...	0	...
Koobi,	,,	30.05	763.3	...	...	N E	1	...	,,	29.93	760.3	...	...	S S W	1	...
Nagasaki,	,,	29.95	760.8	...	...	E N E	1	...	,,	29.82	757.3	...	...	E N E	2	...
Kagoshima,	,,	29.94	760.4	...	...	E	3	...	,,	29.76	755.9	...	...	E	5	...
Oshima,	,,	29.89	759.1	...	...	S	1	...	,,	29.75	755.6	...	...	...	1	...
Naha,	,,	29.87	758.7	...	...	S S E	4	...	,,	29.77	756.2	...	...	S W	1	...
Ishigakijima,	,,	29.82	757.3	...	...	E	5	...	,,	29.80	756.8	...	...	S W	1	...
Bonin Is.	,,	29.93	760.1	...	...	N E	1	...	,,	29.91	759.6	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.83	757.7	63	56	N	5	b	9 a.	29.91	759.7	63	67	S E	2	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.77	756.1	67	95	E	1	omd	9 a	29.92	759.9	69	80	E N E	2	o
Gutzlaff,	,,	29.80	756.9	63	94	S E	5	f	,,	29.94	760.5	65	89	N E	1	om
Sharp Peak,	,,	29.75	755.6	70	100	...	0	o	,,	29.87	758.7	70	85	N E	2	or
Amoy,	,,	29.77	756.1	77	82	S E	3	o	6 a.	29.82	757.4	75	99	S S W	1	o
Swatow,	,,	29.82	757.4	75	90	E	1	or	,,	29.80	756.9	74	95	S	1	c
Taihoku,	1 p.	29.78	756.4	...	...	W	2	...	6 a.	29.78	756.5	...	...	S	2	...
Taichu,	,,	29.81	757.2	...	...	S	2	...	,,	29.82	757.3	...	...	...	0	...
Tainan,	,,	29.83	757.8	...	...	S W	6	...	,,	29.84	758.0	...	...	E	2	...
Koshun	,,	29.82	757.5	...	...	N W	4	...	,,	29.82	757.4	...	...	N W	2	...
Pescadores,	,,	29.82	757.4	...	...	S	6	...	,,	29.80	756.8	...	...	S W	6	...
Canton,	3 p.	29.73	755.1	82	87	S	1	or	9 a.	29.82	757.4	77	91	W	1	o
Hongkong,	4 p.	29.76	755.9	76	88	S	1	od	10 a.	29.85	758.2	78	82	W N W	1	o
Victoria Peak,	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	S S W	3	...
Gap Rock,	,,	29.74	755.4	...	...	S W	4	...	,,	29.78	756.4	...	...	S W	2	...
Macao,	,,	29.77	756.1	77	...	S S E	3	c	,,	29.86	758.4	78	...	S S E	1	o
Wuchow,	8 p.	29.73	755.1	73	...	W	1	od	9 a.	29.82	757.4	75	...	W	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.71	754.7	81	...	N N W	1	o	8 a.	29.86	758.5	79	...	N N E	1	c
Tourane,	,,	29.69	754.0	86	...	S S E	2	c	,,	29.80	756.9	84	...	S W	2	o
Cape St. James,	,,	29.78	756.5	88	...	W S W	2	c	,,	29.85	758.2	84	...	E	2	c
Aparri,	2 p.	29.78	756.5	88	...	E	2	b	6 a.	29.84	758.0	75	...	S	2	b
Manila,	4 p.	29.76	756	84	77	S W	1	o	10 a.	29.84	758	88	65	S	1	o
Legaspi,	2 p.	29.80	756.8	91	...	N E	2	c	6 a.	29.86	758.3	73	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.79	756.6	85	...	N E	0	...	,,	29.87	758.7	84	...	N	1	b
Cebu,	,,	29.79	756.6	87	...	N	1	c	,,	29.86	758.4	87	...	...	0	c
Labuan,	,,	29.77	756.1	86	...	...	...	...	,,	...	...	...	...	...	...	...

On the 21st at 11.55 a.—The barometer has fallen considerably over S. Japan and the Loochoos, and risen moderately to slightly at the continental stations.

The depression lying over Manchuria yesterday appears to have moved away to the Northeast.

A depression, formed in the "low" area lying over S. China, has moved into the Eastern Sea.

The high pressure area is lying over the Pacific to the East of Japon.

Moderate variable winds are indicated over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	SW and variable winds, moderate: fair at first, showery later.
2.—Formosa Channel,	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 21st May, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st MAY, 1911, P.M.									22nd MAY, 1911, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.69	754.1	59	...	S W	0	b		7 a.	29.78	756.5	33	82	...	0	o
Nemuro,	,,	30.04	763.1	...	...	S	5	...		6 a.	29.91	759.6	...	...	S S E	3	...
Hakodate,	,,	29.87	758.7	...	...	S	1	...		,,	29.81	757.2	...	...	S	1	...
Tokio,	,,	29.94	760.6	...	...	S	1	...		,,	29.83	757.6	...	...	N W	1	...
Kochi,	,,	29.83	757.8	...	...	...	0	...		,,	29.89	759.3	...	...	...	0	...
Nagasaki,	,,	29.78	756.3	...	...	N	2	...		,,	29.95	760.8	...	...	...	0	...
Kagoshima,	,,	29.78	756.4	...	...	E N E	5	...		,,	29.92	759.9	...	...	N N E	2	...
Oshima,	,,	29.73	755.1	...	...	N E	1	...		,,	29.81	757.1	...	...	...	0	...
Naha,	,,	29.79	756.7	...	...	W S W	2	...		,,	29.81	757.2	...	...	N E	...	...
Ishigakijima,	,,	29.78	756.3	...	...	N N E	2	...		,,	29.84	757.8	...	...	N E	1	...
Bonin Is.	,,	29.89	759.1	...	...	S	1	...		,,	29.85	758.1	...	...	S W	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.90	759.4	55	100	E N E	6	orm		9 a.	29.95	760.7	65	63	E	1	c
Hankow,	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Shanghai,	,,	29.90	759.4	74	68	E N E	1	c		9 a.	29.93	760.2	72	71	S S E	1	c
Gutzlaff,	,,	29.92	759.9	71	80	N N E	1	cv		,,	29.97	761.2	64	89	E S E	1	cpf
Sharp Peak,	,,	29.86	758.4	68	79	N	4	or		,,	29.92	759.9	68	85	E	3	c
Amoy,	,,	29.82	757.4	75	86	E N E	3	c		6 a.	29.86	758.4	69	90	N E	1	or
Swatow,	,,	29.82	757.4	84	75	S W	1	c		,,	29.85	758.2	69	95	N E	1	or
Taihoku,	1 p.	29.82	757.4	...	...	E	6	...		5 a.	29.84	758.0	...	...	S E	4	...
Taichu,	,,	29.82	757.4	...	...	S	2	...		,,	29.84	757.9	...	...	...	0	...
Tainan,	,,	29.83	757.7	...	...	S W	6	...		,,	29.82	757.4	...	...	...	0	...
Koshun	,,	29.82	757.5	...	...	N W	6	...		,,	29.82	757.5	...	...	E	2	...
Pescadores,	,,	29.80	757.0	..	...	S	6	...		,,	29.82	757.3	...	...	N E	6	...
Canton,	3 p.	29.76	755.9	82	79	W N W	1	c		9 a.	29.82	757.4	79	87	S	1	c
Hongkong,	4 p.	29.76	755.9	82	77	W	1	c		10 a.	29.85	758.2	78	92	S S E	1	od
Victoria Peak,	,,	...	...	...	...	S W	5	...		,,	...	...	...	...	S	5	...
Gap Rock,	,,	29.73	755.1	...	...	W S W	1	...		,,	29.81	757.2	...	...	S S E	3	...
Macao,	,,	29.77	756.1	83	...	S	1	c		,,	29.86	758.4	76	...	S E	1	od
Wuchow,	3 p.	29.76	755.9	80	74	W	1	c		9 a.	29.79	756.6	77	...	S E	1	o
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.74	755.3	90	...	W N W	1	c		8 a.	29.83	757.7	82	...	...	0	c
Tourane,	,,	29.74	755.4	84	...	N W	3	c		,,	29.81	757.2	84	...	N W	2	b
Cape St. James,	,,	29.76	755.9	84	...	E N E	1	c		,,	29.86	758.4	84	...	N W	1	c
Aparri,	2 p.	29.78	756.3	88	...	E	2	c		6 a.	29.82	757.5	77	...	S E	2	o
Manila,	4 p.	29.76	756	86	71	S W	4	o		10 a.	29.84	758	86	78	W S W	1	...
Legaspi,	2 p.	29.78	756.7	93	...	N E	2	b		6 a.	29.84	757.3	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	2	or		9 a.	...	...	...	...	N E	1	b
Iloilo,	,,	29.81	757.2	85	...	N W	...	r		,,	29.83	757.7	83	...	N E	1	b
Cebu,	,,	...	...	88	...	N E	1	b		,,	29.90	759.4	87	...	N	2	c
Labuan,	,,	...	...	...	...	...	...	...		,,	29.85	758.2	82	...	...	...	...

On the 22nd at 11.55 a.—The barometer has risen moderately over SW Japan, and fallen considerably in E. Japan.

The depression lying in the neighbourhood of the Loochoos yesterday, is moving Eastwards to the South of Japan. A second area of low pressure is shown over the NE part of the Sea of Japan.

Pressure is highest over the Yellow Sea. It is relatively low over SW China and Tongking.

Unsettled weather will continue to previal over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.13 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	SE winds, moderate; squally, thunder-storms.
2.—Formosa Channel,	E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 22nd May, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd May, 1911, P.M.								23rd May, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.72	755.0	59	...	S S E	1	c	7 a.	29.84	757.8	52	63	...	0	b
Nemuro,	,,	29.77	756.1	...	...	S E	2	...	6 a.	29.75	756.6	...	...	W	2	...
Hakodate,	,,	29.77	756.2	...	...	N W	3	...	,,	29.87	758.7	...	...	...	0	...
Tokio,	,,	29.77	756.1	...	...	S S W	2	...	,,	29.87	758.6	...	...	N E	1	...
Kochi,	,,	29.87	758.8	...	...	S E	1	...	,,	29.91	759.5	...	...	S W	1	...
Nagasaki,	,,	29.91	759.8	...	...	W S W	3	...	,,	29.91	759.8	...	...	...	0	...
Kagoshima,	,,	29.90	759.4	...	...	S S W	...	...	,,	29.90	759.4	...	...	N	1	...
Oshima,	,,	29.87	758.6	...	...	S	2	...	,,	29.87	758.6	...	...	...	0	...
Naha,	,,	29.83	757.7	...	...	E	1	...	,,	29.81	757.2	...	...	...	0	...
Ishigakijima,	,,	29.85	758.3	...	...	E N E	2	...	,,	29.82	757.3	...	...	...	0	...
Bonin Is.	,,	29.85	758.1	...	...	S W	1	...	,,	29.91	759.6	...	...	S W	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.91	759.7	59	65	E	3	o	9 a.	29.96	761.0	67	55	N E	...	bm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.87	758.7	77	61	E S E	2	c	9 a.	29.96	761.0	67	89	E S E	2	om
Gutzlaff,	,,	29.93	760.2	65	89	E S E	3	cm	,,	29.93	760.2	63	100	E S E	4	opf
Sharp Peak,	,,	29.87	758.7	70	90	E	2	c	,,	29.86	758.4	70	95	E	1	c
Amoy,	,,	29.83	757.7	74	81	E	2	o	6 a.	29.90	759.4	71	85	N E	1	o
Swatow,	,,	29.83	757.7	73	86	N E	1	o	,,	29.84	757.9	72	95	N E	1	o
Taiboku,	1 p.	29.87	758.6	...	...	E	4	...	5 a.	29.83	757.7	...	...	...	0	...
Taichu,	,,	29.85	758.3	...	...	N W	2	...	,,	29.84	758.0	...	...	...	0	...
Tainan,	,,	29.84	757.9	...	...	W	4	...	,,	29.84	758.0	...	...	N	2	...
Koshun	,,	29.85	758.1	...	...	S W	4	...	,,	29.82	757.3	...	...	E	2	...
Pescadores,	,,	29.85	758.2	...	...	N E	8	...	,,	29.84	757.8	...	...	N	4	...
Canton,	3 p.	29.76	755.9	81	87	E S E	1	c	9 a.	29.81	757.2	81	83	S	1	c
Hongkong,	4 p.	29.79	756.6	75	95	E	2	o	10 a.	29.85	758.2	77	93	E	2	o
Victoria Peak,	,,	...	...	...	...	W	1	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	29.75	755.6	...	...	E	1	...	,,	29.82	757.4	...	...	E S E	3	...
Macao,	,,	29.80	756.9	79	...	S E	2	c	,,	29.86	758.4	78	...	S E	3	c
Wuchow,	3 p.	29.73	755.1	82	...	E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.75	755.6	87	65	S E	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.71	754.6	86	...	S S E	3	b	8 a.	29.79	756.7	81	...	S E	2	c
Tourane,	,,	29.74	755.4	86	...	S S E	2	c	,,	29.83	757.6	84	...	...	0	c
Cape St. James,	,,	29.79	756.7	84	...	S E	1	c	,,	29.87	758.7	84	...	N	1	c
Aparri,	2 p.	29.75	755.7	88	...	E	2	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	83	65	...	0	c	10 a.	29.84	758	88	72	W N W	1	c
Legaspi,	2 p.	29.78	756.5	93	...	N E	2	b	6 a.	29.84	758.0	73	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N	4	or	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.77	756.1	90	...	N E	1	b	,,	29.83	757.7	85	...	N E	1	b
Cebu,	,,	29.79	756.6	89	...	N	1	c	,,	29.85	758.2	87	...	N	1	c
Labuan,	,,	29.78	756.4	88	...	...	...	...	,,	29.82	757.4	85	...	...	...	...

On the 23rd at 11.55 a.—The depression lying over the N.E. part of the Sea of Japan yesterday, has passed to the Pacific.

Barometric changes in other areas are slight.

Pressure is relatively high over the Yellow Sea, and over the Pacific to the East of the Bonins, and relatively low over S.W. China, and the Pacific to the S.E. of the Loochoos.

Light or moderate S.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. and S. winds, light or moderate; thunder showers.
2.—Formosa Channel,	E. and S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 23rd May, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd MAY, 1911, P.M.								24th MAY, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.79	756.7	64	...	E S E	1	c	7 a.	29.76	756.0	51	89	...	0	b
Nemuro,	,,	29.75	755.6	...	...	E S E	4	...	6 a.	29.81	757.1	...	...	...	0	...
Hakodate,	,,	29.83	757.7	...	...	W S W	3	...	,,	29.83	757.7	...	...	...	0	...
Tokio,	,,	29.87	758.6	...	...	E N E	1	...	,,	29.85	758.1	...	...	N W	1	...
Kochi,	,,	29.87	758.8	...	...	S S W	1	...	,,	29.88	758.8	...	...	S W	1	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	29.89	759.3	...	...	N E	1	...
Kagoshima,	,,	29.90	759.4	...	...	...	0	...	,,	29.88	758.9	...	...	...	0	...
Oshima,	,,	29.83	757.6	...	...	S	2	...	,,	29.87	758.6	...	...	...	0	...
Naha,	,,	29.77	756.2	...	...	W N W	1	...	,,	29.77	756.2	...	...	W S W	1	...
Ishigakijima,	,,	29.82	757.3	...	...	S E	2	...	,,	29.78	756.3	...	...	N E	1	...
Bonin Is.	,,	29.89	759.1	...	...	S S W	1	...	,,	29.83	757.6	...	...	S S W	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.88	758.9	70	57	S S E	1	bm	9 a.	29.86	758.4	68	70	S S W	3	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.89	759.2	72	85	E S E	2	o	9 a	29.93	760.2	75	68	E S E	1	c
Gutzlaff,	,,	29.86	758.4	66	95	E S E	3	om	,,	29.97	761.2	63	100	E S E	1	f
Sharp Peak,	,,	29.79	756.6	70	90	E	2	o	,,	29.85	758.2	69	95	N	1	or
Amoy,	,,	29.80	756.9	77	77	S	4	b	6 a.	29.81	757.2	71	85	E	3	or
Swatow,	,,	29.79	756.6	76	95	E	1	o	,,	29.77	756.1	74	95	S E	2	o
Taihoku,	1 p.	29.79	756.6	...	...	N W	2	...	5 a.	29.78	756.4	...	...	E	2	...
Taichu,	,,	29.82	757.5	...	...	W	4	...	,,	29.80	756.9	...	...	...	0	...
Tainan,	,,	29.82	757.4	...	...	W	6	...	,,	29.79	756.6	...	...	...	0	...
Koshun	,,	29.82	757.4	...	...	W	4	...	,,	29.78	756.3	...	...	...	0	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	29.77	756.2	...	...	N	2	...
Canton,	3 p.	29.72	754.9	83	81	S	1	c	9 a.	29.76	755.9	77	86	E	2	or
Hongkong,	4 p.	29.74	755.4	77	92	E	2	c	10 a.	29.81	757.2	75	92	...	0	or
Victoria Peak,	,,	...	...	...	...	S S E	2	...	,,	...	...	...	...	S W	1	...
Gap Rock,	,,	29.71	754.6	...	...	S E	2	...	,,	29.75	755.6	...	...	N E	3	...
Macao,	,,	29.75	755.6	79	...	S S E	2	c	,,	...	...	73	...	N N W	2	or
Wuchow,	3 p.	29.67	753.6	82	...	...	0	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.66	753.3	86	...	S S E	4	c	8 a.	29.77	756.1	73	...	N W	4	o
Tourane,	,,	29.72	754.8	88	...	S S E	2	b	,,	29.75	755.6	90	...	S W	1	b
Cape St. James,	,,	29.79	756.7	84	...	W N W	1	c	,,	29.88	758.9	75	...	S E	2	lt
Aparri,	2 p.	29.77	756.1	91	...	N E	2	c	6 a.	29.78	756.4	77	...	S	2	b
Manila,	4 p.	29.72	755	90	60	W N W	1	c	10 a.	29.80	757	90	55	...	0	c
Legaspi,	2 p.	29.78	756.3	93	...	N E	2	b	6 a.	29.80	757.0	75	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N	2	b	9 a.	...	...	...	...	N E	2	b
Iloilo,	,,	29.77	756.1	89	...	N E	1	c	,,	29.83	757.7	85	...	N E	1	b
Cebu,	,,	29.82	757.4	89	...	N	2	b	,,	29.86	758.4	87	...	N	1	c
Labuan,	,,	29.72	754.9	89	...	...	...	...	,,	29.84	757.9	84	...	...	...	...

On the 24th at 12.05 p.—The barometer has fallen slightly over China and S. Japan.

The area of low pressure remains over S.W. China, and a depression appears to be approaching Manchuria from the Westward.

Pressure continues relatively high over the Yellow Sea.

Unsettled weather must still be expected over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. and variable winds; squally, thunder showers.
2.—Formosa Channel,	E. and S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 24th May, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th May, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	25th May, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.76	756.0	67	...	N	0	b	7 a.	29.97	761.2	45	81	S	0	o
Nemuro,	,,	29.75	755.6	...	...	S S W	4	...	6 a.	29.77	756.1	...	...	N	1	...
Hakodate,	,,	29.79	756.7	...	...	W S W	2	...	,,	29.93	760.2	...	...	W N W	3	...
Tokio,	,,	29.77	756.1	...	...	N E	1	...	,,	30.04	763.1	...	...	N W	1	...
Kochi,	,,	29.85	758.3	...	...	E	1	...	,,	30.01	762.3	...	...	S W	1	...
Nagasaki,	,,	29.89	759.3	...	...	W S W	2	...	,,	29.97	761.3	...	...	E S E	1	...
Kagoshima,	,,	29.88	758.9	...	...	S S W	1	...	,,	30.00	761.9	...	...	E N E	1	...
Oshima,	,,	29.91	759.6	...	...	S	1	...	,,	29.93	760.1	...	...	...	0	...
Naha,	,,	29.85	758.2	...	...	E N E	5	...	,,	29.83	757.7	...	...	E S E	2	...
Ishigakijima,	,,	29.76	755.8	...	...	E N E	2	...	,,	29.74	755.3	...	...	E N E	1	...
Bonin Is.	,,	29.81	757.1	...	...	S W	1	...	,,	29.95	760.6	...	...	N E	1	...
Chefoo,	4 p.	...	...	...	...	...	..	...	6 a.	...	...	...	...	..	...	...
Weihaiwei,	,,	29.81	757.2	70	70	S W	4	b	9 a.	29.83	757.7	70	70	S W	4	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.77	756.1	81	73	N E	3	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.88	758.9	77	60	S E	2	c	9 a	29.90	759.4	65	95	S E	2	o
Gutzlaff,	,,	29.91	759.7	66	89	S E	2	om	,,	29.93	760.7	64	95	E S E	3	om
Sharp Peak,	,,	29.84	757.9	69	95	N	2	o	,,	29.81	757.2	69	95	N E	1	o
Amoy,	,,	29.83	757.7	74	86	E	2	or	6 a.	29.81	757.2	70	99	E	3	or
Swatow,	,,	29.80	756.9	74	90	E N E	1	or	,,	29.77	756.1	71	95	E	1	or
Taihoku,	1 p.	29.78	756.4	...	...	N W	2	...	5 a	29.76	756.0	...	...	...	0	...
Taichu,	,,	29.80	756.8	...	...	N	2	...	,,	29.79	756.7	...	...	...	0	...
Tainan,	,,	29.80	756.9	...	...	S	6	...	,,	29.81	757.1	...	...	S E	4	...
Koshun	,,	29.79	756.6	...	...	W	4	...	,,	29.80	756.8	...	...	N E	2	...
Pescadores,	,,	29.79	756.7	..	...	N	6	...	,,	29.76	755.7	...	...	S	4	...
Canton,	3 p.	29.71	754.6	79	82	S	2	o	9 a.	29.77	756.1	73	91	S	1	o
Hongkong,	4 p.	29.72	754.9	75	95	E	1	cd	10 a.	29.80	756.9	78	91	...	0	o
Victoria Peak,	,,	...	...	...	...	S	1	...	,,	...	...	...	...	S W	3	...
Gap Rock,	,,	29.70	754.4	...	...	S S E	3	...	,,	29.77	756.1	...	...	S S W	3	...
Macao,	,,	29.73	755.2	76	...	E N E	1	cd	,,	29.81	757.2	83	...	E S E	1	cp
Wuchow,	3 p.	29.71	754.6	85	68	W	1	o	9 a	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.66	753.3	90	...	N	2	c	8 a.	29.82	757.3	81	...	N W	2	c
Tourane,	,,	29.70	754.3	86	...	S W	1	c	,,	29.78	756.4	84	..	W N W	2	c
Cape St. James,	,,	29.77	756.1	84	...	S	1	c	,,	29.86	758.4	81	...	N W	1	c
Aparri,	2 p.	29.73	755.2	91	...	N	2	b	6 a.	29.83	757.6	73	...	S W	2	b
Manila,	4 p.	29.72	755	93	51	S E	1	c	10 a.	29.88	759	88	72	W S W	1	o
Legaspi,	2 p.	29.76	756.0	95	...	N E	2	b	6 a.	29.84	757.9	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N	2	c	9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.77	756.1	89	...	S	1	b	,,	29.87	758.7	85	...	N E	1	c
Cebu,	,,	29.77	756.1	89	...	N	2	c	,,	29.86	758.4	85	...	N	1	c
Labuan,	,,	29.75	755.6	85	...	...	...	...	,,	29.88	758.9	84	...	...	...	...

On the 25th at 11.55 a.—The depression lying over the N.E. part of the Sea of Japan yesterday, is moving away over the Pacific, and pressure has increased considerably to moderately in Wladiwostok and S. Japan.

The barometer has a tendency to fall in N. China, and to rise at the stations bordering the China Sea.

An area of high pressure occupies the Sea of Japan, and a trough of low pressure lies over S. China and the Pacific towards the Southern Loochoos.

Moderate S. and S.W. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.47 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—**Hongkong and Neighbourhood,**	S.W. winds, moderate: squally, thunder showers.
2.—**Formosa Channel,**	Variable winds, moderate.
3.—**South coast of China between Hongkong and Lamocks,**	Same as No. 1.
4.—**South coast of China between Hongkong and Hainan,**	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 25th May, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th May, 1911, P.M.								26th May, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.96	761.1	45	...	S S E	4	o	7 a.	29.88	758.8	48	94	S E	6	or
Nemuro,	,,	29.89	759.1	...	...	N E	4	...	6 a.	30.14	765.6	...	...	N N E	1	...
Hakodate,	,,	30.01	762.2	...	...	N W	3	...	,,	30.15	765.7	...	...	...	0	...
Tokio,	,,	30.02	762.6	...	...	S S W	3	...	,,	30.14	765.6	...	...	N W	1	...
Kochi,	,,	30.01	762.3	...	...	S	6	...	,,	30.03	762.8	...	...	S W	1	...
Nagasaki,	,,	29.93	760.3	...	...	W S W	2	...	,,	29.93	760.3	...	...	N E	1	...
Kagoshima,	,,	29.96	760.9	...	...	...	0	...	,,	29.94	760.4	...	...	E	3	...
Oshima,	,,	29.89	759.1	...	...	S E	2	...	,,	29.81	757.1	...	...	S S E	1	...
Naha,	,,	29.77	756.2	...	...	E N E	3	...	,,	29.75	755.7	...	...	E	1	...
Ishigakijima,	,,	29.78	756.3	...	...	S	1	...	,,	29.74	755.3	...	...	N N E	1	...
Bonin Is.	,,	29.98	761.6	...	...	N E	1	...	,,	29.99	761.6	...	...	E	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.81	757.2	72	62	S W	3	b	9 a.	29.88	758.9	64	78	S W	2	bm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.81	757.2	68	90	S E	3	omd	9 a	29.85	758.2	70	95	E S E	1	om
Gutzlaff,	,,	29.85	758.2	65	100	E S E	4	omp	,,	29.87	758.7	65	100	E S E	2	f
Sharp Peak,	,,	29.75	755.6	72	100	N	1	o	,,	29.83	757.7	72	95	E	1	c
Amoy,	,,	29.75	755.1	74	86	S	2	o	6 a.	29.79	756.6	72	90	N E	3	o
Swatow,	,,	29.75	755.6	73	86	E	1	or	,,	29.78	756.4	74	95	N N E	1	f
Taihoku,	1 p.	29.76	755.9	...	...	N W	4	...	5 a.	29.75	755.6	...	...	N	2	...
Taichu,	,,	29.82	757.3	...	...	...	0	...	,,	29.79	756.7	...	...	...	0	...
Tainan,	,,	29.82	757.3	...	...	S	4	...	,,	29.78	756.6	...	...	E	2	...
Koshun	,,	29.80	756.9	...	...	W	4	...	,,	29.78	756.5	...	...	N W	2	...
Pescadores,	,,	29.78	756.5	..	...	S W	6	...	,,	29.76	755.8	...	...	S	2	...
Canton,	3 p.	29.71	754.6	84	75	S	2	o	9 a.	29.80	756.9	79	87	...	0	o
Hongkong,	4 p.	29.71	754.6	82	82	S	1	c	10 a.	29.84	757.9	77	94	S S W	1	o
Victoria Peak,	,,	...	...	...	...	S S W	3	...	,,	...	...	...	...	S	6	...
Gap Rock,	,,	29.70	754.4	...	...	S W	4	...	,,	29.81	757.2	...	...	S W	3	...
Macao,	,,	29.72	755.0	80	...	S S E	2	c	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.77	756.1	82	83	W	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.70	754.3	79	...	E N E	3	or	8 a.	29.79	756.7	81	...	N N E	0	c
Tourane,	,,	29.71	754.7	84	...	W N W	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.82	757.3	81	...	S W	1	c	,,	29.86	758.4	81	...	N W	1	c
Aparri,	2 p.	29.77	756.2	90	...	N	2	b	6 a.	29.82	757.5	77	...	S E	2	b
Manila,	4 p.	29.76	756	91	55	W S W	1	c	10 a.	29.88	759	88	66	S W	1	o
Legaspi,	2 p.	29.80	757.0	93	...	E	2	b	6 a.	29.84	758.0	75	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.79	756.6	85	...	S W	1	cd	,,	29.89	759.2	84	...	S W	1	c
Cebu,	,,	29.81	757.2	89	...	N	2	c	,,	29.90	759.4	84	...	...	0	b
Labuan,	,,	29.78	756.4	88	...	...	...	...	,,	29.89	759.2	84	...	...	...	...

On the 26th at 12.05 p.—The barometer has risen considerably in E. Japan, and fallen moderately in Wladiwostok and over the Loochoos.

A depression is probably advancing Eastwards over Manchuria.

The low pressure trough still lies over S. China and the Pacific towards the Loochoos, and there are indications of the formation of a circular depression to the South of the latter area.

The high pressure area now occupies E. Japan.

Moderate S. and S.W. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, moderate; squally, thunder showers.
2.—Formosa Channel,	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 26th May, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th May, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	27th May, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.88	758.8	49	...	S E	4	o	7 a.	29.76	755.0	49	93	S S E	4	or
Nemuro,	,,	30.14	765.6	...	...	S E	3	...	6 a.	30.14	765.6	...	...	S S E	1	...
Hakodate,	,,	30.13	765.2	...	...	S	2	...	,,	30.07	763.7	...	...	N E	1	...
Tokio,	,,	30.10	764.6	...	...	S W	1	...	,,	30.06	763.6	...	...	N W	1	...
Kochi,	,,	29.99	761.8	...	...	E S E	1	...	,,	29.97	761.3	...	...	S W	1	...
Nagasaki,	,,	29.91	759.8	...	...	S E	1	...	,,	29.93	760.3	...	...	S E	1	...
Kagoshima,	,,	29.92	759.9	...	...	E	3	...	,,	29.92	759.9	...	...	E S E	2	...
Oshima,	,,	29.83	757.6	...	...	S E	1	...	,,	29.85	758.1	...	...	...	0	...
Naha,	,,	29.77	756.2	...	...	...	0	...	,,	29.81	757.2	...	...	...	0	...
Ishigakijima,	,,	29.80	756.8	...	...	N N W	2	...	,,	29.82	757.3	...	...	N N W	1	...
Bonin Is.	,,	29.93	760.1	...	...	E	1	...	,,	29.83	757.6	...	...	S S W	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.81	757.2	72	54	S W	4	b	9 a.	29.85	758.2	65	89	N	1	og
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.79	756.6	76	77	E S E	1	o	9 a	...	...	...	...	...	...	...
Gutzlaff,	,,	29.83	757.7	68	95	E S E	2	om	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	29.79	756.6	74	..	E	1	b	,,	29.89	759.2	73	95	E	1	c
Amoy,	,,	29.82	757.4	77	77	S E	2	c	6 a.	29.86	758.4	72	94	E	3	or
Swatow,	,,	29.78	756.4	77	95	E	2	o	,,	29.83	757.7	76	95	S E	1	o
Taihoku,	1 p.	29.82	757.4	...	...	N W	4	...	5 a	29.84	757.9	...	...	...	0	...
Taichu,	,,	29.85	757.7	...	...	...	0	...	,,	29.85	758.2	...	...	...	0	...
Tainan,	,,	29.85	758.1	...	...	S E	4	...	,,	29.86	758.5	...	...	...	0	...
Koshun,	,,	...	...	...	...	...	...	...	,,	29.85	758.2	...	...	...	0	...
Pescadores,	,,	29.81	757.2	..	...	N	2	...	,,	29.83	757.6	...	...	...	0	...
Canton,	3 p.	29.76	755.9	82	79	N	1	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.78	756.4	76	90	W	1	od	10 a.	29.83	757.7	80	90	S	2	o
Victoria Peak,	,,	...	...	...	...	S	7	...	,,	...	...	...	...	S S E	6	...
Gap Rock,	,,	29.76	755.9	...	...	S W	3	...	,,	29.81	757.2	...	...	S E	3	...
Macao,	,,	29.79	756.6	76	...	S S W	2	od	,,	29.83	757.7	77	...	S S E	3	or
Wuchow,	3 p.	29.76	755.9	83	...	S E	1	c	9 a.	29.73	755.1	75	...	E	1	od
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.77	756.1	80	96	...	0	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.69	754.0	88	...	S S E	2	c	8 a.	29.75	755.6	81	...	S E	2	c
Tourane,	,,	29.72	754.9	86	...	S E	2	c	,,	29.80	756.9	93	..	S W	1	c
Cape St. James,	,,	29.80	757.0	84	...	S	3	c	,,	29.89	759.2	77	...	S S W	1	or
Aparri,	2 p.	29.80	757.0	91	...	N E	2	b	6 a.	29.86	758.4	77	...	S E	2	c
Manila,	4 p.	29.80	757	90	66	S W	2	c	10 a.	29.88	759	86	73	W	1	c
Legaspi,	2 p.	29.82	757.3	95	...	E	2	b	6 a.	29.88	759.0	75	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.79	756.6	85	...	S W	1	c	,,	29.89	759.2	84	...	N E	1	b
Cebu,	,,	29.81	757.2	89	...	N	1	c	,,	29.87	758.7	86	...	N	1	c
Labuan,	,,	29.78	756.4	88	...	...	...	...	,,	29.90	759.4	82	...	...	...	...

On the 27th at 11.55 a.—The barometer has risen slightly over the Loochoos and Formosa, and fallen moderately at the Bonins.

The slight depression lying to the South of the Loochoos yesterday, is advancing towards the neighbourhood of the Bonins.

The depression over Manchuria is still advancing Eastwards.

The high pressure area lies over the Pacific to the East of Japan.

Pressure is relatively low over S.W. China and Tongking.

Unsettled squally weather will continue to prevail over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, fresh ; squally, rainy.
2.—Formosa Channel,	E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 27th May, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th May, 1911, P.M.								28th May, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	29.67	753.7	49	...	S S E	2	or	7 a.	29.60	751.9	47	96	E S E	2	f
Nemuro,	,,	30.08	764.1	...	...	...	...	...	6 a.	29.97	761.1	...	...	S	4	...
Hakodate,	,,	29.95	760.7	...	...	S	2	...	,,	29.85	758.2	...	...	W	1	...
Tokio,	,,	30.00	762.1	...	...	S S E	2	...	,,	29.97	761.1	...	...	...	0	...
Kochi,	,,	29.95	760.8	...	...	S E	2	...	,,	29.97	761.3	...	...	...	0	...
Nagasaki,	,,	29.89	759.3	...	...	W S W	2	...	,,	29.93	760.3	...	...	...	0	...
Kagoshima,	,,	29.90	759.4	...	...	E	3	...	,,	29.94	760.4	...	...	E N E	1	...
Oshima,	,,	29.87	758.6	...	...	N W	1	...	,,	29.89	759.1	...	...	...	0	...
Naha,	,,	29.83	757.7	...	...	E S E	2	...	,,	29.85	758.2	...	...	E	1	...
Ishigakijima	,,	29.83	757.8	...	...	N W	2	...	,,	29.84	757.8	...	...	N E	1	...
Bonin Is.	,,	29.79	756.6	...	...	S S W	1	...	,,	29.87	758.6	...	...	...	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.85	758.2	66	79	N	2	cm	9 a.	29.84	757.9	74	40	E S E	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.83	757.7	76	73	E	1	o	9 a	29.79	756.6	70	95	E S E	3	om
Gutzlaff,	,,	29.86	758.4	69	100	E	1	fd	,,	29.83	757.7	67	95	S E	4	f
Sharp Peak	,,	29.83	757.7	74	..	E	1	c	,,	29.75	755.6	72	95	E	1	or
Amoy,	,,	29.89	759.2	76	82	S E	2	o	6 a	29.77	756.1	74	90	E	3	or
Swatow,	,,	29.79	756.6	77	95	E	1	o	,,	29.77	756.1	70	66	W	1	or
Taihoku,	1 p.	29.86	758.5	...	...	...	0	...	6 a	29.79	756.7	...	...	...	0	...
Taichu,	,,	29.89	759.1	...	...	S E	2	...	,,	29.81	757.1	...	...	...	0	...
Tainan,	,,	29.88	759.0	...	...	S W	2	...	,,	29.81	757.2	...	...	S E	4	...
Koshun	,,	...	...	...	...	...	...	...	,,	29.82	757.4	...	...	...	0	...
Pescadores,	,,	29.86	758.2	..	...	S W	2	...	,,	29.73	755.5	...	...	S	6	...
Canton,	3 p.	29.73	755.1	79	87	S	1	o	9 a.	29.75	755.6	89	96	S	1	o
Hongkong,	4 p.	29.77	756.1	74	97	...	0	ort.	10 a.	29.77	756.1	83	80	S W	4	oq
Victoria Peak,	,,	...	...	...	...	S	4	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	29.73	755.1	...	...	S E	3	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.76	756.0	75	....	W	1	ort	,,	29.80	756.9	80	...	S S W	3	od
Wuchow,	3 p.	29.73	755.1	78	...	E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.62	752.3	88	...	S S E	5	c	8 a.	29.73	755.0	84	...	S	0	c
Tourane,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Cape St. James,	,,	29.80	756.9	82	...	S S W	1	c	,,	29.91	759.6	81	...	N W	1	c
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.85	758.1	77	...	S	2	b
Manila,	4 p.	29.80	757	88	65	W	1	o	10 a.	29.88	759	88	72	W	1	c
Legaspi,	2 p.	29.82	757.3	95	...	N E	2	b	6 a.	29.86	758.4	81	...	...	0	c
Bacolod,	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	N E	1	b
Iloilo,	,,	29.79	756.6	87	...	N E	1	o	,,	29.87	758.7	85	...	N E	1	b
Cebu,	,,	29.82	757.4	89	...	N	1	c	,,	29.87	758.7	86	...	...	0	b
Labuan,	,,	29.75	755.6	88	...	...	...	...	,,	...	...	...	...	...	...	...

On the 28th at 11.55 a.—The depression noticed over Manchuria the past two days is approaching the neighbourhood of Wladiwostok.

Pressure has given way moderately in E. Japan and over the E. coast of China, and increased slightly over the Loochoos and the Bonins.

A depression, which will probably move towards NE. lies over China to the South of the Yangtze valley.

The highest pressure is shown over the Pacific to the East of Japan.

Fresh S. and SW winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	SW winds, fresh; squally, thunder showers.
2.—Formosa Channel, ...	SE and S. winds, fresh.
3.—South coast of China between Hongkong and Lamooks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 28th May, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th May, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	29th May, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	..	...	...	...
Nemuro,	,,	29.89	759.1	...	...	S	9	...	6 a.	29.79	756.6	...	...	...	0	...
Hakodate,	,,	29.73	755.2	...	...	S E	1	...	,,	29.79	756.7	...	...	...	0	...
Tokio,	,,	29.87	758.6	...	...	S S W	3	...	,,	29.81	757.1	...	...	W N W	1	...
Kochi,	,,	29.91	759.8	...	...	S E	1	...	,,	29.86	758.3	...	...	...	0	...
Nagasaki,	,,	29.89	759.3	...	...	W N W	1	...	,,	29.74	755.3	...	...	S E	3	...
Kagoshima,	,,	29.92	759.9	...	...	...	0	...	,,	29.84	757.9	...	...	E	4	...
Oshima,	,,	29.87	758.6	...	...	S S E	3	...	,,	29.69	754.1	...	...	S	4	...
Naha,	,,	29.81	757.2	...	...	E S E	2	...	,,	29.69	754.2	...	...	S S W	1	...
Ishigakijima,	,,	29.80	756.8	...	...	S E	3	...	,,	29.66	753.3	...	...	S S W	7	...
Bonin Is.	,,	29.85	758.1	...	...	N E	1	...	,,	29.93	760.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.76	755.9	72	46	S W	2	o	9 a.	29.67	753.6	65	89	S W	2	om
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.69	754.1	69	95	E	1	r	9 a.	29.45	748.0	67	100	W N W	1	omd
Gutzlaff,	,,	29.77	756.1	65	100	E S E	3	fr	,,	29.48	748.8	66	100	W	1	cv
Sharp Peak,	,,	29.64	752.8	74	100	S	1	o	,,	29.54	750.3	75	95	S	1	o
Amoy,	,,	29.66	753.3	82	75	S W	5	c	6 a.	29.60	751.8	79	82	S W	4	c
Swatow,	,,	29.70	754.4	81	91	S W	1	o	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.75	755.7	...	...	...	0	...	5 a.	29.62	752.4	...	...	...	0	...
Taichu,	,,	29.81	757.2	...	...	S	4	...	,,	29.71	754.7	...	...	S	2	...
Tainan,	,,	29.81	757.2	...	...	S	6	...	,,	29.72	754.9	...	...	S E	2	...
Koshun	,,	29.82	757.4	...	...	W	4	...	,,	29.72	754.9	...	...	S W	4	...
Pescadores,	,,	29.79	756.7	..	...	S W	6	...	,,	29.63	753.9	...	...	S W	6	...
Canton,	3 p.	29.66	753.3	84	83	S	1	o	9 a.	...	...	80	74	N	1	b
Hongkong,	4 p.	29.68	753.9	82	84	S W	4	oq	10 a.	29.71	754.6	83	74	W N W	1	c
Victoria Peak,	,,	...	...	...	...	S S W	6	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	29.66	753.3	...	...	S W	3	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.70	754.4	81	...	S S W	3	o	,,	29.73	755.1	84	...	N W	2	c
Wuchow,	3 p.	29.66	753.3	79	91	W	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.61	752.1	93	...	W N W	3	b	8 a.	29.71	754.5	86	...	S	3	c
Tourane,	,,	29.69	754.0	86	...	S S E	2	o	,,	29.75	755.6	86	..	S W	2	o
Cape St. James,	,,	29.81	757.1	88	...	W N W	1	c	,,	29.90	759.5	79	...	W S W	2	c
Aparri,	2 p.	29.76	755.9	90	...	S E	2	c	6 a.	29.78	756.4	77	...	S E	2	c
Manila,	4 p.	29.76	756	86	71	S	1	o	10 a.	29.84	758	88	71	S W	1	c
Legaspi,	2 p.	29.79	756.7	93	...	N E	2	b	6 a.	29.82	757.5	75	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	1	b	9 a.	...	...	...	...	N	1	o
Iloilo,	,,	29.77	756.1	89	...	W	1	c	,,	29.85	758.2	84	...	S W	1	b
Cebu,	,,	29.78	756.4	89	...	S	1	c	,,	29.91	759.7	86	...	S	2	b
Labuan,	,,	...	...	...	...	...	...	...	,,	29.88	758.9	83	...	...	...	...

On the 29th at 11.55 a.—The barometer has fallen rapidly over the E. coast of China, and a considerable fall has taken place also at the Japanese stations, except at the Bonins.

The depression which was lying over S. China yesterday, has moved towards ENE and entered the Yellow Sea near the mouth of the Yangtze. It has become much deeper.

The other depression appears to be moving into the Pacific to the North of Japan.

Pressure is highest over the Pacific to the Eastward of the Bonins.

Fresh SW winds are indicated over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. and SW winds, fresh ; fair.
2.—Formosa Channel,	SW winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 29th May, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th May, 1911, P.M.								30th May, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.57	751.2	67	...	S E	1	c	7 a.	29.70	754.3	57	73	...	0	c
Nemuro,	,,	29.73	755.1	...	...	S	4	...	6 a.	29.75	755.6	...	...	E	1	...
Hakodate,	,,	29.75	755.7	...	...	W S W	3	...	,,	29.77	756.2	...	...	..	0	...
Tokio,	,,	29.81	757.1	...	...	S S W	3	...	,,	29.75	755.5	...	...	E S E	1	...
Kochi,	,,	29.78	756.3	...	...	N E	1	...	,,	29.58	751.3	...	...	...	0	...
Nagasaki,	,,	29.52	749.8	...	...	E S E	6	...	,,	29.54	750.3	...	...	W	2	...
Kagoshima,	,,	29.52	749.9	...	...	S S E	2	...	,,	29.56	750.9	...	...	W N W	1	...
Oshima,	,,	29.61	752.1	...	...	S S W	3	...	,,	29.61	752.1	...	...	...	0	...
Naha,	,,	29.67	753.7	...	...	S S W	3	...	,,	29.65	753.2	...	...	W N W	3	...
Ishigakijima,	,,	29.64	752.8	...	...	S W	6	...	,,	29.68	753.8	...	...	W	1	...
Bonin Is.	,,	29.91	759.6	...	...	S E	1	...	,,	29.95	760.6	...	...	S	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.60	751.8	71	80	E S E	1	bm	9 a.	29.68	753.9	74	72	S	1	bm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.47	748.5	65	100	N	3	orq	9 a.	29.83	757.7	72	67	N W	2	c
Gutzlaff,	,,	29.44	747.8	73	81	W	4	cv	,,	29.92	759.9	71	85	N	3	cm
Sharp Peak,	,,	29.49	749.0	80	96	S	1	c	,,	29.81	757.2	77	91	E	2	c
Amoy,	,,	29.63	752.6	83	71	S	3	b	6 a.	29.74	755.4	75	72	W	2	b
Swatow,	,,	29.63	752.6	87	69	W	1	b	,,	29.70	754.4	73	95	...	0	b
Taihoku,	1 p.	29.59	751.7	...	...	S W	6	...	5 a.	29.72	754.8	...	...	N W	4	...
Taichu,	,,	29.68	753.8	...	...	S	4	...	,,	29.76	755.8	...	...	...	0	...
Tainan,	,,	29.72	754.9	...	...	S	6	...	,,	29.75	755.6	...	...	...	0	...
Koshun	,,	29.76	755.8	...	...	N	6	...	,,	29.72	754.9	...	...	N W	6	...
Pescadores,	,,	29.63	752.7	.	...	S	8	...	,,	29.71	754.7	...	...	W	2	...
Canton,	3 p.	29.65	753.1	85	61	N	1	b	9 a.	29.77	756.1	83	79	E	1	b
Hongkong,	4 p.	29.64	752.8	84	61	W	1	c	10 a.	29.79	756.6	84	74	E	1	c
Victoria Peak,	,,	...	...	...	...	W N W	4	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.68	753.9	82	...	E	2	c	,,	29.80	757.0	83	...	...	0	c
Wuchow,	3 p.	29.65	753.1	86	58	...	0	c	9 a.	29.73	755.1	75	...	E	1	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.60	751.9	91	...	W S W	2	c	8 a.	29.69	754.0	82	...	E	3	c
Tourane,	,,	29.67	753.5	90	...	S S W	1	c	,,	29.74	755.3	88	..	S S W	2	c
Cape St. James,	,,	29.80	757.0	79	...	W S W	5	c	,,	29.90	759.4	79	...	N W	1	c
Aparri,	2 p.	29.74	755.4	90	...	N E	2	c	6 a.	29.78	756.3	77	...	S	2	c
Manila,	4 p.	29.76	756	90	66	W S W	2	c	10 a.	29.84	758	88	72	S W	1	c
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N	1	c	9 a.	...	...	...	...	N E	1	b
Iloilo,	,,	29.75	755.6	87	...	S W	1	c	,,	29.85	758.2	84	...	S W	1	c
Cebu,	,,	29.77	756.1	88	...	...	0	c	,,	29.85	758.2	87	...	S	1	c
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	29.89	759.2	79	...	...	...	...

On the 30th at 11.55 a.—The barometer has risen quickly on the E. coast of China, and fallen considerably in W. Japan.

The depression, after crossing the Yellow Sea yesterday, has reached the S.W. part of the Sea of Japan.

The highest pressure is shown over the Pacific to the East of the Bonins. There is a tendency for pressure to give way again over S.W. China and Tongking.

Variable winds and unsettled weather may be expected over the northern shores of the China Sea, and S. and S.W. winds to the Southward of the 20th parallel.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light or moderate, fair at first, showery later.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 30th May, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th May, 1911, P.M.								31st May, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.70	754.5	74	...	N W	1	b	7 a.	29.98	761.5	51	83	S S W	1	b
Nemuro,	,,	29.73	755.1	...	...	S	1	...	6 a.	29.93	760.1	...	...	N N E	4	...
Hakodate,	,,	29.73	755.2	...	...	S S E	1	...	,,	29.97	761.2	...	...	...	0	...
Tokio,	,,	29.67	753.6	...	...	N W	2	...	,,	29.95	760.6	...	...	...	0	...
Kochi,	,,	29.62	752.3	...	...	E S E	1	...	,,	29.88	758.8	...	...	...	0	...
Nagasaki,	,,	29.68	753.8	...	...	N	1	...	,,	29.89	759.3	...	...	N E	1	...
Kagoshima,	,,	29.68	753.9	...	...	S	1	...	,,	29.86	758.4	...	...	...	0	...
Oshima,	,,	29.67	753.7	...	...	S	3	...	,,	29.83	757.6	...	...	S	1	...
Naha,	,,	29.75	756.8	...	...	W	1	...	,,	29.87	758.7	...	...	W N W	1	...
Ishigakijima,	,,	29.80	756.8	...	...	N	3	...	,,	29.91	759.8	...	...	N	1	...
Bonin Is.	,,	29.97	761.1	...	...	S S W	1	...	,,	30.04	763.1	...	...	S S W	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.72	754.9	77	61	S W	2	cm	9 a.	29.87	758.7	76	72	S W	3	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.83	757.7	77	65	...	0	c	9 a.	29.96	761.0	76	53	S S E	3	b
Gutzlaff,	,,	29.84	757.9	67	73	N	1	bv	,,	29.98	761.5	70	89	S E	1	bv
Sharp Peak,	,,	29.87	758.7	77	95	E	3	b	,,	29.97	761.2	74	95	N E	1	b
Amoy,	,,	29.84	757.9	82	52	E	6	b	6 a.	29.91	759.7	72	71	N E	2	b
Swatow,	,,	29.79	756.6	84	79	E	3	b	,,	29.82	757.4	71	80	E N E	1	b
Taihoku,	1 p.	29.86	758.4	...	...	W	2	...	5 a.	29.93	760.3	...	...	...	0	...
Taichu,	,,	29.87	758.6	...	...	N	6	...	,,	29.93	760.1	...	...	N	2	...
Tainan,	,,	29.80	756.9	...	...	W	4	...	,,	29.89	759.3	...	...	N	2	...
Koshun	,,	29.79	756.7	...	...	N	4	...	,,	29.88	759.0	...	...	E	2	...
Pescadores,	,,	29.81	757.1	..	...	N E	8	...	,,	29.89	759.3	...	...	N	6	...
Canton,	3 p.	29.72	754.9	88	66	S	1	b	9 a.	29.87	758.7	82	75	S E	2	c
Hongkong,	4 p.	29.73	755.1	82	71	E	2	c	10 a.	29.91	759.7	74	96	E	4	od
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	29.70	754.4	...	...	E	3	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.75	755.6	83	...	S E	1	c	,,	29.91	759.7	75	...	S E	4	or
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.60	751.9	86	...	S S E	4	c	8 a.	29.77	756.2	84	...	S	3	c
Tourane,	,,	29.70	754.3	90	...	S E	2	b	,,	29.80	756.8	88	..	...	0	c
Cape St. James,	,,	29.79	756.7	84	...	W S W	1	o	,,	29.87	758.6	82	...	W N W	2	c
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.87	758.6	75	...	S	2	b
Manila,	4 p.	29.76	756	90	72	W S W	2	c	10 a.	29.88	759	84	77	W	1	o
Legaspi,	2 p.	29.77	756.2	95	...	N E	2	b	6 a.	29.85	758.1	79	...	...	0	c
Bacolod,	3 p.	...	...	...	...	N E	1	c	9 a.	...	...	...	...	N	1	b
Iloilo,	,,	29.77	756.1	88	...	S W	1	o	,,	29.87	758.7	85	...	N E	1	b
Cebu,	,,	29.78	756.4	89	...	...	0	c	,,	29.86	758.4	85	...	S	1	c
Labuan,	,,	29.79	756.6	83	...	...	...	...	,,	29.86	758.4	83	...	...	...	...

On the 31st at 12.05 p.—Except at the extreme Southern stations, pressure has increased generally, particularly over China and Japan.

The depression lying over the South part of the Sea of Japan yesterday, has moved into the Pacific.

Pressure is high over the Pacific to the Eastward of the Bonins, and over the Sea of Japan. It is relatively low over S.W. China and Tongking, and to the Eastward of the Loochoos.

Moderate E. and S.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.93 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.

1.—Hongkong and Neighbourhood,	E. winds, moderate; rainy.
2.—Formosa Channel,	N.E. and E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S.E. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 31st May, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st MAY, 1911, P.M.								1st JUNE, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.00	762.0	48	...	S S E	3	f	7 a.	29.91	759.8	52	99	S E	2	
Nemuro,	,,	29.98	761.6	...	...	N E	4	...	6 a.	30.01	762.1	...	...	W	1	
Hakodate,	,,	30.03	762.7	...	...	S S E	1	...	,,	30.11	764.7	...	...	...	0	
Tokio,	,,	30.00	762.1	...	...	N E	1	...	,,	30.14	765.6	...	...	...	0	
Kochi,	,,	29.97	761.3	...	...	S	1	...	,,	30.07	763.8	...	...	S W	1	
Nagasaki,	,,	29.93	760.3	...	...	...	...	...	,,	29.97	761.3	...	...	...	0	
Kagoshima,	,,	29.94	760.4	...	...	E	2	...	,,	29.96	760.9	...	...	N E	...	
Oshima,	,,	29.91	759.6	...	...	N E	1	...	,,	29.97	761.1	...	...	S	1	
Naha,	,,	29.93	760.2	...	...	N W	1	...	,,	29.97	761.2	...	...	...	0	
Ishigakijima,	,,	29.95	760.8	...	...	S S W	1	...	,,	29.97	761.3	...	...	N E	1	
Bonin Is.	,,	30.06	763.6	...	...	S S W	1	...	,,	30.06	763.6	...	...	...	0	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.88	758.9	76	64	S W	4	c	9 a.	29.89	759.2	67	69	S W	3	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.96	761.0	78	58	S E	3	c	9 a.	29.85	758.2	71	76	S E	2	o
Gutzlaff,	,,	29.97	761.2	73	67	S E	1	ov	,,	29.83	758.9	69	80	S E	4	cv
Sharp Peak,	,,	29.97	761.2	77	95	E	1	b	,,	29.96	761.0	75	95	E	1	b
Amoy,	,,	29.95	760.7	83	55	E	5	b	6 a.	...	...	...	...	...	...	...
Swatow,	,,	29.93	760.2	79	78	E	3	c	,,	29.96	761.0	74	86	S E	1	o
Taihoku,	1 p.	29.93	760.3	...	...	E	6	...	5 a.	29.96	760.9	...	...	...	0	...
Taichu,	,,	29.92	760.0	...	...	N	2	...	,,	29.97	761.2	...	...	N E	4	...
Tainan,	,,	29.94	760.4	...	...	W	4	...	,,	29.95	760.8	...	...	...	0	...
Koshun	,,	29.93	760.2	...	...	S E	6	...	,,	29.95	760.7	...	...	E	2	...
Pescadores,	,,	29.94	760.6	...	...	N E	6	...	,,	29.95	760.6	...	...	N	2	...
Canton,	3 p.	29.86	758.4	82	79	S	1	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.87	758.7	77	89	E	4	od	10 a.	29.97	761.2	78	93	E	2	o
Victoria Peak,	,,	...	...	...	...	E	...	...	,,	...	...	...	...	E S E	4	...
Gap Rock,	,,	29.82	757.4	...	...	E	4	...	,,	29.91	759.7	...	...	E S E	3	...
Macao,	,,	29.87	758.7	76	...	S E	3	o	,,	29.98	761.5	77	...	...	3	op
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.73	755.2	86	...	S S E	5	c	8 a.	...	...	...	...	...	...	...
Tourane,	,,	29.77	756.2	86	...	S	3	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.80	757.0	86	...	S S W	1	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.85	758.2	88	...	N E	2	b	6 a.	29.89	759.2	79	...	S E	2	c
Manila,	4 p.	29.84	758	86	79	W	1	o	10 a.	29.88	759	86	71	W N W	1	o
Legaspi,	2 p.	29.82	757.3	93	...	N E	2	b	6 a.	29.87	758.7	81	...	N E	2	c
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N	1	o
Iloilo,	,,	29.83	757.7	85	...	N	1	o	,,	29.91	759.7	83	...	...	0	o
Cebu,	,,	29.81	757.2	89	...	N	1	c	,,	29.91	759.7	84	...	...	0	o
Labuan,	,,	29.80	756.9	87	...	...	...	...	,,	29.93	760.2	81	...	...	...	...

On the 1st at 12.05 p.—The barometer has fallen moderately on the E. coast of China, and risen slightly on the S. coast.

A depression, apparently shallow, has appeared over the Yangtze valley.

The high pressure area, which is central over E. Japan, extend towards S.W. and reaches the S.E. coast of China.

Moderate E. and S.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and S.E. winds, moderate; showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 1st June, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st JUNE, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd JUNE, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.85	758.3	55	...	S E	3	o	7 a.	29.65	753.1	53	98	...	0	f
Nemuro,	,,	29.93	760.1	...	...	S S W	3	...	6 a.	29.91	759.6	...	...	...	0	...
Hakodate,	,,	30.03	762.7	...	...	S E	1	...	,,	29.89	759.2	...	...	...	0	...
Tokio,	,,	30.08	764.1	...	...	S	2	...	,,	30.01	762.1	...	...	S S E	1	...
Kochi,	,,	30.01	762.3	...	...	...	0	...	,,	29.89	759.3	...	...	N E	1	...
Nagasaki,	,,	29.91	759.8	...	...	W	1	...	,,	29.84	757.8	...	...	S	2	...
Kagoshima,	,,	29.92	759.9	...	...	S S E	1	...	,,	29.88	758.9	...	...	W S W	1	...
Oshima,	,,	29.93	760.1	...	...	N E	1	...	,,	29.93	760.1	...	...	S	1	...
Naha,	,,	29.97	761.2	...	...	N N W	2	...	,,	29.91	759.7	...	...	...	0	...
Ishigakijima,	,,	29.95	760.8	...	...	S	1	...	,,	29.89	759.3	...	...	S	2	...
Bonin Is.	,,	30.04	763.1	...	...	...	0	...	,,	30.08	764.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.81	757.2	71	49	S W	3	b	9 a.	29.75	755.6	74	59	S E	1	cm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.77	756.1	76	73	E S E	1	om	9 a	29.78	756.4	75	90	W N W	1	om
Gutzlaff,	,,	29.79	756.6	68	90	S S E	4	ov	,,	29.79	756.6	69	100	S W	1	...
Sharp Peak,	,,	29.85	758.2	77	90	S	1	b	,,	29.81	757.2	79	...	...	0	c
Amoy,	,,	29.91	759.7	83	57	S S E	5	c	6 a.	29.95	760.7	77	82	...	0	b
Swatow,	,,	29.95	760.7	81	71	E S E	3	b	,,	29.97	761.2	77	91	...	0	c
Taihoku,	1 p.	29.90	759.5	...	...	N W	4	...	5 a.	29.86	758.5	...	...	S	2	...
Taichu,	,,	29.95	760.8	...	...	W	2	...	,,	29.89	759.2	...	...	...	0	...
Tainan,	,,	29.95	760.8	...	...	W	4	...	,,	29.88	759.0	...	...	S E	2	...
Koshun,	,,	29.93	760.1	...	...	S E	4	...	,,	29.89	759.1	...	...	S E	2	...
Pescadores,	,,	29.94	760.6	...	...	N	6	...	,,	29.88	758.8	...	...	...	0	...
Canton,	3 p.	29.84	757.9	82	83	W	2	c	9 a.	29.88	758.9	81	87	S W	1	c
Hongkong,	4 p.	29.87	758.7	79	89	E	1	o	10 a.	29.91	759.7	82	84	E	1	c
Victoria Peak,	,,	...	...	...	...	E S E	2	...	,,	...	...	...	...	S	1	...
Gap Rock,	,,	29.85	758.2	...	...	S E	2	...	,,	29.87	758.7	...	...	S E	2	...
Macao,	,,	29.89	759.2	79	...	S	1	c	,,	29.92	759.9	82	...	S	1	c
Wuchow,	3 p.	29.80	756.9	85	...	E	2	t	9 a.	...	...	...	...	...	...	...
Haiphong,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.78	756.5	84	...	S S E	4	c	8 a.	29.89	759.3	86	...	S	2	c
Tourane,	,,	29.82	757.3	84	...	S S E	1	c	,,	29.89	759.2	84	..	S	1	c
Cape St. James,	,,	29.81	757.2	82	...	S	1	o	,,	29.90	759.4	79	...	N	1	c
Aparri,	2 p.	29.83	757.7	90	...	E	2	c	6 a.	29.89	759.3	79	...	S E	2	b
Manila,	4 p.	29.84	758	79	92	...	0	od	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.82	757.5	91	...	...	0	c	6 a.	29.91	759.7	75	...	...	0	c
Iloilo,	3 p.	...	...	...	...	N	2	or	9 a.	...	...	...	...	N	1	o
Cebu,	,,	29.81	757.2	86	...	S W	1	o	,,	29.93	760.2	83	...	N E	1	c
Davao,	,,	29.82	757.4	87	...	S	1	c	,,	29.91	759.7	83	...	N	1	o
	,,	29.81	757.2	88	...	...	...	...	,,	29.91	759.7	81	...	...	...	...

On the 2nd at 11.55 a.—The barometer has fallen moderately to considerably over China and Japan respectively.

A depression is advancing Eastwards in the neighbourhood of Wladiwostok, and a second area of low pressure is passing from the continent to the Yellow Sea.

The high pressure area lies now to the S.E. Japan.

Light S. and S.W. winds are indicated over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	S.W. winds, light or moderate; fine at first, showery later.
Formosa Channel,	S. and S.W. winds, moderate.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 2nd June, 1911.

[Printed by Nobonha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd June, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	3rd June, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.62	752.6	55	...	...	0	f	7 a.	29.67	753.6	53	98	...	0	f
Nemuro,	,,	29.85	758.1	...	...	S W	7	...	6 a.	29.75	755.6	...	...	S S W	5	..
Hakodate,	,,	29.83	757.7	...	...	S	1	...	,,	29.73	755.2	...	...	...	0	..
Tokio,	,,	29.91	759.6	...	...	...	0	...	,,	29.83	757.6	...	...	...	0	..
Koohi,	,,	29.83	757.8	...	...	S E	1	...	,,	29.88	758.8	...	...	...	0	..
Nagasaki,	,,	...	...	...	...	...	...	...	,,	29.74	755.3	...	...	S W	1	..
Kagoshima,	,,	29.86	758.4	...	...	W S W	1	...	,,	29.78	756.4	...	...	S W	1	..
Oshima,	,,	29.89	759.1	...	...	S	1	...	,,	29.85	758.1	...	...	S	1	..
Naha,	,,	29.91	759.7	...	...	S W	2	...	,,	29.89	759.2	...	...	S S W	1	..
Ishigakijima,	,,	29.87	758.8	...	...	S	3	...	,,	29.84	757.8	...	...	S	5	..
Bonin Is.	,,	30.02	762.6	...	...	S	1	...	,,	30.02	762.6	...	...	...	0	..
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Weihaiwei,	,,	29.70	754.4	71	66	E	3	cm	9 a.	29.60	751.8	72	62	S W	1	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	..
Shanghai,	,,	29.70	754.4	73	95	E S E	1	omr.	9 a	29.68	753.9	79	78	W S W	2	o
Gutzlaff,	,,	29.74	755.4	71	100	S S E	1	fp	,,	29.70	754.4	73	95	W	4	o
Sharp Peak,	,,	29.68	753.9	82	79	S	5	b	,,	29.82	757.4	81	...	...	0	c
Amoy,	,,	29.79	756.6	86	65	S	6	b	6 a.	29.85	758.2	78	86	W	1	b
Swatow,	,,	...	...	87	65	S S E	3	b	,,	...	..	78	86	...	0	b
Taihoku,	1 p.	29.83	757.6	...	...	W	4	...	6 a.	29.79	756.6	...	...	...	0	.
Taichu,	,,	29.86	758.5	...	...	W	4	...	,,	29.86	758.4	...	...	...	0	.
Tainan,	,,	29.87	758.7	...	...	S	6	...	,,	29.86	758.3	...	...	...	0	.
Koshun	,,	29.88	759.0	...	...	S W	6	...	,,	29.86	758.4	...	...	...	0	.
Pescadores,	,,	29.86	758.5	..	...	S W	4	...	,,	29.84	758.0	...	...	S W	4	.
Canton,	3 p.	29.80	756.9	87	76	W S W	2	c	9 a.	...	...	...	...	...	...	
Hongkong,	4 p.	29.80	756.9	83	76	S	1	c	10 a.	29.86	758.4	84	78	W	1	c
Victoria Peak,	,,	...	...	...	...	S S E	2	...	,,	...	...	...	...	...	0	
Gap Rock,	,,	29.79	756.6	...	...	S	2	...	,,	29.84	757.9	...	...	S	2	
Macao,	,,	29.82	757.4	82	...	S S E	3	c	,,	29.88	758.9	83	...	S S E	1	
Wuchow,	3 p.	29.76	755.9	81	91	S	2	c	9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.73	755.2	86	...	S S E	4	c	8 a.	29.79	756.6	84	...	S S E	4	
Tourane,	,,	29.76	755.9	84	...	S	3	b	,,	29.83	757.6	88	...	S W	1	
Cape St. James,	,,	29.84	758.0	82	...	S W	1	o	,,	29.90	759.4	79	...	N N W	1	
Aparri,	2 p.	29.82	757.5	91	...	S	4	b	6 a.	29.89	759.3	79	...	S W	2	
Manila,	4 p.	29.84	758	86	65	E S E	1	o	10 a.	29.92	760	86	65	...	0	
Legaspi,	2 p.	29.88	759.0	86	...	E	2	o	6 a.	29.90	759.5	79	...	...	0	
Bacolod,	3 p.	...	...	...	...	N	1	o	9 a.	...	...	...	...	N E	1	
Iloilo,	,,	29.85	758.2	84	...	S W	1	o	,,	29.93	760.2	84	...	N E	1	
Cebu,	,,	29.87	758.7	85	...	...	...	o	,,	29.93	760.2	85	...	...	0	
Labuan,	,,	29.83	757.7	88	...	...	...	...	,,	29.91	759.7	83	...	...	...	

On the 3rd at 12.15 p.—The barometer continues to fall over China and Japan.

The depression lying in the neighbourhood of Wladiwostok yesterday, is moving Eastwards to the Northward Hokkaido.

The other depression has moved towards N.E. and lies now over the Gulf of Pechili.

Pressure is still high over the Pacific to the Eastward of the Bonins.

Light to moderate S. and S.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, light to moderate ; fair to showery.
2.—Formosa Channel,	S.W. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 3rd June, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd JUNE, 1911, P.M.								4th JUNE, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
livostock, ...	2 p.	29.62	752.4	61	...	...	0	o	7 a.	29.56	750.8	57	81	...	0	b
uro, ...	,,	29.69	754.1	...	...	S W	6	...	6 a.	29.65	753.1	...	...	N E	1	...
odate, ...	,,	29.73	755.2	...	...	S E	1	...	,,	29.40	746.7	...	...	N E	1	...
o, ...	,,	29.77	756.1	...	...	S	3	...	,,	29.63	752.6	...	...	...	0	...
ri, ...	,,	29.72	754.8	...	...	...	0	...	,,	29.82	757.3	...	...	S W	1	...
saki, ...	,,	29.64	752.8	...	...	W	7	...	,,	29.86	758.3	...	...	S W	1	...
shima, ...	,,	29.72	754.9	...	...	S W	3	...	,,	29.86	758.4	...	...	...	0	...
ma, ...	,,	29.85	758.1	...	...	S W	4	...	,,	29.91	759.6	...	...	S S W	1	...
, ...	,,	29.89	759.2	...	...	S W	2	...	,,	29.95	760.7	...	...	S S W	1	...
akijima, ...	,,	29.89	759.5	...	...	S S W	4	...	,,	29.91	759.8	...	...	S	3	...
n Is.	,,	30.02	762.6	...	...	S S W	1	...	,,	30.06	763.6	...	...	...	0	...
oo, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
aiwei, ...	,,	29.59	751.6	69	75	N N E	3	bm	9 a.	29.67	753.6	62	89	W	5	om
tow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ghai, ...	,,	29.69	754.1	88	66	W S W	2	c	9 a.	29.73	756.6	86	68	S W	1	c
laff, ...	,,	29.71	754.6	79	82	W	1	cv	,,	29.80	756.9	74	86	S	1	cv
Peak, ...	,,	29.77	756.1	82	87	S	3	b	,,	29.88	758.9	81	96	S	1	c
y, ...	,,	29.82	757.4	87	65	S	4	b	6 a.	29.88	758.9	79	87	S E	1	b
ow, ...	,,	...	...	85	72	S S E	1	b	,,	...	...	80	74	S	1	b
oku, ...	1 p.	29.84	757.9	...	...	W	3	...	5 a.	29.89	759.2	...	...	...	0	...
in, ...	,,	29.91	759.8	...	...	W	4	...	,,	29.93	760.1	...	...	...	0	...
an, ...	,,	29.91	759.7	...	...	S W	6	...	,,	29.93	760.2	...	...	S E	2	...
un, ...	,,	29.89	759.1	...	...	N W	6	...	,,	29.92	759.9	...	...	...	0	...
adores, ...	,,	29.88	759.0	..	...	S	4	...	,,	29.90	759.4	...	...	S	4	...
on, ...	3 p.	29.78	756.4	84	69	W S W	1	b	9 a.	29.88	758.9	83	83	W S W	1	b
kong, ...	4 p.	29.79	756.6	84	76	E	1	c	10 a.	29.92	759.9	85	78	E	1	c
ria Peak, ...	,,	...	...	...	...	S E	1	...	,,	...	...	...	...	S E	2	...
Rock, ...	,,	29.77	756.1	...	...	S S E	2	...	,,	29.88	758.9	...	...	S E	4	...
o, ...	,,	29.81	757.2	85	...	S E	3	c	,,	29.92	759.9	83	...	S S E	2	op
ow, ...	3 p.	29.76	755.9	81	83	S W	1	or	9 a.	...	...	...	...	...	...	...
ow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi, ...	,,	29.78	756.4	88	73	S W	2	o	,,	...	...	...	...	...	...	...
ien, ...	4 p.	29.69	754.2	86	...	S E	5	c	8 a.	29.80	756.9	81	...	E S E	2	o
ane, ...	,,	29.73	755.1	84	...	S E	2	b	,,	29.80	756.8	86	..	S	1	b
St. James, .	,,	29.83	757.8	77	...	S S W	...	o	,,	29.93	760.1	79	...	W S W	2	c
ri, ...	2 p.	29.86	758.5	91	...	N	2	b	6 a.	29.91	759.8	77	...	S E	2	b
la, ...	4 p.	29.88	759	84	71	...	0	o	10 a.	29.92	760	86	71	N W	1	c
spi, ...	2 p.	29.86	758.5	33	...	E	2	...	6 a.	29.91	759.8	75	...	...	0	c
od, ...	3 p.	...	...	...	...	N E	2	or	9 a.	...	...	...	...	N E	1	o
, ...	,,	29.89	759.2	81	...	S W	1	or	,,	29.91	759.7	81	...	N E	1	b
.....	,,	29.84	757.9	83	...	S	1	o	,,	29.93	760.2	84	...	N	1	c
an, ...	,,	29.83	757.7	88	...	...	...	...	,,	...	...	...	...	...	...	...

On the 4th at 12.05 p.—The barometer has fallen considerably in E. Japan, and risen moderately over W. Japan N. China.

The depression lying over the Yellow Sea yesterday morning, has reached the Eastern part of the Sea of Japan. Pressure remains high over the Pacific to the Eastward of the Bonins, and in slight excess of the normal over China Sea.

Light to moderate S. monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	S.E. winds, light to moderate; showery, fine intervals.
ormosa Channel, ...	Same as No. 1.
uth coast of China between Hongkong and Lamocks, .	Same as No. 1.
uth coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 4th June, 1911.

inted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th JUNE, 1911, P.M.								5th JUNE, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.55	750.6	59	...	S S E	2	o	7 a.	29.62	752.4	53	96	S S E	2	f
Nemuro,	"	29.37	746.1	...	...	N E	8	...	6 a.	29.37	753.6	...	...	N	1	...
Hakodate,	"	29.59	751.7	...	...	W	1	...	"	29.85	758.2	...	...	...	0	...
Tokio,	"	29.69	754.1	...	...	S S W	3	...	"	29.89	759.1	...	...	N W	1	...
Kochi,	"	29.82	757.3	...	...	E S E	1	...	"	29.91	759.3	...	...	S W	1	...
Nagasaki,	"	29.91	759.8	...	...	W	1	...	"	29.91	759.8	...	...	...	0	...
Kagoshima,	"	29.92	759.9	...	...	W	1	...	"	29.96	760.9	...	...	...	0	...
Oshima,	"	29.94	760.6	...	...	N	1	...	"	30.02	762.6	...	...	...	0	...
Naha,	"	29.97	761.2	...	...	S W	2	...	"	30.03	762.7	...	...	..	0	...
Ishigakijima,	"	29.93	760.3	...	...	S S W	2	...	"	29.97	761.3	...	...	S	2	...
Bonin Is.	"	30.06	763.6	...	...	S S W	1	...	"	30.08	764.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	"	29.68	753.9	74	29	W	4	c	9 a.	29.82	757.4	80	31	S W	3	b
Hankow,	"	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	"	29.79	756.6	80	82	S	1	ort	9 a.	29.96	761.0	72	90	...	0	om
Gutzlaff,	"	29.77	756.1	77	...	W N W	1	ov	"	29.95	760.7	71	95	E	1	ov
Sharp Peak,	"	29.78	756.4	82	87	S	3	b	"	29.93	760.2	81	96	S	1	o
Amoy,	"	29.87	758.7	80	91	S E	4	c	6 a.	29.95	760.7	79	87	S S W	1	b
Swatow,	"	29.86	758.4	86	76	S	3	b	"	29.93	760.2	79	91	S S E	3	b
Taihoku,	1 p.	29.89	759.3	...	...	N W	6	...	5 a.	29.94	760.5	...	...	...	0	...
Taichu,	"	29.94	760.4	...	...	N W	4	...	"	29.97	761.2	...	...	...	0	...
Tainan,	"	29.94	760.5	...	...	N W	6	...	"	29.95	760.9	...	...	S E	2	...
Koshun,	"	29.93	761.5	...	...	S W	4	...	"	29.95	760.8	...	...	S E	2	...
Pescadores,	"	29.93	760.3	..	...	S W	4	...	"	29.93	760.3	...	...	S	2	...
Canton,	3 p.	29.80	756.9	88	73	S W	1	o	9 a.	29.92	759.9	84	79	S E	1	b
Hongkong,	4 p.	29.83	757.7	84	77	S E	1	o	10 a.	29.93	760.2	82	77	E S E	3	o
Victoria Peak,	"	...	...	...	...	S S E	3	...	"	...	...	...	...	S	3	...
Gap Rock,	"	29.81	757.2	...	...	S E	4	...	"	29.90	759.4	...	...	S E	4	...
Macao,	"	29.84	757.9	83	...	S E	3	c	"	29.94	760.5	80	...	S E	3	cd
Wuchow,	3 p.	29.81	757.2	79	...	W	2	o	9 a.	29.88	758.9	80	87	E	1	c
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	4 p.	29.68	753.9	84	...	E S E	5	c	6 a.	29.80	756.9	75	...	N N E	3	o
Tourane,	"	29.67	753.7	86	...	S	2	c	"	29.80	756.9	70	...	S W	1	o
Cape St. James,	"	29.83	757.7	79	...	S S W	4	o	"	29.91	759.6	81	...	S S W	1	o
Aparri,	2 p.	29.87	758.7	90	...	N E	2	b	6 a.	29.93	760.1	77	...	S	2	b
Manila,	4 p.	29.84	758	90	66	S E	1	c	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.90	759.5	77	...	...	0	c
Bacolod,	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	N E	1	c
Iloilo,	"	29.85	758.2	84	...	N	1	o	"	29.89	759.2	82	...	N E	1	o
Cebu,	"	29.85	758.2	86	...	N	1	c	"	29.90	759.4	85	...	N	1	c
Labuan,	"	29.82	757.4	88	...	...	...	...	"	29.88	758.9	83	...	...	...	...

On the 5th at 12.10 p.—The depression lying over N.E. Japan yesterday afternoon, has moved away over the Pacific.

Pressure has increased considerably over Japan and N. China, while it remains low over the Manchuria.

The Pacific high pressure extend Westwards toward the coasts of S. China. Pressure is relatively low over Tongking, and it has a tendency give way over the Southern Philippines.

Moderate S. monsoon is indicated over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. and E. winds, moderate or fresh; showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S.E. winds, modetate.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 5th June, 1911.

[Printed by NOMONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th June, 1911, P.M.								6th June, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.66	753.4	58	...	S S E	2	o	7 a.	29.80	756.8	48	98	W S W	1	or
Nemuro,	,,	29.87	758.6	...	...	S S E	3	...	6 a.	29.85	758.1	...	...	E N E	3	...
Hakodate,	,,	29.77	756.2	...	...	S W	2	...	,,	29.77	756.2	...	...	...	0	...
Tokio,	,,	29.79	756.6	...	...	S	...	...	,,	29.91	759.6	...	...	N W	1	...
Kochi,	,,	...	...	...	...	...	...	...	,,	29.99	761.8	...	...	S	1	...
Nagasaki,	,,	29.93	760.3	...	...	W	3	...	,,	30.01	762.3	...	...	...	0	...
Kagoshima,	,,	29.94	760.4	...	...	W	3	...	,,	29.98	761.4	...	...	...	0	...
Oshima,	,,	29.98	761.6	...	...	S W	2	...	,,	30.01	762.1	...	...	...	0	...
Naha,	,,	30.00	762.1	...	...	S W	1	...	,,	30.01	762.2	...	...	..	0	...
Ishigakijima,	,,	29.99	761.8	...	...	S S E	2	...	,,	29.99	761.8	...	...	E	1	...
Bonin Is.	,,	30.06	763.6	...	...	...	0	...	,,	30.06	763.6	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.80	756.9	77	77	N N W	1	c	9 a.	29.89	759.2	73	58	N	3	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.91	759.7	69	95	N E	1	od	9 a.	30.00	762.0	74	82	S E	1	om
Gutzlaff,	,,	...	...	71	95	E	2	omp	,,	30.01	762.2	68	95	E	1	om
Sharp Peak,	,,	29.87	758.7	83	87	S S E	4	b	,,	29.96	761.0	81	96	E	1	c
Amoy,	,,	29.93	760.2	90	66	S E	2	b	6 a.	29.96	761.0	79	82	N E	1	b
Swatow,	,,	29.90	759.4	88	73	E	2	c	,,	29.95	760.7	79	91	N N E	1	c
Taihoku,	1 p.	29.93	760.1	...	...	N W	6	...	5 a.	29.96	761.0	...	...	S	2	...
Taichu,	,,	29.96	761.1	...	...	N W	2	...	,,	29.99	761.7	...	...	...	0	...
Tainan,	,,	29.96	760.9	...	...	S W	6	...	,,	29.95	760.8	...	...	N E	2	...
Koshun	,,	29.94	760.5	...	...	S E	6	...	,,	29.95	760.8	...	...	S E	2	...
Pescadores,	,,	...	...	..	...	...	...	...	,,	29.95	760.6	...	...	N E	4	...
Canton,	3 p.	29.85	758.2	85	76	S	2	o	9 a.	29.92	759.9	84	79	S E	2	b
Hongkong,	4 p.	29.87	758.7	83	79	E	2	o	10 a.	29.93	760.2	83	79	E	3	c
Victoria Peak,	,,	...	...	...	...	E S E	2	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	29.83	757.7	...	...	S E	4	...	,,	29.90	759.4	...	...	E S E	4	...
Macao,	,,	29.87	758.7	82	...	E S E	4	c	,,	29.95	760.7	83	...	S E	3	c
Wuchow,	3 p.	29.80	756.9	83	75	E	2	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.70	754.5	82	...	E S E	7	c	8 a.	29.81	757.1	81	...	E N E	3	c
Tourane,	,,	29.77	756.1	82	...	S W	2	dh	,,	29.71	756.1	82	..	S S W	1	dh
Cape St. James,	,,	29.81	757.1	84	...	S S W	2	c	,,	29.90	759.5	81	...	W S W	1	c
Aparri,	2 p.	29.85	758.2	90	...	N E	2	b	6 a.	29.93	760.2	79	...	W	2	b
Manila,	4 p.	29.84	758	88	60	E N E	1	...	10 a.	29.88	759	88	59	E S E	...	c
Legaspi,	2 p.	29.83	757.7	91	...	N E	2	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N E	2	b
Iloilo,	,,	29.77	756.1	86	...	N E	2	c	,,	29.87	758.7	82	...	N E	1	b
Cebu,	,,	29.80	756.9	83	...	N	1	c	,,	29.91	759.7	86	...	N	1	c
Labuan,	,,	29.79	756.6	89	...	...	...	...	,,	29.91	759.7	85	...	...	...	...

On the 6th at 12.05 p.—The barometer has fallen slightly in N.E. Japan, and risen moderately to slightly in Wladiwostok and N. China.

A depression has passed from the continent to the N.E. part of the Sea of Japan.

The Pacific high pressure still extends Westwards from the Bonins to the coasts of S. China.

Pressure is relatively low over N. Annam and Tongking.

Moderate S.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. and E. winds, moderate or fresh; showery, fine intervals.
2.—Formosa Channel,	E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 6th June, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th June, 1911, P.M.									7th June, 1911, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.81	757.2	51	...	S	2	o		7 a.	29.94	760.5	51	85	S W	1	o
Nemuro,	,,	29.85	758.1	...	...	N E	4	...		6 a.	29.97	761.1	...	...	E N E	3	...
Hakodate,	,,	29.81	757.2	...	...	W	1	...		,,	29.89	759.2	...	...	S E	1	...
Tokio,	,,	29.93	760.1	...	...	S S E	2	...		,,	29.93	760.1	...	...	N W	1	...
Kochi,	,,	29.97	761.3	...	...	S E	1	...		,,	29.97	761.3	...	...	...	0	...
Nagasaki,	,,	29.97	761.3	...	...	W S W	1	...		,,	30.01	762.3	...	...	...	0	...
Kagoshima,	,,	29.98	761.4	...	...	S S E	1	...		,,	29.96	760.9	...	...	...	0	...
Oshima,	,,	29.98	761.6	...	...	N	1	...		,,	29.97	761.1	...	...	...	0	...
Naha,	,,	29.99	761.7	...	...	W	1	...		,,	29.99	761.7	...	...	...	0	...
Ishigakijima,	,,	29.97	761.3	...	...	S S E	2	...		,,	29.95	760.8	...	...	S E	1	...
Bonin Is.	,,	30.02	762.6	...	...	S S W	1	...		,,	30.01	762.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.93	760.2	70	65	N	1	b		9 a.	30.00	762.0	74	51	N W	1	o
Hankow,	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Shanghai,	,,	29.94	760.5	77	69	E	1	o		9 a.	30.04	763.0	68	85	N E	2	or
Gutzlaff,	,,	29.97	761.2	69	95	E	1	om		,,	30.03	762.7	67	95	N E	3	omp
Sharp Peak,	,,	29.89	759.2	82	96	E	1	b		,,	29.96	761.0	82	96	E	1	c
Amoy,	,,	29.92	759.9	89	63	S	2	b		6 a.	29.93	760.2	80	78	S W	1	b
Swatow,	,,	29.89	759.2	87	80	E	1	c		,,	29.93	760.2	78	91	N N E	1	b
Taihoku,	1 p.	29.93	760.2	...	...	E	4	...		5 a.	29.94	760.4	...	...	S	2	...
Taichu,	,,	29.95	760.7	...	...	N	6	...		,,	29.96	760.9	...	...	...	0	...
Tainan,	,,	29.93	760.1	...	...	W	6	...		,,	29.95	760.7	...	...	N	2	...
Koshun	,,	29.94	760.4	...	...	E	6	...		,,	29.94	760.5	...	...	W	2	...
Pescadores,	,,	29.94	760.4	...	...	N	6	...		,,	29.93	760.2	...	...	N	3	...
Canton,	3 p.	29.86	758.4	89	66	S	2	c		9 a.	29.92	759.9	84	79	E	2	b
Hongkong,	4 p.	29.86	758.4	82	87	E	2	cp		10 a.	29.92	759.9	85	76	E	3	c
Victoria Peak,	,,	...	...	...	...	E	2	...		,,	...	...	...	...	E	4	...
Gap Rock,	,,	29.82	757.4	...	...	E	4	...		,,	29.88	758.9	...	...	E S E	4	...
Macao,	,,	29.87	758.7	83	...	S E	4	c		,,	29.94	760.5	84	...	S E	3	c
Wuchow,	3 p.	29.83	757.7	84	...	S E	2	o		9 a.	29.89	759.2	80	87	E	1	c
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.82	757.4	80	91	S E	0	o		,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.73	755.1	81	...	E S E	5	o		8 a.	29.83	757.6	81	...	S E	5	c
Tourane,	,,	29.78	756.3	77	...	E	3	f		,,	29.83	757.7	81	...	S W	1	dh
Cape St. James,	,,	29.82	757.5	79	...	S S W	4	o		,,	29.91	759.8	79	...	N W	1	c
Aparri,	2 p.	29.83	757.8	90	...	E	2	c		6 a.	29.90	759.5	75	...	W	2	b
Manila,	4 p.	29.80	757	90	48	E	1	o		10 a.	29.84	758	83	66	...	0	c
Legaspi,	2 p.	29.82	757.4	93	...	N E	2	b		6 a.	29.86	758.4	79	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	N	2	o		9 a.	...	...	...	...	N E	1	b
Iloilo,	,,	29.85	758.2	87	...	N E	1	c		,,	29.87	758.7	83	...	N E	1	b
Cebu,	,,	29.79	756.6	89	...	N	1	b		,,	29.88	758.9	86	...	N	1	c
Labuan,	,,	29.80	756.9	90	...	...	...	...		,,	29.83	758.9	85	...	...	...	...

On the 7th at 12.10 p.—The barometer has risen moderately over N. China and the N. part of the Sea of Japan, and fallen slightly over the Loochoos and the Philippines.

Pressure is high over the N.E. coast of China, and over the Pacific to the Eastward of the Bonins, and relatively low over N. Annam and Tongking.

The normal pressure is exceeded generally except over the Southern Philippines.

Moderate S.E. winds are still indicated over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. and E. winds, moderate or fresh; showery, fine [intervals.
2.—Formosa Channel,	N.E. and E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 7th June, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th June, 1911, P.M.								8th June, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.94	760.4	57	...	S S E	2	o	7 a.	29.94	760.4	59	94	...	0	f
Nemuro,	"	29.98	761.6	...	...	E	2	...	6 a.	30.01	762.1	...	...	E N E	1	...
Hakodate,	"	29.91	759.7	...	...	S E	3	...	"	29.97	761.2	...	...	S E	1	...
Tokio,	"	29.87	758.6	...	...	S	1	...	"	29.95	760.6	...	...	N W	1	...
Kochi,	"	29.95	760.8	...	...	S E	1	...	"	29.99	761.8	...	...	S W	1	...
Nagasaki,	"	29.97	761.3	...	...	N	1	...	"	30.05	763.3	...	...	N W	2	...
Kagoshima,	"	30.00	761.9	...	...	E N E	1	...	"	30.06	763.4	...	...	N N E	1	...
Oshima,	"	29.98	761.6	...	...	N	4	...	"	29.97	761.1	...	...	...	0	...
Naha,	"	29.97	761.2	...	...	W N W	2	...	"	29.91	759.7	...	...	...	0	...
Ishigakijima,	"	29.93	760.3	...	...	S E	3	...	"	29.93	760.3	...	...	S S E	1	...
Bonin Is.	"	29.96	761.1	...	...	S S W	1	...	"	29.97	761.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	"	29.98	761.5	73	55	...	0	c	9 a.	30.00	762.0	79	40	N	1	cm
Hankow,	"	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	"	30.03	762.7	64	95	E N E	2	or	9 a.	30.06	763.5	65	95	E	1	or
Gutzlaff,	"	30.06	763.5	62	94	N E	5	omp	"	30.07	763.8	64	95	N E	4	omp
Sharp Peak,	"	29.88	758.9	82	96	E	2	c	"	29.98	761.5	73	86	N N E	4	f
Amoy,	"	29.88	758.9	90	60	S	2	b	6 a.	...	...	...	...	...	...	...
Swatow,	"	29.88	758.9	88	73	E	1	o	"	29.91	759.7	79	91	S W	1	b
Taihoku,	1 p.	29.91	759.6	...	...	N	4	...	5 a.	29.92	759.9	...	...	S W	2	...
Taichu,	"	29.92	760.0	...	...	N	6	...	"	29.93	760.1	...	...	...	0	...
Tainan,	"	29.91	759.7	...	...	N W	6	...	"	29.93	760.1	...	...	N E	2	...
Koshun	"	29.91	759.8	...	...	E	6	...	"	29.92	760.0	...	...	S E	4	...
Pescadores,	"	29.92	759.9	..	...	N	4	...	"	29.89	759.3	...	...	N	2	...
Canton,	3 p.	29.84	757.9	89	69	W	1	b	9 a.	29.92	759.9	84	75	E	1	c
Hongkong,	4 p.	29.85	758.2	84	74	E	3	c	10 a.	29.92	759.9	85	76	E	3	c
Victoria Peak,	"	...	...	...	...	E	2	...	"	...	...	...	...	E	2	...
Gap Rock,	"	29.82	757.4	...	...	E	4	...	"	29.89	759.2	...	...	E S E	4	...
Macao,	"	29.86	758.5	83	...	S E	4	c	"	29.93	760.2	84	...	S E	3	c
Wuchow,	3 p.	29.85	758.2	83	...	S E	2	rq	9 a.	29.90	759.4	78	...	E	1	c
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pakhoi,	"	29.82	757.4	87	76	S E	2	c	"	...	...	...	...	...	...	...
Phulien,	4 p.	29.74	755.3	82	...	S E	7	c	8 a.	29.82	757.5	73	...	S S E	6	c
Tourane,	"	29.72	754.9	82	...	S E	2	b	"	29.83	757.7	86	...	S W	2	o
Cape St. James,	"	29.84	757.9	73	...	S W	5	or	"	29.92	759.9	79	...	S W	1	o
Aparri,	2 p.	29.83	757.8	83	...	E	2	b	6 a.	29.83	758.8	77	...	S E	2	b
Manila,	4 p.	29.80	757	86	79	N W	1	o	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.81	757.2	93	...	N E	2	b	6 a.	29.85	758.1	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	2	b	9 a.	...	...	...	...	N E	1	b
Iloilo,	"	29.77	756.1	87	...	N E	1	b	"	29.87	758.7	83	...	...	0	c
Cebu,	"	29.80	756.9	89	...	S	1	c	"	29.90	759.4	84	...	...	0	c
Labuan,	"	29.78	756.4	87	...	...	...	...	"	29.83	758.9	85	...	...	...	...

On the 8th at 11.30 a.—The barometer has risen slightly on the E. coast of China and over Japan, and fallen a little over the Bonins, the Loochoos and Luzon.

Pressure is highest over the Yellow Sea and still in moderate excess of the normal over the China coast and Japan. It is relatively low over N. Annam and Tongking.

Moderate S.E. and E. winds are still indicated over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. and E. winds, moderate; showery, fine intervals.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 8th June, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th June, 1911, P.M.								9th June, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	29.90	759.5	59	...	S W	0	o	7 a.	29.89	759.3	54	97	S E	1	f
Nemuro,	,,	29.98	761.6	...	...	N W	3	...	6 a.	30.08	764.1	...	...	S E	1	...
Hakodate,	,,	29.97	761.2	...	...	S E	2	...	,,	30.07	763.7	...	...	W	1	...
Tokio,	,,	29.93	760.1	...	...	S S E	3	...	,,	30.08	764.1	...	...	N W	1	...
Kochi,	,,	29.95	760.8	...	...	S	1	...	,,	30.03	762.8	...	...	S W	1	...
Nagasaki,	,,	30.01	762.3	...	...	W S W	2	...	,,	30.03	762.8	...	...	...	0	...
Kagoshima,	,,	30.02	762.4	...	...	S E	1	...	,,	30.02	762.4	...	...	N N W	1	...
Oshima,	,,	29.96	761.1	...	...	N	1	...	,,	29.97	761.1	...	...	...	0	...
Naha,	,,	29.95	760.7	...	...	S W	1	...	,,	29.97	761.2	...	...	...	0	...
Ishigakijima,	,,	29.93	760.3	...	...	S	1	...	,,	29.93	760.3	...	...	S E	2	...
Bonin Is.	,,	29.94	760.6	...	...	W	1	...	,,	30.02	762.6	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.94	760.5	77	42	E N E	1	c	9 a.	29.96	761.0	74	63	S W	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.00	762.0	64	94	E	2	or	9 a.	29.93	760.2	69	96	S S E	1	om
Gutzlaff,	,,	30.02	762.5	64	94	E	4	omp	,,	29.94	760.5	67	100	S E	3	f
Sharp Peak,	,,	29.91	759.7	79	82	E	5	c	,,	29.94	760.5	78	95	N	1	b
Amoy,	,,	29.90	759.4	87	65	S E	4	b	6 a.	29.97	761.2	80	78	N E	1	b
Swatow,	,,	29.88	758.9	89	73	E S E	1	b	,,	29.93	760.2	80	87	E	2	c
Taihoku,	1 p.	29.90	759.4	...	...	N W	6	...	5 a.	29.91	759.8	...	...	...	0	...
Taichu,	,,	29.93	760.1	...	...	N	6	...	,,	29.93	760.3	...	...	...	0	...
Tainan,	,,	29.91	759.6	...	...	N	6	...	,,	29.93	760.1	...	...	N	2	...
Koshun	,,	29.91	759.6	...	...	S E	6	...	,,	29.93	760.3	...	...	...	...	...
Pescadores,	,,	29.90	760.0	..	...	N	6	...	,,	29.91	759.8	...	...	N	4	...
Canton,	3 p.	29.84	757.9	90	66	S	2	b	9 a.	29.93	760.2	85	76	S E	1	b
Hongkong,	4 p.	29.86	758.4	84	74	E	2	c	10 a.	29.94	760.5	84	79	E	3	oplt
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E S E	3	...
Gap Rock,	,,	29.84	757.9	...	...	E S E	4	...	,,	29.90	759.4	...	...	E S E	3	...
Macao,	,,	29.87	758.6	84	...	S E	3	o	,,	29.96	761.0	80	...	S E	2	op
Wuchow,	3 p.	29.85	758.2	88	66	S E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.74	755.4	84	...	S E	7	c	8 a.	29.38	758.8	75	...	S S E	5	lt
Tourane,	,,	29.76	755.9	84	...	S W	3	f	,,	29.37	758.6	84	...	S	2	c
Cape St. James,	,,	29.82	757.5	75	...	S W	6	o	,,	29.91	759.7	77	...	N	1	c
Aparri,	2 p.	29.82	757.3	91	...	E	2	c	6 a.	29.89	759.1	79	...	S	2	b
Manila,	4 p.	29.76	756	90	66	S S E	1	o	10 a.	29.88	759	86	71	S E	2	b
Legaspi,	2 p.	29.81	757.1	90	...	N E	2	b	6 a.	29.88	758.9	75	...	...	0	b
Bacolod,	8 p.	...	...	...	...	N E	2	od	9 a.	...	...	...	...	N E	1	b
Iloilo,	,,	29.77	756.1	84	...	N	2	c	,,	29.89	759.2	83	...	N E	1	b
Cebu,	,,	29.81	757.2	86	...	S	1	c	,,	29.90	759.4	88	...	S	1	b
Labuan,	,,	29.78	756.4	88	...	...	...	...	,,	...	...	...	...	...	...	...

On the 9th at 12.05 p.—The barometer has fallen moderately on the E. coast of China, and risen moderately to slightly over E. Japan and Tongking respectively.

The are indications of the formation of a depression over the Yangtze valley.

Pressure is high over the Pacific to the East of Japan, and still in moderate excess of the normal over the China coast.

Moderate E. and SE winds may still be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and SE winds, moderate; squally, showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 9th June, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th JUNE, 1911, P.M.								10th JUNE, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.89	759.1	57	...	S S E	2	f	7 a.	29.87	758.6	56	96	S	0	f
Nemuro,	"	30.10	764.6	...	...	S E	3	...	6 a.	30.08	764.1	...	...	S W	3	...
Hakodate,	"	30.09	764.2	...	...	S E	1	...	"	30.11	764.7	...	...	...	0	...
Tokio,	"	30.06	763.6	...	...	S S W	1	...	"	30.10	764.6	...	...	...	0	...
Kochi,	"	30.03	762.8	...	...	S E	1	...	"	30.05	763.3	...	...	W N W	1	...
Nagasaki,	"	30.03	762.8	...	...	S W	1	...	"	29.91	759.8	...	...	N E	2	...
Kagoshima,	"	30.00	761.9	...	...	E N E	2	...	"	29.98	761.4	...	...	E N E	1	...
Oshima,	"	29.96	761.1	...	...	N N E	1	...	"	29.99	761.6	...	...	...	0	...
Naha,	"	30.01	762.2	...	...	S W	1	...	"	30.01	762.2	...	...	..	0	...
Ishigakijima,	"	29.97	761.3	...	...	S	2	...	"	29.99	761.8	...	...	S	3	...
Bonin Is.	"	30.02	762.6	...	...	S	1	...	"	30.06	763.6	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	"	29.95	760.2	73	51	S W	4	c	9 a.	29.99	761.7	74	59	S W	3	b
Hankow,	"	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	"	29.91	759.7	73	81	W	2	o	9 a.	29.99	761.7	72	81	W	1	om
Gutzlaff,	"	29.89	759.2	74	95	S E	1	ov	"	...	...	70	85	W	1	ov
Sharp Peak,	"	29.96	759.4	80	96	E	1	b	"	29.94	760.5	80	95	E	1	o
Amoy,	"	29.90	759.4	86	68	S	5	b	6 a.	29.95	760.7	79	87	S S W	1	b
Swatow,	"	29.91	759.7	87	72	E S E	3	b	"	...	...	...	...	...	...	...
Taihoku,	1 p.	29.92	759.9	...	...	N	4	...	5 a.	29.96	761.0	...	...	E	2	...
Taichu,	"	29.96	761.0	...	...	N W	4	...	"	29.97	761.3	...	...	...	0	...
Tainan,	"	29.95	760.7	...	...	W	6	...	"	29.97	761.3	...	...	...	0	...
Koshun,	"	29.94	760.5	...	...	S E	6	...	"	29.97	761.1	...	...	S E	2	...
Pescadores,	"	29.95	760.8	..	...	N	4	...	"	29.96	760.9	...	...	S W	2	...
Canton,	3 p.	29.88	758.9	89	69	S	1	c	9 a.	29.98	761.5	85	79	S	1	b
Hongkong,	4 p.	29.89	759.2	82	85	E	2	op	10 a.	29.98	761.5	87	69	E	1	c
Victoria Peak,	"	...	...	...	...	E S E	2	...	"	...	...	...	...	E	1	...
Gap Rock,	"	29.86	758.4	...	...	E S E	3	...	"	29.96	761.0	...	...	E	3	...
Macao,	"	29.90	759.4	82	...	S E	3	c	"	30.01	762.2	85	...	E S E	2	c
Wuchow,	3 p.	29.84	757.9	89	59	S E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pakhoi,	"	29.87	758.7	88	62	S E	1	c	"	...	...	...	...	...	...	...
Phulien,	4 p.	29.82	757.5	84	...	S E	6	c	8 a.	29.97	761.3	79	...	E N E	3	c
Tourane,	"	29.82	757.3	82	...	S E	4	c	"	29.95	760.6	86	...	S E	3	c
Cape St. James,	"	29.85	758.3	84	...	S S W	1	c	"	29.95	760.3	79	...	N W	1	c
Aparri,	2 p.	29.83	757.7	91	...	E	2	b	6 a.	29.93	760.2	79	...	S E	2	b
Manila,	4 p.	29.84	758	84	77	...	0	c	10 a.	29.92	760	86	71	N W	0	c
Legaspi,	2 p.	29.85	758.2	93	...	N E	2	b	6 a.	29.91	759.6	81	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	N E	2	b	9 a.	...	...	...	...	N	1	c
Iloilo,	"	29.81	757.2	87	...	N	...	b	"	29.99	761.7	83	...	...	0	b
Cebu,	"	29.82	757.4	89	...	S	...	c	"	29.91	759.7	88	...	...	1	c
Labuan,	"	29.83	757.7	86	...	...	...	...	"	29.93	760.2	83	...	...	...	...

On the 10th at 12.05 p.—The barometer has fallen slightly over Japan, and risen elsewhere, particularly over N. Annam and Tongking.

Pressure is in considerable to moderate excess of the normal at all stations. It is highest over the Pacific to the East of Japan, and relatively low over Korea, and the S.E. part of the China Sea.

Light E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, light; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 10th June, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th June, 1911, P.M.									11th June, 1911, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.85	758.2	57	...	S S E	3	f		7 a.	29.85	758.2	69	89	...	0	o
Nemuro,	,,	29.98	761.6	...	...	S W	5	...		6 a.	29.91	759.6	...	...	W S W	3	...
Hakodate,	,,	30.03	762.7	...	...	S E	1	...		,,	29.95	760.7	...	...	...	0	...
Tokio,	,,	30.04	763.1	...	...	S S W	2	...		,,	30.01	762.1	...	...	N N W	1	...
Kochi,	,,	29.99	761.8	...	...	W	1	...		,,	29.97	761.3	...	...	...	0	...
Nagasaki,	,,	29.91	759.8	...	...	W S W	3	...		,,	29.95	760.8	...	...	W N W	1	...
Kagoshima,	,,	29.96	760.9	...	...	N W	1	...		,,	29.98	761.4	...	...	...	0	...
Oshima,	,,	29.96	761.1	...	...	S W	2	...		,,	29.99	761.6	...	...	...	0	...
Naha,	,,	29.99	761.7	...	...	W S W	2	...		,,	30.01	762.2	...	...	...	0	...
Ishigakijima,	,,	29.99	761.8	...	...	S	2	...		,,	29.99	761.8	...	...	N	1	...
Bonin Is.	,,	30.06	763.6	...	...	S	1	...		,,	30.05	763.6	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.97	761.2	74	59	N E	2	b		9 a.	30.01	762.2	75	60	W S W	3	o
Hankow,	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Shanghai,	,,	29.94	760.5	78	70	W S W	1	o		9 a	30.04	763.0	68	90	N	1	o
Gutzlaff,	,,	...	...	73	86	W	1	ov		,,	...	...	71	90	N N E	2	ov
Sharp Peak,	,,	29.91	759.7	82	...	...	0	o		,,	29.95	760.7	78	91	E	3	t
Amoy,	,,	29.91	759.7	90	60	S E	2	b		6 a.	29.95	760.7	81	87	S W	1	b
Swatow,	,,	29.92	759.9	89	73	S S E	1	b		,,	29.96	761.0	80	91	...	0	o
Taihoku,	1 p.	29.94	760.5	...	...	N	4	...		6 a.	29.97	761.2	...	...	E	2	...
Taichu,	,,	29.97	761.3	...	...	N	2	...		,,	29.99	761.7	...	...	...	0	...
Tainan,	,,	29.98	761.5	...	...	W	6	...		,,	29.98	761.4	...	...	...	0	...
Koshun	,,	29.97	761.3	...	...	S E	6	...		,,	29.98	761.4	...	...	N	2	...
Pescadores,	,,	29.97	761.3	..	...	W	4	...		,,	29.95	760.9	...	...	S	2	...
Canton,	3 p.	29.90	759.4	91	57	S	1	b		9 a.	29.97	761.2	85	73	S	1	o
Hongkong,	4 p.	29.90	759.4	85	77	E	2	o		10 a.	29.99	761.7	86	71	E	1	o
Victoria Peak,	,,	...	...	...	...	E S E	2	...		,,	...	...	...	...	S S E	1	...
Gap Rock,	,,	29.88	758.9	...	...	E	3	...		,,	29.94	760.5	...	...	E	3	...
Macao,	,,	29.95	760.1	85	...	S E	3	o		,,	30.01	762.2	86	...	E	1	o
Wuchow,	3 p.	29.87	758.7	89	63	E	1	o		9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.94	760.5	91	...	S W	1	b		,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.88	759.0	86	...	S S E	4	o		8 a.	29.99	761.6	84	...	E N E	1	o
Tourane,	,,	29.87	758.6	88	...	S E	2	b		,,	29.97	761.1	84	...	S E	3	o
Cape St. James,	,,	29.87	758.8	86	...	N W	2	o		,,	29.95	760.7	79	...	N E	2	o
Aparri,	2 p.	29.88	758.9	90	...	N E	2	b		6 a.	29.93	760.1	77	...	S	2	b
Manila,	4 p.	29.84	758	82	70	...	0	o		10 a.	29.92	760	88	66	W S W	1	o
Legaspi,	2 p.	29.87	758.6	91	...	S E	2	b		6 a.	29.89	759.1	79	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N E	1	c		9 a.	...	...	...	...	N E	2	o
Iloilo,	,,	29.85	758.2	87	...	N E	1	cr		,,	29.91	759.7	83	...	N E	1	b
Cebu,	,,	29.83	757.7	89	...	S	1	c		,,	29.92	759.9	86	...	...	0	c
Labuan,	,,	29.85	758.2	87	...	...	...	...		,,	...	...	...	...	...	...	...

On the 11th at 12.05 p.—The barometer has fallen moderately in E. Japan, and is little changed in other areas.

Pressure is still in considerable to moderate excess of the normal at all stations. It is highest over the Yangtze valley in the West, and over the Pacific to the Eastward of the Bonins in the East.

Pressure is relatively low over the NE part of the Sea of Japan, and over the SE part of the China Sea, with a tendency to give way in the Philippines.

Light E. and NE winds are indicated over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, *0.00 inches.*

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and NE winds, light; fair as a whole, but probably [some thunder showers.
2.—Formosa Channel,	NE winds light to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 11th June, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th JUNE, 1911, P.M.								12th JUNE, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.82	757.3	69	...	N N E	2	o	7 a.	29.65	753.0	61	62	W S W	1	b
Nemuro,	"	29.83	757.6	...	...	S	4	...	6 a.	29.81	757.1	...	...	S S W	3	...
Hakodate,	"	29.85	758.2	...	...	S E	1	...	"	29.83	757.7	...	...	...	0	...
Tokio,	"	29.89	759.1	...	...	N N W	1	...	"	29.89	759.1	...	...	..	0	...
Kochi,	"	29.91	759.8	...	...	S E	1	...	"	29.93	760.3	...	...	S W	1	...
Nagasaki,	"	29.93	760.3	...	...	W N W	2	...	"	29.97	761.3	...	...	..	0	...
Kagoshima,	"	29.92	759.9	...	...	W S W	2	...	"	30.00	761.9	...	...	N N W	1	...
Oshima,	"	29.98	761.6	...	...	...	0	...	"	29.95	760.6	...	...	...	0	...
Naha,	"	29.99	761.7	...	...	N W	1	...	"	29.95	760.7	...	...	...	0	...
Ishigakijima,	"	29.97	761.3	...	...	S S E	2	...	"	29.93	760.3	...	...	S S E	5	...
Bonin Is.	"	30.02	762.6	...	...	S W	1	...	"	30.02	762.6	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	"	29.98	761.5	69	75	N N E	1	b	9 a.	29.91	759.7	69	70	S W	3	cmr
Hankow,	"	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	"	29.98	761.6	75	68	N	1	o	9 a	29.92	759.9	73	72	S E	1	c
Gutzlaff,	"	...	...	70	85	N N E	2	ov	"	...	...	71	85	S E	2	cm
Sharp Peak,	"	29.95	760.7	78	95	E	1	o	"	29.93	760.2	77	95	E	1	o
Amoy,	"	29.85	758.2	86	72	S E	5	c	6 a.	29.93	760.2	81	83	...	0	b
Swatow,	"	29.91	759.7	88	69	S S E	2	b	"	29.92	759.9	79	91	S E	1	c
Taihoku,	1 p.	29.94	760.5	...	...	N W	4	...	5 a.	29.90	759.5	...	...	...	0	...
Taichu,	"	29.96	761.1	...	...	N	4	...	"	29.95	760.6	...	...	...	0	...
Tainan,	"	29.96	760.9	...	...	N W	6	...	"	29.94	760.4	...	...	...	0	...
Koshun,	"	29.95	760.7	...	...	S E	6	...	"	29.93	760.1	...	...	...	0	...
Pescadores,	"	29.96	760.9	..	...	W	4	...	"	29.92	759.9	...	...	...	0	...
Canton,	3 p.	29.88	758.9	93	64	S	1	b	9 a.	29.90	759.4	86	76	S	1	o
Hongkong,	4 p.	29.88	758.9	88	74	E	2	o	10 a.	29.91	759.7	85	71	E	2	c
Victoria Peak,	"	...	...	...	...	S E	2	...	"	...	...	...	...	S E	1	...
Gap Rock,	"	29.85	758.2	...	...	E	3	...	"	29.88	758.9	...	...	E	3	...
Macao,	"	29.89	759.2	85	...	S E	2	c	"	29.93	760.1	85	...	S E	1	c
Wuchow,	3 p.	29.82	757.4	88	...	S W	1	c	9 a.	29.88	758.9	81	83	E	1	c
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pakhoi,	"	29.90	759.4	88	69	S S W	2	b	"	...	...	...	...	...	...	...
Phulien,	4 p.	29.85	758.2	88	...	S S E	3	c	8 a.	29.90	759.5	86	...	S S E	2	c
Tourane,	"	29.86	758.5	88	...	S E	2	b	"	29.90	759.5	86	...	S E	5	c
Cape St. James,	"	29.85	758.5	79	...	N	1	c	"	29.91	759.6	79	...	N	1	c
Aparri,	2 p.	29.88	758.7	75	...	S	2	p	6 a.	29.88	759.0	77	...	S E	2	b
Manila,	4 p.	29.84	758	82	85	...	0	...	10 a.	29.83	759	86	71	W N W	1	o
Legaspi,	2 p.	29.84	758.0	86	...	N E	2	o	6 a.	29.86	758.5	79	...	N E	2	c
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	1	o
Hoilo,	"	29.83	757.7	86	...	S E	1	b	"	29.89	759.2	83	...	N E	1	c
Cebu,	"	29.84	757.9	88	...	N	2	o	"	29.87	758.7	84	...	...	0	c
Labuan,	"	29.74	755.4	87	...	...	...	...	"	29.87	758.7	85	...	...	...	...

On the 12th at 11.55 a.—The barometer has fallen quickly in Wladiwostok owing to the advance Eastwards, of a depression over Manchuria.

Pressure is highest over the Pacific to the Eastward of the Bonins. It is still in moderate excess of the normal, but giving way over China and Tongking.

The barometer has a tendency to fall also, over the Philippines, and pressure remains relatively low over the SE part of the China Sea.

Light to moderate E. and SE winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and SE winds, light to moderate; fair to showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 12th June, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th June, 1911, P.M.									13th June, 1911, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.69	754.0	71	...	N N E	1	o		7 a.	29.76	755.9	59	66	...	0	b
Nemuro,	,,	29.69	754.1	...	...	S W	6	...		6 a.	29.71	754.6	...	...	N N W	1	...
Hakodate,	,,	29.73	755.2	...	...	W	1	...		,,	29.85	758.2	...	...	...	0	...
Tokio,	,,	29.85	758.1	...	...	S	2	...		,,	29.91	759.6	...	...	...	0	...
Kochi,	,,	29.91	759.8	...	...	S E	1	...		,,	29.91	759.8	...	...	...	0	...
Nagasaki,	,,	29.91	759.8	...	...	W	3	...		,,	29.89	759.3	...	...	...	0	...
Kagoshima,	,,	29.94	760.4	...	...	S E	1	...		,,	29.90	759.4	...	...	S E	1	...
Oshima,	,,	29.93	760.1	...	...	S	1	...		,,	29.99	759.1	...	...	S	1	...
Naha,	,,	29.93	760.2	...	...	S W	1	...		,,	29.91	759.7	...	...	...	0	...
Ishigakijima,	,,	29.89	759.3	...	...	S S W	2	...		,,	...	...	...	...	S	2	...
Bonin Is.	,,	29.98	761.6	...	...	S E	1	...		,,	30.01	762.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.82	757.4	67	90	S	2	c		9 a.	29.85	758.2	67	79	S W	2	b
Hankow,	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Shanghai,	,,	29.85	758.2	77	77	E S E	2	o		9 a.	29.83	757.7	73	90	E	1	o
Gutzlaff,	,,	...	...	71	90	S E	2	om		,,	...	...	70	100	S E	2	om
Sharp Peak,	,,	29.83	757.7	78	95	E	1	o		,,	29.83	757.7	78	95	N	1	o
Amoy,	,,	...	...	86	72	S E	3	c		6 a.	29.85	758.2	80	87	S W	1	b
Swatow,	,,	29.84	757.9	87	80	S S E	1	c		,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.87	758.7	...	...	N W	4	...		5 a.	29.84	757.9	...	...	...	0	...
Taichu,	,,	29.89	759.2	...	...	N	4	...		,,	29.83	758.3	...	...	...	0	...
Tainan,	,,	29.90	759.4	...	...	S W	6	...		,,	29.86	758.5	...	...	E	2	...
Koshun,	,,	29.89	759.2	...	...	S E	6	...		,,	29.86	758.5	...	...	S E	2	...
Pescadores,	,,	29.89	759.3	...	...	N	4	...		,,	29.84	757.8	...	...	E	2	...
Canton,	3 p.	29.80	756.9	91	57	S	2	b		9 a.	29.80	756.9	86	76	S	2	c
Hongkong,	4 p.	29.81	757.2	85	75	S E	1	c		10 a.	29.83	757.7	87	67	S	1	c
Victoria Peak,	,,	...	...	...	...	S	2	...		,,	...	...	...	...	S	2	...
Gap Rock,	,,	29.79	756.6	...	...	E S E	2	...		,,	29.81	757.2	...	...	S S E	3	...
Macao,	,,	29.83	757.7	85	...	S E	2	c		,,	29.84	758.0	85	...	S S E	2	c
Wuchow,	3 p.	29.77	756.1	87	...	E	1	c		9 a.	29.82	757.4	82	83	S E	2	c
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.86	758.4	90	70	S W	2	c		,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.77	756.1	84	...	S S E	5	c		8 a.	29.75	755.6	86	...	S S E	6	c
Tourane,	,,	29.78	756.4	86	...	S E	3	c		,,	29.78	756.4	86	...	S S W	3	c
Cape St. James,	,,	29.78	756.3	82	...	E	3	c		,,	29.86	758.5	75	...	E	4	o
Aparri,	2 p.	29.81	757.1	90	...	E	2	b		6 a.	29.86	758.3	77	...	S	2	b
Manila,	4 p.	29.80	757	86	71	E N E	1	o		10 a.	29.88	759	84	71	W N W	1	o
Legaspi,	2 p.	29.82	757.4	91	...	N E	2	c		6 a.	29.85	758.2	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	1	od		9 a.	...	...	...	...	N E	1	...
Iloilo,	,,	29.81	757.2	83	...	...	0	o		,,	29.89	759.2	82	...	S W	1	c
Cebu,	,,	29.83	757.7	86	...	S	1	o		,,	29.87	758.7	84	...	S	1	o
Labuan,	,,	29.79	756.6	89	...	...	...	...		,,	29.86	758.4	84	...	...	...	...

On the 13th at 11.55 a.—The depression lying over the N.E. part of the Sea of Japan yesterday, has moved into the Pacific.

The barometer has fallen moderately over S. China and Tongking, and pressure conditions have now approached the normal in those areas.

Pressure is highest over the Pacific to the Eastward of the Bonins. It is relatively low over S.W. China and Tongking.

Moderate S. monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. and S. winds, moderate; fine as a whole, but [some showers.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 13th June, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th JUNE, 1911, P.M.								14th JUNE, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.74	755.5	72	...	S W	1	b	7 a.	29.79	756.7	55	98	W	2	f
Nemuro,	,,	29.69	754.1	...	...	W S W	6	...	6 a.	29.87	758.6	...	...	S E	1	...
Hakodate,	,,	29.83	757.7	...	...	W S W	3	...	,,	29.91	759.7	...	...	...	0	...
Tokio,	,,	29.87	758.6	...	...	S S W	3	...	,,	29.91	759.6	...	...	...	0	...
Kochi,	,,	29.89	759.3	...	...	E S E	...	...	,,	29.91	759.3	...	...	...	0	...
Nagasaki,	,,	29.89	759.3	...	...	S W	1	...	,,	29.89	759.3	...	...	S E	1	...
Kagoshima,	,,	29.88	758.9	...	...	...	0	...	,,	29.92	759.9	...	...	...	0	...
Oshima,	,,	29.89	759.1	...	...	N	1	...	,,	29.89	759.1	...	...	S S W	1	...
Naha,	,,	29.89	759.2	...	...	W S W	3	...	,,	29.91	759.7	...	...	...	0	...
Ishigakijima,	,,	29.87	758.8	...	...	S	3	...	,,	29.89	759.3	...	...	S	3	...
Bonin Is.	,,	29.96	761.1	...	...	S E	1	...	,,	30.01	762.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.82	757.4	71	60	S	1	b	9 a.	29.81	757.2	69	80	E	3	bm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.80	756.9	72	95	E	1	omd	9 a	29.62	752.3	76	95	S W	1	or
Gutzlaff,	,,	...	...	69	100	S E	4	b	,,	...	...	72	100	S S W	3	omr
Sharp Peak,	,,	29.80	756.9	81	91	S	3	c	,,	29.77	756.1	81	96	S	1	c
Amoy,	,,	29.79	756.6	87	72	S E	5	b	6 a.	29.84	757.9	82	83	S	1	b
Swatow,	,,	29.80	756.9	88	73	S S W	3	c	,,	29.82	757.4	80	91	S W	1	b
Taihoku,	1 p.	29.82	757.5	...	...	N W	6	...	5 a.	29.84	757.9	...	...	...	0	...
Taichu,	,,	29.85	758.3	...	...	W	2	...	,,	29.88	758.9	...	...	...	0	...
Tainan,	,,	29.85	758.3	...	...	S	8	...	,,	29.89	759.1	...	...	S E	2	...
Koshun,	,,	29.87	758.6	...	...	S	6	...	,,	29.89	759.2	...	...	S	2	...
Pescadores,	,,	29.84	758.0	..	...	S	8	...	,,	29.84	758.0	...	...	S	6	...
Canton,	3 p.	29.73	755.1	91	63	S	2	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.77	756.1	86	67	S	1	c	10 a.	29.85	758.2	85	72	S	1	o
Victoria Peak,	,,	...	...	...	...	S	3	...	,,	...	...	...	...	S S W	3	...
Gap Rock,	,,	29.75	755.6	...	...	S S W	2	...	,,	29.81	757.2	...	...	S S W	3	...
Macao,	,,	29.79	756.6	85	...	S S E	3	c	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	29.68	753.9	90	60	S W	2	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.72	754.9	89	69	S W	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.66	753.4	84	...	S S E	7	c	8 a.	29.76	756.0	82	...	S S E	5	c
Tourane,	,,	29.72	754.9	86	...	S E	4	b	,,	29.78	756.3	88	..	S S W	1	b
Cape St. James,	,,	29.79	756.6	82	...	S	1	c	,,	29.88	758.3	79	...	S W	1	o
Aparri,	2 p.	29.80	756.9	91	...	N E	2	c	6 a.	29.87	758.7	79	...	S	2	b
Manila,	4 p.	29.84	758	84	71	S	2	o	10 a.	29.92	760	85	71	S W	3	o
Legaspi,	2 p.	29.81	757.2	88	...	S W	2	b	6 a.	29.90	759.5	75	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	1	od	9 a.	...	...	...	...	...	...	...
Iloilo,	,,	29.85	758.2	83	...	S W	1	o	,,	29.93	760.2	82	...	S W	2	o
Cebu,	,,	29.84	757.9	88	...	S	1	c	,,	29.92	759.9	84	...	S	1	c
Labuan,	,,	29.81	757.2	88	...	...	...	...	,,	29.90	759.4	85	...	...	...	...

On the 14th at 11.55 a.—The barometer has risen moderately in N.E. Japan the depression lying off Hokkaido yesterday, having moved away over the Pacific.

Pressure has given way quickly on the E. coast of China, a depression, formed over the continent to the South of the Yangtze valley, having advanced towards N.E. and reached the neighbourhood of Shanghai.

Pressure has increased slightly over the Philippines. It is highest over the Pacific to the Eastward of the Bonins.

Moderate S. monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.13 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, moderate; showery.
2.—Formosa Channel,	S. and S.W. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 14th June, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th JUNE, 1911, P.M.								15th JUNE, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	29.78	756.3	63	...	S S E	1	b	7 a.	29.78	756.4	58	92	S	1	f
Nemuro,	"	29.85	758.1	...	...	S S E	1	...	6 a.	29.91	759.6	...	...	S	1	...
Hakodate,	"	29.89	759.2	...	...	S W	1	...	"	29.93	760.2	...	...	...	0	...
Tokio,	"	29.91	759.6	...	...	N E	1	...	"	29.95	760.6	...	...	...	0	...
Kochi,	"	29.91	759.8	...	...	S E	1	...	"	29.63	753.3	...	...	S E	1	...
Nagasaki,	"	29.82	757.3	...	...	E S E	6	...	"	29.62	752.3	...	...	S W	8	...
Kagoshima,	"	29.90	759.4	...	...	S S W	1	...	"	29.74	755.4	...	...	S W	3	...
Oshima,	"	29.89	759.1	...	...	S	2	...	"	29.83	757.6	...	...	...	0	...
Naha,	"	29.89	759.2	...	...	S S W	1	...	"	29.83	757.7	...	...	S	1	...
Ishigakijima,	"	29.85	758.3	...	...	S W	4	...	"	29.82	757.3	...	...	S	4	...
Bonin Is.	"	29.98	761.6	...	...	S S E	1	...	"	29.99	761.6	...	...	S E	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	"	29.75	755.6	72	46	E	4	b	9 a.	29.68	753.9	69	70	E S E	1	cm
Hankow,	"	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	"	29.62	752.3	78	82	W S W	2	om	9 a	29.72	754.9	70	85	N W	2	om
Gutzlaff,	"	...	...	73	95	W S W	2	fr	"	...	...	73	95	N W	3	om
Sharp Peak,	"	29.68	753.9	83	83	S S E	4	c	"	29.75	755.6	82	...	S	1	c
Amoy,	"	29.77	756.1	88	66	S	5	b	6 a.	29.83	757.7	82	75	S W	1	c
Swatow,	"	29.79	756.6	92	67	S S W	2	c	"	...	...	...	...	...	...	...
Taihoku,	1 p.	29.80	756.9	...	...	S	2	...	5 a.	29.79	756.6	...	...	...	0	...
Taichu,	"	29.85	758.3	...	...	W	6	...	"	29.87	758.7	...	...	...	0	...
Tainan,	"	29.89	759.1	...	...	S W	6	...	"	29.87	758.6	...	...	E	2	...
Koshun	"	29.86	758.5	...	...	W	4	...	"	29.84	757.9	...	...	N	6	...
Pescadores,	"	29.86	758.4	...	...	S W	6	...	"	29.84	758.0	...	...	S W	4	...
Canton,	3 p.	29.76	755.9	92	...	S W	2	b	9 a.	29.82	757.4	87	76	W S W	1	c
Hongkong,	4 p.	29.80	756.9	85	78	S S E	1	c	10 a.	29.84	757.9	87	71	S S W	1	c
Victoria Peak,	"	...	...	...	...	S	3	...	"	...	...	...	...	S	3	...
Gap Rock,	"	29.78	756.4	...	...	S S W	3	...	"	29.81	757.2	...	...	S S W	3	...
Macao,	"	29.81	757.2	86	...	S S W	3	c	"	29.85	758.2	86	...	S	1	c
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	4 p.	29.69	754.1	86	...	S S E	6	c	8 a.	29.77	756.2	84	...	S S E	4	o
Tourane,	"	29.76	755.8	86	...	S E	4	b	"	29.81	757.2	90	...	S S W	2	c
Cape St. James,	"	29.81	757.2	84	...	S W	2	c	"	29.91	759.6	77	...	S W	5	o
Aparri,	2 p.	29.83	757.7	90	...	N E	2	b	6 a.	29.86	758.5	77	...	S	2	b
Manila,	4 p.	29.84	758	83	66	S W	1	c	10 a.	29.92	760	86	79	W	1	o
Legaspi,	2 p.	29.86	758.4	86	...	W	2	o	6 a.	29.90	759.5	81	...	W	2	b
Bacolod,	3 p.	...	...	...	...	S W	1	c	9 a.	...	...	...	...	N E	1	c
Iloilo,	"	29.87	758.7	85	...	S W	1	o	"	29.99	761.7	84	...	S W	1	b
Cebu,	"	29.87	758.7	88	...	S	2	or	"	29.90	759.4	87	...	S	1	c
Labuan,	"	29.84	757.9	90	...	...	...	...	"	29.94	760.5	83	...	...	...	...

On the 15th at 11.55 a.—The barometer has risen moderately in the neighbourhood of Shanghai, and fallen considerably in W. Japan.

The depression situated near the mouth of the Yangtze yesterday, has moved Eastwards and now occupies Southern Korea.

Pressure is highest over the Pacific to the Eastward of the Bonins. It is relatively high over the S. part of the China Sea.

Moderate S. monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.55 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, moderate; fine as a whole, but some showers.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 15th June, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th JUNE, 1911, P.M.								16th JUNE, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.74	755.4	65	...	S E	1	b	7 a.	29.65	753.0	58	91	...	0	c
Nemuro,	,,	29.87	758.6	...	...	S W	3	...	6 a.	29.81	757.1	...	...	S S W	1	...
Hakodate,	,,	29.85	758.2	...	...	S	2	...	,,	29.73	755.2	...	...	E	1	...
Tokio,	,,	29.89	759.1	...	...	N	1	...	,,	29.57	751.1	...	...	..	0	...
Kochi,	,,	29.70	754.3	...	...	...	0	...	,,	29.62	752.3	...	...	E	1	...
Nagasaki,	,,	29.64	752.8	...	...	W S W	3	...	,,	29.70	754.3	...	...	W S W	3	...
Kagoshima,	,,	29.72	754.9	...	...	S S W	3	...	,,	29.74	755.4	...	...	W	1	...
Oshima,	,,	29.79	756.6	...	...	S W	2	...	,,	29.75	755.6	...	...	S	1	...
Naha,	,,	29.81	757.2	...	...	S S W	1	...	,,	29.75	755.7	...	...	...	0	...
Ishigakijima,	,,	29.80	756.8	...	...	S	4	...	,,	29.74	755.3	...	...	N E	1	...
Bonin Is.	,,	29.96	761.1	...	...	...	0	...	,,	29.95	760.6	...	...	S	1	...
Chefoo,	4 p.	...	...	...	..	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.69	754.1	71	85	N E	2	b	9 a.	29.74	755.4	77	69	S W	3	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Shanghai,	,,	29.73	755.1	73	81	N N W	1	ovn	9 a	29.79	756.6	77	73	S E	1	b
Gutzlaff,	,,	...	...	72	90	N W	2	ov	,,	...	...	72	90	E S E	2	cv
Sharp Peak,	,,	29.66	753.3	85	83	S S W	4	b	,,	29.79	756.6	81	87	E	2	c
Amoy,	,,	29.72	754.9	90	63	S	5	b	6 a.	29.76	755.9	82	87	S S W	1	b
Swatow,	,,	29.75	755.6	87	80	S	1	b	,,	29.76	755.9	82	83	W S W	1	b
Taihoku,	1 p.	29.76	756.8	...	...	N W	6	...	5 a.	29.77	756.2	...	...	S W	2	...
Taichu,	,,	29.83	757.6	...	...	W	4	...	,,	29.82	757.4	...	...	...	0	...
Tainan,	,,	29.85	758.2	...	...	W	6	...	,,	29.80	756.9	...	...	S E	2	...
Koshun,	,,	29.81	757.2	...	...	N W	8	...	,,	29.77	756.2	...	...	N	2	...
Pescadores,	,,	29.82	757.5	..	...	S W	6	...	,,	29.78	756.4	...	...	S W	4	...
Canton,	3 p.	29.73	755.1	92	64	S	1	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.75	755.6	88	71	S	1	c	10 a.	29.77	756.1	84	83	W	1	op
Victoria Peak,	,,	...	...	...	...	S	3	...	,,	...	...	...	...	S S W	2	...
Gap Rock,	,,	29.73	755.1	...	...	S W	3	...	,,	29.74	755.4	...	...	S	3	...
Macao,	,,	29.77	756.1	86	...	S E	2	c	,,	29.78	756.5	86	...	W	1	c
Wuchow,	3 p.	29.71	754.6	89	66	...	0	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.77	756.1	88	73	S W	1	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.68	753.8	84	...	S S E	5	c	8 a.	29.73	755.0	84	...	S S E	4	c
Tourane,	,,	29.73	755.1	90	...	S S W	1	b	,,	29.77	756.1	91	..	N W	4	c
Cape St. James,	,,	29.85	758.1	82	...	S W	5	c	,,	29.90	759.5	82	...	S S W	5	c
Aparri,	2 p.	29.81	757.2	90	...	N	2	b	6 a.	29.77	756.1	77	...	S W	2	c
Manila,	4 p.	29.84	758	88	72	S W	2	b	10 a.	29.88	759	82	85	W S W	5	q
Legaspi,	2 p.	29.82	757.4	90	...	W	2	c	6 a.	29.82	757.3	81	...	W	2	c
Bacolod,	3 p.	...	...	...	...	S W	3	c	9 a.	...	...	...	...	S W	2	o
Iloilo,	,,	29.86	758.2	86	...	S W	2	b	,,	29.93	760.2	82	...	S W	3	o
Cebu,	,,	29.84	757.9	89	...	S	1	c	,,	29.91	759.7	88	...	S	1	o
Labuan,	,,	29.85	758.2	88	...	...	...	...	,,	29.91	759.7	85	...	...	...	...

On the 16th at 11.55 a.—The barometer has risen slightly on the E. and N.E. coasts of China and in S.W. Japan, and fallen considerably in E. Japan.

The depression lying in the neighbourhood of Korea Straits yesterday, has reached the S.E. part of the Sea of Japan.

Pressure has given way moderately over the Loochoos, Formosa and Luzon under the influence of a typhoon which, at present, appears to be situated to the S.E. of Meiaco Sima and to be moving towards W.N.W.

Pressure is relatively high over the Pacific to the Eastward of the Bonins, and over the S. part of the China Sea.

Moderate to fresh S.W. and W. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, moderate; showery.
2.—Formosa Channel,	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 16th June, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th JUNE, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	17th JUNE, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock	2 p.	29.65	753.0	66	...	S S E	1	c	7 a.	29.66	753.4	60	77	S E	1	c
Nemuro,	,,	29.77	756.1	...	...	S W	4	...	6 a.	29.73	755.1	...	...	S	1	...
Hakodate,	,,	29.67	753.7	...	...	E S E	4	...	,,	29.71	754.7	...	...	...	0	...
Tokio,	,,	29.63	750.1	...	...	...	0	...	,,	29.63	752.6	...	...	N W	1	...
Kochi,	,,	29.60	751.5	...	...	W	1	...	,,	29.76	755.8	...	...	S W	1	...
Nagasaki,	,,	...	...	...	...	N	2	...	,,	29.76	755.3	...	...	E	2	...
Kagoshima,	,,	29.70	754.4	...	...	W	1	...	,,	29.74	755.4	...	...	N E	1	...
Oshima,	,,	29.75	755.6	...	...	N N W	1	...	,,	29.75	755.6	...	...	...	0	...
Naha,	,,	29.73	755.2	...	...	N	2	...	,,	29.65	753.2	...	...	E N E	2	...
Ishigakijima	,,	29.72	754.8	...	...	N W	3	...	,,	29.64	752.8	...	...	N	1	...
Bonin Is.	,,	29.89	759.1	...	...	S	2	...	,,	29.91	759.6	...	...	S	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.69	754.1	78	61	S W	1	c	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.73	755.1	81	67	S E	2	b	9 a	29.55	750.5	78	74	S S E	4	bq
Gutzlaff,	,,	...	...	73	86	S E	5	bv	,,	...	...	71	95	S S E	5	cm
Sharp Peak,	,,	29.71	754.6	82	79	E S E	5	c	,,	29.67	753.6	80	96	E	1	o
Amoy,	,,	29.68	753.9	89	69	S E	4	b	6 a.	29.70	754.4	82	87	S E	1	b
Swatow,	,,	29.67	753.6	91	63	S	2	b	,,	29.68	753.9	82	87	S W	1	c
Taihoku,	1 p.	29.72	755.0	...	...	N	4	...	5 a.	29.67	753.6	...	...	S	2	...
Taichu,	,,	...	...	...	...	W	2	...	,,	29.70	754.4	...	...	...	0	...
Tainan	,,	29.76	755.9	...	...	W	6	...	,,	29.70	754.4	...	...	S E	2	...
Koshun	,,	29.76	755.8	...	...	N	4	...	,,	29.69	754.1	...	...	...	0	...
Pescadores,	,,	29.74	755.5	...	...	S W	4	...	,,	29.68	753.9	...	...	...	0	...
Canton,	3 p.	29.65	753.1	95	58	S	2	b	9 a.	29.63	752.6	87	76	W S W	2	b
Hongkong,	4 p.	29.66	753.3	88	67	W	1	c	10 a.	29.65	753.1	83	72	W S W	1	c
Victoria Peak,	,,	...	...	...	...	S	2	...	,,	...	...	...	...	S S W	3	...
Gap Rock,	,,	29.65	753.1	...	...	S W	2	...	,,	29.62	752.3	...	...	S W	4	...
Macao,	,,	29.68	753.9	86	...	S W	3	c	,,	29.67	753.6	87	...	S	1	c
Wuchow,	3 p.	29.66	753.1	88	...	E	2	c	9 a.	29.62	752.3	83	83	W	1	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.68	753.9	90	70	S W	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.59	751.7	86	...	S S E	6	c	8 a.	29.62	752.2	88	...	S	2	c
Tourane,	,,	29.67	753.7	88	...	S E	3	b	,,	29.71	754.7	90	...	S S E	2	b
Cape St. James,	,,	29.82	757.3	81	...	S W	6	c	,,	29.93	760.2	75	...	S W	3	o
Aparri,	2 p.	29.70	754.4	91	...	N	2	c	6 a.	29.68	753.8	77	...	S	2	o
Manila,	4 p.	29.76	756	84	77	W S W	1	o	10 a.	29.76	756	81	92	S W	2	o
Legaspi,	2 p.	29.78	756.5	82	...	W	2	o	6 a.	29.75	755.5	81	...	W	2	b
Bacolod,	3 p.	...	...	...	...	S W	2	od	9 a.	...	...	...	...	S W	3	o
Iloilo,	,,	29.83	757.7	83	...	S W	2	o	,,	29.82	757.4	84	...	S W	2	o
Cebu,	,,	29.83	757.7	86	...	S	2	c	,,	29.82	757.4	85	...	S	2	o
Labuan,	,,	29.84	757.9	88	...	...	...	...	,,	29.89	759.2	83	...	...	...	...

On the 17th at 11.55 a.—The barometer has fallen moderately to considerably over the Philippines, the Loochoos and the China coast.

The typhoon which is situated at a considerable distance to the Southward of the Loochoos, is moving slowly, probably Northwards.

The decrease of pressure over China is due to a depression which is moving Eastwards over the Lower Yangtze valley.

The depression lying over the S.E. part of the Sea of Japan yesterday, has moved into the Pacific.

Pressure is relatively high over the Pacific to the Eastward of the Bonins, and over the S. part of the China Sea.

Fresh to strong monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.W. winds, fresh; fine as a whole, but some showers.
2.—Formosa Channel, ...	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 17th June, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th JUNE, 1911, P.M.								18th JUNE, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock....	2 p.	29.65	753.1	64	...	S E	1	o	7 a.	29.70	754.8	62	71	S E	2	o
Nemuro, ...	,,	29.73	755.1	...	...	N W	3	...	6 a.	29.81	757.1	...	...	W	3	...
Hakodate, ...	,,	29.75	755.7	...	...	E S E	2	...	,,	29.83	757.7	...	...	...	0	...
Tokio, ...	,,	29.69	754.1	...	...	S E	1	...	,,	29.85	758.1	...	...	...	0	...
Kochi, ...	,,	29.72	754.8	...	...	E	1	...	,,	29.80	756.8	...	...	S S W	1	...
Nagasaki, ...	,,	29.72	754.8	...	...	W S W	2	...	,,	29.64	752.8	...	...	E S E	4	...
Kagoshima, ...	,,	29.76	755.9	...	...	S	1	...	,,	29.62	753.9	...	...	...	0	...
Oshima, ...	,,	29.71	754.6	...	...	S	3	...	,,	29.55	750.6	...	...	S E	5	...
Naha, ...	,,	29.59	751.7	...	...	E S E	4	...	,,	...	...	...	...	...	0	...
Ishigakijima, ...	,,	29.68	751.3	...	...	N	4	...	,,	29.52	749.8	...	...	W N W	6	...
Bonin Is.	,,	29.91	759.6	...	...	S S W	2	...	,,	29.95	760.6	...	...	S W	1	...
Chefoo, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei, ...	,,	...	...	...	...	...	...	...	9 a.	29.61	752.1	69	85	N N E	2	cm
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang	,,	29.56	750.8	78	82	W	4	o	,,	...	...	...	...	...	...	...
Shanghai, ...	,,	29.46	748.3	84	72	S S E	4	o	9 a.	29.55	750.5	68	99	W	4	o
Gutzlaff, ...	,,	...	...	74	90	S S E	7	cm	,,	...	...	68	90	N W	4	ov
Sharp Peak, ...	,,	29.58	751.3	82	...	E	3	b	,,	...	...	83	...	E	1	c
Amoy, ...	,,	29.61	752.1	89	66	S E	5	b	6 a.	...	...	...	...	...	...	...
Swatow, ...	,,	29.56	750.8	91	70	W S W	3	c	,,	29.53	751.3	82	87	W	1	c
Taihoku, ...	1 p.	29.60	751.8	...	...	N	6	...	5 a.	29.54	750.2	...	...	S	2	...
Taichu, ...	,,	29.65	753.0	...	...	W	4	...	,,	29.61	752.0	...	...	...	0	...
Tainan, ...	,,	29.65	753.2	...	...	W	6	...	,,	29.53	751.4	...	...	E	2	...
Koshun	,,	29.62	752.4	...	...	N W	6	...	,,	29.57	751.1	...	...	E	4	...
Pescadores, ...	,,	29.64	752.9	.	...	S W	2	...	,,	29.59	751.5	...	...	S W	4	...
Canton, ...	3 p.	29.55	750.5	94	61	S	1	b	9 a.	29.56	750.8	88	80	...	0	o
Hongkong, ...	4 p.	29.55	750.5	89	68	S W	1	c	10 a.	29.59	751.6	87	72	W S W	1	c
Victoria Peak, ...	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	S S W	3	...
Gap Rock, ...	,,	29.54	750.3	...	...	W S W	4	...	,,	29.53	751.3	...	...	S W	3	...
Macao, ...	,,	29.57	751.1	86	...	S E	2	c	,,	29.62	752.3	87	...	S	2	o
Wuchow, ...	3 p.	29.59	751.6	90	63	W	1	c	9 a.	29.55	750.5	82	71	...	0	o
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	..	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.51	749.6	97	...	W S W	3	c	8 a.	29.56	750.9	90	...	S S W	4	c
Tourane, ...	,,	29.61	752.2	88	...	S S E	2	b	,,	29.64	752.9	90	..	S	3	c
Cape St. James, .	,,	29.81	757.1	77	...	S W	5	or	,,	29.88	758.8	77	...	S W	5	o
Aparri, ...	2 p.	29.61	752.2	88	...	N	2	o	6 a.	29.64	752.9	77	...	S E	2	b
Manila, ...	4 p.	29.69	754	82	85	S W	3	c	10 a.	29.72	755	82	85	S	2	o
Legaspi, ...	2 p.	29.70	754.4	88	...	W	2	o	6 a.	29.75	755.6	77	...	W	2	o
Bacolod, ...	3 p.	...	...	...	...	S W	3	o	9 a.	...	...	...	...	S W	3	or
Iloilo, ...	,,	29.74	755.4	85	...	S W	2	o	,,	29.82	757.4	73	...	S W	4	or
Cebu, ...	,,	29.82	757.4	88	...	S	2	or	,,	29.83	757.7	84	...	S	1	c
Labuan, ...	,,	29.79	756.6	86	...	...	...	...	,,	...	...	...	...	...	...	...

On the 18th at 11.55 a.—The barometer has fallen considerably over the Loochoos owing to the typhoon, which is progressing towards NNW near the Southern part of the group.

The depression lying over the Yangtze valley yesterday, has moved into the Yellow Sea, and pressure is giving way in W. Japan.

Pressure has a tendency to increase over the Philippines. It remains low over S. China and Tongking.

Relatively high pressure occupies the Pacific to the Eastward of the Bonins, and the S. part of the China Sea.

Fresh to strong monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	SW winds, fresh; fine at first, squally, probably thunder storms later.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 18th June, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th June, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	19th June, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostook	2 p.	29.71	754.7	58	...	S S E	1	o	7 a.	29.52	749.8	57	85	N N W	1	o
Nemuro,	,,	29.85	758.1	...	...	E	2	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.83	757.7	...	...	S E	2	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.81	757.1	...	...	S	1	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.72	754.8	...	...	E S E	2	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.52	749.8	...	...	S S E	3	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.56	750.9	...	...	S S E	4	...	,,	...	...	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.56	750.7	...	...	W S W	5	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.60	751.8	...	...	S W	5	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	29.93	760.1	...	...	S	1	...	,,	...	...	...	...	...	...	...
Chefoo,	4 p.	29.57	751.1	72	81	E N E	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.55	750.8	72	81	N	2	b	9 a.	29.61	752.1	74	59	...	...	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	29.63	752.6	80	66	N E	2	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.53	750.0	72	85	W N W	3	o	9 a.	29.71	754.6	77	69	E	1	c
Gutzlaff,	,,	...	...	71	90	N W	5	cm	,,	...	...	71	85	N N E	2	cv
Sharp Peak,	,,	29.47	748.5	83	96	S	1	o	,,	29.65	753.3	82	87	E	3	c
Amoy,	,,	29.51	749.5	89	66	S E	4	c	6 a.	29.69	754.1	84	83	N E	3	c
Swatow,	,,	29.50	749.3	92	70	S	3	c	,,	29.64	752.8	80	91	N E	1	c
Taihoku,	1 p.	29.54	750.3	...	...	N W	6	...	5 a.	29.67	753.6	...	...	S	2	...
Taichu,	,,	29.60	751.8	...	...	W	4	...	,,	29.69	754.2	...	...	...	0	...
Tainan,	,,	29.64	752.8	...	...	S	2	...	,,	29.69	754.2	...	...	S E	2	...
Koshun,	,,	29.62	752.4	...	...	N	6	...	,,	29.69	754.2	...	...	...	0	...
Pescadores,	,,	29.59	751.5	.	...	S W	6	...	,,	29.66	753.4	...	...	S W	6	...
Canton,	3 p.	29.51	749.5	92	61	N	1	c	9 a.	29.63	752.5	85	79	S E	1	o
Hongkong,	4 p.	29.51	749.5	89	69	...	0	o	10 a.	29.64	752.8	85	73	W N W	1	c
Victoria Peak,	,,	...	...	...	...	S	3	...	,,	...	...	...	...	E	1	...
Gap Rock,	,,	29.49	749.0	..	...	S W	4	...	,,	29.61	752.1	...	...	S	2	...
Macao,	,,	29.53	750.0	83	...	S S W	1	o	,,	29.67	753.6	86	...	E	1	c
Wuchow,	3 p.	29.49	749.0	89	69	N W	2	c	9 a.	..	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.51	749.5	90	77	S W	4	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.55	748.1	95	...	W S W	4	c	8 a.	29.57	751.1	83	...	S W	2	c
Tourane,	,,	29.57	751.0	90	...	E	2	b	,,	29.65	753.2	93	...	S	4	c
Cape St. James	,,	29.78	756.5	79	...	W S W	5	o	,,	29.87	758.7	77	...	W S W	5	o
Aparri,	2 p.	29.61	752.2	90	...	N E	2	c	6 a.	29.67	753.7	77	...	S	2	c
Manila,	4 p.	29.69	754	79	92	S S W	3	o	10 a.	29.76	756	86	71	S	2	o
Legaspi,	2 p.	29.72	754.9	86	...	S W	2	...	6 a.	29.80	757.0	77	...	S W	2	o
Bacolod,	3 p.	...	...	...	...	S W	3	od	9 a.	...	...	...	...	S W	1	o
Iloilo,	,,	29.77	756.1	79	...	S W	3	r	,,	29.87	758.7	81	...	S W	4	or
Cebu,	,,	29.81	757.2	84	...	N E	1	o	,,	29.87	758.7	84	...	N E	2	c
Labuan,	,,	29.79	756.6	90	...	...	...	...	,,	29.88	758.9	84	...	...	...	...

On the 19th at 11.55 a.—The barometer has fallen in Wladiwostok, and risen over S. China and the Philippines.

The Japanese returns are lacking this morning, but probably the typhoon lying near the Loochoos yesterday and also the depression situated over the Yellow Sea, have both reached Japan.

Pressure is relatively high over the S. part of the China Sea. It is still low over SW China and Tongking.

Fresh or moderate monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. to SE winds, moderate; thunder showers
2.—Formosa Channel,	E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 19th June, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th June, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	20th June, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.50	749.3	64	...	N N W	1	o	7 a.	29.61	752.0	61	86	N N W	1	o
Nemuro,	,,	29.81	757.1	...	...	S E	3	...	6 a.	...	..	...	...	...	...	...
Hakodate,	,,	29.44	747.7	...	...	E	1	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.28	743.6	...	...	S W	6	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.56	750.8	...	...	...	0	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.66	753.3	...	...	W	3	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.73	756.4	...	...	W S W	1	...	,,	..	...	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.78	756.3	...	...	S	1	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	29.94	760.6	...	...	S S W	1	...	,,	...	...	...	...	...	...	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.61	752.1	73	65	N W	1	c	9 a.	29.66	753.3	79	56	...	...	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.65	753.1	86	65	N E	1	b	,,	29.59	751.6	77	91	N E	1	b
Shanghai,	,,	29.69	754.1	78	70	S E	2	c	9 a.	29.67	753.6	74	86	E S E	1	o
Gutzlaff,	,,	29.57	751.1	72	81	S E	2	ov	,,	...	...	70	95	S E	4	ov
Sharp Peak,	,,	29.63	752.6	81	87	E S E	5	o	,,	29.68	753.9	81	96	S	1	c
Amoy,	,,	29.68	753.9	90	66	S E	5	b	6 a.	...	...	...	...	...	...	...
Swatow,	,,	29.67	753.6	85	79	E	1	c	,,	29.61	752.1	78	91	S E	3	o
Taihoku,	1 p.	29.57	753.5	...	...	N W	6	...	5 a.	29.67	753.7	...	...	...	0	...
Taichu,	,,	29.68	753.9	...	...	N W	4	...	,,	29.69	754.0	...	...	...	0	...
Tainan,	,,	29.70	754.3	...	...	S	6	...	,,	29.68	753.9	...	...	S	6	...
Koshun,	,,	29.74	755.4	...	...	S	6	...	,,	29.70	754.3	...	...	E	4	...
Pescadores,	,,	29.68	753.8	..	...	S	6	...	,,	29.65	753.0	...	...	S	6	...
Canton,	3 p.	29.55	750.5	91	60	S	2	b	9 a.	29.58	751.3	87	72	S E	2	b
Hongkong,	4 p.	29.55	750.5	86	72	E	1	c	10 a.	29.58	751.3	85	75	E	2	c
Victoria Peak,	,,	...	...	...	...	S	1	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	29.54	750.5	...	...	E	4	...	,,	29.54	750.3	...	...	E N E	3	...
Macao,	,,	29.57	751.1	87	...	S E	1	c	,,	29.60	751.8	83	...	E S E	2	o
Wuchow,	3 p.	29.57	751.1	81	...	E	1	c	9 a.	..	...	...	..	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.53	750.0	93	71	S W	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.46	748.4	97	...	S W	1	c	8 a.	29.49	749.1	91	...	W S W	6	b
Tourane,	,,	29.57	751.0	90	...	S E	1	o	,,	29.59	751.5	90	..	S E	1	dh
Cape St. James,	,,	29.74	755.3	84	...	W S W	5	o	,,	29.82	757.5	79	...	W S W	5	c
Aparri,	2 p.	29.63	752.6	88	...	N E	2	b	6 a.	29.71	754.6	79	...	S	2	o
Manila,	4 p.	29.72	755	84	64	S	1	d	10 a.	29.80	757	82	77	S E	2	o
Legaspi,	2 p.	29.81	757.1	84	...	S	2	o	6 a.	29.85	758.1	75	...	...	0	o
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S W	2	o
Iloilo,	,,	29.81	757.2	80	...	S W	1	o	,,	29.91	759.7	73	...	S W	1	od
Cebu,	,,	29.82	757.4	87	...	S	1	c	,,	29.92	759.9	86	...	...	0	c
Labuan,	,,	29.81	757.2	89	...	...	...	...	,,	29.87	758.7	85	...	...	...	...

On the 20th at 11.35 a.—The barometer has fallen moderately over the S. coast of China and Tongking, and risen slightly in the Philippines.

A depression, which will probably move Westwards, appears to have formed over the China Sea to the East of Hainan.

Pressure is giving way also over the Yangtze valley. It continues high over the S. part of the China Sea.

The Japanese returns are not in hand.

Strong winds and squally weather may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to S. winds, strong; squally, showery.
2.—Formosa Channel,	S.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 20th June, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th June, 1911, P.M.								21st June, 1911, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostool,	2 p.	29.62	752.3	68	...	S S E	1	o	7 a.	29.85	758.1	56	69	S S E	1	o
Nemuro,	,,	29.37	746.1	...	...	N E	6	...	6 a.	29.75	755.6	...	...	N	6	...
Hakodate,	,,	29.42	747.2	...	...	W	1	...	,,	29.69	754.2	...	...	S	1	...
Tokio,	,,	29.45	748.1	...	...	N W	1	...	,,	29.73	755.[illegible]	...	...	N W	1	...
Kochi,	,,	29.68	753.8	...	...	E N E	1	...	,,	29.78	756.8	...	...	...	0	...
Nagasaki,	,,	29.74	755.3	...	...	S S E	2	...	,,	29.78	756.3	...	...	...	0	...
Kagoshima,	,,	29.80	756.9	...	...	...	0	...	,,	29.78	756.4	...	...	E N E	2	...
Oshima,	,,	29.75	755.6	...	...	S	2	...	,,	29.79	756.6	...	...	S	1	...
Naha,	,,	29.79	756.7	...	...	S S W	2	...	,,	29.79	756.7	...	...	S S W	1	...
Ishigakijima,	,,	29.74	755.3	...	...	S S W	6	...	,,	29.80	756.8	...	...	S W	7	...
Bonin Is.	,,	29.89	759.1	...	...	S	1	...	,,	29.95	760.6	...	...	S W	1	...
Chefoo,	4 p.	29.63	752.6	76	73	E	2	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.63	752.6	79	54	E	2	c	9 a.	29.76	755.9	77	65	E	2	bm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	29.54	750.3	92	67	...	0	c	,,	29.62	752.3	77	95	...	6	b
Shanghai,	,,	29.63	753.1	72	90	E S E	1	om	9 a.	29.66	753.3	74	95	E	1	om
Gutzlaff,	,,	...	...	69	100	E S E	4	om	,,	...	...	72	100	E S E	2	om
Sharp Peak,	,,	29.63	752.6	83	87	S	2	b	,,	29.72	754.9	82	96	S S W	3	c
Amoy,	,,	29.67	753.6	87	69	S E	4	c	6 a.	29.67	753.6	81	87	S E	5	c
Swatow,	,,	29.61	752.1	85	79	E	1	b	,,	29.63	752.6	79	91	S S E	4	c
Taihoku,	1 p.	29.67	753.6	...	...	N W	6	...	5 a.	29.73	755.0	...	...	...	0	...
Taichu,	,,	29.68	753.9	...	...	N	2	...	,,	29.74	755.4	...	...	...	0	...
Tainan,	,,	29.70	754.4	...	...	S	8	...	,,	29.75	755.6	...	...	S E	6	...
Koshun,	,,	29.72	754.9	...	...	S	6	...	,,	29.78	756.8	...	...	S W	6	...
Pescadores,	,,	29.68	753.8	...	...	S W	6	...	,,	29.70	754.3	...	...	S	8	...
Canton,	3 p.	29.51	749.5	92	61	S E	2	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.49	749.0	83	80	E	2	oq	10 a.	29.55	750.5	79	94	S	3	epq
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	S	7	...
Gap Rock,	,,	29.43	747.5	...	...	E N E	4	...	,,	29.50	749.3	...	...	S	7	...
Macao,	,,	29.51	749.6	82	...	E	2	c	,,	29.49	749.0	81	...	S E	6	eq
Wuchow,	3 p.	29.50	749.3	91	63	E	1	b	9 a.	29.54	750.3	83	...	...	0	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.47	748.5	95	65	S W	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.44	747.8	86	...	E N E	3	o	8 a.	29.52	749.9	82	...	E N E	3	c
Tourane,	,,	29.52	749.7	88	...	N	2	dh	,,	29.64	752.9	81	...	S W	4	f
Cape St. James,	,,	29.77	756.2	81	...	W S W	5	c	,,	29.82	757.5	79	...	W S W	5	o
Aparri,	2 p.	29.69	754.1	88	...	S	4	o	6 a.	29.80	756.9	79	...	S	2	o
Manila,	4 p.	29.76	756	84	77	S	1	o	10 a.	29.88	759	84	71	S S E	1	o
Legaspi,	2 p.	29.79	756.7	90	...	S W	2	o	6 a.	29.90	759.4	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.81	757.2	82	...	S W	1	o	,,	29.91	759.7	81	...	...	0	o
Cebu,	,,	29.82	757.4	89	...	S	1	c	,,	29.91	759.7	89	...	...	0	o
Labuan,	,,	29.84	757.9	90	...	...	...	...	,,	29.90	759.4	85	...	...	...	...

On the 20th at 4.50 p.—Black South Cone hoisted.

At 5.15 p.—The depression which is probably situated to the S.S.W. of Hongkong in from 19° to 20° Latitude is apparently becoming deeper. *Its direction of motion is not yet determined.* Strong E. and S.E. winds with hard squalls expected to-night.

On the 21st at 5.45 a.—Black South Cone and Ball hoisted.

At 9.15 a.—Black Ball hoisted.

At 12.15 a.—The barometer is inclined to rise in Hongkong, and to fall at Wuchow.

The *depression, moving in a N.N.W. direction, has reached* the coast between Macao and Kwong-chau-wan.

Pressure has increased considerably over the Sea of Japan, and moderate increases have taken place over Formosa and Luzon.

The highest pressure is shown over the Pacific in the neighbourhood of the Bonins.

Very strong monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Moderate S. gale, slowly decreasing; squally, showery at first, probably improving later.
2.—Formosa Channel,	S. winds, fresh.
3.—South coast of China between Hongkong and Lamooks,	S. winds, strong.
4.—South coast of China between Hongkong and Hainan,	Cyclonic gales.

F. G. FIGG, *Director.*

Hongkong Observatory, Wednesday, 21st June, 1911.

(Printed by Noronha & Co., Government Printers.)

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st JUNE, 1911, P.M.								22nd JUNE, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.87	758.8	60	...	S S E	3	b	7 a.	29.93	760.1	52	86	S S E	2	o
Nemuro,	,,	29.87	758.6	...	...	N N E	6	...	6 a.	30.01	762.1	...	...	N E	3	...
Hakodate,	,,	29.79	756.7	...	...	S E	2	...	,,	29.97	761.2	...	...	E N E	1	...
Tokio,	,,	29.70	754.3	...	...	N N W	2	...	,,	29.95	760.6	...	...	E N E	1	...
Kochi,	,,	29.82	757.3	...	...	...	0	...	,,	29.88	758.8	...	...	...	0	...
Nagasaki,	,,	29.82	757.3	...	...	N	1	...	,,	29.78	756.3	...	...	E N E	2	...
Kagoshima,	,,	29.80	756.9	...	...	N E	1	...	,,	29.73	756.4	...	...	E	2	...
Oshima,	,,	29.81	757.1	...	...	S S W	1	...	,,	29.83	757.6	...	...	S	1	...
Naha,	,,	29.85	758.2	...	...	S S W	2	...	,,	29.89	759.2	...	...	S S W	1	...
Ishigakijima,	,,	29.83	757.8	...	...	S S W	6	...	,,	29.86	758.3	...	...	S W	5	...
Bonin Is.	,,	29.93	760.1	...	...	S W	1	...	,,	29.91	759.6	...	...	S W	2	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.76	755.9	71	80	E	6	bm	9 a.	29.84	757.9	77	69	E	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.67	753.6	80	87	E	1	o	9 a.	29.72	754.9	78	78	N N E	1	om
Gutzlaff,	,,	...	...	78	95	S E	1	cm	,,	...	...	75	95	N N E	1	om
Sharp Peak,	,,	29.69	754.1	84	87	S	2	c	,,	29.73	756.4	72	85	S	4	c
Amoy,	,,	29.69	754.1	84	75	S E	6	c	6 a.	29.79	756.6	80	87	S W	4	c
Swatow,	,,	29.63	752.6	85	76	S	3	o	,,	29.75	755.6	81	87	S	4	c
Taihoku,	1 p.	29.74	755.5	...	...	N E	4	...	5 a.	29.80	756.9	...	...	S E	2	...
Taichu,	,,	29.75	755.6	...	...	W	6	...	,,	29.86	758.4	...	...	...	0	...
Tainan,	,,	29.79	756.7	...	...	S	3	...	,,	29.86	758.4	...	...	E	6	...
Koshun,	,,	29.81	757.2	...	...	S	6	...	,,	29.88	759.0	...	...	S E	2	...
Pescadores,	,,	29.74	755.5	...	...	S W	8	...	,,	29.82	757.4	...	...	S	8	...
Canton,	3 p.	29.44	747.8	85	83	E	3	o	9 a.	29.73	755.1	81	87	S S W	2	or
Hongkong,	4 p.	29.56	750.8	78	93	S	3	odq	10 a.	29.78	756.4	85	81	S	3	eq
Victoria Peak,	,,	...	...	...	...	S	7	...	,,	...	...	...	...	S S E	7	...
Gap Rock,	,,	29.51	749.5	...	...	S E	7	...	,,	29.74	755.4	...	...	S	7	...
Macao,	,,	29.53	750.0	81	...	S	5	o	,,	29.77	756.1	83	...	S E	5	oq
Wuchow,	3 p.	29.53	750.0	85	...	E	...	c	9 a.	29.62	752.3	80	91	E	1	or
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.53	750.0	85	88	S	2	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.48	748.8	82	...	E N E	3	or	8 a.	29.60	751.8	81	...	S	5	o
Tourane,	,,	29.69	751.6	81	...	S S W	5	dh	,,	29.74	755.4	84	...	N E	3	dh
Cape St. James,	,,	29.79	756.6	75	...	W S W	5	o	,,	29.91	759.6	82	...	S W	3	c
Aparri,	2 p.	29.78	756.5	91	...	S E	2	c	6 a.	29.90	759.5	77	...	S	2	b
Manila,	4 p.	29.88	759	82	85	...	0	o	10 a.	29.96	761	86	78	S S W	1	b
Legaspi,	2 p.	29.85	758.3	90	...	E	2	o	6 a.	29.95	760.7	75	...	...	0	b
Bacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.85	758.2	85	...	S W	1	o	,,	...	...	32	...	S W	1	b
Cebu,	,,	29.84	757.9	88	...	N	1	c	,,	29.92	759.9	86	...	E	1	c
Labuan,	,,	29.83	757.7	90	...	...	...	...	,,	29.96	761.0	85	...	...	...	...

On the 21st at 2.30 p.—Signals lowered.

On the 22nd at 12.05 p.—The barometer has fallen slightly over W. Japan and the Bonins, and risen elsewhere, particularly in the neighbourhood of Hongkong, and over E. Japan.

The depression, which has nearly filled up, is lying over S.W. China.

A shallow depression is shown this morning off the E. coast of China.

Pressure is high over the Pacific to the N.E. of Japan, and over the S. part of the China Sea and the Philippines.

Strong monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, strong; fair as a whole but some showers, squally.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 22nd June, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd JUNE, 1911, P.M.								23rd JUNE, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.91	759.6	55	...	S S E	2	o	7 a.	29.87	758.6	53	96	S S E	1	f
Nemuro,	,,	29.96	761.1	...	...	..	0	...	6 a	29.95	760.6	...	...	N W	1	...
Hakodate,	,,	29.97	761.2	...	...	E S E	2	...	,,	29.93	760.2	...	...	E N E	1	...
Tokio,	,,	29.94	760.6	...	...	E N E	1	...	,,	29.91	759.6	...	...	N N W	1	...
Kochi,	,,	29 85	758.3	...	...	S S W	1	...	,,	29.82	757.3	...	...	...	0	...
Nagasaki,	,,	29.78	756.3	...	...	E	2	...	,,	29.82	757.3	...	...	E N E	1	...
Kagoshima,	,,	29.73	756.4	...	...	E	3	...	,,	29.80	756.9	...	...	N E	6	...
Oshima,	,,	29.81	757.1	...	...	S W	2	...	,,	29.73	755.1	...	...	W	3	...
Naha,	,,	29.87	758.7	...	...	S W	2	...	,,	29.81	757.2	...	...	W S W	2	...
Ishigakijima,	,,	29.87	758.8	...	...	S S W	6	...	,,	29.76	755.8	...	...	S W	4	...
Bonin Is.	,,	29.89	759.1	...	...	S	3	...	,,	29.81	757.1	...	...	S W	3	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.82	757.4	75	72	E N E	5	...	9 a.	29.87	758.7	75	64	N	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.72	754.9	77	86	N	1	o	9 a	29.80	756.9	71	95	E N E	1	or
Gutzlaff,	,,	...	...	76	95	N	1	om	,,	...	...	70	100	E	5	om
Sharp Peak,	,,	29.77	756.1	...	...	S S W	4	..	,,	29.82	757.4	83	91	S	3	c
Amoy,	,,	29.76	755.9	87	72	S W	5	b	6 a.	29.88	758.9	82	83	S W	4	o
Swatow,	,,	29.80	756.9	87	76	S S W	2	or	,,	29.86	758.4	81	91	S	3	b
Taihoku,	1 p.	29.82	757.3	...	...	S E	2	...	5 a.	29.84	757.9	...	...	...	0	...
Taichu,	,,	29.87	758.7	...	...	S W	6	...	,,	29.92	759.9	...	...	...	0	...
Tainan,	,,	29.90	759.5	...	...	S	6	...	,,	29.91	759.8	...	...	S E	4	...
Koshun,	,,	29.91	759.6	...	...	W	6	...	,,	29.90	759.4	...	...	N W	4	...
Pescadores,	,,	29.86	758.5	..	...	S W	8	...	,,	29.88	759.0	...	...	S	6	...
Canton,	3 p.	29.72	754.9	84	87	S S E	2	c	9 a.	29.84	757.9	84	83	S	2	c
Hongkong,	4 p.	29.75	755.6	84	79	S	3	oq	10 a.	29.89	759.2	84	78	S S W	2	oq
Victoria Peak,	,,	...	...	...	...	S	7	...	,,	...	...	...	...	S	6	...
Gap Rock,	,,	29.72	754.9	...	...	S	6	...	,,	29.86	758.4	...	...	S S W	5	...
Macao,	,,	29.75	755.6	84	...	S S E	5	c	,,	29.39	759.2	84	...	S E	3	c
Wuchow,	3 p.	29.71	754.6	84	83	E	1	c	9 a.	...	...	...	...	...	..	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.64	752.8	84	87	S S E	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.57	751.1	84	...	S	7	o	8 a.	29.75	755.5	82	...	S	5	c
Tourane,	,,	29.73	756.1	91	...	W	4	c	,,	29.87	758.6	91	...	N W	3	c
Cape St. James,	,,	29.89	759.2	77	...	S W	3	c	,,	29.98	761.5	82	...	...	0	c
Aparri,	2 p.	29.85	758.3	93	...	S	2	b	6 a.	29.93	760.3	79	...	W	2	b
Manila,	4 p.	29.88	759	90	55	W	2	b	10 a.	29.96	761	86	71	N W	1	c
Legaspi,	2 p.	29.90	759.5	95	...	E	2	b	6 a.	29.96	761.0	73	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	2	or	9 a.	...	...	...	...	N E	1	b
Iloilo,	,,	29.89	759.2	84	...	S W	2	c	,,	...	...	32	...	S W	1	b
Cebu,	,,	29.86	758.4	89	...	S	1	c	,,	29.93	760.2	36	...	S	1	c
Labuan,	,,	29.86	758.4	89	...	...	...	...	,,	29.99	761.7	84	...	...	...	...

On the 23rd at 11.55 a.—The barometer has risen moderately over S. China, Tongking and Annam, and fallen slightly to moderately over Japan and the Loochoos.

The shallow depression lying over the Eastern Sea yesterday, has moved Eastwards and is now situated to the N.E. of the Loochoos.

Pressure is still high to the N.E. of Japan, and over the S. part of the China Sea.

Fresh monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, fresh to moderate; fair, squally.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 23rd June, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd June, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	24th June, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.81	757.1	60	...	S S E	1	f	7 a.	29.70	754.3	59	93	S S E	1	f
Nemuro,	,,	29.87	758.6	...	...	S S E	1	...	6 a.	29.83	757.6	...	...	W S W	1	...
Hakodate,	,,	29.87	758.7	...	...	E S E	2	...	,,	29.87	758.7	...	...	N	1	...
Tokio,	,,	...	...	...	...	N E	1	...	,,	29.85	758.1	...	...	...	0	...
Kochi,	,,	29 82	757.3	...	...	S	1	...	,,	29.86	758.3	...	...	...	0	...
Nagasaki,	,,	29.80	756.8	...	...	N N W	3	...	,,	29.84	757.8	...	...	N N E	1	...
Kagoshima,	,,	29.78	756.4	...	...	S E	1	...	,,	29.80	756.9	...	...	N E	1	...
Oshima,	,,	29.74	755.5	...	...	..	...	...	,,	29.77	756.1	...	...	S	1	...
Naha,	,,	29.81	757.2	...	...	S S W	2	...	,,	29.73	755.2	...	...	W	1	...
Ishigakijima	,,	29.83	757.8	...	...	S W	3	...	,,	...	...	...	...	S E	1	...
Bonin Is.	,,	29.73	755.1	...	...	S W	4	...	,,	29.73	755.1	...	...	N E	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.84	757.9	76	64	E	3	c	9 a.	29.74	755.4	70	90	S S W	3	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.76	755.9	93	95	E	2	od	9 a	29.70	754.4	74	90	E S E	2	om
Gutzlaff,	,,	29.66	753.3	70	100	E	3	omp	,,	...	...	70	100	S E	4	om
Sharp Peak,	,,	29.77	756.1	84	91	W	2	lt	,,	29.73	755.1	83	91	S	1	b
Amoy,	,,	29.76	755.9	89	69	S	2	c	6 a.	29.79	756.6	82	83	W	1	b
Swatow,	,,	29.81	757.2	91	74	S	1	c	,,	29.82	757.4	81	87	W S W	3	b
Taihoku,	1 p.	29.81	757.1	...	...	W	8	...	5 a.	29.77	756.1	...	...	S	2	...
Taichu,	,,	...	...	...	...	S W	2	...	,,	29.85	758.2	...	...	...	0	...
Tainan,	,,	29.93	760.1	...	...	S W	4	...	,,	29.86	758.4	...	...	S E	2	...
Koshun	,,	29.89	759.3	...	...	N W	8	...	,,	29.84	757.8	...	...	N	6	...
Pescadores,	,,	29.89	759.3	..	...	S	6	...	,,	29.82	757.5	...	...	S	6	...
Canton,	3 p.	29.77	756.1	88	76	W	2	or	9 a.	29.82	757.4	85	83	S S W	2	c
Hongkong,	4 p.	29.81	757.2	83	85	S S W	2	c	10 a.	29.84	757.9	85	73	S W	3	c
Victoria Peak,	,,	...	...	...	...	S	4	...	,,	...	...	...	...	S	5	...
Gap Rock,	,,	29.78	756.4	...	...	S S W	5	...	,,	29.82	757.4	...	...	S W	5	...
Macao,	,,	29.82	757.4	85	...	S S W	3	c	,,	29.85	758.2	85	...	S S W	2	c
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	..	...
Hoihow,	,,	29.68	753.9	89	...	N	2	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.78	756.4	89	77	S S W	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.69	754.1	90	...	S S E	6	c	8 a.	29.78	756.4	86	...	S S W	1	b
Tourane,	,,	29.78	756.5	88	...	S E	2	b	,,	29.88	759.0	90	...	S W	3	b
Cape St. James,	,,	29.90	759.4	82	...	...	2	c	,,	29.98	761.4	79	...	W S W	2	c
Aparri,	2 p.	29.89	759.1	90	...	N E	2	b	6 a.	29.87	758.7	79	...	S W	2	c
Manila,	4 p.	29.88	759	88	71	S W	2	b	10 a.	29.92	760	86	71	W N W	1	c
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.89	759.1	75	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	4	or	9 a.	...	...	...	...	N E	1	b
Iloilo,	,,	29.85	758.2	83	...	S W	1	od	,,	29.91	759.7	82	...	S W	1	b
Cebu,	,,	29.88	758.9	84	...	...	0	c	,,	29.93	760.2	84	...	..	0	c
Labuan,	,,	29.88	758.9	89	...	...	...	...	,,	29.96	761.0	85	...	...	...	...

On the 24th at 12.05 p.—The barometer has risen slightly in W. Japan, and fallen moderately over E. Japan, China and Luzon.

The depression lying to the N.E. of the Loochoos yesterday, has passed to the Eastward of the Bonins.

Depressions have appeared over the Yangtze valley and Manchuria. They will probably move Eastwards.

Pressure remains high over the S. part of the China Sea.

Fresh monsoon will continue to prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, fresh; fair, squally.
2.—Formosa Channel,	S. to S.W. winds strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 24th June, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th JUNE, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	25th JUNE, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	3 p.	29.63	752.5	61	...	S S E	4	f	7 a.	29.52	749.9	59	97	S E	3	f
Nemuro,	,,	29.77	756.1	...	...	S	3	...	6 a.	29.73	755.1	...	...	S W	3	...
Hakodate,	,,	29.81	757.2	...	...	W	3	...	,,	29.81	757.2	...	...	...	0	...
Tokio,	,,	29.87	758.6	...	...	S	2	...	,,	29.89	759.1	...	...	W N W	1	...
Kochi,	,,	29.83	757.8	...	...	S E	1	...	,,	29.82	757.3	...	...	...	0	...
Nagasaki,	,,	29.80	756.8	...	...	W N W	3	...	,,	29.72	754.8	...	...	S E	4	...
Kagoshima,	,,	29.80	756.9	...	...	S S E	1	...	,,	29.76	755.9	...	...	E N E	1	...
Oshima,	,,	29.77	756.1	...	...	S E	4	...	,,	29.69	754.1	...	...	S E	1	...
Naha,	,,	29.77	756.2	...	...	E	2	...	,,	29.63	753.7	...	...	S E	2	...
Ishigakijima,	,,	29.72	754.8	...	...	S S W	1	...	,,	29.62	752.5	...	...	...	0	...
Bonin Is.,	,,	29.73	755.1	...	...	S E	1	...	,,	29.77	756.1	...	...	N E	1	...
Chefoo,	4 p.	29.66	753.3	77	85	S	4	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.65	753.1	74	68	S W	5	c	9 a.	29.40	746.7	65	100	N	5	orm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	29.52	749.8	86	96	N W	1	or	,,	29.54	750.3	78	95	W	1	b
Shanghai,	,,	29.60	751.8	77	91	S E	3	o	9 a.	29.51	749.5	77	86	N W	4	o
Gutzlaff,	,,	...	...	79	100	S E	3	f	,,	...	...	74	100	S S W	3	om
Sharp Peak,	,,	29.65	753.1	83	96	S S W	2	R	,,	29.56	750.8	82	96	S	1	b
Amoy,	,,	29.69	752.6	90	66	S E	2	c	6 a.	29.65	753.1	83	79	S W	3	b
Swatow,	,,	29.77	756.1	92	74	S W	1	c	,,	29.65	753.9	82	83	W S W	3	b
Taihoku,	1 p.	29.70	754.4	...	...	W	6	...	6 a.	29.62	752.2	...	...	S E	2	...
Taichu,	,,	29.80	756.9	...	...	S W	6	...	,,	29.73	755.2	...	...	S	4	...
Tainan,	,,	29.82	757.5	...	...	W	6	...	,,	29.75	755.5	...	...	S E	2	...
Koshun,	,,	29.80	756.8	...	...	N W	8	...	,,	29.71	754.7	...	...	N W	8	...
Pescadores,	,,	29.79	756.7	...	...	W	6	...	,,	29.70	754.4	...	...	S W	6	...
Canton,	3 p.	29.68	753.9	89	77	N W	1	c	9 a.	29.69	754.1	83	87	S W	2	c
Hongkong,	4 p.	29.71	754.6	88	70	S W	3	cq	10 a.	29.73	755.1	84	78	S W	3	oq
Victoria Peak,	,,	...	...	...	...	S	6	...	,,	...	...	...	...	S	6	...
Gap Rock,	,,	29.70	754.4	...	...	S W	5	...	,,	29.70	754.4	...	...	S W	5	...
Macao,	,,	29.73	755.1	85	...	S	3	c	,,	29.73	755.6	84	...	S	3	c
Wuchow,	3 p.	29.72	754.9	80	...	W	2	c	9 a.	29.64	752.8	82	87	E	1	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.76	755.9	91	77	S W	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.65	753.0	90	...	S S E	5	b	8 a.	29.65	753.1	90	...	S S W	5	b
Tourane,	,,	29.74	755.4	90	...	S S W	3	b	,,	29.76	756.0	90	...	S	6	b
Cape St. James,	,,	29.85	758.2	86	...	S S W	4	c	,,	29.91	759.6	77	...	S W	3	c
Aparri,	2 p.	29.80	756.8	90	...	N E	4	c	6 a.	29.77	756.2	79	...	W	0	c
Manila,	4 p.	29.80	757	84	77	W S W	1	o	10 a.	29.84	75[illegible]	86	71	N W	0	c
Legaspi,	2 p.	29.82	757.5	90	...	S	2	o	6 a.	29.82	757.4	79	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	S W	2	o
Iloilo,	,,	29.81	757.2	85	...	S W	1	c	,,	29.87	758.7	83	...	S W	1	c
Cebu,	,,	29.82	757.4	88	...	S	1	c	,,	29.89	758.4	86	...	S	1	c
Labuan,	,,	29.80	756.9	86	...	...	...	...	,,	...	...	...	...	...	...	...

On the 25th at 11.55 a.—The barometer has risen slightly over SE Japan and the Bonins, and fallen elsewhere, particularly over the E. to NE coasts of China.

A depression, of considerable depth, is passing from the continent to the Yellow Sea moving in an Easterly direction.

Pressure is relatively high over SE Japan, and over the S. part of the China Sea.

Strong monsoon will continue to prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	SW winds, fresh to strong; squally, showery.
2.—Formosa Channel,	SW winds strong.
3.—South coast of China between Hongkong and Lemocks,	Same as No. 1
4.—South coast of China between Hongkong and Hainan,	Same as No. 1

F. C. FIGG,
Director.

Hongkong Observatory, Sunday, 25th June, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th JUNE, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	26th JUNE, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock....	2 p.	29.49	749.0	60	...	S S E	2	f	7 a.	29.27	743.4	58	98	S S E	1	f
Nemuro, ...	,,	29.75	755.6	...	...	W S W	1	...	6 a	29.85	758.1	...	...	S	2	...
Hakodate, ...	,,	29.77	756.2	...	...	S E	1	...	,,	29.73	755.2	...	...	W N W	1	...
Tokio, ...	,,	29.87	758.6	...	...	S S W	5	...	,,	29.85	758.1	...	...	S S W	2	...
Kochi, ...	,,	29.73	756.3	...	...	S E	2	...	,,	29.74	755.3	...	...	..	0	...
Nagasaki, ...	,,	29.62	752.3	...	...	S S W	2	...	,,	29.60	751.8	...	...	N N E	1	...
Kagoshima, ...	,,	29.68	753.9	...	...	S S E	4	...	,,	29.68	753.9	...	...	E N E	1	...
Oshima, ...	,,	29.65	753.1	...	...	N E	3	...	,,	29.61	752.1	...	...	S S E	1	...
Naha, ...	,,	29.63	752.7	...	...	S E	1	...	,,	29.62	752.2	...	...	S	1	...
Ishigakijima	,,	29.60	751.8	...	...	S S W	1	...	,,	29.60	751.8	...	...	S	1	...
Bonin Is.	,,	29.79	756.6	...	...	W N W	3	...	,,	29.87	758.6	...	...	S S E	1	...
Chefoo, ...	4 p.	...	...	...	...	...	..	..	6 a.	...	...	...	...	...	...	...
Weihaiwei, ...	,,	29.41	747.0	70	90	W N W	2	b	9 a.	29.43	749.0	76	60	W S W	2	cm
Hankow, ...	,,	...	...	...	...	..	...	...	6 a.	..	...	...	..	...	...	...
Kiukiang, ...	,,	...	...	...	...	...	...	...	,,	29.57	751.1	71	100	N E	2	or
Shanghai, ...	,,	29.54	750.3	75	90	N N W	1	o	9 a	29.60	751.8	79	90	N E	2	cr
Gutzlaff, ...	,,	...	...	76	91	N N W	2	ovp	,,	...	...	69	95	E N E	3	omd
Sharp Peak, ...	,,	29.51	749.5	85	91	S	2	c	,,	29.57	751.1	84	91	S	1	b
Amoy, ...	,,	29.60	751.8	90	66	S S W	6	b	5 a.	29.64	752.8	82	79	S W	2	b
Swatow, ...	,,	29.60	751.8	91	67	S W	1	b	,,	29.64	752.8	81	87	S W	1	c
Taihoku, ...	1 p.	29.60	751.8	...	...	W	6	...	5 a.	29.62	752.2	...	...	.	0	...
Taichu, ...	,,	29.71	754.7	...	...	S	6	...	,,	29.70	754.4	...	...	S	2	...
Tainan, ...	,,	29.75	755.6	...	...	S W	6	...	,,	29.71	754.7	...	...	S W	2	...
Koshun, ...	,,	29.70	754.5	...	...	N W	8	...	,,	29.69	754.2	...	...	N W	8	...
Pescadores, ...	,,	29.70	754.4	..	...	S	6	...	,,	29.67	753.7	...	...	S W	6	...
Canton, ...	3 p.	29.60	751.8	82	67	S	2	b	9 a.	29.66	753.3	86	80	S	1	c
Hongkong, ...	4 p.	29.63	752.6	87	69	S W	5	cq	10 a.	29.70	754.4	85	76	S W	3	o
Victoria Peak....	,,	...	...	...	...	S	6	...	,,	...	...	...	...	S	5	...
Gap Rock, ...	,,	29.61	752.1	...	...	S W	6	...	,,	29.67	753.6	...	...	S W	5	...
Macao, ...	,,	29.64	752.9	85	...	S S W	4	c	,,	29.72	754.8	83	...	S S W	3	od
Wuchow, ...	3 p.	29.54	750.3	91	60	W	2	c	9 a.	29.60	751.8	83	...	S	1	c
Hoihow, ...	,,	...	...	...	...	...	...	..	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	29.69	754.1	91	77	S S W	3	b	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.53	750.1	93	...	S S E	5	b	8 a.	29.60	751.9	90	...	S S W	6	c
Tourane, ...	,,	29.67	753.7	88	...	S W	3	b	,,	29.72	754.9	90	..	S W	2	b
Cape St. James,.	,,	29.78	756.5	86	...	W S W	2	c	,,	29.88	758.8	72	...	S W	3	c
Aparri, ...	2 p.	29.71	754.6	91	...	N	2	b	6 a.	29.75	755.7	79	...	S W	2	o
Manila, ...	4 p.	29.76	756	90	66	S W	2	b	10 a.	29.84	758	84	77	N W	1	o
Legaspi, ...	2 p.	29.76	756.9	91	...	W	2	c	6 a.	29.85	758.2	77	...	W	2	c
Bacolod, ...	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	2	o
Iloilo, ...	,,	29.77	756.1	85	...	S W	1	o	,,	29.85	758.2	81	...	S W	1	o
Cebu, ...	,,	29.80	756.9	86	...	S	1	cr	,,	29.87	758.7	84	...	S	3	c
Labuan, ...	,,	29.81	757.2	89	...	...	...	...	,,	29.90	759.4	85	...	...	...	...

On the 26th at 11.55 a.—The barometer has risen on the E. to N.E. coasts of China, and fallen over the Sea of Japan.

The depression lying over the Yellow Sea yesterday, has reached the neighbourhood of Wladiwostok.

An area of low pressure still extends from Tongking across S. China to the Eastern Sea.

Pressure is relatively high over the Pacific to the East of Japan, and over the South part of the China Sea.

Fresh to strong monsoon will continue to prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.W. winds, fresh to strong; squally, showery.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. HUGG,
Director.

Hongkong Observatory, Monday, 26th June, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th June, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	25th June, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.63	752.5	61	...	S S E	4	f	7 a.	29.52	749.9	59	97	S E	3	f
Nemuro,	,,	29.77	756.1	...	...	S	3	...	6 a.	29.73	755.1	...	...	S W	3	...
Hakodate,	,,	29.81	757.2	...	...	W	2	...	,,	29.81	757.2	...	...	...	0	...
Tokio,	,,	29.87	758.6	...	...	S	2	...	,,	29.89	759.1	...	...	W N W	1	...
Kochi,	,,	29.83	757.8	...	...	S E	1	...	,,	29.82	757.5	...	...	...	0	...
Nagasaki,	,,	29.80	756.8	...	...	W N W	3	...	,,	29.72	754.8	...	...	S E	4	...
Kagoshima,	,,	29.80	756.9	...	...	S S E	1	...	,,	29.76	755.9	...	...	E N E	1	...
Oshima,	,,	29.77	756.1	...	...	S E	4	...	,,	29.69	754.1	...	...	S E	1	...
Naha,	,,	29.77	756.2	...	...	E	2	...	,,	29.63	752.7	...	...	S E	2	...
Ishigakijima,	,,	29.72	754.8	...	...	S S W	1	...	,,	29.62	752.3	...	...	...	0	...
Bonin Is.,	,,	29.73	755.1	...	...	S E	1	...	,,	29.77	756.1	...	...	N E	1	...
Chefoo,	4 p.	29.66	753.3	77	83	S	4	o	5 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.65	753.1	74	68	S W	5	c	3 a.	29.49	746.7	65	100	N	5	orm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.52	749.8	86	93	N W	1	or	,,	29.54	750.2	78	95	W	1	b
Shanghai,	,,	29.60	751.8	77	81	S E	2	o	9 a	29.51	749.5	77	36	N W	4	o
Gutzlaff,	,,	...	...	72	100	S E	3	f	,,	...	...	74	100	S S W	3	om
Sharp Peak,	,,	29.65	753.1	83	96	S S W	2	b	,,	29.56	750.8	82	96	S	1	b
Amoy,	,,	29.63	752.6	90	68	S E	2	c	6 a.	29.65	753.1	82	79	S W	3	b
Swatow,	,,	29.77	756.1	92	74	S W	1	c	,,	29.68	752.9	82	83	W S W	3	b
Taihoku,	1 p.	29.70	754.4	...	...	W	6	...	5 a.	29.62	752.2	...	...	S E	2	...
Taichu,	,,	29.80	756.9	...	...	S W	6	...	,,	29.73	755.2	...	...	S	4	...
Tainan,	,,	29.82	757.5	...	...	W	6	...	,,	29.75	755.5	...	...	S E	2	...
Koshun,	,,	29.80	756.8	...	...	N W	8	...	,,	29.71	754.7	...	...	N W	3	...
Pescadores,	,,	29.79	756.7	...	...	W	6	...	,,	29.70	754.4	...	...	S W	6	...
Canton,	3 p.	29.68	753.9	89	77	N W	1	c	9 a.	29.69	754.1	83	87	S W	2	c
Hongkong,	4 p.	29.71	754.6	86	70	S W	3	cq	10 a.	29.73	755.1	84	78	S W	3	oq
Victoria Peak,	,,	...	...	...	...	S	6	...	,,	...	...	...	...	S	6	...
Gap Rock,	,,	29.70	754.4	...	...	S W	5	...	,,	29.70	754.4	...	...	S W	5	...
Macao,	,,	29.73	755.1	85	...	S	3	c	,,	29.75	755.6	84	...	S	3	c
Wuchow,	3 p.	29.72	754.9	80	...	W	2	c	9 a	29.64	752.8	82	87	E	1	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.76	755.9	91	77	S W	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.65	753.0	90	...	S S E	5	b	8 a.	29.65	753.1	90	...	S S W	5	b
Tourane,	,,	29.74	755.4	90	...	S S W	3	b	,,	29.76	756.0	90	...	S	6	b
Cape St. James,	,,	29.85	758.2	88	...	S S W	4	c	,,	29.91	759.6	77	...	S W	3	c
Aparri,	2 p.	29.80	756.8	90	...	N E	4	c	6 a.	29.77	756.2	79	...	W	0	c
Manila,	4 p.	29.80	757	84	77	W S W	1	o	10 a.	29.84	758	86	71	N W	0	c
Legaspi,	2 p.	29.82	757.5	90	...	S	2	o	6 a.	29.82	757.4	79	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	S W	2	o
Iloilo,	,,	29.81	757.2	85	...	S W	1	c	,,	29.87	758.7	33	...	S W	1	o
Cebu,	,,	29.82	757.4	88	...	S	1	c	,,	29.86	758.4	86	...	S	1	c
Labuan,	,,	29.80	756.9	86	...	...	...	...	,,	...	...	...	...	...	...	...

On the 25th at 11.55 a.—The barometer has risen slightly over SE Japan and the Bonins, and fallen elsewhere, particularly over the E. to NE coasts of China.

A depression, of considerable depth, is passing from the continent to the Yellow Sea moving in an Easterly direction.

Pressure is relatively high over SE Japan, and over the S. part of the China Sea.

Strong monsoon will continue to prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	SW winds, fresh to strong, squally, showery.
2.—Formosa Channel,	SW winds strong.
3.—South coast of China between Hongkong and Bamboo,	Same as No. 1
4.—South coast of China between Hongkong and Labuan,	Same as No. 1

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 25th June, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th JUNE, 1911, P.M.								27th JUNE, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	29.30	744.3	59	...	S S E	3	f	7 a.	29.43	747.4	59	96	S E	0	o
Nemuro,	,,	29.85	758.1	...	...	S	3	...	6 a.	29.85	758.1	...	...	N N W	1	...
Hakodate,	,,	29.69	754.2	...	...	S S E	1	...	,,	29.75	755.7	...	...	...	0	...
Tokio,	,,	29.81	757.1	...	...	S S W	2	...	,,	29.73	755.1	...	...	N W	1	...
Kochi,	,,	29.74	755.3	...	...	...	0	...	,,	29.64	752.8	...	...	...	0	...
Nagasaki,	,,	29.62	752.3	...	...	S E	1	...	,,	29.56	750.8	...	...	N E	2	...
Kagoshima,	,,	29.64	752.9	...	...	...	0	...	,,	29.58	750.9	...	...	S E	1	...
Oshima,	,,	29.61	752.1	...	...	S	3	...	,,	29.61	752.1	...	...	...	0	...
Naha,	,,	29.63	752.7	...	...	...	0	...	,,	29.63	752.7	...	...	...	0	...
Ishigakijima,	,,	29.60	751.8	...	...	W	2	...	,,	29.60	751.8	...	...	...	0	...
Bonin Is.	,,	29.87	758.6	...	...	S	2	...	,,	29.97	761.1	...	...	S S E	1	...
Chefoo,	4 p.	...	...	...	...	...	..	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.49	749.0	79	47	N	1	c	9 a.	29.50	749.3	76	68	W	4	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	...
Kiukiang,	,,	29.59	751.6	80	62	N E	1	o	,,	29.57	751.1	72	95	E	1	o
Shanghai,	,,	29.56	750.8	70	87	E S E	2	or	9 a	29.63	752.6	74	76	N E	2	om
Gutzlaff,	,,	...	...	69	100	N E	3	om	,,	...	...	72	85	N N E	4	ov
Sharp Peak,	,,	29.48	748.8	85	91	S S E	3	c	,,	29.58	751.3	84	91	S S E	1	c
Amoy,	,,	29.62	752.3	90	63	S W	5	b	6 a.	29.60	751.8	83	75	S W	2	b
Swatow,	,,	29.62	752.3	90	73	S W	3	c	,,	29.64	752.8	81	37	S W	2	c
Taihoku,	1 p.	29.61	752.1	...	...	W	8	...	5 a.	29.61	752.1	...	...	S	2	...
Taichu,	,,	29.71	754.6	...	...	S W	6	...	,,	29.70	754.3	...	...	S	4	...
Tainan,	,,	29.74	755.3	...	...	S W	6	...	,,	29.71	754.7	...	...	S W	2	...
Koshun,	,,	29.69	754.2	...	...	N W	8	...	,,	29.68	753.8	...	...	N	8	...
Pescadores,	,,	29.70	754.4	..	...	S	8	...	,,	29.67	753.6	...	...	S W	6	...
Canton,	3 p.	29.59	751.6	89	77	...	0	o	9 a.	29.64	752.8	85	83	S	1	o
Hongkong,	4 p.	29.62	752.3	85	76	S W	4	oq	10 a.	29.70	754.4	85	76	S W	3	oq
Victoria Peak,	,,	...	...	...	...	S	5	...	,,	...	...	...	...	S	6	...
Gap Rock,	,,	29.60	751.8	...	...	S W	5	...	,,	29.67	753.6	...	...	S W	4	...
Macao,	,,	29.64	752.8	84	...	S S W	4	c	,,	29.71	754.6	84	...	S S W	3	c
Wuchow,	3 p.	29.51	749.5	91	...	S	2	c	9 a.	..	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.67	753.6	91	77	S S W	3	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.49	749.1	93	...	S S E	5	c	8 a.	29.57	751.1	88	...	S S W	6	c
Tourane,	,,	29.64	752.8	90	...	S E	3	c	,,	29.69	754.1	93	...	S E	2	b
Cape St. James,	,,	29.78	756.3	82	...	N N W	3	c	,,	29.86	758.3	82	...	W S W	4	c
Aparri,	2 p.	29.70	754.5	90	...	N	2	c	6 a.	29.72	754.3	82	...	S E	2	o
Manila,	4 p.	29.76	756	86	71	W S W	3	o	10 a.	29.84	758	86	71	W S W	2	o
Legaspi,	2 p.	29.76	755.9	90	...	W	2	c	6 a.	29.80	756.8	79	...	S W	2	c
Bacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	N E	2	o
Iloilo,	,,	29.79	756.6	84	...	S W	2	o	,,	29.87	758.7	81	...	S W	1	o
Cebu,	,,	29.82	757.4	87	...	S	1	c	,,	29.91	759.7	85	...	S	1	c
Labuan,	,,	29.79	756.6	89	...	...	...	...	,,	29.87	758.7	86	...	...	...	...

On the 27th at 12.05 p.—The depression in the North remains over E. Manchuria.

The area of low pressure still extends from Tongking across S. China to the Eastern Sea.

Pressure is relatively high over the Pacific to the Eastward of the Bonins, and over the South part of the China Sea. It is giving way over S. Japan.

Fresh to strong monsoon will continue to prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.

1.—Hongkong and Neighbourhood,	S.W. winds, fresh; squally, showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. C. FIGG,
Director.

Hongkong Observatory, Tuesday, 27th June, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th JUNE, 1911, P.M.								28th JUNE, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	29.42	747.3	61	...	S S E	3	o	7 a.	29.57	751.0	57	97	...	0	o
Nemuro,	,,	29.83	757.6	...	...	S S W	4	...	6 a.	29.87	753.3	...	...	E N E	1	...
Hakodate,	,,	29.71	754.7	...	...	...	0	...	,,	29.69	754.2	...	...	...	0	...
Tokio,	,,	29.69	754.1	...	...	S W	2	...	,,	29.71	754.6	...	...	S S W	3	...
Kochi,	,,	29.64	752.3	...	...	...	0	...	,,	29.58	751.3	...	...	E N E	1	...
Nagasaki,	,,	29.54	750.3	...	...	E S E	1	...	,,	29.62	752.3	...	...	N	1	...
Kagoshima,	,,	29.58	751.4	...	...	S S W	2	...	,,	29.62	752.4	...	...	W	1	...
Oshima,	,,	29.59	751.6	...	...	S	2	...	,,	29.65	753.1	...	...	S	1	...
Naha,	,,	29.63	752.7	...	...	S S W	1	...	,,	29.69	754.2	...	...	S W	1	...
Ishigakijima,	,,	29.62	752.3	...	...	S W	4	...	,,	29.63	753.8	...	...	S	3	...
Bonin Is.	,,	29.96	761.1	...	...	S E	1	...	,,	30.04	763.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.55	750.5	76	60	W	4	cm	9 a.	29.63	752.6	78	54	S W	1	om
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.63	752.6	78	61	E S E	1	o	9 a	29.73	755.1	76	64	S S E	1	o
Gutzlaff,	,,	...	...	76	82	N E	1	ov	,,	...	...	72	85	...	0	ov
Sharp Peak,	,,	29.55	750.5	85	91	S S W	4	r	,,	29.66	753.3	82	91	N	1	o
Amoy,	,,	29.59	751.6	83	69	S W	5	c	6 a.	29.68	753.9	82	83	S S E	2	c
Swatow,	,,	29.63	752.6	93	64	S W	3	c	,,	29.67	753.6	81	87	S W	2	b
Taihoku,	1 p.	29.61	752.1	...	...	W	S	...	5 a	29.68	753.8	...	...	S W	2	...
Taichu,	,,	29.72	755.0	...	...	S	2	...	,,	29.75	755.6	...	...	S	2	...
Tainan,	,,	29.74	755.5	...	...	W	6	...	,,	29.76	756.0	...	...	S E	4	...
Koshun,	,,	29.72	754.6	...	...	W	8	...	,,	29.74	755.4	...	...	W	6	...
Pescadores,	,,	29.70	754.5	...	...	S W	6	...	,,	29.73	755.0	...	...	S W	6	...
Canton,	3 p.	...	...	91	74	S	2	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.65	753.1	86	74	S W	4	oq	10 a.	29.74	755.1	84	84	S W	2	o
Victoria Peak,	,,	...	...	...	...	S	5	...	,,	...	...	...	...	S	6	...
Gap Rock,	,,	29.61	752.1	...	...	S W	4	...	,,	29.72	754.9	...	...	S S W	4	...
Macao,	,,	29.66	753.3	84	...	S S W	4	c	,,	29.75	755.6	84	...	S	3	c
Wuchow,	3 p.	29.59	751.6	91	63	W	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.63	752.6	90	81	S S W	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.54	750.2	93	...	S S E	3	c	8 a.	29.63	752.6	83	...	E S E	2	c
Tourane,	,,	29.64	752.9	90	...	S	3	b	,,	29.73	755.0	91	...	S	2	b
Cape St. James,	,,	29.77	756.1	84	...	W S W	4	c	,,	29.86	758.5	79	...	W S W	4	c
Aparri,	2 p.	29.72	754.8	91	...	N	2	b	6 a.	29.79	756.6	77	...	S	2	b
Manila,	4 p.	29.76	756	86	71	S	3	c	10 a.	29.84	758	86	71	S	0	c
Legaspi,	2 p.	29.78	756.4	86	...	S W	2	c	6 a.	29.84	758.0	77	...	W	2	...
Bacoled,	3 p.	...	...	...	...	N E	1	c	9 a.	...	...	...	...	N E	2	...
Iloilo,	,,	29.79	756.6	83	...	S W	1	o	,,	29.87	758.7	83	...	S W	1	c
Cebu,	,,	29.82	757.4	84	...	S	1	or	,,	29.89	759.2	84	...	S	1	b
Labuan,	,,	29.76	755.9	89	...	...	...	...	,,	29.90	759.4	81	...	...	...	...

On the 28th at 11.55 a.—The barometer has fallen slightly over E. Japan, and risen elsewhere, particularly on the E. and N.E. coasts of China.

A depression, formed over the Eastern Sea, lies now off Southern Japan. Pressure is low but increasing over Manchuria.

High pressure covers the Pacific to the Eastward of the Bonins.

Moderate monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.15 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, moderate; squally, showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 28th June, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th JUNE, 1911, P.M.								29th JUNE, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.57	751.0	60	...	E	0	f	7 a.	29.64	752.9	56	99	S S E	0	f
Nemuro,	,,	29.69	754.1	...	...	E N E	1	...	6 a.	29.67	753.6	...	...	N E	1	...
Hakodate,	,,	29.65	753.2	...	...	S E	1	...	,,	29.67	753.7	...	...	E	1	...
Tokio,	,,	29.69	754.1	...	...	S S W	6	...	,,	29.71	754.6	...	...	S W	5	...
Kochi,	,,	29.62	752.3	...	...	S E	1	...	,,	29.76	755.3	...	...	...	0	...
Nagasaki,	,,	29.66	753.3	...	...	N W	1	...	,,	29.78	756.3	...	...	...	0	...
Kagoshima,	,,	29.64	752.9	...	...	S W	1	...	,,	29.74	755.4	...	...	E	1	...
Oshima,	,,	29.69	754.1	...	...	W	1	...	,,	29.75	755.6	...	...	S	3	...
Naha,	,,	29.73	755.2	...	...	S W	2	...	,,	29.79	756.7	...	...	S S W	2	...
Ishigakijima,	,,	29.70	754.3	...	...	S	4	...	,,	29.76	755.8	...	...	S	5	...
Bonin Is.	,,	30.01	762.3	...	...	S E	1	...	,,	30.06	763.6	...	...	S E	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.63	752.6	78	91	N N W	2	cm	9 a.	29.77	756.1	78	65	N N W	2	cm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.70	754.4	79	78	S	1	o	9 a.	29.79	756.6	78	64	S S W	1	o
Gutzlaff,	,,	...	...	75	72	S	1	cv	,,	...	...	76	77	S S W	1	cv
Sharp Peak,	,,	29.66	753.3	82	96	...	0	or	,,	29.82	757.4	77	91	E	2	o
Amoy,	,,	29.67	753.6	85	76	S S W	3	o	6 a.	29.76	755.9	80	87	S E	1	o
Swatow,	,,	29.68	753.9	86	76	S S W	1	o	,,	29.73	755.1	80	91	S W	1	b
Taihoku,	1 p.	29.67	753.5	...	...	W	S	...	5 a.	29.76	755.9	...	...	...	0	...
Taichu,	,,	29.76	755.9	...	...	W	6	...	,,	29.80	757.0	...	...	...	0	...
Tainan,	,,	29.78	756.5	...	...	S W	6	...	,,	29.81	757.2	...	...	N E	2	...
Koshun,	,,	29.76	755.8	...	...	N W	8	...	,,	29.79	756.7	...	...	N W	4	...
Pescadores,	,,	29.76	755.9	.	...	S	6	...	,,	29.77	756.1	...	...	S W	4	...
Canton,	3 p.	29.66	753.3	87	80	W	2	o	9 a.	29.73	755.1	85	83	S	2	c
Hongkong,	4 p.	29.68	753.9	84	81	S W	3	oq	10 a.	29.76	755.9	86	77	S	1	o
Victoria Peak,	,,	...	..	...	...	S	6	...	,,	...	...	...	...	S	1	...
Gap Rock,	,,	29.65	753.1	...	...	S S W	4	...	,,	29.74	755.4	...	...	S	3	...
Macao,	,,	29.69	754.1	82	...	S	3	o	,,	29.77	756.1	84	...	S S W	2	c
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	..	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.65	753.1	89	84	S W	2	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.58	751.4	90	...	E S E	3	o	8 a.	29.70	754.3	81	...	S S E	2	o
Tourane,	,,	29.67	753.7	91	...	S E	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.81	757.1	88	...	S W	3	c	,,	29.86	758.5	79	...	S W	3	c
Aparri,	2 p.	29.75	755.7	90	...	N W	2	b	6 a.	29.83	757.6	77	...	S W	2	o
Manila,	4 p.	29.81	757	86	71	S W	3	c	10 a.	29.84	758	86	71	W N W	1	c
Legaspi,	2 p.	29.78	756.5	84	...	S W	2	o	6 a.	29.82	757.5	75	...	..	0	c
Bacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	1	o
Iloilo,	,,	29.77	756.1	84	...	S W	1	o	,,	29.87	758.7	81	...	S W	1	c
Cebu,	,,	29.82	757.4	83	...	N W	1	or	,,	29.88	758.9	81	...	S	1	o
Labuan,	,,	29.77	756.1	87	...	...	...	...	,,	29.87	758.7	79	...	...	...	...

On the 29th at 12.15 p.—The shallow depression noticed yesterday, is now lying over E. Japan.

Pressure has increased considerably over W. Japan and the Loochoos, and a slight rise has taken place also over the China coast. There is a tendency for the barometer to fall over the Philippines.

High pressure covers the Pacific to the Eastward of the Bonins.

Moderate monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, moderate; showery.
2.—Formosa Channel,	S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 29th June, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th JUNE, 1911, P.M.								30th JUNE, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.65	753.2	59	...	S S E	1	o	7 a.	29.80	757.0	53	97	...	0	f
Nemuro,	"	29.67	753.6	...	...	E	1	...	6 a.	29.87	758.6	...	...	E	1	...
Hakodate,	"	29.69	754.2	...	...	W	1	...	"	29.85	758.2	...	...	...	0	...
Tokio,	"	29.79	756.6	...	...	...	0	...	"	29.83	757.5	...	...	...	0	...
Kochi,	"	29.78	756.3	...	...	...	0	...	"	29.82	757.3	...	...	...	0	...
Nagasaki,	"	29.76	755.8	...	...	W	2	...	"	29.88	758.3	...	...	...	0	...
Kagoshima,	"	29.76	755.9	...	...	E	2	...	"	29.86	758.4	...	...	N	1	...
Oshima,	"	29.77	756.1	...	...	S	3	...	"	29.85	758.1	...	...	S	1	...
Naha,	"	29.85	758.2	...	...	S S W	1	...	"	29.83	757.7	...	...	S	1	...
Ishigakijima,	"	29.76	755.8	...	...	S W	6	...	"	29.80	756.8	...	...	S	2	...
Bonin Is.	"	30.02	762.6	...	...	...	0	...	"	30.02	762.6	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	..	6 a.	...	...	...	...	...	...	...
Weihaiwei,	"	29.77	756.1	73	95	N	2	b	9 a.	29.83	757.7	77	77	S W	2	bm
Hankow,	"	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	...
Kiukiang,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Shanghai,	"	29.79	756.6	81	67	S E	1	o	9 a	29.82	757.4	76	77	E S E	1	om
Gutzlaff,	"	...	...	77	82	S	1	ov	"	...	...	74	86	S E	2	ov
Sharp Peak,	"	29.80	756.9	76	86	E	4	o	"	29.79	756.6	74	95	N E	1	o
Amoy,	"	29.74	755.4	85	76	S E	3	o	6 a.	29.79	756.6	75	82	E N E	2	o
Swatow,	"	29.72	754.9	88	73	S	3	c	"	29.76	755.9	75	95	S E	2	f
Taihoku,	1 p.	29.78	756.3	...	...	...	0	...	5 a.	29.77	756.2	...	...	...	0	...
Taichu,	"	29.80	756.8	...	...	N W	2	...	"	29.80	756.8	...	...	...	0	...
Tainan,	"	29.80	756.9	...	...	S W	4	...	"	29.78	756.5	...	...	E	2	...
Koshun,	"	29.79	756.6	...	...	W	4	...	"	29.79	756.6	...	...	...	0	...
Pescadores,	"	29.78	756.5	..	...	S W	4	...	"	29.77	756.1	...	...	N E	2	...
Canton,	3 p.	29.66	753.3	90	70	S S W	2	b	9 a.	29.73	755.1	85	83	W	1	c
Hongkong,	4 p.	29.69	754.1	85	76	S	1	o	10 a.	29.74	755.4	86	74	S S E	1	o
Victoria Peak,	"	...	...	...	...	S S E	3	...	"	...	...	...	...	S S E	1	...
Gap Rock,	"	29.67	753.6	...	...	S	4	...	"	29.72	754.9	...	...	S	2	...
Macao,	"	29.70	754.4	85	...	S S W	3	c	"	29.76	755.9	83	...	E	1	c
Wuchow,	3 p.	29.67	753.6	82	83	E	1	or	9 a.	29.69	754.1	80	...	...	0	o
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pakhoi,	"	...	...	..	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	4 p.	29.60	751.8	86	...	S S E	2	c	8 a.	29.65	753.0	82	...	S S E	3	lt
Tourane,	"	29.65	753.2	91	...	N W	2	c	"	29.71	754.5	91	..	S S W	2	c
Cape St. James,	"	29.77	756.1	86	...	S W	3	c	"	29.82	757.5	79	...	S W	2	c
Aparri,	2 p.	29.77	756.2	84	...	S E	2	c	6 a.	29.78	756.4	77	...	S W	2	o
Manila,	4 p.	29.76	756	82	85	S W	1	ot	10 a.	...	...	84	77	N W	1	o
Legaspi,	2 p.	29.77	756.2	82	...	N W	2	o	6 a.	29.71	754.7	77	...	..	0	o
Bacolod,	3 p.	...	...	..	...	N E	1	o	9 a.	...	...	...	...	S W	2	od
Iloilo,	"	29.77	756.1	82	...	S W	1	o	"	29.80	756.9	81	...	S W	1	o
Cebu,	"	29.78	756.4	84	...	N	1	c	"	29.80	756.9	82	...	S	1	o
Labuan,	"	29.77	756.1	88	...	...	...	...	"	29.83	757.7	84	...	...	...	...

On the 30th at 11.55 a.—The barometer has fallen moderately over the Philippines, a depression having appeared over the Pacific to the East of Southern Luzon. It is probably moving towards W.N.W.

Pressure remains high over the Pacific to the Eastward of the Bonins. It has increased considerably in Japan, and to a slight extent over the E. coast of China. The barometer has a tendency to fall over the Northern and Western shores of the China Sea.

Light to moderate E. winds may be expected over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, light to moderate; showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

J. C. FIGG,
Director.

Hongkong Observatory, Friday, 30th June, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th JUNE, 1911, P.M.									1st JULY, 1911, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock....	2 p.	29.80	756.9	66	...	S	1	c		7 a.	29.89	759.2	59	94	SSW	1	f
Nemuro,.....	,,	29.89	759.1	...	...	S	1	...		6 a.	29.99	761.6	...	...	...	0	...
Hakodate,.....	,,	29.85	758.2	...	...	SSE	1	...		,,	30.01	762.2	...	...	...	0	...
Tokio, ...	,,	29.85	758.1	...	...	NNW	1	...		,,	30.01	762.1	...	...	...	0	...
Kochi, ...	,,	29.85	758.3	...	...	ESE	1	...		,,	29.86	758.3	...	...	SW	1	...
Nagasaki, ...	,,	29.83	757.8	...	...	W	1	...		,,	29.86	758.3	...	...	NNE	1	...
Kagoshima, ...	,,	29.90	759.4	...	...	..	0	...		,,	29.86	758.4	...	...	S	1	...
Oshima,.....	,,	29.83	757.6	...	...	S	2	...		,,	29.83	757.6	...	...	S	3	...
Naha,.....	,,	29.81	757.2	...	...	SSW	3	...		,,	29.85	758.2	...	...	S	1	...
Ishigakijima,....	,,	29.78	756.3	...	...	S	3	...		,,	29.80	756.8	...	...	SE	3	...
Bonin Is.....	,,	30.00	762.1	...	...	...	0	...		,,	30.08	764.1	...	...	SE	1	...
Chefoo,.....	4 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Weihaiwei,.....	,,	29.78	756.4	76	69	SSW	2	o		9 a.	29.86	758.4	78	77	SSW	1	cm
Hankow, ...	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Kiukiang,.....	,,	29.87	758.7	84	60	...	0	c		,,	...	...	...	...	...	...	...
Shanghai, ...	,,	...	...	...	...	...	...	...		9 a.	29.86	758.4	76	73	ENE	1	cm
Gutzlaff, ...	,,	...	...	...	...	...	...	...		,,	...	...	69	90	NE	2	cm
Sharp Peak,.....	,,	29.76	755.9	76	...	NE	1	o		,,	29.83	757.7	75	...	E	2	o
Amoy,.....	,,	29.73	755.1	84	72	SSE	3	c		6 a.	29.77	756.1	79	87	ESE	1	b
Swatow, ...	,,	29.71	754.6	81	87	E	3	b		,,	29.75	755.6	79	91	SE	1	b
Taihoku,.....	1 p.	29.74	755.3	...	...	NW	4	...		5 a.	29.78	756.4	...	...	S	2	...
Taichu, ...	,,	29.77	756.1	...	...	W	2	...		,,	29.81	757.2	...	...	...	0	...
Tainan,.....	,,	29.78	756.3	...	...	SW	4	...		,,	29.79	756.7	...	...	E	2	...
Koshun.....	,,	29.76	755.9	...	...	W	2	...		,,	29.73	756.5	...	...	...	0	...
Pescadores, ...	,,	29.76	755.9	..	...	SW	4	...		,,	29.78	756.3	...	...	...	0	...
Canton,.....	3 p.	29.65	753.1	91	63	W	2	b		9 a.	29.78	756.4	83	79	S	2	or
Hongkong, ...	4 p.	29.69	754.1	86	68	S	1	o		10 a.	29.78	756.4	86	68	E	1	o
Victoria Peak,...	,,	...	...	...	...	SE	3	...		,,	...	...	...	...	SE	1	...
Gap Rock,.....	,,	29.66	753.3	...	...	SSE	3	...		,,	29.76	755.9	...	...	ESE	2	...
Macao, ...	,,	29.70	754.4	85	...	SSE	2	c		,,	29.80	757.0	84	...	ESE	1	c
Wuchow,.....	3 p.	...	...	...	...	...	...	...		9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Pakhoi,.....	,,	29.67	753.6	91	77	SW	2	c		,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.58	751.4	84	...	SE	4	c		8 a.	29.72	754.9	77	...	E	3	lt
Tourane, ...	,,	29.62	752.8	84	...	NW	3	c		,,	29.71	754.5	91	...	SSW	2	c
Cape St. James,.	,,	29.74	755.3	81	...	SW	4	or		,,	29.80	756.9	79	...	N	2	c
Aparri, ...	2 p.	29.70	754.4	88	...	NE	2	b		6 a.	29.71	754.6	79	...	NW	2	r
Manila, ...	4 p.	29.69	754	86	71	SW	2	o		10 a.	29.69	754	84	71	NW	1	o
Legaspi, ...	2 p.	29.65	753.2	77	...	W	2	o		6 a.	29.58	751.4	75	...	SW	4	q
Bacolod,.....	3 p.	...	...	...	...	SW	2	or		9 a.	...	...	...	...	SW	1	or
Iloilo, ...	,,	29.74	755.4	79	...	SW	3	od		,,	29.80	756.9	78	...	SE	2	or
Cebu,.....	,,	29.73	755.1	83	...	S	2	or		,,	29.86	758.4	79	...	S	1	o
Labuan, ...	,,	29.74	755.4	89	...	...	...	...		,,	29.85	758.2	81	...	...	...	...

On the 1st at 11.55 a.—The barometer continues to fall in Luzon. The typhoon which has progressed towards W.N.W. since yesterday, will probably reach the East coast of Luzon in about 15° Lat. to-night.

Pressure has increased moderately in E. Japan, and a slight rise has taken place on the China coast. The "high" area occupies the Pacific to the East of Japan.

The wind is likely to freshen from N.E. over the N.E. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, light to moderate; fair.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamooks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 1st July, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st JULY, 1911, P.M.								2nd JULY, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.86	755.5	65	...	SSW	0	o	7 a.	29.90	759.4	62	90	...	0	f
Nemuro,	,,	29.98	761.6	...	...	SSE	2	...	6 a.	29.97	761.1	...	...	...	0	...
Hakodate,	,,	29.99	761.7	...	...	S	1	...	,,	29.93	760.2	...	...	NNW	1	...
Tokio,	,,	29.94	760.6	...	...		0	...	,,	29.85	758.1	...	...	SSW	3	...
Kochi,	,,	29.85	758.3	...	...	ESE	1	...	,,	29.93	760.3	...	...	...	0	...
Nagasaki,	,,	29.80	756.8	...	...	E	1	...	,,	29.93	760.3	...	...	ESE	1	...
Kagoshima,	,,	29.82	757.4	...	...	SSW	2	...	,,	29.94	760.4	...	...	SSW	1	...
Oshima,	,,	29.89	759.1	...	...	SSW	2	...	,,	29.95	760.6	...	...	SSW	1	...
Naha,	,,	29.89	759.2	...	...	S	1	...	,,	29.93	760.2	...	...	S	1	...
Ishigakijima,	,,	29.83	757.8	...	...	SE	3	...	,,	29.86	758.3	...	...	SSE	5	...
Bonin Is.	,,	30.06	763.6	...	...	ESE	1	...	,,	30.12	765.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.88	753.9	79	87	W	...	o	9 a.	29.98	761.5	78	82	NNE	1	bm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.87	758.7	79	61	E	2	c	9 a	29.96	761.0	76	73	E	1	o
Gutzlaff,	,,	...	...	76	85	ENE	3	or	,,	...	...	71	90	E	2	om
Sharp Peak,	,,	29.83	757.7	76	...	ENE	4	o	,,	29.85	758.2	76	...	N	2	c
Amoy,	,,	29.76	756.4	83	75	SSE	3	b	6 a.	29.83	757.7	79	82	E	1	b
Swatow,	,,	29.77	756.1	84	83	ESE	1	c	,,	29.78	756.4	77	91	ESE	2	o
Taihoku,	1 p.	29.79	756.6	...	...	E	6	...	5 a.	29.76	755.8	...	...	SE	4	...
Taichu,	,,	29.79	756.6	...	...	N	6	...	,,	29.78	756.5	...	...	...	0	...
Tainan,	,,	29.79	756.6	...	...	NW	6	...	,,	29.78	756.5	...	...	NE	2	...
Koshun	,,	29.78	756.3	...	...	E	6	...	,,	29.78	756.3	...	...	E	6	...
Pescadores,	,,	29.80	756.8	..	...	NW	4	...	,,	29.78	756.3	...	...	N	6	...
Canton,	3 p.	29.74	755.4	86	76	E	1	c	9 a.	29.80	756.9	84	83	NE	2	b
Hongkong,	4 p.	29.75	755.6	83	82	E	2	o	10 a.	29.80	756.9	83	78	E	3	c
Victoria Peak,	,,	...	...	...	...	SE	2	...	,,	...	...	...	...	ENE	1	...
Gap Rock,	,,	29.72	754.9	...	...	ESE	2	...	,,	29.76	755.9	...	...	NE	5	...
Macao,	,,	29.76	755.9	86	...	SE	2	c	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.68	753.9	79	95	...	0	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.68	753.8	79	...	NE	3	o	8 a.	29.80	757.0	73	...	ENE	5	lt
Tourane,	,,	29.67	753.5	86	...	SW	4	c	,,	29.78	756.5	84	...	SW	2	dh
Cape St. James,	,,	29.76	755.9	75	...	SW	5	or	,,	29.88	759.0	79	...	ESE	2	c
Aparri,	2 p.	29.63	752.7	82	...	NE	2	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.57	751	81	92	W	3	q	10 a.	29.76	756	75	100	SSE	2	d
Legaspi,	2 p.	29.63	752.6	75	...	SW	4	q	6 a.	29.80	756.8	68	...	...	0	o
Baoolod,	3 p.	...	...	...	...	SW	2	or	9 a.	...	...	...	...	SW	2	o
Iloilo,	,,	29.74	755.4	78	...	SW	3	or	,,	29.83	757.7	80	...	S	1	o
Cebu,	,,	29.76	755.9	83	...	S	2	o	,,	29.90	759.4	83	...	S	1	...
Labuan,	,,	29.78	756.4	88	...	...	...	...	,,	...	...	...	...	...	...	...

On the 2nd at 11.55 a.—The typhoon crossed Luzon during the night and entered the China Sea early this morning. The centre is now situated about 100 miles off the coast of Luzon near 17° Lat. It continues to move towards WNW.

The barometer is rising quickly over Luzon, while it has a tendency to fall on the S. coast of China.

A shallow depression lies over SE Japan.

Areas of high pressure are lying over the Pacific to the Eastward of the Bonins, and over N. China. Pressure has increased over the latter area, also over the Loochoos and Indo-China.

Rough weather may be expected over the N. part of the China Sea during the next two or three days.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	NE winds, probably freshening considerably during the next 24 hours; fine and first, probably rain later.
2.—Formosa Channel,	E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	NE and E. winds, freshening.
4.—South coast of China between Hongkong and Hainan,	N. winds, freshening.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 2nd July, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd July, 1911, P.M.								3rd July, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.89	759.2	70	...	W	0	o	7 a.	30.07	763.8	57	98	S S E	1	f
Nemuro,	,,	29.93	760.1	...	...	N E	1	...	6 a.	30.04	763.1	...	...	N	3	...
Hakodate,	,,	29.93	760.2	...	...	S	2	...	,,	30.09	764.2	...	...	N	1	...
Tokio,	,,	29.91	759.6	...	...	S S E	1	...	,,	30.04	763.1	...	...	N	1	...
Kochi,	,,	29.97	761.3	...	...	E S E	1	...	,,	29.99	761.8	...	...	S W	1	...
Nagasaki,	,,	29.93	760.3	...	...	S W	1	...	,,	29.95	760.8	...	...	...	0	...
Kagoshima,	,,	29.94	760.4	...	...	S S E	1	...	,,	30.00	761.9	...	...	S W	2	...
Oshima,	,,	29.96	761.1	...	...	S	2	...	,,	29.99	761.6	...	...	S	2	...
Naha,	,,	29.97	761.2	...	...	E S E	1	...	,,	29.97	761.3	...	...	S	1	...
Ishigakijima,	,,	29.87	758.8	...	...	S S E	5	...	,,	29.88	758.3	...	...	S S E	5	...
Bonin Is.	,,	30.10	764.6	...	...	..	0	...	,,	30.10	764.6	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.96	761.0	78	70	N E	2	cm	9 a.	30.02	762.5	77	77	N	1	bn
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.94	760.5	77	73	E	2	o	9 a	29.98	761.5	76	69	E N E	2	o
Gutzlaff,	,,	...	...	71	90	E	3	om	,,	...	...	73	86	N E	3	on
Sharp Peak,	,,	29.82	757.4	78	...	N	3	c	,,	29.85	758.2	77	...	E	1	or
Amoy,	,,	29.79	756.6	90	60	S E	3	b	6 a.	29.85	758.2	81	78	E N E	1	o
Swatow,	,,	29.81	757.2	84	68	E	3	c	,,	29.80	756.9	79	87	N E	1	c
Taihoku,	1 p.	29.72	755.0	...	...	S E	8	...	5 a.	29.80	757.0	...	...	S W	2	...
Taichu,	,,	29.75	755.6	...	...	W	2	...	,,	29.80	757.0	...	...	...	0	...
Tainan,	,,	29.77	756.1	...	...	W	6	...	,,	29.82	757.3	...	...	N	4	...
Koshun	,,	29.79	756.6	...	...	E	6	...	,,	29.81	757.2	...	...	S E	6	...
Pescadores,	,,	29.84	758.0	..	...	N	8	...	,,	29.80	756.9	...	...	N	6	...
Canton,	3 p.	29.74	755.4	88	73	E N E	2	or	9 a.	29.74	755.4	83	79	E N E	3	c
Hongkong,	4 p.	29.72	754.9	83	78	E	1	c	10 a.	29.69	754.1	85	67	N E	4	o
Victoria Peak,	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	N E	7	...
Gap Rock,	,,	29.70	754.4	...	...	E	4	...	,,	29.63	752.6	...	...	E N E	8	...
Macao,	,,	29.75	755.6	84	...	S E	2	c	,,	...	...	...	...	...	...	..
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	..
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	..
Pakhoi,	,,	29.80	756.9	89	73	...	0	b	,,	...	...	...	...	...	...	..
Phulien,	4 p.	29.74	755.5	77	...	N E	3	c	8 a.	...	...	...	...	...	...	..
Tourane,	,,	29.71	754.7	84	...	N W	5	c	,,	...	...	...	...	...	...	..
Cape St. James,	,,	29.79	756.7	79	...	W S W	3	c	,,	...	...	...	...	...	...	..
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.76	755.9	77	...	S E	4	o
Manila,	4 p.	29.72	755	81	80	S S E	3	o	10 a.	29.84	758	86	71	S E	2	o
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.89	759.3	75	...	...	0	c
Bacolod,	3 p.	...	...	...	...	N E	2	r	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.81	757.2	80	...	S S W	1	c	,,	29.89	759.2	81	...	S W	1	b
Cebu,	,,	29.86	758.4	85	...	S	2	o	,,	29.91	759.7	84	...	S	1	c
Labuan,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	84	...	...	...	...

On the 2nd at 6.00 p.—Red South Cone and Drum hoisted.
At 5.10 a.—Black South Cone and Drum hoisted.
At 10.40 a.—Black South Cone hoisted.
At 11.05 a.—The barometer has fallen moderately in the neighbourhood of Hongkong, and risen considerably Luzon.

The typhoon is situated about 200 miles to the Southward of Hongkong. It continues to move towards W.N.W.
Pressure is high over the Pacific to the Eastward of the Bonins, also over N. China and the Sea of Japan.
Bad weather will continue to prevail over the N. part of the China Sea.
The returns from Indo-China are not in hand.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. to S.E. gale; squally, rainy.
2.—Formosa Channel,	E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	E. gale.
4.—South coast of China between Hongkong and Hainan,	Cyclonic gales.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 3rd July, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd JULY, 1911, P.M.								4th JULY, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostook,	2 p.	30.04	763.0	62	...	S S E	1	o	7 a.	29.97	761.1	60	92	S E	1	o
Nemuro,	,,	30.08	764.1	...	...	N E	2	...	6 a.	30.10	764.6	...	...	W S W	1	...
Hakodate,	,,	30.09	764.2	...	...	S S W	1	...	,,	30.09	764.2	...	...	E	1	...
Tokio,	,,	30.08	764.1	...	...	N	1	...	,,	29.95	760.6	...	...	N W	1	...
Kochi,	,,	29.95	760.8	...	...	E S E	1	...	,,	29.89	759.3	...	...	E	1	...
Nagasaki,	,,	29.93	760.3	...	...	W S W	4	...	,,	29.89	759.3	...	...	N N E	1	...
Kagoshima,	,,	29.98	761.4	...	...	...	0	...	,,	29.88	758.9	...	...	W	1	...
Oshima,	,,	29.96	761.1	...	...	...	0	...	,,	29.91	759.6	...	...	S	2	...
Naha,	,,	29.93	760.2	...	...	S	1	...	,,	30.01	762.2	...	...	S	1	...
Ishigakijima,	,,	29.89	759.3	...	...	S	5	...	,,	29.89	759.3	...	...	S	5	...
Bonin Is.	,,	30.06	763.6	...	...	N E	1	...	,,	30.02	762.6	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.98	761.5	78	95	N N E	2	bm	9 a.	29.99	761.7	80	96	N E	3	cm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.96	761.0	77	69	E N E	2	o	9 a	29.98	761.5	77	65	E	2	c
Sutzlaff,	,,	...	...	73	86	N E	4	om	,,	...	...	73	81	E	3	vm
Sharp Peak,	,,	29.86	758.4	78	...	E N E	4	o	,,	29.94	760.5	77	...	E N E	4	o
Amoy,	,,	29.78	756.4	85	68	E	2	c	6 a.	29.86	758.4	77	82	E	6	o
Swatow,	,,	29.81	757.2	78	91	N E	1	or	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.81	757.1	...	...	...	0	...	5 a.	29.85	758.1	...	...	S W	2	...
Taichu,	,,	29.84	758.0	...	...	N	2	...	,,	29.90	759.4	...	...	...	0	...
Tainan,	,,	29.82	757.4	...	...	N	4	...	,,	29.87	758.7	...	...	E	8	...
Koshun	,,	29.83	757.6	...	...	S E	6	...	,,	29.87	758.6	...	...	S E	2	...
Pescadores,	,,	29.83	757.6	...	...	N E	8	...	,,	29.87	758.7	...	...	N E	4	...
Canton,	3 p.	29.61	752.1	89	69	E N E	2	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.57	751.1	79	87	E N E	6	oq	10 a.	29.59	751.6	78	89	E S E	7	odq
Victoria Peak,	,,	...	...	...	...	E	...	...	,,	...	...	...	...	S	9	...
Gap Rock,	,,	29.48	748.8	...	...	E N E	8	...	,,	29.46	748.3	...	...	S E	10	...
Macao,	,,	29.60	751.8	78	...	N E	4	od	,,	29.48	748.8	80	...	E	9	odq
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.63	752.6	91	...	W S W	2	c	8 a.	29.62	752.2	86	...	N W	4	c
Tourane,	,,	29.65	753.1	86	...	N W	2	c	,,	29.62	752.3	82	...	S W	4	dh
Cape St. James,	,,	29.82	757.3	77	...	N W	1	o	,,	29.87	758.7	75	...	W N W	3	o
Aparri,	2 p.	29.74	755.3	90	...	S E	2	o	6 a.	29.84	757.9	77	...	S W	2	c
Manila,	4 p.	29.80	757	86	71	W	1	c	10 a.	29.88	759	86	71	E S E	0	o
Legaspi,	2 p.	29.84	758.0	91	...	E	2	b	6 a.	29.90	759.4	77	...	...	0	o
Sacolod,	3 p.	...	...	...	...	N E	2	od	9 a.	...	...	...	...	N E	2	b
Iloilo,	,,	29.81	757.2	84	...	S W	1	o	,,	29.89	759.2	84	...	W	1	b
Cebu,	,,	29.82	757.4	88	...	S	1	c	,,	29.87	758.7	83	...	...	0	...
Labuan,	,,	29.80	756.9	87	...	...	...	...	,,	29.90	759.4	79	...	...	...	...

On the 3rd at 5.15 p.—The typhoon to the South of Hongkong appears to be moving in a Northwesterly direction. It will probably reach the coast between Macao and Kwong Chau Wan. Hard gale from E. and S.E. expected in Hongkong to-night.

On the 4th at 9.45 a.—Black South Cone and Ball hoisted.

At 12.05 p.—The typhoon is approaching the coast between Macao and Hainan Straits. The barometer is rising slowly in the neighbourhood of Hongkong, and falling quickly over Tongking.

Pressure has given way over S. Japan. It remains high over N. China and the Pacific to the East of Japan.

Bad weather must still be expected over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.56 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. gale, moderating slowly; hard rain squalls.
2.—Formosa Channel,	E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	E. and S.E. gale, moderating.
4.—South coast of China between Hongkong and Hainan,	Cyclonic gales.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 4th July, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th July, 1911, P.M.								5th July, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.88	759.0	69	...	S S E	1	o	7 a.	29.83	757.6	60	98	...	0	f
Nemuro,	,,	30.06	763.6	...	...	S	2	...	6 a.	30.04	763.1	...	...	S	1	...
Hakodate,	,,	30.01	762.2	...	...	E	2	...	,,	29.87	758.7	...	...	N E	1	...
Tokio,	,,	29.85	758.1	...	...	W N W	1	...	,,	29.81	757.1	...	...	...	0	...
Kochi,	,,	29.83	757.8	...	...	E S E	1	...	,,	29.88	758.3	...	...	S S E	1	...
Nagasaki,	,,	29.89	759.3	...	...	N E	1	...	,,	29.88	758.3	...	...	...	4	...
Kagoshima,	,,	29.82	757.4	...	...	S S W	1	...	,,	29.92	759.9	...	...	N N W	1	...
Oshima,	,,	29.93	760.1	...	...	...	0	...	,,	29.91	759.6	...	...	...	0	...
Naha,	,,	29.93	760.2	...	...	S W	1	...	,,	29.93	760.2	...	...	...	0	...
Ishigakijima,	,,	29.91	759.8	...	...	S E	1	...	,,	29.89	759.3	...	...	S W	2	...
Bonin Is.	,,	29.98	761.6	...	...	E S E	1	...	,,	29.99	761.6	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.85	758.2	81	56	E N E	4	bm	9 a.	29.39	759.2	77	69	S W	3	bm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.92	759.9	81	62	E	2	c	9 a.	29.91	759.7	75	86	S E	2	om
Gutzlaff,	,,	...	...	73	81	E	4	cv	,,	...	...	73	90	S E	5	om
Sharp Peak,	,,	29.90	759.4	77	...	E	4	o	,,	29.93	760.2	77	...	...	0	or
Amoy,	,,	29.82	757.4	81	83	E	5	o	6 a.	29.86	758.4	78	91	E	5	or
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.85	758.3	...	...	N	6	...	5 a.	29.89	759.3	...	...	...	0	...
Taichu,	,,	29.89	759.1	...	...	N W	2	...	,,	29.93	760.3	...	...	...	0	...
Tainan,	,,	29.89	759.3	...	...	S	6	...	,,	29.91	759.6	...	...	E	2	...
Koshun	,,	29.88	759.0	...	...	S	4	...	,,	29.89	759.3	...	...	N E	2	...
Pescadores,	,,	29.88	758.9	..	...	E	2	...	,,	29.88	759.0	...	...	..	0	...
Canton,	3 p.	29.56	750.8	79	91	E	3	or	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.63	752.6	77	91	E S E	6	orq	10 a.	29.82	757.4	84	79	S S E	3	oq
Victoria Peak,	,,	...	...	...	...	S E	...	...	,,	...	...	...	...	S	7	...
Gap Rock,	,,	29.52	749.8	...	...	S E	9	...	,,	29.77	756.1	...	...	S E	6	...
Macao,	,,	29.54	750.2	78	...	S	11	oq	,,	29.82	757.4	80	...	S S E	4	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.46	748.4	81	...	W N W	5	lt	8 a.	29.49	749.1	79	...	S S W	4	or
Tourane,	,,	29.60	751.9	86	...	S W	2	f	,,	29.69	754.0	82	...	W	2	o
Cape St. James,	,,	29.86	758.5	79	...	S S W	4	o	,,	29.89	759.2	77	...	W S W	5	or
Aparri,	2 p.	...	...	...	...	...	..	...	6 a.	29.89	759.1	73	...	S	2	b
Manila,	4 p.	29.84	758	82	85	S	1	o	10 a.	29.92	760	84	77	S E	1	o
Legaspi,	2 p.	29.83	757.8	91	...	E	2	c	6 a.	29.88	758.9	75	...	...	0	o
Bacolod,	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	N E	2	b
Iloilo,	,,	29.77	756.1	81	...	E	1	c	,,	29.87	758.7	79	...	S W	1	o
Cebu,	,,	29.81	757.2	86	...	...	0	o	,,	29.90	759.4	86	...	...	0	...
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	29.92	759.9	83	...	...	...	...

On the 4th at 4.10 p.—Signals lowered.

On the 5th at 11.55 a.—The barometer has risen quickly in the neighbourhood of Hongkong, and fallen moderately in Tongking. The typhoon which reached the coast yesterday, is shown over S.W. China this morning.

Shallow depressions are lying over Manchuria and S.E. Japan.

Pressure is high over the Pacific to the East of Japan. It is still high but giving way over the E. coast of China.

Strong to moderate S.E. and S. breezes may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.40 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, fresh to moderate; fair, squally.
2.—Formosa Channel,	E. and S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S.E. and S. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 5th July, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th JULY, 1911, P.M.								6th JULY, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	29.80	757.0	67	...	S S E	1	c	7 a.	29.76	755.8	63	96	S S E	1	f
Hemuro,	,,	29.98	761.6	...	...	...	0	...	6 a.	29.75	755.6	...	...	W N W	2	...
Hakodate,	,,	29.79	756.7	...	...	W N W	1	...	,,	29.83	757.7	...	...	E S E	1	...
Tokio,	,,	29.75	755.6	...	...	S	2	...	,,	29.91	759.6	...	...	...	0	...
Kochi,	,,	29.85	758.3	...	...	S E	1	...	,,	29.93	760.3	...	...	...	0	...
Nagasaki,	,,	29.89	759.3	...	...	W N W	2	...	,,	29.91	759.8	...	...	...	0	...
Kagoshima,	,,	29.88	758.9	...	...	...	0	...	,,	29.92	759.9	...	...	...	0	...
Oshima,	,,	29.91	759.6	...	...	N E	1	...	,,	29.91	759.6	...	...	...	0	...
Naha,	,,	29.95	760.7	...	...	...	0	...	,,	29.93	760.2	...	...	...	0	...
Ishigakijima,	,,	29.91	759.8	...	...	S	1	...	,,	29.91	759.8	...	...	...	0	...
Bonin Is.	,,	29.96	761.1	...	...	...	0	...	,,	30.01	762.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.85	758.2	78	80	S S W	4	cm	9 a.	29.69	754.1	68	95	S W	5	cm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.83	757.7	77	82	S E	3	o	9 a.	29.74	755.4	85	72	S	2	c
Gutzlaff,	,,	...	...	74	90	S E	5	om	,,	...	...	76	95	S	3	cm
Sharp Peak,	,,	29.89	759.2	73	...	N	1	o	,,	29.88	758.9	79	...	...	0	b
Amoy,	,,	29.88	758.9	80	87	E	2	or	6 a.	29.91	759.7	78	91	N E	3	o
Swatow,	,,	29.84	757.9	81	87	E S E	1	o	,,	29.85	758.2	76	95	N E	1	o
Taihoku,	1 p.	29.89	759.3	...	...	N E	2	...	5 a.	29.89	759.3	...	...	S	2	...
Taichu,	,,	29.92	760.0	...	...	...	0	...	,,	29.93	760.2	...	...	...	0	...
Tainan,	,,	29.92	759.9	...	...	S W	4	...	,,	29.92	760.0	...	...	...	0	...
Koshun,	,,	29.91	759.6	...	...	S W	2	...	,,	29.91	759.8	...	...	E	2	...
Pescadores,	,,	29.91	759.7	..	...	E	2	...	,,	29.90	759.5	...	...	.	0	...
Canton,	3 p.	29.73	755.1	83	83	S	2	c	9 a.	29.85	758.2	82	82	S	2	b
Hongkong,	4 p.	29.78	756.4	82	83	S S E	4	oq	10 a.	29.89	759.2	82	79	S S E	2	c
Victoria Peak,	,,	...	...	...	...	S S E	5	...	,,	...	...	...	...	S E	4	...
Hap Rock,	,,	29.73	755.1	...	...	S S E	6	...	,,	29.86	758.4	...	...	S S E	4	...
Macao,	,,	29.76	756.0	80	...	S	7	c	,,	29.90	759.4	81	...	S	4	c
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chulien,	4 p.	29.13	739.8	77	...	W	4	or	8 a.	29.69	754.0	81	...	S	7	or
Tourane,	,,	...	...	...	...	...	...	...	,,	29.80	757.0	86	..	S W	2	dh
Cape St. James,	,,	29.83	757.6	79	...	W S W	3	o	,,	29.90	759.5	81	...	W S W	1	o
Aparri,	2 p.	29.83	757.7	86	...	E	2	b	6 a.	29.90	759.4	73	...	S	2	b
Manila,	4 p.	29.84	758	82	85	...	0	o	10 a.	29.88	759	86	71	N W	1	c
Legaspi,	2 p.	29.85	758.1	88	...	E	2	o	6 a.	29.86	758.4	73	...	...	0	o
Macolod,	3 p.	...	...	...	...	S W	3	c	9 a.	...	...	...	...	N E	0	d
Iloilo,	,,	29.81	757.2	83	...	S W	1	o	,,	29.89	759.2	81	...	N E	1	c
Cebu,	,,	29.81	757.2	86	...	N	1	c	,,	29.87	758.7	82	...	N	1	o
Labuan,	,,	29.79	756.6	84	...	...	...	...	,,	29.88	758.9	83	...	...	...	...

On the 6th at 11.55 a.—The barometer has risen moderately over the S. coast of China and Tongking, and fallen considerably in N. China.

The recent typhoon is now shown over the continent to the North of Tongking.

A depression, which will probably move towards N.E. has appeared over N. China.

The Pacific high pressure extends Westwards from the Bonins towards the Loochoos. There is a tendency for pressure to give way over the Southern Philippines.

Moderate S. and S.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.32 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.

.—Hongkong and Neighbourhood, ...	S. and S.E. winds, moderate; fair.
.—Formosa Channel, ...	S.E. winds, moderate.
.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
.—South coast of China between Hongkong and Hainan, ...	S. and S.E. winds, fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 6th July, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th July, 1911, P.M.								7th July, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.75	755.6	64	...	S	2	f	7 a.	29.71	754.6	63	94	S S E	4	f
Nemuro,	,,	29.81	757.1	...	...	S S E	2	...	6 a.	29.93	760.1	...	...	...	0	...
Hakodate,	,,	29.85	758.2	...	...	S [illegible]	2	...	,,	29.97	761.2	...	...	...	0	...
Tokio,	,,	29.89	759.1	...	...	S W	2	...	,,	29.99	761.6	...	...	...	0	...
Kochi,	,,	29.89	759.3	...	...	S E	1	...	,,	29.91	759.8	...	...	...	0	...
Nagasaki,	,,	29.88	758.8	...	...	S W	2	...	,,	29.84	757.8	...	...	S	5	...
Kagoshima,	,,	29.90	759.4	...	...	S S E	1	...	,,	29.90	759.4	...	...	S	1	...
Oshima,	,,	29.89	759.1	...	...	N E	1	...	,,	29.93	760.1	...	...	...	0	...
Naha,	,,	29.93	760.2	...	...	W S W	1	...	,,	29.91	759.7	...	...	..	0	...
Ishigakijima,	,,	29.89	759.3	...	...	S E	1	...	,,	29.89	759.3	...	...	S	3	...
Bonin Is.	,,	30.01	762.1	...	...	S E	1	...	,,	30.04	763.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	..	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.55	750.5	69	95	S E	5	cm	9 a.	29.54	750.3	74	81	E	2	cm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.68	753.9	91	57	W S W	2	o	9 a.	29.70	754.4	75	90	N E	1	or
Gutzlaff,	,,	...	...	...	...	...	...	..	,,	...	...	76	95	N E	1	ov
Sharp Peak,	,,	29.79	756.6	82	...	S	2	b	,,	29.84	757.9	81	...	S	1	b
Amoy,	,,	29.84	757.9	85	79	S	4	c	6 a.	29.92	759.9	79	91	S W	3	c
Swatow,	,,	29.86	758.4	84	79	S	1	o	,,	29.85	758.2	76	95	S	1	b
Taihoku,	1 p.	29.88	758.8	...	...	W	6	...	5 a.	29.86	758.5	...	...	S W	2	...
Taichu,	,,	29.92	760.0	...	...	N W	2	...	,,	29.90	759.4	...	...	...	0	...
Tainan,	,,	29.90	759.5	...	...	S W	6	...	,,	29.89	759.3	...	...	E	2	...
Koshun	,,	29.89	759.3	...	...	S E	4	...	,,	29.89	759.3	...	...	..	0	...
Pescadores,	,,	29.89	759.3	..	...	S W	4	...	,,	29.87	758.7	...	...	...	0	...
Canton,	3 p.	29.79	756.6	85	83	S	1	or	9 a.	29.85	758.2	83	83	S S W	2	b
Hongkong,	4 p.	29.82	757.4	81	80	S S E	1	o	10 a.	29.89	759.2	84	75	S	1	c
Victoria Peak,	,,	...	...	...	...	S	1	...	,,	...	...	...	...	S	1	...
Gap Rock,	,,	29.79	756.6	...	...	S E	4	...	,,	29.86	758.4	...	...	S	4	...
Macao,	,,	29.83	757.6	81	...	S S E	4	c	,,	29.90	759.4	81	...	S S E	3	c
Wuchow,	3 p.	29.73	755.1	90	63	N E	2	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.66	753.4	84	...	S S E	6	c	8 a.	29.77	756.1	84	...	S S E	5	c
Tourane,	,,	29.74	755.4	90	...	S S W	3	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.87	758.6	77	...	S S W	2	o	,,	29.91	759.7	75	...	N W	2	o
Aparri,	2 p.	29.84	757.9	90	...	N E	2	b	6 a.	29.88	758.3	75	...	S	2	b
Manila,	4 p.	29.80	757	88	65	...	0	c	10 a.	29.88	759	82	85	W N W	1	o
Legaspi,	2 p.	29.82	757.3	91	...	E	2	c	6 a.	29.87	758.7	75	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N	3	c	9 a.	...	...	...	...	N E	1	b
Iloilo,	,,	29.79	756.6	85	...	S W	1	o	,,	29.89	759.2	82	...	S W	1	c
Cebu,	,,	29.79	756.6	87	...	N	1	o	,,	29.90	759.4	83	...	...	0	r
Labuan,	,,	29.84	757.9	86	...	...	...	...	,,	29.91	759.7	82	...	...	...	...

On the 7th at 11.55 a.—The barometer has fallen over N. China owing to the depression, which appears to be passing from the continent to the Yellow Sea.

Pressure has increased over Tongking, also in E. Japan. It is highest over the Pacific to the Eastward of the Bonins.

Light to moderate monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, moderate or light; fair.
2.—Formosa Channel,	S. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 7th July, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th July, 1911, P.M.								8th July, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	29.68	753.9	64	...	S E	5	f	7 a.	29.67	753.6	64	91	...	0	o
Hemuro,	,,	29.94	760.6	...	...	S	1	...	6 a.	29.89	759.1	...	...	S W	1	...
Hakodate,	,,	29.93	760.2	...	...	S S E	2	...	,,	29.79	756.7	...	...	E	1	...
Tokio,	,,	29.96	761.1	...	...	S S W	4	...	,,	29.95	760.6	...	...	S S W	2	...
Kochi,	,,	29.89	759.3	...	...	S	1	...	,,	29.97	761.3	...	...	...	0	...
Nagasaki,	,,	29.83	757.8	...	...	S W	5	...	,,	29.88	758.8	...	...	S	5	...
Kagoshima,	,,	29.92	759.9	...	...	S S W	3	...	,,	29.94	760.4	...	...	S	1	...
Oshima,	,,	29.93	760.1	...	...	S	2	...	,,	29.93	760.1	...	...	...	0	...
Naha,	,,	29.93	760.2	...	...	S W	1	...	,,	29.93	760.2	...	...	..	0	...
Ishigakijima,	,,	29.91	759.8	...	...	S	3	...	,,	29.89	759.3	...	...	S	3	...
Bonin Is.	,,	30.04	763.1	...	...	S E	1	...	,,	30.10	764.6	...	...	E S E	1	...
Chefoo,	4 p.	...	...	...	...	...	..	..	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.50	749.3	77	91	S S W	3	bm	9 a.	29.48	748.8	75	86	S W	2	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Shanghai,	,,	29.63	752.6	87	72	S E	3	o	9 a	29.67	753.6	75	95	W S W	1	or
Sintzlaff,	,,	...	...	79	91	S S E	3	cm	,,	...	...	76	100	S W	2	om
Sharp Peak,	,,	29.75	755.6	84	...	S	2	b	,,	29.79	756.6	82	...	S	1	b
Amoy,	,,	29.81	757.2	87	...	S	2	b	6 a	29.85	758.2	79	100	S W	3	b
Swatow,	,,	29.82	757.4	86	72	S	1	c	,,	29.84	757.9	78	95	S W	1	b
Taihoku,	1 p.	29.84	758.0	...	...	S W	2	...	5 a.	29.84	758.0	...	...	...	0	...
Taichu,	,,	29.89	759.2	...	...	S W	4	...	,,	29.89	759.3	...	...	...	0	...
Tainan,	,,	29.91	759.6	...	...	S W	6	...	,,	29.89	759.2	...	...	S E	2	...
Koshun	,,	29.89	759.3	...	...	S	4	...	,,	29.89	759.1	...	...	..	0	...
Pescadores,	,,	29.90	759.5	..	...	S W	6	...	,,	29.87	758.6	...	...	S W	4	...
Canton,	3 p.	29.79	756.6	82	83	W	1	o	9 a	29.86	758.4	83	83	S S W	1	c
Hongkong,	4 p.	29.81	757.2	83	78	S	1	c	10 a.	29.89	759.2	83	75	S W	1	o
Victoria Peak,	,,	...	...	...	...	S	1	...	,,	...	...	...	...	S S E	1	...
Hap Rock,	,,	29.80	756.9	...	...	S S E	3	...	,,	29.86	758.4	...	...	S	3	...
Macao,	,,	29.82	757.4	82	...	S S E	4	c	,,	29.90	759.4	83	...	S S E	2	c
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Makhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ghulien,	4 p.	29.68	753.9	86	...	S S E	6	c	8 a.	29.73	756.5	84	...	S S E	5	b
Tourane,	,,	29.75	755.7	88	...	W	4	c	,,	29.85	758.2	88	..	S W	2	b
Cape St. James,	,,	29.83	757.6	84	...	N W	1	c	,,	29.91	759.6	75	...	N W	3	c
Aparri,	2 p.	29.83	757.7	88	...	E	2	b	6 a.	29.85	758.1	75	...	S E	2	b
Manila,	4 p.	29.80	757	84	77	E N E	0	o	10 a.	29.88	759	84	77	W	1	c
Legaspi,	2 p.	29.80	757.0	95	...	E	2	b	6 a.	29.86	758.3	75	...	...	0	b
Tacolod,	3 p.	...	...	...	...	N E	1	or	9 a.	...	...	...	...	N E	1	b
Iloilo,	,,	29.79	756.6	85	...	S W	...	o	,,	29.89	759.2	82	...	S W	1	b
Cebu,	,,	29.80	756.9	86	...	S	1	c	,,	29.88	758.9	81	...	S	2	c
Labuan,	,,	29.80	756.9	87	...	...	...	...	,,	29.89	759.2	84	...	...	...	...

On the 8th at 11.55 a.—The depression remains over N. China where the barometer continues to fall.

Pressure has given way in N.E. Japan, and increased slightly over W. Japan and the Bonins. It remains high over the Pacific to the Eastward of the latter area, and in moderate excess of the normal over the China Sea.

Light or moderate monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.

.—Hongkong and Neighbourhood,	S. winds, light or moderate; fair.
—Formosa Channel,	S.W. winds, fresh.
.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 8th July, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th July, 1911, P.M.								9th July, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.66	753.4	66	...	S S E	1	o	7 a.	29.65	753.2	61	98	S S E	1	f
Nemuro,	,,	29.75	755.6	...	...	N E	2	...	6 a.	29.85	758.1	...	...	W	1	...
Hakodate,	,,	29.73	755.2	...	...	N	2	...	,,	29.79	756.7	...	...	E	2	...
Tokio,	,,	29.93	760.1	...	...	S W	8	...	,,	29.97	761.1	...	...	S W	2	...
Kochi,	,,	29.97	761.3	...	...	S S E	1	...	,,	30.01	762.3	...	...	S W	1	...
Nagasaki,	,,	29.89	759.3	...	...	S	4	...	,,	29.91	759.8	...	...	S	5	...
Kagoshima,	,,	29.94	760.4	...	...	S S E	3	...	,,	29 98	761.4	...	...	E	1	...
Oshima,	,,	29.93	760.1	...	...	S	2	...	,,	29.93	760.1	...	...	S E	3	...
Naha,	,,	29.91	759.7	...	...	S S E	1	...	,,	29.83	757.7	...	...	E	1	...
Ishigakijima,	,,	29.87	758.8	...	...	S	3	...	,,	29.82	757.3	...	...	...	0	...
Bonin Is.	,,	30.10	764.6	...	...	E S E	1	...	,,	30.09	764.1	...	...	E	1	...
Chefoo,	4 p.	...	...	...	...	...	..	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.54	750.3	74	76	N	2	c	9 a.	29.69	754.1	71	90	N N W	1	cm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Shanghai,	,,	29.64	752.8	81	78	S S W	2	o	9 a	29.74	755.4	77	90	S S W	2	o
Gutzlaff,	,,	...	...	80	91	S S W	1	cm	,,	...	...	73	100	S S E	3	om
Sharp Peak,	,,	29.72	754.9	84	...	S	4	b	,,	29.77	756.1	83	...	S	1	b
Amoy,	,,	29.79	756.6	88	...	S	2	b	6 a.	...	...	...	...	...	...	...
Swatow,	,,	29.78	756.4	90	66	S S W	1	c	,,	29.88	758 9	79	87	W	1	b
Taihoku,	1 p.	29.82	757.4	...	...	N W	4	...	5 a.	29.81	757.1	...	...	S W	2	...
Taichu,	,,	29.87	758.7	...	...	S	6	...	,,	29.86	758.3	...	...	...	0	...
Tainan,	,,	29.89	759.1	...	...	S W	6	...	,,	29.84	758.0	...	...	...	0	...
Koshun	,,	29.86	758.4	...	...	W	4	...	,,	29.83	757.6	...	...	..	0	...
Pescadores,	,,	29.87	758.7	..	...	S W	6	...	,,	29.82	757.5	...	...	S W	4	...
Canton,	3 p.	29.77	756.1	90	66	S	1	b	9 a.	29.84	757.9	82	83	S S W	1	c
Hongkong,	4 p.	29.80	756.9	83	78	S	1	c	10 a.	29.86	758.4	84	74	W S W	1	c
Victoria Peak,	,,	...	...	...	...	S	4	...	,,	...	...	...	...	S S W	3	...
Gap Rock,	,,	29.78	756.4	...	...	S	3	...	,,	29.83	757.7	...	...	S W	3	...
Macao,	,,	29.81	757.1	82	...	S S E	3	c	,,	29.88	758.9	84	...	S S W	2	c
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.70	754.5	86	...	S S E	5	c	8 a.	29.77	756.2	84	...	S S E	6	c
Tourane,	,,	29.78	756.3	86	...	E	4	b	,,	29.84	757.9	88	...	S W	2	b
Cape St. James,	,,	29.81	757.1	86	...	N W	1	c	,,	29.91	759.7	79	...	N	1	c
Aparri,	2 p.	29.76	756.0	90	...	N E	2	b	6 a.	29.81	757.2	77	...	S W	2	b
Manila,	4 p.	29.76	756	90	66	W	1	b	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.80	757.0	91	...	E	2	c	6 a.	29.85	758.1	75	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	2	b	9 a.	...	...	...	...	N E	1	b
Iloilo,	,,	29.85	758.2	84	...	S W	1	o	,,	29.89	759.2	82	...	N E	2	b
Cebu,	,,	29.84	757.9	88	...	S	1	c	,,	29.91	759.7	86	...	S	1	b
Labuan,	,,	29.77	756.1	88	...	...	...	...	,,	...	...	...	...	...	...	...

On the 9th at 11.50 a.—The barometer has risen considerably over N. China, the depression having moved away Northeastwards.

There are some indications of the existence of a depression over the Pacific, at a considerable distance to the Southward of the Loochoos. Pressure is giving way over N. Luzon, Formosa and the Loochoos.

Pressure remains high over the Pacific to the Eastward of the Bonins..

Moderate or light monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	SW winds, moderate; fair.
2.—Formosa Channel,	SW or variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 8th July, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th JULY, 1911, P.M.								10th JULY, 1911, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	2 p.	29.67	753.7	65	...	S S E	0	f	7 a.	29.7[illegible]	754.7	65	98	...	0	f
emuro,	,,	29.81	757.1	...	...	S	3	...	6 a.	29.79	756.6	...	...	N	4	...
akodate,	,,	29.77	756.2	...	...	W S W	8	...	,,	...	...	...	...	...	...	...
okio,	,,	29.93	760.1	...	...	S W	3	...	,,	30.01	762.1	...	...	N W	1	...
ochi,	,,	30.03	762.8	...	...	E S E	1	...	,,	30.11	764.8	...	...	S E	1	...
agasaki,	,,	29.93	760.3	...	...	S	5	...	,,	29.[illegible]	759.3	...	...	S E	3	...
agoshima,	,,	29.96	760.9	...	...	S S W	3	...	,,	29.94	760.4	...	...	S E	3	...
shima,	,,	29.91	759.6	...	...	S E	3	...	,,	29.89	759.1	...	...	S E	2	...
aha,	,,	29.83	757.7	...	...	E	4	...	,,	29.77	756.2	...	...	S E	4	...
higakijima,	,,	29.80	756.8	...	...	N N W	3	...	,,	29.70	754.3	...	...	N	3	...
onin Is.	,,	30.06	763.6	...	...	E S E	1	...	,,	30.08	764.1	...	...	...	0	...
hefoo,	4 p.	...	...	...	...	...	..	..	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.70	754.4	75	86	E N E	2	c	9 a.	29.76	755.9	77	82	...	0	cm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.74	755.4	77	82	S S E	4	eq	9 a.	29.79	756.6	83	72	S S E	1	c
Sutzlaff,	,,	29.73	755.1	73	95	S	3	ov	,,	29.76	755.9	77	95	S E	3	cm
Sharp Peak,	,,	29.75	756.6	84	...	N	2	o	,,	29.81	757.2	81	...	..	0	c
Amoy,	,,	29.77	756.1	89	...	S	4	b	6 a.	29.[illegible]	756.9	79	...	S S E	1	c
Swatow,	,,	29.70	754.4	92	64	S	1	b	,,	...	...	80	91	N W	1	c
Taiboku,	1 p.	29.79	756.6	...	...	N	2	...	5 a.	29.79	756.7	...	...	W	2	...
Taichu,	,,	29.82	757.3	...	...	W	4	...	,,	29.82	757.3	...	...	...	0	...
Tainan,	,,	29.86	758.4	...	...	W	6	...	,,	29.82	757.5	...	...	E	2	...
Koshun,	,,	29.82	757.2	...	...	N W	8	...	,,	29.79	756.7	...	...	N E	4	...
Pescadores,	,,	29.83	757.6	..	...	S W	6	...	,,	29.79	756.7	...	...	S W	4	...
Canton,	3 p.	29.77	756.1	90	66	S	2	o	9 a.	29.79	756.6	84	79	W	2	b
Hongkong,	4 p.	29.78	756.4	85	74	S	2	c	10 a.	29.84	757.9	84	71	S W	2	c
Victoria Peak,	,,	...	...	...	...	S	4	...	,,	..	..	...	...	S	2	...
Cap Rock,	,,	29.77	756.1	...	...	S W	3	...	,,	29.79	756.6	...	...	S S W	4	...
Macao,	,,	29.79	756.7	84	...	S	2	c	,,	29.85	758.2	84	...	S W	2	c
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.71	754.6	84	...	S S E	5	c	8 a.	29.77	756.1	84	...	S S E	5	c
Tourane,	,,	29.76	756.0	88	...	S E	4	c	,,	29.80	756.8	86	..	S W	3	b
Cape St. James,	,,	29.82	757.3	82	...	N W	1	c	,,	29.88	758.8	77	...	...	0	f
Aparri,	2 p.	29.78	756.4	88	...	N W	4	b	6 a.	29.82	757.4	75	...	S	2	b
Manila,	4 p.	29.80	757	86	79	W S W	4	c	10 a.	29.88	759	86	71	W S W	1	o
Legaspi,	2 p.	29.80	756.9	90	...	W	2	b	6 a.	29.87	758.7	75	...	S W	2	o
Jaccolod,	3 p.	...	...	...	...	N E	2	b	9 a.	...	...	...	...	S W	2	c
Iloilo,	,,	29.85	758.2	86	...	N	1	b	,,	29.91	759.7	83	...	S W	1	o
Cebu,	,,	29.84	757.9	89	...	S	1	c	,,	29.87	758.7	83	...	S	1	b
Labuan,	,,	...	...	...	...	...	...	...	,,	29.91	759.7	83	...	...	...	...

On the 10th at 12.00 p.—The barometer has fallen moderately over S. Loochoos owing to the depression, which is situated to the SE of Meiaco Sima and moving in a Northwesterly direction at present.

Pressure has increased slightly in N. China and decreased a little over Formosa and S. China. It remains high over the Pacific to the SE of Japan.

Moderate monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood,	SW winds, moderate; fine.
—Formosa Channel,	Variable winds, moderate.
—South coast of China between Hongkong and Lamocks,	Same as No. 1.
—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 10th July, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th July, 1911, P.M.								11th July, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.72	754.8	69	...	S	2	f	7 a.	29.76	755.3	65	99	...	0	f
Nemuro,	,,	29.87	758.6	...	...	N	2	...	6 a.	29.89	759.1	...	...	S S E	2	...
Hakodate,	,,	29.85	758.2	...	...	...	0	...	,,	29.37	758.7	...	...	S S W	1	...
Tokio,	,,	29.94	760.6	...	...	S	5	...	,,	30.01	762.1	...	...	...	0	...
Kochi,	,,	...	...	...	...	S E	1	...	,,	30.05	763.3	...	...	S W	1	...
Nagasaki,	,,	29.95	760.8	...	...	S W	2	...	,,	29.95	760.8	...	...	S E	2	...
Kagoshima,	,,	29.98	761.4	...	...	S S E	3	...	,,	29.93	761.4	...	...	E N E	2	...
Oshima,	,,	29.91	759.6	...	...	S S E	4	...	,,	29.87	758.6	...	...	S S E	3	...
Naha,	,,	29.77	756.2	...	...	S E	4	...	,,	29.65	753.2	...	...	S E	5	...
Ishigakijima,	,,	29.66	753.3	...	...	N	5	...	,,	29.64	752.8	...	...	W	6	...
Bonin Is.	,,	30.04	763.1	...	...	E S E	1	...	,,	30.08	764.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	..	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.75	755.6	77	82	E N E	3	...	9 a.	29.79	756.6	70	100	E N E	2	orn
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	..	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	.	...	...
Shanghai,	,,	29.71	754.6	85	72	S S E	2	o	9 a	29.67	753.6	82	79	S E	5	oq
Gutzlaff,	,,	29.71	754.6	78	91	S E	2	ov	,,	29.65	753.1	77	95	S E	5	cm
Sharp Peak,	,,	29.75	755.6	83	...	N	1	c	,,	29.71	754.6	82	...	S	1	b
Amoy,	,,	29.72	754.9	76	72	S E	4	c	6 a.	29.75	755.6	84	63	S S E	1	c
Swatow,	,,	29.71	754.6	71	66	S	1	b	,,	29.75	755.6	80	73	S W	1	b
Taihoku,	1 p.	29.77	756.1	...	...	N E	4	...	5 a.	29.71	754.7	...	...	W	6	...
Taichu,	,,	29.79	756.7	...	...	W	4	...	,,	29.80	756.9	...	...	S E	2	...
Tainan,	,,	29.81	757.2	...	...	W	6	...	,,	29.80	756.9	...	...	E	2	...
Koshun,	,,	29.80	756.8	...	...	N W	6	...	,,	29.76	755.9	...	...	N	6	...
Pescadores,	,,	29.80	756.8	..	...	W	4	...	,,	29.76	755.0	...	...	S W	6	...
Canton,	3 p.	29.76	755.9	90	63	S	2	b	9 a.	29.77	756.1	85	75	W S W	2	c
Hongkong,	4 p.	29.74	755.4	87	63	S W	2	c	10 a.	29.81	757.2	84	72	S W	3	o
Victoria Peak,	,,	...	...	...	...	S	3	...	,,	...	...	...	...	S	4	...
Gap Rock,	,,	29.73	755.1	...	...	S W	4	...	,,	29.78	756.4	...	...	S E	4	...
Macao,	,,	29.76	755.9	84	...	S	3	c	,,	29.82	757.3	82	...	S S W	2	c
Wuchow,	3 p.	29.66	753.5	89	...	S W	2	c	9 a.	29.73	755.1	81	...	S	1	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.66	753.3	88	...	S S E	6	c	8 a.	29.73	755.1	82	...	S S E	5	c
Tourane,	,,	29.71	754.7	86	...	S W	3	b	,,	29.78	756.4	86	..	S W	2	b
Cape St. James,	,,	29.75	755.7	75	...	S S W	4	c	,,	29.83	758.9	75	...	N W	3	o
Aparri,	2 p.	29.78	756.4	88	...	N	4	c	6 a.	29.82	757.4	77	...	S W	2	o
Manila,	4 p.	29.80	757	86	78	S S W	2	c	10 a.	29.92	760	84	77	S S W	1	o
Legaspi,	2 p.	29.81	757.2	90	...	W	2	c	6 a.	29.84	757.9	77	...	W	2	o
Bacolod,	3 p.	...	...	...	...	S W	1	b	9 a.	...	...	...	...	S W	2	c
Iloilo,	,,	29.85	758.2	86	...	S W	2	o	,,	29.91	759.7	83	...	S W	1	c
Cebu,	,,	29.84	757.9	89	...	S	1	c	,,	29.92	759.9	86	...	S	1	c
Labuan,	,,	29.83	757.7	88	...	...	...	...	,,	29.92	759.9	84	...	...	...	...

On the 11th at 11.55 a.—The barometer has fallen moderately over the Southern Loochoos, the depression having moved Northwards, and reached a position about 100 miles to the West of Naha.

Pressure has given way also on the E. coast of China, a depression having appeared over the Yangtze valley.

High pressure still covers the Pacific to the S.E. of Japan.

Moderate monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, moderate or fresh; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 11th July, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th July, 1911, P.M.								12th July, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock,...	2 p.	29.74	755.3	77	...	S	1	c	7 a.	29.59	751.5	73	81	N N E	2	c
muro, ...	,,	29.83	757.6	...	...	S	2	...	6 a.	29.79	756.6	...	...	...	0	...
kodate, ...	,,	29.85	758.2	...	...	S W	1	...	,,	29.85	758.2	...	...	W N W	1	...
kio, ...	,,	29.94	760.6	...	...	S S W	2	...	,,	29.97	761.1	...	...	N W	1	...
chi, ...	,,	30.01	762.3	...	...	S E	1	...	,,	30.01	762.3	...	...	...	0	...
gasaki, ...	,,	29.89	759.3	...	...	S E	5	...	,,	29.86	758.3	...	...	S S E	5	...
goshima, ...	,,	29.94	760.4	...	...	S S E	4	...	,,	29.92	759.9	...	...	S	3	...
hima, ...	,,	29.85	758.1	...	...	S S E	4	...	,,	29.91	759.6	...	...	S	4	...
ha, ...	,,	29.79	756.7	...	...	S	2	...	,,	29.97	759.2	...	...	S	1	...
nigakijima, ...	,,	29.76	755.8	...	...	S	4	...	,,	29.80	756.8	...	...	S	7	...
nin Is.	,,	30.04	763.1	...	...	E	1	...	,,	30.06	763.6	...	...	...	0	...
efoo, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
eihaiwei, ...	,,	29.71	754.6	67	100	E	7	omr	9 a.	29.59	751.6	71	89	S E	2	omr
ankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
nkiang, ...	,,	29.64	752.8	84	75	N W	1	b	,,	29.75	755.6	75	95	...	0	b
anghai, ...	,,	29.58	751.3	81	83	S E	3	o	9 a.	29.73	755.1	80	74	W	3	o
ntzlaff, ...	,,	29.59	751.6	78	95	S E	4	om	,,	29.70	754.4	78	86	W	3	cv
arp Peak, ...	,,	29.60	751.8	84	...	S	4	b	,,	29.79	756.6	83	...	...	0	c
moy, ...	,,	29.67	753.6	90	63	S	4	b	6 a.	29.79	756.6	81	83	S W	1	b
vatow, ...	,,	29.70	754.4	90	63	S W	1	b	,,	29.79	756.6	79	87	S W	1	b
aihoku, ...	1 p.	29.67	753.6	...	...	W	8	...	5 a.	29.79	756.7	...	...	...	0	...
aichu, ...	,,	29.81	757.1	...	...	S	4	...	,,	29.83	757.7	...	...	S	2	...
ainan, ...	,,	29.79	756.7	...	...	S E	2	...	,,	29.84	758.0	...	...	S E	2	...
pshun	,,	29.78	756.3	...	...	N W	8	...	,,	29.82	757.3	...	...	N W	6	...
escadores, ...	,,	29.78	756.3	...	...	S	6	...	,,	29.82	757.3	...	...	N W	6	...
anton, ...	3 p.	29.69	754.1	90	66	S	1	b	9 a.	...	...	...	...	...	...	...
ongkong, ...	4 p.	29.71	754.6	85	67	S S W	2	o	10 a.	29.82	757.4	84	73	S S W	1	o
ictoria Peak, ...	,,	...	...	...	...	S	4	...	,,	...	...	...	...	S S E	3	...
ap Rock, ...	,,	29.71	754.6	...	...	S S W	3	...	,,	29.79	756.6	...	...	S S W	4	...
acao, ...	,,	29.77	756.1	84	...	S	1	c	,,	29.84	757.9	84	...	S S E	3	c
uchow, ...	3 p.	29.64	752.8	88	...	S S W	1	c	9 a.	...	...	...	...	...	...	...
oihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
khoi, ...	,,	29.74	755.4	87	80	S W	2	o	,,	...	...	...	...	...	...	...
ulien, ...	4 p.	29.63	752.6	88	...	S S E	5	c	8 a.	29.71	754.7	82	...	S S E	5	c
urane, ...	,,	29.67	753.7	86	...	S E	3	b	,,	29.77	756.2	88	..	S W	2	dh
pe St. James, .	,,	29.79	756.7	79	...	W N W	4	c	,,	29.91	759.7	77	...	W S W	4	c
arri, ...	2 p.	29.77	756.2	90	...	N E	2	c	6 a.	29.86	758.4	77	...	S E	2	o
anila, ...	4 p.	29.80	757	84	77	S W	2	c	10 a.	29.88	759	84	...	N N W	1	o
gaspi, ...	2 p.	29.79	756.7	88	...	W	2	c	6 a.	29.85	758.2	77	...	...	0	o
acolod, ...	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	2	...
oilo, ...	,,	29.83	757.7	83	...	S W	2	o	,,	29.89	759.2	82	...	S W	1	o
bu, ...	,,	29.81	757.2	89	...	S	2	o	,,	29.85	758.2	89	...	S	2	o
abuan, ...	,,	29.81	757.2	88	...	...	...	...	,,	...	...	...	...	...	...	...

On the 12th at 11.55 a.—The barometer has fallen considerably on the N.E. coast of China and at Wladiwostok, and risen considerably to moderately over the Southern Loochoos, the Yangtze valley and the E. coast of China.

Depressions are lying over Shantung and the N. part of the Sea of Japan.

High pressure still covers the Pacific to the S.E. of Japan.

Moderate monsoon will continue to prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	S. winds, moderate; fair.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 12th July, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th JULY, 1911, P.M.									13th JULY, 1911, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	29.79	756.6	83	...	N W	1	o		7 a.	29.76	755.8	68	94	...	0	or
Nemuro,	"	29.77	756.1	...	...	E	1	...		6 a.	29.87	758.6	...	...	N N E	2	...
Hakodate,	"	29.81	757.2	...	...	S	1	...		"	29.89	759.2	...	...	...	0	...
Tokio,	"	29.87	758.6	...	...	S S W	3	...		"	29.89	759.1	...	...	...	0	...
Kochi,	"	29.99	761.8	...	...	S E	1	...		"	29.97	761.3	...	...	S W	1	...
Nagasaki,	"	29.91	759.8	...	...	S	6	...		"	[illegible]	761.3	...	...	S W	2	...
Kagoshima,	"	29.94	760.4	...	...	S	2	...		"	29.98	761.4	...	...	...	0	...
Oshima,	"	29.94	760.6	...	...	S	3	...		"	[illegible]	761.1	...	...	...	0	...
Naha,	"	29.93	760.1	...	...	S	1	...		"	29.95	760.7	...	...	S S E	1	...
Ishigakijima,	"	29.85	758.3	...	...	S	4	...		"	29.88	758.8	...	...	S E	4	...
Bonin Is.	"	30.02	762.6	...	...	S E	1	...		"	30.04	763.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	..	...		6 a.	...	...	...	...	...	...	...
Weihaiwei,	"	29.57	751.1	71	100	W S W	1	or		9 a.	29.73	755.1	72	95	S S W	3	c
Hankow,	"	...	...	...	...	..	...	...		6 a.	...	...	...	...	...	...	...
Kiukiang,	"	29.75	755.6	87	69	N W	1	c		"	29.73	755.1	77	95	N	2	or
Shanghai,	"	29.72	754.9	86	61	W N W	1	c		9 a.	29.78	756.4	[illegible]	[illegible]	S S W	1	or
Gutzlaff,	"	29.70	754.4	81	87	S W	1	cv		"	29.78	756.4	77	95	S W	3	om
Sharp Peak,	"	29.76	755.9	85	...	S	3	c		"	29.82	757.4	83	..	S	1	b
Amoy,	"	29.74	755.4	88	66	S	4	b		6 a.	29.82	757.4	80	87	S S E	1	b
Swatow,	"	29.76	755.9	85	79	S E	1	c		"	29.81	757.2	70	85	S	1	c
Taihoku,	1 p.	29.82	757.3	...	...	N W	6	...		5 a.	29.82	757.5	...	...	S	2	...
Taichu,	"	29.85	758.2	...	...	W	4	...		"	29.83	757.6	...	...	...	0	...
Tainan,	"	29.87	758.6	...	...	S W	4	...		"	29.84	757.8	...	...	...	0	...
Koshun,	"	29.85	758.1	...	...	S W	6	...		"	29.83	757.6	...	...	...	0	...
Pescadores,	"	29.85	758.1	..	...	S W	4	...		"	29.82	757.3	...	...	S W	2	...
Canton,	3 p.	29.73	755.1	91	67	S	2	c		9 a.	29.75	755.6	86	78	S	2	c
Hongkong,	4 p.	29.76	755.9	85	73	S	1	o		10 a.	29.81	757.2	84	74	S S E	2	c
Victoria Peak,	"	...	...	...	...	S S E	1	...		"	...	...	...	...	S	4	...
Gap Rock,	"	29.74	755.4	...	...	S S W	3	...		"	29.77	756.1	...	...	S S E	4	...
Macao,	"	29.78	756.4	84	...	S S E	2	c		"	29.80	757.0	82	...	S E	3	c
Wuchow,	3 p.	29.68	753.9	89	66	S E	2	c		9 a.	29.71	754.6	83	...	S	1	o
Hoihow,	"	...	...	..	...	...	...	...		"	...	...	...	...	...	...	...
Pakhoi,	"	29.74	755.4	82	80	S W	2	c		"	...	...	...	...	...	...	...
Phulien,	4 p.	29.64	753.8	84	...	S E	5	c		8 a.	29.67	753.5	82	...	S S E	3	c
Tourane,	"	29.74	755.4	82	...	N W	3	c		"	29.75	755.7	88	...	S W	2	c
Cape St. James,	"	29.84	757.9	77	...	S W	5	c		"	29.91	759.7	77	...	S W	6	c
Aparri,	2 p.	29.82	757.3	90	...	N E	2	o		6 a.	29.84	757.8	75	...	S E	0	b
Manila,	4 p.	29.80	757	86	72	S W	2	o		10 a.	29.80	57	84	71	N W	1	o
Legaspi,	2 p.	29.79	756.7	81	...	W	2	o		6 a.	29.71	754.5	75	...	N W	2	o
Bacolod,	3 p.	...	...	...	...	S W	2	o		9 a.	...	...	...	...	S W	2	o
Iloilo,	"	29.81	757.2	83	...	S W	0	o		"	29.83	757.7	77	...	S W	2	o
Cebu,	"	29.82	757.4	85	...	S	2	o		"	29.83	757.7	80	...	S	2	o
Labuan,	"	29.88	758.9	87	...	...	...	...		"	29.93	760.2	83	...	...	...	...

On the 12th at 12.05 p.—The barometer has fallen decidedly over the Philippines owing to the advance of a depression from the Pacific. It is at present situated to the East of Luzon, and apparently it is moving in a West-northwest direction.

Pressure has increased moderately in the North, while it has a tendency to give way over S. China and Tongking. High pressure still covers the Pacific to the S.E. of Japan.

Moderate S.E. and E. winds may be expected over the N. part of the China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, moderate; fair to showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 13th July, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th JULY, 1911, P.M.								14th JULY, 1911, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ladivostook,...	2 p.	29.82	757.4	70	...	S S E	1	f	7 a.	29.76	755.9	67	96	...	0	f
muro, ...	,,	29.87	758.6	...	...	N E	2	...	6 a.	29.91	759.6	...	...	N N W	1	...
kodate, ...	,,	29.87	758.7	...	...	S	1	...	,,	29.91	759.7	...	...	E	1	...
kio, ...	,,	29.85	758.1	...	...	S	2	...	,,	29.89	759.1	...	...	E N E	1	...
chi, ...	,,	29.93	760.3	...	...	S E	1	...	,,	29.93	760.3	...	...	...	0	...
gasaki, ...	,,	29.95	760.8	...	...	S W	5	...	,,	29.93	760.3	...	...	S	1	...
goshima, ...	,,	29.96	760.9	...	...	S E	2	...	,,	29.94	760.4	...	...	E N E	1	...
hima, ...	,,	29.94	760.6	...	...	S	1	...	,,	29.95	760.6	...	...	...	0	...
ha, ...	,,	29.91	759.7	...	...	S E	3	...	,,	29.89	759.2	...	...	S E	1	...
higakijima, ...	,,	29.87	758.8	...	...	E S E	4	...	,,	29.88	758.8	...	...	E	5	...
nin Is.	,,	30.02	762.6	...	...	W	1	...	,,	30.04	763.1	...	...	...	0	...
nefoo, ...	4 p.	...	...	...	...	...	..	...	6 a.	...	...	...	...	...	...	...
eihaiwei, ...	,,	29.71	754.6	77	90	S W	4	b	9 a.	29.65	753.1	71	100	...	1	bm
ankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iukiang, ...	,,	29.72	754.9	85	79	E	1	o	,,	29.70	754.4	79	95	E	1	c
anghai, ...	,,	29.77	756.1	85	76	S S E	1	o	9 a.	29.74	755.4	83	79	S S E	3	o
utzlaff, ...	,,	29.76	755.9	80	91	S	3	om	,,	29.74	755.4	77	95	S	5	om
arp Peak, ...	,,	29.85	758.2	85	...	S E	1	b	,,	29.78	756.4	82	...	N	2	c
moy, ...	,,	29.78	756.4	89	66	S E	4	b	6 a.	29.74	755.4	81	87	S S E	1	c
watow, ...	,,	29.76	755.9	88	73	S	1	o	,,	29.75	755.6	78	95	S E	1	b
aihoku, ...	1 p.	29.82	757.3	...	...	N W	6	...	5 a.	29.73	755.2	...	...	S E	6	...
aichu, ...	,,	29.83	757.6	...	...	N W	2	...	,,	29.75	755.5	...	...	...	0	...
ainan, ...	,,	29.83	757.7	...	...	W	4	...	,,	29.75	755.7	...	...	...	0	...
oshun	,,	29.83	757.7	...	...	E	6	...	,,	...	...	...	...	...	...	...
escadores, ...	,,	29.82	757.5	..	...	W	4	...	,,	29.77	756.2	...	...	N	6	...
anton, ...	3 p.	29.71	754.6	90	70	S	2	b	9 a.	29.72	754.9	85	76	S	2	c
ongkong, ...	4 p.	29.74	755.4	84	73	S S E	1	o	10 a.	29.75	755.6	84	74	S	1	c
ictoria Peak, ...	,,	...	...	...	...	S S E	3	...	,,	...	...	...	...	...	...	...
ap Rook, ...	,,	29.71	754.6	...	...	S S E	4	...	,,	29.70	754.4	...	...	S S E	4	...
acao, ...	,,	29.75	755.6	83	...	S E	3	c	,,	29.76	755.9	84	...	S E	3	c
uchow, ...	3 p.	29.63	752.6	90	...	E	2	c	9 a.	29.65	753.1	84	75	E S E	2	c
oihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
akhoi, ...	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
hulien, ...	4 p.	29.58	751.4	91	...	S	2	c	8 a.	29.62	752.3	...	...	S W	3	or
urane, ...	,,	...	...	...	...	...	...	...	,,	29.71	754.7	86	..	S W	2	dh
pe St. James, .	,,	29.87	758.7	75	...	S W	6	c	,,	29.91	759.7	77	...	S W	5	o
arri, ...	2 p.	29.73	755.2	86	...	N	2	o	6 a.	29.55	750.5	81	...	N	4	q
anila, ...	4 p.	29.72	755	82	77	W	4	q	10 a.	29.65	753	79	86	W	3	d
gaspi, ...	2 p.	29.61	752.0	75	...	W	6	o	6 a.	...	...	...	...	...	...	...
acolod, ...	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	3	o
oilo, ...	,,	29.74	755.4	80	...	S W	4	o	,,	29.78	756.4	82	...	S W	4	o
ebu, ...	,,	29.77	756.1	82	...	S	3	o	,,	29.77	756.1	84	...	S	2	c
abuan, ...	,,	29.86	758.4	88	...	...	...	...	,,	29.90	759.4	83	...	...	...	...

On the 14th at 12.05 p.—The barometer has fallen quickly over Northern Luzon the typhoon having approached the N.E. coast in about 17° Lat. It continues to move towards W.N.W., and the South coast of China is threatened in about two days time.

Pressure has increased slightly in N.E. Japan, and given way moderately over the China coast and Tongking. It remains high over Pacific in the neighbourhood of the Bonins.

Bad weather will set in over the N.E. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	E. winds, moderate; showery.
Formosa Channel, ...	E. and N.E. winds, moderate to fresh.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan,...	S.E. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 14th July, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th JULY, 1911, P.M.								15th JULY, 1911, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.72	754.9	66	...	S	1	f	7 a.	29.54	752.9	62	93	S S E	1	f
Nemuro,	,,	29.87	758.6	...	...	S W	2	...	6 a.	29.79	756.6	...	...	W	3	...
Hakodate,	,,	29.87	758.7	...	...	N E	2	...	,,	29.77	756.3	...	...	N W	1	...
Tokio,	,,	29.85	758.1	...	...	N	1	...	,,	29.79	756.6	...	...	...	0	...
Kochi,	,,	29.87	758.8	...	...	E S E	1	...	,,	29.82	757.3	...	...	S W	3	...
Nagasaki,	,,	29.91	759.8	...	...	W S W	3	...	,,	29.91	759.8	...	...	S S W	1	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	29.94	760.4	...	...	...	0	...
Oshima,	,,	29.91	759.6	...	...	S	2	...	,,	29.91	759.6	...	...	S	1	...
Naha,	,,	29.85	758.2	...	...	S E	3	...	,,	29.85	758.2	...	...	E	2	...
Ishigakijima,	,,	29.76	755.8	...	...	E	6	...	,,	29.72	754.8	...	...	E	5	...
Bonin Is.	,,	29.98	761.6	...	...	W S W	1	...	,,	30.01	762.1	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.70	754.4	77	90	...	...	b	9 a.	29.64	752.8	81	87	S S E	1	cf
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.70	754.4	89	63	...	0	o	,,	29.68	753.9	80	87	N E	1	c
Shanghai,	,,	29.71	754.6	86	72	S S E	3	o	9 a	29.75	755.6	83	79	S S E	3	c
Gutzlaff,	,,	29.70	754.4	79	82	S	5	ov	,,	29.74	755.4	79	95	S	3	cn
Sharp Peak,	,,	29.74	755.4	82	...	N	8	o	,,	29.67	753.6	82	...	N	4	c
Amoy,	,,	29.67	753.6	88	66	S	5	c	6 a	29.59	751.6	85	79	N E	2	o
Swatow,	,,	29.66	753.3	87	72	S E	1	c	,,	29.61	752.1	80	87	W	1	c
Taihoku,	1 p.	29.70	754.3	...	...	S E	8	...	5 a	29.63	752.5	...	...	E	6	
Taichu,	,,	29.68	753.9	...	...	N	4	...	,,	29.56	750.8	...	...	...	0	...
Tainan,	,,	29.70	754.4	...	...	N W	6	...	,,	29.57	751.1	...	...	E	2	...
Koshun,	,,	29.65	753.9	...	...	E	8	...	,,	29.56	750.8	...	...	E	8	...
Pescadores,	,,	29.71	754.7	...	...	N	6	...	,,	29.54	750.4	...	...	...	0	...
Canton,	3 p.	29.64	752.8	88	69	S	2	b	9 a.	29.65	753.1	84	75	...	0	c
Hongkong,	4 p.	29.66	753.3	83	77	E	1	c	10 a.	29.65	753.1	85	67	W	1	c
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	W	1	...
Gap Rock,	,,	29.64	752.8	...	...	S E	3	...	,,	29.63	752.8	...	...	W N W	1	...
Macao,	,,	29.68	753.9	85	...	S S E	3	c	,,	29.67	753.6	84	...	...	0	c
Wuchow,	3 p.	29.58	751.3	89	63	S W	2	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.53	750.0	88	...	S S W	5	o	8 a.	29.59	751.6	79	...	S	2	o
Tourane,	,,	29.64	752.9	86	...	S	2	b	,,	29.67	753.7	90	...	W	2	c
Cape St. James,	,,	29.83	757.7	77	...	S W	6	o	,,	29.87	758.7	77	...	S W	6	o
Aparri,	2 p.	29.40	746.7	81	...	N E	4	q	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.53	750	81	85	W S W	7	d	10 a.	29.61	752	79	92	W S W	8	q
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S	5	or	9 a.	...	...	...	...	S W	3	c
Iloilo,	,,	29.66	753.3	79	...	S W	4	o	,,	29.83	757.7	...	...	S W	4	o
Cebu,	,,	29.72	754.9	88	...	S	4	o	,,	29.84	759.9	83	...	S	4	c
Labuan,	,,	29.84	757.9	87	...	...	...	...	,,	29.99	759.4	84	...	...	...	...

On the 14th at 5.00 p.—The typhoon is crossing northern Luzon. It continues moving towards W.N.W., and is expected to enter the China Sea to-night in about 18° Lat.

On the 15th at 9.10 a.—Red South Cone and Drum hoisted.

At 11.55 a.—The barometer is rising over the Southern Philippines, and falling over Formosa and the coasts of Southern China.

The typhoon, which is situated to the West of Northern Luzon, is moving towards W.N.W. or N.W., and present indications point to the disturbance reaching the S. coast of China in neighbourhood of Hongkong in about 36 hours.

A depression is shown over Manchuria and pressure is giving way in E. Japan.

High pressure still covers the Pacific in the neighbourhood of the Bonins.

Bad weather may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, freshening; weather becoming unsettled
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Variable winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 15th July, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th JULY, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	16th JULY, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	2 p.	29.60	751.9	72	...	S S E	1	c	7 a.	29.56	750.9	66	96	S	1	o
emuro,	,,	29.77	756.1	...	...	S W	5	...	6 a.	29.79	756.5	...	...	S W	2	...
akodate,	,,	29.77	756.2	...	...	S E	1	...	,,	29.73	755.2	...	...	..	0	...
okio,	,,	29.75	755.6	...	...	S W	1	...	,,	29.79	755.6	...	...	W N W	1	...
oohi,	,,	29.85	758.3	...	...	E	1	...	,,	29.84	757.8	...	...	S W	1	...
agasaki,	,,	29.59	759.3	...	...	S E	3	...	,,	29.89	759.3	...	...	S	2	...
agoshima,	,,	29.90	759.4	...	...	S S E	2	...	,,	29.92	759.9	...	...	...	0	...
shima,	,,	29.87	758.6	...	...	S	5	...	,,	29.89	759.4	...	...	S	1	...
aha,	,,	29.81	757.2	...	...	S E	3	...	,,	29.81	757.2	...	...	S E	2	...
higakijima,	,,	29.68	753.8	...	...	S E	6	...	,,	29.66	753.3	...	...	E S E	7	...
onin Is.	,,	29.96	761.1	...	...	S S W	1	...	,,	29.99	761.6	...	...	...	0	...
hefoo,	4 p.	...	...	...	...	...	..	..	6 a.	...	...	...	...	...	...	...
Veihaiwei,	,,	29.61	752.1	79	...	N	1	b	9 a.	29.58	751.3	75	100	S W	4	om
ankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
inkiang,	,,	29.63	752.6	90	70	W	1	c	,,	...	...	...	...	...	...	...
hanghai,	,,	29.69	754.1	83	73	S S E	3	cq	9 a.	29.70	754.4	85	76	S E	4	c
utzlaff,	,,	29.70	754.4	81	91	S E	2	cm	,,	29.67	753.6	81	87	S S E	3	cm
harp Peak,	,,	29.61	752.1	83	...	N	4	b	,,	29.53	750.0	82	...	N	6	o
moy,	,,	29.52	749.8	96	92	N E	4	b	6 a.	29.45	749.0	85	87	N E	2	b
watow,	,,	29.52	759.8	91	63	S	1	b	,,	29.50	749.3	82	83	N W	1	b
aihoku,	1 p.	29.53	751.4	...	...	S E	3	...	5 a.	29.48	748.3	...	...	E	10	...
aichu,	,,	29.50	749.3	...	...	N	2	...	,,	29.47	748.5	...	...	...	0	...
ainan,	,,	29.52	749.9	...	...	W	6	...	,,	29.46	748.2	...	...	...	0	...
oshun	,,	..	...	...	...	...	...	...	,,	29.44	747.8	...	...	S E	8	...
escadores,	,,	29.46	748.4	.	...	S W	4	...	,,	29.44	747.8	...	...		0	...
anton,	3 p.	29.56	750.8	89	59	N	2	c	9 a.	29.52	749.8	85	79	N N W	1	b
ongkong,	4 p.	29.53	750.0	86	66	W	1	o	10 a.	29.53	750.0	85	78	W	2	c
ictoria Peak,	,,	...	...	...	...	N W	3	...	,,	...	...	...	...	W	4	...
ap Rock,	,,	29.53	750.0	...	...	N W	3	...	,,	29.50	749.3	...	...	W S W	4	...
acao,	,,	29.57	751.1	87	...	S	2	c	,,	29.56	750.8	87	...	W N W	1	c
uchow,	3 p.	29.52	749.8	87	72	E	1	c	9 a.	...	...	...	...	...	...	...
oihow,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
akhoi,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
hulien,	4 p.	29.52	749.7	88	...	W S W	1	o	8 a.	29.57	751.0	88	...	W S W	3	b
ourane,	,,	29.61	752.1	88	...	N W	2	c	,,	29.67	753.5	86	..	S S W	2	or
pe St. James,	,,	29.80	757.0	77	...	S W	6	b	,,	29.89	759.3	77	...	S W	4	o
arri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
anila,	4 p.	29.57	751	79	92	S W	6	q	10 a.	29.72	755	81	85	S W	4	oq
egaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
acolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	2	or
oilo,	,,	29.81	757.2	85	...	S W	2	o	,,	29.87	758.7	82	...	S W	3	o
ebu,	,,	29.76	755.9	87	...	S	2	o	,,	29.82	757.4	85	...	N E	2	o
ebuan,	,,	29.85	758.2	88	...	...	...	...	,,	...	...	...	...	...	...	...

On the 17th at 6.30 p.—Black South Cone and Drum hoisted.

On the 16th at 6.00 a.—Black Drum hoisted.

At 11.55 a.—The barometer has fallen moderately over Formosa and the S. and S.E. coasts of China, and risen a like amount in Manila.

The typhoon is situated to the N.E. of Pratas shoal. At present it appears to be moving towards N.N.W. and the coast in the neighbourhood of Swatow is threatened.

The depression in the North remains over Manchuria, and high pressure covers the Pacific in the vicinity of the Bonins.

Bad weather may be expected over the Formosa Channel.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.

—Hongkong and Neighbourhood,	N.W. to W. winds, strong; squally, fine at first, [thunder showers later.
—Formosa Channel,	Cyclonic gales.
.—South coast of China between Hongkong and Lamocks,	N.W. and W. winds, strong to a gale.
.—South coast of China between Hongkong and Hainan,	W.S. and W. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 16th July, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th JULY, 1911, P.M.								17th JULY, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.55	750.5	66	...	S S E	1	f	7 a	29.46	743.3	67	98	...	0	f
Nemuro,	"	29.77	756.1	...	...	S	3	...	6 a	29.81	757.1	...	...	S	2	...
Hakodate,	"	29.73	755.2	...	...	S S E	2	...	"	29.77	756.2	...	...	S E	1	...
Tokio,	"	29.75	755.6	...	...	S	1	...	"	29.83	757.6	...	...	N W	1	...
Kochi,	"	29.85	758.3	...	...	E S E	1	...	"	29.93	760.3	...	...	.	0	...
Nagasaki,	"	...	...	...	...	...	...	...	"	29.91	759.8	...	...	S S E	2	...
Kagoshima,	"	29.87	758.9	...	...	S E	1	...	"	29.94	760.4	...	...	N E	1	...
Oshima,	"	29.87	758.6	...	...	S	3	...	"	29.87	758.6	...	...	S	1	...
Naha,	"	29.79	756.7	...	...	S E	4	...	"	29.79	756.7	...	...	S E	1	...
Ishigakijima,	"	29.62	752.3	...	...	E S E	6	...	"	29.58	751.3	...	...	S S E	8	...
Bonin Is.	"	29.96	761.1	...	...	W S W	1	...	"	30.01	762.1	...	...	W S W	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	"	29.57	751.1	75	95	S S W	3	cm	9 a.	29.60	751.8	73	100	S S W	5	c
Hankow,	"	...	...	...	...	...	...	...	6 a	...	...	...	...	...	...	...
Kiukiang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	"	29.61	752.1	83	69	S S E	5	c	9 a	29.63	752.6	84	79	S E	4	o
Gutzlaff,	"	29.63	752.6	81	91	S E	4	cm	"	29.62	752.3	79	91	S E	6	o
Sharp Peak,	"	29.46	748.3	83	...	N	6	c	"	29.30	744.2	81	...	N N E	5	o
Amoy,	"	29.45	748.0	97	96	E N E	4	b	6 a.	29.34	745.2	85	91	W	3	c
Swatow,	"	29.41	747.0	92	67	S	5	b	"	...	...	82	87	N W	1	c
Taihoku,	1 p.	29.46	748.3	...	...	E	8	...	5 a	29.35	745.4	...	...	E	2	...
Taichu,	"	29.42	747.2	...	...	...	0	...	"	29.32	744.7	...	...	S	2	...
Tainan,	"	29.44	747.7	...	...	W	2	...	"	29.40	746.8	...	...	S	4	...
Koshun	"	29.40	746.7	...	...	S E	6	...	"	29.47	748.6	...	...	W	8	...
Pescadores,	"	29.41	747.0	...	...	N W	4	...	"	29.34	745.1	...	...	N W	6	...
Canton,	3 p.	29.45	748.0	92	96	N W	2	b	9 a	29.47	748.5	86	76	W	2	b
Hongkong,	4 p.	29.43	747.5	90	61	W S W	1	o	10 a.	29.49	749.0	87	71	W	2	o
Victoria Peak,	"	...	...	...	...	S W	3	...	"	...	...	...	...	S W	3	...
Gap Rock,	"	29.43	747.5	...	...	W	5	...	"	29.49	749.0	...	...	W S W	6	...
Macao,	"	29.48	748.6	87	...	S W	1	c	"	29.53	750.0	87	...	W	1	c
Wuchow,	8 p.	29.46	748.3	87	72	S W	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	4 p.	29.34	747.9	93	...	W S W	4	c	8 a	29.51	749.5	82	...	S S W	5	c
Tourane,	"	29.57	751.2	91	...	S S W	2	o	"	29.65	753.1	86	...	W	1	f
Cape St. James,	"	29.84	757.9	75	...	S W	5	o	"	29.83	758.9	77	...	W S W	5	c
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.65	753	82	77	S W	5	o	10 a.	29.76	755	81	77	...	0	c
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.76	756.0	81	...	S	2	c
Bacolod,	3 p.	...	...	...	...	S W	2	c	9 a.	...	...	...	...	S W	2	c
Iloilo,	"	29.77	756.1	83	...	S W	1	o	"	29.85	758.2	81	...	S W	3	c
Cebu,	"	29.83	757.7	85	...	S	1	c	"	29.87	758.7	83	...	S	3	c
Labuan,	"	..	...	...	...	...	...	...	"	29.79	756.6	83	...	...	...	...

On the 17th at 5.50 a.—Signals lowered.

At 11.50 a.—The barometer has fallen considerably at the Formosa Channel stations, the typhoon having recurved to the N.N.E. and reached the N. part of the Channel.

The depression lying over Manchuria is progressing Eastwards.

Pressure remains high over the Pacific in the neighbourhood of the Bonins.

Strong monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. and S.W. winds, strong; fair, squally.
2.—Formosa Channel,	Cyclonic gales.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory. Monday, 17th July, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th July, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	18th July, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
livostook,...	2 p.	29.43	747.4	72	...	S S E	1	c	7 a.	29.49	749.0	69	94	...	0	o
uro,.....	,,	29.77	756.1	...	...	S	3	...	6 a.	29.73	755.1	...	...	S	2	...
odate,.....	,,	29.71	754.7	...	...	S E	1	...	,,	29.63	752.7	...	...	W S W	1	...
o,.....	,,	29.81	757.1	...	...	N E	1	...	,,	29.83	757.6	...	...	...	0	...
i,.....	,,	29.87	758.8	...	...	E S E	1	...	,,	29.93	760.3	...	...	S	1	...
saki,.....	,,	29.87	758.8	...	...	S	4	...	,,	29.89	759.3	...	...	S E	3	...
oshima,.....	,,	29.90	759.4	...	...	S	2	...	,,	29.92	759.9	...	...	E	1	...
ma,.....	,,	29.85	758.1	...	...	S S E	3	...	,,	29.87	758.6	...	...	S	2	...
a,.....	,,	29.77	756.2	...	...	S W	3	...	,,	29.79	756.7	...	...	S S E	2	...
gakijima,....	,,	29.60	751.8	...	...	S S E	7	...	,,	29.68	753.8	...	...	S S E	6	...
in Is.....	,,	29.96	761.1	...	...	W N W	1	...	,,	29.99	761.6	...	...	...	0	...
oo,.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
haiwei,.....	,,	29.64	752.8	75	100	S S W	2	or	9 a.	29.66	753.3	73	100	S W	2	omr
kow,.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang,.....	,,	29.44	757.8	93	61	N E	1	b	,,	...	...	...	...	...	...	...
nghai,.....	,,	29.57	751.1	82	83	S E	4	o	9 a	29.49	749.0	80	91	S E	6	o
zlaff,.....	,,	29.59	751.6	73	100	S E	6	om	,,	29.43	749.0	76	100	S S E	7	omp
p Peak,.....	,,	29.32	744.7	81	...	S E	5	o	,,	29.49	749.0	80	...	S	3	or
y,.....	,,	29.33	745.0	86	72	S E	4	c	6 a	29.47	748.5	82	87	S W	3	c
tow,.....	,,	29.34	745.2	91	70	W	2	c	,,	29.49	749.0	82	83	S W	1	b
oku,.....	1 p.	29.41	747.0	...	...	S E	4	...	5 a	29.52	749.8	...	...	...	0	...
hu,.....	,,	29.46	748.3	...	...	S	2	...	,,	29.56	750.9	...	...	...	0	...
an,.....	,,	29.50	749.2	...	...	S	3	...	,,	29.60	751.7	...	...	S	4	...
hun.....	,,	29.56	750.8	...	...	W	6	...	,,	29.62	752.3	...	...	S W	6	...
adores,.....	,,	...	...	...	...	...	...	...	,,	29.54	750.2	...	...	S W	8	...
ton,.....	3 p.	29.40	746.7	94	58	W	2	b	9 a.	29.50	749.3	87	76	W	2	b
gkong,.....	4 p.	29.42	747.2	86	77	S W	4	oq	10 a.	29.53	750.0	86	72	S W	3	oq
toria Peak,...	,,	...	...	...	...	S S W	7	...	,,	...	...	...	...	S S E	4	...
Rock,.....	,,	29.40	746.7	...	...	W S W	6	...	,,	29.51	749.5	...	...	S W	5	...
ao,.....	,,	29.43	747.6	87	...	S W	3	c	,,	29.54	750.3	86	...	S W	3	o
how,.....	3 p.	29.39	746.5	91	...	W	2	o	9 a.	...	...	...	...	...	...	...
how,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
lien,.....	4 p.	29.42	747.2	93	...	W S W	5	or	8 a.	29.54	750.4	77	...	S W	7	or
ane,.....	,,	29.61	752.0	90	...	N W	2	c	,,	29.63	752.7	84	..	W	1	f
St. James,.	,,	29.81	757.1	81	...	S W	5	o	,,	29.88	758.9	79	...	W	2	o
ri,.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ila,.....	4 p.	29.72	755	77	84	W	1	o	10 a.	29.80	757	75	100	W	1	r
spi,.....	2 p.	29.76	755.9	88	...	W	4	c	6 a.	29.77	756.2	77	...	S W	2	o
olod,.....	3 p.	...	...	...	...	S W	2	b	9 a.	...	...	...	...	S W	2	o
io,.....	,,	29.79	756.6	84	...	S W	1	b	,,	29.83	757.7	80	...	S W	1	c
u,.....	,,	29.79	756.6	87	...	S	2	c	,,	29.91	759.7	83	...	S	1	c
uan,.....	,,	29.81	757.2	89	...	...	...	...	,,	29.87	758.7	84	...	...	...	...

On the 18th at 12.05 p.—The barometer has risen quickly over Formosa and the S.E. coast of China, and fallen considerably in Shanghai.

The typhoon, moving Northwards, entered the coast yesterday afternoon to the South of Foochow. It appears to be situated over the Lower Yangtze valley this morning.

The depression lying over Manchuria yesterday, is moving into the N.E. part of the Sea of Japan.

High pressure still covers the Pacific in the neighbourhood of the Bonins.

Strong monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	S.W. winds, strong; squally, probably some showers.
Formosa Channel, ...	S. and S.W. winds, strong.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 18th July, 1911.

[Printed by NOBOMHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th July, 1911, P.M.								19th July, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.51	749.5	85	...	S S E	1	c	7 a.	29.70	754.4	73	91	S S E	1	o
Nemuro,	"	29.65	753.1	...	...	S	4	...	6 a.	29.59	751.6	...	...	N E	4	...
Hakodate,	"	29.58	751.2	...	...	S W	3	...	"	29.76	755.8	...	...	...	0	...
Tokio,	"	29.79	758.6	...	...	W S W	2	...	"	29.84	757.6	...	...	N W	1	...
Kochi,	"	29.89	759.3	...	...	E S E	1	...	"	29.97	761.3	...	...	S W	1	...
Nagasaki,	"	29.87	758.8	...	...	S W	3	...	"	29.95	760.8	...	...	S E	4	...
Kagoshima,	"	29.88	758.9	...	...	...	0	...	"	29.96	760.9	...	...	N N E	1	...
Oshima,	"	29.83	757.6	...	...	S	4	...	"	29.91	759.6	...	...	S	1	...
Naha,	"	29.79	756.7	...	...	S S W	3	...	"	29.87	758.7	...	...	S E	1	...
Ishigakijima,	"	29.70	754.3	...	...	S S E	5	...	"	29.76	755.8	...	...	S E	5	...
Bonin Is.	"	29.94	760.6	...	...	E	1	...	"	29.99	761.6	...	...	...	0	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	"	29.60	751.8	73	100	S W	3	or	9 a.	29.41	746.7	74	100	S S W	7	orn
Hankow,	"	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	"	29.44	747.8	84	75	S E	6	o	9 a	29.63	752.6	84	79	S	4	o
Gutzlaff,	"	29.47	748.5	77	95	S S E	7	omp	"	29.62	752.3	79	91	S	6	cm
Sharp Peak,	"	29.50	749.3	81	...	S	2	o	"	29.61	752.1	81	...	S	1	c
Amoy,	"	29.53	750.0	85	79	S W	4	o	6 a	29.66	753.3	81	87	S E	4	o
Swatow,	"	29.49	749.0	90	77	S W	2	b	"	29.60	751.8	77	95	S E	1	c
Taihoku,	1 p.	29.58	751.4	...	...	N	2	...	5 a.	29.70	754.4	...	...	S W	2	...
Taichu,	"	29.61	752.1	...	...	S W	4	...	"	29.71	754.6	...	...	...	0	...
Tainan,	"	29.66	753.3	...	...	S	6	...	"	29.72	754.9	...	...	S	4	...
Koshun	"	29.66	753.3	...	...	S W	4	...	"	29.73	755.0	...	...	S	2	...
Pescadores,	"	29.60	751.9	..	...	S	6	...	"	29.69	754.2	...	...	S	6	...
Canton,	3 p.	29.42	747.2	94	61	S	2	c	9 a.	29.58	751.3	87	76	W S W	1	c
Hongkong,	4 p.	29.48	748.8	86	68	S W	3	oq	10 a.	29.62	752.3	83	83	...	0	o
Victoria Peak,	"	...	...	...	...	S S W	4	...	"	...	...	..	...	S S E	1	...
Gap Rock,	"	29.46	748.3	...	...	S W	5	...	"	29.59	751.6	...	...	S W	3	...
Macao,	"	29.49	749.1	84	...	S	3	c	"	29.64	752.8	79	...	N	2	o
Wuchow,	3 p.	...	..	..	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	4 p.	29.46	748.2	84	...	S S W	3	o	8 a.	29.52	749.8	81	...	S S E	2	o
Tourane,	"	29.57	751.1	86	...	N W	1	c	"	29.63	752.7	86	..	S	2	dh
Cape St. James,	"	29.76	756.9	84	...	S W	4	c	"	29.84	757.8	81	...	S W	3	c
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.72	755	79	84	W N W	1	o	10 a.	29.80	757	79	86	..	0	d
Legaspi,	2 p.	29.72	754.9	88	...	W	4	c	6 a.	29.78	756.5	77	...	W	2	o
Bacolod,	3 p.	...	...	...	...	S W	1	c	9 a.	...	...	...	...	S W	2	o
Iloilo,	"	29.74	755.4	84	...	S W	1	o	"	29.83	757.7	85	...	S W	1	o
Cebu,	"	29.76	756.9	86	...	S	2	c	"	29.85	758.2	84	...	S	1	o
Labuan,	"	29.80	756.9	88	...	...	...	...	"	29.88	758.9	84	...	...	...	...

On the 19th at 11.55 a.—The barometer has fallen quickly on the N.E. coast of China owing to the typhoon, which is moving Northwards over the Gulf of Pechili.

Pressure has increased moderately over Formosa and S. China. It remains low over Tongking.

The depression lying over the N.E. part of the Sea of Japan yesterday, has moved into the Pacific.

Pressure is highest over the Pacific between the Loochoos and the Bonins.

Fresh or moderate monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.33 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, fresh or moderate; thunder showers.
2.—Formosa Channel,	S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 19th July, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th JULY, 1911, P.M.								20th JULY, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
adivostock,	2 p.	29.74	755.4	67	...	S S E	1	o	7 a.	29.59	751.5	63	97	S E	6	or
nuro,	,,	29.65	753.1	...	...	N E	3	...	6 a.	29.79	756.6	...	...	E N E	4	...
kodate,	,,	29.73	755.2	...	...	N N W	4	...	,,	29.81	757.2	...	...	N	2	...
io,	,,	29.81	757.1	...	...	N	1	...	,,	29.85	758.1	...	...	N N W	1	...
chi,	,,	29.91	759.3	...	...	S E	1	...	,,	29.91	759.8	...	...	S W	1	...
gasaki,	,,	29.91	759.8	...	...	S W	4	...	,,	29.95	760 8	...	...	...	0	...
goshima,	,,	29.94	760.4	...	...	S	2	...	,,	29.94	760.4	...	...	...	0	...
ima,	,,	29.91	759.6	...	...	S E	3	...	,,	29.93	760.1	...	...	S	1	...
ha,	,,	29.87	758.7	...	...	S E	2	...	,,	29.89	759.2	...	...	...	0	...
igakijima,	,,	29.76	755.8	...	...	S E	4	...	,,	29.82	757.3	...	...	E S E	4	...
nin Is.	,,	29.94	760.6	...	...	...	0	...	,,	29.89	759.1	...	...	...	0	...
efoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ihaiwei,	,,	29.42	747.2	74	100	S W	6	orm	9 a.	29.67	753.6	75	95	W	1	bm
nkow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
anghai,	,,	29.61	752.1	88	77	S S E	4	c	9 a.	29.75	755.6	85	76	S	4	cq
tzlaff,	,,	29.62	752.3	81	87	S	7	cm	,,	29.74	755.4	79	91	S	5	cm
arp Peak,	,,	29.68	753.9	83	...	S E	2	b	,,	29.77	756.1	82	...	E	1	b
noy,	,,	29.63	753.9	86	76	S	4	c	6 a.	29.74	755.4	80	87	S E	3	or
atow,	,,	29.61	752.1	87	76	E	2	c	,,	29.67	753.6	77	95	S E	1	or
ihoku,	1 p.	29.72	755.0	...	...	N W	2	...	5 a.	29.75	755.6	...	...	E	2	...
ichu,	,,	29.70	754.3	...	...	N	4	...	,,	29.75	755.5	...	...	...	0	...
inan,	,,	29.72	754.8	...	...	S	6	...	,,	29.75	755.6	...	...	...	0	...
shun	,,	29.70	754.3	...	...	S E	6	...	,,	29.76	755.9	...	...	S E	4	...
scadores,	,,	29.70	754.5	..	...	S	6	...	,,	29.73	755.2	...	...	N E	4	...
nton,	3 p.	29.54	750.3	89	73	W S W	2	o	9 a.	...	...	...	...	...	...	...
ngkong,	4 p.	29.56	750.8	82	84	E	1	o	10 a.	29.67	753.6	79	91	S E	1	o
ctoria Peak,	,,	...	...	...	...	S S E	2	...	,,	...	...	...	...	S E	3	...
p Rock,	,,	29.54	750.3	...	...	S E	2	...	,,	29.63	752.6	...	...	S S W	5	...
cao,	,,	29.57	751.2	83	...	S E	3	o	,,	29.68	753.9	79	...	S E	2	o
uchow,	3 p.	...	...	..	...	...	...	...	9 a.	...	...	...	...	...	...	...
ihow,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
khoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ulien,	4 p.	29.46	748.3	88	...	S E	2	c	8 a.	29.56	750.8	84	...	...	0	c
urane,	,,	29.57	751.2	86	...	N N W	2	c	,,	29.64	752.8	86	..	S S W	4	c
e St. James,	,,	29.74	755.4	84	...	S W	5	c	,,	29.86	758.5	81	...	S W	4	c
arri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
nila,	4 p.	29.72	755	81	86	S	1	o	10 a.	29.80	757	81	85	..	0	o
gaspi,	2 p.	29.75	755.7	86	...	W	2	o	6 a.	29.78	756.4	75	...	W	2	b
colod,	3 p.	...	...	...	...	S W	1	c	9 a.	...	...	...	...	S W	1	o
ilo,	,,	29.77	756.1	80	...	S W	1	o	,,	29.83	757.7	81	...	S W	1	b
bu,	,,	29.78	756.4	87	...	S	2	o	,,	...	...	84	...	S	1	c
buan,	,,	29.81	757.2	87	...	...	...	...	,,	29.88	758.9	85	...	...	...	...

On the 20th at 11.45 a.—The barometer has fallen in Wladiwostok under the influence of the typhoon, which is now moving Northeastwards over Manchuria.

Pressure has increased over China, particularly in the North. It has a tendency to give way over the Philippines, and a moderate decrease has taken place at the Bonins, probably owing to the existence of a depression rather far to the Southward.

Pressure is highest over W. Japan and adjacent waters.

Moderate monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.73 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	S.E. winds, moderate or fresh; squally, showery.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 20th July, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th JULY, 1911, P.M.								21st JULY, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.57	751.2	63	...	S S E	2	o	7 a.	29.66	753.4	60	96	W S W	1	f
Nemuro,	,,	29.89	759.1	...	...	N E	6	...	6 a.	30.02	762.6	...	...	E	3	...
Hakodate,	,,	29.83	757.7	...	...	S E	1	...	,,	29.87	758.7	...	...	S E	6	...
Tokio,	,,	29.77	756.1	...	...	S W	1	...	,,	29.81	757.1	...	...	E	1	...
Kochi,	,,	29.83	757.8	...	...	E S E	1	...	,,	29.82	757.3	...	...	S W	1	...
Nagasaki,	,,	29.89	759.3	...	...	W N W	1	...	,,	29.88	758.8	...	...	...	0	...
Kagoshima,	,,	29.86	758.4	...	...	S W	1	...	,,	29.86	758.4	...	...	N	1	...
Oshima,	,,	29.89	759.1	...	...	S E	1	...	,,	29.91	759.6	...	...	E	1	...
Naha,	,,	29.87	758.7	...	...	E	2	...	,,	29.81	757.2	...	...	E S E	1	...
Ishigakijima,	,,	29.82	757.3	...	...	E S E	5	...	,,	29.80	756.8	...	...	E	2	...
Bonin Is.	,,	29.83	757.6	...	...	E S E	1	...	,,	29.75	755.6	...	...	N E	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.66	753.3	78	91	N E	1	b	9 a.	29.72	754.9	74	95	S S E	1	on
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.71	754.6	89	69	S S E	3	c	9 a	29.75	755.6	85	72	S	2	b
Gutzlaff,	,,	29.69	754.1	83	83	S	6	bm	,,	29.73	755.1	80	87	S	4	bn
Sharp Peak,	,,	29.75	755.6	84	...	E	2	b	,,	29.76	755.9	83	...	N N E	3	o
Amoy,	,,	29.75	755.6	86	63	S	4	b	6 a.	29.76	755.9	82	83	W N W	3	b
Swatow,	,,	29.71	754.6	84	83	E	2	b	,,	29.70	754.4	78	95	E	1	b
Taihoku,	1 p.	29.73	755.1	...	...	E	6	...	5 a.	29.75	755.7	...	...	...	0	...
Taichu,	,,	29.73	755.1	...	...	N	2	...	,,	29.77	756.1	...	...	...	0	...
Tainan,	,,	29.76	755.8	...	...	N W	4	...	,,	29.76	755.9	...	...	...	0	...
Koshun	,,	29.77	756.1	...	...	S E	6	...	,,	29.75	755.6	...	...	S E	2	...
Pescadores,	,,	29.76	755.9	..	...	N	4	...	,,	29.75	755.5	...	...	N	2	...
Canton,	3 p.	29.61	752.1	84	79	S E	2	o	9 a.	29.68	753.9	83	79	S E	2	b
Hongkong,	4 p.	29.62	752.3	82	83	E	3	o	10 a.	29.68	753.9	82	75	E	3	o
Victoria Peak,	,,	...	...	...	...	E S E	3	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	29.56	750.8	...	...	S E	5	...	,,	29.64	752.8	...	...	S	5	...
Macao,	,,	29.63	752.6	79	...	S E	2	c	,,	29.69	754.1	81	...	E	4	od
Wuchow,	3 p.	...	...	..	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.67	753.6	81	78	N E	2	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.49	749.1	86	...	S S E	2	o	8 a.	29.58	751.3	81	...	S S E	3	or
Tourane,	,,	29.56	750.9	88	...	N N W	1	c	,,	29.64	752.9	84	..	S S W	1	dh
Cape St. James,	,,	29.73	755.1	82	...	W S W	6	c	,,	29.82	757.5	81	...	S W	4	c
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.69	754.0	75	...	S	2	b
Manila,	4 p.	29.76	756	77	92	S S W	2	d	10 a.	29.76	756	81	85	S	2	o
Legaspi,	2 p.	29.76	755.9	88	...	W	2	o	6 a.	29.77	756.2	77	...	W	2	c
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.81	757.2	85	...	S W	1	c	,,	29.80	756.9	80	...	S	1	c
Cebu,	,,	29.78	756.4	88	...	S	1	c	,,	29.82	757.4	85	...	S	1	c
Labuan,	,,	29.81	757.2	90	...	...	...	...	,,	29.84	757.9	85	...	...	...	...

On the 21st at 12.05 p.—The barometer has fallen considerably at the Bonins the typhoon lying to the Southward of the group, having advanced towards N.W. or N.N.W.

An area of low pressure, at present shallow, lies over the N.W. part of the China Sea.

Pressure has increased and is now high over N.E. Japan. It is little changed on the China coast and at the Southern stations.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. and E. winds, fresh; squally, showery.
2.—Formosa Channel,	E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 21st July, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st JULY, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	22nd JULY, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
divostock,...	2 p.	29.66	753.3	66	...	W S W	1	c	7 a.	29.81	757.2	59	86	W S W	1	o
uro,.....	,,	30.00	762.1	...	...	E	3	...	6 a.	29.99	761.6	...	...	E N E	1	...
odate,.....	,,	29.83	757.7	...	...	E	6	...	,,	29.83	757.7	...	...	E	3	...
io, ...	,,	29.73	755.1	...	...	E	1	...	,,	29.69	754.1	...	...	E N E	1	...
hi, ...	,,	29.74	755.3	...	...	E S E	3	...	,,	29.70	754.3	...	...	...	0	...
asaki, ...	,,	29.80	756.8	...	...	W	4	...	,,	29.76	755.8	...	...	...	0	...
oshima, ...	,,	29.76	755.9	...	...	N W	2	...	,,	29.74	755.4	...	...	N W	1	...
ima,.....	,,	29.79	756.6	...	...	N	3	...	,,	29.75	755.6	...	...	N N W	1	...
a,.....	,,	29.77	756.2	...	...	E	1	...	,,	29.75	755.7	...	...	E N E	1	...
gakijima,....	,,	29.78	756.3	...	...	E S E	3	...	,,	29.74	755.3	...	...	N E	1	...
in Is.....	,,	29.69	754.1	...	...	E	1	...	,,	29.63	752.6	...	...	N E	1	...
foo,.....	4 p.	...	...	...	...	...	..	...	6 a.	...	...	...	...	...	...	...
ihaiwei,.....	,,	29.66	753.3	80	91	S	1	cm	9 a.	29.72	754.9	74	100	S S W	1	of
ikow, ...	,,	...	...	...	...	...	...	...	6 a	...	...	...	...	...	...	...
kiang,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
nghai, ...	,,	29.67	753.6	92	64	S	2	b	9 a	29.70	754.4	87	80	S S E	1	c
izlaff, ...	,,	29.65	753.1	84	83	S	3	bm	,,	29.67	753.6	89	91	S	2	cv
rp Peak,.....	,,	29.73	755.1	84	...	N N E	4	b	,,	29.72	754.9	82	...	E	3	b
oy,.....	,,	29.65	753.1	87	72	S E	2	c	6 a	29.71	754.6	82	79	N E	1	c
atow, ...	,,	29.70	754.4	86	84	E	2	o	,,	29.67	753.6	79	91	E	1	b
hoku,.....	1 p.	29.67	753.6	...	...	E	8	...	5 a	29.63	753.9	...	...	S E	4	...
chu, ...	,,	29.70	754.3	...	...	N W	2	...	,,	29.69	754.1	...	...	...	0	...
nan,.....	,,	29.72	755.0	...	...	W	6	...	,,	29.70	754.4	...	...	E	2	...
hun.....	,,	29.72	754.9	...	...	S E	6	...	,,	29.70	754.4	...	...	S E	2	...
cadores, ...	,,	29.72	754.9	..	...	N	6	...	,,	29.68	753.8	...	...	S	2	...
ton,.....	3 p.	29.63	752.6	84	83	S E	2	or	9 a.	...	...	..	...	...	...	...
ngkong, ...	4 p.	29.61	752.1	80	89	E	4	opq	10 a.	29.65	753.1	82	79	E	4	oq
toria Peak,...	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	5	...
Rock,.....	,,	29.57	751.1	...	...	E	5	...	,,	29.62	752.3	...	...	E N E	5	...
bao, ...	,,	29.66	753.4	82	...	E S E	5	c	,,	29.68	753.9	80	...	E	2	od
chow,.....	3 p.	...	...	...	...	...	...	...	9 a	...	...	...	...	...	...	...
how, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hoi,.....	,,	29.61	752.1	84	83	S S E	1	o	,,	...	...	...	...	...	...	...
ilien, ...	4 p.	29.51	749.5	82	...	E S E	3	o	8 a.	29.63	752.7	75	...	S	0	or
rane, ...	,,	29.68	751.3	81	...	S S W	1	dh	,,	29.68	753.9	82	..	S S W	1	f
e St. James,.	,,	29.72	754.8	82	...	S W	4	c	,,	29.80	756.9	77	...	S W	4	o
rri, ...	2 p.	29.63	752.7	86	...	N E	2	o	6 a.	29.66	753.4	77	...	W	2	b
ila, ...	4 p.	29.72	755	79	84	W S W	1	d	10 a.	29.73	755	79	86	S	2	o
aspi,.....	2 p.	29.73	755.1	86	...	W	2	c	6 a.	29.71	754.6	77	...	S W	2	o
olod,.....	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	2	o
lo, ...	,,	29.74	755.4	83	...	S W	1	c	,,	29.80	756.9	81	...	S W	1	o
u,.....	,,	29.75	755.6	88	...	S	1	o	,,	29.85	758.2	83	...	S	1	c
nan, ...	,,	29.77	756.1	87	...	...	...	...	,,	29.84	757.9	85	...	...	...	...

On the 21st at 10.30 p.—No. 2 night signal hoisted.

The depression over the China Sea to the Southward of Hongkong is probably developing.

On the 22nd at 5.40 a.—Black South Cone hoisted.

At 11.55 a.—The depression appears to be situated to the S.S.W. of Hongkong in about 19° Lat. Its course is not yet determined.

The typhoon over the Pacific is lying to the Southward of the Bonins. It is probably moving towards N.W.

Pressure has given way moderately at the Japanese stations, and a slight decrease has taken place over the China coast and Luzon.

The "high" area remains over the Pacific to the N.E. of Japan.

Strong winds to gales may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.96 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	E. winds, strong; squally, showery.
Formosa Channel, ...	E. winds, moderate.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	N.E. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 22nd July, 1911.

[Printed by NOBOMBA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd JULY, 1911, P.M.								23rd JULY, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.81	757.2	62	...	W S W	2	o	7 a.	29.79	756.6	56	87	S S W	1	o
Nemuro,	,,	29.96	761.1	...	...	E N E	2	...	6 a.	29.97	761.1	...	...	S	1	...
Hakodate,	,,	29.85	758.2	...	...	E S E	5	...	,,	29.87	758.7	...	...	E	4	...
Tokio,	,,	29.67	753.6	...	...	E N E	1	...	,,	29.73	755.1	...	...	N N W	2	...
Kochi,	,,	29.64	752.8	...	...	E S E	1	...	,,	29.66	753.3	...	...	...	0	...
Nagasaki,	,,	29.70	754.3	...	...	W N W	3	...	,,	29.68	753.8	...	...	N N E	1	...
Kagoshima,	,,	29.66	753.4	...	...	W	2	...	,,	29.66	753.4	...	...	...	0	...
Oshima,	,,	29.69	754.1	...	...	N	2	...	,,	29.65	753.1	...	...	S	1	...
Naha,	,,	29.69	754.2	...	...	N	3	...	,,	29.65	753.2	...	...	...	0	...
Ishigakijima,	,,	29.70	754.3	...	...	E	3	...	,,	29.64	752.8	...	...	N E	1	...
Bonin Is.	,,	29.63	752.6	...	...	E N E	1	...	,,	29.63	752.6	...	...	N E	1	...
Chefoo,	4 p.	...	...	...	...	...	..	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.68	753.9	76	91	E S E	2	c	9 a.	29.68	753.9	75	90	S S E	3	ot
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.65	753.1	81	87	S	2	orlt	9 a	29.65	753.1	85	76	S E	1	o
Gutzlaff,	,,	29.63	752.6	84	83	S S E	2	cv	,,	29.63	752.6	79	87	S S E	1	cv
Sharp Peak,	,,	29.68	753.9	83	...	E	2	b	,,	29.66	753.3	81	...	N E	1	b
Amoy,	,,	29.65	753.1	89	66	E	4	b	6 a.	29.67	753.6	79	74	E	1	b
Swatow,	,,	29.64	752.8	90	66	E	1	c	,,	29.62	752.3	77	91	N E	1	b
Taihoku,	1 p.	29.84	752.9	...	...	E	6	...	5 a.	29.61	752.1	...	...	E	2	...
Taichu,	,,	29.66	753.3	...	...	N W	4	...	,,	29.60	751.9	...	...	...	0	...
Tainan,	,,	29.67	753.5	...	...	N W	4	...	,,	29.62	752.4	...	...	S W	2	...
Koshun	,,	29.67	753.6	...	...	E	6	...	,,	29.62	752.3	...	...	E	2	...
Pescadores,	,,	29.67	753.6	..	...	W	6	...	,,	29.62	752.2	...	...	N	4	...
Canton,	3 p.	29.68	751.3	90	63	N E	1	b	9 a.	29.62	752.3	83	71	S S E	2	c
Hongkong,	4 p.	29.67	751.1	83	79	E	5	cq	10 a.	29.63	752.6	83	70	E N E	4	c
Victoria Peak,	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	29.53	750.0	...	...	E N E	6	...	,,	29.57	751.1	...	...	E	6	...
Macao,	,,	29.59	751.7	85	...	E S E	4	c	,,	29.66	753.3	84	...	N E	2	c
Wuchow,	3 p.	29.53	750.0	83	79	...	...	opq	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.57	751.1	81	...	E	1	c	8 a.	29.61	752.1	79	...	N E	3	c
Tourane,	,,	29.56	750.8	84	...	W	2	c	,,	29.62	752.2	82	..	N	3	c
Cape St. James,	,,	29.70	754.4	79	...	S W	4	o	,,	29.79	756.6	77	...	S W	4	o
Aparri,	2 p.	29.57	751.1	86	...	N E	2	b	6 a.	29.56	750.9	77	...	W	0	o
Manila,	4 p.	29.65	753	77	92	S S W	2	d	10 a.	29.69	754	79	84	S W	3	q
Legaspi,	2 p.	29.66	753.3	82	...	S W	2	o	6 a.	29.67	753.7	79	...	S W	2	o
Bacolod,	3 p.	...	...	...	...	S W	2	or	9 a.	...	...	...	...	S W	2	or
Iloilo,	,,	29.72	754.9	82	...	S W	2	o	,,	...	...	80	...	S S W	2	o
Cebu,	,,	29.70	754.4	88	...	S	2	o	,,	29.80	756.9	82	...	S	1	o
Labuan,	,,	29.74	755.4	89	...	...	...	...	,,	...	...	...	...	...	...	...

On the 22nd at 6.05 p.—The depression to the Southward of Hongkong appears to be almost stationary.

On the 23rd at 11.55 a.—The barometer continues to fall slowly at the stations bordering the China Sea.

Practically no change of position can be detected in the depression to the Southward of Hongkong, but it is probably becoming deeper.

The typhoon over the Pacific is situated far to the Southeast of the Loochoos. It continues to move toward N.W. The barometer has ceased to fall at the Bonins, while it continues to do so at the Loochoos.

Pressure remains high over the Pacific to the N.E. of Japan.

Strong N.E. and E. winds may be expected over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh; fair, squally,
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 23rd July, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd JULY, 1911, P.M.								24th JULY, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
divostock, ...	2 p.	29.75	755.7	58	...	S S E	2	o	7 a.	29.49	743.9	58	95	S S E	5	f
uro, ...	,,	29.94	760.6	...	...	S S E	3	...	6 a.	29.81	757.1	...	...	S S E	1	...
odate, ...	,,	29.85	758.2	...	...	E S E	1	...	,,	29.71	754.7	...	...	E	1	...
io, ...	,,	29.73	755.1	...	...	N W	1	...	,,	29.73	755.1	...	...	N W	1	...
hi, ...	,,	29.68	753.8	...	...	...	0	...	,,	29.66	753.3	...	...	S W	1	...
saki, ...	,,	29.66	753.3	...	...	N	2	...	,,	29.64	752.8	...	...	...	0	...
oshima, ...	,,	29.70	754.4	...	...	N E	3	...	,,	29.64	752.9	...	...	...	0	...
ma, ...	,,	29.63	752.6	...	...	N	2	...	,,	29.57	751.1	...	...	S	1	...
a, ...	,,	29.63	752.7	...	...	N	4	...	,,	29.58	751.2	...	...	N	2	...
gakijima, ...	,,	29.66	753.3	...	...	S E	3	...	,,	29.62	752.3	...	...	N E	1	...
in Is.	,,	29.65	753.1	...	...	...	0	...	,,	29.69	754.1	...	...	S E	1	...
foo, ...	4 p.	29.58	751.3	87	72	S	2	c	6 a.	29.47	748.5	77	91	S S W	6	o
ihaiwei, ...	,,	29.62	752.3	80	62	S S W	3	b	9 a.	29.51	749.5	75	100	S W	6	o
kow, ...	,,	...	...	...	...	...	...	...	6 a.	..	...	...	...	...	...	...
kiang, ...	,,	...	...	...	...	...	...	...	,,	29.54	750.5	82	91	...	0	b
nghai, ...	,,	29.61	752.7	81	65	S E	1	c	9 a.	29.57	751.1	83	75	S S E	2	b
zlaff, ...	,,	29.59	751.6	81	83	S S E	4	cv	,,	29.55	750.5	79	91	S E	3	cv
rp Peak, ...	,,	29.65	753.1	82	...	E	2	b	,,	29.58	751.3	81	..	E	1	b
oy, ...	,,	29.58	751.3	93	49	E	2	b	6 a.	29.63	752.6	80	87	E	2	b
stow, ...	,,	29.63	752.6	85	72	S E	2	b	,,	29.59	751.6	77	86	N E	1	b
hoku, ...	1 p.	29.61	752.0	...	...	E	6	...	5 a.	29.56	750.8	...	...	S W	2	...
chu, ...	,,	29.61	752.1	...	...	N	2	...	,,	29.58	751.3	...	...	...	0	...
nan, ...	,,	29.63	752.7	...	...	W	4	...	,,	29.60	751.8	...	...	...	0	...
hun	,,	29.63	752.5	...	...	E	6	...	,,	29.58	751.4	...	...	...	0	...
cadores, ...	,,	29.62	752.4	..	...	N	6	...	,,	29.57	751.1	...	...	N	2	...
ton, ...	3 p.	29.57	751.1	89	56	S S E	1	c	9 a.	29.60	751.8	95	75	...	0	b
gkong, ...	4 p.	29.56	750.8	84	68	E	2	b	10 a.	29.60	751.8	85	68	E S E	1	c
toria Peak, ...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	3	...
Rock, ...	,,	29.54	750.3	...	...	E N E	4	...	,,	29.58	751.3	...	...	E N E	4	...
ao, ...	,,	29.58	751.4	84	...	S E	3	c	,,	29.67	753.5	87	...	...	0	...
chow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
how, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hoi, ...	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
lien, ...	4 p.	29.55	750.6	82	...	E	3	c	8 a.	29.65	753.0	77	...	N N E	3	or
ane, ...	,,	29.54	750.3	84	...	N N W	2	c	,,	29.63	752.7	82	..	S S W	2	dh
St. James, .	,,	29.70	754.5	77	...	S W	4	o	,,	29.79	756.7	75	...	S W	5	o
ri, ...	2 p.	29.52	749.7	88	...	N E	2	b	6 a.	29.55	750.6	77	...	S	2	r
ila, ...	4 p.	29.61	752	77	100	S S W	2	r	10 a.	29.69	754	79	92	S W	5	d
spi, ...	2 p.	29.66	753.3	82	...	S W	4	o	6 a.	29.70	754.3	79	...	S W	2	o
lod, ...	3 p.	...	...	...	...	...	1	od	9 a.	...	...	...	...	S W	2	or
o, ...	,,	...	...	82	...	S	2	...	,,	29.80	756.9	78	...	S W	2	o
u, ...	,,	29.71	754.6	86	...	S	1	o	,,	29.82	757.4	83	...	...	0	o
uan, ...	,,	29.77	756.1	86	...	...	...	...	,,	29.83	757.7	85	...	...	...	...

On the 23rd at 3.40 p.—Signals lowered.

At 4.30 p.—The depression is probably moving Westwards towards the Gulf of Tongking. A low pressure ough of some depth remains, however, over the N.E. part of the China Sea where another depression may be forming.

On the 24th at 12.20 p.—A depression, which appears to be almost stationary, lies over the China Sea to the V. of the Balingtang Channel.

The typhoon over the Pacific is situated to the S.E. of the Loochoos. It is moving towards N.W.

A deep depression is moving Eastwards over Manchuria.

Pressure is relatively high over the Pacific to the N.E. of Japan, and over the S. part of the China Sea.

The barometer has fallen considerably in the extreme North, and to a slight extent over the Loochoos, Formosa d S. China.

Unsettled weather will continue to prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N. winds, moderate ; fair.
Formosa Channel, ...	N.E. winds, strong.
South coast of China between Hongkong and Lamocks, .	N.E. winds, moderate.
South coast of China between Hongkong and Hainan, ...	E. to N. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 24th July, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th JULY, 1911, P.M.								25th JULY, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.37	745.9	60	...	S S E	5	c	7 a.	29.41	746.9	67	70	W N W	1	c
Nemuro,	"	29.75	755.6	...	...	S S E	3	...	6 a.	29.55	750.5	...	...	S	1	.
Hakodate,	"	29.63	752.7	...	...	E S E	1	...	"	29.54	750.2	...	...	S S E	1	.
Tokio,	"	29.71	754.6	...	...	S S W	2	...	"	29.67	753.6	...	...	...	0	..
Kochi,	"	29.66	753.3	...	...	E S E	1	...	"	29.52	749.8	...	...	S W	1	.
Nagasaki,	"	29.60	751.8	...	...	W	8	...	"	29.[illegible]	749.3	...	...	...	0	.
Kagoshima,	"	29.60	751.9	...	...	E S E	8	...	"	29.52	749.9	...	...	N	1	.
Oshima,	"	29.53	750.1	...	...	N E	3	...	"	29.51	749.6	...	...	S	1	.
Naha,	"	29.53	750.2	...	...	N N W	3	...	"	29.56	750.7	...	...	N N W	1	.
Ishigakijima,	"	29.58	751.3	...	...	S E	2	...	"	29.56	750.8	...	...	S E	1	.
Bonin Is.	"	29.69	754.1	...	...	S E	1	...	"	29.73	755.1	...	...	S	2	.
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	..	..	...	.
Weihaiwei,	"	29.44	747.8	76	100	S W	6	cm	9 a.	29.49	749.0	70	95	N N E	3	b
Hankow,	"	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kinkiang,	"	29.52	749.8	...	...	...	0	b	"	...	...	..	..	...	...	..
Shanghai,	"	29.50	749.3	89	63	S E	2	b	9 a.	29.47	748.5	86	72	S	1	b
Gutzlaff,	"	29.51	749.5	83	83	S E	4	bv	"	29.47	748.5	80	87	S	3	c
Sharp Peak,	"	29.56	750.8	83	...	E	3	b	"	29.50	749.3	81	...	N	1	b
Amoy,	"	29.54	750.3	89	56	S	4	b	6 a.	29.55	750.5	80	78	E	2	b
Swatow,	"	29.51	749.5	87	65	E S E	3	b	"	...	..	...	...	...	...	..
Taihoku,	1 p.	29.53	750.1	...	...	N E	2	...	5 a.	29.51	749.6	...	...	S E	2	..
Taichu,	"	29.56	750.7	...	...	N W	4	...	"	29.53	750.1	...	...	...	0	..
Tainan,	"	29.57	751.0	...	...	S W	4	...	"	29.51	749.6	...	...	N E	2	..
Koshun,	"	29.55	750.6	...	...	S E	6	...	"	29.49	749.0	...	...	S E	6	..
Pescadores,	"	29.57	751.1	.	...	N	6	...	"	29.51	749.6	...	...	N	2	..
Canton,	3 p.	29.51	749.5	89	63	N W	2	c	9 a.	..	...	...	...	...	...	..
Hongkong,	4 p.	29.49	749.0	87	66	W	1	c	10 a.	29.53	750.0	86	54	E S E	1	b
Victoria Peak,	"	...	...	...	...	W	1	...	"	...	...	...	...	...	0	..
Gap Rock,	"	29.48	748.8	...	...	E N E	2	...	"	29.51	749.5	...	...	W N W	3	..
Macao,	"	29.52	749.8	86	...	S E	1	c	"	29.55	750.5	85	...	S S W	1	c
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	..
Hoihow,	"	...	..	...	...	...	...	...	"	...	...	...	...	...	...	..
Pakhoi,	"	29.74	752.8	88	84	W N W	1	b	"	...	...	...	...	...	...	..
Phulien,	4 p.	29.56	750.8	88	...	S E	3	b	8 a.	29.61	752.0	86	...	W N W	1	b
Tourane,	"	29.56	750.8	86	...	N N W	2	c	"	29.63	752.7	82	..	W	1	c
Cape St. James,	"	29.71	754.7	75	...	...	6	o	"	29.79	756.7	75	...	S W	3	o
Aparri,	2 p.	29.53	750.1	82	...	S	2	d	6 a.	...	...	...	...	...	...	..
Manila,	4 p.	29.61	752	79	92	S S W	4	q	10 a.	29.65	753	84	77	S W	4	o
Legaspi,	2 p.	29.64	752.9	84	...	W	4	o	6 a.	29.69	754.2	77	...	W	2	o
Bacolod,	3 p.	...	...	..	...	S W	2	o	9 a.	...	...	...	...	S W	2	o
Iloilo,	"	29.70	754.4	82	...	S W	2	o	"	29.78	756.4	81	...	S W	2	c
Cebu,	"	29.71	754.6	87	...	S	3	c	"	29.85	758.2	86	...	S	2	
Labuan,	"	29.76	755.9	90	...	...	...	...	"	29.83	757.7	86	...	...	...	.

On the 25th at 12.10 p.—The depression lying to the Westward of the Ealingtang Channel appears to be moving very slowly, probably Northwards.

The typhoon over the Pacific is moving Northwards to the N.E. of the Loochoos.

The depression lying over Manchuria yesterday, is moving into the N.E. part of the Sea of Japan.

A depression is shown also over the Lower Yangtze valley.

Pressure is relatively high over the S. part of the China Sea.

The barometer continues to fall over Formosa and S. China.

Rough weather must still be expected over the N.E. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.W. winds, moderate; fair.
2.—Formosa Channel,	N.E. winds, moderate to strong.
3.—South coast of China between Hongkong and Lamocks,	N. winds, moderate.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 25th July, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th JULY, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	26th JULY, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
divostock, ...	2 p.	29.39	746.5	74	...	W S W	1	c	7 a.	29.46	748.2	64	85	...	0	c
nuro, ...	,,	29.51	749.6	...	...	S W	6	...	6 a.	29.61	752.1	...	...	S	4	...
todate, ...	,,	29.52	749.7	...	...	S S W	2	...	,,	29.48	748.7	...	...	...	0	...
io, ...	,,	29.61	752.1	...	...	N N W	2	...	,,	29.22	742.1	...	...	S W	3	...
hi, ...	,,	29.36	745.8	...	...	N	1	...	,,	29.60	751.8	...	...	...	0	...
asaki, ...	,,	29.50	749.3	...	...	W	3	...	,,	29.66	753.3	...	...	S S W	1	...
oshima, ...	,,	29.50	749.4	...	...	N W	1	...	,,	29.66	753.4	...	...	N W	1	...
ima, ...	,,	29.55	750.6	...	...	N N W	3	...	,,	29.67	753.6	...	...	S	1	...
a, ...	,,	29.57	751.2	...	...	N W	1	...	,,	29.67	753.7	...	...	...	0	...
gakijima, ...	,,	29.58	751.3	...	...	S E	2	...	,,	29.60	751.8	...	...	N E	1	...
in Is.	,,	29.75	755.6	...	...	S S E	1	...	,,	29.87	758.6	...	...	S	1	...
foo, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ihaiwei, ...	,,	29.50	749.3	73	95	N	3	c	9 a.	29.65	753.1	76	...	N N W	1	b
nkow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
nkiang, ...	,,	29.50	749.3	98	54	W	1	b	,,	29.57	751.1	86	84	E	2	c
anghai, ...	,,	29.44	747.8	94	52	S E	1	c	9 a.	29.59	751.6	84	79	N	1	o
tzlaff, ...	,,	29.45	748.0	83	83	S	2	c	,,	29.55	750.5	81	87	S S W	1	om
arp Peak, ...	,,	29.49	749.0	83	...	E N E	2	b	,,	29.58	751.3	81	...	N	2	o
noy, ...	,,	29.46	748.3	89	56	N E	2	b	6 a	29.54	750.3	81	62	N E	4	b
vatow, ...	,,	29.45	748.0	89	..	E	1	c	,,	...	...	...	...	...	...	...
ihoku, ...	1 p.	29.49	749.1	...	...	S E	2	...	5 a.	29.55	750.5	...	...	S E	2	...
ichu, ...	,,	29.50	749.3	...	...	...	4	...	,,	29.54	750.3	...	...	N	2	...
inan, ...	,,	29.48	748.8	...	...	N	6	...	,,	29.53	750.1	...	...	N E	2	...
shun	,,	29.50	749.3	...	...	S E	6	...	,,	29.54	750.2	...	...	S E	6	...
scadores, ...	,,	29.48	748.9	..	...	N E	4	...	,,	29.52	749.8	...	...	...	0	...
nton, ...	3 p.	29.45	748.0	93	64	N	1	b	9 a.	29.52	749.8	87	72	S E	1	b
ongkong, ...	4 p.	29.45	748.0	89	64	W	1	b	10 a.	29.53	750.0	85	74	N W	1	c
ctoria Peak, ...	,,	...	...	...	...	W	1	...	,,	...	...	...	...	E N E	1	...
p Rock, ...	,,	29.44	747.8	...	...	W N W	2	...	,,	29.51	749.5	...	...	N N W	2	...
acao, ...	,,	29.49	749.0	84	...	S E	2	c	,,	29.55	750.5	86	...	E S E	1	c
uchow, ...	3 p.	29.48	748.8	89	66	W	1	cq	9 a.	29.53	750.0	85	76	W	1	b
oihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
khoi, ...	,,	29.63	752.6	83	83	S E	2	o	,,	...	...	...	...	...	...	...
ulien, ...	4 p.	29.52	749.8	95	...	W S W	2	b	8 a.	29.61	752.0	88	...	E S E	2	c
urane, ...	,,	29.66	750.9	90	...	N W	3	c	,,	29.63	752.6	88	..	S S W	1	c
pe St. James, .	,,	29.72	754.8	82	...	W S W	3	c	,,	29.80	756.9	77	...	S W	4	c
arri, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
nila, ...	4 p.	29.61	752	84	77	S W	4	o	10 a.	29.73	755	79	92	W S W	4	q
aspi, ...	2 p.	29.65	753.1	90	...	S W	4	c	6 a.	29.73	755.0	79	...	S W	2	c
colod, ...	3 p.	...	...	...	...	S W	3	o	9 a.	...	...	...	...	S W	2	o
ilo, ...	,,	29.72	754.9	82	...	S W	3	o	,,	29.78	756.4	80	...	S W	1	or
bu, ...	,,	29.72	754.9	88	...	S	2	c	,,	29.80	756.9	86	...	S	1	c
buan, ...	,,	29.76	755.6	89	...	...	...	...	,,	29.82	757.4	85	...	...	...	...

On the 26th at 12.20 p.—The barometer has risen slightly over Formosa and Luzon, while it remains practically steady in Hongkong.

The depression, which may be at typhoon, appears to be situated near the Pratas Shoal and to be moving slowly towards N.W.

The typhoon lying to the N.E. of the Loochoos yesterday, has recurved towards N.E. and is now crossing S.E. Japan.

Pressure has increased moderately over N. China, S.W. Japan and the Loochoos. It is highest over the Pacific in the neighbourhood of the Bonins.

Rough weather is expected to prevail over the N.E. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day 0.05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N. winds, probably freshening considerably; fine at first, squally with rain later.
Formosa Channel, ...	N.E. winds, strong.
South coast of China between Hongkong and Lamocks, .	Same as No. 3.
South coast of China between Hongkong and Hainan, ...	N.W. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 26th July, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th July, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	27th July, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock....	2 p.	29.45	748.1	74	...	W S W	0	c	7 a.	29.65	753.2	64	86	S S E	0
Nemuro, ...	,,	29.53	750.1	...	...	S E	4	...	6 a.	29.69	754.1	...	...	E S E	1
Hakodate, ...	,,	29.36	745.7	...	...	N W	1	...	,,	29.73	755.2	...	...	W	2
Tokio, ...	,,	...	...	...	...	S W	2	...	,,	29.79	756.6	...	...	S S W	2
Kochi, ...	,,	29.66	753.3	...	...	E S E	1	...	,,	29.80	756.8	...	...	S S W	1
Nagasaki, ...	,,	29.68	753.8	...	...	W S W	3	...	,,	29.78	755.3	...	...	S S W	2
Kagoshima, ...	,,	29.70	754.4	...	...	W N W	2	...	,,	29.82	757.4	...	...	...	0
Oshima, ...	,,	29.71	754.6	...	...	N N E	1	...	,,	29.81	757.1	...	...	...	0
Naha, ...	,,	29.69	754.2	...	...	S S E	2	...	,,	29.79	756.7	...	...	S S E	1
Ishigakijima, ...	,,	29.64	752.8	...	...	S E	3	...	,,	29.74	755.3	...	...	E N E	1
Bonin Is.	,,	29.87	758.6	...	...	S S E	1	...	,,	29.99	761.6	...	...	...	0
Chefoo, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei, ...	,,	29.67	753.6	79	100	S E	2	b	9 a.	29.83	757.7	79	74	N	4
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai, ...	,,	29.61	752.1	86	76	N	1	o	9 a.	29.79	756.6	79	74	N E	2
Gutzlaff, ...	,,	29.56	750.8	85	79	S	1	c	,,	29.73	755.1	83	91	N N E	1
Sharp Peak, ...	,,	29.58	751.3	82	...	...	0	o	,,	29.78	756.4	83	...	E	1
Amoy, ...	,,	29.60	751.8	89	63	N E	3	c	6 a.	29.74	755.4	83	71	E	2
Swatow, ...	,,	29.52	749.8	75	68	E	4	o	,,	29.63	752.6	79	91	E N E	3
Taihoku, ...	1 p.	29.57	751.2	...	...	...	0	...	5 a.	29.74	755.4	...	...	...	0
Taichu, ...	,,	29.59	751.7	...	...	N	2	...	,,	29.72	754.9	...	...	...	0
Tainan, ...	,,	29.59	751.7	...	...	S	8	...	,,	29.72	754.9	...	...	...	0
Koshun, ...	,,	29.61	752.2	...	...	S	8	...	,,	29.74	755.3	...	...	S E	2
Pescadores, ...	,,	29.58	751.4	...	...	S E	10	...	,,	29.72	754.8	...	...	N E	2
Canton, ...	3 p.	29.49	749.0	93	67	S E	3	or	9 a.	...	...	...	...	...	...
Hongkong, ...	4 p.	29.46	748.3	89	72	W	1	olt	10 a.	29.24	742.7	79	92	E N E	9
Victoria Peak, ...	,,	...	...	...	...	W	1	...	,,	...	...	...	...	E	11
Gap Rock, ...	,,	29.45	748.0	...	...	W	2	...	,,	29.19	741.4	...	...	N W	10
Macao, ...	,,	29.49	749.0	89	...	S	1	c	,,	29.39	746.5	76	...	N N W	4
Wuchow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.52	749.9	95	...	W S W	2	c	8 a.	29.66	753.3	83	...	N	1
Tourane, ...	,,	29.58	751.4	91	...	S S W	1	c	,,	29.66	753.4	88	..	N W	2
Cape St. James, .	,,	29.74	755.4	81	...	S W	4	o	,,	29.84	758.0	77	...	S W	2
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Manila, ...	4 p.	29.69	754	86	79	W S W	3	o	10 a.	29.80	757	86	79	...	0
Legaspi, ...	2 p.	29.69	754.1	88	...	S W	4	c	6 a.	29.80	756.9	77	...	S W	2
Bacolod, ...	3 p.	...	...	...	...	S W	2	c	9 a.	...	...	...	...	S W	2
Iloilo, ...	,,	29.72	754.9	83	...	S W	1	c	,,	29.83	757.7	81	...	S W	1
Cebu, ...	,,	29.73	755.1	88	...	S	3	o	,,	29.87	758.7	86	...	S	1
Labuan, ...	,,	29.74	755.4	91	...	...	...	...	,,	29.85	758.2	86	...	...	...

On the 26th at 3.00 p.—Black Drum hoisted.

At 6.00 p.—Typhoon appears to be situated near and west of Pratas Shoal and to be moving Westwards. Th barometer remains practically steady in Hongkong.

On the 27th at 7.25 a.—Orders issued to fire the bombs.

At 7.30 a.—Centre of typhoon E.S.E of Hongkong and approaching neighbourhood of Colony. Violent gal with squalls of typhoon force, probably from Northward and Eastward, expected.

At 10.40 a.—Black South Cone hoisted.

At 11.30 a.—The typhoon centre is passing between Hongkong and Gap Rock moving in a W.N.W. directio Barometer here 29.28 rising, wind East by South, force 9 to 10.

At 12.30 p.—Black South Cone and ball hoisted.

At 4.00 p.—Signals lowered.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.76 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.

1.—Hongkong and Neighbourhood, ...

2.—Formosa Channel, ...

3.—South coast of China between Hongkong and Lamocks, .

4.—South coast of China between Hongkong and Hainan, ...

F. G. FIGG, *Director.*

Hongkong Observatory, Thursday, 27th July, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th JULY, 1911, P.M.								28th JULY, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ivostock, ...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	..	...	...	...
uro, ...	,,	29.81	757.1	...	...	N N E	4	...	6 a.	29.83	757.6	...	...	...	0	...
date, ...	,,	29.77	756.2	...	...	S E	1	...	,,	29.83	757.7	...	...	N	1	...
, ...	,,	29.77	756.1	...	...	S S W	4	...	,,	29.81	757.1	...	...	S W	1	...
i, ...	,,	29.80	756.8	...	...	E	1	...	,,	29.86	758.3	...	...	S W	1	...
saki, ...	,,	29.82	757.3	...	...	S W	4	...	,,	29.86	758.3	...	...	N	1	...
shima, ...	,,	29.80	756.9	...	...	S W	2	...	,,	29.82	757.4	...	...	...	0	...
na, ...	,,	29.83	757.6	...	...	S	3	...	,,	29.85	758.1	...	...	...	0	...
, ...	,,	29.83	757.7	...	...	S	1	...	,,	29.85	758.2	...	...	...	0	...
akijima, ...	,,	29.80	756.8	...	...	E	2	...	,,	29.84	757.8	...	...	N E	1	...
n Is.	,,	29.96	761.1	...	...	E S E	1	...	,,	29.95	760.6	...	...	...	0	...
oo, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	..	..	...	...
haiwei, ...	,,	29.82	757.4	74	90	N	2	b	9 a.	29.84	757.9	79	52	S W	1	b
kow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	...
iang, ...	,,	..	...	.	...	...	...	...	,,	...	...	...	...	...	...	...
ghai, ...	,,	29.81	757.2	78	82	N E	2	o	9 a.	29.84	757.9	81	73	N E	1	o
laff, ...	,,	29.74	755.4	78	91	N	3	om	,,	29.80	756.9	76	95	N E	3	om
p Peak, ...	,,	29.77	756.1	85	...	E	1	c	,,	29.83	757.7	85	...	...	0	b
y, ...	,,	29.78	756.4	89	63	S	4	b	6 a.	29.82	757.4	83	75	E S E	2	b
tow, ...	,,	29.73	755.1	82	96	E	3	o	,,	29.82	757.4	80	91	E S E	1	o
oku, ...	1 p.	29.79	756.7	...	...	N E	4	...	5 a.	29.83	757.7	...	...	S	2	...
hu, ...	,,	29.81	757.1	...	...	W	4	...	,,	29.91	759.7	...	...	N W	0	...
an, ...	,,	29.83	757.7	...	...	S	6	...	,,	29.84	758.0	...	...	...	0	...
hun	,,	29.82	757.3	...	...	...	0	...	,,	29.84	757.9	...	...	...	0	...
eadores, ...	,,	29.80	756.9	.	...	S	6	...	,,	29.83	757.7	...	...	N W	0	...
ton, ...	3 p.	29.49	749.0	81	83	E	4	or	9 a.	...	...	...	...	...	...	...
gkong, ...	4 p.	29.57	751.1	79	89	S E	4	o	10 a.	29.81	757.2	83	81	S S E	3	o
oria Peak, ...	,,	...	...	...	...	S E	8	...	,,	..	...	...	...	E S E	5	...
Rock, ...	,,	29.50	749.3	...	...	S W	8	...	,,	29.77	756.1	...	...	S E	4	...
ao, ...	,,	29.46	748.3	78	...	S S E	9	odq	,,	29.82	757.4	81	...	S E	4	c
show, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
lien, ...	4 p.	29.56	750.8	91	...	N N W	2	lt	8 a.	29.71	754.7	77	...	S S W	2	or
ane, ...	,,	29.63	752.6	88	...	E	2	c	,,	29.71	754.6	90	..	S S W	2	c
St. James, .	,,	29.78	756.5	79	...	S W	2	o	,,	29.85	758.1	77	...	S W	2	o
ri, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ila, ...	4 p.	29.80	757	86	79	W S W	1	c	10 a.	29.84	758	84	77	W S W	0	o
spi, ...	2 p.	29.78	756.4	90	...	W	2	c	6 a.	29.83	757.7	82	...	...	0	o
blod, ...	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	1	o
o, ...	,,	29.79	756.6	83	...	S W	1	o	,,	29.87	758.7	81	...	S W	1	o
u, ...	,,	29.81	757.2	83	...	S	1	o	,,	29.84	757.9	83	...	...	0	o
uan, ...	,,	29.73	756.4	90	...	...	...	...	,,	29.89	759.2	81	...	...	...	...

On the 28th at 12.10 p.—The barometer has risen rapidly in the neighbourhood of Hongkong, and slight to moderate increases of pressure have taken place in other areas.

The typhoon, which passed near Macao yesterday afternoon, has disappeared over the continent.

Pressure is now near the normal at all stations. It is highest over the Pacific in the neighbourhood of the Bonins.

Moderate S. and S.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.74 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	S.E. and S. winds, moderate; showery to fair.
Formosa Channel, ...	E. winds, moderate.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	S.E. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 28th July, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th July, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	29th July, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.74	755.3	71	...	S S E	1	c	7 a.	29.74	755.3	64	93	S S E	4	o
Nemuro,	,,	29.85	758.1	...	...	S E	1	...	6 a.	29.99	761.6	...	...	S	1	..
Hakodate,	,,	29.87	758.7	...	...	S	2	...	,,	29.99	761.7	...	...	...	0	..
Tokio,	,,	29.89	759.1	...	...	E S E	2	...	,,	29.95	760.6	...	...	N E	1	..
Kochi,	,,	29.85	758.3	...	...	...	0	...	,,	29.82	757.3	...	...	S W	1	..
Nagasaki,	,,	29.83	757.8	...	...	S W	1	...	,,	29.72	754.8	...	...	S	3	..
Kagoshima,	,,	29.84	757.9	...	...	...	0	...	,,	29.76	755.9	...	...	S S W	2	..
Oshima,	,,	29.85	758.1	...	...	W	1	...	,,	29.79	756.6	...	...	S	1	..
Naha,	,,	29.79	756.7	...	...	W S W	1	...	,,	29.81	757.2	...	...	S S W	1	..
Ishigakijima,	,,	29.83	757.8	...	...	S S W	2	...	,,	29.80	756.8	...	...	S	4	..
Bonin Is.	,,	29.94	760.6	...	...	S E	1	...	,,	29.95	760.6	...	...	E	1	..
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	..
Weihaiwei,	,,	29.77	756.1	77	82	E N E	1	bm	9 a.	29.67	753.6	83	75	S W	2	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.79	756.6	78	91	E N E	1	od	9 a.	29.72	754.9	81	83	E S E	1	o
Gutzlaff,	,,	29.76	755.9	77	86	E	2	om	,,	29.70	754.4	76	95	E	2	o
Sharp Peak,	,,	29.80	756.9	86	...	N	3	b	,,	29.77	756.1	85	...	...	0	b
Amoy,	,,	29.81	757.2	91	54	S E	4	b	6 a	29.85	758.2	81	83	S W	2	b
Swatow,	,,	29.83	757.7	84	83	E	3	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.84	757.9	...	...	N	4	...	5 a.	29.81	757.1	...	...	...	0	...
Taichu,	,,	29.83	757.8	...	...	N	2	...	,,	29.81	757.2	...	...	...	0	...
Tainan,	,,	29.85	758.2	...	...	W	6	...	,,	29.82	757.3	...	...	...	0	...
Koshun,	,,	29.84	757.9	...	...	N	2	...	,,	29.80	756.9	...	...	...	0	...
Pescadores,	,,	29.85	758.3	..	...	W	4	...	,,	29.85	758.1	...	...	S	2	...
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.78	756.4	83	85	E	3	o	10 a.	29.82	757.4	84	79	...	0	o
Victoria Peak,	,,	...	...	...	...	S E	3	...	,,	...	...	...	...	S E	1	...
Gap Rock	,,	29.76	755.9	...	...	S E	4	...	,,	29.79	756.6	...	...	S E	2	...
Macao,	,,	29.79	756.6	82	...	E S E	4	c	,,	29.84	757.9	84	...	S E	2	c
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.66	753.4	82	...	N W	1	o	8 a.	29.76	756.0	79	...	E	3	o
Tourane,	,,	29.67	753.6	88	...	S E	1	c	,,	29.75	755.6	86	..	W N W	1	c
Cape St. James,	,,	29.74	755.5	87	...	S W	6	o	,,	29.83	757.7	75	...	W S W	2	o
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	86	79	S	1	o	10 a.	29.80	757	82	85	S S W	0	o
Legaspi,	2 p.	29.82	757.4	84	...	W	2	o	6 a.	29.78	756.4	75	...	W	2	o
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S W	1	o
Iloilo,	,,	29.79	756.6	81	...	S W	1	o	,,	29.82	757.4	89	...	S W	1	o
Cebu,	,,	29.82	757.4	82	...	...	0	o	,,	29.84	757.9	82	...	S W	1	o
Labuan,	,,	29.83	757.7	84	...	...	...	...	,,	29.88	758.9	83	...	...	...	...

On the 29th at 12.05 p.—The barometer has fallen moderately on the E. coast of China, a depression having appeared over N. China.

Pressure has a tendency to give way again over the Philippines. It has increased and is highest over the Pacific to the East of Japan.

Gradients are slight in the South and light variable winds, chiefly Southeasterly, may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. or variable winds, light; fair.
2.—Formosa Channel,	S. winds, light or moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 29th July, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	29TH JULY, 1911, P.M.								30TH JULY, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
vostock, ...	2 p.	29.76	756.0	66	...	S S E	4	o	7 a.	29.72	754.8	63	91	...	0	c
ro, ...	,,	30.02	762.6	...	...	S S E	3	...	6 a.	29.99	761.6	...	...	S E	2	...
iate, ...	,,	29.95	760.7	...	...	E	6	...	,,	29.75	755.7	...	...	S S E	1	...
.....	,,	29.93	760.1	...	...	...	0	...	,,	29.93	760.1	...	...	S	3	...
, ...	,,	29.78	756.3	...	...	S E	1	...	,,	29.76	755.8	...	...	...	0	...
aki, ...	,,	29.68	753.8	...	...	W N W	2	...	,,	29.78	756.3	...	...	E S E	1	...
hima, ...	,,	29.72	754.9	...	...	S	2	...	,,	29.78	756.4	...	...	N	1	...
a, ...	,,	29.77	756.1	...	...	S W	1	...	,,	29.79	756.6	...	...	...	0	...
.....	,,	29.81	757.2	...	...	S W	1	...	,,	29.79	756.7	...	...	...	0	...
kijima, ...	,,	29.80	756.8	...	...	S	2	...	,,	29.78	756.3	...	...	S W	2	...
Is.	,,	29.94	760.6	...	...	S E	1	...	,,	29.97	761.1	...	...	...	0	...
o, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
aiwei, ...	,,	29.63	752.6	81	62	S W	1	b	9 a.	29.61	752.1	77	82	S W	6	b
ow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iang, ...	,,	..	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
ghai, ...	,,	29.69	754.1	81	74	N E	1	o	9 a.	29.68	755.9	83	87	S S E	2	o
laff, ...	,,	29.66	753.3	78	82	N E	3	or	,,	29.66	753.3	78	95	S E	1	ov
Peak, ...	,,	29.69	754.1	87	...	E S E	3	b	,,	29.73	755.1	86	...	...	0	b
y, ...	,,	29.75	755.6	89	59	S	4	b	6 a.	...	...	...	...	...	...	...
ow, ...	,,	29.73	755.1	91	63	S S W	1	b	,,	...	...	...	...	...	...	...
oku, ...	1 p.	29.74	755.5	...	...	N	4	...	5 a.	29.76	755.8	...	...	S	2	...
hu, ...	,,	29.77	756.2	...	...	N W	4	...	,,	29.80	756.8	...	...	...	0	...
an, ...	,,	29.81	757.1	...	...	W	4	...	,,	29.79	756.6	...	...	...	0	...
un, ...	,,	29.80	756.9	...	...	S W	4	...	,,	29.77	756.1	...	...	...	0	...
adores, ...	,,	29.79	756.6	..	...	W	4	...	,,	29.77	756.1	...	...	S	4	...
on, ...	3 p.	29.75	755.6	88	69	S	2	c	9 a.	...	...	...	...	...	...	...
gkong, ...	4 p.	29.75	755.6	85	69	S S W	1	c	10 a.	29.79	756.6	85	76	W	1	c
oria Peak, ...	,,	...	...	...	...	S	2	...	,,	...	...	...	...	S S W	2	...
Rock, ...	,,	29.74	755.4	...	...	S S E	2	...	,,	29.76	755.9	...	...	S W	2	...
o, ...	,,	29.77	756.1	85	...	S E	2	c	,,	...	...	...	...	...	...	...
how, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ien, ...	4 p.	29.70	754.4	81	...	E	3	c	8 a.	29.80	756.9	79	...	S	2	lt
ane, ...	,,	29.70	754.3	86	...	S E	2	c	,,	29.78	756.4	84	..	W	1	b
St. James, .	,,	29.76	755.9	75	...	S W	5	o	,,	29.83	757.7	77	...	W S W	2	c
ri, ...	2 p.	29.74	755.5	88	...	N E	2	b	6 a.	...	...	...	...	...	...	...
la, ...	4 p.	29.76	756	84	77	S W	1	o	10 a.	29.80	757	84	77	...	0	o
spi, ...	2 p.	29.77	756.1	81	...	...	0	o	6 a.	...	...	...	...	...	...	..
lod, ...	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	1	o
, ...	,,	29.74	755.4	80	...	S W	1	od	,,	29.82	757.4	80	...	S W	2	o
, ...	,,	29.78	756.6	81	...	E	1	o	,,	29.84	757.9	81	...	S	1	o
an, ...	,,	29.81	757.2	85	...	...	...	...	,,	...	...	...	...	...	...	...

On the 30th at 12.10 p.—The barometer continues to fall slowly over China, while it has risen slightly in Tong-g.

The depression remains over N. China, and the high pressure over the Pacific to the East of Japan.

Gradients continue slight in the South, and light SW and variable winds may be expected over the N. part of China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	SW winds, light; fair.
Formosa Channel, ...	S. winds, moderate.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 30th July, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th JULY, 1911, P.M.								31st JULY, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.70	754.5	70	...	W S W	2	b	7 a.	29.78	756.5	63	89	S S E	4
Nemuro,	,,	29.83	757.6	...	...	S	5	...	6 a.	29.87	758.6	...	...	S	3
Hakodate,	,,	29.75	755.7	...	...	S W	6	...	,,	29.85	758.2	...	...	W	1
Tokio,	,,	29.91	759.6	...	...	S S W	4	...	,,	29.97	761.1	...	...	S	3
Kochi,	,,	29.82	757.3	...	...	E S E	2	...	,,	29.86	758.3	...	...	S S W	1
Nagasaki,	,,	29.80	756.8	...	...	S E	5	...	,,	29.80	756.8	...	...	S W	4
Kagoshima,	,,	29.80	756.9	...	...	S W	2	...	,,	29.84	757.9	...	...	S S W	1
Oshima,	,,	29.83	757.6	...	...	S	1	...	,,	29.81	757.1	...	...	...	0
Naha,	,,	29.81	757.2	...	...	S S E	1	...	,,	29.79	756.7	...	...	...	0
Ishigakijima,	,,	29.80	756.8	...	...	S S E	2	...	,,	29.76	755.8	...	...	N E	1
Bonin Is.	,,	29.94	760.6	...	...	E S E	1	...	,,	29.93	760.1	...	...	E	1
Chefoo,	4 p.	...	...	...	...	..	...	...	6 a.	...	...	...	..	...	...
Weihaiwei,	,,	29.61	752.1	79	82	S W	6	b	9 a.	29.65	753.1	82	75	S S W	2
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	29.64	752.8	94	64	S W	1	b	,,	...	...	...	...	...	...
Shanghai,	,,	29.64	752.8	75	100	E	3	ort	9 a.	29.69	754.1	84	79	S S W	1
Gutzlaff,	,,	29.62	752.3	83	83	S E	2	cv	,,	29.67	753.6	82	91	S S W	1
Sharp Peak,	,,	29.67	753.6	87	...	S	3	b	,,	29.73	755.1	84	...	...	0
Amoy,	,,	29.72	754.9	90	63	S S E	4	o	6 a.	29.74	755.4	82	87	S W	4
Swatow,	,,	29.75	755.6	91	63	W	1	b	,,	29.75	755.6	81	83	W S W	1
Taihoku,	1 p.	29.75	755.6	...	...	N	4	...	5 a.	29.75	755.7	...	...	S	2
Taichu,	,,	29.77	756.2	...	...	W	2	...	,,	29.78	756.5	...	...	...	0
Tainan,	,,	29.80	756.8	...	...	S W	4	...	,,	29.78	756.5	...	...	...	0
Koshun	,,	29.78	756.4	...	...	W	4	...	,,	29.76	755.8	...	...	...	0
Pescadores,	,,	29.79	756.6	..	...	S W	6	...	,,	29.76	755.9	...	...	S W	2
Canton,	3 p.	29.73	755.1	89	63	W	1	c	9 a.	29.75	755.6	85	76	S S W	1
Hongkong,	4 p.	29.73	755.1	87	72	W S W	1	c	10 a.	29.76	755.9	85	75	W	1
Victoria Peak,	,,	...	...	...	...	S S W	2	...	,,	...	...	...	...	S S W	1
Gap Rock,	,,	29.72	754.9	...	...	S W	2	...	,,	29.74	755.4	...	...	S W	2
Macao,	,,	29.75	755.4	86	...	S	2	c	,,	29.79	756.6	86	...	S S W	1
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a	...	...	...	...	...	...
Hoihow,	,,	...	...	..	...	...	...	..	,,	...	...	...	...	...	...
Pakhoi,	,,	29.69	754.1	90	84	S W	1	b	,,	...	...	...	...	...	...
Phulien,	4 p.	29.69	754.2	86	...	W	3	c	8 a.	29.78	756.4	82	...	S	2
Tourane,	,,	29.70	754.3	86	...	N N E	5	b	,,	29.77	756.1	88	..	S W	1
Cape St. James,	,,	29.75	755.6	81	...	S E	4	c	,,	29.84	757.9	75	...	W N W	1
Aparri,	2 p.	29.74	755.4	88	...	N E	2	c	6 a.	29.68	753.8	79	...	N W	2
Manila,	4 p.	29.72	755	82	85	W S W	3	o	10 a.	29.76	756	79	92	W S W	1
Legaspi,	2 p.	29.72	755.0	82	...	W	2	o	6 a.	29.73	755.0	79	...	S W	2
Bacolod,	3 p.	...	...	...	...	S W	2	or	9 a.	...	...	...	...	S W	1
Iloilo,	,,	29.74	755.4	80	...	S W	2	o	,,	29.80	756.9	80	...	S W	1
Cebu,	,,	29.78	756.4	84	...	S	2	o	,,	29.82	757.4	85	...	S	2
Labuan,	,,	...	...	...	...	...	...	...	,,	29.37	753.7	83	...	...	...

On the 31st at 12.10 p.—The barometer has fallen slightly to moderately over the Philippines, a typhoon having appeared over the Pacific to the N.E. of Luzon.

Pressure is little changed in other areas. It remains low over N. China, and high over the Pacific to the East Japan.

Light or moderate monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	SW winds, light; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamooks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 31st July, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	31st JULY, 1911, P.M.								1st AUGUST, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ivostock,...	2 p.	29.81	757.1	62	...	S S W	1	c	7 a.	...	...	...	...	...	...	...
iro, ...	,,	29.87	758.6	...	...	S W	4	...	6 a.	29.95	760.6	...	...	...	0	...
date, ...	,,	29.89	759.2	...	...	S	2	...	,,	29.87	758.7	...	...	...	0	...
, ...	,,	29.96	761.1	...	...	S	1	...	,,	29.99	761.6	...	...	S	1	...
, ...	,,	29.87	758.8	...	...	S	1	...	,,	29.88	758.8	...	...	E N E	2	...
saki, ...	,,	29.82	757.3	...	...	W S W	5	...	,,	29.86	758.3	...	...	S	3	...
shima, ...	,,	29.84	757.9	...	...	S W	1	...	,,	29.86	758.4	...	...	S E	1	...
na, ...	,,	29.83	757.6	...	...	S	2	...	,,	29.83	757.6	...	...	...	0	...
, ...	,,	29.81	757.2	...	...	S S E	1	...	,,	29.79	756.7	...	...	...	0	...
akijima, ...	,,	29.78	756.3	...	...	E	3	...	,,	29.74	755.3	...	...	E S E	4	...
s Is.	,,	29.91	759.6	...	...	E N E	1	...	,,	29.87	758.6	...	...	N N E	1	...
o, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
aiwei, ...	,,	29.62	752.3	80	78	S S E	2	b	9 a.	29.71	754.6	84	75	S W	1	cm
ow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iang, ...	,,	29.69	754.1	85	79	N W	1	o	,,	29.72	754.9	79	91	...	0	c
ghai, ...	,,	29.65	753.1	91	63	..	0	c	9 a.	29.77	756.1	84	87	S E	1	o
laff, ...	,,	29.66	753.3	86	80	S S W	2	c	,,	29.74	755.4	80	91	S	2	ov
Peak, ...	,,	29.70	754.4	86	...	S E	1	b	,,	29.75	755.6	84	..	N	1	b
, ...	,,	29.67	753.6	89	77	S	5	b	6 a.	29.72	754.9	83	83	E	1	b
ow, ...	,,	29.68	753.9	90	73	N W	1	c	,,	29.70	754.4	80	87	N E	1	b
oku, ...	1 p.	29.66	753.3	...	...	N E	4	...	5 a.	29.68	753.9	...	...	E	4	...
hu, ...	,,	29.72	754.9	...	...	N W	2	...	,,	29.69	754.2	...	...	...	0	...
an, ...	,,	29.75	755.7	...	...	W	6	...	,,	29.70	754.3	...	...	N	2	...
un.....	,,	29.74	755.4	...	...	N E	4	...	,,	29.67	753.7	...	...	E	6	...
adores, ...	,,	29.75	755.6	..	...	W	4	...	,,	29.70	754.4	...	...	N W	4	...
on, ...	3 p.	29.68	753.9	90	60	W	1	b	9 a.	...	...	...	...	...	...	...
kong, ...	4 p.	29.69	754.1	88	65	W S W	1	b	10 a.	29.72	754.9	86	75	W	1	b
ria Peak, ...	,,	...	...	...	...	S S W	2	...	,,	...	...	...	...	W S W	1	...
Rock, ...	,,	29.68	753.9	...	...	S W	3	...	,,	29.70	754.4	...	...	W	3	...
o, ...	,,	29.71	754.6	87	...	S	2	c	,,	29.75	755.6	86	...	S S W	1	c
how, ...	3 p.	...	...	...	...	...	...	...	9 a.	29.73	755.1	84	...	W	1	c
ow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi, ...	,,	29.76	755.9	89	77	S W	1	c	,,	...	...	...	...	...	...	...
en, ...	4 p.	29.67	753.5	90	...	S S E	2	b	8 a.	29.76	755.8	86	...	S	2	b
ne, ...	,,	29.70	754.4	86	...	S E	3	b	,,	29.76	755.9	84	..	N N W	2	b
St. James, .	,,	29.77	756.1	77	...	W N W	2	o	,,	29.86	758.4	75	...	N W	1	o
i, ...	2 p.	29.64	752.9	79	...	N	4	q	6 a.	...	...	...	...	...	...	...
a, ...	4 p.	29.69	754	79	92	W	3	d	10 a.	29.69	754	81	92	S W	3	o
pi, ...	2 p.	29.70	754.3	82	...	W	4	o	6 a.	29.74	755.4	79	...	S W	2	o
od, ...	3 p.	...	...	...	...	S W	2	or	9 a.	...	...	...	...	S W	2	c
, ...	,,	29.74	755.4	79	...	S W	2	o	,,	29.80	756.9	81	...	S W	3	o
.....	,,	...	...	86	...	S	2	c	,,	29.82	757.4	86	...	S	1	c
an, ...	,,	29.77	756.1	89	...	...	...	...	,,	29.37	758.7	84	...	...	...	...

On the 1st at 11.50 a.—The typhoon, moving towards W.N.W., has crossed the northern coast of Luzon and ered the China Sea. It lies now near the Western entrance to the Balingtang Channel.

The barometer is falling over Formosa and the S. coast of China.

Pressure has increased slightly over N. China and Japan, and given way a little at the Bonins. It remains high the Pacific to the East of Japan.

The South coast of China is again threatened by a storm, and rough weather may be expected over the N. part he China Sea during the next two or three days.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	Wind probably freshening from the Northward by tomorrow; fine at first, unsettled later.
ormosa Channel, ...	N.E. and E. winds, freshening,
uth coast of China between Hongkong and Lamocks,.	N.E. winds, freshening.
uth coast of China between Hongkong and Hainan,...	N.W. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 1st August, 1911.

inted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station	1st August, 1911, P.M.								2nd August, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	29.81	757.2	65	...	S	2	o	7 a.	29.86	758.3	61	93	S S E	2	
Nemuro,	,,	29.93	760.1	...	...	W	1	...	6 a.	29.79	756.6	...	...	S W	3	
Hakodate,	,,	29.83	757.7	...	...	...	0	...	,,	29.85	758.2	...	...	N W	2	
Tokio,	,,	29.94	760.6	...	...	S S W	3	...	,,	29.95	760.6	...	...	S W	1	
Kochi,	,,	29.93	760.3	...	...	E	2	...	,,	29.91	759.8	...	...	S S W	1	
Nagasaki,	,,	29.85	758.3	...	...	S	3	...	,,	29.88	758.8	...	...	...	0	
Kagoshima,	,,	29.91	759.7	...	...	S E	1	...	,,	29.86	758.4	...	...	N E	1	
Oshima,	,,	29.87	758.6	...	...	S	1	...	,,	29.83	757.6	...	...	S	1	
Naha,	,,	29.83	757.7	...	...	E N E	1	...	,,	29.81	757.2	...	...	...	0	
Ishigakijima,	,,	29.78	756.3	...	...	E S E	4	...	,,	29.74	755.3	...	...	S E	4	
Bonin Is.	,,	29.77	756.1	...	...	N E	1	...	,,	29.77	756.1	...	...	S E	1	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	
Weihaiwei	,,	29.77	756.1	80	82	E	2	b	9 a.	29.84	757.9	76	86	...	...	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	29.69	754.1	92	67	N	1	b	,,	...	...	...	...	...	...	
Shanghai,	,,	29.73	755.1	90	70	E S E	1	c	9 a.	29.77	756.1	87	76	S S E	2	
Gutzlaff,	,,	29.72	754.9	83	91	S E	3	cv	,,	29.76	755.9	81	96	S E	3	
Sharp Peak,	,,	29.72	754.9	86	...	N	2	b	,,	29.70	754.4	84	...	N N E	4	
Amoy,	,,	29.58	751.3	97	45	N E	2	b	6 a.	29.63	753.9	86	65	N E	2	
Swatow,	,,	29.64	752.8	88	84	E	2	b	,,	29.68	753.9	81	83	E N E	0	
Taihoku,	1 p.	29.69	754.0	...	...	E	8	...	5 a.	29.67	753.5	...	...	E	6	
Taichu,	,,	29.66	753.4	...	...	N W	2	...	,,	29.67	753.6	...	...	...	0	
Tainan,	,,	29.67	753.6	...	...	N W	6	...	,,	29.67	753.5	...	...	...	0	
Koshun	,,	29.67	753.5	...	...	E	10	...	,,	29.65	753.2	...	...	E	6	
Pescadores,	,,	29.62	752.4	..	...	N	6	...	,,	29.65	753.0	...	...	W	3	
Canton,	3 p.	29.64	752.8	93	61	S S E	1	c	9 a.	29.68	753.9	88	73	S	1	
Hongkong,	4 p.	29.63	752.6	90	61	W	1	c	10 a.	29.68	753.9	85	75	E	3	
Victoria Peak,	,,	...	...	...	...	W	1	...	,,	...	...	...	...	E	3	
Gap Rock,	,,	29.62	752.3	...	...	W	2	...	,,	29.67	753.6	...	...	N N E	3	
Macao,	,,	29.66	753.4	88	...	S E	1	c	,,	29.71	754.6	86	...	S E	3	
Wuchow,	3 p.	29.63	752.6	91	63	W	2	c	9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	29.75	755.6	91	77	W	3	b	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.64	752.8	91	...	S	2	b	8 a.	...	...	...	...	...	...	
Tourane,	,,	29.69	754.1	88	...	E	3	c	,,	...	...	...	..	...	...	
Cape St. James,	,,	29.77	756.2	75	...	N W	1	c	,,	...	...	...	...	...	...	
Aparri,	2 p.	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...	
Manila,	4 p.	29.65	753	81	92	W S W	2	o	10 a.	29.80	757	82	85	S W	3	
Legaspi,	2 p.	29.71	754.7	88	...	S W	2	o	6 a.	29.78	756.3	79	...	S W	2	
Bacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	2	
Iloilo,	,,	29.75	755.6	82	...	S W	2	o	,,	29.83	757.7	82	...	S W	2	
Cebu,	,,	29.77	756.1	87	...	S	2	c	,,	29.85	758.2	84	...	S	2	
Labuan,	,,	29.82	757.4	89	...	...	...	...	,,	29.91	759.7	85	...	...	...	

On the 1st at 6.30 p.—Red South Cone and Drum hoisted.

On the 2nd at 11.55 a.—The typhoon appears to be situated about 100 miles to the Southward of Pratas Shoa and to be moving towards W.N.W. The barometer is falling on the S. coast of China. It has risen considerably N. Luzon.

The decrease of pressure at the Bonins indicates the existence of a depression over the Pacific far the S.W. the group. It is probably moving towards N.W.

The highest pressure is shown over S.E. Japan.

Rough weather may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.15 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, freshening considerably, probably to a gale; squally, showery.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, freshening.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 2nd August, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	2ND AUGUST, 1911, P.M.								3RD AUGUST, 1911, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
bstock,...	2 p.	29.86	758.4	61	...	S S E	4	o	7 a.	29.82	757.4	62	92	S	1	o
,.....	"	29.83	757.6	...	...	N W	3	...	6 a.	29.97	761.1	...	...	N N E	2	...
te,.....	"	29.85	758.2	...	...	S	1	...	"	29.87	758.7	...	...	N E	2	...
.....	"	29.93	760.1	...	...	S S E	2	...	"	29.87	758 6	...	...	S S E	2	...
.....	"	29.83	757.8	...	...	E S E	1	...	"	29.80	756.8	...	...	S W	1	...
ki, ...	"	29.82	757.3	...	...	W	2	...	"	...	.	...	...	...	...	...
ima, ...	"	29.80	756.9	...	...	S	1	...	"	29.76	755.9	...	...	N	2	...
,.....	"	29.79	756.6	...	...	N	1	...	"	29.73	755.1	...	...	S	1	...
.....	"	29.79	756.7	...	...	W	1	...	"	29.71	754.7	...	...	...	0	...
ijima,....	"	29.74	755.3	...	...	S E	4	...	"	29.72	754.8	...	...	S	2	...
ls.....	"	29.31	757.1	...	...	E S E	1	...	"	29.77	756.1	...	...	E S E	1	...
.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	..	...
wei,.....	"	29.81	757.2	73	82	...	...	...	9 a.	29.86	758.4	79	82	N		b
w, ...	"	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	...
ng,.....	"	29.66	753.3	95	65	N E	1	b	"	...	...	...	...	...	...	...
hai, ...	"	29.71	754.6	90	70	S E	2	c	9 a.	29.71	754.6	86	80	S E	2	o
ff, ...	"	29.71	754.6	83	87	S E	4	cv	"	29.70	754.4	82	96	S E	2	cv
Peak,.....	"	29.68	753.9	85	...	N N E	4	c	"	29.69	754.1	83	...	..	0	b
.....	"	29.63	752.6	94	55	E	5	b	6 a.	29.63	753.9	79	87	S S E	2	c
w, ...	"	29.62	752.3	89	63	N E	1	b	"	29.62	752.3	79	91	E	1	f
ku,.....	1 p.	29.66	753.3	...	...	S E	6	...	5 a.	29.73	755.0	...	...	...	0	...
n, ...	"	29.63	752.7	...	...	N W	2	...	"	29.72	754.8	...	...	...	0	...
n,.....	"	29.69	754.1	...	...	S W	8	...	"	29.74	755.4	...	...	S	4	...
n.....	"	29.72	754.8	...	...	S W	4	...	"	29.72	754.9	...	...	...	0	...
lores, ...	"	29.66	753.4	..	...	S W	4	...	"	29.69	754.2	...	...	S	6	...
n,.....	3 p.	29.56	750.8	92	67	S	1	c	9 a.	...	..	...	...	...	...	...
kong, ...	4 p.	29.58	751.3	85	75	E	4	o	10 a.	29.56	750.8	80	30	E	3	op
ia Peak,...	"	...	...	...	...	E	3	...	"	...	...	...	...	E	5	...
Rock,.....	"	29.55	750.5	...	...	E N E	4	...	"	29.50	749.3	...	...	N E	7	...
,.....	"	29.59	751.5	87	...	S E	2	c	"	29.60	751.8	80	...	N E	3	c
ow,.....	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
w, ...	"	...	..	...	...	...	...	...	"	...	...	...	...	...	...	...
i,.....	"	29.66	753.3	90	81	W	2	b	"	...	...	...	...	...	...	...
n, ...	4 p.	29.57	751.0	91	...	S S E	3	b	8 a.	29.61	752.1	90	...	S S W	2	c
ne, ...	"	29.62	752.3	90	...	E	1	c	"	29.62	752.4	86	..	S W	1	dh
t. James,.	"	29.76	755.9	79	...	N N W	4	o	"	29.81	757.1	77	...	W N W	4	c
.....	2 p.	29.62	752.4	90	...	S W	2	b	6 a.	29.71	754.7	75	...	N	0	b
,.....	4 p.	29.72	755	82	85	S S W	1	o	10 a.	29.76	755	84	77	S W	2	o
i, ...	2 p.	29.75	755.6	86	...	S W	2	o	6 a.	29.78	756.5	79	...	S W	2	b
d,.....	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	2	b
.....	"	29.77	756.1	83	...	S W	1	o	"	29.87	758.7	80	...	S W	2	or
.....	"	29.77	756.1	87	...	S	1	c	"	29.84	757.9	87	...	S	1	b
n, ...	"	29.80	756.9	89	...	...	...	...	"	29.87	758.7	85	...	...	...	...

On the 2nd at 5.00 p.—Black South Cone and Drum hoisted.
On the 3rd at 10.15 a.—Black South Cone hoisted.
At 12.05 p.—The barometer has fallen considerably in the neighbourhood of Hongkong and over Tongking, and n slightly in Formosa.
The typhoon, which is situated about 150 miles to the South of Hongkong, seems likely to reach the coast in the hbourhood of Hainan Straits.
The depression over the Pacific is lying about midway between the Loochoos and the Bonins. It is probably mov- towards N.W.
Pressure has increased and is high over N.E. Japan.
Rough weather may be expected over the N.W. part of the China Sea.
Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ongkong and Neighbourhood, ...	Moderate or fresh N.E. to S.E. gale; squally, showery.
ormosa Channel, ...	E. and S.E. winds, moderate.
outh coast of China between Hongkong and Lamocks,.	E. and S.E. winds, strong.
outh coast of China between Hongkong and Hainan,...	Cyclonic gales.

F. G. FIGG, *Director.*

Hongkong Observatory, Thursday, 3rd August, 1911.

[NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd August, 1911, P.M.									4th August, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.80	756.8	63	...	S S E	1	o		7 a.	29.75	755.6	62	85	W	0	
Nemuro,	,,	29.98	761.6	...	...	S E	2	...		6 a.	29.97	761.1	...	...	N E	1	
Hakodate,	,,	29.85	758.2	...	...	E S E	5	...		,,	29.81	757.2	...	...	E S E	4	
Tokio,	,,	29.85	758.1	...	...	...	0	...		,,	29.73	755.1	...	...	N W	2	
Kochi,	,,	29.70	754.3	...	...	S E	1	...		,,	29.62	752.3	...	...	S W	1	
Nagasaki,	,,	29.70	754.3	...	...	S W	2	...		,,	...	...	...	...	N	1	
Kagoshima,	,,	29.68	753.9	...	...	E	1	...		,,	29.62	752.4	...	...	N	1	
Oshima,	,,	29.69	754.1	...	...	N	3	...		,,	29.63	752.6	...	...	N N W	1	
Naha,	,,	29.69	754.2	...	...	N N W	2	...		,,	29.67	753.7	...	...	N W	1	
Ishigakijima,	,,	29.70	754.3	...	...	S S W	1	...		,,	29.70	754.3	...	...	N W	1	
Bonin Is.	,,	29.73	755.1	...	...	S E	1	...		,,	29.67	753.6	...	...	...	0	
Chefoo,	4 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.76	755.9	78	82	N N W	1	b		9 a.	29.74	755.4	78	95	N N W	2	
Hankow,	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	
Shanghai,	,,	29.68	753.9	85	79	S E	2	o		9 a.	29.71	754.6	84	79	E N E	2	
Gutzlaff,	,,	29.66	753.3	83	87	S E	3	cv		,,	29.69	754.1	82	91	E	2	
Sharp Peak,	,,	29.66	753.3	85	...	S S E	2	b		,,	29.74	755.4	84	...	..	0	
Amoy,	,,	29.70	754.4	87	65	S	4	o		6 a.	29.70	754.4	82	79	S E	6	
Swatow,	,,	29.61	752.1	85	68	E	2	c		,,	...	...	...	...	...	...	
Taihoku,	1 p.	29.71	754.6	...	...	N	4	...		5 a.	29.72	754.9	...	...	...	0	
Taichu,	,,	29.70	754.5	...	...	N W	2	...		,,	29.69	754.2	...	...	...	0	
Tainan,	,,	29.72	754.8	...	...	S	6	...		,,	29.72	754.9	...	...	S E	4	
Koshun	,,	29.71	754.6	...	...	S	6	...		,,	29.73	755.2	...	...	S	2	
Pescadores,	,,	29.70	754.3	..	...	S	6	...		,,	29.69	754.0	...	...	S	6	
Canton,	3 p.	29.51	749.5	89	56	E	2	c		9 a.	29.52	749.8	92	74	N E	2	
Hongkong,	4 p.	29.45	748.0	80	79	N E	5	o		10 a.	29.47	748.5	78	93	E	6	
Victoria Peak,	,,	...	...	...	...	E	7	...		,,	...	..	...	...	E	9	
Gap Rock,	,,	29.40	746.7	...	...	N E	8	...		,,	29.32	744.7	...	...	E	8	
Macao,	,,	29.45	748.0	83	...	N E	3	c		,,	29.47	748.5	78	...	N E	3	
Wuchow,	3 p.	...	...	...	...	..	...	...		9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	
Phulien,	4 p.	29.50	749.3	93	...	S S E	1	c		8 a.	29.57	751.1	88	...	S S W	0	
Tourane,	,,	29.57	751.2	88	...	E N E	2	or		,,	29.62	752.4	88	..	W	1	
Cape St. James,	,,	29.76	756.0	79	...	S W	2	o		,,	29.84	757.9	77	...	W S W	3	
Aparri,	2 p.	29.66	753.3	90	...	S E	2	b		6 a.	29.72	754.8	77	...	E	0	
Manila,	4 p.	29.72	755	82	85	...	0	o		10 a.	29.80	757	86	79	S W	2	
Legaspi,	2 p.	29.73	755.1	88	...	S W	4	b		6 a.	29.79	756.7	79	...	S W	2	
Bacolod,	3 p.	...	...	...	...	S W	3	c		9 a.	...	...	...	...	S W	1	
Iloilo,	,,	29.77	756.1	83	...	S W	2	c		,,	29.85	758.2	82	...	S W	1	
Cebu,	,,	29.78	756.4	89	...	S	1	c		,,	29.86	758.4	85	...	S	1	
Labuan,	,,	29.87	753.7	85	...	...	...	...		,,	29.84	757.9	85	...	...	...	

On the 3rd at 7.30 p.—The typhoon to the Southward of Hongkong appears to be progressing slowly on course towards W.N.W. The barometer continues to fall very slowly.

On the 4th at 11.55 a.—The barometer is still falling in the neighbourhood of Hongkong. The typhoon ce is probably situated about 75 miles to the Southsouthwest of Gap Rock. It is moving slowly towards N.W. or N.N and the coast to the West of Macao is threatened.

Pressure has given way over S. Japan, the Loochoos and the Bonins under the influence of the typhoon over Pacific. This disturbance, which is lying to the N.E. of the Loochoos, is moving Northwards.

Pressure remains high over the Pacific to the N.E. of Japan.

Bad weather may be expected over the N.W. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. to S.E. gale; hard rain squalls
2.—Formosa Channel, ...	S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Cyclonic gales.

F. G. FIGG, *Director.*

Hongkong Observatory, Friday, 4th August, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ON.	4TH AUGUST, 1911, P.M.									5TH AUGUST, 1911, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
tock,...	2 p.	29.70	754.3	68	...	S	0	b		7 a.	29.63	752.7	64	92	...	0	o
.....	,,	29.93	760.1	...	...	N E	2	...		6 a.	29.91	759.6	...	...	W N W	1	...
e,.....	,,	29.79	756.7	...	...	E S E	3	...		,,	29.71	754.7	...	...	E	5	...
.....	,,	29.67	753.6	...	...	S	3	...		,,	29.57	751.1	...	...	S S W	3	...
.....	,,	29.48	748.8	...	...	N	2	...		,,	..	...	...	...	...	...	...
i, ...	,,	29.58	751.3	...	...	N	4	...		,,	29.70	754.3	...	...	N E	1	...
na, ...	,,	29.52	749.9	...	...	N	3	...		,,	29.66	753.4	...	...	N	1	...
.....	,,	29.61	752.1	...	...	N	2	...		,,	29.67	753.6	...	...	S	1	...
.....	,,	29.65	753.2	...	...	N W	2	...		,,	...	...	...	...	...	...	...
jima,....	,,	29.72	754.8	...	...	W	3	...		,,	29.72	754.8	...	...	S	2	...
s.....	,,	29.71	754.6	...	...	S S W	1	...		,,	29.83	757.6	...	...	...	0	...
.....	4 p.	...	...	...	...	...	...	...		6 a.	...	...	...	..	...	...	...
vei,.....	,,	29.70	754.4	80	91	N	1	b		9 a.	29.64	752.8	82	75	S E	1	c
,.....	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
g,.....	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
si, ...	,,	29.64	752.8	85	76	E S E	1	c		9 a.	29.65	753.1	87	72	S E	2	c
, ...	,,	29.63	752.6	84	75	E	2	cv		,,	29.63	752.6	83	87	S E	3	cv
'eak,.....	,,	29.66	753.3	86	...	S S E	2	b		,,	29.71	754.6	84	...	S	1	or
.....	,,	29.64	752.8	83	75	E	1	or		6 a.	29.65	753.1	81	87	S E	2	o
,.....	,,	29.60	751.8	83	83	E	2	o		,,	...	...	...	...	..	...	...
),.....	1 p.	29.69	754.1	...	...	N	4	...		5 a.	29.70	754.4	...	...	S E	2	...
.....	,,	29.70	754.4	...	...	N W	2	...		,,	29.65	753.1	...	...	...	0	...
.....	,,	29.72	754.9	...	...	S	6	...		,,	29.70	754.4	...	...	S E	6	...
.....	,,	29.74	755.5	...	...	S W	6	...		,,	29.73	755.1	...	...	S	6	...
ores, ...	,,	29.70	754.3	..	...	S	4	...		,,	29.67	753.5	...	...	S	6	...
.....	3 p.	29.46	748.3	80	87	N E	2	o		9 a.	...	...	...	...	..	...	...
ong, ...	4 p.	29.36	745.7	78	91	E	7	oq		10 a.	29.35	745.5	79	88	S E	8	oq
Peak,...	,,	...	...	...	...	E	7	...		,,	...	...	...	...	S E	10	...
ock,.....	,,	29.16	740.6	...	...	E	9	...		,,	29.25	742.9	...	...	S E	8	...
.....	,,	29.36	745.8	77	...	N E	5	o		,,	29.25	742.9	77	...	E	10	odq
w,.....	8 p.	...	...	...	...	..	...	...		9 a.	...	...	...	...	...	...	...
,.....	,,	...	..	...	...	...	...	...		,,	...	...	...	...	...	...	...
.....	,,	29.49	749.0	92	77	N W	1	c		,,	...	...	...	...	...	...	...
,.....	4 p.	29.50	749.2	82	...	W N W	3	o		8 a.	29.53	750.0	86	...	W N W	3	c
,.....	,,	29.55	750.5	88	...	N E	2	c		,,	29.58	751.4	93	..	S W	2	c
James,.	,,	29.75	755.7	81	...	W S W	3	c		,,	29.82	757.5	75	...	S W	3	o
.....	2 p.	29.69	754.0	86	...	N E	2	o		6 a.	29.71	754.6	77	...	S W	2	o
.....	4 p.	29.72	755	86	71	S W	2	c		10 a.	29.80	757	86	71	W S W	1	c
.....	2 p.	29.74	755.4	90	...	S W	4	b		6 a.	29.78	756.5	79	...	S W	2	b
,.....	3 p.	...	...	...	...	S W	2	c		9 a.	...	...	...	...	S W	1	o
.....	,,	29.77	756.1	84	...	S W	2	b		,,	29.83	757.7	82	...	S W	1	b
.....	,,	29.77	756.1	89	...	S	1	c		,,	29.84	757.9	87	...	S	1	c
,.....	,,	29.74	755.4	89	...	...	...	...		,,	29.84	757.9	85	...	...	...	...

On the 4th at 5.30 p.—The typhoon is moving Northwards and approaching the neighbourhood of Gap Rock. y yet prove dangerous to the Colony. Violent gale probably from between East and South expected to-night.
On the 5th at 6.40 a.—Black South Cone and Ball hoisted.
At 7.00 a.—Bombs fired.
At 11.45 a.—The typhoon is slowly approaching the coast a little to the West of Macao, moving now towards The barometer has commenced to rise in Hongkong, and the gale is expected to gradually decrease in force.
The typhoon in the North has recurved towards N.N.E., and reached S.E. Japan.
The highest pressure is shown over the Pacific to the N.E. of Japan.
At noon, Black Ball hoisted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ngkong and Neighbourhood, ...	S.E. and S. gale, gradually moderating; squally, [showery.
mosa Channel, ...	S.E. winds, moderate.
th coast of China between Hongkong and Lamooks,.	S.E. winds, strong.
th coast of China between Hongkong and Hainan,...	Cyclonic gales.

F. G. FIGG, *Director.*

Hongkong Observatory, Saturday, 5th August, 1911.

nted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th August, 1911, P.M.								6th August, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.57	751.2	73	...	N N E	0	o	7 a.	29.63	752.5	64	99	S S E	2	
Nemuro,	,,	29.91	759.6	...	...	S	4	...	6 a.	29.87	758.6	...	...	S W	2	
Hakodate,	,,	29.61	752.2	...	...	E S E	4	...	,,	29.89	759.2	...	...	S W	1	
Tokio,	,,	29.69	754.1	...	...	S S W	4	...	,,	29.93	760.1	...	...	S W	1	
Kochi,	,,	29.72	754.8	...	...	S E	3	...	,,	29.84	757.8	...	...	S W	1	
Nagasaki,	,,	29.72	754.8	...	...	W S W	2	...	,,	29.78	756.3	...	...	S S E	1	
Kagoshima,	,,	29.70	754.4	...	...	S	1	...	,,	29.78	756.4	...	...	E N E	1	
Oshima,	,,	...	...	...	...	...	...	...	,,	29.77	756.1	...	...	...	0	
Naha,	,,	29.73	755.2	...	...	N W	2	...	,,	29.79	756.7	...	...	...	0	
Ishigakijima,	,,	29.74	755.3	...	...	W	1	...	,,	29.76	755.8	...	...	S W	3	
Bonin Is.	,,	29.85	758.1	...	...	..	0	...	,,	29.87	758.6	...	...	E	1	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.60	751.8	83	67	S W	3	cm	9 a.	29.58	751.3	78	...	E	1	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Shanghai,	,,	29.58	751.3	92	64	S E	2	c	9 a.	29.60	751.8	84	83	S S W	2	
Gutzlaff,	,,	29.58	751.3	83	87	S E	4	cv	,,	29.59	751.6	82	91	S S W	4	
Sharp Peak,	,,	29.65	753.1	85	...	S	1	b	,,	29.71	754.6	84	...	S	1	
Amoy,	,,	29.67	753.6	84	79	S	4	o	6 a.	29.68	753.9	82	79	S	3	
Swatow,	,,	29.61	752.1	83	87	S E	3	o	,,	...	...	...	...	...	...	
Taihoku,	1 p.	29.71	754.6	...	...	E	4	...	5 a.	29.73	755.2	...	...	...	0	
Taichu,	,,	29.74	755.3	...	...	S	4	...	,,	29.74	755.3	...	...	...	0	
Tainan,	,,	29.74	755.5	...	...	S	4	...	,,	29.75	755.6	...	...	S E	2	
Koshun	,,	29.74	755.3	...	...	S W	6	...	,,	29.76	755.8	...	...	S W	4	
Pescadores,	,,	29.70	754.4	..	...	S	8	...	,,	29.73	755.0	...	...	S	6	
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Hongkong,	4 p.	29.33	745.0	77	94	S E	6	orq	10 a.	29.57	751.1	79	92	S S E	4	
Victoria Peak,	,,	...	...	...	...	S	9	...	,,	...	...	...	...	S	9	
Gap Rock,	,,	29.23	742.4	...	...	S	9	...	,,	...	...	...	...	...	...	
Macao,	,,	29.03	737.3	77	...	S E	11	odq	,,	...	...	...	...	...	...	
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.45	748.0	88	...	W	3	o	8 a.	29.51	749.6	86	...	W S W	3	
Tourane,	,,	29.57	751.0	88	...	S S E	2	c	,,	29.63	752.6	86	...	S W	2	
Cape St. James,	,,	29.75	755.6	75	...	W S W	2	o	,,	29.87	758.7	...	...	W S W	3	
Aparri,	2 p.	29.71	754.7	88	...	E	2	b	6 a.	29.78	756.3	77	...	S	0	
Manila,	4 p.	29.76	756	86	71	W S W	3	o	10 a.	29.88	759	84	77	W S W	1	
Legaspi,	2 p.	29.76	756.0	90	...	S W	2	c	6 a.	29.82	757.5	77	...	S W	2	
Bacolod,	3 p.	...	...	...	...	S W	2	b	9 a.	...	...	...	...	S W	2	
Iloilo,	,,	29.77	756.1	84	...	S W	1	b	,,	29.87	758.7	83	...	S W	1	
Cebu,	,,	29.78	756.4	90	...	S	1	c	,,	29.87	758.7	85	...	S	1	
Labuan,	,,	29.76	755.9	89	...	...	...	...	,,	...	...	...	...	...	...	

On the 5th at 5.10 p.—The typhoon centre has reached the coast close to, and to the west of Macao.

On the 6th at 5.50 a.—Signal lowered.

At 12.55 p.—The typhoon has probably reached the West River between Canton and Wuchow. The barometer continues to rise slowly in Hongkong.

Pressure has given way over N. China, a depression having appeared over Shantung.

The depression lying over the SE part of the Sea of Japan yesterday, has moved away Northwards, and pressure has increased considerably over SE Japan.

Pressure is highest over the Pacific to the E. of Japan.

Strong S. and SW winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 13.71 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, strong; squally, showery.
2.—Formosa Channel,	S. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	SW winds, strong.

F. G. FIGG, *Director.*

Hongkong Observatory, Sunday, 6th August, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ION.	6TH AUGUST, 1911, P.M.								7TH AUGUST, 1911, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
stock,...	2 p.	29.64	752.9	66	...	S S W	2	or	7 a.	29.65	753.1	65	96	S S E	1	or
,.....	,,	29.87	758.6	...	...	W S W	2	...	6 a.	29.95	760.6	...	...	...	0	...
te,.....	,,	29.91	759.7	...	...	S S E	1	...	,,	29.93	760.2	...	...	...	0	...
.....	,,	29.93	760.1	...	...	S	3	...	,,	29.97	761.1	...	...	...	0	...
.....	,,	29.85	758.3	...	...	S E	1	...	,,	29.89	759.3	...	...	E	1	...
i,.....	,,	29.80	756.8	...	...	S E	2	...	,,	29.78	756.3	...	...	S	6	...
ima,.....	,,	29.80	756.9	...	...	S E	1	...	,,	29.88	758.9	...	...	S S E	1	...
,.....	,,	29.79	756.6	...	...	N	1	...	,,	29.81	757.1	...	...	...	0	...
.....	,,	29.79	756.7	...	...	W N W	1	...	,,	29.79	756.7	...	...	...	0	...
ijima,....	,,	29.80	756.8	...	...	S	2	...	,,	29.78	756.3	...	...	S W	2	...
ls.....	,,	29.87	758.6	...	...	E	1	...	,,	29.81	757.1	...	...	N E	1	...
.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
wei,.....	,,	29.57	751.1	76	100	E S E	1	c	9 a.	29.68	753.9	81	78	S W	1	bm
w,.....	,,	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...	...
ng,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ai,.....	,,	29.61	752.1	76	95	N W	4	rtq	9 a.	29.70	754.4	83	75	...	0	o
ff,.....	,,	29.52	749.8	85	87	W S W	2	om	,,	29.68	753.9	81	91	W S W	1	ov
Peak,.....	,,	29.67	753.6	85	...	N N E	2	or	,,	29.74	755.4	84	...	...	0	b
.....	,,	29.77	756.1	85	72	S S W	6	c	6 a.	29.75	755.6	81	83	S W	4	o
v,.....	,,	29.70	754.4	84	83	S	4	o	,,	...	...	...	...	...	...	...
u,.....	1 p.	29.72	755.0	...	...	N	2	...	5 a.	29.75	755.5	...	...	S	2	...
,.....	,,	29.78	756.3	...	...	S W	2	...	,,	29.73	756.5	...	...	...	0	...
,.....	,,	29.80	756.9	...	...	S E	2	...	,,	29.76	755.8	...	...	S W	6	...
n.....	,,	29.80	756.9	...	...	S W	4	...	,,	29.78	756.5	...	...	W	6	...
iores,.....	,,	29.75	755.6	..	...	S	6	...	,,	29.75	755.7	...	...	S	4	...
),.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	..	...	...
ong,.....	4 p.	29.56	750.8	80	89	S	5	odq	10 a.	29.71	754.6	82	83	S	3	oq
ia Peak,...	,,	...	...	...	...	S	7	...	,,	...	...	...	...	S	7	...
ook,.....	,,	29.54	750.3	...	...	S W	6	...	,,	29.66	753.3	...	...	S S E	6	...
.....	,,	29.53	750.1	81	...	S	6	o	,,	29.69	754.1	81	...	S S E	5	o
w,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	..
w,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
i,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n,.....	4 p.	29.44	747.8	88	...	S S W	4	o	8 a.	29.56	750.7	81	...	S	1	o
e,.....	,,	29.64	752.9	91	...	N W	1	b	,,	29.69	754.0	86	..	S W	3	dh
. James,.	,,	29.78	756.4	77	...	S W	3	or	,,	29.87	758.7	77	...	S W	2	o
.....	2 p.	29.76	755.9	88	...	N E	2	o	6 a.	29.78	756.3	79	...	W	2	c
,.....	4 p.	29.76	756	86	71	W S W	1	c	10 a.	29.84	758	86	71	W	1	c
i,.....	2 p.	29.76	755.9	91	...	W	2	b	6 a.	29.81	757.1	79	...	W	2	b
d,.....	3 p.	...	...	...	...	S W	1	c	9 a.	...	...	...	...	S W	2	c
.....	,,	29.79	756.6	83	...	S W	1	o	,,	29.87	758.7	83	...	S W	1	b
.....	,,	29.84	757.9	84	...	S	1	c	,,	29.86	758.4	87	...	S	1	c
n,.....	,,	29.81	757.2	85	...	...	...	...	,,	29.90	759.4	79	...	...	...	...

On the 7th at 12.55 p.—There is a tendency for pressure to give way again over the Bonins, the Loochoos and Philippines. It has increased elsewhere, particularly over the E. and S. coasts of China.

The recent typhoon is still faintly indicated over SW China.

Pressure is high over the Pacific to the East of Japan, and the relatively so over the S. part of the China Sea.

Fresh monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ongkong and Neighbourhood, ...	S. winds, fresh; fair.
rmosa Channel, ...	Same as No. 1.
uth coast of China between Hongkong and Lamocks,.	Same as No. 1.
uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG, *Director.*

Hongkong Observatory, Monday, 7th August, 1911.

rinted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th August, 1911, P.M.								8th August, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.53	750.0	66	...	N	0	or	7 a.	29.69	754.2	65	99	S S E	1	f
Nemuro,	,,	29.93	760.1	...	...	S S W	2	...	6 a.	29.87	758.6	...	...	W	4	...
Hakodate,	,,	29.87	758.7	...	...	S	1	...	,,	29.89	759.2	...	...	...	0	...
Tokio,	,,	29.96	761.1	...	...	S S W	3	...	,,	29.99	761.6	...	...	N W	4	...
Kochi,	,,	29.89	759.3	...	...	E S E	2	...	,,	29.89	759.3	...	...	S W	1	...
Nagasaki,	,,	29.82	757.3	...	...	...	0	...	,,	29.80	756.8	...	...	E S E	1	...
Kagoshima,	,,	29.82	757.4	...	...	S S E	1	...	,,	29.80	756.9	...	...	N E	2	...
Oshima,	,,	29.79	756.6	...	...	S	2	...	,,	29.75	755.6	...	...	S	1	...
Naha,	,,	29.79	756.7	...	...	N W	1	...	,,	29.71	754.7	...	...	N E	1	...
Ishigakijima,	,,	29.78	756.3	...	...	S	2	...	,,	29.68	753.8	...	...	E	1	...
Bonin Is.	,,	29.71	754.6	...	...	E N E	1	...	,,	29.65	753.1	...	...	S E	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.68	753.9	81	78	E N E	3	c	9 a.	29.74	755.4	75	86	S S E	2	bm
Hankow,	,,	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.66	753.3	84	73	E S E	1	om	9 a.	29.67	753.6	86	72	E N E	1	c
Gutzlaff,	,,	29.65	753.1	85	79	S E	1	cv	,,	29.65	753.1	83	87	N E	2	c
Sharp Peak,	,,	29.69	754.1	85	...	S	1	b	,,	29.68	753.9	85	...	S	1	b
Amoy,	,,	29.71	754.6	87	69	S	3	c	6 a.	29.70	754.4	80	87	S W	1	c
Swatow,	,,	...	...	..	...	...	...	...	,,	29.71	754.6	80	91	S W	1	b
Taihoku,	1 p.	29.76	755.8	...	...	W	6	...	5 a.	29.70	754.3	...	...	...	0	...
Taichu,	,,	29.74	755.4	...	...	N W	2	...	,,	29.73	755.2	...	...	...	0	...
Tainan,	,,	29.81	757.2	...	...	S W	6	...	,,	29.75	755.6	...	...	S E	2	...
Koshun	,,	29.80	756.8	...	...	N W	6	...	,,	29.73	755.1	...	...	N W	6	...
Pescadores,	,,	29.78	756.3	..	...	S W	4	...	,,	29.73	755.0	...	...	S	2	...
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.66	753.3	82	85	S W	2	o	10 a.	29.70	754.4	82	82	S	1	o
Victoria Peak,	,,	...	...	...	...	S S E	6	...	,,	...	...	...	...	S S E	5	...
Gap Rock,	,,	29.63	752.6	...	...	S S E	5	...	,,	29.67	753.6	...	...	S S W	4	...
Macao,	,,	29.67	753.6	82	...	S E	5	c	,,	29.71	754.7	81	...	S S W	2	cd
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.53	750.1	84	...	S S W	3	or	8 a.	29.61	752.0	82	...	S S W	5	c
Tourane,	,,	29.65	753.0	...	...	S W	1	or	,,	29.72	754.9	90	..	S	3	c
Cape St. James,	,,	29.80	756.8	84	...	W S W	2	c	,,	29.87	758.7	77	...	S W	2	c
Aparri,	2 p.	29.76	756.0	88	...	N E	2	b	6 a.	29.71	754.7	77	...	S	2	c
Manila,	4 p.	29.80	757	86	75	S W	3	c	10 a.	29.80	757	84	77	W N W	2	o
Legaspi,	2 p.	29.76	755.8	88	...	W	4	c	6 a.	29.74	755.4	81	...	W	2	o
Bacolod,	3 p.	...	...	...	...	S W	2	c	9 a.	...	...	...	...	S W	1	o
Iloilo,	,,	29.77	756.1	84	...	S W	1	b	,,	29.82	757.4	82	...	S W	1	o
Cebu,	,,	29.79	756.6	86	...	...	0	o	,,	29.82	757.4	82	...	S	1	o
Labuan,	,,	29.82	757.4	86	...	...	...	...	,,	29.87	758.7	83	...	...	...	...

On the 8th at 12.55 p.—The barometer continues to fall over the Bonins, the Loochoos and Philippines under the influence of a typhoon which is situated over the Pacific to the SW of the Bonins and SE of the Loochoos. It is moving, apparently, towards WNW.

Pressure appears to be low also, over S. China to the South of the Yangtze. It is highest over the Pacific to the East of Japan.

Fresh or moderate monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. to SW winds, fresh or moderate; showery.
2.—Formosa Channel,	Variable winds, moderate
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG, *Director.*

Hongkong Observatory, Tuesday, 8th August, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th August, 1911, P.M.								9th August, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock,	2 p.	29.70	754.4	69	...	S	1	o	7 a.	29.77	756.1	65	99	...	0	f
emuro,	,,	29.87	758.6	...	...	W S W	6	...	6 a.	29.89	759.1	...	...	S W	4	...
akodate,	,,	29.87	758.7	...	...	E S E	3	...	,,	29.91	759.7	...	...	...	0	...
kio,	,,	29.93	760.1	...	...	S E	2	...	,,	29.95	760.6	...	...	E N E	1	...
ochi,	,,	29.83	757.3	...	...	S E	1	...	,,	29.76	755.8	...	...	S W	1	...
agasaki,	,,	29.76	755.8	...	...	E S E	2	...	,,	29.70	754.3	...	...	N W	1	...
agoshima,	,,	29.74	755.4	...	...	N E	4	...	,,	29.66	753.4	...	...	E	3	...
shima,	,,	29.69	754.1	...	...	S E	1	...	,,	29.53	750.1	...	...	...	0	...
aha,	,,	29.65	753.2	...	...	E	1	...	,,	29.54	750.2	...	...	N	4	...
higakijima,	,,	29.68	753.8	...	...	N E	2	...	,,	29.60	751.8	...	...	N W	1	...
onin Is.	,,	29.67	753.6	...	...	S E	...	...	,,	29.75	755.6	...	...	E S E	2	...
nefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	...
eihaiwei,	,,	29.72	754.9	80	75	N N E	5	c	9 a.	29.76	755.9	82	79	E	1	c
ankow,	,,	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...	...
iukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hanghai,	,,	29.61	752.1	83	73	N E	3	c	9 a.	29.66	753.3	87	69	E	2	c
utzlaff,	,,	29.59	751.6	84	87	E	3	c	,,	29.63	752.6	82	87	E S E	3	cv
harp Peak,	,,	29.58	751.3	86	...	...	0	c	,,	29.61	752.1	84	...	...	0	b
moy,	,,	29.59	751.6	83	66	S W	2	b	6 a.	...	...	...	...	...	...	...
watow,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
aihoku,	1 p.	29.67	753.5	...	...	N W	6	...	5 a.	29.61	752.1	...	...	...	0	...
aichu,	,,	29.72	754.9	...	...	W	2	...	,,	29.64	752.9	...	...	...	0	...
ainan,	,,	29.74	755.5	...	...	W	4	...	,,	29.65	753.1	...	...	N E	2	...
oshun	,,	29.70	754.5	...	...	N W	6	...	,,	29.62	752.4	...	...	N	6	...
escadores,	,,	29.72	754.8	..	...	S	2	...	,,	29.62	752.3	...	...	S	4	...
anton,	3 p.	...	...	...	...	..	...	..	9 a.	...	...	...	...	...	...	...
ongkong,	4 p.	29.63	752.6	83	77	S S W	1	o	10 a.	29.64	752.8	85	79	W	1	b
ictoria Peak,	,,	...	...	...	...	S	3	...	,,	...	...	...	...	S W	3	...
ap Rock,	,,	29.61	752.1	...	...	S S W	3	...	,,	29.63	752.6	...	...	S W	3	...
acao,	,,	29.68	753.9	83	...	S	3	c	,,	...	...	...	...	...	...	...
ucho w,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
oihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
akhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hulien,	4 p.	29.55	750.5	90	...	S S W	6	c	8 a.	29.60	751.9	84	...	S S W	5	b
purane,	,,	29.66	753.3	88	...	S	2	c	,,	...	...	88	..	...	4	b
pe St. James,	,,	29.80	756.8	77	...	S W	7	or	,,	29.89	759.2	77	...	S W	2	c
parri,	2 p.	29.71	754.7	88	...	N E	2	o	6 a.	29.64	752.8	79	...	W	0	o
anila,	4 p.	29.72	755	84	77	W S W	4	o	10 a.	29.73	755	86	79	W S W	5	...
gaspi,	2 p.	29.73	755.1	86	...	W	2	o	6 a.	29.70	754.4	79	...	S W	2	o
acolod,	3 p.	...	...	...	...	S W	2	c	9 a.	...	...	...	...	S W	2	c
oilo,	,,	29.74	755.4	84	...	S W	1	c	,,	29.80	756.9	83	...	S W	2	b
ebu,	,,	29.74	755.4	89	...	S	1	c	,,	29.83	757.7	88	...	S	1	c
abuan,	,,	29.78	756.4	85	...	...	...	...	,,	29.89	759.2	83	...	...	...	...

On the 9th at 12.05 p.—The typhoon over the Pacific is situated to the S.E. of the Loochoos. It is moving towards W.N.W. at present.

The barometer continues to fall at the stations bordering the Pacific between S.W. Japan and Luzon, particularly over the Loochoos.

Pressure remains high over the Pacific to the East of Japan, and relatively so over the S. part of the China Sea.

Fresh or strong monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood,	W. and S.W. winds, moderate; fine.
—Formosa Channel,	Variable winds, moderate
—South coast of China between Hongkong and Lamocks,	Same as No. 1.
—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 9th August, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th August, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	10th August, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostook,	2 p.	29.73	755.1	71	...	S S E	2	o	7 a.	29.78	756.4	66	99	...	0	f
Nemuro,	,,	29.89	759.1	...	...	S W	3	...	6 a.	29.65	753.1	...	...	S	1	...
Hakodate,	,,	29.95	760.7	...	...	S E	1	...	,,	29.87	758.7	...	...	...	0	...
Tokio,	,,	29.91	759.6	...	...	S S E	2	...	,,	29.97	761.1	...	...	...	0	...
Kochi,	,,	29.78	756.3	...	...	...	0	...	,,	29.88	758.8	...	...	S W	1	...
Nagasaki,	,,	29.66	753.3	...	...	E	3	...	,,	29.72	754.8	...	...	E N E	1	...
Kagoshima,	,,	29.66	753.4	...	...	E S E	5	...	,,	29.72	754.9	...	...	E	3	...
Oshima,	,,	29.49	749.1	...	...	E N E	3	...	,,	29.26	743.1	...	...	S E	6	...
Naha,	,,	29.42	747.2	...	...	N	5	...	,,	29.16	740.7	...	...	W N W	6	...
Ishigakijima,	,,	29.54	750.3	...	...	W N W	2	...	,,	29.42	747.3	...	...	N W	2	...
Bonin Is.	,,	29.77	756.1	...	...	S E	3	...	,,	29.89	759.1	...	...	S E	1	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.71	754.6	80	87	E N E	4	b	9 a.	29.79	756.6	78	88	E	1	cm
Hankow,	,,	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.60	751.8	86	84	N E	1	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.63	752.6	85	72	E S E	2	o	9 a.	29.65	753.1	85	75	N E	2	cq
Gutzlaff,	,,	29.61	752.1	82	83	E	3	cm	,,	29.60	751.8	83	87	N E	5	bm
Sharp Peak,	,,	29.55	750.5	84	...	E	2	b	,,	29.55	750.5	82	...	N N E	1	o
Amoy,	,,	29.54	750.3	84	75	E	2	o	6 a.	...	...	...	...	...	...	...
Swatow,	,,	29.51	749.5	92	64	W	1	o	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.59	751.7	...	...	N W	2	...	5 a.	29.52	749.9	...	...	S W	0	...
Taichu,	,,	29.59	751.6	...	...	W	2	...	,,	29.53	750.1	...	...	...	0	...
Tainan,	,,	29.59	751.7	...	...	W	6	...	,,	29.52	749.9	...	...	...	0	...
Koshun	,,	29.57	751.2	...	...	W	6	...	,,	29.51	749.5	...	...	W	2	...
Pescadores,	,,	29.53	750.0	..	...	W	4	...	,,	29.53	750.0	...	...	N E	6	...
Canton,	3 p.	29.53	750.0	88	69	S W	2	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.55	750.5	87	68	W S W	1	c	10 a.	29.57	751.1	85	77	W	1	o
Victoria Peak,	,,	...	...	...	...	S W	1	...	,,	...	...	...	...	W	1	...
Gap Rock,	,,	29.53	750.0	...	...	S W	4	...	,,	29.57	751.1	...	...	W	3	...
Macao,	,,	29.57	751.1	87	...	W S W	3	c	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.51	749.6	95	...	W S W	4	b	8 a.	...	...	...	...	...	...	...
Tourane,	,,	29.64	752.9	90	...	S	2	b	,,	...	...	...	..	...	...	...
Cape St. James,	,,	29.82	757.3	75	...	W S W	5	or	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.59	751.7	86	...	N E	2	o	6 a.	29.56	750.8	77	...	W	4	d
Manila,	4 p.	29.65	753	84	85	W S W	6	o	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.64	752.8	88	...	W	4	o	6 a.	29.67	753.5	81	...	S W	2	o
Bacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	...	..	...
Iloilo,	,,	29.72	754.9	85	...	S W	2	b	,,	...	...	...	...	...	...	...
Cebu,	,,	29.70	754.4	90	...	S	2	c	,,	...	...	...	...	...	...	...
Labuan,	,,	29.82	757.4	80	...	...	...	...	,,	...	...	...	...	...	...	...

On the 10th at 12.05 p.—The typhoon is situated over the Central Loochoos. It will now probably move Westwards towards the E. coast of China.

Pressure has increased moderately at the Bonins, and slightly over S.W. Japan and the N.E. coast of China. It continues to give way over the E. coast of China, Formosa and N. Luzon.

Pressure remains high over the Pacific to the East of Japan.

Bad weather is indicated over the Eastern Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. and S.W. winds, moderate; probably some thunder [showers.
2.—Formosa Channel,	N.W. to W. winds, freshening.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 10th August, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th August, 1911, P.M.								11th August, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
divostock,	2 p.	29.81	757.1	70	...	S S E	2	f	7 a.	29.97	761.3	65	93	S S E	1	f
uro,	,,	29.81	757.1	...	...	S E	2	...	6 a.	29.91	759.6	...	...	W S W	1	...
odate,	,,	29.87	758.7	...	...	N W	1	...	,,	29.99	761.7	...	...	...	0	...
o,	,,	29.98	761.6	...	...	S S W	2	...	,,	30.04	763.1	...	...	...	0	...
hi,	,,	29.89	759.3	...	...	S E	2	...	,,	30.01	762.3	...	...	...	0	...
asaki,	,,	29.74	755.3	...	...	E S E	3	...	,,	29.86	758.3	...	...	S E	1	...
oshima,	,,	29.74	755.4	...	...	E	6	...	,,	29.88	758.9	...	...	S E	3	...
ima,	,,	...	...	...	...	...	...	...	,,	29.69	754.1	...	...	W S W	2	...
a,	,,	29.34	745.2	...	...	S	4	...	,,	29.58	751.2	...	...	S S E	1	...
gakijima,	,,	29.42	747.3	...	...	W N W	3	...	,,	29.48	748.8	...	...	E	1	...
in Is.	,,	29.89	759.1	...	...	E	1	...	,,	29.93	760.1	...	...	E	1	...
foo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	...
haiwei,	,,	29.79	756.6	82	79	N E	2	c	9 a.	29.87	758.7	89	91	S E	1	cf
kow,	,,	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...	...
kiang,	,,	29.59	751.6	84	79	S	1	o	,,	...	...	...	...	...	...	...
nghai,	,,	29.61	752.1	87	69	N E	3	oq	9 a.	29.39	746.5	79	95	E	8	orq
tzlaff,	,,	29.56	750.8	83	83	N E	6	tm	,,	29.31	744.5	76	100	E S E	8	omr
rp Peak,	,,	29.48	748.8	85	...	S E	1	b	,,	29.46	748.3	84	...	...	0	b
oy,	,,	29.48	748.8	89	63	S E	2	b	6 a.	29.52	749.8	81	78	W	2	b
atow,	,,	...	...	...	...	...	...	...	,,	29.55	750.5	78	91	N E	1	b
hoku,	1 p.	29.49	749.0	...	...	W	2	...	5 a.	29.47	748.6	...	...	S	2	...
chu,	,,	29.49	749.0	...	...	N	4	...	,,	29.50	749.4	...	...	...	0	...
nan,	,,	29.51	749.5	...	...	N	6	...	,,	29.50	749.4	...	...	N W	4	...
shun,	,,	29.49	749.5	...	...	N W	6	...	,,	29.49	749.1	...	...	N	2	...
cadores,	,,	29.52	749.7	..	...	N	8	...	,,	29.49	749.1	...	...	N	4	...
ton,	3 p.	29.51	749.5	88	73	S	1	c	9 a.	29.52	749.8	81	87	N	2	c
ngkong,	4 p.	29.51	749.5	85	74	...	0	o	10 a.	29.56	750.8	87	76	E S E	1	c
toria Peak,	,,	...	...	...	...	W S W	0	...	,,	...	...	...	...	N E	1	...
Rock,	,,	29.49	749.0	...	...	W	3	...	,,	29.54	750.3	...	...	...	0	...
cao,	,,	29.52	749.8	84	...	S	1	o	,,	29.59	751.5	85	...	S E	1	c
chow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
how,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
nlien,	4 p.	29.48	748.8	95	...	W S W	3	c	8 a.	29.58	751.4	77	...	W S W	5	or
rane,	,,	29.57	751.2	93	...	S E	1	c	,,	29.62	752.4	93	..	S W	2	c
e St. James,	,,	29.79	756.7	75	...	W	4	or	,,	29.83	757.6	77	...	S W	4	c
rri,	2 p.	29.56	750.7	81	...	W	2	d	6 a.	...	...	...	...	..	...	...
ila,	4 p.	29.66	753	84	77	W S W	4	q	10 a.	29.73	755	86	79	W S W	5	o
aspi,	2 p.	29.64	752.8	90	...	S W	4	c	6 a.	29.70	754.3	79	...	S W	2	c
olod,	3 p.	...	...	...	...	S W	2	or	9 a.	...	...	...	...	S W	1	o
lo,	,,	29.72	754.9	79	...	S W	2	or	,,	29.80	756.9	80	...	S W	1	o
u,	,,	29.71	754.6	87	...	S	2	c	,,	29.84	757.9	85	...	S	2	c
uan,	,,	29.81	757.1	85	...	...	...	...	,,	29.86	758.4	83	...	...	...	...

On the 11th at 1.00 p.—The barometer has fallen quickly at Shanghai owing to the typhoon which has reached he coast in the neighbourhood of Ningpo.

The barometer has risen rapidly over the Loochoos, and moderately in Japan. It remains low in the neighbourood of Southern Formosa.

Pressure is high over E. Japan and the Sea of Japan.

Fresh or strong monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	W. and S.W. winds, fresh; squally, thunder showers.
Formosa Channel, ...	S.W. to S.E. winds, fresh.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 11th August, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th August, 1911, P.M.								12th August, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.01	762.2	64	...	S	2	o	7 a.	30.01	762.2	63	...	S S E	3	
Nemuro,	"	30.00	762.1	...	...	N N E	2	...	6 a.	30.13	766.6	...	...	N E	1	
Hakodate,	"	29.99	761.7	...	...	W	1	...	"	30.11	764.7	...	...	E	1	
Tokio,	"	30.02	762.6	...	...	S	3	...	"	30.06	763.6	...	...	...	0	
Kochi,	"	30.03	762.8	...	...	S S E	1	...	"	30.07	763.8	...	...	S W	1	
Nagasaki,	"	29.89	759.3	...	...	S E	4	...	"	29.99	761.8	...	...	E	1	
Kagoshima,	"	29.90	759.4	...	...	S E	4	...	"	29.98	761.4	...	...	E	5	
Oshima,	"	29.77	756.1	...	...	S E	4	...	"	29.85	758.1	...	...	E S E	3	
Naha,	"	29.63	752.7	...	...	S E	5	...	"	29.73	755.2	...	...	S E	4	
Ishigakijima,	"	29.54	750.3	...	...	S E	3	...	"	29.58	751.3	...	...	E N E	1	
Bonin Is.	"	29.91	759.6	...	...	E	1	...	"	29.93	760.1	...	...	N E	1	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	"	29.86	758.4	82	75	S E	3	c	9 a.	29.81	757.2	78	86	S	5	c
Hankow,	"	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	
Shanghai,	"	29.46	748.3	83	83	E S E	6	oq	9 a.	29.67	753.6	80	95	S E	3	o
Gutzlaff,	"	29.46	748.3	79	95	S E	7	om	"	29.64	752.8	80	91	S E	6	o
Sharp Peak,	"	29.43	747.5	87	...	S S E	1	b	"	29.61	752.1	85	...	S	1	o
Amoy,	"	29.44	747.8	92	57	S	1	b	6 a.	29.56	750.8	82	87	..	0	b
Swatow,	"	29.50	749.3	92	67	S	1	b	"	29.58	751.3	81	87	S W	1	b
Taihoku,	1 p.	29.50	749.4	...	...	N W	4	...	5 a.	29.63	752.5	...	...	S E	2	
Taichu,	"	29.53	750.1	...	...	N W	4	...	"	29.63	752.5	...	...	...	0	
Tainan,	"	29.56	750.8	...	...	W	6	...	"	29.62	752.4	...	...	...	0	
Koshun	"	29.57	751.0	...	...	N W	4	...	"	29.60	751.8	...	...	N	4	
Pescadores,	"	29.55	750.6	..	...	N W	6	...	"	29.61	752.1	...	...	S E	2	
Canton,	3 p.	29.49	749.0	88	71	N	2	c	9 a.	...	...	...	...	..	..	
Hongkong,	4 p.	29.51	749.5	85	75	S	1	ot	10 a.	29.60	751.8	86	70	S W	1	c
Victoria Peak,	"	...	...	...	...	S	1	...	"	...	...	...	...	N W	1	
Gap Rock,	"	29.49	749.0	...	...	S W	3	...	"	29.53	751.3	...	...	...	0	
Macao,	"	29.53	750.0	86	...	S	2	c	"	29.63	752.7	85	...	S W	1	c
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Hoihow,	"	...	...	...	...	....	...	...	"	...	...	...	...	...	...	
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	
Phulien,	4 p.	29.54	750.4	79	...	S W	3	o	8 a.	29.62	752.3	84	...	S S E	1	c
Tourane,	"	...	...	...	...	...	...	...	"	29.65	753.1	91	..	N W	4	c
Cape St. James,	"	29.74	755.3	81	...	S W	4	c	"	29.83	757.6	77	...	S W	4	c
Aparri,	2 p.	29.61	752.0	79	...	S S W	2	d	6 a.	29.63	752.6	75	...	S	2	c
Manila,	4 p.	29.69	754	86	79	S W	5	q	10 a.	29.76	756	86	71	W S W	2	c
Legaspi,	2 p.	29.70	754.3	82	...	S W	2	o	6 a.	29.75	755.6	79	...	S W	2	b
Bacolod,	3 p.	...	...	...	...	S W	2	or	9 a.	...	...	...	...	S W	2	o
Iloilo,	"	29.74	755.4	81	...	S W	1	o	"	29.83	757.7	79	...	S W	2	c
Cebu,	"	29.73	755.1	87	...	S	2	c	"	29.83	757.7	87	...	S	2	c
Labuan,	"	29.79	756.6	88	...	...	...	...	"	29.88	758.9	80	...	...	...	

On the 12th at 11.55 a.—The barometer has fallen slightly on the N.E. coast of China, and risen considerably over the E. coast.

The typhoon which is situated over the Lower Yangtze valley, is probably moving Northwards.

Pressure has increased moderately over Japan, the Loochoos and Formosa, and slightly over the S. coast of China and the Philippines. It is still low over the N.E. part of the China Sea and the Pacific to the S.E. of Formosa.

A high pressure area, central over the Pacific to the N.E. of Japan, covers the Sea of Japan.

Fresh monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, moderate; probably some thunder shows
2.—Formosa Channel,	S. to S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 12th August, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	12TH AUGUST, 1911, P.M.								13TH AUGUST, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
vostock, ...	2 p.	29.95	760.8	63	...	S S E	2	or	7 a.	29.73	755.2	66	99	S S E	2	f
ro, ...	,,	30.20	767.1	...	...	S E	4	...	6 a.	30.04	763.1	...	...	S S E	1	...
late, ...	,,	30.11	764.7	...	...	S E	5	...	,,	29.93	760.2	...	...	...	0	...
, ...	,,	30.02	762.6	...	...	E S E	1	...	,,	30.02	762.6	...	...	...	0	...
, ...	,,	30.01	762.3	...	...	S E	1	...	,,	29.99	761.8	...	...	S S W	1	...
aki, ...	,,	29.93	760.3	...	...	E	4	...	,,	29.91	759.8	...	...	...	0	...
hima, ...	,,	29.94	760.4	...	...	E	4	...	,,	29.90	759.4	...	...	E	4	...
a, ...	,,	29.85	758.1	...	...	E S E	3	...	,,	29.81	757.1	...	...	S E	1	...
.....	,,	29.75	755.7	...	...	S E	5	...	,,	29.73	755.2	...	...	E	2	...
kijima, ...	,,	29.60	751.8	...	...	S E	5	...	,,	29.66	753.3	...	...	S	5	...
Is.	,,	29.89	759.1	...	...	E	1	...	,,	29.89	759.1	...	...	E	1	...
o, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	...
aiwei, ...	,,	29.81	757.2	79	82	S	5	cm	9 a.	29.63	752.6	79	78	S E	6	of
ow, ...	,,	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...	...
iang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ghai, ...	,,	29.64	752.8	82	87	S E	5	odq	9 a	29.69	754.1	82	87	S E	4	c
laff, ...	,,	29.60	751.8	80	91	S E	7	om	,,	29.67	753.6	80	91	S E	5	om
Peak, ...	,,	29.58	751.3	85	...	E	1	c	,,	29.57	751.1	81	...	S	1	cr
, ...	,,	29.59	751.6	88	73	S E	2	b	6 a.	29.59	751.7	83	83	S W	1	o
ow, ...	,,	29.56	750.8	91	67	S E	1	b	,,	29.61	752.1	81	87	N W	1	b
oku, ...	1 p.	29.61	752.0	...	...	S W	4	...	5 a.	29.62	752.2	...	...	...	0	...
nu, ...	,,	29.65	753.0	...	...	N	2	...	,,	29.62	752.3	...	...	...	0	...
an, ...	,,	29.64	752.8	...	...	S W	2	...	,,	29.64	752.8	...	...	...	0	...
un, ...	,,	29.63	752.6	...	...	...	0	...	,,	29.62	752.3	...	...	...	0	...
adores, ...	,,	29.57	751.2	..	...	W	4	...	,,	29.61	752.0	...	...	S	2	...
on, ...	3 p.	29.54	750.3	87	75	N W	1	c	9 a.	29.61	752.1	85	83	S	2	c
gkong, ...	4 p.	29.56	750.8	81	91	N	1	o	10 a.	29.61	752.1	86	80	W N W	1	c
oria Peak, ...	,,	...	...	...	...	S	1	...	,,	...	...	...	...	W	1	...
Rock, ...	,,	29.53	750.0	...	...	S	2	...	,,	29.60	751.8	...	...	N N W	2	...
o, ...	,,	29.58	751.3	87	...	S	1	c	,,	...	...	...	...	...	...	...
how, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ien, ...	4 p.	29.56	750.7	82	...	S S E	1	lt	8 a.	29.65	753.2	79	...	N N W	2	o
ane, ...	,,	29.61	752.0	73	...	N N E	3	c	,,	29.66	753.4	91	...	S	2	c
St. James, .	,,	29.75	755.6	77	...	S W	5	c	,,	29.86	758.4	91	...	S W	6	o
i, ...	2 p.	29.67	753.7	77	...	N W	2	p	6 a.	29.65	753.1	75	...	S W	2	o
a, ...	4 p.	29.69	754	84	77	W S W	2	o	10 a.	29.76	756	79	92	W S W	3	r
pi, ...	2 p.	29.72	755.0	86	...	S W	2	o	6 a.	29.75	755.6	77	...	S W	2	o
lod, ...	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	3	c
, ...	,,	29.77	756.1	79	...	S W	1	o	,,	29.83	757.7	79	...	S W	1	o
, ...	,,	29.76	755.9	88	...	S	2	o	,,	29.81	757.2	89	...	S W	1	o
an, ...	,,	29.82	757.4	86	...	...	...	...	,,	...	...	...	...	...	...	...

On the 13th at 12.20 p.—The barometer has fallen considerably on the NE coast of China, and in Wladiwostok, d to a less extent over Japan.

The typhoon which entered the coast to the South of Shanghai two days ago, appears to be recurving to the E over N. China.

Pressure remains low over S. China and the northern shores of the China Sea.

The high pressure area lies now to the East of Japan.

Fresh monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	W. and SW winds, moderate; squally, thunder showers.
Formosa Channel, ...	S. and SE winds, moderate.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 13th August, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th August, 1911, P.M.								14th August, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.68	753.8	71	...	...	1	o	7 a.	29.54	750.2	66	99	S S E	5	f
Nemuro,	,,	29.85	758.1	...	...	S E	5	...	6 a.	29.69	754.1	...	...	N E	4	..
Hakodate,	,,	29.79	756.7	...	...	W S W	2	...	,,	29.75	755.7	...	...	W	2	..
Tokio,	,,	29.91	759.6	...	...	S	3	...	,,	29.93	760.1	...	...	S W	1	..
Kochi,	,,	29.91	759.3	...	...	S E	1	...	,,	29.88	758.8	...	...	S W	1	..
Nagasaki,	,,	29.85	758.3	...	...	S	2	...	,,	29.78	756.3	...	...	N E	1	..
Kagoshima,	,,	29.84	757.9	...	...	E	4	...	,,	29.74	755.4	...	...	E S E	2	..
Oshima,	,,	29.75	755.6	...	...	S E	1	...	,,	29.57	751.1	...	...	N N E	4	..
Naha,	,,	29.67	753.7	...	...	E S E	4	...	,,	29.54	750.2	...	...	N N E	3	..
Ishigakijima,	,,	29.64	752.8	...	...	S E	5	...	,,	29.58	751.3	...	...	E	1	..
Bonin Is.	,,	29.85	757.6	...	...	S E	1	...	,,	29.87	758.6	...	...	S E	1	..
Chefoo,	4 p.	...	...	79	87	S S E	4	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.53	750.0	79	95	S S W	7	bm	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.64	752.8	86	73	S E	5	c	9 a.	29.66	753.3	82	79	S S E	2	c
Gutzlaff,	,,	29.62	752.3	81	91	S E	5	bm	,,	29.63	752.6	80	91	S E	3	cu
Sharp Peak,	,,	29.51	749.5	82	...	E N E	4	o	,,	29.59	751.6	82	...	E	2	b
Amoy,	,,	29.52	749.8	85	72	S E	3	or	6 a.	29.55	750.5	79	87	E N E	2	o
Swatow,	,,	29.56	750.8	91	70	S W	2	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.58	751.3	...	...	N W	2	...	5 a.	29.56	750.9	...	...	E	2	...
Taichu,	,,	29.59	751.5	...	...	...	0	...	,,	29.56	750.8	...	...	...	0	...
Tainan,	,,	29.61	752.0	...	...	S	2	...	,,	29.56	750.8	...	...	...	0	...
Koshun	,,	29.59	751.7	...	...	W	2	...	,,	29.56	750.7	...	...	...	0	...
Pescadores,	,,	29.59	751.5	..	...	S	2	...	,,	29.54	750.4	...	...	S E	6	...
Canton,	3 p.	29.52	749.8	85	79	N	2	c	9 a.	29.55	750.5	80	82	N	2	c
Hongkong,	4 p.	29.51	749.5	80	89	...	0	o	10 a.	29.56	750.8	83	77	W	1	o
Victoria Peak,	,,	...	...	...	...	W	1	...	,,	...	...	...	...	W	1	...
Gap Rock,	,,	29.50	749.3	...	...	W S W	1	...	,,	29.52	749.8	...	...	N W	1	...
Macao,	,,	29.55	750.5	84	...	S S W	1	c	,,	29.58	751.3	82	...	E	1	c
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.57	751.2	81	...	N N W	1	or	8 a.	29.60	751.9	81	...	N W	3	c
Tourane,	,,	29.59	751.5	90	...	N	1	c	,,	29.63	752.5	90	..	S E	2	c
Cape St. James,	,,	29.75	755.6	81	...	S W	4	c	,,	29.84	757.9	73	...	S W	2	c
Aparri,	2 p.	29.60	751.8	86	...	W	2	o	6 a.	29.56	751.6	75	...	S W	2	o
Manila,	4 p.	29.69	754	79	92	...	0	c	10 a.	29.76	756	82	85	S	1	o
Legaspi,	2 p.	29.71	754.6	88	...	S W	2	o	6 a.	29.75	755.6	79	...	S W	2	o
Bacolod,	3 p.	...	...	...	...	S W	3	o	9 a.	...	...	...	...	S W	2	o
Iloilo,	,,	...	...	80	...	S W	1	c	,,	29.83	757.7	78	...	S W	2	o
Cebu,	,,	29.76	755.9	86	...	S	3	c	,,	29.84	757.9	86	...	S	1	c
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	29.87	758.7	82	...	...	...	...

On the 14th at 12.15 p.—The barometer has fallen generally, considerably over Japan and the Loochoos and slightly on the China coast and in Luzon.

A typhoon has appeared over the Pacific to the SE of the Loochoos. It is probably moving towards NW.

A depression, apparently shallow, lies over the S. coast of China between Hongkong and Amoy.

A depression, probably the recent typhoon, is moving toward NE over Manchuria.

Pressure is highest over the Pacific to the SE of Japan.

Fresh to strong monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.13 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	NW and W. winds, moderate; squally, thunder shower
2.—Formosa Channel,	NE winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Variable winds, moderate.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 14th August, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	14TH AUGUST, 1911, P.M.								15TH AUGUST, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
vostook,...	2 p.	29.50	749.2	66	...	S	7	f	7 a.	29.59	751.6	65	99	...	0	f
-c, ...	,,	29.79	756.6	...	...	E N E	2	...	6 a.	29.85	758.1	...	...	E N E	1	...
:ate, ...	,,	29.75	755.7	...	...	...	0	...	,,	29.75	755.7	...	...	S E	1	...
.....	,,	29.85	758.1	...	...	S	4	...	,,	29.85	758.1	...	...	S S W	1	...
.....	,,	29.80	756.8	...	...	E S E	1	...	,,	29.60	751.8	...	...	E	4	...
ki, ...	,,	29.66	753.3	...	...	E	3	...	,,	29.32	744.8	...	...	N N E	4	...
hima, ...	,,	29.66	753.4	...	...	S E	3	...	,,	28.93	734.9	...	...	N E	7	...
a, ...	,,	29.35	745.6	...	...	N N E	5	...	,,	29.24	742.6	...	...	W	4	...
.....	,,	29.50	749.2	...	...	N N W	4	...	,,	29.56	750.7	...	...	W N W	3	...
kijima, ...	,,	29.58	751.3	...	...	S S E	1	...	,,	29.58	751.3	...	...	S S W	1	...
Is.....	,,	29.89	759.1	...	...	S E	1	...	,,	29.87	758.6	...	...	...	0	...
o, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iwei, ...	,,	29.67	753.6	73	90	N	1	c	9 a.	29.69	754.1	79	78	N	1	c
ow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hai, ...	,,	29.63	752.6	88	66	E S E	2	c	9 a.	29.65	753.1	84	72	E	2	c
aff, ...	,,	29.60	751.8	82	83	S E	3	cm	,,	29.60	751.8	82	83	E N E	1	cm
Peak, ...	,,	29.57	751.1	83	...	E	2	o	,,	29.64	752.8	82	...	N	1	c
,.....	,,	29.58	751.3	83	79	S	2	o	6 a.	29.59	751.6	89	87	E	1	c
w, ...	,,	29.53	750.0	85	79	E	1	c	,,	29.58	751.3	78	91	S	2	b
ku, ...	1 p.	29.55	750.6	...	...	E	6	...	5 a.	29.63	752.6	...	...	S	2	...
u, ...	,,	29.55	750.5	...	...	N W	4	...	,,	29.64	752.8	...	...	...	0	...
n, ...	,,	29.59	751.7	...	...	S W	6	...	,,	29.65	753.2	...	...	S E	4	...
un.....	,,	29.57	751.2	...	...	W	4	...	,,	29.64	752.9	...	...	W	4	...
dores, ...	,,	29.55	750.6	..	...	W	2	...	,,	29.61	752.0	...	...	S	6	...
n, ...	3 p.	29.50	749.3	86	76	S	1	c	9 a.	29.60	751.8	82	83	S E	1	o
kong, ...	4 p.	29.50	749.3	82	86	N N W	1	ot	10 a.	29.63	752.6	81	88	...	0	or
ria Peak,...	,,	...	...	...	...	S	2	...	,,	...	...	...	...	W S W	3	...
Rock, ...	,,	29.49	749.0	...	...	S S W	3	...	,,	29.61	752.1	...	...	S S W	4	...
o, ...	,,	29.52	749.7	83	...	S S W	2	ct	,,	...	...	...	...	...	...	...
ow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
en, ...	4 p.	29.50	749.2	84	...	S S W	4	c	8 a.	29.62	752.2	84	...	W N W	2	c
ne, ...	,,	29.59	751.6	86	...	N	1	dh	,,	29.69	754.0	86	..	S W	2	dh
t. James,.	,,	29.75	755.7	81	...	S W	4	c	,,	29.88	758.9	73	...	S W	5	o
,.....	2 p.	...	...	...	...	...	...	...	6 a.	29.70	754.3	77	...	S W	2	c
, ...	4 p.	29.72	755	81	85	W S W	3	c	10 a.	29.38	759	84	77	S W	1	o
pi, ...	2 p.	29.75	755.6	86	...	S W	4	c	6 a.	29.86	758.3	77	...	S W	2	c
d, ...	3 p.	...	...	...	...	S W	3	o	9 a.	...	...	...	...	S W	1	c
.....	,,	29.77	756.1	79	...	S W	2	c	,,	29.91	759.7	79	...	S W	1	c
.....	,,	29.83	757.7	85	...	S	2	o	,,	29.91	759.7	84	...	S	1	b
n, ...	,,	29.80	756.9	87	...	...	...	...	,,	29.89	759.2	84	...	...	...	...

On the 15th at 11.55 a.—The barometer has fallen rapidly over S.W. Japan owing to the typhoon, which is ying Northwards off the S. coast of Kiusiu.

The barometer has risen moderately over the Philippines, Formosa and the S. coast of China.

Pressure is still low over S. China. It is relatively high over the S. part of the China Sea, and the Pacific to East of Japan.

Fresh to strong monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.95 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	S.W. winds, moderate to fresh; squally, thunder [showers.
Formosa Channel, ...	S.E. winds, moderate.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 15th August, 1911.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th August, 1911, P.M.								16th August, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.57	751.2	75	...	...	0	c	7 a.	29.55	750.5	69	91	N N E	1	
Nemuro,	,,	29.79	756.6	...	...	S	3	...	6 a.	...	...	...	...	...	...	
Hakodate,	,,	29.69	754.2	...	...	S W	3	...	,,	...	...	...	...	...	...	
Tokio,	,,	29.79	756.6	...	...	S S W	3	...	,,	...	...	...	...	...	...	
Kochi,	,,	29.30	744.3	...	...	E	10	...	,,	...	...	...	...	...	...	
Nagasaki,	,,	29.13	739.8	...	...	N N E	7	...	,,	...	...	...	...	...	...	
Kagoshima,	,,	28.93	734.9	...	...	N W	6	...	,,	...	...	...	...	...	...	
Oshima,	,,	29.51	749.6	...	...	W	3	...	,,	...	...	...	...	...	...	
Naha,	,,	29.63	752.7	...	...	W N W	2	...	,,	...	...	...	...	...	...	
Ishigakijima,	,,	29.66	753.3	...	...	S S W	1	...	,,	...	...	...	...	...	...	
Bonin Is.	,,	29.91	759.6	...	...	S	1	...	,,	...	...	...	...	...	...	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Shanghai,	,,	29.59	751.6	87	65	N E	2	c	9 a.	29.73	755.1	84	68	E N E	1	b
Gutzlaff,	,,	29.58	751.3	81	83	E S E	2	cm	,,	29.67	753.6	80	82	E N E	1	c
Sharp Peak,	,,	29.63	752.6	83	...	...	0	c	,,	29.73	755.1	82	...	S S W	1	b
Amoy,	,,	29.60	751.8	83	83	S E	2	o	6 a.	29.69	754.1	79	87	S W	2	o
Swatow,	,,	29.59	751.6	88	76	W S W	1	c	,,	29.70	754.4	79	91	N W	2	c
Taihoku,	1 p.	29.66	753.3	...	...	N E	4	...	5 a.	29.74	755.4	...	...	S E	2	...
Taichu,	,,	29.70	754.4	...	...	S W	4	...	,,	29.78	756.5	...	...	S	2	...
Tainan,	,,	29.71	754.7	...	...	S E	4	...	,,	29.76	756.0	...	...	S E	4	...
Koshun	,,	29.71	754.6	...	...	N W	4	...	,,	29.78	756.5	...	...	W	6	...
Pescadores,	,,	29.68	753.8	...	...	S	6	...	,,	29.75	755.5	...	...	S	6	...
Canton,	3 p.	29.54	750.8	87	72	W	1	b	9 a.	29.66	753.3	84	79	W	1	b
Hongkong,	4 p.	29.58	751.3	83	80	S S W	1	o	10 a.	29.71	754.6	78	89	W	1	or
Victoria Peak,	,,	...	...	...	...	S	5	...	,,	...	...	...	...	S S W	7	...
Gap Rock,	,,	29.56	750.8	...	...	S W	4	...	,,	29.68	753.9	...	...	S W	5	...
Macao,	,,	29.59	751.5	82	...	S S W	3	c	,,	29.71	754.6	82	...	W S W	2	od
Wuchow,	3 p.	29.44	747.8	80	...	W	2	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.72	754.9	85	83	S E	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.54	750.3	81	...	E N E	2	o	8 a.	...	...	...	...	...	...	...
Tourane,	,,	29.62	752.4	88	...	S	3	lt	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.6	77	...	S W	3	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.74	755.4	81	...	S	2	t	6 a.	29.82	757.3	77	...	S	2	c
Manila,	4 p.	29.84	758	81	...	W S W	3	o	10 a.	29.92	760	84	77	...	0	o
Legaspi,	2 p.	29.81	757.2	88	...	W	4	c	6 a.	29.88	758.9	77	...	S W	2	c
Bacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.83	757.7	82	...	S W	1	b	,,	29.91	759.7	82	...	S W	1	b
Cebu,	,,	29.83	757.7	88	...	S	1	c	,,	29.89	759.2	85	...	S	1	c
Labuan,	,,	29.80	756.9	89	...	...	...	...	,,	29.96	761.0	83	...	...	...	...

On the 16th at 12.15 p.—Yesterday afternoon the typhoon was situated over S.W. Japan. The Japanese returns for this morning are lacking.

Pressure is high over the S. part of the China Sea, and relatively low over S. China, where however, the barometer has risen moderately since yesterday.

Fresh to strong monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.22 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, fresh; squally, thunder showers.
2.—Formosa Channel,	S. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 16th August, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...ATION.	16TH AUGUST, 1911, P.M.								17TH AUGUST, 1911, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...ivostock,...	2 p.	29.53	750.0	78	...	N	1	c	7 a.	29.76	756.0	66	81	...	0	c
...ro,.....	"	29.55	750.6	...	...	N E	1	...	6 a.	...	...	...	...	...	...	...
...date,.....	"	29.28	743.7	...	...	E	2	...	"	...	...	...	...	...	...	...
...,.....	"	29.39	746.6	...	...	S S W	6	...	"	...	...	...	...	...	...	...
...i,.....	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
...aki,.....	"	29.68	753.8	...	...	W	3	...	"	...	...	...	...	...	...	...
...shima,.....	"	29.68	753.9	...	...	W S W	1	...	"	...	...	...	...	...	...	...
...na,.....	"	29.75	755.6	...	...	W	1	...	"	...	...	...	...	...	...	...
,.....	"	29.77	756.2	...	...	N	1	...	"	...	...	...	...	...	...	...
...akijima,....	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
...n Is.....	"	29.89	759.1	...	...	...	0	...	"	...	..	...	...	...	...	...
...oo,.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	...
...aiwei,.....	"	29.74	755.4	80	74	N	1	c	9 a.	29.81	757.2	80	74	S E	2	c
...kow,.....	"	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...	...
...iang,.....	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
...ghai,.....	"	29.72	754.9	87	65	N E	2	c	9 a.	29.76	755.9	81	78	E	2	c
...laff,.....	"	29.68	753.9	81	73	E N E	2	b	"	29.71	754.6	79	87	E	3	ov
...p Peak,.....	"	29.63	752.6	82	...	S S E	4	c	"	29.73	755.1	82	...	S	1	b
...y,.....	"	29.71	754.6	81	91	S	2	or	6 a.	29.74	755.4	80	91	...	0	or
...tow,.....	"	29.66	753.3	80	91	S S W	1	or	"	29.74	755.4	79	95	S	4	c
...oku,.....	1 p.	29.74	755.5	...	...	N	4	...	5 a.	29.78	756.8	...	...	S	2	...
...hu,.....	"	29.78	756.5	...	...	S	2	...	"	29.80	757.0	...	...	...	0	...
...an,.....	"	29.80	757.0	...	...	S E	6	...	"	29.80	757.0	...	...	S E	4	...
...hun.....	"	29.81	757.1	...	...	S W	6	...	"	29.81	757.1	...	...	S W	4	...
...adores,.....	"	29.76	756.0	..	...	S	6	...	"	29.79	756.6	...	...	S	4	...
...ton,.....	3 p.	29.63	752.6	82	87	S	2	o	9 a.	29.69	754.1	82	87	S	2	o
...gkong,.....	4 p.	29.67	753.6	83	82	S	1	o	10 a.	29.73	755.1	76	97	S	1	orlt
...oria Peak,...	"	...	...	...	...	S	6	...	"	...	...	...	...	W S W	6	...
... Rock,.....	"	29.64	752.8	...	...	S W	6	...	"	29.69	754.1	...	...	S W	5	...
...ao,.....	"	29.67	753.5	81	...	S	4	o	"	29.75	755.6	77	...	S W	2	od
...how,.....	3 p.	29.66	753.3	79	78	N W	1	cd	9 a.	...	...	...	...	...	...	...
...now,.....	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
...hoi,.....	"	29.65	753.1	81	96	S	1	b	"	...	...	...	...	...	...	...
...lien,.....	4 p.	29.57	751.2	88	...	S	1	c	8 a.	29.65	753.1	84	...	W N W	2	c
...ane,.....	"	29.74	755.3	88	...	S E	3	c	"	29.75	755.6	82	..	S S W	2	c
... St. James,.	"	29.84	758.0	72	...	S W	6	or	"	29.92	759.9	77	...	S W	2	c
...ri,.....	2 p.	29.81	757.1	88	...	W	2	c	6 a.	29.83	757.6	75	...	S	2	b
...la,.....	4 p.	29.84	758	84	77	S S W	1	o	10 a.	29.88	759	79	92	...	0	d
...spi,.....	2 p.	29.82	757.5	87	...	W	2	o	6 a.	29.86	758.5	77	...	S W	2	b
...lod,.....	3 p.	...	...	...	...	S W	2	c	9 a.	...	...	...	...	S W	2	c
...o,.....	"	29.85	758.2	83	...	S W	1	b	"	29.91	759.7	81	...	S W	1	o
...,.....	"	29.87	758.7	84	...	S	1	c	"	29.90	759.4	84	...	S	1	o
...uan,.....	"	29.86	758.4	89	...	...	...	...	"	29.94	760.5	83	...	...	...	...

On the 17th at 12.05 p.—The barometer has risen moderately over N. China and a slight rise has taken place ...er S. China.

Pressure remains high over the S. part of the China Sea, and relatively low over S. China.

Yesterday afternoon the typhoon was moving towards N.E. over E. Japan. Returns from thence are lacking ...is morning.

Fresh to strong monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 3.17 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
Hongkong and Neighbourhood, ...	S.W. winds, fresh; squally, thunder showers.
Formosa Channel, ...	S. winds, fresh.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 17th August, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th August, 1911, P.M.								18th August, 1911, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostook,	2 p.	29.69	754.1	74	...	W N W	0	c	7 a.	29.87	758.6	59	72	N	2
Nemuro,	,,	29.59	751.6	...	...	N	2	...	6 a.	29.67	753.6	...	...	S	1
Hakodate,	,,	29.71	754.7	...	...	W N W	3	...	,,	29.75	755.7	...	...	N W	1
Tokio,	,,	29.73	755.1	...	...	S S W	2	...	,,	29.85	758.1	...	...	N W	1
Kochi,	,,	29.74	755.3	...	...	S E	1	...	,,	29.78	756.3	...	...	S S E	1
Nagasaki,	,,	29.72	754.8	...	...	W S W	2	...	,,	29.76	755.8	...	...	S S E	1
Kagoshima,	,,	29.72	754.9	...	...	S	1	...	,,	29.76	755.9	...	...	N E	1
Oshima,	,,	29.75	755.6	...	...	N N E	1	...	,,	29.75	755.6	...	...	...	0
Naha,	,,	29.79	756.7	...	...	N W	1	...	,,	29.73	755.2	...	...	...	0
Ishigakijima,	,,	29.74	755.3	...	...	W	2	...	,,	29.72	754.8	...	...	...	0
Bonin Is.	,,	29.79	756.6	...	...	E N E	1	...	,,	29.79	756.6	...	...	E S E	1
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.78	756.4	79	78	N	2	cm	9 a.	29.78	756.4	80	82	E S E	1
Hankow,	,,	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	29.70	754.4	86	58	E	1	c	9 a.	29.70	754.4	85	72	E	2
Gutzlaff,	,,	29.66	753.3	79	82	E	3	c r	,,	29.64	752.8	76	100	E	4
Sharp Peak,	,,	29.66	753.3	84	...	S	2	c	,,	29.70	754.4	83	...	S	1
Amoy,	,,	29.69	754.1	82	83	S W	2	or	6 a.	29.72	754.9	79	87	S W	1
Swatow,	,,	29.71	754.6	78	95	S	1	or	,,	29.71	754.6	77	91	S S E	1
Taihoku,	1 p.	29.75	755.6	...	...	N W	4	...	6 a.	29.72	754.9	...	...	...	0
Taichu,	,,	29.77	756.2	...	...	W	2	...	,,	29.78	756.4	...	...	...	0
Tainan,	,,	29.80	756.9	...	...	S	6	...	,,	29.72	754.9	...	...	S E	2
Koshun	,,	29.79	756.6	...	...	W	4	...	,,	29.75	755.7	...	...	N W	2
Pescadores,	,,	29.77	756.1	..	...	W	6	...	,,	29.72	754.8	...	...	S	4
Canton,	3 p.	29.60	751.8	86	80	W S W	2	o	9 a.	29.64	752.9	82	87	S E	1
Hongkong,	4 p.	29.66	753.3	77	94	E	1	o	10 a.	29.67	753.6	81	89	S	1
Victoria Peak,	,,	...	...	...	...	S	3	...	,,	...	...	...	...	S	6
Gap Rock,	,,	29.64	752.8	...	...	S S W	3	...	,,	29.63	752.6	...	...	S S W	6
Macao,	,,	29.67	753.5	80	...	S	2	o	,,	29.67	753.6	79	...	S S W	3
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.61	752.1	86	80	S W	2	o	,,	...	...	...	...	...	...
Phulien,	4 p.	29.56	750.9	88	...	S W	1	c	8 a.	29.58	751.3	82	...	S W	4
Tourane,	,,	29.67	753.5	88	...	N	2	b	,,	29.71	754.6	84	...	W	2
Cape St. James,	,,	29.82	757.4	82	...	S W	1	c	,,	29.92	759.9	79	...	S W	3
Aparri,	2 p.	29.75	755.7	90	...	...	0	b	6 a.	29.76	755.8	75	...	S E	2
Manila,	4 p.	29.80	757	84	77	S W	3	o	10 a.	29.80	757	82	85	N	1
Legaspi,	2 p.	29.79	756.6	90	...	W	2	o	6 a.	29.78	756.3	77	...	W	2
Bacolod,	3 p.	...	...	...	...	S W	1	c	9 a.	...	...	...	...	S W	2
Iloilo,	,,	29.79	756.6	83	...	S W	2	c	,,	29.83	757.7	81	...	S W	2
Cebu,	,,	29.81	757.2	87	...	S	1	o	,,	29.85	758.2	82	...	S	1
Labuan,	,,	29.81	757.2	88	...	...	...	...	,,	29.90	759.4	84	...	...	...

On the 18th at 11.55 a.—The barometer has risen moderately in E. Japan, the typhoon having moved away ov the Pacific.

Another typhoon has appeared over the Pacific at a considerable distance to the N.E. of Luzon. It is probabl moving towards W.N.W.

The low pressure area remains over S. China.

Pressure is relatively high over Manchuria and the S. part of the China Sea.

Fresh to strong monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.72 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, fresh; squally, thunder showers.
2.—Formosa Channel,	S. and S.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 18th August, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	18TH AUGUST, 1911, P.M.								19TH AUGUST, 1911, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ostock,...	2 p.	29.82	757.3	72	...	N N W	0	b	7 a.	29.85	758.1	62	84	...	0	o
o,.....	,,	29.67	753.6	...	...	E N E	5	...	6 a.	29.91	759.6	...	...	...	0	...
ate,.....	,,	29.79	756.7	...	...	W	3	...	,,	29.93	760.2	...	...	N	1	...
.....	,,	29.81	757.1	...	...	S E	1	...	,,	29.87	758.6	...	...	N	1	...
.....	,,	29.74	755.3	...	...	S E	1	...	,,	29.80	756.8	...	...	N E	1	...
ki, ...	,,	29.74	755.3	...	...	W	2	...	,,	29.76	755.8	...	...	S S E	1	...
ima, ...	,,	29.74	755.4	...	...	S	1	...	,,	29.80	756.9	...	...	N E	1	...
,.....	,,	29.71	754.6	...	...	S S E	2	...	,,	29.73	755.1	...	...	...	0	...
.....	,,	29.71	754.7	...	...	S E	2	...	,,	29.69	754.2	...	...	E	1	...
kijima,....	,,	29.72	754.8	...	...	N E	1	...	,,	29.68	753.8	...	...	N	1	...
Is.....	,,	29.77	756.1	...	...	S E	1	...	,,	29.83	757.6	...	...	S S E	1	...
,.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	...
iwei,.....	,,	29.73	755.1	79	78	N E	1	b	9 a.	29.76	755.9	79	73	N N E	2	cm
w, ...	,,	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...	...
ang,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hai, ...	,,	29.63	752.6	85	76	E N E	2	...	9 a.	29.67	753.6	85	79	E	1	cm
aff, ...	,,	29.58	751.3	78	95	E	5	cm	,,	29.63	752.6	84	87	S E	2	cm
Peak,.....	,,	29.61	752.1	84	...	S	2	b	,,	29.68	753.9	84	...	...	0	b
,.....	,,	29.63	752.6	86	72	S W	2	c	6 a.	29.71	754.6	80	87	S W	2	c
w, ...	,,	29:63	752.6	86	80	S W	1	c	,,	29.67	753.6	80	91	S	2	c
ku,.....	1 p.	29.69	754.0	...	...	N W	6	...	5 a.	29.70	754.3	...	...	S	0	...
u, ...	,,	29.73	755.2	...	...	W	2	...	,,	29.68	753.8	...	...	...	0	...
n,.....	,,	29.73	755.2	...	...	W	4	...	,,	29.71	754.7	...	...	S E	2	...
nn.....	,,	29.72	754.9	...	...	N W	4	...	,,	29.70	754.4	...	...	...	0	...
dores, ...	,,	29.72	754.8	..	...	S W	4	...	,,	29.69	754.1	...	...	S W	4	...
n,.....	3 p.	29.59	751.6	84	83	S	1	c	9 a.	29.64	752.8	83	87	S E	1	c
kong, ...	4 p.	29.62	752.3	81	86	S	1	o	10 a.	29.69	754.1	79	94	E N E	1	odt
ria Peak,...	,,	...	...	...	...	S	5	...	,,	...	...	...	...	S	4	...
Rock,.....	,,	29.58	751.3	...	...	S S W	5	...	,,	29.65	753.1	...	...	W S W	3	...
o, ...	,,	29.61	752.1	81	...	S	3	o	,,	29.70	754.4	81	...	S W	1	o
ow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
en, ...	4 p.	29.50	749.4	84	...	S S W	3	or	8 a.	29.56	750.9	79	...	S W	4	c
ne, ...	,,	29.63	752.5	88	...	N W	2	c	,,	29.68	753.8	88	..	W	2	b
St. James,.	,,	29.76	756.0	84	...	S W	2	c	,,	29.87	758.7	77	...	S W	3	c
,.....	2 p.	29.70	754.4	82	...	N E	2	o	6 a.	29.71	754.7	73	...	S	2	o
a, ...	4 p.	29.76	756	75	100	...	0	d	10 a.	29.80	757	81	85	...	0	o
pi, ...	2 p.	29.78	756.5	75	...	W	2	o	6 a.	29.77	756.2	75	...	S W	2	o
od,.....	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S W	2	o
.....	,,	29.77	756.1	82	...	S W	1	c	,,	29.85	758.2	80	...	S W	1	o
.....	,,	29.80	756.9	79	...	...	0	o	,,	29.83	757.7	80	...	S	1	c
an, ...	,,	29.79	756.6	88	...	...	...	...	,,	29.89	759.2	84	...	...	...	...

On the 19th at 12.10 p.—The barometer has risen moderately in N.E. Japan, and fallen slightly over China, the choos and Luzon.

The typhoon over the Pacific, which is situated to the N.E. of Luzon, is moving towards W.N.W.

The low pressure area remains over Southern China.

Pressure is relatively high over N.E. Japan, and over the S. part of the China Sea.

Moderate monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
Hongkong and Neighbourhood, ...	S. winds, moderate or fresh; squally, thunder showers.
Formosa Channel, ...	S. to E. winds, moderate.
South coast of China between Hongkong and Lamocks,.	**Same as No. 1.**
South coast of China between Hongkong and Hainan,...	S.W. winds, moderate or fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 19th August, 1911.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th August, 1911, P.M.									20th August, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	29.87	758.6	74	...	S W	0	b		7 a.	29.87	758.6	63	82	...	0	
Nemuro,	"	29.93	760.1	...	...	W	4	...		6 a.	29.95	760.6	...	...	...	0	
Hakodate,	"	29.93	760.2	...	...	S E	1	...		"	29.95	760.7	...	...	...	0	
Tokio,	"	29.85	758.1	...	...	N	1	...		"	29.89	759.1	...	...	N W	1	
Kochi,	"	29.80	756.8	...	...	E S E	1	...		"	29.76	755.8	...	...	S W	1	
Nagasaki,	"	29.76	755.8	...	...	W N W	2	...		"	29.80	756.8	...	...	...	0	
Kagoshima,	"	29.78	756.4	...	...	S E	1	...		"	29.80	756.9	...	...	E N E	1	
Oshima,	"	29.73	755.1	...	...	S E	2	...		"	29.71	754.6	...	...	...	0	
Naha,	"	29.73	755.2	...	...	E	1	...		"	29.73	755.2	...	...	S	1	
Ishigakijima,	"	29.72	754.8	...	...	N E	1	...		"	29.74	755.3	...	...	...	0	
Bonin Is.	"	29.85	758.1	...	...	...	0	...		"	29.91	759.6	...	...	S	1	
Chefoo,	4 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	
Weihaiwei,	"	29.76	755.9	78	61	N E	2	b		9 a.	29.82	757.4	80	76	N E	1	c
Hankow,	"	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	
Kiukiang,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	
Shanghai,	"	29.63	752.6	90	63	N E	2	c		9 a.	29.76	754.6	86	76	N	1	c
Gutzlaff,	"	29.60	751.8	86	88	S E	2	cm		"	29.67	753.6	84	87	S	2	c
Sharp Peak,	"	29.61	752.1	85	...	S	2	b		"	29.74	755.4	83	...	...	0	o
Amoy,	"	29.65	753.1	86	68	S W	2	b		6 a.	29.75	755.6	81	37	S S W	2	c
Swatow,	"	29.65	753.1	83	87	S S E	1	c		"	29.75	755.6	78	91	S S W	1	c
Taihoku,	1 p.	29.70	754.5	...	...	N	2	...		5 a.	29.76	755.9	...	...	S	2	..
Taichu,	"	29.71	754.6	...	...	N W	2	...		"	29.76	756.0	...	...	...	0	..
Tainan,	"	29.74	755.4	...	...	S W	6	...		"	29.76	756.0	...	...	S E	2	..
Koshun,	"	29.73	755.1	...	...	W	4	...		"	29.80	756.9	...	...	...	0	..
Pescadores,	"	29.73	755.1	..	...	W	4	...		"	29.75	755.5	...	...	S	2	..
Canton,	3 p.	29.61	752.1	85	76	W	1	o		9 a.	29.73	755.1	82	83	S E	1	c
Hongkong,	4 p.	29.63	752.6	79	94	...	0	o		10 a.	29.75	755.6	79	95	W N W	1	o
Victoria Peak,	"	...	...	...	...	S W	2	...		"	...	...	...	...	S	3	...
Gap Rock,	"	29.59	751.6	...	...	S W	4	...		"	29.71	754.6	...	...	S W	4	...
Macao,	"	29.62	752.3	82	...	S W	3	c		"	29.77	756.1	81	...	S	1	cd
Wuchow,	3 p.	...	...	...	...	...	...	...		9 a.	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	..
Pakhoi,	"	29.73	755.1	87	84	S W	4	c		"	...	...	...	...	...	...	..
Phulien,	4 p.	29.52	749.7	86	...	S	4	c		8 a.	29.65	753.1	82	...	S S E	3	c
Tourane,	"	29.62	752.4	90	...	N	2	c		"	29.73	755.2	90	..	W	2	c
Cape St. James,	"	29.76	756.0	81	...	S W	2	c		"	29.88	758.9	77	...	S W	2	c
Aparri,	2 p.	29.71	754.6	86	...	E	2	c		6 a.	29.76	755.9	75	...	S	2	o
Manila,	4 p.	29.76	756	79	86	...	0	o		10 a.	29.84	758	75	100	...	0	d
Legaspi,	2 p.	29.74	755.5	82	...	W	2	o		6 a.	29.79	756.6	75	...	W	2	o
Bacolod,	3 p.	...	...	...	...	S W	2	cd		9 a.	...	...	...	...	S W	2	o
Iloilo,	"	29.77	756.1	81	...	S W	2	o		"	29.87	758.7	82	...	S W	2	b
Cebu,	"	29.79	756.6	84	...	S	2	o		"	29.85	758.2	82	...	S	1	o
Labuan,	"	29.83	757.7	76	...	...	...	...		"	...	...	...	...	...	...	...

On the 20th at 12.15 p.—The depression over the Pacific appears to have filled up.

The barometer has risen at nearly all stations.

Pressure is still relatively low over S. China and the Eastern Sea. It is relatively high over the Pacific to the East of Japan, and over the S. part of the China Sea.

Moderate monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.13 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. and S.W. winds, moderate; weather improving.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 20th August, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	20TH AUGUST, 1911, P.M.								21ST AUGUST, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
vostock,...	2 p.	29.87	758.7	73	...	S W	0	b	7 a.	29.79	756.6	64	76	S S E	3	o
o, ...	,,	30.00	762.1	...	...	S E	1	...	6 a.	30.04	763.1	...	...	S S E	1	...
ate, ...	,,	29.93	760.2	...	...	E S E	2	...	,,	29.91	759.7	...	...	E	1	...
.....	,,	29.81	757.1	...	...	N	1	...	,,	29.53	750.1	...	...	N W	6	...
.....	,,	29.68	753.8	...	...	N	1	...	,,	29.80	756.8	...	...	S W	1	...
ki, ...	,,	29.78	756.3	...	...	W N W	2	...	,,	29.86	758.3	...	...	...	0	...
hima, ...	,,	29.78	756.4	...	...	...	0	...	,,	29.84	757.9	...	...	N W	1	...
a, ...	,,	29.79	756.6	...	...	S	1	...	,,	29.89	759.1	...	...	S W	1	...
.....	,,	29.81	757.2	...	...	S W	1	...	,,	29.83	757.7	...	...	...	0	...
kijima, ...	,,	29.78	756.3	...	...	S	2	...	,,	29.82	757.3	...	...	S	3	...
Is.	,,	29.91	759.6	...	...	S S E	1	...	,,	29.93	760.1	...	...	...	0	...
o, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
aiwei, ...	,,	29.77	756.1	79	87	N	1	b	9 a.	29.78	756.4	78	86	E S E	1	bm
ow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hai, ...	,,	29.65	753.1	87	69	S E	2	c	9 a.	29.76	755.9	85	76	S S E	1	cm
aff, ...	,,	29.63	752.6	82	91	S S W	3	ov	,,	29.73	755.1	83	87	S	3	ov
Peak, ...	,,	29.68	753.9	85	...	S	1	c	,,	29.81	757.2	83	...	...	0	b
.....	,,	29.75	755.6	85	79	S	2	c	6 a.	29.76	755.9	79	86	S	1	b
w, ...	,,	29.65	753.1	85	79	S	3	c	,,	29.77	756.1	73	95	S	1	c
ku, ...	1 p.	29.75	755.6	...	...	E	2	...	5 a.	29.81	757.2	...	...	...	0	...
u, ...	,,	29.74	755.4	...	...	W	2	...	,,	29.82	757.3	...	...	...	0	...
n, ...	,,	29.78	756.3	...	...	W	4	...	,,	29.82	757.4	...	...	S E	2	...
un, ...	,,	29.74	755.3	...	...	...	0	...	,,	29.81	757.1	...	...	...	0	...
dores, ...	,,	29.76	755.8	..	...	S W	6	...	,,	29.83	757.7	...	...	S	6	...
n, ...	3 p.	29.60	751.8	87	72	W	1	b	9 a.	29.78	756.4	84	84	S	1	b
kong, ...	4 p.	29.68	753.9	82	87	S	1	o	10 a.	29.81	757.2	84	81	E	1	c
ria Peak, ...	,,	...	...	...	...	S W	2	...	,,	...	...	...	...	S	1	...
Rock, ...	,,	29.66	753.3	...	...	S W	3	...	,,	29.78	756.4	...	...	S S E	2	...
o, ...	,,	29.69	754.1	85	...	S S W	1	c	,,	29.83	757.7	83	...	S S E	1	c
ow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
en, ...	4 p.	29.69	751.9	86	...	S E	3	c	8 a.	29.71	754.7	82	...	S E	3	c
ne, ...	,,	29.67	753.5	88	...	N	3	b	,,	29.75	755.7	83	...	S W	1	c
St. James, .	,,	...	...	...	...	...	...	...	,,	29.91	759.7	77	...	S W	3	c
i, ...	2 p.	29.75	755.7	82	...	S E	2	o	6 a.	29.78	756.3	76	...	S W	2	c
a, ...	4 p.	29.76	756	81	87	S W	3	o	10 a.	29.84	753	81	37	...	0	o
pi, ...	2 p.	29.74	755.5	84	...	S W	2	o	6 a.	29.82	757.4	77	...	N	2	o
od, ...	3 p.	...	...	...	...	S W	2	or	9 a.	...	...	...	...	S W	1	b
.....	,,	29.77	756.1	81	...	S W	2	o	,,	29.37	758.7	80	...	S W	1	c
.....	,,	29.81	757.2	86	...	S	1	c	,,	29.36	758.4	84	...	S	1	c
an, ...	,,	...	...	...	...	...	...	...	,,	29.90	759.4	85	...	...	...	...

On the 21st at 12.10 p.—The barometer has fallen quickly in S.E. Japan, and slightly over N. China. It has n moderately over the Loochoos and S. China.

A depression is shown off the S.E. coast of Japan, and pressure appears to be low over N. China.

Pressure is high over the Pacific to the N.E. of Japan, and relatively so over the S. part of the China Sea.

Light to moderate monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	S. winds, light; fair.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 21st August, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st AUGUST, 1911, P.M.								22nd AUGUST, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.76	755.8	65	...	S E	3	c	7 a.	29.68	753.9	58	98	...	0	
Nemuro,	,,	29.98	761.6	...	...	S E	3	...	6 a.	29.83	757.6	...	...	E	1	
Hakodate,	,,	29.81	757.2	...	...	E S E	4	...	,,	29.75	755.7	...	...	E S E	4	
Tokio,	,,	29.65	753.1	...	...	S W	2	...	,,	29.79	756.6	...	...	N N W	1	
Kochi,	,,	29.76	755.8	...	...	E S E	2	...	,,	29.82	757.3	...	...	...	0	
Nagasaki,	,,	29.83	757.8	...	...	W	3	...	,,	29.84	757.8	...	...	S S E	1	
Kagoshima,	,,	29.82	757.4	...	...	S W	1	...	,,	29.84	757.9	...	...	E	1	
Oshima,	,,	29.87	758.6	...	...	S	1	...	,,	29.85	758.1	...	...	...	0	
Naha,	,,	29.87	758.7	...	...	...	0	...	,,	29.83	757.7	...	...	...	0	
Ishigakijima,	,,	29.83	757.8	...	...	S	2	...	,,	29.82	757.3	...	...	S	3	
Bonin Is.	,,	29.91	759.6	...	...	S W	1	...	,,	29.91	759.6	...	...	...	0	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.70	754.4	81	78	N N E	1	b	9 a.	29.75	755.6	83	75	N W	2	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Shanghai,	,,	29.70	754.4	88	69	S E	2	c	9 a.	29.75	755.6	86	84	S S W	1	
Gutzlaff,	,,	29.68	753.9	85	83	S	4	cv	,,	29.73	755.1	82	87	S W	2	
Sharp Peak,	,,	29.76	755.9	84	...	S	1	c	,,	29.82	757.4	84	...	...	0	
Amoy,	,,	29.76	755.9	87	69	S E	2	b	6 a.	29.76	755.9	81	87	S	1	
Swatow,	,,	29.76	755.9	86	84	S	1	b	,,	29.79	756.6	79	95	E S E	1	
Taihoku,	1 p.	29.78	756.5	...	...	N E	4	...	5 a.	29.80	757.0	...	...	S W	2	
Taichu,	,,	29.81	757.1	...	...	W	2	...	,,	29.83	757.6	...	...	...	0	
Tainan,	,,	29.82	757.5	...	...	S W	4	...	,,	29.82	757.3	...	...	...	0	
Koshun,	,,	29.81	757.1	...	...	E	4	...	,,	29.81	757.1	...	...	...	0	
Pescadores,	,,	29.81	757.2	..	...	W	4	...	,,	29.82	757.4	...	...	...	0	
Canton,	3 p.	29.71	754.6	88	66	S	2	b	9 a.	29.79	756.6	84	79	S E	1	c
Hongkong,	4 p.	29.73	755.1	84	75	S S E	1	o	10 a.	29.81	757.2	82	82	E	2	o
Victoria Peak,	,,	...	...	...	...	S	2	...	,,	...	...	...	...	E	1	..
Gap Rock,	,,	29.71	754.6	...	...	S E	2	...	,,	29.77	756.1	...	...	E	3	..
Macao,	,,	29.76	755.9	84	...	S S E	3	c	,,	29.82	757.5	82	...	E S E	2	c
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	..
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	..
Pakhoi,	,,	29.73	755.1	83	91	N E	2	o	,,	...	...	...	...	...	...	..
Phulien,	4 p.	29.65	753.1	86	...	S S E	4	c	8 a.	29.75	755.6	79	...	E N E	3	c
Tourane,	,,	29.70	754.4	84	...	S E	1	dh	,,	29.75	755.5	82	..	E	1	f
Cape St. James,	,,	29.82	757.3	77	...	S W	1	c	,,	29.87	758.7	75	...	N W	1	c
Aparri,	2 p.	29.73	755.2	86	...	E	2	b	6 a.	29.76	756.0	75	...	S W	2	b
Manila,	4 p.	29.76	756	84	71	W S W	3	b	10 a.	29.80	757	84	71	...	0	b
Legaspi,	2 p.	29.74	755.5	86	...	S W	2	o	6 a.	29.80	756.8	75	...	S W	2	o
Bacolod,	3 p.	...	...	...	...	S W	2	od	9 a.	...	...	...	...	S W	1	o
Iloilo,	,,	29.77	756.1	78	...	S W	1	o	,,	29.83	757.7	79	...	S W	1	c
Cebu,	,,	29.77	756.1	87	...	S	2	o	,,	29.82	757.4	83	...	S	2	c
Labuan,	,,	29.78	756.4	88	...	...	...	...	,,	29.88	758.9	82	...	...	...	..

On the 22nd at 12.10 p.—The barometer has fallen moderately in Wladiwostok and N.E. Japan owing to a depression which is lying over the N. part of the Sea of Japan.

Pressure has a tendency to give way at the stations in the South, while it remains steady on the China coast.

A low pressure trough lies over the N. part of the China Sea.

The highest pressure is shown over the Pacific in the neighbourhood of the Bonins.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; showery.
2.—Formosa Channel,	S.E. and E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 22nd August, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...ION.	22ND AUGUST, 1911, P.M.								23RD AUGUST, 1911, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...ostock,...	2 p.	29.66	753.3	66	...	S	1	o	7 a.	29.73	755.0	64	90	...	0	o
...,.....	,,	29.66	753.1	...	...	N N W	4	...	6 a.	29.83	757.6	...	...	N E	1	...
...te,.....	,,	29.73	755.2	...	...	S E	1	...	,,	29.75	755.7	...	...	...	0	...
...,.....	,,	29.75	755.6	...	...	S	1	...	,,	29.81	757.1	...	...	S W	...	...
.....	,,	29.78	756.3	...	...	E S E	1	...	,,	29.84	757.8	...	...	S S W	1	...
...ki, ...	,,	29.80	756.8	...	...	W	3	...	,,	29.80	756.8	...	...	S S W	2	...
...ima, ...	,,	29.80	756.9	...	...	S	1	...	,,	29.84	757.9	...	...	...	0	...
...,.....	,,	29.85	758.1	...	...	S	1	...	,,	29.85	758.1	...	...	S	1	...
.....	,,	29.89	759.2	...	...	...	0	...	,,	29.85	758.2	...	...	...	0	...
...ijima, ...	,,	29.83	757.8	...	...	S	3	...	,,	29.84	757.8	...	...	S S W	2	...
...Is.....	,,	29.89	759.1	...	...	...	0	...	,,	29.95	760.6	...	...	...	0	...
...,.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...iwei,.....	,,	29.76	755.9	81	74	N W	1	c	9 a.	29.76	755.9	75	77	S S E	2	c
...w, ...	,,	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...	...
...ng,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...hai, ...	,,	29.69	754.1	84	83	N N W	1	o	9 a.	29.75	755.6	87	84	S	1	c
...ff, ...	,,	29.69	754.1	85	83	S W	1	cv	,,	29.73	755.1	86	84	S	2	cv
... Peak,.....	,,	29.76	755.9	86	...	S	1	b	,,	29.80	756.9	85	...	S	1	b
...,.....	,,	29.77	756.1	89	66	S E	2	b	6 a.	29.75	755.6	82	79	W S W	2	b
...w, ...	,,	29.76	755.9	91	77	S E	1	c	,,	29.80	756.9	79	91	N E	1	b
...ku,.....	1 p.	29.80	757.0	...	...	E	4	...	5 a.	29.82	757.5	...	...	S	2	...
...n, ...	,,	29.78	756.3	...	...	N	4	...	,,	29.83	757.6	...	...	...	0	...
...n,.....	,,	29.80	756.8	...	...	N	2	...	,,	29.83	757.7	...	...	E	2	...
...m.....	,,	29.80	757.0	...	...	E	6	...	,,	29.81	757.1	...	...	...	0	...
...dores, ...	,,	29.79	756.7	..	...	N	4	...	,,	29.80	757.0	...	...	N W	2	...
...n,.....	3 p.	29.74	755.4	89	63	S	1	b	9 a.	29.79	756.6	85	76	S E	2	b
...kong, ...	4 p.	29.74	755.4	83	75	E	2	o	10 a.	29.82	757.4	83	77	E	3	c
...ria Peak,...	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	2	...
...Rock,.....	,,	29.71	754.6	...	...	E	4	...	,,	29.77	756.1	...	...	E	5	...
...,.....	,,	29.75	755.6	83	...	S E	2	c	,,	29.82	757.5	83	...	S E	3	c
...ow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...oi,.....	,,	29.73	755.1	88	88	S S E	2	b	,,	...	...	...	...	...	...	...
...en, ...	4 p.	29.67	753.7	82	...	E N E	4	c	8 a.	29.75	755.7	82	...	E N E	3	c
...ne, ...	,,	29.66	753.4	84	...	N E	1	dh	,,	29.69	754.2	77	..	N W	3	f
...St. James,.	,,	29.76	755.8	75	...	N W	2	c	,,	29.80	756.9	73	...	N W	1	c
...i, ...	2 p.	29.73	755.1	90	...	N E	2	b	6 a.	29.77	756.1	75	...	S	2	c
...a, ...	4 p.	29.76	756	86	71	W S W	2	c	10 a.	29.80	757	84	71	...	0	o
...pi, ...	2 p.	29.74	755.3	86	...	S W	2	o	6 a.	29.75	755.7	73	...	...	0	o
...od, ...	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	1	o
...,.....	,,	29.74	755.4	82	...	S W	1	c	,,	29.83	757.7	79	...	S W	1	o
.....	,,	29.77	756.1	82	...	...	0	o	,,	29.83	757.7	80	...	S	2	o
...an, ...	,,	29.80	756.9	85	...	...	...	...	,,	29.88	758.9	80	...	...	...	...

On the 23rd at 12.05 p.—The barometer has fallen moderately over Annam, probably owing to the formation of depression in the neighbourhood of the Paracels. Barometric changes over other areas are slight.

A depression exists, apparently, over the Pacific far to the Eastward of Luzon, and pressure remains low over China and the N. part of the Sea of Japan.

The highest pressure is shown over the Pacific in the neighbourhood of the Bonins.

Fresh E. winds may be expected over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	E. winds, fresh; showery.
Formosa Channel, ...	S.E. winds, moderate.
South coast of China between Hongkong and Lamocks,.	**Same as No. 1.**
South coast of China between Hongkong and Hainan,...	**Same as No. 1.**

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 23rd August, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd August, 1911, P.M.								24th August, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	29.70	754.5	73	...	S S E	1	b	7 a.	29.74	755.4	65	94	S E	1	
Nemuro,	,,	29.77	756.1	...	...	W N W	3	...	6 a.	29.75	755.6	...	...	N N E	1	
Hakodate,	,,	29.71	754.7	...	...	S W	2	...	,,	29.81	757.2	...	...	N W	2	
Tokio,	,,	29.77	756.1	...	...	S S W	2	...	,,	29.81	757.1	...	...	S S W	2	
Koobi,	,,	29.83	757.8	...	...	S E	1	...	,,	29.88	758.8	...	...	...	0	
Nagasaki,	,,	29.82	757.3	...	...	W S W	3	...	,,	29.86	758.3	...	...	S S W	3	
Kagoshima,	,,	29.84	757.9	...	...	...	0	...	,,	29.90	759.4	...	...	...	0	
Oshima,	,,	29.87	758.6	...	...	N N E	1	...	,,	29.89	759.1	...	...	...	0	
Naha,	,,	29.85	758.2	...	...	E	1	...	,,	29.87	758.7	...	...	E S E	1	
Ishigakijima,	,,	29.83	757.8	...	...	S	2	...	,,	29.84	757.8	...	...	N E	1	
Bonin Is.	,,	29.94	760.6	...	...	...	0	...	,,	29.91	759.6	...	...	E	1	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.71	754.6	77	82	E N E	3	c	9 a.	29.60	751.8	71	100	N E	4	c
Hankow,	,,	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Shanghai,	,,	29.63	753.9	93	55	W S W	1	c	9 a.	29.76	755.9	89	69	S W	1	c
Gutzlaff,	,,	29.69	754.1	88	84	S S W	1	c	,,	29.74	755.4	85	87	S S W	2	c
Sharp Peak,	,,	29.74	756.4	88	...	S S E	1	b	,,	29.84	757.9	86	...	E S E	1	b
Amoy,	,,	29.75	755.6	89	63	S E	2	b	6 a.	29.77	756.1	81	78	S W	2	b
Swatow,	,,	29.79	756.6	91	77	S E	1	c	,,	29.83	757.7	80	91	N W	1	c
Taihoku,	1 p.	29.80	756.8	...	...	N W	2	...	5 a.	29.86	758.3	...	...	S	2	..
Taichu,	,,	29.82	757.3	...	...	N	4	...	,,	29.87	758.7	...	...	...	0	..
Tainan,	,,	29.83	757.6	...	...	N	4	...	,,	29.84	758.4	...	...	E	2	..
Koshun	,,	29.79	756.6	...	...	S E	6	...	,,	29.82	757.5	...	...	...	0	..
Pescadores,	,,	29.82	757.5	..	...	W	2	...	,,	29.83	757.6	...	...	S W	2	..
Canton,	3 p.	29.78	756.4	90	96	S	2	b	9 a.	29.86	758.4	83	75	E	1	b
Hongkong,	4 p.	29.78	756.4	83	74	E	2	c	10 a.	29.86	758.4	84	74	E	2	c
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	8	..
Gap Rock,	,,	29.74	755.4	...	...	E	3	...	,,	29.82	757.4	...	...	E	4	..
Macao,	,,	29.79	756.6	84	...	S S E	3	c	,,	...	...	...	...	...	...	..
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	..
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	..
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	..
Phulien,	4 p.	29.70	754.5	84	...	E N E	4	c	8 a.	29.80	756.9	79	...	E N E	5	o
Tourane,	,,	29.58	751.4	73	...	N W	7	f	,,	29.70	754.4	81	..	S E	4	d
Cape St. James,	,,	29.74	755.5	77	...	W	1	c	,,	29.85	758.1	75	...	S W	5	o
Aparri,	2 p.	29.75	755.7	90	...	N E	2	b	6 a.	29.75	755.6	79	...	N	2	p
Manila,	4 p.	29.72	755	84	77	W S W	1	d	10 a.	29.80	757	82	85	N W	1	o
Legaspi,	2 p.	29.72	754.8	82	...	S W	2	o	6 a.	29.78	756.3	77	...	W	2	o
Bacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	2	o
Iloilo,	,,	29.74	755.4	81	...	S W	1	o	,,	29.80	756.9	77	...	S W	2	o
Cebu,	,,	29.79	756.6	85	...	S	1	c	,,	29.81	757.2	81	...	S	2	o
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	29.87	758.7	83	...	...	...	...

On the 24th at 12.10 p.—The China Sea depression has entered Annam near Tourane.
The depression over the Pacific is still far to the E. of Luzon. It appears to be moving slowly Westwards.
The depression over N. China is moving into the Yellow Sea.
Pressure is highest over the Pacific in the neighbourhood of the Bonins.
Light to moderate E. and N.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and N.E. winds, moderate or light; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamooks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	E. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 24th August, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	24TH AUGUST, 1911, P.M.								25TH AUGUST, 1911, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ivostock,...	2 p.	29.73	755.2	68	...	S	2	o	7 a.	29.67	753.7	65	92	...	0	o
ro, ...	,,	29.73	755.1	...	...	N E	2	...	6 a.	29.79	756.6	...	...	S E	1	...
date, ...	,,	29.79	756.7	...	...	S S E	1	...	,,	29.75	755.7	...	...	...	0	...
, ...	,,	29.79	756.6	...	...	S W	2	...	,,	29.75	755.6	...	...	S W	2	...
, ...	,,	29.85	758.3	...	...	S S W	1	...	,,	29.88	758.8	...	...	...	0	...
aki, ...	,,	29.85	758.3	...	...	W S W	4	...	,,	29.86	758.3	...	...	S W	4	...
hima, ...	,,	29.90	759.4	...	...	E S E	1	...	,,	29.90	759.4	...	...	...	0	...
ia, ...	,,	29.89	759.1	...	...	S	2	...	,,	29.85	758.1	...	...	S S E	1	...
.....	,,	29.85	758.2	...	...	E	3	...	,,	29.81	757.2	...	...	E	2	...
akijima, ...	,,	29.82	757.3	...	...	E N E	4	...	,,	29.74	755.3	...	...	N E	4	...
Is.	,,	29.94	760.6	...	...	E N E	1	...	,,	29.97	761.1	...	...	E	1	...
o, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
aiwei, ...	,,	29.63	752.6	72	95	N	4	orm	9 a.	29.76	755.9	73	86	N W	2	o
ow, ...	,,	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...	...
iang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ghai, ...	,,	29.75	755.6	80	91	S S E	1	o	9 a.	29.81	757.2	77	91	N E	1	od
laff, ...	,,	29.73	755.1	84	72	N W	4	ov	,,	29.75	755.6	77	95	N N E	5	omp
Peak, ...	,,	29.76	755.9	86	...	E	1	b	,,	29.79	756.6	84	...	E	1	b
.....	,,	29.73	755.1	90	63	S E	2	b	6 a.	29.78	756.4	82	75	N W	2	b
ow, ...	,,	29.75	755.6	89	59	S	1	b	,,	29.78	756.4	80	91	W	1	c
oku, ...	1 p.	29.79	756.7	...	...	E	4	...	5 a.	29.73	755.1	...	...	E	6	...
u, ...	,,	29.79	756.7	...	...	N	4	...	,,	29.73	755.1	...	...	...	0	...
an, ...	,,	29.82	757.3	...	...	N W	6	...	,,	29.74	755.3	...	...	...	0	...
un.....	,,	29.80	756.9	...	...	E	4	...	,,	29.73	755.1	...	...	N E	4	...
dores, ...	,,	29.81	757.1	..	...	N W	4	...	,,	29.72	754.8	...	...	W	2	...
on, ...	3 p.	...	...	...	...	...	...	...	9 a.	29.79	756.6	85	72	N N W	2	b
kong, ...	4 p.	29.77	756.1	84	73	E	1	c	10 a.	29.77	756.1	85	76	W	1	c
ria Peak, ...	,,	...	...	...	...	N N E	1	...	,,	...	...	...	...	N W	4	...
Rock, ...	,,	29.77	756.1	...	...	E	3	...	,,	29.77	756.1	...	...	W N W	2	...
o, ...	,,	29.81	757.2	85	...	S S E	1	c	,,	29.81	757.1	86	...	N N W	1	c
ow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
en, ...	4 p.	29.76	755.9	82	...	E	7	c	8 a.	29.89	759.1	84	...	N E	2	b
ne, ...	,,	29.69	754.2	82	...	S E	3	c	,,	29.84	757.9	84	..	N W	2	c
St. James, .	,,	29.78	756.4	84	...	S W	2	c	,,	29.90	759.4	75	...	S W	2	o
i, ...	2 p.	29.65	753.1	79	...	N W	2	p	6 a.	29.56	750.8	79	...	N	4	o
2, ...	4 p.	29.69	754	79	92	N N W	3	r	10 a.	29.69	754	77	92	N N W	1	d
pi, ...	2 p.	29.66	753.3	77	...	W	2	o	6 a.	29.62	752.4	79	...	S W	2	o
od, ...	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	2	o
.....	,,	29.70	754.4	85	...	S W	1	o	,,	29.78	756.4	81	...	S W	3	o
.....	,,	29.70	754.4	84	...	S	3	o	,,	29.77	756.1	84	...	S	3	o
n, ...	,,	29.78	756.4	89	...	...	...	...	,,	29.88	758.9	84	...	...	...	...

On the 25th at 12.10 p.—The barometer has fallen considerably in Luzon, and moderately over the Southern choos, Formosa and the S. coast of China. It has risen moderately over Annam and N. China.

The typhoon over the Pacific, which situated to the East of Northern Luzon, is moving towards W.N.W. at sent.

The depression lying over the Yellow Sea yesterday, has moved into the N. part of the Sea of Japan.

Pressure is high over the Pacific to the East of the Bonins, and relatively so over Western China.

Rough weather will probably set in over the N.E. part of the China Sea during the next 24 hours.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ongkong and Neighbourhood, ...	N. winds, moderate or fresh ; fair.
ormosa Channel, ...	N.E. winds, freshening.
outh coast of China between Hongkong and Lamocks, .	Same as No. 1.
outh coast of China between Hongkong and Hainan, ...	N.W. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 25th August, 1911.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th August, 1911, P.M.								26th August, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	29.67	753.5	72	...	S W	0	c	7 a.	29.74	755.4	65	93	N N E	1	
Nemuro,	,,	29.73	755.1	...	...	E N E	4	...	6 a.	29.83	757.6	...	...	W	1	
Hakodate,	,,	29.81	757.2	...	...	S S E	1	...	,,	29.83	757.7	...	...	...	0	
Tokio,	,,	29.69	754.1	...	...	S W	2	...	,,	29.81	757.1	...	...	S W	1	
Kochi,	,,	29.83	757.8	...	...	S	1	...	,,	29.89	759.3	...	...	...	0	
Nagasaki,	,,	29.83	757.8	...	...	W S W	3	...	,,	29.86	758.3	...	...	S	1	
Kagoshima,	,,	29.86	758.4	...	...	S	2	...	,,	29.90	759.4	...	...	...	0	
Oshima,	,,	29.85	758.1	...	...	S E	2	...	,,	29.85	758.1	...	...	S E	1	
Naha,	,,	29.77	756.2	...	...	E S E	4	...	,,	29.75	755.7	...	...	E S E	3	
Ishigakijima,	,,	29.70	754.3	...	...	E	6	...	,,	29.60	751.8	...	...	E	6	
✓Bonin Is.	,,	29.91	759.6	...	...	E	1	...	,,	29.89	759.1	...	...	E	1	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.76	755.9	74	76	W	2	c	9 a.	29.83	757.7	75	81	N	2	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
✓Kiukiang,	,,	29.82	757.4	80	78	N E	2	o	,,	29.76	755.9	86	84	...	2	
✓Shanghai,	,,	29.78	756.4	81	78	E N E	1	o	9 a.	29.82	757.4	73	95	N E	2	
Gutzlaff,	,,	29.74	755.4	77	91	E	5	ov	,,	29.76	755.9	78	82	N E	5	
✓Sharp Peak,	,,	29.73	755.1	85	...	E	2	b	,,	29.65	753.1	82	...	N	2	
✓Amoy,	,,	29.64	752.8	93	52	E	2	b	6 a.	29.64	752.8	83	63	N N E	4	
✓Swatow,	,,	29.64	752.8	90	77	S S E	1	c	,,	29.61	752.1	79	91	N N W	1	
Taihoku,	1 p.	29.69	754.1	...	...	E	8	...	5 a.	29.58	751.2	...	...	E	6	
Taichu,	,,	29.65	753.2	...	...	N	4	...	,,	29.45	748.0	...	...	...	0	
Tainan,	,,	29.66	753.4	...	...	W	2	...	,,	29.45	748.1	...	...	...	0	
Koshun	,,	29.64	752.9	...	...	N E	6	...	,,	29.42	747.3	...	...	N E	10	
Pescadores,	,,	29.66	753.3	..	...	N E	6	...	,,	29.45	748.1	...	...	N E	8	
Canton,	3 p.	29.67	753.6	92	57	N N W	2	b	9 a.	29.65	753.1	87	65	N N E	3	b
✓Hongkong,	4 p.	29.63	752.6	89	68	W	1	c	10 a.	29.61	752.1	88	71	W	1	c
Victoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	N	2	
Gap Rock,	,,	29.63	752.6	...	...	W	2	...	,,	29.59	751.6	...	...	N	2	
Macao,	,,	29.67	753.6	89	...	S S W	1	c	,,	29.65	753.1	88	...	N W	1	c
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
✓Phulien,	4 p.	29.74	755.5	91	...	W	2	b	8 a.	29.76	756.0	84	...	W N W	2	b
Fourane,	,,	...	...	...	...	...	...	...	,,	29.78	756.4	81	..	N W	1	c
✓Cape St. James,	,,	29.80	757.0	75	...	W S W	3	o	,,	29.86	758.4	73	...	S W	4	o
Aparri,	2 p.	29.46	748.2	82	...	N	6	p	6 a.	29.35	745.4	75	...	S W	6	q
Manila,	4 p.	29.61	752	81	76	W	3	o	10 a.	29.69	754	81	95	S W	5	q
Legaspi,	2 p.	29.61	752.0	77	...	S W	4	o	6 a.	29.65	753.2	77	...	S W	2	o
Bacolod,	3 p.	...	...	...	...	S W	3	o	9 a.	...	...	...	...	...	...	
Iloilo,	,,	29.70	754.4	83	...	S W	4	c	,,	...	...	...	...	...	...	
Cebu,	,,	29.69	754.1	86	...	S	3	...	,,	...	...	...	...	...	...	
Labuan,	,,	29.82	757.4	88	...	...	...	...	,,	29.84	757.9	83	...	...	...	

On the 26th at 11.55 a.—The typhoon is situated over the Balingtang Channel. At present it is moving on a course between N.W. and W.N.W. and the coast between Hongkong and Amoy is threatened.

The barometer is falling steadily over the S. and S.E. coasts of China, and a rapid fall has taken place in S Formosa. It is inclined to rise in S. Luzon.

Pressure has increased moderately over N. China and the N. part of the Sea of Japan. It is highest over th Pacific to the South of Japan.

Bad weather may be expected over the N.E. part of the China Sea and the Formosa Channel.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, freshening considerably; fair, squally.
2.—Formosa Channel,	N.E. gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N.W. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 26th August, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

.TION.	26TH AUGUST, 1911, P.M.								27TH AUGUST, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ostook, ...	2 p.	29.74	755.5	78	...	N N W	1	b	7 a.	29.91	759.6	67	85	...	0	b
o, ...	,,	29.85	758.1	...	...	W N W	3	...	6 a.	29.95	760.6	...	...	S	1	...
ate, ...	,,	29.83	757.7	...	...	S E	2	...	,,	29.93	760.2	...	...	...	0	...
.....	,,	29.81	757.1	...	...	S	3	...	,,	29.99	761.6	...	...	...	0	...
.....	,,	29.89	759.3	...	...	S E	1	...	,,	29.99	761.8	...	...	S W	1	...
-ki, ...	,,	29.87	758.8	...	...	W S W	1	...	,,	29.93	760.3	...	...	S S E	1	...
hima, ...	,,	29.86	758.4	...	...	E	1	...	,,	29.92	759.9	...	...	E	3	...
a, ...	,,	29.83	757.6	...	...	S S E	3	...	,,	29.81	757.1	...	...	S S E	3	...
.....	,,	29.75	755.7	...	...	E	5	...	,,	29.77	756.2	...	...	S S E	4	...
kijima, ...	,,	29.58	751.3	...	...	E	7	...	,,	29.60	751.8	...	...	S E	7	...
Is.	,,	29.89	759.1	...	...	E	1	...	,,	29.91	759.6	...	...	E S E	1	...
), ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
siwei, ...	,,	29.82	757.4	79	87	N	2	c	9 a.	29.90	759.4	74	90	S E	1	p
ow, ...	,,	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...	...
ang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
chai, ...	,,	29.78	756.4	78	82	N E	2	od	9 a	29.77	756.1	79	95	E	2	or
aff, ...	,,	29.73	755.1	78	91	E N E	5	om	,,	29.74	755.4	79	91	S E	4	om
Peak, ...	,,	29.56	750.8	83	...	N	4	c	,,	29.31	744.5	82	...	N	10	o
.....	,,	29.48	748.8	95	44	N E	6	c	6 a.	...	...	...	...	...	...	...
ow, ...	,,	29.46	748.3	99	52	W N W	1	c	,,	29.39	746.5	83	75	N N W	3	o
ku, ...	1 p.	29.52	749.7	...	...	E	10	...	5 a.	29.32	744.8	...	...	E	10	...
u, ...	,,	29.35	745.4	...	...	S	8	...	,,	29.06	738.2	...	...	E	6	...
n, ...	,,	29.38	746.2	...	...	...	0	...	,,	28.68	728.4	...	...	S E	10	...
un	,,	29.21	741.9	...	...	N E	10	...	,,	...	...	...	...	...	...	...
dores, ...	,,	29.35	745.6	..	...	N E	8	...	,,	...	...	...	...	...	...	...
n, ...	3 p.	29.54	750.3	93	55	N	2	b	9 a.	29.59	751.6	84	68	N	2	o
kong, ...	4 p.	29.51	749.5	91	59	W	1	c	10 a.	29.56	750.8	87	61	W N W	2	o
ria Peak, ...	,,	...	...	...	...	W N W	1	...	,,	...	...	...	...	N W	1	...
Rock, ...	,,	29.51	749.5	...	...	N N W	3	...	,,	29.54	750.3	...	...	N N W	5	...
), ...	,,	29.55	750.5	92	...	N N W	2	c	,,	29.60	751.8	85	...	N N W	2	c
ow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
en, ...	4 p.	29.62	752.4	91	...	W	3	b	8 a.	29.71	754.6	84	...	N N E	1	c
ne, ...	,,	...	...	...	...	..	...	...	,,	29.70	754.4	86	..	S W	1	c
St. James, .	,,	29.75	755.6	81	...	S W	4	c	,,	29.82	757.3	75	...	W S W	2	c
i, ...	2 p.	29.39	746.6	79	...	S	4	d	6 a.	29.58	751.4	75	...	S	2	o
a, ...	4 p.	29.65	753	82	85	S W	4	o	10 a.	29.76	756	84	79	S	1	o
pi, ...	2 p.	29.65	753.0	86	...	S W	4	o	6 a.	29.76	755.9	79	...	..	0	c
od, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.74	755.4	84	...	S	2	o	,,	...	...	...	...	...	...	...
n, ...	,,	29.76	755.9	89	...	...	...	...	,,	29.84	757.9	84	...	...	...	...

On the 26th at 6.00 p.—Red Drum hoisted.
The typhoon, which is now situated a little to the westward of the Bashee Channel, is moving towards N.W.
On the 27th at 8.45 a.—Signals lowered.
At 11.55 a.—The barometer has fallen rapidly at the Formosa Channel stations, and risen quickly in Luzon.
The typhoon, which has moved towards N.N.W. since yesterday, reached the neighbourhood of the Pescadores ut 6 o'clock this morning. It will probably move up the Channel and reach the coast near Foochow.
Pressure has increased moderately and is highest over Japan.
Very bad weather will continue to prevail over the Formosa Channel and along the E. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.W. to S.W. winds, fresh or strong; fair, squally.
Formosa Channel, ...	Cyclonic gales.
South coast of China between Hongkong and Lamocks, .	N.W. to S.W. winds, strong.
South coast of China between Hongkong and Hainan, ...	N.W. to S.W. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 27th August, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th August, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	28th August, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostook,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	29.96	761.1	...	...	S	3	...	6 a.	30.12	765.1	...	...	N W	1
Hakodate,	,,	29.97	761.2	...	...	S S E	2	...	,,	30.13	765.2	...	...	...	0
Tokio,	,,	29.96	761.1	...	...	S	3	...	,,	30.10	764.6	...	...	N W	1
Kochi,	,,	29.99	761.8	...	...	E S E	1	...	,,	30.05	763.3	...	...	S W	1
Nagasaki,	,,	29.93	760.3	...	...	E S E	2	...	,,	29.95	760.8	...	...	N N E	1
Kagoshima,	,,	29.92	759.9	...	...	E S E	4	...	,,	29.92	759.9	...	...	E	3
Oshima,	,,	29.85	758.1	...	...	S E	1	...	,,	29.83	757.6	...	...	E	1
Naha,	,,	29.77	756.2	...	...	...	0	...	,,	29.77	756.2	...	...	E	3
Ishigakijima,	,,	29.66	753.3	...	...	S	4	...	,,	29.72	754.8	...	...	S S E	5
Bonin Is.	,,	29.89	759.1	...	...	S E	2	...	,,	29.99	761.6	...	...	S E	1
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	...	...	76	...	N E	3	c	9 a.	29.93	760.2	71	100	N E	2
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	29.74	755.4	85	76	N E	3	c	,,	...	...	...	...	...	...
Shanghai,	,,	29.73	755.1	79	95	E	1	or	9 a.	29.72	754.9	83	83	E	3
Gutzlaff,	,,	29.70	754.4	80	91	E S E	5	om	,,	29.68	753.9	82	91	S E	8
Sharp Peak,	,,	29.31	744.5	82	...	N E	8	or	,,	29.44	747.8	80	...	E N E	1
Amoy,	,,	29.35	745.5	82	83	N E	2	or	6 a.	29.50	749.3	82	75	S W	2
Swatow,	,,	29.37	746.0	90	63	N W	2	c	,,	29.58	751.3	82	75	W N W	1
Taihoku,	1 p.	29.35	745.5	...	...	E	8	...	5 a	29.54	750.3	...	...	N E	2
Taichu,	,,	29.35	745.5	...	...	S W	4	...	,,	29.54	750.4	...	...	S	6
Tainan,	,,	29.40	746.7	...	...	S W	10	...	,,	29.61	752.1	...	...	S W	8
Koshun	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Canton,	3 p.	29.52	749.8	91	54	N	2	b	9 a.	29.68	753.9	86	65	N	2
Hongkong,	4 p.	29.49	749.0	87	63	W	2	o	10 a.	29.68	753.9	87	70	W	1
Victoria Peak,	,,	...	...	...	...	W N W	1	...	,,	...	...	...	...	W N W	1
Gap Rock,	,,	29.49	749.0	...	...	N N W	3	...	,,	29.67	753.6	...	...	W	2
Macao,	,,	29.54	750.3	72	...	N W	2	c	,,	29.71	754.6	88	...	N W	1
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.61	752.2	93	...	W N W	3	b	8 a.	29.78	756.4	81	...	N	2
Tourane,	,,	...	...	...	...	...	...	...	,,	29.80	756.8	84	..	W N W	1
Cape St. James,	,,	29.76	755.8	77	...	S W	4	c	,,	29.87	758.7	77	...	S W	3
Aparri,	2 p.	29.62	752.3	88	...	S	2	o	6 a.	29.73	755.0	75	...	S	0
Manila,	4 p.	29.72	755	84	77	S W	3	o	10 a.	29.84	758	86	78	S W	1
Legaspi,	2 p.	29.74	755.5	88	...	S W	2	c	6 a.	29.83	757.6	77	...	S W	2
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Cebu,	,,	29.83	757.7	85	...	S	3	...	,,	...	...	...	...	...	...
Labuan,	,,	29.78	756.4	89	...	...	...	...	,,	29.89	759.2	86	...	...	...

On the 28th at 12.05 p.—The typhoon entered the coast during the night in the neighbourhood of Foochow. It continues to move Northwards.

The barometer is falling in Shanghai, and rising at all stations to the Southward of Foochow.

Pressure has increased and and is high over E. Japan and adjacent waters.

Strong S. and S.W. winds may be expected in the Formosa Channel, and moderate monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. and S.W. winds, moderate; fine.
2.—Formosa Channel,	S.W. and S. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 28th August, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	28TH AUGUST, 1911, P.M.								29TH AUGUST, 1911, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ivostock, ...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
ro, ...	,,	30.12	765.1	...	...	S E	1	...	6 a	30.14	765.6	...	...	S	1	...
date, ...	,,	30.11	764.7	...	...	S E	1	...	,,	30.13	765.2	...	...	...	0	...
, ...	,,	30.04	763.1	...	...	S	1	...	,,	30.08	764.1	...	...	N	1	...
i, ...	,,	30.01	762.3	...	...	S E	1	...	,,	30.01	762.3	...	...	S W	...	...
aki, ...	,,	29.91	759.8	...	...	E N E	1	...	,,	29.91	759.8	...	...	N E	1	...
shima, ...	,,	29.92	759.9	...	...	E	5	...	,,	29.90	759.4	...	...	E	3	...
ia, ...	,,	29.79	756.6	...	...	E	2	...	,,	29.73	755.1	...	...	S E	2	...
.....	,,	29.73	755.2	...	...	E N E	3	...	,,	29.65	753.2	...	...	E N E	4	...
akijima, ...	,,	29.72	754.8	...	...	S	6	...	,,	29.62	752.3	...	...	E S E	3	...
Is.	,,	29.96	761.1	...	...	S E	1	...	,,	29.89	759.1	...	...	E N E	1	...
o, ...	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	...
aiwei, ...	,,	29.98	761.5	73	95	N E	1	or	9 a.	29.92	759.9	73	100	N E	1	ort
ow, ...	,,	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...	...
iang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ghai, ...	,,	29.68	753.9	82	87	E	5	oq	9 a	29.66	753.3	78	95	E S E	4	oq
laff, ...	,,	29.65	753.1	81	87	S E	7	om	,,	29.62	752.3	82	91	S E	7	om
Peak, ...	,,	29.46	748.3	82	...	S	2	c	,,	29.61	752.1	81	...	...	0	c
y, ...	,,	29.52	749.8	91	57	W	2	c	6 a.	...	...	83	67	W	2	c
ow, ...	,,	29.59	751.6	97	54	W	1	b	,,	...	..	...	..	...	...	...
oku, ...	1 p.	29.59	751.6	...	...	E	2	...	5 a.	29.62	752.4	...	...	W	2	...
ku, ...	,,	29.66	753.3	...	...	S W	6	...	,,	29.66	753.3	...	...	...	0	...
an, ...	,,	29.69	754.0	...	...	S W	6	...	,,	29.68	753.8	...	...	W	4	...
un, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
adores, ...	,,	...	...	..	...	...	...	...	,,	29.62	752.4	...	...	S W	6	...
on, ...	3 p.	29.65	753.1	91	57	N W	2	b	9 a.	29.72	754.9	84	68	N	2	b
kong, ...	4 p.	29.64	752.8	90	60	W S W	2	b	10 a.	29.70	754.4	85	63	W N W	1	b
ria Peak, ...	,,	..	...	...	...	W S W	1	...	,,	...	...	...	...	W	1	...
Rock, ...	,,	29.64	752.8	...	...	S W	3	...	,,	29.69	754.1	...	...	N N W	4	...
o, ...	,,	29.68	753.9	89	...	S W	2	c	,,	...	..	...	...	...	...	...
ow, ...	3 p.	29.70	754.4	88	66	W	1	c	9 a.	...	...	...	...	...	...	...
ow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
en, ...	4 p.	29.70	754.5	97	...	S S E	2	c	8 a.	29.80	756.9	88	...	S E	1	b
ne, ...	,,	29.74	755.3	86	...	S E	2	b	,,	29.82	757.5	79	..	W	1	c
St. James, .	,,	29.79	756.6	82	...	S W	1	o	,,	29.90	759.5	77	...	W S W	2	c
i, ...	2 p.	29.73	755.1	88	...	E	2	o	6 a.	29.71	754.6	75	...	S	2	b
a, ...	4 p.	29.80	757	84	77	S W	3	c	10 a.	29.84	758	86	71	S W	3	c
pi, ...	2 p.	29.80	756.9	88	...	S W	4	c	6 a.	29.82	757.3	77	...	S W	2	b
od, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n, ...	,,	29.82	757.4	89	...	...	...	...	,,	29.91	759.7	84	...	...	...	...

On the 29th at 11.55 a.—The barometer has fallen slightly on the E. coast of China, and risen moderately at the mosa Channel stations.

The recent typhoon, which is probably filling up, is still shown over China to the South of the Lower Yangtze ley.

Pressure has given way moderately over the Loochoos apparently owing to the existence of a "low" area to the thward of the islands.

High pressure still covers E. Japan and adjacent waters.

Moderate monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ongkong and Neighbourhood, ...	W. and S.W. winds, moderate; fine.
ormosa Channel, ...	S.W. winds, moderate.
outh coast of China between Hongkong and Lamooks, .	Same as No. 1.
outh coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 29th August, 1911.

Printed by NOBONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th August, 1911, P.M.								30th August, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	30.00	761.9	73	...	S S E	1	c	7 a.	30.00	761.9	68	96	S S E	0
Nemuro,	,,	30.12	765.1	...	...	S	1	...	6 a.	30.14	765.6	...	...	S S E	1
Hakodate,	,,	30.09	764.2	...	...	S E	3	...	,,	30.11	764.7	...	...	...	0
Tokio,	,,	30.02	762.6	...	...	E N E	1	...	,,	30.06	763.6	...	...	N N W	1
Kochi,	,,	29.97	761.3	...	...	S E	2	...	,,	29.97	761.3	...	...	S W	1
Nagasaki,	,,	29.87	758.8	...	...	S E	1	...	,,	29.86	758.3	...	...	...	0
Kagoshima,	,,	29.86	758.4	...	...	E	1	...	,,	29.82	757.4	...	...	E	4
Oshima,	,,	29.73	755.1	...	...	N E	2	...	,,	29.63	752.6	...	...	N N E	1
Naha,	,,	29.61	752.2	...	...	E N E	5	...	,,	29.42	747.2	...	...	N E	7
Ishigakijima,	,,	29.60	761.8	...	...	E	3	...	,,	29.56	750.8	...	...	N N E	4
Bonin Is.	,,	29.83	757.6	...	...	E N E	1	...	,,	29.79	756.6	...	...	...	0
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.87	758.7	76	95	E N E	6	...	9 a.	29.86	758.4	76	95	E	3
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kinkiang,	,,	29.65	753.1	82	71	W	3	o	,,	...	...	...	...	...	...
Shanghai,	,,	29.62	752.3	83	83	S E	4	oq	9 a	29.75	755.6	85	72	S E	3
Gutzlaff,	,,	29.60	751.8	83	87	S E	7	cm	,,	29.70	754.4	83	83	S E	5
Sharp Peak,	,,	29.58	751.3	84	...	S	1	c	,,	29.67	753.6	82	...	...	0
Amoy,	,,	29.58	751.3	92	48	W	2	b	6 a	29.64	752.8	83	79	E	2
Swatow,	,,	29.61	752.1	97	45	W	1	b	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.62	752.4	...	...	W	4	...	5 a	29.66	753.3	...	...	...	0
Taichu,	,,	29.63	752.5	...	...	W	4	...	,,	29.66	753.3	...	...	...	0
Tainan,	,,	29.68	753.9	...	...	W	4	...	,,	29.65	753.0	...	...	...	0
Koshun	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pescadores,	,,	29.64	752.9	...	...	S W	2	...	,,	29.64	752.8	...	...	...	0
Canton,	3 p.	29.65	753.1	90	53	N W	2	b	9 a.	29.71	754.6	84	64	N	2
Hongkong,	4 p.	29.64	752.8	87	61	W	2	c	10 a.	29.69	754.1	86	60	W	1
Victoria Peak,	,,	...	...	...	...	W	1	...	,,	...	...	...	...	N W	1
Gap Rook,	,,	29.63	752.6	...	...	N N W	2	...	,,	29.67	753.6	...	...	N N W	4
Macao,	,,	29.67	753.7	91	...	N N W	1	c	,,	29.73	755.1	86	...	W N W	1
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.68	753.9	95	...	W S W	2	b	8 a.	29.77	756.2	88	...	S W	0
Tourane,	,,	29.72	754.8	86	...	N	2	b	,,	29.78	756.3	88	..	S W	2
Cape St. James,	,,	29.81	757.2	84	...	W N W	1	c	,,	29.83	758.8	77	...	S W	1
Aparri,	2 p.	29.65	753.2	90	...	N	2	c	6 a.	29.65	753.2	75	...	W	0
Manila,	4 p.	29.76	756	82	85	W S W	4	o	10 a.	29.80	757	79	92	W S W	3
Legaspi,	2 p.	29.75	755.7	90	...	W	4	b	6 a.	29.77	756.1	77	...	W	2
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Cebu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Labuan,	,,	29.84	757.9	82	...	...	...	...	,,	29.94	760.5	82	...	...	...

On the 30th at 12.05 p.—The depression noticed over the Pacific yesterday, is a typhoon. This morning it situated to the Southward of the Loochoos, and is moving apparently, towards N.N.W.

Pressure is giving way at the stations bordering the Pacific. It has increased over the E. coast of China, the depression lying over the Yangtze valley having moved Northwards.

The high pressure area remains over E. Japan and adjacent waters.

Moderate W. and S.W. winds may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. winds, light or moderate; fair.
2.—Formosa Channel,	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 30th August, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ON.	30TH AUGUST, 1911, P.M.									31ST AUGUST, 1911, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
ctock,...	2 p.	29.99	761.7	75	...	S S E	1	c		7 a.	30.02	762.4	69	93	S E	2	o
.....	,,	30.14	765.6	...	...	S S E	3	...		6 a.	30.16	766.1	...	...	S S W	1	...
e,.....	,,	30.09	764.2	...	...	S E	3	...		,,	30.13	765.2	...	...	...	0	...
.....	,,	30.00	762.1	...	...	E	1	...		,,	30.08	764.1	...	...	N N W	1	...
.....	,,	29.93	760.3	...	...	E	1	...		,,	29.97	761.3	...	...	S W	1	...
i, ...	,,	29.83	757.8	...	...	S E	2	...		,,	29.88	758.8	...	...	E N E	3	...
ma, ...	,,	29.84	757.9	...	...	E S E	4	...		,,	29.86	758.4	...	...	E S E	5	...
.....	,,	29.61	752.1	...	...	E	3	...		,,	29.63	752.6	...	...	S E	4	...
.....	,,	29.32	744.7	...	...	E N E	9	...		,,	29.28	743.7	...	...	E S E	8	...
jima,....	,,	29.46	748.3	...	...	N W	6	...		,,	28.93	734.8	...	...	N N W	4	...
s.....	,,	29.77	756.1	...	...	S E	1	...		,,	29.81	757.1	...	...	...	0	...
.....	4 p.	...	...	...	...	...	...	...		6 a.	...	...	...	..	...	...	...
wei,.....	,,	29.84	757.9	77	91	S S E	5	c		9 a.	29.96	761.0	89	91	S E	2	c
v, ...	,,	...	...	...	...	..	...	...		6 a.	...	...	...	...	...	...	...
ng,.....	,,	29.77	756.1	86	61	N W	1	b		,,	...	...	...	...	...	...	...
ai, ...	,,	29.72	754.9	85	72	E S E	2	c		9 a.	29.78	756.4	85	76	E N E	3	c
f, ...	,,	29.69	754.1	82	83	E	3	cm		,,	29.70	754.4	82	83	E N E	6	cm
Peak,.....	,,	29.63	752.6	83	...	E	2	c		,,	29.57	751.1	81	...	N	4	c
.....	,,	29.60	751.8	88	69	S E	1	b		6 a	...	...	80	82	W	2	c
v, ...	,,	29.62	752.3	87	72	E	2	c		,,	29.64	752.8	77	91	N E	1	o
n,.....	1 p.	29.62	752.4	...	...	N	4	...		5 a	29.50	749.3	...	...	N W	4	...
, ...	,,	29.61	752.1	...	...	N W	4	...		,,	29.54	750.3	...	...	N	2	...
.....	,,	29.62	752.3	...	...	N W	4	...		,,	29.57	751.1	...	...	N	6	...
n.....	,,	...	...	...	...	..	...	...		,,	...	...	...	...	...	...	...
ores, ...	,,	29.62	752.4	..	...	N	4	...		,,	29.58	751.4	...	...	N	6	...
,.....	3 p.	29.65	753.1	90	47	N	2	b		9 a.	29.71	754.6	84	68	N	2	b
ong, ...	4 p.	29.63	752.6	86	68	...	0	c		10 a.	29.68	753.9	87	58	W N W	1	c
a Peak,...	,,	...	...	...	...	N W	1	...		,,	...	...	...	...	N W	1	...
ock,.....	,,	29.62	752.3	...	...	N N W	3	...		,,	29.67	753.6	...	...	N W	3	...
.....	,,	29.66	753.4	92	...	N N W	1	c		,,	29.72	754.9	87	...	N W	1	c
w,.....	3 p.	...	...	...	...	...	...	...		9 a.	...	...	...	...	...	...	...
v, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
,.....	,,	29.73	755.1	91	77	S W	2	b		,,	...	...	...	...	...	...	...
,.....	4 p.	29.66	753.3	91	...	S S E	4	b		8 a.	29.76	755.8	88	...	W S W	1	c
e, ...	,,	29.71	754.6	86	...	N E	2	b		,,	29.78	756.5	88	..	S W	1	b
James,.	,,	29.78	756.4	84	...	S W	1	b		,,	29.90	759.4	79	...	S W	2	c
.....	2 p.	29.64	752.9	86	...	N W	2	o		6 a.	...	...	...	...	...	...	...
.....	4 p.	29.76	756	79	92	W	3	...		10 a.	29.80	757	82	85	S W	3	o
.....	2 p.	29.73	755.1	90	...	S W	4	c		6 a.	29.77	756.1	79	...	S W	2	o
,.....	3 p.	...	...	...	...	...	...	...		9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
,.....	,,	29.79	756.6	83	...	...	...	...		,,	29.91	759.7	84	...	...	...	...

On the 31st at 11.55 a.—The barometer has fallen rapidly at Meiaco Sima the typhoon, moving Westwards, hav-
approached the neighbourhood of the group.
Pressure is giving way at the Formosa Channel stations, and increasing over N. China.
The depression lying over the latter area yesterday, has filled up.
The high pressure area still covers E. Japan and adjacent waters.
Moderate to fresh W. and S.W. winds may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	W. winds, moderate to fresh ; fair.
ormosa Channel, ...	N.W. and W. winds, freshening considerably.
outh coast of China between Hongkong and Lamocks,.	Same as No. 1.
outh coast of China between Hongkong and Hainan,...	W. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 31st August, 1911.

rinted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st AUGUST, 1911, P.M.								1st SEPTEMBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	30.01	762.2	77	...	S	2	c	7 a.	29.99	761.7	70	96	S S E	1
Nemuro,	"	30.14	765.6	...	...	S S W	4	...	6 a.	30.16	766.1	...	...	S S W	1
Hakodate,	"	30.11	764.7	...	...	S E	3	...	"	30.15	765.7	...	...	...	0
Tokio,	"	30.06	763.6	...	...	N E	1	...	"	30.12	765.1	...	...	N W	1
Kochi,	"	29.97	761.3	...	...	S E	1	...	"	30.07	763.8	...	...	...	0
Nagasaki,	"	29.85	758.3	...	...	E	4	...	"	29.99	761.8	...	...	...	0
Kagoshima,	"	29.84	757.9	...	...	E S E	6	...	"	29.96	760.9	...	...	E	5
Oshima,	"	29.69	754.1	...	...	S E	5	...	"	29.85	758.1	...	...	S E	3
Naha,	"	29.46	748.2	...	...	S E	7	...	"	29.75	755.7	...	...	S E	4
Ishigakijima,	"	28.32	719.3	...	...	W	9	...	"	29.42	747.3	...	...	S	10
√Bonin Is.	"	29.79	756.6	...	...	N E	1	...	"	29.83	757.6	...	...	N E	1
Chefoo,	4 p.	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	"	29.91	759.7	82	79	S E	1	b	9 a.	29.99	761.7	82	75	E S E	1
Hankow,	"	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...
√Shanghai,	"	29.75	755.6	83	79	N E	4	oq	9 a.	29.77	756.1	82	87	E N E	5
Gutzlaff,	"	29.66	753.3	80	91	N E	6	om	"	29.72	754.9	81	91	E	6
√Sharp Peak,	"	29.43	747.5	83	...	N	2	c	"	29.15	740.4	82	...	N N E	10
√Amoy,	"	29.43	747.5	89	56	...	2	c	6 a.	29.33	745.0	81	83	N W	4
√Swatow,	"	29.54	750.3	91	70	S E	2	c	"	...	...	83	71	...	0
Taihoku,	1 p.	29.26	743.3	...	...	N W	10	...	5 a.	...	..	...	...	...	...
Taichu,	"	29.41	747.1	...	...	N	8	...	"	...	...	...	...	...	...
Tainan,	"	29.49	749.1	...	...	N W	8	...	"	...	...	...	...	...	...
Koshun,	"	...	...	...	...	..	...	...	"	...	...	...	...	...	...
Pescadores,	"	29.54	750.2	..	...	W	8	...	"	...	...	...	...	...	...
Canton,	3 p.	29.62	752.3	91	51	N	2	b	9 a.	29.63	752.6	85	64	N N W	2
√Hongkong,	4 p.	29.60	751.8	87	59	W	2	o	10 a.	29.60	751.8	86	66	W	2
Victoria Peak,	"	...	...	...	...	N W	3	...	"	...	...	...	...	W	3
Gap Rock,	"	29.57	751.1	...	...	N N W	2	...	"	29.61	752.1	...	...	W N W	4
Macao,	"	29.63	752.7	93	...	N W	1	c	"	29.64	752.8	87	...	N W	1
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hoihow,	"	...	...	..	...	...	...	...	"	...	...	...	...	...	...
√Pakhoi,	"	29.69	754.1	91	67	S W	2	b	"	...	...	...	...	...	...
√Phulien,	4 p.	29.66	753.3	93	...	S	2	o	8 a.	29.76	755.9	90	...	W	2
√Tourane,	"	29.69	754.2	88	...	N E	3	b	"	29.80	756.8	86	..	S W	3
√Cape St. James,	"	29.82	757.3	84	...	S W	2	b	"	29.93	760.1	79	...	S W	2
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.63	752.5	77	...	S	2
Manila,	4 p.	29.72	755	84	77	S W	5	q	10 a.	29.84	758	84	77	S W	3
Legaspi,	2 p.	29.75	755.6	86	...	S W	4	o	6 a.	29.82	757.5	77	...	S W	2
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...
Cebu,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...
Labuan,	"	29.80	756.9	89	...	...	...	...	"	29.93	760.2	82	...	...	...

On the 1st at 11.55 a.—The typhoon, which crossed the North coast of Formosa during the night, is situat over the northern part of the Channel this morning. It continues to move Westwards towards the coast betwe Foochow and Amoy.

The barometer has risen rapidly over the Loochoos, while it is falling quickly at the Formosa Channel stations The high pressure area still covers E. Japan and adjacent waters, and pressure is relatively high over the S. pa of the China Sea.

Very bad weather may be expected in the Formosa Channel, and fresh to strong W. and S.W. winds over th N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. winds, fresh to strong; weather becoming squal [and unsettl
2.—Formosa Channel,	Cyclonic gales.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	W. winds, moderate to fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 1st September, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	1st SEPTEMBER 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd SEPTEMBER, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ostock,...	2 p.	29.95	760.7	74	...	S S E	3	o	7 a.	29.85	758.2	70	96	S S E	2	o
,.....	,,	...	...	...	...	...	...	...	6 a.	30.14	765.5	...	...	S	1	...
te,.....	,,	...	...	...	...	...	...	...	,,	30.05	763.2	...	...	E	1	...
.....	,,	...	...	...	...	...	...	...	,,	30.08	764.1	...	...	...	1	...
.....	,,	...	...	...	...	...	...	...	,,	29.97	761.3	...	...	...	0	...
xi, ...	,,	...	...	...	...	...	...	...	,,	29.97	761.3	...	...	E S E	1	...
ima, ...	,,	...	...	...	...	...	...	...	,,	29.96	760.9	...	...	N E	1	...
,.....	,,	...	...	...	...	...	...	...	,,	29.89	759.1	...	...	...	0	...
.....	,,	...	...	...	...	...	...	...	,,	29.83	757.7	...	...	S	1	...
ijima,....	,,	...	...	...	...	...	...	...	,,	29.76	755.8	...	...	S E	5	...
ls.....	,,	...	...	...	...	...	...	...	,,	29.79	756.6	...	...	N	1	...
.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
wei,.....	,,	29.95	760.7	83	83	E	3	c	9 a.	29.96	761.0	82	83	S W	1	bm
w, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ng,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ai, ...	,,	29.73	755.1	85	79	E	6	cq	9 a	29.80	756.9	84	79	E S E	4	oq
,, ...	,,	29.69	754.1	81	91	E S E	6	cm	,,	29.76	755.9	81	83	S E	5	cm
Peak,.....	,,	29.77	740.9	81	...	E	8	or	,,	29.55	750.5	80	...	E	5	or
.....	,,	29.24	742.7	78	91	W	7	or	6 a.	29.36	745.7	78	86	S W	5	or
v, ...	,,	29.42	747.2	81	83	W	2	or	,,	29.46	748.3	76	95	S W	1	or
u,.....	1 p.	29.50	744.1	...	...	E	2	...	5 a	29.57	751.0	...	...	...	0	...
,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
).....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
,.....	3 p.	29.52	749.8	91	57	N N W	2	b	9 a.	29.55	750.5	86	68	W	2	c
ong, ...	4 p.	29.52	749.8	89	58	W	1	o	10 a.	29.56	750.8	87	64	W S W	2	o
a Peak,...	,,	...	...	...	...	W N W	4	...	,,	...	...	...	...	S W	3	...
ock,.....	,,	29.50	749.3	...	...	S W	4	...	,,	29.55	750.5	...	...	W S W	5	...
.....	,,	29.54	750.4	93	...	N W	2	c	,,	29.60	751.8	87	...	N	4	c
w,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
v, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
,.....	4 p.	29.63	752.7	95	...	W N W	3	b	8 a.	29.71	754.7	84	...	W N W	3	c
e, ...	,,	29.72	754.9	86	...	N	2	dh	,,	29.78	756.3	70	..	N N W	3	c
James,.	,,	29.84	757.9	8	...	S W	4	c	,,	29.91	758.7	77	...	S W	2	o
.....	2 p.	29.69	754.0	82	...	S	2	o	6 a.	29.75	755.6	75	...	S	2	o
.....	4 p.	29.80	757	84	77	S W	3	o	10 a.	29.88	759	84	77	S W	2	o
.....	2 p.	29.80	757.0	90	...	S W	2	c	6 a.	29.88	758.8	79	...	S W	2	b
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.83	757.7	84	...	...	...	...	,,	29.93	760.2	83	...	...	...	...

On the 2nd at 11.55 a.—The typhoon entered the coast between Foochow and Amoy last evening. It is situated e N.W. of the latter port this morning and is still moving Westwards. Apparently it has filled up considerably yesterday.

The barometer has risen considerably over the N. part of the Formosa Channel, while it is still inclined to fall the S. coast of China.

A depression appears to be advancing Eastwards over Manchuria, and pressure, although still high, is giving over E. Japan.

Pressure is relatively high over the S. part of the China Sea.

Strong monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ngkong and Neighbourhood, ...	W. and S.W. winds, fresh to strong; squally, rain later.
rmosa Channel, ...	Strong cyclonic winds, decreasing.
uth coast of China between Hongkong and Lamocks, .	Same as No. 1.
uth coast of China between Hongkong and Hainan,...	W. winds, fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 2nd September, 1911.

inted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd September, 1911, P.M.								3rd September, 1911, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,...	2 p.	29.78	756.6	71	...	S S E	2	o	7 a.	29.73	755.0	71	94	...	0
Nemuro, ...	,,	30.04	763.1	...	...	S E	3	...	6 a.	29.73	755.1	...	...	E N E	3
Hakodate, ...	,,	29.97	761.2	...	...	E S E	5	...	,,	29.73	755.2	...	...	...	0
Tokio, ...	,,	29.81	757.1	...	...	N N E	1	...	,,	29.81	757.1	...	...	N W	1
Koohi, ...	,,	29.82	757.3	...	...	S E	1	...	,,	29.84	757.8	...	...	S W	1
Nagasaki, ...	,,	29.89	759.3	...	...	W S W	3	...	,,	29.83	758.8	...	...	...	0
Kagoshima, ...	,,	29.83	758.9	...	...	S	1	...	,,	29.86	758.4	...	...	N W	1
Oshima, ...	,,	29.87	758.6	...	...	S E	2	...	,,	29.87	758.6	...	...	S	1
Naha,.....	,,	29.83	757.7	...	...	S E	1	...	,,	29.83	757.7	...	...	S E	...
Ishigakijima,....	,,	29.76	756.8	...	...	S S W	3	...	,,	29.74	755.3	...	...	S	2
Bonin Is.....	,,	29.75	755.6	...	...	N	1	...	,,	29.85	758.1	...	...	...	0
Chefoo,.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,.....	,,	29.83	758.9	82	79	E	3	c	9 a.	29.86	758.4	83	79	N E	1
Hankow, ...	,,	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...
Kiukiang,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai, ...	,,	29.74	755.4	83	83	E S E	3	oq	9 a.	29.73	755.1	85	76	E S E	3
Gutzlaff, ...	,,	29.71	754.6	81	91	S E	5	om	,,	29.70	754.4	82	87	S E	5
Sharp Peak,.....	,,	29.48	748.8	79	...	E	5	or	,,	29.64	752.8	79	...	S	1
Amoy,.....	,,	...	...	...	...	...	...	...	6 a.	...	...	77	86	S W	2
Swatow, ...	,,	29.49	749.0	81	87	S S W	1	or	,,	29.50	749.3	79	87	S W	4
Taihoku,.....	1 p.	29.65	753.1	...	...	N	4	...	5 a	29.67	753.6	...	...	...	0
Taichu, ...	,,	...	...	...	...	...	...	...	,,	29.67	753.6	...	...	S	2
Tainan,.....	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...
Koshun.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pescadores, ...	,,	..	...	..	...	...	..	...	,,	...	...	...	...	...	..
Canton,.....	3 p.	29.50	749.3	85	76	W N W	2	o	9 a.	29.55	750.5	81	87	W	2
Hongkong, ...	4 p.	29.52	749.8	86	71	S W	3	o	10 a.	29.59	751.6	77	93	W N W	3
Victoria Peak,...	,,	...	...	...	...	S W	4	...	,,	...	...	...	...	W N W	6
Gap Rock,.....	,,	29.50	749.3	...	...	W S W	6	...	,,	29.53	750.0	...	...	W S W	7
Macao, ...	,,	29.54	750.2	87	...	W	3	o	,,	29.60	751.8	80	...	W N W	3
Wuchow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,.....	,,	29.66	753.3	92	88	W S W	2	c	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.59	751.5	95	...	W	3	c	8 a.	29.67	753.7	90	...	S W	1
Tourane, ...	,,	...	...	...	...	...	...	...	,,	29.76	755.8	90	...	E	2
Cape St. James,.	,,	29.83	757.3	79	...	W S W	3	c	,,	29.91	759.7	79	...	S W	4
Aparri, ...	2 p.	29.72	754.8	91	...	S	2	c	6 a.	29.77	756.2	77	...	S W	2
Manila, ...	4 p.	29.80	757	86	71	W S W	3	c	10 a.	29.83	759	86	79	S W	1
Legaspi, ...	2 p.	29.79	756.6	90	...	W	4	b	6 a.	29.83	757.7	77	...	S W	2
Bacolod, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Iloilo, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Cebu,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Labuan, ...	,,	29.82	757.4	88	...	...	...	...	,,	...	...	...	...	...	...

On the 3rd at 12.15 p.—The recent typhoon is still shown over SE China, as a well-marked depression.

The barometer is falling in N. China. It has risen moderately at the Formosa Channel stations.

Pressure has given way considerably in Japan, the depression lying over Manchuria yesterday, having rea the N. part of the Sea of Japan.

Pressure remains relatively high over the S. part of the China Sea.

Strong monsoon may be expected over the N. part of has China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day 2.26 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	W. and SW winds, strong; squally, thunder-sto
2.—Formosa Channel, ...	S. winds, strong.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 3rd September, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ON.	3RD SEPTEMBER, 1911, P.M.								4TH SEPTEMBER, 1911, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
tock,...	2 p.	29.74	755.4	82	...	N N E	0	c	7 a.	29.96	760.9	61	80	N N E	2	o
.....	,,	29.65	753.1	...	...	N E	3	...	6 a.	29.99	761.6	...	...	...	0	...
.....	,,	29.73	755.2	...	...	W N W	3	...	,,	30.01	762.2	...	...	...	0	...
.....	,,	29.83	757.6	...	...	S	1	...	,,	30.04	763.1	...	...	N W	1	...
.....	,,	29.80	756.8	...	...	S S E	1	...	,,	29.97	761.3	...	...	S S W	1	...
.....	,,	29.82	757.3	...	...	N W	1	...	,,	29.91	759.8	...	...	E S E	1	...
ia, ...	,,	29.82	757.4	...	...	N W	1	...	,,	29.94	760.4	...	...	E N E	1	...
.....	,,	29.85	758.1	...	...	S S E	2	...	,,	29.89	759.1	...	...	...	0	...
.....	,,	29.81	757.2	...	...	S S E	2	...	,,	29.89	759.2	...	...	S S E	1	...
ima,....	,,	29.76	755.8	...	...	S	3	...	,,	29.78	756.3	...	...	S S E	6	...
.....	,,	29.83	757.6	...	...	E N E	1	...	,,	29.93	760.1	...	...	N N E	1	...
.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	...
ei,.....	,,	29.76	755.9	82	75	N E	2	c	9 a.	29.81	757.2	73	95	S	2	or
.....	,,	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.70	754.4	83	79	S E	4	opq	9 a.	29.68	753.9	82	91	S E	3	od
.....	,,	29.67	753.6	81	91	S E	6	om	,,	29.64	752.8	79	95	S E	6	om
ak,.....	,,	29.57	751.1	79	...	S	4	or	,,	29.59	751.6	78	...	E S E	4	or
.....	,,	29.58	751.3	77	91	S	4	or	6 a	29.56	750.8	77	91	S S E	4	o
.....	,,	29.56	750.9	80	82	S W	4	o	,,	29.46	748.3	76	95	S W	3	o
.....	1 p.	29.67	753.5	...	...	E	2	...	5 a.	29.66	753.4	...	...	S E	2	...
.....	,,	29.71	754.7	...	...	S	6	...	,,	29.69	754.1	...	...	...	0	...
.....	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
es, ...	,,	...	...	..	...	..	..	...	,,	...	...	...	...	...	...	...
.....	3 p.	29.50	749.3	85	76	W	3	c	9 a.	29.59	751.6	84	75	W	2	b
g, ...	4 p.	29.53	750.0	78	88	W S W	2	o	10 a.	29.61	752.1	83	83	W S W	2	o
Peak,...	,,	...	...	...	...	W S W	6	...	,,	...	...	...	...	N W	6	...
k,.....	,,	29.53	750.0	...	...	W S W	5	...	,,	29.60	751.8	...	...	W S W	4	...
.....	,,	29.56	750.9	90	...	S W	1	q	,,	29.64	752.9	83	...	S W	3	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.59	751.5	91	...	E N E	2	o	8 a.	29.70	754.4	84	...	W N W	2	c
.....	,,	29.66	753.4	83	...	S E	0	c	,,	29.78	756.4	88	...	S W	2	c
James,.	,,	29.83	757.6	79	...	S W	4	o	,,	29.94	760.4	77	...	S W	2	c
.....	2 p.	29.72	754.8	90	...	N W	2	b	6 a.	29.77	756.1	77	...	S	2	o
.....	4 p.	29.80	757	86	79	W S W	2	b	10 a.	29.88	759	86	79	...	0	c
.....	2 p.	29.78	756.4	90	...	W	2	c	6 a.	29.85	758.2	77	...	W	0	b
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	29.94	760.5	83	...	...	...	...

n the 4th at 12.15 p.—The barometer has fallen slightly on the S.E. and E. coasts of China, and risen a little e S. coast and Tongking.

he depression, which remains over S.E. China, shows a tendency to move Northwards.

essure has increased considerably and is again high over E. Japan, the depression covering that area yester- ving moved away over the Pacific.

essure remains relatively high over the S. part of the China Sea.

esh to strong monsoon may be expected over the N. part of the China Sea.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.80 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	W. and S.W. winds, strong; fair, squally.
osa Channel, ...	S. winds, strong.
h coast of China between Hongkong and Lamocks,.	Same as No. 1.
h coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ongkong Observatory, Monday, 4th September, 1911.

ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th SEPTEMBER, 1911, P.M.								5th SEPTEMBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.96	760.9	68	...	S S E	3	o	7 a.	29.82	757.3	67	87	S E	5
Nemuro,	,,	...	...	...	...	S E	1	...	6 a.	...	...	...	...	E	1
Hakodate,	,,	30.03	762.7	...	...	W S W	2	...	,,	30.09	764.2	...	...	N E	1
Tokio,	,,	30.04	763.1	...	...	S	2	...	,,	30.12	765.1	...	...	N W	3
Koobi,	,,	29.97	761.3	...	...	S E	1	...	,,	30.05	763.3	...	...	S W	1
Nagasaki,	,,	29.93	760.3	...	...	W	2	...	,,	29.97	761.3	...	...	E	1
Kagoshima,	,,	29.94	760.4	...	...	S S E	1	...	,,	29.93	761.4	...	...	E S E	...
Oshima,	,,	29.89	759.1	...	...	S S E	3	...	,,	29.97	761.1	...	...	S E	1
Naha,	,,	29.85	758.2	...	...	S E	3	...	,,	29.87	758.7	...	...	S S E	2
Ishigakijima,	,,	29.78	756.3	...	...	S S E	5	...	,,	29.76	755.8	...	...	S S E	6
Bonin Is.	,,	29.93	760.1	...	...	E	1	...	,,	29.99	761.6	...	...	...	0
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.81	757.2	72	100	S W	3	or	9 a.	29.76	755.9	70	100	N	6
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	29.63	752.6	78	100	S E	2	od	9 a	29.61	752.1	78	91	E S E	2
Gutzlaff,	,,	29.60	751.8	77	100	S E	6	omp	,,	29.59	751.6	75	100	S	3
Sharp Peak,	,,	29.52	749.8	78	...	S S E	4	o	,,	29.58	751.3	78	...	S S W	1
Amoy,	,,	29.48	748.8	79	87	S S W	2	or	6 a.	29.59	751.6	77	91	S W	1
Swatow,	,,	29.53	750.0	78	91	W S W	2	or	,,	29.57	751.1	78	91	S W	1
Taihoku,	1 p.	29.64	752.9	...	...	E	2	...	5 a.	29.62	752.3	...	...	E	2
Taichu,	,,	...	...	...	...	...	...	...	,,	29.64	752.9	...	...	S	4
Tainan,	,,	...	...	...	...	...	...	...	,,	29.70	754.4	...	...	S W	8
Koshun	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	29.63	752.5	...	...	S	8
Canton,	3 p.	29.51	749.5	89	65	W	2	b	9 a.	29.69	754.1	81	74	N	2
Hongkong,	4 p.	29.56	750.8	81	94	W S W	3	olt	10 a.	29.69	754.1	83	76	S W	1
Victoria Peak,	,,	...	...	...	...	S W	7	...	,,	...	...	...	...	W N W	3
Gap Rock,	,,	29.52	749.8	...	...	W S W	6	...	,,	29.65	753.1	...	...	W N W	3
Macao,	,,	29.58	751.3	81	...	W	4	ct	,,	29.72	754.9	84	...	N W	1
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.65	753.1	77	...	E S E	3	or	8 a.	29.76	755.8	81	...	N W	3
Tourane,	,,	29.68	753.9	83	...	N	2	c	,,	29.79	756.7	88	...	S	2
Cape St. James,	,,	29.82	757.5	82	...	W N W	2	c	,,	29.91	759.7	77	...	W S W	2
Aparri,	2 p.	29.78	756.4	86	...	N	2	o	6 a.	29.79	756.7	77	...	W	2
Manila,	4 p.	29.80	757	86	71	W	3	o	10 a.	29.92	760	84	77	...	0
Legaspi,	2 p.	29.80	757.0	90	...	S W	2	o	6 a.	29.86	758.4	77	...	...	0
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	S W	2
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.89	759.2	82	...	S W	1
Cebu,	,,	...	...	...	...	...	...	...	,,	29.91	759.7	81	...	S	1
Labuan,	,,	29.83	757.7	90	...	...	...	...	,,	29.94	760.5	84	...	...	...

On the 5th at 12.05 p.—The depression over S.E. China is moving Northwards. The barometer is rising o the S. coast of China, and falling on the E. coast.

A depression, which is moving Eastwards, is shown over Manchuria.

A high pressure area covers E. Japan and adjacent waters, and pressure is still relatively high over the S. part the China Sea.

Moderate monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.95 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. winds, moderate; fair.
2.—Formosa Channel,	S. and S.W. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 5th September, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...ON.	5TH SEPTEMBER, 1911, P.M.									6TH SEPTEMBER, 1911, A.M.								
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...took,...	2 p.	29.79	756.6	68	...	S S E	2	or	7 a.	29.82	757.5	62	92	N N E	3	or
.....	,,	30.10	764.6	...	...	...	0	...	6 a.	29.99	761.6	...	...	S W	1	...
..., ...	,,	30.07	763.7	...	...	S E	2	...	,,	30.01	762.2	...	...	...	0	...
.....	,,	30.08	764.1	...	...	N W	1	...	,,	30.08	764.1	...	...	...	0	...
.....	,,	30.01	762.3	...	...	S	1	...	,,	29.99	761.8	...	...	S W	1	...
.....	,,	29.93	760.3	...	...	S	4	...	,,	29.93	760.3	...	...	S S E	4	...
...na, ...	,,	29.96	760.9	...	...	S	2	...	,,	29.92	759.9	...	...	S E	2	...
.....	,,	29.91	759.6	...	...	S S E	3	...	,,	29.89	759.1	...	...	S S E	1	...
...ima, ...	,,	29.87	758.7	...	...	S E	3	...	,,	29.85	758.2	...	...	S S E	1	...
.....	,,	29.78	756.3	...	...	S	6	...	,,	29.78	756.3	...	...	S S E	6	...
.....	,,	30.00	762.1	...	...	E S E	1	...	,,	30.04	763.1	...	...	...	0	...
.....	4 p.	...	...	...	...	..	...	...	6 a.	...	...	...	..	...	...	...
...ei, ...	,,	29.69	754.1	71	100	N	7	o	9 a.	29.66	753.3	73	90	N	6	cm
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...g,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...i, ...	,,	29.53	750.0	77	95	N E	2	or	9 a	29.79	756.6	72	90	W N W	3	o
.....	,,	29.52	749.8	77	95	S S E	4	omp	,,	29.74	755.4	75	100	N W	5	omr
...eak, ...	,,	29.56	750.8	78	...	S	2	or	,,	29.71	754.6	78	...	...	0	o
.....	,,	29.50	749.3	80	87	S W	1	or	6 a.	29.69	754.1	78	91	W S W	1	o
.....	,,	29.49	749.0	80	91	E S E	1	or	,,	...	...	77	91	S W	1	o
.....	1 p.	29.67	753.5	...	...	...	0	...	5 a	29.68	753.9	...	...	S	2	...
.....	,,	29.73	755.1	...	...	S	4	...	,,	29.73	755.1	...	...	S	2	...
.....	,,	29.74	755.4	...	...	S W	8	...	,,	29.75	755.6	...	...	S	4	...
.....	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
...res, ...	,,	29.66	753.3	.	...	S	8	...	,,	29.70	754.5	...	...	S W	8	...
.....	3 p.	29.64	752.8	87	62	N	2	b	9 a.	29.81	757.2	79	87	N	2	b
...ng, ...	4 p.	29.64	752.8	85	67	W	1	o	10 a.	29.78	756.4	84	61	N E	1	o
... Peak,...	,,	...	...	...	...	W	2	...	,,	...	...	...	...	N	2	...
...ok,.....	,,	29.62	752.3	...	...	N W	2	...	,,	29.75	755.6	...	...	N N E	3	...
.....	,,	29.67	753.6	85	...	S	1	c	,,	...	...	...	...	...	...	...
..., ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.70	754.3	79	...	S E	4	c	8 a.	29.80	756.9	81	...	N	2	c
.....	,,	29.72	755.0	84	...	N N E	3	dh	,,	29.81	757.2	84	..	S W	2	c
... James,.	,,	29.80	757.0	82	...	W S W	2	c	,,	29.91	759.8	77	...	S W	2	c
.....	2 p.	29.76	755.8	91	...	S E	2	c	6 a.	29.78	756.5	77	...	W	2	c
.....	4 p.	29.80	757	86	79	W S W	2	c	10 a.	29.88	759	86	79	...	0	c
.....	2 p.	29.80	756.9	88	...	W	2	c	6 a.	29.84	757.9	79	...	...	0	c
.....	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	1	o
.....	,,	29.81	757.2	85	...	S W	1	c	,,	29.89	759.2	81	...	S W	1	b
.....	,,	29.81	757.2	88	...	S	1	c	,,	29.88	758.9	85	...	S	1	c
.....	,,	29.84	757.9	89	...	...	...	...	,,	29.94	760.5	85	...	...	...	...

On the 6th at 11.55 a.—The barometer has fallen slightly on the NE coast of China and in Japan, and risen ...ately over S. China.

The depression lying to the Southward of the Lower Yangtze yesterday, has moved into the Yellow Sea.

...ressure is high over the Pacific to the East of Japan, and relatively so over the S. part of the China Sea.

...oderate variable winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
...gkong and Neighbourhood, ...	N. or variable winds, light or moderate; fair.
...mosa Channel, ...	. Variable winds, moderate.
...th coast of China between Hongkong and Lamocks,.	Same as No. 1.
...th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 6th September, 1911.

...ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th September, 1911, P.M.								7th September, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostook,	2 p.	29.76	756.0	63	...	N N E	3	or	7 a.	29.61	752.1	61	96	N N E	1
Nemuro,	,,	29.91	759.6	...	...	S W	2	...	6 a.	30.05	763.6	...	...	E N E	3
Hakodate,	,,	29.97	761.2	...	...	S S E	1	...	,,	29.89	759.2	...	...	...	0
Tokio,	,,	30.04	763.1	...	...	S W	1	...	,,	30.01	762.1	...	...	S W	1
Koohi,	,,	29.99	761.8	...	...	S E	1	...	,,	29.99	761.8	...	...	...	0
Nagasaki,	,,	29.89	759.3	...	...	S S E	2	...	,,	29.93	760.3	...	...	S	4
Kagoshima,	,,	29.94	760.4	...	...	S E	2	...	,,	29.96	760.9	...	...	S	1
Oshima,	,,	29.91	759.6	...	...	S	2	...	,,	29.95	760.6	...	...	...	0
Naha,	,,	29.87	758.7	...	...	S	1	...	,,	29.93	760.2	...	...	...	0
Ishigakijima,	,,	29.82	757.3	...	...	S	6	...	,,	29.88	758.8	...	...	S S E	1
Bonin Is.	,,	30.00	762.1	...	...	E	1	...	,,	30.02	762.6	...	...	...	0
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.72	754.9	74	72	N E	5	c	9 a.	29.89	759.2	78	71	N W	2
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	29.77	756.1	75	86	W N W	2	o	9 a	29.93	760.2	79	78	N N W	2
Gutzlaff,	,,	29.74	755.4	73	90	N N W	3	om	,,	29.90	759.4	75	95	N	2
Sharp Peak,	,,	29.73	755.1	78	...	E	1	or	,,	29.84	757.9	76	...	N	2
Amoy,	,,	29.70	754.4	77	91	...	0	or	6 a.	29.84	757.9	75	90	W	1
Swatow,	,,	29.72	754.9	86	76	W S W	1	o	,,	29.80	756.9	76	95	S W	1
Taihoku,	1 p.	29.73	755.1	...	...	N W	2	...	5 a	29.86	758.3	...	...	E	2
Taiohu,	,,	...	...	...	...	...	...	...	,,	29.85	758.2	...	...	...	0
Tainan,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	...	...	E	4
Koshun	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	29.82	757.3	...	...	S	6
Canton,	3 p.	29.76	755.9	84	64	N	2	b	9 a.	29.88	758.9	79	70	N N E	2
Hongkong,	4 p.	29.74	755.4	84	74	W	1	o	10 a.	29.87	758.7	83	67	E	1
Victoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	E N E	1
Gap Rock,	,,	29.71	754.6	...	...	N N W	2	...	,,	29.84	757.9	...	...	N N E	3
Macao,	,,	29.77	756.1	84	...	E N E	1	c	,,	...	...	...	...	...	...
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.73	756.4	90	...	N	4	b	,,	...	...	...	...	...	...
Phulien,	4 p.	29.75	755.7	88	...	W S W	3	c	8 a.	29.90	759.5	84	...	N	2
Tourane,	,,	29.75	755.7	84	...	E N E	4	dh	,,	29.86	758.5	79	...	N W	2
Cape St. James,	,,	29.79	756.6	81	...	S W	3	c	,,	29.95	760.6	79	...	S W	1
Aparri,	2 p.	29.80	756.9	88	...	N E	2	b	6 a.	29.87	758.6	77	...	S W	2
Manila,	4 p.	29.80	757	86	79	W S W	2	c	10 a.	29.92	760	86	71	W N W	1
Legaspi,	2 p.	29.80	757.0	88	...	W	2	c	6 a.	29.86	758.5	75	...	...	0
Bacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	1
Iloilo,	,,	29.81	757.2	83	...	S W	1	o	,,	29.91	759.7	81	...	S W	1
Cebu,	,,	29.82	757.4	85	...	...	1	c	,,	29.91	759.7	84	...	S	1
Labuan,	,,	29.82	757.4	90	...	...	...	...	,,	29.95	760.7	81	...	...	...

On the 7th at 11.55 a.—The depression lying over the Yellow Sea yesterday, has moved into the N. part of Sea of Japan.

The barometer has risen considerably over China, Formosa and Tongking, and to a slight extent at the South stations.

Pressure is still high over the Pacific to the E. of Japan, and over the S. part of the China Sea. It is relati low over the N. part of the China Sea.

Moderate NE and E. winds are indicated over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.58 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	NE and E. winds, moderate; showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 7th September, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...N.	7TH SEPTEMBER, 1911, P.M.								8TH SEPTEMBER, 1911, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...ock,...	2 p.	29.68	753.9	66	...	N N E	0	b	7 a.	29.88	756.8	64	90	S S E	1	o
.....	,,	30.02	762.6	...	...	E	1	...	6 a.	29.86	758.5	...	...	E	3	...
.....	,,	29.81	757.2	...	...	E S E	5	...	,,	29.79	756.7	...	...	W	2	...
.....	,,	29.81	759.6	...	...	S S W	4	...	,,	29.91	759.6	...	...	S W	1	...
.....	,,	29.95	760.8	...	...	...	0	...	,,	29.99	761.8	...	...	S W	1	...
.....	,,	29.89	759.3	...	...	S	3	...	,,	29.93	760.3	...	...	S S E	3	...
...a, ...	,,	29.94	760.4	...	...	S E	3	...	,,	29.96	760.9	...	...	...	0	...
.....	,,	29.94	760.6	...	...	S	3	...	,,	29.95	760.6	...	...	S	1	...
.....	,,	29.91	759.7	...	...	S S E	2	...	,,	29.97	761.2	...	...	...	0	...
...ima, ...	,,	29.88	758.8	...	...	S S E	3	...	,,	29.89	759.3	...	...	S S E	1	...
.....	,,	29.98	761.6	...	...	E	1	...	,,	29.99	761.6	...	...	...	0	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...ei,.....	,,	29.92	759.9	77	73	N N W	3	c	9 a.	30.01	762.2	79	66	N E	2	c
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.89	759.2	74	95	S E	1	or	9 a.	29.93	760.2	72	100	E S E	1	ompl
.....	,,	29.85	758.2	77	91	N	1	ov	,,	29.90	759.4	72	90	N N E	2	omd
...ak,.....	,,	29.79	756.6	76	...	E S E	2	or	,,	29.88	758.9	77	...	..	0	c
.....	,,	29.82	757.4	81	83	E	2	o	6 a.	29.86	758.4	78	86	...	0	b
.....	,,	29.81	757.2	85	79	E	1	c	,,	29.85	758.2	77	91	S E	1	c
.....	1 p.	29.85	758.1	...	...	N W	4	...	5 a.	29.88	758.8	...	...	...	0	...
.....	,,	29.84	758.0	...	...	W	2	...	,,	29.88	758.8	...	...	...	0	...
.....	,,	29.88	758.9	...	...	S	6	...	,,	29.88	758.8	...	...	E	2	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...es, ...	,,	29.87	758.6	..	...	S W	2	...	,,	29.86	758.5	...	...	S	2	...
.....	3 p.	29.82	757.4	86	61	N	2	b	9 a.	29.89	759.2	82	75	E	2	b
...g, ...	4 p.	29.82	757.4	81	73	E	1	c	10 a.	29.89	759.2	80	84	E S E	2	cp
...Peak,...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	N	1	...
...k,.....	,,	29.81	757.2	...	...	S E	2	...	,,	29.86	758.4	...	...	E N E	2	...
.....	,,	29.85	758.2	83	...	S E	1	c	,,	29.92	759.9	81	...	S E	1	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.83	757.6	88	...	S	2	b	8 a.	29.91	759.7	84	...	N	2	b
.....	,,	29.82	757.5	82	...	N W	4	f	,,	29.88	759.0	82	...	N W	3	dh
...James,.	,,	29.86	758.4	81	...	S W	2	c	,,	29.94	760.4	79	...	S W	1	c
.....	2 p.	29.83	757.7	86	...	E	2	b	6 a.	29.86	758.3	77	...	S E	2	b
.....	4 p.	29.80	757	82	85	N N W	1	o	10 a.	29.88	759	86	71	W N W	0	c
.....	2 p.	29.80	757.0	88	...	...	0	c	6 a.	29.86	758.3	73	...	...	0	b
.....	3 p.	...	...	...	...	N E	1	c	9 a.	...	...	...	...	N E	1	c
.....	,,	29.81	757.2	83	...	S W	1	c	,,	29.83	757.7	80	...	N E	1	b
.....	,,	29.82	757.4	82	...	S	1	c	,,	29.86	758.4	84	...	N E	1	b
.....	,,	29.83	757.7	88	...	...	...	...	,,	29.93	760.2	77	...	...	...	...

...n the 8th at 12.10 p.—The barometer has fallen considerably in NE Japan, and risen moderately over N. China.

...he depression in the North has reached the NE part of the Sea of Japan.

...ressure is high over the Pacific in the neighbourhood of the Bonins, and over N. China.

... is relatively low and giving way over the S. Philippines and adjacent waters.

...ight to moderate E. and NE winds may be expected over the N. part of the China Sea.

...ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...gkong and Neighbourhood, ...	E. winds, light to moderate; showery.
...mosa Channel, ...	Same as No. 1.
...th coast of China between Hongkong and Lamocks,.	Same as No. 1.
...th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 8th September, 1911.

...nted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	8th September, 1911, P.M.								9th September, 1911, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostook,	2 p.	29.89	759.1	65	...	S S E	3	o	7 a.	29.82	757.5	61	94	E	0
Nemuro,	,,	29.77	756.1	...	...	N E	2	...	6 a.	30.01	762.1	...	...	...	0
Hakodate,	,,	29.81	757.2	...	...	N	3	...	,,	29.93	760.2	...	...	...	0
Tokio,	,,	29.83	757.6	...	...	S	3	...	,,	29.87	758.6	...	...	...	0
Koohi,	,,	29.91	759.8	...	...	S	1	...	,,	29.91	759.8	...	...	...	0
Nagasaki,	,,	29.91	759.8	...	...	W	1	...	,,	29.88	758.8	...	...	S E	4
Kagoshima,	,,	29.94	760.4	...	...	...	0	...	,,	29.88	758.9	...	...	...	0
Oshima,	,,	29.94	760.6	...	...	S	2	...	,,	29.91	759.6	...	...	S	1
Naha,	,,	29.91	759.7	...	...	S	1	...	,,	29.91	759.7	...	...	...	0
Ishigakijima,	,,	29.89	759.3	...	...	S	2	...	,,	29.91	759.8	...	...	N E	1
Bonin Is.	,,	29.96	761.1	...	...	...	0	...	,,	29.99	761.6	...	...	...	0
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...
Weihaiwei,	,,	29.94	760.5	76	56	N N E	1	b	9 a.	29.97	761.2	71	76	...	0
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	29.86	758.4	80	70	N N E	1	o	9 a.	29.95	760.7	79	74	N E	1
Gutzlaff,	,,	29.84	757.9	71	90	N E	2	ov	,,	29.91	759.7	79	87	N	1
Sharp Peak,	,,	29.81	757.2	79	...	S S E	1	c	,,	29.93	760.2	77	...	N N E	1
Amoy,	,,	29.83	757.7	81	83	S E	2	c	6 a.	...	...	...	..	...	...
Swatow,	,,	29.82	757.4	84	72	E S E	1	b	,,	29.85	758.2	77	...	S E	1
Taihoku,	1 p.	29.84	758.0	...	...	N E	4	...	5 a.	29.87	758.7	...	...	...	0
Taichu,	,,	29.85	758.3	...	...	S W	3	...	,,	29.90	759.4	...	...	...	0
Tainan,	,,	29.90	759.5	...	...	S W	4	...	,,	29.90	759.4	...	...	...	0
Koshun	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pescadores,	,,	29.88	759.0	..	...	S W	4	...	,,	29.88	758.8	...	...	S W	2
Canton,	3 p.	29.80	756.9	88	56	W	1	b	9 a.	29.89	759.2	82	79	S E	2
Hongkong,	4 p.	29.82	757.4	79	78	E	2	c	10 a.	29.91	759.7	77	89	E	2
Victoria Peak,	,,	..	...	...	...	W	1	...	,,	...	...	...	...	E S E	1
Gap Rock,	,,	29.79	756.6	...	...	S E	2	...	,,	29.88	758.9	...	...	E S E	2
Macao,	,,	29.85	758.2	83	...	S E	2	c	,,	29.93	760.2	80	...	S S E	2
Wuchow,	3 p.	29.87	758.7	76	...	E	1	c	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	...	...	...	...	...	...	...	8 a.	29.87	758.7	82	...	E N E	1
Tourane,	,,	...	...	...	...	...	...	...	,,	29.87	758.6	84	...	W	2
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.90	759.5	77	...	N W	1
Aparri,	2 p.	29.82	757.4	88	...	E	2	b	6 a.	29.85	758.2	75	...	...	0
Manila,	4 p.	29.76	756	84	77	...	0	o	10 a.	29.84	758	84	71	W	1
Legaspi,	2 p.	29.79	756.7	91	...	E	2	b	6 a.	29.83	757.7	77	...	N E	2
Bacolod,	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	N E	1
Iloilo,	,,	29.77	756.6	83	...	N E	1	o	,,	29.85	758.2	82	...	N E	1
Cebu,	,,	29.79	756.6	86	...	S	1	c	,,	29.86	758.4	85	...	...	0
Labuan,	,,	29.85	758.2	81	...	...	...	...	,,	29.88	758.9	82	...	...	...

On the 9th at 11.56 a.—The barometer has risen moderately in NE Japan the depression lying over that yesterday, having passed to the Pacific.

A shallow depression has appeared over the W. part of the Sea of Japan.

Pressure is high over the Pacific in the neighbourhood of the Bonins, and over N. China. It is relatively over the Southern Philippines and adjacent waters.

Light to moderate E. and NE winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, light or moderate; showery.
2.—Formosa Channel,	NE winds, light or moderate.
3.—South coast of China between Hongkong and Lamooks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 9th September, 1911.

(Printed by NORONHA & Co., Government Printers.)

CHINA COAST METEOROLOGICAL REGISTER.

...N.	9TH SEPTEMBER, 1911, P.M.								10TH SEPTEMBER, 1911, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...ock,...	2 p.	29.78	756.5	69	...	E S E	2	b	7 a.	29.84	757.8	62	69	N N W	1	b
.....	,,	29.98	761.6	...	...	S E	1	...	6 a.	29.97	761.1	...	...	..	0	...
.....	,,	29.89	759.2	...	...	...	0	...	,,	29.89	759.2	...	...	N	1	...
.....	,,	29.83	757.6	...	...	S	2	...	,,	29.91	759.6	...	...	...	0	...
.....	,,	29.91	759.8	...	...	...	0	...	,,	29.89	759.3	...	...	...	0	...
.....	,,	29.85	758.3	...	...	S E	5	...	,,	29.93	760.3	...	...	W	1	...
...a, ...	,,	29.88	758.9	...	...	E	1	...	,,	29.94	760.4	...	...	...	0	...
.....	,,	29.89	759.1	...	...	S	1	...	,,	29.97	761.1	...	...	...	0	...
.....	,,	29.89	759.2	...	...	W S W	1	...	,,	29.97	761.2	...	...	...	0	...
...ima,....	,,	29.91	759.8	...	...	S	2	...	,,	29.95	760.8	...	...	E S E	1	...
.....	,,	30.00	762.1	...	...	E S E	1	...	,,	30.02	762.6	...	...	...	0	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	...
...ai,.....	,,	29.94	760.5	78	58	S	1	c	9 a.	29.99	761.7	80	66	S	1	b
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.90	759.4	83	71	N E	1	o	9 a.	30.00	762.0	77	77	E N E	1	o
.....	,,	29.88	758.9	81	78	N N E	1	cv	,,	29.97	761.2	75	81	E	3	ov
...ak,.....	,,	29.86	758.4	78	...	N E	2	b	,,	29.97	761.2	78	...	..	0	c
.....	,,	29.83	757.7	84	79	E	4	b	6 a.	...	...	...	...	...	...	...
.....	,,	29.86	758.4	81	78	S E	1	or	,,	29.90	759.4	76	91	S E	1	b
.....	1 p.	29.88	759.0	...	...	N W	6	...	5 a.	29.93	760.3	...	...	...	0	...
.....	,,	29.88	758.9	...	...	N	4	...	,,	29.93	760.1	...	...	...	0	...
.....	,,	29.91	759.6	...	...	W	6	...	,,	29.94	760.6	...	...	...	0	...
.....	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
...es, ...	,,	29.91	759.7	..	...	W	2	...	,,	29.95	750.8	...	...	N	2	...
.....	3 p.	29.34	757.9	88	66	S W	2	c	9 a.	29.96	761.0	83	79	S	2	b
...g, ...	4 p.	29.87	758.7	79	87	E S E	1	o	10 a.	29.97	761.2	83	80	E	1	c
...Peak,...	,,	...	...	...	...	S S E	1	...	,,	...	...	...	...	E	1	...
...k,.....	,,	29.83	757.7	...	...	E	3	...	,,	29.95	760.7	...	...	E	2	...
.....	,,	29.87	758.7	79	...	S S E	3	o	,,	30.00	762.0	84	...	S E	1	c
.....	8 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.77	756.1	90	...	S S E	3	b	8 a.	29.93	760.1	88	...	S S E	2	c
.....	,,	29.81	757.2	84	...	E	3	b	,,	29.90	759.5	82	..	S W	3	c
...James,.	,,	29.80	756.9	84	...	W N W	1	c	,,	29.91	759.7	77	...	S W	1	c
.....	2 p.	29.80	757.0	88	...	E	2	b	6 a.	29.88	759.0	75	...	S	2	b
.....	4 p.	29.80	757	86	71	...	0	o	10 a.	29.92	760	84	71	W N W	0	b
.....	2 p.	29.80	756.8	90	...	E	2	c	6 a.	29.85	758.1	79	...	N	2	b
.....	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	N E	1	c
.....	,,	29.75	755.6	85	...	N E	2	o	,,	29.83	757.7	83	...	N E	1	b
.....	,,	29.77	756.1	87	...	S	1	b	,,	29.87	758.7	86	...	N E	1	b
.....	,,	29.81	757.2	84	...	...	...	...	,,	...	...	...	...	...	...	...

...n the 10th at 11.55 a.—The shallow depression has reached the NE. part of the Sea of Japan.

...xcept over that area, the barometer has risen slightly at all stations.

...ressure is, for the most part, in slight to moderate excess of the normal It is high over the Pacific in the ...ourhood of the Bonins, and over S. China, and relatively low over the S. Philippines and adjacent waters.

...ight to moderate E. and NE winds may be expected over the N. part of the China Sea.

...ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...gkong and Neighbourhood, ...	E. winds, light; fine.
...nosa Channel, ...	Same as No. 1.
...th coast of China between Hongkong and Lamocks,.	Same as No. 1.
...th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 10th September, 1911.

...ted by NORONHA & Co., Government Printers.)

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th September, 1911, P.M.								11th September, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.82	757.5	70	...	N N W	0	c	7 a.	30.01	762.1	61	71	N	1
Nemuro,	,,	29.93	760.1	...	...	S E	1	...	6 a.	29.89	759.1	...	...	...	0
Hakodate,	,,	29.85	758.2	...	...	S E	1	...	,,	29.91	759.7	...	...	...	0
Tokio,	,,	29.87	758.6	...	...	S S W	2	...	,,	29.97	761.1	...	...	N W	1
Kochi,	,,	29.87	758.8	...	...	E	1	...	,,	30.01	762.3	...	...	S W	1
Nagasaki,	,,	29.95	760.8	...	...	W N W	2	...	,,	30.01	762.3	...	...	...	0
Kagoshima,	,,	29.96	760.9	...	...	W	2	...	,,	30.02	762.4	...	...	E N E	1
Oshima,	,,	29.98	761.6	...	...	N	1	...	,,	30.01	762.1	...	...	...	0
Naha,	,,	...	...	...	...	N N W	1	...	,,	29.99	761.7	...	...	E	1
Ishigakijima,	,,	29.97	761.3	...	...	S E	2	...	,,	29.95	760.8	...	...	E	1
Bonin Is.	,,	30.02	762.6	...	...	...	0	...	,,	30.08	764.1	...	...	...	0
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.99	761.7	76	77	N N E	1	c	9 a.	30.06	763.5	78	61	E	3
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	29.94	760.5	80	70	E N E	2	c	9 a.	29.89	759.2	79	87	S E	1
Gutzlaff,	,,	29.93	760.2	76	86	E	2	ov	,,	29.88	758.9	77	95	S E	3
Sharp Peak,	,,	29.94	760.5	80	...	E	1	b	,,	29.97	761.2	80	...	S	1
Amoy,	,,	29.98	761.5	85	76	S E	4	b	6 a.	29.98	761.5	78	86	S S W	2
Swatow,	,,	29.91	759.7	84	87	E S E	1	b	,,	29.97	761.2	77	91	W N W	1
Taihoku,	1 p.	29.94	760.4	...	...	N W	4	...	5 a.	29.95	760.6	...	...	...	0
Taichu,	,,	29.94	760.5	...	...	N W	2	...	,,	29.96	760.9	...	...	...	0
Tainan,	,,	29.96	760.9	...	...	W	6	...	,,	29.97	761.1	...	...	...	0
Koshun	,,	...	...	...	...	...	...	...	,,	29.94	760.5	...	...	...	0
Pescadores,	,,	29.96	761.0	..	...	N	6	...	,,	29.95	760.7	...	...	N	2
Canton,	3 p.	29.89	759.2	89	66	W	2	b	9 a.	29.97	761.2	83	83	S	1
Hongkong,	4 p.	29.90	759.4	81	82	E	2	b	10 a.	29.99	761.7	82	82	E	1
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	S E	1
Gap Rock,	,,	29.86	758.4	...	...	E	3	...	,,	29.94	760.5	...	...	E S E	2
Macao,	,,	29.92	759.9	84	...	S E	2	c	,,	30.01	762.2	84	...	S E	2
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.83	757.7	89	73	S	...	c	,,	...	...	...	...	...	...
Phulien,	4 p.	29.85	758.1	88	...	S S E	5	c	8 a.	29.96	761.0	84	...	S	2
Tourane,	,,	29.84	758.0	86	...	E S E	3	b	,,	29.96	761.0	84	...	S W	2
Cape St. James,	,,	29.88	758.9	81	...	S E	1	c	,,	29.95	760.7	75	...	N E	1
Aparri,	2 p.	29.87	758.6	84	...	E	2	b	6 a.	29.91	759.6	77	...	...	0
Manila,	4 p.	29.80	757	88	66	...	0	c	10 a.	29.92	760	77	92	...	0
Legaspi,	2 p.	29.83	757.6	90	...	N E	2	c	6 a.	29.87	758.6	75	...	...	0
Bacolod,	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	N E	1
Iloilo,	,,	29.75	755.6	82	...	N	1	o	,,	29.89	758.9	81	...	N E	1
Cebu,	,,	29.76	755.9	85	...	...	0	c	,,	29.91	759.7	86	...	S	1
Labuan,	,,	29.81	757.2	87	...	...	...	...	,,	29.95	760.7	82	...	...	...

On the 11th at 11.50 a.—The shallow depression lying over the NE part of the Sea of Japan yesterday moved away Northeastwards, and pressure has increased over N. China and S. Japan.

The barometer has fallen moderately in Shanghai, a depression having appeared over the Yangtze valley.

Pressure is high over the Pacific in the neighbourhood of the Bonins, and over Manchuria. It has increased is in slight excess of the normal at the stations bordering the China Sea.

Light or moderate E. and NE winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, light; fine.
2.—Formosa Channel,	Variable winds, light.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 11th September, 1911.

[Printed by NORONHA & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

	11TH SEPTEMBER, 1911, P.M.								12TH SEPTEMBER, 1911, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
k,...	2 p.	30.02	762.6	72	...	N N W	0	b	7 a.	30.11	764.7	60	85	N N E	2	o
.....	"	29.81	757.1	...	...	E S E	1	...	6 a.	29.99	761.6	...	...	N W	4	...
.....	"	29.93	760.2	...	...	N W	4	...	"	30.13	765.2	...	...	W	1	...
.....	"	30.00	762.1	...	...	E S E	1	...	"	30.12	765.1	...	...	N N E	2	...
.....	"	29.99	761.8	...	...	E S E	1	...	"	30.03	762.8	...	...	...	0	...
.....	"	29.99	761.8	...	...	W S W	1	...	"	29.93	760.3	...	...	S S E	2	...
.....	"	30.00	761.9	...	...	S S E	1	...	"	30.00	761.9	...	...	E N E	...	...
.....	"	29.98	761.6	...	...	S W	1	...	"	29.93	760.1	...	...	...	0	...
.....	"	29.97	761.2	...	...	E	1	...	"	29.95	760.7	...	...	...	0	...
a,....	"	29.97	761.3	...	...	E S E	2	...	"	29.95	760.8	...	...	...	0	...
.....	"	30.04	763.1	...	...	...	0	...	"	30.06	763.6	...	...	...	0	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	"	29.99	761.7	75	64	E S E	4	c	9 a.	29.90	759.4	70	90	N E	4	or
.....	"	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
.....	"	...	...	...	...	...	...	...	9 a	29.92	759.9	77	73	W N W	3	c
.....	"	...	...	...	...	...	...	...	"	29.89	759.2	73	86	N W	4	ov
k,.....	"	29.88	758.9	84	...	S	2	b	"	29.90	759.4	81	...	S	1	b
.....	"	29.89	759.2	87	65	S E	4	b	6 a.	...	...	...	...	...	...	...
.....	"	29.92	759.9	86	68	S E	2	b	"	29.93	760.2	78	86	W	1	b
.....	1 p.	29.95	760.8	...	...	N W	2	...	5 a.	29.95	760.6	...	...	S	2	...
.....	"	29.96	761.1	...	...	N W	2	...	"	29.95	760.8	...	...	...	0	...
.....	"	29.98	761.4	...	...	N W	6	...	"	29.95	760.7	...	...	...	0	...
.....	"	29.95	760.8	...	...	N	2	...	"	...	...	...	...	...	...	...
s, ...	"	29.97	761.2	..	...	N	2	...	"	...	...	...	...	...	...	...
.....	3 p.	29.89	759.2	90	63	S S W	2	b	9 a.	29.94	760.5	84	75	S	2	b
, ...	4 p.	29.90	759.4	81	77	E	1	b	10 a.	29.95	760.7	81	80	E	1	c
eak,...	"	...	...	...	...	S E	1	...	"	...	...	...	...	S E	1	...
.....	"	29.88	758.9	...	...	E	2	...	"	29.92	759.9	...	...	E	2	...
.....	"	29.93	760.2	83	...	S E	2	c	"	29.97	761.2	84	...	S E	1	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
.....	"	29.80	756.9	90	63	S	1	b	"	...	...	...	...	...	...	...
.....	4 p.	29.85	758.2	91	...	S	5	b	8 a.	29.94	760.4	81	...	S	3	c
.....	"	29.86	758.4	84	...	E	3	b	"	29.92	759.9	81	...	S S W	1	c
ames,.	"	29.83	757.8	79	...	N E	3	c	"	29.90	759.5	77	...	W N W	1	c
.....	2 p.	29.88	759.0	86	...	E	2	b	6 a.	29.90	759.4	75	...	S E	2	c
.....	4 p.	29.84	758	79	92	...	0	o	10 a.	29.92	760	84	77	N W	1	c
.....	2 p.	29.83	757.8	86	...	N W	2	c	6 a.	29.86	758.5	79	...	...	0	b
.....	3 p.	...	...	...	...	N E	1	od	9 a.	...	...	...	...	N E	1	b
.....	"	29.81	757.2	83	...	N E	1	o	"	29.89	759.2	81	...	N E	1	b
.....	"	29.82	757.4	87	...	S	1	c	"	29.87	758.7	85	...	S	1	c
.....	"	29.86	758.2	80	...	...	...	...	"	29.94	760.5	83	...	...	...	...

n the 12th at 11.35 a.—The barometer has fallen moderately on the NE coast of China and in SW Japan, and considerably over E. Japan.

e depression lying over the Yangtze valley yesterday, has moved into the Yellow Sea.

gh pressure still covers the Sea of Japan and the Pacific towards the Bonins.

essure, which still slightly exceeds the normal, has a tendency to give way at the stations bordering the Sea.

ight NE and variable winds may be expected over the N. part of the China Sea.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	E. or variable winds, light; fine.
osa Channel, ...	Variable winds, light or moderate.
h coast of China between Hongkong and Lamooks,.	Same as No. 1.
h coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 12th September, 1911.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th September, 1911, P.M.								13th September, 1911, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	30.07	763.7	69	...	S S E	1	c	7 a.	29.89	759.2	60	83	...	0
Nemuro,	,,	30.06	763.6	...	...	N N W	3	...	6 a.	30.20	767.1	...	...	S S E	1
Hakodate,	,,	30.13	765.2	...	...	S	1	...	,,	30.13	765.2	...	...	E S E	3
Tokio,	,,	30.14	765.6	...	...	N	1	...	,,	30.12	765.1	...	...	N W	2
Kochi,	,,	29.95	760.8	...	...	...	0	...	,,	29.95	760.8	...	...	N E	1
Nagasaki,	,,	29 89	759.3	...	...	S S W	4	...	,,	29.91	759.8	...	...	W S W	1
Kagoshima,	,,	29.92	759.9	...	...	S	2	...	,,	29.94	760.4	...	...	S S E	1
Oshima,	,,	29.93	760.1	...	...	N N E	1	...	,,	29.97	761.1	...	...	...	0
Naha,	,,	29.93	760.2	...	...	N W	1	...	,,	29.97	761.2	...	...	...	0
Ishigakijima,	,,	29.91	759.8	...	...	S	1	...	,,	29.93	760.3	...	...	S	1
Bonin Is.	,,	30.00	762.1	...	...	E	1	...	,,	30.01	762.1	...	...	...	0
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...
Weihaiwei,	,,	29.84	757.9	72	81	N	6	bm	9 a.	29.92	759.9	77	65	N N E	1
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kinkiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	29.89	759.2	81	67	N W	2	c	9 a.	29.95	760.7	79	78	E S E	1
Gutzlaff,	,,	29.87	758.7	80	78	W	1	cv	,,	29.92	759.9	75	90	E	1
Sharp Peak,	,,	29.85	758.2	83	...	S E	1	c	,,	29.93	760.2	82	...	S	1
Amoy,	,,	29.84	757.9	87	65	S	4	b	6 a.	29.90	759.4	78	86	..	0
Swatow,	,,	29.86	758.4	87	96	S E	1	b	,,	29.92	759.9	77	91	W	1
Taihoku,	1 p.	29.91	759.7	...	...	N	4	...	5 a.	29.95	760.8	...	...	S	2
Taichu,	,,	29.89	759.2	...	...	N W	2	...	,,	29.92	759.9	...	...	...	0
Tainan,	,,	29.92	760.0	...	...	W	4	...	,,	29.93	760.1	...	...	N E	2
Koshun	,,	29.89	759.3	...	...	E	6	...	,,	29.90	759.5	...	...	...	0
Pescadores,	,,	29.91	759.8	..	...	S W	4	...	,,	29.88	759.0	...	...	...	0
Canton,	3 p.	29.85	758.2	90	60	S W	1	b	9 a.	29.91	759.7	83	79	S	1
Hongkong,	4 p.	29.86	758.4	83	71	S S E	1	c	10 a.	29.92	759.9	83	71	E	2
Victoria Peak,	,,	...	...	...	...	S E	1	...	,,	...	...	...	...	E S E	1
Gap Rock,	,,	29.83	757.7	...	...	E S E	2	...	,,	29.88	758.9	...	...	E	3
Macao,	,,	29.89	759.2	84	...	S E	2	c	,,	29.94	760.5	83	...	S E	2
Wuchow,	3 p.	29.85	758.2	87	...	E	2	c	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.79	756.6	91	60	E S E	2	b	,,	...	...	...	...	...	...
Phulien,	4 p.	29.80	757.0	91	...	S	3	b	8 a.	29.88	758.8	86	...	S S E	4
Tourane,	,,	29.81	757.1	84	...	E	3	b	,,	29.88	758.9	86	..	E	2
Cape St. James,	,,	29.80	756.8	82	...	W N W	1	c	,,	29.91	759.7	75	...	W N W	1
Aparri,	2 p.	29.82	757.3	88	...	E	2	c	6 a.	29.85	758.2	77	...	S	0
Manila,	4 p.	29.80	757	84	77	...	0	o	10 a.	29.86	759	84	77	W	1
Legaspi,	2 p.	29.80	756.9	93	...	E	2	b	6 a.	29.85	758.2	73	...	...	0
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	S W	1
Iloilo,	,,	29.77	756.1	83	...	N E	1	c	,,	29.87	758.7	81	...	S W	1
Cebu,	,,	29.80	756.9	87	...	S	1	c	,,	29.90	759.4	85	...	S	1
Labuan,	,,	29.84	757.9	83	...	...	...	...	,,	29.91	759.7	82	...	...	...

On the 13th at 11.55 a.—The depression lying over the Yellow Sea yesterday, has moved into the Western of the Sea of Japan.

The high pressure area has shifted Eastwards and is now central over the Pacific to the East of Japan.

Pressure is near the normal, but still giving way slowly at the stations bordering the China Sea.

Light NE and E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, light; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 13th September, 1911.

[Printed by NOSONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

N.	13TH SEPTEMBER, 1911, P.M.								14TH SEPTEMBER, 1911, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ock,...	2 p.	29.76	765.9	63	...	NNE	1	or	7 a.	29.81	757.2	60	80	...	0	c
.....	"	30.12	765.1	...	...	S	4	...	6 a.	29.85	758.1	...	...	SE	4	...
.....	"	29.95	760.7	...	...	...	6	...	"	29.67	753.7	...	...	SW	5	...
.....	"	30.00	762.1	...	...	NW	1	...	"	29.93	760.1	...	...	NW	1	...
.....	"	29.91	759.8	...	...	ESE	1	...	"	29.97	761.3	...	...	...	0	...
.....	"	29 91	759.8	...	...	W	3	...	"	29.95	760.8	...	...	...	0	...
a, ...	"	29.90	759.4	...	...	SW	1	...	"	29.96	760.9	...	...	...	0	...
.....	"	29.94	760.6	...	...	N	1	...	"	29.95	760.6	...	...	S	1	...
.....	"	29.93	760.2	...	...	W	1	...	"	29.97	761.2	...	...	...	0	...
ma,....	"	29.91	759.8	...	...	ESE	2	...	"	29.89	759.3	...	...	NE	1	...
.....	"	29.96	761.1	...	...	ESE	1	...	"	299.9	761.6	...	...	...	0	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
i,.....	"	29.86	758.4	74	76	N	1	c	9 a.	29.89	759.2	66	95	S	2	orm
.....	"	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
,.....	"	29.89	759.2	77	77	...	0	o	"	...	...	...	...	...	...	...
.....	"	29.88	758.9	75	95	SE	2	o	9 a.	29.94	760.5	72	95	...	0	omr
.....	"	29.89	759.2	73	95	S	3	omr	"	29.91	759.7	72	100	NE	2	ov
k,.....	"	29.86	758.4	83	...	E	1	c	"	29.91	759.7	82	...	SE	1	b
.....	"	29.86	758.4	88	62	SSE	2	c	6 a.	29.92	759.9	79	78	W	1	b
.....	"	29.86	758.4	87	62	SE	1	b	"	29.91	759.7	77	95	NE	1	b
.....	1 p.	29.87	758.8	...	...	N	2	...	5 a	29.91	759.8	...	...	...	0	...
.....	"	29.88	758.9	...	...	NW	4	...	"	29.92	760.0	...	...	...	0	...
.....	"	29.89	759.1	...	...	NW	6	...	"	29.91	759.8	...	...	...	0	...
.....	"	29.87	758.8	...	...	W	2	...	"	29.89	759.2	...	...	...	0	...
s, ...	"	29.89	759.1	..	...	N	6	...	"	29.91	759.6	...	...	NE	2	...
.....	3 p.	29.82	757.4	89	63	W	1	b	9 a.	29.91	759.7	83	75	S	1	c
g, ...	4 p.	29.83	757.7	81	78	E	2	c	10 a.	29.91	759.7	83	74	E	1	o
eak,...	"	...	...	...	...	S	1	...	"	...	...	...	...	ENE	1	...
,.....	"	29.82	757.4	...	...	E	3	...	"	29.88	758.9	...	...	NE	3	...
.....	"	29.85	758.2	84	...	SE	2	o	"	29.95	760.7	84	...	E	1	c
.....	3 p.	29.82	757.4	89	63	E	1	c	9 a.	...	...	...	...	...	...	...
.....	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
.....	"	29.77	756.1	91	96	S	1	c	"	...	...	...	...	...	...	...
.....	4 p.	29.76	756.0	90	...	S	4	c	8 a.	29.90	759.5	86	...	SSE	3	c
.....	"	29.76	756.0	84	...	E	4	b	"	29.88	758.9	86	...	SE	3	c
ames,.	"	29.79	756.7	77	...	WNW	2	o	"	29.87	758.7	77	...	WSW	1	o
.....	2 p.	29.80	756.9	88	...	E	2	b	6 a.	29.83	757.7	75	...	SW	2	c
.....	4 p.	29.76	756	84	77	...	0	c	10 a.	29.84	758	86	71	...	0	o
.....	2 p.	29.77	756.1	95	...	NE	2	b	6 a.	29.80	755.8	72	...	...	0	b
.....	3 p.	...	...	...	...	SW	2	od	9 a.	...	...	...	...	N	1	c
.....	"	29.77	756.1	81	...	SW	1	or	"	29.83	757.7	80	...	NE	1	b
.....	"	29.79	756.6	86	...	S	1	c	"	29.82	757.4	87	...	S	1	b
.....	"	29.79	756.6	83	...	...	...	...	"	29.89	759.2	82	...	...	...	...

the 14th at 11.55 a.—The barometer has fallen quickly in NE Japan the depression having moved Northeast-nd reached Hokkaido.

essure continues to give way slowly over the Philippines apparently owing to the existence of a typhoon at present, is situated far to the Eastward of S. Luzon. It is probably moving Westwards.

essure is highest over the Pacific in the neighbourhood of the Bonins.

derate NE and E. winds may be expected over the N. part of the China Sea.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
kong and Neighbourhood, ...	E. winds, light; fine.
osa Channel, ...	Variable winds, light.
coast of China between Hongkong and Lamocks,.	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ongkong Observatory, Thursday, 14th September, 1911.

ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	14th September, 1911, P.M.								15th September, 1911, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force
Wladivostook,	2 p.	29.85	758.2	69	...	N N E	1	o	7 a.	30.13	765.4	47	70	N N E	2
Nemuro,	,,	29.57	751.1	...	...	S	5	...	6 a.	29.87	758.6	...	...	N N E	2
Hakodate,	,,	29.75	755.7	...	...	W	4	...	,,	29.95	760.7	...	...	...	0
Tokio,	,,	29.87	758.6	...	...	S	3	...	,,	29.99	761.6	...	...	...	0
Kochi,	,,	29.95	760.8	...	...	E S E	1	...	,,	29.99	761.8	...	...	S W	1
Nagasaki,	,,	29 95	760.8	...	...	W	1	...	,,	29.95	760.8	...	...	S S W	1
Kagoshima,	,,	29.96	760.9	...	...	S	1	...	,,	29.98	761.4	...	...	E	1
Oshima,	,,	29.93	760.1	...	...	S	1	...	,,	29.95	760.6	...	...	...	0
Naha,	,,	29.89	759.2	...	...	E	2	...	,,	29.87	758.7	...	...	E S E	1
Ishigakijima,	,,	29.87	758.8	...	...	N E	2	...	,,	29.84	757.8	...	...	N N E	2
Bonin Is.	,,	29.96	761.1	...	...	E S E	1	...	,,	299.7	761.1	...	...	...	0
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.85	758.2	66	95	W N W	7	ctr	9 a.	30.00	762.0	74	72	N N W	2
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	29.89	759.2	81	74	E S E	1	c	9 a	30.03	762.7	80	66	N E	1
Gutzlaff,	,,	29.87	758.7	76	91	N E	1	ov	,,	29.99	761.7	77	86	N N E	2
Sharp Peak,	,,	29.87	758.7	83	...	E S E	1	b	,,	29.95	760.7	81	...	N N E	2
Amoy,	,,	29.87	758.7	86	65	S	4	b	6 a.	29.89	759.2	80	82	N N W	2
Swatow,	,,	29.85	758.2	87	65	S E	2	b	,,	29.90	759.4	77	91	N E	1
Taihoku,	1 p.	29.86	758.5	...	...	N W	2	...	5 a.	29.89	759.2	...	...	E	4
Taichu,	,,	29.90	759.4	...	...	N	6	...	,,	29.86	758.4	...	...	...	0
Tainan,	,,	29.87	758.8	...	...	N	6	...	,,	29.87	758.6	...	...	E	2
Koshun	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pescadores,	,,	29.88	759.0	..	...	N	6	...	,,	29.87	758.6	...	...	N	6
Canton,	3 p.	29.83	757.7	90	56	S S W	1	b	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	29.83	757.7	83	75	E	2	b	10 a.	29.93	760.2	85	70	E	1
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	S E	1
Gap Rock,	,,	29.81	757.2	...	...	E N E	3	...	,,	29.89	759.2	...	...	N E	2
Macao,	,,	29.86	758.4	84	...	S E	1	c	,,	29.97	761.2	86	...	E	1
Wuchow,	3 p.	29.83	758.9	78	...	E	1	c	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.80	756.9	92	96	S W	1	b	,,	...	...	...	...	...	...
Phulien,	4 p.	29.80	756.8	86	...	S S E	4	c	8 a.	29.93	760.2	81	...	E N E	3
Tourane,	,,	29.78	756.3	84	...	E	4	c	,,	29.89	759.1	88	...	S E	2
Cape St. James,	,,	29.77	756.1	79	...	S W	2	c	,,	29.86	758.5	75	...	W S W	1
Aparri,	2 p.	29.78	756.5	88	...	N	2	o	6 a.	29.79	756.6	75	...	W	2
Manila,	4 p.	29.72	755	88	65	...	0	o	10 a.	29.80	757	84	77	W N W	0
Legaspi,	2 p.	29.75	755.6	81	...	N E	2	o	6 a.	29.76	755.9	75	...	W	2
Bacolod,	3 p.	...	...	...	...	S W	1	c	9 a.	...	...	...	...	S W	2
Iloilo,	,,	29.75	755.6	83	...	S W	1	c	,,	29.80	756.9	81	...	S W	1
Cebu,	,,	29.76	755.9	85	...	...	0	od	,,	29.83	757.7	85	...	S	1
Labuan,	,,	29.81	757.2	86	...	...	...	...	,,	29.89	759.2	85	...	...	...

On the 15th at 11.45 a.—The barometer has risen quickly in NE Japan the depression covering that area yesterday, having moved away over the Pacific.

Pressure has also increased moderately in N. China, while it has given way slightly over the Loochoos, Formosa and the Philippines.

The typhoon over the Pacific is still situated far to the Eastward of Luzon. Probably it is moving towards

A high pressure area covers N. China and Manchuria.

Moderate NE winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	NE winds, light to moderate; fine.
2.—Formosa Channel,	NE winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 15th September, 1911.

[Printed by NORONHA & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

15TH SEPTEMBER, 1911, P.M.

	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
k,...	2 p.	30.12	765.1	58	...	N	0	c
.....	,,	29.93	760.1	...	...	S E	2	...
.....	,,	29.99	761.7	...	...	N W	3	...
.....	,,	29.94	760.6	...	...	E S E	2	...
.....	,,	29.97	761.3	...	...	S E	1	...
.....	,,	29 95	760.8	...	...	...	0	...
.....	,,	29.98	761.4	...	...	N E	1	...
.....	,,	29.96	761.1	...	...	S S E	1	...
.....	,,	29.89	759.2	...	...	E	4	...
,....	,,	...	...	...	...	...	...	...
.....	,,	30.00	762.1	...	...	S E	1	...
.....	3 p.	...	...	...	...	...	...	...
.....	,,	30.02	762.5	72	90	N	3	c
.....	,,	...	...	...	...	...	...	...
.....	,,	29.95	760.7	82	54	N E	2	b
.....	,,	29.97	761.2	84	44	N	1	c
.....	,,	29.96	761.0	79	74	N E	1	bv
.....	,,	29.91	759.7	82	...	N N E	4	b
.....	,,	29.94	760.5	89	59	N E	4	b
.....	,,	29.91	759.7	86	72	S E	1	b
.....	1 p.	29.88	759.0	...	...	N E	6	...
.....	,,	29.81	757.2	...	...	W	2	...
.....	,,	29.83	757.7	...	...	W	4	...
.....	,,	29.81	757.2	...	...	N W	2	...
.....	,,	29.84	758.0	..	...	N	10	...
.....	3 p.	29.83	757.7	89	63	N	2	b
.....	4 p.	29.84	757.9	84	73	S	1	c
k,...	,,	...	...	...	...	S	1	...
.....	,,	29.83	757.7	...	...	E S E	1	...
.....	,,	29.87	758.7	86	...	S S E	2	c
.....	3 p.	29.83	757.7	90	53	S W	1	c
.....	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...
.....	4 p.	29.80	756.8	90	...	S S E	4	b
.....	,,	29.78	756.5	91	...	N E	3	c
nes,.	,,	29.80	756.8	84	...	S W	2	c
.....	2 p.	29.73	755.1	84	...	N	4	p
.....	4 p.	29.72	755	86	79	S W	2	o
.....	2 p.	29.69	754.1	90	...	W	2	o
.....	3 p.	...	...	...	...	S W	1	c
.....	,,	29.72	754.9	84	...	S W	2	c
.....	,,	29.73	755.1	88	...	S	3	o
.....	,,	29.78	756.4	87	...	...	...	...

16TH SEPTEMBER, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.15	765.8	42	82	N N E	0	b
6 a.	30.20	767.1	...	...	E S E	1	...
,,	30.15	765.7	...	...	N	1	...
,,	30.08	764.1	...	...	...	0	...
,,	30.03	762.8	...	...	S W	1	...
,,	30.01	762.3	...	...	...	0	...
,,	30.00	761.9	...	...	N E	1	...
,,	29.95	760.6	...	...	...	0	...
,,	29.85	758.2	...	...	S E	3	...
,,	29.78	756.3	...	...	N E	2	...
,,	30.06	763.6	...	...	E	1	...
6 a.	...	...	...	..	...	...	...
9 a.	30.07	763.8	70	95	S E	1	c
6 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
9 a	29.99	761.7	79	66	E	1	c
,,	30.00	762.0	78	...	E	3	cv
,,	29.90	759.4	80	...	N	2	c
6 a.	29.85	758.2	80	62	N E	2	c
,,	29.87	758.7	77	91	N N E	1	b
5 a.	29.84	757.9	...	...	E	4	...
,,	29.78	756.3	...	...	...	0	...
,,	29.78	756.3	...	...	...	0	...
,,	29.75	755.5	...	...	N E	6	...
,,	29.77	756.2	...	...	N E	8	...
9 a.	29.91	759.7	85	72	W	2	b
10 a.	29.90	759.4	83	73	W	1	b
,,	...	...	...	...	S E	1	...
,,	29.88	758.9	...	...	E	3	...
,,	29.94	760.5	86	...	S E	1	c
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.91	759.6	84	...	E	1	b
,,	29.89	759.2	84	..	W	1	c
,,	29.89	759.3	77	...	S W	3	c
6 a.	29.65	753.2	79	...	N	4	p
10 a.	29.73	755	86	71	..	0	o
6 a.	29.71	754.6	79	...	W	2	o
9 a.	...	...	...	...	S W	2	o
,,	29.80	756.9	84	...	S W	3	c
,,	29.82	757.4	85	...	S	3	c
,,	29.89	759.2	85	...	...	...	...

he 16th at 11.35 a.—The barometer has fallen moderately in Luzon and Formosa, and risen considerably japan.

typhoon which is now situated to the NE of Luzon. is moving towards WNW.

high pressure area has shifted Eastwards and covers the N. part of the Sea of Japan.

wind is expected to freshen considerably from the Northward over the NE part of the China Sea.

gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

OREC AST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	NE winds, light or moderate; fair.
sa Channel, ...	NE winds, freshening considerably.
coast of China between Hongkong and Lamocks,.	NE winds, moderate to fresh.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Saturday, 16th September, 1911.

d by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th September, 1911, P.M.								17th September, 1911, A.M.						
	Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostook,	2 p.	30.09	764.4	60	...	S S E	2	o	7 a.	29.88	758.8	59	85	S S E	2
Nemuro,	,,	30.20	767.1	...	...	S E	2	...	6 a.	30.18	766.6	...	...	...	0
Hakodate,	,,	30.13	765.2	...	...	E S E	5	...	,,	30.09	764.2	...	...	E	1
Tokio,	,,	30.06	763.6	...	...	...	0	...	,,	30.08	764.1	...	...	N W	1
Kochi,	,,	30.01	762.3	...	...	N	1	...	,,	30.03	762.8	...	...	...	0
Nagasaki,	,,	29 97	761.3	...	...	S S E	2	...	,,	29.93	760.3	...	...	S E	4
Kagoshima,	,,	29.96	760.9	...	...	S E	1	...	,,	29.98	761.4	...	...	E S E	1
Oshima,	,,	29.94	760.6	...	...	S E	1	...	,,	29.95	760.6	...	...	S E	1
Naha,	,,	29.87	758.7	...	...	S E	4	...	,,	29.89	759.2	...	...	S E	2
Ishigakijima,	,,	29.78	756.3	...	...	E	5	...	,,	29.78	756.3	...	...	E	4
Bonin Is.	,,	30.02	762.6	...	...	S E	1	...	,,	30.10	764.6	...	...	...	0
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.90	759.4	69	95	E S E	2	or	9 a.	29.85	758.2	71	90	W S W	4
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	29.86	758.4	73	95	W	4	or	,,	...	...	...	...	...	...
Shanghai,	,,	29.88	758.9	82	63	E S E	2	b	9 a.	29.90	759.4	75	81	W	3
Gutzlaff,	,,	29.87	758.7	78	...	E	3	bv	,,	29.86	758.4	75	...	N W	4
Sharp Peak,	,,	29.84	757.9	81	...	N E	2	c	,,	29.80	756.9	80	...	N	2
Amoy,	,,	29.78	756.4	90	53	E N E	2	c	6 a.	29.77	756.1	81	73	N E	2
Swatow,	,,	29.78	756.4	93	74	S W	1	b	,,	29.76	755.9	79	87	N W	2
Taihoku,	1 p.	29.80	756.9	...	...	E	6	...	5 a.	29.70	754.3	...	...	E	8
Taichu,	,,	29.74	755.3	...	...	S W	2	...	,,	29.72	754.9	...	...	...	0
Tainan,	,,	29.75	755.7	...	...	W	4	...	,,	29.68	753.9	...	...	N	2
Koshun	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pescadores,	,,	29.74	755.5	..	...	N E	8	...	,,	29.67	753.7	...	...	N E	8
Canton,	3 p.	29.79	756.6	89	59	N W	2	b	9 a.	29.81	757.2	83	79	N	2
Hongkong,	4 p.	29.79	756.6	85	68	W S W	1	c	10 a.	29.79	756.6	86	71	W	1
Victoria Peak,	,,	...	...	...	...	W S W	2	...	,,	...	...	...	...	N W	1
Gap Rock,	,,	29.77	756.1	...	...	S E	1	...	,,	29.76	755.9	...	...	N N W	3
Macao,	,,	29.82	757.4	84	...	S	2	c	,,	29.82	757.4	87	...	N N W	1
Wuchow,	3 p.	29.80	756.9	90	53	S W	2	b	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.78	756.3	90	...	S E	4	b	8 a.	29.89	759.3	86	...	N N W	3
Tourane,	,,	29.78	756.3	84	...	E	4	b	,,	29.86	758.3	84	...	N W	2
Cape St. James,	,,	29.80	756.9	77	...	S W	1	o	,,	29.88	758.9	77	...	W N W	1
Aparri,	2 p.	29.54	750.2	82	...	N W	6	q	6 a.	29.26	743.1	75	...	S	10
Manila,	4 p.	29.65	753	86	79	W S W	4	q	10 a.	29.76	756	86	71	S W	4
Legaspi,	2 p.	29.67	753.7	88	...	S W	4	o	6 a.	29.76	755.9	81	...	S W	2
Bacolod,	3 p.	...	...	...	...	S W	1	or	9 a.	...	...	...	...	S W	2
Iloilo,	,,	29.72	754.9	83	...	S W	2	o	,,	29.83	757.7	82	...	S W	2
Cebu,	,,	29.77	756.1	83	...	S	2	o	,,	29.84	757.9	83	...	S	2
Labuan,	,,	29.79	756.6	90	...	...	...	...	,,	...	...	...	...	...	...

On the 17th at 11.55 a.—Red South Cone and Drum hoisted.

The typhoon is situated over the Balingtang Channel. At present it is moving towards WNW, and the S. of China is threatened within 48 hours.

The barometer is rising in the Philippines, and falling over Formosa and the S. coast of China.

Pressure has given way considerably in N. China and at Wladiwostok, a depression, which appeared to the W. of the Yangtze valley yesterday, having reached S. Manchuria.

The high pressure area now lies over the Pacific to the East of Japan.

Rough weather may be expected over the NE part of the China Sea and the Formosa Channel.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, freshening considerably; fine and [squally
2.—Formosa Channel,	NE gale.
3.—South coast of China between Hongkong and Lamocks,	N. and NE winds, freshening considerably.
4.—South coast of China between Hongkong and Hainan,	NW winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 17th September, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

N.	17th SEPTEMBER, 1911, P.M.								18th SEPTEMBER, 1911, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ook,...	2 p.	29.83	757.8	61	...	S S E	3	o	7 a.	29.79	756.6	59	79	...	0	f
.....	,,	30.03	764.1	...	...	S E	2	...	6 a.	29.79	756.6	...	...	S S E	1	...
.....	,,	29.97	761.2	...	...	S E	2	...	,,	29.73	755.2	...	...	...	0	...
.....	,,	29.96	761.1	...	...	S	2	...	,,	29.89	759.1	...	...	S S W	4	...
.....	,,	29.95	760.8	...	...	E	1	...	,,	29.97	76..3	...	...	...	0	...
.....	,,	29 89	759.3	...	...	S	5	...	,,	29.93	760.3	...	...	N W	1	...
a, ...	,,	29.92	759.9	...	...	S	2	...	,,	29.95	760.9	...	...	S S W	1	...
.....	,,	29.93	760.1	...	...	S	3	...	,,	29.95	760.6	...	...	...	0	...
.....	,,	29.87	758.7	...	...	S S W	2	...	,,	29.91	759.7	...	...	S E	1	...
ma,....	,,	29.80	756.8	...	...	E S E	4	...	,,	29.86	758.3	...	...	E S E	5	...
.....	,,	30.00	762.1	...	...	E N E	1	...	,,	30.02	762.6	...	...	E	1	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
i,.....	,,	29.84	757.9	72	...	N W	2	c	9 a.	30.02	762.5	77	69	S W	1	c
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	29.96	761.0	79	61	N E	1	c	,,	30.01	762.2	71	80	N E	2	o
.....	,,	29.88	758.9	76	73	N W	3	...	9 a.	30.03	762.7	77	69	N N E	2	c
.....	,,	29.85	758.2	77	...	N N W	4	cv	,,	29.98	761.5	76	...	N N E	4	ov
k,.....	,,	29.76	755.9	82	...	N	4	c	,,	29.86	758.4	80	...	N	5	o
.....	,,	29.69	754.1	92	54	E N E	4	b	6 a.	29.76	755.9	83	67	E N E	6	o
.....	,,	29.74	755.4	85	78	S E	2	c	,,	29.71	754.6	82	71	N E	1	c
.....	1 p.	29.68	753.9	...	...	S E	3	...	5 a.	29.78	756.3	...	...	E	6	...
.....	,,	29.62	752.4	...	...	[illegible]	0	...	,,	29.71	754.5	...	...	...	0	...
.....	,,	29.65	753.0	...	...	W	4	...	,,	29.71	754.5	...	...	...	0	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
s, ...	,,	29.65	753.1	...	...	N	3	...	,,	29.76	755.8	...	...	N W	2	...
.....	3 p.	29.72	754.9	88	62	N	2	c	9 a.	29.80	756.9	81	62	E	3	b
g, ...	4 p.	29.67	753.6	91	55	N	2	c	10 a.	29.75	755.6	83	62	N	2	o
eak,...	,,	...	...	...	...	N N W	3	...	,,	...	...	...	...	N	4	...
,.....	,,	29.65	753.1	...	...	N N W	4	...	,,	29.72	754.9	...	...	W N W	4	...
.....	,,	29.69	754.0	89	...	N W	1	c	,,	29.76	755.8	84	...	N	2	c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.72	756.4	90	...	N	4	b	,,	...	...	...	...	...	...	...
.....	4 p.	29.76	756.0	91	...	N W	5	c	8 a.	29.86	758.4	82	...	N N W	3	b
.....	,,	29.75	755.7	82	...	N E	3	b	,,	29.80	756.9	82	..	N W	3	c
ames,.	,,	29.76	755.9	81	...	S W	3	c	,,	29.82	757.3	75	...	W S W	3	o
.....	2 p.	29.41	747.0	75	...	S	8	d	6 a.	29.65	753.1	73	...	S	2	o
.....	4 p.	29.65	753	79	92	S W	3	d	10 a.	29.76	756	86	71	...	0	o
.....	2 p.	29.72	755.0	86	...	S W	2	o	6 a.	29.78	756.3	77	...	S W	2	o
.....	3 p.	...	...	...	...	S W	3	o	9 a.	...	...	...	...	S W	2	or
.....	,,	29.74	755.4	81	...	S W	3	o	,,	29.83	757.7	79	...	S W	1	od
.....	,,	29.77	756.1	86	...	S	3	c	,,	29.85	758.2	86	...	S	2	c
.....	,,	..	...	...	...	...	...	...	,,	29.88	758.9	83	...	...	...	...

the 17th at 9.40 p.—No. 2 night signal hoisted.

the 18th at 11.55 a.—The typhoon appears to be situated about 100 miles to the Southward of Pratas shoal, be moving Westwards.

e barometer has risen considerably in N. Luzon, and fallen slightly over the S. coast of China and Annam.

e northern depression is moving Eastwards over the N. part of the Sea of Japan.

ssure has increased considerably and is high over N. China.

d weather may be expected over the N. part of the China Sea, and N. and NE gales along the S. coast of China.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
kong and Neighbourhood, ...	NE winds, strong to a gale; squally, rainy.
osa Channel, ...	NE gale.
coast of China between Hongkong and Lamocks,.	Same as No. 1.
coast of China between Hongkong and Hainan,...	N. winds, strong to a gale.

F. G. FIGG,
Director.

ongkong Observatory, Monday, 18th September, 1911.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th September, 1911, P.M.									19th September, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	29.80	756.8	71	...	S W	0	c		7 a.	29.90	759.5	64	94	S	0	
Nemuro,	,,	29.63	752.6	...	...	W S W	1	...		6 a.	29.93	760.1	...	...	...	0	
Hakodate,	,,	29.73	755.2	...	...	N	2	...		,,	30.03	762.7	...	...	...	0	
Tokio,	,,	29.83	757.6	...	...	S S W	2	...		,,	30.06	763.6	...	...	N W	1	
Kochi,	,,	29.93	760.3	...	...	E S E	1	...		,,	30.03	762.8	...	...	S W	1	
Nagasaki,	,,	29.97	761.3	...	...	W	1	...		,,	...	...	...	...	...	0	
Kagoshima,	,,	29.96	760.9	...	...	N W	1	...		,,	30.00	76 .9	...	...	N E	1	
Oshima,	,,	29.94	760.6	...	...	S E	2	...		,,	29.97	761.1	...	...	..	0	
Naha,	,,	29.91	759.7	...	...	S E	3	...		,,	29.89	759.2	...	...	E	1	
Ishigakijima,	,,	29.87	758.8	...	...	E	4	...		,,	29.86	753.3	...	...	E	4	
Bonin Is.	,,	29.96	761.1	...	...	E	1	...		,,	30.01	762.1	...	...	E	1	
Chefoo,	3 p.	...	...	...	...	..	...	...		6 a.	...	...	...	..	...	...	
Weihaiwei,	,,	30.00	762.0	75	77	S W	2	b		9 a.	30.00	762.0	80	70	S	3	
Hankow,	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	
Shanghai,	,,	29.99	761.7	81	62	N E	2	c		9 a	29.99	761.7	82	75	E N E	1	
Gutzlaff,	,,	29.96	761.0	78	...	N E	3	cv		,,	29.96	761.0	77	...	N E	2	
Sharp Peak,	,,	29.82	757.4	80	...	N N E	4	o		,,	29.87	758.7	80	...	N	2	
Amoy,	,,	29.80	756.9	90	56	N E	5	o		6 a	...	...	...	...	..	...	
Swatow,	,,	29.73	755.1	88	69	E	4	c		,,	29.73	755.1	76	95	N E	1	
Taihoku,	1 p.	29.78	756.4	...	...	E	3	...		5 a	29.80	756.9	...	...	E	6	
Taichu,	,,	29.76	755.9	...	...	W	2	...		,,	29.76	755.9	...	...	...	0	
Tainan,	,,	29.75	755.7	...	...	W	4	...		,,	29.77	756.1	...	...	...	0	
Koshun	,,	...	...	...	...	...	...	...		,,	29.79	756.7	...	...	N E	6	
Pescadores,	,,	29.74	755.5	...	...	W	4	...		,,	29.76	755.8	...	...	N W	4	
Canton,	3 p.	29.73	755.1	88	56	N E	3	b		9 a.	29.76	755.9	79	82	E	3	
Hongkong,	4 p.	29.68	753.9	85	63	N E	2	o		10 a.	29.70	754.4	79	80	E N E	5	
Victoria Peak,	,,	...	...	...	...	N E	6	...		,,	...	...	...	...	E N E	8	
Gap Rock,	,,	29.64	752.8	...	...	N	5	...		,,	29.62	752.3	...	...	E N E	8	
Macao,	,,	29.70	754.4	84	...	N	2	c		,,	29.71	754.6	76	...	N E	4	
Wuchow,	3 p.	29.79	756.6	75	...	N	1	c		9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	
Pakhoi,	,,	29.75	755.6	88	58	N	4	b		,,	...	...	...	...	...	...	
Phulien,	4 p.	29.73	755.1	91	...	N N W	4	b		8 a.	29.80	757.0	82	...	N N W	4	
Tourane,	,,	29.70	754.5	84	...	N W	5	c		,,	29.70	754.4	82	...	N W	7	
Cape St. James,	,,	29.74	755.5	81	...	S W	3	c		,,	29.79	756.7	77	...	S W	4	
Aparri,	2 p.	29.69	754.0	82	...	...	0	o		6 a.	29.73	755.2	73	...	...	0	
Manila,	4 p.	29.72	755	79	92	...	0	d		10 a.	29.80	757	84	77	...	0	
Legaspi,	2 p.	29.76	755.8	81	...	S W	2	o		6 a.	29.79	756.7	77	...	...	0	
Bacolod,	3 p.	...	...	...	...	S W	2	or		9 a.	...	...	...	...	S W	1	
Iloilo,	,,	29.74	755.4	80	...	S W	1	o		,,	29.85	758.2	79	...	S W	1	
Cebu,	,,	29.79	756.6	86	...	S	1	o		,,	29.87	758.7	85	...	S	1	
Labuan,	,,	29.72	756.4	90	...	...	...	...		,,	29.84	757.9	86	...	...	...	

On the 19th at 5.45 a.—Black South Cone hoisted.

At 11.55 a.—The typhoon which is now situated about 250 miles to the South southwest of Hongkong, contin to move Westwards.

The barometer is rising slowly in Hongkong and falling over Indo-China.

The depression lying over N. Japan yesterday, has moved away over the Pacific.

Pressure is inclined to give way over N. China, the "high" area having shifted Eastwards to the Sea of Japa

Bad weather will continue to prevail over the NW part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.27 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	Moderate E. gale, gradually decreasing; squal [showe
2.—Formosa Channel, ...	NE winds, fresh.
3.—South coast of China between Hongkong and Lamocks,.	E. winds, strong.
4.—South coast of China between Hongkong and Hainan,...	Cyclonic gales.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 19th September, 1911.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

N.	19TH SEPTEMBER, 1911, P.M.								20TH SEPTEMBER, 1911, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ock,...	2 p.	29.87	758.6	68	...	S S E	3	o	7 a.	29.92	760.0	66	95	S S E	1	f
.....	,,	30.00	762.1	...	...	N E	2	...	6 a.	30.06	763.6	...	...	S S W	2	...
.....	,,	30.07	763.7	...	...	W N W	2	...	,,	30.11	764.7	...	...	..	0	...
.....	,,	30.10	764.6	...	...	E	1	...	,,	30.18	766.6	...	...	N W	1	...
.....	,,	30.03	762.8	...	...	...	0	...	,,	30.11	764.8	...	...	S W	1	...
.....	,,	29 99	761.8	...	...	W	1	...	,,	30.01	762.3	...	...	E	1	...
a, ...	,,	29.98	761.4	...	...	S S E	1	...	,,	30.00	761.9	...	...	E	3	...
.....	,,	29.89	759.1	...	...	N E	2	...	,,	29.83	757.6	...	...	S E	3	...
.....	,,	29.83	757.7	...	...	E N E	5	...	,,	29.44	747.7	...	...	N E	3	...
ma, ...	,,	29.85	758.3	...	...	E	3	...	,,	29.78	756.3	...	...	N W	3	...
.....	,,	30.02	762.6	...	...	E	1	...	,,	30.20	767.1	...	...	...	0	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	...
i, ...	,,	29.97	761.2	75	77	N E	3	b	9 a.	30.03	762.7	69	100	S S E	1	cr
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
.....	,,	29.91	759.7	82	79	E N E	1	o	9 a.	29.91	759.7	82	79	E N E	1	c
.....	,,	29.90	759.4	78	...	E N E	2	om	,,	29.91	759.7	81	...	N E	1	cm
k, ...	,,	29.84	757.9	82	...	N N E	2	c	,,	29.90	759.4	81	...	N	1	b
.....	,,	29.80	756.9	90	60	E	2	c	6 a	29.85	758.2	86	...	E N E	2	c
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
.....	1 p.	29.79	756.7	...	...	E	3	...	5 a	29.85	758.1	...	...	S E	2	...
.....	,,	29.78	756.4	...	...	N W	2	...	,,	29.83	757.6	...	...	...	0	...
.....	,,	29.80	757.0	...	...	N W	6	...	,,	29.83	757.6	...	...	S E	2	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
s, ...	,,	29.79	756.7	..	...	N W	4	...	,,	29.80	757.0	...	...	S W	2	...
.....	3 p.	29.72	754.9	81	83	E	2	or	9 a.	29.85	758.2	82	79	E	2	b
g, ...	4 p.	29.67	753.6	76	90	E	6	opq	10 a.	29.86	758.4	79	84	E	5	opq
Peak, ...	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	3	...
k, ...	,,	29.58	751.3	...	...	E	7	...	,,	29.81	757.2	...	...	E	6	...
.....	,,	29.65	753.1	77	...	N E	3	od	,,	...	...	...	...	...	...	...
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.67	753.7	91	...	N W	5	c	8 a.	29.73	755.0	73	...	N N W	6	or
.....	,,	29.62	752.4	82	...	N W	8	dh	,,	29.67	753.5	82	..	S S W	3	dh
ames, .	,,	29.71	754.7	82	...	S W	3	c	,,	29.84	757.8	77	...	S W	4	o
.....	2 p.	29.71	754.6	82	...	E	2	p	6 a.	29.80	756.8	75	...	...	0	o
.....	4 p.	29.72	755	77	92	...	0	d	10 a.	29.88	759	86	71	W S W	1	c
.....	2 p.	29.77	756.1	84	...	S W	2	o	6 a.	29.85	758.2	77	...	S W	2	...
.....	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	1	c
.....	,,	29.75	755.6	80	...	S W	1	o	,,	29.87	758.7	81	...	S W	1	o
.....	,,	29.78	756.4	87	...	S	2	c	,,	29.89	759.2	86	...	S	1	o
.....	,,	29.75	755.6	88	...	...	...	...	,,	29.89	759.2	85	...	...	...	...

n the 19th at 2 p.—Black South Cone and Ball hoisted.

t 6 p.—Signals lowered.

n the 20th at 12.05 p.—The typhoon has reached the neighbourhood of *Hainan*. The barometer is falling over ing, while it continues to rise steadily in Hongkong.

ressure has given way quickly over the Loochoos, a typhoon having approached Naha from the Southeast.

he high pressure area now lies over the Pacific to the SE of Japan.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.85 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	E. winds, fresh to moderate; weather improving.
osa Channel, ...	NE winds or variable winds, moderate.
h coast of China between Hongkong and Lamocks, .	Same as No. 1.
h coast of China between Hongkong and Hainan, ...	Strong cyclonic winds.

F. G. FIGG,
Director.

ongkong Observatory, Wednesday, 20th September, 1911.

ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th September, 1911, P.M.								21st September, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostook,	2 p.	29.87	758.7	66	...	...	0	f	7 a.	29.34	757.9	62	78	N N E	1
Nemuro,	,,	29.96	761.1	...	...	S W	4	...	6 a.	29.85	758.1	...	...	N E	2
Hakodate,	,,	30.01	762.2	...	...	S	1	...	,,	29.85	758.2	...	...	...	0
Tokio,	,,	30.06	763.6	...	...	S	1	...	,,	29.95	760.6	...	...	...	0
Koohi,	,,	30.05	763.3	...	...	S E	1	...	,,	29.93	760.3	...	...	...	0
Nagasaki,	,,	29 94	760.3	...	...	E S E	2	...	,,	29.86	758.3	...	...	N	2
Kagoshima,	,,	29.96	760.9	...	...	E S E	1	...	,,	29.92	757.4	...	...	E	2
Oshima,	,,	...	...	...	...	...	...	...	,,	29.67	753.7	...	...	S	7
Naha,	,,	29.42	747.2	...	...	S W	6	...	,,	29.77	756.2	...	...	S S W	3
Ishigakijima,	,,	29.76	755.8	...	...	W N W	6	...	,,	29.80	756.8	...	...	W N W	4
Bonin Is.	,,	30.08	764.1	...	...	...	0	...	,,	30.06	763.6	...	...	...	0
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.97	761.2	74	72	E N E	2	c	9 a.	30.00	762.0	80	82	S E	1
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	29.84	757.9	88	66	E	2	c	9 a.	29.94	760.5	79	78	N	2
Gutzlaff,	,,	29.84	757.9	82	...	N E	2	cm	,,	29.89	759.2	78	...	N N E	5
Sharp Peak,	,,	29.84	757.9	83	...	E	1	b	,,	29.93	759.9	81	...	...	0
Amoy,	,,	29.86	757.4	88	62	S S E	5	b	6 a.	29.95	760.7	79	82	S W	2
Swatow,	,,	29.82	757.4	83	83	E	2	b	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.84	757.9	...	...	N	6	...	5 a.	29.91	759.7	...	...	...	0
Taichu,	,,	29.85	758.2	...	...	N W	2	...	,,	29.91	759.6	...	...	...	0
Tainan,	,,	29.87	758.6	...	...	W	6	...	,,	29.90	759.4	...	...	E	2
Koshun	,,	...	...	...	...	...	...	...	,,	29.89	759.2	...	...	N W	2
Pescadores,	,,	29.86	758.5	..	...	S W	4	...	,,	29.83	759.0	...	...	N W	4
Canton,	3 p.	29.77	756.1	88	66	S S E	2	or	9 a.	29.94	760.5	82	83	E	1
Hongkong,	4 p.	29.78	756.4	81	82	E	3	o	10 a.	29.92	759.9	86	68	E	2
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	1
Gap Rock,	,,	29.75	755.6	...	...	E	5	...	,,	29.89	759.2	...	...	E	3
Macao,	,,	29.78	756.4	81	...	S E	5	cd	,,	29.91	759.7	84	...	E S E	1
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.53	750.1	77	...	N	9	o	8 a.	...	...	...	...	...	...
Tourane,	,,	29.60	751.8	84	...	S S W	2	dh	,,	...	...	...	...	...	...
Cape St. James,	,,	29.74	755.3	82	...	S W	5	c	,,	...	...	...	...	...	...
Aparri,	2 p.	29.80	756.8	88	...	N E	2	c	6 a.	29.86	758.5	75	...	E	2
Manila,	4 p.	29.80	757	86	71	W S W	3	o	10 a.	29.88	759	84	71	W N W	0
Legaspi,	2 p.	29.82	757.4	90	...	S W	2	c	6 a.	29.86	758.5	79	...	...	0
Bacolod,	3 p.	...	...	...	...	S W	2	c	9 a.	...	...	...	...	S W	1
Iloilo,	,,	29.81	757.2	83	...	S W	1	o	,,	29.87	758.7	82	...	S W	1
Cebu,	,,	29.82	757.4	89	...	S	1	o	,,	29.90	759.4	85	...	...	0
Labuan,	,,	29.78	756.4	89	...	...	...	...	,,	29.89	759.2	86	...	...	...

On the 21st at 12.15 p.—Last evening the typhoon was approaching the neighbourhood of Haiphong. Observations from thence are not in hand this morning.

The northern typhoon is moving northwards to the NW of the Loochoos.

A depression is shown also, over the NE part of the Sea of Japan.

Pressure has increased moderately over S. China, and given way considerably over Japan. It is highest the Pacific in the neighbourhood of the Bonins.

Light or moderate E. winds may be expected over the N, part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. or variable winds, light; fine.
2.—Formosa Channel,	variable and NE winds, moderate.
3.—South coast of China between Hongkong and Lamooks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	SE and E. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 21st September, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...N.	21st SEPTEMBER, 1911, P.M.								22nd SEPTEMBER, 1911, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...ock,...	2 p.	29.81	757.2	70	...	N N E	1	b	7 a.	29.36	758.3	55	70	N N E	2	b
.....	,,	29.73	755.1	...	...	N E	1	...	6 a.	29.57	751.1	...	...	...	0	...
.....	,,	29.73	755.2	...	...	N W	1	...	,,	29.73	755.2	...	...	W N W	2	...
.....	,,	29.81	757.1	...	...	S S W	2	...	,,	29.71	754.6	...	...	N N W	1	...
.....	,,	29.82	757.3	...	...	S S W	1	...	,,	29.50	749.2	...	...	W N W	4	...
.....	,,	29.68	753.8	...	...	E N E	4	...	,,	29.80	756.8	...	...	N	5	...
...a, ...	,,	29.60	751.9	...	...	S E	6	...	,,	29.86	755.4	...	...	N	1	...
.....	,,	29.69	754.1	...	...	S S W	3	...	,,	29.81	757.1	...	...	N	4	...
.....	,,	29.81	757.2	...	...	W	3	...	,,	29.85	758.2	...	...	N	3	...
...ima, ...	,,	29.87	758.8	...	...	N N W	4	...	,,	29.88	758.8	...	...	N	1	...
.....	,,	29.98	761.6	...	...	...	0	...	,,	29.93	760.1	...	...	...	0	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...ei,.....	,,	29.97	761.2	77	...	N N E	3	c	9 a.	30.04	763.0	79	82	W S W	2	c
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.92	759.9	82	63	N	3	c	9 a	30.06	763.5	75	88	N E	1	c
.....	,,	29.88	758.9	80	...	N	5	cv	,,	30.01	762.2	78	...	N N E	2	cv
...ak,.....	,,	29.88	758.9	83	...	...	0	b	,,	29.96	761.0	89	...	N N E	4	c
.....	,,	29.87	758.7	87	58	S S E	5	b	6 a.	29.95	760.7	83	...	E N E	2	b
.....	,,	29.86	758.4	83	73	E	1	b	,,	...	...	...	...	...	...	...
.....	1 p.	29.88	759.0	...	...	E	6	...	5 a.	29.91	759.6	...	...	...	0	...
.....	,,	29.87	758.7	...	...	N W	4	...	,,	29.89	759.1	...	...	...	0	...
.....	,,	29.90	759.5	...	...	W	6	...	,,	29.89	759.1	...	...	N W	2	...
.....	,,	29.88	759.0	...	...	E	4	...	,,	29.83	759.0	...	...	...	0	...
...es, ...	,,	29.89	759.3	..	...	N	6	...	,,	29.87	758.7	...	...	N	8	...
.....	3 p.	29.84	757.9	89	...	S	2	b	9 a.	...	...	...	...	...	...	...
...g, ...	4 p.	29.85	758.2	84	72	E	2	b	10 a.	29.92	759.9	82	73	E N E	2	c
Peak,...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	2	...
...k,.....	,,	29.84	757.9	...	...	E	2	...	,,	29.89	759.2	...	...	E	4	...
.....	,,	29.86	758.4	85	...	E S E	1	c	,,	29.92	760.0	85	...	E S E	1	c
.....	3 p.	29.86	758.4	90	63	E	1	c	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	...	...	...	...	...	...	...	8 a.	29.89	759.3	79	...	E	4	o
.....	,,	...	...	...	...	...	...	...	,,	29.83	757.7	81	...	S E	1	dh
James,.	,,	...	...	...	...	...	...	...	,,	29.83	757.6	77	...	S W	3	c
.....	2 p.	29.81	757.2	86	...	N E	2	o	6 a.	29.79	756.6	75	...	S E	2	p
.....	4 p.	29.80	757	82	85	S	0	o	10 a.	29.80	757	84	71	...	0	o
.....	2 p.	29.78	756.5	79	...	N W	2	c	6 a.	29.78	756.4	73	...	...	0	o
.....	3 p.	...	...	...	...	S W	2	c	9 a.	...	...	...	...	S W	2	o
.....	,,	29.75	755.6	84	...	S W	1	c	,,	29.83	757.7	81	...	S W	1	c
.....	,,	29.77	756.1	87	...	S	2	c	,,	29.84	757.9	82	...	S	1	c
.....	,,	29.77	756.1	91	...	...	...	...	,,	29.87	758.7	82	...	...	...	...

On the 22nd at 11.45 a.—The barometer has fallen moderately over the Philippines, a depression having appeared the Pacific to the East of Luzon. It is probably moving Westwards.

The typhoon lying off the coast of SW Japan yesterday, has moved towards NE and now occupies the Eastern of the Inland Sea.

The other depression has passed to the Pacific to the NE of Japan.

Pressure has increased moderately and is highest over N. China.

Moderate to fresh E. and NE winds may be expected over the N, part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...ngkong and Neighbourhood, ...	E. winds, moderate; fine.
...mosa Channel, ...	NE winds, fresh.
...th coast of China between Hongkong and Lamooks,.	Same as No. 1.
...th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 22nd September, 1911.

...nted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd September, 1911, P.M.								23rd September, 1911, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,...	2 p.	29.82	757.5	67	...	W S W	0	b	7 a.	29.99	761.8	55	90	...	0
Nemuro, ...	,,	29.63	752.6	...	...	N N W	5	...	6 a.	29.39	759.1	...	...	N N W	6
Hakodate, ...	,,	29.71	754.7	...	...	N	4	...	,,	30.01	762.2	...	...	N N E	1
Tokio, ...	,,	29.55	750.6	...	...	N	2	...	,,	30.01	762.1	...	...	N N W	1
Kochi, ...	,,	29.76	755.8	...	...	N W	1	...	,,	30.03	762.8	...	...	W	1
Nagasaki, ...	,,	29.89	759.3	...	...	N	5	...	,,	30.03	762.8	...	...	E N E	4
Kagoshima, ...	,,	29.82	757.3	...	...	N W	4	...	,,	29.98	761.4	...	...	N N E	1
Oshima, ...	,,	29.87	758.6	...	...	N	4	...	,,	29.93	760.1	...	...	S	1
Naha,.....	,,	29.87	758.7	...	...	N	4	...	,,	29.91	759.7	...	...	E	1
Ishigakijima,....	,,	29.87	758.3	...	...	N E	5	...	,,	29.89	759.3	...	...	N E	2
Bonin Is.....	,,	29.89	759.1	...	...	S S E	1	...	,,	29.91	759.6	...	...	S S W	1
Chefoo,.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,.....	,,	29.99	761.7	76	77	N N E	2	c	9 a.	29.93	761.5	73	81	S S W	6
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai, ...	,,	30.00	762.0	82	52	N E	1	b	9 a.	30.02	762.5	79	61	E S E	2
Gutzlaff, ...	,,	29.97	761.2	80	...	N N E	3	bv	,,	29.93	761.5	77	...	E S E	3
Sharp Peak,.....	,,	29.95	760.7	80	...	N N E	4	b	,,	29.93	761.5	78	...	N	2
Amoy,.....	,,	29.89	759.2	90	50	N E	5	b	6 a.	29.99	761.7	78	86	N N E	2
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...
Taihoku,.....	1 p.	29.92	759.9	...	...	N E	6	...	5 a	29.90	759.4	...	...	E	4
Taichu, ...	,,	29.83	757.8	...	...	N	2	...	,,	29.87	758.7	...	...	...	0
Tainan,.....	,,	29.87	758.7	...	...	W	6	...	,,	29.87	758.7	...	...	S E	2
Koshun.....	,,	29.86	758.4	...	...	E	8	...	,,	29.86	758.4	...	...	N E	8
Pescadores, ...	,,	29.87	758.8	..	...	N E	8	...	,,	29.85	758.2	...	...	N E	6
Canton,.....	3 p.	29.84	757.9	91	...	W	2	b	9 a.	...	..	...	...	...	...
Hongkong, ...	4 p.	29.86	758.4	83	71	E	1	b	10 a.	29.93	760.2	82	69	E	3
Victoria Peak,...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E S E	4
Gap Rock,.....	,,	29.83	757.7	...	...	E	4	...	,,	29.83	758.9	...	...	E N E	5
Macao, ...	,,	29.86	758.4	84	...	E S E	2	c	,,	29.92	759.9	82	...	E S E	1
Wuchow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.83	757.8	81	...	E	5	c	8 a.	29.92	760.0	79	...	E N E	3
Tourane, ...	,,	29.77	756.1	81	...	E	3	cr	,,	29.85	758.2	73	...	W S W	2
Cape St. James,.	,,	...	...	...	...	...	...	...	,,	29.84	757.9	75	...	N W	1
Aparri,.....	2 p.	29.78	756.3	86	...	N E	2	b	6 a.	29.82	757.3	75	...	S W	2
Manila, ...	4 p.	29.72	756	86	79	W S W	0	c	10 a.	29.84	758	86	71	...	0
Legaspi,.....	2 p.	29.74	755.5	91	...	N E	2	c	6 a.	29.82	757.5	73	...	...	0
Bacolod,.....	3 p.	...	...	...	...	S W	1	c	9 a.	...	...	...	...	S W	1
Iloilo,.....	,,	29.74	755.4	82	...	S W	1	c	,,	29.85	758.2	81	...	S W	1
Cebu,.....	,,	29.76	755.9	82	...	...	0	od	,,	29.91	759.7	84	...	...	0
Labuan, ...	,,	29.73	756.4	88	...	...	...	...	,,	29.86	758.4	83	...	...	...

On the 23rd at 11.30 a.—The depression noted yesterday as lying to the Eastward of Luzon, is no longer tra-

Pressure however, is still relatively low over the middle part of the China Sea and the Pacific to the Eastw of the Philippines.

The typhoon lying over S. Japan yesterday, has moved away over the Pacific, and pressure has increased qui over the whole of Japan.

The barometer has fallen in N. China owing to the approach of a depression from the Westward.

The highest pressure is now shown over the Sea of Japan.

Fresh E. and NE winds may be expected over the N, part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, fresh; fine.
2.—Formosa Channel, ...	NE winds, fresh to moderate.
3.—South coast of China between Hongkong and Lamooks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 23rd September, 1911.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

	23RD SEPTEMBER, 1911, P.M.								24TH SEPTEMBER, 1911, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ok,...	2 p.	29.98	761.4	64	...	S	2	o	7 a.	29.92	759.9	66	82	...	0	b
.....	,,	30.02	762.6	...	...	N W	4	...	6 a.	30.20	767.1	...	...	...	0	...
.....	,,	30.09	764.2	...	...	S E	2	...	,,	30.19	766.7	...	...	N	1	...
.....	,,	30.06	763.6	...	...	E	1	...	,,	30.24	768.1	...	...	W S W	1	...
.....	,,	30.01	762.3	...	...	S S W	1	...	,,	30.11	765.8	...	...	S S W	1	...
.....	,,	30.01	762.3	...	...	E S E	2	...	,,	30.07	763.8	...	...	S E	3	...
.....	,,	30.02	762.4	...	...	E N E	1	...	,,	30.10	764.4	...	...	N E	1	...
.....	,,	29.93	760.1	...	...	N E	1	...	,,	29.99	761.6	...	...	S S W	1	...
.....	,,	29.91	759.7	...	...	E	2	...	,,	29.95	760.7	...	...	...	0	...
ma,....	,,	29.91	759.8	...	...	E N E	4	...	,,	...	...	...	...	N N E	1	...
.....	,,	...	...	...	...	...	...	...	,,	30.01	762.1	...	...	...	0	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	29.96	761.0	73	76	S W	5	cr	9 a.	29.99	761.7	70	90	S S W	4	cr
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	29.87	758.7	89	59	...	0	b	,,	...	...	...	...	...	...	...
.....	,,	29.95	760.7	82	52	S E	2	c	9 a	29.97	761.2	80	70	S E	2	c
.....	,,	29.93	760.2	79	...	S E	3	cv	,,	29.95	760.7	78	...	S S E	3	cv
k,.....	,,	29.93	760.2	80	...	E	2	c	,,	29.98	761.5	79	...	N	1	c
.....	,,	29.90	759.4	88	52	N E	2	b	6 a.	30.00	762.0	79	70	E N E	2	c
.....	,,	29.88	758.9	84	75	E	1	b	,,	29.89	759.2	...	...	N E	1	b
.....	1 p.	29.91	759.8	...	...	E	6	...	5 a.	29.91	759.8	...	...	E	4	...
.....	,,	29.86	758.4	...	...	N	2	...	,,	29.90	759.5	...	...	...	0	...
.....	,,	29.88	758.9	...	...	W	4	...	,,	29.91	759.6	...	...	E	2	...
.....	,,	29.88	758.9	...	...	E	6	...	,,	29.91	759.8	...	...	N W	4	...
s, ...	,,	29.87	758.8	...	...	N E	6	...	,,	29.90	759.5	...	...	N	6	...
.....	3 p.	29.86	758.4	84	75	E	1	b	9 a.	29.95	760.7	83	75	S E	1	c
, ...	4 p.	29.87	758.7	82	71	E S E	3	b	10 a.	29.95	760.7	82	74	E	3	c
eak,...	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	3	...
.....	,,	29.84	757.9	...	...	E	4	...	,,	29.90	759.4	...	...	E	5	...
.....	,,	29.87	758.7	82	...	E S E	3	c	,,	29.94	760.5	81	...	E S E	2	c
.....	3 p.	29.88	758.9	79	...	E	1	c	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.85	758.1	84	...	E S E	3	c	8 a.	29.93	760.2	81	...	E N E	3	b
.....	,,	29.78	756.4	75	...	N W	5	lt	,,	29.85	758.2	77	..	N N W	2	f
ames,.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	2 p.	29.80	756.9	90	...	N E	2	b	6 a.	29.86	758.5	75	...	S	2	b
.....	4 p.	...	...	...	...	...	...	...	10 a.	29.88	759	86	71	W	1	b
.....	2 p.	29.77	756.2	91	...	E	2	b	6 a.	29.85	758.1	73	...	...	0	b
.....	3 p.	...	...	...	...	S W	2	c	9 a.	...	...	...	...	S W	1	c
.....	,,	29.77	756.1	82	...	N E	1	...	,,	29.83	757.7	81	...	S W	1	c
.....	,,	29.78	756.4	86	...	S	1	b	,,	29.39	759.2	85	...	...	0	c
.....	,,	29.77	756.1	86	...	...	...	...	,,	29.83	758.9	82	...	...	...	...

the 24th at 12.05 p.—The barometer has fallen slightly on the E. coast of China and in Wladiwostok, and nsiderably over Japan.

eas of low pressure are lying over Manchuria, and China to the North of the Yangtze valley, and a high pre- ea covers Japan.

ssure appears to be slightly low over the middle part of the China Sea. At present it is normal along the ding coasts.

sh NE and E. winds may be expected over the N, part of the China Sea.

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
kong and Neighbourhood, ...	E. winds, fresh; fair.
osa Channel, ...	NE and E. winds, moderate.
coast of China between Hongkong and Lamooks,.	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ongkong Observatory, Sunday, 24th September, 1911.

ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	24th September, 1911, P.M.								25th September, 1911, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.92	759.9	74	...	S S E	2	b	7 a.	30.08	764.1	65	89	S S E	0
Nemuro,	,,	30.10	764.6	...	...	S	5	...	6 a.	30.14	765.6	...	...	W S W	2
Hakodate,	,,	30.11	764.7	...	...	S W	1	...	,,	30.19	766.7	...	...	N N W	1
Tokio,	,,	30.18	766.6	...	...	S	1	...	,,	30.26	768.6	...	...	N W	1
Kochi,	,,	30.11	764.8	...	...	S W	1	...	,,	30.05	763.3	...	...	S W	1
Nagasaki,	,,	30.05	763.3	...	...	S E	1	...	,,	30.09	764.3	...	...	N E	1
Kagoshima,	,,	30.04	762.9	...	...	E N E	1	...	,,	30.10	764.4	...	...	N E	2
Oshima,	,,	29.98	761.6	...	...	E	1	...	,,	29.99	761.6	...	...	S	1
Naha,	,,	29.95	760.7	...	...	E	3	...	,,	29.97	761.2	...	...	E	1
Ishigakijima,	,,	29.93	760.3	...	...	E N E	3	...	,,	29.93	760.3	...	...	N E	1
Bonin Is.	,,	30.00	762.1	...	...	E	1	...	,,	30.08	764.1	...	...	...	0
Chefoo,	3 p.	...	...	...	...	..	...	...	6 a.	...	...	...	..	...	...
Weihaiwei,	,,	29.98	761.5	72	90	S S E	4	c	9 a.	30.04	763.0	68	100	E S E	6
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kinkiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	29.92	759.9	82	60	S S E	2	b	9 a.	30.02	762.5	82	67	S S E	2
Gutzlaff,	,,	29.92	759.9	80	...	S E	3	cv	,,	30.00	762.0	81	...	S S E	2
Sharp Peak,	,,	29.94	760.5	80	...	E N E	2	b	,,	30.00	762.0	77	...	N E	1
Amoy,	,,	29.93	760.2	87	65	S E	5	b	6 a.	30.00	762.0	73	65	N E	1
Swatow,	,,	29.86	758.4	84	63	S E	2	b	,,	30.00	762.0	79	73	E	1
Taihoku,	1 p.	29.91	759.8	...	...	N E	6	...	5 a.	29.93	760.2	...	...	E	4
Taichu,	,,	29.89	759.3	...	...	N W	2	...	,,	29.92	759.9	...	...	...	0
Tainan,	,,	29.92	759.9	...	...	N W	6	...	,,	29.93	760.1	...	...	E	2
Koshun	,,	29.91	759.6	...	...	E	6	...	,,	29.92	759.9	...	...	N	6
Pescadores,	,,	29.92	760.0	..	...	N	8	...	,,	29.93	760.1	...	...	N E	6
Canton,	3 p.	29.88	758.9	90	63	S	2	b	9 a.	29.98	761.5	83	75	S E	1
Hongkong,	4 p.	29.89	759.2	82	75	E	3	c	10 a.	29.99	761.7	83	75	E	3
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	2
Gap Rock,	,,	29.85	758.2	...	...	E	4	...	,,	29.94	760.5	...	...	E	4
Macao,	,,	29.89	759.2	82	...	E S E	3	c	,,	29.97	761.2	82	...	E S E	2
Wuchow,	3 p.	29.86	758.4	90	53	E	1	c	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.88	758.9	87	65	E S E	2	c	,,	...	...	...	...	...	...
Phulien,	4 p.	29.85	758.1	84	...	E N E	4	c	8 a.	29.96	760.9	81	...	E N E	4
Tourane,	,,	29.78	756.3	79	...	N W	3	c	,,	29.88	759.0	77	...	E	7
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Aparri,	2 p.	29.84	757.6	88	...	N E	2	b	6 a.	29.86	758.5	75	...	S	0
Manila,	4 p.	29.80	757	86	71	...	0	c	10 a.	29.88	759	84	77	W	1
Legaspi,	2 p.	29.81	757.2	81	...	W	2	c	6 a.	29.82	757.5	73	...	...	0
Bacolod,	3 p.	...	...	...	...	S W	2	c	9 a.	...	...	...	...	S W	1
Iloilo,	,,	29.77	756.1	83	...	S W	1	c	,,	29.83	757.7	82	...	S W	1
Cebu,	,,	29.80	756.9	85	...	...	0	...	,,	29.85	758.2	83	...	S	1
Labuan,	,,	29.78	756.4	89	...	...	...	...	,,	29.89	759.2	84	...	...	...

On the 25th at 11.30 a.—The barometer has risen moderately in Wladiwostok the depression lying over N. churia yesterday, having moved away Northeastwards.

Pressure has increased slightly over China, and given way a little in the Philippines. It is still relatively over the middle part of the China Sea and Pacific to the Eastward of the Southern Philippines.

The high pressure area remains over Japan.

Moderate to fresh NE and E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 25th September, 1911.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

	25TH SEPTEMBER, 1911, P.M.								26TH SEPTEMBER, 1911, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
.....	2 p.	30.04	762.9	69	...	S E	2	b	7 a.	30.01	762.2	64	95	S S E	1	o
.....	"	30.12	765.1	...	...	S	1	...	6 a.	...	...	...	...	...	...	...
.....	"	30.17	766.2	...	...	W S W	1	...	"	...	...	...	...	...	...	...
.....	"	30.24	768.1	...	...	N N W	2	...	"	...	...	...	...	...	...	...
.....	"	30.09	764.3	...	...	...	0	...	"	...	...	...	...	...	...	...
.....	"	30.05	763.3	...	...	W S W	2	...	"	...	...	...	...	...	...	...
.....	"	30.06	763.4	...	...	S E	1	...	"	...	...	...	...	...	...	...
.....	"	30.00	762.1	...	...	S S E	1	...	"	...	...	...	...	...	...	...
.....	"	29.97	761.2	...	...	E	...	...	"	...	...	...	...	...	...	...
.....	"	29.93	760.3	...	...	S E	2	...	"	...	...	...	...	...	...	...
.....	"	30.06	763.6	...	...	E	1	...	"	...	...	...	...	...	...	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	"	29.97	761.2	73	100	S E	3	o	9 a.	29.95	760.7	71	100	S S W	6	or
.....	"	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
.....	"	29.96	761.0	87	58	S S E	2	b	9 a.	30.00	762.6	81	74	S S E	2	c
.....	"	29.96	761.0	81	...	S E	3	bm	"	29.99	761.7	79	...	S E	3	bm
.....	"	29.95	760.7	79	...	N E	1	c	"	29.96	761.0	79	...	N N E	1	c
.....	"	29.98	761.5	89	63	S E	5	b	6 a.	29.97	761.2	83	67	N E	1	b
.....	"	29.96	761.0	84	72	E	1	b	"	29.81	759.7	77	91	N E	1	b
.....	1 p.	29.91	759.6	...	...	E	6	...	5 a.	29.90	759.5	...	...	E	4	...
.....	"	29.90	759.4	...	...	W	2	...	"	29.92	759.9	...	...	..	0	...
.....	"	29.92	760.0	...	...	N W	6	...	"	29.83	758.9	...	...	S E	2	...
.....	"	29.91	759.8	...	...	N E	6	...	"	29.87	758.7	...	...	N E	8	...
.....	"	29.93	760.1	..	...	N E	8	...	"	29.86	758.3	...	...	N	6	...
.....	3 p.	29.88	758.9	90	60	S	2	b	9 a.	...	...	...	...	..	...	...
.....	4 p.	29.90	759.4	82	74	E	2	c	10 a.	29.95	760.7	84	65	E	2	c
eak,...	"	...	...	...	...	E S E	1	...	"	...	...	...	...	E	1	...
.....	"	29.87	758.7	...	...	E	4	...	"	29.92	759.9	...	...	E	3	...
.....	"	29.90	759.6	81	...	E	3	c	"	29.94	760.5	86	...	E	1	o
.....	3 p.	29.87	758.7	91	60	E	2	c	9 a.	...	...	...	...	..	...	...
.....	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
.....	"	29.92	759.9	85	72	S W	2	o	"	...	...	...	...	...	...	...
.....	4 p.	29.87	758.7	86	...	N N E	1	c	8 a.	29.97	761.2	77	...	N W	2	c
.....	"	29.79	756.7	79	...	E	3	f	"	29.88	758.9	75	..	E	4	lt
ames,.	"	29.82	757.5	77	...	N E	1	o	"	29.90	759.5	77	...	N E	1	c
.....	2 p.	29.82	757.5	86	...	N E	2	b	6 a.	29.75	755.6	81	...	N	4	p
.....	4 p.	29.76	756	90	60	S W	0	o	10 a.	29.76	756	84	77	...	0	o
.....	2 p.	29.73	755.1	91	...	N	2	c	6 a.	29.67	753.7	77	...	W	2	o
.....	3 p.	...	...	...	...	S W	2	b	9 a.	...	...	...	...	S W	2	c
.....	"	29.74	755.4	84	...	S W	1	c	"	29.78	756.4	82	...	S W	1	c
.....	"	29.81	757.2	86	...	S	1	c	"	29.79	756.6	86	...	S	2	c
.....	"	29.80	756.9	89	...	...	...	...	"	29.89	759.2	85	...	...	...	...

n the 26th at 12.05 p.—The barometer has fallen moderately in the Philippines and also over N. China.

he fall over the former area is due to a typhoon which, at present, is situated to the East of Luzon. It is towards WNW or NW.

depression is shown also, over N. China.

e returns from Japan are lacking, but probably pressure remains high over that area.

he wind will freshen considerably from N. and NE over the NE part of the China Sea during the next 24 hours.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	NE winds, moderate; fine.
mosa Channel, ...	NE winds, freshening considerably
th coast of China between Hongkong and Lamocks,.	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 26th September, 1911.

inted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th September, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	27th September, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.97	761.3	67	...	S S E	2	o	7 a.	29.83	758.8	65	94	S S E	0
Nemuro,	,,	30.08	764.1	...	...	S W	4	...	6 a.	30.12	765.1	...	...	S	3
Hakodate,	,,	30.07	763.7	...	...	S S E	1	...	,,	30.03	762.7	...	...	...	0
Tokio,	,,	30.10	764.6	...	...	N N W	1	...	,,	30.06	763.5	...	...	N W	1
Kochi,	,,	30.03	762.8	...	...	S E	2	...	,,	30.07	763.8	...	...	S W	1
Nagasaki,	,,	30.03	762.8	...	...	W S W	2	...	,,	30.05	763.3	...	...	S E	3
Kagoshima,	,,	30.04	762.9	...	...	S S E	1	...	,,	30.03	763.9	...	...	...	0
Oshima,	,,	30.00	762.1	...	...	S	2	...	,,	30.02	762.6	...	...	...	0
Naha,	,,	29.95	760.7	...	...	E	3	...	,,	...	...	...	...	E S E	2
Ishigakijima,	,,	29.87	758.8	...	...	E N E	5	...	,,	29.86	758.3	...	...	E	6
Bonin Is.	,,	30.00	762.1	...	...	E	3	...	,,	30.06	763.6	...	...	N E	1
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.89	759.2	73	95	S S W	2	o	9 a.	29.92	759.9	71	95	N	5
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	29.91	759.7	84	64	S E	2	c	9 a.	29.97	761.2	83	67	S	1
Gutzlaff,	,,	29.97	761.2	83	...	S E	3	bv	,,	29.96	761.0	81	...	S	2
Sharp Peak,	,,	29.91	759.7	81	...	N N E	4	b	,,	29.90	759.4	81	...	N N E	4
Amoy,	,,	29.87	758.7	90	53	N E	2	b	6 a	29.85	758.2	31	62	N E	2
Swatow,	,,	29.84	757.9	88	59	S E	1	b	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.82	757.4	...	...	E	8	...	5 a	29.84	758.0	...	...	E	6
Taichu,	,,	29.82	757.4	...	...	W	2	...	,,	29.73	756.5	...	...	...	0
Tainan,	,,	29.84	757.9	...	...	W	4	...	,,	29.76	756.0	...	...	...	0
Koshun	,,	29.83	757.7	...	...	N E	8	...	,,	29.77	756.1	...	...	N E	6
Pescadores,	,,	29.83	757.7	..	...	N	6	...	,,	29.76	755.9	...	...	...	0
Canton,	3 p.	29.84	757.9	88	62	W	1	b	9 a.	...	...	...	...	..	...
Hongkong,	4 p.	29.86	758.4	83	63	E	2	b	10 a.	29.85	758.2	83	74	W	1
Victoria Peak,	,,	...	...	...	...	...	0	...	,,	...	...	...	...	W N W	1
Gap Rock,	,,	29.83	757.7	..	...	E	3	...	,,	29.83	757.7	...	...	N N W	2
Macao,	,,	29.85	758.3	85	...	S E	1	c	,,	29.86	758.4	85	...	S W	1
Wuchow,	3 p.	29.87	758.7	90	...	W	1	c	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.88	759.0	86	...	N	3	c	8 a.	29.94	760.4	81	...	N W	2
Tourane,	,,	29.81	757.1	77	...	E	3	f	,,	29.90	759.5	79	...	S W	2
Cape St. James,	,,	29.81	757.1	82	...	W S W	1	b	,,	29.93	760.2	77	...	W	1
Aparri,	2 p.	29.65	753.2	84	...	N	4	o	6 a.	...	...	...	...	...	...
Manila,	4 p.	29.61	752	86	79	W S W	3	o	10 a.	29.57	751	84	77	W	6
Legaspi,	2 p.	29.60	751.8	86	...	S W	4	o	6 a.	29.60	751.9	81	...	S W	4
Bacolod,	3 p.	...	...	...	...	W	2	or	9 a.	...	...	...	...	W	3
Iloilo,	,,	29.70	754.4	82	...	W	2	o	,,	29.76	755.9	83	...	W	3
Cebu,	,,	29.73	756.4	88	...	S	2	o	,,	29.84	757.9	86	...	S	3
Labuan,	,,	29.78	756.4	88	...	...	...	...	,,	29.91	759.7	78	...	...	...

On the 27th at 11.40 a.—The typhoon, which is crossing Northern Luzon in about 17° to 18° Latitude, is m on a course between WNW and NW.

The barometer is falling steadily over S. Formosa and the S. and SE coasts of China.

The northern depression is moving Eastwards over E. Manchuria.

The high pressure area has shifted Eastwards and lies now over the Pacific to the East of Japan.

Rough weather may be expected over the N. part of the China Sea during the next two or three days.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, freshening; fair.
2.—Formosa Channel,	NE gale.
3.—South coast of China between Hongkong and Lamooks,	N. to NE winds, freshening.
4.—South coast of China between Hongkong and Hainan,	N. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 27th September, 1911.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

27TH SEPTEMBER, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	29.79	756.7	68	...	S W	1	o
,,	29.91	759.6	...	...	S	3	...
,,	29.87	758.7	...	...	S S E	1	...
,,	29.94	760.6	...	...	S	2	...
,,	29.97	761.3	...	...	E S E	1	...
,,	30.01	762.3	...	...	W S W	1	...
,,	30.02	762.4	...	...	S	1	...
,,	29.96	761.1	...	...	S	2	...
,,	29.95	760.7	...	...	E S E	3	...
,,	29.85	758.3	...	...	E N E	6	...
,,	29.93	760.1	...	...	N E	1	...
3 p.	...	...	...	...	...	...	...
,,	29.94	760.5	74	86	N	3	b
,,	...	...	...	...	...	...	...
,,	29.85	758.2	92	54	N E	2	b
,,	29.89	759.2	86	59	S S E	2	c
,,	29.88	758.9	83	...	S S E	2	b
,,	29.85	758.2	81	...	N	4	c
,,	29.75	755.6	90	50	N E	2	c
,,	29.74	755.4	90	66	S W	1	c
1 p.	29.80	756.8	...	...	E	8	...
,,	29.70	754.4	...	...	S W	2	...
,,	29.72	755.0	...	...	N	4	...
,,	...	...	...	...	...	...	...
,,	29.72	754.9	...	...	N	8	...
3 p.	29.73	755.1	82	48	N E	2	b
4 p.	29.73	755.1	86	72	S E	1	c
,,	...	...	...	...	...	0	...
,,	29.72	754.9	...	...	W	3	...
,,	29.73	755.1	87	...	S E	1	c
3 p.	29.79	756.6	80	...	W	1	c
,,	...	...	...	...	...	...	...
,,	29.85	758.2	88	66	W	2	b
4 p.	29.80	757.0	90	...	W	2	b
,,	29.79	756.7	81	...	N W	2	c
,,	...	...	...	...	...	...	...
2 p.	...	...	...	...	...	...	...
4 p.	29.49	749	82	85	W S W	7	q
2 p.	29.69	751.7	73	...	S W	4	o
3 p.	...	...	...	...	W	3	c
,,	29.70	754.4	83	...	W	3	o
,,	29.70	754.4	86	...	S	4	c
,,	29.79	756.6	87	...	...	...	...

28TH SEPTEMBER, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.14	765.4	49	73	N N E	1	b
6 a.	29.61	752.1	...	...	N N W	5	...
,,	29.83	757.7	...	...	W N W	4	...
,,	29.91	759.6	...	...	N N W	2	...
,,	29.95	761.3	...	...	..	0	...
,,	29.97	761.3	...	...	W S W	1	...
,,	30.00	761.9	...	...	...	0	...
,,	29.97	761.1	...	...	S	1	...
,,	29.93	760.2	...	...	S E	1	...
,,	29.86	758.3	...	...	E	5	...
,,	29.85	758.1	...	...	N E	1	...
6 a.	...	...	...	...	...	...	...
9 a.	30.00	762.0	75	77	N E	3	c
6 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
9 a.	29.94	760.5	83	71	S S E	2	o
,,	29.93	760.2	80	...	S S E	2	cm
,,	29.81	757.2	81	...	N N E	3	c
6 a.	29.70	754.4	83	63	N E	6	o
,,	29.70	754.4	81	71	...	0	c
5 a.	29.74	755.3	...	...	E	8	...
,,	29.60	751.9	...	...	..	0	...
,,	29.62	752.4	...	...	S E	2	...
,,	...	...	...	...	...	...	...
,,	29.60	751.9	...	...	N	6	...
9 a.	29.74	755.4	84	64	N N E	2	b
10 a.	29.72	754.9	86	55	N	2	o
,,	...	...	...	...	N N E	2	...
,,	29.69	754.1	...	...	N	3	...
,,	29.74	755.4	87	...	N N W	1	c
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.84	757.8	82	...	N W	2	b
,,	29.82	757.5	79	..	W N W	2	c
,,	29.91	759.7	77	...	W S W	2	c
6 a.	...	...	...	...	...	...	...
10 a.	29.69	754	79	92	S W	4	q
6 a.	29.73	755.0	79	...	S W	2	o
9 a.	...	...	...	...	W	2	or
,,	29.83	757.7	78	...	W	3	or
,,	29.85	758.2	86	...	S	3	c
,,	29.90	759.4	80	...	...	...	...

he 28th at 10 a.—Red South Cone and Drum hoisted.

1.45 a.—The typhoon is situated about 100 miles to the SSE of Pratas shoal. It continues to move towards The barometer is falling steadily over the northern and Western shores of the China Sea, while in has risen y over the Philippines.

typhoon is expected to pass to the South of Hongkong tomorrow, and the wind will probably rise to a gale S. coast of China within the next 24 hours.

depression lying over E. Manchuria yesterday, is moving into the Pacific to the East of Hokkaido. High now covers the former area.

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
kong and Neighbourhood, ...	N. winds, probably freshening to a gale; fine at first, [squally with rain later.
sa Channel, ...	NE gale.
coast of China between Hongkong and Lamooks, .	Same as No. 2.
coast of China between Hongkong and Hainan,...	N. winds, freshening considerably.

F. G. FIGG,
Director.

ongkong Observatory, Thursday, 28th September, 1911.

ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	28th September, 1911, P.M.								29th September, 1911, A						
	Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	
Wladivostock,	2 p.	30.07	763.8	60	...	N W	0	b	7 a.	29.92	760.0	61	77	S S E	
Nemuro,	,,	29.85	758.1	...	...	N W	5	...	6 a.	30.12	765.1	...	...	...	
Hakodate,	,,	28.95	760.7	...	...	N	2	...	,,	30.15	765.7	...	...	...	
Tokio,	,,	29.93	760.1	...	...	N N E	1	...	,,	30.06	763.6	...	...	N	
Kochi,	,,	29.93	760.3	...	...	N N E	2	...	,,	29.95	760.8	...	...	S W	
Nagasaki,	,,	29.93	760.3	...	...	W S W	1	...	,,	29.91	759.8	...	...	S S E	
Kagoshima,	,,	29.94	760.4	...	...	N W	1	...	,,	29.94	760.4	...	...	...	
Oshima,	,,	29.94	760.6	...	...	S E	1	...	,,	29.95	760.6	...	...	...	
Naha,	,,	29.93	760.2	...	...	E	3	...	,,	29.91	759.7	...	...	S E	
Isbigakijima,	,,	29.82	757.3	...	...	E	6	...	,,	29.82	757.3	...	...	E S E	
Bonin Is.	,,	..	...	...	...	N	3	...	,,	29.63	752.6	...	...	N	
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Weihaiwei,	,,	29.92	759.9	75	86	E	4	b	9 a.	29.84	757.9	75	83	S E	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	
Shanghai,	,,	29.88	758.9	86	65	S E	2	o	9 a.	29.87	758.7	85	72	S S E	
Gutzlaff,	,,	29.88	758.9	83	...	S E	3	cv	,,	29.87	758.7	81	...	S S E	
Sharp Peak,	,,	29.75	755.6	82	...	N N E	5	c	,,	29.75	755.6	81	...	N N E	
Amoy,	,,	29.63	752.6	69	50	N E	5	b	6 a.	29.66	753.3	32	75	N E	
Swatow,	,,	29.61	752.1	85	64	N	1	o	,,	..	..	...	...	...	
Taihoku,	1 p.	29.71	754.7	...	...	E	8	...	5 a.	29.69	754.1	...	...	E	
Taichu,	,,	29.57	751.2	...	...	S W	2	...	,,	29.63	752.6	...	...	N E	
Tainan,	,,	29.61	752.1	...	...	S E	2	...	,,	29.61	752.0	...	...	N E	
Koshun	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Pescadores,	,,	29.57	751.1	.	...	N W	4	...	,,	29.59	751.6	...	...	W	
Canton,	3 p.	29.65	753.1	90	96	N E	2	o	9 a	29.66	753.3	86	61	E N E	
Hongkong,	4 p.	29.62	752.3	86	53	N	1	o	10 a.	29.61	752.1	90	47	N	
Victoria Peak,	,,	...	...	...	...	N N W	5	...	,,	...	...	...	...	N	
Gap Rock,	,,	29.58	751.3	..	...	N N W	5	...	,,	29.54	750.3	...	...	N N W	
Macao,	,,	29.62	752.3	85	...	N N W	2	o	,,	29.62	752.3	88	...	N N W	
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Pakhoi,	,,	29.68	763.9	90	66	W N W	2	b	,,	...	...	...	...	...	
Phulien,	4 p.	29.69	764.1	91	...	W N W	3	b	8 a.	29.75	755.6	82	...	N W	
Tourane,	,,	29.73	765.2	81	...	N W	3	f	,,	29.75	755.6	82	..	S W	
Cape St. James,	,,	29.81	757.2	84	...	S W	2	c	,,	29.83	758.9	77	...	W S W	
Aparri,	2 p.	...	...	...	...	..	...	...	6 a.	...	...	...	...	..	
Manila,	4 p.	29.65	753	79	77	S S W	4	p	10 a.	29.80	757	79	84	S S E	
Legaspi,	2 p.	29.72	754.8	82	...	S	2	o	6 a.	29.81	757.2	77	...	S W	
Bacolod,	3 p.	...	...	..	...	W	2	or	9 a.	...	...	...	...	W	
Iloilo,	,,	29.74	755.4	83	...	W	2	op	,,	29.37	758.7	80	...	W	
Cebu,	,,	29.77	756.1	88	...	S	2	o	,,	29.89	759.2	85	...	S	
Labuan,	,,	29.78	756.4	87	...	...	...	...	,,	29.92	759.9	85	...	...	

On the 28th at 4 p.—Black South Cone and Drum hoisted.

On the 29th at 11.30 a.—The typhoon, which is now situated about 200 miles to the SE of Hongkong, conti to move towards WNW. The barometer is falling over the S. coast of China and Tongking and rising over Philippines.

Cyclonic gales may be expected along the S. coast of China.

A depression has appeared over N. China, and a typhoon is shown over the Pacific to the Southward of the Bo

The high pressure area has shifted Eastwards and lies now over NE Japan.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.

1.—Hongkong and Neighbourhood,	N. to E. gale; rainsqualls.
2.—Formosa Channel,	NE winds, strong.
3.—South coast of China between Hongkong and Lamocks,	NE to E. gale.
4.—South coast of China between Hongkong and Hainan,	N. gale.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 29th September, 1911.

(Printed by Noronha & Co., Government Printers.)

HINA COAST METEOROLOGICAL REGISTER.

	29TH SEPTEMBER, 1911, P.M.								30TH SEPTEMBER, 1911, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
k,...	2 p.	29.85	758.1	64	...	S S E	2	o	7 a.	29.68	753.9	52	96	N N E	5	or
.....	,,	30.06	763.6	...	...	S E	2	...	6 a.	30.01	762.1	...	...	S	1	...
.....	,,	30.05	763.2	...	...	S	1	...	,,	29.83	757.7	...	...	E	5	...
.....	,,	29.98	761.6	...	...	N N E	1	...	,,	29.91	759.6	...	...	N W	1	...
.....	,,	29.93	760.3	...	...	...	0	...	,,	29.86	758.3	...	...	...	0	...
.....	,,	29.87	758.8	...	...	W S W	1	...	,,	29.86	758.3	...	...	W S W	1	...
.....	,,	29.92	759.9	...	...	S S E	1	...	,,	29.86	758.4	...	...	...	0	...
.....	,,	29.91	759.6	...	...	N N E	1	...	,,	29.93	760.1	...	...	S	1	...
.....	,,	29.89	759.2	...	...	E S E	2	...	,,	29.89	759.2	...	...	...	0	...
.....	,,	29.82	757.3	...	...	S E	6	...	,,	29.80	756.8	...	...	S E	6	...
.....	,,	29.69	754.1	...	...	W N W	2	...	,,	29.59	751.6	...	...	W	1	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	29.77	756.1	72	90	N N W	1	o	9 a.	29.98	761.5	67	55	N	7	b
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	29.76	755.9	92	57	N W	1	b	,,	...	...	...	...	...	...	...
.....	,,	29.77	756.1	86	65	S S E	2	c	9 a.	29.88	758.9	79	78	N E	2	om
.....	,,	29.78	756.4	82	...	S S E	4	cv	,,	29.84	757.9	75	...	N N E	3	omd
.....	,,	29.66	753.3	81	...	N N E	5	or	,,	29.69	754.1	81	...	N E	4	c
.....	,,	29.61	752.1	88	66	S E	4	o	6 a.	29.67	753.6	81	78	E	1	o
.....	,,	29.56	750.8	87	65	E	2	o	,,	29.61	752.1	79	78	N E	2	c
.....	1 p.	29.69	754.0	...	...	E	10	...	5 a.	29.65	753.2	...	...	S E	6	...
.....	,,	29.63	752.5	...	...	...	0	...	,,	29.65	753.3	...	...	...	0	...
.....	,,	29.68	753.9	...	...	S E	2	...	,,	29.60	751.9	...	...	E	6	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.65	753.0	..	...	W	4	...	,,	29.63	752.6	...	...	E	6	...
.....	3 p.	29.56	750.8	93	96	E N E	3	b	9 a.	29.64	752.8	82	75	N N W	2	b
.....	4 p.	29.52	749.8	85	62	E	4	cq	10 a.	29.60	751.8	85	61	N	2	o
-k,...	,,	...	...	...	...	E N E	3	...	,,	...	...	...	...	N N W	4	...
.....	,,	29.49	749.0	...	...	N	4	...	,,	29.57	751.1	...	...	N N W	7	...
.....	,,	29.54	750.3	87	...	N E	1	c	,,	29.61	752.1	82	...	N W	1	c
.....	3 p.	29.61	752.1	94	40	N	3	b	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.65	753.1	91	67	N N W	2	c	,,	...	...	...	...	...	...	...
.....	4 p.	29.63	752.5	93	...	W	3	b	8 a.	...	..	...	...	...	...	...
.....	,,	29.65	753.1	82	...	W N W	2	c	,,	...	...	...	...	...	...	..
nes,.	,,	29.78	756.3	82	...	S W	3	c	,,	...	...	...	...	...	...	...
.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	S	2	o
.....	4 p.	29.76	756	75	92	S	1	o	10 a.	29.80	757	82	77	S W	2	o
.....	2 p.	29.78	756.4	78	...	S W	2	c	6 a.	29.85	758.1	75	...	W	1	o
.....	3 p.	...	...	...	...	W	1	o	9 a.	...	...	...	...	W	1	o
.....	,,	29.77	756.1	83	...	W	1	o	,,	29.89	759.2	82	...	...	0	b
.....	,,	29.81	757.2	89	...	S	2	o	,,	29.91	759.7	86	...	...	...	...
.....	,,	29.79	756.6	86	...	...	...	...	,,	29.91	759.7	83	...	...	...	...

the 30th at 12.05 p.—The typhoon appears to be situated near the Pratas shoal and to be progressing very It seems to have a tendency to move Northwards.

ssure is practically unchanged along the S. coast of China.

depression lying over N. China yesterday. is now crossing the Sea of Japan. The typhoon situated in the rhood of the Bonins, is recurving towards NE.

ssure has increased and is high over N. China.

gh weather will continue to prevail over the northern shores of the China Sea.

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
kong and Neighbourhood, ...	N. gale; squally, some rain.
osa Channel, ...	NE gale.
coast of China between Hongkong and Lamooks,.	Same as No. 2.
coast of China between Hongkong and Hainan,...	NW winds, strong.

F. G. FIGG,
Director.

ongkong Observatory, Saturday, 30th September, 1911.

ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	30th September, 1911, P.M.								1st October, 1911, A.M.					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro,	"	29.85	758.1	...	...	S E	3	...	6 a.	29.34	745.1	...	...	S W
Hakodate,	"	29.59	751.7	...	...	S S E	4	...	"	29.58	751.2	...	...	W
Tokio,	"	29.75	755.6	...	...	S	1	...	"	29.77	756.1	...	...	N W
Kochi,	"	29.78	756.3	...	...	E S E	1	...	"	29.91	759.8	...	...	W
Nagasaki,	"	29.85	758.3	...	...	S W	4	...	"	29.93	760.3	...	...	E S E
Kagoshima,	"	29.88	758.9	...	...	W N W	5	...	"	29.94	760.4	...	...	N W
Oshima,	"	29.91	759.6	...	...	S S W	1	...	"	29.95	760.6	...	...	S
Naha,	"	29.89	759.2	...	...	S	2	...	"	29.91	759.7	...	...	S E
Ishigakijima,	"	29.78	756.3	...	...	S S E	6	...	"	29.78	756.3	...	...	S E
Bonin Is.	"	29.89	759.1	...	...	S W	1	...	"	30.01	762.1	...	...	S S W
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Weihaiwei,	"	29.98	761.5	67	69	N N W	5	b	9 a.	30.08	764.0	70	44	N
Hankow,	"	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	"	29.80	756.9	82	71	N E	5	c	"	...	...	...	...	...
Shanghai,	"	29.83	757.7	79	74	N E	3	c	9 a.	29.94	760.5	71	95	N E
Gutzlaff,	"	29.81	757.2	78	...	E	2	cv	"	29.88	758.9	74	...	E N E
Sharp Peak,	"	29.62	752.3	81	...	N N E	4	c	"	29.69	754.1	80	...	N
Amoy,	"	29.69	751.6	85	76	S E	1	or	6 a.	...	...	...	...	...
Swatow,	"	29.53	750.0	77	86	N E	2	or	"	29.45	748.0	73	95	N E
Taihoku,	1 p.	29.64	752.8	...	...	E	4	...	5 a.	29.63	752.6	...	...	E
Taichu,	"	29.61	752.0	...	...	N	2	...	"	29.66	753.4	...	...	...
Tainan,	"	29.62	752.3	...	...	N	2	...	"	29.65	753.3	...	...	E
Koshun	"	...	...	...	...	...	...	...	"	...	...	...	...	...
Pescadores,	"	29.60	751.9	..	...	N E	6	...	"	29.64	752.8	...	...	S E
Canton,	3 p.	29.51	749.5	92	48	N N E	2	c	9 a.	29.58	751.3	84	68	N
Hongkong,	4 p.	29.51	749.5	81	80	E	4	opq	10 a.	29.49	749.0	82	73	N W
Victoria Peak,	"	...	...	...	...	N	4	...	"	...	...	...	...	N W
Gap Rock,	"	29.45	748.0	..	...	N N W	6	...	"	29.45	748.0	...	...	N N W
Macao,	"	29.49	749.1	89	...	N W	2	c	"	29.52	749.8	82	...	N N W
Wuchow,	3 p.	29.58	751.3	93	...	W	2	c	9 a.	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...
Phulien,	4 p.	29.61	752.1	93	...	W	4	b	8 a.	29.71	754.7	86	...	N N W
Tourane,	"	29.64	752.8	88	...	W N W	3	c	"	29.71	754.3	86	..	W N W
Cape St. James,	"	...	...	..	...	...	...	...	"	29.86	758.5	79	...	S W
Aparri,	2 p.	...	...	...	...	..	...	...	6 a.	...	...	...	...	...
Manila,	4 p.	29.76	756	77	92	N N W	1	o	10 a.	29.84	758	86	71	...
Legaspi,	2 p.	29.81	757.1	88	...	S W	2	o	6 a.	29.87	758.7	75	...	...
Bacolod,	3 p.	...	...	...	...	W	2	o	9 a.	...	...	...	...	W
Iloilo,	"	29.79	756.6	83	...	W	1	o	"	...	...	82	...	S W
Cebu,	"	29.81	757.2	88	...	S	1	o	"	29.91	759.7	88	...	S
Labuan,	"	29.80	756.9	88	...	...	...	...	"	29.89	759.2	84	...	...

On the 1st at 6.40 a.—Black Drum hoisted.

At 12.05 p.—The typhoon appears to be situated about 130 miles to the ESE of Hongkong, and to be slowly towards NNW at present. The coast between Hongkong and Swatow is threatened. The barom fallen considerably along the S. coast of China during the past 24 hours.

The depression lying over the Sea of Japan yesterday, is moving into the Pacific to the North of Hokkaid

Pressure has increased quickly at the Bonins, and moderately over N. China. It is now relatively hig those areas.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.44 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	NW gale; squally with rain.
2.—Formosa Channel,	Cyclonic gales.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2
4.—South coast of China between Hongkong and Hainan,	NW winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 1st October, 1911.

[Printed by NORONHA & Co., Government Printers.]

INA COAST METEOROLOGICAL REGISTER.

	1st OCTOBER, 1911, P.M.								2nd OCTOBER, 1911, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...	2 p.	29.70	754.4	61	...	W N W	1	o	7 a.	30.01	762.1	50	79	...	0	b
...	,,	29.35	745.6	...	...	S W	5	...	6 a.	29.95	760.6	...	...	W N W	1	...
...	,,	29.69	754.2	...	...	W S W	5	...	,,	30.05	763.2	...	...	...	0	...
...	,,	29.83	757.6	...	...	N W	1	...	,,	30.14	765.6	...	...	N W	1	...
...	,,	29.93	760.3	...	...	...	0	...	,,	30.09	764.3	...	...	S W	1	...
...	,,	29.95	760.8	...	...	N E	2	...	,,	30.05	763.3	...	...	E N E	1	...
...	,,	29.96	760.9	...	...	N N E	1	...	,,	30.06	763.4	...	...	E S E	1	...
...	,,	29.94	760.6	...	...	S	1	...	,,	29.99	761.6	...	...	S W	2	...
...	,,	29.91	759.7	...	...	S S E	2	...	,,	29.97	761.2	...	...	S	2	...
...	,,	29.83	757.8	...	...	S S W	6	...	,,	29.93	760.3	...	...	S S E	3	...
...	,,	30.00	762.1	...	...	W	1	...	,,	30.04	763.1	...	...	...	0	...
...	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...	,,	30.04	763.0	69	47	E N E	2	c	9 a.	30.02	762.5	65	60	N N E	1	o
...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...	,,	29.86	758.4	74	76	N E	5	o	,,	29.82	757.4	73	86	N E	3	o
...	,,	29.97	761.2	74	72	N E	3	o	9 a.	29.78	756.4	80	82	S S E	2	c
...	,,	29.85	758.2	74	...	E	5	om	,,	29.76	755.9	80	...	S	3	om
...	,,	29.67	753.6	82	...	N E	1	c	,,	29.83	757.7	81	...	S E	2	o
...	,,	29.69	754.1	79	82	S E	6	or	6 a.	...	...	...	...	...	...	...
...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...	1 p.	29.67	753.7	...	...	...	0	...	5 a.	29.83	757.6	...	...	...	0	...
...	,,	29.67	753.7	...	...	N	4	...	,,	29.80	757.0	...	...	S E	2	...
...	,,	29.67	753.5	...	...	S	8	...	,,	29.81	757.1	...	...	S	8	...
...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...	,,	29.63	752.6	..	...	S E	10	...	,,	29.75	755.5	...	...	S E	10	...
...	3 p.	29.47	748.5	89	...	N	2	o	9 a.	29.56	750.8	77	91	W N W	2	or
...	4 p.	29.36	745.7	85	57	N N W	5	oq	10 a.	29.63	752.6	75	93	W	3	odq
k,...	,,	...	...	...	...	N W	8	...	,,	...	...	...	...	...	6	...
...	,,	29.36	745.7	...	...	N W	7	...	,,	29.62	752.3	...	...	W	6	...
...	,,	29.42	747.2	84	...	N N W	2	o	,,	29.63	752.6	74	...	W N W	3	or
...	3 p.	29.58	751.3	90	56	N W	1	c	9 a.	...	...	...	...	...	...	...
...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...	,,	29.62	752.3	90	66	N	2	c	,,	...	...	...	...	...	...	...
...	4 p.	29.58	751.3	85	...	W S W	3	b	8 a.	29.74	755.4	36	...	E S E	2	c
...	,,	29.61	752.0	88	...	W N W	2	c	,,	29.75	755.5	88	..	S W	1	c
...es,.	,,	...	...	...	...	...	...	...	,,	29.91	759.7	79	...	S W	2	o
...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...	4 p.	29.80	757	86	71	W S W	2	c	10 a.	29.96	761	86	71	...	0	c
...	2 p.	29.81	757.2	90	...	S W	2	c	6 a.	29.92	759.9	72	...	...	0	b
...	3 p.	...	...	...	...	W	1	b	9 a.	...	...	...	...	N	1	b
...	,,	29.83	757.7	83	...	S W	1	...	,,	29.93	760.2	81	...	N	1	b
...	,,	29.82	757.4	88	...	...	0	c	,,	29.94	760.5	77	...	S	1	c
...	,,	29.80	756.9	88	...	...	...	...	,,	29.90	759.4	84	...	...	...	...

he 1st at 6.05 p.—The typhoon is approaching the coast about midway between Hongkong and Swatow. ule from NW and W. will probably prevail in the Colony tonight.

the 2nd at 6.05 a.—Black North Cone and Drum hoisted.

0 a.—Signals lowered.

2.05 p.—The typhoon entered the coast during the night between Hongkong and Swatow. It is situated to of Canton this morning. The barometer is rising quickly on the S. coast of China, and falling over the valley.

e depression lying over Hokkaido yesterday has moved away over the Pacific, and pressure has increased ably and is now high over the Sea of Japan.

and SW winds, decreasing in force, may be expected over the N. part of the China Sea.

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.89 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
kong and Neighbourhood, ...	W. and SW winds, moderating; squally, showery.
osa Channel, ...	SE winds, strong.
coast of China between Hongkong and Lamocks,.	Same as No. 1.
coast of China between Hongkong and Hainan,...	W. winds, fresh.

F. G. FIGG,
Director.

ongkong Observatory, Monday, 2nd October, 1911.

ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	2nd October, 1911, P.M.								3rd October, 1911, A.M					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wi
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.
Wladivostock,	2 p.	29.91	759.8	65	...	S S E	2	o	7 a.	29.65	753.0	56	99	N W
Nemuro,	,,	30.04	763.1	...	...	W S W	2	...	6 a.	30.04	763.1	...	...	S
Hakodate,	,,	30.07	763.7	...	...	W	3	...	,,	29.54	750.2	...	...	...
Tokio,	,,	30.14	765.6	...	...	E S E	2	...	,,	29.91	759.6	...	...	S W
Kochi,	,,	30.03	762.8	...	...	...	0	...	,,	29.86	758.3	...	...	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	29.74	755.3	...	...	S W
Kagoshima,	,,	30.02	762.4	...	...	S S E	1	...	,,	29.88	758.9	...	...	S W
Oshima,	,,	29.96	761.1	...	...	S	3	...	,,	29.93	760.1	...	...	S S W
Naha,	,,	29.97	761.2	...	...	S	4	...	,,	29.93	760.2	...	...	S W
Ishigakijima,	,,	29.93	760.3	...	...	S	6	...	,,	29.89	759.3	...	...	S
Bonin Is.	,,	30.06	763.6	...	...	E	1	...	,,	30.02	762.6	...	...	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Weihaiwei,	,,	29.94	760.5	60	82	N N E	4	or	9 a.	29.94	760.5	69	75	N N E
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Shanghai,	,,	29.72	754.9	84	79	S W	1	c	9 a.	29.89	759.2	68	100	N N E
Gutzlaff,	,,	29.70	754.4	80	...	S W	2	ov	,,	29.81	757.2	74	...	N N E
Sharp Peak,	,,	29.76	755.9	81	...	S	4	o	,,	29.77	756.1	80	...	S
Amoy,	,,	29.70	754.4	80	87	S E	6	or	6 a.	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Taihoku,	1 p.	29.82	757.5	...	...	N	4	...	5 a.	29.85	758.1	...	...	...
Taichu,	,,	29.83	757.8	...	...	S	2	...	,,	29.88	758.9	...	...	S
Tainan,	,,	29.86	758.4	...	...	S	10	...	,,	29.90	759.4	...	...	S
Koshun	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pescadores,	,,	29.82	757.3	..	...	S E	10	...	,,	29.84	758.0	...	...	S
Canton,	3 p.	29.61	752.1	76	86	W	2	or	9 a.	29.90	759.4	78	82	N W
Hongkong,	4 p.	29.65	753.1	76	92	W	3	od	10 a.	29.89	759.2	83	70	N W
Victoria Peak,	,,	...	...	...	...	S S W	7	...	,,	...	...	...	...	W N W
Gap Rock,	,,	29.60	751.8	...	...	S W	5	...	,,	29.85	758.2	...	...	W S W
Macao,	,,	29.64	752.8	75	...	S W	2	od	,,	29.89	759.2	83	...	W S W
Wuchow,	3 p.	29.64	752.8	88	...	N W	3	oq	9 a.	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi,	,,	29.70	754.4	91	...	N	3	c	,,	...	...	...	...	...
Phulien,	4 p.	29.68	753.9	90	...	S S E	5	c	8 a.	29.90	759.5	32	...	E
Tourane,	,,	29.69	754.2	86	...	S E	3	c	,,	29.88	759.0	84	...	N W
Cape St. James,	,,	29.81	757.2	84	...	S W	2	o	,,	29.95	760.8	79	...	S W
Aparri,	2 p.	...	...	...	...	..	...	...	6 a.	...	...	...	...	...
Manila,	4 p.	29.88	759	88	66	W N W	1	c	10 a.	29.96	761	84	71	...
Legaspi,	2 p.	29.87	758.8	91	...	E	2	b	6 a.	29.93	760.3	73	...	...
Bacolod,	3 p.	...	...	...	...	S	1	o	9 a.	...	...	...	...	E
Iloilo,	,,	29.85	758.2	85	...	S W	1	c	,,	29.95	760.7	82	...	N E
Cebu,	,,	29.85	758.2	89	...	N	1	b	,,	29.91	759.7	88	...	N
Labuan,	,,	29.80	756.9	89	...	...	...	...	,,	29.92	759.9	85	...	...

On the 3rd at 12.20 p.—The recent typhoon, which has doubtless filled up considerably, is probably re towards NE over SE China.

A depression noticed over the Lower Yangtze valley yesterday, has reached Korea Straits, and another sion has passed from the continent to the NE part of the Sea of Japan.

Pressure has increased quickly over the S. coast of China, and given way considerably over Japan.

Probably an area of high pressure lies over NW China.

Moderate W. and NW winds , may be expected over the N. part of the China Sea..

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.52 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. and NW winds, moderate ; fair.
2.—Formosa Channel,	S. backing to W. winds, strong to moderate.
3.—South coast of China between Hongkong and Lamocks,	SW to W. winds, fresh to moderate.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Tuesday, 3rd October, 1911.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

	3RD OCTOBER, 1911, P.M.								4TH OCTOBER, 1911, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ook,...	2 p.	29.61	752.2	66	...	N N E	0	b	7 a.	29.65	753.0	57	77	S W	2	o
.....	,,	29.63	752.6	...	...	S E	4	...	6 a.	29.69	754.1	...	...	...	3	...
.....	,,	29.30	744.2	...	...	N	2	...	,,	29.79	756.7	...	...	...	0	...
.....	,,	29.69	754.1	...	...	S S W	6	...	,,	29.85	758.1	...	...	N N E	1	...
.....	,,	29.74	755.3	...	...	...	0	...	,,	29.82	757.3	...	...	...	0	...
.....	,,	29.76	755.8	...	...	W N W	2	...	,,	29.86	758.3	...	...	N E	1	...
, ...	,,	29.78	756.4	...	...	W S W	3	...	,,	29.82	757.4	...	...	N	2	...
.....	,,	29.87	758.6	...	...	S W	2	...	,,	29.79	756.6	...	...	S W	1	...
.....	,,	29.89	759.2	...	...	S	2	...	,,	29.79	756.7	...	...	S S W	2	...
ma,....	,,	29.85	758.3	...	...	S	6	...	,,	29.76	755.8	...	...	S S W	6	...
.....	,,	29.93	760.1	...	...	E	1	...	,,	29.89	759.1	...	...	N N E	1	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	29.94	760.6	69	65	N	4	b	9 a.	30.02	762.5	72	71	W	3	c
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	30.04	763.0	69	80	N E	2	b
.....	,,	29.87	758.7	70	90	N N E	3	or	9 a.	30.04	763.0	73	58	N N W	3	b
.....	,,	29.82	757.4	69	...	N E	6	omr	,,	29.96	761.0	73	...	N	5	cv
k,.....	,,	29.89	759.1	80	...	S	2	or	,,	29.94	760.5	78	...	N	1	c
.....	,,	29.76	755.9	79	82	W	2	o	6 a	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	2 p.	29.78	756.3	...	...	N E	2	...	5 a.	29.87	758.7	...	...	N W	2	...
.....	,,	29.85	758.3	...	...	S	6	...	,,	29.84	758.0	...	...	N	4	...
.....	,,	29.92	759.9	...	...	S W	6	...	,,	29.86	758.3	...	...	N	2	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.85	758.3	...	...	S W	10	...	,,	29.86	758.4	...	...	N E	8	...
.....	3 p.	29.83	757.7	83	83	N	2	c	9 a.	29.96	761.0	75	77	N	2	b
.....	4 p.	29.82	757.4	82	66	W	1	o	10 a.	29.93	760.2	82	58	N N E	2	c
ak,...	,,	...	...	...	...	N W	2	...	,,	...	...	...	...	N	1	...
.....	,,	29.80	756.9	...	...	N N W	3	...	,,	29.89	759.2	...	...	N	3	...
.....	,,	29.83	757.7	86	...	W	1	c	,,	29.93	760.3	81	...	W	1	c
.....	3 p.	29.91	759.7	75	...	W	2	c	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.84	757.9	90	59	W	2	c	,,	...	...	...	...	...	...	...
.....	4 p.	29.86	758.4	79	...	E	4	o	8 a.	29.97	761.7	81	...	N N W	2	c
.....	,,	29.78	756.3	84	...	N	3	c	,,	29.92	760.0	82	...	S W	1	c
mes,.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.84	758	88	59	...	0	o	10 a.	29.92	760	86	71	...	0	c
.....	2 p.	~~29.88~~	~~759.0~~	~~93~~	...	E	2	b	6 a.	29.89	759.2	77	...	...	0	b
.....	3 p.	...	...	...	...	E	2	...	9 a.	...	...	...	...	E	...	c
.....	,,	29.83	757.7	86	...	E	2	b	,,	29.91	759.7	83	...	N E	1	b
.....	,,	29.82	757.4	88	...	N	2	o	,,	29.90	759.4	86	...	...	0	c
.....	,,	29.82	757.4	79	...	...	...	...	,,	29.94	760.5	84	...	...	...	...

the 4th at 11.55 a.—The barometer has risen over China, particularly on the E. coast, while it has fallen ely over the Loochoos.

e recent typhoon has not yet completely filled up. It has moved out to sea again to the Northward of Foo- nd is shown this morning as a shallow depression lying over the Eastern Sea to the Westward of the Loochoos. e depressions situated over Japan yesterday, have moved into the Pacific.

essure appears to be high over N.W. China, and moderate N.E. monsoon may be expected along the coast.

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
kong and Neighbourhood, ...	N. winds, moderate; fine.
osa Channel, ...	N. to N.E. winds, fresh.
coast of China between Hongkong and Lamocks,.	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 4th October, 1911.

ted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	4th OCTOBER, 1911, P.M.								5th OCTOBER, 1911, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	
Wladivostook,	2 p.	29.72	755.0	58	...	N W	2	b	7 a.	30.06	763.4	45	41	W N W	
Nemuro,	"	29.77	756.1	...	...	E S E	1	...	6 a.	29.79	756.6	...	...	S	
Hakodate,	"	29.77	756.2	...	...	S W	2	...	"	29.91	759.7	...	...	...	
Tokio,	"	29.67	758.6	...	...	W N W	2	...	"	29.95	760.5	...	...	N W	
Kochi,	"	29.83	757.8	...	...	...	4	...	"	29.95	760.8	...	...	S S W	
Nagasaki,	"	29.85	758.3	...	...	N N E	1	...	"	29.97	761.3	...	...	N E	
Kagoshima,	"	29.83	758.9	...	...	N E	1	...	"	29.92	759.9	...	...	N	
Oshima,	"	29.73	755.1	...	...	N E	0	...	"	29.73	755.1	...	...	N	
Naha,	"	29.71	754.7	...	...	S S W	4	...	"	29.81	757.2	...	...	N	
Ishigakijima,	"	29.78	756.3	...	...	N	4	...	"	29.88	758.8	...	...	N	
Bonin Is.	"	29.87	758.6	...	...	N E	1	...	"	29.91	759.6	...	...	E	
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Weihaiwei,	"	30.08	764.0	66	79	N N E	4	b	9 a.	30.30	769.6	64	43	N W	
Hankow,	"	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Kinkiang,	"	30.05	763.2	78	61	N E	2	b	"	30.17	766.3	68	...	N E	
Shanghai,	"	29.99	761.7	76	56	N	2	c	9 a.	30.18	766.6	73	72	N E	
Gutzlaff,	"	29.94	760.5	75	...	N	4	cv	"	30.12	765.0	75	...	N N E	
Sharp Peak,	"	29.91	759.7	78	...	E	2	c	"	30.09	764.3	75	...	N N E	
Amoy,	"	29.91	759.7	76	77	S E	2	or	6 a.	...	...	...	...	...	
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	
Taihoku,	1 p.	29.92	760.0	...	...	W	2	...	5 a.	30.00	762.0	...	...	S	
Taichu,	"	29.85	758.2	...	...	N	6	...	"	29.91	759.8	...	...	N	
Tainan,	"	29.84	757.9	...	...	N	4	...	"	29.91	759.6	...	...	N	
Koshun,	"	...	...	...	...	...	...	...	"	29.89	759.1	...	...	N	10
Pescadores,	"	29.87	758.8	...	...	N E	10	...	"	29.94	760.5	...	...	N E	10
Canton,	3 p.	29.89	759.2	82	67	N	2	b	9 a.	30.05	763.2	76	73	N N E	2
Hongkong,	4 p.	29.87	758.7	79	76	E	1	o	10 a.	30.03	762.7	77	75	E	2
Victoria Peak,	"	...	...	...	...	E	1	...	"	...	...	...	...	E N E	3
Gap Rock,	"	29.84	757.9	...	...	N N E	3	...	"	29.99	761.7	...	...	E N E	5
Macao,	"	29.87	758.7	82	...	W	1	c	"	30.03	762.8	77	...	N N E	1
Wuchow,	3 p.	29.93	760.2	74	...	N	1	c	9 a.	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...
Pakhoi,	"	29.85	758.2	90	56	N W	2	b	"	...	...	...	...	...	...
Phulien,	4 p.	29.84	758.0	88	...	S S E	3	b	8 a.	29.98	761.5	77	...	E N E	3
Tourane,	"	29.82	757.4	84	...	N W	3	c	"	29.93	760.1	82	...	N E	2
Cape St. James,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Manila,	4 p.	29.80	757	88	65	...	0	b	10 a.	29.92	760	86	64	...	0
Legaspi,	2 p.	29.83	757.6	91	...	E	2	b	6 a.	29.88	758.9	73	...	...	0
Bacolod,	3 p.	...	...	...	...	E	2	c	9 a.	...	...	...	...	E	1
Iloilo,	"	29.79	756.6	86	...	E	...	c	"	29.89	759.2	82	...	E	1
Cebu,	"	29.82	757.4	88	...	S	1	o	"	29.91	759.7	87	...	S	1
Labuan,	"	29.81	757.2	87	...	...	...	...	"	29.92	759.9	84	...	...	...

On the 5th at 12.15 p.—The depression left by the recent typhoon is still in existence. This morning it is ing Eastwards to the E. of the Loochoos.

A depression which passed from the continent to the N.E. part of the Sea of Japan yesterday, is situated n the North of Hokkaido.

The barometer has risen considerably over the China coast, a high pressure area being shown over the cont to the North of the Yangtze valley.

Fresh to strong N.E. monsoon will prevail along the coast and over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate to strong; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 5th October, 1911.

[Printed by NORONHA & Co., Government Printers.]

INA COAST METEOROLOGICAL REGISTER.

5TH OCTOBER, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	30.05	763.2	56	...	N N E	0	b
,,	29.79	756.6	...	...	S W	4	...
,,	29.97	761.2	...	...	W	5	...
,,	29.93	760.1	...	...	...	0	...
,,	29.93	760.3	...	...	N W	1	...
,,	29.97	761.3	...	...	E N E	2	...
,,	29.94	760.4	...	...	N	1	...
,,	29.85	758.1	...	...	N E	5	...
,,	29.87	758.7	...	...	N	6	...
,,	29.93	760.3	...	...	N N E	6	...
,,	29.89	759.1	...	...	S	1	...
3 p.	30.28	769.1	66	59	E	2	b
,,	30.26	768.6	64	39	N E	5	c
,,	...	...	...	...	...	...	...
,,	30.22	767.8	79	54	N E	2	b
,,	30.16	766.0	75	56	N N E	3	c
,,	30.11	764.8	74	...	N N E	4	cv
,,	30.08	763.9	77	...	N	2	b
,,	30.00	762.0	82	49	N E	1	b
,,	...	...	...	...	...	...	...
1 p.	30.04	763.0	...	...	N E	6	...
,,	29.92	759.9	...	...	N	4	...
,,	29.94	760.4	...	...	S	6	...
,,	29.94	760.5	...	...	N E	8	...
,,	29.95	760.8	...	...	N E	10	...
3 p.	29.98	761.6	81	67	E	2	o
4 p.	29.97	761.2	79	70	E	3	c
,,	...	...	...	...	E	3	...
,,	29.94	760.5	...	...	E	5	...
,,	29.97	761.3	78	...	E S E	2	o
3 p.	29.97	761.2	87	49	E	2	c
,,	...	...	...	...	...	...	...
,,	29.92	759.9	...	...	E	2	b
4 p.	29.91	759.6	79	...	E	5	c
,,	29.85	758.1	82	...	S E	2	c
,,	...	...	...	...	...	...	...
2 p.	...	...	...	...	...	...	...
4 p.	29.80	757	86	79	W N W	1	o
2 p.	29.82	757.3	93	...	E	2	o
3 p.	...	...	...	...	E	2	c
,,	29.81	757.2	84	...	E	1	c
,,	29.83	757.7	86	...	...	0	o
,,	29.82	757.4	87	...	...	...	...

6TH OCTOBER, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.27	768.8	43	49	N N E	0	b
6 a.	29.93	760.1	...	...	N W	3	...
,,	30.13	765.2	...	...	N W	4	...
,,	30.22	767.6	...	...	N	1	...
,,	30.19	766.8	...	...	N	1	...
,,	30.17	766.3	...	...	N E	6	...
,,	30.10	764.4	...	...	N N E	2	...
,,	29.99	761.6	...	...	N E	2	...
,,	29.93	760.2	...	...	N E	4	...
,,	29.99	761.8	...	...	N N E	2	...
,,	29.99	761.6	...	...	S S W	1	...
6 a.	...	...	...	...	...	...	...
9 a.	30.20	767.1	63	57	...	5	o
6 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
9 a.	30.22	767.6	71	71	E N E	1	c
,,	30.19	766.8	73	...	E N E	2	cv
,,	30.14	765.5	74	...	N	2	b
6 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
5 a.	30.06	763.6	...	...	E	4	...
,,	30.00	761.9	...	...	...	0	...
,,	29.96	761.0	...	...	E	2	...
,,	29.96	761.0	...	...	N E	6	...
,,	29.98	761.5	...	...	N E	4	...
9 a.	...	...	...	...	...	...	...
10 a.	30.08	764.0	79	47	E	2	b
,,	...	...	...	...	E N E	3	...
,,	30.05	763.2	...	...	E N E	5	...
,,	30.08	764.1	79	...	E	1	c
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.02	762.6	79	...	E	3	or
,,	29.98	761.4	79	...	W	2	dh
,,	29.97	761.1	82	...	S E	1	c
6 a.	...	...	...	...	...	...	...
10 a.	29.92	760	86	71	...	0	c
6 a.	29.88	759.0	73	...	...	0	c
9 a.	...	...	...	...	E	1	b
,,	29.91	759.7	81	...	E	1	c
,,	29.88	758.9	87	...	S	1	b
,,	29.94	760.5	82	...	...	...	...

he 6th at 11.55 a.—The depression lying in the neighbourhood of the Loochoos yesterday, has filled up, and disturbance, situated to the North of Japan, has moved away over the Pacific.

sure has increased considerably at the Japanese stations, and to a slight extent over S. China. It has given n over N. China, the "high" having shifted Eastwards to the Sea of Japan.

h to strong N.E. and E. winds may be expected over the N. part of the China Sea.

gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

ORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	N.E. and E. winds, fresh; fine.
sa Channel, ...	N.E. winds, strong.
coast of China between Hongkong and Lamocks, .	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ongkong Observatory, Friday, 6th October, 1911.

d by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	6th October, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	7th October, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	30.20	767.0	52	...	S S W	2	o	7 a.	29.95	760.8	55	77	N N E	0
Nemuro,	,,	30.04	763.1	...	...	N W	6	...	6 a.	30.28	769.1	...	...	S S W	1
Hakodate,	,,	30.22	767.7	...	...	W N W	6	...	,,	30.26	768.7	...	...	...	0
Tokio,	,,	30.28	769.1	...	...	N E	2	...	,,	30.38	771.6	...	...	N W	1
Kochi,	,,	30.17	766.3	...	...	S	1	...	,,	30.23	767.8	...	...	S S W	1
Nagasaki,	,,	30.15	765.8	...	...	N E	2	...	,,	30.17	766.3	...	...	...	0
Kagoshima,	,,	30.13	765.4	...	...	E N E	3	...	,,	30.12	764.9	...	...	N E	2
Oshima,	,,	30.02	762.6	...	...	N E	3	...	,,	30.02	762.6	...	...	E S E	2
Naha,	,,	29.89	759.2	...	...	N E	6	...	,,	29.93	760.2	...	...	S S E	1
Ishigakijima,	,,	29.97	761.3	...	...	N	5	...	,,	29.93	760.3	...	...	N	1
Bonin Is.	,,	29.98	761.6	...	...	W	1	...	,,	30.06	763.6	...	...	...	0
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	30.14	765.5	68	60	S S W	4	c	9 a.	30.16	765.8	66	79	W S W	4
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	30.12	765.0	79	61	N E	1	b	,,	...	...	...	...	...	...
Shanghai,	,,	30.13	765.3	...	...	E N E	1	c	9 a.	30.16	765.8	76	64	N E	1
Gutzlaff,	,,	30.13	765.3	74	...	E N E	2	cm	,,	30.11	764.5	74	...	N E	3
Sharp Peak,	,,	30.06	763.5	75	86	N E	4	c	,,	30.08	764.0	74	...	N	1
Amoy,	,,	30.04	763.0	83	60	N E	2	b	6 a.	...	...	...	...	...	...
Swatow,	,,	29.94	760.5	82	56	E	2	b	,,	...	...	...	...	...	
Taihoku,	1 p.	30.06	763.4	...	...	E	6	...	5 a	30.01	762.3	...	...	S	
Taichu,	,,	29.95	760.7	...	...	S W	2	...	,,	30.00	762.0	...	...		
Tainan,	,,	29.93	760.2	...	...	W	4	...	,,	29.98	761.5	...	...	E	
Koshun	,,	29.99	761.8	...	...	N E	8	...	,,	29.98	761.4	...	...	N	
Pescadores,	,,	29.99	761.7	...	...	N E	10	...	,,	29.93	761.5	...	...	N E	
Canton,	3 p.	30.00	762.0	83	71	S	1	b	9 a.	30.07	763.3	75	77	N E	
Hongkong,	4 p.	30.00	762.0	78	68	E	3	c	10 a.	30.08	764.0	79	62	E	
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	
Gap Rock,	,,	29.97	761.2	...	...	E N E	5	...	,,	30.03	762.7	...	...	E	
Macao,	,,	30.00	762.0	81	...	E	1	o	,,	30.07	763.7	81	...	E S E	
Wuchow,	3 p.	30.01	762.2	88	...	E	1	c	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.94	760.5	82	63	S E	4	o	,,	...	...	...	...	...	...
Phulien,	4 p.	...	...	...	...	...	...	...	8 a.	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Manila,	4 p.	29.84	758	84	77	...	0	o	10 a.	29.96	761	86	71	...	0
Legaspi,	2 p.	29.85	758.3	88	...	E	2	o	6 a.	29.91	759.8	72	...	...	0
Bacolod,	3 p.	...	...	...	...	E	2	o	9 a.	...	...	...	...	E	1
Iloilo,	,,	29.81	757.2	84	...	E	1	o	,,	29.91	759.7	81	...	E	1
Cebu,	,,	29.83	757.7	87	...	...	0	o	,,	29.96	760.7	85	...	...	
Labuan,	,,	29.83	757.7	87	...	...	...	...	,,	29.95	760.7	82	...	...	...

On the 7th at 12.15 p.—The barometer has fallen quickly in Wladiwostok, a depression having approach[illegible] neighbourhood of that station from the Westward.

Pressure has increased considerably over E. Japan, and given way slightly on the E. coast of China.

The high pressure has moved Eastwards and now lies over the Pacific to the E. of Japan.

Moderate monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamooks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 7th October, 1911.

[Printed by NORONHA & Co., Government Printers.]

[illegible] METEOROLOGICAL REGISTER.

[illegible] OCTOBER, 1911, P.M.

	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...	2 p.	29.88	759.0	62	...	S E	2	b
...	"	30.16	766.1	...	...	W S W	4	...
...	"	30.15	765.7	...	...	S W	3	...
...	"	30.26	768.6	...	...	S	1	...
...	"	30.17	766.3	...	...	E	2	...
...	"	30.07	763.8	...	...	N N W	1	...
...	"	30.06	763.4	...	...	E	2	...
...	"	29.98	761.6	...	...	S	2	...
...	"	29.95	760.7	...	...	S S E	2	...
...	"	29.95	760.8	...	...	N	2	...
...	"	30.06	763.6	...	...	E	1	...
...	3 p.	...	...	...	...	...	...	...
...	"	30.07	763.8	71	100	N W	1	fm
...	"	30.26	768.8	68	90	N W	1	o
...	"	30.11	764.8	71	...	N E	1	b
...	"	30.06	763.5	76	60	N E	1	c
...	"	30.04	763.0	74	...	N E	3	cv
...	"	30.02	762.5	76	...	E	2	b
...	"	29.98	761.5	84	51	E	2	b
...	"	29.93	761.7	82	71	E	1	b
...	1 p.	30.00	761.9	...	...	E	2	...
...	"	29.96	761.0	...	...	...	0	...
...	"	29.99	761.8	...	...	W	4	...
...	"	29.98	761.5	...	...	N W	2	...
...	"	30.00	762.0	...	...	N E	8	...
...	3 p.	29.98	761.5	83	...	S	1	b
...	4 p.	29.98	761.5	78	59	E	3	b
...	"	...	...	...	...	E	1	...
...	"	29.96	761.0	...	...	E	4	...
...	"	29.99	761.7	81	...	E S E	1	c
...	8 p.	29.98	761.5	88	40	E	1	b
...	"	...	...	...	...	...	...	...
...	"	29.92	759.9	86	...	S E	2	b
...	4 p.	29.97	761.3	79	...	E	4	o
...	"	...	...	...	...	...	...	...
...	"	29.84	758.0	82	...	S E	1	c
...	2 p.	29.89	759.1	84	...	N E	2	c
...	4 p.	29.88	759	86	71	N N E	0	c
...	2 p.	29.89	759.1	93	...	E	2	b
...	3 p.	...	...	...	...	N	2	o
...	"	29.83	757.7	86	...	N E	...	c
...	"	29.86	758.2	82	...	N	2	b
...	"	29.85	758.6	88	...	...	...	...

8TH OCTOBER, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	29.9[illegible]	759.5	51	71	...	0	b
6 a.	29.[illegible]7	761.1	...	...	S W	1	...
"	29.97	761.2	...	...	...	0	...
"	30.14	765.5	...	...	N W	1	...
"	29.95	760.8	...	...	S S E	1	...
"	29.93	760.3	...	...	N	3	...
"	29.94	76[illegible].4	...	...	...	0	...
"	29.95	760.6	...	...	S W	1	...
"	29.97	761.2	...	...	S W	1	...
"	29.99	761.8	...	...	N	1	...
"	30.16	766.1	...	...	...	0	...
6 a	...	...	...	...	...	...	...
9 a.	30.15	765.8	65	40	N	4	c
6 a.	...	...	...	...	...	...	...
"	30.20	767.1	68	95	N E	2	o
9 a.	30.16	766.0	66	79	N N W	2	o
"	30.12	765.0	72	...	N	4	ov
"	30.10	764.5	74	...	...	0	b
6 a.	...	...	...	...	...	...	...
"	30.11	764.8	72	85	N	1	b
5 a.	30.04	763.0	...	...	...	0	...
"	30.04	763.0	...	...	...	0	...
"	30.02	762.5	...	...	...	0	...
"	30.02	762.4	...	...	...	0	...
"	30.02	762.5	...	...	N	6	...
9 a.	30.10	764.5	76	32	E N E	2	c
10 a.	30.09	764.3	81	67	E	1	b
"	...	...	...	...	E	2	...
"	30.05	763.2	...	...	E N E	4	...
"	30.08	764.1	82	...	E	1	c
9 a.	...	...	...	...	...	...	...
"	...	...	...	...	...	...	...
"	...	...	...	...	...	...	...
8 a.	30.07	763.8	79	...	E	2	c
"	...	...	...	...	...	...	...
"	29.98	761.4	77	...	E N E	2	o
6 a.	29.95	760.7	75	...	S W	2	b
10 a.	30.00	762	86	65	W N W	1	b
6 a.	29.93	760.1	73	...	...	0	b
9 a.	...	...	...	...	N	3	b
"	29.99	761.7	82	...	N E	1	b
"	29.93	760.2	86	...	...	0	c
"	...	...	...	...	...	...	...

[illegible] 8th at 12.15 p.—The barometer has fallen considerably over Japan, and risen slightly on the China coast. [illegible]epression lying in the neighbourhood of Wladiwostok yesterday, is moving towards NE to the North of [illegible] shallow depression, which is moving in the same direction, is shown also over SW Japan.

[illegible] of high pressure are lying over N. China, and over the Pacific to the SE of Japan.

[illegible]ate NE monsoon will continue to prevail over the China coast and the N. part of the China Sea.

[illegible]kong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 in[illegible]hes.

[illegible]RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
[illegible]g and Neighbourhood, ...	NE winds, moderate; fine.
[illegible] Channel, ...	Same as No. 1.
[illegible]ast of China between Hongkong and Lamocks,.	Same as No. 1.
[illegible]ast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

[illegible]kong Observatory, Sunday, 8th October, 1911.

[illegible]by NOBOKRA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	8th October, 1911, P.M.								9th October, 1911, A.					
	Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wi Direction.
Wladivostook,	2 p.	29.84	757.8	60	...	N	0	b	7 a.	29.96	761.0	41	49	N W
Nemuro,	,,	29.93	760.1	...	...	...	0	...	6 a.	29.69	754.1	...	...	N N W
Hakodate,	,,	29.87	758.7	...	...	S W	3	...	,,	29.77	756.2	...	...	N W
Tokio,	,,	29.91	759.6	...	...	S S W	1	...	,,	29.79	756.6	...	...	S E
Koobi,	,,	29.83	757.8	...	...	W	1	...	,,	29.91	759.8	...	...	W S W
Nagasaki,	,,	29.89	759.3	...	...	N	2	...	,,	30.07	763.8	...	...	N N W
Kagoshima,	,,	29.80	756.9	...	...	...	0	...	,,	30.03	762.9	...	...	N N W
Oshima,	,,	29.93	760.1	...	...	S W	1	...	,,	30.04	763.1	...	...	N
Naha,	,,	29.97	761.2	...	...	N W	1	...	,,	30.01	762.2	...	...	N N E
Ishigakijima,	,,	30.01	762.3	...	...	N E	3	...	,,	30.09	764.3	...	...	N N E
Bonin Is.	,,	30.02	762.6	...	...	S	1	...	,,	30.01	762.1	...	...	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.14	765.5	60	5.5	N	5	cm	9 a.	30.41	769.9	55	66	N
Hankow,	,,	30.26	768.6	67	79	N	1	o	6 a.	30.42	772.6	65	73	N E
Kiukiang,	,,	30.21	767.3	67	84	N E	2	or	,,	...	...	...	...	...
Shanghai,	,,	30.14	765.5	67	69	N	4	oq	9 a	30.37	771.4	65	40	N N W
Gutzlaff,	,,	30.09	764.3	71	...	N N W	3	om	,,	30.29	769.3	66	...	N
Sharp Peak,	,,	30.06	763.5	75	...	E N E	2	b	,,	30.20	767.1	75	...	N N E
Amoy,	,,	30.05	763.2	85	58	E	2	b	6 a.	30.11	764.8	71	63	E N E
Swatow,	,,	30.03	762.7	81	71	S E	2	b	,,	...	...	...	...	...
Taihoku,	1 p.	30.06	763.4	...	...	E	6	...	5 a.	30.15	765.8	...	...	S
Taichu,	,,	29.99	761.8	...	...	N	4	...	,,	30.07	763.8	...	...	...
Tainan,	,,	30.02	762.5	...	...	N	4	...	,,	30.08	764.0	...	...	N
Keshun,	,,	30.01	762.3	...	...	N E	6	...	,,	30.06	763.4	...	...	N E
Pescadores,	,,	30.04	762.7	...	...	N E	10	...	,,	30.03	762.8	...	...	N E
Canton,	3 p.	30.01	762.2	71	62	N	1	o	9 a.	30.16	766.0	77	61	E
Hongkong,	4 p.	30.02	762.5	79	69	E	3	b	10 a.	30.14	765.5	79	70	E
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E
Gap Rock,	,,	29.99	761.7	...	...	E N E	4	...	,,	30.10	764.5	...	...	E
Macao,	,,	30.02	762.5	82	...	E S E	1	c	,,	30.14	765.5	78	...	E S E
Wuchow,	3 p.	30.03	762.7	88	...	E	1	c	9 a.	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi,	,,	29.95	760.7	84	60	S E	1	o	,,	...	...	...	...	...
Phulien,	4 p.	29.99	761.7	81	...	S E	4	c	8 a.	30.13	765.3	81	...	E N E
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Cape St. James,	,,	29.90	759.5	77	...	E N E	3	o	,,	30.01	762.1	75	...	N E
Aparri,	2 p.	29.91	759.7	84	...	N E	2	b	6 a.	30.01	762.3	73	...	S E
Manila,	4 p.	29.88	759	86	71	N W	1	c	10 a.	30.00	762	86	65	...
Legaspi,	2 p.	29.89	759.3	90	...	N E	2	b	6 a.	29.94	760.4	81	...	N E
Bacolod,	3 p.	...	...	...	...	N	1	o	9 a.	...	...	...	...	E
Iloilo,	,,	29.85	758.2	82	...	N E	1	o	,,	29.99	761.7	82	...	E
Cebu,	,,	29.85	758.2	86	...	N	2	o	,,	29.94	760.5	87	...	S
Labuan,	,,	...		...	...	...	...	...	,,	30.00	762.0	77	...	...

On the 9th at 11.30 a.—The barometer has fallen considerably over E. Japan and the Bonins; and r where, particularly in N. China.

The depression lying to the North of Japan yesterday, is passing to the Pacific. The other depression h Eastwards and now lies over S.E. Japan.

An anticyclonic area, 30.4 inches and upwards, lies over China to the North of the Yangtze valley, and exceeds the normal, by from 0.2 to 0.1 inch, along the coast and at the stations in the South.

Fresh to strong monsoon will continue to prevail over the China coast and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Monday, 9th October, 1911.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

9TH OCTOBER, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	29.94	760.4	49	...	N N E	2	o
,,	29.71	754.6	...	...	S S W	2	...
,,	29.79	756.7	...	...	N W	2	...
,,	29.75	755.6	...	...	N N W	2	...
,,	29.89	759.3	...	...	S W	4	...
,,	30.09	764.8	...	...	N N W	4	...
,,	30.06	763.4	...	...	N W	3	...
,,	30.04	763.1	...	...	N	3	...
,,	30.05	763.2	...	...	N N E	6	...
,,	30.09	764.3	...	...	N	4	...
,,	29.98	761.6	...	...	S	1	...
3 p.	...	...	...	...	...	...	...
,,	30.29	769.3	57	41	N	7	b
,,	...	...	...	...	...	...	...
,,	30.34	770.6	57	60	N E	2	o
,,	30.32	770.1	64	34	N	2	c
,,	30.25	768.3	67	...	N N W	5	cv
,,	30.15	765.0	74	...	N N W	5	c
,,	30.11	764.8	84	64	E	4	b
,,	30.08	764.0	82	67	E	2	b
1 p.	30.16	765.7	...	...	E	6	...
,,	30.04	763.0	...	...	...	4	...
,,	30.06	763.5	...	...	W	4	...
,,	30.05	763.3	...	...	N E	8	...
,,	30.07	763.9	..	...	N E	10	...
3 p.	30.06	763.5	84	57	N E	1	b
4 p.	30.07	763.8	79	71	E S E	3	c
,,	...	...	...	...	E	1	...
,,	30.04	763.0	...	...	E S E	4	...
,,	30.06	763.5	78	...	E S E	2	c
8 p.	30.10	764.5	77	...	E	1	c
,,	...	...	...	..	...	...	...
,,	30.02	762.5	85	...	E	2	o
4 p.	30.02	762.4	82	...	E S E	4	b
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
2 p.	29.96	761.0	84	...	N E	2	b
4 p.	29.88	759	86	65	W S W	0	o
2 p.	29.87	758.7	84	...	N E	2	o
3 p.	...	...	...	...	E	1	c
,,	29.83	757.7	86	...	E	1	c
,,	29.84	757.9	88	...	E	1	c
,,	29.87	758.7	84	...	...	...	...

10TH OCTOBER, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a	30.13	765.3	39	65	N N E	1	b
6 a	29.83	757.6	...	...	E N E	2	...
,,	29.89	759.2	...	...	N	1	...
,,	29.85	758.1	...	...	...	0	...
,,	30.05	763.3	...	...	S W	1	...
,,	...	...	...	...	...	0	...
,,	30.15	765.9	...	...	N	1	...
,,	30.12	765.1	...	...	N	4	...
,,	30.13	765.2	...	...	N E	2	...
,,	30.11	764.8	...	...	N N E	3	...
,,	29.97	761.1	...	...	...	0	...
6 a	...	...	...	..	...	...	...
9 a.	30.38	771.6	62	67	N	3	b
6 a.	...	...	...	...	...	...	...
,,	30.38	771.6	59	65	N E	3	o
9 a	30.38	771.6	64	63	N N W	1	c
,,	30.31	769.9	65	...	N	3	cv
,,	30.28	769.1	69	...	N	2	c
6 a	30.16	766.0	71	62	E N E	4	b
,,	30.13	765.3	70	75	E N E	2	c
5 a	30.20	767.1	...	...	E	4	...
,,	30.08	764.0	...	...	N	2	...
,,	30.06	763.5	...	...	N E	2	...
,,	30.02	762.6	...	...	N E	10	...
,,	30.08	764.0	...	...	N E	10	...
9 a.	30.16	766.0	75	68	N E	2	o
10 a.	30.15	765.8	75	73	E	4	o
,,	...	...	...	...	E	3	...
,,	30.11	764.8	...	...	E	6	...
,,	30.13	765.3	77	...	E	2	c
9 a	30.21	767.3	67	...	N	2	o
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.10	764.6	79	...	E	4	c
,,	..	...	...	...	...	...	...
,,	30.01	762.1	73	...	E	2	or
6 a.	29.98	761.5	75	...	N E	4	d
10 a.	29.92	760	86	71	...	0	b
6 a.	29.90	759.4	81	...	N	2	o
9 a.	...	...	...	...	N	2	c
,,	29.99	761.7	82	...	E	1	b
,,	29.91	759.7	86	...	N	1	c
,,	29.95	760.7	83	...	...	...	...

e 10th at 11.55 a.—The barometer has risen in Japan, the depression having moved away over the Pacific. nticyclonic area remains over China to the North of the Yangtze valley, and pressure continues in consider- derate excess of the normal along the coast. It is still slightly high but inclined to give way over the s.

to strong monsoon will continue to prevail over the China coast and the N. part of the China Sea.

gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.46 inches.

ORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ng and Neighbourhood, ...	N.E. and E. winds, fresh; fair.
Channel, ...	N.E. winds, strong.
oast of China between Hongkong and Lamocks,.	Same as No. 1.
oast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

gkong Observatory, Tuesday, 10th October, 1911.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGIST

Station.	10th October, 1911, P.M.								11th October, 1911,					
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a	...	...	...	...	...
Nemuro, ...	,,	29.89	759.1	...	...	N E	1	...	6 a	30.04	763.1	...	...	...
Hakodate, ...	,,	29.91	759.7	...	...	N N W	2	...	,,	30.15	765.7	...	...	N
Tokio, ...	,,	29.94	760.6	...	...	N N E	1	...	,,	30.12	765.1	...	...	N, N W
Kochi, ...	,,	30.03	762.8	...	...	N N W	3	...	,,	30.15	765.8	...	...	S S E
Nagasaki, ...	,,	30.19	766.8	...	...	N N W	3	...	,,	30.23	767.8	...	...	E
Kagoshima, ...	,,	30.13	765.4	...	...	N W	3	...	,,	30.19	766.9	...	...	N
Oshima, ...	,,	30.12	765.1	...	...	N	4	...	,,	30.14	765.6	...	...	E N E
Naha, ...	,,	30.11	764.7	...	...	N N E	5	...	,,	30.11	764.7	...	...	N E
Ishigakijima, ...	,,	30.11	764.8	...	...	N E	6	...	,,	30.07	763.8	...	...	S W
Bonin Is.	,,	29.93	760.1	...	...	W S W	1	...	,,	29.91	759.6	...	...	S W
Chefoo, ...	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Weihaiwei, ...	,,	30.27	768.8	63	52	N E	1	c	9 a.	30.19	766.8	59	59	S E
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang, ...	,,	30.25	768.3	63	47	N E	1	o	,,	...	...	...	...	...
Shanghai, ...	,,	30.26	768.6	67	50	E N E	1	o	9 a.	30.13	766.6	61	82	S W
Gutzlaff, ...	,,	30.22	767.6	66	...	N E	2	cv	,,	30.15	765.8	66	...	S E
Sharp Peak, ...	,,	30.19	766.8	70	...	N	2	c	,,	30.12	765.0	69	...	N
Amoy, ...	,,	30.12	765.0	77	49	E	4	c	6 a.	30.09	764.3	71	80	N E
Swatow, ...	,,	30.11	764.8	75	68	E	2	c	,,	30.06	763.5	69	80	E N E
Taihoku, ...	1 p.	30.18	766.5	...	...	E	5	...	5 a	30.08	764.1	...	...	E
Taichu, ...	,,	30.04	763.1	...	...	N	6	...	,,	30.04	763.0	...	...	...
Tainan, ...	,,	30.06	763.5	...	...	N	4	...	,,	30.03	762.8	...	...	E
Koshun	,,	30.06	763.4	...	...	N E	8	...	,,	...	...	...	...	...
Pescadores, ...	,,	30.08	764.0	...	...	N E	10	...	,,	30.02	762.6	...	...	N E
Canton, ...	3 p.	30.06	763.5	80	67	N E	1	o	9 a.	30.09	764.3	76	73	E N E
Hongkong, ...	4 p.	30.08	764.0	75	70	E	2	o	10 a.	30.08	764.0	77	72	E
Victoria Peak, ...	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E
Gap Rock, ...	,,	30.03	762.7	...	...	E	6	...	,,	30.05	763.2	...	...	E
Macao, ...	,,	30.05	763.2	76	...	E S E	5	cq	,,	30.08	764.0	76	...	E
Wuchow, ...	3 p.	30.11	764.8	71	...	N E	2	o	9 a.	...	...	..	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..
Pakhoi, ...	,,	30.01	762.2	79	66	S E	2	c	,,	...	...	...	...	...
Phulien, ...	4 p.	29.98	761.6	81	...	E S E	4	o	8 a.	30.04	763.0	77	...	S E
Tourane, ...	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...
Cape St. James, .	,,	29.90	759.5	79	...	N E	3	c	,,	29.95	760.8	81	...	E
Aparri, ...	2 p.	29.95	760.7	86	...	N E	2	o	6 a.	29.93	760.3	75	...	E
Manila, ...	4 p.	29.88	759	88	65	...	0	o	10 a.	29.92	760	86	65	W S W
Legaspi, ...	2 p.	29.87	758.7	88	...	N E	2	c	6 a.	29.88	759.0	79	...	N E
Bacolod, ...	3 p.	...	...	...	...	N	2	or	9 a.	...	...	...	...	N
Iloilo, ...	,,	29.81	757.2	84	...	N	1	o	,,	29.89	759.2	82	...	N
Cebu, ...	,,	29.84	757.9	87	...	S	1	o	,,	29.89	759.2	87	...	N
Labuan, ...	,,	29.84	757.9	86	...	...	...	...	,,	29.94	760.5	81	...	...

On the 11th at 11.55 a.—The barometer has risen quickly in E. Japan; and fallen over China, particul the North.

The high pressure area has shifted Eastwards and now occupies the Sea of Japan, while a depression has ed over China to the North of the Yangtze valley,

The monsoon will decrease in strength over S. China and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, moderate; fine.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamooks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 11th October, 1911.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

11TH OCTOBER, 1911, P.M.

	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...	2 p.	30.13	765.2	55	...	S.S E	4	c
...	,,	30.14	765.6	...	...	N N W	3	...
...	,,	30.17	766.2	...	...	N	3	...
...	,,	30.08	764.1	...	...	N	3	...
...	,,	30.09	764.3	...	...	N N W	1	...
...	,,	30.11	764.8	...	...	E N E	3	...
...	,,	30.09	764.4	...	...	N N E	1	...
...	,,	30.04	763.1	...	...	N	3	...
...	,,	30.03	762.7	...	...	E N E	2	...
...	,,	30.01	762.3	...	...	E	4	...
...	,,	39.93	760.1	...	...	N	1	...
...	3 p.	...	...	...	...	...	...	...
...	,,	30.06	763.6	63	56	S S W	2	o
...	,,	...	...	...	...	...	...	...
...	,,	30.16	765.8	67	69	N W	2	c
...	,,	30.07	763.8	60	100	E	1	or
...	,,	30.07	763.8	61	94	S S E	2	omr
...	,,	30.03	763.2	69	...	N	1	or
...	,,	30.01	762.2	79	70	S E	1	c
...	,,	30.00	762.0	79	66	E	1	c
...	4 p.	29.98	761.4	...	...	E	6	...
...	,,	29.97	761.2	...	...	S W	4	...
...	,,	30.00	762.1	...	...	W	6	...
...	,,	...	...	...	...	...	...	...
...	,,	30.00	762.0	...	...	N	6	...
...	3 p.	29.97	761.2	82	67	S W	1	o
...	4 p.	29.99	761.7	77	78	E	3	c
...	,,	...	...	...	...	E	1	...
...	,,	29.96	760.7	...	...	E	4	...
...	,,	29.98	761.6	78	...	E	3	c
...	8 p.	30.07	763.8	69	...	N	3	od
...	,,	...	...	...	...	...	...	...
...	,,	29.98	761.5	72	95	N	4	or
...	4 p.	29.94	760.5	82	...	S S E	3	c
...	,,	29.92	759.9	82	...	S E	1	c
...es,.	,,	29.89	759.3	79	...	E N E	3	c
...	2 p.	29.89	759.2	81	...	E	2	o
...	4 p.	29.84	758	86	71	...	0	c
...	2 p.	29.84	757.9	93	...	N E	2	c
...	3 p.	...	...	...	...	N	2	b
...	,,	29.81	757.2	86	...	N E	...	b
...	,,	29.82	757.4	88	...	N	1	c
...	,,	29.84	757.9	86	...	...	...	...

12TH OCTOBER, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a	30.08	764.1	53	84	S E	3	o
6 a	30.32	770.1	...	...	E	1	...
,,	30.26	768.7	...	...	N	1	...
,,	30.24	768.1	...	...	N W	1	...
,,	30.13	765.3	...	...	S W	1	...
,,	30.03	762.8	...	...	S E	3	...
,,	30.08	763.9	...	...	E N E	1	...
,,	30.02	762.6	...	...	S	1	...
,,	29.99	761.7	...	...	...	0	...
,,	29.97	761.3	...	...	S E	2	...
,,	30.01	762.1	...	...	...	0	...
6 a.	...	...	...	...	...	...	...
9 a.	30.04	763.0	63	62	W	3	b
6 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
9 a	30.13	765.3	63	78	N W	2	c
,,	30.10	764.5	64	78	N N W	4	cv
,,	30.09	764.3	69	...	...	0	o
6 a.	30.03	762.7	72	81	N N W	2	or
,,	30.01	762.2	71	80	N W	1	c
5 a	30.00	762.0	...	...	N W	2	...
,,	29.99	761.6	...	...	...	0	...
,,	29.95	760.7	...	...	N E	2	...
,,	30.00	761.9	...	...	...	0	...
,,	29.98	761.5	...	...	N E	4	...
9 a.	30.14	765.5	65	84	N	1	o
10 a.	30.07	763.8	75	74	N N E	1	o
,,	...	...	...	...	N W	2	...
,,	30.03	762.7	...	...	N N W	5	...
,,	30.08	764.0	87	...	N W	2	o
9 a.	...	...	..	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.08	764.1	72	...	N N E	3	o
,,	30.00	761.9	84	...	S E	2	c
,,	29.99	761.6	77	...	N E	3	c
6 a.	29.91	759.8	75	...	W	2	b
10 a.	29.92	760	82	77	...	0	o
6 a.	29.88	759.0	72	...	...	0	b
9 a.	...	...	...	...	N	1	or
,,	29.91	759.7	81	...	N	1	c
,,	29.88	758.9	86	...	S	1	c
,,	29.93	760.2	83	...	...	...	...

he 12th at 11.40 a.—The barometer has fallen over W. Japan and the Loochoos, while it is rising over China. depression has passed from the continent to the Yellow Sea.

anticyclonic area has shifted to the Eastward and now lies over the Pacific to the E of Japan. Probably is high also, over W. China.

monsoon will freshen again along the coast and over the N. part of the China Sea.

gkong Rainfall for the 24 hours ending at 10 a.m. to-day 0.00 inches.

OBECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	N. winds, freshening; fair.
sa Channel, ...	N. and N.E. winds, strong
coast of China between Hongkong and Lamocks,.	N. and N.E. winds, freshening.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Thursday, 12th October, 1911.

d by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTI

Station.	12th October, 1911, P.M.									13th October, 1911, A						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wi	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	
Wladivostock,	2 p.	30.06	763.4	56	...	S S E	4	c		7 a	29.91	759.0	47	77	N N E	
Nemuro,	,,	30.32	770.1	...	...	S S E	2	...		6 a	...	...	...	...	...	
Hakodate,	,,	30.19	766.7	...	...	S E	2	...		,,	...	...	...	...	...	
Tokio,	,,	30.16	766.1	...	...	N	1	...		,,	...	...	...	...	...	
Koohi,	,,	30.03	762.8	...	...	W	1	...		,,	...	...	...	...	...	
Nagasaki,	,,	29.95	760.8	...	...	S S E	5	...		,,	...	...	...	...	...	
Kagoshima,	,,	30.00	761.9	...	...	E	2	...		,,	...	...	...	...	...	
Oshima,	,,	29.96	761.1	...	...	N	1	...		,,	...	...	...	...	...	
Naha,	,,	29.95	760.7	...	...	N W	1	...		,,	...	...	...	...	...	
Ishigakijima,	,,	29.93	760.3	...	...	N	5	...		,,	...	...	...	...	...	
Bonin Is.	,,	29.94	760.6	...	...	E N E	1	...		,,	...	...	...	...	...	
Chefoo,	3 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	
Weihaiwei,	,,	...	...	...	...	...	...	...		9 a.	30.08	764.0	53	...	N	
Hankow,	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...		,,	30.32	770.1	60	65	E	
Shanghai,	,,	30.10	764.5	68	38	N W	3	c		9 a.	30.19	766.8	61	45	N W	
Gutzlaff,	,,	30.06	763.5	66	64	N N W	4	cv		,,	30.13	765.3	65	49	N N W	
Sharp Peak,	,,	30.06	763.5	69	...	...	0	or		,,	30.16	766.0	67	...	N	
Amoy,	,,	30.03	762.7	71	80	E N E	2	o		6 a	30.09	764.3	66	79	N N E	
Swatow,	,,	30.00	762.0	76	69	N N E	1	o		,,	30.09	764.3	63	84	N N W	
Taihoku,	1 p.	30.02	762.6	...	...	E	4	...		5 a	30.10	764.6	...	...	S	
Taichu,	,,	29.98	761.5	...	...	N	6	...		,,	30.02	762.5	...	...	N	
Tainan,	,,	29.96	761.1	...	...	N	6	...		,,	30.02	762.4	...	...	N	
Koshun,	,,	29.95	760.7	...	...	N W	6	...		,,	29.99	761.8	...	...	N E	
Pescadores,	,,	30.00	761.9	...	...	N E	8	...		,,	30.03	762.7	...	...	N E	
Canton,	3 p.	30.06	763.5	67	79	N	2	o		9 a.	30.16	766.0	65	73	N	
Hongkong,	4 p.	30.00	762.0	76	63	N	1	c		10 a.	30.13	765.3	66	82	N	
Victoria Peak,	,,	...	...	...	...	N W	3	...		,,	...	...	...	...	N	
Gap Rock,	,,	29.96	761.0	...	...	N N W	5	...		,,	30.08	764.0	...	...	N N E	
Macao,	,,	30.02	762.5	73	...	N W	2	c		,,	30.13	765.3	63	...	N N W	
Wuchow,	3 p.	...	...	...	...	...	...	...		9 a.	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	
Pakhoi,	,,	30.06	763.5	72	71	N	5	o		,,	...	...	...	...	...	
Phulien,	4 p.	30.02	762.5	73	...	N	3	o		8 a.	30.16	766.1	68	...	N N E	
Tourane,	,,	29.94	760.4	79	...	N E	2	b		,,	30.02	762.4	82	...	S E	
Cape St. James,	,,	29.90	759.4	81	...	N E	3	c		,,	...	...	...	...	...	
Aparri,	2 p.	29.87	758.7	84	...	N E	2	c		6 a.	29.93	760.3	75	...	W	
Manila,	4 p.	29.84	758	86	71	W S W	1	c		10 a.	29.92	760	79	85	...	
Legaspi,	2 p.	29.81	757.1	88	...	N E	2	c		6 a.	29.86	758.3	79	...	N E	
Bacolod,	3 p.	...	...	...	...	N	1	c		9 a.	...	...	...	...	N	
Iloilo,	,,	29.81	757.2	85	...	N	1	o		,,	29.89	759.2	82	...	N	
Cebu,	,,	29.78	756.4	86	...	W	1	c		,,	29.90	759.4	88	...	S	
Labuan,	,,	29.83	757.7	87	...	...	...	...		,,	29.94	760.5	81	...	...	

On the 13th at 12.20 p.—The barometer has fallen moderately in Wladiwostok, while it continues to ris over China.

The depression appears to have moved into the Sea of Japan. The Japanese returns are, however, not in

The high pressure area lies over China, and pressure is relatively low over the Pacific to the East of t lippines.

Fresh to strong monsoon will continue to prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; drizzling rain at first, in
2.—Formosa Channel,	N. and N.E. winds, strong
3.—South coast of China between Hongkong and Lamocks,	N. and N.E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 13th October, 1911.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

13TH OCTOBER, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	29.81	757.2	50	...	N N E	4	o
,,	30.22	767.6	...	...	S E	3	...
,,	29.97	761.2	...	...	S E	6	...
,,	29.89	759.1	...	...	N W	3	...
,,	29.83	757.8	...	...	E S E	1	...
,,	29.91	759.8	...	...	N	2	...
,,	29.90	759.4	...	...	W N W	2	...
,,	29.89	759.1	...	...	N	4	...
,,	29.93	760.2	...	...	N N E	5	...
,,	29.97	761.3	...	...	N N E	5	...
,,	29.91	759.6	...	...	S S E	1	...
3 p.	...	...	...	...	...	...	...
,,	30.09	764.3	59	48	N W	4	b
,,	...	...	...	...	...	...	...
,,	30.22	767.6	59	95	N E	1	b
,,	30.14	765.8	64	53	N N W	3	c
,,	30.10	764.5	64	58	N N W	4	cv
,,	30.09	764.3	68	...	N N E	1	o
,,	30.06	763.5	72	54	E N E	2	o
,,	30.09	764.3	65	100	N N E	1	or
1 p.	30.08	764.0	...	...	S E	2	...
,,	29.96	761.1	...	...	N	4	...
,,	30.00	762.1	...	...	N	6	...
,,	30.00	762.0	...	...	N E	6	...
,,	30.02	762.4	..	...	N	10	...
3 p.	30.10	764.5	68	60	N N E	2	o
4 p.	30.07	763.8	66	82	N	1	od
,,	...	...	...	...	N	2	...
,,	30.02	762.5	...	...	N	4	...
,,	30.07	763.8	63	...	N	1	od
3 p.	30.14	765.5	66	...	...	...	o
,,	...	...	...	...	...	...	...
,,	30.15	765.8	67	74	N	5	o
4 p.	30.08	764.1	72	...	E N E	4	o
,,	29.94	760.6	77	...	N W	3	o
,,	29.87	758.8	84	...	S	1	c
2 p.	29.87	758.8	86	...	N	2	b
4 p.	29.84	758	84	77	...	0	o
2 p.	29.82	757.4	90	...	N E	2	c
3 p.	...	...	...	...	N	2	o
,,	29.81	757.2	78	...	S W	1	cr
,,	29.79	756.6	88	...	W	1	c
,,	29.83	757.7	86	...	...	...	...

14TH OCTOBER, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	29.83	757.7	48	81	N N E	0	o
6 a.	29.99	761.6	...	...	E	3	...
,,	29.85	758.2	...	...	...	0	...
,,	29.87	758.6	...	...	N W	1	...
,,	29.86	758.3	...	...	...	0	...
,,	30.05	763.3	...	...	...	0	...
,,	29.96	760.9	...	...	N	1	...
,,	29.93	760.1	...	...	N	4	...
,,	29.95	760.7	...	...	N N E	5	...
,,	29.99	761.8	...	...	N	2	...
,,	29.91	759.6	...	...	...	2	...
6 a.	...	...	...	...	...	...	...
9 a.	30.12	765.0	59	48	N N W	6	c
6 a.	...	...	...	...	...	...	...
,,	30.25	768.3	59	82	S W	1	o
9 a.	30.18	766.6	60	71	W N W	2	c
,,	30.15	765.8	60	65	N W	4	ov
,,	30.18	766.6	66	...	N	1	o
6 a.	30.07	763.8	68	60	N E	4	b
,,	30.08	764.0	66	84	N	1	o
5 a.	30.10	764.4	...	...	S E	2	...
,,	29.97	761.3	...	...	N	2	...
,,	30.01	762.3	...	...	N	6	...
,,	...	...	...	...	..	...	...
,,	30.01	762.3	...	...	N	10	...
9 a.	30.16	766.0	66	59	N N E	2	c
10 a.	30.15	765.8	65	83	N	1	o
,,	...	...	...	...	N E	2	...
,,	30.10	764.5	...	...	N N E	5	...
,,	30.14	765.5	64	...	N	2	o
9 a.	...	...	..	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.19	766.7	68	...	N E	2	c
,,	30.07	763.8	73	...	W	3	f
,,	...	...	...	...	...	...	...
6 a.	29.89	759.3	77	...	N E	2	p
10 a.	29.92	760	82	77	W	0	o
6 a.	29.85	758.2	79	...	N E	2	b
9 a.	...	...	...	...	N	2	or
,,	29.91	759.7	81	...	N	1	o
,,	29.88	758.9	88	...	S	1	c
,,	29.93	760.2	83	...	...	...	...

e 14th at 11.55 a.—The barometer has fallen considerably in N.E. Japan owing to the depression which is g Eastwards over the Sea of Japan.

ure is little changed in other areas. It remains high over China, and relatively low over the Pacific to the e Philippines.

to strong monsoon will continue to prevail over the N. part of the China Sea.

gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

OREOAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	N. and N.E. winds, fresh; fair.
a Channel, ...	N.E. winds, strong
oast of China between Hongkong and Lamocks,.	Same as No. 1.
oast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Saturday, 14th October, 1911.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGIST

Station.	14th October, 1911, P.M.								15th October, 1911, A					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wi
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction
Wladivostock,	2 p.	29.83	757.8	56	...	N N E	0	c	7 a.	[illegible]	[illegible]	47	94	N N E
Nemuro,	,,	29.93	760.1	...	...	N E	3	...	6 a.	[illegible]	[illegible]	...	...	E S E
Hakodate,	,,	29.85	758.2	...	...	E S E	1	...	,,	[illegible]	[illegible]	...	...	...
Tokio,	,,	29.85	758.1	...	...	N	1	...	,,	29.87	758.6	...	...	N N W
Koohi,	,,	29.82	757.3	...	...	E S E	1	...	,,	29.88	758.8	...	...	S W
Nagasaki,	,,	29.93	760.3	...	...	N W	4	...	,,	30.01	762.3	...	...	N N E
Kagoshima,	,,	29.92	759.9	...	...	N W	3	...	,,	29.96	760.9	...	...	N N W
Oshima,	,,	29.94	760.6	...	...	N	3	...	,,	29.95	760.6	...	...	N
Naha,	,,	29.95	760.7	...	...	N N E	5	...	,,	29.95	760.7	...	...	N N E
Ishigakijima,	,,	29.99	761.8	...	...	N	4	...	,,	29.99	761.8	...	...	N
Bonin Is.	,,	29.95	760.1	...	...	S W	1	...	,,	29.95	760.6	...	...	S W
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.09	764.3	59	48	N N W	2	b	9 a.	30.10	764.5	56	45	N N W
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	,,	30.16	766.0	73	95	W	1	b	,,	30.21	767.8	54	87	...
Shanghai,	,,	30.11	764.8	68	34	N W	3	c	9 a.	30.18	766.6	63	67	W
Gutzlaff,	,,	30.10	764.5	65	52	N N W	3	cv	,,	30.16	766.0	61	66	N W
Sharp Peak,	,,	30.09	764.3	68	...	E	2	c	,,	30.17	766.3	68	...	N
Amoy,	,,	30.02	763.5	74	43	N E	3	o	6 a.	...	...	...	...	...
Swatow,	,,	30.04	763.0	73	72	...	0	o	,,	30.08	764.0	65	84	N
Taihoku,	1 p.	30.09	764.5	...	...	S W	2	...	5 a.	30.10	764.4	...	...	S
Taichu,	,,	30.03	762.8	...	...	N	4	...	,,	30.02	762.6	...	...	...
Tainan,	,,	30.02	762.4	...	...	N	6	...	,,	30.02	762.4	...	...	N
Koshun,	,,	29.99	761.7	...	...	N E	8	...	,,	...	...	...	...	...
Pescadores,	,,	30.04	762.9	...	...	N E	10	...	,,	30.03	762.7	...	...	N E
Canton,	3 p.	30.04	763.0	73	35	N	2	o	9 a.	30.16	766.0	66	54	N N E
Hongkong,	4 p.	30.05	763.2	68	75	N	1	o	10 a.	30.13	765.3	73	52	N
Victoria Peak,	,,	...	...	...	...	N E	1	...	,,	...	...	...	...	N E
Gap Rock,	,,	30.01	762.2	...	...	N E	4	...	,,	30.09	764.3	...	...	N E
Macao,	,,	30.04	763.0	82	...	N	1	o	,,	...	...	...	...	...
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi,	,,	30.09	764.3	73	67	N	2	c	,,	...	...	...	...	...
Phulien,	4 p.	30.08	764.0	73	...	W S W	2	o	8 a.	30.16	766.1	70	...	N N E
Tourane,	,,	29.98	761.5	72	...	N W	1	f	,,	30.06	763.5	72	...	N
Cape St. James,	,,	29.87	758.7	84	...	W	1	o	,,	...	...	...	...	...
Aparri,	2 p.	29.89	759.3	82	...	N E	2	o	6 a.	29.92	759.9	75	...	E
Manila,	4 p.	29.84	758	88	65	...	0	c	10 a.	29.92	760	82	77	...
Legaspi,	2 p.	29.83	757.8	90	...	N E	2	c	6 a.	29.89	759.3	70	...	...
Bacolod,	3 p.	...	...	...	...	N	2	o	9 a.	...	...	...	...	N
Iloilo,	,,	29.81	757.2	83	...	N E	1	c	,,	29.91	759.7	81	...	N N E
Cebu,	,,	29.84	757.9	84	...	N	1	od	,,	29.89	759.2	84	...	W
Labuan,	,,	29.82	757.4	87	...	...	...	...	,,	...	...	...	...	...

On the 15th at 11.30 a.—The barometer has risen slightly over the N. part of the Sea of Japan and in
The depression over the former area appears to be filling up.
Pressure remains high over China, and relatively low over the Pacific to the East of the Philippines.
Fresh to strong monsoon will continue to prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, moderate; fine.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 15th October, 1911.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

15TH OCTOBER, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	29.87	758.8	55	...	N	1	b
,,	29.96	761.1	...	...	S	1	...
,,	29.89	759.2	...	...	E S E	1	...
,,	29.81	757.1	...	...	N E	1	...
,,	29.82	757.3	...	...	...	0	...
,,	29.95	760.3	...	...	N	3	...
,,	29.92	759.9	...	...	N N W	2	...
,,	29.91	759.6	...	...	N	5	...
,,	29.93	760.2	...	...	N	5	...
,,	29.97	761.8	...	...	N	3	...
,,	29.87	758.6	...	...	S E	1	...
3 p.	...	...	...	...	...	...	...
,,	30.05	763.2	55	59	N	7	b
,,	...	...	...	...	...	...	...
,,	30.18	766.6	73	43	N W	2	c
,,	30.08	764.0	68	42	W N W	3	c
,,	30.10	764.5	66	59	N N W	3	cv
,,	30.10	764.5	68	...	E	2	c
,,	30.07	763.8	78	32	E	2	b
,,	30.10	764.5	75	60	S E	1	b
1 p.	30.09	764.4	...	...	...	0	...
,,	30.00	762.1	...	...	N	6	...
,,	30.01	762.2	...	...	N	6	...
,,	29.99	761.7	...	...	N E	8	...
,,	30.04	762.9	...	...	N E	10	...
3 p.	30.06	763.5	74	43	N W	2	b
4 p.	30.04	763.0	75	55	E S E	1	c
,,	...	...	...	...	N	1	...
,,	30.02	762.6	...	...	N N E	2	...
,,	30.06	763.2	74	...	N	1	c
8 p.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	30.04	763.0	76	...	N	2	c
4 p.	30.09	764.2	75	...	E S E	0	o
,,	30.00	761.9	72	...	N N E	3	f
,,	...	...	...	...	...	...	...
2 p.	29.89	759.3	82	...	N	2	o
4 p.	29.84	758	84	77	...	0	o
2 p.	29.86	758.1	91	...	E	2	b
3 p.	...	...	...	...	N	2	c
,,	29.81	757.2	...	...	N N E	1	c
,,	29.83	757.7	86	...	E	1	c
,,	29.84	757.9	84	...	...	...	...

16TH OCTOBER, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	29.93	760.2	47	93	N	2	o
6 a	29.95	760.6	...	...	E	1	...
,,	29.85	758.2	...	...	...	0	...
,,	29.73	755.1	...	...	N	2	...
,,	29.82	757.3	...	...	S W	1	...
,,	29.91	759.8	...	...	N N W	4	...
,,	29.92	759.9	...	...	N N W	2	...
,,	29.93	760.1	...	...	N	5	...
,,	30.01	762.2	...	...	N	5	...
,,	30.05	763.3	...	...	N	2	...
,,	29.71	754.6	...	...	S E	2	...
6 a	...	...	...	...	...	...	...
9 a.	30.06	763.5	60	49	N	7	o
6 a.	...	...	...	...	...	...	...
,,	30.34	770.6	59	70	N E	3	c
9 a.	30.22	767.6	60	55	N W	3	b
,,	30.19	766.8	58	65	N W	4	cv
,,	30.19	766.8	66	...	N	1	c
6 a.	30.13	765.3	66	49	N	2	b
,,	30.12	765.0	61	89	N	2	b
5 a.	30.09	764.2	...	...	...	0	...
,,	30.03	762.8	...	...	N	2	...
,,	30.04	762.9	...	...	N	2	...
,,	30.01	762.2	...	...	N E	8	...
,,	30.04	762.9	...	...	N E	10	...
9 a.	30.18	766.6	67	55	N	2	b
10 a.	30.14	765.5	73	45	N	1	b
,,	...	...	...	...	N E	4	...
,,	30.31	764.8	...	...	E N E	4	...
,,	30.14	765.6	71	...	N	1	c
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.17	766.3	73	...	N N E	3	b
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
6 a.	29.93	760.3	73	...	N E	2	p
10 a.	29.92	760	84	71	...	0	o
6 a.	29.91	759.7	79	...	N E	2	c
9 a.	...	...	...	...	N	2	c
,,	29.91	759.7	83	...	N	1	b
,,	29.92	759.9	82	...	...	0	r
,,	29.91	759.7	83	...	...	...	...

e 16th at 12.05 p.—The barometer has fallen considerably at the Bonins, and to a less extent over Japan.
n slightly over the Southern Loochoos.
pression, probably a typhoon, which appears to be moving towards N.E., is shown over the Pacific to the
of the Bonins.
high pressure area still covers China.
h to strong monsoon will continue to prevail over the N. part of the China Sea.

gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

OBECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	N. winds, moderate; fine.
sa Channel, ...	N. and N.E. winds, fresh.
coast of China between Hongkong and Lamocks, .	Same as No. 1.
oast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ongkong Observatory, Monday, 16th October, 1911.

d by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	16th October 1911, P.M.								17th October 1911, A.M.					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.
Wladivostook,	2 p.	29.88	759.0	58	...	N N E	4	c	7 a.	29.84	757.9	46	83	N N E
Namuro,	,,	29.96	761.1	...	...	E N E	1	...	6 a	29.87	758.6	...	...	E N E
Hakodate,	,,	29.77	756.2	...	...	...	0	...	,,	29.50	749.2	...	...	E N E
Tokio,	,,	29.55	750.6	...	...	N W	2	...	,,	29.55	750.6	...	...	S W
Kochi,	,,	29.72	754.8	...	...	W S W	2	...	,,	29.82	757.3	...	...	S S W
Nagasaki,	,,	29.87	758.8	...	...	N N W	6	...	,,	29.95	760.8	...	...	E N E
Kagoshima,	,,	29.88	758.9	...	...	N W	4	...	,,	29.98	761.4	...	...	N
Oshima,	,,	29.96	761.1	...	...	N	4	...	,,	30.04	763.1	...	...	N
Naha,	,,	30.03	762.7	...	...	N N W	...	...	,,	30.11	764.7	...	...	N N W
Ishigakijima,	,,	30.07	763.8	...	...	N	3	...	,,	30.07	763.3	...	...	N N E
Bonin Is.	,,	29.73	755.1	...	...	S W	5	...	,,	29.94	760.6	...	...	W
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a	...	...	...	..	...
Weihaiwei,	,,	30.06	763.5	59	54	N N W	5	c	9 a.	30.14	765.5	65	49	N
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	..	,,	...	...	...	...	...
Shanghai,	,,	30.16	766.0	66	36	W N W	3	b	9 a.	30.29	769.3	62	61	N W
Gutzlaff,	,,	30.15	765.8	63	...	N N W	4	cv	,,	30.24	768.1	62	.72	N W
Sharp Peak,	,,	30.12	765.0	68	...	N N E	2	b	,,	30.28	769.1	67	...	E
Amoy,	,,	...	...	...	...	...	...	...	6 a.	30.23	767.8	66	59	N E
Swatow,	,,	30.07	763.8	75	60	N E	1	c	,,	30.17	766.3	62	89	N E
Taihoku,	1 p.	30.13	765.3	...	...	E	4	...	5 a	30.24	768.0	...	...	...
Taichu,	,,	30.04	762.9	...	...	N	4	...	,,	30.11	764.8	...	...	N
Tainan,	,,	30.03	762.7	...	...	S W	2	...	,,	30.10	764.5	...	...	N
Koshun	,,	30.02	762.4	...	...	N E	8	...	,,	30.08	764.0	...	...	N E
Pescadores,	,,	30.04	763.1	..	...	N E	10	...	,,	30.11	764.7	...	...	N E
Canton,	3 p.	30.07	763.8	76	38	N	2	b	9 a.	30.25	767.8	68	51	N
Hongkong,	4 p.	30.07	763.8	73	44	E	2	b	10 a.	30.20	767.1	73	51	N
Victoria Peak,	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	E N E
Gap Rock,	,,	30.02	762.5	...	...	E N E	4	...	,,	30.17	766.3	...	...	N E
Macao,	,,	30.06	763.5	75	...	N	1	c	,,	30.20	767.0	70	...	N
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	..	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi,	,,	30.09	764.3	81	35	N W	0	b	,,	...	...	...	...	...
Phulien,	4 p.	30.07	763.7	79	...	S	2	b	8 a.	30.20	767.0	73	...	N E
Tourane,	,,	30.00	762.0	73	...	N W	4	f	,,	30.08	764.0	75	...	N E
Cape St. James,	,,	29.84	757.9	81	...	E N E	3	c	,,	29.98	761.4	77	...	E
Aparri,	2 p.	29.89	759.2	81	...	N W	2	c	6 a.	29.97	761.3	75	...	N E
Manila,	4 p.	29.84	758	82	77	...	0	o	10 a.	29.96	761	82	85	...
Legaspi,	2 p.	29.85	758.1	91	...	E	2	c	6 a.	29.93	760.1	77	...	...
Bacolod,	3 p.	...	...	...	...	S	2	or	9 a.	...	...	...	...	N
Iloilo,	,,	29.81	757.2	85	...	E	1	o	,,	29.91	759.7	82	...	N E
Cebu,	,,	29.83	757.7	86	...	W	1	c	,,	29.92	759.9	83	...	E
Labuan,	,,	29.80	756.9	88	...	...	...	...	,,	29.93	760.2	84	...	...

On the 17th at 12.20 p.—The typhoon lying to the northward of the Bonins yesterday, has moved nor and is situated now over E. Japan.

Except over the latter area, pressure has increased generally.

The high pressure area remains over China.

Fresh to strong monsoon will continue to prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, moderate to fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 17th October, 1911.

[Printed by Noronha & Co., Government Printers.]

NA COAST METEOROLOGICAL REGISTER.

17TH OCTOBER, 1911, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	29.79	756.7	50	...	N N E	2	o
,,	29.73	755.1	...	...	E N E	6	...
,,	...	...	...	...	...	...	...
,,	29.55	750.6	...	...	S W	3	...
,,	29.85	758.3	...	...	N W	6	...
,,	29.89	759.3	...	...	N N W	3	...
,,	30.02	762.4	...	...	N W	3	...
,,	30.06	763.6	...	...	N	2	...
,,	30.13	765.2	...	...	N	4	...
,,	30.25	768.3	...	...	N	5	...
,,	29.96	761.1	...	...	N W	1	...
3 p.	...	...	...	...	...	...	...
,,	30.10	764.5	63	47	W	3	b
,,	...	...	...	...	...	...	...
,,	30.28	769.1	70	32	N E	1	b
,,	30.23	767.9	66	53	N N W	2	c
,,	30.20	767.1	66	59	N	3	cv
,,	30.21	767.3	67	...	E	4	b
,,	30.14	765.5	76	38	E	2	b
,,	30.13	765.3	74	59	E	1	b
1 p.	30.19	766.9	...	...	E	6	...
,,	30.08	764.0	...	...	N	6	...
,,	30.10	764.5	...	...	N W	4	...
,,	...	...	...	...	...	...	...
,,	30.13	765.2	...	...	N E	10	...
3 p.	30.12	765.0	76	61	N	2	b
4 p.	30.12	765.0	73	57	E	2	b
,,	...	...	...	...	E N E	1	...
,,	30.09	764.3	...	...	E	5	...
,,	30.12	765.0	75	...	N	1	c
3 p.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
4 p.	30.11	764.7	81	...	S S E	3	b
,,	30.03	762.8	75	...	E	6	dh
,,	29.89	759.2	75	...	E N E	2	o
2 p.	29.96	761.1	75	...	N E	4	d
4 p.	29.84	758	86	71	...	0	c
2 p.	29.86	758.5	91	...	E	2	b
3 p.	...	...	...	...	W	2	o
,,	29.83	757.7	86	...	N E	1	o
,,	29.82	757.4	87	...	N	1	c
,,	29.81	757.2	87	...	...	...	...

18TH OCTOBER, 1911, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	29.84	753.0	46	68	...	0	o
6 a.	29.51	749.6	...	...	S	5	...
,,	29.52	749.7	...	...	W S W	3	...
,,	29.87	758.6	...	...	W N W	1	...
,,	30.09	764.3	...	...	S W	1	...
,,	30.13	765.3	...	...	N N W	2	...
,,	30.15	765.9	...	...	N W	1	...
,,	30.18	766.6	...	...	S	1	...
,,	30.19	766.7	...	...	E N E	1	...
,,	30.19	766.8	...	...	N	1	...
,,	30.04	763.1	...	...	.	0	...
6 a	...	...	...	..	...	..	...
9 a.	30.17	766.3	69	52	S W	1	b
6 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
9 a.	30.35	770.9	66	49	W	1	b
,,	30.31	769.9	63	62	N W	1	b
,,	30.30	769.6	66	...	N	2	b
6 a	...	...	...	...	...	...	...
,,	30.21	767.3	61	77	N N E	1	b
5 a	30.23	767.7	...	...	E	2	...
,,	30.15	765.9	...	...	...	0	...
,,	30.15	765.8	...	...	...	0	...
,,	30.14	765.6	...	...	N E	8	...
,,	30.14	765.6	...	...	N E	8	...
9 a.	30.26	768.6	68	51	N	2	b
10 a.	30.23	767.8	74	64	E	2	c
,,	...	...	...	...	E N E	3	...
,,	30.19	766.8	...	...	E N E	5	...
,,	...	...	...	...	...	...	...
9 a.	...	...	..	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.23	767.8	75	...	N E	3	b
,,	30.10	764.4	72	..	N	4	dh
,,	...	...	...	...	...	...	...
6 a.	30.04	762.9	73	...	S E	0	d
10 a.	30.00	762	82	70	N N E	0	o
6 a.	29.93	760.3	79	...	N E	2	o
9 a.	...	...	...	...	N	3	c
,,	29.99	761.7	83	...	N	1	c
,,	29.92	759.9	85	...	E	1	o
,,	29.97	761.2	82	...	...	...	...

e 18th at 11.55 a.—The depression, which continues to move Northwards, is now situated over Hokkaido.
rometer has risen considerably in S. Japan, and slight increases of pressure have taken place along tthe
t and at the Southern statioss.
nticyclonic area still covers China and adjacents Seas.
to strong monsoon will continue to prevail over the China Sea.

kong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

ORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ng and Neighbourhood, ...	N.E. winds, fresh; fine.
Channel, ...	Same as No. 1.
oast of China between Hongkong and Lamocks,.	Same as No. 1.
oast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Wednesday, 18th October, 1911.

1 by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	18th October, 1911, P.M.									19th October, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	29.86	758.5	62	...	N N E	3	o		7 a	30.14	765.5	41	55	N N E	1	
Namuro,	"	29.51	749.6	...	...	S W	7	...		6 a	29.73	755.1	...	...	N W	5	
Hakodate,	"	29.61	752.2	...	...	W S W	2	...		"	29.89	759.2	...	...	N W	3	
Tokio,	"	29.91	759.6	...	...	S	1	...		"	30.04	763.1	...	...	N W	1	
Kochi,	"	30.05	763.3	...	...	S W	1	...		"	30.19	766.8	...	...	S W	1	
Nagasaki,	"	30.17	766.3	...	...	W N W	4	...		"	30.19	766.8	...	...	S E	1	
Kagoshima,	"	30.15	765.9	...	...	N W	2	...		"	30.21	767.4	...	...	..	0	
Oshima,	"	30.18	766.6	...	...	N N E	2	...		"	30.22	767.4	...	...	S	1	
Naha,	"	30.20	767.2	...	...	N	4	...		"	30.19	766.7	...	...	E N E	1	
Ishigakijima,	"	30.10	766.8	...	...	N E	4	...		"	30.17	766.3	...	...	N	1	
Bonin Is.	"	30.04	763.1	...	...	N	1	...		"	30.04	763.1	...	...	N E	1	
Chefoo,	3 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	
Weihaiwei,	"	30.16	766.0	67	50	N	2	b		9 a.	30.39	769.3	66	60	N N E	4	
Hankow,	"	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	
Kinkiang,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	
Shanghai,	"	30.27	768.8	73	62	N W	1	c		9 a.	30.33	770.4	67	50	...	0	
Gutzlaff,	"	30.26	768.6	68	51	N W	1	b		"	30.31	769.9	68	60	N W	1	
Sharp Peak,	"	30.25	768.3	68	...	E	4	b		"	30.28	769.1	66	...	N W	1	
Amoy,	"	30.16	766.0	77	46	E	2	b		6 a	30.26	768.6	65	62	N N E	2	
Swatow,	"	30.17	766.3	76	64	E	2	b		"	...	...	...	...	...	...	
Taihoku,	1 p.	30.20	767.1	...	...	E	8	...		5 a	30.21	767.2	...	...	S E	4	
Taichu,	"	30.15	765.7	...	...	N W	2	...		"	30.17	766.2	...	...	...	0	
Tainan,	"	30.16	766.0	...	...	W	6	...		"	30.16	766.0	...	...	...	0	
Koshun	"	30.15	765.9	...	...	N E	8	...		"	30.13	765.4	...	...	N E	6	
Pescadores,	"	30.16	766.1	..	...	N E	10	...		"	30.15	765.7	...	...	N	6	
Canton,	3 p.	30.14	765.5	77	...	N W	2	b		9 a.	30.24	768.1	69	56	N	4	
Hongkong,	4 p.	30.15	765.8	73	58	E	3	b		10 a.	30.22	767.6	75	51	E	3	
Victoria Peak,	"	...	...	...	...	E N E	2	...		"	...	...	...	...	E	3	
Gap Rock,	"	30.11	764.8	...	...	E	4	...		"	30.19	766.8	...	...	E N E	5	
Macao,	"	30.15	765.8	77	...	N	1	c		"	30.21	767.4	77	...	N N E	2	
Wuchow,	3 p.	...	...	...	...	...	...	...		9 a	...	...	..	...	...	...	
Hoihow,	"	30.15	765.8	76	...	E N E	2	o		"	...	...	...	...	...	...	
Pakhoi,	"	30.14	765.5	80	...	S	1	b		"	...	...	...	...	...	...	
Phulien,	4 p.	30.12	765.1	81	...	S S E	3	b		8 a.	30.20	767.0	75	...	N E	3	
Tourane,	"	30.01	762.3	73	...	E N E	6	f		"	30.08	763.9	77	..	N E	6	
Cape St. James,	"	...	...	...	...	...	...	...		"	29.97	761.1	73	...	N E	3	
Aparri,	2 p.	30.03	762.7	77	...	E	2	p		6 a.	30.04	763.1	75	...	E	2	
Manila,	4 p.	29.92	760	81	76	...	0	d		10 a.	30.00	762	81	76	N	1	
Legaspi,	2 p.	29.92	759.9	86	...	N E	2	o		6 a.	29.92	760.0	79	...	N E	4	
Bacolod,	3 p.	...	...	...	...	N	2	o		9 a.	...	...	...	...	N	1	
Iloilo,	"	29.85	758.2	83	...	N	2	o		"	29.89	759.2	81	...	N E	3	
Cebu,	"	29.86	758.4	82	...	E	1	o		"	29.89	759.2	84	...	E	1	
Labuan,	"	29.85	758.2	86	...	...	...	...		"	29.93	760.2	80	...	...	...	

On the 19th at 11.55 a.—The depression lying over Hokkaido yesterday, has moved away over the Pacific, the barometer has risen quickly over the Sea of Japan.

The anticyclonic area still covers China, but pressure has a tendency to give way on the Southern coasts, also over the Philippines.

Fresh to strong monsoon will continue to prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 19th October, 1911.

[Printed by NORONHA & Co., Government Printers.]

INA COAST METEOROLOGICAL REGISTER.

ION.	19TH OCTOBER, 1911, P.M.								20TH OCTOBER, 1911, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
stock, ...	2 p.	30.13	765.2	53	...	N N E	3	b	7 a.	30.29	769.3	40	49	N N E	3	b
, ...	,,	29.89	759.1	...	...	N N W	5	...	6 a	30.16	766.1	...	...	N W	5	...
te, ...	,,	29.97	761.2	...	...	N	3	...	,,	30.26	768.7	...	...	N	1	...
.....	,,	30.02	762.6	...	...	N N W	1	...	,,	30.22	767.6	...	...	N W	1	...
.....	,,	30.11	764.8	...	...	...	0	...	,,	30.23	767.8	...	...	S W	1	...
i, ...	,,	30.17	766.1	...	...	W N W	3	...	,,	30.23	767.8	...	...	E N E	1	...
ima, ...	,,	30.15	765.9	...	...	S W	2	...	,,	30.21	767.4	...	...	N N E	1	...
, ...	,,	30.16	766.1	...	...	N	2	...	,,	30.16	766.1	...	...	S	1	...
.....	,,	...	...	...	...	N	4	...	,,	30.15	765.7	...	...	N E	2	...
ijima, ...	,,	30.16	[illegible]	...	...	N E	5	...	,,	30.13	765.3	...	...	N N E	2	...
ls.	,,	30.02	[illegible]	...	...	N E	1	...	,,	30.01	762.1	...	...	N E	1	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
wai, ...	,,	30.36	768.6	67	61	N	5	bm	9 a.	30.32	770.1	64	68	N N W	3	bm
w, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ng, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
nai	,,	30.26	768.6	72	34	N N E	1	b	9 a.	30.34	770.6	66	45	N N W	1	c
;	,,	30.25	768.3	71	49	N	1	bv	,,	30.30	769.6	68	69	N	1	bv
Peak, ...	,,	30.22	767.6	69	...	N N E	4	b	,,	30.26	768.6	67	...	N N W	1	b
, ...	,,	30.15	765.8	78	46	E	2	b	6 a.	30.28	769.1	66	68	E N E	1	b
, ...	,,	30.14	765.5	77	61	E	1	b	,,	30.18	766.6	63	83	N E	1	b
u, ...	4 p.	30.19	766.7	...	...	E	8	...	5 a.	30.18	766.6	...	...	E	4	...
.....	,,	30.09	764.4	...	...	N	4	...	,,	30.11	764.8	...	...	...	0	...
.....	,,	30.09	764.3	...	...	W	6	...	,,	30.12	764.9	...	...	...	0	...
i, ...	,,	30.13	765.2	...	...	N E	6	...	,,	30.11	764.8	...	...	N	6	...
lores, ...	,,	30.13	765.4	..	...	N	10	...	,,	30.12	765.0	...	...	N	8	...
, ...	3 p.	30.11	764.8	78	39	N	2	b	9 a.	30.21	767.3	70	80	E	1	b
ong, ...	4 p.	30.12	765.0	74	59	E	3	b	10 a.	30.20	767.1	76	51	E	2	b
ia Peak, ...	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	E	4	...
Rook, ...	,,	30.08	764.0	...	...	E	5	...	,,	30.15	765.8	...	...	E N E	5	...
, ...	,,	30.11	764.8	77	...	N N E	1	c	,,	30.15	765.9	76	...	N N E	2	c
ow, ...	3 p.	30.12	765.0	81	45	S	1	...	9 a.	...	...	..	...	...	...	...
ow, ...	,,	30.21	767.3	88	66	E N E	2	c	,,	...	...	...	...	...	...	...
i, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
en, ...	4 p.	30.10	764.6	79	...	E S E	3	b	8 a.	30.17	766.3	75	...	N E	3	b
ane, ...	,,	29.99	761.7	75	...	N E	6	f	,,	30.10	764.5	75	..	E	4	dh
St. James, .	,,	29.91	759.7	79	...	E N E	3	c	,,	29.94	760.5	81	...	E S E	1	c
ri, ...	2 p.	29.99	761.8	81	...	E	2	o	6 a.	30.01	762.3	73	...	N E	2	o
la, ...	4 p.	29.88	759	82	70	...	0	o	10 a.	29.96	761	82	70	W	1	c
epi, ...	2 p.	29.87	758.6	88	...	N E	2	c	6 a.	29.91	759.8	79	...	N E	2	b
lod, ...	3 p.	...	...	...	...	N	3	or	9 a.	...	...	...	...	N	3	c
, ...	,,	29.79	756.6	83	...	N	3	o	,,	29.87	758.7	80	...	N E	1	b
, ...	,,	29.85	758.2	84	...	N	1	r	,,	29.92	759.9	82	...	N	1	c
an, ...	,,	29.85	758.2	79	...	...	...	...	,,	29.89	759.2	82	...	...	...	...

On the 20th at 11.55 a.—The barometer has risen considerably over the N. part of the Sea of Japan, and fallen ghtly over S. China, the Loochoos and the Philippines.

The anticyclonic area, which is still central over the continent, covers China and Japan and adjacent Seas.

Pressure is relatively low over the S. part of the China Sea and the Pacific to the Eastward of the Southern Phi-ppines.

Fresh to strong monsoon will continue to prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
Hongkong and Neighbourhood, ...	N.E. winds, fresh; fine.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 20th October, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th OCTOBER, 1911, P.M.								21st OCTOBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	30.26	768.5	55	...	N N W	1	b	7 a.	30.23	767.8	43	73	...	0	b
Namuro, ...	,,	30.26	768.6	...	...	N W	6	...	6 a	30.40	772.1	...	...	S	1	
Hakodate, ...	,,	30.28	769.2	...	...	S S W	1	...	,,	30.32	770.2	...	...	...	0	
Tokio, ...	,,	30.24	768.1	...	...	N E	2	...	,,	30.28	769.1	...	...	N W	2	
Kochi, ...	,,	30.17	766.3	...	...	E N E	1	...	,,	30.21	767.3	...	...	S W	1	
Nagasaki, ...	,,	30.19	766.8	...	...	W S W	1	...	,,	30.21	767.3	...	...	E N E	1	
Kagoshima, ...	,,	30.17	766.4	...	...	.	1	...	,,	30.19	766.9	...	...	E N E	1	
Oshima, ...	,,	30.16	766.1	...	...	N N E	4	...	,,	30.14	765.6	...	...	S	1	
Naha,.....	,,	30.11	764.7	...	...	N N E	5	...	,,	30.09	764.2	...	...	N N E	4	
Ishigakijima, ...	,,	30.05	763.3	...	...	N E	6	...	,,	30.13	765.3	...	...	N	2	
Bonin Is.....	,,	29.93	760.1	...	...	N E	1	...	,,	29.93	760.1	...	...	N E	1	
Chefoo, ...	3 p.	...	...	...	...	...	...	...	6 a	...	...	...	...	...	...	
Weihaiwei,.....	,,	30.27	768.8	66	68	N W	3	b	9 a.	30.27	768.8	64	61	S W	2	bm
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,.....	,,	30.24	768.1	74	..	N E	2	b	,,	...	...	...	...	...	...	
Shanghai, ...	,,	30.25	768.3	72	58	N N E	1	b	9 a	30.29	769.3	67	61	N E	1	b
Gutzlaff, ...	,,	30.24	768.1	68	51	N	1	cv	,,	30.25	768.3	67	64	N N E	2	b
Sharp Peak,.....	,,	30.19	766.8	70	...	N	2	b	,,	30.25	768.3	69	...	N W	1	b
Amoy,.....	,,	30.17	766.3	80	44	N N E	4	b	6 a	30.22	767.6	67	69	N N E	1	b
Swatow, ...	,,	30.12	765.0	77	58	E	1	b	,,	...	...	...	...	...	...	
Taihoku,.....	1 p.	30.15	765.7	...	...	E	8	...	5 a	30.17	766.2	...	...	E	4	
Taichu, ...	,,	30.09	764.2	...	...	N	4	...	,,	30.12	765.0	...	...	...	0	
Tainan,.....	,,	30.09	764.4	...	...	W	4	...	,,	30.10	764.5	...	...	S E	2	
Koshun.....	,,	30.09	764.2	...	...	N E	6	...	,,	30.10	764.4	...	...	N E	6	
Pescadores, ...	,,	30.10	764.5	..	...	N E	10	...	,,	30.09	764.3	...	...	N E	8	
Canton,.....	3 p.	30.10	764.5	79	47	N	2	b	9 a	...	...	...	...	...	...	
Hongkong, ...	4 p.	30.10	764.5	74	53	E	3	b	10 a.	30.19	766.8	75	59	E	3	c
Victoria Peak,...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	3.	
Gap Rock,.....	,,	30.06	763.5	...	...	E N E	5	...	,,	30.16	766.0	...	...	E	4	
Macao, ...	,,	30.09	764.3	78	...	N N E	1	c	,,	30.18	766.6	77	...	N N E	2	c
Wuchow,.....	3 p.	...	...	...	...	...	...	...	9 a	...	...	..	...	...	...	
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,.....	,,	30.09	764.3	82	42	S E	2	b	,,	...	...	...	...	...	...	
Phulien, ...	4 p.	30.09	764.2	79	...	E S E	4	b	8 a.	30.17	766.3	75	...	E N E	3	c
Tourane, ...	,,	30.00	761.9	77	...	N E	4	dh	,,	30.09	764.3	77	..	N E	2	dh
Cape St. James,.	,,	...	...	...	...	...	...	...	,,	29.97	761.1	81	...	N E	1	c
Aparri, ...	2 p.	29.98	761.4	79	...	E	2	o	6 a.	30.02	762.4	75	...	E	2	b
Manila, ...	4 p.	29.88	759	82	70	N N E	1	o	10 a.	29.96	761	82	70	...	0	o
Legaspi, ...	2 p.	29.85	758.2	88	...	N E	2	b	6 a.	29.92	760.0	79	...	N E	2	b
Bacolod, ...	3 p.	...	...	...	...	N	2	b	9 a.	...	...	...	...	N	3	c
Iloilo, ...	,,	29.79	756.6	84	...	N E	1	b	,,	29.91	759.7	81	...	N E	1	b
Cebu, ...	,,	29.80	756.9	87	...	E	1	c	,,	29.89	759.2	83	...	N	1	c
Labuan, ...	,,	29.79	756.6	84	...	...	...	...	,,	29.88	758.9	83	...	...	...	...

On the 21st at 11.55 a.—The barometer has risen considerably in N.E. Japan, and fallen slightly over N. China and the Bonins.

Areas of high pressure still cover China and Japan and adjacent Seas.

The decrease of pressure at the Bonins, appears to be due to a depression situated far to the Southward of the group.

Fresh to strong monsoon will continue to prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, fresh; fine.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 21st October, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st OCTOBER, 1911, P.M.								22nd OCTOBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...divostook, ...	2 p.	30.16	766.1	57	...	S S E	1	c	7 a.	30.07	763.7	46	89	S W	1	c
...muro, ...	,,	30.36	771.2	...	...	S W	4	...	6 a.	30.26	768.6	...	...	E S E	1	...
...kodate, ...	,,	30.26	768.7	...	...	S E	1	...	,,	30.13	765.2	...	...	N	1	...
...io, ...	,,	30.18	766.6	...	...	N N W	2	...	,,	29.97	761.1	...	...	N N W	2	...
...hi, ...	,,	30.11	764.8	...	...	S E	1	...	,,	30.05	763.3	...	...	W	1	...
...gasaki, ...	,,	30.15	765.8	...	...	N W	1	...	,,	30.11	764.8	...	...	N N E	1	...
...goshima, ...	,,	30.13	765.4	...	...	S E	1	...	,,	30.08	765.9	...	...	N N E	2	...
...hima, ...	,,	30.08	764.1	...	...	N N E	4	...	,,	30.02	762.6	...	...	N	3	...
...ha, ...	,,	30.07	763.7	...	...	N N E	5	...	,,	30.05	763.2	...	...	N	3	...
...igakijima, ...	,,	30.09	764.3	...	...	N N E	4	...	,,	30.09	764.3	...	...	N	1	...
...nin Is. ...	,,	29.83	757.6	...	...	N E	2	...	,,	29.45	748.1	...	...	N	2	...
...efoo, ...	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	...
...ihaiwei, ...	,,	30.20	767.1	65	55	N E	2	b	9 a.	29.97	761.2	68	56	S W	3	b
...nkow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...ukiang, ...	,,	30.19	766.8	72	68	N E	1	b	,,	30.15	765.8	62	89	S	1	c
...anghai, ...	,,	30.19	766.8	70	48	N E	1	c	9 a.	30.21	767.3	66	54	N N E	1	cm
...tzlaff, ...	,,	30.18	766.6	69	56	N	1	bv	,,	30.19	766.8	66	63	N	1	cv
...arp Peak, ...	,,	30.14	765.5	70	...	E	4	b	,,	30.16	766.0	69	...	N	1	b
...moy, ...	,,	30.10	765.5	79	47	E	2	b	6 a.	30.22	767.6	67	79	N E	1	b
...atow, ...	,,	30.09	764.3	77	65	E	1	b	,,	...	...	...	...	...	...	...
...ihoku, ...	1 p.	30.13	765.4	...	...	E	6	...	5 a.	30.13	765.2	...	...	E	4	...
...ichi, ...	,,	30.07	763.7	...	...	N	4	...	,,	30.10	764.5	...	...	...	0	...
...inan, ...	,,	30.09	764.2	...	...	W	6	...	,,	30.11	764.7	...	...	...	0	...
...hien, ...	,,	30.07	763.8	...	...	N E	8	...	,,	30.10	764.5	...	...	N E	6	...
...adoxen, ...	,,	30.08	764.0	..	...	N E	10	...	,,	30.09	764.3	...	...	N E	6	...
...ton, ...	3 p.	30.08	764.0	79	...	W N W	1	b	9 a.	30.17	766.3	73	81	S	1	b
...ongkong, ...	4 p.	30.09	764.3	74	58	E	3	b	10 a.	30.16	766.0	77	67	E	1	c
...ctoria Peak, ...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	1	...
...p Rock, ...	,,	30.05	763.2	...	...	E	4	...	,,	30.12	765.0	...	...	E N E	3	...
...acao, ...	,,	30.09	764.3	77	...	N N E	2	c	,,	...	...	...	...	...	...	...
...uchow, ...	8 p.	30.14	765.5	68	...	S W	1	...	9 a	...	...	..	...	...	...	...
...oihow, ...	,,	30.08	764.0	79	58	W N W	1	b	,,	...	...	...	...	...	...	...
...akhei, ...	,,	30.08	764.0	82	...	S E	2	c	,,	...	...	...	...	...	...	...
...hulien, ...	4 p.	30.08	764.1	79	...	S E	4	c	8 a.	30.16	766.0	77	...	N E	3	b
...ourane, ...	,,	30.02	762.4	77	...	[illegible]	2	c	,,	30.12	764.9	...	...	N E	2	c
...pe St. James, ...	,,	29.87	758.7	81	...	E N E	4	c	,,	30.01	762.2	75	...	E N E	3	c
...parri, ...	2 p.	29.97	761.3	82	...	E	2	b	6 a.	30.03	762.8	70	...	S W	2	b
...anila, ...	4 p.	...	...	...	...	...	...	...	10 a.	30.04	763	82	64	N W	1	b
...egaspi, ...	2 p.	29.88	759.0	88	...	N E	4	b	6 a.	29.96	761.0	77	...	N E	2	b
...acolod, ...	3 p.	...	...	...	...	N	3	c	9 a.	...	...	...	...	N	3	c
...loilo, ...	,,	29.85	758.2	83	...	N	1	c	,,	...	...	82	...	N E	1	b
...ebu, ...	,,	29.83	757.7	86	...	N	1	c	,,	29.92	759.9	86	...	N E	2	c
...abuan, ...	,,	29.81	757.2	85	...	...	...	...	,,	...	...	...	...	...	...	...

On the 22nd at 11.55 a.—The barometer has fallen considerably over S.E. Japan and the Bonins owing to the typhoon, which is moving Northwards to the S.E. of the latter group.

Pressure has given way quickly also over N. China owing to the approach of a depression from the Westward. [illegible] is still high over the Pacific to the N.E. of Japan, and over S. China.

The monsoon will decrease in strength over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
.—Hongkong and Neighbourhood, ...	N.E. winds, moderate; fine.
.—Formosa Channel, ...	Same as No. 1.
.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
.—South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 22nd October, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	22nd October, 1911, P.M.								23rd October, 1911, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.99	761.8	56	...	S S E	1	c	7 a.	29.90	759.5	51	92	S S E	0
Nemuro,	,,	30.14	765.6	...	...	E	1	...	6 a.	29.87	758.6	...	...	N E	4
Hakodate,	,,	30.05	763.2	...	...	...	0	...	,,	29.85	758.2	...	...	...	0
Tokio,	,,	29.83	757.6	...	...	N W	3	...	,,	29.69	754.1	...	...	N N W	1
Kochi,	,,	29.93	760.3	...	...	W N W	3	...	,,	29.91	759.8	...	...	S W	1
Nagasaki,	,,	30.05	763.3	...	...	N	3	...	,,	30.03	762.8	...	...	...	0
Kagoshima,	,,	30.00	761.9	...	...	N	2	...	,,	29.98	761.4	...	...	N	1
Oshima,	,,	30.02	762.6	...	...	N	3	...	,,	30.01	762.1	...	...	N	5
Naha,	,,	30.03	762.7	...	...	N	4	...	,,	30.03	762.7	...	...	...	0
Ishigakijima,	,,	30.07	763.8	...	...	N	2	...	,,	30.09	764.3	...	...	N	1
Bonin Is.	,,	29.14	740.1	...	...	N N W	7	...	,,	29.73	755.1	...	...	N W	2
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	30.09	764.3	69	65	S S E	1	o	9 a.	30.13	765.3	70	61	N N E	2
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	30.13	765.3	76	49	...	0	b	,,	...	...	...	...	...	...
Shanghai,	,,	30.13	765.3	68	42	N N E	2	b	9 a.	30.21	767.3	64	53	N N W	1
Gutzlaff,	,,	30.13	765.3	69	56	N	1	ov	,,	30.17	766.3	68	51	N N W	2
Sharp Peak,	,,	30.11	764.8	71	...	N	1	c	,,	30.18	766.6	70	...	...	0
Amoy,	,,	...	...	78	54	S S E	2	b	6 a.	...	...	...	...	...	..
Swatow,	,,	30.08	764.0	75	68	E S E	1	c	,,	30.15	765.3	67	95	N	1
Taihoku,	1 p.	30.10	764.6	...	...	N E	4	...	5 a.	30.12	765.1	...	...	E	3
Taichu,	,,	30.07	763.7	...	...	...	0	...	,,	30.08	763.9	...	...	...	0
Tainan,	,,	30.09	764.2	...	...	N W	4	...	,,	30.07	763.8	...	...	...	0
Koshun,	,,	30.08	764.0	...	...	N E	6	...	,,	30.06	763.5	...	...	E	2
Pescadores,	,,	30.09	764.4	..	...	N E	8	...	,,	30.08	764.0	...	...	N E	6
Canton,	3 p.	30.06	763.5	78	65	S	1	b	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	30.08	764.0	74	71	E	2	b	10 a.	30.14	765.5	76	72	E	1
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	N E	1
Gap Rock,	,,	30.04	763.0	...	...	E	3	...	,,	30.10	764.5	...	...	E	3
Macao,	,,	30.07	763.8	77	...	N N E	1	c	,,	...	...	...	...	...	...
Wuchow,	8 p.	30.11	764.8	69	...	W	2	c	9 a.	...	...	..	...	...	...
Hoihow,	,,	30.09	764.3	80	...	E N E	1	b	,,	...	...	...	...	...	...
Pakhoi,	,,	30.10	764.5	81	67	S	0	b	,,	...	...	...	...	...	...
Phulien,	4 p.	30.07	763.9	82	...	S S E	2	b	8 a.	...	...	...	...	...	...
Tourane,	,,	30.03	762.7	77	...	N E	3	b	,,	...	...	...	...	...	...
Cape St. James,	,,	29.94	760.5	82	...	E N E	2	o	,,	...	...	...	...	...	...
Aparri,	2 p.	30.01	762.2	81	...	E	2	c	6 a.	30.02	762.5	72	...	E	0
Manila,	4 p.	29.92	760	84	64	...	0	b	10 a.	..	...	...	...	...	...
Legaspi,	2 p.	29.94	760.5	88	...	N E	2	b	6 a.	29.99	761.8	70	...	...	0
Baoolod,	3 p.	...	...	...	...	N	2	b	9 a.	...	...	...	...	N	2
Iloilo,	,,	...	..	82	...	N E	1	b	,,	...	...	81	...	N E	1
Cebu,	,,	29.88	758.9	85	...	N E	2	o	,,	29.97	761.2	86	...	E	1
Labuan,	,,	...	...	...	...	...	...	...	,,	30.01	762.2	76	...	...	...

On the 23rd at 12.05 p.—The barometer has risen quickly at the Bonins, and fallen considerably in E. Japan. The typhoon, which passed to the Eastward of the Bonins yesterday, has moved towards N.N.E. and lies now the Eastward of S.E. Japan.

The other depression is moving Eastwards over E. Manchuria.

Pressure is highest over Central China.

Moderate monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 23rd October, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...ION.	23RD OCTOBER, 1911, P.M.								24TH OCTOBER, 1911, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...stock,...	2 p.	29.84	757.9	60	...	N W	0	c	7 a.	29.89	759.1	47	82	N N E	1	o
..., ...	,,	29.61	752.1	...	...	N E	5	...	6 a	29.65	753.1	...	...	N	6	...
...ts, ...	,,	29.71	754.7	...	...	N	5	...	,,	29.87	758.7	...	...	...	0	...
.....	,,	29.69	754.1	...	...	N W	2	...	,,	29.83	757.6	...	...	N W	1	...
.....	,,	29.87	758.8	...	...	N W	1	...	,,	29.97	761.3	...	...	S W	1	...
...ki, ...	,,	29.99	761.8	...	...	W N W	3	...	,,	30.05	763.3	...	...	N N E	1	...
...jima, ...	,,	29.98	761.4	...	...	N N W	1	...	,,	30.0[illegible]	763.4	...	...	...	0	...
.....	,,	30.00	762.1	...	...	N	4	...	,,	30.06	763.6	...	...	N	1	...
.....	,,	30.03	762.7	...	...	N	3	...	,,	30.09	764.2	...	...	E	1	...
...ijima, ...	,,	30.07	763.8	...	...	N	2	...	,,	30.07	763.8	...	...	N N E	2	...
...ls.....	,,	29.79	756.6	...	...	N N W	2	...	,,	...	...	...	...	...	...	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...wei, ...	,,	30.07	763.8	64	63	N N E	2	b	9 a.	29.95	760.7	66	64	S S W	5	c
...w, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...ng.....	,,	30.11	764.8	75	52	N E	1	b	,,	...	...	...	...	...	...	...
...nai, ...	,,	30.12	765.0	70	48	N N E	1	b	9 a.	30.11	764.8	66	68	S	1	c
...ff, ...	,,	30.12	765.0	69	56	N N W	1	b	,,	30.11	764.8	67	74	S	3	ov
...Peak, ...	,,	30.11	764.8	71	...	E	1	c	,,	30.18	766.6	70	...	N	1	c
.....	,,	30.08	764.0	77	57	N E	2	b	6 a.	30.15	765.8	70	75	E N E	2	o
...w, ...	,,	30.07	763.8	77	69	E	1	b	,,	30.10	764.5	68	95	N E	1	c
...u, ...	1 p.	30.09	764.3	...	...	N E	6	...	5 a.	30.09	764.2	...	...	...	0	...
..., ...	,,	30.05	763.3	...	...	N	4	...	,,	30.08	764.1	...	...	...	0	...
.....	,,	30.10	764.6	...	...	E	4	...	,,	30.09	764.3	...	...	...	0	...
.....	,,	30.06	763.5	...	...	E	4	...	,,	30.08	763.9	...	...	N E	4	...
...ores, ...	,,	30.07	763.7	...	...	N E	8	...	,,	30.07	763.8	...	...	N	6	...
..., ...	3 p.	30.01	762.2	83	60	W S W	1	b	9 a.	30.10	764.5	76	77	S E	1	o
...ong, ...	4 p.	30.04	763.0	75	72	E	2	b	10 a.	30.10	764.5	74	75	E	3	o
...a Peak,...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	3	...
...ock, ...	,,	30.01	762.2	...	...	E	3	...	,,	30.06	763.5	...	...	E	4	...
.....	,,	30.03	762.8	77	...	N N E	2	c	,,	30.08	764.0	77	...	N N E	3	c
...w, ...	3 p.	30.07	763.8	82	...	...	0	c	9 a	...	...	...	...	...	...	...
...w, ...	,,	30.04	763.0	80	87	E	1	b	,,	...	...	...	...	...	...	...
.....	,,	30.07	763.8	83	60	S W	1	b	,,	...	...	...	...	...	...	...
...n, ...	4 p.	30.01	762.3	81	...	S S E	5	b	8 a.	30.04	763.0	73	...	E N E	2	o
...e, ...	,,	30.00	762.0	77	...	E	2	dh	,,	30.02	762.6	77	...	S E	1	c
...t. James,.	,,	29.93	760.2	73	...	N E	2	o	,,	29.99	761.8	79	...	E	1	c
.....	2 p.	29.98	761.4	84	...	N E	2	b	6 a.	30.03	762.8	70	...	E	2	b
..., ...	4 p.	29.96	761	79	84	...	0	o	10 a.	30.04	763	84	77	W N W	1	c
...i, ...	2 p.	29.93	760.2	93	...	N E	2	b	6 a.	29.94	760.4	72	...	...	0	b
...d, ...	3 p.	...	...	...	...	N	2	b	9 a.	...	...	...	...	N	1	b
.....	,,	29.89	759.2	84	...	N E	1	b	,,	...	...	80	...	N	1	b
.....	,,	29.85	758.2	86	...	N	1	c	,,	29.93	760.2	83	...	E	1	c
..., ...	,,	29.89	759.2	83	...	...	...	...	,,	30.04	763.0	81	...	...	...	...

On the 24th at 11.56 a.—The typhoon, which is now situated to the Eastward of Hokkaido, is moving away over Pacific in a Northeasterly direction.
The barometer is rising in Japan, and falling over China, particularly in the North.
A depression is approaching N. China from the Westward.
Pressure is highest over S.E. China and the Eastern Sea.
Moderate to light monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
...ngkong and Neighbourhood, ...	E. winds, moderate or light; fair.
...mosa Channel, ...	Same as No. 1.
...th coast of China between Hongkong and Lamocks,.	Same as No. 1.
...th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 24th October, 1911.

...nted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th OCTOBER, 1911, P.M.								25th OCTOBER, 1911, A.M.						
	Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.82	757.4	50	...	W	0	o	7 a.	29.91	759.6	42	75	N N E	0
Nemuro,	,,	29.87	758.6	...	...	N W	5	...	6 a.	29.95	761.6	...	...	S	1
Hakodate,	,,	29.89	759.2	...	...	S W	2	...	,,	29.81	757.2	...	...	S S E	3
Tokio,	,,	29.91	759.6	...	...	N E	1	...	,,	30.02	762.6	...	...	N W	1
Kochi,	,,	29.95	760.8	...	...	S	1	...	,,	30.05	763.3	...	...	S W	1
Nagasaki,	,,	30.05	763.3	...	...	N W	3	...	,,	30.09	764.3	...	...	S	1
Kagoshima,	,,	30.04	762.9	...	...	W N W	2	...	,,	30.10	764.4	...	...	...	0
Oshima,	,,	30.06	763.6	...	...	N N E	1	...	,,	30.10	764.6	...	...	S	1
Naha,	,,	30.05	763.2	...	...	N N E	2	...	,,	30.09	764.2	...	...	S	1
Ishigakijima,	,,	30.07	763.8	...	...	E	3	...	,,	30.05	763.3	...	...	S E	3
Bonin Is.	,,	29.87	758.6	...	...	N W	1	...	,,	30.01	762.1	...	...	W	1
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.96	761.0	62	72	N N E	6	om	9 a.	30.14	765.5	56	57	N N E	5
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	29.99	761.7	75	44	S E	2	c	9 a.	30.05	763.2	65	89	N W	1
Gutzlaff,	,,	30.02	762.5	70	...	S	3	cv	,,	30.05	763.2	63	94	W	2
Sharp Peak,	,,	30.04	763.0	73	...	E	1	c	,,	30.06	763.5	70	...	...	0
Amoy,	,,	30.05	763.2	77	57	E	2	b	6 a.	30.07	763.8	70	80	E	2
Swatow,	,,	30.02	762.5	77	65	E	1	b	,,	...	...	...	...	...	...
Taihoku,	1 p.	30.03	762.8	...	...	E	6	...	5 a.	30.03	762.8	...	...	...	0
Taichu,	,,	30.02	762.5	...	...	...	0	...	,,	30.04	763.1	...	...	...	0
Tainan,	,,	30.02	762.4	...	...	W	4	...	,,	30.05	763.3	...	...	S E	2
Koshun	,,	30.04	762.9	...	...	E	6	...	,,	30.05	763.3	...	...	...	0
Pescadores,	,,	30.04	762.9	...	...	N E	6	...	,,	30.05	763.3	...	...	N	2
Canton,	3 p.	29.96	761.0	82	63	S	1	c	9 a.	30.05	763.2	75	77	E	1
Hongkong,	4 p.	29.98	761.5	75	75	E	3	o	10 a.	30.06	763.5	77	80	E	2
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E S E	1
Gap Rock,	,,	29.95	760.7	...	...	E	4	...	,,	30.02	762.5	...	...	E	3
Macao,	,,	29.97	761.2	76	...	E N E	3	c	,,	30.05	763.2	80	...	E S E	2
Wuchow,	8 p.	29.98	761.5	70	...	E	1	c	9 a.	...	...	...	...	...	...
Hoihow,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.91	759.7	81	...	S S E	5	b	8 a.	29.97	761.3	73	...	S E	4
Tourane,	,,	29.92	759.9	79	...	E	2	c	,,	29.99	761.8	75	...	S	2
Cape St. James,	,,	29.89	759.1	79	...	E N E	3	c	,,	...	...	...	...	...	...
Aparri,	2 p.	29.97	761.2	84	...	N E	2	d	6 a.	30.00	762.0	70	...	S E	0
Manila,	4 p.	29.92	760	81	76	S E	1	c	10 a.	30.04	763	79	84	E S E	1
Legaspi,	2 p.	29.94	760.5	86	...	N E	2	c	6 a.	29.99	761.7	77	...	N E	2
Bacolod,	3 p.	...	...	...	...	N	2	...	9 a.	...	...	...	...	N	2
Iloilo,	,,	29.89	759.2	85	...	N	2	b	,,	30.03	762.7	81	...	N	1
Cebu,	,,	29.88	758.9	86	...	E	1	b	,,	29.98	761.5	86	...	E	1
Labuan,	,,	29.89	759.2	84	...	...	...	...	,,	29.98	761.5	82	...	...	...

On the 25th at 11.55 a.—The depression lying over N. China yesterday morning, has reached the N. part of Sea of Japan.

The barometer has risen moderately on the N.E. coast of China, and fallen slightly over S. China and Tongk

Pressure is relatively low over the latter areas, and relatively high over the Pacific between the Loochoos a the Philippines.

Light or moderate E. and S.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and S.E. winds, moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 25th October, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...ION.	25TH OCTOBER, 1911, P.M.								26TH OCTOBER, 1911, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...stock, ...	2 p.	29.94	760.5	46	...	W	0	o	7 a.	30.11	764.7	39	65	N N E	0	c
..., ...	,,	29.85	758.1	...	...	S S E	5	...	6 a.	30.08	764.1	...	...	S W	2	...
...te, ...	,,	29.69	754.2	...	...	E N E	3	...	,,	...	...	...	...	W N W	4	...
.....	,,	29.89	759.1	...	...	S S W	1	...	,,	29.95	760.6	...	...	...	0	...
.....	,,	29.99	761.8	...	...	E S E	1	...	,,	29.97	761.3	...	...	S W	1	...
...ki, ...	,,	30.05	763.3	...	...	S E	3	...	,,	29.97	761.3	...	...	S E	2	...
...ima, ...	,,	30.06	763.4	...	...	W	1	...	,,	29.96	760.9	...	...	N N E	2	...
..., ...	,,	30.04	763.1	...	...	S	1	...	,,	29.97	761.1	...	...	S S W	1	...
.....	,,	30.05	763.2	...	...	S	1	...	,,	30.01	762.2	...	...	S W	1	...
...ijima, ...	,,	30.03	762.8	...	...	S S E	4	...	,,	29.99	761.8	...	...	S W	3	...
...ls.....	,,	30.02	762.6	...	...	N N E	1	...	,,	30.06	763.6	...	...	...	0	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...wei, ...	,,	30.13	766.5	58	53	N	5	c	9 a.	30.28	769.1	61	45	N	4	b
...w, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...ng, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...ai, ...	,,	29.99	761.7	67	79	N N W	1	o	9 a.	30.16	766.0	63	67	N N E	3	oq
...ff, ...	,,	29.99	761.7	66	89	N W	1	om	,,	30.12	765.0	63	78	N N E	5	ov
...Peak, ...	,,	29.96	761.0	72	...	S	2	c	,,	30.07	763.8	72	...	...	0	o
.....	,,	29.98	761.5	77	65	S S E	2	c	6 a.	30.02	762.5	72	81	W	5	o
...w, ...	,,	29.99	761.7	72	95	E	1	o	,,	30.02	762.5	70	95	...	0	o
...n, ...	1 p.	30.02	762.5	...	...	N W	4	...	5 a.	30.02	762.4	...	...	...	0	...
..., ...	,,	30.04	763.0	...	...	W	2	...	,,	30.04	762.9	...	...	...	0	...
..., ...	,,	30.04	763.0	...	...	W	6	...	,,	30.02	762.5	...	...	E	3	...
...n.....	,,	30.02	762.6	...	...	E	4	...	,,	30.01	762.1	...	...	...	0	...
...dores, ...	,,	30.04	763.0	..	...	N	4	...	,,	...	...	...	...	..	...	...
..., ...	3 p.	29.94	760.4	82	67	S S E	1	b	9 a.	30.03	762.7	77	86	E S E	1	o
...kong, ...	4 p.	29.57	761.2	75	83	E	2	c	10 a.	30.04	763.0	80	76	E	1	c
...ia Peak, ...	,,	...	...	...	...	S	1	...	,,	...	...	...	...	S E	1	...
...Rock, ...	,,	29.93	760.2	...	...	E	3	...	,,	30.01	762.2	...	...	S E	2	...
..., ...	,,	29.95	760.8	78	...	E S E	3	c	,,	30.03	762.7	82	...	E S E	1	c
...ow, ...	3 p.	29.93	760.2	81	67	E	1	o	9 a.	...	...	...	...	...	...	...
...w, ...	,,	29.93	761.2	82	87	S S E	2	c	,,	...	...	...	...	...	...	...
...bi, ...	,,	30.02	762.6	85	61	S	1	c	,,	...	...	...	...	...	...	...
...en, ...	4 p.	29.88	759.0	77	...	S	5	or	8 a.	29.97	761.1	79	...	S S W	2	c
...me, ...	,,	29.91	759.7	81	...	S E	2	c	,,	29.95	760.7	78	..	S S W	1	c
St. James, .	,,	29.89	759.2	77	...	S	1	o	,,	29.99	761.7	79	...	E	1	c
...ri, ...	2 p.	29.93	760.3	82	...	N E	2	b	6 a.	29.98	761.5	73	...	E	2	b
...a, ...	4 p.	29.92	760	84	71	...	0	c	10 a.	30.04	763	82	71	W S W	1	b
...pi, ...	2 p.	29.94	760.4	91	...	E	2	b	6 a.	29.93	761.5	72	...	...	0	b
...od, ...	3 p.	...	...	...	...	N	2	b	9 a.	...	...	...	...	N	2	b
.....	,,	29.89	759.2	85	...	N	1	b	,,	30.03	762.7	81	...	N	1	b
.....	,,	29.84	757.9	86	...	N	1	b	,,	29.91	759.7	85	...	E	1	b
...an, ...	,,	29.87	758.7	85	...	...	...	...	,,	29.99	761.7	84	...	...	...	...

On the 26th at 12.05 p.—The barometer has fallen over S. Japan and the Loochoos, and risen over N. China and N. part of the Sea of Japan.

The depression lying over the later area yesterday, has moved away Northeastwards.

A shallow depression covers the Loochoos and S. Japan, and pressure is still relatively low over S.W. China and ...gking.

A high pressure area is now situated over N. China, and the monsoon will freshen again over the Formosa ...nnel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	S.E. to N.E. winds, freshening; fair to first, cloudy [and misty later.
Formosa Channel, ...	N.E. winds, freshening,
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 26th October, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th October, 1911, P.M.								27th October, 1911, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	30.10	764.5	44	...	N N E	3	c	7 a.	30.13	765.2	34	77	...	0
Namuro,	,,	29.67	753.6	...	...	N W	3	...	6 a	29.93	760.1	...	...	N	4
Hakodate,	,,	29.87	758.7	...	...	N W	3	...	,,	30.05	763.2	...	...	N N W	2
Tokio,	,,	29.91	759.6	...	...	N N W	2	...	,,	30.04	763.1	...	...	N	1
Koohi,	,,	29.91	759.8	...	...	...	0	...	,,	30.07	763.8	...	...	...	0
Nagasaki,	,,	29.95	760.8	...	...	W	2	...	,,	30.09	764.3	...	...	N E	1
Kagoshima,	,,	29.96	760.9	...	...	...	0	...	,,	30.03	763.9	...	...	N E	1
Oshima,	,,	29.96	761.1	...	...	N E	2	...	,,	30.04	763.1	...	...	S	1
Naha,	,,	29.99	761.7	...	...	W S W	2	...	,,	...	...	...	...	E	1
Ishigakijima,	,,	30.01	762.3	...	...	N W	2	...	,,	30.03	762.8	...	...	S W	1
Bonin Is.	,,	30.02	762.6	...	...	E	1	...	,,	29.99	761.6	...	...	S W	1
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	30.16	766.0	61	50	N	5	b	9 a.	30.18	766.6	55	56	W S W	3
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	30.14	765.5	64	53	N N E	2	o	9 a.	30.19	766.8	56	87	N W	1
Gutzlaff,	,,	30.11	764.8	63	67	N N E	3	ov	,,	30.16	766.0	59	82	N N W	1
Sharp Peak,	,,	30.11	764.8	72	...	E	4	f	,,	30.09	764.3	71	...	N	1
Amoy,	,,	29.98	761.5	78	70	S S E	2	o	6 a	30.06	763.5	72	85	E N E	2
Swatow,	,,	29.99	761.7	76	82	N E	1	o	,,	...	...	...	...	...	...
Taihoku,	1 p.	30.03	762.8	...	...	N W	4	...	5 a.	30.03	762.8	...	...	...	0
Taichu,	,,	30.02	762.4	...	...	N	4	...	,,	30.00	762.0	...	...	...	0
Tainan,	,,	30.02	762.4	...	...	W	4	...	,,	30.04	763.0	...	...	...	0
Koshun	,,	30.01	762.3	...	...	S W	4	...	,,	30.02	762.6	...	...	E	4
Pescadores,	,,	30.02	762.5	..	...	N	4	...	,,	30.02	762.4	...	...	N	4
Canton,	3 p.	29.96	761.0	80	78	...	0	o	9 a.	30.10	764.5	72	90	N W	1
Hongkong,	4 p.	29.97	761.2	78	74	S	1	o	10 a.	30.09	764.3	76	86	...	0
Victoria Peak,	,,	...	...	...	...	S	1	...	,,	...	...	...	...	S	1
Gap Rock,	,,	29.95	760.7	...	...	S S E	2	...	,,	30.07	763.8	...	...	S E	2
Macao,	,,	29.96	761.0	78	...	E S E	2	o	,,	30.08	764.0	73	...	E S E	1
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.98	761.5	79	91	...	0	o	,,	...	...	...	...	...	...
Phulien,	4 p.	29.91	759.6	82	...	S S E	5	c	8 a.	30.06	763.5	75	...	E	3
Tourane,	,,	29.89	759.3	81	...	S E	2	c	,,	30.02	762.5	82	..	S E	3
Cape St. James,	,,	29.92	759.9	79	...	E S E	2	c	,,	30.02	762.6	81	...	E S E	3
Aparri,	2 p.	29.93	760.2	84	...	N E	2	b	6 a.	30.01	762.3	72	...	S E	2
Manila,	4 p.	29.92	760	86	65	...	0	b	10 a.	30.04	763	82	71	W N W	1
Legaspi,	2 p.	29.93	760.3	93	...	E	2	b	6 a.	30.00	762.0	77	...	N E	2
Bacolod,	3 p.	...	...	...	...	N E	2	b	9 a.	...	...	...	...	N	3
Iloilo,	,,	29.89	759.2	85	...	N E	1	b	,,	30.03	762.7	82	...	N E	1
Cebu,	,,	29.88	758.9	87	...	E	2	c	,,	29.98	761.5	88	...	E	1
Labuan,	,,	29.87	758.7	87	...	...	...	...	,,	29.92	759.9	83	...	...	...

On the 27th at 12.05 p.—The depression lying over N. Japan yesterday, is moving away over the Pacific.

The barometer has risen over Japan, S. China and Tongking; and fallen again in N. China. Probably anoth depression is advancing towards the latter area from the Westward.

Pressure is highest Central China.

Light or moderate monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, light to moderate; cloudy, some rain.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamooks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 27th October, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th OCTOBER, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	28th OCTOBER, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...vetock, ...	2 p.	30.04	763.0	47	...	S S E	2	o	7 a.	30.09	764.2	35	37	N N E	2	b
...to, ...	,,	30.02	762.6	...	...	N W	5	...	6 a	30.18	763.6	...	...	N	1	...
...lats, ...	,,	30.07	763.7	...	...	N N W	2	...	,,	30.13	765.2	...	...	N N W	1	...
.....	,,	30.04	763.1	...	...	N	1	...	,,	30.20	767.1	...	...	N W	1	...
.....	,,	30.06	763.3	...	...	S E	1	...	,,	30.09	764.3	...	...	S W	1	...
...aki, ...	,,	30.05	763.3	...	...	E N E	1	...	,,	30.03	762.8	...	...	N E	1	...
...hima, ...	,,	30.04	762.9	...	...	S S E	1	...	,,	30.06	763.4	...	...	N N E	2	...
...a.	,,	30.02	762.6	...	...	S S E	1	...	,,	30.02	762.6	...	...	S	1	...
.....	,,	30.01	762.2	...	...	N W	1	...	,,	29.99	761.7	...	...	N N E	1	...
...kijima, ...	,,	30.01	762.3	...	...	S	2	...	,,	30.07	763.8	...	...	N N E	3	...
... Is.	,,	29.94	760.6	...	...	W N W	3	...	,,	30.03	764.1	...	...	...	0	...
...o, ...	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...iwei, ...	,,	30.11	764.8	61	60	...	0	c	9 a.	30.26	768.6	54	38	N	6	b
...ow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...ang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...hai, ...	,,	30.15	765.8	62	61	N W	1	o	9 a.	30.28	769.1	61	69	N N W	2	b
...aff, ...	,,	30.12	765.0	68	88	N N E	3	ov	,,	30.28	768.1	63	67	N N W	3	cv
... Peak, ...	,,	30.04	763.0	71	...	E	2	o	,,	30.23	767.3	69	...	N N E	4	o
.....	,,	30.03	762.7	77	73	S E	2	c	6 a.	30.14	765.5	70	80	E	2	o
...w, ...	,,	30.03	762.7	73	95	...	0	o	,,	30.13	765.3	70	85	N E	1	o
...ku, ...	1 p.	29.99	761.7	...	...	N W	6	...	5 a.	30.17	766.2	...	...	S E	4	...
...u, ...	,,	30.00	762.1	...	...	W	2	...	,,	30.06	763.6	...	...	N	6	...
...n, ...	,,	30.04	763.0	...	...	W	4	...	,,	30.05	763.6	...	...	N	4	...
...un.	,,	30.03	762.7	...	...	S W	4	...	,,	30.06	763.5	...	...	N	2	...
...dores, ...	,,	30.04	762.9	...	...	N	4	...	,,	30.08	764.1	...	...	N E	10	...
...m, ...	3 p.	30.02	762.5	79	70	N N W	1	c	9 a.	30.23	767.3	69	75	N	2	b
...kong, ...	4 p.	30.03	762.7	75	86	...	0	o	10 a.	30.18	766.6	77	52	N N E	1	b
...ris Peak, ...	,,	...	...	...	...	W N W	1	...	,,	...	...	...	...	N	3	...
... Rock, ...	,,	29.99	761.7	...	...	N	3	...	,,	30.15	765.8	...	...	N E	3	...
...o, ...	,,	30.02	762.5	75	...	...	0	c	,,	30.18	766.6	74	...	N N E	1	c
...ow, ...	3 p.	30.09	764.3	72	...	S E	3	c	9 a.	...	...	...	...	...	...	...
...ow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...oi, ...	,,	30.07	763.8	81	78	N N E	1	o	,,	...	...	...	...	...	...	...
...ien, ...	4 p.	30.00	762.1	75	...	...	0	or	8 a.	30.19	766.9	73	...	N E	3	or
...ane, ...	,,	29.96	760.9	81	...	E S E	2	o	,,	30.10	764.6	82	..	S W	1	c
... St. James, .	,,	...	...	...	...	..	...	...	,,	30.06	763.6	79	...	E	1	c
...ri, ...	2 p.	29.95	760.7	86	...	N E	2	b	6 a.	30.03	762.8	70	...	N W	0	b
...la, ...	4 p.	29.92	760	88	57	...	0	c	10 a.	30.08	764	84	64	S W	1	b
...spi, ...	2 p.	29.93	760.3	91	...	N E	2	b	6 a.	30.01	762.2	70	...	...	0	b
...lod, ...	3 p.	...	...	...	...	N	3	b	9 a.	...	...	...	...	N	2	c
...o, ...	,,	29.89	759.2	85	...	N E	2	b	,,	30.05	760.7	81	...	N	2	b
.....	,,	29.84	757.9	86	...	N	2	c	,,	30.01	762.2	86	...	N	1	b
...an, ...	,,	29.88	758.9	88	...	...	...	...	,,	30.01	762.2	84	...	...	...	...

On the 28th at 11.55 a.—The barometer has risen generally, except over S W. Japan and the Loochoos. A shallow depression is situated over the latter district, and areas of high pressure cover E. Japan and China. Fresh to strong monsoon will prevail along the coast and over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N. to N.E. winds, fresh; fine.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 28th October, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th October, 1911, P.M.								29th October, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, ...	2 p.	29.98	761.5	43	...	N N E	0	b	7 a.	30.00	761.9	35	63	..	0	
Nemuro, ...	,,	30.16	766.1	...	...	S	2	...	6 a.	30.01	762.1	...	...	S S E	1	
Hakodate, ...	,,	30.05	763.2	...	...	S W	1	...	,,	29.91	759.7	...	...	E	2	
Tokio, ...	,,	30.10	764.6	...	...	S	1	...	,,	29.93	760.1	...	...	N W	2	
Kochi, ...	,,	30.03	762.8	...	...	...	0	...	,,	30.03	762.8	...	...	S W	1	
Nagasaki, ...	,,	30.03	762.8	...	...	N	1	...	,,	30.11	764.8	...	...	N N W	2	
Kagoshima, ...	,,	30.00	761.9	...	...	...	0	...	,,	30.15	765.9	...	...	N N W	2	
Oshima, ...	,,	30.03	762.6	...	...	N W	1	...	,,	30.08	764.1	...	...	N	1	
Naha, ...	,,	30.03	762.7	...	...	N	4	...	,,	30.11	764.7	...	...	N N E	4	
Ishigakijima, ...	,,	30.09	764.3	...	...	N	4	...	,,	30.13	765.3	...	...	N E	4	
Bonin Is.	,,	30.02	762.6	...	...	N E	1	...	,,	30.02	762.6	...	...	S W	1	
Chefoo, ...	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei, ...	,,	30.20	767.1	53	...	N N W	6	c	9 a.	30.12	765.0	59	48	S W	3	
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang, ...	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Shanghai, ...	,,	30.22	767.6	68	42	W N W	1	b	9 a.	30.23	767.8	63	72	...	0	
Gutzlaff, ...	,,	30.20	767.1	66	59	N N W	2	c	,,	30.23	767.8	62	77	W N W	1	
Sharp Peak, ...	,,	30.20	767.1	68	...	E	2	o	,,	30.26	768.3	66	...	N	1	
Amoy, ...	,,	30.14	765.5	74	68	E	2	o	6 a.	30.22	767.6	65	63	N E	2	
Swatow, ...	,,	30.14	765.5	74	81	E	1	o	,,	...	...	..	...	...	...	
Taihoku, ...	1 p.	30.18	766.6	...	...	E	6	...	5 a.	30.18	766.6	...	...	E	4	
Taichu, ...	,,	30.08	764.1	...	...	N E	6	...	,,	30.12	765.1	...	...	...	0	
Tainan, ...	,,	30.09	764.3	...	...	N	4	...	,,	30.13	765.2	...	...	N	6	
Koshun	,,	30.09	764.2	...	...	N E	8	...	,,	30.08	764.1	...	...	N E	8	
Pescadores, ...	,,	30.11	764.8	..	...	N E	10	...	,,	30.13	765.4	...	...	N E	8	
Canton, ...	3 p.	30.13	765.3	77	53	N N E	1	c	9 a.	30.19	766.8	70	66	N N E	1	
Hongkong, ...	4 p.	30.11	764.8	76	64	E	2	b	10 a.	30.18	766.6	75	73	E	3	
Victoria Peak, ...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	3	
Gap Rock, ...	,,	30.09	764.3	...	...	E N E	4	...	,,	30.15	765.8	...	...	E	5	
Macao, ...	,,	30.11	764.8	78	...	N N E	1	c	,,	30.17	766.3	80	...	N N E	1	
Wuchow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien, ...	4 p.	30.09	764.2	77	...	E	2	o	8 a.	30.15	765.8	77	...	E N E	2	
Tourane, ...	,,	30.04	763.0	81	...	E	1	c	,,	30.12	765.0	81	..	E S E	1	
Cape St. James, .	,,	29.98	761.4	79	...	N E	3	b	,,	30.02	762.6	79	...	N E	2	
Aparri, ...	2 p.	30.00	761.9	84	...	N	2	b	6 a.	30.04	762.9	72	...	N W	0	
Manila, ...	4 p.	29.96	761	86	59	N W	1	c	10 a.	30.04	763	84	64	W	1	
Legaspi, ...	2 p.	29.96	760.9	91	...	N E	2	b	6 a.	30.00	762.0	79	...	N E	2	
Bacolod, ...	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E	2	
Iloilo, ...	,,	29.89	759.2	75	...	N E	1	b	,,	30.03	762.7	81	...	E	1	
Cebu, ...	,,	29.89	759.2	87	...	N	2	b	,,	29.99	761.7	87	...	N	1	
Labuan, ...	,,	29.90	759.4	87	...	...	...	...	,,	...	...	...	...	...	...	

On the 29th at 11.55 a.—The barometer has risen moderately over SW Japan and the Loochoos, and fallen considerably in E. Japan.

The shallow depression lying in the neighbourhood of the former area yesterday, has reached the SE part of the Sea of Japan.

Pressure is highest over the Yangtze valley. It is giving way again in N. China.

Fresh to moderate monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	NE and E. winds, fresh to moderate; fair.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 29th October, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	29TH OCTOBER, 1911, P.M.								30TH OCTOBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
vostook, ...	2 p.	29.93	760.1	49	...	S S E	2	b	7 a.	29.87	758.7	44	91	..	0	o
o, ...	,,	29.87	758.6	...	...	S S W	2	...	6 a.	29.87	759.1	...	...	N N W	6	...
ists, ...	,,	29.85	758.2	...	...	W N W	2	...	,,	30.03	762.7	...	...	...	0	...
.....	,,	29.85	758.1	...	...	N E	1	...	,,	30.06	763.6	...	...	N W	1	...
, ...	,,	29.99	761.8	...	...	S W	1	...	,,	30.17	766.3	...	...	S W	1	...
aki, ...	,,	30.11	764.8	...	...	S W	5	...	,,	30.15	765.8	...	...	...	0	...
hima, ...	,,	30.09	764.4	...	...	N W	3	...	,,	...	...	...	...	...	...	...
a, ...	,,	30.10	764.6	...	...	N	3	...	,,	30.14	765.6	...	...	S	1	...
.....	,,	30.09	764.2	...	...	N	4	...	,,	30.11	764.7	...	...	E N E	1	...
kijima, ...	,,	30.09	764.3	...	...	N N E	3	...	,,	30.11	764.8	...	...	N N E	2	...
Is.	,,	29.96	761.1	...	...	W	1	...	,,	30.04	763.1	...	...	...	0	...
o, ...	3 p.	...	...	...	...	...	...	...	6 a	...	...	...	..	...	...	...
aiwei, ...	,,	30.04	763.0	67	37	S	1	b	9 a.	30.06	763.5	67	50	N N W	2	b
ow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iang, ...	,,	..	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
ghai, ...	,,	30.13	765.3	69	47	N N W	1	o	9 a.	30.14	765.5	68	60	S	1	b
laff, ...	,,	30.14	765.5	66	68	S W	2	c	,,	30.13	765.3	68	70	S	2	ov
Peak, ...	,,	30.16	766.0	68	...	E	2	b	,,	30.18	766.6	66	...	...	0	c
y, ...	,,	30.12	765.0	77	49	E S E	2	b	6 a.	30.12	765.0	68	90	N N E	2	c
ow, ...	,,	30.14	765.5	74	81	E	1	o	,,	30.14	765.5	66	89	E	1	c
oku, ...	1 p.	30.13	765.4	...	...	E	8	...	5 a	30.09	764.3	...	...	E	2	...
ou, ...	,,	30.09	764.3	...	...	N	2	...	,,	30.08	764.1	...	...	...	0	...
an, ...	,,	30.15	765.8	...	...	N W	6	...	,,	30.10	764.6	...	...	E	2	...
un	,,	30.10	764.6	...	...	N E	6	...	,,	30.09	764.3	...	...	N E	6	...
adores, ...	,,	30.13	765.2	..	...	N	8	...	,,	30.09	764.3	...	...	N	4	...
on, ...	3 p.	30.07	763.8	78	65	S W	1	b	9 a.	30.13	765.3	74	81	E	1	c
gkong, ...	4 p.	30.10	764.5	74	73	E	2	c	10 a.	30.15	765.8	76	74	E	3	c
oria Peak, ...	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	2	...
Rock, ...	,,	30.06	763.5	...	...	E	5	...	,,	30.11	764.8	...	...	E	5	...
o, ...	,,	30.08	764.0	76	...	E N E	3	c	,,	30.13	765.2	77	...	E S E	4	c
how, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
lien, ...	4 p.	30.03	762.8	77	...	S E	6	c	8 a.	30.07	763.7	79	...	S	5	c
ane, ...	,,	30.02	762.6	81	...	E	1	o	,,	30.09	764.2	79	..	S S E	1	c
St. James, .	,,	29.96	761.1	79	...	N E	3	b	,,	30.02	762.6	79	...	N E	2	c
rri, ...	2 p.	29.99	761.7	86	...	N E	2	b	6 a.	30.02	762.6	72	...	N E	0	o
ila, ...	4 p.	29.96	761	84	71	...	0	o	10 a.	30.04	763	84	64	N W	1	b
aspi, ...	2 p.	29.94	760.5	93	...	E	2	b	6 a.	29.99	761.6	79	...	N E	2	b
olod, ...	3 p.	...	...	...	...	N E	2	b	9 a.	...	...	...	...	N E	1	b
o, ...	,,	29.89	759.2	85	...	N E	1	c	,,	30.03	762.7	82	...	N	1	b
u, ...	,,	29.90	759.4	87	...	N	1	b	,,	30.01	762.2	86	...	N	1	c
uan, ...	,,	...	...	...	...	...	...	...	,,	29.99	761.7	84	...	...	...	...

On the 30th at 11.40 a.—The barometer has risen moderately in SE Japan, the depression having moved into e Pacific.

Pressure has given way moderately over China and Tongking, also at Wladiwostok.

A depression has advanced Eastwards towards the neighbourhood of the latter station, and a low pressure area pears to be developing over the Yangtze valley.

Pressure is highest over SW Japan and the Eastern Sea.

Moderate to light monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	E. to SE winds, moderate; fair.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 30th October, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th OCTOBER, 1911, P.M.									31st OCTOBER, 1911, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock, ...	2 p.	29.84	757.9	50	...	N N E	0	b		7 a.	29.82	757.6	39	93	E	0		
Namuro, ...	,,	30.01	762.1	...	...	N N W	2	...		6 a.	29.95	760.6	...	...	S E	1		
Hakodate, ...	,,	30.01	762.2	...	...	S	1	...		,,	29.91	759.7	...	...	N N W	1		
Tokio, ...	,,	30.02	762.6	...	...	E N E	1	...		,,	30.02	762.6	...	...	...	0		
Kochi, ...	,,	30.03	762.8	...	...	S	1	...		,,	30.15	765.8	...	...	S W	1		
Nagasaki, ...	,,	30.13	765.3	...	...	W N W	4	...		,,	30.17	766.3	...	...	S E	1		
Kagoshima, ...	,,	30.11	764.9	...	...	N W	1	...		,,	30.19	766.9	...	...	N	1		
Oshima, ...	,,	30.14	765.6	...	...	N	2	...		,,	30.16	766.1	...	...	S	1		
Naha, ...	,,	30.11	764.7	...	...	N	4	...		,,	30.11	764.7	...	...	E	1		
Ishigakijima, ...	,,	30.09	764.3	...	...	E	3	...		,,	30.07	763.8	...	...	E	2		
Bonin Is.	,,	30.02	762.6	...	...	N E	1	...		,,	30.06	763.6	...	...	...	0		
Chefoo, ...	3 p.	...	...	...	...	...	...	...		6 a	...	...	...	...	...	...		
Weihaiwei, ...	,,	30.01	762.2	64	63	E N E	3	c		9 a.	..	...	...	...	...	...		
Hankow, ...	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...		
Kiukiang, ...	,,	..	...	...	...	...	...	...		,,	...	...	...	...	...	...		
Shanghai, ...	,,	30.07	763.8	75	37	S S E	2	c		9 a	30.11	764.8	67	79	...	0		
Gutzlaff, ...	,,	30.08	764.0	70	66	S	1	bv		,,	30.10	764.5	70	75	S	1		
Sharp Peak, ...	,,	30.11	764.8	70	...	N	1	c		,,	30.11	764.8	69	...	...	0		
Amoy, ...	,,	30.08	764.0	79	58	S	2	b		6 a	30.09	764.3	71	80	E N E	1		
Swatow, ...	,,	30.09	764.3	76	64	E	1	b		,,	30.08	764.0	68	90	N	1		
Taihoku, ...	1 p.	30.07	763.8	...	...	W	2	...		5 a	30.06	763.5	...	...	N E	2		
Taichu, ...	,,	30.08	764.1	...	...	W	2	...		,,	30.06	763.6	...	...	...	0		
Tainan, ...	,,	30.11	764.7	...	...	W	4	...		,,	30.06	763.6	...	...	...	0		
Koshun	,,	30.08	764.1	...	...	N	4	...		,,	30.05	763.3	...	...	N W	2		
Pescadores, ...	,,	30.09	764.4	..	...	N	6	...		,,	30.05	763.2	...	...	N E	2		
Canton, ...	3 p.	30.02	762.5	78	70	S	2	o		9 a.	...	...	...	...	..	...		
Hongkong, ...	4 p.	30.04	763.0	75	78	E	3	c		10 a.	30.07	763.8	73	78	E	2		
Victoria Peak, ...	,,	...	...	...	...	E	2	...		,,	...	...	...	...	E	2		
Gap Rock, ...	,,	30.01	762.2	...	...	E	4	...		,,	30.06	763.5	...	...	E S E	3		
Macao, ...	,,	30.07	763.8	75	...	E S E	4	o		,,	...	...	...	...	...	...		
Wuchow, ...	3 p.	29.99	761.7	74	...	...	0	o		9 a	...	...	...	...	...	...		
Hoihow, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...		
Pakhoi, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...		
Phulien, ...	4 p.	29.95	760.7	81	...	S	6	b		8 a.	30.01	762.2	79	...	S	5		
Tourane, ...	,,	29.99	761.8	81	...	S E	2	c		,,	30.01	762.2	81	...	S S W	3		
Cape St. James, .	,,	...	...	...	...	...	...	...		,,	30.01	762.1	79	...	E	1		
Aparri, ...	2 p.	29.99	761.8	84	...	N E	2	b		6 a.	30.00	761.9	73	...	E	0		
Manila, ...	4 p.	29.96	761	88	60	...	0	c		10 a.	30.00	762	84	64	W	1		
Legaspi, ...	2 p.	29.93	760.2	93	...	E	2	b		6 a.	29.95	760.7	79	...	N E	2		
Bacolod, ...	3 p.	...	...	...	...	N E	2	c		9 a.	...	...	...	...	N E	3		
Iloilo, ...	,,	29.89	759.2	86	...	N	1	c		,,	29.99	761.7	82	...	N E	1		
Cebu, ...	,,	29.87	758.7	88	...	E	2	c		,,	29.93	759.9	84	...	E	1		
Labuan, ...	,,	29.88	758.9	86	...	...	...	...		,,	29.96	761.0	82	...	...	...		

On the 31st at 12.10 p.—A depression is moving Eastwards in the neighbourhood of Wladiwostok, and an area of low pressure extends from S.W. China towards the Lower Yangtze valley.

Pressure is highest over S.W. Japan and the Loochoos.

Except over the latter district, the barometer has fallen slightly at all stations.

Light E. and S.E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. to SE. winds, moderate or light; probably some [rain
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 31st October, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	31st OCTOBER, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	1st NOVEMBER, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivostock,...	2 p.	29.67	763.7	53	...	S S E	3	o	7 a.	29.75	755.7	32	54	W	2	o
ro, ...	,,	29.91	759.6	...	...	S E	3	...	6 a	29.87	759.6	...	...	E S E	1	...
date, ...	,,	29.95	760.7	...	...	W	3	...	,,	29.77	756.2	...	...	S W	4	...
;	,,	30.00	762.1	...	...	N N E	1	...	,,	29.97	761.1	...	...	W N W	1	...
i, ...	,,	30.07	763.8	...	...	S	1	...	,,	30.03	762.8	...	...	S W	2	...
aki, ...	,,	30.11	764.8	...	...	S W	2	...	,,	30.05	763.3	...	...	W N W	2	...
shima, ...	,,	30.11	764.9	...	...	S E	1	...	,,	30.10	764.4	...	...	E N E	1	...
na, ...	,,	30.10	764.6	...	...	N N E	1	...	,,	30.06	763.6	...	...	S	1	...
.....	,,	30.07	763.7	...	...	E	2	...	,,	30.05	763.2	...	...	E S E	1	...
akijima, ...	,,	30.05	763.3	...	...	E S E	4	...	,,	30.05	763.3	...	...	N E	1	...
Is.	,,	30.02	762.6	...	...	E	1	...	,,	30.06	763.6	...	...	E N E	1	...
o.	3 p.	...	...	...	...	...	...	...	6 a	...	...	...	...	...	...	...
aiwei, ...	,,	30.08	764.0	59	48	N	6	b	9 a.	30.29	769.3	56	40	W N W	3	c
ow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iang, ...	,,	..	...	..	...	...	...	...	..	...	..	...	...	...	...	...
ghai, ...	,,	30.04	763.0	74	55	N E	1	c	9 a	30.31	769.9	63	62	N	2	c
laff, ...	,,	30.05	763.2	72	76	...	0	cv	,,	30.25	768.3	63	72	N N E	4	cv
Peak, ...	,,	30.05	763.2	71	...	N	1	c	..	30.17	766.3	71	...	N N E	4	o
y	,,	30.05	763.2	75	72	S E	2	o	6 a	30.09	764.3	73	81	S E	1	o
ow, ...	,,	30.03	762.7	77	77	E	1	o	,,	30.08	764.0	70	95	N E	1	c
oku, ...	1 p.	30.04	763.0	...	...	...	0	...	5 a	30.10	764.6	...	...	...	0	...
nu, ...	,,	30.06	763.5	...	...	...	0	...	,,	30.08	763.9	...	...	...	0	...
an, ...	,,	30.07	763.7	...	...	N W	4	...	,,	30.06	763.5	...	...	N E	2	...
un	,,	30.04	763.1	...	...	W	2	...	,,	30.05	763.3	...	...	...	0	...
adores, ...	,,	30.06	763.6	.	...	N	2	...	,,	30.05	763.2	...	...	N E	2	...
on, ...	3 p.	29.96	761.0	80	78	S E	1	c	9 a.	30.11	764.8	71	95	N	2	or
kong, ...	4 p.	30.00	762.0	76	85	E	2	o	10 a.	30.10	764.5	77	81	E	1	o
oria Peak, ...	,,	...	...	...	...	S S E	1	...	,,	...	...	...	...	S E	1	...
Rock, ...	,,	29.97	761.2	...	...	S E	2	...	,,	30.07	763.8	...	...	E S E	2	...
o.	,,	29.98	761.5	79	...	E S E	3	c	,,	30.09	764.3	79	...	E S E	1	c
how, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ien, ...	4 p.	29.93	760.2	81	...	S	7	c	8 a.	30.08	763.9	79	...	S S E	4	c
ane, ...	,,	29.96	760.9	79	...	E	4	b	,,	30.06	763.5	81	..	S S E	3	c
St. James, .	,,	29.92	759.9	79	...	E	3	b	,,	30.02	762.6	81	...	E N E	1	b
ri, ...	2 p.	29.94	760.6	86	...	N E	2	b	6 a.	29.99	761.6	75	...	N E	0	b
ila, ...	4 p.	29.88	759	86	71	...	0	o	10 a.	30.00	762	86	71	W N W	1	c
spi, ...	2 p.	29.88	759.0	91	...	N E	2	b	6 a.	29.93	760.1	81	...	N E	2	c
lod, ...	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E	2	or
o, ...	,,	29.85	758.2	85	...	N E	1	b	,,	29.99	761.7	80	...	...	0	o
, ...	,,	29.84	757.9	88	...	N	1	b	,,	29.91	759.7	86	...	N	1	b
an, ...	,,	29.84	757.9	86	...	...	...	...	,,	29.96	761.0	85	...	...	...	...

On the 1st at 11.40 a.—The barometer has fallen moderately over Japan, and risen considerably in N. China, d to a slight extent also, over S. China and Tongking.

The depression lying in the neighbourhood of Wladiwostok yesterday, is moving into the N.E. part of the Sea of pan.

A high pressure area is spreading over China from the N.W., and fresh to strong monsoon will set in again over e Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N. and N.E. winds, freshening; some rain.
Formosa Channel, ...	N.E. winds, strong.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 1st November, 1911.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st NOVEMBER, 1911, P.M.								2nd NOVEMBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	29.70	754.3	41	...	W	2	c	7 a.	29.88	759.0	35	41	N W	1	
Nemuro,	,,	29.61	754.1	...	...	S S W	2	...	6 a	29.63	752.6	...	...	S W	2	
Hakodate,	,,	29.79	756.7	...	...	W N W	3	...	,,	29.73	755.2	...	...	S W	3	
Tokio,	,,	29.75	755.6	...	...	S W	4	...	,,	29.93	760.1	...	...	N W	1	
Kochi,	,,	29.95	760.8	...	...	...	0	...	,,	30.09	764.3	...	...	S W	1	
Nagasaki,	,,	30.05	763.3	...	...	N W	4	...	,,	30.19	766.8	...	...	...	0	
Kagoshima,	,,	30.04	762.9	...	...	..	0	...	,,	30.17	766.4	...	...	N	1	
Oshima,	,,	30.04	763.1	...	...	N	3	...	,,	30.12	765.1	...	...	N	3	
Naha,	,,	...	...	...	...	...	...	...	,,	30.11	764.7	...	...	N E	5	
Ishigakijima,	,,	30.03	762.8	...	...	N	4	...	,,	30.11	764.8	...	...	N N E	4	
Bonin Is.	,,	29.94	760.6	...	...	E	1	...	,,	29.95	760.6	...	...	...	0	
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a	...	...	...	..	...	...	
Weihaiwei,	,,	30.18	766.6	57	52	W S W	6	c	9 a.	30.19	766.8	59	59	W	7	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Shanghai,	,,	30.26	768.6	63	42	N N E	2	c	9 a.	30.37	771.4	59	48	N N W	1	
Gutzlaff,	,,	30.22	767.6	63	57	N N E	4	cv	,,	30.33	770.4	60	60	N	1	
Sharp Peak,	,,	30.15	765.8	70	...	N N E	4	c	,,	30.29	769.3	68	85	N N E	4	
Amoy,	,,	30.11	764.8	74	63	E N E	5	o	6 a.	30.20	767.1	69	65	N E	4	
Swatow,	,,	30.06	763.5	75	77	E	1	o	,,	30.15	765.8	67	74	E	2	
Taihoku,	1 p.	30.13	765.4	...	...	E	6	...	5 a	30.22	767.5	...	...	E	6	
Taichu,	,,	30.02	762.4	...	...	N	6	...	,,	30.08	764.0	...	...	N	3	
Tainan,	,,	30.02	762.6	...	...	N E	6	...	,,	30.07	763.7	...	...	N	2	
Koshun	,,	30.02	762.6	...	...	N E	6	...	,,	30.05	763.3	...	...	N	10	
Pescadores,	,,	30.06	763.6	..	...	N E	10	...	,,	30.09	764.3	...	...	N	10	
Canton,	3 p.	30.03	762.7	73	90	N E	1	or	9 a.	30.20	767.1	67	89	N	2	
Hongkong,	4 p.	30.04	763.0	72	93	E	2	od	10 a.	30.17	766.3	74	68	E	4	
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	N E	1	
Gap Rook,	,,	29.99	761.7	...	...	E S E	3	...	,,	30.13	765.3	...	...	E	6	
Macao,	,,	30.01	762.2	74	...	E S E	1	od	,,	30.16	766.0	73	...	E	2	
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.97	761.3	81	...	S S E	5	c	8 a.	30.14	765.5	73	...	E	4	
Tourane,	,,	29.96	760.9	79	...	S E	3	b	,,	30.09	764.3	81	...	S S W	2	
Cape St. James,	,,	29.90	759.5	79	...	E	1	b	,,	30.04	763.0	79	...	E	1	
Aparri,	2 p.	29.93	760.1	84	...	N E	2	b	6 a.	30.02	762.5	73	...	N E	0	
Manila,	4 p.	29.88	759	86	65	...	0	c	10 a.	30.00	762	86	...	...	0	
Legaspi,	2 p.	29.86	758.4	88	...	N E	2	b	6 a.	29.93	760.2	79	...	N E	2	
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	2	
Iloilo,	,,	29.81	757.2	82	...	N E	1	o	,,	29.99	761.7	81	...	N E	2	
Cebu,	,,	29.81	757.2	88	...	E	2	o	,,	29.92	759.9	84	...	E	1	
Labuan,	,,	29.84	757.9	85	...	...	...	...	,,	29.98	761.5	83	...	...	...	

On the 2nd at 11.45 a.—The depression lying over the N.E. part of the Sea of Japan yesterday, is moving into the Pacific to the North of Hokkaido.

A high pressure area lies over the Yangtze valley, and the barometer has risen moderately over S.W. Japan, S. China and Tongking.

Fresh to strong monsoon will prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh to strong; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 2nd November, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	2ND NOVEMBER, 1911, P.M.								3RD NOVEMBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
vostook,...	2 p.	29.86	758.4	44	...	N N E	1	b	7 a.	30.06	763.4	35	50	W N W	1	b
o, ...	"	29.53	750.1	...	...	W	6	...	6 a	29.73	755.1	...	...	W N W	3	...
ate, ...	"	29.71	754.7	...	...	W N W	4	...	"	29.83	757.7	...	...	N W	2	...
.....	"	29.87	758.6	...	...	S	1	...	"	29.95	760.6	...	...	N W	1	...
.....	"	30.03	762.8	...	...	E S E	1	...	"	30.15	765.8	...	...	S W	1	...
ki, ...	"	30.21	767.3	...	...	N N E	1	...	"	30.23	767.8	...	...	...	0	...
hima, ...	"	30.13	765.4	...	...	N N W	2	...	"	30.21	767.4	...	...	N N E	1	...
a, ...	"	30.12	765.1	...	...	N	4	...	"	30.16	766.1	...	...	N	4	...
.....	"	30.11	764.7	...	...	N	4	...	"	30.15	765.7	...	...	E N E	1	...
kijima, ...	"	30.13	765.3	...	...	N N E	4	...	"	30.17	766.3	...	...	N N E	2	...
ls.....	"	29.93	760.1	...	...	N	1	...	"	29.95	760.6	...	...	N N E	2	...
.....	3 p.	...	...	...	...	...	...	...	6 a	...	...	...	..	...	...	...
iwei, ...	"	30.26	768.6	59	48	W	6	b	9 a.	30.33	770.4	59	38	N	2	c
w, ...	"	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ng, ...	"	..	...	..	...	...	...	...	"	...	...	...	...	...	...	...
hai, ...	"	30.28	769.1	64	43	N N W	2	b	9 a.	30.35	770.9	62	61	N W	1	c
ff, ...	"	30.27	768.8	64	48	N	1	bv	"	30.31	769.9	64	53	E	2	cv
Peak, ...	"	30.21	767.3	68	...	E N E	4	c	"	30.30	769.6	66	...	N	1	b
.....	"	30.12	765.0	72	58	N E	2	o	6 a.	30.21	767.3	66	59	N E	4	c
w, ...	"	30.11	764.8	76	56	E	1	o	"	...	...	..	...	...	...	...
ku, ...	1 p.	30.21	767.3	...	...	N E	6	...	5 a.	30.22	767.6	...	...	E	4	...
n, ...	"	30.08	764.0	...	...	N	6	...	"	30.13	765.3	...	...	...	0	...
n, ...	"	30.09	764.2	...	...	N W	4	...	"	30.12	764.9	...	...	...	0	...
in, ...	"	30.09	764.2	...	...	N E	8	...	"	30.11	764.8	...	...	N E	10	...
dores, ...	"	30.11	764.7	..	...	N E	10	...	"	30.12	765.0	...	...	N E	10	...
n, ...	3 p.	30.13	765.3	71	80	N	2	o	9 a.	30.22	767.6	67	89	N	1	o
kong, ...	4 p.	30.12	765.0	74	67	E	3	c	10 a.	30.20	767.1	72	74	E	4	o
ia Peak, ...	"	...	...	...	...	E	2	...	"	...	...	...	...	E	1	...
fook, ...	"	30.07	763.8	...	...	E N E	6	...	"	30.16	766.0	...	...	E	6	...
.....	"	30.10	764.5	73	...	E	3	c	"	30.19	766.7	71	...	E S E	2	od
ow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
w, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
i, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
on, ...	4 p.	30.05	763.3	79	...	E S E	3	b	8 a.	30.15	765.7	73	...	E	5	c
ne, ...	"	30.02	762.5	79	...	E	3	o	"	...	...	...	..	...	...	...
St. James, .	"	29.94	760.5	79	...	E	3	c	"	30.02	762.4	81	...	E	1	c
i, ...	2 p.	29.97	761.3	82	...	N E	4	c	6 a.	30.04	762.9	77	...	N E	2	o
a, ...	4 p.	29.88	759	86	53	N E	1	b	10 a.	30.00	762	86	59	W N W	1	c
pi, ...	2 p.	29.88	758.9	79	...	N	2	o	6 a.	29.93	760.1	79	...	N E	2	o
od, ...	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	2	c
.....	"	29.85	758.2	84	...	N E	2	o	"	29.99	761.7	81	...	N E	1	b
.....	"	29.84	757.9	86	...	...	..	c	"	29.91	759.7	83	...	N	1	c
n, ...	"	29.84	757.9	87	...	...	...	...	"	29.97	761.2	84	...	...	...	...

On the 3rd at 11.55 a.—The barometer has risen over the Sea of Japan, the depression lying to the North of kaido yesterday, having moved into the Pacific.

Pressure is little changed in other districts. The "high" area remains over the Yangtze valley.

Fresh to strong monsoon will continue to prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	N.E. winds, fresh; fair.
ormosa Channel, ...	N.E. winds, strong.
outh coast of China between Hongkong and Lamocks, .	Same as No. 1.
outh coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 3rd November, 1911.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd November, 1911, P.M.								4th November, 1911, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostook,	2 p.	29.97	761.2	45	...	S E	2	b	7 a.	29.98	761.5	47	75	..	0
Nemuro,	,,	29.77	756.1	...	...	N N W	10	...	6 a.	30.02	762.6	...	...	W	3
Hakodate,	,,	29.89	759.2	...	...	N W	3	...	,,	30.11	764.7	...	...	W	1
Tokio,	,,	30.00	762.1	...	...	N N W	2	...	,,	30.30	769.6	...	...	N W	1
Kochi,	,,	30.15	765.8	...	...	N	3	...	,,	30.23	767.8	...	...	S W	1
Nagasaki,	,,	30.21	767.3	...	...	N N W	2	...	,,	30.25	768.3	...	...	N E	1
Kagoshima,	,,	30.17	766.4	...	...	..	0	...	,,	30.25	768.4	...	...	N E	1
Oshima,	,,	30.18	766.6	...	...	N N E	2	...	,,	30.16	766.1	...	...	S	1
Naha,	,,	30.11	764.7	...	...	N E	4	...	,,	30.11	764.7	...	...	N E	2
Ishigakijima,	,,	30.13	765.3	...	...	N E	4	...	,,	30.07	763.8	...	...	N	1
Bonin Is.	,,	29.94	760.6	...	...	N	2	...	,,	30.02	762.6	...	...	N E	1
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...
Weihaiwei,	,,	30.26	768.6	57	62	N N E	2	b	9 a.	30.22	767.6	61	45	S	1
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	..	...	..	...	...	...	...	,,	...	..	...	...	...	...
Shanghai,	,,	30.23	767.8	66	49	E N E	1	c	9 a.	30.25	768.3	67	60	E	1
Gutzlaff,	,,	30.23	767.8	66	54	...	0	cv	,,	30.25	768.3	63	60	E S E	2
Sharp Peak,	,,	30.20	767.1	67	...	E N E	2	b	,,	30.22	767.6	65	...	N	1
Amoy,	,,	30.15	765.8	75	48	E	4	b	6 a	30.16	766.0	64	63	N E	1
Swatow,	,,	30.12	765.0	75	60	E	1	b	,,	30.14	765.5	63	89	N E	1
Taihoku,	1 p.	30.17	766.2	...	...	E	6	...	5 a.	30.16	766.0	...	...	E	4
Taichu,	,,	30.07	763.9	...	...	N	2	...	,,	30.10	764.4	...	...	...	0
Tainan,	,,	30.11	764.7	...	...	W	6	...	,,	30.10	764.4	...	...	...	0
Koshun,	,,	30.09	764.2	...	...	N E	8	...	,,	30.07	763.8	...	...	N E	10
Pescadores,	,,	30.11	764.9	..	...	N E	10	...	,,	30.09	764.3	...	...	N E	8
Canton,	3 p.	30.11	764.8	70	86	N	2	o	9 a.	30.16	766.0	71	85	N E	1
Hongkong,	4 p.	30.11	764.8	72	67	E	3	o	10 a.	30.16	766.0	72	71	E	3
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	1
Gap Rock,	,,	30.07	763.8	...	...	E	5	...	,,	30.12	765.0	...	...	E	5
Macao,	,,	30.09	764.3	71	...	E S E	3	o	,,	30.13	765.4	73	...	E S E	3
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	30.03	762.8	77	...	E	5	b	8 a.	30.09	764.2	73	...	E	3
Tourane,	,,	29.98	761.4	75	...	S W	2	dh	,,	30.03	762.7	77	...	S E	3
Cape St. James,	,,	29.92	759.9	79	...	N E	1	c	,,	29.99	761.8	79	...	N E	1
Aparri,	2 p.	30.00	762.1	84	...	N E	4	b	6 a.	30.01	762.2	75	...	N E	2
Manila,	4 p.	29.88	759	86	59	N E	2	c	10 a.	29.96	761	82	63	W S W	1
Legaspi,	2 p.	29.87	758.7	84	...	N E	2	o	6 a.	29.92	759.9	77	...	N E	2
Bacolod,	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E	2
Iloilo,	,,	29.85	758.2	83	...	...	0	o	,,	29.91	759.7	81	...	N E	3
Cebu,	,,	29.81	757.2	85	...	E	1	c	,,	29.89	759.2	83	...	N	1
Labuan,	,,	29.83	757.7	87	...	...	...	...	,,	29.94	760.5	83	...	...	...

On the 4th at 12.05 p.—The barometer has risen considerably in E. Japan, and fallen over China, particularly in the North.

The high pressure area has shifted Eastwards and lies now over S. Japan. Probably a depression is approaching N. China from the Westward.

The monsoon will decrease in force over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.

1.—Hongkong and Neighbourhood,	E. winds, fresh to moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 4th November, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th NOVEMBER, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	5th NOVEMBER, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...ostock,...	2 p.	29.87	758.7	54	...	S	1	c	7 a.	29.93	760.2	44	91	..	0	o
...o, ...	,,	30.04	763.1	...	...	S	3	...	6 a	30.04	763.1	...	...	S W	2	...
...ate, ...	,,	30.13	765.2	...	...	W	4	...	,,	30.09	764.2	...	...	...	0	...
.....	,,	30.26	768.6	...	...	S E	1	...	,,	30.26	768.6	...	...	N W	1	...
.....	,,	30.17	766.3	...	...	S E	2	...	,,	30.21	767.3	...	...	S W	1	...
...ki, ...	,,	30.17	766.3	...	...	S	2	...	,,	30.15	765.8	...	...	E S E	1	...
...hima, ...	,,	30.17	766.4	...	...	S E	4	...	,,	30.17	766.4	...	...	...	0	...
...a, ...	,,	30.12	765.1	...	...	N N E	3	...	,,	30.08	764.1	...	...	S	2	...
.....	,,	30.07	763.7	...	...	N E	4	...	,,	30.03	762.7	...	...	E	1	...
...kijima, ...	,,	30.07	763.8	...	...	N E	5	...	,,	30.03	762.8	...	...	N N E	2	...
... Is.....	,,	...	...	...	...	N E	1	...	,,	30.04	763.1	...	...	N E	2	...
..., ...	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	..	...
...iwei, ...	,,	30.13	765.3	61	50	E N E	1	b	9 a.	30.07	763.8	58	64	W	3	or
...w, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...ng, ...	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...hai, ...	,,	30.14	765.5	65	63	E	2	c	9 a.	30.07	763.8	62	83	S W	2	o
...ff, ...	,,	30.14	765.5	66	59	S E	2	cv	,,	30.04	763.0	65	84	S	3	ov
... Peak, ...	,,	30.11	764.8	76	...	E N E	1	b	,,	30.08	764.0	66	...	N W	1	b
.....	,,	30.06	763.5	77	49	N E	2	b	6 a.	30.09	764.3	66	73	...	0	b
...w, ...	,,	30.08	764.0	76	56	E	1	b	,,	...	...	..	...	...	...	...
...ku, ...	1 p.	30.07	763.8	...	...	E	8	...	5 a	30.04	763.0	...	...	N E	4	...
...n, ...	,,	30.04	762.9	...	...	S W	2	...	,,	30.03	762.7	...	...	...	0	...
...n, ...	,,	30.06	763.6	...	...	S W	4	...	,,	30.03	762.8	...	...	N	2	...
...nn.....	,,	30.05	763.3	...	...	N E	6	...	,,	30.02	762.4	...	...	W	2	...
...dores, ...	,,	30.06	763.6	..	...	N E	8	...	,,	30.01	762.3	...	...	N E	4	...
...n, ...	3 p.	30.03	762.7	77	72	S E	1	b	9 a.	30.07	763.8	72	81	E	1	b
...kong, ...	4 p.	30.05	763.2	72	67	E S E	3	b	10 a.	30.08	764.0	74	73	E	2	o
...ria Peak,...	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	...	...
...Rock, ...	,,	30.02	762.5	...	...	E	5	...	,,	30.04	763.0	...	...	E	4	...
...o, ...	,,	30.04	763.0	73	...	E S E	4	c	,,	...	...	...	...	...	...	...
...ow, ...	8 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...ow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...oi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...ien, ...	4 p.	30.00	761.9	73	...	E S E	4	or	8 a.	30.04	763.0	73	...	E	3	o
...ane, ...	,,	29.94	760.5	77	...	E	3	f	,,	30.02	762.6	79	..	S S W	2	c
...St. James,.	,,	29.90	759.4	79	...	N E	3	c	,,	29.97	761.3	79	...	E	2	c
...ri, ...	2 p.	29.94	760.6	82	...	N E	2	b	6 a.	29.94	760.4	73	...	N	2	d
...la, ...	4 p.	29.84	758	84	58	W S W	1	b	10 a.	29.92	760	82	57	...	0	c
...spi, ...	2 p.	29.83	757.8	86	...	N E	2	o	6 a.	29.83	757.6	81	...	N E	2	c
...lod, ...	3 p.	...	...	...	...	N E	1	c	9 a.	...	...	...	...	N E	3	c
..., ...	,,	29.81	757.2	84	...	N E	1	o	,,	29.87	758.7	89	...	N E	1	b
..., ...	,,	29.84	757.9	86	...	N	1	o	,,	...	...	83	...	...	0	c
...an, ...	,,	29.82	757.4	87	...	...	...	...	,,	...	...	...	...	...	...	...

On the 5th at 12.05 p.—Except over E. Japan and the Bonins, pressure has given way generally, particularly r the Philippines and N. China.

The fall over the former area is due to a typhoon which is situated to the S.E. of Luzon and apparently moving Westerly direction. The depression in the North is moving Eastwards over Manchuria.

The high pressure area now covers S.E. Japan and adjacent waters.

The monsoon will set in again along the China coast, and increase in force over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	E. to N. winds, probably freshening; fair.
Formosa Channel, ...	N.E. winds, freshening.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 5th November, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th November, 1911, P.M.								6th November, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.94	760.4	53	...	...	0	o	7 a.	30.02	762.6	33	82	N N E	4
Nemuro,	"	30.02	762.6	...	...	S W	4	...	6 a.	30.06	763.6	...	...	N W	1
Hakodate,	"	30.05	763.2	...	...	S W	2	...	"	29.99	761.7	...	...	...	0
Tokio,	"	30.16	766.1	...	...	S	8	...	"	30.06	763.6	...	...	...	0
Kochi,	"	30.13	765.3	...	...	S E	2	...	"	30.01	762.3	...	...	S W	1
Nagasaki,	"	30.07	763.8	...	...	S S W	2	...	"	29.99	761.8	...	...	N W	6
Kagoshima,	"	30.07	763.9	...	...	S E	1	...	"	30.02	762.4	...	...	S E	1
Oshima,	"	30.02	762.6	...	...	E	1	...	"	30.02	762.6	...	...	...	0
Naha,	"	29.97	761.2	...	...	E	3	...	"	29.99	761.7	...	...	N	6
Ishigakijima,	"	29.97	761.3	...	...	N E	3	...	"	29.99	761.8	...	...	N	4
Bonin Is.	"	30.00	762.1	...	...	E	1	...	"	30.01	762.1	...	...	E	1
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	"	30.00	762.0	57	69	N N W	4	c	9 a.	30.26	768.6	57	53	W S W	4
Hankow,	"	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...
Shanghai,	"	30.08	764.0	56	87	W	3	o	9 a.	30.33	770.4	59	70	N N W	2
Gutzlaff,	"	30.04	763.0	57	94	N W	6	om	"	30.29	769.3	60	76	N N W	4
Sharp Peak,	"	30.03	762.7	69	...	N	1	b	"	30.20	767.1	67	...	E N E	5
Amoy,	"	29.98	761.5	76	60	S	2	b	6 a.	30.11	764.8	69	70	N E	2
Swatow,	"	30.00	762.0	75	72	E S E	1	b	"	30.05	763.2	67	73	N	2
Taihoku,	1 p.	29.95	760.8	...	...	E	4	...	5 a.	30.10	764.5	...	...	E	6
Taichu,	"	29.97	761.2	...	...	W	2	...	"	29.99	761.6	...	...	...	0
Tainan,	"	29.98	761.6	...	...	W	4	...	"	29.99	761.8	...	...	N E	2
Koshun	"	29.96	761.1	...	...	N	6	...	"	29.99	761.7	...	...	N	2
Pescadores,	"	30.00	761.9	...	...	N E	8	...	"	30.00	761.9	...	...	N E	10
Canton,	3 p.	30.00	762.0	74	76	N W	2	c	9 a.	30.20	767.1	64	58	N N E	3
Hongkong,	4 p.	30.01	762.2	73	78	E	1	o	10 a.	30.14	765.5	72	58	N	1
Victoria Peak,	"	...	...	...	...	E	1	...	"	...	...	...	...	N	1
Gap Rock,	"	29.93	761.5	...	...	E	3	...	"	30.11	764.8	...	...	N N E	5
Macao,	"	30.00	762.0	75	...	E S E	2	c	"	30.15	765.8	70	...	N	2
Wuchow,	3 p.	30.10	764.5	65	...	N	1	or	9 a.	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...
Phulien,	4 p.	30.00	762.0	68	...	N E	6	lt	8 a.	30.17	765.2	70	...	N E	2
Tourane,	"	29.93	760.1	79	...	E S E	3	c	"	30.04	762.9	75	..	E	3
Cape St. James,	"	29.69	759.3	79	...	E	3	c	"	29.98	761.5	79	...	E N E	1
Aparri,	2 p.	29.85	758.3	84	...	N	2	b	6 a.	29.88	759.0	77	...	N	2
Manila,	4 p.	29.80	757	84	52	W	1	b	10 a.	29.88	759	82	57	N N W	1
Legaspi,	2 p.	29.76	755.8	86	...	N	2	o	6 a.	29.77	756.1	75	...	..	0
Bacolod,	3 p.	...	...	...	...	N	1	o	9 a.	...	...	...	...	N E	1
Iloilo,	"	29.77	756.1	82	...	...	0	c	"	29.85	758.2	79	...	N E	1
Cebu,	"	29.83	757.7	86	...	...	0	c	"	29.85	758.2	84	...	W	1
Labuan,	"	...	...	...	...	...	...	...	"	29.91	759.7	84	...	...	...

On the 6th at 11.55 a.—The typhoon over the Pacific, remains at a considerable distance to the East of Luz It is probably moving towards N.W.

Pressure has given way quickly in Japan, the depression lying over Manchuria yesterday, having moved into Sea of Japan.

An area of high pressure is spreading over China from the N.W., and the barometer has risen along the coast, particularly in the North.

Very strong monsoon will prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 6th November, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...tion.	6th NOVEMBER, 1911, P.M.								7th NOVEMBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...ostock,...	2 p.	30.09	764.3	32	...	N N E	3	o	7 a.	30.25	768.2	23	68	N E	4	b
..., ...	,,	29.87	758.6	...	...	...	0	...	6 a.	29.83	757.6	...	...	N	5	...
...te, ...	,,	29.85	758.2	...	...	N W	1	...	,,	29.85	758.2	...	...	N	1	...
.....	,,	29.89	759.1	...	...	S S W	3	...	,,	29.83	757.6	...	...	...	0	...
.....	,,	29.91	759.8	...	...	...	0	...	,,	...	...	...	...	S W	1	...
...ki, ...	,,	30.07	763.8	...	...	N	4	...	,,	30.13	765.3	...	...	N N E	1	...
...ima, ...	,,	30.04	762.9	...	...	N N W	2	...	,,	30.13	765.4	...	...	N	2	...
.....	,,	30.04	763.1	...	...	N	4	...	,,	30.06	763.6	...	...	N	6	...
.....	,,	29.99	761.7	...	...	N	7	...	,,	30.11	764.7	...	...	N N E	6	...
...ijima, ...	,,	30.03	762.8	...	...	N	6	...	,,	30.07	763.8	...	...	N N E	5	...
...Is.	,,	29.93	760.1	...	...	E	1	...	,,	29.77	756.1	...	...	N E	1	...
.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	...
...wei, ...	,,	30.29	769.3	50	58	N	6	cqp	9 a.	30.38	771.6	52	41	N	4	c
...w, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...ng, ...	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...ai, ...	,,	30.30	769.6	64	43	N	2	c	9 a.	30.37	771.4	58	58	N	1	c
...l, ...	,,	30.26	768.6	63	62	N N W	4	b	,,	30.30	769.6	59	65	N	4	cv
...Peak, ...	,,	30.18	766.6	67	...	E N E	5	b	,,	30.29	769.3	63	...	N	2	b
.....	,,	30.07	763.8	75	56	E	4	b	6 a.	30.21	767.3	62	...	N E	4	b
...w, ...	,,	30.08	764.0	77	61	E	1	b	,,	...	...	...	...	...	...	...
...n, ...	1 p.	30.17	766.4	...	...	N E	6	...	5 a.	30.20	767.0	...	...	E	2	...
..., ...	,,	29.99	761.7	...	...	N	8	...	,,	30.03	762.7	...	...	N	4	...
..., ...	,,	29.99	761.7	...	...	N	4	...	,,	30.02	762.6	...	...	N	4	...
...n.....	,,	29.99	761.7	...	...	N E	6	...	,,	30.03	762.6	...	...	N E	8	...
...ores, ...	,,	30.04	763.0	..	...	N E	10	...	,,	30.04	763.0	...	...	N E	10	...
...n, ...	3 p.	30.12	765.0	71	...	N N E	3	c	9 a.	30.24	768.1	62	56	N N E	2	b
...ong, ...	4 p.	30.08	764.0	75	56	N	1	c	10 a.	30.20	767.1	70	45	E	2	b
...ia Peak, ...	,,	...	...	...	...	N	1	...	,,	...	...	...	...	E N E	4	...
...ook, ...	,,	30.05	763.2	...	...	N N E	4	...	,,	30.16	766.0	...	...	E N E	5	...
..., ...	,,	30.08	764.1	73	...	N	2	c	,,	30.19	766.8	67	...	N	2	c
...ow, ...	3 p.	30.14	765.5	73	...	N	1	c	9 a.	...	...	...	...	...	...	...
...w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...i, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...n, ...	4 p.	30.12	765.0	72	...	S S E	1	o	8 a.	30.22	767.6	68	...	E N E	3	c
...me, ...	,,	30.00	761.9	75	...	E	4	c	,,	30.08	764.1	73	..	N W	3	f
St. James,.	,,	29.91	759.6	79	...	N N E	4	c	,,	29.99	761.7	79	...	E N E	2	c
...i, ...	2 p.	29.87	758.6	79	...	N	4	o	6 a.	29.92	760.0	75	...	N E	4	o
...a, ...	4 p.	29.76	756	84	64	W	1	o	10 a.	29.88	759	82	70	W N W	0	o
...pi, ...	2 p.	29.73	755.2	82	...	W	2	o	6 a.	29.80	756.9	75	...	W	2	o
...od, ...	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	N E	1	o
.....	,,	29.77	756.1	83	...	N E	1	o	,,	29.87	758.7	81	...	S W	1	o
.....	,,	29.82	757.4	87	...	S	1	o	,,	29.90	759.4	85	...	S	1	c
...n, ...	,,	29.83	757.7	86	...	...	...	...	,,	29.94	760.5	82	...	...	...	...

On the 7th at 12.10 p.—The typhoon over the Pacific, far to Eastward of Luzon, appears to be recurving towards ...

The depression lying over the Sea of Japan yesterday, has moved into the Pacific.

Except over E. Japan and the Bonins, pressure has increased generally, particularly over Manchuria. The ...gh" area is situated over N. China.

Very strong monsoon will continue to prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...ongkong and Neighbourhood, ...	N.E. winds, fresh; fine.
...ormosa Channel, ...	N.E. winds, strong.
...outh coast of China between Hongkong and Lamocks,.	Same as No. 1.
...outh coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 7th November, 1911.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th November, 1911, P.M.									8th November, 1911, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.19	766.8	33	...	N N E	4	b		7 a.	30.12	764.9	26	77	...	0	b
Nemuro,	"	29.57	751.1	...	...	N	4	...		6 a	29.93	760.1	...	...	N W	4	...
Hakodate,	"	29.89	759.2	...	...	...	0	...		"	30.15	765.7	...	...	N	1	...
Tokio,	"	29.79	756.6	...	...	E	1	...		"	30.08	764.1	...	...	N N W	3	...
Koohi,	"	29.99	761.8	...	...	W N W	3	...		"	30.09	764.3	...	...	S W	1	...
Nagasaki,	"	30.13	765.3	...	...	N	3	...		"	30.09	764.3	...	...	E N E	2	...
Kagoshima,	"	30.06	763.4	...	...	N	3	...		"	30.15	765.9	...	...	...	0	...
Oshima,	"	30.06	763.6	...	...	N	5	...		"	30.08	764.1	...	...	N N W	1	...
Naha,	"	30.03	762.7	...	...	N N E	6	...		"	30.07	763.7	...	...	N E	2	...
Ishigakijima,	"	30.05	763.3	...	...	N	6	...		"	30.07	763.8	...	...	N	3	...
Bonin Is.	"	...	...	...	...	N E	1	...		"	29.89	759.1	...	...	N W	1	...
Chefoo,	3 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Weihaiwei,	"	30.31	769.9	52	53	N N E	1	b		9 a.	30.23	767.8	53	54	S W	3	c
Hankow,	"	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Kiukiang,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Shanghai,	"	30.30	769.6	60	49	N N W	1	c		9 a.	30.32	770.1	57	58	N N W	1	b
Gutzlaff,	"	30.27	768.8	59	64	N	3	cv		"	30.28	769.1	61	55	N	2	bv
Sharp Peak,	"	30.20	767.1	66	...	E N E	2	b		"	30.27	768.8	64	...	N	2	b
Amoy,	"	30.10	764.5	72	34	N E	4	b		6 a.	30.18	766.6	63	52	N N E	2	b
Swatow,	"	30.12	765.0	73	63	E	1	b		"	...	...	...	...	...	...	...
Taihoku,	1 p.	30.17	766.2	...	...	E	6	...		5 a.	30.18	766.6	...	...	...	0	...
Taichu,	"	30.02	762.4	...	...	N	6	...		"	30.08	764.1	...	...	...	0	...
Tainan,	"	30.01	762.3	...	...	N W	4	...		"	30.06	763.4	...	...	N E	2	...
Koshun	"	30.04	763.1	...	...	N E	8	...		"	...	...	...	...	...	...	...
Pescadores,	"	30.06	763.4	..	...	N E	10	...		"	30.07	763.8	...	...	N E	10	...
Canton,	3 p.	30.13	765.3	71	42	N	2	b		9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.12	765.0	70	54	E S E	2	b		10 a.	30.21	767.3	70	84	E	2	b
Victoria Peak,	"	...	...	...	...	E	1	...		"	...	...	...	...	E N E	3	...
Gap Rock,	"	30.10	764.5	...	...	E N E	5	...		"	30.18	766.6	...	...	E N E	4	...
Macao,	"	30.11	764.9	72	...	N	1	c		"	30.21	767.3	68	...	N	1	b
Wuchow,	3 p.	...	...	...	...	...	...	...		9 a	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Phulien,	4 p.	30.11	764.8	77	...	S S W	2	b		8 a.	30.22	767.5	70	...	E N E	3	o
Tourane,	"	30.02	762.4	75	...	E	5	f		"	30.11	764.8	77	..	E	5	dh
Cape St. James,	"	29.93	760.3	79	...	N E	4	c		"	30.01	762.2	77	...	E N E	2	o
Aparri,	2 p.	29.92	759.9	75	...	N	4	o		6 a.	29.98	761.4	73	...	N E	2	d
Manila,	4 p.	29.84	758	84	64	W S W	0	o		10 a.	30.00	762	79	78	W	1	o
Legaspi,	2 p.	29.80	756.9	77	...	W	2	o		6 a.	29.94	760.4	70	...	...	0	o
Bacolod,	3 p.	...	...	...	...	S	2	c		9 a.	...	...	...	...	N	1	o
Iloilo,	"	29.79	756.6	84	...	S W	2	c		"	30.01	762.2	80	...	N E	1	o
Cebu,	"	29.80	756.9	88	...	W	2	c		"	29.97	761.2	86	...	W	1	o
Labuan,	"	29.87	758.7	84	...	...	...	...		"	29.98	761.5	82	...	...	...	...

On the 8th at 11.55 a.—Pressure has increased moderately over E. Japan, the Bonins and the Philippines, and given way again in N. China.

Probably a depression is approaching Manchuria from the Westward.

The high pressure area remains over the Yangtze valley.

Strong monsoon will continue to prevail over the China Ses, but it will moderate along the coast.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.

—Hongkong and Neighbourhood,	N.E. winds, moderate; fine.
—Formosa Channel,	N.E. winds, fresh.
—South coast of China between Hongkong and Lamocks,	Same as No. 1.
—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 8th November, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th November, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	9th November, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...divostock,...	2 p.	29.99	761.8	44	...	S S E	2	o	7 a.	30.08	764.0	36	57	N N E	0	b
...uro, ...	,,	30.08	764.1	...	...	...	0	...	6 a	30.01	762.1	...	...	S W	1	...
...kodate, ...	,,	30.09	764.2	...	...	W S W	1	...	,,	30.05	763.2	...	...	S W	1	...
...io, ...	,,	30.08	764.1	...	...	N E	1	...	,,	30.12	765.1	...	...	N W	1	...
...hi, ...	,,	30.07	763.8	...	...	S E	1	...	,,	30.15	765.8	...	...	S W	1	...
...asaki, ...	,,	30.17	766.3	...	...	N N W	3	...	,,	30.21	767.3	...	...	...	0	...
...goshima, ...	,,	30.13	765.4	...	...	S E	1	...	,,	30.15	765.9	...	...	N	1	...
...ima, ...	,,	30.06	763.6	...	...	N	2	...	,,	30.04	763.1	...	...	N N E	4	...
...ha, ...	,,	30.05	763.2	...	...	S E	6	...	,,	29.99	761.7	...	...	N N E	7	...
...igakijima, ...	,,	30.07	763.8	...	...	N N E	4	...	,,	30.09	764.3	...	...	N	2	...
...in Is.	,,	...	...	...	...	N N E	1	...	,,	30.01	762.1	...	...	...	0	...
...efoo, ...	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...ihaiwei, ...	,,	30.15	765.8	65	53	S W	2	b	9 a.	30.23	769.1	54	68	N N E	5	cq
...nkow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...akiang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...anghai, ...	,,	30.24	768.1	63	38	N E	1	b	9 a.	30.31	769.9	57	63	...	0	bm
...tzlaff, ...	,,	30.23	767.8	64	63	N	1	cv	,,	30.27	768.8	59	70	N N E	1	cv
...arp Peak, ...	,,	30.20	767.1	64	...	E	2	b	,,	30.28	769.1	62	...	N	1	b
...oy, ...	,,	30.16	766.0	74	40	E	2	b	6 a.	30.27	768.8	61	66	N	1	b
...atow, ...	,,	30.12	765.0	71	66	E	1	b	,,	...	...	...	...	...	...	...
...ihoku, ...	1 p.	30.16	766.1	...	...	E	6	...	5 a	30.20	767.0	...	...	...	0	...
...ichu, ...	,,	30.06	763.5	...	...	N W	6	...	,,	30.14	765.6	...	...	...	0	...
...inan, ...	,,	30.08	764.0	...	...	N W	6	...	,,	30.14	765.5	...	...	N	2	...
...shun, ...	,,	30.06	763.6	...	...	N E	8	...	,,	30.11	764.8	...	...	N E	8	...
...cadores, ...	,,	30.10	764.6	...	...	N E	10	...	,,	30.13	765.3	...	...	N E	8	...
...nton, ...	3 p.	30.13	765.3	70	53	N N W	1	b	9 a.	30.24	768.1	64	73	N W	1	b
...ngkong, ...	4 p.	30.13	765.3	69	55	E	3	b	10 a.	30.23	767.8	72	65	E N E	1	c
...storia Peak, ...	,,	...	...	...	...	N	1	...	,,	...	...	...	...	E N E	2	...
...p Rook, ...	,,	30.09	764.3	...	...	E	5	...	,,	30.19	766.8	...	...	E N E	3	...
...cao, ...	,,	30.12	765.0	73	...	N	2	c	,,	30.22	767.6	71	...	N	2	c
...achow, ...	3 p.	30.14	765.5	76	...	E	1	b	9 a	...	...	...	...	...	...	...
...dhow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...khoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...ulien, ...	4 p.	...	...	...	...	...	...	...	8 a.	30.20	767.0	70	...	E N E	4	or
...urane, ...	,,	...	...	...	...	...	...	...	,,	30.15	765.8	77	..	E	3	c
...pe St. James, .	,,	...	...	...	...	...	..	...	,,	30.06	763.6	79	...	E N E	1	c
...arri, ...	2 p.	29.98	761.5	79	...	N E	2	o	6 a.	30.07	763.8	73	...	N E	2	o
...nila, ...	4 p.	29.92	760	84	71	...	0	o	10 a.	30.08	764	82	77	W	1	c
...gaspi, ...	2 p.	29.92	760.0	82	...	N E	2	o	6 a.	30.04	762.9	77	...	N E	2	c
...colod, ...	3 p.	...	...	...	...	N E	1	c	9 a.	...	...	...	...	N	1	b
...ilo, ...	,,	29.86	758.2	83	...	S W	1	o	,,	30.07	763.8	81	...	N E	1	c
...bu, ...	,,	29.85	758.2	86	...	N	1	c	,,	30.04	763.0	85	...	...	0	c
...buan, ...	,,	29.88	758.9	88	...	...	...	...	,,	30.00	762.0	82	...	...	...	...

On the 9th at 12.10 p.—The barometer has risen moderately in the Philippines, and fallen slightly over the ...oochoos. A depression, apparently shallow, is lying to the S.E. of the latter area.

The depression lying over Manchuria yesterday, has moved into the N.E. part of the Sea of Japan.

The high pressure area remains over the continent to the North of the Yangtze valley.

Fresh monsoon will prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. winds, moderate; fine.
Formosa Channel, ...	N.E. winds, fresh.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 9th November, 1911.

[Printed by NOMOMEA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th November, 1911, P.M.									10th November, 1911, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	2 p.	30.09	764.3	43	...	N E	1	c		7 a.	30.21	757.4	30	57	N N E	0	b	
Nemuro,	,,	29.81	757.1	...	...	S S W	4	...		6 a.	29.97	761.1	...	...	N W	6	...	
Hakodate,	,,	29.93	760.2	...	...	W N W	4	...		,,	30.11	764.7	...	...	...	0	...	
Tokio,	,,	30.04	763.1	...	...	N	1	...		,,	29.99	761.6	...	...	W N W	2	...	
Kochi,	,,	30.05	763.3	...	...	E N E	2	...		,,	30.01	762.3	...	...	W	1	...	
Nagasaki,	,,	30.07	763.8	...	...	N	2	...		,,	30.13	765.3	...	...	...	0	...	
Kagoshima,	,,	30.06	763.4	...	...	E S E	1	...		,,	30.12	764.9	...	...	N N W	2	...	
Oshima,	,,	30.02	762.6	...	...	N N E	4	...		,,	30.08	764.1	...	...	N	3	...	
Naha,	,,	29.99	761.7	...	...	N N E	6	...		,,	30.11	764.7	...	...	N E	3	...	
Ishigakijima,	,,	30.07	763.8	...	...	N	4	...		,,	30.15	760.8	...	...	N	2	...	
Bonin Is.	,,	29.87	758.6	...	...	E S E	1	...		,,	29.45	748.1	...	...	S W	8	...	
Chefoo,	3 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...	
Weihaiwei,	,,	30.27	768.8	53	54	N N W	2	c		9 a.	30.31	769.9	54	38	N	6	b	
Hankow,	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Shanghai,	,,	30.24	768.1	64	53	N E	1	b		9 a.	...	...	...	...	...	...	...	
Gutzlaff,	,,	30.22	767.6	63	62	N N E	1	cv		,,	30.29	769.3	61	66	N N E	1	b	
Sharp Peak,	,,	30.20	767.1	64	...	E N E	1	b		,,	30.30	769.6	61	...	N	1	b	
Amoy,	,,	30.17	766.3	74	...	E	2	b		6 a.	30.22	767.6	61	60	N E	1	b	
Swatow,	,,	30.15	765.8	70	61	E	1	b		,,	...	...	...	...	...	...	...	
Taihoku,	1 p.	30.17	766.2	...	...	E	4	...		5 a.	30.24	768.1	...	...	...	0	...	
Taichu,	,,	30.10	764.6	...	...	N	6	...		,,	30.16	766.1	...	...	...	0	...	
Tainan,	,,	30.13	765.2	...	...	N W	6	...		,,	30.17	766.3	...	...	N E	2	...	
Koshun,	,,	30.11	764.9	...	...	N E	6	...		,,	30.15	765.8	...	...	N E	6	...	
Pescadores,	,,	30.15	765.8	...	...	N E	8	...		,,	30.17	766.3	...	...	N E	8	...	
Canton,	3 p.	30.13	765.3	73	55	N W	1	b		9 a.	...	...	...	...	...	...	...	
Hongkong,	4 p.	30.15	765.8	70	58	E	2	b		10 a.	30.23	767.8	71	65	E	2	c	
Victoria Peak,	,,	...	...	...	...	E	1	...		,,	...	...	...	...	E	2	...	
Gap Rook,	,,	30.12	765.0	...	...	E	4	...		,,	30.19	766.8	...	...	E N E	4	...	
Macao,	,,	30.14	765.6	73	...	S E	1	c		,,	30.21	767.3	75	...	S E	2	c	
Wuchow,	3 p.	...	...	...	...	...	...	...		9 a.	...	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Phulien,	4 p.	30.10	764.6	73	...	S E	5	o		8 a.	..	...	...	...	...	...	...	
Tourane,	,,	30.07	763.8	75	...	E	2	c		,,	...	...	...	...	...	...	...	
Cape St. James,	,,	29.95	760.8	79	...	E N E	3	c		,,	..	...	...	...	...	...	...	
Aparri,	2 p.	30.05	763.3	79	...	N E	2	o		6 a.	30.11	764.7	66	...	S W	2	b	
Manila,	4 p.	29.96	761	86	59	S E	2	c		10 a.	30.08	764	81	70	N W	1	o	
Legaspi,	2 p.	29.99	761.8	84	...	N E	2	c		6 a.	30.04	763.1	77	...	N E	2	b	
Bacolod,	3 p.	...	...	...	...	N E	1	c		9 a.	...	...	...	...	N	2	b	
Iloilo,	,,	29.97	761.2	85	...	N E	2	b		,,	30.07	763.8	81	...	E	3	c	
Cebu,	,,	29.94	760.5	86	...	E	2	c		,,	29.97	761.2	85	...	E	1	c	
Labuan,	,,	29.89	759.2	86	...	...	...	...		,,	29.97	761.2	85	...	...	...	...	

On the 10th at 12.05 p.—The depression lying to the S.E. of the Loochoos yesterday, has moved towards N.E. and is now passing to the Northward of the Bonins.

The Northern depression has moved into the Pacific to the N.E. of Hokkaido.

The high pressure area remains over the continent to the North of the Yangtze valley.

Fresh monsoon will continue to prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.

1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 10th November, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th November, 1911, P.M.								11th November, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
adivostock, ...	2 p.	30.17	766.4	40	...	N N E	1	b	7 a.	30.21	767.4	27	92	...	0	b
muro, ...	,,	29.94	760.6	...	...	N N W	4	...	6 a.	...	...	...	...	...	...	...
kodate, ...	,,	30.05	763.2	...	...	N	2	...	,,	...	...	...	...	...	...	...
kio, ...	,,	29.94	760.6	...	...	N	2	...	,,	...	...	...	...	...	...	...
chi, ...	,,	30.01	762.3	...	...	N W	1	...	,,	...	...	...	...	...	...	...
gasaki, ...	,,	30.11	764.8	...	...	N	3	...	,,	...	...	...	...	...	...	...
goshima, ...	,,	30.11	764.9	...	...	N	4	...	,,	...	...	...	...	...	...	...
hima, ...	,,	30.14	765.6	...	...	N N E	3	...	,,	...	...	...	...	...	...	...
ha, ...	,,	30.15	765.7	...	...	N	3	...	,,	...	...	...	...	...	...	...
igakijima, ...	,,	30.17	766.3	...	...	N N E	4	...	,,	...	...	...	...	...	...	...
min Is.	,,	29.81	757.1	...	...	N W	2	...	,,	...	...	...	...	...	...	...
efoo, ...	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
eihaiwei, ...	,,	30.27	768.8	54	49	N N E	1	b	9 a.	30.11	764.8	52	66	S W	4	c
nkow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ukiang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
anghai, ...	,,	30.25	768.3	66	40	E N E	1	b	9 a.	30.16	766.0	64	73	S S E	3	bq
tzlaff, ...	,,	30.24	768.1	66	64	N N E	1	bv	,,	30.16	766.0	65	73	S S E	4	cv
arp Peak, ...	,,	30.23	767.8	64	...	E	2	b	,,	30.22	767.6	62	...	...	0	b
noy, ...	,,	30.13	765.3	74	47	E S E	2	b	6 a.	30.16	766.0	61	71	...	0	b
atow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ihoku, ...	1 p.	30.21	767.3	...	...	E	6	...	5 a	30.19	768.3	...	...	...	0	...
ichu, ...	,,	30.15	765.9	...	...	N	4	...	,,	30.19	766.9	...	...	...	0	...
inan, ...	,,	30.15	765.8	...	...	W	4	...	,,	30.17	766.4	...	...	N E	2	...
oshun, ...	,,	30.14	765.5	...	...	N E	8	...	,,	30.14	765.6	...	...	N E	10	...
scadores, ...	,,	30.16	766.1	..	...	N E	10	...	,,	30.16	766.0	...	...	N E	6	...
nton, ...	3 p.	...	...	...	..	...	...	...	9 a.	30.17	766.3	68	74	E	2	c
ongkong, ...	4 p.	30.13	765.3	70	65	E	3	b	10 a.	30.18	766.6	70	77	E N E	4	o
ctoria Peak, ...	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	4	...
p Rock, ...	,,	30.08	764.0	...	...	E	4	...	,,	30.12	765.0	...	...	E	4	...
-cao, ...	,,	30.11	764.9	72	...	S E	3	c	,,	30.15	765.8	74	...	E S E	2	c
uchow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
khoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ulien, ...	4 p.	30.02	762.6	77	...	S	5	b	8 a.	30.07	763.8	77	...	S	5	b
urane, ...	,,	30.04	763.1	75	...	S E	3	b	,,	30.08	764.0	77	..	S S E	3	b
pe St. James, .	,,	29.94	760.6	79	...	E N E	5	o	,,	29.97	761.2	79	...	E	3	o
arri, ...	2 p.	30.07	763.7	81	...	N E	2	b	6 a.	30.08	764.0	68	...	S	2	o
anila, ...	4 p.	29.96	761	82	57	E S E	1	c	10 a.	30.08	764	82	63	N W	1	c
gaspi, ...	2 p.	30.00	761.9	90	...	N E	2	b	6 a.	30.04	762.9	75	...	N E	2	b
colod, ...	3 p.	...	...	...	...	N	3	b	9 a.	...	...	...	...	N	3	b
ilo, ...	,,	29.91	759.7	84	...	N E	2	b	,,	30.03	762.7	79	...	N E	3	b
bu, ...	,,	29.85	758.2	86	...	N	2	c	,,	29.92	759.9	83	...	N E	3	b
buan, ...	,,	29.86	758.4	91	...	...	...	...	,,	29.97	761.2	84	...	...	...	...

On the 11th at 12.10 p.—The barometer has fallen over China, particularly in the North, a depression having appeared to the North of the Yangtze valley.

The high pressure area is probably situated over Japan, but returns from thence are lacking.

The monsoon is temporarily interrupted in the North.

Moderate or light E. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	E. and S.E. winds, moderate or light; fair.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 11th November, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th NOVEMBER, 1911, P.M.								12th NOVEMBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.18	766.5	48	...	W S W	2	b	7 a.	39.67	753.7	46	99	S E	5	or
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	30.18	766.6	...	...	W S W	1	...
Hakodate,	,,	30.19	766.7	...	...	N W	3	...	,,	30.21	767.2	...	...	...	0	...
Tokio,	,,	30.24	768.1	...	...	S	8	...	,,	30.32	770.1	...	...	N W	1	...
Kochi,	,,	30.31	769.8	...	...	...	0	...	,,	30.21	767.3	...	...	S W	1	...
Nagasaki,	,,	30.21	767.3	...	...	S	1	...	,,	30.07	763.8	...	...	S	7	...
Kagoshima,	,,	30.23	767.9	...	...	S	1	...	,,	30.11	764.9	...	...	S E	1	...
Oshima,	,,	30.20	767.1	...	...	S E	1	...	,,	30.16	766.1	...	...	S	2	...
Naha,	,,	30.17	766.2	...	...	E S E	2	...	,,	30.15	765.7	...	...	S E	1	...
Ishigakijima,	,,	30.13	765.3	...	...	S E	2	...	,,	30.15	765.8	...	...	N	1	...
Bonin Is.	,,	30.06	763.6	...	...	N	1	...	,,	30.24	768.1	...	...	N E	1	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	...
Weihaiwei,	,,	29.84	757.9	53	86	S E	...	or	9 a.	30.03	762.7	53	73	W N W	4	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	..	...	..	...	...	...	...	,,	...	...	...	...	...	...	..
Shanghai,	,,	29.99	761.7	68	66	S	3	fq	9 a.	30.24	768.1	59	76	N W	2	b
Gutzlaff,	,,	30.01	762.2	67	74	S	5	cv	,,	30.22	767.6	60	82	N N W	2	cv
Sharp Peak,	,,	30.11	764.8	66	...	E	1	b	,,	30.19	766.8	65	...	...	0	b
Amoy,	,,	30.08	764.0	75	52	S	2	b	6 a.	30.15	765.8	63	83	S S W	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.10	764.5	...	...	E	4	...	5 a.	30.16	766.1	...	...	...	0	...
Taichu,	,,	30.09	764.3	...	...	W	2	...	,,	30.15	765.9	...	...	...	0	...
Tainan,	,,	30.11	764.9	...	...	W	4	...	,,	30.15	765.9	...	...	E	4	...
Koshun	,,	30.11	764.9	...	...	E	8	...	,,	30.13	765.4	...	...	E	2	...
Pescadores,	,,	30.12	765.2	..	...	W	4	...	,,	30.13	765.3	...	...	N E	2	...
Canton,	3 p.	...	...	...	..	...	...	...	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.09	764.3	71	81	E	3	c	10 a.	30.15	765.8	73	81	E	3	o
Victoria Peak,	,,	...	...	...	...	N E	1	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	30.05	763.2	...	...	E N E	4	...	,,	30.11	764.8	...	...	E	4	...
Macao,	,,	30.06	763.6	73	...	E S E	3	c	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.98	761.4	81	...	S	6	b	8 a.	30.06	763.6	77	...	S	4	c
Tourane,	,,	29.99	761.8	77	...	S E	3	b	,,	30.07	763.7	77	..	S	3	f
Cape St. James,	,,	29.94	760.4	79	...	E	4	c	,,	29.99	761.6	79	...	E N E	4	c
Aparri,	2 p.	30.04	762.9	75	...	S	0	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.96	761	82	57	E	1	o	10 a.	30.04	763	82	63	...	0	b
Legaspi,	2 p.	29.98	761.4	88	...	N E	2	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N	4	c	9 a.	...	...	...	...	N	2	b
Iloilo,	,,	29.89	759.1	83	...	N E	3	b	,,	29.95	760.7	...	...	S W	2	b
Cebu,	,,	29.90	759.4	84	...	E	3	b	,,	29.97	761.2	85	...	N	1	b
Labuan,	,,	29.83	757.7	88	...	...	...	...	,,	...	...	...	...	...	...	...

On the 12th at 11.55 a.—The barometer has fallen quickly in Wladiwostok the depression lying over N. China yesterday, having approached the neighbourhood of that station.

The high pressure area has shifted Eastwards and now covers E. Japan.

Probably an anticyclonic area is spreading over China from the NW, and strong monsoon is expected to set in again along the coast and over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to NE winds, freshening; fair.
2.—Formosa Channel,	NE winds, freshening.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 12th November, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th NOVEMBER, 1911, P.M.								13th NOVEMBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
adivostock, ...	2 p.	29.89	746.6	47	...	S E	6	or	7 a.	30.07	763.8	39	45	N W	2	c
muro, ...	,,	30.12	765.1	...	...	S W	3	...	6 a.	29.59	751.6	...	...	W	2	...
kodate, ...	,,	30.01	762.2	...	...	S E	2	...	,,	29.71	754.7	...	...	S S W	4	...
tio, ...	,,	30.12	765.1	...	...	S S E	3	...	,,	29.97	761.1	...	...	N W	1	...
chi, ...	,,	30.07	763.8	...	...	S W	1	...	,,	30.17	766.3	...	...	S W	1	...
gasaki, ...	,,	30.11	764.8	...	...	N N W	4	...	,,	30.29	769.3	...	...	N N E	1	...
goshima, ...	,,	30.13	765.4	...	...	W N W	1	...	,,	30.27	768.9	...	...	N	1	...
ima, ...	,,	30.16	766.1	...	...	W N W	1	...	,,	30.22	767.6	...	...	S	1	...
ha, ...	,,	30.15	765.7	...	...	S W	2	...	,,	30.21	767.2	...	...	E	1	...
igakijima, ...	,,	30.15	765.8	...	...	S W	1	...	,,	30.19	766.8	...	...	N E	2	...
nin Is.	,,	30.22	767.6	...	...	...	0	...	,,	30.22	767.6	...	...	...	0	...
efoo, ...	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ihaiwei, ...	,,	30.15	765.8	56	57	N	5	c	9 a.	30.42	772.6	53	43	N	2	c
nkow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
nkiang, ...	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
anghai, ...	,,	30.20	767.1	67	41	N E	2	b	9 a.	30.31	769.9	63	57	E	2	c
tzlaff, ...	,,	30.19	766.8	65	58	N N E	1	cv	,,	30.30	769.6	63	62	E S E	3	cv
arp Peak, ...	,,	30.14	765.5	68	...	E	2	b	,,	30.25	768.3	68	...	N	1	c
noy, ...	,,	30.11	764.8	75	64	S S W	4	b	6 a.	30.20	767.1	66	79	E N E	1	o
atow, ...	,,	30.10	764.5	75	72	E S E	1	b	,,	...	...	...	...	...	...	...
ihoku, ...	1 p.	30.14	765.5	...	...	N	4	...	5 a.	30.17	766.3	...	...	E	6	...
iohu, ...	,,	30.12	765.1	...	...	N W	4	...	,,	30.16	766.1	...	...	...	0	...
inan, ...	,,	30.11	764.9	...	...	N W	6	...	,,	30.15	765.7	...	...	N E	2	...
shun, ...	,,	30.11	764.7	...	...	E	6	...	,,	30.14	765.6	...	...	N	6	...
scadores, ...	,,	30.13	765.2	..	...	N	4	...	,,	30.14	765.5	...	...	N	6	...
nton, ...	3 p.	...	...	...	..	...	...	...	9 a.	...	...	...	...	...	...	...
ngkong, ...	4 p.	30.07	763.8	74	80	E	2	c	10 a.	30.16	766.0	70	89	E	3	o
ctoria Peak, ...	,,	...	...	...	...	E S E	3	...	,,	...	...	...	...	E	3	...
p Rock, ...	,,	30.02	762.5	...	...	E	4	...	,,	30.11	764.8	...	...	E N E	5	...
acao, ...	,,	30.04	763.1	75	...	E S E	3	c	,,	30.13	765.3	71	...	E S E	2	o
uchow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
khoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ulien, ...	4 p.	29.98	761.4	79	...	S	7	c	8 a.	30.07	763.7	77	...	S	4	c
urane, ...	,,	29.98	761.6	77	...	E	3	b	,,	30.05	763.2	81	..	S E	2	o
pe St. James, .	,,	29.91	759.6	79	...	E N E	5	c	,,	29.97	761.3	77	...	E N E	4	c
parri, ...	2 p.	30.01	762.3	79	...	E	2	b	6 a.	30.08	764.1	...	...	S	2	b
anila, ...	4 p.	29.96	761	84	49	E	3	b	10 a.	30.04	763	86	53	N	0	o
gaspi, ...	2 p.	29.96	761.0	79	...	N E	2	b	6 a.	30.01	762.1	73	...	N E	2	o
colod, ...	3 p.	...	...	...	...	N	2	b	9 a.	...	...	...	...	N	2	b
ilo, ...	,,	29.91	759.7	82	...	S W	2	b	,,	29.99	761.7	80	...	N	3	c
bu, ...	,,	29.89	758.9	85	...	E	1	b	,,	29.92	759.9	84	...	N	1	b
buan, ...	,,	...	...	...	...	...	...	...	,,	29.92	759.9	85	...	...	...	...

On the 13th at 11.55 a.—The depression which passed near Wladiwostok yesterday, is moving Eastwards to the North of Hokkaido.

A high pressure area now covers N China where the barometer has risen considerably; but pressure appears to be low over W. China.

Fresh monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day 0.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	E. winds, fresh or strong; cloudy, some rain.
Formosa Channel, ...	NE and E. winds, fresh.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 13th November, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th November, 1911, P.M.								14th November, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.15	765.8	...	...	N W	2	b	7 a.	30.51	774.9	35	62	N	0	b
Nemuro,	"	29.61	752.1	...	...	W	4	...	6 a	...	...	...	...	...	...	...
Hakodate,	"	29.91	759.6	...	...	W	5	...	"	...	...	...	...	...	...	...
Tokio,	"	30.02	762.6	...	...	N W	2	...	"	...	...	...	...	...	...	...
Kochi,	"	30.19	766.8	...	...	E S E	1	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.27	768.8	...	...	N	1	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.23	767.9	...	...	W	1	...	"	...	...	...	...	...	...	...
Oshima,	"	30.22	767.6	...	...	N	2	...	"	...	...	...	...	...	...	...
Naha,	"	30.20	767.2	...	...	N W	1	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	30.17	766.3	...	...	E	3	...	"	...	...	...	...	...	...	...
Bonin Is.	"	30.20	767.1	...	...	S S W	1	...	"	...	...	...	...	...	...	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	"	30.41	772.4	63	48	E N E	3	cv	9 a.	30.35	770.9	52	66	E	3	c
Hankow,	"	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	"	30.23	767.8	64	63	E S E	3	o	9 a.	30.19	766.8	68	74	S E	3	c
Gutzlaff,	"	30.24	768.1	65	58	S E	4	cv	"	30.19	766.8	66	84	E S E	4	cv
Sharp Peak,	"	30.17	766.3	69	...	N	1	o	"	30.18	766.6	69	...	N	1	c
Amoy,	"	30.14	765.5	76	64	E	2	o	6 a	30.14	765.5	68	85	W	2	b
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	1 p.	30.11	764.7	...	...	S E	6	...	5 a.	30.11	764.8	...	...	E	4	...
Taichu,	"	30.09	764.3	...	...	N W	2	...	"	30.09	764.3	...	...	...	0	...
Tainan,	"	30.13	765.3	...	...	W	4	...	"	30.12	764.9	...	...	E	2	...
Koshun,	"	30.11	764.9	...	...	N E	8	...	"	...	...	...	...	...	...	...
Pescadores,	"	30.12	765.0	..	...	N	8	...	"	30.09	764.3	...	...	N	4	...
Canton,	3 p.	30.05	763.2	74	81	E S E	1	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.06	763.5	70	87	E	4	o	10 a.	30.12	765.0	73	82	E	3	o
Victoria Peak,	"	...	...	...	...	E	6	...	"	...	...	...	...	E	3	...
Gap Rock,	"	30.02	762.5	...	...	E N E	5	...	"	30.06	763.5	...	...	E	5	...
Macao,	"	30.04	763.0	70	...	S E	4	oq	"	30.08	764.1	75	...	E S E	4	c
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	4 p.	29.97	761.3	79	...	S S E	6	b	8 a.	30.05	763.3	77	...	S	4	b
Tourane,	"	29.96	761.0	77	...	S E	1	b	"	30.05	763.2	79	...	S W	1	b
Cape St. James,	"	29.91	759.6	79	...	E N E	4	c	"	29.98	761.4	77	...	E N E	2	c
Aparri,	2 p.	30.02	762.6	81	...	E	2	c	6 a.	30.04	763.0	70	...	S	2	b
Manila,	4 p.	29.92	760	82	57	E	0	c	10 a.	30.00	762	84	59	N N E	1	c
Legaspi,	2 p.	29.94	760.5	88	...	E	2	b	6 a.	29.97	761.2	77	...	N E	2	c
Baoolod,	3 p.	...	...	...	...	N	4	c	9 a.	...	...	...	...	N	2	or
Iloilo,	"	29.85	758.2	85	...	N E	3	c	"	29.91	759.7	79	...	N	2	o
Cebu,	"	29.87	758.7	86	...	E	1	c	"	29.92	759.9	83	...	E	1	c
Labuan,	"	29.78	756.4	88	...	...	...	...	"	29.91	759.7	84	...	...	...	...

On the 14th at 12.10 p.—The barometer has risen quickly in Wladiwostok, and fallen over China, particularly in the North.

The anticyclonic area has shifted Eastwards and lies now over the Sea of Japan, and a depression appears to be developing over the Upper Yangtze valley.

Moderate or light monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and S.E. winds, moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 14th November, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th November, 1911, P.M.								15th November, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
adivostock,...	2 p.	30.54	775.8	43	...	E N E	0	b	7 a.	30.56	776.3	31	60	...	0	o
muro, ...	,,	30.12	765.1	...	...	N W	7	...	6 a.	...	...	...	...	...	...	...
kodate, ...	,,	30.36	771.2	...	...	W N W	5	...	,,	...	...	...	...	...	...	...
kio, ...	,,	30.34	770.6	...	...	S E	1	...	,,	...	...	...	...	...	...	...
chi, ...	,,	30.31	769.8	...	...	S	1	...	,,	...	...	...	...	...	...	...
gasaki, ...	,,	30.29	769.3	...	...	S W	1	...	,,	...	...	...	...	...	...	...
goshima, ...	,,	30.27	768.9	...	...	S W	1	...	,,	...	...	...	...	...	...	...
ima, ...	,,	30.22	767.6	...	...	S E	1	...	,,	...	...	...	...	...	...	...
ha,.....	,,	30.19	766.7	...	...	E	3	...	,,	...	...	...	...	...	...	...
igakijima,....	,,	30.13	765.3	...	...	S E	5	...	,,	...	...	...	...	...	...	...
nin Is.....	,,	30.20	767.1	...	...	S E	1	...	,,	...	...	...	...	...	...	...
efoo,.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
eihaiwei,.....	,,	30.30	769.6	54	68	N N E	2	c	9 a.	30.15	765.8	52	93	N E	8	or
nkow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ukiang,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
anghai, ...	,,	30.10	764.5	71	76	S E	3	o	9 a.	30.21	767.3	58	88	W N W	3	o
tzlaff, ...	,,	30.11	764.8	67	89	S E	5	cm	,,	30.18	766.6	63	94	N W	2	om
arp Peak,.....	,,	30.10	764.5	72	...	N	1	b	,,	30.17	766.3	70	...	E	1	b
moy,.....	,,	30.04	763.0	78	70	S	2	b	6 a.	...	...	...	...	...	...	...
atow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ihoku,.....	1 p.	30.07	763.8	...	...	S E	4	...	5 a	30.11	764.8	...	...	...	0	...
ichu, ...	,,	30.09	764.2	...	...	...	0	...	,,	30.13	765.3	...	...	...	0	...
inan,.....	,,	30.09	764.2	...	...	N W	4	...	,,	30.12	764.9	...	...	E	2	...
oshun.....	,,	30.08	764.1	...	...	E	6	...	,,	30.10	764.6	...	...	N E	4	...
scadores, ...	,,	30.09	764.4	..	...	N	6	...	,,	30.10	764.5	...	...	N E	2	...
nton,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ongkong, ...	4 p.	30.04	763.0	71	90	E	2	o	10 a.	30.12	765.0	74	88	E	3	o
ctoria Peak,...	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	5	...
p Rock,.....	,,	30.00	762.0	...	...	E	5	...	,,	30.06	763.5	...	...	E S E	3	...
acao, ...	,,	30.01	762.2	75	...	E S E	3	c	,,	30.09	764.3	76	...	E S E	2	cd
uchow,.....	8 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
oihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
khoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ulien, ...	4 p.	29.95	760.8	81	...	S	5	b	8 a.	30.08	763.9	77	...	S S E	3	c
urane, ...	,,	29.96	760.9	77	...	E S E	2	b	,,	30.02	762.5	81	..	E S E	3	dh
pe St. James,.	,,	29.88	759.0	79	...	E N E	5	c	,,	29.95	760.7	79	...	E N E	2	c
parri, ...	2 p.	29.98	761.5	81	...	E	2	b	6 a.	30.04	762.9	68	...	S E	0	b
anila, ...	4 p.	29.96	761	81	70	...	0	o	10 a.	30.00	762	84	64	..	0	b
egaspi, ...	2 p.	29.92	760.0	88	...	E	2	c	6 a.	29.95	760.8	79	...	N E	2	c
colod, ...	3 p.	...	...	...	...	N	2	c	9 a.	...	...	...	...	...	...	...
oilo, ...	,,	29.83	757.7	82	...	N	3	o	,,	29.91	...	...	...	...	...	...
bu, ...	,,	29.82	757.4	82	...	N	2	r	,,	29.87	...	...	...	...	...	...
buan, ...	,,	29.78	756.4	87	...	...	...	...	,,	29.87	758.7	85	...	...	...	...

On the 15th at 12.10 p.—The barometer has fallen considerably on the N E coast of China, the depression lying over the Yangtze valley yesterday, having moved into the Yellow Sea.

The anticyclonic area still covers Manchuria and the N. part of the Sea of Japan, and apparently pressure remains low over W. China.

Moderate or light monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	S.E. and E. winds, moderate; showery.
Formosa Channel, ...	N.E. winds, probably freshening.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 15th November, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th NOVEMBER, 1911, P.M.								16th NOVEMBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.47	774.0	44	...	S	3	o	7 a.	30.25	763.3	42	85	S S E	2	o
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	0	...
Hakodate,	,,	...	...	...	...	...	...	...	,,	30.38	771.7	...	...	N N W	1	...
Tokio,	,,	...	...	...	...	...	...	...	,,	30.46	773.6	...	...	...	0	...
Kochi,	,,	...	...	...	...	...	...	...	,,	30.31	769.8	...	...	S W	1	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	30.23	767.8	...	...	E N E	1	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	30.25	768.4	...	...	N E	1	...
Oshima,	,,	...	...	...	...	...	...	...	,,	30.22	767.6	...	...	...	0	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.17	766.2	...	...	E S E	1	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.11	764.8	...	...	E	3	...
Bonin Is.	,,	...	...	...	...	...	...	...	,,	30.30	769.6	...	...	E	1	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.08	764.0	51	100	N N E	8	orm	9 a.	30.16	766.0	50	93	N N W	4	om
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.18	766.6	56	87	W N W	2	o	9 a.	30.22	767.6	54	100	N W	1	om
Gutzlaff,	,,	30.15	765.8	60	88	N N W	3	om	,,	30.20	767.1	58	100	N N W	3	om
Sharp Peak,	,,	30.08	764.0	72	...	E	2	b	,,	30.14	765.5	72	...	...	0	b
Amoy,	,,	30.01	762.2	80	66	S E	2	b	6 a.	30.12	765.0	70	90	S S E	2	c
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.04	762.9	...	...	S E	6	...	5 a.	30.09	764.2	...	...	...	0	...
Taichu,	,,	30.06	763.4	...	...	N W	2	...	,,	30.10	764.6	...	...	...	0	...
Tainan,	,,	30.07	763.7	...	...	N W	6	...	,,	30.09	764.2	...	...	N E	2	...
Koshun,	,,	30.08	764.0	...	...	E	8	...	,,	30.09	764.2	...	...	E	6	...
Pescadores,	,,	30.06	763.6	..	...	N W	6	...	,,	30.03	764.0	...	...	N	4	...
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.03	762.7	74	87	E	3	o	10 a.	30.11	764.8	78	61	E	2	c
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	29.98	761.5	...	...	E	4	...	,,	30.07	763.8	...	...	E	4	...
Macao,	,,	30.01	762.2	75	...	E S E	3	c	,,	30.10	764.4	79	...	E S E	1	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.00	761.9	79	...	S S E	4	b	8 a.	30.09	764.3	73	...	E	3	b
Tourane,	,,	29.97	761.3	77	...	E	3	dh	,,	30.05	763.2	79	...	N E	3	c
Cape St. James,	,,	29.86	758.4	81	...	E	5	c	,,	29.91	759.6	77	...	E N E	2	c
Aparri,	2 p.	29.98	761.4	81	...	E	2	o	6 a.	30.01	762.1	73	...	S	2	b
Manila,	4 p.	29.92	760	82	71	N N E	2	o	10 a.	29.96	761	83	54	N E	2	c
Legaspi,	2 p.	29.89	759.3	82	...	N E	2	o	6 a.	29.96	760.9	75	...	E	2	o
Bacolod,	3 p.	...	...	...	...	N	3	c	9 a.	...	...	...	...	N	3	c
Iloilo,	,,	29.86	758.2	84	...	N	2	o	,,	29.89	759.2	82	...	N E	3	c
Cebu,	,,	29.83	757.7	86	...	E	1	b	,,	29.88	758.9	85	...	E.	2	c
Labuan,	,,	29.71	754.6	88	...	...	...	...	,,	29.83	757.7	83	...	...	...	...

On the 16th at 12.15 p.—The depression lying over the Yellow Sea yesterday, is moving slowly Northeastwards over N. Korea.

Pressure is giving way over Japan, the central area of the anticyclonic having shifted Eastwards over the Pacific.

Pressure appears to be low over the S.E. part of the China Sea.

Moderate monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
.—Hongkong and Neighbourhood,	E. winds, moderate; fair.
.—Formosa Channel,	N.E. winds, moderate.
.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 16th November, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th November, 1911, P.M.								17th November, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
adivostock,	2 p.	30.17	766.4	44	...	S S E	3	or	7 a.	29.95	760.6	35	96	N N E	2	f
muro,	,,	30.38	771.6	...	...	...	0	...	6 a.	...	...	...	...	...	...	...
kodate,	,,	30.24	768.2	...	...	N	1	...	,,	...	...	...	...	...	...	...
kio,	,,	30.28	769.1	...	...	S	1	...	,,	...	...	...	...	...	...	...
ohi,	,,	30.23	767.8	...	...	N	1	...	,,	...	...	...	...	...	...	...
gasaki,	,,	30.13	765.3	...	...	S S W	6	...	,,	...	...	...	...	...	...	...
goshima,	,,	30.19	766.9	...	...	S	1	...	,,	...	...	...	...	...	...	...
hima	,,	30.14	765.6	...	...	S	1	...	,,	...	...	...	...	...	...	...
ha,	,,	30.13	765.2	...	...	...	0	...	,,	...	...	...	...	...	...	...
higakijima,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
nin Is.	,,	30.24	768.1	...	...	E N E	1	...	,,	...	...	...	...	...	...	...
efoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	.	...	...	...
eihaiwei,	,,	30.10	764.5	51	86	W	3	cm	9 a.	30.30	769.6	45	53	...	0	b
ankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iukiang,	,,	..	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
anghai,	,,	30.18	766.6	55	94	W N W	1	or	9 a.	30.36	771.1	50	93	N W	2	or
atzlaff,	,,	30.15	765.8	57	100	N W	3	omr	,,	30.29	769.3	53	93	N W	5	ov
arp Peak,	,,	30.08	764.0	73	...	N	2	c	,,	30.22	767.6	69	...	N N E	4	o
moy,	,,	30.01	762.2	78	70	S E	2	c	6 a.	30.16	766.0	71	85	S S E	2	c
watow,	,,	30.06	763.5	77	77	E	1	b	,,	...	...	...	...	...	...	...
aihoku,	1 p.	30.06	763.4	...	...	N W	2	...	5 a.	30.14	765.6	...	...	E	2	...
aichu,	,,	30.04	763.1	...	...	N	2	...	,,	30.11	764.8	...	...	...	0	...
sinan,	,,	30.07	763.9	...	...	N W	4	...	,,	30.12	765.0	...	...	N	2	...
oshun	,,	30.06	763.5	...	...	E	6	...	,,	30.09	764.3	...	...	N	2	...
eacadores,	,,	30.07	763.9	..	...	N E	6	...	,,	30.11	764.8	...	...	N	6	...
anton,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
ongkong,	4 p.	30.03	762.7	76	74	E	3	c	10 a.	30.15	765.8	79	61	E	1	c
ictoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	N E	2	...
ap Rock,	,,	29.99	761.7	...	...	E N E	4	...	,,	30.12	765.0	...	...	N N E	3	...
acao,	,,	30.01	762.2	79	...	E S E	1	c	,,	30.15	765.7	74	...	N N W	1	c
uchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
oihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
akhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hulien,	4 p.	30.00	762.0	77	...	S S E	4	b	8 a.	...	..	...	...	...	...	...
ourane,	,,	29.98	761.4	75	...	...	3	b	,,	...	...	...	..	...	...	...
ape St. James,	,,	29.82	757.5	81	...	E N E	5	c	,,	...	...	...	...	...	...	...
parri,	2 p.	29.95	760.7	84	...	E	2	b	6 a.	30.04	763.0	70	...	E	0	b
anila,	4 p.	29.88	759	86	53	E S E	0	c	10 a.	29.96	761	88	47	N E	2	b
egaspi,	2 p.	29.89	759.3	84	...	E	2	o	6 a.	29.93	760.3	79	...	N E	2	c
acolod,	3 p.	...	...	...	...	N	2	c	9 a.	...	...	...	...	N	1	c
oilo,	,,	29.79	756.6	86	...	N	2	b	,,	29.91	759.7	82	...	N	3	o
ebu,	,,	29.83	757.7	86	...	N	1	c	,,	29.93	759.2	82	...	N	2	o
abuan,	,,	29.81	757.2	83	...	...	...	...	,,	29.84	757.9	85	...	...	...	...

On the 17th at 12.15 p.—The depression in the North is moving Eastwards over the N. part of the Sea of Japan.

Pressure is increasing over China, a "high" area apparently occupying the continent to the North of the Yangtze valley.

The monsoon is expected to freshen considerably along the coast and over the N. part of the China Sea.

The returns from Japan and Indo China are lacking.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood,	N.E. winds, freshening; squally, probably some rain, [cooler.
—Formosa Channel,	N.E. winds, strong.
—South coast of China between Hongkong and Lamocks,	Same as No. 1.
—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 17th November, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th November, 1911, P.M.								18th November, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.93	760.3	36	...	N N E	0	or	7 a.	30.25	768.3	31	81	N N E	1	c
Nemuro,	,,	29.83	757.6	...	...	S E	2	...	6 a.	29.69	754.1	...	...	W N W	1	...
Hakodate,	,,	29.79	756.7	...	...	N W	2	...	,,	29.89	759.2	...	...	N W	3	...
Tokio,	,,	29.98	761.6	...	...	S W	4	...	,,	29.87	758.6	...	...	S W	3	...
Kochi,	,,	30.09	764.3	...	...	E S E	1	...	,,	30.09	764.3	...	...	S W	1	...
Nagasaki,	,,	30.11	764.8	...	...	W N W	1	...	,,	30.21	767.3	...	...	N N W	1	...
Kagoshima,	,,	30.09	764.4	...	...	W N W	2	...	,,	30.19	766.9	...	...	N W	1	...
Oshima,	,,	30.12	765.1	...	...	...	0	...	,,	30.16	766.1	...	...	...	3	...
Naha,	,,	30.11	764.7	...	...	N	1	...	,,	...	...	...	...	N E	4	...
Ishigakijima,	,,	30.11	764.8	...	...	E	2	...	,,	30.15	765.8	...	...	N E	3	...
Bonin Is.	,,	30.20	767.1	...	...	E S E	3	...	,,	30.22	767.6	...	...	...	0	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.32	770.1	44	60	N N E	5	c	9 a.	30.42	773.6	48	49	N N E	4	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.31	769.9	52	73	N W	3	o	9 a.	30.44	773.2	49	93	N W	1	o
Gutzlaff,	,,	30.27	768.8	54	87	N N W	5	ov	,,	30.36	771.1	55	74	N	3	o
Sharp Peak,	,,	30.19	766.8	69	...	N	2	o	,,	30.31	769.9	65	...	E N E	5	o
Amoy,	,,	30.02	762.5	76	60	N E	2	c	6 a.	30.25	768.3	66	73	E	2	c
Swatow,	,,	30.14	765.5	69	95	N E	1	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.13	765.4	...	...	E	8	...	5 a.	30.24	768.0	...	...	E	6	...
Taichu,	,,	30.07	763.6	...	...	N	4	...	,,	30.09	764.3	...	...	N	2	...
Tainan,	,,	30.09	764.2	...	...	W	4	...	,,	30.12	764.9	...	...	N	4	...
Koshun	,,	30.09	764.2	...	...	N	6	...	,,	30.11	764.7	...	...	N E	6	...
Pescadores,	,,	30.10	764.6	...	...	N	8	...	,,	30.13	765.4	...	...	N	10	...
Canton,	3 p.	30.13	765.3	69	75	N	2	c	9 a.	30.29	769.3	61	77	N	2	b
Hongkong,	4 p.	30.07	763.8	77	73	E	1	c	10 a.	30.23	767.8	73	61	N	1	c
Victoria Peak,	,,	...	...	...	...	N N E	1	...	,,	...	...	...	...	N N E	2	...
Gap Rock,	,,	30.04	763.0	...	...	N	4	...	,,	30.20	767.1	...	...	E	5	...
Macao,	,,	30.07	763.8	77	...	N N W	1	c	,,	30.25	768.2	65	...	N	2	c
Wuchow,	3 p.	30.22	767.6	66	...	N E	...	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.05	763.3	79	...	E S E	3	c	8 a.	30.23	767.7	68	...	N E	3	c
Tourane,	,,	30.00	762.1	75	...	N E	3	o	,,	30.10	764.6	79	...	E	4	o
Cape St. James,	,,	29.82	757.4	81	...	E N E	5	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.98	761.6	84	...	E	2	b	6 a.	30.03	762.7	75	...	E	2	c
Manila,	4 p.	29.88	759	86	59	N N E	2	c	10 a.	30.00	763	84	64	N E	0	c
Legaspi,	2 p.	29.88	758.9	88	...	N E	2	c	6 a.	29.93	760.2	75	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N	2	b	9 a.	...	...	...	...	N	2	o
Iloilo,	,,	29.79	756.6	85	...	N E	2	b	,,	29.91	759.7	80	...	N	2	o
Cebu,	,,	29.82	757.4	85	...	E	3	o	,,	29.92	759.9	85	...	E	2	c
Labuan,	,,	29.71	754.6	83	...	...	...	...	,,	29.84	757.9	85	...	...	...	...

On the 18th at 12.10 p.—The depression lying over the N. part of the Sea of Japan yesterday, has moved into the Pacific.

The anticyclonic area is central over the continent to the North of the Yangtze valley, and pressure continues to increase along the China coast.

Fresh to strong monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N and N.E. winds, fresh; fine,
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 18th November, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th November, 1911, P.M.								19th November, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...ldivostock, ..	3 p	30.27	768.8	30	...	N N E	3	b	7 a	30.36	771.1	27	79	N N E	3	o
...uro, ...	"	29.77	756.1	...	..	N W	6	...	6 a	30.24	768.1	...	...	W	3	...
...odate, ...	"	29.99	761.7	...	...	N W	5	...	"	30.34	770.7	...	...	...	0	...
...o, ...	"	29.94	760.6	...	...	N N W	1	...	"	30.32	770.1	...	...	N N W	3	...
...hi, ...	"	30.09	764.3	...	...	N N W	3	...	"	30.17	766.3	...	...	S W	1	...
...ssaki, ...	"	30.21	767.3	...	...	N N E	3	...	"	30.23	767.8	...	...	...	0	...
...goshima, ...	"	30.17	766.4	...	...	N N W	3	...	"	30.21	767.4	...	...	N W	3	...
...ima, ...	"	30.16	766.1	...	...	N	2	...	"	30.20	767.1	...	...	N	3	...
...ha, ...	"	30.13	765.2	...	...	N	6	...	"	30.17	766.2	...	...	N E	3	...
...igakijima, ...	"	30.13	765.3	...	...	N E	5	...	"	30.15	765.8	...	...	N E	5	...
...in Is.	"	30.16	766.1	...	...	E S E	1	...	"	30.18	766.6	...	...	...	0	...
...foo, ...	8 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...ihaiwei, ...	"	30.39	771.6	47	55	N N E	2	o	9 a.	30.40	772.1	47	63	W	3	o
...nkow, ...	"	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...kiang, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
...anghai.	"	30.36	771.1	53	73	N W	1	cd	9 a.	30.42	772.6	54	68	N	1	o
...tsiaff, ...	"	30.31	769.9	66	74	N N E	2	ov	"	30.37	771.4	55	74	N	2	ov
...arp Peak, ...	"	30.24	768.1	66	...	N N E	2	c	"	30.31	769.9	65	...	E	4	o
...oy, ...	"	30.19	766.8	74	76	E N E	2	c	6 a.	30.25	768.3	65	73	E N E	2	o
...atow, ...	"	30.10	766.6	70	80	E	1	c	"	30.22	767.6	65	78	N N E	1	o
...ihoku, ...	1 p	30.20	767.1	...	..	E	6	...	5 a	30.21	767.2	...	...	E	6	...
...ohu, ...	"	30.08	764.1	...	..	N W	2	...	"	30.13	765.4	...	...	...	2	...
...inan, ...	"	30.11	764.8	...	..	N	2	...	"	30.14	765.6	...	...	N	4	...
...shun, ...	"	30.11	764.9	...	..	E	6	..	"	30.12	764.9	...	...	N E	6	...
...cadores, ...	..	30.14	765.5	..	..	N E	10	...	"	30.16	765.8	...	...	N E	10	...
...nton, ...	3 p	30.18	766.6	67	64	N	2	o	9 a	30.29	769.3	62	67	N	2	c
...ongkong, ...	4 p	30.14	765.5	73	68	W	1	o	7 a	30.23	767.8	73	59	E N E	1	o
...ictoria Peak, ...	"	...	...	...	...	N W	1	...	"	...	...	...	...	E N E	1	...
...p Rock, ...	"	30.12	765.0	..	...	N E	4	...	"	30.20	767.1	...	...	N E	5	...
...acao, ...	"	30.15	765.8	84	...	N W	1	c	"	...	...	...	...	...	...	...
...uchow, ...	3 p	...	...	...	...	...	...	...	9 a	...	...	...	...	...	...	...
...oihow, ...	"	...	...	...	...	...	..	...	"	...	...	...	...	...	...	...
...khoi, ...	"	...	...	...	...	...	...	..	"	...	...	...	...	...	...	...
...hulien, ...	4 p	30.14	765.5	73	...	W S W	2	o	8 a	...	...	...	...	...	...	...
...ourane, ...	"	30.02	762.6	77	...	E	4	dh	"	...	...	...	..	...	...	...
...pe St. James, .	"	29.82	757.4	81	...	N E	5	c	"	...	...	...	...	...	...	...
...parri, ...	2 p.	29.99	761.7	79	...	E	3	c	6 a.	30.02	762.6	72	...	E	0	b
...anila, ...	4 p.	29.88	759	84	58	N E	1	c	6 a	30.00	762	84	64	N N E	1	o
...sgaspi, ...	2 p.	29.90	759.4	86	...	N E	2	c	6 a	29.93	760.1	77	...	N E	2	o
...acolod, ...	3 p.	...	...	...	...	N	4	b	9 a	...	...	...	...	N	2	o
...oilo, ...	"	29.81	757.2	84	...	N E	3	b	"	29.91	759.7	81	...	S W	2	b
...ebu, ...	"	29.84	757.9	84	...	N	1	c	"	29.88	758.9	82	...	N E	1	b
...abuan, ...	"	29.73	755.1	83	...	...	...	..	"	...	...	...	...	...	...	...

On the 19th at 12.05 p.—The anticyclonic area, which is still central over the continent to the North of the Yangtze valley, has spread over the Sea of Japan.

Pressure is relatively low over the South part of the China Sea.

Fresh to strong monsoon will continue to prevail over the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
.—Hongkong and Neighbourhood, ...	N.E. winds, fresh; fine,
.—Formosa Channel, ...	N.E. winds, strong.
.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 19th November, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Stations	19th November, 1911, P.M.								20th November, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.32	770.1	33	...	N N E	1	c	7 a.	30.39	771.9	24	77	S E	3	b
Nemuro,	,,	30.36	771.1	...	...	N W	2	...	6 a.	30.32	770.1	...	...	S E	4	...
Hakodate,	,,	30.34	770.7	...	...	..	0	...	,,	30.17	766.2	...	...	N	1	...
Tokio,	,,	30.28	769.1	...	...	N W	1	...	,,	30.04	763.1	...	...	N N W	1	...
Kochi,	,,	30.17	766.3	...	...	...	0	...	,,	30.19	766.8	...	...	W	1	...
Nagasaki,	,,	30.21	767.3	...	...	W N W	4	...	,,	30.23	767.8	...	...	E N E	4	...
Kagoshima,	,,	30.17	766.4	...	...	W N W	2	...	,,	30.21	767.4	...	...	N E	1	...
Oshima	,,	30.20	767.1	...	...	...	0	...	,,	30.18	766.6	...	...	N	2	...
Naha,	,,	30.17	766.2	...	...	N	6	...	,,	30.17	766.2	...	...	N E	1	...
Ishigakijima,	,,	30.15	765.8	...	...	N E	6	...	,,	30.13	765.3	...	...	N E	4	...
Bonin Is.	,,	30.16	766.1	...	...	E S E	1	...	,,	30.12	765.1	...	...	...	0	...
Chefoo,	3 p	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.37	771.4	53	61	N N W	2	b	9 a.	30.40	772.1	52	79	N	3	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	..	..	..	...	..	...	...	,,	...	..	...	...	...	...	...
Shanghai,	,,	30.35	770.9	56	57	N N W	2	c	9 a	30.39	771.9	54	68	N N E	1	c
Gutzlaff,	,,	30.33	770.4	56	75	N	2	cv	,,	30.34	770.6	55	68	N E	2	ov
Sharp Peak,	,,	30.25	768.3	65	...	N E	1	o	,,	30.27	768.8	64	...	N	2	o
Amoy,	,,	30.20	767.1	73	68	N E	2	o	5 a	30.20	767.1	66	68	N E	2	c
Swatow,	,,	30.16	766.0	72	71	S W	2	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.17	766.4	...	..	N E	8	...	5 a	30.19	766.9	...	...	E	6	...
Taichu,	,,	30.07	763.9	..	..	N	2	...	,,	30.10	764.6	...	...	...	0	...
Tainan,	,,	30.09	764.3	...	...	N W	4	...	,,	30.09	764.2	...	...	N	4	...
Koshun	,,	...	...	...	...	.	...	...	,,	30.07	763.8	...	...	N	6	...
Pescadores,	,,	30.12	765.1	..	...	N	10	..	,,	30.10	764.4	..	...	N E	10	...
Canton,	3 p	30.14	765.5	70	61	N	2	b	9 a.	30.22	767.6	62	72	N	2	b
Hongkong,	4 p	30.11	764.8	72	63	E	1	b	10 a	30.19	766.8	71	61	N E	1	c
Victoria Peak,	,,	...	...	...	...	N E	1	...	,,	...	...	...	...	E N E	3	...
Gap Rock,	,,	30.10	764.6	...	...	E N E	4	...	,,	30.16	766.0	...	...	N E	5	...
Macao,	,,	30.12	765.0	72	...	N	1	c	,,	30.19	766.8	67	...	N	2	c
Wuchow,	3 p	...	...	...	...	...	...	...	9 a	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p	30.10	764.6	75	...	S E	1	c	8 a	30.15	765.9	70	...	E N E	4	o
Tourane,	,,	30.01	762.3	75	...	E	5	f	,,	30.05	763.3	75	..	N E	5	dh
Cape St. James,	,,	29.85	758.1	79	...	N E	5	c	,,	29.91	759.6	77	...	N E	3	c
Aparri,	2 p.	29.86	761.1	81	...	E	2	o	6 a.	29.98	761.5	70	...	S W	0	b
Manila,	4 p.	29.88	759	86	59	E N E	2	c	10 a.	29.92	760	84	64	N N E	0	c
Legaspi,	2 p.	29.89	759.1	88	...	N E	2	o	6 a.	29.89	759.2	79	...	N E	3	c
Bacolod,	3 p.	...	...	...	...	N	1	b	9 a.	...	...	...	...	N	1	b
Iloilo,	,,	29.81	757.2	84	...	S W	1	b	,,	29.87	758.7	81	...	N	1	c
Cebu,	,,	29.76	755.9	84	...	N E	1	b	,,	29.87	758.7	86	...	E	2	b
Labuan,	..	...	...	...	...	...	...	...	,,	29.83	757.7	85	...	...	...	...

On the 20th at 11.55 a.—A shallow depression, which appears to have developed over Southern Japan, has moved Eastwards and now lies off the S E. coast

The anticyclonic area, still central over the continent to the North of the Yangtze valley, has weakened, and pressure is giving way along the China coast.

Pressure is relatively low over the S. part of the China Sea, and the barometer is inclined to fall over the Philippines.

Fresh monsoon will continue to prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh to moderate; fine,
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 30th November, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th NOVEMBER, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	21st NOVEMBER, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock....	2 p	30.37	771.4	30	...	N N E	3	b	7 a.	30.49	774.4	19	74	N N E	3	b
Nemuro, ...	,,	30.20	767.1	...	...	E	5	...	6 a.	...	...	...	...	...	...	...
Hakodate, ...	,,	30.09	764.2	...	...	N N W	1	...	,,	30.36	771.2	...	...	...	0	...
Tokio, ...	,,	30.06	763.6	...	...	S S W	1	...	,,	30.34	770.6	...	...	N N W	2	...
Kochi, ...	,,	30.17	766.3	...	...	N E	1	...	,,	30.33	770.3	...	...	N E	1	...
Nagasaki, ...	,,	30.23	767.8	...	...	E N E	1	...	,,	30.35	770.8	...	...	N E	4	...
Kagoshima, ...	,,	30.19	766.9	...	...	...	0	...	,,	30.27	768.9	...	...	N	2	...
Oshima	,,	30.16	766.1	...	...	N	1	...	,,	30.18	766.6	...	...	S E	1	...
Naha, ...	,,	30.16	765.7	...	...	N	4	...	,,	30.16	765.7	...	...	E	1	...
Ishigakijima, ...	,,	30.11	764.8	...	...	N E	5	...	,,	30.09	764.3	...	...	N E	4	...
Bonin Is.	,,	30.06	763.6	...	...	...	0	...	,,	30.06	763.6	...	...	N E	1	...
Chefoo, ...	3 p	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	...
Weihaiwei, ...	,,	30.40	772.1	50	58	N	3	c	9 a.	30.42	772.6	49	64	S S W	1	c
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	,,	30.33	770.4	59	64	N E	2	c	9 a	30.30	769.6	59	70	E N E	1	c
Gutzlaff, ...	,,	30.30	769.6	58	64	N N E	2	cv	,,	30.27	768.8	60	76	N E	3	cv
Sharp Peak, ...	,,	30.21	767.3	64	...	N	2	c	,,	30.22	767.6	63	...	N	1	c
Amoy, ...	,,	30.12	765.0	74	69	N	2	b	6 a	30.14	765.5	66	68	N E	4	c
Swatow, ...	,,	30.07	763.8	73	72	S E	1	b	,,	...	...	...	...	...	...	...
Taihoku, ...	1 p.	30.16	766.1	...	...	E	8	...	5 a	30.14	765.5	...	...	E	6	...
Taichu, ...	,,	30.05	763.2	...	...	N	2	...	,,	30.03	762.7	...	...	...	0	...
Tainan, ...	,,	30.05	763.3	...	...	N W	6	...	,,	30.02	762.5	...	...	N E	2	...
Koshun.....	,,	30.05	763.2	...	...	N E	8	...	,,	30.00	761.9	...	...	N E	10	...
Pescadores, ...	,,	30.07	763.9	.	...	N E	10	..	,,	30.03	762.8	...	...	N E	10	...
Canton, ...	3 p	30.06	763.5	71	66	N W	1	b	9 a.	30.12	765.0	66	84	N E	1	c
Hongkong, ...	4 p.	30.05	763.2	73	65	E	3	b	10 a	30.09	764.3	71	72	E	4	c
Victoria Peak, ...	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	E	5	...
Gap Rock, ...	,,	30.02	762.5	..	...	N E	5	...	,,	30.06	763.5	...	...	E N E	6	...
Macao, ...	,,	30.05	763.2	73	...	N	1	c	,,	30.08	764.0	74	...	E S E	3	c
Wuchow, ...	3 p	30.03	762.7	76	...	E	2	b	9 a	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p	30.01	762.3	73	...	E S E	4	c	8 a	30.03	762.7	73	...	E N E	3	c
Tourane, ...	,,	29.96	761.1	75	...	E	4	cr	,,	30.00	762.0	75	...	E	3	dh
Cape St. James, .	,,	29.82	757.4	79	...	N E	5	c	,,	...	...	...	...	...	...	...
Aparri, ...	2 p	29.92	759.9	81	...	E	2	c	8 a.	29.93	760.3	73	...	S	0	d
Manila, ...	4 p.	29.84	758	68	64	N N E	1	c	10 a.	29.92	760	84	64	..	0	c
Legaspi, ...	2 p.	29.84	757.9	83	...	E	2	b	6 a.	29.88	758.8	...	...	E	2	c
Bacolod, ...	3 p.	...	...	...	...	N	2	c	9 a.	...	...	...	...	N	2	b
Iloilo, ...	,,	29.77	756.1	85	...	N E	1	b	,,	29.85	758.2	81	...	N E	1	c
Cebu, ...	,,	29.84	757.9	86	...	N	1	c	,,	29.91	759.7	86	...	N	1	c
Labuan, ...	,,	29.70	754.4	88	...	...	...	...	,,	29.81	757.2	84	...	...	...	...

On the 21st at 11.55 a.—The barometer has risen over Japan, and fallen over China

The anticyclonic area has shifted Eastwards and now appears to be central over Manchuria.

Pressure is relatively low over the South part of the China Sea

Fresh to moderate monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, fresh; fair,
2.—Formosa Channel, ...	N.E. winds, fresh to moderate.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 21st November, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st NOVEMBER 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	22nd NOVEMBER 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	
Wladivostock,	2 p	30.49	774.4	35	...	...	0	b	7 a	30.37	771.3	39	97	S E	3	o
Namuro,	,,	30.52	775.1		...	N N E	1	...	6 a	30.53	776.6	...	..	S	3	
Hakodate,	,,	30.42	772.7	...	...	S E	4	...	,,	30.43	774.2	...	...	...	0	..
Tokio,	,,	30.38	771.6	...	...	E N E	2	...	,,	30.43	772.6	...	...	N W	6	..
Kochi,	,,	30.29	769.3	...	...	N	2	...	,,	30.35	770.3	..	...	S W	1	..
Nagasaki,	,,	30.27	768.8	...	...	E	3	...	,,	30.27	768.8	...	...	E N E	2	..
Kagoshima,	,,	30.25	768.4	...	...	E N E	2	...	,,	30.23	767.9	...	...	E S E	3	..
Oshima,	,,	30.14	765.6	...	...	N N E	1	...	,,	30.13	765.1	..	...	S	2	..
Naha,	,,	30.07	763.7	...	...	E	3	...	,,	30.05	763.2	...	...	S E	1	..
Ishigakijima,	,,	30.11	764.8	...	...	E	5	...	,,	29.95	760.8	...	...	E	5	..
Bonin Is.	,,	30.02	762.6	...	...	E	3	...	,,	30.01	762.1	...	...	N E	1	..
Chefoo,	3 p	...	...	...	...			...	5 a	...	...	...	...	...	...	..
Weihaiwei,	,,	30.33	770.4	40	48	N N E	1	c	9 a.	30.19	766.8	45	92	N N E	2	o
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	..
Shanghai,	,,	30.18	766.6	60	82	E N E	1	o	9 a	30.02	762.5	69	100	W S W	1	o
Gutzlaff,	,,	30.17	766.3	60	88	E	4	om	,,	30.02	762.5	69	100	W	4	f
Sharp Peak,	,,	30.10	764.6	65	...	E	2	c	,,	...	...	...	...	...	...	..
Amoy,	,,	30.03	762.7	75	56	E	2	b	6 a	30.03	762.7	66	79	W	2	b
Swatow,	,,	30.01	762.2	70	75	E	1	o	,,	...	...	...	...	...	...	..
Taihoku,	1 p	30.07	763.8	...	...	E	6	...	5 a	29.97	761.1	...	...	E	4	..
Taiohu,	,,	29.97	761.2	...	...	N	2	...	,,	29.96	761.0	...	...	...	0	..
Tainan,	,,	29.98	761.4	..	...	N W	4	...	,,	29.97	761.3	...	...	N	4	...
Koshun	,,	29.95	760.8	...	...	N E	10	...	,,	29.95	760.9	...	...	...	0	...
Pescadores,	,,	30.01	762.2	.	...	N E	10	..	,,	29.97	761.2	...	...	N	8	...
Canton,	3 p	29.97	761.2	74	68	N W	1	c	9 a	30.05	763.2	70	85	S S W	1	b
Hongkong,	4 p	29.98	761.5	71	71	E	3	c	10 a	30.05	763.2	72	75	E	1	o
Victoria Peak,	,,		...	...	...	E	3	...	,,	...	...	...	...	E N E	2	...
Gap Rock,	,,	29.93	760.2	...	...	E N E	5	...	,,	30.02	762.5	...	...	E	4	...
Macao,	,,	29.97	761.2	72	...	E S E	3	c	,,	30.04	763.0	72	...	E	2	o
Wuchow,	3 p	...	...	...	...	...	...	..	9 a	...	...	...	...	...	...	...
Hothow,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	..	...		...	..	,,	...	...	...	...	...	...	...
Phulien,	4 p	29.91	759.7	77	...	S S E	4	b	5 a	30.02	762.5	75	...	E	2	b
Tourane,	,,	29.87	758.7	75	...	E	2	f	,,	29.97	761.3	75	..	E	3	dh
Cape St. James,	,,	...	...	..	...	...	...	...	,,	29.89	759.2	77	...	E N E	2	o
Aparri,	2 p.	29.86	758.5	82	...	E	2	b	6 a.	29.89	759.1	73	...	S	2	b
Manila,	4 p.	29.80	757	84	64	E	1	c	10 a	29.92	760	84	88	N W	1	o
Legaspi,	2 p.	29.82	757.3	84	...	E	2	o	6 a	29.87	758.6	77	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	N	2	b	9 a	...	...	...	...	N	1	o
Iloilo,	,,	29.75	755.6	86	...	N	1	b	,,	29.87	758.7	81	...	N	1	o
Cebu,	,,	29.77	756.1	88	...	E	2	b	,,	29.86	758.4	85	...	E	1	o
Labuan,	..	29.71	754.6	87	..	...	...	...	..	28.84	757.9	85	...	...	...	...

On the 22nd at 12.05 p.—The barometer has fallen considerably on the E and N.E. coasts of China, a depression having passed from the continent to the Yellow Sea

The anticyclone has shifted Eastwards and is now central over the Pacific to the East of Japan.

Probably pressure is increasing quickly over the Yangtze valley, and the monsoon, at present interrupted, is likely to set in again strongly along the China coast by tomorrow.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1. Hongkong and Neighbourhood,	Wind probably freshening from North; fair, squally later.
2. Formosa Channel,	N.E. winds, freshening.
3. South coast of China between Hongkong and Lamocks,	Same as No. 1.
4. South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 22nd November, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd November, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	23rd November, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
adivostock,	2 p.	30.25	768.4	40	...	S E	5	or	7 a.	30.01	762.3	44	73	E S E	2	or
muro,	,,	30.52	775.1	...	...	S	4	...	6 a.	30.48	774.1	...	...	S	2	...
kodate,	,,	30.44	773.2	...	...	S S E	1	...	,,	30.30	769.7	...	...	S E	1	...
tio,	,,	30.40	772.1	...	...	N N W	2	...	,,	30.36	771.1	...	...	N W	1	...
ohi,	,,	30.27	768.8	...	...	...	0	...	,,	30.05	763.3	...	...	E	3	...
gasaki,	,,	30.15	765.8	...	...	S E	2	...	,,	29.89	759.3	...	...	S E	1	...
goshima,	,,	30.13	765.4	...	...	E	3	...	,,	29.96	760.9	...	...	S	1	...
kima,	,,	30.04	763.1	...	...	S S E	1	...	,,	29.87	758.6	...	...	S S W	1	...
ha,	,,	29.97	761.2	...	...	S E	3	...	,,	29.87	758.7	...	...	S S E	1	...
igakijima,	,,	...	...	...	...	...	...	...	,,	29.86	758.3	...	...	N W	2	...
min Is.	,,	29.93	761.6	...	...	E N E	1	...	,,	30.01	762.1	...	...	E N E	1	...
efoo,	3 p	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
eihaiwei,	,,	30.06	763.2	47	93	N	5	omr	9 a.	29.86	758.4	46	84	N	6	o
nkow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
anghai.	,,	30.00	762.0	56	87	W	3	oq	9 a	30.07	763.8	46	93	W	5	omq
tslaff,	,,	29.98	761.5	58	94	W N W	5	ov	,,	30.02	762.5	47	93	N W	6	ov
arp Peak,	,,	29.93	760.2	58	...	...	0	o	,,	30.06	763.2	65	...	W	2	o
noy,	,,	...	...	...	...	...	...	...	6 a	29.95	760.7	65	73	W N W	5	o
atow,	,,	29.94	760.6	78	...	...	0	b	,,	...	...	...	...	...	...	...
ihoku,	1 p.	29.91	759.7	...	...	N	4	...	5 a	29.93	760.2	...	...	W	2	...
iohu,	,,	29.91	759.8	...	...	N W	2	...	,,	29.94	760.5	...	...	...	0	...
inan,	,,	29.93	760.1	...	...	N W	6	...	,,	29.93	760.1	...	...	N E	2	...
ashun	,,	29.91	759.6	...	...	N W	2	...	,,	29.91	759.7	...	...	...	0	...
scadores,	,,	29.95	760.7	...	...	N	6	...	,,	29.97	761.3	...	...	N	6	...
nton,	3 p.	29.96	761.0	71	80	N	2	o	9 a.	...	...	...	...	...	...	...
ongkong,	4 p	29.93	760.2	75	71		0	c	10 a	30.07	763.8	70	84	N N W	1	b
ictoria Peak,	...	...	...	...	...	W N W	1	...	,,	...	...	...	...	N W	4	...
ap Rock,	,,	29.90	759.4	...	...	E	4	...	,,	30.04	763.0	...	...	N W	7	...
acao,	,,	29.93	760.2	75	...	E	1	c	,,	30.08	764.0	61	...	N W	2	o
uchow,	3 p	30.03	762.7	76	...	E	2	c	9 a	...	...	...	...	...	...	...
oihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ahhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hulien,	4 p	29.92	760.0	73	...	S S E	5	c	8 a	30.15	765.7	64	...	E N E	3	o
ourane,	,,	29.89	759.3	75	...	E	3	db	,,	29.99	761.8	73	..	S E	2	f
pe St. James,	,,	29.82	757.3	79	...	E N E	2	c	,,	...	...	...	...	...	...	...
parri,	2 p	29.83	757.7	84	...	E	2	b	6 a.	29.87	758.7	73	...	N E	2	o
anila,	4 p.	29.80	757	86	58	S E	0	b	10 a	29.92	760	82	63	W N W	0	b
gaspi,	2 p.	29.82	757.4	90	...	N E	2	b	6 a	29.88	758.9	77	...	N E	3	b
coolod,	3 p.	...	...	...	...	N	2	b	9 a.	...	...	...	...	N	2	o
oilo,	,,	29.77	756.1	85	...	N E	2	b	,,	29.87	758.7	82	...	N E	1	o
ebu,	,,	29.82	757.4	87	...	N	1	b	,,	29.91	759.7	86	...	N	1	b
ebuan,	,,	29.73	755.1	87	...	...	...	...	,,	29.83	757.7	84	...	...	...	...

On the 23rd at 12.10 p.—The barometer has fallen considerably over Japan and the Loochoos, and risen slightly over S China and Tongking.

The depression lying over the Yellow Sea yesterday, is moving into the Sea of Japan. A second centre has developed over the Eastern sea. It will probably move towards N.E.

The anticyclone, central over the Pacific, still covers E. Japan, and a "high" area probably occupies W. China.

Strong N. winds may be expected along the China coast, and the monsoon will increase in strength over the China Sea

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N. winds, strong; fine, squally.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G FIGG,
Director.

Hongkong Observatory, Thursday, 23rd November, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd November 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	24th November 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock	3 p.	29.84	758.0	40	...	N N E	2	or	7 a.	29.48	748.8	46	66	S W	0
Nemuro,	,,	30.44	773.1	..	..	S S E	3	...	6 a	30.30	769.6	...	..	S E	3
Hakodate,	,,	30.19	766.7	...	...	S E	3	...	,,	29.97	761.2	...	...	E S E	7
Tokio,	,,	30.22	767.6	...	..	N W	1	...	,,	29.99	761.6	...	...	E N E	1
Kochi,	,,	29.91	759.8	...	...	E	5	...	,,	29.78	756.3	..	...	N E	1
Nagasaki,	,,	29.70	754.3	...	...	S E	5	...	,,	29.88	753.8	...	..	N N W	3
Kagoshima,	,,	29.78	756.4	...	...	S	4	...	,,	29.86	758.4	...	..	N W	2
Oshima,	,,	29.83	757.6	...	...	W N W	1	...	,,	29.93	760.1	...	...	N	2
Naha,	,,	29.81	757.2	...	...	N N W	4	...	,,	29.97	761.2	...	...	N N W	4
Ishigakijima,	,,	29.89	759.3	...	...	N N E	4	...	,,	29.97	761.3	...	...	N N E	2
Bonin Is.	,,	29.96	761.1	...	..	E	1	...	,,	29.99	761.6	...	...	...	0
Chefoo,	3 p	..	...	...	...	..	..	...	6 a	...	...	...	..	E	..
Weihaiwei,	,,	29.80	756.6	46	76	N	8	c	9 a.	29.85	758.2	45	84	W S W	4
Hankow,	,,	...	...	...	...	...	...	...	8 a.	...	...	...	...	...	...
Kiukiang,	,,	..	..	..	...	..	...	...	,,	...	..	...	...	...	...
Shanghai,	,,	30.05	763.2	48	71	W N W	4	c	9 a	30.11	764.8	49	71	S W	1
Gutzlaff,	,,	30.01	762.2	48	73	N W	6	ov	,,	30.11	764.8	49	67	N W	4
Sharp Peak,	,,	30.01	762.2	64	...	W	2	c	,,	30.14	765.5	59	...	W	1
Amoy,	,,	29.96	761.0	72	46	W	4	b	7 a	30.05	763.2	60	60	N W	2
Swatow,	,,	29.95	760.7	72	62	S E	1	b	,,	...	...	...	...	...	...
Taihoku,	1 p	29.98	761.5	...	.	E	4	...	7 a	30.08	764.0	...	...	E	4
Taichu,	,,	29.94	760.4	..	...	N	6	...	,,	29.99	761.8	...	...	N	4
Tainan,	,,	29.93	760.3	...	...	N W	6	...	,,	30.01	762.1	...	...	N	6
Koshun	,,	29.90	759.4	...	...	N W	6	...	,,	29.97	761.2	...	...	N	6
Pescadores,	,,	29.96	760.9	.	...	N	8	...	,,	30.02	762.4	...	...	N E	8
Canton,	3 p	30.04	763.0	63	57	N	2	b	9 a	30.15	765.8	56	68	N	2
Hongkong,	4 p.	29.97	761.2	71	43	N N W	2	b	10 a	30.09	764.3	66	44	...	0
Victoria Peak,	,,		...	...	...	N W	5	...	,,	...	...	...	...	N E	1
Gap Rock,	,,	29.93	760.2	..	...	N N W	6	...	,,	30.06	763.5	...	...	N N E	3
Macao,	,,	29.98	761.6	63	...	N W	2	c	,,	30.10	764.6	61	...	N	1
Wuchow,	3 p	.	...	...	...	...	...	...	9 a	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	..	...	..	,,	...	..	...	...	...	...
Phulien,	4 p	30.04	762.9	68	...	N	2	c	8 a	30.12	765.0	64	...	E	3
Pourane,	,,	29.91	759.7	73	...	E	2	db	,,	30.04	762.9	72	..	E	1
Cape St. James,	,,	...	...	..	...	..	.	...	,,	29.91	759.7	77	...	N E	4
Aparri,	2 p.	29.84	757.9	82	...	N	2	b	8 a.	29.91	759.8	73	...	N W	2
Manila,	4 p.	29.80	757	86	65	S	1	b	10 a	29.96	761	82	70	W	0
Legaspi,	2 p.	29.83	757.6	90	...	N E	2	b	8 a	29.89	759.2	77	...	N E	2
Basolod,	3 p.	...	...	...	...	N	3	b	9 a.	...	...	...	...	N	1
Iloilo,	,,	29.81	757.2	86	...	N	1	b	,,	29.87	758.7	82	...	N E	1
Cebu,	,,	29.79	756.6	87	...	E	2	b	,,	29.87	758.7	87	...	E	1
Labuan,	,,	29.72	754.9	87	...	...	...	...	,,	29.86	758.4	85	...	...	...

On the 24th at 11.55 a.—The barometer has fallen quickly over the Sea of Japan, and risen slightly over the Loochoos and Southern China.

The depressions noticed yesterday, have moved towards N E. One is situated in the neighbourhood of Wladiwostok, and the other off the S coast of Japan.

Areas of high pressure occupy the Pacific to the E of Japan, and Western China.

Fresh monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a m to-day 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fine.
2.—Formosa Channel,	Same as No. 1.
3. South coast of China between Hongkong and Lamocks,	Same as No. 1.
4. South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 24th November, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th NOVEMBER 1911, P.M.									25th NOVEMBER, 1911, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Vladivostock	3 p	29.43	747.5	50	...	S W	0	o		7 a.	29.64	752.8	36	84	N N E	0	or
Gemuro,	,,	30.14	765.6	...	...	S S E	3	...		6 a.	29.85	759.1	...	...	S E	7	...
Hakodate,	,,	29.83	757.7	...	...	E S E	6	...		,,	29.79	756.7	...	...	N W	2	...
Tokio,	,,	29.81	757.1	...	...	S S W	1	...		,,	29.79	756.6	...	...	S S W	1	...
Koobi,	,,	29.82	757.3	...	...	W	2	...		,,	29.95	760.8	...	...	S W	1	...
Nagasaki,	,,	29.93	760.3	...	...	W N W	4	...		,,	29.99	761.8	...	...	W S W	4	...
Kagoshima	,,	29.92	759.9	...	...	W N W	3	...		,,	30.02	762.4	...	...	...	0	...
Oshima	,,	29.96	761.1	...	...	N N W	1	...		,,	30.04	763.1	...	...	S	1	...
Fusan,	,,	29.99	761.7	...	...	N	4	...		,,	30.07	763.7	...	...	N	3	...
Ishigakijima,	,,	30.01	762.3	...	...	N	3	...		,,	30.09	764.3	...	...	N N E	1	...
Bonin Is.	,,	29.94	760.6	...	...	W	1	...		,,	30.01	762.1	...	...	S S W	1	...
Chefoo,	3 p	...	...	...	...			...		6 a	...	...	...	...	...	...	...
Weihaiwei,	,,	29.86	758.2	51	59	N N W	2	b		9 a.	29.83	757.7	43	67	S W	3	o
Tsukow,	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Sinkiang,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Shanghai,	,,	30.03	762.7	56	40	W	1	b		9 a	30.11	764.8	54	55	W S W	2	b
Ichang,	,,	30.03	762.7	50	72	N W	3	bv		,,	30.08	764.0	56	69	W S W	4	bv
Sharp Peak,	,,	30.07	763.8	63	...	E	1	b		,,	30.18	766.6	59	...	N N W	1	b
Amoy,	,,	30.04	763.0	72	42	E N E	2	b		6 a	30.09	764.3	60	71	W N W	2	b
Swatow,	,,	30.03	762.7	68	56	S E	1	b		,,	...	...	...	...	...	...	...
Haiphong,	3 p	30.07	763.9	...	...	E	4	...		5 a	30.13	765.3	...	...	E	2	...
Hoihow,		29.99	761.8	...	...	N	4	...		,,	30.09	764.3	...	...	...	0	...
Hainan,	,,	29.98	761.6	...	...	N	6	...		,,	30.09	764.2	...	...	N E	2	...
Pakhoi,		29.98	761.5	...	...	E	4	...		,,	30.06	763.6	...	...	...	0	...
Pescadores,	,,	30.02	762.5	...	...	N E	8	...		,,	30.10	764.5	...	...	N	6	...
Bauton,	3 p	30.15	765.8	64	43	N W	2	b		9 a.	30.17	766.3	58	70	N	2	or
Hongkong,	4 p	30.05	763.2	67	57	S E	1	o		10 a	30.13	765.3	66	78	E	1	o
Victoria Peak,	,,	...	...	...	...	S	1	...		,,	...	...	...	...	E	2	...
Cap Rock	,,	30.02	762.5	...	...	N	1	...		,,	30.09	764.3	...	...	N	4	...
Macao,	,,	30.04	762.9	64	...	N	1	o		,,	30.14	765.5	58	...	N	1	o
Fuchow,	3 p	30.09	764.3	55	...	S	1	o		9 a	...	...	...	...	...	...	...
Foochow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Wenchoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Amoulien,	4 p	...	...	...	...	...	...	...		8 a	30.13	765.4	63	...	E N E	3	o
Tourane,	,,	...	...	...	...	...	...	...		,,	30.05	763.3	73	...	N W	1	or
Cape St. James,	,,	...	...	...	...	...	...	...		,,	29.97	761.2	77	...	E N E	4	o
Saparri,	2 p.	29.91	759.6	82	...	N	2	b		6 a.	29.99	761.8	75	...	N E	2	d
Manila,	4 p	29.84	758	86	59	W N W	1	b		10 a	30.00	762	84	63	N N E	1	b
Legaspi,	2 p.	29.86	758.5	88	...	N E	2	b		6 a	29.95	760.7	77	...	N E	2	o
Coolod,	3 p.	...	...	...	...	N	2	b		9 a.	...	...	...	...	N	2	o
Iloilo,	,,	29.81	757.2	86	...	N	1	b		,,	29.91	759.7	83	...	N	2	o
Cebu,	,,	29.84	757.9	87	...	N	1	b		,,	29.91	759.7	87	...	N	1	b
Jolo,	,,	29.76	755.9	87	...	...	...	...		,,	29.87	758.7	85	...	...	...	...

On the 25th at 11.55 a.—The barometer has fallen considerably in E Japan, and risen moderately over S.W. Japan and the Loochoos.

The depressions noticed yesterday have continued to move towards N E. One is situated over the N.E. part of Sea of Japan, and the other over E. Japan.

Pressure is highest over S. China. It is inclined to give way again in N. China.

Moderate monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N. to N.E. winds, moderate; rain at times.
Formosa Channel,	N. winds, moderate.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 25th November, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th November, 1911, P.M.									26th November, 1911, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.63	752.6	39	...	N N W	2	o		7 a.	29.50	749.3	27	65	N N E	4	o
Nemuro,	"	29.69	754.1	...	...	S E	3	...		6 a.	29.81	757.1	...	...	S	1	...
Hakodate,	"	...	...	...	...	...	0	...		"	29.75	755.7	...	...	...	0	...
Tokio,	"	29.75	755.6	...	...	S S W	3	...		"	29.91	759.6	...	...	...	0	...
Kochi,	"	29.93	760.3	...	...	S S E	1	...		"	29.99	761.8	...	...	S E	1	...
Nagasaki,	"	29.97	761.3	...	...	W S W	3	...		"	30.03	762.8	...	...	W	9	...
Kagoshima,	"	30.00	761.9	...	...	N W	2	...		"	30.11	764.9	...	...	N W	3	...
Oshima,	"	30.06	763.6	...	...	N	2	...		"	30.14	765.6	...	...	N N W	1	...
Naha,	"	30.09	764.2	...	...	N N E	2	...		"	30.17	766.2	...	...	E	1	...
Ishigakijima,	"	30.07	763.8	...	...	N E	3	...		"	30.13	765.3	...	...	N	2	...
Bonin Is.	"	29.96	761.1	...	...	S	2	...		"	30.06	763.6	...	...	...	0	...
Chefoo,	3 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Weihaiwei,	"	...	...	...	...	...	...	...		9 a.	30.07	763.8	28	100	W N W	8	oq
Hankow,	"	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Kiukiang,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Shanghai,	"	30.11	764.8	48	36	W N W	5	c		9 a	30.43	772.9	36	37	N W	3	b
Gutzlaff,	"	30.07	763.8	60	51	N W	6	bm		"	30.37	771.4	38	63	N W	5	on
Sharp Peak,	"	30.09	764.3	62	...	E	1	c		"	30.26	768.6	62	...	E	5	o
Amoy,	"	30.08	764.0	67	55	E	2	b		6 a	...	...	...	...	...	...	...
Swatow,	"	30.08	764.0	66	68	E	1	o		"	...	...	...	...	...	...	...
Taihoku,	1 p.	30.09	764.2	...	...	N E	6	...		5 a	30.30	769.7	...	...	E	2	...
Taichu,	"	30.05	763.2	...	...	...	0	...		"	30.08	764.1	...	...	...	0	...
Tainan,	"	30.06	763.6	...	...	N	4	...		"	30.11	764.7	...	...	N E	2	...
Koshun,	"	30.05	763.3	...	...	N E	6	...		"	30.09	764.2	...	...	N E	6	...
Pescadores,	"	30.07	763.8	...	...	N E	8	...		"	30.12	764.9	...	...	N	8	...
Canton,	3 p.	30.10	764.5	61	66	N	2	o		9 a.	30.22	767.6	57	58	N	2	o
Hongkong,	4 p.	30.06	763.5	61	87	N	1	od		10 a.	30.20	767.1	60	87	E N E	3	od
Victoria Peak,	"	...	...	...	...	N	1	...		"	...	...	...	...	E N E	4	...
Gap Rock,	"	30.01	762.2	...	...	N E	5	...		"	30.15	765.8	...	...	N	5	...
Macao,	"	30.05	763.3	55	...	N N W	1	or		"	30.18	766.6	57	...	N N W	1	od
Wuchow,	8 p.	...	...	...	...	...	...	...		9 a.	...	...	...	...	...	...	...
Hoihow,	"	30.01	762.2	70	100	N E	2	o		"	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Phulien,	4 p.	30.06	763.5	61	...	N N E	3	o		8 a.	30.17	766.2	61	...	E N E	2	o
Tourane,	"	29.96	760.9	73	...	N W	3	or		"	30.04	763.0	73	...	N W	1	f
Cape St. James,	"	...	...	...	...	...	...	...		"	29.98	761.5	77	...	N E	4	o
Aparri,	2 p.	29.95	760.8	81	...	N E	2	b		6 a.	30.01	762.3	70	...	E	2	b
Manila,	4 p.	29.88	759	88	54	E	1	c		10 a.	30.00	762	82	70	W	1	c
Legaspi,	2 p.	29.91	759.6	84	...	N E	2	o		6 a.	29.97	761.3	77	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	N	3	b		9 a.	...	...	...	...	N	3	o
Iloilo,	"	29.81	757.2	86	...	N E	1	b		"	29.95	760.7	81	...	S W	2	o
Cebu,	"	29.84	757.9	88	...	E	2	b		"	29.92	759.9	85	...	N	1	b
Labuan,	"	29.76	755.9	87	...	...	...	...		"	...	...	...	...	...	...	...

On the 26th at 11.50 a.—The depression is still shown over the N. part of the Sea of Japan,

Pressure has increased considerably over N. China and to a less extent over S. Japan, the Loochoos and S. China

An anticyclonic area now lies over the continent to the North of the Yangtze valley, and very strong monsoon may be expected over the whole of the China coast and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day 0.62 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; weather improving.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 26th November, 1911.

[Printed by NOMOSHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th NOVEMBER, 1911, P.M.								27th NOVEMBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	29.45	748.1	28	...	N W	6	s	7 a.	29.82	757.4	21	56	S W	1	o
Gemuro,	,,	29.75	755.6	...	...	S	4	...	6 a	29.63	752.6	...	...	N W	2	...
Hakodate,	,,	29.67	753.7	...	...	S S W	4	...	,,	29.65	753.2	...	...	S W	3	...
Tokio,	,,	29.81	757.1	...	...	S W	6	...	,,	29.91	759.6	...	...	S W	2	...
Kochi,	,,	29.95	760.8	...	...	S W	2	...	,,	30.19	766.8	...	...	W S W	2	...
Nagasaki,	,,	30.09	764.3	...	...	N W	7	...	,,	30.25	768.3	...	...	N	3	...
Kagoshima,	,,	30.11	764.9	...	...	N W	6	...	,,	30.25	768.4	...	...	N	1	...
Ishima,	,,	30.16	766.1	...	...	N	2	...	,,	30.24	768.1	...	...	N N W	1	...
Taiha,	,,	30.19	766.7	...	...	N N E	3	...	,,	30.21	767.2	...	...	N E	2	...
Ishigakijima,	,,	30.17	766.3	...	...	N E	6	...	,,	30.15	765.8	...	...	E	4	...
Bonin Is.	,,	30.08	764.1	...	...	N	1	...	,,	30.18	766.6	...	...	...	0	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a	...	...	...	..	...	...	...
Weihaiwei,	,,	30.12	765.0	30	100	N W	8	oqs	9 a.	30.19	766.8	36	45	S S W	3	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	..	...	..	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.36	771.1	42	27	W N W	3	b	9 a	30.39	771.9	41	57	E S E	1	om
Nutzlaff,	,,	30.34	770.6	42	50	N N W	4	ov	,,	30.34	770.6	43	51	...	0	ov
Sharp Peak,	,,	30.22	767.6	63	...	E N E	5	o	,,	30.28	769.1	59	...	N	2	or
Amoy,	,,	30.14	765.5	69	52	N E	4	o	6 a	30.19	766.8	57	81	N E	4	or
Swatow,	,,	30.13	765.3	67	84	E N E	2	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.17	766.4	...	...	E	8	...	5 a	30.19	766.8	...	...	E	6	...
Taichu,	,,	30.07	763.7	...	...	E	8	...	,,	30.08	764.1	...	...	...	0	...
Tainan,	,,	30.11	764.7	...	...	E	...	...	,,	30.11	764.8	...	...	N E	2	...
Koshun	,,	30.08	764.0	...	...	E	10	...	,,	30.08	763.9	...	...	N E	8	...
Pescadores,	,,	30.09	764.4	..	...	N E	8	...	,,	30.10	764.4	...	...	N E	8	...
Canton,	3 p.	30.10	764.5	60	82	N	2	o	9 a.	30.17	766.3	56	94	N	2	or
Hongkong,	4 p.	30.09	764.3	65	70	N E	4	o	10 a.	30.10	764.5	65	93	E	4	od
Victoria Peak,	,,	..	...	...	...	E N E	5	...	,,	...	...	...	...	E N E	5	...
Cap Rook,	,,	30.04	763.0	...	...	E N E	5	...	,,	30.05	763.2	...	...	E	5	...
Macao,	,,	30.07	763.7	61	...	N N W	1	o	,,	30.10	764.6	58	...	N N W	1	or
Fuchow,	3 p	...	...	...	...	...	...	...	9 a	...	...	...	...	...	...	...
Foochow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wakhoi,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shulien,	4 p.	30.07	763.7	64	...	N	1	o	8 a	30.15	765.7	63	...	N	2	o
Tourane,	,,	29.98	761.5	75	...	N	2	or	,,	30.04	763.0	73	..	N W	1	o
Cape St. James,	,,	29.91	759.6	79	...	N E	4	c	,,	30.02	762.5	77	...	E N E	4	o
Aparri,	2 p.	29.97	761.3	82	...	E	2	b	6 a.	30.03	762.7	66	...	E	2	b
Manila	4 p.	29.88	759	86	53	...	1	c	10 a	30.04	763	82	70	N W	1	b
Legaspi,	2 p.	29.94	760.4	86	...	N E	2	b	6 a	29.97	761.3	77	...	N E	2	b
Tacolod,	3 p.	...	...	...	...	N	2	od	9 a.	...	...	...	...	N	1	od
Iloilo,	,,	29.87	758.7	83	...	S W	2	o	,,	29.99	761.7	79	...	N E	1	o
Cebu,	,,	29.85	758.2	86	...	N	1	b	,,	29.91	759.7	84	...	N	1	b
Labuan,	,,	...	...	...	...	...	...	...	,,	29.97	761.2	81	...	...	...	...

On the 27th at 11.55 a.—The depression lying over the N.E. part of the Sea of Japan yesterday, is moving into the Pacific to the North of Hokkaido.

The barometer has risen considerably over Manchuria and S. Japan, and fallen moderately on the S. coast of China.

The anticyclonic area is now central over the Yellow Sea, and pressure is relatively low over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day 0.43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	E. to N. winds, fresh; squally, some rain.
Formosa Channel,	N.E. winds, strong.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 27th November, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station	27th November, 1911, P.M.									28th November, 1911, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	3 p.	29.82	757.4	21	...	S W	1	o		7 a.	30.03	762.7	19	49	E S E	1	o
Nemuro,	,,	29.67	752.1	...	...	S W	7	...		6 a.	29.87	758.6	...	...	S W	2	...
Hakodate,	,,	29.81	757.2	...	...	W	4	...		,,	30.05	763.2	...	...	E N E	4	...
Tokio,	,,	29.98	761.6	...	...	S	1	...		,,	30.10	764.6	...	...	N W	5	...
Kochi,	,,	30.19	766.8	...	...	S W	1	...		,,	30.17	766.3	...	...	...	0	...
Nagasaki,	,,	30.25	768.3	...	...	E	1	...		,,	30.11	764.8	...	...	N E	1	...
Kagoshima,	,,	30.23	767.9	...	...	N N W	1	...		,,	30.10	764.4	...	...	N E	1	...
Oshima	,,	30.16	766.1	...	...	...	0	...		,,	30.04	763.1	...	...	N N E	6	...
Naha,	,,	30.09	764.2	...	...	E N E	2	...		,,	29.95	760.7	...	...	E N E	7	...
Ishigakijima,	,,	29.99	761.8	...	...	N E	2	...		,,	30.01	762.3	...	...	N N E	4	...
Bonin Is.	,,	30.16	766.1	...	...	N	1	...		,,	...	...	...	...	S E	1	...
Chefoo,	3 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.02	762.5	44	60	S S W	5	b		9 a.	30.13	765.3	39	64	N N W	5	b
Hankow,	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Shanghai,	,,	30.20	767.1	48	55	S S E	1	o		9 a.	30.23	767.8	47	77	S W	1	b
Gutzlaff,	,,	30.21	767.3	45	61	S S E	1	o		,,	30.21	767.3	49	78	W N W	3	b
Sharp Peak,	,,	30.07	763.8	58	...	N W	1	or		,,	30.22	767.6	58	...	...	0	o
Amoy,	,,	30.12	765.0	58	88	N	4	or		6 a.	30.16	766.0	59	88	N	1	o
Swatow,	,,	30.09	764.3	59	94	N E	1	or		,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.09	764.3	...	...	E	8	...		5 a.	30.12	765.1	...	...	...	0	...
Taichu,	,,	30.03	762.7	...	...	N	2	...		,,	30.09	764.2	...	...	N	2	...
Tainan,	,,	30.03	762.8	...	...	N W	4	...		,,	30.06	763.6	...	...	N	8	...
Koshun	,,	30.02	762.4	...	...	N E	6	...		,,	30.02	762.5	...	...	N E	2	...
Pescadores,	,,	30.04	763.1	...	...	N E	8	...		,,	30.07	763.8	...	...	N E	6	...
Canton,	3 p.	30.12	765.0	56	94	N	2	or		9 a.	30.21	767.3	54	93	N	2	o
Hongkong,	4 p.	30.07	763.8	60	86	N	1	od		10 a.	30.17	766.3	61	84	N	1	o
Victoria Peak,	,,	...	...	...	...	N N W	4	...		,,	...	...	...	...	N N W	1	...
Gap Rock,	,,	30.01	762.2	...	...	N N W	6	...		,,	30.14	765.5	...	...	N E	3	...
Macao,	,,	30.06	763.5	58	...	N	2	o		,,	30.17	766.3	56	...	N	1	o
Wuchow,	3 p.	...	...	...	...	...	...	...		9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Phulian,	4 p.	30.08	764.1	52	...	N N E	1	o		8 a.	30.19	766.9	61	...	S E	1	o
Pourane,	,,	30.01	762.3	75	...	N N W	2	c		,,	30.09	764.2	72	...	W N W	2	or
Cape St. James,	,,	29.92	760.0	79	...	E	5	c		,,	30.02	762.4	79	...	E	2	o
Aparri,	2 p.	29.90	759.5	82	...	S E	2	b		6 a.	29.99	761.8	72	...	S	2	b
Manila,	4 p.	29.92	760	84	58	S E	1	b		10 a.	30.00	762	82	63	S S W	1	b
Legaspi,	2 p.	29.92	759.9	84	...	N E	2	o		6 a.	29.97	761.2	72	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N	2	b		9 a.	...	...	...	...	N	r	o
Iloilo,	,,	29.85	758.2	84	...	N	1	b		,,	29.99	761.7	81	...	N	1	b
Cebu,	,,	29.86	758.3	87	...	E	1	o		,,	29.94	760.5	86	...	E	1	b
Labuan,	,,	29.87	758.7	85	...	...	...	...		,,	29.96	761.0	84	...	...	...	...

On the 28th at 12.20 p.—The barometer has fallen quickly over the Loochoos, a shallow depression, which passed from the N.E. part of the China Sea to the Pacific, being now situated to the Southward of the group.

A low pressure area is shown also over Korea.

The highest pressure occupies the Yangtze valley.

Moderate to fresh monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.25 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; rain at times.
2.—Formosa Channel,	N.E. winds, moderate to fresh.
3. South coast of China between Hongkong and Lamocks,	Same as No. 1.
4. South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 28th November, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th November, 1911, P.M.								29th November, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock,	2 p.	29.74	760.4	22	...	E S E	0	b	7 a.	30.03	762.8	16	66	N N W	1	b
mure,	"	29.91	759.6	...	...	W	2	...	6 a.	29.87	758.6	...	...	S W	1	...
kodate,	"	30.05	763.2	...	...	N W	2	...	"	29.77	756.2	...	...	S	3	...
kio,	"	30.00	762.1	...	...	...	0	...	"	29.97	761.1	...	...	...	0	...
ochi,	"	30.05	763.3	...	...	S W	1	...	"	30.11	764.8	...	...	...	0	...
agasaki,	"	...	...	...	...	...	..	...	"	30.15	765.8	...	...	N N W	2	...
agoshima,	"	30.09	764.4	...	...	...	0	...	"	30.13	765.4	...	...	...	0	...
shima,	"	30.04	763.1	...	...	N	3	...	"	30.16	766.1	...	...	S S E	1	...
aha,	"	30.05	763.2	...	...	N	5	...	"	30.15	765.7	...	...	N N E	2	...
higakijima,	"	30.07	763.8	...	...	W S W	4	...	"	30.13	765.3	...	...	N	3	...
onin Is.	"	29.98	761.6	...	...	S	1	...	"	30.02	762.6	...	...	S W	1	...
hefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
eihaiwei,	"	30.13	765.3	37	71	N N W	4	c	9 a.	30.27	768.8	38	63	S W	2	b
ankow,	"	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ukiang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
anghai,	"	30.27	767.3	54	43	N W	3	b	9 a.	30.35	770.9	43	67	...	0	bm
tzlaff,	"	30.17	766.3	54	68	W S W	3	b	"	30.31	769.9	49	64	N	1	bv
harp Peak,	"	30.17	766.3	60	...	E	2	c	"	30.28	769.1	59	...	N	1	o
moy,	"	30.04	763.0	66	68	E	2	c	6 a.	30.22	767.6	60	60	N E	1	o
swatow,	"	30.14	765.5	82	89	E	1	o	"	...	...	...	...	...	...	...
aihoku,	1 p.	30.14	765.6	...	...	E	4	...	5 a.	30.23	767.7	...	...	E	4	...
aiohu,	"	30.06	763.6	...	...	N E	4	...	"	30.13	765.3	...	...	...	0	...
aiman,	"	30.06	763.6	...	...	N	4	...	"	30.14	765.6	...	...	N E	2	...
oshun,	"	30.04	763.0	...	...	N E	8	...	"	30.12	765.0	...	...	N	2	...
escadores,	"	30.08	764.0	..	...	N E	10	...	"	30.15	765.8	...	...	N E	8	...
anton,	3 p.	30.09	764.3	60	82	N	1	o	9 a.	30.21	767.3	58	94	...	2	or
ongkong,	4 p.	30.09	764.3	62	88	W	1	o	10 a.	30.18	766.6	66	80	E	3	o
ictoria Peak,	"	...	...	...	...	E N E	1	...	"	...	...	...	...	E N E	4	...
ap Rock,	"	30.05	763.2	...	...	N N E	4	...	"	30.13	765.3	...	...	E N E	5	..
acao,	"	30.07	763.8	69	...	N	1	o	"	30.16	766.0	60	...	N	1	of
uchow,	3 p.	30.06	763.5	60	71	N	1	o	9 a.	...	...	...	...	...	...	...
oihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
akhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
hulien,	4 p.	30.09	764.4	64	...	S	1	o	8 a.	30.16	766.0	61	...	N E	3	[illegible]
ourane,	"	30.06	763.2	72	...	N W	3	f	"	30.05	763.3	75	...	N W	2	[illegible]
ape St. James,	"	...	...	...	...	...	...	...	"	30.03	762.7	77	...	E N E	2	[illegible]
parri,	2 p.	29.96	760.9	84	...	N E	2	b	6 a.	30.02	762.6	72	...	N E	2	[illegible]
anila,	4 p.	29.92	760	86	59	...	0	b	10 a.	30.00	762	84	59	S	1	[illegible]
egaspi,	2 p.	29.92	759.9	88	...	N E	2	b	6 a.	29.97	761.2	79	...	N E	2	[illegible]
acolod,	3 p.	...	...	...	...	N	2	o	9 a.	...	...	...	...	N	1	[illegible]
loilo,	"	29.85	758.2	85	...	N E	1	c	"	29.99	761.7	81	...	N	1	[illegible]
ebu,	"	29.84	757.9	88	...	N	1	b	"	29.92	759.9	86	...	N	1	[illegible]
abuan,	"	29.85	758.2	85	...	...	...	...	"	29.96	760.7	82	...	...	...	[illegible]

On the 29th at 11.55 a—The depression lying over Korea yesterday, has reached the N.E. part of the Sea of Japan. The other depression is probably moving towards E N E. to the S E. of Japan.

Pressure has increased moderately over the Loochoos and N. China, while it has a tendency to give way again on the S. coast of China.

The highest pressure is shown over the Yangtze valley.

Moderate or fresh monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1. Hongkong and Neighbourhood,	N.E. winds, fresh; rain at times.
2. Formosa Channel,	Same as No. 1.
3. South coast of China between Hongkong and Lamocks,	Same as No. 1.
4. South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Wednesday, 29th November, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th November 1911, P.M.									30th November, 1911, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.02	762.6	26	...	N N W	1	b		7 a.	30.19	766.8	19	95	...	0	o
Nemuro,	,,	29.71	754.6	...	...	S	4	...		6 a.	29.75	755.5	...	...	N W	5	...
Hakodate,	,,	29.79	756.7	...	...	W	3	...		,,	30.05	763.2	...	...	N	3	...
Tokio,	,,	29.91	759.5	...	...	S	2	...		,,	30.14	765.6	...	...	N W	3	...
Kochi,	,,	30.07	763.8	...	...	W	3	...		,,	30.27	768.8	...	...	S W	1	...
Nagasaki,	,,	30.19	766.8	...	...	N	3	...		,,	30.33	770.3	...	...	E	1	...
Kagoshima,	,,	30.15	765.9	...	...	W N W	3	...		,,	30.31	769.9	...	...	N E	1	...
Oshima,	,,	30.16	766.1	...	...	N	1	...		,,	30.26	768.6	...	...	S	1	...
Naha,	,,	30.15	765.7	...	...	N	3	...		,,	30.21	767.2	...	...	N N E	1	...
Ishigakijima,	,,	30.13	765.3	...	...	N N E	3	...		,,	30.15	765.8	...	...	N N E	1	...
Bonin Is.	,,	30.00	762.1	...	...	N N E	1	...		,,	30.14	765.6	...	...	N N E	1	...
Chefoo,	3 p.	...	...	...	...		...	...		6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.24	768.1	45	46	S W	3	b		9 a.	30.23	767.8	50	65	S W	3	b
Hankow,	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Shanghai,	,,	30.21	767.3	56	40	E N E	1	b		9 a	30.28	769.1	56	69	S E	2	b
Gutzlaff,	,,	30.26	768.3	49	71	N N E	1	bv		,,	30.26	768.6	58	70	S S E	2	ov
Sharp Peak,	,,	30.20	767.1	61	...	N N E	2	o		,,	30.25	768.3	60	...	W	2	o
Amoy,	,,	30.11	764.8	65	63	N E	2	o		6 a	30.20	767.1	62	61	E	1	o
Swatow,	,,	30.13	765.3	61	88	N E	1	o		,,	30.18	766.5	57	94	N E	1	b
Taihoku,	1 p.	30.20	767.0	...	...	E	6	...		5 a	30.18	766.6	...	...	E	4	..
Taichu,	,,	30.11	764.7	...	...	N	2	...		,,	30.12	765.0	...	...	...	0	...
Taisen,	,,	30.10	764.6	...	...	N	4	...		,,	30.12	764.9	...	...	N	2	...
Koshun	,,	30.09	764.3	...	...	N E	8	...		,,	30.10	764.4	...	...	N E	8	...
Pescadores,	,,	30.12	765.0	..	...	N	10	...		,,	30.12	765.0	...	...	N	8	...
Canton,	3 p.	30.09	764.3	59	94	N	2	or		9 a.	30.15	765.8	61	94	...	0	f
Hongkong,	4 p.	30.07	763.8	66	75	E	4	o		10 a.	30.15	765.8	68	86	E	5	o
Victoria Peak,	,,	...	...	...	...	E	5	...		,,	...	...	...	...	E	6	...
Gap Rock,	,,	30.02	762.5	...	...	E N E	5	...		,,	30.10	764.5	...	...	E	6	...
Macao,	,,	30.07	763.8	60	...	W	1	of		,,	...	...	...	...	...	...	...
Wuchow,	8 p.	30.12	766.0	62	83	N	1	o		9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Pakhoi,	,,	..	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.04	763.0	63	...	E N E	1	or		8 a.	30.09	764.3	64	...	E N E	0	dh
Tourane,	,,	30.02	762.4	75	...	N W	2	c		,,	30.05	763.2	79	...	S E	1	b
Cape St. James,	,,	...	...	...	...	...	...	...		,,	30.02	762.5	77	...	E N E	2	o
Aparri,	2 p.	29.97	761.3	82	...	N E	2	o		6 a.	30.02	762.5	72	...	S W	2	b
Manila,	4 p.	29.92	760	86	53	...	0	c		10 a.	30.00	762	82	63	W	1	b
Legaspi,	2 p.	29.91	759.8	88	...	N E	2	b		6 a.	29.95	760.6	79	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N	2	o		9 a.	...	...	...	...	N	1	or
Iloilo,	,,	29.85	758.2	84	...	N	1	o		,,	29.93	760.2	79	...	N E	1	o
Cebu,	,,	29.85	758.2	87	...	E	2	c		,,	29.91	759.7	84	...	E	1	o
Labuan,	,,	29.83	757.7	85	...	...	...	...		,,	29.94	760.5	84	...	...	...	...

On the 30th at 12.05 p.—The depression lying to the North of Hokkaido yesterday, has moved into the Pacific. Pressure has increased considerably over Japan, and fallen slightly over China.

The area of high pressure has shifted Eastwards and is now central over W. Japan. Probably a depression is developing over W. China.

Moderate monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh; drizzling rain or mist.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 30th November, 1911.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th November, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	1st December, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivestock,...	2 p.	30.16	766.0	38	...	E S E	1	o	7 a.	30.13	765.2	33	89	S S E	0	o
ro, ...	,,	29.69	754.1	...	...	W N W	6	...	6 a.	...	...	...	...	...	...	...
dats, ...	,,	30.09	764.2	...	...	W	3	...	,,	...	...	...	...	...	...	...
, ...	,,	30.18	766.6	...	...	N N E	1	...	,,	...	...	...	...	...	...	...
i, ...	,,	30.23	767.8	...	...	E N E	1	...	,,	...	...	...	...	...	...	...
saki, ...	,,	30.29	769.3	...	...	E N E	1	...	,,	...	...	...	...	...	...	...
shima, ...	,,	30.25	768.4	...	...	S E	1	...	,,	...	...	...	...	...	...	...
ma, ...	,,	30.22	767.6	...	...	N	2	...	,,	...	...	...	...	...	...	...
, ...	,,	30.15	765.7	...	...	E	3	...	,,	...	...	...	...	...	...	...
akijima, ...	,,	30.13	765.3	...	...	N E	4	...	,,	...	...	...	...	...	...	...
n Is.	,,	30.10	764.6	...	...	E N E	1	...	,,	...	...	...	...	...	...	...
to, ...	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
aiwei, ...	,,	30.20	767.1	50	65	S S W	4	o	9 a.	30.16	766.0	49	85	S W	1	o
kow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ghai, ...	,,	30.14	766.5	62	56	S E	3	b	9 a.	30.12	765.9	56	100	...	0	...
laff, ...	,,	30.18	766.6	57	75	S E	3	cv	,,	30.11	764.8	58	100	S E	3	fd
p Peak, ...	,,	30.05	763.2	62	...	N W	2	o	,,	30.13	765.3	63	...	...	0	o
y, ...	,,	30.07	763.8	71	62	E	2	b	6 a.	30.14	765.5	63	83	W N W	1	b
ow, ...	,,	30.08	764.0	69	80	E	1	b	,,	...	...	...	...	...	...	...
oku, ...	1 p.	30.07	763.9	...	...	E	6	...	5 a.	30.08	764.1	...	...	E	2	...
nu, ...	,,	30.06	763.5	...	...	W	8	...	,,	30.09	764.2	...	...	...	0	...
an, ...	,,	30.08	764.1	...	...	W	4	...	,,	30.08	763.9	...	...	N E	2	...
nan	,,	30.06	763.6	...	...	N E	8	...	,,	30.06	763.6	...	...	N W	2	...
adores, ...	,,	30.09	764.2	...	...	N	8	...	,,	30.08	764.0	...	...	N	6	...
on, ...	3 p.	30.04	763.0	65	89	E	1	o	9 a.	30.10	764.5	65	95	E	1	b
gkong, ...	p.	30.06	763.5	67	89	E	3	od	10 a.	30.12	765.0	72	80	E	3	b
[illegible]	[illegible]	...	...	...	...	E	4	...	,,	...	...	...	...	E S E	4	...
[illegible]	[illegible]	30.01	762.2	...	...	E	5	...	,,	30.08	764.0	...	...	E	4	...
[illegible]	[illegible]	30.03	762.7	67	...	E S E	3	o	,,	30.10	764.6	70	...	E S E	1	o
[illegible]	[illegible]	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
[illegible]	[illegible]	[illegible]	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
[illegible]	[illegible]	[illegible]	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
lien, ...	[illegible]	[illegible].2	70	...	W N W	1	o	8 a.	30.06	763.4	72	...	E S E	[illegible]	[illegible]
rane, ...	[illegible]	[illegible]0.9	77	...	S E	2	b	,,	30.04	763.0	75	...	S W	[illegible]	[illegible]
St. James,	,,	...	...	...	...	...	...	,,	[illegible]	[illegible]	[illegible]	...	[illegible]	1	[illegible]
rri, ...	2 p.	[illegible]	761.1	84	...	E	2	b	6 a.	30.02	762.4	70	...	E	[illegible]	[illegible]
ila, ...	4 p.	29.92	760	86	59	...	0	c	10 a.	30.00	762	82	63	W S W	1	[illegible]
aspi, ...	2 p.	29.94	760.4	76	...	N E	2	o	8 a.	29.95	760.7	77	...	N E	2	[illegible]
bloi, ...	8 p.	...	...	...	...	N	2	b	9 a.	...	...	...	...	N	1	b
o, ...	,,	29.83	757.7	81	...	N	2	o	,,	29.93	760.2	80	...	N	1	o
a, ...	,,	29.85	758.2	85	...	...	0	c	,,	29.91	759.7	84	...	N	1	b
uan, ...	,,	29.83	757.7	85	...	...	...	...	,,	...	...	...	...	...	...	...

On the 1st at 12.10 p.—Pressure has given way over China, particularly in the North.

A depression, which appears to be moving Eastwards, lies over the Yangtze valley.

The high pressure area is probably situated over E. Japan.

The monsoon is temporarily interrupted along the coast, and falling light over the China Sea. It is however likely to freshen again within 48 hours.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	E. and S.E. winds, moderate or light; fair.
Formosa Channel, ...	S.E. winds, light.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
North coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 1st December, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st DECEMBER, 1911, P.M.								2nd DECEMBER, 1911, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	30.04	763.1	41	...	S	2	c	7 a.	29.95	760.6	27	92	NNE	0
Nemuro,	,,	30.16	766.1	...	...	W	1	...	6 a.	29.99	761.6	...	...	WSW	2
Hakodate,	,,	30.17	766.2	...	...	W	1	...	,,	30.01	762.2	...	...	...	0
Tokio,	,,	30.30	769.6	...	...	NNE	1	...	,,	30.12	765.1	...	...	NW	1
Kochi,	,,	30.27	768.8	...	...	ESE	1	...	,,	30.11	764.8	...	...	SW	1
Nagasaki,	,,	30.23	767.8	...	...	SE	3	...	,,	29.99	761.8	...	...	NE	2
Kagoshima,	,,	30.21	767.4	...	...	...	0	...	,,	30.02	762.4	...	...	NE	5
Oshima,	,,	30.12	765.1	...	...	SE	3	...	,,	30.02	762.6	...	...	...	0
Naha,	,,	30.07	763.7	...	...	ESE	1	...	,,	30.01	762.2	...	...	S	1
Ishigakijima,	,,	30.05	763.3	...	...	SSE	2	...	,,	30.03	762.8	...	...	W	1
Bonin Is.	,,	30.16	766.1	...	...	E	1	...	,,	30.10	764.6	...	...	E	1
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	30.15	765.8	49	78	WNW	3	c	9 a.	30.22	767.6	49	64	WSW	3
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	30.09	764.3	58	81	NW	2	o	9 a.	30.25	768.3	50	86	NW	3
Gutzlaff,	,,	30.05	763.2	55	100	NW	3	om	,,	30.20	767.1	51	93	NNW	5
Sharp Peak,	,,	30.02	762.5	65	...	...	0	c	,,	30.19	766.8	65	...	E	2
Amoy,	,,	30.03	762.7	70	75	SE	2	c	6 a.	30.08	764.0	65	89	...	0
Swatow,	,,	30.03	762.7	72	81	E	1	b	,,	...	...	...	...	...	...
Taihoku,	1 p.	30.06	763.4	...	...	...	2	...	6 a.	30.09	764.2	...	...	...	0
Taichu,	,,	30.05	763.2	...	...	NW	2	...	,,	30.06	763.5	...	...	...	0
Tainan,	,,	30.07	763.8	...	...	N	2	...	,,	30.06	763.6	...	...	NE	2
Koshun	,,	30.05	763.2	...	...	NW	4	...	,,	30.04	763.1	...	...	...	0
Pescadores,	,,	30.08	764.0	...	...	N	4	...	,,	30.06	763.6	...	...	N	4
Canton,	3 p.	30.00	762.0	73	86	SSW	1	o	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	30.02	762.5	72	82	E	2	b	10 a.	30.09	764.3	74	83	[illegible]	1
Victoria Peak,	,,	...	...	...	...	SSE	1	...	,,	...	...	...	...	[illegible]	[illegible]
Gap Rock,	,,	29.98	761.5	...	...	E	4	...	,,	30.07	763.8	...	...	[illegible]	[illegible]
Macao,	,,	30.00	762.0	70	...	ESE	1	c	,,	30.10	764.4	75	...	[illegible]	[illegible]
Wuchow,	3 p.	30.01	762.2	71	...	...	1	o	9 a.	...	...	...	[illegible]	[illegible]	[illegible]
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	[illegible]	[illegible]	[illegible]	[illegible]
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Phulisan,	4 p.	...	...	75	...	...	2	c	8 a.	30.08	[illegible]	[illegible]	[illegible]	[illegible]	2
Pourans,	,,	29.94	760.5	77	...	SE	2	b	,,	30.06	[illegible]	[illegible]	[illegible]	SW	2
Cape St. James,	,,	[illegible]	[illegible]	[illegible]	...	ENE	3	o	,,	29.97	[illegible]	[illegible]	...	NNE	2
Aparri,	2 p.	29.95	760.8	84	...	E	2	b	6 a.	29.98	761.5	70	...	E	0
Manila,	4 p.	29.92	760	82	63	E	1	o	10 a.	29.96	761	82	70	...	0
Legaspi,	2 p.	29.91	759.8	81	...	NE	2	c	6 a.	29.92	759.9	77	...	NE	2
Baoilod,	3 p.	...	...	...	...	N	2	b	9 a.	...	...	...	...	N	2
Iloilo,	,,	29.86	758.2	83	...	N	2	b	,,	29.91	759.7	80	...	N	1
Cebu,	,,	29.86	758.4	86	...	E	2	b	,,	29.92	759.9	85	...	E	1
Labuan,	,,	29.78	756.4	87	...	...	...	...	,,	29.90	759.4	84	...	...	...

On the 2nd at 11.55 a.—The barometer has risen moderately on the E. coast of China and fallen quickly over Japan.

The depression lying over the Lower Yangtze valley yesterday morning, is now situated off the coast of S.W. Japan. A second area of low pressure has passed from the continent to the N.E. part of the Sea of Japan.

Probably an area of high pressure will now spread over China from the N.W., and the monsoon is expected to freshen along the coast and over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and N. winds, probably freshening; drizzle or rain or mist, cooler.
2.—Formosa Channel,	N.E. winds, freshening.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 2nd December, 1911.

[Printed by Yuen Kwong & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd December, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	3rd December, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
edivostock,...	2 p.	29.89	759.1	36	...	E N E	1	b	7 a.	30.03	762.8	26	65	W N W	0	b
auro, ...	,,	29.83	757.6	...	...	S	2	...	6 a.	29.69	754.1	...	...	N W	6	...
kodate, ...	,,	29.79	756.7	...	...	...	0	...	,,	29.85	758.2	...	...	N W	3	...
io, ...	,,	29.94	760.6	...	...	...	0	...	,,	29.79	756.6	...	...	N N W	1	...
hi, ...	,,	29.97	761.3	...	...	...	0	...	,,	29.91	759.8	...	...	S W	2	...
gasaki, ...	,,	29.95	760.8	...	...	N	1	...	,,	30.05	763.3	...	...	N	1	...
goshima, ...	,,	29.86	758.4	...	...	E	1	...	,,	30.02	762.4	...	...	N	1	...
ima, ...	,,	29.93	760.1	...	...	N	1	...	,,	30.01	762.1	...	...	N	1	...
a,.....	,,	30.01	762.2	...	...	N W	4	...	,,	30.05	763.2	...	...	N	2	...
igakijima, ...	,,	30.05	763.3	...	...	N E	2	...	,,	30.07	763.8	...	...	N E	1	...
in Is.....	,,	30.02	762.6	...	...	...	0	...	,,	29.91	759.6	...	...	S W	4	...
foo, ...	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	...
ihaiwei, ...	,,	30.16	766.0	46	54	N W	6	c	9 a.	30.18	766.6	42	50	S W	3	b
kow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
hkiang,.....	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
nghai, ...	,,	30.20	767.1	53	80	N W	2	o	9 a.	30.27	768.8	50	79	N	1	o
tzlaff, ...	,,	30.15	765.8	53	86	N N W	5	om	,,	30.22	767.6	55	80	N N W	2	ov
rp Peak,.....	,,	30.09	764.3	65	...	N N E	2	o	,,	30.21	767.3	62	...	...	2	or
oy,.....	,,	30.05	763.2	64	84	N E	2	o	6 a.	30.16	766.0	63	83	N E	2	o
stow, ...	,,	30.02	762.5	71	85	E	2	b	,,	...	...	..	...	...	...	...
koku,.....	1 p.	30.09	764.3	...	...	E	6	...	5 a.	30.06	763.6	...	...	E	6	...
ohu, ...	,,	30.02	762.6	...	...	N	2	...	,,	30.09	764.2	...	...	...	0	...
nan,.....	,,	30.04	763.0	...	...	N	6	...	,,	30.08	764.0	...	...	N	6	...
hun.....	,,	30.04	762.9	...	...	N W	4	...	,,	30.06	763.4	...	...	N E	4	...
oadores, ...	,,	30.01	762.3	..	...	N E	8	...	,,	30.08	764.3	...	...	N E	6	...
ton,.....	3 p.	30.00	762.0	69	60	N	1	o	9 a.	30.14	765.5	62	94	N	2	or
ngkong, ...	4 p.	30.00	762.0	71	88	E	1	o	10 a.	30.12	765.0	71	83	E	1	o
toria Peak,...	,,	...	...	...	...	S E	0	...	,,	...	...	...	...	E	2	...
Rock,.....	,,	29.97	761.2	...	...	E	3	...	,,	30.08	764.0	...	...	E N E	4	...
ao, ...	,,	29.99	761.7	72	...	E S E	1	c	,,	30.11	764.8	67	...	E S E	1	o
ho w,.....	3 p.	30.11	764.8	66	...	E	1	o	9 a.	...	...	...	...	...	...	...
how, ...	,,	29.97	761.2	79	95	N E	2	o	,,	...	...	...	...	...	...	...
hei,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
lien, ...	4 p.	29.96	760.9	75	...	S S E	3	c	8 a.	30.10	764.5	72	...	E S E	3	or
rane, ...	,,	29.94	760.4	77	...	E	3	b	,,	30.08	764.0	79	...	S E	1	c
e St. James,.	,,	29.87	758.6	77	...	N N E	3	c	,,	...	...	...	...	...	...	...
rri, ...	2 p.	29.94	760.6	82	...	E	2	b	6 a.	29.99	761.8	72	...	E	2	o
ila, ...	4 p.	29.88	759	86	63	E S E	1	b	10 a.	30.00	762	82	70	N	1	o
nila, ...	2 p.	29.88	758.9	86	...	N E	2	c	6 a.	29.93	760.1	79	...	N E	2	b
olod, ...	3 p.	...	...	...	...	N	2	b	9 a.	...	...	...	...	N	3	c
o, ...	,,	29.81	757.3	85	...	N	1	b	,,	...	...	82	...	S W	1	o
u,.....	,,	29.82	757.4	88	...	...	0	b	,,	29.92	759.9	84	...	N	1	o
nan, ...	,,	29.78	756.4	87	...	...	...	...	,,	...	...	...	...	...	...	...

On the 3rd at 11.55 a.—The depression noticed over the N.E. part of the Sea of Japan yesterday, has moved into e Pacific to the East of Hokkaido. The other depression is moving Eastwards off the S.E. coast of Japan.

Pressure is highest over the Yangtze valley. It is inclined to give way again in N. China.

Moderate monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. winds, moderate; probably some rain.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 3rd December, 1911.

Printed by Fuchsia & Co., Government Printers.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd DECEMBER, 1911, P.M.								4th DECEMBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		W.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.99	761.7	30	...	N	0	b	7 a.	29.95	760.7	25	82	...	0	
Nemuro,	"	29.77	756.1	...	...	N W	4	...	6 a.	29.97	761.1	...	...	N W	4	
Hakodate,	"	29.85	758.2	...	...	W N W	3	...	"	30.05	763.2	...	...	...	0	
Tokio,	"	29.85	758.1	...	...	N	1	...	"	30.04	763.1	...	...	N N W	1	
Kochi,	"	29.91	759.8	...	...	S W	1	...	"	30.03	762.8	...	...	N N W	1	
Nagasaki,	"	30.03	762.8	...	...	N N E	2	...	"	30.11	764.8	...	...	N N W	1	
Kagoshima,	"	30.00	761.9	...	...	N W	2	...	"	30.10	764.4	...	...	N	1	
Oshima,	"	30.00	762.1	...	...	N	2	...	"	30.06	763.6	...	...	S S W	1	
Naha,	"	...	...	...	...	N N W	3	...	"	30.03	762.7	...	...	...	0	
Ishigakijima,	"	30.03	762.8	...	...	N E	2	...	"	29.99	761.8	...	...	N E	1	
Bonin Is.	"	29.85	758.1	...	...	W	1	...	"	30.01	762.1	...	...	...	0	
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	"	30.09	764.3	46	54	S W	1	o	9 a.	30.01	762.2	47	48	S S W	3	
Hankow,	"	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	
Shanghai,	"	30.16	766.0	51	59	N N E	1	o	9 a.	30.14	765.5	50	86	S E	1	
Gutzlaff,	"	30.14	765.5	50	86	N	2	cmd	"	30.13	765.3	52	79	S E	1	
Sharp Peak,	"	30.18	766.6	62	...	E	2	o	"	30.11	764.8	61	...	E	1	
Amoy,	"	30.16	766.0	65	78	E	2	o	6 a.	30.10	764.5	62	83	E N E	2	
Swatow,	"	30.05	763.2	67	89	E S E	1	b	"	...	...	...	...	...	...	
Taihoku,	1 p.	30.06	763.4	...	...	E	6	...	5 a.	30.04	762.9	...	...	...	0	
Taichu,	"	29.99	761.7	...	...	N	2	...	"	30.02	762.6	...	...	...	0	
Tainan,	"	30.02	762.5	...	...	N	4	...	"	30.04	762.9	...	...	N	6	
Koshun,	"	30.02	762.6	...	...	N	6	...	"	30.00	761.9	...	...	...	0	
Pescadores,	"	30.04	763.0	...	...	N	2	...	"	30.04	762.9	...	...	N	6	
Canton,	3 p.	30.04	763.0	63	89	N	2	o	9 a.	30.09	764.3	60	88	N	1	
Hongkong,	4 p.	30.02	762.5	70	85	E	1	o	10 a.	30.08	764.0	71	79	E	2	
Victoria Peak,	"	...	...	...	...	N E	1	...	"	...	...	...	...	E	2	
Gap Rock,	"	29.98	761.5	...	...	N E	3	...	"	30.04	763.0	...	...	E	4	
Macao,	"	30.01	762.2	71	...	E S E	1	of	"	30.07	763.8	66	...	N N W	1	
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Hoihow,	"	29.98	761.5	82	79	N E	1	o	"	...	...	...	...	...	...	
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	
Phulien,	4 p.	29.98	761.5	75	...	S E	4	c	8 a.	30.01	762.3	70	...	E S E	5	
Tourane,	"	29.96	761.0	77	...	S E	1	b	"	30.04	762.9	77	...	S W	1	
Cape St. James,	"	29.88	759.0	79	...	E N E	3	c	"	29.95	760.6	77	...	E N E	1	
Aparri,	2 p.	29.93	760.2	82	...	N E	2	b	6 a.	29.96	760.9	68	...	E	0	
Manila,	4 p.	29.88	759	84	64	...	0	c	10 a.	29.96	761	82	70	N W	1	
Legaspi,	2 p.	29.88	758.9	82	...	N E	2	o	6 a.	29.92	759.9	77	...	N E	2	
Bacolod,	3 p.	...	...	...	...	N	2	o	9 a.	...	...	...	...	N	2	
Iloilo,	"	29.85	758.2	82	...	S W	1	o	"	29.91	759.7	79	...	N	2	
Cebu,	"	29.84	757.9	83	...	E	1	o	"	29.92	759.9	81	...	E	...	
Labuan,	"	...	...	...	...	...	...	...	"	29.90	759.4	83	...	...	...	

On the 4th at 11.50 a.—The barometer has risen in Japan, and fallen over China, particularly in the North.

A depression is approaching Manchuria from the Westward, and a second area of low pressure appears to be situated over the Yangtze valley.

The highest pressure is shown over W. Japan.

Light or moderate monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and S.E. winds, moderate or light; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 4th December, 1911.

[Printed by Nohonha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th DECEMBER, 1911, P.M.								5th DECEMBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
divostock,...	2 p.	29.89	759.1	35	...	...	0	s	7 a.	29.75	755.5	28	69	N N E	0	o
uro,.....	,,	30.00	762.1	...	...	W N W	2	...	6 a.	30.04	763.1	...	...	S S W	1	...
rodate,.....	,,	30.03	762.7	...	...	W	1	...	,,	29.89	759.2	...	...	...	0	...
io, ...	,,	30.06	763.6	...	...	E	1	...	,,	30.06	763.6	...	...	N N W	1	...
hi, ...	,,	30.01	762.3	...	...	S S W	1	...	,,	30.09	764.3	...	...	S W	1	...
gasaki, ...	,,	30.09	764.3	...	...	W	1	...	,,	30.13	765.3	...	...	...	0	...
goshima, ...	,,	30.06	763.4	...	...	...	0	...	,,	30.12	764.9	...	...	N N E	1	...
ima	,,	30.02	762.6	...	...	.	0	...	,,	30.04	763.1	...	...	...	0	...
ha,.....	,,	29.97	761.2	...	...	S S W	2	...	,,	30.03	762.7	...	...	N N W	2	...
igakijima,....	,,	29.95	760.8	...	...	S	3	...	,,	30.01	762.3	...	...	N E	1	...
nin Is.....	,,	29.98	761.6	...	...	N N W	1	...	,,	30.08	764.1	...	...	...	0	...
efoo,.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ihaiwei,.....	,,	29.95	760.7	51	48	N N W	4	b	9 a.	30.19	766.8	40	56	N	6	cm
nkow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ukiang,.....	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
anghai, ...	,,	30.06	763.5	54	80	S	1	cm	9 a.	30.19	766.8	50	86	N	1	cm
tzlaff, ...	,,	30.05	763.2	54	94	S E	1	cmd	,,	30.16	766.0	50	93	N	3	cm
arp Peak,.....	,,	30.03	762.7	63	...	...	0	o	,,	30.11	764.8	62	...	...	0	o
noy,.....	,,	30.03	762.7	69	70	S E	2	b	6 a.	30.12	765.0	65	84	E N E	2	o
atow, ...	,,	29.99	761.7	70	80	E	1	b	,,	...	...	..	...	...	...	...
ihoku,.....	1 p.	30.00	762.0	...	...	W	2	...	5 a.	30.07	763.7	...	...	...	0	...
ichu, ...	,,	30.00	761.9	...	...	N W	2	...	,,	30.04	763.1	...	...	...	0	...
iman,.....	,,	30.00	761.9	...	...	N E	2	...	,,	30.03	762.8	...	...	N	4	...
oshun.....	,,	29.99	761.7	...	...	S W	2	...	,,	30.02	762.4	...	...	...	0	...
scadores, ...	,,	30.01	762.3	..	...	N	6	...	,,	30.03	762.7	...	...	N	6	...
nton,.....	3 p.	29.96	761.0	65	89	N	1	o	9 a.	30.04	763.0	66	95	..	0	c
ongkong, ...	4 p.	29.96	761.0	71	80	E	2	c	10 a.	30.08	764.0	71	80	E	3	b
ctoria Peak,...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E S E	1	...
p Rook,.....	,,	29.92	759.9	...	...	E N E	4	...	,,	30.03	762.7	...	...	E	5	...
acao, ...	,,	29.95	760.7	73	...	N W	1	c	,,	30.05	763.2	73	...	E	2	c
uchow,.....	3 p.	29.99	761.7	61	...	N	...	o	9 a.	...	...	...	...	...	...	...
oihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
khoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hulien, ...	4 p.	29.88	758.9	72	...	S E	6	c	8 a.	29.99	761.8	73	...	S E	5	o
ourane, ...	,,	29.89	759.1	84	...	S E	2	b	,,	29.97	761.3	77	...	S	3	b
ape St. James,.	,,	29.85	758.3	79	...	E	5	o	,,	29.94	760.5	75	...	E N E	4	o
Tri, ...	2 p.	29.90	759.5	84	...	N E	2	b	6 a.	29.96	760.9	70	...	E	0	b
anila, ...	4 p.	29.84	758	82	70	...	0	o	10 a.	29.92	760	82	77	W N W	1	c
egaspi, ...	2 p.	29.86	758.4	90	...	E	2	b	6 a.	29.91	759.7	73	...	...	0	b
aoolod, ...	3 p.	...	...	...	...	N	1	c	9 a.	...	...	...	...	N	1	c
oilo, ...	,,	29.79	756.6	84	...	N	1	b	,,	29.87	758.7	81	...	N E	2	c
ebu, ...	,,	29.83	757.7	84	...	N	1	c	,,	29.91	759.7	84	...	N	1	c
abuan, ...	,,	29.81	757.2	86	...	...	...	...	,,	29.88	758.9	84	...	...	...	...

On the 5th at 12.05 p.—The depression lying over Manchuria yesterday, has reached the N.E. part of the Sea of Japan.

Pressure has increased moderately and is now highest over N. China. It remains low over S.W. China and Tongking.

Moderate monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood, ...	E. winds, moderate or fresh; fair.
—Formosa Channel, ...	N.E. winds, moderate.
—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
—South coast of China between Hongkong and Hainan,...	E. and S.E. winds, moderate or fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 5th December, 1911.

[Printed by [redacted] & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th December, 1911, P.M.									6th December, 1911, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.			
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	2 p.	29.70	754.3	38	...	N W	2	o		7 a.	30.04	762.1	13	53	W N W	3		
Nemuro,	,,	29.85	758.1	...	...	S E	5	...		6 a.	29.47	748.6	...	...	W S W	4		
Hakodate,	,,	29.67	753.7	...	...	S W	3	...		,,	29.73	755.2	...	...	W N W	1		
Tokio,	,,	29.89	759.1	...	...	E N E	1	...		,,	29.75	755.6	...	...	...	0		
Kochi,	,,	29.99	761.8	...	...	S E	1	...		,,	30.01	762.3	...	...	E	1		
Nagasaki,	,,	30.07	763.8	...	...	S S E	2	...		,,	30.19	766.8	...	...	N	3		
Kagoshima,	,,	30.06	763.4	...	...	N W	2	...		,,	30.10	764.4	...	...	N N W	4		
Oshima,	,,	30.00	762.1	...	...	S E	1	...		,,	30.02	762.6	...	...	N	6		
Naha,	,,	29.99	761.7	...	...	N W	1	...		,,	30.05	763.2	...	...	N W	4		
Ishigakijima,	,,	29.99	761.8	...	...	S E	2	...		,,	30.07	763.8	...	...	N	3		
Bonin Is.	,,	30.02	762.6	...	...	S	1	...		,,	30.02	762.6	...	...	...	0		
Chefoo,	3 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...		
Weihaiwei,	,,	30.26	768.6	32	68	W N W	7	c		9 a.	30.46	773.7	33	50	N N W	2		
Hankow,	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...		
Kiukiang,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...		
Shanghai,	,,	30.21	767.3	51	79	N	2	od		9 a.	30.44	773.2	40	74	N N W	2		
Gutzlaff,	,,	30.12	765.0	52	86	N	4	cm		,,	30.36	771.1	44	68	N	4		
Sharp Peak,	,,	30.10	764.5	64	...	N E	1	o		,,	30.27	768.8	61	...	N	4		
Amoy,	,,	30.05	763.2	67	79	E	1	o		6 a.	30.17	766.3	62	77	E	6		
Swatow,	,,	30.02	762.5	67	89	...	0	o		,,	...	...	...	...	...	...		
Taihoku,	1 p.	30.02	762.6	...	...	...	0	...		5 a.	30.17	766.3	...	...	E	6		
Taichu,	,,	29.98	761.4	...	...	W	2	...		,,	30.08	764.1	...	...	...	0		
Tainan,	,,	30.01	762.2	...	...	N W	4	...		,,	30.08	764.0	...	...	N E	4		
Koshun	,,	29.99	761.7	...	...	N W	4	...		,,	30.04	763.1	...	...	...	0		
Pescadores,	,,	30.02	762.4	...	...	N	4	...		,,	30.08	763.9	...	...	N E	6		
Canton,	3 p.	29.94	760.5	70	90	E N E	1	c		9 a.	30.12	765.0	61	94	N	2		
Hongkong,	4 p.	29.97	761.2	70	80	E	3	b		10 a.	30.12	765.0	63	84	E	4		
Victoria Peak,	,,	...	...	...	...	E	2	...		,,	...	...	...	...	E	3		
Gap Rock,	,,	29.91	759.7	...	...	E	5	...		,,	30.06	763.5	...	...	E N E	5		
Macao,	,,	29.94	760.6	72	...	E	3	c		,,	30.09	764.3	71	...	E	1		
Wuchow,	3 p.	...	...	...	...	...	...	...		9 a.	...	...	...	...	...	...		
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...		
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...		
Phulien,	4 p.	29.90	759.5	75	...	S S E	6	c		8 a.	30.02	762.5	72	...	E	4		
Tourane,	,,	29.89	759.3	77	...	S E	3	b		,,	29.95	760.6	77	...	S W	2		
Cape St. James,	,,	29.87	758.7	77	...	E N E	3	o		,,	29.95	760.6	79	...	N E	4		
Aparri,	2 p.	29.90	759.5	82	...	N E	2	b		6 a.	29.95	760.8	72	...	E	0		
Manila,	4 p.	29.84	758	82	77	...	0	o		10 a.	29.92	760	82	70	...	...		
Legaspi,	2 p.	29.85	758.2	88	...	N E	2	c		6 a.	29.88	758.8	77	...	N E	2		
Bacolod,	3 p.	...	...	...	...	N	2	o		9 a.	...	...	...	...	N	1		
Iloilo,	,,	29.86	758.2	83	...	N	1	o		,,	29.87	758.7	80	...	N	1		
Cebu,	,,	29.82	757.4	84	...	E	1	o		,,	29.86	758.2	82	...	E	1		
Labuan,	,,	29.78	756.4	87	...	...	...	...		,,	29.88	758.9	84	...	...	...		

On the 6th at 11.45 a.—The barometer has fallen quickly in E. Japan, and risen over China, particularly in th North.

The depression lying over the N.E. part of the Sea of Japan yesterday, is moving into the Pacific to the Nort of Hokkaido.

Pressure is inclined to give way over the Southern Philippines, owing, apparently, to the existence of a low are to the Eastward.

A high pressure area is spreading over China from the N.W., and the monsoon is expected to freshen consider ably over S. China and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 6th December, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th DECEMBER, 1911, P.M.								7th DECEMBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ivestock,...	2 p.	29.99	761.8	21	...	W N W	1	b	7 a.	30.13	765.3	13	47	N N E	0	b
ure, ...	,,	...	...	...	...	...	...	...	6 a.	29.55	750.6	...	...	W	6	...
dale, ...	,,	...	...	...	...	...	...	...	,,	29 9	759.2	...	...	W N W	5	...
o, ...	,,	..	...	...	...	...	...	...	,,	30.06	763.6	...	...	N W	1	...
i, ...	,,	...	...	...	...	...	...	...	,,	30.17	766.3	...	...	S	1	...
saki, ...	,,	...	...	...	...	...	...	...	,,	30.24	768.3	...	...	...	0	...
oshima, ...	,,	...	...	...	...	...	...	...	,,	30.19	766.9	...	...	...	0	...
ma, ...	,,	...	...	...	...	...	...	...	,,	30.14	765.6	...	...	N	1	...
s,.....	,,	...	...	...	...	...	...	...	,,	30.11	764.7	...	...	N N E	2	...
gakijima, ...	,,	...	...	...	...	...	...	...	,,	30.01	762.3	...	...	N E	3	...
n Is.....	,,	...	...	...	...	...	...	...	,,	30.01	762.1	...	...	W	4	...
oo, ...	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	...
haiwei,.....	,,	30.33	770.4	35	70	W N W	2	o	9 a.	30.31	769.9	34	69	S S W	1	o
kow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang,.....	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ghai, ...	,,	30.32	770.1	42	66	N N W	1	o	9 a	...	...	...	...	...	...	...
laff, ...	,,	30.28	769.1	46	69	N	2	ov	,,	...	..	...	...	...	...	...
p Peak,.....	,,	30.18	766.6	57	...	N	4	o	,,	30.26	768.6	57	...	E N E	2	o
y,.....	,,	30.14	765.5	63	67	E N E	5	o	6 a.	30.16	766.0	59	76	E N E	4	o
tow, ...	,,	30.07	763.8	65	78	E	4	o	,,	...	...	..	...	...	...	...
hoku,.....	1 p.	30.13	765.2	...	...	E	8	...	6 a.	30.12	764 9	...	...	E	6	...
hu, ...	,,	30.01	762.2	...	...	N	6	...	,,	30.08	764.0	...	...	...	0	...
an,.....	,,	30.03	762.7	...	...	N	6	...	,,	30.06	763.4	...	...	N	4	...
hun.....	,,	30.01	762.2	...	...	N E	6	...	,,	30.01	762.2	...	...	N E	10	...
cadores, ...	,,	30.07	763.8	..	...	N E	10	...	,,	30.08	764.0	...	...	N E	10	...
ton,.....	3 p.	30.04	763.0	61	88	N	2	o	9 a.	...	..	...	...	...	...	...
gkong, ...	4 p.	30.01	762.2	68	81	E	3	o	10 a.	30.15	765.8	69	76	E	3	o
oria Peak,...	,,	...	...	...	...	E	1	...	,,	...	.	...	...	E N E	2	...
Rock,.....	,,	29.97	761.2	...	...	E N E	5	...	,,	30.09	764.3	...	...	E N E	5	...
ao, ...	,,	30.00	762.0	69	...	E	1	o	,,	30.13	765.3	64	...	E	1	o
how,.....	3 p.	30.09	765.5	59	...	N	1	o	9 a.	...	...	...	...	...	...	...
how, ...	,,	29.95	760.7	80	96	E	2	c	,,	...	...	...	...	...	...	..
hoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
lien, ...	4 p.	29.94	760.4	75	...	S E	5	b	8 a.	30.07	763.8	68	...	E	3	o
rane, ...	,,	29.93	760.1	75	...	E	2	c	,,	30.02	762.6	75	...	N E	3	or
e St. James,.	,,	29.83	757.7	77	...	E N E	5	c	,,	29.95	760.7	79	...	E N E	4	c
rri, ...	2 p.	29.89	759.3	81	...	N E	2	b	6 a.	29.95	760.8	75	...	E	2	c
ila, ...	4 p.	29.84	758	82	63	...	0	o	10 a.	29.88	759	82	57	N N E	1	o
aspi, ...	2 p.	29.80	756.9	86	...	N E	2	b	6 a	29.80	756.8	79	...	N	2	o
olod, ...	3 p.	...	...	...	...	N	1	o	9 a.	...	...	...	...	N	1	o
lo, ...	,,	29.77	756.1	81	...	N E	1	or	,,	29.85	758.2	79	...	N	1	o
n, ...	,,	29.82	757.7	85	...	N	1	c	,,	29.88	758.9	80	...	N	1	...
uan, ...	,,	29.79	756.6	86	...	...	...	...	,,	29.90	759.4	82	...	...	...	...

On the 7th at 13.15 p.—The depression over the Pacific to the S E. of Luzon appears to be moving in a Westerly rection at present.

The Northern depression is still shown over the Pacific to the N.E. of Japan.

Pressure has increased over Japan, while it has fallen again in N. China. The high area appears to have shifted astwards to the Yellow Sea.

Strong monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day. 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Formoast District.

Hongkong and Neighbourhood, ...	N.E. and E. winds, fresh; fine.
Formosa Channel, ...	N.E. winds, strong.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 7th December, 1911.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th DECEMBER, 1911, P.M.								8th DECEMBER, 1911, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	30.11	764.8	26	...	N N E	0	b	7 a.	30.25	768.2	15	66	N W	2
Nemuro,	,,	29.57	751.1	...	...	W	6	...	6 a.	29.79	756.6	...	...	...	...
Hakodate,	,,	29.95	760.7	...	...	W	4	...	,,	30.11	764.7	...	...	N W	5
Tokio,	,,	30.04	763.1	...	...	...	0	...	,,	30.12	765.1	...	...	N N W	1
Kochi,	,,	30.15	765.8	...	...	...	0	...	,,	30.23	767.8	...	...	S W	2
Nagasaki,	,,	30.23	767.8	...	...	N N W	2	...	,,	30.27	768.8	...	...	N W	1
Kagoshima,	,,	30.17	766.4	...	...	N N W	1	...	,,	30.21	767.4	...	...	N E	1
Oshima,	,,	30.16	766.1	...	...	N	3	...	,,	30.18	766.6	...	...	S	1
Naha,	,,	30.11	764.7	...	...	N N E	7	...	,,	30.13	765.2	...	...	N E	1
Ishigakijima,	,,	30.07	763.8	...	...	N E	6	...	,,	30.07	763.8	...	...	N E	3
Bonin Is.	,,	30.02	762.6	...	...	N	1	...	,,	30.14	765.6	...	...	N	1
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	30.26	768.6	36	61	S W	3	o	9 a.	30.38	771.6	42	50	N	3
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	30.24	768.1	49	85	E N E	1	od	9 a.	30.32	770.1	47	100	N E	2
Gutzlaff,	,,	30.22	767.6	51	86	N E	2	ov	,,	30.26	768.6	49	100	N E	5
Sharp Peak,	,,	30.13	765.3	59	...	N	2	o	,,	30.17	766.3	62	...	N	1
Amoy,	,,	30.10	764.5	72	81	E S E	3	b	6 a.	30.12	765.0	65	84	N	2
Swatow,	,,	30.09	764.3	68	79	E	2	b	,,	...	...	...	...	...	...
Taihoku,	1 p.	30.07	763.7	...	...	E	8	...	5 a.	30.06	763.4	...	...	E	6
Taichu,	,,	30.03	762.7	...	...	N E	8	...	,,	30.05	763.3	...	...	...	0
Tainan,	,,	30.04	763.1	...	...	N	6	...	,,	30.05	763.3	...	...	E	2
Koshun	,,	30.04	762.9	...	...	...	0	...	,,	30.03	762.7	...	...	N	6
Pescadores,	,,	30.07	763.7	..	...	N E	8	...	,,	30.04	763.1	...	...	N	6
Canton,	3 p.	30.06	763.5	63	83	N W	1	o	9 a.	30.15	765.8	62	[illegible]	N	1
Hongkong,	4 p.	30.05	763.2	68	72	E	3	b	10 a.	30.14	765.5	70	68	E	2
Victoria Peak,	,,	...	...	...	...	E N E	3	...	,,	...	...	...	...	E	3
Gap Rock,	,,	30.01	762.2	...	...	E N E	5	...	,,	30.10	764.5	...	...	E N E	4
Macao,	,,	30.04	763.1	70	...	E	1	c	,,	...	...	...	...	...	...
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.98	761.6	72	...	S E	4	c	8 a.	30.10	764.4	72	...	E	3
Tourane,	,,	29.96	760.9	75	...	E	2	c	,,	30.07	763.8	75	...	E	2
Cape St. James,	,,	29.87	758.6	77	...	E	5	o	,,	29.97	761.2	77	...	E N E	1
Aparri,	2 p.	29.90	759.5	81	...	N E	2	o	6 a.	29.82	757.3	75	...	N E	4
Manila,	4 p.	29.80	757	82	57	W N W	1	o	10 a.	29.80	757	82	70	...	0
Legaspi,	2 p.	29.74	755.5	75	...	S W	2	o	6 a.	29.83	757.7	73	...	S W	2
Bacolod,	3 p.	...	...	...	...	N	1	o	9 a.	...	...	...	...	N	1
Iloilo,	,,	29.77	756.1	83	...	N	1	c	,,	29.87	758.7	80	...	N	1
Cebu,	,,	29.78	756.4	84	...	...	0	c	,,	29.87	758.7	85	...	W	1
Labuan,	,,	29.81	757.2	88	...	...	...	...	,,	29.94	760.5	82	...	...	...

On the 8th at 11.55 a.—The typhoon, which appears to be moving towards N.W., is approaching the E. coast Luzon to the N.E of Manila.

Pressure has increased over Japan and given way slightly on the E. coast of China. It is highest over N. Chi Strong winds to gales from N. and N.E. may be expected over the N.E. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamooks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 8th December, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th December, 1911, P.M.								9th December, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
divestock,	2 p.	30.22	767.5	19	...	N N W	1	o	7 a.	30.30	769.6	8	64	N W	0	b
uro,	,,	29.81	757.1	...	...	N W	4	...	6 a.	29.79	756.6	...	...	W	4	...
kodate,	,,	30.03	762.7	...	...	W	2	...	,,	30.01	762.2	...	...	N W	4	...
io,	,,	30.06	763.6	...	...	...	0	...	,,	30.02	762.6	...	...	...	0	...
hi,	,,	30.17	766.3	...	...	S W	1	...	,,	30.17	766.3	...	...	S W	1	...
asaki,	,,	30.23	767.8	...	...	N	2	...	,,	30.23	767.8	...	...	N E	1	...
goshima,	,,	30.17	766.4	...	...	N N W	1	...	,,	30.19	766.9	...	...	N	2	...
ima,	,,	30.12	765.1	...	...	N N E	2	...	,,	30.10	764.6	...	...	N E	1	...
ha,	,,	30.09	764.2	...	...	E N E	3	...	,,	30.07	763.7	...	...	N E	1	...
igakijima,	,,	30.03	762.8	...	...	E N E	6	...	,,	30.01	762.3	...	...	N E	1	..
in Is.	,,	30.10	764.6	...	...	E	1	...	,,	30.10	764.6	...	...	N E	1	...
efoo,	8 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ihaiwei,	,,	30.38	771.6	41	49	N	1	b	9 a.	30.48	774.2	35	70	N	4.	b
nkow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
nkiang,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
anghai,	,,	30.28	769.1	48	93	N E	2	or	9 a.	30.43	772.9	47	85	N E	1	or
tsaff,	,,	30.22	767.6	49	100	N N E	5	omd	,,	30.33	770.4	48	100	N N E	5	omd
arp Peak,	,,	30.08	764.0	66	...	N N E	2	o	,,	30.17	766.3	62	...	N N E	4	o
oy,	,,	30.02	762.5	73	63	S	2	b	6 a.	30.09	764.3	64	84	E N E	2	b
atow,	,,	30.01	762.2	74	68	N E	1	b	,,	30.01	762.2	62	83	N W	1	b
ihoku,	1 p.	30.01	762.3	...	...	E	2	...	5 a.	30.05	763.3	...	...	E	2	...
ichu,	,,	29.98	761.4	...	...	N	6	...	,,	29.98	761.5	...	...	N	4	...
inan,	,,	30.00	762.0	...	...	N	6	...	,,	29.98	761.5	...	...	N	6	...
oshun	,,	29.98	761.4	...	...	N E	6	...	,,	29.95	760.7	...	...	N	6	...
scadores,	,,	30.02	762.4	..	...	N	8	...	,,	30.01	762.3	...	...	N	8	...
nton,	3 p.	30.05	763.2	67	79	N	1	b	9 a.	...	...	...	...	...	...	...
ongkong,	4 p.	30.02	762.5	72	70	N W	2	c	10 a.	30.11	764.8	67	65	S E	1	o
ctoria Peak,	,,	...	...	...	...	W	2	...	,,	...	...	...	...	N W	2	...
p Rock,	,,	30.01	762.2	...	...	N N E	3	...	,,	30.08	764.0	...	...	N N W	5	...
cao,	,,	30.02	762.6	70	...	E	1	c	,,	30.12	765.0	61	...	N N W	2	o
uchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
oihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
khoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ulien,	4 p.	30.00	761.9	72	...	S S E	5	o	8 a.	30.13	765.2	66	...	E N E	5	c
urane,	,,	29.98	761.6	76	...	E	3	c	,,	30.08	764.0	77	...	E N E	1	o
pe St. James,	,,	29.91	759.6	77	...	E N E	4	c	,,	29.97	761.2	77	...	E N E	1	o
parri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
anila,	4 p.	29.76	756	81	85	S W	3	q	10 a.	29.84	758	84	77	S S W	2	c
gaspi,	2 p.	29.80	756.8	86	...	W	2	c	6 a.	29.86	758.5	70	...	...	0	b
colod,	3 p.	...	...	...	...	N	1	b	9 a.	...	...	...	...	N	1	b
oilo,	,,	29.77	756.1	83	...	S W	2	b	,,	29.87	758.7	79	...	N	1	b
bu,	,,	29.83	757.7	86	...	S	1	c	,,	29.91	759.7	84	...	...	0	b
buan,	,,	29.84	757.9	86	...	...	...	...	,,	29.93	760.2	82	...	...	...	...

On the 9th at 12.10 p.—The typhoon appears to be situated near the North coast of Luzon, and to be moving Northwards.

Pressure has increased a little in S. Luzon, and given way slightly over Formosa and the Loochoos.

An anticyclonic area now covers N. China with the barometer rising on the N.E. coast.

Rough weather may be expected in the Formosa Channel and the N.E. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood,	N. winds, fresh to strong; fine, equally.
—Formosa Channel,	N.E. gale.
—South coast of China between Hongkong and Lamooks,	Same as No. 1.
—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 9th December, 1911.

[Printed by Nerozza & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th DECEMBER, 1911, P.M.								10th DECEMBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivestook,	2 p.	30.22	767.7	16	...	N N E	1	b	7 a.	30.39	769.4	10	63	N N W	1	
Nemuro,	,,	29.71	754.6	...	...	N W	4	...	6 a.	29.75	755.6	...	...	W	6	
Hakodate,	,,	29.97	761.2	...	...	W	4	...	,,	30.03	762.7	...	...	W	4	
Tokio,	,,	30.00	762.1	...	...	N E	1	...	,,	30.10	764.6	...	...	N N W	1	
Kochi,	,,	30.07	763.8	...	...	N W	1	...	,,	30.19	766.8	...	...	...	0	
Nagasaki,	,,	30.21	767.3	...	...	N N E	6	...	,,	30.27	768.8	...	...	N N E	1	
Kagoshima,	,,	30.16	765.9	...	...	N W	1	...	,,	30.25	768.4	...	...	N N W	1	
Oshima,	,,	30.06	763.6	...	...	N N E	2	...	,,	30.16	766.1	...	...	N N E	4	
Naha,	,,	30.03	762.7	...	...	E S E	1	...	,,	30.04	763.2	...	...	N	5	
Ishigakijima,	,,	29.97	761.3	...	...	N E	3	...	,,	29.97	761.3	...	...	N E	7	
Bonin Is.	,,	30.00	762.1	...	...	N E	1	...	,,	30.04	763.1	...	...	...	0	
Chefoo,	8 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	30.46	773.4	33	69	N	4	c	9 a.	30.45	773.4	36	61	W S W	2	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Shanghai,	,,	30.38	771.6	47	63	N E	3	cm	9 a.	30.45	773.4	44	60	N	1	
Gutzlaff,	,,	30.31	769.9	48	78	N N E	6	ov	,,	30.38	771.6	46	...	N	4	
Sharp Peak,	,,	30.13	765.3	63	...	N N E	4	o	,,	30.25	768.3	59	...	N N W	4	
Amoy,	,,	30.03	762.7	69	70	E	2	c	6 a.	30.13	765.3	62	72	N E	6	
Swatow,	,,	30.01	762.2	73	72	N E	1	b	,,	...	...	...	...	...	...	
Taihoku,	1 p.	30.06	763.5	...	...	S E	6	...	5 a.	30.16	766.0	...	...	E	6	
Taichu,	,,	29.92	760.0	...	...	N	6	...	,,	29.98	761.4	...	...	N	6	
Tainan,	,,	29.93	760.1	...	...	N	6	...	,,	29.96	760.9	...	...	N	6	
Keshun,	,,	29.89	759.3	...	...	N E	8	...	,,	29.89	759.2	...	...	N E	10	
Pescadores,	,,	29.97	761.3	..	...	N E	10	...	,,	30.00	762.0	...	...	N E	10	
Canton,	8 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Hongkong,	4 p.	30.03	762.7	68	57	N	2	b	10 a.	30.17	766.3	62	67	N	1	
Victoria Peak,	,,	...	...	...	...	N W	4	...	,,	...	...	...	...	N W	1	
Gap Rock,	,,	29.98	761.5	...	...	N N W	7	...	,,	30.13	765.3	...	...	N N W	4	
Macao,	,,	30.04	763.1	64	...	N	2	c	,,	...	...	...	...	...	...	
Wuchow,	8 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	30.07	763.7	64	...	E	2	o	8 a.	30.21	767.4	55	...	N E	3	
Tourane,	,,	29.98	761.6	75	...	E	1	c	,,	30.07	763.8	73	...	E	3	
Cape St. James,	,,	29.89	759.1	79	...	E N E	2	c	,,	29.97	761.2	77	...	E N E	1	
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.69	754.2	73	...	W	2	
Manila,	4 p.	29.76	756	82	77	S W	1	o	10 a.	29.84	758	84	77	S W	1	
Legaspi,	2 p.	29.79	756.6	90	...	S W	2	b	6 a.	29.84	758.0	73	...	S W	2	
Bacolod,	8 p.	...	...	...	...	N	1	c	9 a.	...	...	...	...	N	1	
Iloilo,	,,	29.77	756.1	83	...	N	1	o	,,	29.85	758.2	80	...	S	1	
Cebu,	,,	29.79	756.6	86	...	S	1	c	,,	29.86	758.4	86	...	...	0	
Labuan,	,,	29.82	757.4	86	...	...	...	...	,,	..	...	...	...	...	...	

On the 10th at 11.55 a.—The typhoon has recurved towards N.E. It is now situated a little to the Eastward of the Balingtang Channel.

Pressure has given way slightly over S. Formosa and the Southern Loochoos, and increased a little over S. China.

The anticyclonic area remains over China to the North of the Yangtze valley, and pressure is still low over the Pacific to the N E. of Japan.

Strong monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fair.
2.—Formosa Channel,	N.E. gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 10th December, 1911.

[Printed by Nemenza & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th DECEMBER, 1911, P.M.								11th DECEMBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
divestock,...	2 p.	30.20	767.1	19	...	N N W	0	c	7 a.	30.36	771.2	1	64	N N E	4	b
nuro, ...	,,	29.73	756.1	...	...	W	1	...	6 a.	29.85	758.1	...	...	W S W	4	...
kodate, ...	,,	30.01	762.2	...	...	W N W	4	...	,,	29.97	761.2	...	...	W	5	...
kio, ...	,,	30.06	763.6	...	...	N	2	...	,,	30.22	767.6	...	...	N W	1	...
chi, ...	,,	30.11	764.8	...	...	N N W	2	...	,,	30.19	766.8	...	...	S W	1	...
gasaki, ...	,,	30.21	767.3	...	...	N	2	...	,,	30.23	767.8	...	...	N	1	...
goshima, ...	,,	30.17	766.4	...	...	N N W	2	...	,,	30.17	766.4	...	...	N	3	...
hima, ...	,,	30.10	764.6	...	...	N	4	...	,,	30.12	765.1	...	...	E N E	2	...
ha, ...	,,	30.01	762.2	...	...	N N E	6	...	,,	30.05	763.2	...	...	N N E	6	...
higakijima, ...	,,	29.95	760.8	...	...	N E	7	...	,,	30.05	763.3	...	...	N E	3	..
nin Is.....	,,	29.96	761.1	...	...	...	0	...	,,	29.95	760.6	...	...	E N E	1	...
efoo, ...	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ihaiwei, ...	,,	30.38	771.6	39	46	N	3	b	9 a.	30.42	772.6	41	41	N N E	1	b
nkow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ukiang, ...	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
anghai, ...	,,	30.35	770.9	45	69	N N E	2	o	9 a.	30.42	772.6	48	56	N E	1	cm
tzlaff, ...	,,	30.27	768.8	47	63	N	5	ov	,,	30.37	771.4	46	77	N	2	cv
arp Peak, ...	,,	30.18	766.6	..	...	N N E	4	...	,,	30.27	768.8	61	...	N	2	o
moy, ...	,,	30.11	764.8	66	68	E N E	2	c	6 a.	30.15	765.8	59	76	N E	2	b
watow, ...	,,	30.06	763.5	66	64	N N E	2	o	,,	...	...	...	...	...	...	...
aihoku, ...	1 p.	30.10	764.6	...	...	E	6	...	5 a.	30.21	767.2	...	...	S	2	...
aiohu, ...	,,	29.89	759.1	...	...	N	6	...	,,	30.08	764.0	...	...	N	6	...
ainan, ...	,,	29.94	760.6	...	...	N	6	...	,,	30.05	763.3	...	...	N	8	...
ochun.....	,,	29.91	759.7	...	...	N E	10	...	,,	30.00	761.9	...	...	N E	8	...
escadores, ...	,,	29.98	761.6	..	...	N E	10	...	,,	30.07	763.8	...	...	N	10	...
anton, ...	3 p.	30.13	765.3	57	...	N	2	o	9 a.	30.25	768.3	51	72	N	2	b
ongkong, ...	4 p.	30.07	763.8	63	64	W N W	2	c	10 a.	30.19	766.8	61	65	N	1	o
ictoria Peak, ...	,,	...	...	...	...	W N W	6	...	,,	...	...	...	...	E N E	1	...
ep Rock, ...	,,	30.04	763.0	...	...	N N W	5	...	,,	30.18	766.6	...	...	N E	4	...
acao, ...	,,	30.08	764.1	63	...	N N W	1	o	,,	30.20	767.0	55	...	N N W	2	o
Yuchow, ...	3 p.	30.10	764.5	58	...	N	2	o	9 a.	...	...	...	...	...	...	...
oihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
akhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hulien, ...	4 p.	30.13	765.2	63	...	W N W	0	o	8 a.	30.24	768.0	61	...	E N E	2	b
ourane, ...	,,	30.08	764.1	73	...	E	2	o	,,	30.10	764.6	72	...	E N E	6	dh
ape St. James, .	,,	29.88	759.0	77	...	E N E	3	c	,,	29.95	760.8	77	...	E N E	2	b
parri, ...	2 p.	29.70	754.5	75	...	W	2	o	6 a.	29.84	758.0	73	...	N	6	d
anila, ...	4 p.	29.72	755	82	85	S W	3	c	10 a.	29.88	759	84	71	N W	1	o
egaspi, ...	2 p.	29.77	756.2	90	...	E	2	b	6 a.	29.84	757.8	73	...	...	0	b
acolod, ...	3 p.	...	...	...	...	N	1	o	9 a.	...	...	...	...	N	1	b
oilo, ...	,,	29.75	755.6	82	...	S	1	b	,,	29.87	758.7	81	...	N	1	o
ebu, ...	,,	29.78	756.4	86	...	E	1	b	,,	29.91	759.7	83	...	...	0	...
abuan, ...	,,	...	...	...	...	...	...	...	,,	29.87	758.7	84	...	...	...	...

On the 11th at 11.55 a.—The barometer has risen moderately over Formosa and Luzon, and fallen slightly over the Loochoos and the Bonins.

The typhoon lying to the Eastward of the Balingtang Channel yesterday, has moved away Eastwards.

The anticyclonic area remains over N. China, and pressure is still low over the Pacific to the N E. of Japan.

Strong monsoon will continue to prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
.—Hongkong and Neighbourhood, ...	N. winds, fresh to moderate; fair.
.—Formosa Channel, ...	N.E. winds, strong.
—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 11th December, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th DECEMBER, 1911, P.M.								12th DECEMBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.31	769.8	7	...	...	3	b	7 a.	30.37	771.3	1	79	NNE	3	b
Nemuro,	,,	29.87	758.6	...	...	WNW	4	...	6 a.	30.06	763.6	...	...	NE	1	...
Hakodate,	,,	30.09	764.2	...	...	WNW	3	...	,,	30.07	763.7	...	...	W	4	...
Tokio,	,,	30.06	763.6	...	...	NNW	1	...	,,	30.16	766.1	...	...	W	1	...
Kochi,	,,	30.11	764.8	...	...	NNW	2	...	,,	30.29	769.3	...	...	SW	1	...
Nagasaki,	,,	30.23	767.8	...	...	NNE	3	...	,,	30.39	771.8	...	...	NNE	3	...
Kagoshima,	,,	30.17	766.4	...	...	N	3	...	,,	30.35	770.9	...	...	N	1	...
Oshima,	,,	30.14	765.6	...	...	N	2	...	,,	30.28	769.1	...	...	NNE	4	...
Naha,	,,	30.11	764.7	...	...	NNE	4	...	,,	30.23	767.7	...	...	NE	2	...
Ishigakijima,	,,	30.07	763.8	...	...	NE	6	...	,,	30.17	766.3	...	...	NNW	4	...
Bonin Is.	,,	29.87	758.6	...	...	NE	1	...	,,	30.04	763.1	...	...	NE	2	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.39	771.9	41	25	NNE	2	b	9 a.	30.53	775.4	33	90	NE	6	ca
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.37	771.4	49	57	NE	1	c	9 a.	30.41	772.4	52	66	ENE	2	c
Gutzlaff,	,,	30.30	769.6	50	65	NNE	2	cv	,,	30.37	771.4	51	79	E	3	cv
Sharp Peak,	,,	30.19	766.8	61	...	N	2	o	,,	30.32	770.1	58	...	NNW	2	o
Amoy,	,,	30.11	764.8	62	56	NNE	4	b	6 a.	30.20	767.1	61	71	NE	5	c
Swatow,	,,	30.11	764.8	66	68	E	1	b	,,	30.20	767.1	58	70	N	1	c
Taihoku,	1 p.	30.10	764.6	...	...	E	8	...	6 a.	30.20	767.1	...	...	E	6	...
Taichu,	,,	29.93	760.2	...	...	N	6	...	,,	30.08	763.9	...	...	...	0	...
Tainan,	,,	29.99	761.8	...	...	N	2	...	,,	30.09	764.3	...	...	N	2	...
Koshun	,,	29.97	761.2	...	...	NE	10	...	,,	30.02	762.6	...	...	NE	10	...
Pescadores,	,,	30.00	762.1	..	...	N	10	...	,,	30.10	764.4	...	...	NE	10	...
Canton,	3 p.	30.11	764.8	59	59	N	2	o	9 a.	30.26	768.6	52	79	N	2	b
Hongkong,	4 p.	30.09	764.3	65	56	ESE	1	c	10 a.	30.21	767.3	63	59	ENE	1	o
Victoria Peak,	,,	...	...	...	...	NNW	1	...	,,	...	...	...	...	ENE	3	...
Gap Rock,	,,	30.07	763.8	...	...	N	5	...	,,	30.19	766.8	...	...	NE	4	...
Macao,	,,	30.09	764.3	59	...	N	1	c	,,	30.22	767.6	59	...	N	1	c
Wuchow,	3 p.	30.12	765.0	62	56	S	1	b	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.07	763.7	66	...	S	2	b	8 a.	30.21	767.4	61	...	ENE	4	o
Tourane,	,,	30.01	762.2	72	...	ENE	3	f	,,	30.09	764.2	72	...	E	4	or
Cape St. James,	,,	29.87	758.6	79	...	ENE	1	c	,,	29.95	760.7	75	...	ENE	2	o
Aparri,	2 p.	29.84	757.9	73	...	NE	4	d	6 a.	29.95	760.6	73	...	E	0	p
Manila,	4 p.	29.76	756	86	65	W	0	b	10 a.	29.96	761	81	85	...	0	o
Legaspi,	2 p.	29.80	756.9	86	...	E	2	c	6 a.	29.90	759.4	79	...	NE	2	c
Bacolod,	3 p.	...	...	...	...	N	2	b	9 a.	...	...	...	...	N	1	b
Iloilo,	,,	29.74	755.4	86	...	NE	1	c	,,	29.91	759.7	82	...	N	1	b
Cebu,	,,	29.79	756.6	86	...	E	1	c	,,	29.91	759.7	84	...	E	1	c
Labuan,	,,	29.76	755.9	87	...	...	...	...	,,	29.87	758.7	83	...	...	...	...

On the 12th at 11.55 a.—Pressure has increased over Japan, the Loochoos and the Philippines.

The depressions noticed yesterday have disappeared, and the anticyclonic area, which is central over N. China, is spreading Eastwards over Japan.

Pressure is relatively low over the S. part of the China Sea.

Strong monsoon will continue to prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 12th December, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th December, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	13th December, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	2 p.	30.31	769.8	10	...	N N E	2	b	7 a.	30.37	771.3	5	67	N N E	3	b
Gensan,	,,	29.96	761.1	...	...	E S E	2	...	6 a.	29.79	756.6	...	...	W	3	...
Hakodate,	,,	30.03	762.7	...	...	W	4	...	,,	30.07	763.7	...	...	N W	3	...
Tokio,	,,	30.08	764.1	...	...	E N E	1	...	,,	30.20	767.1	...	...	...	0	...
Kochi,	,,	30.27	768.8	...	...	S W	1	...	,,	30.33	770.3	...	...	S S W	1	...
Nagasaki,	,,	30.39	771.8	...	...	N N W	3	...	,,	30.39	771.8	...	...	E	1	...
Kagoshima,	,,	30.33	770.4	...	...	N	2	...	,,	30.33	770.4	...	...	N	1	...
Ishima,	,,	30.26	768.6	...	...	N N E	2	...	,,	30.28	769.1	...	...	S	1	...
Naha,	,,	30.19	766.7	...	...	N E	2	...	,,	30.17	766.2	...	...	E	2	...
Ishigakijima,	,,	30.15	765.8	...	...	E	5	...	,,	30.11	764.8	...	...	S E	3	..
Bonin Is.	,,	30.08	764.1	...	...	N	2	...	,,	30.22	767.6	...	...	...	0	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.49	774.4	33	79	N N W	4	c	9 a.	30.44	773.2	32	79	S S W	2	oms
Tientsin,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Chinkiang,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.34	770.6	52	60	E N E	2	o	9 a.	30.29	769.3	50	100	N E	1	omr
Wusung,	,,	30.30	769.6	52	73	E N E	3	ov	,,	30.25	768.3	52	100	...	0	fd
Sharp Peak,	,,	30.20	767.1	60	...	N N W	3	o	,,	30.23	767.8	61	...	...	0	c
Amoy,	,,	30.17	766.3	65	73	N E	4	o	6 a.	30.18	766.6	61	94	N W	2	o
Swatow,	,,	30.13	765.3	68	65	N E	1	o	,,	30.16	766.0	62	83	N N W	1	o
Taihoku,	1 p.	30.07	763.9	...	...	E	8	...	5 a.	30.15	765.9	...	...	S W	2	...
Taichu,	,,	30.05	763.3	...	...	W	2	...	,,	30.15	765.7	...	...	N	4	...
Tainan,	,,	30.07	763.8	...	...	N W	2	...	,,	30.04	763.0	...	...	N	6	...
Koshun	,,	30.06	763.4	...	...	E	10	...	,,	30.10	764.4	...	...	N E	6	...
Pescadores,	,,	30.08	764.1	..	...	N E	8	...	,,	30.13	765.4	...	...	N E	8	...
Canton,	3 p.	30.13	765.3	61	66	N	1	b	9 a.	30.23	767.8	59	76	N	2	o
Hongkong,	4 p.	30.12	765.0	64	70	E	2	o	10 a.	30.20	767.1	66	63	N	1	o
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	N N E	...	...
Cap Rock,	,,	30.08	764.0	...	...	E N E	4	...	,,	30.16	766.0	...	...	N E	4	...
Macao,	,,	30.09	764.3	63	...	N	1	o	,,	30.19	766.9	63	...	N	1	c
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.11	764.9	64	...	N E	2	c	8 a.	30.19	766.9	63	...	E N E	4	o
Tourane,	,,	30.02	762.5	73	...	N E	1	b	,,	30.10	764.4	73	...	E N E	4	or
Cape St. James,	,,	29.89	759.1	79	...	E N E	2	c	,,	29.96	760.9	79	...	E N E	1	c
Aparri,	2 p.	29.94	760.5	72	...	N E	4	p	6 a.	29.98	761.5	70	...	E	0	b
Manila,	4 p.	29.88	759	84	77	N E	0	c	10 a.	30.00	762	86	53	E	1	c
Legaspi,	2 p.	29.88	759.0	90	...	N E	2	b	6 a.	29.95	760.7	79	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	N	2	o	9 a.	...	...	...	...	N	3	b
Iloilo,	,,	29.81	757.2	86	...	N	2	b	,,	29.91	759.7	83	...	N	2	b
Cebu,	,,	29.83	757.7	85	...	N	1	c	,,	29.91	759.7	84	...	N	1	b
Labuan,	,,	29.76	755.9	86	...	...	...	...	,,	29.87	758.7	84	...	...	...	...

On the 13th at 11.55 a.—The barometer has fallen moderately over the E. coast of China and the Southern Loochoos, a shallow depression having formed over the Eastern Sea.

The anticyclonic area covers N. China and the Western part of the Sea of Japan, while a depression has appear- off Hokkaido.

Fresh monsoon will continue to prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. winds, moderate or fresh; fair.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 13th December, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th DECEMBER, 1911, P.M.								14th DECEMBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.43	772.8	12	...	N	2	o	7 a.	30.31	769.9	4	72	NNE	3	b
Nemuro,	,,	29.94	760.6	...	...	...	0	...	6 a.	29.99	761.6	...	...	W	2	...
Hakodate,	,,	30.17	766.2	...	...	WNW	6	...	,,	30.07	763.7	...	...	N	2	...
Tokio,	,,	30.20	767.1	...	...	SE	1	...	,,	30.06	763.6	...	...	NW	1	...
Kochi,	,,	30.23	767.8	...	...	...	1	...	,,	30.21	767.3	...	...	...	0	...
Nagasaki,	,,	30.29	769.3	...	...	ENE	1	...	,,	30.27	768.8	...	...	...	0	...
Kagoshima,	,,	30.23	767.9	...	...	...	0	...	,,	30.23	767.9	...	...	NNW	1	...
Oshima	,,	30.14	765.6	...	...	NE	1	...	,,	30.14	765.6	...	...	N	6	...
Naha,	,,	30.05	763.2	...	...	SSE	3	...	,,	30.09	764.2	...	...	NNE	2	...
Ishigakijima,	,,	30.05	763.3	...	...	SE	2	...	,,	30.11	764.8	...	...	N	4	...
Bonin Is.	,,	30.18	766.6	...	...	...	0	...	,,	30.08	764.1	...	...	SE	1	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.36	771.7	36	90	WNW	6	csm	9 a.	30.59	777.0	29	66	NE	5	o
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.26	768.6	50	93	NNW	1	or	9 a.	30.52	775.2	42	75	NNW	3	o
Gutzlaff,	,,	30.18	766.6	50	100	N	3	omr	,,	30.42	772.6	46	84	N	6	o
Sharp Peak,	,,	30.13	765.3	62	...	E	1	c	,,	30.35	770.9	60	...	N	2	o
Amoy,	,,	30.07	763.8	68	85	SE	3	b	6 a.	30.19	766.8	62	77	ENE	2	o
Swatow,	,,	30.07	763.8	73	76	NNE	1	o	,,	...	...	...	...	...	...	...
Taiboku,	1 p.	30.12	765.1	...	...	NW	4	...	5 a.	30.28	769.0	...	...	[illegible]	5	...
Taiohu,	,,	30.07	763.7	...	...	N	6	...	,,	30.12	765.0	...	...	[illegible]	[illegible]	...
Tainan,	,,	30.05	763.2	...	...	N	6	...	,,	30.13	765.2	...	...	[illegible]	[illegible]	...
Koshun	,,	30.03	762.7	...	...	NE	6	...	,,	30.09	764.3	...	...	[illegible]	[illegible]	...
Pescadores,	,,	30.09	764.2	..	...	N	8	...	,,	30.16	766.1	...	...	[illegible]	10	...
Canton,	3 p.	30.13	765.3	64	68	NNE	2	o	9 a.	30.34	770.6	56	69	N	2	o
Hongkong,	4 p.	30.09	764.3	70	62	W	1	o	10 a.	30.27	768.8	66	53	N	1	o
Victoria Peak,	,,	...	...	...	...	N	3	...	,,	...	...	...	...	NNW	1	...
Gap Rock,	,,	30.07	763.8	...	...	NNW	3	...	,,	30.24	768.1	...	...	NNE	3	...
Macao,	,,	30.09	764.3	69	...	N	1	c	,,	30.28	769.1	59	...	NNW	2	c
Wuchow,	3 p.	30.18	766.6	64	...	N	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.11	764.7	70	...	WNW	2	c	8 a.	30.25	768.4	64	...	ENE	3	c
Tourane,	,,	30.02	762.4	72	...	ENE	6	f	,,	30.12	765.0	73	...	ENE	7	f
Cape St. James,	,,	29.88	759.0	79	...	ENE	1	c	,,	29.97	761.2	79	...	ENE	1	c
Aparri,	2 p.	29.93	760.1	82	...	S	2	b	6 a.	30.03	762.8	70	...	E	0	b
Manila,	4 p.	29.88	759	84	58	ESE	1	c	10 a.	30.00	762	82	57	N	1	c
Legaspi,	2 p.	29.89	759.3	90	...	E	2	b	6 a.	29.95	760.8	75	...	NE	2	b
Bacolod,	3 p.	...	...	...	...	N	2	b	9 a.	...	...	...	...	N	3	b
Iloilo,	,,	29.81	757.2	84	...	N	2	b	,,	29.91	759.7	80	...	N	1	b
Cebu,	,,	29.84	757.9	85	...	E	2	o	,,	29.89	759.2	83	...	E	1	b
Labuan,	,,	29.75	755.6	86	...	...	...	...	,,	29.90	759.4	84	...	...	...	...

On the 14th at 11.55 a.—Pressure has given way moderately over S. Japan and the Bonins, and increased over China particularly in the North.

The shallow depression lying over the Eastern Sea yesterday, has moved Eastwards and is now situated between the Loochoos and the Bonins.

The anticyclonic, which is of considerably intensity, is central over the continent to the North of the Yangtze valley.

Strong monsoon will continue to prevail along the coast and over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fine.
2.—Formosa Channel,	N. and N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. C. FIGG,
Director.

Hongkong Observatory, Thursday, 14th December, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th DECEMBER, 1911, P.M.								15th DECEMBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	30.25	768.3	11	...	N N E	2	b	7 a.	30.32	770.0	2	90	N	0	b
Gemuro,	,,	29.85	758.1	...	...	S W	3	...	6 a.	29.87	758.6	...	...	W	2	...
Hakodate,	,,	30.05	763.2	...	...	W N W	4	...	,,	30.05	763.2	...	...	N N W	3	...
Tokio,	,,	29.94	760.6	...	...	...	0	...	,,	30.10	764.6	...	...	N N W	1	...
Kochi,	,,	30.11	764.8	...	...	N N W	2	...	,,	30.29	769.3	...	...	S W	1	...
Nagasaki,	,,	30.25	768.3	...	...	N N W	...	...	,,	30.35	770.8	...	...	N	1	...
Kagoshima,	,,	30.21	767.4	...	...	N W	2	...	,,	30.29	769.4	...	...	N	1	...
Oshima,	,,	30.16	766.1	...	...	N W	5	...	,,	30.26	768.6	...	...	N	4	...
Naha,	,,	30.13	765.2	...	...	N E	5	...	,,	30.25	768.2	...	...	N N E	2	...
Ishigakijima,	,,	30.13	765.3	...	...	N N E	3	...	,,	30.21	767.3	...	...	N E	3	..
Bonin Is.	,,	29.89	759.1	...	...	S S W	3	...	,,	30.02	762.6	...	...	N W	1	...
Chefoo,	8 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.52	775.2	30	...	N N W	4	csm	9 a.	30.42	772.6	35	44	S W	4	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.50	774·7	43	59	N N W	3	o	9 a.	30.55	776.9	38	81	N W	2	b
Gutzlaff,	,,	30.41	772.4	43	75	N N W	6	ov	,,	30.47	773.9	46	69	N	2	cv
Sharp Peak,	,,	30.30	769.6	60	...	N N E	4	o	,,	30.42	772.6	58	...	E N E	4	o
Amoy,	,,	30.18	766.6	66	68	E N E	2	b	6 a	30.33	770.4	55	80	E N E	2	b
Swatow,	,,	30.18	766.6	68	60	N E	2	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.28	769.0	...	...	N	2	...	6 a.	30.33	770.4	...	...	...	0	...
Taichu,	,,	30.12	765.1	...	...	N	8	...	,,	30.22	767.6	...	...	N	2	...
Tainan,	,,	30.13	765.2	...	...	N	8	...	,,	30.20	767.1	...	...	N	6	...
Koshun	,,	30.11	764.9	...	...	N E	10	...	,,	30.17	766.3	...	...	N E	8	...
Pescadores,	,,	30.17	766.4	..	...	N E	10	...	,,	30.24	768.0	...	...	N E	10	...
Canton,	8 p.	30.21	767.3	63	57	N	2	b	9 a.	30.42	772.6	50	72	N E	2	b
Hongkong,	4 p.	30.16	766.0	68	48	N	1	b	10 a.	30.33	770.4	63	58	N N E	1	b
Victoria Peak,	,,	...	...	...	...	N	2	...	,,	...	...	...	...	N N E	1	...
Gap Rock,	,,	30.83	765.3	...	...	N N W	5	...	,,	30.32	770.1	...	...	N E	4	...
Macao,	,,	30.16	766.0	65	...	N E	1	c	,,	30.34	770.7	55	...	N	2	c
Wuchow,	8 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.16	766.0	70	...	N E	1	c	8 a.	30.32	770.1	61	...	E N E	3	o
Tourane,	,,	30.05	763.2	73	...	E N E	5	f	,,	30.15	765.9	72	...	E N E	6	f
Cape St. James,	,,	29.88	759.0	79	...	N E	5	c	,,	29.98	761.5	77	...	N E	5	c
Aparri,	2 p.	29.96	761.1	81	...	E	2	b	6 a.	30.07	763.7	72	...	E	2	b
Manila,	4 p.	29.92	760	82	63	E N E	2	c	10 a.	30.04	763	84	64	...	0	o
Legaspi,	2 p.	29.89	759.2	82	...	N E	2	o	6 a.	29.96	761.0	77	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N	2	b	9 a.	...	...	...	...	N	2	c
Iloilo,	,,	29.81	757.2	85	...	N E	...	b	,,	29.91	759.7	80	...	N	3	...
Cebu,	,,	29.84	757.9	86	...	N	1	c	,,	29.92	759.9	83	...	N	1	c
Labuan,	,,	29.78	756.4	86	...	...	...	...	,,	29.94	760.5	82	...	...	...	...

On the 15th at 11.40 a.—The depression noted yesterday, is moving away over the Pacific to the Eastward of the Bonins.

Pressure has increased moderately over S. Japan and S. China, and given way again on the N.E. coast.

The anticyclonic area lying over the continent has spread towards the S.E., and now covers China, W. Japan and the Loochoos.

The monsoon will probably moderate somewhat along the coast, but continue to blow strongly over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, fresh to moderate; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamooks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 15th December, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th DECEMBER, 1911, P.M.								16th DECEMBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.22	767.6	12	...	N N E	0	b	7 a.	30.12	765.0	14	66	N W	0	b
Nemuro,	,,	29.89	759.1	...	...	W N W	6	...	6 a.	29.99	761.6	...	...	W	4	...
Hakodate,	,,	30.07	763.7	...	...	W N W	2	...	,,	30.05	763.2	...	...	N	...	...
Tokio,	,,	30.12	765.1	...	...	N N W	2	...	,,	30.14	765.6	...	...	N W	1	...
Kochi,	,,	30.23	767.8	...	...	S E	1	...	,,	30.27	768.8	...	...	S W	1	...
Nagasaki,	,,	30.32	770.3	...	...	N	1	...	,,	30.39	771.8	...	...	N	1	...
Kagoshima,	,,	30.29	769.4	...	...	N W	1	...	,,	30.33	770.4	...	...	N N E	2	...
Oshima,	,,	30.26	768.6	...	...	N N W	1	...	,,	30.30	769.6	...	...	S	1	...
Naha,	,,	30.22	767.7	...	...	N N E	4	...	,,	30.25	768.2	...	...	N N E	2	...
Ishigakijima,	,,	30.17	766.3	...	...	N N E	6	...	,,	30.19	766.8	...	...	N E	5	..
Bonin Is.	,,	30.08	764.1	...	...	N W	1	...	,,	30.18	766.6	...	...	...	0	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	...
Weihaiwei,	,,	30.33	770.4	35	53	W S W	3	b	9 a.	30.46	773.7	41	41	E	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.44	773.2	43	51	W N W	1	c	9 a.	30.54	775.7	38	81	W N W	1	c
Gutzlaff,	,,	30.40	772.1	45	68	N N W	2	cv	,,	30.48	774.2	41	66	N	2	cv
Sharp Peak,	,,	30.32	770.1	64	...	E	2	o	,,	30.40	772.1	57	...	E N E	2	c
Amoy,	,,	30.25	768.3	65	68	E	2	b	6 a.	30.25	768.3	58	69	N	2	b
Swatow,	,,	30.22	767.6	64	63	E	1	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.28	769.0	...	...	E	4	...	5 a.	30.30	769.5	...	...	E	4	...
Taichu,	,,	30.13	765.2	...	...	N	6	...	,,	30.20	767.0	...	...	N	2	...
Tainan,	,,	30.15	765.9	...	...	N	6	...	,,	30.18	766.6	...	...	N	4	...
Koshun,	,,	30.13	765.4	...	...	N E	8	...	,,	30.15	765.7	...	...	N E	6	...
Pescadores,	,,	30.19	766.8	..	...	N E	10	...	,,	30.20	767.0	...	...	N E	10	...
Canton,	3 p.	30.25	768.3	60	55	N E	2	b	9 a.	30.37	771.4	49	71	N N E	2	b
Hongkong,	4 p.	30.20	767.1	64	52	N N E	1	b	10 a.	30.31	769.9	62	59	W	1	b
Victoria Peak,	,,	...	...	...	...	N	1	...	,,	...	...	...	...	N E	1	...
Gap Rock,	,,	30.18	766.6	...	...	N	3	...	,,	30.28	769.1	...	...	E N E	3	...
Macao,	,,	30.21	767.3	60	...	N	1	c	,,	30.32	770.1	55	...	N	1	c
Wuchow,	3 p.	30.32	770.1	54	...	N	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	..
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.22	767.5	69	...	N N E	1	o	8 a.	30.34	770.6	59	...	E N E	3	b
Tourane,	,,	...	...	...	...	...	...	...	,,	30.19	766.9	72	...	N E	4	or
Cape St. James,	,,	29.87	758.6	79	...	N E	6	c	,,	29.98	761.4	73	...	N E	4	c
Aparri,	2 p.	30.00	762.1	82	...	E	2	b	6 a.	30.06	763.5	70	...	E	3	b
Manila,	4 p.	29.92	760	84	58	E	3	o	10 a.	30.04	763	81	70	N	1	o
Legaspi,	2 p.	29.92	759.9	82	...	N E	2	o	6 a.	29.95	760.8	77	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N	2	c	9 a.	...	...	...	...	N	1	o
Iloilo,	,,	29.81	757.2	84	...	N	3	c	,,	29.91	759.7	80	...	N	2	o
Cebu,	,,	29.84	757.9	85	...	E	2	c	,,	29.92	759.9	84	...	E	2	o
Labuan,	,,	29.81	757.2	83	...	...	...	...	,,	29.93	760.2	86	...	...	...	...

On the 16th at 12.10 p.—Pressure has given way in Wladiwostok owing to the passage of a depression to the Northward of the station The barometer has risen again in N. China.

The anticyclonic area, central over the continent, still covers China, W. Japan and the Loochoos.

Strong monsoon will continue to prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, moderate or fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 16th December, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th December, 1911, P.M. Hour	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	17th December, 1911, A.M. Hour	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.16	766.1	20	...	N E	0	b	7 a.	30.46	773.6	7	75	N N E	0	b
Nemuro,	,,	29.87	758.6	...	...	W	2	...	6 a.	29.93	760.1	...	...	W	4	...
Hakodate,	,,	29.99	761.7	...	...	N W	1	...	,,	30.15	765.7	...	...	W	4	...
Tokio,	,,	30.02	762.6	...	...	S	1	...	,,	30.26	768.6	...	...	N N W	1	...
Kochi,	,,	30.25	768.3	...	...	W	1	...	,,	30.43	772.8	...	...	S W	1	...
Nagasaki,	,,	30.37	771.3	...	...	N N W	3	...	,,	30.45	773.3	...	...	E N E	1	...
Kagoshima,	,,	30.36	770.9	...	...	N	3	...	,,	30.41	772.4	...	...	N N E	1	...
Oshima,	,,	30.32	770.1	...	...	N	1	...	,,	30.34	770.6	...	...	...	0	...
Naha,	,,	30.26	768.7	...	...	N N E	4	...	,,	30.26	768.7	...	...	N N E	5	...
Ishigakijima,	,,	30.19	766.8	...	...	N E	4	...	,,	30.21	767.3	...	...	N E	6	...
Bonin Is.	,,	30.16	766.1	...	...	N	1	...	,,	30.24	768.1	...	...	...	0	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.40	772.1	41	57	S S W	1	b	9 a.	30.44	773.2	42	66	S S W	3	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.45	773.4	45	53	N E	1	o	9 a.	30.43	772.9	50	65	E N E	1	b
Gutzlaff,	,,	30.40	772.1	49	64	N N E	2	bv	,,	30.38	771.6	52	73	E	3	bv
Sharp Peak,	,,	30.31	769.9	58	...	E N E	5	c	,,	30.36	771.1	56	...	N N W	2	c
Amoy,	,,	30.20	767.1	65	68	E N E	2	o	6 a.	30.29	769.3	60	76	N E	2	c
Swatow,	,,	30.21	767.3	68	64	E	2	o	,,	30.24	768.1	59	76	N N E	1	c
Taihoku,	1 p.	30.29	769.3	...	...	N E	8	...	5 a.	...	...	...	...	E	4	...
Taihku,	,,	30.13	765.4	...	...	N	6	...	,,	30.30	767.1	...	...	E	4	...
Tainan,	,,	30.16	766.1	...	...	N	6	...	,,	30.20	767.1	...	...	N	6	...
Kokkun,	,,	30.12	765.0	...	...	N E	10	...	,,	30.13	765.3	...	...	N E	10	...
Pescadores,	,,	30.19	766.9	...	...	N E	10	...	,,	30.21	767.2	...	...	N E	10	...
Canton,	3 p.	30.22	767.6	58	64	N	2	b	9 a.	30.28	769.1	56	75	N	1	b
Hongkong,	4 p.	30.20	767.1	62	63	W	1	o	10 a.	30.26	768.6	65	67	E	3	c
Victoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	E N E	3	...
Gap Rock,	,,	30.18	766.6	...	...	N	4	...	,,	30.22	767.6	...	...	E N E	5	...
Macao,	,,	30.20	767.1	59	...	N	1	c	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	30.25	768.3	64	...	S E	2	b	9 a.	30.33	770.4	52	...	N	2	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.20	767.0	68	...	W S W	0	b	8 a.	30.25	768.3	59	...	E	3	b
Tourane,	,,	30.11	764.8	72	...	N E	4	dh	,,	30.16	766.0	70	...	N W	2	f
Cape St. James,	,,	29.87	758.8	77	...	N E	5	c	,,	29.98	761.5	77	...	N E	2	o
Aparri,	2 p.	30.03	762.7	77	...	E	2	o	6 a.	30.06	763.4	72	...	E	0	b
Manila,	4 p.	29.96	761	82	71	N N E	1	o	10 a.	30.04	763	82	70	...	0	c
Legaspi,	2 p.	29.94	760.5	81	...	N E	2	o	6 a.	...	...	...	...	...	...	...
Baccolod,	3 p.	...	...	...	...	N	2	o	9 a.	...	...	...	...	N	3	o
Iloilo,	,,	29.87	758.7	83	...	N	1	o	,,	29.95	760.7	80	...	N E	1	b
Cebu,	,,	29.85	758.2	84	...	N	1	c	,,	29.91	759.7	84	...	N	2	c
Labuan,	,,	29.81	757.2	86	...	...	...	...	,,	...	...	...	...	...	...	...

On the 17th at 11.55 a.—Pressure has increased over Japan, and given way over China.

The depression noted yesterday, is moving away over the Pacific to the N.E of Japan.

The anticyclonic area has moved Eastwards and is now central over Korea and the Western part of the Sea of Japan. Probably a depression is advancing Eastwards over W. China.

The monsoon will decrease in strength along the coast, and over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.E. and E. winds, fresh; fair.
Formosa Channel,	Same as No. 1.
South coast of China, between Hongkong and Lamooks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 17th December, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th DECEMBER, 1911, P.M.									18th DECEMBER, 1911, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	...	...	...	...	...	...	...		7 a.	...	...	...	...	...	...	...
Nemuro,	"	29.93	760.1	...	...	W	4	...		6 a.	30.30	769.6	...	...	W N W	6	...
Hakodate,	"	30.20	767.2	...	...	N W	4	...		"	30.50	774.7	...	...	...	0	...
Tokio,	"	30.30	769.6	...	...	N N W	4	...		"	30.54	775.6	...	...	N	1	...
Kochi,	"	30.39	771.8	...	...	N	1	...		"	30.52	775.3	...	...	S W	1	...
Nagasaki,	"	30.41	772.3	...	...	N N E	1	...		"	30.45	773.3	...	...	E N E	1	...
Kagoshima,	"	30.39	771.9	...	...	E	1	...		"	30.45	773.4	...	...	N E	3	...
Oshima,	"	30.30	769.6	...	...	..	0	...		"	30.32	770.1	...	...	...	0	...
Naha,	"	30.24	768.2	...	...	N E	3	...		"	30.23	767.7	...	...	E	3	...
Ishigakijima,	"	30.17	766.3	...	...	N E	1	...		"	30.13	765.3	...	...	E	3	...
Bonin Is.	"	30.22	767.6	...	...	N N E	1	...		"	30.34	770.6	...	...	N N E	1	...
Chefoo,	3 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Weihaiwei,	"	30.40	772.1	45	61	S W	3	c		9 a.	30.37	771.4	41	66	E S E	4	c
Hankow,	"	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Kiukiang,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Shanghai,	"	30.32	770.1	56	57	E S E	2	c		9 a.	30.24	768.1	55	87	S E	1	on
Gutzlaff,	"	30.27	768.8	53	80	E	2	bv		"	30.25	768.3	55	100	S E	4	on
Sharp Peak,	"	30.26	768.6	58	...	N N E	1	c		"	30.23	767.8	58	...	N	1	c
Amoy,	"	30.18	766.6	70	70	E	2	b		6 a.	...	...	...	...	...	...	...
Swatow,	"	30.16	766.0	66	73	E	3	b		"	...	...	...	...	...	...	...
Taihoku,	1 p.	30.19	766.7	...	...	E	8	...		5 a.	30.15	765.7	...	...	S	2	...
Taichu,	"	30.09	764.4	...	...	N	2	...		"	30.17	766.2	...	...	...	0	...
Tainan,	"	30.11	764.9	...	...	N	4	...		"	30.15	765.8	...	...	N E	2	...
Koshun	"	30.11	764.7	...	...	N E	10	...		"	30.13	765.3	...	...	N E	6	...
Pescadores,	"	30.14	765.6	..	...	N E	10	...		"	30.12	764.9	...	...	N E	8	...
Canton,	3 p.	30.13	765.3	65	68	S E	1	b		9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.13	765.3	65	72	E	3	o		10 a.	30.19	766.8	67	79	E	4	o
Victoria Peak,	"	...	...	...	...	E	3	...		"	...	...	...	...	E	4	...
Gap Rock,	"	30.10	764.5	...	...	E	4	...		"	30.15	765.8	...	...	E	5	...
Macao,	"	30.12	765.0	65	...	N	1	c		"	...	...	...	...	...	...	...
Wuchow,	3 p.	30.15	765.8	68	...	N E	1	b		9 a.	30.19	766.8	60	88	E	2	o
Hoihow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Phulien,	4 p.	30.08	764.1	70	...	S S E	3	b		8 a.	30.13	765.4	66	...	E	2	o
Tourane,	"	30.06	763.6	70	...	N W	1	f		"	30.10	764.6	73	...	W S W	1	o
Cape St. James,	"	29.85	758.1	77	...	N E	5	c		"	29.99	761.7	79	...	N E	4	c
Aparri,	2 p.	30.00	762.0	79	...	N E	2	o		6 a.	30.06	763.6	72	...	S E	2	b
Manila,	4 p.	29.92	760	82	71	S E	1	c		10 a.	30.08	764	84	58	E S E	1	c
Legaspi,	2 p.	...	...	...	...	...	...	...		6 a.	30.01	762.1	79	...	N E	2	
Bacolod,	3 p.	...	...	...	...	N E	2	c		9 a.	...	...	...	...	N	2	
Iloilo,	"	29.89	759.2	83	...	N	3	b		"	30.03	762.7	81	...	N E	2	
Cebu,	"	29.88	758.9	84	...	N	3	b		"	29.99	761.7	82	...	E	2	
Labuan,	"	29.81	757.2	87	...	...	...	...		"	29.93	760.2	85	...	...	...	

On the 18th at 11.55 a.—The barometer has risen considerably in E. Japan, and fallen moderately over China.
The anticyclonic area, which continues to move Eastwards, is now central over the Sea of Japan.
A depression which is advancing Eastwards, has appeared over the Yangtze valley.
The monsoon is interrupted in the North, and moderating over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.

1.—Hongkong and Neighbourhood,	E. winds, moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamooks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 18th December, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th DECEMBER, 1911, P.M.								19th DECEMBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	"	30.42	772.6	...	...	N W	5	...	6 a.	30.28	769.1	...	...	S W	3	...
Hakodate,	"	30.52	775.2	...	...	N N E	2	...	"	30.23	767.7	...	...	...	0	...
Tokio,	"	30.56	776.1	...	...	S S W	1	...	"	30.36	771.1	...	...	N W	1	...
Kochi,	"	30.44	773.3	...	...	N E	...	...	"	30.13	765.3	...	...	N E	3	...
Nagasaki,	"	30.31	769.8	...	...	E S E	3	...	"	29.86	758.3	...	...	S S E	7	...
Kagoshima,	"	30.29	769.4	...	...	E N E	6	...	"	30.13	765.4	...	...	S S W	1	...
Oshima,	"	30.20	767.1	...	...	S	4	...	"	30.10	764.6	...	...	S W	1	...
Naha,	"	30.15	765.7	...	...	S E	1	...	"	30.07	763.7	...	...	S S W	3	...
Ishigakijima,	"	30.11	764.8	...	...	S S W	4	...	"	30.09	764.3	...	...	S	4	..
Bonin Is.	"	30.34	770.6	...	...	N	1	...	"	30.30	769.6	...	...	E	1	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	"	30.25	768.3	44	84	E	1	omr	9 a.	30.15	765.8	33	90	N N E	8	om
Hankow,	"	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	"	..	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	"	30.09	764.3	64	73	S S E	1	c	9 a.	30.26	768.6	43	83	W N W	4	omq
Gutzlaff,	"	30.09	764.3	60	94	S E	3	om	"	30.22	762.6	43	92	N W	7	ov
Sharp Peak,	"	30.12	765.0	60	...	..	0	o	"	30.16	766.0	62	...	...	0	c
Amoy,	"	30.13	765.3	70	80	S E	2	c	6 a.	30.16	766.0	64	89	S S E	1	c
Swatow,	"	30.12	765.0	69	75	E	1	o	"	30.14	765.5	65	89	E	1	c
Taihoku,	1 p.	30.14	765.6	...	...	N W	4	...	5 a.	30.15	765.8	...	...	...	0	...
Taichu,	"	30.09	764.2	...	...	N W	4	...	"	30.14	765.5	...	...	N W	2	...
Tainan,	"	30.12	765.0	...	...	N	4	...	"	30.14	765.5	...	...	N E	4	...
Koshun	"	30.10	764.5	...	...	E	6	...	"	30.11	764.7	...	...	...	0	...
Pescadores,	"	30.13	765.4	..	...	N E	8	...	"	30.13	765.2	...	...	...	0	...
Canton,	3 p.	30.09	764.3	68	79	E	1	or	9 a.	30.18	766.6	65	95	N N W	1	or
Hongkong,	4 p.	30.09	764.3	67	77	E	4	o	10 a.	30.17	766.3	71	83	W	1	o
Victoria Peak,	"	...	...	...	...	E	3	...	"	...	...	...	...	E N E	1	...
Gap Rock,	"	30.05	763.2	...	...	E	4	...	"	30.16	766.0	...	...	N	3	...
Macao,	"	30.07	763.8	67	...	E	1	o	"	30.17	766.3	68	...	E	1	cf
Wuchow,	3 p.	30.05	763.2	69	75	E	2	o	9 a.	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	4 p.	30.03	762.7	72	...	S S E	2	c	8 a.	30.16	766.1	68	...	N	2	dh
Tourane,	"	30.02	762.4	73	...	N W	3	c	"	30.10	764.5	72	...	W	1	f
Cape St. James,	"	29.87	758.6	77	...	N E	6	c	"	30.00	761.9	77	...	N E	4	c
Aparri,	2 p.	30.03	762.7	86	...	S	2	b	6 a.	30.05	763.2	68	...	S	2	b
Manila,	4 p.	30.00	762	82	58	E S E	1	b	10 a.	30.04	763	79	69	N W	2	o
Legaspi,	2 p.	30.00	761.9	88	...	N E	2	...	6 a.	30.01	762.2	77	...	...	0	b
Baoolod,	3 p.	...	...	...	...	N	2	b	9 a.	...	...	...	...	N	1	b
Iloilo,	"	29.91	759.7	85	...	N	2	b	"	30.01	762.2	80	...	N	2	b
Cebu,	"	29.84	757.9	83	...	N	2	o	"	29.99	761.7	84	...	N	2	c
Labuan,	"	29.82	757.4	87	...	...	...	...	"	29.90	759.4	85	...	...	...	...

On the 19th at 11.55 a.—Pressure is increasing over the Yangtze valley, while it is giving way quickly in Japan. The depression lying over the former area yesterday, has moved Eastwards and lies now in the neighbourhood of Southern Korea.

The anticyclonic area covering Japan yesterday, has shifted Eastwards to the Pacific.

Probably a high pressure area will appear over China, and the monsoon is likely to freshen again along the coast and over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, freshening; fair.
2.—Formosa Channel,	N.E. winds, freshening considerably.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 19th December, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th DECEMBER, 1911, P.M.								20th DECEMBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	"	30.04	763.1	...	...	S	1	...	6 a.	29.18	741.1	...	...	W S W	1	...
Hakodate,	"	29.91	759.7	...	...	..	0	...	"	29.52	749.7	...	...	W	3	...
Tokio,	"	29.98	761.6	...	...	...	0	...	"	29.67	753.6	...	...	N W	1	...
Kochi,	"	29.76	755.8	...	...	S W	1	...	"	30.01	762.3	...	...	...	0	...
Nagasaki,	"	29.87	758.8	...	...	W	6	...	"	30.23	767.8	...	...	N	4	...
Kagoshima,	"	29.94	760.4	...	...	S W	4	...	"	30.19	766.9	...	...	N W	4	...
Oshima,	"	30.02	762.6	...	...	W	1	...	"	30.20	767.1	...	...	N	5	...
Naha,	"	30.05	763.2	...	...	W	1	...	"	30.19	766.7	...	...	N N E	6	...
Ishigakijima,	"	30.09	764.3	...	...	N N W	1	...	"	30.19	766.8	...	...	N E	3	..
Bonin Is.	"	30.22	767.6	...	...	S S E	1	...	"	30.14	765.6	...	...	S S W	2	..
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	"	30.28	769.1	29	66	N N W	8	c	9 a.	30.54	775.4	26	75	N	8	oq
Hankow,	"	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	"	..	...	..	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	"	30.31	769.9	42	83	N W	4	oq	9 a.	30.54	775.4	43	59	N	1	c
Gutzlaff,	"	30.26	768.6	43	92	N W	7	om	"	30.45	773.4	46	54	N	4	bv
Sharp Peak,	"	30.11	764.8	64	...	S E	1	c	"	30.38	771.6	60	...	N N E	5	o
Amoy,	"	30.07	763.8	73	76	S E	1	b	6 a.	30.30	769.6	60	76	N E	5	o
Swatow,	"	30.06	763.5	77	65	..	0	c	"	...	...	...	...	...	...	...
Taihoku,	1 p.	30.12	765.0	...	...	W	4	...	5 a.	30.27	768.9	...	...	E	6	...
Taichu,	"	30.13	765.2	...	...	N	6	...	"	30.15	765.9	...	...	N	6	...
Tainan,	"	30.09	764.2	...	...	N	4	...	"	30.13	765.3	...	...	N	6	...
Koshun	"	30.06	763.5	...	...	S	...	...	"	30.10	764.5	...	...	N	10	...
Pescadores,	"	30.11	764.8	..	...	N	4	...	"	30.17	766.2	...	...	N	10	...
Canton,	3 p.	30.09	764.3	69	80	N	1	c	9 a.	30.23	767.8	60	88	N	2	o
Hongkong,	4 p.	30.08	764.0	71	83	W	1	o	10 a.	30.20	767.1	66	83	E	5	oq
Victoria Peak,	"	...	...	...	...	N W	1	...	"	...	...	...	...	E	8	...
Gap Rock,	"	30.05	763.2	...	...	N	2	...	"	30.17	766.3	...	...	E	6	...
Macao,	"	30.07	763.7	70	...	E	1	c	"	30.20	767.1	67	...	E S E	2	o
Wuchow,	3 p.	30.15	765.8	67	64	E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	4 p.	30.04	763.1	72	...	S S W	2	o	8 a.	30.13	765.3	68	...	E	3	o
Tourane,	"	30.02	762.4	73	...	N W	1	f	"	30.10	764.5	77	...	S E	2	o
Cape St. James,	"	29.91	759.6	79	...	N E	5	c	"	29.99	761.6	79	...	N E	5	c
Aparri,	2 p.	30.01	762.3	82	...	E	2	d	6 a.	30.04	763.1	73	...	N E	0	b
Manila,	4 p.	29.96	761	82	77	...	0	o	10 a.	30.08	764	82	71	...	0	o
Legaspi,	2 p.	29.95	760.8	84	...	N E	2	o	6 a.	30.00	761.9	77	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	N	2	c	9 a.	...	...	...	...	N	1	b
Iloilo,	"	29.87	758.7	85	...	N E	2	b	"	30.03	762.7	81	...	N	1	c
Cebu,	"	29.88	758.9	84	...	E	2	b	"	29.97	761.2	84	...	E	1	c
Labuan,	"	29.81	757.2	90	...	...	...	...	"	29.95	760.7	84	...	...	...	...

On the 20th at 11.55 a.—The depression, which has deepened considerably during its progress across the Sea of Japan, is now moving into the Pacific to the North of Hokkaido.

An anticyclonic area covers China, and pressure has increased along the coast, particularly in the North.

Very strong moonsoon may be expected over the coast and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; drizzling rain or mist.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 20th December, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th December, 1911, P.M.								21st December, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.15	765.8	1	...	NNE	1	b	7 a.	30.38	771.6	−0	62	NNE	0	b
Nemuro,	,,	29.51	749.6	...	...	NW	7	...	6 a.	29.75	755.6	...	...	NNW	3	...
Hakodate,	,,	29.65	753.2	...	...	WNW	5	...	,,	29.99	761.7	...	...	WNW	6	...
Tokio,	,,	29.71	754.6	...	...	SSE	1	...	,,	30.14	765.6	...	...	NNW	1	...
Kochi,	,,	30.07	763.8	...	...	WSW	3	...	,,	30.39	771.8	...	...	SW	1	...
Nagasaki,	,,	30.31	769.8	...	...	NNW	6	...	,,	30.49	774.3	...	...	N	3	...
Kagoshima,	,,	30.27	768.9	...	...	WNW	4	...	,,	30.47	773.9	...	...	N	1	...
Oshima,	,,	30.26	768.6	...	...	N	3	...	,,	30.40	772.1	...	...	S	1	...
Naha,	,,	30.15	768.2	...	...	NNE	3	...	,,	30.32	770.2	...	...	NNE	2	...
Ishigakijima,	,,	30.21	767.3	...	...	NE	6	...	,,	30.25	768.3	...	...	E	5	..
Bonin Is.,	,,	30.10	764.6	...	...	SW	1	...	,,	30.24	768.1	...	...	W	2	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	...
Weihaiwei,	,,	30.57	776.5	25	87	NNW	6	cq	9 a.	30.74	780.8	29	77	N	4	cm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.51	774.9	42	58	NE	2	c	9 a.	30.64	778.2	38	91	NNE	3	or
Gutzlaff,	,,	30.42	772.6	46	69	N	4	cv	,,	30.54	775.7	41	92	NNE	5	omd
Sharp Peak,	,,	30.33	770.4	60	...	N	1	o	,,	...	...	...	...	...	...	...
Amoy,	,,	30.24	768.1	66	68	NE	4	c	6 a.	30.34	770.6	60	83	NW	2	or
Swatow,	,,	30.14	765.5	67	64	E	3	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.27	768.8	...	...	E	6	...	5 a.	30.21	767.4	...	...	E	6	...
Taiohu,	,,	30.15	765.9	...	...	NE	2	...	,,	30.21	767.2	...	...	...	0	...
Tainan,	,,	30.14	765.6	...	...	N	4	...	,,	30.21	767.3	...	...	N	2	...
Koshun,	,,	30.12	765.1	...	...	NE	10	...	,,	30.19	766.7	...	...	NE	6	...
Pescadores,	,,	30.17	766.4	..	...	NE	10	...	,,	30.22	767.6	...	...	NE	8	...
Canton,	3 p.	30.15	765.8	61	82	N	1	o	9 a.	30.26	768.6	59	94	N	1	f
Hongkong,	4 p.	30.16	766.0	65	78	E	4	o	10 a.	30.26	768.6	63	93	E	4	o
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	ENE	5	...
Gap Rook,	,,	30.11	764.8	...	...	ENE	6	...	,,	30.21	767.3	...	...	E	5	...
Macao,	,,	30.13	765.4	65	...	SE	3	o	,,	30.24	768.1	65	...	ESE	4	of
Wuchow,	8 p.	30.19	766.8	56	...	N	1	od	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.07	763.8	70	...	ESE	2	or	8 a.	30.15	765.8	68	...	E	2	dh
Tourane,	,,	30.01	762.3	75	...	ESE	2	o	,,	30.13	765.4	77	...	SE	3	c
Cape St. James,	,,	29.95	760.7	77	...	NE	6	c	,,	30.04	762.9	77	...	NE	3	o
Aparri,	2 p.	30.04	763.1	81	...	NE	2	b	6 a.	30.11	764.7	70	...	E	2	o
Manila,	4 p.	30.00	762	82	63	ESE	1	o	10 a.	30.12	765	83	71	ESE	0	d
Legaspi,	2 p.	29.98	761.6	90	...	E	2	b	6 a.	30.04	763.1	77	...	NE	2	b
Bacolod,	3 p.	...	...	...	...	N	4	b	9 a.	...	...	...	...	N	2	b
Iloilo,	,,	29.91	759.7	84	...	N	2	b	,,	30.05	763.2	86	...	N	2	b
Cebu,	,,	29.90	759.4	83	...	N	1	b	,,	29.97	761.2	86	...	N	1	b
Labuan,	,,	29.83	757.7	86	...	...	...	...	,,	29.97	761.2	83	...	...	...	...

On the 31st at 12.05 p.—Pressure has increased at all stations, particularly over Japan and N. China.

The depression lying over N.E. Japan yesterday, is moving away over the Pacific.

The anticyclonic area, central over the continent to the North of the Yangtze valley, has spread towards S.E and now covers W. Japan and the Loochoos.

Strong monsoon will continue to prevail over the China coast and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; drizzling rain or mist.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamooks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 21st December, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st DECEMBER, 1911, P.M.								22nd DECEMBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.33	770.4	12	...	...	0	b	7 a.	30.34	770.5	14	45	W	2	b
Nemuro,	"	29.81	757.1	...	...	N W	5	...	6 a.	29.99	761.6	...	...	W S W	2	..
Hakodate,	"	30.07	763.7	...	...	W N W	4	...	"	30.19	766.7	...	...	W N W	3	..
Tokio,	"	30.16	766.1	...	...	N N W	1	...	"	30.36	771.1	...	...	N W	1	..
Kochi,	"	30.37	771.3	...	...	S W	1	...	"	30.43	772.8	...	...	W S W	1	..
Nagasaki,	"	30.48	774.3	...	...	N N E	4	...	"	30.47	773.8	...	...	E N E	1	..
Kagoshima,	"	30.45	773.4	...	...	N W	2	...	"	30.45	773.4	...	...	N	1	..
Oshima,	"	30.40	772.1	...	...	N E	1	...	"	30.34	770.6	...	...	N N E	2	..
Naha,	"	30.28	769.2	...	...	E N E	3	...	"	30.19	766.7	...	...	S E	2	..
Ishigakijima,	"	30.21	767.3	...	...	E	4	...	"	30.15	765.8	...	...	E	1	..
Bonin Is.	"	30.22	767.6	...	...	N N E	1	...	"	30.32	770.1	...	...	...	0	..
Chefoo,	3 p.	30.71	780.0	26	100	S W	1	c	6 a.	...	...	...	...	...	...	..
Weihaiwei,	"	30.69	779.5	30	77	N W	3	cm	9 a.	30.61	777.5	28	76	S S W	2	c
Hankow,	"	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kiukiang,	"	30.59	777.0	43	...	N E	4	s	"	...	...	...	...	...	...	..
Shanghai,	"	30.57	776.5	38	91	N N E	2	or	9 a.	30.53	775.4	41	83	N N E	1	or
Gutzlaff,	"	30.47	773.9	43	100	N E	5	omd	"	30.46	773.7	43	100	N N E	5	ow
Sharp Peak,	"	30.33	770.4	60	...	N W	1	or	"	30.33	770.4	59	...	N	2	or
Amoy,	"	30.28	769.1	65	78	E	2	o	6 a.	30.29	769.3	61	82	E	1	or
Swatow,	"	30.26	768.0	61	77	N E	1	o	"	...	...	...	...	...	...	..
Taihoku,	1 p.	30.22	767.6	...	...	N W	4	...	5 a.	30.25	768.2	...	...	S E	2	..
Taichu,	"	30.18	766.5	...	...	N	6	...	"	30.15	765.9	...	...	N	2	..
Tainan,	"	30.19	766.9	...	...	N	6	...	"	30.18	766.5	...	...	N	4	..
Koshun	"	30.18	766.4	...	...	N E	6	...	"	30.14	765.6	...	...	N E	2	..
Pescadores,	"	30.22	767.5	...	...	N E	10	...	"	30.17	766.4	...	...	N E	10	..
Canton,	3 p.	30.18	766.6	61	94	N	2	o	9 a.	30.29	769.3	53	93	N	3	or
Hongkong,	4 p.	30.19	766.8	65	85	E	3	o	10 a.	30.25	768.3	63	91	E	2	o
Victoria Peak,	"	...	...	...	...	E N E	7	...	"	...	...	...	...	E	4	..
Gap Rock,	"	30.13	765.3	...	...	E N E	6	...	"	30.21	767.3	...	...	E N E	6	..
Macao,	"	30.17	766.3	65	...	S E	1	of	"	30.24	768.1	60	...	N N E	1	of
Wuchow,	3 p.	30.18	766.6	58	...	N	2	or	9 a.	30.35	770.9	50	86	N	2	oc
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	..
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	..
Phulien,	4 p.	30.09	764.4	70	...	S E	4	o	8 a.	30.17	766.2	66	...	E	5	o
Tourane,	"	30.07	763.8	75	...	S E	3	b	"	30.19	766.7	77	...	S E	1	c
Cape St. James,	"	29.97	761.3	79	...	N E	3	b	"	30.03	762.7	77	...	N E	4	o
Aparri,	2 p.	30.08	764.0	77	...	E	0	o	6 a.	30.10	764.4	72	...	E	2	b
Manila,	4 p.	30.04	763	82	70	S E	2	o	10 a.	30.08	764	82	57	N E	2	c
Legaspi,	2 p.	30.02	762.6	88	...	E	2	b	6 a.	30.05	763.3	77	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	N	2	b	9 a.	...	...	...	...	N	2	b
Iloilo,	"	29.97	761.2	84	...	N	2	b	"	30.03	762.7	79	...	N	4	b
Cebu,	"	29.94	760.5	86	...	E	2	b	"	29.99	761.7	84	...	E	1	c
Labuan,	"	29.87	758.7	87	...	...	...	...	"	29.97	761.2	84	...	...	...	..

On the 22nd at 12.20 p.—The barometer has risen considerably in E. Japan, and fallen moderately over the E coast of China and the Loochoos.

The anticyclonic area still covers China and Japan, but a depression appears to be forming between Formosa and the Loochoos.

Strong monsoon will continue to prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. to N. winds, fresh; drizzling rain or mist.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 22nd December, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd DECEMBER, 1911, P.M.								23rd DECEMBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.31	769.9	20	...	...	0	b	7 a.	30.43	772.8	12	57	N N E	1	b
Nemuro,	,,	29.96	761.1	...	...	W	2	...	6 a.	30.16	766.1	...	...	W	2	...
Hakodate,	,,	30.15	765.7	...	...	W N W	6	...	,,	30.30	769.7	...	...	W N W	2	...
Tokio,	,,	30.30	769.6	...	...	N	1	...	,,	30.34	770.6	...	...	N N W	1	...
Kochi,	,,	30.37	771.3	...	...	S E	1	...	,,	30.37	771.3	...	...	...	0	...
Nagasaki,	,,	30.39	771.8	...	...	N N E	2	...	,,	30.43	772.8	...	...	...	0	...
Kagoshima,	,,	30.35	770.9	...	...	E N E	1	...	,,	30.37	771.4	...	...	N	2	...
Oshima,	,,	30.18	766.6	...	...	N E	1	...	,,	30.28	769.1	...	...	N N E	5	...
Naha,	,,	30.09	764.2	...	...	S E	2	...	,,	30.23	767.7	...	...	N N E	4	...
Ishigakijima,	,,	30.09	764.3	...	...	...	0	...	,,	30.23	767.8	...	...	N	3	..
Bonin Is.	,,	30.28	769.1	...	...	E N E	1	...	,,	30.23	767.6	...	...	S E	1	...
Chefoo,	3 p.	30.58	776.7	29	88	S W	2	c	6 a.	...	...	...	..	...	...	...
Weihaiwei,	,,	30.56	776.2	34	79	S W	3	cm	9 a.	30.57	776.5	35	70	W S W	2	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.55	775.9	34	100	N E	1	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.46	773.7	41	92	N N E	2	or	9 a.	30.57	776.5	44	76	N E	1	om
Gutzlaff,	,,	30.39	771.9	43	92	N E	5	omr	,,	30.50	774.7	46	77	N N E	4	bv
Sharp Peak,	,,	30.31	769.9	60	...	W N W	1	cr	,,	30.44	773.2	59	...	N	2	o
Amoy,	,,	30.19	766.8	63	83	N E	2	o	6 a	30.37	771.4	58	88	N E	2	o
Swatow,	,,	30.21	767.3	63	94	N E	1	o	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.16	766.1	...	...	N E	6	...	5 a.	30.33	770.4	...	...	E	6	...
Taichu,	,,	30.14	765.6	...	...	N	4	...	,,	30.22	767.5	...	...	N	6	...
Tainan,	,,	30.14	765.5	...	...	N	2	...	,,	30.20	767.0	...	...	N E	6	...
Koshun	,,	30.13	765.4	...	...	N W	4	...	,,	30.16	766.0	...	...	N E	8	...
Pescadores,	,,	30.17	766.2	..	...	N E	10	...	,,	30.23	767.7	...	...	N E	10	...
Canton,	3 p.	30.25	768.3	53	86	N	3	o	9 a.	30.34	770.6	51	86	N	2	o
Hongkong,	4 p.	30.20	767.1	63	87	N N E	1	o	10 a.	30.31	769.9	61	81	E N E	2	o
Victoria Peak,	,,	...	...	...	...	N E	3	...	,,	...	...	...	...	E N E	4	...
Gap Rock,	,,	30.14	765.5	...	...	N	5	...	,,	30.26	768.6	...	...	E N E	4	...
Macao,	,,	30.19	766.9	...	...	N N E	1	o	,,	30.31	769.9	56	...	N N W	1	o
Wuchow,	3 p.	30.33	770.4	52	79	N	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.11	764.8	66	...	E	5	o	8 a.	30.22	767.6	61	...	E N E	4	o
Tourane,	,,	30.05	763.3	77	...	E	2	o	,,	30.15	765.8	77	...	E S E	3	dh
Cape St. James,	,,	29.94	760.6	79	...	N E	5	c	,,	30.03	762.8	79	...	N E	5	b
Aparri,	2 p.	30.01	762.2	84	...	S	2	b	6 a.	30.11	764.7	68	...	N E	2	b
Manila,	4 p.	30.00	762	86	47	E	1	b	10 a.	30.08	764	82	63	W N W	1	o
Legaspi,	2 p.	30.00	762.0	86	...	E	2	b	6 a.	30.04	763.0	77	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	N	3	b	9 a.	...	...	...	...	N	1	b
Iloilo,	,,	29.91	759.7	84	...	N	2	b	,,	30.03	762.7	80	...	N	3	o
Cebu,	,,	29.94	760.5	85	...	N	2	...	,,	29.93	760.2	84	...	N	1	b
Labuan,	,,	29.86	758.4	86	...	...	...	...	,,	29.97	761.2	84	...	...	...	...

On the 22rd at 11.55 a.—The shallow depression lying in the neighbourhood of the Loochoos yesterday, has moved Eastwards in the direction of the Bonins.

The anticyclonic area, central over the continent to the North of the Yangtze valley, still covers China and Japan.

Strong monsoon will continue to prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; cloudy, misty.
2.—Formosa Channel,	N.E. winds, strong.
3—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 23rd December, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd DECEMBER, 1911, P.M.								24th DECEMBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.34	770.7	23	...	N W	0	b	7 a.	30.32	770.0	13	69	N	1	b
Nemuro,	,,	30.16	766.1	...	...	W	1	...	6 a.	30.16	766.1	...	...	N W	2	...
Hakodate,	,,	30.30	769.7	...	...	W N W	4	...	,,	30.25	768.2	...	...	W	2	...
Tokio,	,,	30.34	770.6	...	...	N N W	1	...	,,	30.38	771.6	...	...	N W	1	...
Kochi,	,,	30.33	770.3	...	...	N	3	...	,,	30.41	772.3	...	...	S W	1	...
Nagasaki,	,,	30.39	771.8	...	...	N E	1	...	,,	30.41	772.3	...	...	E	2	...
Kagoshima,	,,	30.35	770.9	...	...	E	1	...	,,	30.39	771.9	...	...	N	1	...
Oshima,	,,	30.34	770.6	...	...	W	1	...	,,	30.36	771.1	...	...	S	1	...
Naha,	,,	30.28	769.2	...	...	N E	3	...	,,	30.32	770.2	...	...	N N E	1	...
Ishigakijima,	,,	30.25	768.3	...	...	N E	6	...	,,	30.27	768.8	...	...	E N E	2	..
Bonin Is.	,,	30.12	765.1	...	...	S S W	2	...	,,	30.20	767.1	...	...	N	1	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.54	775.7	35	70	W S W	2	c	9 a.	30.52	775.2	36	61	N	4	o
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.46	773.7	36	90	N E	2	or	,,	30.49	774.4	37	91	N E	2	or
Shanghai,	,,	30.47	773.9	45	68	N E	2	o	9 a.	30.42	772.6	46	100	E	1	omd
Gutzlaff,	,,	30.43	772.9	49	57	E N E	2	ov	,,	30.40	772.1	47	100	E	5	omd
Sharp Peak,	,,	30.35	770.9	60	...	N	1	c	,,	30.34	770.6	59	...	N	1	o
Amoy,	,,	30.31	769.9	68	65	N E	2	b	6 a.	30.35	770.9	62	83	N W	1	o
Swatow,	,,	30.24	768.1	68	70	E	1	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.21	767.3	...	...	E	8	...	5 a.	30.23	767.7	...	...	E	6	...
Taichu,	,,	30.16	766.0	...	...	N	2	...	,,	30.22	767.5	...	...	...	0	...
Tainan,	,,	30.18	766.5	...	...	N	4	...	,,	30.25	768.2	...	...	N	4	...
Koshun	,,	30.16	766.1	...	...	N E	10	...	,,	30.21	767.4	...	...	N	6	...
Pescadores,	,,	30.21	767.4	..	...	N E	10	...	,,	30.25	768.3	...	...	N	8	...
Canton,	3 p.	30.25	768.3	56	87	N	1	o	9 a.	30.32	770.1	55	94	N	2	o
Hongkong,	4 p.	30.25	768.3	62	76	E N E	2	o	10 a.	30.29	769.3	65	86	E	2	o
Victoria Peak,	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	30.20	767.1	...	...	E N E	6	...	,,	30.26	768.6	...	...	N E	6	...
Macao,	,,	30.23	767.9	59	...	N N W	1	c	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	30.29	769.3	52	...	N	2	o	9 a.	30.34	770.6	55	...	E	1	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.17	766.2	64	...	E N E	3	o	8 a.	30.22	767.5	64	...	E N E	3	dh
Tourane,	,,	30.07	763.9	75	...	E	3	or	,,	30.16	766.0	77	...	...	2	c
Cape St. James,	,,	29.94	760.6	77	...	N E	6	b	,,	30.08	764.0	75	...	N E	3	c
Aparri,	2 p.	30.09	764.2	77	...	N E	2	o	6 a.	30.13	765.4	72	...	E	0	b
Manila,	4 p.	30.00	762	86	53	E	1	o	10 a.	30.12	765	84	52	E S E	1	c
Legaspi,	2 p.	30.00	762.0	88	...	N E	2	b	6 a.	30.06	763.4	79	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	N	2	o	9 a.	...	...	...	...	N	3	b
Iloilo,	,,	29.87	758.7	83	...	N	2	b	,,	30.00	762.0	80	...	S W	...	b
Cebu,	,,	29.92	759.9	86	...	E	2	b	,,	29.93	760.2	84	...	N	2	o
Labuan,	,,	29.86	758.4	84	...	...	...	...	,,	...	...	...	...	...	...	...

On the 24th at 11.55 a.—The shallow depression has moved away over the Pacific to the Eastward of the Bonins.

The anticyclonic area is still central over the continent to the North of the Yangtze valley, but pressure is giving way over Eastern China and gradients are easier along the coast.

Fresh monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	NE winds, fresh to moderate; fair, misty.
2.—Formosa Channel,	NE winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. D. FIGG,
Director.

Hongkong Observatory, Sunday, 24th December, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th DECEMBER, 1911, P.M.								25th DECEMBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.28	769.1	25	...	...	0	b	7 a.	30.32	770.0	15	62	E N E	0	c
Nemuro,	,,	30.10	764.6	...	...	...	0	...	6 a.	30.08	764.1	...	...	N W	6	...
Hakodate,	,,	30.15	765.7	...	...	N W	2	...	,,	30.26	768.7	...	...	W N W	3	...
Tokio,	,,	30.28	769.1	...	...	...	0	...	,,	30.26	768.6	...	...	...	0	...
Kochi,	,,	30.33	770.8	...	...	...	0	...	,,	30.27	768.8	...	...	S W	1	...
Nagasaki,	,,	30.37	771.3	...	...	E S E	2	...	,,	30.25	768.3	...	...	S S E	1	...
Kagoshima,	,,	30.33	770.4	...	...	N N W	1	...	,,	30.25	768.4	...	...	N E	2	...
Oshima,	,,	30.30	769.6	...	...	N	1	...	,,	30.14	765.6	...	...	S S E	2	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.15	765.7	...	...	S S E	1	...
Ishigakijima,	,,	...	..	...	...	...	...	...	,,	30.11	764.8	...	...	S E	5	..
Bonin Is.	,,	30.18	766.6	...	...	N	1	...	,,	30.20	767.1	...	...	N N E	1	...
Chefoo,	8 p.	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	...
Weihaiwei,	,,	30.48	774.2	37	62	N	1	c	9 a.	30.23	767.8	33	90	S W	1	oms
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.37	771.4	48	93	E	2	omr	9 a.	30.24	766.1	40	100	E	5	r
Gutzlaff,	,,	30.29	769.3	48	100	E	4	omr	,,	30.19	766.8	41	100	N W	6	omr
Sharp Peak,	,,	30.25	768.3	60	...	...	0	c	,,	30.16	766.0	60	...	...	0	o
Amoy,	,,	30.17	766.3	70	75	S S E	4	b	6 a.	30.16	766.0	62	89	E	2	or
Swatow,	,,	30.17	766.3	68	74	E S E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.17	766.2	...	...	N E	2	...	5 a.	30.12	765.1	...	...	S W	2	...
Taichu,	,,	30.14	765.6	...	...	W	2	...	,,	30.14	765.6	...	...	...	0	...
Tainan,	,,	30.18	766.6	...	...	N W	6	...	,,	30.13	765.2	...	...	N	4	...
Koshun	,,	30.17	766.3	...	...	E	6	...	,,	30.10	764.5	...	...	E	4	...
Pescadores,	,,	30.22	767.5	..	...	N	8	...	,,	30.13	765.4	...	...	N	6	...
Canton,	8 p.	30.17	766.3	62	89	N	2	o	9 a.	30.31	769.9	49	86	N	3	o
Hongkong,	4 p.	30.15	765.8	68	77	E	2	o	10 a.	30.21	767.3	64	69	W N W	3	o
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	W N W	6	...
Gap Rock,	,,	30.12	765.0	...	...	E N E	4	...	,,	30.17	766.3	...	...	E N E	5	...
Macao,	,,	30.15	765.7	68	...	...	0	o	,,	...	...	...	...	...	...	...
Wuchow,	8 p.	30.22	767.6	57	...	N	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.13	765.2	68	...	E N E	2	f	8 a.	...	...	...	...	...	...	...
Tourane,	,,	30.07	763.9	72	...	S E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.96	761.1	79	...	N E	5	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	30.05	763.3	82	...	E	2	b	6 a.	30.05	763.3	68	...	S E	2	b
Manila,	4 p.	30.00	762	86	47	E	...	b	10 a.	30.04	763	82	63	...	0	b
Legaspi,	2 p.	30.01	762.3	84	...	E	2	b	6 a.	30.00	761.9	77	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	N	3	c	9 a.	...	...	...	...	N	4	b
Iloilo,	,,	29.92	759.9	...	...	S W	2	b	,,	29.99	761.7	80	...	N	2	b
Cebu,	,,	29.95	760.7	86	...	N	3	b	,,	29.93	760.2	83	...	N	1	c
Labuan,	,,	29.87	758.7	84	...	...	...	...	,,	29.92	759.9	83	...	...	...	...

On the 25th at 12.10 p.—Pressure has given way generally, particularly over the E, and NE coasts of China.

A depression is moving Eastwards over N. China, and a second area of low pressure is shown over the Eastern Sea.

Pressure is high over the Sea of Japan, and probably a "high" is situated over W. China.

Strong Northerly winds to gales are likely to set in over the whole of the China coast.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, strong; fair, squally.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 25th December, 1911.

[Printed by Nomonha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th DECEMBER, 1911, P.M.								26th DECEMBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	30.21	767.3	17	...	N N E	1	o	7 a.	30.02	762.5	15	91	N N E	4	o
Nemuro,	,,	30.14	765.6	...	...	N W	1	...	6 a.	30.10	764.6	...	...	E	1	...
Hakodate,	,,	30.22	767.7	...	...	N W	4	...	,,	29.91	759.7	...	...	E	1	...
Tokio,	,,	30.24	768.1	...	...	N N W	1	...	,,	29.75	755.6	...	...	N N W	2	...
Kochi,	,,	30.13	765.3	...	...	S S E	1	...	,,	29.97	761.3	...	...	S W	1	...
Nagasaki,	,,	29.95	760.8	...	...	N E	3	...	,,	30.17	766.3	...	...	N	3	...
Kagoshima,	,,	29.98	761.4	...	...	E	4	...	,,	30.12	764.9	...	...	W	3	...
Oshima,	,,	...	...	...	...	...	...	...	,,	30.12	765.1	...	...	N	5	...
Naha,	,,	30.03	762.7	...	...	S S E	3	...	,,	30.17	766.2	...	...	N N W	5	...
Ishigakijima,	,,	30.03	762.8	...	...	S	4	...	,,	30.17	766.3	...	...	N E	3	..
Bonin Is.	,,	30.18	766.6	...	...	N E	1	...	,,	30.12	765.1	...	...	S E	1	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.12	765.0	34	79	W	6	b	9 a.	30.37	771.4	35	70	N	5	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.34	770.6	38	81	W N W	5	oq	9 a.	30.47	773.9	34	69	N N E	1	o
Gutzlaff,	,,	30.22	767.6	39	100	N W	7	ov	,,	30.42	772.6	36	80	N N W	2	om
Sharp Peak,	,,	30.13	765.3	61	...	E	1	b	,,	30.37	771.4	58	...	N N E	4	o
Amoy,	,,	30.08	764.0	66	89	S S E	4	c	6 a.	...	...	...	...	...	...	...
Swatow,	,,	30.12	765.0	66	64	N W	2	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.08	764.0	...	...	N	4	...	5 a.	30.23	767.8	...	...	E	6	...
Taichu,	,,	30.08	764.0	...	...	N	2	...	,,	30.12	765.0	...	...	N	2	...
Tainan,	,,	30.07	763.9	...	...	N W	4	...	,,	30.12	765.0	...	...	N	6	...
Koshun	,,	30.05	763.2	...	...	S	4	...	,,	30.08	764.1	...	...	N E	8	...
Pescadores,	,,	30.09	764.3	..	...	N	6	...	,,	30.14	765.5	...	...	N E	10	...
Canton,	3 p.	30.20	767.1	51	79	N	2	o	9 a.	30.29	769.3	49	78	N	2	o
Hongkong,	4 p.	30.12	765.0	64	69	N W	2	o	10 a.	30.23	767.8	61	73	E N E	2	o
Victoria Peak,	,,	...	...	...	...	N W	7	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	30.08	764.0	...	...	N N W	7	...	,,	30.20	767.1	...	...	E N E	4	...
Macao,	,,	30.13	765.3	59	...	N W	2	c	,,	30.19	766.8	53	...	N W	1	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.17	766.3	61	...	N N E	0	o	8 a.	30.21	767.4	57	...	N N W	2	o
Tourane,	,,	30.09	764.3	75	...	N E	1	c	,,	30.14	765.5	73	..	E	2	o
Cape St. James,	,,	29.94	760.4	77	...	N E	6	c	,,	29.98	761.5	77	...	N E	3	c
Aparri,	2 p.	29.98	761.5	84	...	E	2	b	6 a.	30.04	763.1	68	...	E	0	o
Manila,	4 p.	29.96	761	86	46	E S E	1	b	10 a.	30.04	763	81	70	N	1	o
Legaspi,	2 p.	29.96	760.9	88	...	E	2	b	6 a.	30.00	762.0	77	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	N	1	c	9 a.	...	...	...	...	N	2	b
Iloilo,	,,	29.89	759.2	82	...	N E	2	c	,,	29.99	761.7	80	...	N	3	b
Cebu,	,,	29.85	758.2	83	...	N	1	c	,,	29.95	760.7	82	...	E	1	o
Labuan,	,,	29.84	757.9	82	...	...	...	...	,,	29.90	759.4	82	...	...	...	...

On the 20th at 11.50 a.—The barometer has fallen quickly in Japan, and risen considerably over N. China. The depression is crossing the Sea of Japan, and a high pressure area is now situated over China. Fresh to strong monsoon may be expected along the coast and over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; cloudy, misty.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 26th December, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th December, 1911, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	27th December, 1911, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.03	762.7	17	...	N N E	1	o	7 a.	30.17	766.4	6	64	N N E	0	b
Nemuro,	,,	29.87	758.6	...	...	N N E	3	...	6 a.	29.93	760.1	...	...	E	1	...
Hakodate,	,,	29.77	756.2	...	...	...	0	...	,,	29.89	759.2	...	...	S E	2	...
Tokio,	,,	29.75	755.6	...	...	S	1	...	,,	30.01	762.1	...	...	...	0	...
Kochi,	,,	30.19	766.8	...	...	S W	2	...	,,	30.23	767.8	...	...	S W	1	...
Nagasaki,	,,	30.21	767.3	...	...	N	2	...	,,	30.31	769.8	...	...	N	1	...
Kagoshima,	,,	30.17	766.4	...	...	N W	5	...	,,	30.31	769.9	...	...	N	1	...
Oshima,	,,	30.16	766.1	...	...	...	0	...	,,	30.26	768.6	...	...	N	2	...
Naha,	,,	30.17	766.2	...	...	...	4	...	,,	30.25	768.2	...	...	N E	1	...
Ishigakijima,	,,	30.15	765.8	...	...	N N E	4	...	,,	30.21	767.3	...	...	N N E	4	...
Bonin Is.	,,	30.04	763.1	...	...	S S W	2	...	,,	30.06	763.6	...	...	N	1	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	...
Weihaiwei,	,,	30.49	774.4	35	70	N N W	1	c	9 a.	30.64	778.2	27	75	N N W	6	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.36	771.1	44	76	N E	2	b	,,	30.45	773.4	37	81	N E	4	or
Shanghai,	,,	30.41	772.4	38	72	N	1	c	9 a.	30.56	776.2	42	67	N N E	1	o
Gutzlaff,	,,	30.36	771.1	39	91	N N W	2	om	,,	30.49	774.4	44	68	N	4	ov
Sharp Peak,	,,	30.27	768.8	58	...	N N E	2	c	,,	30.39	771.9	57	...	N	2	or
Amoy,	,,	30.22	767.6	63	67	N E	4	c	6 a.	30.27	768.8	57	69	N	2	o
Swatow,	,,	30.15	765.8	63	67	E	1	o	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.20	767.2	...	...	E	8	...	5 a.	30.26	768.5	...	...	E	6	...
Taichu,	,,	30.10	764.5	...	...	N	6	...	,,	30.17	766.3	...	...	...	0	...
Tainan,	,,	30.11	764.8	...	...	N W	4	...	,,	30.16	766.0	...	...	N E	6	...
Koshun,	,,	30.07	763.7	...	...	N E	10	...	,,	30.08	764.1	...	...	N E	6	...
Pescadores,	,,	30.18	766.5	..	...	N E	10	...	,,	30.17	766.4	...	...	N E	10	...
Canton,	3 p.	30.14	765.5	56	75	N	1	o	9 a.	30.28	769.1	78	94	N	1	o
Hongkong,	4 p.	30.14	765.5	60	82	E	3	o	10 a.	30.26	768.6	62	81	E	3	c
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	E N E	3	...
Gap Rock,	,,	30.08	764.0	...	...	E N E	5	...	,,	30.24	768.1	...	...	E N E	5	...
Macao,	,,	30.12	765.0	56	...	W	1	o	,,	30.25	768.3	50	...	N N E	1	c
Wuchow,	3 p.	30.16	766.0	58	64	E	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.08	764.1	64	...	S W	1	o	8 a.	30.18	766.5	63	...	E N E	2	o
Tourane,	,,	30.06	763.5	75	...	E	2	c	,,	30.15	765.8	72	...	E N E	2	o
Cape St. James,	,,	29.90	759.5	77	...	N E	4	c	,,	29.99	761.8	75	...	N E	3	c
Aparri,	2 p.	29.98	761.5	82	...	E	2	b	6 a.	30.05	763.3	70	...	S E	2	o
Manila,	4 p.	29.92	760	84	40	E	1	c	10 a.	30.04	763	86	47	E N E	1	o
Legaspi,	2 p.	29.93	760.1	88	...	N E	4	b	6 a.	29.97	761.3	77	...	N E	2	b
Baoolod,	3 p.	...	...	...	...	N	2	o	9 a.	...	...	...	...	N	1	b
Iloilo,	,,	29.87	758.7	83	...	N	3	o	,,	29.93	760.2	79	...	N	1	o
Cebu,	,,	29.86	758.4	84	...	N	1	c	,,	29.95	760.7	80	...	N	1	o
Labuan,	,,	29.79	756.6	84	...	...	...	...	,,	29.89	759.2	82	...	...	...	...

On the 27th at 12.15 p.—The depression lying over E. Japan yesterday, is moving away over the Pacific.
Pressure has increased considerably over S. Japan and N. China.
The anticyclone, central over the continent to the North of the Yangtze valley, covers China and W. Japan.
Fresh to strong monsoon will continue to prevail along the coast and over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N E. and E. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, strong.
3—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 27th December, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th December, 1911, P.M.								28th December, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.19	766.7	14	...	N	3	b	7 a.	30.29	769.4	6	66	N N E	3	b
Nemuro,	,,	29.81	757.1	...	...	E	3	...	6 a.	29.71	754.6	...	...	E	3	...
Hakodate,	,,	29.83	757.7	...	...	N W	1	...	,,	29.87	758.7	...	...	E	1	...
Tokio,	,,	29.89	759.1	...	...	...	0	...	,,	30.04	763.1	...	...	N N W	3	...
Kochi,	,,	30.15	765.8	...	...	S W	2	...	,,	30.23	767.8	...	...	S W	1	...
Nagasaki,	,,	30.37	771.3	...	...	N	4	...	,,	30.33	770.3	...	...	E N E	1	...
Kagoshima,	,,	30.29	769.4	...	...	N W	4	...	,,	30.31	769.9	...	...	N	1	...
Oshima,	,,	30.28	769.1	...	...	N	3	...	,,	30.26	768.5	...	...	N N W	1	...
Naha,	,,	30.24	768.2	...	...	N N E	1	...	,,	30.23	767.7	...	...	N E	1	...
Ishigakijima,	,,	30.19	766.8	...	...	N E	5	...	,,	30.17	766.3	...	...	N E	4	..
Bonin Is.	,,	30.04	763.1	...	...	...	0	...	,,	30.06	763.6	...	...	N W	1	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.60	777.2	26	75	N N W	6	o	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.60	774.7	36	100	N E	2	or	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.48	774.2	42	66	N N E	1	o	9 a.	30.61	777.5	37	81	N N W	2	o
Gutzlaff,	,,	30.43	772.9	42	66	N N E	2	o	,,	30.52	775.2	40	74	N	5	ov
Sharp Peak,	,,	30.31	769.9	58	...	N	2	o	,,	30.40	772.1	57	...	N N E	2	o
Amoy,	,,	30.22	767.6	69	60	E	2	b	6 a.	30.30	769.6	59	76	N E	2	b
Swatow,	,,	30.17	766.3	65	73	E	1	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.19	766.8	...	...	E	8	...	5 a.	30.25	768.3	...	...	E	4	...
Taichu,	,,	30.12	765.1	...	...	N	6	...	,,	30.22	767.5	...	...	N	2	...
Tainan,	,,	30.13	765.4	...	...	N	6	...	,,	30.17	766.3	...	...	N E	6	...
Koshun	,,	30.02	765.0	...	...	N E	8	...	,,	30.13	765.4	...	...	N E	3	...
Pescadores,	,,	30.17	766.4	..	...	N E	10	...	,,	30.21	767.3	...	...	N E	10	...
Canton,	3 p.	30.18	766.6	60	82	N	1	o	9 a.	30.35	770.9	52	79	N	2	o
Hongkong,	4 p.	30.15	765.8	66	77	W	1	o	10 a.	30.28	769.1	62	73	N	1	o
Victoria Peak,	,,	...	...	...	...	N W	2	...	,,	...	...	...	...	N	1	...
Gap Rock,	,,	30.14	765.5	...	...	E N E	5	...	,,	30.26	768.6	...	...	N N E	4	...
Macao,	,,	30.15	765.8	63	...	N N E	1	o	,,	30.29	769.4	56	...	N W	1	o
Wuchow,	3 p.	30.19	766.8	56	...	...	1	od	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.10	764.5	64	...	E	4	o	8 a.	30.25	768.4	61	...	N E	4	o
Tourane,	,,	30.04	763.1	73	...	E	2	c	,,	30.16	766.0	70	...	N W	2	f
Cape St. James,	,,	29.88	758.9	77	...	N E	4	o	,,	29.98	761.5	77	...	N E	3	c
Aparri,	2 p.	30.01	762.2	82	...	E	2	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	760	86	46	E N E	2	c	10 a.	30.04	763	79	69	N N E	1	o
Legaspi,	2 p.	29.94	760.5	86	...	N E	4	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.85	758.2	83	...	N E	3	b	,,	29.99	761.7	79	...	N	2	o
Cebu,	,,	29.86	758.4	84	...	E	2	b	,,	29.94	760.5	82	...	E	2	c
Labuan,	,,	29.80	756.9	82	...	...	...	...	,,	29.87	758.7	84	...	...	...	...

On the 28th at 12.10 p.—Pressure has increased slightly over China, and given way moderately in N.E. Japan.

A shallow depression lies over the latter area, while the anticyclone is still central over the continent to the North of the Yangtze valley.

Fresh to strong monsoon will continue to prevail along the coast and over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamooks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 28th December, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th DECEMBER, 1911, P.M.								29th DECEMBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.22	767.5	17	...	N	2	b	7 a.	30.23	767.9	2	70	N N E	1	b
Nemuro,	,,	29.81	757.1	...	...	N E	2	...	6 a.	29.89	759.1	...	...	N N E	2	...
Hakodate,	,,	29.91	759.7	...	...	N N W	4	...	,,	30.01	762.2	...	...	N N W	1	...
Tokio,	,,	30.02	762.6	...	...	N N W	2	...	,,	30.08	764.1	...	...	N W	1	...
Kochi,	,,	30.15	765.8	...	...	S E	1	...	,,	30.23	767.8	...	...	S S W	1	...
Nagasaki,	,,	30.31	769.8	...	...	N	3	...	,,	30.31	769.8	...	...	N	2	...
Kagoshima,	,,	30.27	768.9	...	...	N	2	...	,,	30.27	768.9	...	...	N N W	2	...
Oshima,	,,	...	..	...	...	...	...	...	,,	30.24	768.1	...	...	N	4	...
Naha,	,,	30.19	766.7	...	...	N N E	3	...	,,	30.19	766.7	...	...	N E	3	...
Ishigakijima,	,,	30.13	765.3	...	...	N E	3	...	,,	30.15	765.8	...	...	N N E	5	..
Bonin Is.	,,	30.06	763.6	...	...	W	1	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.49	774.4	31	90	N N W	4	c	9 a.	30.46	773.7	32	43	S W	5	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.53	775.4	38	81	N E	3	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.52	775.2	39	55	N	2	o	9 a.	30.56	776.2	34	79	N W	2	o
Gutzlaff,	,,	30.46	773.7	40	82	N	5	ov	,,	30.50	774.7	37	81	N N W	4	ov
Sharp Peak,	,,	30.31	769.9	57	...	N	4	or	,,	30.42	772.6	55	...	N	2	o
Amoy,	,,	30.16	766.0	65	73	E	2	o	6 a.	30.29	769.3	55	80	N E	1	b
Swatow,	,,	30.19	766.8	64	68	N	1	o	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.22	767.7	...	...	E	6	...	5 a.	30.26	768.6	...	...	E	6	...
Taichu,	,,	30.10	764.6	...	...	N	6	...	,,	30.19	766.7	...	...	N	4	...
Tainan,	,,	30.11	764.7	...	...	N	6	...	,,	30.18	766.6	...	...	N	6	...
Koshun	,,	30.08	764.1	...	...	N E	8	...	,,	30.11	764.7	...	...	N E	10	...
Pescadores,	,,	30.15	765.8	..	...	N E	10	...	,,	30.20	767.1	...	...	N E	10	...
Canton,	3 p.	30.23	767.8	57	69	N	2	c	9 a.	30.36	771.1	50	65	N	2	c
Hongkong,	4 p.	30.16	766.0	66	51	N	2	b	10 a.	30.30	769.6	58	57	N	3	o
Victoria Peak,	,,	...	...	...	...	N N W	3	...	,,	...	...	...	...	N N E	2	...
Gap Rock,	,,	30.14	765.5	...	...	N N W	5	...	,,	30.27	768.8	...	...	N N E	5	...
Macao,	,,	30.17	766.3	61	...	N W	1	c	,,	30.30	769.6	53	...	N W	1	c
Wuchow,	3 p.	30.32	770.1	56	...	N	1	c	9 a.	30.43	772.9	49	71	N	1	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.19	766.7	63	...	N E	3	o	8 a.	30.30	769.6	55	...	E	2	o
Tourane,	,,	30.06	763.4	72	...	N E	3	f	,,	30.14	765.6	72	..	E N E	3	f
Cape St. James,	,,	29.89	759.2	79	...	N E	4	c	,,	29.97	761.2	77	...	N E	3	c
Aparri,	2 p.	29.96	761.0	79	...	S E	2	o	6 a.	30.02	762.5	68	...	S E	2	b
Manila,	4 p.	29.92	760	84	45	S E	1	c	10 a.	30.00	762	82	58	...	0	o
Legaspi,	2 p.	29.92	760.0	81	...	N E	2	o	6 a.	29.96	761.0	75	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N E	4	b	9 a.	...	...	...	...	N	2	o
Iloilo,	,,	29.83	757.7	83	...	N E	2	b	,,	29.93	760.2	79	...	N	2	...
Cebu,	,,	29.90	759.4	84	...	N	1	o	,,	29.94	760.5	80	...	N	1	c
Labuan,	,,	29.77	756.1	83	...	...	...	...	,,	29.91	759.7	84	...	...	...	...

On the 29th at 11.55 a.—The barometer has risen in N.E. Japan the depression having moved away over the Pacific.

The anticyclone is still central over the continent to the North of the Yangtze valley, but pressure is inclined to give way in N. China.

Fresh to strong monsoon will continue to prevail along the coast and over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 29th December, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th DECEMBER, 1911, P.M.								30th DECEMBER, 1911, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.16	766.1	13	...	N N E	2	b	7 a.	30.11	764.8	4	86	...	0	b
Nemuro,	,,	29.89	759.1	...	...	N W	1	...	6 a.	29.95	760.6	...	...	W S W	1	...
Hakodate,	,,	29.93	760.2	...	...	N W	1	...	,,	30.07	763.7	...	...	...	0	...
Tokio,	,,	30.04	763.1	...	...	N W	1	...	,,	30.14	765.6	...	...	W N W	1	...
Kochi,	,,	30.19	766.8	...	...	E S E	1	...	,,	30.23	767.8	...	...	W	1	...
Nagasaki,	,,	30.31	769.8	...	...	N N W	3	...	,,	30.31	769.8	...	...	N N E	1	...
Kagoshima,	,,	30.29	769.4	...	...	N	2	...	,,	30.27	768.9	...	...	N N E	1	...
Oshima,	,,	30.22	767.6	...	...	N	4	...	,,	30.24	768.1	...	...	N	1	...
Naha,	,,	30.19	766.7	...	...	N N E	5	...	,,	30.23	767.7	...	...	N E	2	...
Ishigakijima,	,,	30.15	765.8	...	...	N E	5	...	,,	30.15	765.8	...	...	E	5	..
Bonin Is.	,,	30.04	763.1	...	...	N W	1	...	,,	30.14	765.6	...	...	N W	1	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.36	771.1	32	68	S W	5	cm	9 a.	30.30	769.6	33	59	S S W	4	bm
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.46	773.7	41	57	N N W	2	c	9 a	30.45	773.4	35	70	...	0	om
Gutzlaff,	,,	30.42	772.6	41	74	N	3	cv	,,	30.42	772.6	43	67	N	1	cv
Sharp Peak,	,,	30.29	769.3	56	...	N N E	2	or	,,	30.34	770.6	55	...	N N W	1	o
Amoy,	,,	30.22	767.6	66	64	E	2	c	6 a.	30.25	768.3	58	76	E	1	c
Swatow,	,,	30.18	766.6	61	66	N	1	o	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.21	767.4	...	...	E	8	...	5 a.	30.23	767.7	...	...	E	6	...
Taichu,	,,	30.10	764.5	...	...	N	6	...	,,	30.17	766.4	...	...	...	0	...
Tainan,	,,	30.11	764.9	...	...	N	6	...	,,	30.14	765.5	...	...	N	4	...
Koshun	,,	30.09	764.2	...	...	N E	10	...	,,	30.12	764.9	...	...	N	6	...
Pescadores,	,,	30.16	766.1	..	...	N E	10	...	,,	30.17	766.3	...	...	N E	10	...
Canton,	3 p.	30.22	767.6	56	57	N	2	b	9 a.	30.33	770.4	50	72	N	2	b
Hongkong,	4 p.	30.16	766.0	62	55	N	1	c	10 a.	30.27	768.8	61	58	N	1	c
Victoria Peak,	,,	...	...	...	...	N N W	1	...	,,	...	...	...	...	N N E	1	...
Gap Rock,	,,	30.15	765.8	...	...	N N W	4	...	,,	30.25	768.3	...	...	N N E	3	...
Macao,	,,	30.17	766.3	56	...	N E	2	c	,,	30.28	769.1	54	...	N N W	1	c
Wuchow,	3 p.	30.29	769.3	52	...	N	1	o	9 a.	30.40	772.1	50	72	N	1	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.19	766.8	59	...	N N W	1	o	8 a.	30.30	769.5	55	...	E N E	3	o
Tourane,	,,	30.05	763.2	72	...	E N E	5	f	,,	30.14	765.5	72	..	N E	5	f
Cape St. James,	,,	29.87	758.7	77	...	N E	4	c	,,	29.98	761.5	77	...	N E	3	c
Aparri,	2 p.	29.97	761.3	82	...	N E	2	d	6 a.	29.99	761.7	70	...	S W	2	d
Manila,	4 p.	29.92	760	84	52	N N E	1	c	10 a.	30.00	762	81	70	W S W	1	c
Legaspi,	2 p.	29.89	759.3	84	...	N E	2	o	6 a.	29.95	760.6	75	...	N E	2	...
Bacolod,	3 p.	...	...	...	...	N	1	c	9 a.	...	...	...	...	...	2	b
Iloilo,	,,	29.83	757.7	83	...	N	1	o	,,	29.91	759.7	80	...	N	3	c
Cebu,	,,	29.85	758.2	82	...	E	2	o	,,	29.89	759.2	83	...	E	1	b
Labuan,	,,	29.79	756.6	85	...	...	...	...	..	29.89	759.2	83	...	...	...	...

On the 30th at 12.05 p.—The barometer has fallen over China, particularly in the North. Probably a depression is approaching Manchuria from the Westward.

The anticyclonic area still covers S. China.

The monsoon is moderating along the coast. It will continue to blow strongly over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; fine.
2.—Formosa Channel,	NE winds, fresh to moderate.
3.—South coast of China between Hongkong and Lamoons,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 30th December, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th December, 1911, P.M.									31st December, 1911, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.04	762.9	20	...	W	0	b		7 a.	30.12	765.0	11	93	...	0	c
Nemuro,	"	29.96	761.1	...	...	S W	1	...		6 a.	30.10	764.6	...	...	W	1	...
Hakodate,	"	30.09	764.2	...	...	W	3	...		"	30.15	765.7	...	...	...	0	...
Tokio,	"	30.12	765.1	...	...	N N E	1	...		"	30.24	768.1	...	...	N N W	1	...
Kochi,	"	30.19	766.8	...	...	S S W	2	...		"	30.33	770.3	...	...	S W	1	...
Nagasaki,	"	30.29	769.3	...	...	N	1	...		"	30.35	770.8	...	...	N	1	...
Kagoshima,	"	30.27	768.9	...	...	N	4	...		"	30.35	770.9	...	...	N N E	1	...
Oshima,	"	30.18	766.6	...	...	N N W	1	...		"	30.26	768.6	...	...	S	1	...
Naha,	"	30.19	766.7	...	...	E N E	2	...		"	30.23	767.7	...	...	N E	2	...
Ishigakijima,	"	30.15	765.8	...	...	N E	4	...		"	30.13	765.3	...	...	E	4	..
Bonin Is.	"	30.10	764.6	...	...	N W	1	...		"	30.20	767.1	...	...	...	0	...
Chefoo,	3 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Weihaiwei,	"	30.22	767.6	29	64	S W	3	b		9 a.	30.27	768.8	36	80	S S W	3	bm
Hankow,	"	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Kiukiang,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Shanghai,	"	30.34	770.6	35	80	S W	1	cm		9 a	30.35	770.9	36	61	S E	1	o
Gutzlaff,	"	...	...	...	...	...	...	...		"	30.32	770.1	42	83	N N E	1	om
Sharp Peak,	"	30.23	767.8	57	...	N	1	o		"	30.28	769.1	56	...	N	2	o
Amoy,	"	30.11	764.8	69	60	N E	2	b		6 a.	30.22	767.6	56	87	N E	2	b
Swatow,	"	30.08	764.0	65	63	E	1	b		"	30.20	767.1	54	94	E N E	1	o
Taihoku,	1 p.	30.16	766.1	...	...	E	8	...		5 a.	30.18	766.5	...	...	E	6	...
Taichu,	"	30.10	764.5	...	...	N	6	...		"	30.11	764.8	...	...	...	0	...
Tainan,	"	30.09	764.3	...	...	N	6	...		"	30.11	764.8	...	...	N E	4	...
Koshun	"	30.07	763.8	...	...	N E	8	...		"	30.08	764.1	...	...	N E	6	...
Pescadores,	"	30.13	765.3	..	...	N E	10	...		"	30.12	764.9	...	...	N E	8	...
Canton,	3 p.	30.18	766.6	57	63	N	2	b		9 a.	30.24	768.1	52	73	N	1	c
Hongkong,	4 p.	30.14	765.5	63	63	W	2	b		10 a.	30.21	767.3	61	77	E	1	o
Victoria Peak,	"	...	...	...	...	W N W	4	...		"	...	...	...	...	E	2	...
Gap Rock,	"	30.13	765.3	...	...	N N W	5	...		"	30.18	766.6	...	...	E N E	4	...
Macao,	"	30.15	765.8	61	...	N N W	1	c		"	...	...	...	...	...	...	...
Wuchow,	8 p.	30.24	768.1	56	...	N	2	c		9 a.	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Phulien,	4 p.	30.19	766.7	59	...	N N E	0	o		8 a.	30.19	766.7	57	...	E N E	3	o
Tourane,	"	30.05	763.2	70	...	E N E	4	c		"	30.10	764.6	72	..	E N E	3	c
Cape St. James,	"	29.87	758.7	77	...	N E	4	c		"	29.95	760.8	73	...	N E	3	c
Aparri,	2 p.	29.92	759.9	79	...	N	2	b		6 a.	29.99	761.6	70	...	E	2	c
Manila,	4 p.	29.88	759	84	57	S E	2	c		10 a.	30.00	762	82	57	...	0	c
Legaspi,	2 p.	...	...	...	...	...	...	...		6 a.	29.94	760.4	77	...	N E	3	d
Bacolod,	3 p.	...	...	...	...	N	3	b		9 a.	...	...	...	...	N E	2	c
Iloilo,	"	29.81	757.2	84	...	N	1	b		"	29.87	758.7	79	...	N	1	c
Cebu,	"	29.88	758.9	84	...	N	3	c		"	29.89	759.2	83	...	E	1	b
Labuan,	"	29.89	759.2	83	...	...	...	...		"	...	...	...	...	...	...	...

On the 31st at 12.05 p.—Pressure has increased over Japan, and given way over China.

The high pressure area is now central over W. Japan, and probably a depression is approaching N. China from the Westward.

Fresh or moderate monsoon may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	NE and E. winds, moderate; fair, cloudy.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 31st December, 1911.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st DECEMBER, 1911, P.M.								1st JANUARY, 1912, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.08	764.0	32	...	...	0	b	7 a.	29.88	758.9	25	...	...	0	c
Nemuro,	,,	30.04	763.1	...	...	NW	2	...	6 a.	30.02	762.6	...	...	W	1	...
Hakodate,	,,	30.09	764.2	...	...	SW	1	...	,,	30.11	764.7	...	...	W	1	...
Tokio,	,,	30.20	767.1	...	...	...	0	...	,,	30.24	768.1	...	...	NW	1	...
Kochi,	,,	30.27	768.8	...	...	SE	1	...	,,	30.21	767.3	...	...	SW	1	...
Nagasaki,	,,	30.29	769.3	...	...	N	1	...	,,	30.17	766.3	...	...	SE	2	...
Kagoshima,	,,	30.29	769.4	...	...	E	1	...	,,	30.17	766.4	...	...	E	1	...
Oshima,	,,	30.22	767.6	...	...	NNE	1	...	,,	30.10	764.6	...	...	S	1	...
Naha,	,,	30.17	766.2	...	...	NE	3	...	,,	30.07	763.7	...	...	SE	1	...
Ishigakijima,	,,	30.09	764.3	...	...	E	5	...	,,	29.95	760.8	...	...	SE	7	..
Bonin Is.	,,	30.14	765.6	...	...	N	1	...	,,	30.20	767.1	...	...	...	0	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.15	765.8	43	67	SSW	5	c	9 a.	30.30	769.6	29	88	N	8	oqs
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.19	766.8	41	92	NE	1	o	,,	30.26	768.6	41	83	NE	1	o
Shanghai,	,,	30.20	767.1	43	76	SE	1	om	9 a	30.20	767.1	41	83	NW	2	om
Gutzlaff,	,,	30.18	766.6	45	84	SE	2	ov	,,	30.18	766.6	41	100	NNW	4	om
Sharp Peak,	,,	30.13	765.3	56	...	N	2	o	,,	30.10	764.5	59	...	...	0	o
Amoy,	,,	30.09	764.3	67	74	NE	2	o	6 a	30.12	765.0	64	78	W	1	o
Swatow,	,,	30.14	765.5	66	64	...	0	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.06	763.6	...	...	E	8	...	5 a.	30.04	763.1	...	...	SE	2	...
Taichu,	,,	30.00	762.1	...	...	N	2	...	,,	30.02	762.6	...	...	NE	2	...
Tainan,	,,	30.03	762.8	...	...	NW	4	...	,,	30.03	762.8	...	...	N	4	...
Koshun	,,	30.02	762.6	...	...	NE	6	...	,,	30.00	762.0	...	...	NE	2	...
Pescadores,	,,	30.05	763.2	..	...	NE	8	...	,,	30.04	763.1	...	...	NE	6	...
Canton,	3 p.	30.08	763.5	62	72	SW	1	b	9 a.	30.17	766.8	55	87	SW	1	c
Hongkong,	4 p.	30.06	763.5	64	70	ESE	2	b	10 a.	30.13	765.3	65	72	W	1	b
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	ESE	0	...
Gap Rock,	,,	30.04	763.0	...	...	ENE	4	...	,,	30.13	765.3	...	...	NNE	3	...
Macao,	,,	30.04	763.0	65	...	NNW	1	c	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	30.17	766.3	57	...	E	1	b	9 a.	30.24	768.1	45	...	...	...	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.05	763.2	64	...	SSE	3	c	8 a.	...	...	61	...	...	1	o
Tourane,	,,	30.08	764.0	72	...	NE	3	c	,,	30.11	764.7	72	..	ESE	1	o
Cape St. James	,,	29.90	759.5	77	...	NE	5	c	,,	29.98	761.5	77	...	NE	2	c
Aparri,	2 p.	29.89	759.2	82	...	SE	2	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	82	77	NE	1	c	10 a.	30.00	762	81	62	NW	1	b
Legaspi,	2 p.	29.87	758.8	86	...	E	2	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	NE	2	c	9 a.	...	...	...	...	NE	3	c
Iloilo,	,,	29.81	757.2	82	...	NE	2	...	,,	29.91	759.7	79	...	N	1	o
Cebu,	,,	29.84	757.9	83	...	E	1	b	,,	29.93	760.2	79	...	N	1	o
Labuan,	,,	29.74	755.4	85	...	...	...	...	,,	29.89	759.2	84	...	...	...	...

On the 1st at 13.05 p.—The depression lying over N. China yesterday, has reached the neighbourhood of Wladiwostok.

A second area of low pressure has formed off the E. coast of Formosa.

Pressure has given way over S. China, W. Japan and the Loochoos, which it is increasing over the NE coast of China.

Probably a high pressure area will spread over China from the NW, and the wind is expected to freshen considerably from the Northward along the coast.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, freshening considerably; fine, squally.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 1st January, 1912.

[Printed by Noronha & Co., Government Printers.]