ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

JANUARY,

1925.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,

DIRECTOR.

QC
990
.H85
M38
1925

LIBRARY
SEP 11
WEATHER BUREAU

HONGKONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1925.

46839

LIBRARY
N.O.A.A.
U.S. Dept. of Commerce

[Price 60c.]

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Lason, Inc.
Imaging Subcontractor
Beltsville, MD
December 20, 2000

ROYAL OBSERVATORY, HONGKONG.

Latitude.....22° 18′ 13·2″ North.
Longitude.... 7ʰ 36ᵐ 41·86ˢ East.

MONTHLY METEOROLOGICAL BULLETIN, 1925.

INTRODUCTION.

§ 1. *Buildings and Instruments.*

A detailed description of the Observatory and Instruments is contained in the Introduction for 1913 and 1914.

§ 2. *Reduction of the Observations.*

The continuous records of the temperature of the air and of evaporation, and direction of the wind are measured at each hour of the day, from 1ʰ to 24ʰ of Hongkong standard time. Those of wind velocity and amount of rainfall are measured at 30 minutes before the above hours, so as to obtain the value of these elements at the hour. The records of the duration of sunshine are measured so as to include the amount of sunshine recorded from 30 minutes before to 30 minutes after each hour of local apparent time.

The hourly values of the principal meteorological elements are given in Tables I to VII. Three-hourly observations of the character and direction of motion of the clouds are given in Table VIII and a list of phenomena observed during the month at the foot of Table IX. The daily values of the meteorological elements are collected in Table IX and the mean hourly values for the month in Table XI. The normals given in Tables IX and X refer to the periods 1884–1923.

Beginning with 1924, January, the blank space at the foot of Table X has been utilised for showing the adopted errors of the Time Ball.

The values given in Table I, barometric pressure, are derived from the hourly readings of the Kew pattern Station barometer No. 1323. The results are corrected for index error and reduced to the temperature 32° F. They are *not* reduced to sea level, nor to the gravity at latitude 45°. The height of the barometer cistern above mean sea level is 109 feet.

The temperature of the air and of evaporation (Tables II and III) are derived from the hourly measures of the Richard dry and wet-bulb thermograph. The highest and lowest temperatures given in Tables IX and X are the highest and lowest points on the thermograms. The records are obtained on plain paper, on which a base-line for each day's register is laid down from the eye observations of rotating thermometers. The registers are time-scaled electrically ; an electro-magnet operated by the hourly time signal lifts the pens from the paper, and clock work apparatus, adapted by Mr. Evans in January, 1923, locks them until the

3rd minute when they are released and fall back on to the paper. The thermometers are aspirated from the 55th to the 60th minute of each hour by an electric fan, operated by a contact on one of the electric dials, air being drawn into the shelter through a 14-inch zinc pipe. A buzzer, operated each minute, was fitted to the thermometer frames on April 2nd.

The index corrections of all thermometers in use are determined near midsummer and mid-winter, by comparison in water with a standard thermometer (Kew No. 647) constructed at the Kew Observatory. Comparisons with a Griffin standard thermometer, purchased in the year 1914, indicate that Kew No. 674 reads 0°·10 F. too high. No correction has been applied on this account, however.

The vapour tension and relative humidity given in Tables IX and XI have been derived from the Hygrometric Tables in use in the India Meteorological Department.

In Table VIII the cloud classification adopted by the London Meteorological Office is used. Where the names of upper and lower clouds are given, but only one direction, the latter refers to the lower clouds.

The amount of sunshine given in Table V is derived from the hourly measures of the Campbell-Stokes Universal Sunshine Recorder, Lecky No. c51. The percentage of possible sunshine given in Tables IX and XI is obtained by dividing the observed amount by the number of hours the Sun's centre is above the horizon, using 34′ as the mean refraction on the horizon.

The shadow of the wireless mast, erected in the summer of 1917, falls on the sunshine recorder for a few minutes in the afternoon from January 16 to March 29 and September 16 to November 28. The mast has a skeleton frame the ribs of which partially eclipse the Sun and occasionally cause a slight loss of register. A more serious loss occurs when the sun passes behind the joints of the mast (which are steel plates 3 feet square) or when the Sun sets behind the mast. A list of corrections to the sunshine values in Tables V and IX of the Monthly Meteorological Bulletin for the years 1917–19, on account of this interruption, is given in the Bulletin for December, 1919. The correction is never large enough to affect the values given in Table XI.

A second recorder, similar to the Lecky instrument, was obtained from Messrs. J. Hicks and set up on the south-west corner of the Main Building on January 6, 1921. The records of this instrument furnish the necessary corrections to those of the old Lecky instrument, as the interruption by the mast occurs at a different time.

The amount of rainfall given in Table VI is derived from the hourly measures of the Nakamura pluviograph, corrected when necessary by observation of the standard rain-gauge. In order to contrast the dry and wet hours the former are indicated by three dots, thus,...and the same symbol has been used to indicate clear sky (Tables IV and VIII), no sunshine (Tables V and IX), and calms (Table VII). In Table VI the letter *d* indicates that drizzle occurred but that the amount was too small to be recorded on the pluviogram. As regards the duration of rain given in Tables IX–XI, it should be mentioned that frequently in the winter months very fine drizzle occurs at intervals during the day, but the amount collected in the gauge is less than 0·005 inch.

The direction and velocity of the wind (Table VII) are derived from the hourly measures of the Beckley anemograms. These measures are resolved into north and east components by the aid of a table giving the components for every point of direction and every mile of velocity, the values in the table being increased by 100 to avoid minus signs. The mean daily direction and velocity

and the mean hourly values in each month, given in Tables IX—XII, are derived from the north and east components by the aid of Table III (B) in Chapter VI of the International Meteorological Tables. For the sake of continuity Dr. Robinson's factor (3) has been retained for converting the velocity of the cups into wind velocity, in the above Tables.

Beginning with the year 1916, the daily and mean hourly values of the principal meteorological elements in each month have been published in both C.G.S. and British Units. (Tables IX–XII). It should be noted that before converting the barometric pressure given in Tables IX and XI into millibars the readings have been reduced to sea level and gravity at 45°, and also that the vapour tension has been reduced to latitude 45°. The wind components and velocity have been multiplied by $\frac{22}{30}$ before converting them into C.G.S. Units, in order to reduce them to the International Standard.

The conversion tables following the Introduction have been extracted from the *British Meteorological and Magnetic Year-Book for 1913.*

The unit of atmospheric pressure in the C.G.S. system is the megadyne per square centimetre, which is called the "bar" and is equivalent to a pressure of 750·076 millimetres of mercury (or 29·5306 inches) at the freezing point of water in latitude 45°.

The unit of rainfall measurement is the millimetre of rain.

The unit of wind velocity is the metre per second.

Temperature is measured in Centigrade degrees from the absolute Zero, or 273° below the zero of the Centigrade scale.

T. F. CLAXTON.

ROYAL OBSERVATORY, HONGKONG.

TABLES FOR CONVERTING FROM BRITISH TO C.G.S. UNITS.

Table I.—Pressure.

Inches of mercury (at 32° F. and 45° Latitude) to Millibars.

The fundamental equations are:—

acceleration of gravity in latitude 45° = 980·617 cm./sec².
density of mercury at normal freezing-point of water = 13·5955.
1 mercury-inch = 33·8632 millibars.
1000 millibars = 1 bar = 29·5306 mercury inches = 750·076 mercury millimetres using 1 inch = 2·54000 cm.

Hundredths.	00	·01	·02	·03	·04	·05	·06	·07	·08	·09
Inches and Tenths.	Millibars.									
27.0	914·31	914·65	914·98	915·32	915·66	916·00	916·34	916·68	917·02	917·35
27.1	917·69	918·03	918·37	918·71	919·05	919·39	919·72	920·06	920·40	920·74
27.2	921·08	921·42	921·76	922·09	922·43	922·77	923·11	923·45	923·79	924·13
27.3	924·47	924·80	925·14	925·48	925·82	926·16	926·50	926·84	927·17	927·51
27.4	927·85	928·19	928·53	928·87	929·21	929·54	929·88	930·22	930·56	930·90
27.5	931·24	931·58	931·92	932·25	932·59	932·93	933·27	933·61	933·95	934·29
27.6	934·62	934·96	935·30	935·64	935·98	936·32	936·66	936·99	937·33	937·67
27.7	938·01	938·35	938·69	939·03	939·37	939·70	940·04	940·38	940·72	941·06
27.8	941·40	941·74	942·07	942·41	942·75	943·09	943·43	943·77	944·11	944·44
27.9	944·78	945·12	945·46	945·80	946·14	946·48	946·82	947·15	947·49	947·83
28.0	948·17	948·51	948·85	949·19	949·52	949·86	950·20	950·54	950·88	951·22
28.1	951·56	951·89	952·23	952·57	952·91	953·25	953·59	953·93	954·26	954·60
28.2	954·94	955·28	955·62	955·96	956·30	956·64	956·97	957·31	957·65	957·99
28.3	958·33	958·67	959·01	959·34	959·68	960·02	960·36	960·70	961·04	961·38
28.4	961·71	962·05	962·39	962·73	963·07	963·41	963·75	964·09	964·42	964·76
28.5	965·10	965·44	965·78	966·12	966·46	966·79	967·13	967·47	967·81	968·15
28.6	968·49	968·83	969·16	969·50	969·84	970·18	970·52	970·86	971·20	971·54
28.7	971·87	972·21	972·55	972·89	973·23	973·57	973·91	974·24	974·58	974·92
28.8	975·26	975·60	975·94	976·28	976·61	976·95	977·29	977·63	977·97	978·31
28.9	978·65	978·99	979·32	979·66	980·00	980·34	980·68	981·02	981·36	981·69
29.0	982·03	982·37	982·71	983·05	983·39	983·73	984·06	984·40	984·74	985·08
29.1	985·42	985·76	986·10	986·44	986·77	987·11	987·45	987·79	988·13	988·47
29.2	988·81	989·14	989·48	989·82	990·16	990·50	990·84	991·18	991·51	991·85
29.3	992·19	992·53	992·87	993·21	993·55	993·88	994·22	994·56	994·90	995·24
29.4	995·58	995·92	996·26	996·59	996·93	997·27	997·61	997·95	998·29	998·63
29.5	998·96	999·30	999·64	999·98	1000·32	1000·66	1001·00	1001·33	1001·67	1002·01
29.6	1002·35	1002·69	1003·03	1003·37	1003·71	1004·04	1004·38	1004·72	1005·06	1005·40
29.7	1005·74	1006·08	1006·41	1006·75	1007·09	1007·43	1007·77	1008·11	1008·45	1008·78
29.8	1009·12	1009·46	1009·80	1010·14	1010·48	1010·82	1011·16	1011·49	1011·83	1012·17
29.9	1012·51	1012·85	1013·19	1013·53	1013·86	1014·20	1014·54	1014·88	1015·22	1015·56
30.0	1015·90	1016·23	1016·57	1016·91	1017·25	1017·59	1017·93	1018·27	1018·61	1018·94
30.1	1019·28	1019·62	1019·96	1020·30	1020·64	1020·98	1021·31	1021·65	1021·99	1022·33
30.2	1022·67	1023·01	1023·35	1023·68	1024·02	1024·36	1024·70	1025·04	1025·38	1025·72
30.3	1026·05	1026·39	1026·73	1027·07	1027·41	1027·75	1028·09	1028·43	1028·76	1029·10
30.4	1029·44	1029·78	1030·12	1030·46	1030·80	1031·13	1031·47	1031·81	1032·15	1032·49
30.5	1032·83	1033·17	1033·50	1033·84	1034·18	1034·52	1034·86	1035·20	1035·54	1035·88
30.6	1036·21	1036·55	1036·89	1037·23	1037·57	1037·91	1038·25	1038·58	1038·92	1039·26
30.7	1039·60	1039·94	1040·28	1040·62	1040·95	1041·29	1041·63	1041·97	1042·31	1042·65
30.8	1042·99	1043·33	1043·66	1044·00	1044·34	1044·68	1045·02	1045·36	1045·70	1046·03
30.9	1046·37	1046·71	1047·05	1047·39	1047·73	1048·07	1048·40	1048·74	1049·08	1049·42

Thousandths of an Inch.										
Inch.	0	·001	·002	·003	·004	·005	·006	·007	·008	·009
Millibars.	0	·03	·07	·10	·14	·17	·20	·24	·27	·30

Table II.—Temperature.

Degrees Fahrenheit to Degrees Absolute.

The equations are $A = 273 + 5/9\ (F - 32)$, $F = 32 + 9/5\ (A - 273)$.

Tenths.	0	1	2	3	4	5	6	7	8	9
Degrees Fah.	Degrees Absolute.									
	200° +	200° +	200° +	200° +	200° +	200° +	200° +	200° +	200° +	200° +
32	73·0	73·1	73·1	73·2	73·2	73·3	73·3	73·4	73·4	73·5
33	73·6	73·6	73·7	73·7	73·8	73·8	73·9	73·9	74·0	74·1
34	74·1	74·2	74·2	74·3	74·3	74·4	74·4	74·5	74·6	74·6
35	74·7	74·7	74·8	74·8	74·9	74·9	75·0	75·1	75·1	75·2
36	75·2	75·3	75·3	75·4	75·4	75·5	75·6	75·6	75·7	75·7
37	75·8	75·8	75·9	75·9	76·0	76·1	76·1	76·2	76·2	76·3
38	76·3	76·4	76·4	76·5	76·6	76·6	76·7	76·7	76·8	76·8
39	76·9	76·9	77·0	77·1	77·1	77·2	77·2	77·3	77·3	77·4
40	77·4	77·5	77·6	77·6	77·7	77·7	77·8	77·8	77·9	77·9
41	78·0	78·1	78·1	78·2	78·2	78·3	78·3	78·4	78·4	78·5
42	78·6	78·6	78·7	78·7	78·8	78·8	78·9	78·9	79·0	79·1
43	79·1	79·2	79·2	79·3	79·3	79·4	79·4	79·5	79·6	79·6
44	79·7	79·7	79·8	79·8	79·9	79·9	80·0	80·1	80·1	80·2
45	80·2	80·3	80·3	80·4	80·4	80·5	80·6	80·6	80·7	80·7
46	80·8	80·8	80·9	80·9	81·0	81·1	81·1	81·2	81·2	81·3
47	81·3	81·4	81·4	81·5	81·6	81·6	81·7	81·7	81·8	81·8
48	81·9	81·9	82·0	82·1	82·1	82·2	82·2	82·3	82·3	82·4
49	82·4	82·5	82·6	82·6	82·7	82·7	82·8	82·8	82·9	82·9
50	83·0	83·1	83·1	83·2	83·2	83·3	83·3	83·4	83·4	83·5
51	83·6	83·6	83·7	83·7	83·8	83·8	83·9	83·9	84·0	84·1
52	84·1	84·2	84·2	84·3	84·3	84·4	84·4	84·5	84·6	84·6
53	84·7	84·7	84·8	84·8	84·9	84·9	85·0	85·1	85·1	85·2
54	85·2	85·3	85·3	85·4	85·4	85·5	85·6	85·6	85·7	85·7
55	85·8	85·8	85·9	85·9	86·0	86·1	86·1	86·2	86·2	86·3
56	86·3	86·4	86·4	86·5	86·6	86·6	86·7	86·7	86·8	86·8
57	86·9	86·9	87·0	87·1	87·1	87·2	87·2	87·3	87·3	87·4
58	87·4	87·5	87·6	87·6	87·7	87·7	87·8	87·8	87·9	87·9
59	88·0	88·1	88·1	88·2	88·2	88·3	88·3	88·4	88·4	88·5
60	88·6	88·6	88·7	88·7	88·8	88·8	88·9	88·9	89·0	89·1
61	89·1	89·2	89·2	89·3	89·3	89·4	89·4	89·5	89·6	89·6
62	89·7	89·7	89·8	89·8	89·9	89·9	90·0	90·1	90·1	90·2
63	90·2	90·3	90·3	90·4	90·4	90·5	90·6	90·6	90·7	90·7
64	90·8	90·8	90·9	90·9	91·0	91·1	91·1	91·2	91·2	91·3
65	91·3	91·4	91·4	91·5	91·6	91·6	91·7	91·7	91·8	91·8
66	91·9	91·9	92·0	92·1	92·1	92·2	92·2	92·3	92·3	92·4
67	92·4	92·5	92·6	92·6	92·7	92·7	92·8	92·8	92·9	92·9
68	93·0	93·1	93·1	93·2	93·2	93·3	93·3	93·4	93·4	93·5
69	93·6	93·6	93·7	93·7	93·8	93·8	93·9	93·9	94·0	94·1
70	94·1	94·2	94·2	94·3	94·3	94·4	94·4	94·5	94·6	94·6
71	94·7	94·7	94·8	94·8	94·9	94·9	95·0	95·1	95·1	95·2
72	95·2	95·3	95·3	95·4	95·4	95·5	95·6	95·6	95·7	95·7
73	95·8	95·8	95·9	95·9	96·0	96·1	96·1	96·2	96·2	96·3
74	96·3	96·4	96·4	96·5	96·6	96·6	96·7	96·7	96·8	96·8
75	96·9	96·9	97·0	97·1	97·1	97·2	97·2	97·3	97·3	97·4
76	97·4	97·5	97·6	97·6	97·7	97·7	97·8	97·8	97·9	97·9
77	98·0	98·1	98·1	98·2	98·2	98·3	98·3	98·4	98·4	98·5
78	98·6	98·6	98·7	98·7	98·8	98·8	98·9	98·9	99·0	99·1
79	99·1	99·2	99·2	99·3	99·3	99·4	99·4	99·5	99·6	99·6
80	99·7	99·7	99·8	99·8	99·9	99·9	100·0	100·1	100·1	100·2
81	100·2	100·3	100·3	100·4	100·4	100·5	100·6	100·6	100·7	100·7
82	100·8	100·8	100·9	100·9	101·0	101·1	101·1	101·2	101·2	101·3
83	101·3	101·4	101·4	101·5	101·6	101·6	101·7	101·7	101·8	101·8
84	101·9	101·9	102·0	102·1	102·1	102·2	102·2	102·3	102·3	102·4
85	102·4	102·5	102·6	102·6	102·7	102·7	102·8	102·8	102·9	102·9
86	103·0	103·1	103.1	103·2	103·2	103·3	103·3	103·4	103·4	103·5
87	103·6	103·6	103·7	103·7	103·8	103·8	103·9	103·9	104·0	104·1
88	104·1	104·2	104·2	104·3	104·3	104·4	104·4	104·5	104·6	104·6
89	104·7	104·7	104·8	104·8	104·9	104·9	105·0	105·1	105·1	105·2
90	105·2	105·3	105·3	105·4	105·4	105·5	105·6	105·6	105·7	105·7
91	105·8	105·8	105·9	105·9	106·0	106·1	106·1	106·2	106·2	106·3
92	106·3	106·4	106·4	106·5	106·6	106·6	106·7	106·7	106·8	106·8
93	106·9	106·9	107·0	107·1	107·1	107·2	107·2	107·3	107·3	107·4
94	107·4	107·5	107·6	107·6	107·7	107·7	107·8	107·8	107·9	107·9
95	108·0	108·1	108·1	108·2	108·2	108·3	108·3	108·4	108·4	108·5
96	108·6	108·6	108·7	108·7	108·8	108·8	108·9	108·9	109·0	109·1
97	109·1	109·2	109·2	109·3	109·3	109·4	109·4	109·5	109·6	109·6
98	109·7	109·7	109·8	109·8	109·9	109·9	110·0	110·1	110·1	110·2
99	110·2	110·3	110·3	110·4	110·4	110·5	110·6	110·6	110·7	110·7
100	110·8	110·8	110·9	110·9	111·0	111·1	111·1	111·2	111.2	111·3

Table III.

Rainfall. *Inches to Millimetres.*

Inches.	0	1	2	3	4	5	6	7	8	9
	Millimetres.									
0·0	0·0	0·3	0·5	0·8	1·0	1·3	1·5	1·8	2·0	2·3
0·1	2·5	2·8	3·0	3·3	3·6	3·8	4·1	4·3	4·6	4·8
0·2	5·1	5·3	5·6	5·8	6·1	6·4	6·6	6·9	7·1	7·4
0·3	7·6	7·9	8·1	8·4	8·6	8·9	9·1	9·4	9·7	9·9
0·4	10·2	10·4	10·7	10·9	11·2	11·4	11·7	11·9	12·2	12·4
0·5	12·7	13·0	13·2	13·5	13·7	14·0	14·2	14·5	14·7	15·0
0·6	15·2	15·5	15·7	16·0	16·3	16·5	16·8	17·0	17·3	17·5
0·7	17·8	18·0	18·3	18·5	18·8	19·1	19·3	19·6	19·8	20·1
0·8	20·3	20·6	20·8	21·1	21·3	21·6	21·8	22·1	22·4	22·6
0·9	22·9	23·1	23·4	23·6	23·9	24·1	24·4	24·6	24·9	25·1
1·0	25·4	25·7	25·9	26·2	26·4	26·7	26·9	27·2	27·4	27·7
1·1	27·9	28·2	28·4	28·7	29·0	29·2	29·5	29·7	30·0	30·2
1·2	30·5	30·7	31·0	31·2	31·5	31·8	32·0	32·3	32·5	32·8
1·3	33·0	33·3	33·5	33·8	34·0	34·3	34·5	34·8	35·1	35·3
1·4	35·6	35·8	36·1	36·3	36·6	36·8	37·1	37·3	37·6	37·8
1·5	38·1	38·4	38·6	38·9	39·1	39·4	39·6	39·9	40·1	40·4
1·6	40·6	40·9	41·1	41·4	41·7	41·9	42·2	42·4	42·7	42·9
1·7	43·2	43·4	43·7	43·9	44·2	44·5	44·7	45·0	45·2	45·5
1·8	45·7	46·0	46·2	46·5	46·7	47·0	47·2	47·5	47·8	48·0
1·9	48·3	48·5	48·8	49·0	49·3	49·5	49·8	50·0	50·3	50·5
2·0	50·8	51·1	51·3	51·6	51·8	52·1	52·3	52·6	52·8	53·1

Table IV.

Wind Velocity.

Miles per Hour into Metres per Second.

1 mile per hour = 0·44704 metres per second.

Miles per Hour.	0	1	2	3	4	5	6	7	8	9
	Metres per Second.									
0	0·0	0·4	0·9	1·3	1·8	2·2	2·7	3·1	3·6	4·0
10	4·5	4·9	5·4	5·8	6·3	6·7	7·2	7·6	8·0	8·5
20	8·9	9·4	9·8	10·3	10·7	11·2	11·6	12·1	12·5	13·0
30	13·4	13·9	14·3	14·8	15·2	15·6	16·1	16·5	17·0	17·4
40	17·9	18·3	18·8	19·2	19·7	20·1	20·6	21·0	21·5	21·9
50	22·4	22·8	23·2	23·7	24·1	24·6	25·0	25·5	25·9	26·4
60	26·8	27·3	27·7	28·2	28·6	29·1	29·5	30·0	30·4	30·8
70	31·3	31·7	32·2	32·6	33·1	33·5	34·0	34·4	34·9	35·3
80	35·8	36·2	36·7	37·1	37·6	38·0	38·4	38·9	39·3	39·8
90	40·2	40·7	41·1	41·6	42·0	42·5	42·9	43·4	43·8	44·3
100	44·7	45·2	45·6	46·0	46·5	46·9	47·4	47·8	48·3	48·7
110	49·2	49·6	50·1	50·5	51·0	51·4	51·9	52·3	52·8	53·2
120	53·6	54·1	54·5	55·0	55·4	55·9	56·3	56·8	57·2	57·7
130	58·1	58·6	59·0	59·5	59·9	60·4	60·8	61·2	61·7	62·1
140	62·6	63·0	63·5	63·9	64·4	64·8	65·3	65·7	66·2	66·6

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

JANUARY,

1925.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of JANUARY, 1925.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins	ins	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·981	29·975	29·967	29·967	29·971	29·985	30·016	30·031	30·046	30·052	30·031	30·003	1
2	30·074	30·076	30·068	30·063	30·068	30·082	30·098	30·110	30·119	30·122	30·100	30·075	2
3	30·065	30·052	30·053	30·049	30·053	30·058	30·069	30·097	30·108	30·129	30·107	30·086	3
4	30·109	30·091	30·086	30·085	30·086	30·095	30·108	30·127	30·149	30·154	30·140	30·121	4
5	30·117	30·094	30·086	30·089	30·102	30·104	30·117	30·129	30·131	30·145	30·136	30·108	5
6	30·065	30·069	30·047	30·041	30·027	30·038	30·071	30·084	30·102	30·122	30·106	30·094	6
7	30·075	30·073	30·067	30·063	30·062	30·071	30·077	30·092	30·120	30·121	30·127	30·106	7
8	30·125	30·117	30·106	30·104	30·106	30·116	30·139	30·161	30·178	30·193	30·191	30·166	8
9	30·163	30·151	30·147	30·135	30·128	30·136	30·145	30·162	30·167	30·176	30·160	30·131	9
10	30·086	30·082	30·066	30·062	30·061	30·071	30·089	30·111	30·131	30·154	30·139	30·117	10
11	30·082	30·083	30·071	30·063	30·063	30·074	30·086	30·092	30·106	30·117	30·101	30·076	11
12	30·075	30·069	30·056	30·053	30·051	30·060	30·067	30·077	30·086	30·095	30·097	30·067	12
13	29·980	29·974	29·970	29·965	29·958	29·968	29·976	29·979	29·985	29·993	29·976	29·946	13
14	29·916	29·904	29·897	29·899	29·895	29·909	29·928	29·947	29·965	29·966	29·950	29·926	14
15	29·919	29·909	29·900	29·889	29·890	29·892	29·904	29·903	29·914	29·939	29·923	29·897	15
16	20·903	29·891	29·872	29·853	29·870	29·890	29·912	29·936	29·985	29·999	29·978	29·965	16
17	20·979	29·986	29·988	29·988	29·978	29·977	30·018	30·028	30·044	30·065	30·054	30·029	17
18	30·025	30·029	30·010	30·031	30·019	30·024	30·035	30·055	30·069	30·072	30·074	30·044	18
19	30·064	30·064	30·050	30·036	30·031	30·055	30·066	30·089	30·110	30·122	30·112	30·064	19
20	30·003	30·001	29·995	29·985	29·981	29·995	30·013	30·022	30·030	30·046	30·033	29·995	20
21	29·971	29·965	29·953	29·937	29·943	29·959	29·973	29·982	29·990	30·010	30·002	29·977	21
22	29·971	29·960	29·946	29·946	29·941	29·943	29·953	29·971	29·977	29·978	29·975	29·960	22
23	29·898	29·880	29·874	29·860	29·860	29·873	29·897	29·915	29·938	29·949	29·938	29·903	23
24	29·855	29·839	29·829	29·818	29·822	29·840	29·844	29·868	29·872	29·900	29·897	29·878	24
25	29·971	29·973	29·969	29·968	29·964	29·982	29·998	30·006	30·027	30·047	30·048	30·025	25
26	30·012	29·990	29·969	29·966	29·964	29·972	29·970	29·990	30·006	30·010	30·008	29·965	26
27	29·898	29·896	29·880	29·872	29·858	29·856	29·850	29·856	29·865	29·877	29·873	29·832	27
28	29·799	29·775	29·755	29·748	29·745	29·769	29·785	29·808	29·814	29·833	29·821	29·798	28
29	29·756	29·752	29·727	29·711	29·689	29·707	29·734	29·741	29·750	29·757	29·748	29·736	29
30	29·897	29·916	29·927	29·944	29·956	29·998	30·016	30·038	30·055	30·076	30·081	30·084	30
31	30·201	30·205	30·203	30·207	30·211	30·225	30·257	30·255	30·271	30·281	30·277	30·268	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins	ins.	ins.	ins.	ins.	ins	ins.	ins.	ins	ins.	
1	29·984	29·964	29·968	29·979	29·994	30·018	30·043	30·064	30·081	30·095	30·082	30·074	1
2	30·050	30·034	30·006	30·016	30·024	30·036	30·056	30·060	30·080	30·089	30·085	30·063	2
3	30·058	30·038	30·012	30·018	30·038	30·053	30·073	30·093	30·108	30·112	30·102	30·105	3
4	30·087	30·063	30·054	30·059	30·061	30·076	30·084	30·095	30·111	30·111	30·108	30·114	4
5	30·074	30·041	30·035	30·033	30·048	30·056	30·069	30·083	30·087	30·089	30·085	30·072	5
6	30·054	30·042	30·040	30·043	30·045	30·050	30·066	30·079	30·088	30·087	30·089	30·083	6
7	30·094	30·057	30·056	30·051	30·057	30·060	30·073	30·095	30·114	30·120	30·122	30·130	7
8	30·134	30·104	30·088	30·096	30·103	30·116	30·124	30·147	30·159	30·171	30·164	30·159	8
9	30·093	30·065	30·050	30·050	30·053	30·064	30·068	30·084	30·098	30·104	30·098	30·091	9
10	30·084	30·059	30·055	30·053	30·059	30·060	30·068	30·087	30·100	30·101	30·092	30·080	10
11	30·044	30·020	30·002	30·002	30·014	30·026	30·047	30·069	30·077	30·082	30·083	30·077	11
12	30·027	30·002	29·986	29·981	29·992	29·988	30·010	30·028	30·026	30·022	30·010	29·996	12
13	29·926	29·894	29·875	29·879	29·887	29·898	29·905	29·922	29·932	29·936	29·930	29·920	13
14	29·896	29·877	29·864	29·864	29·875	29·897	29·907	29·923	29·935	29·931	29·933	29·921	14
15	29·869	29·850	29·836	29·836	29·838	29·848	29·874	29·889	29·905	29·903	29·899	29·909	15
16	29·938	29·918	29.900	29·932	29·912	29·942	29·956	29·945	29·966	29·974	29·990	29·995	16
17	29·997	29·978	29·964	29·963	29·988	29·997	30·017	30·017	30·037	30·035	30·039	30·039	17
18	30·012	29·998	29·977	29·981	30·005	30·019	30·024	30·053	30·061	30·066	30·066	30·062	18
19	30·038	29·996	29·973	29·968	29·972	29·983	29·989	29·996	29·999	29·993	30·001	30·000	19
20	29·958	29·932	29·911	29·908	29·913	29·937	29·933	29·942	29·944	29·953	29·962	29·964	20
21	29·959	29·932	29·912	29·910	29·918	29·922	29·930	29·946	29·952	29·960	29·962	29·967	21
22	29·918	29·904	29·884	29·877	29·879	29·881	29·884	29·888	29·892	29·900	29·908	29·906	22
23	29·866	29·825	29·814	29·805	29·813	29·821	29·823	29·838	29·840	29·846	29·850	29·852	23
24	29·854	29·830	29·816	29·819	29·830	29·846	29·867	29·898	29·920	29·938	29·950	29·966	24
25	29·992	29·953	29·924	29·916	29·943	29·965	29·973	29·989	30·023	30·031	30·032	30·024	25
26	29·921	29·894	29·868	29·858	29·842	29·858	29·882	29·888	29·900	29·896	29·898	29·894	26
27	29·794	29·770	29·734	29·727	29·758	29·747	29·785	29·797	29·768	29·789	29·792	29·793	27
28	29·757	29·728	29·716	29·710	29·720	29·737	29·746	29·758	29·764	29·762	29·766	29·756	28
29	29·712	29·686	29·671	29·675	29·702	29·732	29·746	29·793	29·831	29·864	29·871	29·879	29
30	30·061	20·047	30·046	30·064	30·084	30·108	30·123	30·146	30·162	30·179	30·188	30·198	30
31	30·235	30·217	30·196	30·192	30·199	30·221	30·235	30·247	30·259	30·274	30·276	30·281	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of JANUARY, 1925.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	62·6	63·5	63·5	63·6	62·1	61·4	61·3	62·7	67·0	70·3	71·6	73·4	1
2	58·4	58·5	56·7	56·5	57·0	57·1	56·0	57·5	59·2	59·5	59·2	59·4	2
3	60·2	60·0	59·1	58·4	58·5	58·2	58·8	57·3	57·4	59·0	60·0	60·0	3
4	57·0	56·4	55·8	54·9	54·9	54·5	54·6	55·6	57·0	58·1	58·4	60·0	4
5	54·0	52·8	53·0	51·9	50·3	50·3	50·5	51·8	52·2	53·0	53·3	53·0	5
6	52·3	51·7	51·7	51·7	51·0	51·3	50·1	50·0	50·3	50·9	51·4	52·0	6
7	51·3	51·1	50·9	50·9	50·1	50·1	51·0	51·8	52·9	56·5	55·5	56·5	7
8	54·4	54·0	53·8	53·6	53·1	53·1	52·8	53·3	54·6	55·4	57·2	58·1	8
9	50·7	50·3	50·0	50·1	49·5	49·8	49·7	49·8	51·6	54·3	56·1	58·0	9
10	54·0	54·3	55·3	55·8	55·8	56·0	55·3	56·2	56·5	56·9	57·7	59·9	10
11	58·7	58·6	58·1	58·9	58·7	58·4	58·4	59·0	59·9	62·2	66·3	68·6	11
12	58·2	57·5	57·6	57·3	56·9	56·4	56·5	57·0	58·2	58·2	57·5	56·5	12
13	58·8	59·0	59·0	59·4	59·7	59·7	60·4	61·0	62·0	63·1	63·1	62·0	13
14	60·6	60·4	60·3	60·1	60·0	59·9	60·0	60·1	61·0	64·6	67·0	69·0	14
15	63·0	62·4	61·6	60.4	59·9	60·1	60·0	60·8	62·3	63·2	64·0	63·5	15
16	55·0	54·0	53·7	53·3	53·5	53·7	53·0	51·6	53·0	52·6	52·0	54·2	16
17	52·0	52·5	51·9	51·0	50·7	51·0	51·0	52·3	53·8	53·4	55·2	54·4	17
18	52·3	52·9	52·2	51·0	52·3	52·8	52·7	53·0	52·8	55·3	57·3	57·3	18
19	54·0	52·9	52·3	51·6	50·8	50·7	50·0	50·6	51·5	52·2	53·9	55·1	19
20	49·8	49·7	49·9	49·7	49·9	50·0	50·5	51·0	51·6	54·5	56·0	57·9	20
21	55·5	55·6	55·4	55·1	54·8	54·4	54·7	55·3	56·4	57·8	58·5	59·1	21
22	57·1	57·0	57·0	57·0	57·0	56·7	56·5	56·7	56·8	58·0	59·4	60·3	22
23	58·2	57·9	57·0	56·6	56·1	56·0	55·7	56·6	59·0	61·0	61·7	62·5	23
24	58·5	58·0	57·9	57·4	56·8	56·3	57·8	60·4	62·2	64·4	66·8	68·1	24
25	58·5	58·3	56·9	56·9	56·2	55·5	55·8	55·2	56·5	58·6	59·0	60·5	25
26	58·0	57·8	57·3	57·2	56·8	57·0	57·2	57·7	57·4	58·3	60·0	59·5	26
27	59·0	58·6	58·7	58·6	58·5	58·6	59·0	59·6	61·0	60·5	60·9	60·9	27
28	61·6	61.5	61·0	61·2	61·2	60·6	60·4	59·7	60·5	59·9	60·2	59·0	28
29	57·3	57·3	57·3	58·2	58·1	58·0	57·8	58·1	58·3	58·9	59·1	58·8	29
30	51·0	50·7	50·1	49·0	48·8	48·8	47·8	48·2	48·9	52·6	52·0	52·6	30
31	43·8	43.2	42·9	42·7	42·3	41·9	41·7	42·0	43·5	45·6	49·0	49·6	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	69·9	66·8	66·0	64·8	64·2	63·4	63·1	61·4	60·9	60·0	60·6	59·8	1
2	61·4	61·4	60·9	60·9	60·2	60·0	60·1	60·3	60·9	61·0	60·6	60·1	2
3	58·6	60·5	61·8	62·4	60·8	60·0	59·0	58·8	57·8	57·2	57·1	57·8	3
4	59·2	57·4	57·3	58·7	56·8	56·9	55·9	55·3	55·5	54·8	54·2	52·4	4
5	54·0	54·5	55·0	54·1	54·0	53·6	52·0	52·0	52·0	52·4	52·4	53·0	5
6	52·8	52·0	51·2	51·6	51·2	51·1	51·3	51·5	51·5	50·1	51·0	50·9	6
7	57·2	58·0	58·3	58·5	57·2	56·3	56·2	55·5	54·3	54·0	53·7	53·9	7
8	58·5	59·7	59·5	58·5	57·0	55·1	54·0	53·3	53·1	62·6	51·6	51·0	8
9	59·0	60·0	60·3	60·6	59·9	58·0	56·8	56·0	55·7	54·8	54·4	53·9	9
10	59·3	61·7	60·8	61·2	60·6	60·3	59·9	59·8	59·3	59·4	59·3	58·9	10
11	68·7	66·9	66·6	66·4	66·6	64·0	63·8	61·1	60·0	60·0	59·4	58·9	11
12	57·7	58·6	59·0	59·3	58·9	58·2	58·0	57·9	58·1	58·8	58·8	59·0	12
13	62·8	64·6	64·9	64·8	63·8	62·2	61·7	61·0	60·9	61·0	61·1	60·9	13
14	67·0	67·0	66·0	65·0	64·6	64·0	63·5	63·4	63·5	63·5	63·0	63·0	14
15	6·40	63·0	63·1	63·0	62·0	60·8	60·1	58·3	58·0	56·4	56·9	54·1	15
16	53.8	54·4	54·2	52·5	52·6	52·4	52.3	51·8	52·4	52·5	52·3	52·2	16
17	54·6	55·3	55·3	54·0	52·1	51·5	51·0	51·6	52·0	52·2	52·5	53·0	17
18	56·9	55·9	56·0	55·9	54·5	52·2	52·4	52·3	52·0	52·3	52·7	53·3	18
19	53·6	55·6	56·4	56·6	55·2	53·7	53·1	52·7	50·9	49·8	48·9	49·2	19
20	58·4	59·6	58·2	57·2	56·2	55·5	55·6	55·7	55·6	55·3	55·5	55·7	20
21	58·5	58·7	58·0	57·4	57·0	57·0	57·2	57·1	57·2	57·4	57·4	57·2	21
22	59·3	60·3	60·2	60·3	59·8	58·6	58·0	58·0	57·9	58·0	58·1	57·9	22
23	62·8	62·7	62·0	61·5	60·1	59·2	59·0	58·7	58·6	58·4	58·3	58·5	23
24	67·2	68·0	67·4	67·0	65·6	63·8	61·7	61·0	61·0	61·9	60·6	59·3	24
25	61·0	61·2	61·3	60·0	59·8	58·2	58·5	58·3	58·4	58·5	58·4	58·3	25
26	59·0	59·5	59·1	59·0	59·7	59·4	59·7	60·0	59·4	59·6	59·2	59·1	26
27	61·0	59·9	59·9	59·8	59·8	59·5	59·8	59·8	61·0	60·0	59·8	60·2	27
28	59·0	58·7	59·0	58·5	58·7	58·4	58·4	58·5	58·3	57·9	58·0	57·9	28
29	59·3	60·2	60·0	61·2	60·1	58·1	58·3	56·9	55·4	54·0	53·0	53·3	29
30	52·6	52·8	53·5	51·5	50·2	49·0	47·6	48·0	47·3	46·0	45·0	44·2	30
31	51·1	51·3	51·7	5·05	49·6	48·2	47·3	46·6	46·8	46·4	45·0	44·3	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of JANUARY, 1925.

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	60·0	60·0	58·4	57·4	57·2	57·1	57·8	58·3	59·5	61·0	62·0	62·6	1
2	53·3	53·5	51·9	51·8	51·9	52·0	50·9	52·2	53·5	54·0	53·9	54·1	2
3	56·3	56·0	54·5	53·3	53·2	53·3	54·1	54·4	54·7	55·1	55·3	57·0	3
4	55·4	55·3	53·3	53·0	52·7	53·0	53·1	53·9	55·1	55·5	55·5	56·2	4
5	52·5	50·5	50·2	49·4	48·6	48·9	48·5	49·0	49·9	50·0	50·3	50·4	5
6	50·9	50·1	49·8	50·2	49·7	49·7	48·9	48·5	47·9	48·3	48·6	49·4	6
7	49·3	49·0	48·9	48·7	48·1	48·0	48·5	48·9	50·0	52·2	51·7	52·4	7
8	49·8	50·0	49·9	49·5	49·4	49·0	49·0	49·1	50·0	50·1	51·0	52·2	8
9	46·7	46·3	46·3	46·1	45·7	45·8	45·5	45·1	46·7	48·3	49·0	50·6	9
10	49·3	49·5	49·9	51·0	50·8	51·9	51·5	52·2	52·5	52·8	52·9	53·9	10
11	52·8	52·3	51·7	52·4	52·6	53·2	53·0	53·6	54·2	55·0	58·0	58·5	11
12	53·6	53·0	52·9	52·9	52·2	51·8	51·5	51·5	52·0	51·2	51·5	51·5	12
13	54·9	55·0	55·1	55·2	55·0	55·0	54·9	55·3	55·6	57·0	57·4	58·1	13
14	59·6	59·5	59·1	59·0	59·0	58·9	59·0	59·0	59·5	61·3	63·0	63·8	14
15	60·4	59·9	58·0	57·8	58·2	58·8	58·6	57·5	58·0	58·5	59·5	58·9	15
16	53·1	52·4	51·5	50·5	50·9	51·2	52·0	50·6	51·8	51·6	50·1	52·1	16
17	49·0	48·9	48·3	48·0	47·9	48·3	48·0	48·8	50·4	49·8	50·4	49·9	17
18	50·5	50·7	50·5	49·8	50·2	50·5	50·2	50·4	50·3	52·0	52·9	53·3	18
19	51·1	51·0	50·2	49·2	48·6	48·9	48·5	49·0	50·5	50·2	51·3	51·1	19
20	45·7	46·0	46·0	46·0	46·0	46·2	46·8	47·3	48·3	50·3	51·3	52·5	20
21	52·2	52·2	52·0	52·0	51·7	51·2	51·5	52·0	52·5	53·4	54·0	54·6	21
22	54·0	53·9	53·7	53·0	53·0	53·2	53·1	53·0	53·0	53·5	54·8	55·1	22
23	56·1	55·9	55·3	54·9	54·1	53·8	53·1	54·3	55·6	56·9	57·1	57·7	23
24	56·1	56·3	56·0	55·4	55·4	55·0	55·9	57·6	57·5	59·0	59·1	59·4	24
25	53·0	52·9	52·1	52·2	51·6	51·0	51·0	50·7	51·0	52·0	53·3	54·0	25
26	54·2	53·7	53·9	54·1	54·2	54·2	54·3	54·5	54·6	54·9	55·8	56·0	26
27	56·5	56·6	56·5	56·6	56·7	56·7	57·0	57·4	58·3	58·4	58·8	59·0	27
28	60·4	60·5	60·0	60·2	60·1	59·9	59·7	59·1	59·9	59·1	59·3	58·4	28
29	55·8	55·5	56·0	56·4	56·5	56·6	56·7	56·9	57·2	58·0	58·3	58·1	29
30	46·6	45·6	44·9	44·0	43·3	42·8	42·0	42·0	42·8	44·9	44·0	44·2	30
31	37·9	37·2	36·9	36·6	36·0	34·9	34·8	35·1	36·3	37·7	40·3	41·1	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	63·5	61·8	61·0	60·6	60·0	59·6	58·6	55·0	55·0	54·1	55·4	55·0	1
2	55·2	55·5	55·0	55·5	55·5	55·2	55·5	55·6	56·3	56·3	56·9	57·0	2
3	56·4	58·1	57·7	58·5	57·9	57·7	57·2	56·9	56·5	55·5	55·5	56·4	3
4	55·4	54·0	53·9	54·7	52·3	52·5	52·0	51·8	52·0	51·8	52·0	51·2	4
5	51·0	50·8	51·1	50·0	50·0	50·1	49·1	49·2	49·1	49·3	49·5	50·0	5
6	49·9	49·0	48·4	48·5	48·9	49·2	49·0	49·1	49·3	48·9	49·3	49·1	6
7	52·9	53·2	53·4	53·0	52·1	51·1	51·3	51·4	50·9	50·6	50·6	50·9	7
8	52·5	54·0	53·6	52·7	51·6	50·0	49·0	48·9	48·8	48·5	48·0	47·7	8
9	51·5	51·2	51·1	51·5	51·1	50·3	49·8	48·0	48·1	47·8	48·2	48·4	9
10	54·0	55·3	54·4	54·7	54·4	54·9	54·9	54·5	53·8	54·0	54·0	53·3	10
11	58·5	57·5	57·4	57·4	56·9	56·6	55·5	55·0	56·1	56·5	56·7	54·9	11
12	51·9	52·0	52·1	52·8	52·4	52·5	52·5	52·7	53·4	54·9	54·6	54·4	12
13	58·4	59·5	60·4	60·1	59·8	60·0	59·6	59·5	59·3	59·5	59·7	59·6	13
14	62·6	62·8	62·5	61·7	61·4	61·0	60·9	60·9	60·3	60·3	59·8	59·8	14
15	58·9	58·1	58·8	58·8	58·2	57·1	56·4	55·3	56·0	54·7	55·2	53·2	15
16	51·8	52·0	51·5	50·8	50·9	50·3	50·0	49·7	49·5	49·9	49·0	48·8	16
17	50·0	50·5	50·5	50·6	50·0	49·7	49·2	49·6	50·4	50·4	50·9	51·2	17
18	53·0	52·3	52·3	52·1	52·0	50·5	51·3	50·8	50·0	50·5	50·6	51·0	18
19	50·5	51·3	51·5	51·7	50·2	48·9	49·0	48·9	47·0	46·0	45·5	45·7	19
20	53·3	54·2	53·0	53·2	52·2	52·1	51·9	51·8	51·8	51·4	51·5	51·9	20
21	54·3	54·5	54·1	53·8	53·9	53·5	53·9	54·0	54·0	54·5	54·2	54·0	21
22	54·9	55·8	55·7	55·8	54·9	55·1	55·1	55·2	55·5	55·7	55·9	56·0	22
23	58·1	58·3	57·9	57·9	57·3	57·0	57·1	57·1	57·0	57·1	57·0	57·0	23
24	60·6	60·8	59·9	60·0	59·9	59·7	58·5	58·0	57·7	57·9	55·4	54·0	24
25	54·8	54·5	55·1	54·3	54·2	53·5	53·0	54·0	54·1	54·3	54·1	55·0	25
26	55·8	55·3	54·9	54·9	55·3	54·9	55·5	55·5	55·8	56·0	56·0	55·9	26
27	58·9	58·2	58·4	58·5	58·7	58·5	58·5	58·6	59·5	58·7	58·8	59·5	27
28	58·3	58·0	58·0	57·7	58·0	57·4	57·8	57·6	57·4	57·0	57·0	57·0	28
29	58·4	59·0	58·7	59·0	58·0	55·9	56·1	54·8	53·9	52·3	50·7	50·4	29
30	44·2	43·7	44·0	42·4	42·0	41·1	40·3	39·9	39·2	38·7	37·9	37·4	30
31	42·0	42·1	42·2	40·9	40·3	39·9	40·5	39·0	39·9	38·9	37·6	37·2	31

TABLE IV.—AMOUNT OF CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of JANUARY, 1925.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	...	...	...	...	1	2	3	3	1	...	...	1	2	2	3	2	4	10	10	10	10	10	10	10	1
2	10	10	10	10	10	9	9	10	7	7	9	10	5	6	10	9	9	10	10	10	10	10	10	10	2
3	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	3
4	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	4
5	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	5
6	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	6
7	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	7	9	10	10	10	8	9	10	10	7
8	10	10	10	10	10	10	10	10	9	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8
9	10	10	10	10	10	10	10	10	7	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	9	10	10	10	10	10	10	10	10	10	8	9	8	8	6	9	10	8	7	10	9	10	10	10
11	10	10	10	10	8	8	10	8	9	2	4	3	2	5	3	7	8	7	2	2	2	9	10	10	11
12	10	7	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	12
13	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	13
14	10	10	10	10	10	10	10	10	10	10	6	9	10	10	10	10	10	10	10	10	10	10	10	10	14
15	10	10	10	10	10	10	10	10	8	9	9	9	9	10	10	10	10	10	10	10	10	10	10	10	15
16	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	16
17	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	17
18	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	18
19	10	10	10	10	10	10	10	10	10	10	10	10	10	10	7	6	10	10	10	10	...	...	...	9	19
20	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	20
21	10	10	10	10	10	10	10	10	9	10	8	10	10	10	10	10	10	10	10	10	10	10	10	10	21
22	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	9	6	4	7	4	4	5	3	7	22
23	7	8	7	7	7	6	8	3	2	1	2	1	...	...	...	...	...	...		...	...	...	...	...	23
24	...	...	...	...	...	...	2	1	...	...	...	1	1	2	2	1	1	2	4	10	10	10	6	7	24
25	10	10	10	10	10	10	10	10	10	10	10	10	10	3	1	...	6	10	10	10	10	10	10	10	25
26	10	10	3	7	6	6	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	26
27	10	10	10	10	9	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	7	10	10	10	27
28	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	28
29	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	29
30	4	3	...	...	...	...	7	6	4	3	4	8	8	8	8	9	8	8	7	2	2	1	1	2	30
31	...	...	...	...	2	1	6	2	1	1	1	2	1	1	1	...	...	...	...	...	...	...		...	31

TABLE V.—AMOUNT OF SUNSHINE registered in each HOUR of the DAY, in the MONTH of JANUARY, 1925
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1		0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	...		1
2		...	0·4	0·8	0·6	0·1	0·6	1·0	0·8	0.5	...	...		2
3		...	...	...	...	...	...	...	...	...	...	...		3
4		...	...	...	...	...	...	...	...	...	...	...		4
5		...	...	...	...	...	...	...	...	...	...	...		5
6		...	...	...	...	...	...	...	...	...	...	...		6
7		...	...	...	...	...	...	...	...	0·1	0·6	...		7
8		...	...	...	...	...	...	...	...	...	...	...		8
9		...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8		9
10		...	...	...	...	0·2	0·6	1·0	0·1	0·8	0·1	...		10
11		...	...	0·8	1·0	1·0	1·0	1·0	1·0	0·6	1·0	0·3		11
12		...	...	...	...	...	...	...	...	...	...	...		12
13		...	...	...	...	...	0·2	0·1	0·1	...	...	...		13
14		...	...	...	0·2	1·0	0·1	...	...	...	...	...		14
15		...	0·6	1.0	0·5	...	...	...	...	...	...	...		15
16		...	...	...	...	0·1	...	...	...	...	...	...		16
17		...	...	...	...	...	...	...	...	...	...	...		17
18		...	...	0·5	...	...	...	...	...	...	...	...		18
19		...	...	...	...	0·2	...	...	0·4	1·0	0·4	...		19
20		...	0·1	0·6	0·2	0·4	0·2	0·2	...	...	...	...		20
21		0·1	0·2	0·6	0·2	0·6	0·2	...	...	...	...	...		21
22		...	...	0·3	0·7	0·9	0·7	0·6	0·2	0·5	1·0	0·5		22
23		0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		23
24		0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5		24
25		...	...	0·1	...	...	0·3	0·6	1·0	1·0	0.6	...		25
26		...	...	0·2	...	...	...	...	...	...	...	...		26
27		...	...	..	...	...	...	...	...	...	...	...		27
28		...	...	...	...	...	...	...	...	...	...	...		28
29	...	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	0·4	0·7	0·9	1·0	0·9	0·8	0·7	0·5	0·4	0·5	0·1	...	30
31	...	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of JANUARY, 1925.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	d	d	...	0·005	0·005	3
4	0·025	0·010	0·005	0·005	0·015	0·060	0·045	0·010	...	...	...	...	4
5	0·005	d	...	0·005	0·010	...	...	...	...	...	d	0·005	5
6	d	0·005	0·005	0·010	0·020	d	...	...	...	...	...	...	6
7	...	...	...	d	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	d	d	...	12
13	...	...	...	...	...	...	...	...	...	...	d	d	13
14	d	d	d	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	d	...	...	...	...	...	15
16	0·040	0·045	d	d	d	0·020	0·020	0·040	0.145	0·075	0·095	0·040	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	d	0·020	0·105	0·045	0·005	d	...	...	...	...	...	...	18
19	0·030	0·035	0·010	d	...	...	d	0·010	0·005	0·005	d	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...		...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	d	...	...	...	...	...	...	...	...	...	...	...	27
28	0·070	0·015	0·010	0·020	0·005	0·010	0·020	0·210	0·030	0·030	0·005	0·005	28
29	d	d	d	d	d	d	0·100	0·075	0·155	0·430	0·660	0·120	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	d	...	...	...	2
3	0·005	d	...	d	0·010	0·015	0·010	0·030	0·060	0·030	0·030	0·025	3
4	...	...	...	...	...	...	...	...	...	...	d	0·010	4
5	...	...	...	...	...	d	d	...	...	d	...	d	5
6	...	...	...	d	...	d	d	d	d	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	d	...	13
14	...	...	d	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	d	d	d	d	d	0·020	15
16	0·035	0·015	0·040	0·060	0·030	d	0·010	d	...	...	...	...	16
17	...	d	d	0·030	0·120	0·055	0·025	0·040	0·095	0·010	0·035	0·010	17
18	...	d	...	d	0·015	0·075	0·015		...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	d	...	...	...	...	...	26
27	...	...	d	d	d	d	d	d	...	...	...	0·015	27
28	0·070	0·005	d	d	d	d	d	d	d	d	d	0·020	28
29	0·020	0·055	d	...	...	d	0·010	0·020	0·065	0·080	0·005	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of JANUARY, 1925.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hongkong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	10	11	10	11	10	10	10	5	11	3	10	3	20	4	20	2	31	3	32	6	3	4	8	8	1
2	...	1	4	4	3	7	2	6	2	7	3	6	4	5	5	10	6	13	7	18	8	19	8	19	2
3	6	16	3	11	1	9	32	7	32	4	2	4	7	5	9	11	9	14	9	9	10	5	...	1	3
4	3	2	...	1	2	6	3	5	2	2	2	3	...	1	...	1	...	1	...	...	32	2	1	3	4
5	...	1	1	5	1	2	1	7	1	4	1	3	4	2	...	1	3	6	2	5	1	4	2	5	5
6	1	3	1	3	...	1	1	3	1	5	1	2	1	8	32	5	32	8	1	10	1	9	1	7	6
7	1	6	1	5	1	5	32	4	32	3	32	3	...	1	...	1	26	3	22	2	23	8	24	7	7
8	...	1	1	2	...	...	17	2	...	...	...	1	1	5	26	4	30	3	32	7	30	5	28	5	8
9	2	6	2	2	...	1	2	2	2	2	32	4	31	2	1	4	32	4	32	4	26	5	25	7	9
10	...	...	...	1	5	8	7	8	8	7	8	10	7	8	6	10	5	11	5	14	6	14	8	14	10
11	8	9	6	6	2	3	...	...	...	...	...	1	...	...	...	1	24	3	...	1	16	3	18	5	11
12	7	27	7	24	7	19	6	14	5	12	5	11	6	10	6	10	7	9	7	16	7	12	7	6	12
13	7	24	7	21	8	14	8	9	9	12	9	11	10	11	9	15	8	20	8	19	8	23	8	21	13
14	9	10	9	14	10	15	10	14	10	15	10	14	9	10	10	7	10	7	10	6	9	11	9	14	14
15	...	...	9	6	9	12	9	17	9	14	8	16	7	16	6	20	6	23	6	20	7	20	8	17	15
16	...	1	32	2	1	10	1	12	1	3	32	8	1	4	32	5	31	7	32	3	1	8	1	4	16
17	2	10	2	4	1	9	1	11	2	8	3	8	3	8	3	8	2	8	3	6	4	11	5	9	17
18	4	10	4	9	4	15	4	6	5	14	6	18	5	17	32	14	4	14	9	14	6	5	4	4	18
19	1	4	2	4	2	5	2	6	2	10	2	5	3	2	...	1	1	5	...	1	31	2	27	7	19
20	1	3	1	2	...	1	...	1	30	3	29	3	27	3	25	4	...	...	...	1	18	3	12	9	20
21	7	10	6	12	7	12	7	17	6	13	6	11	6	9	7	16	7	21	7	20	8	23	8	25	21
22	6	24	6	24	6	24	6	24	6	25	7	27	6	26	7	26	7	28	7	30	7	28	7	29	22
23	7	20	6	20	6	23	7	22	7	23	7	24	7	23	7	17	8	19	8	21	8	20	8	19	23
24	9	2	9	6	9	8	9	6	9	4	...	...	9	5	9	9	9	14	9	12	10	10	9	7	24
25	4	3	3	6	2	5	1	3	1	9	1	7	1	4	1	2	2	6	2	4	2	2	2	4	25
26	8	14	7	16	6	15	6	15	7	11	7	10	7	13	7	10	6	14	7	15	6	11	6	16	26
27	9	23	9	22	8	21	9	19	9	18	9	23	9	26	8	25	8	22	9	23	9	19	9	21	27
28	9	14	9	12	10	14	11	14	11	12	11	7	10	10	10	12	9	13	8	18	8	20	8	24	28
29	6	34	7	32	7	29	7	27	8	24	8	29	9	18	10	12	11	5	...	...	18	2	22	3	29
30	1	12	2	13	1	14	32	18	32	17	32	11	32	10	1	13	2	11	1	12	1	10	1	14	30
31	1	5	32	12	32	11	32	13	32	15	1	15	32	13	1	12	1	14	32	16	32	11	32	12	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel	Dir.	Vel	Dir.	Vel.	Dir.	Vel	
1	10	18	9	26	10	20	10	18	10	17	8	17	5	14	3	11	2	4	3	5	5	7	4	4	1
2	9	19	9	19	9	19	9	16	9	13	9	13	8	13	6	11	6	8	6	11	7	19	7	22	2
3	12	4	11	2	8	2	4	3	2	5	1	2	...	1	3	2	2	6	1	10	1	5	...	1	3
4	1	6	1	10	1	9	1	5	1	9	1	8	1	8	1	5	32	3	32	2	32	2	...	1	4
5	3	4	3	10	2	6	2	11	1	9	1	9	1	12	32	8	1	9	1	7	1	2	1	2	5
6	1	9	2	6	2	7	1	4	...	...	...	1	...	...	1	4	1	6	1	2	1	3	1	5	6
7	24	7	24	10	26	9	1	10	1	9	1	9	1	2	1	5	1	3	1	2	...	1	...	...	7
8	28	4	29	7	32	8	1	7	1	6	31	5	32	6	2	5	2	3	2	5	2	4	2	7	8
9	27	6	29	6	31	7	32	8	31	11	31	6	32	8	1	9	1	9	1	6	...	...	...	...	9
10	10	12	13	7	18	3	21	6	21	5	...	1	...	...	...	...	...	...	...	1	2	2	6	7	10
11	22	6	23	8	23	7	23	6	21	4	15	3	10	8	7	15	6	14	7	21	7	24	7	25	11
12	7	2	7	9	7	10	7	6	6	11	6	8	6	19	6	9	7	13	7	19	7	22	7	23	12
13	9	18	9	17	9	16	10	14	10	15	9	15	9	13	9	13	9	13	9	12	9	13	9	16	13
14	9	19	9	17	8	12	8	16	9	15	9	11	9	12	9	12	9	9	9	13	9	11	9	5	14
15	8	12	7	12	5	6	3	5	3	5	2	3	2	3	32	7	...	1	32	7	1	5	32	7	15
16	2	4	2	4	1	4	1	5	32	7	32	5	32	4	1	12	1	11	1	7	2	9	2	8	16
17	5	6	4	7	3	6	1	7	2	5	3	3	3	5	2	4	2	3	3	3	...	1	4	3	17
18	4	4	3	4	1	6	32	4	32	2	1	4	...	1	2	2	1	5	32	4	...	1	1	2	18
19	25	9	26	4	27	7	29	6	2	9	2	8	1	5	1	5	1	6	1	10	1	5	1	6	19
20	10	8	10	6	10	10	10	13	10	13	9	13	8	11	7	10	7	7	7	8	7	7	7	9	20
21	8	22	8	21	8	25	8	22	7	22	7	23	7	22	6	22	6	19	6	23	6	26	6	26	21
22	6	27	6	20	7	19	7	21	7	20	7	19	7	17	7	15	7	17	7	17	6	16	7	19	22
23	8	20	8	21	8	23	8	20	8	20	8	16	8	13	8	13	8	16	9	11	9	10	9	9	23
24	24	6	26	7	26	6	26	8	25	6	24	10	23	12	23	10	25	7	1	5	5	6	4	4	24
25	20	3	15	3	14	10	16	13	21	10	25	7	...	1	...	1	...	1	28	5	8	9	9	9	25
26	7	18	8	15	8	20	7	29	8	23	8	21	8	16	9	21	9	16	9	18	8	21	8	20	26
27	9	27	8	26	8	29	9	25	9	22	9	23	9	21	10	20	10	23	9	24	9	23	8	22	27
28	8	30	8	31	7	31	7	33	7	35	7	35	7	32	7	34	6	36	6	36	6	37	6	32	28
29	26	4	25	4	26	6	...	1	25	6	17	9	3	2	32	7	1	9	1	12	1	10	1	9	29
30	1	14	1	11	1	14	1	14	1	13	1	9	32	7	2	6	2	16	1	20	1	9	1	8	30
31	32	10	32	12	32	11	1	10	1	10	2	7	2	7	2	8	2	9	1	15	1	15	1	4	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of JANUARY, 1925.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	...	...	...	...	cu	E	...	...	a-cu	W	cu	NE	cu	ENE	cu	ENE
2	cu	ENE	cu	ENE	a-cu/cu	WSW/E	a-cu/cu	WSW/E	a-cu/cu	WSW/E	a-cu	SW	a-cu/cu	SW/E	a-cu/cu	SW/E
3	cu	E	cu	E	cu	E	cu-nb	E	nb	ESE	nb	ENE	nb	ENE	nb	ENE
4	nb	ENE	nb	ENE	nb	ENE	nb	ENE	nb	ENE	st	E	st	ESE	cu-nb	E
5	nb	ENE	nb	ENE	nb	ENE	st	ENE	nb	ENE	cu-nb	ENE	nb	ENE	cu-nb	ENE
6	nb	ENE	nb	ENE	nb	NE	nb	ENE	cu	NE	nb	ENE	nb	ENE	nb	ENE
7	nb	NE	nb	NE	st-cu	NE	st-cu	NE	st-cu	NE	cu	WSW	cu	WSW	cu	WSW
8	st-cu	NE	st-cu	NE	st	NE	st	NE	st	NE	st	NE	st	NE	st	NE
9	cu-nb	SW	st-cu	SW	st-cu	SW	a-cu	WNW	...	...	...	...	...	...	...	...
10	...	...	cu	E	cu	E	cu	ENE	cu	ENE	cu	WSW	cu	W	cu	WSW
11	cu	E	cu	E	cu	WNW	cu	W	ci-cu	NW	a-cu	WSW	a-cu	WSW	cu	ENE
12	cu	ENE	cu	ENE	st	ENE	st-cu	ESE	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE
13	a-cu/cu	SW/ENE	cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE
14	nb	E	cu-nb	E	cu-nb	E	cu	E	cu	ESE	cu	E	cu	E	cu	E
15	cu	E	a-cu/cu	W/ESE	nb	ESE	cu	E	cu	E	st-cu	E	st-cu	E	nb	E
16	nb	E	nb	E	nb	NE	nb	NE	nb	WNW	nb	NW	nb	NW	nb	NNW
17	nb	NNW	nb	NNW	nb	ESE	st-cu	ENE	st-cu	ENE	nb	ENE	nb	ENE	nb	ENE
18	nb	ENE	nb	ENE	nb	ENE	a-cu/cu	SSW/ENE	cu	ENE	cu	ENE	nb	ENE	cu-nb	ENE
19	nb	ENE	nb	ENE	nb	ENE	nb	NE	st-cu	NE	cu	WSW	st-cu	ENE	...	...
20	st-cu	NE	st-cu	NE	st-cu	NE	st-cu	NE	cu	SSW	st-cu	ENE	st-cu	ENE	st-cu	NE
21	st-cu	NE	st-cu	ENE	cu	ESE	a-cu/cu	WSW/E	cu	E	st-cu	ENE	st-cu	ENE	st-cu	ENE
22	st-cu	ENE	st-cu	ENE	st-cu	ENE	a-cu	WNW	a-cu	NW	a-cu/cu	WNW/E	a-cu	WNW	cu	E
23	cu	E	cu	E	cu	E	cu	E	...	...	...	...	...	...	...	...
24	...	...	...	...	ci-st	W	...	...	a-cu	SW	a-cu	SW	a-cu	SW	cu	ENE
25	cu	ENE	cu	ENE	cu	NE	cu	E	a-cu/cu	WSW/E	...	...	cu	E	st-cu	E
26	cu	E	cu	E	cu	E	cu	E	cu	E	st-cu	E	nb	ENE	st-cu	E
27	nb	E	cu-nb	E	cu-nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
28	nb	ESE	nb	ESE	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
29	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
30	cu	ENE	...	...	a-cu/cu	W/ENE	a-cu	W	a-cu	WSW	a-cu/cu	W/E	ci-st	WNW	ci-st	WNW
31	...	...	...	...	a-cu/cu	WSW/ENE	a-cu	W	ci-st	W	...	...	...	...	...	...

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JANUARY, 1925.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Range.	Temperature. Of the Air. Mean.	Temperature. Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Bright Sunshine. Percentage of possible amount.	Rainfall. Amount.	Rainfall. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Wind. Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·015	74·6	59·3	15·3	64·3	58·8	0·425	70	39	8·8	82	...	...	− 0·4	+ 7·8	93	7·8	9·6
2	30·069	62·1	55·9	6·2	59·3	54·3	·357	70	92	4·8	45	...	...	+ 1·7	+ 11·4	82	11·5	12·4
3	30·072	62·5	56·5	6·0	59·1	55·9	·406	81	100	...	...	0·225	11	+ 2·5	+ 3·6	55	4·4	5·8
4	30·099	60·2	52·4	7·8	56·3	53·6	·377	83	100	...	...	0·185	8	+ 3·7	+ 0·9	14	3·8	4·0
5	30·089	55·1	49·8	5·3	52·7	49·9	·323	81	100	...	...	0·025	5	+ 5·2	+ 1·5	16	5·4	5·6
6	30·068	54·2	49·9	4·3	51·3	49·2	·323	85	100	...	...	0·040	·7	+ 4·5	+ 1·0	13	4·6	4·6
7	30·087	59·1	50·0	9·1	54·2	50·7	·325	77	97	0·7	6	...	...	+ 2·8	− 1·4	333	3·1	4·8
8	30·136	59·8	51·0	8·8	54·9	50·2	·302	70	99	...	...	...	...	+ 3·7	− 0·2	357	3·7	4·2
9	30·113	60·7	49·3	11·4	54·6	48·3	·257	60	37	9·7	90	...	...	+ 4·4	− 0·5	354	4·4	5·0
10	30·086	62·2	54·0	8·2	58·1	52·9	·334	69	88	2·8	26	...	...	+ 0·7	+ 4·5	81	4·6	6·2
11	30·065	69·8	58·1	11·7	62·0	55·3	·350	62	66	7·7	71	...	...	+ 0·2	+ 3·6	87	3·6	7·2
12	30·038	59·4	55·9	3·5	57·9	52·6	·328	68	99	...	...	...	...	+ 3·4	+ 12·5	75	13·0	13·0
13	29·941	65·4	58·8	6·6	61·5	57·7	·428	78	100	0·4	4	...	1	− 1·8	+ 15·5	97	15·6	15·6
14	29·914	70·0	59·8	10·2	63·2	60·6	·496	85	98	1·3	12	...	2	− 2·8	+ 11·8	103	12·1	12·0
15	29·889	64·6	54·1	10·5	60·9	57·7	·436	81	97	2·1	19	0·020	4	+ 2·8	+ 8·9	72	9·3	10·6
16	29·934	55·4	51·4	4·0	53·0	50·9	·346	85	100	0·1	1	0·710	15	+ 6·0	+ 1·0	9	6·1	6·1
17	30·009	55·4	50·5	4·9	52·7	49·6	·315	79	100	...	...	0·420	9	+ 5·3	+ 3·1	30	6·2	6·4
18	30·034	57·8	50·7	7·1	53·7	51·2	·345	83	100	0·5	5	0·280	8	+ 4·7	+ 4·7	45	6·7	7·5
19	30·032	57·6	48·8	8·8	52·6	49·4	·311	78	84	2·0	18	0·095	6	+ 4·6	...	360	4·6	5·5
20	29·973	59·6	49·3	10·3	54·1	50·0	·308	73	100	1·7	16	...	...	− 0·4	+ 4·5	95	4·5	5·2
21	29·955	59·3	54·4	4·9	56·8	53·2	·359	77	99	1·9	17	...	...	+ 3·8	+ 18·7	78	19·1	19·2
22	29·927	60·6	56·4	4·2	58·2	54·5	·378	78	82	5·4	49	...	...	+ 6·0	+ 21·7	75	22·5	22·6
23	29·866	63·2	55·6	7·6	59·1	56·4	·421	84	25	10·0	91	...	...	+ 1·5	+ 18·3	85	18·4	18·5
24	29·866	70·5	56·3	14·2	62·0	57·7	·421	75	25	10·3	94	...	...	...	+ 0·9	90	0·9	7·1
25	29·989	62·5	55·0	7·5	58·3	53·2	·340	69	87	3·6	33	...	...	+ 0·9	+ 0·9	45	1·3	5·3
26	29·934	60·3	56·6	3·7	58·7	55·0	·385	78	92	0·2	2	...	...	+ 1·7	+ 15·9	84	16·0	16·2
27	29·819	61·7	58·4	3·3	59·8	58·1	·463	90	98	...	...	0·015	6	− 3·5	+ 22·6	99	22·9	23·8
28	29·765	61·8	57·5	4·3	59·5	58·7	·485	95	100	...	...	0·525	20	+ 2·2	+ 22·8	84	22·9	23·8
29	29·749	61·7	52·2	9·5	57·8	56·2	·432	90	100	...	...	1·795	16	+ 2·5	+ 7·7	72	8·1	12·2
30	30·058	54·0	44·0	10·0	49·5	42·4	·179	50	43	6·9	62	...	...	+ 12·2	+ 2·3	11	12·4	12·3
31	30·237	52·1	41·4	10·7	46·1	38·6	·137	44	8	10·4	94	...	...	+ 11·0	+ 1·3	7	11·1	11·1
Means	29·994	61·1	53·3	7·8	56·8	53·0	0·358	76	82	Sum. 91·3	27	Sum. 4·335	Sum. 118	+ 2·9	+ 7·3	68	7·9	10·4
Normals	30·050	64·4	56·1	8·3	59·8	55·2	0·384	72	62	149·6	44	1·293	47	+ 2·4	+ 9·9	76	10·1	13·0
Absolute Max.	30·281	74·6	...	15·3	...	65·0	0·524	...	...	10·4	94	1·795	20	...	...	...	...	37·0†
Day.	31	1	...	1	...	1	14	..	...	31	24, 31	29	28	...	...	...	...	28d 22h
Absolute Min.	29·671	...	41·4	3·3	...	34·8	0·112	41	...	...	...	...	...	...	...	...	...	...
Day	29	...	31	27	...	31	31	31	...	...	...	...	...	...	..	...	...	...

Phenomena :—

Lunar corona :—on the 15th.
Fog :—on the 1st.
Haze :—on the 24th.
Unusual visibility :—on the 30th.
Dew :—on the 24th.

Rain fell on 12 days. The mean hourly intensity was 0·037*in*, and the maximum fall in one hour was 0·660*in* at 11*h* on the 29th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 45 miles per hour at 21*h* 12*m* on the 28th.

* 0° = N., 90° = E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JANUARY, 1925.
(C. G. S. *Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1018·5	296·7	288·2	8·5	290·9	287·9	14·3	...	...	— 0·1	+ 2·6	93	2·6	3·1
2	1020·4	289·7	286·3	3·4	288·2	285·4	12·0	...	...	+ 0·6	+ 3·7	82	3·8	4·1
3	1020·5	289·9	286·6	3·3	288·1	286·3	13·7	5·7	11	+ 0·8	+ 1·2	55	1·4	1·9
4	1021·4	288·7	284·3	4·4	286·5	285·0	12·7	4·7	8	+ 1·2	+ 0·3	14	1·2	1·3
5	1021·1	285·8	282·9	2·9	284·5	282·9	10·9	0·6	5	+ 1·7	+ 0·5	16	1·8	1·8
6	1020·4	285·3	282·9	2·4	283·7	282·6	10·9	1·0	7	+ 1·5	+ 0·3	13	1·5	1·5
7	1021·0	288·1	283·0	5·1	285·3	283·4	10·9	...	...	+ 0·9	— 0·5	333	1·0	1·6
8	1022·7	288·4	283·6	4·8	285·7	283·1	10·2	...	...	+ 1·2	— 0·1	357	1·2	1·4
9	1021·9	288·9	282·6	6·3	285·6	282·1	8·6	...	...	+ 1·4	— 0·2	354	1·4	1·6
10	1020·9	289·8	285·2	4·6	287·5	284·6	11·2	...	...	+ 0·2	+ 1·5	81	1·5	2·0
11	1020·2	294·0	287·5	6·5	289·7	285·9	11·8	...	...	+ 0·1	+ 1·2	87	1·2	2·4
12	1019·3	288·2	286·3	1·9	287·4	284·4	11·0	...	...	+ 1·1	+ 4·1	75	4·3	4·3
13	1016·0	291·6	287·9	3·7	289·4	287·3	14·4	...	1	— 0·6	+ 5·1	97	5·1	5·1
14	1015·0	294·1	288·4	5·7	290·3	288·9	16·7	...	2	— 0·9	+ 3·9	103	4·0	3·9
15	1014·2	291·1	285·3	5·8	289·1	287·3	14·7	0·5	4	+ 0·9	+ 2·9	72	3·0	3·5
16	1015·8	286·0	283·8	2·2	284·7	283·5	11·6	18·0	15	+ 2·0	+ 0·3	9	2·0	2·0
17	1018·4	286·0	283·3	2·7	284·5	282·8	10·6	10·7	9	+ 1·7	+ 1·0	30	2·0	2·1
18	1019·2	287·3	283·4	3·9	285·1	283·7	11·6	7·1	8	+ 1·5	+ 1·5	45	2·2	2·5
19	1019·1	287·2	282·3	4·9	284·4	282·7	10·5	2·4	6	+ 1·5	...	360	1·5	1·8
20	1017·1	288·3	282·6	5·7	285·3	283·0	10·4	...	...	— 0·1	+ 1·5	95	1·5	2·0
21	1016·5	288·2	285·4	2·8	286·8	284·8	12·1	...	...	+ 1·2	+ 6·1	78	6·3	6·3
22	1015·6	288·9	286·6	2·3	287·6	285·5	12·7	...	...	+ 2·0	+ 7·1	75	7·4	7·4
23	1013·5	290·5	286·1	4·2	288·1	286·6	14·2	...	...	+ 0·5	+ 6·0	85	6·0	6·1
24	1013·5	294·4	286·5	7·9	289·7	287·3	14·2	...	...	...	+ 0·3	90	0·3	2·3
25	1017·7	289·9	285·8	4·1	287·6	284·8	11·4	...	...	+ 0·3	+ 0·3	45	0·4	1·7
26	1015·8	288·7	286·7	2·0	287·8	285·8	13·0	...	...	+ 0·6	+ 5·2	84	5·2	5·3
27	1011·9	289·5	287·7	1·8	288·4	287·5	15·6	1·9	6	— 1·1	+ 7·4	99	7·5	7·5
28	1010·0	289·6	287·2	2·4	288·3	287·8	16·3	13·3	20	+ 0·7	+ 7·5	84	7·5	7·8
29	1009·5	289·5	284·2	5·3	287·3	286·4	14·6	45·6	16	+ 0·8	+ 2·5	72	2·7	4·0
30	1020·1	285·2	279·7	5·5	282·7	278·8	6·0	...	...	+ 4·0	+ 0·8	11	4·1	4·0
31	1026·1	284·2	278·2	6·0	280·8	27·67	4·7	...	...	+ 3·6	+ 0·4	7	3·6	3·6
Means.	1017·8	289·2	284·8	4·4	286·8	284·7	12·0	Sum. 110·0	Sum. 118	+ 1·0	+ 2·4	68	2·6	3·4
Normals.	1019·7	291·0	286·4	4·6	288·4	285·9	12·9	32·8	47	+ 0·8	+ 3·2	76	3·3	4·3
Absolute Maximum	1027·7	296·7	...	8·5	...	291·3	17·7	+5·6	20	...	...	...	...	12·1†
Day.	31	1	...	1	...	1	14	29	28	...	...	..	...	28d23h
Absolute Minimum	1006·8	...	278·2	1·8	...	274·6	3·9	...	...	...	...	...	...	...
Day.	29	...	31	27	...	31	31	...	...	...	...	...	...	...

ADOPTED ERRORS OF TIMEBALL, JANUARY, 1925.

Date.	Error.	Date.	Error.	Date.	Error.
	s		s		s
1	— 0·1	12	0·0	22	+ 1·2
2	— 0·2	13	0·0	23	— 0·3
3	— 0·2	14	0·0	24	— 0·1
4	— 0·2	15	0·0	25	+ 0·5
5	— 0·2	16	{ + 2·0	26	+ 0·7
6	— 0·3		{ + 0·9	27	+ 0·2
7	— 0·3	17	+ 0·1	28	+ 0·2
8	— 0·4	18	+ 1·9	29	+ 0·3
9	— 0·4	19	+ 0·6	30	+ 0·3
10	— 0·5	20	+ 0·3	31	0·0
11	0·0	21	+ 0·9		

+ = Late ; — = Early.
The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.
The probable error for the month was ± 0s·38

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JANUARY, 1925.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-100).	Percentage of Possible Sunshine.	Rainfall. Percentage of Total Amount.	Rainfall. Percentage of Total Duration	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·001	56·0	52·8	0·363	80	84		4	7	+ 2·9	+ 8·2	71	8·7	9·9
2	29·995	55·8	52·6	·361	80	86		3	5	+ 3·3	+ 8·1	68	8·8	10·1
3	29·985	55·4	52·1	·352	79	84		3	5	+ 3·8	+ 7·9	64	8·8	10·6
4	29·981	55·2	51·8	·347	78	85		2	5	+ 3·5	+ 7·2	64	8·0	10·2
5	29·979	54·9	51·6	·345	78	85		1	5	+ 3·2	+ 6·8	65	7·5	9·6
6	29·991	54·8	51·6	·347	79	85	...	2	3	+ 3·0	+ 7·2	67	7·8	9·6
7	30·007	54·7	51·6	·348	79	92	9	4	4	+ 2·5	+ 6·7	70	7·2	9·0
8	30·021	55·2	51·8	·347	78	88	22	8	4	+ 2·5	+ 6·5	69	7·0	9·3
9	30·036	56·3	52·6	·354	77	83	35	8	3	+ 3·4	+ 7·8	66	8·5	10·6
10	30·048	57·7	53·3	·355	73	78	30	12	3	+ 3·0	+ 8·4	70	8·9	10·7
11	30·039	58·7	53·9	·359	72	78	34	18	4	+ 2·1	+ 7·6	75	7·9	10·6
Noon.	30·014	59·3	54·4	·365	71	81	31	4	4	+ 1·9	+ 7·6	76	7·8	11·2
13	29·983	59·3	54·6	·371	72	79	33	3	3	+ 1·2	+ 7·3	81	7·4	11·5
14	29·959	59·6	54·6	·367	71	79	29	2	3	+ 1·9	+ 7·3	75	7·5	11·7
15	29·943	59·4	54·5	·367	71	78	32	1	2	+ 2·3	+ 7·1	72	7·5	11·9
16	29·944	59·1	54·3	·365	71	76	28	2	3	+ 2·4	+ 7·4	72	7·8	11·8
17	29·954	58·3	53·9	·364	73	81	12	4	4	+ 2·6	+ 6·6	68	7·1	11·2
18	29·967	57·4	53·4	·362	75	84	...	3	5	+ 2·2	+ 6·8	72	7·2	10·4
19	29·980	56·9	53·2	·363	77	83		2	6	+ 2·5	+ 6·4	69	6·9	9·2
20	29·995	56·5	52·8	·366	77	82		2	5	+ 3·5	+ 6·5	62	7·4	9·9
21	30·007	56·3	52·8	·359	78	78		5	4	+ 3·9	+ 6·5	59	7·6	9·7
22	30·013	56·0	52·6	·358	79	82		3	4	+ 4·7	+ 7·4	58	8·8	11·0
23	30·014	55·8	52·5	·358	79	81		2	4	+ 3·5	+ 8·4	67	9·1	10·5
Midn.	30·012	55·5	52·4	·359	80	85		2	5	+ 3·2	+ 8·4	69	9·0	10·2

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JANUARY, 1925.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1018·1	286·3	284·6	12·2	+ 1·0	+ 2·7	71	2·9	3·2
2	1017·9	286·2	284·4	12·1	+ 1·1	+ 2·7	68	2·9	3·3
3	1017·5	286·0	284·2	11·8	+ 1·2	+ 2·6	64	2·9	3·5
4	1017·4	285·9	284·0	11·7	+ 1·1	+ 2·4	64	2·6	3·3
5	1017·3	285·7	283·9	11·6	+ 1·0	+ 2·2	65	2·5	3·1
6	1017·8	285·7	283·9	11·7	+ 1·0	+ 2·4	67	2·6	3·1
7	1018·3	285·6	283·9	11·7	+ 0·8	+ 2·2	70	2·4	3·0
8	1018·8	285·9	284·0	11·7	+ 0·8	+ 2·1	69	2·3	3·0
9	1019·2	286·5	284·4	11·9	+ 1·1	+ 2·6	66	2·8	3·5
10	1019·6	287·3	284·8	11·9	+ 1·0	+ 2·8	70	2·9	3·5
11	1019·3	287·8	285·2	12·1	+ 0·7	+ 2·5	75	2·6	3·5
Noon.	1018·5	288·2	285·4	12·3	+ 0·6	+ 2·5	76	2·6	3·7
13	1017·4	288·2	285·6	12·5	+ 0·4	+ 2·4	81	2·4	3·8
14	1016·6	288·3	285·6	12·4	+ 0·6	+ 2·4	75	2·5	3·8
15	1016·1	288·2	285·5	12·4	+ 0·8	+ 2·3	72	2·5	3·9
16	1016·1	288·1	285·4	12·3	+ 0·8	+ 2·4	72	2·6	3·9
17	1016·5	287·6	285·2	12·3	+ 0·9	+ 2·2	68	2·3	3·7
18	1016·9	287·1	284·9	12·2	+ 0·7	+ 2·2	72	2·4	3·4
19	1017·3	286·8	284·8	12·2	+ 0·8	+ 2·1	69	2·3	3·0
20	1017·9	286·6	284·6	12·3	+ 1·1	+ 2·1	62	2·4	3·2
21	1018·3	286·5	284·6	12·1	+ 1·3	+ 2·1	59	2·5	3·2
22	1018·5	286·3	284·4	12·0	+ 1·5	+ 2·4	58	2·9	3·6
23	1018·5	286·2	284·4	12·0	+ 1·1	+ 2·8	67	3·0	3·4
Midn.	1018·4	286·1	284·3	12·1	+ 1·0	+ 2·8	69	3·0	3·3

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

JANUARY,

1925.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	31st December, 1924.								1st January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.10	764.5	16	...	NNE	4	o	6	30.13	765.3	−2	...	...	o	b
Nemuro,	11	29.92	760.0	...	...	W	1	...	5	...	...	...	...	ENE	1	...
Hokodate,	"	30.00	762.0	...	...	N	1	...	"	30 14	765.5	...	...	NNW	3	...
Tokio,	"	30.02	762.5	...	...	NNW	1	...	"	...	...	...	...	NNW	1	...
Kochi,	"	29.96	761.0	...	...	WSW	1	...	"	29.96	761.0	...	...	NNE	1	...
Nagasaki,	"	30.08	764.0	...	...	NW	1	...	"	30.10	764.5	...	...	N	1	...
Kagoshima,	"	30.04	763.0	...	...	NW	1	...	"	30.06	763.5	...	...	...	...	...
Oshima,	"	30.02	762.5	...	...	N	3	...	"	30.06	763.5	...	...	N	3	...
Naha,	"	30.02	762.5	...	...	ENE	1	...	"	30.08	764.0	...	...	NNE	3	...
Ishigakijima,	"	30.06	763.5	...	...	ENE	3	...	"	30.04	763.0	...	...	NE	3	...
Bonin Island,	"	30.06	763.5	...	...	SSE	3	...	"	30.02	762.5	...	...	SW	1	...
Chefoo.	15	30.41	772.4	30	100	N	6	o	6	30.50	774.7	24	100	NW	4	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.20	767.1	43	94	N	1	r	"	30.44	773.1	36	75	NNW	4	b
Gutzlaff,	14	30.14	765.5	44	92	N	4	o	"	30.39	771.9	38	91	N	6	o
Sharp Peak,	"	30.01	762.2	74	81	E	1	b	7	30.11	764.8	54	90	NNE	4	o
Amoy,	15	30.00	762.0	70	61	NW	1	b	9	30.02	762 5	60	82	NNE	4	b
Swatow,	"	29.96	761.0	66	68	ESE	2	o	8	...	...	...	...	...	...	...
Taiboku,	11	30.06	763.5	72	62	E	6	b	5	30.10	764.4	64	80	E	4	o
Taichu,	"	30.04	762.9	72	...	...	o	b	"	30.04	762.9	55	...	SE	1	b
Tainan,	"	30.02	762.6	72	...	NNW	2	o	"	30.00	762.0	61	...	N	4	o
Koshun,	"	30.00	762.0	73	...	NE	6	o	"	29.99	761.7	70	...	NNE	4	o
Pescadores,	"	30.05	763.2	68	...	NNE	6	b	"	30.04	762.9	64	...	NNE	4	b
Canton,	14	30.07	763.8	72	76	SE	1	b	6	...	...	...	...	...	...	...
Hongkong,	"	30.01	762.2	65	73	ESE	4	b	"	30.05	763.2	61	76	NW	1	bf
Gap Rock,	"	30.02	762.5	...	...	ENE	4	b	"	30.04	763.0	...	...	ENE	3	b
Macao,	"	29.99	761.7	72	70	SE	2	b	"	30.02	762.6	59	91	N	4	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.93	760.2	79	61	SSE	4	b	7	30.01	762.3	66	98	ENE	4	bf
Tourane,	"	29.97	761.1	73	...	SE	2	b	"	29.97	761.1	68	...	SSE	2	b
Cape St. James.	"	29.86	758.4	77	...	E	2	b	"	...	...	...	...	...	...	...
Basco,	14	29.89	759.3	70	92	N	2	r	6	...	...	...	...	...	...	...
Aparri,	"	29.85	758.1	75	75	S	2	o	"	29.89	759.3	73	96	...	o	o
Manila,	"	29.80	756.9	86	65	WNW	2	o	"	29.88	759.0	72	94	NE	1	o
Legaspi,	"	29.82	757.5	86	75	ENE	2	b	"	29.87	758.7	77	92	NNE	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.78	756.3	84	74	NE	4	o	"	29.86	758.4	75	96	N	2	o
Surigao,	"	29.79	756.6	82	77	ESE	4	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.84	757.8	...	...	E	4	o	4.20	29.87	758.7	...	...	NE	1	o
Yap,	12.47	29.82	757.5	...	...	ENE	4	o	4.47	29.87	758.7	...	...	NE	1	o
Labuan,	14	29.83	757.7	80	95	N	2	o	6	29.81	757.2	76	94	NE	2	r

January 1*d.* 11*h.* 32*m.*—Pressure has increased considerably at Shanghai and is stationary at Hongkong. It has increased slightly at the majority of other reporting stations.

The anticyclone has strengthened.

Strong monsoon may be expected along the S.E. coast of China and fresh monsoon over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·00 inches, against an average of 0·03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hongkong and Lamocks.	N.E. winds, strong.
3.—Hongkong to Gap Rock..... 4.—South coast of China between Hongkong and Hainan, .	N.E. winds, fresh; fine.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	1st January, 1925.								2nd January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.05	763.3	7	...	NE	1	m	6	30.07	763.7	8	...	...	0	m
Nemuro,	11	29.63	752.5	...	...	NNW	1	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.72	755.0	...	...	NW	4	...	,,	29.92	760.0	...	...	...	...	...
Tokio,	,,	29.72	755.0	...	...	S	1	...	,,	29.96	761.0	...	...	...	0	...
Kochi,	,,	29.96	761.0	...	...	W	4	...	,,	30.16	766.0	...	...	...	0	...
Nagasaki,	,,	30.12	765.0	...	...	N	3	...	,,	30.26	768.5	...	...	NNE	1	...
Kagoshima,	,,	30.12	765.0	...	...	NNW	1	...	,,	30.24	768.0	...	...	N	1	...
Oshima,	,,	30.10	764.5	...	...	NNE	1	...	,,	30.18	766.5	...	...	...	0	...
Naha,	,,	30.12	765.0	...	...	NNE	2	...	,,	30.18	766.5	...	...	NNE	2	...
Ishigakijima,	,,	30.12	765.0	...	...	NE	3	...	,,	30.14	765.5	...	...	NE	3	...
Bonin Island,	,,	29.96	761.0	...	...	SW	1	...	,,	30.06	763.5	...	...	...	0	...
Chefoo,	15	...	...	32	90	NW	6	b	6	...	...	26	100	NW	4	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.45	773.4	34	67	NW	4	b	,,	30.47	774.0	28	88	NW	1	of
Gutzlaff,	14	30.42	772.6	36	83	NNW	6	o	,,	30.45	773.4	32	82	N	4	o
Sharp Peak,	,,	30.14	765.5	52	86	ENE	6	o	7	30.19	766.8	48	63	N	1	o
Amoy,	15	30.08	764.0	63	67	NNE	4	o	9	30.14	765.5	54	80	NE	4	o
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.19	766.8	64	76	E	4	o	5	30.21	767.4	55	98	NE	2	r
Taichu,	,,	30.05	763.2	75	...	N	2	o	,,	30.13	765.3	57	...	NNW	2	o
Tainan,	,,	30.06	763.5	70	...	N	2	o	,,	30.10	764.4	57	...	N	2	o
Koshun,	,,	30.02	762.6	70	...	NNE	6	o	,,	30.06	763.5	66	...	NE	2	o
Pescadores,	,,	30.11	764.7	64	...	NNE	6	o	,,	30.13	765.3	...	...	NNE	2	o
Canton,	14	30.10	764.5	66	68	N	2	b	6	...	...	...	...	...	...	...
Hongkong,	,,	30.02	762.5	67	72	E	5	b	,,	30.15	765.8	57	69	NNE	3	o
Gap Rock,	,,	30.04	763.0	...	...	NE	3	b	,,	30.13	765.3	...	..	NE	4	p
Macao,	,,	30.01	762.3	72	54	NNE	4	b	,,	30.13	765.3	54	70	NNE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Phulien,	,,	29.98	761.4	75	67	ESE	4	b	7	30.10	764.4	59	79	N	2	of
Tourane,	,,	29.95	760.8	73	...	...	0	b	,,	29.98	761.4	68	...	W	2	o
Cape St. James.	,,	29.85	758.1	77	...	E	2	b	,,	29.87	758.7	72	...	W	2	o
Basco,	14	29.91	759.6	70	87	N	4	r	6	30.01	762.3	70	85	N	4	r
Aparri,	,,	29.85	758.1	79	84	NE	2	o	,,	29.95	760.8	73	88	NE	6	r
Manila,	,,	29.80	756.9	86	65	WSW	2	o	,,	29.88	759.0	72	96	NNE	1	b
Legaspi,	,,	...	...	...	...	...	..	...	,,	29.87	758.7	77	88	N	2	b
Tacloban,	,,	29.81	757.2	81	87	S	1	r	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	84	74	NE	4	b	,,	29.86	758.4	75	92	N	4	o
Surigao,	..	29.79	756.6	81	84	ESE	2	o	,,	29.86	758.4	73	96	S	1	o
Guam,	12.20	29.81	757.2	...	...	E	2	o	4.20	29.87	758.7	...	...	E	1	o
Yap,	12.47	29.79	756.6	...	...	ENE	4	o	4.47	29.86	758.4	...	...	NE	4	o
Labuan,	14	29.78	756.4	76	94	NW	2	r	6	29.78	756.4	76	94	...	0	o

January 2*d.* 11*h.* 33*m.*—Pressure has increased considerably over Japan and slightly from the Loochoos to Luzon and Tongking. It is nearly stationary in the extreme South.

The anticyclone appears to be central over the lower Yangtze Valley.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st. 0.00 inches, against an average of 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fair.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	2nd January, 1925.								3rd January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock.	12	30.00	761.9	2	...	W	2	c	6	30.28	769.0	4	...	NW	4	b
Nemuro,	11	...	...	...	...	...	...	...	5	29.88	759.0	...	...	WSW	1	...
Hokodate,	,,	29.90	759.5	...	...	W	3	...	,,	29.94	760.5	...	...	NE	1	...
Tokio,	,,	29.98	761.5	...	...	ENE	1	...	,,	30.06	763.5	...	...	WNW	1	...
Kochi,	,,	30.18	766.5	...	...	WSW	1	...	,,	30.26	768.5	...	...	SW	1	...
Nagasaki,	,,	30.30	769.5	...	...	N	1	...	,,	30.28	769.0	...	..	NNE	1	...
Kagoshima,	,,	30.28	769.0	...	...	NNE	1	...	,,	30.28	769.0	...	..	NW	1	...
Oshima,	,,	30.22	767.5	...	..	ENE	1	...	,,	30.22	767.5	...	...	SSE	1	...
Naha,	,,	30.20	767.0	...	...	N	3	...	,,	30.18	766.5	...	..	NNE	1	...
Ishigakijima,	,,	30.16	766.0	...	...	ENE	3	...	,,	30.12	765.0	..	...	ENE	2	...
Bonin Island,	,,	30.06	763.5	...		...	...	...	,,	30.14	765.5	...	...	...	0	...
Chefoo.	15	...	...	36	61	NW	4	b	6	...	...	30	67	N	2	h
Hankow,	,,	...	...	...	...	...	..	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	..	..	...	,,	...	...	..	..	...	...	...
Changsha,	,,	...	...	..	...	..	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.40	772.2	37	50	WNW	1	o	,,	30.43	772.8	32	96	SW	1	of
Gutzlaff,	14	30.39	771.9	38	54	NNW	2	o	,,	30.42	772.6	32	90	N	2	rf
Sharp Peak,	,,	30.18	766.6	54	62	E	2	o	7	30.12	765.0	50	86	NE	1	o
Amoy,	15	30.14	765.5	62	61	NE	2	o	9	30.09	764.3	56	75	NE	2	o
Swatow,	,,	30.05	763.2	59	88	ESE	2	o	8	30.08	764.0	55	94	N	2	o
Taihoku,	11	30.19	766.8	61	83	E	4	o	5	30.12	765.0	61	96	E	2	b
Taichu,	,,	30.12	765.0	66	...	N	2	o	,,	30.08	764.1	57	...	...	0	b
Tainan,	,,	30.10	764.4	70	...	NNW	2	o	,,	30.08	764.1	59	..	NNW	2	o
Koshun,	,,	30.08	764.1	70	...	NE	6	o	,,	30.06	763.5	68	...	NNE	4	o
Pescadores,	,,	30.15	765.9	61	...	NNE	6	o	,,	30.11	764.7	59	...	NNE	4	r
Canton.	14	30.11	764.8	64	63	N	2	o	6	...	...	...	...	...	...	...
Hongkong,	,,	30.10	764.5	62	66	ESE	4	o	,,	30.12	765.0	58	72	N	2	o
Gap Rock,	,,	30.07	763.8	...	...	ENE	4	o	,,	30.10	764.5	...	...	ENE	4	o
Macao.	,,	30.08	764.1	71	64	NE	4	o	,,	30.08	764.1	54	83	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	..	,,	...	...	...	...	...	...	...
Phulien,	,,	30.04	762.9	64	67	ENE	2	of	7	30.11	764.7	57	91	NNW	1	of
Tourane,	,,	29.97	761.1	66	...	W	2	rf	,,	29.99	761.7	68	...	NW	4	rf
Cape St. James.	,,	29.82	757.5	82	...	...	0	o	,,	29.87	758.7	75	...	E	2	o
Basco,	14	29.98	761.4	72	75	N	2	r	6	...	...	...	...	...	...	...
Aparri,	,,	29.92	759.9	75	85	SW	4	o	,,	...	...	..	...	...	..	...
Manila,	,,	29.82	757.5	86	65	SE	4	o	,,	29.89	759.3	72	96	ESE	1	b
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.88	759.0	79	85	N	2	b
Tacloban,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.80	756.9	86	65	NE	4	b	,,	29.78	756.3	75	92	NNE	4	o
Surigao,	..	29.84	757.8	77	91	SE	1	r	,,	...	...	...	...	...	...	...
Guam,	12.20	29.85	758.1	...	...	E	2	b	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.81	757.2	..	...	ENE	4	b	4.47	29.88	759.0	...	...	ENE	4	o
Labuan.	14	29.77	756.1	86	84	N	2	b	6	29.85	758.2	75	94	NE	2	o

January 3*d.* 11*h.* 02*m.*—Pressure has decreased moderately over the Visayas and slightly from Hongkong to Shanghai; it has increased considerably at Wladivostock and slightly to moderately elsewhere.

The anticyclone remains stationary and depressions are indicated to the N.E. of Hokkaido and over the Visayas.

Fresh monsoon will continue along the coast and over the north part of the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 0·00 inches, against an average of 0·08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; cloudy, drizzle or mist.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	3rd January, 1925.								4th January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.30	769.7	11	...	NNE	4	b	6	30.43	772.8	4	...	NNE	3	b
Nemuro,	11	...	...	...	...	...	...	...	5	29.94	760.5	...	...	W	3	...
Hokodate,	,,	29.92	760.0	...	...	W	2	...	,,	30.14	765.5	...	...	NNW	...	...
Tokio,	,,	30.00	762.0	...	...	...	...	...	,,	30.14	765.5	...	...	...	...	...
Kochi,	,,	30.20	767.0	...	...	SW	1	...	,,	30.24	768.0	...	...	...	...	...
Nagasaki,	,,	30.31	770.0	...	...	NE	1	...	,,	30.32	770.0	...	...	N	1	...
Kagoshima,	,,	30.26	768.5	...	...	...	...	...	,,	30.28	769.0	...	...	NNW	1	...
Oshima,	,,	30.22	767.5	...	...	...	...	...	,,	30.16	766.0	...	...	N	3	...
Naha,	,,	30.20	767.0	...	...	ENE	3	...	,,	30.12	765.0	...	...	SSE	1	...
Ishigakijima,	,,	30.14	765.5	...	...	SE	2	...	,,	30.12	765.0	...	...	NE	1	...
Bonin Island,	,,	30.12	765.0	...	...	N	1	...	,,	30.14	765.5	...	...	...	...	...
Chefoo,	15	...	...	30	88	NE	2	o	6	...	...	26	78	W	2	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	..	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.45	773.4	34	89	WSW	1	r	,,	30.49	774.3	37	77	NNW	1	of
Gutzlaff,	14	30.42	772.6	34	100	N	2	rf	,,	30.46	773.7	40	85	NNW	4	r
Sharp Peak,	,,	30.16	766.0	52	86	NE	1	r	7	30.18	766.6	48	93	NNE	4	r
Amoy,	15	30.10	764.5	58	81	SSE	2	o	9	30.14	765.5	54	89	NE	2	r
Swatow,	,,	30.08	764.0	61	71	N	2	o	8	...	...	...	...	...	...	...
Taihoku,	11	...	...	72	78	E	4	o	5	30.20	767.1	59	93	E	4	b
Taichu,	,,	30.11	764.7	72	...	...	0	b	,,	30.13	765.3	59	...	N	2	o
Tainan,	,,	30.10	764.4	72	...	N	4	b	,,	30.08	764.1	61	...	N	4	o
Koshun,	,,	30.07	763.8	73	...	ENE	4	o	,,	30.06	763.5	68	...	NNE	4	b
Pescadores,	,,	30.14	765.6	63	...	NNE	4	o	,,	30.13	765.3	59	...	NNE	6	o
Canton,	14	30.16	766.0	52	100	NE	2	r	6	...	...	...	...	...	...	...
Hongkong,	,,	30.10	764.5	60	86	E	1	o	,,	30.16	766.0	55	90	N	2	or
Gap Rock,	,,	30.09	764.3	...	...	N	4	om	,,	30.14	765.5	...	...	NNE	4	o
Macao,	,,	30.07	763.8	57	77	NNE	4	o	,,	30.15	765.9	46	97	N	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.08	764.1	63	82	ENE	2	o	7	30.18	766.5	55	90	ENE	2	rf
Tourane,	,,	29.95	760.8	68	...	NNW	4	of	,,	30.01	762.3	68	...	NNW	4	rf
Cape St. James,	,,	29.84	757.8	79	...	E	4	b	,,	29.89	759.3	72	...	E	4	b
Basco,	14	29.93	761.4	73	89	N	2	r	6	...	...	...	...	...	..	...
Aparri,	,,	29.92	759.9	75	96	NE	4	r	,,	29.97	761.1	72	96	...	o	o
Manila,	,,	29.86	758.4	86	61	W	2	o	,,	29.92	759.9	72	96	...	o	o
Legaspi,	,,	29.86	758.4	82	86	NNE	2	o	,,	29.91	759.6	73	98	...	o	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	73	96	NW	2	b
Iloilo,	,,	29.80	756.9	86	65	NE	4	o	,,	29.86	758.4	75	92	N	4	b
Surigao,	,,	29.80	756.9	82	84	E	2	o	,,	29.85	758.1	72	96	E	1	b
Guam,	12.20	29.86	758.4	...	...	ENE	4	o	4.20	29.87	758.7	...	...	NE	2	o
Yap,	12.47	29.80	756.9	...	...	ENE	6	r	4.47	29.81	757.2	...	...	ENE	6	r
Labuan,	11	29.82	757.4	84	83	N	2	b	6	29.81	757.2	77	94	S	2	b

January 4d. 11h. 54m.—Pressure has increased considerably over N.E. Japan, and slightly over S.W. Japan and from Formosa to Tongking. It is nearly stationary from Cochin China to the Philippines.

The anticyclone is probably central over S.E. Mongolia.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·40 inch. Total since January 1st, 0·40 inches, against an average of 0·10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; overcast, some drizzle or mist.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	4th January, 1925.								5th January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.32	770.1	13	...	NW	3	b	6	30.34	770.5	−2	...	...	0	f
Nemuro	11	29.96	761.0	...	...	WNW	4	...	5	29.90	759.5	...	...	...	...	...
Hokodate,	,,	30.18	766.5	...	...	W	1	...	,,	30.00	762.0	...	...	WSW	4	...
Tokio,	,,	30.14	765.5	...	...	...	0	...	,,	30.12	765.0	...	...	N	1	...
Kochi,	,,	30.20	767.0	...	...	...	...	...	,,	30.18	766.5	...	...	...	...	...
Nagasaki,	,,	30.28	769.0	...	...	N	1	...	,,	30.30	769.5	...	...	N	1	...
Kagoshima,	,,	30.26	768.5	...	...	...	...	...	,,	30.26	768.5	...	...	NNW	1	...
Oshima,	,,	30.18	766.5	...	...	NNE	2	...	,,	30.18	766.5	...	...	NE	1	...
Naha,	,,	30.16	766.0	...	...	NNE	2	...	,,	30.14	765.5	...	...	NE	2	...
Ishigakijima,	,,	30.16	766.0	...	...	NE	2	...	,,	30.08	764.0	...	...	NE	1	...
Bonin Island,	,,	30.12	765.0	...	...	...	0	...	,,	30.12	765.0	...	...	...	0	...
Chefoo,	15	...	...	32	90	NW	4	b	6	...	...	26	87	SW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.49	774.3	39	52	N	1	o	,,	30.51	774.9	32	81	NW	1	b
Gutzlaff,	14	30.46	773.7	40	65	NNW	4	o	,,	30.48	774.2	34	82	N	4	r
Sharp Peak,	,,	30.25	768.3	50	93	ENE	4	r	7	30.25	768.3	47	93	NNE	4	r
Amoy,	15	30.13	765.3	56	89	ENE	2	b	9	30.23	767.8	54	80	NE	2	o
Swatow,	,,	30.08	764.0	56	87	N	2	o	8	30.10	764.5	51	93	NNE	2	o
Taiboku,	11	30.24	768.0	66	76	E	4	o	5	30.17	766.2	59	98	E	4	r
Taichu,	,,	30.14	765.6	68	...	N	4	o	,,	30.12	765.0	59	...	...	0	b
Tainan,	,,	30.12	765.0	66	...	N	4	o	,,	30.06	763.5	59	...	N	4	o
Koshun,	,,	30.08	764.1	72	...	NNE	4	o	,,	30.00	762.0	68	...	NE	6	o
Pescadores,	,,	30.18	766.5	63	...	NNE	6	o	,,	30.11	764.7	59	...	NE	6	o
Canton,	14	30.22	767.6	48	100	N	2	o	6	...	...	...	...	...	...	...
Hongkong,	,,	30.13	765.3	58	78	NNE	2	o	,,	30.17	766.3	50	82	NNE	1	o
Gap Rock,	,,	30.13	765.3	...	...	N	4	o	,,	30.16	766.0	...	...	NNE	4	o
Macao,	,,	30.12	765.0	52	80	N	4	o	,,	30.15	765.9	46	94	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.14	765.6	57	84	NNE	1	of	7	30.18	766.5	52	77	NE	2	rf
Tourane,	,,	30.01	762.3	64	...	NW	4	rf	,,	30.01	762.3	64	...	NW	4	o
Cape St. James,	,,	29.85	758.1	75	...	E	6	b	,,	29.87	758.7	72	...	E	4	b
Basco,	14	29.94	760.5	75	83	...	0	o	6	29.97	761.1	72	89	N	4	r
Aparri,	,,	29.92	759.9	81	84	NNE	2	o	,,	29.94	760.5	73	94	...	0	o
Manila,	,,	29.85	758.1	86	68	WSW	2	o	,,	29.88	759.0	70	94	E	1	o
Legaspi,	,,	29.84	757.8	84	77	NNE	4	b	,,	29.86	758.4	77	88	N	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	86	61	NE	6	b	,,	29.81	757.2	75	91	N	4	o
Surigao,	,,	29.79	756.6	86	71	NE	4	o	,,	29.80	756.9	73	96	SE	1	o
Guam,	12.20	29.81	757.2	...	...	NE	4	o	4.20	29.82	757.5	...	...	NE	2	o
Yap,	12.47	29.75	755.7	...	...	ENE	6	r	4.47	29.80	756.9	...	...	ENE	6	r
Labuan,	14	29.77	756.1	86	84	NW	4	b	6	29.77	756.1	76	94	N	2	o

January 5*d.* 11*h.* 08*m.*—Pressure changes are small since yesterday.

The anticyclonic conditions are unchanged.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·03 inch. Total since January 1st, 0·43 inches, against an average of 0·12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; overcast, some drizzle or mist.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	5th January, 1925.								6th January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.30	769.6	8	...	NNE	5	b	6	30.45	773.3	−5	...	NW	2	b
Nemuro,	11	29.84	758.0	...	...	WSW	1	...	5	29.94	760.5	...	...	WNW	2	...
Hokodate,	,,	29.96	761.0	...	...	W	4	...	,,	30.06	763.5	...	...	NW	2	...
Tokio,	,,	30.00	762.0	...	...	...	...	...	,,	30.06	763.5	...	...	SE	1	...
Kochi,	,,	...	...	...	...	...	...	...	,,	30.20	767.0	...	...	SW	1	...
Nagasaki,	,,	30.26	768.5	...	...	N	2	...	,,	30.28	769.0	...	...	N	2	...
Kagoshima,	,,	30.22	767.5	...	...	NW	2	...	,,	30.26	768.5	...	...	...	0	...
Oshima,	,,	30.18	766.5	...	...	N	2	...	,,	30.20	767.0	...	...	NNW	2	...
Naha,	,,	30.14	765.5	...	...	NNE	2	...	,,	30.16	766.0	...	...	NE	2	...
Ishigakijima,	,,	30.12	765.0	...	...	NE	3	...	,,	30.10	764.5	...	...	ENE	4	...
Bonin Island,	,,	30.06	763.5	...	...	SSW	1	...	,,	30.10	764.5	...	...	N	1	...
Chefoo,	15	...	...	32	90	NW	4	b	6	...	...	26	63	...	0	0
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.47	774.0	41	46	N	1	o	,,	30.51	774.9	34	92	NNE	4	of
Gutzlaff,	14	30.45	773.4	38	72	NNW	4	o	,,	30.49	774.4	36	94	N	4	o
Sharp Peak,	,,	30.25	768.3	48	93	ENE	2	r	7	30.26	768.6	46	84	ENE	2	o
Amoy,	15	30.14	765.5	60	71	NE	2	o	9	30.20	767.1	52	79	NE	2	o
Swatow,	,,	30.07	763.8	55	80	N	2	o	8	30.05	763.2	51	85	N	1	o
Taihoku,	11	30.21	767.4	64	84	E	4	r	5	30.15	765.9	57	96	E	4	h
Taichu,	,,	30.13	765.3	63	...	...	0	o	,,	30.08	764.1	57	...	N	2	o
Tainan,	,,	30.10	764.4	64	...	N	4	o	,,	30.02	762.6	57	...	NNW	2	o
Koshun,	,,	30.06	763.5	70	...	NNE	4	o	,,	29.98	761.4	66	...	NE	6	o
Pescadores,	,,	30.13	765.3	66	...	NNE	7	o	,,	30.07	763.8	57	...	NE	6	o
Canton,	14	30.17	766.3	53	86	N	2	o	6	...	...	...	...	...	...	...
Hongkong,	,,	30.10	764.5	55	75	NNE	3	o	,,	30.10	764.5	52	88	N	1	od
Gap Rock,	,,	30.10	764.5	...	...	N	4	o	,,	30.08	764.0	...	...	NNE	4	od
Macao,	,,	30.10	764.4	50	79	N	4	o	,,	30.11	764.7	45	97	N	4	rf
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.10	764.4	59	63	NE	1	o	7	30.15	765.9	50	87	ENE	2	o
Tourane,	,,	29.97	761.1	64	...	NW	4	rf	,,	29.98	761.4	63	...	NW	4	o
Cape St. James,	,,	29.80	756.9	77	...	E	6	b	,,	29.82	757.5	72	...	ENE	2	b
Basco,	14	29.92	759.9	72	92	N	4	r	6	29.94	760.5	72	88	N	4	o
Aparri,	,,	29.87	758.7	79	85	NE	2	o	,,	29.89	759.3	73	94	NE	4	r
Manila,	,,	29.81	757.2	82	70	WSW	2	o	,,	29.86	758.4	73	92	NE	1	o
Legaspi,	,,	29.81	757.2	81	84	NNE	2	o	,,	29.85	758.1	75	86	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	84	68	NE	6	o	,,	29.84	757.8	75	88	N	4	o
Surigao,	,,	29.75	755.7	82	77	E	4	o	,,	29.79	756.6	75	96	...	0	o
Guam,	12.20	29.76	756.0	...	...	ENE	4	r	4.20	29.81	757.2	...	...	ENE	2	o
Yap,	12.47	29.76	756.0	...	...	E	4	o	4.47	29.80	756.9	...	...	NE	2	o
Labuan,	14	29.72	754.9	86	80	NW	4	b	6	29.72	754.9	77	91	E	1	o

January 6*d*. 11*h*. 33*m*.—Pressure has increased moderately at Wladivostock and slightly over Japan. It is nearly stationary at other reporting stations.

The anticyclone is spreading eastward.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·04 inch. Total since January 1st, 0·47 inches, against an average of 0·14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; overcast, some drizzle or mist.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	6th January, 1925.								7th January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.41	772.5	11	...	NNE	4	b	6	30.50	774.6	2	...	NNE	2	b
Nemuro,	11	29.96	761.0	...	...	NW	3	...	5	30.16	766.0	...	...	W	1	...
Hokodate,	"	30.16	766.0	...	...	NNW	1	...	"	30.24	768.0	...	...	NNW	1	...
Tokio,	"	30.12	765.0	...	...	NNE	12	...	"	30.34	770.5	...	...	...	...	...
Kochi,	"	30.26	768.5	...	...	NW	1	...	"	30.28	769.0	...	..	...	...	...
Nagasaki,	"	30.35	771.0	...	...	NNE	12	...	"	30.32	770.0	...	..	NE	1	...
Kagoshima,	"	29.92	760.0	...	...	NNE	1	...	"	30.26	768.5	...	..	NW	1	...
Oshima,	"	30.24	768.0	...	...	NNE	3	...	"	30.16	766.0	...	...	NE	1	...
Naha,	"	30.18	766.5	...	...	NE	2	...	"	30.08	764.0	...	..	NNE	1	...
Ishigakijima,	"	30.12	765.0	...	...	ENE	3	...	"	30.02	762.5	...	...	NE	1	...
Bonin Island,	"	30.08	764.0	...	...	...	...	...	"	30.10	764.5	...	...	..	...	...
Chefoo,	15	...	...	28	88	WNW	1	o	6	...	...	24	77	NNW	2	o
Hankow,	"	...	..	...	...	...	...	...	"	...	...	...	..	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	..	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.46	773.7	34	85	NNE	1	rf	"	30.49	774.3	34	85	NNW	1	o
Gutzlaff,	14	30.47	773.9	34	90	NNW	4	rf	"	30.45	773.4	38	84	N	6	r
Sharp Peak,	..	30.21	767.3	46	91	N	2	r	7	30.25	768.3	46	91	N	2	o
Amoy,	15	30.08	764.0	58	76	NE	7	of	9	30.23	767.8	54	94	NNE	1	r
Swatow,	..	30.06	764.8	53	93	N	1	o	8	30.09	764.3	48	93	WSW	2	o
Taihoku,	11	30.14	765.6	64	80	E	6	b	5	30.15	765.9	57	96	E	4	o
Taichu,	"	30.00	763.5	68	...	...	o	o	"	30.08	764.1	59	...	N	2	o
Tainan,	"	30.05	763.2	68	...	NNW	2	o	"	30.05	763.2	61	..	N	4	o
Koshun,	"	30.01	762.3	70	...	NNE	7	o	"	30.00	762.0	68	...	NNE	4	o
Pescadores,	"	30.10	764.4	64	...	NNE	6	r	"	30.11	764.7	55	...	NNE	6	r
Canton,	14	...	...	...	...	..	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	30.11	764.8	52	79	NNE	2	o	"	30.14	765.5	50	85	NNE	1	o
Gap Rock,	"	30.09	764.3	...	...	NNW	5	o	"	30.12	765.0	...	...	N	4	o
Macao,	"	30.10	764.4	46	89	N	4	o	"	30.11	764.7	45	92	NNW	4	o
Wuchow,	15	..	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	..	...	...
Phulien,	"	30.10	764.4	59	58	NNE	2	o	7	30.17	766.2	52	80	NE	1	o
Tourane,	"	29.94	760.5	66	...	NW	4	o	"	30.02	762.6	61	...	NW	1	of
Cape St. James,	"	29.74	755.4	77	...	ENE	6	b	"	...	...	...	...	...	...	...
Basco,	14	29.92	759.9	75	83	N	2	r	6	29.97	761.1	73	96	N	2	r
Aparri,	"	29.88	759.0	77	98	ENE	4	o	"	29.89	759.3	70	96	...	o	o
Manila,	"	29.82	757.5	82	70	W	4	o	"	29.85	758.1	70	92	E	1	o
Legaspi,	"	29.82	757.5	82	77	NNE	4	o	"	29.82	757.5	79	91	NNE	2	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.75	755.7	86	61	NE	6	b	"	29.78	756.3	75	92	N	4	o
Surigao,	..	29.76	756.0	79	...	N	1	o	"	29.78	756.3	75	96	E	1	b
Guam,	12.20	29.78	756.3	...	...	ENE	4	o	4.20	29.84	757.8	...	...	NE	2	r
Yap,	12.47	29.76	756.0	...	...	ENE	4	o	4.47	29.78	756.3	...	...	ENE	4	o
Labuan,	14	29.71	754.6	86	88	N	2	b	6	29.85	758.2	75	94	NE	2	b

January 7*d.* 11*h.* 20*m.*—Pressure has increased slightly from Wladivostock to N.E. Japan and over Formosa. It has decreased slightly over the Loochoos and is nearly stationary elsewhere.

The anticyclone continues to spread eastward.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·47 inches, against an average of 0·16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; overcast, some drizzle or mist.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	7th January, 1925.								8th January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.45	773.4	13	...	NNE	3	b	6	30.47	773.8	−2	...	NNW	2	f
Nemuro,	11	30.16	766.0	...	...	W	2	...	5	30.14	765.5	...	...	WSW	1	...
Hokodate,	"	30.20	767.0	...	...	NW	...	...	"	30.20	767.0	...	...	WNW	3	...
Tokio,	"	30.30	769.5	...	...	...	...	...	"	30.26	768.6	...	...	NNW	1	...
Kochi,	"	30.24	768.0	...	...	...	...	...	"	30.22	767.5	...	...	SW	1	...
Nagasaki,	"	30.30	769.5	...	...	N	1	...	"	30.30	769.5	...	...	...	0	...
Kagoshima,	"	30.28	769.0	...	...	NE	1	...	"	30.28	769.0	...	...	NW	1	...
Oshima,	"	30.20	767.0	...	...	NNE	1	...	"	30.20	767.0	...	...	NW	1	...
Naha,	"	30.14	765.5	...	...	NNE	2	...	"	30.18	766.5	...	...	NE	1	...
Ishigakijima,	"	30.08	764.0	...	...	NE	4	...	"	30.12	765.0	...	...	NE	1	...
Bonin Island	..	30.08	764.0	...	...	...	...	...	"	30.08	764.0	...	...		...	...
Chefoo,	15	...	...	26	100	NW	2	o	6	...	...	24	67	SW	1	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.50	774.6	39	67	NNW	1	o	"	30.53	775.5	32	84	NNW	1	of
Gutzlaff,	14	30.44	773.2	40	74	N	4	o	"	30.49	774.4	34	82	N	4	o
Sharp Peak,	"	30.24	768.1	50	55	N	1	r	7	30.24	768.1	48	85	NW	2	r
Amoy,	15	30.13	765.3	62	77	ENE	2	b	9	30.22	767.6	56	81	E	2	o
Swatow,	"	30.05	763.2	61	77	ENE	2	c	8	30.10	764.5	51	86	N	1	c
Taihoku,	11	30.21	767.4	64	84	ESE	4	o	5	30.19	766.8	59	93	NE	2	o
Taichu,	"	30.11	764.7	68	...	N	4	o	"	30.11	764.7	55	...	...	0	b
Tainan,	"	30.08	764.1	68	...	N	4	b	"	30.08	764.1	57	...	N	4	b
Koshun,	"	30.04	762.9	68	...	N	4	b	"	30.04	762.9	68	...	NE	6	b
Pescadores,	"	30.15	765.9	59	...	NNE	6	o	"	30.13	765.3	57	...	NNE	6	r
Canton,	14	30.19	766.8	54	80	N	2	c	6	...	...	...	...	...	...	...
Hongkong,	"	30.12	765.0	58	72	WNW	2	o	"	30.18	766.6	5[illegible]	77	NNE	1	o
Gap Rock,	"	30.12	765.0	...	...	N	4	o	"	30.18	766.6	...	...	NNE	4	o
Macao,	"	30.13	765.3	50	79	NNW	4	o	"	30.18	766.5	46	94	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.12	765.0	66	54	SW	1	o	7	30.22	767.7	52	80	NE	2	o
Tourane,	"	30.01	762.3	64	...	NW	4	of	"	30.07	763.8	64	...	NW	4	o
Cape St. James,	"	29.78	756.3	77	...	ENE	6	b	"	29.85	758.1	72	...	E	4	b
Basco,	14	29.92	759.9	73	91	N	4	r	6	30.02	762.6	72	82	ENE	4	o
Aparri,	"	29.89	759.3	81	80	NE	4	b	"	29.97	761.1	75	89	ENE	4	r
Manila,	"	29.81	757.2	86	65	W	2	o	"	29.89	759.3	70	94	NE	1	o
Legaspi,	"	29.81	757.2	86	71	NNE	4	b	"	29.85	758.1	79	89	N	4	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.73	755.1	86	61	NNE	6	b	"	29.78	756.3	77	91	N	4	o
Surigao,	..	29.74	755.4	82	84	ENE	4	o	"	29.76	756.0	79	90	NE	2	o
Guam,	12.20	29.79	756.6	...	...	ENE	4	o	4.20	29.84	757.8	...	...	ENE	2	o
Yap,	12.47	29.75	755.7	...	...	ENE	6	r	4.47	29.78	756.3	...	...	ENE	6	r
Labuan,	14	29.66	753.3	88	76	SE	4	b	6	29.81	757.2	76	94	NE	2	b

January 8*d.* 11*h.* 06*m.*—Pressure has decreased slightly over N.E. Japan and increased slightly from the Loochoos to Luzon and Indo-China. It is stationary at Shanghai.

The anticyclone appears to be stationary.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·47 inches, against an average of 0·18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	8th January, 1925.								9th January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	30.38	771.6	12	...	NNE	4	b	6	30.37	771.4	...	...	...	0	c
Nemuro,	11	..	...	...	...	...	...	...	5	30.24	768.0	...	...	WNW	1	...
Hokodate,	,,	30.20	767.0	...	...	WNW	1	...	,,	30.28	769.0	...	...	NNW	1	...
Tokio,	,,	30.20	767.0	...	...	NNW	2	...	,,	30.28	769.0	...	...	NNW	1	...
Kochi,	,,	...	...	...	...	...	...	...	,,	30.18	766.5	...	...	SW	1	...
Nagasaki,	,,	30.26	768.5	...	...	NNW	1	...	,,	30.20	767.0	...	..	NE	1	...
Kagoshima,	,,	30.24	768.0	...	...	NNW	1	...	,,	30.20	767.0	...	..	NNW	1	...
Oshima,	,,	30.22	767.5	...	...	N	1	...	,,	30.14	765.5	...	...	SSE	1	...
Naha,	,,	30.20	767.0	...	...	NE	1	...	,,	30.12	765.0	...	..	N	1	...
Ishigakijima,	,,	30.18	766.5	...	...	ENE	3	...	,,	30.08	764.0	...	...	E	1	...
Bonin Island,	,,	30.06	763.5	...	...	NNE	1	...	,,	30.12	765.0	...	...	NNW	...	...
Chefoo,	15	...	...	36	70	SW	1	b	6	...	...	30	80	...	0	0
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.47	774.0	39	59	NNW	1	0	,,	30.41	772.5	28	100	ENE	1	0
Gutzlaff,	14	30.44	773.2	38	72	N	4	r	,,	30.37	771.4	32	100	NNW	4	rf
Sharp Peak,	,,	30.25	768.3	54	90	N	2	rf	7	30.21	767.3	48	91	...	0	r
Amoy,	15	30.13	765.3	66	68	NE	2	b	9	30.23	767.8	56	89	NE	2	0
Swatow,	,,	30.09	764.3	62	72	N	1	0	8	30.13	765.3	49	85	N	1	0
Taihoku,	11	30.19	766.8	66	80	ENE	4	0	5	30.14	765.6	66	...	...	0	r
Taichu,	,,	30.12	765.0	72	...	...	0	0	,,	30.11	764.7	61	...	W	2	0
Tainan,	,,	30.12	765.0	72	...	N	2	b	,,	30.10	764.4	59	..	N	4	0
Koshun,	,,	30.10	764.4	...	...	NE	6	b	,,	30.06	763.5	66	...	...	0	0
Pescadores,	,,	30.15	765.9	61	...	NNE	6	r	,,	...	...	...	...	...	...	...
Canton,	14	30.27	768.8	48	85	N	2	0	6	...	...	...	...	...	...	...
Hongkong,	,,	30.17	766.3	59	63	NNW	2	0	,,	30.20	767.1	50	72	NW	1	0
Gap Rock,	,,	30.16	766.0	...	...	NNW	4	0	,,	30.18	766.6	...	...	NNW	6	0
Macao,	,,	30.17	766.2	50	77	NNW	4	0	,,	30.19	766.8	45	82	NNW	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.21	767.4	59	53	NNE	2	0	7	30.30	769.5	50	56	NNW	4	b
Tourane,	,,	30.06	763.5	66	...	WNW	2	0	,,	30.13	765.3	63	...	NNW	4	rf
Cape St. James,	,,	29.81	757.2	79	...	ENE	6	b	,,	29.86	758.4	72	...	ENE	4	b
Basco,	14	29.98	761.4	73	79	ENE	4	0	6	29.97	761.1	72	86	...	0	0
Aparri,	,,	29.94	760.5	79	80	NE	4	0	,,	29.95	760.8	72	96	...	0	b
Manila,	,,	29.84	757.8	86	52	E	2	b	,,	29.94	760.5	70	91	NE	1	0
Legaspi,	,,	29.82	757.5	81	84	NNE	4	0	,,	29.86	758.4	79	90	NNE	4	0
Tacloban,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	65	NNE	6	0	,,	29.80	756.9	75	92	NNW	4	0
Surigao,	,,	29.74	755.4	79	90	E	2	0	,,	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	ENE	4	0	4.20	29.82	757.5	...	...	NE	2	0
Yap,	12.47	29.74	755.4	...	...	ENE	6	r	4.47	29.75	755.7	...	...	ENE	6	r
Labuan,	14	29.67	753.6	86	80	NW	4	b	6	29.74	755.4	77	94	NE	2	0

January 9*d.* 10*h.* 50*m.*—Pressure has decreased moderately at Shanghai and slightly from S.W. Japan to N. Luzon. It has increased slightly over N.E. Japan and over Tongking.

The anticyclone has weakened slightly but fresh monsoon may still be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·47 inches, against an average of 0·21 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh; fine.
2.—South coast of China between Hongkong and Lamocks,	N. winds, fresh; fine.
3.—Hongkong to Gap Rock,	N. winds, fresh; fine.
4.—South coast of China between Hongkong and Hainan,	N. winds, fresh; fine.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	9th January, 1925.								10th January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock.	12	30.31	769.8	18	...	NW	2	f	6	30.30	769.7	4	...	...	0	0
Nemuro.	11	30.26	768.5	...	...	W	7	...	5	30.22	767.5	...	..	SSE	1	...
Hokodate,	,,	...	...	...	...	...	...	...	,,	30.20	767.0	...	..	...	...	...
Tokio,	,,	30.26	768.5	...	...	N	1	...	,,	30.04	763.0	...	..	N	3	...
Kochi,	,,	30.16	766.0	...	...	...	...	...	,,	30.16	766.0	...	..	...	0	...
Nagasaki,	,,	30.22	767.5	...	...	SE	1	...	,,	30.26	768.5	...	..	NNE	1	...
Kagoshima,	,,	30.16	766.0	...	...	...	0	...	,,	30.22	767.5	...	..	...	..	...
Oshima,	,,	30.10	764.5	...	...	SSE	1	...	,,	30.18	766.5	...	...	N	3	...
Naha,	,,	30.10	764.5	...	...	SE	1	...	,,	30.20	767.0	...	..	NE	1	...
Ishigakijima,	,,	30.08	764.0	...	...	ESE	1	...	,,	30.16	766.0	..	...	NNE	3	...
Bonin Island,	,,	30.10	764.5	...	...	NW	7	...	,,	30.02	762.5	...	...	...	...	...
Chefoo.	15	...	...	44	45	SW	2	b	6	...	...	30	88	...	0	0
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.36	771.0	41	54	W	1	b	,,	30.36	771.0	28	100	SW	1	of
Gutzlaff,	14	30.36	771.1	38	84	NW	2	o	,,	30.37	771.4	34	90	WNW	1	b
Sharp Peak,	,,	30.22	767.6	52	86	N	1	o	7	30.25	768.3	46	77	N	1	b
Amoy,	15	30.17	766.3	58	76	ESE	2	o	9	30.24	768.1	50	79	NE	4	b
Swatow,	,,	30.05	763.2	64	63	ENE	2	o	8	...	...	...	...	...	..	...
Taihoku,	11	30.22	767.7	59	89	NW	2	o	5	30.22	767.7	...	...	...	...	...
Taichu,	,,	30.14	765.6	68	...	N	2	o	,,	30.13	765.3	54	...	...	0	o
Tainan,	,,	30.12	765.0	64	...	N	4	o	,,	30.07	763.8	55	..	N	2	o
Koshun,	,,	30.07	763.8	70	...	NW	2	o	,,	30.05	763.2	64	...	NE	2	o
Pescadores.	,,	30.19	766.8	59	...	NNE	6	r	,,	30.12	765.0	59	...	NNE	6	o
Canton,	14	30.18	766.6	60	71	N	2	b	6	...	...	...	...	...	...	...
Hongkong,	,,	30.13	765.3	60	48	NNE	2	b	,,	30.14	765.5	56	75	E	3	o
Gap Rock,	,,	30.12	765.0	...	...	NNW	6	b	,,	30.12	765.0	...	...	NE	4	o
Macao,	,,	30.12	765.0	55	55	N	4	b	,,	30.12	765.0	48	78	NNW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	..	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.18	766.5	64	28	NW	2	b	7	30.15	765.9	54	83	ENE	1	bf
Tourane,	,,	30.10	764.4	59	...	NNW	6	rf	,,	30.08	764.1	61	...	NW	2	o
Cape St. James.	,,	29.79	756.6	77	...	ENE	4	b	,,	29.85	758.1	68	...	NW	2	b
Basco,	14	29.91	759.6	79	76	ESE	4	o	6	30.01	762.3	70	82	N	4	o
Aparri,	,,	29.88	759.0	81	69	NE	4	b	,,	29.95	760.8	73	91	ENE	2	r
Manila,	,,	29.82	757.5	86	52	S	1	b	,,	29.87	758.7	70	88	NNE	2	b
Legaspi,	,,	29.81	757.2	82	81	NNE	4	o	,,	29.85	758.1	79	89	N	4	b
Tacloban,	,,	.	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	86	65	NE	6	b	,,	29.79	756.6	77	88	N	4	o
Surigao,	..	29.73	755.1	82	81	ENE	4	o	..	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	ENE	4	o	4.20	29.85	758.1	...	...	E	2	r
Yap,	12.47	29.73	755.1	...	...	ENE	6	r	4.47	29.79	756.6	...	...	ENE	6	r
Labuan,	14	29.72	754.9	80	91	NE	2	o	6	29.78	756.4	77	91	N	1	o

January 10*d.* 10*h.* 55*m.*—Pressure has decreased considerably at Tokio and slightly over the Bonins, over Tongking and at Shanghai. It has increased moderately over the Loochoos and is nearly stationary over the Philippines.

The anticyclone has weakened. The monsoon will moderate along the S.E. coast of China, but remains fresh over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 0·47 inches, against an average of 0·24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; cloudy.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	10th January, 1925.								11th January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.25	768.4	16	...	...	0	f	6	30.17	766.4	7	...	NNE	6	0
Nemuro,	11	30.20	767.0	...	...	SSW	1	...	5	30.06	763.5	...	...	S	1	...
Hokodate,	,,	30.18	766.5	...	...	NW	1	...	,,	30.10	764.5	...	...	N	1	...
Tokio,	,,	30.08	764.0	...	...	NNW	3	...	,,	30.18	766.5	...	...	N	1	...
Kochi,	,,	30.18	766.5	...	...	NW	1	...	,,	30.16	766.0	...	...	SW	1	...
Nagasaki,	,,	30.30	769.5	...	...	N	1	...	,,	30.18	766.5	...	...	...	...	...
Kagoshima,	,,	30.24	768.0	...	...	NE	1	...	,,	30.22	767.5	...	...	NW	1	...
Oshima,	,,	30.22	767.5	...	...	NNE	2	...	,,	30.16	766.0	...	...	...	0	...
Naha,	,,	30.20	767.0	...	...	ENE	3	...	,,	30.12	765.0	...	...	E	1	...
Ishigakijima,	,,	30.18	766.5	...	...	E	4	...	,,	30.10	764.5	...	...	NNW	1	...
Bonin Island,	,,	30.06	763.5	...	...	S	3	...	,,	30.10	764.5	...	...	ENE	1	...
Chefoo,	15	...	...	44	68	N	2	0	6	...	...	26	78	NW	6	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.30	769.5	50	56	S	2	b	,,	30.37	771.3	32	92	NW	1	bf
Gutzlaff,	14	30.31	769.9	46	77	...	0	b	,,	30.33	770.4	36	90	NW	4	b
Sharp Peak,	,,	30.27	768.8	56	75	N	2	0	7	30.20	767.1	52	79	W	2	0
Amoy,	15	30.15	765.8	58	76	NE	2	b	9	30.22	767.6	56	89	NE	2	0
Swatow,	,,	30.07	763.8	59	59	ESE	2	b	8	30.09	764.3	52	86	NNE	1	b
Taihoku,	11	30.18	766.5	66	71	bNE	6	b	5	30.13	765.3	61	93	...	0	0
Taichu,	,,	30.14	765.6	64	...	...	0	0	,,	30.12	765.0	57	...	...	0	0
Tainan,	,,	30.12	765.0	68	...	NNE	2	0	,,	30.08	764.1	61	...	N	4	0
Koshun,	,,	30.08	764.1	72	...	NE	6	b	,,	...	...	...	...	...	...	...
Pescadores,	,,	30.13	765.3	64	...	NNE	6	0	,,	30.13	765.3	59	...	NNE	4	0
Canton,	14	30.16	766.0	56	75	...	0	0	6	...	...	...	...	...	...	...
Hongkong,	,,	30.12	765.0	61	63	SE	2	0	,,	30.14	765.5	58	70	W	1	0
Gap Rock,	,,	30.12	765.0	...	...	NE	4	0	,,	30.13	765.3	...	...	NE	4	0
Macao,	,,	30.12	765.0	57	67	N	4	0	,,	30.11	764.7	52	75	N	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.08	764.1	72	54	SSE	2	bf	7	30.17	766.2	54	83	NNE	1	bf
Tourane,	,,	30.04	762.9	66	...	NW	2	0	,,	30.02	762.6	63	...	NW	2	0
Cape St. James,	,,	29.84	757.8	81	...	WSW	2	b	,,	...	...	...	...	...	...	...
Basco,	14	29.99	761.7	72	82	N	4	r	6	30.02	762.6	72	89	N	2	0
Aparri,	,,	29.92	759.9	77	85	NE	4	0	,,	...	...	...	...	...	...	...
Manila,	,,	29.81	757.2	90	48	ESE	4	b	,,	...	...	...	...	...	...	...
Legaspi,	,,	29.81	757.2	86	78	NNE	4	0	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	84	71	NE	6	0	,,	29.75	755.7	77	91	N	6	0
Surigao,	,,	29.74	755.4	82	77	ENE	4	0	,,	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	ENE	4	0	4.20	29.81	757.2	...	...	ENE	2	0
Yap,	12.47	29.75	755.7	...	...	ENE	6	r	4.47	...	...	...	...	...	...	...
Labuan,	14	29.67	753.6	84	83	NW	2	b	6	29.73	755.1	78	94	NE	4	0

January 11*d.* 11*h.* 55*m.*—Pressure has decreased moderately from Wladivostock to N.E. Japan and slightly from the Loochoos to the Philippines. It is nearly stationary at Hongkong and over Formosa.

The anticyclone now appears to be central over N. China.

Fresh to moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 0·47 inches, against an average of 0·27 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fine.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY. HONGKONG.

DAILY WEATHER REPORT.

Station.	11th January, 1925.								12th January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock. .	12	30.15	765.8	7	...	NNE	5	b	6	30.34	770.5	−4	...	NNE	5	c
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.92	760.0	...	...	SE	1	...	"	29.57	751.0	...	...	NNW	1	...
Tokio,	"	30.04	763.0	...	...	N	1	...	"	29.76	756.0	...	...	NNW	2	...
Kochi,	"	30.08	764.0	...	...	W	1	...	"	30.14	765.5	...	...	...	...	...
Nagasaki,	"	30.10	764.5	...	...	NW	1	...	"	30.28	769.0	...	...	...	...	...
Kagoshima,	"	30.10	764.5	...	...	WNW	2	...	"	30.26	768.5	...	...	...	...	...
Oshima,	"	30.12	765.0	...	...	N	1	...	"	30.20	767.0	...	...	N	3	...
Naha,	"	30.14	765.5	...	...	NNW	1	...	"	30.18	766.5	...	...	N	2	...
Ishigakijima,	"	30.14	765.5	...	...	NE	2	...	"	30.18	766.5	...	...	NE	3	...
Bonin Island,	"	30.10	764.5	...	...	...	...	...	"	29.96	761.0	...	...	W	3	...
Chefoo,	15	...	...	32	90	NW	4	b	6	...	...	24	87	SW	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.45	773.4	43	49	NW	2	b	"	30.45	773.4	28	100	NNE	1	bf
Gutzlaff,	14	30.41	772.4	42	66	NNW	6	o	"	30.43	772.9	38	72	NNE	2	o
Sharp Peak,	"	30.21	767.3	52	73	ENE	2	o	7	30.24	768.1	46	77	NW	2	o
Amoy,	15	30.14	765.5	63	67	ENE	2	o	9	30 16	766.0	52	66	ENE	2	o
Swatow,	"	30.05	763.2	60	88	ESE	2	b	8	30.10	764.5	52	79	NE	2	c
Taihoku,	11	30.22	767.7	64	86	E	2	o	5	30 21	767.4	57	79	E	4	of
Taichu,	"	30.13	765.3	68	...	N	4	b	"	30.11	764.7	55	...	...	o	o
Tainan,	"	30.12	765.0	68	...	N	4	o	"	30.07	763.8	52	...	N	2	o
Koshun,	"	30 08	764.1	75	...	N	4	b	"	30.05	763.2	64	...	NE	6	b
Pescadores,	"	30.15	765.9	61	...	NNE	6	o	"	30.10	764.4	59	...	NNE	6	o
Canton,	14	30.14	765.5	66	59	N	2	c	6	...	...	...	...	...	...	...
Hongkong,	"	30.08	764.0	67	50	W	2	c	"	30.12	765.0	56	72	E	2	o
Gap Rock,	"	30.09	764.3	...	...	N	4	b	"	30.11	764.8	...	...	ENE	4	o
Macao,	"	30.07	763.8	63	51	NNE	4	o	"	30.10	764.4	54	76	NNE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.11	764.7	70	49	SSW	4	of	7	30.07	763.8	61	59	ENE	2	of
Tourane,	"	30.01	762.3	66	...	NNW	2	o	"	29.98	761.4	64	...	W	2	of
Cape St. James.	"	29.81	757.2	79	...	ENE	4	b	"	29.81	757.2	72	...	ENE	2	o
Basco,	14	29.98	761.4	73	82	NE	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.89	759.3	81	80	NE	4	b	"	29.95	760.8	72	91	ENE	4	r
Manila,	"	29.81	757.2	86	61	NNE	4	o	"	29.84	757.8	72	91	NE	1	o
Legaspi,	"	29.80	756.9	86	78	NNE	4	b	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.72	754.8	86	65	ENE	6	b	"	29.76	756.0	75	92	NNE	4	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.74	755.4	...	...	ENE	6	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.73	755.1	...	...	ENE	6	r	4.47	29.74	755.4	...	...	ENE	6	r
Labuan.	11	29.67	753.6	84	83	S	1	o	6	29.61	752.1	77	94	N	2	o

January 12*d.* 11*h.* 07*m.*—Pressure has decreased considerably over N.E. Japan and slightly over Indo-China. It has increased slightly from S.W. Japan to N. Formosa and is nearly stationary over the Philippines and Kwangtung.

A somewhat deep depression is shown over N.E. Japan.

The anticyclone is central over S.E. Manchuria.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 0·47 inches, against an average of 0·30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel;	N.E. winds, fresh; overcast, drizzle, colder.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock.	
4.—South coast of China between Hongkong and Hainan.	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	12th January, 1925.								13th January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.37	771.3	5	...	NNE	4	b	6	30.52	775.2	−7	...	N	4	b
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.59	751.5	...	...	NW	6	...	"	29.86	758.5	...	...	NW	5	...
Tokio,	"	29.88	759.0	...	...	NW	4	...	"	30.10	764.5	...	...	WNW	1	...
Kochi,	"	30.20	767.0	...	...	NW	2	...	"	30.26	768.5	...	...	SW	1	...
Nagasaki,	"	30.31	770.0	...	...	N	1	...	"	30.32	770.0	...	...	...	0	...
Kagoshima,	"	30.26	768.5	...	...	NNW	1	...	"	30.26	768.5	...	...	WNW	1	...
Oshima,	"	30.24	768.0	...	...	N	2	...	"	30.20	767.0	...	...	SSE	1	...
Naha,	"	30.22	767.5	...	...	NE	2	...	"	30.14	765.5	...	...	...	...	...
Ishigakijima,	"	30.20	767.0	...	...	ENE	2	...	"	30.08	764.0	...	...	ESE	1	...
Bonin Island,	"	29.96	761.0	...	...	WNW	2	...	"	30.14	765.5	...	...	NNW	1	...
Chefoo.	15	...	...	42	34	NE	2	b	6	...	...	32	68	SSW	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.33	770.4	46	59	ESE	1	o	"	30.21	767.4	46	33	E	1	of
Gutzlaff,	14	30.34	770.6	44	60	ESE	2	o	"	30.22	767.6	50	79	SE	4	r
Sharp Peak,	"	30.21	767.3	52	73	N	1	o	7	30.15	765.8	58	64	WNW	1	o
Amoy,	15	30.08	764.0	63	67	E	2	b	9	30.04	763.0	58	90	W	1	o
Swatow,	"	30.02	762.5	59	65	NE	2	o	8	...	...	...	...	...	...	...
Taihoku,	11	30.19	766.8	64	71	E	6	b	5	30.04	762.9	61	87	...	0	o
Taichu,	"	30.10	764.4	70	...	...	0	b	"	30.05	763.2	59	...	...	0	o
Tainan,	"	30.10	764.4	70	...	...	0	b	"	30.01	762.3	61	...	...	0	o
Koshun,	"	30.08	764.1	72	...	NE	4	b	"	29.99	761.7	68	...	NE	2	o
Pescadores,	"	30.13	765.3	64	...	NNE	6	o	"	30.05	763.2	59	...	N	4	o
Canton,	14	30.06	763.5	64	73	S	1	o	6	...	...	...	...	...	...	...
Hongkong,	"	30.06	763.5	58	60	E	2	o	"	30.03	762.7	60	72	E	2	o
Gap Rock,	"	30.05	763.2	...	...	ENE	5	o	"	30.01	762.2	...	...	ENE	4	o
Macao,	"	30.05	763.2	57	86	NNE	4	r	"	29.99	761.7	55	84	N	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.88	759.0	70	49	ENE	2	bf	7	29.98	761.4	61	93	ENE	4	of
Tourane,	"	29.94	760.5	64	...	NW	2	o	"	29.95	760.8	66	...	...	0	o
Cape St. James.	"	...	...	77	...	ENE	4	b	"	29.81	757.2	73	...	E	4	o
Basco,	14	29.94	760.5	73	75	N	4	o	6	29.93	760.2	72	91	N	4	r
Aparri,	"	29.91	759.6	73	91	ENE	4	r	"	29.92	759.9	72	92	...	0	o
Manila,	"	29.79	756.6	90	51	ESE	4	o	"	29.86	758.4	72	92	SE	1	r
Legaspi,	"	29.80	756.9	86	71	NE	4	b	"	29.84	757.8	79	89	NNE	4	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.73	755.1	84	60	NNE	6	b	"	29.78	756.3	75	89	N	4	b
Surigao,	"	...	...	...	...	...	...	...	"	29.79	756.6	79	85	NE	2	b
Guam,	12.20	29.74	755.4	...	...	NE	4	o	4.20	29.79	756.6	...	...	ENE	4	o
Yap,	12.47	29.71	754.5	...	...	ENE	6	r	4.47	29.74	755.4	...	...	ENE	6	r
Labuan,	14	29.67	753.6	86	84	NW	2	b	6	29.76	755.9	76	94	NE	4	o

January 13*d.* 11*h.* 25*m.*—Pressure has increased considerably from Wladivostock to N.E. Japan. It has decreased moderately at Shanghai and slightly from the Loochoos to Hongkong. It is nearly stationary in the South.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·47 inches, against an average of 0·33 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; overcast, some drizzle or mist.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	13th January, 1925.								14th January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.47	773.9	3	...	NNE	4	b	6	30.56	776.2	−7	...	NNE	3	b
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.90	759.5	...	...	NNW	9	...	"	29.90	759.5	...	...	WNW	4	...
Tokio,	"	30.08	764.0	...	...	NNW	4	...	"	30.10	764.5	...	...	NW	1	...
Kochi,	"	30.26	768.5	...	...	SSW	1	...	"	30.26	768.5	...	...	WSW	1	...
Nagasaki,	"	30.28	769.0	...	...	NE	1	...	"	30.20	767.0	...	...	E	3	...
Kagoshima, ...	"	30.28	769.0	...	...	NNE	1	...	"	30.18	766.5	...	...	NNW	1	...
Oshima,	"	30.18	766.5	...	...	...	...	...	"	29.96	761.0	...	...	SE	1	...
Naha,	"	30.12	765.0	...	...	ESE	2	...	"	29.94	760.5	...	...	S	3	...
Ishigakijima,	"	30.02	762.5	...	...	SE	2	...	"	29.96	761.0	...	...	ENE	1	...
Bonin Island,	"	30.12	765.0	...	...	NW	1	...	"	30.06	763.5	...	...	...	...	...
Chefoo,	15	...	...	38	72	NE	1	o	6	...	...	34	82	NNE	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.15	765.9	50	97	E	1	r	"	30.17	766.2	45	100	WNW	1	rf
Gutzlaff,	14	30.13	765.3	47	100	NNW	1	rf	"	30.14	765.5	44	100	NNW	2	rf
Sharp Peak, ..	"	30.02	762.5	66	73	...	0	o	7	30.03	762.7	56	93	...	0	o
Amoy,	15	29.98	761.5	62	72	SSE	1	b	9	29.96	761.0	60	94	ENE	1	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.08	764.1	63	94	SSE	2	o	5	29.98	761.4	61	98	NW	1	r
Taichu,	"	30.06	763.5	63	...	NNW	2	r	"	29.97	761.1	61	...	...	0	o
Tainan,	"	30.02	762.6	70	...	N	2	o	"	29.93	760.2	64	...	...	0	r
Koshun,	"	30.00	762.0	75	...	NE	2	o	"	29.92	759.9	68	...	N	2	o
Pescadores, ...	"	30.06	763.5	61	...	NNE	4	r	"	29.95	760.8	61	...	NNE	2	o
Canton,	14	29.98	761.5	63	89	N	1	or	6	...	...	...	...	...	...	...
Hongkong,	"	29.95	760.7	64	75	E	3	o	"	29.97	761.2	60	95	E	3	o
Gap Rock,	"	29.97	761.2	...	...	ENE	4	o	"	29.98	761.5	...	...	ENE	4	o
Macao,	"	29.94	760.5	64	71	NE	2	o	"	29.95	760.8	59	98	...	0	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.92	759.9	68	83	ESE	1	of	7	29.94	760.5	63	98	ENE	4	rf
Tourane,	"	29.88	759.0	70	...	W	2	b	"	29.88	759.0	68	...	...	0	o
Cape St. James,	"	29.80	756.9	77	...	ENE	6	o	"	29.81	757.2	73	...	E	4	b
Basco,	14	29.87	758.7	75	79	E	4	o	6	29.89	759.3	73	92	ESE	2	o
Aparri,	"	29.84	757.8	84	60	S	4	o	"	29.86	758.4	70	91	S	2	b
Manila,	"	29.80	756.9	86	49	E	2	o	"	29.85	758.1	72	89	NE	1	o
Legaspi,	"	29.80	756.9	79	92	NE	4	o	"	29.81	757.2	79	91	N	4	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.73	755.1	86	61	NNE	6	b	"	29.75	755.7	75	89	N	6	b
Surigao,	"	29.73	755.1	82	74	NE	4	o	"	29.74	755.4	79	87	NE	4	o
Guam,	12.20	29.74	755.4	...	...	NE	6	o	4.20	29.75	755.7	...	...	ENE	4	o
Yap,	12.47	29.68	753.9	...	...	ENE	6	r	4.47	29.71	754.5	...	...	ENE	6	r
Labuan,	14	29.77	756.1	84	91	N	2	o	6	29.73	755.1	78	94	S	2	b

January 14*d.* 11*h.* 20*m.*—Pressure has increased slightly at Wladivostock. It has decreased considerably over the Loochoos and slightly at the majority of other stations. There are indications of a depression S.W. of Yap.

The anticyclone has strengthened and is probably central over S.E. Mongolia.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·47 inches, against an average of 0·37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	14th JANUARY, 1925.								15th JANUARY, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook.	12	30.50	774.6	4	...	NNE	5	b	6	30.45	773.4	−8	...	N	7	c
Nemuro,	11	...	...	...	...	...	...	...	5	30.57	751.0	...	...	WNW	6	...
Hokodate,	"	29.90	759.5	...	...	W	6	...	"	29.98	761.5	...	...	W	4	...
Tokio,	"	30.06	763.5	...	...	WNW	4	...	"	30.08	764.0	...	...	WNW	2	...
Kochi,	"	30.22	767.5	...	...	NNW	1	...	"	30.12	765.0	...	...	SW	1	...
Nagasaki,	"	30.20	767.0	...	...	ENE	2	...	"	30.08	764.0	...	..	...	...	...
Kagoshima,	"	30.16	766.0	...	...	NE	2	...	"	30.02	762.5	...	..	NW	3	...
Oshima,	"	29.98	761.5	...	...	SE	1	...	"	29.76	756.0	...	...	S	1	...
Naha,	"	29.96	761.0	...	...	SSW	1	...	"	29.88	759.0	...	..	W	1	...
Ishigakijima,	"	29.96	761.0	...	...	E	1	...	"	29.94	760.5	...	...	N	1	...
Bonin Island,	"	30.04	763.0	...	...	N	1	...	"	30.00	762.0	...	...	...	...	...
Chefoo.	15	...	...	36	61	NE	1	o	6	...	...	32	82	NW	1	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.14	765.6	48	100	NE	1	rf	"	30.15	765.9	43	100	NW	2	rf
Gutzlaff,	14	30.12	765.0	48	100	NE	4	rf	"	30.12	765.0	44	49	N	2	rf
Sharp Peak,	"	30.07	763.8	71	66	E	1	b	7	30.03	762.7	56	87	N	1	o
Amoy,	15	29.92	759.9	66	73	S	1	b	9	29.96	761.0	60	82	ENE	2	o
Swatow,	"	29.84	757.9	62	89	E	2	c	8	...	...	...	...	...	..	...
Taihoku,	11	30.02	762.6	82	90	E	1	o	5	29.99	761.7	59	93	...	o	o
Taichu,	"	29.99	761.7	64	...	...	o	o	"	29.97	761.1	57	...	...	o	o
Tainan,	"	29.98	761.4	66	...	N	4	r	"	29.92	759.9	61	...	...	o	o
Koshun,	"	29.94	760.5	75	...	...	o	b	"	29.89	759.3	70	...	...	o	bf
Pescadores,	"	30.00	762.0	63	...	NE	4	o	"	29.94	760.5	61	...	NE	4	o
Canton,	14	29.96	761.0	64	89	N	2	or	6	...	...	...	...	...	...	...
Hongkong,	"	29.94	760.5	67	77	E	3	o	"	29.95	760.7	60	92	E	4	o
Gap Rock,	"	29.95	760.7	...	...	ENE	3	c	"	29.95	760.7	...	...	ENE	3	o
Macao,	"	29.93	760.2	64	88	SSW	2	of	"	29.92	759.9	57	98	NNW	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Phulien,	"	29.89	759.3	68	91	ENE	2	rf	7	29.92	759.9	61	98	ENE	4	of
Tourane,	"	29.86	758.4	73	...	ENE	2	b	"	29.87	758.7	70	...	...	o	o
Cape St. James.	"	29.79	756.6	77	...	E	6	b	"	29.80	756.9	73	...	ENE	6	b
Basco,	14	29.82	757.5	73	94	N	4	o	6	29.89	759.3	72	91	N	4	r
Aparri,	"	29.81	757.2	84	60	WSW	2	b	"	29.85	758.1	72	96	...	o	o
Manila,	"	29.79	756.6	86	65	SW	2	o	"	29.82	757.5	66	92	NE	1	b
Legaspi,	"	29.76	756.0	84	77	NNE	4	o	"	29.78	756.3	75	88	N	2	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.71	754.5	86	56	NNE	6	b	"	29.74	755.4	75	92	N	4	o
Surigao,	"	29.71	754.5	82	70	NE	4	o	"	29.74	755.4	73	88	NE	1	o
Guam,	12.30	29.69	754.2	...	...	ENE	4	o	4.20	29.73	755.1	...	...	ENE	4	r
Yap,	12.47	29.67	753.6	...	...	ENE	6	r	4.47	29.68	753.9	...	...	ENE	6	r
Labuan,	14	29.67	753.6	86	80	N	4	b	6	29.83	757.7	78	91	NE	2	b

January 15*d.* 11*h.* 04*m.*—Pressure has decreased considerably at Oshima, moderately over S.W. Japan, and slightly from Shanghai to Foochow and at Yap.

The anticyclone is central over S. Manchuria.

Depressions are shown to the N.W. of Oshima and to the S.W. of Yap.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·47 inches, against an average of 0·41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; generally overcast, some drizzle or mist.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	15th January, 1925.								16th January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.39	771.8	−1	...	N	5	o	6	30.41	772.3	−8	...	NNE	4	o
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hokodate,	"	30.00	762.0	...	...	WNW	5	...	"	29.92	760.0	...	...	...	...	...
Tokio,	"	30.04	763.0	...	...	NE	1	...	"	29.98	761.5	...	...	NW	1	...
Kochi,	"	30.06	763.5	...	...	...	0	...	"	29.96	761.0	...	...	...	...	...
Nagasaki,	"	30.06	763.5	...	...	N	1	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.02	762.5	...	...	NE	1	...	"	29.96	761.0	...	...	...	...	...
Oshima,	"	29.88	759.0	...	...	NNE	5	...	"	29.90	759.5	...	...	NNW	1	...
Naha,	"	29.92	760.0	...	...	N	3	...	"	29.90	759.5	...	...	NE	1	...
Ishigakijima,	"	29.96	761.0	...	...	NE	2	...	"	29.92	760.0	...	...	NE	1	...
Bonin Island,	"	29.94	760.5	...	...	...	0	...	"	29.71	754.5	...	...	SW	1	...
Chefoo,	15	...	...	32	82	N	4	o	6	...	...	26	87	NW	6	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.19	766.8	41	91	NNW	2	r	"	30.27	768.9	36	89	NNW	2	bf
Gutzlaff,	14	30.12	765.0	42	100	N	6	r	"	30.25	768.3	38	91	NNW	6	r
Sharp Peak,	"	30.01	762.2	56	87	NE	1	o	7	30.06	763.5	50	86	E	4	o
Amoy,	15	29.93	760.2	64	73	ENE	2	o	9	29.97	761.2	56	94	ENE	2	r
Swatow,	"	29.86	758.4	62	89	ENE	2	o	8	29.92	759.9	51	93	N	2	r
Taihoku,	11	29.97	761.1	68	77	E	4	b	5	29.99	761.7	59	96	...	o	r
Taichu,	"	29.97	761.1	72	...	...	0	o	"	29.93	760.2	59	...	N	2	r
Tainan,	"	29.95	760.8	66	...	NNW	2	o	"	29.89	759.3	61	...	N	2	o
Koshun,	"	29.92	759.9	75	...	NE	2	b	"	29.87	758.7	66	...	...	o	b
Pescadores,	"	29.98	761.4	64	...	N	4	o	"	29.93	760.2	64	...	NNE	6	r
Canton,	14	29.97	761.2	51	93	N	2	o	6	...	...	...	...	...	...	...
Hongkong,	"	29.91	759.7	63	78	E	2	o	"	29.95	760.7	54	80	NNW	2	od
Gap Rock,	"	29.90	759.4	...	...	NE	5	o	"	29.95	760.7	...	...	NNE	4	od
Macao,	"	29.88	759.0	59	85	NNW	4	of	"	29.92	759.9	48	97	N	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.87	758.7	61	100	NNE	4	rf	7	30.02	762.6	52	95	NW	1	o
Tourane,	"	29.79	756.6	73	...	SE	2	b	"	29.85	758.1	70	...	SE	2	o
Cape St. James,	"	29.78	756.3	77	...	ENE	4	b	"	29.79	756.6	73	...	E	4	b
Basco,	14	29.80	756.9	75	85	N	4	r	6	...	...	...	...	...	...	...
Aparri,	"	29.79	756.6	81	73	NE	4	b	"	29.80	756.9	72	96	...	o	b
Manila,	"	29.75	755.7	86	58	WSW	4	b	"	29.79	756.6	66	85	NNE	2	b
Legaspi,	"	29.74	755.4	86	68	NE	2	o	"	29.75	755.7	70	96	...	o	b
Tacloban,	"	...	...	...	...	...	...	...	"	29.73	755.1	72	96	NW	4	o
Iloilo,	"	29.69	754.2	86	56	NE	6	b	"	29.72	754.8	75	88	N	4	bf
Surigao,	"	29.68	753.9	84	74	SE	2	o	"	29.71	754.5	72	96	SE	1	b
Guam,	12.20	29.69	754.2	...	...	ENE	2	o	4.20	29.72	754.8	...	...	ENE	2	o
Yap,	12.47	29.65	753.0	...	...	ENE	6	r	4.47	29.68	753.9	...	...	ENE	6	r
Labuan,	14	29.67	753.6	84	83	N	2	o	6	29.79	756.6	76	94	N	1	o

January 16*d*. 12*h*. 04*m*.—Pressure has increased moderately over Tongking, and slightly from Shanghai to N. Formosa. It has decreased considerably over the Bonins and moderately over central Japan. It is nearly stationary over the Philippines and Kwangtung.

The Loochoos depression has moved to the north of the Bonins.

A depression is still shown to the S.W. of Yap.

A strong anticyclone is central over Manchuria.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·41 inch. Total since January 1st, 0·88 inches, against an average of 0·45 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong.
2.—South coast of China between Hongkong and Lamocks.	N. winds, fresh; overcast, rain, cold.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	16th January, 1925.								17th January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.35	770.9	5	...	NNE	4	b	6	30.47	773.8	−8	...	N	6	c
Nemuro,	11	29.76	756.0	...	...	WNW	3	...	5	29.69	754.0	...	...	WSW	1	...
Hokodate,	,,	29.82	757.5	...	...	SW	1	...	,,	29.65	753.0	...	...	N	1	...
Tokio,	,,	29.92	760.0	...	...	NNE	1	...	,,	29.88	759.0	...	...	NW	2	...
Kochi,	,,	29.96	761.0	...	...	ESE	1	...	,,	30.12	765.0	...	...	N	2	...
Nagasaki,	,,	30.14	765.5	...	...	N	2	...	,,	30.16	766.0	...	...	E	5	...
Kagoshima,	,,	29.96	761.0	...	...	NNW	1	...	,,	30.06	763.5	...	...	NW	1	...
Oshima,	,,	29.94	760.5	...	...	NNW	2	...	,,	30.00	762.0	...	...	SSE	1	...
Naha,	,,	29.92	760.0	...	...	NNE	12	...	,,	29.98	761.5	...	...	NE	1	...
Ishigakijima,	,,	29.94	760.5	...	...	NNE	12	...	,,	30.00	762.0	...	...	NE	2	...
Bonin Island,	,,	29.67	753.5	...	...	SSE	3	...	,,	29.80	757.0	...	...	...	...	...
Chefoo.	15	...	...	32	58	N	4	b	6	...	...	26	78	NW	2	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.31	769.8	39	78	NNW	2	o	,,	30.38	771.6	32	100	NW	2	b
Gutzlaff,	14	30.25	768.3	40	85	NNW	6	o	,,	30.34	770.6	36	83	NNW	6	b
Sharp Peak,	,,	30.08	764.0	50	79	N	1	o	7	30.16	766.0	46	91	ENE	...	bf
Amoy,	15	29.98	761.5	56	81	ENE	4	r	9	30.09	764.3	52	79	ENE	4	o
Swatow,	,,	29.94	760.5	53	86	NNE	2	or	8	30.03	762.7	50	93	N	2	o
Taihoku,	11	30.05	763.2	57	93	W	2	r	5	30.08	764.1	55	96	E	2	r
Taichu,	,,	29.98	761.4	57	...	N	2	r	,,	30.01	762.3	55	...	...	o	o
Tainan,	,,	29.95	760.8	61	...	NNE	4	r	,,	30.00	762.0	55	...	...	...	...
Koshun,	,,	29.92	759.9	73	...	N	2	o	,,	29.95	760.8	64	...	NNE	4	o
Pescadores,	,,	30.00	762.0	59	...	NNE	6	o	,,	30.04	762.9	57	...	NNE	6	o
Canton,	14	30.06	763.5	49	93	N	2	or	6	...	...	...	...	...	...	...
Hongkong,	,,	29.98	761.5	54	86	N	1	od	,,	30.04	763.0	51	79	NE	3	o
Gap Rock,	,,	29.97	761.2	...	...	NNW	5	o	,,	30.05	763.2	...	...	NNE	4	o
Macao,	,,	29.97	761.1	48	95	N	4	r	,,	30.02	762.6	48	78	NNE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.00	762.0	57	67	WNW	2	o	7	30.07	763.8	54	88	NNE	1	o
Tourane,	,,	29.84	757.8	66	...	NW	4	o	,,	29.94	760.5	63	...	WNW	4	o
Cape St. James,	,,	29.75	755.7	77	...	E	4	b	,,	29.81	757.2	72	...	ENE	7	b
Basco,	14	29.79	756.6	75	76	SE	2	o	6	29.91	759.6	70	85	N	4	o
Aparri,	,,	29.78	756.3	84	73	NE	4	b	,,	29.87	758.7	73	82	NE	4	r
Manila,	,,	29.74	755.4	84	64	WSW	4	b	,,	29.81	757.2	68	91	N	1	o
Legaspi,	,,	29.72	754.8	86	71	NNE	2	o	,,	29.79	756.6	73	98	NNE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.68	753.9	84	60	NE	6	b	,,	29.73	755.1	75	92	N	4	o
Surigao,	,,	29.67	753.6	84	71	NE	4	o	,,	29.73	755.1	75	96	...	o	o
Guam,	12.20	29.67	753.6	...	...	E	4	o	4.20	29.75	755.7	...	...	ENE	2	b
Yap,	12.47	29.63	752.7	...	...	ENE	6	r	4.47	29.71	754.5	...	...	ENE	6	r
Labuan,	14	29.62	752.3	84	83	NE	2	b	6	29.73	755.1	78	91	N	1	o

January 17*d*. 11*h*. 02*m*.—Pressure has increased moderately at Wladivostock and slightly at the majority of other reporting stations. The northern depression has passed into the Pacific.

The depression to the S.W. of Yap is not so pronounced this morning.

A strong anticyclone is the dominant feature of the map.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·32 inch. Total since January 1st, 1·20 inches, against an average of 0·49 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; cloudy.
3.—Hongkong to Gap Rock,	N.E. winds, fresh; cloudy.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	17th January, 1925.								18th January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.43	772.8	3	...	N	6	b	6	30.44	773.1	−2	...	NNE	5	c
Nemuro,	11	29.65	753.0	...	...	NNW	3	...	5	...	...	...	...	...	...	...
Hokodate,	,,	...	...	...	...	...	...	...	,,	29.88	759.0	...	...	WNW	4	...
Tokio,	,,	29.86	758.5	...	...	NNW	4	...	,,	30.06	763.5	...	...	NW	1	...
Kochi,	,,	30.12	765.0	...	...	NNW	1	...	,,	30.26	768.5	...	...	SW	1	...
Nagasaki,	,,	30.20	767.0	...	...	ESE	3	...	,,	30.26	768.5	...	...	E	2	...
Kagoshima,	,,	30.12	765.0	...	...	NNE	2	...	,,	30.24	768.0	...	...	...	...	...
Oshima,	,,	30.02	762.5	...	...	N	2	...	,,	30.16	766.0	...	...	SSE	1	...
Naha,	,,	30.02	762.5	...	...	NNE	3	...	,,	30.12	765.0	...	...	NNW	1	...
Ishigakijima,	,,	30.06	763.5	...	...	NNE	2	...	,,	30.12	765.0	...	...	NNE	1	...
Bonin Island,	,,	29.78	756.5	...	...	NNW	1	...	,,	30.00	762.0	...	...	WNW	1	...
Chefoo,	15	...	...	34	82	NW	4	b	6	...	...	30	100	NW	2	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.37	771.3	43	62	NW	1	o	,,	30.41	772.5	34	92	NW	2	o
Gutzlaff,	14	30.32	770.1	44	68	NNW	6	b	,,	30.41	772.4	38	91	N	4	o
Sharp Peak,	,,	30.18	766.6	48	78	ENE	2	o	7	30.13	765.3	47	74	N	2	o
Amoy,	15	30.06	763.5	58	70	E	2	b	9	30.13	765.3	52	88	ENE	1	r
Swatow,	,,	30.00	762.0	56	81	E	2	o	8	...	...	...	...	...	...	...
Taihoku,	11	30.13	765.3	57	89	E	2	o	5	30.12	765.0	55	96	E	2	r
Taichu,	,,	30.06	763.5	61	...	N	2	o	,,	30.06	763.5	...	...	...	o	r
Tainan,	,,	30.02	762.6	64	...	NNE	4	b	,,	30.02	762.6	55	...	N	2	o
Koshun,	,,	29.98	761.4	72	...	NE	4	b	,,	29.99	761.7	66	...	NE	6	o
Pescadores,	,,	30.02	762.6	57	...	N	1	o	,,	30.06	763.5	57	...	NE	6	r
Canton,	14	30.10	764.5	49	85	N	2	or	6	...	...	...	...	...	...	...
Hongkong,	,,	30.04	763.0	55	71	ENE	2	od	,,	30.09	764.3	53	85	E	4	o
Gap Rock,	,,	30.03	762.7	...	...	NE	4	o	,,	30.05	763.2	...	...	NE	5	o
Macao,	,,	30.01	762.3	48	84	NNE	4	o	,,	30.08	764.1	48	95	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.02	762.6	59	68	ENE	1	o	7	30.10	764.4	54	95	ENE	4	of
Tourane,	,,	29.92	759.9	66	...	NW	6	o	,,	29.97	761.1	63	...	NW	4	o
Cape St. James,	,,	29.80	756.9	77	...	ENE	4	b	,,	29.86	758.4	73	...	ENE	4	o
Basco,	14	29.89	759.3	73	75	NE	6	o	6	29.95	760.8	68	81	NE	2	o
Aparri,	,,	29.85	758.1	81	69	NE	4	b	,,	29.91	759.6	73	82	E	4	o
Manila,	,,	29.78	756.3	84	60	S	4	o	,,	29.82	757.5	70	91	N	1	b
Legaspi,	,,	29.75	755.7	86	78	NE	4	o	,,	29.80	756.9	77	89	N	4	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	86	61	NE	6	o	,,	29.75	755.7	75	88	N	6	o
Surigao,	,,	29.69	754.2	82	74	ENE	4	o	,,	29.73	755.1	79	81	NE	4	o
Guam,	12.20	29.69	754.2	...	...	ENE	4	o	4.20	29.78	756.3	...	...	SE	2	o
Yap,	12.47	29.66	753.3	...	...	ENE	6	r	4.47	29.72	754.8	...	...	ENE	4	o
Labuan,	14	29.72	754.9	84	83	N	2	o	6	29.76	755.9	76	94	N	2	o

January 18*d.* 11*h.* 32*m.*—Pressure is lowest to the S.W. of Yap. It has increased moderately from central Japan to the Loochoos and slightly over Formosa. It is nearly stationary at the majority of other reporting stations. A strong anticyclone still covers the map.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·60 inch. Total since January 1st. 1·80 inches, against an average of 0·53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel.	N.E. winds, fresh; overcast, occasional rain.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock.	
4.—South coast of China between Hongkong and Hainan.	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	18th January, 1925.								19th January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook, .	12	30.35	770.8	11	...	NNE	4	b	6	30.34	770.6	−3	...	N	4	c
Nemuro,	11	29.53	750.0	...	...	NW	3	...	5	29.61	752.0	...	...	NW	6	...
Hokodate,	"	29.88	759.0	...	...	WNW	3	...	"	29.86	758.5	...	...	NW	3	...
Tokio,	"	30.02	762.5	...	...	NW	3	...	"	29.98	761.5	...	...	N	1	...
Kochi,	"	30.20	767.0	...	...	...	...	...	"	30.16	766.0	...	...	SW	1	...
Nagasaki,	"	30.26	768.5	...	...	E	3	...	"	30.22	767.5	...	...	...	...	...
Kagoshima,	"	30.24	768.0	...	...	NE	1	...	"	30.18	766.5	...	...	WNW	1	...
Oshima,	"	30.14	765.5	...	...	NNE	1	...	"	30.10	764.5	...	...	SSE	1	...
Naha,	"	30.08	764.0	...	...	ENE	3	...	"	30.06	763.5	...	...	...	...	...
Ishigakijima,	"	30.14	765.5	...	...	NNE	1	...	"	30.02	762.5	...	...	NNE	1	...
Bonin Island,	"	30.00	762.0	...	...	NE	1	...	"	30.00	762.0	...	...	...	...	...
Chefoo.	15	...	...	32	68	NW	4	b	6	...	...	30	80	WNW	2	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.40	772.2	43	70	N	2	o	"	30.36	771.0	34	82	NNW	1	of
Gutzlaff,	14	30.37	771.4	42	85	N	4	o	"	30.36	771.1	38	84	N	4	o
Sharp Peak,	"	30.18	766.6	50	72	N	2	o	7	30.18	766.6	47	91	N	1	r
Amoy,	15	30.08	764.0	58	70	E	4	o	9	30.10	764.5	54	89	...	o	r
Swatow,	"	30.01	762.2	57	81	NNE	1	o	8	...	...	...	...	...	...	...
Taihoku,	11	30.14	765.6	59	87	E	4	o	5	30.10	764.4	64	98	...	o	r
Taichu,	"	30.10	764.4	61	...	N	2	o	"	30.05	763.2	55	...	...	o	o
Tainan,	"	30.10	764.4	61	...	N	2	o	"	30.02	762.6	57	...	N	2	o
Koshun,	"	30.06	763.5	66	...	NNE	4	r	"	30.01	762.3	64	...	...	o	o
Pescadores,	"	30.12	765.0	59	...	NNE	6	r	"	30.06	763.5	64	...	NNE	6	r
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	30.06	763.5	56	75	N	1	od	"	30.12	765.0	51	89	NNE	1	o
Gap Rock,	"	30.04	763.0	...	...	ENE	5	o	"	30.10	764.5	...	...	NNE	4	o
Macao,	"	30.04	762.9	50	82	NNE	4	o	"	30.12	764.7	45	97	N	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.05	763.2	57	81	NNW	2	o	7	30.17	766.2	54	90	ENE	1	o
Tourane,	"	29.92	759.9	68	...	NW	4	o	"	30.04	762.9	64	...	NW	4	of
Cape St. James,	"	29.80	756.9	77	...	ENE	4	b	"	29.86	758.4	70	...	ENE	4	b
Basco,	14	29.89	759.3	73	79	NE	4	o	6	29.94	760.5	68	88	...	o	o
Aparri,	"	29.87	758.7	79	73	ENE	4	o	"	29.89	759.3	70	94	...	o	b
Manila,	"	29.78	756.3	81	66	SW	2	o	"	29.85	758.1	68	92	NE	1	o
Legaspi,	"	29.78	756.3	86	75	NNE	4	o	"	29.79	756.6	77	91	N	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.72	754.8	84	64	NE	6	o	"	29.75	755.7	75	98	N	4	o
Surigao,	"	29.69	754.2	82	77	ENE	4	o	"	29.73	755.1	79	89	N	4	o
Guam,	12.20	29.73	755.1	...	...	ENE	4	o	4.20	29.76	756.0	...	...	ENE	2	o
Yap,	12.47	29.71	754.5	...	...	E	4	o	4.47	29.73	755.1	...	...	...	...	...
Labuan,	14	29.72	754.9	84	91	NW	2	b	6	29.73	755.1	77	84	NE	1	o

January 19*d.* 10*h.* 55*m.*—Pressure has decreased slightly to the north of parallel 28°. It has increased slightly from Kwangtung to N. Indo-China and is nearly stationary elsewhere. The anticyclone has weakened slightly but fresh monsoon may still be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·20 inch. Total since January 1st, 2·00 inches, against an average of 0·58 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; overcast, occasional rain.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rook,	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	19th January, 1925.								20th January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook. .	12	30.26	768.6	9	...	NNE	7	b	6	30.21	767.3	13	...	NNE	7	c
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.86	758.5	...	...	NW	3	...	"	29.92	760.0	...	...	WNW	3	...
Tokio,	"	29.94	760.5	...	...	NW	1	...	"	30.02	762.5	...	...	NW	1	...
Kochi,	"	30.16	766.0	...	...	NW	2	...	"	30.16	766.0	...	...	SW	1	...
Nagasaki,	"	30.20	767.0	...	...	N	1	...	"	30.14	765.5	...	...	...	...	...
Kagoshima,	"	30.20	767.0	...	...	NE	1	...	"	30.12	765.0	...	...	NW	1	...
Oshima,	"	30.08	764.0	...	...	NE	1	...	"	30.02	762.5	...	...	SSE	1	...
Naha,	"	30.04	763.0	...	...	NE	2	...	"	29.96	761.0	...	...	NE	3	...
Ishigakijima,	"	30.02	762.5	...	...	ESE	1	...	"	29.92	760.0	...	...	NE	3	...
Bonin Island,	"	29.96	761.0	...	...	W	1	...	"	29.96	761.0	...	...	WNW	1	...
Chefoo.	15	...	...	34	51	NW	1	b	6	...	...	30	88	S	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.32	770.1	41	61	N	1	o	"	30.30	769.5	28	100	NNW	1	bf
Gutzlaff,	14	30.30	769.6	40	74	N	4	o	"	30.27	768.8	36	83	N	2	h
Sharp Peak,	"	30.16	766.0	48	91	N	1	rf	7	30.14	765.5	46	84	N	2	o
Amoy,	15	30.04	763.0	56	89	ENE	1	o	9	30.06	763.5	50	93	E	1	o
Swatow,	"	29.99	761.7	57	81	N	2	c	8	30.01	762.2	48	85	N	2	o
Taihoku,	11	30.08	764.1	59	96	...	0	r	5	30.02	762.6	61	98	...	0	r
Taichu,	"	30.06	763.5	64	...	N	1	o	"	30.01	762.3	63	...	N	2	r
Tainan,	"	30.05	763.2	64	...	NNW	2	o	"	29.97	761.1	63	...	N	2	o
Koshun,	"	30.01	762.3	73	...	NW	2	b	"	29.92	759.9	64	...	...	0	o
Pescadores,	"	30.10	764.4	57	...	NNE	6	o	"	30.01	762.3	63	...	NNE	2	o
Canton,	14	30.11	764.8	55	80	N	2	c	6	...	...	...	...	...	...	...
Hongkong,	"	30.05	763.5	56	71	N	2	o	"	30.06	763.5	50	72	N	1	o
Gap Rock,	"	30.07	763.8	...	...	NNW	5	o	"	30.05	763.2	...	...	NNE	4	o
Macao,	"	30.06	763.5	52	77	N	4	o	"	30.05	763.2	45	82	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.08	764.1	64	53	NW	2	o	7	30.07	763.8	54	83	ENE	4	of
Tourane,	"	29.99	761.7	64	...	NNW	4	of	"	30.01	762.3	63	...	NW	2	o
Cape St. James,	"	29.80	756.9	79	...	ENE	2	b	"	29.85	758.1	70	...	ENE	2	b
Basco,	14	29.85	758.1	73	75	NE	2	o	6	29.87	758.7	68	85	N	4	o
Aparri,	"	29.85	758.1	77	79	NE	4	o	"	29.86	758.4	70	92	...	0	r
Manila,	"	29.78	756.3	84	60	WSW	2	o	"	29.80	756.9	68	91	NE	2	b
Legaspi,	"	29.74	755.4	84	74	NNE	4	o	"	29.74	755.4	77	89	N	1	o
Taoloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.69	754.2	86	61	NNE	6	b	"	29.71	754.5	75	91	N	4	o
Surigao,	"	29.68	753.9	81	84	NE	4	o	"	29.69	754.2	75	96	NE	2	o
Guam,	12.20	29.74	755.4	...	...	ENE	4	o	4.20	29.73	755.1	...	...	ENE	2	o
Yap,	12.47	29.68	753.9	...	...	ENE	6	r	4.47	29.69	754.2	...	...	E	4	o
Labuan,	14	29.73	755.1	84	83	N	2	o	6	29.71	754.6	78	91	N	2	b

January 20*d.* 11*h.* 32*m.*—Pressure has decreased slightly at the majority of reporting stations.

The anticyclone has weakened slightly.

Fresh to moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·00 inches, against an average of 0·63 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hongkong and Lamocks.	N.E. winds, moderate; fair.
3.—Hongkong to Gap Rock,	N.E. winds, moderate; fair.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	20th January, 1925.								21st January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock.	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.71	754.5	...	...	NW	6	...	5	29.86	758.5	...	...	NW	1	...
Hokodate,	,,	29.92	760.0	...	...	NW	3	...	,,	29.96	761.0	...	...	NW	1	...
Tokio,	,,	30.00	762.0	...	...	NW	2	...	,,	30.02	762.5	...	...	NW	1	...
Kochi,	,,	30.10	764.5	...	...	SW	1	...	,,	30.00	762.0	...	...	SW	1	...
Nagasaki,	,,	30.12	765.0	...	...	SSW	1	...	,,	30.08	764.0	...	...	N	1	...
Kagoshima,	,,	30.10	764.5	...	...	ENE	1	...	,,	30.06	763.5	...	...	NW	1	...
Oshima,	,,	30.02	762.5	...	...	...	...	...	,,	29.98	761.5	...	...	N	1	...
Naha,	,,	29.96	761.0	...	...	NE	3	...	,,	29.92	760.0	...	...	NE	1	...
Ishigakijima,	,,	29.94	760.5	...	...	NE	2	...	,,	29.92	760.0	...	...	NNE	2	...
Bonin Island,	,,	29.96	761.0	...	...	W	1	...	,,	29.96	761.0	...	...	...	...	...
Chefoo.	15	...	...	38	72	NNE	1	b	6	...	...	32	82	NNW	4	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.22	767.7	46	52	NE	1	b	,,	...	...	...	...	...	...	...
Gutzlaff,	14	30.23	767.8	46	62	N	2	b	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	30.08	764.0	52	79	N	1	o	7	30.08	764.0	47	85	N	1	o
Amoy,	15	29.98	761.5	56	75	SSE	4	o	9	30.04	763.0	52	88	NE	1	o
Swatow,	,,	29.94	760.5	58	70	SE	1	b	8	...	...	...	...	...	...	...
Taihoku,	11	30.04	762.9	61	85	ESE	2	r	5	30.04	762.9	55	98	E	1	r
Taichu,	,,	30.02	762.6	61	...	...	o	o	,,	29.98	761.4	57	...	...	o	o
Tainan,	,,	30.00	762.0	64	...	NNE	2	o	,,	29.95	760.8	54	...	...	o	b
Koshun,	,,	29.97	761.1	72	...	...	o	b	,,	29.93	760.2	59	...	...	o	b
Pescadores,	,,	30.04	762.9	64	...	N	6	o	,,	29.99	761.7	55	...	NNE	4	o
Canton,	14	30.01	762.2	56	81	N	2	b	6	...	...	...	...	...	...	...
Hongkong,	,,	29.99	761.7	60	68	E	2	o	,,	30.02	762.5	55	77	ENE	3	o
Gap Rock,	,,	30.00	762.0	...	...	NNE	4	o	,,	30.01	762.2	...	...	NNE	4	o
Macao,	,,	29.98	761.4	54	70	NE	4	o	,,	29.99	761.7	50	79	NNW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.97	761.1	61	64	SSE	1	of	7	29.97	761.1	54	97	ENE	6	of
Tourane,	,,	29.95	760.8	68	...	NNW	2	b	,,	29.94	760.5	64	...	NW	2	b
Cape St. James,	,,	29.81	757.2	79	...	ENE	2	b	,,	29.82	757.5	70	...	E	4	b
Basco,	14	29.84	757.8	73	79	N	4	o	6	29.86	758.4	68	81	N	4	o
Aparri,	,,	29.84	757.8	79	69	NNW	4	o	,,	29.85	758.1	72	65	N	4	o
Manila,	,,	29.75	755.7	82	67	SW	2	o	,,	29.79	756.6	68	92	NNE	1	b
Legaspi,	,,	29.73	755.1	82	77	NNW	4	o	,,	29.74	755.4	75	94	N	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	84	64	NE	6	o	,,	29.73	755.1	75	91	N	4	o
Surigao,	,,	29.68	753.9	79	80	NNE	4	o	,,	29.69	754.2	75	96	N	2	r
Guam,	12.20	29.72	754.8	...	...	E	2	o	4.20	29.76	756.0	...	...	E	2	o
Yap,	12.47	29.71	754.5	...	...	SE	2	o	4.47	29.73	755.1	...	...	ENE	2	o
Labuan,	14	29.72	754.9	82	87	NW	2	o	6	...	...	...	...	...	...	...

January 21*d.* 10*h.* 45*m.*—Pressure has increased moderately over N.E. Japan and decreased slightly at the majority of other reporting stations.

The anticyclone has further weakened.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·00 inches, against an average of 0·68 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	21st January, 1925.								22nd January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.17	766.4	14	...	NNE	5	b	6	30.30	769.7	2	...	NNE	4	o
Nemuro,	11	29.84	758.0	...	...	NW	1	...	5	29.90	759.5	...	...	NW	2	...
Hokodate,	,,	29.96	761.0	...	...	WNW	2	...	,,	29.98	761.5	...	...	...	0	...
Tokio,	,,	29.92	760.0	...	...	NNE	1	...	,,	30.02	762.5	...	...	...	0	...
Kochi,	,,	29.94	760.5	...	...	SW	1	...	,,	30.08	764.0	...	...	W	1	...
Nagasaki,	,,	30.10	764.5	...	...	N	3	...	,,	30.14	765.5	...	...	NE	1	...
Kagoshima,	,,	30.06	763.5	...	...	NW	1	...	,,	30.08	764.0	...	...	NW	1	...
Oshima,	,,	30.02	762.5	...	...	N	3	...	,,	30.02	762.5	...	...	...	0	...
Naha,	,,	29.96	761.0	...	...	N	3	...	,,	30.00	762.0	...	...	NE	1	...
Ishigakijima,	,,	29.98	761.5	...	...	NNE	3	...	,,	29.98	761.5	...	...	NNE	2	...
Bonin Island,	,,	29.90	759.5	...	...	...	0	...	,,	29.84	758.0	...	...	...	0	...
Chefoo,	15	...	...	32	82	N	4	b	6	...	...	24	87	S	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.26	768.6	46	52	NE	1	b	,,	30.25	768.3	37	93	NE	1	of
Gutzlaff,	14	...	...	...	...	...	...	...	,,	30.23	767.8	40	98	N	2	o
Sharp Peak,	,,	30.10	764.5	54	68	N	1	o	7	30.11	764.8	48	78	N	1	b
Amoy,	15	29.99	761.7	60	60	ENE	4	b	9	30.04	763.0	50	88	N	1	b
Swatow,	,,	29.95	760.7	58	81	ESE	2	b	8	...	...	...	...	...	...	...
Taihoku,	11	30 07	763.8	59	91	E	2	r	5	30.05	763.2	55	96	E	2	o
Taichu,	,,	30.02	762.6	66	...	N	2	b	,,	30.01	762.3	52	...	...	0	o
Tainan,	,,	30.00	762.0	66	...	NNE	2	b	,,	29.98	761.4	52	...	N	2	o
Koshun,	,,	29.98	761.4	66	...	NW	2	o	,,	29.93	760.2	63	...	NNE	4	b
Pescadores,	,,	30.04	762.9	59	...	N	6	o	,,	30.00	762.0	57	...	NNE	6	o
Canton,	14	30.01	762.2	55	80	N	1	o	6	...	...	...	...	...	...	...
Hongkong,	,,	29.99	761.7	59	74	E	4	o	,,	30.01	762.2	57	77	E	5	o
Gap Rock,	,,	29.99	761.7	...	...	ENE	5	o	,,	29.99	761.7	...	...	ENE	5	o
Macao,	,,	29.97	761.1	59	73	NE	4	o	,,	29.98	761.4	57	79	NE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.92	759.9	61	89	ENE	2	of	7	29.89	759.3	59	100	E	4	of
Tourane,	,,	29.91	759.6	72	...	ESE	2	b	,,	29.91	759.6	66	...	SSW	4	b
Cape St. James,	,,	29.81	757.2	77	...	ENE	4	b	,,	29.82	757.5	72	...	N	2	b
Basco,	14	29.84	757.8	72	78	N	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.84	757.8	79	58	NNW	4	o	,,	29.87	758.7	64	96	SW	2	o
Manila,	,,	29.78	756.3	81	66	W	2	o	,,	29.82	757.5	72	86	NNE	2	o
Legaspi,	,,	29.72	754.8	81	87	NNE	4	o	,,	29.78	756.3	77	84	N	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	79	85	NE	6	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.67	753.6	79	91	N	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.73	755.1	...	...	SE	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.72	754.8	...	...	ESE	4	o	4.47	29.78	756.3	...	...	ENE	1	o
Labuan,	14	29.78	756.4	76	94	N	4	r	6	29.74	755.4	76	94	NW	2	o

January 22*d*. 11*h*. 02*m*.—Pressure has increased moderately at Wladivostock and slightly over Japan. It has decreased slightly over Indo-China and over the Bonins. It is nearly stationary elsewhere.

The anticyclone has spread eastward.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·00 inches, against an average of 0·74 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

District.	Forecast.
1.—Formosa Channel,	E. winds, fresh to moderate; cloudy, some rain later.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	22nd January, 1925.								23rd January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.18	766.5	12	...	NNE	4	b	6	30.16	766.0	0	...	NNE	2	f
Nemuro,	11	29.92	760.0	...	...	NW	1	...	5	29.90	759.5	...	...	SW	1	...
Hokodate,	"	29.96	761.0	...	...	W	1	...	"	29.92	760.0	...	...	NNW	1	...
Tokio,	"	30.04	763.0	...	...	NNE	1	...	"	30.04	763.0	...	...	NNW	1	...
Kochi,	"	30.10	764.5	...	...	N	1	...	"	30.04	763.0	...	...	SW	1	...
Nagasaki,	"	30.12	765.0	...	...	E	2	...	"	29.96	761.0	...	...	...	...	...
Kagoshima,	"	30.08	764.0	...	...	ENE	1	...	"	30.04	763.0	...	...	WNW	1	...
Oshima,	"	30.02	762.5	...	...	NNE	1	...	"	29.96	761.0	...	...	...	0	...
Naha,	"	30.02	762.5	...	...	N	2	...	"	29.98	761.5	...	...	ESE	1	...
Ishigakijima,	"	30.00	762.0	...	...	ENE	3	...	"	29.96	761.0	...	...	SSE	1	...
Bonin Island,	"	29.84	758.0	...	...	...	...	...	"	29.94	760.5	...	...	N	1	...
Chefoo,	15	...	...	32	68	NW	2	b	6	...	...	30	80	N	4	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.15	765.9	46	59	ENE	1	o	"	30.15	765.9	39	93	NE	1	rf
Gutzlaff,	14	...	...	...	...	...	...	...	"	30.12	765.0	40	100	NE	4	r
Sharp Peak,	"	30.06	763.5	60	60	E	1	o	7	30.01	762.2	52	79	W	2	o
Amoy,	15	29.95	760.7	65	58	E	2	b	9	29.97	761.2	54	89	NW	2	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.04	762.9	64	88	E	4	o	5	...	...	...	...	...	...	...
Taichu,	"	30.00	762.0	68	...	N	2	b	"	...	...	...	...	...	...	...
Tainan,	"	29.99	761.7	68	...	NNW	2	o	"	...	...	...	...	...	...	...
Koshun,	"	29.95	760.8	73	...	NNE	4	b	"	...	...	...	...	...	...	...
Pescadores,	"	30.04	762.9	63	...	NNE	4	b	"	...	...	...	...	...	...	...
Canton,	14	29.96	761.0	63	78	S	1	o	6	...	...	...	...	...	...	...
Hongkong,	"	29.97	761.2	61	72	E	5	o	"	29.94	760.5	56	87	E	5	c
Gap Rock,	"	29.96	761.0	...	...	ENE	5	c	"	29.93	760.2	...	...	ENE	5	b
Macao,	"	29.93	760.2	63	75	SE	4	o	"	29.91	759.6	57	91	NNE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.85	758.1	66	92	ESE	4	of	7	29.84	757.8	64	98	SE	4	of
Tourane,	"	29.87	758.7	73	...	SE	2	b	"	29.86	758.4	66	...	S	4	b
Cape St. James,	"	29.78	756.3	75	...	E	4	b	"	29.84	757.8	72	...	ENE	6	o
Basco,	14	29.84	757.8	73	71	E	4	o	6	29.88	759.0	70	82	NE	4	o
Aparri,	"	29.84	757.8	77	68	NE	4	b	"	29.87	758.7	68	94	...	0	o
Manila,	"	29.79	756.6	81	69	W	1	o	"	29.82	757.5	70	88	N	2	b
Legaspi,	"	29.76	756.0	75	92	N	4	o	"	29.79	756.6	79	91	N	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.71	754.5	81	80	N	6	o	"	29.79	756.6	75	94	N	4	o
Surigao,	"	29.69	754.2	81	89	...	0	o	"	29.76	756.0	72	96	...	0	b
Guam,	12.20	29.73	755.1	...	...	SSW	2	o	4.20	29.80	756.9	...	...	S	1	o
Yap,	12.47	29.72	754.8	...	...	E	2	o	4.47	29.80	756.9	...	...	NE	1	o
Labuan,	14	29.72	754.9	83	87	N	2	b	6	29.73	755.1	77	91	N	1	o

January 23d. 11h. 06m.—Pressure has increased slightly over the Bonins, and from the Visayas to Yap. It is nearly stationary over Luzon and has decreased slightly elsewhere.

The anticyclone has weakened.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·00 inches, against an average of 0·80 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel,	E. winds, moderate; fine to cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	23rd January, 1925.								24th January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.09	764.4	18	...	NNE	4	b	6	30.12	765.1	8	...	NNE	3	o
Nemuro,	11	...	...	...	...	...	...	...	5	29.71	754.5	...	...	N	1	...
Hokodate,	"	29.82	757.5	...	...	SW	4	...	"	29.80	757.0	...	...	NW	1	...
Tokio,	"	29.94	760.5	...	...	N	1	...	"	29.80	757.0	...	...	NNW	1	...
Kochi,	"	29.96	761.0	...	...	...	...	...	"	29.86	758.5	...	...	...	0	...
Nagasaki,	"	30.02	762.5	...	...	S	1	...	"	29.94	760.5	...	...	N	1	...
Kagoshima,	"	30.00	762.0	...	...	...	...	...	"	29.92	760.0	...	...	...	...	...
Oshima,	"	29.96	761.0	...	...	N	1	...	"	29.90	759.5	...	...	...	...	...
Naha,	"	30.00	762.0	...	...	W	1	...	"	29.92	760.0	...	...	SSE	1	...
Ishigakijima,	"	30.00	762.0	...	...	SE	1	...	"	29.88	759.0	...	...	NNW	2	...
Bonin Island,	"	29.90	759.5	...	...	ESE	1	...	"	29.88	759.0	...	...	WNW	1	...
Chefoo.	15	...	...	30	80	N	2	b	6	...	...	28	88	NW	6	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.11	764.7	39	90	NE	1	rf	"	30.24	768.0	34	96	NNW	1	o
Gutzlaff,	14	30.07	763.8	40	100	NNE	4	r	"	30.16	766.0	34	100	NNW	6	r
Sharp Peak,	"	29.93	760.2	68	60	N	1	b	7	29.94	760.5	50	92	NNE	4	o
Amoy,	15	29.85	758.2	67	64	SSE	4	b	9	29.90	759.4	54	94	NNE	1	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.95	760.8	70	65	NW	2	b	5	29.93	760.2	57	98	SE	2	o
Taichu,	"	29.98	761.4	73	...	...	0	b	"	29.93	760.2	57	...	...	0	b
Tainan,	"	29.97	761.1	72	...	...	0	b	"	29.89	759.3	59	...	NE	2	o
Koshun,	"	29.95	760.8	77	...	ENE	2	o	"	29.87	758.7	59	...	...	0	b
Pescadores,	"	30.00	762.0	63	...	N	4	o	"	29.94	760.5	57	...	NNE	4	o
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.89	759.2	63	77	E	4	b	"	29.90	759.4	56	96	E	1	b
Gap Rock,	"	29.89	759.2	...	...	ENE	4	b	"	29.90	759.4	...	...	ENE	4	b
Macao,	"	29.87	758.7	68	73	SE	4	b	"	29.89	759.3	57	96	...	0	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.78	756.3	68	85	SE	6	of	7	29.86	758.4	63	94	ENE	6	of
Tourane,	"	29.82	757.5	73	...	SE	4	b	"	29.84	757.8	66	...	S	4	b
Cape St. James,	"	29.78	756.3	77	...	ENE	2	b	"	29.86	758.4	72	...	ENE	4	b
Basco,	14	29.81	757.2	77	72	N	2	o	6	29.82	757.5	73	86	E	4	o
Aparri,	"	29.81	757.2	81	66	ENE	4	o	"	29.81	757.2	70	91	...	0	o
Manila,	"	29.75	755.7	84	64	WSW	2	o	"	29.81	757.2	73	88	...	0	o
Legaspi,	"	29.70	756.0	79	91	N	4	o	"	29.79	756.6	75	98	NNW	1	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.71	754.5	84	71	NE	4	o	"	29.78	756.3	75	96	N	2	b
Surigao,	"	29.72	754.8	82	84	N	1	b	"	29.76	756.0	73	96	E	1	b
Guam,	12.20	29.76	756.0	...	...	SW	1	b	4.20	29.81	757.2	...	...	S	1	o
Yap,	12.47	29.75	755.7	...	...	ESE	2	o	4.47	29.80	756.9	...	...	NE	2	o
Labuan,	14	29.72	754.9	86	88	N	2	b	6	29.77	756.1	75	94	N	2	o

January 24*d.* 11*h.* 42*m.*—Pressure has increased moderately at Shanghai and slightly at Haiphong. It is nearly stationary at Hongkong and in the extreme South. It has decreased moderately to slightly from Formosa to N.E. Japan.

The anticyclone has spread southward.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·00 inches, against an average of 0·87 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fine to cloudy.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	24th January, 1925.								25th January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.67	753.5	...	...	NW	1	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.75	755.5	...	...	WSW	1	...	"	...	...	...	...	...	...	...
Tokio,	"	29.75	755.5	...	...	W	1	...	"	...	...	...	...	...	...	...
Kochi,	"	29.86	758.5	...	...	...	0	...	"	...	...	...	...	...	...	...
Nagasaki,	"	29.96	761.0	...	...	NNW	2	...	"	...	...	...	...	...	...	...
Kagoshima,	"	29.96	761.0	...	...	N	1	...	"	...	...	...	...	...	...	...
Oshima,	"	29.92	760.0	...	...	...	0	...	"	...	...	...	...	...	...	...
Naha,	"	29.94	760.5	...	...	SE	1	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	29.94	760.5	...	...	NW	1	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.88	759.0	...	...	WSW	1	...	"	...	...	...	...	...	...	...
Chefoo,	15	...	...	30	88	N	4	b	6	...	...	28	88	NW	2	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.25	768.3	39	73	NNW	2	o	"	30.30	769.5	28	91	NW	1	lf
Gutzlaff,	14	30.18	766.6	38	84	N	4	o	"	30.26	768.6	40	91	NNW	4	o
Sharp Peak,	"	30.09	764.3	50	86	ENE	4	o	7	30.10	764.5	46	84	ENE	4	o
Amoy,	15	...	...	...	...	...	...	...	9	29.89	759.2	52	88	NE	2	o
Swatow,	"	29.74	755.4	58	100	ESE	4	c	8	30.02	762.5	53	86	NNE	2	o
Taihoku,	11	29.98	761.4	64	80	W	1	o	5	30.07	763.8	55	86	...	o	o
Taichu,	"	29.97	761.1	68	...	ESE	2	o	"	30.01	762.3	55	...	N	2	b
Tainan,	"	29.94	760.5	68	...	N	2	o	"	29.99	761.7	57	...	N	4	o
Koshun,	"	29.92	759.9	79	...	...	o	b	"	29.94	760.5	66	...	NNE	4	o
Pescadores,	"	29.98	761.4	64	...	W	1	o	"	30.04	762.9	55	...	NNE	6	r
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.89	759.2	67	66	W	2	b	"	30.05	763.2	56	70	NE	2	o
Gap Rock,	"	29.90	759.4	...	...	NNE	3	b	"	30.02	762.5	...	...	N	4	o
Macao,	"	29.88	759.0	70	65	ENE	2	o	"	30.02	762.6	50	77	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.84	757.8	70	77	ESE	4	o	7	30.05	763.2	52	90	NNE	2	rf
Tourane,	"	29.82	757.5	73	...	SSE	4	o	"	29.95	760.8	70	...	...	o	o
Cape St. James,	"	29.80	756.9	77	...	E	2	b	"	29.87	758.7	72	...	E	2	o
Basco,	14	29.80	756.9	73	89	N	4	r	6	...	...	...	...	...	...	...
Aparri,	"	29.78	756.3	82	60	NE	4	b	"	...	...	...	...	...	...	...
Manila,	"	29.76	756.0	90	55	SSE	2	b	"	29.84	757.8	75	91	SE	1	o
Legaspi,	"	29.74	755.4	86	68	N	1	o	"	29.82	757.5	73	98	...	o	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	90	51	E	2	b	"	29.81	757.2	75	89	N	2	o
Surigao,	"	29.74	755.4	86	56	NE	2	b	"	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	N	2	b	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.78	756.3	...	...	ENE	4	o	4.47	29.81	757.2	...	...	ENE	4	o
Labuan,	14	29.77	756.1	84	83	N	2	o	6	29.73	755.1	76	94	S	2	r

January 25*d.* 12*h.* 15*m.*—Pressure has increased moderately from Formosa to Indo-China and slightly over the Philippines. It is nearly stationary at other reporting stations.

Fresh monsoon may be expected along the S.E. coast of China and moderate monsoon over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·00 inches, against an average of 0·94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hongkong and Lamocks.	N.E. winds, moderate; cloudy at first, clearing later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	25th January, 1925.								26th January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.13	765.3	18	...	NNE	3	c	6	29.94	760.4	7	...	NNE	4	o
Nemuro,	11	29.72	755.0	...	...	WNW	2	...	5	29.82	757.5	...	...	WNW	2	...
Hokodate,	"	29.88	759.0	...	...	W	6	...	"	29.88	759.0	...	...	WNW	1	...
Tokio,	"	29.96	761.0	...	...	NNW	2	...	"	29.96	761.0	...	...	NNW	1	...
Kochi,	"	30.00	762.0	...	...	ESE	1	...	"	29.92	760.0	...	...	SW	1	...
Nagasaki,	"	29.98	761.5	...	...	S	2	...	"	29.98	761.5	...	...	NNW	2	...
Kagoshima,	"	30.00	762.0	...	...	NE	1	...	"	29.98	761.5	...	...	...	...	...
Oshima,	"	30.00	762.0	...	...	N	1	...	"	30.04	763.0	...	...	...	0	...
Naha,	"	30.04	763.0	...	...	NNW	2	...	"	30.08	764.0	...	...	NW	1	...
Ishigakijima,	"	30.08	764.0	...	...	NE	1	...	"	30.04	763.0	...	...	NE	1	...
Bonin Island,	"	29.88	759.0	...	...	WSW	4	...	"	29.88	759.0	...	...	WNW	1	...
Chefoo.	15	30.13	765.3	34	90	NW	1	b	6	29.97	761.2	30	88	S	2	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.26	768.6	43	56	NW	1	b	"	30.13	765.3	28	74	SSW	1	bf
Gutzlaff,	14	30.24	768.1	40	65	NW	2	b	"	30.18	766.6	36	83	WSW	1	b
Sharp Peak,	"	30.10	764.5	50	65	E	2	o	7	30.11	764.8	47	77	...	0	o
Amoy,	15	30.01	762.2	58	53	E	6	r	9	30.05	763.2	54	80	ENE	2	o
Swatow,	"	29.99	761.7	56	87	E	2	c	8	...	...	...	...	...	...	...
Taihoku,	11	30.12	765.0	59	81	N	2	o	5	30.05	763.2	57	96	ENE	4	o
Taichu,	"	30.05	763.2	68	...	...	0	b	"	30.04	762.9	55	...	...	0	b
Tainan,	"	30.05	763.2	68	...	N	4	b	"	29.98	761.4	55	...	N	2	b
Koshun,	"	30.01	762.3	72	...	NNE	4	o	"	29.98	761.4	66	...	...	0	o
Pescadores,	"	30.06	763.5	61	...	NE	6	o	"	30.02	762.6	57	...	NNE	4	o
Canton,	14	30.05	763.2	56	75	NNW	2	o	6	...	...	...	...	...	...	...
Hongkong,	"	30.01	762.2	61	63	NW	1	c	"	30.04	763.0	57	83	E	3	c
Gap Rock,	"	30.04	763.0	...	...	NNE	4	o	"	30.01	762.2	...	...	NE	4	o
Macao,	"	29.99	761.7	57	62	NE	4	b	"	30.00	762.0	54	80	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.04	762.9	54	95	W	1	o	7	30.02	762.6	52	100	NNE	2	rf
Tourane,	"	29.94	760.5	72	...	...	0	o	"	29.95	760.8	64	...	WNW	2	o
Cape St. James.	"	29.82	757.5	81	...	E	2	b	"	29.82	757.5	72	...	ENE	2	o
Basco,	14	29.88	759.0	73	91	N	6	o	6	29.94	760.5	70	82	N	4	o
Aparri,	"	29.86	758.4	75	88	NE	4	o	"	29.89	759.3	73	91	NE	4	o
Manila,	"	29.80	756.9	86	71	WSW	2	b	"	29.84	757.8	73	91	NE	1	o
Legaspi,	"	29.79	756.6	86	78	ENE	2	b	"	29.81	757.2	79	91	N	2	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.76	756.0	86	61	NE	4	b	"	29.84	757.8	77	89	N	4	o
Surigao,	"	29.76	756.0	82	84	N	1	o	"	29.80	756.9	75	96	N	1	o
Guam,	12.20	29.81	757.2	...	...	N	2	o	4.20	29.84	757.8	...	...	NE	1	b
Yap,	12.47	29.78	756.3	...	...	ENE	4	o	4.47	29.80	756.9	...	...	ENE	2	o
Labuan,	14	29.73	755.1	77	69	S	2	o	6	29.81	757.2	76	94	NW	2	r

January 26*d*. 12*h*. 03*m*.—Pressure has decreased moderately from Chefoo to Shanghai and slightly over central Japan and Tongking. It is nearly stationary at the majority of other reporting stations.

The anticyclone, which is now central over the lower Yangtze Valley, has weakened considerably.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·00 inches, against an average of 1·02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; generally cloudy.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	26th JANUARY, 1925.								27th JANUARY, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	...	...	...	...	...	...	...	5	29.69	754.0	...	...	SW	1	...
Hokodate,	"	29.82	757.5	...	...	N	1	...	"	29.71	754.5	...	...	NNW	1	...
Tokio,	"	29.90	759.5	...	...	N	1	...	"	29.80	757.0	...	...	NW	1	...
Kochi,	"	29.88	759.0	...	...	...	...	...	"	30.00	762.0	...	...	SW	1	...
Nagasaki,	"	30.06	763.5	...	...	N	3	...	"	30.06	763.5	...	...	...	...	...
Kagoshima,	"	30.02	762.5	...	...	WNW	1	...	"	30.06	763.5	...	...	WNW	1	...
Oshima,	"	30.08	764.0	...	...	N	1	...	"	30.02	762.5	...	...	...	0	...
Naha,	"	30.12	765.0	...	...	NW	1	...	"	30.00	762.0	...	...	SE	1	...
Ishigakijima,	"	30.08	764.0	...	...	ENE	3	...	"	29.92	760.0	...	...	SSE	3	...
Bonin Island,	"	29.90	759.5	...	...	WSW	1	...	"	30.02	762.5	...	...	W	2	...
Chefoo.	15	29.99	761.7	38	63	NNE	2	o	6	30.09	764.3	30	80	WNW	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.17	766.2	48	42	W	1	b	"	30.18	766.5	39	93	NNE	1	rf
Gutzlaff,	14	30.17	766.2	46	62	NW	1	o	"	30.19	766.8	40	91	N	1	r
Sharp Peak,	"	30.04	763.0	58	67	E	1	o	7	30.00	762.0	50	92	N	1	r
Amoy,	15	29.95	760.7	60	71	NE	2	b	9	29.91	759.7	56	89	W	2	o
Swatow,	"	29.91	759.7	58	88	ESE	3	c	8	29.88	758.9	55	94	NE	1	c
Taihoku,	11	30.05	763.2	64	80	E	4	o	5	29.92	759.9	57	96	E	2	o
Taichu,	"	30.05	763.2	70	...	...	o	b	"	29.99	761.7	59	...	...	o	o
Tainan,	"	30.04	762.9	68	...	NNE	2	b	"	29.93	760.2	61	...	NNE	2	o
Koshun,	"	30.02	762.6	73	...	NNE	2	o	"	29.91	759.6	68	...	...	o	o
Pescadores,	"	30.06	763.5	61	...	NNE	6	o	"	29.97	761.1	57	...	NNE	4	o
Canton,	14	29.94	760.5	64	78	SE	1	o	6	...	...	...	...	...	...	...
Hongkong,	"	29.96	761.0	59	74	E	3	o	"	29.92	759.9	59	88	E	4	o
Gap Rock,	"	29.94	760.5	...	...	NE	5	o	"	29.89	759.2	...	...	E	4	o
Macao,	"	29.93	760.2	61	79	NE	2	o	"	29.87	758.7	59	96	ESE	1	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	.	"	...	...	...	...	...	...	...
Phulien,	"	29.89	759.3	55	98	NNE	2	of	7	29.88	759.0	55	98	NNW	2	rf
Tourane,	"	29.86	758.4	72	...	...	o	o	"	29.85	758.1	68	...	...	o	b
Cape St. James.	"	29.76	756.0	84	...	SSE	2	b	"	29.86	758.4	73	...	ENE	4	o
Basco,	14	29.87	758.7	73	75	S	2	o	6	...	...	...	...	...	...	...
Aparri,	"	29.86	758.4	77	79	NE	4	o	"	29.87	758.7	72	96	...	o	o
Manila,	"	29.79	756.6	86	58	SSE	2	o	"	29.84	757.8	72	92	ENE	1	b
Legaspi,	"	29.79	756.6	84	77	NE	2	o	"	29.82	757.5	77	92	...	o	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	86	71	NE	4	o	"	...	...	...	...	...	...	...
Surigao,	"	29.74	755.4	86	71	E	2	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.81	757.2	...	...	ENE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.79	756.6	...	...	ENE	4	o	4.47	29.81	757.2	...	...	ENE	6	r
Labuan,	14	29.72	754.9	83	87	SE	2	b	6	29.78	756.4	76	94	S	1	o

January 27*d*. 10*h*. 49*m*.—Pressure has increased slightly at Chefoo. It has decreased moderately over N.E. Japan and the Loochoos and slightly from Formosa to N. Indo-China. It is nearly stationary over the Philippines.

The anticyclone has weakened slightly.

Moderate monsoon may be expected along the S.E. coast of China and light monsoon over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 2·00 inches, against an average of 1·11 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; overcast, some drizzle or mist.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	27th January, 1925.								28th January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock. .	12	29.88	759.0	20	...	SW	2	o	6	30.04	763.1	1	...	..	o	dh
Nemuro,	11	29.61	752.0	...	...	SSW	1	...	5	29.63	752.5	...	...	SSW	1	...
Hokodate,	,,	29.69	754.0	...	...	WNW	4	...	,,	29.65	753.0	...	...	NNW	1	...
Tokio,	,,	29.78	756.5	...	...	...	o	...	,,	29.78	756.5	...	...	NW	1	...
Kochi,	,,	30.00	762.0	...	...	...	o	...	,,	29.90	759.5	...	...	...	...	...
Nagasaki,	,,	30.06	763.5	...	...	N	1	...	,,	30.00	762.0	...	...	N	1	...
Kagoshima,	,,	30.08	764.0	...	...	...	o	...	,,	29.94	760.5	...	...	...	...	...
Oshima,	,,	30.06	763.5	...	...	...	o	...	,,	29.88	759.0	...	...	NNE	1	...
Naha,	,,	29.96	761.0	...	...	SSE	1	...	,,	29.78	756.5	...	...	NE	1	...
Ishigakijima,	,,	29.92	760.0	...	...	SW	3	...	,,	29.80	757.0	...	...	...	...	...
Bonin Island,	,,	29.94	760.5	...	...	W	1	...	,,	29.92	760.0	...	...	W	1	...
Chefoo,	15	30.14	765.5	34	82	NW	4	b	6	30.17	766.3	24	77	...	o	b
Hankow,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.18	766.5	46	66	N	1	o	,,	30.18	766.5	37	70	NNE	1	of
Gutzlaff,	,,	30.13	765.3	42	85	NNE	2	o	,,	30.16	766.0	40	65	NNE	4	o
Sharp Peak,	,,	30.05	763.2	52	86	NE	1	o	7	29.97	761.2	50	90	ENE	4	r
Amoy,	15	29.92	759.9	60	82	E	1	o	9	29.87	758.7	56	89	E	1	r
Swatow,	,,	29.79	756.6	61	88	NE	3	o	8	29.80	756.9	57	94	ENE	2	r
Taihoku,	11	29.97	761.1	63	86	...	o	o	5	29.88	759.0	61	96	NE	2	r
Taichu,	,,	29.98	761.4	68	...	...	o	o	,,	29.87	758.7	61	...	N	2	r
Tainan,	,,	29.94	760.5	73	...	NNE	2	o	,,	29.78	756.3	63	...	N	2	o
Koshun,	,,	29.91	759.6	77	...	NNE	1	o	,,	29.80	756.9	70	...	...	o	o
Pescadores,	,,	29.97	761.1	61	...	ENE	4	o	,,	29.88	759.0	66	...	NNE	6	r
Canton,	14	29.85	758.2	60	94	N	1	or	6	...	...	...	...	...	...	...
Hongkong,	,,	29.83	757.7	60	90	E	4	o	,,	29.83	757.7	61	96	ESE	3	od
Gap Rock,	,,	29.82	757.4	...	...	ENE	4	of	,,	29.80	756.9	...	...	NNE	4	cd
Macao,	,,	29.80	756.9	61	89	E	2	of	,,	29.81	757.2	59	100	N	2	rf
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.78	756.3	64	80	NW	2	o	7	29.81	757.2	61	100	ENE	1	rf
Tourane,	,,	29.78	756.3	68	...	NW	2	of	,,	29.80	756.9	72	...	SW	2	b
Cape St. James.	,,	29.76	756.0	79	...	ENE	4	b	,,	29.82	757.5	73	...	ENE	2	o
Basco,	14	29.76	756.0	82	77	ESE	4	o	6	29.79	756.6	70	96	...	o	o
Aparri,	,,	29.76	756.0	86	65	SE	4	b	,,	29.81	757.2	73	96	...	o	b
Manila,	,,	29.78	756.3	84	68	W	2	o	,,	29.81	757.2	72	94	E	1	b
Legaspi,	,,	29.80	756.9	86	75	NNE	4	o	,,	29.81	757.2	75	96	...	o	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	84	74	NE	4	o	,,	29.78	756.3	77	91	N	4	o
Surigao,	..	29.76	756.0	77	92	SE	1	o	,,	29.81	757.2	73	96	...	o	o
Guam,	12.20	29.80	756.9	...	...	ENE	4	b	4.20	29.85	758.1	...	...	ENE	2	b
Yap,	12.47	29.79	756.6	...	...	ENE	4	o	4.47	29.81	757.2	...	...	NE	4	o
Labuan,	14	29.77	756.1	82	91	NW	2	o	6	29.79	756.6	76	94	N	2	o

January 28d. 11h. 42m.—Pressure has increased moderately at Wladivostock and decreased moderately from S.W. Japan to Formosa. It is nearly stationary elsewhere.

An area of low pressure with, apparently, shallow gradients, extends from Indo-China to the Philippines and the Loochoos.

Fresh monsoon may be expected along the S.E. coast of China and light variable winds over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·43 inch. Total since January 1st, 2·43 inches, against an average of 1·20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hongkong and Lamocks.	N.E. winds, moderate; overcast, drizzle or mist.
3.—Hongkong to Gap Rock,	N.E. winds, moderate; overcast, drizzle or mist.
4.—South coast of China between Hongkong and Hainan, .	N.E. winds, moderate; overcast, drizzle or mist.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	28th January, 1925.								29th January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.01	762.3	17	...	NNE	2	c	6	30.15	765.8	3	...	NNE	3	c
Nemuro,	11	29.61	752.0	...	...	...	0	...	5	29.76	756.0	...	...	SW	1	...
Hokodate,	,,	29.69	754.0	...	...	W	6	...	,,	29.82	757.5	...	...	NNW	1	...
Tokio,	,,	29.74	755.5	...	...	NE	1	...	,,	29.92	760.0	...	...	NE	1	...
Kochi,	,,	29.88	759.0	...	...	NW	1	...	,,	29.98	761.5	...	...	...	0	...
Nagasaki,	,,	30.00	762.0	...	...	N	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.96	761.0	...	...	N	1	...	,,	29.98	761.5	...	...	NW	1	...
Oshima,	,,	29.90	759.5	...	...	NE	2	...	,,	29.90	759.5	...	...	...	0	...
Naha,	,,	29.84	758.0	...	...	NE	2	...	,,	29.84	758.0	...	...	E	1	...
Ishigakijima,	,,	29.86	758.5	...	...	NE	4	...	,,	29.82	757.5	...	...	NNW	2	...
Bonin Island,	,,	29.78	756.5	...	...	S	2	...	,,	29.84	758.0	...	...	NNE	1	...
Chefoo,	15	30.14	765.5	36	70	NE	2	b	6	30.20	767.1	30	80	NE	2	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.15	765.9	41	46	NNE	1	o	,,	30.10	764.4	34	100	N	1	rf
Gutzlaff,	,,	30.13	765.3	40	56	N	4	o	,,	30.05	763.2	38	91	N	4	r
Sharp Peak,	,,	29.98	761.5	48	89	NE	2	r	7	29.89	759.2	42	66	NW	1	r
Amoy,	15	29.88	758.9	56	94	NE	2	r	9	29.79	756.6	54	94	ENE	4	r
Swatow,	,,	29.77	756.1	76	100	ENE	2	or	8	...	...	...	...	...	...	...
Taihoku,	11	29.94	760.5	64	86	E	2	o	5	29.78	756.3	61	96	ENE	4	o
Taichu,	,,	29.92	759.9	81	...	NE	2	r	,,	29.81	757.2	61	...	...	0	o
Tainan,	,,	29.86	758.4	66	...	...	0	o	,,	29.80	756.9	61	...	...	0	b
Koshun,	,,	29.86	758.4	79	...	N	2	o	,,	29.80	756.9	68	...	...	0	b
Pescadores,	,,	29.91	759.6	59	...	NNE	4	r	,,	29.81	757.2	59	...	NNE	4	o
Canton,	14	29.81	757.2	56	94	N	1	o	6	...	...	...	...	...	...	...
Hongkong,	,,	29.79	756.6	59	95	E	5	od	,,	29.77	756.1	58	92	E	6	o
Gap Rock,	,,	29.78	756.3	...	...	NE	5	om	,,	29.75	755.6	...	...	E	5	cd
Macao,	,,	29.76	756.0	59	98	NNE	1	of	,,	29.75	755.7	54	100	NNW	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.72	754.8	61	98	SSE	4	of	7	29.79	756.6	59	100	ENE	2	rf
Tourane,	,,	29.72	754.8	73	...	E	2	o	,,	29.73	755.1	75	...	...	0	b
Cape St. James,	,,	29.79	756.6	79	...	ENE	2	o	,,	29.79	756.6	73	...	...	0	b
Basco,	14	29.75	755.7	82	77	N	4	o	6	29.78	756.3	68	96	...	0	b
Aparri,	,,	29.78	756.3	84	74	NNE	4	o	,,	29.80	756.9	73	92	...	0	r
Manila,	,,	29.76	756.0	86	65	W	2	o	,,	29.80	756.9	72	94	SE	1	b
Legaspi,	,,	29.76	756.0	86	71	NNE	2	o	,,	29.79	756.6	75	98	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	90	55	S	2	o	,,	29.78	756.3	73	92	...	0	o
Surigao,	,,	29.76	756.0	79	89	E	2	o	,,	29.76	755.0	72	96	W	1	b
Guam,	12.20	29.79	756.6	...	...	ENE	2	b	4.20	29.79	756.6	...	...	E	2	o
Yap,	12.47	29.78	756.3	...	...	ENE	4	o	4.47	29.79	756.6	...	...	ENE	4	o
Labuan,	14	29.72	754.9	84	83	S	4	h	6	29.80	756.9	76	84	SE	2	o

January 29d. 11h. 45m.—Pressure has increased moderately from Wladivostock to central and N.E. Japan, and decreased moderately from Shanghai to N. Formosa. Changes are small elsewhere.

The anticyclone over China has merged into a large anticyclone central over S.E. Mongolia.

There is still an area of low pressure South of latitude 22° or 23°, with minimum over Indo-China.

Light variable winds may be expected over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·87 inch. Total since January 1st, 3·30 inches, against an average of 1·28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; overcast, rain.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	29th January, 1925.								30th January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.11	764.9	11	...	NNE	5	b	6	30.18	766.6	−3	...	NNE	4	c
Nemuro,	11	29.78	756.5	...	...	W	2	...	5	29.88	759.0	...	...	SW	1	...
Hokodate,	"	29.84	758.0	...	...	WNW	4	...	"	29.84	758.0	...	...	NNW	1	...
Tokio,	"	29.94	760.5	...	...	NNE	1	...	"	29.73	755.0	...	...	NNW	1	...
Kochi,	"	29.96	761.0	...	...	WNW	1	...	"	29.65	753.0	...	...	...	0	...
Nagasaki,	"	29.96	761.0	...	...	N	1	...	"	29.82	757.5	...	...	N	3	...
Kagoshima,	"	29.90	759.5	...	...	NW	1	...	"	29.76	756.0	...	...	...	...	...
Oshima,	"	29.84	758.0	...	...		...	...	"	29.80	757.0	...	...	N	4	...
Naha,	"	29.74	755.5	...	...	SSE	3	...	"	29.82	757.5	...	...	N	4	...
Ishigakijima,	"	29.74	755.5	...	...	SW	3	...	"	29.86	758.5	...	...	N	3	...
Bonin Island,	"	29.86	758.5	...	...	NE	1	...	"	29.67	753.5	...	...	SW	3	...
Chefoo,	15	30.23	767.8	26	87	N	4	o	6	30.37	771.4	24	100	N	6	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.07	763.8	36	93	NNW	1	r	"	30.33	770.4	32	96	NNW	4	b
Gutzlaff,	"	30.03	762.7	38	91	N	4	r	"	30.30	769.6	34	82	NNW	6	o
Sharp Peak,	"	29.85	758.2	52	90	N	1	r	7	30.06	763.5	46	73	N	4	o
Amoy,	15	29.76	755.9	56	94	ENE	4	r	9	29.98	761.5	50	93	ENE	4	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.80	756.9	63	96	W	2	r	5	30.05	763.2	50	87	NW	2	r
Taichu,	"	29.84	757.8	61	...	N	2	o	"	29.92	759.9	50	...	N	4	o
Tainan,	"	29.79	756.6	77	...	SSE	2	o	"	29.88	759.0	54	...	N	4	o
Koshun,	"	29.81	757.2	75	...	...	0	o	"	29.82	757.5	64	...	NNE	4	o
Pescadores,	"	29.85	758.1	73	...	NNE	4	o	"	29.94	760.5	54	...	NNE	6	o
Canton,	14	29.82	757.4	53	86	N	2	o	6	...	...	...	...	...	...	...
Hongkong,	"	29.75	755.6	60	94	W	2	or	"	30.06	763.5	49	57	N	3	b
Gap Rock,	"	29.74	755.4	...	...	NNW	5	o	"	30.05	763.2	...	...	N	5	o
Macao,	"	29.74	755.4	55	90	NNW	4	o	"	30.04	762.9	57	72	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.75	755.7	64	80	NNE	1	o	7	30.01	762.3	54	59	NE	4	o
Tourane,	"	29.67	753.6	81	...	W	2	b	"	29.94	760.5	66	...	NW	6	o
Cape St. James,	"	29.74	755.4	86	...	SW	2	b	"	29.80	756.9	75	...	W	2	b
Basco,	14	29.74	755.4	82	77	SE	2	o	6	29.81	757.2	66	90	N	6	r
Aparri,	"	29.69	754.2	84	74	NE	4	b	"	29.76	756.0	73	96	...	0	b
Manila,	"	29.72	754.8	90	57	WSW	2	b	"	29.81	757.2	73	94	ESE	1	b
Legaspi,	"	29.74	755.4	86	78	NNE	2	o	"	29.79	756.6	73	96	...	0	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.71	754.5	86	68	SSW	4	o	"	29.78	756.3	73	96	N	2	b
Surigao,	"	29.72	754.8	82	77	NNE	2	b	"	29.78	756.3	73	96	S	1	b
Guam,	12.20	29.79	756.6	...	...	ENE	2	o	4.20	29.82	757.5	...	...	E	1	b
Yap,	12.47	29.74	755.4	...	...	ENE	4	o	4.47	29.78	756.3	...	...	ENE	4	o
Labuan,	14	29.72	754.9	84	83	S	2	b	6	29.77	756.1	77	94	NE	1	b

January 30*d.* 12*h.* 00*m.*—Pressure has increased considerably over China and decreased considerably over central Japan. It is nearly stationary over the Philippines.

The anticyclone has strengthened considerably and spread southward.

The Loochoos depression has deepened and moved to the south of Tokio.

Strong monsoon may be expected along the coast of China and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·03 inch. Total since January 1st, 4·33 inches, against an average of 1·36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong; fine.
2.—South coast of China between Hongkong and Lamocks,	N. winds, strong; fine.
3.—Hongkong to Gap Rock,	N. winds, strong; fine.
4.—South coast of China between Hongkong and Hainan,	N. winds, strong; fine.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	30th January, 1925.								31st January, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock.	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	...	...	...	...	...	...	...	5	29.71	754.5	...	...	NNW	2	...
Hokodate,	"	29.78	756.5	...	...	N	1	...	"	29.80	757.0	...	...	WNW	2	...
Tokio,	"	29.61	752.0	...	...	NNW	2	...	"	29.76	756.0	...	...	NW	1	...
Kochi,	"	...	...	...	...	...	...	...	"	29.98	761.5	...	...	...	...	...
Nagasaki,	"	29.86	758.5	...	...	NNW	3	...	"	30.08	764.0	...	...	N	3	...
Kagoshima,	"	29.82	757.5	...	...	NNW	1	...	"	30.06	763.5	...	...	...	...	...
Oshima,	"	29.88	759.0	...	...	N	4	...	"	30.08	764.0	...	...	N	4	...
Naha,	"	...	...	...	...	...	...	...	"	30.14	765.5	...	...	NNW	4	...
Ishigakijima,	"	30.02	762.5	...	...	N	3	...	"	30.18	766.5	...	...	N	2	...
Bonin Island,	"	29.57	751.0	...	...	SW	4	...	"	29.76	756.0	...	...	WSW	4	...
Chefoo,	15	...	...	24	87	NNW	6	o	6	30.51	774.9	24	77	NNW	4	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.38	771.6	32	44	NW	4	o	"	30.52	775.2	25	100	NW	2	of
Gutzlaff,	"	30.35	770.9	32	68	NNW	7	o	"	30.45	773.4	30	88	NNW	7	o
Sharp Peak,	"	30.15	765.8	42	88	N	1	o	7	30.33	770.4	40	89	NNW	2	o
Amoy,	15	30.08	764.0	56	57	NNE	4	b	9	30.29	769.3	42	66	ENE	4	b
Swatow,	"	30.04	763.0	52	79	N	2	c	8	30.28	769.1	40	82	N	1	b
Taihoku,	11	30.19	766.8	48	78	NNW	2	r	5	30.31	769.8	43	91	SE	2	r
Taichu,	"	30.05	763.2	50	...	N	4	o	"	30.20	767.1	45	...	N	2	o
Tainan,	"	30.02	762.6	59	...	N	1	o	"	30.18	766.5	45	...	N	4	o
Koshun,	"	29.95	760.8	64	...	NNE	4	r	"	...	...	...	...	...	...	...
Pescadores,	"	30.10	764.4	54	...	NNE	10	o	"	30.21	767.4	48	...	NNE	6	o
Canton,	14	30.20	767.1	51	72	N	2	c	6	...	...	...	...	...	...	...
Hongkong,	"	30.11	764.8	53	42	NNE	3	o	"	30.29	769.3	42	44	N	3	b
Gap Rock,	"	30.10	764.5	...	...	N	6	c	"	30.28	769.1	...	...	N	5	c
Macao,	"	...	...	...	...	...	...	...	"	30.28	769.2	41	46	N	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.13	765.3	63	35	NE	4	b	7	30.33	770.4	48	54	NE	4	o
Tourane,	"	30.02	762.6	61	...	NW	6	of	"	30.17	766.2	57	...	NW	6	of
Cape St. James,	"	29.78	756.3	86	...	SSW	2	b	"	29.87	758.7	72	...	ENE	2	o
Basco,	14	29.85	758.1	66	88	N	6	r	6	30.06	763.5	64	82	N	6	r
Aparri,	"	29.82	757.5	72	91	NE	4	r	"	29.98	761.4	70	77	NE	6	r
Manila,	"	29.75	755.7	86	58	SW	4	b	"	29.86	758.4	75	89	...	o	o
Legaspi,	"	29.75	755.7	86	71	NNE	1	o	"	29.82	757.5	73	96	...	o	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.73	755.1	86	65	NE	2	b	"	29.81	757.2	75	98	NNW	2	b
Surigao,	"	29.73	755.1	86	75	NE	2	o	"	29.79	756.6	73	96	...	o	b
Guam,	12.20	29.78	756.3	...	...	F	2	b	4.20	29.86	758.4	...	...	E	1	b
Yap,	12.47	29.75	755.7	...	...	ESE	4	o	4.47	29.82	757.5	...	...	NE	4	b
Labuan,	14	29.72	754.9	84	83	SW	2	b	6	29.78	756.4	77	94	S	1	o

January 31*d.* 11*h.* 20*m.*—Pressure has increased considerably from S.W. Japan to Formosa, moderately from Shanghai to Indo-China and slightly over the Philippines.

The anticyclone has strengthened and spread South and East.

Strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·33 inches, against an average of 1·44 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

FEBRUARY,

1925.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,

DIRECTOR.

HONGKONG:

PRINTED BY NORONHA & Co.

GOVERNMENT PRINTERS.

1925.

[*Price* 60c.]

ARMY MEDICAL LIBRARY
365021
WASHINGTON, D. C. U. S. A.

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

FEBRUARY,

1925.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of FEBRUARY, 1925.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30·285	30·277	30·271	30·257	30·259	30·270	30·281	30·291	30·299	30·313	30·310	30·289	1
2	30·247	30·240	30·231	30·223	30·223	30·231	30·251	30·251	30·261	30·271	30·263	30·232	2
3	30·196	30·174	30·160	30·164	30·166	30·192	30·203	30·214	30·228	30·228	30·213	30·198	3
4	30·133	30·114	30·102	30·098	30·096	30·096	30·118	30·134	30·145	30·158	30·153	30·118	4
5	30·052	30·036	30·016	29·994	29·996	30·003	30·028	30·034	30·044	30·056	30·044	30·016	5
6	29·994	29·986	29·982	29·983	29·980	29·990	30·004	30·028	30·048	30·057	30·038	30·028	6
7	30·054	30·059	30·060	30·063	30·072	30·087	30·118	30·135	30·154	30·172	30·173	30·145	7
8	30·158	30·147	30·144	30·140	30·144	30·152	30·170	30·183	30·197	30·213	30·209	30·188	8
9	30·141	30·131	30·125	30·097	30·081	30·080	30·086	30·104	30·130	30·147	30·126	30·093	9
10	30·077	30·078	30·067	30·055	30·057	30·064	30·089	30·108	30·128	30·139	30·145	30·115	10
11	30·105	30·121	30·109	30·103	30·092	30·085	30·109	30·132	30·141	30·169	39·164	30·131	11
12	30·044	30·016	29·987	29·981	29·974	29·999	30·013	30·022	30·056	30·069	30·048	30·033	12
13	30·002	30·003	29·990	29·993	29·993	30·002	30·032	30·048	30·054	30·072	30·058	30·031	13
14	30·069	30·052	30·042	30·034	30·016	30·036	30·032	30·064	30·068	30·064	30·068	30·047	14
15	29·964	29·972	29·954	29·928	29·927	29·945	29·985	29·981	30·005	30·017	29·999	29·979	15
16	29·914	29·899	29·892	29·889	29·885	29·890	29·922	29·941	29·951	29·945	29·926	29·909	16
17	29·885	29·862	29·846	29·840	29·845	29·844	29·838	29·834	29·848	29·857	29·850	29·822	17
18	29·795	29·765	29·765	29·738	29·766	29·758	29·768	29·788	29·788	29·808	29·799	29·773	18
19	29·813	29·796	29·808	29·804	29·814	29·851	29·898	29·927	29·957	29·979	29·975	29·958	19
20	30·080	30·083	30·064	30·062	30·064	30·074	30·092	30·111	30·122	30·158	30·144	30·129	20
21	30·127	30·125	30·112	30·101	30·096	30·105	30·119	30·138	30·159	30·164	30·160	30·144	21
22	30·107	30·100	30·088	30·071	30·059	30·075	30·098	30·111	30·122	30·131	30·126	30·106	22
23	30·090	30·086	30·090	30·070	30·065	30·070	30·094	30·092	30·097	30·109	30·095	30·080	23
24	30·085	30·079	30·086	30·067	30·090	30·065	30·078	30·085	30·103	30·091	30·083	30·056	24
25	30·061	30·061	30·059	30·066	30·055	30·035	30·050	30·057	30·067	30·075	30·073	30·050	25
26	30·060	30·059	30·042	30·032	30·023	30·031	30·046	30·077	30·075	30·080	30·075	30·049	26
27	30·075	30·084	30·069	30·063	30·067	30·070	30·079	30·094	30·111	30·115	30·112	30·093	27
28	30·049	30·043	30·004	30·000	29·994	30·000	30·013	30·021	30·027	30·032	30·028	30·019	28

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins	ins.	
1	30·249	30·227	30·213	30·203	30·211	30·217	30·219	30·235	30·250	30·258	30·264	30·263	1
2	30·201	30·168	30·152	30·150	30·157	30·170	30·186	30·204	30·209	30·211	30·214	30·198	2
3	30·164	30·131	30·103	30·095	30·100	30·109	30·115	30·121	30·140	30·139	30·143	30·131	3
4	30·090	30·055	30·028	30·007	30·013	30·015	30·016	30·018	30·038	30·046	30·048	30·054	4
5	29·988	29·955	29·942	29·942	29·947	29·948	29·954	29·978	29·992	29·992	29·996	29·996	5
6	30·014	29·984	29·972	29·961	29·960	29·972	29·983	30·005	30·020	30·030	30·041	30·045	6
7	30·114	30·078	30·055	30·049	30·053	30·063	30·072	30·092	30·118	30·130	30·146	30·155	7
8	30·158	30·126	30·104	30·098	30·106	30·107	30·115	30·126	30·137	30·143	30·148	30·152	8
9	30·064	30·018	29·992	29·974	29·985	29·992	30·004	30·018	30·035	30·044	30·058	30·075	9
10	30·092	30·057	30·032	30·044	30·049	30·058	30·066	30·089	30·102	30·109	30·118	30·123	10
11	30·103	30·069	30·042	30·015	30·004	30·008	30·018	30·027	30·035	30·048	30·056	30·032	11
12	30·005	29·967	29·934	29·934	29·947	29·948	29·959	29·968	29·982	29·987	29·990	29·992	12
13	30·018	29·988	29·968	29·980	29·989	30·001	30·004	30·025	30·044	30·066	30·078	30·078	13
14	30·033	29·996	29·981	29·960	29·956	29·965	29·986	30·000	30·010	30·017	30·021	30·001	14
15	29·952	29·919	29·900	29·895	29·890	29·898	29·903	29·924	29·936	29·931	29·932	29·930	15
16	29·882	29·850	29.832	29·822	29·813	29·827	29·834	29·852	29·864	29·872	29·884	29·884	16
17	29·785	29·752	29·724	29·702	29·724	29·728	29·737	29·746	29·777	29·790	29·786	29·755	17
18	29·745	29·718	29·691	29·685	29·679	29·699	29·710	29·733	29·749	29·767	29·777	29·787	18
19	29·948	29·925	29·919	29·930	29·959	29·971	29·983	30·007	30·033	30·065	30·072	30·072	19
20	30·108	30·072	30·046	30·030	30·038	30·044	30·067	30·090	30·110	30·127	30·131	30·126	20
21	30·118	30·088	30·068	30·050	30·042	30·055	30·062	30·084	30·093	30·108	30·106	30·109	21
22	30·081	30·056	30·028	30·006	30·020	30·038	30·049	30·059	30·057	30·040	30·087	30·086	22
23	30·049	30·030	30·020	30·003	30·018	30·018	30·030	30·042	30·057	30·084	30·082	30·078	23
24	30·016	29·991	29·981	29·987	29·993	30·006	30·013	30·039	30·049	30·056	30·066	30·064	24
25	30·016	29·989	29·970	29·973	29·985	29·986	30·014	30·017	30·027	30·040	30·056	30·067	25
26	30·020	29·997	29·962	29·959	29·966	29·987	30·014	30·021	30·042	30·047	30·078	30·089	26
27	30·073	30·045	30·025	30·011	30·002	30·013	30·005	30·022	30·040	30·038	30·052	30·042	27
28	29·989	29·953	29·927	29·916	29·927	29·931	29·940	29·948	29·964	29·983	29·992	30·000	28

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of FEBRUARY, 1925.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	42·8	42·6	41·8	40·9	39·9	40·4	40·8	42·4	44·2	47·5	50·0	49·6	1
2	48·0	47·6	47·0	46·4	46·0	46·1	46·4	47·4	51·2	53·2	56·6	56·2	2
3	54·0	53·7	53·6	53·3	53·3	53·5	53·1	53·5	55·0	57·4	58·1	57·8	3
4	54·9	54·9	55·0	54·8	54·6	54·4	54·3	54·7	55·8	57·1	57·5	59·5	4
5	57·4	57·8	58·0	58·3	58·7	58·1	57·6	57·2	59·0	60·3	62·0	62·5	5
6	62·2	62·6	63·6	64·6	63·2	63·2	61·9	61·8	62·9	66·8	67·7	67·2	6
7	56·3	54·2	53·3	53·7	53·3	53·3	53·0	54·0	57·6	59·4	58·4	60·0	7
8	56·5	56·4	56·4	56·4	56·0	55·7	55·7	55·6	55·5	55·1	55·0	55·9	8
9	56·0	56·0	56·0	55·9	56·2	55·8	56·1	56·1	56·7	56·8	58·1	60·0	9
10	58·9	59·4	60·0	59·3	59·2	59·3	58·4	58·5	57·8	59·3	59·0	59·4	10
11	56·0	56·0	55·0	54·8	54·7	54·5	54·5	54·9	55·8	56·6	57·1	57·6	11
12	57·4	57·0	56·8	56·7	56·9	56·7	56·5	56·9	58·6	59·0	60·7	60·1	12
13	56·5	55·8	55·8	55·4	55·5	55·6	55·4	55·9	56·0	55·5	56·6	57·5	13
14	54·5	55·2	55·2	55·0	55·0	54·9	54·8	55·2	55·3	56·2	56·3	56·0	14
15	56·2	56·1	56·2	56·0	56·0	56·0	56·6	57·0	57·6	57·1	56·7	57·0	15
16	58·2	59·0	58·9	59·1	59·5	58·4	57·3	56·8	57·0	58·3	59·8	59·6	16
17	59·6	59·7	58·6	58·2	58·3	58·0	58·0	58·8	60·0	61·6	62·5	61·3	17
18	61·0	60·8	60·9	60·3	59·0	59·2	59·4	59·8	59·4	59·4	58·8	58·4	18
19	59·0	58·7	57·7	58·0	57·0	55·3	53·8	53·8	53·8	55·0	55·8	55·9	19
20	49·1	48·2	47·3	46·8	46·0	45·1	45·2	46·1	48·9	51·1	53·0	54·6	20
21	50·0	50·5	51·2	51·5	51·4	51·1	50·5	51·0	53·5	56·3	57·0	58·2	21
22	54·1	55·9	54·6	55·4	53·8	52·8	52·5	56·5	58·7	59·8	59·4	60·5	22
23	56·4	56·0	55·8	56·0	56·4	55·6	55·8	56·4	56·5	56·5	56·7	56·7	23
24	57·4	56·4	55·0	54·9	53·2	52·7	53·0	52·4	53·6	55·6	55·9	56·1	24
25	51·0	50·5	50·5	50·1	50·5	50·7	50·3	50·8	51·6	52·3	52·5	52·3	25
26	48·5	48·0	47·4	47·5	47·3	46·8	47·0	47·9	50·5	51·9	53·7	54·9	26
27	52·9	51·7	52·3	51·4	50·5	50·3	49·9	53·6	55·3	56·1	58·0	58·5	27
28	53·6	53·7	53·7	53·8	54·0	55·0	55·3	55·9	56·3	56·6	58·5	58·1	28

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	50·6	53·0	52·8	52·6	52·4	51·2	49·4	48·5	48·0	47·2	46·4	46·6	1
2	56·0	56·8	57·4	55·7	55·0	53·9	52·7	53·2	53·3	53·4	54·6	54·4	2
3	57·9	57·8	57·0	56·0	56·0	55·0	54·7	54·8	54·6	55·0	54·7	55·0	3
4	59·0	59·0	59·4	58·0	57·8	57·7	56·5	56·5	56·5	56·6	56·6	56·9	4
5	63·2	63·8	63·8	63·0	62·8	62·2	62·0	61·3	60·7	62·0	61·7	62·0	5
6	63·3	62·8	61·3	61·0	60·2	58·5	58·4	59·3	58·7	58·4	58·1	58·4	6
7	60·7	63·0	63·8	63·1	61·2	59·7	58·1	56·8	56·1	56·3	56·7	56·4	7
8	56·6	57·1	56·5	56·4	56·3	56·1	56·0	56·3	56·6	56·8	56·8	56·4	8
9	61·5	62·0	61·1	61·1	58·7	59·0	59·0	57·9	57·0	57·2	58·3	58·6	9
10	61·0	62·0	62·3	59·9	58·3	56·8	56·7	56·1	55·8	55·8	55·9	55·4	10
11	56·5	56·1	56·1	56·4	56·2	56·0	56·0	56·3	56·0	56·0	56·0	56·3	11
12	60·2	61·4	63·0	62·0	58·2	57·9	58·0	58·3	58·5	58·5	58·2	58·0	12
13	57·6	58·4	58·5	57·1	56·5	55·6	54·8	54·8	54·5	53·9	53·9	53·4	13
14	56·1	56·4	56·6	56·8	56·7	57·0	57·0	57·5	57·4	57·0	57·3	57·0	14
15	57·7	58·2	57·7	57·5	56·9	56·8	57·4	57·6	57·5	57·6	57·9	58·0	15
16	61.0	60·8	61·7	60·6	59·8	58·7	58.2	58·4	58·5	59·0	59·0	59·7	16
17	63·1	63·4	63·5	62·6	62·6	61·8	61·3	61·1	60·5	60·6	61·5	61·0	17
18	58·3	59·0	60·4	60·3	61·0	59·2	59·2	59·7	59·8	59·9	60·2	58·9	18
19	54·8	53·1	52·4	51·7	49·2	49·9	49·9	50·3	49·9	49·3	49·5	49·3	19
20	54·8	55·6	56·7	55·8	55·2	54·0	53·8	51·5	50·3	51·0	50·4	50·5	20
21	62·3	61·6	59·7	59·1	59·5	58·2	56·8	56·0	55·7	54·9	54·3	53·2	21
22	59·8	60·8	60·0	59·0	59·2	58·3	57·9	57·3	57·0	56·6	55·8	55·9	22
23	57·2	57·0	57·4	57·5	58·0	57·6	57·6	57·3	57·0	57·2	56·8	56·0	23
24	55·9	55·9	55·8	55·0	54·4	52·2	51·3	51·7	52·0	51·7	51·0	50·8	24
25	51·1	51·2	51·1	50·2	49·9	48·6	48·4	48·4	48·5	48·5	48·6	48·8	25
26	56·9	57·5	58·0	58·3	58·7	57·6	56·2	55·5	55·3	54·4	54·6	53·5	26
27	58·6	58·8	57·7	57·1	56·3	55·6	55·0	54·3	54·0	53·8	53·9	54·4	27
28	59·4	59·9	59·2	58·9	57·5	56·7	55·7	56·2	56·2	56·3	56·5	56·7	28

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of FEBRUARY, 1925.

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	36·0	35·5	34·9	34·5	34·4	34·3	34·5	35·9	38·0	40·8	42·0	42·0	1
2	41·0	41·8	41·8	41·0	40·5	40·0	40·0	41·0	42·7	44·2	46·6	46·2	2
3	50·2	49·9	49·3	49·5	49·1	49·0	48·6	48·8	49·1	50·5	50·8	50·4	3
4	52·0	51·9	51·8	51·9	51·7	51·0	51·2	51·3	51·7	53·0	52·3	53·0	4
5	54·2	54·3	54·4	54·4	54·6	54·5	54·8	54·9	55·4	56·0	56·9	57·3	5
6	56·4	56·6	57·0	57·2	57·0	57·6	57·5	58·3	59·9	62·0	62·2	61·6	6
7	52·8	51·2	50·0	50·2	50·1	50·4	49·8	50·2	53·0	53·4	53·0	53·8	7
8	54·0	54·2	54·2	54·2	54·0	53·7	53·7	53·7	53·5	53·3	53·0	53·4	8
9	53·0	53·0	52·8	52·4	52·3	52·5	52·5	52·7	53·2	53·0	54·2	54·6	9
10	54·9	55·6	55·3	55·3	55·2	55·2	55·0	54·7	55·0	55·2	54·5	54·6	10
11	52·9	52·8	52·1	51·9	51·7	51·5	51·7	51·9	52·5	53·0	53·5	53·0	11
12	54·6	54·5	54·2	54·6	54·5	54·5	54·5	54·7	55·6	55·3	56·0	55·5	12
13	54·5	54·3	54·4	54·0	53·8	53·6	53·4	53·5	53·2	53·1	54·0	54·1	13
14	52·6	52·4	52·2	52·0	51·9	51·0	51·2	51·8	52·0	52·6	52·9	52·8	14
15	54·2	53·7	53·6	53·3	53·6	53·2	53·9	54·0	54·6	55·0	55·3	55·4	15
16	56·0	56·1	56·1	56·1	56·0	55·8	55·5	55·5	55·7	56·3	57·0	57·0	16
17	56·4	56·9	56·4	56·8	56·6	55·9	55·8	56·3	57·5	58·0	58·0	57·7	17
18	58·2	57·9	57·9	57·3	57·0	56·7	56·8	56·9	57·1	57·7	57·7	57·9	18
19	57·6	57·1	56·8	56·8	54·3	52·9	51·5	52·0	51·0	51·5	51·5	51·5	19
20	43·4	42·8	42·0	41·7	41·0	40·6	40·9	41·9	43·7	45·0	46·6	47·7	20
21	44·9	45·0	45·8	45·9	44·7	44·9	43.6	44·0	45·8	46·6	47·0	47·0	21
22	48·0	46·0	45·5	45·0	45·2	44·4	44·6	45·7	47·8	48·9	50·0	50·4	22
23	48·0	48·1	47·3	47·4	47·5	47·4	47·4	47·2	47·5	47·6	47·7	47·4	23
24	49·8	49·3	49·4	49·0	48·9	48·7	48·9	49·0	49·7	50·0	49·9	50·0	24
25	48·9	49·3	49·0	48·9	48·3	48·5	48·2	48·7	49·0	49·2	48·8	48·8	25
26	46·9	46·3	45·3	45·0	44·1	44·2	43·5	44·0	45·4	46·6	48·0	48·3	26
27	44·9	44·0	43·5	43·3	42·5	42·2	41·9	44·3	45·3	44·6	45·9	45·6	27
28	48·2	48·5	47·0	46·2	46·9	46·8	46·8	47·3	47·5	48·3	48·8	48·9	28

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	42·3	43·8	44·0	44·3	44·6	43·2	41·4	40·7	40·4	38·8	39·0	39·9	1
2	46·6	47·5	48·4	47·4	48·2	47·7	47·1	47·7	48·6	49·1	51·0	50·9	2
3	51·1	51·0	50·8	51·0	52·1	51·9	52·0	52·0	52·0	52·0	51·8	51·6	3
4	53·1	53·6	54·3	54·1	54·1	54·1	53·8	53·7	53·8	53·9	53·8	54·0	4
5	57·8	58·0	58·3	57·7	57·8	57·1	57·0	56·8	56·1	56·2	56·4	56·1	5
6	58·8	58·1	57·9	57·5	57·0	55·9	55·8	56·0	55·5	55·4	55·0	54·4	6
7	54·0	55·0	55.6	56·1	55·5	55·1	53·7	53·3	53·7	54·0	54·6	54·1	7
8	53·8	54·1	53·3	53·1	53·0	52·9	52·6	52·8	52·7	52·9	52·8	52·2	8
9	55·8	56·5	56·6	57·0	56·0	56·1	55·6	55·5	55·2	54·7	54·9	54·8	9
10	55·9	56·3	56 4	55·2	54·9	54·1	54·1	53.9	53·0	53·0	52·7	52·8	10
11	52·3	52·7	52·9	53·2	53·0	53·3	53·3	53·7	53·5	53·5	53·4	53·8	11
12	55·8	56·7	58·0	57·1	56·0	55·9	56·0	56·0	56·1	56·2	56·0	55·2	12
13	54·5	55·0	54·4	53·1	52·2	51·4	50·6	50·5	50·7	51·5	51·2	51·1	13
14	52·7	52·8	53·0	53·3	53·4	53·7	53·8	54·0	54·3	54·5	54·5	54·4	14
15	56·1	56·2	55·6	55·4	55·0	55·1	55·3	56·0	56·2	56·0	56·0	56·0	15
16	58·0	57·3	57·9	57·0	56·7	56·0	55·7	55·7	56·0	55·7	55·8	56·1	16
17	58·9	58·5	59·0	58·7	58·1	57·7	57·7	57·9	58·0	58·0	58·0	58·0	17
18	57·9	58·0	58·7	58·4	58·4	57·4	57·5	57·7	57·9	57·6	57·9	57·0	18
19	50·5	48·5	47·5	47·0	46·9	46·7	45·9	44·8	44·3	44·2	44·1	44·1	19
20	47·0	49·0	48·0	47·8	47·8	47·5	46·8	45·1	46·0	47·0	46·8	44·2	20
21	48·6	48·4	49·6	49·4	48·3	48·6	49·9	49·6	48·8	48·0	48·3	48·0	21
22	50·6	51·3	51·1	51·8	51·1	51·0	51·6	51·5	51·0	49·1	49·0	49·2	22
23	47·3	47·0	47·3	47·6	48·0	48·8	48·4	48·7	49·0	49·6	49·4	50·0	23
24	49·9	50·5	50·7	50·5	50·3	50·0	49·7	49·5	49·5	49·3	49·4	49·6	24
25	48·2	48·2	48·1	47·5	47·1	46·6	48·3	46·1	46·2	46·0	45·7	45·8	25
26	49·9	49·7	50·0	49·8	49·9	48·8	47·2	46·8	46·8	45·7	45·1	45·3	26
27	45·7	46·4	46·8	46·4	47·3	47·2	47·0	47·3	48·3	48·8	48·8	49·0	27
28	50·0	51·0	50·4	50·8	51·5	51·8	51·9	51·8	52·9	52·7	52·7	52·4	28

TABLE IV.—AMOUNT OF CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of FEBRUARY, 1925.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Mdn.	
1	...	...	...	...	...	1	7	9	3	2	1	...	...	...	...	...	...	1	...	...	...	...	...	...	1
2	...	...	...	...	...	1	3	2	1	1	2	3	4	4	1	1	2	3	1	10	10	8	10	9	2
3	10	10	10	10	10	10	10	10	10	1	1	1	2	3	...	...	1	2	2	4	5	9	10	10	3
4	10	10	10	10	10	10	10	10	10	9	9	7	2	4	7	5	1	2	9	7	4	8	9	9	4
5	9	10	8	6	8	7	9	10	10	10	9	9	7	9	10	10	10	10	10	8	5	3	2	2	5
6	5	7	9	10	7	6	4	9	10	10	3	8	4	2	8	3	2	2	3	3	...	...	...	...	6
7	...	...	...	4	3	2	2	6	9	10	10	10	10	2	2	...	...	...	3	2	1	6	8	10	7
8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8
9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	4	10	7	2	3	...	...	9	10	9
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
11	10	10	10	10	10	10	9	9	6	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	11
12	10	10	10	10	10	10	9	8	10	10	10	10	10	10	8	10	10	10	10	10	10	10	10	10	12
13	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	13
14	10	10	10	10	10	10	7	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	14
15	4	10	10	10	7	1	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	15
16	10	10	10	10	10	10	10	10	10	10	10	10	8	8	10	10	10	10	10	10	10	10	10	10	16
17	10	6	3	10	10	10	10	8	7	6	2	4	5	6	4	4	10	10	10	10	10	10	10	10	17
18	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	18
19	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	19
20	10	10	10	10	10	10	5	2	2	4	7	8	10	8	1	2	2	...	...	...	...	...	...	...	20
21	...	10	10	10	10	10	10	10	1	6	10	10	9	5	4	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	10	7	6	9	22
23	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	23
24	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	24
25	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	25
26	10	10	10	10	10	9	4	5	7	6	9	9	4	2	1	1	1	2	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	2	1	...	...	...	...	...	27
28	...	6	2	4	10	8	9	9	10	9	10	10	9	9	9	10	10	10	10	10	10	10	10	10	28

TABLE V.—AMOUNT OF SUNSHINE registered in each HOUR of the DAY, in the MONTH of FEBRUARY, 1925
(... = *No Sunshine recorded.*)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	0·6	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	1
2	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1.0	1·0	0·7	...	2
3	...	...	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	3
4	...	...	...	0·1	1·0	1·0	1·0	1·0	0·5	0·4	1·0	0.9	...	4
5	...	...	0·1	0·1	0·3	0·5	0·7	0·6	0·1	0·1	0·1	...	...	5
6	...	...	...	0·1	0·9	1·0	0·6	1·0	0·6	0·9	1·0	0·7	...	6
7	...	...	0·4	0·2	...	...	...	0·4	0·4	1·0	1·0	0·7	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	0·9	0·1	...	...	9
10	...	...	...	0·1	...	...	...	...	0·7	0·1	...	...	...	10
11	...	...	0·6	0·9	0·1	0·7	...	...	...	...	...	...	...	11
12	...	0·1	0·7	...	...	...	...	...	0·3	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	0.2	...	0·8	1·0	0·8	0·4	...	...	...	...	16
17	...	0·1	0·8	1·0	1·0	0·7	1·0	1·0	1·0	1·0	0·5	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	0·7	1·0	0·8	0·8	0·4	...	0·7	1·0	1·0	1·0	0·6	...	20
21	...	...	0·9	1·0	0·6	0·5	0·6	0·8	1·0	1·0	1·0	0·8	...	21
22	...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	0·4	0·7	0·5	...	0·3	0·5	1·0	1·0	1·0	1·0	0·9	...	26
27	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	27
28	...	0·1	0·2	...	0·4	0·5	0·9	0·3	0·1	...	...	...	...	28

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of FEBUARY, 1925.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	d	...	...	...	...	5
6	...	...	...	...	...	...	...	...	d	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	d	d	d	d	d	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	d	...	...	...	d	d	d	...	...	...	...	...	12
13	0·025	...	0·005	...	...	...	d	...	...	...	...	...	13
14	d	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	d	15
16	...	...	...	...	...	...	...	d	d	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	d	d	d	18
19	d	d	d	d	0·015	0·070	0·010	d	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	d	...	...	...	...	...	...	23
24	...	...	...	...	...	d	0·010	...	...	...	...	...	24
25	0·030	0·015	0·025	0·030	0·010	d	...	...	...	...	...	...	25
26	0·010	d	d	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	d	d	d	d	d	d	10
11	...	...	...	...	...	...	...	...	...	d	...	...	11
12	...	...	...	...	...	...	...	...	...	d	d	d	12
13	...	...	...	...	...	...	...	...	d	d	d	d	13
14	...	...	...	...	...	...	...	d	...	...	...	...	14
15	d	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	0·005	d	d	...	...	...	...	...	...	...	...	d	18
19	...	...	...	d	0·010	...	d	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	d	d	d	...	d	...	...	23
24	...	...	...	...	...	d	0·005	...	0·025	d	0·045	0·010	24
25	...	...	...	d	0·005	0·005	0·010	d	...	...	...	d	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	d	d	0·010	d	...	...	d	...	28

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of FEBRUARY, 1925.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hongkong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	1	5	1	9	1	10	1	11	1	6	32	4	1	11	1	8	1	6	3	3	6	7	7	9	1
2	...	...	1	3	1	9	1	11	1	12	1	6	1	3	1	8	1	8	2	7	5	8	7	13	2
3	8	23	7	26	8	23	7	22	7	14	6	11	6	8	7	7	8	11	8	15	9	23	9	24	3
4	7	26	7	30	7	31	7	26	7	25	7	22	7	20	7	24	8	21	8	25	8	27	8	27	4
5	7	20	7	18	8	17	8	25	7	21	8	26	8	22	7	25	7	22	7	27	8	28	8	30	5
6	11	11	10	11	10	11	12	7	12	3	12	3	...	...	23	3	24	7	...	1	24	5	24	12	6
7	31	3	32	6	1	4	1	8	2	5	2	3	1	7	1	3	1	3	8	2	18	4	19	6	7
8	8	15	8	13	8	13	8	12	7	14	7	16	7	14	7	13	7	12	7	11	7	12	6	11	8
9	7	17	7	13	6	17	5	16	4	18	7	15	8	10	8	17	7	14	8	16	9	11	10	4	9
10	7	7	7	7	8	9	9	9	10	6	10	10	9	11	8	13	7	11	6	10	5	8	6	4	10
11	6	29	6	23	6	27	7	29	7	28	7	29	6	28	6	26	7	25	7	22	8	21	7	25	11
12	7	24	8	26	7	26	8	20	8	18	8	11	8	12	8	12	8	10	9	10	9	13	9	12	12
13	5	5	3	3	...	1	3	3	...	1	4	4	4	5	3	3	3	8	3	5	4	5	4	4	13
14	6	19	6	27	7	27	7	30	7	33	7	28	7	33	7	26	7	22	7	28	6	25	7	26	14
15	8	33	8	26	8	27	8	29	7	22	8	14	7	10	8	19	9	11	9	10	10	13	9	11	15
16	...	1	11	10	9	12	9	5	9	10	9	19	9	14	9	15	8	17	9	19	9	22	9	19	16
17	9	18	8	21	7	20	8	23	7	22	7	23	7	24	7	23	6	23	7	26	6	25	6	26	17
18	8	17	8	22	8	23	8	30	7	26	7	34	7	27	7	29	7	27	7	24	7	24	8	25	18
19	9	22	9	23	9	13	8	9	3	5	2	13	1	8	1	6	1	6	1	7	32	4	32	7	19
20	32	6	32	10	32	13	32	14	32	15	32	15	1	8	1	3	1	8	32	6	26	4	22	4	20
21	28	5	...	...	29	4	32	7	1	8	1	5	1	5	2	4	1	2	...	1	4	7	9	8	21
22	...	1	1	2	3	6	4	8	5	2	...	1	5	2	6	10	7	14	8	20	8	20	9	19	22
23	7	25	7	30	7	25	7	30	7	22	6	21	6	19	7	29	7	26	7	25	7	23	7	27	23
24	5	22	4	17	2	7	32	10	32	16	1	12	1	7	3	9	4	9	4	15	5	16	6	20	24
25	1	6	...	1	32	4	...	1	9	7	31	7	30	4	4	4	3	4	1	7	32	6	1	6	25
26	31	2	29	2	29	2	30	4	...	1	32	4	32	4	32	6	31	8	31	10	31	11	30	10	26
27	32	24	32	14	32	13	32	13	32	14	32	13	32	11	1	5	1	8	4	11	7	17	8	24	27
28	5	18	6	22	7	29	6	22	6	23	6	20	6	16	6	13	7	20	7	22	8	21	8	18	28

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	8	11	12	12	17	5	19	5	17	3	9	2	3	6	2	7	2	5	2	8	2	7	2	2	1
2	9	15	10	15	10	16	10	15	10	13	9	12	8	9	7	8	6	11	6	9	7	18	7	24	2
3	9	23	9	23	9	26	9	25	9	23	8	23	8	22	8	24	8	23	7	25	7	24	7	28	3
4	8	26	9	28	9	24	9	25	9	17	8	19	7	21	6	20	6	18	6	21	6	23	6	21	4
5	8	27	7	27	8	20	9	21	9	16	9	18	9	21	8	16	8	15	9	15	10	13	9	11	5
6	23	14	23	15	22	14	21	17	20	15	21	14	25	14	26	13	26	13	25	11	25	12	25	6	6
7	17	3	13	5	12	10	13	7	23	5	25	4	4	6	9	14	9	13	9	13	8	15	8	14	7
8	7	10	8	12	8	12	8	10	8	11	9	13	8	17	8	13	7	16	8	19	9	18	8	17	8
9	10	5	10	10	9	11	9	10	8	12	8	10	8	12	8	13	7	14	7	11	7	9	8	9	9
10	8	4	9	10	10	14	9	18	8	18	7	17	7	21	6	24	6	29	7	29	6	29	7	33	10
11	7	26	8	26	8	25	7	31	7	28	7	25	7	24	7	26	7	30	7	25	7	26	7	25	11
12	10	9	9	10	10	14	10	7	24	10	23	6	24	5	24	2	24	3	22	3	19	2	12	4	12
13	3	2	2	5	2	6	2	10	2	9	2	9	2	9	3	4	4	5	5	11	6	9	6	11	13
14	7	26	7	27	8	22	8	24	8	23	8	23	8	21	7	20	8	21	8	21	8	29	8	32	14
15	12	4	17	2	22	7	25	8	25	9	25	4	...	1	22	2	21	3	...	...	...	1	...	...	15
16	9	18	9	16	9	14	9	15	8	13	7	16	8	16	8	14	9	14	9	15	10	14	9	16	16
17	6	25	6	22	7	23	8	21	8	15	9	14	9	18	8	19	8	18	8	16	9	19	8	25	17
18	9	20	9	23	9	20	9	22	9	24	9	24	9	24	9	23	9	21	8	25	8	26	8	26	18
19	32	12	32	12	32	12	31	11	32	12	32	7	1	4	2	11	2	10	2	12	1	4	32	5	19
20	16	4	11	7	10	5	10	10	11	7	11	5	12	2	14	5	17	5	20	2	...	1	26	4	20
21	16	4	20	3	21	10	21	10	21	4	21	3	24	5	26	5	26	7	24	4	23	3	...	1	21
22	10	20	10	18	9	21	8	21	7	20	6	16	5	14	6	16	7	25	6	30	6	20	6	22	22
23	8	20	7	20	8	14	7	17	7	18	6	14	6	17	7	31	7	29	6	26	6	29	6	28	23
24	6	23	6	20	5	16	3	11	1	8	32	7	32	8	1	10	1	8	1	12	32	10	1	8	24
25	32	12	32	5	32	5	32	6	32	4	32	3	32	5	1	7	32	5	32	5	32	5	31	2	25
26	30	8	31	8	31	6	32	6	1	11	1	13	1	8	2	8	2	11	2	10	1	14	32	19	26
27	9	23	10	20	11	21	10	17	9	16	7	14	6	10	8	9	9	10	8	12	7	11	5	17	27
28	8	17	8	15	9	14	9	13	9	14	9	15	9	13	8	16	8	20	7	13	7	14	7	14	28

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of FEBRUARY, 1925.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	...	...	...	...	a-cu	WNW	a-cu	WNW	...	...	...	...	...	...	...	...
2	...	...	...	...	ci-cu	WSW	ci-st	W	ci-st	W	ci-st	W	ci-st	W	cu	S
3	st-cu	ESE	st-cu	ESE	st-cu	ESE	a-cu	W	a-cu	W	...	...	cu	E	cu	E
4	cu	E	cu	E	cu	E	a-cu / cu	WSW / E	a-cu	W	a-cu	SW	a-cu / cu	SW / ENE	a-cu	SW
5	a-cu / cu	SW / S	cu	ENE	cu	E	a-cu / cu	SSE / E	a-cu	SSW	cu	E	a-cu	SW	a-cu / cu	SW / ESE
6	a-cu / cu	WSW / SE	a-cu / cu	W / SE	cu	ESE	cu	E	cu	SE	cu	SE	cu	E	...	...
7	...	...	a-cu	SW	a-cu	WSW	cu	E	a-st	E	...	...	ci-st	WSW	cu	E
8	st-cu	ENE	st-cu	ENE	nb	ENE	nb	E	cu-nb	E	cu-nb	E	cu-nb	E	cu-nb	E
9	cu	E	cu	E	cu	E	cu	E	cu	SE	a-cu	WSW	a-cu	W	...	...
10	cu	E	cu	E	cu	E	cu	E	st-cu	E	st-cu	E	nb	E	nb	E
11	nb	E	nb	E	cu	E	cu	E	cu	E	cu	E	cu	E	nb	E
12	nb	E	st-cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	nb	E
13	nb	E	cu-nb	E	cu-nb	ENE	cu-nb	ENE	cu-nb	E	cu-nb	E	cu-nb	E	nb	E
14	nb	ENE	nb	ENE	cu	E	st-cu	E	cu	E	cu	E	cu	E	cu	E
15	a-cu / cu	WSW / E	a-cu / cu	WSW / E	cu	E	cu-nb	E	nb	E	nb	E	cu-nb	E	cu-nb	E
16	cu	E	cu	E	cu	E	cu	E	cu	E	st-cu	E	st-cu	E	st-cu	E
17	st-cu	E	cu	E	st-cu	E	cu	E	cu	ESE	cu	E	cu	E	cu	ESE
18	cu	E	cu	E	cu	ESE	nb	E	nb	ESE	nb	ESE	cu-nb	E	cu-nb	E
19	nb	ESE	nb	ESE	nb	E	nb	E	nb	E	nb	ENE	nb	ENE	nb	E
20	st-cu	ENE	st-cu	ENE	ci-st / a-cu	W / WSW	ci-st / cu	W / ENE	a-cu / cu	WSW / E	a-cu	W	...	...	...	...
21	...	...	cu	WNW	a-cu / cu	WSW / ENE	ci-st	W	a-cu / cu	W / ESE	...	...	...	...	...	...
22	...	...	...	...	...	...	...	...	...	...	...	...	...	...	cu	E
23	cu	E	cu	E	cu-nb	E	cu-nb	E	cu-nb	E	cu-nb	E	nb	ENE	nb	ENE
24	st-cu	E	cu-nb	E	nb	ENE	cu-nb	E	cu-nb	E	cu-nb	E	nb	E	nb	E
25	nb	E	nb	E	nb	ENE	nb	E	nb	E	nb	ENE	nb	E	nb	E
26	nb	ENE	nb	ENE	a-cu	NW	a-cu / cu	NW / ENE	a-cu / cu	NW / E	cu	NE	...	...	...	...
27	...	...	...	...	...	...	...	...	...	...	ci-st	W	ci-st	WNW	...	...
28	...	...	cu	E	cu	E	cu	ESE	cu	E	cu-nb	E	nb	E	cu	E

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of FEBRUARY, 1925.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Range.	Temperature. Of the Air. Mean.	Temperature. Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Bright Sunshine. Percentage of possible amount.	Rainfall. Amount.	Rainfall. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·259	53·9	39·7	14·2	46·7	39·4	0·147	46	10	10·0	90	...	...	+ 3·6	+ 2·6	36	4·4	6·7
2	30·214	57·4	45·4	12·0	52·0	45·3	·215	55	32	10·6	95	...	...	+ 2·6	+ 8·1	72	8·5	10·5
3	30·159	58·6	53·0	5·6	55·2	50·6	·309	70	59	8·7	78	...	...	+ 0·2	+ 20·5	89	20·5	20·7
4	30·079	60·6	54·1	6·5	56·6	52·9	·353	77	76	6·9	62	...	...	+ 2·7	+ 23·1	83	23·3	23·6
5	29·998	65·1	57·1	8·0	60·6	56·1	·392	74	80	2·6	23	...	...	+ 0·2	+ 20·7	89	20·7	20·9
6	30·004	71·2	57·6	13·6	61·9	57·5	·416	75	48	6·8	61	...	1	− 1·9	− 5·6	251	5·9	9·7
7	30·101	64·7	53·0	11·7	57·4	53·0	·345	73	42	4·1	37	...	...	+ 0·3	+ 3·4	85	3·4	6·8
8	30·149	57·3	54·5	2·8	56·2	53·4	·373	82	100	...	...	...	2	+ 0·8	+ 13·5	87	13·5	13·5
9	30·067	63·1	55·7	7·4	58·0	54·4	·377	78	81	1·0	9	...	...	+ 1·4	+ 11·8	83	11·9	12·2
10	30·086	64·3	55·4	8·9	58·5	54·7	·380	77	100	0·9	8	...	2	+ 1·8	+ 14·1	83	14·2	14·6
11	30·080	58·5	54·4	4·1	55·9	52·8	·360	80	97	2·3	20	...	...	+ 5·6	+ 25·5	78	26·1	26·2
12	29·994	63·0	56·3	6·7	58·6	55·6	·404	82	98	1·1	10	...	2	− 0·7	+ 8·5	95	8·5	11·2
13	30·022	58·9	53·4	5·5	55·9	53·0	·365	82	100	...	...	0·030	4	+ 4·0	+ 3·3	40	5·2	5·7
14	30·022	57·5	53·2	4·3	56·1	52·9	·360	80	99	...	...	...	1	+ 3·7	+ 25·0	82	25·3	25·5
15	29·944	58·9	55·6	3·3	57·1	54·9	·404	86	92	...	...	...	1	− 0·5	+ 8·2	94	8·2	11·1
16	29·882	62·6	56·7	5·9	59·1	56·3	·418	83	98	3·2	28	...	1	− 2·4	+ 14·2	100	14·4	14·3
17	29·799	64·2	57·7	6·5	60·7	57·5	·433	81	77	8·1	71	...	...	+ 2·6	+ 20·8	83	21·0	21·2
18	29·752	61·5	58·2	3·3	59·7	57·6	·449	87	100	...	...	0·005	3	...	+ 24·2	90	24·2	24·4
19	29·936	59·2	49·2	10·2	53·5	50·0	·316	77	100	...	...	0·105	5	+ 6·3	+ 3·9	32	7·4	9·8
20	30·090	57·9	44·6	13·3	50·9	45·0	·223	60	46	8·0	70	...	...	+ 2·8	+ 1·0	20	3·0	5·8
21	30·106	62·5	49·4	13·1	55·1	47·1	·219	50	48	8·2	71	...	...	+ 0·7	− 1·5	295	1·7	5·0
22	30·075	61·6	51·8	9·8	57·1	48·7	·234	49	13	10·5	91	...	...	+ 2·3	+ 13·5	80	13·7	14·5
23	30·065	58·3	54·9	3·4	56·7	48·0	·221	47	100	...	...	...	1	+ 5·5	+ 22·8	76	23·5	23·5
24	30·051	57·6	50·6	7·0	53·9	49·6	·300	72	100	...	...	0·095	4	+ 9·2	+ 6·5	35	11·3	12·5
25	30·035	52·6	48·1	4·5	50·3	47·8	·301	82	100	...	...	0·130	7	+ 4·5	+ 0·5	6	4·5	5·0
26	30·035	58·9	46·8	12·1	52·8	46·8	·243	61	46	7·3	63	0·010	1	+ 7·5	...	360	7·5	7·7
27	30·058	59·2	49·4	9·8	54·6	45·7	·191	44	2	10·6	91	...	...	+ 4·5	+ 9·2	64	10·3	14·5
28	29·987	61·2	53·1	8·1	56·4	49·6	·267	58	85	2·5	22	0·010	1	+ 2·6	+ 17·0	81	17·2	17·6
Means	30·037	60·4	52·5	7·9	56·0	51·3	0·322	70	72	Sum. 113·4	36	Sum. 0·385	Sum 36	+ 2·5	+ 11·3	77	11·6	14·1
Normals	30·015	63·0	55·3	7·7	58·8	54·9	0·391	76	74	100·0	31	1·679	65	+ 2·1	+ 11·2	79	11·4	14·2
Absolute Max.	30·313	71·2	...	14·2	...	65·1	0·540	...	...	10·6	95	0·130	7	...	...	...	...	34·0†
Day.	1	6	...	1	...	6	6	...	...	2, 27	2	25	25	...	...	...	...	18d 6h
Absolute Min.	29·679	...	39·7	2·8	...	34·3	0·116	27	...	...	...	...	...	...	...	...	...	...
Day.	18	...	1	8	...	1	1	27	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Lunar corona :—on the 5th.
Fog :—on the 6th.
Haze :—on the 2nd, 6th, 7th and 9th
Unusual visibility :—on the 3rd, 19th, 20th, 25th and 26th.
Dew :—on the 7th.
Lightning :—on the 19th.

Rain fell on 6 days. The mean hourly intensity was 0·011*in*, and the maximum fall in one hour was 0·070*in* at 6*h* on the 19th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 43 miles per hour at 19*h* 40*m* on the 23rd.

* 0° = N., 90° = E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of FEBRUARY, 1925.

(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1026·9	285·2	277·3	7·9	281·2	277·1	5·0	...	...	+ 1·2	+ 0·9	36	1·4	2·2
2	1025·3	287·1	280·4	6·7	284·1	280·4	7·2	...	...	+ 0·9	+ 2·7	72	2·8	3·4
3	1023·4	287·8	284·7	3·1	285·9	283·3	10·4	...	...	+ 0·1	+ 6·7	89	6·7	6·8
4	1020·7	288·9	285·3	3·6	286·7	284·6	11·9	...	...	+ 0·9	+ 7·6	83	7·6	7·7
5	1017·9	291·4	286·9	4·5	288·9	286·4	13·2	...	...	+ 0·1	+ 6·8	89	6·8	6·9
6	1018·1	294·8	287·2	7·6	289·6	287·2	14·0	...	1	− 0·6	− 1·8	251	1·9	3·2
7	1021·4	291·2	284·7	6·5	287·1	284·7	11·6	...	...	+ 0·1	+ 1·1	85	1·1	2·2
8	1023·1	287·1	285·5	1·6	286·4	284·9	12·6	...	2	+ 0·3	+ 4·4	87	4·4	4·4
9	1020.3	290·3	286·2	4·1	287·4	285·4	12·7	...	...	+ 0·5	+ 3·9	83	3·9	4·0
10	1020·9	290·9	286·0	4·9	287·7	285·6	12·8	...	2	+ 0·6	+ 4·6	83	4·7	4·8
11	1020·8	287·7	285·4	2·3	286·3	284·6	12·1	...	...	+ 1·8	+ 8·4	78	8·6	8·6
12	1017·8	290·2	286·5	3·7	287·8	286·1	13·6	...	2	− 0·2	+ 2·8	95	2·8	3·7
13	1018·8	287·9	284·9	3·0	286·3	284·7	12·3	0·8	4	+ 1·3	+ 1·1	40	1·7	1·9
14	1018·8	287·2	284·8	2·4	296·4	284·6	12·1	...	1	+ 1·2	+ 8·2	82	8·3	8·4
15	1016·1	287·9	286·1	1·8	286·9	285·7	13·6	...	1	− 0·2	+ 2·7	94	2·7	3·6
16	1014·0	290·0	286·7	3·3	288·1	286·5	14·1	...	1	− 0·8	+ 4·7	100	4·7	4·7
17	1011·2	290·9	287·3	3·6	288·9	287·2	14·6	...	...	+ 0·9	+ 6·8	83	6·9	6·9
18	1009·6	289·4	287·6	1·8	288·4	287·2	15·1	0·1	3	...	+ 7·9	90	7·9	8·0
19	1015·9	288·1	282·4	5·7	284·9	283·0	10·6	2·7	5	+ 2·1	+ 1·3	32	2·4	3·2
20	1021·1	287·4	280·0	7·4	283·5	280·2	7·5	...	...	+ 0·9	+ 0·3	20	1·0	2·2
21	1021·6	289·9	282·7	7·2	285·8	281·4	7·3	...	...	+ 0·2	− 0·5	295	0·6	1·6
22	1020·6	289·4	284·0	5·4	286·9	282·3	7·9	...	...	+ 0·8	+ 4·4	80	4·5	4·8
23	1020·2	287·6	285·7	1.9	286·7	281·9	7·4	...	1	+ 1·8	+ 7·5	76	7·7	7·7
24	1019·8	287·2	283·3	3·9	285·2	282·8	10·1	2·4	4	+ 3·0	+ 2·1	35	3·7	4·1
25	1019.3	284·4	281·9	2·5	283·2	281·8	10·1	3·3	7	+ 1·5	+ 0·2	6	1·5	1·6
26	1019·2	287·9	281·2	6·7	284·6	281·2	8·2	0·2	1	+ 2·5	...	360	2·5	2·5
27	1020·0	288·1	282·7	5·4	285·6	280·6	6·4	...	...	+ 1·5	+ 3·0	64	3·4	4·8
28	1017·6	289·2	284·7	4·5	286·6	282·8	9·0	0·3	1	+ 0·9	+ 5·6	81	5·6	5·8
Means.	1019·3	288·8	284·4	4·4	286·3	283·7	10·8	Sum. 9·8	Sum. 36	+ 0·8	+ 3·7	77	3·8	4·6
Normals	1018·5	290·2	285·9	4·3	287·9	285·7	13·2	42·7	65	+ 0·7	+ 3·7	79	3·7	4·7
Absolute Maximum	1028·7	294·8	...	7·9	...	291·4	18·2	3·3	7	...	...	...	...	11·1
Day.	1	6	...	1	...	6	6	25	25	...	...	...	...	18*d*6*h*
Absolute Minimum.	1007·1	...	277·3	1·6	...	274·3	4·0	...	...	...	...	...	...	...
Day.	18	...	1	8	...	1	1	...	...	...	...	...	...	...

ADOPTED ERRORS OF TIMEBALL, FEBRUARY, 1925.

Date.	Error.	Date.	Error.	Date.	Error.
	s		s		s
1	− 0·1	11	− 0·1	21	− 0·5
2	+ 0·1	12	− 0·3	22	0·0
3	+ 0·1	13	− 0·2	23	0·0
4	0·0	14	− 0·3	24	− 0·4
5	0·0	15	− 0·4	25	− 0·4
6	0·0	16	− 0·5	26	− 0·4
7	+ 0·4	17	− 0·5	27	+ 0·1
8	+ 0·1	18	− 0·3	28	+ 0·1
9	− 0·1	19	− 0·6		
10	− 0·1	20	− 0·5		

+ = Late; − = Early.

The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.

The probable error for the month was ± 0s·22

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of FEBRUARY, 1925.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-10).	Percentage of Possible Sunshine.	Rainfall. Percentage of Total. Amount.	Rainfall. Percentage of Total. Duration	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·059	54·9	50·9	0·326	73	71		17	10	+ 3·6	+ 12·0	73	12·5	14·4
2	·052	54·8	50·7	·321	72	78		4	3	+ 3·5	+ 12·6	74	13·1	14·8
3	·042	54·6	50·4	·316	72	76		8	6	+ 3·8	+ 12·5	73	13·1	15·1
4	·033	54·4	50·2	·313	72	80		8	3	+ 4·4	+ 12·4	70	13·2	15·5
5	·032	54·1	49·9	·309	72	80		7	3	+ 5·0	+ 11·2	66	12·3	14·2
6	·039	53·9	49·7	·306	71	77	...	18	8	+ 4·5	+ 10·9	68	11·8	13·9
7	·058	53·7	49·6	·306	72	78	16	5	6	+ 4·2	+ 19·8	67	10·7	12·2
8	·072	54·3	50·0	·309	71	81	32	...	5	+ 3·7	+ 11·1	72	11·7	13·0
9	·085	55·5	50·8	·315	69	77	35	...	2	+ 3·9	+ 10·5	70	11·2	13·0
10	·096	56·7	51·5	·318	67	76	36	...	1	+ 3·3	+ 12·0	75	12·5	13·7
11	·088	57·5	51·9	·318	65	76	41	...	2	+ 2·2	+ 12·4	80	12·6	14·6
Noon.	·065	57·9	52·0	·315	64	78	40	...	2	+ 1·5	+ 12·7	83	12·8	15·4
13	·038	58·3	52·3	·318	63	73	45	1	4	+ 0·5	+ 11·7	88	11·7	14·7
14	·007	58·7	52·5	·318	62	69	43	...	1	− 0·5	+ 11·7	92	11·7	15·0
15	29·986	58·6	52·7	·325	64	66	44	...	1	− 1·4	+ 10·8	97	10·9	14·5
16	·978	58·0	52·4	·325	65	61	42	...	2	− 0·8	+ 10·6	94	10·6	14·7
17	·983	57·3	52·3	·331	68	64	29	4	3	+ 0·4	+ 9·0	87	9·0	13·5
18	·992	56·5	52·0	·334	71	65	...	1	5	+ 1·1	+ 9·1	83	9·2	12·5
19	30·002	56·0	51·7	·332	72	65		6	7	+ 2·1	+ 9·5	77	9·7	12·6
20	·017	55·8	51·6	·332	72	67		...	3	+ 2·7	+ 10·6	76	11·0	13·6
21	·032	55·6	51·7	·338	74	66		6	4	+ 2·6	+ 11·1	77	11·4	14·4
22	·042	55·5	51·5	·333	73	68		...	7	+ 3·4	+ 11·5	74	12·0	14·4
23	·051	55·5	51·6	·337	74	73		12	6	+ 3·0	+ 11·6	75	12·0	14·5
Midn.	·049	55·4	51·4	·332	73	75		3	6	+ 3·4	+ 12·7	75	13·1	15·1

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of FEBRUARY, 1925.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1020·1	285·7	283·5	11·0	+ 1·2	+ 3·9	73	4·1	4·7
2	1019·8	285·7	283·4	10·8	+ 1·1	+ 4·1	74	4·3	4·9
3	1019·5	285·6	283·2	10·6	+ 1·2	+ 4·1	73	4·3	5·0
4	1019·2	285·4	283·1	10·5	+ 1·4	+ 4·1	70	4·3	5·1
5	1019·1	285·3	282·9	10·4	+ 1·6	+ 3·7	66	4·0	4·7
6	1019·4	285·2	282·8	10·3	+ 1·5	+ 3·6	68	3·9	4·6
7	1020·0	285·1	282·8	10·3	+ 1·4	+ 3·2	67	3·5	4·0
8	1020·5	285·4	283·0	10·4	+ 1·2	+ 3·6	72	3·8	4·3
9	1020·9	286·1	283·4	10·6	+ 1·3	+ 3·4	70	3·7	4·3
10	1021·3	286·7	283·8	10·7	+ 1·1	+ 3·9	75	4·1	4·5
11	1021·0	287·2	284·1	10·7	+ 0·7	+ 4·1	80	4·1	4·8
Noon.	1020·2	287·4	284·1	10·6	+ 0·5	+ 4·2	83	4·2	5·0
13	1019·3	287·6	284·3	10·7	+ 0·2	+ 3·8	88	3·8	4·8
14	1018·3	287·8	284·4	10·7	− 0·2	+ 3·8	92	3·8	4·9
15	1017·5	287·8	284·5	10·9	− 0·5	+ 3·5	97	3·6	4·8
16	1017·3	287·4	284·3	10·9	− 0·3	+ 3·5	94	3·5	4·8
17	1017·4	287·1	284·3	11·1	+ 0·1	+ 3·0	87	3·0	4·4
18	1017·8	286·6	284·1	11·2	+ 0·4	+ 3·0	83	3·0	4·1
19	1018·1	286·3	283·9	11·2	+ 0·7	+ 3·1	77	3·2	4·1
20	1018·6	286·2	283·9	11·2	+ 0·9	+ 3·5	76	3·6	4·5
21	1019·1	286·1	283·9	11·4	+ 0·9	+ 3·6	77	3·7	4·7
22	1019·5	286·1	283·8	11·2	+ 1·1	+ 3·8	74	3·9	4·7
23	1019·8	286·1	283·9	11·3	+ 1·0	+ 3·8	75	3·9	4·8
Midn.	1019·7	286·0	283·8	11·2	+ 1·1	+ 4·2	75	4·3	5·0

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	31st JANUARY, 1925.								1st FEBRUARY, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	30.22	767.6	8	...	N	4	c	6	30.36	771.0	8	...	NNE	4	c
Nemuro,	11	...	...	...	...	...	...	...	5	29.59	751.5	...	...	WNW	4	...
Hokodate,	"	29.80	757.0	...	...	N	4	...	"	29.84	758.0	...	...	NW	2	...
Tokio,	"	29.80	757.0	...	...	NW	1	...	"	29.98	761.5	...	...	...	0	...
Kochi,	"	30.06	763.5	...	...	...	0	...	"	30.16	766.0	...	...	...	0	...
Nagasaki,	"	30.16	766.0	...	...	N	4	...	"	30.28	769.0	...	...	ENE	1	...
Kagoshima,	"	29.94	760.5	...	...	NW	1	...	"	30.26	768.5	...	...	...	0	...
Oshima,	"	30.12	765.0	...	...	N	3	...	"	30.20	767.0	...	...	N	4	...
Naha,	"	29.78	756.5	...	...	N	3	...	"	30.22	767.5	...	...	N	4	...
Ishigakijima,	"	30.24	768.0	...	...	NNE	3	...	"	30.24	768.0	...	...	NNE	2	...
Bonin Island,	"	29.80	757.0	...	...	W	3	...	"	29.94	760.5	...	...	...	0	...
Chefoo,	15	30.52	775.2	26	87	NNW	4	o	6	30.54	775.7	24	77	NW	2	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.56	776.1	32	44	NW	2	o	"	30.58	776.7	25	100	NW	1	bf
Gutzlaff,	"	30.50	774.7	32	82	NNW	6	o	"	30.53	775.4	30	88	NNW	4	o
Sharp Peak,	"	30.33	770.4	42	75	E	4	b	7	30.36	771.1	38	63	NNW	2	o
Amoy,	15	30.28	769.1	56	81	NNE	4	b	9	...	...	...	...	...	...	...
Swatow,	"	30.23	767.8	52	53	NE	2	c	8	...	...	...	...	...	...	...
Taihoku,	11	30.40	772.2	45	92	...	0	r	5	...	...	...	...	...	...	...
Taichu,	"	30.28	769.2	46	...	N	4	o	"	...	...	...	...	...	...	...
Tainan,	"	30.11	764.7	50	...	N	4	o	"	...	...	...	...	...	...	...
Koshun,	"	30.20	767.1	59	...	N	2	o	"	...	...	...	...	...	...	...
Pescadores,	"	30.31	769.8	50	...	NNE	6	o	"	...	...	...	...	...	...	...
Canton,	14	30.32	770.1	55	68	N	2	b	6	...	...	...	...	...	...	...
Hongkong,	"	30.28	769.1	51	37	N	3	b	"	30.34	770.6	41	50	N	1	b
Gap Rock,	"	30.28	769.1	...	...	N	4	o	"	30.32	770.1	...	...	NE	4	b
Macao,	"	30.28	769.2	48	42	N	4	b	"	30.32	770.1	41	54	NNE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.26	768.6	61	32	WSW	2	b	7	30.37	771.3	50	45	NE	4	o
Tourane,	"	30.15	765.9	57	...	NW	6	of	"	30.22	767.7	55	...	NW	4	of
Cape St. James,	"	29.87	758.7	81	...	E	4	b	"	29.93	760.2	72	...	NE	2	o
Basco,	14	30.04	762.9	64	76	N	6	o	6	30.11	764.7	63	80	N	6	o
Aparri,	"	30.00	762.0	70	87	NNE	6	r	"	30.05	763.2	66	87	NE	6	r
Manila,	"	29.86	758.4	82	67	SW	2	o	"	29.92	759.9	72	84	N	1	b
Legaspi,	"	29.85	758.1	77	98	N	4	o	"	29.87	758.7	75	98	N	4	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.78	756.3	84	74	N	4	o	"	29.82	757.5	75	92	N	4	o
Surigao,	"	29.76	756.0	82	81	N	2	o	"	29.84	757.8	75	96	...	0	r
Guam,	12.20	29.82	757.5	...	...	E	2	o	4.20	29.81	757.2	...	...	NE	1	o
Yap,	12.47	29.80	756.9	...	...	ENE	4	o	4.47	29.81	757.2	...	...	E	4	o
Labuan,	14	29.72	754.9	84	87	NE	4	b	6	29.79	756.6	76	94	NE	2	b

February *1d. 12h. 40m.*—Pressure has increased moderately from Wladivostock to the Bonins and slightly from Hongkong to Indo-China. It is nearly stationary over the Philippines and has decreased slightly from Guam to Yap.

The anticyclonic conditions are apparently unchanged.

Strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·33 inches, against an average of 1·51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine to cloudy.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	1st February, 1925.								2nd February, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, ..	12	30.33	770.4	15	...	NNE	4	c	6	30.51	774.9	5	...	WNW	2	o
Nemuro, ...	11	29.55	750.5	...	...	WNW	1	...	5	29.84	758.0	...	...	NW	5	...
Hokodate, ...	"	29.86	758.5	...	...	NW	2	...	"	30.00	762.0	...	...	NNW	5	...
Tokio, ...	"	30.00	762.0	...	...	NNW	1	...	"	30.10	764.5	...	...	NW	1	...
Kochi, ...	"	30.20	767.0	...	...	...	...	...	"	30.30	769.5	...	...	SW	1	...
Nagasaki, ...	"	30.30	769.5	...	...	N	2	...	"	30.38	771.5	...	..	...	...	...
Kagoshima, ...	"	30.28	769.0	...	...	NW	2	...	"	30.36	771.0	...	..	NW	1	...
Oshima, ...	"	30.24	768.0	...	...	N	1	...	"	30.28	769.0	...	...	N	1	...
Naha, ...	"	30.26	768.5	...	...	N	2	...	"	30.28	769.0	...	...	NNE	3	...
Ishigakijima, ..	"	30.26	768.5	...	...	NNE	3	...	"	30.26	768.5	...	...	SSW	3	..
Bonin Island, ..	"	29.96	761.0	...	...	W	1	...	"	30.06	763.5	...	...	NNW	1	...
Chefoo.	15	30.57	776.5	30	88	N	2	b	6	30.59	777.0	24	87	WNW	2	b
Hankow, ...	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Ichang, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai, ...	14	30.56	776.1	39	36	NNW	2	b	"	30.62	777.9	28	100	NW	1	bf
Gutzlaff, ...	"	30.53	775.4	38	54	NNW	4	o	"	30.60	777.2	34	69	N.	2	o
Sharp Peak, ..	"	30.33	770.4	50	65	ENE	4	b	7	30.35	770.9	40	56	NNE	4	o
Amoy, ...	15	30.27	768.8	54	55	ENE	2	o	9	30.34	770.6	44	68	WNW	1	o
Swatow, ...	"	30.22	767.6	50	65	SE	2	b	8	30.23	767.8	44	92	N	2	b
Taihoku, ...	11	30.36	771.0	54	88	ESE	2	r	5	...	...	...	...	...	...	...
Taichu, ...	"	30.27	768.9	54	...	N	2	o	"	...	...	...	...	...	...	...
Tainan, ...	"	30.27	768.9	55	...	N	4	o	"	...	...	...	...	...	...	...
Koshun, ...	"	30.20	767.1	63	...	NNE	4	o	"	...	...	...	...	...	...	...
Pescadores, ..	"	30.34	770.7	48	...	NNE	6	o	"	...	...	...	...	...	...	...
Canton, ...	14	30.32	770.1	55	56	N	2	b	6	...	...	...	...	...	...	...
Hongkong, ...	"	30.29	769.3	52	42	ESE	3	b	"	30.30	769.6	46	57	N	2	b
Gap Rock, ...	"	30.29	769.3	...	...	N	4	b	"	30.28	769.1	...	...	NNE	4	c
Macao, ...	"	30.28	769.2	48	42	NE	4	b	"	30.28	769.2	43	62	N	4	b
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien, ...	"	30.27	768.9	63	25	S	2	b	7	30.32	770.1	50	56	ENE	4	of
Tourane, ...	"	30.20	767.1	57	...	NW	4	of	"	30.21	767.4	57	...	WNW	4	of
Cape St. James,	"	29.92	759.9	81	...	E	2	o	"	29.93	760.2	70	...	ENE	4	b
Basco, ...	14	30.06	763.5	66	67	N	6	r	6	30.10	764.4	66	96	N	4	o
Aparri, ...	"	30.02	762.6	68	...	NE	4	r	"	30.04	762.9	68	85	ENE	4	r
Manila, ...	"	29.87	758.7	82	60	SW	2	o	"	29.93	760.2	72	86	NNE	1	o
Legaspi, ...	"	29.88	759.0	75	96	N	2	o	"	29.89	759.3	75	98	N	4	o
Tacloban, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo, ...	"	29.80	756.9	79	80	N	6	o	"	29.84	757.8	75	91	N	4	o
Surigao, ...	"	29.78	756.3	82	84	N	4	o	"	29.84	757.8	75	94	...	o	o
Guam, ...	12.20	29.80	756.9	...	...	ENE	4	o	4.20	29.88	759.0	...	...	ENE	1	o
Yap, ...	12.47	29.79	756.6	...	...	E	4	o	4.47	29.82	757.5	...	...	ENE	4	o
Labuan, ...	14	29.77	756.1	84	91	NE	2	b	6	29.79	756.6	78	94	NE	1	o

February 2*d.* 11*h.* 20*m.*—Pressure has increased considerably over N.E. Japan and slightly from central Japan to the Loochoos. It is nearly stationary elsewhere.

The anticyclone has spread eastward.

Strong monsoon will continue along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·33 inches, against an average of 1·58 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock, ...	N.E. winds, fresh; fine.
4.—South coast of China between Hongkong and Hainan, .	N.E. winds, fresh; fine.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	2nd February, 1925.								3rd February, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.45	773.5	2	...	NNE	4	b	6	30.58	776.8	7	...	NNE	4	o
Nemuro,	11	29.90	759.5	...	...	NNW	2	...	5	30.08	764.0	...	...	NW	3	...
Hokodate,	,,	30.08	764.0	...	...	NNW	5	...	,,	30.24	768.0	...	...	...	...	...
Tokio,	,,	30.10	764.5	...	...	NNW	2	...	,,	30.30	769.5	...	...	...	...	...
Kochi,	,,	30.33	770.5	...	...	...	...	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.41	772.5	...	...	N	2	...	,,	30.45	773.5	...	...	ESE	1	...
Kagoshima,	,,	30.37	771.5	...	...	N	1	...	,,	30.41	772.5	...	...	WNW	1	...
Oshima,	,,	30.31	770.0	...	...	N	3	...	,,	30.32	770.0	...	...	SSE	1	...
Naha,	,,	30.31	770.0	...	...	NNE	3	...	,,	30.30	769.5	...	...	ENE	1	...
Ishigakijima,	,,	30.30	769.5	...	...	NE	4	...	,,	30.26	768.5	...	...	NE	1	...
Bonin Island,	,,	30.08	764.0	...	...	NNW	1	...	,,	30.18	766.5	...	...	NNW	1	...
Chefoo,	15	30.57	776.5	34	90	NNE	2	b	6	30.57	776.5	24	87	...	0	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.58	776.7	41	46	NNE	1	o	,,	30.58	776.7	28	100	NNE	1	bf
Gutzlaff,	,,	30.55	775.9	42	58	NNW	4	b	,,	30.57	776.5	36	70	N	4	b
Sharp Peak,	,,	30.35	770.9	47	70	N	2	o	7	30.35	770.9	44	72	N	4	o
Amoy,	15	30.26	768.6	58	27	NE	4	b	9	30.30	769.6	48	63	NE	2	o
Swatow,	,,	30.19	766.8	52	73	E	3	c	8	...	...	...	...	...	...	...
Taihoku,	11	30.38	771.6	52	95	E	2	r	5	30.31	769.8	50	90	E	2	o
Taichu,	,,	30.25	768.3	63	...	NNW	2	b	,,	30.22	767.7	45	...	...	o	b
Tainan,	,,	30.24	768.0	64	...	NNW	2	b	,,	30.19	766.8	50	...	N	2	o
Koshun,	,,	30.20	767.1	66	...	NE	4	b	,,	30.15	765.9	61	...	NNE	6	b
Pescadores,	,,	30.28	769.2	59	...	NNE	6	o	,,	30.22	767.7	57	...	NNE	6	b
Canton,	14	30.35	770.9	46	77	N	1	b	6	...	...	...	...	...	...	...
Hongkong,	,,	30.23	767.8	57	44	ESE	3	c	,,	30.26	768.6	54	71	E	3	o
Gap Rock,	,,	30.25	768.3	...	...	NE	4	b	,,	30.23	767.8	...	...	ENE	5	o
Macao,	,,	30.19	766.8	54	42	NE	4	b	,,	30.22	767.7	50	79	N	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.22	767.7	63	30	S	2	bf	7	...	...	...	...	...	...	...
Tourane,	,,	30.15	765.9	61	...	NW	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.91	759.6	79	...	ENE	2	b	,,	...	...	...	...	...	...	...
Basco,	14	30.10	764.4	66	88	N	4	o	6	30.10	764.4	68	96	N	4	o
Aparri,	,,	30.02	762.6	72	78	ENE	4	o	,,	30.05	763.2	70	77	E	4	o
Manila,	,,	29.88	759.0	82	54	NE	2	o	,,	29.93	760.2	73	79	NE	1	o
Legaspi,	,,	29.86	758.4	75	92	NNE	4	o	,,	29.91	759.6	75	88	N	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	82	74	NE	6	o	,,	29.86	758.4	75	94	NNE	6	o
Surigao,	,,	29.79	756.6	84	74	E	2	o	,,	29.84	757.8	73	96	...	o	o
Guam,	12.20	29.82	757.5	...	...	ENE	4	o	4.20	29.86	758.4	...	...	ENE	4	r
Yap,	12.47	29.78	756.3	...	...	ENE	6	r	4.47	29.81	757.2	...	...	ENE	4	o
Labuan,	14	29.75	755.6	84	83	N	2	b	6	29.75	755.6	78	94	N	4	b

February 3*d.* 12*h.* 2c*m.*—Pressure has increased considerably from Wladivostock to N.E. Japan and slightly over S.W. Japan. It is nearly stationary elsewhere.

The anticyclone remains unchanged.

Strong monsoon will continue along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·33 inches, against an average of 1·65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock,	N.E. winds, fresh; fine.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fine.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	3rd February, 1925.								4th February, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock. .	12	30.57	776.4	16	...	NNE	4	b	6	30.56	776.3	4	...	...	0	0
Nemuro,	11	...	...	...	...	...	...	...	5	30.26	768.5	...	...	WNW	2	...
Hokodate,	"	30.22	767.5	...	...	W	1	...	"	30.38	771.5	...	...	N	1	...
Tokio,	"	30.30	769.5	...	...	NW	2	...	"	30.39	772.0	...	...	N	1	...
Kochi,	"	30.43	773.0	...	...	NNW	1	...	"	30.45	773.5	...	...	SW	1	...
Nagasaki,	"	30.51	775.0	...	...	ESE	2	...	"	30.45	773.5	...	...	ENE	1	...
Kagoshima,	"	30.43	773.0	...	...	NE	1	...	"	30.41	772.5	...	...	NW	1	...
Oshima,	"	30.35	771.0	...	...	NNE	1	...	"	30.28	769.0	...	...	...	...	...
Naha,	"	30.31	770.0	...	...	N	1	...	"	30.24	768.0	...	...	ENE	1	...
Ishigakijima,	"	30.30	769.5	...	...	ENE	4	...	"	30.20	767.0	...	...	ENE	1	...
Bonin Island,	"	30.20	767.0	...	...	NW	1	...	"	30.24	768.0	...	...	NNW	1	...
Chefoo,	15	30.50	774.7	36	90	E	2	b	6	30.48	774.2	26	87	...	0	0
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.51	774.9	50	32	ENE	1	b	"	30.43	772.8	36	83	ENE	1	of
Gutzlaff,	"	30.49	774.4	44	60	N	2	o	"	30.42	772.6	38	84	NE	1	o
Sharp Peak,	"	30.31	769.9	48	63	N	2	o	7	30.28	769.1	47	70	NNW	2	o
Amoy,	15	30.21	767.3	63	57	E	4	b	9	30.23	767.8	50	72	ENE	1	b
Swatow,	"	30.14	765.5	55	74	E	3	c	8	30.13	765.3	40	82	NNE	2	b
Taihoku,	11	30.36	771.0	55	84	S	4	o	5	...	...	...	...	...	...	...
Taichu,	"	30.26	768.6	59	...	N	2	o	"	...	...	...	...	...	...	...
Tainan,	"	30.24	768.0	66	...	N	4	b	"	...	...	...	...	...	...	...
Koshun,	"	30.19	766.8	68	...	NE	6	b	"	...	...	...	...	...	...	...
Pescadores,	"	30.28	769.2	59	...	NNE	6	o	"	...	...	...	...	...	...	...
Canton,	14	30.18	766.6	63	67	S	1	b	6	...	...	...	...	...	...	...
Hongkong,	"	30.19	766.8	58	59	E	4	c	"	30.16	766.0	55	76	ENE	4	o
Gap Rock,	"	30.18	766.6	...	...	ENE	5	b	"	30.13	765.3	...	...	ENE	5	o
Macao,	"	30.18	765.5	59	58	E	4	b	"	30.12	765.0	54	85	ENE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.13	765.3	66	49	SSE	4	bf	7	30.12	765.0	54	90	N	4	of
Tourane,	"	30.08	764.1	64	...	NW	2	o	"	30.04	762.9	61	...	...	0	o
Cape St. James,	"	29.87	758.7	82	...	S	2	b	"	29.88	759.0	70	...	...	0	o
Basco,	14	30.06	763.5	72	54	N	4	o	6	30.08	764.1	68	64	N	4	o
Aparri,	"	30.02	762.6	73	75	ENE	4	o	"	30.02	762.6	66	90	SW	2	o
Manila,	"	29.88	759.0	82	57	SE	4	o	"	29.92	759.9	72	86	...	0	o
Legaspi,	"	29.89	759.3	77	89	NNE	4	o	"	29.89	759.3	75	83	N	4	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.81	757.2	77	85	NNE	6	o	"	29.82	757.5	73	86	N	4	o
Surigao,	"	29.80	756.9	82	81	ENE	2	r	"	29.84	757.8	73	96	SE	1	o
Guam,	12.20	29.81	757.2	...	...	ENE	4	o	4.20	29.82	757.5	...	...	NE	4	o
Yap,	12.47	29.76	756.0	...	...	ENE	6	r	4.47	29.78	756.3	...	...	ENE	2	r
Labuan,	14	29.77	756.1	84	87	N	2	b	6	29.79	756.6	78	94	NE	6	b

February 4*d.* 11*h.* 50*m.*—Pressure has increased moderately over N.E. Japan and has decreased slightly at the majority of other reporting stations.

The anticyclone has weakened and moved eastward.

The monsoon will moderate.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·33 inches, against an average of 1·71 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong to fresh.
2.—South coast of China between Hongkong and Lamocks.	N.E. winds, fresh to moderate; fair.
3.—Hongkong to Gap Rock,	N.E. winds, fresh to moderate; fair.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh to moderate; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	4th February, 1925.								5th February, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.50	774.8	18	...	NNW	2	o	6	30.55	776.0	17	...	NNE	4	o
Nemuro,	11	30.30	769.5	...	...	NW	3	...	5	30.43	773.0	...	...	SW	1	...
Hokodate,	"	30.41	772.5	...	...	NW	1	...	"	30.45	773.5	...	...	...	...	...
Tokio,	"	30.47	774.0	...	...	N	2	...	"	30.53	775.5	...	...	NW	1	...
Kochi,	"	30.43	773.0	...	...	N	1	...	"	30.43	773.0	...	...	WSW	1	...
Nagasaki,	"	30.43	773.0	...	...	E	1	...	"	30.36	771.0	...	...	...	...	...
Kagoshima,	"	30.41	772.5	...	...	NNE	1	...	"	30.28	769.0	...	...	NE	1	...
Oshima,	"	30.30	769.5	...	...	...	0	...	"	30.20	767.0	...	...	SE	1	...
Naha,	"	30.26	768.5	...	...	ESE	1	...	"	30.18	766.5	...	...	SE	1	...
Ishigakijima,	"	30.22	767.5	...	...	ESE	2	...	"	30.14	765.5	...	...	SE	1	...
Bonin Island,	"	30.24	768.0	...	...	NNW	1	...	"	30.28	769.0	...	...	NNE	1	...
Chefoo,	15	30.45	773.4	36	83	E	1	o	6	30.43	772.9	30	88	SE	1	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.33	770.4	48	73	E	1	o	"	30.30	769.5	41	97	NE	1	rf
Gutzlaff,	"	30.34	770.6	38	91	ENE	2	o	"	30.24	768.1	40	100	NNE	4	rf
Sharp Peak,	"	30.23	767.8	58	61	N	1	o	7	30.20	767.1	54	74	...	o	o
Amoy,	15	30.12	765.0	66	59	NE	2	b	9	30.12	765.0	56	89	W	1	o
Swatow,	"	...	...	...	...	...	...	...	8	30.05	763.2	54	100	N	2	b
Taihoku,	11	30.20	767.1	68	68	E	7	b	5	30.10	764.4	55	90	...	o	b
Taichu,	"	30.18	766.5	68	...	...	o	b	"	30.12	765.0	55	...	...	o	...
Tainan,	"	30.18	766.5	68	...	WNW	2	b	"	30.10	764.4	57	...	...	o	o
Koshun,	"	30.18	766.5	64	...	E	2	r	"	30.08	764.1	66	...	NNE	2	b
Pescadores,	"	30.19	766.8	63	...	N	7	b	"	30.12	765.0	57	...	N	4	o
Canton,	14	30.10	764.5	62	77	E	1	o	6	...	...	...	...	...	...	...
Hongkong,	"	30.12	765.0	59	67	E	5	c	"	30.07	763.8	58	80	E	5	c
Gap Rock,	"	30.11	764.8	...	...	ENE	5	c	"	30.04	763.0	...	...	ENE	5	o
Macao,	"	30.08	764.1	59	73	E	1	o	"	30.05	763.2	57	81	NNE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.01	762.3	72	65	SSE	4	bf	7	30.02	762.6	61	100	SSE	1	of
Tourane,	"	30.00	762.0	64	...	WNW	2	o	"	29.99	761.7	63	...	WNW	2	o
Cape St. James,	"	29.85	758.1	84	...	...	o	b	"	29.86	758.4	73	...	ENE	4	o
Basco,	14	30.01	762.3	75	60	E	6	o	6	30.02	762.6	68	81	NE	4	o
Aparri,	"	29.99	761.7	75	71	E	4	o	"	29.99	761.7	66	96	SW	2	b
Manila,	"	29.87	758.7	81	62	WSW	2	o	"	29.91	759.6	68	88	NW	1	b
Legaspi,	"	29.85	758.1	79	76	NNE	4	o	"	29.86	758.4	75	96	N	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.78	756.3	82	67	NE	6	o	"	29.82	757.5	73	92	NNE	4	b
Surigao,	"	29.80	756.9	84	77	ENE	4	o	"	29.80	756.9	79	92	NE	2	r
Guam,	12.20	29.79	756.6	...	...	NE	4	o	4.20	29.82	757.5	...	...	ENE	4	o
Yap,	12.47	29.75	755.7	...	...	ENE	6	r	4.47	29.79	756.6	...	...	ENE	4	o
Labuan,	14	29.72	754.8	84	83	S	2	b	6	29.76	755.9	77	94	NE	4	b

February 5*d.* 11*h.* 35*m.*—Pressure has increased slightly from Wladivostock to N.E. Japan and decreased slightly in other districts.

The anticyclone is probably central over S. Manchuria.

Moderate to fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·33 inches, against an average of 1·77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh to moderate; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	5th February, 1925.								6th February, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.54	775.7	22	...	N	4	o	6	30.55	775.9	7	...	NNE	4	o
Nemuro,	11	30.35	771.0	...	...	SW	1	...	5	30.36	771.0	...	...	NW	3	...
Hokodate,	"	30.41	772.5	...	...	WSW	8	...	"	30.41	772.5	...	...	...	...	...
Tokio,	"	30.47	774.0	...	...	N	1	...	"	30.34	770.5	...	...	N	1	...
Kochi,	"	30.37	771.5	...	...	...	0	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.26	768.5	...	...	E	1	...	"	30.04	763.0	...	...	SW	1	...
Kagoshima,	"	30.26	768.5	...	...	E	1	...	"	30.08	764.0	...	...	...	...	...
Oshima,	"	30.18	766.5	...	...	SSE	2	...	"	30.04	763.0	...	...	SSE	2	...
Naha,	"	30.14	765.5	...	...	SE	2	...	"	30.02	762.5	...	...	ENE	2	...
Ishigakijima,	"	30.14	765.5	...	...	ESE	1	...	"	30.04	763.0	...	...	NE	1	...
Bonin Island,	"	30.28	769.0	...	...	E	1	...	"	...	...	...	...	E	1	...
Chefoo,	15	30.35	770.9	34	90	NE	1	r	6	30.31	769.9	30	88	NW	1	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.17	766.2	45	94	N	1	r	"	30.25	768.3	37	100	W	4	cf
Gutzlaff,	"	30.16	766.0	40	100	N	2	rf	"	30.21	767.3	36	100	NW	6	r
Sharp Peak,	"	30.05	763.2	69	61	...	0	b	7	30.06	763.5	52	92	E	2	cf
Amoy,	15	30.04	763.0	66	68	NW	4	b	9	30.08	764.0	54	92	ENE	1	of
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	..	...
Taihoku,	11	30.11	764.7	70	61	...	0	b	5	30.07	763.8	54	95	...	0	o
Taichu,	"	30.12	765.0	70	...	...	0	b	"	30.08	764.1	55	...	...	0	o
Tainan,	"	30.11	764.7	73	...	WNW	2	b	"	30.05	763.2	59	...	N	2	o
Koshun,	"	30.08	764.1	73	...	NNE	2	b	"	30.02	762.6	59	...	...	0	b
Pescadores,	"	30.11	764.7	64	...	NE	4	b	"	30.08	764.1	59	...	NE	2	o
Canton,	14	30.02	762.5	69	75	S	1	c	6	...	...	...	...	...	...	...
Hongkong,	"	30.02	762.5	64	68	E	5	o	"	30.05	763.2	63	70	ESE	1	c
Gap Rock,	"	29.99	761.7	...	...	NE	5	c	"	30.05	763.2	...	...	ENE	4	c
Macao,	"	30.00	762.0	68	64	ESE	2	b	"	30.06	763.5	61	87	N	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.94	760.5	72	65	SE	2	o	7	...	...	...	...	...	...	...
Tourane,	"	29.94	760.5	66	...	NNW	2	o	"	...	...	...	...	...	...	...
Cape St. James,	"	29.85	758.1	81	...	E	4	o	"	...	...	...	...	...	...	...
Basco,	14	29.94	760.5	77	57	ESE	6	o	6	29.98	761.4	70	91	N	4	o
Aparri,	"	29.92	759.9	77	64	ENE	4	o	"	29.95	760.8	68	96	...	0	b
Manila,	"	29.82	757.5	82	60	SW	2	o	"	29.89	759.3	70	91	ENE	1	b
Legaspi,	"	29.82	757.5	81	84	NE	4	o	"	29.85	758.1	77	91	N	2	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	84	64	NE	6	o	"	29.82	757.5	75	94	N	4	o
Surigao,	"	29.75	755.7	79	90	ENE	2	o	"	29.80	756.9	73	94	...	0	o
Guam,	12.20	29.79	756.6	...	...	ENE	6	r	4.20	29.85	758.1	...	...	ENE	4	o
Yap,	12.47	29.73	755.1	...	...	ENE	6	r	4.47	29.79	756.6	...	...	ENE	4	o
Labuan,	14	29.77	756.1	84	83	S	2	h	6	29.80	756.9	77	91	N	2	b

February 6*d.* 11*h.* 45*m.*—Pressure has decreased considerably over central and S.W. Japan, moderately over the Loochoos and slightly from Ishigaki to S. Formosa. It is nearly stationary elsewhere.

The anticyclone still seems to be central over S. Manchuria. Another may be forming over China.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·33 inches, against an average of 1·83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	6th February, 1925.								7th February, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.44	773.1	15	...	NNE	5	o	6	30.28	769.0	7	...	NNE	5	o
Nemuro,	11	30.39	772.0	...	...	NNE	2	...	5	30.20	767.0	...	...	NE	1	...
Hokodate,	"	30.39	772.0	...	...	...	...	...	"	30.08	764.0	...	...	E	2	...
Tokio,	"	30.24	768.0	...	...	NNW	1	...	"	29.86	758.5	...	...	NNW	1	...
Kochi,	"	30.04	763.0	...	...	SW	1	...	"	29.82	757.5	...	...	...	0	...
Nagasaki,	"	30.02	762.5	...	...	N	1	...	"	29.96	761.0	...	...	...	0	...
Kagoshima,	"	30.04	763.0	...	...	...	...	...	"	29.92	760.0	...	...	WNW	1	...
Oshima,	"	29.94	760.5	...	...	SSE	3	...	"	30.02	762.5	...	...	N	2	...
Naha,	"	30.02	762.5	...	...	W	3	...	"	30.10	764.5	...	...	NW	2	...
Ishigakijima,	"	30.08	764.0	...	...	NNW	2	...	"	30.10	764.5	...	...	N	1	...
Bonin Island,	"	30.04	763.0	...	...	E	1	...	"	30.00	762.0	...	...	S	3	...
Chefoo,	15	30.30	769.6	28	100	NW	4	r	6	30.31	769.9	30	88	NW	6	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.27	768.9	37	86	NW	4	o	"	30.38	771.6	28	100	NW	1	bf
Gutzlaff,	"	30.21	767.3	38	100	NW	7	o	"	30.36	771.1	32	90	NNW	6	b
Sharp Peak,	"	30.08	764.0	54	80	E	4	o	7	30.20	767.1	47	85	E	4	o
Amoy,	15	30.02	762.5	60	90	ESE	2	o	9	30.18	766.6	54	80	ENE	2	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	..	...
Taihoku,	11	30.10	764.4	70	69	...	o	b	5	30.15	765.9	55	88	E	4	o
Taichu,	"	30.10	764.4	73	...	...	o	b	"	30.11	764.7	54	...	...	o	b
Tainan,	"	30.07	763.8	73	...	NW	2	b	"	30.06	763.5	57	...	N	2	o
Koshun,	"	30.05	763.2	77	...	...	o	b	"	30.02	762.6	66	...	NNE	4	b
Pescadores,	"	30.10	764.4	66	...	N	4	b	"	30.11	764.7	59	...	NNE	4	o
Canton,	14	30.11	764.8	58	76	N	2	o	6	...	...	...	...	...	...	...
Hongkong,	"	30.05	763.2	61	78	W	3	b	"	30.15	765.8	54	80	N	1	b
Gap Rock,	"	30.04	763.0	...	...	NNW	4	o	"	30.14	765.5	...	...	NE	4	o
Macao,	"	30.04	762.9	59	79	NNW	4	o	"	30.15	765.9	50	82	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.01	762.3	68	73	ESE	4	o	7	30.14	765.6	55	90	ENE	1	of
Touraine,	"	29.98	761.4	68	...	N	2	cf	"	30.04	762.9	68	...	...	o	o
Cape St. James,	"	29.82	757.5	79	...	E	4	b	"	29.89	759.3	73	...	ENE	6	o
Basco,	14	29.92	759.9	73	79	N	4	o	6	30.02	762.6	70	74	N	6	o
Aparri,	"	29.89	759.3	77	91	N	4	r	"	...	...	...	...	...	...	...
Manila,	"	29.81	757.2	84	64	W	2	b	"	29.87	758.7	73	91	ENE	1	o
Legaspi,	"	29.82	757.5	79	87	NNE	2	o	"	29.84	757.8	77	88	NNE	2	b
Tacloban,	"	...	...	...	...	...	...	...	"	29.81	757.2	75	96	NW	2	o
Iloilo,	"	29.75	755.7	86	65	NE	6	o	"	29.79	756.6	75	92	N	4	b
Surigao,	"	29.76	750.0	82	77	ENE	2	o	"	29.78	756.3	79	87	ENE	2	b
Guam,	12.20	29.79	756.6	...	...	ENE	6	o	4.20	29.80	756.9	...	...	ENE	4	o
Yap,	12.47	29.75	755.7	...	...	E	6	r	4.47	29.75	755.7	...	...	ENE	6	r
Labuan,	14	29.72	754.9	84	83	N	2	b	6	29.77	756.1	77	94	N	2	b

February 7*d.* 11*h.* 25*m.*—Pressure has decreased considerably over Japan and moderately at Wladivostock. It has increased slightly over China and Indo-China and is nearly stationary over the Philippines.

The Oshima depression has deepened. It is now central to the West of Tokio.

An anticyclone is forming over China.

Fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·33 inches, against an average of 1·89 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; generally cloudy, some drizzle or mist.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	7th February, 1925.								8th February, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.27	768.9	15	...	NNE	5	c	6	30.52	775.1	1	...	NNE	3	c
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hokodate,	"	30.00	762.0	...	...	E	1	...	"	...	...	...	...	WNW	3	...
Tokio,	"	29.82	757.5	...	...	N	1	...	"	30.02	762.5	...	...	NNW	1	...
Kochi,	"	29.88	759.0	...	...	NE	1	...	"	30.14	765.5	...	...	NW	1	...
Nagasaki,	"	30.04	763.0	...	...	N	1	...	"	30.18	766.5	...	...	...	..	...
Kagoshima,	"	30.00	762.0	...	...	W	1	...	"	30.12	765.0	...	...	WNW	1	...
Oshima,	"	30.08	764.0	...	...	NNW	2	...	"	30.12	765.0	...	...	NNE	2	...
Naha,	"	30.18	766.5	...	...	NNW	3	...	"	30.18	766.5	...	...	NNW	2	...
Ishigakijima,	"	30.18	766.5	...	...	N	2	...	"	30.18	766.5	...	...	NNE	1	...
Bonin Island,	"	29.94	760.5	...	...	SSW	3	...	"	29.94	760.5	...	...	WSW	1	...
Chefoo,	15	30.37	771.4	34	90	NNW	4	b	6	30.45	773.4	30	88	NW	1	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.40	772.2	41	54	NW	2	b	"	30.45	773.4	32	100	NW	1	bf
Gutzlaff,	"	30.40	772.1	40	56	NNW	4	b	"	30.44	773.2	34	90	NNW	4	o
Sharp Peak,	"	30.23	767.8	47	91	ENE	4	o	7	30.25	768.3	46	91	N	4	o
Amoy,	15	30.15	765.8	60	76	ENE	2	o	9	30.26	768.6	52	79	ENE	2	o
Swatow,	"	...	..	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.25	768.3	61	79	ENE	4	o	5	30.24	768.0	54	88	E	4	o
Taichu,	"	30.15	765.9	68	...	NNW	4	b	"	30.18	766.5	46	...	...	o	b
Tainan,	"	30.14	765.6	70	...	N	4	b	"	30. 4	765.6	48	...	N	2	b
Koshun,	"	30.11	764.7	73	...	NE	4	b	"	30.13	765.3	63	...	NNE	4	b
Pescadores,	"	30.19	766.8	61	...	NNE	6	o	"	30.18	766.5	57	...	NNE	6	o
Canton,	14	30.18	766.6	60	71	N	2	o	6	...	...	...	...	...	...	...
Hongkong,	"	30.14	765.5	63	59	ESE	2	om	"	30.22	767.6	56	87	E	3	od
Gap Rock,	"	30.14	765.5	...	...	NNE	4	b	"	30.19	766.8	...	...	ENE	4	o
Macao,	"	30.13	765.3	61	59	NE	4	o	"	30.18	766.5	54	80	NNW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	.	"	...	...	...	...	...	...	...
Phulien,	"	30.12	765.0	59	79	ENE	2	of	7	30.18	766.5	55	100	NE	4	rf
Tourane,	"	30.07	763.8	72	...	SE	2	o	"	30.08	764.1	66	...	SE	2	o
Cape St. James.	"	29.86	758.4	77	...	ENE	4	b	"	29.89	759.3	70	...	E	4	b
Basco,	14	29.99	761.7	70	82	N	4	o	6	30.08	764.1	68	77	N	4	r
Aparri,	"	29.94	760.5	73	92	NE	4	r	"	...	...	...	..	...	...	...
Manila,	"	29.84	757.8	86	65	W	2	o	"	29.88	759.0	72	94	NE	1	o
Legaspi,	"	29.82	757.5	86	65	NNE	2	o	"	29.85	758.1	77	94	NNE	4	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.76	756.0	86	85	NE	6	o	"	...	...	...	...	...	...	...
Surigao,	"	29.76	756.0	84	77	E	2	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	ENE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.73	755.1	...	...	ENE	6	r	4.47	29.78	756.3	...	...	ENE	4	o
Labuan,	14	29.77	756.1	84	87	NE	2	h	6	29.82	757.4	75	94	...	...	...

February 8*d.* 11*h.* 30*m.*—Pressure has increased considerably from Wladivostock to Japan. It is nearly stationary in the South, and has increased slightly elsewhere.

The anticyclone has strengthened slightly.

Fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·33 inches, against an average of 1·94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; cloudy, some drizzle or mist.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	8th February, 1925.								9th February, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.46	773.7	13	...	NNE	4	b	6	30.26	768.5	5	...	...	0	f
Nemuro,	11	29.94	760.5	...	...	NW	5	...	5	...	...	...	...	...	...	...
Hokodate,	"	30.06	763.5	...	...	W	3	...	"	30.14	765.5	...	...	WNW	3	...
Tokio,	"	30.06	763.5	...	...	N	3	...	"	30.32	770.0	...	...	NNW	1	...
Kochi,	"	30.24	768.0	...	...	N	1	...	"	30.32	770.0	...	...	SW	1	...
Nagasaki,	"	30.26	768.5	...	...	ENE	3	...	"	30.22	767.5	...	...	SE	1	...
Kagoshima,	"	30.20	767.0	...	...	ENE	1	...	"	30.22	767.5	...	...	NE	1	...
Oshima,	"	30.18	766.5	...	...	N	1	...	"	30.12	765.0	...	...	SSE	1	...
Naha,	"	30.22	767.5	...	...	N	3	...	"	30.16	766.0	...	...	...	...	...
Ishigakijima,	"	30.26	768.5	...	...	NNE	1	...	"	30.18	766.5	...	...	NNE	1	...
Bonin Island,	"	29.98	761.5	...	...	NNW	1	...	"	30.12	765.0	...	...	NNW	1	...
Chefoo,	15	30.41	772.4	34	90	...	0	b	6	30.26	768.6	32	90	NW	2	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.43	772.8	43	56	NNE	1	o	"	30.33	770.4	34	96	NE	1	bf
Gutzlaff,	"	30.41	772.4	46	62	N	2	b	"	30.29	769.3	36	90	NNE	2	of
Sharp Peak,	"	30.27	768.8	50	79	E	4	o	7	30.18	766.6	46	89	W	2	b
Amoy,	15	30.18	766.6	58	58	ENE	4	o	9	30.20	767.1	52	88	...	o	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.31	769.8	55	77	E	2	o	5	30.15	765.9	54	88	E	2	b
Taichu,	"	30.21	767.4	66	...	N	2	b	"	30.21	767.4	54	...	...	o	bf
Tainan,	"	30.20	767.1	66	...	N	2	b	"	30.14	765.6	52	...	N	2	b
Koshun,	"	30.18	766.5	54	...	NNE	4	b	"	30.11	764.7	63	...	NNE	4	b
Pescadores,	"	30.25	768.3	61	...	NNE	6	o	"	30.17	766.2	55	...	NNE	4	b
Canton,	14	30.19	766.8	61	77	N	1	c	6	...	...	...	...	...	...	...
Hongkong,	"	30.19	766.8	57	80	E	3	o	"	30.14	765.5	57	77	E	4	o
Gap Rook,	"	30.18	766.6	...	...	ENE	4	c	"	30.12	765.0	...	...	ENE	5	c
Macao,	"	30.17	766.2	55	81	N	2	o	"	30.12	765.0	55	84	NNE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	.	"	...	...	...	...	...	...	...
Phulien,	"	30.15	765.9	55	100	N	2	rf	7	30.11	764.7	55	98	NNW	1	rf
Tourane,	"	30.08	764.1	70	...	ESE	2	o	"	30.06	763.5	66	...	...	o	rf
Cape St. James,	"	29.89	759.3	77	...	ENE	4	o	"	29.88	759.0	73	...	...	o	o
Basco,	14	30.01	762.3	68	...	N	4	o	6	...	...	...	...	...	...	...
Aparri,	"	30.02	762.6	68	92	NE	6	r	"	30.01	762.3	70	91	ENE	4	r
Manila,	"	29.89	759.3	77	86	NNE	1	r	"	29.91	759.6	72	96	NE	1	o
Legaspi,	"	29.86	758.4	77	94	N	4	o	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.79	756.6	84	68	NE	4	o	"	29.85	758.1	75	94	N	4	o
Surigao,	"	29.80	756.9	84	77	NE	2	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	NE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.76	756.0	...	...	ENE	6	r	4.47	29.78	756.3	...	...	NE	4	o
Labuan,	14	29.83	757.7	80	91	N	2	o	6	29.79	756.6	76	94	N	2	o

February 9*d.* 11*h.* 40*m.*—Pressure has decreased moderately from Shanghai to Wladivostock and increased considerably from the Bonins to Tokio. It has decreased slightly elsewhere.

The anticyclone over China has broken up.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·33 inches, against an average of 1·99 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; overcast at first, improving later.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	9th February, 1925.								10th February, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.05	763.3	13	...	NNE	3	s	6	30.16	766.0	2	...	NNE	4	o
Nemuro,	11	29.96	761.0	...	...	W	1	...	5	29.73	755.0	...	...	NE	1	...
Hokodate,	"	30.14	765.5	...	...	W	10	...	"	29.57	751.0	...	...	NW	3	...
Tokio,	"	30.28	769.0	...	...	...	...	...	"	29.73	755.0	...	...	W	1	...
Kochi,	"	30.24	768.0	...	...	ESE	1	...	"	29.90	759.5	...	...	...	0	...
Nagasaki,	"	30.20	767.0	...	...	..	..	...	"	30.14	765.5	...	...	N	3	...
Kagoshima,	"	30.16	766.0	...	...	NNE	1	...	"	30.08	764.0	...	...	NW	1	...
Oshima,	"	30.10	764.5	...	...	WSW	1	...	"	30.12	765.0	...	...	N	2	...
Naha,	"	30.16	766.0	...	...	W	1	...	"	30.18	766.5	...	...	NNW	2	...
Ishigakijima,	"	30.18	766.5	...	...	ENE	1	...	"	30.14	765.5	...	...	NE	1	...
Bonin Island,	"	30.18	766.5	...	...	NE	1	...	"	30.12	765.0	...	...	SE	1	...
Chefoo,	15	30.25	768.3	28	79	NW	7	b	6	30.39	771.9	26	78	NW	2	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.28	769.2	41	69	NW	1	o	"	30.51	774.9	34	100	N	1	lf
Gutzlaff,	"	30.29	769.3	38	84	NNW	2	r	"	30.46	773.7	34	69	N	4	o
Sharp Peak,	"	30.19	766.8	60	60	N	1	b	7	30.23	767.8	46	86	ENE	4	r
Amoy,	15	...	...	..	...	...	...	...	9	30.22	767.6	54	80	ENE	2	o
Swatow,	"	...	...	...	...		...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.12	765.0	72	57	SE	2	b	5	30.21	767.4	55	88	E	4	b
Taichu,	"	30.14	765.6	70	...	...	0	b	"	30.15	765.9	57	...	NNW	2	b
Tainan,	"	30.14	765.6	68	...	W	2	b	"	30.12	765.0	59	...	N	4	o
Koshun,	"	30.12	765.0	73	...	NE	4	b	"	30.08	764.1	64	...	N	2	b
Pescadores,	"	30.18	766.5	59	...	N	4	o	"	30.14	765.6	59	...	NNE	4	o
Canton,	14	30.08	764.0	67	74	...	0	c	6	...	...	...	...	...	...	...
Hongkong,	"	30.08	764.0	62	70	E	2	o	"	30.13	765.3	59	79	E	2	o
Gap Rock,	"	30.06	763.5	...	...	ENE	4	o	"	30.12	765.0	...	...	ENE	4	o
Macao,	"	30.06	763.5	61	69	ESE	4	o	"	30.11	764.7	54	88	NNW	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	.	"	...	...	...	...	...	...	...
Phulien,	"	30.06	763.5	59	100	NW	1	rf	7	30.12	765.0	55	100	ENE	2	rf
Tourane,	"	29.99	761.7	72	...	...	0	b	"	30.06	763.5	64	...	WNW	2	of
Cape St. James,	"	29.86	758.4	81	....	SW	2	o	"	29.89	759.3	73	...	ENE	2	b
Basco,	14	29.98	761.4	72	70	ESE	2	o	6	30.04	762.9	68	87	E	2	r
Aparri,	"	29.97	761.1	72	88	ENE	4	o	"	29.98	761.4	72	96	...	0	r
Manila,	"	29.86	758.4	82	70	W	2	o	"	29.94	760.5	73	89	N	2	o
Legaspi,	"	29.85	758.1	86	71	NNE	4	o	"	29.89	759.3	79	89	NNE	4	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.80	756.9	64	53	NE	6	o	"	29.86	758.4	75	92	N	4	o
Surigao,	"	29.79	756.6	64	45	NE	4	o	"	29.85	758.1	77	91	SE	1	o
Guam,	12.20	29.75	755.7	...	...	NE	6	o	4.20	29.81	757.2	...	...	NE	4	o
Yap,	12.47	29.74	755.4	...	...	ENE	6	r	4.47	29.79	756.6	...	...	ENE	4	o
Labuan,	14	29.78	756.4	84	87	N	2	b	6	29.80	756.9	77	94	NW	2	b

February 10*d*. 12*h*. 33*m*.—Pressure has decreased very considerably over Japan, and increased slightly to moderately elsewhere.

An anticyclone of considerable intensity has developed over N. China, and a depression is situated over N. Japan. Fresh to strong monsoon will prevail along the coast and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·33 inches, against an average of 20·4 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; cloudy.
3.—Hongkong to Gap Rock,	N.E. winds, fresh; cloudy.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; cloudy.

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	10th February, 1925.								11th February, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	30.14	765.6	11	...	NNE	4	c	6	30.32	770.2	−3	...	...	0	f
Nemuro,	11	29.55	750.5	...	...	NNE	4	...	5	29.78	756.5	...	...	W	1	...
Hokodate,	"	29.55	750.5	...	...	NNW	6	...	"	29.90	759.5	...	...	NW	2	...
Tokio,	"	29.59	751.5	...	...	S	1	...	"	30.06	763.5	...	...	NNW	1	...
Kochi,	"	29.98	761.5	...	...	NNW	2	...	"	30.24	768.0	...	...	SW	1	...
Nagasaki,	"	30.24	768.0	...	...	N	3	...	"	30.34	770.5	...	..	...	...	...
Kagoshima,	"	30.18	766.5	...	...	NNW	3	...	"	30.36	771.0	...	...	NW	1	...
Oshima,	"	30.18	766.5	...	...	N	3	...	"	30.28	769.0	...	...	N	1	...
Naha,	"	30.20	767.0	...	...	N	3	...	"	30.24	768.0	...	..	NE	2	...
Ishigakijima,	"	30.20	767.0	...	...	NNE	2	...	"	30.18	766.5	...	...	NE	2	...
Bonin Island,	"	29.98	761.5	...	...	S	1	...	"	30.06	763.5	...	...	W	1	...
Chefoo.	15	30.38	771.6	34	82	NW	2	b	6	30.38	771.6	36	83	SW	1	b
Hankow,	"	...	.	...	...	...	...	...	"	...	...	...	..	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.44	773.1	43	49	NNW	1	b	"	30.50	774.6	28	100	ENE	1	bf
Gutzlaff,	"	30.44	773.2	42	58	NNW	4	b	"	30.50	774.7	32	82	NNE	2	b
Sharp Peak,	"	30.26	768.6	46	69	N	4	o	7	30.27	768.8	44	84	N	2	o
Amoy,	15	30.17	766.3	54	74	ENE	2	o	9	30.23	767.8	50	88	...	0	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.26	768.6	57	86	E	4	o	5	30.22	767.7	55	90	E	4	o
Taichu,	"	30.17	766.2	64	...	N	4	b	"	30.15	765.9	55	...	..	0	o
Tainan,	"	30.14	765.6	70	...	NNW	4	b	"	30.13	765.3	55	..	WNW	2	o
Kosbun,	"	30.11	764.7	73	...	NNE	4	b	"	30.11	764.7	63	...	NNE	4	b
Pescadores,	"	30.18	766.5	59	...	NNE	6	o	"	30.18	766.5	57	...	NNE	6	o
Canton,	14	30.16	766.0	53	86	N	2	o	6	...	...	...	...	...	...	...
Hongkong,	"	30.12	765.0	62	69	ESE	2	o	"	30.15	765.8	54	82	E	5	o
Gap Rock,	"	30.11	764.8	...	...	ENE	5	o	"	30.12	765.0	...	...	E	5	c
Macao,	"	30.11	764.7	57	72	NNE	2	o	"	30.15	765.9	52	92	N	4	o
Wuchow,	15	...	..	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	..	"	...	...	...	...	...	...	...
Phulien,	"	30.10	764.4	55	100	NE	2	rf	7	30.14	765.6	52	100	ENE	4	rf
Tourane,	"	30.01	762.3	70	...	NW	2	b	"	30.07	763.8	64	...	WNW	2	of
Cape St. James.	"	29.88	759.0	77	...	E	2	o	..	29.91	759.6	70	...	ENE	4	b
Basco,	14	29.99	761.7	70	82	ENE	2	r	6	...	...	...	...	...	..	...
Aparri,	"	29.94	760.5	72	88	ENE	4	o	"	30.02	762.6	70	85	ENE	6	r
Manila,	"	29.86	758.4	86	49	ESE	2	o	"	29.93	760.2	72	89	...	0	b
Legaspi,	"	29.86	758.4	82	74	NNE	4	o	"	29.91	759.6	77	79	NNE	2	o
Tacloban,	"	...	...	..	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.80	756.9	82	70	NE	6	o	"	...	...	...	...	...	...	...
Surigao,	..	29.80	756.9	82	81	NE	2	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	E	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.74	755.4	...	...	ENE	4	o	4.47	29.79	756.6	...	...	ENE	6	o
Labuan,	14	29.80	756.9	84	87	N	2	o	6	29.84	757.9	75	94	NE	1	o

February 11*d.* 11*h.* 28*m.*—Pressure has increased considerably over Japan and moderately over the Loochoos. Changes elsewhere are slight.

The Japanese depression is passing into the Pacific.

The northern anticyclone appears to be moving eastward, leaving a separate anticyclone over China.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·33 inches, against an average of 2·09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks.	N.E. winds, fresh; generally cloudy.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	11th February, 1925.								12th February, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.27	768.8	13	...	NNE	4	b	6	30.31	769.9	−2	...	...	0	f
Nemuro,	11	29.80	757.0	...	...	NW	1	...	5	29.86	758.5	...	...	SW	1	...
Hokodate,	"	29.94	760.5	...	...	NW	5	...	"	30.02	762.5	...	...	...	...	...
Tokio,	"	30.08	764.0	...	...	SE	3	...	"	30.16	766.0	...	...	NNW	1	...
Kochi,	"	30.24	768.0	...	...	SSW	1	...	"	30.32	770.0	...	...	SW	1	...
Nagasaki,	"	30.37	771.5	...	...	NNW	1	...	"	30.30	769.5	...	...	SE	1	...
Kagoshima,	"	30.33	770.5	...	...	NW	1	...	"	30.28	769.0	...	...	NW	1	...
Oshima,	"	30.31	770.0	...	...	N	3	...	"	30.22	767.5	...	...	...	...	...
Naha,	"	30.02	762.5	...	...	NE	1	...	"	30.10	764.5	...	...	E	1	...
Ishigakijima,	"	30.22	767.5	...	...	ENE	3	...	"	30.00	762.0	...	...	S	3	...
Bonin Island,	"	30.08	764.0	...	...	SW	1	...	"	30.18	766.5	...	...	...	...	...
Chefoo,	15	30.35	770.9	38	54	N	1	b	6	30.32	770.1	26	78	SW	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.44	773.1	43	56	E	1	o	"	30.34	770.7	37	90	ESE	1	rf
Gutzlaff,	"	30.45	773.4	40	56	ENE	2	o	"	30.33	770.4	38	68	E	2	r
Sharp Peak,	"	30.29	769.3	47	85	N	2	r	7	30.15	765.8	48	91	N	2	r
Amoy,	15	30.17	766.3	56	81	NE	4	o	9	30.07	763.8	54	89	WSW	2	r
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.25	768.3	61	83	E	4	o	5	30.06	763.5	59	89	SW	2	o
Taichu,	"	30.17	766.2	66	...	N	2	o	"	30.12	765.0	57	...	...	0	b
Tainan,	"	30.17	766.2	72	...	N	2	b	"	30.04	762.9	59	...	NNE	4	o
Koshun,	"	30.14	765.6	73	...	E	4	b	"	30.01	762.3	63	...	...	0	b
Pescadores,	"	30.20	767.1	61	...	NNE	6	o	"	...	...	...	...	...	...	...
Canton,	14	30.14	765.5	52	86	N	2	o	6	...	...	...	...	...	...	...
Hongkong,	"	30.13	765.3	56	80	E	4	o	"	30.06	763.5	57	85	E	3	od
Gap Rock,	"	30.11	764.8	...	...	ENE	5	o	"	30.05	763.2	...	...	ENE	4	o
Macao,	"	30.11	764.7	57	81	NE	2	o	"	30.04	762.9	52	95	NNW	2	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.07	763.8	57	86	...	0	o	7	30.10	764.4	54	100	NW	2	rf
Tourane,	"	30.02	762.6	70	...	WNW	2	o	"	30.00	762.0	64	...	WNW	4	of
Cape St. James,	"	29.87	758.7	77	...	ENE	6	b	"	29.88	759.0	73	...	ENE	6	b
Basco,	14	30.01	762.3	77	76	E	4	o	6	...	...	...	...	...	...	...
Aparri,	"	...	...	...	...	...	...	...	"	29.92	759.9	68	96	...	0	b
Manila,	"	29.91	759.6	79	76	SE	2	o	"	29.87	758.7	72	91	N	2	b
Legaspi,	"	29.88	759.0	82	70	NNE	2	o	"	29.86	758.4	77	88	NNE	4	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.84	757.8	77	94	NNE	4	o	"	...	...	...	...	...	...	...
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	NE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.74	755.4	...	...	ENE	6	r	4.47	29.78	756.3	...	...	ENE	4	o
Labuan,	14	29.80	756.9	84	87	NE	2	o	6	29.79	756.6	76	94	N	2	b

February 12*d.* 10*h.* 55*m.*—Pressure has decreased moderately from Shanghai to the Philippines, and slightly over Indo-China. It has increased slightly over Japan.

The anticyclone has spread eastward.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 4·33 inches, against an average of 2·14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; generally cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY. HONGKONG.

DAILY WEATHER REPORT.

Station.	12th February, 1925.								13th February, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.22	767.7	20	...	WSW	2	o	6	30.15	765.9	1	...	...	o	f
Nemuro,	11	...	...	...	...	...	...	...	5	29.86	758.5	...	...	...	...	...
Hokodate,	"	30.04	763.0	...	...	WNW	3	...	"	29.96	761.0	...	...	W	2	...
Tokio,	"	30.16	766.0	...	...	NNW	2	...	"	30.10	764.5	...	...	N	1	...
Kochi,	"	...	...	...	...	...	...	...	"	30.14	765.5	...	...	W	1	...
Nagasaki,	"	30.28	769.0	...	...	E	1	...	"	30.18	766.5	...	...	NE	1	...
Kagoshima,	"	30.24	768.0	...	...	ENE	1	...	"	30.12	765.0	...	...	...	...	...
Oshima,	"	30.18	766.5	...	...	...	...	...	"	29.98	761.5	...	...	NNE	4	...
Naha,	"	30.06	763.5	...	...	ESE	2	...	"	29.94	760.5	...	...	N	3	...
Ishigakijima,	"	30.02	762.5	...	...	W	1	...	"	30.00	762.0	...	...	NNE	1	...
Bonin Island,	"	30.14	765.5	...	...	NW	1	...	"	30.08	764.0	...	...	...	...	...
Chefoo,	15	30.20	767.1	38	72	NE	1	r	6	30.31	769.9	30	80	NW	2	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.27	768.9	43	79	ENE	1	o	"	30.36	771.0	32	100	N	1	of
Gutzlaff,	"	30.26	768.6	42	92	NNE	2	o	"	30.35	770.9	36	90	NNW	4	h
Sharp Peak,	"	30.12	765.0	56	81	N	1	o	7	30.11	764.8	46	92	NE	4	rf
Amoy,	15	30.03	762.7	56	94	S	1	o	9	30.10	764.5	54	94	WNW	1	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.07	763.8	64	90	WSW	2	o	5	30.07	763.8	57	96	E	2	r
Taichu,	"	30.11	764.7	64	...	N	2	o	"	30.04	762.9	57	...	...	o	o
Tainan,	"	30.07	763.8	66	...	NNW	4	o	"	30.00	762.0	59	...	NNE	4	o
Koshun,	"	30.04	762.9	72	...	NNW	2	o	"	29.95	760.8	68	...	SSW	2	h
Pescadores,	"	30.11	764.7	57	...	NNE	4	o	"	30.04	762.9	59	...	NNE	6	o
Canton,	14	30.08	764.0	52	93	N	2	o	6	...	...	...	...	...	...	...
Hongkong,	"	30.03	762.7	61	75	E	2	o	"	30.07	763.8	56	86	N	1	o
Gap Rock,	"	30.02	762.5	...	...	NE	4	o	"	30.05	763.2	...	...	NNE	4	o
Macao,	"	30.01	762.3	55	88	NNW	4	of	"	30.06	763.5	50	95	N	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.04	762.9	57	98	...	o	o	7	30.07	763.8	54	100	ENE	4	rf
Tourane,	"	29.97	761.1	65	...	NW	2	o	"	30.00	762.0	64	...	NW	2	o
Cape St. James,	"	29.85	758.1	77	...	ENE	6	b	"	29.87	758.7	73	...	ENE	6	b
Basco,	14	29.88	759.0	79	73	ESE	6	o	6	...	...	...	...	...	...	...
Aparri,	"	29.86	758.4	81	76	NE	4	b	"	29.88	759.0	70	94	...	o	o
Manila,	"	29.82	757.5	82	67	W	4	o	"	29.85	758.1	70	96	NE	1	h
Legaspi,	"	29.80	756.9	86	71	ENE	4	b	"	29.81	757.2	72	92	...	o	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.75	755.7	86	61	ENE	6	o	"	...	...	...	...	...	...	...
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.75	755.7	...	...	E	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.71	754.5	...	...	ENE	6	r	4.47	29.75	755.7	...	...	ESE	4	o
Labuan,	14	29.78	756.4	86	84	N	2	b	6	29.84	757.9	75	94	N	2	h

February 13*d.* 11*h.* 20*m.*—Pressure has increased slightly from Chefoo to Shanghai. It has decreased moderately over the Loochoos and slightly over Formosa and the Philippines. It is nearly stationary over S. China and Indo-China.

A new anticyclone appears to be forming over China.

Fresh monsoon may be expected along the S.E. coast of China and moderate monsoon over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·03 inch. Total since January 1st, 4·36 inches, against an average of 2·19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks.	N. winds, moderate; overcast, some drizzle or mist.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY. HONGKONG.

DAILY WEATHER REPORT.

Station.	13th February, 1925.								14th February, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock. .	12	30.07	763.9	25	...	SE	2	r	6	30.10	764.6	17	...	NNE	4	c
Nemuro,.....	11	29.80	757.0	...	...	W	1	...	5	29.84	758.0	...	...	WSW	1	...
Hokodate, ...	,,	29.94	760.5	...	...	WNW	3	...	,,	29.92	760.0	...	...	WNW	5	...
Tokio,.....	,,	30.04	763.0	...	...	NNE	1	...	,,	30.10	764.5	...	...	...	0	...
Kochi, ...	,,	30.10	764.5	...	...	N	1	...	,,	30.20	767.0	...	...	SW	1	...
Nagasaki, ...	,,	30.18	766.5	...	...	N	1	...	,,	30.26	768.5	...	...	...	0	...
Kagoshima, ...	,,	30.12	765.0	...	...	NNE	1	...	,,	30.24	768.0	...	...	WNW	1	...
Oshima, ...	,,	30.02	762.5	...	...	N	3	...	,,	30.16	766.0	...	...	NNW	1	...
Naha, ...	,,	30.02	762.5	...	...	NNE	2	...	,,	30.12	765.0	...	...	NE	1	...
Ishigakijima,..	,,	30.06	763.5	...	...	NE	3	...	,,	30.10	764.5	...	...	NE	1	...
Bonin Island,..	,,	29.98	761.5	...	...	SE	1	...	,,	29.90	759.5	...	...	NW	1	...
Chefoo.	15	30.18	766.6	40	31	WNW	4	b	6	30.27	768.8	30	80	S	1	b
Hankow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	14	30.33	770.4	45	71	NW	1	o	,,	30.37	771.3	28	100	ENE	1	bf
Gutzlaff,.....	,,	30.34	770.6	48	63	N	2	b	,,	30.38	771.6	34	82	NNE	2	b
Sharp Peak, ..	,,	30.17	766.3	48	82	ENE	2	o	7	30.26	768.6	47	85	N	1	o
Amoy, ...	15	30.08	764.0	54	89	ENE	1	o	9	30.16	766.0	52	81	NE	1	o
Swatow,.....	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku, ...	11	30.15	765.9	57	93	E	4	r	5	30.13	765.3	55	93	E	4	o
Taichu, ...	,,	30.07	763.8	63	...	N	4	o	,,	30.06	763.5	54	...	...	0	o
Tainan, ...	,,	30.05	763.2	70	...	NNW	4	b	,,	30.05	763.2	54	...	...	0	b
Koshun,.....	,,	30.01	762.3	75	...	NNE	4	b	,,	30.05	763.2	63	...	NNE	4	b
Pescadores, ..	,,	30.11	764.7	61	...	NE	6	o	,,	30.10	764.4	57	...	NE	6	o
Canton, ...	14	30.12	765.0	51	86	N	2	o	6	...	...	...	...	...	...	...
Hongkong,.....	,,	30.05	763.2	57	78	WNW	1	o	,,	30.10	764.5	55	76	E	5	o
Gap Rock, ...	,,	30.05	763.2	...	...	NNE	4	o	,,	30.11	764.8	...	...	ENE	5	o
Macao, ...	,,	30.04	762.9	54	85	N	4	o	,,	30.07	763.8	50	95	NE	4	of
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	,,	30.04	762.9	55	100	...	0	rf	7	30.07	763.8	54	97	ENE	4	rf
Tourane,.....	,,	29.95	760.8	66	...	NW	2	of	,,	29.99	761.7	64	...	NW	2	of
Cape St. James.	,,	29.85	758.1	77	...	ENE	6	b	,,	29.88	759.0	72	...	ENE	6	b
Basco,.....	14	29.91	759.6	72	75	N	4	o	6	...	...	...	...	...	...	...
Aparri, ...	,,	29.87	758.7	81	73	NE	4	o	,,	29.94	760.5	73	79	NE	4	o
Manila, ...	,,	29.80	756.9	79	84	SE	2	o	,,	29.86	758.4	72	88	NNE	1	of
Legaspi, ...	,,	29.76	756.0	86	65	NNE	4	o	,,	...	...	...	...	...	...	...
Tacloban, ...	,,	29.74	755.4	75	94	NNW	4	r	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.73	755.1	82	70	NNE	4	o	,,	29.76	756.0	75	94	N	4	o
Surigao, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,.....	12.20	29.74	755.4	...	...	SE	2	o	4.20	...	...	...	...	...	...	...
Yap, ...	12.47	29.72	754.8	...	...	ESE	4	o	4.47	29.78	756.3	...	...	ENE	4	o
Labuan, ...	14	29.77	756.1	84	87	N	2	b	6	29.79	756.6	75	94	NE	2	b

February 14*d.* 11*h.* 25*m.*—Pressure has increased moderately over S.W. Japan and the Loochoos and slightly from Chefoo to Wladivostock. It is nearly stationary elsewhere.

The anticyclone has spread eastward.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·36 inches, against an average of 2·24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15th.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; cloudy, some drizzle or mist.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,.....	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	14th February, 1925.								15th February, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.09	764.2	24	...	NNE	3	b	6	30.24	768.0	15	...	WNW	3	c
Nemuro,	11	29.76	756.0	...	...	ENE	1	...	5	29.84	758.0	...	...	WSW	1	...
Hokodate,	"	29.84	758.0	...	...	N	1	...	"	30.00	762.0	...	...	W	3	...
Tokio,	"	30.04	763.0	...	...	S	1	...	"	30.08	764.0	...	...	NNW	4	...
Kochi,	"	30.16	766.0	...	...	...	...	...	"	30.18	766.5	...	...	SSW	1	...
Nagasaki,	"	30.24	768.0	...	...	...	...	...	"	30.22	767.5	...	...	...	0	...
Kagoshima,	"	30.22	767.5	...	...	N	1	...	"	30.16	766.0	...	...	NW	1	...
Oshima,	"	30.18	766.5	...	...	NNE	1	...	"	30.12	765.0	...	...	SSE	1	...
Naha,	"	30.16	766.0	...	...	NNE	1	...	"	30.06	763.5	...	...	ENE	1	...
Ishigakijima,	"	30.12	765.0	...	...	E	3	...	"	30.02	762.5	...	...	NE	1	...
Bonin Island,	"	29.96	761.0	...	...	NNW	1	...	"	30.00	762.0	...	...	NNW	1	...
Chefoo,	15	30.28	769.1	40	91	NE	1	b	6	30.26	768.6	28	88	SW	2	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.32	770.1	48	36	ENE	1	b	"	30.27	768.9	39	87	NE	1	cf
Gutzlaff,	"	30.32	770.1	44	68	NNE	2	o	"	30.25	768.3	40	91	ENE	2	r
Sharp Peak,	"	30.18	766.6	48	85	NNE	2	o	7	30.11	764.8	47	85	NW	1	o
Amoy,	15	30.10	764.5	58	76	NE	4	o	9	30.05	763.2	54	89	ESE	1	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.17	766.2	59	81	E	4	o	5	30.01	762.3	57	96	...	o	o
Taichu,	"	30.10	764.4	70	...	...	o	b	"	30.04	762.9	57	...	...	o	o
Tainan,	"	30.11	764.7	68	...	N	2	b	"	30.02	762.6	57	...	...	o	o
Koshun,	"	30.08	764.1	72	...	NE	4	b	"	29.99	761.7	64	...	N	4	b
Pescadores,	"	30.13	765.3	63	...	NE	6	o	"	30.05	763.2	64	...	NNE	4	o
Canton,	14	30.08	764.0	53	86	N	2	o	6	...	...	...	...	...	...	...
Hongkong,	"	30.06	763.5	56	78	E	5	o	"	30.01	762.2	56	83	E	4	b
Gap Rock,	"	30.03	762.7	...	...	ENE	5	o	"	30.01	762.2	...	...	ENE	4	o
Macao,	"	30.04	762.9	54	92	NNE	4	of	"	30.00	762.0	52	90	N	4	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.00	762.0	57	86	ENE	2	o	7	30.05	763.2	54	100	NNW	1	rf
Tourane,	"	29.95	760.8	65	...	NW	2	of	"	29.95	760.8	66	...	W	2	b
Cape St. James,	"	29.85	758.1	75	...	ENE	6	b	"	29.86	758.4	72	...	ENE	4	b
Basco,	14	29.94	760.5	73	71	N	6	o	6	...	...	...	...	...	...	...
Aparri,	"	29.92	759.9	77	68	NE	4	o	"	29.91	759.6	72	88	...	o	o
Manila,	"	29.80	756.9	84	55	NE	2	o	"	29.82	757.5	72	88	NE	1	o
Legaspi,	"	29.78	756.3	79	80	NNE	4	o	"	29.73	755.1	77	88	N	4	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.73	755.1	77	84	NNE	6	o	"	...	...	...	...	...	...	...
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	E	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.74	755.4	...	...	E	2	o	4.47	29.76	756.0	...	...	E	4	o
Labuan,	14	29.77	756.1	84	87	N	2	b	6	29.77	756.1	76	94	N	2	o

February 15*d.* 12*h.* 15*m.*—Pressure has increased moderately from Wladivostock to N.E. Japan. It is nearly stationary over Tongking and has decreased slightly elsewhere.

The anticyclone is probably central over S.E. Mongolia.

Fresh to moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 4·36 inches, against an average of 2·29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; cloudy, some drizzle or mist.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY. HONGKONG.

DAILY WEATHER REPORT.

Station.	15th February, 1925.								16th February, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.22	767.7	29	...	NNE	2	b	6	30.18	766.5	21	...	E	2	o
Nemuro,	11	29.86	758.5	...	...	W	1	...	5	29.96	761.0	...	...	W	1	...
Hokodate,	"	30.02	762.5	...	...	WNW	4	...	"	30.12	765.0	...	...	NNW	1	...
Tokio,	"	30.02	762.5	...	...	NW	1	...	"	30.18	766.5	...	...	NNW	1	...
Kochi,	"	30.16	766.0	...	...	NNW	1	...	"	30.10	764.5	...	...	SW	1	...
Nagasaki,	"	30.18	766.5	...	...	ENE	2	...	"	30.08	764.0	...	...	ENE	1	...
Kagoshima,	"	30.18	766.5	...	...	NE	1	...	"	30.04	763.0	...	...	NE	1	...
Oshima,	"	30.12	765.0	...	...	...	0	...	"	29.88	759.0	...	...	...	0	...
Naha,	"	30.06	763.5	...	...	ESE	1	...	"	29.92	760.0	...	...	SSW	1	...
Ishigakijima,	"	30.00	762.0	...	...	SSW	1	...	"	29.94	760.5	...	...	NNW	1	...
Bonin Island,	"	30.02	762 5	...	...	NE	1	...	"	30.02	762.5	...	...	...	0	...
Chefoo,	15	30.13	765.3	36	70	NE	2	b	6	30.08	764.0	32	82	S	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.22	767.7	41	81	NE	1	r	"	30.18	766.5	41	94	NE	1	of
Gutzlaff,	"	30.21	767.3	40	100	NNE	1	r	"	30.17	766.3	40	100	NNE	2	o
Sharp Peak,	"	30.07	763.8	50	86	...	0	r	7	30.05	763.2	48	91	...	0	o
Amoy,	15	30.02	762.5	60	82	SSE	4	b	9	29.98	761.5	54	80	E	2	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.04	762.9	66	76	...	0	o	5	29.98	761.4	59	96	...	0	o
Taichu,	"	30.06	763.5	64	...	NNW	2	o	"	30.01	762.3	55	...	...	0	o
Tainan,	"	30.04	762.9	68	...	NNW	4	b	"	29.95	760.8	57	...	N	4	o
Koshun,	"	30.00	762.0	75	...	NW	1	b	"	29.92	759.9	59	...	...	0	b
Pescadores,	"	30.07	763.8	73	...	ESE	4	o	"	29.98	761.4	57	...	NE	4	o
Canton,	14	30.03	762.7	51	93	N	2	f	6	...	...	...	...	...	...	...
Hongkong,	"	29.98	761.5	58	90	E	1	o	"	29.95	760.7	59	83	E	3	o
Gap Rock,	"	29.98	761.5	...	...	NE	4	om	"	29.94	760.5	...	...	E	4	o
Macao,	"	29.97	761.1	54	95	NNW	4	of	"	29.94	760.5	52	97	N	4	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.98	761.4	55	100	NW	1	rf	7	29.98	761.4	54	100	ENE	4	rf
Tourane,	"	29.92	759.9	68	...	NW	2	o	"	29.92	759.9	64	...	...	0	of
Cape St. James.	"	29.85	758.1	79	...	ENE	4	b	"	29.85	758.1	72	...	ENE	6	bf
Basco,	14	...	...	...	...	...	...	...	6	29.87	758.7	68	91	...	0	o
Aparri,	"	29.86	758.4	79	69	ENE	2	o	"	29.82	757.5	70	94	...	0	o
Manila,	"	29.79	756.6	82	63	...	0	o	"	29.76	756.0	72	86	...	0	o
Legaspi,	"	29.72	754.8	75	...	NNE	4	o	"	29.72	754.8	75	96	...	0	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.68	753.9	79	90	NNE	6	o	"	29.69	754.2	75	96	N	4	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	E	2	o	4.20	29.81	757.2	...	...	NE	2	o
Yap,	12.47	29.74	755.4	...	...	ESE	2	o	4.47	29.78	756.3	...	...	ESE	4	o
Labuan,	14	29.78	756.4	84	87	N	2	b	6	29.76	755.9	75	94	NW	2	o

February 16*d.* 11*h.* 05*m.*—Pressure has decreased considerably at Oshima, and slightly in other districts, except over central and N.E. Japan where it has increased slightly.

Anticyclonic conditions are uncertain.

Depressions are shown to the S.E. of the Loochoos, and over the southern Philippines.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·36 inches, against an average of 2·35 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY. HONGKONG.

DAILY WEATHER REPORT.

Station.	16th February, 1925.								17th February, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.06	763.5	32	...	SSE	4	o	6	29.87	758.6	30	...	ESE	3	o
Nemuro,	11	30.02	762.5	...	...	WNW	2	...	5	30.12	765.0	...	...	...	...	...
Hokodate,	,,	30.10	764.5	...	...	W	4	...	,,	30.02	762.5	...	...	N	1	...
Tokio,	,,	30.14	765.5	...	...	E	1	...	,,	30.04	763.0	...	...	NW	1	...
Kochi,	,,	30.04	763.0	...	...	...	...	...	,,	29.94	760.5	...	...	SW	1	...
Nagasaki,	,,	30.04	763.0	...	...	E	1	...	,,	30.00	762.0	...	...	...	..	...
Kagoshima,	,,	30.06	763.5	...	...	NE	1	...	,,	29.98	761.5	...	...	WNW	1	...
Oshima,	,,	29.90	759.5	...	...	NNE	1	...	,,	29.98	761.5	...	...	SE	1	...
Naha,	,,	29.96	761.0	...	...	W	2	...	,,	29.94	760.5	...	...	N	1	...
Ishigakijima,	,,	29.96	761.0	...	...	N	1	...	,,	29.92	760.0	...	...	ENE	1	...
Bonin Island,	,,	30.00	762.0	...	...	N	1	...	,,	29.92	760.0	...	...	SE	1	...
Chefoo,	15	29.95	760.7	52	53	SW	2	b	6	29.93	760.2	40	85	S	2	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.08	764.1	46	77	E	1	r	,,	30.12	765.0	41	100	N	1	of
Gutzlaff,	,,	30.10	764.5	46	86	NNE	2	o	,,	30.08	764.0	40	100	N	1	o
Sharp Peak,	,,	29.99	761.7	56	81	E	1	o	7	29.98	761.5	52	92	W	1	of
Amoy,	15	29.91	759.7	62	77	ENE	2	b	9	29.88	758.9	56	89	NNE	2	o
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.99	761.7	70	74	E	4	b	5	29.94	760.5	57	93	ESE	1	b
Taichu,	,,	30.00	762.0	72	...	...	0	b	,,	29.95	760.8	57	...	...	0	b
Tainan,	,,	29.97	761.1	72	...	NNW	2	b	,,	29.92	759.9	59	...	N	4	o
Koshun,	,,	29.94	760.5	75	...	NW	2	b	,,	29.89	759.3	61	...	.	0	b
Pescadores,	,,	30.01	762.3	61	...	NE	4	o	,,	29.93	760.2	57	...	NE	4	o
Canton,	14	29.94	760.5	54	87	N	2	o	6	...	...	...	...	...	...	...
Hongkong,	,,	29.91	759.7	61	80	ESE	3	o	,,	29.91	759.7	58	88	E	4	o
Gap Rock,	,,	29.92	759.9	...	...	NE	4	o	,,	29.89	759.2	...	...	ENE	5	b
Macao,	,,	29.88	759.0	61	81	NNW	2	of	,,	29.87	758.7	55	96	...	0	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.88	759.0	59	96	NE	1	of	7	29.84	757.8	55	100	E	2	rf
Tourane,	,,	29.82	757.5	73	...	SE	2	b	,,	29.80	756.9	66	...	S	2	b
Cape St. James,	,,	29.81	757.2	75	...	ENE	4	b	,,	29.80	756.9	72	...	ENE	4	b
Basco,	14	29.80	756.9	79	73	ESE	4	o	6	29.81	757.2	64	84	...	0	o
Aparri,	,,	29.79	756.6	81	69	ENE	4	o	,,	29.80	756.9	73	79	ENE	4	o
Manila,	,,	29.72	754.8	82	57	NE	4	o	,,	29.74	755.4	73	92	...	0	o
Legaspi,	,,	29.67	753.6	79	91	NNE	1	o	,,	29.69	754.2	75	96	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.65	753.0	84	74	NNE	4	o	,,	29.68	753.9	75	96	N	2	o
Surigao,	,,	...	...	...	...	...	...	..	,,	..	...	...	...	...	...	...
Guam,	12.20	29.74	755.4	...	...	NE	4	o	4.20	29.79	756.6	...	...	ENE	1	o
Yap,	12.47	29.72	754.8	...	...	E	4	o	4.47	29.76	756.0	...	...	ENE	4	b
Labuan,	14	29.77	756.1	84	83	N	2	o	6	29.76	755.9	75	94	N	2	o

February 17*d.* 11*h.* 30*m.*—Pressure has decreased slightly to moderately at the majority of reporting stations.

A depression covers S.E. Mongolia.

The Loochoos depression is moving N.E.

A shallow depression is still shown over the southern Philippines.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·36 inches, against an average of 2·41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY. HONGKONG.

DAILY WEATHER REPORT.

Station.	17th February, 1925.								18th February, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	29.71	754.7	35	...	SSE	4	o	6	30.07	763.7	9	...	NNW	2	o
Nemuro,	11	30.10	764.5	...	...	SE	1	...	5	...	...	...	...	...	...	...
Hokodate,	"	30.02	762.5	...	...	ESE	2	...	"	...	...	...	...	...	...	...
Tokio,	"	29.98	761.5	...	...	NNW	2	...	"	...	...	...	...	...	...	...
Kochi,	"	29.92	760.0	...	...	...	0	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.02	762.5	...	...	SE	2	...	"	...	...	...	...	...	...	...
Kagoshima,	"	29.96	761.0	...	...	E	1	...	"	...	...	...	...	...	...	...
Oshima,	"	29.94	760.5	...	...	...	0	...	"	...	...	...	...	...	...	...
Naha,	"	29.94	760.5	...	...	N	1	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	29.90	759.5	...	...	ESE	2	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.84	758.0	...	...	SSW	1	...	"	...	...	...	...	...	...	...
Chefoo,	15	30.10	764.5	32	68	NNW	4	b	6	30.33	770.4	26	87	NNW	4	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.06	763.5	46	66	N	1	o	"	30.14	765.6	41	94	NNE	2	rf
Gutzlaff,	"	30.07	763.8	44	86	N	1	o	"	30.10	764.5	40	100	NNE	4	r
Sharp Peak,	"	29.91	759.7	54	92	N	1	rf	7	29.90	759.4	52	90	N	1	o
Amoy,	15	29.79	756.6	67	64	ENE	4	b	9	29.83	757.7	58	94	ENE	2	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.86	758.4	75	67	NNE	2	b	5	29.84	757.8	63	96	...	o	b
Taichu,	"	29.87	758.7	73	...	SE	1	b	"	29.86	758.4	61	...	...	o	o
Tainan,	"	29.89	759.3	68	...	WNW	2	b	"	29.85	758.1	59	...	NW	2	o
Koshun,	"	29.85	758.1	77	...	ENE	4	b	"	29.82	757.5	70	...	E	2	b
Pescadores,	"	29.93	760.2	59	...	N	4	r	"	29.87	758.7	55	...	N	4	r
Canton,	14	29.81	757.2	64	94	...	0	o	6	...	...	...	...	...	...	...
Hongkong,	"	29.81	757.2	63	73	E	4	c	"	29.82	757.4	59	86	ENE	5	o
Gap Rock,	"	29.81	757.2	...	...	ENE	4	b	"	29.84	757.9	...	...	ENE	4	o
Macao,	"	29.79	756.6	66	76	ESE	2	o	"	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.72	754.8	59	100	SSE	1	1f	7	29.72	754.8	59	100	ENE	2	of
Tourane,	"	29.72	754.8	73	...	SE	2	b	"	29.71	754.5	72	...	SSW	2	o
Cape St. James,	"	29.78	756.3	75	...	ENE	4	b	"	29.84	757.8	70	...	E	2	o
Basco,	14	29.73	755.1	77	72	ESE	6	o	6	...	...	...	...	...	...	...
Aparri,	"	29.74	755.4	77	72	ENE	4	o	"	29.78	756.3	70	91	...	o	o
Manila,	"	29.66	753.3	86	61	WSW	2	o	"	29.73	755.1	73	89	NE	1	o
Legaspi,	"	29.62	752.4	81	86	SSE	1	o	"	29.68	753.9	73	96	...	o	o
Tacloban,	"	29.65	753.0	86	71	NW	4	o	"	29.69	754.2	75	96	...	o	o
Iloilo,	"	29.63	752.7	82	74	NE	2	o	"	29.68	753.9	75	96	...	o	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.69	754.2	...	...	E	4	o	4.20	29.75	755.7	...	...	E	1	b
Yap,	12.47	29.71	754.5	...	...	E	2	b	4.47	29.74	755.4	...	...	NNE	2	b
Labuan,	14	29.75	755.6	84	83	NE	2	o	6	29.74	755.4	76	94	N	2	b

February 18*d.* 11*h.* 20*m.*—Pressure has increased considerably in the North and decreased slightly over Indo-China. It is nearly stationary in central districts.

A shallow depression is still shown over the Southern Philippines.

An anticyclone has formed over S.E. Mongolia and a depression over Indo-China.

The monsoon will freshen along the S.E. coast of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·36 inches, against an average of 2·47 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; overcast, mist and rain.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY. HONGKONG.

DAILY WEATHER REPORT.

Station.	18th February, 1925.								19th February, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.06	763.5	19	...	N	3	b	6	30.24	768.0	6	...	NNE	2	b
Nemuro,	11	29.94	760.5	...	...	SE	4	...	5	29.78	756.5	...	...	WNW	1	...
Hokodate,	"	29.76	756.0	...	...	WSW	3	...	"	29.94	760.5	...	...	W	4	...
Tokio,	"	29.92	760.0	...	...	NE	1	...	"	29.92	760.0	...	...	NNW	2	...
Kochi,	"	29.94	760.5	...	...	...	0	...	"	29.92	760.0	...	...	...	..	...
Nagasaki,	"	30.04	763.0	...	...	N	1	...	"	30.00	762.0	...	...	NNE	1	...
Kagoshima,	"	29.98	761.5	...	...	N	1	...	"	29.90	759.5	...	...	N	1	...
Oshima,	"	29.90	759.5	...	...	SE	1	...	"	29.76	756.0	...	...	N	2	...
Naha,	"	29.90	759.5	...	...	ESE	1	...	"	29.80	757.0	...	...	SSW	2	...
Ishigakijima,	"	29.86	758.5	...	...	SW	2	...	"	29.84	758.0	...	...	NNE	2	...
Bonin Island,	"	29.88	759.0	...	...	NNE	1	...	"	29.92	760.0	...	...	...	0	...
Chefoo,	15	30.32	770.1	26	87	N	4	o	6	30.37	771.4	24	87	S	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.17	766.2	36	93	N	2	r	"	30.30	769.5	36	69	N	1	of
Gutzlaff,	"	30.11	764.8	36	100	NNE	6	r	"	30.25	768.3	36	70	NNE	6	o
Sharp Peak,	"	29.91	759.7	48	93	E	2	r	7	30.03	762.7	44	92	E	4	r
Amoy,	15	29.83	757.7	58	90	NE	2	o	9	29.98	761.5	52	93	ENE	2	r
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.86	758.4	72	75	...	0	b	5	29.95	760.8	57	86	E	4	o
Taichu,	"	29.88	759.0	72	...	NNW	2	o	"	29.88	759.0	59	...	N	2	b
Tainan,	"	29.87	758.7	77	...	NW	2	b	"	29.87	758.7	61	...	N	2	o
Koshun,	"	29.84	757.8	77	...	E	4	b	"	29.81	757.2	68	...	NE	2	o
Pescadores,	"	29.91	759.6	59	...	NNE	4	o	"	29.89	759.3	55	...	NNE	6	o
Canton,	14	29.77	756.1	61	88	NW	1	o	6	...	...	...	...	...	...	...
Hongkong,	"	29.78	756.4	59	94	E	4	od	"	29.91	759.7	56	81	N	4	or
Gap Rock,	"	29.76	755.9	...	...	ENE	4	of	"	29.92	759.9	...	...	N	4	od
Macao,	"	29.73	755.1	63	90	SE	4	o	"	29.93	760.2	52	90	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.67	753.6	68	77	NW	4	o	7	29.93	760.2	59	79	NNE	4	of
Tourane,	"	29.65	753.0	77	...	SSW	2	b	"	29.81	757.2	64	...	NW	4	of
Cape St. James,	"	29.74	755.4	84	...	S	2	b	"	29.80	756.9	72	...	S	2	b
Basco,	14	29.69	754.2	81	73	ESE	6	o	6	29.81	757.2	72	86	ENE	2	o
Aparri,	"	29.72	754.8	81	76	NE	2	o	"	29.75	755.7	72	96	...	0	o
Manila,	"	29.66	753.3	86	65	W	4	o	"	29.74	755.4	73	88	NNE	1	o
Legaspi,	"	29.63	752.7	86	71	NNE	2	o	"	29.72	754.8	75	98	...	0	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.65	753.0	84	74	S	4	o	"	29.72	754.8	75	95	...	0	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.72	754.8	...	...	ENE	2	o	4.20	29.76	756.0	...	...	E	1	o
Yap,	12.47	29.69	754.2	...	...	E	4	o	4.47	29.73	755.1	...	...	ENE	4	o
Labuan,	14	29.74	755.4	84	87	NE	2	b	6	29.75	755.6	77	94	N	2	b

February 19*d*. 11*h*. 22*m*.—Pressure has decreased moderately over the Loochoos and slightly over central and S.W. Japan. It has increased considerably over Tongking, moderately from Tourane to Shanghai and slightly over the Philippines.

The depressions over Indo-China and the Southern Philippines have filled up.

The anticyclone has spread southward.

Strong monsoon may be expected along the S.E. coast of China and freshening monsoon over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·10 inch. Total since January 1st. 4·46 inches, against an average of 2·53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks.	N.E. winds, fresh; overcast at first, improving later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	19th February, 1925.								20th February, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.16	766.0	17	...	NNE	4	b	6	30.23	767.8	2	...	NNE	2	b
Nemuro,	11	29.74	755.5	...	...	W	1	...	5	29.75	755.9	...	...	SW	1	...
Hokodate,	"	29.92	760.0	...	...	W	5	...	"	29.84	758.0	...	...	W	3	...
Tokio,	"	29.92	760.0	...	...	N	1	...	"	29.92	760.0	...	...	NW	2	...
Kochi,	"	29.88	759.0	...	...	...	...	...	"	29.96	761.0	...	...	NW	1	...
Nagasaki,	"	29.98	761.5	...	...	NE	1	...	"	30.10	764.5	...	...	N	2	...
Kagoshima,	"	29.92	760.0	...	...	N	1	...	"	30.04	763.0	...	...	NNW	1	...
Oshima,	"	29.86	758.5	...	...	N	3	...	"	29.98	761.5	...	...	NNW	3	...
Naha,	"	29.86	758.5	...	...	NNE	3	...	"	29.98	761.5	...	...	N	3	...
Ishigakijima,	"	29.94	760.5	...	...	NNE	2	...	"	30.02	762.5	...	...	NNE	3	..
Bonin Island,	"	29.86	758.5	...	...	SSW	2	..	..	30.14	765.5	...	...	WSW	2	...
Chefoo,	15	30.21	767.3	34	60	SSW	1	o	6	30.27	768.8	24	87	S	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.33	770.4	37	66	NNW	4	o	"	30.40	772.2	28	96	NW	1	of
Gutzlaff,	"	30.30	760.6	38	63	N	4	o	"	30.37	771.4	32	58	N	4	o
Sharp Peak,	"	30.09	764.3	44	84	NNE	4	o	7	30.18	766.6	42	66	N	4	o
Amoy,	15	30.00	762.0	50	93	ENE	4	o	9	...	...	...	...	...	...	...
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.06	763.5	55	90	E	2	r	5	30.14	765.6	50	95	...	o	r
Taichu,	"	29.97	761.1	59	...	N	2	o	"	30.08	764.1	50	...	N	2	o
Tainan,	"	29.93	760.2	63	...	N	4	o	"	30.01	762.3	48	...	N	4	r
Koshun,	"	29.88	759.0	75	...	NNE	4	b	"	29.98	761.4	61	...	NE	4	o
Pescadores,	"	30.00	762.0	55	...	NNE	6	o	"	30.06	763.5	52	...	NNE	o	o
Canton,	14	30.08	764.0	50	85	N	2	o	6	...	...	...	..	...	...	...
Hongkong,	"	29.99	761.7	53	68	NNE	3	o	"	30.14	765.5	45	61	N	3	o
Gap Rock,	"	29.99	761.7	...	...	NNW	5	od	"	30.14	765.5	...	...	N	5	o
Macao,	"	29.99	761.7	48	84	N	4	o	"	30.12	765.0	43	70	N	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	..	...	...	...	"	...	...	...	...	...	..	...
Phulien,	"	29.98	761.4	68	48	NW	1	o	7	30.19	766.8	52	51	ENE	6	o
Tourane,	"	29.86	758.4	68	...	NW	6	o	"	30.05	763.2	61	...	NW	6	o
Cape St. James,	"	29.80	756.9	86	...	SSW	2	b	..	29.84	757.8	73	...	ENE	7	o
Basco,	14	29.76	756.0	77	76	N	6	o	6	...	...	...	...	...	...	...
Aparri,	"	29.76	756.0	82	74	NE	4	b	"	29.88	759.0	73	75	NE	4	o
Manila,	"	29.72	754.8	86	52	NE	4	b	"	29.80	756.9	73	92	N	2	o
Legaspi,	"	29.68	753.9	86	71	NE	2	o	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.67	753.6	84	71	SSW	4	o	"	29.73	755.1	77	91	N	2	o
Surigao,	..	...	...	...	...	...	..	..	..	...	...	...	...	...	...	...
Guam,	12.20	29.74	755.4	...	...	ENE	6	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.68	753.9		...	ENE	6	r	4.47	29.76	756.0	...	...	ENE	4	o
Labuan,	14	29.75	755.6	84	87	N	2	b	6	29.79	756.6	77	94	SE	4	b

February 20*d*. 11*h*. 03*m*.—Pressure has increased slightly to moderately at the majority of reporting stations.

Anticyclones appear to be central over the lower Yangtze Valley and over S.E. Mongolia.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st. 4·47 inches, against an average of 2·59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fair.
3.—Hongkong to Gap Rock,	N.E. winds, fresh; fair.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	20th February, 1925.								21st February, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.14	765.6	14	...	NNE	4	b	0	30.09	764.3	4	...	NNE	2	o
Nemuro,	11	29.65	753.0	...	...	W	1	...	5	29.69	754.0	...	...	WSW	2	...
Hokodate,	..	29.82	757.5	...	...	WNW	2	...	,,	29.92	760.0	...	...	WSW	5	...
Tokio,	,,	29.92	760.0	...	...	N	3	...	,,	30.04	763.0	...	...	NNW	1	...
Kochi,	,,	30.02	762.5	...	...	NW	2	...	,,	30.06	763.5	...	...	SSW	1	...
Nagasaki,	,,	30.12	765.0	...	...	N	3	...	,,	30.10	764.5	...	...	...	...	...
Kagoshima,	,,	30.02	762.5	...	...	NW	1	...	,,	30.06	763.5	...	...	NNW	1	...
Oshima,	,,	30.06	763.5	...	...	N	3	...	,,	30.04	763.0	...	...	...	...	...
Naba,	,,	30.04	763.0	...	...	NNE	3	...	,,	30.04	763.0	...	...	NNW	1	...
Ishigakijima,	,,	30.10	764.5	...	...	NNE	2	...	,,	30.06	763.5	...	...	NNE	1	...
Bonin Island,	,,	29.69	754.0	...	...	WSW	1	...	,,	29.84	758.0	...	...	NNW	1	...
Chefoo,	15	30.05	763.2	44	30	SW	4	b	6	29.87	758.7	34	90	N	6	o
Hankow,	,,	...	..	...	...	...	..	...	,,	...	...	...	...	..	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.32	770.1	37	50	W	1	o	,,	30.15	765.9	32	92	S	1	o
Gutzlaff,	,,	30.33	770.4	34	69	WNW	4	o	,,	30.18	766.6	36	70	SW	4	o
Sharp Peak,	,,	30.21	767.3	52	53	E	2	b	7	30.18	766.6	42	75	NW	1	b
Amoy,	15	30.11	764.8	58	42	SE	4	b	9	30.19	766.8	46	77	ENE	2	b
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.20	767.1	50	90	E	4	r	5	30.15	765.9	50	74	ENE	2	o
Taichu,	,,	30.11	764.7	55	...	N	2	o	,,	30.12	765.0	50	...	N	2	o
Tainan,	,,	30.10	764.4	54	...	N	4	o	,,	30.08	764.1	45	..	NNW	2	b
Koshun,	,,	30.07	763.8	63	...	N	2	o	,,	30.02	762.6	59	...	NNE	4	b
Pescadores,	,,	30.14	765.6	54	...	NNE	6	o	,,	30.12	765.0	52	...	NNE	4	b
Canton,	14	30.16	766.0	60	60	N	2	b	6	...		...	...	..	..	...
Hongkong,	,,	30.13	765.3	56	53	SE	2	o	,,	30.17	766.3	51	65	N	1	o
Gap Rook,	,,	30.13	765.3	...	...	NNE	4	o	,,	30.16	766.0	...	...	NE	4	o
Macao,	,,	30.13	765.3	52	57	NE	4	o	,,	30.15	765.9	48	67	NNE	4	o
Wuchow,	15		...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	..	...	...	..	...	...	,,	...	...	...	..	.	...	...
Hoihow,	,,	...	...	...	...	.	..	...	,,	...	...	...	.	...	..	.
Phulien,	,,	30.14	765.6	59	43	NNW	1	b	7	30.24	768.0	54	80	NNW	1	of
Tourane,	,,	30.06	763.5	59	...	NW	6	o	,,	30.12	765.0	59	...	NW	6	o
Cape St. James,	,,	29.80	756.9	77	...	ENE	6	b	,,	29.88	759.0	72	...	ENE	4	b
Basco,	14	29.92	759.9	68	73	N	6	o	6	29.99	761.7	66	71	NE	4	o
Aparri,	,,	29.87	758.7	77	68	NE	4	o	,,	29.94	760.5	72	70	ENE	4	o
Manila,	,,	29.79	756.6	81	73	NW	4	o	,,	29.86	758.4	73	89	..	o	o
Legaspi,	,,	29.75	755.7	77	94	N	2	o	,,	29.82	757.5	75	91	N	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	84	85	NE	4	o	,,	29.79	756.6	77	91	N	4	o
Surigao,	..	...	...	...	...	...	..	...	,,	...	...	.	...	...	...	...
Guam,	12.20	29.73	755.1	...	...	E	2	o	4.20	29.80	756.9	...	...	E	1	o
Yap,	12.47	29.72	754.8	...	...	E	4	o	4.47	29.76	756.0	...	...	ENE	4	o
Labuan,	14	29.78	756.4	84	83	N	2	o	6	29.79	756.6	76	94	NW	4	o

February 21*d.* 11*h.* 37*m.*—Pressure has decreased considerably from Chefoo to Shanghai and slightly at Wladivostock. It has increased slightly over Indo-China, the Philippines and Japan, and is nearly stationary elsewhere.

A depression is shown to the east of Chefoo.

The northern anticyclone has moved eastward. The southern anticyclone is now central to the south of the Yangtze Valley.

Fresh to moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·47 inches, against an average of 2·65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate; cloudy at first, clearing later.
3.—Hongkong to Gap Rook,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	21st February, 1925.								22nd February, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.96	761.0	13	...	NNE	4	o	6	29.93	760.3	5	...	NNE	8	s
Nemuro,	11	29.74	755.5	...	...	W	3	...	5	30.00	762.0	...	..	NW	2	...
Hokodate,	..	29.98	761.5	...	...	WNW	4	..	,,	30.02	762.5	...	...	NNE	1	...
Tokio,	,,	30.00	762.0	...	...	NE	1	..	,,	29.90	759.5	...	...	NNW	2	...
Kochi,	,,	29.96	761.0	...	...	WSW	1	..	,,	29.82	757.5	...	...	...	0	..
Nagasaki,	,,	30.04	763.0	...	...	NW	1	..	,,	30.00	762.0	...	..	N	4	..
Kagoshima,	,,	30.06	763.5	...	...	NNW	1	..	,,	29.98	761.5	...	...	NW	1	...
Oshima,	,,	30.04	763.0	...	...	N	1	..	,,	30.10	764.5	...	...	NNW	2	...
Naha,	,,	30.10	764.5	...	...	NW	1	..	,,	30.16	766.0	...	...	NNW	4	..
Ishigakijima,	,,	30.14	765.5	...	...	NNW	2	..	,,	30.20	767.0	...	...	NNE	2	..
Bonin Island,	,,	29.82	757.5	...	...	NNE	1	...	..	29.84	758.0	...	...	NNW	1	...
Chefoo,	15	30.11	764.8	26	93	NW	2	r	6	30.13	765.3	26	87	S	2	b
Hankow,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	..	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	..
Shanghai,	14	30.17	766.2	45	31	NW	4	o	,,	30.33	770.4	25	100	WNW	1	bf
Gutzlaff,	,,	30.19	766.8	40	74	NW	6	o	,,	30.32	770.1	30	67	NW	2	b
Sharp Peak,	,,	30.13	765.3	60	65	E	1	b	7	30.18	766.6	46	81	ENE	4	bf
Amoy,	15	30.11	764.8	60	60	ENE	4	b	9	30.21	767.3	47	77	ENE	2	b
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.17	766.2	61	50	...	0	b	5	30.18	766.5	45	86	ESE	2	b
Taichu,	,,	30.12	765.0	64	...	NNW	2	b	,,	30.18	766.5	41	...	...	0	b
Tainan,	,,	30.12	765.0	63	...	NNW	4	o	,,	30.13	765.3	46	...	N	4	b
Koshun,	,,	30.08	764.1	66	...	NNW	2	b	,,	30.10	764.4	61	...	NE	4	b
Pescadores,	,,	30.17	766.2	59	...	ENE	4	b	,,	30.14	765.6	54	...	N	4	b
Canton,	14	30.17	766.3	60	65	N	1	o	6	...	..	...	...	...	...	...
Hongkong,	,,	30.15	765.8	61	29	W	2	o	,,	30.14	765.5	53	49	SSE	1	b
Gap Rock,	,,	30.15	765.8	...	...	N	3	o	,,	30.12	765.0	...	...	NNE	4	b
Mucho,	,,	30.14	765.6	57	37	N	4	o	,,	30.11	764.7	50	62	NNW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	..	,,	...	...	...	...	...	...	...
Phulien,	,,	30.17	766.2	64	37	NW	1	bf	7	30.17	766.2	54	90	SSW	2	of
Tourane,	,,	30.10	764.4	63	...	NW	4	o	,,	30.11	764.7	59	...	NW	4	rf
Cape St. James,	,,	29.85	758.1	77	...	ENE	4	bf	..	29.91	759.6	68	...	ENE	4	bf
Basco,	14	29.92	759.9	73	91	N	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.92	759.9	73	79	NE	4	o	,,	29.98	761.4	72	75	NE	4	o
Manila,	,,	29.82	757.5	81	66	...	0	o	,,	29.88	759.0	72	82	N	1	o
Legaspi,	,,	29.80	756.9	79	89	NNE	4	o	..	29.82	757.5	75	92	N	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	79	90	NNE	4	o	,,	...	...	...	...	...	...	...
Surigao,	..	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	ENE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.73	755.1	...	...	NE	4	o	4.47	29.80	756.9	...	...	ENE	4	o
Labuan,	14	29.79	756.6	84	83	NE	2	b	6	29.76	755.9	75	94	...	...	...

February 22*d.* 11*h.* 00*m.*—Pressure has increased moderately at Shanghai and slightly from Formosa to the Loochoos. It has decreased moderately over central Japan and slightly over S.W. Japan, Kwantung and Tongking.

The anticyclone has strengthened slightly.

The depression is now central between Tokio and Kobe.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 4·47 inches, against an average of 2·71 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fine to cloudy.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	22nd February, 1925.								23rd February, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.88	758.9	6	...	N	7	s	6	29.93	760.1	9	...	N	6	s
Nemuro,	11	30.04	763.0	...	...	N	1	...	5	...	...	...	...	...	..	...
Hokodate,	"	29.98	761.5	...	...	ESE	3	...	"	29.84	758.0	...	...	SE	6	...
Tokio,	"	29.92	760.0	...	...	W	3	...	"	29.90	759.5	...	...	...	...	...
Kochi,	"	29.88	759.0	...	...	W	2	...	"	30.12	765.0	...	...	...	...	...
Nagasaki,	"	29.94	760.5	...	...	N	3	...	"	30.18	766.5	...	...	NNW	6	...
Kagoshima,	"	30.08	764.0	...	...	NW	1	...	"	30.20	767.0	...	...	...	...	...
Oshima,	"	30.16	766.0	...	...	N	3	...	"	30.24	768.0	...	...	N	2	...
Naha,	"	30.24	768.0	...	...	NNW	2	...	"	30.26	768.5	...	...	ENE	1	...
Ishigakijima,	"	30.26	768.5	...	...	NNE	3	...	"	30.24	768.0	...	...	NNE	1	...
Bonin Island,	"	29.92	760.0	...	...	W	3	...	"	30.06	763.5	...	...	W	1	...
Chefoo.	15	30.11	764.8	34	90	NNW	6	b	6	30.45	773.4	24	100	NNW	4	b
Hankow,	"	...	..	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	..	...	...	...	...
Shanghai,	14	30.26	768.6	41	22	S	2	b	"	30.44	773.1	36	75	NNE	1	of
Gutzlaff,	"	30.28	769.1	42	42	SSW	2	b	"	30.40	772.1	38	84	NNE	6	o
Sharp Peak,	"	30.20	767.1	56	63	E	2	of	7	30.23	767.8	42	95	W	2	o
Amoy,	15	30.14	765.5	60	49	ENE	4	b	9	30.23	767.8	52	60	NNE	4	o
Swatow,	"	...	..	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.25	768.3	61	55	E	4	o	5	30.21	767.4	50	77	E	4	b
Taichu,	"	30.17	766.2	64	...	N	2	b	"	30.18	766.5	46	...	...	o	b
Tainan,	"	30 15	765.9	64	...	N	4	b	"	30.17	766.2	46	...	N	2	b
Koshun,	"	30.12	765.0	66	...	NE	4	b	"	30.12	765.0	61	...	NE	4	o
Pescadores,	"	30.20	767.1	61	...	E	6	b	"	30.18	766.5	54	...	NNE	4	b
Canton,	14	30.10	764.5	69	56	SW	2	b	6	...	...	...	...	...	...	...
Hongkong,	"	30.12	765.0	61	45	ESE	3	b	"	30.13	765.3	56	47	E	4	o
Gap Rock,	"	30.11	764.8	...	...	NE	5	b	"	30.11	764.8	...	...	ENE	5	o
Macao,	"	30.08	764.1	64	37	ESE	4	b	"	30.11	764.7	57	56	NE	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	..	...	...	.	"	...	...	...	...	...	...	...
Phulien,	"	30.05	763 2	66	38	SE	2	bf	7	30.08	764.1	55	79	NNW	2	of
Tourane,	"	30.04	762.9	64	...	NW	4	b	"	30.05	763.2	63	...	NNW	2	o
Cape St. James,	"	29.87	758.7	77	...	ENE	6	bf	"	29.91	759.6	68	...	ENE	4	b
Basco,	14	30.00	762.0	68	64	N	6	o	6	30.11	764.7	64	...	N	6	r
Aparri,	"	29.97	761.1	70	74	ENE	4	o	"	30.02	762.6	68	83	E	4	r
Manila,	"	29.82	757.5	86	56	WSW	2	o	"	29.88	759.0	75	79	N	1	o
Legaspi,	"	29.81	757.2	81	86	N	4	o	"	29.85	758.1	75	92	N	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	..	...	...	...	...	...
Iloilo,	"	29.75	755.7	82	81	N	6	o	"	29.80	756.9	75	92	N	4	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.82	757.5	...	...	NE	4	o	4.20	29.87	758.7	...	...	NE	2	o
Yap,	12.47	29.76	756.0	...	...	ENE	6	r	4.47	29.80	756.9	...	...	E	6	r
Labuan,	14	29.77	756.1	76	94	N	2	o	6	29.75	755.7	75	94	N	4	o

February 23*d*. 11*h*. 20*m*.—Pressure has increased considerably from N.E. China to S.W. Japan and slightly from the Loochoos to Formosa. It is nearly stationary in S.W. districts.

The anticyclone has strengthened considerably. It is now central over N.E. China or S.E. Mongolia.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·47 inches, against an average of 2·77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; overcast, some drizzle or mist.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	23rd February, 1925.								24th February, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	29.93	760.2	14	...	N	6	o	6	30.15	765.9	8	...	NNE	4	o
Nemuro,	11	...	...	...	...	...	...	...	5	29.92	760.0	...	...	E	1	...
Hokodate,	"	29.84	758.0	...	...	SSW	1	...	"	29.78	756.5	...	...	...	...	...
Tokio,	"	29.94	760.5	...	...	...	0	...	"	29.94	760.5	...	...	NW	1	...
Kochi,	"	30.10	764.5	...	...	SW	1	...	"	30.18	766.5	...	...	SW	1	...
Nagasaki,	"	30.26	768.5	...	...	NNW	4	...	"	30.32	770.0	...	...	N	3	...
Kagoshima,	"	30.22	767.5	...	...	WNW	3	...	"	30.26	768.5	...	...	NNW	1	...
Oshima,	"	30.28	769.0	...	...	NNE	2	...	"	30.26	768.5	...	...	N	1	...
Naha,	"	30.31	770.0	...	...	N	2	...	"	30.26	768.5	...	...	NNE	3	...
Ishigakijima,	"	30.24	768.0	...	...	E	6	...	"	30.20	767.0	...	...	ENE	3	...
Bonin Island,	"	30.12	765.0	...	...	W	1	...	"	30.12	765.0	...	...	W	1	...
Chefoo,	15	30.53	775.4	24	87	NW	4	o	6	30.55	775.9	24	100	WNW	2	b
Hankow,	"	...	..	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.52	775.2	39	52	NNE	1	o	"	30.58	776.7	32	100	N	1	of
Gutzlaff,	"	30.50	774.7	38	63	N	4	o	"	30.56	776.2	32	82	N	4	o
Sharp Peak,	"	30.24	768.1	54	92	N	2	o	7	30.29	769.3	42	90	E	4	r
Amoy,	15	30.24	768.1	60	60	NNE	4	of	9	30.22	767.6	54	68	NNE	4	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.22	767.7	66	49	E	4	b	5	30.25	768.3	54	95	E	4	r
Taichu,	"	30.17	766.2	68	...	...	0	b	"	30.14	765.6	50	...	...	0	r
Tainan,	"	30.17	766.2	66	...	...	0	b	"	30.12	765.0	54	...	...	0	o
Koshun,	"	30.17	766.2	64	...	NNE	4	o	"	30.08	764.1	64	...	NE	4	o
Pescadores,	"	30.13	765.3	61	...	N	4	b	"	30.14	765.6	59	...	NNE	6	o
Canton,	14	30.15	765.8	54	87	NE	2	or	6	...	...	...	...	...	...	...
Hongkong,	"	30.09	764.3	57	42	E	4	o	"	30.13	765.3	53	75	NNE	3	o
Gap Rock,	"	30.08	764.0	...	...	ENE	5	o	"	30.13	765.3	...	...	NE	5	o
Macao,	"	30.08	764.1	55	66	NE	4	o	"	30.11	764.7	50	97	N	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	.	"	...	...	...	...	...	...	...
Phulien,	"	30.01	762.3	63	90	NE	2	of	7	...	...	...	...	...	...	...
Tourane,	"	29.95	760.8	70	...	E	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.87	758.7	77	...	ENE	4	bf	"	...	...	...	...	...	...	...
Basco,	14	30.05	763.2	64	80	N	4	r	6	30.01	762.3	68	87	NE	4	o
Aparri,	"	29.99	761.7	72	78	ENE	4	o	"	30.00	762.0	70	96	NE	4	r
Manila,	"	29.85	758.1	86	58	NE	4	o	"	29.87	758.7	73	86	NE	2	o
Legaspi,	"	29.82	757.5	79	61	NNE	2	o	"	29.82	757.5	77	91	NNE	1	o
Tacloban,	"	29.78	756.3	84	77	SE	2	r	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	..	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	S	1	o	4.20	29.85	758.1	...	...	ENE	2	o
Yap,	12.47	29.78	756.3	...	...	E	6	r	4.47	29.80	756.9	...	...	ENE	4	o
Labuan,	14	29.75	755.6	84	83	N	2	b	6	29.75	755.6	77	91	N	2	b

February 24*d.* 11*h.* 33*m.*—Pressure has increased considerably at Wladivostock and slightly from S.W. Japan to Shanghai. It has decreased slightly over N.E. Japan and is nearly stationary elsewhere.

The anticyclone has strengthened slightly.

Strong monsoon may be expected along the S.E. coast of China and fresh monsoon over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st. 4·48 inches, against an average of 2·83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; overcast, some drizzle or mist.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY. HONGKONG.

DAILY WEATHER REPORT.

Station.	24th February, 1925.								25th February, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.86	758.5	...	...	E	2	...	5	29.75	755.5	...	...	NE	2	...
Hokodate,	"	29.74	755.5	...	...	WSW	1	...	"	29.76	756.0	...	...	N	1	...
Tokio,	"	29.92	760.0	...	...	NW	1	...	"	30.04	763.0	...	...	NW	1	...
Kochi,	"	30.16	766.0	...	...	W	1	...	"	30.22	767.5	...	...	...	0	...
Nagasaki,	"	30.33	770.5	...	...	N	4	...	"	30.30	769.5	...	...	NE	1	...
Kagoshima,	"	30.30	769.5	...	...	NNW	2	...	"	30.28	769.0	...	...	...	0	...
Oshima,	"	30.26	768.5	...	...	NNE	3	...	"	30.20	767.0	...	...	...	...	...
Naha,	"	30.26	768.5	...	...	NNE	4	...	"	30.14	765.5	...	...	NNE	2	...
Ishigakijima,	"	30.22	767.5	...	...	ENE	3	...	"	30.12	765.0	...	...	ENE	1	...
Bonin Island,	"	30.08	764.0	...	...	WSW	1	...	"	30.04	763.0	...	...	WNW	1	...
Chefoo,	15	30.42	772.6	30	88	NE	1	b	6	30.32	770.1	26	78	...	0	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.50	774.6	37	50	NE	1	o	"	30.47	774.0	32	100	NE	1	of
Gutzlaff,	"	30.47	773.9	34	69	NNE	4	o	"	30.44	773.2	34	82	NNE	2	o
Sharp Peak,	"	30.28	769.1	40	89	N	4	r	7	30.26	768.6	40	89	N	1	r
Amoy,	15	30.14	765.5	52	73	NE	4	o	9	30.14	765.5	47	93	NE	2	r.
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taiboku,	11	30.28	769.2	52	92	E	4	r	5	30.13	765.3	52	87	E	4	r
Taichu,	"	30.15	765.9	57	...	N	2	o	"	30.05	763.2	54	...	N	2	o
Tainan,	"	30.08	764.1	66	...	N	2	b	"	30.01	762.3	55	...	N	2	b
Koshun,	"	30.08	764.1	72	...	NE	6	o	"	29.97	761.1	64	...	NE	2	b
Pescadores,	"	30.15	765.9	57	...	NE	7	o	"	30.06	763.5	54	...	NNE	6	o
Canton,	14	30.12	765.0	47	93	N	2	or	6	...	...	...	...	...	...	...
Hongkong,	"	30.05	763.2	56	67	E	4	o	"	30.10	764.8	51	86	NW	1	o
Gap Rock,	"	30.04	763.0	...	...	NE	5	o	"	30.09	764.9	...	...	NNE	4	o
Macao,	"	...	...	...	...	...	...	...	"	30.08	764.1	45	92	NNE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.06	763.5	57	37	NE	4	r	7	30.15	765.9	52	85	N	2	o
Tourane,	"	29.95	760.8	66	...	NW	2	of	"	30.01	762.3	63	...	NW	4	rf
Cape St. James,	"	29.84	757.8	86	...	SE	2	b	"	...	...	...	...	...	...	...
Basco,	14	29.95	760.8	70	77	N	2	o	6	29.88	759.0	66	90	NE	2	o
Aparri,	"	29.91	759.6	75	76	NE	4	o	"	29.89	759.3	72	89	ENE	4	r
Manila,	"	29.80	756.9	82	67	NE	2	o	"	29.81	757.2	73	92	ESE	1	o
Legaspi,	"	29.79	756.6	84	77	NNE	4	o	"	29.80	756.9	75	96	...	0	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	82	77	NE	6	o	"	29.75	755.7	77	89	N	4	b
Surigao,	"	...	...	...	...	...	...	...	"	29.76	756.0	75	96	...	0	o
Guam,	12.20	29.76	756.0	...	...	ENE	6	r	4.20	29.79	756.6	...	...	ENE	2	r
Yap,	12.47	29.74	755.4	...	...	E	6	r	4.47	29.75	755.7	...	...	ENE	4	o
Labuan,	14	29.77	756.1	84	87	N	2	b	6	29.73	755.1	76	94	NE	2	r

February 25*d* 11*h*. 10*m*.—Pressure has decreased slightly from Chefoo to the Philippines. It has increased slightly over central Japan and from Hongkong to Tourane.

The northern anticyclone has moved eastward, leaving a separate anticyclone over China.

Strong to fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·20 inch. Total since January 1st, 4·68 inches, against an average of 2·90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N. winds, fresh; overcast at first, improving later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	25th February, 1925.								26th February, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.19	766.8	14	...	NNE	4	c	6	30.15	765.8	3	...	...	0	b
Nemuro,	11	29.82	757.5	...	...	NNW	2	...	5	30.00	762.0	...	...	...	0	...
Hokodate,	..	29.86	758.5	...	...	N	2	...	,,	30.00	762.0	...	...	...	...	...
Tokio,	,,	30.06	763.5	...	...	NNW	2	...	,,	30.12	765.0	...	...	NNW	1	...
Kochi,	,,	30.22	767.5	...	...	...	0	...	,,	30.18	766.5	...	...	NW	2	...
Nagasaki,	,,	30.30	769.5	...	...	N	2	...	,,	30.16	766.0	...	...	E	1	...
Kagoshima,	,,	30.28	769.0	...	...	N	1	...	,,	30.20	767.0	...	...	NNW	1	...
Oshima,	,,	30.18	766.5	...	...	SSE	3	...	,,	30.04	763.0	...	...	NE	1	...
Naha,	,,	30.12	765.0	...	...	NE	3	...	,,	29.96	761.0	...	..	NNE	2	...
Ishigakijima,	,,	30.06	763.5	...	...	ENE	3	...	,,	29.88	759.0	...	...	NE	2	...
Bonin Island,	..	30.04	763.0	...	...	...	...	...	..	30.00	762.0	...	...	NNE	1	...
Chefoo,	15	30.17	766.3	36	83	NW	2	b	6	30.11	764.8	28	79	...	0	o
Hankow,	,,	...	.	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.34	770.7	41	54	E	1	o	,,	30.25	768.3	32	84	E	1	of
Gutzlaff,	,,	30.37	771.4	40	56	NE	2	o	,,	30.25	768.3	36	58	NNE	1	o
Sharp Peak,	,,	30.20	767.1	44	76	N	2	o	7	30.29	769.3	44	84	NW	1	r
Amoy,	15	30.05	763.2	52	73	NE	4	o	9	30.08	764.0	50	88	W	4	r
Swatow,	..	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.15	765.9	52	95	E	4	r	5	30.00	762.0	54	97	...	0	r
Taichu,	,,	30.07	763.8	61	...	N	2	o	,,	29.99	761.7	46	...	N	2	o
Tainan,	,,	30.04	762.9	61	...	NNE	4	o	,,	29.97	761.1	54	...	N	2	o
Koshun,	,,	29.99	761.7	70	...	N	4	b	,,	29.94	760.5	61	...	...	0	h
Pescadores,	..	30.08	764.1	55	...	NNE	6	o	..	30.01	762.3	52	...	NNE	6	o
Canton,	14		...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	30.05	763.2	51	78	N	1	o	,,	30.10	764.5	47	83	...	0	o
Gap Rock,	,,	30.05	763.2	...	...	N	4	o	,,	30.09	764.3	...	...	N	4	o
Macao,	,,	30.08	764.1	48	87	NNW	4	o	,,	30.08	764.1	45	82	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.06	763.5	61	59	WNW	1	o	7	30.19	766.8	54	59	NNE	4	o
Tourane,	,,	29.98	761.4	61	...	NW	2	bf	,,	30.06	763.5	59	...	NW	6	of
Cape St. James,	,,	29.79	756.6	86	...	SE	8	bf	..	29.85	758.1	70	...	NNE	4	of
Basco,	14	...	...	...	...	...	...	...	6	29.86	758.4	68	88	N	4	o
Aparri,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	70	96	...	0	r
Manila,	,,	29.72	754.8	86	61	SW	2	b	,,	29.78	756.3	72	92	SE	1	b
Legaspi,	,,	29.73	755.1	86	71	NNE	2	o	,,	29.76	756.0	77	91	...	0	o
Tacloban,	,,	29.73	755.1	82	84	NE	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	84	64	NE	4	o	,,	29.73	755.1	77	91	N	4	o
Surigao,	..	29.72	754.8	82	77	E	2	o	,,	29.74	755.4	73	94	...	0	o
Guam,	12.20	29.73	755.1	...	...	E	6	o	4.20	29.74	755.4	...	...	ESE	4	o
Yap,	12.47	29.72	754.8	...	...	E	4	o	4.47	29.73	755.1	...	...	ENE	2	o
Labuan,	11	29.75	755.6	84	87	N	2	b	6	29.81	757.2	75	94	NE	2	r

February 26*d*. 11*h*. 36*m*.—Pressure has increased moderately over N.E. Japan and slightly from Hongkong to Indo-China. It has decreased moderately from Shanghai to S.W. Japan and the Loochoos and is nearly stationary over the Philippines.

The anticyclone has weakened.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·03 inch. Total since January 1st, 4·71 inches, against an average of 2·97 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh; fair.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	26th February, 1925.								27th February, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock.	12	30.11	764.7	16	...	NNE	3	o	6	30.24	768.1	1	...	...	o	dm
Nemuro,	11	30.00	762.0	...	...	...	...	...	5	29.88	759.0	...	...	E	1	...
Hokodate,	"	30.00	762.0	...	...	NW	1	...	"	29.94	760.5	...	...	W	3	...
Tokio,	"	30.12	765.0	...	...	SE	1	...	"	29.88	759.0	...	...	...	...	...
Kochi,	"	30.14	765.5	...	...	WNW	1	...	"	29.94	760.5	...	...	...	...	...
Nagasaki,	"	30.16	766.0	...	...	...	0	...	"	30.04	763.0	...	...	N	1	...
Kagoshima,	"	30.12	765.0	...	...	NNE	1	...	"	30.04	763.0	...	...	...	...	...
Oshima,	"	30.14	765.5	...	...	NNE	3	...	"	29.98	761.5	...	...	N	3	...
Naha,	"	29.84	758.0	...	...	NNE	5	...	"	30.00	762.0	...	...	NNE	3	...
Ishigakijima,	"	29.90	759.5	...	...	NE	2	...	"	30.06	763.5	...	...	N	3	...
Bonin Island,	"	29.98	761.5	...	...	ENE	1	...	"	29.96	761.0	...	...	SSE	5	...
Chefoo.	15	30.19	766.8	30	80	NE	4	o	6	30.33	770.4	26	87	NW	4	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.13	765.3	52	41	SSW	1	b	"	30.26	768.6	37	93	NNW	1	b
Gutzlaff,	"	30.15	765.8	46	54	SW	1	b	"	30.23	767.8	38	91	N	4	b
Sharp Peak,	"	30.09	764.3	50	75	E	1	o	7	30.13	765.3	44	76	...	o	o
Amoy,	15	29.99	761.7	58	70	SSE	4	o	9	30.17	766.3	47	87	NE	2	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.05	763.2	57	96	NW	2	o	5	30.17	766.2	46	83	SW	2	b
Taichu,	"	30.01	762.3	59	...	N	4	o	"	30.19	766.8	48	...	NNW	2	b
Tainan,	"	29.98	761.4	59	...	N	4	o	"	30.06	763.5	50	...	N	4	b
Koshun,	"	29.93	760.2	70	...	NNW	2	o	"	30.00	762.0	57	...	NNE	1	b
Pescadores,	"	30.05	763.2	54	...	NNE	6	o	"	30.10	764.4	54	...	NNE	6	b
Canton,	14	30.09	764.3	61	71	N	2	o	6	...	...	...	...	...	...	...
Hongkong,	"	30.06	763.5	57	55	NNE	2	b	"	30.14	765.5	50	45	NE	3	b
Gap Rock,	"	30.05	763.2	...	...	N	5	b	"	30.12	765.0	...	...	NNE	4	b
Macao,	"	30.04	762.9	55	60	NNW	4	o	"	29.99	761.7	48	60	NNE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.11	764.7	66	30	NNE	2	b	7	30.15	765.9	54	90	ENE	2	o
Tourane,	"	30.01	762.3	57	...	NW	6	of	"	30.08	764.1	59	...	NW	4	o
Cape St. James.	"	29.82	757.5	82	...	E	2	of	"	29.86	758.4	68	...	NE	4	b
Basco,	14	29.81	757.2	70	83	N	4	o	6	...	...	...	...	...	.	...
Aparri,	"	29.80	756.9	77	76	NE	4	o	"	29.91	759.6	70	83	NE	4	o
Manila,	"	29.73	755.1	86	52	W	2	o	"	29.82	757.5	73	71	NE	4	o
Legaspi,	"	29.74	755.4	86	71	NNE	2	o	"	29.78	756.3	72	96	...	o	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.69	754.2	86	65	E	4	o	"	...	...	...	...	...	...	...
Surigao,	"	29.69	754.2	84	74	E	2	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.75	755.7	...	...	E	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.72	754.8	...	...	SE	2	o	4.47	29.76	756.0	...	...	S	2	o
Labuan,	11	29.78	756.4	77	94	NE	2	o	6	29.81	757.2	75	94	...	o	o

February 27*d.* 11*h.* 07*m.*—Pressure has increased moderately from Wladivostock to Shanghai and slightly from Formosa to Hongkong and the Philippines. It has decreased considerably over central Japan and moderately from S.W. Japan to the Loochoos. It is nearly stationary over Indo-China.

A new anticyclone has formed over S.E. Mongolia and is spreading southward.

Fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 4·71 inches, against an average of 3·04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine to cloudy.
3.—Hongkong to Gap Rock,	N.E. winds, fresh; fine to cloudy.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	27th February, 1925.									28th February, 1925.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock. .	12	30.19	766.9	14	...	N	3	b		6	30.32	770.2	−1	...	N	3	b
Nemuro, ...	11	29.80	757.0	...	...	SW	3	...		5	29.63	752.5	...	...	...	0	...
Hokodate, ...	"	29.92	760.0	...	...	NW	2	...		"	29.84	758.0	...	...	NNW	4	...
Tokio, ...	"	29.84	758.0	...	...	N	1	...		"	30.24	768.0	...	...	NW	1	...
Kochi, ...	"	29.88	759.0	...	...	WNW	2	...		"	30.20	767.0	...	...	NW	1	...
Nagasaki, ...	"	30.04	763.0	...	...	NNW	4	...		"	30.20	767.0	...	...	E	1	...
Kagoshima, ...	"	30.04	763.0	...	...	NW	1	...		"	30.20	767.0	...	...	NW	1	...
Oshima, ...	"	30.06	763.5	...	...	N	3	...		"	30.18	766.5	...	...	N	2	...
Naha, ...	"	30.10	764.5	...	...	N	4	...		"	30.14	765.5	...	...	NE	1	...
Ishigakijima, ..	"	30.16	766.0	...	...	NE	3	...		"	30.14	765.5	...	...	ENE	1	...
Bonin Island, ..	"	29.49	749.0	...	...	SSE	3	...		"	29.94	760.5	...	...	WNW	4	...
Chefoo.	15	30.40	772.1	32	90	N	1	b		6	30.23	767.8	28	88	SE	1	0
Hankow, ...	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Ichang, ...	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Changsha, ...	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Shanghai, ...	14	30.31	769.8	48	42	N	2	0		"	30.28	769.2	32	92	E	1	bf
Gutzlaff, ...	"	30.29	769.3	44	60	N	4	0		"	30.31	769.9	38	72	SE	2	b
Sharp Peak, ..	"	30.15	765.8	62	46	E	2	b		7	30.14	765.5	46	77	N	2	0
Amoy, ...	15	30.09	764.3	62	41	NE	4	b		9	30.16	766.0	50	72	WNW	1	b
Swatow.	"	...	...	...	...	...	...	...		8	...	...	...	...	...	...	...
Taiboku, ...	11	30.20	767.1	63	47	NE	4	b		5	...	...	54	80	E	4	0
Taichu, ...	"	30.06	763.5	64	...	N	2	b		"	30.11	764.7	48	...	...	0	b
Tainan, ...	"	30.06	763.5	66	...	N	2	b		"	30.00	762.0	54	...	NNE	2	b
Koshun, ...	"	30.04	762.9	63	...	NE	6	b		"	30.05	763.2	63	...	NE	4	0
Pescadores, ..	"	30.10	764.4	61	...	NNE	7	b		"	30.11	764.7	54	...	N	6	0
Canton, ...	14	30.10	764.5	64	58	S	2	b		6	...	...	...	...	...	...	...
Hongkong, ...	"	30.11	764.8	59	31	E	4	b		"	30.06	763.5	55	48	E	4	0
Gap Rock, ...	"	30.09	764.3	...	...	ENE	4	b		"	30.06	763.5	...	...	ENE	5	0
Macao, ...	"	30.10	764.4	61	41	ESE	4	b		"	30.05	763.2	52	69	NNE	4	0
Wuchow, ...	15	...	...	...	...	...	...	...		9	...	...	...	...	...	...	...
Pakhoi, ...	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Hoihow, ...	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Phulien, ...	"	30.04	762.9	66	38	SE	4	bf		7	30.00	762.0	54	76	ENE	4	bf
Tourane, ...	"	30.04	762.9	61	...	NW	4	0		"	29.98	761.4	59	...	WNW	2	0
Cape St. James,	"	29.85	758.1	77	...	ENE	4	b		"	29.87	758.7	68	...	ENE	4	bf
Basco, ...	14	29.94	760.5	65	63	N	6	r		6	30.02	762.6	66	87	N	4	0
Aparri, ...	"	29.88	759.0	75	63	NE	4	0		"	29.95	760.8	70	82	NE	4	0
Manila, ...	"	29.80	756.9	82	67	E	1	0		"	29.85	758.1	72	88	SE	1	0
Legaspi, ...	"	29.79	756.6	68	87	ENE	4	0		"	29.84	757.8	75	91	ENE	4	0
Tacloban, ...	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Iloilo, ...	"	29.72	754.8	86	65	NE	4	0		"	29.80	756.9	75	92	NNE	4	0
Surigao, ...	"	29.74	755.4	82	81	NE	2	0		"	29.81	757.2	75	94	...	0	0
Guam, ...	12.20	29.73	755.1	...	...	SE	2	0		4.20	29.81	757.2	...	...	SE	1	0
Yap, ...	12.47	29.74	755.4	...	...	SE	2	0		4.47	29.82	757.5	...	...	N	2	0
Labuan, ...	14	29.72	754.9	84	87	N	2	b		6	29.73	755.1	76	94	NE	2	0

February 28*d.* 12*h.* 26*m.*—Pressure has decreased considerably over N. Japan and Shantung; it has decreased slightly to moderately along the China coast and increased slightly to moderately elsewhere. The anticyclone has moved eastward and is central over Korea; a depression covers N. Japan.

Fresh monsoon will prevail along the S.E. coast of China and over the north part of the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 4·71 inches, against an average of 3·11 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st

District.	Forecast.
1.—Formosa Channel, ...	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks.	N.E. winds, fresh; fair.
3.—Hongkong to Gap Rock.....	
4.—South coast of China between Hongkong and Hainan, .	

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

MARCH,

1925.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,

DIRECTOR.

HONGKONG:

PRINTED BY NORONHA & Co.

GOVERNMENT PRINTERS.

1925.

[*Price* 60c.]

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

MARCH,

1925.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of MARCH, 1925.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·992	29·978	29·961	29·953	29·955	29·965	29·985	30·010	30·031	30·045	30·044	30·018	1
2	30·055	30·045	30·047	30·045	30·046	30·058	30·073	30·100	30·117	30·125	30·130	30·112	2
3	30·061	30·055	30·049	30·043	30·040	30·056	30·068	30·088	30·114	30·124	30·117	30·083	3
4	30·027	30·015	30·009	30·012	30·012	30·034	30·052	30·059	30·079	30·094	30·074	30·041	4
5	30·045	30·040	30·036	30·026	30·038	30·047	30·094	30·120	30·143	30·148	30·133	30·115	5
6	30·090	30·086	30·072	30·067	30·055	30·071	30·096	30·127	30·146	30·150	30·127	30·099	6
7	30·102	30·089	30·086	30·083	30·087	30·090	30·108	30·131	30·154	30·161	30·158	30·145	7
8	30·146	30·144	30·126	30·120	30·114	30·111	30·118	30·126	30·152	30·165	30·166	30·150	8
9	30·115	30·103	30·093	30·081	30·083	30·090	30·113	30·115	30·112	30·115	30·102	30·078	9
10	29·998	29·986	29·984	29·966	29·974	29·978	29·997	30·001	30·017	30·037	30·031	30·003	10
11	29·988	29.978	29·967	29·946	29·950	29·961	29.964	29·984	30·012	30·017	30·019	30·003	11
12	30·012	30·000	29·993	29·964	29·946	29·969	29·989	30·000	30·008	30·014	30·012	29·985	12
13	29·952	29·950	29·936	29·932	29·917	29·923	29·929	29·948	29·961	29·970	29·955	29·924	13
14	29·842	29·821	29·819	29·815	29·822	29·825	29·842	29·842	29·863	29·869	29·866	29·849	14
15	29·824	29·806	29·804	29·794	29·802	29·808	29·825	29·846	29·847	29·861	29·840	29·811	15
16	29·850	29·850	29·844	29·849	29·857	29·877	29·882	29·902	29·918	29·934	29·925	29·913	16
17	29·869	29·853	29·845	29·827	29·839	29·839	29·850	29·872	29·892	29·893	29·887	29·876	17
18	29·832	29·816	29·806	29·806	29·818	29·824	29·847	29·859	29·884	29·894	29·893	29·884	18
19	29·836	29·828	29·796	29·798	29·798	29·811	29·827	29·850	29·868	29·852	29·834	29·820	19
20	29·791	29·772	29·760	29·749	29·742	29·750	29·778	29·794	29·810	29·804	29·802	29·781	20
21	29·792	29·794	29·784	29·786	29·788	29·808	29·827	29·846	29·846	29·862	29·868	29·856	21
22	29·814	29·796	29·794	29·782	29·771	29·771	29·780	29·788	29·804	29·837	29·824	29·801	22
23	29·783	29·748	29·744	29·741	29·742	29·755	29·747	29·769	29·788	29·789	29·779	29·749	23
24	29·813	29·803	29·796	29·782	29·772	29·796	29·810	29·834	29·854	29·865	29·868	29·859	24
25	29·845	29·829	29·813	29·792	29·808	29·832	29·848	29·872	29·897	29·909	29·904	29·889	25
26	29·885	29·864	29·846	29·816	29·807	29·821	29·847	29·848	29·839	29·837	29·825	29·819	26
27	29·785	29·773	29·797	29·787	29·803	29·820	29·846	29·876	29·884	29·900	29·904	29·905	27
28	29·881	29·857	29·859	29·839	29·843	29·849	29·867	29·893	29·896	29·917	29·905	29·872	28
29	29·848	29·850	29·874	29·825	29·829	29·855	29.872	29·870	29·909	29·935	29·940	29·906	29
30	29·936	29·902	29·900	29·888	29·900	29·932	29·934	29·925	29·947	29·977	29·977	29·937	30
31	29·867	29·849	29·825	29·799	29·785	29·799	29·795	29·801	29·805	29·821	29·814	29·809	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins	ins.	
1	29·986	29·968	29·944	29·940	29·940	29·952	29·964	29·984	30·010	30·037	30·053	30·057	1
2	30·088	30·060	30·040	30·028	30·025	30·034	30·044	30·050	30·071	30·078	30·086	30·084	2
3	30·046	30·002	29·970	29·960	29·962	29·961	29·975	29·985	30·011	30·023	30·028	30·033	3
4	30·009	29·976	29·960	29·956	29·967	29·969	29·992	30·010	30·028	30·040	30·046	30·054	4
5	30·087	30·056	30·044	30·037	30·041	30·052	30·072	30·085	30·109	30·109	30·133	30·132	5
6	30·074	30·046	30·041	30·030	30·024	30·039	30·049	30·065	30·091	30·098	30·101	30·100	6
7	30·122	30·088	30·073	30·067	30·079	30·091	30·100	30·120	30·149	30·180	30·181	30·176	7
8	30·129	30·100	30·082	30·066	30·064	30·069	30·082	30·100	30·122	30·122	30·120	30·121	8
9	30·041	30·012	29·976	29·966	29·960	29·959	29·970	29·980	29·992	30·009	30·000	30·002	9
10	29·968	29·942	29·919	29·909	29·908	29·924	29·937	29·960	29·982	29·992	29·999	30·001	10
11	29·973	29·946	29·930	29·931	29·924	29·927	29·950	29·973	29·994	30·016	30·015	30·018	11
12	29·969	29·944	29·922	29·920	29·917	29·908	29·909	29·938	29·949	29·967	29·966	29·964	12
13	29·894	29·865	29·846	29·833	29·818	29·829	29·833	29·853	29·859	29·857	29·865	29·851	13
14	29·818	29·790	29·770	29·759	29·757	29·762	29·780	29·800	29·822	29·831	29·834	29·830	14
15	29·786	29·763	29·743	29·737	29·745	29·770	29·788	29·814	29·837	29·838	29·834	29·846	15
16	29·887	29·849	29.833	29·847	29·849	29·849	29·848	29·841	29·851	29·865	29·878	29·877	16
17	29·844	29·814	29·800	29·790	29·794	29·796	29·814	29·834	29·840	29·854	29·852	29·852	17
18	29·852	29·822	29·806	29·808	29·803	29·809	29·819	29·830	29·836	29·846	29·852	29·848	18
19	29·792	29·770	29·760	29·760	29·761	29·759	29·771	29·785	29·812	29·820	29·820	29·811	19
20	29·770	29·745	29·707	29·723	29·723	29·729	29·743	29·773	29·788	29·812	29·816	29·820	20
21	29·825	29·812	29·780	29·782	29·793	29·806	29·812	29·809	29·840	29·840	29·844	29·850	21
22	29·774	29·770	29·746	29·748	29·742	29·745	29·751	29·764	29·789	29·806	29·814	29·798	22
23	29·720	29·731	29·713	29·724	29·730	29·734	29·752	29·770	29·798	29·822	29·822	29·811	23
24	29·840	29·822	29·806	29·803	29·808	29·812	29·832	29·850	29·866	29·872	29·868	29·859	24
25	29·875	29·851	29·844	29·824	29·822	29·828	29·823	29·832	29·860	29·853	29·880	29·872	25
26	29·784	29·797	29·763	29·668	29·711	29·735	29·725	29·724	29·745	29·820	29·777	29·774	26
27	29·868	29·852	29·844	29·828	29·822	29·843	29·855	29·857	29·881	29·885	29·871	29·859	27
28	29·850	29·815	29·801	29·787	29·809	29·803	29·824	29·840	29·844	29·848	29·846	29·856	28
29	29·857	29·839	29·828	29·818	29·819	29·867	29·877	29·894	29·910	29·947	29·948	29·952	29
30	29·923	29·897	29·848	29·855	29·857	29·855	29·853	29·857	29·895	29·892	29·894	29·882	30
31	29·786	29·753	29·739	29·723	29·718	29·722	29·719	29·732	29·742	29·765	29·776	29·763	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of MARCH, 1925.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	57.2	56.9	58.1	58.6	59.0	59.0	59.9	60.7	62.6	63.7	64.0	65.0	1
2	60.4	59.9	58.9	58.3	58.4	58.1	58.0	59.5	61.7	62.5	62.1	62.4	2
3	56.5	55.8	55.3	55.3	55.3	55.0	55.8	56.5	57.7	59.0	59.0	59.7	3
4	60.7	61.0	61.3	62.2	62.8	63.2	63.8	64.9	67.4	68.0	68.9	68.5	4
5	62.9	62.6	62.5	62.0	61.9	62.2	60.0	60.0	61.0	61.7	62.5	63.5	5
6	60.3	60.0	59.4	59.4	59.0	59.0	59.0	60.3	61.5	62.9	64.7	64.8	6
7	61.6	61.2	61.0	59.4	60.4	59.5	60.4	63.5	62.2	64.7	64.3	64.0	7
8	59.1	59.0	58.9	58.6	58.4	58.0	58.0	59.0	60.4	61.1	61.8	61.1	8
9	59.8	60.0	60.0	60.0	59.9	60.0	59.9	61.8	63.5	66.6	67.5	68.4	9
10	64.5	64.1	64.2	64.0	63.4	62.7	61.8	63.1	66.3	68.4	71.2	71.1	10
11	63.7	63.7	63.3	62.0	62.2	62.8	62.5	66.3	68.9	72.8	75.2	74.5	11
12	64.4	64.3	63.8	62.3	61.4	61.0	60.3	66.9	71.9	73.0	73.0	74.6	12
13	62.1	62.1	62.0	62.0	62.0	62.6	63.2	64.0	65.1	66.0	67.5	69.4	13
14	65.3	65.5	65.5	65.7	64.8	65.3	65.8	66.6	66.7	71.5	70.6	69.6	14
15	66.9	67.0	66.3	66.0	66.1	66.5	66.7	69.2	71.0	72.6	72.2	77.1	15
16	63.3	63.2	62.7	62.3	61.9	61.2	60.6	60.6	61.1	62.6	64.3	64.5	16
17	63.6	63.4	63.3	63.2	62.8	62.2	62.2	62.9	63.3	64.1	64.2	65.0	17
18	66.1	65.5	64.5	64.0	63.9	64.0	64.2	64.2	64.3	65.0	65.3	65.2	18
19	64.5	64.4	64.9	65.1	64.9	64.3	64.1	64.2	64.5	65.3	66.7	65.8	19
20	62.0	62.0	61.5	61.1	61.3	61.2	61.7	61.2	60.9	61.1	60.6	60.3	20
21	61.4	61.4	60.8	60.2	59.9	60.5	60.0	60.2	60.9	60.6	61.0	61.4	21
22	63.0	63.3	63.0	62.9	63.0	62.9	63.0	63.6	63.8	64.0	66.0	66.0	22
23	66.4	66.4	66.8	66.6	65.6	65.1	65.1	66.3	68.4	68.5	69.0	67.6	23
24	68.2	67.1	66.5	65.2	65.0	65.0	65.0	65.0	65.0	65.9	65.9	65.5	24
25	65.3	65.6	66.3	66.8	66.5	66.9	67.0	66.7	65.3	64.9	66.3	66.5	25
26	64.9	64.2	64.2	63.8	63.4	63.3	62.3	62.0	61.7	61.6	62.4	62.2	26
27	63.6	63.5	63.9	64.2	62.4	61.6	60.2	60.7	61.5	62.4	61.5	61.6	27
28	59.3	59.2	59.4	58.6	59.0	58.9	59.0	58.8	58.8	58.9	59.2	59.6	28
29	61.5	61.7	61.6	62.0	62.6	62.7	61.3	62.2	63.9	62.9	63.1	63.0	29
30	62.6	62.0	61.9	62.0	61.1	61.6	61.0	61.3	59.8	59.5	59.0	58.9	30
31	59.8	60.1	59.7	60.0	59.9	59.4	59.5	59.9	60.6	60.7	61.2	61.3	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	65.3	64.6	65.4	64.7	63.8	64.0	62.8	62.4	61.3	60.0	60.4	60.2	1
2	63.0	63.3	62.6	62.0	61.8	60.7	59.2	61.0	59.9	59.8	59.0	57.8	2
3	61.5	62.9	62.1	62.2	61.4	60.3	60.4	60.6	59.6	59.3	60.0	60.7	3
4	69.4	69.3	69.4	69.0	68.7	68.8	67.0	66.4	65.0	64.8	64.2	62.3	4
5	64.6	64.0	62.8	63.0	62.8	61.6	60.3	60.6	60.8	60.0	59.9	60.0	5
6	65.1	65.1	65.9	65.5	64.9	63.4	62.0	60.9	60.6	61.3	61.2	62.0	6
7	65.0	65.6	65.9	64.7	63.2	62.2	61.5	60.5	59.8	58.8	58.6	58.9	7
8	61.6	62.2	66.0	63.0	61.1	60.9	60.2	60.4	60.5	60.2	60.3	59.8	8
9	70.0	70.9	70.3	69.1	67.0	66.2	65.4	66.5	67.4	66.5	66.2	65.4	9
10	71.7	73.3	74.0	73.1	71.8	70.1	67.3	66.2	66.0	65.6	64.9	64.0	10
11	74.6	72.8	73.2	69.9	6.91	67.5	67.2	66.0	64.9	64.9	65.1	64.5	11
12	74.0	74.1	72.2	70.5	70.1	68.9	68.1	66.6	65.6	64.8	63.4	62.7	12
13	70.3	69.8	69.4	68.6	68.0	67.2	66.8	66.3	65.2	65.1	64.8	64.9	13
14	73.2	76.3	73.1	73.5	73.0	70.8	69.4	68.5	68.5	68.1	68.5	67.7	14
15	78.5	72.0	74.7	73.2	75.3	72.9	70.9	68.7	66.0	65.1	64.6	63.9	15
16	64.2	63.1	62.6	62.7	62.9	63.5	63.5	64.0	64.5	65.0	64.2	63.0	16
17	66.0	66.5	65.1	65.3	65.2	65.1	65.3	65.8	65.8	65.6	65.3	65.6	17
18	65.2	66.3	66.0	65.6	65.3	64.9	65.1	65.3	66.0	66.0	65.5	65.0	18
19	64.9	65.2	64.4	63.8	63.5	63.8	63.6	63.2	62.9	63.1	62.6	62.7	19
20	60.3	60.1	60.3	60.3	61.1	61.8	61.2	61.2	61.4	61.5	61.2	61.1	20
21	61.5	61.3	61.2	62.0	62.1	62.0	62.7	62.4	62.9	63.1	63.0	63.0	21
22	65.4	66.0	66.2	66.1	65.1	65.8	65.6	66.0	66.6	66.7	66.8	65.8	22
23	67.7	66.7	67.2	66.1	65.6	66.0	66.6	66.7	66.6	66.7	66.2	68.0	23
24	65.3	65.4	65.8	66.0	66.0	65.8	65.6	65.9	65.1	65.7	65.9	66.0	24
25	66.8	66.9	66.0	66.1	66.0	65.7	66.1	66.2	66.3	66.1	65.8	65.3	25
26	61.7	61.2	61.3	61.5	63.5	64.3	62.9	62.8	63.2	63.3	65.3	64.8	26
27	60.8	59.2	58.6	59.3	59.0	59.4	58.6	58.9	58.4	58.1	59.6	59.4	27
28	60.0	60.0	59.7	60.4	60.5	61.0	61.0	61.5	61.3	61.6	61.6	61.2	28
29	66.3	66.3	65.8	65.7	65.0	64.5	64.1	63.3	63.0	62.4	62.8	62.6	29
30	59.3	58.8	58.8	59.5	59.6	60.0	60.0	60.1	60.0	59.9	59.7	60.0	30
31	61.4	61.5	61.6	61.7	62.7	63.4	62.9	63.0	62.8	63.0	63.0	62.9	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of MARCH, 1925.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	53·0	53·2	53·3	53·8	54·0	54·1	54·6	55·0	55·6	56·1	56·2	56·4	1
2	56·5	54·4	54·6	54·6	53·0	50·2	51·4	53·7	55·0	53·9	54·0	54·0	2
3	53·0	52·4	52·2	52·0	51·5	50·9	51·0	51·3	52·1	52·4	53·0	53·9	3
4	57·0	57·0	57·8	59·1	59·8	60·0	60·5	61·4	62·2	62·0	62·6	62·5	4
5	61·0	60·9	61·1	60·5	60·8	61·1	58·5	57·7	57·0	57·2	57·5	57·9	5
6	54·5	53·7	53·5	53·8	53·0	53·0	52·9	53·3	54·3	55·7	56·2	56·4	6
7	58·2	57·5	57·7	57·0	57·2	57·0	57·4	56·5	56·9	57·5	57·9	57·7	7
8	50·2	50·0	49·9	49·5	50·2	50·1	51·0	51·9	53·8	54·5	55·0	54·2	8
9	56·9	57·0	56·7	56·8	56·6	57·0	57·0	57·9	58·5	60·0	60·3	60·5	9
10	60·8	60·8	60·9	60·4	60·2	59·8	59·1	59·5	60·7	61·9	63·7	63·2	10
11	60·6	60·8	60·4	60·0	60·2	60·1	60·2	62·2	63·6	64·1	64·0	63·2	11
12	60·3	60·0	60·0	59·4	59·0	58·6	58·1	59·0	56·4	55·0	55·3	54·5	12
13	59·4	58·9	59·4	59·0	59·3	59·5	59·9	60·9	61·2	62·0	62·5	64·1	13
14	64·5	64·9	65·0	65·3	64·6	65·0	65·1	65·7	66·0	67·7	67·2	66·3	14
15	65·0	65·5	64·9	64·6	65·0	65·0	66·0	66·9	67·8	68·3	67·7	70·9	15
16	60·0	60·0	60·0	60·0	60·0	59·5	58·8	59·0	58·6	59·3	60·4	60·0	16
17	61·8	61·8	61·5	61·2	60·8	60·0	60·0	60·0	60·8	61·8	61·8	62·0	17
18	64·0	63·6	63·0	62·7	62·9	63·0	63·1	63·1	63·0	63·7	64·0	64·4	18
19	63·5	63·5	63·6	63·7	63·5	63·2	63·0	63·2	63·6	64·0	64·7	64·3	19
20	61·0	61·0	60·5	60·3	60·2	60·2	60·6	60·0	59·9	60·0	59·8	59·8	20
21	60·0	60·2	59·7	59·1	59·0	59·4	59.2	59·5	60·2	60·0	60·3	60·5	21
22	61·8	62·1	62·2	62·0	62·3	62·2	62·5	63·0	63·3	63·3	65·2	65·0	22
23	66·0	65·8	66·0	65·9	65·1	64·9	65.0	65·9	67·3	67·0	67·8	66·9	23
24	67·7	66·6	66·0	64·8	64·1	64·0	63·9	64·1	64·0	64·9	64·8	64·8	24
25	65·0	65·0	65·3	65·9	65·3	65·5	65·5	65·3	64·0	63·6	63·7	63·9	25
26	62·0	61·2	60·4	60·8	61·0	61·2	61·0	61·2	61·1	61·0	61·9	61·6	26
27	63·1	62·9	62·9	62·2	61·1	59·7	58·1	59·3	59·0	59·4	58·7	58·5	27
28	58·2	58·0	57·5	56·5	56·6	56·9	57·1	57·6	57·7	57·5	57·8	58·3	28
29	60·3	60·8	60·9	61·1	61·0	61·0	60·2	60·8	61·2	61·3	62·1	62·0	29
30	61·0	60·3	60·0	59·6	57·5	58·1	58·0	55·6	55·5	55·5	55·7	55·8	30
31	58·5	59·0	58·8	58·8	58·8	58·3	58·3	59·0	59·4	59·5	59·6	59·9	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	56·6	55·6	56·1	55·0	55·2	54·9	55·0	54·9	55·3	55·5	55·9	55·9	1
2	54·2	54·9	55·2	55·5	55·1	54·6	55·0	56·0	55·4	54·9	54·4	53·7	2
3	54·7	54·6	54·6	54·4	54·9	54·3	55·2	56·4	57·4	57·9	57·3	57·8	3
4	63·1	63·5	64·1	63·8	63·4	63·7	63·0	62·5	61·6	62·5	62·0	60·5	4
5	58·8	58·1	58·2	58·5	58·4	58·0	57·0	57·0	57·0	55·8	55·0	54·2	5
6	56·0	56·8	57·8	58·2	58·0	57·7	57·0	57·2	57·0	57·0	57·1	57·6	6
7	58·5	59·0	57·7	58·5	58·3	57·8	57·0	55·3	54·0	53·0	51·5	50·3	7
8	55·0	54·7	56·9	56·9	55·5	55·6	55·0	55·1	56·3	56·2	57·0	56·8	8
9	61·5	61·9	62·1	61·3	61·0	60·4	60·1	59·9	60·4	60·1	60·2	60·1	9
10	63·0	63·0	63·6	63·7	63·5	63·1	61·8	61.8	61·7	61·4	61·2	61·1	10
11	62·3	60·7	61·7	60·0	60·5	61·5	61·3	60·9	60·6	61·0	61·0	60·3	11
12	54·2	55·7	56·2	57·8	57·9	57·9	57·0	57·3	59·3	60·3	59·9	59·8	12
13	64·8	65·0	65·2	64·9	64·7	63·9	64·0	64·0	62·9	63·8	63·6	64·3	13
14	68·0	69·0	67·5	67·7	67·6	67·1	66·7	66·1	66·7	66·3	66·7	66·1	14
15	71·1	67·8	69·2	68·8	69·2	69·0	67·5	66·5	64·1	63·0	62·0	61·0	15
16	60·4	60·0	60·1	59·5	59·3	59·2	59·9	60·0	60·5	61·9	62·0	61·7	16
17	62·3	63·0	62·5	62·1	62·1	62·0	62·1	62·1	62·4	62·8	63·0	63·5	17
18	64·3	64·9	64·2	64·3	64·3	64·0	64·0	64·1	64·6	64·6	64·0	63·9	18
19	64·0	64·0	63·4	62·9	62·8	62·9	62·9	62·4	61·5	61·8	61·1	61·0	19
20	59·7	59·4	59·1	59·2	59·3	59·8	59·7	60·0	60·2	60·5	60·2	60·2	20
21	60·4	60·3	60·0	60·6	60·4	60·6	61·1	61·0	61·0	61·2	61·1	61·1	21
22	64·8	65·0	65·6	65·5	64·8	65·3	65·1	65·6	66·2	66·5	66·7	65·8	22
23	66·9	66·0	66·5	65·3	64·6	65·0	65·8	65·9	66·0	66·0	66·0	67·5	23
24	64·3	64·5	65·0	65·2	65·1	65·0	65·0	65·0	64·4	65·0	65·0	65·0	24
25	63·9	63·7	63·0	63·2	62·7	62·7	62·4	62·4	62·2	61·4	62·0	61·7	25
26	61·0	60·7	60·6	61·0	62·3	62·9	61·9	61·9	62·3	62·9	63·5	63·8	26
27	57·5	57·7	56·8	57·0	56·3	56·4	55·5	55·5	56·1	56·9	57·5	57·4	27
28	59·0	59·0	58·3	59·0	59·2	60·0	60·0	60·4	60·4	60·7	60·4	60·5	28
28	64·5	64·1	63·7	63·8	63·1	63·2	62·5	61·1	60·2	60·5	61·0	60·9	29
29	56·2	56·1	56·0	56·2	56·3	57·0	57·5	57·7	57·1	58·0	58·3	58·9	30
30	60·4	60·1	60·3	60·9	61·3	61·8	61·8	61·6	61·5	62·0	62·0	61·8	31

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of MARCH, 1925.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	1
2	10	10	10	10	9	4	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	1	...	9	9	9	3	9	9	9	10	9	6	3	3	4	4	9	10	10	10	10	9	9	3
4	10	10	9	10	10	10	10	10	8	6	7	...	...	...	...	1	...	...	2	...	...	...	...	...	4
5	...	...	...	...	...	...	10	10	10	8	5	3	2	2	5	3	5	5	9	10	9	9	10	10	5
6	10	10	10	10	8	4	3	8	7	4	2	2	1	...	...	...	...	...	...	...	...	...	...	...	6
7	2	2	1	...	...	...	...	2	1	...	1	1	2	1	1	1	9	6	4	2	2	1	2	8	7
8	9	10	10	10	7	6	2	...	1	7	10	10	10	10	10	10	7	2	...	...	...	...	...	...	8
9	2	10	10	10	4	9	5	3	1	...	1	...	...	...	...	...	7	8	10	10	10	10	10	10	9
10	10	10	10	10	10	10	4	5	...	1	...	...	1	1	1	1	1	...	...	1	7	...	...	...	10
11	...	10	3	...	10	9	10	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	1	1	1	2	12
13	9	10	10	10	10	10	10	10	10	5	6	5	6	5	8	9	4	6	3	2	3	2	9	9	13
14	4	2	3	9	7	2	3	2	8	7	9	6	9	5	8	8	9	6	3	...	...	7	8	2	14
15	4	9	3	2	2	2	1	2	2	10	9	4	7	9	8	6	9	10	7	10	10	10	10	10	15
16	10	10	10	10	10	10	10	10	10	10	8	10	10	10	10	10	10	10	10	9	10	10	10	10	16
17	10	10	10	10	10	10	10	10	10	10	10	10	9	9	8	8	10	10	10	9	10	10	10	10	17
18	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	18
19	10	10	10	10	10	10	10	10	10	7	10	10	10	10	10	10	10	10	10	10	10	10	10	10	19
20	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	20
21	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	21
22	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	22
23	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	23
24	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8	10	10	24
25	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	25
26	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	26
27	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	27
28	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	28
29	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	29
30	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	30
31	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of MARCH, 1925
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	...	...	0·1	...	...	0·1	...	0·2	0·2	0·1	...	...	1
2	...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0.9	...	2
3	...	0·1	0·1	0·7	...	0·2	1·0	1·0	1·0	1.0	1·0	0·7	...	3
4	...	...	0·2	0·2	0·5	0·6	1·0	1·0	1·0	1·0	1·0	0·4	...	4
5	...	...	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	0·4	...	5
6	...	0·1	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	6
7	...	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	...	7
8	...	0·7	1·0	1·0	1·0	0·1	...	...	...	...	0·1	...	...	8
9	...	0·1	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3	0·1	...	9
10	...	0·1	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	10
11	...	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	...	11
12	...	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	...	12
13	...	...	...	...	0·1	0·5	1·0	1·0	0·9	0·6	0·3	0·5	...	13
14	...	...	0·3	1·0	1·0	0·9	0·9	1·0	0·5	...	...	...	...	14
15	...	0·3	0·9	0·6	...	0·8	0·9	0·5	1·0	1·0	0·4	...	...	15
16	...	...	...	...	...	0·3	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	0·7	0·8	0·7	0·8	0·4	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	0·1	0·4	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	0·1	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	0.2	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	0·1	...	...	...	...	...	...	...	...	...	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of MARCH, 1925.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	d	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	..	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	..	...	...	...	...	...	d	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	d	d	d	d	0·050	d	d	d	...	...	...	16
17	0·005	d	0·005	d	d	d	d	...	d	d	d	...	17
18	...	d	d	d	...	...	d	d	d	d	d	d	18
19	0·005	d	...	d	d	d	d	d	d	d	d	d	19
20	d	d	d	d	d	d	d	d	d	d	d	d	20
21	d	d	d	d	d	d	d	d	d	d	d	0·005	21
22	d	0·010	0·005	0·005	0·005	0·005	d	d	d	0·045	0·040	0·150	22
23	0·030	d	...	...	...		...	...	...	...	...	...	23
24	...	d	0·030	d	0·010	d	0·140	0·010	d	d	d	0·010	24
25	...	...	...	...	...	...	...	d	d	d	...	...	25
26	...	...	...	...	...	d	0·035	0·020	0·015	0·010	0·005	0·015	26
27	0·270	0·140	0.005	0·015	0·070	0·030	0·020	0·030	...	0·015	d	0·010	27
28	d	d	d	...	...	d	d	d	d	d	d	d	28
29	0.035	0·015	0·020	d	d	0·020	d	...	0·015	0·030	0·010	0·020	29
30	d	0·010	...	...	...	...	0·015	0·010	0·010	0·015	0·015	0·020	30
31	0.005	0·020	0·015	d	...	...	d	0·010	0·005	0·010	d	0·005	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	..	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	d	...	...	d	15
16	...	...	d	...	...	...	...	...	...	...	d	d	16
17	d	...	...	...	...	...	...	...	...	d	...	...	17
18	d	d	d	d	d	d	d	d	d	d	d	d	18
19	d	d	d	d	d	d	0.010	d	d	0·005	d	d	19
20	0.030	0·130	0·355	0·380	0·010	0·010	0.040	0·355	0·005	d	0·005	0·010	20
21	0·005	0·060	0·175	0·005	0·005	0·005	0·015	0·015	0·005	d	0·010	0·005	21
22	0·040	0·245	0·235	0·325	0·190	0·125	0·070	0·005	...	...	...	...	22
23	0·345	0·120	d	d	0·005	d	0·005	d	0·015	d	...	...	23
24	d	d	0·030	0·050	0·025	0·010	0·020	...	...	...	...	...	24
25	...	...	...	...	...	...	...	d	...	...	...	...	25
26	0·020	0·190	0·310	0·070	...	...	0·030	d	0·005	0·790	0·340	0·550	26
27	0·070	0·190	0·030	0·005	d	...	0·005	...	d	d	d	d	27
28	d	d	d	d	0·020	d	d	0·025	0·005	...	d	0·020	28
29	0·005	...	...	...	0·020	0·070	0·015	0·005	d	0·010	0·005	d	29
30	0·005	d	d	d	d	...	0·005	0·005	d	d	d	d	30
31	0·095	0·035	0·045	0·045	0·015	0·140	0·020	d	...	d	d	d	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of MARCH, 1925.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hongkong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	8	14	9	11	9	7	9	12	6	8	4	4	5	4	6	9	6	10	6	10	6	11	7	12	1
2	9	14	9	17	8	11	8	16	7	17	7	22	7	23	7	18	7	22	7	27	7	30	7	30	2
3	6	25	7	28	6	27	6	24	6	23	7	27	7	24	7	22	7	20	7	24	8	19	8	20	3
4	10	14	11	15	11	10	10	6	9	5	6	2	6	3	6	6	8	9	9	12	9	11	9	16	4
5	...	...	...	...	...	...	...	...	...	...	10	2	9	27	6	30	6	30	6	31	6	33	6	31	5
6	7	29	7	30	7	32	7	22	7	31	7	27	7	27	8	22	8	20	8	21	8	25	7	25	6
7	...	...	...	...	...	...	...	...	...	...	...	...	9	7	10	11	10	16	8	19	7	27	7	27	7
8	7	37	7	34	7	32	7	30	7	28	7	30	7	31	7	30	6	29	6	28	6	23	6	18	8
9	10	4	11	6	10	7	11	8	11	6	11	7	11	6	11	8	10	6	10	2	15	4	21	8	9
10	...	...	23	4	24	7	23	3	18	5	12	12	10	11	9	10	9	10	5	5	28	6	25	7	10
11	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	27	4	27	4	11	12	11
12	8	6	...	1	...	...	...	...	...	...	...	...	...	...	...	...	9	10	9	18	9	15	8	16	12
13	7	24	7	15	7	14	8	13	7	14	7	11	7	12	7	11	8	11	8	12	8	13	9	15	13
14	5	6	5	7	6	6	6	6	8	3	8	6	8	10	7	10	9	11	9	10	9	13	7	9	14
15	...	...	...	1	...	1	...	1	...	...	...	...	...	1	...	1	4	3	...	1	4	3	31	3	15
16	6	27	7	28	6	30	7	30	6	30	7	30	6	34	6	31	7	30	7	30	6	29	6	27	16
17	6	19	6	18	6	21	7	18	7	20	8	26	8	22	8	22	7	22	8	21	8	22	8	23	17
18	7	17	7	22	8	20	9	18	9	15	9	15	9	18	9	20	9	21	9	17	9	18	9	20	18
19	8	23	8	25	8	22	7	21	8	19	8	22	9	21	9	20	9	18	9	22	9	22	9	16	19
20	7	29	7	27	7	28	7	27	7	30	7	21	7	26	7	26	7	27	7	24	7	29	7	27	20
21	6	36	6	33	6	30	6	32	6	32	6	32	6	32	6	29	6	29	6	30	6	28	6	27	21
22	8	21	8	21	8	22	8	21	9	21	9	20	8	23	9	24	8	16	9	12	9	14	9	17	22
23	8	2	8	3	...	1	8	4	8	2	...	1	...	...	...	1	7	10	8	17	8	20	8	21	23
24	6	14	7	16	8	20	8	22	8	22	9	24	9	18	9	23	9	20	9	18	8	20	9	14	24
25	8	16	9	8	8	6	9	8	8	13	8	10	8	12	7	11	6	23	7	22	7	19	7	32	25
26	6	16	6	19	7	29	7	33	7	32	6	28	6	27	6	33	6	34	6	32	6	31	6	27	26
27	9	12	9	16	9	5	3	7	3	7	3	3	2	4	4	4	5	16	5	17	5	17	5	10	27
28	7	31	6	32	6	30	6	29	6	27	7	26	7	35	7	29	7	30	7	28	7	23	7	27	28
29	8	15	9	7	9	3	9	11	10	16	9	11	6	5	7	6	8	4	9	6	10	5	12	3	29
30	6	17	7	30	7	31	7	30	6	32	6	24	7	35	7	39	7	31	7	36	7	28	6	30	30
31	5	27	6	26	6	25	6	30	6	28	6	31	6	31	6	32	6	31	6	28	7	28	7	22	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel	Dir.	Vel	Dir.	Vel.	Dir.	Vel	
1	9	11	10	12	9	17	9	13	9	10	10	8	10	6	10	2	9	11	9	9	9	8	9	9	1
2	8	26	9	21	9	21	9	19	8	19	7	17	7	10	6	11	5	16	5	24	6	23	6	24	2
3	8	23	8	25	8	29	7	25	7	21	7	19	7	16	8	18	8	21	9	14	9	11	10	12	3
4	9	18	9	17	9	16	9	13	7	9	...	1	...	...	...	...	...	1	9	5	...	...	...	1	4
5	6	28	8	26	7	23	7	20	7	22	7	20	6	20	6	21	5	22	6	25	6	23	7	22	5
6	7	28	7	23	7	21	9	18	10	16	9	14	9	17	8	12	8	7	8	7	8	3	...	...	6
7	7	22	7	25	7	35	7	34	7	33	6	32	7	35	6	36	6	34	7	31	8	31	8	32	7
8	8	13	10	7	11	3	11	8	9	17	8	15	8	15	9	11	9	11	9	12	9	6	9	6	8
9	23	8	24	9	27	7	29	7	29	8	29	5	29	5	...	...	26	4	...	...	...	...	...	1	9
10	24	9	24	11	23	9	23	9	24	8	27	4	28	6	28	4	...	1	...	...	...	...	...	...	10
11	9	13	7	10	6	3	8	14	8	14	8	11	8	11	8	10	8	9	8	10	8	9	8	6	11
12	8	19	8	17	9	14	8	17	8	17	8	22	7	23	6	21	6	23	6	23	7	26	7	26	12
13	8	17	9	17	8	17	8	15	8	17	8	14	9	11	9	14	8	15	7	16	6	10	5	4	13
14	3	5	25	7	23	6	23	4	24	3	27	3	29	2	29	2	30	2	...	...	...	...	...	...	14
15	30	4	3	7	9	9	12	9	12	5	11	6	8	7	8	18	8	26	8	27	7	31	7	28	15
16	6	27	6	29	6	26	6	25	6	24	6	25	6	27	6	28	6	25	6	26	6	22	6	23	16
17	8	21	9	26	8	25	9	26	8	22	8	23	8	20	8	23	7	26	8	26	8	23	7	20	17
18	9	21	8	22	8	23	8	20	8	21	8	22	8	22	8	20	8	21	8	21	8	23	8	19	18
19	9	20	9	22	9	21	9	26	8	25	8	26	8	23	7	29	7	28	7	30	7	29	7	28	19
20	7	25	7	27	7	27	7	28	7	30	7	29	7	32	6	23	6	29	6	29	5	34	6	33	20
21	6	25	6	29	7	30	7	28	7	27	7	24	7	25	7	21	7	22	7	22	7	22	8	19	21
22	9	17	9	9	8	11	8	15	8	15	8	17	8	13	8	5	...	1	8	4	8	3	8	4	22
23	8	18	25	10	25	4	25	6	25	6	...	...	...	...	...	1	...	...	...	...	25	3	25	9	23
24	8	17	9	12	8	10	9	6	8	6	9	7	8	6	9	7	8	12	9	9	8	13	9	12	24
25	7	27	7	28	7	28	7	27	7	30	7	29	7	28	7	28	7	27	6	32	6	25	6	21	25
26	6	27	6	20	7	31	8	35	7	25	7	13	6	26	7	22	7	23	5	24	6	19	8	14	26
27	5	13	4	6	4	5	3	5	3	6	4	4	4	7	5	15	6	17	6	27	7	35	6	35	27
28	7	24	8	23	8	25	8	25	8	20	8	25	8	21	9	22	8	25	8	26	7	23	7	19	28
29	15	6	18	7	20	9	21	4	22	4	24	3	31	5	3	3	5	6	6	9	7	13	6	17	29
30	6	26	5	22	6	24	6	30	6	32	6	33	6	30	6	34	6	32	6	35	6	31	5	33	30
31	8	21	8	23	9	19	9	16	9	17	10	18	9	22	9	23	8	28	8	25	8	25	8	26	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of MARCH, 1925.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	E	cu	E	cu	NE	cu-nb	E	cu	ENE	cu	ESE	cu	E	cu	E
2	cu	E	cu	E	...	...	...	...	...	...	...	...	...	...	...	...
3	...	...	cu	E	a-cu	W	a-cu / cu	W / E	a-cu / cu	W / ESE	cu	E	cu	E	cu-nb	E
4	cu-nb	E	cu	E	cu	ESE	a-cu	WSW	...	...	cu	E	a-cu	ENE	...	...
5	...	...	...	...	nb	E	cu	ENE	cu	ENE	cu	E	cu	E	cu	E
6	cu	E	cu	ENE	cu	SE	cu	E	ci-cu	ENE	...	...	...	...	...	...
7	a-cu	W	...	...	...	...	...	...	cu	ESE	cu	ESE	cu	E	cu	E
8	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	..	...	...	...
9	a-cu	W	a-cu	W	a-cu / cu	W / E	...	...	...	...	...	...	a-cu / cu	W / E	a-cu / cu	W / E
10	cu	E	cu	E	a-cu	W	a-cu	WSW	cu	E	cu	WNW	...	...	...	...
11	...	...	...	...	a-cu	WSW	...	...	cu	E	...	...	...	...	...	...
12	...	...	...	...	...	...	...	...	...	...	...	...	a-cu	W	cu	E
13	a-cu / cu	W / E	cu	E	st-cu	E	cu	SE	cu	E	cu	E	cu	E	cu	E
14	cu	E	cu	E	cu	E	cu	E	cu	W	a-cu	WSW	ci-cu	WSW	a-cu	WSW
15	a-cu / cu	WSW / ENE	cu	E	ci-cu	W	cu	WSW	a-cu / cu	W / SW	cu	SW	cu	ESE	cu-nb	E
16	nb	E	nb	E	nb	E	cu-nb	E	cu-nb	E	cu-nb	E	cu-nb	E	cu-nb	E
17	nb	E	nb	E	nb	E	nb	E	a-cu / cu	WNW / E	cu	ESE	cu	E	nb	E
18	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
19	nb	E	nb	E	nb	E	a-cu / cu	W / SSE	nb	ESE	nb	ESE	nb	E	nb	E
20	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
21	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
22	nb	E	nb	E	nb	E	nb	E	nb	E	nb	ESE	nb	E	nb	E
23	nb	E	nb	E	nb	E	cu-nb	ESE	nb	SE	nb	ESE	nb	ESE	nb	SE
24	nb	E	nb	E	nb	E	cu-nb	E	nb	E	nb	E	nb	E	cu	E
25	cu	E	cu	E	cu-nb	E	nb	E	cu	E	cu-nb	E	cu	E	cu	E
26	cu	E	cu	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
27	nb	E	nb	E	nb	ENE	nb	ENE	nb	ENE	nb	ENE	nb	ENE	nb	E
28	nb	E	nb	E	nb	E	nb	E	nb	ENE	nb	E	nb	E	nb	E
29	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
30	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
31	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MARCH, 1925.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.	Velocity.	Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.
1	29·990	66·5	56·5	10·0	61·6	55·0	·347	63	100	0·7	6	...	...	− 0·4	+ 9·1	93	9·1	9·5
2	30·068	63·6	57·8	5·8	60·4	54·3	·343	65	23	10·7	91	...	...	+ 2·8	+ 19·3	82	19·5	19·9
3	·036	63·2	54·8	8·4	58·8	54·0	·355	71	68	6·8	58	...	...	+ 3·0	+ 21·1	82	21·3	21·5
4	·021	70·4	60·1	10·3	65·7	61·5	·492	78	43	6·9	59	...	...	− 1·5	+ 7·5	101	7·7	7·9
5	·081	64·6	59·7	4·9	61·8	58·2	·439	79	52	8·4	72	...	...	+ 5·5	+ 18·0	73	18·8	19·0
6	·081	66·2	58·8	7·4	62·0	55·7	·362	65	33	8·5	72	...	...	+ 1·7	+ 19·5	85	19·6	19·9
7	·117	66·5	58·4	8·1	62·0	56·6	·388	70	20	9·3	79	...	...	+ 3·3	+ 19·6	80	19·9	20·3
8	·117	66·2	57·9	8·3	60·4	53·8	·329	62	55	3·9	33	...	...	+ 2·8	+ 19·0	82	19·2	19·7
9	·044	71·2	59·3	11·9	64·9	59·3	·432	70	54	8·5	72	...	...	− 0·5	+ 0·2	158	0·5	5·2
10	29·976	74·2	61·7	12·5	67·2	61·7	·478	72	35	9·7	82	...	...	− 0·5	− 1·7	254	1·8	5·9
11	·974	76·2	62·0	14·2	67·4	61·3	·462	70	19	10·1	85	...	...	...	+ 5·3	90	5·3	6·2
12	·965	74·7	60·3	14·4	67·4	57·9	·355	72	3	10·5	88	...	...	+ 1·2	+ 12·8	85	12·9	13·1
13	·896	71·0	61·9	9·1	65·6	62·4	·523	69	71	4·9	41	...	...	+ 0·7	+ 13·7	87	13·7	13·8
14	·818	76·5	64·7	11·8	68·9	66·4	·616	53	53	5·6	47	...	...	+ 0·8	+ 3·0	75	3·1	5·5
15	·807	78·9	63·9	15·0	6·97	66·5	·609	83	65	6·4	53	...	..	+ 0·6	+ 6·8	85	6·8	8·0
16	·870	65·6	60·4	5·2	63·0	60·0	·479	87	99	0·3	2	0·005	5	+ 9·5	+ 25·8	70	27·5	27·6
17	·843	67·7	62·0	5·7	64·4	61·8	·519	84	97	3·4	28	0·010	6	+ 1·4	+ 22·1	86	22·2	22·3
18	·837	66·4	63·9	2·5	65·1	63·8	·576	83	100	...	...	...	16	− 1·3	+ 19·8	94	19·8	19·8
19	·806	67·3	62·5	4·8	64·3	63·1	·563	86	99	0·5	4	0·020	18	− 0·3	+ 23·0	91	23·0	23·2
20	·770	62·1	59·9	2·2	61·1	60·0	·505	93	100	...	...	1·330	18	+ 6·8	+ 26·6	76	27·5	27·8
21	·819	63·3	59·7	3·6	61·5	60·2	·506	94	100	...	...	0·310	23	+ 8·5	+ 26·3	72	27·7	27·7
22	·784	67·3	62·7	4·6	64·9	64·2	·592	93	100	...	...	1·500	19	− 1·1	+ 14·4	94	14·4	14·4
23	·761	69·4	64·8	4·6	66·7	66·0	·631	92	100	...	...	0·520	7	+ 0·4	+ 2·5	81	2·5	5·8
24	·829	68·4	64·8	3·6	65·7	64·9	·606	96	99	...	...	0·335	10	− 1·0	+ 14·5	94	14·5	14·5
25	·850	67·4	64·9	2·5	66·1	63·7	·560	96	100	0·1	1	...	1	+ 4·1	+ 20·5	79	20·9	21·2
26	·795	65·5	61·0	4·5	63·0	61·6	·531	96	100	...	...	2·405	15	+ 7·6	+ 24·3	73	25·7	25·8
27	·848	64·8	57·6	7·2	60·7	58·6	·466	87	100	0·2	2	0·905	14	+ 5·1	+ 10·3	64	11·5	12·2
28	·850	61·9	58·4	3·5	59·9	58·6	·477	92	100	...	...	0·070	10	+ 4·1	+ 25·5	81	25·8	26·0
29	·877	66·6	60·9	5·7	63·3	61·7	·530	91	100	...	...	0·295	13	− 0·6	+ 4·8	97	4·8	7·4
30	·904	63.0	58·3	4·7	60·3	57·4	·435	83	100	...	...	0·110	13	+ 9·9	+ 28·2	71	30·0	30·2
31	·779	63.6	59·2	4·4	61·3	60·1	·505	93	100	0·1	1	0·465	17	+ 4·2	+ 24·0	80	24·4	25·1
Means	29·910	67·7	60·6	7·1	63·7	60·3	0·484	81	74	Sum. 115·5	31	Sum. 8·280	Sum. 205	+ 2·5	+ 15·7	81	15·9	17·0
Normals	29·942	67·3	59·8	7·5	63·1	60·0	0·488	83	83	90·4	24	2·739	76	+ 1·3	+ 13·1	84	13·1	15·2
Absolute Max.	30·181	78·9	...	15·0	...	72·3	0·723	...	...	10·7	91	2·405	23	...	...	...	...	39·0
Day.	7	15	...	15	...	15	15	...	...	2	2	26	21	...	...	...	...	30*d* 8*h*
Absolute Min.	29·668	...	54·8	2·2	...	49·0	0·141	17	...	...	...	...	...	...	...	...	...	...
Day	26	...	3	20	...	8	12	12	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Lunar corona :—on the 9th, 13th, and 15th.
Fog :—on the 23rd.
Slight fog :—on the 4th, 5th, 12th, 14th, 15th, 18th, 22nd, 23rd and 24th.
Unusual visibility :—on the 22nd.
Lightning :—on the 26th, 27th and 29th.
Thunder :—on the 20th, 21st, 22nd, 23rd, 27th, 29th, and 31st.

Thunderstorms as follows :—

20*d* 14*h* 20*m* to 15*h* 16*m* W.S.W. to E.N.E.; nearest at 15*h* 04*m* (11*s*).
20*d* 19*h* 56*m* to 20*h* 25*m* W.N.W.; to E.S.E.; nearest at 21*h* 01*m* (6*s*).
22*d* 15*h* 19*m* to 16*h* 20*m* E.S.E.; to W.N.W.; distant.
22*d* 17*h* 20*m* to 18*h* 25*m* W.S.W.; to E.N.E.; nearest at 18*h* 01*m* (6*s*).
26*d* 13*h* 10*m* to 15*h* 19*m* S.W.; to N.E.; nearest at 13*h* 35*m* (5*s*).
26*d* 22*h* 33*m* to 24*h* 00*m* W.N.W. to E.S.E.; nearest at 22*h* 42*m* (18*s*).
27*d* 13*h* 10*m* to 14*h* 50*m* S.W.; to N.E.; nearest at 14*h* 15*m* (20*s*).
29*d* 20*h* 07*m* to 20*h* 45*m* in N.E.; distant.

Rain fell on 13 days. The mean hourly intensity was 0·040*in*, and the maximum fall in one hour was 0·790*in* at 22*h* on the 26th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 51 miles per hour at 7*h* 23*m* on the 30th.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MARCH, 1925.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Range.	Temperature. Of the Air. Mean.	Temperature. Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Rainfall. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1017·7	292·2	286·6	5·6	289·4	285·8	11·7	...	...	− 0·1	+ 3·0	93	3·0	3·1
2	1020·3	290·6	287·3	3·3	288·8	285·4	11·5	...	...	+ 0·9	+ 6·3	82	6·4	6·5
3	1019·2	290·3	285·7	4·6	287·9	285·2	11·9	...	...	+ 1·0	+ 6·9	82	7·0	7·0
4	1018·7	294·3	288·6	5·7	291·7	289·4	16·6	...	...	− 0·5	+ 2·5	101	2·5	2·6
5	1020·7	291·1	288·4	2·7	289·6	287·6	14·8	...	...	+ 1·8	+ 5·9	73	6·2	6·2
6	1020·7	292·0	287·9	4·1	289·7	286·2	12·2	...	...	+ 0·6	+ 6·4	85	6·4	6·5
7	1021·9	292·2	287·7	4·5	289·7	286·7	13·1	...	...	+ 1·1	+ 6·4	80	6·5	6·7
8	1021·9	292·0	287·4	4·6	288·8	285·1	11·1	...	...	+ 0·9	+ 6·2	82	6·3	6·5
9	1019·4	294·8	288·2	6·6	291·3	288·2	14·6	...	...	− 0·2	+ 0·1	158	0·2	1·7
10	1017·1	296·4	289·5	6·9	292·6	289·5	16·1	...	...	− 0·2	− 0·6	254	0·6	1·9
11	1017·0	297·6	289·7	7·9	292·7	289·3	15·6	...	...	...	+ 1·7	90	1·7	2·0
12	1016·7	296·7	288·7	8·0	292·7	287·4	11·9	...	...	+ 0·4	+ 4·2	85	4·2	4·3
13	1014·4	294·7	289·6	5·1	291·7	289·9	17·6	...	...	+ 0·2	+ 4·5	87	4·5	4·5
14	1011·8	297·7	291·2	6·5	293·5	292·1	20·8	...	...	+ 0·3	+ 1·0	75	1·0	1·8
15	1011·4	299·1	290·7	8·4	293·9	292·2	20·6	...	...	+ 0·2	+ 2·2	85	2·2	2·6
16	1013·6	291·7	288·8	2·9	290·2	288·6	16·1	0·1	5	+ 3·1	+ 8·5	70	9·0	9·0
17	1012·6	292·8	289·7	3·1	291·0	289·6	17·5	0·2	6	+ 0·5	+ 7·2	86	7·3	7·3
18	1012·4	292·1	290·7	1·4	291·4	290·7	19·4	...	16	− 0·4	+ 6·5	94	6·5	6·5
19	1011·4	29·26	289·9	2·7	290·9	290·3	19·0	0·5	18	− 0·1	+ 7·5	91	7·5	7·6
20	1010·2	289·7	288·5	1·2	289·2	288·6	17·0	33·8	18	+ 2·2	+ 8·7	76	9·0	9·1
21	1011·9	290·4	288·4	2·0	289·4	288·7	17·1	7·9	23	+ 2·8	+ 8·6	72	9·1	9·1
22	1010·6	292·6	290·1	2·5	291·3	290·9	20·0	38·1	19	− 0·4	+ 4·7	94	4·7	4·7
23	1009·8	29·38	291·2	2·6	292·3	291·9	21·3	13·2	7	+ 0·1	+ 0·8	81	0·8	1·9
24	1012·1	293·2	291·2	2·0	291·7	291·3	20·5	8·5	10	− 0·3	+ 4·8	94	4·8	4·8
25	1012·8	292·7	291·3	1·4	291·9	290·6	18·9	...	1	+ 1·3	+ 6·7	79	6·9	6·9
26	1011·0	291·6	289·1	2·5	290·2	289·4	17·9	61·1	15	+ 2·5	+ 8·0	73	8·4	8·5
27	1012·8	291·2	287·2	4·0	288·9	287·8	15·7	23·0	14	+ 1·7	+ 3·4	64	3·8	4·0
28	1012·9	289·6	287·7	1·9	288.5	287·8	16·1	1·8	10	+ 1·3	+ 8·4	81	8·5	8·5
29	1013·8	292·2	289·1	3·1	290·4	289·5	17·9	7·5	13	− 0·2	+ 1·6	97	1·6	2·4
30	1014·7	290·2	287·6	2·6	288·7	287·1	14·7	2·8	13	+ 3·2	+ 9·2	71	9·8	9·9
31	1010·5	290·6	288·1	2·5	289·3	288.6	17·0	11·8	17	+ 1·4	+ 7·9	80	8·0	8·2
Means.	1014·9	292·8	288·9	3·9	280·6	288·7	16·3	Sum. 210·3	Sum. 205	+ 0·8	+ 5·1	81	5·2	5·6
Normals.	1016·0	292·6	288·4	4·2	290.3	288·6	16·4	69·6	76	+ 0·4	+ 4·3	84	4·3	5·0
Absolute Maximum	1024·2	299·1	...	8·4	...	295·4	24·4	61·1	23	...	...	...	...	12·8
Day.	7	15	...	15	...	15	15	26	21	...	...	...	...	30*d*8*h*
Absolute Minimum.	1006·7	...	285·7	1·2	...	282·4	4·8	...	...	...	...	...	...	...
Day.	26	...	3	20	...	8	12	...	...	...	...	...	...	...

ADOPTED ERRORS OF TIMEBALL, MARCH, 1925.

Date.	Error.	Date.	Error.	Date.	Error.
	s		*s*		*s*
1	+ 0·2	11	0·0	21	+ 0·5
2	+ 0·1	12	− 0·1	22	+ 0·5
3	+ 0·1	13	− 0·1	23	+ 0·6
4	+ 0·2	14	− 0·1	24	+ 0·6
5	0·0	15	+ 0·1	25	+ 0·7
6	0·0	16	+ 0·1	26	+ 0·7
7	− 0·1	17	+ 0·3	27	+ 0·6
8	− 0·1	18	+ 0·3	28	0·0
9	0·0	19	+ 0·4	29	+ 0·1
10	0·0	20	+ 0·4	30	+ 0·1
				31	+ 0·1

+ = Late ; − = Early.
The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.
The probable error for the month was ± 0ˢ·22

* 0° = N. 90° = E., &c. † Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MARCH, 1925.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-100)	Percentage of Possible Sunshine.	Rainfall. Percentage of Total Amount.	Rainfall. Percentage of Total Duration	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h
1	29·925	62·6	60·2	0·494	87	77		4	4	+ 3·1	+ 15·3	79	15·6	16·0
2	·912	62·5	60·0	·489	86	85		2	5	+ 2·4	+ 15·2	81	15·4	16·1
3	·904	62·3	59·9	·489	86	80		1	4	+ 2·8	+ 14·2	79	14·5	15·4
4	·894	62·1	59·7	·485	86	84		...	3	+ 2·5	+ 14·8	80	15·0	15·5
5	·895	61·9	59·5	·481	86	83		1	3	+ 2·8	+ 14·7	79	15·0	15·7
6	·907	61·8	59·3	·476	85	79	...	1	3	+ 1·9	+ 14·7	83	14·8	15·3
7	·923	61·7	59·3	·478	86	75	12	3	5	+ 2·3	+ 16·4	82	16·6	17·1
8	·939	62·6	59·7	·478	84	75	29	1	4	+ 2·6	+ 16·7	81	16·9	17·4
9	·955	63·6	60·0	·475	80	74	38	1	4	+ 3·0	+ 17·6	80	17·9	18·4
10	·965	64·6	60·3	·470	77	72	35	2	4	+ 2·9	+ 18·0	81	18·2	18·8
11	·959	65·2	60·7	·475	76	74	37	1	4	+ 2·8	+ 17·7	81	17·9	19·0
Noon.	·939	65·4	60·8	·476	75	68	44	3	4	+ 2·5	+ 17·4	82	17·6	19·1
13	·911	66·0	61.0	·474	73	69	43	7	5	+ 2·0	+ 16·7	83	16·9	18·7
14	·887	65·8	60·9	·474	74	66	43	12	5	+ 1·3	+ 14·4	85	14·4	17·7
15	·868	65·7	61·0	·478	75	68	41	14	5	+ 1·1	+ 15·3	86	15·3	17·8
16	·859	65·3	61·0	·484	77	68	32	11	4	+ 0·7	+ 15·4	87	15·4	17·6
17	·861	65·0	60.9	·485	78	73	19	3	5	+ 1·7	+ 14·9	83	15·0	17·1
18	·869	64·6	60·9	·489	80	72	...	4	5	+ 1·9	+ 14·5	83	14·7	15·8
19	·879	64·0	60·6	·489	81	71		3	5	+ 2·6	+ 14·5	80	14·7	15·8
20	·894	63·8	60·6	·491	82	69		5	4	+ 2·8	+ 14·6	79	14·8	15·6
21	·914	63·5	60·5	·491	83	72		...	4	+ 3·5	+ 15·8	77	16·2	16·9
22	·927	63·3	60·7	·501	85	70		10	3	+ 3·6	+ 16·8	78	17·2	17·7
23	·930	63·2	60·6	·499	85	74		4	4	+ 3·5	+ 16·0	78	16·4	16·9
Midn.	·928	62·9	60·5	·499	87	74		7	4	+ 3·1	+ 14·9	78	15·2	16·2

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MARCH, 1925.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	m.b	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1015·4	290·0	288·7	16·7	+ 1·0	+ 5·0	79	5·1	5·2
2	1015·0	289·9	288·6	16·5	+ 0·8	+ 5·0	81	5·0	5·3
3	1014·7	289·8	288·5	16·5	+ 0·9	+ 4·7	79	4·8	5·0
4	1014·4	289·7	288·4	16·3	+ 0·8	+ 4·9	80	4·9	5·1
5	1014·4	289·6	288·3	16·2	+ 0·9	+ 4·8	79	4·9	5·1
6	1014·8	289·6	288·2	16·0	+ 0·6	+ 4·8	83	4·9	5·0
7	1015·4	289·5	288·2	16·1	+ 0·8	+ 5·4	82	5·4	5·6
8	1015·9	290·0	288·4	16·1	+ 0·9	+ 5·5	81	5·5	5·7
9	1016.4	290·6	288·6	16·0	+ 1·0	+ 5·8	80	5·9	6·0
10	1016·8	291·1	288·7	15·8	+ 1·0	+ 5·9	81	6·0	6·2
11	1016·6	291·4	288·9	16·0	+ 0·9	+ 5·8	81	5·9	6·2
Noon.	1015·9	291·6	289·0	16·0	+ 0·8	+ 5·7	82	5·8	6·3
13	1014·9	291·9	289·1	16·0	+ 0·7	+ 5·5	83	5·5	6·1
14	1014·1	291·8	289·1	16·0	+ 0·4	+ 4·7	85	4·7	5·8
15	1013·5	291·7	289·1	16·1	+ 0·4	+ 5·0	86	5·0	5·8
16	1013·2	291·5	289·1	16·3	+ 0.2	+ 5·0	87	5·0	5·8
17	1013·3	291·3	289·1	16·3	+ 0·6	+ 4·9	83	4·9	5·6
18	1013·5	291·1	289·1	16·5	+ 0·6	+ 4·8	83	4·8	5·2
19	1013·9	290·8	288·9	16·5	+ 0·9	+ 4.8	80	4·8	5·2
20	1014·4	290·7	288·9	16·5	+ 0·9	+ 4·8	79	4·9	5·1
21	1015·0	290·5	288·8	16·5	+ 1·1	+ 5·2	77	5·3	5·5
22	1015·5	290·4	288·9	16·9	+ 1·2	+ 5·5	78	5·6	5·8
23	1015·6	290·3	288·9	16·8	+ 1·1	+ 5·2	78	5·4	5·5
Midn.	1015·5	290·2	288·8	16·8	+ 1·0	+ 4·9	78	5·0	5·3

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

MARCH,

1925.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	28th February, 1925.								1st March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	30.22	767.5	18	...	WNW	2	0	6	30.03	762.8	8	...	NNE	4	0
Kemuro,	11	29.69	754.0	...	...	NNW	6	...	5	29.98	761.5	...	...	WSW	1	...
Hokodate,	"	29.96	761.0	...	...	NNW	5	...	"	30.00	762.0	...	...	...	...	...
Tokio,	"	30.08	764.0	...	...	NNW	4	...	"	30.16	766.0	...	...	...	...	...
Kochi,	"	30.22	767.5	...	...	WNW	1	...	"	30.16	766.0	...	...	SW	1	...
Nagasaki,	"	30.22	767.5	...	...	SW	2	...	"	30.10	764.5	...	...	SSE	2	...
Kagoshima,	"	30.22	767.5	...	...	...	...	...	"	30.12	765.0	...	...	WNW	1	...
Oshima,	"	30.20	767.0	...	...	N	1	...	"	30.12	765.0	...	...	..	0	...
Naha,	"	30.18	766.5	...	...	NNW	1	...	"	30.10	764.5	...	..	FSE	1	...
Ishigakijima,	"	30.16	766.0	...	...	E	2	...	"	30.06	763.5	...	...	SSE	1	...
Bonin Island,	"	29.96	761.0	...	...	NNW	2	...	"	30.14	765.5	...	...	...	..	...
Chefoo,	15	30.10	764.5	36	83	S	2	0	6	30.01	762.2	30	88	WNW	6	0
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.15	765.9	50	50	SE	2	0	"	30.19	766.8	32	100	W	1	bf
Gutzlaff,	"	30.18	766.6	44	68	SE	4	0	"	30.18	766.6	40	100	NW	2	b
Sharp Peak,	..	30.13	765.3	58	58	N	1	0	7	30.10	764.5	54	80	...	0	b
Amoy,	15	30.02	762.5	63	62	ESE	2	b	9	30.08	764.0	54	89	W	2	0
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.10	764.4	70	49	...	...	b	5	30.08	764.1	54	92	E	4	0
Taichu,	"	30.08	764.1	70	...	...	...	bf	"	30.07	763.8	48	...	...	0	b
Tainan,	"	30.07	763.8	72	...	...	...	b	"	30.04	762.9	55	...	NE	4	0
Koshun,	"	30.07	763.8	70	...	NE	4	0	"	30.01	762.3	64	...	NE	2	b
Pescadores,	"	30.11	764.7	59	...	NNE	4	b	"	30.06	763.5	55	...	NNE	4	0
Canton,	14	30.02	762.5	64	68	SW	1	0	6	...	...	...	...	...	...	...
Hongkong,	"	30.01	762.2	60	51	ENE	3	0	"	30.03	762.7	59	70	N	1	0
Gap Rock,	"	30.01	762.2	...	...	NE	5	0	"	30.04	763.0	...	...	NE	5	0
Macao,	"	30.02	762.6	61	55	NE	2	0	"	30.02	762.6	55	77	NE	2	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.93	760.2	68	64	S	2	0	7	29.89	759.3	61	91	ENE	1	bf
Tourane,	"	29.92	759.9	70	...	SE	2	b	"	29.91	759.6	63	...	S	2	0
Cape St. James,	"	29.82	757.5	79	...	E	4	bf	"	29.85	758.1	72	...	ENE	4	bf
Basco,	14	29.93	760.2	63	73	NE	2	0	6	...	...	...	...	...	...	...
Aparri,	"	29.89	759.3	72	84	NE	4	0	"	29.91	759.6	68	96	...	0	0
Manila,	"	29.79	756.6	82	63	W	2	0	"	29.85	758.1	72	92	...	0	0
Legaspi,	"	29.79	756.6	77	89	NE	2	0	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	81	84	NNE	4	0	"	29.80	756.9	75	94	N	1	0
Surigao,	"	29.74	755.4	82	81	NE	2	0	"	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	N	2	0	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.74	755.4	...	...	NE	4	0	4.47	29.78	756.3	...	...	ENE	2	0
Labuan,	14	29.78	756.4	82	91	N	2	0	6	29.79	756.6	76	94	NW	1	0

March 1*d.* 11*h.* 30*m.*—Pressure has decreased considerably at Wladivostock and slightly from central Japan to the Loochoos and over N. Indo-China. It is nearly stationary from Formosa to Hongkong and the Philippines.

The anticyclone has weakened.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 4·72 inches, against an average of 3·17 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; generally cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	1st March, 1925.								2nd March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.91	759.8	19	...	N	3	o	6	29.90	759.5	5	...	N	4	o
Nemuro,	11	29.96	761.0	...	...	WSW	1	...	5	29.73	755.0	...	...	ENE	1	...
Hokodate,	"	29.94	760.5	...	...	...	0	...	"	29.75	755.5	...	...	NE	1	...
Tokio,	"	30.04	763.0	...	...	NE	1	...	"	29.78	756.5	...	...	...	...	...
Kochi,	"	30.06	763.5	...	...	...	...	...	"	29.90	759.5	...	...	WNW	1	...
Nagasaki,	"	30.06	763.5	...	...	NNW	1	...	"	30.10	764.5	...	...	NNW	3	...
Kagoshima,	"	30.08	764.0	...	...	NE	1	...	"	30.06	763.5	...	...	WNW	3	...
Oshima,	"	30.10	764.5	...	...	N	1	...	"	...	...	...	...	N	1	...
Naha,	"	30.10	764.5	...	...	ESE	1	...	"	30.14	765.5	...	...	N	2	...
Ishigakijima,	"	30.06	763.5	...	...	SW	1	...	"	...	...	...	...	NE	1	...
Bonin Island,	"	30.16	766.0	...	...	N	1	..	"	...	...	...	...	...	...	...
Chefoo,	15	30.09	764.3	32	90	NW	6	b	6	30.19	766.8	28	53	WSW	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.18	766.5	52	25	NW	4	b	"	30.39	771.9	28	100	NNE	1	bf
Gutzlaff,	"	30.17	766.3	52	53	NNW	4	b	"	30.39	771.9	36	70	N	2	b
Sharp Peak,	"	30.16	766.0	64	58	NE	2	b	7	30.25	768.3	50	65	NE	1	b
Amoy,	15	30.04	763.0	58	81	SSE	2	o	9	...	...	...	...	...	...	...
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	...	...	66	71	NW	2	o	5	30.17	766.2	59	68	E	2	o
Taichu,	"	30.07	763.8	72	...	N	2	b	"	30.08	764.1	57	...	...	o	o
Tainan,	"	30.06	763.5	72	...	NNW	2	b	"	30.06	763.5	55	...	N	2	b
Koshun,	"	30.04	762.9	73	...	ENE	4	b	"	30.06	763.5	66	...	NNE	4	b
Pescadores,	"	30.11	764.7	64	...	N	4	b	"	30.10	764.4	59	...	NNE	4	b
Canton,	14	30.04	763.0	66	73	SE	1	o	6	...	...	...	...	...	...	...
Hongkong,	"	30.03	762.7	65	53	ESE	2	o	"	30.12	765.0	58	54	E	4	c
Gap Rock,	"	30.03	762.7	...	...	NE	4	o	"	30.09	764.3	...	...	NE	4	o
Macao,	"	30.01	762.3	64	67	NE	4	o	"	30.05	763.2	57	89	ENE	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.00	762.0	64	84	E	4	of	7	30.10	764.4	61	89	ENE	4	of
Tourane,	"	29.95	760.8	68	...	...	0	b	"	30.02	762.6	66	...	WNW	2	o
Cape St. James,	"	29.81	757.2	81	...	ENE	2	of	"	29.85	758.1	72	...	N	2	o
Basco,	14	29.91	759.6	73	79	ENE	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.87	758.7	73	86	NE	6	o	"	29.95	760.8	72	70	NE	6	r
Manila,	"	29.80	756.9	79	85	NE	1	o	"	29.87	758.7	73	92	NE	1	o
Legaspi,	"	29.80	756.9	75	92	NE	4	o	"	29.84	757.8	77	91	ENE	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.73	755.1	82	74	NE	4	o	"	...	...	...	...	...	...	...
Surigao,	"	29.76	756.0	84	81	N	2	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	NE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.76	756.0	...	...	E	4	o	4.47	29.78	756.3	...	...	E	4	o
Labuan,	14	29.74	755.4	84	83	N	4	b	6	29.79	756.6	76	94	...	o	o

March 2*d.* 10*h.* 55*m.*—Pressure has decreased considerably over N.E. Japan and slightly from the Loochoos to the Bonins. It has increased considerably at Shanghai and slightly to moderately elsewhere.

A well defined anticyclone now covers China.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·72 inches, against an average of 3·23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine to cloudy.
3.—Hongkong to Gap Rock,	N.E. winds, fresh; fine to cloudy.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	2nd March, 1925.								3rd March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock.	12	29.94	760.6	14	...	NNE	4	o	6	30.07	763.8	11	...	...	o	o
Gemuro,	11	29.70	754.5	...	...	NNE	2	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.69	754.0	...	...	...	...	...	"	29.92	760.0	...	...	NNE	1	...
Tokio,	"	29.65	753.0	...	...	N	1	...	"	30.02	762.5	...	...	NW	1	...
Kochi,	"	29.94	760.5	...	...	W	2	...	"	30.26	768.5	...	...	SW	1	...
Nagasaki,	"	30.18	766.5	...	...	N	4	...	"	30.32	770.0	...	...	...	...	...
Kagoshima,	"	30.12	765.0	...	...	NW	4	...	"	30.32	770.0	...	...	NW	1	...
Fushima,	"	30.16	766.0	...	...	NNW	3	...	"	30.24	768.0	...	...	N	3	...
Naha,	"	30.22	767.5	...	...	N	4	...	"	30.26	768.5	...	...	ENE	1	...
Ishigakijima,	"	30.20	767.0	...	...	NE	3	...	"	30.22	767.5	...	...	NNE	1	...
Tomin Island,	"	29.96	761.0	...	...	SW	2	...	"	30.04	763.0	...	...	W	1	...
Chefoo,	15	30.11	764.8	38	45	NE	1	b	6	30.08	764.0	40	31	S	4	b
Tsinkow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tschang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.33	770.4	54	18	SSW	1	b	"	30.31	769.8	34	92	ESE	1	bf
Dutzlaff,	"	30.37	771.4	42	50	NE	1	b	"	30.31	769.9	40	74	SSE	4	b
Sharp Peak,	"	30.12	765.0	54	62	ENE	4	of	7	30.12	765.0	48	85	W	2	of
Amoy,	15	30.14	765.5	65	53	ENE	4	b	9	30.15	765.8	52	66	NNE	1	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.22	767.7	64	58	E	6	b	5	30.15	765.9	55	...	E	4	b
Taichu,	"	30.13	765.3	73	...	...	o	b	"	30.13	765.3	50	...	...	o	b
Tainan,	"	30.12	765.0	73	...	NNW	2	b	"	30.11	764.7	52	...	...	o	b
Toshun,	"	30.11	764.7	72	...	NE	6	b	"	30.11	764.7	63	...	NE	4	b
Pescadores,	"	30.17	766.2	64	...	NNE	6	b	"	30.13	765.3	57	...	NNE	4	b
Canton,	14	30.10	764.5	73	67	...	o	b	6	...	...	...	...	...	...	...
Hongkong,	"	30.12	765.0	63	56	E	4	b	"	30.12	765.0	55	74	E	4	o
Gap Rock,	"	30.12	765.0	...	...	ENE	5	b	"	30.08	764.0	...	...	ENE	5	b
Macao,	"	30.11	764.7	64	67	ESE	2	b	"	30.08	764.1	55	84	ENE	4	b
Lynchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Makhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hualien,	"	30.07	763.8	64	76	ENE	4	of	7	30.07	763.8	59	96	ENE	2	of
Tourane,	"	30.04	762.9	70	...	NNW	2	o	"	30.02	762.6	66	...	...	o	o
Cape St. James.	"	29.82	757.5	86	...	SSE	2	of	"	29.87	758.7	73	...	E	2	o
Basco,	14	29.99	761.7	70	82	N	4	r	6	30.11	764.7	68	87	N	4	o
Aparri,	"	29.97	761.1	70	91	NE	6	r	"	30.02	762.6	70	87	NE	4	r
Manila,	"	29.82	757.5	84	68	W	2	o	"	29.89	759.3	73	89	NE	2	o
Legaspi,	"	29.84	757.8	82	81	ENE	4	o	"	29.88	759.0	77	84	NE	4	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.75	755.7	82	81	NE	4	o	"	...	...	...	...	...	...	...
Surigao,	"	29.78	756.3	81	86	ENE	2	o	"	29.84	757.8	79	90	ENE	2	b
Guam,	12.20	29.79	756.6	...	...	E	2	o	4.20	29.84	757.8	...	...	E	1	o
Yap,	12.47	29.78	756.3	...	...	E	4	o	4.47	29.82	757.5	...	...	NE	2	o
Labuan,	14	29.77	756.1	84	87	N	2	b	6	29.78	756.4	75	94	SE	4	o

March 3*d.* 12*h.* 03*m.*—Pressure has increased considerably over Japan and decreased slightly over China. It is nearly stationary over the Philippines.

The anticyclone is now central over the Eastern Sea.

The monsoon will moderate along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·72 inches, against an average of 3·29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong, moderating; cloudy at first, clearing later.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	3rd March, 1925.								4th March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.96	760.9	28	...	ESE	2	o	6	30.17	766.4	14	...	NW	2	b
Nemuro,	11	...	...	...	...	...	...	...	5	29.88	759.0	...	...	WSW	1	...
Hokodate,	"	29.96	761.0	...	...	N	1	...	"	29.98	761.5	...	...	W	2	...
Tokio,	"	30.08	764.0	...	...	NNW	3	...	"	30.22	767.5	...	...	NW	1	...
Kochi,	"	30.26	768.5	...	...	SE	1	...	"	30.24	768.0	...	...	SW	1	...
Nagasaki,	"	30.30	769.5	...	...	SSE	2	...	"	30.22	767.5	...	...	SE	1	...
Kagoshima,	"	30.28	769.0	...	...	ENE	1	...	"	30.24	768.0	...	...	NW	1	...
Oshima,	"	30.26	768.5	...	...	NNE	2	...	"	30.18	766.5	...	...	...	0	...
Naha,	"	30.26	768.5	...	...	ESE	1	...	"	30.16	766.0	...	...	...	0	...
Ishigakijima,	"	30.22	767.5	...	...	ESE	1	...	"	30.12	765.0	...	...	SSW	1	...
Bonin Island,	"	30.08	764.0	...	...	WNW	1	...	"	30.22	767.5	...	...	...	..	...
Chefoo,	15	29.96	761.0	50	20	SW	2	o	6	30.26	768.6	32	58	NE	6	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.15	765.9	48	67	SE	4	o	"	30.15	765.9	43	100	ESE	1	of
Gutzlaff,	"	30.20	767.1	44	76	SSE	4	o	"	30.14	765.5	42	100	NW	4	o
Sharp Peak,	"	30.13	765.3	60	55	N	2	o	7	30.09	764.3	52	86	...	o	bf
Amoy,	15	30.06	763.5	66	59	ENE	4	b	9	30.08	764.0	56	81	SSE	1	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.12	765.0	72	54	SE	4	b	5	30.10	764.4	57	96	...	o	b
Taichu,	"	30.13	765.3	72	...	W	2	b	"	30.12	765.0	59	...	...	o	b
Tainan,	"	30.13	765.3	70	...	W	2	b	"	30.08	764.1	61	...	NNE	2	o
Koshun,	"	30.11	764.7	70	...	NE	4	b	"	30.07	763.5	66	...	NE	2	o
Pescadores,	"	30.15	765.9	61	...	N	4	o	"	30.08	764.1	61	...	N	1	o
Canton,	14	30.04	763.0	78	82	S	2	o	6	...	...	...	...	...	...	...
Hongkong,	"	30.06	763.5	63	57	E	3	c	"	30.10	764.5	63	83	E	1	cm
Gap Rock,	"	30.06	763.5	...	...	ENE	6	c	"	30.09	764.3	...	...	ENE	4	o
Macao,	"	30.04	762.9	64	67	ESE	2	o	"	30.07	763.8	61	87	N	2	cf
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.99	761.7	79	74	SSE	2	of	7	30.06	763.5	63	94	ENE	4	of
Tourane,	"	29.99	761.7	72	...	NNW	2	o	"	30.00	762.0	68	...	...	o	o
Cape St. James,	"	29.81	757.2	79	...	E	4	b	"	29.87	758.7	72	...	NE	4	b
Basco,	14	30.00	762.0	72	78	N	4	o	6	30.05	763.2	72	65	SE	2	o
Aparri,	"	29.98	761.4	72	92	NE	4	o	"	29.99	761.7	70	94	...	o	o
Manila,	"	29.86	758.4	86	52	ENE	4	o	"	29.94	760.5	75	67	E	1	o
Legaspi,	"	29.86	758.4	81	73	NE	4	o	"	29.92	759.9	77	79	ENE	4	o
Tacloban,	"	...	...	...	...	...	..	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.79	756.6	82	67	NE	6	o	"	29.88	759.0	75	83	NNE	4	o
Surigao,	"	29.79	756.6	82	77	ENE	6	r	"	29.85	758.1	79	89	ENE	6	o
Guam,	12.20	29.82	757.5	...	...	E	2	o	4.20	29.85	758.1	...	...	ENE	4	o
Yap,	12.47	29.80	756.9	...	...	ENE	4	o	4.47	29.81	757.2	...	...	ENE	4	o
Labuan,	14	29.76	756.0	78	91	N	2	o	6	29.81	757.2	75	94	...	o	o

March 4*d.* 11*h.* 25*m.*—Pressure has increased considerably from Chefoo to Wladivostock and moderately from Tokio to the Bonins. It has decreased slightly in central districts and is nearly stationary elsewhere.

A new anticyclone has formed over S.E. Mongolia.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·72 inches, against an average of 3·35 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	4th March, 1925.								5th March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	30.06	763.5	9	...	W	4	b	6	30.19	766.9	7	...	WNW	3	b
Gemuro,	11	29.80	757.0	...	...	W	1	...	5	...	...	...	...	...	...	...
Hokodate,	"	30.02	762.5	...	...	W	5	...	"	29.84	758.0	...	...	WNW	2	...
Tokio,	"	30.10	764.5	...	...	SSE	1	...	"	29.80	757.0	...	...	...	...	...
Kochi,	"	30.18	766.5	...	...	...	0	...	"	30.00	762.0	...	...	...	...	...
Nagasaki,	"	30.14	765.5	...	...	E	1	...	"	30.16	766.0	...	...	N	2	...
Kagoshima,	"	30.10	764.5	...	...	NE	1	...	"	30.20	767.0	...	...	WNW	1	...
Ishima,	"	30.10	764.5	...	...	S	1	...	"	30.18	766.5	...	...	N	3	...
Naha,	"	30.14	765.5	...	...	SSE	1	...	"	30.20	767.0	...	...	N	4	...
Ishigakijima,	"	30.16	766.0	...	...	SW	1	...	"	30.22	767.5	...	...	NNE	2	...
Sonin Island,	"	30.20	767.0	...	...	NNW	1	...	"	30.06	763.5	...	...	E	1	...
Chefoo,	15	30.37	771.4	30	80	N	4	b	6	30.39	771.9	24	77	...	0	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.25	768.3	52	63	NNW	1	o	"	30.47	774.0	39	80	NE	1	bf
Gutzlaff,	"	30.23	767.8	76	100	N	4	of	"	30.50	774.7	38	84	NE	4	o
Sharp Peak,	"	30.06	763.5	70	57	NE	2	b	7	30.28	769.1	50	72	E	1	b
Amoy,	15	29.98	761.5	75	60	ENE	2	b	9	30.20	767.1	56	75	ENE	4	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.10	764.4	75	56	...	0	b	5	30.25	768.3	57	86	NE	4	o
Taichu,	"	30.12	765.0	81	...	...	0	b	"	30.15	765.9	55	...	...	0	b
Tainan,	"	30.11	764.7	79	...	...	...	...	"	30.11	764.7	57	...	N	4	b
Koshun,	"	30.11	764.7	79	...	E	2	b	"	30.07	763.8	70	...	NNE	..	o
Pescadores,	"	30.13	765.3	72	...	...	0	b	"	30.15	765.9	59	...	NNE	6	b
Canton,	14	30.04	763.0	78	78	NW	1	b	6	...	...	...	...	...	...	...
Hongkong,	"	30.04	763.0	70	71	E	3	b	"	30.11	764.8	62	94	...	0	bf
Gap Rock,	"	30.04	763.0	...	...	NE	3	c	"	30.11	764.8	...	...	NE	3	cm
Macao,	"	30.02	762.6	70	74	SE	2	b	"	30.13	765.3	63	98	...	2	cf
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.04	762.9	70	74	ENE	2	of	7	30.10	764.4	64	98	NW	2	of
Tourane,	"	29.99	761.7	68	...	W	2	of	"	30.04	762.9	66	...	WNW	2	of
Cape St. James,	"	29.82	757.5	77	...	ENE	6	o	..	29.89	759.3	75	...	ENE	6	o
Basco,	14	29.97	761.1	75	79	NE	2	o	6	30.06	763.5	72	78	NNE	4	o
Aparri,	"	29.92	759.9	81	73	NE	4	o	"	29.99	761.7	75	88	...	0	o
Manila,	"	29.88	759.0	84	60	W	2	o	"	29.94	760.5	70	91	E	1	b
Legaspi,	"	29.87	758.7	86	65	ENE	4	o	"	29.91	759.6	77	84	ENE	4	o
Tacloban,	"	...	...	...	...	...	..	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.82	757.5	84	58	NE	6	o	"	29.87	758.7	73	91	N	4	o
Surigao,	..	29.82	757.5	82	81	NE	4	o	"	29.88	759.0	73	96	SE	1	r
Guam,	12.20	29.82	757.5	...	...	ESE	4	o	4.20	29.87	758.7	...	...	ENE	4	o
Yap,	12.47	29.82	757.5	...	...	E	6	r	4.47	29.84	757.8	...	...	E	4	o
Labuan,	14	29.77	756.1	82	91	NE	2	b	6	29.79	756.6	77	91	N	2	o

March 5*d.* 11*h.* 25*m.*—Pressure has increased considerably from Shanghai to Amoy and N. Formosa, moderately from S.W. Japan to Ishigaki and slightly from the Pescadores to Hongkong. It has decreased considerably over central and N.E. Japan and is nearly stationary elsewhere.

The anticyclone has spread southward.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·72 inches, against an average of 3·41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fair.
3.—Hongkong to Gap Rock,	N.E. winds, fresh; fair.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	5th March, 1925.								6th March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.19	766.8	20	...	WNW	4	o	6	30.38	771.6	2	...	...	0	f
Nemuro,	11	...	...	...	...	...	...	...	5	29.84	758.0	...	...	NNW	2	...
Hokodate,	"	29.84	758.0	...	...	W	6	...	"	30.02	762.5	...	...	NW	8	...
Tokio,	"	29.74	755.5	...	...	NW	1	...	"	30.18	766.5	...	...	N	2	...
Kochi,	"	30.06	763.5	...	...	NW	2	...	"	30.32	770.0	...	...	SW	1	...
Nagasaki,	"	30.28	769.0	...	...	N	3	...	"	30.36	771.0	...	...	E	1	...
Kagoshima,	"	30.24	768.0	...	...	WNW	2	...	"	30.32	770.0	...	...	NW	1	...
Oshima,	"	30.24	768.0	...	...	N	3	...	"	30.24	768.0	...	...	SSE	1	...
Naha,	"	30.26	768.5	...	...	NNE	4	...	"	30.22	767.5	...	...	NE	1	...
Ishigakijima,	"	30.26	768.5	...	...	ENE	3	...	"	30.18	766.5	...	...	ENE	1	...
Bonin Island,	"	30.00	762.0	...	...	E	4	...	"	30.16	766.0	...	...	NNW	1	...
Chefoo,	15	30.31	769.9	38	54	E	2	b	6	30.10	764.5	38	84	SW	7	r
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.41	772.5	52	47	ESE	2	o	"	30.31	769.8	43	85	ESE	1	bf
Gutzlaff,	"	30.44	773.2	42	66	E	2	o	"	30.30	769.6	42	92	SE	4	o
Sharp Peak,	"	30.30	769.6	58	58	ENE	4	b	7	30.33	770.4	54	77	NW	2	b
Amoy,	15	30.17	766.3	64	53	ENE	4	b	9	30.16	766.0	54	89	NNE	2	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.30	769.5	64	62	E	6	o	5	30.14	765.6	54	92	...	0	b
Taichu,	"	30.17	766.2	72	...	N	4	b	"	30.17	766.2	55	...	...	0	b
Tainan,	"	30.15	765.9	82	...	NNE	4	b	"	30.13	765.3	55	...	N	2	o
Koshun,	"	30.13	765.3	73	...	NE	6	b	"	30.12	765.0	66	...	NE	4	o
Pescadores,	"	30.20	767.1	64	...	NNE	6	b	"	30.14	765.6	57	...	N	4	b
Canton,	14	30.10	764.5	71	85	S	2	o	6	30.16	766.0	71	90	...	0	o
Hongkong,	"	30.12	765.0	64	69	E	5	b	"	30.13	765.3	59	65	E	5	o
Gap Rock,	"	30.11	764.8	...	...	ENE	6	om	"	30.11	764.8	...	...	ENE	5	o
Macao,	"	30.10	764.4	66	71	ESE	4	b	"	30.12	765.0	59	79	NE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.02	762.6	79	58	SSE	4	lf	7	30.07	763.8	64	98	ENE	6	of
Tourane,	"	30.01	762.3	66	...	WNW	2	rf	"	30.04	762.9	70	...	NW	2	of
Cape St. James,	"	29.85	758.1	77	...	ENE	6	o	"	29.89	759.3	72	...	NE	2	b
Basco,	14	30.06	763.5	70	82	N	6	o	6	30.05	763.2	68	77	NE	4	o
Aparri,	"	30.01	762.3	73	85	NE	4	o	"	30.01	762.3	70	94	ENE	4	r
Manila,	"	29.89	759.3	90	48	E	4	o	"	29.94	760.5	72	88	ENE	1	b
Legaspi,	"	29.88	759.0	82	74	NNE	4	o	"	29.88	759.0	79	84	NE	4	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.82	757.5	82	74	N	4	o	"	29.84	757.8	75	88	N	4	o
Surigao,	"	29.84	757.8	81	86	N	1	o	"	29.81	757.2	79	90	ENE	2	o
Guam,	12.20	29.82	757.5	...	...	ENE	4	o	4.20	29.87	758.7	...	...	ENE	4	o
Yap,	12.47	29.80	756.9	...	...	E	7	o	4.47	29.81	757.2	...	...	ENE	6	r
Labuan,	14	29.77	756.1	84	83	NE	2	b	6	29.84	757.9	75	94	N	4	o

March 6*d.* 11*h.* 42*m.*—Pressure has decreased considerably at Chefoo, moderately at Shanghai and slightly over the Philippines. It has increased considerably over Japan and is nearly stationary over S. China and Indo-China.

The anticyclone is now central over Korea and the Sea of Japan.

The monsoon will moderate.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·72 inches, against an average of 3·47 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel.	N.E. winds, fresh to moderate; fine.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock.	
4.—South coast of China between Hongkong and Hainan.	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	6th March, 1925.								7th March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook, .	12	30.26	768.7	22	...	NE	2	o	6	30.19	766.9	7	...	...	0	b
Nemuro,	11	...		...	...	...	...	...	5	29.92	760.0	...	...	WSW	1	...
Hokodate,	"	30.12	765.0	...	...	WNW	5	...	"	29.96	761.0	...	...	NNE	1	...
Tokio,	"	30.22	767.5	...	...	N	2	...	"	29.96	761.0	...	...	...	...	...
Kochi,	"	30.28	769.0	...	...	...	...	...	"	30.06	763.5	...	...	...	0	...
Nagasaki,	"	29.96	761.0	...	...	NNE	1	...	"	30.16	766.0	...	...	NNW	5	...
Kagoshima,	"	30.30	769.5	...	...	...	...	...	"	30.14	765.5	...	...	WNW	1	...
Oshima,	"	30.30	769.5	...	...	N	1	...	"	30.20	767.0	...	...	...	...	...
Naha,	"	30.30	769.5	...	...	NNE	1	...	"	30.20	767.0	...	...	...	...	...
Ishigakijima,	"	30.22	767.5	...	...	SE	2	...	"	30.18	766.5	...	...	SSE	1	...
Bonin Island,	"	30.14	765.5	...	...	NW	1	...	"	30.20	767.0	...	...	...	...	...
Chefoo.	15	30.16	766.0	36	61	N	6	o	6	30.47	773.9	24	77	...	0	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.20	767.1	64	45	W	4	b	"	30.56	776.1	37	96	NNE	1	b
Gutzlaff,	"	30.24	768.1	50	72	SSW	4	b	"	30.51	774.9	38	84	N	6	o
Sharp Peak,	"	30.18	766.6	71	57	E	1	b	7	30.25	768.3	56	93	...	0	o
Amoy,	15	30.09	764.3	66	64	NNE	4	b	9	30 20	767.1	56	89	SSE	1	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.18	766.5	73	55	...	o	b	5	30.22	767.7	57	98	NW	1	b
Taichu,	"	30.19	766.8	72	...	...	o	b	"	30.18	766.5	55	...	...	0	b
Tainan,	"	30.18	766.5	75	...	SE	1	b	"	30.17	766.2	59	...	N	2	o
Koshun,	"	30.21	767.4	73	...	ENE	4	b	"	30.14	765.6	66	...	NNE	4	b
Pescadores,	"	30.20	767.1	64	...	NNE	4	b	"	30.18	766.5	63	...	NNE	4	o
Canton,	14	30.11	764.8	71	80	...	o	o	6	...	...	...	...	...	...	...
Hongkong,	"	30.11	764.8	65	58	E	3	b	"	30.15	765.8	59	88	...	0	1 m
Gap Rock,	"	30.09	764.3	...	...	ENE	5	o	"	30.16	766.0	...	...	NNE	4	c
Macao,	"	30.08	764.1	68	54	SE	4	o	"	30.13	765.3	61	87	...	2	bf
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.04	762.9	72	78	ESE	6	of	7	30 11	764.7	64	96	E	4	of
Tourane,	"	30.04	762.9	70	...	ENE	2	of	"	30.06	763.5	68	...	E	2	of
Cape St. James,	"	29.89	759.3	79	...	E	4	o	"	29.91	759.6	72	...	ENE	4	b
Basco,	14	30.01	762.3	77	64	N	4	o	6	30.01	762.3	70	74	NNE	4	o
Aparri,	"	29.99	761.7	75	83	NE	4	o	"	30.02	762.6	70	94	...	0	o
Manila,	"	29.91	759.6	86	52	SE	1	o	"	29.93	760.2	75	83	WNW	2	o
Legaspi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tacloban,	"	29.82	757.5	82	90	SSW	4	r	"	29.91	759.6	75	94	NNW	4	r
Iloilo,	"	...	...	...	...	...	...	...	"	29.87	758.7	75	92	NNE	4	o
Surigao,	"	29.81	757.2	82	98	SE	2	o	"	29.88	759.0	75	94	...	0	o
Guam,	12.20	29.82	757.5	...	...	NE	6	r	4.20	29.87	758.7	...	...	ENE	4	r
Yap,	12.47	29.78	756.3	...	...	ENE	6	r	4.47	29.84	757.8	...	...	ENE	6	r
Labuan,	14	29.82	757.4	84	87	...	o	o	6	29.79	756.6	76	94	NE	2	o

March 7*d.* 11*h.* 20*m.*—Pressure has increased considerably over N. China and decreased considerably over Japan. It is nearly stationary in the South.

A fresh anticyclone has formed over China.

The monsoon will fresh along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·72 inches, against an average of 3·53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine at first, drizzle or mist later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	7th March, 1925.								8th March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.18	766.6	15	...	NNE	4	b	6	30.20	767.1	6	...	...	0	c
Nemuro,	11	...	...	...	...	...	...	...	5	29.76	756.0	...	...	W	1	...
Hokodate,	"	29.82	757.5	...	...	NNW	3	...	"	29.96	761.0	...	...	NNW	3	...
Tokio,	"	29.70	754.5	...	...	NNW	1	...	"	30.18	766.5	...	...	WNW	1	...
Kochi,	"	29.98	761.5	...	...	WNW	3	...	"	30.30	769.5	...	...	SW	1	...
Nagasaki,	"	30.28	769.0	...	...	NNW	6	...	"	30.36	771.0	...	...	...	0	...
Kagoshima,	"	30.24	768.0	...	...	NW	5	...	"	30.34	770.5	...	...	NW	1	...
Oshima,	"	30.28	769.0	...	...	N	4	...	"	30.26	768.5	...	...	NNE	2	...
Naha,	"	30.26	768.5	...	...	N	2	...	"	30.28	769.0	...	...	NE	1	...
Ishigakijima,	"	30.24	768.0	...	...	N	2	...	"	30.24	768.0	...	...	ENE	1	...
Bonin Island,	"	30.16	766.0	...	...	SW	1	...	"	30.16	766.0	...	...	NW	1	...
Chefoo,	15	30.38	771.6	38	72	E	2	b	6	30.12	765.0	40	56	SSW	4	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.51	764.9	52	20	ENE	2	o	"	30.44	773.1	41	81	SE	1	lf
Gutzlaff,	"	30.52	775.2	48	56	NNE	2	o	"	30.43	772.9	42	85	SE	2	o
Sharp Peak,	"	30.33	770.4	58	47	ENE	4	o	7	30.31	769.9	50	86	N	2	o
Amoy,	15	30.17	766.3	65	34	ENE	4	b	9	30.24	768.1	52	66	NNE	1	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.32	770.1	63	80	E	4	o	5	30.22	767.7	57	81	E	4	o
Taichu,	"	30.17	766.2	73	...	NNW	2	b	"	30.19	766.8	54	...	...	0	b
Tainan,	"	30.17	766.2	72	...	NNW	2	b	"	30.18	766.5	55	...	NNE	2	b
Koshun,	"	30.14	765.6	77	...	NE	4	b	"	30.15	765.9	64	...	NE	4	b
Pescadores,	"	30.21	767.4	66	...	NNE	7	b	"	30.21	767.4	57	...	NNE	4	b
Canton,	14	30.13	765.3	73	86	...	0	o	6	...	...	...	...	...	...	...
Hongkong,	"	30.15	765.8	65	66	E	4	b	"	30.17	766.3	58	52	E	4	c
Gap Rock,	"	30.14	765.5	...	...	ENE	5	o	"	30.16	766.0	...	...	ENE	6	o
Macao,	"	30.13	765.3	61	69	SE	4	b	"	30.14	765.6	59	68	SE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.06	763.5	72	78	ESE	4	of	7	30.12	765.0	63	92	ENE	6	of
Tourane,	"	30.05	763.2	72	...	ENE	2	of	"	30.07	763.8	70	...	ENE	2	o
Cape St. James,	"	29.86	758.4	79	...	ENE	6	b	"	29.91	759.6	73	...	ENE	6	bf
Basco,	14	...	...	...	...	...	...	...	6	30.11	764.7	70	77	N	6	o
Aparri,	"	30.04	762.9	77	76	NE	4	o	"	30.05	763.2	73	79	NE	4	o
Manila,	"	29.94	760.5	81	76	SSW	4	o	"	29.94	760.5	73	91	ENE	1	o
Legaspi,	"	29.89	759.3	79	85	NE	4	o	"	29.89	759.3	77	88	NE	4	o
Tacloban,	"	29.87	758.7	82	89	NNW	4	r	"	...	...	...	...	...	...	...
Iloilo,	"	29.86	758.4	81	80	NE	4	o	"	29.87	758.7	77	92	N	4	o
Surigao,	"	...	...	...	...	...	...	...	"	29.88	759.0	73	96	S	1	o
Guam,	12.20	29.82	757.5	...	...	ENE	4	r	4.20	29.86	758.4	...	...	NE	2	o
Yap,	12.47	29.79	756.6	...	...	ENE	6	r	4.47	29.84	757.8	...	...	ENE	4	o
Labuan,	14	29.82	757.4	83	87	N	4	b	6	29.83	757.7	77	94	NE	2	o

March 8*d.* 12*h.* 45*m.*—Pressure has increased considerably over central Japan and slightly from S.W. Japan to Formosa. It has decreased considerably at Chefoo moderately at Shanghai, and slightly over the Philippines. It is nearly stationary at Hongkong.

The anticyclone is now central over the Eastern Sea. A depression has formed to the north of Chefoo.

The monsoon will moderate.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·72 inches, against an average of 3·60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel.	N.E. winds, fresh to moderate; overcast at first, improving later.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock.	
4.—South coast of China between Hongkong and Hainan.	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	8th March, 1925.								9th March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
'ladivostock. .	12	30.06	763.6	27	...	SW	5	o	6	29.69	754.2	26	...	NNE	2	o
enuro.....	11	29.82	757.5	...	...	NNW	3	...	5	29.80	757.0	...	...	WSW	1	...
okodate, ...	,,	29.96	761.0	...	...	WNW	3	...	,,	29.84	758.0	...	...	W	2	...
okio,.....	,,	30.20	767.0	...	...	NW	1	...	,,	30.04	763.0	...	...	...	0	...
ochi.	,,	30.28	769.0	...	...	SE	1	...	,,	30.12	765.0	...	...	SW	1	...
agasaki.	,,	30.33	770.5	...	...	N	1	...	,,	30.14	765.5	...	..	W	1	...
agoshima, ...	,,	30.31	770.0	...	...	...	...	...	,,	30.14	765.5	...	...	WNW	1	...
shima, ...	,,	30.28	769.0	...	...	NNE	1	...	,,	30.12	765.0	...	...	S	1	...
aba, ...	,,	30.28	769.0	...	...	E	...	...	,,	30.12	765.0	...	..	SE	1	...
higakijima,...	,,	30.22	767.5	...	...	E	3	...	,,	30.12	765.0	...	...	SSW	2	...
oin Island,..	,,	30.18	766.5	...	...	NNW	1	...	,,	30.20	767.0	...	...	...	0	...
nefoo.	15	29.83	757.7	60	29	SW	6	b	6	30.05	763.2	48	78	...	0	b
ankow, ...	,,	...	..	...	...	...	...	...	,,	...	...	...	..	...	...	...
hang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hangsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hanghai, ...	14	30.28	769.2	54	42	SSE	4	b	,,	30.20	767.1	41	75	SW	2	bf
utzlaff,.....	,,	30.31	769.9	46	77	SE	2	o	,,	30.20	767.1	42	100	WSW	4	b
harp Peak, ..	,,	30.23	767.8	56	75	N	1	o	7	30.18	766.6	54	80	...	0	o
moy, ...	15	...	...	65	58	E	2	o	9	30.14	765.5	56	89	SE	4	o
swatow, ...	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
aihoku, ...	11	...	...	70	65	ENE	4	o	5	30.13	765.3	59	91	E	2	o
aichu, ...	,,	30.20	767.1	70	...	...	0	b	,,	30.17	766.2	57	...	...	0	b
ainan, ...	,,	29.97	761.1	73	...	N	4	b	,,	30.13	765.3	55	...	N	2	o
oshun, ...	,,	30.15	765.9	75	...	NE	4	b	,,	30.11	764.7	59	...	.	0	b
escadores, ..	,,	30.21	767.4	61	...	NNE	6	b	,,	30.13	765.3	59	...	NNE	4	o
anton, ...	14	30.16	766.0	68	79	N	1	o	6	...	...	...	...	...	...	..
ongkong,.....	,,	30.16	766.0	62	59	ESE	1	o	,,	30.15	765.8	60	85	E	2	o
ap Rock, ...	,,	30.14	765.5	...	...	NE	5	o	,,	30.16	766.0	...	...	NE	4	b
acao, ...	,,	30.14	765.6	64	58	NE	4	o	,,	30.13	765.3	59	87	N	2	o
uchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
akhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oihow, ...	,,	...	...	...	...	..	...	.	,,	...	...	...	...	...	...	...
hulien, ...	,,	30.10	764.4	66	82	ENE	6	of	7	30.17	766.2	59	79	NE	2	o
ourane,.....	,,	30.02	762.6	73	...	ENE	2	b	,,	30.07	763.8	70	...	NE	2	of
ape St. James,	,,	29.87	758.7	79	...	ENE	6	bf	,,	29.89	759.3	75	...	E	4	bf
asco,.....	14	30.00	762.0	77	64	N	6	o	6	30.05	763.2	72	78	...	0	o
parri, ...	,,	30.00	762.0	77	76	NE	4	o	,,	30.00	762.0	72	94	NE	2	r
anila, ...	,,	29.91	759.6	81	80	S	1	o	,,	29.93	760.2	72	94	NNE	2	b
egaspi, ...	,,	29.87	758.7	82	77	ENE	4	o	,,	29.89	759.3	77	88	NE	2	o
acloban, ...	,,	...	...	...	..	...	..	...	,,	...	...	...	...	...	...	...
oilo, ...	,,	29.81	757.2	86	65	NE	6	o	,,	29.85	758.1	75	89	N	4	o
urigao, ...	..	...		...	...	..	...	...	,,	29.84	757.8	79	61	NE	4	o
nam,.....	12.20	29.79	756.6	...	...	ENE	4	o	4.20	29.86	758.4	...	...	ENE	2	o
ap, ...	12.47	29.81	757.2	...	...	ENE	4	o	4.47	29.81	757.2	...	...	ENE	4	o
ahnan, ...	11	29.82	757.5	84	87	NW	4	b	6	29.82	757.4	76	94	NE	2	o

March 9*d.* 11*h.* 30*m.*—Pressure has increased considerably at Chefoo; it has decreased considerably over Japan and slightly to moderately elsewhere. The anticyclone has broken up, leaving areas of relatively high pressure over South China and the Bonin Islands; a depression is situated to the north of Japan.

The monsoon will be interrupted to the north of the Formosa Channel but will continue moderately over the northern part of the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·72 inches, against an average of 3·68 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel, ...	N. and N.E. winds, moderate; fine.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,.....	
4.—South coast of China between Hongkong and Hainan, .	

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY. HONGKONG.

DAILY WEATHER REPORT.

Station.	9th March, 1925.								10th March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	29.74	755.3	24	...	NNE	4	o	6	29.98	761.4	14	...	...	0	c
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.63	752.5	...	...	E	1	...	,,	29.73	755.0	...	...	WNW	2	...
Tokio,	,,	29.80	757.0	...	...	WSW	1	...	,,	29.86	758.5	...	...	W	1	...
Kochi,	,,	29.96	761.0	...	...	SW	1	...	,,	29.98	761.5	...	...	SW	1	...
Nagasaki,	,,	30.08	764.0	...	...	W	2	...	,,	30.10	764.5	...	...	...	...	...
Kagoshima,	,,	30.08	764.0	...	...	WNW	1	...	,,	30.04	763.0	...	...	NW	1	...
Oshima,	,,	30.10	764.5	...	...	...	...	...	,,	30.04	763.0	...	...	SSE	1	...
Naha,	,,	30.08	764.0	...	...	SSW	2	...	,,	30.04	763.0	...	...	...	...	...
Ishigakijima,	,,	30.12	765.0	...	...	NW	2	...	,,	30.00	762.0	...	...	NE	1	...
Bonin Island,	,,	30.14	765.5	...	...	ESE	1	...	,,	30.02	762.5	...	...	W	1	...
Chefoo,	15	29.95	760.7	52	29	ESE	4	b	6	29.66	753.3	46	62	SW	4	o
Hankow,	,,	...	.	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Shanghai,	14	30.12	765.0	66	34	WNW	2	b	,,	30.06	763.5	46	83	SE	1	of
Gutzlaff,	,,	30.16	766.0	52	66	W	2	b	,,	30.06	763.5	47	77	S	4	b
Sharp Peak,	,,	30.14	765.5	65	68	N	2	b	7	30.09	764.3	56	75	WNW	1	o
Amoy,	15	30.03	762.7	64	68	ENE	4	b	9	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.19	766.8	63	82	NW	2	o	5	30.01	762.3	55	98	...	0	b
Taichu,	,,	30.17	766.2	70	...	NNW	2	b	,,	30.02	762.6	52	...	...	0	b
Tainan,	,,	30.13	765.3	68	...	N	4	b	,,	30.00	762.0	57	...	NNE	2	b
Koshun,	,,	30.10	764.4	79	...	...	0	b	,,	29.99	761.7	68	...	...	0	o
Pescadores,	,,	30.17	766.2	64	...	NNE	4	b	,,	30.02	762.6	59	...	NNE	2	b
Canton,	14	30.08	764.3	76	69	NW	2	o	6	30.07	763.8	62	100	NNW	2	o
Hongkong,	,,	30.07	763.8	71	66	W	2	b	,,	30.04	763.0	63	85	E	2	om
Gap Rock,	,,	30.08	764.0	...	...	N	3	c	,,	30.03	762.7	...	...	NNE	3	c
Macao,	,,	30.06	763.5	70	69	ESE	2	b	,,	30.01	762.3	63	75	N	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.11	764.4	63	70	NNW	2	o	7	30.13	765.3	59	85	..	0	of
Tourane,	,,	30.02	762.6	72	...	NE	2	of	,,	30.05	763.2	63	...	NW	2	of
Cape St. James.	,,	29.84	757.8	77	...	E	6	bf	,,	29.87	758.7	73	...	ENE	2	b
Basco,	14	29.97	761.1	81	66	N	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.94	760.5	79	76	NE	4	o	,,	29.93	760.2	73	92	NE	4	o
Manila,	,,	29.87	758.7	90	48	ENE	4	o	,,	29.89	759.3	68	94	ENE	2	b
Legaspi,	,,	29.87	758.7	81	84	ENE	4	o	,,	29.86	758.4	77	85	NE	2	o
Tacloban,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.81	757.2	79	89	N	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.81	757.2	77	85	E	1	r	,,	...	...	...	...	...	...	...
Guam,	12.20	29.81	757.2	...	...	ENE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.79	756.6	...	...	NE	2	b	4.47	29.81	757.2	...	...	E	4	o
Labuan,	14	29.82	757.4	84	83	NW	4	b	6	29.81	757.2	77	94	N	2	b

March 10*d.* 10*h.* 52*m.*—Pressure has increased considerably at Wladivostock and slightly over Japan. It has decreased considerably from Chefoo to Shanghai and slightly at the majority of other reporting stations.

A depression has formed to the north of Chefoo.

A feeble anticyclone is shown over S.W. China and a wedge of high pressure over the Sea of Japan.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·72 inches, against an average of 3·76 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	10th March, 1925.								11th March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	29.89	759.1	29	...	SE	4	o	6	29.68	753.9	25	...	NNE	4	o
Nemuro,	11	29.70	754.5	...	...	NNW	1	...	5	29.76	756.0	...	...	SW	1	...
Hakodate,	,,	29.88	759.0	...	...	NW	6	...	,,	29.69	754.0	...	...	E	1	...
Tokio,	,,	29.88	759.0	...	...	NE	1	...	,,	29.78	756.5	...	...	...	o	...
Kochi,	,,	29.98	761.5	...	...	...	o	...	,,	29.92	760.0	...	...	...	o	...
Nagasaki,	,,	30.02	762.5	...	...	SE	1	...	,,	...	...	...	...	...	..	...
Kagoshima,	,,	30.02	762.5	...	...	...	o	...	,,	30.00	762.0	...	...	NW	1	...
Oshima,	,,	30.04	763.0	...	...	NNE	1	...	,,	30.02	762.5	...	...	S	1	...
Naha,	,,	30.06	763.5	...	...	NW	1	...	,,	30.02	762.5	...	...	NNE	1	...
Ishigakijima,	,,	30.04	763.0	...	...	ESE	1	...	,,	30.02	762.5	...	...	NE	1	...
Bonin Island,	,,	30.00	762.0	...	...	WSW	1	...	,,	29.98	761.5	...	...	SW	1	...
Chefoo,	15	29.76	755.9	46	54	NW	6	b	6	29.93	760.2	36	54	SW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.97	761.1	72	23	SW	4	b	,,	30.05	763.2	43	88	SSE	1	bf
Sutzlaff,	,,	30.00	762.0	56	51	SW	4	b	,,	30.05	763.2	50	65	WSW	4	b
Sharp Peak,	,,	30.05	763.2	67	64	S	2	o	7	30.04	763.0	60	68	W	2	b
Amoy,	15	29.98	761.5	63	67	ENE	4	o	9	30.04	763.0	58	90	SSE	2	b
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.08	764.1	63	84	SW	2	o	5	30.04	762.9	61	98	SE	1	o
Taichu,	,,	30.07	763.8	66	...	N	2	o	,,	30.04	762.9	59	...	...	o	b
Tainan,	,,	30.05	763.2	77	...	NW	2	b	,,	29.99	761.7	59	...	...	2	b
Koshun,	,,	30.01	762.3	77	...	...	o	o	,,	29.95	760.8	66	...	...	2	b
Pescadores,	,,	30.08	764.1	68	...	NNE	4	b	,,	30.00	762.0	63	...	N	4	b
Canton,	14	30.00	762.0	75	72	N	2	b	6	30.05	763.2	61	88	...	o	b
Hongkong,	,,	30.00	762.0	73	55	WNW	2	b	,,	30.02	762.5	63	87	..	o	om
Gap Rock,	,,	30.03	762.7	...	...	N	2	b	,,	30.01	762.2	...	...	NNW	2	o
Macao,	,,	29.99	761.7	72	65	ESE	2	b	,,	29.99	761.7	64	82	...	o	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Foihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.06	763.5	66	63	W	2	o	7	30.07	763.8	57	96	WNW	2	bf
Tourane,	,,	30.02	762.6	66	...	NW	4	o	,,	30.02	762.6	63	...	WNW	2	o
Cape St. James,	,,	29.85	758.1	77	...	ENE	4	bf	,,	29.85	758.1	73	...	SE	4	b
Basco,	14	29.87	758.7	77	72	ESE	4	o	6	29.92	759.9	72	75	E	1	o
Aparri,	,,	29.86	758.4	84	68	NE	4	o	,,	29.91	759.6	72	96	...	o	o
Manila,	,,	29.84	757.8	86	56	W	2	o	,,	29.87	758.7	72	91	...	o	b
Legaspi,	,,	29.82	757.5	77	88	NE	4	o	,,	29.85	758.1	75	96	...	o	o
Tacloban,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	82	74	NE	4	o	,,	29.82	757.5	75	91	N	2	o
Surigao,	,,	29.78	756.3	82	84	N	2	o	,,	29.85	758.1	75	96	...	o	o
Guam,	12.20	29.81	757.2	...	...	E	6	o	4.20	29.88	759.0	...	...	ENE	2	o
Yap,	12.47	29.78	756.3	...	...	E	6	r	4.47	29.82	757.5	...	...	ENE	4	o
Lamian,	14	29.82	757.4	84	83	N	2	b	6	29.80	756.9	76	84	SE	2	o

March 11*d.* 11*h.* 45*m.*—Pressure has decreased considerably over the Sea of Japan, and slightly over S.W. Japan and Indo-China. It has increased slightly from Shanghai to Hongkong.

An anticyclone is probably forming over China.

The depression is now central between Wladivostock and Hakodate.

The monsoon will set in again along the S.E. coast of China and freshen over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·72 inches, against an average of 3·84 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel,	N. to N.E. winds, moderate; fine to cloudy.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	11th March, 1925.									12th March, 1925.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	29.71	754.7	35	...	NNW	2	o		6	29.89	759.2	14	...	...	o	c
Nemuro,	11	29.67	753.5	...	...	ESE	1	...		5	29.67	753.5	...	...	...	...	...
Hokodate,	"	29.47	748.5	...	...	ENE	2	...		"	29.69	754.0	...	...	N	1	...
Tokio,	"	29.57	751.0	...	...	SSW	4	...		"	29.63	752.5	...	...	WSW	1	...
Kochi,	"	...	...	...	...	...	...	...		"	...	...	...	...	N	3	...
Nagasaki,	"	29.98	761.5	...	...	W	2	...		"	29.92	760.0	...	...	N	6	...
Kagoshima,	"	29.96	761.0	...	...	W	1	...		"	29.94	760.5	...	...	NW	4	...
Oshima,	"	30.04	763.0	...	...	NNE	1	...		"	30.02	762.5	...	...	W	1	...
Naha,	"	30.06	763.5	...	...	NNE	2	...		"	30.10	764.5	...	...	SSE	1	...
Ishigakijima,	"	30.04	763.0	...	...	ENE	2	...		"	30.10	764.5	...	...	NE	1	...
Bonin Island,	"	29.96	761.0	...	...	NW	1	...		"	29.96	761.0	...	...	...	...	...
Chefoo,	15	29.94	760.5	36	54	W	1	o		6	30.15	765.8	30	88	SW	1	o
Hankow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Shanghai,	14	29.92	759.9	77	28	WSW	...	...		"	30.27	768.9	36	93	W	1	bf
Gutzlaff,	"	29.97	761.2	60	55	WSW	4	b		"	30.28	769.1	42	85	NW	2	b
Sharp Peak,	"	30.04	763.0	70	61	S	1	b		7	30.07	763.8	60	65	...	o	b
Amoy,	15	30.00	762.0	67	64	SSE	2	b		9	30.07	763.8	58	81	SSE	2	b
Swatow,	"	...	...	...	...	...	...	...		8	...	...	...	...	...	...	...
Taihoku,	11	30.07	763.8	72	57	E	4	o		5	30.10	764.4	46	94	...	o	b
Taichu,	"	30.02	762.6	77	...	...	o	b		"	30.07	763.8	54	...	...	o	b
Tainan,	"	30.01	762.3	77	...	N	2	b		"	30.04	762.9	59	...	E	2	b
Koshun,	"	30.01	762.3	73	...	NNE	4	o		"	30.04	762.9	68	...	N	2	b
Pescadores,	"	30.04	762.9	72	...	N	4	b		"	30.11	764.7	63	...	N	2	b
Canton,	14	30.00	762.0	73	47	NW	2	b		6	...	...	...	...	...	...	...
Hongkong,	"	30.00	762.0	81	38	E	2	b		"	30.03	762.7	61	82	...	o	bm
Gap Rock,	"	30.03	762.7	...	...	N	2	b		"	30.01	762.2	...	...	ENE	3	b
Macao,	"	29.99	761.7	75	49	NE	4	b		"	30.00	762.0	61	91	N	2	of
Wuchow,	15	...	...	...	...	...	...	...		9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	..		"	...	...	...	...	...	...	...
Phulien,	"	30.01	762.3	81	38	S	2	bf		7	30.02	762.6	81	76	SSW	2	of
Tourane,	"	30.01	762.3	68	...	NW	2	o		"	30.01	762.3	64	...	WNW	2	o
Cape St. James,	"	29.84	757.8	79	...	ENE	4	of		"	29.84	757.8	73	...	E	4	b
Basco,	14	29.93	760.2	77	72	ESE	4	b		6	29.97	761.1	72	82	NNE	4	o
Aparri,	"	...	..	82	70	NE	4	o		"	29.93	760.2	75	86	NE	4	o
Manila,	"	29.82	757.5	84	71	W	2	o		"	29.88	759.0	73	91	NE	1	o
Legaspi,	"	29.81	757.2	79	89	NE	2	o		"	29.85	758.1	77	92	NE	1	o
Tacloban,	"	...	...	...	...	...	..	...		"	...	...	...	...	...	...	...
Iloilo,	"	29.75	755.7	84	64	NE	6	o		"	29.82	757.5	75	94	N	4	o
Surigao,	"	29.76	756.0	82	81	E	2	o		"	29.82	757.5	73	96	...	o	o
Guam,	12.20	29.81	757.2	...	...	E	4	o		4.20	29.86	758.4	...	...	ENE	2	o
Yap,	12.47	29.78	756.3	...	...	E	6	r		4.47	29.85	758.1	...	...	ENE	4	o
Labuan,	11	29.77	756.1	83	87	N	2	o		6	29.78	756.4	77	94	N	2	b

March 12*d.* 12*h.* 23*m.*—Pressure has increased considerably from N.E. China to S. Manchuria, and slightly over Formosa. It has decreased slightly over Indo-China and is nearly stationary over the Philippines.

An anticyclone has formed over China and S.E. Mongolia.

Fresh monsoon may be expected along the S.E. coast of China and moderate monsoon over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. *Total since January 1st,* 4·72 inches, against an average of 3·94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fine to cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	12th March, 1925.								13th March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock.	12	29.90	759.5	29	...	NNE	4	o	6	30.05	763.3	15	...	...	0	f
Gemuro.	11	29.69	754.0	...	...	NNW	1	...	5	29.80	757.0	...	...	WSW	1	...
Hokodate,	"	...	...	...	...	...	...	...	"	29.86	758.5	...	...	WNW	6	...
Tokio,	"	29.35	745.5	...	...	NW	2	...	"	30.06	763.5	...	...	ENE	2	...
Kochi,	"	29.82	757.5	...	...	WNW	2	...	"	30.18	766.5	...	...	SW	1	...
Nagasaki,	"	30.12	765.0	...	...	NW	4	...	"	30.18	766.5	...	...	SSE	1	...
Kagoshima,	"	30.10	764.5	...	...	WNW	4	...	"	30.18	766.5	...	...	NW	1	...
Oshima,	"	30.14	765.5	...	...	N	3	...	"	30.14	765.5	...	...	SSE	1	...
Taiba,	"	30.16	766.0	...	...	NNE	4	...	"	30.12	765.0	...	...	...	...	...
Ishigakijima,	"	30.16	766.0	...	...	ENE	2	...	"	30.10	764.5	...	...	SE	2	...
Bonin Island,	"	29.92	760.0	...	...	SE	1	...	"	30.08	764.0	...	...	NW	1	...
Chefoo.	15	30.00	762.0	44	68	NE	1	b	6	29.69	754.1	46	69	S	6	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.19	766.8	64	20	ESE	2	b	"	29.94	760.5	50	69	SSE	6	b
Gutzlaff,	"	30.23	767.8	52	60	N	2	b	"	29.96	761.0	48	87	S	6	o
Sharp Peak,	"	30.15	765.8	65	53	E	4	b	7	30.03	762.7	58	88	NW	1	o
Amoy,	15	30.02	762.5	72	42	ENE	2	b	9	30.01	762.2	58	81	WSW	4	b
Swatow.	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.11	764.7	75	42	E	4	b	5	29.98	761.4	61	85	...	0	b
Taichu,	"	30.04	762.9	77	...	...	0	b	"	30.02	762.6	57	...	...	0	b
Tainan,	"	30.05	763.2	79	...	W	2	b	"	30.02	762.6	57	...	...	0	b
Koshun,	"	30.05	763.2	79	...	NE	4	b	"	30.00	762.0	68	...	NE	4	b
Pescadores,	"	30.10	764.4	72	...	NNE	4	b	"	30.00	762.0	54	...	N	4	b
Canton.	14	29.98	761.5	80	41	S	1	b	6	...	...	...	...	...	...	...
Hongkong,	"	30.00	762.0	74	25	E	3	b	"	29.99	761.7	63	82	E	3	o
Gap Rock,	"	30.00	762.0	...	...	ENE	4	b	"	29.96	761.0	...	...	ENE	4	o
Macao,	"	29.99	761.7	77	40	SE	2	b	"	29.99	761.7	63	92	SE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.95	760.8	79	48	S	2	b	7	29.97	761.1	63	90	SSE	2	bf
Tourane,	"	29.95	760.8	72	...	NW	2	b	"	29.95	760.8	66	...	SE	2	o
Cape St. James,	"	29.79	756.6	79	...	ENE	6	b	"	29.82	757.5	73	...	ENE	4	o
Basco,	14	30.01	762.3	73	62	N	6	o	6	29.97	761.1	72	75	NE	6	r
Aparri,	"	29.93	760.2	79	69	NE	4	o	"	29.92	759.9	72	92	...	0	o
Manila,	"	29.80	756.9	50	45	WSW	2	o	"	29.86	758.4	73	92	NE	1	o
Legaspi,	"	29.81	757.2	84	81	E	4	b	"	29.84	757.8	77	91	NE	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	86	61	NNE	6	b	"	29.80	756.9	75	91	N	4	o
Surigao,	"	29.76	756.0	86	75	ENE	4	o	"	29.82	757.5	79	89	E	2	o
Guam,	12.20	29.81	757.2	...	...	ENE	2	o	4.20	29.86	758.4	...	...	NE	2	o
Yap,	12.47	29.78	756.3	...	...	ENE	6	o	4.47	29.82	757.5	...	...	ENE	4	o
Labuan,	14	29.77	756.1	84	83	N	1	o	6	29.78	756.4	78	94	NE	2	b

March 13*d.* 11*h.* 05*m.*—Pressure has decreased considerably over N. China and slightly over S. China, Formosa and Luzon; it has increased considerably over central Japan, and slightly to moderately elsewhere.

The anticyclone has weakened and moved eastward to S. Japan. Depressions are situated over the Gulf of Pechili and to the north of Hokkaido.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·72 inches, against an average of 4·04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	13th March, 1925.								14th March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock. .	12	29.96	761.0	25	...	...	0	f	6	29.94	760.4	15	...	N	4	0
Nemuro,.....	11	29.86	758.5	...	...	NW	2	...	5	29.90	759.5	...	...	ESE	1	...
Hokodate, ...	,,	29.98	761.5	...	...	WNW	3	...	,,	29.76	756.0	...	...	NE	2	...
Tokio,.....	,,	30.10	764.5	...	...	NW	1	...	,,	29.88	759.0	...	...	...	...	...
Kochi, ...	,,	30.16	766.0	...	...	SSW	1	...	,,	29.90	759.5	...	...	SW	1	...
Nagasaki, ...	,,	30.06	763.5	...	...	SE	3	...	,,	29.98	761.5	...	...	N	1	...
Kagoshima, ...	,,	30.14	765.5	...	...	E	1	...	,,	29.96	761.0	...	...	NE	1	...
Oshima, ...	,,	30.12	765.0	...	...	SSE	1	...	,,	29.96	761.0	...	...	S	1	...
Naha, ...	,,	30.10	764.5	...	...	SSE	1	...	,,	29.98	761.5	...	...	N	1	...
Ishigakijima,...	,,	30.00	762.0	...	...	SSW	2	...	,,	29.94	760.5	...	...	SSE	1	...
Bonin Island,..	,,	30.12	765.0	...	...	N	1	...	,,	30.10	764.5	...	...	SE	1	...
Chefoo.	15	29.70	754.4	48	78	NW	6	o	6	30.03	762.7	34	69	NE	1	b
Hankow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	14	29.89	759.3	52	92	WSW	2	r	,,	29.99	761.7	46	100	E	1	of
Gutzlaff,.....	,,	29.90	759.4	52	70	WNW	6	o	,,	30.01	762.2	48	93	SE	2	rf
Sharp Peak, ..	,,	29.93	760.2	70	70	S	1	b	7	29.89	759.2	56	87	NE	1	b
Amoy, ...	15	29.99	761.7	69	65	ENE	4	b	9	29.88	758.9	63	83	SW	1	b
Swatow,.....	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku, ...	11	29.99	761.7	73	55	SW	2	b	5	29.93	760.2	64	90	...	0	o
Taichu, ...	,,	30.02	762.6	73	...	...	0	b	,,	29.94	760.5	64	...	...	0	o
Tainan, ...	,,	30.01	762.3	75	...	WSW	2	b	,,	29.89	759.3	66	...	...	0	o
Koshun,.....	,,	30.01	762.3	77	...	ENE	4	b	,,	29.87	758.7	73	...	...	0	b
Pescadores, ..	,,	30.02	762.6	68	...	NNW	2	b	,,	29.91	759.6	66	...	NNW	1	o
Canton, ...	14	29.90	759.4	79	61	S	1	c	6	29.90	759.4	67	89	S	1	o
Hongkong,.....	,,	29.93	760.2	70	75	E	4	c	,,	29.89	759.2	65	98	E	2	lf
Gap Rock, ...	,,	29.92	759.9	...	...	ENE	4	b	,,	29.88	758.9	...	...	NNE	2	c
Macao, ...	,,	29.92	759.9	72	78	SE	2	o	,,	29.87	758.7	66	98	...	2	of
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	,,	29.86	758.4	77	54	SSE	4	b	7	29.87	758.7	66	90	ESE	4	of
Tourane,.....	,,	29.87	758.7	75	...	SE	2	o	,,	29.85	758.1	70	...	NNE	2	b
Cape St. James,	,,	29.76	756.0	79	...	ENE	6	o	,,	29.81	757.2	75	...	ENE	4	o
Basco,.....	14	29.88	759.0	77	72	E	6	o	6	29.88	759.0	77	94	ESE	4	o
Aparri, ...	,,	29.86	758.4	81	80	NE	4	o	,,	29.86	758.4	73	92	SW	2	b
Manila, ...	,,	29.80	756.9	90	55	ESE	4	b	,,	29.87	758.7	72	89	ESE	1	o
Legaspi, ...	,,	29.81	757.2	86	71	E	4	b	,,	29.85	758.1	77	88	NE	2	b
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.74	755.4	86	58	NE	6	b	,,	29.80	756.9	75	88	N	4	b
Surigao, ...	,,	29.76	756.0	86	58	E	4	b	,,	29.81	757.2	75	94	...	0	o
Guam,.....	12.20	29.79	756.6	...	...	NE	4	o	4.20	29.82	757.5	...	...	NE	4	o
Yap, ...	12.47	29.78	756.3	...	...	ENE	6	r	4.47	29.80	756.9	...	...	ENE	4	o
Labuan, ...	14	29.73	755.1	84	87	N	4	b	6	29.76	755.9	78	91	...	0	b

March 14*d.* 12*h.* 32*m.*—Pressure has increased considerably at Chefoo and slightly at Shanghai. It has decreased considerably over central Japan and slightly from Indo-China to N. Luzon and Formosa. It is nearly stationary over the Visayas.

The anticyclone has passed into the Pacific and the depression has moved rapidly to N.E. Japan.

A new anticyclone is forming over N. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·72 inches, against an average of 4·14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. or variable winds, light; fair.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,.....	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	14th March, 1925.								15th March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	29.99	761.6	22	...	NNE	4	b	6	30.07	763.7	10	...	NNE	4	o
Kemuro,	11	29.80	757.0	...	...	ESE	1	...	5	29.94	760.5	...	...	NNW	1	...
Hokodate,	,,	29.61	752.0	...	...	NNW	2	...	,,	29.96	761.0	...	...	N	1	...
Tokio,	,,	29.63	752.5	...	...	SW	3	...	,,	29.92	760.0	...	...	...	0	...
Kochi,	,,	29.88	759.0	...	...	NW	3	...	,,	29.90	759.5	...	...	...	0	...
Nagasaki,	,,	29.96	761.0	...	...	SSE	2	...	,,	29.90	759.5	...	...	ENE	1	...
Kagoshima,	,,	29.94	760.5	...	...	ENE	1	...	,,	29.86	758.5	...	...	...	0	...
Oshima,	,,	29.98	761.5	...	...	...	0	...	,,	29.75	755.5	...	...	NNW	1	...
Taiwan,	,,	29.96	761.0	...	...	S	1	...	,,	29.84	758.0	...	...	NW	4	...
Ishigakijima,	,,	29.92	760.0	...	...	S	1	...	,,	29.88	759.0	...	...	N	3	...
Bonin Island,	,,	30.08	764.0	...	...	SSW	1	...	,,	29.94	760.5	...	...	SSW	1	...
Chefoo,	15	30.05	763.2	36	54	N	2	o	6	30.09	764.3	28	79	W	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.86	758.4	50	97	ENE	2	rf	,,	30.08	764.1	45	100	N	1	o
Gutzlaff,	,,	29.87	758.7	48	100	SE	4	rf	,,	30.07	763.8	44	100	N	2	o
Sharp Peak,	,,	29.85	758.2	67	74	E	1	bf	7	30.01	762.2	54	92	E	4	of
Amoy,	15	29.76	755.9	76	64	ENE	2	o	9	29.87	758.7	60	94	SSE	2	o
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.89	759.3	79	61	...	0	b	5	29.94	760.5	63	94	E	4	r
Taichu,	,,	29.92	759.9	82	...	...	0	b	,,	29.91	759.6	70	...	...	0	o
Tainan,	,,	29.89	759.3	86	...	WNW	2	b	,,	29.89	759.3	70	...	...	0	o
Koshun,	,,	29.89	759.3	86	...	SW	2	b	,,	29.86	758.4	73	...	NE	4	b
Pescadores,	,,	29.93	760.2	75	...	NW	2	b	,,	29.89	759.3	66	...	...	0	o
Canton,	14	29.83	757.7	80	62	S	1	c	6	...	...	...	...	...	...	...
Hongkong,	,,	29.85	758.2	75	70	W	2	c	,,	29.87	758.7	66	94	...	0	lf
Gap Rock,	,,	29.86	758.4	...	...	ENE	2	o	,,	29.87	758.7	...	...	ESE	1	b
Macao,	,,	29.84	757.8	73	82	SE	2	o	,,	29.85	758.1	68	100	...	2	of
Wuchow,	15	29.80	756.9	79	61	W	1	cz	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.81	757.2	75	67	WNW	2	bf	7	29.84	757.8	68	100	E	2	rf
Tourane,	,,	29.80	756.9	77	...	SE	2	b	,,	29.82	757.5	72	...	...	0	of
Cape St. James,	,,	...	...	79	...	E	4	b	,,	...	...	...	...	...	...	...
Basco,	14	29.82	757.5	86	65	SE	6	o	6	29.85	758.1	73	91	...	0	o
Aparri,	,,	29.80	756.9	90	48	S	4	b	,,	29.88	759.0	72	91	S	2	b
Manila,	,,	29.80	756.9	90	48	SE	4	o	,,	29.87	758.7	70	88	NE	1	o
Legaspi,	,,	29.82	757.5	86	68	E	4	b	,,	29.82	757.5	77	88	NE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	86	61	NE	6	o	,,	29.80	756.9	75	89	N	4	o
Surigao,	,,	29.79	756.6	79	85	NE	2	o	,,	29.79	756.6	75	94	...	0	o
Guam,	12.20	29.80	756.9	...	...	ENE	4	o	4.20	29.81	757.2	...	...	E	2	o
Yap,	12.47	29.76	756.0	...	...	ENE	4	o	4.47	29.80	756.9	...	...	ENE	4	o
Labuan,	14	29.70	754.4	86	80	N	2	b	6	29.79	756.6	76	94	NW	1	o

March 15*d.* 11*h.* 58*m.*—Pressure has increased considerably over central Japan, moderately at Shanghai and slightly at Chefoo. It has decreased considerably over the Loochoos.

The anticyclone is spreading southward.

A depression has formed near the Loochoos.

The monsoon will freshen along the S.E. coast of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·72 inches, against an average of 4·24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel.	N.E. winds, light to moderate; fair at first, some rain later.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock.	
4.—South coast of China between Hongkong and Hainan.	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	15th March, 1925.								16th March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	30.07	763.7	22	...	N	4	o	6	30.15	765.8	8	...	NNE	4	o
Nemuro,	11	29.90	759.5	...	...	NNW	2	...	5	29.73	755.0	...	...	W	1	...
Hokodate,	"	29.92	760.0	...	...	N	1	...	"	29.76	756.0	...	...	NNW	4	...
Tokio,	"	29.90	759.5	...	...	N	1	...	"	29.76	756.0	...	...	NNW	1	...
Kochi,	"	29.86	758.5	...	...	...	...	...	"	30.02	762.5	...	...	WNW	1	...
Nagasaki,	"	29.96	761.0	...	...	NW	4	...	"	30.08	764.0	...	...	ENE	1	...
Kagoshima,	"	29.92	760.0	...	...	NW	1	...	"	30.06	763.5	...	...	NW	1	...
Oshima,	"	29.90	759.5	...	...	N	4	...	"	30.02	762.5	...	...	N	2	...
Naha,	"	29.90	759.5	...	...	NNE	4	...	"	30.00	762.0	...	...	NNE	3	...
Ishigakijima,	"	29.94	760.5	...	...	NNE	3	...	"	29.94	760.5	...	...	ENE	3	...
Bonin Island,	"	29.86	758.5	...	...	SW	1	...	"	29.88	759.0	...	...	W	1	...
Chefoo,	15	30.05	763.2	40	56	ENE	2	o	6	30.10	764.5	36	100	S	1	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.11	764.7	52	77	N	1	o	"	30.08	764.1	45	94	SSE	1	b
Gutzlaff,	"	30.11	764.8	50	88	...	o	of	"	30.09	764.3	46	100	S	4	b
Sharp Peak,	"	...	...	...	...	...	...	...	7	30.05	763.2	52	86	NNW	1	o
Amoy,	15	29.87	758.7	63	72	NE	4	o	9	30.00	762.0	58	81	NE	2	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.98	761.4	66	71	E	4	o	5	30.00	762.0	57	96	E	4	r
Taichu,	"	29.91	759.6	75	...	NNW	2	o	"	29.97	761.1	59	...	N	2	o
Tainan,	"	29.91	759.6	81	...	SW	2	b	"	29.91	759.6	61	..	N	4	r
Koshun,	"	29.89	759.3	79	...	N	4	o	"	29.89	759.3	70	...	NE	2	o
Pescadores,	"	29.93	760.2	70	...	NNE	4	o	"	29.94	760.5	61	...	N	6	r
Canton,	14	29.80	756.9	78	74	SSW	1	o	6	29.93	760.2	56	94	NE	2	or
Hongkong,	"	29.82	757.4	73	76	E	2	o	"	29.94	760.5	61	88	E	5	od
Gap Rock,	"	29.84	757.9	...	...	ENE	1	c	"	29.89	759.2	...	...	NE	5	o
Macao,	"	29.80	756.9	77	76	SE	2	o	"	29.87	758.7	63	94	ESE	4	r
Wuchow,	15	29.79	756.6	76	73	W	1	cz	9	...	...	...	...	...	...	...
Pakhoi,	"			...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	..	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.78	756.3	75	83	SSW	1	of	7	29.82	757.5	70	100	SE	4	rf
Tourane,	"	29.75	755.7	77	...	SE	2	b	"	29.79	756.6	70	...	SE	2	of
Cape St. James,	"	29.79	756.6	81	...	E	4	o	"	29.82	757.5	73	...	E	2	o
Basco,	14	...	...	...	...	...	...	...	6	29.84	757.8	75	79	...	o	o
Aparri,	"	...	...	...	...	...	...	...	"	29.85	758.1	73	92	...	o	b
Manila,	"	29.78	756.3	90	55	SE	2	o	"	29.85	758.1	72	92	E	1	b
Legaspi,	"	29.81	757.2	86	75	ENE	2	o	"	29.82	757.5	73	...	...	o	o
Tacloban,	"	29.78	756.3	90	66	NE	2	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.75	755.7	86	61	NE	6	o	"	29.80	756.9	77	88	N	2	o
Surigao,	..	29.75	755.7	84	74	NE	4	b	"	29.81	757.2	73	96	SW	2	r
Guam,	12.20	29.76	756.0	...	...	E	4	o	4.20	29.80	756.9	...	...	E	1	o
Yap,	12.47	29.75	755.7	...	...	ENE	6	r	4.47	29.76	756.0	...	...	NE	4	o
Labuan,	14	29.78	756.4	86	84	N	2	b	6	29.80	756.9	76	94	...	o	o

March 16*d.* 11*h.* 25*m.*—Pressure has decreased considerably over N.E. Japan and slightly at Shanghai. It has increased moderately from S.W. Japan to Hongkong and is nearly stationary over the Philippines.

The anticyclone over China has broken up.

There is another anticyclone over S.E. Mongolia and Manchuria.

The Loochoos depression is passing into the Pacific.

A shallow depression is shown over Indo-China.

The monsoon will moderate.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 4·73 inches, against an average of 4·35 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong, moderating; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

ROYAL OBSERVATORY. HONGKONG.

DAILY WEATHER REPORT.

Station.	16th March, 1925.								17th March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostook, .	12	30.09	764.4	21	...	NNE	5	b	6	30.07	763.7	22	...	N	2	o
emuro,	11	29.65	753.0	...	...	ESE	1	...	5	29.57	751.0	...	...	WSW	1	...
okodate,	"	29.78	756.5	...	...	N	2	...	"	29.71	754.5	...	...	...	o	...
okio,	"	29.78	756.5	...	...	N	4	...	"	29.94	760.5	...	...	...	o	...
ochi,	"	30.00	762.0	...	...	NW	1	...	"	30.10	764.5	...	...	SW	1	...
agasaki,	"	30.10	764.5	...	...	NNW	1	...	"	30.10	764.5	...	...	...	..	...
agoshima,	"	30.08	764.0	...	...	WNW	1	...	"	30.10	764.5	...	...	NNW	1	...
shima,	"	30.06	763.5	...	...	N	2	...	"	30.12	765.0	...	...	SSE	1	...
aha,	"	30.06	763.5	...	...	E	2	...	"	30.08	764.0	...	...	E	1	...
higakijima,	"	30.02	762.5	...	...	E	4	...	"	30.02	762.5	...	...	E	3	...
oir Island,	"	29.82	757.5	...	...	NNW	1	...	"	30.02	762.5	...	...	NW	1	...
hefoo.	15	30.16	766.0	36	90	NE	1	o	6	30.33	770.4	26	87	S	1	b
ankow,	"	...	..	...	...	...	...	...	"	...	...	...	...	...	...	...
hang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
hangsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
hanghai,	14	30.06	763.5	64	58	W	2	b	"	30.18	766.5	48	95	ENE	4	b
utzlaff,	"	30.09	764.3	54	74	S	1	b	"	30.17	766.3	48	100	E	4	o
harp Peak,	"	30.09	764.3	70	66	ENE	1	b	7	30.03	762.7	58	94	N	2	1
moy,	15	30.02	762.5	70	57	ENE	2	b	9	29.93	760.2	60	90	NE	2	o
watow,	"	...	...	...	...	.	...	...	8	...	...	...	...	...	...	...
aihoku,	11	30.02	762.6	64	76	E	4	o	5	29.94	760.5	63	90	E	4	o
aichu,	"	29.99	761.7	64	...	...	o	o	"	29.95	760.8	63	...	...	o	o
ainan,	"	29.98	761.4	63	...	N	2	o	"	29.93	760.2	63	...	NNE	2	of
oshun,	"	29.97	761.1	72	...	NNE	4	o	"	29.89	759.3	72	...	NE	4	o
escadores,	"	30.00	762.0	64	...	NNE	4	o	"	29.94	760.5	63	...	N	4	b
anton,	14	29.91	759.7	65	95	SE	1	o	6	...	...	...	...	...	...	...
ongkong,	"	29.91	759.7	63	83	E	5	o	"	29.90	759.4	62	88	E	4	od
ap Rock,	"	29.89	759.2	...	...	ENE	6	o	"	29.88	758.9	...	...	E	4	o
acao.	"	29.87	758.7	63	86	ESE	6	o	"	29.87	758.7	64	92	ESE	4	o
uchow,	15	...	...	...	...	...	...	...	9	..	...	...	...	...	...	...
akhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
oihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
hulien,	"	29.78	756.3	72	94	ESE	4	of	7	29.79	756.6	70	100	SSE	6	of
ourane,	"	29.78	756.3	73	...	SE	2	b	"	29.80	756.9	72	...	S	2	of
ape St. James.	"	29.75	755.7	81	...	E	2	o	"	29.80	756.9	75	...	ENE	4	of
asco,	14	29.85	758.1	81	66	N	4	o	6	...	...	...	...	...	...	...
parri,	"	29.82	757.5	86	68	NE	4	o	"	29.86	758.4	73	94	...	o	o
anila,	"	29.79	756.6	90	38	SE	2	o	"	29.84	757.8	70	91	ESE	1	b
egaspi,	"	29.80	756.9	86	65	E	4	b	"	29.82	757.5	77	89	NE	2	b
acloban,	"	...	...	...	...	...	..	...	"	...	...	...	...	...	...	...
loilo,	"	29.75	755.7	86	65	NE	4	o	"	...	...	...	...	...	...	...
urigao,	..	29.78	756.3	82	77	ENE	2	o	"	...	...	...	...	...	...	...
uam,	12.20	29.74	755.4	...	...	E	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.73	755.1	...	...	ENE	6	r	4.47	29.78	756.3	...	...	ENE	4	o
abuan,	14	29.82	757.4	86	80	N	4	b	6	...	...	...	...	...	...	...

March 17*d.* 11*h.* 17*m.*—Pressure has increased moderately from Chefoo to Shanghai and over central Japan. It has decreased moderately over N.E. Japan and slightly over Tongking. It is nearly stationary elsewhere.

A new anticyclone has formed over N.E. China.

A shallow depression is still shown over Indo-China and a somewhat deep depression to the N.E. of Hokkaido.

Fresh monsoon may be expected along the S.E. coast of China and moderate monsoon over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 4·74 inches, against an average of 4·46 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; overcast, drizzle or mist.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	17th March, 1925.								18th March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.09	764.2	29	...	NW	3	o	6	30.25	768.2	28	...	NNE	2	o
Nemuro,	11	29.45	748.0	...	...	WNW	3	...	5	29.59	751.5	...	...	NNW	3	...
Hokodate,	"	29.70	754.5	...	...	WNW	2	...	"	29.80	757.0	...	...	NNW	5	...
Tokio,	"	29.86	758.5	...	...	WNW	1	...	"	29.92	760.0	...	...	NW	1	...
Kochi,	"	30.06	763.5	...	...	NW	1	...	"	30.22	767.5	...	...	...	..	...
Nagasaki,	"	30.14	765.5	...	...	NNE	2	...	"	30.22	767.5	...	...	E	2	...
Kagoshima,	"	30.10	764.5	...	...	NNW	1	...	"	30.18	766.5	...	...	NW	1	...
Oshima,	"	30.14	765.5	...	...	NE	1	...	"	30.10	764.5	...	...	...	0	...
Naha,	"	30.12	765.0	...	...	E	1	...	"	29.98	761.5	...	...	E	4	...
Ishigakijima,	"	30.02	762.5	...	...	SE	4	...	"	29.90	759.5	...	...	NNW	1	...
Bonin Island,	"	30.04	763.0	...	...	WNW	1	...	"	30.00	762.0	...	...	W	1	...
Chefoo,	15	30.33	770.4	40	48	ENE	2	o	6	30.32	770.1	32	82	WNW	1	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.11	764.7	48	73	E	7	o	"	30.25	768.3	43	97	ENE	4	r
Gutzlaff,	"	30.11	764.8	47	87	E	6	o	"	30.20	767.1	42	92	NE	6	r
Sharp Peak,	"	29.98	761.5	58	88	N	1	r	7	29.96	761.0	58	94	N	1	o
Amoy,	15	30.01	762.2	63	83	ENE	1	o	9	29.89	759.2	62	97	SE	2	r
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	..	...
Taiboku,	11	29.95	760.8	72	78	ENE	4	r	5	29.93	760.2	61	96	WNW	2	o
Taichu,	"	29.99	761.7	70	...	...	0	o	"	29.95	760.8	61	...	...	0	o
Tainan,	"	29.94	760.5	73	...	NNW	2	o	"	29.91	759.6	63	...	N	2	o
Koshun,	"	29.93	760.2	79	...	E	2	o	"	29.85	758.1	68	...	...	0	b
Pescadores,	"	29.97	761.1	66	...	NNW	4	rf	"	29.92	759.9	64	...	NNE	4	b
Canton,	14	29.95	760.7	71	85	S	1	o	6	...	...	...	...	...	...	...
Hongkong,	"	29.87	758.7	67	80	E	4	o	"	29.89	759.2	64	95	E	3	om
Gap Rock,	"	29.88	758.9	...	...	ENE	4	omd	"	29.88	758.9	...	...	ENE	4	o
Macao,	"	29.85	758.1	70	82	SE	4	o	"	29.85	758.1	66	98	ESE	4	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.74	755.4	72	98	SSE	6	rf	7	29.78	756.3	70	100	SE	6	rf
Tourane,	"	29.76	756.0	77	...	SSE	6	o	"	29.76	756.0	73	...	SSE	2	of
Cape St. James,	"	29.76	756.0	79	...	ENE	4	b	"	29.78	756.3	75	...	ENE	4	o
Basco,	14	29.86	758.4	81	66	E	6	o	6	29.79	756.6	79	89	ESE	4	o
Aparri,	"	29.79	756.6	86	65	NE	4	b	"	29.82	757.5	73	82	S	2	b
Manila,	"	29.78	756.3	90	48	SE	4	b	"	29.85	758.1	68	91	..	0	b
Legaspi,	"	29.80	756.9	86	68	E	4	b	"	29.82	757.5	77	89	NE	1	o
Tacloban,	"	29.76	756.0	90	60	ENE	4	o	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	29.81	757.2	73	91	N	2	o
Surigao,	"	29.76	756.0	84	74	E	4	o	"	29.82	757.5	73	...	SW	1	o
Guam,	12.20	29.76	756.0	...	...	NE	4	o	4.20	29.78	756.3	...	...	NE	2	o
Yap,	12.47	29.75	755.7	...	...	ENE	6	r	4.47	29.76	756.0	...	...	ENE	4	o
Labuan,	14	29.72	754.9	84	83	N	2	o	6	29.76	755.9	77	94	N	2	b

March 18*d*. 11*h*. 12*m*.—Pressure has increased moderately over Japan, and in the vicinity of Shanghai; it has decreased slightly to moderately elsewhere. The anticyclone is central to the north of Shantung, and the northern depression is still indicated to the east of Hokkaido; a shallow depression remains over Indo-China.

Fresh monsoon will prevail along the east coast of China, and moderate monsoon over the north part of the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·74 inches, against an average of 4·58 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel.	N.E. winds, moderate; cloudy, drizzle or mist.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock.	
4.—South coast of China between Hongkong and Hainan.	

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	18th March, 1925.								19th March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock, .	12	29.98	761.4	36	...	N	4	o	6	30.12	765.1	27	...	NNE	2	o
emuro,	11	29.67	753.5	...	...	NW	3	...	5	...	...	...	...	...	...	...
okodate,	"	29.80	757.0	...	...	N	3	...	"	...	...	...	...	...	...	...
okio,	"	29.90	759.5	...	...	NNW	3	...	"	...	...	...	...	...	...	...
ochi,	"	30.12	765.0	...	...	NW	1	...	"	...	...	...	...	...	...	...
agasaki,	"	30.18	766.5	...	...	N	2	...	"	...	...	...	...	...	...	...
agoshima,	"	30.14	765.5	...	...	ESE	1	...	"	...	...	...	...	...	...	...
shima,	"	30.06	763.5	...	...	N	1	...	"	...	...	...	...	...	...	...
aba,	"	30.00	762.0	...	...	ESE	3	...	"	...	...	...	...	...	...	...
higakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
onin Island,	"	30.00	762.0	...	...	NW	1	...	"	...	...	...	...	...	...	...
hefoo,	15	30.32	770.1	42	58	E	1	b	6	30.29	769.3	28	88	SSW	1	b
ankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
hang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
hangsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
hanghai,	14	30.22	767.7	46	83	NE	4	o	"	30.25	768.3	41	87	NE	2	b
utzlaff,	"	30.22	767.7	44	86	NE	4	o	"	30.20	767.1	42	75	NE	4	o
harp Peak,	"	29.99	761.7	58	91	E	2	o	7	29.98	761.5	54	92	N	2	o
moy,	15	29.89	759.2	66	84	ENE	2	o	9	29.86	758.4	60	90	SSE	1	o
watow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
aihoku,	11	29.98	761.4	66	88	WSW	2	o	5	29.87	758.7	63	94	NW	4	o
aichu,	"	29.94	760.5	77	...	NNW	2	b	"	29.95	760.8	79	...	N	2	o
ainan,	"	29.92	759.9	77	...	NNW	4	b	"	29.86	758.4	64	...	NNW	2	o
oshun,	"	29.91	759.6	81	...	NW	2	o	"	29.84	757.8	70	...	...	o	o
escadores,	"	29.97	761.1	68	...	N	4	o	"	29.88	759.0	61	...	ENE	4	r
anton,	14	29.85	758.2	74	81	S	1	o	6	29.88	759.0	67	89	SE	1	o
ongkong,	"	29.88	758.9	66	90	E	4	od	"	29.87	758.7	64	95	ESE	4	od
ap Rock,	"	29.88	758.9	...	...	ENE	4	o	"	29.85	758.2	...	...	E	4	o
acao,	"	29.85	758.1	68	94	SE	4	o	"	29.84	757.8	66	96	SE	4	o
uchow,	15	29.80	756.9	71	85	E	2	oz	9	...	...	...	...	...	...	...
akhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
oihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
hulien,	"	29.75	755.7	73	88	SE	4	of	7	29.80	756.9	72	100	ESE	4	rf
ourane,	"	29.78	756.3	75	...	SE	6	of	"	29.79	756.6	73	...	SW	2	of
ape St. James,	"	29.76	756.0	81	...	E	4	b	"	29.80	756.9	75	...	E	4	b
asco,	14	29.76	756.0	82	70	ESE	4	o	6	...	...	...	...	...	...	...
parri,	"	29.80	756.9	86	65	NE	2	b	"	29.80	756.9	73	96	...	o	b
anila,	"	29.78	756.3	86	52	W	4	b	"	29.80	756.9	72	92	NE	1	b
egaspi,	"	29.80	756.9	86	71	ENE	4	o	"	29.79	756.6	77	91	NE	1	b
acloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
oilo,	"	29.76	756.0	82	74	NE	4	o	"	...	...	...	...	...	...	...
urigao,	"	29.78	756.3	82	81	N	4	o	"	...	...	...	...	...	...	...
uam,	12.20	29.74	755.4	...	...	NE	4	o	4.20	...	...	...	...	...	...	...
ap,	12.47	29.73	755.1	...	...	ENE	4	o	4.47	29.75	755.7	...	...	NE	4	o
abnan,	14	29.74	755.4	86	84	N	2	b	6	29.78	756.4	78	91	N	2	b

March 19*d.* 11*h.* 20*m.*—Pressure has increased moderately at Wladivostock and decreased slightly from Formosa to the Visayas. It is nearly stationary at other reporting stations.

The anticyclone is probably central over S. Manchuria.

Moderate monsoon may be expected along the S.E. coast of China.

Gradients over the China Sea appear to be shallow.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 4·74 inches, against an average of 4·70 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; cloudy, drizzle or mist.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	19th March, 1925.								20th March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock. .	12	30.06	763.4	35	...	NNE	3	o	6	30.09	764.3	25	...	NNE	4	o
Nemuro, ...	11	29.74	755.5	...	...	NNW	2	...	5	29.84	758.0	...	...	NW	1	...
Hokodate, ...	"	29.82	757.5	...	...	NNW	2	...	"	29.90	759.5	...	...	...	0	...
Tokio, ...	"	29.82	757.5	...	...	NNW	3	...	"	29.90	759.5	...	...	N	1	...
Kochi, ...	"	30.00	762.0	...	...	N	1	...	"	30.08	764.0	...	...	SW	1	...
Nagasaki, ...	"	30.08	764.0	...	...	NW	1	...	"	30.06	763.5	...	...	NE	1	...
Kagoshima, ...	"	30.06	763.5	...	...	SE	1	...	"	30.06	763.5	...	...	NW	1	...
Oshima, ...	"	29.98	761.5	...	...	N	2	...	"	29.96	761.0	...	...	...	0	...
Naha, ...	"	29.90	759.5	...	...	NE	3	...	"	29.96	761.0	...	...	NE	2	...
Ishigakijima, ...	"	29.82	757.5	...	...	SSE	1	...	"	29.84	758.0	...	...	ENE	4	...
Bonin Island, ..	"	29.82	757.5	...	...	NW	1	...	"	29.92	760.0	...	...	WNW	1	...
Chefoo.	15	30.17	766.3	42	58	NE	2	b	6	30.18	766.6	36	70	ENE	1	o
Hankow, ...	"	...	..	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai, ...	14	30.17	766.2	54	53	ENE	4	b	"	30.14	765.6	41	87	NE	1	o
Gutzlaff, ...	"	30.15	765.8	48	63	NE	4	o	"	30.13	765.3	44	76	NE	4	o
Sharp Peak, ...	"	29.98	761.5	56	89	N	1	r	7	29.95	760.7	52	100	N	1	rf
Amoy, ...	15	29.89	759.2	62	83	ENE	1	o	9	29.83	757.7	60	90	NE	1	o
Swatow, ...	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku, ...	11	29.93	760.2	63	90	WSW	2	o	5	29.85	758.1	63	96	E	4	r
Taichu, ...	"	29.91	759.6	72	...	N	2	o	"	29.84	757.8	79	...	...	0	o
Tainan, ...	"	29.87	758.7	73	...	N	2	o	"	29.80	756.9	63	...	...	0	o
Koshun, ...	"	29.84	757.8	75	...	NW	4	o	"	29.79	756.6	72	...	NNE	2	o
Pescadores, ...	"	29.93	760.2	63	...	NNE	6	o	"	29.84	757.8	61	...	NNE	4	o
Canton, ...	14	29.82	757.4	65	95	N	2	or	6	...	...	.	...	...	...	...
Hongkong, ...	"	29.83	757.7	65	94	E	4	od	"	29.81	757.2	61	93	E	5	od
Gap Rock, ...	"	29.84	757.9	...	...	ENE	4	o	"	29.82	757.4	...	...	E	5	o
Macao, ...	"	29.81	757.2	68	92	ESE	4	r	"	29.79	756.6	64	88	ESE	6	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien, ...	"	29.74	755.4	72	100	SSE	4	rf	7	29.73	755.1	68	100	ESE	4	rf
Tourane, ...	"	29.74	755.4	79	...	SSE	2	o	"	29.73	755.1	72	...	...	0	of
Cape St. James,	"	29.78	756.3	86	...	SSE	2	b	"	29.79	756.6	73	...	SSE	2	b
Basco, ...	14	29.76	756.0	84	71	SW	4	o	6	29.80	756.9	72	91	NE	4	o
Aparri, ...	"	29.73	755.1	86	68	NNE	4	b	"	29.78	756.3	75	85	N	2	o
Manila, ...	"	29.73	755.1	90	51	WSW	4	b	"	29.78	756.3	77	86	NE	2	o
Legaspi, ...	"	29.75	755.7	86	65	ENE	2	b	"	29.76	756.0	79	91	NE	2	b
Taloban, ...	"	...	...	...	...	...	...	...	"	...	..	...	...	...	...	...
Iloilo, ...	"	29.71	754.5	86	56	NE	4	b	"	29.73	755.1	75	96	N	4	o
Surigao, ...	"	29.74	755.4	82	77	N	2	o	"	29.74	755.4	73	96	SE	1	b
Guam, ...	12.20	29.71	754.5	...	...	ENE	4	o	4.20	29.76	756.0	...	...	NE	2	o
Yap, ...	12.47	29.71	754.5	...	...	ENE	4	o	4.47	29.73	755.1	...	...	ENE	4	o
Labuan, ...	14	29.72	754.9	82	91	NW	2	o	6	29.73	755.1	78	94	...	0	b

March 20*d.* 11*h.* 40*m.*—Pressure has increased slightly over Japan and the Bonins. It has decreased slightly at the majority of other reporting stations.

The anticyclone still appears to be central over S. Manchuria.

A depression is shown over Indo-China.

Gradients are shallow over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 4·75 inches, against an average of 4·82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh to moderate; overcast, drizzle or mist.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	20th March, 1925.								21st March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock. .	12	30.06	763.4	34	...	NNE	4	c	6	30.15	765.8	22	...	...	0	b
emuro.....	11	29.86	758.5	...	...	WNW	1	...	5	30.04	763.0	...	...	W	1	...
okodate, ...	,,	29.90	759.5	...	...	NNW	1	...	,,	30.06	763.5	...	...	...	...	...
okio,.....	,,	29.88	759.0	...	...	NNW	3	...	,,	30.16	766.0	...	...	...	0	...
ochi.	,,	30.02	762.5	...	...	SE	...	...	,,	30.26	768.5	...	...	...	0	...
agasaki, ...	,,	30.06	763.5	...	...	NW	2	...	,,	30.22	767.5	...	...	E	2	...
agoshima, ...	,,	30.04	763.0	...	...	E	1	...	,,	30.20	767.0	...	...	NW	1	...
shima.	,,	29.98	761.5	...	...	ENE	1	...	,,	30.14	765.5	...	...	SE	1	...
aha, ...	,,	...	...	...	...	...	...	...	,,	30.06	763.5	...	...	E	2	...
higakijima, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
omin Island,..	,,	29.88	759.0	...	...	NW	1	...	,,	30.04	763.0	...	...	NW	1	...
hefoo.	15	30.16	766.0	44	60	ENE	1	b	6	30.22	767.6	36	61	S	1	o
ankow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hangsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hanghai, ...	14	30.12	765.0	57	51	E	4	b	,,	30.18	766.5	45	94	E	1	o
ntzlaff,.....	,,	30.13	765.3	48	71	E	4	o	,,	30.18	766.6	46	92	ESE	4	o
harp Peak, ...	,,	29.95	760.7	54	87	N	1	r	7	30.00	762.0	54	92	N	1	r
moy, ...	15	29.88	758.9	60	90	ENE	1	r	9	29.91	759.7	58	100	W	2	r
watow.	,,	...	...	...	...	...	...	...	8	...	...	...	...	..	..	...
aihoku, ...	11	29.86	758.4	64	98	E	4	r	5	29.87	758.7	64	98	E	4	o
aichu, ...	,,	29.89	759.3	63	...	N	1	o	,,	29.91	759.6	61	...	...	0	r
ainan, ...	,,	29.86	758.4	68	...	NNW	2	o	,,	29.89	759.3	61	...	NNE	4	o
oshun, ...	,,	29.81	757.2	77	...	N	2	o	,,	29.82	757.5	73	...	NNE	4	b
escadores, ...	,,	29.92	759 9	59	...	N	4	r	,,	29.88	759.0	61	...	NNE	4	o
anton, ...	14	29.80	756.9	60	94	N	1	or	6	...	...	..	...	...	..	..
ongkong,.....	,,	29.81	757.2	60	96	E	5	ort	,,	29.87	758.7	61	93	E	5	od
ap Rock, ...	,,	29.78	756.4	...	...	ENE	5	omd	,,	29.84	757.9	...	...	ENE	6	od
acao, ...	,,	29.75	755.7	61	100	E	4	r	,,	29.84	757.8	63	90	ESE	4	o
uchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
akhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	..	...
hulien, ...	,,	29.65	753.0	70	100	ESE	4	rf	7	29.73	755.1	68	100	ENE	4	rf
ourane,.....	,,	29.67	753.6	79	...	SSE	2	bf	,,	29.74	755.4	73	...	...	0	of
ape St. James.	,,	29.73	755.1	86	...	SE	2	b	,,	29.79	756.6	73	...	E	2	b
asco,.....	14	...	...	...	...	...	...	...	6	29.81	757.2	70	77	NE	2	o
parri, ...	,,	29.69	754.2	86	68	NE	4	b	,,	29.82	757.5	75	91	...	0	b
anila, ...	,,	29.68	753.9	61	...	SSE	2	b	,,	29.80	756.9	73	91	...	0	b
egaspi, ...	,,	29.71	754.5	86	78	ENE	4	b	,,	29.80	756.9	79	87	ENE	2	b
acloban, ...	,,	29.71	754.5	90	66	SE	4	o	,,	...	...	...	...	...	...	...
oilo, ...	,,	29.67	753.6	86	52	NE	4	b	,,	29.78	756.3	75	89	N	4	b
urigao, ...	..	29.71	754.5	86	68	E	2	o	,,	29.78	756.3	75	94	S	1	o
uam,.....	12.20	29.73	755.1	...	...	SE	4	o	4.20	29.82	757.5	...	...	S	1	o
ap, ...	12.47	29.69	754.2	...	...	E	6	r	4.47	29.76	756.0	...	...	ENE	4	b
alnan, ...	14	29.86	758.4	86	84	N	2	o	6	...	...	...	...	...	...	...

March 21*d.* 11*h.* 10*m.*—Pressure has increased considerably over Japan and slightly elsewhere.

The anticyclone has spread towards S.W. Japan.

The depression over Indo-China is not so pronounced this morning.

Fresh monsoon may be expected along the S.E. coast of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·33 inch. Total since January 1st, 6·08 inches, against an average of 4·94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22nd.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong, moderating; overcast, mist and rain.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,.....	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	21st March, 1925.								22nd March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.07	763.8	44	...	W	2	b	6	30.25	768.4	23	...	NNE	4	o
Nemuro,	11	30.06	763.5	...	...	N	1	...	5	29.90	759.5	...	...	S	2	...
Hokodate,	"	30.08	764.0	...	...	...	0	...	"	30.02	762.5	...	...	WSW	2	...
Tokio,	"	30.18	766.5	...	...	NNE	1	...	"	30.26	768.5	...	...	NW	2	...
Kochi,	"	30.22	767.5	...	...	W	1	...	"	30.26	768.5	...	...	SW	1	...
Nagasaki,	"	30.24	768.0	...	...	E	2	...	"	30.18	766.5	...	...	W	2	...
Kagoshima,	"	30.22	767.5	...	...	NE	1	...	"	30.20	767.0	...	...	...	...	...
Oshima,	"	30.16	766.0	...	...	N	1	...	"	30.10	764.5	...	...	NE	1	...
Naha,	"	30.10	764.5	...	...	ENE	3	...	"	30.02	762.5	...	...	ESE	2	...
Ishigakijima,	"	30.00	762.0	...	...	ESE	4	...	"	29.92	760.0	...	...	S	3	...
Bonin Island,	"	30.10	764.5	...	...	NW	1	...	"	30.20	767.0	...	...	...	...	...
Chefoo,	15	30.11	764.8	48	56	ESE	2	o	6	29.94	760.5	38	100	NE	1	r
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.12	765.0	52	80	ESE	2	o	"	29.94	760.5	55	93	SE	4	o
Gutzlaff,	"	30.13	765.3	48	93	ESE	4	r	"	29.91	759.7	50	100	SE	7	r
Sharp Peak,	"	29.95	760.7	60	88	WNW	6	o	7	29.91	759.7	60	88	...	o	r
Amoy,	15	29.91	759.7	62	90	ENE	2	o	9	29.84	757.9	60	94	SE	1	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.95	760.8	73	75	E	4	o	5	29.85	758.1	64	96	...	o	o
Taichu,	"	29.95	760.8	63	...	...	o	r	"	29.92	759.9	63	...	...	o	o
Tainan,	"	29.93	760.2	66	...	NNE	4	o	"	29.88	759.0	63	...	N	2	o
Koshun,	"	29.92	759.9	79	...	NNE	4	o	"	29.85	758.1	70	...	N	2	b
Pescadores,	"	29.94	760.5	64	...	N	4	o	"	29.88	759.0	63	...	N	1	o
Canton,	14	29.88	758.9	52	93	N	1	or	6	...	...	...	...	...	...	...
Hongkong,	"	29.87	758.7	61	96	E	4	otd	"	29.83	757.7	63	96	E	4	od
Gap Rock,	"	29.85	758.2	...	...	E	6	od	"	29.83	757.7	...	...	E	3	o
Macao,	"	29.82	757.5	63	98	ESE	6	r	"	29.75	755.7	64	98	ESE	4	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.71	754.5	72	98	ESE	6	of	7	29.79	756.6	70	100	SE	4	rf
Tourane,	"	29.72	754.8	79	...	SE	4	b	"	29.76	756.0	73	...	S	4	o
Cape St. James,	"	29.74	755.4	90	...	SSE	2	b	"	29.81	757.2	75	...	E	2	b
Basco,	14	29.79	756.6	81	73	N	2	o	6	29.82	757.5	75	89	...	o	o
Aparri,	"	29.79	756.6	86	61	NNE	4	b	"	29.82	757.5	73	91	SW	2	b
Manila,	"	29.74	755.4	90	48	SE	4	o	"	29.84	757.8	72	87	NE	1	o
Legaspi,	"	29.80	756.9	86	65	ENE	4	b	"	29.82	757.5	77	79	NE	2	o
Tacloban,	"	29.75	755.7	93	61	SSE	1	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	86	75	NE	6	b	"	29.78	756.3	75	91	N	4	o
Surigao,	"	29.75	755.7	86	61	NE	4	o	"	29.78	756.3	77	91	...	o	o
Guam,	12.20	29.80	756.9	...	...	NNE	4	o	4.20	29.78	756.3	...	...	ENE	2	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	29.82	757.5	...	...	ENE	4	o
Labuan,	14	29.71	754.5	86	80	N	2	b	6	29.74	755.4	78	91	E	2	b

March 22*d*. 11*h*. 55*m*.—Pressure has increased considerably at Wladivostock, moderately at the Bonin Islands, and slightly over Indo-China and central Japan; it has decreased considerably at Chefoo, and slightly to moderately elsewhere. The anticyclone is now central over southern Japan, and depressions are situated over Indo-China and to the north of Hokkaido.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·39 inch. Total since January 1st, 6·47 inches, against an average of 5·06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; cloudy, rain.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	22nd March, 1925.								23rd March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	30.20	767.1	29	...	N	5	o	6	29.97	761.1	27	...	E	2	s
Nemuro,	11	29.86	758.5	...	...	NNW	3	...	5	30.26	768.5	...	...	WNW	1	...
Hokodate,	"	30.08	764.0	...	...	NW	5	...	"	30.20	767.0	...	...	ENE	2	...
Tokio,	"	30.20	767.0	...	...	SE	1	...	"	30.12	765.0	...	...	N	1	...
Kochi,	"	...	...	...	...	...	...	...	"	29.88	759.0	...	...	ESE	1	...
Nagasaki,	"	30.10	764.5	...	...	SE	2	...	"	29.78	756.5	...	...	NNW	2	...
Kagoshima,	"	30.12	765.0	...	...	ESE	1	...	"	29.76	756.0	...	...	WNW	1	...
Oshima,	"	30.04	763.0	...	...	SE	3	...	"	29.82	757.5	...	...	N	1	...
Naha,	"	29.98	761.5	...	...	SE	2	...	"	29.86	758.5	...	...	NNW	2	...
Ishigakijima,	"	29.90	759.5	...	...	S	3	...	"	29.88	759.0	...	...	N	1	...
Bonin Island,	"	30.20	767.0	...	...	ESE	1	...	"	30.14	765.5	...	...	SE	1	...
Chefoo,	15	29.67	753.6	40	91	WNW	2	o	6	29.94	760.5	40	85	WNW	1	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.91	759 6	52	90	WNW	4	o	"	30 01	762.3	41	100	NW	1	b
Hutzlaff,	"	29.85	758.2	50	100	NW	4	r	"	29.97	761.2	47	87	N	2	o
Sharp Peak,	"	29.88	758.9	62	93	SW	1	rf	7	29.88	758.9	56	99	N	...	o
Amoy,	15	29.81	757.2	62	94	SSE	2	o	9	29.83	757.7	62	94	SSE	1	rf
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.92	759.9	70	...	...	o	o	5	29.85	758.1	64	96	...	4	o
Taichu,	"	29.87	758.7	77	...	...	o	o	"	29.81	757.2	66	...	...	o	o
Tainan,	"	29.86	758.4	82	...	ESE	6	r	"	29.82	757.5	66	...	NNE	2	b
Koshun,	"	29.86	758.4	84	...	NNW	2	b	"	29.82	757.5	72	...	...	o	o
Pescadores,	"	29.85	758.1	68	...	NE	2	o	"	29.85	758.1	66	...	...	o	o
Canton,	14	29.81	757.2	67	89	N	1	o	6	29.84	757.9	60	94	N	1	or
Hongkong,	"	29.83	757.7	66	95	SE	2	or	"	29.82	757.4	65	99	W	1	of
Gap Rock,	"	29.80	756.9	...	...	E	3	o	"	29.80	756.9	...	...	N	3	of
Macao,	"	29.79	756.6	64	100	NE	4	r	"	29.81	757.2	63	100	N	4	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Takhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.80	756.9	64	96	E	4	rf	7	29.82	757.5	63	96	...	o	rf
Tourane,	"	29.72	754.8	81	...	SE	2	b	"	29.81	757.2	70	...	...	o	of
Cape St. James,	"	29.78	756.3	90	...	S	2	b	"	29.79	756.6	77	...	...	o	o
Basco,	14	29.78	756.3	81	76	ESE	4	o	6	29.82	757.5	73	94	...	o	b
Aparri,	"	29.75	755.7	93	83	SSW	2	b	"	29.84	757.8	77	94	...	o	o
Manila,	"	29.75	755.7	90	48	SE	4	o	"	29.84	757.8	75	79	NE	1	o
Legaspi,	"	29.78	756.3	86	71	E	4	o	"	29.82	757.5	79	61	NE	1	o
Tacloban,	"	29.75	755.7	90	69	SSE	4	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.73	755.1	86	61	NE	4	o	"	29.75	755.7	75	91	N	4	o
Surigao,	"	29.76	756.0	79	92	SE	2	r	"	29.78	756.3	79	90	SE	2	o
Guam,	12.20	29.74	755.4	86	46	SE	4	o	4.20	29.84	757.8	...	...	ENE	4	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	29.81	757.2	...	...	ENE	4	o
Rabaul,	14	29.72	754.8	84	83	NW	2	o	6	29.79	756.6	77	94	NW	1	b

March 23*d.* 11*h.* 38*m.*—Pressure has decreased considerably from S.W. Japan to Wladivostock and increased considerably at Chefoo and Nemuro. Changes elsewhere are slight.

The Shantung depression has moved to S.W. Japan.

An area of low pressure extends from Indo-China across Mindanao.

Another anticyclone is forming over China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·45 inch. Total since January 1st, 7·92 inches, against an average of 5·18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; overcast, mist and rain.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	23rd March, 1925.								24th March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	29.87	758.7	31	...	NNW	3	s	6	30.01	762.3	28	...	NNE	3	o
Nemuro,	11	30.28	769.0	...	...	ESE	1	...	5	29.94	760.5	...	...	E	3	...
Hokodate,	,,	30.06	763.5	...	...	ESE	5	...	,,	29.86	758.5	...	...	N	1	...
Tokio,	,,	30.00	762.0	...	...	NW	1	...	,,	29.86	758.5	...	...	...	0	...
Kochi,	,,	29.82	757.5	...	...	...	...	...	,,	29.92	760.0	...	...	SW	1	...
Nagasaki,	,,	29.94	760.5	...	...	NE	1	...	,,	29.94	760.5	...	...	N	1	...
Kagoshima,	,,	29.90	759.5	...	...	W	1	...	,,	29.94	760.5	...	...	NW	1	...
Oshima,	,,	29.92	760.0	...	...	N	2	...	,,	29.94	760.5	...	...	W	1	...
Naha,	,,	29.96	761.0	...	...	N	2	...	,,	29.94	760.5	...	...	NNE	1	...
Ishigakijima,	,,	29.92	760.0	...	...	E	4	...	,,	29.86	758.5	...	...	E	1	...
Bonin Island,	,,	30.06	763.5	...	...	SSW	3	...	,,	29.88	759.0	...	...	SSW	2	...
Chefoo,	15	30.05	763.2	38	84	ENE	2	o	6	30.09	764.3	34	100	NW	1	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.99	761.7	55	66	SE	2	o	,,	30.00	762.0	48	97	E	1	o
Gutzlaff,	,,	30.03	762.7	52	73	SE	2	o	,,	30.00	762.0	48	100	SE	2	o
Sharp Peak,	,,	29.94	760.5	54	100	N	1	rf	7	29.93	760.2	56	100	...	o	o
Amoy,	15	29.87	758.7	62	94	ENE	4	o	9	29.91	759.7	60	94	NNW	4	r
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.93	760.2	66	92	E	4	o	5	29.87	758.7	64	98	...	o	o
Taichu,	,,	29.91	759.6	75	...	...	o	o	,,	29.89	759.3	66	...	...	o	r
Tainan,	,,	29.89	759.3	82	...	N	2	b	,,	29.86	758.4	68	...	SSE	1	o
Koshun,	,,	29.88	759.0	86	...	ENE	2	b	,,	29.86	758.4	66	...	...	o	b
Pescadores,	,,	29.93	760.2	70	...	N	4	o	,,	29.88	759.0	64	...	N	2	o
Canton,	14	29.80	756.9	63	94	N	1	or	6	...	...	...	...	...	...	...
Hongkong,	,,	29.79	756.6	66	97	W	3	od	,,	29.86	758.4	65	95	E	4	od
Gap Rock,	,,	29.80	756.9	...	...	...	o	o	,,	29.85	758.2	...	...	ENE	3	o
Macao,	,,	29.76	756.0	64	100	...	2	rf	,,	29.82	757.5	66	100	...	o	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.75	755.7	70	82	...	o	o	7	29.86	758.4	64	100	NNE	1	rf
Tourane,	,,	29.75	755.7	72	...	NW	2	o	,,	29.78	756.3	72	...	SE	2	of
Cape St. James,	,,	29.73	755.1	90	...	SE	2	b	,,	29.79	756.6	77	...	E	2	b
Basco,	14	29.79	756.6	90	63	ESE	4	o	6	29.82	757.5	79	90	SE	4	o
Aparri,	,,	29.78	756.3	90	48	S	4	o	,,	29.84	757.8	77	85	SSW	2	o
Manila,	,,	29.78	756.3	90	57	SE	4	o	,,	29.85	758.1	73	91	E	1	o
Legaspi,	,,	29.79	756.6	86	71	ENE	4	b	,,	29.82	757.5	79	89	NE	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	86	61	NE	4	o	,,	29.79	756.6	77	85	NNE	4	b
Surigao,	,,	29.78	756.3	81	84	SE	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.81	757.2	...	...	E	4	o	4.20	29.81	757.2	...	...	NE	2	o
Yap,	12.47	29.79	756.6	...	...	ENE	4	b	4.47	29.76	756.0	...	...	ENE	6	r
Labuan,	14	29.71	754.6	86	84	N	2	h	6	29.76	755.9	76	94	SE	2	o

March 24*d.* 11*h.* 25*m.*—Pressure has decreased considerably from N.E. Japan to the Bonins. It has increased moderately at Wladivostock and slightly over S. China. It is nearly stationary elsewhere.

The Shantung depression has passed into the Pacific.

The anticyclone is central over N.E. China.

Moderate monsoon may be expected along the S.E. coast of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·68 inch. Total since January 1st, 8·60 inches, against an average of 5·30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; overcast, mist, rain.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	24th March, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	25th March, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ladivostock, .	12	29.99	761.8	36	...	W	2	o	6	29.96	761.0	27	...	ESE	2	b
amuro,	11	29.88	759.0	...	...	NE	3	...	5	...	...	...	...	...	...	...
okodate,	"	29.90	759.5	...	...	SE	1	...	"	29.88	759.0	...	...	NE	1	...
okio,	"	29.84	758.0	...	...	ENE	1	...	"	29.84	758.0	...	...	...	...	...
ochi,	"	29.88	759.0	...	...	SW	1	...	"	29.80	757.0	...	...	...	...	...
agasaki,	"	29.88	759 0	...	...	SE	1	...	"	29.90	759.5	...	...	...	...	...
agoshima,	"	29.92	760.0	...	...	S	1	...	"	29.88	759.0	...	...	NW	1	...
shima,	"	29.92	760.0	...	...	...	...	...	"	29.94	760.5	...	...	NNW	4	...
aba,	"	29.92	760.0	...	...	E	1	...	"	29.96	761.0	...	...	N	1	...
higakijima,	"	29.90	759.5	...	...	...	...	...	"	29.94	760.5	...	...	NE	2	...
oin Island,	"	29.88	759.0	...	...	NW	1	...	"	29.88	759.0	...	...	WSW	1	...
hefoo,	15	30.02	762.5	38	72	NE	1	o	6	30.06	763.5	36	90	W	1	b
ankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
hang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
hangsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
hanghai,	14	30.04	762.9	52	85	N	1	o	"	30.14	765.6	46	89	NNE	1	o
utzlaff,	"	30.03	762.7	50	93	N	2	of	"	30.16	766.0	46	86	N	1	o
harp Peak,	"	29.93	760.2	60	93	...	o	r	7	30.00	762.0	56	87	NE	1	o
moy,	15	29.87	758.7	63	94	ENE	4	o	9	29.95	760.7	70	73	ENE	2	o
swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
ishoku,	11	29.95	760.8	63	96	SW	2	r	5	29.95	760.8	63	92	E	4	o
iohu,	"	29.93	760.2	66	...	...	o	o	"	29.94	760.5	61	...	...	o	o
ainan,	"	29.89	759.3	82	...	...	o	b	"	29.88	759.0	64	...	N	2	o
oshun,	"	29.88	759.0	86	...	WNW	2	b	"	29.87	758.7	75	...	NNE	2	o
escadores,	"	29.94	760.5	66	...	NNE	4	r	"	29.91	759.6	64	...	NNE	4	o
anton,	14	29.87	758.7	74	81	...	o	o	6	...	...	...	...		...	...
ongkong,	"	29.88	758.9	65	97	E	2	omd	"	29.89	759.2	67	92	ENE	3	o
ap Rock,	"	29.88	758.9	...	...	ENE	4	o	"	29.89	759.2	...	...	NE	4	o
acao,	"	29.86	758.4	68	100	N	1	rf	"	29.87	758.7	66	98	...	o	of
uchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
akhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
oihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
hulien,	"	29.85	758.1	70	100	SSE	1	of	7	29.86	758.4	68	100	NW	1	of
ourane,	"	29.81	757.2	75	...	NW	2	b	"	29.86	758.4	66	...	WNW	2	o
ape St. James,	"	29.85	758.1	84	...	E	2	b	"	29.75	755.7	77	...	E	4	o
asco,	14	29.78	756.3	86	58	ESE	6	o	6	29.84	757.8	77	92	NE	2	o
parri,	"	29.76	756.0	90	66	NE	4	b	"	29.84	757.8	75	92	...	o	b
anila,	"	29.76	756.0	86	61	WNW	2	o	"	29.82	757.5	73	88	SE	1	o
egaspi,	"	29.79	756.6	86	68	ENE	2	b	"	29.82	757.5	77	88	NE	2	o
acloban,	"	...	...	...	..	...	..	...	"	...	...	...	...	...	...	...
oilo,	"	29.73	755.1	86	58	NE	4	b	"	...	...	...	...	...	...	...
urigao,	..	29.71	754.5	84	77	NE	2	o	"	...	...	...	...	...	...	...
nam,	12.20	...	...	...	...	...	..	...	4.20	...	...	...	...	...	...	...
ap,	12.47	29.72	754.8	...	...	E	6	r	4.47	...	...	...	...	...	...	...
ebuan,	14	29.77	756.1	84	83	NW	2	b	6	29.79	756.6	76	94	NE	4	r

March 25*d*. 10*h*. 40*m*.—Pressure has increased slightly from Chefoo to N. Luzon. It has decreased moderately over central Japan and slightly over Tongking.

The anticyclone has strengthened slightly.

A depression is shown between Tokio and Kobe.

Fresh monsoon may be expected along the S.E. coast of China and moderate to fresh monsoon over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·15 inch. Total since January 1st, 8·75 inches, against an average of 5·42 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel.	N.E. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate; overcast, drizzle or mist.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	25th March, 1925.								26th March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.93	760.1	36	...	SSW	3	o	6	30.10	764.6	21	...	NNE	4	o
Nemuro,	11	29.88	759.0	...	...	ESE	1	...	5	29.78	756.5	...	...	NNW	3	...
Hokodate,	"	29.82	757.5	...	...	ESE	1	...	"	29.86	758.5	...	...	NNW	1	...
Tokio,	"	29.75	755.5	...	...	NE	1	...	"	29.90	759.5	...	...	NNW	1	...
Kochi,	"	29.76	756.0	...	...	W	2	...	"	30.02	762.5	...	...	SW	1	...
Nagasaki,	"	29.96	761.0	...	...	NW	4	...	"	30.12	765.0	...	...	N	2	...
Kagoshima,	"	29.94	760.5	...	...	WNW	2	...	"	30.08	764.0	...	...	NW	1	...
Oshima,	"	30.00	762.0	...	...	N	2	...	"	30.08	764.0	...	...	NNW	2	...
Naha,	"	30.02	762.5	...	...	N	2	...	"	30.06	763.5	...	...	NE	1	...
Ishigakijima,	"	30.00	762.0	...	...	ENE	2	...	"	30.02	762.5	...	...	ENE	3	...
Bonin Island,	"	29.92	760.0	...	...	WNW	1	...	"	29.96	761.0	...	...	WNW	1	...
Chefoo,	15	30.15	765.8	40	65	NW	2	b	6	30.25	768.3	32	68	...	0	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.19	766.8	54	59	NNE	1	o	"	30.30	769.5	43	62	NE	1	o
Gutzlaff,	"	30.21	767.3	52	66	N	1	b	"	30.24	768.1	42	66	NE	4	o
Sharp Peak,	"	30.04	763.0	58	88	N	2	o	7	30.03	762.7	54	87	NNE	4	o
Amoy,	15	29.94	760.5	68	74	ENE	4	o	9	29.99	761.7	60	90	ENE	4	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taiboku,	11	30.02	762.6	70	69	E	6	o	5	30.00	762.0	63	88	E	4	o
Taichu,	"	29.95	760.8	72	...	...	0	o	"	29.89	759.3	63	...	N	2	r
Tainan,	"	29.94	760.5	77	...	N	4	o	"	29.91	759.6	64	...	N	4	o
Koshun,	"	29.89	759.3	81	...	NE	4	o	"	29.87	758.7	72	...	NE	4	b
Pescadores,	"	29.98	761.4	66	...	NNE	4	o	"	29.92	759.9	61	...	NNE	6	r
Canton,	14	29.89	759.2	71	85	SE	2	o	6	...	...	...	..	..	...	...
Hongkong,	"	29.91	759.7	67	84	E	5	o	"	29.88	758.9	63	90	E	5	od
Gap Rock,	"	29.92	759.9	...	...	ENE	5	od	"	29.88	758.9	...	...	E	5	o
Macao,	"	29.89	759.3	66	92	SE	4	o	"	29.82	757.5	63	92	ESE	4	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.78	756.3	77	79	SE	4	of	7	29.75	755.7	70	100	ESE	2	rf
Tourane,	"	29.81	757.2	72	...	NW	2	of	"	29.79	756.6	72	...	SW	4	bf
Cape St. James,	"	29.72	754.8	81	...	E	4	b	"	29.76	756.0	77	...	E	4	o
Basco,	14	...	...	...	..	...	..	...	6	...	...	...	...	...	...	...
Aparri,	"	29.75	755.7	86	71	NE	4	o	"	29.84	757.8	73	91	...	0	b
Manila,	"	29.73	755.1	93	40	SSE	2	o	"	29.82	757.5	72	88	NE	1	o
Legaspi,	"	29.76	756.0	86	65	ENE	2	o	"	29.79	756.6	75	94	...	0	o
Tacloban,	"	29.75	755.7	90	72	SSE	4	r	"	29.76	756.0	75	96	NW	2	o
Iloilo,	"	29.72	754.8	84	64	NE	6	o	"	...	...	...	...	...	...	...
Surigao,	"	29.76	756.0	79	91	NE	2	o	"	29.76	756.0	75	96	...	0	o
Guam,	12.20	29.78	756.3	...	...	ENE	4	o	4.20	29.79	756.6	...	...	ENE	2	o
Yap,	12.47	29.72	754.8	...	...	E	4	o	4.47	29.74	755.4	...	...	ENE	4	o
Labuan,	11	29.75	755.6	84	83	N	2	b	6	29.73	755.1	78	94	...	0	o

March 26*d*. 11*h*. 15*m*.—Pressure has increased moderately at Wladivostock and over central and S.W. Japan. It has increased slightly from Chefoo to Shanghai and from the Loochoos to Luzón, and has decreased slightly over S. China and Indo-China.

The anticyclone has strengthened. The Tokio depression has passed into the Pacific.

Strong monsoon may be expected along the S.E. coast of China and fresh monsoon over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·08 inch. Total since January 1st, 8·83 inches, against an average of 5·53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	E. winds, fresh; overcast, rain.
3.—Hongkong to Gap Rock,	E. winds, fresh; overcast, rain.
4.—South coast of China between Hongkong and Hainan,	E. winds, fresh; overcast, rain.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	26th March, 1925.								27th March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	30.09	764.4	30	...	NNE	4	b	6	30.18	766.5	22	...	...	0	b
Gemuro,	11	29.80	757.0	...	...	NW	4	...	5	30.08	764.0	...	...	...	...	...
Hakodate,	"	29.96	761.0	...	...	N	4	...	"	30.08	764.0	...	...	NE	1	...
Tokio,	"	29.96	761.0	...	...	N	2	...	"	30.12	765.0	...	...	NNW	2	...
Kochi,	"	30.00	762.0	...	...	ESE	1	...	"	30.08	764.0	...	...	...	...	...
Nagasaki,	"	30.12	765.0	...	...	N	1	...	"	30.10	764.5	...	...	E	1	...
Kagoshima,	"	30.08	764.0	...	...	WSW	1	...	"	30.04	763.0	...	...	...	...	...
Oshima,	"	30.10	764.5	...	...	N	2	...	"	29.94	760.5	...	...	...	...	...
Tosa,	"	30.08	764.0	...	...	ENE	2	...	"	29.80	757.0	...	...	SE	2	...
Ishigakijima,	"	30.02	762.5	...	...	ESE	3	...	"	29.75	755.5	...	...	N	5	...
Bonin Island,	"	30.00	762.0	...	...	NW	1	...	"	30.08	764.0	...	...	...	...	...
Chefoo,	15	30.22	767.6	42	75	ENE	1	b	6	30.10	764.5	38	63	S	2	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.21	767.4	43	70	NNE	2	o	"	30.27	768.9	39	90	N	1	o
Nutzlaff,	"	30.19	766.8	44	68	ENE	4	o	"	30.22	767.6	40	91	NNE	6	r
Sharp Peak,	"	...	...	52	93	N	2	rf	7	29.98	761.5	50	93	E	4	r
Amoy,	15	29.84	757.9	63	83	ENE	1	o	9	29.95	760.7	56	94	ENE	4	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.98	761.4	64	96	E	4	r	5	29.94	760.5	57	93	ENE	2	r
Taichu,	"	29.94	760.5	70	...	...	0	o	"	29.94	760.5	57	...	N	2	r
Hainan,	"	29.88	759.0	79	...	NE	4	b	"	29.86	758.4	61	...	N	2	r
Koshun,	"	29.91	759.6	81	...	NE	6	b	"	29.79	756.6	66	...	NW	4	r
Pescadores,	"	29.93	760.2	70	...	NNE	4	o	"	29.91	759.6	59	...	NNE	4	r
Canton,	14	29.81	757.2	66	89	SE	2	o	6	29.95	760.7	55	87	N	2	o
Hongkong,	"	29.86	758.4	61	98	ENE	4	orlt	"	29.88	758.9	62	89	N	1	o
Gap Rock,	"	29.80	756.9	...	...	E	6	od	"	29.87	758.7	...	...	ENE	5	o
Macao,	"	29.81	757.2	63	100	NNE	4	r	"	29.88	759.0	59	91	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.68	753.9	75	88	SSE	6	o	7	29.80	756.9	66	100.	NE	6	rf
Tourane,	"	29.73	755.1	81	...	SE	4	b	"	29.74	755.4	75	...	...	0	b
Cape St. James,	"	29.74	755.4	81	...	E	4	b	"	29.78	756.3	75	...	E	2	o
Basco,	14	29.80	756.9	81	73	ESE	6	o	6	...	...	...	...	...	...	...
Aparri,	"	29.78	756.3	86	65	NE	4	o	"	29.79	756.6	73	86	SW	2	b
Manila,	"	29.74	755.4	93	46	ESE	4	o	"	29.78	756.3	73	88	E	1	o
Legaspi,	"	29.76	756.0	82	...	NNE	4	o	"	29.75	755.7	79	89	NNE	2	o
Tacloban,	"	29.73	755.1	90	66	S	4	o	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	"	29.74	755.4	79	89	...	0	o	"	29.74	755.4	77	92	ESE	1	o
Guam,	12.20	29.75	755.7	...	...	ENE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	11	29.75	755.6	84	83	NW	2	b	6	29.78	756.4	78	94	NE	2	b

March 27*d*. 11*h*. 23*m*.—Pressure has increased considerably over N.E. Japan and has decreased considerably from Oshima to Ishigaki.

The northern anticyclone has moved eastward, leaving a separate anticyclone over China.

A depression has formed to the east of Ishigaki.

Strong monsoon may be expected along the S.E. coast of China and fresh monsoon over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 2·92 inch. Total since January 1st, 11·75 inches, against an average of 5·64 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; overcast, occasional rain.
3.—Hongkong to Gap Rock,	N.E. winds, fresh; overcast, occasional rain.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; overcast, occasional rain.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	27th March, 1925.								28th March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.08	764.0	...	...	SSW	2	...	5	29.96	761.0	...	...	NW	1	...
Hokodate,	"	30.02	762.5	...	...	SW	2	...	"	30.12	765.0	...	...	...	...	...
Tokio,	"	30.08	764.0	...	...	NNW	1	...	"	30.18	766.5	...	...	N	1	...
Kochi,	"	30.10	764.5	...	...	...	...	...	"	30.16	766.0	...	...	WNW	1	...
Nagasaki,	"	30.10	764.5	...	...	ESE	2	...	"	30.12	765.0	...	...	E	1	...
Kagoshima,	"	30.04	763.0	...	...	NE	1	...	"	30.10	764.5	...	...	...	0	...
Oshima,	"	29.94	760.5	...	...	E	1	...	"	30.00	762.0	...	...	...	0	...
Naha,	"	29.72	755.0	...	...	NE	6	...	"	29.96	761.0	...	...	...	0	...
Ishigakijima,	"	29.88	759.0	...	...	N	3	...	"	29.94	760.5	...	...	N	1	...
Bonin Island,	"	30.02	762.5	...	...	ESE	1	...	"	29.90	759.5	...	...	SSW	2	...
Chefoo,	15	30.07	763.8	48	63	NNW	4	o	6	30.04	763.0	40	74	S	2	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.20	767.1	48	60	NE	1	o	"	30.14	765.6	41	87	E	1	o
Gutzlaff,	"	30.18	766.6	50	58	NNE	4	o	"	30.13	765.3	46	86	ESE	4	b
Sharp Peak,	"	30.01	762.2	50	86	ENE	4	o	7	30.03	762.7	48	93	W	1	rf
Amoy,	15	29.94	760.5	60	76	ENE	4	o	9	29.99	761.7	54	89	E	4	r
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.02	762.6	59	85	E	2	o	5	29.98	761.4	59	96	E	4	r
Taichu,	"	29.92	759.9	63	...	N	4	o	"	29.95	760.8	59	...	...	0	o
Tainan,	"	29.88	759.0	64	...	N	4	o	"	29.92	759.9	59	...	N	2	o
Koshun,	"	...	..	79	...	NNE	4	o	"	29.91	759.6	70	...	NE	2	b
Pescadores,	"	29.94	760.5	59	...	NNE	6	r	"	29.97	761.1	59	...	NNE	4	o
Canton,	14	29.96	761.0	56	81	N	2	or	6	...	...	...	...	...	...	...
Hongkong,	"	29.91	759.7	59	94	E	2	orlt	"	29.91	759.7	59	89	E	5	cd
Gap Rock,	"	29.90	759.4	...	...	ENE	5	o	"	29.91	759.7	...	...	ENE	5	od
Macao,	"	29.89	759.3	55	93	N	4	o	"	29.91	759.6	55	100	N	4	rf
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.85	758.1	59	100	ENE	4	rf	7	29.92	759.9	59	98	...	0	of
Tourane,	"	29.73	755.1	81	...	SE	2	o	"	29.88	759.0	66	...	NW	4	rf
Cape St. James,	"	29.74	755.4	86	...	SE	2	b	"	29.79	756.6	77	...	E	4	b
Basco,	14	29.76	756.0	86	65	W	6	o	6	29.88	759.0	72	75	NNE	4	b
Aparri,	"	29.81	757.2	86	68	N	4	b	"	29.85	758.1	75	96	NE	4	o
Manila,	"	29.76	756.0	90	55	WSW	2	b	"	29.82	757.5	75	88	...	0	o
Legaspi,	"	29.74	755.4	86	75	NE	4	o	"	29.82	757.5	79	90	NNE	1	b
Tacloban,	"	29.73	755.1	90	63	S	4	o	"	29.81	757.2	75	96	NW	1	b
Iloilo,	"	29.71	754.5	86	56	NE	4	b	"	29.79	756.6	77	91	N	4	b
Surigao,	"	29.73	755.1	86	68	ENE	4	o	"	29.80	756.9	77	88	...	0	b
Guam,	12.20	...	...	...	...	...	...	...	4.20	29.85	758.1	...	...	ENE	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.70	754.4	86	84	NE	4	b	6	29.76	755.9	78	94	...	0	o

March 28*d.* 10*h.* 55*m.*—Pressure has increased considerably at Naha and slightly over Japan and Formosa. It has decreased slightly from Chefoo to Shanghai and is nearly stationary at the majority of other reporting stations.

The Ishigaki depression has moved to the north of the Bonins.

The anticyclone has weakened and is now shown as a belt of high pressure extending from the Yangtze Valley to N.E. Japan.

The monsoon will moderate.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·31 inch. Total since January 1st, 12·06 inches, against an average of 5·75 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh, moderating.
2.—South coast of China between Hongkong and Lamocks,	E. winds, fresh, moderating; overcast with drizzle at first, improving later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	28th March, 1925.								29th March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	30.16	766.1	37	...	SSE	2	b	6	30.00	02.0	31	...	ESE	4	o
Gensan,	11	30.00	762.0	...	...	NW	2	...	5	30.10	764.5	...	...	SW	2	...
Fusan,	"	30.12	765.0	...	...	W	2	...	"	30.16	766.0	...	...	WSW	1	...
Tokio,	"	30.18	766.5	...	...	S	1	...	"	30.22	767.5	...	...	NNW	1	...
Kochi,	"	30.16	766.0	...	...	ESE	1	...	"	30.0[illegible]	762.5	...	...	SW	1	...
Nagasaki,	"	30.12	765.0	...	...	ENE	1	...	"	29.84	758.0	...	...	SSE	4	...
Kagoshima,	"	30.12	765.0	...	...	S	1	...	"	29.92	760.0	...	...	NE	1	...
Ishima,	"	30.04	763.0	...	...	SE	1	...	"	29.86	758.5	...	...	...	0	...
Iba,	"	30.02	762.5	...	...	NE	2	...	"	29.86	758.5	...	...	SE	1	...
Ishigakijima,	"	29.98	761.5	...	...	ESE	2	...	"	29.92	760.0	...	...	WSW	1	...
Formosa Island,	"	29.90	759.5	...	...	SSW	1	...	"	30.04	763.0	...	...	ENE	1	...
Tamsui,	15	29.92	759.9	48	56	S	4	o	6	29.85	758.2	38	91	W	2	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.01	762.3	55	71	ESE	4	o	"	30.06	763.5	43	94	W	1	b
Gutzlaff,	"	30.04	763.0	48	93	E	1	o	"	30.03	762.7	44	92	NW	6	b
Sharp Peak,	"	29.98	761.5	52	92	N	1	r	7	29.94	760.5	54	96	...	o	o
Amoy,	15	29.91	759.7	58	90	ENE	4	o	9	29.93	760.2	58	94	WNW	2	r
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	..	...	...
Taihoku,	11	29.99	761.7	63	96	E	2	r	5	29.94	760.5	59	98	NW	2	r
Taichu,	"	30.02	762.6	63	...	ESE	2	r	"	29.95	760.8	61	...	NNW	2	r
Tainan,	"	29.99	761.7	68	...	NNE	4	o	"	29.95	760.8	63	...	N	2	o
Koshun,	"	29.97	761.1	77	...	NNE	4	b	"	29.92	759.9	66	...	..	o	b
Pescadores,	"	30.02	762.6	61	...	N	4	r	"	29.95	760.8	63	...	N	4	o
Canton,	14	29.90	759.4	56	94	N	1	f	6	29.95	760.7	56	94	N	2	r
Hongkong,	"	29.88	758.9	60	95	E	4	od	"	29.92	759.9	63	90	E	3	o
Gap Rock,	"	29.85	758.2	...	...	ENE	5	o	"	29.91	759.7	...	...	NE	3	od
Macao,	"	29.85	758.1	61	96	ENE	2	of	"	29.92	759.9	57	98	N	4	o
Wuchow,	15	29.91	759.7	57	87	N	1	om	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.84	757.8	64	86	SSE	1	of	7	29.94	760.5	61	100	NNW	2	rf
Tourane,	"	29.85	758.1	70	...	NW	2	b	"	29.85	758.1	70	...	NW	2	of
Cape St. James,	"	...	...	...	...	...	...	...	"	29.79	756.6	77	...	E	4	b
Pasco,	14	29.84	757.8	81	69	E	4	o	6	..	...	...	...	...	...	...
Aparri,	"	29.82	757.5	86	68	NE	4	b	"	29.84	757.8	73	92	..	o	b
Manila,	"	29.78	756.3	93	50	SE	4	o	"	29.84	757.8	73	85	ENE	1	o
Legaspi,	"	29.80	756.9	75	63	NNE	2	b	"	...	...	...	...	...	...	...
Tacloban,	"	29.78	756.3	90	72	S	4	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	90	44	NE	6	b	"	29.80	756.9	77	86	N	4	o
Surigao,	..	29.78	756.3	86	68	ENE	4	b	"	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	NE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	29.78	756.3	...	...	ENE	4	o
Labuan,	14	29.70	754.4	86	80	NW	4	b	6	29.78	756.4	77	94	NE	1	o

March 29*d.* 12*h.* 03*m.*—Pressure has decreased considerably at Wladivostock and over S. Japan and the Loochoos; it has decreased slightly over Shantung, Formosa and N. Luzon, and increased slightly elsewhere.

The anticyclone has passed into the Pacific, and a fresh anticyclonic area appears to be developing over China. Shallow depressions are situated over S. Manchuria and the Eastern Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·20 inch. Total since January 1st, 12·26 inches, against an average of 5·86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate to fresh.
2.—South coast of China between Hongkong and Lamocks.	N. and N.E. winds, moderate; cloudy, rainy, improving later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	29th March, 1925.								30th March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.87	758.6	36	...	ESE	5	o	6	29.81	757.1	30	...	...	0	o
Nemuro,	11	30.04	763.0	...	...	SW	1	...	5	29.78	756.5	...	...	E	3	...
Hokodate,	"	30.10	764.5	...	...	SE	1	...	"	29.37	746.0	...	...	E	2	...
Tokio,	"	30.10	764.5	...	...	NW	1	...	"	29.33	745.0	...	...	NNW	2	...
Kochi,	"	29.84	758.0	...	...	SW	1	...	"	29.78	756.5	...	...	W	1	...
Nagasaki,	"	29.78	756.5	...	...	NNW	4	...	"	29.98	761.5	...	...	NNW	4	...
Kagoshima,	"	29.78	756.5	...	...	ENE	1	...	"	29.96	761.0	...	...	NW	3	...
Oshima,	"	29.84	758.0	...	...	NNW	3	...	"	30.04	763.0	...	...	N	4	...
Naha,	"	29.92	760.0	...	...	NW	3	...	"	30.10	764.5	...	...	N	3	...
Ishigakijima,	"	29.96	761.0	...	...	N	1	...	"	30.08	764.0	...	...	NE	2	...
Bonin Island,	"	29.98	761.5	...	...	E	1	...	"	29.86	758.5	...	...	SSW	1	...
Chefoo,	15	30.05	763.2	38	84	NW	6	b	6	30.16	766.0	34	42	S	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.13	765.3	59	63	WNW	6	b	"	30.32	770.1	36	89	WNW	1	b
Gutzlaff,	"	30.12	765.0	54	68	N	4	o	"	30.29	769.3	42	66	NNE	2	o
Sharp Peak,	"	30.00	762.0	58	94	E	4	o	7	30.11	764.8	54	80	N	1	r
Amoy,	15	29.94	760.5	60	94	ENE	2	r	9	30.06	763.5	56	81	NNE	4	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.00	762.0	61	93	N	1	r	5	30.10	764.4	59	68	ENE	4	o
Taichu,	"	29.97	761.1	68	...	N	1	of	"	30.01	762.3	57	...	.	0	o
Tainan,	"	29.92	759.9	79	...	NNE	2	o	"	29.98	761.4	59	...	N	2	r
Koshun,	"	29.92	759.9	81	...	NNW	4	b	"	29.94	760.5	68	...	NNE	6	o
Pescadores,	"	29.99	761.7	68	...	NNE	2	r	"	29.99	761.7	63	...	NNE	4	b
Canton,	14	29.94	760.5	63	83	N	1	o	6	30.01	762.2	55	100	...	0	or
Hongkong,	"	29.90	759.4	67	89	N	2	om	"	29.99	761.7	62	80	E	4	o
Gap Rock,	"	29.91	759.7	...	...	ENE	3	o	"	29.98	761.5	...	...	ENE	5	o
Macao,	"	29.88	759.0	63	90	N	4	o	"	29.94	760.5	57	98	NE	4	r
Wuchow,	15	30.02	762.5	56	94	E	1	r	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.91	759.6	66	80	SSE	1	o	7	29.95	760.8	61	100	ENE	1	rf
Tourane,	"	29.85	758.1	70	...	NW	6	o	"	29.92	759.9	66	...	WNW	2	o
Cape St. James,	"	29.80	756.9	82	...	E	4	b	"	29.80	756.9	79	...	ENE	6	o
Basco,	14	29.80	756.9	81	69	NNE	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.80	756.9	86	68	NE	4	b	"	29.86	758.4	75	96	...	0	b
Manila,	"	29.78	756.3	93	50	ESE	4	o	"	29.85	758.1	72	86	E	1	o
Legaspi,	"	29.80	756.9	84	81	NNE	4	o	"	29.82	757.5	79	90	NNE	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	86	61	NE	6	o	"	...	...	...	...	...	...	...
Surigao,	"	29.76	756.0	84	68	NE	4	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.75	755.7	...	...	ENE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.75	755.7	...	...	E	4	o	4.47	29.78	756.3	...	...	NNE	4	o
Labuan,	14	29.78	756.4	86	84	N	2	bf	6	29.76	755.9	75	94	...	0	o

March 30*d.* 11*h.* 20*m.*—Pressure has increased considerably from S.W. Japan to Shanghai, moderately at Chefoo, and slightly from Hongkong to Formosa. It has decreased considerably over N.E. Japan and is nearly stationary from Indo-China to the Philippines.

The depression has deepened considerably and moved to the north of Tokio.

The anticyclone has strengthened.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·22 inch. Total since January 1st, 12·48 inches, against an average of 5·98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong; overcast, rain.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	30th March, 1925.								31st March, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	29.84	757.9	42	...	NW	2	o	6	30.06	763.4	32	...	E	2	o
Gemuro,	11	...	...	...	...	...	...	...	5	29.39	746.5	...	...	WNW	3	...
Hokodate,	"	29.27	743.5	...	...	NNW	6	...	"	29.88	759.0	...	...	NW	5	...
Tokio,	"	29.47	748.5	...	...	N	4	...	"	30.06	763.5	...	...	NNW	1	...
Kochi,	"	29.86	758.5	...	...	W	1	...	"	30.16	766.0	...	...	...	...	...
Nagasaki,	"	30.08	764.0	...	...	NW	4	...	"	30.14	765.5	...	...	...	...	...
Kagoshima,	"	30 02	762.5	...	...	WNW	3	...	"	30.10	764.5	...	...	NW	1	...
Ishima,	"	30.10	764.5	...	...	N	4	...	"	30.08	764.0	...	...	SSE	1	...
Taba,	"	30.06	763.5	...	...	NW	5	...	"	30.06	763.5	...	...	NNE	1	...
Ishigakijima,	"	30.12	765.0	...	...	NE	3	...	"	30.00	762.0	...	...	ESE	1	...
Tonin Island,	"	29.86	758.5	...	...	W	1	...	"	30.08	764.0	...	...	N	1	...
Chefoo,	15	30.03	762.7	52	47	E	1	b	6	29.97	761.2	44	53	SE	2	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.24	768.0	57	41	SE	1	b	"	30.07	763.8	46	83	SE	1	o
Kutzlaff,	"	30.26	768.6	50	58	NE	1	o	"	30.08	764.0	47	87	SSE	4	o
Sharp Peak,	"	30.12	765.0	52	88	N	2	rf	7	30.01	762.2	48	96	...	o	rf
Amoy,	15	30.03	762.7	58	76	ENE	4	r	9	29.95	760.7	56	94	...	o	r
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.12	765.0	61	69	E	4	o	5	29.97	761.1	61	87	...	o	o
Taichu,	"	30.02	762.6	68	...	...	o	o	"	29.98	761.4	61	...	...	o	o
Tainan,	"	30.01	762.3	70	...	NNW	2	o	"	29.94	760.5	61	...	N	4	o
Koshun,	"	29.99	761.7	73	...	NNE	6	b	"	29.92	759.9	66	...	N	2	o
Pescadores,	"	30.04	762.9	66	...	NNE	6	o	"	29.97	761.1	59	...	WSW	2	b
Canton,	14	29.95	760.7	60	88	N	2	o	6	...	...	...	...	...	...	...
Hongkong,	"	29.96	761.0	59	83	E	5	or	"	29.86	758.4	60	95	E	5	o
Gap Rock,	"	29.96	761.0	...	...	ENE	6	od	"	29.84	757.9	...	...	E	6	or
Macao,	"	29.92	759.9	59	93	NNE	4	o	"	29.82	757.5	61	98	NNE	4	r
Wuchow,	15	29.95	760.7	64	88	NE	1	orgm	9	...	...	...	...	...	...	...
Takhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Moiho,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Chulien,	"	29.88	759.0	64	100	SSE	2	rf	7	29.84	757.8	63	100	ESE	1	rf
Courane,	"	29.87	758.7	68	...	NW	2	o	"	29.81	757.2	70	...	SSE	2	of
Cape St. James,	"	29.78	756.3	82	...	ENE	4	b	"	29.79	756.6	77	...	E	6	b
Basco,	14	29.87	758.7	73	85	N	6	r	6	29.88	759.0	73	89	NE	6	r
Aparri,	"	29.82	757.5	82	54	NE	4	o	"	29.85	758.1	73	94	...	o	b
Manila,	"	29.79	756.6	84	71	SE	4	o	"	29.84	757.8	75	92	ENE	1	o
Legaspi,	"	29.80	756.9	81	86	NNE	4	o	"	29.81	757.2	77	94	NNE	2	o
Tacloban,	"	29.76	756.0	90	69	NE	2	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.73	755.1	86	58	NE	4	o	"	29.76	756.0	77	89	N	4	o
Surigao,	..	...	...	...	...	...	...	...	"	29.78	756.3	77	89	ENE	4	o
Guam,	12.20	29.78	756.3	...	...	E	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	..	...	...	...	...	...	...	4.47	29.79	756.6	...	...	ENE	4	o
Pahuan,	14	29.77	756.1	86	84	N	1	o	6	29.79	756.6	76	94	N	4	r

March 31*d.* 11*h.* 05*m.*—Pressure has increased considerably over central and N.E. Japan. It has decreased considerably at Shanghai and moderately over S. China and Indo-China. It is nearly stationary over the Philippines.

The anticyclone has weakened and is now central over S.W. Japan.

The monsoon will moderate.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·12 inch. Total since January 1st, 12·60 inches, against an average of 6·10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh to moderate.
2.—South coast of China between Hongkong and Lamocks.	E. winds, fresh to moderate; overcast, rain, fog.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

APRIL,

1925.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

C. W. JEFFRIES,

DIRECTOR.

HONGKONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1925.

[Price 60c.]

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

APRIL,

1925.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of APRIL, 1925.

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·769	29·767	29·769	29·759	29·765	29·736	29·796	29·818	29·835	29·837	29·837	29·812	1
2	29·785	29·777	29·764	29·760	29·767	29·773	29·794	29·808	29·822	29·830	29·829	29·808	2
3	29·747	29·737	29·719	29·713	29·714	29·724	29·740	29·761	29·776	29·782	29·776	29·757	3
4	29·730	29·706	29·695	29·678	29·695	29·731	29·734	29·757	29·781	29·807	29·810	29·812	4
5	29·952	29·942	29·932	29·916	29·952	29·963	29·995	30·021	30·034	30·063	30·037	30·010	5
6	30·035	30·018	30·018	30·008	30·018	30·018	30·026	30·050	30·057	30·061	30·042	30·032	6
7	30·016	30·008	29·994	29·978	29·978	30·008	30·012	30·046	30·066	30·069	30·065	30·052	7
8	30·076	30·065	30·055	30·060	30·072	30·094	30·108	30·143	30·161	30·180	30·183	30·174	8
9	30·244	30·238	30·216	30·214	30·220	30·235	30·256	30·279	30·305	30·300	30·281	30·277	9
10	30·210	30·172	30·164	30·156	30·152	30·164	30·169	30·187	30·219	30·222	30·206	30·184	10
11	30·105	30.088	30·068	30·064	30·058	30·059	30.066	30·079	30·085	30·092	30·069	30·054	11
12	30·002	29·988	29·975	29·965	29·966	29·980	29·994	30·010	30·023	30·028	30·024	30·011	12
13	29·980	29·970	29·960	29·952	29·960	29·972	29·996	30·014	30·032	30·025	30·022	30·004	13
14	30·021	30·009	29·975	29·971	29·979	29·998	30·006	30·019	30·039	30·048	30·036	30·016	14
15	29·999	29·980	29·952	29·950	29·962	29·971	29·977	30·002	30·008	30·030	30·012	29·992	15
16	29·973	29·953	29·939	29·927	29·925	29·932	29·938	29·972	29·994	29·998	29·985	29·986	16
17	29·935	29·917	29·898	29·894	29·892	29·898	29·913	29·932	29·947	29·952	29·945	29·924	17
18	29·904	29·893	29·888	29·886	29·894	29·910	29·924	29·950	29·965	29·973	29·963	29·939	18
19	29·975	29·961	29·954	29·956	29·964	29·971	29·983	29·982	29·992	29·995	29·976	29·955	19
20	29·917	29·901	29·881	29·887	29·889	29·895	29·919	29·935	29·952	29·954	29·945	29·931	20
21	29·861	29·839	29·829	29·830	29·838	29·850	29·869	29·878	29·894	29·911	29·904	29·883	21
22	29·864	29·834	29·815	29·816	29·817	29·825	29·838	29·866	29·887	29·886	29·889	29·876	22
23	29·804	29·786	29·776	29·766	29·772	29·789	29·814	29·824	29·842	29·855	29·842	29·836	23
24	29·790	29·774	29·758	29·764	29·764	29·772	29·788	29·806	29·820	29·836	29·826	29·819	24
25	29·781	29·771	29·769	29·769	29·773	29·789	29·818	29·816	29·835	29·833	29·833	29·815	25
26	29·774	29·758	29·744	29·743	29·746	29·760	29·775	29·790	29·798	29·808	29·808	29·803	26
27	29·867	29·847	29·836	29·842	29·854	29·864	29·883	29·900	29·896	29·907	29·915	29·901	27
28	29·873	29·857	29·854	29·862	29·880	29·883	29·897	29·925	29·937	29·936	29·929	29·914	28
29	29·890	29·872	29·846	29·842	29·838	29·822	29.858	29·869	29·870	29·884	29·875	29·860	29
30	29·860	29·838	29·797	29·805	29·806	29·818	29·839	29·856	29·866	29·872	29·864	29·853	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins	ins.	ins.	ins.	ins	ins.	ins.	ins.	ins	ins.	
1	29·784	29·744	29·718	29·744	29·730	29·742	29·740	29·743	29·751	29·775	29·790	29·789	1
2	29·772	29·745	29·721	29·707	29·705	29·717	29·728	29·735	29·741	29·760	29·760	29·757	2
3	29·729	29·706	29·682	29·667	29·667	29·681	29·694	29·718	29·740	29·758	29·758	29·750	3
4	29·803	29·804	29·797	29·803	29·796	29·828	29·865	29·877	29·913	29·943	29·955	29·963	4
5	30·006	29·987	29·974	29·968	29·970	29·980	29·989	29·992	30·015	30·036	30·045	30·063	5
6	30·004	29·997	29·976	29·975	29·959	29·976	29·995	30·013	30·019	30·038	30·038	30·020	6
7	30·008	29·990	29·978	29·974	29·978	29·986	30·006	30·024	30·053	30·079	30·084	30·084	7
8	30·135	30·144	30·116	30·111	30·122	30·143	30·167	30·180	30·207	30·229	30·239	30·239	8
9	30·248	30·218	30·196	30·177	30·176	30·190	30·207	30·206	30·222	30·245	30·242	30·224	9
10	30·156	30·111	30·091	30·068	30·064	30·079	30·087	30·095	30·111	30·123	30·116	30·120	10
11	30·045	30·021	29·975	29·973	29·957	29·954	29·973	29·987	30·006	30·017	30·020	30·018	11
12	29·989	29·956	29·930	29·921	29·917	29·928	29·933	29·952	29·972	29·986	29·991	29·984	12
13	29·978	29·956	29·934	29·924	29·929	29·932	29·950	29·968	29·996	29·996	30·006	30·010	13
14	30·014	29·974	29·959	29·942	29·942	29·944	29·954	29·968	29·992	30·007	30·021	30·005	14
15	29·976	29·952	29·944	29·944	29·939	29·941	29·957	29·985	29·998	30·007	30·000	29·987	15
16	29·958	29·928	29.911	29·911	29·902	29·904	29·918	29·934	29·954	29·959	29·965	29·951	16
17	29·894	29·863	29·836	29·828	29·833	29·842	29·864	29·878	29·895	29·913	29·930	29·922	17
18	29·923	29·900	29·886	29·879	29·877	29·892	29·908	29·919	29·953	29·979	29·980	29·985	18
19	29·929	29·918	29·888	29·872	29·864	29·870	29·880	29·896	29·914	29·928	29·930	29·928	19
20	29·912	29·872	29·840	29·831	29·818	29·829	29·834	29·848	29·853	29·870	29·874	29·867	20
21	29·865	29·845	29·812	29·803	29·800	29·810	29·825	29·841	29·861	29·872	29·878	29·873	21
22	29·855	29·821	29·801	29·783	29·785	29·788	29·806	29·825	29·838	29·845	29·846	29·828	22
23	29·816	29·794	29·771	29·738	29·752	29·753	29·770	29·792	29·796	29·808	29·804	29·802	23
24	29·797	29·774	29·755	29·748	29·744	29·752	29·767	29·779	29·791	29·801	29·813	29·793	24
25	29·802	29·792	29·763	29·745	29·733	29·738	29·745	29·746	29·760	29·777	29·787	29·781	25
26	29·789	29·773	29·746	29·740	29·746	29·755	29·785	29·796	29·818	29·830	29·849	29·864	26
27	29·884	29·861	29·857	29·833	29·843	29·846	29·855	29·855	29·867	29·878	29·898	29·890	27
28	29·910	29·886	29·872	29·854	29·844	29·844	29·869	29·882	29·903	29·904	29·908	29·905	28
29	29·836	29·824	29·820	29·809	29·795	29·798	29·808	29·818	29·844	29·856	29·861	29·862	29
30	29·835	29·821	29·801	29·798	29·796	29·792	29·800	29·808	29·832	29·844	29·862	29·864	30

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of APRIL, 1925.

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	63.0	64·1	64·1	64·6	65·0	64·2	64·3	64·5	64·9	65·1	65·2	66·1	1
2	68.6	68·0	68·0	67·9	67·1	66·9	66·9	67·0	67·0	67·5	68·2	69·1	2
3	76.3	74·1	73·2	73·6	76·1	76·2	76·4	76·6	77·6	77·9	77·0	79·0	3
4	68.4	69·0	69·6	68·6	69·5	71·0	70·2	70·3	71·0	66·3	65·7	64·0	4
5	56.3	56·3	55·7	55·0	54·4	54·8	55·7	55·7	55·6	55·7	56·8	58·0	5
6	58·0	57·7	57·4	57·7	57·4	57·4	57·4	57·2	57·7	58·0	58·5	58·2	6
7	59·8	59·4	59·1	59·3	60·2	60·2	60·0	60.0	60·3	60·7	61·1	62·0	7
8	60·9	60·4	60·2	59·0	57·6	57·0	55·8	55·9	55·8	56·0	56·3	56·7	8
9	52·8	52·7	52·8	53·0	53·6	53·5	53·8	54·0	54·3	56·3	58·2	58·0	9
10	59·3	59·3	59·0	58·0	57·9	57·5	57·7	58·4	58·7	59·7	60·5	62·0	10
11	59·1	58·8	59·0	58·7	58·1	57·7	57·6	58·3	58·9	59·6	60·8	61·8	11
12	58·2	57·1	57·1	57·0	57·0	57·3	59·6	61·9	63·0	63·9	65·0	65·3	12
13	62·5	62·3	62·6	62·6	62·7	63·0	63.7	65·5	66·0	67·8	70·0	69·8	13
14	64·4	64·0	64·5	64·3	64·0	63·9	63·8	64·3	65·7	66·0	67·0	67·0	14
15	62·0	62·0	61·9	61·8	62·0	62·1	60·4	59·6	60·1	60·7	60·2	59·8	15
16	58·7	58·4	58·2	58·4	58·4	58·2	58·3	58·6	59·3	60·0	61·0	60·3	16
17	60·0	59·8	59·0	58·4	56·3	56·6	59·0	61·3	63·5	66·6	65·6	67·1	17
18	61·6	61·0	60·3	60·5	59·5	59·3	61·9	64·5	67·2	68·0	70·4	70·3	18
19	64.3	64·0	64·0	64·2	64·3	64·2	64·4	68·8	69·4	72·0	72·9	73·2	19
20	67.2	67·2	67·1	66·6	66·1	66·9	67·1	68·3	69·3	70·2	72·8	74·2	20
21	65.8	65·0	64·4	64·5	65·6	65·5	65·6	69·0	71·4	72·5	73·6	76·5	21
22	68·5	67·2	67·3	67·7	68·2	67·9	68·4	70·6	71·5	73·9	72·7	70·3	22
23	68·2	68·0	68·3	68·5	68·8	69·0	69·6	71·0	72·3	73·6	73·3	73·9	23
24	71·3	71·2	71·0	70·9	70·8	70·8	70·4	71·2	72·2	72·3	73·5	73·1	24
25	69·4	68·9	69·0	69·1	69.0	69·0	69·1	69·9	70·9	74·4	74·0	74·1	25
26	72·3	72·5	72·6	71·0	72·6	72·0	74·2	73·8	77·4	78·0	76·8	77·1	26
27	68·0	67·1	67·1	67·1	67·1	67·2	67·5	68·2	68·9	69·6	69·9	70·7	27
28	67·2	66·6	66·6	66·4	66·8	66·1	66·3	67·5	67·6	68·1	67·8	69·2	28
29	65·5	65·2	65·0	65·0	65·0	64·9	65·0	64·5	65·0	65·6	66·5	68·4	29
30	65·4	65·2	65·1	65·0	64·9	65·0	65·0	64·5	65·0	65·5	66·4	68·8	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	65·7	65·1	65·5	65·6	65·6	66·8	66·5	68·3	68·3	68·7	68·6	69·0	1
2	70·0	70·4	70·3	70·6	70·5	70·5	69·8	69·5	69·1	70.0	71·6	75·2	2
3	79·2	79·7	79·0	78·9	77·4	70·9	69·0	68·6	68·0	67·8	68.3	68·8	3
4	63·5	61·0	60·3	59·1	60·0	58·3	57·8	56·5	56·4	57.1	56·4	56·0	4
5	57·6	57·0	56·7	56·0	56·1	56·3	56·0	56·4	58·3	58.2	58·3	58·2	5
6	57·8	57·5	57·3	56·8	56·9	57·4	57·5	58·0	59·2	59·6	59·8	59·2	6
7	62·7	62·8	63·0	62·9	62·8	62·3	61·9	61·6	61·2	60·8	60·8	60·7	7
8	56·7	56·6	56·3	56·2	56·2	55·4	55·0	55·0	55·0	55·0	54·9	53·8	8
9	59·0	60·3	59·8	60·2	58·9	58·7	58·6	59·2	59·0	59·2	59·3	59·4	9
10	63·3	64·4	63·3	63·0	62·6	61·4	60·2	59·7	59·4	59·3	59·3	59·5	10
11	62·0	61·6	62·5	61·9	61·8	61·0	60·2	59·8	59·8	60·0	59·2	58·4	11
12	65·9	65·6	65·7	65·0	63·9	62·8	62·2	61·5	61·5	61·7	62·4	62·7	12
13	70·2	70·6	69·9	68·6	69·0	67·2	65·3	64·7	64·6	65·4	65·3	65·7	13
14	67·3	67·3	66·8	67·0	65·5	64·5	63·6	63·5	63·5	63·0	62·9	62·6	14
15	59·9	60·0	60·0	59·8	59·3	59·1	59·2	59·2	59·0	58·3	58·5	58·7	15
16	59.9	61·1	62·0	62·0	62·4	62·3	62·2	62·0	61·5	60·5	60.3	60·4	16
17	69·6	70·5	60·3	69·7	67·7	66·6	65.0	63·7	63·0	62·1	61·7	61·2	17
18	70·2	70·4	68·4	68·7	67.6	66·4	65·3	64·3	63·8	63·6	63·7	63·4	18
19	74·0	74·7	74·0	73·5	73·4	72·1	69·3	67·8	67·2	66·5	67·0	67·8	19
20	73·8	73·0	72·5	72·6	72·0	69·6	68·5	68·2	67·5	67·0	66·4	66·1	20
21	76·0	76.5	77·4	75·7	71·2	71·0	69·6	69·5	68·6	67·3	67·6	67·8	21
22	68·5	70·0	69.1	68.9	68·9	68·1	67·9	68·2	68·0	68·3	68·2	68·1	22
23	72·3	74·1	73·3	73·5	72·2	71·7	71·2	71·2	71·2	71·5	71·1	71·0	23
24	73·5	72·7	71·7	70·8	70·2	70·0	69·1	69·1	69·3	69·4	69·3	6·94	24
25	74·8	74·6	78·6	78·9	77·2	76.9	76·3	74·9	72·8	72·6	71·7	72·0	25
26	78·0	78·3	80·1	79·8	78·3	77·2	75·8	75·4	75·5	73·3	70·9	69·6	26
27	70·5	69·8	68·9	69·4	68·1	68·2	68·1	68·2	68·1	68·2	68·0	67·1	27
28	67·9	67·9	67·8	67·1	66·8	65·4	65·3	65·5	66·1	65·5	65·9	66·5	28
29	69·0	67·7	66·6	66.3	66·2	66·0	65·9	66·2	65·6	65·0	64·0	63·9	29
30	68·7	67·8	66·6	66·2	66·1	66·3	66·0	66·0	65·6	64.9	64·0	62·8	30

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of APRIL, 1925.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	61·8	62·8	63·0	63·4	63·3	63·2	63·0	63.2	63·8	64·1	64·4	65·3	1
2	66·5	66·4	66·6	66·6	66·0	66·0	66·4	66·6	66·2	66·5	67·0	67·6	2
3	73·9	72·8	72·3	72·5	74·0	73·8	74·0	74·0	74·8	74·4	74·0	74·9	3
4	67·8	68·2	68·9	68·0	68·5	69·9	69·2	69·3	69·6	65·0	64·5	63·0	4
5	54·5	53·8	52·7	52·0	51·5	52·1	52·7	52·6	52·8	52·2	53·4	53·8	5
6	54·7	55·0	54·9	54·5	54·3	54·6	54·5	54·0	54·6	55·0	55·4	55·0	6
7	58·1	57·9	57·8	57·9	58·1	58·3	58·1	58·5	58·5	58·6	58·7	59·4	7
8	59·9	59·1	59·0	58·0	56·5	55·9	54·3	54·1	53·9	54·0	54·4	54·8	8
9	51·4	51·0	50·8	51·0	51·1	51·0	50·8	51·0	50·8	51·9	52·8	53·0	9
10	54·2	53·9	54·6	53·0	52·7	52·3	52·1	52·7	52·8	53·6	54·2	54·8	10
11	55·7	55·6	55·4	55·0	54·8	54·8	55·3	56·0	56·2	56·5	57·2	57·1	11
12	56·8	56·0	55·6	55·3	55·3	55·7	57·5	58·5	58·9	58·6	59·0	59·6	12
13	59·6	59·9	59·5	59·3	59·2	57·5	56·7	57·0	57·3	58·0	59·2	58·9	13
14	60·8	61·0	59·9	59·3	59·0	58·0	58·5	58·4	60·0	60·0	60·2	59·7	14
15	59·4	58·9	58·0	58·7	59·1	59·4	59·5	59·0	59·3	59·8	59·3	59·0	15
16	57·4	57·0	57·1	57·4	57·6	57·4	57·4	57·8	58·3	59·0	59·4	58·9	16
17	56·7	56·1	55·9	55·0	54·2	54·1	54·8	55·6	56·7	58·8	58·1	58·7	17
18	58·0	57·5	54·8	53·8	53·2	53·3	54·4	56·0	58·2	59·0	61·1	60·8	18
19	60·3	61·5	62·0	61·9	62·1	62·1	62·3	64·8	65·1	66·5	65·4	65·2	19
20	64·4	64·6	64·9	64·4	64·0	64·4	64·7	65·3	66·0	65·8	67·4	67·1	20
21	64·0	63·9	63·3	63·4	64·4	64·2	64·4	65·8	67·2	67·8	68·0	69·5	21
22	66·1	65·5	65·7	65·0	66·2	66·4	66·7	67·6	68·0	69·0	68·8	67·3	22
23	66·3	66·1	66·5	66·7	67·0	66·8	67·3	68·0	69·2	70·1	70·0	70·5	23
24	70·2	70·1	70·0	70·2	70·2	70·2	70·1	70·5	70·9	70·3	71·0	70·7	24
25	69·0	68·4	68·7	68·8	68·5	68·5	68·8	69·1	69·4	71·5	71·2	71·0	25
26	70·8	71·1	71·3	70·0	71·4	71·0	72·6	72·0	74·4	74·6	74·0	74.0	26
27	65·8	63·6	63·0	63·0	62·7	62·8	62·7	63·0	62·9	63·0	63·1	64·2	27
28	62·8	61·6	61·6	61·0	61·5	62·5	62·2	62·0	63·0	64·0	64·1	65·5	28
29	63·9	63·9	63·2	63·0	62·8	62·8	63·0	62·7	63·0	62·5	63·3	64·1	29
30	62·0	61·4	60·7	60·3	60·6	60·9	61·0	61·5	62·2	62·5	63·0	63·7	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	64·9	64·7	65·0	65·0	65·0	66·1	66·0	66·9	67·1	67·0	66·4	66·9	1
2	68·3	68·5	68·7	69·0	69·0	69·2	68·8	68·9	68·8	69·8	70·4	73·0	2
3	75·0	74·5	74·3	74·0	73·9	69·9	58·3	68·0	67·5	67·4	67·8	68·6	3
4	62·0	59·3	58·9	58·0	58·9	57·0	56·6	55·7	55·9	55·8	55·5	55·0	4
5	53·3	53·7	53·5	53·2	53·5	54·1	54·3	54·4	56·0	55·2	55·1	55·5	5
6	55·0	55·4	55·4	55·3	55·5	56·0	56·2	56·8	57·2	57·3	57·3	57·4	6
7	59·5	59·7	60.0	59·8	60·5	59·8	59·8	59·5	59·5	59·0	59·1	59·4	7
8	54·4	54·8	54·1	54·1	54·0	53·6	53·1	52·9	52·6	52·5	52·0	51·2	8
9	54·2	55·0	54·8	54·4	53·2	53·2	53·9	53·6	54·0	53·8	53·9	53·9	9
10	56·2	57·0	55·9	55·8	56·0	55·4	54·9	54·9	54·8	55·2	55·2	55·0	10
11	57·5	57·2	58·2	57·8	57·6	57·7	57·2	57·0	56·9	56·9	56·9	56·5	11
12	6·00	60·2	60·2	60·0	59·4	58·8	58·9	59·0	59·0	59·3	59·6	60·0	12
13	59·2	59·4	58·8	59·2	59·0	59·0	59·5	59·8	60·9	62·5	62·2	62·1	13
14	60·5	60·3	60·3	60·6	60·0	60·1	60·2	60·6	60·8	60·7	60·8	60·3	14
15	58·9	58·8	58·6	58·1	58·0	58·0	58·0	57·8	57·3	56·9	57·0	57·3	15
16	58·7	59·7	59·4	59·2	59·0	58·5	58·1	58·4	58·2	57·9	57·5	56·6	16
17	58·8	60·1	60·9	60·9	60·5	59·9	59·9	59·9	59·7	59·6	58·7	58·1	17
18	61·0	60·8	60·2	59·0	59·2	58·9	59·2	58·7	58·3	58·7	58·7	59·0	18
19	65·9	66·3	65·8	64·8	65·0	64·8	64·0	63·3	63·1	62·7	63·1	63·5	19
20	67·0	65·9	65·3	65·6	65·3	64·7	64·2	64·8	64·5	64·4	64·3	64·0	20
21	68·6	69·4	70·0	68·5	66·4	66·9	65·9	65·9	65·8	65·0	65·5	65·7	21
22	67·1	67·9	67·2	67·0	67·1	67·1	67·0	67·2	67·0	67·1	67·0	66·7	22
23	69·1	70·7	70·1	70·4	69·9	69·7	69·5	69·6	69·8	69·9	69·6	69·8	23
24	71·0	70·5	69·7	69·0	68·6	68·7	68·0	68·0	68·1	68·2	68·9	69·0	24
25	71·5	71·6	73·2	73·1	72·7	72·4	72·5	72·4	71·0	71·5	70·7	70·8	25
26	74·2	73·9	74·0	73·5	73·8	73·6	73·2	73·3	72·8	71·4	69·1	67·7	26
27	64·8	64·2	64·6	65·4	65·0	64·8	65·0	65·0	64·8	64·8	64·7	64·0	27
28	65·0	65·1	65·1	65·1	65·0	64·9	65·0	65·0	65·1	65·1	65·1	65·0	28
29	64·2	63·0	62·0	62·1	61·9	61·8	61·8	62·0	62·3	62·0	62·2	62·4	29
30	63·3	63·3	63·8	63·8	63·9	64·1	64·5	64·4	64·2	64·3	64·3	64·2	30

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of APRIL, 1925.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	1
2	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	2
3	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	9	9	9	10	10	10	10	10	3
4	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	4
5	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	5
6	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	6
7	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	7
8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8
9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
11	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	6	3	3	11
12	3	...	1	...	...	1	7	5	3	3	2	2	3	2	1	1	2	2	2	1	...	1	6	10	12
13	10	10	10	10	10	9	10	10	10	10	8	9	9	9	9	6	3	1	...	...	...	...	2	3	13
14	9	10	10	3	4	3	2	2	2	3	1	2	7	7	7	5	9	10	10	10	10	10	10	10	14
15	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	15
16	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	16
17	10	9	6	5	...	1	...	...	...	1	1	2	1	1	1	...	...	...	...	1	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	18
19	7	6	9	10	10	9	9	3	2	4	4	6	6	4	2	2	1	...	...	...	...	2	8	8	19
20	10	10	10	10	10	10	10	10	9	9	4	3	3	2	2	1	...	...	...	...	...	...	...	...	20
21	...	...	...	4	2	1	2	1	1	2	2	2	2	2	2	2	...	...	...	...	...	...	...	...	21
22	9	2	...	10	9	8	8	10	10	9	10	10	10	10	10	10	10	10	10	9	3	2	1	...	22
23	...	7	10	10	10	10	8	8	10	8	10	10	10	10	10	9	7	9	10	10	9	10	10	10	23
24	10	10	6	9	7	7	8	10	10	8	9	10	10	10	10	10	10	10	10	9	9	10	10	10	24
25	10	10	10	10	10	10	10	10	10	9	9	8	9	7	10	6	6	7	2	6	9	10	8	8	25
26	10	10	9	4	2	4	6	8	6	8	10	10	10	10	10	10	10	10	6	10	10	9	10	10	26
27	10	10	7	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	27
28	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	28
29	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	29
30	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	30

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of APRIL, 1925.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	...	...	...	0·1	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	0·1	0·2	0·3	0·2	0·1	0.7	...	...	2
3	...	0·1	0·4	0·5	...	0·6	0·8	0·8	0·6	1·0	0·9	0·1	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	..	8
9	...	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	0·1	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	...	11
12	0·1	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1.0	1·0	1·0	0·2	12
13	...	...	...	...	0·6	0·6	0·6	0·5	0·5	0·7	0·3	1·0	0·4	13
14	...	1·0	0·8	1·0	1·0	1·0	1·0	0·8	1·0	0·8	0·6	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	...	16
17	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3	17
18	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3	18
19	...	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0.5	19
20	...	...	...	0·6	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	20
21	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·2	21
22	0·1	0·2	0·8	0·9	0·6	...	...	0·1	0·1	...	...	...	...	22
23	0·2	0·5	0·9	0·7	0·4	0·5	0·3	0·2	0·5	0·2	0·7	0·3	...	23
24	...	...	...	0·3	0·6	0·5	0·3	0·5	0·4	0·3	0·3	...	...	24
25	...	...	...	0·5	1·0	1·0	1·0	1·0	0·7	0·4	0·7	0·9	0·1	25
26	...	...	0·9	1·0	0·1	...	...	...	0·1	0·2	...	...	...	26
27	...	...	0·4	0.2	0·1	0·1	0·3	0·4	0·2	...	0·2	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	0·1	...	...	...	...	...	...	...	29
30	...	...	...	0·1	...	...	0·1	...	...	...	...	...	...	30

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of APRIL, 1925.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	0·260	0.030	d	d	0·010	...	...	...	d	d	0·010	d	1
2	d	0·005	0·015	...	...	d	..	d	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	0·035	0·060	...	0·105	0·140	0·130	0·630	4
5	0.020	...	...	0·170	0·025	...	...	...	...	...	...	...	5
6	d	d	...	...	...	...	...	...	...	...	...	...	6
7	d	d	d	d	..	..	d	d	...	...	...	...	7
8	d	d	0·005	0·025	0.025	0·100	0·015	0·005	0·005	0·010	d	d	8
9	0·040	0·020	0·005	d	d	d	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	d	...	d	0·010	...	...	d	d	d	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	d	0·020	0·095	0·185	0·110	0·065	0·045	0·050	15
16	0·030	0·005	0·055	0·035	0·045	0·035	0·120	0·115	0·065	0·040	0·010	0·045	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	d	d	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	d	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	d	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	d	...	0·005	...	...	...	...	d	...	28
29	d	d	...	...	...	d	...	d	d	...	...	...	29
30	...	...	...	...	d	...	d	d	d	d	d	...	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	d	0·005	d	1·200	0·900	0·655	d	0·005	0·030	...	d	d	1
2	...	...	...	...	d	0·010	0·020	0·005	d	0·010	d	d	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	0·140	0·015	0·040	0·040	0·105	0·060	0·030	0·080	0.430	0·045	0·010	0·005	4
5	...	...	d	d	d	0·035	0·265	0.010	0·010	0·005	...	d	5
6	...	...	d	d	d	d	d	d	...	...	...	...	6
7	...	...	...	...	...	...	...	...	d	d	d	d	7
8	0·015	d	d	d	d	0·025	0·025	d	...	...	...	0·015	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	d	...	...	...	d	...	...	...	...	10
11	...	...	d	d	d	d	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	0.040	0·065	0·015	0·020	0·030	0·025	0·050	0·055	0·065	0·060	0·040	0·085	15
16	0·030	0·005	...	d	...	...	...	...	d	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	d	...	..	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	d	...	...	...	...	...	...	...	...	...	d	0·010	26
27	...	...	...	...	...	...	...	d	...	...	d	d	27
28	...	...	...	...	...	...	d	d	0·010	...	...	d	28
29	...	...	...	d	...	...	...	...	...	...	d	d	29
30	...	d	d	d	d	d	d	d	d	d	d	d	30

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of APRIL, 1925.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hongkong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	8	13	8	7	9	4	8	14	9	22	9	23	8	26	8	26	8	26	8	20	9	22	8	22	1
2	9	21	10	18	9	17	9	19	9	19	10	20	9	18	9	18	9	20	9	18	9	18	9	19	2
3	13	9	14	6	15	6	15	4	15	9	16	11	16	10	16	12	16	10	17	6	17	9	17	7	3
4	7	12	7	11	7	6	7	5	7	11	7	7	7	8	7	14	5	13	3	4	1	4	29	6	4
5	2	10	2	13	2	14	2	11	2	8	3	4	4	9	2	9	1	9	1	9	3	8	4	13	5
6	6	26	6	20	6	16	6	20	6	16	6	16	6	24	6	28	7	27	6	25	7	27	6	30	6
7	6	23	6	15	6	21	7	19	6	19	7	16	6	17	6	11	6	12	5	16	6	10	6	7	7
8	...	1	5	2	5	3	1	2	1	3	2	2	2	10	3	6	3	13	3	8	3	7	2	10	8
9	2	14	1	14	2	14	1	14	1	10	1	11	1	14	1	13	1	17	1	19	1	17	1	13	9
10	3	6	4	10	4	4	3	5	3	6	2	8	1	8	1	9	2	8	2	8	2	8	2	7	10
11	31	3	...	1	...	...	...	1	31	2	31	2	...	1	30	2	29	2	28	2	27	4	26	2	11
12	...	...	...	...	...	...	...	...	...	1	25	6	9	9	9	14	8	17	8	19	8	16	9	15	12
13	9	17	9	16	9	12	8	17	8	20	9	15	9	14	9	15	9	15	9	14	10	16	9	16	13
14	8	22	8	29	7	43	7	39	7	33	8	31	7	33	8	33	8	30	7	33	6	34	6	38	14
15	7	22	7	25	6	27	7	21	6	13	6	14	7	20	7	20	7	21	7	18	7	19	8	22	15
16	6	16	6	19	7	12	7	14	8	10	8	8	8	7	8	4	8	2	8	4	...	1	...	1	16
17	3	4	...	1	3	3	3	2	3	4	3	3	3	2	1	11	31	9	30	6	28	6	24	5	17
18	9	4	6	3	4	11	3	9	1	10	32	14	32	9	31	8	29	6	27	8	25	6	23	10	18
19	8	16	7	16	6	9	6	10	5	4	6	6	5	4	6	6	5	2	6	2	27	8	23	7	19
20	9	12	6	7	6	10	7	10	7	11	7	11	7	8	7	8	7	8	7	8	8	10	8	12	20
21	...	...	...	...	...	...	...	...	...	...	...	...	...	...	9	6	9	11	9	10	9	10	9	2	21
22	...	...	7	4	7	7	7	6	9	7	10	5	10	7	10	7	10	8	9	15	9	18	9	19	22
23	7	13	8	14	8	12	8	12	8	13	8	13	8	13	8	13	9	14	8	13	9	16	8	10	23
24	8	9	8	9	8	10	8	9	8	11	8	12	8	10	8	10	8	11	8	15	9	18	9	18	24
25	9	11	9	13	9	13	9	13	9	13	8	14	9	13	10	12	9	12	9	13	8	14	8	15	25
26	...	1	...	1	...	...	...	1	10	2	...	...	...	...	...	1	10	5	27	8	25	9	24	5	26
27	8	28	7	31	8	28	7	29	7	28	7	29	7	33	7	30	7	35	7	32	7	29	7	29	27
28	7	23	7	24	7	25	6	18	6	11	8	12	8	14	7	11	9	10	9	11	10	11	9	11	28
29	6	18	6	18	6	20	7	17	6	19	6	20	6	19	6	20	6	22	6	20	7	24	7	23	29
30	6	25	6	30	6	31	7	26	6	28	7	23	7	20	7	22	7	25	7	24	7	26	7	24	30

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel	Dir.	Vel.	Dir.	Vel.	Dir.	Vel	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir	Vel	Dir.	Vel.	Dir.	Vel.	Dir.	Vel	
1	9	20	9	21	8	16	8	12	12	6	9	8	8	13	9	19	9	16	9	13	9	13	9	14	1
2	8	18	8	18	7	17	7	18	7	19	8	16	8	14	8	14	9	14	10	11	11	7	12	9	2
3	17	10	16	11	16	8	15	9	13	7	10	11	8	17	6	17	7	16	6	18	7	12	6	10	3
4	28	9	31	10	32	9	1	9	1	9	2	11	2	11	3	8	3	5	3	5	3	5	2	9	4
5	5	10	5	5	4	5	4	7	4	8	4	5	5	13	6	17	7	27	7	26	6	26	6	23	5
6	6	29	6	22	5	24	6	20	6	23	6	26	6	21	6	18	6	25	6	24	7	29	6	27	6
7	7	9	7	9	7	7	6	11	6	8	5	6	...	1	...	1	...	1	...	1	...	1	...	1	7
8	1	7	1	2	1	5	1	3	1	5	1	4	1	7	1	5	2	6	2	2	2	7	2	12	8
9	32	10	1	11	1	10	1	9	32	13	1	7	32	7	1	9	1	8	1	12	2	8	2	7	9
10	1	4	1	3	2	8	2	6	2	5	1	7	2	6	1	5	...	1	...	1	...	...	...	1	10
11	26	6	25	6	25	4	25	8	...	1	25	4	25	6	25	3	25	3	...	...	25	2	...	...	11
12	9	17	9	17	9	16	9	19	9	20	9	17	8	16	9	13	8	13	9	13	9	14	9	16	12
13	9	15	9	16	9	19	9	18	9	18	9	19	9	17	9	14	9	14	7	17	7	17	7	19	13
14	7	28	7	31	8	29	7	26	7	24	6	25	6	24	6	26	7	24	7	21	7	29	7	11	14
15	7	18	8	21	7	21	8	19	8	22	7	20	7	22	7	20	7	21	7	20	7	21	7	21	15
16	...	1	...	1	4	7	3	5	3	6	3	6	3	6	3	3	3	6	3	6	3	4	3	5	16
17	22	7	21	8	22	9	22	9	19	5	13	5	12	3	13	3	...	1	11	3	11	9	10	7	17
18	22	10	23	9	8	8	9	12	9	13	9	10	9	4	9	7	9	8	9	7	9	7	9	9	18
19	23	8	24	8	25	8	25	7	25	5	...	1	25	2	25	2	25	6	25	7	25	7	8	11	19
20	9	14	9	19	9	19	9	16	9	14	9	12	9	7	9	2	...	...	...	...	...	1	...	...	20
21	28	6	26	6	26	6	26	5	6	11	7	7	7	4	...	...	...	...	7	6	7	8	7	2	21
22	8	15	8	15	8	15	8	12	8	14	8	16	9	15	9	13	9	13	9	13	9	14	9	14	22
23	9	12	8	11	8	14	8	12	8	12	8	11	8	9	9	5	8	7	9	11	8	11	9	10	23
24	8	18	8	19	7	19	8	20	8	20	7	15	8	17	9	16	9	14	8	15	9	14	9	13	24
25	9	14	8	12	15	9	16	9	16	9	16	7	20	4	...	...	21	2	...	...	11	2	10	2	25
26	23	3	21	4	16	4	17	7	25	3	28	3	28	5	...	1	...	...	7	7	7	20	7	26	26
27	7	26	8	28	8	24	8	25	7	20	7	21	7	20	7	23	6	21	7	20	7	19	7	16	27
28	9	7	9	10	9	10	9	13	9	12	9	11	9	10	9	10	9	13	8	12	7	14	6	15	28
29	7	26	7	24	7	23	7	26	7	28	7	27	7	29	7	31	6	27	7	28	6	28	7	29	29
30	7	24	7	24	6	23	6	23	6	22	6	22	6	26	6	27	6	28	6	30	6	29	7	26	30

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of APRIL, 1925.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	nb	E	nb	E	cu-nb	ESE	nb	E	nb	E	nb	ESE	cu-nb	WSW	cu-nb	SW
2	nb	E	cu-nb	E	nb	E	nb	E	cu	S	cu	SSE	nb	ENE	nb	ENE
3	nb	ESE	cu-nb	E	cu-nb	SSE	cu-nb	S	cu-nb	SSE	cu	SW	cu	SW	cu	SW
4	cu	SW	cu	SW	nb	SE	nb	ESE	nb	ESE	nb	ESE	nb	ESE	nb	E
5	nb	E	nb	E	nb	E	cu	ENE	st-cu	ENE	nb	ENE	nb	ENE	nb	ENE
6	nb	ENE	nb	ENE	cu-nb	ENE	cu-nb	E	cu-nb	E	nb	E	nb	E	cu-nb	E
7	nb	E	nb	E	nb	ENE	nb	E	cu-nb	E	cu-nb	E	cu	E	nb	E
8	nb	E	nb	E	nb	E	nb	E	nb	E	nb	ENE	nb	ENE	nb	ENE
9	nb	ENE	nb	ENE	cu-nb	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE
10	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	st	WSW	cu-nb	ENE	st-cu	ENE	st-cu	ENE
11	st-cu	ENE	nb	ENE	nb	WNW	cu-nb	W	cu-nb	WNW	cu-nb	NW	cu-nb	WNW	cu	W
12	a-cu	W	...	...	cu	E	cu	SSE	cu	S	cu	SSW	a-cu	W	ci-st	W
13	cu	WSW	cu	WSW	a-cu	W	a-cu	W	a-cu	W	a-cu	W	...	...	...	...
14	a-cu / cu	W / ESE	cu	ESE	cu	E	cu	E	ci-cu / a-cu / cu	ESE / WNW / SE	a-cu / cu	WNW / ESE	a-cu / cu	WNW / E	cu	E
15	cu-nb	E	cu-nb	E	nb	E	nb	E	nb	E	nb	ENE	nb	ENE	nb	ENE
16	nb	ENE	nb	ENE	nb	E	nb	E	nb	E	nb	NNW	cu-nb	N	cu-nb	NNE
17	cu	ENE	cu	E	...	...	cu	W	cu	WNW	...	...	...	...	...	...
18	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
19	cu	E	cu	E	cu	E	cu	ESE	cu	E	cu	E	...	...	cu	E
20	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	...	...	...	...
21	...	...	cu	E	cu	E	cu	E	ci-st / cu	WSW / E	ci-st / cu	W / E	...	...	...	...
22	cu	E	cu	E	cu	E	cu	SE	nb	E	cu-nb	E	cu	ESE	cu	ESE
23	...	...	cu	E	st-cu	WSW	cu	ESE	cu	ESE	a-cu / cu	W / SE	a-cu / cu	W / ESE	cu	ESE
24	cu	ESE	cu	ESE	a-cu / cu	WSW / E	cu	SE	cu	ESE	cu-nb	E	cu-nb	E	nb	E
25	cu	E	cu	E	cu-nb	ESE	cu	E	cu	ESE	cu	SE	a-cu	SW	cu	SE
26	cu	SE	cu	SE	cu	SSE	a-cu / cu	W / WSW	nb	SSW	a-cu / cu	WSW / SSW	a-cu / cu	WSW / SW	cu-nb	E
27	nb	ESE	cu	ESE	cu-nb	ESE	cu	ESE	cu-nb	E	cu	ESE	cu-nb	ESE	cu-nb	ESE
28	cu-nb	E	nb	E	nb	E	cu-nb	ESE	cu-nb	ESE	nb	ESE	nb	E	nb	E
29	nb	E	nb	E	nb	E	nb	E	cu	E	nb	E	nb	E	nb	E
30	nb	E	nb	E	nb	E	nb	E	cu-nb	E	nb	E	nb	E	nb	E

TABLE IX.—DAILY VALUES OF METEOROLOGICAL ELEMENTS in the MONTH of APRIL, 1925.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Range.	Temperature. Of the Air. Mean.	Temperature. Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Bright Sunshine. Percentage of possible amount.	Rainfall. Amount.	Rainfall. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Wind. Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·775	69·2	63·0	6·2	65·8	64·7	0·597	94	100	0·1	1	3·105	12	− 1·8	+ 16·4	96	16·6	16·5
2	·765	75·5	66·4	9·1	69·1	67·9	·668	94	100	1·6	13	0·065	5	− 2·5	+ 16·3	99	16·5	16·7
3	·729	80·9	67·7	13·2	74·6	72·3	·763	89	98	5·8	47	...	...	− 5·1	+ 4·5	139	6·8	10·2
4	·803	71·4	56·8	14·6	63·6	62·5	·553	94	100	...	...	2·100	16	+ 5·1	+ 4·4	41	6·8	8·4
5	·993	58·6	53·9	4·7	56·5	53·6	·374	82	100	...	...	0·540	8	+ 7·1	+ 8·4	50	11·0	12·0
6	30·016	60·1	56·6	3·5	57·9	55·5	·410	85	100	...	...	...	5	+ 8·5	+ 21·7	69	23·4	23·5
7	·022	63·4	58·9	4·5	61·1	59·0	·474	87	100	...	...	...	4	+ 3·5	+ 9·1	69	9·8	10·1
8	·143	61·0	53·8	7·2	56·6	54·7	·404	88	100	...	...	0·270	18	+ 5·0	+ 2·1	23	5·4	5·5
9	·234	60·9	52·4	8·5	56·9	52·7	·344	74	100	...	...	0·065	4	+ 11·5	+ 2·4	12	11·7	11·7
10	·143	65·1	57·4	7·7	60·1	54·5	·352	67	100	0·1	1	...	...	+ 5·0	+ 2·1	23	5·4	5·6
11	·035	63·1	57·4	5·7	59·9	56·5	·414	80	92	...	...	0·010	3	+ 1·0	− 2·1	296	2·3	2·7
12	29·976	67·0	56·6	10·4	61·8	58·4	·445	81	24	11·0	87	...	...	− 1·6	+ 11·5	98	11·6	12·0
13	·978	71·9	62·4	9·5	66·0	59·3	·418	65	66	5·2	41	...	...	− 2·2	+ 16·2	98	16·4	16·2
14	·993	68·7	62·6	6·1	64·8	60·0	·455	74	65	9·0	71	...	...	+ 5·3	+ 28·2	79	28·8	29·0
15	·978	62·3	58·0	4·3	60·1	58·5	·471	90	100	...	...	1·120	19	+ 3·7	+ 20·2	80	20·6	20·3
16	·947	62·5	57·9	4·6	60·2	58·2	·461	88	100	...	...	0·635	14	+ 2·5	+ 5·2	64	5·8	6·4
17	·898	71·1	56·2	14·9	63·5	58·0	·411	70	16	11·7	92	...	...	+ 0·4	− 0·5	309	0·6	5·2
18	·924	71·8	59·0	12·8	65·0	58·0	·391	63	...	11·8	93	...	...	+ 1·8	+ 2·5	54	3·1	8·4
19	·937	76·0	63·9	12·1	68·9	63·8	·526	74	47	11·1	87	...	...	+ 1·2	+ 0·3	14	1·2	6·7
20	·886	75·6	66·0	9·6	69·2	65·1	·566	79	47	8·7	69	...	...	...	+ 9·0	90	9·0	9·4
21	·853	77·7	64·2	13·5	69·9	66·2	·596	81	10	11·1	87	...	...	+ 0·5	+ 2·3	78	2·4	4·2
22	·835	74·4	66·9	7·5	69·2	67·0	·636	90	75	2·8	22	...	1	− 1·6	+ 11·2	98	11·3	11·3
23	·797	75·2	67·8	7·4	71·2	68·9	·676	89	90	5·4	42	...	...	− 0·4	+ 11·7	92	11·7	11·7
24	·785	75·1	69·0	6·1	71·0	69·7	·710	93	92	3·2	25	...	...	− 0·5	+ 14·2	92	14·2	14·2
25	·783	79·4	68·9	10·5	72·8	70·7	·724	90	85	7·3	57	...	...	− 2·9	+ 7·6	111	8·1	9·4
26	·783	81·2	69·6	11·6	75·1	72·4	·761	87	84	2·3	18	0·010	2	+ 0·2	+ 1·0	79	1·0	4·8
27	·870	71·4	67·0	4·4	68·4	64·0	·538	77	98	1·9	15	...	1	+ 4·2	+ 25·5	81	25·9	26·0
28	·889	69·3	65·2	4·1	66·9	63·8	·552	83	100	...	...	0·015	2	+ 0·3	+ 13·1	89	13·1	13·2
29	·844	69·5	63·6	5·9	65·7	62·7	·531	84	100	0·1	1	...	4	+ 6·4	+ 22·6	74	23·6	23·6
30	·830	69·5	63·5	6·0	65·7	62·8	·534	85	100	0·2	2	...	11	+ 7·7	+ 24·2	72	25·4	25·3
Means	29·915	70·0	61·8	8·2	65·2	62·0	0·525	83	80	Sum. 110·4	29	Sum. 7·935	Sum. 129	+ 2·1	+ 10·4	79	10·6	12·7
Normals	29·843	74·8	67·1	7·7	70·4	67·4	0·638	84	80	116·0	31	5·287	74	...	+ 11·4	90	11·4	14·1
Absolute Max.	30·305	81·2	...	14·9	...	76·0	0·839	...	...	11·8	93	3·105	19	...	...	...	...	43·0 †
Day.	9	26	...	17	...	3	3	...	...	18	18	1	15	...	...	...	...	14d 8h
Absolute Min.	29·667	...	52·4	3·5	...	50·4	0·312	47	...	...	...	...	...	...	...	...	...	...
Day	3	...	9	6	...	9	10	13	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Lunar corona :—on the 11th.
Fog :—on the 24th, and 25th.
Slight fog :—on the 3rd, 4th, and 26th.
Unusual visibility :—on the 5th, 9th, 11th and 19th.
Dew :—on the 12th, 17th, 18th and 21st.
Lightning :—on the 1st, 2nd, 4th and 5th.
Thunder :—on the 1st.

Thunderstorms as follows :—

1*d* 15*h* 35*m* to 3*h* 10*m* in S.S.W. distant.
1*d* 15*h* 55*m* to 18*h* 20*m* E. to W.; nearest at 16*h* 11*m* (8s).
4*d* 20*h* 05*m* to 21*h* 20*m* in S.W.; distant.
5*d* 3*h* 40*m* to 4*h* 54*m* in N.W.; distant.
5*d* 18*h* 43*m* to 19*h* 15*m* in E.S.E.; distant.

Rain fell on 11 days. The mean hourly intensity was 0·062*in*, and the maximum fall in one hour was 1·200*in* at 16*h* on the 1st.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 52 miles per hour at 12*h* 11*m* on the 14th.

* 0° = N., 90° = E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of APRIL, 1925.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1010·3	293·7	290·2	3·5	291·8	291·2	20·1	78·9	12	− 0·6	+ 5·4	96	5·4	5·4
2	1010·0	297·2	292·1	5·1	293·6	292·9	22·5	1·6	5	− 0·8	+ 5·3	99	5·4	5·5
3	1008·7	300·2	292·8	7·4	296·7	295·4	25·7	...	...	− 1·7	+ 1·5	139	2·2	3·3
4	1011·3	294·9	286·8	8·1	290·6	289·9	18·6	53·3	16	+ 1·7	+ 1·4	41	2·2	2·8
5	1017·8	287·8	285·2	2·6	286·6	285·0	12·6	13·7	8	+ 2·3	+ 2·8	50	3·6	3·9
6	1018·6	288·6	286·7	1·9	287·4	286·1	13·8	...	5	+ 2·8	+ 7·1	69	7·7	7·7
7	1018·7	290·4	287·9	2·5	289·2	288·0	16·0	...	4	+ 1·1	+ 3·0	69	3·2	3·3
8	1022·9	289·1	285·1	4·0	286·7	285·6	13·6	6·9	18	+ 1·6	+ 0·7	23	1·8	1·8
9	1026·0	289·1	284·3	4·8	286·8	284·5	11·6	1·6	4	+ 3·8	+ 0·8	12	3·8	3·8
10	1022·9	291·4	287·1	4·3	288·6	285·5	11·8	...	...	+ 1·6	+ 0·7	23	1·8	1·8
11	1019·2	290·3	287·1	3·2	288·5	286·6	13·9	0·3	3	+ 0·3	− 0·7	296	0·8	0·9
12	1017·2	292·4	286·7	5·7	289·8	287·7	15·0	...	...	− 0·5	+ 3·8	98	3·8	3·9
13	1017·2	295·2	289·9	5·3	291·9	288·2	14·1	...	...	− 0·7	+ 5·3	98	5·4	5·3
14	1017·7	293·4	290·0	3·4	291·2	288·6	15·3	...	...	+ 1·7	+ 9·2	79	9·4	9·5
15	1017·2	289·8	287·4	2·4	288·6	287·7	15·9	28·4	19	+ 1·2	+ 6·6	80	6·8	6·7
16	1016·2	289·9	287·4	2·5	288·7	287·6	15·5	16·1	14	+ 0·8	+ 1·7	64	1·9	2·1
17	1014·5	294·7	286·4	8·3	290·5	287·4	13·8	...	...	+ 0·1	− 0·2	309	0·2	1·7
18	1015·4	295·1	288·0	7·1	291·3	287·4	13·2	...	...	+ 0·6	+ 0·8	54	1·0	2·8
19	1015·8	297·4	290·7	6·7	293·5	290·7	17·7	...	...	+ 0·4	+ 0·1	14	0·4	2·2
20	1014·1	297·2	291·9	5·3	293·7	291·4	19·1	...	...	...	+ 3·0	90	3·0	3·0
21	1012·9	298·4	290·9	7·5	294·1	292·0	20·1	...	...	+ 0·2	+ 0·8	78	0·8	1·4
22	1012·3	296·6	292·4	4·2	293·6	292·4	21·5	...	1	− 0·5	+ 3·7	98	3·7	3·7
23	1011·0	297·0	292·9	4·1	294·8	293·5	22·8	...	...	− 0·1	+ 3·8	92	3·8	3·8
24	1010·6	296·9	293·6	3·3	294·7	293·9	23·9	...	...	− 0·2	+ 4·7	92	4·7	4·7
25	1010·5	299·3	293·5	5·8	295·7	294·5	24·4	...	...	− 1·0	+ 2·5	111	2·7	3·1
26	1010·5	300·3	293·9	6·4	296·9	295·4	25·7	0·3	2	+ 0·1	+ 0·3	79	0·3	1·6
27	1013·5	294·9	292·4	2·5	293·2	290·8	18·1	...	1	+ 1·4	+ 8·4	81	8·5	8·5
28	1014·2	293·7	291·4	2·3	292·4	290·7	18·6	0·4	2	+ 0·1	+ 4·3	89	4·3	4·3
29	1012·7	293·8	290·6	3·2	291·7	290·1	17·9	...	4	+ 2·1	+ 7·4	74	7·7	7·7
30	1012·2	293·8	290·5	3·3	291·7	290·1	18·0	...	11	+ 2·5	+ 7·9	72	8·3	8·3
								Sum.	Sum.					
Means.	1015·1	294·1	289·6	4·5	291·4	289·7	17·7	201·5	129	+ 0·7	+ 3·4	79	3·5	4·2
Normals	1012·6	296·8	292·5	4·3	294·3	292·7	21·5	134·3	74	...	+ 3·7	90	3·7	4·6
Absolute Maximum.	1028·4	300·3	...	8·3	...	297·4	28·3	78·9	19	...	...	...	...	14·1†
Day.	9	26	...	17	...	3	3	1	15	...	...	...	...	14*d* 3*h*
Absolute Minimum.	1006·5	...	284·3	1·9	...	283·2	10·5	...	...	...	...	...	...	...
Day.	3	...	9	6	...	9	10	...	...	...	...	...	...	...

ADOPTED ERRORS OF TIMEBALL, APRIL, 1925.

Date.	Error.	Date.	Error.	Date.	Error.
	s		*s*		*s*
1	+ 0·2	11	+ 0·3	21	0·0
2	+ 0·2	12	+ 0·3	22	+ 0·1
3	+ 0·3	13	0·0	23	+ 0·1
4	+ 0·3	14	+ 0·1	24	+ 0·2
5	+ 0·4	15	0·0	25	+ 0·2
6	0·0	16	− 0·1	26	+ 0·2
7	+ 0·1	17	− 0·1	27	+ 0·2
8	+ 0·1	18	− 0·1	28	+ 0·3
9	+ 0·1	19	0·0	29	+ 0·5
10	+ 0·2	20	0·0	30	+ 0·4

+ = Late ; − = Early.
The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.
The probable error for the month was ± 0ˢ·16

* 0° = N. 90° = E., &c. † Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of APRIL, 1925.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Degree of Humidity.	Mean Amount of Cloud (0-100).	Percentage of Possible Sunshine.	Rainfall, Percentage of Total. Amount.	Rainfall, Percentage of Total. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·925	64·1	61·8	0·532	87	86		4	6	+ 2·3	+ 11·4	79	11·6	12·6
2	·909	63·7	61·5	·528	88	85		1	4	+ 2·7	+ 11·3	77	11·6	12·6
3	·895	63·6	61·3	·522	87	83		1	3	+ 3·1	+ 11·2	75	11·6	12·6
4	·891	63·5	61·0	·514	86	85		3	4	+ 2·8	+ 11·0	76	11·4	12·2
5	·897	63·5	61·0	·514	86	81		1	3	+ 2·5	+ 10·5	77	10·8	12·1
6	·908	63·5	61·0	·514	86	81	5	2	3	+ 1·7	+ 9·7	80	9·9	11·9
7	·924	63·8	61·2	·516	86	83	20	4	4	+ 2·4	+ 10·8	77	11·1	12·7
8	·944	64·7	61·6	·517	83	82	31	4	4	+ 2·4	+ 11·0	78	11·3	13·3
9	·958	65·6	62·1	·522	81	81	36	4	3	+ 2·4	+ 11·6	78	11·9	14·0
10	·966	66·4	62·4	·521	79	81	34	3	4	+ 2·9	+ 10·6	75	11·0	13·6
11	·958	66·9	62·7	·524	78	80	35	2	4	+ 1·9	+ 10·5	80	10·7	14·2
Noon.	·943	67·5	62·9	·523	76	81	35	9	4	+ 1·9	+ 10·4	80	10·6	13·9
13	·922	67·6	63·0	·525	76	83	33	3	4	+ 1·2	+ 9·1	82	9·2	13·4
14	·899	67·6	63·0	·525	76	81	34	1	4	+ 0·8	+ 9·3	85	9·3	13·4
15	·878	67·5	62·9	·523	76	81	32	1	4	+ 1·5	+ 9·6	81	9·7	13·2
16	·870	67·2	62·7	·520	77	77	35	16	5	+ 1·1	+ 9·5	83	9·6	13·2
17	·866	66·5	62·6	·526	79	76	28	13	5	+ 1·6	+ 10·1	81	10·2	12·8
18	·874	65·7	62·3	·527	82	76	10	10	5	+ 1·9	+ 10·0	79	10·2	12·0
19	·889	64·9	62·1	·531	85	73		5	6	+ 2·4	+ 9·6	76	9·9	11·9
20	·902	64·7	62·1	·534	86	75		2	4	+ 2·0	+ 9·7	78	9·9	11·1
21	·920	64·5	62·1	·536	87	73		7	4	+ 2·0	+ 9·7	78	9·9	11·3
22	·935	64·3	62·1	·539	88	73		2	3	+ 2·0	+ 10·3	79	10·5	11·6
23	·942	64·2	62·0	·537	78	76		1	4	+ 2·1	+ 11·1	79	11·3	12·6
Midn.	·938	64·2	62·0	·537	88	77		1	6	+ 2·0	+ 11·1	80	11·3	12·2

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of APRIL, 1925.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	m.b	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1015·4	290·8	289·6	17·7	+ 0·8	+ 3·7	79	3·8	4·1
2	1014·9	290·6	289·4	17·8	+ 0·9	+ 3·7	77	3·8	4·1
3	1014·4	290·6	289·3	17·6	+ 1·0	+ 3·7	75	3·8	4·1
4	1014·3	290·5	289·1	17·3	+ 0·9	+ 3·6	76	3·7	4·0
5	1014·5	290·5	289·1	17·3	+ 0·8	+ 3·4	77	3·5	4·0
6	1014·8	290·5	289·1	17·3	+ 0·6	+ 3·2	80	3·2	3·9
7	1015·4	290·7	289·2	17·4	+ 0·8	+ 3·5	77	3·6	4·2
8	1016·1	291·2	289·4	17·4	+ 0·8	+ 3·6	78	3·7	4·4
9	1016·5	291·7	289·7	17·6	+ 0·8	+ 3·8	78	3·9	4·6
10	1016·8	292·1	289·9	17·6	+ 1·0	+ 3·5	75	3·6	4·5
11	1016·5	292·4	290·1	17·7	+ 0·6	+ 3·4	80	3·5	4·7
Noon.	1016·0	292·7	290·2	17·7	+ 0·6	+ 3·4	80	3·5	4·6
13	1015·3	292·8	290·2	17·7	+ 0·4	+ 3·0	82	3·0	4·4
14	1014·5	292·8	290·2	17·7	+ 0·3	+ 3·0	85	3·0	4·4
15	1013·8	292·7	290·2	17·6	+ 0·5	+ 3·1	81	3·2	4·3
16	1013·5	292·6	290·1	17·5	+ 0·4	+ 3·1	83	3·1	4·3
17	1013·4	292·2	290·0	17·7	+ 0·5	+ 3·3	81	3·3	4·2
18	1013·7	291·7	289·8	17·8	+ 0·6	+ 3·3	79	3·3	3·9
19	1014·2	291·3	289·7	17·9	+ 0·8	+ 3·1	76	3·2	3·9
20	1014·6	291·2	289·7	18·0	+ 0·7	+ 3·2	78	3·2	3·6
21	1015·2	291·1	289·7	18·1	+ 0·7	+ 3·2	78	3·2	3·7
22	1015·8	290·9	289·7	18·2	+ 0·7	+ 3·4	79	3·4	3·8
23	1016·0	290·9	289·7	18·1	+ 0·7	+ 3·6	79	3·7	4·1
Midn.	1015·9	290·9	289·7	18·1	+ 0·7	+ 3·6	80	3·7	4·0

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

APRIL,

1925.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	31st March, 1925.								1st April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	30.05	763.3	40	...	SE	4	o	6	30.14	765.6	35	...	SE	5	o
Gemuro,	11	29.69	754.0	...	...	WNW	3	...	5	30.18	766.5	...	...	W	1	...
Hokodate,	"	29.98	761.5	...	...	WNW	4	...	"	30.32	770.0	...	...	...	...	...
Tokio,	"	30.08	764.0	...	...	...	0	...	"	30.32	770.0	...	...	NW	1	...
Kochi,	"	30.14	765.5	...	...	SE	1	...	"	30.18	766.5	...	...	SW	1	...
Nagasaki,	"	30.12	765.0	...	...	N	1	...	"	30.10	764.5	...	...	...	...	...
Kagoshima,	"	30.14	765.5	...	...	...	...	...	"	30.08	764.0	...	...	NE	1	...
Oshima,	"	30.08	764.0	...	...	...	0	...	"	29.98	761.5	...	...	ESE	1	...
Naha,	"	30.04	763.0	...	...	SE	2	...	"	29.88	759.0	...	...	SE	2	...
Ishigakijima,	"	30.00	762.0	...	...	SSW	1	...	"	29.82	757.5	...	...	SW	3	...
Bonin Island,	"	30.10	764.5	...	...	ENE	1	...	"	30.14	765.5	...	...	SSE	1	...
Chefoo,	15	29.89	759.2	54	68	S	1	b	6	29.89	759.2	46	...	SE	1	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.01	762.3	57	72	SSE	1	o	"	29.98	761.4	50	95	E	1	o
Sutzlaff,	"	30.03	762.7	50	88	SSE	4	o	"	29.98	761.5	48	100	ENE	2	rf
Sharp Peak,	"	29.96	761.0	59	93	NW	1	rf	7	29.86	758.4	54	100	...	o	of
Amoy,	15	29.88	758.9	56	94	ENE	1	r	9	29.86	758.4	58	100	S	4	r
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.95	760.8	64	90	...	o	o	5	29.93	760.2	61	98	W	2	r
Taichu,	"	29.97	761.1	72	...	...	o	o	"	29.97	761.1	63	...	NW	2	r
Tainan,	"	29.91	759.6	77	...	NW	4	b	"	29.87	758.7	64	...	...	o	b
Koshun,	"	29.92	759.9	77	...	ENE	4	b	"	29.85	758.1	75	...	...	o	r
Pescadores,	"	29.94	760.5	68	...	NNE	4	o	"	29.94	760.5	66	...	N	4	r
Canton,	14	29.81	757.2	62	94	ESE	1	or	6	...	...	...	...	...	...	...
Hongkong,	"	29.81	757.2	61	92	E	4	or	"	29.85	758.2	64	94	E	4	o
Gap Rock,	"	29.81	757.2	...	...	ENE	2	o	"	29.83	757.7	...	...	NE	4	o
Macao,	"	29.80	756.9	63	98	NNE	2	r	"	29.81	757.2	63	98	ENE	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Thulien,	"	29.72	754.8	66	100	SE	4	of	7	29.80	756.9	66	100	...	o	rf
Tourane,	"	29.74	755.4	79	...	SE	2	b	"	29.75	755.7	75	...	SW	4	b
Cape St. James,	"	29.78	756.3	82	...	E	4	b	"	29.81	757.2	77	...	E	2	o
Basco,	14	29.80	756.9	81	84	NE	4	o	6	29.87	758.7	81	84	E	4	o
Aparri,	"	29.78	756.3	86	61	NE	4	b	"	29.84	757.8	75	92	SSW	2	b
Manila,	"	29.75	755.7	93	50	SE	4	o	"	29.86	758.4	73	91	...	o	o
Legaspi,	"	29.78	756.3	86	75	NE	4	o	"	29.84	757.8	75	96	...	o	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.73	755.1	82	77	NE	4	o	"	29.81	757.2	75	92	N	2	o
Surigao,	"	29.74	755.4	82	84	E	4	o	"	...	...	...	...	...	...	...
Guam,	12.20	...	...	...	...	...	...	...	4.20	29.84	757.8	...	...	NE	4	r
Yap,	12.47	29.73	755.1	...	...	ENE	6	r	4.47	29.80	756.9	...	...	ENE	4	o
Zebuan,	14	29.77	756.1	86	80	NW	2	o	6	29.76	755.9	75	94	...	o	b

April 1*d.* 11*h.* 30*m.*—Pressure has increased considerably over N.E. Japan. It has decreased moderately over the Loochoos and Ishigaki, and slightly at Shanghai. It is nearly stationary elsewhere.

The anticyclone has strengthened and moved to the north of Tokio.

Depressions are shown to the north of Ishigaki, over Indo-China and over N.E. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·70 inch. Total since January 1st, 13·30 inches, against an average of 6·23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel,	N. to N.E. winds, moderate.
2.—South coast of China between Hongkong and Lamocks.	E. winds, moderate; overcast, rain, fog.
3.—Hongkong to Gap Rock,	E. winds, moderate; overcast, rain, fog.
4.—South coast of China between Hongkong and Hainan,	E. winds, moderate; overcast, rain, fog.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	1st April, 1925.								2nd April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.14	765.5	39	...	SE	5	o	6	30.00	762.0	36	...	SE	5	f
Nemuro,	11	30.22	767.5	...	...	WSW	1	...	5	...	...	...	...	...	...	...
Hokodate,	"	30.33	770.5	...	...	S	1	...	"	30.28	769.0	...	...	...	...	...
Tokio,	"	30.31	770.0	...	...	NE	1	...	"	30.30	769.5	...	...	N	1	...
Kochi,	"	30.18	766.5	...	...	...	...	...	"	30.12	765.0	...	...	...	0	...
Nagasaki,	"	30.06	763.5	...	...	SE	1	...	"	30.02	762.5	...	...	SE	1	...
Kagoshima,	"	30.08	764.0	...	...	ENE	1	...	"	29.98	761.5	...	...	NNE	1	...
Oshima,	"	29.98	761.5	...	...	SE	1	...	"	29.92	760.0	...	...	...	...	...
Naha,	"	29.82	757.5	...	...	SE	4	...	"	29.94	760.5	...	...	...	...	...
Ishigakijima,	"	29.78	756.5	...	...	NW	3	...	"	29.92	760.0	...	...	NE	1	...
Bonin Island,	"	30.12	765.0	...	...	ENE	1	...	"	30.04	763.0	...	...	E	1	...
Chefoo,	15	29.89	759.2	64	43	S	2	b	6	30.17	766.3	46	86	N	1	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.97	761.1	57	86	E	1	o	"	30.06	763.5	50	100	ENE	1	o
Gutzlaff,	"	29.96	761.0	52	100	NNE	1	of	"	30.06	763.5	47	100	E	1	of
Sharp Peak,	"	29.89	759.2	68	79	N	1	b	7	29.93	760.2	56	93	...	o	of
Amoy,	15	29.83	757.7	56	89	SW	4	o	9	29.91	759.7	62	100	ENE	1	r
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.89	759.3	73	75	NNW	2	o	5	29.91	759.6	64	96	...	o	o
Taichu,	"	29.97	761.1	68	...	SE	2	b	"	29.92	759.9	64	...	...	o	b
Tainan,	"	29.91	759.6	77	...	NE	4	o	"	29.89	759.3	68	...	...	o	o
Koshun,	"	29.86	758.4	82	...	NW	6	b	"	29.88	759.0	72	...	...	o	b
Pescadores,	"	29.91	759.6	72	...	E	4	o	"	29.91	759.6	68	...	NNE	2	o
Canton,	14	29.81	757.2	66	89	...	o	or	6	...	...	...	...	...	...	...
Hongkong,	"	29.80	756.9	65	97	E	4	od	"	29.83	757.7	67	95	ESE	4	o
Gap Rock,	"	29.80	756.9	...	...	ENE	4	o	"	29.84	757.9	...	...	E	3	o
Macao,	"	29.78	756.3	66	98	ESE	2	of	"	29.80	756.9	66	100	SSE	2	rf
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.71	754.5	68	100	NW	1	rf	7	29.74	755.4	70	100	ESE	2	rf
Tourane,	"	29.69	754.2	84	...	SE	2	b	"	29.76	756.0	73	...	SSE	2	b
Cape St. James,	"	29.75	755.7	90	...	SSE	2	b	"	29.79	756.6	77	...	E	4	o
Basco,	14	29.81	757.2	86	65	NW	4	o	6	29.87	758.7	79	85	...	o	o
Aparri,	"	29.81	757.2	90	63	NNE	4	o	"	29.85	758.1	77	88	SSW	2	b
Manila,	"	29.78	756.3	93	40	SE	4	b	"	29.85	758.1	72	84	E	1	o
Legaspi,	"	29.81	757.2	90	63	ENE	2	o	"	29.85	758.1	77	96	...	o	o
Tacloban,	"	29.79	756.6	86	71	SE	4	o	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	29.81	757.2	77	88	N	4	o
Surigao,	"	29.78	756.3	84	71	ENE	2	o	"	29.82	757.5	75	94	...	o	o
Guam,	12.20	29.78	756.3	...	...	ENE	4	o	4.20	29.82	757.5	...	...	NE	2	o
Yap,	12.47	29.76	756.0	...	...	ENE	6	r	4.47	29.79	756.6	...	...	ENE	4	o
Labuan,	14	29.75	755.6	86	84	N	2	b	6	29.79	756.6	76	94	NE	2	h

April *2d. 11h. 55m.*—Pressure has increased considerably at Chefoo, moderately at Naha and Ishigaki, and slightly from Shanghai to Hongkong. It has decreased slightly over Japan.

The Ishigaki depression has filled up.

The anticyclone remains stationary to the north of Tokio. Another has formed over N.E. China.

The depression over Indo-China is unchanged.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 2·82 inch. Total since January 1st, 16·11 inches, against an average of 6·36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, freshening.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; overcast, rain, fog.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	2nd April, 1925.								3rd April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	29.91	759.8	41	...	ESE	2	o	6	30.13	765.2	33	...	NW	3	b
Gemuro,	11	30.37	771.5	...	...	S	2	...	5	29.82	757.5	...	...	S	4	...
Hokodate,	"	30.20	767.0	...	...	SE	1	...	"	29.92	760.0	...	...	WNW	2	...
Tokio,	"	30.22	767.5	...	...	NE	1	...	"	30.12	765.0	...	...	...	...	...
Kochi,	"	30.10	764.5	...	...	...	...	...	"	30.14	765.5	...	...	...	...	...
Nagasaki,	"	30.06	763.5	...	...	NW	1	...	"	30.10	764.5	...	...	...	0	...
Kagoshima,	"	30.06	763.5	...	...	ENE	1	...	"	30.08	764.0	...	...	NNE	1	...
Ishima,	"	29.96	761.0	...	...	N	1	...	"	30.00	762.0	...	...	...	...	...
Taba,	"	29.98	761.5	...	...	NW	1	...	"	29.96	761.0	...	...	E	1	...
Ishigakijima,	"	29.98	761.5	...	...	E	2	...	"	29.90	759.5	...	...	E	1	...
Sonin Island,	"	29.98	761.5	...	...	SW	3	...	"	29.80	757.0	...	...	SW	2	...
Chefoo,	15	30.26	768.6	44	53	ENE	1	o	6	30.38	771.6	40	48	NE	4	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.06	763.5	59	91	E	2	o	"	30.05	763.2	50	100	NNE	4	o
Dutzlaff,	"	30.05	763.2	52	100	SE	1	of	"	30.02	762.5	50	100	NE	4	rf
Sharp Peak,	"	29.94	760.5	62	89	...	o	o	7	29.91	759.7	60	93	...	o	rf
Amoy,	15	29.91	759.7	63	94	NE	1	o	9	29.86	758.4	63	94	SSE	2	r
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.98	761.4	68	91	...	o	o	5	29.86	758.4	64	98	...	o	of
Taichu,	"	29.97	761.1	75	...	...	o	o	"	29.91	759.6	...	...	...	o	o
Tainan,	"	29.94	760.5	79	...	NNW	2	b	"	29.85	758.1	66	...	N	2	of
Koshun,	"	29.93	760.2	73	...	ENE	2	b	"	29.85	758.1	72	...	...	o	b
Pescadores,	"	29.97	761.1	70	...	N	2	o	"	29.82	757.5	68	...	NNE	4	o
Canton,	14	29.76	755.9	72	95	ESE	2	or	6	...	...	...	...	...	...	...
Hongkong,	"	29.80	756.9	70	91	E	3	om	"	29.78	756.4	76	90	S	3	om
Gap Rock,	"	29.80	756.9	...	...	E	3	c	"	29.79	756.6	...	...	SSE	3	o
Macao,	"	29.73	755.1	72	92	SSE	4	of	"	29.74	755.4	72	100	SSW	4	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.66	753.3	72	100	SSE	2	of	7	29.71	754.5	72	100	ESE	4	rf
Tourane,	"	29.69	754.2	82	...	SE	2	b	"	29.72	754.8	72	...	SSW	6	bf
Cape St. James,	"	29.78	756.3	86	...	E	2	b	"	29.78	756.3	77	...	E	2	b
Basco,	14	29.82	757.5	82	70	NNW	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.79	756.6	86	91	NE	4	b	"	29.82	757.5	75	88	SSW	2	b
Manila,	"	29.79	756.6	90	60	W	1	o	"	29.81	757.2	72	88	...	o	b
Legaspi,	"	29.81	757.2	81	90	ENE	2	o	"	29.81	757.2	79	90	...	o	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	"	29.78	756.3	81	80	NE	1	r	"	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	NE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.76	756.0	...	...	ENE	4	o	4.47	29.78	756.3	...	...	ENE	2	o
Labuan,	14	29.73	755.1	88	80	N	2	b	6	29.75	755.6	78	91	N	2	b

April 3*d.* 11*h.* 20*m.*—Pressure has increased considerably at Wladivostock, moderately at Chefoo and slightly over S. Japan and Indo-China; it has decreased very considerably over N. Japan, and slightly to moderately elsewhere. The anticyclone has strengthened, and spread eastward over S. Japan. A shallow depression covers Indo-China and extends into the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·05 inch. **Total since January 1st,** 16·17 **inches, against an average of** 6·49 **inches.**

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S.E. winds, moderate; cloudy, rain later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	3rd April, 1925.								4th April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.05	763.3	43	...	NNE	3	o	6	30.12	765.0	25	...	NNW	4	b
Nemuro,	11	...	...	...	...	...	...	...	5	29.84	758.0	...	...	S	1	...
Hokodate,	"	29.92	760.0	...	...	W	2	...	"	29.90	759.5	...	...	...	...	...
Tokio,	"	30.04	763.0	...	...	S	2	...	"	29.82	757.5	...	...	...	...	...
Kochi,	"	30.06	763.5	...	...	SE	1	...	"	29.78	756.5	...	...	...	...	...
Nagasaki,	"	30.02	762.5	...	...	W	1	...	"	29.65	753.0	...	...	NNE	1	...
Kagoshima,	"	30.04	763.0	...	...	E	1	...	"	29.73	755.0	...	...	S	1	...
Oshima,	"	30.00	762.0	...	...	ESE	1	...	"	29.67	753.5	...	...	SE	3	...
Naha,	"	...	...	...	...	...	...	...	"	29.73	755.0	...	...	S	1	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	29.76	756.0	...	...	NNW	2	...
Bonin Island,	"	29.78	756.5	...	...	W	1	...	"	29.78	756.5	...	...	...	0	...
Chefoo,	15	30.31	769.9	38	63	NNE	4	o	6	...	...	32	82	N	6	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.00	762.0	46	92	NE	4	r	"	30.18	766.5	41	94	NNW	4	r
Gutzlaff,	"	29.95	760.7	47	100	NE	6	rf	"	30.08	764.0	42	100	N	8	r
Sharp Peak,	"	29.84	757.9	66	89	...	0	of	7	29.88	758.9	54	98	E	2	rf
Amoy,	15	29.79	756.6	66	100	NE	2	r	9	29.80	756.9	64	95	ENE	1	of
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.91	759.6	70	91	W	2	o	5	29.79	756.6	64	96	N	2	r
Taichu,	"	29.91	759.6	66	...	N	4	o	"	29.81	757.2	66	...	...	0	o
Tainan,	"	29.85	758.1	73	...	SW	2	b	"	29.79	756.6	72	...	...	0	o
Koshun,	"	29.86	758.4	90	...	SE	2	o	"	29.75	755.7	77	...	WNW	2	o
Pescadores,	"	29.88	759.0	73	...	NNE	4	b	"	29.80	756.9	72	...	N	2	o
Canton,	14	29.71	754.6	80	87	SSE	2	o	6	29.84	757.8	60	94	N	4	o
Hongkong,	"	29.76	755.9	80	79	SW	2	o	"	29.79	756.6	71	96	ENE	2	odf
Gap Rock,	"	29.77	756.1	...	...	SSE	3	c	"	29.79	756.6	...	...	ESE	1	o
Macao,	"	29.73	755.1	81	84	SSE	4	o	"	29.76	756.0	72	100	...	2	rf
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.65	753.0	73	100	SSE	4	rf	7	29.74	755.4	73	100	ENE	4	of
Tourane,	"	29.67	753.6	82	...	SE	6	b	"	29.71	754.5	77	...	SSW	4	b
Cape St. James,	"	29.74	755.4	86	...	E	2	b	"	29.75	755.7	77	...	E	2	o
Basco,	14	29.75	755.7	86	61	SE	4	b	6	29.80	756.9	75	94	...	0	o
Aparri,	"	29.73	755.1	90	63	NE	4	b	"	29.79	756.6	77	94	...	0	b
Manila,	"	29.73	755.1	93	50	SE	4	b	"	29.79	756.6	73	91	...	0	b
Legaspi,	"	29.76	756.0	90	69	NE	2	b	"	29.78	756.3	77	91	...	0	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.71	754.5	90	51	NE	4	b	"	29.74	755.4	75	89	N	4	b
Surigao,	"	29.73	755.1	84	74	ENE	4	o	"	29.76	756.0	75	91	ESE	1	o
Guam,	12.20	29.73	755.1	...	...	NE	4	o	4.20	29.74	755.4	...	...	NE	2	o
Yap,	12.47	29.72	754.8	...	...	ENE	4	o	4.47	29.73	753.1	...	...	NE	4	o
Labuan,	14	29.66	753.3	88	76	N	4	b	6	29.79	756.6	78	94	N	1	b

April 4*d.* 11*h.* 50*m.*—Pressure has decreased considerably over Japan and slightly over Formosa. It has increased moderately at Shanghai and is nearly stationary over Indo-China and the Philippines.

The anticyclone has strengthened.

Depressions are shown to the north of Oshima and over Indo-China

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·34 inch. Total since January 1st, 16·51 inches, against an average of 6·63 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, freshening.
2.—South coast of China between Hongkong and Lamocks,	N. winds, fresh; overcast, rain.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	4th April, 1925.								5th April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.02	762.5	34	...	NNE	4	b	6	30.10	764.5	24	...	NNW	2	b
Nemuro,	11	29.78	756.5	...	...	SW	2	...	5	29.76	756.0	...	...	NW	2	...
Hokodate,	"	29.88	759.0	...	...	WNW	4	...	"	29.88	759.0	...	...	...	0	...
Tokio,	"	29.78	756.5	...	...	ENE	3	...	"	29.76	756.0	...	...	N	1	...
Kochi,	"	29.67	753.5	...	...	SE	1	...	"	29.84	758.0	...	...	...	0	...
Nagasaki,	"	29.63	752.5	...	...	NNE	3	...	"	29.98	761.5	...	...	NE	1	...
Kagoshima,	"	29.49	749.0	...	...	SSE	1	...	"	29.94	760.5	...	...	NNW	1	...
Oshima,	"	29.63	752.5	...	...	W	1	...	"	29.94	760.5	...	...	NNW	4	...
Naha,	"	29.78	756.5	...	...	WNW	3	...	"	30.00	762.0	...	...	N	4	...
Ishigakijima,	"	29.86	758.5	...	...	N	3	...	"	30.04	763.0	...	...	NNE	3	...
Bonin Island,	"	29.72	755.0	...	...	N	3	...	"	29.71	754.5	...	...	SSW	3	...
Chefoo,	15	30.28	769.1	36	83	NNW	6	b	6	30.32	770.1	30	88	W	2	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.26	768.6	46	52	N	4	o	"	30.39	771.9	32	100	WNW	1	b
Gutzlaff,	"	30.19	766.8	46	62	N	7	o	"	30.33	770.4	40	65	NNW	6	b
Sharp Peak,	"	30.01	762.2	52	86	ENE	2	o	7	30.02	762.5	50	72	NE	4	of
Amoy,	15	29.93	760.2	58	90	ENE	4	o	9	30.09	764.3	52	100	ENE	2	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.02	762.6	55	44	NE	4	r	5	30.13	765.3	52	95	...	0	r
Taichu,	"	29.91	759.6	61	...	N	4	r	"	29.98	761.4	52	...	NNE	2	r
Tainan,	"	29.86	758.4	79	...	NNE	4	o	"	29.95	760.8	54	...	N	4	r
Koshun,	"	29.84	757.8	84	...	NW	4	b	"	29.92	759.9	66	...	NE	6	o
Pescadores,	"	29.89	759.3	66	...	N	4	r	"	30.00	762.0	57	...	NNE	7	o
Canton,	14	29.96	761.0	54	94	N	2	or	6	...	...	...	...	...	...	...
Hongkong,	"	29.87	758.7	62	85	N	4	orf	"	30.03	762.7	54	87	ENE	2	o
Gap Rock,	"	29.84	757.9	...	...	NNW	6	o	"	30.03	762.7	...	...	NE	5	o
Macao,	"	29.87	758.7	57	96	N	4	o	"	30.01	762.3	52	87	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.76	756.0	73	91	E	2	of	7	29.88	759.0	70	98	NNW	2	of
Tourane,	"	29.67	753.6	84	...	SE	2	b	"	29.79	756.6	81	...	ENE	4	b
Cape St. James,	"	29.75	755.7	90	...	SE	2	b	"	...	...	...	...	...	...	...
Basco,	14	29.74	755.4	86	68	WNW	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.75	755.7	90	63	NNE	4	b	"	29.88	759.0	75	89	NE	4	r
Manila,	"	29.72	754.8	90	48	WSW	2	b	"	29.82	757.5	77	89	...	0	o
Legaspi,	"	29.74	755.4	90	69	NE	2	b	"	29.80	756.9	77	92	...	0	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.71	754.5	90	51	NE	4	b	"	...	...	...	...	...	...	...
Surigao,	"	29.72	754.8	86	75	NE	2	b	"	...	...	...	...	...	...	...
Guam,	12.20	29.68	753.9	...	...	ENE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.69	754.2	...	...	ENE	4	o	4.47	29.76	756.0	...	...	ENE	4	o
Labuan,	14	29.76	755.9	86	84	NW	1	b	6	29.80	756.9	76	94	NE	2	r

April 5*d.* 11*h.* 53*m.*—Pressure has decreased slightly over North Japan, and increased slightly over the Philippines; it has increased moderately to considerably elsewhere.

The anticyclone has increased in intensity and a depression is situated between South Japan and the Bonins.

Fresh monsoon will prevail along the coast and over the north part of the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·97 inch. Total since January 1st, 18·48 inches, against an average of 6·77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	5th April, 1925.								6th April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	30.06	763.5	35	...	NNE	4	b	6	30.21	767.4	31	...	WNW	2	b
Nemuro,	11	29.74	755.5	...	...	NNW	3	...	5	29.96	761.0	...	...	SW	1	...
Hokodate,	"	29.86	758.5	...	...	WNW	2	...	"	30.08	764.0	...	...	...	...	...
Tokio,	"	29.82	757.5	...	...	NE	2	...	"	30.20	767.0	...	...	NNW	1	...
Kochi,	"	29.98	761.5	...	...	N	2	...	"	30.30	769.5	...	...	...	...	...
Nagasaki,	"	30.04	763.0	...	...	N	2	...	"	...	...	...	...	ESE	1	...
Kagoshima,	"	30.00	762.0	...	...	NNW	1	...	"	30.26	768.5	...	...	WNW	1	...
Oshima,	"	30.02	762.5	...	...	NNW	3	...	"	30.20	767.0	...	...	NNE	1	...
Naha,	"	30.08	764.0	...	...	N	3	...	"	30.18	766.5	...	...	NE	1	...
Ishigakijima,	"	30.12	765.0	...	...	NNE	2	...	"	30.16	766.0	...	...	ENE	2	...
Bonin Island,	"	29.74	755.5	...	...	ESE	1	...	"	30.10	764.5	...	...	N	1	...
Chefoo,	15	30.37	771.4	40	100	N	4	b	6	30.43	772.9	32	58	N	1	bf
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.39	771.9	50	45	N	2	h	"	30.43	772.8	37	83	NE	1	o
Gutzlaff,	"	30.38	771.6	46	62	NNW	4	b	"	30.41	772.4	42	58	NE	4	o
Sharp Peak,	"	30.22	767.6	52	24	ENE	4	o	7	30.21	767.3	47	85	ENE	2	rf
Amoy,	15	30.07	763.8	60	65	ENE	2	o	9	30.18	766.6	50	88	NNE	4	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.18	766.5	55	84	NW	4	o	5	30.13	765.3	57	86	E	6	o
Taichu,	"	30.07	763.8	55	...	NNE	2	o	"	30.07	763.8	55	...	...	o	o
Tainan,	"	30.06	763.5	55	...	NNW	2	o	"	30.01	762.3	55	...	NE	2	o
Koshun,	"	30.00	762.0	70	...	NE	6	b	"	30.00	762.0	66	...	NE	6	o
Pescadores,	"	30.10	764.4	59	...	N	6	o	"	30.06	763.5	61	...	NNE	6	o
Canton,	14	30.08	764.0	55	74	N	2	o	6	30.12	765.0	52	93	N	1	o
Hongkong,	"	30.05	763.2	57	78	NNE	2	o	"	30.08	764.0	57	81	E	3	o
Gap Rock,	"	30.05	763.2	...	...	NE	5	o	"	30.05	763.2	...	...	ENE	6	o
Macao,	"	...	...	...	...	...	...	...	"	30.02	762.6	57	84	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.00	762.0	59	98	NE	2	rf	7	30.08	764.1	55	100	NW	2	rf
Tourane,	"	29.87	758.7	72	...	NW	4	o	"	29.98	761.4	66	...	NW	4	o
Cape St. James,	"	29.78	756.3	82	...	E	4	b	"	29.84	757.8	77	...	E	2	o
Basco,	14	29.93	760.2	72	78	N	6	r	6	...	...	...	...	...	...	...
Aparri,	"	29.89	759.3	81	73	NE	4	o	"	...	...	...	...	...	...	...
Manila,	"	29.79	756.6	93	46	SE	2	o	"	29.91	759.6	75	86	...	o	o
Legaspi,	"	29.80	756.9	90	69	NE	2	o	"	29.92	759.9	77	84	NE	4	o
Tacloban,	"	29.78	756.3	86	68	S	4	r	"	29.88	759.0	75	96	NW	2	o
Iloilo,	"	...	...	...	...	...	...	...	"	29.86	758.4	77	92	N	4	o
Surigao,	"	29.79	756.6	79	87	SE	1	r	"	29.87	758.7	77	91	SSE	2	r
Guam,	12.20	29.75	755.7	...	...	NNE	2	o	4.20	29.86	758.4	...	...	NE	2	b
Yap,	12.47	29.74	755.4	...	...	NE	4	o	4.47	29.84	757.8	...	...	NE	4	o
Labuan,	14	29.82	757.4	84	83	NE	2	o	6	29.78	756.4	76	94	N	1	o

April *6d.* 11*h.* 51*m.*—The anticyclone has continued to increase in intensity. Pressure has increased considerably over Japan and the Loochoos, and slightly to moderately elsewhere.

Fresh to strong monsoon will prevail along the coast and over the north part of the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·33 inch. Total since January 1st, 18·81 inches, against an average of 6·92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh to strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; cloudy, occasional rain.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	6th April, 1925.								7th April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock,	12	30.19	766.8	43	...	NW	2	o	6	30.33	770.3	31	...	ENE	2	c
emuro,	11	.	...	...	...	...	...	...	5	30.38	771.5	...	...	NNE	1	...
okodate,	"	30.12	765.0	...	...	WNW	6	...	"	30.34	770.5	...	...	...	...	...
kio,	"	30.24	768.0	...	...	NNW	2	...	"	...	...	...	...	N	1	...
ochi,	"	30.33	770.5	...	...	S	1	...	"	...	...	...	...	SW	1	...
agasaki,	"	30.31	770.0	...	...	W	1	...	"	30.28	769.0	...	...	SE	2	...
agoshima,	"	30.30	769.5	...	...	ENE	1	...	"	30.28	769.0	...	...	NE	1	...
shima,	"	30.22	767.5	...	...	NNW	2	...	"	30.22	767.5	...	...	...	...	...
aha,	"	30.20	767.0	...	...	E	1	...	"	30.16	766.0	...	...	SE	1	...
higakijima,	"	30 20	767.0	...	...	ENE	2	...	"	30.12	765.0	...	...	ESE	2	...
oin Island,	"	30.12	765.0	...	...	NNE	1	...	"	...	...	...	...	NNE	1	...
hefoo,	15	30.39	771.9	46	54	ENE	2	o	6	30.38	771.6	38	100	W	1	r
ankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
hang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
hangsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
hanghai,	14	30.39	771.9	48	60	ENE	4	o	"	30.34	770.7	45	86	ENE	1	o
utzlaff,	"	30.40	772.1	46	62	ENE	4	o	"	30.32	770.1	44	86	NNE	4	o
harp Peak,	"	30.19	766.8	50	79	N	2	o	7	30.18	766.6	50	93	W	4	r
moy,	15	30.13	765.3	56	81	ENE	1	o	9	30.13	765.3	54	94	...	o	r
watow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
aihoku,	11	30.18	766.5	61	83	E	4	o	5	30.10	764.4	61	98	...	o	r
aichu,	"	30.13	765.3	61	...	...	o	o	"	30.12	765.0	59	...	...	o	o
ainan,	"	30.12	765.0	59	...	N	2	r	"	30.07	763.8	61	...	N	2	o
oshun,	"	30.12	765.0	70	...	NE	4	o	"	30.02	762.6	70	...	NE	4	b
escadores,	"	30.15	765.9	59	...	NNE	6	r	"	30.11	764.7	61	...	NNE	4	o
anton,	14	30.09	764.3	56	87	N	2	o	6	30.12	765.0	53	93	N	2	r
ongkong,	"	30.06	763.5	57	84	E	4	o	"	30.07	763.8	60	87	ENE	3	o
ap Rock,	"	30.06	763.5	...	...	ENE	6	od	"	30.04	763.0	...	...	ENE	5	od
acao,	"	30.04	762.9	57	98	NNE	2	rf	"	30.04	762.9	55	98	N	4	rf
uchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
akhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
oihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
hulien,	"	30.01	762.3	61	87	SW	1	o	7	30.08	764.1	59	100	NNE	2	of
ourane,	"	29.97	761.1	68	...	NW	6	o	"	30.00	762.0	66	...	WNW	4	o
ape St. James,	"	29.84	757.8	82	...	E	6	o	"	29.86	758.4	79	...	E	6	o
asco,	14	29.99	761.7	77	79	ENE	4	o	6	...	...	...	...	...	...	...
parri,	"	29.95	760.8	82	70	NE	4	o	"	29.98	761.4	73	84	...	o	o
anila,	"	29.89	759 3	82	63	SE	4	o	"	29.93	760.2	73	91	...	o	o
egaspi,	"	29.87	758.7	86	71	NE	4	b	"	29.91	759.6	79	80	NE	2	o
acloban,	"	...	...	...	...	...	...	...	"	29.88	759.0	75	96	ENE	2	o
oilo,	"	29.80	756.9	90	82	NNE	6	b	"	29.86	758.4	77	88	N	4	o
urigao,	"	29.82	757.5	86	65	E	6	o	"	29.87	758.7	79	87	ENE	4	r
uam,	12.20	29.78	756.3	...	...	ENE	4	o	4.20	29.86	758.4	...	...	NE	2	o
ap,	12.47	29.81	757.2	...	...	ENE	6	r	4.47	29.82	757.5	...	...	ENE	6	r
abuan,	14	29.76	755.9	86	84	N	2	b	6	29.83	757.7	78	91	...	o	b

April 7*d.* 11*h.* 56*m.*—Pressure has increased moderately over N. Japan, and, with few exceptions, has decreased slightly to moderately elsewhere. The anticyclone has now extended considerably to the eastward, covering the whole of the north part of the area.

Fresh monsoon will prevail along the coast and over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 18·81 inches, against an average of 7·07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fair generally.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	7th April, 1925.								8th April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.24	768.2	42	...	SW	4	o	6	30.23	767.9	33	...	...	o	o
Nemuro,	11	30.24	768.0	...	...	WSW	2	...	5	30.26	768.5	...	...	SSW	1	...
Hokodate,	,,	30.37	771.5	...	...	WNW	3	...	,,	30.26	768.5	...	...	...	...	...
Tokio,	,,	30.45	773.5	...	...	ENE	1	...	,,	30.20	767.0	...	...	NW	1	...
Kochi,	,,	30.33	770.5	...	...	SE	1	...	,,	30.18	766.5	...	...	...	...	...
Nagasaki,	,,	30.26	768.5	...	...	N	1	...	,,	30.22	767.5	...	...	N	1	...
Kagoshima,	,,	30.24	768.0	...	...	SSE	2	...	,,	30.14	765.5	...	...	...	...	...
Oshima,	,,	30 20	767.0	...	...	SE	1	...	,,	30.14	765.5	...	...	...	o	...
Naha,	,,	30.18	766.5	...	...	SE	2	...	,,	30.14	765.5	...	...	SE	4	...
Ishigakijima,	,,	30.14	765.5	...	...	SE	2	...	,,	30.14	765.5	...	...	ENE	1	...
Bonin Island,	,,	30.18	766.5	...	...	ENE	1	...	,,	30.22	767.5	...	...	...	o	...
Chefoo,	15	30.33	770.4	42	75	NW	1	o	6	30.31	769.9	40	65	SW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.33	770.4	52	57	N	1	o	,,	30.50	774.6	43	91	NNW	1	o
Gutzlaff,	,,	30.33	770.4	52	66	N	2	b	,,	30.45	773.4	44	76	N	4	o
Sharp Peak,	,,	30.18	766.6	54	94	...	o	rf	7	30.24	768.1	50	98	NE	2	rf
Amoy,	15	30.08	764.0	58	94	NNW	1	o	9	30.22	767.6	54	94	ENE	1	r
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.18	766.5	63	94	...	o	o	5	30.20	767.1	59	91	E	4	o
Taichu,	,,	30.17	766.2	63	...	...	o	r	,,	30.14	765.6	61	...	N	2	o
Tainan,	,,	30.12	765.0	66	...	N	4	o	,,	30.11	764.7	61	...	N	4	o
Koshun,	,,	30.11	764 7	75	...	N	2	o	,,	30.08	764.1	72	...	NE	2	o
Pescadores,	,,	30.14	765.6	63	...	NNE	4	r	,,	30.14	765.6	61	...	NNE	6	o
Canton,	14	30.10	764.5	56	94	N	...	or	6	...	...	...	...	...	...	...
Hongkong,	,,	30.05	763.2	63	83	E	2	o	,,	30.16	766.0	57	94	...	o	or
Gap Rock,	,,	30.05	763.2	...	...	ENE	5	o	,,	30.14	765.5	...	...	N	4	od
Macao,	,,	30.05	763.2	59	91	NNE	4	o	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.04	762.9	64	80	NNW	1	o	7	30.19	766.8	57	81	NNE	4	o
Tourane,	,,	29.99	761.7	68	...	NW	4	o	,,	30.05	763.2	68	...	NW	4	o
Cape St. James,	,,	29.87	758.7	82	...	E	6	b	,,	29.85	758.1	79	...	ENE	7	b
Basco,	14	29.97	761.1	79	80	ENE	4	o	6	30.05	763.2	73	88	NE	4	o
Aparri,	,,	29.94	760.5	84	68	E	2	o	,,	30.00	762.0	77	84	ENE	4	b
Manila,	,,	29.88	759.0	86	65	WSW	2	o	,,	29.94	760.5	73	88	ENE	1	o
Legaspi,	,,	29.88	759.0	86	68	ENE	4	o	,,	29.91	759.6	79	89	NE	2	o
Tacloban,	,,	29.86	758.4	90	...	NE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.88	759.0	75	91	N	4	b
Surigao,	..	29.85	758.1	86	65	ENE	4	o	,,	29.87	758.7	77	88	...	2	o
Guam,	12.20	29.81	757.2	...	...	NE	4	o	4.20	29.86	758.4	...	...	NE	4	o
Yap,	12.47	29.80	756.9	...	...	ENE	6	r	4.47	29.81	757.2	...	...	ENE	6	r
Labuan,	14	29.81	757.2	86	88	NW	4	b	6	29.83	757.7	78	94	S	2	b

April 8*d.* 12*h.* 30*m.*—Pressure has decreased moderately to considerably over Japan, and slightly over the Loochoos and the Philippines; it has increased slightly to moderately elsewhere.

The Eastern anticyclone has passed into the Pacific; the anticyclone over China has attained considerable intensity.

Fresh monsoon will prevail along the coast and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·19 inch. Total since January 1st, 19·00 inches, against an average of 7·23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong.
2.—South coast of China between Hongkong and Lamocks.	N. and N.E. winds, fresh; cloudy, with drizzle or mist, probably improving.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	8th April, 1925.								9th April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	30.15	765.7	44	...	WSW	2	o	6	30.05	763.3	34	...	...	o	o
Kemuro,	11	30.22	767.5	...	...	SW	4	...	5	29.84	758.0	...	...	N	1	...
Hokodate,	,,	30.16	766.0	...	...	W	1	...	,,	29.90	759.5	...	...	N	6	...
Tokio,	,,	30.06	763.5	...	...	...	...	...	,,	29.92	760.0	...	...	NE	1	...
Kochi,	,,	30.08	764.0	...	...	SW	1	...	,,	30.12	765.0	...	...	...	...	...
Nagasaki,	,,	30 20	767.0	...	...	N	2	...	,,	30.26	768.5	...	...	N	2	...
Kagoshima,	,,	30.18	766.5	...	...	NNW	1	...	,,	30.26	768.5	...	...	...	...	...
Ishima,	,,	30.16	766.0	...	...	NNW	1	...	,,	30.22	767.5	...	...	NNW	3	...
Naha,	,,	30.18	766.5	...	...	WSW	2	...	,,	30.26	768.5	...	...	NNE	5	...
Ishigakijima,	,,	30.18	766.5	...	...	ENE	3	...	,,	30.28	769.0	...	...	NE	4	...
Bonin Island,	,,	30.16	766.0	...	...	ESE	1	...	,,	30.06	763.5	...	...	...	...	...
Chefoo,	15	30.30	769.6	44	86	NW	4	o	6	30.38	771.6	40	65	W	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.46	773.7	55	44	NW	2	o	,,	30.59	777.0	41	79	N	1	b
Hutzlaff,	,,	30.47	773.9	54	62	N	1	b	,,	30.53	775.4	44	60	N	4	o
Sharp Peak,	,,	30.27	768.8	50	86	ENE	4	o	7	30.38	771.6	50	86	N	1	o
Amoy,	15	30.20	767.1	54	94	ENE	2	r	9	30.36	771.1	52	93	SE	2	o
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.32	770.1	59	85	E	4	r	5	30.37	771.3	55	71	E	4	o
Taichu,	,,	30.22	767.7	61	...	N	4	o	,,	30.22	767.7	55	...	N	2	o
Tainan,	,,	30.17	766.2	66	...	N	4	o	,,	30.20	767.1	55	...	N	4	b
Koshun,	,,	30.13	765.3	77	...	NNE	4	o	,,	30.14	765.6	66	...	SE	6	o
Pescadores,	,,	30.24	768.0	59	...	NNE	6	o	,,	30.26	768.6	57	...	NNE	7	o
Canton,	14	30.25	768.3	59	82	N	2	o	6	...	...	...	...	...	...	...
Hongkong,	,,	30.21	767.3	57	87	N	2	od	,,	30.30	769.6	53	92	NNE	3	o
Gap Rock,	,,	30.21	767.3	...	...	N	5	o	,,	30.28	769.1	...	...	NE	4	o
Macao,	,,	30.19	766.8	54	95	NNE	4	r	,,	30.25	768.3	50	95	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhulien,	,,	30.22	767.7	61	69	ENE	4	o	7	30.34	770.7	57	67	NE	4	o
Tourane,	,,	30.08	764.1	66	...	NW	7	of	,,	30.17	766.2	64	...	NW	7	of
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.95	760.8	77	...	E	4	o
Basco,	14	30.00	762.0	79	80	N	6	o	6	30.13	765.3	70	96	N	6	o
Aparri,	,,	29.97	761.1	84	68	NE	4	o	,,	30.01	762.3	77	98	NE	4	r
Manila,	,,	29.88	759.0	90	57	WSW	2	o	,,	29.94	760.5	73	86	NW	2	b
Legaspi,	,,	29.89	759 3	90	63	NNE	4	o	,,	29.91	759.6	81	80	NE	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.84	757.8	86	49	NE	6	o	,,	29.88	759.0	77	92	N	4	o
Surigao,	,,	29.86	758.4	81	80	...	o	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.81	757.2	...	...	ENE	4	o	4.20	29.81	757.2	...	...	ENE	2	o
Yap,	12.47	29.78	756.3	...	...	ENE	6	r	4.47	29.81	757.2	...	...	ENE	4	o
Labuan,	14	29.87	758.7	86	84	NW	4	o	6	29.83	757.7	78	94	NW	2	b

April 9*d.* 12*h.* 08*m.*—Pressure has decreased slightly over the Philippines, moderately at Wladivostock and the Bonin Islands, and considerably over N. Japan; it has increased slightly to moderately elsewhere.

The anticyclone remains stationary to the north of Yangtze and has attained abnormal intensity for the season. Fresh to strong monsoon will prevail along the coast and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·14 inch. Total since January 1st, 19·14 inches, against an average of 7·39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong.
2.—South coast of China between Hongkong and Lamocks.	N.E. winds, fresh; cloudy.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	9th April, 1925.								10th April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.01	762.2	47	...	NNW	3	o	6	29.99	761.7	41	...	E	2	o
Nemuro,	11	29.74	755.5	...	...	NW	1	...	5	29.78	756.5	...	...	WSW	2	...
Hokodate,	"	29.86	758.5	...	...	WNW	4	...	"	29.92	760.0	...	...	WNW	3	...
Tokio,	"	29.92	760.0	...	...	NNW	4	...	"	30.16	766.0	...	...	NNW	1	...
Kochi,	"	30.16	766.0	...	...	N	1	...	"	30.28	769.0	...	...	WSW	1	...
Nagasaki,	"	30.26	768.5	...	...	NNW	2	...	"	30.32	770.0	...	...	...	...	...
Kagoshima,	"	30.26	768.5	...	...	NNW	1	...	"	30.34	770.5	...	...	NW	1	...
Oshima,	"	30 28	769.0	...	...	NNW	3	...	"	30.28	769.0	...	...	...	2	...
Naha,	"	30.33	770.5	...	...	N	4	...	"	30.28	769.0	...	...	NE	1	...
Ishigakijima,	"	30.35	771.0	...	...	NE	4	...	"	30.26	768.5	...	...	N	1	...
Bonin Island,	"	30.02	762.5	...	...	SSE	2	...	"	30.12	765.0	...	...	NNW	1	...
Chefoo,	15	30.30	769.6	56	45	NNW	2	b	6	30.14	765.5	50	45	SW	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.56	776.1	57	28	NNW	1	b	"	30.43	772.8	41	75	S	1	o
Gutzlaff,	"	30.56	776.2	52	47	NNW	1	b	"	30.42	772.6	44	60	SW	1	o
Sharp Peak,	"	30.38	771.6	62	67	E	2	o	7	30.34	770.6	50	86	NW	1	o
Amoy,	15	30.30	769.6	60	65	ENE	4	o	9	30.26	768.6	54	68	ENE	2	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.45	773.4	55	86	ESE	4	r	5	30.24	768.0	57	77	E	4	o
Taichu,	"	30.27	768.9	61	...	...	...	...	"	30.18	766.5	57	...	...	o	o
Tainan,	"	30.25	768.3	68	...	NNW	7	b	"	30.15	765.9	57	...	NE	2	o
Koshun,	"	30.24	768.0	72	...	NNE	7	r	"	30.15	765.9	64	...	NE	6	b
Pescadores,	"	30.31	769.8	59	...	NNE	7	o	"	30.18	766.5	59	...	NNE	4	o
Canton,	14	..	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	30.28	769.1	60	65	N	2	o	"	30.23	767.8	58	66	N	2	o
Gap Rock,	"	30.27	768.8	...	...	NNE	4	o	"	30.22	767.6	...	...	NNE	4	o
Macao,	"	30.27	768.9	57	67	N	4	o	"	30.19	766.8	57	72	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30 32	770.1	81	66	NW	1	o	7	...	...	...	...	...	...	...
Tourane,	"	30.15	765.9	64	...	NW	7	of	"	...	...	...	...	...	...	...
Cape St. James,	"	29.88	759.0	82	...	ENE	6	bf	"	...	...	...	...	...	...	...
Basco,	14	30.08	764.1	73	88	N	6	o	6	...	...	...	...	..	...	...
Aparri,	"	30.05	763.2	75	88	NE	6	r	"	30.06	763.5	73	96	ENE	6	r
Manila,	"	29.92	759.9	93	40	ENE	2	o	"	29.93	760.2	73	85	NE	2	o
Legaspi,	"	29.91	759.6	79	85	ENE	4	o	"	29.91	759.6	77	89	NE	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.85	758.1	84	77	NE	4	o	"	...	...	...	...	...	...	...
Surigao,	..	29.85	758.1	82	81	...	o	r	"	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	ENE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.78	756.3	...	...	ENE	4	o	4.47	29.79	756.6	...	...	ENE	4	o
Labuan,	14	29.87	758.7	86	84	NW	2	b	6	...	...	...	...	...	...	...

April 10*d.* 11*h.* 32*m.*—Pressure has increased slightly to moderately over Japan, the Loochoos and the Bonins; it has decreased slightly to moderately elsewhere. The anticyclone has weakened and commenced to move eastward, pressure being highest between Shanghai and Japan.

The monsoon will be interrupted to the north of the Formosa Channel and will moderate over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 19·14 inches, against an average of 7·55 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11th.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh to moderate.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate; fair, warmer.
3.—Hongkong to Gap Rock,	N.E. winds, moderate; fair, warmer.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; fair, warmer.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	10th April, 1925.								11th April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostook,	12	29.84	757.8	49	...	SSW	5	c	6	29.83	757.6	37	...	ESE	2	o
Kemuro,	11	29.82	757.5	...	...	NNW	1	...	5	29.92	760.0	...	...	N	1	...
Hokodate,	"	29.94	760.5	...	...	WNW	5	...	"	29.96	761.0	...	...	SSE	1	...
Tokio,	"	30.16	766.0	...	...	W	1	...	"	30.18	766.5	...	...	NNW	1	...
Kochi,	"	30.24	768.0	...	...	SE	1	...	"	30.18	766.5	...	...	SW	1	...
Nagasaki,	"	30.30	769.5	...	...	NNW	3	...	"	30.20	767.0	...	...	WSW	1	...
Kagoshima,	"	30 28	769.0	...	...	ESE	1	...	"	30.20	767.0	...	...	NW	1	...
Oshima,	"	30.28	769.0	...	...	NNW	1	...	"	30.14	765.5	...	...	...	...	...
Naha,	"	30.26	768.5	...	...	NE	1	...	"	30.10	764.5	...	...	...	...	...
Ishigakijima,	"	30.24	768.0	...	...	E	2	...	"	30.04	763.0	...	...	SSE	2	...
Bonin Island,	"	30.14	765.5	...	...	NNE	1	...	"	30.16	766.0	...	...	ENE	1	...
Chefoo,	15	29.98	761.5	60	65	W	2	o	6	29.91	759.7	52	47	S	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.31	769.8	55	39	SSE	2	o	"	30.21	767.4	45	94	S	1	b
Sutzlaff,	"	30.33	770.4	48	49	SSW	2	o	"	30.18	766.6	44	92	S	4	o
Sharp Peak,	"	30.25	768.3	50	86	NNW	2	r	7	30.12	765 0	50	86	...	o	r
Amoy,	15	30.20	767.1	58	64	NE	4	o	9	30.12	765.0	54	94	SE	2	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.22	767.7	66	63	E	4	o	5	30.08	764.1	57	96	NE	2	r
Taichu,	"	30.18	766.5	68	...	...	o	o	"	30.12	765.0	57	...	...	o	o
Tainan,	"	30.18	766.5	72	...	NNW	2	o	"	30.06	763.5	59	...	NNE	4	o
Koshun,	"	30.17	766.2	73	...	NE	4	b	"	30.04	762.9	63	...	...	o	b
Pescadores,	"	30.21	767.4	61	...	NNE	6	o	"	30.08	764.1	59	...	NNE	4	o
Canton,	14	30 21	767.3	57	87	N	2	o	6	...	...	...	...	...	...	...
Hongkong,	"	30.17	766.3	64	58	N	2	o	"	30.12	765.0	58	83	N	1	o
Gap Rock,	"	30.16	766.0	...	...	N	4	o	"	30.13	765.3	...	...	N	4	o
Macao,	"	30.17	766.2	59	73	N	4	o	"	30.10	764.4	54	95	NNW	4	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.21	767.4	59	83	WNW	2	r	7	30.21	767.4	54	100	NW	4	rf
Tourane,	"	30.07	763.8	64	...	NW	7	o	"	30.08	764.1	63	...	NW	6	o
Cape St. James,	"	29.84	757.8	82	...	E	6	b	"	29.92	759.9	75	...	NW	4	b
Basco,	14	30.04	762.9	72	78	E	4	o	6	29.97	761.1	73	82	E	2	o
Aparri,	"	29.99	761.7	79	76	ENE	4	o	"	29.95	760.8	73	92	E	2	r
Manila,	"	29.87	758.7	86	56	NNW	4	o	"	29.91	759.6	73	88	...	o	o
Legaspi,	"	29.88	759.0	86	75	NE	4	o	"	29.88	759.0	68	77	NE	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.80	756.9	86	56	NNE	6	b	"	29.86	758.4	77	91	N	4	o
Surigao,	"	29.84	757.8	86	71	NE	4	o	"	29.86	758.4	75	94	SSW	1	o
Guam,	12.20	29.76	756.0	...	...	NE	4	o	4.20	29.80	756.9	...	...	ENE	2	r
Yap,	12.47	29.75	755.7	...	...	NE	4	o	4.47	29.78	756.3	...	...	NE	4	o
Labuan,	14	29.77	756.1	84	83	S	1	b	6	29.81	757.2	77	94	NW	1	o

April 11*d.* 11*h.* 24*m.*—Pressure has increased moderately over N. Japan, and decreased slightly to moderately elsewhere; it is highest over Tongking and the Eastern Sea. An irregular area of high pressure extends from Tongking north eastwards to Japan.

Moderate monsoon will prevail over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 19·15 inches, against an average of 7·72 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	N. and N.E. winds, moderate; cloudy, some drizzle or mist.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	11th April, 1925.								12th April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	29.77	756.2	48	...	ESE	4	o	6	29.84	757.9	36	...	...	o	c
Nemuro,	11	29.88	759.0	...	...	SSW	3	...	5	30.00	762.0	...	...	SSE	1	...
Hokodate,	"	29.92	760.0	...	...	SSW	4	...	"	30.04	763.0	...	...	...	o	...
Tokio,	"	30.10	764.5	...	...	S	1	...	"	30.02	762.5	...	...	...	o	...
Kochi,	"	30.12	765.0	...	...	...	...	...	"	29.94	760.5	...	...	...	o	...
Nagasaki,	"	30.12	765.0	...	...	SE	1	...	"	30.04	763.0	...	...	...	o	...
Kagoshima,	"	30.12	765.0	...	...	NE	1	...	"	29.96	761.0	...	...	...	...	...
Oshima,	"	30.06	763.5	...	...	...	o	...	"	30.02	762.5	...	...	N	4	...
Naha,	"	30.04	763.0	...	...	SSE	1	...	"	30.04	763.0	...	...	NW	1	...
Ishigakijima,	"	30.06	763.5	...	...	WSW	1	...	"	30.04	763.0	...	...	NNE	1	...
Bonin Island,	"	30.14	765.5	...	...	E	1	...	"	30.02	762.5	...	...	ESE	3	...
Chefoo,	15	29.87	758.7	32	48	SW	1	b	6	29.84	757.9	58	47	SW	4	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.08	764.1	66	34	WSW	2	b	"	30.08	764.0	46	91	S	1	b
Gutzlaff,	"	30.13	765.3	54	68	S	2	b	"	30.08	764.0	48	87	SSW	4	b
Sharp Peak,	"	30.12	765.0	63	72	E	1	o	7	30.09	764.3	52	86	W	1	b
Amoy,	15	30.09	764.3	58	90	SSE	2	o	9	...	...	...	...	...	...	...
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.15	765.9	55	93	S	2	r	5	30.06	763.5	54	88	E	2	b
Taichu,	"	30.13	765.3	59	...	N	2	r	"	30.06	763.5	55	...	...	o	b
Tainan,	"	30.10	764.4	64	...	N	4	o	"	30.00	762.0	57	...	N	2	b
Koshun,	"	30.04	762.9	75	...	NNW	2	o	"	29.98	761.4	68	...	NE	2	o
Pescadores,	"	30.13	765.3	59	...	NNE	4	r	"	30.04	762.9	59	...	NNE	4	b
Canton,	14	30.10	764.0	62	72	NNE	1	o	6	30.06	763.5	52	100	...	o	db
Hongkong,	"	30.08	764.0	62	75	W	2	o	"	30.04	763.0	57	92	E	3	b
Gap Rock,	"	30.08	764.0	...	...	N	4	c	"	30.04	763.0	...	...	NE	3	b
Macao,	"	30.06	763.5	59	81	NE	4	r	"	30.01	762.3	55	90	N	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.10	764.4	59	81	NNW	1	r	7	30.05	763.2	57	98	SSE	1	o
Tourane,	"	30.04	762.9	68	...	NW	6	o	"	30.02	762.6	63	...	NW	2	o
Cape St. James,	"	29.87	758.7	84	...	E	4	o	"	29.91	759.6	77	...	N	2	o
Basco,	14	29.89	759.3	77	84	E	2	o	6	...	...	...	...	...	...	...
Aparri,	"	29.88	759.0	81	73	NNE	2	b	"	29.91	759.6	73	96	...	o	o
Manila,	"	29.84	757.8	86	52	SSE	4	o	"	29.88	759.0	72	89	E	1	b
Legaspi,	"	29.85	758.1	90	66	ENE	4	o	"	29.85	758.1	75	94	...	o	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.78	756.3	86	56	NE	6	o	"	...	...	...	...	...	...	...
Surigao,	"	29.80	756.9	82	77	ENE	4	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.75	755.7	...	...	ENE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.73	755.1	...	...	NE	4	o	4.47	29.76	756.0	...	...	NE	4	o
Labuan,	14	29.81	757.2	86	84	S	4	b	6	29.78	756.4	78	91	NW	1	o

April 12*d.* 11*h.* 10*m.*—Pressure has increased moderately over northern Japan, and decreased slightly to moderately elsewhere; it remains highest over an irregular area from Tongking to Japan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 1915 inches, against an average of 7·89 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks.	N.E. winds, moderate; fine generally.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	12th April, 1925.								13th April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock. .	12	29.78	756.5	48	...	ESE	3	o	6	29.87	758.6	37	...	NNE	5	o
Kemuro,	11	30.00	762.0	...	...	S	3	...	5	29.94	760.5	...	...	...	...	...
Hokodate,	,,	30.00	762.0	...	...	SE	2	...	,,	29.86	758.5	...	...	..	...	...
Tokio,	,,	29.96	761.0	...	...	NNW	1	...	,,	29.80	757.0	...	...	NW	1	...
Kochi,	,,	29.92	760.0	...	...	NW	1	...	,,	29.94	760.5	...	...	...	o	...
Nagasaki,	,,	30.04	763.0	...	...	W	2	...	,,	30.00	762.0	...	...	NW	6	...
Kagoshima,	,,	30.04	763.0	...	...	NW	1	...	,,	30.06	763.5	...	...	WNW	1	...
Oshima,	,,	30.08	764.0	...	...	N	2	...	,,	30.08	764.0	...	...	SE	1	...
Taiwan,	,,	30.10	764.5	...	...	N	2	...	,,	30.10	764.5	...	...	...	...	...
Ishigakijima,	,,	30.10	764.5	...	...	E	2	...	,,	30.04	763.0	...	...	ENE	1	...
Bonin Island,	,,	29.96	761.0	...	...	S	2	...	,,	29.98	761.5	...	...	WSW	1	...
Chefoo,	15	29.90	759.4	48	63	NW	4	of	6	30.18	766.6	40	85	W	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.05	763.2	73	91	SSW	1	b	,,	30.20	767.1	52	57	NNE	1	b
Kutzlaff,	,,	30.09	764.3	60	71	SSE	2	b	,,	30.21	767.3	50	79	NNE	4	b
Sharp Peak,	,,	30.08	764.0	73	58	E	1	b	7	30.06	763.5	60	71	W	1	o
Amoy,	15	30.08	764.0	66	64	SSE	1	b	9	30.06	763.5	58	90	WNW	2	b
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.07	763.8	72	57	E	4	b	5	30.05	763.2	61	85	S	2	b
Taichu,	,,	30.05	763.2	73	...	...	o	b	,,	30.01	762.3	64	...	...	o	o
Tainan,	,,	30.04	762.9	77	...	N	2	b	,,	30.01	762.3	61	...	NNE	2	b
Koshun,	,,	30.04	762.9	81	...	NNE	4	b	,,	29.99	761.7	72	...	NE	2	o
Pescadores,	,,	30 07	763.8	68	...	NNE	4	b	,,	30.04	762.9	66	...	N	4	o
Canton,	14	30.00	762.0	71	71	S	1	b	6	30.04	763 0	63	94	SSE	1	o
Hongkong,	,,	30.02	762.5	65	72	E	4	b	,,	30.03	762.7	63	67	E	4	o
Gap Rock,	,,	30.01	762.5	...	...	ENE	4	b	,,	30.03	762.7	...	...	ENE	4	o
Macao,	,,	29.99	761.7	70	74	...	o	o	,,	30.01	762.3	63	90	E	1	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.95	760.8	72	65	SSE	1	o	7	29.99	761.7	63	100	ENE	2	rf
Tourane,	,,	29.97	761.1	70	...	NNW	2	b	,,	29.94	760.5	70	...	S	4	b
Cape St. James,	,,	29.86	758.4	86	...	E	2	b	,,	29.88	759.0	73	...	N	2	bf
Basco,	14	29.86	758.4	75	76	ENE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.87	758.7	84	74	NE	4	b	,,	29.89	759.3	73	92	S	2	o
Manila,	,,	29.84	757.8	90	55	WSW	4	b	,,	29.88	759.0	75	88	ENE	1	o
Legaspi,	,,	29.84	757.8	86	65	NE	4	o	,,	29.86	758.4	79	85	NE	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.80	756.9	86	68	N	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.81	757.2	84	77	N	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.73	755.1	...	...	ENE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.72	754.8	...	...	NE	4	o	4.47	29.74	755.4	...	...	NNE	4	o
Labuan,	14	29.73	755.1	78	94	S	1	o	6	29.78	756.4	78	91	NW	1	o

April 13*d.* 11*h.* 26*m.*—Pressure has decreased moderately over central Japan, and slightly over Indo-China and the Philippines; it has increased considerably at Chefoo and slightly to moderately elsewhere.

A weak anticyclone has developed over China, and moderate monsoon may be expected along the coast, and over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 19·15 inches, against an average of 8·07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate; fair.
3.—Hongkong to Gap Rock,	N.E. winds, moderate; fair.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; fair.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	13th April, 1925.								14th April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.90	759.5	48	...	NNE	6	o	6	30.16	766.1	41	...	NNE	2	o
Nemuro,	11	29.82	757.5	...	...	E	1	...	5	29.33	745.0	...	...	NW	4	...
Hokodate,	"	29.78	756.5	...	...	NNW	3	...	"	29.73	755.0	...	...	NNW	5	...
Tokio,	"	29.76	756.0	...	...	S	2	...	"	29.82	757.5	...	...	W	1	...
Kochi,	"	29.86	758.5	...	...	NNE	1	...	"	30.26	768.5	...	...	W	1	...
Nagasaki,	"	30.04	763.0	...	...	NW	5	...	"	30.16	766.0	...	...	...	0	...
Kagoshima,	"	30.02	762.5	...	...	WSW	2	...	"	30.14	765.5	...	...	NW	1	...
Oshima,	"	30.12	765.0	...	...	NW	1	...	"	30.14	765.5	...	...	NNW	2	...
Naha,	"	30.16	766.0	...	...	NNW	1	...	"	30.16	766.0	...	...	NE	1	...
Ishigakijima,	"	30.12	765.0	...	...	E	3	...	"	30.14	765.5	...	...	NE	1	...
Bonin Island,	"	30.00	762.0	...	...	NW	1	...	"	30.02	762.5	...	...	WSW	1	...
Chefoo,	15	30.22	767.6	50	51	NW	4	b	6	30.26	768.6	42	58	W	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.31	769.8	61	24	NE	2	b	"	30.37	771.3	45	82	ENE	1	o
Gutzlaff,	"	30.32	770.1	56	51	NNE	4	b	"	30.35	770.9	47	70	NNE	1	o
Sharp Peak,	"	30.07	763.8	58	88	NE	2	o	7	30.17	766.3	56	91	N	1	of
Amoy,	15	30.02	762.5	72	62	ENE	4	b	9	30.12	765.0	62	83	NE	4	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.06	763.5	81	53	E	2	b	5	30.11	764.7	64	80	E	4	o
Taichu,	"	30.05	763.2	81	...	NW	2	b	"	30.05	763.2	64	...	...	0	o
Tainan,	"	30.06	763.5	82	...	NW	4	b	"	30.04	762.9	64	...	NNE	2	o
Koshun,	"	30.06	763.5	79	...	NNE	4	o	"	30.05	763.2	68	...	NE	4	r
Pescadores,	"	30.10	764.4	72	...	N	4	b	"	30.06	763.5	64	...	NNE	6	o
Canton,	14	30.01	762.2	75	64	SE	1	o	6	30.07	763.8	64	89	...	0	o
Hongkong,	"	30.02	762.5	71	48	E	3	o	"	30.06	763.5	64	68	E	5	c
Gap Rock,	"	30.01	762.2	...	...	ENE	4	c	"	30.04	763.0	...	...	ENE	5	o
Macao,	"	29.99	761.7	70	74	...	2	o	"	30.02	762.6	64	80	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.95	760.8	68	92	SE	1	of	7	29.99	761.7	66	100	ENE	1	rf
Tourane,	"	29.92	759.9	79	...	SE	2	b	"	29.95	760.8	72	...	S	2	b
Cape St. James,	"	29.86	758.4	86	...	E	4	b	"	29.89	759.3	75	...	E	2	b
Basco,	14	...	...	...	...	...	...	...	6	30.00	762.0	73	75	ENE	2	o
Aparri,	"	29.87	758.7	84	77	NE	4	o	"	29.94	760.5	73	98	NE	2	r
Manila,	"	29.85	758.1	90	48	ENE	1	o	"	29.89	759.3	72	91	...	0	b
Legaspi,	"	29.85	758.1	90	66	ENE	4	b	"	29.88	759.0	79	80	NE	2	b
Tacloban,	"	29.80	756.9	90	66	NE	2	o	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	29.84	757.8	77	91	N	4	o
Surigao,	"	29.81	757.2	81	80	ENE	2	o	"	29.82	757.5	73	96	SSW	1	o
Guam,	12.20	29.73	755.1	...	...	ENE	4	o	4.20	29.76	756.0	...	...	ENE	4	o
Yap,	12.47	29.71	754.5	...	...	NE	4	o	4.47	29.72	754.8	...	...	NE	4	o
Labuan,	14	29.77	756.1	84	83	NW	2	b	6	29.78	756.4	78	91	NW	2	o

April 14*d.* 11*h.* 43*m.*—Pressure has decreased very considerably over northern Japan owing to the passage of a depression to the north eastward; it has decreased slightly over the Philippines, and increased slightly to moderately elsewhere.

The anticyclone has increased slightly in intensity, and moderate to fresh monsoon will continue along the coast and over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 19·15 inches, against an average of 8·24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh to strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine to cloudy.
3.—Hongkong to Gap Rock,	N.E. winds, fresh; fine to cloudy.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fine to cloudy.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	14th April, 1925.								15th April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock.	12	30.12	765.0	55	...	NNE	4	c	6	30.17	766.3	32	...	...	0	0
Nemuro,	11	29.41	747.0	...	...	NW	4	...	5	29.71	754.5	...	...	NW	6	...
Hokodate,	"	...	...	...	...	...	...	...	"	30.00	762.0	...	...	NNW	2	...
Tokio,	"	29.84	758.0	...	...	...	...	...	"	30.02	762.5	...	...	N	1	...
Kochi,	"	30.04	763.0	...	...	NNW	1	...	"	30.10	764.5	...	...	NW	1	...
Nagasaki,	"	30.18	766.5	...	...	N	1	...	"	30.16	766.0	...	...	...	...	...
Kagoshima,	"	30.14	765.5	...	...	N	1	...	"	30.10	764.5	...	...	...	...	...
Oshima,	"	30.16	766.0	...	...	NNW	2	...	"	30.06	763.5	...	...	SE	1	...
Naha,	"	30.16	766.0	...	...	N	3	...	"	30.06	763.5	...	...	ENE	1	...
Ishigakijima,	"	30.16	766.0	...	...	ENE	2	...	"	30.06	763.5	...	...	NE	1	...
Bonin Island,	"	30.00	762.0	...	...	NW	1	...	"	30.00	762.0	...	...	...	...	...
Chefoo.	15	30 21	767.3	60	39	E	4	o	6	30.18	766.6	48	56	W	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.30	769.5	55	60	SSE	1	o	"	30.28	769.2	41	94	NW	1	b
Gutzlaff,	"	30.32	770.1	52	53	NE	1	o	"	30.31	769.9	48	87	N	1	o
Sharp Peak,	"	30.15	765.8	60	65	ENE	4	o	7	30.16	766.0	52	66	NW	4	o
Amoy,	15	30.06	763.5	68	56	ENE	4	b	9	30.10	764.5	58	64	ENE	2	r
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.14	765.6	70	74	ENE	6	o	5	30.10	764.4	59	91	E	4	o
Taichu,	"	30.07	763.8	77	...	NNW	2	b	"	30.04	762.9	63	...	...	0	o
Tainan,	"	30.05	763.2	81	...	NW	2	b	"	30.00	762.0	64	...	N	2	o
Koshun,	"	30.05	763.2	79	...	NE	4	b	"	30.00	762.0	70	...	NE	2	o
Pescadores,	"	30.10	764.4	68	...	NNE	6	o	"	30.05	763.2	63	...	NNE	6	o
Canton,	14	30.02	762.5	76	59	SSE	1	o	6	30.05	763.2	60	94	N	2	or
Hongkong,	"	30.03	762.7	67	64	E	5	c	"	30.03	762.7	62	83	E	3	od
Gap Rock,	"	30.02	762.5	...	...	ENE	5	c	"	30.02	762.5	...	...	ENE	5	o
Macao,	"	30.00	762.0	68	73	ESE	4	o	"	29.99	761.7	63	90	E	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.94	760.5	77	76	SSE	4	o	7	30.05	763.2	61	98	NNW	4	rf
Tourane,	"	29.92	759.9	81	...	SE	2	b	"	29.95	760 8	73	...	...	0	o
Cape St. James,	"	29.84	757.8	84	...	E	4	b	"	29.86	758.4	79	...	ENE	4	b
Basco,	14	29.98	761.4	93	79	NNE	4	o	6	29.95	760.8	73	79	NNE	4	o
Aparri,	"	29.92	759.9	79	80	NE	4	o	"	29.92	759.9	75	85	NE	2	o
Manila,	"	29.81	757.2	90	55	N	2	o	"	29.87	758.7	72	89	ESE	1	b
Legaspi,	"	29.84	757.8	86	61	NNE	4	o	"	29.85	758.1	79	84	NE	2	b
Tacloban,	"	...	...	...	...	...	..	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.78	756.3	86	56	NE	6	b	"	29.84	757.8	75	92	N	4	o
Surigao,	"	29.79	756.6	86	68	ENE	4	o	"	29.81	757.2	75	96	SSW	1	o
Guam,	12.20	29.72	754.8	...	...	E	4	o	4.20	29.74	755.4	...	...	E	4	o
Yap,	12.47	29.66	753.3	...	...	N	4	r	4.47	29.60	751.8	...	...	NE	2	r
Labuan,	14	29.72	754.9	84	83	NW	2	b	6	29.81	757.2	78	91	NW	1	b

April 15*d.* 11*h.* 39*m.*—Pressure has increased considerably at Nemuro, and slightly to moderately over Japan generally; it has increased slightly at Haiphong and Labuan, and decreased slightly to moderately elsewhere. The anticyclone continues to weaken and a depression or typhoon is situated at about 150 miles S.S.E. of Yap; its direction of motion is probably W.N.W., but is at present uncertain.

Moderate to fresh monsoon will prevail along the S.E. coast of China and over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·48 inch. Total since January 1st, 19·63 inches, against an average of 8·41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; cloudy, rain.
3.—Hongkong to Gap Rock,	N.E. winds, fresh; cloudy, rain.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; cloudy, rain.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	15th April, 1925.								16th April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.72	755.0	...	...	NW	5	...	5	29.86	758.5	...	...	NW	1	...
Hokodate,	"	29.96	761.0	...	...	NW	2	...	"	30.04	763.0	...	...	N	1	...
Tokio,	"	30.00	762.0	...	...	NW	1	...	"	30.04	763.0	...	...	NNW	1	...
Kochi,	"	30.06	763.5	...	...	N	1	...	"	30.16	766.0	...	...	...	...	...
Nagasaki,	"	30.16	766.0	...	...	NNW	2	...	"	30.18	766.5	...	...	...	...	...
Kagoshima,	"	30.10	764.5	...	...	ESE	1	...	"	30.18	766.5	...	...	WNW	1	...
Oshima,	"	30.10	764.5	...	...	N	5	...	"	30.10	764.5	...	...	N	1	...
Naha,	"	30.12	765.0	...	...	N	1	...	"	30.08	764.0	...	...	...	...	...
Ishigakijima,	"	30.08	764.0	...	...	E	2	...	"	30.04	763.0	...	...	E	1	...
Bonin Island,	"	29.96	761.0	...	...	...	0	...	"	29.94	760.5	...	...	...	...	...
Chefoo.	15	30.13	765.3	62	51	E	1	b	6	30.03	762.7	58	47	S	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.28	769.2	70	21	E	2	b	"	30.24	768.0	41	97	SE	1	b
Gutzlaff,	"	30.31	769.9	60	44	NNE	1	b	"	30.24	768.1	47	87	E	1	b
Sharp Peak,	"	30.16	766.0	56	69	E	2	o	7	30.13	765.3	54	74	NNE	1	r
Amoy,	15	30.09	764.3	62	61	ENE	4	o	9	30.07	763.8	56	63	NNE	4	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	...	...	59	91	E	4	r	5	30.05	763.2	57	96	E	4	r
Taichu,	"	30.07	763.8	61	...	N	4	o	"	29.99	761.7	64	...	...	0	r
Tainan,	"	30.04	762.9	68	...	N	4	o	"	29.93	760.2	57	...	N	4	r
Koshun,	"	30.02	762.6	73	...	ENE	2	o	"	29.93	760.2	70	...	NE	4	b
Pescadores,	"	30.08	764.1	61	...	NNE	6	r	"	29.98	761.4	75	...	NNE	6	o
Canton,	14	30.05	763.2	61	88	N	2	or	6	...	...	...	...	...	...	...
Hongkong,	"	30.01	762.2	60	93	E	4	or	"	30.00	762.0	58	96	E	2	or
Gap Rock,	"	30.01	762.2	...	...	ENE	6	omr	"	29.99	761.7	...	...	ENE	5	or
Macao,	"	29.99	761.7	61	100	ESE	4	r	"	29.97	761.1	57	100	NNE	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.05	763.2	64	90	ESE	1	rf	7	30.07	763.8	61	85	NNE	2	o
Tourane,	"	29.94	760.5	70	...	NNW	6	of	"	29.98	761.4	64	...	NW	7	o
Cape St. James,	"	...	...	...	...	...	...	...	"	29.82	757.5	79	...	E	4	b
Basco,	14	29.92	759.9	79	66	NE	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.85	758.1	82	70	ENE	4	o	"	29.87	758.7	72	92	ENE	2	r
Manila,	"	29.79	756.6	90	48	SSE	4	b	"	29.85	758.1	73	85	ENE	2	b
Legaspi,	"	29.81	757.2	84	68	ENE	4	o	"	29.84	757.8	73	96	W	7	b
Tacloban,	"	...	...	...	...	...	...	...	"	29.78	756.3	75	96	...	0	o
Iloilo,	"	29.75	755.7	86	61	NE	6	o	"	29.79	756.6	75	91	N	4	b
Surigao,	"	29.75	755.7	82	81	N	2	o	"	29.78	756.3	73	96	SSE	1	b
Guam,	12.20	29.69	754.2	...	...	SSE	4	o	4.20	29.71	754.5	...	...	ESE	4	o
Yap,	12.47	29.55	750.6	...	...	W	2	o	4.47	29.58	751.2	...	...	SW	4	o
Labuan,	14	29.77	756.1	82	83	NW	2	b	6	29.81	757.2	78	91	NW	2	b

April 16*d.* 11*h.* 45*m.*—Pressure has increased slightly at Guam and slightly to moderately over Japan; it has decreased slightly to moderately elsewhere. The anticyclone has weakened and moved eastward, and is now central between Shanghai and Japan.

The depression or typhoon appears to be passing to the north of Yap on a N.W. or W.N.W. track. The position given yesterday morning was too far south; it has not been confirmed by subsequent telegrams from Yap.

Shanghai warning. 15*d.* 21*h.* 40*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 10° N. Long. 139 E., moving W.N.W. Recd. 15*d.* 22*h.* 25*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·19 inch. Total since January 1st, 20·82 inches, against an average of 8·60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17th.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh to moderate.
2.—South coast of China between Hongkong and Lamocks.	N.E. winds, moderate; cloudy, rain.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES, Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	16th April, 1925.								17th April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.04	763.1	50	...	WSW	2	o	6	30.10	764.6	30	...	SE	2	f
Nemuro,	11	30.22	767.5	...	...	NNW	1	...	5	30.10	764.5	...	...	WNW	1	...
Hokodate,	,,	30.04	763.0	...	...	N	4	...	,,	30.16	766.0	...	...	...	0	...
Tokio,	,,	30.04	763.0	...	...	NNE	1	...	,,	30.22	767.5	...	...	NNW	1	...
Kochi,	,,	30.12	765.0	...	...	...	...	...	,,	30.26	768.5	...	...	...	0	...
Nagasaki,	,,	30.20	767.0	...	...	WNW	1	...	,,	30.24	768.0	...	...	...	0	...
Kagoshima,	,,	30.12	765.0	...	...	S	...	...	,,	30.26	768.5	...	...	NW	1	...
Oshima,	,,	30.14	765.5	...	...	NE	1	...	,,	30.18	766.5	...	...	...	0	...
Naha,	,,	30.10	764.5	...	...	NE	3	...	,,	30.10	764.5	...	...	NNE	3	...
Ishigakijima,	,,	30.06	763.5	...	...	E	4	...	,,	29.98	761.5	...	...	S	4	...
Bonin Island,	,,	29.98	761.5	...	...	NNW	1	...	,,	30.08	764.0	...	...	...	0	...
Chefoo,	15	29.95	760.7	70	40	E	2	b	6	29.96	761.0	60	49	S	2	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.19	766.8	72	23	SE	4	b	,,	30.18	766.5	46	94	ESE	1	b
Gutzlaff,	,,	30.24	768.1	58	58	SE	4	b	,,	30.19	766.8	50	93	SE	4	o
Sharp Peak,	,,	30.12	765.0	56	87	N	2	r	7	30.01	762.2	52	92	NNE	2	r
Amoy,	15	30.03	762.7	56	89	ENE	4	r	9	29.96	761.0	56	75	NNW	4	r
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	..	...
Taihoku,	11	30.05	763.2	63	92	E	4	r	5	29.92	759.9	63	96	E	4	r
Taichu,	,,	30.00	762.0	64	...	...	o	r	,,	29.92	759.9	61	...	...	o	o
Tainan,	,,	29.98	761.4	66	...	NNW	2	o	,,	29.87	758.7	63	...	N	4	o
Koshun,	,,	29.97	761.1	70	...	NE	4	r	,,	29.85	758.1	68	...	ENE	4	r
Pescadores,	,,	30.02	762.6	63	...	NNE	6	r	,,	29.89	759.3	63	...	NNE	4	r
Canton,	14	30.02	762.5	64	84	N	2	o	6	30.01	762.2	52	93	...	o	b
Hongkong,	,,	29.99	761.7	60	94	...	o	od	,,	29.96	761.0	57	83	NNE	1	b
Gap Rock,	,,	29.99	761.7	...	...	ENE	4	o	,,	29.96	761.0	...	...	NNE	4	b
Macao,	,,	29.98	761.4	61	87	NNE	4	o	,,	29.94	760.5	55	90	N	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.98	761.4	79	36	N	4	b	7	30.04	762.9	61	89	WSW	1	bf
Tourane,	,,	29.95	760.8	64	...	NW	7	o	,,	29.98	761.4	66	...	WNW	4	o
Cape St. James,	,,	29.79	756.6	86	...	E	4	o	,,	29.86	758.4	75	...	N	2	of
Basco,	14	29.82	757.5	75	71	ENE	4	o	6	29.82	757.5	72	84	NE	4	r
Aparri,	,,	29.81	757.2	79	80	ENE	4	o	,,	29.80	756.9	73	92	...	o	o
Manila,	,,	29.73	755.1	90	48	SE	4	b	,,	29.80	756.9	73	86	...	o	b
Legaspi,	,,	29.76	756.0	84	71	NE	4	o	,,	29.80	756.9	79	84	N	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	84	74	NNE	4	o	,,	29.79	756.6	75	88	N	4	o
Surigao,	..	29.73	755.1	82	84	N	4	o	,,	29.80	756.9	75	92	...	o	o
Guam,	12.20	29.68	753.9	...	...	ESE	4	r	4.20	29.73	755.1	...	...	S	2	o
Yap,	12.47	29.55	750.6	...	...	SW	6	r	4.47	29.67	753.6	...	...	WSW	4	o
Labuan,	14	29.80	756.9	84	83	NW	2	b	6	29.79	756.6	77	94	NW	2	r

April 17*d.* 11*h.* 36*m.*—Pressure has increased moderately over Japan, and slightly over Indo-China, the Visayas and Yap; it has decreased slightly to moderately elsewhere. The anticyclone is central over South Japan, and the depression or typhoon is situated 250 miles north of Yap, moving northward.

Manila warning. 17*d.* 10*h.* 45*m.*:—Typhoon in Lat. 14° N. Long. 138° E., moving N. Recd. 17*d.* 10*h.* 58*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·09 inch. Total since January 1st, 20·91 inches, against an average of 8·79 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks.	N. and N.E. winds, moderate; fine.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	17th April, 1925.								18th April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.14	765.5	...	...	NNW	1	...	5	30.26	768.5	...	...	...	0	...
Hokodate,	,,	30.18	766.5	...	...	SW	1	...	,,	30.32	770.0	...	...	...	...	...
Tokio,	,,	30 22	767.5	...	...	NW	1	...	,,	30.38	771.5	...	...		...	...
Kochi,	,,	30.26	768.5	...	...	...	0	...	,,	30.34	770.5	...	...	WSW	1	...
Nagasaki,	,,	30.28	769.0	...	...	W	1	...	,,	30.36	771.0	...	...	S	1	...
Kagoshima,	,,	30.28	769.0	...	...	S	1	...	,,	30.28	769.0	...	...	...	...	...
Oshima,	,,	30.24	768.0	...	...	ENE	1	...	,,	30.20	767.0	...	...	E	1	...
Naha,	,,	30.14	765.5	...	...	ENE	4	...	,,	30.08	764.0	...	...	ENE	2	...
Ishigakijima,	,,	30.00	762.0	...	...	SE	5	...	,,	29.96	761.0	...	...	SE	6	...
Bonin Island,	,,	30.10	764.5	...	...	NE	1	...	,,	30.24	768.0	...	...	ENE	1	...
Chefoo,	15	29.94	760.5	74	43	S	4	b	6	30.08	764.0	58	70	SW	2	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.17	766.2	70	38	ESE	4	b	,,	30.20	767.1	50	95	ESE	1	b
Gutzlaff,	,,	30.20	767.1	60	65	SE	4	o	,,	30.21	767.3	52	93	SE	4	b
Sharp Peak,	,,	30.12	765.0	56	87	NW	2	r	7	30.00	762.0	58	93	NW	1	r
Amoy,	15	29.91	759 7	64	84	ENE	4	o	9	29.97	761.2	60	90	NE	2	o
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.93	760.2	66	90	E	4	r	5	29.97	761.1	64	94	E	4	o
Taichu,	,,	29.94	760.5	70	...	...	0	o	,,	29.88	759.0	64	...	...	0	o
Tainan,	,,	29.93	760.2	70	...	NNW	2	r	,,	29.87	758.7	64	...	NNE	2	b
Koshun,	,,	29.91	759.6	75	...	ENE	4	r	,,	29.86	758.4	70	...	...	0	b
Pescadores,	,,	29.94	760.5	66	...	N	4	r	,,	29.88	759.0	66	...	NNE	4	b
Canton,	14	29.93	760.2	76	53	N	2	b	6	30.00	762.0	55	94	...	0	b
Hongkong,	,,	29.92	759.9	71	50	WSW	2	b	,,	29.97	761.1	59	65	N	3	b
Gap Rock,	,,	29.96	761.0	...	...	N	3	b	,,	29.98	761.4	...	...	ENE	3	b
Macao,	,,	29.92	759.9	68	60	ENE	4	b	,,	29.99	761.7	59	79	ENE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.98	761.4	79	45	SSW	2	b	7	29.97	761.1	64	80	...	0	bf
Tourane,	,,	29.94	760.5	70	...	NNW	4	b	,,	29.97	761.1	63	...	...	0	b
Cape St. James,	,,	29.80	756.9	84	...	E	4	b	,,	29.86	758.4	77	...	ENE	2	o
Basco,	14	29.80	756.9	81	80	ENE	4	o	6	29.81	757.2	75	86	N	1	o
Aparri,	,,	29.74	755.4	84	71	NE	4	b	,,	29.82	757.5	73	94	SW	2	o
Manila,	,,	29.74	755.4	90	48	W	4	b	,,	29.82	757.5	77	85	NE	1	o
Legaspi,	,,	29.76	756.0	90	63	NE	2	b	,,	29.81	757.2	77	88	...	0	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	58	NE	4	b	,,	29.82	757.5	75	89	N	2	o
Surigao,	,,	29.74	755.4	82	81	,,	0	o	,,	29.82	757.5	75	94	SE	1	o
Guam,	12.20	29.72	754.8	...	...	ESE	4	o	4.20	29.82	757.5	...	...	E	2	o
Yap,	12.47	29.67	753.6	...	...	WSW	4	o	4.47	29.76	756.0	...	...	WSW	1	b
Labuan,	14	29.76	755.9	84	83	NW	4	b	6	29.76	755.9	77	94	N	1	o

April 18*d.* 11*h.* 35*m.*—Pressure has decreased slightly at Haiphong and over Formosa and the Loochoos; it has increased slightly to moderately elsewhere. The anticyclone is central in the Pacific to the east of Tokio and has regained intensity.

The position of the depression is uncertain owing to its distance from a reporting station; it has probably filled up.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 20·91 inches, against an average of 8·98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	N. and N.E. or variable winds, moderate; fine generally.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	18th April, 1925.								19th April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	30.13	765.3	49	...	SSE	4	o	6	30.15	765.8	39	...	...	o	o
Kemuro,	11	30.28	769.0	...	...	SSE	1	...	5	...	...	...	...	SSE	1	...
Hokodate,	,,	30.33	770.5	...	...	SSW	1	...	,,	30.32	770.0	...	...	...	o	...
Tokio,	,,	30.53	775.5	...	...	SSE	1	...	,,	30.41	772.5	...	...	...	...	...
Kochi,	,,	30.39	772.0	...	...	ESE	1	...	,,	30.41	772.5	...	...	SW	1	...
Nagasaki,	,,	30.33	770.5	...	...	S	1	...	,,	30.36	771.0	...	...	SE	3	...
Kagoshima,	,,	30.33	770.5	...	...	SSE	1	...	,,	30.32	770.0	...	...	NE	1	...
Ishima,	,,	30.22	767.5	...	...	ESE	2	...	,,	30.22	767.5	...	...	SE	2	...
Naha,	,,	30.14	765.5	...	...	ENE	2	...	,,	30.06	763.5	...	...	ENE	3	...
Ishigakijima,	,,	30.00	762.0	...	...	E	4	...	,,	29.94	760.5	...	...	SE	4	...
Bonin Island,	,,	30.28	769.0	...	...	ENE	1	...	,,	30.28	769.0	...	...	E	1	...
Chefoo,	15	30.08	764.0	72	54	S	1	b	6	30.17	766.3	58	76	S	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.20	767.1	73	41	SE	6	b	,,	30.21	767.4	52	97	E	1	b
Hutzlaff,	,,	30.24	768.1	60	76	SE	4	b	,,	30.21	767.3	54	94	SE	4	o
Sharp Peak,	,,	30.00	762.0	62	93	NW	4	r	7	30.01	762.2	60	94	NNW	4	r
Amoy,	15	29.93	760.2	74	72	NE	4	b	9	29.99	761.7	66	84	NE	2	o
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.98	761.4	75	76	E	4	b	5	29.95	760.8	68	96	E	2	o
Taichu,	,,	29.94	760.5	77	...	...	o	o	,,	29.95	760.8	68	...	SW	1	o
Tainan,	,,	29.94	760.5	75	...	NW	2	o	,,	29.94	760.5	66	...	...	o	o
Koshun,	,,	29.92	759.9	77	...	NNW	2	b	,,	29.92	759.9	70	...	NNW	2	o
Pescadores,	,,	29.97	761.1	72	...	NNW	4	b	,,	29.95	760.8	68	...	NNE	4	b
Canton,	14	29.95	760.7	76	60	NNW	2	b	6	30.04	763.0	60	94	...	o	b
Hongkong,	,,	29.96	761.0	70	55	W	3	b	,,	30.03	762.7	64	88	ENE	2	o
Gap Rock,	,,	29.97	761.2	...	...	NNW	3	b	,,	30.02	762.5	...	...	NE	3	b
Macao,	,,	29.99	761.7	72	62	ENE	4	b	,,	30.04	762.9	63	92	NNE	2	bf
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chulien,	,,	29.95	760.8	79	42	SSE	4	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.95	760.8	73	...	NNW	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.86	758.4	82	...	E	4	o	,,	...	...	...	...	...	...	...
Basco,	14	...	...	...	...	...	..	...	6	...	...	...	...	...	...	...
Aparri,	,,	29.80	756.9	84	74	N	4	o	,,	29.88	759.0	75	94	SW	2	b
Manila,	,,	29.78	756.3	90	55	W	4	b	,,	29.87	758.7	77	89	NE	1	o
Legaspi,	,,	29.80	756.9	86	65	ENE	2	b	,,	29.87	758.7	75	94	...	o	b
Tacloban,	,,	29.78	756.3	90	55	SSE	2	o	,,	29.86	758.4	77	96	...	o	b
Iloilo,	,,	29.75	755.7	90	51	NNE	2	o	,,	29.87	758.7	79	85	N	2	o
Surigao,	..	29.79	756.6	86	71	N	2	o	,,	29.86	758.4	75	89	SSW	4	r
Guam,	12.20	29.79	756.6	...	...	ESE	4	o	4.20	29.87	758.7	...	...	SE	1	o
Yap,	12.47	29.76	756.0	...	...	WSW	4	o	4.47	29.85	758.1	...	...	W	1	b
Sabuan,	14	29.77	756.1	84	83	NW	4	b	6	...	...	...	...	...	...	...

April 19*d.* 11*h.* 55*m.*—Pressure has decreased slightly at Shanghai, and over the Loochoos and north Japan; it has increased slightly to moderately elsewhere.

The anticyclone has remained stationary and has weakened slightly.

Shanghai warning. 18*d.* 21*h.* 20*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 136° E., moving N.W. Recd. 18*d.* 22.*h* 10*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 20·91 inches, against an average of 9·18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate; fair.
3.—Hongkong to Gap Rock,	N.E. winds, moderate; fair.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; fair.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	19th April, 1925.								20th April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.03	762.7	57	...	SE	4	o	6	30.14	765.6	51	...	NNE	5	o
Nemuro,	11	30.14	765.5	...	...	S	4	...	5	29.92	760.0	...	...	S	2	...
Hokodate,	,,	30.26	768.5	...	...	SW	3	...	,,	30.12	765.0	...	...	SW	3	...
Tokio,	,,	30.37	771.5	...	...	S	2	...	,,	30.32	770.0	...	...	NNW	1	...
Kochi,	,,	30.39	772.0	...	...	ESE	1	...	,,	30.32	770.0	...	...	...	...	...
Nagasaki,	,,	30.31	770.0	...	...	SSE	2	...	,,	30.20	767.0	...	...	NE	1	...
Kagoshima,	,,	30.31	770.0	...	...	SSE	1	...	,,	30.16	766.0	...	...	E	1	...
Oshima,	,,	30.20	767.0	...	...	ENE	1	...	,,	30.02	762.5	...	...	ESE	1	...
Naha,	,,	30.08	764.0	...	...	ENE	3	...	,,	29.92	760.0	...	...	E	2	...
Ishigakijima,	,,	29.94	760.5	...	...	S	4	...	,,	29.84	758.0	...	...	E	2	...
Bonin Island,	,,	30 26	768.5	...	...	NE	1	...	,,	30.18	766.5	...	...	NE	1	...
Chefoo,	15	30.07	763.8	74	43	S	4	b	6	29.99	761.7	56	94	ESE	1	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.17	766.2	73	55	ESE	1	o	,,	30.05	763.2	57	98	SE	1	o
Gutzlaff,	,,	30.19	766.8	60	90	ESE	2	b	,,	30.04	763.0	54	100	SE	4	of
Sharp Peak,	,,	30.02	762.5	68	79	NNE	1	r	7	30.00	762.0	64	92	...	o	o
Amoy,	15	29.94	760.5	77	69	NE	2	b	9	29.89	759.2	64	95	NNE	2	b
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.97	761.1	72	94	E	2	r	5	29.89	759.3	66	96	E	4	b
Taichu,	,,	29.98	761.4	72	...	SSE	1	o	,,	29.91	759.6	66	...	...	o	o
Tainan,	,,	29.95	760.8	81	...	WNW	2	b	,,	29.87	758.7	66	...	...	o	b
Koshun,	,,	29.93	760.2	79	...	NW	4	b	,,	29.86	758.4	70	...	...	o	o
Pescadores,	,,	29.98	761.4	72	...	N	4	o	,,	29.89	759.3	66	...	ENE	4	o
Canton,	14	29.96	761.0	81	52	NNW	1	b	6	29.97	761.2	64	95	...	o	b
Hongkong,	,,	29.98	761.5	75	61	W	2	c	,,	29.96	761.0	67	87	ENE	2	o
Gap Rock,	,,	29.99	761.7	...	...	N	3	b	,,	29.95	760.7	...	...	NE	3	o
Macao,	,,	29.97	761.1	73	75	ESE	2	b	,,	29.94	760.5	66	90	...	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.95	760.8	79	55	SSE	4	b	7	29.95	760.8	66	94	SE	2	of
Tourane,	,,	29.95	760.8	75	...	...	o	b	,,	29.94	760.5	70	...	S	2	o
Cape St. James,	,,	29.87	758.7	82	...	E	4	b	,,	...	...	...	...	...	...	...
Basco,	14	29.81	757.2	82	74	N	4	o	6	29.79	756.6	73	79	...	o	o
Aparri,	,,	29.82	757.5	84	74	NNE	4	b	,,	29.84	757.8	75	92	E	2	o
Manila,	,,	29.79	756.6	93	61	WSW	2	b	,,	29.84	757.8	79	90	N	1	o
Legaspi,	,,	29.80	756.9	90	66	ENE	2	b	,,	29.84	757.8	77	92	...	o	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	90	51	NE	2	b	,,	29.84	757.8	79	89	NE	1	o
Surigao,	,,	29.79	756.6	86	68	N	2	b	,,	29.82	757.5	77	89	SE	1	o
Guam,	12.20	29.79	756.6	...	...	E	4	o	4.20	29.82	757.5	...	...	E	2	r
Yap,	12.47	29.79	756.6	...	...	WSW	2	o	4.47	29.81	757.2	...	...	...	o	o
Labuan,	14	29.76	755.9	86	84	NW	1	o	6	29.72	754.9	76	94	NW	1	o

April 20*d.* 11*h.* 30*m.*—Pressure has increased moderately at Wladivostock and has decreased slightly to moderately elsewhere.

The anticyclone is slowly decreasing in intensity and remains stationary to the east of Tokio.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 20·91 inches, against an average of 9·39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	20th April, 1925.								21st April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	30.09	764.3	61	...	NW	3	o	6	30.00	761.9	46	...	...	o	o
Gemuro,	11	29.86	758.5	...	...	SW	2	...	5	...	...	...	...	...	...	...
Hakodate,	"	30.08	764.0	...	...	WSW	6	...	"	30.08	769.0	...	...	...	...	...
Tokio,	"	30.24	768.0	...	...	S	3	...	"	30.16	766.0	...	...	S	1	...
Kochi,	"	30.24	768.0	...	...	...	o	...	"	30.08	764.0	...	...	...	o	...
Nagasaki,	"	30.16	766.0	...	...	SE	2	...	"	29.96	761.0	...	...	SSE	1	...
Kagoshima,	"	30.18	766.5	...	...	ENE	1	...	"	29.96	761.0	...	...	...	...	...
Fushima,	"	30.04	763.0	...	...	NE	1	...	"	29.88	759.0	...	...	...	o	...
Naha,	"	29.94	760.5	...	...	E	2	...	"	29.82	757.5	...	...	ENE	1	...
Ishigakijima,	"	29.86	758.5	...	...	E	1	...	"	29.84	758.0	...	...	...	o	...
Bonin Island,	"	30.12	765.0	...	...	ENE	1	...	"	29.98	761.5	...	...	E	1	...
Chefoo,	15	29.84	757.9	70	70	E	4	o	6	29.79	756.6	46	86	NW	6	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.97	761.1	81	53	SSE	4	b	"	29.98	761.4	57	79	NW	4	o
Kutzlaff,	"	30.00	762.0	58	94	SE	4	bf	"	29.94	760.5	56	100	NNW	6	o
Sharp Peak,	"	29.99	761.7	72	85	NE	1	b	7	29.93	760.2	64	89	...	o	b
Amoy,	15	29.86	758.4	71	85	ENE	4	b	9	29.93	760.2	64	91	ENE	1	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.94	760.5	79	73	E	4	b	5	29.87	758.7	63	96	...	o	b
Taichu,	"	29.93	760.2	79	...	...	o	b	"	29.89	759.3	64	...	...	o	o
Tainan,	"	29.89	759.3	81	...	WSW	2	b	"	29.85	758.1	66	...	...	o	b
Koshun,	"	29.88	759.0	82	...	WNW	2	b	"	29.84	757.8	72	...	N	2	b
Pescadores,	"	29.93	760.2	72	...	NNE	4	o	"	...	...	...	...	...	...	...
Canton,	14	29.92	759.9	80	62	SSW	1	b	6	...	...	...	...	...	...	...
Hongkong,	"	29.93	760.2	73	67	ESE	3	b	"	29.91	759.7	65	93	...	o	fm
Gap Rock,	"	29.94	760.5	...	...	NE	3	b	"	29.91	759.7	...	...	ENE	3	b
Macao,	"	29.92	759.9	77	72	SE	2	o	"	29.88	759.0	66	92	ESE	2	bf
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Takhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pakhoi,	"	29.88	759.0	79	61	SSE	2	o	7	29.89	759.3	66	98	ENE	4	o
Tourane,	"	29.88	759.0	77	...	ESE	2	b	"	29.86	758.4	70	...	S	2	b
Cape St. James,	"	29.87	758.7	86	...	SE	2	b	"	29.86	758.4	77	...	E	2	o
Basco,	14	...	...	...	...	...	...	...	6	29.78	756.3	75	83	N	2	o
Aparri,	"	29.81	757.2	82	70	NNE	4	o	"	29.82	757.5	72	92	...	o	b
Manila,	"	29.78	756.3	90	55	W	4	b	"	29.81	757.2	77	88	N	1	o
Legaspi,	"	29.78	756.3	90	69	NE	2	o	"	29.82	757.5	77	92	...	o	o
Tacloban,	"	29.76	756.0	77	54	NE	1	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.75	755.7	90	69	SSW	4	o	"	29.80	756.9	77	89	NE	2	o
Surigao,	..	29.76	756.0	86	65	NNE	1	b	"	29.80	756.9	77	84	NW	2	b
Guam,	12.20	29.79	756.6	...	...	ENE	4	o	4.20	29.81	757.2	...	...	SE	1	o
Yap,	12.47	29.76	756.0	...	...	WNW	2	o	4.47	29.80	756.9	...	...	...	...	o
Labuan,	14	29.76	755.9	86	80	N	4	b	6	29.73	755.1	76	94	NW	1	b

April 21*d.* 11*h.* 33*m.*—Pressure has decreased slightly to moderately at all reporting stations; it remains highest in the Pacific to the east of Japan. A depression is crossing Korea on an easterly track.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 20·91 inches, against an average of 9·60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate; fine to cloudy.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	21st April, 1925.								22nd April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.98	761.5	...	...	WNW	1	...	5	29.92	760.0	...	...	NE	4	...
Hokodate,	"	...	...	...	...	...	...	...	"	29.96	761.0	...	...	ENE	1	...
Tokio,	"	30.12	765.0	...	...	SSE	2	...	"	29.96	761.0	...	...	...	0	...
Kochi,	"	30.00	762.0	...	...	...	0	...	"	29.76	756.0	...	...	...	...	...
Nagasaki,	"	29.92	760.0	...	...	S	2	...	"	29.84	758.0	...	...	N	1	...
Kagoshima,	"	29.94	760.5	...	...	...	0	...	"	29.86	758.5	...	...	NW	1	...
Oshima,	"	29.88	759.0	...	...	N	1	...	"	29.86	758.5	...	...	N	1	...
Naha,	"	29.86	758.5	...	...	N	1	...	"	29.90	759.5	...	...	N	1	...
Ishigakijima,	"	29.90	759.5	...	...	N	2	...	"	29.92	760.0	...	...	NE	1	...
Bonin Island,	"	29.92	760.0	...	...	ESE	3	...	"	29.67	753.5	...	...	E	1	...
Chefoo,	15	29.84	757.9	48	78	NW	4	0	6	29.95	760.7	48	71	...	0	0
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.06	763.5	61	59	NNW	2	b	"	30.08	764.1	54	80	NE	1	b
Gutzlaff,	"	30.04	763.0	60	71	NNW	4	b	"	30.01	762.2	52	93	W	1	b
Sharp Peak,	"	29.94	760.5	78	65	E	1	b	7	29.98	761.5	62	77	NE	1	0
Amoy,	15	29.86	758.4	72	81	ENE	4	b	9	29.93	760.2	64	91	ENE	2	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.92	759.9	81	69	N	2	b	5	29.92	759.9	64	90	E	5	b
Taichu,	"	29.92	759.9	79	...	...	0	b	"	29.93	760.2	68	...	...	0	b
Tainan,	"	29.91	759.6	81	...	NW	2	b	"	29.91	759.6	68	...	...	0	b
Koshun,	"	29.91	759.6	82	...	N	2	0	"	29.89	759.3	70	...	...	0	b
Pescadores,	"	29.94	760.5	75	...	NNE	4	0	"	29.92	759.9	70	...	NNE	4	0
Canton,	14	29.88	758.9	82	60	S	1	b	6	...	...	...	...	...	...	...
Hongkong,	"	29.90	759.4	77	68	W	2	b	"	29.89	759.2	68	92	E	2	0
Gap Rock,	"	29.91	759.7	...	...	ENE	2	b	"	29.89	759.2	...	...	ENE	2	0
Macao,	"	29.89	759.3	81	73	SSE	2	0	"	29.86	758.4	66	92	...	2	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.86	758.4	81	56	SSE	4	b	7	29.87	758.7	70	94	E	2	of
Tourane,	"	29.87	758.7	79	...	SE	2	b	"	29.85	758.1	70	...	S	2	0
Cape St. James,	"	29.85	758.1	82	...	E	4	b	"	29.85	758.1	77	...	E	2	0
Basco,	14	29.78	756.3	84	68	NNE	4	0	6	29.84	757.8	77	68	E	4	0
Aparri,	"	29.82	757.5	86	58	NE	4	b	"	29.86	758.4	75	86	...	0	b
Manila,	"	29.75	755.7	93	53	W	2	b	"	29.84	757.8	77	84	N	2	0
Legaspi,	"	29.76	756.0	90	66	ENE	2	b	"	29.82	757.5	77	96	...	0	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	90	69	SW	4	0	"	29.81	757.2	77	91	...	0	0
Surigao,	"	29.76	756.0	86	75	N	2	0	"	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	E	4	0	4.20	29.82	757.5	...	...	E	1	0
Yap,	12.47	29.78	756.3	...	...	...	0	0	4.47	29.82	757.5	...	...	...	0	0
Labuan,	14	29.76	755.9	86	80	N	1	0	6	29.79	756.6	77	94	NW	1	b

April 22*d.* 11*h.* 39*m.*—Pressure has increased moderately at Chefoo and slightly over Formosa and Luzon; it has decreased considerably at Kochi and the Bonins, and slightly to moderately elsewhere.

A weak anticyclone remains over China, and a depression is situated to the S.W. of the Bonin Islands.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 20·91 inches, against an average of 9·82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate; cloudy, rain later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	22nd April, 1925.								23rd April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.02	762.6	63	...	SSE	3	o	6	30.09	764.3	39	...	...	o	o
Nemuro,	11	...	...	...	...	...	...	...	5	30.24	768.0	...	...	NE	2	...
Hokodate,	,,	29.96	761.0	...	...	WNW	1	...	,,	30.08	764.0	...	...	E	1	...
Tokio,	,,	29.59	751.5	...	...	E	1	...	,,	29.90	759.5	...	...	N	1	...
Kochi,	,,	29.72	755.0	...	...	SW	1	...	,,	29.82	757.5	...	...	...	o	...
Nagasaki,	,,	29.86	758.5	...	...	NW	1	...	,,	29.88	759.0	...	...	...	...	...
Kagoshima,	,,	29.84	758.0	...	...	NW	1	...	,,	29.86	758.5	...	...	NW	1	...
Oshima,	,,	29.88	759.0	...	...	N	1	...	,,	29.88	759.0	...	...	SSE	1	...
Naha,	,,	29.94	760.5	...	...	NNW	2	...	,,	29.90	759.5	...	...	E	1	...
Ishigakijima,	,,	29.96	761.0	...	...	NE	1	...	,,	29.88	759.0	...	...	ENE	1	...
Bonin Island,	,,	29.76	756.0	...	...	N	1	...	,,	29.88	759.0	...	...	SSW	1	...
Chefoo,	15	29.88	758.9	56	63	ENE	2	o	6	29.88	758.9	48	93	...	o	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.92	759.9	63	47	E	1	o	,,	30.00	762.0	52	97	NW	1	o
Gutzlaff,	,,	29.94	760.5	60	71	...	o	o	,,	30.01	762.2	52	93	NE	1	o
Sharp Peak,	,,	29.94	760.5	78	54	E	1	b	7	29.88	758.9	62	89	...	o	r
Amoy,	15	29.86	758.4	70	70	ENE	4	b	9	29.81	757.2	65	91	SSE	1	b
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.94	760.5	79	66	E	4	b	5	29.86	758.4	68	77	NW	2	o
Taichu,	,,	29.94	760.5	81	...	WSW	2	b	,,	29.89	759.3	70	...	...	o	b
Tainan,	,,	29.93	760.2	82	...	WSW	2	b	,,	29.86	758.4	68	...	...	o	b
Koshun,	,,	29.94	760.5	81	...	NE	4	b	,,	29.85	758.1	70	...	...	o	o
Pescadores,	,,	29.95	760.8	75	...	NNW	4	b	,,	29.86	758.4	68	...	...	o	b
Canton,	14	29.85	758.2	78	70	S	2	c	6	...	...	...	...	...	...	...
Hongkong,	,,	29.88	758.9	70	90	E	3	c	,,	29.85	758.2	69	87	E	3	om
Gap Rock,	,,	29.91	759.7	...	...	NE	2	c	,,	29.87	758.7	...	...	ENE	3	c
Macao,	,,	29.85	758.1	77	79	SE	2	o	,,	29.82	757.5	68	98	SE	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.82	757.5	73	85	SSE	4	of	7	29.85	758.1	72	96	ENE	2	of
Tourane,	,,	29.81	757.2	79	...	SE	2	b	,,	29.82	757.5	73	...	...	o	o
Cape St. James,	,,	29.82	757.5	90	...	SE	2	b	,,	29.85	758.1	77	...	SE	2	b
Basco,	14	29.80	756.9	82	63	E	2	o	6	29.80	756.9	68	94	E	1	o
Aparri,	,,	29.80	756.9	86	61	NE	4	b	,,	29.84	757.8	73	92	...	o	b
Manila,	,,	29.79	756.6	82	77	NE	2	o	,,	29.82	757.5	75	89	SE	1	b
Legaspi,	,,	29.79	756.6	90	69	NE	4	b	,,	29.81	757.2	77	92	...	o	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	90	60	NE	4	o	,,	29.81	757.2	77	89	N	2	o
Surigao,	,,	29.76	756.0	90	66	E	4	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	E	2	o	4.20	29.84	757.8	...	...	SE	1	o
Yap,	12.47	29.76	756.0	...	...	SSE	1	o	4.47	29.81	757.2	...	...	NE	2	o
Labuan,	14	29.77	756.1	86	84	NW	2	o	6	29.80	756.9	78	91	N	1	b

April 23*d*. 11*h*. 46*m*.—Pressure has increased slightly to moderately from Shanghai north eastwards to Hokkaido, and decreased slightly elsewhere. It is highest to the north of Japan and relatively low over central Japan and the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 20·91 inches, against an average of 10·04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; fair.
3.—Hongkong to Gap Rock,	E. winds, moderate; fair.
4.—South coast of China between Hongkong and Hainan,	E. winds, moderate; fair.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	23rd April, 1925.								24th April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.02	762.5	61	...	W	2	o	6	29.96	760.9	48	...	ENE	2	o
Nemuro,	11	30.30	769.5	...	...	NNE	1	...	5	...	...	...	...	...	...	...
Hokodate,	,,	30.12	765.0	...	...	SE	3	...	,,	29.94	760.5	...	...	SE	3	...
Tokio,	,,	29.90	759.5	...	...	NNW	1	...	,,	29.76	756.0	...	...	N	1	...
Kochi,	,,	29.84	758.0	...	...	...	0	...	,,	29.96	761.0	...	...	WSW	1	...
Nagasaki,	,,	29.90	759.5	...	...	WNW	2	...	,,	30.00	762.0	...	...	...	0	...
Kagoshima,	,,	29.86	758.5	...	...	SSE	1	...	,,	30.04	763.0	...	...	WNW	1	...
Oshima,	,,	29.94	760.5	...	...	N	1	...	,,	29.96	761.0	...	...	...	0	...
Naha,	,,	29.59	751.5	...	...	NW	1	...	,,	29.96	761.0	...	...	NE	1	...
Ishigakijima,	,,	29.94	760.5	...	...	SW	1	...	,,	29.90	759.5	...	...	SSE	2	...
Bonin Island,	,,	29.92	760.0	...	...	SSE	1	..	,,	29.94	760.5	...	...	SSW	1	...
Chefoo,	15	29.85	758.2	66	54	ESE	2	bf	6	29.77	756.1	58	70	SW	4	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.01	762.3	63	65	SE	1	o	,,	29.97	761.2	52	92	ESE	1	o
Gutzlaff,	,,	30.04	763.0	58	81	NE	1	o	,,	29.97	761.2	52	88	SE	4	o
Sharp Peak,	,,	29.91	759.7	63	83	NNE	2	o	7	29.90	759.4	60	88	...	o	r
Amoy,	15	29.83	757.7	68	85	ENE	4	b	9	29.85	758.2	64	91	ENE	1	o
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.93	760.2	77	72	NW	2	o	5	29.86	758.4	68	98	...	o	o
Taichu,	,,	29.92	759.9	82	...	...	o	o	,,	29.91	759.6	70	...	...	o	o
Tainan,	,,	29.92	759.9	84	...	WSW	2	b	,,	29.86	758.4	70	...	N	2	o
Koshun,	,,	29.92	759.9	84	...	S	2	b	,,	29.85	758.1	72	...	...	o	o
Pescadores,	,,	29.93	760.2	79	...	SW	2	b	,,	29.87	758.7	70	...	NNE	4	b
Canton,	14	29.83	757.7	77	77	S	1	o	6	29.84	757.9	72	95	...	o	o
Hongkong,	,,	29.85	758.1	74	84	E	3	o	,,	29.83	757.7	71	97	E	3	cm
Gap Rock,	,,	29.86	758.4	...	...	NE	2	o	,,	29.83	757.7	...	...	ENE	2	o
Macao,	,,	29.82	757.5	79	80	SE	2	o	,,	29.80	756.9	70	98	...	o	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.79	756.6	77	76	SSE	4	o	7	29.81	757.2	70	96	ESE	4	rf
Tourane,	,,	29.79	756.6	79	...	ESE	2	b	,,	29.79	756.6	73	...	SE	2	o
Cape St. James,	,,	29.79	756.6	93	...	S	2	b	,,	29.82	757.5	77	...	SE	2	b
Basco,	14	29.79	756.6	84	71	E	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.81	757.2	86	71	NE	4	b	,,	29.82	757.5	75	94	...	o	o
Manila,	,,	29.78	756.3	93	50	W	4	o	,,	29.81	757.2	77	86	...	o	b
Legaspi,	,,	29.81	757.2	90	66	NNE	2	b	,,	29.81	757.2	81	87	NNE	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.78	756.3	90	69	NE	2	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.81	757.2	...	...	E	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.80	756.9	...	...	ESE	2	b	4.47	29.81	757.2	...	...	ENE	4	o
Labuan,	14	29.77	756.1	86	84	NW	1	o	6	29.78	756.4	80	91	NE	2	b

April 24*d.* 10*h.* 55*m.*—Pressure has increased moderately over south Japan, and decreased slightly to moderately elsewhere. It is highest over S. Japan, and depression centres are indicated over the Gulf of Pechili, to the south east of Tokio, and over Indo-China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 20·91 inches, against an average of 10·26 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. and S.E. winds, moderate; cloudy, probably rain later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	24th April, 1925.								25th April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostook,	12	30.00	762.0	44	...	SE	4	o	6	30.03	762.7	37	...	SE	5	o
Nemuro,	11	...	...	...	...	...	...	...	5	29.86	758.5	...	...	E	5	...
Hokodate,	,,	29.78	756.5	...	...	E	1	...	,,	29.88	759.0	...	...	WNW	2	...
Tokio,	,,	29.80	757.0	...	...	SSE	1	...	,,	29.96	761.0	...	...	NNW	1	...
Kochi,	,,	29.96	761.0	...	...	SE	1	...	,,	30.00	762.0	...	...	SW	1	...
Nagasaki,	,,	30.02	762.5	...	...	SSE	1	...	,,	29.88	759.0	...	...	SSE	3	...
Kagoshima,	,,	30.00	762.0	...	...	SE	1	...	,,	29.94	760.5	...	...	...	...	...
Oshima,	,,	29.98	761.5	...	...	NNE	1	...	,,	29.94	760.5	...	...	...	...	...
Naha,	,,	29.98	761.5	...	...	ESE	2	...	,,	29.96	761.0	...	...	SE	1	...
Ishigakijima,	,,	29.92	760.0	...	...	SSW	2	...	,,	29.88	759.0	...	...	SSE	2	...
Sonin Island,	,,	29.96	761.0	...	...	S	1	.	,,	30.00	762.0	...	...	...	0	...
Chefoo,	15	29.69	754.1	62	61	SSE	4	of	6	29.72	754.9	56	75	SW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.84	757.8	68	64	SSE	2	b	,,	29.88	759.0	54	97	W	1	o
Gutzlaff,	,,	29.88	758.9	56	89	SE	6	o	,,	29.88	758.9	56	94	SW	4	o
Sharp Peak,	,,	29.90	759.4	71	90	N	1	of	7	29.91	759.7	63	92	..	0	of
Amoy,	15	29.85	758.2	69	80	ENE	2	b	9	29.81	757.2	65	91	SSE	2	o
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	..	...	...	...
Taihoku,	11	29.89	759.3	77	76	...	o	o	5	29.86	758.4	68	96	...	o	o
Taichu,	,,	29.87	758.7	79	...	NNE	2	o	,,	29.88	759.0	70	...	...	o	b
Tainan,	,,	29.89	759.3	82	...	ENE	2	b	,,	29.85	758.1	72	...	...	o	b
Koshun,	,,	29.89	759.3	86	...	SSE	2	b	,,	29.86	758.4	70	...	...	o	b
Pescadores,	,,	29.91	759.6	77	...	NNE	4	b	,,	29.87	758.7	73	...	NE	1	o
Canton,	14	29.80	756.9	80	78	S	1	o	6	...	...	...	...	...	...	...
Hongkong,	,,	29.83	757.7	73	89	E	4	o	,,	29.85	758.2	69	97	E	3	of
Gap Rock,	,,	29.86	758.4	...	...	NE	1	o	,,	29.86	758.4	...	...	ENE	2	f
Macao,	,,	29.81	757.2	79	84	SE	2	o	,,	29.80	756.9	70	100	SE	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Thulien,	,,	29.73	755.1	77	79	SSE	6	o	7	29.75	755.7	73	98	SE	6	rf
Tourane,	,,	29.75	755.7	79	...	SE	2	o	,,	29.79	756.6	75	...	S	2	b
Cape St. James,	,,	29.80	756.9	90	...	SE	2	b	,,	29.82	757.5	77	...	SE	2	b
Pasco,	14	29.79	756.6	86	58	E	4	o	6	29.84	757.8	79	96	E	4	o
Aparri,	,,	29.78	756.3	90	66	NE	4	b	,,	29.84	757.8	77	91	...	o	o
Manila,	,,	29.76	756.0	93	46	SSW	2	o	,,	29.82	757.5	72	88	...	o	b
Legaspi,	,,	29.80	756.9	90	66	ENE	4	b	,,	29.81	757.2	81	86	N	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	86	75	NE	4	o	,,	29.79	756.6	79	85	N	4	o
Surigao,	..	...	...	...	...	...	...	...	,,	29.80	756.9	75	96	SSW	1	o
Guam,	12.20	29.79	756.6	...	...	NE	4	o	4.20	29.85	758.1	...	...	E	2	o
Yap,	12.47	29.78	756.3	...	...	ENE	6	r	4.47	29.81	757.2	...	...	ENE	2	o
Sabuan,	14	29.70	754.4	86	84	N	4	b	6	29.79	756.6	76	94	NW	1	o

April 25d. 11h. 31m.—Pressure changes are everywhere slight. Depressions are situated over N. Japan, the Gulf of Pechili and Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 20·91 inches, against an average of 10·48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel,	E. and S.E. winds, moderate; cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	25th April, 1925.								26th April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.93	760.1	40	...	SSW	2	o	6	29.71	754.6	39	...	WNW	2	o
Nemuro,	11	29.88	759.0	...	...	NNE	3	...	5	29.80	757.0	...	...	S	1	...
Hokodate,	"	29.90	759.5	...	...	W	1	...	"	29.63	752.5	...	...	E	3	...
Tokio,	"	29.92	760.0	...	...	S	1	...	"	29.73	755.0	...	...	NW	1	...
Kochi,	"	29.94	760.5	...	...	SW	1	...	"	29.75	755.5	...	...	...	o	...
Nagasaki,	"	25.86	758.5	...	...	S	4	...	"	29.80	757.0	...	...	...	o	...
Kagoshima,	"	29.94	760.5	...	...	S	1	...	"	29.76	756.0	...	...	...	...	...
Oshima,	"	29.94	760.5	...	...	SSE	2	...	"	29.78	756.5	...	...	SSW	1	...
Naha,	"	29.96	761.0	...	...	SSW	1	...	"	29.84	758.0	...	...	SE	2	...
Ishigakijima,	"	29.94	760.5	...	...	SW	3	...	"	29.82	757.5	...	...	NNW	2	...
Bonin Island,	"	30.00	762.0	...	...	ENE	1	...	"	...	...	...	...	...	o	...
Chefoo,	15	29.69	754.1	50	88	NW	4	o	6	29.85	758.2	50	88	WNW	2	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.91	759.6	68	64	WSW	2	o	"	29.94	760.5	50	100	WSW	1	b
Gutzlaff,	"	29.90	759.4	63	83	WSW	2	o	"	29.97	761.2	54	94	WNW	4	o
Sharp Peak,	"	29.84	757.9	82	87	N	1	o	7	29.88	758.9	58	93	E	2	r
Amoy,	15	29.77	756.1	75	77	ENE	4	b	9	29.76	755.9	68	95	SSE	1	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.85	758.1	84	60	W	2	b	5	29.79	756.6	72	96	...	o	r
Taichu,	"	29.88	759.0	84	...	...	o	b	"	29.86	758.4	75	...	...	o	o
Tainan,	"	29.88	759.0	84	...	SSE	2	o	"	29.82	757.5	75	...	...	o	o
Koshun,	"	29.88	759.0	90	...	E	2	o	"	29.81	757.2	75	...	...	o	o
Pescadores,	"	29.88	759.0	84	...	...	o	o	"	29.80	756.9	73	...	...	o	o
Canton,	14	29.79	756.6	84	72	S	2	c	6	29.82	757.4	73	95	...	o	o
Hongkong,	"	29.85	758.2	74	87	E	3	c	"	29.82	757.4	72	95	...	o	cf
Gap Rock,	"	29.85	758.2	...	...	E	2	c	"	29.82	757.4	...	...	ESE	2	cf
Macao,	"	29.82	757.5	81	80	SE	4	o	"	29.78	756.3	73	98	S	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.76	756.0	79	84	SSE	4	of	7	29.80	756.9	73	98	SSE	4	of
Tourane,	"	29.76	756.0	81	...	SE	2	b	"	29.78	756.3	77	...	SSW	2	b
Cape St. James,	"	29.78	756.3	93	...	SSE	2	b	"	29.81	757.2	75	...	ENE	2	b
Basco,	14	29.82	757.5	86	65	E	6	o	6	...	...	...	...	...	...	...
Aparri,	"	29.79	756.6	90	63	NE	4	b	"	29.81	757.2	75	88	...	o	b
Manila,	"	29.80	756.9	90	44	NE	4	b	"	29.82	757.5	69	81	ENE	2	b
Legaspi,	"	29.81	757.2	90	60	NE	4	b	"	29.81	757.2	81	89	NNE	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.76	756.0	90	55	NE	4	o	"	...	...	...	...	...	...	...
Surigao,	"	29.78	756.3	82	84	NE	2	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	E	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.75	755.7	...	...	E	6	r	4.47	29.79	756.6	...	...	E	2	r
Labuan,	14	29.71	754.6	86	80	NW	2	b	6	29.81	757.2	76	94	NW	1	o

April 26*d*. 11*h*. 10*m*.—Pressure has increased considerably over Shantung and slightly over Tongking; it has decreased considerably over Japan, and slightly to moderately elsewhere. The northern depression has moved into the Sea of Japan; weak anticyclonic areas are situated over N. China, and to the east of the Bonins.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 20·91 inches, against an average of 10·70 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S.E. or variable winds, light to moderate; cloudy, probably rain later.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	26th April, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	27th April, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	...	...	...	...	...	...	...	5	29.53	750.0	...	...	SSW	2	...
Hokodate,	"	29.57	751.0	...	...	SSE	1	...	"	29.69	754.0	...	...	SW	4	...
Tokio,	"	29.70	754.5	...	...	N	1	...	"	29.76	756.0	...	...	NW	1	...
Kochi,	"	29.78	756.5	...	...	...	...	...	"	29.88	759.0	...	...	WNW	1	...
Nagasaki,	"	29.82	757.5	...	...	WSW	2	...	"	29.92	760.0	...	...	NE	1	...
Kagoshima,	"	29.84	758.0	...	...	NW	1	...	"	29.92	760.0	...	...	...	0	...
Oshima,	"	29.76	756.0	...	...	S	1	...	"	29.92	760.0	...	...	NNW	1	...
Naha,	"	29.82	757.5	...	...	S	3	...	"	29.96	761.0	...	...	NNE	1	...
Ishigakijima,	"	29.88	759.0	...	...	NW	1	...	"	29.94	760.5	...	...	NE	1	...
Bonin Island,	"	29.96	761.0	...	...	S	1	...	"	29.92	760.0	...	...	S	1	...
Chefoo,	15	29.94	760.5	56	66	NW	4	b	6	30.03	762.7	50	79	NW	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.05	763.2	72	29	N	1	b	"	30.10	764.4	57	77	N	1	o
Gutzlaff,	"	30.05	763.2	65	63	NNW	1	b	"	30.09	764.3	56	75	N	2	o
Sharp Peak,	"	29.86	758.4	65	84	...	0	o	7	30.00	762.0	58	81	SE	1	o
Amoy,	15	29.90	759.4	64	91	ENE	4	o	9	...	...	...	...	...	...	...
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.94	760.5	64	92	E	4	o	5	30.01	762.3	64	80	E	2	o
Taichu,	"	29.88	759.0	77	...	N	2	o	"	29.93	760.2	66	...	N	2	o
Tainan,	"	29.85	758.1	86	...	NW	2	b	"	29.92	759.9	66	...	N	2	b
Koshun,	"	29.82	757.5	86	...	NW	4	b	"	29.89	759.3	72	...	NNE	...	...
Pescadores,	"	29.89	759.3	79	...	NNE	4	o	"	29.92	759.9	72	...	NNE	6	o
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.83	757.7	78	81	W	2	o	"	29.92	759.9	67	77	E	6	o
Gap Rock,	"	29.85	758.2	...	...	...	0	c	"	29.89	759.2	...	...	ESE	4	c
Macao,	"	...	...	...	...	...	...	...	"	29.87	758.7	68	87	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...		...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.76	756.0	79	69	ESE	4	o	7	29.88	759.0	72	96	ESE	2	o
Tourane,	"	29.75	755.7	84	...	SE	2	o	"	29.82	757.5	73	...	S	2	b
Cape St. James,	"	29.79	756.6	86	...	ENE	2	b	"	29.84	757.8	79	...	ENE	2	b
Basco,	14	29.79	756.6	86	61	SW	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.79	756.6	86	68	NE	4	b	"	29.86	758.4	73	96	...	o	b
Manila,	"	29.76	756.0	90	48	W	4	o	"	29.85	758.1	72	86	ENE	1	o
Legaspi,	"	29.78	756.3	90	69	NE	2	b	"	29.82	757.5	79	80	N	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	29.84	757.8	75	96	NE	2	r
Iloilo,	"	29.75	755.7	84	77	NE	6	o	"	29.79	756.6	77	92	N	4	o
Surigao,	"	29.75	755.7	84	77	N	2	o	"	29.82	757.5	77	96	...	o	o
Guam,	12.20	29.79	756.6	...	...	E	4	o	4.20	29.86	758.4	...	...	NE	2	o
Yap,	12.47	29.76	756.0	...	...	SE	4	o	4.47	29.84	757.8	...	...	ENE	2	o
Labuan,	14	29.71	754.6	86	80	NW	2	b	6	29.83	757.7	76	94	NW	1	o

April 27d. 11h. 00m.—Pressure has increased slightly to moderately at all stations, a weak anticyclone having formed over N. China. The depression has moved to the north east of Hokkaido and an area of relatively low pressure extends from Indo-China, eastwards to the Visayas.

Fresh to moderate monsoon will prevail along the coast, and over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 20·92 inches, against an average of 10·92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel.	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	E. winds, fresh to moderate; cloudy, some drizzle or mist.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	27th April, 1925.								28th April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.82	757.5	63	...	NE	3	o	6	30.03	762.8	40	...	...	o	dh
Nemuro,	11	29.57	751.0	...	...	NW	1	...	5	29.88	759.0	...	...	SSW	1	...
Hokodate,	"	29.70	754.5	...	...	SW	1	...	"	29.94	760.5	...	...	NE	1	...
Tokio,	"	29.80	757.0	...	...	N	1	...	"	30.04	763.0	...	...	NW	1	...
Kochi,	"	29.90	759.5	...	...	NNW	2	...	"	29.96	761.0	...	...	...	o	...
Nagasaki,	"	29.98	761.5	...	...	S	1	...	"	...	...	...	...	...	...	...
Kagoshima,	"	29.94	760.5	...	...	ENE	1	...	"	29.96	761.0	...	...	...	...	...
Oshima,	"	29.96	761.0	...	...	NNE	1	...	"	29.92	760.0	...	...	S	1	...
Naha,	"	30.00	762.0	...	...	N	2	...	"	29.94	760.5	...	...	S	1	...
Ishigakijima,	"	29.98	761.5	...	...	ENE	2	...	"	29.94	760.5	...	...	NE	1	...
Bonin Island,	"	29.90	759.5	...	...	SSW	2	...	"	29.92	760.0	...	...	W	1	...
Chefoo.	15	30.07	763.8	56	57	NW	2	o	6	30.03	762.7	48	78	...	o	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai.	14	30.07	763.8	63	56	N	1	o	"	30.08	764.1	46	100	NNW	1	b
Gutzlaff,	"	30.09	764.3	58	81	N	1	o	"	30.07	763.8	52	88	N	2	b
Sharp Peak,	"	29.99	761.7	70	66	...	o	o	7	30.01	762.2	58	88	...	o	r
Amoy,	15	29.93	760.2	68	51	ENE	2	o	9	29.93	760.2	62	77	ENE	1	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.01	762.3	64	80	E	4	o	5	29.97	761.1	59	98	E	4	r
Taichu,	"	29.95	760.[illegible]	73	...	NNW	2	o	"	29.95	760.8	63	...	...	o	o
Tainan,	"	29.93	760.[illegible]	[illegible]	...	WSW	2	b	"	29.92	759.9	66	...	NNE	2	o
Koshun,	"	29.94	760.5	[illegible]	...	NE	4	o	"	29.91	759.6	72	...	...	o	o
Pescadores,	"	29.98	761.4	[illegible]	...	NNE	4	o	"	29.93	760.2	68	...	NNE	4	o
Canton,	14	29.93	760.2	[illegible]	95	N	1	or	6	...	...	...	...	...	...	...
Hongkong,	"	29.92	759.9	70	71	E	5	o	"	29.94	760.5	66	82	E	3	od
Gap Rock,	"	29.91	759.7	...	...	E	5	o	"	29.93	760.2	...	...	NE	5	o
Macao,	"	29.91	759.6	68	85	ESE	2	o	"	29.92	759.9	66	98	ENE	2	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Kaohsi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.85	758.1	82	70	ESE	2	o	7	29.92	759.9	70	94	ENE	4	o
Tourane,	"	29.86	758.4	81	...	...	o	b	"	29.87	758.7	75	...	SSW	2	o
Cape St. James,	"	29.79	756.6	86	...	E	4	b	"	29.82	757.5	84	...	E	4	o
Basco,	14	29.84	757.8	82	70	N	6	o	6	29.82	757.5	75	79	NE	2	b
Aparri,	"	29.82	[illegible]	86	71	NE	4	b	"	29.85	758.1	73	94	...	o	b
Manila,	"	29.78	756.3	90	55	NW	1	o	"	29.82	757.5	75	83	NNE	1	o
Legaspi,	"	29.80	756.9	90	66	NNE	2	o	"	29.81	757.2	81	92	N	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.73	755.1	90	51	NE	6	o	"	29.80	756.9	77	86	N	4	o
Surigao,	"	29.76	756.0	82	77	ENE	4	o	"	29.80	756.9	75	94	...	o	o
Guam,	12.20	29.79	756.6	...	...	ENE	4	o	4.20	29.82	757.5	...	...	E	1	o
Yap,	12.47	29.79	756.6	...	...	ENE	4	o	4.47	29.80	756.9	...	...	ENE	4	b
Labuan,	14	29.71	754.6	86	80	NW	2	b	6	29.85	758.2	76	94	SW	2	o

April 28*d.* 11*h.* 26*m.*—Pressure has decreased slightly over the Philippines and the Loochoos: it has increased considerably over S. Manchuria and N. Japan, and slightly elsewhere. The anticyclone has extended north eastward into the Sea of Japan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 20·92 inches, against an average of 11·14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; cloudy, drizzle or mist.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	28th April, 1925.								29th April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock, .	12	30.00	761.9	58	...	SSE	4	...	6	30.03	762.7	41	...	...	0	c
Gemuro, ...	11	29.88	759.0	...	...	N	2	...	5	29.96	761.0	...	...	...	...	...
Hokodate, ...	"	29.96	761.0	...	...	SSW	2	...	"	30.08	764.0	...	...	...	...	...
Tokio, ...	"	30.04	763.0	...	...	NE	1	...	"	30.00	762.0	...	...	N	1	...
Kochi, ...	"	29.96	761.0	...	...	SSW	1	...	"	29.92	760.0	...	...	SW	1	...
Nagasaki, ...	"	29.90	759.5	...	...	WNW	1	...	"	29.92	760.0	...	...	NE	1	...
Kagoshima, ...	"	29.94	760.5	...	...	...	...	...	"	29.92	760.0	...	...	NW	1	...
Ishima, ...	"	29.94	760.5	...	...	...	0	...	"	29.88	759.0	...	...	SSE	1	...
Taba, ...	"	30.00	762.0	...	...	NNW	2	...	"	29.92	760.0	...	...	NW	1	...
Ishigakijima, ...	"	29.98	761.5	...	...	NE	1	...	"	29.92	760.0	...	...	NE	1	...
Sooin Island, ..	"	29.92	760.0	...	...	...	0	...	"	29.82	757.5	...	...	SSW	3	...
Chefoo, ...	15	29.96	761.0	68	42	ESE	1	b	6	30.01	762.2	58	53	S	1	b
Taukow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Chang, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai, ...	14	30.08	764.1	70	34	NNW	1	b	"	30.10	764.4	43	100	E	1	bf
Gutzlaff, ...	"	30.10	764.5	62	67	N	2	b	"	30.10	764.5	50	93	ESE	1	o
Sharp Peak, ...	"	30.03	762.7	63	72	N	1	r	7	30.02	762.5	58	85	N	1	o
Amoy, ...	15	29.97	761.2	64	76	ENE	2	o	9	29.92	759.9	60	82	ENE	1	o
Swatow, ...	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku, ...	11	30.06	763.5	61	96	E	2	r	5	29.98	761.4	57	98	E	4	r
Taichu, ...	"	30.00	762.0	63	...	NNW	2	r	"	29.97	761.1	61	...	...	0	r
Tainan, ...	"	29.97	761.1	79	...	NNW	2	b	"	29.91	759.6	64	...	NNE	2	o
Toshun, ...	"	29.93	760.2	81	...	NNE	2	o	"	29.87	758.7	70	...	NE	4	o
Pescadores, ...	"	30.01	762.3	70	...	NNE	4	r	"	29.93	760.2	66	...	NNE	4	o
Canton, ...	14	29.97	761.2	68	79	N	1	o	6	...	...	...	...	...	...	...
Hongkong, ...	"	29.95	760.7	68	86	ESE	3	o	"	29.88	758.9	65	89	E	4	od
Gap Rock, ...	"	29.97	761.2	...	...	NE	4	o	"	29.88	758.9	...	...	ENE	4	o
Macao, ...	"	29.93	760.2	70	91	ENE	2	o	"	29.87	758.7	64	100	E	2	rf
Pakchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Makhoi, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Haulien, ...	"	29.91	759.6	70	92	SW	2	of	7	29.87	758.7	66	98	ENE	4	rf
Tourane, ...	"	29.86	758.4	82	...	ENE	2	b	"	29.82	757.5	75	...	S	2	o
Cape St. James,	"	[illegible]	756.9	84	...	E	4	b	"	29.78	756.3	79	...	ENE	4	b
Pasco, ...	14	29.81	757.2	84	71	NW	4	o	6	29.85	758.1	77	79	N	4	o
Aparri, ...	"	29.81	757.2	86	68	NE	4	b	"	29.81	757.2	77	92	...	0	b
Manila, ...	"	29.80	756.9	90	55	NE	1	o	"	29.80	756.9	75	92	...	0	o
Legaspi, ...	"	29.80	756.9	82	81	NE	4	o	"	29.79	756.6	77	96	NE	1	o
Iloiloban, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Cebu, ...	"	29.75	755.7	90	60	NE	4	o	"	29.76	756.0	75	98	N	2	o
Durigao, ...	"	29.78	756.3	84	74	NE	4	o	"	29.79	756.6	75	91	S	1	o
Guam, ...	12.20	29.79	756.6	...	...	E	2	o	4.20	29.79	756.6	...	...	E	1	o
Yap, ...	12.47	29.78	756.3	...	...	ENE	6	r	4.47	29.78	756.3	...	...	ENE	2	b
Ponape, ...	14	29.72	754.9	84	83	NW	1	o	6	29.78	756.4	76	94	SW	1	o

April 29*d.* 11*h.* 43*m.*—Pressure has increased slightly over Manchuria and N. Japan, and decreased slightly elsewhere; it is highest in an irregular anticyclonic area extending from Shanghai across the Sea of Japan.

Moderate monsoon will continue over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 20·93 inches, against an average of 11·37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel, ...	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks.	N.E. winds, moderate; cloudy, some drizzle or mist.
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	29th April, 1925.								30th April, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.04	763.0	...	...	SSE	1	...	5	30.06	763.5	...	...	SSE	1	...
Hokodate,	,,	30.06	763.5	...	...	...	...	...	,,	30.02	762.5	...	...	...	0	...
Tokio,	,,	30.18	766.5	...	...	ENE	2	...	,,	29.98	761.5	...	...	NNW	2	...
Kochi,	,,	29.90	759.5	...	...	NW	5	...	,,	30.00	762.0	...	...	SW	1	...
Nagasaki,	,,	29.92	760.0	...	...	WSW	1	...	,,	30.02	762.5	...	...	NNE	1	...
Kagoshima,	,,	29.90	759.5	...	...	E	1	...	,,	30.00	762.0	...	...	WNW	1	...
Oshima,	,,	29.92	760.0	...	...	NNE	1	...	,,	29.98	761.5	...	...	...	0	...
Naha,	,,	29.96	761.0	...	...	N	1	...	,,	29.98	761.5	...	...	NE	1	...
Ishigakijima,	,,	29.98	761.5	...	...	ENE	2	...	,,	29.96	761.0	...	...	ENE	1	...
Bonin Island,	,,	29.80	757.0	...	...	SSW	3	...	,,	29.86	758.5	...	...	SSW	1	...
Chefoo,	15	29.97	761.2	46	6	SSE	2	b	6	29.89	759.2	62	56	SSW	2	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.05	763.2	73	38	E	1	b	,,	30.07	763.8	50	100	ESE	1	b
Gutzlaff,	,,	30.09	764.3	56	75	E	2	b	,,	30.09	764.3	50	100	SE	4	of
Sharp Peak,	,,	30.02	762.5	68	70	E	2	o	7	30.05	763.2	60	88	SW	1	o
Amoy,	15	29.93	760.2	65	73	ENE	2	o	9	29.93	760.2	58	94	W	2	r
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.01	762.3	61	91	E	4	r	5	29.95	760.8	59	98	E	4	r
Taichu,	,,	29.97	761.1	64	...	...	0	r	,,	29.95	760.8	61	...	...	0	r
Tainan,	,,	29.92	759.9	75	...	N	4	o	,,	29.91	759.6	64	...	NNE	2	o
Koshun,	,,	29.91	759.6	81	...	NNE	4	o	,,	29.87	758.7	70	...	...	0	b
Pescadores,	,,	29.95	760.8	68	...	NE	4	r	,,	29.92	759.9	66	...	NNE	4	r
Canton,	14	29.90	759.4	65	95	N	1	or	6	29.92	759.9	64	100	ESE	1	o
Hongkong,	,,	29.88	758.9	68	76	E	4	o	,,	29.88	758.9	64	85	E	5	o
Gap Rock,	,,	29.86	758.4	...	...	ENE	5	o	,,	29.85	758.2	...	...	ENE	5	o
Macao,	,,	29.86	758.4	68	91	ESE	2	o	,,	29.86	758.4	64	98	ESE	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.81	757.2	72	91	...	0	of	7	29.79	756.6	70	98	E	4	rf
Tourane,	,,	29.79	756.6	81	...	SE	2	b	,,	29.76	756.0	73	...	SE	2	o
Cape St. James,	,,	29.78	756.3	84	...	E	4	h	,,	29.76	756.0	79	...	E	2	b
Basco,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	,,	29.75	755.7	81	73	N	2	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.3	86	78	ENE	4	o	,,	29.80	756.9	75	89	NNE	2	o
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	79	91	N	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	86	65	NE	4	o	,,	29.78	756.3	77	92	...	0	o
Surigao,	..	29.74	755.4	86	75	E	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.74	755.4	...	...	E	4	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.74	755.4	...	...	ENE	4	o	4.47	29.76	756.0	...	...	ENE	4	o
Labuan,	14	29.77	756.1	84	83	N	2	b	6	...	...	...	...	...	...	...

April 30*d.* 10*h.* 50*m.*—Pressure has increased slightly to moderately over Formosa and S. Japan; it has decreased considerably over central Japan, and slightly to moderately elsewhere. A weak anticyclonic area extends from the lower Yangtze Valley to N. Japan, and moderate monsoon will prevail along the S.E. coast of China and over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 20·5[illegible] inches, against an average of 11·61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh to moderate; cloudy, occasional rain.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

MAY,

1925.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

C. W. JEFFRIES,

DIRECTOR.

HONGKONG:
PRINTED BY NORONHA & CO.
GOVERNMENT PRINTERS.

1925.

[*Price* 60c.]

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

MAY,

1925.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of MAY, 1925.

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·842	29·812	29·794	29·788	29·788	29·796	29·814	29·836	29·841	29·849	29·838	29·818	1
2	29·794	29·762	29·748	29·734	29·740	29·740	29·756	29·774	29·787	29·810	29·805	29·792	2
3	29·750	29·750	29·726	29·724	29·726	29·742	29·759	29·773	29·786	29·804	29·794	29·775	3
4	29·744	29·730	29·719	29·729	29·732	29·744	29·750	29·770	29·784	29·787	29·776	29·760	4
5	29·725	29·716	29·706	29·690	29·700	29·722	29·750	29·770	29·778	39·799	29·787	29·769	5
6	29·714	29·696	29·686	29·677	29·685	29·696	29·716	29·734	29·732	29·745	29·754	29·738	6
7	29·732	29·724	29·717	29·715	29·709	29·727	29·743	29·757	29·768	29·789	29·792	29·772	7
8	29·734	29·722	29·714	29·714	29·720	29·727	29·745	29·754	29·764	29·775	29·772	29·766	8
9	29·745	29·723	29·713	29·711	29·714	29·730	29·730	29·740	29·755	29·764	29·762	29·745	9
10	29·728	29·733	29·719	29·705	29·707	29·723	29·726	29·752	29·776	29·775	29·777	29·763	10
11	29·770	29·745	29·729	29·724	29·729	29·742	29·748	29·760	29·770	29·782	29·783	29·770	11
12	29·780	29·764	29·754	29·757	29·763	29·765	29·773	29·783	29·786	29·800	29·793	29·788	12
13	29·754	29·736	29·734	29·734	29·748	29·756	29·758	29·775	29·790	29·800	29·787	29·762	13
14	29·720	29·716	29·712	29·709	29·715	29·723	29·743	29·754	29·756	29·757	29·746	29·734	14
15	29·658	29·642	29·632	29·626	29·636	29·646	29·657	29·662	29·667	29·671	29·658	29·648	15
16	29·586	29·566	29·547	29·554	29·562	29·560	29·565	29·575	29·585	29·587	29·587	29·570	16
17	29·588	29·582	29·580	29·584	29·594	29·604	29·624	29·635	29·648	29·646	29·631	29·615	17
18	29·655	29·645	29·645	29·639	29·660	29·679	29·716	29·707	29·695	29·737	29·748	29·727	18
19	29·747	29·727	29·719	29·715	29·719	29·728	29·752	29·751	29·764	29·781	29·779	29·772	19
20	29·715	29·705	29·695	29·702	29·697	29·695	29·715	29·724	29·726	29·738	29·728	29·721	20
21	29·713	29·707	29·701	29·707	29·709	29·719	29·732	29·739	29·751	29·774	29·764	29·754	21
22	29·733	29·717	29·701	29·689	29·691	29·693	29·699	29·715	29·736	29·744	29·742	29·740	22
23	29·699	29·687	29·667	29·665	29·669	29·672	29·695	29·711	29·715	29·732	29·733	29·719	23
24	29·706	29·694	29·675	29·657	29·657	29·667	29·682	29·692	29·696	29·707	29·695	29·682	24
25	29·637	29·615	29·585	29·577	29·579	29·589	29·597	29·600	29·611	29·613	29·600	29·590	25
26	29·547	29·519	29·495	29·507	29·519	29·529	29·556	29·553	29·565	29·571	29·569	29·554	26
27	29·587	29·578	29·587	29·582	29·582	29·600	29·608	29·609	29·627	29·640	29·649	29·641	27
28	29·700	29·688	29·680	29·674	29·680	29·689	29·694	29·710	29·734	29·735	29·740	29·734	28
29	29·759	29·747	29·731	29·720	29·719	29·734	29·751	29·759	29·767	29·784	29·781	29·767	29
30	29·768	29·752	29·742	29·738	29·738	29·742	29·745	29·766	29·784	29·797	29·792	29·784	30
31	29·748	29·742	29·730	29·716	29·722	29·726	29·720	29·730	29·738	29·740	29·729	29·720	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·805	29·786	29·775	29·769	29·767	29·768	29·764	29·784	29·804	29·826	29·822	29·812	1
2	29·776	29·756	29·732	29·716	29·709	29·710	29·730	29·740	29·741	29·769	29·772	29·758	2
3	29·763	29·732	29·714	29·710	29·705	29·721	29·726	29·742	29·756	29·765	29·767	29·756	3
4	29·743	29·726	29·694	29·673	29·667	29·684	29·692	29·713	29·720	29·734	29·745	29·743	4
5	29·753	29·727	29·702	29·680	29·675	29·664	29·691	29·702	29·714	29·724	29·730	29·722	5
6	29·725	29·710	29·698	29·684	29·669	29·664	29·674	29·706	29·725	29·740	29·748	29·736	6
7	29·747	29·730	29·712	29·695	29·692	29·698	29·708	29·718	29·739	29·758	29·758	29·748	7
8	29·749	29·717	29·708	29·693	29·676	29·691	29·704	29·719	29·726	29·738	29·756	29·762	8
9	29·724	29·699	29·685	29·669	29·683	29·679	29·683	29·698	29·713	29·733	29·744	29·736	9
10	29·751	29·739	29·716	29·706	29·693	29·706	29·713	29·730	29·746	29·760	29·772	29·770	10
11	29·756	29·744	29·729	29·722	29·711	29·706	29·712	29·739	29·754	29·762	29·780	29·786	11
12	29·770	29·749	29·731	29·729	29·718	29·719	29·713	29·728	29·745	29·764	29·772	29·770	12
13	29·740	29·730	29·708	29·695	29·686	29·686	29·690	29·707	29·719	29·730	29·734	29·737	13
14	29·702	29·680	29·664	29·650	29·627	29·631	29·648	29·652	29·654	29·663	29·674	29·674	14
15	29·628	29·600	29·576	29·566	29·554	29·555	29·565	29·577	29·590	29·600	29·606	29·597	15
16	29·558	29·529	29.518	29·497	29·518	29·553	29·560	29·562	29·584	29·586	29·598	29·600	16
17	29·612	29·589	29·571	29·579	29·571	29·580	29·607	29·627	29·653	29·669	29·685	29·679	17
18	29·702	29·689	29·670	29·678	29·667	29·681	29·702	29·724	29·749	29·768	29·761	29·751	18
19	29·747	29·710	29·687	29·673	29·673	29·691	29·705	29·715	29·727	29·736	29·744	29·730	19
20	29·709	29·684	29·672	29·663	29·652	29·662	29·687	29·705	29·725	29·733	29·735	29·716	20
21	29·749	29·730	29·712	29·699	29·683	29·683	29·701	29·718	29·738	29·746	29·752	29·741	21
22	29·728	29·701	29·675	29·662	29·650	29·622	29·625	29·646	29·683	29·722	29·726	29·722	22
23	29·703	29·685	29·653	29·642	29·636	29·648	29·676	29·704	29·719	29·715	29·719	29·719	23
24	29·665	29·637	29·623	29·596	29·608	29·598	29·605	29·629	29·648	29·656	29·662	29·652	24
25	29·568	29·547	29·542	29·545	29·499	29·533	29·543	29·553	29·563	29·575	29·575	29·559	25
26	29·529	29·513	29·499	29·493	29·497	29·507	29·520	29·545	29·569	29·583	29·603	29·579	26
27	29·628	29·621	29·631	29·623	29·621	29·634	29·665	29·667	29·684	29·700	29·708	29·704	27
28	29·720	29·717	29·721	29·714	29·695	29·693	29·708	29·726	29·737	29·753	29·777	29·767	28
29	29·762	29·754	29·746	29·739	29·733	29·741	29·754	29·766	29·774	29·785	29·788	29·780	29
30	29·772	29·745	29·727	29·729	29·719	29·715	29·714	29·733	29·750	29·766	29·770	29·762	30
31	29·696	29·671	29·661	29·655	29·649	29.655	29.661	29·691	29·707	29·716	29·733	29·723	

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of MAY, 1925.

Hours, Hongkong Standard Time.

Days of the Month.	1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	65·6	65·6	65·7	65·8	66·0	65·8	66·3	67·2	68·2	68·9	69·2	69·3	1
2	69·7	70·2	69·6	69·0	69·2	70·0	70·0	69·7	70·9	71·9	72·9	72·3	2
3	73·0	73·5	73·1	73·3	73·1	72·7	73·6	74·4	76·2	78·0	82·2	85·0	3
4	75·5	74·5	74·5	74·1	73·4	73·2	74·3	75·6	79·0	77·0	77·5	78·2	4
5	75·1	75·2	75·4	75·2	74·2	73·3	73·4	75·0	74·6	74·2	73·8	73·7	5
6	74·2	74·0	74·7	73·0	72·3	72·2	72·2	73·1	73·2	74·8	75·0	75·1	6
7	73·5	73·0	73·0	73·0	72·5	72·5	73·2	74·1	76·8	76·1	76·2	76·1	7
8	75·1	75·3	75·4	75·1	74·9	74·3	77·0	78·8	82·6	84·0	85·8	86·5	8
9	77·0	76·6	77·1	76·6	75·6	76·0	77·2	79·0	80·6	83·0	82·3	86·7	9
10	77·0	74·9	74·6	74·4	73·9	74·2	74·7	75·0	75·4	75·3	76·2	79·5	10
11	73·0	72·4	72·3	71·9	70·8	71·1	71·0	70·7	71·1	70·9	71·5	73·9	11
12	74·0	73·5	73·3	72·7	72·3	72·2	72·3	73·2	74·1	74·7	75·3	76·0	12
13	74·3	74·5	74·7	75·0	74·8	74·6	76·9	78·0	78·9	82·0	81·4	82·5	13
14	75·8	75·4	75·0	74·2	74·4	74·0	76·6	78·2	81·0	81·1	83·8	84·2	14
15	77·5	78·1	77·9	78·0	78·0	78·3	79·0	80·7	82·3	85·9	86·6	84·9	15
16	81·0	81·1	81·0	81·3	81·4	81·4	82·1	84·9	83·2	84·7	84·2	85·0	16
17	78·2	78·1	77·7	77·4	76·9	76·4	77·4	79·1	81·7	83·1	83·4	86·0	17
18	74·5	74·3	74·2	74·8	75·0	74·1	74·3	74·1	73·6	74·7	76·0	77·0	18
19	75·4	75·2	75·6	75·2	74·7	74·2	74·3	75·4	76·0	75·1	76·2	74·4	19
20	72·6	72·2	72·0	72·1	72·4	72·4	73·3	75·2	74·9	77·8	79·1	79·8	20
21	76·0	75·8	75·4	75·5	75·6	75·7	76·2	77·0	77·6	78·3	79·6	80·0	21
22	74·3	74·1	73·9	74·1	74·1	74·2	74·5	75·3	75·9	77·6	78·9	79·3	22
23	76·0	76·1	75·8	75·7	75·4	75·3	75·7	76·0	76·9	78·4	79·7	81·3	23
24	77·0	77·2	77·3	77·0	77·1	77·3	78·1	79·2	80·8	81·9	82·1	82·0	24
25	81·1	81·3	80·9	81·0	81·3	81·6	81·7	82·5	82·0	84·5	84·9	85·2	25
26	82·0	81·4	81·2	80·6	80·3	80·3	81·2	82·6	80·6	81·1	83·2	83·2	26
27	79·6	79·5	79·4	79·3	78·4	79·2	80·3	83·5	85·3	87·0	86·8	85·7	27
28	78·6	78·4	78·1	78·0	78·2	78·2	78·1	78·6	79·4	79·3	78·3	77·5	28
29	75·2	74·3	73·2	75·0	73·8	74·9	76·3	78·4	79·7	79·1	80·2	80·0	29
30	77·1	77·3	77·0	76·4	76·1	76·4	78·1	79·2	78·8	80·0	80·6	79·9	30
31	77·4	77·7	77·8	77·8	78·1	78·1	77·2	78·1	78·6	79·1	81·0	81·4	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	69·1	70·3	71·3	70·7	70·5	70·0	69·2	69·0	69·1	69·5	69·7	69·8	1
2	72·0	73·0	72·4	73·1	74·4	73·9	73·2	73·2	73·6	73·3	73·2	73·3	2
3	84·0	84·4	84·4	84·7	83·2	81·0	78·0	77·5	76·8	75·9	75·0	74·9	3
4	82·3	82·0	85·4	82·3	81·2	80·2	79·1	76·6	76·1	76·3	75·7	76·0	4
5	75·0	73·0	73·1	72·8	72·8	72·9	73·3	73·3	73·0	73·2	73·5	73·4	5
6	75·5	76·0	75·0	74·1	74·9	74·0	74·0	73·4	73·5	73·9	73·9	73·8	6
7	77·4	78·0	80·1	79·6	76·8	76·6	75·1	74·7	74·2	74·8	75·1	75·2	7
8	85·8	86·4	84·0	84·3	83·3	81·6	79·1	78·8	78·1	77·8	77·5	77·2	8
9	84·8	85·0	84·4	83·0	81·9	80·8	80·1	79·8	79·0	78·1	77·3	77·4	9
10	76·0	76·7	76·3	75·0	75·0	74·3	73·9	74·0	73·6	73·8	73·4	73·0	10
11	74·5	74·4	74·0	74·6	74·4	74·2	73·5	73·5	73·8	74·0	74·4	74·2	11
12	76·7	76·6	76·1	76·0	75·4	74·3	73·5	73·1	73·4	74·0	74·3	74·9	12
13	84·0	84·5	83·7	80·4	80·0	78·7	77·8	77·2	76·2	76·1	76·2	75·9	13
14	85·0	85·5	85·2	85·2	83·8	81·4	79·2	79·0	78·8	78·4	77·5	77·8	14
15	84·9	85·1	85·6	84·5	84·2	83·4	81·6	81·1	81·2	81·0	80·4	80·4	15
16	85·4	84·9	84·4	85·2	83·7	80·1	78·1	79·0	78·6	78·4	78·5	78·2	16
17	86·4	87·4	87·5	87·0	85·3	81·9	81·2	80·8	79·3	77·2	76·0	76·0	17
18	77·6	79·0	78·5	76·6	76·0	75·5	74·6	74·9	75·0	75·4	75·4	75·5	18
19	73·3	74·1	74·3	74·0	74·8	73·1	72·6	71·6	72·0	72·4	72·1	72·2	19
20	78·6	78·4	79·5	79·9	78·3	77·0	76·4	76·2	76·4	76·4	75·5	75·6	20
21	77·7	77·8	78·8	77·8	78·0	76·4	76·2	76·5	76·2	75·8	75·7	75·0	21
22	79·6	79·9	80·0	78·7	78·2	77·9	77·1	76·2	76·0	76·0	76·0	76·2	22
23	81·1	81·0	80·7	79·9	79·5	80·5	79·0	78·0	77·9	77·8	77·7	77·6	23
24	83·3	81·1	80·9	78·8	79·1	79·1	79·0	79·2	78·7	79·0	79·5	80·2	24
25	84·4	85·5	84·0	83·1	83·0	82·7	82·6	82·3	82·3	82·4	82·1	81·9	25
26	85·6	86·7	85·8	84·9	85·3	84·9	83·2	82·2	82·5	81·0	79·9	79·7	26
27	84·0	83·0	83·0	82·9	80·9	80·2	79·6	79·1	78·7	78·5	78·5	78·4	27
28	77·3	78·5	77·6	77·6	77·1	76·5	76·4	75·0	74·4	74·7	74·7	75·0	28
29	80·6	80·6	80·6	79·8	80·1	79·6	78·8	78·1	77·5	77·6	77·3	77·4	29
30	79·7	79·0	79·1	78·0	77·4	77·1	76·3	76·0	76·3	77·0	76·8	77·1	30
31	81·7	82·2	83·4	81·2	82·0	82·0	79·2	79·2	78·6	78·8	78·7	78·5	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of MAY, 1925.

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	64·0	64·1	64·0	64·0	64·2	64·4	64·7	65·1	65·8	66·0	66·7	66·8	1
2	68·2	69·4	69·0	68·5	68·6	69·2	69·0	69·0	69·9	70·4	71·0	70·9	2
3	72·8	73·0	72·8	73·3	73·0	72·6	73·6	74·0	73·3	75·4	77·0	77·6	3
4	74·3	73·8	73·8	74·0	73·1	73·0	73·5	74·5	76·2	75·0	75·2	75·6	4
5	74·8	74·3	74·8	74·3	73·7	72·9	72·6	73·0	72·6	72·0	71·3	71·4	5
6	72·7	72·5	72·8	72·0	71·6	71·5	71·2	71·9	71·9	72·9	72·9	73·0	6
7	72·9	72·5	72·7	72·5	72·0	72·0	72·9	73·2	74·9	74·2	74·5	74·2	7
8	74·4	74·5	74·5	74·5	74·0	73·5	75·6	75·8	77·0	77·0	77·2	77·2	8
9	75·5	75·0	75·5	75·1	74·6	74·9	75·3	75·9	77·6	78·1	77·0	78·0	9
10	75·3	73·1	73·0	72·6	72·7	73·0	73·2	73·0	73·0	73·6	74·0	74·0	10
11	71·4	71·5	71·2	71·0	70·2	70·0	70·0	69·7	69·5	69·3	69·9	70·7	11
12	72·0	71·7	71·3	70·7	70·3	70·3	70·4	71·0	71·4	71·3	71·5	72·0	12
13	72·9	73·0	73·2	73·3	73·3	73·5	74·5	74·5	75·0	77·0	76·5	76·7	13
14	74·3	74·2	74·1	73·7	73·9	73·4	75·3	74·9	76·1	76·1	76·1	76·0	14
15	75·0	75·2	75·1	75·1	76·0	76·5	77·2	77·7	77·4	77·2	77·7	76·7	15
16	77·8	77·6	77·5	77·0	77·6	77·9	77·8	79·0	77·8	78·7	78·1	78·4	16
17	74·9	75·0	75·1	75·0	75·7	75·4	75·9	76·1	78·0	77·5	77·5	80·0	17
18	73·1	73·3	73·3	73·5	73·6	73·0	73·1	73·1	72·1	72·8	74·0	74·0	18
19	72·3	72·6	72·3	71·9	71·2	68·7	69·0	70·1	70·7	70·5	71·3	71·0	19
20	68·5	68·2	68·2	67·4	67·5	68·0	67·8	69·0	69·0	72·0	72·8	74·0	20
21	74·1	73·0	72·6	72·8	72·3	71·7	72·3	72·9	72·6	72·0	71·8	71·0	21
22	69·9	70·1	69·5	69·7	69·8	69·9	70·0	70·3	70·0	71·1	72·5	72·5	22
23	74·0	73·9	73·8	73·7	73·5	73·5	73·7	74·0	74·5	75·0	76·0	76·8	23
24	76·0	76·0	76·0	76·0	76·0	76·3	77·0	77·0	77·9	78·2	78·4	78·3	24
25	78·0	78·0	78·3	78·0	77·7	78·0	78·2	79·0	79·0	79·9	80·6	80·0	25
26	79·0	79·0	79·0	78·8	78·5	78·1	79·0	79·2	77·4	77·6	78·5	78·2	26
27	76·7	75·1	75·9	75·7	75·0	74·2	74·9	75·6	75·0	76·1	76·8	76·4	27
28	75·6	75·4	75·0	74·9	74·6	74·6	73·8	73·5	73·2	73·0	72·5	72·8	28
29	71·0	70·3	70·0	70·2	69·9	70·0	70·5	71·5	72·0	71·9	72·0	71·5	29
30	71·1	70·7	70·1	69·6	70·0	70·4	72·5	72·0	72·0	73·6	74·2	73·0	30
31	76·0	76·0	75·9	76·0	76·2	76·1	75·2	75·9	75·9	76·7	78·0	77·9	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	66·9	67·2	68·0	67·8	68·0	67·9	67·8	67·9	68·0	68·4	68·7	68·6	1
2	70·9	71·3	71·1	71·6	73·0	72·9	72·6	73·0	73·6	73·0	73·0	73·3	2
3	75·5	75·8	76·0	75·8	75·5	75·6	75·0	75·1	75·0	74·6	74·0	74·0	3
4	76·0	75·5	75·9	74·9	74·7	75·2	75·1	75·0	74·9	75·2	75·0	75·5	4
5	71·0	71·1	71·5	71·4	71·3	71·6	71·9	72·1	72·0	72·0	72·2	72·1	5
6	72·9	73·0	72·5	72·9	72·9	72·3	73·0	72·9	73·0	73·0	73·1	73·0	6
7	75·0	75·1	75·0	75·0	74·7	74·8	74·0	74·0	74·0	74·7	74·8	74·6	7
8	77·6	77·8	77·0	77·4	77·0	76·4	76·0	76·0	75·9	75·9	75·4	75·4	8
9	77·5	77·0	77·0	76·6	76·9	76·6	76·4	76·1	76·0	75·9	75·5	76·0	9
10	73·4	74·0	73·6	73·0	73·0	72·4	72·2	72·4	72·0	72·0	72·0	71·7	10
11	71·0	71·2	70·9	71·3	71·2	70·9	71·0	71·0	71·4	71·9	72·0	72·1	11
12	72·2	71·9	71·8	72·0	71·9	71·8	71·8	71·7	72·0	73·0	73·0	73·2	12
13	76·0	76·8	76·4	75·5	75·8	75·1	73·9	75·0	75·0	75·3	75·0	74·7	13
14	75·5	76·0	76·7	76·5	76·0	75·1	75·5	75·0	75·0	74·7	74·8	75·0	14
15	76·9	77·8	77·8	77·3	77·8	77·6	77·5	77·4	77·8	77·3	77·5	77·4	15
16	79·4	79·0	79·0	79·4	79·1	73·0	73·0	72·4	73·0	73·8	74·0	74·1	16
17	78·9	78·2	78·0	77·8	77·2	76·9	76·8	77·1	76·4	75·1	74·0	73·5	17
18	74·0	75·2	75·0	73·9	73·9	73·1	73·0	72·9	72·5	72·4	72·5	72·7	18
19	70·9	70·9	71·0	71·0	71·1	70·8	70·9	69·8	69·6	69·0	69·0	68·6	19
20	74·0	73·5	73·9	74·0	74·0	73·0	73·1	73·0	73·5	72·6	71·8	72·3	20
21	71·3	71·2	71·4	71·6	70·5	71·4	71·1	68·8	69·1	69·1	69·8	69·8	21
22	73·1	73·9	73·6	73·2	73·4	73·0	73·1	73·0	73·1	73·2	73·3	73·6	22
23	76·8	75·9	76·0	75·9	75·6	75·1	75·3	75·5	75·4	76·3	76·3	76·4	23
24	77·1	77·6	77·2	76·7	77·6	77·0	76·6	76·9	77·1	77·6	77·9	78·0	24
25	79·1	79·2	78·5	79·1	78·6	78·8	78·7	79·0	79·1	79·1	79·1	79·4	25
26	79·1	79·0	78·2	78·0	77·0	77·6	76·9	77·3	77·2	77·9	77·0	76·9	26
27	78·0	77·9	77·9	77·0	76·2	76·1	76·0	76·0	75·5	75·9	76·0	75·8	27
28	72·8	72·8	72·6	73·1	73·0	72·4	72·1	71·0	70·4	70·6	71·0	71·0	28
29	72·0	72·2	72·2	71·8	71·1	69·9	70·8	72·9	73·4	73·9	72·9	70·9	29
30	73·5	73·4	74·3	74·7	75·2	75·3	74·2	74·0	74·5	75·0	75·5	76·1	30
31	77·9	78·3	79·1	77·9	77·7	76·8	76·9	77·0	77·1	77·3	77·3	77·4	31

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of MAY, 1925.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	1
2	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	2
3	10	10	9	10	10	10	10	10	8	7	9	9	8	7	7	4	4	3	4	6	7	8	8	10	3
4	10	10	10	7	10	10	10	10	10	10	10	10	9	9	9	6	8	7	9	8	9	10	10	10	4
5	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	5
6	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	7	5	8	10	10	9	8	6
7	7	10	8	10	10	10	9	10	10	10	10	9	8	4	2	4	2	2	6	2	6	7	9	9	7
8	9	10	10	7	8	8	6	6	7	6	4	6	7	2	6	5	5	7	4	4	6	7	9	9	8
9	6	9	10	4	8	6	4	5	8	7	8	9	7	9	9	10	10	9	10	8	8	9	9	10	9
10	10	10	10	9	10	10	10	10	10	10	10	10	10	9	8	10	10	10	10	10	10	10	10	10	10
11	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	11
12	10	10	10	10	10	10	10	10	10	10	10	10	8	8	1	1	...	1	1	1	9	10	9	9	12
13	7	10	10	10	10	10	6	3	10	10	5	3	4	7	2	2	1	...	...	...	...	...	...	...	13
14	...	1	3	5	2	2	1	1	1	5	3	1	...	1	1	2	1	1	2	2	...	...	...	2	14
15	7	8	4	2	10	9	7	4	4	3	3	9	10	10	10	7	8	8	7	6	8	8	8	7	15
16	9	10	10	10	10	9	10	10	10	9	9	9	10	10	9	10	10	10	10	10	10	8	10	10	16
17	10	10	10	10	10	10	6	6	6	3	6	6	6	4	4	7	5	7	9	7	10	10	10	10	17
18	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	18
19	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	19
20	10	10	10	10	10	10	6	8	7	7	9	8	9	9	8	8	8	8	5	2	10	10	10	10	20
21	9	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	10	9	10	10	9	21
22	4	4	9	10	10	10	10	10	10	10	10	10	10	10	5	2	5	7	5	9	10	10	10	10	22
23	10	10	10	10	10	10	10	10	10	10	9	7	6	8	7	8	3	3	3	1	4	...	...	...	23
24	6	8	9	6	10	9	7	10	10	9	8	10	10	10	10	10	10	10	10	10	10	10	9	10	24
25	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	9	9	10	25
26	10	8	9	9	8	8	4	3	10	9	9	8	8	7	7	6	6	6	7	5	10	4	10	10	26
27	9	6	9	5	4	7	8	8	9	8	8	7	8	9	9	8	9	10	10	9	7	2	5	4	27
28	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	28
29	10	10	10	10	10	10	9	9	9	10	10	9	9	8	7	8	9	10	10	10	8	9	8	5	29
30	...	7	...	...	3	3	7	7	6	10	9	10	10	10	10	10	10	10	9	7	6	8	4	7	30
31	9	10	10	9	8	10	10	10	10	10	10	10	9	10	10	10	8	9	7	9	8	7	9	9	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of MAY, 1925.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time. 6	7	8	9	10	11	Noon	13	14	15	16	17	18	Days of the Month.
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	...	...	...	...	...	...	...	...	0·6	0·4	0·1	...	1
2	...	...	...	...	...	...	0·1	...	0·1	...	...	0·1	...	2
3	...	...	0·1	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	3
4	...	...	0·4	0·7	0·9	0·5	0·7	0·6	0·6	1·0	1·0	0·7	0·5	4
5	...	0·1	0·4	0·3	0·1	...	0·1	0·4	...	...	...	...	...	5
6	...	...	...	...	0·1	...	0·1	0·1	0·5	...	0·3	0·8	0·4	6
7	...	...	...	...	...	0·2	0·7	1·0	1·0	1·0	1·0	1·0	0·4	7
8	0·5	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	8
9	0·5	1·0	0·9	1·0	0·9	0·8	1·0	1·0	1·0	0·6	0·1	0·2	...	9
10	...	...	0·4	0·2	0·1	...	...	...	0·8	0·5	0·3	...	...	10
11	...	...	...	...	...	...	...	0·2	0·3	0·3	...	0·5	...	11
12	...	...	...	0·1	0·1	...	0·6	1·0	1·0	1.0	1·0	1·0	0·5	12
13	...	1·0	1·0	0·7	1·0	1·0	1·0	1·0	0·9	1·0	1·0	1·0	0·3	13
14	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	14
15	0·2	1·0	1·0	1·0	1·0	1·0	0·7	0·7	0·9	1·0	1·0	1·0	0·7	15
16	...	0·5	0·7	0·7	0·6	0·7	0·9	1·0	0·6	0·5	...	...	...	16
17	...	0·7	1·0	0·9	1·0	0·9	1·0	0·8	1·0	1·0	0·8	0·8	0·1	17
18	...	...	...	...	...	0·2	0·5	0·9	0·7	0·4	...	...	...	18
19	...	...	0·5	0·1	...	...	...	...	...	...	...	...	...	19
20	0·3	1·0	0·4	...	0·3	1·0	0·7	1·0	0·9	1·0	0·6	0·1	...	20
21	...	...	...	...	0·5	0·4	0·2	...	...	...	0·1	0·1	...	21
22	...	...	...	0·4	0·1	0·1	0·2	0·3	1·0	0·9	0·8	0·8	0·3	22
23	...	...	...	...	...	0·4	1·0	1·0	0·9	0·9	0·5	1·0	0·1	23
24	...	0·1	0·1	0·2	0·6	0·7	0·5	...	...	...	...	...	...	24
25	...	...	0·3	0·7	1·0	1·0	1·0	0·9	0·5	...	...	...	...	25
26	0·1	1·0	0·8	0·2	0·6	0·4	0·6	1·0	1·0	1·0	1·0	1·0	0·7	26
27	...	0·8	0·7	1·0	0·9	0·9	1·0	0·9	1·0	1·0	0·9	0·1	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	...	28
29	0·1	0·2	0·1	0·3	0·3	0·2	0·7	0·3	0·1	0·7	...	0·1	...	29
30	0·7	1·0	0·5	0·8	0·4	...	...	...	...	...	...	0·2	0·4	30
31	...	...	...	0·1	0·2	0·8	0·7	0·7	0·4	0·9	1·0	0·6	0·6	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of MAY, 1925.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins	ins.	ins.	ins.	ins.	ins.	
1	d	...	...	...	...	d	d	...	...	...	...	...	1
2	...	...	...	...	...	...	..	...	d	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	d	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	d	d	d	...	0·005	d	d	0·005	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	..	...	...	9
10	0·240	0·300	0·215	...	...	...	...	...	...	...	d	d	10
11	0·050	0·035	0·025	0·020	0·035	0·010	0·015	0·005	d	0·005	d	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	d	d	d	...	...	...	...	...	...	13
14	..	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	0·005	...	0·035	...	...	.	...	...	16
17	0·005	0·085	0·010	...	...	...	...	...	...	...	...	...	17
18	d	d	0·005	d	d	0·050	0·470	0·140	0·020	0·010	d	...	18
19	...	d	d	d	...	...	...	...	...	...	...	d	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	.	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	0·010	d	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	0·005	0·005	0·100	0·005	d	0·010	0·005	...	d	...	...	...	25
26	0·005	d	...	...	...	...	...	...	0·180	0·025	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	d	0·010	28
29	...	..	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	d	...	...	...	d	d	d	...	d	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins	ins.	
1	d	...	...	...	...	...	...	...	...	...	...	...	1
2	d	...	d	...	...	..	d	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	d	...	...	...	5
6	...	...	0·015	0·095	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	d	d	9
10	...	...	...	d	...	d	d	0·010	d	...	d	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	.	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	d	d	...	...	...	...	d	...	..	...	...	...	16
17	...	...	...	...	...	...	...	...	d	...	...	...	17
18	...	...	...	...	...	...	d	d	...	...	...	...	18
19	0·040	0·005	d	...	d	0·015	0·015	0·005	d	d	d	d	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	..	...	...	...	...	...	...	d	d	...	22
23	..	...	...	...	...	...	...	...	..	...	...	...	23
24	0·020	d	0·070	0·040	d	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	0·010	25
26	...	...	...	...	...	...	...	...	...	...	d	0·010	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	d	d	0·005	d	d	d	d	d	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	0·075	d	d	d	...	...	...	...	...	30
31	d	...	...	...	...	...	...	...	...	...	...	...	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of MAY, 1925.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hongkong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	7	25	7	26	7	27	7	24	7	23	7	21	6	18	7	20	8	17	8	15	9	19	9	19	1
2	8	14	8	13	9	14	9	14	10	13	10	20	9	17	9	13	9	21	9	17	9	18	9	19	2
3	6	10	6	6	7	8	6	7	7	5	9	5	8	3	8	3	...	...	27	5	22	4	19	6	3
4	9	2	...	1	...	...	...	...	9	2	9	3	9	4	7	7	7	10	7	12	8	11	8	9	4
5	8	7	8	17	8	12	8	16	8	17	7	13	7	15	7	14	7	16	7	16	7	19	8	20	5
6	8	14	9	15	10	13	9	13	9	16	8	16	8	16	8	14	8	17	8	15	8	15	8	17	6
7	10	13	10	13	9	12	9	12	9	15	9	13	8	11	8	11	8	12	6	13	6	12	7	14	7
8	7	6	7	4	7	4	7	3	...	1	...	1	...	...	...	1	...	..	22	3	17	6	17	10	8
9	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	24	5	26	5	24	2	19	8	9
10	17	3	24	7	6	3	...	...	6	7	8	15	8	17	8	18	8	18	8	18	8	16	8	16	10
11	6	24	6	21	6	22	6	23	6	25	6	25	7	25	6	26	7	27	7	23	6	24	6	23	11
12	7	15	7	17	7	20	7	17	7	15	6	20	7	21	6	20	6	22	7	20	7	18	6	21	12
13	8	11	9	10	8	6	9	8	10	5	10	2	10	7	10	8	10	9	9	8	9	10	9	7	13
14	...	...	...	1	...	...	...	...	...	...	...	...	...	...	30	2	...	1	26	3	24	5	23	10	14
15	...	...	...	1	...	1	19	3	24	4	26	3	27	5	27	6	24	5	20	10	18	11	18	11	15
16	16	11	16	14	16	14	17	14	17	12	17	14	18	14	18	15	19	17	19	17	19	18	19	18	16
17	...	...	...	1	...	1	10	3	...	...	...	...	10	6	8	7	7	2	8	2	10	4	9	4	17
18	6	23	7	18	6	15	7	21	7	17	7	19	9	10	8	13	6	18	7	11	8	15	8	15	18
19	7	15	7	21	6	22	6	24	6	23	6	23	6	22	6	22	6	23	6	23	6	21	6	21	19
20	6	21	7	20	7	21	7	15	7	19	7	18	8	16	8	15	7	15	8	10	9	11	9	11	20
21	7	14	7	19	6	14	5	13	5	11	6	13	7	13	7	16	7	19	7	17	7	20	7	21	21
22	6	20	6	15	6	16	7	13	7	11	7	11	7	15	7	15	8	14	8	16	8	15	9	15	22
23	8	13	7	7	7	14	7	8	7	7	8	8	9	9	9	10	9	9	9	9	9	10	9	12	23
24	11	2	...	..	...	1	11	5	10	4	...	1	10	2	10	6	9	9	9	11	8	13	10	11	24
25	18	10	18	12	18	13	18	17	19	15	19	16	19	19	19	20	19	16	20	15	19	15	19	19	25
26	20	13	20	16	21	18	21	14	21	10	21	4	22	2	27	6	28	8	24	4	23	7	22	9	26
27	24	5	27	2	27	4	27	4	27	3	27	4	29	2	1	7	1	10	9	8	9	8	9	16	27
28	6	10	6	9	6	12	6	13	5	15	5	14	5	14	6	17	6	17	6	20	6	19	6	14	28
29	4	4	3	4	3	4	5	11	2	4	4	2	5	3	6	6	6	12	7	15	7	17	7	16	29
30	6	13	6	15	6	20	6	16	6	16	6	15	7	18	7	20	7	19	7	17	7	18	7	19	30
31	7	11	7	12	8	12	9	11	9	13	9	15	8	16	9	15	8	15	8	13	9	14	9	20	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	9	18	9	20	9	17	9	18	9	19	8	18	8	15	8	16	8	15	8	13	8	16	8	14	1
2	8	18	8	19	8	17	7	15	7	15	7	13	6	9	6	11	6	12	7	10	6	12	7	9	2
3	21	5	21	8	19	8	19	7	18	7	17	9	17	4	17	6	17	3	...	...	16	4	12	5	3
4	20	5	21	6	21	4	16	9	15	9	15	9	15	6	14	2	13	4	13	4	13	5	10	7	4
5	7	23	8	17	8	16	8	17	7	15	6	10	7	9	7	13	8	14	8	14	8	13	7	14	5
6	8	17	8	18	9	14	9	14	8	13	8	15	8	12	9	15	9	14	9	11	10	11	10	13	6
7	8	16	8	11	13	9	11	8	8	11	7	8	7	8	7	8	8	9	7	8	7	5	7	6	7
8	17	6	18	12	18	9	18	7	17	8	18	7	18	2	...	...	.	...	17	2	...	1	...	...	8
9	17	9	16	12	17	8	17	10	17	8	16	9	16	6	16	4	15	3	14	2	13	3	...	...	9
10	8	18	7	20	8	22	8	21	7	21	7	22	8	24	7	22	7	24	6	27	6	23	6	23	10
11	7	24	6	21	6	23	6	20	6	20	6	19	7	18	8	13	8	9	8	14	8	14	7	13	11
12	6	21	7	20	8	15	9	17	9	18	9	17	9	15	9	12	10	13	9	10	9	10	9	11	12
13	9	6	19	7	15	6	8	11	8	8	7	4	7	2	4	4	30	3	30	3	30	2	...	1	13
14	23	9	24	10	22	9	21	9	22	5	16	7	15	8	...	1	...	...	...	...	16	2	...	...	14
15	18	11	18	14	17	11	17	11	17	11	17	11	16	6	16	8	15	4	14	7	15	4	15	8	15
16	19	17	19	15	18	14	19	10	20	12	25	13	19	3	...	...	12	2		..	...	...	...	...	16
17	23	9	24	9	25	10	25	5	21	4	9	12	8	11	7	11	7	16	7	21	6	22	7	23	17
18	9	17	9	14	9	17	9	20	9	18	9	15	9	15	8	15	7	13	7	14	7	18	7	17	18
19	7	23	7	21	7	26	7	25	7	21	6	17	6	13	6	25	7	21	6	24	7	20	6	19	19
20	8	16	8	17	8	14	8	10	8	15	8	13	8	10	8	9	7	7	3	4	5	11	6	15	20
21	7	17	6	19	7	20	7	22	7	23	7	24	7	26	7	25	7	25	7	27	7	27	6	25	21
22	8	18	8	18	8	17	9	16	9	18	8	19	8	13	8	19	9	15	9	17	8	18	8	12	22
23	9	12	9	14	9	13	8	14	9	11	13	9	13	6	11	6	13	4	12	7	11	7	11	5	23
24	14	8	15	4	16	5	16	4	17	3	22	4	26	5	27	3	27	4	27	3	...	...	20	6	24
25	19	16	19	19	19	19	18	18	18	15	20	18	20	7	20	22	19	17	19	17	19	12	20	14	25
26	22	12	22	9	22	12	22	11	22	11	23	8	24	6	25	4	25	3	.	...	27	9	25	5	26
27	9	19	9	19	9	16	9	18	9	20	9	17	9	13	8	15	7	13	7	12	6	9	6	11	27
28	6	21	7	21	7	14	7	20	6	18	4	18	4	10	2	4	3	5	3	6	4	6	5	3	28
29	9	15	9	13	9	19	9	15	7	12	7	9	7	12	7	8	6	10	7	12	6	13	6	12	29
30	7	17	7	21	8	17	9	15	8	8	8	15	8	15	9	13	10	8	10	11	9	7	9	12	30
31	8	13	10	14	11	13	10	13	11	7	15	7	14	5	10	3	10	4	9	4	8	5	8	5	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of MAY, 1925.
(... = no clouds.)

Hours, Hongkong Standard Time.

Days of the Month.	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	nb	E	nb	E	nb	E	cu-nb	E	nb	E	cu-nb	E	cu-nb	E	st-cu	E
2	st-cu	E	st-cu	E	cu-nb	E	cu-nb	E	nb	E	cu-nb	E	cu-nb	E	cu-nb	E
3	cu	SE	cu	SE	cu	SSW	cu	SW	cu	SW	cu	SW	cu	SSW	cu	SSW
4	a-cu / cu	WSW / SSW	cu	SSW	cu	E	cu	SE	cu	SW	cu	SSW	a-cu / cu	W / SSW	a-cu / cu	W / SSW
5	a-cu / cu	W / E	cu	E	cu-nb	E	cu-nb	ESE	cu	E	cu-nb	E	cu-nb	E	cu-nb	E
6	cu-nb	ESE	nb	ESE	nb	E	cu-nb	ESE	cu	ESE	cu-nb	ESE	a-cu / cu	WSW / E	cu-nb	E
7	cu	E	cu	E	a-cu / cu	WNW / SSE	cu	E	a-cu / cu	WSW / E	a-cu / cu	SSW / E	cu	ESE	cu	SSW
8	cu	SW	cu	SSW	cu	SSW	cu	W	cu	SSW	cu	SW	cu	SSW	cu	SSW
9	cu	SW	cu	SW	ci-st / cu	W / SW	cu	SW	cu	SSW	cu	SW	cu	SW	cu	SW
10	nb	SSW	cu	SW	cu-nb	E	cu	E	nb	E	nb	E	nb	E	nb	E
11	nb	E	nb	E	nb	E	nb	E	cu-nb	E	cu-nb	E	cu-nb	E	cu-nb	E
12	cu-nb	E	cu-nb	E	st-cu	E	st-cu	E	cu	E	cu	E	cu	E	cu	E
13	cu	E	nb	E	cu	E	cu	E	cu	E	cu	W	...	..	...	...
14	...	...	cu	S	cu	SE	cu	WSW	...	...	cu	WSW	cu	WSW	...	...
15	cu	WSW	cu	SW	cu	WSW	cu	SW	cu	SSW	cu	SW	cu	SSW	cu	SSW
16	cu	SSW	cu	SSW	cu-nb	SSW	cu	SW	cu	SW	cu	SW	cu	SW	cu	SW
17	cu-nb	SSW	cu-nb	SSW	a-cu / cu	W / SW	cu	WSW	ci-st / a-cu / cu	W / SW / SW	a-cu / cu	WSW / SW	a-cu / cu	WNW / WSW	nb	E
18	nb	E	nb	E	nb	E	nb	E	a-cu / cu	W / E	cu	E	nb	E	cu-nb	E
19	nb	E	nb	E	cu	E	cu	E	nb	E	nb	E	nb	E	nb	E
20	nb	E	cu-nb	E	a-cu / cu	WNW / E	a-cu / cu	WNW / E	a-cu / cu	WNW / E	a-cu / cu	WNW / E	cu	E	cu	E
21	cu	E	cu-nb	E	cu-nb	E	cu / st-cu	ESE / E	cu	E	cu	E	cu	E	cu	E
22	cu	E	cu	E	cu	E	cu	ESE	a-cu / cu	SSW / ESE	ci-cu / cu	SW / E	ci-st / cu	WSW / E	nb	E
23	nb	E	cu-nb	E	nb	E	cu-nb	SSW	cu	SW	cu	SSW	a-cu / cu	WNW / SSW	...	...
24	cu	SW	cu	SW	cu	WSW	a-cu / cu	W / SW	nb	SSW	nb	SSW	nb	SW	cu-nb	SW
25	nb	SW	nb	SW	nb	SW	cu	SW	cu	SW	cu	SW	a-cu / cu	W / SW	cu	SW
26	nb	SW	cu-nb	SW	a-cu / cu	W / SW	cu	SW	cu	WSW	ci-st / cu	SW / WSW	ci-st / cu	SW / WSW	cu	WSW
27	cu-nb	WSW	cu	W	ci-st / cu	WNW / W	ci-st / cu	W / ENE	ci-st / cu	WSW / ESE	a-cu / cu	W / ESE	cu	E	cu	E
28	cu	E	cu	E	cu	E	cu	E	nb	E	nb	E	nb	E	cu-nb	E
29	cu-nb	E	cu	E	cu	SW	cu	E	a-cu / cu	SW / E	a-cu / cu	SSW / E	a-cu / cu	SW / E	cu	E
30	...	...	...	...	cu	E	cu	SSE	cu	E	nb	E	cu-nb	E	a-cu / cu	WSW / E
31	cu	E	cu	E	nb	E	nb	E	cu-nb	ESE	cu	SE	ci-st / cu	WSW / SSE	cu	SSW

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MAY, 1925.
(*British Units.*)

Days of the Month	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Range.	Temperature. Of the Air. Mean.	Temperature. Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Bright Sunshine. Percentage of possible amount.	Rainfall. Amount.	Rainfall. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·804	71·9	65·5	6·4	68·4	66·5	0·626	90	100	1·1	9	...	1	+ 0·5	+ 18·8	88	18·8	18·9
2	·756	75·1	68·9	6·2	71·8	70·9	·746	96	100	0·3	2	...	2	− 0·4	+ 14·4	92	14·4	14·7
3	·749	86·1	72·4	13·7	77·8	74·6	·815	85	78	9·6	74	...	...	− 2·0	+ 0·4	169	2·0	5·3
4	·732	86·0	72·9	13·1	77·5	74·8	·828	88	92	7·6	58	...	...	− 2·2	+ 2·8	128	3·6	5·5
5	·725	76·1	72·4	3·7	73·8	72·4	·778	93	100	1·4	11	...	...	+ 1·6	+ 14·8	84	14·9	14·9
6	·710	77·4	72·0	5·4	74·0	72·6	·784	93	94	2·3	18	0·120	3	− 1·5	+ 14·4	96	14·5	14·5
7	·735	82·7	72·3	10·4	75·3	73·9	·820	93	72	6·3	48	...	...	− 0·3	+ 10·4	92	10·4	10·7
8	·731	87·7	74·3	13·4	79·9	76·0	·846	83	66	11·8	90	...	...	− 2·6	− 0·3	187	2·6	3·9
9	·720	87·8	75·3	12·5	80·0	76·2	·854	83	80	9·0	69	...	...	− 3·3	− 0·8	194	3·4	4·0
10	·737	77·3	73·0	4·3	74·9	73·0	·787	91	98	2·3	18	0·765	4	+ 2·1	+ 15·8	82	16·0	16·9
11	·748	74·9	70·7	4·2	72·9	70·8	·727	90	100	1·3	10	0·200	8	+ 6·2	+ 19·5	72	20·5	20·7
12	·759	77·4	72·1	5·3	74·2	71·7	·745	88	74	6·3	48	...	...	+ 1·9	+ 16·4	83	16·5	16·9
13	·737	85·7	74·2	11·5	78·5	74·9	·821	84	46	10·9	83	...	1	− 0·9	+ 4·8	101	4·9	6·2
14	·696	86·0	74·0	12·0	79·6	75·2	·816	80	15	12·0	92	...	...	− 1·2	− 2·3	242	2·6	5·4
15	·617	87·9	77·0	10·9	81·7	77·0	·866	80	70	11·2	85	...	...	− 5·2	− 2·0	201	5·6	6·9
16	·563	88·1	78·0	10·1	81·9	76·8	·855	79	97	6·2	47	0·030	1	− 9·2	− 4·5	206	10·2	11·0
17	·615	88·0	75·8	12·2	80·9	76·5	·854	81	76	10·0	76	0·100	2	+ 0·5	+ 4·4	83	4·4	7·6
18	·700	80·0	73·3	6·7	75·5	73·3	·792	89	100	2·7	20	0·695	10	+ 1·1	+ 16·0	86	16·0	16·2
19	·729	76·4	71·4	5·0	74·1	70·6	·703	84	100	0·6	5	0·080	7	+ 6·7	+ 20·5	72	21·6	21·6
20	·704	81·0	71·8	9·2	75·9	71·3	·706	79	84	7·3	55	...	...	+ 1·7	+ 13·6	83	13·7	13·9
21	·726	81·0	75·0	6·0	76·9	71·4	·696	75	98	1·3	10	...	...	+ 4·7	+ 19·1	76	19·7	19·6
22	·698	80·5	73·7	6·8	76·6	71·9	·721	78	83	4·9	37	...	..	+ 0·7	+ 15·5	87	15·5	15·7
23	·691	82·3	75·2	7·1	78·0	75·1	·833	87	66	5·8	44	0·010	1	− 1·8	+ 8·7	102	8·9	9·2
24	·658	83·4	76·9	6·5	79·4	77·1	·901	90	92	2·2	17	0·130	2	− 1·7	+ 1·8	133	2·5	4·9
25	·575	86·8	80·8	6·0	82·7	78·8	·933	83	99	5·4	41	0·140	2	−13·2	− 8·8	214	15·9	15·9
26	·538	86·8	78·7	8·1	82·5	78·1	·904	81	75	9·4	71	0·220	2	− 2·4	− 7·1	251	7·5	8·3
27	·632	88·7	78·3	10·4	81·3	76·1	·832	78	74	9·2	69	...	...	+ 0·3	+ 8·2	88	8·2	20·6
28	·716	80·6	73·9	6·7	77·3	73·0	·735	81	100	...	...	0·015	4	+ 5·7	+ 11·7	64	13·0	13·3
29	·756	81·6	73·0	8·6	77·8	71·4	·685	72	90	3·1	23	...	...	+ 2·0	+ 9·7	78	9·9	10·3
30	·752	82·1	75·8	6·3	77·8	73·1	·753	79	68	4·0	30	0·075	1	+ 2·1	+ 14·8	82	15·0	15·2
31	·707	85·1	77·0	8·1	79·5	76·9	·891	89	92	6·0	45	...	1	− 2·1	+ 10·2	102	10·4	10·8
Means	29·701	82·3	74·1	8·2	77·4	73·9	0·796	85	83	Sum. 171·5	42	Sum. 2·580	Sum. 52	− 0·4	+ 8·4	93	8·4	11·9
Normals	29·746	81·4	73·5	7·9	76·8	73·2	0·775	83	75	155·2	38	11·856	91	− 1·5	+ 7·7	101	7·9	12·6
Absolute Max.	29·849	88·7	...	13·7	...	81·3	1·011	...	...	12·0	92	0·765	10	...	...	...	...	27·0 †
Day.	1	27	...	3	...	16	26	...	...	14	14	10	18	...	...	...	...	1d 3h 10d 27h
Absolute Min.	29·493	...	65·5	3·7	...	63·8	0·566	57	...	...	...	...	...	...	...	...	...	11d 9h 21d 22h 23h
Day	26	...	1	5	...	1	1	27	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Lunar halo :—on the 30th.
Fog :—on the 3rd, 4th, 5th, 7th and 8th.
Slight fog :—on the 7th and 9th.
Unusual visibility :—on the 3rd, 4th, 9th, 15th and 18th.
Dew :—on the 3rd, 14th, 15th and 24th.
Rainbow :—on the 30th.
Lightning :—on the 16th, 17th, 18th, 24th, 25th, 26th, 28th, 29th and 31st.
Thunder :—on the 6th and 24th.

Thunderstorms as follows :—

10*d* 0*h* 45*m* to 3*h* 15*m* S.S.W. to N.N.E.; nearest at **1*h* 36*m*** (8*s*).
17*d* 2*h* 28*m* to 5*h* 46*m* in S.S.W.; distant.
18*d* 4*h* 50*m* to 6*h* 22*m* in S.W.; distant.
18*d* 6*h* 37*m* to 7*h* 52*m* N.W. to S.E.; nearest at **7*h* 06*m*** (5*s*).
25*d* 2*h* 37*m* to 4*h* 10*m* N.W. to S.E.; nearest at **2*h* 42*m*** (11*s*).

Rain fell on 13 days. The mean hourly intensity was 0·050*in*, and the maximum fall in one hour was **0·470*in* at 7*h*** on the 18th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 36 **miles per hour at 6*h* 20*m*** on the 11th.

* 0°=N., 90°=E., &c. † Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MAY, 1925.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1011·3	295·2	291·6	3.6	293·2	292·2	21·1	...	1	+ 0·2	+ 6·2	88	6·2	6·2
2	1009·6	296·9	293·5	3·4	295·1	294·6	25·2	...	2	− 0·1	+ 4·7	92	4·7	4·8
3	1009·4	303·1	295·4	7·7	298·4	296·7	27·5	...	...	− 0·7	+ 0·1	169	0·7	1·7
4	1008·8	303·0	295·7	7·3	298·3	296·8	27·9	...	...	− 0·7	+ 0·9	128	1·2	1·8
5	1008·5	297·5	295·4	2·1	296·2	295·4	26·2	...	...	+ 0·5	+ 4·9	84	4·9	4·9
6	1008·0	298·2	295·2	3·0	296·3	295·6	26·4	3·0	3	− 0·5	+ 4·7	96	4·8	4·8
7	1008·9	301·2	295·4	5·8	297·1	295·3	27·7	...	...	− 0·1	+ 3·4	92	3·4	3·5
8	1008·7	303·9	296·5	7·4	299·6	297·4	28·5	...	...	− 0·9	− 0·1	187	0·9	1·3
9	1008·3	304·0	297·1	6·9	299·7	297·6	28·8	...	...	− 1·1	− 0·3	194	1·1	1·3
10	1008·9	298·2	295·8	2·4	296·8	295·8	26·5	19·4	4	+ 0·7	+ 5·2	82	5·2	5·5
11	1009·4	296·8	294·5	2·3	295·7	294·6	24·5	5·1	8	+ 2·0	+ 6·4	72	6·7	6·8
12	1009·7	298·2	295·3	2·9	296·4	295·1	25·1	...	...	+ 0·6	+ 5·4	83	5·4	5·5
13	1008·9	302·8	296·4	6·4	298·7	296·8	27·7	...	1	− 0·3	+ 1·6	101	1·6	2·0
14	1007·5	303·0	296·3	6·7	299·4	296·9	27·4	...	...	− 0·4	− 0·8	242	0·9	1·1
15	1004·9	304·1	298·0	6·1	300·6	298·0	29·2	...	...	− 1·7	− 0·7	201	1·8	2·3
16	1003·0	304·2	298·6	5·6	300·7	297·9	29·0	0·8	1	− 3·0	− 1·5	206	3·3	3·6
17	1004·8	304·1	297·3	6·8	300·2	297·7	28·8	2·5	2	+ 0·2	+ 1·4	83	1·4	2·5
18	1007·7	299·7	295·9	3·8	297·2	295·9	26·7	17·7	10	+ 0·4	+ 5·2	86	5·2	5·3
19	1008·7	297·7	294·9	2·8	296·4	294·4	23·7	2·0	7	+ 2·2	+ 6·7	72	7·1	7·1
20	1007·8	300·2	295·1	5·1	297·4	294·8	23·8	...	...	+ 0·6	+ 4·5	83	4·5	4·6
21	1008·6	300·2	296·9	3·3	297·9	294·9	23·5	...	...	+ 1·5	+ 6·3	76	6·5	6·4
22	1007·6	299·9	296·2	3·7	297·8	295·2	24·3	...	...	+ 0·2	+ 5·1	87	5·1	5·1
23	1007·4	300·9	297·0	3·9	298·6	296·9	28·1	0·2	1	− 0·6	+ 2·9	102	2·9	3·0
24	1006·2	301·6	297·9	3·7	299·3	298·1	30·4	3·3	2	− 0·6	+ 0·6	133	0·8	1·6
25	1003·4	303·4	300·1	3·3	301·2	299·0	31·5	3·6	2	− 4·3	− 2·9	214	5·2	5·2
26	1002·1	303·4	298·9	4·5	301·1	298·6	30·5	5·6	2	− 0·8	− 2·3	251	2·5	2·7
27	1005·4	304·5	298·7	5·8	300·4	297·5	28·1	...	...	+ 0·1	+ 2·7	88	2·7	3·5
28	1008·2	300·0	296·3	3·7	298·2	295·8	25·5	0·4	4	+ 1·9	+ 3·8	64	4·3	4·4
29	1009·6	300·6	295·8	4·8	298·4	294·9	23·1	...	...	+ 0·7	+ 3·2	78	3·2	3·4
30	1009·5	300·8	297·3	3·5	298·4	295·8	25·4	1·9	1	+ 0·7	+ 4·9	82	4·9	5·0
31	1007·9	302·5	298·0	4·5	299·4	297·9	30·1	...	1	− 0·7	+ 3·3	102	3·4	3·5
Means.	1007·7	300·9	296·4	4·5	298·2	296·3	26·8	Sum. 65·5	Sum. 52	− 0·1	+ 2·8	93	2·8	3·9
Normals	1009·3	300·4	296·1	4·3	297·9	295·9	26·1	301·1	91	− 0·5	+ 2·5	101	2·6	4·1
Absolute Maximum.	1012·8	304·5	...	7·7	...	300·4	34·1	19.4	10	...	...	...	...	8·9†
Day.	1	27	...	3	...	16	26	10	18	...	...	...	...	3rd 3h 10th 22h
Absolute Minimum.	1000·6	...	291·6	2·1	...	290·7	19·1	...	...	...	...	...	...	11th 9h 31st 23h 23h
Day.	26	...	1	5	...	1	1	...	...	...	...	...	...	...

ADOPTED ERRORS OF TIMEBALL, MAY, 1925.

Date.	Error.	Date.	Error.	Date.	Error.
	s		s		s
1	+ 0·4	11	− 0·1	21	0·0
2	+ 0·2	12	0·0	22	0·0
3	+ 0·2	13	0·0	23	− 0·1
4	0·0	14	0·0	24	− 0·1
5	0·0	15	0·0	25	− 0·1
6	0·0	16	0·0	26	− 0·2
7	+ 0·1	17	0·0	27	− 0·1
8	0·0	18	0·0	28	− 0·1
9	− 0·1	19	0·0	29	0·0
10	− 0·1	20	+ 0·2	30	− 0·1
				31	− 0·1

+ = Late ; − = Early.
The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.
The probable error for the month was ± 0·11

* 0° = N. 90° = E., &c. † Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MAY, 1925.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Degree of Humidity.	Mean Amount of Cloud (0-100).	Percentage of Possible Sunshine.	Rainfall. Percentage of Total Amount.	Rainfall. Percentage of Total Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·712	75·7	73·5	0·801	91	85		12	5	+ 0·9	+ 8·2	84	8·2	10·6
2	·698	75·5	73·3	·795	90	91		16	7	+ 0·4	+ 8·0	87	8·0	10·9
3	·687	75·4	73·2	·792	90	90		14	6	+ 0·8	+ 8·2	84	8·2	11·1
4	·683	75·2	73·1	·791	91	85		1	7	+ 0·4	+ 8·1	87	8·1	11·0
5	·687	75·0	72·9	·785	91	91		2	5	+ 0·6	+ 7·9	86	7·9	10·6
6	·697	75·0	72·8	·781	90	91	8	3	6	+ 0·7	+ 8·3	85	8·3	10·8
7	·710	75·7	73·2	·788	89	84	33	20	8	+ 0·3	+ 8·6	88	8·6	11·0
8	·722	76·8	73·6	·790	86	84	36	6	5	+ 0·7	+ 9·1	86	9·1	12·1
9	·732	77·7	73·8	·786	83	89	39	8	6	+ 1·1	+ 9·7	84	9·8	13·0
10	·743	78·7	74·3	·793	81	88	44	2	5	+ 0·3	+ 9·0	88	9·0	12·6
11	·738	79·5	74·6	·796	79	86	46	...	2	− 0·6	+ 9·8	94	9·8	13·5
Noon.	·725	80·0	74·7	·792	78	87	55	...	2	− 1·7	+ 9·7	100	9·9	14·5
13	·709	80·1	74·7	·791	77	86	57	2	6	− 1·8	+ 9·3	101	9·5	14·7
14	·689	80·3	74·8	·792	77	84	59	...	2	− 2·3	+ 8·5	105	8·8	14·9
15	·673	80·3	74·8	·792	77	78	59	3	+	− 3·1	+ 8·2	111	8·8	14·1
16	·663	79·5	74·6	·796	79	77	48	8	3	− 2·9	+ 9·0	108	9·5	13·9
17	·655	79·0	74·5	·797	81	75	46	...	1	− 2·2	+ 8·6	104	8·9	13·0
18	·661	78·1	74·1	·793	83	76	23		4	− 1·4	+ 7·7	100	7·8	12·8
19	·672	77·1	73·9	·798	86	75		2	5	− 0·8	+ 7·5	96	7·5	10·1
20	·689	76·7	73·9	·805	88	72			4	− 0·2	+ 7·7	92	7·7	10·2
21	·705	76·5	73·9	80·6	89	82		...	2	− 0·1	+ 7·5	91	7·5	9·5
22	·719	76·4	74·1	·816	90	79		...	1	+ 0·3	+ 8·0	88	8·0	9·8
23	·726	76·2	74·0	·814	91	82		...	2	+ 0·8	+ 7·9	84	7·9	10·0
Midn.	·719	76·2	74·0	·814	91	83		1	2	+ 0·7	+ 7·8	85	7·8	9·8

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MAY, 1925.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	m.b	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1008·1	297·3	296·1	27·0	+ 0·3	+ 2·7	84	2·7	3·5
2	1007·6	297·2	295·9	26·8	+ 0·1	+ 2·6	87	2·6	3·6
3	1007·3	297·1	295·9	26·7	+ 0·3	+ 2·7	84	2·7	3·6
4	1007·1	297·0	295·8	26·7	+ 0·1	+ 2·7	87	2·7	3·6
5	1007·3	296·9	295·7	26·5	+ 0·2	+ 2·6	86	2·6	3·5
6	1007·6	296·9	295·7	26·3	+ 0·2	+ 2·7	85	2·7	3·5
7	1008·0	297·3	295·9	26·6	+ 0·1	+ 2·8	88	2·8	3·6
8	1008·4	297·9	296·1	26·6	+ 0·2	+ 3·0	86	3·0	4·0
9	1008·8	298·4	296·2	26·5	+ 0·4	+ 3·2	84	3·2	4·3
10	1009·1	298·9	296·5	26·7	+ 0·1	+ 3·0	88	3·0	4·1
11	1008·9	299·4	296·7	26·8	− 0·2	+ 3·2	94	3·2	4·4
Noon.	1008·5	299·7	296·7	26·7	− 0·6	+ 3·2	100	3·2	4·8
13	1008·0	299·7	296·7	26·7	− 0·6	+ 3·0	101	3·1	4·8
14	1007·3	299·8	296·8	26·7	− 0·8	+ 2·8	105	2·9	4·9
15	1006·7	299·8	296·8	26·7	− 1·0	+ 2·7	111	2·9	4·6
16	1006·4	299·4	296·7	26·8	− 1·0	+ 3·0	108	3·1	4·6
17	1006·1	299·1	296·6	26·9	− 0·7	+ 2·8	104	2·9	4·3
18	1006·3	298·6	296·4	26·7	− 0·5	+ 2·5	100	2·6	4·2
19	1006·7	298·1	296·3	26·9	− 0·3	+ 2.5	96	2·5	3·3
20	1007·3	297·8	296·3	27·1	− 0·1	+ 2·5	92	2·5	3·3
21	1007·9	297·7	296·3	27·2	...	+ 2·5	91	2·5	3·1
22	1008·3	297·7	296·4	27·5	+ 0·1	+ 2·6	88	2·6	3·2
23	1008·6	297·6	296·3	27·5	+ 0·3	+ 2·6	84	2·6	3·3
Midn.	1008·3	297·6	296·3	27·5	+ 0·2	+ 2·6	85	2·6	3·2

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

MAY,

1925.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	30th April, 1925.								1st May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.90	759.4	50	...	SSE	3	o	6	29.89	759.2	39	...	SE	2	o
Nemuro,	11	30.04	763.0	...	...	SE	2	...	5	30.02	762.5	...	...	SSE	1	...
Hokodate,	"	30.00	762.0	...	...	SSE	1	...	"	30.02	762.5	...	...	...	0	...
Tokio,	"	30.02	762.5	...	...	NNE	1	...	"	30.00	762.0	...	...	W	1	...
Kochi,	"	29.96	761.0	...	...	N	1	...	"	30.06	763.5	...	...	SW	1	...
Nagasaki,	"	30.04	763.0	...	...	WSW	2	...	"	30.08	764.0	...	...	...	...	...
Kagoshima,	"	30.02	762.5	...	...	...	...	...	"	30.08	764.0	...	...	...	0	...
Oshima,	"	30.02	762.5	...	...	NNE	1	...	"	30.04	763.0	...	...	...	...	...
Naha,	"	30.04	763.0	...	...	ENE	1	...	"	30.02	762.5	...	...	...	...	...
Ishigakijima,	"	30.00	762.0	...	...	ESE	3	...	"	29.94	760.5	...	...	SE	2	...
Bonin Island,	"	29.88	759.0	...	...	WNW	1	...	"	29.98	761.5	...	...	NNW	1	...
Chefoo,	15	29.77	756.1	50	...	SSE	2	b	6	29.84	757.9	62	56	S	4	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.02	762.6	75	26	SSE	4	b	"	29.99	761.7	55	86	ESE	1	o
Gutzlaff,	"	30.07	763.8	62	72	SE	4	b	"	30.00	762.0	56	94	SSE	6	o
Sharp Peak,	"	30.01	762.2	65	78	E	4	o	7	29.97	761.2	60	94	...	2	r
Amoy,	15	29.94	760.5	64	91	ENE	1	r	9	29.89	759.2	63	91	WSW	2	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.00	762.0	64	96	NE	4	r	5	29.89	759.3	64	96	...	0	o
Taichu,	"	29.98	761.4	66	...	NNW	2	r	"	29.94	760.5	68	...	...	0	o
Tainan,	"	29.93	760.2	75	...	NNW	4	o	"	29.87	758.7	68	...	NE	2	b
Koshun,	"	29.91	759.6	81	...	ENE	4	b	"	29.88	759.0	73	...	N	2	b
Pescadores,	"	29.95	760.8	72	...	NNE	4	o	"	29.89	759.3	70	...	N	2	o
Canton,	14	29.89	759.2	67	89	E	1	o	6	29.87	758.7	67	95	...	0	o
Hongkong,	"	29.88	758.9	66	86	E	4	cd	"	29.86	758.4	66	92	E	4	od
Gap Rock,	"	29.87	758.7	...	...	ENE	5	o	"	29.85	758.2	...	...	E	4	o
Macao,	"	29.85	758.1	66	92	E	4	rf	"	29.82	757.5	66	98	ESE	4	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.75	755.7	75	88	ESE	6	of	7	...	...	...	...	...	...	...
Tourane,	"	29.75	755.7	82	...	SE	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.74	755.4	86	...	E	2	b	"	...	...	...	...	...	...	...
Basco,	14	29.78	756.3	81	76	WSW	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.78	756.3	86	71	NE	4	o	"	...	...	...	...	...	...	...
Manila,	"	29.75	755.7	90	55	E	4	o	"	29.81	757.2	75	86	ENE	1	b
Legaspi,	"	29.79	756.6	90	69	ENE	4	o	"	29.80	756.9	77	88	...	0	b
Tacloban,	"	29.76	756.0	86	68	S	4	o	"	29.79	756.6	77	94	NW	1	o
Iloilo,	"	...	...	...	...	...	...	...	"	29.78	756.3	77	91	N	4	o
Surigao,	"	...	...	...	...	...	...	...	"	29.78	756.3	75	92	...	0	o
Guam,	12.20	29.75	755.7	...	...	E	2	o	4.20	29.79	756.6	...	...	NE	2	o
Yap,	12.47	29.73	755.1	...	...	ENE	6	r	4.47	29.78	756.3	...	...	NNE	2	r
Labuan,	14	29.71	754.6	86	80	NW	1	b	6	29.78	756.4	78	91	S	1	o

May 1*d.* 12*h.* 05*m.*—Pressure has increased slightly over Shantung and south Japan, and decreased slightly elsewhere. The anticyclone continues to move eastward; the depression has not developed.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 20·93 inches, against an average of 11·84 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; cloudy, mist or drizzle.
3.—Hongkong to Gap Rock,	E. winds, moderate; cloudy, mist or drizzle.
4.—South coast of China between Hongkong and Hainan,	E. winds, moderate; cloudy, mist or drizzle.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	1st May, 1925.								2nd May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook, .	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.02	762.5	...	...	SE	1	...	5	29.94	760.5	...	...	NNE	1	...
Hokodate,	"	30.00	762.0	...	...	SE	2	...	"	...	...	...	...	...	...	...
Tokio,	"	29.98	761.5	...	...	SE	1	...	"	30.02	762.5	...	...	NNW	1	...
Kochi,	"	30.02	762.5	...	...	...	0	...	"	30.06	763.5	...	...	WSW	1	...
Nagasaki,	"	30.06	763.5	...	...	W	1	...	"	30.02	762.5	...	...	SSE	2	...
Kagoshima,	"	30.10	764.5	...	...	SSE	1	...	"	30.04	763.0	...	...	...	0	...
Oshima,	"	30.08	764.0	...	...	SE	1	...	"	30.00	762.0	...	...	S	1	...
Naha,	"	30.06	763.5	...	...	E	2	...	"	29.96	761.0	...	...	SE	1	...
Ishigakijima,	"	29.96	761.0	...	...	S	3	...	"	29.90	759.5	...	...	SSW	2	...
Bonin Island,	"	30.02	762.5	...	...	N	1	...	"	30.08	764.0	...	...	NNE	1	...
Chefoo,	15	29.77	756.1	77	46	SSE	4	b	6	29.73	755.1	68	95	SE	2	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.91	759.6	61	96	SSE	4	r	"	29.79	756.6	61	100	SE	1	o
Gutzlaff,	"	29.94	760.5	56	100	SE	4	rf	"	29.79	756.6	60	94	S	4	o
Sharp Peak,	"	29.91	759.7	75	72	E	1	o	7	29.88	758.9	64	93	...	o	of
Amoy,	15	29.85	758.2	68	85	NE	4	o	9	29.79	756.6	66	91	SSE	1	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.93	760.2	77	79	NW	2	o	5	29.85	758.1	70	96	...	o	o
Taichu,	"	29.93	760.2	79	...	NNW	2	o	"	29.91	759.6	70	...	...	o	o
Tainan,	"	29.91	759.6	84	...	N	2	b	"	29.85	758.1	72	...	...	o	o
Koshun,	"	29.91	759.6	82	...	ENE	4	o	"	29.84	757.8	75	...	...	o	b
Pescadores,	"	29.93	760.2	77	...	NE	4	b	"	29.85	758.1	72	...	...	o	r
Canton,	14	29.84	757.9	74	86	...	o	o	6	...	...	...	...	...	...	...
Hongkong,	"	29.84	757.9	70	85	E	4	o	"	29.80	756.9	70	95	ESE	3	om
Gap Rock,	"	29.82	757.4	...	...	ENE	4	o	"	29.79	756.6	...	...	ENE	4	om
Macao,	"	29.81	757.2	72	91	SE	4	o	"	29.75	755.7	72	100	SE	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.69	754.2	77	89	SSE	6	of	7	29.74	755.4	75	96	SSE	4	of
Tourane,	"	29.74	755.4	81	...	SSE	2	b	"	29.73	755.1	73	...	SE	2	o
Cape St. James,	"	29.69	754.2	90	...	S	2	b	"	...	...	...	...	...	...	...
Basco,	14	29.76	756.0	86	71	E	4	o	6	29.79	756.6	79	84	NE	4	o
Aparri,	"	29.76	756.0	90	66	NE	4	b	"	29.80	756.9	75	92	...	o	b
Manila,	"	29.73	755.1	90	55	SE	4	o	"	29.81	757.2	73	82	NE	1	b
Legaspi,	"	29.75	755.7	90	63	ENE	4	b	"	29.79	756.6	79	85	N	2	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.71	754.5	86	58	NNE	4	o	"	29.76	756.0	77	91	N	4	o
Surigao,	"	29.73	755.1	86	68	E	2	b	"	29.78	756.3	75	96	SE	2	r
Guam,	12.20	29.74	755.4	...	...	NE	4	o	4.20	29.75	755.7	...	...	NE	2	b
Yap,	12.47	29.72	754.8	...	...	ENE	4	o	4.47	29.74	755.4	...	...	ENE	2	o
Labuan,	14	29.71	754.6	86	80	NW	2	b	6	29.78	756.4	78	91	S	1	b

May *2d. 11h. 18m.*—With few exceptions pressure has decreased slightly to moderately at all stations reporting; it is highest in the Pacific between Japan and the Bonins, and relatively low from Indo-China across the Visayas to the Pacific.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 20·93 inches, against an average of 12·08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel,	Variable winds, light to moderate.
2.—South coast of China between Hongkong and Lamocks,	E. and S.E. winds, moderate; cloudy, with fog, or mist.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	2nd May, 1925.								3rd May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.90	759.5	...	...	NNE	2	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.92	760.0	...	...	SSE	1	...	"	29.92	760.0	...	...	...	0	...
Tokio,	"	29.98	761.5	...	...	S	1	...	"	29.96	761.0	...	...	...	0	...
Kochi,	"	30.04	763.0	...	...	SE	1	...	"	29.92	760.0	...	...	...	...	...
Nagasaki,	"	29.98	761.5	...	...	S	3	...	"	29.73	755.0	...	...	WSW	4	...
Kagoshima,	"	30.00	762.0	...	...	ESE	1	...	"	29.82	757.5	...	...	S	1	...
Oshima,	"	30.00	762.0	...	...	SSE	3	...	"	29.88	759.0	...	...	S	1	...
Naha,	"	29.98	761.5	...	...	SE	2	...	"	29.88	759.0	...	...	S	1	...
Ishigakijima,	"	29.92	760.0	...	...	S	2	...	"	29.84	758.0	...	...	SSW	1	...
Bonin Island,	"	30.08	764.0	...	...	ENE	1	...	"	30.08	764.0	...	...	E	1	...
Chefoo.	15	29.74	755.4	60	90	ESE	2	0	6	29.79	756.6	52	93	SE	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.74	755.4	73	79	SW	1	r	"	29.82	757.5	61	100	NE	1	r
Gutzlaff,	"	29.77	756.1	65	91	SSW	2	0	"	29.83	757.7	58	100	NNE	2	rf
Sharp Peak,	"	29.84	757.9	77	77	S	2	0	7	29.80	756.9	70	95	...	0	0
Amoy,	15	29.78	756.4	80	74	ENE	4	b	9	29.75	755.6	70	95	SSE	2	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.87	758.7	84	64	NW	2	b	5	29.80	756.9	70	94	S	2	b
Taichu,	"	29.88	759.0	86	...	...	0	b	"	29.85	758.1	72	...	...	0	b
Tainan,	"	29.88	759.0	86	...	SW	2	b	"	29.82	757.5	73	...	...	0	b
Koshun,	"	29.89	759.3	86	...	...	0	b	"	29.82	757.5	72	...	...	0	b
Pescadores,	"	29.88	759.0	81	...	NW	2	b	"	29.81	757.2	75	...	...	0	of
Canton,	14	29.78	756.4	78	86	S	2	or	6	...	...	...	...	...	...	...
Hongkong,	"	29.81	757.2	73	91	E	3	0	"	29.80	756.9	73	99	E	1	of
Gap Rock,	"	29.82	757.4	...	...	E	3	or	"	29.81	757.2	...	...	SE	2	cf
Macao,	"	29.79	756.6	73	96	SE	4	r	"	29.76	756.0	73	100	SE	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.68	753.9	81	84	SSE	6	0	7	...	...	...	...	...	...	...
Tourane,	"	29.73	755.1	81	...	SSE	4	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.71	754.5	86	...	E	2	b	"	...	...	...	...	...	...	...
Basco,	14	29.78	756.3	86	68	ESE	4	0	6	...	...	...	...	...	...	...
Aparri,	"	29.76	756.0	90	63	NE	4	b	"	29.79	756.6	75	89	SSE	2	b
Manila,	"	29.74	755.4	90	48	ESE	4	0	"	29.79	756.6	73	85	E	1	b
Legaspi,	"	29.76	756.0	90	63	NE	2	r	"	29.78	756.3	81	90	NNE	2	0
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.69	754.2	86	56	NE	6	b	"	...	...	...	...	...	...	...
Surigao,	"	29.72	754.8	86	71	ENE	2	0	"	...	...	...	...	...	...	...
Guam,	12.20	29.71	754.5	...	...	ENE	2	0	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.72	754.8	...	...	ENE	4	0	4.47	29.69	754.2	...	...	ENE	4	of
Labuan,	14	29.71	754.6	81	83	NW	1	b	6	29.83	757.7	76	94	S	1	0

May 3*d.* 11*h.* 07*m.*—Pressure has increased slightly between Shanghai and Chefoo; it has decreased considerably over S. Japan and slightly to moderately elsewhere, remaining highest in the vicinity of the Bonins.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 20·93 inches, against an average of 12·32 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel,	Variable winds, light to moderate.
2.—South coast of China between Hongkong and Lamocks,	S.E. or variable winds, light to moderate; cloudy generally with fog or mist.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	3rd May, 1925.								4th May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.83	757.7	...	...	ESE	4	o	6	29.89	759.1	42	...	ESE	4	f
Nemuro,	11	29.88	759.0	...	...	NW	1	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.90	759.5	...	...	SSE	2	...	"	29.82	757.5	...	...	...	o	...
Tokio,	"	29.90	759.5	...	...	SSW	3	...	"	29.73	755.0	...	...	NW	1	...
Kochi,	"	29.82	757.5	...	...	...	o	...	"	29.73	755.0	...	...	...	o	...
Nagasaki,	"	29.74	755.5	...	...	WNW	1	...	"	29.84	758.0	...	...	NNE	1	...
Kagoshima,	"	29.78	756.5	...	...	S	1	...	"	29.84	758.0	...	...	NW	1	...
Oshima,	"	29.88	759.0	...	...	SSE	2	...	"	29.82	757.5	...	...	N	1	...
Naha,	"	29.90	759.5	...	...	SSW	2	...	"	29.84	758.0	...	...	SW	1	...
Ishigakijima,	"	29.88	759.0	...	...	SSW	2	...	"	29.84	758.0	...	...	SSW	1	...
Bonin Island,	"	30.04	763.0	...	...	ESE	2	...	"	29.98	761.5	...	...	...	o	...
Chefoo,	15	29.89	759.2	60	76	E	1	b	6	29.92	759.9	58	70	...	o	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.91	759.6	68	83	ENE	1	o	"	29.99	761.7	52	100	ENE	1	b
Gutzlaff,	"	29.88	758.9	62	94	NNE	1	o	"	29.99	761.7	54	94	NE	4	o
Sharp Peak,	"	29.84	757.9	78	82	S	2	b	7	29.84	757.9	63	93	N	2	b
Amoy,	15	29.72	754.9	81	74	SSE	4	b	9	29.77	756.1	73	95	ENE	1	of
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.84	757.8	86	65	NW	2	b	5	29.82	757.5	72	98	...	o	o
Taichu,	"	29.86	758.4	86	...	S	2	b	"	29.86	758.4	73	...	...	o	o
Tainan,	"	29.86	758.4	86	...	NNE	4	b	"	29.80	756.9	75	...	...	o	o
Koshun,	"	29.85	758.1	93	...	S	2	b	"	29.80	756.9	73	...	...	o	b
Pescadores,	"	29.87	758.7	82	...	W	2	o	"	29.81	757.2	75	...	...	o	b
Canton,	14	29.75	755.6	89	69	SSW	2	c	6	29.80	756.9	75	95	SE	1	o
Hongkong,	"	29.79	756.6	84	67	W	2	c	"	29.80	756.9	73	99	E	1	of
Gap Rock,	"	29.80	756.9	...	...	E	2	bf	"	29.80	756.9	...	...	E	1	f
Macao,	"	29.78	756.3	84	81	SSE	2	o	"	29.78	756.3	75	100	...	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.75	755.7	72	91	ENE	4	r	7	29.73	755.1	75	98	SSE	4	of
Tourane,	"	29.72	754.8	81	...	SE	2	o	"	...	...	...	...	...	...	...
Cape St. James,	"	29.73	755.1	84	...	E	2	b	"	29.76	756.0	77	...	E	2	o
Basco,	14	29.78	756.3	86	61	ESE	4	o	6	29.79	756.6	81	89	E	4	o
Aparri,	"	29.74	755.4	90	66	NE	4	b	"	29.78	756.3	77	88	SW	1	b
Manila,	"	29.72	754.8	97	42	SSE	4	o	"	29.80	756.9	73	88	...	o	b
Legaspi,	"	29.75	755.7	86	78	NE	2	o	"	29.78	756.3	68	92	NNE	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.68	753.9	90	55	NNE	6	b	"	29.74	755.4	77	92	N	4	o
Surigao,	"	...	...	...	...	...	...	...	"	29.74	755.4	77	92	SE	1	o
Guam,	12.20	29.72	754.8	...	...	NE	2	o	4.20	29.76	756.0	...	...	E	1	o
Yap,	12.47	29.72	754.8	...	...	E	4	o	4.47	29.74	755.4	...	...	ENE	4	b
Labuan,	14	29.71	754.6	88	76	N	4	b	6	29.78	756.4	78	91	SW	1	o

May 4*d.* 11*h.* 20*m.*—Pressure has increased slightly along the coast from Hongkong to Chefoo, and decreased slightly to moderately elsewhere; it is highest over the lower Yangtze and in the vicinity of the Bonins, and relatively low over Indo-China and Japan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 20·93 inches, against an average of 12·57 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel,	Light variable winds, freshening from N.E.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	E. or variable winds, light to moderate; cloudy, probably some rain.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	4th May, 1925.								5th May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	29.81	757.2	54	...	WSW	2	o	6	29.93	760.3	40	...	SSE	3	o
Gemuro,	11	29.82	757.5	...	...	E	1	...	5	29.76	756.0	...	...	N	2	...
Hokodate,	"	...	...	...	...	...	...	...	"	29.84	758.0	...	...	WSW	2	...
Tokio,	"	29.65	753.0	...	...	NNW	3	...	"	29.88	759.0	...	...	SW	1	...
Kochi,	"	29.78	756.5	...	...	NNW	2	...	"	29.96	761.0	...	...	SW	1	...
Nagasaki,	"	29.88	759.0	...	...	NE	1	...	"	29.96	761.0	...	...	...	0	...
Kagoshima,	"	29.82	757.5	...	...	ENE	1	...	"	29.94	760.5	...	...	NW	1	...
Oshima,	"	29.86	758.5	...	...	NNE	1	...	"	29.88	759.0	...	...	...	0	...
Naha,	"	29.86	758.5	...	...	NNW	1	...	"	29.86	758.5	...	...	NE	1	...
Ishigakijima,	"	29.86	758.5	...	...	...	0	...	"	29.82	757.5	...	...	...	...	...
Bonin Island,	"	29.90	759.5	...	...	SSW	1	...	"	29.88	759.0	...	...	...	0	...
Chefoo,	15	29.90	759.4	74	47	ESE	1	b	6	29.95	760.7	54	80	...	0	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.98	761.5	66	67	E	1	o	"	29.95	760.8	59	93	ESE	1	o
Gutzlaff,	"	29.99	761.7	58	81	E	2	o	"	29.93	760.2	56	94	ESE	4	o
Sharp Peak,	"	29.89	759.2	69	80	E	2	o	7	29.88	758.9	64	95	NNE	1	r
Amoy,	15	29.84	757.9	73	81	ENE	4	o	9	29.82	757.4	66	95	SSE	1	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.86	758.4	79	80	...	o	o	5	29.84	757.8	70	96	E	2	o
Taichu,	"	29.84	757.8	86	...	W	2	o	"	29.82	757.5	72	...	...	o	o
Tainan,	"	29.84	757.8	90	...	NW	2	o	"	29.80	756.9	73	...	NNE	2	o
Koshun,	"	29.82	757.5	86	...	W	7	b	"	29.80	756.9	73	...	...	o	b
Pescadores,	"	29.85	758.1	84	...	SW	2	o	"	29.82	757.5	72	...	NNE	4	o
Canton,	14	29.84	757.9	83	79	SSW	1	c	6	...	...	...	...	...	...	...
Hongkong,	"	29.78	756.4	82	75	SE	1	o	"	29.78	756.4	73	99	E	4	of
Gap Rock,	"	29.77	756.1	...	...	ESE	1	c	"	29.79	756.6	...	...	ESE	3	c
Macao,	"	29.75	755.7	82	81	S	2	o	"	29.74	755.4	75	100	SE	4	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.66	753.3	81	84	SSE	6	o	7	29.68	753.9	75	98	SSE	4	rf
Tourane,	"	29.69	754.2	82	...	SSE	4	b	"	29.73	755.1	75	...	SSE	2	b
Cape St. James,	"	...	...	...	...	...	...	...	"	29.75	755.7	79	...	E	2	b
Basco,	14	29.79	756.6	90	66	ESE	4	o	6	29.78	756.3	81	80	ESE	4	o
Aparri,	"	29.71	754.5	86	65	NE	4	b	"	29.75	755.7	77	89	SW	2	b
Manila,	"	29.69	754.2	93	50	SE	4	o	"	29.76	756.0	75	85	NE	1	b
Legaspi,	"	29.72	754.8	90	69	NNE	2	b	"	29.74	755.4	81	92	N	1	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.66	753.3	90	57	NE	4	o	"	29.73	755.1	79	91	N	4	o
Surigao,	"	...	...	...	...	...	...	...	"	29.74	755.4	75	94	SE	1	o
Guam,	12.20	29.69	754.2	...	...	SE	1	o	4.20	29.74	755.4	...	...	E	1	o
Yap,	12.47	29.67	753.6	...	...	NE	4	o	4.47	29.72	754.8	...	...	ENE	2	o
Labuan,	14	29.77	756.1	82	91	S	2	o	6	29.79	756.6	77	91	SW	1	o

May 5*d.* 11*h.* 33*m.*—Pressure has decreased slightly over N. Japan, the coast of China from Haiphong to Shanghai, and N. Luzon; it has increased slightly to moderately elsewhere. A weak anticyclonic area covers N. China, Korea and south Japan, and an area of relatively low pressure extends from Indo-China across Luzon to the Pacific. A depression is situated over Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 20·93 inches, against an average of 12·83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; cloudy, misty, rain later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	5th May, 1925.								6th May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.84	757.9	41	...	SE	4	o	6	30.03	762.7	53	...	N	3	o
Nemuro,	11	...	...	...	...	...	...	...	5	29.76	756.0	...	...	SSW	1	...
Hokodate,	"	...	...	...	...	W	3	...	"	29.84	758.0	...	...	...	...	...
Tokio,	"	29.86	758.5	...	...	SSE	1	...	"	29.96	761.0	...	...	...	...	...
Kochi,	"	29.96	761.0	...	...	ESE	1	...	"	30.00	762.0	...	...	SW	1	...
Nagasaki,	"	29.96	761.0	...	...	W	1	...	"	29.96	761.0	...	...	...	...	...
Kagoshima,	"	29.94	760.5	...	...	S	1	...	"	29.94	760.5	...	...	NE	5	...
Oshima,	"	29.90	759.5	...	...	SE	1	...	"	29.88	759.0	...	...	SSE	1	...
Naha,	"	29.88	759.0	...	...	E	1	...	"	29.88	759.0	...	...	SE	1	...
Ishigakijima,	"	29.86	758.5	...	...	S	1	...	"	29.82	757.5	...	...	S	1	...
Bonin Island,	"	29.92	760.0	...	...	NW	1	...	"	29.98	761.5	...	...	...	0	...
Chefoo,	15	29.90	759.4	66	59	E	1	b	6	29.92	759.9	52	93	...	0	0
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.87	758.7	64	76	SE	2	o	"	29.87	758.7	59	100	E	1	o
Gutzlaff,	"	29.89	759.2	60	90	SE	4	r	"	29.87	758.7	58	100	SE	2	of
Sharp Peak,	"	29.88	758.9	81	83	E	1	b	7	29.84	757.9	68	90	S	1	o
Amoy,	15	29.77	756.1	73	72	ENE	4	b	9	29.81	757.2	67	95	SSE	2	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.82	757.5	86	71	E	4	b	5	29.80	756.9	72	86	...	0	o
Taichu,	"	29.82	757.5	84	...	...	0	b	"	29.81	757.2	72	...	...	0	b
Tainan,	"	29.82	757.5	90	...	W	2	b	"	29.85	758.1	72	...	...	0	o
Koshun,	"	...	...	...	...	...	...	...	"	29.78	756.3	75	...	...	0	o
Pescadores,	"	29.84	757.8	79	...	N	4	b	"	29.78	756.3	75	...	N	1	o
Canton,	14	29.85	758.2	77	95	SE	1	or	6	29.75	755.6	73	95	SE	2	or
Hongkong,	"	29.79	756.6	73	90	ESE	3	om	"	29.76	755.9	72	98	ESE	3	od
Gap Rock,	"	29.77	756.1	...	...	ENE	4	c	"	29.74	755.4	...	...	E	3	o
Macao,	"	29.75	755.7	77	89	SE	4	o	"	29.72	754.8	73	100	SE	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.66	753.3	81	80	SSE	6	of	7	29.66	753.3	77	94	SE	6	of
Tourane,	"	29.67	753.6	72	...	SE	4	b	"	29.67	753.6	77	...	SW	4	o
Cape St. James,	"	29.71	754.5	86	...	E	4	b	"	29.73	755.1	77	...	NW	2	o
Basco,	14	29.78	756.3	86	75	E	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.69	754.2	93	64	NE	4	b	"	29.74	755.4	77	91	...	0	b
Manila,	"	29.68	753.9	93	57	W	2	o	"	29.74	755.4	75	88	E	2	b
Legaspi,	"	29.72	754.8	90	72	NE	4	o	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.67	753.6	90	60	NE	4	b	"	29.71	754.5	79	91	N	2	o
Surigao,	"	29.69	754.2	86	89	NE	2	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.69	754.2	...	...	E	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.69	754.2	...	...	E	4	o	4.47	29.73	755.1	...	...	ESE	2	o
Labuan,	14	29.71	754.6	86	84	NW	2	b	6	29.81	757.2	77	94	S	1	o

May 6*d.* 11*h.* 20*m.*—Pressure has increased considerably over S. Manchuria and slightly from N. Formosa to S. Japan; it has decreased slightly elsewhere. A weak anticyclonic area covers the Sea of Japan and extends south-eastward to the Bonins; a depression is situated over Indo-China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 20·94 inches, against an average of 13·10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel,	Northerly or variable winds, moderate to light.
2.—South coast of China between Hongkong and Lamocks,	E. and S.E. winds, moderate; cloudy, misty, occasional rain
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	6th May, 1925.								7th May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock.	12	30.00	762.1	63	...	NNE	3	o	6	30.01	762.2	51	...	...	0	o
Nemuro,	11	29.69	754.0	...	...	S	3	...	5	30.02	762.5	...	...	...	...	...
Hokodate,	,,	29.82	757.5	...	...	WNW	2	...	,,	30.04	763.0	...	...	NNE	1	...
Tokio,	,,	29.92	760.0	...	...	SSE	1	...	,,	29.94	760.5	...	...	...	0	...
Kochi,	,,	30.06	763.5	...	...	SE	1	...	,,	29.96	761.0	...	...	SW	1	...
Nagasaki,	,,	29.92	760.0	...	...	SE	1	...	,,	29.88	759.0	...	...	ESE	1	...
Tagoshima,	,,	29.94	760.5	...	...	S	1	...	,,	29.90	759.5	...	...	...	...	...
Oshima,	,,	29.90	759.5	...	...	SE	2	...	,,	29.88	759.0	...	...	...	0	...
Naha,	,,	29.88	759.0	...	...	SSE	1	...	,,	29.88	759.0	...	...	SSE	1	...
Ishigakijima,	,,	29.86	758.5	...	...	S	1	...	,,	29.84	758.0	...	...	S	1	...
Bonin Island,	,,	30.00	762.0	...	...	ENE	1	...	,,	30.04	763.0	...	...	SSE	1	...
Chefoo,	15	29.92	759.9	60	71	E	1	b	6	29.79	756.6	56	81	...	0	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.81	757.2	81	56	SE	1	b	,,	29.79	756.6	64	100	E	1	o
Gutzlaff,	,,	29.84	757.7	63	94	SSE	2	of	,,	29.78	756.4	63	100	S	2	of
Sharp Peak,	,,	29.85	758.2	75	72	S	1	o	7	29.82	757.4	70	95	...	0	of
Amoy,	15	29.78	756.4	73	86	ENE	2	o	9	29.78	756.4	70	91	SSE	1	b
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.82	757.5	84	68	NW	2	b	5	29.81	757.2	72	91	S	2	o
Taichu,	,,	29.84	757.8	86	...	NW	2	o	,,	29.82	757.5	73	...	...	0	o
Tainan,	,,	29.82	757.5	86	...	...	0	o	,,	29.81	757.2	72	...	...	0	o
Koshun,	,,	29.81	757.2	84	...	ENE	2	o	,,	29.81	757.2	77	...	...	0	b
Pescadores,	,,	29.85	758.1	81	...	NE	4	o	,,	29.80	756.9	77	...	...	0	o
Canton,	14	29.73	755.1	83	83	SSE	2	c	6	...	...	...	...	...	...	...
Hongkong,	,,	29.77	756.1	76	86	ESE	4	om	,,	29.79	756.6	72	99	E	2	of
Gap Rock,	,,	29.76	755.9	...	...	E	3	c	,,	29.81	757.2	...	...	E	2	of
Macao,	,,	29.78	756.3	81	86	SE	4	o	,,	29.75	755.7	73	100	SE	4	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.63	752.7	79	91	ESE	4	of	7	29.68	753.9	77	94	SE	6	of
Tourane,	,,	29.66	753.3	82	...	SE	2	b	,,	29.73	755.1	77	...	SSW	2	b
Cape St. James,	,,	29.71	754.5	84	...	E	2	b	,,	29.75	755.7	79	...	E	2	b
Basco,	14	29.78	756.3	90	57	ESE	6	r	6	29.80	756.9	79	80	SE	4	o
Aparri,	,,	29.72	754.8	86	68	NNE	4	o	,,	29.78	756.3	75	92	...	0	o
Manila,	,,	29.71	754.5	90	60	SE	4	o	,,	29.79	756.6	75	86	NNE	2	o
Legaspi,	,,	29.72	754.8	86	68	NNE	2	b	,,	29.76	756.0	81	89	N	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.67	753.6	90	55	NE	4	b	,,	29.75	755.7	79	90	N	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.74	755.4	...	...	E	2	r	4.20	29.78	756.3	...	...	NE	2	o
Yap,	12.47	29.72	754.8	...	...	ESE	4	o	4.47	29.75	755.7	...	...	E	4	o
Labuan,	14	29.71	754.6	86	80	NW	2	b	6	29.81	757.2	77	91	SW	2	o

May *7d. 11h. 25m.*—Pressure has increased considerably over N. Japan, and slightly over Formosa, the adjacent China coast, Indo-China and the Philippines; it has decreased slightly to moderately elsewhere. The anticyclonic area extends from Hokkaido to the Bonins and the depression remains over Indo-China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·11 inch. Total since January 1st, 21·05 inches, against an average of 13·38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel,	Light variable winds.
2.—South coast of China between Hongkong and Lamocks,	E. to S. or variable winds, moderate to light; cloudy generally, fog or mist.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	7th May, 1925.								8th May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	29.94	760.6	44	...	ESE	3	r	6	29.95	760.8	45	...	NNE	2	o
Nemuro,	11	30.04	763.0	...	...	N	2	...	5	30.02	762.5	...	...	SW	1	...
Hokodate,	,,	30.04	763.0	...	...	SSE	1	...	,,	29.80	757.0	...	...	ESE	3	...
Tokio,	,,	29.98	761.5	...	...	ENE	2	...	,,	29.65	753.0	...	...	...	...	...
Kochi,	,,	29.86	758.5	...	...	SE	1	...	,,	29.69	754.0	...	...	...	o	...
Nagasaki,	,,	29.88	759.0	...	...	...	o	...	,,	29.92	760.0	...	...	SSE	1	...
Kagoshima,	,,	29.92	760.0	...	...	...	o	...	,,	29.71	754.5	...	...	S	1	...
Oshima,	,,	29.88	759.0	...	...	NE	2	...	,,	29.78	756.5	...	...	S	1	...
Naha,	,,	29.90	759.5	...	...	S	1	...	,,	29.82	757.5	...	...	S	1	...
Ishigakijima,	,,	29.88	759.0	...	...	SSW	2	...	,,	29.82	757.5	...	...	SW	2	...
Bonin Island,	,,	30.02	762.5	...	...	SE	1	...	,,	29.98	761.5	...	...	SSE	1	...
Chefoo,	15	29.81	757.2	60	60	NW	2	o	6	29.88	758.9	52	79	NW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.75	755.7	77	68	ENE	2	o	,,	29.91	759.6	55	96	N	1	o
Gutzlaff,	,,	29.76	755.9	66	95	NE	1	of	,,	29.89	759.2	56	94	N	6	r
Sharp Peak,	,,	29.79	756.6	84	75	S	4	b	7	29.79	756.6	75	86	...	o	b
Amoy,	15	29.73	755.1	82	71	ENE	4	b	9	29.76	755.9	72	92	NNW	2	b
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.81	757.2	86	58	...	o	b	5	29.74	755.4	72	96	...	o	b
Taichu,	,,	29.84	757.8	86	...	W	2	b	,,	29.82	757.5	73	...	...	o	b
Tainan,	,,	29.85	758.1	86	...	SW	2	b	,,	29.79	756.6	73	...	SE	2	b
Koshun,	,,	29.85	758.1	86	...	ESE	2	o	,,	29.79	756.6	73	...	...	o	b
Pescadores,	,,	29.85	758.1	86	...	...	...	...	,,	29.81	757.2	77	...	S	4	b
Canton,	14	29.75	755.6	87	76	SSE	2	c	6	29.79	756.6	76	95	...	o	o
Hongkong,	,,	29.79	756.6	78	86	E	3	c	,,	29.79	756.6	75	96	E	1	of
Gap Rock,	,,	29.81	757.2	...	...	E	2	b	,,	29.79	756.6	...	...	SE	3	b
Macao,	,,	29.76	756.0	82	84	SE	4	o	,,	29.76	756.0	77	96	SSE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.69	754.2	79	90	SSE	6	of	7	29.71	754.5	77	94	SE	6	of
Tourane,	,,	29.69	754.2	86	...	SE	2	b	,,	29.73	755.1	79	...	SE	2	b
Cape St. James,	,,	29.73	755.1	86	...	E	2	b	,,	29.75	755.7	79	...	E	2	b
Basco,	14	29.78	756.3	90	66	ESE	4	o	6	29.79	756.6	81	80	SE	4	o
Aparri,	,,	29.73	755.1	90	63	NE	4	b	,,	29.78	756.3	77	89	SSW	2	b
Manila,	,,	29.76	756.0	93	46	SE	2	o	,,	29.79	756.6	73	91	ENE	1	b
Legaspi,	,,	29.74	755.4	90	66	NE	4	b	,,	29.75	755.7	81	92	N	2	o
Taoloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	90	48	NE	4	b	,,	29.74	755.4	79	89	N	2	o
Surigao,	,,	29.73	755.1	81	80	ESE	2	o	,,	29.75	755.7	75	96	...	o	o
Guam,	12.20	29.75	755.7	...	...	ENE	4	o	4.20	29.78	756.3	...	...	NE	2	o
Yap,	12.47	29.73	755.1	...	...	ENE	4	o	4.47	29.78	756.3	...	...	ENE	4	r
Labuan,	14	29.71	754.6	88	80	S	4	b	6	29.79	756.6	78	91	...	...	...

May 8*d.* 11*h.* 52*m.*—Pressure has increased moderately over N. China; it has decreased considerably over Japan, and slightly elsewhere. Depressions are situated over Indo-China, the Eastern Sea and South Japan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 21·05 inches, against an average of 13·67 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	8th May, 1925.								9th May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostook,	12	29.97	761.2	57	...	WSW	2	o	6	30.07	763.8	46	...	SE	4	o
Kemuro,	11	29.98	761.5	...	...	SSE	1	...	5	29.98	761.5	...	...	N	3	...
Hokodate,	"	29.86	758.5	...	...	ESE	3	...	"	30.06	763.5	...	...	NNE	1	...
Tokio,	"	29.92	760.0	...	...	...	0	...	"	29.98	761.5	...	...	NE	2	...
Kochi,	"	29.59	751.5	...	...	...	0	...	"	29.86	758.5	...	...	...	0	...
Nagasaki,	"	29.70	754.5	...	...	N	1	...	"	29.86	758.5	...	...	ENE	2	...
Kagoshima,	"	29.65	753.0	...	...	SSW	1	...	"	29.80	757.0	...	...	NNE	1	...
Oshima,	"	29.76	756.0	...	...	SW	2	...	"	29.80	757.0	...	...	N	1	...
Naha,	"	29.82	757.5	...	...	SW	3	...	"	29.84	758.0	...	...	WNW	1	...
Ishigakijima,	"	29.82	757.5	...	...	SW	2	...	"	29.80	757.0	...	...	ENE	1	...
Bonin Island,	"	29.94	760.5	...	...	S	2	...	"	29.88	759.0	...	...	SSW	1	...
Chefoo,	15	29.84	757.9	65	49	NE	1	b	6	29.85	758.2	58	47	S	2	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.94	760.5	66	59	N	1	o	"	29.95	760.8	55	96	SE	1	o
Kutzlaff,	"	29.95	760.7	63	67	N	2	b	"	29.97	761.2	56	81	SE	1	o
Sharp Peak,	"	29.80	756.9	64	84	NE	4	o	7	29.90	759.4	64	84	N	1	o
Amoy,	15	29.70	754.4	52	47	ENE	4	b	9	29.83	757.7	69	85	ENE	2	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.80	756.9	86	65	W	4	b	5	29.79	756.6	73	...	NE	2	o
Taichu,	"	29.85	758.1	86	...	SW	2	b	"	29.85	758.1	75	...	...	0	o
Tainan,	"	29.84	757.8	90	...	SW	4	b	"	29.79	756.6	73	...	...	0	b
Koshun,	"	29.82	757.5	90	...	SW	2	b	"	29.79	756.6	73	...	...	0	b
Pescadores,	"	29.85	758.1	84	...	SW	4	b	"	29.80	756.9	73	...	NE	4	b
Canton,	14	29.74	755.4	87	72	SSE	1	c	6	29.78	756.4	76	95	SE	1	o
Hongkong,	"	29.77	756.1	86	67	SW	2	b	"	29.79	756.6	76	94	...	0	b
Gap Rock,	"	29.79	756.6	...	...	SE	3	b	"	29.78	756.4	...	...	SE	2	b
Macao,	"	29.76	756.0	86	78	S	4	b	"	29.75	755.7	77	98	SSE	4	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Thulien,	"	29.71	754.5	81	84	SSE	6	of	7	29.72	754.8	77	94	ESE	4	of
Tourane,	"	29.71	754.5	84	...	SE	2	b	"	29.74	755.4	77	...	SSW	2	b
Cape St. James,	"	29.75	755.7	90	...	SE	2	b	"	29.76	756.0	79	...	E	2	b
Basco,	14	29.78	756.3	90	66	ESE	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.72	754.8	90	63	NE	4	b	"	29.78	756.3	77	94	...	0	b
Manila,	"	29.72	754.8	93	40	W	4	b	"	29.76	756.0	75	86	...	0	b
Legaspi,	"	29.73	755.1	86	78	NE	2	o	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.67	753.6	90	55	NNW	4	o	"	29.74	755.4	77	92	N	1	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Siam,	12.20	29.75	755.7	...	...	ESE	2	o	4.20	...	...	...	...	...	...	...
Cap,	12.47	29.75	755.7	...	...	ESE	4	o	4.47	29.80	756.9	...	...	ENE	2	o
Labuan,	14	29.77	756.1	86	84	NE	1	o	6	29.73	755.1	80	95	...	0	b

May 9*d.* 11*h.* 04*m.*—Pressure has decreased slightly over Borneo, Indo-China, South Formosa and the Bonins; it is stationary over the Philippines, and has increased slightly to moderately elsewhere. The weak anticyclonic area over China yesterday has moved north eastwards, and combined with a more intense area over S. Manchuria; a depression is indicated between the Loochoos and the Bonins.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 21·05 inches, against an average of 13·98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S.E. winds, moderate; fair generally.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	9th May, 1925.								10th May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.02	762.6	48	...	SSE	5	o	6	29.98	761.4	44	...	SE	3	o
Nemuro,	11	...	...	...	...	...	...	...	5	30.06	763.5	...	...	WSW	2	...
Hokodate,	"	30.10	764.5	...	...	S	2	...	"	30.10	764.5	...	...	...	0	...
Tokio,	"	30.08	764.0	...	...	NE	2	...	"	30.14	765.5	...	...	N	1	...
Kochi,	"	29.92	760.0	...	...	...	0	...	"	29.92	760.0	...	...	...	0	...
Nagasaki,	"	29.86	758.5	...	...	NE	1	...	"	29.88	759.0	...	...	...	0	...
Kagoshima,	"	29.84	758.0	...	...	NE	1	...	"	29.80	757.0	...	...	NW	1	...
Oshima,	"	29.84	758.0	...	...	NNE	1	...	"	29.82	757.5	...	...	...	...	...
Naha,	"	29.84	758.0	...	...	N	1	...	"	29.82	757.5	...	...	N	1	...
Ishigakijima,	"	29.82	757.5	...	...	S	2	...	"	29.80	757.0	...	...	NE	1	...
Bonin Island,	"	29.86	758 5	...	...	SSW	1	...	"	29.88	759.0	...	...	SSW	1	...
Chefoo,	15	29.83	757.7	74	43	ESE	1	b	6	29.87	758.7	56	69	S	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.93	760.2	68	60	SSE	1	o	"	30.00	762.0	54	100	ESE	1	b
Gutzlaff,	"	29.97	761.2	58	94	E	1	o	"	30 01	762.2	56	94	SE	1	b
Sharp Peak,	"	29.89	759.2	64	89	E	2	r	7	29.92	759.9	63	86	N	1	r
Amoy,	15	29.81	757.2	68	95	ENE	4	o	9	29.86	758 4	66	91	ENE	2	r
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.84	757.8	55	71	E	4	o	5	29.84	757.8	68	92	E	4	o
Taichu,	"	29.84	757.8	61	...	...	0	b	"	29.82	757.5	72	...	...	0	o
Tainan,	"	29.82	757.5	90	...	...	...	...	"	29.80	756.9	72	...	NNE	2	b
Koshun,	"	29.78	756.3	90	...	SW	6	bf	"	29.79	756.6	73	...	...	0	b
Pescadores,	"	29.85	758.1	81	...	...	...	...	"	29.81	757.2	73	...	NNE	4	o
Canton,	14	29.72	754.9	87	72	S	1	c	6	...	...	...	...	...	...	...
Hongkong,	"	29.75	755.6	85	68	SW	3	o	"	29.78	756.4	73	95	E	3	op
Gap Rock,	"	29.77	756.1	...	...	SE	3	c	"	29.80	756.9	...	...	SE	2	o
Macao,	"	29.74	755.4	86	81	SSE	4	o	"	29.71	754.5	75	92	...	2	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.71	754.5	84	74	SSE	4	o	7	29.73	755.1	75	91	E	4	o
Tourane,	"	29.71	754.5	84	...	SSE	2	b	"	29.73	755.1	77	...	SE	2	b
Cape St. James,	"	29.72	754.8	93	...	S	2	b	"	29.75	755.7	81	...	S	2	o
Basco,	14	29.73	755.1	90	60	SE	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.71	754.5	90	63	NNE	4	b	"	29.74	755.4	77	89	SSW	2	b
Manila,	"	29.72	754.8	90	63	NE	2	o	"	29.74	755.4	75	89	ENE	1	o
Legaspi,	"	29.73	755.1	81	96	NE	1	o	"	29.72	754.8	81	92	NE	1	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.67	753.6	86	68	NE	4	o	"	...	...	...	...	...	...	...
Surigao,	"	29.71	754.5	82	81	ENE	4	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.75	755.7	...	...	E	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.73	755.1	...	...	ENE	4	o	4.47	29.75	755.7	...	...	ENE	2	o
Labuan,	14	29.71	754.6	86	80	NW	2	b	6	...	...	...	...	...	...	...

May 10*d.* 11*h.* 16*m.*—Pressure has increased slightly along the China coast between Hongkong and Chefoo, and decreased slightly elsewhere. Weak anticyclones are situated over N. China and to the east of Japan, and an area of relatively low pressure extends from Indo-China across the Philippines to the Pacific.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·76 inch. Total since January 1st, 21·81 inches, against an average of 14·31 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; cloudy, occasional rain.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	10th May, 1925.								11th May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	29.91	759.7	49	...	SE	4	o	6	29.82	757.3	46	...	ESE	4	o
Kemuro,	11	30.06	763.5	...	...	SW	5	...	5	30.08	764.0	...	...	S	4	...
Hokodate,	"	30.02	762.5	...	...	SSE	1	...	"	30.02	762.5	...	...	...	o	...
Tokio,	"	30.08	764.0	...	...	NE	1	...	"	30.06	763.5	...	...	NNW	1	...
Kochi,	"	29.96	761.0	...	...	...	o	...	"	30.06	763.5	...	...	SW	1	...
Nagasaki,	"	29.88	759 0	...	...	N	2	...	"	30.02	762.5	...	...	...	o	...
Kagoshima,	"	29.84	758.0	...	...	NE	1	...	"	30.02	762.5	...	...	NW	1	...
Ishima,	"	29.86	758.5	...	...	NNE	1	...	"	29.94	760.5	...	...	...	...	...
Naha,	"	29.88	759.0	...	...	NNE	3	...	"	29.88	759.0	...	...	ESE	1	...
Ishigakijima,	"	29.86	758 5	...	...	NE	2	...	"	29.84	758.0	...	...	ENE	1	...
Bonin Island,	"	29.84	758.0	...	...	S	1	...	"	29.84	758.0	...	...	SSW	1	...
Chefoo,	15	29.86	758.4	70	53	S	1	b	6	29.88	758.9	62	67	WSW	1	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.00	762.0	75	49	ESE	1	b	"	29.95	760.8	55	93	ESE	2	o
Gutzlaff,	"	30.01	762.2	62	77	ESE	4	b	"	29.99	761.7	56	94	SE	4	o
Sharp Peak,	"	29.91	759.7	66	84	N	1	o	7	29.91	759.7	64	78	N	1	o
Amoy,	15	29.86	758.4	69	91	ENE	2	o	9	29.85	758.2	66	91	...	o	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.91	759.6	79	76	E	4	o	5	29.81	757.2	70	94	E	4	b
Taichu,	"	29.86	758.4	81	...	NNW	2	o	"	29.84	757.8	68	...	...	o	o
Tainan,	"	29.84	757.8	90	...	NNE	4	b	"	29.78	756.3	77	...	N	2	b
Koshun,	"	29.82	757.5	81	...	NW	2	b	"	29.80	756.9	72	...	N	2	b
Pescadores,	"	29.87	758.7	77	...	NNE	4	o	"	29.82	757.5	73	...	NNE	4	o
Canton,	14	29.76	755.9	79	87	SE	1	o	6	...	...	...	...	...	...	...
Hongkong,	"	29.80	756.9	77	86	E	4	o	"	29.80	756.9	71	95	E	5	od
Gap Rock,	"	29.78	756.4	...	...	ENE	3	c	"	29.79	756.6	...	...	ENE	4	c
Macao,	"	29.75	755.7	79	92	SE	4	r	"	29.74	755.4	73	94	SE	6	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.67	753.6	79	85	..	o	of	7	29.67	753.6	75	98	SSE	4	of
Tourane,	"	29.69	754.2	84	...	SE	2	b	"	29.71	754.5	77	...	SSW	2	o
Cape St. James,	"	29.72	754.8	90	...	SSE	2	o	"	29.73	755.1	77	...	...	o	b
Basco,	14	29.69	754.2	86	75	SE	1	o	6	29.74	755.4	81	87	ESE	1	o
Aparri,	"	29.68	753.9	90	66	NE	4	b	"	29.73	755.1	77	89	SW	2	b
Manila,	"	29.68	753.9	90	57	W	1	o	"	29.72	754.8	75	91	ENE	1	o
Legaspi,	"	29.72	754.8	81	94	N	1	o	"	29.69	754.2	79	92	N	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.68	753.9	84	71	SW	2	o	"	29.71	754.5	77	79	N	2	o
Surigao,	"	29.69	754.2	82	84	NNE	4	o	"	29.71	754.5	77	92	SSW	1	o
Guam,	12.20	29.73	755.1	...	...	ENE	4	o	4.20	29.78	756.3	...	...	E	1	o
Yap,	12.47	29.76	756.0	...	...	ENE	6	r	4.47	29.73	755.1	...	...	ENE	4	b
Labuan,	14	29.71	754.6	88	80	N	4	b	6	29.73	755.1	78	94	N	2	b

May 11*d.* 10*h.* 57*m.*—Pressure has increased moderately over S. Japan and slightly over Shantung, the Loochoos, and the Bonins; it has decreased slightly elsewhere. The anticyclones have merged into one, central to the eastward of Japan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·21 inch. Total since January 1st, 22·02 inches, against an average of 14·66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks.	E. winds, moderate; cloudy with drizzle or mist, improving later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	11th May, 1925.								12th May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.76	755.8	47	...	SE	3	or	6	30.00	762.0	52	...	NW	3	b
Nemuro,	11	30.04	763.0	...	...	S	5	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.98	761.5	...	...	SE	1	...	"	29.73	755.0	...	...	N	1	...
Tokio,	"	30.00	762.0	...	...	N	1	...	"	29.86	758 5	...	...	W	1	...
Kochi,	"	30.06	763.5	...	...	SE	1	...	"	30.08	764.0	...	...	SW	1	...
Nagasaki,	"	30.04	763.0	...	...	W	1	...	"	30.10	764.5	...	...	...	...	...
Kagoshima,	"	30.04	763.0	...	...	...	...	...	"	30.08	764.0	...	...	NW	1	...
Oshima,	"	30.00	762.0	...	...	E	1	...	"	30.04	763.0	...	...	SSE	1	...
Naha,	"	29.96	761.0	...	...	E	2	...	"	29.98	761.5	...	...	ENE	1	...
Ishigakijima,	"	29.88	759.0	...	...	E	3	...	"	29.88	759.0	...	...	ESE	2	...
Bonin Island,	"	29.90	759.5	...	...	NW	1	...	"	30.02	762.5	...	...	N	1	...
Chefoo,	15	30.02	762.5	64	58	ENE	2	b	6	30.03	762.7	54	80	SW	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.97	761.1	66	71	ESE	4	o	"	29.97	761.1	63	94	ESE	2	r
Gutzlaff,	"	30.01	762.2	58	90	SE	4	o	"	30.01	762.2	60	100	SSE	4	r
Sharp Peak,	"	29.90	759.4	69	75	E	2	o	7	29.90	759.4	69	90	NW	2	o
Amoy,	15	29.81	757.2	73	76	ENE	4	b	9	29.85	758.2	69	91	...	o	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.85	758.1	86	97	E	4	b	5	29.84	757.8	72	94	...	o	b
Taichu,	"	29.85	758.1	86	...	...	o	b	"	29.86	758.4	73	...	...	o	o
Tainan,	"	29.84	757.8	90	...	N	2	b	"	29.84	757.8	73	...	NNE	2	o
Koshun,	"	29.82	757.5	90	...	NE	2	b	"	29.82	757.5	77	...	ENE	2	b
Pescadores,	"	29.88	759.0	79	...	NNE	4	o	"	29.86	758.4	72	...	NNE	2	b
Canton,	14	29.75	755.6	82	83	SSE	2	c	6	...	...	...	...	...	...	...
Hongkong,	"	29.80	756.9	74	85	E	4	o	"	29.82	757.4	72	91	E	4	o
Gap Rock,	"	29.80	756.9	...	...	ENE	4	c	"	29.81	757.2	...	...	E	4	o
Macao,	"	29.75	755.7	77	84	SE	6	o	"	29.79	756.6	73	91	SE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.66	753.3	84	77	SSE	6	o	7	29.73	755.1	77	89	SSE	4	o
Tourane,	"	29.69	754.2	81	...	SE	2	b	"	29.74	755.4	77	...	S	2	b
Cape St. James,	"	29.71	754.5	93	...	S	2	b	"	29.74	755.4	81	...	SE	2	o
Basco,	14	29.71	754.5	82	77	ESE	2	r	6	29.75	755.7	81	76	ESE	2	o
Aparri,	"	29.73	755.1	86	65	NE	4	r	"	29.78	756.3	75	89	...	o	b
Manila,	"	29.71	754.5	77	92	NE	4	r	"	29.74	755.4	75	92	NNE	1	o
Legaspi,	"	...	...	...	...	...	...	...	"	29.75	755.7	77	92	N	2	o
Tacloban,	"	29.71	754.5	82	81	ESE	2	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.71	754.5	79	92	WSW	1	o	"	29.75	755.7	75	92	N	2	o
Surigao,	"	..	...	...	...	...	...	...	"	29.78	756.3	75	96	S	1	o
Guam,	12.20	29.74	755.4	...	...	ESE	4	o	4.20	29.81	757.2	...	...	E	1	o
Yap,	12.47	29.72	754.8	...	...	E	4	o	4.47	29.80	756.9	...	...	NE	2	o
Labuan,	14	29.77	756.1	84	83	N	2	o	6	29.73	755.1	78	94	N	2	b

May 12*d.* 10*h.* 47*m.*—Pressure has decreased considerably over N. Japan and slightly over the Philippines and in the vicinity of Shanghai; it has increased considerably at Wladivostock and slightly elsewhere. A weak anticyclonic area is central to the south of Korea, and a depression is crossing N. Japan to the eastward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 22·02 inches, against an average of 15·02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel,	Light northerly or variable winds.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; cloudy.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	12th May, 1925.								13th May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostook,	12	29.98	761.4	65	...	NNE	4	b	6	30.04	762.9	51	...	SE	4	c
Gemuro,	11	29.88	759.0	...	...	SE	1	...	5	29.88	759.0	...	...	WSW	1	...
Hokodate,	,,	29.74	755.5	...	...	WSW	1	...	,,	29.98	761.5	...	...	W	1	...
Tokio,	,,	29.82	757.5	...	...	NW	4	...	,,	30.04	763.0	...	...	NW	1	...
Kochi,	,,	30.06	763.5	...	...	...	0	...	,,	30.12	765.0	...	...	SW	1	...
Nagasaki,	,,	30.08	764.0	...	...	WSW	1	...	,,	30.06	763.5	...	...	NNW	1	...
Kagoshima,	,,	30.10	764.5	...	...	SSE	1	...	,,	30.08	764.0	...	...	...	...	...
Oshima,	,,	30.04	763.0	...	...	NE	1	...	,,	30.00	762.0	...	...	ESE	1	...
Naha,	,,	30.00	762.0	...	...	E	2	...	,,	29.94	760.5	...	...	SE	1	...
Ishigakijima,	,,	29.92	760.0	...	...	SE	2	...	,,	29.88	759.0	...	...	S	1	...
Bonin Island,	,,	30.02	762.5	...	...	N	1	...	,,	30.04	763.0	...	...	...	0	...
Chefoo,	15	29.97	761.2	72	42	S	2	0	6	29.92	759.9	56	94	S	1	r
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.89	759.3	64	96	ESE	4	r	,,	29.76	756.0	60	100	ESE	1	o
Sutzlaff,	,,	29.93	760.2	60	100	SE	6	r	,,	29.77	756.1	54	100	SE	2	of
Sharp Peak,	,,	29.88	758.9	82	75	NE	2	b	7	29.86	758.4	70	95	...	0	o
Amoy,	15	29.79	756.6	76	82	ENE	4	b	9	29.82	757.4	73	92	...	0	r
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.85	758.1	90	63	ENE	1	b	5	29.86	758.4	72	92	S	1	bf
Taichu,	,,	29.85	758.1	86	...	N	2	b	,,	29.86	758.4	72	...	...	0	b
Tainan,	,,	29.85	758.1	90	...	WSW	2	b	,,	29.82	757.5	73	...	...	0	b
Toshun,	,,	29.86	758.4	86	...	ENE	4	b	,,	29.84	757.8	77	...	E	2	o
Pescadores,	,,	29.87	758.7	79	...	N	4	b	,,	29.82	757.5	75	...	N	2	b
Canton,	14	29.77	756.1	84	79	SSE	2	o	6	...	...	...	...	...	...	...
Hongkong,	,,	29.81	757.2	76	79	E	4	o	,,	29.81	757.2	75	94	E	1	o
Gap Rock,	,,	29.82	757.5	...	...	ENE	4	o	,,	29.80	756.9	...	...	ENE	3	b
Macao,	,,	29.79	756.6	79	80	SE	4	o	,,	29.78	756.3	75	92	NE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.69	754.2	81	87	SSE	6	o	7	29.76	756.0	77	96	SSE	6	of
Tourane,	,,	29.69	754.2	82	...	SE	2	b	,,	29.78	756.3	75	...	S	2	b
Cape St. James,	,,	29.71	754.5	93	...	S	2	o	,,	29.78	756.3	82	...	S	2	b
Basco,	14	29.72	754.8	90	66	ESE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.75	755.7	86	68	ENE	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.71	754.5	90	51	SE	4	o	,,	29.80	756.9	75	92	NE	1	o
Legaspi,	,,	29.73	755.1	84	85	NNE	1	o	,,	29.80	756.9	75	98	WNW	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	90	60	...	0	o	,,	29.79	756.6	77	88	...	0	o
Surigao,	,,	29.69	754.2	86	75	S	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	ENE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.78	756.3	...	...	ENE	4	o	4.47	29.84	757.8	...	...	ESE	2	o
Labuan,	14	29.78	756.4	84	83	N	2	o	6	29.76	755.9	80	95	...	0	b

May 13*d.* 11*h.* 24*m.*—Pressure has decreased moderately in the vicinity of Shanghai and slightly over Shantung, the Loochoos and South Formosa; it has increased moderately over central Japan, and slightly elsewhere. A weak anticyclone extends from S. Manchuria to the Bonins, and a depression is situated over the lower Yangtze Valley.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. **Total since January 1st,** 22·02 inches, **against an average of** 15·39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel,	Light variable winds, freshening from South.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; fine to cloudy.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	13th May, 1925.								14th May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	29.98	761.6	53	...	SE	4	o	6	29.89	759.3	49	...	...	o	o
Nemuro,	11	29.86	758.5	...	...	WNW	3	...	5	30.04	763.0	...	...	NW	2	...
Hokodate,	"	29.98	761.5	...	...	NNW	4	...	"	30.08	764.0	...	...	...	o	...
Tokio,	"	30.04	763.0	...	...	NNW	1	...	"	30.08	764.0	...	...	NNW	1	...
Kochi,	"	30.08	764.0	...	...	SE	1	...	"	30.04	763.0	...	...	...	o	...
Nagasaki,	"	30.06	763.5	...	...	SW	1	...	"	29.76	756.0	...	...	SE	5	...
Kagoshima,	"	30.12	765.0	...	...	...	o	...	"	29.84	758.0	...	...	ESE	2	...
Oshima,	"	30.02	762.5	...	...	ESE	1	...	"	29.86	758.5	...	...	...	o	...
Naha,	"	29.96	761.0	...	...	ESE	2	...	"	29.86	758.5	...	...	SSE	2	...
Ishigakijima,	"	29.92	760.0	...	...	SSW	2	...	"	29.84	758.0	...	...	SW	3	...
Bonin Island,	"	30.04	763.0	...	...	N	1	...	"	30.06	763.5	...	...	NE	1	...
Chefoo,	15	29.79	756.6	58	94	SE	4	r	6	29.54	750.3	52	100	NW	4	rf
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.67	753.6	86	71	WSW	4	o	"	29.80	756.9	64	94	WNW	1	o
Gutzlaff,	"	29.71	754.6	65	100	SSE	4	o	"	29.76	755.9	64	100	NW	4	of
Sharp Peak,	"	29.90	759.4	80	92	...	o	b	7	29.79	756.6	78	89	...	o	b
Amoy,	15	29.76	755.9	81	83	ENE	4	b	9	29.75	755.6	74	95	SE	1	bf
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.85	758.1	90	60	NE	2	b	5	29.78	756.3	73	92	...	o	b
Taichu,	"	29.85	758.1	90	...	...	o	b	"	29.84	757.8	73	...	...	o	b
Tainan,	"	29.84	757.8	90	...	SW	2	b	"	29.79	756.6	79	...	SSE	2	b
Koshun,	"	29.85	758.1	90	...	ENE	4	b	"	29.79	756.6	79	...	...	o	r
Pescadores,	"	29.87	758.7	84	...	N	2	b	"	29.79	756.6	79	...	S	2	b
Canton,	14	...		...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.79	756.6	84	69	W	2	c	"	29.78	756.4	74	98	...	o	bm
Gap Rock,	"	29.80	756.9	...	...	ENE	3	b	"	29.78	756.4	...	...	E	3	b
Macao,	"	29.76	756.0	86	75	SE	2	b	"	29.75	755.7	77	98	...	2	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.73	755.1	86	75	SSE	6	b	7	29.73	755.1	77	94	SSE	4	b
Tourane,	"	29.73	755.1	84	...	SE	2	b	"	29.76	756.0	77	...	...	o	b
Cape St. James,	"	29.76	756.0	93	...	S	2	o	"	29.81	757.2	79	...	...	o	r
Basco,	14	29.79	756.6	86	75	SE	2	r	6	29.78	756.3	82	84	SE	6	o
Aparri,	"	29.76	756.0	86	68	N	4	o	"	29.76	756.0	77	92	SW	2	o
Manila,	"	29.76	756.0	84	74	WSW	2	o	"	29.81	757.2	75	96	S	2	o
Legaspi,	"	29.79	756.6	81	90	SW	2	o	"	29.81	757.2	75	98	...	o	o
Tacloban,	"	29.76	756.0	82	84	SSE	2	o	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	29.78	756.3	77	94	...	o	o
Surigao,	"	29.76	756.0	86	71	E	4	o	"	29.81	757.2	77	94	...	o	o
Guam,	12.20	29.81	757.2	...	...	E	2	o	4.20	29.84	757.8	...	...	NE	2	o
Yap,	12.47	29.81	757.2	...	...	SSE	2	r	4.47	29.84	757.8	...	...	N	1	o
Labuan,	14	29.80	756.9	84	83	N	2	o	6	29.76	755.9	78	91	SW	1	b

May 14*d.* 11*h.* 00*m.*—Pressure has decreased considerably over Shantung and south Japan, and increased moderately over north Japan and the lower Yangtze Valley; it has decreased slightly elsewhere.

The anticyclone is moving eastward into the Pacific; the depression is now central to the east of Shantung, with a probable secondary in the Eastern Sea, and a shallow trough of relatively low pressure is indicated over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 22·02 inches, against an average of 15·77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel,	Light southerly or variable winds.
2.—South coast of China between Hongkong and Lamocks,	E. to S. or variable winds, moderate; fine generally.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	14th May, 1925.								15th May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	29.86	758.4	49	...	S	4	o	6	29.87	758.7	47	...	...	o	o
Gensuro,	11	30.02	762.5	...	...	N	2	...	5	...	...	...	...	...	...	...
Hokodate,	"	30.04	763.0	...	...	SE	1	...	"	29.90	759.5	...	...	...	o	...
Tokio,	"	30.02	762.5	...	...	SE	1	...	"	29.86	758.5	...	...	SE	1	...
Kochi,	"	29.96	761.0	...	...	SSE	1	...	"	29.57	751.0	...	...	SW	1	...
Nagasaki,	"	29.65	753.0	...	...	S	1	...	"	29.63	752 5	...	...	NW	2	...
Kagoshima,	"	29.69	754.0	...	...	E	1	...	"	29.65	753.0	...	...	...	...	...
Ishima,	"	29.78	756.5	...	...	S	1	...	"	29.71	754.5	...	...	NNE	1	...
Naha,	"	29.84	758.0	...	...	S	2	...	"	29.73	755.0	...	...	S	1	...
Ishigakijima,	"	29.84	758.0	...	...	SSW	3	...	"	29.71	754.5	...	...	S	2	...
Bonin Island,	"	30 04	763.0	...	...	ENE	1		"	29.88	759.0	...	...	S	1	...
Chefoo,	15	29.66	753.3	58	81	NW	4	of	6	29.73	755.1	56	94	W	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.75	755.7	77	64	W	4	b	"	29.84	757.8	57	98	ENE	1	b
Hutzlaff,	"	29.76	755.9	70	85	NNW	2	b	"	29.84	757.9	58	94	ESE	2	b
Sharp Peak,	"	29.73	755.1	82	75	S	4	b	7	29.74	755.4	67	95	E	4	rf
Amoy,	15	29.65	753.1	86	72	ENE	4	b	9	29.65	753.1	75	95	ENE	2	of
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.76	756.0	90	63	N	2	b	5	29.71	754.5	73	94	...	o	o
Taichu,	"	29.81	757.2	90	...	SW	2	b	"	29.74	755.4	75	...	...	o	o
Tainan,	"	29.80	756.9	90	...	SSW	4	b	"	29.72	754.8	75	...	...	o	o
Koshun,	"	29.81	757.2	81	...	S	2	r	"	29.71	754.5	77	...	...	o	o
Pescadores,	"	29.79	756.6	82	...	WSW	2	b	"	29.71	754.5	79	...	S	2	b
Canton,	14	...		...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.74	755.4	86	62	W	2	b	"	29 70	754.4	78	91	WSW	1	o
Gap Rock,	"	29.76	755.9	...	...	SE	2	b	"	29.74	755.4	...	...	SE	3	b
Macao,	"	29.73	755.1	86	68	SW	4	b	"	29.67	753.6	79	91	SW	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.67	753.6	84	81	SSE	6	o	7	29.61	752.1	79	96	SSE	6	of
Tourane,	"	29.69	754.2	86	...	SE	2	b	"	29.68	753.9	82	...	...	o	b
Cape St. James,	"	29.78	756.3	90	...	SW	2	b	"	29.80	756.9	79	...	W	2	b
Basco,	14	29.75	755.7	86	75	SE	4	r	6	29.73	755.1	81	89	SW	1	o
Aparri,	"	29.73	755.1	86	71	N	4	o	"	29.72	754.8	75	94	SW	2	o
Manila,	"	29.76	756.0	90	66	WSW	4	o	"	29.76	756.0	77	94	...	o	o
Legaspi,	"	29.78	756.3	86	81	NE	4	o	"	29.76	756.0	75	98	...	o	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.75	755.7	86	68	SSW	4	o	"	29.76	756.0	75	94	NW	1	o
Surigao,	"	...	...	...	...	...	...	...	"	29.78	756.3	77	87	...	o	o
Guam,	12.20	29.79	756.6	...	...	NNE	4	o	4.20	29.79	756.6	...	...	SE	1	o
Yap,	12.47	29.81	757.2	...	...	NNE	2	r	4.47	29.78	756.3	...	...	ENE	1	o
Tabuan,	14	29.72	754.9	84	83	S	2	o	6	29.79	756.6	80	91	NW	2	b

May 15*d.* 11*h.* 15*m.*—Pressure has increased slightly from Chefoo to Shanghai, decreased considerably over central Japan, moderately over Tongking and the Bonins, and slightly elsewhere.

The anticyclone has passed into the Pacific, the depression is crossing Japan in the latitude of Tokio, and another depression has developed over Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 22·02 inches, against an average of 16·16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S. winds, moderate; fair.
3.—Hongkong to Gap Rock,	S. winds, moderate; fair.
4.—South coast of China between Hongkong and Hainan,	S. winds, moderate; fair.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	15th May, 1925.								16th May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.83	757.7	63	...	SE	3	r	6	29.86	758.3	51	...	NNE	4	o
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.88	759.0	...	...	ESE	5	...	"	29.92	760.0	...	...	...	0	...
Tokio,	"	29.78	756.5	...	...	E	1	...	"	29.88	759.0	...	...	N	1	...
Kochi,	"	29.55	750.5	...	...	...	0	...	"	29.73	755.0	...	...	SW	1	...
Nagasaki,	"	29.67	753.5	...	...	NNW	1	...	"	29.71	754.5	...	...	ESE	1	...
Kagoshima,	"	29.67	753.5	...	...	...	...	...	"	29.71	754.5	...	...	NW	1	...
Oshima,	"	29.72	755.0	...	...	NNE	1	...	"	29.67	753.5	...	...	...	0	...
Naha,	"	29.74	755.5	...	...	NW	3	...	"	29.63	752.5	...	...	N	1	...
Ishigakijima,	"	29.70	754.5	...	...	W	1	...	"	29.65	753.0	...	...	...	0	...
Bonin Island,	"	29.80	757.0	...	...	S	2	...	"	29.67	753.5	...	...	NW	1	...
Chefoo.	15	29.74	755.4	63	91	NE	2	o	6	29.70	754.4	56	100	N	2	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.78	756.3	73	62	E	1	b	"	29.72	754.8	61	93	E	1	o
Gutzlaff,	"	29.80	756.9	64	78	E	2	b	"	29.69	754.1	58	58	SE	4	r
Sharp Peak,	"	29.74	755.4	71	80	ENE	4	o	7	29.67	753.6	69	95	SE	1	of
Amoy,	15	29.60	751.8	84	79	ENE	2	b	9	29.61	752.1	71	100	SE	2	of
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.71	754.5	86	71	NW	4	b	5	29.62	752.4	75	94	...	0	o
Taichu,	"	29.73	755.1	90	...	SSW	2	b	"	29.69	754.2	73	...	...	0	o
Tainan,	"	29.74	755.4	90	...	WNW	2	b	"	29.65	753.0	73	...	...	0	b
Koshun,	"	29.71	754.5	86	...	NNW	2	b	"	29.56	750.9	73	...	...	0	o
Pescadores,	"	29.74	755.4	86	...	WSW	4	b	"	29.65	753.0	77	...	S	2	b
Canton,	14	29.61	752.1	90	70	S	2	c	6	...	...	...	...	...	...	...
Hongkong,	"	29.66	753.3	85	69	WSW	2	o	"	29.62	752.3	81	85	SW	3	cq
Gap Rock,	"	29.69	754.1	...	...	SW	3	b	"	29.66	753.3	...	...	SSW	4	o
Macao,	"	29.63	752.7	90	69	SSW	4	b	"	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.52	749.7	93	67	SSE	4	b	7	29.54	750.3	79	92	ENE	4	bf
Tourane,	"	29.63	752.7	86	...	SE	2	b	"	29.63	752.7	82	...	S	2	b
Cape St. James,	"	29.74	755.4	93	...	S	2	b	"	29.78	756.3	79	...	W	2	o
Basco,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	"	29.66	753.3	86	78	NNW	1	o	"	29.68	753.9	77	89	SW	2	o
Manila,	"	29.73	755.1	84	81	W	2	o	"	29.73	755.1	77	94	...	0	o
Legaspi,	"	29.71	754.5	90	72	NE	2	o	"	29.73	755.1	77	96	W	1	o
Tacloban,	"	29.71	754.5	86	65	SSE	4	o	"	29.74	755.4	77	...	...	0	b
Iloilo,	"	29.71	754.5	86	68	SW	4	o	"	29.76	756.0	77	91	NW	1	b
Surigao,	"	29.72	754.8	84	81	N	2	o	"	29.74	755.4	77	92	SSW	2	b
Guam,	12.20	29.74	755.4	...	...	NNE	1	o	4.20	29.78	756.3	...	...	S	1	b
Yap,	12.47	29.74	755.4	...	...	E	4	b	4.47	29.78	756.3	...	...	...	0	o
Labuan,	14	29.74	755.4	86	80	N	2	b	6	29.82	757.4	76	94	S	1	b

May 16*d.* 11*h.* 50*m.*—Pressure has increased slightly to moderately over central Japan, and decreased slightly to moderately elsewhere. It is highest to the north-east of Japan and relatively low over S. China and Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·03 inch. Total since January 1st, 22·05 inches, against an average of 16·56 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel,	S.W. winds, moderate, squally; fair to showery.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	16th May, 1925.								17th May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	29.78	756.5	61	...	NNE	4	o	6	29.77	756.1	47	...	NNE	2	or
Gemuro,	11	30.02	762.5	...	...	SSW	3	...	5	30.06	763.5	...	...	S	3	...
Hokodate,	"	29.90	759.5	...	...	SE	3	...	"	29.86	758.5	...	...	E	1	...
Tokio,	"	29.90	759.5	...	...	ENE	2	...	"	29.92	760.0	...	...	NNW	1	...
Kochi,	"	29.78	756.5	...	...	SE	1	...	"	29.80	757.0	...	...	...	...	...
Nagasaki,	"	29.69	754.0	...	...	W	1	...	"	29.78	756.5	...	...	...	...	...
Kagoshima,	"	29.69	754.0	...	...	..	0	...	"	29.76	756.0	...	...	...	...	...
Ishima,	"	29.67	753.5	...	...	SE	1	...	"	29.69	754.0	...	...	...	...	...
Taiwan,	"	29.69	754.0	...	...	NW	1	...	"	29.67	753.5	...	...	S	1	...
Ishigakijima,	"	29.63	752.5	...	...	S	1	...	"	29.67	753.5	...	...	NNE	1	...
Bonin Island,	"	29.67	753.5	...	...	WNW	1	...	"	29.76	756.0	...	...	...	0	...
Chefoo,	15	29.74	755.4	56	94	NW	1	r	6	29.86	758.4	52	88	W	2	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	..	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.73	755.1	66	80	ENE	1	o	"	29.91	759.6	54	95	NNE	1	b
Gutzlaff,	"	29.73	755.1	60	94	NE	2	r	"	29.89	759.2	60	90	NNE	2	b
Sharp Peak,	"	29.66	753.3	74	86	E	1	o	7	29.78	756.4	66	89	NNE	2	o
Amoy,	15	29.54	750.3	83	83	ENE	4	b	9	29.65	753.1	71	95	ENE	4	r
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.66	753.3	86	61	W	2	b	5	29.72	754.8	70	96	E	4	r
Taichu,	"	29.71	754.5	84	...	SW	2	o	"	29.69	754.2	77	...	...	0	o
Tainan,	"	29.71	754.5	90	...	WSW	2	b	"	29.68	753.9	75	...	...	0	r
Koshun,	"	29.66	753.3	86	...	NW	4	b	"	29.67	753.6	79	...	...	0	o
Pescadores,	"	29.71	754.5	84	...	S	4	o	"	29.66	753.3	79	...	SE	2	o
Canton,	14	29.56	750.8	84	87	SE	1	lt	6	...	...	...	...	...	...	...
Hongkong,	"	29.58	751.3	85	76	SSW	3	cq	"	29.66	753.3	76	94	...	0	om
Gap Rock,	"	29.60	751.8	...	...	SW	4	c	"	29.65	753.1	...	...	WNW	3	ot
Macao,	"	29.55	750.6	86	75	SW	4	o	"	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.49	749.1	93	53	NW	1	b	7	29.62	752.4	81	87	ENE	6	o
Tourane,	"	29.56	750.9	90	...	...	0	b	"	29.66	753.3	84	...	...	0	b
Cape St. James,	"	29.72	754.8	82	...	SW	6	b	"	29.79	756.6	79	...	W	2	b
Basco,	14	29.62	752.4	86	75	SW	6	o	6	...	...	...	...	...	...	...
Aparri,	"	29.58	751.2	90	60	NNE	4	b	"	...	...	...	...	...	...	...
Manila,	"	29.69	754.2	86	75	SW	2	o	"	29.76	756.0	77	91	ESE	1	o
Legaspi,	"	29.68	753.9	84	77	WSW	4	o	"	29.75	755.7	79	92	...	0	b
Tacloban,	"	...	...	...	...	...	...	...	"	29.78	756.3	77	94	...	0	o
Iloilo,	"	29.68	753.9	90	69	SW	4	b	"	29.78	756.3	75	88	N	1	b
Surigao,	"	29.69	754.2	90	66	W	4	b	"	29.79	756.6	77	91	...	0	o
Guam,	12.20	29.71	754.5	...	...	NNE	2	o	4.20	29.84	757.8	...	...	SE	1	b
Yap,	12.47	29.73	755.1	...	...	SSW	2	o	4.47	29.81	757.2	...	...	ENE	1	b
Labuan,	14	29.72	754.9	84	87	NW	4	b	6	29.78	756.4	80	91	...	0	b

May 17*d.* 11*h.* 54*m.*—Pressure has increased slightly to moderately at the majority of reporting stations. A weak anticyclone has developed over N. China, and an area of relatively low pressure extends from Tongking across S. Formosa and N. Luzon to the Pacific.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·10 inch. Total since January 1st, 22·15 inches, against an average of 16·97 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, light to moderate.
2.—South coast of China between Hongkong and Lamocks,	E. or variable winds, moderate; fair to showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	17th May, 1925.								18th May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.74	755.4	54	...	N	4	o	6	29.77	756.2	47	...	FSE	3	or
Nemuro,	11	30.02	762.5	...	...	SSE	3	...	5	29.84	758.0	...	...	SE	2	...
Hokodate,	"	29.84	758.0	...	...	SE	1	...	"	29.80	757.0	...	...	SSW	1	...
Tokio,	"	29.92	760.0	...	...	NNW	1	...	"	29.90	759.5	...	...	...	0	...
Kochi,	"	29.82	757.5	...	...	...	0	...	"	29.82	757.5	...	...	...	...	...
Nagasaki,	"	29.78	756.5	...	...	SE	1	...	"	29.76	756.0	...	...	...	0	...
Kagoshima,	"	29.76	756.0	...	...	SE	1	...	"	29.75	755.5	...	...	E	1	...
Oshima,	"	29.70	754.5	...	...	S	1	...	"	29.65	753.0	...	...	SSE	2	...
Naha,	"	29.70	754.5	...	...	NNW	1	...	"	29.71	754.5	...	...	...	...	...
Ishigakijima,	"	29.70	754.5	...	...	SW	1	...	"	29.69	754.0	...	...	NE	1	...
Bonin Island,	"	29.74	755.5	...	...	S	1	...	"	29.82	757.5	...	...	N	1	...
Chefoo,	15	29.84	757.9	60	71	E	1	o	6	29.83	757.7	54	89	NW	1	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.85	758.1	72	51	NE	1	o	"	29.89	759.3	59	93	NNW	1	b
Gutzlaff,	"	29.86	758.4	68	70	NNE	2	o	"	29.87	758.7	58	94	N	2	o
Sharp Peak,	"	29.78	756.4	68	85	N	2	o	7	29.80	756.9	65	89	...	o	r
Amoy,	15	29.71	754.6	72	81	E	4	o	9	29.68	753.9	68	85	ENE	2	rf
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.76	756.0	73	88	E	4	r	5	29.76	756.0	68	98	...	o	r
Taichu,	"	29.76	756.0	73	...	...	o	r	"	29.75	755.7	72	...	...	o	o
Tainan,	"	29.74	755.4	75	...	N	2	r	"	29.73	755.1	73	...	NNE	2	r
Koshun,	"	29.72	754.8	81	...	...	o	o	"	29.72	754.8	73	...	...	o	b
Pescadores,	"	29.73	755.1	79	...	E	4	o	"	29.74	755.4	73	...	NNE	4	o
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.64	752.8	87	64	W	2	o	"	29.74	755.4	74	95	E	3	oft
Gap Rock,	"	29.67	753.6	...	...	N	3	o	"	29.72	754.9	...	...	ENE	3	oltr
Macao,	"	29.63	752.7	86	78	ESE	2	o	"	29.72	754.8	70	98	NE	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.59	751.3	90	72	SSE	4	b	7	...	...	...	...	...	...	...
Tourane,	"	29.62	752.4	90	...	W	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.73	755.1	86	...	SW	6	b	"	...	...	...	...	...	...	...
Basco,	14	...	...	...	...	...	...	...	6	29.71	754.5	81	86	...	o	o
Aparri,	"	...	...	...	...	...	...	...	"	29.73	755.1	77	92	S	2	b
Manila,	"	29.73	755.1	90	72	WSW	4	b	"	29.75	755.7	79	92	SE	4	r
Legaspi,	"	29.71	754.5	86	71	WSW	4	b	"	29.76	756.0	77	94	...	o	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.72	754.8	90	91	SSW	6	o	"	29.79	756.6	79	91	...	o	o
Surigao,	"	29.72	754.8	90	66	NW	4	b	"	29.81	757.2	61	85	SW	1	o
Guam,	12.20	29.79	756.6	...	...	NW	2	o	4.20	29.85	758.1	...	...	NE	1	b
Yap,	12.47	29.84	757.8	...	...	SSE	2	b	4.47	29.85	758.1	...	...	ENE	2	b
Labuan,	14	29.72	754.9	86	80	N	4	b	6	...	...	...	...	...	...	...

May 18*d*. 12*h*. 28*m*.—Pressure has decreased moderately over Hokkaido, and slightly over the rest of Japan; it has increased slightly elsewhere. The anticyclone over N. China remains stationary.

There are no returns from Indo-China this morning, and pressure distribution over the China Sea is uncertain.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·69 inch. Total since January 1st, 22·84 inches, against an average of 17·38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; cloudy, occasional rain.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	18th May, 1925.								19th May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock, .	12	29.75	755.6	48	...	ENE	2	r	6	29.75	755.6	45	...	WSW	2	f
Gemuro, ...	11	...	...	...	...	...	...	...	5	29.76	756.0	...	...	...	...	...
Hakodate, ...	"	29.84	758.0	...	...	SSE	1	...	"	29.61	752.0	...	...	E	1	...
Tokio, ...	"	29.86	758.5	...	...	S	1	...	"	29.63	752.5	...	...	...	0	...
Kochi, ...	"	29.78	756.5	...	...	SE	1	...	"	29.75	755.5	...	...	...	0	...
Nagasaki, ...	"	29.70	754.5	...	...	...	0	...	"	29.78	756.5	...	...	...	0	...
Kagoshima, ...	"	29.69	754.0	...	...	NE	1	...	"	29.76	756.0	...	...	...	0	...
Ishima, ...	"	29.65	753.0	...	...	WNW	1	...	"	29.78	755.5	...	...	NNW	1	...
Naha, ...	"	29.70	754.5	...	...	WNW	2	...	"	29.71	754.5	...	...	N	1	...
Shigakijima, ...	"	29.74	755.5	...	...	NNE	2	...	"	29.82	757.5	...	...	N	1	...
Sonin Island, ..	"	29.80	757.0	...	...	SSE	1	...	"	29.76	756.0	...	...	SSW	3	...
Chefoo, ...	15	29.81	757.2	62	61	NW	1	b	6	29.61	752.1	60	55	S	4	o
Hankow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai, ...	14	29.87	758.7	79	42	...	0	b	"	29.89	759.3	59	98	SE	1	b
Nutzlaff, ...	"	29.90	759.4	71	76	NNW	1	b	"	29.90	759.4	62	90	SSE	2	b
Sharp Peak, ...	"	29.84	757.9	80	62	S	1	b	7	29.92	759.9	69	73	N	2	b
Amoy, ...	15	29.79	756.6	72	81	ENE	2	o	9	29.82	757.4	69	80	ENE	1	b
Swatow, ...	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku, ...	11	29.82	757.5	68	94	ESE	2	r	5	29.84	757.8	64	94	E	2	o
Taichu, ...	"	29.80	756.9	70	...	NNE	2	r	"	29.79	756.6	70	...	...	0	o
Tainan, ...	"	29.78	756.3	82	...	NNW	2	o	"	29.76	756.0	72	...	...	0	b
Koshun, ...	"	29.75	755.7	90	...	...	0	b	"	...	...	...	...	...	...	...
Pescadores, ...	"	29.82	757.5	72	...	NNE	4	r	"	29.80	756.9	72	...	NNE	4	b
Canton, ...	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong, ...	"	29.75	755.6	80	80	ESE	3	o	"	29.79	756.6	74	73	E	4	o
Gap Rock, ...	"	29.76	755.9	...	...	ENE	4	c	"	29.78	756.4	...	...	E	5	o
Macao, ...	"	...	...	...	...	...	...	...	"	29.75	755.7	75	85	ESE	4	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien, ...	"	29.73	755.1	81	76	...	0	o	7	29.75	755.7	77	88	NW	2	bf
Tourane, ...	"	29.69	754.2	86	...	NNW	2	o	"	29.76	756.0	75	...	WNW	2	o
Cape St. James,	"	29.75	755.7	86	...	SW	6	b	"	29.81	757.2	79	...	SW	2	b
Basco, ...	14	...	...	...	...	...	...	...	6	29.75	755.7	77	91	N	2	o
Aparri, ...	"	29.69	754.2	86	65	NE	4	o	"	29.75	755.7	77	91	SW	2	o
Manila, ...	"	29.75	755.7	86	75	SW	4	o	"	29.79	756.6	79	92	SE	1	o
Legaspi, ...	"	29.73	755.1	93	57	WSW	2	o	"	29.78	756.3	79	96	...	0	o
Tacloban, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo, ...	"	...	...	...	...	...	...	...	"	29.80	756.9	77	89	N	1	o
Surigao, ...	"	...	...	...	...	...	...	...	"	29.81	757.2	75	92	SW	1	o
Guam, ...	12.20	29.79	756.6	...	...	E	4	o	4.20	29.82	757.5	...	...	NE	1	b
Yap, ...	12.47	29.80	756.9	...	...	ESE	2	o	4.47	29.84	757.8	...	...	ENE	2	b
Labuan, ...	14	29.71	754.6	88	76	N	4	b	6	29.81	757.2	82	91	NW	2	b

May 19*d.* 11*h.* 42*m.*—Pressure has decreased considerably over Shantung and north Japan, and increased slightly elsewhere. It is highest over the Eastern Sea, and depressions are situated to the west of Shantung and over N. Japan. Areas of relatively low pressure also exist over the northern China Sea, and between the Loochoos and the Bonins.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. *Total since January 1st,* 22·84 inches, against an average of 17·80 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel, ...	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; cloudy, occasional rain.
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	19th May, 1925.								20th May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	29.72	755.0	48	...	SSE	4	o	6	29.58	751.2	46	...	ESE	7	r
Nemuro,	11	29.65	753.0	...	...	NE	1	...	5	...	...	...	...	NW	4	...
Hokodate,	"	29.53	750.0	...	...	SSE	2	...	"	29.80	757.0	...	...	WNW	2	...
Tokio,	"	29.59	751.5	...	...	N	1	...	"	29.86	758.5	...	...	N	1	...
Kochi,	"	29.74	755.5	...	...	SE	1	...	"	29.82	757.5	...	...	SW	1	...
Nagasaki,	"	29.82	757.5	...	...	W	1	...	"	29.78	756.5	...	...	S	1	...
Kagoshima,	"	29.84	758.0	...	...	SE	1	...	"	29.82	757.5	...	...	NW	1	...
Oshima,	"	29.82	757.5	...	...	NNE	1	...	"	29.80	757.0	...	...	SSE	1	...
Naha,	"	29.82	757.5	...	...	NNW	2	...	"	29.80	757.0	...	...	NNE	1	...
Ishigakijima,	"	29.84	758.0	...	...	N	1	...	"	29.78	756.5	...	...	SSW	1	...
Bonin Island,	"	29.74	755.5	...	...	SSW	3	...	"	29.86	758.5	...	...	W	1	...
Chefoo,	15	29.48	748.8	66	73	NW	4	o	6	29.50	749.3	58	53	WNW	4	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.80	756.9	84	34	S	2	b	"	29.69	754.2	64	80	S	1	o
Gutzlaff,	"	29.85	758.2	70	70	S	4	b	"	29.70	754.4	65	73	SSW	4	o
Sharp Peak,	"	29.89	759.2	82	91	E	1	o	7	29.81	757.2	69	90	...	o	r
Amoy,	15	29.81	757.2	75	68	ENE	2	o	9	29.76	755.9	70	80	SSE	1	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.87	758.7	75	67	ENE	4	o	5	29.75	755.7	68	92	...	o	o
Taichu,	"	29.84	757.8	79	...	...	o	o	"	29.79	756.6	72	...	...	o	o
Tainan,	"	29.82	757.5	84	...	SW	4	o	"	29.75	755.7	75	...	...	o	o
Koshun,	"	29.82	757.5	81	...	ENE	2	o	"	29.75	755.7	73	...	E	2	b
Pescadores,	"	29.84	757.8	77	...	NNE	4	o	"	29.76	756.0	73	...	N	2	o
Canton,	14	...	...	...	...	...	...	...	6	29.88	758.9	73	90	E	1	o
Hongkong,	"	29.77	756.1	74	85	E	4	op	"	29.75	755.6	72	79	E	4	o
Gap Rock,	"	29.76	755.9	...	...	SE	4	o	"	29.76	755.9	...	...	ENE	5	c
Macao,	"	29.73	755.1	73	94	ESE	4	r	"	29.72	754.8	73	89	SE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.69	754.2	81	80	SSE	4	o	7	29.71	754.5	77	96	ESE	4	of
Tourane,	"	29.72	754.8	84	...	WNW	2	o	"	29.72	754.8	79	...	W	2	o
Cape St. James,	"	29.74	755.4	90	...	SW	2	b	"	29.84	757.8	77	...	SW	6	b
Basco,	14	29.75	755.7	82	81	N	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.73	755.1	86	75	NNE	2	o	"	29.75	755.7	75	92	SW	2	o
Manila,	"	29.76	756.0	86	75	WSW	2	o	"	29.80	756.9	77	91	SE	2	o
Legaspi,	"	29.74	755.4	90	72	WSW	4	o	"	29.79	756.6	75	98	NW	1	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	86	68	SSW	4	o	"	...	...	...	...	...	...	...
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	E	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.80	756.9	...	...	ENE	4	o	4.47	29.82	757.5	...	...	NE	1	o
Labuan,	14	29.71	754.6	88	76	NW	2	b	6	29.78	756.4	78	94	S	2	b

May 20*d.* 11*h.* 03*m.*—Pressure has increased considerably over north Japan, moderately over the Bonins, and slightly at Chefoo, Cape St. James and Labuan; it has decreased considerably at Shanghai, and slightly elsewhere. A depression is situated over Korea; gradients are everywhere shallow.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·08 inch. Total since January 1st, 22·92 inches, against an average of 18·22 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. to S. or variable winds, moderate; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	20th May, 1925.								21st May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	29.52	749.7	47	...	ESE	8	r	6	29.45	748.1	47	...	ESE	4	f
Gemuro,	11	...	...	...	...	...	...	...	5	30.00	762.0	...	...	E	2	...
Hokodate,	,,	29.82	757.5	...	...	WSW	1	...	,,	29.80	757.0	...	...	E	2	...
Tokio,	,,	29.86	758.5	...	...	S	2	...	,,	29.75	755.5	...	...	SSE	1	...
Kochi,	,,	29.80	757.0	...	...	...	0	...	,,	29.61	752.0	...	...	WSW	1	...
Nagasaki,	,,	29.76	756.0	...	...	SSE	2	...	,,	29.73	755.0	...	...	NW	3	...
Kagoshima,	,,	29.78	756.5	...	...	E	1	...	,,	29.75	755.5	...	...	N	1	...
Ishima,	,,	29.78	756.5	...	...	NE	1	...	,,	29.82	757.5	...	...	WNW	1	...
Naha,	,,	29.84	758.0	...	...	SSW	1	...	,,	29.82	757.5	...	...	ESE	1	...
Ishigakijima,	,,	29.80	757.0	...	...	...	0	...	,,	29.80	757.0	...	...	NE	1	...
Sonin Island,	,,	29.86	758.5	...	...	...	0	...	,,	29.78	756.5	...	...	SW	1	...
Chefoo,	15	29.63	752.6	60	60	NW	6	b	6	29.68	753.9	60	55	SW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.79	756.6	72	51	NW	2	o	,,	29.93	760.2	55	86	ESE	1	b
Gutzlaff,	,,	29.77	756.1	67	79	NNW	4	o	,,	29.95	760.7	60	65	S	1	b
Sharp Peak,	,,	29.81	757.2	74	81	S	1	o	7	29.86	758.4	69	90	NNE	4	o
Amoy,	15	29.75	755.6	75	77	ENE	1	o	9	29.78	756.4	71	91	ESE	1	o
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.82	757.5	72	96	...	o	r	5	29.82	757.5	68	96	E	4	b
Taichu,	,,	29.81	757.2	81	...	...	o	o	,,	29.81	757.2	70	...	...	o	o
Tainan,	,,	29.80	756.9	81	...	SSW	2	r	,,	29.78	756.3	70	...	...	o	o
Koshun,	,,	29.79	756.6	86	...	WSW	4	b	,,	29.76	756.0	77	...	E	2	b
Pescadores,	,,	29.81	757.2	77	...	N	2	r	,,	29.79	756.6	73	...	N	2	o
Canton,	14	29.75	755.6	81	83	N	1	o	6	...	...	...	...	...	...	...
Hongkong,	,,	29.74	755.4	78	80	E	3	o	,,	29.78	756.4	76	82	E	2	o
Gap Rock,	,,	29.75	755.6	...	...	ENE	4	c	,,	29.77	756.1	...	...	ENE	4	o
Macao,	,,	29.72	754.8	81	80	ESE	2	o	,,	29.74	755.4	73	92	NNE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.68	753.9	82	86	ENE	4	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.68	753.9	84	...	...	o	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.75	755.7	82	...	SSW	6	b	,,	...	...	...	...	...	...	...
Basco,	14	29.73	755.1	81	87	SW	4	r	6	...	...	...	...	...	...	...
Aparri,	,,	29.72	754.8	90	63	NNE	4	o	,,	29.75	755.7	77	91	SW	4	o
Manila,	,,	29.74	755.4	90	69	WSW	4	o	,,	29.79	756.6	79	92	SW	1	o
Legaspi,	,,	29.74	755.4	93	79	ENE	2	o	,,	29.80	756.9	77	98	SW	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	79	95	NNW	2	o
Iloilo,	,,	29.74	755.4	90	66	SSW	4	o	,,	29.81	757.2	77	89	...	o	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.81	757.2	...	...	SE	2	r	4.20	29.78	756.3	...	...	NE	1	o
Yap,	12.47	29.81	757.2	...	...	ENE	4	o	4.47	29.80	756.9	...	...	ENE	4	o
Labuan,	14	29.71	754.6	88	80	N	4	b	6	29.82	757.4	80	91	N	2	b

May 21d. 11h. 10m.—Pressure has increased slightly to moderately along the coast, and over Formosa and the Loochoos; it has decreased considerably over central Japan, and slightly to moderately elsewhere. A weak anticyclonic area is central over the lower Yangtze Valley, the depression is moving into the Sea of Japan, and a trough of relatively low pressure covers the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 22·92 inches, against an average of 18·65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, fresh; cloudy.
3.—Hongkong to Gap Rock,	E. winds, fresh; cloudy.
4.—South coast of China between Hongkong and Hainan,	E. winds, fresh; cloudy.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	21st May, 1925.								22nd May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	...	...	...	...	...	...	...	5	30.00	762.0	...	...	E	4	...
Hokodate,	"	29.74	755.5	...	...	ESE	6	...	"	29.73	755.0	...	...	ESE	5	...
Tokio,	"	29.69	754.0	...	...	S	2	...	"	29.80	757.0	...	...	ESE	5	...
Kochi,	"	29.61	752.0	...	...	WSW	2	...	"	...	...	...	...	SW	1	...
Nagasaki,	"	29.80	757.0	...	...	NW	3	...	"	29.90	759.5	...	...	...	0	...
Kagoshima,	"	29.80	757.0	...	...	WNW	2	...	"	29.92	760.0	...	...	NW	1	...
Oshima,	"	29.59	751.5	...	...	NNE	2	...	"	29.92	760.0	...	...	SSE	1	...
Naha,	"	29.88	759.0	...	...	NE	2	...	"	29.90	759.5	...	...	NE	1	...
Ishigakijima,	"	29.88	759.0	...	...	NE	3	...	"	29.84	758.0	...	...	NE	3	...
Bonin Island,	"	29.80	757.0	...	...	SSW	1	...	"	29.88	759.0	...	...	N	1	...
Chefoo,	15	29.62	752.3	69	86	E	1	0	6	29.54	750.3	62	77	S	4	0
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.88	759.0	77	35	SSE	1	b	"	29.75	755.7	61	85	SE	1	b
Gutzlaff,	"	29.92	759.9	68	51	SSE	2	b	"	29.79	756.6	63	83	S	6	b
Sharp Peak,	"	29.90	759.4	80	91	E	2	0	7	29.86	758.4	70	53	W	1	of
Amoy,	15	29.80	756.9	80	66	ENE	4	0	9	...	...	...	...	...	...	...
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.89	759.3	75	60	E	4	0	5	29.78	756.3	70	82	...	0	0
Taichu,	"	29.85	758.1	75	...	...	0	0	"	29.81	757.2	72	...	...	0	0
Tainan,	"	29.81	757.2	84	...	...	0	b	"	29.78	756.3	75	...	...	0	r
Koshun,	"	29.81	757.2	82	...	NE	4	b	"	29.75	755.7	77	...	ENE	4	0
Pescadores,	"	29.85	758.1	79	...	NE	4	0	"	29.78	756.3	73	...	NE	4	0
Canton,	14	29.81	757.2	75	86	E	1	or	6	29.77	756.1	72	95	ENE	1	0
Hongkong,	"	29.79	756.6	78	71	E	3	0	"	29.75	755.6	74	80	E	2	0
Gap Rock,	"	29.78	756.4	...	...	ENE	5	0	"	29.73	755.1	...	...	ENE	5	0
Macao,	"	29.78	756.3	75	91	NE	2	r	"	29.73	755.1	75	83	ENE	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.74	755.4	81	73	N	1	0	7	29.73	755.1	75	98	NNW	4	of
Tourane,	"	29.72	754.8	77	...	NW	4	0	"	29.69	754.2	73	...	W	2	0
Cape St. James,	"	...	...	...	...	...	...	...	"	29.79	756.6	77	...	SW	4	b
Basco,	14	29.69	754.2	81	84	N	4	0	6	...	...	...	...	...	...	...
Aparri,	"	29.72	754.8	90	69	ENE	4	0	"	29.76	756.0	77	94	SW	2	0
Manila,	"	29.76	756.0	86	68	SW	4	0	"	29.79	756.6	75	94	E	2	0
Legaspi,	"	29.74	755.4	90	63	SW	4	0	"	29.79	756.6	77	96	...	0	0
Tacloban,	"	29.73	755.1	90	66	SSE	2	0	"	29.79	756.6	79	89	SE	1	b
Iloilo,	"	...	...	...	...	...	...	...	"	29.79	756.6	79	87	...	0	0
Surigao,	"	...	...	...	...	...	...	...	"	29.80	756.9	77	92	S	1	0
Guam,	12.20	29.74	755.4	...	...	E	2	0	4.20	29.79	756.6	...	...	SE	1	r
Yap,	12.47	29.74	755.4	...	...	ENE	6	r	4.47	29.79	756.6	...	...	NE	2	0
Labuan,	14	29.71	754.6	88	76	NW	2	b	6	29.81	757.2	78	86	S	1	b

May 22*d.* 11*h.* 11*m.*—Pressure has increased moderately over central Japan and decreased slightly to moderately elsewhere. It is highest between the Loochoos and the Bonins, and depressions are situated over the Sea of Japan and to the west of Shantung. The relatively low area remains over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 22·92 inches, against an average of 19·08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. or variable winds, moderate; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	22nd May, 1925.								23rd May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.78	756.5	48	...	ESE	4	o	6	29.88	758.9	43	...	SE	3	o
Nemuro,	11	...	...	...	...		...	...	5	...	...	...	...	...	1	...
Hokodate,	"	29.70	754.5	...	...	SSE	2	...	"	29.82	757.5	...	...	SSW	1	...
Tokio,	"	29.80	757.0	...	...	S	1	...	"	29.98	61.5	...	...	NNW	1	...
Kochi,	"	29.90	759.5	...	...	SE	1	...	"	30.00	62.0	...	...	SW	1	...
Nagasaki,	"	29.92	760.0	...	...	NNW	1	...	"	29.96	761.0	...	...	SE	2	...
Kagoshima,	"	29.94	760.5	...	...	SE	1	...	"	29.98	61.5	...	...	...	0	...
Oshima,	"	29.94	760.5	...	...	SE	1	...	"	29.88	759.0	...	...	...	0	...
Naha,	"	29.92	760.0	...	...	SE	1	...	"	29.86	758.5	...	...	ESE	1	...
Ishigakijima,	"	29.86	758.5	...	...	SE	2	...	"	29.78	756.5	...	...	S	1	...
Bonin Island,	"	29.90	759.5	...	...	WNW	1	...	"	29.96	761.0	...	...	ENE	1	...
Chefoo.	15	29.67	753.6	64	78	E	1	b	6	29.81	757.2	56	89	E	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.69	754.2	86	49	SSE	4	b	"	29.71	754.5	66	95	S	1	b
Gutzlaff,	"	29.74	755.4	68	74	S	6	b	"	29.74	755.4	66	92	S	4	b
Sharp Peak,	"	29.85	758.2	84	60	N	1	of	7	29.86	758.4	74	84	N	1	rf
Amoy,	15	29.75	755.6	80	58	ENE	4	o	9	29.74	755.4	74	92	ENE	1	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.82	757.5	77	79	...	0	o	5	29.78	756.3	72	94	...	0	o
Taichu,	"	29.84	757.8	82	...	SSE	1	o	"	29.79	756.6	70	...	...	0	b
Tainan,	"	29.80	756.9	84	...	...	0	o	"	29.75	755.7	73	...	E	2	b
Koshun,	"	29.80	756.9	84	...	ENE	4	o	"	29.76	756.0	77	...	...	0	b
Pescadores,	"	29.82	757.5	79	...	N	4	o	"	29.75	755.7	75	...	NE	2	b
Canton,	14	29.75	755.6	84	75	ENE	1	c	6	...	...	...	...	...	...	...
Hongkong,	"	29.76	755.9	80	74	ESE	3	o	"	29.73	755.1	75	91	E	2	o
Gap Rock,	"	29.77	756.1	...	...	ENE	5	o	"	29.74	755.4	...	...	SE	3	o
Macao,	"	29.74	755.4	81	73	ESE	2	o	"	29.71	754.5	75	91	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.69	754.2	82	81	WNW	2	o	7	29.72	754.8	75	98	S	1	bf
Tourane,	"	29.72	754.8	81	...	NNE	2	o	"	29.74	755.4	77	...	...	0	o
Cape St. James,	"	29.80	756.9	75	...	SSW	7	o	"	29.82	757.5	79	...	SW	4	b
Basco,	14	29.72	754.8	81	84	E	2	r	6	...	...	...	...	...	...	...
Aparri,	"	29.72	754.8	86	75	NE	4	o	"	29.76	756.0	77	94	SW	2	o
Manila,	"	29.76	756.0	90	66	SW	2	o	"	29.80	756.9	79	90	SE	2	o
Legaspi,	"	29.74	755.4	93	67	NE	2	o	"	29.81	757.2	77	96	...	0	o
Tacloban,	"	...	...	...	...	...	...	...	"	29.82	757.5	79	92	WNW	1	o
Iloilo,	"	29.73	755.1	90	48	NNE	2	b	"	29.82	757.5	79	89	NNE	2	o
Surigao,	"	...	...	...	...	...	...	...	"	29.82	757.5	75	96	S	1	o
Guam,	12.20	29.74	755.4	...	...	ESE	2	o	4.20	29.81	757.2	...	...	NE	1	b
Yap,	12.47	29.75	755.7	...	...	NE	4	o	4.47	29.81	757.2	...	...	ENE	2	b
Labuan,	14	29.74	755.4	88	84	S	2	b	6	29.83	757.7	80	91	...	0	b

May 23*d*. 11*h*. 40*m*.—Pressure has increased moderately over the north-eastern portion of the area, and slightly over the Visayas; it has decreased slightly elsewhere.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 22·93 inches, against an average of 19·52 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel,	Light variable winds, freshening from S.
2.—South coast of China between Hongkong and Lamocks,	E. to S. winds, moderate; cloudy, occasional rain.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	23rd May, 1925.								24th May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	29.85	758.1	50	...	SE	3	o	6	29.97	761.1	43	...	...	o	f
Nemuro,	11	29.80	757.0	...	...	SW	4	...	5	29.88	759.0	...	...	...	...	...
Hokodate,	"	29.59	751.5	...	...	W	3	...	"	29.94	760.5	...	...	...	...	...
Tokio,	"	29.98	761.5	...	...	ESE	1	...	"	29.98	761.5	...	...	...	o	...
Kochi,	"	29.94	760.5	...	...	...	o	...	"	30.02	762.5	...	...	...	o	...
Nagasaki,	"	29.96	761.0	...	...	ESE	2	...	"	29.96	761.0	...	...	...	...	...
Kagoshima,	"	29.98	761.5	...	...	...	o	...	"	29.98	761.5	...	...	NNE	1	...
Oshima,	"	29.90	759.5	...	...	SSE	1	...	"	29.92	760.0	...	...	...	...	...
Naha,	"	29.90	759.5	...	...	SSE	1	...	"	29.84	758.0	...	...	ENE	1	...
Ishigakijima,	"	29.82	757.5	...	...	SSW	1	...	"	29.78	756.5	...	...	NE	1	...
Bonin Island,	"	29.98	761.5	...	...	ENE	1	...	"	29.90	759.5	...	...	ENE	1	...
Chefoo,	15	29.84	757.9	65	78	E	4	b	6	29.83	757.7	66	79	S	2	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.79	756.6	82	60	NNW	4	b	"	29.86	758.4	63	98	N	1	b
Gutzlaff,	"	29.80	756.9	74	76	NNE	1	b	"	29.87	758.7	64	100	...	o	of
Sharp Peak,	"	29.82	757.4	86	68	S	2	o	7	29.81	757.2	75	86	...	o	of
Amoy,	15	29.70	754.4	80	74	ENE	2	b	9	29.74	755.4	76	86	SSE	1	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.78	756.3	86	58	NW	2	b	5	29.78	756.3	72	96	...	o	b
Taichu,	"	29.80	756.9	90	...	...	o	o	"	29.81	757.2	75	...	...	o	o
Tainan,	"	29.80	756.9	81	...	SSW	2	o	"	29.76	756.0	70	...	SE	1	b
Koshun,	"	29.80	756.9	79	...	...	o	r	"	29.76	756.0	73	...	...	o	b
Pescadores,	"	29.81	757.2	77	...	S	4	r	"	29.75	755.7	75	...	...	o	o
Canton,	14	29.71	754.6	88	69	SW	1	b	6	29.73	755.1	78	95	SSE	1	o
Hongkong,	"	29.74	755.4	81	78	E	2	c	"	29.73	755.1	77	95	E	1	om
Gap Rock,	"	29.75	755.6	...	...	ENE	3	c	"	29.73	755.1	...	...	SE	2	b
Macao,	"	29.72	754.8	86	75	NNE	2	o	"	29.69	754.2	77	96	...	o	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.67	753.6	82	84	SSE	4	o	7	29.67	753.6	79	96	SE	2	of
Tourane,	"	29.72	754.8	86	...	SE	2	b	"	29.73	755.1	82	...	...	o	b
Cape St. James,	"	29.81	757.2	90	...	SW	2	b	"	29.88	759.0	79	...	SW	4	b
Basco,	14	...	...	...	...	...	...	...	6	29.78	756.3	79	90	S	4	o
Aparri,	"	29.76	756.0	90	69	NNE	4	o	"	29.79	756.6	77	92	SSE	2	o
Manila,	"	29.80	756.9	90	66	WSW	2	o	"	29.84	757.8	79	91	...	o	o
Legaspi,	"	29.78	756.3	93	71	NE	2	b	"	29.84	757.8	77	98	...	o	o
Tacloban,	"	29.80	756.9	86	58	S	4	b	"	...	...	...	...	...	...	...
Iloilo,	"	29.76	756.0	90	69	SSW	4	o	"	29.84	757.8	77	92	NW	1	o
Surigao,	"	29.79	756.6	90	66	E	2	b	"	29.85	758.1	75	91	SE	1	o
Guam,	12.20	29.79	756.6	...	...	SSE	2	o	4.20	29.85	758.1	...	...	SE	1	o
Yap,	12.47	29.78	756.3	...	...	ENE	4	o	4.47	29.84	757.8	...	...	ENE	4	o
Latuan,	14	29.71	754.6	86	84	S	2	b	6	29.78	756.4	80	91	N	2	b

May 24*d.* 11*h.* 30*m.*—Pressure has decreased slightly over Luzon, Tongking and the Loochoos; it has increased slightly to moderately elsewhere. A weak anticyclone covers Japan, and a depression is situated over Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 22·93 inches, against an average of 19·97 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel,	Light southerly or variable winds.
2.—South coast of China between Hongkong and Lamocks,	S.E. winds, moderate; fair to showery.
3.—Hongkong to Gap Rock,	S.E. winds, moderate; fair to showery.
4.—South coast of China between Hongkong and Hainan,	S.E. winds, moderate; fair to showery.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	24th May, 1925.								25th May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostook, .	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Kemuro,	11	29.82	757.5	...	...	N	1	...	5	29.92	760.0	...	...	...	...	...
Hokodate,	"	29.94	760.5	...	...	...	0	...	"	30.00	762.0	...	...	...	0	...
Tokio,	"	29.96	761.0	...	...	SSE	1	...	"	30.00	762.0	...	...	WNW	1	...
Kochi,	"	30.00	762.0	...	...	SSE	1	...	"	29.98	761.5	...	...	...	0	...
Nagasaki,	"	29.98	761.5	...	...	S	2	...	"	29.96	761.0	...	...	...	0	...
Kagoshima,	"	29.98	761.5	...	...	ESE	1	...	"	29.94	760.5	...	...	NE	1	...
Oshima,	"	29.90	759.5	...	...	ESE	1	...	"	29.82	757.5	...	...	ESE	1	...
Kisha,	"	29.86	758.5	...	...	ENE	1	...	"	29.73	755.0	...	...	E	1	...
Ishigakijima,	"	29.80	757.0	...	...	S	2	...	"	29.69	754.0	...	...	SW	3	...
Bonin Island,	"	29.88	759.0	...	...	ENE	1	...	"	29.90	759.5	...	...	NNE	1	...
Chefoo,	15	29.70	754.4	72	81	S	2	b	6	29.74	755.4	65	91	SSE	1	0
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.85	758.1	72	82	SSE	1	o	"	...	...	...	...	...	...	...
Wutzlaff,	"	29.87	758.7	64	100	SE	4	of	"	...	...	...	...	...	...	...
Sharp Peak,	"	29.79	756.6	78	86	E	1	r	7	29.77	756.1	72	95	...	0	r
Amoy,	15	29.68	753.9	80	82	SSE	4	o	9	29.63	752.6	75	95	ENE	1	r
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.78	756.3	86	71	...	4	o	5	29.68	753.9	73	96	...	0	o
Taichu,	"	29.79	756.6	86	...	...	0	o	"	29.72	754.8	73	...	...	0	o
Tainan,	"	29.80	756.9	77	...	S	2	r	"	29.72	754.8	75	...	E	2	o
Koshun,	"	29.81	757.2	84	...	...	0	o	"	29.73	755.1	79	...	...	0	o
Pescadores,	"	29.79	756.6	82	...	W	1	o	"	29.69	754.2	79	...	SSW	1	o
Canton,	14	29.65	753.1	81	91	S	1	c	6	...	...	...	...	...	...	...
Hongkong,	"	29.69	754.1	82	84	SSE	1	op	"	29.65	753.1	81	86	SW	2	cpq
Gap Rock,	"	29.69	754.1	...	...	SE	2	ot	"	29.65	753.1	...	...	SW	4	c
Macao,	"	29.68	753.9	77	98	SE	4	r	"	29.62	752.4	79	96	SSW	2	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.61	752.1	90	76	SSW	2	b	7	29.61	752.1	79	85	SSW	2	bf
Tourane,	"	29.69	754.2	86	...	SSW	2	b	"	29.69	754.2	84	...	...	0	b
Cape St. James,	"	29.81	757.2	90	...	SW	2	b	"	29.84	757.8	79	...	SW	2	b
Basco,	14	29.75	755.7	75	96	WSW	4	r	6	...	...	...	...	...	...	...
Aparri,	"	29.75	755.7	86	81	NNE	2	r	"	29.76	756.0	77	91	SW	4	b
Manila,	"	29.79	756.6	90	66	SW	4	o	"	29.82	757.5	79	96	...	0	o
Legaspi,	"	29.76	756.0	86	65	NE	2	b	"	29.81	757.2	77	96	...	0	o
Tacloban,	"	...	...	...	...	...	...	...	"	29.81	757.2	77	94	NW	1	b
Iloilo,	"	29.76	756.0	90	63	SSW	2	o	"	29.82	757.5	77	89	...	0	o
Surigao,	"	29.78	756.3	86	61	ENE	2	o	"	29.82	757.5	75	92	SE	1	o
Guam,	12.20	29.80	756.9	...	...	NW	2	r	4.20	29.80	756.9	...	...	S	1	o
Yap,	12.47	29.78	756.3	...	...	SE	2	o	4.47	29.81	757.2	...	...	NE	4	o
Nabnan,	14	29.85	758.2	88	84	N	2	b	6	29.83	757.7	80	91	NE	1	b

May 25*d.* 10*h.* 39*m.*—Pressure has increased slightly over Shantung, N. Japan and the Bonins; it has decreased slightly to moderately elsewhere and is low over China generally. The anticyclone has moved into the Pacific.

Moderate to fresh south-west winds will prevail over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·26 inch. Total since January 1st, 23·19 inches, against an average of 20·43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel,	S.W. winds, moderate, squally; cloudy, showery.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	25th May, 1925.								26th May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock. .	12	29.98	761.6	53	...	SSW	4	o	6	30.00	762.0	47	...	...	0	o
Nemuro,	11	30.14	765.5	...	...	NW	2	...	5	29.90	759.5	...	...	WSW	1	...
Hokodate,	,,	29.98	761.5	...	...	SSE	2	...	,,	29.96	761.0	...	...	...	...	...
Tokio,	,,	29.96	761.0	...	...	ESE	1	...	,,	29.92	760.0	...	...	...	0	...
Kochi,	,,	29.98	761.5	...	...	SE	1	...	,,	29.90	759.5	...	...	SW	1	...
Nagasaki,	,,	...	...	...	...	S	1	...	,,	29.82	757.5	...	...	...	...	...
Kagoshima,	,,	29.96	761.0	...	...	...	0	...	,,	29.80	757.0	...	...	ENE	1	...
Oshima,	,,	29.82	757.5	...	...	SE	1	...	,,	29.67	753.5	...	...	SE	2	...
Naha,	,,	29.80	757.0	...	...	SSE	1	...	,,	29.57	751.0	...	...	...	...	...
Ishigakijima,	,,	29.69	754.0	...	...	WNW	2	...	,,	29.61	752.0	...	...	SW	1	...
Bonin Island,	,,	29.88	759.0	...	...	NE	1	...	,,	29.84	758.0	...	...	ESE	1	...
Chefoo.	15	29.63	752.6	88	52	S	1	o	6	29.69	754.1	65	95	...	0	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.75	755.7	82	48	SSE	2	b	,,	29.72	754.8	68	96	ESE	1	r
Gutzlaff,	,,	29.79	756.6	71	91	SE	4	o	,,	29.73	755.1	65	95	SE	4	r
Sharp Peak,	,,	29.74	755.4	73	94	NNE	2	r	7	29.65	753.1	72	94	...	o	rf
Amoy,	15	29.59	751.6	80	92	ENE	2	o	9	29.56	750.8	74	95	SSE	2	of
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.71	754.5	75	96	NW	2	r	5	29.58	751.2	73	98	...	o	o
Taichu,	,,	29.73	755.1	79	...	...	o	r	,,	29.65	753.0	73	...	...	o	r
Tainan,	,,	29.73	755.1	77	...	ENE	2	r	,,	29.63	752.7	73	...	...	...	...
Koshun,	,,	29.78	756.3	90	...	WNW	2	o	,,	29.61	752.1	77	...	W	2	o
Pescadores,	,,	29.73	755.1	77	...	WNW	4	r	,,	29.59	751.3	79	...	SW	4	o
Canton,	14	29.59	751.6	77	95	...	o	o	6	29.61	752.1	77	95	...	o	c
Hongkong,	,,	29.60	751.8	85	75	SSW	4	oq	,,	29.59	751.6	80	90	W	1	o
Gap Rock,	,,	29.65	753.1	...	...	SSW	5	c	,,	29.62	752.3	...	...	SW	4	o
Macao,	,,	...	...	...	...	...	...	...	,,	29.58	751.2	81	90	W	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.55	750.6	93	61	W	2	b	7	29.60	751.8	81	90	E	4	o
Tourane,	,,	29.61	752.1	93	...	WNW	2	b	,,	29.63	752.7	84	...	S	2	b
Cape St. James,	,,	29.75	755.7	93	...	SW	2	b	,,	29.80	756.9	79	...	S	4	b
Basco,	14	29.66	753.3	84	81	SW	4	o	6	29.63	752.7	82	87	S	6	r
Aparri,	,,	29.67	753.6	93	57	NE	2	o	,,	29.67	753 6	75	94	SW	2	o
Manila,	,,	29.73	755.1	90	69	WSW	4	o	,,	29.73	755.1	77	88	ESE	1	b
Legaspi,	,,	29.71	754.5	86	56	WSW	2	o	,,	29.72	754.8	79	96	...	o	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	86	71	SSW	4	o	,,	29.74	755.4	75	91	NW	2	b
Surigao,	,,	29.74	755.4	86	61	W	1	r	,,	29.75	755.7	75	94	...	o	b
Guam,	12.20	29.75	755.7	...	...	NE	1	r	4.20	29.72	754.8	...	...	S	1	r
Yap,	12.47	29.74	755.4	...	...	ENE	4	o	4.47	29.75	755.7	...	...	NNE	2	o
Labuan,	14	29 78	756.4	80	91	NE	2	o	6	29.79	756.6	78	86	S	2	b

May 26*d.* 11*h.* 45*m.*—Pressure has increased slightly from Chefoo to Wladivostock. It has decreased considerably at Nemuro and Naha and moderately to slightly elsewhere.

A weak anticyclone covers Manchuria.

A depression is situated W. of Naha.

Pressure is relatively low over China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·22 inch. Total since January 1st, 23·41 inches, against an average of 20·90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27th.

District.	Forecast.
1.—Formosa Channel,	S.W. winds, moderate; cloudy, showery.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	26th May, 1925.								27th May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostook,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Gemuro,	11	29.90	759.5	...	...	N	1	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.96	761.0	...	...	SSE	2	...	"	30.08	764.0	...	...	ESE	1	...
Tokio,	"	29.88	759.0	...	...	ENE	1	...	"	29.98	761.5	...	...	E	1	...
Kochi,	"	29.90	759.5	...	...	SE	1	...	"	29.84	758.0	...	...	SW	1	...
Nagasaki,	"	29.76	756.0	...	...	SSE	1	...	"	29.75	755.5	...	...	E	1	...
Kagoshima,	"	29.88	759.0	...	...	E	2	...	"	29.73	755.0	...	...	E	1	...
Oshima,	"	29.63	752.5	...	...	SSE	1	...	"	29.63	752.5	...	...	...	...	...
Naha,	"	29.57	751.0	...	...	ENE	1	...	"	29.57	751.0	...	...	ENE	1	...
Ishigakijima,	"	29.59	751.5	...	...	S	1	...	"	29.61	752.0	...	...	NW	1	...
Bonin Island,	"	29.84	758.0	...	...	E	1	...	"	29.73	755.0	...	...	ESE	1	...
Chefoo,	15	29.71	754.6	65	100	S	1	r	6	29.68	753.9	60	90	SW	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.73	755.1	72	82	E	2	o	"	29.80	756.9	66	98	E	1	of
Nutzlaff,	"	29.72	754.9	65	100	E	4	rf	"	29.79	756.6	64	100	NNE	2	rf
Sharp Peak,	"	29.75	755.6	84	75	E	1	b	7	29.76	755.9	75	86	E	1	b
Amoy,	15	29.55	750.5	77	86	ENE	4	o	9	29.64	752.8	75	92	ENE	1	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.61	752.1	77	96	W	2	r	5	29.67	753.6	73	96	...	o	o
Taichu,	"	29.65	753.0	82	...	S	2	o	"	29.66	753.3	73	...	NNE	2	r
Tainan,	"	29.66	753.3	77	...	W	2	r	"	29.63	752.7	75	...	...	o	o
Koshun,	"	29.63	752.7	86	...	W	2	o	"	29.63	752.7	77	...	...	o	r
Pescadores,	"	29.65	753.0	79	...	WSW	4	o	"	29.65	753.0	75	...	NNE	4	o
Canton,	14	29.57	751.3	91	67	NNW	1	b	6	29.70	754.4	75	86	NNW	1	b
Hongkong,	"	29.57	751.1	87	70	W	2	c	"	29.66	753.3	79	79	...	o	c
Gap Rock,	"	29.60	751.8	...	...	NW	3	c	"	29.65	753.1	...	...	N	2	b
Macao,	"	29.56	750.9	86	75	NE	2	o	"	29.63	752.7	75	88	NNW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.54	750.3	90	72	ESE	4	of	7	...	...	...	...	...	...	...
Tourane,	"	29.60	751.8	86	...	ENE	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.71	754.5	82	...	S	4	o	"	...	...	...	...	...	...	...
Basco,	14	29.59	751.3	81	84	SSW	4	o	6	29.63	752.7	82	87	SSW	4	o
Aparri,	"	29.62	752.4	86	68	NNE	2	o	"	29.67	753.6	79	90	...	o	o
Manila,	"	29.67	753.6	90	72	SW	4	o	"	29.73	755.1	79	95	...	o	o
Legaspi,	"	29.66	753.3	86	61	SSW	4	o	"	29.71	754.5	75	92	SSW	2	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.68	753.8	97	42	SW	6	o	"	29.75	755.7	70	74	SSW	6	o
Surigao,	"	29.68	753.9	90	63	SSW	1	o	"	29.74	755.4	79	84	SSW	1	o
Guam,	12.20	29.68	753.9	...	...	SW	2	o	4.20	29.72	754.8	...	...	S	1	o
Yap,	12.47	29.72	754.8	...	...	WSW	4	o	4.47	29.75	755.7	...	...	NW	1	o
Labuan,	14	29.77	756.1	82	91	NE	2	o	6	29.77	756.1	82	91	S	4	b

May *27d. 12h. 30m.*—Pressure has decreased slightly over Shantung and central Japan, and moderately over the Bonins; it has increased moderately over N. Formosa, and slightly elsewhere. The anticyclone is central over Hokkaido, and a weak anticyclonic area covers China; a depression is situated about 150 miles south of Naha.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 23·42 inches, against an average of 21·38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; fair.
3.—Hongkong to Gap Rock,	E. winds, moderate; fair.
4.—South coast of China between Hongkong and Hainan,	E. winds, moderate; fair.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	27th May, 1925.								28th May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook, .	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	...	...	...	...	...	...	...	5	30.20	767.0	...	...	SSE	1	...
Hokodate,	"	30.14	765.5	...	...	SE	3	...	"	30.14	765.5	...	...	ENE	1	...
Tokio,	"	30.00	762.0	...	...	NE	2	...	"	30.06	763.5	...	...	NNW	1	...
Kochi,	"	29.82	757.5	...	...	...	...	...	"	29.92	760.0	...	...	...	0	...
Nagasaki,	"	29.74	755.5	...	...	WSW	1	...	"	29.86	758.5	...	...	...	...	...
Kagoshima,	"	29 76	756.0	...	...	NE	1	...	"	29.84	758.0	...	...	NNE	1	...
Oshima,	"	29.67	753.5	...	...	NNE	1	...	"	29.78	756.5	...	...	...	0	...
Naha,	"	29.65	753.0	...	...	ENE	2	...	"	29.75	755.5	...	...	ENE	1	...
Ishigakijima,	"	29.67	753.5	...	...	NNW	2	...	"	29.75	755.5	...	...	...	0	...
Bonin Island,	"	29.69	754.0	...	...	ESE	1	...	"	29.69	754.0	...	...	E	1	...
Chefoo,	15	29.66	753.3	64	91	ESE	4	0	6	...	...	...	...	...	...	...
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.81	757.2	79	73	ESE	1	0	"	29.85	758.1	63	100	SSE	1	0
Gutzlaff,	"	29.85	758.1	66	95	ESE	2	0	"	29.88	758.9	63	100	SSE	2	of
Sharp Peak,	"	29.75	755.6	80	78	E	2	0	7	29.83	757.7	72	90	E	2	0
Amoy,	15	29.68	753.9	81	83	ENE	4	0	9	29.76	755.9	74	81	NNE	4	0
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.71	754.5	79	80	NW	2	0	5	29.80	756.9	68	98	...	0	h
Taichu,	"	29.68	753.9	84	...	...	0	0	"	29.75	755.7	72	...	...	0	r
Tainan,	"	29.66	753.3	84	...	...	0	0	"	29.73	755.1	75	...	...	0	h
Koshun,	"	29.66	753.3	86	...	NW	2	0	"	29.74	755.4	75	...	...	0	h
Pescadores,	"	29.68	753.9	82	...	N	4	0	"	29.74	755.4	75	...	NNE	4	b
Canton,	14	29.68	753.9	88	69	...	0	b	6	...	...	...	...	...	...	...
Hongkong,	"	29.68	753.9	83	79	E	4	0	"	29.75	755.6	78	82	NE	2	0
Gap Rock,	"	29.69	754.1	...	...	E	4	c	"	29.73	755.1	...	...	ENE	4	or
Macao,	"	29.66	753.3	86	65	E	4	0	"	29.71	754.5	77	94	NE	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.67	753.6	77	94	ENE	4	r	7	29.82	757.5	66	96	NW	4	r
Tourane,	"	29.62	752.4	86	...	NW	2	b	"	29.72	754.8	79	...	W	2	0
Cape St. James,	"	...	...	...	...	...	...	...	"	29.79	756.6	79	...	SW	2	b
Basco,	14	29.62	752.4	82	86	SW	4	0	6	...	...	...	...	...	...	...
Aparri,	"	29.63	752.7	90	60	NNE	4	0	"	29.72	754.8	79	90	...	0	0
Manila,	"	29.72	754.8	86	75	SW	4	0	"	29.75	755.7	79	92	NE	1	0
Legaspi,	"	29.67	753.6	93	64	SW	4	0	"	29.75	755.7	77	94	SW	2	b
Tacloban,	"	...	...	...	...	...	...	...	"	29.79	756.6	79	95	NW	2	0
Iloilo,	"	29.69	754.2	86	72	SSW	4	0	"	29.79	756.6	81	84	SW	4	0
Surigao,	"	29.71	754.5	90	63	W	4	0	"	29.79	756.6	79	89	SSW	1	0
Guam,	12.20	29.68	753.9	...	...	NE	1	0	4.20	29.75	755.7	...	...	SE	1	0
Yap,	12.47	29.71	754.5	...	...	W	1	0	4.47	29.81	757.2	...	...	WSW	2	r
Labuan,	14	29.71	754.6	86	80	NW	2	b	6	29.76	755.9	80	91	S	2	b

May 28*d*. 11*h*. 29*m*.—Pressure has increased slightly to moderately at all stations; it is highest to the east of Hokkaido, and relatively low from Indo-China across the northern China Sea, Luzon and Formosa, to the Bonins. The depression has moved eastward and is now situated to the southward of the Bonins.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 23·42 inches, against an average of 21·86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; cloudy, rain.
3.—Hongkong to Gap Rock,	E. winds, moderate; cloudy, rain.
4.—South coast of China between Hongkong and Hainan,	E. winds, moderate; cloudy, rain.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	28th May, 1925.								29th May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	...	...	...	...	...	...	...	5	30.20	767.0	...	...	SSW	1	...
Hokodate,	"	30.10	764.5	...	...	FSE	4	...	"	30.04	763.0	...	...	N	1	...
Tokio,	"	30.06	763.5	...	...	NNW	1	...	"	30.04	763.0	...	...	...	0	...
Kochi,	"	29.94	760.5	...	...	SE	1	...	"	29.96	761.0	...	...	...	0	...
Nagasaki,	"	29.86	758.5	...	...	SE	1	...	"	29.94	760.5	...	...	...	0	...
Kagoshima,	"	29.86	758.5	...	...	S	1	...	"	29.92	760.0	...	...	NE	1	...
Oshima,	"	29.80	757.0	...	...	SE	1	...	"	29.82	757.5	...	...	SE	1	...
Naha,	"	29.76	756.0	...	...	E	1	...	"	29.80	757.0	...	...	ESE	1	...
Ishigakijima,	"	29 76	756.0	...	...	NNW	2	...	"	29.80	757.0	...	...	N	1	...
Bonin Island,	"	29.70	754.5	...	...	ENE	1	...	"	29.75	755.5	...	...	ENE	1	...
Chefoo,	15	29.73	755.1	60	100	E	2	o	6	29.76	755.9	60	94	WNW	2	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.82	757.5	82	40	SSW	1	o	"	29.85	758.1	64	96	SSE	1	b
Gutzlaff,	"	29.86	758.4	67	95	SSE	2	o	"	29.87	758.7	64	100	SSE	2	b
Sharp Peak,	"	29.82	757.4	83	75	E	2	b	7	29.86	758.4	73	90	...	...	...
Amoy,	15	29.75	755.6	81	71	ENE	2	o	9	...	...	...	...	...	...	...
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.81	757.2	84	64	E	4	b	5	29.86	758.4	70	85	...	o	of
Taichu,	"	29.76	756.0	86	...	...	o	o	"	29.80	756.9	75	...	...	o	o
Tainan,	"	29.75	755.7	86	...	SSW	2	b	"	29.78	756.3	52	...	...	o	b
Koshun,	"	29.75	755.7	86	...	ENE	2	b	"	29.78	756.3	75	...	...	o	o
Pescadores,	"	29.79	756.6	82	...	NE	4	b	"	29.79	756.6	77	...	NNE	4	o
Canton,	14	29.72	754.9	74	81	N	2	o	6	...	...	...	...	...	...	...
Hongkong,	"	29.77	756.1	78	76	E	3	o	"	29.79	756.6	75	77	ENE	1	o
Gap Rock,	"	29.78	756.4	...	...	ENE	5	or	"	29.79	756.6	...	...	NE	4	o
Macao,	"	29.76	756.0	73	92	N	4	r	"	29.78	756.3	70	88	NNE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.76	756.0	82	54	NNW	4	b	7	29.84	757.8	73	89	NW	4	o
Tourane,	"	29.73	755.1	77	...	NW	4	o	"	29.84	757.8	72	...	NW	4	r
Cape St. James,	"	29.75	755.7	77	...	SW	2	r	"	...	...	...	...	...	...	...
Basco,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	"	29.69	754.2	90	66	N	4	o	"	29.76	756.0	77	92	SW	4	o
Manila,	"	29.74	755.4	90	69	WSW	4	o	"	29.79	756.6	77	94	ESE	1	b
Legaspi,	"	29.72	754.8	90	63	WSW	4	o	"	29.78	756.3	79	92	S	2	o
Tacloban,	"	29.72	754.8	86	68	S	4	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.73	755.1	86	68	SSW	6	o	"	...	...	...	...	...	...	...
Surigao,	"	29.74	755.4	86	61	W	4	b	"	...	...	...	...	...	...	...
Guam,	12.20	29.74	755.4	...	...	N	1	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.75	755.7	...	...	NW	2	o	4.47	29.79	756.6	...	...	...	o	o
Zabuan,	14	29.86	758.4	82	91	N	4	o	6	29.83	757.7	78	94	...	o	b

May 29*d*. 10*h*. 54*m*.—Pressure has decreased slightly over N. Japan and increased slightly elsewhere; it is highest in the Pacific to the east of Hokkaido and relatively low over Korea, and in the Pacific from Formosa and Luzon eastwards.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 23·44 inches, against an average of 22·34 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	29th May, 1925.								30th May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.99	761.7	56	...	WSW	3	o	6	29.94	760.4	48	...	ESE	4	o
Nemuro,	11	30.04	763.0	...	...	SW	3	...	5	29.94	760.5	...	...	SSE	1	...
Hokodate,	,,	30.04	763.0	...	...	SE	2	...	,,	29.94	760.5	...	...	ESE	1	...
Tokio,	,,	30.04	763.0	...	...	E	1	...	,,	29.98	761.5	...	...	NNW	1	...
Kochi,	,,	29.98	761.5	...	...		0	...	,,	29.98	761.5	...	...	...	0	...
Nagasaki,	,,	29.92	760.0	...	...	SSE	1	...	,,	29.96	761.0	...	...	...	0	...
Kagoshima,	,,	29.90	759.5	...	...	...	0	...	,,	29.96	761.0	...	...	NW	1	...
Oshima,	,,	29.82	757.5	...	...	SSE	2	...	,,	29.88	759.0	...	...	...	...	...
Naha,	,,	29.82	757.5	...	...	SE	1	...	,,	29.84	758.0	...	...	N	1	...
Ishigakijima,	,,	29.80	757.0	...	...	N	1	...	,,	29.84	758.0	...	...	...	0	...
Bonin Island,	,,	29.76	756.0	...	...	NE	1	...	,,	29.82	757.5	...	...	...	...	...
Chefoo.	15	29.83	757.7	60	76	NE	4	b	6	29.91	759.7	54	94	E	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.84	757.8	90	38	WSW	1	b	,,	29.89	759.3	66	92	SSE	1	b
Gutzlaff,	,,	29.89	759.2	67	95	SSE	6	of	,,	29.93	760.2	84	83	SSE	4	o
Sharp Peak,	,,	29.86	758.4	84	65	E	1	o	7	29.89	759.2	73	76	NW	1	of
Amoy,	15	29.78	756.4	82	67	ENE	1	o	9	29.81	757.2	77	82	...	o	o
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.85	758.1	84	64	E	4	b	5	29.84	757.8	72	91	SE	2	o
Taichu,	,,	29.81	757.2	84	...	NNW	2	b	,,	29.86	758.4	73	...	...	o	b
Tainan,	,,	29.80	756.9	84	...	SW	2	o	,,	29.84	757.8	75	...	...	o	o
Koshun,	,,	29.81	757.2	84	...	E	2	b	,,	29.84	757.8	79	...	ENE	2	o
Pescadores,	,,	29.82	757.5	82	...	N	4	o	,,	29.84	757.8	77	...	N	2	b
Canton,	14	29.82	757.4	82	79	NW	1	o	6	29.82	757.4	73	95	N	1	o
Hongkong,	,,	29.81	757.2	81	67	E	3	o	,,	29.80	756.9	76	73	E	2	o
Gap Rock,	,,	29.82	757.4	...	...	NE	4	o	,,	29.80	756.9	...	...	E	4	o
Macao,	,,	29.79	756.6	81	76	NE	2	o	,,	29.78	756.3	77	68	E	2	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.80	756.9	84	58	WSW	1	o	7	29.80	756.9	75	91	SSW	2	o
Tourane,	,,	29.79	756.6	79	...	NW	4	o	,,	29.81	757.2	73	...	WNW	2	o
Cape St. James,	,,	29.78	756.3	86	...	SW	2	o	,,	29.81	757.2	79	...	SW	2	o
Basco,	14	29.74	755.4	86	...	SE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.74	755.4	90	66	N	4	b	,,	..	..	...	...	...	...	...
Manila,	,,	29.76	756.0	90	63	SW	4	o	,,	29.80	756.9	77	92	E	1	o
Legaspi,	,,	29.75	755.7	90	66	S	4	o	,,	29.79	756.6	77	96	SW	1	b
Tacloban,	,,	...	...	...	..	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	86	65	SSW	4	o	,,	29.80	756.9	77	91	N	1	o
Surigao,	,,	29.79	756.6	86	68	WSW	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	SE	1	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.78	756.3	...	...	N	2	o	4.47	29.81	757.2	...	...	...	o	o
Labuan,	14	29.72	754.9	84	83	S	2	b	6	29.79	756.6	80	82	S	2	b

May 30*d.* 11*h.* 20*m.*—Pressure has increased slightly along the shores of Yellow and Eastern Seas; it has decreased moderately over the greater part of Japan, and slightly elsewhere. The area of low pressure remains over the northern China Sea and the Pacific to the east of the Philippines. The northern anticyclonic area has moved eastwards to the Pacific, but pressure is still relatively high over Japan and the adjacent seas.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 23·44 inches, against an average of 22·83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
1.—Formosa Channel,	Light northerly or variable winds.
2.—South coast of China between Hongkong and Lamocks,	E. and S.E. winds, moderate; cloudy.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	30th May, 1925.								31st May, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	29.89	759.3	62	...	WSW	2	h	6	29.92	759.9	50	...	...	0	f
Gemuro,	11	...	...	...	...	...	...	...	5	29.86	758.5	...	...	NW	1	...
Hokodate,	,,	29.92	760.0	...	...	...	...	...	,,	29.94	760.5	...	...	NNW	1	...
Tokio,	,,	29.94	760.5	...	...	S	1	...	,,	29.94	760.5	...	...	...	0	...
Kochi,	,,	29.94	760.5	...	...	SE	1	...	,,	29.96	761.0	...	...	SW	1	...
Nagasaki,	,,	29.96	761.0	...	...	WNW	1	...	,,	29.96	761.0	...	...	...	...	...
Kagoshima,	,,	29.96	761.0	...	...	SSE	1	...	,,	29.98	761.5	...	...	...	0	...
Ishima,	,,	29.92	760.0	...	...	NNE	1	...	,,	29.92	760.0	...	...	...	...	...
Naha,	,,	29.88	759.0	...	...	N	2	...	,,	29.88	759.0	...	...	E	1	...
Ishigakijima,	,,	29.88	759.0	...	...	SSE	2	...	,,	29.84	758.0	...	...	...	...	...
Bonin Island,	,,	29.84	758.0	...	...	NW	1	...	,,	29.92	760.0	...	...	...	0	...
Chefoo,	15	29.91	759.7	66	73	E	1	b	6	29.89	759.2	62	77	SW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.89	759.3	84	58	SSE	1	o	,,	29.93	760.2	68	77	E	1	o
Hutzlaff,	,,	29.93	760.2	70	80	SSE	2	o	,,	29.94	760.5	67	100	NE	2	o
Sharp Peak,	,,	29.90	759.4	78	70	N	2	o	7	29.89	759.2	75	86	NW	1	o
Amoy,	15	29.82	757.4	88	52	ENE	4	b	9	29.79	756.6	77	77	...	0	b
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.86	758.4	84	64	ENE	4	b	5	29.82	757.5	73	94	...	0	b
Taichu,	,,	29.86	758.4	86	...	...	0	b	,,	29.84	757.8	75	...	...	0	o
Tainan,	,,	29.85	758.1	86	...	NW	2	o	,,	29.81	757.2	75	...	...	0	b
Koshun,	,,	29.82	757.5	86	...	ENE	4	b	,,	29.81	757.2	77	...	ENE	2	o
Pescadores,	,,	29.85	758.1	82	...	N	4	b	,,	29.81	757.2	75	...	SW	1	r
Canton,	14	29.80	756.9	85	68	S	1	o	6	...	...	...	...	...	...	...
Hongkong,	,,	29.80	756.9	79	75	E	4	o	,,	29.78	756.4	78	91	E	2	op
Gap Rock,	,,	29.79	756.6	...	...	SE	3	o	,,	29.77	756.1	...	...	E	3	o
Macao,	,,	29.78	756.3	79	84	ESE	4	o	,,	29.74	755.4	77	96	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.74	755.4	86	58	SSE	2	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.75	755.7	82	...	E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.80	756.9	75	...	SE	4	r	,,	...	...	...	...	...	...	...
Basco,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	77	92	SW	2	b
Manila,	,,	29.73	755.1	93	50	SE	4	o	,,	29.80	756.9	77	91	NE	2	o
Legaspi,	,,	29.76	756.0	90	69	NE	2	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.79	756.6	77	89	NW	4	o	,,	29.79	756.6	75	96	...	0	o
Iloilo,	,,	29.76	756.0	82	84	S	2	o	,,	29.81	757.2	77	96	...	0	o
Surigao,	,,	29.76	756.0	86	65	W	1	o	,,	29.80	756.9	75	94	WSW	2	o
Guam,	12.20	29.78	756.3	...	...	NE	2	o	4.20	29.84	757.8	...	...	SE	1	r
Yap,	12.47	29.76	756.0	...	...	SSE	2	o	4.47	29.82	757.5	...	...	NNE	1	o
Labuan,	14	29.82	757.4	82	87	NE	2	b	6	29.78	756.4	78	91	NW	2	o

May 31*d.* 12*h.* 24*m.*—Pressure has increased slightly over S. Japan, the Loochoos and the Bonins, and decreased slightly elsewhere; it remains highest over Japan and the adjacent seas. There are indications of a depression over Indo-China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·07 inch. Total since January 1st, 23·51 inches, against an average of 23·32 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel,	Light variable winds.
2.—South coast of China between Hongkong and Lamocks,	S.E. winds, moderate; cloudy, showery.
3.—Hongkong to Gap Rock,	S.E. winds, moderate; cloudy, showery.
4.—South coast of China between Hongkong and Hainan,	S.E. winds, moderate; cloudy, showery.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

JUNE,

1925.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

C. W. JEFFRIES,

DIRECTOR.

HONGKONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1925.

[*Price 60c.*]

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

JUNE,

1925.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of JUNE, 1925.

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·721	29·708	29·695	29·693	29·699	29·704	29·720	29·742	29·749	29·755	29·758	29·746	1
2	29·724	29·703	29·689	29·704	29·715	29·734	29·742	29·754	29·764	29·776	29·769	29·746	2
3	29·678	29·658	29·640	29·640	29·651	29·653	29·670	29·684	29·710	29·709	29·710	29·698	3
4	29·616	29·606	29·606	29·606	29·607	29·610	29·630	29·636	29·645	29·648	29·631	29·621	4
5	29·588	29·578	29·566	29·560	29·553	29·557	29·570	29·577	29·584	29·593	29·586	29·571	5
6	29·527	29·511	29·511	29·503	29·503	29·509	29·525	29·533	29·542	29·541	29·529	29·503	6
7	29·508	29·486	29·482	29·483	29·481	29·491	29·506	29·522	29·528	29·540	29·543	29·541	7
8	29·526	29·508	29·494	29·490	29·504	29·510	29·522	29·526	29·535	29·540	29·535	29·549	8
9	29·562	29·561	29·561	29·562	29·562	29·567	29·579	29·594	29·606	29·618	29·615	29·513	9
10	29·620	29·611	29·603	29·604	29·608	29·614	29·634	29·641	29·660	29·665	29·665	29·655	10
11	29·644	29.634	29·632	29·628	29·624	29·618	29.617	29·626	29·634	29·645	29·643	29·644	11
12	29·642	29·640	29·623	29·628	29·642	29·650	29·654	29·667	29·680	29·681	29·681	29·670	12
13	29·648	29·642	29·642	29·650	29·644	29·655	29·676	29·682	29·685	29·688	29·682	29·667	13
14	29·655	29·647	29·645	29·639	29·637	29·648	29·651	29·674	29·676	29·690	29·686	29·676	14
15	29·628	29·611	29·617	29·625	29·628	29·642	29·640	29·652	29·668	29·667	29·669	29·656	15
16	29·675	29·653	29·649	29·653	29·645	29·675	29·698	29·717	29·741	29·752	29·740	29·737	16
17	29·738	29·709	29·723	29·717	29·717	29·728	29·742	29·760	29·771	29·770	29·772	29·763	17
18	29·720	29·713	29·696	29·686	29·696	29·701	29·713	29·726	29·726	29·723	29·704	29·677	18
19	29·647	29·639	29·637	29·637	29·643	29·655	29·657	29·660	29·675	29·685	29·682	29·677	19
20	29·660	29·648	29·644	29·648	29·650	29·672	29·681	29·703	29·714	29·721	29·720	29·728	20
21	29·709	29·703	29·689	29·683	29·667	29·673	29·665	29·705	29·704	29·708	29·713	29·719	21
22	29·694	29·676	29·678	29·672	29·664	29·674	29·677	29·682	29·692	29·693	29·669	29·683	22
23	29·658	29·646	29·641	29·633	29·631	29·636	29·648	29·657	29·669	29·671	29·664	29·655	23
24	29·617	29·605	29·601	29·585	29·584	29·577	29·589	29·610	29·610	29·628	29·616	29·603	24
25	29·640	29·622	29·623	29·614	29·609	29·618	29·633	29·638	29·645	29·648	29·645	29·640	25
26	29·550	29·527	29·503	29·484	29·475	29·481	29·500	29·526	29·537	29·550	29·561	29·567	26
27	29·641	29·637	29·631	29·633	29·633	29·637	29·645	29·656	29·655	29·673	29·675	29·678	27
28	29·693	29·669	29·659	29·658	29·662	29·661	29·685	29·708	29·705	29·699	29·696	29·692	28
29	29·641	29·625	29·618	29·613	29·611	29·613	29.611	29·621	29·619	29·613	29·606	29·592	29
30	29·551	29·537	29·525	29·527	29·527	29·538	29·555	29·557	29·565	29·572	29·572	29·572	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·726	29·712	29·703	29·698	29·704	29·716	29·733	29·747	29·753	29·760	29·752	29·734	1
2	29·736	29·736	29·722	29·705	29·691	29·708	29·718	29·730	29·740	29·739	29·725	29·697	2
3	29·680	29·657	29·643	29·625	29·607	29·601	29·610	29·630	29·644	29·654	29·648	29·632	3
4	29·603	29·581	29·561	29·543	29·533	29·531	29·547	29·565	29·579	29·591	29·600	29·602	4
5	29·543	29·525	29·505	29·482	29·469	29·475	29·480	29·501	29·527	29·541	29·547	29·545	5
6	29·489	29·472	29·467	29·457	29·456	29·451	29·471	29·483	29·503	29·521	29·523	29·527	6
7	29·521	29·499	29·477	29·457	29·467	29·463	29·482	29·489	29·511	29·517	29·535	29·535	7
8	29·547	29·527	29·513	29·510	29·518	29·522	29·533	29·552	29·562	29·573	29·577	29·564	8
9	29·603	29·591	29·583	29·567	29·565	29·584	29·613	29·624	29·646	29·650	29·660	29·644	9
10	29·643	29·629	29·617	29·605	29·600	29·605	29·608	29·618	29·642	29·662	29·667	29·656	10
11	29·648	29·642	29·626	29·607	29·599	29·599	29·617	29·629	29·653	29·662	29·660	29·648	11
12	29·648	29·626	29·616	29·594	29·593	29·587	29·606	29·619	29·640	29·660	29·670	29·666	12
13	29·647	29·639	29·617	29·603	29·597	29·594	29·619	29·637	29·651	29·665	29·675	29·665	13
14	29·654	29·634	29·632	29·616	29·606	29·619	29·627	29·634	29·644	29·674	29·674	29·648	14
15	29·642	29·644	29·641	29·629	29·633	29·651	29·667	29·698	29·696	29·717	29·719	29·701	15
16	29·722	29·724	29.702	29·693	29·680	29·678	29·696	29·731	29·745	29·761	29·769	29·762	16
17	29·748	29·726	29·716	29·710	29·686	29·683	29·697	29·719	29·736	29·754	29·762	29·743	17
18	29·663	29·644	29·638	29·626	29·621	29·623	29·639	29·654	29·665	29·665	29·665	29·659	18
19	29·667	29·647	29·649	29·631	29·636	29·628	29·647	29·667	29·677	29·693	29·689	29·676	19
20	29·710	29·712	29·696	29·681	29·667	29·676	29·694	29·710	29·728	29·748	29·744	29·725	20
21	29·699	29·678	29·668	29·650	29·660	29·656	29·662	29·680	29·702	29·710	29·720	29·709	21
22	29·683	29·662	29·656	29·648	29·642	29·641	29·668	29·669	29·699	29·679	29·688	29·684	22
23	29·629	29·615	29·601	29·597	29·596	29·577	29·586	29·597	29·618	29·635	29·636	29·627	23
24	29·605	29·595	29·579	29·577	29·584	29·579	29·580	29·595	29·617	29·643	29·652	29·652	24
25	29·630	29·626	29·606	29·584	29·566	29·558	29·567	29·577	29·575	29·591	29·589	29·671	25
26	29·573	29·561	29·571	29·565	29·563	29·571	29·595	29·608	29·629	29·653	29·649	29·655	26
27	29·667	29·649	29·639	29·627	29·623	29·627	29·634	29·664	29·687	29·699	29·711	29·709	27
28	29·679	29·670	29·658	29·632	29·618	29·619	29·627	29·641	29·649	29·659	29·659	29·651	28
29	29·568	29·552	29·532	29·520	29·513	29·514	29·529	29·539	29·549	29·566	29·573	29·563	29
30	29·553	29·541	29·523	29·509	29·501	29·507	29·520	29·535	29·541	29·553	29·573	29·565	30

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of JUNE, 1925.

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	78·9	78·8	78·7	79·7	79·9	80·7	81·9	82·1	84·2	84·6	86·2	84·0	1
2	79·2	79·0	78·5	78·0	78·0	78·4	80·0	82·5	83·3	82·2	83·6	84·0	2
3	78·5	78·4	78·6	79·1	77·9	77·6	78·2	78·3	79·5	80·0	79·4	79·2	3
4	79·0	78·9	77·4	78·0	77·4	76·7	77·3	77·5	79·2	81·5	82·0	83·2	4
5	78·8	78·0	78·0	78·1	77·6	77·8	80·2	79·6	81·4	83·1	87·0	87·3	5
6	82·0	81·9	82·0	81·4	81·5	81·7	82·0	84·2	85·0	86·9	86·9	88·0	6
7	83·8	83·3	83·3	83·0	83·0	83·1	83·4	83·4	83·7	84·3	84·4	85·7	7
8	78·1	79·1	78·4	78·1	78·4	78·6	78·9	81·8	83·1	86·1	88·0	87·2	8
9	78·3	77·0	77·1	76·1	76·0	77·2	79·0	80·4	81·5	81·0	83·2	83·6	9
10	77·6	77·2	77·1	76·8	76·8	77·9	78·5	79·6	80·8	82·5	82·4	82·1	10
11	78·0	78·0	77·4	77·3	76·2	77·0	80·0	81·2	81·9	83·0	82·4	83·3	11
12	79·2	79·0	78·7	78·5	78·3	78·2	79·7	81·1	82·7	83·2	83·5	83·7	12
13	78·5	78·2	78·1	77·6	77·3	78·0	80·3	82·2	81·9	83·7	83·3	84·4	13
14	80·4	81·1	80·2	79·3	78·6	79·3	81·1	78·2	79·4	79·0	78·2	77·0	14
15	78·5	78·2	77·8	77·6	76·7	76·9	78·2	79·8	80·8	83·4	84·1	86·2	15
16	77·2	77·1	76·3	76·2	76·1	75·0	75·1	74·6	73·3	72·2	72·4	73·2	16
17	77·0	77·2	76·0	75·2	75·6	76·1	77·0	77·6	79·0	80·5	81·0	82·5	17
18	81·6	81·3	81·8	81·9	81·7	81·7	81·5	81·7	81·7	81·8	82·2	82·4	18
19	81·2	80·4	80·4	80·0	80·0	79·8	80·9	82·1	82·6	83·6	84·2	88·7	19
20	79.1	78·5	78·4	78·1	78·2	78·5	80·4	82·6	84·5	83·5	85·6	85·0	20
21	80·6	80·5	80·8	80·9	80·9	81·2	82·2	77·8	79·8	79·8	78·7	78·3	21
22	77·0	78·6	78·5	80·2	78·0	78·8	79·4	80·0	81·0	81·3	81·8	81·3	22
23	78·0	78·2	79·3	78·7	79·0	79·0	80·5	81·4	81·6	83·8	85·3	81·7	23
24	81·0	80·3	80·9	80·4	79·6	81·8	80·7	78·0	80·5	77·7	78·0	83·2	24
25	79·3	79·8	80·4	80·3	80·1	80·0	80·3	81·9	81·0	82·4	84·0	84·0	25
26	82·3	81·9	81·6	81·3	79·5	80·6	78·4	79·5	81·3	79·9	81·2	83·2	26
27	80·4	80·3	80·0	80·1	79·2	79·8	81·0	81·7	84·0	81·3	85·2	86·9	27
28	80·0	79·5	79·8	79·8	80·0	80·4	81·2	78·8	82·2	82·2	85·3	84·8	28
29	81·4	80·6	80·1	81·2	81·4	81·2	82·4	83·5	83·4	84·1	85·2	84·1	29
30	82·0	81·0	81·4	80·2	80·5	81·3	81·9	81·5	84·8	84·5	84·0	85·0	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	86·8	86·6	87·7	86·7	85·5	83·3	81·7	81·3	80·6	80·1	79·9	79·6	1
2	84·8	82·8	80·3	79·8	81·1	79·9	79·5	79·1	79·0	78.6	78·0	78·4	2
3	79·8	81·2	80·0	80·9	81·2	80·9	79·4	79·4	78·5	79·0	79·0	79·1	3
4	83·0	83·4	82·6	83·4	82·3	80·9	80·2	79·6	79·3	79·1	78·7	79·0	4
5	87·4	88·3	86·0	87·2	86·0	84·4	83·0	82·2	82·5	82·1	82·0	82·0	5
6	89·4	90·0	88·3	87·4	86·3	85·7	85·0	85·1	84·6	84·7	84·4	84·3	6
7	85·3	84·9	84·4	84·5	84·0	83·4	82·7	82·1	81·7	81·4	81·2	80·4	7
8	83·3	82·9	83.5	81·6	80·7	81·5	80·9	80·3	79·7	78·9	78·3	77·9	8
9	83·1	83.2	82·0	82·1	81·1	81·1	80·1	79·6	78·8	79·0	78·6	78·1	9
10	82·1	82·3	82·0	81·9	81·0	80·4	79·8	79·4	79·0	79·0	79·0	78·2	10
11	83·9	83·5	83·3	83·1	82·5	81·0	80·1	79·7	79·2	79·3	79·2	79·2	11
12	84·2	83·3	83·3	82·5	82·0	81·2	80·4	79·6	79·3	79·2	78·9	78·5	12
13	84·7	84·7	86·7	86·4	85·5	84·2	82·9	83·0	81·9	81·3	81·0	80·3	13
14	78·0	78·0	79·2	79·9	80·2	80·8	80.0	79·6	78·9	79·1	79·0	78·4	14
15	85·6	82·9	81·7	82·1	82·2	81·5	81·1	78·5	78·5	77·9	76·3	76·2	15
16	75.0	76·2	77·3	75·4	76·1	76·3	76·4	75·8	76·2	77·0	77·4	77·0	16
17	82·9	81·9	82·0	79·5	80·9	81·0	81·3	81·3	81·8	82·0	82·1	82·0	17
18	83·7	84·4	85·0	84·5	83·2	82·9	82·1	82·3	82·0	81·7	81·2	81·0	18
19	84·4	87·1	84·9	84·4	82·3	82·2	81·0	80·1	79·9	80·0	79·4	78·9	19
20	85·7	85·8	86·2	85·9	85·8	83·5	82·5	82·1	82·1	81·9	81·1	82·1	20
21	81·0	81·3	79·2	79·4	80·0	79·7	80·3	80·0	80·3	80·4	78·6	80·8	21
22	81·5	80·4	81·6	79·1	80·1	80·9	76·8	76·3	76·4	76·5	77·2	77·3	22
23	85·0	82·3	81·0	80·1	79·9	81·0	80·7	81·1	81·4	81·0	80·8	80·7	23
24	82·7	83·0	82·2	81·6	81·6	81·1	80·9	80·6	80·1	80·3	80·3	81·0	24
25	84·5	84·6	84·3	84·3	84·2	84.0	83·0	82·1	82·9	83·2	83·0	83·4	25
26	83·5	83·4	83·4	83·6	83·5	82·4	81·5	81·2	81·4	80·5	80·8	81·0	26
27	85·9	83·7	85·8	85·0	84·2	82·8	81·8	80·2	80·3	80·2	80·2	80·2	27
28	85·9	85·9	84·3	85.0	84·5	82·6	82·0	81·5	81·5	81·4	81·2	81·2	28
29	83·8	85·4	83·1	84·9	85·0	83·1	82·7	82·1	82·1	82·0	81·7	81·6	29
30	86·8	87·8	87·1	85·5	85·0	84.0	82·5	82·2	82·2	82·2	82·0	82·0	30

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of JUNE, 1925.

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	77·3	77·1	77·2	77·2	77·3	77·3	77·9	78·0	78·5	78·5	79·2	77·8	1
2	78·0	77·6	77·5	77·4	77·1	76·8	77·8	78·6	78·7	77·8	78·5	78·9	2
3	75·6	75·4	75·9	76·0	76·0	76·1	76·7	76·7	76·9	77·0	76·8	77·2	3
4	76·8	76·8	76·3	76·4	76·0	76·1	76·9	77·0	77·0	77·5	78·4	78·6	4
5	77·3	77·0	76·8	77·0	76·5	76·8	78·4	77·3	78·1	78·0	79·0	79·5	5
6	78·4	78·4	78·9	78·2	78·4	79·0	79·3	80·0	79·7	79·9	79·8	79·7	6
7	79·6	79·0	79·8	79·9	79·4	79·2	79·3	79·2	79·0	79·9	79·0	79·6	7
8	77·0	77·8	77·1	76·8	76·8	76·5	76·9	76·5	74·9	76·0	77·6	77·1	8
9	73·0	72·1	72·3	77·2	73·0	72·1	70·0	72·8	75·0	75·0	76·0	75·2	9
10	72·8	73·0	72·8	73·0	72·9	73·0	73·0	74·1	74·2	75·0	73·7	73·8	10
11	73·0	73·0	73·0	73·0	72·9	73·0	74·0	74·5	74·4	75·4	75·0	75·6	11
12	74·0	73·9	74·0	73·8	74·0	73·9	74·6	74·5	75·4	75·9	75·7	75·5	12
13	75·5	75·4	75·5	75·5	75·4	75·9	76·8	77·4	76·7	77·2	77·6	79·0	13
14	77·1	77·0	77·7	78·0	78·0	77·8	78·8	77·0	77·5	77·0	76·6	75·6	14
15	75·5	75·8	75·8	75·8	75·6	75·8	76·3	76·1	76·0	77·2	77·4	78·4	15
16	75·0	75·0	74·5	74·0	74·3	74·4	74·0	73·0	72·2	71·0	70·1	70·0	16
17	76·0	76·0	74·2	74·0	74·9	75·0	76·0	76·4	77·0	78·0	77·9	77·9	17
18	78·0	78·1	77·8	77·5	77·9	77·8	77·8	77·7	77·7	77·3	77·2	78·0	18
19	76·9	76·8	77·0	77·0	76·8	76·3	76·9	77·7	76·7	77·9	77·2	79·5	19
20	76·0	76·3	76·5	76·4	76·3	76·7	77·7	78·4	78·9	78·0	78·3	78·2	20
21	75·3	75·5	75·6	76·1	76·7	76·1	76·8	72·9	74·5	76·1	75·5	75·4	21
22	75·1	76·3	76·1	76·4	75·1	76·6	76·8	77·1	77·8	77·9	78·2	77·7	22
23	75·3	76·2	76·4	77·0	77·1	77·0	76·4	77·5	77·9	79·2	79·3	78·1	23
24	77·8	77·6	77·9	77·5	76·4	78·1	77·4	77·2	78·1	77·0	76·6	79·3	24
25	77·8	77·9	77·7	77·8	78·1	78·0	77·4	77·4	77·4	77·1	77·1	79·3	25
26	76·5	76·3	76·2	76·6	77·0	77·0	77·0	76·3	76·6	76·3	77·0	76·6	26
27	77·1	77·0	77·2	77·1	77·0	76·9	77·1	78·1	79·0	76·6	78·7	80·0	27
28	76·5	76·2	76·5	76·5	76·5	77·0	77·4	75·1	77·0	78·4	79·0	78·0	28
29	77·0	77·0	77·0	77·6	77·4	76·9	77·4	78·0	77·8	78·1	78·8	78·3	29
30	78·1	77·5	77·6	77·4	77·0	77·3	77·2	77·5	79·0	78·0	78·3	78·5	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	78·1	77·6	78·8	77·5	77·3	78·5	78·0	78·0	77·5	77·8	77·0	77·4	1
2	79·1	76·5	75·9	76·8	77·9	77·0	76·0	75·1	76·0	75·3	75·0	75·5	2
3	76·9	78·0	76·1	77·0	77·4	77·0	76·2	76·6	76·0	76·8	77·0	76·3	3
4	79·0	78·4	78·0	78·0	78·3	77·5	77·8	77·4	77·6	77·5	77·4	77·0	4
5	78·6	79·0	80·0	80·1	80·0	79·0	78·1	78·1	78·0	77·5	77·7	78·1	5
6	80·7	80·9	81·0	81·0	80·9	79·8	79·3	80·0	79·6	79·5	79·6	80·0	6
7	79·0	79·0	79·0	78·9	78·8	78·9	78·1	78·4	78·5	78·8	78·5	77·0	7
8	78·7	78·5	78·8	77·4	77·2	76·1	75·6	74·3	74·1	74·0	74·2	73·2	8
9	75·0	74·8	73·3	74·0	73·6	73·7	73·1	73·0	72·8	73·1	73·1	73·1	9
10	73·9	74·2	74·0	73·8	73·8	73·7	73·2	73·0	72·8	73·0	73·0	72·9	10
11	75·5	74·5	75·4	74·9	75·3	75·0	74·1	74·3	74·1	74·1	74·2	74·2	11
12	76·5	76·1	75·9	75·2	75·4	75·5	75·0	75·0	75·1	75·0	75·1	75·3	12
13	78·4	78·3	78·0	78·1	78·4	77·4	77·3	77·9	77·0	77·3	77·0	77·4	13
14	76·6	76·1	77·3	77·2	77·0	77·0	76·6	77·0	76·6	77·1	76·6	75·6	14
15	76·5	76·3	76·0	76·4	77·1	77·1	77·2	76·5	77·2	77·2	76·0	75·8	15
16	71·0	71·0	72·6	73·5	74·1	74·2	74·8	75·0	75·2	75·2	75·6	76·3	16
17	77·3	77·5	78·0	75·9	77·2	78·4	78·1	78·0	78·5	78·1	78·5	78·0	17
18	78·5	78·2	78·9	79·0	78·0	77·9	77·4	77·7	77·4	77·3	77·9	77·3	18
19	77·3	79·0	76·4	78·4	78·0	77·3	77·2	76·5	76·5	76·6	76·5	76·5	19
20	77·5	76·7	75·6	76·0	75·5	77·0	76·0	76·0	75·9	76·8	76·5	76·1	20
21	76·9	76·9	76·8	76·8	77·0	77·4	77·3	77·5	77·5	77·4	76·2	78·0	21
22	77·9	77·5	77·7	76·9	77·2	77·7	74·8	74·0	74·0	74·3	75·0	75·2	22
23	79·1	77·8	78·1	77·4	77·0	77·9	78·1	78·2	77·9	77·7	77·8	77·6	23
24	78·4	79·3	78·6	77·8	77·6	77·8	77·3	78·0	77·9	77·7	77·5	77·1	24
25	79·0	79·5	78·7	78·1	78·1	77·8	77·3	78·0	77·9	78·0	77·5	77·0	25
26	75·9	76·0	76·0	76·1	76·0	76·3	76·7	76·5	76·8	76·8	77·0	77·2	26
27	78·6	78·0	79·9	78·7	77·8	78·3	76·7	77·0	76·7	76·8	76·5	76·6	27
28	78·9	78·5	77·3	78·3	78·0	77·3	77·0	77·0	77·4	77·5	77·1	77·0	28
29	77·8	78·9	78·4	78·9	78·7	77·8	78·0	77·7	77·7	77·9	78·0	77·4	29
30	79·3	79·0	78·4	77·9	77·7	78·0	77·5	77·6	77·6	77·7	77·8	77·9	30

TABLE IV.—AMOUNT OF CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of JUNE, 1925.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																								Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	8	9	9	8	10	9	8	7	9	8	9	9	7	5	5	6	7	9	5	10	9	9	9	9	1
2	9	4	1	1	2	3	5	5	6	6	7	10	10	10	10	9	10	9	8	8	8	7	7	9	2
3	10	10	10	10	10	10	10	10	10	10	10	10	10	9	9	8	7	9	2	9	8	8	9	10	3
4	10	10	10	10	10	10	10	10	10	8	9	6	4	5	6	5	3	2	2	2	2	2	1	1	4
5	...	5	1	...	2	2	5	2	9	8	3	2	3	3	10	10	10	4	7	7	9	3	3	6	5
6	5	3	4	2	1	6	3	4	3	4	5	3	4	7	8	6	8	8	9	10	10	10	10	10	6
7	9	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	7
8	10	10	10	10	10	10	8	4	3	1	3	9	10	10	10	10	10	10	9	10	5	...	2	3	8
9	2	...	...	...	1	4	2	2	2	6	5	4	4	4	4	5	5	6	8	5	2	2	2	4	9
10	3	2	2	3	5	8	6	7	5	3	6	6	7	5	4	6	7	6	9	7	3	3	4	4	10
11	3	3	4	...	6	3	2	1	2	3	3	5	4	5	2	1	1	1	1	1	1	2	2	4	11
12	1	1	1	3	1	2	2	4	4	5	3	3	3	2	2	3	2	3	7	2	...	...	...	4	12
13	1	1	1	1	1	2	1	2	4	7	4	3	5	4	5	5	7	4	6	10	4	9	7	2	13
14	2	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	7	3	8	6	3	14
15	8	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	10	15
16	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	16
17	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	9	9	10	10	17
18	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	9	10	9	18
19	9	8	7	8	10	10	9	10	10	9	9	7	9	7	7	7	9	10	10	10	5	2	1	3	19
20	9	4	2	2	5	9	6	7	6	9	7	7	5	4	5	4	4	3	3	2	2	8	2	1	20
21	3	1	1	7	8	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	21
22	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	10	4	3	9	10	22
23	10	7	10	10	10	10	9	10	10	9	9	10	9	10	10	10	10	10	10	10	10	9	9	10	23
24	10	10	10	9	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	24
25	10	10	9	9	7	6	7	4	10	8	4	8	7	8	7	4	4	1	2	1	...	...	2	8	25
26	10	9	10	10	10	10	10	10	10	10	10	10	9	9	9	6	6	3	3	3	2	6	3	4	26
27	6	6	9	10	10	9	9	9	9	6	7	5	5	7	6	7	4	7	4	10	9	8	7	4	27
28	3	6	4	7	10	10	7	10	9	8	7	8	9	10	9	7	4	5	6	6	9	9	8	7	28
29	10	9	10	8	9	9	9	9	9	10	9	9	9	6	10	9	8	9	9	9	9	9	10	7	29
30	9	9	10	10	10	9	9	10	8	9	10	9	6	5	7	5	6	7	5	8	9	9	7	9	30

TABLE V.—AMOUNT OF SUNSHINE registered in each HOUR of the DAY, in the MONTH of JUNE, 1925.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	0·3	0·8	0·6	0·7	0·9	0·4	0·8	1·0	1·0	1·0	1·0	0·6	...	1
2	0·2	0·7	0·7	0·5	0·8	0·9	0·8	1·0	0·1	0·5	1·0	0·4	...	2
3	...	0·4	0·1	0·2	...	...	...	0·1	0·5	0.2	0·9	1·0	0·9	3
4	...	0·1	...	0·1	0·4	1·0	1·0	1·0	0·8	1·0	0·9	0·9	0·2	4
5	0·5	0·4	0·4	0·9	0·9	1·0	1·0	1·0	1·0	0·2	0·3	0·9	0·8	5
6	...	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	1·0	0·2	6
7	...	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	0·3	0·3	0·9	1·0	1·0	0·1	0·1	1·0	0·8	0·4	...	0·3	8
9	0·5	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	0·6	0·2	9
10	...	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	...	10
11	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1.0	1·0	1·0	0·7	11
12	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	12
13	0·6	1·0	1·0	1·0	0.4	1·0	1·0	1·0	0·8	1·0	1·0	1·0	0·4	13
14	...	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	0·2	0·2	...	0.4	0·8	...	0·1	...	0·6	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	0·2	0·8	1·0	1·0	0·2	...	18
19	0·1	0·2	0·5	...	0·6	1·0	0·5	0·7	0·9	0·8	0·7	0·7	0·3	19
20	0·3	1·0	1·0	1·0	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	20
21	0·5	0·3	...	...	...	...	...	...	0·1	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	0·3	0·2	1·0	0·9	0·5	0.3	0·5	...	...	...	...	...	23
24	...	...	...	...	...	0·3	0.4	0·2	0·2	...	...	...	...	24
25	...	0·8	0·1	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	25
26	...	0·2	0·7	0·6	0·4	0·8	0·7	1·0	1·0	1·0	1·0	1·0	1·0	26
27	0·1	0·3	1·0	0·7	1·0	1·0	1·0	0·5	1·0	1·0	1·0	0·9	0·8	27
28	0·1	0·1	0·1	0·3	1·0	1·0	0·9	1·0	1·0	1·0	1·0	1·0	0·6	28
29	0·5	1·0	0·9	0·7	0·8	0·8	0.5	0·5	0·5	0·2	1·0	0·9	0·6	29
30	0·1	0·2	0·9	1·0	0·4	...	0·7	1·0	1.0	1·0	1·0	1·0	0·3	30

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of JUNE, 1925.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	d	...	...	...	...	..	...	...	d	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	d	0·015	0·030	0·070	0·060	0·015	d	0·010	0·035	3
4	d	0·080	0·155	0·300	0·210	0·195	0·060	0·080	d	d	d	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	0·620	0·160	...	0·005	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	..	...	0·060	0·030	...	0·005	0·040	0·345	0·030	0·410	0·500	0·115	14
15	...	...	...	0·025	0·010	...	...	...	...	...	...	...	15
16	0·160	0·030	0·025	0·020	0·040	0·790	0·420	0·750	0·320	0·120	0·065	0·010	16
17	0·050	0·185	0·220	0·035	0·300	0·005	...	0·120	0·010	d	d	d	17
18	...	...	...	...	0·005	...	0·020	...	...	...	...	...	18
19	...	...	...	d	d	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	0·075	d	d	0·010	0·015	21
22	0·195	0·090	0·010	0·020	0·030	0·020	0·030	0·015	d	...	...	0·010	22
23	d	...	...	0·030	0·010	d	0·015	d	d	...	d	0·030	23
24		...	0·050	0·060	d	0·005	0·055	1·055	0·005	0·800	0·005	...	24
25	0·050	0·010	...	...	...	...	...	...	0·015	...	...	...	25
26	0·010	...	d	0·010	0·060	0·090	0·205	0·090	d	0·130	d	d	26
27	...	...	0·105	...	...	...	...	...	...	0·040	...	...	27
28	...	..	...	0·020	d	0·005	...	0·090	...	d	...	...	28
29	0·015	0·020	0·010	d	0·005	...	...	...	...	...	...	d	29
30	...	0·030	0·110	0·010	...	...	...	d	...	...	0·035	...	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	0·085	0·030	...	...	...	...	...	...	...	...	2
3	0·025	0·005	d	...	...	...	...	0·005	d	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	d	...	...	...	...	...	...	...	...	7
8	...	...	...	d	0·060	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	0·080	0·035	d	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	0·010	1·015	2·010	3·160	1·320	15
16	...	...	d	0·010	0·025	0·025	0·110	0·505	0·195	d	0·210	0·265	16
17	...	d	0·010	0·280	0·005	...	...	0·020	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	d	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	d	0·180	0·380	0·060	0·040	d	0·025	0·010	0·010	0·045	0·035	21
22	d	0·215	0·010	0·290	...	0·015	0·090	...	...	...	...	...	22
23	d	0·170	0·030	0·470	0·090	0·010	...	d	0·180	d	0·015	d	23
24	0·010	d	0·055	...	...	...	d	0·065	0·040	...	0·030	0·020	24
25	...	...	...	...	...	...	...	...	...	...	...	d	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	0·065	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	d	...	d	...	...	...	d	...	...	0·015	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	0·010	30

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of JUNE, 1925.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hongkong Standard Time. 1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	8	4	7	4	6	4	11	3	14	2	16	6	17	2	17	4	18	7	17	8	17	8	17	8	1
2	9	8	9	8	9	4	9	2	...	1	...	1	...	...	9	5	9	6	9	9	9	6	7	9	2
3	6	15	7	13	6	11	6	10	7	8	8	8	8	9	7	7	7	9	7	8	7	8	8	8	3
4	7	9	8	10	12	2	...	1	...	1	6	7	6	9	7	11	7	13	8	12	8	14	9	11	4
5	8	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	9	2	28	4	25	6	24	8	5
6	20	8	21	8	21	10	21	7	22	8	24	4	25	5	26	6	25	5	25	5	25	8	23	7	6
7	20	15	20	15	20	14	20	12	20	11	19	15	20	14	21	11	23	8	26	7	28	6	27	8	7
8	28	6	27	2	29	4	...	1	...	...	27	3	26	5	27	3	31	5	1	16	2	11	6	12	8
9	...	...	...	...	...	...	...	...	...	1	7	3	4	7	5	7	8	10	9	12	10	15	10	16	9
10	...	1	...	...	...	...	...	...	...	1	11	8	6	12	6	18	7	15	9	17	9	18	8	20	10
11	11	6	11	6	11	6	11	2	.	...	11	2	10	8	9	16	8	16	7	16	7	17	8	16	11
12	12	10	12	8	11	8	11	6	10	8	8	8	7	9	8	11	9	11	8	13	8	13	8	11	12
13	...	...	...	1	...	...	...	...	10	2	...	1	9	3	8	6	8	9	9	11	9	11	9	11	13
14	23	2	18	2	18	2	23	4	29	2	24	7	26	3	24	11	...	1	20	8	23	10	28	4	14
15	24	5	23	3	23	4	...	1	25	4	...	1	...	...	29	4	31	2	30	3	32	9	8	7	15
16	5	20	6	23	5	24	6	24	6	23	7	16	6	21	5	18	6	16	7	24	7	25	7	28	16
17	7	7	8	9	17	8	30	4	1	3	...	1	...	1	8	4	9	4	11	7	12	8	14	9	17
18	16	10	17	11	17	13	18	10	18	9	18	13	17	10	17	9	17	10	17	10	17	10	18	12	18
19	16	10	16	7	16	10	17	9	16	9	16	8	15	7	15	6	15	5	14	3	9	3	21	5	19
20	10	5	10	6	10	6	10	6	10	5	...	1	...	1	7	7	7	6	7	9	7	16	8	16	20
21	7	26	7	22	7	19	7	20	6	18	5	23	5	21	6	31	5	23	6	25	6	22	6	24	21
22	9	17	9	17	9	17	10	23	9	19	9	15	10	14	9	15	9	17	8	19	8	22	9	21	22
23	8	6	9	4	10	7	11	4	12	7	14	9	15	10	15	10	15	8	16	14	16	13	17	14	23
24	16	6	15	3	14	5	16	7	16	6	16	12	15	11	14	10	14	7	17	9	21	5	18	8	24
25	12	14	12	20	11	14	10	13	9	13	10	11	12	13	11	17	9	16	9	19	9	17	9	19	25
26	5	25	5	18	5	32	5	37	6	39	8	42	9	40	10	44	11	45	11	29	11	33	12	40	26
27	12	15	12	8	12	8	12	9	12	8	13	6	14	12	15	6	16	6	16	8	16	9	16	8	27
28	13	8	14	6	13	6	13	8	14	7	15	10	16	11	15	10	13	9	11	10	14	16	15	13	28
29	16	9	16	15	16	16	16	16	17	14	17	10	16	11	16	8	16	9	16	8	16	8	16	8	29
30	16	7	17	7	17	8	19	7	17	9	16	12	16	11	16	12	16	12	16	12	17	12	17	10	30

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	19	11	19	8	20	10	20	9	20	7	24	5	28	3	...	...	5	6	8	9	9	7	10	9	1
2	6	12	3	13	2	7	6	9	8	11	9	13	8	11	8	12	7	12	8	13	7	15	6	15	2
3	8	11	8	10	8	16	8	14	8	16	7	14	7	17	7	15	8	11	9	12	9	14	7	12	3
4	9	11	8	14	8	14	9	14	9	12	8	15	9	12	9	9	9	5	9	4	..	1	...	...	4
5	24	5	20	5	11	4	14	7	15	8	16	8	16	7	17	8	17	3	17	3	...	...	19	4	5
6	22	8	19	10	17	12	18	12	19	9	19	7	19	6	18	10	19	7	18	9	19	10	19	16	6
7	27	8	26	6	27	3	26	5	27	3	25	3	26	3	26	4	25	5	25	6	26	8	28	8	7
8	8	14	9	15	9	15	9	16	9	15	9	9	9	10	9	6	8	7	8	5	8	3	8	2	8
9	9	17	9	17	9	17	9	14	9	12	10	12	12	7	12	6	12	5	12	4	12	2	...	1	9
10	8	20	8	20	8	20	8	18	9	16	11	12	11	13	11	10	11	9	11	9	11	8	11	5	10
11	8	15	9	16	9	17	9	17	9	16	9	15	9	13	8	11	10	7	11	10	11	10	11	9	11
12	8	15	8	16	9	13	8	15	8	16	9	13	9	9	10	8	10	5	10	2	10	4	...	...	12
13	8	14	9	11	15	8	17	10	15	8	15	8	15	6	16	5	18	4	20	5	23	4	...	...	13
14	...	...	...	1	28	2	28	2	24	3	23	6	23	5	24	7	25	6	26	7	26	8	26	3	14
15	10	7	10	11	9	12	9	11	8	12	9	11	9	10	8	11	8	9	7	12	6	7	6	20	15
16	7	24	7	22	6	24	7	22	7	23	6	22	6	21	7	12	6	15	6	16	8	16	6	6	16
17	14	11	15	10	15	10	15	6	15	7	16	8	16	9	16	10	17	10	17	10	17	10	17	7	17
18	18	9	17	17	17	19	18	16	18	15	18	12	17	13	17	11	17	11	17	8	16	8	16	10	18
19	17	8	11	8	10	9	9	11	8	13	8	13	8	10	9	7	9	8	10	8	10	9	10	7	19
20	8	15	8	19	8	17	7	18	8	21	8	16	7	13	7	15	8	17	8	22	7	17	7	22	20
21	6	21	5	30	6	23	7	29	9	23	9	27	9	24	9	24	9	20	8	26	8	23	9	24	21
22	10	18	11	11	12	13	12	14	12	8	13	14	16	9	14	5	7	3	6	5	7	8	7	7	22
23	17	11	18	12	18	11	18	14	17	13	17	5	16	7	16	8	16	8	16	12	17	12	16	8	23
24	17	11	16	11	16	13	15	14	15	8	14	9	13	8	12	8	13	12	13	11	13	13	13	13	24
25	9	15	8	14	8	14	7	17	7	16	6	18	7	18	5	14	5	21	5	22	5	22	5	19	25
26	13	31	13	37	14	26	14	19	14	15	13	13	13	14	12	16	11	15	11	13	12	15	13	17	26
27	15	9	15	9	14	10	12	12	11	14	11	13	11	11	12	9	13	7	13	7	14	13	14	9	27
28	16	11	15	13	15	11	15	9	15	10	15	9	15	9	16	10	16	7	16	7	15	7	15	8	28
29	16	12	16	14	16	13	16	11	17	12	16	12	15	12	15	10	15	8	14	11	15	11	15	9	29
30	17	11	16	10	16	13	15	12	15	13	14	13	14	12	13	8	13	10	12	11	13	9	14	8	30

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of JUNE, 1925.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	SSW	cu	SSE	cu	SSW	cu	SSW	cu	SSW	ci-st / cu	WSW / SSW	ci-st / cu	W / SSW	ci-st / cu	W / SSW
2	cu	SW	ci-st	W	ci-cu / cu	W / SSE	cu	SSE	cu	ESE	ci-st / cu	WSW / ESE	a-cu / cu	SW / E	cu	E
3	cu	E	nb	E	nb	E	cu / cu-nb	E / ESE	nb	E	a-cu / cu	SW / E	cu	E	cu	E
4	nb	E	nb	E	nb	E	cu	E	cu	E	cu / cu	ESE / NE	cu	ESE	cu	ESE
5	...	...	...	...	cu	SW	ci-st / cu	WSW / SW	cu	WSW	a-cu / cu	WSW / ESE	a-cu / cu	W / ESE	a-cu	WSW
6	cu	WSW	cu	WSW	cu	WSW	cu	WSW	ci-st / cu	ENE / W	ci-st / cu	ENE / WSW	ci-st / cu	ENE / WSW	cu	WSW
7	cu	SW	cu	WSW	cu	W	cu	W	cu	W	nb	WSW	cu-nb	WSW	cu-nb	WSW
8	nb	W	nb	W	a-cu	W	a-cu	WSW	cu	E	cu	SSE	cu	SSW	...	...
9	ci-st	W	...	...	cu	E	cu	ESE	cu	NNW	ci-st / cu	W / WSW	ci-st / cu	W / WSW	cu	ESE
10	cu	E	cu	ESE	cu	ESE	cu	E	ci-st / cu	WNW / E	ci-st / cu	WNW / SSE	a-cu / cu	NW / SE	cu	SE
11	cu	SE	...	...	cu	ESE	cu	SE	cu	SE	cu	SE	cu	ESE	cu	SE
12	cu	ESE	cu	ESE	cu	ESE	cu	ESE	cu	SE	cu	WSW	ci-st	W	...	...
13	cu	SE	cu	SE	cu	SE	cu	E	cu	ESE	ci-st / cu	SSE / SW	a-cu / cu	ESE / SSW	cu	SSW
14	cu	S	nb	SW	cu-nb	SW	nb	SW	nb	SW	cu-nb	W	cu	W	cu	W
15	cu	W	cu	W	cu	W	cu	NW	cu	NW	cu	WNW	cu	ESE	nb	E
16	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
17	nb	E	nb	E	nb	E	nb	S	cu-nb	S	nb	SSE	cu-nb	S	cu	SSW
18	cu	S	cu	S	nb	SSW	nb	SW	cu	SW	cu	SW	cu	SW	cu	SW
19	cu-nb	SSW	cu	SW	ci-st / cu	WSW / SSW	cu	SSW	cu	SSW	ci-st / cu	W / S	cu	SE	cu	E
20	cu	E	cu	ESE	ci-st / cu	SE / ESE	cu	ESE	ci-st / cu	W / E	ci-st / cu	W / E	cu	E	cu	E
21	cu	E	cu	E	cu	E	nb	E	nb	E	nb	E	nb	E	nb	E
22	nb	E	nb	E	nb	E	nb	E	nb	ESE	nb	SE	nb	SSE	cu	SE
23	nb	E	nb	SE	nb	SE	nb	E	ci-st / cu	ENE / SSW	nb	SSW	nb	SW	cu	SW
24	cu-nb	SW	cu-nb	SW	cu	SSW	nb	SW	nb	SSW	cu	SSW	nb	SE	cu-nb	SE
25	nb	SE	cu	ESE	cu	ESE	cu	SE	cu	SE	cu	ESE	ci-st	WSW	...	...
26	nb	E	nb	E	nb	E	nb	SE	cu-nb	ESE	cu	SE	cu	ESE	cu	SE
27	cu	SE	cu	SE	cu	SE	cu	ESE	cu	SE	cu	SE	cu	SE	cu	SE
28	cu	SE	cu	SE	cu	SSE	cu	S	cu	SSW	cu	S	cu	S	cu	S
29	nb	S	cu	S	cu	S	cu	S	cu	SSW	cu	S	cu / nb	S / SSW	nb	SSW
30	cu	S	cu-nb	S	cu	SSW	cu	SSW	cu	SSW	cu	S	cu	S	cu	SE

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JUNE, 1925.
(*British Units.*)

Days of the Month	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Range	Temperature. Of the Air. Mean.	Temperature. Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation = 100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Bright Sunshine. Percentage of possible amount.	Rainfall. Amount.	Rainfall. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction *	Wind. Resultant. Velocity.	Wind. Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·726	88·3	78·6	9·7	82·5	77·8	0·890	80	80	9·1	68	...	...	− 3·2	...	180	3·2	6·0
2	·728	86·9	77·8	9·1	80·3	77·1	·889	86	68	7·6	57	0·115	1	+ 1·0	+ 7·8	83	7·9	8·4
3	·656	82·2	77·6	4·6	79·3	76·6	·880	88	91	4·3	32	0·270	6	+ 1·3	+ 11·4	84	11·5	11·5
4	·596	83·3	76·7	6·6	80·0	77·4	·907	89	62	7·4	55	1·080	7	− 0·1	+ 8·5	91	8·5	8·8
5	·543	88·9	77·5	11·4	82·5	78·2	·908	82	47	9·3	69	...	...	− 2·0	− 0·8	202	2·1	3·5
6	·502	90·8	81·4	9·4	84·9	79·7	·945	78	60	11·0	82	...	...	− 4·7	− 5·5	229	7·3	8·2
7	·503	85·9	80·4	5·5	83·3	79·0	·934	82	99	...	...	...	...	− 1·7	− 6·5	255	6·7	8·2
8	·531	89·3	77·8	11·5	81·1	76·4	·847	80	74	6·2	46	0·845	2	+ 1·4	+ 4·9	74	5·1	7·7
9	·597	84·5	75·4	9·1	79·9	73·4	·737	72	33	10·6	79	...	...	− 1·6	+ 7·0	103	7·2	7·7
10	·630	83·6	76·7	6·9	79·7	73·4	·740	73	50	10·0	75	...	...	− 1·5	+ 10·5	98	10·6	11·2
11	·632	84·2	76·1	8·1	80·4	74·3	·767	74	25	12·3	91	...	...	− 2·0	+ 10·7	101	10·9	11·1
12	·641	85·0	78·1	6·9	80·8	75·0	·791	75	24	12·3	91	...	...	− 1·6	+ 9·5	100	9·4	9·7
13	·649	87·9	77·2	10·7	81·9	77·1	·867	80	40	11·2	83	...	...	− 2·6	+ 3·1	130	4·1	5·7
14	·649	81·9	77·0	4·9	79·3	77·0	·898	90	86	...	...	1·650	8	...	− 3·9	270	3·9	4·4
15	·656	87·0	76·0	11·0	80·1	76·5	·866	84	99	2·3	17	7·350	5	+ 0·6	+ 4·8	83	4·9	7·3
16	·708	77·7	72·0	5·7	75·6	73·6	·803	91	100	...	..	4·095	19	+ 6·3	+ 19·0	72	20·0	20·2
17	·733	83·4	75·2	8·2	79·7	76·9	·888	88	99	...	...	1·240	10	− 5·3	+ 1·6	163	5·5	7·2
18	·677	86·0	80·8	5·2	82·3	77·8	·893	81	99	3·2	24	0·025	1	−11·2	− 2·8	194	11·5	11·5
19	·618	89·8	78·9	10·9	82·0	77·2	·871	80	77	7·9	52	...	...	− 4·5	+ 4·0	138	6·0	8·0
20	·695	86·4	78·0	8·4	82·4	76·8	·848	77	48	11·9	88	...	...	+ 0·6	+ 12·2	87	12·2	12·3
21	·689	82·9	77·4	5·5	80·1	76·3	·857	83	87	0·9	7	0·885	9	+ 4·7	+ 22·3	78	22·8	25·7
22	·673	82·1	76·1	6·0	79·2	76·4	·873	88	94	...	...	1·040	9	− 4·1	+ 12·4	108	13·1	13·8
23	·630	86·6	77·4	9·2	80·9	77·6	·903	86	96	3·7	27	1·050	6	− 8·6	+ 0·3	178	8·6	9·5
24	·603	84·5	76·0	8·5	80·7	77·7	·911	87	99	1·1	8	2·255	6	− 8·5	+ 1·9	167	8·7	9·2
25	·609	85·4	78·9	6·5	82·4	77·9	·896	81	57	10·1	75	0·075	2	− 0·3	+ 14·9	91	14·9	16·5
26	·561	85·0	77·4	7·6	81·5	76·5	·846	78	76	9·4	70	0·595	3	− 9·2	+ 20·7	114	22·6	27·3
27	·656	87·9	79·1	8·8	82·1	77·6	·887	81	72	10·3	76	0·210	1	− 7·6	+ 4·8	148	9·0	9·4
28	·665	86·5	78·3	8·2	82·1	77·3	·894	80	74	9·1	67	0·115	1	− 8·9	+ 2·4	165	9·2	9·4
29	·579	86·9	79·8	7·1	82·8	77·9	·891	79	89	8·9	66	0·065	2	−11·1	+ 0·3	178	11·1	11·1
30	·542	87·8	79·7	8·1	83·2	77·9	·886	78	81	8·6	64	0·195	1	− 9·9	+ 1·1	174	10·0	10·4
Means	29·631	85·6	77·6	8·0	81·1	76·8	0·866	82	73	Sum 197·8	49	Sum 23·355	Sum 99	− 3·1	+ 5·9	118	6·7	10·6
Normals	29·648	85·3	77·7	7·6	81·0	77·0	0·875	83	77	164·2	41	15·663	86	− 4·9	+ 2·7	151	5·6	11·7
Absolute Max.	29·776	90·8	...	11·5	...	82·1	1·014	...	...	12·3	91	7·550	19	...	...	...	...	45·0 †
Day.	2	6	...	8	...	6	24	..	...	11, 12	11, 12	15	16	...	...	...	...	26*d* 9*h*
Absolute Min.	29·451	...	72·0	4·6	...	69·7	0·602	58	...	...	...	...	...	...	...	...	...	...
Day	6	...	16	3	...	9	9	20	...	...	...	...	...	...	...	...	...	..

Phenomena :—

Solar halo :—on the 18th and 23rd.
Lunar halo :—on the 8th.
Lunar corona :—on the 5th and 9th.
Slight fog :—on the 5th.
Unusual visibility :—on the 1st, 2nd, 4th, 13th, 20th, 25th and 28th.
Dew :—on the 1st, 5th, 9th and 13th.
Rainbow :—on the 2nd, 8th and 25th.
Lightning :—on the 1st, 7th, 14th, 16th, 17th, 18th, 21st and 24th.
Thunder :—on the 8th, 14th, 15th, 17th and 23rd.

Thunderstorms as follows :—

14*d* 10*h* 32*m* to 13*h* 21*m* N.E. to S.W.; nearest at 12*h* 47*m* (12*s*).
15*d* 19*h* 23*m* to 21*h* 20*m* in E.; distant.
15*d* 21*h* 50*m* to 23*h* 45*m* E.N.E. to W.S.W.; nearest at 23*h* 12*m* (10*s*).
24*d* 9*h* 56*m* to 10*h* 45*m* in S.; distant.

Rain fell on 19 days. The mean hourly intensity was 0·236*in*, and the maximum fall in one hour was 3·160*in* at 23*h* on the 15th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 60 miles per hour at 9*h* 40*m* on the 26th.

* 0° = N., 90° = E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JUNE, 1925.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Range.	Temperature. Of the Air. Mean.	Temperature. Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Rainfall. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1008·5	304·3	298·9	5·4	301·1	298·4	30·0	...	...	− 1·0	...	180	1·0	2·0
2	1008·6	303·5	298·4	5·1	299·8	298·1	30·0	2·9	1	+ 0·3	+ 2·6	83	2·6	2·8
3	1006·2	300·9	298·3	2·6	299·3	297·8	29·7	6·9	6	+ 0·4	+ 3·7	84	3·8	3·8
4	1004·1	301·5	297·8	3·7	299·7	298·2	30·6	27·4	7	...	+ 2·8	91	2·8	2·9
5	1002·3	304·6	298·3	6·3	301·1	298·7	30·6	...	...	− 0·7	− 0·3	202	0·7	1·1
6	1000·9	305·7	300·4	5·3	302·4	299·5	31·9	...	...	− 1·5	− 1·8	229	2·4	2·7
7	1001·0	302·9	299·9	3·0	301·5	299·1	31·5	...	...	− 0·6	− 2·1	255	2·2	2·7
8	1001·9	304·8	298·4	6·4	300·3	297·7	28·6	21·5	2	+ 0·5	+ 1·6	74	1·7	2·5
9	1004·2	302·2	297·1	5·1	299·6	296·0	24·9	...	...	− 0·5	+ 2·3	103	2·4	2·5
10	1005·3	301·7	297·8	3·9	299·5	296·0	25·0	...	...	− 0·5	+ 3·4	98	3·5	3·7
11	1005·4	302·0	297·5	4·5	299·9	296·5	25·9	...	...	− 0·7	+ 3·5	101	3·6	3·6
12	1005·7	302·4	298·6	3·8	300·1	296·9	26·7	...	...	− 0·5	+ 3·0	100	3·1	3·2
13	1005·9	304·1	298·1	6·0	300·7	298·1	29·3	...	...	− 0·9	+ 1·0	130	1·3	1·9
14	1005·9	300·7	298·0	2·7	299·3	298·0	30·3	41·9	8	...	− 1·3	270	1·3	1·4
15	1006·2	303·6	297·4	6·2	299·7	297·7	29·2	191·8	5	+ 0·2	+ 1·6	83	1·6	2·4
16	1008·0	298·4	295·2	3·2	297·2	296·1	27·1	104·0	19	+ 2·1	+ 6·2	72	6·6	6·6
17	1008·8	301·6	297·0	4·6	299·5	297·9	30·0	31·5	10	− 1·7	+ 0·5	163	1·8	2·4
18	1006·8	303·0	300·1	2·9	300·9	298·4	30·1	0·6	1	− 3·7	− 0·9	194	3·8	3·8
19	1006·2	305·1	299·1	6·0	300·8	298·1	29·4	...	...	− 1·5	+ 1·3	138	2·0	2·6
20	1007·5	303·2	298·6	4·6	301·0	297·9	28·6	...	...	+ 0·2	+ 4·0	87	4·0	4·0
21	1007·3	301·3	298·2	3·1	299·7	297·6	28·9	22·5	9	+ 1·5	+ 7·3	78	7·5	7·8
22	1006·7	300·8	297·5	3·3	299·2	297·7	29·5	26·4	9	− 1·3	+ 4·1	108	4·3	4·5
23	1005·3	303·3	298·2	5·1	300·2	298·3	30·5	26·7	6	− 2·8	+ 0·1	178	2·8	3·1
24	1004·4	302·2	297·4	4·8	300·1	298·4	30·7	57·3	6	− 2·8	+ 0·6	167	2·9	3·0
25	1004·5	302·7	299·1	3·6	301·0	298·5	30·2	1·9	2	− 0·1	+ 4·9	91	4·9	5·4
26	1002·9	302·4	298·2	4·2	300·5	297·7	28·5	15·1	3	− 3·0	+ 6·8	114	7·4	8·9
27	1006·2	304·1	299·2	4·9	300·8	298·3	29·9	5·3	1	− 2·5	+ 1·6	148	3·0	3·1
28	1006·5	303·3	298·7	4·6	300·8	298·2	29·5	2·9	1	− 2·9	+ 0·8	165	3·0	3·1
29	1003·5	303·5	299·6	3·9	301·2	298·5	30·1	1·7	2	− 3·6	+ 0·1	178	3·6	3.6
30	1002·3	304·0	299·5	4·5	301·4	298·5	29·9	4·9	1	− 3·2	+ 0·4	174	3·3	3·4
								Sum.	Sum.					
Means.	1005·3	302·8	298·3	4·5	300·3	297·9	29·2	593·2	99	− 1·0	+ 1·9	118	2·2	3·5
Normals	1005·9	302·6	298·4	4·2	300·2	298·0	29·5	397·9	86	− 1·6	+ 0·9	151	1·8	3·8
Absolute Maximum.	1010·2	305·7	...	6·4	...	300·8	34·2	191.8	19	...	...	...	...	14·8†
Day.	2	6	...	8	...	6	24	15	16	...	...	...	...	26*d* 9*h*
Absolute Minimum.	999·2	...	295·2	2·6	...	293·9	20·3	...	...	...	...	...	...	...
Day.	6	...	16	3	...	9	9	...	...	...	...	...	...	...

ADOPTED ERRORS OF TIMEBALL, JUNE, 1925.

Date.	Error.	Date.	Error.	Date.	Error.
	s		*s*		*s*
1	+ 0·02	11	− 00·1	21	+ 0·01
2	+ 0·11	12	+ 0·01	22	− 0·01
3	+ 0·15	13	+ 0·02	23	+ 0·01
4	− 0·04	14	0·00	24	+ 0·06
5	− 0·02	15	0·00	25	+ 0·08
6	− 0·04	16	0·00	26	+ 0·05
7	− 0·06	17	0·00	27	− 0·01
8	− 0·09	18	+ 0·02	28	+ 0·01
9	− 0·08	19	+ 0·03	29	+ 0·03
10	− 0·01	20	+ 00·3	30	+ 0·05

+ = Late; − = Early.
The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.
The probable error for the month was ± 0ˢ·10

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JUNE, 1925.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-10)	Percentage of Possible Sunshine.	Rainfall. Percentage of Total Amount.	Rainfall. Percentage of Total Duration	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·637	79·6	76·3	0·864	86	70		5	5	− 2·0	+ 4·8	113	5·2	9·2
2	·624	79·4	76·3	·866	87	68		3	4	− 2·5	+ 4·5	119	5·2	8·5
3	·617	79·2	76·3	·868	87	68		3	6	− 2·4	+ 3·9	122	4·6	8·7
4	·615	79·1	76·3	·870	88	69		2	7	− 1·9	+ 3·8	117	4·3	8·2
5	·616	78·8	76·3	·874	89	76		3	6	− 1·7	+ 3·9	114	4·2	7·9
6	·623	79·1	76·3	·870	88	80	17	5	5	− 2·8	+ 3·9	126	4·8	8·8
7	·634	80·1	76·7	·875	85	75	42	4	5	− 2·7	+ 4·5	121	5·3	9·3
8	·648	80·5	76·7	·869	83	76	46	11	7	− 2·3	+ 6·0	111	6·4	10·9
9	·657	81·6	77·0	·867	81	79	51	2	4	− 2·3	+ 6·6	109	7·0	10·4
10	·662	82.1	77·1	·865	79	79	55	6	5	− 2·3	+ 6·9	108	7·3	11·8
11	·658	83·0	77·3	·861	76	76	60	3	5	− 2·5	+ 7·0	110	7·5	12·6
Noon.	·651	83·4	77·5	·865	75	78	58	1	4	− 3·6	+ 7·1	117	8·0	13·0
13	·638	83·8	77·5	·859	74	76	59	...	3	− 4·2	+ 7·0	121	8·2	12·8
14	·624	83·7	77·4	·856	74	75	63	2	3	− 4·5	+ 7·8	120	9·0	13·7
15	·612	83·3	77·3	·857	75	78	59	2	4	− 5·0	+ 7·4	124	9·0	13·2
16	·598	82·9	77·2	·858	76	74	63	6	5	− 4·8	+ 7·7	122	9·1	13·2
17	·593	82·6	77·2	·863	77	74	55	1	3	− 4·7	+ 7·7	121	9·0	12·5
18	·595	81·9	77·1	·867	80	72	32	...	2	− 4·3	+ 7·2	121	8·4	11·8
19	·609	81·1	76·7	·860	81	72		1	2	− 4·0	+ 6·6	121	7·7	10·7
20	·625	80·6	76·6	·863	83	75		3	3	− 3·7	+ 5·5	124	6·7	9·6
21	·639	80·4	76·6	·866	83	64		6	3	− 2·8	+ 5·3	118	6·0	9·1
22	·653	80·3	76·7	·872	84	65		9	2	− 2·9	+ 5·9	116	6·6	10·0
23	·657	80·0	76·6	·872	85	63		15	3	− 3·0	+ 5·3	120	6·1	9·8
Midn.	·647	80·0	76·5	·867	85	67		7	4	− 2·5	+ 5·0	117	5·6	9·3

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JUNE, 1925.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1005·5	299·4	297·6	29·1	− 0·7	+ 1·6	113	1·7	3·0
2	1005·1	299·3	297·6	29·2	− 0·8	+ 1·5	119	1·7	2·8
3	1004·9	299·2	297·6	29·3	− 0·8	+ 1·3	122	1·5	2·9
4	1004·8	299·2	297·6	29·4	− 0·6	+ 1·2	117	1·4	2·7
5	1004·8	299·0	297·6	29·5	− 0·6	+ 1·3	114	1·4	2·6
6	1005·1	299·2	297·6	29·4	− 0·9	+ 1·3	126	1·6	2·9
7	1005·4	299·7	297·8	29·5	− 0·9	+ 1·5	121	1·7	3·0
8	1005·9	299·9	297·8	29·3	− 0·8	+ 2·0	111	2·1	3·6
9	1006·2	300·6	298·0	29·3	− 0·8	+ 2·2	109	2·3	3·4
10	1006·4	300·8	298·1	29·2	− 0·8	+ 2·3	108	2·4	3·9
11	1006·2	301·3	298·2	29·0	− 0·8	+ 2·3	110	2·5	4·1
Noon.	1006·0	301·6	298·3	29·2	− 1·2	+ 2·3	117	2·6	4·3
13	1005·5	301·8	298·3	29·0	− 1·4	+ 2·3	121	2·7	4·2
14	1005·1	301·7	298·2	28·9	− 1·5	+ 2·6	120	3·0	4·5
15	1004·6	301·5	298·2	28·9	− 1·6	+ 2·4	124	3·0	4·3
16	1004·2	301·3	298·1	28·9	− 1·6	+ 2·5	122	3·0	4·3
17	1004·0	301·1	298·1	29·1	− 1·5	+ 2·5	121	3·0	4·1
18	1004·1	300·7	298·1	29·3	− 1·4	+ 2·4	121	2·8	3·9
19	1004·6	300·3	297·8	29·0	− 1·3	+ 2·2	121	2·5	3·5
20	1005·1	300·0	297·8	29·1	− 1·2	+ 1·8	124	2·2	3·1
21	1005·6	299·9	297·8	29·2	− 0·9	+ 1·7	118	2·0	3·0
22	1006·1	299·8	297·8	29·4	− 1·0	+ 1·9	116	2·2	3·3
23	1006·2	299·7	297·8	29·4	− 1·0	+ 1·7	120	2·0	3·2
Midn.	1005·9	299·7	297·7	29·3	− 0·8	+ 1·6	117	1·8	3·0

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

JUNE,

1925.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	31st May, 1925.								1st June, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock, .	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
emuro,	11	29.88	759.0	...	...	...	0	...	5	29.98	761.5	...	...	...	0	...
okodate,	"	29.94	760.5	...	...	WSW	1	...	"	30.02	762.5	...	...	W	1	...
okio,	"	29.92	760.0	...	...	SE	1	...	"	30.00	762.0	...	...	NE	1	...
ochi,	"	29.94	760.5	...	...	SE	1	...	"	29.96	761.0	...	...	...	0	...
agasaki,	"	29.94	760.5	...	...	NE	1	...	"	29.96	761.0	...	...	SE	1	...
agoshima,	"	29.98	761.5	...	...	SE	1	...	"	29.94	760.5	...	...	ESE	1	...
shima,	"	29.94	760.5	...	...	S	1	...	"	29.82	757.5	...	...	S	1	...
aha,	"	29.88	759.0	...	...	S	2	...	"	29.84	758.0	...	...	SE	1	...
higakijima,	"	29.86	758.5	...	...	SSE	1	...	"	29.82	757.5	...	...	...	...	...
onin Island,	"	29.96	761.0	...	...	NNE	1	...	"	30.02	762.5	...	...	...	0	...
hefoo,	15	29.83	757.7	70	75	E	1	0	6	29.88	758.9	64	91	S	1	r
ankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
hang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
hangsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
hanghai,	14	29.91	759.6	66	92	NE	1	r	"	29.89	759.3	63	94	E	1	0
utzlaff,	"	29.88	758.9	66	91	NE	6	r	"	29.90	759.4	60	100	ESE	4	0
harp Peak,	"	29.83	757.7	86	88	S	2	0	7	29.80	756.9	73	94	NE	1	0
moy,	15	29.72	754.9	82	71	SE	2	b	9	...	...	...	...	...	...	...
swow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
aihoku,	11	29.81	757.2	86	71	...	0	0	5	29.81	757.2	73	98	...	0	0
aichu,	"	29.84	757.8	86	...	SW	2	0	"	29.86	758.4	73	...	...	0	b
ainan,	"	29.82	757.5	86	...	...	0	0	"	29.82	757.5	77	...	...	0	b
oshun,	"	29.82	757.5	90	...	SE	2	0	"	29.81	757.2	77	...	...	0	b
escadores,	"	29.84	757.8	84	...	...	0	b	"	29.81	757.2	79	...	...	0	b
anton,	14	29.71	754.6	84	87	SSE	1	0	6	29.78	756.4	72	95	N	1	c
ongkong,	"	29.73	755.1	82	85	ESE	3	0	"	29.76	755.9	81	85	S	1	0
ap Rock,	"	29.74	755.4	...	...	ESE	3	c	"	29.77	756.1	...	...	SSE	3	b
acao,	"	29.71	754.5	86	81	SE	4	0	"	...	...	...	...	...	...	...
uchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
akhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
oihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
hulien,	"	29.67	753.6	86	75	SSE	4	0	7	29.79	756.6	72	100	WNW	2	rf
ourane,	"	29.68	753.9	84	...	NW	2	b	"	29.74	755.4	79	...	...	0	0
ape St. James,	"	29.73	755.1	77	...	SW	6	r	"	29.79	756.6	77	...	SW	2	b
asco,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
parri,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
anila,	"	29.76	756.0	81	80	SSW	2	0	"	29.81	757.2	77	94	...	0	r
egaspi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
acloban,	"	29.79	756.6	90	69	ENE	2	0	"	...	...	...	...	...	...	...
oilo,	"	29.75	755.7	84	74	SW	4	0	"	29.81	757.2	75	98	S	1	0
rigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
nam,	12.20	29.78	756.3	...	...	ESE	4	r	4.20	29.86	758.4	...	...	SE	1	0
ap,	12.47	29.79	756.6	...	...	SE	2	0	4.47	29.82	757.5	...	...	...	0	0
ouan,	14	29.75	755.6	90	77	N	1	b	6	29.82	757.5	78	91	S	2	b

June 1*d.* 12*h.* 03*m.*—Pressure has decreased slightly at Shanghai, and over south Japan and the Loochoos; it has increased slightly elsewhere. It is highest in the Pacific to the east of Japan and relatively low over Indo-China and the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 23·51 inches, against an average of 23·82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
.—Formosa Channel,	S. winds, light.
.—South coast of China between Hongkong and Lamocks,	S. winds, moderate; fair to showery.
.—Hongkong to Gap Rock,	
.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	1st June, 1925.								2nd June, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	29.91	759.8	60	...	SSE	4	0	6	29.92	759.9	47	...	SSE	2	f
Nemuro,	11	29.96	761.0	...	...	NNE	1	...	5	29.96	761.0	...	...	SSW	1	...
Hokodate,	"	30.02	762.5	...	...	SSE	1	...	"	29.98	761.5	...	...	...	0	...
Tokio,	"	29.98	761.5	...	...	S	1	...	"	29.96	761.0	...	...	NNW	1	...
Kochi,	"	29.98	761.5	...	...	SW	1	...	"	29.92	760.0	...	...	...	0	...
Nagasaki,	"	29.96	761.0	...	...	E	1	...	"	29.84	758.0	...	...	...	0	...
Kagoshima,	"	29.92	760.0	...	...	E	1	...	"	29.82	757.5	...	...	NNE	1	...
Oshima,	"	29.82	757.5	...	...	S	1	...	"	29.78	756.5	...	...	S	2	...
Naha,	"	29.86	758.5	...	...	ESE	2	...	"	29.86	758.5	...	...	ESE	1	...
Ishigakijima,	"	29.88	759.0	...	...	SSW	1	...	"	29.86	758.5	...	...	NW	1	...
Bonin Island,	"	30.00	762.0	...	...	SE	1	...	"	30.00	762.0	...	...	...	...	...
Chefoo,	15	29.84	757.9	67	79	ESE	1	0	6	29.81	757.2	62	100	E	1	0
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.92	759.9	66	90	ESE	1	0	"	29.88	759.0	64	100	SSE	1	0
Gutzlaff,	"	29.92	759.9	64	100	E	2	r	"	29.90	759.4	63	100	SSE	2	0
Sharp Peak,	"	29.85	758.2	74	94	ENE	2	r	7	29.86	758.4	74	90	...	0	b
Amoy,	15	29.73	755.1	84	79	ENE	4	0	9	...	...	...	...	...	...	...
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.84	757.8	86	75	NW	2	0	5	29.82	757.5	72	96	...	0	b
Taichu,	"	29.85	758.1	90	...	SSW	2	b	"	29.82	757.5	75	...	N	2	b
Tainan,	"	29.84	757.8	90	...	SW	4	b	"	29.79	756.6	75	...	SE	2	0
Koshun,	"	29.84	757.8	86	...	...	0	b	"	29.84	757.8	77	...	...	0	r
Pescadores,	"	29.88	759.0	86	...	S	4	b	"	29.76	756.0	79	...	...	0	b
Canton,	14	29.78	756.4	87	72	NW	2	c	6	...	...	...	...	...	...	...
Hongkong,	"	29.77	756.1	87	64	SW	2	c	"	29.79	756.6	78	93	...	0	cm
Gap Rock,	"	29.78	756.4	...	...	SSE	3	b	"	29.78	756.4	...	...	SSE	3	b
Macao,	"	29.75	755.7	93	71	SSW	2	0	"	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.75	755.7	79	98	WNW	2	r	7	...	...	...	...	...	...	...
Tourane,	"	29.69	754.2	84	...	WNW	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.78	756.3	77	...	SW	1	b	"	...	...	...	...	...	...	...
Basco,	14	29.78	756.3	86	75	E	2	0	6	29.79	756.6	82	92	SE	2	0
Aparri,	"	29.74	755.4	90	72	NE	4	0	"	29.79	756.6	77	88	SW	2	b
Manila,	"	29.79	756.6	82	77	WSW	1	0	"	29.81	757.2	73	94	ESE	1	b
Legaspi,	"	29.76	756.0	90	76	SSW	4	0	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	29.81	757.2	77	96	NW	1	0
Iloilo,	"	29.75	755.7	86	75	SSW	4	0	"	29.81	757.2	75	92	N	1	b
Surigao,	"	29.76	756.0	86	65	WNW	2	b	"	29.82	757.5	75	96	WSW	1	0
Guam,	12.20	29.82	757.5	...	...	SE	2	0	4.20	29.86	758.4	...	...	SE	1	0
Yap,	12.47	29.80	756.9	...	...	SE	2	0	4.47	29.86	758.4	...	...	SE	2	0
Labuan,	14	29.71	754.6	88	76	N	4	b	6	29.83	757.7	78	94	SE	2	r

June 2*d*. 12*h*. 06*m*.—Pressure has decreased slightly to moderately at the majority of reporting stations; it remains highest in the Pacific to the east of Japan, and is relatively low over the China Sea. The depression is situated between Kiusiu and Oshima.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 23·51 inches, against an average of 24·33 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel,	Light variable winds.
2.—South coast of China between Hongkong and Lamocks,	Southerly or variable winds, light; fair generally, probably some showers.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	2nd June, 1925.								3rd June, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	29.91	759.6	56	...	SE	4	c	6	29.88	758.9	50	...	...	0	f
Kemuro,	11	29.94	760.5	...	...	SW	3	...	5	29.90	759.5	...	...	SSW	1	...
Hakodate,	"	29.96	761.0	...	...	SE	2	...	"	29.90	759.5	...	...	N	1	...
Tokio,	"	29.94	760.5	...	...	E	1	...	"	29.84	758.0	...	...	ENE	1	...
Kochi,	"	29.88	759.0	...	...	...	0	...	"	29.84	758.0	...	...	...	0	...
Nagasaki,	"	29.84	758.0	...	...	NW	1	...	"	29.86	758.5	...	...	...	...	...
Kagoshima,	"	29.82	757.5	...	...	E	1	...	"	29.86	758.5	...	...	...	...	...
Ishima,	"	29.84	758.0	...	...	...	0	...	"	29.84	758.0	...	...	...	0	...
Naha,	"	29.88	759.0	...	...	SW	2	...	"	29.86	758.5	...	...	...	...	...
Ishigakijima,	"	29.90	759.5	...	...	...	0	...	"	29.80	757.0	...	...	SSE	1	...
Bonin Island,	"	29.98	761.5	...	...	SSE	3	...	"	29.88	759.0	...	...	S	2	...
Chefoo,	15	29.79	756.6	75	64	S	1	o	6	29.75	755.6	62	100	S	4	r
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.86	758.4	86	56	SW	1	b	"	29.80	756.9	64	98	SE	1	b
Dutzlaff,	"	29.99	761.7	70	85	SSE	2	b	"	29.83	757.7	66	100	SE	4	of
Sharp Peak,	"	29.88	758.9	86	68	E	1	b	7	29.86	758.4	75	93	...	0	o
Amoy,	15	29.78	756.4	81	78	ENE	4	o	9	29.74	755.4	77	92	ESE	2	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.86	758.4	84	74	NW	1	o	5	29.75	755.7	72	92	...	0	b
Taichu,	"	29.86	758.4	86	...	...	0	o	"	29.81	757.2	75	...	...	0	o
Tainan,	"	29.85	758.1	86	...	...	0	o	"	29.74	755.4	75	...	...	0	o
Koshun,	"	29.82	757.5	82	...	ENE	4	o	"	29.73	755.1	77	...	ENE	4	o
Pescadores,	"	29.87	758.7	81	...	NE	2	o	"	29.75	755.7	77	...	NNE	2	b
Canton,	14	29.77	756.1	81	87	S	1	or	6	29.73	755.1	75	95	NE	1	c
Hongkong,	"	29.79	756.6	83	73	ENE	3	o	"	29.71	754.6	78	93	ENE	2	op
Gap Rock,	"	29.80	756.9	...	...	ENE	1	b	"	29.71	754.6	...	...	ESE	3	c
Macao,	"	29.78	756.3	84	74	NNE	2	o	"	29.72	754.8	79	90	E	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.71	754.5	86	68	WSW	1	b	7	29.69	754.2	77	88	ESE	2	b
Tourane,	"	29.73	755.1	82	...	NNW	2	b	"	29.71	754.5	79	...	...	0	o
Cape St. James,	"	...	...	...	...	...	...	...	"	29.82	757.5	75	...	SW	4	b
Basco,	14	29.79	756.6	84	77	ESE	4	o	6	29.74	755.4	77	96	SSW	2	o
Aparri,	"	29.74	755.4	90	60	N	4	b	"	29.74	755.4	77	92	SW	2	o
Manila,	"	29.80	756.9	86	71	W	4	o	"	29.78	756.3	77	91	S	1	o
Legaspi,	"	29.78	756.3	86	71	SSW	4	o	"	29.76	756.0	77	92	SW	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.80	756.9	82	74	W	4	o	"	29.81	757.2	77	92	N	2	o
Surigao,	"	29.79	756.6	82	86	SE	1	o	"	29.81	757.2	75	94	WSW	2	o
Guam,	12.20	29.86	758.4	...	...	SW	2	r	4.20	29.86	758.4	...	...	S	1	o
Yap,	12.47	29.84	757.8	...	...	WSW	2	o	4.47	29.84	757.8	...	...	S	2	o
Labuan,	14	29.74	755.4	86	80	N	2	b	6	29.81	757.2	80	91	S	2	b

June 3*d*. 11*h*. 39*m*.—Pressure has increased slightly over south Japan and the Loochoos and decreased slightly to moderately elsewhere. A shallow depression covers Tongking and extends eastward into the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·31 inch. Total since January 1st, 23·82 inches, against an average of 24·84 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel,	Light variable winds.
2.—South coast of China between Hongkong and Lamocks,	E. and S.E. or variable winds, moderate; cloudy, rain.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	3rd June, 1925.								4th June, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.821	757.5	58	...	ESE	4	o	6	29.84	757.9	50	...	ESE	2	f
Nemuro,	11	29.88	759.0	...	...	SSW	2	...	5	29.92	760.0	...	...	S	1	...
Hokodate,	"	29.88	759.0	...	...	SSE	1	...	"	29.92	760.0	...	...	...	0	...
Tokio,	"	29.82	757.5	...	...	ESE	2	...	"	29.88	759.0	...	...	NNW	1	...
Kochi,	"	29.86	758.5	...	...	SE	1	...	"	29.88	759.0	...	...	...	0	...
Nagasaki,	"	29.88	759.0	...	...	W	1	...	"	29.78	756.5	...	...	SSE	3	...
Kagoshima,	"	29.88	759.0	...	...	WSW	1	...	"	29.84	758.0	...	...	...	0	...
Oshima,	"	29.88	759.0	...	...	SE	1	...	"	29.76	756.0	...	...	...	...	...
Naha,	"	29.88	759.0	...	...	ENE	1	...	"	29.75	755.5	...	...	ESE	1	...
Ishigakijima,	"	29.80	757.0	...	...	SE	4	...	"	29.71	754.5	...	...	SW	3	...
Bonin Island,	"	29.86	758.5	...	...	WSW	1	...	"	29.84	758.0	...	...	...	0	...
Chefoo,	15	29.74	755.4	64	95	SE	1	r	6	29.70	754.4	60	100	ESE	1	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.72	754.8	84	64	SSE	4	b	"	29.84	757.8	70	100	S	1	b
Gutzlaff,	"	29.77	756.1	69	91	SE	6	b	"	29.65	753.1	70	100	S	4	o
Sharp Peak,	"	29.83	757.7	86	72	E	2	b	7	29.81	757.2	78	86	E	1	b
Amoy,	15	29.72	754.9	82	79	ENE	4	b	9	29.68	753.9	78	92	SE	1	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.76	756.0	86	61	W	2	o	5	29.69	754.2	72	96	...	0	b
Taichu,	"	29.79	756.6	90	...	NNW	2	b	"	29.60	751.8	73	...	...	0	b
Tainan,	"	29.79	756.6	90	...	NNW	2	o	"	29.71	754.5	75	...	SE	2	b
Koshun,	"	29.79	756.6	84	...	N	2	o	"	29.72	754.8	75	...	...	0	o
Pescadores,	"	29.80	756.9	82	...	N	4	o	"	29.69	754.2	79	...	SW	2	o
Canton,	14	29.70	754.4	85	76	E	1	c	6	...	...	...	...	...	...	...
Hongkong,	"	29.71	754.6	81	86	E	2	o	"	29.67	753.6	77	98	NE	2	or
Gap Rock,	"	29.72	754.9	...	...	ENE	3	c	"	29.67	753.6	...	...	E	2	c
Macao,	"	29.69	754.2	82	84	ESE	2	o	"	29.63	752.7	79	89	E	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.63	752.7	86	71	SE	4	b	7	29.63	752.7	79	92	E	4	b
Tourane,	"	29.68	753.9	84	...	WNW	2	o	"	29.66	753.3	82	...	...	0	b
Cape St. James,	"	29.76	756.0	84	...	SW	4	o	"	29.75	755.7	77	...	SW	4	o
Basco,	14	29.74	755.4	86	68	SW	2	o	6	...	...	...	...	...	...	...
Aparri,	"	29.69	754.2	97	69	NE	4	o	"	29.71	754.5	77	92	SW	2	o
Manila,	"	29.75	755.7	86	71	SW	4	o	"	29.74	755.4	77	94	SE	1	o
Legaspi,	"	29.75	755.7	79	92	WSW	4	o	"	29.75	755.7	75	96	SSW	1	b
Tacloban,	"	...	...	...	...	...	...	...	"	29.78	756.3	...	...	...	0	o
Iloilo,	"	29.74	755.4	86	65	SSW	2	o	"	29.80	756.9	77	96	SW	4	o
Surigao,	"	29.76	756.0	86	71	W	2	o	"	29.79	756.6	75	94	...	0	o
Guam,	12.20	29.82	757.5	...	...	SW	2	o	4.20	29.84	757.8	...	...	S	1	o
Yap,	12.47	29.82	757.5	...	...	SSW	4	o	4.47	29.85	758.1	...	...	SSW	1	o
Labuan,	14	29.77	756.1	88	80	NE	2	b	6	29.78	756.4	80	91	NE	2	b

June 4*d.* 11*h.* 12*m.*—Pressure has increased slightly over N. Japan, and decreased slightly elsewhere; it is highest in the Pacific to the east of Japan, and relatively low over China generally with a depression over Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·16 inch. Total since January 1st, 24·98 inches, against an average of 25·35 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, light.
2.—South coast of China between Hongkong and Lamocks,	E. and S.E. winds, moderate; cloudy, showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	4th June, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	5th June, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
ladivostock, .	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
emuro, ...	11	29.92	760.0	...	...	SSE	2	...	5	29.92	760.0	...	...	SE	1	...
okodate, ...	,,	29.90	759.5	...	...	SSE	1	...	,,	29.86	758.5	...	...	ESE	1	...
kio, ...	,,	29.86	758.5	...	...	ESE	1	...	,,	29.82	757.5	...	...	ENE	1	...
ochi, ...	,,	29.80	757.0	...	...	S	1	...	,,	29.69	754.0	...	...	...	0	...
agasaki, ...	,,	29.80	757.0	...	...	SSE	1	...	,,	29.65	753.0	...	...	...	0	...
agoshima, ...	,,	29.78	756.5	...	...	...	...	...	,,	29.61	752.0	...	...	NNE	1	...
hima, ...	,,	29.70	754.5	...	...	S	1	...	,,	29.59	751.5	...	...	SE	1	...
ns, ...	,,	29.74	755.5	...	...	S	1	...	,,	29.63	752.5	...	...	SW	1	...
higakijima, ...	,,	29.72	755.0	...	...	WSW	1	...	,,	29.65	753.0	...	...	WSW	1	...
ric Island, ...	,,	29.86	758.5	...	...	N	1	..	..	29.75	755.5	...	...	...	0	...
hfoo, ...	15	29.72	754.9	66	91	E	1	b	6	29.70	754.4	60	100	...	0	b
nkow, ...	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
hang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hangsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
anghai, ...	14	29.61	752.1	90	63	NW	1	b	,,	29.69	754.2	68	92	N	1	o
utzlaff, ...	,,	29.64	752.8	78	86	SW	1	b	,,	29.70	754.4	67	100	NNE	2	of
arp Peak, ...	,,	29.69	754.1	86	80	S	4	b	7	29.65	753.1	81	89	...	0	of
moy, ...	15	29.59	751.6	86	68	SSE	4	b	9	29.60	751.8	78	95	...	0	b
swow, ...	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
aihoku, ...	11	29.71	754.5	86	68	W	4	b	5	29.63	752.7	75	98	...	0	o
aichu, ...	,,	29.72	754.8	90	...	SSW	2	b	,,	29.69	754.2	73	...	...	0	b
aiman, ...	,,	29.72	754.8	90	...	S	2	b	,,	29.63	752.7	75	...	SE	2	b
oshun, ...	,,	29.72	754.8	86	...	SW	2	o	,,	29.62	752.4	77	...	...	0	r
scadores, ...	,,	29.73	755.1	86	...	SSW	4	b	,,	29.63	752.7	79	...	S	2	b
nton, ...	14	29.62	752.3	98	72	S	1	b	6	...	...	...	...	...	...	...
ongkong, ...	,,	29.64	752.8	83	81	E	3	c	,,	29.61	752.1	78	95	...	0	bf
ap Rock, ...	,,	29.66	753.3	...	...	ENE	3	c	,,	29.62	752.3	...	...	...	0	b
acao, ...	,,	29.62	752.4	90	76	SE	2	b	,,	29.59	751.3	79	95	...	0	b
chow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
khoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hulien, ...	,,	29.58	751.2	86	78	SSE	6	b	7	29.59	751.3	81	96	SE	4	b
ourane, ...	,,	29.61	752.1	86	...	NW	2	b	,,	29.62	752.4	81	...	W	2	b
ape St. James,	,,	29.72	754.8	82	...	S	6	o	,,	29.78	756.3	75	...	SW	2	o
asco, ...	14	...		...	...	...	...	...	6	29.63	752.7	81	97	SSW	4	r
parri, ...	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
anila, ...	,,	29.71	754.5	82	81	SW	6	o	,,	29.74	755.4	79	89	S	4	o
agaspi, ...	,,	29.71	754.5	59	53	SSW	4	o	,,	29.74	755.4	79	98	WSW	2	o
acloban, ...	,,	29.74	755.4	90	66	SE	2	o	,,	...	...	...	...	...	...	...
oilo, ...	,,	29.74	755.4	84	71	S	4	o	,,	29.79	756.6	77	96	N	1	o
urigao, ...	..	29.74	755.4	86	61	W	2	b	,,	...	...	...	...	...	...	...
ham, ...	12.20	29.80	756.9	...	...	NW	2	o	4.20	29.80	756.9	...	...	NW	1	o
ap, ...	12.47	29.79	756.6	...	...	SE	2	b	4.47	29.81	757.2	...	...	...	0	o
nnan, ...	14	29.78	756.4	84	87	NE	2	b	6	29.80	756.9	80	87	N	2	b

June 5*d.* 12*h.* 15*m.*—Pressure has increased slightly in the vicinity of Shanghai; it has decreased considerably over south Japan, and slightly to moderately elsewhere. Depressions are situated in the Eastern Sea and over S.W. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 *inch.* Total since January 1st, 24·98 inches, against an average of 25·86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel, ...	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	Light westerly or variable winds, probably freshening from S.W.; fine to cloudy, probably rain later.
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	5th June, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	6th June, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	29.79	756.6	66	...	ESE	3	o	6	29.89	759.2	54	...	SE	4	o
Nemuro,	11	29.92	760.0	...	...	SE	2	...	5	29.94	760.5	...	...	ENE	1	...
Hokodate,	"	29.84	758.0	...	...	ESE	4	...	"	29.92	760.0	...	...	E	1	...
Tokio,	"	29.76	756.0	...	...	NE	1	...	"	29.80	757.0	...	...	NE	1	...
Kochi,	"	29.63	752.5	...	...	...	0	...	"	29.71	754.5	...	...	...	...	...
Nagasaki,	"	29.63	752.5	...	...	NNW	6	...	"	29.67	753.5	...	...	ENE	1	...
Kagoshima,	"	29.67	753.5	...	...	SSE	1	...	"	29.67	753.5	...	...	...	0	...
Oshima,	"	29.61	752.0	...	...	NNE	1	...	"	29.61	752.0	...	...	...	0	...
Naha,	"	29.65	753.0	...	...	WNW	1	...	"	29.61	752.0	...	...	...	0	...
Ishigakijima,	"	29.67	753.5	...	...	SSW	1	...	"	29.57	751.0	...	...	SW	1	...
Bonin Island,	"	29.67	753.5	...	...	SE	2	...	"	29.57	751.0	...	...	W	1	...
Chefoo.	15	29.68	753.9	70	80	E	1	b	6	29.63	752.6	65	84	SSE	1	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai.	14	29.69	754.2	79	66	N	2	b	"	29.65	753.0	68	98	E	1	o
Gutzlaff,	"	29.80	756.9	69	91	NNE	1	o	"	29.66	755.3	65	100	SE	4	o
Sharp Peak,	"	29.66	753.3	88	80	S	2	o	7	29.66	753.3	78	65	...	4	o
Amoy,	15	29.52	749.8	88	73	SSE	4	b	9	29.54	750.3	81	87	ESE	2	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.63	752.7	90	66	W	2	b	5	29.55	750.6	73	94	...	o	b
Taichu,	"	29.67	753.6	90	...	...	o	o	"	29.59	751.5	77	...	...	o	o
Tainan,	"	29.65	753.0	86	...	SSE	2	o	"	29.55	750.6	79	...	...	o	b
Koshun,	"	29.65	753.0	82	...	SSW	2	b	"	29.56	750.9	77	...	...	o	r
Pescadores,	"	29.66	753.3	86	...	SW	2	b	"	29.55	750.6	79	...	NW	2	o
Canton.	14	29.56	750.8	92	67	S	1	b	6	...	...	...	...	...	...	...
Hongkong,	"	29.58	751.3	88	65	WNW	1	c	"	29.57	751.1	82	88	W	1	c
Gap Rock,	"	29.62	752.3	...	...	SW	1	c	"	29.59	751.6	...	...	SW	4	b
Macao,	"	29.56	750.9	90	72	SE	2	b	"	29.54	750.3	81	90	W	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.52	749.7	90	69	SSE	4	b	7	29.53	750.0	81	86	S	1	b
Tourane,	"	29.61	752.1	86	...	S	2	b	"	29.63	752.7	81	...	...	o	b
Cape St. James,	"	29.74	755.4	84	...	SW	2	o	"	29.79	756.6	75	...	SSW	4	o
Basco,	14	29.60	751.8	86	78	SW	4	o	6	..	...	...	...	...	...	...
Aparri,	"	...	...	90	60	NNW	4	o	"	29.60	751.8	72	88	SW	2	o
Manila,	"	29.71	754.5	82	86	WSW	4	o	"	29.71	754.5	77	92	W	1	r
Legaspi,	"	29.69	754.2	90	86	SSW	4	o	"	29.73	755.1	79	92	SW	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	29.75	755.7	61	96	NW	1	o
Iloilo,	"	29.73	755.1	86	78	S	6	o	"	29.76	756.0	79	91	S	2	o
Surigao,	"	29.72	754.8	86	61	WSW	2	b	"	29.76	756.0	77	91	SW	1	o
Guam,	12.20	29.78	756.3	...	...	SW	1	o	4.20	29.78	756.3	...	...	SW	2	o
Yap,	12.47	29.78	756.3	...	...	S	4	b	4.47	29.79	756.6	...	...	...	o	o
Labuan,	14	29.71	754.6	86	80	N	2	o	6	29.75	755.6	80	91	NE	2	b

June 6*d.* 11*h.* 4*cm.*—Pressure has increased slightly over Japan and the Loochoos, and decreased slightly elsewhere. It is highest to the north of Japan, and relatively low over S.W. China; a depression is shown to the north of the Bonins.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 24·98 inches, against an average of 26·37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel.	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks.	S.W. winds, moderate; fine to cloudy, probably rain later.
3.—Hongkong to Gap Rock.	
4.—South coast of China between Hongkong and Hainan.	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	6th June, 1925.								7th June, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	29.89	759.2	63	...	SSE	3	o	6	30.01	762.3	54	...	SSE	3	o
Gemuro,	11	29.96	761.0	...	...	NW	1	...	5	30.08	764.0	...	...	NNE	3	...
Hakodate,	"	29.92	760.0	...	...	SE	3	...	"	30.06	763.5	...	...	...	0	...
Tokio,	"	29.80	757.0	...	...	E	2	...	"	29.90	759.5	...	...	N	1	...
Kobi,	"	29.72	755.0	...	...	...	0	...	"	29.82	757.5	...	...	...	0	...
Nagasaki,	"	29.69	754.0	...	...	E	1	...	"	29.73	755.0	...	...	...	0	...
Kagoshima,	"	29.69	754.0	...	...	SE	1	...	"	29.73	755.0	...	...	ENE	1	...
Ishima,	"	29.65	753.0	...	...	NE	1	...	"	29.61	752.0	...	...	ESE	1	...
Naha,	"	29.63	752.5	...	...	NE	1	...	"	29.57	751.0	...	...	ENE	1	...
Higakijima,	"	29.61	752.0	...	...	SW	1	...	"	29.51	749.5	...	...	SSW	1	...
Boin Island,	"	29.57	751.0	...	...	W	2	...	"	29.67	753.5	...	...	NNW	1	...
Chefoo,	15	29.64	752.8	75	64	N	1	o	6	...	...	62	90	NE	4	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.66	753.3	68	94	E	1	r	"	29.66	753.3	64	96	E	1	o
Gutzlaff,	"	29.66	753.3	67	95	ESE	4	o	"	29.65	753.1	65	100	NNE	4	o
Sharp Peak,	"	29.60	751.8	90	81	E	1	o	7	29.59	751.6	80	93	...	o	o
Amoy,	15	29.48	748.8	86	76	SSE	4	b	9	29.51	749.5	81	87	SE	1	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Tamsui,	11	29.58	751.2	86	71	NNW	2	o	5	29.53	750.0	79	92	...	o	o
Hatchu,	"	29.60	751.8	82	...	...	o	o	"	29.58	751.2	79	...	...	o	o
Hainan,	"	29.58	751.2	81	...	...	o	o	"	29.55	750.6	77	...	E	2	o
Koshun,	"	29.55	750.6	84	...	...	o	b	"	29.54	750.3	79	...	NW	4	b
Pescadores,	"	29.59	751.5	84	...	NW	2	o	"	29.54	750.3	79	...	SSW	4	o
Canton,	14	29.51	749.5	93	67	SW	1	c	6	...	...	...	...	...	...	...
Hongkong,	"	29.53	750.0	90	66	W	2	c	"	29.55	750.5	83	83	WSW	3	o
Gap Rock,	"	29.56	750.8	...	...	SW	4	b	"	29.55	750.5	...	...	SW	5	c
Macao,	"	29.52	749.7	93	71	SW	4	o	"	29.52	749.7	82	84	WSW	4	o
Fuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Amoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Foochow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hulien,	"	29.52	749.7	93	61	WNW	2	o	7	29.55	750.6	81	92	NE	2	o
Swatane,	"	29.62	752.4	86	...	...	o	b	"	29.63	752.7	82	...	WSW	2	o
Cape St. James,	"	...	...	...	...	...	...	...	"	29.79	756.6	79	...	SW	4	b
Basco,	14	29.52	749.7	77	89	SSW	6	r	6	29.55	750.6	81	92	SW	6	r
Aparri,	"	29.59	751.5	84	77	WNW	2	o	"	29.58	751.2	77	89	SW	4	o
Manila,	"	29.71	754.5	81	87	SW	4	r	"	29.71	754.5	81	84	SW	6	o
Legaspi,	"	29.71	754.5	86	65	SSW	4	o	"	29.71	754.5	81	89	SW	2	o
Iloiloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.73	755.1	86	78	S	6	o	"	29.76	756.0	81	89	S	6	o
Surigao,	"	29.74	755.4	90	60	WNW	2	o	"	29.76	756.0	77	89	...	o	o
Guam,	12.20	29.78	756.3	...	...	SW	4	o	4.20	29.84	757.8	...	...	SSW	2	o
Yap,	12.47	29.79	756.6	...	...	SW	4	o	4.47	29.84	757.8	...	...	...	o	o
Labuan,	14	29.71	754.6	88	76	N	4	b	6	29.79	756.6	80	91	N	2	b

June 7*d.* 12*h.* 15*m.*—Pressure has increased slightly to moderately over Japan and the Bonins, and decreased slightly elsewhere. It remains highest to the north of Japan and is relatively low over S. China; a depression covers the Eastern Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 24·98 inches, against an average of 26·88 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel,	S.W. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S.W. winds, moderate; cloudy, rain later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	7th June, 1925.								8th June, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.03	762.7	61	...	S	2	o	6	30.06	763.4	57	...	...	0	o
Nemuro,	11	29.94	760.5	...	...	NE	1	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.98	761.5	...	...	SSE	2	...	"	29.92	760.0	...	...	...	0	...
Tokio,	"	29.78	756.5	...	...	NE	1	...	"	29.94	760.5	...	...	NE	1	...
Kochi,	"	29.84	758.0	...	...	...	...	...	"	29.78	756.5	...	...	...	...	...
Nagasaki,	"	29.74	755.5	...	...	ESE	1	...	"	29.63	752.5	...	...	E	3	...
Kagoshima,	"	29.72	755.0	...	...	NE	2	...	"	29.63	752.5	...	...	E	2	...
Oshima,	"	29.96	761.0	...	...	SE	2	...	"	29.41	747.0	...	...	...	0	...
Naha,	"	29.55	750.5	...	...	SSE	2	...	"	29.47	748.5	...	...	WSW	2	...
Ishigakijima,	"	29.55	750.5	...	...	NW	2	...	"	29.53	750.0	...	...	NW	2	...
Bonin Island,	"	29.69	754.0	...	...	ENE	1	...	"	29.73	755.0	...	...	ENE	1	...
Chefoo,	15	29.82	757.4	63	91	SE	2	o	6	29.88	758.9	58	100	...	0	of
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.68	753.9	79	66	NE	1	b	"	29.71	754.5	64	86	NNW	2	o
Gutzlaff,	"	29.68	753.9	70	85	N	2	o	"	29.68	753.9	64	95	N	6	r
Sharp Peak,	"	29.65	753.1	70	57	E	4	rf	7	29.71	754.6	75	90	N	1	b
Amoy,	15	29.45	748.0	86	76	SSW	2	o	9	29.56	750.8	76	92	ENE	1	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taiboku,	11	29.53	750.0	90	66	W	4	b	5	29.60	751.8	72	96	...	0	o
Taichu,	"	29.58	751.2	90	...	S	2	b	"	29.59	751.5	72	...	...	0	r
Tainan,	"	29.60	751.8	81	...	ENE	2	r	"	29.56	750.9	75	...	SE	2	o
Koshun,	"	29.56	750.9	82	...	NNW	4	o	"	29.56	750.9	77	...	N	4	r
Pescadores,	"	29.58	751.2	68	...	SW	2	o	"	29.58	751.2	77	...	NE	4	o
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.55	750.5	85	77	W	1	o	"	29.57	751.1	79	91	...	0	o
Gap Rock,	"	29.59	751.6	...	...	SW	4	c	"	29.56	750.8	...	...	NNW	4	o
Macao,	"	29.54	750.3	86	75	...	4	c	"	29.55	750.6	77	94	NNW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.54	750.3	93	64	WSW	4	b	7	29.59	751.5	81	92	ENE	4	o
Tourane,	"	29.65	753.0	90	...	WSW	2	o	"	29.63	752.7	82	...	NNW	2	o
Cape St. James,	"	29.76	756.0	90	...	SW	2	b	"	29.80	756.9	79	...	SW	4	b
Basco,	14	29.52	749.7	82	89	SW	4	r	6	29.55	750.6	81	96	SW	4	c
Aparri,	"	29.59	751.5	75	56	...	0	o	"	29.60	751.8	79	90	...	0	o
Manila,	"	29.69	754.2	86	75	WSW	6	o	"	29.69	754.2	81	90	SW	4	r
Legaspi,	"	29.69	754.2	90	72	WSW	4	b	"	29.71	754.5	81	90	SW	4	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	29.76	756.0	81	87	S	4	o
Surigao,	"	29.73	755.1	90	60	W	4	o	"	29.78	756.3	81	81	...	0	o
Guam,	12.20	29.78	756.3	...	...	SW	2	o	4.20	29.82	757.5	...	...	SE	1	o
Yap,	12.47	29.78	756.3	...	...	SSE	2	o	4.47	29.84	757.8	...	...	S	2	o
Labuan,	14	29.78	756.4	84	87	NE	2	b	6	29.78	756.4	80	91	N	2	b

June 8*d.* 11*h.* 01*m.*—Pressure has decreased slightly over Luzon, the Loochoos, the Bonins and south Japan: it has increased slightly elsewhere. The depression of the Eastern Sea appears to be central in close proximity to Oshima: a trough of low pressure covers the northern China Sea, where conditions favour the formation of another depression.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·78 inch. Total since January 1st, 25·75 inches, against an average of 27·39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	N. and N.E. winds, moderate; fair.
3.—Hongkong to Gap Rock,	N. and N.E. winds, moderate; fair.
4.—South coast of China between Hongkong and Hainan,	N. and N.E. winds, moderate; fair.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	8th June, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	9th June, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Kemuro,	11	29.98	761.5	...	...	NE	3	...	5	30.02	762.5	...	...	ESE	1	...
Hokodate,	"	29.96	761.0	...	...	SE	2	...	"	30.00	762.0	...	...	...	...	...
Tokio,	"	29.90	759.5	...	...	ENE	1	...	"	29.92	760.0	...	...	NNE	1	...
Kochi,	"	29.78	756.5	...	...	E	4	...	"	29.75	755.5	...	...	SW	1	...
Nagasaki,	"	29.55	750.5	...	...	W	3	...	"	29.61	752.0	...	...	E	2	...
Kagoshima,	"	29.59	751.5	...	...	E	3	...	"	29.57	751.0	...	...	E	2	...
Oshima,	"	29.41	747.0	...	...	WNW	1	...	"	29.39	746.5	...	...	ESE	2	...
Taiwan,	"	29.49	749.0	...	...	WSW	3	...	"	29.45	748.0	...	...	SW	3	...
Ishigakijima,	"	29.61	752.0	...	...	NNW	3	...	"	29.55	750.5	...	...	NW	4	...
Bonin Island,	"	29.69	754.0	...	...	E	3	...	"	29.61	752.0	...	...	E	1	...
Chefoo,	15	29.84	757.9	63	91	NE	1	b	6	29.82	757.4	58	90	...	0	of
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.75	755.7	68	81	NNE	4	o	"	29.79	756.6	64	88	N	1	o
Gutzlaff,	"	29.71	754.6	66	91	N	6	b	"	29.77	756.1	63	91	NNE	6	o
Sharp Peak,	"	29.66	753.3	86	72	E	2	o	7	29.69	754.1	75	77	N	1	b
Amoy,	15	29.55	750.5	84	68	SSE	4	b	9	29.62	752.3	76	69	ENE	2	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.66	753.3	82	63	NW	4	o	5	29.67	753.6	66	92	...	0	o
Taichu,	"	29.60	751.8	84	...	NNE	2	b	"	29.59	751.5	68	...	...	0	b
Tainan,	"	29.59	751.5	84	...	N	2	o	"	29.56	750.9	70	...	N	2	b
Koshun,	"	29.61	752.1	81	...	...	0	r	"	29.58	751.2	75	...	ENE	2	o
Pescadores,	"	29.60	751.8	82	...	NNE	4	o	"	29.59	751.5	77	...	NNE	4	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.58	751.3	83	81	E	3	o	"	29.63	752.6	77	77	...	0	c
Gap Rock,	"	29.59	751.6	...	...	E	3	c	"	29.63	752.6	...	...	NE	3	b
Macao,	"	...	...	...	...	...	...	...	"	29.61	752.1	79	80	ESE	2	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Takhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Haulien,	"	29.61	752.1	86	78	NNE	1	o	7	29.61	752.1	79	96	NW	2	o
Tourane,	"	29.61	752.1	90	...	ENE	2	o	"	29.62	752.4	82	...	W	2	o
Cape St. James,	"	29.73	755.1	86	...	SW	2	o	"	29.74	755.4	79	...	SW	6	o
Iloilo,	14	...	...	...	...	...	...	...	6	29.80	756.9	73	92	N	4	r
Aparri,	"	29.58	751.2	90	66	SW	2	o	"	29.56	750.9	77	94	SW	2	o
Manila,	"	29.73	755.1	77	92	SW	6	r	"	29.68	753.9	79	89	SW	4	o
Legaspi,	"	29.67	753.6	90	66	SW	4	o	"	29.71	754.5	79	92	SW	2	o
Tacloban,	"	29.71	754.5	90	55	WSW	4	o	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	29.74	755.4	81	89	S	6	o
Surigao,	"	29.72	754.8	90	55	W	2	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	S	2	o	4.20	29.80	756.9	...	...	SE	1	o
Yap,	12.47	29.79	756.6	...	...	SSW	2	o	4.47	29.80	756.9	...	...	...	0	b
Labuan,	14	29.76	755.9	88	80	N	2	b	6	29.79	756.6	77	91	S	2	b

June 9*d.* 11*h.* 37*m.*—Pressure has increased slightly over north Japan and from Shanghai to Formosa; it has decreased slightly elsewhere. The depression remains in the vicinity of Oshima and the trough in the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·06 inch. Total since January 1st, 25·82 inches, against an average of 27·90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	9th June, 1925.								10th June, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.93	760.2	69	...	W	2	o	6	29.95	760.7	50	...	SE	4	o
Nemuro,	11	30.00	762.0	...	...	ESE	1	...	5	...	...	...	...	...	..	...
Hokodate,	"	29.98	761.5	...	...	SSE	3	...	"	30.00	762.0	...	...	E	1	...
Tokio,	"	29.92	760.0	...	...	NE	2	...	"	29.92	760.0	...	...	ENE	1	...
Kochi,	"	29.74	755.5	...	...	SE	1	...	"	29.78	756.5	...	...	SW	1	...
Nagasaki,	"	29.63	752.5	...	...	ENE	3	...	"	29.73	755.0	...	...	...	0	...
Kagoshima,	"	29.63	752.5	...	...	ENE	4	...	"	29.73	755.0	...	...	ENE	2	...
Ogshima,	"	29.41	747.0	...	...	SSE	2	...	"	29.57	751.0	...	...	...	...	...
Naha,	"	29.82	757.5	...	...	SW	2	...	"	29.55	750.5	...	...	N	1	...
Ishigakijima,	"	29.59	751.5	...	...	NW	4	...	"	29.61	752.0	...	...	NW	1	...
Bonin Island,	"	29.41	747.0	...	...	E	1	...	"	29.59	751.5	...	...	...	...	...
Chefoo,	15	29.77	756.1	68	79	E	1	b	6	29.69	754.1	64	73	W	1	0
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.80	756.9	77	57	ENE	2	b	"	29.78	756.3	64	94	ESE	1	0
Gutzlaff,	"	29.79	756.6	69	75	NE	4	o	"	29.82	757.4	63	94	ENE	1	0
Sharp Peak,	"	29.71	754.6	86	65	E	1	o	7	29.74	755.4	70	85	...	0	b
Amoy,	15	29.62	752.3	84	54	SSE	4	b	9	29.67	753.6	76	73	ENE	2	0
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	..	...	...	...
Taihoku,	11	29.69	754.2	77	68	...	...	...	5	29.69	754.2	70	96	...	0	0
Taichu,	"	29.61	752.1	82	...	N	2	b	"	29.65	753.0	68	...	...	0	bf
Tainan,	"	29.61	752.1	84	...	NW	2	b	"	29.66	753.3	70	...	...	0	b
Koshun,	"	29.62	752.4	81	...	ENE	4	o	"	29.65	753.0	73	...	...	0	0
Pescadores,	"	29.69	754.2	82	...	NNE	6	b	"	29.67	753.6	75	...	NE	4	b
Canton,	14	...	...	...	...	...	..	...	6	...	...	..	...	...	...	...
Hongkong,	"	29.65	753.1	83	65	E	3	c	"	29.67	753.6	78	78	E	1	0
Gap Rock,	"	29.67	753.6	...	...	E	4	b	"	29.70	754.4	...	...	ESE	3	c
Macao,	"	29.63	752.7	90	60	SE	2	b	"	29.63	752.7	77	84	NNE	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.58	751.2	86	78	ENE	4	o	7	...	...	...	...	...	...	...
Tourane,	"	29.60	751.8	86	...	...	0	o	"	...	...	...	...	...	...	...
Cape St. James,	"	29.71	754.5	90	...	S	2	b	"	...	...	...	...	...	...	...
Basco,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	"	...	...	...	...	...	...	...	"	29.65	753.0	75	94	...	0	r
Manila,	"	29.68	753.9	84	74	SW	4	o	"	29.72	754.8	77	91	SW	4	o
Legaspi,	"	29.67	753.6	86	71	SW	4	c	"	29.65	753.0	75	96	E	1	o
Taoloban,	"	29.69	754.2	90	63	WSW	4	o	"	29.75	755.7	79	90	NW	1	o
Iloilo,	"	29.72	754.8	86	75	SSW	4	o	"	29.75	755.7	81	92	S	4	o
Surigao,	"	29.72	754.8	90	55	WSW	2	o	"	29.76	756.0	79	89	SW	1	o
Guam,	12.20	29.78	756.3	...	...	NW	1	o	4.20	29.79	756.6	...	...	E	1	o
Yap,	12.47	29.80	756.9	...	...	SE	1	o	4.47	29.81	757.2	...	...	...	o	b
Labuan,	14	29.71	754.6	88	76	NW	2	b	6	29.76	755.9	78	94	N	1	b

June 10*d.* 12*h.* 35*m.*—Pressure has decreased slightly over the Visayas, Yap and Guam, and increased slightly to moderately elsewhere. It is highest to the north of Japan, and relatively low over Tongking and the northern China Sea. The depression over the Loochoos appears to have partially filled up.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 25·81 inches, against an average of 28·41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	10th June, 1925.								11th June, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostook,	12	29.90	759.4	54	...	SSE	4	o	6	29.84	757.8	52	...	SE	4	f
Gemuro,	11	30.02	762.5	...	...	ESE	2	...	5	...	...	...	...	...	...	...
Hokodate,	"	...	...	...	...	...	...	...	"	29.96	761.0	...	...	NE	1	...
Tokio,	"	29.88	759.0	...	...	NNE	2	...	"	29.92	760.0	...	...	NE	1	...
Kochi,	"	29.78	756.5	...	...	SE	1	...	"	29.84	758.0	...	...	...	0	...
Nagasaki,	"	29.72	755.0	...	...	S	1	...	"	29.80	757.0	...	...	...	...	...
Kagoshima,	"	29.74	755.5	...	...	ENE	1	...	"	29.78	756.5	...	...	ENE	1	...
Fushima,	"	29.63	752.5	...	...	NE	1	...	"	29.71	754.5	...	...	...	0	...
Taiwan,	"	29.59	751.5	...	...	NE	1	...	"	29.71	754.5	...	...	...	0	...
Ishigakijima,	"	29.65	753.0	...	...	N	2	...	"	29.71	754.5	...	...	NE	1	...
Pratas Island,	"	29.57	751.0	...	...	...	...	...	"	29.69	754.0	...	...	NNW	1	...
Amoy.	15	29.59	751.6	71	71	S	4	o	6	29.51	749.5	66	84	S	4	b
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shangsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.73	755.1	77	61	SSE	2	b	"	29.72	754.8	68	94	SE	1	o
Gutzlaff,	"	29.77	756.1	70	85	ENE	1	o	"	29.73	755.1	65	100	SSE	2	o
Sharp Peak,	"	29.75	755.6	86	65	S	1	b	7	29.75	755.6	74	81	N	1	o
Amoy,	15	29.67	753.6	83	63	SSE	4	b	9	29.69	754.1	78	82	SSE	2	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.72	754.8	81	66	NE	2	o	5	29.72	754.8	68	96	...	o	b
Taichu,	"	29.69	754.2	84	...	NNW	2	o	"	29.73	755.1	70	...	...	o	b
Tainan,	"	29.68	753.9	84	...	W	2	b	"	29.71	754.5	72	...	...	o	b
Toshun,	"	29.68	753.9	86	...	...	o	b	"	29.69	754.2	72	...	...	o	b
Pescadores,	"	29.72	754.8	81	...	N	4	o	"	29.72	754.8	75	...	NNW	2	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.68	753.9	82	67	E	3	c	"	29.68	753.9	77	82	SE	1	c
Gap Rock,	"	29.69	754.1	...	...	E	4	c	"	29.68	753.9	...	...	E	4	b
Macao,	"	29.68	753.9	86	68	SE	4	o	"	29.65	753.0	77	85	SE	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Makhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hualien,	"	29.54	750.3	86	78	SSE	4	o	7	...	...	...	...	...	...	...
Tourane,	"	29.61	752.1	86	...	...	o	o	"	...	...	...	...	...	...	...
Cape St. James,	"	29.74	755.4	75	...	SW	4	o	"	...	...	...	...	...	...	...
Iloilo,	14	29.67	753.6	82	74	SW	2	o	6	29.67	753.6	73	94	ESE	4	o
Aparri,	"	29.67	753.6	81	76	...	o	o	"	29.69	754.2	75	91	...	o	o
Manila,	"	29.72	754.8	84	77	WSW	4	o	"	29.76	756.0	75	94	NW	4	r
Legaspi,	"	29.72	754.8	86	78	SSW	4	o	"	29.76	756.0	81	96	SSW	1	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	86	75	SSW	4	o	"	29.80	756.9	79	91	...	o	o
Surigao,	"	29.74	755.4	86	68	WNW	1	o	"	29.80	756.9	77	92	...	o	o
Guam,	12.20	29.78	756.3	...	...	NW	1	r	4.20	29.81	757.2	...	...	N	1	r
Yap,	12.47	29.79	756.6	...	...	NE	4	o	4.47	29.82	757.5	...	...	NNE	2	b
Labuan,	14	29.76	755.9	88	76	N	2	b	6	29.78	756.4	80	91	N	4	h

June 11*d.* 11*h.* 55*m.*—Pressure has decreased slightly over South Manchuria, North China and Luzon, and increased slightly to moderately elsewhere; it is highest over N. Japan and relatively low in a trough extending from Tongking to the Bonins. Depressions are situated to the west of Shantung and over Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 25·82 inches, against an average of 28·92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel,	Variable winds, light to moderate.
2.—South coast of China between Hongkong and Lamocks,	S.E. winds, moderate; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	11th June, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	12th June, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Vladivostock,	12	29.80	757.0	54	...	SE	4	o	6	29.82	757.4	54	...	SE	4	f
Nemuro,	11	...	...	...	...	...	...	...	5	29.96	761.0	...	...	SW	1	...
Hokodate,	"	29.92	760.0	...	...	SE	3	...	"	29.96	761.0	...	...	ESE	1	...
Tokio,	"	29.92	760.0	...	...	ENE	1	...	"	29.98	761.5	...	...	...	0	...
Kochi,	"	29.59	751.5	...	...	...	0	...	"	29.90	759.5	...	...	...	0	...
Nagasaki,	"	29.80	757.0	...	...	S	1	...	"	29.86	758.5	...	...	...	...	...
Kagoshima,	"	29.80	757.0	...	...	NE	1	...	"	29.86	758.5	...	...	NE	1	...
Oshima,	"	29.74	755.5	...	...	NE	1	...	"	29.78	756.5	...	...	...	0	...
Naha,	"	29.73	755.0	...	...	WNW	1	...	"	29.76	756.0	...	...	...	...	...
Ishigakijima,	"	29.74	755.5	...	...	...	0	...	"	29.75	755.5	...	...	...	...	...
Bonin Island,	"	29.73	755.0	...	...	NE	1	...	"	29.82	757.5	...	...	...	0	...
Chefoo,	15	29.50	749.3	82	71	S	2	b	6	29.65	753.1	67	84	...	0	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.69	754.2	86	58	SSE	1	b	"	29.74	755.4	68	98	ESE	1	b
Gutzlaff,	"	29.73	755.1	73	86	SSE	2	b	"	29.77	756.1	66	100	SSE	4	of
Sharp Peak,	"	29.74	755.4	83	67	E	1	o	7	29.80	756.9	77	86	E	1	o
Amoy,	15	29.67	753.6	86	68	SSE	4	b	9	29.69	754.1	77	92	SSW	2	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.72	754.8	86	58	NNW	1	b	5	29.72	754.8	75	94	SW	1	b
Taichu,	"	29.72	754.8	86	...	...	0	b	"	29.75	755.7	73	...	...	0	o
Tainan,	"	29.72	754.8	84	...	W	2	b	"	29.73	755.1	73	...	...	0	b
Koshun,	"	29.72	754.8	86	...	SSE	2	b	"	29.74	755.4	72	...	...	0	b
Pescadores,	"	29.73	755.1	84	...	NW	2	b	"	29.73	755.1	77	...	S	1	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.70	754.4	83	64	ESE	3	c	"	29.71	754.5	78	82	E	1	b
Gap Rock,	"	29.70	754.4	...	...	E	4	c	"	29.74	755.4	...	...	E	3	c
Macao,	"	29.67	753.6	90	66	SE	4	b	"	29.67	753.6	79	84	SE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.61	752.1	82	84	WNW	1	of	7	29.66	753.3	79	96	ENE	2	o
Tourane,	"	29.66	753.3	86	...	...	0	o	"	29.67	753.6	82	...	NNW	2	o
Cape St. James,	"	29.75	755.7	86	...	SW	2	b	"	29.79	756.6	77	...	SW	2	b
Basco,	14	29.67	753.6	86	58	SW	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.68	753.9	70	69	N	2	c	"	...	...	...	...	...	...	...
Manila,	"	29.76	756.0	82	81	SW	4	o	"	29.76	756.0	77	96	SE	1	o
Legaspi,	"	29.75	755.7	84	81	SW	4	o	"	29.76	756.0	79	96	SW	1	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.75	755.7	86	58	S	4	o	"	29.79	756.6	75	92	N	1	o
Surigao,	"	29.76	756.0	86	68	NW	1	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	E	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.79	756.6	...	...	E	4	b	4.47	29.81	757.2	...	...	NE	2	b
Labuan,	14	29.71	754.6	88	80	NW	2	b	6	29.79	756.6	80	95	...	0	o

June 12*d.* 11*h.* 06*m.*—Pressure has decreased slightly over the Philippines and increased slightly to moderately elsewhere; it remains highest over Japan, and is relatively low over China generally.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 25·82 inches, against an average of 29·43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel,	S.E. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	12th June, 1925.								13th June, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
emuro,	11	...	...	...	...	...	...	...	5	29.98	761.5	...	...	S	2	...
okodate,	"	29.94	760.5	...	...	SE	3	...	"	29.96	761.0	...	...	...	...	...
dio,	"	29.96	761.0	...	...	S	1	...	"	30.00	762.0	...	...	...	...	...
ochi,	"	29.90	759.5	...	...	...	...	...	"	29.98	761.5	...	...	...	0	...
agasaki,	"	29.86	758.5	...	...	SE	1	...	"	29.92	760.0	...	...	...	...	...
gosbima,	"	29.88	759.0	...	...	ENE	1	...	"	29.92	760.0	...	...	NE	1	...
bima,	"	29.82	757.5	...	...	S	1	...	"	29.86	758.5	...	...	SE	1	...
ba,	"	29.80	757.0	...	...	SE	1	...	"	29.82	757.5	...	...	E	1	...
higakijima,	"	29.78	756.5	...	...	S	1	...	"	29.76	756.0	...	...	SSW	1	...
oin Island,	"	29.82	757.5	...	...	SSE	1	...	"	29.86	758.5	...	...	...	0	...
hefoo,	15	29.65	753.1	78	70	SSE	1	b	6	29.81	757.2	63	91	NW	2	o
ankow,	"	...	.	...	...	...	...	...	"	...	...	...	...	...	...	...
hang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
hangsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
hanghai,	14	29.75	755.7	84	58	E	2	o	"	29.79	756.6	72	92	ESE	1	o
utzlaff,	"	29.79	756.6	70	95	SE	6	of	"	29.79	756.6	67	95	SSE	4	o
arp Peak,	"	29.74	755.4	88	76	E	2	o	7	29.76	755.9	77	91	...	0	bf
moy,	15	29.69	754.1	86	65	SSE	4	b	9	29.69	754.1	80	82	SSE	1	o
swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
aihoku,	11	...	...	...	...	...	...	...	5	29.73	755.1	73	94	...	0	b
aichu,	"	29.76	756.0	84	...	...	0	o	"	29.75	755.7	77	...	...	0	o
ainan,	"	29.75	755.7	86	...	WSW	2	b	"	29.73	755.1	77	...	...	0	b
oshun,	"	29.74	755.4	90	...	ESE	2	b	"	29.74	755.4	77	...	E	2	o
escadores,	"	29.76	756.0	73	...	WSW	2	b	"	29.73	755.1	81	...	S	2	b
anton,	14	...	...	...	...	...	..	...	6	...	...	...	...	...	...	...
ongkong,	"	29.68	753.9	83	70	E	3	b	"	29.71	754.6	78	91	...	0	b
ap Rock,	"	29.69	754.1	...	...	E	3	c	"	29.71	754.6	...	...	ESE	3	c
acao,	"	29.67	753.6	90	66	SE	2	b	"	29.68	753.9	81	90	SE	4	o
uchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
akhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
oihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	..	...	...
hulien,	"	29.60	751.8	86	85	SE	4	o	7	29.67	753.6	81	97	ESE	4	o
ourane,	"	29.66	753.3	86	...	...	0	b	"	29.69	754.2	79	...	...	0	o
ape St. James,	"	29.73	755.1	86	...	SW	2	b	"	29.80	756.9	79	...	SW	2	b
asco,	14	29.68	753.9	84	71	SSW	4	o	6		...	...	...	...	...	...
parri,	"	29.69	754.2	90	69	N	2	c	"	29.76	756.0	75	96	...	0	o
anila,	"	29.78	756.3	82	77	WSW	2	o	"	29.81	757.2	79	95	...	0	o
egaspi,	"	29.75	755.7	90	66	SW	4	o	"	29.80	756.9	77	98	SW	1	o
acoban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
oilo,	"	29.75	755.7	86	68	SSW	4	o	"	29.81	757.2	75	91	N	1	b
urigao,	..	29.76	756.0	86	75	N	1	o	..	29.82	757.5	75	96	SE	1	o
uam,	12.20	29.79	756.6	...	...	E	2	o	4.20	29.81	757.2	...	...	ENE	2	o
ap,	12.47	29.76	756.0	...	...	E	4	o	4.47	29.82	757.5	...	...	ESE	4	o
abuan,	11	29.71	754.6	88	84	N	4	b	6	29.81	757.2	78	91	NW	2	b

June 13*d*. 11*h*. 30*m*.—Pressure has increased moderately at Chefoo, and slightly elsewhere; it remains highest over Japan and is relatively low over Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 25·82 inches, against an average of 29·94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks.	S.E. winds, moderate; fair to showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	13th June, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	14th June, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	29.80	757.0	62	...	...	0	0	6	29.84	757.9	56	...	NNE	3	0
Nemuro,	11	29.96	761.0	...	...	S	2	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.94	760.5	...	...	SE	1	...	"	29.88	759.0	...	...	...	...	...
Tokio,	"	29.94	760.5	...	...	SSE	2	...	"	29.92	760.0	...	...	...	0	...
Kochi,	"	29.94	760.5	...	...	SE	1	...	"	29.82	757.5	...	...	...	0	...
Nagasaki,	"	29.90	759.5	...	...	SSE	1	...	"	29.78	756.5	...	...	SE	2	...
Kagoshima,	"	29.92	760.0	...	...	SSE	1	...	"	29.75	755.5	...	...	NE	2	...
Oshima,	"	29.84	758.0	...	...	SE	1	...	"	29.71	754.5	...	...	S	1	...
Naha,	"	29.80	757.0	...	...	SE	2	...	"	29.71	754.5	...	...	S	2	...
Ishigakijima,	"	29.76	756.0	...	...	S	1	...	"	29.73	755.0	...	...	SW	2	...
Bonin Island,	"	29.84	758.0	...	...	E	1	...	"	29.82	757.5	...	...	...	0	...
Chefoo,	15	29.87	758.7	62	90	NNE	1	0	6	29.86	758.4	56	81	NW	2	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.74	755.4	79	58	ESE	2	0	"	29.75	755.7	70	100	E	1	0
Gutzlaff,	"	29.77	756.1	69	100	ESE	4	of	"	29.77	756.1	67	100	NNE	1	r
Sharp Peak,	"	29.74	755.4	88	92	S	4	b	7	29.71	754.6	80	91	...	0	0
Amoy,	15	29.64	752.8	86	76	SSE	4	b	9	29.63	752.6	82	87	SSE	1	0
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.72	754.8	90	63	WNW	2	b	5	29.69	754.2	77	98	...	0	0
Taichu,	"	29.75	755.7	90	...	WSW	2	b	"	29.74	755.4	75	...	...	0	0
Tainan,	"	29.74	755.4	90	...	SSE	2	b	"	29.72	754.8	77	...	...	0	r
Koshun,	"	29.75	755.7	86	...	SW	2	b	"	29.73	755.1	81	...	SW	2	b
Pescadores,	"	29.74	755.4	86	...	SSE	4	b	"	29.71	754.5	79	...	S	2	b
Canton,	14	...	...	...	...	...	..	...	6		...	...	...	...	...	...
Hongkong,	"	29.69	754.2	85	76	E	3	c	"	29.71	754.6	79	93	WSW	2	op
Gap Rock,	"	29.71	754.6	...	...	...	0	c	"	29.72	754.9	...	...	SW	3	0
Macao,	"	29.67	753.6	84	86	SSW	4	0	"	29.66	753.3	79	91	WSW	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.60	751.8	86	78	SSE	6	b	7	29.67	753.6	79	98	SSE	4	r
Tourane,	"	29.67	753.6	86	...	...	0	0	"	29.72	754.8	82	...	WNW	2	0
Cape St. James,	"	29.74	755.4	90	...	SW	2	b	"	29.80	756.9	79	...	SW	2	b
Basco,	14	...	...	...	...	...	...	...	6	29.75	755.7	81	84	SW	4	0
Aparri,	"	29.73	755.1	90	69	NNE	2	0	"	29.79	756.6	77	92	SW	2	0
Manila,	"	29.76	756.0	90	72	SW	2	c	"	29.81	757.2	75	92	NE	1	b
Legaspi,	"	29.76	756.0	90	69	ESE	2	0	"	29.82	757.5	77	96	...	0	0
Tacloban,	"	29.76	756.0	86	65	SSW	4	0	"	...	...	...	...	...	...	...
Iloilo,	"	29.75	755.7	90	66	SSW	4	0	"	29.79	756.6	77	88	N	2	0
Surigao,	"	29.76	756.0	86	65	E	2	0	"	29.81	757.2	75	92	S	1	b
Guam,	12.20	29.78	756.3	...	...	E	2	0	4.20	29.80	756.9	...	...	E	1	0
Yap,	12.47	29.78	756.3	...	...	ESE	4	0	4.47	29.81	757.2	...	...	...	0	0
Labuan,	14	29.77	756.1	84	83	NW	2	b	6	29.77	756.1	78	94	N	1	0

June 14*d*. 12*h*. 04*m*.—**Pressure has decreased** moderately over Japan and the Loochoos, and slightly over the south-eastern portion of the area: it has increased slightly elsewhere. A depression is situated in the Eastern Sea and another covers South China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·92 inch. Total since January 1st, 26·74 inches, against an average of 30·45 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, light.
2.—South coast of China between Hongkong and Lamocks,	S.W. winds, moderate; cloudy, rain.
3.—Hongkong to Gap Rock,	S.W. winds, moderate; cloudy, rain.
4.—South coast of China between Hongkong and Hainan,	S.W. winds, moderate; cloudy, rain.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	14th June, 1925.								15th June, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostook, .	12	29.76	755.9	59	...	NNE	2	o	6	29.63	752.5	53	...	NNE	2	o
ensuro, ...	11	29.92	760.0	...	...	SSW	2	...	5	29.88	759.0	...	...	SE	3	...
okodate, ...	,,	29.84	758.0	...	...	SSE	1	...	,,	29.65	753.0	...	...	...	o	...
okio, ...	,,	29.88	759.0	...	...	S	3	...	,,	29.69	754.0	...	...	...	o	...
ochi, ...	,,	29.80	757.0	...	...	S	1	...	,,	29.53	750.0	...	...	SW	1	...
agasaki, ...	,,	29.61	752.0	...	...	SE	1	...	,,	29.65	753.0	...	...	...	...	...
agoshima, ...	,,	29.69	754.0	...	...	ENE	1	...	,,	29.63	752.5	...	...	...	o	...
shima, ...	,,	29.65	753.0	...	...	W	1	...	,,	29.65	753.0	...	...	N	1	...
ana, ...	,,	29.70	754.5	...	...	SSW	2	...	,,	29.69	754.0	...	...	N	1	...
higakijima, ...	,,	29.70	754.5	...	...	SW	2	...	,,	29.69	754.0	...	...	NNE	1	...
oin Island, ...	,,	29.80	757.0	...	...	...	o	...	,,	29.76	756.0	...	...	...	o	...
hefoo, ...	15	29.88	758.9	66	54	NW	2	b	6	29.70	754.4	65	53	SSW	1	b
ankow, ...	,,	...	..	...	...	...	...	...	,,	...	...	...	..	...	...	...
chang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hangsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hanghai, ...	14	29.87	758.7	70	82	N	2	o	,,	29.88	759.0	55	79	NNW	1	b
utzlaff, ...	,,	29.81	757.2	67	95	N	6	o	,,	29.86	758.4	63	62	NNE	2	b
harp Peak, ...	,,	29.71	754.6	76	94	NNE	4	rf	7	29.78	756.4	71	95	NNW	2	r
moy, ...	15	29.64	752.8	90	70	SSE	2	b	9	29.62	752.3	75	86	ENE	2	o
swatow, ...	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
aihoku, ...	11	29.69	754.2	90	69	NW	2	b	5	29.72	754.8	72	98	ESE	4	r
aichu, ...	,,	29.73	755.1	86	...	SW	2	o	,,	29.72	754.8	75	...	...	o	o
ainan, ...	,,	29.74	755.4	79	...	SE	2	r	,,	29.68	753.9	75	...	SE	2	r
oshun, ...	,,	29.74	755.4	90	...	WSW	2	o	,,	29.68	753.9	75	...	...	o	r
escadores, ...	,,	29.74	755.4	86	...	WSW	2	o	,,	29.66	753.3	77	...	NE	4	r
anton, ...	14	...	...	...	...	...	..	...	6	...	...	...	...	...	...	...
ongkong, ...	,,	29.69	754.1	78	91	...	o	or	,,	29.70	754.4	77	95	...	o	o
ap Rock, ...	,,	29.70	754.4	...	...	W	4	o	,,	29.70	754.4	...	...	NNW	3	c
acao, ...	,,	29.67	753.6	82	86	...	2	o	,,	29.68	753.9	75	88	N	4	o
uchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
akhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hulien, ...	,,	29.72	754.8	77	94	WNW	2	r	7	29.72	754.8	75	92	WNW	2	o
ourane, ...	,,	29.69	754.2	86	...	...	o	b	,,	29.72	754.8	79	...	SW	2	o
ape St. James,	,,	29.78	756.3	90	...	SW	2	b	,,	29.80	756.9	79	...	SW	2	r
asco, ...	14	29.69	754.2	84	71	SW	4	o	6	...	...	...	...	...	...	...
parri, ...	,,	29.71	754.5	90	63	SW	1	b	,,	29.74	755.4	75	94	SW	2	o
anila, ...	,,	29.75	755.7	90	60	WSW	2	o	,,	29.79	756.6	75	94	SW	1	b
egaspi, ...	,,	29.74	755.4	90	72	NE	2	b	,,	29.78	756.3	79	96	...	o	b
acloban, ...	,,	...	...	...	...	...	...	...	,,	29.80	756.9	77	94	SE	1	o
oilo, ...	,,	29.73	755.1	90	63	NNE	4	o	,,	29.79	756.6	79	87	N	4	o
urigao, ...	..	29.74	755.4	86	65	E	4	b	,,	29.78	756.3	75	89	S	1	b
uam, ...	12.20	29.74	755.4	...	...	NE	2	o	4.20	29.80	756.9	...	...	SE	1	r
ap, ...	12.47	29.76	756.0	...	...	ENE	4	o	4.47	29.80	756.9	...	...	ENE	2	o
abuan, ...	14	29.77	756.1	88	76	NE	1	b	6	29.81	757.2	76	94	S	2	b

June 15*d*. 11*h*. 46*m*.—Pressure has decreased considerably over Japan, S. Manchuria and Shantung, and slightly over south Formosa and Luzon; it has increased slightly elsewhere. A weak anticyclone is situated over the lower Yangtze Valley, an elongated depression covers the Sea of Japan, and another is indicated to the south of the Formosa Channel. The latter shows no sign of intensity at present, but may develop later.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·77 inch. Total since January 1st, 27·51 inches, against an average of 30·96 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate to fresh.
2.—South coast of China between Hongkong and Lamocks,	N.W. or variable winds, moderate; cloudy, probably rain.
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	15th June, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	16th June, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostook,	12	29.54	750.4	68	...	NNE	4	c	6	29.57	751.1	62	...	...	0	c
Nemuro,	11	29.86	758.5	...	...	SE	4	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.59	751.5	...	...	ESE	4	...	"	29.61	752.0	...	...	...	...	...
Tokio,	"	29.55	750.5	...	...	NW	3	...	"	29.80	757.0	...	...	N	2	...
Kochi,	"	29.61	752.0	...	...	N	1	...	"	29.84	758.0	...	...	...	0	...
Nagasaki,	"	29.70	754.5	...	...	N	2	...	"	29.88	759.0	...	...	...	0	...
Kagoshima,	"	29.67	753.5	...	...	ESE	1	...	"	29.86	758.5	...	...	WNW	1	...
Oshima,	"	29.70	754.5	...	...	NNE	2	...	"	29.86	758.5	...	...	...	0	...
Naha,	"	29.72	755.0	...	...	N	1	...	"	29.84	758.0	...	...	WSW	1	...
Ishigakijima,	"	29.74	755.5	...	...	NE	2	...	"	29.78	756.5	...	...	NNE	1	...
Bonin Island,	"	29.80	757.0	...	...	SW	1	...	"	29.90	759.5	...	...	SW	1	...
Chefoo,	15	29.64	752.8	84	75	NE	1	b	6	29.64	752.8	70	57	SSW	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.87	758.7	84	34	...	0	b	"	29.88	759.0	59	91	SE	1	b
Gutzlaff,	"	29.90	759.4	75	56	N	2	b	"	29.92	759.9	64	78	SE	2	o
Sharp Peak,	"	29.81	757.2	76	82	NNE	4	o	7	29.83	757.7	70	70	N	1	b
Amoy,	15	29.73	755.1	78	78	NE	4	o	9	29.72	754.9	73	67	ENE	1	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.80	756.9	73	94	E	4	r	5	29.80	756.9	70	87	E	4	o
Taichu,	"	29.73	755.1	79	...	...	0	r	"	29.76	756.0	72	...	...	0	o
Tainan,	"	29.71	754.5	75	...	ESE	2	r	"	29.74	755.4	75	...	...	0	o
Koshun,	"	29.74	755.4	77	...	...	0	r	"	29.73	755.1	77	...	E	2	o
Pescadores,	"	29.71	754.5	81	...	NE	4	b	"	29.76	756.0	75	...	NE	...	...
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.70	754.4	83	71	E	3	o	"	29.73	755.1	75	98	E	4	or
Gap Rock,	"	29.71	754.6	...	...	...	0	o	"	29.74	755.4	...	...	E	4	or
Macao,	"	29.69	754.2	84	71	ENE	4	o	"	29.71	754.5	73	100	E	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.71	754.5	82	84	SSE	4	o	7	29.72	754.8	75	98	ENE	2	of
Tourane,	"	29.71	754.5	84	...	N	2	o	"	29.75	755.7	79	...	SSW	2	o
Cape St. James,	"	29.76	756.0	90	...	...	0	b	"	29.80	756.9	79	...	SW	2	o
Basco,	14	29.73	755.1	82	81	SSE	4	o	6	29.75	755.7	81	90	S	2	o
Aparri,	"	29.71	754.5	90	69	NE	2	o	"	29.79	756.6	73	91	SSW	2	o
Manila,	"	29.75	755.7	90	63	WSW	2	o	"	29.81	757.2	77	94	NE	1	b
Legaspi,	"	29.73	755.1	90	66	NE	4	b	"	29.81	757.2	77	98	...	0	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.72	754.8	86	71	SW	4	o	"	29.80	756.9	77	91	N	1	b
Surigao,	"	29.74	755.4	90	63	E	4	o	"	29.80	756.9	75	91	SE	1	b
Guam,	12.20	29.76	756.0	...	...	ESE	2	o	4.20	29.82	757.5	...	...	NE	2	o
Yap,	12.47	29.75	755.7	...	...	ESE	2	o	4.47	29.81	757.2	...	...	NE	2	o
Labuan,	14	29.83	757.7	75	94	...	...	r	6	29.80	756.9	78	91	S	1	o

June 16*d.* 12*h.* 01*m.*—With few exceptions pressure has increased at all stations; considerably over central and south Japan. The anticyclone has moved into the Eastern Sea, and a trough of relatively low pressure extends from Indo-China across the China Sea and Luzon to the Pacific.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 10·19 inch. Total since January 1st, 37·79 inches, against an average of 31·47 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks.	E. winds, moderate; cloudy, rainy, probably improving.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	16th June, 1925.								17th June, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock.	12	29.53	750.1	68	...	SW	3	o	6	29.83	757.6	61	...	...	o	b
Genuro,	11	29.59	751.5	...	...	SSW	3	...	5	29.75	755.5	...	...	SW	2	...
Hokodate,	"	29.70	754.5	...	...	SW	5	...	"	29.76	756.0	...	...	WSW	2	...
Tokio,	"	29.86	758.5	...	...	ESE	2	...	"	29.98	761.5	...	...	SW	1	...
Kochi,	"	29.88	759.0	...	...	S	1	...	"	30.02	762.5	...	...	SW	1	...
Nagasaki,	"	29.90	759.5	...	...	WSW	1	...	"	30 00	762.0	...	...	...	...	...
Kagoshima,	"	29.90	759.5	...	...	SSE	1	...	"	30.02	762.5	...	...	NW	1	...
Oshima,	"	29.90	759.5	...	...	NNE	1	...	"	29.96	761.0	...	...	SSE	3	...
Taiwan,	"	29.90	759.5	...	...	ENE	1	...	"	29.90	759.5	...	...	SSE	1	...
Shigakijima,	"	29.84	758.0	...	...	NE	2	...	"	29.86	758.5	...	...	SSW	3	...
Pratas Island,	"	29.96	761.0	...	...	SSW	1	...	"	30.04	763.0	...	...	SSW	1	...
Chefoo,	15	29.62	752.3	66	36	SW	1	b	6	29.77	756.1	72	58	SW	1	b
Tientsin,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tschang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	..	...	..	...	...	...	...	"	...	...	...	...	..	...	...
Shanghai,	14	29.88	759.0	82	40	SE	2	b	"	29.86	758.4	66	87	SE	2	b
Lintzlaff,	"	29.92	759.9	69	80	SSE	4	o	"	29.89	759.2	61	91	SSE	4	o
Sharp Peak,	"	29.89	759.2	80	62	E	2	b	7	29.89	759.2	71	76	N	1	b
Amoy,	15	29.79	756.6	84	50	SSE	4	b	9	...	...	...	...	...	...	...
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.84	757.8	79	69	E	4	o	5	29.85	758.1	72	98	...	o	o
Taichu,	"	29.82	757.5	82	...	...	o	o	"	29.87	758.7	75	...	...	o	o
Tainan,	"	29.81	757.2	77	...	...	o	r	"	29.85	758.1	75	...	SE	2	o
Koshun,	"	29.82	757.5	79	...	E	2	r	"	29.86	758.4	73	...	...	o	o
Pescadores,	"	29.82	757.5	82	...	N	4	r	"	29.85	758.1	77	...	NE	1	o
Canton,	14	29.76	755.9	78	91	E	2	o	6	..	...	...	...	...	...	...
Hongkong,	"	29.78	756.4	76	76	E	4	o	"	29.79	756.6	76	95	...	o	od
Gap Rock,	"	29.75	755.6	...	...	E	5	or	"	29.78	756.4	...	...	SSW	4	o
Macao,	"	29.73	755.1	75	91	ESE	4	r	"	29.74	755.4	77	98	...	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Thulien,	"	29.68	753.9	86	78	SE	1	b	7	29.69	754.2	79	98	ESE	2	o
Tourane,	"	29.72	754.8	86	...	ESE	2	b	"	29.75	755.7	81	...	SSW	6	b
Cape St. James,	"	29.79	756.6	90	...	SW	2	b	"	29.84	757.8	79	...	SW	2	b
Iloilo,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	"	29.78	756.3	90	66	NE	4	o	"	29.86	758.4	77	91	...	o	o
Manila,	"	29.78	756.3	90	60	WSW	2	b	"	29.85	758.1	75	92	NE	1	b
Legaspi,	"	29.80	756.9	90	66	NNE	4	o	"	29.86	758.4	77	94	E	1	o
Iloilo,	"	29.78	756.3	86	65	SSE	4	o	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	"	29.76	756.0	86	61	E	2	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.76	756 0	...	...	ENE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.78	756.3	...	...	E	4	o	4.47	29.80	756.9	...	...	WNW	1	o
Nahuan,	12	29.76	755.9	84	83	N	2	b	6	29.81	757.2	78	91	N	2	b

June 17*d*. 11*h*. 10*m*.—Pressure has decreased slightly at Shanghai, and increased slightly to moderately elsewhere. The anticyclone has moved to the south of Japan, and has gained intensity; a depression covers Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 2·34 inch. Total since January 1st, 40·04 inches, against an average of 31·99 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel,	Variable winds, freshening from S.E.
2.—South coast of China between Hongkong and Lamocks,	S. or variable winds, moderate; cloudy, showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	17th June, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	18th June, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	29.85	758.2	73	...	W	2	o	6	29.91	759.8	65	...	ESE	3	c
Nemuro,	11	29.72	755.0	...	...	SSW	2	...	5	29.84	758.0	...	...	ENE	1	...
Hokodate,	"	29.80	757.0	...	...	W	1	...	"	29.96	761.0	...	...	...	0	...
Tokio,	"	29.98	761.5	...	...	SSE	2	...	"	29.94	760.5	...	...	NW	1	...
Kochi,	"	30.00	762.0	...	...	SE	1	...	"	29.96	761.0	...	...	...	c	...
Nagasaki,	"	30.00	762.0	...	...	NW	2	...	"	29.88	759.0	...	...	SE	1	...
Kagoshima,	"	30.00	762.0	...	...	ESE	1	...	"	29.88	759.0	...	...	NE	1	...
Oshima,	"	29.96	761.0	...	...	SSE	1	...	"	29.86	758.5	...	...	S	1	...
Naha,	"	29.94	760.5	...	...	S	1	...	"	29.88	759.0	...	...	SSE	1	...
Ishigakijima,	"	29.92	760.0	...	...	S	2	...	"	29.86	758.5	...	...	S	3	...
Bonin Island,	"	30.06	763.5	...	...	SW	1	...	"	29.98	761.5	...	...	...	...	...
Chefoo,	15	29.76	755.9	84	50	S	2	o	6	29.75	755.6	69	85	SSE	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.81	757.2	81	50	SSE	4	o	"	29.67	753.6	73	100	E	1	r
Gutzlaff,	"	29.85	758.2	71	95	SE	4	o	"	29.69	754.1	77	94	SSE	4	c
Sharp Peak,	"	29.88	758.9	86	65	E	1	o	7	29.80	756.9	80	87	S	2	b
Amoy,	15	29.81	757.2	77	86	SSE	4	o	9	29.72	754.9	78	92	SSE	2	c
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.88	759.0	84	74	...	o	o	5	29.79	756.6	73	98	...	o	bf
Taichu,	"	29.89	759.3	82	...	SSW	2	o	"	29.88	759.0	73	...	...	o	b
Tainan,	"	29.91	759.6	77	...	...	o	r	"	29.84	757.8	73	...	SE	2	b
Koshun,	"	29.91	759.6	86	...	S	2	o	"	29.84	757.8	75	...	...	o	r
Pescadores,	"	29.89	759.3	81	...	SE	4	r	"	29.81	757.2	79	...	S	4	b
Canton,	14	29.76	755.9	82	83	S	2	o	6	...	...	...	...	...	...	...
Hongkong,	"	29.78	756.4	82	82	SSE	2	o	"	29.76	755.9	82	83	WSW	2	o
Gap Rock,	"	29.80	756.9	...	...	S	4	cp	"	29.76	755.9	...	...	SSW	5	o
Macao,	"	29.75	755.7	77	100	NW	4	r	"	29.71	754.5	79	91	SSW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.65	753.0	86	78	SSE	4	o	7	29.67	753.6	77	92	SE	1	o
Tourane,	"	29.75	755.7	86	...	E	2	b	"	29.73	755.1	81	...	SSW	4	b
Cape St. James,	"	29.80	756.9	90	...	SW	2	b	"	29.81	757.2	77	...	...	o	b
Basco,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	"	29.80	756.9	90	66	NE	4	o	"	29.81	757.2	79	87	SW	2	b
Manila,	"	29.79	756.6	90	60	WSW	2	o	"	29.79	756.6	77	94	...	o	o
Legaspi,	"	29.78	756.3	86	75	NNE	4	o	"	29.75	755.7	77	96	...	o	o
Tacloban,	"	29.76	756.0	81	90	SE	2	r	"	29.75	755.7	77	96	NW	2	o
Iloilo,	"	29.75	755.7	90	63	NE	6	o	"	29.74	755.4	77	94	N	4	o
Surigao,	"	29.78	756.3	82	81	ENE	2	o	"	29.76	756.0	75	91	S	1	o
Guam,	12.20	29.75	755.7	...	...	ESE	4	o	4.20	29.71	754.5	...	...	E	1	r
Yap,	12.47	29.74	755.4	...	...	N	2	o	4.47	29.72	754.8	...	...	...	o	b
Labuan,	14	29.79	756.6	84	87	N	1	o	6	29.77	756.1	78	91	NE	4	b

June 18*d.* 11*h.* 40*m.*—Pressure has increased slightly to moderately from S. Manchuria to N. Japan, and decreased slightly to moderately elsewhere. It is highest in the Pacific to the south of Japan, and relatively low over China, the Ladrones and the Carolines.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·34 inch. Total since January 1st, 40·38 inches, against an average of 32·51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S. winds, moderate; cloudy, showery.
3.—Hongkong to Gap Rock,	S. winds, moderate; cloudy, showery.
4.—South coast of China between Hongkong and Hainan,	S. winds, moderate; cloudy, showery.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	18th JUNE, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	19th JUNE, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
adivostock. .	12	29.85	758.1	71	...	SSE	4	b	6	29.83	757.7	6	...	...	0	b
muro.....	11	29.88	759.0	...	...	SE	1	...	5	29.92	760.0	...	...	S	1	...
kodate, ...	"	29.94	760.5	...	...	NW	1	...	"	...	...	...	...	...	...	...
kio.....	"	29.92	760.0	...	...	SE	1	...	"	29.92	760.0	...	...	SE	1	...
chi, ...	"	29.92	760.0	...	...	SE	1	...	"	29.84	758.0	...	...	SW	1	...
gasaki, ...	"	29.84	758.0	...	...	SSE	2	...	"	29.80	757.0	...	...	WSW	6	...
goshima, ...	"	29.86	758.5	...	...	NE	1	...	"	29.78	756.5	...	...	...	...	...
hima.	"	29 86	758.5	...	...	SE	1	...	"	29.82	757.5	...	...	...	...	...
ha.	"	29.88	759.0	...	...	SSW	2	...	"	29.80	757.0	...	...	SE	1	...
igakijima,...	"	29.86	758.5	...	...	SSW	2	...	"	29.78	756.5	...	...	S	1	...
oir Island,..	"	29.94	760.5	...	...	S	1	...	"	29.90	759.5	...	...	...	...	...
efoo, ...	15	29.73	755.1	83	49	SE	2	b	6	29.66	753.3	64	91	E	1	b
ankow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
hang, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
hangsha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
anghai, ...	14	29.62	752.4	75	92	WSW	2	r	"	29.69	754.2	66	92	WNW	2	o
utzlaff.....	"	29.63	752.6	73	95	S	4	o	"	29.70	754.4	70	91	WNW	4	o
arp Peak, ...	"	29.75	755.6	88	76	S	4	b	7	29.75	755.6	80	87	S	1	b
moy, ...	15	29.67	753.6	86	76	SSE	1	b	9	...	...	...	...	...	...	...
atow, ...	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
aihoku, ...	11	29.79	756.6	86	...	...	0	b	5	29.74	755.4	75	96	...	0	o
aichu, ...	"	29.86	758.4	86	...	SSW	2	b	"	29.76	756.0	75	...	...	0	b
aiman, ...	"	29.84	757.8	86	...	S	2	b	"	29.74	755.4	75	...	...	0	b
oshun, ...	"	29.82	757.5	90	...	SSE	2	b	"	29.74	755.4	77	...	...	0	b
escadores, ...	"	29.82	757.5	86	...	S	4	b	"	29.73	755.1	77	...	SW	2	b
anton, ...	14	29.67	753.6	88	76	SSW	2	or	6	29.69	754.2	79	95	SSW	1	o
ongkong,.....	"	29.70	754.4	84	75	SSW	2	cq	"	29.71	754.6	80	85	SSW	1	cq
ap Rock, ...	"	29.74	755.4	...	...	S	5	o	"	29.70	754.4	...	...	SSW	5	c
acao, ...	"	29.68	753.9	86	88	SSW	4	o	"	29.67	753.6	77	98	SSW	4	o
inchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
akhoi, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
oihow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
hulien, ...	"	29.60	751.8	90	60	WSW	1	o	7	29.65	753.0	77	96	...	0	of
ourane,.....	"	29.67	753.6	86	...	ESE	2	b	"	29.66	753.3	79	...	SW	2	o
ape St. James.	"	29.69	754.2	90	...	...	0	b	"	.	...	...	...	...	...	...
asco,.....	14	29.73	755.1	90	72	E	4	o	6	...	...	...	...	...	...	...
parri, ...	"	29.71	754.5	90	88	NE	4	o	"	29.69	754.2	77	92	...	0	b
anila, ...	"	29.72	754.8	82	81	NNE	1	o	"	29.66	753.3	75	96	NE	2	o
egaspi, ...	"	...	...	...	...	...	...	...	"	29.66	753.3	77	96	...	0	o
acloban, ...	"	...	...	...	...	...	...	...	"	29.63	752.7	77	94	NW	2	o
ollo, ...	"	29.65	753.0	90	66	NE	2	o	"	29.65	753.0	77	92	NW	1	o
arigao, ...	"	29.67	752.6	82	81	N	4	o	"	...	...	...	...	...	...	...
uam,.....	12.20	29.68	753.9	...	...	E	1	r	4.20	29.69	754.2	...	...	NE	2	o
ap, ...	12.47	29.67	753.6	...	...	ESE	2	o	4.47	29.66	753.3	...	...	S	2	o
abuan, ...	14	29.72	754.9	84	83	SW	2	b	6	29.83	757.7	76	94	SW	1	b

June 19d. 11h. 17m.—Pressure has increased slightly at Shanghai and decreased slightly to moderately elsewhere; it is highest in the Pacific to the east of Japan and relatively low over China, and from Tongking across the Visayas to Yap. There are slight indications of the formation of a depression to the east of the Visayas.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. **Total since January 1st, 40·38 inches, against an average of 33·04 inches.**

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel, ...	S. winds, light to moderate.
2.—South coast of China between Hongkong and Lamocks,	S. winds, moderate; fair.
3.—Hongkong to Gap Rock,.....	
4.—South coast of China between Hongkong and Hainan, .	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	19th June, 1925.								20th June, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.84	758.0	71	...	SE	4	o	6	29.85	758.2	64	...	...	o	o
Nemuro,	11	29.90	759.5	...	...	S	2	...	5	29.94	760.5	...	...	S	1	...
Hokodate,	"	...	...	...	...	...	...	...	"	29.90	759.5	...	...	...	o	...
Tokio,	"	29.94	760.5	...	...	...	...	...	"	29.92	760.0	...	...	ESE	1	...
Kochi,	"	29.86	758.5	...	...	...	o	...	"	29.78	756.5	...	...	...	o	...
Nagasaki,	"	29.74	755.5	...	...	WSW	6	...	"	29.78	756.5	...	...	WSW	2	...
Kagoshima,	"	29.80	757.0	...	...	SW	2	...	"	29.80	757.0	...	...	...	o	...
Oshima,	"	29.82	757.5	...	...	S	1	...	"	29.86	758.5	...	...	...	o	...
Naha,	"	29.84	758.0	...	...	ESE	1	...	"	29.84	758.0	...	...	ESE	1	...
Ishigakijima,	"	29.80	757.0	...	...	S	2	...	"	29.78	756.5	...	...	SSE	2	...
Bonin Island,	"	29.88	759.0	...	...	SW	1	...	"	29.90	759.5	...	...	...	o	...
Chefoo.	15	29.69	754.1	70	70	N	2	o	6	29.78	756.4	64	91	NW	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.76	756.0	77	64	WNW	4	b	"	29.85	758.1	68	100	SE	1	b
Gutzlaff,	"	29.78	756.4	76	73	NNW	2	o	"	29.86	758.4	68	95	SE	1	b
Sharp Peak,	"	29.76	755.9	92	67	E	1	o	7	29.86	758.4	81	87	NW	1	b
Amoy,	15	29.68	753.9	88	69	SSE	4	b	9	29.68	753.9	78	78	SSW	1	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.76	756.0	90	69	NW	2	b	5	29.75	755.7	70	96	...	o	b
Taichu,	"	29.78	756.3	90	...	...	o	b	"	29.79	756.6	75	...	...	o	b
Tainan,	"	29.76	756.0	90	...	SW	2	b	"	29.73	755.1	75	...	...	o	b
Koshun,	"	29.76	756.0	90	...	E	2	b	"	29.72	754.8	79	...	NNE	4	b
Pescadores,	"	29.79	756.6	84	...	WSW	2	b	"	29.74	755.4	79	...	...	o	o
Canton,	14	29.70	754.4	86	76	S	1	o	6	...	...	...	...	...	...	...
Hongkong,	"	29.70	754.4	87	69	E	2	c	"	29.73	755.1	79	91	...	o	o
Gap Rock,	"	29.72	754.9	...	...	SE	3	c	"	29.73	755.1	...	...	E	3	b
Macao,	"	29.68	753.9	90	72	SSE	4	o	"	29.69	754.2	79	85	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.60	751.8	86	65	ESE	1	o	7	29.65	753.0	77	96	ESE	4	r
Tourane,	"	29.63	752.7	86	...	E	2	b	"	29.66	753.3	79	...	SSW	2	o
Cape St. James.	"	29.65	753.0	90	...	SW	2	b	"	29.67	753.6	75	...	WSW	2	b
Basco,	14	29.69	754.2	86	71	ESE	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.65	753.0	90	66	NE	4	o	"	...	...	...	...	...	...	...
Manila,	"	29.65	753.0	82	74	NW	2	r	"	29.63	752.7	75	94	NE	2	o
Legaspi,	"	29.59	751.5	86	78	ENE	4	o	"	29.65	753.0	75	98	...	o	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.63	752.7	81	69	SSW	4	o	"	29.65	753.0	75	96	...	o	o
Surigao,	"	29.62	752.4	86	71	NW	1	o	"	29.67	753.6	75	92	SSW	1	o
Guam,	12.20	29.67	753.6	...	...	E	4	o	4.20	29.75	755.7	...	...	S	1	o
Yap,	12.47	29.67	753.6	...	...	SSW	2	o	4.47	29.65	753.0	...	...	E	4	o
Labuan,	14	29.83	757.7	78	91	SW	2	b	6	29.66	753.3	78	91	NE	4	o

June 20*d.* 12*h.* 05*m.*—Pressure has decreased slightly over South Formosa, the Philippines and the Carolines, and increased slightly elsewhere; it remains highest in the Pacific to the east of Japan. Depressions are situated over Korea, Indo-China, and to the east of the Visayas; the latter does not show signs of intensity at present.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 40·38 inches, against an average of 33·57 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel,	Variable winds, light to moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	20th June, 1925.								21st June, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostook, .	12	29.81	757.2	86	...	N	3	o	6	29.84	757.8	67	...	...	o	o
emuro,	11	29.90	759.5	...	...	SSE	4	...	5	29.90	759.5	...	...	SSW	1	...
akodate,	"	29.88	759.0	...	...	ESE	1	...	"	29.84	758.0	...	...	...	o	...
kio,	"	29.92	760.0	...	...	S	1	...	"	29.75	755.5	...	...	NNW	1	...
ochi,	"	29.76	756.0	...	...	...	o	...	"	29.76	756.0	...	...	...	o	...
agasaki,	"	29.84	758.0	...	...	WNW	3	...	"	29.84	758.0	...	...	W	2	...
agoshima,	"	29.90	759.5	...	...	WNW	2	...	"	29.84	758.0	...	...	...	...	...
hima,	"	29.88	759.0	...	...	NE	1	...	"	29.86	758.5	...	...	...	o	...
sha,	"	29.88	759.0	...	...	SE	1	...	"	29.88	759.0	...	...	...	...	...
higakijima,	"	...	...	...	...	S	2	...	"	29.84	758.0	...	...	SSE	1	...
oir Island,	"	29.90	759.5	...	...	NNE	1	...	"	29.92	760.0	...	...	N	1	...
hefoo,	15	29.80	756.9	76	64	E	1	b	6	29.79	756.6	72	62	SSE	1	o
ankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
hang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
angsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
anghai,	14	29.84	757.8	90	55	S	1	b	"	29.85	758.1	70	100	SSE	1	bf
utzlaff,	"	29.88	758.9	77	82	SE	1	b	"	29.87	758.7	69	100	SSE	2	of
harp Peak,	"	29.83	757.7	86	76	ENE	4	b	7	29.85	758.2	80	87	NW	1	o
moy,	15	29.74	755.4	88	69	SSE	4	b	9	29.73	755.1	80	87	SSE	1	b
watow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
aihoku,	11	29.79	756.6	86	61	NW	2	b	5	29.80	756.9	75	96	...	o	o
aichu,	"	29.80	756.9	90	...	NNW	2	b	"	29.82	757.5	75	...	...	o	b
ainan,	"	29.79	756.6	90	...	NNW	4	b	"	29.78	756.3	77	...	...	o	o
oshun,	"	29.78	756.3	90	...	NE	4	b	"	29.78	756.3	79	...	...	o	o
escadores,	"	29.84	757.8	84	...	N	2	b	"	29.78	756.3	79	...	NNE	2	o
anton,	14	29.76	755.9	90	70	NW	1	b	6	...	...	...	...	...	...	...
ongkong,	"	29.77	756.1	86	64	E	4	o	"	29.73	755.1	81	78	E	3	o
ap Rock,	"	29.76	755.9	...	...	NE	4	b	"	29.71	754.6	...	...	ENE	6	cqp
acao,	"	29.74	755.4	86	75	ESE	2	o	"	29.71	754.5	81	80	ENE	4	b
uchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
akhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
oihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
hulien,	"	29.68	753.9	82	86	ENE	4	o	7	29.74	755.4	79	91	ENE	4	b
ourane,	"	29.66	753.3	86	...	SE	2	b	"	29.69	754.2	77	...	SSW	2	b
ape St. James,	"	29.65	753.0	86	...	S	2	b	"	29.68	753.9	75	...	...	o	o
asco,	14	...	...	...	...	...	...	...	6	29.74	755.4	82	84	E	4	o
parri,	"	29.71	754.5	79	91	...	o	o	"	29.74	755.4	77	94	S	2	o
anila,	"	29.65	753.0	86	75	SW	2	o	"	29.74	755.4	77	92	E	1	o
egaspi,	"	29.65	753.0	90	66	NE	2	o	"	...	...	...	...	...	...	...
acloban,	"	29.65	753.0	86	71	SSW	2	o	"	...	...	...	...	...	...	...
oilo,	"	29.65	753.0	84	77	SSW	4	o	"	...	...	...	...	...	...	...
urigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
uam,	12.20	29.76	756.0	...	...	SW	2	r	4.20	...	...	...	...	...	...	...
ap,	12.47	29.71	754.5	...	...	S	4	o	4.47	29.76	756.0	...	...	SE	2	o
abuan,	14	29.76	755.9	86	84	S	4	b	6	29.81	757.2	78	91	S	2	b

June 21*d.* 12*h.* 28*m.*—Pressure has increased slightly over S. Manchuria, Formosa and the south-eastern portion of the area; it has decreased slightly elsewhere. A weak anticyclonic area is central to the south of the Bonins, and depressions are situated over central Japan and the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·08 inch. Total since January 1st, 40·46 inches, against an average of 34·10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. and S.E. winds, moderate; fair to showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	21st June, 1925.								22nd June, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.78	756.5	81	...	E	2	c	6	29.86	758.4	6	...	SE	3	o
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.84	758.0	...	...	SE	3	...	"	29.90	759.5	...	...	...	o	...
Tokio,	"	29.69	754.0	...	...	N	2	...	"	29.73	755.0	...	...	N	2	...
Kochi,	"	29.74	755.5	...	...	...	o	...	"	29.75	755.5	...	...	...	o	...
Nagasaki,	"	29.82	757.5	...	...	W	1	...	"	29.82	757.5	...	...	N	1	...
Kagoshima,	"	29.82	757.5	...	...	WNW	1	...	"	29.80	757.0	...	...	...	o	...
Oshima,	"	29.84	758.0	...	...	N	1	...	"	29.82	757.5	...	...	...	o	...
Naha,	"	29.90	759.5	...	...	SSW	1	...	"	29.84	758.0	...	...	ESE	1	...
Ishigakijima,	"	29.88	759.0	...	...	SSW	2	...	"	29.82	757.5	...	...	SSW	1	...
Bonin Island,	"	29.88	759.0	...	...	N	1	...	"	29.82	757.5	...	...	W	1	...
Chefoo,	15	29.76	755.9	77	65	ENE	1	o	6	29.82	757.4	70	78	W	2	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.82	757.5	93	40	E	1	b	"	29.78	756.3	72	98	S	7	bf
Gutzlaff,	"	29.86	758.4	76	95	SSE	1	b	"	29.79	756.6	71	95	ESE	1	bf
Sharp Peak,	"	29.87	758.7	88	76	E	2	b	7	29.84	757.9	80	91	...	o	b
Amoy,	15	29.81	757.2	84	72	SSE	2	b	9	29.75	755.6	80	92	SSE	2	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.80	756.9	90	63	NNW	2	b	5	29.80	756.9	75	88	S	2	b
Taichu,	"	29.81	757.2	90	...	...	c	b	"	29.82	757.5	75	...	...	o	b
Tainan,	"	29.81	757.2	90	...	WNW	2	b	"	29.80	756.9	75	...	...	o	b
Koshun,	"	29.82	757.5	84	...	E	4	o	"	29.80	756.9	77	...	...	o	b
Pescadores,	"	29.82	757.5	86	...	NW	2	b	"	29.81	757.2	79	...	...	o	b
Canton,	14	29.74	755.4	86	76	E	2	c	6	...	...	...	...	...	...	...
Hongkong,	"	29.73	755.1	81	81	E	5	o	"	29.73	755.1	79	91	E	3	or
Gap Rock,	"	29.72	754.9	...	...	ENE	6	op	"	29.72	754.9	...	...	SE	4	o
Macao,	"	29.71	754.5	81	80	ESE	6	o	"	29.68	753.9	83	98	SE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.71	754.5	84	77	SSE	2	o	7	...	...	...	...	...	...	...
Tourane,	"	29.66	753.3	86	...	ENE	2	o	"	...	...	...	...	...	...	...
Cape St. James,	"	29.67	753.6	79	...	E	2	b	"	...	...	...	...	...	...	...
Basco,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.73	755.1	79	90	SE	2	r	"	29.81	757.2	75	96	...	o	o
Legaspi,	"	29.72	754.8	90	76	NE	2	o	"	29.76	756.0	77	98	S	1	o
Tacloban,	"	29.69	754.2	86	78	ESE	4	o	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	29.78	756.3	79	91	...	o	o
Surigao,	"	29.67	753.6	86	75	W	2	o	"	29.75	755.7	79	89	SW	2	o
Guam,	12.20	29.73	755.1	...	...	S	2	r	4.20	29.76	756.0	...	...	SE	1	o
Yap,	12.47	29.74	755.4	...	...	...	o	o	4.47	29.78	756.3	...	...	...	o	o
Labuan,	14	29.71	754.6	86	80	S	4	b	6	29.73	755.1	80	91	N	2	b

June 22*d.* 12*h.* 13*m.*—Pressure has decreased slightly from the China coast to the Bonins, and increased slightly elsewhere; it is highest over Hokkaido, and relatively low over S. Japan and Indo-China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·22 inch. Total since January 1st, 41·68 inches, against an average of 34·64 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks.	S.E. winds, moderate; fair to showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	22nd June, 1925.								23rd June, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock.	12	29.82	757.3	69	...	SE	4	o	6	29.76	756.0	6	...	SSE	4	f
gmuro	11	29.88	759.0	...	...	SSW	3	...	5	29.94	760.5	...	...	SSW	2	...
akodate,	,,	29.90	759.5	...	...	SSE	2	...	,,	29.90	759.5	...	...	N	1	...
akio,	,,	29.74	755.5	...	...	N	2	...	,,	29.86	758.5	...	...	N	1	...
ochi,	,,	...	...	...	...	...	...	...	,,	29.80	757.0	...	...	...	0	...
agasaki,	,,	29.80	757.0	...	...	N	1	...	,,	29.80	757.0	...	...	...	0	...
agoshima,	,,	29.78	756.5	...	...	...	0	...	,,	29.80	757.0	...	...	W	1	...
shima,	,,	29.82	757.5	...	...	NE	1	...	,,	29.80	757.0	...	...	...	0	...
sha,	,,	29 86	758.5	...	...	SSW	1	...	,,	29.82	757.5	...	...	S	1	...
higakijima,	,,	29.86	758.5	...	...	SSW	1	...	,,	29.80	757.0	...	...	SSW	1	...
oair Island,	,,	29.82	757.5	...	...	S	1	...	,,	29.82	757.5	...	...	...	0	...
hefoo,	15	29.72	754.9	90	98	S	7	b	6	29.48	748.8	68	91	S	2	o
ankow,	,,	...	.	...	...	...	...	...	,,	...	...	...	...	...	...	...
hang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hangsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hanghai,	14	29.71	754.5	93	57	FSE	2	b	,,	29.66	753.3	75	98	SE	1	b
utzlaff,	,,	29.75	755.6	77	92	SSE	2	b	,,	29.67	753.6	73	95	S	4	b
harp Peak,	,,	29.86	758.4	90	63	S	4	b	7	29.74	755.4	81	83	S	1	b
moy,	15	29.75	755.6	90	70	SSE	4	b	9	29.72	754.9	80	92	...	0	o
watow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
aihoku,	11	29.81	757.2	90	60	W	2	b	5	29.78	756.3	75	91	...	0	b
aichu,	,,	29.84	757.8	90	...		0	b	,,	29.82	757.5	75	...	...	0	b
ainan,	,,	29.84	757.8	90	...	SW	2	b	,,	29.78	756.3	77	...	SSE	2	b
oshun,	,,	29.84	757.8	81	...	...	0	r	,,	29.79	756.6	75	...	...	0	b
escadores,	,,	29.84	757.8	86	...	NW	1	o	,,	29.76	756.0	81	...	S	4	b
anton,	14	...	...	...	...	...	..	...	6	...	...	...	...	...	...	...
ongkong,	,,	29.72	754.9	80	87	ESE	1	cp	,,	29.69	754.1	79	91	SSE	2	o
ap Rock,	,,	29.73	755.1	...	...	ESE	5	cqp	,,	29.72	754.9	...	...	SSE	4	o
acao,	,,	29.68	753.9	81	92	SE	4	r	,,	29.66	753.3	79	96	S	4	o
uchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
akhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hulien,	,,	29.58	751.2	93	61	SSW	2	b	7	29.59	751.5	81	96	S	4	of
ourane,	,,	29.66	753.3	84	...	...	0	o	,,	29.66	753.3	82	...	WSW	2	o
ape St. James,	,,	29.67	753.6	86	...	SW	2	b	,,	29.76	756.0	77	...	SW	4	o
asco,	14	29.73	755.1	90	69	SSW	4	o	6	...	...	...	...	...	..	...
parri,	,,	29.75	755.7	86	71	NE	4	o	,,	29.79	756.6	73	91	SW	2	b
anila,	,,	29.75	755.7	84	74	W	1	o	,,	29.78	756.3	75	96	...	0	o
egaspi,	,,	29.69	754.2	86	71	NE	2	o	,,	29.69	754.2	77	91	W	2	o
acloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oilo,	,,	29.72	754.8	81	84	NE	1	o	,,	...	...	...	...	...	...	...
urigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
uam,	12.20	29.74	755.4	...	...	E	1	o	4.20	29.76	756.0	...	...	S	1	b
ap,	12.47	29.75	755.7	...	...	E	2	o	4.47	29.76	756.0	...	...	NNE	1	o
abuan,	14	29.76	755.9	88	80	N	2	o	6	29.82	757.4	78	94	S	2	b

June 23*d*. 11*h*. 50*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 14° N. Long. 126° E., direction unknown.

June 23*d*. 11*h*. 55*m*.—Pressure has decreased considerably over Shantung, and slightly to moderately elsewhere; it is highest over Hokkaido. Depressions are situated to the west of Shantung and over Tongking. Another depression or typhoon is situated at about 120 miles east of southern Luzon; its direction of motion is at present unknown.

Manila warning. 23*d*. 10*h*. 00*m*.:—Typhoon in Lat. 14° N. Long. 126° E., moving W.N.W. Recd. 23*d*. 11*h*. 24*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·68 inch. Total since January 1st, 42·36 inches, against an average of 35·18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel.	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks.	S. winds, moderate; fair to showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	23rd JUNE, 1925.								24th JUNE, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.74	755.4	61	...	SSE	4	f	6	29.45	747.8	61	...	SE	4	r
Nemuro,	11	29.92	760.0	...	...	SSW	3	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.88	759.0	...	...	SE	3	...	"	29.75	755.5	...	...	...	0	...
Tokio,	"	29.84	758.0	...	...	NNE	1	...	"	29.80	757.0	...	...	...	...	...
Kochi,	"	29.82	757.5	...	...	SE	1	...	"	29.78	756.5	...	...	...	...	...
Nagasaki,	"	29.80	757.0	...	...	WNW	1	...	"	29.73	755.0	...	...	WSW	5	...
Kagoshima,	"	29.80	757.0	...	...	E	1	...	"	29.76	756.0	...	...	...	...	...
Oshima,	"	29.80	757.0	...	...	SW	1	...	"	29.80	757.0	...	...	...	0	...
Naha,	"	29.86	758.5	...	...	S	1	...	"	29.82	757.5	...	...	SE	1	...
Ishigakijima,	"	29.84	758.0	...	...	SW	1	...	"	29.78	756.5	...	...	SW	2	...
Bonin Island,	"	29.82	757.5	...	...	SW	1	...	"	29.86	758.5	...	...	...	0	...
Chefoo,	15	29.43	747.5	77	77	W	4	o	6	29.62	752.3	67	95	W	1	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.61	752.1	97	47	WSW	2	o	"	29.61	752.1	79	92	S	1	o
Gutzlaff,	"	29.66	753.3	67	79	SSW	4	b	"	29.63	752.6	75	95	SSW	4	o
Sharp Peak,	"	29.84	757.9	88	69	S	2	b	7	29.82	757.4	83	83	S	2	b
Amoy,	15	29.70	754.4	86	76	SSE	4	b	9	29.69	754.1	78	92	SSW	2	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.78	756.3	90	63	NW	2	b	5	29.74	755.4	73	96	...	0	b
Taichu,	"	29.81	757.2	90	...	SW	4	b	"	29.76	756.0	73	...	...	0	o
Tainan,	"	29.81	757.2	86	...	SSE	4	b	"	29.75	755.7	77	...	...	0	o
Koshun,	"	29.82	757.5	90	...	...	0	b	"	29.76	756.0	75	...	...	0	b
Pescadores,	"	29.82	757.5	86	...	S	4	b	"	...	...	81	...	S	4	o
Canton,	14	...	...	...	...	...	..	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.67	753.6	82	82	SW	2	cqp	"	29.63	752.6	82	83	S	3	o
Gap Rock,	"	29.69	754.1	...	...	S	5	c	"	29.64	752.8	...	...	SSW	4	o
Macao,	"	29.63	752.7	86	81	S	4	o	"	29.60	751.8	77	96	S	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.53	750.0	90	82	SSE	4	o	7	29.52	749.7	82	90	SSE	4	o
Tourane,	"	29.61	752.1	86	...	...	0	o	"	29.61	752.1	82	...	...	0	o
Cape St. James,	"	29.73	755.1	86	...	SW	6	b	"	29.74	755.4	79	...	SW	2	o
Basco,	14	29.78	756.3	90	72	ESE	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.74	755.4	90	63	NE	4	b	"	29.74	755.4	73	94	S	1	o
Manila,	"	29.73	755.1	86	71	WSW	2	o	"	29.68	753.9	75	91	...	0	r
Legaspi,	"	29.63	752.7	79	87	NNW	2	o	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	29.71	754.5	73	96	S	2	o
Iloilo,	"	29.72	754.8	84	71	SW	2	o	"	29.69	754.2	77	89	S	6	o
Surigao,	"	29.72	754.8	77	91	SW	1	o	"	29.74	755.4	75	89	...	0	o
Guam,	12.20	29.76	756.0	...	...	NW	1	o	4.20	29.76	756.0	...	...	E	1	o
Yap,	12.47	29.75	755.7	...	...	E	2	o	4.47	29.76	756.0	...	...	E	2	o
Labuan,	14	29.71	754.6	88	80	S	2	b	6	29.75	755.6	78	94	...	0	o

June 24*d.* 12*h.* 30*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 14° N. Long. 124° E., moving W.

June 24*d.* 12*h.* 30*m.*—Pressure has increased considerably over Shantung and slightly over the Bonins; it has decreased considerably at Wladivostock and slightly to moderately elsewhere. A weak anticyclonic area extends from the Bonins to south Japan and the Loochoos; depressions are situated over S. Manchuria and Tongking.

The depression or typhoon appears to be crossing the Visayas on a westerly track; it was probably in the vicinity of Legaspi at 6 a.m. this morning.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 3·03 inch. Total since January 1st, 45·39 inches, against an average of 35·73 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks.	S. winds, moderate; cloudy, showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	24th June, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	25th June, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Vladivostock,	12	29.36	745.7	67	...	SSW	2	c	6	29.49	749.1	68	...	...	0	c
Gemuro,	11	29.84	758.0	...	...	SSE	3	...	5	29.45	748.0	...	...	SSE	4	...
Hakodate,	..	29.63	752.5	...	...	SE	6	...	,,	29.47	748.5	...	...	SW	4	...
Tokio,	,,	29.72	755.0	...	...	S	3	...	,,	29.67	753.5	...	...	...	...	...
Kochi,	,,	29.74	755.5	...	...	...	0	...	,,	29.75	755.5	...	...	...	...	...
Nagasaki,	,,	29.74	755.5	...	...	WSW	3	...	,,	29.75	755.5	...	...	WSW	4	...
Kagoshima,	,,	29.76	756.0	...	...	WSW	1	...	,,	29.80	757.0	...	...	...	0	...
Ishima,	,,	29.80	757.0	...	...	S	1	...	,,	29.82	757.5	...	...	...	...	...
Taiha,	,,	29.84	758.0	...	...	SSW	6	...	,,	29.84	758.0	...	...	SSE	1	...
Ishigakijima,	,,	29.80	757.0	...	...	SW	1	...	,,	29.80	757.0	...	...	S	1	...
Amoy Island,	..	29 86	758.5	...	...	S	1	...	,,	29.90	759.5	...	...	...	0	...
Chefoo,	15	29.58	751.3	81	67	E	1	0	6	29.62	752.3	69	85	S	1	b
Hankow,	,,	.	.	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.63	752.7	93	53	E	2	b	,,	29.62	752.4	77	94	SE	1	b
Nutzlaff,	,,	29.68	753.9	81	83	ESE	1	0	,,	29.66	753.2	73	100	S	4	0
Sharp Peak,	,,	29.76	755.9	86	65	S	4	0	7	29.77	756.1	82	79	...	0	b
Amoy,	15	29.67	753.6	88	69	SSE	4	b	9	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taiboku,	11	29.74	755.4	90	63	WNW	2	b	5	29.74	755.4	73	98	...	0	0
Taichu,	,,	29.76	756.0	90	...	SW	2	b	,,	29.79	756.6	73	...	...	0	b
Tainan,	,,	29.74	755.4	90	...	S	2	b	,,	29.72	754.8	75	..	...	0	b
Hoshun,	,,	29.75	755.7	90	...	S	2	b	,,	29.73	755.1	81	...	ENE	2	b
Pescadores,	,,	29.76	756.0	86	...	SW	2	b	,,	29.72	754.8	79	...	...	0	0
Canton,	14	.	...	...	...	...	..	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.65	753.1	83	85	S	2	0	,,	29.68	753.9	80	90	ESE	2	c
Gap Rock,	,,	29.65	753.1	...	...	S	5	0	,,	29.68	753.9	...	...	SSE	4	c
Macao,	,,	29.62	752.4	86	87	...	4	0	,,	29.63	752.7	79	90	SSE	4	0
Wuchow,	15	.	...	...	...	...	...	...	9	...	...	...	...	.	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chulien,	,,	29.48	748.8	90	60	SE	1	0	7	29.54	750.3	82	94	SSE	6	b
Tourane,	,,	29.58	751.2	86	...	WNW	2	0	,,	29.60	751.8	82	...	...	0	b
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.68	753.9	79	...	SW	6	b
Manila,	14	29.69	754.2	90	63	E	4	0	6	...	...	...	...	...	...	...
Aparri,	,,	29.72	754.8	82	...	SW	4	0	,,	...	...	...	...	...	...	...
Manila,	,,	29.59	751.5	77	92	NNW	4	r	,,	29.68	753.9	73	98	SE	2	r
Legaspi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.68	753.9	82	77	S	6	0	,,	29.74	755.4	77	91	S	4	0
Surigao,	..	29.69	754.2	86	61	WSW	2	0	,,	...	...	...	...	...	...	...
Guam,	12.20	29.73	755.1	...	...	E	4	0	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.73	755.1	.	...	SE	2	0	4.47	29.78	756.3	...	...	W	2	0
Labuan,	14	29.77	759.1	88	76	N	2	b	6	29.83	757.7	80	91	S	2	b

June 25*d.* 10*h.* 50*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 15° N. Long. 119° E., moving W.N.W.

June 25*d.* 11*h.* 03*m.*—Pressure has decreased considerably over N. Japan and increased moderately over S. Manchuria; with few exceptions it has increased slightly elsewhere. The northern depression is crossing Hokkaido, and that over Tongking remains stationary.

The typhoon crossed Luzon last night; it is situated about 100 miles W.N.W. of Manila, moving W.N.W.

Manila warning. 25*d.* 7*h.* 45*m.*:—Cyclone or typhoon W. of Luzon, less than 100 miles distant moving W.N.W. or N.W. Recd. 25*d.* 9*h.* 07*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·30 inch. Total since January 1st, 45·69 inches, against an average of 36·28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel,	S. or variable winds, light to moderate.
2.—South coast of China between Hongkong and Lamocks,	Easterly winds, moderate; fair to showery.
3.—Hongkong to Gap Rock,	Easterly winds, moderate; fair to showery.
4.—South coast of China between Hongkong and Hainan,	Easterly winds, moderate; fair to showery.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	25th JUNE, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	26th JUNE, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, .	12	29.41	747.1	79	...	SW	4	o	0	29.49	748.9	72	...	...	o	b
Nemuro,	11	29.41	747.0	...	...	SSW	4	...	5	29.55	750.5	...	...	SSE	1	...
Hokodate,	..	29.49	749.0	...	...	SW	2	...	,,	29.57	751.0	...	...	...	...	...
Tokio,	,,	29.63	752.5	...	...	SE	1	...	,,	29.67	753.5	...	...	...	...	...
Kochi,	,,	29.74	755.5	...	...	...	...	...	,,	29.71	754.5	...	...	...	...	...
Nagasaki,	,,	29.76	756.0	...	...	W	2	...	,,	29.73	755.0	...	...	W	6	...
Kagoshima,	,,	29.80	757.0	...	...	WSW	1	...	,,	29.78	756.5	...	...	WSW	1	...
Oshima,	,,	29.82	757.5	...	...	SSE	2	...	,,	29.84	758.0	...	...	S	1	...
Naha,	,,	29.84	758.0	...	...	S	2	...	,,	29.86	758.5	...	...	S	1	...
Ishigakijima,	,,	29.80	757.0	...	...	S	3	...	,,	29.80	757.0	...	...	...	...	...
Bonin Island,	..	29.90	759.5	...	...	NNW	1	...	..	29.92	760.0	...	...	...	o	...
Chefoo,	15	29.55	750.5	88	59	SE	2	b	6	29.62	752.3	69	95	SW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.85	758.1	97	47	SW	4	b	,,	29.67	753.6	77	91	SSE	1	b
Gutzlaff,	,,	29.67	753.6	80	87	SSW	2	o	,,	29.71	754.6	75	92	SW	4	o
Sharp Peak,	..	29.76	755.9	90	70	E	2	b	7	29.81	757.2	82	87	..	o	b
Amoy,	15	29.67	753.6	90	70	W	4	b	9	29.73	755.1	81	83	SSW	4	b
Swatow,	,,	..	...	...	...	...	...	...	8	...	...	...	..	...	...	...
Taihoku,	11	29.73	755.1	90	63	SW	2	b	5	29.74	755.4	75	96	...	o	b
Taichu,	,,	29.76	756.0	90	...	NNW	2	b	,,	29.75	755.7	75	...	...	o	b
Tainan,	,,	29.69	754.2	90	...	WNW	2	b	,,	29.74	755.4	77	...	...	o	b
Koshun,	,,	29.73	755.1	84	...	NE	4	b	,,	29.76	756.0	79	...	E	2	b
Pescadores,	,,	29.72	754.8	86	...	NNW	2	b	,,	29.75	755.7	81	...	SW	2	b
Canton,	14	...	...	...	...	...	..	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.68	753.9	85	76	ESE	3	o	,,	29.54	750.3	81	85	E	7	op
Gap Rock,	,,	29.69	754.1	...	...	ENE	4	b	,,	29.52	749.8	...	...	ENE	7	cq
Macao,	,,	29.65	753.0	86	71	SSE	4	b	,,	29.52	749.7	77	96	NE	4	o
Wuchow,	15	...		...	...	...	...	...	9	...	...	...	...	.	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.52	749.7	86	78	SE	4	o	7	29.59	751.5	81	94	ENE	2	b
Tourane,	,,	29.56	750.9	90	...	...	o	o	,,	29.58	751.2	81	...	WSW	2	o
Cape St. James,	,,	29.66	753.3	84	...	SW	2	o	,,	29.71	754.5	77	...	SW	4	b
Basco,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	,,	...	...	...	...	...	...	...	,,	29.74	755.4	75	92	S	2	b
Manila,	,,	29.67	753.6	86	75	SE	2	o	,,	29.76	756.0	75	96	...	o	o
Legaspi,	,,	29.68	753.9	86	68	SSW	2	o	,,	29.78	756.3	79	98	...	o	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	75	92	N	2	o
Iloilo,	,,	29.71	754.5	84	71	SSW	4	o	,,	...	...	...	...	...	...	...
Surigao,	..	...	..	...	...	...	...	...	,,	..	...	...	...	...	...	...
Guam,	12.20	29.73	755.1	...	...	E	4	r	4.20	29.79	756.6	...	...	NE	1	r
Yap,	12.47	29.74	755.4	...	...	NE	2	o	4.47	29.78	756.3	...	...	E	4	o
Labuan,	14	29.73	755.1	88	80	N	4	b	6	29.74	755.4	80	91	N	2	b

June 25*d.* 21*h.* 15*m.*—Local signal No. 1 hoisted.
June 26*d.* 1*h.* 20*m.*— ,, ,, ,, 2 ,,
,, 26*d.* 7*h.* 06*m.*— ,, ,, ,, 4 ,,

June 26*d.* 7*h.* 50*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 114° E., moving N.W.

June 26*d.* 12*h.* 10*m.*—Pressure has decreased considerably in Hongkong and slightly over Formosa; it has increased slightly elsewhere, and is highest in the Pacific to the southeast of the Bonins.

The typhoon has moved rapidly north westward, and at 6 a.m. this morning was situated at about 120 miles south of the Colony, threatening the coast to the eastward of Hainan.

Shanghai warning. 25*d.* 20*h.* 00*m.*:—Typhoon of unknown intensity within 60 miles of Lat. 17° N. Long. 117° E., moving W.N.W. Recd. 26*d.* 9*h.* 48*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·59 inch. Total since January 1st. 46·28 inches, against an average of 36·83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate to fresh.
2.—South coast of China between Hongkong and Lamocks,	S.E. gale moderating; cloudy, squally rainy, improving late
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	26th June, 1925.								27th June, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock.	12	29.41	747.0	81	...	WSW	4	b	6	29.58	751.2	66	...	NNE	3	o
Gemuro	11	29.49	749.0	...	...	SE	2	...	5	...	...	...	...	...	...	...
Hakodate	"	29.51	749.5	...	...	SW	3	...	"	...	...	...	...	...	...	...
Tokio	"	29.65	753.0	...	...	NW	1	...	"	...	...	...	...	...	...	...
Kochi	"	29.69	754.0	...	...	...	...	...	"	...	...	...	...	...	...	...
Nagasaki	"	29.76	756.0	...	...	W	4	...	"	...	...	...	...	...	...	...
Kagoshima	"	29.78	756.5	...	...	WSW	2	...	"	...	...	...	...	...	...	...
Naha	"	29.82	757.5	...	...	SW	1	...	"	...	...	...	...	...	...	...
Taiwan	"	29.86	758.5	...	...	S	1	...	"	...	...	...	...	...	...	...
Ishigakijima	"	29.84	758.0	...	...	SSW	2	...	"	...	...	...	...	...	...	...
Pratas Island	"	29.92	760.0	...	...	W	1	...	"	...	...	...	...	...	...	...
Chefoo	15	29.60	751.8	75	77	ESE	2	b	6	29.56	750.8	69	95	...	0	r
Hankow	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai	14	29.66	753.3	97	47	SW	1	o	"	29.61	752.1	81	86	S	1	o
Gutzlaff	"	29.78	754.4	82	83	SSW	2	o	"	29.65	753.1	77	86	SW	4	o
Sharp Peak	"	29.77	756.1	94	79	N	1	b	7	29.78	756.4	83	96	NNE	1	b
Amoy	15	29.62	752.3	90	70	SSE	4	b	9	29.73	755.1	80	92	SSW	2	b
Swatow	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku	11	29.76	756.0	90	60	W	2	b	5	29.79	756.6	79	91	...	0	o
Taichu	"	29.76	756.0	90	...	...	0	b	"	29.80	756.9	77	...	...	0	o
Tainan	"	29.74	755.4	90	...	S	4	b	"	29.78	756.3	79	...	SE	2	b
Toshun	"	29.79	756.6	90	...	E	2	b	"	29.79	756.6	79	...	...	0	b
Pescadores	"	29.75	755.7	86	...	S	4	o	"	29.76	756.0	81	...	S	4	b
Canton	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong	"	29.62	752.3	83	73	SE	6	o	"	29.69	754.1	80	86	SE	2	o
Gap Rock	"	29.60	751.8	...	...	SE	9	cq	"	29.71	754.6	...	...	SSE	2	b
Macao	"	29.53	750.0	81	84	SSE	6	o	"	29.66	753.3	79	95	SSE	4	o
Kiuchow	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien	"	29.53	750.0	86	78	SE	2	b	7	29.58	751.2	82	92	SSE	6	o
Tourane	"	29.59	751.5	86	...	SSE	2	o	"	29.63	752.7	81	...	WSW	2	o
Cape St. James	"	29.71	754.5	82	...	SSW	6	r	"	29.78	756.3	75	...	SW	2	b
Basco	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila	"	29.74	755.4	86	78	SSE	2	o	"	29.79	756.6	75	96	...	0	o
Legaspi	"	29.76	756.0	86	75	NE	4	o	"	29.79	756.6	75	98	...	0	b
Tacloban	"	29.76	756.0	84	77	SE	1	o	"	29.79	756.6	77	98	NNW	2	o
Iloilo	"	29.75	755.7	86	71	NE	2	o	"	29.76	756.0	77	94	NE	2	b
Surigao	"	29.75	755.7	81	80	...	0	o	"	29.78	756.3	75	94	N	1	r
Guam	12.20	29.76	756.0	...	...	ESE	2	o	4.20	29.80	756.9	...	...	S	1	o
Yap	12.47	29.75	755.7	...	...	NE	2	r	4.47	29.80	756.9	...	...	S	4	o
Labuan	14	29.77	756.1	84	83	S	2	b	6	29.78	756.4	80	91	NW	2	b

June 27*d*. 12*h*. com.—No returns from **Japanese** stations.

Pressure has decreased slightly from Chefoo to Shanghai, and also over the Visayas; it has increased considerably over south Manchuria, and slightly to moderately elsewhere.

The typhoon is shown this morning as a depression over Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·15 inch. **Total since January 1st, 46·43 inches, against an average of 37·38 inches.**

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel, ...	S.E. winds, moderate; fair to showery.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

C. W. JEFFRIES,—*Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	27th June, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	28th June, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.37	746.0	...	...	ESE	2	...	5	29.41	747.0	...	...	N	1	...
Hokodate,	"	29.80	757.0	...	...	SE	4	...	"	29.41	747.0	...	...	...	0	...
Tokio,	"	29.57	751.0	...	...	S	1	...	"	29.43	747.5	...	...	NNW	1	...
Kochi,	"	29.63	752.5	...	...	...	...	...	"	29.51	749.5	...	...	...	...	...
Nagasaki,	"	29.67	753.5	...	...	WSW	4	...	"	29.59	751.5	...	...	NW	2	...
Kagoshima,	"	29.70	754.5	...	...	WSW	1	...	"	29.61	752.0	...	...	SW	2	...
Oshima,	"	29.78	756.5	...	...	SW	1	...	"	29.73	753.0	...	...	SSW	1	...
Naha,	"	29.86	758.5	...	...	SW	2	...	"	29.80	757.0	...	...	SSW	2	...
Ishigakijima,	"	29.84	758.0	...	...	SW	2	...	"	29.82	757.5	...	...	SW	3	...
Bonin Island,	"	29.84	758.0	...	...	WSW	1	...	"	29.80	757.0	...	...	WSW	2	...
Chefoo,	15	29.57	751.1	77	73	ESE	1	b	6	29.61	752.1	70	91	...	0	0
Hankow,	"	...		...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.62	752.4	93	50	WSW	2	0	"	29.66	753.3	77	92	ENE	1	b
Gutzlaff,	"	29.67	753.6	84	75	WSW	4	0	"	29.68	753.9	80	92	SW	1	b
Sharp Peak,	"	29.78	756.4	92	70	S	2	b	7	29.84	757.9	83	83	S	2	b
Amoy,	15	29.62	752.3	90	70	SSE	4	b	9	...	...	...	...	...	...	...
Swatow,	"		...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.79	756.6	90	63	NNW	2	b	5	29.79	756.6	77	98	...	0	0
Taichu,	"	29.81	757.2	90	...	SW	2	b	"	29.80	756.9	73	...	...	0	b
Tainan,	"	29.81	757.2	90	...	S	4	b	"	...	...	77	...	SE	2	b
Koshun,	"	29.82	757.5	90	...	SSE	2	b	"	29.81	757.2	79	...	...	0	b
Pescadores,	"	29.81	757.2	90	...	S	4	b	"	29.80	756.9	81	...	SSW	4	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.70	754.4	84	77	S	2	c	"	29.72	754.9	80	86	SSE	3	0
Gap Rock,	"	29.71	754.6	...	...	SE	4	b	"	29.73	755.1	...	...	SSW	5	0
Macao,	"	29.67	753.6	90	76	SSE	4	0	"	29.69	754.2	77	94	S	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.53	750.0	86	71	SE	4	b	7	...	...	...	...	...	...	...
Tourane,	"	29.63	752.7	90	...	SW	2	0	"	...	...	...	...	...	...	...
Cape St. James,	"	29.74	755.4	86	...	SW	2	b	"	...	...	...	...	...	...	...
Basco,	14	29.76	756.0	90	69	SE	2	b	6	...	...	...	...	...	...	...
Aparri,	"	29.75	755.7	90	66	NE	4	b	"	...	...	...	...	...	...	...
Manila,	"	29.76	756.0	84	77	N	1	0	"	29.80	756.9	75	96	NNE	1	0
Legaspi,	"	29.75	755.7	86	75	ENE	2	b	"	29.79	756.6	75	98	N	1	0
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.75	755.7	86	71	NE	4	0	"	29.79	756.6	75	94	NW	1	0
Surigao,	"	29.76	756.0	75	91	N	2	r	"	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	SW	1	0	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.79	756.6	...	...	SW	2	0	4.47	29.82	757.4	...	...	N	1	0
Labuan,	14	29.82	757.4	78	91	S	1	r	6	...	...	...	...	...	...	...

June 28*d*. 11*h*. 05*m*.—No returns from Indo-China.

Pressure has decreased considerably over Japan, slightly over the Loochoos and the Bonins, and has increased slightly elsewhere. It is highest in the Pacific to the east of the Philippines and depressions are situated to the east of Japan and over Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·18 inch. Total since January 1st, 46·61 inches, against an average of 37·93 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel.	S. winds, moderate; fair to showery.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock.	
4.—South coast of China between Hongkong and Hainan.	

C. W. JEFFRIES,—*Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	28th June, 1925.								29th June, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.49	749.1	74	...	NNE	2	c	6	29.52	749.9	66	...	NNE	4	c
Nemuro,	11	29.43	747.5	...	...	SE	1	...	5	29.49	749.0	...	...	NE	1	...
Hokodate,	,,	29.39	746.5	...	...	SE	2	...	,,	29.47	747.5	...	...	...	...	...
Tokio,	,,	29.43	747.5	...	...	NNE	1	...	,,	29.53	750.0	...	...	NW	1	...
Kochi,	,,	29.57	751.0	...	...	NE	1	...	,,	29.53	750.0	...	...	...	0	...
Nagasaki,	,,	29.61	752.0	...	...	WSW	1	...	,,	29.57	751.0	...	...	...	...	...
Kagoshima,	,,	29.59	751.5	...	...	W	1	...	,,	29.55	750.5	...	...	NNW	1	...
Oshima,	,,	29.72	755.0	...	...	NW	1	...	,,	29.63	752.5	...	...	...	...	...
Naha,	,,	29.80	757.0	...	...	SW	3	...	,,	29.73	755.0	...	...	SW	3	...
Ishigakijima,	,,	29.82	757.5	...	...	WSW	3	...	,,	29.71	754.5	...	...	SW	4	...
Bonin Island,	,,	29.76	756.0	...	...	W	3	...	,,	29.71	754.5	...	...	WSW	2	...
Chefoo,	15	29.56	750.8	77	77	E	1	o	6	29.55	750.5	72	92	...	o	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.60	751.8	97	47	WSW	2	b	,,	29.50	749.4	81	89	NW	1	o
Gutzlaff,	,,	29.64	752.8	84	75	SSW	1	b	,,	29.53	750.0	81	83	WSW	4	o
Sharp Peak,	,,	29.76	755.9	90	70	SSE	4	b	7	29.69	754.1	82	79	S	2	b
Amoy,	15	29.69	754.4	88	69	WSW	4	o	9	29.66	753.3	80	92	SSW	4	b
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.78	756.3	90	57	W	2	b	5	29.67	753.6	77	96	...	o	b
Taichu,	,,	29.82	757.5	90	...	NW	2	b	,,	29.73	755.1	75	...	...	o	b
Tainan,	,,	29.80	756.9	90	...	S	4	b	,,	29.72	754.8	75	...	SE	2	b
Koshun,	,,	29.81	757.2	90	...	S	2	b	,,	29.72	754.8	79	...	...	o	b
Pescadores,	,,	29.80	756.9	90	...	S	4	b	,,	29.69	754.2	81	...	S	4	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.73	755.1	86	74	SE	2	o	,,	29.67	753.6	81	78	SSE	2	o
Gap Rock,	,,	29.74	755.4	...	...	SSE	4	c	,,	29.66	753.3	...	...	SSW	4	c
Macao,	,,	29.68	753.9	86	81	S	4	o	,,	29.63	752.7	81	90	WSW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.58	751.2	86	81	SSE	6	o	7	29.55	750.6	79	90	SSE	4	b
Tourane,	,,	29.69	754.2	77	...	...	o	o	,,	29.67	753.6	81	...	WSW	2	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	...	...	SW	2	o
Basco,	14	...	...	...	...	...	...	...	6	29.69	754.2	77	86	NW	2	r
Aparri,	,,	29.72	754.8	90	69	NE	4	b	,,	29.74	755.4	77	92	...	o	o
Manila,	,,	29.75	755.7	86	68	WNW	2	o	,,	29.75	755.7	77	94	NE	2	o
Legaspi,	,,	29.74	755.4	86	81	NNE	2	o	,,	29.74	755.4	77	98	...	o	o
Tacloban,	,,	29.74	755.4	86	78	N	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	82	77	SW	2	o	,,	29.75	755.7	73	94	NW	1	o
Surigao,	,,	29.73	755.1	82	74	WNW	2	o	,,	29.75	755.7	75	96	SW	1	r
Guam,	12.20	29.75	755.7	...	...	NNE	2	o	4.20	29.75	755.7	...	...	NE	1	o
Yap,	12.47	29.76	756.0	...	...	NW	1	r	4.47	29.75	755.7	...	...	NE	2	o
Labuan,	14	29.73	755.1	88	80	N	4	b	6	29.78	756.4	82	91	S	2	b

June *29d. 11h. 05m.*—Pressure has increased slightly over Hokkaido, and decreased slightly elsewhere; it is highest over the southern portion of the area, and relatively low over China generally.

Depressions are situated in the Pacific to the east of Japan, and over the Yellow Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·05 inch. Total since January 1st, 46·66 inches, against an average of 38·47 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate; cloudy, squally showery.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	29th JUNE, 1925.								30th JUNE, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	29.50	749.4	73	...	NW	2	o	6	29.65	753.2	58	...	ESE	4	o
Nemuro,	11	...	...	...	...	...	...	...	5	29.29	744.0	...	...	WNW	4	...
Hokodate,	"	29.45	748.0	...	...	WSW	1	...	"	29.43	747.5	...	...	SW	1	...
Tokio,	"	29.47	748.5	...	...	S	2	...	"	29.55	750.5	...	...	NW	1	...
Kochi,	"	29.51	749.5	...	...	...	...	...	"	29.51	749.5	...	...	...	...	...
Nagasaki,	"	29.53	750.0	...	...	SSE	5	...	"	29.51	749.5	...	...	...	...	...
Kagoshima,	"	29.55	750.5	...	...	...	...	...	"	29.51	749.5	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	29.57	751.0	...	...	S	1	...
Naha,	"	29.70	754.5	...	...	SW	3	...	"	29.65	753.0	...	...	SSW	2	...
Ishigakijima,	"	29.70	754.5	...	...	SW	3	...	"	29.63	752.5	...	...	SW	5	...
Bonin Island,	"	29.67	753.5	...	...	W	1	...	"	29.71	754.5	...	...	WSW	1	...
Chefoo,	15	29.50	749.3	78	78	NNE	1	b	6	29.45	748.0	72	85	S	1	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.48	748.8	90	66	E	1	o	"	29.42	747.3	79	96	S	1	o
Gutzlaff,	"	29.51	749.5	83	83	NE	2	o	"	29.45	748.0	78	92	SW	4	o
Sharp Peak,	"	29.65	753.1	90	70	S	4	b	7	29.69	754.1	82	92	S	1	b
Amoy,	15	29.57	751.1	88	73	SSE	4	b	9	29.59	751.6	81	83	SSW	4	b
Swatow,	"	..	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taiboku,	11	29.66	753.3	90	57	W	2	o	5	29.61	752.1	75	94	...	o	b
Taichu,	"	29.72	754.8	90	...	SW	2	b	"	29.71	754.5	77	...	...	o	b
Tainan,	"	29.73	755.1	90	...	SW	2	b	"	29.66	753.3	77	...	...	o	b
Koshun,	"	29.72	754.8	90	...	SW	2	b	"	29.65	753.0	79	...	...	o	b
Pescadores,	"	29.73	755.1	90	...	SSW	4	b	"	29.65	753.0	79	...	SSW	2	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.61	752.1	85	74	S	3	cq	"	29.59	751.6	81	84	SSW	2	cq
Gap Rock,	"	29.63	752.6	...	...	S	4	o	"	29.59	751.6	...	...	S	4	cp
Macao,	"	29.58	751.2	90	76	SSW	4	o	"	29.55	750.6	81	90	SSW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.46	748.2	93	57	SSW	4	b	7	29.45	747.9	81	90	SE	4	b
Tourane,	"	29.58	751.2	90	...	...	o	o	"	29.58	751.2	82	...	...	o	b
Cape St. James,	"	...	...	...	...	...	...	...	"	29.72	754.8	79	...	SW	6	o
Basco,	14	29.66	753.3	86	71	SSW	2	o	6	29.66	753.3	81	84	SE	4	o
Aparri,	"	29.65	753.0	93	57	SSE	2	b	"	29.65	753.0	79	89	S	2	b
Manila,	"	29.68	753.9	82	77	SE	1	o	"	29.68	753.9	75	96	...	o	o
Legaspi,	"	29.66	753.3	84	81	ENE	1	o	"	29.68	753.9	75	98	N	1	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.67	753.6	84	77	S	4	o	"	29.72	754.8	77	86	SSW	4	o
Surigao,	"	29.68	753.9	84	68	WSW	2	o	"	29.72	754.8	81	76	WSW	2	o
Guam,	12.20	29.69	754.2	...	...	E	4	o	4.20	29.73	755.1	...	...	NE	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	29.74	755.4	...	...	...	o	o
Labuan,	14	29.81	757.2	78	91	S	2	o	6	29.73	755.1	77	91	N	2	o

June 30*d.* 11*h.* 40*m.*—Pressure has increased moderately over S. Manchuria and slightly over the Bonins; it has decreased slightly elsewhere, remaining highest over the southern portion of the area. Depressions are situated to the north-east of Hokkaido, to the north of the Yangtze Valley and over Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·16 inch. Total since January 1st, 46·82 inches, against an average of 39·00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S. winds, moderate; fair to showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

JULY,

1925.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

C. W. JEFFRIES,

DIRECTOR.

HONGKONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1925.

[Price 60c.]

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

JULY,

1925.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of JULY, 1925.

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·573	29·559	29·559	29·571	29·576	29·576	29·588	29·597	29·599	29·608	29·611	29·623	1
2	29·625	29·611	29·602	29·599	29·605	29·619	29·629	29·633	29·649	29·648	29·656	29·653	2
3	29·643	29·631	29·627	29·629	29·635	29·650	29·667	29·683	29·679	29·691	29·695	29·679	3
4	29·657	29·647	29·639	29·633	29·632	29·640	29·647	29·655	29·665	29·664	29·663	29·647	4
5	29·615	29·599	29·589	29·591	29·595	29·596	29·611	29·617	29·621	29·626	29·623	29·619	5
6	29·587	29·567	29·555	29·553	29·546	29·557	29·573	29·579	29·590	29·598	29·599	29·595	6
7	29·533	29·525	29·516	29·517	29·515	29·516	29·517	29·523	29·522	29·521	29·507	29·489	7
8	29·435	29·417	29·411	29·409	29·411	29·414	29·418	29·422	29·417	29·421	29·401	29·391	8
9	29·343	29·343	29·331	29·323	29·339	29·332	29·336	29·349	29·355	29·358	29·349	29·344	9
10	29·395	29·389	29·390	29·401	29·397	29·417	29·439	29·447	29·453	29·471	29·460	29·445	10
11	29·521	29·503	29·496	29·511	29·528	29·532	29·564	29·579	29·570	29·577	29·561	29·551	11
12	29·583	29·580	29·563	29·569	29·563	29·574	29·588	29·591	29·592	29·604	29·597	29·585	12
13	29·565	29·555	29·547	29·547	29·547	29·549	29·549	29·557	29·537	29·531	29·523	29·523	13
14	29·407	29·373	29·365	29·344	29·365	29·361	29·369	29·357	29·389	29·371	29·372	29·346	14
15	29·315	29·301	29·306	29·307	29·321	29·324	29·335	29·365	29·366	29·372	29·363	29·341	15
16	29·489	29·482	29·458	29·470	29·480	29·495	29·512	29·525	29·532	29·549	29·545	29·545	16
17	29·589	29·588	29·574	29·562	29·572	29·591	29·587	29·594	29·615	29·630	29·626	29·622	17
18	29·614	29·593	29·587	29·594	29·589	29·591	29·607	29·621	29·636	29·635	29·633	29·629	18
19	29·691	29·681	29·686	29·694	29·706	29·708	29·718	29·727	29·744	29·755	29·757	29·749	19
20	29·832	29·819	29·816	29·812	29·820	29·830	29·844	29·853	29·878	29·889	29·894	29·894	20
21	29·858	29·854	29·830	29·822	29·823	29·829	29·836	29·836	29·840	29·839	29·826	29·814	21
22	29·757	29·740	29·724	29·708	29·705	29·707	29·708	29·716	29·719	29·725	29·718	29·708	22
23	29·656	29·652	29·646	29·640	29·641	29·657	29·657	29·666	29·673	29·679	29·674	29·659	23
24	29·625	29·622	29·610	29·596	29·599	29·607	29·625	29·645	29·643	29·644	29·637	29·627	24
25	29·605	29·596	29·595	29·600	29·607	29·613	29·619	29·617	29·619	29·636	29·643	29·643	25
26	29·677	29·677	29·673	29·657	29·663	29·683	29·696	29·706	29·710	29·721	29·720	29·693	26
27	29·730	29·718	29·717	29·720	29·720	29·726	29·746	29·752	29·749	29·746	29·740	29·729	27
28	29·722	29·707	29·703	29·701	29·703	29·705	29·716	29·725	29·730	29·736	29·736	29·718	28
29	29·703	29·699	29·710	29·715	29·722	29·740	29·755	29·763	29·773	29·774	29·772	29·768	29
30	29·766	29·752	29·748	29·750	29·752	29·758	29·770	29·786	29·787	29·789	29·786	29·774	30
31	29·732	29·725	29·713	29·715	29·717	29·730	29·742	29·741	29·757	29·758	29·754	29·734	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·606	29·597	29·599	29·591	29·595	29·594	29·610	29·615	29·627	29·631	29·637	29·637	1
2	29·647	29·633	29·625	29·615	29·607	29·615	29·628	29·650	29·662	29·667	29·671	29·669	2
3	29·668	29·656	29·647	29·642	29·626	29·619	29·629	29·645	29·663	29·683	29·687	29·675	3
4	29·635	29·619	29·607	29·593	29·581	29·581	29·600	29·611	29·631	29·653	29·653	29·633	4
5	29·603	29·595	29·587	29·571	29·560	29·560	29·570	29·582	29·601	29·607	29·615	29·605	5
6	29·577	29·555	29·533	29·517	29·489	29·485	29·487	29·510	29·521	29·537	29·543	29·535	6
7	29·470	29·453	29·440	29·430	29·411	29·411	29·424	29·449	29·449	29·461	29·461	29·453	7
8	29·379	29·360	29·346	29·332	29·319	29·324	29·341	29·344	29·345	29·343	29·347	29·341	8
9	29·338	29·340	29·335	29·328	29·318	29·311	29·338	29·347	29·367	29·391	29·401	29·403	9
10	29·438	29·436	29·434	29·420	29·412	29·431	29·433	29·460	29·479	29·493	29·515	29·523	10
11	29·539	29·541	29·531	29·519	29·507	29·513	29·531	29·547	29·557	29·581	29·595	29·618	11
12	29·581	29·563	29·547	29·539	29·529	29·525	29·534	29·550	29·559	29·583	29·597	29·581	12
13	29·488	29·461	29·445	29·428	29·421	29·419	29·422	29·432	29·433	29·437	29·435	29·423	13
14	29·324	29·288	29·272	29·327	29·277	29·335	29·338	29·346	29·344	29·365	29·363	29·351	14
15	29·334	29·327	29·323	29·309	29·332	29·342	29·380	29·452	29·477	29·531	29·523	29·477	15
16	29·526	29·512	29·506	29·499	29·513	29·519	29·533	29·557	29·567	29·595	29·607	29·607	16
17	29·601	29·588	29·581	29·585	29·555	29·577	29·599	29·625	29·630	29·639	29·647	29·641	17
18	29·625	29·621	29·613	29·596	29·609	29·612	29·634	29·635	29·652	29·662	29·680	29·698	18
19	29·751	29·742	29·730	29·720	29·726	29·735	29·749	29·773	29·787	29·805	29·823	29·829	19
20	29·874	29·854	29·841	29·834	29·816	29·806	29·818	29·841	29·851	29·868	29·882	29·871	20
21	29·798	29·792	29·784	29·767	29·748	29·747	29·749	29·774	29·777	29·788	29·794	29·783	21
22	29·692	29·675	29·658	29·652	29·642	29·643	29·643	29·655	29·655	29·667	29·671	29·671	22
23	29·647	29·627	29·605	29·595	29·579	29·575	29·582	29·590	29·601	29·615	29·629	29·627	23
24	29·627	29·597	29·593	29·583	29·565	29·560	29·559	29·569	29·589	29·605	29·613	29·617	24
25	29·623	29·610	29·597	29·607	29·609	29·611	29·610	29·626	29·650	29·663	29·679	29·685	25
26	29·716	29·706	29·687	29·673	29·671	29·661	29·682	29·699	29·706	29·739	29·747	29·743	26
27	29·721	29·695	29·671	29·662	29·645	29·653	29·675	29·688	29·697	29·714	29·723	29·721	27
28	29·710	29·688	29·667	29·657	29·657	29·663	29·678	29·698	29·714	29·729	29·734	29·719	28
29	29·764	29·751	29·733	29·725	29·711	29·708	29·716	29·739	29·759	29·779	29·780	29·780	29
30	29·759	29·744	29·726	29·718	29·709	29·706	29·710	29·727	29·742	29·746	29·746	29·744	30
31	29·712	29·696	29·675	29·645	29·629	29·631	29·632	29·645	29·659	29·687	29·693	29·695	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of JULY, 1925.

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	82·1	81·5	81·0	79·7	79·5	78·8	80·8	83·0	84·0	86·5	88·7	81·6	1
2	81.5	81·4	80·6	81·1	81·4	81·0	83·1	83·0	84·3	84·0	83·5	83·7	2
3	82.1	81·7	81·4	81·8	81·1	81·0	81·8	82·9	83·7	83·3	82·0	83·1	3
4	81·3	80·0	80·1	80·3	80·3	80·4	81·4	83·2	84·3	83·6	83·9	85·5	4
5	81.1	81·0	80·8	80·2	80·0	79·7	81·6	82·2	82·9	86·7	83·9	86·3	5
6	81·0	81·0	81·1	80·3	80·5	79·9	81·5	83·1	83·2	86·0	85·4	87·4	6
7	80·0	79·9	79·3	79·4	79·2	80·0	81·2	83·6	84·8	86·9	87·2	87·9	7
8	82·4	82·4	82·5	82·2	82·2	82·1	82·3	83·5	85·4	87·0	87·9	90·2	8
9	84·0	84·1	84·1	83·5	83·0	83·2	83·8	85·2	86·7	87·0	88·4	89·1	9
10	85·0	84·9	81·8	79·4	80·1	80·2	81·2	82·2	85·3	86·2	87·1	89·0	10
11	84·0	84·8	81·4	81·0	76·5	76·4	75·7	74·9	77·5	81·0	84·5	85·2	11
12	79·9	79·2	78·9	78·8	78·9	79·4	81·0	82·0	84·1	83·4	80·6	85·1	12
13	81·0	80·3	79·1	79·4	79·1	79·2	80.8	82·7	84·0	85·8	87·3	88·4	13
14	84·1	84·3	83·7	83·5	83·4	84·0	84·2	85·4	87·2	88·7	91·4	91·8	14
15	80·3	80·4	80·2	80·0	79·5	79·0	80·7	79·8	79·5	81·7	80·9	83·7	15
16	76·0	77·2	80·2	80·7	78·1	75·4	77·2	75·9	80·1	81·2	82·0	83·0	16
17	79·0	77·6	76·5	76·8	76·2	76·0	75·1	76·6	76·2	79·3	77·3	78·6	17
18	77·4	76·4	76·8	80·3	81·3	81·3	81·1	80·2	81·1	81·9	83·0	83·9	18
19	78·4	78·4	78·5	76·8	77·3	77·0	77·5	80·4	81·6	82·0	82·5	84·0	19
20	79.2	78·8	78·7	78·4	79·0	78·7	80·1	81·5	83·7	84·2	86·5	84·8	20
21	79·0	78·8	78·4	78·1	77·9	77·8	79·5	81·2	82·6	83·8	85·1	85·8	21
22	79·5	79·2	78·8	78·5	78·5	78·6	80·2	81·9	83·0	84·2	85·8	85·0	22
23	80·0	80·4	80·3	80·3	79·5	79·0	79·9	80·9	82·0	82·9	84·7	86·6	23
24	80·3	80·2	80·0	79·7	79·7	79·9	80·9	82·2	82·9	84·0	85·3	85·3	24
25	80·1	79·9	79·1	79·1	79·0	78·8	79·8	83·3	84·3	83·0	87·0	88·0	25
26	80·0	79·3	79·9	79·2	79·3	80·0	79·2	82·0	85·4	85·6	86·4	84·1	26
27	80·0	78·9	79·4	79·0	78·3	78·6	79·5	80·4	83·7	85·4	85·0	85·7	27
28	80·0	79·7	79·8	79·8	79·5	79·8	80·7	84·0	85·5	85·8	86·2	88·0	28
29	79·6	79·3	79·0	78·5	78·3	78·3	80·7	82·0	84·1	84·5	85·3	83·2	29
30	79·4	79·1	78·8	78·9	78·6	78·3	80·0	82·0	82·6	84·0	83·2	81·8	30
31	79·7	79·2	78·5	78·1	78·1	78·5	79·5	81·5	84·6	84·4	85·0	85·7	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	84·3	85·9	85·0	85·2	85·0	83·9	83·0	82·2	82·0	82·1	81·9	82·1	1
2	85·0	84·6	85·1	84·9	84·4	83·9	83·1	82·8	82·7	82.4	82·0	82·2	2
3	83·9	84·2	85·0	83·9	83·5	82·7	82·3	81·3	82·0	81·3	81·5	81·2	3
4	84·4	83·8	85·0	84·7	85·0	83·4	82·3	81·8	81·5	81·4	81·5	81·1	4
5	85·0	84·0	84·2	84·0	83·9	83·4	82·6	82·0	81·2	81·1	80·8	80·4	5
6	84·7	86·6	85·9	85·3	86·3	85·2	83·5	83·1	82·2	81·0	81·0	81·0	6
7	88·7	90·0	90·9	90·3	90·0	87·6	85·8	84·5	84·0	83·5	83·3	83·0	7
8	89·6	88·9	88.0	88·0	88·1	88·0	87·3	85·5	85·1	85·8	85·5	84·9	8
9	88·7	90·0	90·4	90·3	89·3	88·0	87·6	86·7	85·5	85·4	85·2	85·8	9
10	89·5	91·9	91·0	90·2	89·7	87·8	85·7	84.8	83·4	83·2	83·9	84·4	10
11	86·8	84·0	85·2	86·5	86·3	85·7	84·0	83·7	83·0	82·4	81·0	79·5	11
12	86·4	84·7	83·8	84·1	84·2	83·6	82·3	81·7	81·1	81·1	81·5	81·2	12
13	87·2	87·9	87·8	88·2	88·0	87·0	85·8	85·3	85·0	84·8	83·8	84·0	13
14	92·0	90·3	88·2	81·0	80·9	80·4	79.3	79·7	79·3	80·2	80·1	80·7	14
15	78·9	81·2	83·9	83·9	83·2	82·8	78·2	75·3	75·4	75·3	75·6	76·1	15
16	84.0	83·8	84·0	83·5	83·0	83·1	82·1	81·0	81·3	81·1	80·1	80·0	16
17	81·5	81·7	82·2	82·4	82·4	82·6	81·9	78·6	77·8	77·5	77·2	77·8	17
18	82·8	82·3	80·5	79·4	77·4	76·7	76·1	76·1	76·5	77·4	79·9	79·5	18
19	83·0	83·8	84·8	85·8	83·2	83·0	81·9	80·2	79·6	79·0	79·1	79·6	19
20	87·3	87·0	85·5	85·2	85·2	84·0	82·3	81·3	80·6	82·2	80·3	79·7	20
21	85·6	86·1	85·2	86·1	84·2	82·9	82·0	81·0	80·7	80·4	80·3	80·0	21
22	85·4	86·2	85·2	85·0	84·2	82·9	81·4	80·5	80·7	80·9	80·5	80·3	22
23	86·6	85·8	86·5	86·4	85·1	83·7	82·3	82·0	82·3	81·6	81·0	80·8	23
24	86·1	86·4	86·7	85·4	84·8	83·6	81·9	81·0	80·6	80·4	80·2	80·2	24
25	87·7	89·0	85·4	87·9	86·5	85.0	83·0	82·0	81·5	81·0	80·9	80·6	25
26	83·3	88·4	85·5	84·5	84·2	84·4	83·0	82·3	81·0	81·0	80·9	80·2	26
27	87·3	88·3	89·2	89·0	87·0	85·2	83·9	82·6	82·3	81·4	81·3	80·8	27
28	88·0	89·3	88·5	87.3	86·4	84·9	83·3	82·5	82·5	81·4	80·2	79·7	28
29	83·6	83·5	84·2	84·4	83·5	82·8	81·9	80·4	80·1	80·1	79·9	79·3	29
30	82·6	83·2	84·2	83·5	82·1	82.0	81·2	80·8	80·1	80·0	80·1	79·9	30
31	84·9	84·3	84·3	84·3	85·0	84·7	83·0	82·1	81·7	81·8	81·7	81·1	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of JULY, 1925.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	77·3	77·8	77·6	76·4	76·7	76·4	78·1	79·7	80·0	81·0	81·0	79·5	1
2	78·0	78·3	78·4	78·2	78·3	78·1	79·3	79·1	80·0	79·2	79·3	79·1	2
3	78·0	77·1	77·4	77·0	77·3	77·5	77·6	78·0	78·8	78·9	79·0	79·1	3
4	77·7	76·0	77·0	77·2	77·3	77·5	77·9	78·6	79·3	79·0	79·1	79·9	4
5	78·1	78·0	77·9	77·5	77·5	77·0	78·3	78·0	78·2	80·1	78·5	80·0	5
6	77·7	77·4	77·5	77·6	77·6	78·0	79·0	79·2	78·4	79·6	79·0	80·4	6
7	78·0	78·0	77·5	77·4	77·5	77·8	79·0	79·5	80·0	81·0	79·9	80·5	7
8	78·3	78·7	79·2	79·4	79·0	79·0	79·6	79·6	79·8	79·8	80·9	82·4	8
9	80·0	79·9	79·3	79·1	78·8	77·9	77·7	78·2	79·0	80·2	80·0	80·1	9
10	80·2	80·7	77·3	76·0	77·9	76·9	78·0	78·8	79·7	79·0	79·8	80·3	10
11	79·3	79·9	78·0	78·0	75·9	74·5	74·3	74·2	76·0	76·6	77·7	76·7	11
12	76·1	75·8	76·2	76·3	76·3	77·0	78·0	77·9	79·5	78·9	77·5	79·0	12
13	78·1	78·1	77·3	77·9	77·7	78·0	78·9	78·8	79·2	79·7	79·7	80·7	13
14	81·4	80·9	80·4	80·3	80·5	79·7	80·0	80·7	82·0	82·0	83·0	82·9	14
15	77·0	77·0	77·0	76·9	76·1	77·0	77·6	76·6	77·0	78·3	78·2	79·9	15
16	73·7	73·1	75·0	77·0	76·1	74·0	76·0	76·0	77·2	78·2	78·0	79·4	16
17	76·4	75·7	75·0	74·6	74·0	74·0	74·3	75·3	75·8	78·2	75·5	77·0	17
18	75·6	74·8	75·2	77·0	77·5	77·6	77·6	77·1	78·1	77·9	79·0	78·6	18
19	76·0	75·9	76·5	75·5	76·0	76·0	76·0	78·0	78·7	78·8	79·2	79·5	19
20	77·3	77·3	77·3	77·0	77·3	77·2	78·2	78·4	79·2	79·7	78·5	78·4	20
21	77·0	77·0	77·0	77·0	76·6	76·5	77·1	77·1	78·1	78·6	78·3	78·0	21
22	76·7	77·0	76·5	76·1	76·2	76·0	76·1	77·0	77·8	77·9	78·6	76·7	22
23	77·0	76·8	76·9	76·5	77·0	77·0	77·1	77·2	77·5	78·0	77·9	77·0	23
24	77·7	77·6	78·0	77·8	77·8	77·7	78·1	78·5	78·9	78·3	78·9	78·5	24
25	77·2	77·4	77·3	76·9	77·2	77·0	77·7	79·6	80·0	78·7	78·8	79·1	25
26	77·6	78·1	77·8	77·7	77·8	78·8	78·0	79·0	78·4	79·0	80·0	78·3	26
27	77·4	77·0	77·0	77·0	76·8	77·0	77·9	78·7	78·9	79·0	78·5	78·4	27
28	77·0	77·0	77·1	77·0	76·9	77·0	77·4	78·7	79·8	79·4	78·5	78·3	28
29	76·7	76·6	76·0	76·2	76·2	76·3	77·9	77·9	77·8	78·3	78·2	77·9	29
30	76·2	76·1	76·0	76·0	76·1	76·0	77·0	77·8	78·3	79·1	76·3	77·8	30
31	76·9	76·6	76·7	76·6	76·3	76·4	75·4	75·4	77·3	78·5	79·2	79·5	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	79·0	79·8	79·1	79·3	79·0	78·6	79·0	78·3	78·1	78·3	77·9	77·9	1
2	80·2	79·1	79·2	79·2	79·2	78·5	78·5	78·0	78·1	78·4	77·8	78·2	2
3	79·3	79·0	79·8	79·0	79·0	78·4	78·8	78·1	78·0	77·8	77·7	77·2	3
4	78·7	78·1	78·4	78·8	78·9	78·8	78·3	77·9	78·0	78·0	78·0	78·0	4
5	79·5	79·4	79·0	79·0	78·7	78·8	78·3	78·7	78·4	78·2	78·0	78·0	5
6	79·0	80·1	79·6	78·6	79·6	78·5	78·0	78·2	78·0	78·0	78·3	78·2	6
7	81·0	81·1	80·4	79·5	80·0	80·3	80·2	80·0	80·0	80·0	79·0	77·1	7
8	81·7	81·9	81·9	81·4	80·4	80·2	79·9	79·9	80·0	79·8	79·0	79·0	8
9	80·0	80·1	80·1	80·1	80·2	79·1	80·6	81·2	81·3	80·8	80·2	80·8	9
10	79·8	80·9	80·2	80·0	79·4	80·1	80·0	80·3	80·5	80·0	80·9	80·6	10
11	78·2	77·9	78·4	77·5	78·0	78·9	78·0	78·6	78·9	78·8	76·0	75·2	11
12	80·0	79·3	79·8	79·5	79·3	79·0	79·0	78·9	78·4	78·0	78·2	78·1	12
13	79·8	80·3	80·9	81·7	81·1	80·1	79·5	79·7	80·0	80·2	80·8	81·0	13
14	82·7	81·5	80·7	78·0	77·8	77·3	77·0	77·8	76·0	77·2	76·4	76·9	14
15	75·8	78·9	80·2	80·4	80·0	79·6	75·0	73·1	73·3	73·9	74·0	74·0	15
16	79·9	79·7	79·4	79·5	78·5	79·3	78·2	78·5	78·0	78·0	77·0	77·0	16
17	78·9	79·0	79·0	78·5	79·0	78·9	77·8	75·1	75·1	75·0	75·3	75·8	17
18	79·0	78·4	75·2	76·0	75·3	74·8	74·1	74·0	74·5	75·9	77·6	76·0	18
19	79·0	79·0	78·9	79·9	78·9	78·7	78·0	77·8	78·0	77·9	78·0	77·9	19
20	79·1	80·0	78·6	78·2	78·6	78·2	77·1	77·8	78·3	77·7	77·6	77·3	20
21	78·4	78·0	77·0	77·5	77·4	77·2	76·9	76·2	76·2	76·3	76·5	76·3	21
22	76·7	76·8	77·4	77·5	77·8	77·0	76·4	76·0	76·3	76·3	77·1	76·8	22
23	77·5	78·8	78·7	77·0	78·0	78·0	78·0	78·1	78·1	77·1	77·0	77·2	23
24	77·7	77·9	78·8	77·8	77·9	77·8	77·1	77·0	77·5	77·4	77·3	77·3	24
25	79·0	80·2	79·2	79·4	79·0	79·0	77·9	77·9	77·9	78·0	78·2	78·0	25
26	77·0	78·7	77·3	78·9	78·2	77·0	77·4	78·0	78·0	78·0	78·0	77·5	26
27	79·0	79·0	79·0	78·6	77·5	78·2	78·0	78·0	78·2	78·0	77·9	77·3	27
28	78·9	78·0	78·8	78·8	79·0	77·9	77·1	77·2	77·0	77·3	77·3	76·8	28
29	78·2	78·1	78·0	78·1	77·9	77·6	77·1	77·1	76·9	76·8	76·6	76·5	29
30	78·0	77·0	77·0	78·1	77·9	78·0	77·2	77·3	77·0	77·0	77·0	76·8	30
31	78·1	78·0	77·9	77·3	77·6	77·0	76·1	76·5	76·4	76·5	77·0	76·5	31

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of JULY, 1925.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Mdn.	
1	8	7	4	10	9	10	6	7	6	5	5	10	9	10	10	10	6	5	6	9	5	6	3	9	1
2	9	10	3	8	8	8	10	10	10	8	7	10	10	10	6	3	6	7	6	6	7	10	9	10	2
3	10	10	9	9	10	10	10	9	9	7	10	9	8	10	9	9	9	9	10	7	9	3	9	6	3
4	10	8	9	7	8	8	9	8	8	9	7	8	8	9	9	7	6	6	7	4	2	2	2	6	4
5	6	9	7	8	7	5	5	7	8	10	9	10	8	9	9	8	8	5	3	1	1	1	1	6	5
6	2	7	8	7	5	7	3	4	6	8	6	4	8	8	9	7	7	2	1	...	...	...	...	1	6
7	1	1	2	1	2	1	...	...	1	1	1	1	2	2	2	2	2	2	6	3	3	2	2	1	7
8	2	4	...	4	8	9	10	10	9	8	10	6	8	8	8	7	7	7	6	4	1	2	3	10	8
9	10	10	10	10	10	10	9	8	8	9	9	7	5	2	2	7	4	7	6	4	2	...	6	10	9
10	8	9	10	10	10	7	9	9	7	8	5	5	6	7	7	6	3	2	2	1	1	1	2	8	10
11	9	10	10	10	10	10	10	10	9	7	5	2	1	1	1	2	2	4	3	2	2	7	9	8	11
12	9	10	10	9	8	9	9	8	7	9	5	5	7	6	7	4	4	3	2	1	...	...	1	1	12
13	2	1	1	1	1	1	...	1	...	1	2	7	6	5	8	5	7	7	4	4	...	...	...	...	13
14	6	9	10	10	10	10	10	10	10	10	10	9	9	9	9	10	10	10	10	10	10	10	10	10	14
15	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	15
16	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	16
17	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	17
18	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	18
19	10	10	10	10	10	10	10	10	10	10	10	9	10	10	9	9	9	9	9	7	9	5	9	5	19
20	6	1	2	2	2	1	1	7	9	9	7	8	6	6	4	2	2	1	1	...	...	...	...	...	20
21	2	5	2	2	1	1	1	3	2	2	3	2	2	2	1	1	2	2	3	2	1	2	2	4	21
22	4	6	7	2	3	7	4	4	2	3	3	4	3	2	4	3	4	4	3	2	3	5	8	8	22
23	7	9	7	7	6	6	9	9	8	6	3	2	2	4	2	2	2	2	4	8	4	2	1	1	23
24	5	9	9	9	10	10	10	9	10	9	9	10	10	8	9	7	8	8	7	9	4	3	8	7	24
25	9	7	6	6	4	3	8	3	4	3	3	6	5	4	4	7	5	4	2	1	1	2	1	1	25
26	1	1	2	3	9	9	10	10	9	9	8	9	8	5	3	2	2	2	1	...	...	...	1	...	26
27	...	...	...	...	10	8	9	6	3	3	3	3	2	3	3	5	3	3	6	1	...	..	2	...	27
28	...	1	1	2	5	8	5	4	3	6	5	6	7	7	9	9	9	9	6	6	4	4	2	2	28
29	...	...	...	...	3	4	2	3	2	8	4	2	3	5	2	4	2	2	2	...	..	...	..	...	29
30	...	..	...	...	1	2	1	2	2	6	9	10	7	4	3	4	6	7	6	1	2	1	..	1	30
31	1	1	2	2	1	2	6	7	6	8	7	7	9	10	10	9	10	9	10	10	9	6	3	7	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY; in the MONTH of JULY, 1925.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	0·4	1·0	0·9	1·0	1·0	0·8	...	0·8	1·0	0·9	1·0	1·0	0·7	1
2	0·6	0·8	0·9	0·9	0·9	1·0	1·0	0·9	1·0	1·0	1·0	1·0	0·4	2
3	0·1	0·3	0·6	0·5	0·5	...	0·2	0·9	0·9	0·8	0·5	0·1	...	3
4	...	0·5	0·8	0·9	0·8	1·0	0·7	0·8	0·4	0·9	0·9	1·0	0·6	4
5	0·5	1·0	0·9	0·9	0·8	0·1	0·6	0.4	...	...	0·1	0·4	0·4	5
6	0·7	1·0	1·0	0·8	0·5	0·9	1·0	0·2	0·8	0·8	0·6	1·0	0·7	6
7	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	7
8	...	...	1·0	1·0	0·9	1·0	1·0	1·0	1·0	1·0	1·0	0·9	0·1	8
9	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	9
10	...	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	10
11	...	...	0·1	0·6	1·0	1·0	1·0	1·0	1·0	1.0	1·0	1·0	0·6	11
12	0·3	0·8	0·9	0·6	0·2	0·6	1·0	0·7	1·0	0·9	1·0	1·0	0·7	12
13	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	13
14	...	...	0·6	1·0	0·9	1·0	1·0	1·0	0·1	...	...	...	0·1	14
15	...	...	...	...	...	...	...	...	...	0.3	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	0·1	0·1	0·6	0·5	0·4	...	...	...	...	..	...	18
19	...	...	...	...	...	0·1	0·2	0·6	0·8	1·0	1·0	0·5	0·3	19
20	0·7	1·0	1·0	1·0	1·0	1·0	0·9	1·0	1·0	1·0	1·0	1·0	0·7	20
21	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	21
22	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	22
23	0·2	0·4	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	23
24	0·2	0·7	0·7	0·9	0·8	0·4	0·8	1·0	1·0	1·0	1·0	1·0	0·5	24
25	...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	25
26	...	0·3	1·0	1·0	1·0	0·9	0·6	0·5	1·0	1·0	1·0	1·0	0·4	26
27	0·3	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	27
28	0·1	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	1·0	1·0	1·0	0·4	28
29	0·7	1·0	1·0	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	0·4	29
30	0·6	1·0	1·0	1·0	1·0	0·3	0.5	1·0	1.0	1·0	0·5	0·2	0·6	30
31	...	0·6	0·8	0·5	0·7	0·5	0.6	0·2	0·8	0·1	0·2	0·5	...	

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of JULY, 1925.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	0·005	...	0·020	0·030	0·010	..	...	...	...	...	0·030	1
2	d	...	0·030	...	...	0·010	...	0·010	d	...	...	...	2
3	d	...	...	...	0·045	d	...	...	d	d	0·265	...	3
4	0·025	d	...	...	...	...	...	...	...	...	...	...	4
5	...	d	...	d	...	...	...	...	...	...	0·015	...	5
6	...	...	...	0·005	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	..	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	0·020	...	...	...	...	...	...	...	10
11	0·025	0·035	0·005	0·175	1·500	0·125	0·125	0·670	...	...	...	...	11
12	d	...	...	...	...	d	0·030	d	...	0·150	0·010	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	0·005	...	0·055	0·005	...	...	0·015	0·040	0·085	0·060	15
16	d	...	...	...	0·020	0·940	0·145	0·060	0·005	d	d	...	16
17	0·025	0·500	0·810	0·170	0·320	1·525	2·880	2·070	1·240	0·360	0·200	0·155	17
18	...	0·010	d	d	...	d	0·020	...	0·015	...	...	...	18
19	...	d	0·020	0·360	0·075	d	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	0·020	0·035	...	...	...	...	d	26
27	...	...	...	...	...	...	...	0·080	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	0·020	d	30
31	...	...	...	...	...	...	...	...	d	..	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	d	d	...	...	...	...	...	...	...	d	0·010	0·005	2
3	...	...	...	...	...	d	...	...	...	...	d	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	d	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	0·010	0·005	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	0·020	1·820	0·310	0·110	...	...	...	...	...	.	14
15	d	d	...	...	...	0·005	0·960	0·065	0·160	0·160	0·110	0·035	15
16	...	...	...	0·025	...	...	0·050	0·090	d	d	d	0·175	16
17	0·070	0·015	d	0·010	d	d	0·015	0·010	d	...	0·005	...	17
18	...	...	0·245	0·045	0·360	0·015	...	...	0·015	0·010	...	0·010	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of JULY, 1925.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hongkong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	15	11	13	8	14	9	14	10	14	5	10	6	7	7	8	4	12	6	14	9	12	10	9	13	1
2	10	13	10	15	10	14	10	16	9	12	8	18	8	17	9	19	9	19	8	20	8	18	8	22	2
3	11	25	11	22	12	18	12	17	12	17	12	11	12	13	11	11	11	14	11	12	11	11	10	11	3
4	12	11	11	7	11	4	11	8	12	8	12	5	13	6	13	8	11	9	8	11	8	13	8	12	4
5	13	6	13	2	...	...	12	2	11	2	...	1	8	2	10	4	13	9	12	6	7	8	7	9	5
6	...	1	...	...	...	...	...	...	...	...	...	...	...	...	12	2	12	4	...	1	10	5	9	5	6
7	22	2	...	1	...	...	...	1	...	1	...	1	...	...	25	2	24	7	23	7	23	9	23	9	7
8	24	7	24	7	26	8	27	10	27	8	27	7	27	7	28	8	27	10	26	11	27	11	27	11	8
9	24	11	25	11	26	12	26	13	25	11	24	10	24	9	26	11	26	13	26	13	25	12	24	14	9
10	21	10	20	13	17	12	12	[illegible]	1	4	4	3	2	2	24	5	23	9	21	7	23	6	23	7	10
11	17	7	18	5	24	5	27	8	29	13	14	6	18	8	18	7	20	3	20	2	20	2	17	5	11
12	15	3	12	2	...	1	3	2	...	1	...	...	...	1	...	...	...	...	5	4	8	8	9	9	12
13	...	...	...	...	...	1	...	...	...	...	...	1	...	...	13	5	20	6	22	8	22	8	22	9	13
14	24	11	24	11	24	10	24	15	24	7	25	9	26	12	27	12	27	11	27	13	26	12	25	11	14
15	23	16	23	13	22	19	21	18	20	20	19	21	18	22	18	27	18	19	19	15	20	9	20	13	15
16	19	11	19	6	18	20	20	16	23	5	25	23	24	16	22	20	21	22	20	19	20	18	19	21	16
17	20	13	19	16	16	15	16	16	19	7	17	10	19	12	24	13	22	17	21	17	22	11	19	13	17
18	8	6	8	9	13	7	17	11	18	16	17	13	17	10	16	9	17	14	16	15	15	21	16	17	18
19	...	1	17	3	19	6	21	6	...	1	...	1	...	1	19	5	16	8	15	10	16	10	15	11	19
20	9	3	9	2	6	4	...	1	...	...	5	3	5	3	5	2	6	3	9	4	15	9	20	5	20
21	...	...	...	1	22	2	...	1	23	2	23	2	...	...	23	2	23	5	23	5	24	8	23	8	21
22	23	4	24	3	24	4	24	7	23	6	23	4	23	2	22	4	21	10	20	12	20	13	20	15	22
23	21	6	20	6	19	10	20	11	21	8	22	4	23	3	23	6	23	6	23	7	23	8	22	10	23
24	21	7	22	8	23	5	23	5	23	5	23	6	24	2	24	3	24	6	23	7	22	3	20	6	24
25	...	...	...	...	...	...	...	1	...	...	16	3	8	5	6	3	7	4	10	7	14	8	16	11	25
26	...	...	...	...	...	...	...	...	...	...	...	...	...	1	14	2	23	2	22	4	20	3	17	4	26
27	...	...	...	...	...	...	...	...	...	...	...	...	...	...	19	2	22	6	24	7	25	7	24	6	27
28	...	...	...	...	...	...	...	...	...	...	...	...	...	...	22	2	26	5	26	4	26	7	25	7	28
29	...	...	...	1	...	1	17	2	...	...	17	3	...	...	...	...	...	...	17	2	14	8	9	17	29
30	...	1	...	1	...	...	...	...	...	...	...	1	...	...	9	3	9	8	9	10	8	11	8	7	30
31	...	...	...	...	...	1	7	2	8	2	7	2	23	5	26	2	27	3	27	7	8	9	12	7	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	9	9	10	12	10	12	10	13	9	14	10	15	10	13	10	11	10	13	10	13	10	15	10	14	1
2	8	19	9	20	9	18	9	18	9	21	8	19	8	20	8	22	8	25	9	24	10	25	10	22	2
3	10	18	9	19	9	18	9	18	10	16	10	16	11	14	13	11	13	10	14	12	13	11	13	8	3
4	7	14	8	17	8	16	9	14	9	13	9	13	10	10	10	7	11	7	12	8	12	5	12	7	4
5	8	12	9	11	9	13	9	12	8	14	8	12	11	7	12	2	12	4	12	4	...	1	12	3	5
6	9	9	14	5	16	7	17	7	11	4	19	3	17	4	...	...	16	5	16	3	16	2	...	1	6
7	23	9	23	10	22	11	22	8	22	6	22	10	22	6	23	6	25	9	25	5	24	7	24	7	7
8	23	11	23	12	23	13	24	13	26	16	25	14	22	12	23	10	24	7	27	5	28	10	25	10	8
9	24	16	24	15	24	14	24	14	24	14	22	12	20	11	20	13	21	13	22	11	22	8	22	9	9
10	22	8	21	12	20	10	20	10	19	9	19	9	18	4	18	2	...	1	...	1	18	2	...	1	10
11	12	5	9	12	9	10	12	11	15	9	16	8	17	5	16	4	11	2	11	4	16	7	18	2	11
12	9	11	9	13	8	15	8	12	8	13	8	15	9	10	9	7	9	5	9	3	9	2	...	...	12
13	21	8	22	9	22	9	22	11	23	9	23	8	23	7	23	6	23	7	23	6	23	8	24	5	13
14	26	12	24	17	24	15	12	15	18	7	8	12	22	12	23	12	24	14	24	11	24	10	24	17	14
15	20	11	19	29	19	26	19	35	20	28	23	18	24	24	23	13	21	6	22	11	21	8	20	10	15
16	19	22	19	24	19	22	18	23	18	25	18	25	18	26	17	27	17	22	17	21	18	20	20	16	16
17	18	20	18	21	17	18	17	21	17	23	18	22	20	20	23	7	22	3	...	...	17	4	10	4	17
18	16	16	16	15	19	18	21	7	23	4	23	4	19	3	...	1	20	2	5	4	14	8	18	5	18
19	16	10	16	11	16	11	16	11	15	9	15	5	14	3	12	5	9	7	9	6	9	8	9	5	19
20	22	4	23	7	20	6	17	5	20	5	21	4	21	3	...	...	...	1	...	1	...	...	...	...	20
21	22	7	21	12	19	13	18	14	18	13	19	12	19	12	19	10	20	8	20	7	21	5	22	5	21
22	19	14	18	15	18	16	18	13	18	16	18	11	18	10	19	3	...	1	23	2	23	4	22	4	22
23	21	9	20	9	19	8	18	9	17	10	17	7	16	4	16	2	16	3	17	2	18	4	19	2	23
24	19	7	18	6	17	8	17	8	17	8	17	10	16	6	16	5	...	1	...	...	...	1	...	...	24
25	15	7	12	11	8	11	14	12	15	9	15	5	15	4	12	3	8	2	7	2	...	...	...	...	25
26	15	10	12	8	10	9	9	8	10	5	15	9	16	7	17	4	16	2	...	1	...	1	...	...	26
27	24	8	23	8	24	7	23	6	18	8	17	7	16	6	17	4	...	...	...	1	...	...	...	...	27
28	24	9	21	6	17	9	16	9	17	9	16	8	17	6	17	4	...	1	...	1	...	1	...	1	28
29	8	17	8	16	8	12	8	12	9	10	10	8	10	7	10	8	9	9	9	6	9	4	9	4	29
30	9	12	8	11	8	18	8	14	8	12	8	9	8	9	8	7	7	6	8	4	7	2	...	...	30
31	12	4	9	7	10	4	14	8	16	6	16	3	15	5	14	3	13	4	...	...	...	...	...	...	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of JULY, 1925.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	SSE	nb	SSE	ci-st / cu	ESE / S	cu	SSE	cu	E	cu	SSE	cu	SE	cu	SE
2	nb	ESE	cu	E	cu	E	cu	ESE	cu	ESE	cu	SE	cu	ESE	nb	SE
3	nb	SE	cu	SE	cu-nb	SE	ci-st / cu	ENE / SE	cu	SE	cu	SE	ci-st / cu	E / SE	ci-st / cu	E / SSE
4	cu	SE	cu	SE	cu	SE	ci-cu / cu	ENE / SE	cu	SE	cu	SSE	ci-st / cu	ENE / SE	cu	ESE
5	ci-st / cu	ENE / SE	cu	SE	cu	S	cu	SE	cu	ESE	● u	ESE	cu	ESE	cu	ESE
6	cu	SE	cu	SE	cu	SE	cu	SE	cu	SE	cu	SSE	cu	SE	...	...
7	cu	SSE	cu	SSW	...	...	cu	WSW	cu	WNW	ci-st / cu	ESE / WSW	ci-st / cu	ESE / SW	ci-st	ESE
8	ci-st	ESE	ci-st	ESE	ci-st	ESE	cu	N	ci-st / cu	ESE / NNW	ci-st / cu	E / N	ci-st / cu	E / NNW	ci-st	E
9	ci-st	E	ci-st	E	ci-st / cu	SSW / W	ci-st / cu	W / NNE	ci-st / cu	W / NNE	ci-st / cu	E / WNW	ci-st	E	...	...
10	cu	NW	cu-nb	NW	cu	NW	ci-st / cu	ENE / NW	ci-st / cu	ESE / WNW	ci-st / cu	ENE / NW	ci-st	ESE	ci-st	E
11	nb	SW	nb	SW	nb	SW	cu	SW	cu	SW	ci-st	E	ci-st / cu	E / SW	cu	SW
12	cu-nb	SW	cu	SSW	cu-nb	SW	cu-nb	SW	cu	SSW	cu	SSW	cu	E	...	...
13	cu	ESE	cu	ESE	...	...	cu	N	cu	N	ci-st / cu	S / N	ci-st	S	...	...
14	ci-st	SE	cu	NNE	cu	NE	a-cu / cu	NE / N	a-cu / cu	NNE / NNW	nb	NNW	nb	NNW	nb	NNW
15	nb	NNW	nb	NNW	nb	NW	nb	NW	nb	WNW	nb	SW	nb	W	nb	WSW
16	nb	WSW	cu-nb	WSW	nb	WSW	nb	WSW	cu-nb	SW	nb	SW	nb	SW	nb	SW
17	nb	SW	nb	SW	nb	SW	nb	SW	nb	SW	nb	SW	nb	SW	cu-nb	SW
18	cu-nb	SW	cu-nb	SW	nb	SW	nb	SW	nb	SSW	nb	SSW	nb	SSW	nb	SSW
19	nb	SW	nb	SW	nb	SW	cu-nb	SSW	cu-nb	SSW	cu	SSW	cu	S	cu	S
20	cu	SW	cu	SW	cu	SSW	cu	S	cu	SSW	cu	SSW	...	...	...	...
21	cu	SSW	cu	SSW	cu	SSW	ci-st / cu	E / WSW	ci-st / cu	E / WSW	cu	WSW	cu	SW	cu	SW
22	cu	SW	cu	SW	cu	WSW	cu	SW	ci-st / cu	ENE / SW	cu	SW	cu	WSW	cu	WSW
23	cu	SW	cu	SSW	cu	SW	cu	SSW	cu	SW	cu	SW	cu	SW	cu	SW
24	cu	SW	cu	WSW	ci-st / cu	ENE / SW	ci-st / cu	ENE / SW	ci-st / cu	NE / SW	ci-st / cu	NE / SSW	ci-st / a-cu / cu	NE / ENE / SSW	cu	SSW
25	cu	SW	cu	SW	cu	SSW	cu	SW	cu	SW	cu	SW	cu	SW	cu	SSE
26	cu	SSE	cu	SSW	cu-nb	SSW	cu	S	cu	S	cu	S	cu	SSW	...	...
27	...	...	...	...	cu-nb	S	ci-st / cu	NE / WSW	ci-st / cu	ENE / SW	ci-st / cu	ENE / WNW	ci-st	ENE	...	...
28	...	...	cu	WSW	ci-st / cu	E / WSW	ci-st / cu	E / WSW	ci-st / cu	E / W	ci-st / cu	E / W	ci-st	E	ci-st	E
29	...	...	...	...	cu	W	ci-st / cu	W / SE	cu	SSE	ci-st / cu	W / SW	cu	SW	...	...
30	...	...	...	...	cu	SSW	cu	SW	cu	SSW	cu	SW	ci-st / cu	ENE / SW	cu	SW
31	cu	SW	cu	SW	cu	SSW	cu	SW	cu	SW	cu	W	ci-st	NW	cu	S

TABLE IX.—DAILY VALUES OF METEOROLOGICAL ELEMENTS in the MONTH of JULY, 1925.
(*British Units.*)

Days of the Month	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Range.	Temperature. Of the Air. Mean.	Temperature. Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-10).	Bright Sunshine. Daily Duration.	Bright Sunshine. Percentage of possible amount.	Rainfall. Amount.	Rainfall. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction *	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·599	89·3	78·6	10·7	82·9	78·6	0·921	82	73	10·5	78	0·095	1	− 5·0	+ 8·5	121	9·9	10·5
2	·634	86·4	80·2	6·2	83·0	78·7	·924	82	80	11·4	85	0·065	2	− 3·0	+ 18·7	99	19·0	19·0
3	·656	86·0	79·3	6·7	82·4	78·2	·910	82	87	5·4	40	0·310	2	− 8·1	+ 11·8	125	14·4	14·7
4	·633	87·2	79·4	7·8	82·5	78·2	·908	82	70	9·3	69	0·025	1	− 3·1	+ 8·5	110	9·1	9·7
5	·598	87·2	79·7	7·5	82·5	78·5	·922	83	63	6·1	46	0·015	1	− 1·6	+ 5·3	107	5·6	6·1
6	·549	87·7	79·6	8·1	83·2	78·6	·918	81	46	10·0	75	0·005	...	− 1·9	+ 1·0	152	2·1	2·8
7	·480	91·0	79·0	12·0	84·6	79·4	·935	78	17	12·1	90	...	...	− 1·0	− 5·3	259	5·4	5·6
8	·379	90·7	82·0	8·7	85·6	80·0	·950	78	63	9·9	74	...	...	+ 2·3	− 9·0	284	9·3	9·9
9	·347	90·7	82·8	7·9	86·5	79·8	·928	73	69	11·3	84	...	...	− 0·4	− 11·3	268	11·3	12·1
10	·441	92·3	78·7	13·6	85·3	79·5	·930	77	60	10·4	78	0·020	...	− 3·3	− 3·6	227	4·9	6·5
11	·545	87·2	74·7	12·5	82·1	77·3	·874	80	60	9·3	69	2·675	4	− 3·3	+ 0·3	175	3·3	6·2
12	·570	86·4	78·4	8·0	82·0	78.2	·915	84	56	9·7	72	0·190	1	− 0·5	+ 5·4	95	5·4	5·7
13	·490	89·7	78·5	11·2	84·2	79·5	·946	80	27	12·3	92	...	...	− 1·7	− 4·7	250	5·0	5·5
14	·348	92·2	78·2	14·0	84·3	79·7	·954	81	96	5·7	43	2·260	2	+ 0·6	− 9·3	274	9·3	12·0
15	·368	85·2	73·8	11·4	79·8	76·9	·886	87	100	0·3	2	1·760	9	− 11·3	− 12·4	228	16·8	18·0
16	.526	84·6	75·2	9·4	80·7	77·3	·893	85	100	...	..	1·510	7	− 14·5	− 10·6	216	18·0	19·6
17	·601	82·8	74·2	8·6	78·7	76·4	·880	90	100	...	...	10·380	18	− 10·4	− 6·2	211	12·1	13·5
18	·624	84·5	76·1	8·4	79·6	76·5	·872	87	99	1·7	13	0·745	4	− 8·2	− 0·7	185	8·2	9·8
19	·741	86·2	76·4	9·8	80·7	77·8	·916	87	91	4·5	34	0·455	2	− 5·1	+ 1·0	169	5·2	6·4
20	·847	87·8	78·3	9·5	82.3	78·1	·906	82	32	12·3	92	...	...	− 1·0	− 0·1	186	1·0	3·1
21	·804	86·7	77·7	9·0	81·8	77·2	·873	81	21	12·5	94	...	...	− 4·0	− 4·5	228	6·0	6·4
22	·690	86·9	78·3	8·6	81·9	76·9	·859	79	41	12·5	94	...	...	− 5·5	− 5·1	223	7·5	8·0
23	·632	87·6	78·9	8·7	82·5	77·5	·877	79	47	11·1	83	...	...	− 4·1	− 4·1	225	5·8	6·4
24	·607	87·4	79·6	7·8	82·4	77·9	·896	81	82	10·0	76	...	...	− 3·1	− 3.0	224	4·3	5·1
25	·623	90·0	78·4	11·6	83·0	78·4	·911	81	41	11·2	85	...	...	− 2·8	+ 2·3	141	3·6	4·5
26	·696	88·8	79·0	9·8	82·4	78·1	·905	82	43	9·7	73	0·055	1	− 2·3	+ 0·9	159	2·5	3·3
27	·711	89·4	77·9	11·5	83·0	78.0	·893	79	30	11·4	86	0·080	...	− 1·3	− 2·5	243	2·8	3·5
28	·705	90·5	79·3	11·2	83·4	77·8	·878	77	50	11·4	86	...	...	− 1·7	− 1·8	227	2·5	3·7
29	·743	85·9	78·3	7·6	81·6	77·3	·880	82	20	11·9	90	...	...	− 1·4	+ 5·4	105	5·6	6·1
30	·750	87·0	78.1	8·9	81·1	77·1	·878	83	31	9·7	73	0·020	...	− 0·3	+ 0·6	93	6·0	6·1
31	·701	87·0	78·0	9·0	82·2	77·1	·864	79	63	5·5	42	...	...	− 1·3	+ 1·1	140	1·7	3·5
Means	29·601	87·8	78·3	9·5	82·5	78·1	0·903	81	60	Sum. 269·1	65	Sum. 20·665	Sum. 55	− 3·5	− 0·6	109	3·5	8·2
Normals	29·615	86·7	78·4	8·3	82·0	77·7	0·895	82	67	212·4	51	13·876	70	− 3·9	+ 3·3	140	5·1	11·1
Absolute Max.	29·894	92·3	...	14·0	...	84·2	1·071	...	...	12·5	94	10·380	18	...	...	...	...	35·0 †
Day.	20	10	...	14	...	14	14	..	...	21,22	21,22	17	17	...	...	...	...	15*d* 16*h*
Absolute Min.	29·272	...	73·8	6·2	...	72·7	0·745	58	...	...	...	...	...	...	...	...	...	...
Day	14	...	15	2	...	16	16	28	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Solar halo :—on the 9th, 10th and 23rd.
Lunar halo :—on the 3rd, 8th and 31st.
Lunar corona :—on the 4th and 6th.
Unusual visibility :—on the 1st, 4th, 6th, 7th, 12th, 20th, 21st, 22nd, 25th, 26th and 29th.
Dew :—on the 5th, 7th, 13th, 19th 20th, 21st 22nd, 25th, 26th, 27th, 28th and 29th.
Rainbow :—on the 2nd, 18th and 31st
Lightning :—on the 7th, 8th, 9th, 10th, 11th, 12th, 13th, 14th, 15th, 16th, 17th, 18th, 23rd, 25th, 26th and 27th.
Thunder :—on the 11th, 12th, 15th, 16th, 18th and 26th.

Thunderstorms as follows :—

10*d* 0*h* 50*m* to 5*h* 03*m* S. to N.; nearest at 2*h* 20*m* (6*s*).
11*d* 0*h* 53*m* to 5*h* 37*m* E.S.E. to W.N.W.; nearest at 1*h* 04*m* (8*s*).
11*d* 2*h* 15*m* to 22*h* 25*m* in W.; distant.
14*d* 13*h* 49*m* to 15*h* 36*m* in N.N.W.; distant.
14*d* 15*h* 38*m* to 16*h* 10*m* N.E. to S.W.; nearest at 15*h* 54*m* (3*s*).
14*d* 16*h* 20*m* to 19*h* 27*m* N. to S.; nearest at 16*h* 29*m* (1½*s*).
15*d* 11*h* 53*m* to 13*h* 32*m* in S.S.E.; distant.
15*d* 18*h* 20*m* to 21*h* 05*m* S.S.E. to N.N.W.; nearest at 19*h* 53*m* (8*s*).
15*d* 21*h* 25*m* to 22*h* 30*m* in S.W.; distant.
16*d* 5*h* 24*h* to 7*h* 35*m* in N.W. to S.E.; nearest at 6*h* 52*m* (6*s*).
16*d* 20*h* 04*m* to 21*h* 19*m* in N.W.; distant.
16*d* 22*h* 40*m* to 23*h* 37*m* in N.N.E.; distant.
17*d* 1*h* 40*m* to 3*h* 45*m* W.N.W. to E.S.E.; nearest at 2*h* 27*m* (6*s*).
17*d* 4*h* 15*m* to 6*h* 45*m* in E.N.E.; distant.
17*d* 7*h* 20*m* to 8*h* 45*m* N.N.W. to S.S.E.; nearest 7*h* 51*m* (2½*s*).
17*d* 12*h* 07*m* to 15*h* 27*m* in N.N.E.; distant.
18*d* 15*h* 15*m* to 15*h* 40*m* in N.W.; distant.
19*d* 0*h* 20*m* to 4*h* 13*m* S.S.E. to N.N.W.; nearest at 3*h* 43*m* (5*s*).
25*d* 2*h* 19*m* to 3*h* 37*m* in S.E.; distant.

Rain fell on 17 days. The mean hourly intensity was 0·376*in*, and the maximum fall in one hour was 2·880*ins* at 7*h* on the 17th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 65 miles per hour at 19*h* 07*m* on the 15th.

* 0°=N., 90°=E., &c. † Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JULY, 1925.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1004·2	304·8	298·9	5·9	301·3	298·9	31·1	2·4	1	— 1·6	+ 2·8	121	3·2	3·4
2	1005·4	303·2	299·8	3·4	301·3	298·9	31·2	1·7	2	— 1·0	+ 6·1	99	6·2	6·2
3	1006·1	303·0	299·3	3·7	301·0	298·7	30·7	7·9	2	— 2·7	+ 3·9	125	4·7	4·8
4	1005·4	303·7	299·3	4·4	301·1	298·7	30·6	0·6	1	— 1·0	+ 2·8	110	3·0	3·2
5	1004·2	303·7	299·5	4·2	301·1	298·8	31·1	0·4	1	— 0·5	+ 1·7	107	1·8	2·0
6	1002·5	303·9	299·4	4·5	301·4	298·9	31·0	0·1	...	— 0·6	+ 0·3	152	0·7	0·9
7	1000·2	305·8	299·1	6·7	302·2	299·3	31·6	...	...	— 0·3	— 1·7	259	1·8	1·8
8	996·7	305·6	300·8	4·8	302·8	299·7	32·1	...	...	+ 0·8	— 3·0	284	3·0	3·2
9	995·6	305·6	301·2	4·4	303·3	299·6	31·3	...	...	— 0·1	— 3·7	268	3·7	4·0
10	998·8	306·5	298·9	7·6	302·6	299·4	31·4	0·5	...	— 1·1	— 1·2	227	1·6	2·1
11	1002·4	303·7	296·7	7·0	300·8	298·2	29·5	67·9	4	— 1·1	+ 0·1	175	1·1	2·0
12	1003·2	303·2	298·8	4·4	300·8	298·7	30·9	4·8	1	— 0·2	+ 1·8	95	1·8	1·9
13	1000·5	305·1	298·8	6·3	302·0	299·4	31·9	...	...	— 0·6	— 1·5	250	1·6	1·8
14	995·7	306·4	298·7	7·7	302·1	299·5	32·2	57·4	2	+ 0·2	— 3·0	274	3·0	3·9
15	996·4	302·6	296·2	6·4	299·6	297·9	29·9	44·7	9	— 3·7	— 4·1	228	5·5	5·9
16	1001·8	302·2	297·0	5·2	300·1	298·2	30·1	38·4	7	— 4·8	— 3·5	216	5·9	6·4
17	1004·3	301·2	296·4	4·8	298·9	297·7	29·7	263·7	18	— 3·4	— 2·0	211	4·0	4·4
18	1005·1	302·2	297·5	4·7	299·4	297·7	29·4	18·9	4	— 2·7	— 0·2	185	2·7	3·2
19	1009·0	303·1	297·7	5·4	300·1	298·4	30·9	11·6	2	— 1·7	+ 0·3	169	1·7	2·1
20	1012·6	304·0	298·7	5·3	300·9	298·6	30·6	...	...	— 0·3	...	186	0·3	1·0
21	1011·2	303·4	298·4	5·0	300·7	298·1	29·5	...	...	— 1·3	— 1·5	228	2·0	2·1
22	1007·3	303·5	298·7	4·8	300·7	297·9	29·0	...	...	— 1·8	— 1·7	223	2·5	2·6
23	1005·3	303·9	299·1	4·8	301·1	298·3	29·6	...	...	— 1·3	— 1·3	225	1·9	2·1
24	1004·5	303·8	299·4	4·4	301·0	298·5	30·2	...	...	— 1·0	— 1·0	224	1·4	1·7
25	1005·0	305·2	298·8	6·4	301·3	298·8	30·7	...	...	— 0·9	+ 0·8	141	1·2	1·5
26	1007·5	304·6	299·1	5·5	301·0	298·6	30·5	1·4	1	— 0·8	+ 0·3	159	0·8	1·1
27	1008·0	304·9	298·5	6·4	301·3	298·6	30·1	2·0	...	— 0·4	— 0·8	243	0·9	1·1
28	1007·8	305·5	299·3	6·2	301·6	298·4	29·6	...	...	— 0·6	— 0·6	227	0·8	1·2
29	1009·1	302·9	298·7	4·2	300·6	298·2	29·7	...	...	— 0·5	+ 1·8	105	1·8	2·0
30	1009·4	303·6	298·6	5·0	300·3	298·1	29·6	0·5	...	— 0·1	+ 0·2	93	2·0	2·0
31	1007·7	303·6	298·6	5·0	300·9	298·1	29·1	...	...	— 0·4	+ 0·4	140	0·6	1·1
								Sum.	Sum.					
Means.	1004·3	304·0	298·7	5·3	301·1	298·6	30·5	524·9	55	— 1·1	— 0·2	190	1·1	2·7
Normals	1004·8	303·4	298·8	4·6	300·8	298·4	30·2	352·4	70	— 1·3	+ 1·1	140	1·7	3·6
Absolute Maximum.	1014·2	306·5	...	7·7	...	302·0	36·1	263·7	18	...	...	...	...	11·5†
Day.	20	10	...	14	...	14	14	17	17	...	...	...	...	16d 16h
Absolute Minimum.	993·1	...	296·2	3·4	...	295·6	25·1	...	...	...	...	...	...	...
Day.	14	...	15	2	...	16	16	...	...	...	...	...	...	...

ADOPTED ERRORS OF TIMEBALL, JULY, 1925.

Date.	Error.	Date.	Error.	Date.	Error.
	s		s		s
1	+ 0·1	11	...	21	...
2	+ 0·1	12	— 0·1	22	...
3	+ 0·1	13	— 0·1	23	— 0·1
4	...	14	...	24	— 0·1
5	...	15	...	25	— 0·1
6	+ 0·1	16	...	26	...
7	...	17	+ 0·1	27	+ 0·1
8	+ 0·1	18	— 0·1	28	— 0·1
9	— 0·1	19	— 0·1	29	— 0·1
10	...	20	— 0·1	30	— 0·1
				31	...

+ = Late ; — = Early.
The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.
The probable error for the month was ± 0·10

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JULY, 1925.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Degree of Humidity.	Mean Amount of Cloud (0-10).	Percentage of Possible Sunshine.	Rainfall. Percentage of Total. Amount.	Rainfall. Percentage of Total. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Wind. Observed Velocity.
	ins.	°	°	ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h
1	29·608	80·6	77·5	0·903	86	57		...	3	— 2·9	— 1·0	199	3·1	6·0
2	·597	80·3	77·3	·898	86	63		3	3	— 2·4	— 0·8	199	2·5	5·6
3	·590	80·0	77·2	·898	87	58		4	5	— 2·9	— 1·3	204	3·2	6·1
4	·589	79·8	77·1	·896	87	61		3	5	— 2·7	— 1·5	209	3·1	6·7
5	·593	79·5	77·1	·899	88	68		10	7	— 1·5	— 1·4	223	2·0	5·2
6	·601	79·4	77·0	·896	88	70	26	13	8	— 1·8	— 1·3	216	2·2	5·6
7	·612	80·4	77·6	·911	87	70	57	16	7	— 1·6	— 0·9	211	1·9	5·4
8	·620	81·8	78·0	·909	83	70	74	14	6	— 2·1	— 1·5	216	2·6	6·5
9	·626	83·2	78·7	·922	80	67	76	6	4	— 2·8	— 2·3	219	3·6	8·3
10	·631	84·3	79·1	·925	77	72	76	3	4	— 2·7	— 2·1	218	3·4	8·9
11	·627	84·9	78·9	·908	75	66	71	3	5	— 3·0	— 0·9	197	3·1	9·5
Noon.	·617	85·5	79·1	·909	73	68	73	1	3	— 3·9	— 0·8	192	4·0	10·5
13	·606	85·7	79·0	·902	72	67	74	...	2	— 4·5	— 0·2	183	4·5	11·2
14	·591	86·0	79·2	·907	72	66	76	...	3	— 5·9	...	180	5·9	12·9
15	·579	85·8	79·0	·900	72	64	76	1	2	— 6·0	+ 0·5	175	6·0	12·8
16	·570	85·5	78·8	·895	72	62	74	9	5	— 7·1	+ 1·1	171	7·2	12·6
17	·560	84·9	78·7	·899	74	60	73	3	2	— 6·4	+ 0·4	176	6·4	11·8
18	·564	84·0	78·4	·897	76	57	42	1	3	— 5·4	+ 0·4	176	5·4	10·7
19	·575	82·7	77·9	·892	79	55		5	4	— 5·2	— 0·8	189	5·3	9·4
20	·593	81·8	77·8	·900	82	46		1	5	— 3·5	— 0·3	185	3·5	7·1
21	·605	81·4	77·8	·905	84	38		1	3	— 2·5	+ 0·6	167	2·6	6·5
22	·621	81·3	77·8	·907	84	37		1	3	— 2·2	+ 0·6	165	2·3	5·8
23	·629	81·0	77·7	·906	85	43		1	4	— 2·6	...	180	2·6	5·9
Midn.	·624	80·9	77·5	·899	84	52		1	4	— 2·0	— 0·7	199	2·1	5·2

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JULY, 1925.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Wind. Observed Velocity.
	m.b.	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1004·5	300·0	298·3	30·5	— 1·0	— 0·3	199	1·0	2·0
2	1004·2	299·8	298·2	30·3	— 0·8	— 0·3	199	0·8	1·8
3	1003·9	299·7	298·1	30·3	— 1·0	— 0·4	204	1·0	2·0
4	1003·9	299·6	298·1	30·2	— 0·9	— 0·5	209	1·0	2·2
5	1004·0	299·4	298·1	30·3	— 0·5	— 0·5	223	0·7	1·7
6	1004·3	299·3	298·0	30·2	— 0·6	— 0·4	216	0·7	1·8
7	1004·7	299·9	298·3	30·7	— 0·5	— 0·3	211	0·6	1·8
8	1004·9	300·7	298·6	30·7	— 0·7	— 0·5	216	0·9	2·1
9	1005·1	301·4	298·9	31·1	— 0·9	— 0·8	219	1·2	2·7
10	1005·3	302·1	299·2	31·2	— 0·9	— 0·7	218	1·1	2·9
11	1005·2	302·4	299·1	30·6	— 1·0	— 0·3	197	1·0	3·1
Noon.	1004·8	302·7	299·2	30·7	— 1·3	— 0·3	192	1·3	3·4
13	1004·4	302·8	299·1	30·4	— 1·5	— 0·1	183	1·5	3·7
14	1003·9	303·0	299·2	30·6	— 1·9	...	180	1·7	4·2
15	1003·5	302·9	299·1	30·4	— 2·0	+ 0·2	175	2·0	4·2
16	1003·2	302·7	299·0	30·2	— 2·3	+ 0·4	171	2·4	4·1
17	1002·9	302·4	298·9	30·3	— 2·1	+ 0.1	176	2·1	3·9
18	1003·0	301·9	298·8	30·3	— 1·8	+ 0·1	176	1·8	3·5
19	1003·4	301·2	298·5	30·1	— 1·7	— 0·3	189	1·9	3·1
20	1004·0	300·7	298·4	30·4	— 1·1	— 0·1	185	1·1	2·3
21	1004·4	300·4	298·4	30·5	— 0·8	+ 0·2	167	0·9	2·1
22	1005·0	300·4	298·4	30·6	— 0·7	+ 0·2	165	0·8	1·9
23	1005·3	300·2	298·4	30·6	— 0·9	...	180	0·9	1·9
Midn.	1005·1	300·2	298·3	30·3	— 0·7	— 0·2	199	0·7	1·7

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

JULY,

1925.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	30th JUNE, 1925.								1st JULY, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock, .	12	29.66	753.4	62	...	SW	3	o	6	29.68	753.8	62	...	ESE	2	o
emuro,	11	...	...	...	...	...	...	...	5	29.45	748.0	...	...	WSW	1	...
okodate,	,,	29.41	747.0	...	...	W	3	...	,,	29.55	750.5	...	...	WNW	1	...
kio,	,,	29.53	750.0	...	...	E	1	...	,,	29.55	750.5	...	...	ENE	1	...
ochi,	,,	29.51	749.5	...	...	SE	1	...	,,	29.37	746.0	...	...	SE	1	...
agasaki,	,,	29.51	749.5	...	...	SE	1	...	,,	29.37	746.0	...	...	NNE	1	...
goshima,	,,	29.51	749.5	...	...	SE	1	...	,,	29.37	746.0	...	...	WSW	2	...
hima,	,,	29.59	751.5	...	...	SSW	1	...	,,	29.57	751.0	...	...	S	2	...
sha,	,,	29.67	753.5	...	...	SW	3	...	,,	29.69	754.0	...	...	SW	3	...
higakijima,	,,	29.67	753.5	...	...	WSW	3	...	,,	29.67	753.4	...	...	SW	1	...
min Island,	,,	29.70	754.5	...	...	WSW	1	...	,,	29.78	756.5	...	...	WSW	1	...
hefoo,	15	29.46	748.3	77	69	N	1	b	6	29.59	751.6	69	91	...	0	b
ankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
angsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
anghai,	14	29.41	747.0	93	59	W	6	o	,,	29.62	752.4	69	91	N	1	o
atzlaff,	,,	29.44	747.8	84	75	SW	4	o	,,	29.64	752.8	91	95	NNE	4	o
arp Peak,	,,	29.66	753.3	92	69	S	4	b	7	29.65	753.1	82	87	S	2	b
moy,	15	29.57	751.1	88	73	SSE	4	b	9	29.63	752.6	81	87	SW	1	b
atow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
aihoku,	11	29.62	752.4	90	63	WNW	2	o	5	29.63	752.7	75	96	...	o	b
aichu,	,,	29.68	753.9	90	...	SSE	2	b	,,	29.68	753.9	77	...	...	o	o
ainan,	,,	29.68	753.9	90	...	SW	2	b	,,	29.66	753.3	77	...	...	o	b
oshun,	,,	29.67	753.6	90	...	W	2	b	,,	29.67	753.6	77	...	...	o	b
escadores,	,,	29.69	754.2	90	...	SSW	2	b	,,	29.66	753.3	81	...	SW	2	b
anton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
ongkong,	,,	29.60	751.8	88	66	S	2	c	,,	29.63	752.6	78	87	...	o	op
ap Rock,	,,	29.60	751.8	...	...	S	4	c	,,	29.61	752.1	...	...	SSE	4	o
acao,	,,	29.56	750.9	90	72	SSW	4	b	,,	29.60	751.8	81	92	S	4	o
uchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
ekhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hulien,	,,	29.42	747.3	90	66	ESE	4	b	7	29.49	749.1	82	94	SSE	6	o
ourane,	,,	29.53	750.0	86	...	E	2	o	,,	29.56	750.9	81	...	...	o	o
ape St. James,	,,	29.66	753.3	86	...	WSW	6	b	,,	...	...	...	...	...	...	...
asco,	14	29.63	752.7	86	71	SE	4	o	6	...	...	...	...	...	...	...
parri,	,,	29.60	751.8	90	66	NE	4	b	,,	29.66	753.3	81	90	S	2	b
anila,	,,	29.62	752.4	84	81	WSW	2	o	,,	29.71	754.5	77	84	E	1	b
gaspi,	,,	29.66	753.3	86	68	SW	4	b	,,	29.73	755.1	77	94	SW	1	b
acloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ollo,	,,	29.68	753.9	82	77	S	6	o	,,	29.74	755.4	77	89	S	4	o
rigao,	,,	29.69	754.2	86	58	SW	2	o	,,	29.75	755.7	77	85	...	o	o
am,	12.20	29.68	753.9	...	...	WNW	4	o	4.20	29.74	755.4	...	...	ENE	1	o
ap,	12.47	29.69	754.2	...	...	E	2	o	4.47	29.73	755.1	...	...	ESE	2	o
ahuan,	14	29.70	754.4	82	91	NE	2	o	6	29.79	756.6	78	94	S	2	b

July 1*d.* 11*h.* 20*m.*—Pressure has decreased moderately over S. Japan, and increased slightly to moderately elsewhere; it remains highest over the southern portion of the area, and depressions are situated to the north-east of Hokkaido, and over S. Japan and Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·11 inch. Total since January 1st, 46·93 inches, against an average of 39·51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel,	S. winds, light to moderate.
2.—South coast of China between Hongkong and Lamocks,	S. winds, moderate; fair to showery.
3.—Hongkong to Gap Rock,	S. winds, moderate; fair to showery.
4.—South coast of China between Hongkong and Hainan,	S. winds, moderate; fair to showery.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	1st July, 1925.								2nd July, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.69	754.0	70	...	WSW	3	b	6	29.67	753.6	67	...	NNE	4	o
Nemuro,	11	29.49	749.0	...	...	SSE	2	...	5	29.57	751.0	...	...	ENE	1	...
Hokodate,	"	29.51	749.5	...	...	S	1	...	"	29.23	742.5	...	...	NNW	1	...
Tokio,	"	29.49	749.0	...	...	NE	1	...	"	29.65	753.0	...	...	...	...	...
Kochi,	"	29.37	746.0	...	...	...	0	...	"	29.69	754.0	...	...	SW	1	...
Nagasaki,	"	29.49	749.0	...	...	NNE	2	...	"	29.73	755.0	...	...	...	...	...
Kagoshima,	"	29.47	748.5	...	...	W	1	...	"	29.71	754.5	...	...	...	0	...
Oshima,	"	29.59	751.5	...	...	SSW	1	...	"	29.73	755.0	...	...	...	0	...
Naha,	"	29.69	754.0	...	...	SW	3	...	"	29.76	756.0	...	...	WSW	1	...
Ishigakijima,	"	29.70	754.5	...	...	WSW	2	...	"	29.73	755.0	...	...	SW	2	...
Bonin Island,	"	29.80	757.0	...	...	SW	1	...	"	29.84	758.0	...	...	SW	3	...
Chefoo,	15	29.62	752.3	81	56	NNE	1	b	6	29.66	753.3	71	76	S	1	of
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.72	754.8	77	79	ESE	1	b	"	29.72	754.8	73	89	ESE	1	r
Gutzlaff,	"	29.72	754.9	71	85	ENE	2	r	"	29.74	755.4	72	95	SE	4	o
Sharp Peak,	"	29.67	753.6	94	64	S	2	b	7	29.72	754.9	82	85	FSE	1	b
Amoy,	15	29.61	752.1	92	67	SSE	4	b	9	29.69	754.1	82	79	SW	2	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.68	753.9	90	60	W	4	b	5	29.71	754.5	77	92	...	0	b
Taichu,	"	29.71	754.5	90	...	SW	2	b	"	29.74	755.4	75	...	...	0	b
Tainan,	"	29.71	754.5	90	...	SSW	2	b	"	29.69	754.2	77	...	...	0	b
Koshun,	"	29.69	754.2	86	...	NW	2	b	"	29.73	755.1	77	...	...	0	b
Pescadores,	"	29.71	754.5	86	...	SW	2	b	"	29.72	754.8	81	...	S	2	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.65	753.1	86	76	E	3	o	"	29.68	753.9	81	87	ESE	3	o
Gap Rock,	"	29.67	753.6	...	...	SSE	3	c	"	29.68	753.9	...	...	E	4	c
Macao,	"	29.62	752.4	90	79	S	4	o	"	29.62	752.4	81	87	SE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.50	749.4	86	75	SE	4	o	7	...	...	...	...	...	...	...
Tourane,	"	29.55	750.6	86	...	...	7	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.68	753.9	77	...	SW	0	o	"	...	...	...	...	...	...	...
Basco,	14	29.66	753.3	90	69	SE	4	o	6	29.71	754.5	73	88	...	0	o
Aparri,	"	29.65	753.0	90	69	NNE	4	b	"	29.74	755.4	73	91	SSW	2	b
Manila,	"	29.71	754.5	86	71	SW	6	b	"	29.79	756.6	75	92	SE	1	b
Legaspi,	"	29.72	754.8	90	60	SSW	4	o	"	29.78	756.3	77	96	SW	2	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.73	755.1	86	71	SSW	6	o	"	29.80	756.9	77	89	...	0	o
Surigao,	"	29.72	754.8	86	65	W	2	o	"	29.80	756.9	77	89	W	1	o
Guam,	12.20	29.71	754.5	...	...	ENE	4	r	4.20	29.76	756.0	...	...	NE	2	o
Yap,	12.47	29.71	754.5	...	...	SE	2	o	4.47	29.75	755.7	...	...	NE	2	o
Labuan,	14	29.71	754.6	88	80	N	2	b	6	29.78	756.4	78	91	SW	2	r

July 2*d.* 12*h.* 11*m.*—Pressure has decreased considerably over Hokkaido and increased considerably over S. Japan; it has increased slightly to moderately elsewhere. A weak anticyclonic area extends from the Philippines to the Bonins and the Ladrones, and depressions are situated over N. Japan and Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·08 inch. Total since January 1st, 47·01 inches, against an average of 39·98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S.E. winds, moderate; fair to showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	2nd July, 1925.								3rd July, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
adivostock,	12	29.64	752.9	76	...	NNW	3	c	6	29.79	756.6	63	...	NNW	2	b
muro,	11	...	...	...	...	...	...	...	5	29.73	755.0	...	...	SSE	7	...
kodate,	"	29.53	750.0	...	...	...	...	...	"	29.69	754.0	...	...	...	0	...
io,	"	29.69	754.0	...	...	SSE	1	...	"	29.76	756.0	...	...	NNW	1	...
chi,	"	29.72	755.0	...	...	SE	1	...	"	29.75	755.5	...	...	...	0	...
gasaki,	"	29.72	755.0	...	...	WSW	1	...	"	29.76	756.0	...	...	...	...	...
goshima,	"	29.74	755.5	...	...	NE	1	...	"	29.75	755.5	...	...	NW	1	...
ima,	"	29.76	756.0	...	...	ESE	1	...	"	29.69	754.0	...	...	...	...	...
ha,	"	29.78	756.5	...	...	SW	2	...	"	29.75	755.5	...	...	SSW	2	...
igakijima,	"	29.78	756.5	...	...	SW	1	...	"	29.76	756.0	...	...	SW	2	...
nir Island,	"	29.86	758.5	...	...	SSE	2	...	"	29.86	758.5	...	...	SSW	2	...
efoo,	15	29.67	753.6	78	74	NE	1	o	6	29.73	755.1	69	95	...	0	b
nkow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
ang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
angsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
anghai,	14	29.67	753.6	79	87	ESE	1	o	"	29.69	754.2	70	98	E	4	r
tzlaff,	"	29.70	754.4	74	95	SE	4	o	"	29.70	754.4	70	100	E	6	r
arp Peak,	"	29.73	755.1	98	60	...	0	b	7	29.74	755.4	84	81	S	1	b
oy,	15	29.58	751.3	90	66	SSE	4	b	9	29.75	755.7	82	87	SSW	1	b
atow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
ihoku,	11	29.74	755.4	90	66	NW	2	b	5	29.73	755.1	77	96	...	0	o
ichu,	"	29.75	755.7	93	...	WSW	2	b	"	29.81	757.2	75	...	...	0	o
inan,	"	29.75	755.7	90	...	S	2	b	"	29.79	756.6	77	...	ESE	2	b
shun,	"	29.76	756.0	90	...	WSW	2	o	"	29.78	756.3	81	...	...	0	b
scadores,	"	29.76	756.0	90	...	S	4	b	"	29.79	756.6	81	...	S	4	o
nton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
ngkong,	"	29.69	754.1	85	77	ESE	4	o	"	29.71	754.6	81	86	SE	3	o
p Rock,	"	29.69	754.1	...	...	ESE	4	c	"	29.70	754.4	...	...	SE	5	c
acao,	"	29.66	753.3	86	81	SE	4	o	"	29.66	753.3	79	95	SSE	4	r
uchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
khoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
ihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
ulien,	"	29.60	751.8	84	89	E	4	b	7	29.63	752.7	79	91	N	4	o
urane,	"	29.58	751.2	81	...	...	0	r	"	29.63	752.7	79	...	WSW	2	o
pe St. James,	"	29.72	754.8	77	...	SW	6	o	"	29.79	756.6	75	...	SW	7	o
sco,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
parri,	"	29.73	755.1	90	63	N	4	o	"	29.79	756.6	79	95	SSW	2	o
nila,	"	29.78	756.3	90	69	WSW	4	o	"	29.84	757.8	75	94	E	1	b
gaspi,	"	29.74	755.4	90	69	SW	4	o	"	29.84	757.8	66	92	SW	1	o
acloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
ilo,	"	29.78	756.3	84	71	SSW	4	o	"	...	...	...	...	...	...	...
rigao,	"	29.78	756.3	84	68	W	2	o	"	...	...	...	...	...	...	...
nam,	12.20	29.68	753.9	...	...	ENE	4	o	4.20	...	...	...	...	...	...	...
p,	12.47	29.68	753.9	...	...	NE	2	o	4.47	29.71	754.5	...	...	NNE	1	r
hnan,	14	29.81	757.2	82	91	S	2	b	6	29.78	756.4	78	91	SW	2	b

July 3*d.* 10*h.* 56*m.*—Pressure has decreased slightly over the Loochoos and increased slightly to moderately elsewhere. A weak anticyclonic area extends from the Philippines to the Bonins, a shallow depression is situated over Hokkaido, and an irregular area of low pressure covers China generally.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·06 inch. Total since January 1st, 47·07 inches, against an average of 40·42 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks.	S.E. winds, moderate; cloudy, showery.
3.—Hongkong to Gap Rock,	S.E. winds, moderate; cloudy, showery.
4.—South coast of China between Hongkong and Hainan,	S.E. winds, moderate; cloudy, showery.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	3rd July, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	4th July, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock. .	12	29.75	755.7	74	...	NNE	3	c	6	29.80	757.0	59	...	ESE	4	o
Nemuro,	11	29.76	756.0	...	...	SSE	2	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.67	753.5	...	...	ESE	2	...	"	29.67	753.5	...	...	W	1	...
Tokio,	"	29.73	755.0	...	...	S	1	...	"	29.76	756.0	...	...	NW	1	...
Kochi,	"	29.74	755.5	...	...	E	1	...	"	29.73	755.0	...	...	...	...	...
Nagasaki,	"	29.74	755.5	...	...	WSW	1	...	"	29.71	754.5	...	...	...	0	...
Kagoshima,	"	29.74	755.5	...	...	SE	1	...	"	29.71	754.5	...	...	NW	1	...
Oshima,	"	29.69	754.0	...	...	NW	1	...	"	29.63	752.5	...	...	...	...	...
Naha,	"	29.74	755.5	...	...	SW	3	...	"	29.69	754.0	...	...	WSW	2	...
Ishigakijima,	"	29.78	756.5	...	...	SW	3	...	"	29.69	754.0	...	...	WSW	2	...
Bonin Island,	"	29.88	759.0	...	...	SSW	2	...	"	29.86	758.5	...	...	S	1	...
Chefoo,	15	29.69	754.1	81	59	E	1	b	6	29.64	752.8	72	85	...	0	r
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.72	754.8	73	96	ENE	1	r	"	29.69	754.2	72	100	ESE	1	of
Gutzlaff,	"	29.73	755.1	72	100	NE	1	rf	"	29.70	754.4	71	100	ESE	4	rf
Sharp Peak,	"	29.74	755.4	92	67	S	2	b	7	29.73	755.1	83	83	S	1	o
Amoy,	15	29.68	753.9	92	67	SSE	4	b	9	29.71	754.6	81	83	SSW	1	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.76	756.0	90	69	W	2	o	5	29.69	754.2	77	96	...	0	b
Taichu,	"	29.81	757.2	90	...	SW	2	o	"	29.78	756.3	77	...	...	0	b
Tainan,	"	29.81	757.2	86	...	SSW	2	o	"	29.69	754.2	77	...	..	0	b
Koshun,	"	29.80	756.9	90	...	W	2	o	"	29.72	754.8	81	...	NW	2	o
Pescadores,	"	29.81	757.2	90	...	S	2	o	"	29.73	755.1	81	...	S	2	b
Canton,	14	...	...	...	...	...	..	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.71	754.6	84	79	E	3	o	"	29.70	754.4	80	87	SE	1	o
Gap Rock,	"	29.71	754.6	...	...	SSE	5	c	"	29.69	754.1	...	...	SE	4	o
Macao,	"	29.68	753.9	86	78	SE	4	o	"	29.66	753.3	79	95	SE	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.55	750.6	90	79	WSW	2	o	7	29.59	751.5	77	98	WNW	4	r
Tourane,	"	29.62	752.4	86	...	...	0	o	"	29.66	753.3	81	...	ESE	2	o
Cape St. James.	"	...	...	...	...	...	...	...	"	29.82	757.5	75	...	SW	2	b
Basco,	14	29.73	755.1	90	69	SW	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.75	755.7	90	69	N	4	b	"	...	...	...	...	...	...	...
Manila,	"	29.76	756.0	86	65	SW	4	o	"	29.76	756.0	79	92	E	1	o
Legaspi,	"	29.74	755.4	90	66	NNE	2	o	"	29.72	754.8	79	95	...	0	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.73	755.1	86	58	SW	4	o	"	29.74	755.4	79	87	S	1	o
Surigao,	..	29.74	755.4	86	68	W	4	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.68	753.9	...	...	E	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.56	750.9	...	...	NW	4	r	4.47	29.54	750.3	...	...	WSW	4	r
Labuan,	14	29.77	756.1	88	80	N	4	b	6	29.83	757.7	78	94	NW	2	b

June 4*d.* 10*h.* 52*m.*—Warning to Hongkong:—Depression or typhoon of unknown intensity within 120 miles of Lat. 13° N. Long. 139° E., moving N.W.

July 4*d.* 10*h.* 53*m.*—With few exceptions, pressure has decreased slightly to moderately at all reporting stations; it is highest in the vicinity of the Bonins, and depressions are situated over Hokkaido, the Loochoos and Tongking. A depression or typhoon is situated about 150 miles to the northward of Yap; it appears to be moving N.W. or N.N.W.

Manila warning. 4*d.* 8*h.* 45*m.*:—Typhoon in Lat. 13° N. Long. 139° E., moving N.N.W. Recd. 4*d.* 9*h.* 42*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·29 inch. Total since January 1st, 47·36 inches, against an average of 40·82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S.E. winds, moderate; fair to showery.
3.—Hongkong to Gap Rock,	S.E. winds, moderate; fair to showery.
4.—South coast of China between Hongkong and Hainan,	S.E. winds, moderate; fair to showery.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	4th July, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	5th July, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Vladivostock,	12	29.77	756.2	61	...	ESE	5	o	6	29.73	755.2	61	...	SE	5	r
Kemuro,	11	...	...	...	...	...	...	...	5	...	...	...	..	...	...	...
Hokodate,	..	29.55	750.5	...	...	WNW	1	...	,,	29.76	756.0	...	...	...	..	...
Tokio,	,,	29.74	755.5	...	...	S	1	...	,,	29.71	754.5	...	...	NNE	1	...
Kochi,	,,	29.72	755.0	...	...	S	1	...	,,	29.73	755.0	...	...	SW	1	...
Nagasaki,	,,	29.69	754.0	...	...	W	1	...	,,	29.71	754.5	...	...	NW	1	...
Kagoshima,	,,	29.69	754.0	...	...	SSE	1	...	,,	29.71	754.5	...	...	...	0	...
Ishima,	,,	29.65	753.0	...	...	...	0	...	,,	29.69	754.0	...	...	...	0	...
Naha,	,,	29.70	754.5	...	...	SSW	2	...	,,	29.69	754.0	...	...	SW	2	...
Ishigakijima,	,,	29.72	755.0	...	...	WSW	2	...	,,	29.69	754.0	...	...	SW	2	...
Bonin Island,	,,	29.86	758.5	...	...	S	3	...	,,	29.90	759.5	...	...	S	2	...
Chefoo,	15	29.61	752.1	73	86	SW	1	o	6	29.61	752.1	70	91	SW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.63	752.7	84	77	SE	1	o	,,	29.62	752.4	77	100	W	1	b
Wutzlaff,	,,	29.67	753.6	75	95	SE	4	of	,,	29.63	752.6	77	95	W	1	b
Sharp Peak,	,,	29.73	755.1	92	67	SSE	4	b	7	29.69	754.1	84	83	SW	1	b
Amoy,	15	29.64	752.8	90	70	SSE	1	b	9	29.64	752.8	81	87	SSW	2	b
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.71	754.5	90	63	WNW	4	o	5	29.66	753.3	77	92	...	0	b
Taichu,	,,	29.75	755.7	90	...	SW	1	o	,,	29.62	754.8	79	...	...	0	o
Tainan,	,,	29.74	755.4	90	...	SW	1	b	,,	29.67	753.6	79	..	...	0	b
Toshun,	,,	29.73	755.1	90	...	W	4	b	,,	29.66	753.3	77	..	...	0	b
Pescadores,	,,	29.76	756.0	90	...	SW	2	o	,,	29.68	753.9	79	...	WSW	2	b
Canton,	14	29.66	753.3	88	76	SSE	1	c	6	...	...	...	...	...	...	...
Hongkong,	,,	29.67	753.6	84	76	E	3	o	,,	29.65	753.1	80	88	...	0	c
Gap Rock,	,,	29.70	754.4	...	...	SE	3	c	,,	29.66	753.3	...	...	S	4	o
Macao,	,,	29.65	753.0	90	76	SE	4	b	,,	29.63	752.7	79	91	SSW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	..	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chulien,	,,	29.55	750.6	84	92	WSW	4	o	7	29.58	751.2	79	92	...	0	b
Tourane,	,,	29.63	752.7	86	...	ESE	2	b	,,	29.61	752.1	81	...	...	0	b
Cape St. James,	,,	29.76	756.0	84	...	SW	2	o	,,	29.75	755.7	75	...	SSW	4	o
Basco,	14	29.71	754.5	90	69	SW	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.71	754.5	90	66	NNE	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.71	754.5	86	75	SW	4	o	,,	29.68	753.9	75	94	E	1	o
Legaspi,	,,	29.71	754.5	86	75	NNE	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.75	755.7	61	93	SW	...	of
Iloilo,	,,	29.72	754.8	86	65	SW	2	o	,,	...	...	...	..	...	...	...
Surigao,	,,	29.69	754.2	82	74	W	4	o	,,	...	...	...	..	...	...	...
Guam,	12.20	29.73	755.1	...	...	SE	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.60	751.8	..	...	SSW	6	r	4.47	29.75	755.7	...	...	SW	6	r
Labuan,	14	29.76	755.9	88	76	NW	2	b	6	...	...	...	...	...	...	...

June 5*d.* 11*h.* 10*m.*—Warning to Hongkong,:—Depression or typhoon of unknown intensity within 120 miles of Lat. 16° N. Long. 135° E., moving N.W.

July 5*d.* 11*h.* 36*m.*—Pressure has increased moderately at Hakodate and Yap; it has increased slightly over S. Japan and decreased slightly elsewhere, remaining highest in the vicinity of the Bonins. An area of low pressure covers China generally. The typhoon continues on a N.W. track; it was situated in Lat. 16° N. and Long. 135° E. at 6 a.m.

Shanghai warning. 4*d.* 21*h.* 30*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 12° N. Long. 138° E., moving N.W. Recd. 5*d.* 8*h.* 02*m.*

Manila warning. 5*d.* 9*h.* 30*m.*:—Typhoon in Lat. 17° N. Long. 135° E., moving N.W. Recd. 5*d.* 11*h.* 23*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 47·36 inches, against an average of 41·20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S. or variable winds, moderate; fair generally, some showers.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	5th July, 1925.								6th July, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.73	755.1	61	...	ESE	7	r	6	29.79	756.7	61	...	ESE	5	o
Nemuro,	11	29.70	754.5	...	...	NNW	1	...	5	29.78	756.5	...	..	NW	2	...
Hokodate,	..	29.74	755.5	...	...	S	1	...	,,	29.84	758.0	...	...	NNE	2	...
Tokio,	,,	29.74	755.5	...	...	SSE	1	...	,,	29.84	758.0	...	...	E	1	...
Kochi,	,,	29.74	755.5	...	...	SSE	1	...	,,	29.78	756.5	...	...	...	0	...
Nagasaki,	,,	29.70	754.5	...	...	ENE	1	...	,,	29.69	754.0	...	...	S	4	...
Kagoshima,	,,	29.72	755.0	...	...	SSE	1	...	,,	29.75	755.5	...	...	...	...	...
Oshima,	,,	29.70	754.5	...	...	SE	1	...	,,	29.71	754.5	...	...	...	..	...
Naha,	,,	29.74	755.5	...	...	...	0	...	,,	29.71	754.5	...	...	..	0	...
Ishigakijima,	,,	29.70	754.5	...	...	SSW	2	...	,,	29.65	753.0	...	...	SSE	1	...
Bonin Island,	,,	29.92	760.0	...	...	S	2	...	,,	29.94	760.5	...	...	SE	1	...
Chefoo,	15	29.59	751.6	86	61	S	1	o	6	29.61	752.1	72	81	SSW	1	o
Hankow,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.65	753.0	90	76	NW	2	b	,,	29.60	751.8	75	98	E	1	o
Gutzlaff,	,,	29.68	753.9	81	87	N	1	b	,,	29.63	752.6	75	95	SE	4	of
Sharp Peak,	,,	29.70	754.4	90	77	SE	2	b	7	29.73	755.1	84	83	N	1	b
Amoy,	15	29.58	751.3	90	70	SSE	4	b	9	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.68	753.9	90	63	W	1	o	5	29.61	752.1	77	91	...	0	o
Taichu,	,,	29.71	754.5	93	...	SW	2	b	,,	29.66	753.3	77	...	...	0	o
Tainan,	,,	29.71	754.5	90	...	WSW	2	b	,,	29.61	752.1	77	..	...	0	b
Koshun,	,,	29.69	754.2	90	...	NW	4	b	,,	29.61	752.1	79	...	...	0	b
Pescadores,	,,	29.69	754.2	90	...	SW	2	b	,,	29.62	752.4	79	...	W	2	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.65	753.1	84	81	E	2	op	,,	29.61	752.1	80	93	...	0	c
Gap Rock,	,,	29.67	753.6	...	...	S	3	c	,,	29.63	752.6	...	...	SW	3	c
Macao,	,,	29.74	755.4	86	78	SSE	2	o	,,	...	...	79	90	...	2	o
Wuchow,	15	...	..	...	...	...	...	...	9	...	...	...	...	..	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.56	750.9	86	75	SSE	4	b	7	29.58	751.2	81	94	E	4	o
Tourane,	,,	29.61	752.1	86	...	...	0	b	,,	29.60	751.8	81	...	SW	2	o
Cape St. James,	,,	29.71	754.5	84	...	SW	6	b	,,	29.71	754.5	77	...	SW	6	o
Basco,	14	...	...	...	...	...	...	...	6	29.62	752.4	79	70	...	0	o
Aparri,	,,	29.63	752.7	90	60	NE	2	b	,,	29.60	751.8	77	91	SW	2	o
Manila,	,,	29.62	752.4	86	65	WSW	2	o	,,	29.60	751.8	77	94	...	0	o
Legaspi,	,,	29.60	751.8	86	71	ENE	2	d	,,	29.55	750.6	77	91	WSW	4	o
Tacloban,	,,	29.61	752.1	82	77	N	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.62	752.4	86	65	SW	4	o	,,	29.61	752.1	77	94	SW	4	o
Surigao,	..	29.62	752.4	81	86	W	2	r	,,	29.59	751.5	79	80	SW	4	r
Guam,	12.20	29.68	753.9	...	...	E	4	o	4.20	29.74	755.4	...	...	S	1	o
Yap,	12.47	29.61	752.1	...	...	SW	6	r	4.47	29.69	754.2	...	...	WSW	4	r
Labuan,	14	29.81	757.2	78	91	NW	2	o	6	29.78	756.4	77	91	NE	4	r

July 6*d.* 10*h.* 44*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 16° N. Long. 132° E., moving W.N.W.

July 6*d.* 11*h.* 23*m.*—Pressure has increased slightly over the north-eastern portion of the area and decreased slightly elsewhere; it is highest in the vicinity of the Bonins, and relatively low over China generally.

The typhoon is situated about 600 miles east of Luzon moving W.N.W.

Manila warning. 5*d.* 20*h.* 50*m.*:—Cyclone or typhoon Pacific Ocean about halfway between the Mariana Islands and Luzon, inclining westward. Recd. 6*d.* 7*h.* 40*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 47·48 inches, against an average of 41·55 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel,	S. or variable winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S. or variable winds, moderate; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	6th July, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	7th July, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
adivostock,	12	29.82	757.5	63	...	SE	7	o		29.90	759.4	61	..	SSE	4	o
emuro,	11	...	...	...	...	...	...	...	5	...	...	...	..	...	...	...
okodate,	"	29.84	758.0	...	...	SSE	2	...	"	...	...	...	..	...	...	...
kio,	"	29.86	758.5	...	...	ENE	1	..	"	...	...	...	..	...	...	...
ochi,	"	29.80	757.0	...	...	SSE	1	...	"	...	...	...	...	...	...	...
agasaki,	"	29.70	754.5	...	...	SW	1	...	"	...	...	...	..	...	...	...
agoshima,	"	29.76	756.0	...	...	SSE	1	...	"	...	...	...	.	...	...	...
hima,	"	29.74	755.5	...	...	SSE	1	...	"	...	...	...	...	...	...	...
sha,	"	29.72	755.0	...	...	ESE	1	..	"	...	...	...	...	...	...	...
higakijima,	"	29.69	754.0	...	...	SSE	2	...	"	...	...	...	...	...	...	...
oir Island,	"	29.02	760.0	...	...	SE	1	...	"	...	...	...	...	...	...	...
hefoo,	15	29.62	752.3	80	74	ENE	1	o	6	29.66	753.3	69	85	...	o	b
ankow,	"	...	..	...	...	...	...	...	"	...	...	...	...	...	...	...
hang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
angsha,	"	.	...	...	...	...	...	...	"	...	...	...	...	..	...	...
anghai,	14	29.60	751.8	93	67	SSE	2	b	"	29.65	753.0	77	89	WNW	1	o
utzlaff,	"	29.59	751.6	80	78	SSE	6	b	"	29.66	753.3	75	95	SSW	1	o
harp Peak,	"	29.67	753.6	92	70	SE	2	b	7	29.64	752.8	82	79	N	2	b
noy,	15	29.48	748.8	92	92	SSE	4	b	9	29.54	750.3	83	83	...	o	b
watow,	"	.	...	...	...	...	...	...	8	...	...	...	...	...	...	...
aihoku,	11	29.66	753.3	90	63	W	2	o	5	29.54	750.3	77	86	E	4	b
aichu,	"	29.68	753.9	90	...	...	o	b	"	29.58	751.2	75	...	...	o	o
ainan,	"	29.66	753.3	90	...	W	2	b	"	29.55	750.6	77	..	...	o	b
oshun,	"	29.63	752.7	90	...	NW	2	b	"	29.52	749.7	79	..	N	4	b
escadores,	"	29.67	753.6	86	...	SW	2	b	"	29.55	750.6	79	...	NW	2	o
anton,	14	29.64	752.8	92	70	S	1	...	6	...	...	...	...	...	...	...
ongkong,	"	29.61	752.1	87	74	SSE	2	b	"	29.57	751.1	80	90	..	o	b
ap Rock,	"	29.64	752.8	...	...	SE	2	o	"	29.58	751.3	...	..	WSW	3	b
acao,	"	...	...	...	...	...	...	b	"	...	...	...	..	...	...	...
uchow,	15	...	...	...	...	...	...	...	9	...	..	...	...	..	...	...
akhoi,	"	.	..	...	...	..	...	...	"	..	...	..	...	...	...	...
oihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	..	...
hulien,	"	29.54	750.3	86	71	ESE	6	o	7	29.60	751.8	81	97	NE	2	r
ourane,	"	29.56	750.9	90	...	SE	2	b	"	29.58	751.2	81	...	...	o	b
ape St. James,	"	29.67	753.6	75	...	SW	6	r	"	...	...	...	...	...	...	...
asco,	14	29.52	749.7	86	75	N	4	o	6	29.38	746.0	82	87	N	6	o
parri,	"	29.50	749.4	86	75	NNE	4	o	"	29.35	745.5	...	...	..	...	...
anila,	"	29.52	749.7	84	74	W	1	o	"	29.50	749.4	...	...	...	...	...
egaspi,	"	29.49	749.1	81	50	SW	4	o	"	29.49	749.1	79	91	SW	4	o
acloban,	"	...	...	...	...	...	...	...	"	...	..	...	...	...	...	...
oilo,	"	29.58	751.2	77	...	SSW	7	r	"	29.60	751.8	75	89	SW	7	o
urigao,	"	29.58	751.2	86	71	SW	4	o	"	29.63	752.7	81	73	SSW	2	o
uam,	12.20	29.74	755.4	...	..	W	1	r	4.20	29.78	756.3	...	...	W	4	o
ap,	12.47	29.74	755.4	...	...	S	1	r	4.47	29.78	756.3	...	...	...	o	o
ebuan,	14	29.73	755.1	80	91	NE	2	o	6	29.78	756.4	80	91	S	2	b

July 7*d.* 10*h.* 00*m.*—Warning to Hongkong. Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 18° N. Long. 124° E., moving W.N.W.

July 7*d.* 12*h.* 10*m.*—No returns from Japanese stations.

Pressure has decreased considerably over N. Luzon, moderately over Formosa, and slightly over Hongkong and the Visayas; it has increased slightly elsewhere.

The typhoon was situated at about 150 miles east of Aparri at 6 a.m. and will probably enter the China Sea on a W.N.W. track in the course of this afternoon.

Manila warning. 7*d.* 8*h.* 45*m.*:—Typhoon E. of Aparri less than 300 miles distant moving W. or W.N.W. Recd. 7*d.* 9*h.* 44*m.*

Manila warning. 7*d.* 10*h.* 15*m.*:—Typhoon in Lat. 19° N. Long. 124° E., moving W.N.W. Recd. 7*d.* 11*h.* 45*m.*

Shanghai warning. 6*d.* 21*h.* 25*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 124° E., moving W.N.W. Recd. 6*d.* 22*h.* 36*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 47·38 inches, against an average of 41·87 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate freshening.
2.—South coast of China between Hongkong and Lamocks,	W. and N.W. or variable winds, moderate; freshening later from N.E.; fine at first, cloudy, squally rainy later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	7th July, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	8th July, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	29.91	759.7	62	...	SSE	5	o	6	29.97	761.3	60	...	W	2	o
Nemuro,	11	30.02	762.5	...	...	ESE	1	...	5	30.04	763.0	...	..	ESE	1	...
Hokodate,	..	29.92	760.0	...	...	ESE	2	...	,,	29.88	759.0	...	...	E	2	...
Tokio,	,,	29.86	758.5	...	...	SSE	1	..	,,	29.76	756.0	...	...	...	o	...
Kochi,	,,	29.84	758.0	...	...	SE	1	...	,,	29.90	759.5	...	...	...	o	...
Nagasaki,	,,	29.78	756.5	...	...	SSW	2	...	,,	29.80	757.0	...	...	...	o	...
Kagoshima,	,,	29.80	757.0	...	...	SE	1	...	,,	29.80	757.0	...	...	...	..	...
Oshima,	,,	29.70	754.5	...	...	SE	2	...	,,	29.73	755.0	...	...	SE	1	...
Naha,	,,	29.63	752.5	...	...	SE	4	...	,,	29.61	752.0	...	...	ESE	2	...
Ishigakijima,	,,	29.53	750.0	...	...	ESE	4	...	,,	29.41	747.0	...	...	SE	4	...
Bonin Island,	,,	29.96	761.0	...	...	SE	1	...	,,	29.96	761.0	...	...	SSE	1	...
Chefoo,	15	29.65	753.1	80	62	SE	1	b	6	29.73	755.1	73	81	...	o	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.69	754.2	79	80	N	1	o	,,	29.72	754.8	72	96	N	1	o
Gutzlaff,	,,	29.70	754.4	80	87	N	1	o	,,	29.76	755.9	72	100	NNE	1	r
Sharp Peak,	,,	29.63	752.6	88	69	ENE	4	b	7	29.55	750.5	80	95	NNE	4	b
Amoy,	15	29.44	747.8	90	73	SSE	4	b	9	29.38	756.2	86	61	NNW	4	b
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	..	...
Taihoku,	11	29.54	750.3	90	72	E	4	b	5	29.41	747.0	77	89	E	4	b
Taichu,	,,	29.53	750.0	90	...	...	o	b	,,	29.33	744.9	81	..	...	o	o
Tainan,	,,	29.50	749.4	90	...	NW	4	b	,,	29.28	743.7	79	..	...	o	r
Koshun,	,,	29.48	748.8	86	...	NNW	4	o	,,	29.24	742.8	81	..	N	4	o
Pescadores,	,,	29.53	750.0	86	...	NNW	4	b	,,	29.29	744.0	82	...	NNE	6	o
Canton,	14	29.50	749.3	96	65	WNW	1	b	6	...	...	...	...	...	...	...
Hongkong,	,,	29.51	749.5	90	66	W	2	b	,,	29.47	748.5	82	87	NW	2	o
Gap Rock,	,,	29.54	750.3	...	...	WSW	3	b	,,	29.50	749.3	...	...	NW	4	o
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	..	...	...
Pakhoi,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Phulien,	,,	29.54	750.3	90	72	SSE	1	b	7	29.55	750.6	81	96	WNW	4	b
Tourane,	,,	29.55	750.6	90	...	...	o	o	,,	29.58	751.2	81	...	WNW	2	o
Cape St. James,	,,	29.66	753.3	81	...	SW	4	o	,,	...	...	75	...	SW	7	o
Basco,	14	29.30	744.3	84	81	NNE	7	r	6	...	...	...	...	...	...	...
Aparri,	,,	29.28	743.7	84	85	WNW	6	o	,,	29.33	744.9	72	88	SW	4	r
Manila,	,,	29.50	749.4	82	81	SW	4	o	,,	29.55	750.6	81	80	SW	6	r
Legaspi,	,,	29.52	749.7	79	90	SW	6	o	,,	29.60	751.8	77	91	S	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.60	751.8	82	81	SW	7	o	,,	...	...	...	...	...	...	...
Surigao,	..	29.65	753.0	84	68	SSW	1	o	,,	...	...	...	..	...	...	...
Guam,	12.20	29.79	756.6	...	...	NW	2	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.79	756.6	..	...	SE	2	o	4.47	29.82	757.5	...	...	NE	2	o
Labuan,	14	29.71	754.6	86	80	N	2	b	6	...	...	...	...	...	...	...

July 8d. 9h. 46m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 21° N Long. 122° E, stationary or very slow.

July 8d. 11h. 00m.—Pressure has decreased considerably over Formosa and the Loochoos, and slightly over the adjacent China coast; it has increased slightly elsewhere and is highest to the north of Japan.

The typhoon has moved N.N.W. since 2 p.m. yesterday, and is now situated in the Bashi Channel near S. Formosa.

Manila warning. *8d. 9h. 50m.*:—Typhoon in Lat. 21° N. Long. 122° E., moving N.N.W. Recd. *9d. 10h. 29m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 47·38 inches, against an average of 42·19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong to a gale.
2.—South coast of China between Hongkong and Lamocks,	W. and N.W. winds, moderate to fresh; fair at first, rain later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	8th July, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	9th July, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Vladivostock,	12	29.98	761.6	68	...	SW	4	c		30.14	765.5	59	..	ESE	2	o
Gensito,	11	...	...	...	...	...	...	...	5	...	...	...	..	...	...	...
Hakodate,	"	29.92	760.0	...	...	E	2	...	"	30.04	763.0	...	..	...	o	...
Tokio,	"	29.72	755.0	...	...	S	1		"	29.94	760.5	...	..	NE	1	...
Kochi,	"	29.84	758.0	...	...	S	1	...	"	29.92	760.0	...	..	...	..	...
Nagasaki,	"	29.80	757.0	...	...	...	o	...	"	29.84	758.0	...	..	...	o	...
Kagoshima,	"	29.80	757.0	...	...	SSW	1	...	"	29.84	758.0	..	..	...	o	...
Ishima,	"	29.74	755.5	...	...	SE	2	...	"	29.78	756.5	...	...	SE	2	...
Misaka,	"	29.65	753.0	...	...	SE	3	..	"	29.67	753.5	...	..	SE	2	...
Shigakijima,	"	29.43	747.5	...	...	SE	1	...	"	29.45	748.0	..	...	SSW	6	...
Saddle Island,	"	29.94	760.5	...	...	SSE	2	...	"	30.02	762.5	...	...	...	o	...
Chefoo,	15	29.74	755.4	86	58	E	1	b	6	29.81	757.2	71	91	E	1	b
Wankow,	"	..	.	...	...	..	...	...	"	...	...	..	...	...	...	...
Chang,	"	...	...	...	...		...	...	"	...	..	...	...	...	...	...
Kiangsha,	"	..	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.68	753.9	82	84	NE	2	o	"	29.61	752.1	77	94	E	1	r
Ketzlaff,	"	29.70	754.4	76	95	ENE	4	of	"	29.61	752.1	75	95	SE	4	o
Sharp Peak,	"	29.48	748.8	84	79	NNE	4	o	7	29.30	744.2	80	87	N	6	o
Amoy,	15	29.28	743.7	94	50	NNE	4	o	9	...	...	...	...	...	...	...
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.36	745.8	86	71	ESE	6	o	5	29.04	737.7	79	84	SE	6	r
Taichu,	"	29.20	741.6	90	...	...	o	o	"	29.00	736.5	77	...	S	2	r
Tainan,	"	29.18	741.3	90	...	...	o	o	"	29.04	737.7	77	...	W	2	r
Koshun,	"	29.18	741.3	86	...	NNE	4	r	"	29.15	740.4	79	...	WNW	4	r
Pescadores,	"	29.22	742.2	86	...	NNE	6	o	"	29.04	737.7	79	...	NNW	7	r
Canton,	14	...	...		...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.41	747.0	89	73	W	3	o	"	29.39	746.5	83	78	W	2	o
Gap Rock,	"	29.46	748.3	...	...	NW	4	c	"	29.41	747.0	...	...	WNW	4	o
Macao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pakhoi,	15	...	...	...	...	...	...	...	9	...	...	...	...		...	...
Kiungchow,	"	.	..	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	..	.
Hualien,	"	29.50	749.4	93	57	NW	4	b	7	29.53	750.0	82	97	...	o	bf
Kirane,	"	29.61	752.1	86	...	...	o	b	"	29.56	750.9	81	...	W	2	o
Cape St. James,	"	29.68	753.9	81	...	SW	7	r	"	29.71	754.5	75	...	SW	6	o
Basco,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	"	...	...	...	...	...	...	...	"	...	..	...	...	...	...	...
Manila,	"	29.61	752.1	77	88	W	6	r	"	29.67	753.6	79	91	SW	4	o
Legaspi,	"	29.63	752.7	84	81	SSW	4	o	"	29.73	755.1	79	92	S	...	...
Iloilo,	"	29.71	754.5	86	68	S	2	o	"	...	..	...	...	...	...	...
Cebu,	"	29.67	753.6	77	98	SW	6	o	"	29.76	756.0	77	91	SW	4	o
Surigao,	"	29.69	754.2	93	46	WSW	2	o	"	...	...	...	...	...	...	...
Haiphong,	12.20	...	..	...	..	...	...	...	4.20	...	...	...	...	...	...	...
Saigon,	12.47	29.76	756.0	...	...	NNE	2	o	4.47	29.76	756.0	...	...	W	2	o
Pakhoi,	14	29.79	756.6	88	80	N	2	b	6	29.81	757.2	78	91	S	2	b

July 9*d.* 9*h.* 00*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 24° N Long. 120° E, moving N.N.W.

July 9*d.* 9*h.* 00*m.*—Local signal No. 1 lowered.

July 9*d.* 11*h.* 03*m.*—Pressure has decreased considerably over Formosa and the neighbouring coast, and slightly over Indo-China, the Carolines and the Ladrones; it has increased considerably at Wladivostock and slightly to moderately elsewhere, and is highest over S. Manchuria.

The typhoon is moving slowly to the N.N.W., and was situated in the immediate vicinity of Taichu (Formosa) at 6 a.m. this morning.

Shanghai warning. 9*d.* 9*h.* 30*m.*:—Typhoon of unknown intensity within 60 miles of Lat. 24° N. Long. 120° E., moving N.N.W. Recd. 9*d.* 10*h.* 16*m.*

Shanghai warning. 8*d.* 16*h.* 50*m.*:—Typhoon of unknown intensity within 60 miles of Lat. 21° N. Long. 121° E., moving N.W. Recd. 8*d.* 17*h.* 56*m.*

Shanghai warning. 8*d.* 21*h.* 30*m.*:—Typhoon of unknown intensity within 60 miles of Lat. 22° N. Long. 121° E., moving N.W. Recd. 8*d.* 22*h.* 37*m.*

Manila warning. 8*d.* 19*h.* 45*m.*:—Typhoon near or over Formosa moving N.W. Recd. 8*d.* 20*h.* 17*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 47·38 inches, against an average of 42·51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel,	Cyclonic gales.
2.—South coast of China between Hongkong and Lamocks,	W. winds, moderate; fair to showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	9th JULY, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	10th JULY, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostook,	12	30.13	765.2	68	...	SSE	4	o	6	30.05	763.3	62	...	SSE	2	o
Nemuro,	11	30.06	763.5	...	...	N	1	...	5	30.02	762.5	...	..	...	0	...
Hokodate,	..	30.04	763.0	...	...	SSE	2	...	,,	30.02	762	...	...	...	...	...
Tokio,	,,	29.98	761.5	...	...	NE	1	...	,,	30.06	763.5	...	...	NE	1	...
Kochi,	,,	29.90	759.5	...	...	...	0	...	,,	29.96	761.0	...	...	...	0	...
Nagasaki,	,,	29.82	757.5	...	...	S	4	...	,,	29.90	759.5	...	...	SE	1	...
Kagoshima,	,,	29.86	758.5	...	...	SSE	1	...	,,	29.92	760.0	...	...	...	..	...
Oshima,	,,	29.80	757.0	...	...	SSE	2	...	,,	29.84	758.0	...	...	SSE	1	...
Naha,	,,	29.72	755.0	...	...	SSE	4	...	,,	29.78	756.5	...	...	SSE	3	...
Ishigakijima,	,,	29.51	749.5	...	...	SSW	7	...	,,	29.61	752.0	...	...	SSW	6	...
Bonin Island,	,,	29.98	761.5	...	...	SE	1	...	,,	30.	762.0	...	...	...	...	...
Chefoo,	15	29.78	756.4	70	95	E	2	r	6	29.77	756.1	67	91	E	2	o
Hankow,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Shanghai,	14	29.60	751.8	90	69	SE	4	o	,,	29.58	751.2	77	88	E	6	b
Gutzlaff,	,,	29.62	752.3	78	92	SE	4	o	,,	29.55	751.3	76	92	SE	6	b
Sharp Peak,	,,	29.24	752.7	77	94	NNE	4	r	7	29.26	743.2	80	87	S	4	o
Amoy,	15	29.19	741.5	84	83	NW	4	r	9	29.26	743.2	84	75	WSW	4	o
Swatow,	,,	29.22	742.2	91	84	WNW	2	o	8	...	...	...	...	...	..	...
Taihoku,	11	29.12	739.5	84	77	SE	6	o	5	29.35	745.5	77	96	...	8	b
Taichu,	,,	29.15	740.4	79	...	SSE	4	r	,,	29.41	747.0	75	...	S	2	r
Tainan,	,,	29.14	740.1	77	...	S	6	r	,,	29.45	747.9	81	...	SSW	6	r
Koshun,	,,	29.34	745.2	75	...	S	6	r	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.17	741.0	77	...	WSW	6	r	,,	29.35	745.5	81	...	S	6	r
Canton,	14	29.43	747.5	87	80	WNW	1	b	6	...	...	...	...	...	...	...
Hongkong,	,,	29.39	746.5	90	63	W	3	c	,,	29.47	748.5	80	87	N	1	c
Gap Rock,	,,	29.42	747.2	...	...	WSW	4	c	,,	29.50	749.3	...	...	ENE	4	cpb
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	..	...	...
Pakhoi,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.49	749.1	97	58	WNW	2	b	7	29.54	750.3	82	84	SW	1	b
Tourane,	,,	29.55	750.6	86	...	ESE	2	b	,,	29.59	751.5	84	...	...	0	b
Cape St. James,	,,	29.72	754.8	84	...	SW	6	b	,,	29.75	[illegible]	77	...	SW	6	o
Basco,	14	29.48	748.8	79	84	S	4	r	6	29.60	751.8	81	92	S	4	o
Aparri,	,,	29.56	750.9	82	84	S	4	o	,,	29.65	753.0	77	86	SW	2	o
Manila,	,,	29.68	753.9	79	91	SSW	4	o	,,	29.72	754.8	75	94	SSE	2	b
Legaspi,	,,	29.72	754.8	86	75	SSW	4	o	,,	29.74	755.4	79	96	SW	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	86	71	SW	6	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.73	755.1	86	68	NW	2	o	,,	29.78	756.3	79	92	W	1	o
Guam,	12.20	29.71	754.5	...	...	SE	4	o	4.20	29.79	756.6	...	...	SE	1	o
Yap,	12.47	29.71	754.5	...	...	W	4	o	4.47	29.73	755.1	...	...	WSW	4	o
Labuan,	11	29.70	754.4	88	76	N	2	b	6	29.78	756.4	80	95	...	0	b

July 10d. 11h. 19m.—Pressure has decreased slightly over S. Manchuria, N. Japan and Shantung; it has increased considerably over Formosa and slightly elsewhere, and remains highest over S. Manchuria.

The typhoon has entered the coast, and is probably filling up to the west of Foochow; another is situated about 300 miles north of Yap, moving W.N.W.

Manila warning. *10d. 10h. 30m.*:—Typhoon in Lat. 15° N. Long. 138° E., moving W.N.W. Recd. *10d. 11h. 07m.*

Shanghai warning. *9d. 21h. 30m.*:—Typhoon of unknown intensity within 60 miles of Lat. 26° N. Long. 119° E. moving N.N.W. Recd. *9d. 23h. 31m.*

Shanghai warning. *9d. 21h. 30m.*:—Typhoon of unknown intensity within 120 miles of Lat. 12° N. Long. 124° E., moving W.N.W. Recd. *9d. 23h. 31m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 47·40 inches, against an average of 42·82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, strong, moderating.
2.—South coast of China between Hongkong and Lamocks.	S.W. or variable winds, moderate; fair to showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan.	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	10th JULY, 1925.								11th JULY, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	30.00	761.9	69	...	SE	2	0	6	29.91	759.7	63	...	SSE	4	0
Kemuro,	11	...	...	...	...	...	...	...	5	29.82	757.5	...	...	NW	1	...
Hokodate,	"	29.98	761.5	...	...	SSE	1	...	"	29.82	757.5	...	...	...	...	...
Tokio,	"	30.02	762.5	...	...	N	1	...	"	29.90	759.5	...	...	E	1	...
Kochi,	"	29.92	760.0	...	...	SE	1	...	"	29.90	759.5	...	...	...	...	...
Nagasaki,	"	29.78	756.5	...	...	S	1	...	"	29.84	758.0	...	...	SSE	2	...
Kagoshima,	"	29.90	759.5	...	...	SE	1	...	"	29.86	758.5	...	...	ENE	1	...
Ishima,	"	29.84	758.0	...	...	SSE	1	...	"	29.80	757.0	...	...	SSE	2	...
Taiwan,	"	29.80	757.0	...	...	SE	3	...	"	29.80	757.0	...	...	SE	2	...
Ishigakijima,	"	29.67	753.5	...	...	SW	4	...	"	29.73	755.1	...	...	SSW	3	...
Bonin Island,	"	29.96	761.0	...	...	ENE	1	...	"	29.96	761.0	...	...	...	...	...
Chefoo,	15	29.77	756.1	68	95	ENE	2	r	6	29.69	754.1	68	100	E	1	r
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.49	749.1	82	77	SE	7	0	"	29.42	747.3	75	100	S	6	r
Gutzlaff,	"	29.52	749.8	76	92	SE	7	0	"	29.49	749.0	76	92	SSE	6	0
Sharp Peak,	"	29.38	746.2	86	65	S	4	0	7	29.63	752.6	81	88	S	2	0
Amoy,	15	29.40	746.9	94	55	SSW	4	0	9	29.57	751.1	81	92	SSW	1	0
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taiboku,	11	29.48	748.8	79	95	E	2	0	5	29.65	753.0	73	96	...	0	b
Taichu,	"	29.50	749.4	82	...	SW	4	0	"	29.67	753.6	75	...	...	0	0
Tainan,	"	29.55	750.6	82	...	S	4	0	"	29.67	753.6	77	..	SE	2	0
Koshun,	"	29.61	752.1	84	...	SSW	4	0	"	29.68	753.9	79	..	...	0	b
Pescadores,	"	29.50	749.4	82	...	SSW	0	0	"	29.62	752.4	79	...	S	4	0
Canton,	14	...	...	...	...	...	..	...	6	...	...	...	...	...	...	.
Hongkong,	"	29.49	749.0	92	61	SW	3	c	"	29.59	751.6	77	91	SSE	2	crt
Gap Rock,	"	29.52	749.8	...	...	SW	4	c	"	29.59	751.6	...	...	SW	4	0
Macao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Auchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	..	...
Phulien,	"	29.50	749.4	97	66	WSW	2	b	7	29.58	751.2	82	97	ENE	2	b
Tourane,	"	29.59	751.5	90	...	...	0	0	"	29.62	752.4	52	...	WSW	2	b
Cape St. James,	"	29.73	755.1	82	...	WSW	6	b	"	29.74	755.4	77	...	SW	6	0
Basco,	14	29.63	752.7	84	77	SW	4	0	6	29.68	753.9	81	90	E	2	0
Aparri,	"	29.66	753.3	79	89	SW	2	0	"	29.69	754.2	75	98	...	0	b
Manila,	"	29.72	754.8	86	71	WSW	4	0	"	29.71	754.5	79	96	...	0	0
Legaspi,	"	29.71	754.5	90	66	SSW	4	0	"	29.67	753.6	79	91	WSW	2	0
Iscloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	86	75	SW	4	0	"	29.71	754.5	81	86	SW	6	0
Surigao,	"	29.72	754.8	90	57	W	4	0	"	...	...	...	...	..	...	...
Guam,	12.20	29.78	756.3	...	...	SSW	4	0	4.20	29.84	757.8	...	...	SE	1	0
Yap,	12.47	29.72	754.8	...	...	SW	4	0	4.47	29.80	756.9	...	...	SSW	2	0
Pahuan,	12	29.75	755.6	90	73	NE	2	b	6	29.81	757.2	78	91	S	1	0

July 11*d.* 10*h.* 55*m.*—**Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 16° N. Long. 130° E., moving W.N.W.**

July 11*d.* 11*h.* 03*m.*—**Pressure has decreased slightly over Shanghai and Luzon, and moderately over N. Japan; it has increased considerably over Formosa, and slightly to moderately elsewhere.**

The depression remains over the lower Yangtze Valley and the typhoon is situated in Lat. 16° N. and Long. 130° E. moving W.N.W.

Manila warning. 11*d.* 9*h.* 00*m.*:—Typhoon in Lat. 16° N. Long. 130° E., moving W.N.W. Recd. 11*d.* 10*h.* 47*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 2·66 inch. Total since January 1st, 50·06 inches, against an average of 43·12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S.W. or variable winds, moderate; fine generally.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	11th July, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	12th July, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostook, .	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.84	758.0	...	...	NE	2	...	5	29.88	759.0	...	..	NNE	2	...
Hokodate,	..	29.80	757.0	...	...	SE	1	...	,,	29.82	757.5	...	...	ESE	3	...
Tokio,	,,	29.82	757.5	...	...	S	1	...	,,	29.71	754.5	...	...	NE	2	...
Kochi,	,,	29.84	758.0	...	...	SE	1	...	,,	29.73	755.0	...	...	...	0	...
Nagasaki,	,,	29.84	758.0	...	...	S	2	...	,,	29.71	754.5	...	...	SW	3	...
Kagoshima,	,,	29.59	751.5	...	...	SSE	1	...	,,	29.75	755.5	...	...	...	0	...
Oshima,	,,	29.84	758.0	...	...	SSE	1	...	,,	29.76	756.0	...	...	SSE	1	...
Naha,	,,	29.82	757.5	...	...	SE	2	...	,,	29.80	757.0	...	...	SSE	1	...
Ishigakijima,	,,	29.76	756.0	...	...	S	2	...	,,	29.71	754.5	...	...	...	0	...
Bonin Island,	,,	29.90	759.5	...	...	NNW	1	...	,,	29.86	758.5	...	...	..	0	...
Chefoo,	15	29.56	750.8	70	95	NE	4	o	6	29.61	752.1	67	100	NE	4	r
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.56	750.9	75	96	SSW	6	r	,,	29.68	753.9	72	98	SW	1	b
Gutzlaff,	,,	29.61	752.1	77	95	SSW	6	r	,,	29.71	754.6	76	86	WNW	1	o
Sharp Peak,	,,	29.66	753.3	88	76	SSE	4	o	7	29.72	754.9	82	85	...	0	b
Amoy,	15	29.60	751.8	88	76	S	2	o	9	29.63	752.6	81	96	SSW	1	o
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.69	754.2	90	69	E	2	o	5	29.71	754.5	73	...	...	0	of
Taichu,	,,	29.71	754.5	86	...	NNW	2	o	,,	29.66	753.3	73	...	...	0	b
Tainan,	,,	29.72	754.8	86	...	SSW	2	o	,,	29.71	754.5	79	..	SE	2	b
Koshun,	,,	29.72	754.8	86	...	SSW	2	o	,,	...	..	...	...	...	..	...
Pescadores,	,,	29.69	754.2	86	...	S	4	o	,,	29.67	753.6	79	...	S	2	b
Canton,	14	...	...	...	...	...	..	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.60	751.8	84	75	E	2	b	,,	29.63	752.6	80	89	...	0	cp
Gap Rock,	,,	29.61	752.1	...	...	SE	2	b	,,	29.64	752.8	...	...	SW	4	b
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.55	750.6	97	58	S	1	b	7	29.61	752.1	82	96	...	0	tf
Tourane,	,,	29.60	751.8	90	...	..	0	b	,,	29.62	752.4	81	...	...	0	b
Cape St. James,	,,	29.73	755.1	79	...	SW	6	o	,,	29.72	754.8	77	...	SW	6	o
Basco,	14	29.67	753.6	86	75	NE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	...	...	...	...	...	...	...	,,	29.59	751.5	81	94	N	2	o
Manila,	,,	29.69	754.2	81	87	W	4	r	,,	29.60	751.8	79	85	WNW	4	o
Legaspi,	,,	29.59	751.5	86	75	SW	4	o	,,	29.52	749.7	77	94	SW	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.66	753.3	82	77	SW	6	o	,,	...	...	...	...	...	...	...
Surigao,	..	29.62	752.4	84	68	WSW	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	E	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	SW	4	o	4.47	29.81	757.2	...	...	SSW	2	o
Labuan,	14	29.71	754.6	88	80	N	4	b	6	...	...	...	...	...	...	...

July 12*d.* 11*h.* 30*m.*—Warning to Hongkong:—Depression or typhoon of unknown intensity within 120 miles of Lat. 16° N. Long. 126° E., moving W.N.W.

July 12*d.* 11*h.* 35*m.*—Pressure has decreased moderately over Luzon and S. Japan, and slightly over the Loochoos; it has increased slightly to moderately elsewhere and is highest over N. Japan and relatively low over China generally.

The typhoon is situated about 250 miles east of Luzon moving W.N.W.

Manila warning. 12*d.* 9*h.* 45*m.*:—Cyclone or typhoon E. of Luzon, less than 300 miles distant moving W. or W.N.W. Recd. 12*d.* 10*h.* 44*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·20 inch. Total since January 1st, 50·26 inches, against an average of 43·42 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S. or variable winds, light to moderate; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	12th July, 1925.								13th July, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostook,	12	30.04	763.0	63	...	SW	2	o	6	29.99	761.6	62	...	...	o	b
Kenuro,	11	29.88	759.0	...	...	NNE	3	...	5	29.78	756.5	...	..	N	3	...
Hokodate,	..	29.82	757.5	...	...	ESE	4	...	,,	29.78	756.5	...	...	...	...	...
Tokio,	,,	29.70	754.5	...	...	ENE	1	...	,,	29.73	755.0	...	...	NNE	1	...
Kochi,	,,	29.67	753.5	...	...	...	o	...	,,	29.63	752.5	...	...	...	o	...
Nagasaki,	,,	29.69	754.0	...	...	WNW	4	...	,,	29.69	754.0	...	...	...	o	...
Kagoshima,	,,	29.72	755.0	...	...	SW	2	...	,,	29.69	754.0	...	...	...	...	...
Oshima,	,,	29.76	756.0	...	...	SSE	1	...	,,	29.73	755.0	...	...	...	...	...
Taiwan,	,,	29.78	756.5	...	...	S	1	...	,,	29.75	755.5	...	...	SSE	1	...
Ishigakijima,	,,	29.74	755.5	...	...	S	1	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.82	757.5	...	...	W	1	...	,,	...	...	...	...	...	...	...
Chefoo,	15	29.70	754.4	71	91	NE	4	b	6	29.77	756.1	68	85	E	1	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.69	754.2	82	77	W	1	b	,,	29.72	754.8	73	92	NE	1	o
Hutzlaff,	,,	29.71	754.6	84	75	WSW	1	b	,,	29.73	755.1	74	95	NE	1	o
Sharp Peak,	,,	29.70	754.4	92	74	S	2	b	7	29.69	754.1	82	83	N	1	b
Amoy,	15	29.62	752.3	90	81	SSE	4	o	9	29.62	752.3	81	92	W	1	b
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.71	754.5	86	58	SE	2	o	5	29.55	750.6	79	80	E	2	b
Taichu,	,,	29.71	754.5	90	...	...	o	b	,,	29.59	751.5	77	...	...	o	o
Tainan,	,,	29.69	754.2	90	...	NW	2	b	,,	29.55	750.6	81	..	NNW	4	b
Koshun,	,,	29.66	753.3	86	...	NNE	4	b	,,	29.52	749.7	82	...	NE	4	o
Pescadores,	,,	29.71	754.5	86	...	WNW	2	b	,,	29.56	750.9	73	...	NNW	4	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.62	752.3	85	77	SE	3	c	,,	29.61	752.1	79	95	...	o	b
Gap Rock,	,,	29.63	752.6	...	...	S	2	c	,,	29.61	752.1	...	...	NNW	1	c
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	..	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shulien,	,,	29.55	750.6	90	60	S	1	o	7	29.59	751.5	75	98	NNE	4	o
Tourane,	,,	29.58	751.2	90	...	E	2	b	,,	29.60	751.8	79	...	..	o	b
Cape St. James,	,,	29.68	753.9	79	...	SW	6	o	,,	29.71	754.5	77	...	SW	6	of
Basco,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	,,	29.50	749.4	86	78	NNW	4	o	,,	...	...	...	...	...	...	...
Manila,	,,	29.54	750.3	82	77	W	4	o	,,	29.59	751.5	79	89	SW	6	r
Legaspi,	,,	29.54	750.3	77	92	SW	6	o	,,	29.63	752.7	79	91	S	4	r
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	..	...	,,	29.69	754.2	81	86	NE	4	b
Surigao,	..	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	ESE	1	o	4.20	29.79	756.6	...	...	SE	1	o
Yap,	12.47	29.84	757.8		...	SSE	1	o	4.47	29.85	758.1	...	...	NE	1	o
Labuan,	14	29.81	757.2	80	87	S	2	r	6	29.79	756.6	80	91	S	1	o

July 13*d.* 11*h.* 22*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 18° N. Long. 121° E., moving W.N.W.

July 13*d.* 11*h.* 22*m.*—Local signal No. 1 hoisted.

July 13*d.* 11*h.* 37*m.*—Pressure has increased slightly over N. China and S. Luzon, and has decreased very considerably over N. Luzon, moderately over Formosa, and slightly elsewhere; it is highest over S. Manchuria.

A shallow depression covers S. Japan; the typhoon was crossing Luzon on a W.N.W. track, in the vicinity of Aparri at 6 a.m.

Shanghai warning. 12*d.* 21*h.* 15*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 126° E., moving N.W. Recd. 12*d.* 22*h.* 09*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 50·27 inches, against an average of 43·75 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, freshening to a gale.
2.—South coast of China between Hongkong and Lamocks,	Light northerly winds, freshening considerably; fair at first, cloudy, squally and rainy later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	13th July, 1925.								14th July, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	29.95	760.7	71	...	W	1	b	6	29.89	759.3	62	...	E	1	b
Nemuro,	11	...	...	...	...	...	...	...	5	29.73	755.0	...	...	WNW	1	...
Hokodate,	"	29.76	756.0	...	...	SSE	2	...	"	29.80	757.0	...	...	...	0	...
Tokio,	"	29.76	756.0	...	...	NE	1	...	"	29.90	759.5	...	...	N	1	...
Kochi,	"	29.70	754.5	...	...	...	0	...	"	29.82	757.5	...	...	...	0	...
Nagasaki,	"	29.72	755.0	...	...	ENE	1	...	"	29.76	756.0	...	...	...	0	...
Kagoshima,	"	29.70	754.5	...	...	WNW	1	...	"	29.76	756.0	...	...	...	0	...
Oshima,	"	29.74	755.5	...	...	N	1	...	"	29.76	756.0	...	...	...	0	...
Naha,	"	29.78	756.5	...	...	SSE	1	...	"	29.75	755.5	...	...	SSE	1	...
Ishigakijima,	"	29.69	754.0	...	...	SSE	3	...	"	29.61	752.0	...	...	S	5	...
Bonin Island,	"	29.78	756.5	...	...	SSE	2	...	"	29.76	756.0	...	...	W	1	...
Chefoo,	15	29.77	756.1	74	76	E	2	b	6	29.76	755.9	68	91	SE	1	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.72	754.8	81	80	NE	1	o	"	29.72	754.8	75	100	E	1	o
Gutzlaff,	"	29.74	755.4	80	78	NE	1	o	"	29.73	755.1	74	100	ESE	4	of
Sharp Peak,	"	29.69	754.1	88	76	NNE	4	b	7	29.54	750.3	81	87	NE	6	of
Amoy,	15	29.44	747.8	94	61	ENE	2	b	9	29.44	747.8	86	68	ENE	1	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.56	750.9	93	59	ESE	6	b	5	29.40	746.7	82	70	ESE	4	b
Taichu,	"	29.50	749.4	86	...	...	0	o	"	29.36	745.8	79	...	...	0	b
Tainan,	"	29.49	749.1	86	...	NNW	2	b	"	29.34	745.2	79	...	E	2	r
Koshun,	"	29.46	748.2	81	...	NE	6	o	"	29.45	747.9	75	...	SSE	4	r
Pescadores,	"	29.49	749.1	84	...	NNW	6	o	"	29.30	744.3	79	...	W	4	o
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.52	749.8	88	70	W	2	c	"	29.42	777.2	84	81	W	2	o
Gap Rock,	"	29.57	751.1	...	...	NW	3	c	"	29.46	748.3	...	...	W	5	o
Macao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.58	751.2	90	63	...	0	o	7	29.58	751.2	79	89	WSW	2	b
Tourane,	"	29.59	751.5	86	...	E	2	b	"	...	...	81	...	W	2	b
Cape St. James,	"	29.69	754.2	75	...	SW	4	rf	"	29.76	756.0	75	...	SW	2	o
Basco,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.63	752.7	75	91	SW	4	r	"	29.73	755.1	75	91	S	6	r
Legaspi,	"	29.68	753.9	84	77	SSW	4	o	"	29.76	756.0	79	85	SW	4	o
Tacloban,	"	29.69	754.2	90	60	S	4	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.73	755.1	82	81	SW	6	o	"	29.81	757.2	79	87	SW	4	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.81	757.2	...	...	W	1	r	4.20	29.85	758.1	...	...	S	1	b
Yap,	12.47	29.85	758.1		...	NNW	2	o	4.47	29.87	758.7	...	...	...	0	b
Labuan,	14	29.76	755.9	86	84	N	2	b	6	29.79	756.6	80	95	N	2	b

July 14*d.* 4*h.* 10*m.*—Local signal No. 5 hoisted.

July 14*d.* 8*h.* 54*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 30 miles of Lat. 24° N Long. 119° E., moving N.N.W.

July 14*d.* 11*h.* 13*m.*—Pressure has decreased moderately over Formosa and the neighbouring China coast, and slightly over S. Manchuria and Tongking; it has increased slightly to moderately elsewhere, and is highest over the Sea of Japan.

The typhoon was situated in the vicinity of the Pescadores at 6 a.m. moving N.N.W. or N.W.

Manila warning. 13*d.* 21*h.* 10*m.*:—Cyclone or typhoon N.W. of Aparri moving N.W. or N.N.W. Recd. 13*d.* 21*h.* 55*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 50·27 inches, against an average of 44·10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, strong moderating.
2.—South coast of China between Hongkong and Lamocks,	W. and S.W. winds, fresh to moderate; cloudy generally, rain later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	14th July, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	15th July, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.84	757.9	70	...	ESE	4	b	6	29.86	758.4	63	...	ESE	4	o
Nemuro,	11	29.70	754.5	...	...	SSE	1	...	5	29.84	758.0	...	..	SSE	1	...
Hokodate,	..	29.80	757.0	...	...	SW	2	...	,,	29.90	759.5	...	...	...	0	...
Tokio,	,,	29.90	759.5	...	...	SE	1	...	,,	29.98	761.5	...	...	...	0	...
Kochi,	,,	29.82	757.5	...	...	...	...	...	,,	29.92	761.0	...	...	...	0	...
Nagasaki,	,,	29.78	756.5	...	...	NW	1	...	,,	29.80	757.0	...	...	SE	1	...
Kagoshima,	,,	29.80	757.0	...	...	...	...	...	,,	29.82	757.5	...	...	...	...	...
Oshima,	,,	29.78	756.5	...	...	ENE	1	...	,,	29.80	757.0	...	...	...	0	...
Naha,	,,	29.78	756.5	...	...	E	2	...	,,	29.80	757.0	...	...	SSE	1	...
Ishigakijima,	,,	29.67	753.5	...	...	SSW	5	...	,,	29.80	757.0	...	...	SSW	4	...
Bonin Island,	,,	29.82	757.5	...	...	W	1	...	,,	29.86	758.5	...	...	S	1	...
Chefoo,	15	29.71	754.6	75	81	S	4	o	6	29.64	752.8	71	91	SSE	1	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.68	753.9	90	66	ESE	2	b	,,	29.65	753.0	77	96	ESE	1	h
Gutzlaff,	,,	29.71	754.6	81	92	SE	4	b	,,	29.67	753.6	76	100	SE	4	of
Sharp Peak,	,,	29.53	750.0	84	91	N	4	o	7	29.57	751.1	78	86	S	4	r
Amoy,	15	29.36	745.7	86	72	NE	4	o	9	...	...	...	..	...	...	...
Swatow,	,,	...	...	...	...	..	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.43	747.6	93	53	SE	6	o	5	29.55	750.6	77	91	...	o	r
Taichu,	,,	29.46	748.2	82	...	WNW	2	o	,,	29.56	750.9	75	...	...	o	o
Tainan,	,,	29.43	747.6	79	...	SE	4	r	,,	29.54	750.3	77	..	SSE	6	r
Koshun,	,,	29.52	749.7	77	...	SSE	4	r	,,	29.61	752.1	79	...	SSE	4	o
Pescadores,	,,	29.41	747.0	81	...	SE	7	o	,,	29.47	748.5	77	...	S	7	r
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.34	745.2	90	69	W	2	ot	,,	29.38	746.2	79	91	WSW	4	or
Gap Rock,	,,	29.39	746.5	...	...	W	5	o	,,	29.40	746.7	...	...	WSW	6	olt
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	..	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.50	749.4	90	63	SW	2	b	7	29.50	749.4	81	92	WSW	2	b
Tourane,	,,	29.59	751.5	86	...	E	2	o	,,	29.62	752.4	82	...	...	o	o
Cape St. James,	,,	29.74	755.4	84	...	SW	4	b	,,	29.80	756.9	77	...	SW	2	b
Basco,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	82	81	SW	2	o	,,	29.80	756.9	75	89	SE	2	o
Legaspi,	,,	29.76	756.0	86	68	SW	4	o	,,	29.84	757.8	77	96	SW	1	o
Tacloban,	,,	29.76	756.0	90	66	SSE	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.78	756.3	84	77	SW	4	o	,,	29.82	757.5	79	89	...	o	o
Surigao,	..	29.79	756.6	90	63	ENE	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.81	757.2	...	...	WSW	1	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.81	757.2		...	SW	2	o	4.47	29.87	758.7	...	...	NNW	1	h
Labuan,	14	29.71	754.6	88	80	N	4	b	6	29.80	756.9	80	91	NW	2	h

July 15*d*. 9*h*. 35*m*.—Warning to Hongkong,:—Typhoon in Lat. 23° N Long. 114° E., moving W.N.W. position uncertain.

July 15*d*. 10*h*. 00*m*.—Local signal No. 5 lowered.

July 15*d*. 10*h*. 50*m*.—Pressure has decreased slightly from Chefoo to Shanghai, and over Tongking; it has increased slightly to moderately elsewhere and is highest in the Pacific to the east of Japan.

The typhoon appears to have changed course yesterday morning, moving on a W.S.W. track from the Pescadores to Swatow, where is probably entered the coast. It is situated to the north of Canton this morning, probably filling up.

Shanghai warning. 14*d*. 21*h*. 25*m*.:—Typhoon of unknown intensity within 60 miles of Lat. 23° N. Long. 118° E., moving W.S.W. Recd. 14*d*. 21*h*. 58*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 2·38 inch. Total since January 1st, 52·65 inches, against an average of 44·48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, strong moderating.
2.—South coast of China between Hongkong and Lamocks,	S.W. winds, fresh; cloudy, squally, showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	15th JULY, 1925.								16th JULY, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.84	758.0	65	...	...	0	0	6	29.76	756.0	63	...	ESE	4	0
Nemuro,	11	29.84	758.0	...	...	SSW	2	...	5	30.00	762.0	...	...	SSW	3	...
Hokodate,	,,	29.92	760.0	...	...	S	2	...	,,	29.94	760.5	...	...	E	1	...
Tokio,	,,	30.00	762.0	...	...	S	2	...	,,	30.08	764.0	...	...	N	1	...
Kochi,	,,	29.96	761.0	...	...	...	0	...	,,	30.00	762.0	...	...	...	0	...
Nagasaki,	,,	29.86	758.5	...	...	S	1	...	,,	29.88	759.0	...	...	S	1	...
Kagoshima,	,,	29.90	759.5	...	...	...	...	...	,,	29.92	760.0	...	...	...	0	...
Oshima,	,,	29.84	758.0	...	...	S	1	...	,,	29.90	759.5	...	...	...	0	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.88	759.0	...	...	SSE	1	...
Ishigakijima,	,,	29.74	755.4	...	...	SSW	5	...	,,	29.78	756.5	...	...	SSW	4	...
Bonin Island,	,,	29.88	759.0	...	...	W	2	...	,,	29.88	759.0	...	...	...	0	...
Chefoo,	15	29.59	751.6	81	74	SSE	4	0	6	29.60	751.8	73	95	S	3	0
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.58	751.2	86	71	SE	4	b	,,	29.60	751.8	77	92	SE	2	0
Gutzlaff,	,,	29.63	752.6	80	82	SSE	6	b	,,	29.66	753.3	78	92	SSE	6	0
Sharp Peak,	,,	29.59	751.6	78	61	SSE	4	r	7	29.56	750.8	75	99	S	4	r
Amoy,	15	...	...	...	...	...	...	...	9	29.50	749.3	77	92	S	10	r
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.56	750.9	84	74	NW	2	r	5	29.59	751.5	77	94	...	0	0
Taichu,	,,	29.56	750.9	90	...	...	0	0	,,	29.66	753.3	75	...	SSE	2	0
Tainan,	,,	29.60	751.8	82	...	SSE	6	0	,,	29.69	754.2	73	...	SSE	4	0
Koshun,	,,	29.67	753.6	84	...	S	4	0	,,	29.74	755.4	75	...	SSW	2	0
Pescadores,	,,	29.53	750.0	77	...	S	7	r	,,	29.65	753.0	75	...	SSW	6	r
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.38	746.2	81	90	SSW	4	oq	,,	29.55	750.5	75	93	NW	5	orlt
Gap Rock,	,,	29.41	747.0	...	...	SW	6	0	,,	29.56	750.8	...	...	WSW	5	0
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.45	747.9	93	67	SW	2	b	7	29.50	749.4	82	77	SSW	6	0
Tourane,	,,	29.60	751.8	86	...	...	0	0	,,	29.66	753.3	82	...	W	2	r
Cape St. James,	,,	29.78	756.3	86	...	SW	2	b	,,	29.84	757.8	79	...	W	2	of
Basco,	14	...	...	...	...	...	...	...	6	29.75	755.7	81	89	SE	4	0
Aparri,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.80	756.9	86	71	SW	2	0	,,	29.86	758.4	72	94	SSE	2	0
Legaspi,	,,	29.82	757.5	90	72	S	2	0	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	75	96	NW	2	0
Iloilo,	,,	29.81	757.2	86	75	SW	4	0	,,	29.87	758.7	79	95	NE	1	0
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.81	757.2	...	...	W	1	0	4.20	29.82	757.5	...	...	SE	1	0
Yap,	12.47	29.82	757.5	...	...	ESE	2	0	4.47	29.85	758.1	...	...	SW	1	0
Labuan,	14	29.80	756.9	84	83	NW	2	0	6	29.83	757.7	78	91	NE	1	b

July 16*d.* 11*h.* 30*m.*—Pressure has decreased slightly at Guam and Wladivostock, and increased slightly to moderately elsewhere; it is highest over central Japan and a depression covers S. China.

There are indications of a typhoon or depression between Guam and Yap.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 2·81 inch. Total since January 1st, 55·46 inches, against an average of 44·89 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, strong.
2.—South coast of China between Hongkong and Lamocks.	S.W. winds, fresh; cloudy, squally, rain.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	16th July, 1925.								17th July, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	29.72	755.0	65	...	ESE	5	o	6	29.71	754.7	63	...	ESE	2	f
Gemuro,	11	30.00	762.0	...	...	SSW	5	...	5	30.02	762.5	...	...	S	3	...
Hokodate,	,,	...	...	...	...	...	...	...	,,	29.84	758.0	...	...	E	1	...
Tokio,	,,	30.06	763.5	...	...	S	2	...	,,	30.02	762.5	...	...	...	o	...
Kochi,	,,	30.04	763.0	...	...	...	...	...	,,	29.98	761.5	...	...	...	o	...
Nagasaki,	,,	29.90	759 5	...	...	SSW	2	...	,,	29.88	759.0	...	...	SE	2	...
Kagoshima,	,,	29.94	760.5	...	...	ESE	1	...	,,	29.92	760.0	...	...	...	...	...
Ishima,	,,	29.92	760.0	...	...	SSE	2	...	,,	29.88	759.0	...	...	S	1	...
Taiha,	,,	29.90	759.5	...	...	SSE	2	...	,,	29.86	758.5	...	...	SSE	1	...
Ishigakijima,	,,	29.82	757.5	...	...	SSW	5	...	,,	29.80	757.0	...	...	SSW	5	...
Tonin Island,	,,	29.90	759.5	...	...	NNE	1	.	,,	29.88	759.0	...	...	NNE	1	...
Chefoo,	15	29.61	752.1	75	92	E	2	of	6	29.59	751.6	70	100	E	2	of
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.54	750.3	82	89	ESE	6	r	,,	29.47	748.5	77	91	S	2	o
Sutzlaff,	,,	29.59	751.6	78	92	SSE	6	r	,,	29.51	749.5	78	86	SSW	6	o
Sharp Peak,	,,	29.58	751.3	78	91	SSE	2	r	7	29.66	753.3	78	94	SE	1	r
Amoy,	15	29.56	750.8	78	92	ENE	4	r	9	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.66	753.3	82	81	...	o	r	5	29.71	754.5	75	91	...	o	o
Taichu,	,,	29.75	755.7	81	...	S	2	r	,	29.75	755.7	75	...	...	o	o
Tainan,	,,	29.75	755.7	79	...	SSE	4	r	,,	29.75	755.7	79	...	SSE	4	o
Koshun,	,,	29.79	756.6	82	...	SSW	2	o	,,	29.79	756.6	79	...	...	o	o
Pescadores,	,,	29.71	754.5	77	...	S	4	r	,,	29.71	754.5	77	...	S	6	o
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.57	751.1	84	83	SW	4	cq	,,	29.65	753.1	76	91	SW	3	orltq
Gap Rock,	,,	29.56	750.8	...	...	SW	5	o	,,	29.65	753.1	...	...	WSW	5	or
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chulien,	,,	29.48	748.8	93	53	SSW	4	b	7	29.53	750.0	82	77	SSW	7	o
Tourane,	,,	29.65	753.0	84	...	...	o	o	,,	29.67	753.6	84	...	NW	2	o
Cape St. James,	,,	29.81	757.2	86	...	SSW	4	o	,,	29.84	757.8	75	...	SW	2	b
Basco,	14	...	...	...	...	...	...	...	6	29.78	756.3	79	89	SE	4	o
Aparri,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.82	757.5	90	60	WNW	2	o	,,	29.85	758.1	72	94	NNE	1	b
Legaspi,	,,	29.81	757.2	90	66	NNE	2	o	,,	29.82	757.5	75	98	...	o	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	77	94	...	o	o
Surigao,	,,	29.81	757.2	86	65	N	2	b	,,	29.81	757.2	75	92	SE	1	o
Guam,	12.20	29.79	756.6	...	...	SW	2	o	4.20	29.78	756.3	...	...	W	1	o
Yap,	12.47	29.81	757.2	...	...	S	2	o	4.47	29.81	757.2	...	...	...	o	o
Labuan,	14	29.73	755.1	88	84	N	4	b	6	29.78	756.4	78	94	S	2	b

July 17d. 11h. 2cm.—Pressure has increased slightly over Tongking, Hongkong and Formosa, and decreased slightly elsewhere; it is highest in the Pacific to the east of Japan, and depressions are situated over Tongking and the lower Yangtze Valley.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 10·24 inch. Total since January 1st. 65·70 inches, against an average of 45·30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	S.W. winds, moderate, squally; cloudy, rain, probably improving.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

46839

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	17th JULY, 1925.								18th JULY, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.70	754.4	67	...	ESE	2	f	6	29.72	754.9	66	...	...	0	0
Nemuro,	11	...	...	...	...	...	...	...	5	29.90	759.5	...	...	SSW	2	...
Hokodate,	..	29.82	757.5	...	...	S	3	...	"	29.88	759.0	...	...	...	0	...
Tokio,	"	29.98	761.5	...	...	SSE	1	...	"	30.02	762.5	...	...	...	0	...
Kochi,	"	29.96	761.0	...	...	SSE	1	...	"	29.96	761.0	...	...	...	0	...
Nagasaki,	"	29.86	758.5	...	...	S	4	...	"	29.84	758.0	...	...	S	3	...
Kagoshima,	"	29.92	760.0	...	...	SSE	1	...	"	29.90	759.5	...	...	S	1	...
Oshima,	"	29.88	759.0	...	...	SSE	2	...	"	29.59	751.5	...	...	...	0	...
Naha,	"	29.88	759.0	...	...	S	1	...	"	29.86	758.5	...	...	SE	1	...
Ishigakijima,	"	29.88	759.0	...	...	SSW	4	...	"	29.80	757.0	...	...	SSW	3	...
Bonin Island,	"	29.78	756.5	...	...	ENE	1	...	"	29.59	751.5	...	...	...	0	...
Chefoo,	15	29.58	751.3	72	92	NE	4	of	6	29.55	750.5	70	91	NW	4	0
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.53	750.0	82	81	SSW	6	o	"	29.66	753.3	93	...	W	1	0
Gutzlaff,	"	29.56	750.8	80	82	S	6	o	"	29.71	754.6	75	95	NW	2	0
Sharp Peak,	"	29.69	754.1	82	83	SSE	2	o	7	29.77	756.1	80	78	S	1	0
Amoy,	15	29.65	753.1	81	83	S	4	o	9	...	...	...	...	...	...	...
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.73	755.1	90	66	WNW	2	o	5	29.73	755.1	77	91	...	0	0
Taichu,	"	29.81	757.2	86	...	SSW	4	o	"	29.79	756.6	75	...	...	0	b
Tainan,	"	29.82	757.5	77	...	SE	4	o	"	29.78	756.3	77	...	SE	2	o
Koshun,	"	...	...	...	...	...	...	...	"	29.76	756.0	77	...	...	0	o
Pescadores,	"	29.79	756.6	75	...	SSE	4	o	"	29.75	755.7	77	...	SSE	4	o
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.64	752.8	82	86	SW	5	odltq	"	29.65	753.1	81	85	SW	3	opq
Gap Rock,	"	29.65	753.1	...	...	SSW	4	or	"	29.66	753.3	...	...	SSW	4	c
Macao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.54	750.3	86	65	SSW	6	o	7	29.59	751.5	77	98	NNW	1	r
Tourane,	"	29.71	754.5	90	...	...	0	o	"	29.72	754.8	82	...	SW	2	o
Cape St. James,	"	29.84	757.8	86	...	SW	2	bf	"	29.81	757.2	77	...	WNW	4	o
Basco,	14	...	...	...	...	...	...	...	6	29.78	756.3	81	96	...	0	o
Aparri,	"	29.79	756.6	90	69	NE	4	h	"	29.79	756.6	77	94	SSW	2	h
Manila,	"	29.81	757.2	86	61	SW	2	b	"	29.80	756.9	75	96	E	2	b
Legaspi,	"	29.79	756.6	90	69	ENE	4	b	"	29.79	756.6	75	98	...	0	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.78	756.3	86	71	SW	4	o	"	29.79	756.6	77	91	NW	1	b
Surigao,	..	29.78	756.3	84	71	N	4	b	"	29.79	756.6	79	91	W	1	o
Guam,	12.20	29.73	755.1	...	...	WSW	1	o	4.20	29.74	755.4	...	...	SW	1	o
Yap,	12.47	29.78	756.3	..	...	SSW	2	o	4.47	29.79	756.6	...	...	...	0	o
Labuan,	14	29.73	755.1	86	84	N	1	o	6	29.79	756.6	78	91	NE	2	b

July 18*d.* 11*h.* 35*m.*—Pressure has increased moderately at Shanghai and slightly over central Japan, S. China and Tongking. It has decreased considerably over the Bonin Islands and slightly at Chefoo, over S.W. Japan, the Loochoo Islands, Formosa and from the Philippines to Guam.

An anticyclone covers central Japan. Depressions are situated E. of Chefoo and over S.W. China, a distant typhoon appears in the Pacific in about Lat. 23° N. and Long. 143° E., direction unknown.

Shanghai warning. 17*d.* 21*h.* 30*m.*:—Typhoon of unknown. intensity within 60 miles of Lat. 35° N. Long. 121° E., moving N.N.E. Recd. 18*d.* 8*h.* 58*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·52 inch. Total since January 1st, 66·42 inches, against an average of 45·73 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S.W. to S. winds, fresh to moderate, squally; cloudy, showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	18th July, 1925.								19th July, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock, .	12	29.63	752.7	75	...	NE	2	o	6	29.81	757.2	64	...	ESE	1	f
emuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
okodate,	,,	29.90	759.5	...	...	SE	1	...	,,	29.84	758.0	...	...	SW	2	...
kio,	,,	30.02	762.5	...	...	SSE	1	...	,,	30.06	763.5	...	...	NNW	1	...
ochi,	,,	29.96	761.0	...	...	NW	1	...	,,	30.00	762.0	...	...	...	...	...
agasaki,	,,	29.86	758.5	...	...	S	3	...	,,	29.92	760.0	...	...	SE	1	...
agoshima,	,,	29.90	759.5	...	...	SSE	2	...	,,	29.96	761.0	...	...	...	...	...
hima,	,,	29.88	759.0	...	...	ESE	2	...	,,	29.92	760.0	...	...	...	...	...
aha,	,,	29.86	758.5	...	...	SSE	1	...	,,	29.90	759.5	...	...	ESE	1	...
higakijima,	,,	...	...	...	...	...	...	...	,,	29.88	759.0	...	...	ENE	1	...
oin Island,	,,	29.88	759.0	...	...	NE	1	...	,,	29.94	760.5	...	...	...	0	...
hefoo,	15	29.57	751.1	81	71	NNW	4	b	6	29.66	753.3	70	91	W	1	of
ankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hangsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hanghai,	14	29.71	754.5	82	67	N	1	o	,,	29.76	756.0	73	100	SE	1	o
utzlaff,	,,	29.72	754.9	77	92	E	1	o	,,	29.79	756.6	76	95	S	2	o
harp Peak,	,,	29.74	755.4	82	87	S	2	r	7	29.84	757.9	78	91	S	1	b
moy,	15	29.70	754.4	81	87	SSE	1	o	9	...	...	...	...	...	...	...
watow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
aihoku,	11	29.78	756.3	90	66	N	2	b	5	29.84	757.8	75	96	...	o	o
aichu,	,,	29.80	756.9	90	...	SSW	2	b	,,	29.86	758.4	79	...	...	o	o
ainan,	,,	29.81	757.2	86	...	S	2	o	,,	29.82	757.5	77	...	...	o	b
oshun,	,,	29.80	756.9	86	...	SW	2	o	,,	29.85	758.1	77	...	...	o	b
escadores,	,,	29.79	756.6	84	...	S	4	o	,,	29.82	757.5	77	...	SSE	2	o
anton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
ongkong,	,,	29.68	753.9	82	85	SW	3	oq	,,	29.77	756.1	77	93	...	o	o
ap Rock,	,,	29.67	753.6	...	...	S	4	c	,,	29.76	755.9	...	...	S	4	c
acao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
uchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
akhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hulien,	,,	29.55	750.6	86	71	S	4	o	7	29.61	752.1	79	84	SSW	2	o
ourane,	,,	29.67	753.6	90	...	...	o	b	,,	29.72	754.8	82	...	W	4	o
ape St. James,	,,	29.79	756.6	86	...	SW	2	b	,,	29.81	757.2	75	...	SW	2	b
asco,	14	29.76	756.0	86	71	SE	4	o	6	...	...	...	...	...	...	...
parri,	,,	29.75	755.7	90	66	NNE	4	o	,,	29.82	757.5	75	94	SW	2	o
anila,	,,	29.75	755.7	90	55	WNW	4	b	,,	29.84	757.8	75	94	E	1	o
egaspi,	,,	29.74	755.4	90	60	ENE	2	b	,,	29.80	756.9	75	98	...	o	o
acloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
urigao,	,,	29.74	755.4	81	76	W	2	o	,,	...	...	...	...	...	...	...
uam,	12.20	29.74	755.4	...	...	SW	2	o	4.20	...	...	...	...	...	...	...
ap,	12.47	29.76	756.0	...	...	WSW	2	o	4.47	29.82	757.5	...	...	SSW	2	o
abnan,	14	29.71	754.6	88	76	N	4	b	6	...	...	...	...	...	...	...

July 19*d.* 10*h.* 52*m.*—Pressure has increased slightly to moderately at all stations; it is highest in the Pacific to the east of Japan and shallow depressions are situated over Tongking and to the north of Korea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·16 inch. Total since January 1st, 67·38 inches, against an average of 46·16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, light.
2.—South coast of China between Hongkong and Lamocks,	S. winds, moderate; cloudy, occasional rain.
3.—Hongkong to Gap Rock,	S. winds, moderate; cloudy, occasional rain.
4.—South coast of China between Hongkong and Hainan,	S. winds, moderate; cloudy, occasional rain.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	19th JULY, 1925.								20th JULY, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	29.80	756.9	72	...	...	0	0	6	29.82	757.3	65	...	ESE	3	f
Nemuro,	11	29.80	757.0	...	...	SSW	4	...	5	29.96	761.0	...	...	...	0	...
Hokodate,	,,	29.88	759.0	...	...	SSW	2	...	,,	29.96	761.0	...	...	ENE	1	...
Tokio,	,,	30.06	763.5	...	...	S	1	...	,,	30.06	763.5	...	...	...	0	...
Kochi,	,,	30.02	762.5	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	30.00	762.0	...	...	S	1	...
Kagoshima,	,,	30.00	762.0	...	...	...	0	...	,,	30.02	762.5	...	...	...	0	...
Oshima,	,,	29.92	760.0	...	...	SE	1	...	,,	29.94	760.5	...	...	...	0	...
Naha,	,,	29.92	760.0	...	...	E	1	...	,,	29.94	760.5	...	...	...	...	...
Ishigakijima,	,,	29.92	760.0	...	...	S	1	...	,,	29.92	760.0	...	...	E	1	...
Bonin Island,	,,	29.96	761.0	...	...	ESE	1	...	,,	29.94	760.5	...	...	NE	1	...
Chefoo,	15	29.65	753.1	82	56	E	4	b	6	29.72	754.9	77	69	SW	2	...
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.76	756.0	90	66	S	1	o	,,	29.81	757.2	77	98	S	1	o
Gutzlaff,	,,	29.81	757.2	81	87	SSW	4	o	,,	29.85	758.2	77	95	SSW	4	o
Sharp Peak,	,,	29.83	757.7	86	76	SE	2	b	7	29.89	759.2	80	87	...	o	b
Amoy,	15	29.80	756.9	86	80	S	2	b	9	29.88	758.9	80	92	S	1	b
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.88	759.0	90	72	NW	2	o	5	29.89	759.3	75	96	...	o	o
Taichu,	,,	29.89	759.3	90	...	...	o	b	,,	29.92	759.9	75	...	...	o	b
Tainan,	,,	29.88	759.0	86	...	SSW	2	b	,,	29.89	759.3	75	...	...	o	b
Koshun,	,,	29.89	759.3	90	...	SSW	2	b	,,	29.94	760.5	75	...	...	o	bf
Pescadores,	,,	29.89	759.3	84	...	SSE	4	b	,,	29.91	759.6	77	...	S	2	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.80	756.9	84	80	S	3	o	,,	29.89	759.2	79	91	...	o	b
Gap Rock,	,,	29.81	757.2	...	...	S	4	o	,,	29.90	759.4	...	...	S	2	b
Macao,	,,	29.65	753.0	86	85	S	4	o	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.61	752.1	86	68	S	4	o	7	29.75	755.7	81	87	SSE	6	o
Tourane,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	81	...	SW	2	b
Cape St. James,	,,	29.80	756.9	86	...	SW	2	b	,,	29.84	757.8	75	...	NW	4	of
Basco,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.79	756.6	86	68	WSW	2	o	,,	29.87	758.7	75	94	ESE	1	o
Legaspi,	,,	29.78	756.3	86	71	NE	4	o	,,	29.86	758.4	75	98	SW	1	b
Tacloban,	,,	29.75	755.7	86	68	ESE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	86	71	SW	4	o	,,	29.87	758.7	79	84	SW	4	o
Surigao,	,,	29.79	756.6	86	61	N	2	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	W	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.80	756.9	...	...	W	2	o	4.47	29.87	758.7	...	...	W	1	o
Labuan,	14	29.81	757.2	78	91	N	2	o	6	29.88	758.9	76	94	SW	2	o

July 20d. 10h. 39m.—Pressure has increased slightly to moderately at all stations; it is highest over south Japan and the Pacific to the eastward, and relatively low over the continent generally, and is in excess of the normal throughout the area.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 67·38 inches, against an average of 46·60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel,	S. winds, light to moderate.
2.—South coast of China between Hongkong and Lamocks,	S. winds, light to moderate; fair.
3.—Hongkong to Gap Rock,	S. winds, light to moderate; fair.
4.—South coast of China between Hongkong and Hainan,	S. winds, light to moderate; fair.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	20th July, 1925.								21st July, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock.	12	29.79	756.7	67	...	ESE	2	f	6	29.80	756.8	65	...	ESE	1	o
Omuro,	11	...	...	...	...	SE	1	...	5	29.86	758.5	...	...	SSE	1	...
Hakodate,	"	29.96	761.0	...	...	N	1	...	"	29.88	759.0	...	...	...	...	...
Tokio,	"	30.04	763.0	...	...	S	1	...	"	29.98	761.5	...	...	S	1	...
Kochi,	"	30.02	762.5	...	...	SE	1	...	"	29.94	760.5	...	...	...	0	...
Nagasaki,	"	...	...	...	...	SSE	1	...	"	29.90	759.5	...	...	SSE	1	...
Kagoshima,	"	30.00	762.0	...	...	SSE	1	...	"	29.88	759.0	...	...	...	...	...
Fushima,	"	29.94	760.5	...	...	E	1	...	"	29.86	758.5	...	...	...	0	...
Taiwan,	"	29.94	760.5	...	...	ENE	1	...	"	29.84	758.0	...	...	...	...	...
Ishigakijima,	"	29.94	760.5	...	...	S	3	...	"	29.86	758.5	...	...	...	0	...
Pratas Island,	"	29.90	759.5	...	...	NNE	1	...	"	29.73	755.0	...	...	NNE	1	...
Hankow.	15	29.70	754.4	96	56	SSE	2	b	6	29.75	755.6	74	92	W	2	r
Wuhu,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai.	14	29.81	757.2	90	63	WSW	1	b	"	29.76	756.0	77	98	SW	1	b
Ichuzlaff.	"	29.85	758.2	78	92	S	2	o	"	29.80	756.9	78	92	SW	1	o
Sharp Peak,	"	29.89	759.2	86	80	S	2	b	7	29.86	758.4	81	95	...	o	b
Amoy,	15	29.84	757.9	90	73	SSE	4	b	9	...	...	...	...	...	...	...
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.92	759.9	90	66	WSW	2	o	5	29.84	757.8	75	94	...	o	o
Taichu,	"	29.93	760.2	90	...	...	o	b	"	29.91	759.6	77	...	...	o	o
Tainan,	"	29.94	760.5	86	...	WSW	2	b	"	29.86	758.4	75	...	...	o	b
Koshun,	"	29.93	760.2	86	...	...	o	o	"	29.85	758.1	77	...	NW	2	b
Pescadores,	"	29.97	761.1	84	...	SW	2	b	"	29.88	759.0	77	...	SSW	2	o
Canton,	14	29.89	759.2	92	67	S	2	b	6	...	...	...	...	...	...	...
Hongkong,	"	29.91	759.7	87	71	W	2	c	"	29.89	759.2	78	94	W	1	b
Gap Rock,	"	29.91	759.7	...	...	S	2	o	"	29.89	759.2	...	...	SW	2	b
Macao,	"	29.88	759.0	90	72	S	4	o	"	29.87	758.7	79	91	...	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Takhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hualien,	"	29.79	756.6	86	71	SSE	7	o	7	29.84	757.8	79	92	S	6	bf
Tourane,	"	...	...	...	...	...	...	...	"	29.88	759.0	79	...	...	o	o
Cape St. James.	"	29.87	758.7	81	...	SW	2	o	"	29.93	760.2	73	...	...	o	of
Basco,	14	...	...	...	...	...	...	...	6	29.86	758.4	82	87	...	o	o
Aparri,	"	...	...	...	...	...	...	...	"	29.86	758.4	77	94	...	o	r
Manila,	"	29.89	759.2	79	91	...	o	r	"	29.88	759.0	73	96	N	1	b
Legaspi,	"	29.86	758.4	86	68	WSW	4	o	"	29.86	758.4	75	96	...	o	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.86	758.4	86	68	SW	6	o	"	29.87	758.7	75	96	...	o	o
Durigao,	"	29.87	758.7	86	61	W	2	o	"	29.86	758.4	79	80	...	o	o
Guam,	12.20	29.76	756.0	...	...	SW	2	o	4.20	29.72	757.5	...	...	SW	4	r
Yap,	12.47	29.85	758.1	...	...	W	4	b	4.47	29.85	758.1	...	...	W	2	o
Ponape,	14	29.80	756.9	88	84	N	4	b	6	29.81	757.2	78	91	N	2	b

July 21*d.* 12*h.* 17*m.*—Pressure has increased slightly over Shantung and Indo-China, and decreased slightly to moderately elsewhere; it is highest over Japan and the China Sea, and relatively low over China and between the Bonins and Guam.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 67·38 inches, against an average of 47·05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22nd.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks.	S.W. winds, moderate; fair.
3.—Hongkong to Gap Rock,	S.W. winds, moderate; fair.
4.—South coast of China between Hongkong and Hainan,	S.W. winds, moderate; fair.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	21st July, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	22nd July, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	29.75	755.7	73	...	ESE	1	o	6	29.78	756.5	66	...	ESE	1	o
Nemuro,	11	..	...	...	...	...	...	...	5	29.88	759.0	...	...	SSW	1	...
Hokodate,	..	29.86	758.5	...	...	W	1	...	,,	29.84	758.0	...	...	...	...	...
Tokio,	,,	29.94	760.5	...	...	SSE	1	...	,,	29.94	760.5	...	...	E	1	...
Kochi,	,,	29.90	759.5	...	...	...	0	...	,,	29.82	757.5	...	...	...	...	...
Nagasaki,	,,	29.82	757.5	...	...	SE	2	...	,,	29.71	754.5	...	..	S	4	...
Kagoshima,	,,	29.84	758.0	...	...	...	...	...	,,	29.75	755.5	...	...	NE	1	...
Oshima,	,,	29.82	757.5	...	...	NNE	1	...	,,	29.71	754.5	...	...	...	0	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.73	755.0	...	...	...	...	...
Ishigakijima,	,,	29.84	758.0	...	...	SW	1	...	,,	29.75	755.5	...	...	WSW	1	...
Bonin Island,	..	29.67	753.5	...	...	NNE	2	...	,,	29.37	746.0	...	...	N	1	...
Chefoo,	15	29.67	753.6	77	86	W	2	r	6	29.65	753.1	74	92	SSE	1	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.74	755.4	75	89	NW	1	r	,,	29.68	753.9	72	100	SSE	1	o
Gutzlaff,	,,	29.76	755.9	77	92	SW	1	o	,,	29.71	754.6	75	100	SW	1	b
Sharp Peak,	..	29.84	757.9	90	73	SE	2	o	7	29.83	757.7	82	83	S	1	b
Amoy,	15	29.73	755.1	90	73	SSE	4	b	9	29.68	753.9	82	92	ESE	1	b
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.84	757.8	90	60	WNW	2	b	5	29.73	755.1	77	92	...	o	b
Taichu,	,,	29.88	759.0	90	...	SW	2	b	,,	29.85	758.1	75	...	...	o	b
Tainan,	,,	29.87	758.7	86	...	W	2	b	,,	29.78	756.3	79	...	W	2	o
Koshun,	,,	29.85	758.1	86	...	NNW	4	b	,,	29.73	755.1	79	..	NNW	4	b
Pescadores,	,,	29.86	758.4	84	...	S	4	b	,,	29.76	756.0	77	...	S	2	o
Canton,	14	29.89	759.2	86	76	S	2	b	6	...	...	...	...	...	...	...
Hongkong,	,,	29.85	758.2	86	68	WSW	3	b	,,	29.76	755.9	79	89	W	1	o
Gap Rock,	,,	29.86	758.4	...	...	SW	2	b	,,	29.77	756.1	...	...	WSW	4	o
Macao,	,,	29.82	757.5	92	69	SW	2	b	,,	29.73	755.1	79	87	WSW	3	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.79	756.6	90	66	SSE	4	b	7	29.71	754.5	79	95	SSW	4	b
Tourane,	,,	29.85	758.1	86	...	ESE	2	b	,,	29.80	756.9	81	...	...	o	b
Cape St. James,	,,	29.92	759.9	84	...	SSE	2	b	..	29.87	758.7	75	...	NW	2	b
Basco,	14	29.79	756.6	90	69	WSW	4	o	6	..	...	...	...	...	...	...
Aparri,	,,	29.81	757.2	90	69	N	4	b	,,	29.78	756.3	75	94	SW	2	b
Manila,	,,	29.85	758.1	86	71	SW	2	o	,,	29.81	757.2	75	91	...	o	o
Legaspi,	,,	29.81	757.2	90	63	WSW	4	o	,,	29.78	756.3	77	88	SW	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.82	757.5	86	68	SW	6	o	,,	...	...	...	...	...	...	...
Surigao,	..	29.82	757.5	90	63	W	2	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.69	754.2	...	...	SW	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.80	756.9	...	...	W	4	o	4.47	29.81	757.2	...	...	W	4	r
Labuan,	14	29.76	755.9	86	84	N	4	b	6	29.86	758.4	76	94	E	2	b

July 22*d*. 11*h*. 30*m*.—Pressure has decreased considerably at the Bonins and slightly to moderately elsewhere; it is highest over central Japan and the southern China Sea, and relatively low over China generally.

A depression or typhoon is situated to the south-east of the Bonins, probably moving northwards.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 67·38 inches, against an average of 47·50 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S.W. winds, moderate; fair.
3.—Hongkong to Gap Rock,	S.W. winds, moderate; fair.
4.—South coast of China between Hongkong and Hainan,	S.W. winds, moderate; fair.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	22nd July, 1925.								23rd July, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	29.79	756.6	73	...	ESE	2	c	6	29.88	759.0	...	...	...	0	b
Kemuro,	11	...	...	...	...	...	...	...	5	29.90	759.5	...	...	S	2	...
Hakodate,	"	29.82	757.5	...	...	SE	2	...	"	29.86	758.5	...	...	NNW	1	...
Tokio,	"	29.88	759.0	...	...	NE	1	...	"	29.82	757.5	...	...	NE	2	...
Kochi,	"	29.78	756.5	...	...	SW	1	...	"	29.65	753.0	...	...	SW	1	...
Nagasaki,	"	29.69	754.0	...	...	SSW	2	...	"	29.69	754.0	...	...	...	0	...
Kagoshima,	"	29.72	755.0	...	...	NE	1	...	"	29.69	754.0	...	...	...	0	...
Ishima,	"	29.69	754.0	...	...	W	1	...	"	29.63	752.5	...	...	...	0	...
Taiwan,	"	29.70	754.5	...	...	SSW	2	...	"	29.65	753.0	...	...	NNW	1	...
Ishigakijima,	"	29.72	755.0	...	...	WSW	1	...	"	29.67	753.5	...	...	SW	1	...
Bonin Island,	"	29.35	745.5	...	...	WNW	1	...	"	29.57	751.0	...	...	...	...	...
Chefoo,	15	29.62	752.3	86	68	SSE	2	b	6	29.62	752.3	77	69	E	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.63	752.7	90	72	ESE	1	b	"	29.61	752.1	77	98	ESE	1	b
Gutzlaff,	"	29.68	753.9	81	83	SE	2	b	"	29.64	752.8	75	100	SE	4	o
Sharp Peak,	"	29.74	755.4	90	70	SSE	2	b	7	29.70	754.4	81	87	S	1	b
Amoy,	15	29.64	752.8	90	66	SSE	4	b	9	29.63	752.6	82	87	SSE	2	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.71	754.5	90	60	SW	2	b	5	29.66	753.3	79	84	WNW	2	b
Taichu,	"	29.80	756.9	90	...	SSW	2	b	"	29.75	755.7	77	...	...	0	o
Tainan,	"	29.78	756.3	86	...	WSW	2	b	"	29.73	755.1	75	...	...	0	b
Koshun,	"	29.74	755.4	86	...	NW	4	b	"	29.67	753.6	79	...	NW	4	b
Pescadores,	"	29.76	756.0	84	...	S	4	b	"	29.71	754.5	84	...	S	2	b
Canton,	14	29.69	754.1	91	67	S	1	b	6	...	...	...	...	...	...	...
Hongkong,	"	29.73	755.1	86	63	SW	3	b	"	29.71	754.5	79	91	W	2	o
Gap Rock,	"	29.76	755.9	...	...	WSW	4	c	"	29.71	754.5	...	...	SW	4	c
Macao,	"	29.71	754.5	86	78	SSW	4	o	"	29.68	753.9	79	89	WSW	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.63	752.7	90	46	SW	4	b	7	29.62	752.4	79	69	SSW	6	b
Tourane,	"	29.75	755.7	86	...	ESE	2	b	"	29.73	755.1	81	...	SW	2	b
Cape St. James,	"	29.86	758.4	86	...	SW	2	b	"	29.85	758.1	77	...	SW	2	b
Basco,	14	29.69	754.2	86	68	WNW	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.73	755.1	90	63	N	4	b	"	29.72	754.8	75	91	...	0	b
Manila,	"	29.78	756.3	86	68	W	2	o	"	29.78	756.3	73	94	NW	1	b
Legaspi,	"	29.74	755.4	86	71	WSW	4	o	"	29.74	755.4	77	91	SW	2	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.75	755.7	86	78	SW	6	o	"	...	...	...	...	...	...	...
Surigao,	"	29.76	756.0	86	61	WSW	4	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.67	753.6	...	...	NE	6	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.78	756.3	...	...	WSW	4	o	4.47	29.80	756.9	...	...	WSW	2	o
Labuan,	14	29.82	757.4	86	92	N	2	b	6	29.81	757.2	78	86	S	1	b

July 23*d*. 11*h*. 05*m*.—Pressure has increased considerably at the Bonins, moderately over S. Manchuria and slightly over N. Japan; it has decreased slightly elsewhere, being highest to the north of Japan, and relatively low over China generally and in the vicinity of the Bonins.

The typhoon or depression has passed beyond the area of the weather map.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 67·38 inches, against an average of 47·95 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S.W. winds, moderate; fair.
3.—Hongkong to Gap Rock,	S.W. winds, moderate; fair.
4.—South coast of China between Hongkong and Hainan,	S.W. winds, moderate; fair.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	23rd JULY, 1925.								24th JULY, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.85	758.2	76	...	NNE	2	o	6	29.96	760.9	70	...	NNE	4	c
Nemuro,	11	29.90	759.5	...	...	SSW	4	...	5	29.90	759.5	...	...	SW	2	...
Hokodate,	"	29.82	757.5	...	...	SE	1	...	"	29.88	759.0	...	...	...	o	...
Tokio,	"	29.78	756.5	...	...	ESE	3	...	"	29.92	760.0	...	...	ESE	1	...
Kochi,	"	29.57	751.0	...	...	NNE	1	...	"	29.67	753.5	...	...	...	o	...
Nagasaki,	"	29.67	753.5	...	...	N	1	...	"	29.49	749.0	...	...	NE	2	...
Kagoshima,	"	29.61	752.0	...	...	...	...	...	"	29.35	745.5	...	...	N	2	...
Oshima,	"	29.98	761.5	...	...	N	1	...	"	29.47	748.5	...	...	N	1	...
Naha,	"	29.63	752.5	...	...	WNW	1	...	"	29.57	751.0	...	...	W	1	...
Ishigakijima,	"	29.67	753.5	...	...	SW	1	...	"	29.61	752.0	...	...	...	...	...
Bonin Island,	"	29.59	751.5	...	...	SSE	1	...	"	29.67	753.5	...	...	ENE	1	...
Chefoo,	15	29.56	750.8	75	86	ENE	1	o	6	29.63	752.6	73	92	ESE	2	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.56	750.9	93	67	SSE	1	o	"	29.60	751.8	77	98	SE	1	o
Gutzlaff,	"	29.61	752.1	80	92	SE	4	b	"	29.63	752.6	75	100	SE	2	of
Sharp Peak,	"	29.69	754.1	90	81	SSE	2	b	7	29.65	753.1	82	91	...	o	b
Amoy,	15	29.59	751.6	90	66	SSE	4	b	9	29.62	752.3	82	83	SSE	2	b
Swatow,	"	..	...	...	...	..	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.65	753.0	90	60	WNW	2	b	5	29.63	752.7	75	89	...	o	b
Taichu,	"	29.74	755.4	90	...	SSW	2	b	"	29.71	754.5	77	...	...	o	o
Tainan,	"	29.74	755.4	86	...	WSW	2	b	"	29.69	754.2	77	...	...	o	b
Koshun,	"	29.71	754.5	84	...	NNW	4	b	"	29.66	753.3	79	...	NW	4	o
Pescadores,	"	29.72	754.8	86	...	S	4	b	"	29.67	753.6	77	...	S	2	o
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.68	753.9	86	71	SW	2	c	"	29.66	753.3	80	90	WSW	2	o
Gap Rock,	"	29.70	754.4	...	...	SW	3	b	"	29.66	753.3	...	...	SW	3	b
Macao,	"	29.66	753.3	90	72	SSW	4	o	"	29.63	752.7	79	90	WSW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.58	751.2	93	46	WSW	2	b	7	29.59	751.5	81	76	SSW	6	o
Tourane,	"	29.68	753.9	90	...	ESE	2	b	"	29.69	754.2	81	...	...	o	b
Cape St. James,	"	29.80	756.9	86	...	SW	2	b	"	29.82	757.5	77	...	SSW	6	of
Basco,	14	29.65	753.0	90	72	W	1	o	6	..	...	...	...	...	...	...
Aparri,	"	29.68	753.9	90	63	N	4	o	"	29.69	754.2	75	89	SW	4	b
Manila,	"	29.74	755.4	86	71	SW	2	o	"	29.75	755.7	75	96	E	1	o
Legaspi,	"	29.71	754.5	90	60	WSW	4	b	"	29.69	754.2	77	94	SW	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.73	755.1	86	75	SW	6	o	"	...	...	...	...	...	...	...
Surigao,	"	29.74	755.4	86	61	SW	4	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.69	754.2	...	...	SW	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.75	755.7	...	...	WSW	4	o	4.47	29.76	756.0	...	...	SW	4	o
Labuan,	14	29.75	755.6	88	80	S	2	b	6	...	...	...	...	...	...	...

July 24*d.* 10*h.* 41*m.*—Pressure has increased slightly to moderately from N. China across Korea to the Sea of Japan, and also over the Bonins; it has decreased considerably over S. Japan and the Loochoos, and slightly elsewhere.

An irregular shallow depression covers China, and a depression or typhoon is situated between the Loochoos and S. Japan, direction of motion unknown.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 67·38 inches, against an average of 48·40 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S.W. winds, moderate; fair.
3.—Hongkong to Gap Rock,	S.W. winds, moderate; fair.
4.—South coast of China between Hongkong and Hainan,	S.W. winds, moderate; fair.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	24th July, 1925.								25th July, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	30.00	762.0	78	...	NNE	2	0	6	30.13	765.3	66	...	...	0	0
Gemuro,	11	29.94	760.5	...	...	...	0	...	5	30.08	764.0	...	...	N	1	...
Hakodate,	"	29.86	758.5	...	...	SE	2	...	"	29.98	761.5	...	...	ESE	2	...
Tokio,	"	29.98	761.5	...	...	S	1	...	"	29.98	761.5	...	...	...	0	...
Kochi,	"	29.76	756.0	...	...	ESE	1	...	"	29.90	759.5	...	...	...	0	...
Nagasaki,	"	29.47	748.5	...	...	ENE	6	...	"	29.71	754.5	...	...	SE	3	...
Kagoshima,	"	29.27	743.5	...	...	NE	6	...	"	29.73	755.0	...	...	E	2	...
Ishima,	"	29.49	749.0	...	...	WSW	1	...	"	29.63	752.5	...	...	...	0	...
Taiwan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	0	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	29.65	753.0	...	...	...	...	...
Bonin Island,	"	29.67	753.5	...	...	NE	1	...	"	29.67	753.5	...	...	E	1	...
Chefoo,	15	29.66	753.3	80	74	E	4	b	6	29.76	755.9	73	92	E	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.65	753.0	82	77	NE	1	0	"	29.69	754.2	73	100	E	1	b
Sutzlaff,	"	29.71	754.6	78	86	NNW	4	r	"	29.69	754.1	75	95	N	1	b
Sharp Peak,	"	29.64	752.8	90	73	SSE	2	b	7	29.69	754.1	82	91	...	0	0
Amoy,	15	29.58	751.3	92	64	SSE	4	b	9	29.63	752.6	82	83	SSW	1	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.62	752.4	90	60	W	2	b	5	29.67	753.6	75	83	...	0	b
Taichu,	"	29.71	754.5	90	...	SSW	2	b	"	29.69	754.2	75	...	...	0	b
Tainan,	"	29.71	754.5	86	...	W	2	b	"	29.58	751.2	77	...	...	0	b
Koshun,	"	29.67	753.6	86	...	NW	2	b	"	29.66	753.3	79	...	NNW	2	0
Pescadores,	"	29.71	754.5	86	...	S	4	b	"	29.69	754.2	77	...	S	2	b
Canton,	14	29.63	752.6	84	87	S	2	b	6	...	...	...	...	...	...	...
Hongkong,	"	29.65	753.1	87	65	SW	2	0	"	29.67	753.6	79	93	...	0	c
Gap Rock,	"	29.68	753.9	...	...	SW	3	c	"	29.66	753.3	...	...	SW	3	c
Macao,	"	29.63	752.7	90	72	SW	4	0	"	29.63	752.7	79	91	...	2	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.55	750.6	93	46	WSW	1	b	7	29.58	751.2	81	84	SSW	4	0
Tourane,	"	29.67	753.6	86	...	E	2	b	"	29.67	753.6	81	...	SSW	2	0
Cape St. James,	"	29.79	756.6	86	...	SW	2	b	"	29.80	756.9	75	...	SW	4	b
Basco,	14	29.63	752.7	...	...	SW	6	0	6	...	...	...	...	...	...	...
Aparri,	"	29.67	753.6	90	57	NNE	4	b	"	29.69	754.2	77	89	SW	2	0
Manila,	"	29.74	755.4	84	68	WSW	6	0	"	29.74	755.4	77	91	SW	4	0
Legaspi,	"	29.72	754.8	90	69	SW	4	0	"	29.72	754.8	77	94	SW	2	0
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.75	755.7	86	71	SW	6	0	"	...	...	...	...	...	...	...
Surigao,	"	29.76	756.0	86	65	WSW	4	0	"	...	...	...	...	...	...	...
Guam,	12.20	29.69	754.2	...	...	SW	4	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.78	756.3	...	...	WSW	4	0	4.47	29.76	756.0	...	...	WSW	4	0
Labuan,	14	29.71	754.6	88	84	N	2	b	6	29.80	756.9	78	91	S	2	b

July 25*d.* 10*h.* 53*m.*—Pressure has increased moderately to considerably to the north of Lat. 25° N. and decreased slightly elsewhere; it is highest to the north of Japan, and relatively low in a trough extending from Tongking to the Bonins.

A depression is situated over Tongking, and the typhoon appears to be filling up in the Eastern Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 67·38 inches, against an average of 48·85 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S.W. winds, moderate; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	25th July, 1925.								26th July, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.13	765.3	71	...	ESE	1	c	6	30.07	763.8	64	...	ESE	1	c
Nemuro,	11	...	...	...	...	...	...	...	5	30.08	764.0	...	...	N	1	...
Hokodate,	"	30.00	762.0	...	...	ESE	4	...	"	30.00	762.0	...	...	E	1	...
Tokio,	"	29.96	761.0	...	...	S	1	...	"	29.98	761.5	...	...	E	1	...
Kochi,	"	29.94	760.5	...	...	SE	1	...	"	29.98	761.5	...	...	...	0	...
Nagasaki,	"	29.78	756.5	...	...	SE	2	...	"	29.92	760.0	...	...	SE	1	...
Kagoshima,	"	29.80	757.0	...	...	SE	2	...	"	29.92	760.0	...	...	NE	1	...
Oshima,	"	29.69	754.0	...	...	SSE	1	...	"	29.78	756.5	...	...	...	0	...
Naha,	"	29.69	754.0	...	...	NW	2	...	"	29.76	756.0	...	...	ENE	1	...
Ishigakijima,	"	29.70	754.5	...	...	S	1	...	"	29.76	756.0	...	...	ENE	1	...
Bonin Island,	"	29.70	754.5	...	...	E	1	...	"	29.76	756.0	...	...	E	1	...
Chefoo,	15	29.79	756.6	82	71	SE	1	b	6	29.81	757.2	75	86	SE	2	c
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.66	753.3	90	63	NNW	2	b	"	29.74	755.4	77	98	E	1	b
Gutzlaff,	"	29.68	753.9	83	79	NNW	1	b	"	29.78	756.4	76	95	SE	2	b
Sharp Peak,	"	29.69	754.1	88	73	SE	2	b	7	29.77	756.1	82	87	...	0	o
Amoy,	15	29.62	752.3	90	66	SSE	4	b	9	29.66	753.3	83	83	SSW	1	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.68	753.9	52	28	SW	2	b	5	29.75	755.7	79	87	SE	1	o
Taichu,	"	29.73	755.1	90	...	...	0	b	"	29.79	756.6	77	...	...	0	o
Tainan,	"	29.74	755.4	86	...	NE	2	b	"	29.76	756.0	75	...	...	0	b
Koshun,	"	29.72	754.8	86	...	NW	4	b	"	29.75	755.7	73	...	...	0	b
Pescadores,	"	29.73	755.1	84	...	WSW	2	b	"	29.76	756.0	77	...	SSW	1	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.66	753.3	90	65	SW	3	c	"	29.74	755.4	80	90	...	0	o
Gap Rock,	"	29.68	753.9	...	...	SE	3	c	"	29.73	755.1	...	...	SSW	3	c
Macao,	"	29.63	752.7	90	72	SE	4	o	"	29.66	753.3	79	90	SW	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.54	750.3	90	55	SW	4	o	7	29.68	753.9	75	96	NNE	1	of
Tourane,	"	29.66	753.3	90	...	E	2	b	"	29.72	754.8	82	...	W	2	o
Cape St. James,	"	29.76	756.0	86	...	SW	4	o	"	29.82	757.5	75	...	WNW	2	b
Basco,	14	29.67	753.6	86	75	WSW	4	b	6	...	...	...	...	...	...	...
Aparri,	"	29.71	754.5	90	63	NNE	4	b	"	29.76	756.0	77	92	SW	2	b
Manila,	"	29.74	755.4	84	74	WSW	4	o	"	29.78	756.3	75	94	E	1	o
Legaspi,	"	29.72	754.8	86	71	SW	4	o	"	29.76	756.0	75	96	SW	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	86	68	SW	4	o	"	...	...	...	...	...	...	...
Surigao,	"	29.76	756.0	82	67	W	1	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.68	753.9	...	...	SW	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.76	756.0	72	75	N	4	o	4.47	29.80	756.9	...	...	WSW	1	o
Labuan,	14	29.75	755.6	88	88	N	4	b	6	29.81	757.2	78	91	NE	2	b

July 26*d*. 11*h*. 09*m*.—Pressure has decreased slightly over S. Manchuria and increased slightly to moderately elsewhere; it is highest to the north of Japan and relatively low in a broad trough extending from the continent south eastwards to Bonin Islands and Guam.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·05 inch. Total since January 1st, 67·43 inches, against an average of 49·30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S. or variable winds, moderate; fair to showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	26th JULY, 1925.								27th JULY, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	30.02	762.5	67	...	SE	2	o	6	29.99	761.8	68	...	...	o	f
Gemuro,	11	30.06	763.5	...	...	N	1	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.88	759.0	...	...	ESE	3	...	"	29.98	761.5	...	...	ENE	1	...
Tokio,	"	29.96	761.0	...	...	ENE	1	...	"	30.00	762.0	...	...	NE	1	...
Kochi,	"	29.94	760.5	...	...	SE	1	...	"	29.92	760.0	...	...	...	o	...
Nagasaki,	"	29.88	759.0	...	...	WSW	1	...	"	29.90	759.5	...	...	...	o	...
Kagoshima,	"	29.92	760.0	...	...	E	1	...	"	29.92	760.0	...	...	...	o	...
Ishima,	"	29.82	757.5	...	...	SSE	1	...	"	29.84	758.0	...	...	...	o	...
Naha,	"	29.78	756.5	...	...	N	2	...	"	29.76	756.0	...	...	NE	1	...
Ishigakijima,	"	29.80	757.0	...	...	SW	1	...	"	29.76	756.0	...	...	NNE	1	...
Bonin Island,	"	29.74	755.5	...	...	ENE	1	...	"	29.78	756.5	...	...	ENE	1	...
Chefoo,	15	29.82	757.4	80	78	SE	4	o	6	29.85	758.2	76	92	SE	2	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.78	756.3	93	71	ESE	2	b	"	29.82	757.5	77	96	SE	1	o
Ratzlaff,	"	29.80	756.9	81	92	SE	4	b	"	29.87	758.7	76	100	SE	2	b
Sharp Peak,	"	29.80	756.9	88	73	SE	1	b	7	29.76	755.9	81	91	...	o	o
Amoy,	15	29.68	753.9	90	63	SSE	2	b	9	29.72	754.9	82	87	SSE	1	o
Swatow,	"	...	..	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.79	756.6	90	60	WSW	2	b	5	29.79	756.6	77	85	...	o	o
Taichu,	"	29.80	756.9	90	...	...	o	b	"	29.81	757.2	75	...	...	o	o
Tainan,	"	29.80	756.9	90	...	W	2	b	"	29.79	756.6	75	...	...	o	b
Koshun,	"	...	...	...	...	...	...	...	"	29.76	756.0	75	...	...	o	b
Pescadores,	"	29.81	757.2	86	...	SSW	2	b	"	29.80	756.9	77	...	S	1	b
Canton,	14	29.75	755.6	85	79	S	1	c	6	...	...	...	...	...	...	...
Hongkong,	"	29.76	755.9	83	83	SE	2	c	"	29.78	756.4	79	91	...	o	o
Gap Rock,	"	29.77	756.1	...	...	SSW	3	b	"	29.79	756.6	...	...	WSW	3	c
Macao,	"	29.73	755.1	93	71	SSE	2	o	"	29.75	755.7	81	86	WSW	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.68	753.9	86	71	SE	1	o	7	29.75	755.7	79	96	ENE	2	of
Tourane,	"	29.73	755.1	86	...	ENE	2	b	"	29.80	756.9	77	...	SW	2	o
Cape St. James,	"	29.81	757.2	86	...	...	o	o	"	29.85	758.1	73	...	NE	2	b
Basco,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	"	29.74	755.4	90	60	NNW	4	b	"	29.76	756.0	75	96	SW	2	o
Manila,	"	29.75	755.7	86	75	SW	4	o	"	29.80	756.9	75	94	NE	1	o
Legaspi,	"	29.75	755.7	77	96	WSW	2	o	"	29.75	755.7	73	94	SW	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.76	756.0	84	77	SW	4	o	"	29.79	756.6	79	91	SW	4	o
Surigao,	"	29.78	756.3	90	55	SW	4	b	"	29.80	756.9	81	69	SW	4	o
Guam,	12.20	29.71	754.5	...	...	SW	4	r	4.20	29.80	756.9	...	...	SSW	2	r
Yap,	12.47	29.76	756.0	...	...	WSW	4	o	4.47	29.81	757.2	...	...	...	o	o
Labuan,	14	29.71	754.6	86	84	N	4	b	6	29.81	757.2	78	94	S	2	b

July 27*d.* 10*h.* 49*m.*—Pressure has decreased slightly over S. Manchuria and the Visayas, and increased slightly elsewhere; it remains highest over Japan and is relatively low over China generally, and the oceanic area eastward of Formosa and the Philippines.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·08 inch. Total since January 1st, 67·51 inches, against an average of 49·75 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S.W. or variable winds, moderate; fair generally, some showers.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	27th JULY, 1925.								28th JULY, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	29.90	759.4	81	...	ESE	1	c	6	29.91	759.7	67	...	ESE	2	f
Nemuro,	11	30.04	763.0	...	...	SSE	1	...	5	29.98	761.5	...	..	S	1	...
Hokodate,	,,	29.96	761.0	...	...	SE	2	...	,,	29.94	760.5	...	...	N	1	...
Tokio,	,,	29.98	761.5	...	...	ENE	1	..	,,	30.00	762.0	...	..	...	0	...
Kochi,	,,	29.90	759.5	...	...	...	0	...	,,	29.96	761.0	...	...	...	...	...
Nagasaki,	,,	29.90	759.5	...	...	WSW	1	...	,,	29.92	760.0	...	...	...	...	...
Kagoshima,	,,	29.90	759.5	...	...	S	1	...	,,	29.92	760.0	...	...	...	...	...
Oshima,	,,	29.84	758.0	...	...	NE	1	...	,,	29.84	758.0	...	...	...	0	...
Naha,	,,	29.80	757.0	...	...	ENE	3	...	,,	29.80	757.0	...	...	NNE	1	...
Ishigakijima,	,,	29.78	756.5	...	...	NE	2	...	,,	29.75	755.5	...	...	ENE	1	...
Bonin Island,	,,	29.78	756.5	...	...	ENE	1	...	,,	29.82	757.5	...	...	ENE	1	...
Chefoo,	15	29.82	757.4	82	75	SSE	4	o	6	29.82	757.4	75	86	S	1	b
Hankow,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.80	756.9	90	66	ESE	4	b	,,	29.84	757.8	75	94	SE	1	b
Gutzlaff,	,,	29.86	758.4	81	87	SE	4	b	,,	29.88	759.0	76	92	SE	2	b
Sharp Peak,	,,	29.84	757.9	92	70	E	1	o	7	29.84	757.9	80	82	NW	1	b
Amoy,	15	29.70	754.4	88	76	SSE	4	b	9	29.75	755.6	81	83	ENE	2	b
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.81	757.2	90	66	...	0	b	5	29.75	755.7	77	91	E	2	o
Taichu,	,,	29.81	757.2	86	...	...	0	b	,,	29.81	757.2	73	...	...	0	o
Tainan,	,,	29.80	756.9	90	...	NW	4	b	,,	29.76	756.0	75	...	...	0	b
Koshun,	,,	...	...	...	...	...	...	...	,,	29.75	755.7	75	...	...	0	o
Pescadores,	,,	29.82	757.5	84	...	W	2	b	,,	29.76	756.0	77	...	WNW	2	o
Canton,	14	29.81	757.2	90	70	NNW	1	c	6	...	...	...	...	...	..	...
Hongkong,	,,	29.75	755.6	88	65	W	2	c	,,	29.76	755.9	80	88	...	0	o
Gap Rock,	,,	29.77	756.1	...	...	W	3	b	,,	29.76	755.9	...	...	SSW	3	c
Macao,	,,	29.75	755.7	90	69	SSW	2	o	,,	29.74	755.4	81	87	WNW	4	o
Wuchow,	15	...		...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.72	754.8	90	66	SSE	4	b	7	29.74	755.4	79	92	ENE	1	b
Tourane,	,,	29.74	755.4	86	...	ESE	2	b	,,	29.78	756.3	79	...	SW	2	b
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.71	754.5	86	71	NNW	4	o	6	29.71	754.5	81	89	N	4	o
Aparri,	,,	29.73	755.1	90	66	NNW	4	o	,,	29.73	755.1	75	92	SW	2	b
Manila,	,,	29.73	755.1	86	78	WSW	4	o	,,	29.76	756.0	77	89	E	1	o
Legaspi,	,,	29.73	755.1	84	77	WSW	4	o	,,	29.75	755.7	75	98	S	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	84	81	S	4	o	,,	29.78	756.3	79	80	SW	4	o
Surigao,	,,	29.74	755.4	86	58	WSW	4	o	,,	..	...	...	...	...	...	...
Guam,	12.20	29.74	755.4	...	...	SW	4	o	4.20	29.81	757.2	...	...	S	1	o
Yap,	12.47	29.75	755.7	...	...	WSW	4	o	4.47	29.84	757.8	...	...	N	2	r
Labuan,	14	29.78	756.4	84	83	N	1	o	6	29.80	756.9	77	91	S	2	b

July 28*d.* 11*h.* 12*m.*—Pressure has decreased slightly over N. Japan, the northern China Sea, Luzon and Formosa, and increased slightly elsewhere; it is highest in the Pacific to the east of Japan, and relatively low in a trough extending from Tongking across the northern China Sea, Luzon and South Formosa to the Pacific. A typhoon may develop in the eastern extrenity.

Shanghai warning. 27*d.* 21*h.* 00*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 19° N. Long. 130° E., moving W.N.W. Recd. 28*d.* 1*h.* 20*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 67·51 inches, against an average of 50·20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel,	Light variable winds.
2.—South coast of China between Hongkong and Lamocks,	W. and S.W. or variable winds, moderate; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	28th July, 1925.								29th July, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	29.86	758.3	76	...	ESE	2	c	6	29.88	759.0	69	...	ESE	1	f
Gemuro,	11	29.94	760.5	...	...	SSW	2	...	5	29.92	760.0	...	...	SSW	2	...
Hokodate,	"	29.92	760.0	...	...	SE	2	...	"	29.92	760.0	...	...	...	...	...
Tokio,	"	29.98	761.5	...	...	SSE	1	...	"	30.00	762.0	...	...	...	0	...
Kochi,	"	29.94	760.5	...	...	SE	1	...	"	30.00	762.0	...	...	...	0	...
Nagasaki,	"	29.92	760.0	...	...	W	1	...	"	...	...	...	...	...	...	...
Kagoshima,	"	29.90	759.5	...	...	S	1	...	"	30.02	762.5	...	...	...	0	...
Fushima,	"	29.86	758.5	...	...	ESE	1	...	"	29.88	759.0	...	...	NE	1	...
Taiwan,	"	29.82	757.5	...	...	ENE	3	...	"	29.82	757.5	...	...	NE	1	...
Ishigakijima,	"	29.78	756.5	...	...	E	3	...	"	29.78	756.5	...	...	N	3	...
Pratas Island,	"	29.82	757.5	...	...	E	1	...	"	29.88	759.0	...	...	E	1	...
Chefoo,	15	29.83	757.7	84	68	SSE	2	b	6	...	...	88	88	SE	1	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.86	758.4	90	60	SE	2	b	"	29.87	758.7	75	96	ESE	2	b
Lutzlaff,	"	29.89	759.2	81	78	SE	4	b	"	29.90	759.4	76	95	SE	4	b
Sharp Peak,	"	29.84	757.9	86	72	E	1	o	7	29.86	758.4	78	89	...	o	b
Amoy,	15	29.71	754.6	88	69	SSE	4	b	9	29.77	756.1	80	82	ENE	1	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.76	756.0	90	60	NE	4	b	5	29.78	756.3	75	91	E	2	b
Taichu,	"	29.80	756.9	90	...	...	o	b	"	29.79	756.6	75	...	...	o	o
Tainan,	"	29.79	756.6	90	...	NNW	2	b	"	29.78	756.3	75	...	...	o	o
Koshun,	"	29.78	756.3	84	...	NNW	2	o	"	29.76	756.0	75	...	...	o	b
Pescadores,	"	29.80	756.9	86	...	NW	2	o	"	29.76	756.0	79	...	N	4	o
Canton,	14	29.71	754.6	94	61	S	1	b	6	...	...	...	...	...	...	...
Hongkong,	"	29.74	755.4	89	58	W	2	c	"	29.80	756.9	78	91	...	o	o
Gap Rock,	"	29.78	756.4	...	...	W	3	c	"	29.81	757.2	...	...	S	3	c
Macao,	"	29.73	755.1	93	67	SSE	2	o	"	29.73	755.1	81	87	...	2	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tholien,	"	29.71	754.5	90	69	SSE	4	b	7	29.76	756.0	79	95	...	o	b
Tourane,	"	29.72	754.8	86	...	ESE	2	b	"	29.76	756.0	77	...	SSW	2	b
Cape St. James,	"	29.72	754.8	82	...	WSW	4	b	"	29.78	756.3	73	...	SW	2	b
Basco,	14	29.69	754.2	79	95	N	4	r	6	...	...	...	...	...	...	...
Aparri,	"	29.72	754.8	90	66	NNE	4	b	"	29.74	755.4	75	92	SSW	2	b
Manila,	"	29.73	755.1	86	71	SW	4	o	"	29.78	756.3	77	94	...	o	o
Legaspi,	"	29.73	755.1	81	92	SSW	2	o	"	29.75	755.7	77	98	SW	1	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	"	29.75	755.7	86	68	WSW	2	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	SW	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.76	756.0	...	...	WSW	4	o	4.47	29.85	758.1	...	...	...	o	o
Sibuan,	14	29.78	756.4	86	84	N	2	b	6	29.79	756.6	75	88	S	2	b

July 29d. 10h. 54m.—Pressure has increased slightly at the majority of reporting stations, and is highest over Japan.

A typhoon is still indicated to the east of the Balintang Channel; its position and direction of motion are still uncertain.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 67·51 inches, against an average of 50·65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S.W. or variable winds, light to moderate; fair generally.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	29th JULY, 1925.								30th JULY, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook. .	12	29.83	757.7	73	...	FSE	3	o	6	29.82	757.5	67	...	ESE	3	o
Nemuro,	11	29.90	759.5	...	...	SSW	3	...	5	29.82	757.5	...	...	...	o	...
Hokodate,	"	29.90	759.5	...	...	SW	1	...	"	29.88	759.0	...	...	...	o	...
Tokio,	"	29.98	761.5	...	...	E	2	...	"	29.98	761.5	...	...	...	o	...
Kochi,	"	29.98	761.5	...	...	SE	1	...	"	30.00	762.0	...	...	...	o	...
Nagasaki,	"	29.98	761.5	...	...	W	1	...	"	29.96	761.0	...	...	...	o	...
Kagoshima,	"	29.98	761.5	...	...	SE	9	...	"	29.98	761.5	...	...	...	o	...
Oshima,	"	29.90	759.5	...	...	ESE	1	...	"	29.90	759.5	...	...	...	o	...
Naha,	"	...	...	...	...	...	...	...	"	29.86	758.5	...	...	ENE	2	...
Ishigakijima,	"	29.80	757.0	...	...	ENE	4	...	"	29.76	756.0	...	...	NE	1	...
Bonin Island,	"	29.88	759.0	...	...	ENE	1	...	"	29.92	760.0	...	...	...	o	...
Chefoo,	15	29.80	756.9	90	53	S	2	b	6	29.80	756.9	76	82	S	2	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.89	759.3	90	60	SE	4	b	"	29.88	759.0	75	94	SE	2	b
Gutzlaff,	"	29.93	760.2	82	79	SE	4	b	"	29.92	759.9	77	92	SSE	4	b
Sharp Peak,	"	29.89	759.2	90	60	E	2	b	7	29.90	759.4	80	78	N	1	b
Amoy,	15	29.76	755.9	90	96	SSE	4	o	9	29.78	756.4	80	78	ENE	1	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.81	757.2	90	...	E	2	b	5	29.80	756.9	77	89	E	2	b
Taichu,	"	29.81	757.2	90	...	...	o	b	"	29.81	757.2	77	...	...	o	o
Tainan,	"	29.81	757.2	86	...	SW	2	b	"	29.80	756.9	75	...	...	o	b
Koshun,	"	29.80	756.9	86	...	NNW	2	b	"	29.78	756.3	73	...	...	o	b
Pescadores,	"	29.82	757.5	86	...	NNW	4	b	"	29.81	757.2	79	...	NNE	2	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.81	757.2	83	77	E	4	o	"	29.82	757.4	78	91	...	o	b
Gap Rock,	"	29.83	757.7	...	...	S	1	b	"	29.81	757.2	...	...	SW	3	b
Macao,	"	29.79	756.6	93	64	SSE	4	b	"	29.79	756.6	81	84	WSW	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.76	756.0	90	66	SSE	4	b	7	29.82	757.5	79	91	SSW	2	b
Tourane,	"	29.76	756.0	86	...	SSE	2	b	"	29.80	756.9	77	...	S	2	b
Cape St. James,	"	...	...	...	...	...	...	...	"	29.81	757.2	75	...	SW	2	b
Basco,	14	29.73	755.1	86	...	NW	4	o	6	29.73	755.1	77	94	N	4	r
Aparri,	"	29.74	755.4	90	63	NNW	4	b	"	29.78	756.3	75	96	...	o	b
Manila,	"	29.76	756.0	86	71	SW	4	o	"	29.79	756.6	77	96	E	1	o
Legaspi,	"	29.76	756.0	82	92	WSW	4	o	"	29.76	756.0	77	96	SW	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.78	756.3	86	75	SW	4	o	"	29.81	757.2	79	84	SW	6	o
Surigao,	"	29.78	756.3	90	57	W	2	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	NNE	2	o	4.20	29.80	756.9	...	...	SE	1	o
Yap,	12.47	29.79	756.6	...	...	ESE	1	o	4.47	29.85	758.1	...	...	NE	2	o
Labuan,	14	29.80	756.9	84	87	N	2	b	6	29.81	757.2	76	91	S	2	b

July 30*d.* 11*h.* 30*m.*—Pressure has decreased slightly over S. Manchuria and N. Japan, and, with few exceptions, has increased slightly elsewhere; it is highest in the Pacific to the south-east of Japan and relatively low in a trough covering the northern China Sea, Luzon and the Pacific to the eastward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 67·51 inches, against an average of 51·10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
1.—Formosa Channel,	N. winds, light to moderate.
2.—South coast of China between Hongkong and Lamocks,	S.W. or variable winds, moderate; fair to showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	30th JULY, 1925.								31st JULY, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...dirostock,	12	29.76	755.8	75	...	ESE	1	0	6	29.73	755.1	70	...	...	0	r
...muro,	11	29.74	755.5	...	...	SE	1	...	5	29.67	753.5	...	...	...	...	...
...kodate,	--	29.82	757.5	...	...	SW	3	...	,,	29.76	756.0	...	...	...	...	...
...sio,	,,	29.94	760.5	...	...	S	2	...	,,	29.88	759.0	...	...	...	0	...
...ichi,	,,	29.96	761.0	...	...	....	0	...	,,	29.92	760.0	...	...	...	0	...
...gasaki,	,,	29.98	761.5	...	...	W	1	...	,,	29.92	760.0	...	...	...	0	...
...goshima,	,,	29.96	761.0	...	...	SSE	1	...	,,	29.92	760.0	...	...	...	...	...
...hima,	,,	29.90	759.5	...	...	E	1	...	,,	29.86	758.5	...	...	SSE	1	...
...ba,	,,	29.86	758.5	...	...	E	3	...	,,	29.84	758.0	...	...	NE	1	...
...igakijima,	,,	29.80	757.0	...	...	ENE	3	...	,,	29.75	755.5	...	...	SSE	1	...
...m Island,	,,	29.92	760.0	...	...	NE	1	...	,,	29.88	759.0	...	...	...	0	...
...efoo,	15	29.76	755.9	88	56	SW	2	0	6	29.81	757.2	78	65	SSW	1	0
...nkow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...hang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...angsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...anghai,	14	29.85	758.1	90	55	SE	4	b	,,	29.82	757.5	75	94	SE	2	b
...tzlaff,	,,	29.89	759.2	81	74	SE	4	b	,,	29.87	758.7	77	92	SSE	4	b
...arp Peak,	,,	29.89	759.2	92	64	E	2	0	7	29.88	758.9	80	78	N	1	b
...moy,	15	29.77	756.1	90	63	SSE	4	b	9	29.76	755.9	81	74	ENE	1	b
...atow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
...ihoku,	11	29.84	757.8	86	65	ENE	4	b	5	29.76	756.0	77	91	...	0	b
...ichu,	,,	29.80	756.9	90	...	...	0	b	,,	29.79	756.6	75	...	...	0	b
...inan,	,,	29.80	756.9	90	...	NW	2	b	,,	29.75	755.7	73	...	...	0	b
...oshun,	,,	29.84	757.8	90	...	NNW	2	b	,,	29.74	755.4	75	...	...	0	b
...escadores,	,,	29.82	757.5	84	...	NNW	4	b	,,	29.75	755.7	79	...	NNW	2	b
...nton,	14	29.76	755.9	94	61	S	1	c	6	...	...	...	...	...	...	...
...ongkong,	,,	29.80	756.9	83	74	E	3	c	,,	29.79	756.6	78	91	E	1	b
...ap Rock,	,,	29.81	757.2	...	...	N	3	c	,,	29.79	756.6	...	...	WSW	3	c
...ccao,	,,	29.78	756.3	93	61	SSE	2	b	,,	29.75	755.7	81	84	W	4	o
...uchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
...kboi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...ithow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...hien,	,,	29.78	756.3	93	59	SSE	2	b	7	29.78	756.3	79	91	SSW	2	b
...ourane,	,,	29.76	756.0	86	...	SE	2	b	,,	29.78	756.3	77	...	...	0	b
...pe St. James,	,,	29.80	756.9	79	...	...	0	o	,,	29.82	757.5	77	...	SW	2	b
...asco,	14	29.72	754.8	82	84	NW	4	o	6	29.71	754.5	81	94	NW	4	o
...parri,	,,	29.74	755.4	90	60	NNW	4	b	,,	29.75	755.7	77	92	...	0	o
...anila,	,,	29.78	756.3	86	71	WSW	4	o	,,	29.79	756.6	77	88	SW	2	o
...gaspi,	,,	29.76	756.0	86	78	SW	4	o	,,	29.76	756.0	75	96	SW	2	o
...acioban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...illo,	,,	29.76	756.0	84	77	SW	4	o	,,	29.80	756.9	77	91	SW	4	o
...rigao,	,,	29.78	756.3	84	71	W	2	o	,,	29.80	756.9	75	94	...	0	o
...uam,	12.20	29.78	756.3	...	...	NNW	1	o	4.20	29.81	757.2	...	...	S	1	o
...ap,	12.47	29.79	756.6	...	...	ESE	2	o	4.47	29.82	757.5	...	...	...	0	o
...ainan,	14	29.80	756.9	84	83	S	2	o	6	29.80	756.9	76	94	S	2	b

July 31d. 11h. 40m.—Pressure has decreased slightly at the majority of reporting stations; it remains highest to the south-east of Japan, and is relatively low over S. Formosa, N. Luzon and the Pacific to the eastward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 67·53 inches, against an average of 51·56 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S.W. or variable winds, moderate; fair generally, some showers.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

AUGUST,

1925.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

C. W. JEFFRIES,

DIRECTOR.

HONGKONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1925.

[*Price* 60c.]

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

AUGUST,

1925.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of AUGUST, 1925.

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·701	29·685	29·683	29·681	29·673	29·675	29·677	29·695	29·705	29·724	29·714	29·712	1
2	29·717	29·703	29·693	29·680	29·681	29·691	29·703	29·712	29·729	29·734	29·731	29·724	2
3	29·687	29·683	29·665	29·657	29·661	29·667	29·669	29·673	29·683	29·703	29·703	29·683	3
4	29·656	29·649	29·645	29·633	29·632	29·648	29·657	29·657	29·674	29·677	29·668	29·659	4
5	29·642	29·638	29·629	29·643	29·628	29·630	29·638	29·655	29·663	29·666	29·665	29·655	5
6	29·637	29·636	29·645	29·646	29·651	29·649	29·655	29·661	29·660	29·665	29·661	29·653	6
7	29·635	29·621	29·605	29·605	29·601	29·607	29·623	29·641	29·655	29·659	29·662	29·647	7
8	29·607	29·585	29·585	29·574	29·575	29·569	29·580	29·591	29·603	29·597	29·597	29·584	8
9	29·585	29·572	29·560	29·552	29·544	29·542	29·557	29·584	29·580	29·592	29·600	29·588	9
10	29·599	29·589	29·587	29·595	29·601	29·605	29·617	29·629	29·659	29·669	29·657	29·649	10
11	29·665	29·657	29·639	29·637	29·643	29·645	29·661	29·673	29·672	29·674	29·671	29·663	11
12	29·655	29·647	29·649	29·643	29·643	29·645	29·650	29·651	29·650	29·666	29·665	29·653	12
13	29·644	29·632	29·618	29·615	29·623	29·641	29·663	29·679	29·678	29·699	29·683	29·673	13
14	29·631	29·625	29·615	29·611	29·609	29·617	29·629	29·634	29·646	29·647	29·643	29·641	14
15	29·601	29·589	29·583	29·583	29·583	29·589	29·603	29·603	29·616	29·619	29·618	29·614	15
16	29·598	29·591	29·587	29·573	29·567	29·571	29·575	29·592	29·601	29·613	29·601	29·597	16
17	29·560	29·552	29·540	29·534	29·530	29·540	29·552	29·562	29·571	29·569	29·565	29·551	17
18	29·514	29·500	29·496	29·496	29·492	29·496	29·504	29·510	29·522	29·533	29·535	29·527	18
19	29·496	29·484	29·472	29·456	29·451	29·461	29·455	29·465	29·481	29·489	29·497	29·509	19
20	29·474	29·476	29·446	29·434	29·441	29·456	29·458	29·480	29·485	29·510	29·524	29·510	20
21	29·517	29·500	29·501	29·494	29·498	29·504	29·514	29·534	29·541	29·559	29·558	29·549	21
22	29·589	29·587	29·573	29·566	29·586	29·594	29·594	29·606	29·611	29·621	29·601	29·590	22
23	29·617	29·612	29·594	29·580	29·565	29·578	29·592	29·606	29·613	29·617	29·611	29·606	23
24	29·545	29·540	29·536	29·526	29·530	29·538	29·542	29·550	29·551	29·555	29·548	29·531	24
25	29·525	29·510	29·504	29·505	29·493	29·502	29·508	29·524	29·545	29·555	29·551	29·540	25
26	29·559	29·557	29·551	29·544	29·542	29·539	29·559	29·571	29·571	29·576	29·569	29·559	26
27	29·546	29·536	29·530	29·532	29·531	29·533	29·536	29·543	29·540	29·545	29·525	29·510	27
28	29·457	29·446	29·442	29·444	29·448	29·452	29·476	29·495	29·513	29·525	29·524	29·514	28
29	29·577	29·566	29·562	29·564	29·564	29·582	29·594	29·607	29·615	29·618	29·616	29·603	29
30	29·629	29·623	29·617	29·611	29·613	29·615	29·631	29·640	29·645	29·647	29·646	29·626	30
31	29·698	29·650	29·648	29·648	29·640	29·618	29·632	29·654	29·645	29·646	29·638	29·625	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·696	29·685	29·669	29·657	29·657	29·655	29·658	29·670	29·687	29·700	29·712	29·718	1
2	29·706	29·682	29·663	29·647	29·647	29·647	29·659	29·676	29·686	29·695	29·700	29·693	2
3	29·660	29·646	29·618	29·614	29·590	29·601	29·622	29·643	29·671	29·683	29·685	29·675	3
4	29·645	29·636	29·615	29·597	29·583	29·585	29·598	29·623	29·633	29·651	29·665	29·653	4
5	29·649	29·621	29·599	29·595	29·577	29·577	29·594	29·621	29·631	29·651	29·651	29·647	5
6	29·644	29·621	29·593	29·579	29·579	29·584	29·603	29·614	29·639	29·661	29·649	29·641	6
7	29·635	29·607	29·587	29·581	29·575	29·570	29·588	29·612	29·638	29·649	29·643	29·615	7
8	29·581	29·567	29·559	29·543	29·557	29·551	29·558	29·578	29·598	29·627	29·615	29·608	8
9	29·588	29·597	29·577	29·574	29·566	29·569	29·572	29·596	29·608	29·640	29·638	29·610	9
10	29·639	29·630	29·618	29·614	29·616	29·617	29·627	29·647	29·651	29·667	29·671	29·671	10
11	29·645	29·641	29·631	29·619	29·607	29·614	29·626	29·643	29·657	29·671	29·675	29·669	11
12	29·641	29·623	29·610	29·603	29·601	29·599	29·610	29·626	29·638	29·658	29·660	29·648	12
13	29·669	29·651	29·633	29·612	29·599	29·607	29·610	29·630	29·630	29·642	29·656	29·649	13
14	29·629	29·607	29·579	29·563	29·559	29·563	29·577	29·587	29·591	29·612	29·620	29·621	14
15	29·602	29·585	29·551	29·541	29·546	29·551	29·559	29·592	29·618	29·628	29·622	29·612	15
16	29·585	29·563	29·552	29·544	29·542	29·543	29·547	29·559	29·569	29·583	29·587	29·579	16
17	29·535	29·507	29·495	29·475	29·467	29·471	29·479	29·505	29·519	29·530	29·532	29·522	17
18	29·507	29·491	29·477	29·465	29·455	29·449	29·462	29·492	29·512	29·524	29·524	29·518	18
19	29·504	29·478	29·438	29·428	29·410	29·425	29·457	29·456	29·457	29·457	29·457	29·458	19
20	29·500	29·480	29·467	29·463	29·458	29·458	29·457	29·506	29·520	29·546	29·544	29·528	20
21	29·551	29·543	29·521	29·503	29·515	29·531	29·531	29·565	29·603	29·617	29·615	29·597	21
22	29·577	29·567	29·561	29·548	29·552	29·567	29·577	29·593	29·618	29·631	29·645	29·634	22
23	29·585	29·559	29·529	29·515	29·512	29·523	29·543	29·547	29·555	29·569	29·558	29·556	23
24	29·507	29·483	29·465	29·458	29·460	29·475	29·487	29·505	29·513	29·529	29·545	29·549	24
25	29·533	29·524	29·508	29·498	29·488	29·491	29·501	29·515	29·539	29·561	29·567	29·562	25
26	29·543	29·531	29·507	29·507	29·495	29·497	29·504	29·522	29·549	29·565	29·569	29·555	26
27	29·489	29·456	29·438	29·424	29·417	29·421	29·430	29·447	29·473	29·477	29·475	29·469	27
28	29·498	29·482	29·476	29·474	29·484	29·489	29·497	29·513	29·543	29·551	29·569	29·575	28
29	29·596	29·574	29·563	29·558	29·569	29·585	29·587	29·611	29·633	29·643	29·641	29·629	29
30	29·603	29·589	29·559	29·551	29·561	29·569	29·583	29·615	29·641	29·650	29·663	29·667	30
31	29·609	29·597	29·579	29·564	29·568	29·588	29·608	29·622	29·646	29·652	29·659	29·643	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of AUGUST, 1925.

Hours, Hongkong Standard Time.

Days of the Month.	1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	80·2	80·2	79·9	80·3	80·3	80·2	81·3	82·7	85·4	84·7	86·5	86·0	1
2	79·1	79·1	78·9	79·1	78·3	78·1	79·5	81·5	82·8	84·3	85·5	85·4	2
3	80·4	80·5	79·8	79·9	78·5	79·1	80·0	84·1	82·4	81·9	81·2	82·9	3
4	79·0	78·6	78·4	77·8	78·0	78·1	79·1	80·7	81·1	82·4	84·9	86·4	4
5	80.0	79·0	78·1	78·3	77·2	77·8	79·6	81·8	84·0	83·9	85·3	88·1	5
6	79·7	79·9	80·2	79·9	79·2	78·6	81·0	81·4	84·2	87·6	88·5	89·2	6
7	81·2	80·6	80·4	80·4	80·5	80·0	79·9	79·6	81·0	82·0	85·5	85·6	7
8	81·5	81·4	80·2	80·1	80·5	80·6	79·3	82·0	81·7	83·6	81·7	83·7	8
9	79·1	78·0	79·1	77·4	77·9	79·0	82·0	78·5	79·4	79·4	80·8	78·4	9
10	80·8	82·2	82·5	82·4	82·1	82·0	82·1	82·7	77·7	77·7	82·8	83·7	10
11	82·1	82·0	82·2	82·2	82·2	82·0	82·2	82·5	84·5	85·4	84·4	85·7	11
12	82·0	82·1	82·2	82·0	82·0	81·8	81·6	82·7	84·8	83·7	87·5	86·9	12
13	82·4	82·3	82·2	82·0	81·9	82·0	82·2	84·1	84·8	86·4	86·7	87·4	13
14	82·4	82·3	82·1	82·0	81·7	82·0	82·5	84·4	84·4	85·9	86·0	86·9	14
15	82·1	81·9	81·9	81·7	81·3	81·1	81·4	83·6	85·2	87·6	88·3	88·4	15
16	83·1	83·1	82·6	82·3	82·4	82·1	82·6	83·7	85·7	86·4	88·3	88·2	16
17	83·7	83·4	83·1	83·1	83·3	83·7	83·7	84·0	84·3	85·1	86·0	85·4	17
18	83·6	83·0	83·2	82·7	83·0	83·2	83·4	83·6	84·7	86·1	85·1	85·4	18
19	83·1	83·2	82·8	82·1	80·9	80·0	82·1	78·8	80·5	82·9	81·8	80·6	19
20	78·0	78·1	77·8	77·4	77·3	77·1	77·6	80·6	80·7	77·8	78·5	79·5	20
21	77·1	76·9	76·2	76·8	76·7	76·7	77·5	79·2	82·4	83·1	85·6	85·2	21
22	79·9	80·2	80·6	80·1	80·0	79·2	79·1	80·4	83·3	81·6	83·5	85·1	22
23	79·2	79·0	78·9	78·2	78·2	78·1	78·8	80·2	81·3	83·2	83·7	84·0	23
24	80·0	77·5	77·0	77·8	79·0	79·8	80·0	80·8	82·8	83·9	84·7	85·5	24
25	80·0	79·8	79·5	79·4	79·0	78·4	79·9	81·5	82·1	83·4	83·0	83·2	25
26	79·0	79·3	79·1	79·0	79·0	79·0	80·9	82·1	82·5	84·3	83·6	85·1	26
27	79·3	79·2	79·2	79·0	78·8	79·2	80·6	82·5	85·0	85·9	85·3	87·0	27
28	82·3	82·3	83·0	83·0	82·9	81·5	83·2	84·4	85·0	88·4	89·9	92·1	28
29	83·2	82·2	82·6	83·4	82·2	82·2	83·1	84·3	86·6	87·4	87·3	87·9	29
30	80·3	80·3	80·4	80·9	80·9	81·1	83·1	85·0	86·6	86·8	85·6	88·4	30
31	79·0	76·1	78·0	78·2	76·8	78·7	78·5	81·2	82·6	84·0	84·3	84·9	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	85·5	85·8	85·0	84·9	84·0	83·6	82·2	81·2	80·8	80·4	80·4	79·5	1
2	85·6	87·0	85·1	85·0	84·3	84·0	83·3	82·5	81·4	81.6	82·0	80·8	2
3	84·7	83·7	84·0	82·9	83·5	82·6	82·4	81·3	81·2	81·1	80·5	79·5	3
4	85·1	81·4	86·0	84·7	84·9	83·4	81·9	81·4	81·1	80·8	80·1	80·5	4
5	85·7	87·1	86·5	86·0	84·2	82·5	82·0	81·6	80·5	79·8	79·9	79·9	5
6	88·4	86·6	85·4	84·6	84·4	83·5	82·2	82·4	80·6	80·8	82·0	81·0	6
7	85·6	85·2	86·2	83·8	83·0	82·9	83·0	82·6	82·6	81·6	82·1	82·4	7
8	79·8	82·9	83·5	81·0	80·0	80·8	79·4	78·6	79·5	80·2	78·0	77·7	8
9	79·2	76·8	77·7	79·6	78·8	79·0	79·2	79·3	79·4	79·3	79·0	79·0	9
10	83·9	84·7	85·9	83·4	83·8	83·0	82·8	82·7	82·4	82·4	82·1	82·1	10
11	86·9	85·9	85·8	85·3	85·7	83·2	83·0	83·0	82·8	82·5	82·1	82·0	11
12	87·0	87·3	87·2	85·2	84·6	85·3	84·0	83·8	83·5	83·4	83·5	83·2	12
13	88·3	88·0	88·0	86·6	85·9	84·2	83·0	82·9	82·4	82·5	82·4	82·3	13
14	88·5	89·0	88·8	88·2	86·4	85·3	83.6	83·4	83·2	83·4	83·0	82·7	14
15	88·2	87·5	87·6	87·5	86·7	85·0	83·9	83·8	83·9	83·8	83·5	83·3	15
16	89·1	89·4	88·4	87·3	86·2	85·3	84·1	83·8	83·6	83·3	83·4	83·5	16
17	85·4	86·2	86·3	85·0	85·0	84·3	83·8	84·0	84·0	83·5	83·3	83·5	17
18	86·0	86·8	85·3	85·3	84·7	84·2	83·5	83·6	83·8	83·9	83·5	83·7	18
19	77·0	77·8	77·6	79·2	79·0	79·6	79·8	79·3	79·1	79·2	79·2	78·7	19
20	79·5	79·0	80·5	81·2	80·9	80·3	79·1	79·0	78·6	78·9	78·1	78·0	20
21	84·0	84·0	81·5	82·7	82·6	81·4	81·2	80·2	80·1	80·0	79·9	79·3	21
22	85·1	85·1	85·4	83·5	83·7	82·3	81·3	80·8	80·2	80·2	80·2	79·6	22
23	84·3	85·0	84·4	84·2	83·7	81·3	80·3	80·0	80·2	79·2	79·2	79·0	23
24	85·5	85·3	84·4	83·4	82·9	81·5	80·9	80·8	80·1	80·1	80·5	81·0	24
25	83·5	84·0	84·0	82·9	82·7	81·3	80·7	80·3	80·0	80·0	80·1	80·0	25
26	85·6	84·1	85·4	86·7	85·9	84·0	82·4	81·6	80·3	80·0	79·7	79·8	26
27	88·4	88·9	88·5	90·2	88·5	87·0	86·7	86·3	86·0	85·2	84·2	84·1	27
28	91·2	92·2	91·4	89·0	88·4	87·5	86·0	85·2	84·0	83·7	83·6	83·9	28
29	87·5	86·8	86·0	85·4	85·2	84·0	83·6	83·5	81·5	81·0	80·6	80·3	29
30	87·8	88·0	88·0	87·1	85·1	84·2	84·0	83·9	83·9	82·3	77·8	78·5	30
31	84·4	84·3	83·3	82·7	84·0	83·7	77·1	78·4	79·4	82·2	81·6	82·4	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of AUGUST, 1925.

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	77·0	77·5	77·0	77·6	77·5	77·3	78·0	78·2	78·3	76·2	76·7	76·0	1
2	76·0	76·0	75·9	75·7	75·9	76·4	77·1	78·2	77·5	77·2	78·0	77·3	2
3	77·0	77·0	76·9	77·3	76·7	77·0	77·2	79·2	78·2	78·7	77·1	79·5	3
4	76·0	76·1	76·4	75·6	75·6	76·0	76·5	77·5	76·0	76·9	77·3	78·4	4
5	76·5	76·4	76·0	76·0	76·0	75·9	76·9	77·2	78·0	77·0	77·0	79·5	5
6	76·9	77·0	77·4	77·3	76·8	76·5	77·3	78·3	78·1	79·6	78·5	78·0	6
7	78·2	77·7	77·7	77·9	78·2	78·0	78·0	77·5	77·4	79·0	79·6	79·5	7
8	77·8	77·6	77·5	77·5	77·1	77·0	77·2	78·0	78·0	78·0	77·6	78·5	8
9	76·0	75·4	75·8	74·5	74·5	75·0	76·0	74·9	75·0	75·1	75·3	74·2	9
10	77·0	78·0	78·3	78·4	78·1	78·0	77·6	78·2	74·1	74·5	78·2	78·9	10
11	78·1	77·8	78·1	78·0	78·0	77·7	78·0	78·0	79·0	80·0	79·0	79·2	11
12	77·8	77·5	77·3	77·4	77·9	77·4	78·0	78·8	79·4	78·9	80·1	79·6	12
13	78·9	78·1	78·2	77·9	77·9	78·3	78·2	79·5	79·5	80·0	78·1	78·9	13
14	78·4	78·0	78·0	78·2	78·0	78·0	78·1	79·0	79·2	79·8	78·6	79·0	14
15	79·0	78·5	78·4	78·0	77·5	77·3	77·0	78·6	79·8	80·8	81·0	80·4	15
16	78·2	78·9	78·6	79·0	79·0	79·1	79·2	79·4	80·1	80·4	80·3	80·1	16
17	79·2	79·2	78·4	78·5	78·1	78·8	78·9	79·0	79·1	79·9	80·3	80·0	17
18	79·0	79·1	79·1	79·3	79·4	79·4	79·8	80·2	80·7	81·1	80·0	80·0	18
19	79·9	80·1	80·9	80·8	79·8	78·6	81·0	76·7	76·7	77·9	77·6	78·0	19
20	75·2	75·8	75·2	75·0	74·8	75·2	75·4	77·2	76·5	75·5	76·2	76·2	20
21	74·9	74·7	74·5	75·0	74·6	74·6	74·8	75·4	76·6	77·1	77·3	76·7	21
22	75·8	75·4	75·0	74·0	73·7	73·7	74·0	74·8	74·1	73·5	73·7	74·2	22
23	75·4	75·2	75·0	74·6	74·1	73·7	74·3	75·1	76·0	77·0	76·4	75·8	23
24	76·0	75·1	75·3	76·0	76·0	76·3	76·3	75·8	76·2	76·4	76·0	75·8	24
25	77·4	76·5	75·8	75·8	74·8	75·1	75·0	75·2	75·5	76·2	76·0	75·8	25
26	76·0	76·1	76·0	75·6	76·0	75·4	76·0	76·5	75·6	75·4	76·9	77·1	26
27	76·9	77·0	77·0	77·0	76·8	76·9	77·6	78·0	80·1	80·3	81·1	80·4	27
28	77·0	76·9	76·3	76·0	74·2	73·8	75·3	75·3	75·2	76·0	76·8	77·2	28
29	78·1	76·7	76·2	75·3	76·5	77·7	79·1	79·3	79·3	79·4	79·9	79·5	29
30	77·4	77·2	77·1	77·0	77·3	77·3	78·3	78·0	78·2	76·7	77·3	79·0	30
31	76·8	74·0	74·5	75·2	75·1	75·2	75·1	75·9	76·3	77·1	77·3	77·2	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	76·3	75·7	76·3	76·1	75·2	75·8	75·2	75·8	74·4	75·0	76·0	75·2	1
2	77·4	77·5	77·6	78·0	77·2	76·5	75·9	76·6	76·2	76·9	77·0	77·5	2
3	78·8	77·5	79·2	78·4	79·6	77·0	76·4	75·6	76·1	76·0	76·0	75·8	3
4	79·0	75·9	79·7	78·1	77·0	77·2	76·8	76·7	76·8	76·3	76·3	76·3	4
5	78·8	79·5	79·4	78·8	78·5	77·4	77·0	77·0	76·8	76·0	76·0	76·0	5
6	79·0	78·1	78·1	77·4	77·7	77·9	78·0	78·3	78·0	78·1	78·2	78·0	6
7	79·0	79·2	79·3	78·9	78·9	78·1	78·2	78·5	78·0	78·5	78·4	78·0	7
8	77·2	78·0	78·1	77·2	77·4	78·0	77·0	76·1	76·8	77·0	76·1	75·2	8
9	74·0	73·1	73·5	73·2	74·0	74·9	75·0	75·0	75·0	75·1	75·2	76·0	9
10	78·7	79·1	79·6	78·2	78·9	78·8	78·6	78·5	78·8	78·4	78·6	78·3	10
11	80·0	79·5	80·0	79·3	80·0	78·5	78·5	78·2	78·0	78·0	77·7	77·9	11
12	79·6	80·3	80·3	80·0	79·7	80·0	79·0	79·1	79·5	79·2	79·1	78·7	12
13	79·2	78·4	79·9	79·0	78·9	78·2	78·0	78·0	78·0	78·1	78·0	78·0	13
14	80·3	80·2	79·9	80·0	79·2	79·2	78·8	79·3	78·9	78·8	78·9	78·9	14
15	79·7	78·4	79·3	79·0	78·3	77·9	77·8	78·0	78·5	78·8	78·9	79·0	15
16	79·0	80·0	79·5	79·0	79·6	79·0	78·5	78·6	79·0	78·9	79·0	79·4	16
17	79·9	80·1	80·6	79·9	79·8	79·3	79·0	79·0	79·0	78·9	79·0	79·5	17
18	80·3	80·4	79·5	79·3	79·5	80·2	80·0	79·3	79·5	79·5	79·5	80·0	18
19	76·1	76·5	76·5	77·5	77·2	77·1	77·2	76·0	76·1	75·8	75·7	75·2	19
20	76·0	75·3	76·3	76·4	76·3	76·1	75·9	76·1	75·9	75·6	75·5	75·0	20
21	76·4	77·1	76·9	77·8	77·4	77·0	77·2	76·2	76·0	76·5	76·8	75·3	21
22	75·0	75·2	74·8	76·0	76·5	76·2	76·5	76·5	76·3	76·0	75·6	76·0	22
23	76·8	76·0	75·0	75·1	75·2	75·0	75·1	75·4	76·0	75·9	75·9	75·8	23
24	76·6	76·6	76·2	76·1	77·0	77·0	77·1	77·1	77·1	77·0	77·0	77·5	24
25	76·1	76·9	76·6	75·3	75·2	74·8	74·9	75·2	75·1	75·3	75·6	75·7	25
26	77·0	75·7	77·0	76·8	76·0	75·7	75·7	76·1	76·3	76·6	76·8	76·5	26
27	81·3	81·9	81·2	81·1	79·7	79·0	77·9	78·2	77·5	77·2	76·6	76·7	27
28	76·3	78·9	78·7	78·0	77·9	76·6	76·6	78·0	77·0	77·2	77·3	77·3	28
29	80·6	81·6	80·8	81·0	80·1	80·6	80·3	80·5	78·8	77·0	76·9	77·3	29
30	78·7	78·0	79·0	78·0	79·4	79·0	79·0	79·4	79·4	79·3	75·0	76·4	30
31	77·0	77·4	77·3	77·0	77·0	77·3	74·6	75·6	76·7	78·3	77·9	77·0	31

TABLE IV.—AMOUNT OF CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of AUGUST, 1925.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																								Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Mdn.	
1	9	10	9	10	10	8	8	10	9	9	7	10	9	9	9	8	9	9	7	4	3	3	8	9	1
2	9	4	6	...	2	8	8	8	10	9	8	10	8	7	8	7	6	8	10	10	10	10	10	10	2
3	10	10	10	3	3	8	7	8	9	9	9	7	9	10	9	9	9	4	2	1	2	1	1	...	3
4	...	1	1	...	2	7	10	10	10	9	7	8	9	10	8	9	8	6	3	1	3	2	8	7	4
5	8	7	2	1	2	2	2	2	3	8	9	8	8	8	5	5	3	3	..	2	...	...	...	2	5
6	2	1	9	4	10	5	2	3	3	4	5	8	8	8	9	5	6	5	7	2	4	9	9	10	6
7	10	10	8	9	8	8	10	10	10	10	10	9	8	8	8	9	10	9	8	8	6	6	7	10	7
8	10	10	10	10	9	9	9	9	10	8	9	8	9	10	10	10	10	10	10	9	9	10	10	10	8
9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	6	6	3	10	9
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	9	10	10	9	9	10
11	10	10	10	10	10	9	9	6	5	6	6	7	8	8	7	4	7	9	10	10	9	9	9	9	11
12	9	10	10	8	8	6	4	4	3	6	5	3	7	7	6	9	10	10	10	10	10	9	10	4	12
13	7	8	8	9	6	10	7	6	6	5	4	3	3	3	4	2	3	3	3	2	3	7	6	4	13
14	6	9	10	10	7	9	9	9	8	3	5	5	3	2	2	3	2	10	7	5	3	2	4	5	14
15	6	6	5	3	2	6	4	4	3	6	4	2	4	5	6	5	4	2	3	2	7	6	6	8	15
16	10	9	10	10	8	6	8	4	7	9	3	8	3	7	8	8	7	5	6	5	6	7	7	9	16
17	9	9	9	8	9	10	10	10	9	10	10	10	10	10	10	9	9	10	9	10	9	10	10	10	17
18	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	6	6	6	7	18
19	8	10	10	7	4	10	10	10	10	10	10	10	10	10	9	9	8	9	9	10	10	10	10	8	19
20	6	8	2	...	2	10	2	2	9	10	10	8	9	10	8	10	7	10	10	10	9	7	5	1	20
21	...	...	...	...	1	3	9	10	8	7	6	8	10	10	10	9	8	9	8	10	10	10	10	6	21
22	10	10	10	10	9	10	10	9	8	10	8	8	7	8	9	4	4	5	3	2	...	2	3	2	22
23	2	2	1	1	2	2	3	2	5	5	6	5	3	3	3	4	5	6	10	8	8	9	10	4	23
24	9	10	10	10	10	10	10	8	4	3	3	7	4	6	8	6	10	10	8	8	3	3	3	6	24
25	8	3	2	4	2	4	3	5	5	7	6	9	8	5	3	3	3	3	4	1	1	...	...	...	25
26	...	6	1	...	2	6	7	3	2	1	3	5	6	7	3	...	1	1	2	1	1	...	...	...	26
27	...	...	...	...	...	1	...	1	2	3	4	6	6	9	8	7	8	8	4	2	1	3	2	...	27
28	...	...	...	...	4	8	9	9	10	9	9	10	7	6	4	8	9	10	10	...	2	6	10	10	28
29	10	10	10	10	7	8	3	7	4	6	4	5	6	2	5	8	9	10	10	10	10	9	9	10	29
30	8	10	9	10	9	7	8	3	2	5	4	6	5	8	5	6	10	10	10	10	10	10	10	10	30
31	10	10	10	10	10	10	10	10	6	9	10	10	9	8	9	9	9	10	10	10	10	10	10	10	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of AUGUST, 1925.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	0·4	0·5	0·8	0·6	0·8	0·7	...	...	...	...	...	...	...	1
2	0·1	0·3	0·3	0·1	0·4	0·5	...	0·9	0·6	0·1	0·1	0·3	0·1	2
3	...	0·8	...	...	0·4	...	0·5	0·7	0·2	0·2	0·2	0·5	0·1	3
4	0·1	0·4	0·1	0·4	1·0	1·0	1·0	0·1	0·7	1·0	0·9	1·0	...	4
5	0·5	1·0	1·0	0·7	0·8	0·8	0·5	1·0	1·0	0·9	1·0	0·8	...	5
6	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3	6
7	...	...	...	0·2	1·0	1·0	1·0	1·0	1·0	0·5	...	...	...	7
8	0·2	0·7	0·7	0·5	0·5	0·9	0·4	0·6	0·3	...	...	...	...	8
9	...	...	...	0·1	0·1	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	0·1	0·8	0·2	0·5	...	...	10
11	...	0·4	0·9	0·7	0·9	1·0	1·0	1·0	0·9	1.0	1·0	0·4	...	11
12	0·1	1·0	1·0	0·8	1·0	1·0	1·0	1·0	1·0	0·9	0·1	0·7	0·4	12
13	0·1	0·6	1·0	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	13
14	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	14
15	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	15
16	3	1·0	1·0	1·0	1·0	0·9	1·0	1·0	1·0	1·0	1·0	1·0	0·2	16
17	...	...	...	0·1	...	...	...	...	0·1	0·2	...	...	...	17
18	...	...	...	0·3	...	...	...	0·1	0·3	...	...	..	...	18
19	0·2	0·5	...	...	...	...	...	...	...	...	0·1	...	...	19
20	0·2	1·0	0·6	0·1	...	...	0·2	...	0·1	0.6	0·3	...	...	20
21	...	...	0·7	1·0	1·0	1·0	0·2	0·5	0.1	0·7	0·8	0·6	0·1	21
22	...	0·4	0·9	0·6	0·5	1·0	1·0	1·0	1·0	0·8	1·0	1·0	0·4	22
23	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	0·9	...	23
24	0·1	0·9	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	...	24
25	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	25
26	0·2	0·9	1·0	1·0	1·0	1·0	1·0	1·0	0·8	1·0	1·0	1·0	0·3	26
27	0·5	1·0	1·0	1·0	1·0	0·9	1·0	1·0	0·9	1·0	0·8	0·2	...	27
28	0·3	0·1	...	0·3	1·0	1·0	1·0	1·0	1·0	0·7	0·2	0·1	...	28
29	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	...	29
30	0·1	1·0	1·0	1·0	0·6	1·0	0.8	0·9	1.0	1·0	0·9	...	...	30
31	...	...	1·0	0·9	0·2	1·0	0.6	1·0	0·8	0·5	0·5	0·7	...	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of AUGUST, 1925.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	d	0·010	d	0·105	...	3
4	...	...	...	...	...	...	d	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	d	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	0·005	d	...	0·060	...	...	7
8	d	...	0·010	0·020	...	d	0·055	...	0·010	...	0·065	...	8
9	0·120	0·085	0·035	0·200	0·090	...	0·010	0·035	0·010	0·005	...	0·135	9
10	...	...	...	...	...	...	0·030	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	d	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	0·010	d	0·090	...	...	...	d	...	...	...	...	18
19	...	0·005	0·010	...	...	0·040	0·070	...	0·015	d	0·010	1·110	19
20	...	...	...	...	...	...	...	...	...	d	d	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	0·100	0·330	0·160	0·020	...	...	...	...	...	...	...	24
25	d	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	d	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	0·005	0·315	0·055	0·075	0·035	0·005	...	...	...	...	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	0·020	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	0·005	...	...	7
8	0·065	...	0·140	0·175	0·050	...	0·085	...	d	0·110	0·120	0·060	8
9	0·160	0·085	0·025	0·005	d	...	...	d	...	...	d	d	9
10	...	...	d	d	d	...	...	...	...	...	...	...	10
11	d	0·005	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	d	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	d	18
19	0·260	0·090	0·010	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	d	0·010	...	d	...	...	20
21	...	...	...	...	...	...	...	...	d	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	d	...	...	...	...	...	...	0·020	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	d	28
29	...	...	...	...	...	...	...	d	d	...	...	...	29
30	...	...	...	...	...	...	...	...	0·025	0·065	0·170	0·110	30
31	...	...	d	d	...	0·045	0·120	0·035	d	...	...	...	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of AUGUST, 1925.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hongkong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	...	...	...	...	13	3	...	...	...	...	...	...	...	...	15	2	23	6	24	6	25	7	25	4	1
2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	28	2	28	2	27	6	26	7	2
3	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	1	22	3	20	3	18	7	16	5	3
4	...	...	...	...	...	...	...	...	...	...	...	1	8	4	8	3	9	5	9	4	9	7	9	8	4
5	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	16	4	21	3	27	4	3	5	5
6	...	1	...	...	...	...	...	...	10	3	10	2	...	...	17	2	...	1	17	2	13	5	11	8	6
7	9	11	9	10	10	7	10	8	10	2	...	1	9	2	8	2	8	2	7	5	7	10	8	12	7
8	6	19	6	16	6	18	7	16	7	14	7	16	8	15	8	25	9	14	9	15	8	16	8	20	8
9	14	21	14	17	14	19	15	20	15	13	14	16	15	32	16	19	17	20	18	19	19	20	19	25	9
10	16	20	17	25	17	31	18	24	18	19	18	16	19	17	21	22	23	19	23	6	21	11	19	13	10
11	17	14	18	14	18	10	18	9	18	12	19	10	20	13	19	9	19	9	19	8	19	11	18	16	11
12	17	10	18	10	19	14	19	13	19	11	19	10	20	8	20	9	22	6	21	8	19	8	17	12	12
13	20	11	19	7	19	10	19	10	20	12	20	10	20	10	21	11	21	10	20	11	21	16	21	14	13
14	19	8	20	11	20	10	20	12	20	8	20	10	19	11	20	11	21	12	21	15	20	16	20	17	14
15	21	10	21	11	21	14	21	14	22	11	22	5	22	9	23	10	23	7	23	7	22	9	21	11	15
16	21	11	21	10	20	14	21	13	21	13	21	13	21	12	21	12	20	11	20	12	20	12	20	14	16
17	18	11	19	13	19	14	19	17	19	13	19	15	19	16	19	15	19	14	20	15	19	15	19	12	17
18	18	7	18	8	18	11	18	12	19	11	19	15	20	13	20	12	20	12	19	13	19	12	20	12	18
19	...	...	22	5	24	3	26	3	..	...	...	1	21	5	25	3	22	2	22	2	...	1	24	9	19
20	24	2	...	...	24	2	..	...	...	...	...	1	5	2	23	3	27	5	7	17	7	17	7	18	20
21	6	12	7	9	7	4	...	...	...	1	...	...	...	1	5	5	6	9	8	9	8	12	7	20	21
22	6	25	6	24	6	29	6	24	6	17	7	21	8	18	7	14	8	24	7	22	7	23	6	22	22
23	7	20	7	17	6	14	6	13	5	14	6	13	6	16	6	17	6	17	6	17	6	15	7	11	23
24	11	3	9	9	9	7	...	1	7	6	7	11	7	13	7	13	7	14	7	17	7	18	8	17	24
25	6	10	6	14	5	13	5	15	5	15	5	13	6	18	7	23	6	28	7	25	7	22	9	21	25
26	7	2	..	...	...	...	...	...	7	3	6	6	5	9	5	9	7	9	8	12	9	11	9	12	26
27	27	2	27	5	27	2	26	5	26	6	26	5	26	2	25	4	24	5	23	7	22	9	22	8	27
28	24	2	...	...	25	2	25	6	24	2	26	6	26	3	23	6	24	8	26	6	27	8	28	8	28
29	9	8	8	6	9	4	9	6	9	6	8	4	6	4	6	7	8	8	10	10	10	11	10	14	29
30	6	10	...	1	...	1	8	3	...	...	...	...	7	5	5	12	4	15	6	14	7	17	7	17	30
31	9	2	3	9	5	10	5	11	1	7	2	14	3	10	4	19	4	20	5	22	5	28	6	22	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	24	4	17	4	18	2	24	3	27	6	...	...	28	3	28	3	28	4	28	2	..	...	...	...	1
2	25	4	25	4	25	6	25	3	25	2	25	5	...	...	...	...	25	2	...	...	...	...	...	...	2
3	14	2	...	1	13	2	13	3	14	3	15	4	15	2	16	3	...	...	...	...	...	...	...	...	3
4	31	7	28	4	23	2	11	4	9	8	6	4	7	3	...	...	...	..	...	...	...	...	...	...	4
5	9	9	11	8	8	10	32	6	29	5	29	3	30	2	5	4	10	3	10	5	10	2	...	1	5
6	9	12	9	15	9	22	9	18	9	17	9	17	8	13	7	10	7	9	7	7	7	14	8	15	6
7	9	15	8	14	7	17	7	19	7	15	7	15	6	16	6	17	6	19	6	20	6	17	6	21	7
8	7	12	7	13	8	12	8	9	8	11	10	14	11	11	12	8	11	15	11	14	12	10	13	12	8
9	19	32	19	34	19	23	18	23	18	17	17	16	17	13	17	16	17	13	16	13	16	13	16	11	9
10	18	13	18	13	18	11	18	16	18	14	17	14	18	15	18	13	18	12	17	14	17	16	17	16	10
11	18	17	17	15	17	18	17	17	17	18	18	14	18	3	19	11	20	13	18	6	17	6	18	5	11
12	17	12	17	11	17	10	15	9	16	10	15	8	17	6	18	9	18	8	18	4	18	5	19	7	12
13	20	11	18	16	18	12	18	14	18	12	18	7	18	6	18	6	18	7	19	7	19	5	19	7	13
14	21	12	21	8	21	8	19	9	18	10	18	8	18	9	18	4	14	3	18	4	21	6	21	8	14
15	19	13	18	17	18	11	19	11	18	9	18	11	19	7	19	3	19	6	19	5	19	6	21	6	15
16	19	17	19	18	19	13	18	15	18	13	18	8	19	7	19	8	18	4	18	5	18	9	18	9	16
17	19	15	19	15	19	16	19	14	19	13	19	11	18	8	18	8	18	5	18	7	18	7	17	6	17
18	21	8	21	12	21	10	19	8	18	6	...	1	17	5	...	1	18	6	18	5	...	1	20	5	18
19	25	4	25	7	26	4	25	7	25	6	25	8	25	11	23	6	19	2	21	5	23	6	24	3	19
20	8	15	7	17	7	17	7	18	6	15	7	11	7	8	7	6	6	8	6	8	6	10	6	13	20
21	6	17	7	15	9	14	9	17	8	18	8	20	7	21	7	17	7	18	6	21	6	24	6	22	21
22	7	22	7	16	7	17	8	17	8	14	7	17	7	16	7	18	7	14	7	16	7	15	7	16	22
23	9	11	10	11	11	14	11	11	11	6	12	6	13	7	12	3	...	1	...	...	...	1	12	2	23
24	9	16	10	21	10	18	10	20	9	21	9	16	9	16	8	13	8	13	8	12	7	13	7	9	24
25	10	18	11	17	10	13	10	14	9	12	9	14	8	7	7	7	8	9	7	9	8	9	7	5	25
26	9	13	9	11	4	2	27	7	24	7	25	3	...	1	...	1	27	3	...	...	...	1	27	2	26
27	22	10	22	12	23	9	23	10	24	11	24	8	24	7	24	5	...	1	24	2	24	4	24	2	27
28	29	8	25	7	24	7	23	9	22	5	20	5	15	2	...	...	...	1	...	..	10	3	10	3	28
29	10	15	10	15	10	16	10	16	8	15	9	14	9	11	9	19	8	23	6	7	7	5	7	11	29
30	7	19	7	20	7	20	7	19	9	18	10	16	9	14	8	11	7	12	5	12	7	11	...	1	30
31	6	27	6	23	6	23	6	23	6	24	8	25	9	27	10	16	9	13	8	17	7	23	6	29	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of AUGUST, 1925.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	SSW	cu	SSW	cu	SSW	a-cu / cu	NNE / SSW	ci-st / cu	ENE / SW	ci-st	ESE	ci-st	E	ci-st	E
2	ci-st	E	...	...	a-cu	WNW	a-cu / cu	WSW / SSE	a-cu / cu	W / WSW	ci-st / cu	W / WSW	a-cu	NW	a-cu / cu	WNW / WSW
3	a-cu / cu	WNW / SW	cu	SW	a-cu / cu	W / SSW	cu	ESE	cu	SSE	cu	SE	ci-st / cu	W / SE	cu	SSE
4	...	...	...	...	cu-nb	ESE	cu	E	cu	E	cu	E	ci-st	NNW	ci-st	NNW
5	a-cu	NE	a-cu	NE	ci-st / cu	NNE / SE	cu	SE	ci-st / cu	NE / SE	ci-st / cu	NE / SE	...	...	...	...
6	ci-st	ENE	cu	E	ci-st / cu	NE / E	ci-st / cu	NE / E	ci-st / cu	NE / E	ci-st / cu	SSE / NNE	ci-st / cu	SE / ENE	ci-st / cu	SE / ENE
7	cu	ESE	ci-st / cu	ENE / ESE	nb	E	cu	ENE	cu	ESE	cu	E	cu	E	cu	E
8	cu	E	cu-nb	E	cu-nb	ESE	ci-st / cu	NW / ESE	cu	E	nb	ESE	cu-nb	SE	nb	S
9	nb	S	nb	S	cu	SSE	nb	SSW	nb	SW	nb	SW	nb	SW	cu	SW
10	nb	SSW	cu-nb	SSW	nb	SW	nb	SW	nb	SW	nb	SW	nb	SW	cu	SW
11	cu-nb	SW	cu-nb	SW	cu	SW	cu	SW	ci-cu / cu / nb	W / SW / SSW	cu	SW	cu	SW	cu	SW
12	cu	SW	cu	SW	cu	SW	cu	SW	cu	SW	cu	SW	cu-nb	SSW	cu	SSW
13	cu	SSW	cu	SSW	cu	SSW	cu	SW	cu	SW	cu	WSW	ci-st / cu	ENE / SW	cu	SW
14	cu	SW	cu	SW	cu	WSW	cu	WSW	cu	WSW	ci-st / cu	ESE / WSW	ci-st / cu	ESE / SW	cu	SW
15	cu	SW	cu	SW	ci-st / a-cu / cu	NE / ENE / SW	ci-st / cu	ENE / SW	cu	SW	ci-st / cu	ENE / WSW	ci-st / cu	ENE / SW	cu	WSW
16	cu	SW	cu	SW	cu	WSW	cu	W	ci-st / cu	ENE / W	cu	W	cu	SW	cu	SW
17	cu	SW	cu	WSW	cu	SW	cu	SSW	cu	SSW	cu	SW	cu	SW	cu	SW
18	cu	SW	nb	SW	cu	SW	cu-nb	SW	cu-nb	SW	a-cu / cu	E / WSW	a-cu / cu	NE / SW	cu	SW
19	cu	SW	cu	SW	cu	SW	nb	NW	nb	NW	cu	WNW	cu	WNW	cu	WNW
20	cu	WNW	...	...	cu	WNW	nb	E	a-cu / cu	WSW / E	cu	E	cu-nb	ESE	nb	ENE
21	...	...	...	...	st-cu	ENE	cu	E	cu	E	cu	E	cu	E	cu	E
22	cu	E	cu	E	cu	E	cu	E	ci-st / cu	ENE / E	ci-st / cu	ENE / E	ci-st / cu	ENE / E	cu	E
23	cu-nb	E	cu	E	ci-st / cu	WSW / E	ci-cu / cu	ENE / E	ci-st	E	ci-st	ENE	cu	E	cu	E
24	cu	E	nb	E	cu	ENE	ci-st / cu	SW / E	ci-st / cu	SW / E	ci-st / cu	SW / ENE	cu	E	cu	E
25	cu	E	cu	E	cu	E	cu	E	cu	E	ci-cu / cu	NE / E	ci-st	ENE	...	...
26	..	...	...	...	cu	N	ci-cu	NE	cu	N	...	...	cu	NNW	...	...
27	...	...	...	...	...	...	ci-cu / cu	ENE / N	a-cu / cu	E / NNW	a-cu / cu	E / NNW	ci-st / cu	ENE / NW	ci-st	ENE
28	...	...	...	...	a-cu	ESE	a-cu	SE	a-cu	NNW	cu	N	...	...	ci-st / cu	WNW / NW
29	cu-nb	E	cu-nb	E	cu	E	cu	E	ci-st / cu	NE / ESE	a-cu / cu	E / ESE	cu	ESE	cu-nb	ESE
30	cu	E	cu-nb	E	a-cu	E	cu	ENE	cu	ENE	cu	ENE	cu	ENE	nb	ENE
31	nb	E	nb	E	cu-nb	E	cu	E	cu	E	cu	E	nb	E	nb	E

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of AUGUST, 1925. (*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Range.	Temperature. Of the Air. Mean.	Temperature. Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Bright Sunshine. Percentage of possible amount.	Rainfall. Amount.	Rainfall. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·687	88·0	79·5	8·5	82·5	76·4	0·829	75	82	3·8	29	...	...	+ 0·1	− 1·8	273	1·8	2·5
2	·692	89·2	78·1	11·1	82·3	76·9	·854	78	77	3·8	29	...	...	+ 0·5	− 1·6	287	1·7	1·8
3	·660	86·2	78·4	7·8	81·6	77·4	·885	82	62	3·6	27	0·135	1	− 1·2	− 0·1	184	1·3	1·6
4	·639	87·2	77·4	9·8	81·5	76·8	·859	80	58	7·7	59	...	...	+ 0·2	+ 1·8	84	1·8	2·7
5	·632	88·2	77·2	11·0	82·0	77·2	·871	80	37	10·0	76	...	...	+ 0·2	+ 1·3	81	1·3	3·2
6	·634	89·7	78·4	11·3	83·0	77·9	·888	79	57	11·6	89	...	...	− 1·0	+ 7·7	97	7·9	8·0
7	·619	87·1	79·2	7·9	82·4	78·4	·919	83	87	5·7	44	0·070	1	+ 1·8	+ 11·1	81	11·3	11·5
8	·583	85·5	77·0	8·5	80·7	77·3	·893	85	95	4·8	37	0·965	6	− 0·9	+ 13·1	94	13·2	14·0
9	·583	82·7	75·6	6·1	79·0	74·8	·807	81	94	0·2	2	1·000	8	− 18·0	− 3·0	189	18·2	19·4
10	·630	86·3	77·1	9·2	82·4	78·1	·905	82	98	1·6	12	0·030	1	− 14·0	− 6·4	205	15·4	16·2
11	·650	88·1	81·9	6·2	83·6	78·6	·912	79	82	9·2	71	0·005	...	− 10·7	− 4·5	203	11·6	11·8
12	·639	88·4	81·5	6·9	84·1	78·9	·919	78	74	10·0	78	...	...	− 8·0	− 3·5	204	8·7	9·1
13	·643	89·0	81·6	7·4	84·2	78·5	·899	76	51	11·3	88	...	...	− 7·8	− 6·1	218	9·9	10·1
14	·611	89·4	81·6	7·8	84·5	78·9	·913	77	57	11·3	88	...	...	− 6·8	− 6·4	223	9·3	9·6
15	·592	89·5	80·8	8·7	84·5	78·7	·904	76	45	11·4	88	...	...	− 5·8	− 6·5	228	8·7	9·3
16	·576	90·4	81·8	8·6	84·9	79·2	·922	77	71	11·4	88	...	...	− 8·5	− 7·3	221	11·2	11·4
17	·528	87·1	83·0	4·1	84·3	79·3	·935	79	95	0·4	3	...	...	− 10·3	− 6·5	212	12·2	12·3
18	·500	87·7	82·7	5·0	84·2	79·8	·960	81	93	0·7	5	0·100	1	− 6·7	− 4·9	216	8·3	8·6
19	·464	83·4	75·6	7·8	80·2	77·7	·917	89	92	0·8	6	1·620	5	− 0·1	− 4·1	269	4·1	4·3
20	·484	82·3	76·9	5·4	78·9	77·8	·851	86	69	3·1	24	0·010	1	+ 2·0	+ 7·7	75	8·0	8·9
21	·540	86·0	76·0	10·0	80·4	76·1	·844	81	67	6·7	52	...	...	+ 2·4	+ 12·2	79	12·4	12·7
22	·591	85·7	78·8	6·9	81·7	75·1	·783	73	67	9·6	76	...	...	+ 4·2	+ 18·7	77	19·2	19·2
23	·573	86·2	77·9	8·3	81·0	75·4	·806	76	45	11·1	87	...	...	+ 1·1	+ 9·7	83	9·8	10·7
24	·519	86·7	76·9	9·8	81·5	76·4	·842	78	70	9·9	78	0·630	3	− 0·7	+ 12·9	93	12·9	13·2
25	·523	84·6	78·4	6·2	81·2	75·7	·816	77	37	12·1	95	...	...	+ 1·6	+ 13·7	83	13·8	14·6
26	·543	86·9	78·8	8·1	82·0	76·2	·827	76	24	11·2	88	...	...	+ 0·6	+ 3·1	79	3·2	5·2
27	·493	91·2	78.6	12·6	84·4	78·6	·901	76	31	10·3	81	...	...	− 0·3	− 5·6	267	5·6	5·9
28	·495	92·8	81·4	11·4	86·0	76·7	·794	64	62	6·7	53	...	...	+ 0·5	− 3·5	278	3·5	4·5
29	·594	88·9	80·3	8·6	84·1	78·9	·919	78	76	9·9	79	...	1	− 1·7	+ 10·2	99	10·3	10·6
30	·616	89·1	77·5	11·6	83·7	78·0	·883	76	77	9·3	74	0·370	2	+ 2·0	+ 10·6	79	10·8	11·2
31	·626	85·9	75·9	10·0	81·1	76·4	·847	80	95	7·2	57	0·690	6	+ 6·5	+ 15·8	68	17·1	18·5
Means	29·586	87·4	78·9	8·5	82·5	77·4	0·874	79	69	Sum. 226·4	57	Sum. 5·625	Sum. 36	− 2·5	+ 2·5	135	3·5	9·8
Normals	29·617	86·5	77·8	8·7	81·6	77·5	0·891	83	66	199·1	50	14·743	70	− 2·3	+ 2·0	139	3·1	9·5
Absolute Max.	29·734	92·8	...	12·6	...	83·4	1·035	...	...	...	...	1·620	8	...	...	...	...	34·0 †
Day.	2	28	...	27	...	27	19	..	...	...	...	19	9	...	...	...	...	9d 14h
Absolute Min.	29·410	...	75·6	4·1	...	72·3	0·666	54	...	...	...	...	...	...	...	...	...	...
Day	19	...	19	17	...	9	22	28	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Solar halo :—on the 5th.
Lunar halo :—on the 1st and 7th.
Lunar corona :—on the 4th, 6th and 28th.
Unusual visibility :—on the 15th, 21st and 24th.
Dew :—on the 2nd, 3rd, 6th, 7th, 20th, 21st, 24th, 26th and 27th.
Rainbow :—on the 19th.
Lightning :—on the 3rd, 6th, 12th, 18th, 19th, 20th, 21st, 22nd, 24th, 29th, 30th and 31st.
Thunder :—on the 1st, 2nd, 3rd, 4th, 5th and 30th.

Thunderstorms as follows :—

3d 9h 44m to *11h 25m* N. to S.; distant.
19d 12h 00m to *13h 15m* S.S.W. to N.N.E.; nearest at *12h 24m* (*3s*).
30d 21h 18m to *23h 55m* in N.W.; distant.
31d 0h 50m to *2h 50m* S.E. to N.W.; distant.

Rain fell on 11 days. The mean hourly intensity was 0·156*in*, and the maximum fall in one hour was 1·110*ins* at *12h* on the 19th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 49 miles per hour at *3h 37m* on the 10th.

* 0°=N., 90°=E., &c. † Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of AUGUST, 1925.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1007·2	304·1	299·4	4·7	301·1	297·7	28·0	...	...	...	− 0·6	273	0·6	0·8
2	1007·4	304·8	298·6	6·2	300·9	297·9	28·8	...	...	+ 0·2	− 0·5	287	0·6	0·6
3	1006·3	303·1	298·8	4·3	300·6	298·2	29·9	3·4	1	− 0·4	...	184	0·4	0·5
4	1005·6	303·7	298·2	5·5	300·5	297·9	29·0	...	...	+ 0·1	+ 0·6	84	0·6	0·9
5	1005·4	304·2	298·1	6·1	300·8	298·1	29·4	...	...	+ 0·1	+ 0·4	81	0·4	1·0
6	1005·4	305·1	298·8	6·3	301·3	298·5	30·0	...	...	− 0·3	+ 2·5	97	2·6	2·6
7	1004·9	303·6	299·2	4·4	301·0	298·8	31·0	1·8	1	+ 0·6	+ 3·6	81	3·7	3·8
8	1003·7	302·7	298·0	4·7	300·1	298·2	30·1	24·5	6	− 0·3	+ 4·3	94	4·3	4·6
9	1003·7	301·2	297·8	3·4	299·1	296·8	27·2	25·4	8	− 5·9	− 1·0	189	6·0	6·4
10	1005·3	303·2	298·1	5·1	301·0	298·6	30·5	0·8	1	− 4·6	− 2·1	205	5·0	5·3
11	1005·9	304·2	300·7	3·5	301·7	298·9	30·8	0·1	....	− 3·5	− 1·5	203	3·8	3·9
12	1005·6	304·3	300·5	3·8	301·9	299·1	31·0	...	...	... 2·6	− 1·1	204	2·9	3·0
13	1005·7	304·7	300·6	4·1	302·0	298·8	30·3	...	...	− 2·6	− 2·0	218	3·2	3·3
14	1004·6	304·9	300·6	4·3	302·2	299·1	30·8	...	...	− 2·2	− 2·1	223	3·0	3·1
15	1004·0	304·9	300·1	4·8	302·2	298·9	30·5	...	...	− 1·9	− 2·1	228	2·9	3·0
16	1003·4	305·4	300·7	4·7	302·4	299·2	31·1	...	...	− 2·8	− 2·4	221	3·7	3·7
17	1001·8	303·6	301·3	2·3	302·1	299·3	31·6	...	...	− 3·4	− 2·1	212	4·0	4·0
18	1000·9	303·9	301·2	2·7	302·0	299·6	32·4	2·5	1	− 2·2	− 1·6	216	2·7	2·8
19	999·7	301·6	297·2	4·4	299·8	298·4	30·9	41·2	5	...	− 1·3	269	1·3	1·4
20	1000·3	300·9	297·9	3·0	299·1	297·5	28·7	0·3	1	+ 0·7	+ 2·5	75	2·6	2·9
21	1002·3	303·0	297·4	5·6	299·9	297·5	28·5	...	...	+ 0·8	+ 4·0	79	4·1	4·2
22	1003·9	302·8	299·0	3·8	300·6	296·9	26·4	...	...	+ 1·4	+ 6·1	77	6·3	6·3
23	1003·4	303·1	298·5	4·6	300·2	297·1	27·2	...	...	+ 0·4	+ 3·2	83	3·2	3·5
24	1001·5	303·4	297·9	5·5	300·5	297·7	28·4	16·0	3	− 0·2	+ 4·2	93	4·2	4·3
25	1001·6	302·2	298·8	3·4	300·3	297·3	27·5	...	...	+ 0·5	+ 4·5	83	4·5	4·8
26	1002·3	303·5	299·0	4·5	300·8	297·6	27·9	...	...	+ 0·2	+ 1·0	79	1·0	1·7
27	1000·6	305·9	298·9	7·0	302·1	298·9	30·4	...	...	− 0·1	− 1·8	267	1·8	1·9
28	1000·7	306·8	300·4	6·4	303·0	297·8	26·8	...	...	+ 0·2	− 1·1	278	1·1	1·5
29	1004·0	304·6	299·8	4·8	301·9	299·1	31·0	...	1	− 0·6	+ 3·3	99	3·4	3·5
30	1004·8	304·7	298·3	6·4	301·7	298·6	29·8	9·4	2	+ 0·7	+ 3·5	79	3·5	3·7
31	1005·2	302·9	297·4	5·5	300·3	297·7	28·6	17·5	6	+ 2·1	+ 5·2	68	5·6	6·1
								Sum.	Sum.					
Means.	1003·8	303·8	299·1	4·7	301·1	298·2	29·5	142·9	36	− 0·8	+ 0·8	135	1·1	3·2
Normals	1004·9	303·3	298·4	4·9	300·6	298·3	30·1	374·5	70	− 0·8	+ 0·7	139	1·0	3·1
Absolute Maximum.	1008·8	306·8	...	7·0	...	301·6	34·9	41·2	8	...	...	...	...	11·1†
Day.	2	28	...	27	...	27	19	19	9	...	...	...	...	9d 14h
Absolute Minimum.	997·8	...	297·2	2·3	...	295·4	22·4	...	...	...	...	...	...	...
Day.	19	...	19	17	...	9	22	...	...	...	...	...	...	...

ADOPTED ERRORS OF TIMEBALL, AUGUST, 1925.

Date.	Error.	Date.	Error.	Date.	Error.
	s		s		s
1	+ 0·1	11	− 0·4	21	+ 0·2
2	0·0	12	− 0·3	22	+ 0·2
3	0·0	13	− 0·2	23	+ 0·1
4	− 0·1	14	− 0·1	24	+ 0·1
5	− 0·1	15	0·0	25	0·0
6	− 0·1	16	0·0	26	0·0
7	− 0·1	17	0·0	27	0·0
8	− 0·1	18	0·0	28	0·0
9	− 0·1	19	+ 0·1	29	+ 0·2
10	0·0	20	+ 0·1	30	+ 0·2
				31	+ 0·2

+ = Late ; − = Early.
The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.
The probable error for the month was ± 0s·12

* 0° = N. 90° = E. &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of AUGUST, 1925.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Degree of Humidity.	Mean Amount of Cloud (0-10).	Percentage of Possible Sunshine.	Rainfall. Percentage of Total. Amount.	Rainfall. Percentage of Total. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·597	80·7	77·2	0·888	85	70		2	3	− 2·5	+ 2·5	135	3·5	8·1
2	·588	80·4	77·0	·883	85	72		9	6	− 2·5	+ 1·6	147	3·0	8·1
3	·581	80·4	76·9	·879	85	68		8	7	− 3·0	+ 1·0	162	3·2	8·6
4	·576	80·3	76·8	·876	85	60		10	9	− 2·8	+ 0·2	176	2·8	8·2
5	·575	80·1	76·6	·870	85	61		3	6	− 2·1	+ 0·1	177	2·1	7·1
6	·581	80·1	76·7	·875	85	74	16	1	3	− 1·7	+ 0·6	160	1·8	7·6
7	·590	80·9	77·1	·881	84	71	59	3	4	− 2·5	+ 1·0	158	2·7	8·6
8	·602	82·1	77·5	·882	81	68	63	1	2	− 1·5	+ 0·9	149	1·8	9·4
9	·610	83·2	77·5	·868	76	68	62	1	3	− 1·1	+ 1·2	132	1·7	10·4
10	·618	84·1	77·8	·869	74	73	68	1	3	− 1·7	+ 2·5	124	3·0	10·8
11	·614	84·9	77·9	·863	72	69	73	3	4	− 2·0	+ 2·7	127	3·4	12·4
Noon.	·605	85·6	78·1	·862	70	75	65	22	3	− 3·1	+ 3·2	134	4·5	13·4
13	·592	85·4	78·1	·865	71	73	71	9	6	− 3·7	+ 3·6	136	5·2	13·2
14	·575	85·3	78·0	·862	71	75	70	3	6	− 4·8	+ 3·1	147	5·7	13·4
15	·556	85·3	78·3	·876	72	72	65	3	5	− 4·0	+ 3·7	137	5·5	12·2
16	·546	84·7	77·9	·865	73	69	58	3	4	− 4·2	+ 3·5	140	5·5	12·5
17	·542	84·2	77·9	·872	74	72	47	1	5	− 3·6	+ 3·6	135	5·1	11·6
18	·548	83·2	77·6	·872	77	75	14	1	1	− 3·5	+ 4·1	131	5·4	10·4
19	·558	82·3	77·3	·871	79	72		4	3	− 2·7	+ 3·6	127	4·5	9·1
20	·578	82·0	77·4	·879	81	62		1	3	− 2·3	+ 3·2	126	4·0	7·9
21	·596	81·6	77·3	·880	82	58		...	3	− 1·8	+ 3·6	117	4·0	8·0
22	·610	81·5	77·3	·881	82	62		3	3	− 1·4	+ 3·5	112	3·8	7·3
23	·613	81·1	77·1	·878	83	66		5	3	− 1·3	+ 3·7	109	3·9	7·8
Midn.	·606	81·0	77·1	·879	83	65		3	5	− 1·3	+ 3·4	111	3·7	8·0

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of AUGUST, 1925.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1004·2	300·1	298·1	30·0	− 0·8	+ 0·8	135	1·1	2·7
2	1003·9	299·9	298·0	29·8	− 0·8	+ 0·5	147	1·0	2·7
3	1003·6	299·9	297·9	29·7	− 1·0	+ 0·3	162	1·0	2·8
4	1003·5	299·8	297·9	29·6	− 0·9	+ 0·1	176	0·9	2·7
5	1003·4	299·7	297·8	29·4	− 0·7	...	177	0·7	2·3
6	1003·6	299·7	297·8	29·5	− 0·6	+ 0·2	160	0·6	2·5
7	1003·9	300·2	298·1	29·7	− 0·8	+ 0·3	158	0·9	2·8
8	1004·3	300·8	298·3	29·8	− 0·5	+ 0·3	149	0·6	3·1
9	1004·6	301·4	298·5	29·3	− 0·4	+ 0·4	132	0·6	3·4
10	1004·9	301·9	298·4	29·3	− 0·6	+ 0·8	124	1·0	3·5
11	1004·7	302·4	298·5	29·1	− 0·7	+ 0·9	127	1·1	4·1
Noon.	1004·4	302·8	298·6	29·1	− 1·0	+ 1·0	134	1·5	4·4
13	1004·0	302·7	298·6	29·2	− 1·2	+ 1·2	136	1·7	4·3
14	1003·4	302·6	298·6	29·1	− 1·6	+ 1·0	147	1·9	4·4
15	1002·8	302·6	298·7	29·6	− 1·3	+ 1·2	137	1·8	4·0
16	1002·4	302·3	298·5	29·2	− 1·4	+ 1·1	140	1·8	4·1
17	1002·3	302·0	298·5	29·4	− 1·2	+ 1·2	135	1·7	3·8
18	1002·5	301·4	298·3	29·4	− 1·1	+ 1·3	131	1·8	3·4
19	1002·8	300·9	298·2	29·4	− 0·9	+ 1·2	127	1·5	3·0
20	1003·5	300·8	298·2	29·7	− 0·8	+ 1·0	126	1·3	2·6
21	1004·1	300·6	298·2	29·7	− 0·6	+ 1·2	117	1·3	2·6
22	1004·6	300·5	298·2	29·7	− 0·5	+ 1·1	112	1·2	2·4
23	1004·7	300·3	298·1	29·6	− 0·4	+ 1·2	109	1·3	2·6
Midn.	1004·5	300·2	298·1	29·7	− 0·4	+ 1·1	111	1·2	2·6

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

AUGUST,

1925.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	31st JULY, 1925.								1st AUGUST, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostook,	12	29.67	753.5	83	...	W	1	c	6	29.81	757.1	75	...	...	0	b
Kemuro,	11	...	...	...	...	...	...	...	5	29.67	753.5	...	...	ESE	1	...
Hakodate,	"	29.70	754.5	...	...	SW	4	...	"	29.69	754.0	...	...	...	...	...
Tokio,	"	29.84	758.0	...	...	S	2	...	"	29.82	757.5	...	...	...	0	...
Kochi,	"	29.90	759.5	...	...	...	0	...	"	29.84	758.0	...	...	...	0	...
Nagasaki,	"	29.92	760.0	...	...	NW	1	...	"	29.84	758.0	...	...	...	..	...
Kagoshima,	"	29.92	760.0	...	...	SE	1	...	"	29.86	758.5	...	...	...	0	...
Oshima,	"	29.59	751.5	...	...	SE	1	...	"	29.80	757.0	...	...	...	0	...
Naha,	"	29.84	758.0	...	...	SSE	1	...	"	29.80	757.0	...	...	...	...	...
Ishigakijima,	"	29.78	756.5	...	...	SSW	2	...	"	29.75	755.5	...	...	SW	3	...
Bonin Island,	"	29.86	758.5	...	...	...	0	...	"	29.84	758.0	...	...	...	0	...
Chefoo,	15	29.77	756.1	84	72	SSE	1	0	6	29.83	757.7	75	86	SSE	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.79	756.6	90	57	SE	4	b	"	29.78	756.3	75	98	ESE	1	b
Gutzlaff,	"	29.82	757.5	81	78	SSE	6	b	"	29.82	757.4	77	95	SSE	2	b
Sharp Peak,	"	29.84	757.9	90	88	E	2	b	7	29.91	759.7	70	90	N	1	0
Amoy,	15	29.68	753.9	90	63	SSE	4	b	9	29.71	754.6	82	83	ESE	1	b
Swatow,	"	...	..	...	...	...	...	...	8	...	...	...	...	...	...	...
Takoku,	11	29.76	756.0	93	61	...	0	b	5	29.73	755.1	75	91	...	0	b
Taichu,	"	29.78	756.3	93	...	...	0	b	"	29.74	755.4	73	...	...	0	0
Tainan,	"	29.78	756.3	86	...	W	2	b	"	29.72	754.8	77	...	...	0	b
Koshun,	"	29.78	756.3	86	...	...	0	0	"	29.72	754.8	77	...	...	0	0
Pescadores,	"	29.78	756.3	86	...	NNW	4	b	"	29.71	754.5	79	...	S	2	b
Canton,	14	29.81	757.2	89	69	S	1	c	6	...	...	...	...	...	...	...
Hongkong,	"	29.75	755.6	84	75	E	2	0	"	29.73	755.1	80	87	...	0	0
Gap Rock,	"	29.77	756.1	...	...	SW	3	c	"	29.74	755.4	...	...	SW	3	c
Macao,	"	29.74	755.4	93	59	S	2	0	"	29.69	754.2	81	87	WSW	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.72	754.8	93	57	SSE	1	b	7	29.73	755.1	81	87	S	4	b
Tourane,	"	29.72	754.8	86	...	ESE	2	b	"	29.73	755.1	81	...	W	2	0
Cape St. James,	"	29.79	756.6	79	...	SW	2	0	"	29.80	756.9	75	...	SW	2	b
Basco,	14	...	...	...	...	...	...	...	6	29.68	753.9	66	96	...	0	0
Aparri,	"	29.72	754.8	90	63	N	4	0	"	...	...	...	..	...	...	...
Manila,	"	29.72	754.8	86	75	SW	4	0	"	29.76	756.0	75	92	SSE	4	0
Legaspi,	"	29.74	755.4	81	90	SW	4	0	"	29.76	756.0	75	98	SSW	2	0
Tacloban,	"	...	...	...	...	...	...	...	"	29.71	754.5	77	94	S	1	0
Iloilo,	"	29.73	755.1	82	77	SW	6	0	"	29.80	756.9	75	94	...	0	0
Surigao,	"	29.76	756.0	73	58	WSW	2	0	"	29.81	757.2	77	91	...	0	0
Guam,	12.20	29.79	756.6	...	...	S	2	0	4.20	29.79	756.6	...	...	S	1	0
Yap,	12.47	29.79	756.6	...	...	SSW	4	0	4.47	29.82	757.5	...	...	NNW	1	0
Zaman,	11	29.82	757.4	84	83	N	1	0	6	29.78	756.4	78	91	SE	4	b

August 1*d.* 11*h.* 05*m.*—Pressure has increased moderately over S. Manchuria, slightly over Shantung and the Visayas, and has decreased slightly elsewhere; it is highest over S. Japan and the Bonins, and relatively low over the northern China Sea and the Pacific to the east of Formosa and N. Luzon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 67·53 inches, against an average of 52·04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel,	S. or variable winds, light to moderate.
2.—South coast of China between Hongkong and Lamocks,	S.W. or variable winds, moderate; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	1st August, 1925.								2nd August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook, .	12	29.78	756.3	86	...	NW	2	b	6	29.93	760.1	66	...	SE	3	o
Nemuro,	11	29.67	753.5	...	...	NNE	1	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.70	754.5	...	...	SW	2	...	"	29.84	758.0	...	...	...	o	...
Tokio,	"	29.78	756.5	...	...	SSE	1	...	"	29.84	758.0	...	...	...	o	...
Kochi,	"	29.82	757.5	...	...	SE	1	...	"	29.82	757.5	...	...	SW	1	...
Nagasaki,	"	29.86	758.5	...	...	W	1	...	"	29.82	757.5	...	...	...	...	...
Kagoshima,	"	29.84	758.0	...	...	W	1	...	"	29.80	757.0	...	...	NW	1	...
Oshima,	"	29.82	757.5	...	...	ESE	1	...	"	29.80	757.0	...	...	...	...	...
Naha,	"	29.84	758.0	...	...	...	o	...	"	29.78	756.5	...	...	...	o	...
Ishigakijima,	"	29.78	756.5	...	...	SSW	3	...	"	29.75	755.5	...	...	WNW	2	...
Bonin Island,	"	29.59	751.5	...	...	N	1	...	"	29.88	759.0	...	...	...	o	...
Chefoo,	15	29.78	756.4	82	71	SE	1	b	6	29.79	756.6	74	86	SE	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.80	756.9	90	60	SE	2	b	"	29.80	756.9	77	100	ESE	1	b
Gutzlaff,	"	29.83	757.7	83	83	SE	4	b	"	29.83	757.7	77	95	ESE	2	b
Sharp Peak,	"	29.81	757.2	96	65	E	1	b	7	29.81	757.2	82	83	...	o	b
Amoy,	15	29.68	753.9	88	69	SSE	4	b	9	...	...	...	...	...	...	...
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.76	756.0	90	66	...	o	b	5	29.74	755.4	75	96	...	o	b
Taichu,	"	29.79	756.6	90	...	...	o	b	"	29.78	756.3	77	...	...	o	o
Tainan,	"	29.79	756.6	90	...	WSW	2	b	"	29.74	755.4	79	...	...	o	o
Koshun,	"	29.78	756.3	86	...	NW	2	o	"	29.74	755.4	75	...	...	o	b
Pescadores,	"	29.80	756.9	86	...	SSW	2	b	"	29.74	755.4	79	...	...	o	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.74	755.4	86	60	S	2	ot	"	29.75	755.6	78	91	...	o	o
Gap Rock,	"	29.75	755.6	...	...	WSW	3	o	"	29.75	755.6	...	...	SW	3	o
Macao,	"	29.72	754.8	93	64	SSE	2	o	"	29.73	755.1	81	84	...	o	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.68	753.9	90	63	SSE	4	o	7	...	...	...	...	...	...	...
Tourane,	"	29.71	754.5	86	...	...	o	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.79	756.6	75	...	SW	4	o	"	...	...	...	...	...	...	...
Basco,	14	...	...	...	...	...	...	...	6	29.73	755.1	77	96	...	o	o
Aparri,	"	29.72	754.8	90	76	N	4	o	"	29.75	755.7	75	92	S	2	o
Manila,	"	29.75	755.7	82	77	SW	4	o	"	29.80	756.9	79	85	SW	2	o
Legaspi,	"	29.75	755.7	86	68	SSW	4	o	"	29.78	756.3	77	94	SW	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	o
Iloilo,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	"	29.76	756.0	86	89	W	2	b	"	29.81	757.2	75	94	SSW	1	o
Guam,	12.20	29.79	756.6	...	...	NE	1	o	4.20	29.79	756.6	...	...	ESE	1	b
Yap,	12.47	29.79	756.6	...	...	ENE	2	r	4.47	29.82	757.5	...	...	...	o	b
Labuan,	14	29.76	755.9	86	76	N	2	b	6	...	...	...	...	...	...	...

August 2*d*. 11*h*. 12*m*.—Pressure has increased moderately over S. Manchuria and north Japan, other changes are slight: it is highest over S. Manchuria and in the vicinity of the Bonins, and relatively low from the south-east coast of China to the Ladrones.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 67·53 inches, against an average of 52·53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3rd.

District.	Forecast.
1.—Formosa Channel,	Light variable winds.
2.—South coast of China between Hongkong and Lamocks,	S.W. or variable winds, light; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	2nd August, 1925.								3rd August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	30.00	762.0	69	...	SSE	4	0	6	29.89	759.2	65	...	ESE	4	0
Gemuro,	11	29.98	761.5	...	...	SE	2	...	5	30.02	762.5	...	...	SSE	1	...
Hakodate,	"	29.86	758.5	...	...	SE	2	...	"	29.88	759.0	...	...	SE	1	...
Tokio,	"	29.86	758.5	...	...	S	1	...	"	30.08	764.0	...	...	N	1	...
Kochi,	"	29.82	757.5	...	...	...	...	...	"	29.86	758.5	...	...	...	0	...
Nagasaki,	"	29.82	757.5	...	...	WNW	2	...	"	29.82	757.5	...	...	...	..	...
Kagoshima,	"	29.82	757.5	...	...	ESE	1	...	"	29.82	757.5	...	...	NW	1	...
Oshima,	"	29.82	757.5	...	...	N	1	...	"	29.78	756.5	...	...	...	...	...
Naha,	"	29.80	757.0	...	...	ESE	1	...	"	29.76	756.0	...	...	E	1	...
Ishigakijima,	"	29.76	756.0	...	...	WNW	2	...	"	29.71	754.5	...	...	WNW	3	...
Pratas Island,	"	29.88	759.0	...	...	FSE	1	.	"	29.86	758.5	...	...	SE	1	...
Tsingtao,	15	29.72	754.9	88	56	SSE	1	b	6	29.75	755.6	74	95	SE	1	r
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.79	756.6	90	60	SE	2	o	"	29.76	756.0	75	98	E	1	b
Gutzlaff,	"	29.83	757.7	82	83	ESE	2	b	"	29.79	756.6	78	92	SSE	2	o
Sharp Peak,	"	29.82	757.4	96	65	E	1	b	7	29.87	758.7	83	79	N	1	b
Amoy,	15	29.70	754.4	88	69	SSE	4	h	9	29.68	753.9	81	87	SE	1	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.79	756.6	90	66	NNW	2	b	5	29.76	756.0	75	96	...	0	b
Taichu,	"	29.79	756.6	90	...	...	0	o	"	29.79	756.6	77	...	...	0	o
Tainan,	"	29.79	756.6	90	...	SW	2	b	"	29.74	755.4	77	...	...	0	b
Toshun,	"	29.79	756.6	90	...	NW	2	b	"	29.73	755.1	75	...	...	0	b
Pescadores,	"	29.75	755.7	86	...	NW	2	o	"	29.75	755.7	77	...	W	2	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.74	755.4	87	63	W	1	c	"	29.72	754.9	79	91	...	0	o
Gap Rock,	"	29.75	755.6	...	...	...	0	c	"	29.74	755.4	...	...	S	1	c
Macao,	"	29.73	755.1	90	72	SE	1	o	"	29.69	754.2	81	94	...	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	..	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.67	753.6	90	69	SSE	4	b	7	...	...	...	...	...	...	...
Courane,	"	29.69	755.2	86	...	ESE	2	h	"	...	...	...	...	...	...	...
Cape St. James,	"	29.75	755.7	84	...	SW	2	h	"	...	...	...	...	...	...	...
Manila,	14	29.72	754.8	90	76	ESE	4	o	6	29.73	755.1	79	95	SW	2	o
Aparri,	"	29.73	755.1	90	63	NNE	4	o	"	29.75	755.7	77	92	S	4	o
Baguio,	"	29.79	756.6	86	71	WSW	6	o	"	29.80	756.9	77	94	...	0	o
Legaspi,	"	29.78	756.3	86	71	SW	1	o	"	29.78	756.3	82	96	SSW	2	b
Macloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.76	756.0	86	75	SW	6	o	"	29.82	757.5	79	85	SW	4	o
Arrigao,	"	29.79	756.6	86	61	WNW	4	o	"	29.81	757.2	77	88	SW	1	o
Saigon,	12.20	29.80	756.9	...	...	ENE	2	o	4.20	29.78	756.3	...	...	E	1	o
Bangkok,	12.47	29.81	757.2	...	...	W	4	o	4.47	29.82	757.5	...	...	...	0	c
Hainan,	14	29.71	754.6	88	80	N	4	b	6	29.82	757.4	78	91	...	...	...

August 3*d*. 12*h*. 04*m*.—Pressure has increased slightly over Japan, and decreased slightly to moderately elsewhere; it is highest in the Pacific to the east of Japan, and relatively low over China generally and in a trough extending from the China coast to the Ladrones.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 67·54 inches, against an average of 53·02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel,	Light variable winds.
2.—South coast of China between Hongkong and Lamocks.	Light Southerly or variable winds; fair to showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	3rd August, 1925.								4th August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.86	758.5	70	...	NE	2	0	6	29.88	758.9	67	...	...	0	r
Nemuro,	11	...	...	...	...	...	...	...	5	29.96	761.0	...	...	SSE	1	...
Hokodate,	"	29.88	759.0	...	...	SSE	1	...	"	29.86	758.5	...	...	N	1	...
Tokio,	"	29.94	760.5	...	...	SSE	1	...	"	29.90	759.5	...	...	...	0	...
Kochi,	"	29.84	758.0	...	...	S	1	...	"	29.84	758.0	...	...	...	0	...
Nagasaki,	"	29.80	757.0	...	...	NW	1	...	"	29.82	757.5	...	...	...	...	...
Kagoshima,	"	29.80	757.0	...	...	SE	1	...	"	29.82	757.5	...	...	...	0	...
Oshima,	"	29.80	757.0	...	...	SSE	1	...	"	29.76	756.0	...	...	...	0	...
Naha,	"	29.78	756.5	...	...	SSE	1	...	"	29.75	755.5	...	...	ESE	1	...
Ishigakijima,	"	29.72	755.0	...	...	WNW	2	...	"	29.75	755.5	...	...	WNW	2	...
Bonin Island,	"	29.86	758.5	...	...	SE	3	...	"	29.88	759.0	...	...	SE	1	...
Chefoo,	15	29.67	753.6	80	87	SSE	1	0	6	29.71	754.6	70	95	ESE	2	r
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.73	755.1	90	69	SE	1	0	"	29.72	754.8	75	96	ESE	1	b
Gutzlaff,	"	29.77	756.1	82	87	SE	2	b	"	29.75	755.6	78	92	SSE	2	b
Sharp Peak,	"	29.80	756.9	90	81	SE	1	b	7	29.79	756.6	81	83	S	1	b
Amoy,	15	29.66	753.3	88	69	SSE	4	b	9	29.65	753.1	81	83	SE	1	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.75	755.7	90	63	...	0	b	5	29.72	754.8	73	96	...	0	b
Taichu,	"	29.78	756.3	64	...	...	0	b	"	29.75	755.7	73	...	...	0	b
Tainan,	"	29.75	755.7	90	...	WSW	2	0	"	29.72	754.8	73	...	...	0	b
Koshun,	"	29.74	755.4	90	...	...	0	b	"	29.72	754.8	84	...	...	0	r
Pescadores,	"	29.76	756.0	86	...	N	2	b	"	29.72	754.8	79	...	...	0	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.70	754.4	84	75	S	1	0	"	29.71	754.6	78	91	...	0	c
Gap Rock,	"	29.72	754.9	...	...	SE	2	c	"	29.69	754.1	...	...	SSW	3	c
Macao,	"	29.68	753.9	86	78	SSW	2	0	"	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.65	753.0	84	77	SE	4	0	7	29.69	754.2	82	98	E	8	of
Tourane,	"	29.65	753.0	86	...	...	0	0	"	29.66	753.3	79	...	SW	2	0
Cape St. James,	"	29.73	755.1	84	...	SW	6	b	"	29.75	755.7	75	...	SW	4	0
Basco,	14	...	...	...	...	...	...	...	6	29.71	754.5	81	80	SW	6	0
Aparri,	"	29.71	754.5	84	71	NNW	4	0	"	29.71	754.5	75	94	...	0	0
Manila,	"	29.74	755.4	86	71	SW	6	0	"	29.75	755.7	75	96	...	0	0
Legaspi,	"	29.74	755.4	90	72	SSW	4	0	"	29.73	755.1	79	92	SW	2	0
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.76	756.0	84	81	SW	4	0	"	29.76	756.0	82	81	SW	4	c
Surigao,	"	...	...	...	...	...	...	...	"	29.75	755.7	75	92	SSW	4	r
Guam,	12.20	29.75	755.7	...	...	N	1	0	4.20	29.76	756.0	...	...	E	1	0
Yap,	12.47	29.79	756.6	...	...	WNW	2	0	4.47	29.78	756.3	...	...	NNW	2	0
Labuan,	14	29.76	755.9	88	80	N	2	b	6	29.81	57.72	78	91	S	2	b

August 4*d.* 11*h.* 37*m.*—Pressure has decreased slightly at the majority of reporting stations; it remains highest in the Pacific to the east of Japan, and is relatively low over China generally. Gradients are everywhere slight.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·13 inch. Total since January 1st, 67·67 inches, against an average of 53·51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel,	Light variable winds.
2.—South coast of China between Hongkong and Lamocks. 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	Light Southerly or variable winds; fair to showery.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	4th August, 1925.								5th August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	29.87	758.7	69	...	NNE	1	r	6	29.88	758.9	68	...	...	0	0
Kamuro,	11	29.98	761.5	...	...	S	3	...	5	...	...	...	...	...	...	...
Hakodate,	,,	29.84	758.0	...	...	...	0	...	,,	29.90	759.5	...	...	...	...	...
Tokio,	,,	29.88	759.0	...	...	NE	1	...	,,	...	...	...	...	ESE	1	...
Kochi,	,,	29.84	758.0	...	...	SE	1	...	,,	29.88	759.0	...	...	...	0	...
Nagasaki,	,,	29.80	757.0	...	...	NW	1	...	,,	29.82	757.5	...	...	...	0	...
Kagoshima,	,,	29.80	757.0	...	...	SSE	1	...	,,	29.82	757.5	...	...	WNW	1	...
Ishima,	,,	29.78	756.5	...	...	SSE	1	...	,,	29.75	755.5	...	...	...	..	...
Taiwan,	,,	29.74	755.5	...	...	SE	2	...	,,	29.75	755.5	...	...	ESE	1	...
Ishigakijima,	,,	29.72	755.0	...	...	WNW	2	...	,,	29.71	754.5	...	...	WSW	1	...
Tourane Island,	,,	29.90	759.5	...	...	SE	1	..	,,	29.90	759.5	...	...	...	0	...
Amoy,	15	29.65	753.1	70	100	SE	2	r	6	29.68	753.9	67	95	NW	6	rf
Hankow,	,,	...	..	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.69	754.2	90	66	SSE	1	o	,,	29.73	755.1	75	98	ESE	1	b
Ichuzaff,	,,	29.74	755.4	82	83	SSE	2	b	,,	29.76	755.9	78	92	SSE	1	b
Sharp Peak,	,,	29.78	756.4	94	68	S	2	b	7	29.76	755.9	81	87	...	0	b
Amoy,	15	29.64	752.8	88	69	SSE	4	b	9	29.64	752.8	81	83	SE	1	b
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Ishoku,	11	29.72	754.8	90	63	NW	1	b	5	29.69	754.2	75	94	...	0	o
Haichu,	,,	29.74	755.4	90	...		0	b	,,	29.61	752.1	77	...	...	0	o
Hainan,	,,	29.72	754.8	90	...	WNW	2	b	,,	29.59	751.5	77	...	...	0	o
Koshun,	,,	29.72	754.8	86	...	...	0	b	,,	29.58	751.2	75	...	...	0	b
Pescadores,	,,	29.73	755.1	86	...	NNW	4	b	,,	29.58	751.2	79	...	N	2	o
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.69	754.1	81	77	WSW	1	ot	,,	29.69	754.1	78	91	...	0	bm
Gap Rock,	,,	29.69	754.1	...	...	ESE	2	c	,,	29.69	754.1	...	...	S	2	b
Macao,	,,	29.67	753.6	93	67	SE	2	o	,,	29.67	753.6	82	84	...	2	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Haiphulien,	,,	29.66	753.3	79	85	E	2	r	7	29.71	754.5	77	86	NNW	2	o
Tourane,	,,	29.63	752.7	86	...	ESE	2	b	,,	29.68	753.9	77	...	W	2	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.75	755.7	77	...	WSW	2	b
Basco,	14	29.67	753.6	86	75	SW	4	o	6	29.71	754.5	81	84	SW	4	o
Aparri,	,,	29.68	753.9	90	60	NE	4	o	,,	29.69	754.2	75	94	SSE	2	o
Manila,	,,	29.73	755.1	86	71	SW	4	o	,,	29.73	755.1	75	96	..	0	o
Legaspi,	,,	29.71	754.5	86	71	SW	4	o	,,	29.71	754.5	77	91	SW	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.75	755.7	75	91	...	0	o
Corrigao,	..	29.73	755.1	86	71	SW	4	o	,,	29.75	755.7	77	89	S	1	o
Guam,	12.20	29.72	754.8	...	...	NNE	2	b	4.20	29.73	755.1	...	...	SE	1	o
Yap,	12.47	29.74	755.4	...	...	...	0	r	4.47	29.76	756.0	...	...	WNW	1	o
Menado,	11	29.68	753.9	88	84	N	4	b	6	29.75	755.6	80	91	N	2	b

August 5*d*. 11*h*. 54*m*.—Pressure has decreased moderately over Formosa, and slightly over the Philippines; it has increased slightly elsewhere, and is highest over central Japan and the Pacific to the eastward. A depression is indicated over the Gulf of Pechili, and a trough of relatively low pressure extends from Indo-China, across Formosa and Luzon to the Pacific.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 67·67 inches, against an average of 54·00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel,	Light northerly winds.
2.—South coast of China between Hongkong and Lamocks.	Light variable winds; fair generally.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	5th August, 1925.								6th August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.85	758.2	71	...	SE	4	0	6	29.63	752.6	70	...	SSE	7	0
Nemuro,	11	29.98	761.5	...	...	SSW	4	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.92	760.0	...	...	SSE	1	...	"	29.94	760.5	...	...	...	...	...
Tokio,	"	30.00	762.0	...	...	SE	1	...	"	30.04	763.0	...	...	...	0	...
Kochi,	"	29.88	759.0	...	...	SSE	1	...	"	29.90	759.5	...	...	...	0	...
Nagasaki,	"	29.82	757.5	...	...	SSE	1	...	"	29.84	758.0	...	...	SSE	1	...
Kagoshima,	"	29.84	758.0	...	...	S	1	...	"	29.84	758.0	...	...	NE	1	...
Oshima,	"	29.78	756.5	...	...	SE	1	...	"	29.78	756.5	...	...	...	...	...
Naha,	"	29.78	756.5	...	...	ESE	1	...	"	29.76	756.0	...	...	...	...	...
Ishigakijima,	"	29.74	755.5	...	...	SW	1	...	"	29.69	754.0	...	...	S	1	...
Bonin Island,	"	29.90	759.5	...	...	ESE	1	...	"	29.90	759.5	...	...	...	0	...
Chefoo,	15	29.75	755.6	73	72	NW	4	b	6	29.85	758.2	65	91	W	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.71	754.5	93	59	S	1	b	"	29.76	756.0	77	98	WNW	1	0
Gutzlaff,	"	29.74	755.4	84	79	SE	4	0	"	29.79	756.6	77	100	NNE	1	0
Sharp Peak,	"	29.77	756.1	96	68	SE	2	b	7	29.79	756.6	83	83	...	0	b
Amoy,	15	29.64	752.8	88	69	SSE	4	b	9	29.64	752.8	81	83	SE	1	0
Swatow,	"	...		...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.72	754.8	90	63	...	0	b	5	29.69	754.2	75	89	...	0	b
Taichu,	"	29.73	755.1	90	...	...	0	b	"	29.72	754.8	77	...	...	0	b
Tainan,	"	29.74	755.4	86	...	WSW	2	0	"	29.71	754.5	79	...	...	0	b
Koshun,	"	29.73	755.1	86	...	NNW	2	b	"	29.71	754.5	77	...	...	0	b
Pescadores,	"	29.74	755.4	84	...	E	2	b	"	29.69	754.2	79	...	...	0	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.68	753.9	87	71	SE	2	0	"	29.71	754.6	79	90	...	0	c
Gap Rock,	"	29.70	754.4	...	...	NE	2	c	"	29.70	754.4	...	...	N	3	c
Macao,	"	29.67	753.6	93	67	SE	2	0	"	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.66	753.3	82	77	E	1	0	7	...	...	...	...	...	...	...
Tourane,	"	29.66	753.3	84	...	E	2	0	"	...	...	...	...	...	...	...
Cape St. James,	"	29.71	754.5	86	...	SW	2	0	"	...	...	...	...	...	...	...
Basco,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	"	29.67	753.6	86	61	NNE	4	0	"	29.71	754.5	75	92	S	2	0
Manila,	"	29.72	754.8	84	74	WSW	2	0	"	29.74	755.4	73	96	SE	1	0
Legaspi,	"	29.69	754.2	81	94	SW	2	0	"	29.72	754.8	77	96	SW	1	0
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.71	754.5	86	71	SW	4	0	"	...	...	...	...	...	...	...
Surigao,	"	29.69	754.2	86	61	WNW	2	0	"	...	...	...	...	...	...	...
Guam,	12.20	29.72	754.8	...	...	NW	1	0	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.71	754.5	...	...	N	2	0	4.47	29.78	756.3	...	...	...	0	b
Labuan,	14	29.70	754.4	86	80	N	2	b	6	29.80	756.9	78	91	S	2	b

August 6*d.* 12*h.* 12*m.*—Pressure has decreased slightly over Formosa and Luzon, and considerably over S. Manchuria; it has increased slightly elsewhere and remains highest in the Pacific to the east of Japan.

A depression is crossing S. Manchuria, and areas of relatively low pressure are situated over the northern China Sea and to the north of the Formosa Channel.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 67·[illegible] inches, against an average of 54·50 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel,	Light variable winds.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	Light N.E. or variable winds; fair.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	6th August, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	7th August, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostook. .	12	29.59	751.7	74	...	SSW	3	o	6	29.73	755.1	71	...	WSW	3	b
Gemuro, ...	11	...	...	...	...	...	...	...	5	30.04	763.0	...	...	SSE	1	...
Hokodate, ...	..	29.92	760.0	...	...	SE	2	...	,,	29.90	759.5	...	...	...	...	...
Tokio, ...	,,	30.04	763.0	...	...	SE	1	...	,,	30.00	762.0	...	...	...	o	...
Kochi, ...	,,	30.02	762.5	...	...	SSE	1	...	,,	29.94	760.5	...	...	...	..	...
Nagasaki, ...	,,	29.86	758.5	...	...	SE	1	...	,,	29.86	758.5	...	...	SSE	2	...
Kagoshima, ...	,,	29.86	758.5	...	...	...	o	...	,,	29.84	758.0	...	...	NE	1	...
Ishima, ...	,,	29.80	757.0	...	...	SE	1	...	,,	29.75	755.5	...	...	...	o	...
Naha, ...	,,	29.78	756.5	...	...	W	1	...	,,	29.71	754.5	...	...	N	1	...
Ishigakijima, ...	,,	29.78	756.5	...	...	S	1	...	,,	29.73	755.0	...	...	SSE	1	...
Bonin Island, ..	..	29.90	759.5	...	...	...	o		..	29.94	760.5	...	...	...	o	...
Shafoo.	15	29.83	757.7	80	58	NW	1	b	6	29.81	757.2	67	91	...	o	of
Hankow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Changsha, ...	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	14	29.78	756.3	90	66	NE	1	o	,,	29.74	755.4	77	96	NE	1	o
Chefoo, ...	,,	29.80	756.9	80	92	ENE	1	o	,,	29.77	756.1	78	100	NW	1	r
Gap Peak, ...	,,	29.78	756.4	96	59	E	1	b	7	29.78	756.4	80	82	W	1	b
Amoy, ...	15	29.57	751.1	90	66	SSE	4	b	9	29.65	753.1	81	87	SE	1	b
Swatow, ...	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	..	...
Hoihow, ...	11	29.75	755.7	90	60	...	o	o	5	29.73	755.1	77	89	...	o	o
Pakhoi, ...	,,	29.78	756.3	82	...	SW	2	o	,,	29.76	756.0	77	...	...	o	b
Hainan, ...	,,	29.75	755.7	86	...	WSW	2	o	,,	29.71	754.5	75	...	...	o	b
Koshun, ...	,,	29.74	755.4	90	...	SSW	2	b	,,	29.72	754.8	75	..	...	o	b
Pescadores, ...	,,	29.76	756.0	86	...	ENE	2	o	,,	29.72	754.8	81	...	...	o	o
Canton, ...	14	29.74	755.4	88	76	NW	1	o	6	...	...	...	...	...	...	...
Hongkong, ...	,,	29.68	753.9	86	68	E	4	o	,,	29.66	753.3	80	90	...	o	o
Gap Rock, ...	,,	29.70	754.4	...	...	E	3	c	,,	29.66	753.3	...	...	E	3	c
Macao, ...	,,	29.67	753.6	93	64	ESE	2	o	,,	29.63	752.7	81	87	ENE	2	o
Fuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Takhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Toihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Haulien, ...	,,	29.67	753.6	90	66	SSW	1	b	7	29.69	754.2	81	96	WSW	1	b
Tourane, ...	,,	29.68	753.9	84	...	..	o	o	,,	29.71	754.5	77	...	..	o	o
Cape St. James,	,,	29.72	754.8	86	...	SW	2	b	,,	29.76	756.0	77	...	W	2	bf
Iloilo, ...	14	29.68	753.9	86	71	SW	4	o	6	...	...	...	..	...	...	...
Aparri, ...	,,	29.68	753.9	90	72	NNE	4	o	,,	...	...	...	...	...	..	...
Manila, ...	,,	29.73	755.1	82	74	W	2	o	,,	29.75	755.7	73	92	N	6	b
Legaspi, ...	,,	29.69	754.2	82	84	SSW	2	o	,,	...	...	...	...	...	...	...
Baloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cebu, ...	,,	29.69	754.2	86	71	SSW	4	o	,,	29.76	756.0	75	91	NE	1	c
Zamboanga, ...	..	29.71	754.5	86	61	W	2	o	,,	29.76	756.0	77	92	SSW	1	o
Saigon, ...	12.20	29.73	755.1	...	...	SW	2	r	4.20	...	...	...	...	...	...	...
Bangkok	12.47	29.74	755.4	...	...	SE	2	o	4.47	29.79	756.6	...	...	...	o	b
Pakhoi, ...	14	29.71	754.6	88	84	N	4	b	6	29.73	755.1	78	91	N	2	b

August 7*d.* 11*h.* 52*m.*—Pressure has decreased slightly at the majority of reporting stations; it remains highest in the Pacific to the east of Japan, and is relatively low from Tongking to the south of the Loochoos.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·06 inch. Total since January 1st, 67·73 inches, against an average of 55·01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel, ...	Light variable winds.
2.—South coast of China between Hongkong and Lamocks,	E. or variable winds, moderate; fair to showery.
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	7th August, 1925.								8th August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.73	755.2	79	...	SW	4	c	6	29.82	757.3	69	...	...	0	0
Nemuro,	11	30.02	762.5	...	...	S	2	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.90	759.5	...	...	SSE	1	...	"	29.86	758.5	...	...	WSW	2	...
Tokio,	"	29.98	761.5	...	...	SSE	2	...	"	29.98	761.5	...	...	WSW	1	...
Kochi,	"	29.94	760.5	...	...	SE	1	...	"	29.02	760.0	...	...	...	..	...
Nagasaki,	"	29.82	757.5	...	...	SE	2	...	"	29.80	757.0	...	...	...	0	...
Kagoshima,	"	29.86	758.5	...	...	S	1	...	"	29.76	756.0	...	...	ENE	1	...
Oshima,	"	29.72	755.0	...	...	...	0	...	"	29.59	751.5	...	...	N	1	...
Naha,	"	29.70	754.5	...	...	NNW	1	...	"	29.69	754.0	...	...	W	1	...
Ishigakijima,	"	29.76	756.0	...	...	SE	1	...	"	29.73	755.0	...	...	WSW	1	...
Bonin Island,	"	29.92	760.0	...	...	ESE	1	..	"	29.92	760.0	...	...	...	0	...
Chefoo,	15	29.76	755.9	80	70	NE	1	b	6	29.77	756.1	66	91	E	1	b
Hankow,	"	...		...	...	...	...	...	"	...	...	...	..	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.65	753.0	82	86	SSE	1	o	"	29.75	755.7	75	98	ENE	1	b
Gutzlaff,	"	29.75	755.6	83	87	SSE	2	o	"	29.77	756.1	76	100	..	0	o
Sharp Peak,	"	29.78	756.4	94	68	SE	2	b	7	29.78	756.4	83	79	SW	1	b
Amoy,	15	29.66	753.3	90	70	SSE	2	b	9	29.65	753.1	82	87	SSE	1	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	..	...	..	...
Taihoku,	11	29.74	755.4	90	63	W	2	o	5	29.73	755.1	75	88	S	2	b
Taichu,	"	29.74	755.4	86	...	...	0	b	"	29.68	753.9	75	...	...	0	b
Tainan,	"	29.74	755.4	90	...	S	2	b	"	29.73	755.1	75	...	...	...	...
Koshun,	"	29.75	755.7	90	...	S	2	b	"	29.73	755.1	79	...	...	0	r
Pescadores,	"	29.75	755.7	86	...	E	2	o	"	29.72	754.8	81	...	SSE	6	b
Canton,	14	29.64	752.8	93	64	SSE	1	c	6	...	..	...	...	...	...	...
Hongkong,	"	29.66	753.3	85	75	E	4	o	"	29.63	752.6	81	85	E	4	o
Gap Rock,	"	29.66	753.3	...	...	NE	4	o	"	29.62	752.3	...	..	E	4	c
Macao,	"	29.66	753.3	90	72	ESE	4	o	"	29.53	750.0	79	91	E	4	o
Wuchow,	15	...	.	...	...	...	...	...	9	...	..	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.65	753.0	90	57	S	1	b	7	29.66	753.3	81	96	NW	1	b
Tourane,	"	29.66	753.3	86	...	...	0	b	"	29.65	753.0	81	...	WNW	2	o
Cape St. James,	"	29.74	755.4	84	...	...	0	o	"	20.78	756.3	75	...	SW	2	b
Basco,	14	29.71	754.5	86	58	SW	4	o	6	29.73	755.1	81	86	SW	2	o
Aparri,	"	29.68	753.9	90	66	NE	4	b	"	29.76	756.0	75	94	S	2	b
Manila,	"	29.74	755.4	90	69	WSW	2	o	"	29.79	756.6	75	96	E	2	o
Legaspi,	"	29.71	754.5	82	90	WSW	2	o	"	29.80	756.9	75	98	...	0	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.71	754.5	86	68	SSW	4	o	"	29.81	757.2	79	91	N	2	o
Surigao,	..	29.72	754.8	90	57	NNE	1	b	"	29.80	756.9	75	94	FSE	1	b
Guam,	12.20	29.75	755.7	...	...	SW	2	o	4.20	29.79	756.6	...	...	NE	2	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.70	754.4	88	80	N	4	b	6	29.83	757.7	76	91	S	2	b

August 8*d.* 10*h.* 40*m.*—Warning to Hongkong, and Phulien:—Typhoon in Lat. 20° N Long. 111° E., position uncertain, direction unknown.

August 8*d.* 11*h.* 06*m.*—Pressure has increased slightly over S. Manchuria and the Philippines, and decreased slightly elsewhere; it is highest in the Pacific to the east of Japan.

Depressions are situated to the south of Oshima, and in the vicinity of Hainan, their direction of motion is at present unknown.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·10 inch. Total since January 1st, 67·83 inches, against an average of 55·53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel,	S.E. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S.E. winds, moderate; cloudy, showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	8th August, 1925.								9th August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.84	758.0	...	...	SW	4	...	"	29.80	757.0	...	...	...	...	...
Tokio,	"	29.94	760.5	...	...	S	2	...	"	29.92	760.0	...	...	SW	1	...
Kochi,	"	29.88	759.0	...	...	SE	1	...	"	29.80	757.0	...	...	SW	1	...
Nagasaki,	"	29.76	756.0	...	...	E	1	...	"	29.75	755.5	...	...	...	0	...
Kagoshima,	"	29.74	755.5	...	...	NE	1	...	"	29.73	755.0	...	...	NNE	1	...
Oshima,	"	29.55	750.5	...	...	N	2	...	"	29.65	753.0	...	...	N	2	...
Naha,	"	29.70	754.5	...	...	W	2	...	"	29.73	755.0	...	...	WNW	1	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	29.76	756.0	...	...	NE	1	...
Bonin Island,	"	29.90	759.5	...	...	SE	2	...	"	29.85	759.0	...	...	ESE	1	...
Chefoo,	15	29.74	755.4	77	57	NW	2	0	6	29.75	755.6	68	79	...	0	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.73	755.1	84	77	NE	1	0	"	29.73	755.1	75	100	E	1	0
Gutzlaff,	"	29.76	755.9	82	83	ENE	1	b	"	29.75	755.6	76	100	ESE	2	b
Sharp Peak,	"	29.77	756.1	90	70	SSE	4	b	7	29.76	755.9	81	83	S	1	b
Amoy,	15	29.68	753.9	90	70	SSE	2	0	9	29.66	753.3	80	87	SSW	2	0
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.76	756.0	90	66	N	2	b	5	29.76	756.0	75	91	...	0	b
Taichu,	"	29.78	756.3	90	...	SW	2	b	"	29.81	757.2	73	...	...	0	b
Tainan,	"	29.79	756.6	90	...	S	4	b	"	29.76	756.0	77	...	ESE	2	b
Koshun,	"	29.79	756.6	90	...	WNW	2	b	"	29.78	756.3	77	...	...	0	0
Pescadores,	"	29.79	756.6	86	...	SSE	4	b	"	29.76	756.0	59	...	SSE	4	0
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.62	752.3	83	80	E	3	0	"	29.60	751.8	79	82	SE	3	0
Gap Rock,	"	29.61	752.1	...	...	ESE	4	c	"	29.59	751.6	...	...	S	6	oq
Macao,	"	29.60	751.8	81	92	ESE	4	r	"	29.53	750.0	77	91	SSE	6	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.60	751.8	77	57	S	2	0	7	29.58	751.2	81	96	E	2	b
Tourane,	"	29.66	753.3	84	...	SE	2	0	"	29.66	753.3	82	...	...	0	0
Cape St. James,	"	29.76	756.0	82	...	SW	4	b	"	29.80	756.9	77	...	SW	2	of
Basco,	14	29.74	755.4	86	65	SSW	4	0	6	29.75	755.7	79	73	...	0	0
Aparri,	"	29.74	755.4	90	66	NE	4	b	"	29.79	756.6	77	98	S	2	b
Manila,	"	29.76	756.0	90	63	WSW	4	b	"	29.81	757.2	75	96	...	0	b
Legaspi,	"	29.74	755.4	90	72	NE	2	0	"	29.78	756.3	79	95	WNW	1	0
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	29.78	756.3	77	96	N	1	0
Surigao,	"	29.74	755.4	86	65	NNE	1	b	"	...	...	...	...	...	...	...
Guam,	12.20	29.74	755.4	...	...	W	1	0	4.20	29.75	755.7	...	...	SE	1	0
Yap,	12.47	29.74	755.5	...	...	SE	2	b	4.47	29.78	756.3	...	...	...	0	0
Labuan,	14	29.71	754.6	88	80	N	4	b	6	29.82	757.4	76	94	SE	4	0

August 9*d.* 7*h.* 22*m.*—**Local signal No. 3 hoisted.**

August 9*d.* 10*h.* 53*m.*—**Warning to Hongkong,:—Typhoon in Lat. 22° N Long. 112° E., moving N.N.E., position uncertain.**

August 9*d.* 11*h.* 45*m.*—**Pressure has increased slightly over Formosa and the Loochoos and decreased slightly elsewhere; it remains highest to the east of Japan. The northern depression has partially filled up; the southern depression entered the coast about 120 miles West of Hongkong on a N.N.E. track at about 6 a.m. this morning.**

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·46 inch. Total since January 1st, 69·29 inches, against an average of 56·06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	S.W. winds, strong, moderating; cloudy, squally, rain.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	9th August, 1925.								10th August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.80	757.0	80	...	NNW	1	c	6	29.94	760.5	67	...	...	0	c
Nemuro,	11	29.74	755.5	...	...	SSW	3	...	5	29.84	758.0	...	...	NNE	4	...
Hokodate,	,,	29.74	755.5	...	...	SSW	1	...	,,	29.78	756.5	...	...	...	...	...
Tokio,	,,	29.88	759.0	...	...	SE	2	...	,,	29.86	758.5	...	...	S	2	...
Kochi,	,,	29.76	756.0	...	...	SE	1	...	,,	29.78	756.5	...	...	...	0	...
Nagasaki,	,,	29.69	754.0	...	...	SSE	1	...	,,	29.71	754.5	...	...	ENE	1	...
Kagoshima,	,,	29.60	754.0	...	...	NNE	1	...	,,	29.71	754.5	...	...	...	0	...
Oshima,	,,	29.67	753.5	...	...	NNE	2	...	,,	29.67	753.5	...	...	N	1	...
Naha,	,,	29.74	755.5	...	...	W	1	...	,,	29.73	755.0	...	...	WNW	1	...
Ishigakijima,	,,	29.76	756.0	...	...	SW	1	...	,,	29.73	755.0	...	...	SW	2	
Bonin Island,	,,	29.86	758.5	...	...	ESE	1	...	,,	29.80	757.0	...	...	ESE	1	...
Chefoo,	15	29.73	755.1	81	56	NW	1	b	6	29.60	754.1	72	85	...	0	cf
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...		...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.69	754.2	93	50	E	1	b	,,	29.63	752.7	79	96	ESE	1	o
Gutzlaff,	,,	29.73	755.1	81	92	E	2	o	,,	29.65	753.1	77	100	SSE	2	o
Sharp Peak,	,,	29.76	755.9	88	69	S	4	b	7	29.76	755.9	82	87	S	2	b
Amoy,	15	29.67	753.6	82	83	SSW	4	o	9	29.66	753.3	80	87	SSW	4	o
Swatow,	,,	...		...	...	...	...	...	8	...		...	...	...	...	...
Taihoku,	11	29.75	755.7	93	53	W	2	b	5	29.69	754.2	75	92	...	0	b
Taichu,	,,	29.81	757.2	86	...	WSW	2	o	,,	29.81	757.2	73	...	...	0	b
Tainan,	,,	29.79	756.6	90	...	SSE	2	o	,,	29.74	755.4	77	...	SE	2	b
Koshun,	,,	29.79	756.6	90	...	WSW	2	b	,,	29.75	755.7	81	...	WNW	2	o
Pescadores,	,,	29.78	756.3	81	...	S	1	b	,,	29.73	755.1	81	...	S	2	o
Canton,	14	...	...	...	...	...	...	...	6	...		...	...	...	...	...
Hongkong,	,,	29.65	753.1	77	83	SSW	6	crq	,,	29.66	753.3	82	83	SW	3	cq
Gap Rock,	,,	29.63	752.6	...	...	SW	7	orq	,,	29.66	753.3	...	...	SW	6	c
Macao,	,,	29.58	751.2	77	89	SW	6	r	,,	29.62	752.4	79	98	SW	6	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.49	749.1	90	76	SSE	4	o	7	29.58	751.2	79	96	E	4	o
Tourane,	,,	29.62	752.4	90	...	W	2	o	,,	29.67	753.6	82	...	NNW	2	o
Cape St. James,	,,	29.76	756.0	81	...	SW	2	o	,,	29.80	756.9	77	...	SW	2	b
Basco,	14	29.72	754.8	86	68	SW	4	o	6	29.75	755.7	77	94	...	0	o
Aparri,	,,	29.73	755.1	93	59	S	2	b	,,	29.78	756.3	77	94	SW	2	b
Manila,	,,	29.76	756.0	84	71	W	2	r	,,	29.80	756.9	75	94	...	0	o
Legaspi,	,,	29.73	755.1	90	72	NE	2	b	,,	29.76	756.0	77	98	WSW	1	o
Taloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	86	71	SW	4	o	,,	29.79	756.6	77	92	NE	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	79	89	N	1	o
Guam,	12.20	29.75	755.7	...	...	NW	1	cf	4.20	29.73	755.1	...	...	S	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	29.76	756.0	...	...	...	0	b
Labuan,	14	29.80	756.9	84	83	S	1	o	6	29.83	757.7	76	91	S	2	r

August 9*d*. 19*h*. 15*m*.—Local signal No. 3 lowered.

August 10*d*. 11*h*. 44*m*.—Pressure has decreased slightly from Chefoo to N. Formosa, and over the Ladrones; it has increased slightly elsewhere, is highest over S. Manchuria, and relatively low over China generally.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·44 inch. Total since January 1st, 69·73 inches, against an average of 56·59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S.W. winds, moderate; cloudy, occasional rain.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	10th August, 1925.								11th August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock, .	12	29.93	760.3	74	...	SSE	4	c	6	29.99	761.6	64	...	ESE	6	o
Kemuro, ...	11	29.86	758.5	...	...	NE	2	...	5	30.06	763.5	...	...	E	1	...
Hokodate, ...	"	29.76	756.0	...	...	SSE	1	...	"	29.96	761.0	...	...	E	2	...
Tokio, ...	"	29.59	751.5	...	...	S	3	...	"	29.94	760.5	...	...	...	0	...
Kochi, ...	"	29.78	756.5	...	...	...	0	...	"	29.84	758.0	...	...	...	0	...
Nagasaki, ...	"	29.69	754.0	...	...	SE	1	...	"	29.76	756.0	...	...	ESE	1	...
Kagoshima, ...	"	29.69	754.0	...	...	NE	1	...	"	29.75	755.5	...	...	NE	2	...
Ishima, ...	"	29.67	753.5	...	...	N	3	...	"	29.67	753.5	...	...	N	1	...
Naha, ...	"	29.74	755.5	...	...	W	1	...	"	29.73	755.0	...	...	WNW	1	...
Ishigakijima, ...	"	29.74	755.5	...	...	S	1	...	"	29.69	754.0	...	...	SSW	1	...
Bonin Island, ..	"	29.78	756.5	...	...	ESE	1	...	"	29.76	756.0	...	...	E	1	...
Chefoo, ...	15	29.65	753.1	74	92	ENE	1	r	6	29.52	749.8	70	100	W	2	o
Hankow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai, ...	14	29.59	751.5	93	74	WSW	1	b	"	29.58	751.2	81	97	SE	1	o
Nitzlaff, ...	"	29.63	752.6	84	83	S	1	b	"	29.60	751.8	78	95	S	2	o
Sharp Peak, ...	"	29.76	755.9	84	83	S	2	o	7	29.72	754.9	81	83	S	1	b
Amoy, ...	15	29.66	753.3	81	92	SE	1	o	9	29.70	754.4	80	87	SSW	2	b
Swatow, ...	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku, ...	11	29.75	753.7	86	75	...	0	o	5	29.71	754.5	75	92	...	0	b
Haichu, ...	"	29.79	756.6	86	...	SW	2	o	"	29.78	756.3	79	...	...	0	b
Taiman, ...	"	29.79	756.6	90	...	S	4	b	"	29.74	755.4	79	...	ESE	2	o
Koshun, ...	"	29.78	756.3	90	...	W	2	o	"	29.73	755.1	82	...	W	2	b
Pescadores, ...	"	29.78	756.3	86	...	S	4	o	"	29.73	755.1	81	...	SSW	4	b
Canton, ...	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong, ...	"	29.69	754.1	85	76	SW	3	cq	"	29.70	754.4	82	81	SSW	2	cq
Gap Rock, ...	"	29.69	754.1	...	...	S	5	o	"	29.72	754.9	...	...	SW	4	c
Macao, ...	"	29.65	753.0	90	79	SSW	4	o	"	29.66	753.3	79	95	SSW	4	r
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Touhulien, ...	"	29.56	750.9	90	63	SSE	6	b	7	29.63	752.7	81	92	SSW	6	o
Tourane, ...	"	29.66	753.3	90	...	SE	2	o	"	29.73	755.1	81	...	W	2	o
Cape St. James,	"	29.76	756.0	86	...	SW	2	b	"	...	...	...	...	...	...	...
Basco, ...	14	29.72	754.8	86	75	SW	4	o	6	...	...	...	...	...	...	...
Aparri, ...	"	29.73	755.1	90	66	NNE	4	b	"	29.76	756.0	79	95	...	0	b
Manila, ...	"	29.76	756.0	81	84	...	0	r	"	29.78	756.3	75	96	NE	1	o
Legaspi, ...	"	29.72	754.8	90	72	ENE	2	o	"	29.75	755.7	77	98	...	0	b
Tacloban, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo, ...	"	29.73	755.1	86	65	SE	2	o	"	29.76	756.0	75	98	...	0	c
Surigao, ...	"	29.74	755.4	84	71	NNE	1	o	"	29.76	756.0	77	88	WSW	2	o
Guam, ...	12.20	...	...	...	...	...	...	...	4.20	29.75	755.7	...	...	S	1	o
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	29.76	756.0	...	...	...	0	o
Saipan, ...	14	29.77	756.1	83	87	N	2	b	6	29.78	756.4	78	94	NW	1	b

August 11*d.* 11*h.* 00*m.*—Pressure has increased slightly to moderately over Japan and slightly along the south coast of China; it has decreased slightly to moderately elsewhere, is highest over South Manchuria and N. Japan, and relatively low over China generally.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·73 inches, against an average of 57·13 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel, ...	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks.	S.W. winds, moderate; fair to showery.
3.—Hongkong to Gap Rock, ...	S.W. winds, moderate; fair to showery.
4.—South coast of China between Hongkong and Hainan, .	S.W. winds, moderate; fair to showery.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	11th August, 1925.								12th August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.10	764.5	...	...	NE	2	...	5	30.08	764.0	...	...	ENE	1	...
Hokodate,	"	29.98	761.5	...	...	ESE	3	...	"	29.98	761.5	...	...	E	2	...
Tokio,	"	29.96	761.0	...	...	SSE	1	...	"	29.98	761.5	...	...	N	1	...
Kochi,	"	29.86	758.5	...	...	SE	1	...	"	29.88	759.0	...	...	..	0	...
Nagasaki,	"	29.78	756.5	...	...	SSW	1	...	"	29.76	756.0	...	...	ESE	1	...
Kagoshima,	"	29.74	755.5	...	...	ENE	1	...	"	29.76	756.0	...	...	E	1	...
Oshima,	"	29.67	753.5	...	...	N	2	...	"	29.63	752.5	...	...	NNE	1	...
Naha,	"	29.72	755.0	...	...	W	1	...	"	29.67	753.5	...	...	N	2	...
Ishigakijima,	"	29.70	754.5	...	...	SSE	1	...	"	29.67	753.5	...	...	E	1	...
Bonin Island,	"	29.76	756.0	...	...	E	1	..	"	29.69	754.0	...	...	NNE	1	...
Chefoo,	15	29.57	751.1	72	92	NW	2	0	6	29.53	750.0	70	100	NW	1	r
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	..	...	...
Shanghai,	14	29.56	750.9	90	69	W	1	b	"	29.58	751.2	77	98	S	1	b
Gutzlaff,	"	29.60	751.8	88	73	WSW	2	0	"	29.60	751.8	80	92	S	2	0
Sharp Peak,	"	29.71	754.6	90	73	SSE	4	b	7	29.69	754.1	82	83	S	1	b
Amoy,	15	29.61	752.1	88	76	SE	2	b	9	29.58	751.3	80	82	SSW	2	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	..	...
Taihoku,	11	29.69	754.2	93	59	...	0	b	5	29.67	753.6	77	88	...	0	b
Taichu,	"	29.76	756.0	90	...	SSW	2	b	"	29.75	755.7	77	...	...	0	b
Tainan,	"	29.76	756.0	90	...	SW	2	b	"	29.72	754.8	79	...	...	0	b
Koshun,	"	29.75	755.7	90	...	WNW	4	b	"	29.69	754.2	81	...	WNW	2	b
Pescadores,	"	29.78	756.3	90	...	SSW	4	b	"	29.71	754.5	81	...	SW	2	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.70	754.4	86	76	S	4	0	"	29.70	754.4	82	81	SW	3	c
Gap Rock,	"	29.71	754.6	...	...	SW	5	b	"	29.70	754.4	...	...	SW	4	c
Macao,	"	29.66	753.3	90	76	SE	4	0	"	29.67	753.6	81	92	SW	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Phulien,	"	29.60	751.8	90	66	SSW	4	0	7	29.62	752.4	81	76	SSW	6	0
Tourane,	"	29.69	754.2	90	...	E	2	b	"	29.72	754.8	82	...	SW	2	b
Cape St. James,	"	29.78	756.3	90	...	WSW	2	b	"	29.80	756.9	77	...	WSW	2	b
Basco,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Aparri,	"	29.74	755.4	90	63	NNW	4	b	"	29.74	755.4	79	95	S	2	0
Manila,	"	29.73	755.1	90	69	WSW	4	0	"	29.76	756.0	77	96	...	0	0
Legaspi,	"	29.73	755.1	90	69	ENE	2	0	"	29.75	755.7	75	98	...	0	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.72	754.8	84	74	SE	2	0	"	...	...	...	...	...	...	...
Surigao,	..	29.73	755.1	86	65	WNW	1	0	"	...	...	...	...	...	...	...
Guam,	12.20	29.73	755.1	...	...	SW	4	0	4.20	...	...	...	...	...	..	...
Yap,	12.47	29.75	755.7	...	...	SW	2	0	4.47	29.76	756.0	...	...	...	0	0
Labuan,	11	29.72	754.9	88	80	N	4	b	6	29.84	757.9	78	91	N	1	0

August 12*d.* 11*h.* 19*m.*—Pressure has increased slightly over central Japan, and decreased slightly elsewhere; it is highest in the Pacific to the east of Japan, and relatively low over China generally.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 69·74 inches, against an average of 57·66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S.W. winds, moderate; fair.
3.—Hongkong to Gap Rock,	S.W. winds, moderate; fair.
4.—South coast of China between Hongkong and Hainan,	S.W. winds, moderate; fair.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	12th August, 1925.								13th August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.72	754.9	71	...	SE	6	o	6	29.62	752.2	70	...	SSE	4	r
Nemuro,	11	..	...	...	...	...	...	...	5	36.02	762.5	...	...	S	1	...
Hokodate,	"	29.96	761.0	...	...	ESE	3	...	"	29.88	759.0	...	...	...	...	...
Tokio,	"	29.96	761.0	...	...	E	1	...	"	29.88	759.0	...	...	N	1	...
Kochi,	"	29.86	758.5	...	...	SE	1	...	"	29.80	757.0	...	...	SW	1	...
Nagasaki,	"	29.74	755.5	...	...	S	2	...	"	29.75	755.5	...	..	...	0	...
Kagoshima,	"	29.74	755.5	...	...	ESE	3	...	"	29.73	755.0	...	...	E	1	...
Oshima,	"	29.65	753.0	...	...	NNE	1	...	"	29.63	752.5	...	...	NE	1	...
Naha,	"	29.65	753.0	...	...	NNW	2	...	"	29.63	752.5	...	...	NNE	1	...
Ishigakijima,	"	29.67	753.5	...	...	S	1	...	"	29.63	752.5	...	...	NNW	1	...
Bonin Island,	"	29.63	752.5	...	...	N	2	...	"	29.57	751.0	...	...	...	0	...
Chefoo,	15	29.57	751.1	75	81	NW	2	o	6	29.66	753.3	71	91	SW	1	o
Hankow,	"	...	..	...	...	...	...	...	"	...	...	...	..	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	....	...	...	...	...	...	...
Shanghai,	14	29.60	751.8	90	76	...	0	o	"	29.67	753.6	77	96	N	1	b
Gutzlaff,	"	29.63	752.6	86	80	W	1	b	"	29.68	753.9	80	96	W	1	o
Sharp Peak,	"	29.67	753.6	88	78	SE	2	r	7	29.69	754.1	83	91	...	0	o
Amoy,	15	29.59	751.6	92	67	SSE	2	b	9	...	...	...	...	...	...	...
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.68	753.9	90	60	WSW	2	b	5	29.65	753.0	82	74	WNW	2	b
Tsichu,	"	29.74	755.4	90	...	SSW	2	b	"	29.72	754.8	79	...	...	0	o
Tainan,	"	29.73	755.1	90	...	W	2	b	"	29.72	754.8	79	...	SSE	2	b
Koshun,	"	29.71	754.5	90	...	WNW	4	b	"	29.67	753.6	82	...	WNW	4	o
Pescadores,	"	29.74	755.4	90	...	S	2	o	"	29.66	753.3	81	...	S	4	o
Canton,	14	...	...	...	...	..	...	...	6	...	..	...	...	...	...	...
Hongkong,	"	29.68	753.9	87	71	SSW	2	c	"	29.70	754.4	82	83	SW	2	o
Gap Rock,	"	29.69	754.1	...	...	SSW	4	c	"	29.69	754.1	...	...	SW	5	c
Macao,	"	29.65	753.0	90	76	SSW	4	o	"	29.66	753.3	81	87	WSW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.58	751.2	90	63	WNW	4	o	7	29.62	752.4	82	94	S	6	bf
Tourane,	"	29.67	753.6	90	...	SE	2	b	"	29.71	754.5	79	...	W	2	b
Cape St. James,	"	29.78	756.3	86	...	WSW	2	o	"	29.76	756.0	79	...	SW	6	of
Basco,	14	...	...	...	...	...	...	...	6	29.73	755.1	82	89	SW	4	o
Aparri,	"	29.69	754.2	90	60	N	1	b	"	29.72	754.8	77	92	...	0	b
Manila,	"	29.72	754.8	86	71	WSW	4	o	"	29.76	756.0	81	84	W	2	o
Legaspi,	"	29.71	754.5	90	69	SW	2	o	"	29.73	755.1	77	98	SW	2	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Iloilo,	"	29.73	755.1	84	74	SW	4	o	"	29.75	755.7	79	91	SW	4	o
Surigao,	..	29.74	755.4	86	68	E	2	o	"	29.75	755.7	81	76	SW	2	o
Guam,	12.20	...	...	...	...	...	...	...	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	29.78	756.3	...	...	NW	2	r
Labuan,	14	29.79	756.6	86	88	N	4	b	6	...	...	...	...	...	...	...

August 13*d.* 11*h.* 07*m.*—Pressure has increased slightly along the whole China coast and decreased slightly to moderately elsewhere; it is highest in the Pacific to the east of Japan, and relatively low over China generally, the Loochoos and the Bonins.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·74 inches, against an average of 58·18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S.W. winds, moderate; fair.
3.—Hongkong to Gap Rock,	S.W. winds, moderate; fair.
4.—South coast of China between Hongkong and Hainan,	S.W. winds, moderate; fair.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	13th August, 1925.								14th August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.62	752.3	73	...	SE	3	o	6	29.71	754.7	70	...	NNE	2	f
Nemuro,	11	29.98	761.5	...	...	S	3	...	5	29.96	761.0	...	...	S	1	...
Hokodate,	"	...	...	...	...	SE	2	...	"	29.80	757.0	...	...	ESE	2	...
Tokio,	"	29.82	757.5	...	...	NE	3	...	"	29.61	752.0	...	...	NW	1	...
Kochi,	"	29.76	756.0	...	...	...	0	...	"	29.61	752.0	...	...	SW	1	...
Nagasaki,	"	29.72	755.0	...	...	ESE	1	...	"	29.65	753.0	...	...	...	0	...
Kagoshima,	"	29.70	754.5	...	...	SE	1	...	"	29.63	752.5	...	...	...	0	...
Oshima,	"	29.65	753.0	...	...	NNE	1	...	"	29.59	751.5	...	...	...	0	...
Naha,	"	29.63	752.5	...	...	NNE	1	...	"	29.57	751.0	...	...	...	0	...
Ishigakijima,	"	29.67	753.5	...	...	W	1	...	"	29.57	751.0	...	...	NNW	1	...
Bonin Island,	"	29.59	751.5	...	...	WSW	1	...	"	29.67	753.5	...	...	S	3	...
Chefoo,	15	29.66	753.3	83	71	NE	1	b	6	29.63	752.6	71	95	...	0	of
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.68	753.9	90	63	NNE	1	b	"	29.65	753.0	72	96	NNW	1	b
Gutzlaff,	"	29.69	754.1	81	92	N	2	o	"	29.67	753.6	76	95	NE	2	o
Sharp Peak,	"	29.68	753.9	86	80	WSW	2	o	7	29.68	753.9	83	94	W	1	b
Amoy,	15	29.58	751.3	92	64	S	2	o	9	29.58	751.3	83	92	SSE	1	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.66	753.3	90	69	...	0	o	5	29.60	751.8	81	87	...	0	o
Taichu,	"	29.72	754.8	90	...	SW	2	o	"	29.69	754.2	79	...	...	0	o
Tainan,	"	29.73	755.1	90	...	W	2	b	"	29.65	753.0	79	...	...	0	o
Koshun,	"	29.71	754.5	90	...	NW	4	b	"	29.62	752.4	79	...	NW	2	r
Pescadores,	"	29.73	755.1	86	...	SW	4	o	"	29.63	752.7	81	...	SW	2	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.71	754.6	88	62	S	3	c	"	29.67	753.6	82	83	SW	3	o
Gap Rock,	"	29.73	755.1	...	...	SW	4	c	"	29.69	754.1	...	...	SW	5	c
Macao,	"	29.68	753.9	90	72	SW	2	b	"	29.66	753.3	79	90	SW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.59	751.5	93	64	SSE	4	b	7	29.61	752.1	82	92	SSE	6	bf
Tourane,	"	29.68	753.9	86	...	E	2	b	"	29.69	754.2	81	...	SW	2	b
Cape St. James,	"	29.75	755.7	81	...	SW	2	of	"	29.79	756.6	73	...	...	0	o
Basco,	14	29.66	753.3	86	71	SW	6	o	6	29.61	752.1	82	89	WSW	6	o
Aparri,	"	29.67	753.6	90	63	N	4	b	"	29.65	753.0	79	91	...	0	o
Manila,	"	29.71	754.5	90	69	WSW	2	o	"	29.72	754.8	81	89	WSW	4	o
Legaspi,	"	29.69	754.2	90	72	WSW	4	o	"	29.69	754.2	75	96	SW	2	b
Tacloban,	"	29.71	754.5	86	71	ENE	4	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.73	755.1	86	71	SSW	4	o	"	29.74	755.4	82	81	SW	4	o
Surigao,	"	29.73	755.1	90	57	WSW	2	o	"	29.74	755.4	81	76	SW	2	o
Guam,	12.20	29.73	755.1	...	...	SSW	4	o	4.20	29.75	755.7	...	...	S	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	29.78	756.3	...	...	...	0	o
Labuan,	14	29.71	754.6	88	80	N	4	b	6	29.82	757.4	76	94	S	1	o

August 14*d.* 11*h.* 10*m.*—Pressure has increased slightly over S. Manchuria, the Bonins and Labuan, and decreased slightly to moderately elsewhere; it is highest to the north-east of Japan, and relatively low over China generally and the area between the Loochoos and the Bonins.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·74 inches, against an average of 58·69 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel,	S.W. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S.W. winds, fresh; fair.
3.—Hongkong to Gap Rock,	S.W. winds, fresh; fair.
4.—South coast of China between Hongkong and Hainan,	S.W. winds, fresh; fair.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	14th August, 1925.								15th August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	29.69	754.0	75	...	...	0	o	6	29.71	754.5	71	...	...	c	o
Kemuro,	11	29.94	760.5	...	...	SSE	3	...	5	29.88	759.0	...	...	SSE	c	...
Hokodate,	"	29.76	756.0	...	...	ESE	4	...	"	29.60	754.0	...	...	..	c	...
Tokio,	"	29.69	754.0	...	...	S	1	...	"	29.78	756.5	...	...	SSE	1	...
Kochi,	"	29.55	750.5	...	...	...	0	...	"	29.67	753.5	...	...	...	0	...
Nagasaki,	"	29.61	752.0	...	...	WNW	1	...	"	29.61	752.0	...	...	E	1	...
Kagoshima,	"	29.59	751.5	...	...	ESE	1	...	"	29.61	752.0	...	...	...	0	...
Ishima,	"	29.57	751.0	...	...	N	2	...	"	29.57	751.0	...	...	N	1	...
Naha,	"	29.59	751.5	...	...	NNW	2	..	"	29.59	751.5	...	...	N	1	...
Ishigakijima,	"	29.61	752.0	...	...	NNE	2	...	"	29.55	750.5	...	...	NW	1	...
Bonin Island,	"	29.69	754.0	...	...	S	3	...	"	29.71	754.5	...	...	SE	3	...
Chefoo,	15	29.60	751.8	81	78	ENE	1	b	6	29.60	751.8	73	86	...	0	lf
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.63	752.7	90	55	NNW	2	b	"	29.63	752.7	70	98	NE	1	b
Gutzlaff,	"	29.66	753.3	82	75	SE	2	o	"	29.65	753.1	75	86	NE	1	o
Sharp Peak,	"	29.68	753.0	94	64	SE	2	b	7	29.71	754.6	82	87	...	0	b
Amoy,	15	29.55	750.5	88	69	NE	2	o	9	29.57	751.1	81	87	WSW	1	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.61	752.1	90	63	...	0	o	5	29.58	751.2	81	62	...	0	o
Taichu,	"	29.68	753.9	90	...	...	0	o	"	29.63	752.7	77	...	...	0	o
Tainan,	"	29.67	753.6	79	...	WNW	2	r	"	29.62	752.4	77	...	...	0	o
Koshun,	"	29.65	753.0	84	...	NW	4	rf	"	29.60	751.8	81	...	NW	2	o
Pescadores,	"	29.65	753.0	86	...	SW	4	o	"	29.60	751.8	82	...	SSW	2	o
Canton,	14	29.63	752.6	94	64	SW	1	b	6	...	...	...	...	...	...	...
Hongkong,	"	29.66	753.3	89	66	SW	2	b	"	29.65	753.1	81	85	W	1	c
Gap Rock,	"	29.67	753.6	...	...	WSW	5	b	"	29.65	753.1	...	...	WSW	5	b
Macao,	"	29.65	753.0	90	66	WSW	4	b	"	29.58	751.2	81	87	WSW	4	o
Wuchow,	15	...		...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.59	751.5	90	66	SE	4	b	7	29.61	752.1	82	96	SSE	4	b
Tourane,	"	29.65	753.0	86	...	...	0	b	"	29.68	753.9	79	...	...	0	b
Cape St. James,	"	29.75	755.7	86	...	SW	2	o	"	29.76	756.0	77	...	SW	4	of
Basco,	14	...	...	...	...	...	...	...	6	29.59	751.5	82	90	WSW	6	o
Aparri,	"	29.62	752.4	90	63	ENE	4	o	"	29.65	753.0	77	84	S	2	o
Manila,	"	29.69	754.2	90	72	WSW	4	o	"	29.73	755.1	81	89	SW	4	o
Legaspi,	"	29.66	753.3	90	76	SW	4	o	"	29.71	754.5	79	92	SW	4	o
Tacloban,	"	...	...	...	...	...	..	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.71	754.5	86	71	SSW	6	o	"	29.75	755.7	82	84	SW	4	o
Surigao,	"	29.71	754.5	86	58	SW	2	o	"	29.74	755.4	82	74	W	2	o
Guam,	12.20	29.71	754.5	...	...	SSW	2	o	4.20	29.76	756.0	...	...	SE	1	o
Yap,	12.47	29.76	756.0	...	...	WSW	4	r	4.47	29.79	756.6	...	...	W	1	o
Labuan,	14	29.70	754.4	86	84	N	4	b	6	29.78	756.4	80	91	SE	4	b

August 15*d.* 11*h.* 15*m.*—Pressure has decreased slightly over N. Japan, China, Formosa and Indo-China. It has increased moderately over central Japan and slightly from S.W. Japan to the Bonin Islands and over the Philippines. It is highest over the Pacific to the east of Japan. Relatively low pressure areas are situated west of Hokkaido, south of the Loochoo Islands and over China generally, particularly the S.E. coast.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·74 inches, against an average of 59·20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel,	S.W. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	W. winds, moderate; fair.
3.—Hongkong to Gap Rock,	W. winds, moderate; fair.
4.—South coast of China between Hongkong and Hainan,	W. winds, moderate; fair.

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	15th August, 1925.								16th August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	29.66	753.4	79	...	S	2	0	6	29.72	754.9	69	...	ESE	5	0
Nemuro,	11	...	...	...	...	...	...	...	5	[illegible]	[illegible]	...	..	S	2	...
Hokodate,	"	29.70	754.5	...	...	ESE	1	...	"	29.78	756.5	...	...	..	...	...
Tokio,	"	29.80	757.0	...	...	S	1	...	"	29.84	758.0	...	...	ESE	1	...
Kochi,	"	29.65	753.0	...	...	...	0	...	"	29.57	751.0	...	...	SW	1	...
Nagasaki,	"	29.57	751.0	...	...	W	1	...	"	29.59	751.5	...	..	...	0	...
Kagoshima,	"	29.57	751.0	...	...	NE	1	...	"	29.57	751.0	...	..	...	0	...
Oshima,	"	29.55	750.5	...	...	NNE	1	...	"	29.55	750.5	...	...	N	1	...
Naha,	"	29.59	751.5	...	...	NNW	1	...	"	29.59	751.5	...	..	..	...	...
Ishigakijima,	"	29.63	752.5	...	...	NNE	1	...	"	29.[illegible]	752.0	..	...	NW	1	...
Bonin Island,	"	29.70	754.5	...	...	SSE	4	...	"	29.[illegible]	755.5	...	...	SSE	2	...
Chefoo,	15	29.57	751.1	82	75	E	1	0	6	29.60	751.8	75	92	...	0	0f
Hankow,	"	...	...	...	...	...	...	...	"	...	...	..	..	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Changsha,	"	..	...	...	...	...	...	...	"	..	...	...	...	...	...	...
Shanghai,	14	29.60	751.8	86	61	E	1	0	"	29.62	752.4	72	98	...	0	0
Gutzlaff,	"	29.64	752.8	84	72	NNE	1	b	"	29.63	752.6	76	86	ESE	1	0
Sharp Peak,	"	29.63	752.6	94	68	SE	2	b	7	29.64	752.8	84	87	SSE	1	b
Amoy,	15	29.50	749.3	92	57	SE	2	b	9	29.59	751.6	81	87	E	1	b
Swatow,	"	...	...	...	...	...	...	...	8	..	..	...	..	...	..	...
Taihoku,	11	29.61	752.1	90	69	N	2	0	5	29.60	751.8	77	96	..	0	0
Taichu,	"	29.63	752.7	90	...	SW	2	0	"	29.68	753.9	75	...	..	0	0
Tainan,	"	29.66	753.3	84	...	WSW	4	0	"	29.63	752.7	75	...	...	0	0
Koshun,	"	29.65	753.0	82	...	WNW	2	r	"	29.61	752.1	81	...	NW	2	0
Pescadores,	"	29.62	752.4	82	...	WSW	4	0	"	29.61	752.1	79	...	SSW	4	0
Canton,	14	29.59	751.6	95	65	SSW	1	b	6	..	..	...	...	..	..	...
Hongkong,	"	29.64	752.8	87	68	SW	4	c	"	29.63	752.6	82	87	WSW	3	c
Gap Rock,	"	29.67	753.6	...	...	SW	5	c	"	29.63	752.6	...	...	SW	5	c
Macao,	"	29.61	752.1	93	71	SW	2	0	"	29.60	751.8	81	89	WSW	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	..	...	..		...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	..	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.58	751.2	90	66	SSE	4	b	7	29.58	751.2	82	89	S	4	b
Tourane,	"	29.66	753.3	86	...	E	2	b	"	29.68	753.9	79	...	...	0	b
Cape St. James,	"	29.76	756.0	86	...	SW	2	0	"	29.80	756.9	77	...	SW	4	0
Basco,	14	...	...	...	...	...	...	...	6	..	..	...	...	...	...	...
Aparri,	"	29.62	752.4	90	60	SSE	4	0	"	29.65	753.0	75	89	S	2	0
Manila,	"	29.71	754.5	86	78	WSW	6	0	"	29.76	756.0	79	91	SSW	4	0
Legaspi,	"	29.67	753.6	86	75	SW	4	0	"	29.75	755.7	77	96	SW	2	0
Tacloban,	"	..	...	...	...	...	..	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.73	755.1	86	71	SSW	6	0	"	29.79	756.6	79	89	SW	6	0
Surigao,	"	29.73	755.1	86	56	WSW	4	0	"	29.79	756.6	81	80	...	0	0
Guam,	12.20	29.75	755.7	...	...	W	1	0	4.20	29.[illegible]9	756.6	...	...	S	1	0
Yap,	12.47	29.76	756.0	...	...	WSW	2	0	4.47	29.82	757.5	...	...	WSW	2	0
Labuan,	14	29.72	754.9	88	75	N	4	b	6	29.85	758.2	78	91	S	2	b

August 16*d.* 11*h.* 49*m.*—Pressure has decreased slightly from Haiphong to Shanghai, and increased slightly elsewhere; it is highest to the east of Japan, and relatively low over China generally and the Loochoos.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 69·74 inches, against an average of 59·71 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17th.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks.	S.W. winds, moderate; fair.
3.—Hongkong to Gap Rock,	S.W. winds, moderate; fair.
4.—South coast of China between Hongkong and Hainan,	S.W. winds, moderate; fair.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	16th August, 1925.								17th August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostook, .	12	29.71	754.7	72	...	ESE	2	o	6	29.68	753.8	70	...	SE	3	o
Kamuro, ...	11	29.92	760.0	...	...	S	3	...	5	29.98	761.5	...	...	S	3	...
Hokodate, ...	"	29.80	757.0	...	...	NW	1	...	"	29.76	756.0	...	...	...	0	...
Tokio, ...	"	29.80	757.0	...	...	SE	2	...	"	29.73	755.0	...	...	SE	2	...
Kochi, ...	"	29.51	749.5	...	...	...	0	...	"	29.31	744.5	...	...	SW	1	...
Nagasaki, ...	"	29.53	750.0	...	...	NNW	1	...	"	29.47	748.5	...	...	W	1	...
Kagoshima, ...	"	29.49	749.0	...	...	WSW	1	...	"	29.88	759.0	...	...	WNW	1	...
Ishima, ...	"	29.57	751.0	...	...	N	1	...	"	29.55	750.5	...	...	S	1	...
Taba, ...	"	29.61	752.0	...	...	WSW	1	...	"	29.57	751.0	...	...	WSW	1	...
Ishigakijima, ...	"	29.63	752.5	...	...	NW	1	...	"	29.57	751.0	...	...	S	1	...
Tonin Island, ..	"	29.72	755.0	...	...	S	2	...	"	29.78	756.5	...	...	SSE	1	...
Chefoo, ...	15	29.56	750.8	84	79	NE	1	b	6	29.59	751.6	74	95	SW	1	o
Hankow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai, ...	14	29.59	751.5	90	60	NE	1	o	"	29.56	750.9	70	94	ENE	1	r
Ichuzlaff, ...	"	29.62	752.3	82	71	ESE	2	o	"	29.56	750.8	77	86	NE	2	b
Sharp Peak, ...	"	29.64	752.8	92	70	SSE	1	b	7	29.58	751.3	82	87	SW	1	o
Amoy, ...	15	29.50	749.3	90	70	SSE	4	b	9	29.50	749.3	83	92	SSE	2	o
Swatow, ...	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku, ...	11	29.61	752.1	86	68	...	o	o	5	29.55	750.6	79	92	...	o	b
Tsichu, ...	"	29.68	753.9	90	...	S	6	b	"	29.66	753.3	77	...	..	o	b
Hainan, ...	"	29.68	753.9	90	...	SW	2	o	"	29.62	752.4	77	...	ESE	2	b
Hoshun, ...	"	29.66	753.3	84	...	NNW	4	o	"	29.60	751.8	81	...	WNW	2	b
Pescadores, ...	"	29.66	753.3	86	...	SW	4	b	"	29.60	751.8	81	...	SSW	4	o
Canton, ...	14	29.58	751.3	95	62	SSW	1	c	6	...	...	...	...	...	...	...
Hongkong, ...	"	29.62	752.3	89	66	SSW	4	c	"	29.60	751.8	83	82	SW	4	o
Gap Rock, ...	"	29.64	752.8	...	...	SW	4	b	"	29.60	751.8	...	...	SW	5	o
Macao, ...	"	29.60	751.8	90	72	SW	4	b	"	29.56	750.9	81	92	SW	4	o
Swatow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Haihow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shulien, ...	"	29.53	750.0	97	47	SW	2	b	7	29.49	749.1	82	81	SW	4	o
Tourane, ...	"	29.63	752.7	90	...	SE	2	b	"	29.63	752.7	82	...	SW	2	o
Cape St. James,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Basco, ...	14	...	...	...	...	...	...	...	6	29.63	752.7	59	81	WSW	6	o
Aparri, ...	"	29.63	752.7	90	60	NNE	4	o	"	29.63	752.7	77	91	S	4	o
Manila, ...	"	29.75	755.7	82	81	WSW	4	o	"	29.78	756.3	77	91	SW	4	r
Legaspi, ...	"	29.71	754.5	86	68	SW	4	o	"	29.72	754.8	79	90	SW	4	o
Iscloban, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo, ...	"	29.75	755.7	86	78	SSW	6	o	"	29.78	756.3	82	84	SW	4	o
Surigao, ...	"	29.75	755.7	86	65	WSW	2	o	"	29.76	756.0	82	81	WSW	2	b
Guam, ...	12.20	29.75	755.7	...	...	WSW	1	o	4.20	29.73	755.1	...	...	W	2	o
Yap, ...	12.47	29.79	756.6	...	...	WSW	4	o	4.47	29.79	756.6	...	...	W	2	o
Labuan, ...	14	29.71	754.6	88	84	N	4	b	6	29.82	757.4	78	91	N	2	b

August 17*d.* 11*h.* 41*m.*—Pressure has decreased considerably over South Japan and slightly to moderately elsewhere; it is highest in the Pacific to the east of Japan and relatively low over China generally. The depression is moving north eastwards and now covers S. Japan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·74 inches, against an average of 60·19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel, ...	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S.W. winds, fresh; cloudy, rain later.
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	17th August, 1925.								18th August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.63	752.7	72	...	...	0	r	6	29.62	752.2	71	...	...	0	b
Nemuro,	11	29.94	760.5	...	...	S	4	...	5	29.92	760.0	...	...	SSE	4	...
Hokodate,	,,	...	...	...	...	...	...	...	,,	29.69	754.0	...	...	SSW	5	...
Tokio,	,,	29.72	755.0	...	...	SSE	3	...	,,	29.90	759.5	...	...	SSE	1	...
Kochi,	,,	29.51	749.5	...	...	...	0	...	,,	29.76	756.0	...	...	E	1	...
Nagasaki,	,,	29.53	750.0	...	...	WNW	2	...	,,	29.65	753.0	...	...	SSE	1	...
Kagoshima,	,,	29.55	750.5	...	...	W	1	...	,,	29.67	753.5	...	...	...	...	...
Oshima,	,,	29.59	751.5	...	...	ESE	1	...	,,	29.63	752.5	...	...	SE	1	...
Naha,	,,	29.63	752.5	...	...	WSW	2	...	,,	29.61	752.0	...	...	...	0	...
Ishigakijima,	,,	29.61	752.0	...	...	S	1	...	,,	29.55	750.5	...	...	SSE	1	...
Bonin Island,	,,	29.78	756.5	...	...	ESE	1	...	,,	29.82	757.5	...	...	E	1	...
Chefoo,	15	29.59	751.6	84	68	NNW	2	b	6	29.67	753.6	72	95	NW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.55	750.6	77	86	ENE	2	0	,,	29.58	751.2	73	94	NE	2	b
Gutzlaff,	,,	29.57	751.1	71	91	NNE	6	0	,,	29.56	750.8	74	95	NE	2	r
Sharp Peak,	,,	29.59	751.6	86	84	SSE	2	0	7	29.59	751.6	77	91	..	...	...
Amoy,	15	29.46	748.3	88	80	SSE	2	0	9	29.48	748.8	82	96	WSW	1	0
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.59	751.5	86	61	...	0	0	5	29.55	750.6	79	95	...	0	0
Taichu,	,,	29.65	753.0	90	...	S	2	0	,,	29.61	752.1	77	...	...	0	0
Tainan,	,,	29.66	753.3	81	...	E	2	r	,,	29.60	751.8	81	...	ESE	2	0
Koshun,	,,	29.63	752.7	84	...	NNW	4	0	,,	29.60	751.8	81	...	WNW	2	b
Pescadores,	,,	29.63	752.7	86	...	SSW	4	0	,,	29.58	751.2	81	...	S	4	0
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.56	750.8	86	78	SW	3	0	,,	29.55	750.5	83	84	SW	4	0
Gap Rock,	,,	29.60	751.8	...	...	SW	4	c	,,	29.56	750.8	...	...	SW	4	c
Macao,	,,	29.54	750.3	90	76	SW	4	0	,,	29.53	750.0	82	92	SW	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.46	748.2	93	57	NW	1	0	7	29.47	748.5	82	92	SW	2	0
Tourane,	,,	29.55	750.6	90	...	...	0	0	,,	29.56	750.9	84	...	...	0	0
Cape St. James,	,,	29.73	755.1	84	...	SW	4	b	,,	29.75	755.7	77	...	SW	4	0
Basco,	14	...	...	...	...	...	...	...	6	29.69	754.2	82	84	WSW	6	0
Aparri,	,,	29.60	751.8	93	57	N	2	0	,,	29.59	751.5	79	80	S	2	r
Manila,	,,	29.71	754.5	86	71	SW	4	0	,,	29.73	755.1	75	96	...	0	0
Legaspi,	,,	29.68	753.9	90	66	SW	4	0	,,	29.71	754.5	79	96	SW	1	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	86	71	SSW	6	0	,,	29.75	755.7	81	96	SW	6	0
Surigao,	..	29.73	755.1	90	57	SW	2	0	,,	29.74	755.4	82	70	WSW	2	0
Guam,	12.20	29.67	753.6	...	...	NW	2	0	4.20	29.62	752.4	...	...	SSW	2	r
Yap,	12.47	29.73	755.1	...	...	W	4	0	4.47	29.72	754.8	...	...	W	4	0
Labuan,	14	29.82	757.4	86	80	NE	2	0	6	29.79	756.6	78	91	S	1	b

August 18*d.* 11*h.* 45*m.*—Pressure has increased slightly over Shantung and moderately to considerably over S. and central Japan; it has decreased slightly elsewhere, and remains highest in the Pacific to the east of Japan.

An irregular depression covers China; other depressions are situated in the north part of the Sea of Japan and to the N.W. of Guam.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·10 inch. Total since January 1st, 69·84 inches, against an average of 60·65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S.W. winds, moderate; cloudy, occasional rain.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	18th August, 1925.								19th August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock.	12	29.64	752.9	80	...	ESE	2	c	6	29.88	759.0	72	...	...	0	o
Kemuro,	11	29.90	759.5	...	...	S	5	...	5	29.92	760.0	...	...	SW	2	...
Hokodate,	"	29.78	756.5	...	...	WSW	6	...	"	29.92	760.0	...	...	...	...	...
Tokio,	"	29.94	760.5	...	...	SSE	3	...	"	30.04	763.0	...	...	S	1	...
Kochi,	"	29.82	757.5	...	...	SE	1	...	"	29.92	760.0	...	...	...	0	...
Nagasaki,	"	29.70	754.5	...	...	SSE	2	...	"	29.73	755.0	...	...	SE	1	...
Kagoshima,	"	29.70	754.5	...	...	SSE	1	...	"	29.75	755.5	...	...	ESE	1	...
Ishima,	"	29.67	753.5	...	...	SE	2	...	"	29.61	752.0	...	...	...	0	...
Taiba,	"	29.65	753.0	...	...	ESE	1	...	"	29.61	752.0	...	...	...	...	...
Ishigakijima,	"	29.57	751.0	...	...	SE	1	...	"	29.51	749.5	...	...	E	1	...
Bonin Island,	"	29.80	757.0	...	...	ESE	1	...	"	29.75	755.5	...	...	E	1	...
Chefoo.	15	29.65	753.1	83	63	N	1	b	6	29.71	754.6	70	95	...	0	of
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai.	14	29.55	750.6	79	92	NE	2	o	"	29.58	751.2	75	98	NNW	1	o
Wutzlaff,	"	29.55	750.5	81	83	NE	4	o	"	29.57	751.1	75	95	N	2	r
Sharp Peak,	"	29.59	751.6	81	91	W	1	r	7	29.52	749.8	77	93	...	0	o
Amoy,	15	29.48	748.8	86	88	SSW	1	o	9	29.44	747.8	81	92	WSW	4	o
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taiboku,	11	29.59	751.2	90	...	...	0	o	5	29.50	749.4	77	91	...	0	b
Taichu,	"	29.63	752.7	86	...	...	0	o	"	29.55	750.6	77	...	...	0	b
Tainan,	"	29.65	753.0	77	...	W	4	r	"	29.53	750.0	79	...	...	0	b
Koshun,	"	29.61	752.1	86	...	NW	4	o	"	29.54	750.3	75	...	...	0	b
Pescadores,	"	29.63	752.7	86	...	SW	4	o	"	29.52	749.8	81	...	SSW	4	o
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	"	29.55	750.5	87	74	W	2	o	"	29.52	749.8	81	91	SE	1	o
Gap Rock,	"	29.56	750.8	...	...	SW	4	o	"	29.51	749.5	...	...	WSW	3	c
Macao,	"	29.54	750.3	90	76	SW	4	o	"	29.49	749.1	81	94	WSW	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Fhulien,	"	29.47	748.5	86	81	WSW	2	o	7	29.48	748.8	82	96	ENE	2	o
Tourane,	"	29.53	750.0	90	...	E	2	b	"	29.55	750.6	84	...	SW	2	b
Cape St. James.	"	29.69	754.2	84	...	SW	6	r	"	29.69	754.2	77	...	SW	7	o
Basco,	14	29.55	750.6	86	81	WSW	6	o	6	29.49	749.1	82	89	W	4	o
Aparri,	"	29.58	751.2	81	46	SW	4	o	"	...	...	...	...	...	...	...
Manila,	"	29.68	753.9	79	85	SW	6	o	"	29.65	753.0	77	96	E	2	r
Legaspi,	"	29.66	753.3	90	69	SW	4	o	"	29.63	752.7	81	89	SW	4	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.71	754.5	86	78	SSW	6	o	"	29.69	754.2	81	92	SW	6	o
Surigao,	"	29.68	753.9	90	60	SW	4	o	"	29.67	753.6	82	77	SW	4	o
Guam,	12.20	29.58	751.2	...	...	W	2	r	4.20	29.55	750.6	...	...	SW	4	o
Yap,	12.47	...	...	...	...	WSW	4	o	4.47	29.66	753.3	...	...	WSW	4	o
Kabuan,	14	29.89	759.2	88	84	N	4	b	6	29.79	756.6	80	91	NE	2	b

August 19*d*. 11*h*. 53*m*.—Pressure has increased slightly to moderately over Shantung, S. Manchuria and Japan, and has decreased slightly to moderately elsewhere; it is highest in the Pacific to the east of Japan and is relatively low over China generally and the Pacific south eastward to the Ladrones.

Depressions are situated over S.W. China, to the south of the Loochoos, and the N.W. of Guam.

Shanghai warning. 18*d*. 21*h*. 25*m*.:—Typhoon of unknown. intensity within 120 miles of Lat. 13° N. Long. 143° E., moving W.N.W. Recd. 18*d*. 21*h*. 50*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·14 inch. Total since January 1st, 69·98 inches, against an average of 61·09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	W. and S.W. winds, moderate; cloudy, rain.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	19th August, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	20th August, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.89	759.1	79	...	...	0	0		29.96	760.9	72	...	ESE	3	r
Nemuro,	11	29.92	760.0	...	...	SW	4	..	,,	29.92	760.0	...	..	SSW	2	..
Hokodate,	..	29.92	760.0	...	...	SE	1	...	,,	29.96	761.0	...	...	...	...	...
Tokio,	,,	30.06	763.5	...	...	S	1	...	,,	30.08	764.0	...	..	...	0	...
Kochi,	,,	29.92	760.0	...	...	SE	1	..	,,	29.92	760.0	...	..	SW	1	...
Nagasaki,	..	29.76	756.0	...	...	S	3	...	,,	29.86	758.5	...	..	...	0	...
Kagoshima,	,,	29.80	757.0	...	...	ESE	1	...	,,	29.82	757.5	...	...	NE	1	...
Oshima,	,,	29.70	754.5	...	...	SE	2	...	,,	29.71	754.5	...	...	SE	1	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.63	752.5	...	...	E	2	...
Ishigakijima,	,,	...	...	...	...	...	...	..	,,	29.55	750.5	...	...	ESE	2	.
Bonin Island,	..	29.70	754.5	...	...	ENE	1	...	,,	29.67	753.5	...	...	SE	2	...
Chefoo,	15	29.65	753.1	82	75	NE	2	b	6	29.70	754.4	73	95	E	1	b
Hankow,	,,	..		...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	..	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	..	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.60	751.8	82	77	NNE	1	o	,,	29.67	753.6	77	96	ENE	1	o
Gutzlaff,	,,	29.62	752.3	80	92	N	1	r	,,	29.70	754.4	77	95	SE	2	o
Sharp Peak,	,,	29.58	751.5	84	75	ENE	4	o	7	29.60	751.8	73	90	E	1	b
Amoy,	15	29.47	748.5	88	84	ENE	1	o	9	29.51	749.5	80	96	ENE	2	o
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.59	751.5	82	74	NW	4	o	5	29.55	750.6	75	89	...	o	b
Taichu,	,,	29.56	750.9	86	...	...	0	b	,,	29.54	750.3	75	...	..	o	o
Tainan,	,,	29.58	751.2	86	...	ESE	2	o	,,	29.52	749.7	77	...	E	2	b
Koshun,	,,	29.55	750.6	82	...	NNW	4	o	,,	29.52	749.7	77	...	...	o	b
Pescadores,	,,	29.54	750.3	86	...	S	4	o	,,	29.52	749.7	79	...	NW	1	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.53	750.0	78	93	W	2	or	,,	29.51	749.5	77	91	...	o	o
Gap Rock,	,,	29.55	750.5	...	...	NNW	4	orlt	,,	29.53	750.0	...	...	WNW	2	b
Macao,	,,	29.52	749.7	77	100	SE	2	o	,,	29.49	749.1	77	91	...	o	o
Wuchow,	15	.	.	...	...	...	...	...	9	..	...	...	.		...	...
Pakhoi,	,,	.	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	...	..	...	...	...	...	...	,,	...	..	...	...	...	...	...
Phulien,	,,	29.46	748.2	93	53	SW	4	o	7	29.48	748.8	82	89	E	4	b
Tourane,	,,	29.52	749.7	90	...	E	2	b	,,	29.54	750.3	82	...	...	c	o
Cape St. James,	,,	29.09	754.2	79	...	SW	6	o	,,	...	...	...	...	...	...	...
Basco,	14	...	...	...	...	...	...	...	6	29.48	748.8	81	89	WNW	4	o
Aparri,	,,	29.52	749.7	90	63	N	4	o	,,	29.50	749.4	77	85	S	2	o
Manila,	,,	29.65	753.0	81	89	S	2	o	,,	29.62	752.4	75	91	SW	2	r
Legaspi,	,,	29.60	751.8	86	78	WSW	4	o	,,	29.60	751.8	77	96	SW	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.66	753.3	84	85	SSW	6	o	,,	...	...	...	...	...	...	...
Surigao,	..	29.65	753.0	86	65	SW	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.56	750.9	...	...	SW	4	o	4.20	29.71	754.5	...	...	SW	4	o
Yap,	12.47	29.61	752.1	...	...	W	4	o	4.47	29.66	753.3	...	...	SW	4	o
Labuan,	14	29.71	754.6	88	80	NE	2	b	6	29.85	758.2	76	91	S	2	r

August 19*d*. 22*h*. 42*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 22° N Long. 125° E., position uncertain, direction unknown.

August 20*d*. 11*h*. 45*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 22° N. Long. 124° E., stationary or very slow, position uncertain.

August 20*d*. 12*h*. 18*m*.—Pressure has increased slightly over S. Manchuria, S. Japan, the east coast of China, the Ladrones and the Carolines; it has decreased slightly elsewhere and is highest over S. Japan.

An area of relatively low pressure extends from Tongking across the northern China Sea S. Formosa and N. Luzon to the Ladrones. A depression or typhoon is indicated to the east of S. Formosa; the position of the Guam depression remains uncertain.

Manila warning. 19*d*. 21*h*. 00*m*.:—Cyclone or typhoon E. of southern Formosa direction unknown. Recd. 19*d*. 21*h*. 29*m*.

Manila warning. 19*d*. 21*h*. 00*m*.:—Typhoon in Lat. 18° N. Long. 143° E., moving W. Recd. 19*d*. 21*h*. 29*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·48 inch. Total since January 1st, 71·46 inches, against an average of 61·52 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel,	N. or variable winds, moderate to fresh.
2.—South coast of China between Hongkong and Lamocks,	E. or variable winds, moderate; fair to showery
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	20th August, 1925.								21st August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	29.95	760.8	74	...	SE	4	r	6	30.02	762.5	72	...	SE	4	r
Gensuro,	11	29.88	759.0	...	...	S	1	...	5	29.96	761.0	...	..	NW	1	...
Hakodate,	"	29.92	760.0	...	...	N	1	...	"	29.98	761.5	...	...	...	0	...
Tokio,	"	30.06	763.5	...	...	E	1	...	"	30.08	764.0	...	...	...	0	...
Kochi,	"	29.90	759.5	...	...	...	0	...	"	29.80	757.0	...	..	SE	2	...
Nagasaki,	"	29.84	758.0	...	...	NNE	1	...	"	29.70	754.5	...	...	E	1	...
Kagoshima,	"	29.82	757.5	...	...	NE	2	...	"	29.73	755.0	...	...	...	...	...
Ishima,	"	29.70	754.5	...	...	NE	1	...	"	29.69	754.0	...	...	...	...	...
Naha,	"	29.65	753.0	...	...	ENE	3	...	"	29.65	753.0	...	...	NE	1	...
Ishigakijima,	"	29.59	751.5	...	...	SSE	1	...	"	29.61	752.0	...	...	NE	0	...
Bonin Island,	"	29.69	754.0	...	...	E	1	...	"	29.80	757.0	...	...	E	1	...
Chefoo,	15	29.78	756.4	86	72	ESE	4	b	6	29.87	758.7	75	92	SSW	2	0
Hankow,	"	...	..	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.69	754.2	86	65	ESE	4	0	"	29.79	756.6	77	98	ESE	2	0
Gutzlaff,	"	29.73	755.1	80	87	SE	4	0	"	29.81	757.2	77	100	SE	2	0
Sharp Peak,	"	29.63	752.6	83	79	ENE	2	0	7	29.66	753.3	80	91	NNE	1	b
Amoy,	15	29.51	749.5	90	84	ENE	1	0	9	29.55	750.5	82	96	E	1	0
Swatow,	"	...	...	...	...	.	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.56	750.9	90	63	E	2	b	5	29.54	750.3	79	90	E	4	0
Tuichu,	"	29.55	750.6	90	...	..	0	0	"	29.56	750.9	75	..	...	0	0
Tainan,	"	29.55	750.6	90	...	WNW	2	b	"	29.55	750.6	75	..	...	0	b
Koshun,	"	29.54	750.3	90	...	NNE	2	b	"	29.55	750.6	81	..	NNE	4	0
Pescadores,	"	29.55	750.6	86	...	...	0	0	"	29.54	750.3	81	...	NNW	2	b
Canton,	14	29.54	750.3	77	95	E	2	r	6	...	...	...	...	...	...	...
Hongkong,	"	29.54	750.3	79	83	E	4	0	"	29.56	750.8	77	90	...	0	0
Gap Rock,	"	29.54	750.3	...	...	ENE	4	c	"	29.55	750.5	...	...	NE	4	c
Macao,	"	29.52	749.7	82	84	SE	4	0	"	...	...	...	...	...	...	...
Wuchow,	15	..	..	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	"	...	..	...	...	...	...	...	"	...	...	...	...	..	...	...
Holhow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hulien,	"	29.49	749.1	84	77	ENE	4	0	7	29.54	750.3	79	98	SW	2	of
Tourane,	"	29.54	750.3	86	...	...	0	0	"	29.54	750.3	82	...	W	2	b
Cape St. James,	"	29.66	753.3	81	...	SW	4	of	"	...	...	...	...	...	...	...
Basco,	14	29.48	748.8	86	78	WNW	6	0	6	...	...	...	...	...	...	...
Aparri,	"	29.48	748.8	90	69	N	4	0	"	29.53	750.0	77	91	S	2	0
Manila,	"	29.56	750.9	81	80	SW	4	0	"	29.59	751.5	75	94	E	2	0
Legaspi,	"	29.56	750.9	82	67	SW	4	0	"	29.58	751.2	77	96	SW	2	0
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	29.65	753.0	81	90	SW	6	0
Surigao,	"	...	..	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.59	751.5	...	...	SW	4	r	4.20	29.56	750.9	...	...	SW	2	r
Yap,	12.47	29.63	752.7	...	...	SW	8	0	4.47	29.67	753.6	...	...	WSW	4	0
Labuan,	14	29.77	756.1	80	91	N	2	0	6	29.73	755.1	78	91	SE	2	0

August 21*d.* 10*h.* 25*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 19° N. Long. 117° E., direction unknown.

August 21*d.* 10*h.* 25*m.*—Local signal No. 1 hoisted.

August 21*d.* 11*h.* 40*m.*—Pressure has decreased moderately over S. Japan and the Ladrones, and increased slightly to moderately elsewhere; it is highest over Japan and the neighbouring seas, and relatively low in a trough extending from Tongking to the Pacific east of Luzon.

A depression or typhoon is developing in the trough to the south of Pratas Shoal, and another centre is still indicated to the N.W. of Guam.

The centre east of Formosa is not apparent this morning.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 71·47 inches, against an average of 61·95 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate to fresh.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh to strong; fair at first, cloudy, squally and rainy later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	21st August, 1925.								22nd August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.06	763.4	73	...	SE	4	o	[illegible]	30.09	764.3	69	...	SE	3	c
Nemuro,	11	...	...	...	...	...	...	...	5	30.02	762.5	...	...	WNW	1	...
Hokodate,	"	29.96	761.0	...	...	SE	1	...	"	29.96	761.0	...	...	FSE	1	...
Tokio,	"	30.02	762.5	...	...	ESE	1	...	"	30.02	762.5	...	...	...	0	...
Kochi,	"	29.92	760.0	...	...	SE	3	...	"	29.98	761.5	...	...	...	...	...
Nagasaki,	"	29.76	756.0	...	...	SSE	4	...	"	29.88	759.0	...	...	E	1	...
Kagoshima,	"	29.80	757.0	...	...	ENE	2	...	"	29.88	759.0	...	...	ENE	3	...
Oshima,	"	29.72	755.0	...	...	SSE	1	...	"	29.73	755.0	...	...	SE	2	...
Naha,	"	29.69	754.0	...	...	ENE	2	...	"	29.67	753.5	...	...	NE	1	...
Ishigakijima,	"	29.67	753.5	...	...	NE	3	...	"	29.67	753.5	...	...	NE	1	...
Bonin Island,	"	29.78	756.5	...	...	E	1	..	"	29.80	757.0	...	...	E	1	...
Chefoo,	15	29.88	758.9	84	75	NE	2	b	6	29.95	760.7	76	95	E	1	o
Hankow,	"	...	.	...	...	...	...	...	"	...	...	...	..	..	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.81	757.2	90	60	E	4	b	"	29.80	756.9	73	96	NNW	1	o
Gutzlaff,	"	29.85	758.2	81	83	E	4	b	"	29.81	757.2	75	92	NW	1	r
Sharp Peak,	"	29.80	756.9	82	93	N	4	b	7	29.76	755.9	80	80	NW	1	b
Amoy,	15	29.60	751.8	90	88	ENE	2	o	9	29.65	753.1	81	92	NE	2	b
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	...	..	..	...
Taihoku,	11	29.66	753.3	86	75	ENE	4	o	5	29.68	753.9	75	92	ENE	2	b
Taichu,	"	29.61	752.1	86	...	...	o	o	"	29.63	752.7	79	..	...	o	o
Tainan,	"	29.60	751.8	86	...	...	o	o	"	29.62	752.4	79	...	..	o	b
Koshun,	"	29.62	752.4	79	...	ENE	2	r	"	29.62	752.4	81	...	NE	4	b
Pescadores,	"	29.61	752.1	86	...	NE	2	o	"	29.62	752.4	81	...	NE	2	o
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	..	...	...
Hongkong,	"	29.60	751.8	84	72	E	3	o	"	29.65	753.1	79	77	E	4	o
Gap Rock,	"	29.60	751.8	...	...	E	4	op	"	29.65	753.1	...	...	ENE	6	op
Macao,	"	29.58	751.2	90	69	ESE	2	o	"	29.74	755.4	81	73	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	.	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island	"	...	...	...	...	E	6	q	"	...	...	...	...	..	...	...
Phulien,	"	29.55	750.6	79	95	ENE	4	r	7	29.61	752.1	77	98	NW	4	o
Tourane,	"	29.56	750.9	86	...	...	o	o	"	29.60	751.8	79	...	...	o	o
Cape St. James,	"	29.68	753.9	81	...	SW	6	o	"	29.71	754.5	77	...	SW	6	of
Basco,	14	29.53	750.0	84	81	N	4	o	6	...	...	...	...	...	...	...
Aparri,	"	29.53	750.0	86	68	NE	4	o	"	29.59	751.5	79	91	S	2	o
Manila,	"	29.59	751.5	84	74	SW	4	o	"	29.62	752.4	77	88	S	4	o
Legaspi,	"	29.58	751.2	84	81	SSW	4	o	"	29.62	752.4	77	96	SW	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Guam,	12.20	29.58	751.2	...	...	SW	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.63	752.7	...	...	WSW	4	o	4.47	29.67	753.6	...	...	WSW	4	o
Labuan,	14	29.72	754.9	86	84	NE	2	b	6	29.82	757.4	76	91	NW	1	o

August 22*d*. 8*h*. 33*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 19° N. Long. 114° E., moving W.

August 22*d*. 11*h*. 06*m*.—Pressure has decreased slightly at Shanghai, remained stationary over central Luzon, and increased slightly elsewhere; it is highest over S. Manchuria and central Japan.

The depression of the China Sea is situated at about 180 miles south of Hongkong moving slowly westwards.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 71·47 inches, against an average of 62·37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks.	E. winds, strong, moderating; fair generally.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	22nd August, 1925.								23rd August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
adivostock, .	12	30.07	763.8	75	...	...	0	0	6	30.07	763.8	71	...	...	0	0
muro,	11	29.98	761.5	...	...	N	3	...	5	30.06	763.5	...	...	...	0	...
kodate,	,,	29.96	761.0	...	...	SE	1	...	,,	29.94	760.5	...	...	ENE	1	...
rio,	,,	29.98	761.5	...	...	S	1	...	,,	29.96	761.0	...	...	...	0	...
chi,	,,	29.98	761.5	...	...	...	0	...	,,	29.92	760.0	...	...	...	0	...
gasaki,	,,	29.90	759.5	...	...	NE	1	...	,,	29.92	760.0	...	...	...	0	...
goshima,	,,	29.90	759.5	...	...	E	2	...	,,	29.88	759.0	...	...	ENE	1	...
hima,	,,	29.78	756.5	...	...	SE	1	...	,,	29.76	756.0	...	...	...	0	...
ha,	,,	29.69	754.0	...	...	ENE	3	...	,,	29.69	754.0	...	...	ENE	3	...
igakijima,	,,	29.67	753.5	...	...	ENE	2	...	,,	29.59	751.5	...	...	E	3	...
ir Island,	,,	29.78	756.5	...	...	E	1	...	,,	29.65	753.0	...	...	ENE	2	...
efoo,	15	29.90	759.4	83	83	NE	1	0	6	29.88	758.9	76	92	S	1	b
ekow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
ang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ngsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
nghai,	14	29.78	756.3	84	74	E	1	0	,,	29.82	757.5	75	96	E	2	h
ilaff,	,,	29.82	757.4	78	82	SE	1	0	,,	29.83	757.7	78	95	ESE	2	h
rp Peak,	,,	29.79	756.6	84	57	ENE	2	h	7	29.75	755.6	80	74	NW	2	h
oy,	15	29.61	752.1	92	70	ENE	4	0	9	29.62	752.3	80	96	...	0	b
atow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	..	...
ihoku,	11	29.68	753.9	90	63	E	4	h	5	29.62	752.4	75	94	...	0	0
chu,	,,	29.63	752.7	90	...	NW	2	0	,,	29.62	752.4	77	...	...	0	b
inan,	,,	29.62	752.4	90	...	SSW	2	h	,,	29.60	751.8	79	...	E	2	h
shun,	,,	29.61	752.1	86	...	NE	4	0	,,	29.59	751.5	73	...	...	0	b
cadores,	,,	29.63	752.7	86	...	NNE	4	h	,,	29.59	751.5	81	...	N	4	b
aton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
ongkong,	,,	29.62	752.3	85	61	E	4	0	,,	29.64	752.8	78	80	NE	3	h
p Rock,	,,	29.62	752.3	...	...	ENE	6	h	,,	29.62	752.3	...	..	ENE	4	o
cao,	,,	29.61	752.1	86	68	SE	4	0	,,	29.61	752.1	79	80	NE	4	o
ochow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
khoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ilhow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ctas Island	,,	29.52	749.8	85	...	E	...	0	,,	29.54	750.3	83	...	NE	5	op
ulien,	,,	29.62	752.4	84	85	ENE	4	0	7	29.66	753.3	75	100	NNE	4	rf
ourane,	,,	29.59	751.5	81	...	...	0	0	,,	29.59	751.5	75	...	..	0	o
pe St. James,	,,	29.71	754.5	79	...	SW	6	o	,,	29.71	754.5	77	...	SW	6	o
sco,	14	29.54	750.3	86	78	NE	4	o	6	...	...	...	...	...	...	...
parri,	,,	29.54	750.3	90	66	NNW	4	o	,,	29.54	750.3	75	96	SW	2	o
anila,	,,	29.58	751.2	86	75	SW	4	o	,,	29.58	751.2	81	86	SW	4	o
gaspi,	,,	29.56	750.9	84	77	SW	4	o	,,	29.53	750.0	79	90	SW	4	o
scloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ilo,	,,	29.62	752.4	82	89	SSW	6	r	,,	...	...	...	...	...	...	...
igao,	..	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
m,	12.20	29.60	751.8	...	...	SW	4	o	4.20	...	...	...	...	...	...	...
,	12.47	...	...	...	...	...	...	...	4.47	29.63	752.7	...	...	SW	4	o
hnan,	14	29.71	754.6	88	84	NW	4	h	6	29.73	755.1	80	91	SE	4	h

August 22*d*. 21*h*. 10*m*.—Local signal No. 1 lowered.

August 23*d*. 11*h*. 35*m*.—Pressure has decreased slightly at the majority of reporting stations; it is highest over S. Manchuria, and relatively low in a trough extending from the Gulf of Tongking, eastward to the Ladrones. A depression centre is no longer definitely indicated in the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 71·47 inches, against an average of 62·79 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, fresh; fair.
3.—Hongkong to Gap Rock,	E. winds, fresh; fair.
4.—South coast of China between Hongkong and Hainan,	E. winds, fresh; fair.

C. W. JEFFRIES,—*Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	23rd August, 1925.								24th August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.04	763.1	76	...	SSE	1	o	5	29.88	758.9	67	.	SE	7	o
Nemuro,	11	...	...	...	...	...	...	...	5	30.08	764.0	...	...	ESE	1	...
Hokodate,	.	29.94	760.5	...	...	ESE	4	...	,,	29.96	761.0	...	...	ESE	4	...
Tokio,	,,	29.90	759.5	...	...	S	1	...	,,	29.88	759.0	...	...	NNW	1	...
Kochi,	,,	29.90	759.5	...	...	E	1	...	,,	29.80	757.0	...	...	...	o	...
Nagasaki,	,,	29.86	758.5	...	...	WSW	1	...	,,	29.76	756.0	...	...	...	o	...
Kagoshima,	,,	29.82	757.5	...	...	NE	1	...	,,	29.75	755.5	...	...	WSW	1	...
Oshima,	,,	29.72	755.0	...	...	NE	1	...	,,	29.65	753.0	...	...	...	o	...
Naha,	,,	29.67	753.5	...	...	NE	4	...	,,	29.61	752.0	...	...	NE	2	...
Ishigakijima,	,,	29.63	752.5	...	...	E	3	...	,,	29.57	751.0	...	...	NE	1	...
Bonin Island,	,,	29.55	750.5	...	...	NE	2	...	,,	29.13	740.0	...	...	SE	5	...
Chefoo,	15	29.78	756.4	90	63	S	1	b	6	29.79	756.6	77	77	S	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Shanghai,	14	29.79	756.6	86	68	ESE	2	b	,,	29.75	755.7	73	96	ESE	1	b
Gutzlaff,	,,	29.82	757.4	82	75	SE	4	o	,,	29.77	756.1	76	86	ESE	4	b
Sharp Peak,	,,	29.75	755.6	78	86	N	4	o	7	29.71	754.6	80	82	NE	1	b
Amoy,	15	29.53	750.0	90	88	ENE	4	o	9	29.60	751.8	81	96	NNE	2	o
Swatow,	,,	..	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.63	752.7	84	77	E	4	o	5	29.58	751.2	77	94	E	2	b
Taichu,	,,	29.61	752.1	90	...	...	o	o	,,	29.56	750.9	79		...	o	o
Tainan,	,,	29.60	751.8	86	...	NE	4	b	,,	29.55	750.6	79	..	SE	2	b
Koshun,	,,	29.60	751.8	90	...	N	2	b	,,	29.55	750.6	75	..	N	4	o
Pescadores,	,,	29.62	752.4	86	...	NE	4	b	,,	29.53	750.0	70	...	N	6	b
Canton,	14	29.59	751.6	90	66	SSW	1	o	6	..	...	...	..	...	...	...
Hongkong,	,,	29.61	752.1	85	63	ESE	2	o	,,	29.60	751.8	80	84	ENE	3	o
Gap Rock,	,,	29.64	752.8	...	...	E	4	o	,,	29.62	752.3	...	..	ENE	4	o
Macao,	,,	29.61	752.1	86	68	SE	4	b	,,	29.56	750.9	79	87	SE	2	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	.	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Pratas Island	,,	29.51	749.5	...	...	NE	4	or	,,	29.48	748.8	84	...	NE	...	b
Phulien,	,,	29.62	752.4	86	78	NW	4	o	7	29.60	751.8	77	91	NNW	4	lf
Tourane,	,,	29.54	750.3	82	...	NW	4	o	,,	29.54	750.3	77	...	WNW	2	o
Cape St. James,	,,	29.65	753.0	82	...	SW	6	of	,,	29.62	752.4	75	...	SW	6	o
Basco,	14	29.47	748.5	82	92	NNW	4	o	6	29.48	748.8	81	76	N	2	o
Aparri,	,,	29.50	749.4	86	71	NW	4	o	,,	29.49	749.1	77	94	.	o	o
Manila,	,,	29.55	750.6	84	77	WSW	4	o	,,	29.53	750.0	79	90	SW	2	o
Legaspi,	,,	29.54	750.3	82	90	WSW	4	o	,,	29.52	749.7	79	92	SW	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.59	751.5	84	87	SW	6	r
Surigao,	,,	..	...	...	...	...	...	...	,,	29.61	752.1	75	94	WSW	1	b
Guam,	12.20	29.63	752.7	...	...	SW	2	o	4.20	29.65	753.0	...	...	SW	1	o
Yap,	12.47	29.62	752.4	...	...	SW	4	o	4.47	29.63	752.7	...	...	WSW	4	o
Labuan,	14	29.70	754.4	88	84	NW	4	b	6	29.86	758.4	78	91	S	1	b

August 24*d.* 11*h.* 27*m.*—Pressure has decreased slightly to moderately at the majority of reporting stations; it is highest to the north of Japan, and a well developed trough of low pressure extends from Indo-China to the Bonins.

A severe typhoon is situated in the eastern extremity about 120 miles west of the Bonins, moving north-eastward; another typhoon or depression is situated to the east of northern Luzon, direction unknown.

Manila warning. 23*d.* 21*h.* 00*m.*:—Typhoon in Lat. 18° N. Long. 128° E., direction unknown. Recd. 24*d.* 9*h.* 16*m.*

Manila warning. 23*d.* 21*h.* 00*m.*:—Typhoon in Lat. 22° N. Long. 139° E., recuring north-eastward. Recd. 24*d.* 9*h.* 16*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·61 inch. Total since January 1st. 72·08 inches, against an average of 63·20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks.	E. winds, moderate; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	24th August, 1925.								25th August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...ladivostock,	12	29.84	757.9	68	...	SE	6	o	5	29.75	755.7	69	...	SE	5	o
...muro,	11	...	...	...	...	...	...	...	5	30.04	763.0	...	...	SSE	1	...
...kodate,	..	29.98	761.5	...	...	ESE	2	...	,,	29.86	758.5	...	...	E	1	...
...kio,	,,	29.84	758.0	...	...	NE	1	...	,,	29.84	758.0	...	...	NNW	2	...
...chi,	,,	29.74	755.5	...	...	SSW	1	...	,,	29.71	754.5	...	...	SW	1	...
...agasaki,	,,	29.74	755.5	...	...	WNW	1	...	,,	29.67	753.5	...	...	N	1	...
...agoshima,	,,	29.72	755.0	...	...	ENE	2	...	,,	29.67	753.5	...	...	...	...	...
...hima,	,,	29.65	753.0	...	...	NE	1	...	,,	29.57	751.0	...	...	NE	1	...
...ba,	,,	29.61	752.0	...	...	NE	3	...	,,	29.53	750.0	...	...	NNE	1	...
...higakijima,	,,	29.57	751.0	...	...	ENE	4	...	,,	29.51	749.5	...	...	NNE	1	...
...onin Island,	..	29.21	742.0	...	...	SSE	5	...	,,	29.55	750.5	...	...	S	4	...
...afoo,	15	29.65	753.1	86	65	SW	2	o	6	29.72	754.9	74	92	...	o	of
...mkow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...hang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...angsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...anghai,	14	29.72	754.8	90	60	SE	1	b	,,	29.73	755.1	72	98	ESE	1	b
...tzlaff,	,,	29.75	755.6	83	71	SE	4	b	,,	29.74	755.4	77	86	E	2	b
...arp Peak,	..	29.70	754.4	84	75	NNE	4	o	7	29.67	753.6	80	82	N	1	b
...moy,	15	29.51	749.5	92	77	ENE	2	o	9	29.58	751.3	81	96	NE	1	b
...atow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
...ihoku,	11	29.59	751.5	90	63	ENE	4	b	5	29.58	751.2	73	92	...	o	b
...ichu,	,,	29.56	750.9	90	...	...	o	b	,,	29.58	751.2	79	...	...	o	o
...anan,	,,	29.55	750.6	90	...	SSW	2	b	,,	29.53	750.0	77	...	S	2	r
...oshun,	,,	29.54	750.3	86	...	NE	4	b	,,	29.52	749.7	77	...	NE	4	o
...escadores,	,,	29.56	750.9	86	...	SE	1	o	,,	...	..	81	...	NNE	4	o
...nton,	14	...	...	...	...	...	...	...	6	..	...	...	...	...	...	...
...ongkong,	,,	29.54	750.3	85	66	ESE	4	c	,,	29.56	750.8	79	83	E	3	o
...ap Rock,	,,	29.55	750.5	...	...	ENE	4	c	,,	29.55	750.5	...	...	ENE	4	o
...acao,	,,	29.56	750.9	90	69	SE	4	b	,,	29.54	750.3	79	87	NE	4	o
...inchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
...akhoi,	,,	..	..	...	...	...	...	...	,,	...	...	...	...		...	...
...oihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...		...	...
...ratas Island	,,	29.47	748.5	85	...	E	4	c	,,	29.51	749.5	...	...	ENE	...	r
...hulien,	,,	29.53	750.0	90	66	SW	2	b	7	29.55	750.6	79	95	W	2	bf
...ourane,	,,	29.49	749.1	81	...	NNW	6	o	,,	29.53	750.0	73	...	SW	2	r
...ape St. James,	,,	29.61	752.1	81	...	SW	6	of	,,	29.65	753.0	75	...	SW	6	of
...esco,	14	29.46	748.2	84	77	N	4	o	6	29.47	748.5	81	80	NNW	4	o
...parri,	,,	29.48	748.8	84	71	WNW	2	o	,,	...	...	..	..	...	...	...
...anila,	,,	29.52	749.7	79	90	W	4	r	,,	29.55	750.6	77	92	SW	4	o
...agaspi,	,,	29.50	749.4	86	78	WSW	6	o	..	29.55	750.6	77	92	SSW	4	o
...ncloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...ilo,	,,	29.56	750.9	79	98	SW	6	r	,,	...	...	...	...	...	...	...
...rigao,	..	29.56	750.9	86	71	SW	4	o	..	...	...	...	...	...	...	...
...aam,	12.20	29.65	753.0	...	...	S	1	o	4.20	29.67	753.6	...	...	S	1	b
...ap,	12.47	29.63	752.7	...	...	SW	4	o	4.47	29.71	754.5	...	...	WSW	4	o
...ainan,	14	29.66	753.3	88	76	NE	2	b	6	29.70	754.4	78	91	SE	4	b

August 25*d.* 10*h.* 56*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 20° N. Long. 126° E., moving N.

August 25*d.* 11*h.* 14*m.*—Pressure has increased considerably at the Bonin Islands and slightly at Hongkong; it has decreased slightly to moderately elsewhere, remaining highest to the north-east of Japan.

The typhoon of the Bonin Islands is moving slowly northward and appears to have partially filled up. The Luzon depression has moved northward to Lat. 20° N. and Long. 126° E.; an area of relatively low pressure covers the northern China Sea.

Shanghai warning. 24*d.* 21*h.* 25*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 21° N. Long. 125° E., moving W. Recd. 24*d.* 21*h.* 45*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 72·10 inches, against an average of 63·61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks.	E. winds, fresh; fair generally.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	25th August, 1925.								26th August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.72	755.0	72	...	SSE	1	o	[illegible]	29.77	756.1	72	...	...	0	f
Nemuro,	11	29.98	761.5	...	...	SE	2	...	5	29.94	760.5	...	...	S	2	...
Hokodate,	.	29.82	757.5	...	...	ESE	3	...	,,	29.82	757.5	...	...	...	0	...
Tokio,	,,	29.78	756.5	...	...	E	1	...	,,	29.76	756.0	...	...	NNE	1	...
Kochi,	,,	29.61	752.0	...	...	...	0	...	,,	29.63	752.5	...	...	SW	1	...
Nagasaki,	,,	29.67	753.5	...	...	E	1	...	,,	29.67	753.5	...	...	ENE	1	...
Kagoshima,	,,	29.67	753.5	...	...	NE	1	...	,,	29.65	753.0	...	...	WNW	1	...
Oshima,	,,	29.57	751.0	...	...	ENE	2	...	,,	29.55	750.5	...	...	...	0	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.45	748.0	...	...	NE	3	...
Ishigakijima,	,,	29.53	750.0	...	...	NNE	3	...	,,	29.45	748.0	...	...	NNE	2	...
Bonin Island,	,,	29.59	751.5	...	...	S	4	...	,,	29.78	756.5	...	...	S	2	...
Chefoo,	15	29.70	754.4	84	72	ENE	4	b	6	29.78	756.4	75	95	NE	1	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.71	754.5	90	51	E	2	b	,,	29.73	755.1	72	98	...	0	b
Gutzlaff,	,,	29.71	754.6	82	71	E	2	b	,,	29.74	755.4	77	95	ENE	2	o
Sharp Peak,	,,	29.68	753.9	86	68	ENE	4	o	7	29.67	753.6	80	76	N	1	b
Amoy,	15	29.54	750.3	92	85	NNE	1	b	9	29.58	751.3	80	96	...	0	b
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	..	...	..	...
Taihoku,	11	29.59	751.5	90	60	E	4	b	5	29.55	750.6	75	96	...	0	r
Taichu,	,,	29.55	750.6	90	...	NNW	2	b	,,	29.54	750.3	77	...	...	0	b
Tainan,	,,	29.54	750.3	86	...	SSW	2	b	,,	29.52	749.7	75	...	E	2	b
Koshun,	,,	29.54	750.3	90	...	NE	2	b	,,	29.53	750.0	79	...	...	0	b
Pescadores,	,,	29.55	750.6	86	...	NNE	4	b	,,	29.53	750.0	81	...	NNE	6	o
Canton,	14	29.56	750.8	90	66	SSW	1	b	6	...	..		...	...	...	...
Hongkong,	,,	29.58	751.3	84	71	ESE	3	c	,,	29.60	751.8	79	85	E	2	c
Gap Rock,	,,	29.59	751.6	...	...	E	5	c	,,	29.61	752.1	...	...	E	4	c
Macao,	,,	29.55	750.6	86	71	SE	4	b	,,	29.59	751.5	79	84	...	0	o
Wuchow,	15	...		...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	..	..	...	...	...	...	...	,,	...	...	...	...	..	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	..	...
Pratas Island	,,	29.50	749.3	...	...	NNE	2	c	,,	29.49	749.0	84	...	NNE	5	o
Phulien,	,,	29.54	750.3	84	77	ESE	4	o	7	29.61	752.1	79	96	NNE	2	rf
Tourane,	,,	29.59	751.5	75	...	NW	4	r	,,	29.63	752.7	77	...	...	0	rf
Cape St. James,	,,	29.65	753.0	77	...	SW	7	of	,,	29.69	75[illegible].2	75	...	SW	6	o
Basco,	14	29.47	748.5	86	68	NW	7	b	6	29.46	748.2	81	80	NW	4	o
Aparri,	,,	29.47	748.5	86	71	NW	4	o	,,	29.50	749.4	75	92	SW	2	o
Manila,	,,	29.55	750.6	77	92	WSW	4	r	,,	29.58	751.2	77	92	NW	1	r
Legaspi,	,,	29.54	750.3	81	87	SW	4	o	,,	29.56	750.9	79	90	SW	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Iloilo,	,,	29.60	751.8	84	77	SW	4	r	,,	29.65	753.0	79	91	SW	6	o
Surigao,	,,	29.59	751.5	84	77	W	4	o	,,	...	..	...	...	...	...	...
Guam,	12.20	29.65	753.0	...	...	W	1	r	4.20	29.66	753.3	...	...	E	4	r
Yap,	12.47	29.72	754.8	...	...	W	4	r	4.47	29.73	755.1	...	...	W	2	o
Labuan,	14	29.70	754.4	88	80	NW	4	b	6	29.78	756.4	78	91	NW	2	b

August 26*d.* 10*h.* 25*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 22° N. Long. 127° E., moving N.

August 26*d.* 11*h.* 40*m.*—Pressure has increased considerably at the Bonins; other changes are slight. The southern typhoon has moved slowly northward to Lat. 22° N. and Long. 127° E.; the northern centre is not definitely indicated this morning.

Shanghai warning. 25*d.* 21*h.* 55*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 29° N. Long. 138° E., moving N.W. Recd. 25*d.* 22*h.* 25*m.*

Manila warning. 26*d.* 10*h.* 00*m.*:—Typhoon in Lat. 31° N. Long. 137° E., moving N.W.
,, ,, ,, ,, :—Cyclone or typhoon South of Naha moving N.W. } Recd. 26*d.* 10*h.* 50*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 72·10 inches, against an average of 64·02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks.	E. winds, moderate; fine generally.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	26th August, 1925.								27th August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock,	12	29.76	756.0	76	...	SE	2	o		29.90	756.5	68	...	NNE	4	o
lemuto,	11	...	...	...	...	...	...	...	5	29.92	760.0	...	...	SSE	1	...
lokodate,	..	29.76	756.0	...	...	ESE	3	...	,,	29.76	756.0	...	...	...	0	...
okio,	,,	29.70	754.5	...	...	ENE	2	...	,,	29.61	752.0	...	...	NNE	1	...
oobi,	,,	29.57	751.0	...	...	...	0	...	,,	29.78	756.5	...	...	...	0	...
agasaki,	,,	29.63	752.5	...	...	E	1	...	,,	29.76	756.0	...	...	...	0	...
agoshima,	,,	29.65	753.0	...	...	SSE	...	...	,,	29.76	756.0	...	...	NW	1	...
shima,	,,	29.59	751.5	...	...	E	1	...	,,	29.65	753.0	...	...	SE	2	...
aba,	,,	29.43	747.5	...	...	NE	5	...	,,	...	...	...	...	...	...	...
higakijima,	,,	29.13	740.0	...	...	NNE	3	...	,,	...	..	...	...	...	...	...
onin Island,	..	29.80	757.0	...	...	S	3	...	..	29.55	750.5	...	...	S	1	...
hefoo,	15	29.78	756.4	81	74	NE	1	b	6	29.87	758.7	75	68	N	1	o
ankow,	,,	...		...	...	...	...	...	,,	...	...	...	...	...	...	...
hang,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
hangsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hanghai,	14	29.73	755.1	90	60	NE	2	b	,,	29.78	756.3	75	89	NE	1	o
utzlaff,	,,	29.74	755.4	86	72	NE	4	o	,,	29.76	755.9	78	92	NE	4	o
harp Peak,	,,	29.68	753.9	88	69	NE	2	b	7	29.53	750.0	84	96	WNW	1	o
moy,	15	29.50	749.3	94	88	E	2	b	9	29.54	750.3	81	96	W	4	o
watow,	,,	...	...	...	...	...	...	...	8	..	...	...	...	..	...	...
aihoku,	11	29.58	751.2	84	77	E	4	o	5	29.34	745.2	79	92	NW	12	o
aichu,	,,	29.53	750.0	90	...	...	0	b	,,	29.41	747.0	79		N	4	r
ainan,	,,	29.52	749.7	86	...	NW	2	b	,,	29.46	748.2	79	...	NNW	4	r
oshun,	,,	29.52	749.7	86	...	NNW	2	b	,,	29.38	746.1	81	...	NW	2	o
escadores,	,,	29.55	750.6	82	...	NNE	4	o	,,	29.46	748.2	81	...	N	6	o
inton,	14	...	...	...	...	...	...	...	6	...	..	...	...	...	...	...
ongkong,	,,	29.59	751.6	84	68	E	3	c	,,	29.59	751.6	79	91	WNW	2	bm
ap Rock,	,,	29.61	752.1	...	...	ENE	4	c	,,	29.61	752.1	...	...	SW	4	b
acao,	,,	29.58	751.2	90	63	SSE	4	b	,,	29.56	750.9	81	89	WNW	2	b
uchow,	15	...	.	...	...	...	...	...	9	...	...	...	..	...	...	...
akhoi,	,,	.	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
oihow,	,,	..	...	...	...	..	...	...	,,	...	...	...	...	...	..	...
ratas Island	,,	29.50	749.3	...	...	NNE	5	b	,,	29.52	749.8	82	..	N	5	c
hulien,	,,	29.56	750.9	90	72		0	o	7	29.65	753.0	81	96	SSW	1	bf
ourane,	,,	29.58	751.2	81	...	N	4	o	,,	29.66	753.3	77	...	W	2	o
ape St. James,	,,	29.65	753.0	82	...	SW	6	of	,,	29.71	754.5	77	...	SW	6	of
asco,	14	29.45	747.9	84	77	W	6	o	6	29.42	747.3	82	77	SW	6	o
parri,	,,	29.47	748.5	90	66	NW	4	o	,,	29.49	749.1	77	91	S	4	o
anila,	,,	29.58	751.2	77	92	W	4	r	,,	29.62	752.4	77	92	SW	4	r
egaspi,	,,	29.58	751.2	81	94	SSW	4	o	,,	29.62	752.4	79	95	SSW	4	o
acloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	..	...
ollo,	,,	29.62	752.4	82	90	SW	7	r	,,	29.66	753.3	81	94	SW	6	r
arigao,	..	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
nam,	12.20	29.63	752.7	...	...	E	2	o	4.20	29.67	753.6	...	...	E	2	r
ap,	12.47	29.72	754.8	...	...	WSW	2	r	4.47	29.76	756.0	...	...	WNW	2	r
ohnan,	14	29.70	754.4	90	73	NE	2	b	6	29.73	755.1	80	87	SE	4	b

August 27*d.* 8*h.* 35*m.*—Warning to Hongkong Coast Ports, &c. :—A severe typhoon within 60 miles of Lat. 25° N. Long. 123° E., moving N.W.

August 27*d.* 11*h.* 13*m.*—Pressure has decreased considerably over the Bonins and N. Formosa, moderately over central Japan and S. Formosa, and slightly over N. Luzon; it has increased slightly to moderately elsewhere.

The typhoon is approaching N. Formosa on a N.W. track; another centre is situated between Tokio and the Bonins.

Shanghai warning. 1 26*d.* 22*h.* 00*m.* :—Typhoon of unknown intensity within 120 miles of Lat. 22° N. Long. 126° E., moving N.N.W. 2 Typhoon of unknown intensity within 120 miles of Lat. 32° N. Long. 135° E., recurving Recd. 26*d.* 22*h.* 43*m.*

Manila warning. 27*d.* 9*h.* 00*m.* :—Cyclone or typhoon E. of northern Formosa moving W.N.W. Recd. 27*d.* 10*h.* 12*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 72·10 inches, against an average of 64·42 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel,	N. and N.W. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	Westerly winds, moderate; fine to cloudy.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	27th August, 1925.								28th August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock.	12	29.91	759.8	74	...	N	3	o	5	29.96	761.0	66	...	NNE	4	b
Nemuro.	11	29.88	759.0	...	...	SSE	2	...	5	29.75	755.5	...	...	NNE	1	...
Hokodate.	..	29.74	755.5	...	...	ESE	3	...	"	29.75	755.5	...	...	N	1	...
Tokio.	"	29.65	753.0	...	...	S	2	...	"	29.84	758.0	...	...	...	...	...
Kochi,	"	29.80	757.0	...	...	SE	1	...	"	29.90	759.5	...	...	...	...	...
Nagasaki.	"	29.80	757.0	...	...	W	1	...	"	29.92	760.0	...	...	...	0	...
Kagoshima,	"	29.80	757.0	...	...	...	0	...	"	29.90	759.5	...	...	...	0	...
Oshima,	"	29.74	755.5	...	...	ESE	2	...	"	29.84	758.0	...	...	SE	1	...
Naha,	"	29.63	752.5	...	...	ESE	3	...	"	...	...	...	..	..	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	29.69	754.0	...	...	SE	2	...
Bonin Island,	..	29.94	760.5	...	...	SSE	1	...	"	29.96	761.0	...	..	..	...	...
Chefoo.	15	29.88	758.9	80	55	N	1	o	6	29.95	760.7	74	76	NNW	2	b
Hankow,	..	...	...	...	...	...	..	...	"	...	...	...	..	...	...	...
Ichang.	"	..	...	...	...	...	..	...	"	...	...	...	...	...	...	...
Changsha,	"	..	..	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai.	14	29.78	756.3	84	74	NE	4	o	"	29.79	756.6	79	96	E	4	b
Gutzlaff,	"	29.80	756.9	81	92	NE	4	o	"	29.82	757.4	78	95	ESE	4	o
Sharp Peak,	..	29.41	747.0	78	82	NNW	4	r	7	29.56	750.8	80	82	SSE	2	of
Amoy,	15	29.35	745.5	92	88	WNW	4	o	9	29.44	747.8	83	92	NW	4	o
Swatow,	"	...	...	...	...	...	...	...	8	...	..	..	..	...	..	...
Taihoku,	11	29.04	737.7	79	95	WNW	7	r	5	29.55	750.6	77	98	...	o	o
Taichu,	"	..	..	...	...	...	...	...	"	29.55	750.6	75	...	...	o	o
Tainan,	"	29.46	748.2	77	...	N	4	r	"	29.56	750.9	75	...	ESE	4	o
Koshun,	"	29.36	745.8	81	...	NNW	6	r	"	29.60	751.8	79	...	...	o	o
Pescadores,	"	29.46	748.2	82	...	NW	6	o	"	29.52	749.7	82	...	S	4	o
Canton.	14	29.53	750.0	97	59	N	2	b	6	...	..	..	...	...	...	...
Hongkong,	"	29.51	749.5	89	73	W	3	o	"	29.51	749.5	81	69	W	2	o
Gap Rock,	"	29.53	750.0	...	...	WSW	4	c	"	29.53	750.0	...	...	W	3	c
Macao.	"	29.53	750.0	90	66	...	2	o	"	29.50	749.4	82	77	NNW	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	.	...	...	...
Pakhoi,	"	...	...	...	...	..	...	...	"	...	...	...	...	...	...	...
Hoihow.	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island	"	29.46	748.3	89	...	WNW	2	c	"	29.49	749.0	83	.	...	...	b
Phulien,	"	29.61	752.1	59	83	NNW	2	o	7	29.62	752.4	79	98	WNW	4	lf
Tourane,	"	29.58	751.2	86	...	N	4	b	"	29.65	753.0	77	..	...	o	b
Cape St. James.	..	29.75	755.7	77	...	SW	4	rf	"	29.73	755.1	75	...	SW	6	o
Basco,	14	29.45	747.9	84	86	SW	6	o	6	29.60	751.8	79	92	...	o	o
Aparri.	"	29.48	748.8	90	51	NNE	4	o	"	29.59	751.5	81	94	W	2	o
Manila,	..	29.58	751.2	86	71	WSW	4	o	"	29.62	752.4	77	92	S	1	o
Legaspi,	"	29.59	751.5	84	81	SW	4	o	..	29.65	753.0	77	96	S	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	..	29.65	753.0	90	60	WSW	4	o	..	...	...	...	...	...	...	...
Guam,	12.20	29.61	752.1	...	...	NE	4	r	4.20	29.59	751.5	...	...	NE	6	o
Yap,	12.47	29.78	756.3	...	...	W	4	r	4.47	29.71	754.5	...	...	WNW	4	o
Labuan.	14	29.74	755.4	88	80	NW	4	b	6	29.82	757.4	76	91	NW	2	b

August 28*d.* 11*h.* 57*m.*—Pressure has decreased moderately over N. Japan, the Carolines and the Ladrones; it has increased very considerably over N. Formosa, and slightly to moderately elsewhere.

The typhoon entered the coast in the course of yesterday afternoon, and is rapidly filling up to the west of Foochow. Another typhoon is indicated to the south of Guam.

Shanghai warning. 27*d.* 21*h.* 35*m.*:—A severe typhoon within 60 miles of Lat. 26° N. Long. 120° E., moving W. Recd. 27*d.* 23*h.* 06*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 72·10 inches, against an average of 64·81 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel,	S. or variable winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	W. or variable winds, moderate; fair generally.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	28th August, 1925.								29th August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	29.01	759.6	78	...	NNW	2	o	-	29.94	760.5	66		NNE	2	o
Nemuro,	11	29.09	754.0	...	...	NE	1	...	5	29.78	756.5	...	...	WNW	1	...
Hokodate,	..	29.76	756.0	...	...	WNW	2	...	,,	29.84	758.0	...	...		0	...
Tokio,	,,	29.92	757.5	...	...	SE	1	...	,,	29.90	759.5	...	...	N	1	...
Kochi,	,,	29.88	759.0	...	...	SE	1	...	,,	29.88	759.0	...	...	...	0	...
Nagasaki,	,,	29.90	759.5	...	...	W	1	...	,,	29.88	759.0	...	..	...	...	...
Kagoshima,	,,	29.90	759.5	...	...	SSE	1	...	,,	29.88	759.0	...	..	...	...	...
Oshima,	,,	29.88	759.0	...	...	SE	2	...	,,	29.84	758.0	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.80	757.0	...	...	ESE	1	...
Ishigakijima,	,,	29.74	755.5	...	...	SSE	2	...	,,	29.73	755.0	...	...	S	3	...
Bonin Island,	..	29.94	760.5	...	...	E	1	...	..	29.90	759.5	...	..	..	0	...
Chefoo,	15	29.90	759.4	80	58	N	1	o	6	29.86	758.4	70	76	NNE	4	r
Hankow,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	..	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Shanghai,	14	29.78	756.3	81	94	E	2	r	,,	29.73	755.1	77	94	SE	2	b
Gutzlaff,	,,	29.79	756.6	82	92	SE	6	o	,,	29.77	756.1	78	92	S	4	o
Sharp Peak,	..	29.65	753.1	84	83	SSE	2	o	7	29.73	755.1	80	96	N	1	b
Amoy,	15	29.54	750.3	90	93	SSE	2	o	9	29.67	753.6	83	100	SE	1	o
Swatow,	,,	...	.	...	...	...	...	...	8	...	...	...	...	..	..	...
Taihoku,	11	29.65	753.0	90	72	...	o	o	5	29.68	753.9	79	91	ESE	2	b
Taichu,	,,	29.65	753.0	90	...	SW	2	o	,,	29.69	754.2	77	..	..	o	o
Tainan,	,,	29.65	753.0	86	...	SE	4	o	,,	29.67	753.6	79	...	N	2	o
Koshun,	,,	29.67	753.6	90	...	SE	2	b	,,	29.65	753.0	77	...	NNE	4	o
Pescadores,	,,	29.03	752.7	84	...	SSE	4	o	,,	29.67	753.6	81	...	N	2	o
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.54	750.3	92	52	SW	2	c	,,	29.64	752.8	82	83	E	2	o
Gap Rock,	,,	29.56	750.8	...	...	NW	3	c	,,	29.64	752.8	...	...	N	2	o
Macao,	,,	29.52	749.7	93	57	ESE	4	b	,,	29.60	751.8	77	85	...	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	29.49	749.0	...	...	SW	2	c	,,	29.55	750.5	87	...	E	2	b
Phulien,	,,	29.58	751.2	93	77	WNW	2	b	7	29.67	753.6	81	97	WNW	4	of
Tourane,	,,	29.59	751.5	86	...	NNE	4	b	,,	29.65	753.0	77	...	...	o	b
Cape St. James,	,,	29.69	754.2	82	...	SW	6	o	,,	29.72	754.8	75	...	SW	6	of
Basco,	14	29.59	751.5	90	69	N	4	o	6	29.61	752.1	82	89	S	4	o
Aparri,	,,	29.50	751.2	86	75	NW	2	o	,,	29.59	751.0	79	95	SW	2	o
Manila,	,,	29.58	751.2	84	77	SW	4	o	,,	29.61	752.1	77	92	S	4	o
Legaspi,	,,	29.62	752.4	82	86	SW	4	o	,,	29.62	752.4	79	91	SW	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.63	752.7	84	81	SW	6	o	,,	29.67	753.6	81	89	SW	4	o
Surigao,	..	29.67	753.6	84	71	SW	4	o	,,	29.68	753.9	81	73	W	2	o
Guam,	12.20	29.50	749.4	...	...	NE	4	r	4.20	29.42	747.3	...	...	NE	7	o
Yap,	12.47	29.63	752.7	...	...	WNW	4	r	4.47	29.62	752.4	...	...	W	6	r
Labuan,	14	29.82	757.4	84	83	NW	2	o	6	29.72	754.0	80	91	N	4	b

August 29*d*. 11*h*. 10*m*.—Pressure has increased slightly over N. Japan, Formosa and the south coast of China; it has decreased slightly to moderately elsewhere and is highest over S. Manchuria.

A trough of low pressure extends from Tongking to the Ladrones, and a typhoon is situated in the eastern extremity, about 120 miles south of Guam; its direction of motion is at present uncertain.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 72·10 inches, against an average of 65·19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks.	E. or variable winds, moderate; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan.	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	29th August, 1925.								30th August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	29.92	759.8	72	...	NNW	2	o	6	29.83	757.7	68	...	..	0	0
Nemuro,	11	29.72	755.0	...	...	SSW	1	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.82	757.5	...	...	SSW	2	...	,,	29.80	757.0	...	...	...	...	...
Tokio,	,,	29.88	759.0	...	...	...	0	...	,,	29.84	758.0	...	...	...	0	...
Kochi,	,,	29.86	758.0	...	...	SSW	1	...	,,	29.86	758.5	...	...	...	0	...
Nagasaki,	,,	29.86	758.5	...	...	SW	1	...	,,	29.82	757.5	...	...	SSW	1	...
Kagoshima,	,,	29.86	758.5	...	...	SE	1	...	,,	29.84	758.0	...	...	...	0	...
Oshima,	,,	29.84	758.0	...	...	SE	1	...	,,	29.82	757.5	...	...	...	...	...
Naha,	,,	29.82	757.5	...	...	ENE	1	...	,,	29.78	756.5	...	..	E	1	...
Ishigakijima,	,,	29.76	756.0	...	...	SE	2	...	,,	29.75	755.5	...	...	SE	1	...
Bonin Island,	,,	29.90	759.5	...	...	E	1	...	,,	29.88	759.0	...	...	ENE	1	...
Chefoo,	15	29.75	755.6	70	95	NE	4	r	6	29.84	757.9	70	85	NNW	4	o
Hankow,	,,	...	..	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.68	753.9	93	64	SSE	4	b	,,	29.82	757.5	72	91	W	2	o
Gutzlaff,	,,	29.72	754.9	94	79	SSE	6	b	,,	29.83	757.7	73	86	NW	4	o
Sharp Peak,	,,	29.73	755.1	88	76	ENE	4	b	7	29.75	755.6	81	91	NNE	2	of
Amoy,	15	29.60	751.8	90	93	SSE	2	o	9	29.67	753.6	84	96	SE	1	o
Swatow,	,,	...	...	...	...	.	...	...	8	...	...	...	...	...	..	...
Taihoku,	11	29.67	753.6	93	67	SE	4	b	5	29.67	753.6	79	91	E	1	b
Taichu,	,,	29.68	753.9	90	...	N	2	b	,,	29.66	753.3	79	...	...	0	o
Tainan,	,,	29.67	753.6	90	...	NNW	4	b	,,	29.66	753.3	79	...	...	0	b
Koshun,	,,	29.67	753.6	86	...	ENE	4	o	,,	29.67	753.6	79	..	ENE	2	b
Pescadores,	,,	29.67	753.6	86	...	NNW	4	b	,,	29.67	753.6	81	...	NNE	2	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.63	752.6	87	76	E	3	b	,,	29.67	753.6	81	83	...	0	c
Gap Rock,	,,	29.66	753.3	...	...	ENE	4	c	,,	29.67	753.6	...	...	ENE	3	c
Macao,	,,	29.62	752.4	90	72	ESE	2	b	,,	29.65	753.0	81	89	NNE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	29.54	750.3	...	...	NE	...	p	,,	29.54	750.3	85	...	...	...	c
Phulien,	,,	29.63	752.7	93	57	ESE	1	o	7	..	...	...	...	...	...	...
Tourane,	,,	29.62	752.4	84	...	N	4	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.69	754.2	81	...	WNW	4	o	,,	...	...	...	...	...	...	...
Basco,	14	29.60	751.8	90	76	ESE	4	o	6	29.62	752.4	81	86	ESE	4	o
Aparri,	,,	29.55	750.6	90	69	NNE	4	b	,,	29.60	751.8	79	90	...	0	o
Manila,	,,	29.58	751.2	84	74	WSW	4	o	,,	29.61	752.1	77	94	SW	2	o
Legaspi,	,,	29.58	751.2	86	78	SSW	4	o	,,	29.61	752.1	77	98	SW	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.63	752.7	82	81	SW	6	r	,,	29.66	753.3	81	84	SW	6	r
Surigao,	..	29.62	752.4	84	64	WSW	4	o	,,	29.67	753.6	81	80	SW	4	o
Guam,	12.20	29.28	743.7	...	...	ENE	7	o	4.20	29.40	746.7	...	...	SW	6	r
Yap,	12.47	29.61	752.1	...	...	..	...	...	4.47	29.63	752.7	...	...	WSW	6	r
Labuan,	14	29.74	755.4	88	80	NW	2	b	6	29.79	756.6	80	82	S	2	b

August 30*d.* 12*h.* 07*m.*—Pressure has decreased slightly over Japan, and increased slightly elsewhere; it is highest over the north eastern portion of the area, and relatively low from Indo-China to the Ladrones.

The typhoon is situated about 150 miles north of Guam moving northwards.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 72·10 inches, against an average of 65·56 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31ST.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	30th August, 1925.								31st August, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	29.78	756.5	68	...	NNE	2	r	0	29.76	755.9	60	.	NNE	3	o
Kamuro,	11	29.82	757.5	...	...	SSW	1	...	5	29.82	757.5	...	...	SE	1	...
Hakodate,	..	29.80	757.0	...	...	SSE	1	...	,,	29.55	750.5	...	...	N	1	...
Tokio,	,,	29.80	757.0	...	...	S	2	...	,,	29.78	756.5	...	...	SSW	1	...
Kochi,	,,	29.82	757.5	...	...	SE	1	...	,,	29.82	757.5	...	...	...	0	...
Nagasaki,	,,	29.82	757.5	...	...	WNW	2	...	,,	29.80	757.0	...	...	SW	1	...
Kagoshima,	,,	29.84	758.0	...	...	SSE	...	...	,,	29.82	757.5	...	...	...	0	...
Ishima,	,,	29.82	757.5	...	...	SSE	1	...	,,	29.80	757.0	...	...	...	0	...
Taiwan,	,,	29.80	757.0	...	...	E	1	...	,,	29.78	756.5	...	...	NE	1	...
Ishigakijima,	,,	29.78	756.5	...	...	ESE	2	...	,,	29.75	755.5	...	...	E	1	...
Pratas Island,	..	29.84	758.0	...	...	ESE	1	...	,,	29.82	757.5	...	...	E	1	...
Chefoo,	15	29.72	754.9	77	65	NW	4	b	6	29.83	757.7	70	80	W	1	b
Hankow,	,,	...	..	...	...	...	..	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.86	758.4	77	76	NW	4	o	,,	29.88	759.0	73	96	WNW	1	r
Gutzlaff,	,,	29.86	758.4	75	92	NW	2	r	,,	29.90	759.4	72	95	NNE	1	r
Sharp Peak,	,,	29.79	756.6	88	80	N	1	o	7	29.80	756.9	81	91	NNE	2	o
Amoy,	15	29.64	752.8	88	93	SSE	2	b	9	29.71	754.6	83	92	NNE	4	o
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	..	...	..	...
Kuhoku,	11	29.71	754.5	90	69	E	4	b	5	29.73	755.1	77	89	E	4	b
Kochu,	,,	29.69	754.2	90	...	...	o	b	,,	29.69	754.2	79	..	...	o	b
Hainan,	,,	29.69	754.2	90	...	W	2	b	,,	29.68	753.9	81	..	...	o	b
Koshun,	,,	29.71	754.5	86	...	E	2	o	,,	29.71	754.5	79	...	NE	2	o
Pescadores,	,,	29.68	753.9	86	...	NNW	2	b	,,	29.67	753.6	81	...	N	2	o
Canton,	14	...	...	...	...	...	..	...	6	..	..		...	...	...	...
Hongkong,	,,	29.64	752.8	88	62	ENE	4	o	,,	29.68	753.9	79	82	NNE	3	or
Gap Rock,	,,	29.63	752.6	...	...	ENE	4	b	,,	29.66	753.3	...	...	NE	4	o
Macao,	,,	29.63	752.7	90	66	NE	2	b	,,	29.67	753.0	75	94	NNE	4	o
Kuchow,	15	..	.	...	...	...	...	...	9	...	...	...	..		...	...
Kirboi,	,,	..	..	...	...	..	...	...	,,	...	...	...	...	...	...	...
Moihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	..	...
Pratas Island	,,	29.50	749.3	..	...	NE	...	q	,,	29.53	750.0	84	...	E	6	q
Haiphuhien,	,,	29.68	753.9	84	85	SW	2	of	7	29.67	753.6	77	94	NW	4	b
Tourane,	,,	29.60	751.8	82	...	NNW	6	o	,,	29.60	751.8	75	...	W	2	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tuisco,	14	29.60	751.8	86	65	E	4	o	6	29.65	753.0	81	84	E	4	o
Aparri,	,,	29.56	750.9	84	81	ENE	4	o	,,	29.63	752.7	77	96	..	o	o
Manila,	,,	29.59	751.5	86	75	SW	4	o	,,	29.66	753.3	77	96	S	1	o
Legaspi,	,,	29.59	751.5	86	78	SW	4	o	,,	29.63	752.7	79	96	SW	1	o
Iloiloban,	,,	...	...	...	...		...	...	,,	...	..	...	.	...	..	...
Iloilo,	,,	29.38	746.1	82	77	SSW	6	o	,,	29.67	753.6	81	89	SW	4	o
Corrigao,	..	29.62	752.4	84	68	WSW	4	o	,,	29.67	753.6	82	74	WSW	4	o
Saigon,	12.20	29.41	747.0	...	...	SW	4	o	4.20	29.56	750.9	...	...	SW	4	o
Bangkok,	12.47	29.61	752.1	...	...	WSW	6	r	4.47	29.63	752.7	...	...	WSW	4	o
Pakhoi,	14	29.69	754.1	88	84	NW	4	b	6	29.83	757.7	78	91	N	2	b

August 31*d.* 10*h.* 50*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 18° N. Long. 113° E., direction unknown.

August 31*d.* 11*h.* 18*m.*—Local signal No. 1 hoisted.

August 31*d.* 11*h.* 45*m.*—Pressure has decreased considerably at Hakodate and slightly at other Japanese stations; it has increased slightly elsewhere and is highest over N. China, which is covered by a weak anticyclone.

The typhoon is situated about 250 miles north of Guam, moving northward.

A depression is situated over N. Japan, and another has formed in the vicinity of the Paracels.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·86 inch. Total since January 1st, 72·96 inches, against an average of 65·92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, fresh; cloudy, rain later.
3.—Hongkong to Gap Rock,	E. winds, fresh; cloudy, rain later.
4.—South coast of China between Hongkong and Hainan,	E. winds, fresh; cloudy, rain later.

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

SEPTEMBER,

1925.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

C. W. JEFFRIES,

DIRECTOR.

HONGKONG:
PRINTED BY NORONHA & CO.
GOVERNMENT PRINTERS.

1925.

[*Price* 60c.]

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

SEPTEMBER,

1925.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of SEPTEMBER, 1925.

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·627	29·623	29·597	29·607	29·623	29·629	29·648	29·658	29·660	29·662	29·651	29·641	1
2	29·643	29·629	29·621	29·619	29·625	29·629	29·655	29·667	29·671	29·682	29·680	29·676	2
3	29·673	29·663	29·645	29·642	29·647	29·645	29·657	29·671	29·671	29·672	29·671	29·669	3
4	29·633	29·617	29·603	29·601	29·599	29·620	29·629	29·635	29·648	29·647	29·632	29·615	4
5	29·575	29·568	29·566	29·550	29·557	29·565	29·577	29·580	29·592	29·595	29·587	29·574	5
6	29·568	29·560	29·553	29·551	29·562	29·579	29·583	29·604	29·616	29·617	29·619	29·606	6
7	29·614	29·612	29·611	29·611	29·619	29·629	29·645	29·658	29·672	29·687	29·677	29·667	7
8	29·704	29·700	29·695	29·701	29·708	29·720	29·732	29·756	29·762	29·772	29·769	29·755	8
9	29·770	29·764	29·752	29·752	29·764	29·770	29·784	29·797	29·799	29·798	29·798	29·795	9
10	29·753	29·736	29·707	29·697	29·703	29·712	29·732	29·744	29·764	29·785	29·773	29·761	10
11	29·676	29·656	29·646	29·634	29·630	29·644	29·651	29·659	29·673	29·682	29·677	29·675	11
12	29·673	29·659	29·653	29·637	29·637	29·644	29·659	29·691	29·701	29·704	29·701	29·689	12
13	29·725	29·714	29·686	29·668	29·676	29·700	29·712	29·731	29·735	29·739	29·734	29·717	13
14	29·681	29·672	29·673	29·659	29·658	29·670	29·676	29·682	29·689	29·698	29·687	29·684	14
15	29·660	29·642	29·634	29·627	29·635	29·633	29·642	29·665	29·680	29·685	29·677	29·659	15
16	29·690	29·676	29·665	29·670	29·674	29·697	29·709	29·723	29·730	29·727	29·714	29·701	16
17	29·731	29·716	29·712	29·714	29·717	29·729	29·740	29·742	29·754	29·767	29·762	29·751	17
18	29·785	29·778	29·773	29·769	29·783	29·782	29·790	29·817	29·831	29·830	29·820	29·812	18
19	29·840	29·829	29·815	29·798	29·801	29·815	29·821	29·834	29·851	29·857	29·849	29·824	19
20	29·819	29·811	29·808	29·810	29·815	29·825	29·838	29·859	29·870	29·876	29·866	29·854	20
21	29·870	29·856	29·848	29·845	29·847	29·859	29·872	29·884	29·902	29·900	29·894	29·889	21
22	29·893	29·877	29·857	29·851	29·859	29·866	29·877	29·894	29·908	29·915	29·910	29·902	22
23	29·901	29·895	29·881	29·874	29·870	29·880	29·874	29·892	29·896	29·900	29·898	29·888	23
24	29·903	29·836	29·878	29·862	29·864	29·876	29·882	29·902	29·918	29·929	29·931	29·910	24
25	29·882	29·887	29·877	29·869	29·875	29·885	29·904	29·920	29·929	29·936	29·928	29·894	25
26	29·878	29·857	29·829	29·825	29·828	29·846	29·854	29·870	29·876	29·867	29·850	29·818	26
27	29·760	29·748	29·743	29·730	29·738	29·758	29·778	29·792	29·802	29·809	29·808	29·783	27
28	29·727	29·717	29·706	29·706	29·710	29·715	29·734	29·754	29·764	29·756	29·747	29·725	28
29	29·729	29·715	29·708	29·700	29·704	29·719	29·728	29·746	29·759	29·769	29·766	29·738	29
30	29·738	29·729	29·717	29·720	29·716	29·722	29·735	29·761	29·774	29·783	29·774	29·754	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Mdn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·621	29·592	29·588	29·588	29·591	29·611	29·619	29·629	29·643	29·653	29·655	29·643	1
2	29·671	29·647	29·629	29·617	29·608	29·618	29·621	29·637	29·657	29·675	29·687	29·681	2
3	29·645	29·623	29·599	29·590	29·577	29·577	29·583	29·592	29·624	29·628	29·630	29·637	3
4	29·589	29·565	29·549	29·531	29·527	29·517	29·539	29·543	29·561	29·585	29·589	29·582	4
5	29·562	29·539	29·521	29·513	29·511	29·513	29·519	29·539	29·557	29·571	29·573	29·568	5
6	29·584	29·559	29·549	29·550	29·553	29·564	29·582	29·601	29·625	29·633	29·629	29·621	6
7	29·648	29·632	29·629	29·633	29·641	29·648	29·657	29·671	29·701	29·724	29·726	29·714	7
8	29·731	29·714	29·698	29·700	29·701	29·713	29·722	29·739	29·767	29·785	29·787	29·782	8
9	29·776	29·758	29·740	29·734	29·741	29·754	29·773	29·782	29·785	29·793	29·789	29·779	9
10	29·719	29·689	29·677	29·663	29·660	29·647	29·663	29·686	29·708	29·711	29·706	29·681	10
11	29·648	29·623	29·602	29·604	29·600	29·613	29·633	29·655	29·679	29·689	29·697	29·698	11
12	29·665	29·647	29·623	29·615	29·625	29·658	29·675	29·688	29·704	29·724	29·742	29·750	12
13	29·695	29·669	29·651	29·643	29·640	29·653	29·668	29·688	29·709	29·711	29·704	29·701	13
14	29·667	29·645	29·627	29·623	29·627	29·637	29·657	29·678	29·693	29·711	29·701	29·680	14
15	29·645	29·628	29·626	29·625	29·629	29·629	29·660	29·669	29·690	29·696	29·704	29·694	15
16	29·671	29·647	29·638	29·630	29·638	29·661	29·687	29·707	29·727	29·744	29·744	29·738	16
17	29·733	29·716	29·710	29·715	29·721	29·732	29·746	29·766	29·782	29·794	29·796	29·793	17
18	29·794	29·775	29·763	29·759	29·760	29·770	29·782	29·792	29·810	29·814	29·820	29·824	18
19	29·796	29·776	29·764	29·770	29·779	29·780	29·797	29·808	29·829	29·841	29·845	29·833	19
20	29·827	29·800	29·789	29·797	29·797	29·800	29·810	29·834	29·857	29·874	29·876	29·874	20
21	29·871	29·861	29·848	29·845	29·846	29·853	29·854	29·874	29·892	29·894	29·886	29·890	21
22	29·880	29·856	29·838	29·837	29·837	29·832	29·852	29·864	29·882	29·904	29·905	29·905	22
23	29·874	29·844	29·834	29·831	29·830	29·851	29·858	29·872	29·890	29·902	29·905	29·909	23
24	29·886	29·864	29·846	29·836	29·832	29·835	29·842	29·866	29·893	29·899	29·891	29·884	24
25	29·809	29·841	29·818	29·808	29·818	29·821	29·834	29·863	29·884	29·880	29·880	29·878	25
26	29·794	29·761	29·743	29·736	29·732	29·741	29·754	29·776	29·796	29·788	29·789	29·780	26
27	29·740	29·719	29·702	29·683	29·688	29·691	29·694	29·704	29·721	29·727	29·736	29·731	27
28	29·710	29·686	29·665	29·663	29·667	29·666	29·683	29·694	29·712	29·728	29·739	29·738	28
29	29·709	29·686	29·664	29·660	29·669	29·673	29·602	29·714	29·732	29·745	29·747	29·747	29
30	29·732	29·706	29·689	29·681	29·685	29·704	29·726	29·735	29·749	29·767	29·782	29·774	30

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of SEPTEMBER, 1925.

Hours, Hongkong Standard Time.

Days of the Month.	1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	82·0	81·9	81·4	81·5	76·6	78·4	76·6	77·0	77·3	80·6	82·2	83·2	1
2	81·2	81·4	81·1	80·8	80·6	80·5	80·9	82·5	83·2	84·1	84·5	84·3	2
3	81·0	80·9	80·4	79·8	79·3	79·1	80·3	82·0	83·9	84·4	84·8	85·4	3
4	80·6	80·3	80·1	80·1	80·0	79·9	80·5	83·0	84·0	84·8	86·2	88·0	4
5	83·6	84·1	83·7	82·3	81·1	80·5	81·0	82·9	84·8	85·8	88·0	88·3	5
6	82·0	82·0	80·9	80·8	81·0	81·3	82·7	85·2	86·3	85·2	88·2	90·0	6
7	81·1	81·5	80·9	80·5	81·0	80·9	82·5	84·2	85·2	87·3	89·4	89·5	7
8	81·5	81·4	80·6	79·8	79·8	79·7	80·2	80·7	81·7	80·7	79·9	80·4	8
9	81·4	81·2	81·0	80·6	80·2	80·6	81·3	82·3	83·0	84·0	84·9	84·8	9
10	81·5	81·4	81·1	81·1	81·2	81·1	80·2	80·0	79·2	78·3	77·2	82·2	10
11	79·8	80·1	80·4	80·4	80·7	81·0	82·4	83·2	83·7	84·6	84·7	80·7	11
12	79·1	79·4	79·6	79·1	79·4	79·8	80·3	81·9	84·7	85·4	86·0	85·4	12
13	78·0	77·0	77·0	79·5	76·2	76·9	77·0	78·2	81·3	83·0	84·9	87·4	13
14	80·8	79·9	79·3	79·1	78·7	78·4	79·0	79·3	81·8	83·7	83·8	85·6	14
15	77·2	76·9	76·0	75·0	74·4	74·2	75·1	77·6	79·5	80·5	83·3	83·9	15
16	74·5	74·4	73·8	73·7	74·1	73·8	73·9	75·0	77·4	79·4	82·8	83·3	16
17	77·7	77·5	77·3	76·9	76·3	76·2	76·2	77·8	79·0	80·7	83·4	84·0	17
18	78·0	78·3	78·2	77·4	75·8	76·2	76·3	74·3	75·4	78·8	82·9	81·7	18
19	73·4	72·5	73·0	73·9	74·8	73·7	74·6	76·6	78·0	81·2	82·7	84·3	19
20	78·0	77·3	77·1	76·5	76·7	77·0	78·2	80·3	82·5	83·5	85·7	85·7	20
21	80·3	80·2	79·3	78·9	79·7	79·2	79·9	79·3	76·0	78·7	81·6	82·3	21
22	79·3	78·8	78·6	78·3	77·9	78·0	79·4	81·1	81·6	81·4	83·2	83·5	22
23	78·4	77·7	77·4	77·3	77·3	77·0	77·8	81·0	83·2	84·0	85·0	85·8	23
24	79·4	79·4	79·2	79·4	79·2	79·2	79·1	81·1	82·2	83·3	84·0	84·0	24
25	78·3	78·2	78·4	78·4	78·3	78·0	80·0	81·7	83·1	84·3	85·3	86·0	25
26	80·3	80·3	80·2	80·0	79·4	79·2	79·9	80·8	81·4	82·8	82·7	84·6	26
27	80·5	79·7	79·5	78·4	77·4	77·0	75·5	75·8	76·6	77·3	78·0	79·5	27
28	79·0	78·3	79·0	78·9	78·0	76·9	76·9	75·1	75·2	78·2	80·5	82·0	28
29	79·9	79·4	79·0	78·8	78·4	78·4	78·5	80·0	79·8	81·0	81·4	82·1	29
30	80·1	80·0	80·1	78·3	77·2	77·0	79·1	78·6	82·1	84·2	85·3	86·0	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	83·9	84·0	83·7	84·0	83·6	82·3	82·2	81·6	82·0	82·0	81·8	82·1	1
2	84·0	84·5	84·3	84·2	83·6	82·7	82·0	81·5	81·3	81·2	81·1	81·0	2
3	85·2	86·0	85·4	86·9	85·7	83·7	82·8	82·3	82·1	81·9	81·3	80·9	3
4	89·0	86·0	87·0	88·5	88·3	86·3	84·7	84·0	83·3	83·5	83·4	82·9	4
5	89·7	89·6	89·3	87·9	87·2	85·6	84·7	84·0	83·5	83·2	83·0	82·7	5
6	90·8	90·7	88·7	89·8	88·5	86·7	85·4	84·6	83·8	83·0	82·4	82·6	6
7	89·9	88·1	87·3	87·2	86·1	85·1	84·0	83·0	82·2	82·1	82·4	82·0	7
8	85·5	85·1	84·5	83·9	83·6	83·0	82·1	82·0	81·8	81·8	81·8	81·5	8
9	84·5	84·5	84·0	84·0	83·8	83·3	82·7	82·3	82·0	81·9	81·8	81·5	9
10	84·4	83·8	84·2	83·3	82·0	81·2	80·5	80·1	79·8	79·9	79·8	80·0	10
11	84·2	82·0	83·7	82·8	83·0	82·3	81·8	81·9	81·6	81·5	81·7	78·6	11
12	85·4	86·1	85·4	84·9	84·3	83·2	82·9	82·5	81·7	81·8	78·8	78·1	12
13	87·9	88·4	85·5	87·0	86·0	84·3	83·2	83·8	83·2	82·8	82·0	81·0	13
14	86·2	87·6	87·3	87·0	85·3	84·3	83·7	82·9	81·0	80·1	78·7	77·0	14
15	84·4	84·8	84·1	82·7	82·5	81·5	80·4	79·8	78·2	76·8	76·0	75·2	15
16	83·6	85·3	85·6	86·0	83·8	82·5	82·0	81·3	80·1	78·9	78·0	77·3	16
17	84·1	83·5	83·8	82·7	82·2	80·7	80·0	79·9	80·0	79·4	78·5	78·3	17
18	82·7	82·4	82·3	82·0	81·0	80·6	80·4	80·3	80·0	80·4	79·9	77·3	18
19	85·1	86·1	83·6	80·1	80·8	80·5	79·8	79·1	78·8	79·1	78·6	78·0	19
20	85·3	82·2	83·3	82·8	82·2	81·4	80·7	80·5	80·2	79·6	79·9	80·2	20
21	82·1	83·0	82·4	81·2	81·0	80·4	79·9	79·7	79·5	79·1	79·2	79·1	21
22	83·8	82·8	82·8	82·0	81·4	80·3	79·5	79·1	79·0	79·2	78·0	78·3	22
23	84·4	84·0	83·4	83·3	82·8	81·4	80·5	80·1	80·1	80·0	80·3	80·5	23
24	84·1	83·4	83·3	82·8	82·0	80·9	80·2	80·0	79·8	79·8	79·6	79·0	24
25	86·3	85·0	84·0	83·0	82·3	81·0	80·7	80·6	80·5	80·4	80·2	80·4	25
26	83·7	84·3	83·8	83·4	82·4	81·3	80·7	80·3	80·3	80·2	80·2	80·2	26
27	80·7	79·8	80·2	80·6	80·0	79·3	79·0	78·9	79·1	79·1	79·4	78·8	27
28	81·4	80·3	82·0	81·0	81·2	80·2	79·3	79·0	79·0	79·1	79·0	79·0	28
29	85·1	86·0	86·0	85·1	82·4	82·0	80·0	80·1	80·8	80·7	80·3	80·1	29
30	86·8	84·1	86·9	84·3	84·1	82·6	82·0	82·0	81·5	81·2	80·6	80·0	30

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of SEPTEMBER, 1925.

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	76·0	76·0	76·0	76·1	74·9	74·9	74·0	75·0	74·8	75·4	76·0	77·0	1
2	77·4	77·0	76·9	76·9	76·8	76·0	76·3	76·5	76·6	77·4	76·9	76·8	2
3	75·0	74·8	75·0	74·8	74·0	74·0	75·0	76·1	77·0	77·3	76·3	76·7	3
4	77·2	77·2	77·2	78·1	78·0	78·0	78·4	79·7	79·2	79·5	79·3	79·6	4
5	73·6	71·8	70·1	69·9	69·0	69·7	70·5	71·0	73·0	71·6	73·8	73·7	5
6	75·3	75·4	74·0	73·9	74·2	72·0	71·3	72·0	72·0	71·7	72·6	74·2	6
7	72·7	71·9	71·0	71·0	70·5	70·7	70·0	71·0	70·5	71·6	71·0	72·2	7
8	75·0	75·5	76·6	75·1	75·2	75·1	75·6	75·9	76·2	75·1	75·0	76·3	8
9	76·7	76·8	76·9	76·5	76·4	76·0	76·5	77·0	77·5	77·8	78·0	77·6	9
10	77·7	77·7	77·3	77·5	77·2	77·3	77·0	77·1	76·9	77·0	76·6	78·6	10
11	76·0	76·3	76·2	76·2	76·0	76·3	78·2	78·4	78·6	79·0	78·6	77·5	11
12	77·1	77·2	77·3	77·3	77·6	76·8	77·0	77·5	78·0	77·7	79·0	76·3	12
13	75·0	73·9	74·2	74·0	73·0	71·6	70·7	71·0	72·8	73·8	75·3	77·5	13
14	70·0	69·6	70·0	70·0	70·0	70·1	71·0	71·0	72·3	72·0	72·3	73·7	14
15	68·0	67·4	67·2	67·0	66·1	66·5	67·3	68·6	69·7	71·5	73·0	72·3	15
16	66·2	66·0	65·6	65·5	65·4	65·5	66·0	67·0	68·0	67·8	70·7	70·0	16
17	67·1	67·2	67·0	67·3	67·3	67·3	67·9	69·4	69·4	71·0	73·2	73·0	17
18	72·8	72·9	72·7	72·5	72·5	73·0	73·4	73·4	73·9	74·3	74·2	73·7	18
19	72·0	71·3	71·3	72·2	72·8	72·3	73·0	74·3	75·0	75·2	76·1	76·8	19
20	74·0	74·1	75·0	74·5	74·8	74·8	75·4	76·0	76·9	76·8	78·0	78·1	20
21	75·8	75·3	75·1	75·0	75·0	75·4	75·4	75·6	74·4	76·9	76·4	76·4	21
22	74·2	74·0	74·0	74·0	73·9	73·9	75·0	75·2	75·4	75·5	76·8	77·0	22
23	74·3	74·0	74·5	74·3	74·5	74·1	75·0	76·8	78·2	78·0	78·1	78·8	23
24	75·6	75·4	75·0	75·2	75·2	75·1	75·2	75·5	75·0	76·0	76·0	74·5	24
25	75·9	76·0	75·8	75·0	75·3	75·3	76·0	77·0	77·0	77·3	77·8	78·0	25
26	76·6	76·0	76·1	75·6	75·2	75·8	75·6	76·0	76·4	77·2	76·7	77·2	26
27	75·5	76·0	76·0	75·9	75·5	75·0	74·2	74·0	74·4	74·4	74·8	76·9	27
28	74·0	73·8	74·2	74·7	74·1	74·1	74·5	73·3	73·9	75·1	75·9	77·0	28
29	75·9	75·9	75·9	75·7	75·9	76·0	76·0	76·8	75·2	76·0	77·0	77·0	29
30	77·0	76·8	77·0	76·0	76·0	75·9	77·9	76·0	78·3	79·0	79·1	79·0	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	76·9	77·0	76·9	76·7	77·0	76·9	76·3	76·4	77·0	76·4	76·9	77.8	1
2	76·1	75·2	75·8	76·0	75·7	75·7	76·0	76·0	76·0	75·8	75·3	75·3	2
3	77·0	78·0	77·8	78·9	78·2	77·0	76·5	76·9	77·0	77·2	77·5	77·4	3
4	81·1	79·8	79·9	80·2	79·6	78·5	79·0	78·9	78·6	79·5	79·0	79·0	4
5	75·2	76·1	76·7	77·4	76·1	75·0	74·3	74·4	75·1	75·7	76·5	76·7	5
6	73·1	74·0	74·2	74·8	73·3	75·0	74·1	74·1	73·3	74·4	73·2	72·7	6
7	72·3	71·7	72·3	73·0	73·0	73·0	72·9	72·4	74·0	73·8	74·2	75·1	7
8	78·0	78·0	77·3	76·9	76·5	76·9	77·1	77·0	76·8	76·8	76·9	77·0	8
9	77·7	78·2	78·2	78·0	78·0	77·3	77·4	77·2	77·3	78·0	78·2	78·0	9
10	79·5	78·3	78·2	78·0	77·7	77·4	76·9	76·5	76·2	76·7	76·5	76·4	10
11	78·0	77·8	78·1	78·0	78·3	77·6	77·5	77·1	77·3	77·5	78·4	76·4	11
12	77·0	79·2	78·0	77·3	77·0	77·3	77·5	78·0	78·0	78·0	75·4	76·0	12
13	76·9	78·2	75·5	76·1	75·3	74·0	73·3	73·4	72·2	72·2	72·2	71·2	13
14	74·0	74·5	75·8	74·8	74·3	73·3	72·9	72·3	71·0	70·0	69·6	69·0	14
15	73·3	74·0	73·1	72·0	71·4	70·3	70·6	69·9	69·0	67·9	67·0	66·5	15
16	71·0	73·0	72·2	72·3	70·7	69·5	69·6	68·4	68·3	67·8	66·5	66·7	16
17	72·0	71·3	71·2	72·2	72·6	71·5	71·1	71·2	71·9	72·0	72·0	72·5	17
18	75·2	74·8	73·7	75·2	74·2	74·3	74·4	74·4	74·5	75·0	74·9	74·6	18
19	76·6	77·1	76·3	74·8	75·4	75·4	75·1	74·7	74·8	74·3	74·6	74·1	19
20	77·6	76·2	76·1	76·0	76·0	75·8	75·5	75·5	75·1	75·5	75·9	76·0	20
21	76·2	76·0	75·5	74·6	74·8	74·3	75·0	75·0	74·9	74·7	74·7	74·4	21
22	77·5	76·3	76·3	75·5	75·3	74·6	74·8	74·3	74·4	74·1	74·0	74·2	22
23	78·0	77·2	77·2	77·0	77·0	76·4	76·3	76·6	76·3	76·2	76·2	75·7	23
24	75·0	75·6	76·1	76·2	76·2	76·2	76·1	76·1	76·0	76·0	75·5	76·0	24
25	76·6	75·3	76·0	76·4	76·5	76·7	76·2	76·7	76·2	76·3	76·5	76·9	25
26	75·8	76·9	76·3	76·7	76·0	75·9	76·1	76·0	76·3	76·0	76·0	76·0	26
27	75·9	75·7	75·5	75·8	75·5	74·5	74·6	74·2	74·6	74·8	74·4	74·2	27
28	76·5	76·0	77·0	76·8	76·0	75·4	75·0	75·0	75·0	75·0	75·3	75·4	28
29	77·7	78·1	78·9	78·0	78·0	77·9	77·0	77·1	77·8	77·2	77·0	76·8	29
30	79·2	78·0	78·8	78·2	78·0	77·6	77·2	77·2	77·5	77·8	77·9	77·6	30

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of SEPTEMBER, 1925.

(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Mdn.	
1	10	10	10	10	10	10	10	10	10	10	10	10	8	9	8	10	8	10	10	8	9	9	8	9	1
2	9	9	9	9	10	8	7	6	6	7	5	6	7	2	1	1	2	2	5	4	2	1	4	3	2
3	2	7	...	1	...	1	1	2	2	7	6	2	2	2	2	3	2	2	2	1	2	3	1	4	3
4	6	4	1	1	2	6	1	1	3	5	6	7	7	8	7	5	2	1	...	...	...	10	10	8	4
5	9	6	9	2	4	2	1	1	...	...	...	...	...	2	2	2	1	...	...	...	...	...	...	...	5
6	...	...	...	...	...	2	1	2	2	1	2	1	1	1	2	1	2	1	...	...	1	...	1	...	6
7	...	...	...	...	...	...	...	...	2	2	3	1	2	1	4	5	9	9	9	2	...	8	10	10	7
8	10	10	10	10	9	9	8	10	10	10	10	10	10	9	6	9	5	4	7	8	6	5	7	9	8
9	8	7	10	9	9	7	5	6	7	3	5	3	3	2	3	8	9	9	10	10	7	5	8	8	9
10	9	9	5	10	9	10	9	10	10	10	10	10	8	6	6	3	4	2	...	1	2	4	4	7	10
11	3	2	4	6	3	6	8	9	7	8	8	9	10	8	10	8	5	3	3	1	2	2	4	10	11
12	7	8	9	9	4	8	9	9	10	10	10	8	8	8	9	9	9	8	9	7	9	10	10	10	12
13	10	10	10	7	8	8	8	8	7	7	7	8	7	7	6	6	5	4	3	...	...	...	2	...	13
14	...	...	...	...	2	6	7	5	4	...	2	...	1	2	5	8	7	10	10	10	2	1	1	...	14
15	...	...	...	...	...	1	8	8	9	7	1	1	1	2	4	7	4	8	10	10	...	...	...	...	15
16	...	1	...	...	1	1	2	2	1	1	1	...	3	2	3	4	4	3	1	...	...	...	...	9	16
17	10	10	10	10	8	10	10	10	10	9	3	2	1	1	7	7	7	3	4	7	2	...	...	...	17
18	6	4	3	6	10	10	10	10	10	9	10	9	9	7	7	8	9	8	8	2	1	10	10	10	18
19	10	10	10	10	10	10	10	10	10	7	9	9	7	9	8	7	3	4	2	1	1	...	1	...	19
20	...	...	...	...	1	2	...	1	2	2	2	5	10	9	9	9	8	5	4	2	1	2	3	9	20
21	6	1	...	...	4	4	9	10	10	10	10	9	9	9	4	7	5	6	7	3	3	2	...	...	21
22	1	1	2	3	3	9	2	2	4	8	6	5	3	4	3	2	2	2	...	...	1	...	...	...	22
23	...	...	...	...	2	8	4	4	4	6	6	8	5	4	3	3	2	4	1	2	2	1	4	4	23
24	...	1	...	2	4	4	2	3	3	3	2	3	2	2	3	1	2	2	1	...	...	1	...	...	24
25	...	3	2	...	...	...	1	2	3	3	3	2	1	1	...	...	...	1	...	3	2	2	1	1	25
26	2	10	9	2	2	8	7	10	9	8	6	9	8	7	7	5	5	5	3	5	4	2	2	6	26
27	5	8	10	10	10	10	10	10	10	10	10	10	8	9	9	8	7	8	6	2	2	1	8	4	27
28	8	7	10	4	2	10	9	10	10	7	3	7	9	10	4	7	6	2	...	...	1	2	4	7	28
29	10	7	4	2	10	8	8	7	9	7	8	9	9	10	4	4	10	9	6	2	5	6	2	2	29
30	3	6	10	10	5	6	10	8	5	3	8	8	7	8	6	5	2	2	1	1	...	...	2	4	30

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of SEPTEMBER, 1925.

(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h	h.	h.	h.	h.	h.	
1	...	...	...	...	...	...	0·7	0·7	0·7	1·0	0·2	0·2	...	1
2	...	0·7	1·0	1·0	1·0	0·8	1·0	1·0	1·0	1·0	1·0	1·0	0·4	2
3	0·2	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·2	3
4	0·2	1·0	1·0	0·6	1·0	0·8	1·0	0·5	0·7	1·0	1·0	1·0	0·4	4
5	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	5
6	0·3	1·0	1·0	1·0	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·1	6
7	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	...	...	7
8	...	...	...	0·3	...	...	0·1	0·7	1·0	1·0	1·0	1·0	0·2	8
9	0·1	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	0·7	0·3	9
10	...	...	...	...	0·2	0·3	0·8	1·0	1·0	1·0	1·0	1·0	0·3	10
11	0·1	1·0	1·0	1·0	1·0	0·7	0·4	0·6	0·4	0·7	1·0	1·0	0·3	11
12	...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	...	12
13	...	0·4	0·7	1·0	1·0	1·0	1·0	1·0	0·8	1·0	1·0	1·0	0·3	13
14	0·2	0·4	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	0·2	...	14
15	0·2	0·8	1·0	0·8	1·0	1·0	1·0	1·0	1·0	0·5	0·5	1·0	0·3	15
16	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3	16
17	...	0·2	0·2	0·4	0·8	1·0	1·0	1·0	1·0	0·8	...	0·6	...	17
18	...	...	...	...	0·3	0·4	0·2	1·0	1·0	1·0	0·2	0·1	...	18
19	...	...	...	0·4	0·6	0·9	1·0	1·0	0·9	...	0·6	0·7	...	19
20	0·5	1·0	1·0	1·0	1·0	1·0	1·0	0·3	0·1	0·1	...	0·2	0·1	20
21	...	...	...	...	0·3	1·0	0·7	1·0	1.0	1·0	0·2	...	...	21
22	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·2	22
23	...	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	23
24	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·1	24
25	0·1	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·2	25
26	...	...	...	...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	0·5	...	26
27	...	...	...	...	...	...	0.8	0·8	0·6	0·7	0·5	0·1	...	27
28	...	...	...	0·3	1·0	1·0	0·7	0·5	0·4	0·6	0·1	0·6	...	28
29	...	0·5	0·4	...	...	...	0.6	0·8	1·0	1·0	0·9	0·2	...	29
30	...	0·4	0·4	1·0	1·0	1·0	1·0	0·6	0·6	1·0	1·0	0·9	...	30

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of SEPTEMBER, 1925.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	0·135	0·110	0·130	0·110	0·015	d	...	...	1
2	d	...	...	...	...	...	..	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	..	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	0·005	0·005	0·010	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	d	...	0·195	...	d	0·060	0·160	0·630	d	10
11	...	...	...	...	...	...	d	0·015	d	...	...	0·040	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	0·070	0·040	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	d	0·015	...	0·030	0·275	0·145	...	...	...	18
19	3·125	0·820	0·150	0·010	d	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	d	d	0·825	0·010	...	0·015	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	..	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	0·040	0·245	0·165	0·110	0·020	0·190	0·010	0·010	0·010	...	...	27
28	...	...	...	...	...	...	...	0·050	0·010	...	...	...	28
29	...	...	...	...	0·020	...	...	0·005	...	...	...	...	29
30	...	...	d	0·455	0·100	d	0·070	0·005	...	...	...	...	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	d	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	d	d	...	...	...	...	...	...	...	d	0·260	11
12	...	...	...	...	...	...	...	...	...	...	0·100	0·090	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	0·010	0·010	0·540	18
19	...	...	...	0·010	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	d	d	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	0·185	0·070	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of SEPTEMBER, 1925.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hongkong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	6	34	6	28	6	29	6	35	7	26	7	16	7	21	6	18	5	12	5	16	6	22	6	25	1
2	6	25	6	30	6	30	6	23	5	24	6	26	5	23	6	23	5	24	6	24	6	27	6	23	2
3	6	11	6	9	6	11	6	8	6	9	6	11	6	13	6	15	7	16	8	15	8	14	9	14	3
4	...	1	...	1	20	3	23	6	24	5	...	...	...	...	24	2	23	4	24	6	23	7	23	6	4
5	27	2	4	4	5	7	4	6	30	3	...	...	...	1	31	8	31	6	30	9	24	6	22	9	5
6	27	4	27	3	27	4	27	3	27	2	...	1	...	...	1	3	1	9	32	15	32	16	32	9	6
7	29	4	...	1	31	2	32	2	...	1	3	5	2	7	1	6	1	13	2	11	6	7	9	8	7
8	...	...	10	2	6	10	7	8	9	10	8	12	7	15	7	16	8	12	12	12	14	13	13	8	8
9	9	15	9	16	9	12	8	8	8	9	7	12	7	14	7	16	6	18	6	20	6	20	7	17	9
10	10	9	9	12	8	14	7	12	6	11	7	8	9	9	8	10	6	9	7	8	7	12	8	9	10
11	11	7	11	6	11	10	11	8	11	9	10	8	9	9	9	16	9	18	9	18	10	21	11	15	11
12	8	3	...	1	...	...	12	2	6	6	4	9	4	8	5	12	5	12	7	13	9	14	9	16	12
13	32	7	32	7	32	4	32	7	1	11	1	11	1	9	32	3	32	13	1	15	32	11	32	6	13
14	29	4	32	3	32	4	32	4	31	5	32	4	31	3	32	6	31	9	32	14	32	14	32	11	14
15	1	10	1	10	32	7	31	7	31	7	31	2	32	5	31	7	32	8	31	5	32	7	29	8	15
16	31	10	32	7	32	6	32	9	31	9	31	11	31	12	31	12	31	12	32	12	32	11	32	8	16
17	2	16	3	12	4	9	2	7	2	12	2	11	2	7	1	8	1	11	1	10	32	9	32	4	17
18	...	1	11	2	9	4	7	4	4	7	...	1	7	7	10	14	9	7	6	8	6	19	6	19	18
19	29	12	1	5	5	4	8	3	9	4	...	1	7	2	8	3	...	1	1	6	27	3	24	5	19
20	...	...	...	...	...	...	...	...	...	...	...	1	...	...	10	3	10	5	9	7	9	7	10	9	20
21	11	7	10	10	12	8	12	5	8	6	8	6	8	8	4	11	4	11	8	4	9	15	9	19	21
22	8	12	8	10	8	8	8	3	...	...	...	...	7	7	8	10	9	11	9	16	9	15	10	18	22
23	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	1	8	4	10	10	10	11	9	11	23
24	6	11	5	10	5	8	6	10	6	12	6	13	6	10	6	12	7	15	8	13	8	15	9	13	24
25	...	...	...	1	9	2	9	5	9	4	8	4	7	5	6	6	7	10	9	11	10	11	10	12	25
26	8	8	9	20	8	13	7	12	7	9	5	6	2	7	3	10	5	10	8	11	9	9	9	14	26
27	11	10	11	6	12	11	9	6	2	2	4	6	9	7	10	3	9	6	8	10	8	14	8	13	27
28	13	4	...	...	...	...	...	...	...	...	...	...	9	12	6	13	8	13	8	9	8	10	8	10	28
29	...	...	...	...	...	...	...	...	16	3	...	1	...	...	22	3	20	4	...	...	...	...	25	4	29
30	...	...	...	...	17	2	19	8	20	3	...	...	21	6	18	2	...	1	23	6	24	8	24	8	30

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	6	26	7	27	6	32	6	25	6	23	7	21	8	23	7	19	7	25	7	23	7	25	6	22	1
2	6	22	6	21	8	20	8	23	8	24	8	18	8	20	7	20	8	20	7	14	7	11	7	12	2
3	9	12	12	11	18	6	21	6	24	7	25	6	26	7	26	4	26	4	25	3	23	2	20	3	3
4	19	7	19	3	23	5	24	6	19	6	20	3	23	2	...	...	...	...	23	3	...	1	23	2	4
5	24	12	25	13	24	18	25	12	27	11	27	9	27	9	27	4	27	2	27	3	27	4	27	5	5
6	1	9	32	9	31	12	31	11	30	12	29	6	27	2	27	2	...	1	...	...	27	3	28	6	6
7	10	9	10	13	9	12	9	14	9	9	9	8	9	6	9	5	9	8	10	5	10	4	...	...	7
8	9	14	8	18	9	19	8	21	9	20	8	18	9	23	8	22	8	20	9	19	9	17	9	15	8
9	8	19	9	20	9	19	8	19	9	20	9	17	10	15	10	12	10	10	10	11	10	13	9	13	9
10	8	10	8	15	8	10	8	14	8	14	8	13	9	13	9	8	9	6	9	8	10	11	10	9	10
11	12	18	11	18	8	13	8	12	9	15	10	13	10	10	10	9	10	8	11	8	10	10	8	9	11
12	9	15	10	15	10	13	9	11	9	10	9	8	9	3	9	3	9	5	7	4	1	10	32	2	12
13	32	6	32	6	32	12	32	5	32	13	32	8	32	7	32	5	31	3	22	2	18	4	23	5	13
14	32	11	32	10	30	8	30	13	30	10	30	11	31	9	32	16	32	12	31	12	31	10	31	7	14
15	26	15	27	16	31	14	30	16	31	15	30	16	30	11	31	15	30	14	30	10	31	13	31	13	15
16	31	8	30	10	30	14	31	13	32	12	1	12	1	9	2	14	2	9	2	14	1	16	2	17	16
17	28	3	4	5	12	8	15	7	13	7	12	7	12	8	12	2	13	3	...	1	...	...	12	3	17
18	7	22	7	20	7	19	7	17	7	14	7	12	7	14	7	13	7	9	8	11	12	8	28	14	18
19	22	8	21	6	14	7	9	12	8	11	8	8	9	6	10	2	10	2	10	2	...	1	10	2	19
20	8	13	9	12	13	8	13	9	11	8	10	7	11	6	10	6	11	4	10	3	11	3	12	4	20
21	9	18	10	18	9	19	10	18	9	14	9	12	9	10	8	10	8	9	8	10	8	12	9	12	21
22	9	18	9	18	9	17	9	15	10	15	10	12	11	7	11	6	10	6	9	3	...	...	...	1	22
23	10	16	10	14	9	14	9	14	10	13	10	9	9	9	8	8	7	9	7	8	6	5	6	10	23
24	9	13	10	12	10	14	10	14	10	14	10	11	9	9	8	8	8	5	9	4	9	6	6	4	24
25	9	13	10	17	9	15	9	14	9	13	10	11	11	7	10	7	7	9	8	8	9	9	9	10	25
26	9	15	9	17	9	18	9	16	9	13	9	11	10	8	11	8	10	8	10	11	10	11	10	10	26
27	8	14	8	15	8	12	8	11	8	14	9	12	9	8	9	6	9	6	10	9	10	9	12	7	27
28	8	12	8	10	9	13	10	9	12	8	14	6	14	4	14	2	...	...	...	1	...	...	...	...	28
29	28	4	28	7	27	7	9	9	10	7	14	6	18	3	17	2	...	1	...	1	17	2	...	...	29
30	24	5	22	4	17	7	16	12	17	7	19	7	19	3	18	2	15	3	9	3	...	...	...	...	30

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of SEPTEMBER, 1925.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	nb	E	cu-nb	E	nb	E	nb	E	cu	E	cu	E	cu-nb	E	cu	E
2	a-cu / cu-nb	NE / E	cu-nb	E	cu	E	cu	E	cu	E	cu	E	cu	E	cu	ENE
3	cu	E	cu	E	cu	E	cu	E	cu	ENE	ci-st	N	ci-st	WNW	ci-st	WNW
4	cu	NE	cu	NE	ci-cu	ENE	cu	NNE	cu / cu	NNE / ESE	cu	NNW	...	...	cu	NNW
5	a-cu / cu	NNW / N	cu	N	cu	NNE	...	...	...	...	cu	NNW	...	...	...	...
6	...	...	...	...	ci-st	SW	cu	N	cu	NNW	cu	N	...	...	...	...
7	...	...	...	...	...	...	a-cu	NW	a-cu	NW	ci-cu / a-cu	W / WNW	cu	NW	cu	E
8	cu	E	a-cu / cu	WNW / E	a-cu / cu	NW / E	nb	ESE	cu	E	cu	E	cu	E	cu	E
9	cu	E	cu	ESE	a-cu / cu	WSW / ENE	cu	ENE	cu	E	ci-cu / cu	NNE / E	a-cu / cu	WNW / E	cu	E
10	cu	ESE	cu	ESE	cu	E	nb	E	cu	E	a-cu / cu	WNW / ESE	...	...	cu	E
11	cu	E	cu	ESE	cu	ESE	cu	ESE	cu	ESE	cu	E	cu	E	cu	E
12	cu	E	cu	ESE	cu	ESE	cu	E	ci-st / cu	NNW / E	ci-st / cu	NNE / E	ci-st / cu	N / E	cu	E
13	nb	E	cu	E	ci-st / cu	NNE / E	ci-st	NE	ci-st / a-cu / cu	NNE / E / E	ci-st / a-cu / cu	NNE / NE / ENE	a-cu / cu	NNE / ENE	...	...
14	...	...	...	...	ci-st / cu	ENE / NNW	...	...	cu	N	cu	N	cu	N	cu	N
15	...	...	...	...	cu	N	cu	N	cu	NNW	cu	N	cu	N	...	...
16	...	...	...	...	ci-st / cu	NE / NNE	ci-st	NE	ci-st / cu	NE / NNE	cu	NNE	cu	NNE	...	...
17	cu-nb	N	cu	NNE	cu	NNE	a-cu / cu	ENE / NNE	cu	NNE	cu	NNE	a-cu	NW	...	...
18	a-cu	ENE	cu	NNE	cu-nb	NNE	cu-nb	ENE	a-cu / cu	S / ENE	a-cu / cu	SW / E	a-cu / cu	WSW / ENE	nb	ENE
19	nb	ENE	nb	ENE	cu	E	cu	NE	a-cu / cu	SW / NNE	a-cu / cu	SW / NNE	a-cu / cu	WSW / NE	...	...
20	...	...	...	...	...	...	cu	ENE	cu	E	cu	ESE	cu	E	cu	ESE
21	cu	ESE	...	...	cu	E	cu	E	cu	ESE	cu	SE	ci-st / cu	SW / SE	cu	SE
22	cu	ESE	cu	ESE	cu	E	cu	E	cu	ESE	cu	E	...	...	...	...
23	...	...	...	...	ci-st / cu	SW / E	cu	E	cu	E	cu	E	cu	E	cu	E
24	...	...	cu	E	cu	E	cu	ENE	cu	ENE	cu	E	cu	E	cu	E
25	...	...	...	...	cu	E	cu	ESE	cu	ESE	...	...	...	...	cu	E
26	cu	E	cu	E	cu	E	ci-st / cu	NW / E	ci-st / cu	NNW / ESE	ci-st / cu	NW / ESE	cu	ESE	cu	E
27	cu	E	nb	E	nb	E	nb	E	ci-st / cu	NE / ENE	ci-st / cu	NNE / ENE	ci-st	NNE	cu	ESE
28	cu	ESE	cu	ESE	cu-nb	E	ci-st / cu	ENE / SSW	cu	WNW	cu	NW	...	...	cu	S
29	cu	SSW	cu	SSW	cu	SW	cu / nb	SSW / SW	cu	SW	cu	W	cu	WSW	cu	WSW
30	cu	WSW	nb	WSW	cu-nb	WSW	cu	W	cu	W	cu	W	cu	WSW	...	...

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of SEPTEMBER, 1925.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·627	85·2	75·6	9·6	81·3	76·2	0·836	78	94	3·5	28	0·500	4	+ 7·6	+ 22·5	71	23·8	23·9
2	·648	85·6	80·4	5·2	82·4	76·3	·826	75	52	10·9	87	...	...	+ 6·3	+ 20·6	73	21·4	22·0
3	·635	87·2	79·0	8·2	82·7	76·5	·830	74	24	11·3	90	...	...	+ 0·8	+ 4·9	81	5·0	9·0
4	·590	89·5	78·9	10·6	83·9	78·9	·922	79	42	10·2	82	...	...	− 1·0	− 2·8	250	3·0	3·3
5	·557	90·2	79·9	10·3	84·9	73·6	·678	57	17	11·7	94	...	...	+ 2·7	− 4·3	302	5·1	6·8
6	·586	91·1	80·3	10·8	85·1	73·5	·671	56	9	11·3	91	...	...	+ 5·2	− 1·2	347	5·3	5·9
7	·655	90·7	80·4	10·3	84·3	72·2	·629	54	32	9·8	79	...	...	+ 0·9	+ 4·9	80	5·0	6·7
8	·734	86·0	78·4	7·6	81·7	76·3	·835	77	84	5·3	43	0·020	1	− 1·8	+ 13·7	98	13·8	14·3
9	·773	85·5	80·0	5·5	82·6	77·4	·872	78	67	10·9	88	...	...	− 0·7	+ 14·8	93	14·8	15·2
10	·712	85·0	76·3	8·7	81·0	77·3	·888	84	66	6·6	53	1·045	2	− 0·3	+ 10·4	92	10·4	10·6
11	·652	86·0	78·6	7·4	81·9	77·5	·885	81	58	9·2	75	0·315	2	− 4·3	+ 10·9	111	11·7	12·0
12	·673	87·0	78·0	9·0	82·3	77·4	·876	79	86	9·5	77	0·190	1	+ 0·5	+ 7·4	87	7·4	8·3
13	·695	88·6	76·0	12·6	82·0	73·9	·729	67	57	10·2	83	0·110	2	+ 6·8	...	360	6·8	7·5
14	·670	89·4	77·0	12·4	82·1	71·8	·643	59	35	8·9	72	...	...	+ 8·5	− 1·2	352	8·6	8·7
15	·656	85·6	74·1	11·5	79·2	69·6	·596	60	34	10·1	82	...	...	+ 9·5	− 3·0	343	10·0	10·5
16	·692	86·3	73·2	13·1	79·2	68·3	·547	55	16	11·7	96	...	...	+ 10·9	...	360	10·9	11·1
17	·743	84·8	75·8	9·0	79·8	70·4	·618	61	59	7·0	57	...	...	+ 3·2	+ 2·8	41	4·3	7·1
18	·793	84·0	73·8	10·2	79·3	73·9	·766	76	77	4·2	34	1·025	4	+ 2·0	+ 9·7	78	9·9	11·1
19	·815	86·7	72·3	14·4	78·7	74·4	·794	81	66	6·1	50	4·115	4	+ 0·2	+ 1·6	83	1·6	4·8
20	·833	86·9	76·4	10·5	80·7	75·8	·827	78	36	7·3	60	...	...	− 1·8	+ 4·1	114	4·5	4·8
21	·870	83·9	76·0	7·9	80·1	75·3	·813	79	53	5·2	43	0·850	2	− 1·6	+ 10·7	99	10·8	11·3
22	·875	84·5	77·4	7·1	80·3	75·0	·798	77	26	11·4	94	...	...	− 2·0	+ 9·2	102	9·4	9·5
23	·877	86·9	77·0	9·9	80·9	76·3	·846	80	32	10·4	86	...	...	− 1·1	+ 6·6	100	6·7	6·9
24	·880	84·6	78·8	5·8	81·0	75·6	·814	76	17	11·0	91	...	...	+ 0·2	+ 10·1	89	10·1	10·7
25	·874	87·0	77·9	9·1	81·4	76·4	·843	78	13	11·3	94	...	...	− 1·6	+ 8·2	101	8·4	8·5
26	·808	85·2	79·2	6·0	81·3	76·2	·836	78	59	7·3	61	...	...	− 0·8	+ 10·3	94	10·3	11·0
27	·741	81·7	75·0	6·7	78·8	75·1	·823	83	77	3·5	29	0·800	5	− 1·3	+ 8·5	99	8·6	9·0
28	·713	82·9	74·8	8·1	79·1	75·1	·819	82	58	5·2	43	0·060	1	− 1·0	+ 5·1	101	5·2	5·7
29	·717	86·8	78·1	8·7	81·0	76·9	·871	82	66	5·4	45	0·280	1	− 0·5	− 0·3	211	0·6	2·7
30	·735	87·2	76·9	10·3	81·8	77·6	·891	82	50	8·9	75	0·630	3	− 2·5	− 2·0	218	3·2	4·0
										Sum.		Sum.	Sum					
Means	29·728	86·4	77·2	9·2	81·4	75·0	0·787	74	49	255·3	70	9·940	32	+ 1·4	+ 6·1	77	6·3	9·4
Normals	29·719	85·3	76·7	8·6	80·5	75·2	0·805	77	58	200·9	55	9·808	53	+ 1·0	+ 6·8	82	6·9	11·4
Absolute Max.	29·936	91·1	...	14·4	...	81·7	0·985	...	...	11·7	96	4·115	5	...	...	...	...	35·0 †
Day.	25	6	...	19	...	4	4	...	...	5, 16	16	19	27	...	...	...	...	1d 4h
Absolute Min.	29·511	...	72·3	5·2	...	65·1	0·480	35	...	...	...	...	...	...	...	...	...	...
Day	5	...	19	2	...	15	7	7	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Solar halo :—on the 26th.

Lunar corona :—on the 2nd, 5th and 29th.

Unusual visibility :—on the 2nd, 6th, 10th, 11th, 12th, 14th and 27th.

Dew :—on the 20th, 23rd, 25th and 29th.

Rainbow :—on the 11th and 29th.

Lightning :—on the 9th, 12th, 13th, 14th, 20th, 23rd, 25th, 26th, 27th and 30th.

Thunder :—on the 27th, 29th and 30th.

Rain fell on 13 days. The mean hourly intensity was 0·311*in*, and the maximum fall in one hour was 3·125*ins* at 1*h* on the 19th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 54 miles per hour at 0*h* 58*m* on the 1st.

* 0°=N., 90°=E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of SEPTEMBER, 1925.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1005·2	302·6	297·2	5·4	300·4	297·6	28·2	12·7	4	+ 2·5	+ 7·4	71	7·8	7·8
2	1005·9	302·8	299·9	2·9	301·0	297·6	27·9	...	...	+ 2·1	+ 6·8	73	7·0	7·2
3	1005·4	303·7	299·1	4·6	301·2	297·7	28·0	...	...	+ 0·3	+ 1·6	81	1·6	3·0
4	1003·9	304·9	299·1	5·8	301·8	299·1	31·1	...	...	− 0·5	− 0·9	250	1·0	1·1
5	1002·8	305·3	299·6	5·7	302·4	296·1	22·9	...	...	+ 0·9	− 1·4	302	1·7	2·2
6	1003·8	305·8	299·8	6·0	302·5	296·1	22·6	...	...	+ 1·7	− 0·4	347	1·7	1·9
7	1006·1	305·6	299·9	5·7	302·1	295·3	21·2	...	...	+ 0·3	+ 1·6	80	1·6	2·2
8	1008·8	303·0	298·8	4·2	300·6	297·6	28·2	0·5	1	− 0·6	+ 4·5	98	4·5	4·7
9	1010·1	302·7	299·7	3·0	301·1	298·2	29·4	...	...	− 0·2	+ 4·9	93	4·9	5·0
10	1008·1	302·4	297·6	4·8	300·2	298·2	30·0	26·6	2	− 0·1	+ 3·4	92	3·4	3·5
11	1006·0	303·0	298·9	4·1	300·7	298·3	29·9	8·0	2	− 1·4	+ 3·6	111	3·8	3·9
12	1006·7	303·6	298·6	5·0	300·9	298·2	29·6	4·8	1	+ 0·2	+ 2·4	87	2·4	2·7
13	1007·5	304·4	297·4	7·0	300·8	296·3	24·6	2·8	2	+ 2·2	...	360	2·2	2·5
14	1006·6	304·9	298·0	6·9	300·8	295·1	21·7	...	...	+ 2·8	− 0·4	352	2·8	2·9
15	1006·2	302·8	296·4	6·4	299·2	293·9	20·1	...	...	+ 3·1	− 1·0	343	3·3	3·4
16	1007·4	303·2	295·9	7·3	299·2	293·2	18·4	...	...	+ 3·6	...	360	3·6	3·6
17	1009·1	302·8	297·3	5·0	299·6	294·2	20·8	...	...	+ 1·0	+ 0·9	41	1·4	2·3
18	1010·8	301·9	296·2	5·7	299·3	296·3	25·8	26·0	4	+ 0·7	+ 3·2	78	3·2	3·6
19	1011·6	303·4	295·4	8·0	298·9	296·6	26·8	104·5	4	+ 0·1	+ 0·5	83	0·5	1·6
20	1012·2	303·5	297·7	5·8	300·1	297·5	27·9	...	...	− 0·6	+ 1·3	114	1·5	1·6
21	1013·4	301·8	297·4	4·4	299·7	297·1	27·4	21·6	2	− 0·5	+ 3·5	99	3·5	3·7
22	1013·6	302·2	298·2	4·0	299·8	296·9	26·9	...	...	− 0·7	+ 3·0	102	3·1	3·1
23	1013·7	303·5	298·0	5·5	300·2	297·6	28·5	...	...	− 0·4	+ 2·2	100	2·2	2·3
24	1013·8	302·2	299·0	3·2	300·2	297·2	27·5	...	...	+ 0·1	+ 3·3	89	3·3	3·5
25	1013·6	303·6	298·5	5·1	300·4	297·7	28·4	...	...	− 0·5	+ 2·7	101	2·8	2·8
26	1011·3	302·6	299·2	3·4	300·4	297·6	28·2	...	...	− 0·3	+ 3·4	94	3·4	3·6
27	1009·0	300·6	296·9	3·7	299·0	296·9	27·8	20·3	5	− 0·4	+ 2·8	99	2·8	3·0
28	1008·1	301·3	296·8	4·5	299·2	296·9	27·6	1·6	1	− 0·3	+ 1·7	101	1·7	1·9
29	1008·2	303·4	298·6	4·8	300·2	297·9	29·4	7·1	1	− 0·2	− 0·1	211	0·2	0·9
30	1008·8	303·7	297·9	5·8	300·7	298·3	30·1	16·0	3	− 0·8	− 0·7	218	1·0	1·3
Means.	1008·6	303·2	298·1	5·1	300·4	296·9	26·5	Sum. 252·5	Sum. 32	+ 0·5	+ 2·0	77	2·1	3·1
Normals	1008·3	302·6	297·8	4·8	299·9	297·0	27·2	249·1	53	+ 0·3	+ 2·2	82	2·3	3·7
Absolute Maximum.	1015·7	305·8	...	8·0	...	300·6	33·3	104·5	5	...	...	...	...	11·5†
Day.	25	6	...	19	...	4	4	19	27	...	...	...	...	1*d* 4*h*
Absolute Minimum.	1001·2	...	295·4	2·9	...	291·4	16·2	...	...	...	...	...	...	...
Day.	5	...	19	2	...	15	7	...	...	...	...	...	...	...

ADOPTED ERRORS OF TIMEBALL, SEPTEMBER, 1925.

Date.	Error.	Date.	Error.	Date.	Error.
	s		*s*		*s*
1	+ 0·2	11	− 0·1	21	...
2	+ 0·1	12	− 0·1	22	...
3	+ 0·1	13	...	23	− 0·1
4	...	14	− 0·1	24	...
5	...	15	...	25	− 0·1
6	..	16	...	26	− 0·1
7	− 0·1	17	+ 0·1	27	− 0·1
8	...	18	+ 0·2	28	...
9	+ 0·2	19	...	29	...
10	...	20	+ 0·1	30	...

+ = Late ; − = Early.
The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.
The probable error for the month was ± 0·10

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of SEPTEMBER, 1925.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-100).	Percentage of Possible Sunshine.	Rainfall. Percentage of Total Amount.	Rainfall. Percentage of Total Duration	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·737	79·6	74·3	·780	78	48		32	6	+ 2·3	+ 4·4	62	5·0	7·6
2	·726	79·4	74·1	·775	78	50		9	6	+ 2·0	+ 5·1	69	5·5	6·9
3	·715	79·1	74·0	·775	79	49		4	6	+ 1·5	+ 5·5	75	5·7	7·4
4	·710	78·7	73·9	·775	80	44		6	6	+ 2·0	+ 4·5	66	4·9	7·0
5	·715	78·4	73·7	·771	80	47		4	10	+ 2·5	+ 4·3	60	5·0	7·0
6	·725	78·3	73·6	·768	80	61	17	3	7	+ 2·6	+ 4·4	59	5·1	6·2
7	·737	78·8	74·0	·778	80	59	55	4	8	+ 2·6	+ 5·5	65	6·1	7·6
8	·753	79·9	74·5	·784	77	62	61	5	12	+ 3·4	+ 6·3	62	7·2	9·1
9	·763	81·1	74·9	·785	74	63	66	11	12	+ 4·2	+ 6·4	57	7·7	10·1
10	·768	82·4	75·3	·784	72	60	76	2	5	+ 3·5	+ 6·9	63	7·8	11·1
11	·762	83·7	75·8	·789	68	57	80	6	4	+ 2·2	+ 7·8	74	8·1	12·3
Noon.	·748	84·5	76·1	·790	67	57	87	1	3	+ 0·7	+ 7·4	85	7·5	11·7
13	·725	85·1	76·2	·786	65	55	88	...	...	+ 0·4	+ 8·0	87	8·0	12·9
14	·702	84·8	76·2	·791	67	54	87	...	1	...	+ 8·5	90	8·5	13·3
15	·687	84·6	76·2	·793	67	51	88	...	...	+ 0·2	+ 8·1	89	8·1	13·5
16	·683	84·1	76·1	·796	69	54	72	...	1	+ 0·2	+ 8·3	89	8·3	13·3
17	·684	83·4	75·8	·793	70	49	66	...	...	+ 0·2	+ 8·1	89	8·1	12·6
18	·692	82·4	75·4	·789	72	46	22	2	1	...	+ 6·5	90	6·5	10·6
19	·706	81·6	75·2	·791	74	41		1	1	− 0·4	+ 6·0	94	6·0	9·2
20	·722	81·2	75·1	·792	75	31		...	...	+ 1·1	+ 5·4	78	5·5	8·0
21	·742	80·9	75·1	·796	76	22		...	...	+ 9·8	+ 5·3	81	5·4	7·4
22	·753	80·7	75·1	·799	77	29		...	1	+ 0·6	+ 5·0	83	5·0	7·1
23	·755	80·3	74·9	·796	77	36		1	2	+ 0·7	+ 4·6	81	4·6	7·3
Midn.	·750	79·8	74·9	·803	79	45		9	8	+ 1·2	+ 3·6	72	3·8	7·2

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of SEPTEMBER, 1925.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1008·9	299·4	296·5	26·3	+ 0·8	+ 1·4	62	1·6	2·5
2	1008·5	299·3	296·4	26·1	+ 0·7	+ 1·7	69	1·8	2·3
3	1008·2	299·2	296·3	26·1	+ 0·5	+ 1·8	75	1·9	2·4
4	1008·0	298·9	296·3	26·1	+ 0·7	+ 1·5	66	1·6	2·3
5	1008·2	298·8	296·2	26·0	+ 0·8	+ 1·4	60	1·6	2·3
6	1008·5	298·7	296·1	25·9	+ 0·9	+ 1·4	59	1·7	2·0
7	1008·9	299·0	296·3	26·2	+ 0·9	+ 1·8	65	2·0	2·5
8	1009·5	299·6	296·6	26·4	+ 1·1	+ 2·1	62	2·4	3·0
9	1009·8	300·3	296·8	26·5	+ 1·4	+ 2·1	57	2·5	3·3
10	1010·0	301·0	297·1	26·4	+ 1·1	+ 2·3	63	2·6	3·6
11	1009·7	301·7	297·3	26·6	+ 0·7	+ 2·6	74	2·7	4·0
Noon.	1009·3	302·2	297·5	26·6	+ 0·2	+ 2·4	85	2·5	3·8
13	1008·5	302·5	297·6	26·5	+ 0·1	+ 2·6	87	2·6	4·2
14	1007·7	302·3	297·6	26·7	...	+ 2·8	90	2·8	4·4
15	1007·2	302·2	297·6	26·7	+ 0·1	+ 2·7	89	2·7	4·4
16	1007·0	301·9	297·5	26·8	+ 0·1	+ 2·7	89	2·7	4·4
17	1007·1	301·6	297·3	26·7	+ 0·1	+ 2·7	89	2·7	4·1
18	1007·4	301·0	297·1	26·6	...	+ 2·1	90	2·1	3·5
19	1007·9	300·6	297·0	26·7	− 0·1	+ 2·0	94	2·0	3·0
20	1008·4	300·3	296·9	26·7	+ 0·4	+ 1·8	78	1·8	2·6
21	1009·1	300·2	296·9	26·8	+ 0·3	+ 1·7	81	1·8	2·4
22	1009·5	300·1	296·9	26·9	+ 0·2	+ 1·6	83	1·6	2·3
23	1009·5	299·8	296·8	26·8	+ 0·2	+ 1·5	81	1·5	2·4
Midn.	1009·4	299·6	296·8	27·1	+ 0·4	+ 1·2	72	1·2	2·4

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

SEPTEMBER,

1925.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	31st August, 1925.								1st September, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock, .	12	29.78	756.5	70	...	WNW	2	o	0	29.95	760.7	62	...	...	0	b
Gemuro, ...	11	29.74	755.5	...	...	E	3	...	5	29.65	753.0	...	...	W	1	...
Hakodate, ...	,,	29.53	750.0	...	...	...	...	...	,,	29.78	756.5	...	...	NW	1	...
Tokio, ...	,,	29.76	756.0	...	...	SSW	2	...	,,	29.84	758.0	...	...	SSW	1	...
Kochi, ...	,,	29.82	757.5	...	...	SE	1	...	,,	29.82	757.5	...	...	..	0	...
Nagasaki, ...	,,	29.82	757.5	...	...	W	1	...	,,	29.80	757.0	...	...	N	1	...
Kagoshima, ...	,,	29.82	757.5	...	...	SE	1	...	,,	29.78	756.5	...	...	...	0	...
Nagashima, ...	,,	29.80	757.0	...	...	N	2	...	,,	29.75	755.5	...	...	...	0	...
Misaha, ...	,,	...	...	...	...	ENE	2	...	,,	29.71	754.5	...	...	NNE	1	...
Ishigakijima, ...	,,	29.78	756.5	...	...	ENE	2	...	,,	29.73	755.0	...	...	NE	1	...
Bonin Island, ...	,,	29.78	756.5	...	...	E	1	.	,,	29.78	756.5	...	...	E	1	...
Chefoo.	15	29.86	758.4	82	67	NW	2	b	6	29.92	759.9	66	95	...	0	lf
Hankow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai.	14	29.92	759.9	72	98	ESE	1	r	,,	29.92	759.9	68	98	NE	1	b
Gutzlaff, ...	,,	29.93	760.2	72	85	NNE	4	o	,,	29.92	759.9	74	68	NE	4	b
Sharp Peak, ...	,,	29.80	756.9	86	92	E	2	b	7	29.73	755.1	80	91	ENE	2	o
Amoy, ...	15	29.66	753.3	90	88	ENE	2	o	9	29.72	754.9	81	96	NE	1	o
Swatow, ...	,,	...		...	...	.	...	...	8	..	...	...	...	...	..	...
Taihoku, ...	11	29.74	755.4	90	60	E	4	b	5	29.74	755.4	77	91	E	4	b
Taichu, ...	,,	29.72	754.8	93	...	...	0	b	,,	29.71	754.5	77	...	...	0	b
Tainan, ...	,,	29.71	754.5	93	...	WNW	4	b	,,	29.68	753.9	81	...	...	0	o
Koshun, ...	,,	29.72	754.8	86	...	NE	4	o	,,	29.68	753.9	81	...	NE	4	b
Pescadores, ...	,,	29.72	754.8	86	...	W	4	o	,,	29.68	753.9	81	...	S	2	b
Canton, ...	14	...	...	...	...	...	...	...	6	...	...	.	...	...	...	...
Hongkong, ...	,,	29.65	753.1	84	74	E	5	o	,,	29.69	754.1	78	86	E	4	od
Gap Rock, ...	,,	29.64	752.8	...	...	ENE	6	o	,,	29.67	753.6	...	..	ENE	6	o
Macao, ...	,,	29.63	752.7	86	71	E	4	o	,,	29.66	753.3	77	96	ESE	4	o
Wuchow, ...	15	...		...	...	...	...	...	9	...	..	...	..	.	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island ...	,,	29.54	750.3	84	...	E	6	r	,,	29.55	750.5	82	...	E	4	o
Phulien, ...	,,	29.63	752.7	90	57	ESE	2	b	7	29.66	753.3	79	92	N	2	of
Tourane, ...	,,	29.58	751.2	75	...	NW	4	r	,,	29.55	750.6	75	...	NNW	4	o
Cape St. James,	,,	29.66	753.3	79	...	SW	6	of	,,	29.65	753.0	77	...	SW	6	of
Dasco, ...	14	...	...	...	...	...	...	...	6	29.67	753.6	81	86	...	0	o
Aparri, ...	,,	29.59	751.5	86	71	NE	4	b	,,	29.63	752.7	75	96	SW	2	o
Manila, ...	,,	29.61	752.1	86	71	SW	4	o	,,	29.65	753.0	77	94	S	1	o
Legaspi, ...	,,	29.60	751.8	86	71	SW	4	o	..	29.65	753.0	79	96	SW	4	o
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Iloilo, ...	,,	29.63	752.7	82	89	SW	6	o	,,	29.68	753.9	81	92	S	4	o
Surigao, ...	..	29.61	752.1	86	68	WSW	4	o	,,	...	..	...	...	...	...	...
Guam, ...	12.20	29.58	751.2	...	...	SSW	4	o	4.20	29.61	752.1	...	...	SW	4	o
Yap, ...	12.47	29.60	751.8	...	...	SW	6	r	4.47	29.65	753.0	...	...	SW	6	r
Labuan, ...	14	29.71	754.6	88	80	NW	4	b	6	29.81	757.2	78	91	NW	2	b

September 1*d.* 10*h.* 26*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 112° E., stationary or very slow.

September 1*d.* 11*h.* 18*m.*—Pressure has increased considerably at Wladivostock and Hakodate, and slightly over Shantung, Hongkong and the Philippines; it has decreased slightly elsewhere.

A weak anticyclonic area now covers N. China and S. Manchuria; the depression of the China Sea is stationary near or over the Paracels. The position of the typhoon of the Pacific is uncertain.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·70 inch. Total since January 1st, 73·66 inches, against an average of 66·27 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel, ...	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, fresh; cloudy, occasional rain.
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	1st September, 1925.								2nd September, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	14	29.91	759.6	78	...	...	0	0		29.94	760.5	65		...	0	c
Nemuro,	11	29.80	757.0	...	...	N	2	...	5	29.98	761.5	...	.	SE	1	...
Hokodate,	,,	29.80	757.0	...	...	N	2	...	,,	29.90	759.5	...	...	NE	1	...
Tokio,	,,	29.84	758.0	...	...	SSW	3	...	,,	29.92	760.0	...	..	S	1	...
Kochi,	,,	29.84	758.0	...	...	SE	1	...	,,	29.86	758.5	...	...	...	0	...
Nagasaki,	,,	29.78	756.5	...	...	SSE	1	...	,,	29.80	757.0	...	..	...	..	...
Kagoshima,	,,	29.80	757.0	...	...	SSE	1	...	,,	29.78	756.5	...	..	NE	1	...
Oshima,	,,	29.74	755.5	...	...	E	1	...	,,	29.66	753.5	...	...	NNE	1	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	..	...
Ishigakijima,	,,	29.74	755.5	...	...	NE	3	...	,,	29.65	753.0	...	...	N	1	...
Bonin Island,	,,	29.78	756.5	...	...	E	1	..	,,	29.73	755.0	...	...	E	1	...
Chefoo,	15	29.90	759.4	81	48	N	2	b	6	29.88	758.9	69	91	...	0	o
Hankow,	,,	...	.	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	..	.	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.89	759.3	84	52	NNE	1	b	,,	29.87	758.7	66	96	NE	1	b
Gutzlaff,	,,	29.91	759.7	82	63	NNE	1	b	,,	29.88	758.9	72	76	NNE	2	b
Sharp Peak,	,,	29.74	755.4	86	96	NNE	2	o	7	29.74	755.4	78	95	NNE	2	o
Amoy,	15	29.68	753.9	92	93	ENE	2	o	9	29.72	754.9	80	96	NE	1	b
Swatow,	,,	...	...	...	..	.	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.75	755.7	90	66	E	4	b	5	29.73	755.1	77	91	ENE	2	b
Taichu,	,,	29.72	754.8	90	...	...	0	b	,,	29.69	754.2	77	...	...	0	o
Tainan,	,,	29.71	754.5	90	...	WNW	4	b	,,	29.65	753.0	77	...	SE	2	b
Koshun,	,,	29.72	754.8	86	...	NE	4	b	,,	29.65	753.0	77	..	NE	2	b
Pescadores,	,,	29.73	755.1	86	...	NNW	2	b	,,	29.67	753.6	81	...	NE	4	b
Canton,	14	...	...	...	...	...	..	...	6	...	..	...	.	.	...	...
Hongkong,	,,	29.65	753.1	84	72	E	5	o	,,	29.69	754.1	81	80	E	5	o
Gap Rock,	,,	29.66	753.3	...	...	ENE	6	o	,,	29.70	754.4	...	...	ENE	5	c
Macao,	,,	29.63	752.7	82	77	ESE	2	o	,,	29.66	753.3	81	84	ESE	4	o
Wuchow,	15	...	.	...	...	...	...	...	9	...	...	...	.		...	...
Pakhoi,	,,	.	..	...	...	..	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	..	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	29.56	750.8	...	...	SE	5	r	,,	29.58	751.3	83	...	E	...	r
Phulien,	,,	29.61	752.1	86	71	ENE	4	r	7	29.62	752.4	77	98	NNE	4	rf
Tourane,	,,	29.50	749.4	77	...	NNW	2	r	,,	29.53	750.0	75	...	W	2	o
Cape St. James,	,,	...	..	...	...		...	...	,,	29.63	752.7	75	...	SW	6	of
Basco,	14	29.54	750.3	86	68	NE	6	of	6	29.63	752.7	72	78	NNE	4	o
Aparri,	,,	29.61	752.1	86	68	NNE	4	b	,,	29.62	752.4	75	94	...	0	o
Manila,	,,	29.62	752.4	84	81	ENE	6	o	,,	29.65	753.0	77	96	SSW	1	r
Legaspi,	,,	29.63	752.7	82	87	SSW	4	o	,,	29.62	752.4	77	96	SW	4	o
Taoloban,	,,	...	...	...	...		...	...	,,	...	..	...	..	...	..	...
Iloilo,	,,	29.68	753.9	79	89	SW	4	r	,,	29.67	753.9	79	98	SW	4	o
Surigao,	..	...	...	..	..	...	...	...	,,	...	..	...	...	..	...	...
Guam,	12.20	29.65	753.0	...	...	SW	4	o	4.20	29.65	753.0	...	...	SW	2	r
Yap,	12.47	29.60	751.8	...	...	SW	4	r	4.47	29.66	753.3	...	...	SW	4	o
Labuan,	14	29.70	754.4	88	80	N	2	b	6	29.72	754.9	80	87	NE	2	b

September 1*d.* 23*h.* 51*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 17° N. Long. 111° E., moving W.

September 2*d.* 10*h.* 46*m.*—Warning to Hongkong,:—Depression or typhoon of unknown intensity within 60 miles of Lat. 17° N. Long. 110° E., moving W.

September 2*d.* 11*h.* 14*m.*—Pressure has increased slightly at Hongkong, slightly to moderately over S. Manchuria and Japan, and has decreased slightly elsewhere.

The anticyclone has moved eastward to S. Manchuria and Japan, the China Sea depression is situated south of Hainan in Lat. 17° N. moving slowly westward. The typhoon of the Pacific is probably situated midway between N. Luzon and the Ladrones, moving W.N.W.

Shanghai warning. 1*d.* 21*h.* 30*m.*:—Typhoon of unknown. intensity within 120 miles of Lat. 18° N. Long. 135° E., moving W.N.W. Recd. 1*d.* 21*h.* 53*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 73·66 inches, against an average of 66·61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks.	E. winds, fresh; fair generally.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	2nd September, 1925.								3rd September, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	29.91	759.8	80	...	NW	3	o	...	30.04	763.0	69	..	NNE	4	o
Gemuro,	11	29.96	761.0	...	...	SE	2	...	5	29.92	760.0	...	...	W	1	...
Hokodate,	..	...	...	...	...	..	..	...	,,	29.94	760.5	...	...	...	..	...
Tokio,	,,	29.92	760.0	...	...	SSE	3	...	,,	29.98	761.5	...	...	SW	1	...
Kochi,	,,	29.88	759.0	...	...	SSE	1	...	,,	29.78	756.5	...	...	...	...	...
Nagasaki,	,,	29.80	757.0	...	...	SSE	1	...	,,	29.73	755.0	...	...	...	...	...
Kagoshima,	,,	29.78	756.5	...	...	NE	1	...	,,	29.71	754.5	...	...	NE	2	...
Ishima,	,,	29.69	754.0	...	...	NE	1	...	,,	29.57	751.0	...	...	NNE	1	...
Naha,	,,	29.65	753.0	...	...	ENE	3	...	,,	29.51	749.5	...	...	NNE	3	...
Ishigakijima,	,,	..	...	...	...	...	...	...	,,	29.59	751.5	...	...	NNW	2	...
Bonin Island,	..	29.74	755.5	...	...	ESE	4	...	..	29.80	757.0	...	...	SE	1	...
Chefoo,	15	29.87	758.7	78	70	NE	1	o	6	29.87	758.7	71	91	NNE	2	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Chungking,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.85	758.1	82	54	N	1	b	,,	29.81	757.2	66	96	NNW	2	b
Gutzlaff,	,,	29.87	758.7	82	63	NNE	2	b	,,	29.80	756.9	73	86	NNW	2	b
Sharp Peak,	,,	29.80	756.9	86	72	ENE	4	b	7	29.79	756.6	80	82	...	o	b
Amoy,	15	29.67	753.6	92	85	E	1	b	9	29.70	754.4	80	96	E	2	b
Swatow,	,,	...		...	...	...	...	...	8	...	...	...	..	...	...	...
Taihoku,	11	29.75	755.7	90	66	E	4	b	5	29.71	754.5	73	91	...	o	b
Taichu,	,,	29.71	754.5	86	...	...	o	b	,,	29.68	753.9	75	...	N	2	b
Hainan,	,,	29.69	754.2	90	...	WSW	2	b	,,	29.65	752.7	77	..	...	o	b
Hoshun,	,,	29.69	754.2	90	...	NNE	4	b	,,	29.63	752.7	77	...	NNE	2	o
Pescadores,	,,	29.72	754.8	86	...	NNE	6	of	,,	29.63	752.7	81	...	NNE	6	b
Canton,	14	...	...	...	...	...	...	..	6	...	...		...	...	...	...
Hongkong,	,,	29.70	754.4	84	62	E	5	b	,,	29.70	754.4	79	78	E	2	b
Gap Rock,	,,	29.69	754.1	...	...	ENE	5	c	,,	29.69	754.1	...	..	ENE	4	b
Macao,	,,	29.68	753.9	86	75	ESE	4	b	,,	29.68	753.9	81	76	ENE	4	b
Wuchow,	15	...		...	...	...	...	...	9	...	..	...	..	...	...	...
Pakhoi,	,,	..	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Pratas Island	,,	29.55	750.5	...	...	NE	4	b	,,	29.58	751.3	83	...	N	1	b
Phulien,	,,	29.63	752.7	77	96	N	4	rf	7	29.66	753.3	77	94	ENE	6	r
Tourane,	,,	29.53	750.0	84	...	ENE	2	o	,,	29.59	751.5	77	...	...	o	b
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.65	753.0	77	...	SW	6	of
Basco,	14	29.59	751.5	86	62	N	6	o	6	29.58	751.2	82	84	N	4	o
Aparri,	,,	29.59	751.5	90	63	NNW	4	o	,,	29.59	751.5	75	88	W	2	o
Manila,	,,	29.65	753.0	82	87	SW	4	o	,,	29.63	752.7	79	92	SW	4	o
Legaspi,	,,	29.59	751.5	84	87	SSW	4	o	..	29.61	752.1	79	90	SW	4	o
Iraloban,	,,	29.65	753.0	82	81	WSW	4	o	,,	...	...	...	...	...	..	...
Iloilo,	,,	...	...		..		...	...	,,	...	...	...	..	...	...	...
Surigao,	..	29.63	752.7	86	78	WSW	4	o	..	...	..	...	...	...	...	...
Guam,	12.20	29.55	750.6	...	...	SW	4	r	4.20	29.63	752.7	...	...	WSW	4	o
Yap,	12.47	29.66	753.3	...	...	SW	6	r	4.47	29.71	754.5	...	...	SW	4	o
Ishigaki	14	29.84	757.9	76	94	S	2	b	6	...	...	78	94	NE	2	b

September 3*d.* 11*h.* 52*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 22° N. Long. 130° E., moving N.W.

September 3*d.* 11*h.* 53*m.*—Pressure has increased slightly at Guam, Yap and the Bonins, slightly to moderately over Indo-China, and moderately over S. Manchuria; it has decreased slightly to moderately elsewhere.

A weak anticyclone is central over S. Manchuria, and the China Sea depression has filled up. The typhoon of the Pacific is approaching the Loochoos on a N.W. track.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 73·66 inches, against an average of 66·94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; fine generally.
3.—Hongkong to Gap Rock,	E. winds, moderate; fine generally.
4.—South coast of China between Hongkong and Hainan,	E. winds, moderate; fine generally.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	3rd September, 1925.								4th September, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.10	764.4	78	...	SSE	1	o	6	30.20	767.0	67	...	...	0	o
Nemuro,	11	29.92	760.0	...	...	N	2	...	5	30.16	766.0	...	...	NNE	2	...
Hokodate,	"	29.96	761.0	...	...	...	0	...	"	30.08	764.0	...	...	E	2	...
Tokio,	"	29.96	761.0	...	...	NE	1	...	"	29.96	761.0	...	...	NE	1	...
Kochi,	"	29.76	756.0	...	...	...	...	...	"	29.78	756.5	...	...	...	0	...
Nagasaki,	"	29.70	754.5	...	...	E	1	...	"	29.69	754.0	...	...	...	0	...
Kagoshima,	"	29.69	754.0	...	...	NE	1	...	"	29.65	753.0	...	...	ENE	1	...
Oshima,	"	29.57	751.0	...	...	NE	1	...	"	29.43	747.5	...	...	NE	1	...
Naha,	"	29.49	749.0	...	...	N	4	...	"	29.19	741.5	...	...	N	6	...
Ishigakijima,	"	29.88	759.0	...	...	NNW	3	...	"	29.43	747.5	...	...	NW	4	...
Bonin Island,	"	29.80	757.0	...	...	SE	3	..	"	29.82	757.5	...	...	ESE	1	...
Chefoo,	15	29.89	759.2	80	74	NE	2	b	6	29.94	760.5	72	92	N	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	..	..	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.78	756.3	82	74	NNW	1	o	"	29.79	756.6	73	96	NNE	1	r
Gutzlaff,	"	29.79	756.6	84	72	N	2	b	"	29.76	755.9	75	95	NNE	4	o
Sharp Peak,	"	29.77	756.1	88	66	E	2	b	7	29.73	755.1	78	70	W	1	b
Amoy,	15	29.62	752.3	88	93	ESE	1	o	9	29.66	753.3	80	96	ENE	1	o
Swatow,	"	.	...	...	...	...	...	...	8	...	...	...	..	...	..	..
Taihoku,	11	29.71	754.5	82	60	NW	2	b	5	29.63	752.7	75	91	W	2	o
Taichu,	"	29.67	753.6	86	...	N	4	b	"	29.65	753.0	70	..	...	0	b
Tainan,	"	29.65	753.0	90	...	NNW	2	b	"	29.60	751.8	73	...	N	2	b
Koshun,	"	29.63	752.7	90	...	...	0	b	"	29.58	751.2	75	...	...	0	b
Pescadores,	"	29.68	753.9	86	...	NE	6	b	"	29.62	752.4	79	...	NE	6	b
Canton,	14	...	...	...	...	...	...	...	6	...	..	..	...	...	...	...
Hongkong,	"	29.68	753.9	86	68	E	3	b	"	29.68	753.9	79	93	...	0	c
Gap Rock,	"	29.69	754.1	...	...	ENE	4	b	"	29.68	753.9	...	..	WSW	3	c
Macao,	"	29.67	753.6	90	69	SE	2	b	"	29.65	753.0	79	91	W	2	o
Wuchow,	15	...	.	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	..	...
Pratas Island	"	29.56	750.8	...	...	NNE	4	b	"	29.57	751.1	84	...	N	2	c
Phulien,	"	29.67	753.6	86	68	ENE	4	b	7	29.71	754.5	79	92	NE	4	lf
Tourane,	"	29.59	751.5	84	...	E	2	b	"	29.65	753.0	75	...	...	0	b
Cape St. James,	"	29.63	752.7	84	...	SW	6	of	"	29.65	753.0	77	...	SW	6	of
Basco,	14	29.55	750.6	86	68	NW	6	b	6	29.54	750.3	81	80	NW	2	o
Aparri,	"	29.58	751.2	90	63	NW	4	o	"	29.59	751.5	77	91	...	0	b
Manila,	"	29.59	751.5	84	81	SW	4	o	"	29.63	752.7	79	89	SW	4	o
Legaspi,	"	29.61	752.1	84	86	SW	4	o	"	29.63	752.7	77	94	SW	4	o
Tacloban,	"	29.62	752.4	90	60	SW	6	o	"	29.72	754.8	81	76	SSW	4	r
Iloilo,	"	...	...	...	...	...	...	...	"	29.73	755.1	77	96	SW	6	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.69	754.2	...	...	WSW	2	r	4.20	29.71	754.5	...	...	W	2	o
Yap,	12.47	29.72	754.8	...	...	SW	4	o	4.47	29.78	756.3	...	...	SW	2	o
Labuan,	14	29.71	754.6	88	80	NW	4	b	6	29.81	757.2	78	91	N	2	b

September 4*d.* 11*h.* 0*m.*—Warning to Hongkong,:—Depression or typhoon of unknown intensity within 60 miles of Lat. 25° N. Long. 128° E, moving N.N.W.

September 4*d.* 11*h.* 33*m.*—Pressure has decreased considerably over the Loochoos, and slightly over Formosa, the south-east China coast, and N. Luzon; it has increased moderately over S. Manchuria. and N. Japan.

The anticyclone has strengthened and the typhoon is situated south-east of Naba, moving N.N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 73·66 inches, against an average of 67·25 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	W. or variable winds, moderate; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	4th September, 1925.								5th September, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	30.17	766.2	69	...	SSW	2	o		30.08	764.1	63	.	...	0	c
Semuro,	11	30.14	765.5	...	...	N	3	...	5	30.20	767.0	...	...	SE	1	...
Hakodate,	..	30.10	764.5	...	...	ESE	4	...	,,	30.04	763.0	...	...	ENE	1	...
Tokio,	,,	29.96	761.0	...	...	ENE	1	...	,,	29.92	760.0	...	..	NNW	1	...
Kochi,	,,	29.76	756.0	...	...	E	1	...	,,	29.78	756.5	...	...	E	1	...
Nagasaki,	,,	29.69	754.0	...	...	NE	1	...	,,	29.59	751.5	...	...	NE	3	...
Kagoshima,	,,	29.65	753.0	...	...	NE	1	...	,,	29.53	750.0	...	...	E	2	...
Ishima,	,,	29.35	745.5	...	...	NE	3	...	,,	...	...	...	...	..	..	...
Naha,	,,	29.02	737.0	...	...	N	7	...	,,	28.43	722.0	...	...	WSW	6	...
Ishigakijima,	,,	29.41	747.0	...	...	NW	5	...	,,	29.31	744.5	...	...	WNW	5	...
Tonin Island,	..	29.82	757.5	...	...	ESE	1	..	..	29.82	757.5	...	..	ESE	1	...
Chefoo,	15	29.89	759.2	80	66	NE	2	b	6	29.84	757.9	73	76	E	2	b
Hankow,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	..	..	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.76	756.0	82	67	NNE	4	b	,,	29.69	754.2	73	92	N	2	o
Gutzlaff,	,,	29.73	755.1	89	78	NNE	6	o	,,	29.64	752.8	75	86	NNE	6	o
Sharp Peak,	,,	29.70	754.4	96	59	NE	1	o	7	29.66	753.3	80	91	W	1	b
Amoy,	15	29.55	750.5	90	93	SSE	1	b	9	29.57	751.1	78	95	W	2	b
Swatow,	,,	..	..	...	...	...	...	...	8	..	...	...			...	...
Taihoku,	11	29.63	752.7	81	84	NW	4	o	5	29.58	750.6	79	80	WSW	2	o
Taichu,	,,	29.63	752.7	86	...	N	4	b	,,	29.58	751.2	77	..	N	2	b
Tainan,	,,	29.59	751.5	86	...	N	4	b	,,	29.53	750.0	77	..	N	4	o
Koshun,	,,	29.58	751.2	86	...	NW	4	b	,,	29.48	748.8	75	...	N	2	o
Pescadores,	,,	29.63	752.7	84	...	N	4	b	,,	29.56	750.9	73	...	NW	4	o
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.62	752.3	86	75	...	o	o	,,	29.62	752.3	82	51	...	o	b
Gap Rock,	,,	29.65	753.1	...	...	WSW	3	b	,,	29.62	752.3	...	...	NNE	3	b
Macao,	,,	29.53	750.0	90	63	ESE	2	b	,,	29.61	752.1	81	62	NNE	2	b
Wuchow,	15	...		...	...	...	...	...	9	..	...	...	..	.	...	...
Pakhoi,	,,		..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	..	..	...	...	...	...	...	,,	...	...	...	...	...	..	...
Pratas Island	,,	29.53	750.0	...	...	NNW	4	b	,,	29.53	750.0	84	...	...	o	b
Phulien,	,,	29.66	753.3	90	66	S	1	b	7	29.69	754.2	79	98	NW	2	lf
Tourane,	,,	29.61	752.1	84	...	NNW	2	b	,,	29.65	753.0	77	...	W	2	b
Cape St. James,	,,	29.69	754.2	81	...	SW	4	o	,,	29.74	755.4	77	...	SW	6	of
Basco,	14	29.48	748.8	86	68	WSW	4	o	6	...	...	...	...	...	..	.
Aparri,	,,	29.50	749.4	90	63	N	4	b	,,	29.55	750.6	77	86	...	o	b
Manila,	,,	29.61	752.1	86	75	SW	4	o	,,	29.63	752.7	79	89	SW	4	o
Legaspi,	,,	29.62	752.4	79	91	WSW	4	o	..	29.66	753.3	77	98	SW	4	o
Tacloban,	,,	...	...		...	..	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Guam,	12.20	29.71	754.5	...	...	W	4	o	4.20	..	...	...	...	...	...	...
Yap,	12.47	29.74	755.4	...	...	SW	4	o	4.47	29.80	756.9	...	...	SW	4	b
Lahuan,	14	29.71	754.6	88	88	N	2	b	6	29.83	757.7	77	94	S	2	b

September 5*d.* 10*h.* 40*m.*—Warning to Hongkong,:—Depression or typhoon of unknown intensity within 60 miles of Lat. 27° N. Long. 128° E., moving N.N.W.

September 5*d.* 10*h.* 53*m.*—Pressure has increased slightly over the extreme north eastern and south western parts of the area; it has decreased very considerably at Naha, and slightly to moderately elsewhere.

The anticyclone is central to the north-east of Japan, and the typhoon is situated immediately north of Naha, moving slowly N.N.W.

Manila warning. 4*d.* 15*h.* 15*m.*:—Cyclone or typhoon over or near Naha inclining northwards. Recd. 4*d.* 22*h.* 47*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 73·66 inches, against an average of 67·55 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel,	N.W. winds, moderate.
2.—South coast of China between Hongkong and Lamocks.	N. or variable winds, moderate; fine.
3.—Hongkong to Gap Rock,	N. or variable winds, moderate; fine.
4.—South coast of China between Hongkong and Hainan,	N. or variable winds, moderate; fine.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	5th September, 1925.								6th September, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.01	762.3	75	...	SSW	2	b	5	29.95	760.6	64	...	ESE	4	c
Nemuro,	11	30.18	766.5	...	...	SE	1	...	5	...	...	...	...	...	..	...
Hokodate,	.	30.00	762.0	...	...	ESE	4	...	,,	30.00	762.0	...	...	ESE	6	...
Tokio,	,,	29.88	759.0	...	...	NW	1	...	,,	29.88	759.0	...	...	...	0	...
Kochi,	,,	29.78	756.5	...	...	E	1	...	,,	29.76	756.0	...	...	SE	1	...
Nagasaki,	,,	29.55	750.5	...	...	ENE	4	...	,,	28.49	749.0	...	...	SE	2	...
Kagoshima,	,,	29.53	750.0	...	...	E	3	...	,,	29.51	749.5	...	...	SE	3	...
Oshima,	,,	...	...	...	...	...	...	...	,,	29.39	746.5	...	...	SSE	3	...
Naha,	,,	29.27	743.5	...	...	SSW	7	...	,,	29.47	748.5	...	...	SSW	3	...
Ishigakijima,	,,	29.41	747.0	...	...	WNW	5	...	,,	29.53	750.0	...	...	WSW	2	...
Bonin Island,	,,	29.82	757.5	...	...	SE	1	...	,,	29.78	756.5	...	...	NE	1	...
Chefoo.	15	29.78	756.4	78	65	NE	2	b	6	29.72	754.9	72	85	N	4	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	..	...	...	...		...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai.	14	29.62	752.4	81	76	N	4	o	,,	29.48	748.8	75	86	NW	6	o
Gutzlaff,	,,	29.56	750.8	75	92	NNE	8	r	,,	29.36	745.7	75	95	NNW	10	r
Sharp Peak,	..	29.61	752.1	92	64	SSW	2	b	7	29.53	750.0	80	82	WNW	1	b
Amoy,	15	29.49	749.0	92	93	SE	2	o	9	29.56	750.8	81	96	SW	2	b
Swatow.	,,	...	.	...	...		...	...	8	...	...	...	..	...	...	...
Taihoku,	11	29.58	751.2	81	73	W	4	o	5	29.55	750.6	77	86	...	o	b
Taichu,	,,	29.58	751.2	86	...	N	2	b	,,	29.60	751.8	73	...	.	o	o
Tainan,	,,	29.58	751.2	86	...	NW	4	o	,,	29.59	751.5	73	...	E	2	b
Koshun,	,,	29.50	749.4	84	...	NNW	6	b	,,	29.58	751.2	77	...	NW	2	b
Pescadores,	,,	29.59	751.5	86	...	SSW	2	b	,,	29.56	750.9	79	...	W	4	b
Canton,	14	..	...	...	...	...	...	...	6	..	...	...	...	...	...	...
Hongkong,	,,	29.59	751.6	90	51	NW	3	b	,,	29.64	752.8	81	59	...	o	b
Gap Rock,	,,	29.61	752.1	...	...	NNW	3	b	,,	29.62	752.3	...	...	NW	3	b
Macao,	,,	29.60	751.8	90	51	NNW	2	b	,,	29.61	752.1	79	80	NNW	2	b
Wuchow,	15	...		...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,		...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	29.51	749.5	...	...	WSW	1	b	,,	29.52	749.8	84	...	SW	2	b
Phulien,	,,	29.62	752.4	90	63	SW	2	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.62	752.4	84	...	N	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.68	753.9	82	...	SW	6	bf	,,	...	...	...	...	...	...	...
Basco,	14	29.49	749.1	86	68	WNW	6	r	6	29.56	750.9	81	84	SW	4	o
Aparri,	,,	29.54	750.3	90	60	NW	4	b	,,	29.61	752.1	73	86	S	2	o
Manila,	,,	29.62	752.4	86	75	SW	4	o	,,	29.68	753.9	77	92	W	4	r
Legaspi,	,,	29.65	753.0	82	86	WSW	4	o	..	29.73	755.1	77	98	SW	2	o
Tacloban,	,,	...	...	...	...		...	...	,,	...	.	...	...	...	..	...
Iloilo,	,,	29.69	754.2	81	89	SW	6	o	,,	29.75	755.7	79	90	SW	4	o
Surigao,	..	...	...	...	...		...	...	,,	29.78	756.5	79	90	..	o	o
Guam,	12.20	29.75	755.7	...	...	SW	4	o	4.20	29.80	756.9	...	...	WSW	4	o
Yap,	12.47	29.76	756.0	...	...	SW	4	o	4.47	29.85	758.1	...	...	WSW	2	o
Labuan,	14	29.71	754.6	88	80	N	4	b	6	...	...	...	...	...	...	...

September 6*d.* 11*h.* 44*m.*—Warning to Hongkong, :– A severe typhoon within 60 miles of Lat. 30° N. Long. 125° E., moving N.N.W.

September 6*d.* 11*h.* 51*m.*—Pressure has decreased considerably in the vicinity of Shanghai, and slightly over Japan and the Bonins ; it has increased considerably over the Loochoos and slightly elsewhere.

The typhoon is situated 250 miles to the south-east of Shanghai, moving N.N.W. or N.W.

Shanghai warning. 5*d.* 21*h.* 10*m.* :— A severe typhoon within 60 miles of Lat. 29° N. Long. 126° E., moving N.N.W. Recd. 5*d.* 22*h.* 10*m.*

Shanghai warning. 6*d.* 9*h.* 05*m.* :— A severe typhoon within 30 miles of Lat. 30° N. Long. 125° E., moving N.N.W. Recd. 6*d.* 9*h.* 34*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 73·66 inches, against an average of 67·85 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel,	W. to S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	N. to W. winds, moderate; fine.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. Jeffries, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	6th September, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	7th September, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock, .	12	29.85	758.1	74	...	SSE	4	c	0	29.65	753.1	64	...	...	0	r
Kamuro, ...	11	30.12	765.0	...	...	SSE	3	...	5	29.94	760.5	...	...	SSE	4	...
Hakodate, ...	,,	29.88	759.0	...	...	ESE	6	...	,,	29.73	755.0	...	...	E	1	...
Tokio, ...	,,	29.88	759.0	...	...	S	1	...	,,	29.86	758.5	...	...	S	1	...
Kochi, ...	,,	29.76	756.0	...	...	SE	2	...	,,	29.65	753.0	...	...	SE	3	...
Nagasaki, ...	,,	29.47	748.5	...	...	ESE	3	...	,,	29.43	747.5	...	...	WSW	7	...
Kagoshima, ...	,,	29.53	750.0	...	...	SSE	3	...	,,	29.59	751.5	...	...	...	0	...
Ishima, ...	,,	29.53	750.0	...	...	S	3	...	,,	29.71	754.5	...	...	SSE	1	...
Taiwan, ...	,,	29.57	751.0	...	...	S	3	...	,,	29.71	754.5	...	...	...	...	...
Ishigakijima, ...	,,	29.61	752.0	...	...	SW	2	...	,,	29.69	754.0	...	...	WSW	1	...
Bonin Island, ...	,,	29.72	755.0	...	...	N	1	...	,,	29.59	751.5	...	...	NNW	2	...
Tsofoo.	15	29.67	753.6	76	73	NNE	4	o	6	29.62	752.3	72	71	NNW	6	b
Hankow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	14	29.50	749.4	75	92	NW	8	r	,,	29.75	755.7	68	94	WNW	4	b
Gutzlaff, ...	,,	29.40	746.7	75	95	NNW	10	o	,,	29.75	755.6	71	91	NW	6	b
Sharp Peak, ...	,,	29.60	751.8	92	77	S	1	o	7	29.74	755.4	82	91	...	0	b
Amoy, ...	15	29.55	750.5	92	96	SW	2	b	9	29.65	753.1	80	70	SSE	2	b
Swatow, ...	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku, ...	11	29.59	751.5	90	51	WNW	2	b	5	29.69	754.2	75	92	...	0	o
Taichu, ...	,,	29.62	752.4	90	...	W	2	b	,,	29.71	754.5	72	...	...	0	b
Tainan, ...	,,	29.63	752.7	90	...	W	2	b	,,	29.65	753.0	75	...	ESE	2	b
Koshun, ...	,,	29.61	752.1	86	...	NW	4	b	,,	29.67	753.6	77	...	...	0	b
Pescadores, ...	,,	29.61	752.1	86	...	WSW	2	b	,,	29.67	753.6	77	...	...	0	o
Canton, ...	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong, ...	,,	29.61	752.1	91	42	NNW	3	b	,,	29.69	754.1	81	56	NE	1	b
Gap Rock, ...	,,	29.63	752.6	...	...	NNW	4	b	,,	29.69	754.1	...	...	NNW	3	b
Macao, ...	,,	29.62	752.4	90	48	NNE	2	b	,,	29.69	754.2	82	70	NNW	2	b
Kuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Takhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island ...	,,	29.51	749.5	91	...	N	2	c	,,	29.58	751.3	84	...	W	2	b
Chulien, ...	,,	29.71	754.5	79	92	NNW	6	o	7	29.74	755.4	75	89	NNW	2	o
Tourane, ...	,,	29.65	753.0	84	...	N	4	b	,,	29.72	754.8	79	...	WNW	2	b
Cape St. James,	,,	29.71	754.5	79	...	SW	6	of	,,	29.73	755.1	73	...	SW	4	of
Basco, ...	14	29.59	751.5	82	77	S	2	o	6	29.66	753.3	81	84	...	0	o
Aparri, ...	,,	29.61	752.1	90	60	N	4	b	,,	29.68	753.9	77	94	...	0	o
Manila, ...	,,	29.71	754.5	79	91	SW	4	o	,,	29.75	755.7	77	89	S	4	o
Legaspi, ...	,,	29.71	754.5	86	75	SW	4	o	,,	29.76	756.0	77	92	SW	1	o
Iloloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.76	756.0	82	81	SW	4	o	,,	29.80	756.9	79	95	SW	2	o
Surigao, ...	,,	...	...	...	...	...	...	...	,,	29.80	756.9	77	91	SW	1	o
Guam, ...	12.20	29.82	757.5	...	...	W	2	r	4.20	29.85	758.1	...	...	S	1	o
Yap, ...	12.47	29.82	757.5	...	...	SSW	4	b	4.47	29.87	758.7	...	...	SSW	1	o
Ishigaki, ...	11	29.71	754.6	88	84	N	4	b	6	29.81	757.2	77	94	S	2	b

September 7*d.* 11*h.* 30*m.*—Pressure has decreased slightly to moderately over Shantung, Japan and the Bonins; it has increased slightly elsewhere.

A weak anticyclone is situated to the east of Japan, the typhoon is passing to the south-east of Korea, and depressions are situated over the north eastern part of the China Sea and to the south-east of the Bonins.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 73·66 inches, against an average of 68·16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel, ...	Light variable winds.
2.—South coast of China between Hongkong and Lamocks,	N. or variable winds, moderate; fine.
3.—Hongkong to Gap Rock, ...	N. or variable winds, moderate; fine.
4.—South coast of China between Hongkong and Hainan, .	N. or variable winds, moderate; fine.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	7th September, 1925.								8th September, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	0	...	...	...	...	...	...	...
Nemuro,	11	29.88	759.0	...	...	SSE	4	...	5	29.69	754.0	...	...	S	4	...
Hokodate,	"	29.63	752.5	...	...	ESE	3	...	"	29.53	750.0	...	...	SSW	4	...
Tokio,	"	29.80	757.0	...	...	S	2	...	"	29.75	755.5	...	...	S	1	...
Kochi,	"	29.65	753.0	...	...	S	1	...	"	29.73	755.0	...	...	SW	1	...
Nagasaki,	"	29.59	751.5	...	...	WSW	4	...	"	29.82	757.5	...	...	N	1	...
Kagoshima,	"	29.67	753.5	...	...	W	1	...	"	29.80	757.0	...	...	NW	1	...
Osbima,	"	29.72	755.0	...	...	WSW	1	...	"	29.80	757.0	...	...	N	1	...
Naha,	"	29.76	756.0	...	...	N	1	...	"	29.80	757.0	...	...	NE	1	...
Ishigakijima,	"	29.74	755.5	...	...	NE	3	...	"	29.76	756.0	...	...	NNE	1	...
Bonin Island,	"	29.51	749.5	...	...	NNE	3	.	"	29.17	741.0	...	...	N	5	...
Chefoo,	15	29.70	754.4	77	53	NW	7	b	6	29.84	757.9	66	49	SW	1	0
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Ichang,	"	...	...	...	...	..	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	..	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	29.80	756.9	84	45	WNW	4	0	"	29.92	759.9	64	98	NW	1	b
Gutzlaff,	"	29.81	757.2	81	62	NNW	4	b	"	29.93	760.2	73	63	N	1	b
Sharp Peak,	"	29.79	756.6	84	65	ENE	4	0	7	29.87	758.7	78	91	N	1	0
Amoy,	15	...	...	...	...	...	...	...	9	29.79	756.6	80	70	ENE	2	0
Swatow,	"	...	..	...	...	.	...	...	8	..	...	...	..	...	..	..
Taihoku,	11	29.75	755.7	90	60	E	4	b	5	29.82	757.5	75	91	ESE	2	0
Taichu,	"	29.74	755.4	90	...	NW	2	b	"	29.80	756.9	77	...	...	0	0
Tainan,	"	29.73	755.1	90	...	...	0	b	"	29.79	756.6	75	...	...	0	b
Koshun,	"	29.74	755.4	90	...	..	0	b	"	29.78	756.3	75	..	..	0	b
Pescadores,	"	29.74	755.4	90	...	NNW	2	0	"	29.79	756.6	79	...	N	2	b
Canton,	14	...	...	...	...	...	...	...	6	...	..	...	...	...	...	...
Hongkong,	"	29.69	754.1	88	42	E	3	b	"	29.78	756.4	80	80	E	3	0
Gap Rock,	"	29.71	754.6	...	...	NE	3	b	"	29.76	755.9	...	...	NE	3	c
Macao,	"	29.72	754.8	86	58	NE	2	b	"	29.76	756.0	81	84	SE	2	0
Wuchow,	15	...	..	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	..	...
Pratas Island	"	29.59	751.6	...	...	...	0	b	"	29.65	753.1	86	...	...	0	b
Phulien,	"	29.73	755.1	86	65	E	1	b	7	29.76	756.0	77	92	SE	4	of
Tourane,	"	29.68	753.9	84	...	N	2	b	"	29.76	756.0	77	...	W	2	0
Cape St. James,	"	29.72	754.8	75	...	SW	4	0	"	29.75	755.7	75	...	SW	4	0
Basco,	14	...	...	...	...	...	...	...	6	29.73	755.1	72	89	WNW	2	0
Aparri,	"	29.68	753.9	82	89	NNW	4	r	"	29.76	756.0	75	91	S	2	b
Manila,	"	29.75	755.7	81	80	SSW	2	0	"	29.82	757.5	75	96	N	2	0
Legaspi,	"	29.76	756.0	90	66	WSW	4	0	"	29.82	757.5	79	96	SW	2	0
Tacloban,	"	...	...	..	...	.	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.76	756.0	86	78	SW	4	0	"	29.85	758.1	79	91	SE	2	0
Surigao,	"	29.79	756.6	86	71	SW	4	0	"	29.84	757.8	75	98	SSW	1	b
Guam,	12.20	29.81	757.2	...	...	SW	2	0	4.20	29.87	758.7	...	...	S	1	0
Yap,	12.47	29.84	757.8	...	...	SSW	1	0	4.47	...	...	...	...	...	...	...
Labuan,	14	29.71	754.6	88	76	NW	4	b	6	29.81	757.2	78	91	S	2	b

September 8*d*. 11*h*. 08*m*.—Pressure has decreased considerably over the Bonins and moderately over Japan; it has increased slightly to moderately elsewhere.

A weak anticyclone covers China, a depression is situated in the northern part of the Sea of Japan, and a typhoon south eastward of the Bonins.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 73·66 inches, against an average of 68·48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; cloudy, showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	8th September, 1925.								9th September, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock, .	12	29.71	754.7	78	...	WNW	4	o	-	30.08	764.1	58	.	...	o	c
emuro,	11	29.67	753.5	...	...	S	5	...	5	29.80	757.0	...	..	W	1	...
kodate,	..	29.57	751.0	...	...	SW	5	...	,,	29.96	761.0	...	...	...	o	...
kio,	,,	29.74	755.5	...	...	S	3	...	,,	29.98	761.5	...	..	NW	1	...
ochi,	,,	...	...	...	...	...	...	...	,,	29.88	759.0	...	...	SW	1	...
agasaki,	,,	29.82	757.5	...	...	N	1	...	,,	29.90	759.5	...	...	...	o	...
agoshima,	,,	29.80	757.0	...	...	N	1	...	,,	29.90	759.5	...	...	...	o	...
hima,	,,	29.84	758.0	...	...	NNE	2	...	,,	29.86	758.5	...	...	SSE	1	...
sha,	,,	29.84	758.0	...	...	NE	1	...	,,	29.84	758.0	...	...	NE	1	...
higakijima,	,,	29.82	757.5	...	...	N	3	...	,,	29.82	757.5	...	...	SW	1	...
oin Island,	..	29.15	740.5	...	...	W	4	...	,,	29.76	756.0	...	..	SSW	1	...
asfoo,	15	29.83	757.7	81	56	ESE	1	o	6	29.93	760.2	63	78	...	o	b
ankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
hang,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
angsha,	,,	..	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
anghai,	14	29.89	759.3	86	41	ESE	1	b	,,	29.93	760.2	64	92	E	1	b
atzlaff,	,,	29.92	759.9	78	61	SE	1	b	,,	29.95	760.7	71	71	SSE	2	b
arp Peak,	,,	29.89	759.2	88	62	E	2	o	7	29.90	759.4	77	95	W	1	b
moy,	15	29.78	756.4	88	52	ESE	2	o	9	29.84	757.9	80	74	NE	2	b
atow,	,,	...		...	...		...	...	8	...	...	...	..	...	...	...
aiboku,	11	29.85	758.1	86	58	ENE	4	b	5	...	...	73	82	SSE	2	b
iebu,	,,	29.81	757.2	90	...	..	o	b	,,	...	..	75	...	...	o	o
ainan,	,,	29.81	757.2	90	...	WSW	2	b	,,	29.84	757.8	75	...	...	o	b
ashun,	,,	29.81	757.2	86	...	E	2	o	,,	29.82	757.5	73	...	...	o	b
escadores,	,,	29.82	757.5	90	...	NW	2	b	,,	29.85	758.1	68	...	NE	2	b
anton,	14	...	...	...	...	...	...	...	6	...	.		...	...	...	...
ongkong,	,,	29.77	756.1	85	72	E	4	o	,,	29.83	757.7	81	80	E	3	c
ap Rock,	,,	29.77	756.1	...	...	ENE	4	b	,,	29.81	757.2	...	...	E	4	b
acao,	,,	29.81	757.2	93	74	SE	2	o	,,	29.82	757.5	82	81	ESE	2	b
achow,	15	...		...	...	...	...	...	9	...	...	...	.	...	...	...
akhoi,	,,	..	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
oihow,	,,	..	...	...	...	...	...	...	,,	..	...	...	...	...	..	...
atas Island	,,	29.65	753.1	...	...	NE	2	b	,,	29.68	753.9	88	...	E	1	b
ulien,	,,	29.71	754.5	86	68	SE	1	o	7	...	...	...	...	...	...	...
ourane,	,,	29.74	755.4	75	...	N	2	r	,,	...	...	...	...	...	...	...
ape St. James,	,,	29.74	755.4	82	...	SW	6	o	,,	...	...	...	...	...	...	...
asco,	14	29.74	755.4	86	75	NW	2	o	6	...	...	...	...	...	..	...
parri,	,,	29.75	755.7	82	81	E	4	o	,,	29.84	757.8	73	96	S	2	o
anila,	,,	29.85	758.1	79	90	NNW	2	r	,,	29.88	759.0	75	94	N	1	o
gasapi,	,,	29.80	756.9	86	75	WSW	4	o	,,	29.86	758.4	81	96	SW	2	o
ccloban,	,,	...	...		...		...	...	,,	29.92	759.9	77	91	SSE	2	o
ollo,	,,	29.81	757.2	86	75	SW	4	o	,,	29.88	759.0	82	94	SE	2	o
rigao,	..	29.81	757.2	86	65	WNW	2	o	,,	29.89	759.3	75	92	...	o	o
aam,	12.20	29.82	757.5	...	...	SW	2	o	4.20	29.88	759.0	...	...	SW	1	o
ap,	12.47	29.85	758.1	...	...	SSE	1	o	4.47	29.91	759.6	...	...	NNE	2	o
chuan,	14	29.73	755.1	88	88	N	4	b	6	29.80	756.9	78	94	N	2	b

September 9*d.* 12*h.* 04*m.*—Pressure has increased very considerably at the Bonins, considerably over S. Manchuria and N. Japan; and slightly to moderately elsewhere.

The northern depression has passed into the Pacific and is replaced in the Sea of Japan by a weak anticyclone. The Bonins typhoon is filling up.

Manila warning. 8*d.* 19*h.* 00*m.*:—Cyclone or typhoon near or over the Bonin Islands moving W.N. Recd. 8*d.* 19*h.* 33*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 73·68 inches, against an average of 68·82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH:

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	11th September, 1925.								12th September, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	..	...	...	...	...	...	...		...	...	...	...	...	...	...
Nemuro,	11	29.96	761.0	...	...	NE	1	...	5	30.16	766.0	...	..	ENE	2	...
Hokodate,	..	29.82	757.5	...	...	WNW	1	...	,,	29.96	761.0	...	...	ESE	1	...
Tokio,	,,	29.86	758.5	...	...	S	3	...	,,	29.94	760.5	...	..	...	0	...
Kochi,	,,	29.82	757.5	...	...	SE	1	...	,,	29.94	760.5	...	...	...	...	...
Nagasaki,	,,	29.82	757.5	...	...	SE	1	...	,,	29.88	759.0	...	...	S	1	...
Kagoshima,	,,	29.82	757.5	...	...	ESE	1	...	,,	29.90	759.5	...	...	...	0	...
Oshima,	,,	29.82	757.5	...	...	SE	1	...	,,	29.86	758.5	...	...	SSE	1	...
Naha,	,,	29.80	757.0	...	...	E	1	...	,,	29.82	757.5	...	...	E	1	...
Ishigakijima,	,,	29.76	756.0	...	...	ESE	1	...	,,	29.75	755.5	...	...	ENE	2	...
Bonin Island,	,,	29.94	760.5	...	...	ESE	1	...	,,	29.94	760.5	...	...	E	1	...
Chefoo,	15	29.79	756.6	69	91	SE	2	r	6	29.83	757.7	64	91	SE	1	b
Hankow,	,,	.	.	...	...	...	..	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	..	..	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.75	755.7	86	61	SE	1	o	,,	29.85	758.1	68	96	W	2	o
Gutzlaff,	,,	29.78	756.4	78	78	SE	4	b	,,	29.86	758.4	70	91	WNW	4	o
Sharp Peak,	,,	29.84	757.9	96	56	E	2	b	7	29.81	757.2	78	86	W	1	o
Amoy,	15	29.66	753.3	84	75	SE	2	b	9	29.74	755.4	81	83	SSE	1	b
Swatow,	,,	..	..	...	..	.	...	...	8	..	...	...	..	...	..	...
Taihoku,	11	29.76	756.0	90	63	SW	2	b	5	29.74	755.4	73	98	...	0	b
Taichu,	,,	29.79	756.6	90	...	...	0	b	,,	29.74	755.4	75	...	...	0	b
Tainan,	,,	29.76	756.0	90	...	NW	2	b	,,	29.73	755.1	75	..	...	0	b
Koshun,	,,	29.75	755.7	86	...	..	0	b	,,	29.71	754.5	75	...	..	0	b
Pescadores,	,,	29.79	756.6	86	...	NNW	4	b	,,	29.75	755.7	70	...	ENE	4	b
Canton,	14	...	..	.	...	...	..	...	6	...	..		...	...	...	...
Hongkong,	,,	29.68	753.9	82	81	SE	3	o	,,	29.70	754.4	80	87	ENE	2	o
Gap Rock,	,,	29.68	753.9	...	...	ENE	4	c	,,	29.71	754.6	...	...	E	4	c
Macao,	,,	29.72	754.8	84	86	SE	2	o	,,	29.69	754.2	81	89	ENE	4	o
Wuchow,	15	.		...	...	...	...	...	9	...	...	...	..	.	...	...
Pakhoi,	,,		..	...	..	..	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Pratas Island	,,	29.61	753.1	..	...	S	1	b	,,	29.60	751.8	86	...	NE	1	b
Phulien,	,,	29.60	751.8	86	93	NE	6	r	7	29.68	753.9	77	98	NNE	1	rf
Tourane,	,,	29.65	753.0	59	...	...	0	o	,,	29.66	753.3	79	...	W	2	o
Cape St. James,	,,	29.74	755.4	84	...	WSW	2	bf	,,	29.79	756.6	77	...	SW	4	cf
Basco,	14	29.71	754.5	81	87	N	4	o	6	...	..	...	...	..	...	...
Aparri,	,,	29.65	753.0	77	96	..	0	r	,,	29.66	753.3	75	96	WSW	2	r
Manila,	,,	29.71	754.5	82	77	WSW	4	o	,,	29.73	755.1	75	92	SW	1	o
Legaspi,	,,	29.69	754.2	79	92	SW	1	o	,,	29.72	754.8	77	96	SW	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	75	96	NNW	2	o
Iloilo,	,,	29.71	754.5	86	68	SW	4	o	,,	29.76	756.0	79	96	SSW	2	o
Surigao,	..	29.71	754.5	86	68	WNW	2	o	,,	29.76	756.0	75	96	...	0	o
Guam,	12.20	29.69	754.2	...	...	NW	2	r	4.20	29.74	755.4	...	...	W	1	c
Yap,	12.47	29.76	756.0	...	...	NNW	1	r	4.47	29.81	757.2	...	...	...	0	b
Labuan,	14	29.71	754.6	88	84	N	4	b	6	29.83	757.7	76	94	NE	1	o

September 12*d.* 11*h.* 13*m.*—Pressure has decreased slightly over Luzon, and increased slightly to moderately elsewhere; it is highest in the Pacific to the east of Japan, and relatively low in a trough extending from Tongking across the Balintang Channel to the Pacific.

A depression or typhoon may be forming in the eastern extremity eastwards of the Bashi Channel.

Manila warning. 11*d.* 21*h.* 00*m.*:—Typhoon in Lat. 19° N. Long. 127° E., moving N.W.
,, ,, ,, ,, :—Cyclone or typhoon E. of Guam direction unknown. } Recd. 11*d.* 22*h.* 25*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·30 inch. Total since January 1st, 75·04 inches, against an average of 69·92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; fair to showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	12th September, 1925.								13th September, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock, .	12	.	..	...	...	...	...	...		...	...	...	.	...	...	...
muro, ...	11	30.18	766.5	...	...	ENE	3	...	5	30.16	766.0	...	..	E	2	.
kodate, ...	..	29.98	761.5	...	...	ESE	1	...	,,	30.00	762.0	...	...	ESE	1	...
hio, ...	,,	29.94	760.5	...	...	S	2	...	,,	30.04	763.0	...	..	...	0	...
chi, ...	..	29.96	761.0	...	...	SE	1	..	,,	30.00	762.0	...	...	...	0	...
gasaki, ...	..	29.90	759.5	...	...	W	1	...	,,	29.94	760.5	...	...	SSE	1	...
goshima, ...	..	29.92	760.0	...	...	SSE	1	...	,,	29.96	761.0	...	..	NW	1	...
lima, ...	..	29.88	759.0	...	...	ESE	1	...	,,	29.90	759.5	...	...	...	0	...
ha, ...	..	29.84	758.0	...	...	E	2	...	,,	29.86	758.5	...	...	E	1	...
igakijima, ...	,,	29.70	756.0	...	...	E	9	...	,,	29.75	755.5	...	...	E	4	...
ain Island, ...	..	29.94	760.5	...	...	E	1	.	..	30.20	767.0	...	...	E	1	...
efoo, ...	15	29.85	758.2	74	68	NW	4	0	6	29.95	760.7	60	94	...	0	b
nkow, ...	,,		...	...	...	...	...	...	,,	...	...	...	...	...	..	...
kang, ...	,,		...	...	...	...	...	...	,,	...	...	...	...	...	...	...
angsha, ...	,,	.	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
anghai, ...	14	29.92	759.9	72	92	WNW	1	r	,,	30.01	762.3	70	91	W	2	r
dzlaff, ...	,,	29.91	759.7	73	86	NW	4	0	,,	30.00	762.0	73	76	N	4	0
arp Peak, ...	,,	29.80	756.9	90	63	N	2	b	7	29.87	758.7	80	78	NE	4	0
oy, ...	15	29.66	753.3	90	60	SW	1	0	9	29.70	754.4	82	71	NE	4	0
atow, ...	,,	...	...	...	...	.	...	...	8	...	...	...	...	...	...	...
shoku, ...	11	29.73	755.1	90	60	E	4	b	5	29.73	755.1	77	92	ENE	4	b
tchu, ...	,,	29.74	755.4	86	...	...	0	0	,,	29.65	753.0	75	...	...	0	b
inan, ...	,,	29.71	754.5	90	...	NNW	4	b	,,	29.65	753.0	77	...	...	0	b
oshim, ...	,,	29.74	755.4	86	...	NNE	2	b	,,	29.63	752.7	79	...	NE	4	0
scadores, ...	,,	29.72	754.8	86	...	N	4	0	,,	29.65	753.0	82	...	NNE	4	0
nton, ...	14	...	...	..	...	...	...	...	6	...	..	..	...	...	...	...
ongkong, ...	,,	29.70	754.4	86	73	ESE	3	0	,,	29.76	755.9	77	75	NE	3	0
ap Rock, ...	,,	29.71	754.6	...	...	ENE	4	c	,,	29.76	755.9	...	...	N	4	c
acao, ...	,,	29.72	754.8	75	71	SE	4	0	,,	29.79	756.6	61	79	N	4	b
nchow, ...	15	..	.	...	...	...	...	...	9	..	..	...	..	...	...	...
akhoi, ...	,,	.	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
hbow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
ratas Island ...	,,	29.58	751.3	87	...	NE	2	b	,,	29.60	751.8	86	...	N	5	c
bulien, ...	,,	29.65	753.0	84	64	NNE	7	b	7	29.76	756.0	73	75	NNE	6	0
ourane, ...	,,	29.62	752.4	81	...	SE	2	0	,,	29.71	754.5	77	...	WNW	2	0
ape St. James,	,,	29.73	755.1	82	...	SW	4	0	,,	29.80	756.9	75	...	SW	4	b
isco, ...	14	29.55	750.6	82	84	N	2	0	6	29.49	749.1	79	90	NNE	4	r
parri, ...	,,	29.58	751.2	77	91	WNW	4	r	,,	..	.	...	...	...	..	...
anila, ...	,,	29.66	753.3	86	74	SW	4	0	,,	29.72	754.8	77	86	SW	6	0
egaspi, ...	,,	29.68	753.9	82	71	SW	4	0	,,	29.74	755.4	77	98	...	0	0
acloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oilo, ...	,,	29.72	754.8	86	75	SW	6	0	,,	...	...	...	...	...	...	...
rigao, ...	..	29.72	754.8	86	71	WNW	2	0	,,	...	...	...	...	...	...	...
nam, ...	12.20	29.69	754.2	...	...	WNW	2	0	4.20	..	...	...	...	...	..	...
ap, ...	12.47	29.76	756.0	...	...	NW	2	0	4.47	29.81	757.2	...	...	NW	1	b
ahuan, ...	14	29.71	754.6	88	76	N	2	b	6	29.84	757.9	76	91	NE	2	b

September 12*d.* 21*h.* 55*m.*—Warning to Hongkong.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 19° N. Long. 125° E, moving W.N.W.

September 13*d.* 11*h.* 27*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 19° N. Long. 123° E., moving W.N.W.

September 13*d.* 11*h.* 40*m.*—Pressure has decreased moderately over Formosa and N. Luzon, and increased slightly to moderately elsewhere. Weak anticyclones are situated over N. China and in the Pacific to the east of Japan.

A typhoon is situated close to the Balintang Channel moving W.N.W. or W.

Manila warning. 12*d.* 11*h.* 30*m.*:—1 Typhoon in Lat. 19° N. Long. 127° E., almost stationary.

,, ,, ,, ,, :—2 Cyclone or typhoon E. of the Ladrone or Mariana Islands moving N. Recd. 12*d.* 12*h.* 35*m.*

Manila warning. 12*d.* 20*h.* 00*m.*:—Cyclone or typhoon E. of Balintang Channel inclining westward. Recd. 12*d.* 20*h.* 55*m.*

Shanghai warning. 13*d.* 8*h.* 55*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 18° N. Long. 126° E., moving W.N.W. Recd. 13*d.* 10*h.* 56*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·30 inch. Total since January 1st, 75·34 inches, against an average of 70·29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14th.

District.	Forecast.
1.—Formosa Channel, ...	N. winds, strong to a gale.
2.—South coast of China between Hongkong and Lamocks,	N. winds, fresh; fair generally.
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	13th September, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	14th September, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.94	760.5	66	...	SE	4	f		29.95	760.7	65			0	c
Nemuro,	11	30.12	765.0	...	...	ESE	2	...	5	30.02	762.5	...	..	SSW	1	...
Hokodate,	..	30.00	762.0	...	...	SE	2	...	..	29.96	761.0	...	..		..	..
Tokio,	..	30.04	763.0	...	...	SW	1	..	..	30.08	764.0	...	..	S	1	...
Kochi,	..	30.02	762.5	...	...	ESE	1	...	..	30.04	763.0	...	...	..	0	...
Nagasaki,	..	29.96	761.0	..	...	SW	1	...	..	29.96	761.0	...	.	SE	1	...
Kagoshima,	..	29.96	761.0	...	...	SE	1	...	..	29.96	761.0	...	..	...	..	...
Oshima,	..	29.92	760.0	...	...	SSE	1	...	..	29.90	759.5	...	...	...	0	...
Naha,	..	29.88	759.0	...	...	ESE	2	...	..	29.86	758.5	...	...	E	1	...
Ishigakijima,	..	29.76	756.0	...	...	ESE	4	...	..	29.69	754.0	...	...	SE	5	...
Bonin Island,	..	29.94	760.5	...	...	E	1	..	..	30.00	762.0	...	...	E	1	...
Chefoo,	15	29.86	758.4	84	68	SSW	4	b	6	30.02	762.5	60	90	...	0	b
Hankow,	..	...		...	...	...	...	...	..	...	...	...	...	...	...	...
Ichang,	..			...	...	..	...	...	..	...	...	...	...	...	...	...
Changsha,	..		...	...	...	...	...	...	..	...	...	...	...	..	...	...
Shanghai,	14	30.01	762.3	72	78	N	4	o	..	30.04	762.9	66	98	NNW	1	r
Gutzlaff,	..	30.02	762.5	74	72	NE	4	r	..	30.02	762.5	67	95	NNE	6	r
Sharp Peak,	..	29.81	757.2	81	78	NNE	4	o	7	29.81	757.2	74	95	NNW	4	o
Amoy,	15	29.67	753.6	90	56	NE	4	o	9	29.64	752.8	82	63	NNE	4	o
Swatow,	..	...	...	...	...	.	...	...	8		...	...	...	..	...	...
Taihoku,	11	29.75	755.7	86	71	E	4	o	5	29.66	753.3	77	85	ENE	6	b
Taichu,	..	29.66	753.3	90	...	...	0	b	..	29.59	751.5	77	...	...	0	o
Tainan,	..	29.63	752.7	90	...	WSW	2	b	..	29.55	750.6	77	...	...	0	b
Koshun,	..	29.65	753.0	86	...	NE	4	b	..	29.54	750.3	77	..	NNE	4	b
Pescadores,	..	29.66	753.3	86	...	NNE	6	o	..	29.58	751.2	79	...	NNE	6	b
Canton,	14	...	...	..	...	...	..	...	6	...		..		...	...	...
Hongkong,	..	29.72	754.9	88	60	N	1	c	..	29.73	755.1	79	63	ENE	2	c
Gap Rock,	..	29.74	755.4	...	...	NNW	4	c	..	29.73	755.1	...	..	N	4	b
Macao,	..	29.75	755.7	82	63	N	2	b	..	29.72	754.8	79	73	NNW	4	b
Wuchow,	15	..	...	...	...	...	...	...	9	...	...	...	.		...	...
Pakhoi,	..	.	.	...	...	...	...	...	..	...	...	...	...	...	...	...
Hoihow,	..	..	...	...	...	...	..	...	..	..	...	...	...	.	..	...
Pratas Island	..	29.57	751.1	...	...	N	6	q	..	29.57	751.1	...	...	N	6	q
Phulien,	..	29.73	755.4	79	69	NNE	4	o	7	29.82	757.2	75	71	N	4	o
Tourane,	..	29.71	754.5	73	...	N	2	o	..	29.75	755.7	75	...	NW	2	r
Cape St. James,	..	29.76	750.0	82	...	SW	4	of	..	29.82	757.5	77	...	SW	4	o
Basco,	14	29.43	747.6	82	84	NNE	6	o	6	29.38	746.1	68	85	NW	6	r
Aparri,	..	29.49	749.1	75	96	SW	4	r	..	...	..	...	...	...	...	...
Manila,	..	29.71	754.5	77	91	SW	4	r	..	29.73	755.1	77	86	SW	4	o
Legaspi,	..	29.72	754.8	86	68	SSW	4	o	..	29.74	755.4	79	92	SSW	4	b
Tacloban,	..	...	...	..	...	..	...	...	..	...	...	...	...	...	...	...
Iloilo,	..	29.75	755.7	86	78	SSW	4	o	..	...	...	...	...	...	...	...
Surigao,	..	29.74	755.4	86	68	W	2	o	..	...	...	...	...	...	...	...
Guam,	12.20	29.72	754.8	...	...	NW	2	r	4.20	...	...	...	...	...	..	...
Yap,	12.47	29.76	756.0	...	...	NW	2	b	4.47	29.81	757.2	...	...	W	1	b
Labuan,	14	29.71	754.6	88	80	N	4	b	6	29.82	757.5	76	91	SW	1	o

September 13*d.* 18*h.* 53*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 122° E., moving W.N.W.

September 14*d.* 9*h.* 55*m.*—Warning to Hongkong,:—Depression or typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 123° E, stationary or very slow.

September 14*d.* 11*h.* 15*m.*—Pressure has increased moderately over Shantung, slightly over S. Japan and Indo-China, and has decreased slightly elsewhere. The anticyclones remain over China and in the Pacific to the east of Japan

The typhoon remains in the vicinity to the Balintang Channel, probably moving slowly northward.

Shanghai warning. 13*d.* 21*h.* 30*m.*:—Typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 125° E., moving W.N.W. Recd. 13*d.* 23*h.* 10*m.*

Manila warning. 14*d.* 4*h.* 00*m.*: Cyclone or typhoon near or over Balintang Channel almost stationary. Recd. 14*d.* 7*h.* 31*m.*

Manila warning. 14*d.* 9*h.* 15*m.*:—Cyclone or typhoon near or over Balintang Channel inclining northward. Recd. 14*d.* 9*h.* 52*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 75·34 inches, against an average of 70·66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N. winds, moderate; fine.
3.—Hongkong to Gap Rock,	N. winds, moderate; fine.
4.—South coast of China between Hongkong and Hainan,	N. winds, moderate; fine.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	14th September, 1925.								15th September, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock, .	12	29.95	760.8	70	...	SW	2	o	[illegible]	30.11	764.8	60	..	N	2	o
Gemuro, ...	11	30.00	762.0	...	...	SSW	2	...	5	...	.	...	...	..	...	...
Hokodate, ...	..	29.96	761.0	...	...	SE	1	...	,,	30.00	762.0	...	...	NNW	2	...
Tokio, ...	,,	30.08	764.0	...	...	S	3	...	,,	30.10	764.5	...	...	...	0	...
Kochi, ...	,,	30.04	763.0	...	...	...	...	...	,,	30.04	763.0	...	...	...	0	...
Nagasaki, ...	,,	29.98	761.5	...	...	SSE	1	...	,,	29.94	760.5	...	..	SE	6	...
Kagoshima, ...	,,	29.98	761.5	...	...	ENE	1	...	,,	29.94	760.5	...	...	NE	6	...
Ishima, ...	,,	29.92	760.0	...	...	SE	2	...	,,	29.88	759.0	...	...	SSE	1	...
Taiwan, ...	,,	29.88	759.0	...	...	E	2	...	,,	29.78	756.5	...	...	ESE	2	...
Ishigakijima, ...	,,	29.70	754.5	...	...	SE	6	...	,,	29.51	749.5	...	...	SE	6	...
Tomin Island, ...	,,	30.02	762.5	...	...	E	1	...	..	30.00	762.0	...	...	ENE	1	...
Chefoo, ...	15	30.05	763.2	75	56	NNE	1	b	6	30.09	764.3	60	90	...	0	bf
Tankow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang, ...	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	.	...	...	...	...	...	...	,,	...	...	...	...	.	...	...
Shanghai, ...	14	30.07	763.8	66	88	ENE	1	r	,,	30.04	762.9	64	96	N	2	r
Dutzlaff, ...	,,	30.05	763.2	68	91	NE	4	r	,,	29.99	761.7	66	100	NNE	6	r
Sharp Peak, ...	,,	29.82	757.4	78	78	N	4	o	7	29.74	755.4	84	83	N	4	o
Amoy, ...	15	29.61	752.1	86	76	NE	4	o	9	29.56	750.8	80	62	N	6	o
Swatow, ...	..	...	...	...	...		...	...	8	...	...	...	..	...	...	...
Taihoku, ...	11	29.68	753.9	86	71	ENE	6	b	5	29.46	748.2	75	91	ENE	6	r
Taichu, ...	,,	29.58	751.2	90	...	...	0	b	,,	29.36	745.8	75	..	...	0	o
Tainan, ...	,,	29.55	750.6	86	...	SW	2	b	,,	29.35	745.5	77	..	NW	2	o
Koshun, ...	,,	29.55	750.6	84	...	NNE	4	o	,,	29.30	744.3	79	..	...	0	o
Pescadores, ...	,,	29.56	750.9	86	...	N	6	o	,,	29.43	747.6	77	...	NNE	7	o
Canton, ...	14	...	...	...	...	...	..	...	6	...	..	..	...	...	...	...
Hongkong, ...	,,	29.70	754.4	88	54	N	2	b	,,	29.69	754.1	74	63	...	0	b
Gap Rock, ...	,,	29.71	754.6	...	...	NW	5	b	,,	29.69	754.1	..	...	NNW	5	b
Macao, ...	,,	29.72	754.8	82	57	NNE	4	b	,,	29.69	754.2	77	79	N	4	b
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	..	...	..	...	...	...
Pakhoi, ...	..	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island ...	,,	29.55	750.5	...	...	N	6	q	,,	29.55	750.5	...	...	N	...	q
Phulien, ...	,,	29.79	756.6	82	70	NW	4	o	7	29.85	758.1	73	71	NNW	4	b
Tourane, ...	,,	29.75	755.7	79	...	NNE	2	o	,,	29.76	756.0	73	...	NNW	4	o
Cape St. James,	,,	29.79	756.6	86	...	SW	2	b	,,	29.81	757.2	75	...	SW	2	of
Basco, ...	14	29.40	746.7	81	89	W	6	o	6	...	...	...	...	..	...	...
Aparri, ...	,,	29.53	750.0	84	74	SSW	4	o	,,	29.55	750.6	79	76	S	4	o
Manila, ...	,,	29.75	755.7	75	94	W	2	r	,,	29.74	755.4	79	89	W	4	o
Legaspi, ...	,,	29.73	755.1	90	69	SSW	4	o	,,	29.75	755.7	75	91	SW	1	o
Tacloban, ...	,,	...	...	.	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.78	756.3	86	78	SW	6	o	,,	...	...	...	...	...	...	...
Surigao, ...	..	29.76	756.0	86	61	W	2	o	,,	...	...	...	...	...	...	...
Guam, ...	12.20	29.72	754.8		...	SW	1	o	4.20	..	...	...	...	...	...	...
Yap, ...	12.47	29.76	756.0	...	...	W	4	o	4.47	29.81	757.2	...	...	WSW	1	o
Labuan, ...	14	29.73	755.1	88	84	N	4	b	6	29.88	758.9	...	...	...	...	...

September *14d. 17h. 25m.*—Warning to Hongkong,:—Typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 122° E., stationary or very slow.

September *15d. 9h. 58m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 22° N. Long. 122° E., moving N.N.W.

September *15d. 11h. 05m.*—Pressure has increased considerably over S. Manchuria and slightly over Shantung and N. Japan; it has decreased considerably over Formosa, and slightly to moderately elsewhere.

Anticyclonic areas cover S. Manchuria and the Pacific adjacent to S. Japan. The typhoon is in close proximity to south eastern Formosa, moving N. or N.N.W.

Shanghai warning. *14d. 22h. 00m.*:—A severe typhoon within 60 miles of Lat. 22° N. Long. 122° E., moving N.W. Recd. *14d. 22h. 31m.*

Manila warning. *15d. 9h. 05m.*:—Typhoon in Lat. 22° N. Long. 123° E., moving N.N.W. Recd. *15d. 9h. 43m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 75·34 inches, against an average of 71·03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel, ...	Northerly gale.
2.—South coast of China between Hongkong and Lamocks,	N. and N.W. winds, fresh; fine.
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	15th September, 1925.								16th September, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	14	30.08	764.1	71	...	NNW	2	o		30.09	764.3	56		...	0	
Nemuro,	11	...	...	...	...	...	...	...	5	29.96	761.0	...	...	...		...
Hokodate,	..	29.98	761.5	...	...	W	1	...	,,	29.96	761.0	...	...	N	1	...
Tokio,	..	30.06	763.5	...	...	SSE	2	..	,,	30.00	762.0	...	..	...	0	...
Kochi,	..	30.04	763.0	...	...	...	0	...	,,	29.98	761.5	...	..	E	1	...
Nagasaki,	..	29.96	761.0	...	...	SE	1	...	,,	29.86	758.5	...	.	ESE	2	...
Kagoshima,	..	29.96	761.0	...	...	...	0	...	,,	29.90	759.5	...	.	...		...
Oshima,	..	...	...	...	...	...	...	...	,,	29.82	757.5	...	...	SSE	2	...
Naha,	..	29.80	757.0	...	...	ESE	2	...	,,	29.76	756.0	...	...	SE	2	...
Ishigakijima,	,,	29.55	750.5	...	...	SSE	6	...	,,	29.59	751.5	...	...	SSW	6	...
Bonin Island,	..	29.98	761.5	...	...	E	1	.	..	29.96	761.0	...	..	E	1	...
Chefoo,	15	30.07	763.8	76	49	ENE	2	b	6	30.09	764.3	62	77	E	1	bf
Hankow,	,,			...	...	...	...	...	,,	...	...	...	...	..	...	...
Ichang,	,,			...	...	..	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,			...	...	...	...	...	,,	...	...	...	...	..	...	...
Shanghai,	14	29.99	761.7	66	90	NNE	6	r	,,	29.88	759.0	68	96	NNE	7	r
Gutzlaff,	,,	29.94	760.5	69	91	NE	7	r	,,	29.82	757.5	70	95	NE	7	r
Sharp Peak,	,,	29.64	752.8	78	74	NNW	4	o	7	29.60	751.8	72	85	SW	1	bf
Amoy,	15	29.55	750.5	88	52	N	4	o	9	29.59	751.6	88	73	WNW	4	o
Swatow,	,,	...	..	...	...	..	..	...	8	...	..	...	...	...	..	...
Taihoku,	11	29.22	742.2	77	94	ENE	7	r	8	29.55	750.6	70	94	WSW	6	r
Taichu,	,,	29.22	742.2	75	...	N	6	r	,,	29.68	753.9	70	...	..	0	o
Tainan,	,,	...		...	...	...	...	...	,,	29.66	753.3	73	...	NE	2	o
Koshun,	,,	...	...	...	...	...	...	...	,,	29.61	752.1	77	..	NW	4	o
Pescadores,	,,	...	...	...	...	...	...	...	,,	29.63	752.7	77	...	N	2	o
Canton,	14	...	...		...	...	..	...	6	...			..	...	...	...
Hongkong,	,,	29.68	753.9	85	56	NW	4	b	,,	29.76	755.9	74	61	NNW	3	b
Gap Rock,	,,	29.70	754.4	..		NNW	6	b	,,	29.72	754.9	...	...	NW	6	b
Macao,	,,	29.71	754.5	82	60	N	2	b	,,	...	..	...	...	...	...	...
Wuchow,	15	..		...	...	...	...	...	9	...	...	...	.	.	...	...
Pakhoi,	,,	.		...	...	..	...	...	,,	...	...	..	...	...	...	...
Hoihow,	,,		...	...	...	..	...	...	,,	...	...	..	...	.	.	..
Pratas Island	,,	29.58	751.3	84	...	NNW	5	b	,,	29.62	752.3	76	...	NW	4	b
Phulien,	,,	29.79	756.6	86	46	NNW	2	b	7	29.85	758.1	75	63	NNE	4	bf
Tourane,	,,	29.73	755.1	75	...	NW	6	o	,,	29.81	757.2	75	...	NNW	4	b
Cape St. James,	,,	29.76	756.0	86	...	SW	2	b	,,	...	...	...	...	..	.	..
Basco,	14	29.52	749.7	82	84	SW	6	o	6	29.68	753.9	79	...	WSW	6	o
Aparri,	,,	29.62	752.4	84	77	SW	4	o	,,	...		...	...	..	...	...
Manila,	,,	29.74	755.4	79	85	WSW	4	o	,,	29.78	756.3	75	96	S	1	o
Legaspi,	,,	29.72	754.8	90	66	SSW	4	o	,,	29.78	756.3	79	91	SW	2	o
Tacloban,	,,	...	...	..	...	...	...	...	,,	29.81	757.2	79	92	...	0	o
Iloilo,	,,	29.74	755.4	86	75	SW	4	o	,,	29.81	757.2	81	92	S	4	o
Surigao,	..	29.73	755.1	90	60	WNW	2	o	,,	29.81	757.2	77	94	...	0	o
Guam,	12.20	29.74	755.4	...	...	SW	4	o	4.20	29.80	756.9	...	...	SW	2	o
Yap,	12.47	29.75	755.7	...	...	SW	4	o	4.47	29.82	757.5	...	...	SW	4	o
Labuan,	14	29.71	754.6	88	84	N	2	b	6	29.82	757.4	78	91	S	2	b

September 15*d.* 16*h.* 55*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 24° N. Long. 121° E., moving N.

September 16*d.* 9*h.* 25*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 28° N. Long. 122° E., moving N.

September 16*d.* 11*h.* 55*m.*—Pressure has decreased moderately over Japan and in the vicinity of Shanghai; it has increased considerably over Formosa and slightly to moderately elsewhere.

A weak anticyclone covers N. China and S. Manchuria; the typhoon is situated in Lat. 28° N. and Long. 122 E. moving northwards.

Manila warning. 15*d.* 18*h.* 00*m.*: 1 Cyclone or typhoon near or over northern Formosa moving N.N.W.
,, ,, ,, ,, :—2 Cyclone or typhoon W. of the Ladrone or Mariana Islands moving W. or W.N.W. Recd. 15*d.* 18*h.* 45*m.*

Shanghai warning. 15*d.* 21*h.* 25*m.*:—A severe typhoon within 60 miles of Lat. 24° N. Long. 122° E., moving N.N.W. Recd. 16*d.* 0*h.* 15*m.*

Manila warning. 16*d.* 11*h.* 00*m.*:—1 Typhoon in Lat. 27° N. Long. 123° E., recurving northeastward.
,, ,, ,, ,, :—2 Cyclone or typhoon W of the northern Ladrone or Mariana Islands recurving northeastward Recd. 16*d.* 11*h.* 50*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 75·34 inches, against an average of 71·39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel.	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks.	N. winds, fresh; fine.
3.—Hongkong to Gap Rock.	N. winds, fresh; fine.
4.—South coast of China between Hongkong and Hainan.	N. winds, fresh; fine.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	16th September, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	17th September, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	12	30.00	762.0	71	...	...	0	b	...	30.00	762.0	57	...	NE	2	b
Gensan,	11	29.94	760.5	...	...	S	1	...	5	29.84	758.0	...	...	NE	1	...
Hakodate,	,,	29.92	760.0	...	...	...	...	...	,,	29.84	758.0	...	...	...	0	...
Tokio,	,,	29.92	760.0	...	...	S	3	...	,,	29.84	758.0	...	...	...	0	...
Kobe,	,,	29.94	760.5	...	...		0	...	,,	29.86	758.5	...	...	...	0	...
Nagasaki,	,,	29.92	760.1	...	...	WSW	1	...	,,	29.75	755.5	...	...	NNW	1	...
Kagoshima,	,,	29.90	759.5	...	...	SSE	1	...	,,	29.76	756.0	...	...	E	1	...
Ishima,	,,	29.84	758.0	...	...	SE	2	...	,,	29.75	755.5	...	...	S	1	...
Taiwan,	,,	29.78	756.5	...	...	SSE	3	...	,,	29.76	756.0	...	..	SSE	1	...
Ishigakijima,	,,	29.67	753.5	...	...	SSW	5	...	,,	29.73	755.0	...	...	NW	1	..
Amoy Island,	,,	29.94	760.5	...	...	...	0		..	29.92	760.0	...	..	...	...	...
Chefoo,	15	30.05	763.2	78	50	NNW	4	b	6	30.06	763.5	71	53	ENE	2	b
Hankow,	,,	...	.	...	...	...	...	.	,,	...	...	..	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	..	...	...	...	...	,,	...	...		...	..	...	...
Shanghai,	14	29.82	757.5	72	94	NE	7	r	,,	29.85	758.1	68	94	N	6	o
Gutzlaff,	,,	29.78	756.4	70	100	ENE	7	r	,,	29.80	756.9	68	100	NNE	7	r
Sharp Peak,	,,	29.69	754.2	72	90	W	2	r	7	29.77	756.1	75	77	W	1	b
Amoy,	15	29.64	752.8	83	67	SSE	2	o	9	29.71	754.6	77	73	W	1	b
Swatow,	,,	...	...	...	..	...	...	...	8	...	...	..	..	...	..	...
Taihoku,	11	29.67	753.6	79	76	W	4	b	5	29.74	755.4	70	96	...	0	b
Taichu,	,,	29.71	754.5	82	...	...	0	o	,,	29.78	756.3	70	..	...	0	b
Tainan,	,,	29.72	754.8	86	...	WSW	2	b	,,	29.73	755.1	72	...	N	2	b
Toshun,	..	29.68	753.9	86	...	NW	4	b	,,	29.72	754.8	73	..	...	0	b
Pescadores,	,,	29.72	754.8	86	...	WNW	2	o	,,	29.74	755.4	75	...	N	2	b
Canton,	14	29.64	752.8	89	59	N	2	b	6	...	..	..	...	...	...	...
Hongkong,	,,	29.70	754.4	86	50	NNW	3	b	,,	29.79	756.6	76	60	NNE	2	o
Gap Rock,	,,	29.72	754.9	...	...	N	5	b	,,	29.79	756.6	...	...	N	4	c
Macao,	,,	29.72	754.8	82	54	NNE	2	b	,,	29.79	756.6	79	69	N	4	o
Wuchow,	15	...	...	...	...	.	...	...	9	..	...	...	.	.	...	...
Pakhoi,	,,	...	...	...	...		...	...	,,	...	...	..	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Pratas Island	,,	29.60	751.8	...	...	N	4	b	,,	29.66	753.3	...	...	N	5	b
Phulien,	,,	29.79	756.6	86	46	WNW	2	b	7	29.86	758.4	73	75	NNW	4	lf
Tourane,	,,	29.76	756.0	81	...	NNW	4	b	,,	29.80	756.9	75	...	NNW	2	b
Cape St. James,	,,	...	...		...	...	...	...	..	29.80	756.9	73	...	SW	2	rf
Basco	14	29.71	754.5	81	...	WSW	4	r	6	29.72	754.8	81	89	SW	2	o
Aparri,	,,	29.67	753.6	86	75	N	4	o	,,	29.75	755.7	75	94	S	2	o
Manila,	,,	29.76	756.0	77	54	SW	6	r	..	29.80	756.9	73	96	SW	1	o
Legaspi,	,,	29.74	755.4	90	66	SSW	4	b	..	29.76	756.0	77	98	SW	1	b
Iseloban,	,,	...	...	...	...	...	...	...	,,	...		...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	75	98	...	0	o
Surigao,	..	29.75	755.7	86	65	W	2	b	..	29.80	756.9	75	92	...	0	o
Guam,	12.20	29.78	756.3	...	...	SW	4	o	4.20	29.81	757.2	...	...	S	1	o
Yap,	12.47	29.75	755.7	...	...	SW	2	o	4.47	29.82	757.5	...	...	SW	1	b
Tabian,	14	29.74	755.4	88	80	N	2	b	6	29.84	757.9	76	94	S	2	r

September 16d. 18h. 55m.—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 60 miles of Lat. 29° N. Long. 122° E., moving N.

September *17d. 11h. 30m.*—Pressure has decreased moderately over Japan and increased slightly to moderately elsewhere; it is highest over N. China and S. Manchuria.

The typhoon is situated near the S.W. extremity of Japan and appears to have partially filled up.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 75·34 inches, against an average of 71·74 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks.	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock,	N.E. winds, fresh; fine.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fine.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	17th September, 1925.								18th September, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.96	761.0	69	...	SW	2	b	6	29.91	759.6	59	...	ENE	2	o
Nemuro,	11	29.86	758.5	...	...	ENE	1	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.84	758.0	...	...	WNW	1	...	"	...	...	...	...	...	...	...
Tokio,	"	29.82	757.5	...	...	NNE	1	...	"	...	...	...	...	...	...	...
Kochi,	"	29.82	757.5	...	...	...	0	...	"	...	...	...	...	...	...	...
Nagasaki,	"	29.72	755.0	...	...	...	0	...	"	...	...	...	...	...	...	...
Kagoshima,	"	29.72	755.0	...	...	...	...	...	"	...	...	...	...	...	...	...
Oshima,	"	29.72	755.0	...	...	S	2	...	"	...	...	...	...	...	...	...
Naha,	"	29.76	756.0	...	...	SSW	3	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	29.78	756.5	...	...	NW	1	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.90	759.5	...	...	SE	1	.	"	...	...	...	...	...	...	...
Chefoo,	15	29.96	761.0	75	48	NNE	1	b	6	29.91	759.7	63	72	SW	1	b
Hankow,	"	...	..	...	...	...	...	...	"	...	...	.	..	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	..	...	...	...	...	...	"	...	...	...	..	...	...	...
Shanghai,	14	29.87	758.7	79	48	N	6	b	"	29.97	761.1	59	96	NNW	2	b
Gutzlaff,	"	29.85	758.1	75	77	N	6	o	"	29.97	761.2	67	95	NNW	4	o
Sharp Peak,	"	29.71	754.6	92	64	E	1	o	7	29.91	759.7	76	77	ENE	4	o
Amoy,	15	29.75	755.6	84	65	SE	2	o	9	...	...	...	..	...	..	...
Swatow,	"	...	...	...	...	...	...	...	8	...	...	...	..	...	...	...
Taihoku,	11	29.81	757.2	81	69	WNW	4	o	5	29.89	759.3	73	88	E	2	o
Taichu,	"	29.80	756.9	86	...	NNW	2	b	"	29.86	758.4	73	...	...	o	o
Tainan,	"	29.79	756.6	86	...	NNW	2	b	"	29.82	757.5	73	...	ESE	2	b
Koshun,	"	29.78	756.3	84	...	NNW	2	o	"	29.82	757.5	77	...	...	o	b
Pescadores,	"	29.80	756.9	84	...	NNE	4	o	"	29.84	757.8	79	...	NNE	2	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	..	...	...	...	...
Hongkong,	"	29.77	756.1	83	53	ESE	2	b	"	29.84	757.9	76	85	..	o	o
Gap Rock,	"	29.80	756.9	...	...	N	3	b	"	29.83	757.7	...	..	ENE	3	o
Macao,	"	29.79	756.6	81	56	NNE	2	b	"	29.82	757.5	81	86	NNE	1	b
Wuchow,	15	...	.	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island	"	29.66	753.3	...	...	NE	5	c	"	29.69	754.1	...	...	ENE	5	r
Phulien,	"	29.81	757.2	90	44	NNW	1	b	7	29.87	758.7	72	78	NNW	4	bf
Tourane,	"	29.80	756.9	81	...	NNW	2	b	"	29.85	758.1	75	...	NW	2	o
Cape St. James,	"	29.78	756.3	82	...	SW	2	o	"	29.84	757.8	73	...	...	o	o
Basco,	14	29.73	755.1	82	84	SW	4	o	6	29.81	757.2	81	87	N	2	o
Aparri,	"	29.74	755.4	90	72	NNW	4	o	"	29.84	757.8	75	94	S	2	b
Manila,	"	29.79	756.6	86	68	SW	4	o	"	29.86	758.4	75	96	S	1	o
Legaspi,	"	29.76	756.0	90	69	SSW	4	b	"	29.85	758.1	75	98	...	o	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	29.87	758.7	75	98	N	2	o
Surigao,	"	29.78	756.3	86	75	SW	4	o	"	29.89	759.3	77	91	...	o	o
Guam,	12.20	29.80	756.9	...	...	SW	2	o	4.20	29.87	758.7	...	...	WSW	1	o
Yap,	12.47	29.82	757.5	...	...	SSW	4	o	4.47	29.88	759.0	...	...	...	o	b
Labuan,	14	29.73	755.1	88	80	N	4	b	6	29.82	757.4	76	91	S	2	b

September 18*d.* 12*h.* 14*m.*—No returns from Japan.

Pressure has increased slightly at the majority of reporting stations, and is probably highest over the lower Yangtze.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·46 inch. Total since January 1st, 75·80 inches, against an average of 72·08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19th.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate; fair to showery.
3.—Hongkong to Gap Rock,	N.E. winds, moderate; fair to showery.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; fair to showery.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	18th September, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	19th September, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ladivostock, .	12	29.88	759.0	68	...	SSE	4	c	6	29.90	759.4	63	...	SE	4	o
emuro,	11	30.00	762.0	...	...	ESE	1	...	5	...	...	...	...	...	...	...
kodate,	..	29.86	758.5	...	...	E	3	...	,,	29.67	753.5	...	...	NNW	3	...
kio,	,,	29.67	753.5	...	...	N	1	...	,,	29.65	753.0	...	...	NW	1	...
ochi,	,,	29.61	752.0	...	...	NW	2	...	,,	29.80	757.0	...	...	SW	1	...
agasaki,	,,	29.78	756.5	...	...	N	2	...	,,	29.86	758.5	...	..	NE	1	...
agoshima,	,,	29.72	755.0	...	...	NNW	1	...	,,	29.84	758.0	...	...	NW	1	...
chima,	,,	29.80	757.0	...	...	NNE	2	...	,,	29.86	758.5	...	...	N	1	...
sha,	,,	29.86	758.5	...	...	NW	1	...	,,	29.88	759.0	...	...	...	...	...
higakijima,	,,	29.90	759.5	...	...	NNE	2	...	,,	29.86	758.5	...	...	NNE	1	...
oir Island,	..	29.88	759.0	...	...	WSW	1	.	..	29.86	758.5	..	...	SW	1	...
hefoo,	15	29.87	758.7	78	54	NNE	1	b	6	29.91	759.7	68	79	N	2	o
ankow,	,,	...	...	...	...	...	...	...	,,	...	...	..	..	...	...	...
hang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hangsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
anghai,	14	29.94	760.5	77	54	NNW	1	o	,,	29.95	760.8	64	94	NE	1	of
utzlaff,	,,	29.97	761.2	78	61	NNW	1	o	,,	29.97	761.2	69	75	NE	1	o
arp Peak,	,,	29.94	760.5	88	73	E	2	o	7	29.95	760.7	73	81	NW	1	b
moy,	15	29.83	757.7	86	61	NE	2	b	9	29.82	757.4	75	81	NE	1	b
atow,	,,	...	...	...	...		...	...	8	...	...	..	..	...	..	...
ihoku,	11	29.93	760.2	84	64	E	4	o	5	29.87	758.7	73	89	E	2	o
ichu,	,,	29.88	759.0	86	...	...	0	b	,,	29.79	756.6	75	...	...	0	o
inan,	,,	29.87	758.7	90	...	WNW	2	b	,,	29.85	758.1	75	...	...	0	r
oshun,	,,	29.87	758.7	84	...	ENE	2	o	,,	29.85	758.1	75	...	..	0	o
escadores,	,,	29.89	759.3	82	...	NE	4	b	,,	29.86	758.4	77	...	NNE	2	r
anton,	14	29.83	757.7	90	63	S	1	b	6	..	...	..	...	.	...	...
ongkong,	,,	29.83	757.7	83	68	E	4	c	,,	29.87	758.7	74	93	ENE	1	o
ap Rock,	,,	29.84	757.9	...	...	ENE	5	o	,,	29.87	758.7	...	..	NE	4	o
acao,	,,	29.85	758.1	84	71	N	1	o	,,	29.86	758.4	81	96	N	1	b
uchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
akhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
atas Island	,,	29.69	754.1	83	...	ENE	5	r	,,	29.72	754.9	74	..	W	5	c
hulien,	,,	29.85	758.1	86	52	WSW	1	b	7	29.89	759.3	75	86	WSW	1	of
ourane,	,,	29.85	758.1	81	...	N	2	o	,,	29.89	759.3	75	...	WNW	2	o
ape St. James,	,,	29.86	758.4	81	...	SW	2	o	..	29.91	759.6	75	...	...	0	o
asco,	14	29.81	757.2	84	77	WSW	2	o	6	29.84	757.8	81	90	...	0	b
parri,	,,	29.81	757.2	90	66	SE	2	o	,,	29.87	758.7	73	92	S	2	o
anila,	,,	29.78	756.3	86	71	WSW	2	o	,,	29.91	759.6	75	96	S	1	o
egaspi,	,,	29.82	757.5	84	85	...	0	o	..	29.88	759.0	77	98	...	0	o
oloban,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
ilo,	,,	29.84	757.8	84	74	SW	4	o	,,	29.88	759.0	75	96	N	2	o
rigao,	..	29.85	758.1	86	71	NNE	2	o	..	29.89	759.3	75	96	...	0	o
am,	12.20	29.78	756.3	...	...	NW	2	o	4.20	29.86	758.4	...	...	NW	1	o
ap,	12.47	29.85	758.1	...	...	WSW	2	o	4.47	29.91	759.6	...	...	...	0	b
abuan,	14	29.71	754.6	86	84	NW	2	o	6	29.83	757.7	76	91	...	2	b

September 19*d.* 11*h.* 40*m.*—Pressure has decreased considerably over N. Japan and slightly over Formosa and the east coast of China; it has increased slightly elsewhere, and is highest over N. China.

The depression has passed into the Pacific.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 4·67 inch. Total since January 1st. 80.47 inches, against an average of 72·41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate; fair.
3.—Hongkong to Gap Rock,	N.E. winds, moderate; fair.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; fair.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	19th September, 1925.								20th September, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	..	...	...	...	...	...	...	6	...	...	...	...	..	...	...
Nemuro,	11	29.59	751.5	...	...	ENE	7	...	5	29.63	752.5	...	...	W	2	...
Hokodate,	..	29.69	754.0	...	...	NW	3	...	,,	29.71	754.5	...	...	...	...	...
Tokio,	,,	29.31	744.5	...	...	NW	2	...	,,	29.76	756.0	...	...	...	0	...
Kochi,	,,	29.74	755.6	...	...	...	0	...	,,	29.84	758.0	...	...	...	0	...
Nagasaki,	,,	29.88	759.0	...	...	N	1	...	,,	29.88	759.0	...	...	...	0	...
Kagoshima,	,,	29.84	758.0	...	...	SSE	1	...	,,	29.88	759.0	...	...	WNW	1	...
Oshima,	,,	29.86	758.5	...	...	NNE	1	...	,,	29.88	759.0	...	...	SE	1	...
Naha,	,,	29.90	759.5	...	...	WNW	1	...	,,	29.90	759.5	...	...	NE	1	...
Ishigakijima,	,,	29.92	760.0	...	...	ENE	1	...	,,	29.86	758.5	...	...	NNE	1	...
Bonin Island,	..	29.84	758.0	...	...	WSW	1	..	,,	29.84	758.0	...	..	...	...	...
Chefoo,	15	29.93	760.2	74	43	NNE	2	b	6	30.01	762.2	60	76	W	1	lf
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	.	...	...	...	...	...	,,	...	...	...	..	...	...	...
Shanghai,	14	29.93	760.2	81	43	NNW	1	b	,,	30.02	762.6	61	58	NE	1	b
Gutzlaff,	,,	29.97	761.2	78	65	...	0	o	,,	30.02	762.5	69	70	NE	1	o
Sharp Peak,	,,	29.94	760.5	90	66	E	1	o	7	30.01	762.2	75	84	N	1	o
Amoy,	15	29.80	756.9	88	52	ENE	4	b	9	29.83	757.7	78	78	NE	1	b
Swatow,	,,	...	...	...	...	.	...	...	8	...	...	..	..	...	...	...
Taihoku,	11	29.91	759.6	82	77	E	4	o	5	29.87	758.7	73	91	E	4	o
Taichu,	,,	29.87	758.7	84	...	NNW	2	o	,,	29.87	758.7	75	...	...	0	o
Tainan,	,,	29 87	758.7	84	...	NE	2	o	,,	29.84	757.8	75	..	...	0	o
Koshun,	,,	29.89	759.3	79	...	ESE	2	o	,,	29.84	757.8	73	...	..	0	r
Pescadores,	,,	29.87	758.7	81	...	NNE	4	o	,,	29.85	758.1	77	...	ENE	4	o
Canton,	14	...	...	..	...	...	...	...	6	...	..	..	...	..	...	...
Hongkong,	,,	29.83	757.7	86	64	W	2	o	,,	29.88	758.9	77	91	SE	1	lr
Gap Rock,	,,	29.84	757.9	...	...	NE	3	b	,,	29.89	759.2	...	..	SE	2	o
Macao,	,,	29.85	758.1	84	68	ESE	1	b	,,	29.86	758.4	81	92	ESE	7	bf
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	29.70	754.4	...	...	NE	4	o	,,	29.75	755.6	...	...	NE	2	b
Phulien,	,,	29.85	758.1	90	60	S	4	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.85	758.1	82	...	E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.87	758.7	84	...	S	2	b	,,	...	...	...	...	...	...	...
Basco,	14	29.85	758.1	79	91	SW	4	r	6	...	..		...	...	...	...
Aparri,	,,	29.85	758.1	82	84	...	2	r	,,	29.86	758.4	75	94	SW	2	o
Manila,	,,	29.87	758.7	86	68	SW	2	b	,,	29.88	759.0	75	91	N	1	b
Legaspi,	,,	29.86	758.4	79	96	SW	4	o	..	29.86	758.4	73	98	...	0	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.84	757.8	84	77	SW	4	o	,,	...	...	...	...	...	...	...
Surigao,	..	29.84	757.8	86	65	WNW	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.81	757.2	...	...	NW	2	o	4.20	...	..	...	...	..	...	...
Yap,	12.47	29.86	758.4	...	...	WSW	2	o	4.47	29.87	758.7	...	...	NW	1	o
Labuan,	11	29.71	754.6	88	84	N	4	b	6	...	...	...	...	...	...	...

September 20*d.* 12*h.* 50*m.*—Pressure has decreased slightly over the Philippines and increased slightly to moderately elsewhere; a weak anticyclone covers China, and an area of relatively low pressure extends from Indo-China across the Philippines to the Pacific.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 80.48 inches, against an average of 72·74 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; fine.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	20th September, 1925.								21st September, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
adivostock,	12	29.83	757.6	53	...	NNE	4	r		29.96	760.9	52	...	WNW	2	c
emuro,	11	29.65	753.0	...	...	WNW	1	...	5	29.73	755.0	...	...	ESE	1	...
kodate,	,,	29.67	753.5	...	...	SE	1	...	,,	29.69	754.0	...	...	N	1	...
kio,	,,	29.74	755.5	...	...	S	1	...	,,	29.92	760.0	...	...	NNW	1	...
ochi,	,,	29.88	759.0	...	...	SE	1	...	,,	29.94	760.5	...	...	SW	1	...
agasaki,	,,	29.90	759.5	...	...	NW	2	...	,,	29.98	761.5	...	...	...	0	...
agoshima,	,,	29.90	759.5	...	...	NNW	1	...	,,	29.98	761.5	...	...	NW	1	...
hima,	,,	29.92	760.0	...	...	NNE	1	...	,,	29.96	761.0	...	...	SSE	1	...
sha,	,,	29.94	760.5	...	...	NNE	1	...	,,	29.94	760.5	...	...	...	...	...
higakijima,	,,	29.92	760.0	...	...	E	3	...	,,	29.90	759.5	...	...	ENE	1	...
enin Island,	,,	29.86	758.5	...	...	W	1	..	,,	29.94	760.5	...	...	...	...	...
hefoo.	15	29.96	761.0	75	56	NE	1	b	6	29.96	761.0	67	74	SSW	2	b
ankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
hang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
angsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
anghai,	14	30.01	762.3	82	48	E	4	b	,,	30.04	762.9	64	98	E	2	b
utzlaff,	,,	30.04	763.0	76	64	ENE	1	b	,,	30.06	763.5	68	85	ESE	2	b
arp Peak,	,,	29.96	761.0	86	61	SE	1	b	7	29.98	761.5	75	81	NE	1	b
moy,	15	29.84	757.9	88	56	ENE	4	b	9	29.93	760.2	77	69	ENE	2	b
atow,	,,	...	...	...	...	...	...	...	8	...	...	..	...	...	..	...
aiboku,	11	29.94	760.5	84	60	E	4	o	5	29.94	760.5	68	94	...	o	b
aichu,	,,	29.88	759.0	86	...	...	o	o	,,	29.92	759.9	72	...	...	o	o
aiman,	,,	29.89	759.3	86	...	WNW	2	b	,,	29.89	759.3	73	...	...	...	...
oshun,	,,	29.89	759.3	81	...	N	2	o	,,	29.89	759.3	73	...	...	o	b
escadores,	,,	29.92	759.9	82	...	NNE	4	b	,,	29.89	759.3	75	...	NNE	4	b
anton,	14	29.92	759.9	89	73	S	1	b	6	...	...	..	...	...	...	...
ongkong,	,,	29.86	758.4	82	77	E	3	o	,,	29.92	759.9	79	85	ESE	1	c
ap Rock,	,,	29.87	758.7	...	...	ESE	2	b	,,	29.92	759.9	...	...	ESE	3	c
ieao,	,,	29.87	758.7	86	65	SE	1	b	,,	...	...	...	...	...	...	...
uchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
ikhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oihow.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
atas Island	,,	29.74	755.4	...	...	NE	5	c	,,	29.78	756.4	...	...	NE	4	o
hulien,	,,	29.84	757.8	84	71	SSE	4	b	7	29.87	758.7	79	92	S	4	o
oarane,	,,	29.82	757.5	84	...	ESE	2	b	,,	29.91	759.6	77	...	NNW	2	o
ape St. James,	,,	29.87	758.7	86	...	SW	2	b	,,	29.92	759.9	77	...	WSW	2	b
esco,	14	29.85	758.1	82	84	SW	4	o	6	...	...	...	...	...	...	...
parri,	,,	29.82	757.5	90	66	N	4	b	,,	29.89	759.3	75	96	SW	2	o
anila,	,,	29.85	758.1	86	65	W	2	o	,,	29.88	759.0	73	96	E	1	b
agaspi,	,,	29.81	757.2	90	72	ENE	2	b	,,	29.86	758.4	75	98	...	o	b
acloban,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
oilo,	,,	29.80	756.9	86	58	NE	2	o	,,	...	...	...	...	...	...	...
rigao,	..	29.81	757.2	86	71	NNE	1	b	,,	...	...	...	...	...	...	...
uam,	12.20	29.80	756.9	...	...	SW	2	o	4.20	...	...	...	...	...	...	...
ap,	12.47	29.84	757.8	...	...	WNW	1	o	4.47	29.85	758.1	...	...	...	o	o
ebuan,	14	29.70	754.4	88	84	N	4	b	6	29.83	757.7	76	91	S	2	b

September 21*d.* 10*h.* 32*m.*—Pressure has increased slightly to moderately at all stations, and is highest over N. China; a depression is indicated in the Pacific to the east of Japan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·83 inch. Total since January 1st, 81.31 inches, against an average of 73·06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22nd.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; fair to showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	21st September, 1925.								22nd September, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	29.94	760.5	60	...	N	2	o	.	30.08	763.9	53	...	...	o	b
Nemuro,	11	29.74	755.5	...	...	WNW	1	...	5	29.96	761.0	...	...	...	o	...
Hokodate,	..	29.78	756.5	...	...	WNW	2	...	,,	30.00	762.0	...	...	W	2	...
Tokio,	,,	29.96	761.0	...	...	SSE	1	...	,,	30.10	764.5	...	...	NNW	1	...
Kochi,	,,	30.00	762.0	...	...	...	o	...	,,	30.06	763.5	...	...	...	o	...
Nagasaki,	,,	30.00	762.0	...	...	WNW	1	...	,,	30.04	763.0	...	...	...	o	...
Kagoshima,	,,	30.00	762.0	...	...	S	1	...	,,	30.04	763.0	...	...	NW	1	...
Oshima,	,,	...	...	...	...	...	...	...	,,	30.00	762.0	...	...	SSE	1	...
Naha,	,,	29.98	761.5	...	...	E	2	...	,,	29.98	761.5	...	...	NNE	1	...
Ishigakijima,	,,	29.94	760.5	...	...	E	3	...	,,	29.92	760.0	...	...	N	1	...
Bonin Island,	..	...	...	...	...	...	...	.	..	30.04	763.0	...	...	...	o	...
Chefoo,	15	29.88	759.0	75	72	S	4	r	6	29.83	757.7	64	95	SSW	4	o
Hankow,	,,	...	..	...	...	...	...	...	,,	...	...	..	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	..	...	.	...	...	...	...	...	,,	...	...	...	...	..	...	...
Shanghai,	14	30.02	762.6	82	51	SE	4	b	,,	29.98	761.4	70	92	ESE	1	o
Gutzlaff,	,,	30.05	763.2	75	72	SE	4	b	,,	30.00	762.0	72	81	SSE	4	o
Sharp Peak,	..	30.01	762.2	86	55	ENE	2	b	7	30.01	762.2	74	81	W	1	o
Amoy,	15	29.89	759.2	86	65	S	4	b	9	29.93	760.2	75	81	ENE	2	b
Swatow,	..	...		...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.97	761.1	84	64	E	4	b	5	29.93	760.2	72	94	E	2	b
Taichu,	,,	29.94	760.5	84	...	NW	2	b	,,	29.93	760.2	72	...	...	o	o
Tainan,	,,	29.93	760.2	84	...	WSW	2	b	,,	29.91	759.6	73	...	...	o	o
Koshun,	,,	29.91	759.6	86	...	WNW	2	b	,,	29.92	759.9	75	..	...	o	o
Pescadores,	,,	29.92	759.9	82	...	NNE	4	b	,,	29.93	760.2	75	...	NNE	4	b
Canton,	14	...	..	...	...	...	...	...	6	...	...	.	...	...	...	...
Hongkong,	,,	29.92	759.9	83	71	ESE	4	o	,,	29.92	759.9	78	82	...	o	o
Gap Rock,	,,	29.91	759.7	...	...	E	3	o	,,	29.91	759.7	...	..	E	3	o
Macao,	,,	29.91	759.6	84	86	SE	2	o	,,	29.89	759.3	81	84	SE	4	o
Wuchow,	15	...	.	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	29.76	756.0	...	...	ENE	5	c	,,	29.79	756.6	...	...	ENE	4	c
Phulien,	,,	29.85	758.1	86	65	SSE	4	o	7	...	...	...	...	...	..	...
Tourane,	,,	29.86	758.4	84	...	E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	..	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	29.84	757.8	81	84	NW	4	o	6	29.87	758.7	79	90	...	o	o
Aparri,	,,	29.84	757.8	86	68	N	4	o	,,	29.88	759.0	77	92	WSW	2	o
Manila,	,,	29.82	757.5	86	68	SSW	4	o	,,	29.87	758.7	73	94	...	o	b
Legaspi,	,,	29.82	757.5	90	72	ENE	2	b	..	29.85	758.1	81	94	NNE	2	b
Tacloban,	,,	...	...	...	...		...	...	,,	...	.	...	...	...	...	...
Iloilo,	,,	29.80	756.9	90	63	NE	6	o	,,	29.85	758.1	75	91	N	2	o
Surigao,	..	29.81	757.2	86	75	N	2	b	..	29.84	757.8	73	94	SE	1	b
Guam,	12.20	29.80	756.9	...	...	ESE	4	o	4.20	29.81	757.2	...	...	NE	2	o
Yap,	12.47	29.80	756.9	...	...	SW	2	o	4.47	29.84	757.8	...	...	NNE	2	o
Labuan,	14	29.77	756.1	84	83	NW	2	o	6	29.85	758.2	75	94	S	2	r

September 22*d.* 11*h.* 30*m.*—Pressure has decreased slightly over N. China the Visayas and the Ladrones, and increased slightly to moderately elsewhere. The anticyclone has moved eastwards to Japan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 81·33 inches, against an average of 73·37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; fair.
3.—Hongkong to Gap Rock,	E. winds, moderate; fair.
4.—South coast of China between Hongkong and Hainan,	E. winds, moderate; fair.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	22nd September, 1925.								23rd September, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock, .	12	30.10	762.3	64	...	SSE	4	c	...	29.89	759.1	60	...	...	0	0
amuro,	11	29.96	761.0	...	...	W	1	...	5	30.12	765.0	...	...	...	0	...
akodate,	..	30.02	762.5	...	...	WNW	1	...	,,	30.06	763.5	...	...	NNE	1	...
kio,	,,	30.08	764.0	...	...	...	0	...	,,	30.12	765.0	...	...	NW	1	...
ochi,	,,	30.06	763.5	...	...	SE	1	...	,,	30.08	764.0	...	...	...	0	...
agasaki,	,,	30.08	764.0	...	...	SW	1	...	,,	30.06	763.5	...	...	SW	1	...
agoshima,	,,	30.04	763.0	...	...	W	1	...	,,	30.06	763.5	...	...	...	0	...
shima,	,,	30.02	762.5	...	...	SE	1	...	,,	30.02	762.5	...	...	...	0	...
aha,	,,	29.98	761.5	...	...	ENE	2	...	,,	29.98	761.5	...	...	...	...	...
higakijima,	,,	29.92	760.0	...	...	NNE	2	...	,,	29.88	759.0	...	...	S	3	...
oin Island,	..	30.06	763.5	...	...	N	1	..	,,	30.08	764.0	...	...	...	...	...
hefoo,	15	29.82	757.4	75	64	WNW	6	b	6	29.98	761.5	60	71	SSW	1	b
ankow,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
hang,	,,	...	...	...	...		...	...	,,	...	...	...	...	...	...	...
iangsha,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
hanghai,	14	29.99	761.7	73	82	SW	1	o	,,	30.04	762.9	66	98	SSW	1	o
utzlaff,	,,	30.02	762.5	72	85	SSW	2	o	,,	30.06	763.5	70	91	...	0	o
arp Peak,	,,	29.81	757.2	92	61	E	1	b	7	30.01	762.2	76	86	...	0	b
moy,	15	29.87	758.7	86	72	SE	4	b	9	29.94	760.5	78	86	SSE	1	o
swow,	,,	...		...	...		...	...	8	...	..	...	..	...	..	..
shoku,	11	29.93	760.2	86	61	E	4	b	5	29.93	760.2	72	96	...	0	b
achu,	,,	29.94	760.5	86	...	...	0	b	,,	29.94	760.5	72	...	...	0	b
ainan,	,,	29.94	760.5	86	...	W	2	b	,,	29.89	759.3	73	...	NW	1	b
oshun,	,,	29.92	759.9	86	...	NE	2	b	,,	29.91	759.6	70	...	...	0	b
escadores,	,,	29.95	760.8	82	...	N	4	b	,,	29.92	759.9	77	...	N	2	b
anton,	14	...	...	...	...	...	...	...	6	...	...	..	...	...	...	...
ongkong,	,,	29.91	759.7	83	72	E	4	o	,,	29.94	760.5	77	86	..	0	om
ap Rock,	,,	29.90	759.4	...	...	ENE	3	c	,,	29.92	759.9	...	...	E	3	b
acao,	,,	29.92	759.9	86	65	SE	1	b	,,	...	...	...	...	...	...	...
uchow,	15	...	..	...	...	...	...	...	9	...	...	...	...	...	...	...
akhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ratas Island	,,	29.76	755.9	...	...	NE	5	b	,,	29.78	756.4	...	...	NE	4	c
halien,	,,	29.86	758.4	84	77	SSE	4	r	7	29.93	760.2	75	89	NNE	4	o
ourane,	,,	29.85	758.1	84	...	SSE	2	b	,,	29.87	758.7	75	...	WNW	2	b
ape St. James,	,,	29.89	759.3	86	...	SW	2	b	,,	29.86	758.4	77	...	ENE	2	b
asco,	14	29.86	758.4	86	65	NW	4	o	6	...	...	...	...	...	..	..
parri,	,,	29.85	758.1	86	71	NE	4	o	,,	29.87	758.7	75	96		0	b
anila,	,,	29.81	757.2	90	63	W	4	o	,,	29.85	758.1	75	94	NE	2	b
egaspi,	,,	29.80	756.9	90	72	ENE	2	b	,,	29.82	757.5	81	92	NNE	2	o
acloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oilo,	,,	...	...	.	...	...	...	...	,,	...	...	...	...	...	...	...
rigao,	..	29.79	756.6	82	81	NNE	2	b	..	...	...	...	...	...	...	...
uam,	12.20	29.74	755.4	...	...	NE	4	o	4.20	...	...	...	...	...	...	...
ap,	12.47	29.76	756.0	...	...	NNE	4	o	4.47	29.78	756.3	...	...	NNE	2	o
ahuan,	14	29.80	756.9	84	83	N	2	o	6	...	...	...	...	...	...	...

September 23*d*. 10*h*. 29*m*.—Pressure has decreased considerably over S. Manchuria, and slightly over Indo-China, the Philippines and the Bonins; it has increased slightly to moderately elsewhere.

An anticyclone is situated in the Pacific to the east of Japan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 81.33 inches, against an average of 73·67 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; fine.
3.—Hongkong to Gap Rock,	E. winds, moderate; fine.
4.—South coast of China between Hongkong and Hainan,	E. winds, moderate; fine.

C. W. Jefferies *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	23rd September, 1925.								24th September, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	..	..	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.12	765.0	...	...	SW	1	...	5	30.06	763.5	...	...	...	0	...
Hokodate,	,,	30.06	763.5	...	...	SE	1	...	,,	30.04	763.0	...	...	...	0	...
Tokio,	,,	30.10	764.5	...	...	...	0	...	,,	30.14	765.5	...	...	...	0	...
Kochi,	,,	30.08	764.0	...	...	...	0	...	,,	30.12	765.0	...	...	...	...	...
Nagasaki,	,,	30.06	763.5	...	...	...	0	...	,,	30.06	763.5	...	...	SE	1	...
Kagoshima,	,,	30.04	763.0	...	...	E	1	...	,,	30.04	763.0	...	...	...	...	...
Oshima,	,,	30.04	763.0	...	...	ESE	1	...	,,	30.00	762.0	...	...	S	1	...
Naha,	,,	30.02	762.5	...	...	SE	1	...	,,	30.02	762.5	...	...	...	0	...
Ishigakijima,	,,	29.96	761.0	...	...	SW	4	...	,,	29.96	761.0	...	...	SSW	1	...
Bonin Island,	..	30.08	764.0	...	...	...	0	.	..	30.08	764.0	...	...	...	0	...
Chefoo,	15	29.95	760.7	80	48	SW	2	b	6	29.88	758.9	70	70	SSW	6	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Changsha,	,,	...	...	.	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.04	762.9	81	66	SSW	1	o	,,	30.04	762.9	68	98	S	1	o
Gutzlaff,	,,	30.06	763.5	74	86	S	1	o	,,	30.05	763.2	69	91	SE	2	o
Sharp Peak,	,,	30.00	762.0	90	63	E	2	b	7	30.01	762.2	76	86	N	1	o
Amoy,	15	29.89	759.2	88	62	SSE	4	b	9	29.93	760.2	78	86	SSE	2	b
Swatow,	,,	...		...	...	...	...	...	8	...	...	...	..	...	..	...
Taihoku,	11	29.95	760.8	90	66	E	4	b	5	29.97	761.1	73	94	...	0	b
Taichu,	,,	29.95	760.8	86	...	...	0	b	,,	29.95	760.8	77	...	...	0	o
Tainan,	,,	29.95	760.8	86	...	W	2	o	,,	29.94	760.5	73	...	...	0	b
Koshun,	,,	29.95	760.8	86	...	NNE	2	b	,,	29.93	760.2	73	...	...	0	b
Pescadores,	,,	29.97	761.1	84	...	NE	4	b	,,	29.94	760.5	77	...	NNE	2	b
Canton,	14	...	..	...	...	...	...	...	6	...	...	..	...	...	...	...
Hongkong,	,,	29.90	759.4	84	72	ESE	3	c	,,	29.93	760.2	79	82	E	3	c
Gap Rock,	,,	29.91	759.7	...	...	ENE	3	b	,,	29.93	760.2	...	...	ENE	3	c
Macao,	,,	29.92	759.9	86	65	ESE	1	b	,,	29.92	759.9	...	...	ENE	2	o
Wuchow,	15	...		...	...	...	...	...	9	...	...	...	...	..	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	29.75	755.6	...	...	NE	5	c	,,	29.79	756.6	...	...	ENE	5	c
Phulien,	,,	29.89	759.3	84	77	WNW	2	o	7	29.98	761.4	75	94	WNW	1	o
Tourane,	,,	29.85	758.1	82	...	ENE	2	b	,,	29.92	759.9	75	...	WNW	2	o
Cape St. James,	..	29.84	757.8	84	...	SE	2	b	..	29.87	758.7	75	...	NE	2	b
Basco,	14	29.85	758.1	86	75	SE	4	o	6	...	...	...	...	...	..	...
Aparri,	,,	29.82	757.5	86	68	NE	4	b	,,	29.87	758.7	77	92		0	o
Manila,	,,	29.81	757.2	82	81	SW	1	r	,,	29.84	757.8	75	92	NE	2	o
Legaspi,	,,	29.78	756.3	90	69	NE	2	b	..	29.80	756.9	81	96	NNE	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	86	68	N	6	o	,,	...	...	...	...	...	...	...
Surigao,	..	29.75	755.7	84	77	N	4	o	..	...	...	...	...	...	...	...
Guam,	12.20	29.71	754.5	...	...	ENE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.72	754.8	...	...	NE	4	o	4.47	29.75	755.7	...	...	WNW	2	r
Labuan,	14	29.71	754.6	88	84	N	4	b	6	...	...	...	...	...	...	...

September 24*d.* 10*h.* 36*m.*—Pressure has decreased moderately over Shantung and N. Japan; other changes are slight. The anticyclone remains stationary to the east of Japan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 81·33 inches, against an average of 73·96 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; fine.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	24th September, 1925.								25th September, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	29.93	760.1	66	...	SE	5	o		29.89	759.3	59	...	NNE	2	b
Kamiro,	11	30.00	762.0	...	...	S	2	...	5	30.02	762.5	...	...	...	...	...
Hakodate,	,,	30.20	767.0	...	...	S	1	...	,,	29.94	760.5	...	...	W	1	...
Tokio,	,,	30.16	766.0	...	...	...	0	...	,,	29.96	761.0	...	...	...	0	...
Kochi,	,,	30.08	764.0	...	...	...	0	...	,,	29.96	761.0	...	...	...	...	...
Nagasaki,	,,	30.08	764.0	...	...	E	1	...	,,	30.02	762.5	...	...	N	1	...
Kagoshima,	,,	30.04	763.0	...	...	NNE	1	...	,,	29.98	761.5	...	...	WNW	1	...
Ishima,	,,	29.98	761.5	...	...	S	2	...	,,	29.94	760.5	...	...	...	0	...
Naha,	,,	29.98	761.5	...	...	SE	1	...	,,	29.96	761.0	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.94	760.5	...	...	SE	...	...
Bonin Island,	,,	30.06	763.5	...	...	E	1	..	,,	30.04	763.0	...	...	ESE	1	...
Chefoo,	15	29.84	757.9	86	51	W	4	b	6	30.01	762.2	69	56	NE	2	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.02	762.6	77	76	SE	1	o	,,	30.07	763.8	63	98	SSE	2	bf
Gutzlaff,	,,	30.05	763.2	70	85	SSE	2	o	,,	30.08	764.0	68	85	SE	1	b
Sharp Peak,	,,	30.01	762.2	94	61	E	1	b	7	30.01	762.2	76	91	E	1	o
Amoy,	15	29.90	759.4	88	69	SSE	4	b	9	29.94	760.5	80	87	SSE	2	b
Swatow,	,,	...		...	...	...	...	...	8	...	...	...	...	...	..	...
Taihoku,	11	29.94	760.5	90	66	ENE	2	b	5	29.93	760.2	75	94	E	2	b
Taichu,	,,	29.95	760.8	86	...	...	0	b	,,	29.95	760.8	73	...	...	0	b
Tainan,	,,	29.97	761.1	90	...	NE	2	b	,,	29.94	760.5	77	...	...	0	o
Koshun,	,,	29.95	760.8	90	...	E	2	b	,,	29.92	759.9	75	...	...	0	b
Pescadores,	,,	29.97	761.1	86	...	N	4	o	,,	29.94	760.5	79	...	NW	2	b
Canton,	14	29.90	759.4	90	66	SW	1	c	6	...	...	...	...	...	...	...
Hongkong,	,,	29.92	759.9	83	68	ESE	3	b	,,	29.94	760.3	78	88	E	2	b
Gap Rock,	,,	29.91	759.7	...	...	ENE	4	b	,,	29.94	760.5	...	...	NE	3	b
Macao,	,,	29.93	760.2	90	91	ESE	1	b	,,	29.95	760.8	82	84	SE	1	o
Wuchow,	15	...		...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	29.75	755.6	...	...	E	5	c	,,	29.80	756.9	...	...	NE	5	c
Phulien,	,,	29.92	759.9	86	65	SSW	1	b	7	29.97	761.1	75	94	SSE	4	lf
Tourane,	,,	29.88	759.0	81	...	N	2	o	,,	29.92	759.9	77	...	NW	2	o
Cape St. James,	,,	29.86	758.4	82	...	E	2	b	,,	29.88	759.0	75	...	E	2	b
Basco,	14	29.84	757.8	86	78	ENE	4	b	6	29.88	759.0	81	96	...	0	o
Aparri,	,,	29.81	757.2	79	45	NE	4	o	,,	29.87	758.7	75	96	...	0	b
Manila,	,,	29.78	756.3	84	81	W	2	o	,,	29.84	757.8	75	94	NE	2	b
Legaspi,	,,	29.75	755.7	90	69	NE	2	b	,,	29.80	756.9	79	91	N	2	b
Tacloban,	,,	...	...	...	...		...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	71	NE	4	o	,,	29.81	757.2	79	96	N	1	o
Surigao,	..	29.73	755.1	86	71	N	2	o	,,	29.81	757.2	75	94	SSW	1	o
Guam,	12.20	29.74	755.4	...	...	SE	2	o	4.20	29.82	757.5	...	...	SE	2	o
Yap,	12.47	29.66	753.3	...	...	W	4	o	4.47	29.76	756.0	...	...	WSW	1	b
Labuan,	14	29.71	754.6	88	84	N	4	b	6	29.82	757.4	77	91	N	2	b

September 25*d*. 11*h*. 24*m*.—Pressure has decreased considerably over Japan, and has increased slightly to moderately elsewhere. Weak anticyclonic areas are situated over China and in the Pacific to the east of the Bonins.

There are indications of a depression or typhoon to the north of Yap.

Manila warning. 24*d*. 19*h*. 30*m*.:—Typhoon in Lat. 12° N. Long. 140° E., direction unknown. Recd. 24*d*. 21*h*. 02*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 81·33 inches, against an average of 74·23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks.	E. winds, moderate; fine.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	25th September, 1925.								26th September, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.87	758.6	69	...	N	2	c		29.99	761.6	54	...	...	0	b
Nemuro,	11	29.92	760.0	...	...	ESE	1	...	5	29.73	755.0	...	...	S	1	...
Hokodate,		29.86	758.5	...	...	S	1	...	,,	29.75	755.5	...	...	W	1	...
Tokio,		29.96	761.0	...	...	NW	1	...	,,	29.94	760.5	...	...	N	1	...
Kochi,		29.98	761.5	...	...	E	1	...	,,	29.98	761.5	...	...	...	0	...
Nagasaki,	,,	30.02	762.5	...	...	N	2	...	,,	30.00	762.0	...	...	...	...	...
Kagoshima,	,,	30.00	762.0	...	...	NE	1	...	,,	29.98	761.5	...	...	NW	1	...
Oshima,	,,	29.96	761.0	...	...	NE	1	...	,,	29.92	760.0	...	...	...	0	...
Naha,	,,	29.98	761.5	...	...	W	1	...	,,	29.88	759.0	...	...	NNE	1	...
Ishigakijima,	,,	29.98	761.5	...	...	NW	1	...	,,	29.86	758.5	...	...	N	1	...
Bonin Island,	,,	29.98	761.5	...	...	SE	1	...	,,	29.94	760.5	...	...	SSE	1	...
Chefoo,	15	30.04	763.0	74	55	N	2	b	6	30.10	764.5	60	82	S	2	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Shanghai,	14	30.04	762.9	86	52	E	1	b	,,	30.07	763.8	63	98	ESE	1	b
Gutzlaff,	,,	30.07	763.8	77	73	NNE	1	b	,,	30.07	763.8	68	91	SE	1	b
Sharp Peak,	,,	30.01	762.2	90	61	NE	2	b	7	30.00	762.0	77	82	N	2	o
Amoy,	15	29.86	758.4	88	69	SSE	4	b	9	29.90	759.4	80	78	ENE	4	o
Swatow,	,,	...		...	...	...	...	...	8	...	...	...	...	...	..	...
Taihoku,	11	29.98	761.4	72	57	E	2	b	5	29.91	759.6	73	94	E	2	b
Taichu,	,,	29.97	761.1	86	...	...	0	b	,,	29.91	759.6	77	...	..	0	o
Tainan,	,,	29.95	760.8	90	...	NNW	2	b	,,	29.85	758.1	77	...	...	0	b
Koshun,	,,	29.94	760.5	86	...	...	0	b	,,	29.85	758.1	75	...	...	0	b
Pescadores,	,,	29.97	761.1	86	...	NE	4	b	,,	29.85	758.1	79	...	NNE	3	b
Canton,	14	...	...	...	...	..	...	...	6	..	...	..	...	...	...	...
Hongkong,	,,	29.90	759.4	85	61	E	3	b	,,	29.90	759.4	79	87	NE	2	o
Gap Rock,	,,	29.89	759.2	...	...	ENE	4	b	,,	29.87	758.7	...	...	E	3	b
Macao,	,,	29.91	759.6	90	66	SE	1	b	,,	29.88	759.0	84	87	SE	2	o
Wuchow,	15	...	..	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	.	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	..	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	29.74	755.4	...	...	NE	5	c	,,	29.75	755.6	...	...	NE	5	b
Phulien,	,,	29.88	759.0	90	60	SSW	1	b	7	29.91	759.6	77	96	SE	1	bf
Tourane,	,,	29.87	758.7	82	...	N	4	b	,,	29.87	758.7	77	...	WNW	2	o
Cape St. James,	,,	29.84	757.8	82	...	NW	2	b	,,	29.87	758.7	73	...	N	2	b
Basco,	14	29.84	757.8	86	75	NW	2	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.82	757.5	90	66	NE	4	b	,,	29.82	757.5	75	94	WSW	2	o
Manila,	,,	29.76	756.0	86	68	SW	4	o	,,	29.81	757.2	73	96	E	1	o
Legaspi,	,,	29.73	755.1	90	69	NE	2	b	..	29.75	755.7	75	98	W	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	75	SW	4	o	,,	...	...	...	...	...	...	...
Surigao,	..	29.72	754.8	86	71	WNW	2	o	,,	...	...	...	..	...	...	...
Guam,	12.20	29.76	756.0	...	...	SE	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.72	754.8	...	...	SW	4	o	4.47	29.79	756.6	...	...	WSW	2	o
Labuan,	11	29.79	756.6	81	76	N	2	o	6	..	...	...	...	...	...	...

September 25*d.* 17*h.* 08*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 135° E., moving W.N.W.

September 26*d.* 9*h.* 40*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 16° N. Long. 132° E., moving W.N.W.

September 26*d.* 10*h.* 53*m.*—Pressure has increased moderately over S. Manchuria and Shantung and decreased slightly to moderately elsewhere: it is highest over China and S. Manchuria.

A depression covers Hokkaido and the typhoon is situated in approximately Lat. 16° N. and Long. 132° E. moving W.N.W.

Manila warning. 25*d.* 11*h.* 20*m.*:—Cyclone or typhoon in Lat. 14° N. Long. 137° E., moving W.N.W Recd. 25*d.* 12*h.* 24*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 81·53 inches, against an average of 74·50 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27th.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	26th September, 1925.								27th September, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	29.93	760.1	71		WNW	2	c		29.97	761.1	54		...	0	0
Nemuro,	11	29.67	753.5	...	...	W	1	...	5	29.69	754.0	...	..	WSW	1	...
Hokodate,	..	29.72	755.0	...	.	NW	3	...	,,	29.82	757.5	...	..	NW	1	...
Tokio,	,	29.88	759.0	...	...	SE	1	..	,,	30.02	762.5	...	..	N	1	...
Tochi,	,	29.94	760.5	...	...	...	0	..	,	29.98	761.5	...	..	SW	1	...
Nagasaki,	..	29.98	761.5	...	...	NW	1	...	,,	29.96	761.0	...	..	...	0	...
Kagoshima,	..	30.00	762.0	...	...	E	1	...	,,	29.92	760.0	..	..	WNW	1	...
Oshima,	,,	29.92	760.0	...	...	NNE	2	...	,,	29.80	757.0	...	...	NNE	1	...
Isha,	,,	29.88	759.0	...	...	NNE	2	...	,,	29.75	755.5	...	..	N	3	...
Ishigakijima,	,,	29.86	758.5	...	...	NE	2	...	,,	29.76	756.0	...	...	N	1	...
Ionin Island,	..	29.90	759.5	...	...	S	2	..	..	29.90	759.5	...	...	ESE	1	...
Chefoo,	15	29.99	761.7	74	59	E	1	b	6	29.89	759.2	68	74	SW	4	b
Hankow,	,,	..	.	...	...	...	...	...	,,	...	...	...	...	..	..	...
Ichang,	,,	..	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,		...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.01	762.3	84	96	E	1	b	,,	29.98	761.4	64	98	E	2	b
Gutzlaff,	,,	30.04	763.0	76	73	ESE	1	b	,,	29.98	761.5	69	85	ENE	2	o
Sharp Peak,	,,	29.96	761.0	78	86	ENE	4	o	7	29.91	759.7	74	76	N	1	o
Amoy,	15	29.80	756.9	88	66	SSE	4	b	9	29.86	758.4	77	69	ENE	2	o
Swatow,	,,	..		...	...	.	...	...	8	...	...	...	..	...	...	...
Taihoku,	11	29.88	759.0	82	81	E	4	r	5	29.82	757.5	75	91	E	2	b
Taichu,	,,	29.88	759.0	86	...	NNW	2	b	,,	29.79	756.6	75	..	..	0	o
Tainan,	,,	29.87	758.7	86	...	WSW	2	b	,,	29.74	755.4	75	..	SE	2	b
Koshun,	,,	29.87	758.7	86	...	NNE	2	b	,,	29.76	756.0	77	..	N	2	o
Pescadores,	,,	29.88	759.0	84	...	NNE	6	o	,,	29.75	755.7	79	...	NNE	6	o
Canton,	14	..	...	...	...	...	...	...	6	..	...		...	...	...	...
Hongkong,	,,	29.82	757.4	84	71	E	4	c	,,	29.82	757.4	77	91	NNE	2	or
Gap Rock,	,,	29.82	757.4	..	...	ENE	4	c	,,	29.81	757.2	...	..	ESE	4	c
Macao,	,,	29.82	757.5	86	71	SSE	1	b	,,	29.80	756.9	82	81	S	2	b
Amoy,	15	...		...	...	...	...	...	9	...	...	...	.	..	...	...
Takhoi,	,,	..	...	...	...	..	...	...	,,	..	...	..	..	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Pratas Island	,,	...	...	...	...	...	...	...	,,	29.71	754.6	...	...	NE	5	b
Shulien,	,,	29.80	756.9	90	66	SSE	4	b	7	29.79	756.6	79	90	SSE	2	bf
Tourane,	,,	29.80	756.9	82	...	N	2	b	,,	29.79	756.6	75	...	...	0	o
Cape St. James,	..	...	...	...	...	...	...	...	,,	29.79	756.6	75	...	...	0	r
Manila,	14	29.73	755.1	86	75	N	4	o	6	..	...	...	...	...	..	...
Aparri,	,,	29.73	755.1	90	66	NNE	2	o	,,	29.72	754.8	75	92	...	0	o
Manila,	,,	29.71	754.5	86	71	SW	2	o	,,	29.73	755.1	75	94	NNE	2	o
Legaspi,	,,	29.66	753.7	90	66	NNW	4	o	,,	29.71	754.5	75	98	SW	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	77	94	SW	2	o	,,	..	...	...	...	...	...	...
Surigao,	..	...	..	...	...	...	...	...	,,	...	...	...	..	...	...	...
Guam,	12.20	29.73	755.1	...	...	E	2	o	4.20	...	...	...	...	...	..	...
Yap,	12.47	29.72	754.8	...	...	SW	4	o	4.47	29.81	757.2	...	...	...	o	o
Labuan,	12	29.71	754.6	88	84	NW	2	b	6	...	...	...	...	...	...	...

September 26*d.* 16*h.* 50*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 130° E., moving W.N.W.

September 27*d.* 9*h.* 50*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 18° N. Long. 128° E., moving N.W.

September 27*d.* 11*h.* 10*m.*—Pressure has increased moderately over N. Japan and decreased slightly to moderately elsewhere.

A weak anticyclonic area is central over Japan, a depression remains to the north-east of Hokkaido, and the typhoon is situated about 400 miles east of N. Luzon, moving N.W.

Manila warning. 26*d.* 10*h.* 40*m.*:—Cyclone or typhoon in Lat. 16° N. Long. 132° E., moving W.N.W Recd. 26*d.* 11*h.* 30*m.*

Shanghai warning. 26*d.* 21*h.* 25*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 131° E., moving W.N.W. Recd. 26*d.* 22*h.* 57*m.*

Manila warning. 27*d.* 10*h.* 10*m.*:—Typhoon in Lat. 18° N. Long. 131° E., inclining northward. Recd. 27*d.* 11*h.* 07*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·80 inch. Total since January 1st, 82.13 inches, against an average of 74·77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; fair to showery.
3.—Hongkong to Gap Rock,	E. winds, moderate; fair to showery.
4.—South coast of China between Hongkong and Hainan,	E. winds, moderate; fair to showery.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	27th September, 1925.								28th September, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.93	760.2	66	...	SSW	3	o	-	30.03	762.7	58	...	...	0	o
Nemuro,	11	...	...	...	...	...	...	...	5	29.98	761.5	...	...	WNW	1	...
Hokodate,	..	29.84	758.0	...	...	WNW	5	...	,,	30.00	762.0	...	...	...	0	...
Tokio,	,,	30.02	762.5	...	...	SSE	1	...	,,	30.06	763.5	...	...	NNW	1	...
Kochi,	..	29.94	760.5	...	...	...	0	...	,,	20.88	759.0	...	...	SW	1	...
Nagasaki,	,,	29.90	759.5	...	...	NW	1	...	,,	29.80	757.0	...	...	NNE	1	...
Kagoshima,	,,	29.88	759.0	...	...	ENE	1	...	,,	29.76	756.0	...	...	NE	2	...
Oshima,	,,	29.76	756.0	...	...	NNE	2	...	,,	29.57	751.0	...	...	NNE	1	...
Naha,	,,	29.72	755.0	...	...	NNE	4	...	,,	29.51	749.5	...	...	N	4	...
Ishigakijima,	,,	29.76	756.0	...	...	N	3	...	,,	29.67	752.5	...	...	NW	2	...
Bonin Island,	,,	29.88	759.0	...	...	SE	1	...	,,	29.84	758.0	...	...	SE	1	...
Chefoo,	15	29.90	759.4	76	82	E	1	b	6	29.89	759.2	68	95	SE	1	o
Hankow,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.91	759.6	81	50	NNE	2	b	,,	29.91	759.6	57	98	ENE	1	b
Gutzlaff,	,,	29.93	760.2	77	61	NNE	1	b	,,	29.90	759.4	68	79	NE	2	b
Sharp Peak,	,,	29.89	759.2	86	58	ENE	2	b	7	29.86	758.4	73	81	W	1	b
Amoy,	15	29.74	755.4	88	52	E	4	b	9	...	...	...	...	...	...	...
Swatow,	,,	..		...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.84	757.8	86	61	E	4	b	5	29.79	756.6	66	85	E	2	b
Taichu,	,,	29.79	756.6	84	...	...	0	o	,,	29.74	755.4	70	...	...	0	b
Tainan,	,,	29.78	756.3	86	...	SSW	2	b	,,	29.72	754.8	72	...	...	0	b
Koshun,	,,	29.78	756.3	82	...	NE	4	b	,,	29.71	754.5	75	...	...	0	b
Pescadores,	,,	29.81	757.2	84	...	NE	6	o	,,	29.73	755.1	77	...	NNE	4	b
Canton,	14	29.77	756.1	81	91	NE	...	or	6	..	...	..	...	...	...	...
Hongkong,	,,	29.78	756.4	80	81	E	1	o	,,	29.77	756.1	77	88	...	0	om
Gap Rock,	,,	29.78	756.4	...	...	ENE	3	c	,,	29.77	756.1	...	...	ESE	4	c
Macao,	,,	...	...	...	...	...	4	...	,,	29.75	755.7	81	86	SSE	2	c
Wuchow,	15	...	...	...	...	...	...	...	9	..	...	...	...	..	...	...
Pakhoi,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	...	...	...	...	...	...	...	,,	29.67	753.6	...	...	N	5	c
Phulien,	,,	29.72	754.8	86	71	SSE	2	b	7	29.74	755.4	79	91	SSE	4	b
Tourane,	,,	29.72	754.8	84	...	SE	2	b	,,	29.74	755.4	77	...	...	0	b
Cape St. James,	,,	29.71	754.5	86	...	SW	2	o	,,	29.74	755.4	77	...	WNW	2	r
Basco,	14	29.65	753.0	73	79	N	4	o	6		...	...	...	...	...	...
Aparri,	,,	29.66	753.3	90	69	NNW	4	o	,,	29.69	754.2	75	91	W	2	r
Manila,	,,	29.68	753.9	86	71	SW	2	b	,,	29.72	754.8	77	96	ESE	1	o
Legaspi,	,,	29.65	753.0	86	78	WSW	2	o	,,	29.71	754.5	77	98	SSW	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.63	753.9	86	71	SW	4	o	,,	..	...	...	...	...	...	...
Surigao,	..	29.69	754.2	86	65	WSW	4	o	,,	...	...	...	..	...	...	...
Guam,	12.20	29.74	755.4	...	...	NW	1	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.74	755.4	...	...	W	1	o	4.47	29.80	756.9	...	...	SW	4	r
Labuan,	11	29.71	754.6	86	84	NE	2	b	6	29.77	756.1	78	91	S	2	b

September 27*d*. 16*h*. 55*m*.—Warning to Hongkong,:—Depression or typhoon of unknown intensity within 120 miles of Lat. 19° N. Long. 127° E, moving N.W.

September 28*d*. 9*h*. 45*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 24° N. Long. 129° E., moving N.N.E.

September 28*d*. 10*h*. 33*m*.—Pressure has increased moderately over S. Manchuria and N. Japan, has decreased considerably over the Loochoos and slightly elsewhere.

Weak anticyclonic areas cover N. China and central Japan: the typhoon is situated to the south-east of Naha, moving N.N.E.

Shanghai warning. 27*d*. 10*h*. 30*m*.:—Typhoon of unknown intensity within 120 miles of Lat. 18° N. Long. 130° E., moving N.W. Recd. 27*d*. 11*h*. 46*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·06 inch. Total since January 1st, 82.19 inches, against an average of 75·04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; fair to showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. Jeffries *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	28th September, 1925.								29th September, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	29.97	761.7	69	...	NNW	2	b		30.00	762.0	63	...	...	0	0
Nemuro,	11	...	..	...	...	...	...	...	5	30.00	762.0	...	...	SW	3	...
Hokodate,		29.98	761.5	...	...	SSW	1	...	,,	30.00	762.0	...	...	...	0	...
Tokio,	,,	30.06	763.5	...	...	NNE	1	...	,,	30.02	762.5	...	...	NNW	1	...
Kochi,	,,	29.86	758.5	...	...	SW	1	...	,,	29.77	755.0	...	...	SW	1	...
Nagasaki,	,,	29.76	756.0	...	...	NE	4	...	,,	29.59	751.5	...	...	NE	4	...
Kagoshima,	,,	29.72	755.0	...	...	ENE	1	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.49	749.0	...	...	NNE	4	...	,,	29.27	743.5	...	...	NNW	5	...
Naha,	,,	29.53	750.0	...	...	N	5	...	,,	29.53	750.0	...	...	NW	4	...
Ishigakijima,	,,	29.70	754.5	...	...	NW	3	...	,,	29.69	754.0	...	...	WNW	3	...
Bonin Island,	,,	29.82	757.5	...	...	SE	2	...	,,	29.84	758.0	...	...	SSE	3	...
Chefoo,	15	29.85	758.2	77	82	ESE	2	0	6	29.89	759.2	68	85	...	0	0
Hankow,	,,	...	.	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	.	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.62	752.4	79	48	ENE	1	b	,,	29.86	758.4	61	92	N	1	b
Gutzlaff,	,,	29.87	758.7	76	60	NE	4	b	,,	29.85	758.2	67	69	NNE	4	b
Sharp Peak,	,,	29.85	758.2	84	65	E	2	0	7	29.84	757.9	75	81	N	1	0
Amoy,	15	29.69	754.1	88	62	SSE	4	b	9	29.75	755.6	82	75	ENE	1	0
Swatow,	,,	...		...	...	...	...	...	8	...	...	...	..	...	...	...
Taihoku,	11	29.79	756.6	81	50	NW	4	b	5	29.79	756.6	63	96	...	0	b
Taichu,	,,	29.76	756.0	84	...	NNW	2	b	,,	29.80	756.9	63	..	...	0	b
Tainan,	,,	29.74	755.4	86	...	N	2	b	,,	29.75	755.7	66	..	...	0	b
Koshun,	,,	29.78	756.3	81	...	...	0	0	,,	29.74	755.4	70	..	...	0	b
Pescadores,	,,	29.78	756.3	82	...	NNE	6	b	,,	29.76	756.0	75	...	N	4	b
Canton,	14	...	...	...	..	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.74	755.4	81	82	E	3	0	,,	29.78	756.4	79	86	...	0	0
Gap Rock,	,,	29.75	755.6	...	...	ENE	3	b	,,	29.77	756.1	...	...	S	3	0
Macao,	,,	29.74	755.4	84	71	SSE	1	b	,,	29.75	755.7	82	89	SW	4	b
Wuchow,	15	...		...	...	...	...	...	9	...	...	...	..		...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	.	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	29.64	752.8	...	...	NNE	5	b	,,	29.69	754.1	...	...	NE	2	0
Phulien,	,,	29.68	753.9	90	66	SSE	4	b	7	29.74	755.4	79	90	SSE	4	0
Tourane,	,,	29.71	754.5	84	...	SSE	2	b	,,	29.74	755.4	75	...	SSW	2	0
Cape St. James,	,,	29.73	755.1	84	...	SW	2	0	,,	29.78	756.3	75	...	...	0	b
Basco,	14	29.67	753.6	84	85	N	4	0	6	29.72	754.8	77	96	...	0	b
Aparri,	,,	29.68	753.9	86	58	NNE	4	0	,,	29.73	755.1	73	94	..	0	b
Manila,	,,	29.68	753.8	86	71	SW	4	0	,,	29.74	755.4	77	96	NW	1	0
Legaspi,	,,	29.67	753.6	86	78	WSW	4	0	,,	29.74	755.4	79	96	SW	1	0
Tacloban,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	86	75	SW	6	0	,,	29.78	756.3	79	90	SW	1	0
Surigao,	..	29.69	754.2	86	61	W	2	0	,,	29.78	756.3	79	84	WSW	2	0
Guam,	12.20	29.75	755.7	...	...	N	2	0	4.20	29.80	756.9	...	..	ENE	1	0
Yap,	12.47	29.76	756.0	...	...	SW	2	0	4.47	29.82	757.5	...	...	NNE	2	0
Labuan,	14	29.72	754.9	86	88	NW	4	b	6	29.81	757.2	78	94	S	2	b

September 28*d.* 17*h.* 00*m.*—Warning to Hongkong,:—Depression or typhoon of unknown intensity within 120 miles of Lat. 27° N. Long. 130° E., moving N.N.E.

September 29*d.* 10*h.* 45*m.*—Warning to Hongkong,:—Depression or typhoon of unknown intensity within 60 miles of Lat. 29° N. Long. 130° E., moving N.N.E.

September 29*d.* 10*h.* 45*m.*—Pressure has decreased considerably over S. Japan and the Loochoos, and increased slightly elsewhere; it is highest over Japan.

The typhoon is situated in the vicinity of Oshima moving N. or N.N.E.

Manila warning. 28*d.* 10*h.* 00*m.*:—Typhoon E.S.E. of Naha moving N. or N.N.E. Recd. 28*d.* 10*h.* 53*m.*

Manila warning. 28*d.* 18*h.* 45*m.*:—Cyclone or typhoon in Lat. 26° N. Long. 131° E., moving N. Recd. 28*d.* 19*h.* 22*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. **Total since January 1st,** 82.21 **inches, against an average of** 75·31 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	Light southerly or variable winds, freshening from E.; fair to showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	29th September, 1925.								30th September, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.97	761.2	67	...	SSE	2	0	6	29.95	760.8	62	...	N	2	0
Nemuro,	11	30.00	762.0	...	...	NNW	1	...	5	30.00	762.0	...	...	E	1	...
Hokodate,	,,	30.02	762.5	...	...	S	1	...	,,	29.88	759.0	...	...	...	...	...
Tokio,	,,	29.98	761.5	...	...	N	1	...	,,	29.77	755.0	...	...	NW	2	...
Kochi,	,,	29.69	754.0	...	...	...	0	...	,,	29.37	746.0	...	...	SW	1	...
Nagasaki,	,,	29.57	751.0	...	...	NE	3	...	,,	29.45	748.0	...	...	NNE	3	...
Kagoshima,	,,	29.45	748.0	...	...	NE	1	...	,,	29.33	745.0	...	...	NW	2	...
Oshima,	,,	29.35	745.5	...	...	N	6	...	,,	29.55	750.5	...	...	NNW	3	...
Naha,	,,	29.59	751.5	...	...	WNW	4	...	,,	29.71	754.5	...	...	W	3	...
Ishigakijima,	,,	29.76	756.0	...	...	WNW	3	...	,,	29.78	756.5	...	...	W	1	...
Bonin Island,	,,	29.82	757.5	...	...	S	3	.	,,	29.82	757.5	...	...	SSW	4	...
Chefoo,	15	29.89	759.2	75	81	NE	1	0	6	29.91	759.7	68	91	N	1	b
Hankow,	,,	...	.	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	..	...	...	...	...	,,	..	...	...	...	..	...	...
Shanghai,	14	29.85	758.1	81	46	N	2	b	,,	29.88	759.0	61	98	NNW	2	b
Gutzlaff,	,,	29.85	758.2	76	69	N	4	b	,,	29.87	758.7	70	91	NNW	4	o
Sharp Peak,	,,	29.84	757.9	90	53	SE	2	o	7	..	...	74	81	...	o	b
Amoy,	15	29.68	753.9	86	68	SSE	4	b	9	29.81	757.2	83	83	ENE	4	ob
Swatow,	,,	...		...	...	...	...	...	8	...	...	..	...	...	..	..
Taihoku,	11	29.81	757.2	81	56	NW	2	b	5	29.84	757.8	63	96	...	o	b
Taichu,	,,	29.80	756.9	79	...	...	o	b	,,	29.81	757.2	66	...	...	o	b
Tainan,	,,	29.78	756.3	86	...	WNW	2	b	,,	29.79	756.6	68	...	...	o	b
Koshun,	,,	29.78	756.3	86	...	...	o	b	,,	29.79	756.6	72	..	...	o	b
Pescadores,	,,	29.78	756.3	82	...	NE	4	b	,,	29.80	756.9	77	...	NE	4	b
Canton,	14	...	.	...	...	...	...	...	6	...	...	..	...	...	...	...
Hongkong,	,,	29.74	755.4	86	72	NW	2	o	,,	29.78	756.4	77	93	...	o	o
Gap Rock,	,,	29.75	755.6	...	...	WSW	3	b	,,	29.77	756.1	...	...	S	3	b
Macao,	,,	29.85	758.1	84	87	SE	1	o	,,	29.76	756.0	81	62	SSW	4	o
Wuchow,	15	...		...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	29.64	752.8	...	...	N	1	b	,,	29.70	754.4	...	...	...	o	b
Phulien,	,,	29.71	754.5	84	77	SSE	4	o	7	29.76	756.0	81	94	SSE	4	r
Tourane,	,,	29.72	754.8	86	...	ESE	2	b	,,	29.76	756.0	75	...	WNW	2	b
Cape St. James,	,,	29.74	755.4	86	...	S	2	b	,,	29.80	756.9	77	...	WNW	2	o
Basco,	14	29.71	754.5	82	87	W	4	b	6	...	...	..	...	...	...	...
Aparri,	,,	29.72	754.8	90	60	N	4	b	,,	29.76	756.0	77	91	...	o	b
Manila,	,,	29.72	754.8	86	71	SW	4	o	,,	29.79	756.6	77	96	...	o	o
Legaspi,	,,	29.73	755.1	79	91	SW	2	o	,,	29.78	756.3	75	98	SSW	1	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	79	89	SW	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.74	755.4	90	57	SW	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	E	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.79	756.6	...	...	S	1	o	4.47	29.84	757.8	...	...	NNE	2	o
Labuan,	14	29.78	756.4	86	95	N	2	b	6	29.78	756.4	77	91	N	2	b

September 30*d*. 11*h*. 11*m*.—Pressure has decreased considerably over S. Japan, and increased slightly to moderately elsewhere; it is highest to the north-east of Hokkaido.

The typhoon is situated in the vicinity of Shikoku moving N.N.E.

Manila warning. 29*d*. 11*h*. 00*m*.:—Cyclone or typhoon in Lat. 28° N. Long. 131° E., moving N. Recd. 29*d*. 12*h*. 00*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·89 inch. Total since January 1st, 83.10 inches, against an average of 75·59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	Light southerly or variable winds, freshening from N. or N.E.; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. Jeffries *Director*.

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

OCTOBER,

1925.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

C. W. JEFFRIES,

DIRECTOR.

HONGKONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1925.

[*Price* 60c.]

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

OCTOBER,

1925.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of OCTOBER, 1925.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·700	29·760	29·758	29·752	29·754	29·758	29·774	29·801	29·813	29·819	29·816	29·805	1
2	29·829	29·827	29·823	29·817	29·825	29·845	29·857	29·879	29·905	29·922	29·920	29·912	2
3	29·925	29·915	29·911	29·910	29·902	29·901	29·910	29·942	29·964	29·976	29·973	29·977	3
4	29·911	29·889	29·885	29·883	29·889	29·891	29·907	29·928	29·933	29·960	29·962	29·947	4
5	29·936	29·915	29·903	29·888	29·884	29·888	29·900	29·922	29·946	29·956	29·956	29·933	5
6	29·926	29·917	29·902	29·892	29·892	29·902	29·917	29·931	29·934	29·950	29·945	29·913	6
7	29·916	29·905	29·879	29·873	29·867	29·871	29·883	29·895	29·906	29·912	29·903	29·890	7
8	29·858	29·838	29·821	29·822	29·822	29·826	29·838	29·854	29·854	29·853	29·826	29·806	8
9	29·806	29·794	29·785	29·783	29·786	29·802	29·816	29·819	29·829	29·820	29·817	29·802	9
10	29·821	29·811	29·799	29·814	29·834	29·853	29·872	29·890	29·883	29·882	29·886	29·868	10
11	29·865	29·853	29·848	29·844	29·860	29·875	29·894	29·919	29·942	29·951	29·943	29·917	11
12	29·877	29·865	29·868	29·864	29·873	29·874	29·892	29·912	29·911	29·916	29·898	29·867	12
13	29·856	29·855	29·837	29·845	29·847	29·865	29·878	29·895	29·915	29·912	29·900	29·877	13
14	29·882	29·872	29·863	29·873	29·877	29·897	29·917	29·931	29·942	29·948	29·935	29·912	14
15	29·942	29·919	29·920	29·915	29·916	29·940	29·952	29·969	29·974	29·992	29·975	29·962	15
16	29·933	29·923	29·913	29·913	29·915	29·925	29·947	29·969	29·978	29·988	29·977	29·950	16
17	29·925	29·917	29·901	29·901	29·907	29·923	29·937	29·953	29·960	29·972	29·965	29·936	17
18	29·946	29·930	29·920	29·918	29·918	29·930	29·951	29·961	29·974	29·992	29·985	29·964	18
19	29·954	29·941	29·942	29·938	29·936	29·948	29·962	29·985	29·995	30·010	29·995	29·995	19
20	30·002	29·997	29·991	29·991	29·992	29·997	30·006	30·022	30·046	30·047	30·038	30·025	20
21	29·977	29·966	29·952	29·944	29·946	29·956	29·972	29·981	29·992	30·000	29·993	29·969	21
22	29·998	29·990	29·987	29·985	29·990	30·006	30·027	30·043	30·052	30·076	30·063	30·040	22
23	30·072	30·063	30·058	30·049	30·052	30·066	30·088	30·094	30·099	30·111	30·090	30·064	23
24	30·027	30·016	30·014	30·000	30·002	30·018	30·033	30·037	30·050	30·056	30·036	30·007	24
25	29·996	29·988	29·988	29·989	29·997	30·022	30·034	30·052	30·067	30·078	30·063	30·038	25
26	30·033	30·033	30·032	30·034	30·049	30·064	30·086	30·098	30·115	30.124	30.115	30·086	26
27	30·036	30·024	30·015	30·017	30·025	30·053	30·072	30·074	30·086	30.093	30.072	30·039	27
28	29·967	29·956	29·956	29·956	29·958	29·978	29·997	30·006	30·019	30.027	30.016	29·980	28
29	29·952	29·940	29·934	29·926	29·927	29·954	29.972	29·984	29·997	30.004	29·988	29·962	29
30	29·973	29·955	29·947	29·945	29·945	29·959	29·976	29·986	29·997	30·011	29·995	29·974	30
31	29·951	29·936	29·926	29·918	29·922	29·929	29·946	29·964	29·981	29·980	29·960	29·938	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins	ins.	
1	29·784	29·781	29·764	29·763	29·760	29·768	29·782	29·790	29·806	29·835	29·835	29·831	1
2	29·888	29·869	29·851	29·852	29·855	29·874	29·882	29·893	29·911	29·937	29·936	29·930	2
3	29·946	29·928	29·906	29·900	29·906	29·906	29·909	29·929	29·953	29·949	29·935	29·925	3
4	29·928	29·908	29·888	29·882	29·888	29·886	29·886	29·898	29·906	29·912	29·924	29·934	4
5	29·913	29·894	29·878	29·880	29·890	29·902	29·918	29·920	29·928	29·941	29·950	29·954	5
6	29·902	29·884	29·878	29·872	29·872	29·869	29·886	29·910	29·926	29·940	29·936	29·924	6
7	29·866	29·842	29·826	29·825	29·834	29·837	29·849	29·868	29·877	29·882	29·878	29·864	7
8	29·783	29·758	29·741	29·741	29·742	29·761	29·782	29·804	29·812	29·821	29·817	29·812	8
9	29·776	29·756	29·741	29·739	29·749	29·756	29·773	29·788	29·810	29·825	29·822	29·822	9
10	29·851	29·829	29·820	29·822	29·824	29·837	29·849	29·857	29·886	29·899	29·900	29·878	10
11	29·889	29·871	29·849	29·843	29·849	29·868	29·883	29·896	29·906	29·907	29·905	29·893	11
12	29·828	29·802	29·791	29·800	29·808	29·824	29·837	29·851	29·886	29·878	29·881	29·864	12
13	29·853	29·822	29·811	29·813	29·817	29·826	29·846	29·864	29·881	29·895	29·898	29·893	13
14	29·889	29·856	29·854	29·860	29·871	29·897	29·914	29·933	29·960	29·970	29·968	29·956	14
15	29·936	29·909	29·886	29·884	29·887	29·916	29·918	29·939	29·946	29·948	29·948	29·941	15
16	29·912	29·872	29·860	29·857	29·859	29·874	29·896	29·914	29·928	29·947	29·941	29·925	16
17	29·904	29·878	29·868	29·873	29·886	29·896	29·917	29·938	29·960	29·963	29·951	29·957	17
18	29·930	29·914	29·896	29·908	29·911	29·918	29·922	29·942	29·962	29·972	29·960	29·958	18
19	29·942	29·924	29·916	29·918	29·928	29·941	29·964	29·984	29·996	29·997	30.005	30·000	19
20	29·990	29·962	29·952	29·954	29·958	29·960	29·967	29·981	29·991	29·993	29·995	29·993	20
21	29 945	29·920	29·910	29·919	29·929	29·939	29·950	29·984	30·011	30·020	30·016	30·004	21
22	30·021	30·004	29·986	29·997	30·014	30·036	30·051	30·068	30·082	30·086	30·084	30·080	22
23	30·033	30·015	29·998	29·998	30·003	30·012	30·016	30·025	30·037	30·043	30·045	30·036	23
24	29·985	29·957	29·935	29·944	29·949	29·956	29·967	29·983	29·997	30·005	30·008	30·004	24
25	30·010	29·984	29·972	29·975	29·992	30·007	30·018	30·039	30·049	30·052	30·050	30·043	25
26	30·061	30·029	30·013	30·020	30·017	30·025	30·036	30·061	30·067	30.067	30·061	30·045	26
27	30·005	29·974	29·945	29·937	29·940	29·948	29·966	29·977	29·989	29·989	29·986	29·978	27
28	29·950	29·917	29·902	29·889	29·907	29·911	29·918	29·941	29·955	29·963	29·959	29·956	28
29	29·937	29·911	29·904	29·910	29·914	29·925	29·942	29·959	29·972	29·979	29·981	29·985	29
30	29·950	29·927	29·910	29·908	29·913	29·922	29·937	29·962	29·970	29·980	29·978	29·963	30
31	29·905	29·871	29·845	29·841	29·842	29·856	29·864	29·883	29·895	29·892	29·887	29·889	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of OCTOBER, 1925.

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	80·0	79·0	77·1	76·1	76·2	76·1	76·0	80·0	82·8	83·4	83·9	80·9	1
2	79·2	79·2	79·3	79·5	79·9	79·8	80·0	79·5	80·7	81·9	82·2	81·2	2
3	79·3	79·1	78·5	78·0	77·9	77·7	78·0	78·2	78·8	79·2	79·1	79·7	3
4	79·9	79·8	80·0	79·6	79·3	78·1	79·2	79·8	80·0	82·0	81·0	81·0	4
5	79·0	78·0	77·0	76·9	77·4	77·3	78·0	78·8	82·2	80·3	83·0	83·8	5
6	75·6	75·1	75·0	75·0	75·0	75·0	75·0	75·2	78·8	81·5	81·2	83·0	6
7	76·3	75·0	75·8	75·5	75·0	75·0	75·7	76·8	78·4	80·0	81·8	81·7	7
8	77·9	77·0	76·9	76·5	76·0	75·2	76·0	76·5	81·1	82·5	83·9	84·5	8
9	76·0	76·8	77·9	77·4	77·5	76·8	76·9	78·0	79·0	80·0	81·8	83·3	9
10	74·9	74·1	73·3	72·0	71·0	70·8	70·5	72·0	73·1	75·1	75·7	77·2	10
11	71·1	70·2	70·1	69·1	68·5	67·7	68·3	70·6	72·3	74·3	74·9	76·3	11
12	71·4	71·1	71·0	71·1	69·6	70·0	70·5	73·2	73·1	77·5	78·3	80·2	12
13	72·1	70·1	70·6	72·0	72·0	71·3	71·5	72·7	75·0	76·0	78·0	79·0	13
14	70·4	71·1	72·3	73·2	72·4	71·5	71·8	72·9	75·2	77·0	78·3	79·0	14
15	73·6	73·4	72·4	71·8	71·2	71·0	71·6	73·5	75·0	76·4	76·9	77·2	15
16	70·9	72·2	72·3	70·1	70·0	70·9	71·0	73·1	75·0	75·6	75·7	76·6	16
17	70·2	71·0	70·3	70·7	71·9	71·2	72·0	73·8	75·4	76·2	78·1	78·0	17
18	74·0	73·8	73·9	73·8	73·5	73·0	72·8	73·4	74·7	76·1	76·3	76·8	18
19	74·0	74·0	73·9	74·0	73·8	73·7	73·8	77·3	77·3	79·5	80·1	81·0	19
20	73·0	69·9	70·0	70·8	69·6	69·7	70·9	71·0	71·3	73·1	73·9	73·5	20
21	70·9	70·3	71·0	70·6	71·0	71·0	71·1	73·1	77·0	77·0	76·1	77·0	21
22	73·1	72·2	72·8	72·1	72·2	71·8	72·1	74·0	75·5	76·7	78·0	78·3	22
23	73·1	72·9	72·1	71·9	71·2	70·7	71·2	71·9	73·0	74·0	74·0	75·1	23
24	70·9	71·8	71·2	71·2	71·0	70·1	69·1	72·8	73·6	76·0	76·0	76·0	24
25	70·3	70·1	69·8	69·4	69·0	69·1	70·9	74·0	74·1	76·2	77·0	78·0	25
26	72·0	72·0	71·9	71·9	71·0	71·1	71·2	73·7	75·0	76·4	76·0	75·1	26
27	71·5	71·0	70·7	70·4	70·1	69·9	70·1	71·8	73·1	73·0	74·0	75·9	27
28	69·6	69·3	69·1	70·0	70·0	69·9	69·5	72·0	73·1	76·1	77·0	77·4	28
29	70·1	70·1	70·7	71·0	70·7	70·2	71·0	73·3	75·1	76·3	77·9	81·0	29
30	71·9	71·7	71·9	71·3	71·1	71·6	70·4	73·1	76·1	77·9	79·1	78·8	30
31	71·2	70·5	71·0	70·5	70·2	70·0	70·0	71·8	75·1	77·5	78·0	78·8	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	79·0	78·0	78·0	80·0	80·4	79·9	79·3	80·0	79·6	79·8	78·9	79·5	1
2	81·0	82·3	81·9	81·1	81·0	80·0	79·5	79·8	79·4	79·8	79·8	79·9	2
3	80·0	79·9	79·9	79·9	80·0	80·2	79·3	79·9	79·9	80·0	80·0	80·0	3
4	82·0	82·0	81·9	81·3	81·0	79·9	79·0	79·0	79·0	79·0	79·2	79·4	4
5	82·0	81·7	81·0	79·2	79·2	79·2	77·1	77·1	77·8	77·0	76·0	76·0	5
6	83·0	83·1	83·1	82·0	81·1	79·0	77·8	77·8	77·1	76·0	76·9	76·1	6
7	81·1	81·5	81·2	80·4	80·0	79·1	79·1	79·0	78·1	79·1	79·5	78·6	7
8	86·0	84·7	85·5	85·8	84·7	80·4	79·2	79·0	78·3	78·1	78·0	76·8	8
9	84·1	84·7	84·9	84·3	83·7	81·9	80·9	80·2	79·3	78·1	77·0	76·1	9
10	77·5	78·5	78·8	78·7	78·3	76·0	74·5	75·9	76·0	75·0	73·4	71·5	10
11	76·8	78·1	77·3	77·0	76·8	76·0	73·8	72·0	72·6	71·0	72·0	71·6	11
12	80·3	81·0	80·2	79·9	78·5	75·9	74·1	74·0	73·0	73·0	72·7	72·5	12
13	79·9	79·9	79·0	78·5	78·0	76·3	76·2	76·0	74·2	73·4	73·0	72·4	13
14	78·8	78·0	76·5	76·0	75·2	74·8	74·1	73·6	73·0	73·1	73·3	73·0	14
15	77·8	77·5	77·0	76·2	75·1	74·2	73·5	73·0	72·5	72·1	73·0	71·3	15
16	77·0	77·0	76·9	76·0	75·0	74·1	73·4	72·8	72·8	72·1	70·1	71·9	16
17	77·4	77·0	77·0	75·9	74·8	74·2	73·9	73·5	73·5	74·4	74·2	74·3	17
18	77·1	76·1	76·7	75·4	75·0	74·0	74·0	74·0	74·0	73·7	74·0	74·0	18
19	80·6	81·1	80·0	79·1	77·9	76·8	76·0	76·1	76·0	75·9	74·9	72·5	19
20	74·0	75·0	73·9	73·5	73·0	72·6	72·1	71·9	72·6	71·8	72·0	72·2	20
21	78·0	77·8	76·0	76·1	75·9	75·0	74·1	74·0	73·2	73·1	73·0	73·0	21
22	77·5	77·2	76·5	75·2	74·2	73·5	73·1	72·9	73·0	73·2	73·1	73·1	22
23	76·0	75·7	74·8	74·3	73·3	72·2	72·0	71·8	71·0	71·0	71·3	71·1	23
24	76·2	76·0	75·3	75·1	73·8	72·0	71·3	71·0	71·2	71·0	70·6	70·1	24
25	77·9	77·3	76·2	75·7	74·8	73·8	72·2	72·1	72·1	72·8	72·8	72·5	25
26	75·9	76·1	75·5	75·0	74·1	73·1	72·2	72·1	71·9	71·2	71·8	72·0	26
27	76·2	77·0	76·1	75·2	73·9	72·5	71·6	70·9	70·2	70·4	69·2	69·4	27
28	77·9	78·5	76·9	75·7	74·6	73·0	72·1	71·8	71·1	71·1	70·8	70·9	28
29	80·0	80·0	79·0	78·0	76·1	74·4	73·1	72·5	72·4	72·1	71·5	70·8	29
30	78·0	77·5	77·3	76·3	75·1	73·8	72·7	72·3	72·1	71·8	71·7	71·3	30
31	79·0	79·9	80·0	79·4	78·1	76·0	74·9	74·9	74·3	74·0	73·8	75·0	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of OCTOBER, 1925.

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	76·1	76·2	75·1	74·1	74·8	74·8	74·3	76·0	76·5	76·2	78·0	77·0	1
2	75·0	74·8	75·0	74·0	73·8	75·0	75·0	74·9	74·8	75·0	75·2	75·0	2
3	73·0	72·2	72·8	72·1	72·1	72·0	72·1	72·7	73·0	73·1	73·4	74·0	3
4	75·4	75·0	74·9	74·9	74·3	75·0	74·9	75·9	75·1	75·9	75·4	75·8	4
5	75·8	75·0	75·1	74·8	74·3	74·9	75·0	75·5	78·0	76·0	77·2	78·0	5
6	71·0	70·5	70·0	70·0	69·9	69·1	69·0	69·2	72·0	73·9	73·9	74·5	6
7	71·0	70·0	70·0	69·7	69·8	70·0	70·8	70·9	71·1	72·0	73·0	72·7	7
8	73·9	73·0	73·0	73·0	72·9	72·1	73·1	73·2	75·0	75·0	74·9	75·0	8
9	70·0	67·2	66·1	65·5	65·0	64·0	64·0	64·1	64·7	64·2	66·0	66·1	9
10	59·0	58·3	57·7	56·5	56·0	55·8	56·0	57·1	58·4	59·5	61·0	60·5	10
11	59·1	58·0	57·5	57·1	57·6	57·3	56·7	57·5	59·0	59·1	61·4	61·9	11
12	61·0	60·9	58·8	58·8	58·6	58·9	59·9	61·0	61·0	63·0	62·8	64·8	12
13	65·1	64·0	62·1	61·6	61·0	60·0	60·1	61·0	61·6	62·0	63·5	65·3	13
14	64·7	61·8	61·2	61·0	60·0	59·0	59·7	61·0	61·9	63·1	64·0	64·1	14
15	66·7	67·0	66·7	65·8	65·4	64·1	64·0	65·7	65·8	63·0	65·5	65·0	15
16	65·0	65·6	66·0	64·9	64·9	65·5	65·0	66·0	66·8	66·0	65·8	64·1	16
17	64·9	65·0	64·9	65·8	66·8	67·0	67·1	67·8	67·4	67·8	68·0	68·4	17
18	67·0	67·1	67·3	67·0	67·8	67·7	67·8	68·0	68·1	68·1	67·0	67·0	18
19	69·0	69·0	69·1	69·0	69·0	68·0	68·2	70·2	69·5	70·0	70·9	70·9	19
20	68·0	67·3	67·9	68·2	67·2	67·0	67·0	66·7	66·0	66·1	66·0	66·5	20
21	65·7	65·0	65·9	65·7	65·0	66·0	67·0	66·8	67·9	67·9	68·0	69·7	21
22	67·9	67·6	68·1	68·0	67·3	67·0	67·0	67·4	68·0	67·9	66·9	68·0	22
23	66·1	66·0	66·5	64·9	64·0	63·7	63·2	63·8	63·3	63·2	63·0	63·6	23
24	64·0	64·2	64·2	64·1	65·0	65·1	64·2	66·0	66·1	67·0	66·1	65·0	24
25	63·2	63·1	63·1	63·8	63·3	63·7	65·0	66·9	66·8	67·8	67·9	68·0	25
26	62·7	63·2	63·0	62·0	61·3	60·0	60·0	60·8	60·4	61·2	60·5	60·0	26
27	66·0	65·9	65·6	65·0	64·1	63·1	62·8	62·9	63·0	62·9	63·1	61·8	27
28	64·8	64·7	64·1	65·0	65·0	65·0	65·0	66·0	66·2	64·1	65·0	64·5	28
29	65·1	65·6	66·1	67·0	66·7	65·3	64·1	64·2	66·2	66·9	67·2	69·1	29
30	68·0	68·1	68·0	67·9	66·7	64·9	64·2	66·7	67·0	68·1	68·0	68·0	30
31	66·9	66·5	67·1	67·0	67·1	67·0	66·9	68·9	69·0	68·8	69·1	69·0	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	77·0	76·1	76·2	76·8	77·0	76·8	76·0	76·0	76·0	76·0	75·1	76.0	1
2	74·0	74·8	74·0	73·8	74·0	74·0	73·9	74·1	73·9	72·9	73·4	73·0	2
3	74·3	74·5	74·5	74·7	74·2	73·2	74·8	75·0	75·6	75·9	75·6	75·2	3
4	76·3	75·9	75·6	75·0	75·1	75·1	75·0	75·0	75·0	75·0	76·0	76·1	4
5	77·0	77·0	76·4	76·1	76·8	76·2	74·8	73·1	73·0	72·8	72.8	72·0	5
6	74·1	74·5	74·1	75·0	74·0	72·2	71·0	70·4	70·0	70·0	70·9	71·0	6
7	72·6	73·9	73·8	73·1	73·0	72·9	73·0	73·0	73·6	74·5	74·6	74·1	7
8	76·0	73·9	73·8	73·8	72·9	74·8	73·9	74·0	73·8	74·0	73·8	72·2	8
9	66·3	66·1	67·1	66·5	65·9	65·0	65·0	64·8	64·0	63·0	61·0	59·0	9
10	61·0	60·5	61·7	61·0	60·5	59·0	58·0	58·8	57·9	58·3	58·5	58·5	10
11	62·8	63·0	61·5	61·5	61·1	60·9	61·0	60·9	62·2	61·9	62·0	62·9	11
12	64·0	64·1	64·0	63·0	63·0	62·8	62·2	65·0	65·0	65·9	65·0	66·0	12
13	66·9	66·0	65·8	65·0	65·1	64·2	65·0	66·0	66·0	66·7	66·2	67·0	13
14	64·6	66·8	66·9	67·1	67·0	66·0	66·0	66·1	66·9	66·9	66·7	66·0	14
15	65·0	64·6	63·9	64·0	64·0	63·6	64·0	64·1	64·0	64·5	65·0	64·1	15
16	64·5	64·8	64·0	64·5	63·9	63·1	63·6	63·7	64·1	65·0	63·9	65·1	16
17	67·2	67·0	67·1	66·1	66·0	65·0	65·0	65·3	66·0	67·2	67·0	67·0	17
18	67·1	67·0	68·1	67·2	68·0	66·9	67·0	67·2	67·8	68·0	68·5	69·0	18
19	70·0	71·0	70·9	71·1	70·9	70·0	70·1	70·3	70·0	70·0	67·7	67·1	19
20	66·0	67·0	67·0	67·1	67·1	67·0	66·1	65·9	66·0	66·0	65·0	65·1	20
21	70·0	70·0	69·1	69·1	68·9	68·2	68·2	68·5	68·7	68·9	68·8	68·5	21
22	68·7	68·8	68·5	67·8	67·1	66·9	66·1	66·2	66·2	66·1	66·0	66·1	22
23	63·8	63·9	63·0	63·7	63·7	63·0	62·9	63·1	63·9	64·0	63·9	64·1	23
24	64·3	63·5	62·9	63·3	63·1	63·0	62·8	62·9	62·9	63·0	63·0	63·0	24
25	67·0	66·1	64·8	64·0	64·0	64·1	63·1	63·2	63·2	62·0	61·9	62·1	25
26	59·1	60·1	60·2	61·0	62·1	63·0	63·8	63·0	64·0	64·2	64·9	65·0	26
27	62·9	63·4	63·1	62·9	63·0	63·0	63·1	63·0	63·2	63·5	63·9	64·1	27
28	65·2	66·0	66·1	65·7	65·4	65·2	64·9	65·8	65·1	65·4	65·2	65·7	28
29	68·0	68·0	67·0	67·7	67·4	67·2	67·0	66·9	67·0	67·4	67·8	67·7	29
30	69·8	69·4	68·8	68·3	66·9	65·9	65·1	65·4	65·9	66·0	66·1	66·1	30
31	69·1	69·8	69·4	68·3	67·0	66·8	65·3	65·0	65·0	65·0	65·1	61·5	31

TABLE IV.—AMOUNT OF CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of OCTOBER, 1925.
(... = Clear Sky.)

Days of the Month	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	8	10	10	10	8	8	3	3	6	3	9	10	10	10	10	10	8	9	9	8	8	10	10	10	1
2	9	10	10	10	10	10	9	10	10	10	8	10	10	10	6	3	3	3	2	4	3	1	3	3	2
3	2	2	7	5	4	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	3
4	10	10	10	10	10	10	9	10	9	9	9	10	10	10	10	10	10	9	6	8	9	8	9	10	4
5	10	10	10	9	10	9	8	7	9	10	9	9	9	10	10	10	10	10	10	8	7	3	7	10	5
6	8	9	10	10	10	10	10	9	7	8	9	8	6	10	10	7	8	6	5	10	10	8	10	10	6
7	9	8	5	4	2	2	2	3	3	7	6	5	3	4	8	2	4	4	6	8	9	10	10	10	7
8	9	7	10	8	7	5	4	9	8	2	1	1	7	8	5	3	2	6	2	2	...	...	..	1	8
9	...	...	.	...	1	1	1	...	...	...	...	...	...	...	..		...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	10
11	...	...	...	...	...	.	...	...	...	2	2	2	...	1	1	2	3	4	...	...	...	...	...	...	11
12	...	...	...	...	...	2	...	2	1	2	1	2	2	5	5	7	8	6	...	...	...	...	...	...	12
13	...	...	1	...	...	...	...	...	1	..	1	...	...	1	1	4	7	9	10	1	...	..	...	...	13
14	...	9	8	10	10	8	4	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	1	14
15	8	10	4	...	...	8	2	6	2	1	1	1	1	2	1	1	2	4	...	..	...	...	...	...	15
16	3	1	1	...	...	2	2	2	4	3	4	1	...	...	...	1	..	...	...	...	...	...	...	...	16
17	...	...	...	...	2	3	2	3	7	6	3	3	1	1	2	3	2	1	...	...	...	...	4	6	17
18	7	5	1	...	...	2	8	9	8	7	5	4	3	4	4	7	8	9	9	8	2	...	7	4	18
19	9	10	10	10	10	10	4	9	9	8	6	7	6	7	9	10	9	10	10	10	10	10	10	10	19
20	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	5	10	10	10	10	20
21	10	4	6	10	7	7	...	1	3	3	10	9	6	9	9	9	8	6	5	3	...	1	...	...	21
22	7	5	2	...	1	1	2	2	1	7	6	4	2	2	1	1	...	...	...	...	2	...	...	...	22
23	...	...	...	...	...	1	...	1	1	...	1	...	...	...	...	..	...	...	...	...	...	...	...	...	23
24	...	1	...	...	2	2	1	2	2	2	2	2	...	2	1	...	4	...	..	...	...	...	..	...	24
25	...	...	...	...	...	...	10	10	10	8	4	3	3	1	1	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	..	...	..	...	...	...	...	...	...	...	..	1	1	26
27	3	1	1	...	2	4	2	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	1	...	...	...	2	2	2	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	28
29	1	2	2	1	1	...	...	...	1	..	1	...	...	...	...	..	...	...	...	...	...	...	1	4	29
30	...	...	1	...	...	...	...	...	...	...	...	2	3	3	2	2	...	2	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	1	1	1	2	2	3	4	4	3	1	...	...	...	...	...	...	...	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of OCTOBER, 1925.
(... = No Sunshine recorded.)

Days of the Month	Hours, Hongkong Apparent Time. 6	7	8	9	10	11	Noon	13	14	15	16	17	18	Days of the Month.
	h.	h.	h.	h	h.	h.	h.	h	h.	h.	h.	h.	h	
1	...	0·7	1·0	1·0	1·0	0·5		...	...		0·3	0·1	...	1
2	...	...	...	0·2	0·8	0·9	0·2	0.8	1·0	1·0	1·0	0·7	...	2
3	...	0·1	0·2	0·2	...	...	...	...	...	..	...	...	...	3
4	...	...	...	0·7	1·0	0·6	0·6	0·9	0·8	0·5	0·3	...	...	4
5	...	...	0·6	0·4	0·1	0·9	0·6	...	...	...	...	...	...	5
6	...	...	0·1	1·0	1·0	1·0	1·0	0·6	0·2	0·5	0·5	...	...	6
7	0·1	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	7
8	...	0·6	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	...	8
9	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·1	9
10	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·2	10
11	0·1	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	0·1	11
12	...	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	12
13	...	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·2	...	13
14	...	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	...	14
15	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	15
16	...	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	16
17	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	17
18	...	0·5	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	0·1	...	18
19	...	0·4	0·6	0·6	1·0	1·0	1·0	1·0	0·4	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	0·7	1·0	0·5	0·5	0·3	0·8	1·0	0.6	0·6	0·7	0·1	...	21
22	...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	22
23	...	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	...	23
24	...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	...	...	24
25	...	0·4	0·5	...	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	...	25
26	...	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	26
27	...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	..	27
28	...	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	...	28
29	...	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	...	29
30	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	30
31	...	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of OCTOBER, 1925.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	0·145	0·010	...	...	...	...	...	...	...	0·100	1
2	...	...	...	...	...	d	...	d	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	d	0·005	0·005	...	...	...	...	...	...	4
5	...	...	0·015	0·005	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	0·030	0·020	0·040	0·015	0·035	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	d	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24		...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	0·170	0·870	0·260	...	d	...	...	d	...	0·675	0·005	d	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	0·015	d	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	d	4
5	...	...	d	d	...	0·010	0·720	0·010	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	d	d	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	d	0·005	d	19
20	...	...	d	...	...	d	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of OCTOBER, 1925.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hongkong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	12	5	10	5	8	11	8	9	8	7	8	6	...	1	8	4	9	8	9	6	9	11	6	12	1
2	7	15	7	16	7	16	7	19	7	17	7	20	7	20	6	22	7	22	6	21	7	21	6	21	2
3	6	21	6	21	6	18	6	20	5	21	6	20	5	22	5	22	6	21	6	23	6	25	7	21	3
4	7	27	7	26	7	22	7	22	6	22	6	23	6	24	6	20	6	24	6	21	6	20	6	19	4
5	7	4	7	3	7	10	6	7	...	...	6	8	7	5	6	5	5	8	5	9	8	9	10	12	5
6	2	5	2	9	1	11	1	13	1	13	1	13	1	13	1	12	2	12	1	10	1	9	3	13	6
7	4	12	4	10	4	16	4	13	4	12	3	10	3	14	3	17	4	19	5	19	7	19	8	20	7
8	4	6	4	4	5	6	5	5	5	2	5	4	4	3	3	6	4	7	4	10	32	11	32	10	8
9	3	5	2	10	2	17	1	16	1	24	1	20	1	17	1	24	32	20	32	29	32	22	32	20	9
10	32	20	1	23	1	25	2	19	3	12	4	8	3	11	2	17	2	30	1	29	1	20	32	20	10
11	32	15	32	13	1	16	1	15	1	13	1	14	1	15	32	14	32	12	4	14	5	11	7	10	11
12	...	1	...	1	6	4	3	6	2	3	2	10	2	9	2	6	1	9	32	4	32	12	1	11	12
13	...	...	3	5	1	8	5	3	7	3	5	4	1	6	1	19	32	20	32	22	32	14	4	9	13
14	5	4	1	7	1	9	1	10	1	14	1	13	1	17	1	13	2	13	4	16	5	16	6	15	14
15	4	7	3	10	3	13	4	12	4	12	3	9	3	7	3	11	5	10	6	12	9	12	10	14	15
16	...	1	4	6	3	9	2	9	2	10	3	13	4	9	4	12	5	13	7	15	9	16	9	15	16
17	6	5	5	5	...	1	...	...	5	9	4	12	5	12	6	9	7	16	8	14	9	14	9	17	17
18	8	15	8	18	7	16	7	14	6	15	6	15	5	13	6	17	6	18	7	18	8	17	8	18	18
19	6	6	6	7	6	7	5	8	5	9	5	10	5	7	6	6	8	9	9	8	9	9	10	9	19
20	6	7	...	...	...	1	...	...	5	4	1	7	2	6	1	9	32	5	1	10	1	7	32	5	20
21	...	...	...	...	...	..	...	...	...	...	...	...	...	...	5	2	5	3	6	8	7	7	7	6	21
22	...	...	...	...	6	7	4	12	3	11	4	13	4	15	4	16	5	15	6	15	7	14	9	20	22
23	7	18	7	18	7	17	6	19	6	19	5	17	6	19	6	23	6	25	7	24	8	20	8	20	23
24	5	8	6	10	6	10	6	12	6	11	4	9	3	7	6	11	6	11	8	12	9	13	10	14	24
25	...	...	...	...	...	...	...	...	...	...	...	...	11	2	8	9	8	7	9	8	10	8	10	13	25
26	6	11	6	13	7	18	7	20	6	14	7	19	7	20	7	22	6	19	7	20	8	22	8	25	26
27	7	17	6	17	6	19	6	24	6	23	7	21	6	22	6	20	6	25	7	21	8	18	9	15	27
28	...	...	6	2	5	5	6	9	5	10	4	10	3	9	4	10	5	10	8	14	9	13	9	16	28
29	...	...	..	...	...	1	8	6	6	7	5	7	5	10	6	10	7	15	9	13	10	9	11	5	29
30	8	8	7	9	6	7	7	7	6	8	7	6	8	2	...	...	...	1	8	2	12	3	25	4	30
31	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	27	4	23	8	22	7	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	32	7	7	8	10	12	10	12	9	13	8	16	8	17	8	17	8	20	8	19	7	20	8	21	1
2	7	23	7	21	7	20	8	21	7	19	7	18	8	18	7	26	7	22	7	23	7	23	7	22	2
3	7	21	6	18	6	19	6	20	7	18	8	19	8	19	9	21	9	21	9	22	8	25	8	26	3
4	6	18	6	19	6	17	6	15	7	11	8	15	7	8	7	10	7	11	6	12	6	10	7	9	4
5	10	8	12	5	19	5	23	7	26	3	28	2	2	11	5	8	5	11	31	2	32	7	2	6	5
6	4	11	4	12	4	8	3	8	8	7	32	9	1	10	1	11	1	12	3	8	4	16	4	15	6
7	8	18	9	15	8	17	8	13	1	18	7	15	7	14	7	9	7	11	6	9	5	8	4	4	7
8	1	5	2	9	1	9	1	9	32	9	8	14	8	14	7	11	7	7	7	4	7	3	5	3	8
9	32	18	32	15	1	15	32	13	32	13	32	14	32	19	32	21	32	24	32	24	32	26	32	24	9
10	32	19	32	16	1	13	1	9	1	10	1	6	32	8	32	15	1	11	1	16	1	18	32	17	10
11	9	12	31	8	1	12	2	8	5	6	5	4	...	1	...	...	...	...	...	1	...	...	...	...	11
12	3	14	2	11	1	9	2	11	2	5	2	5	4	3	7	2	...	1	11	2	...	...	...	...	12
13	9	10	8	8	2	6	1	7	6	3	8	2	8	5	10	5	...	...	...	...	...	...	...	...	13
14	9	15	9	17	9	16	9	18	8	15	7	11	6	9	5	8	5	8	5	9	5	6	5	5	14
15	10	13	10	17	9	18	9	20	9	15	8	11	7	7	7	5	7	2	8	2	7	8	6	3	15
16	9	17	10	16	10	18	10	17	9	12	8	11	7	9	7	8	8	8	8	4	...	1	7	4	16
17	9	18	9	18	10	19	9	19	9	17	7	14	6	8	6	8	7	8	8	15	8	17	7	19	17
18	9	17	9	19	10	18	9	17	9	16	8	15	8	12	7	9	7	5	7	6	7	8	7	9	18
19	10	8	9	8	1	6	24	2	19	3	16	6	12	7	10	7	9	8	7	6	2	7	1	7	19
20	5	7	7	10	7	6	7	6	7	7	7	7	7	3	7	2	...	...	...	...	...	1	...	...	20
21	10	8	10	7	9	10	9	10	9	10	9	8	9	8	9	9	9	5	8	7	8	3	...	...	21
22	10	10	10	17	9	16	8	21	8	19	8	15	8	12	8	12	7	11	7	17	8	18	7	17	22
23	8	14	9	20	10	20	9	16	9	16	8	11	7	8	7	8	6	8	6	7	6	8	6	6	23
24	10	15	9	16	9	14	9	10	10	9	11	3	12	2	12	2	...	1	...	...	...	...	...	...	24
25	10	14	10	17	9	19	8	19	8	17	8	11	7	6	9	9	8	12	8	12	7	11	6	11	25
26	7	19	10	19	10	18	10	19	8	19	8	19	7	15	7	10	7	10	7	11	7	13	7	20	26
27	10	15	10	11	10	14	10	15	9	17	9	13	8	8	8	7	8	4	8	5	...	...	...	1	27
28	10	12	10	12	10	13	10	8	10	9	9	9	9	8	9	9	9	6	9	7	9	5	9	3	28
29	10	8	10	4	19	6	27	2	5	3	...	1	9	7	10	7	8	9	7	7	9	4	9	2	29
30	8	14	9	13	9	9	9	7	8	8	8	8	11	4	...	1	...	...	...	...	...	...	...	...	30
31	22	8	22	10	21	11	22	11	23	11	24	7	28	5	...	1	...	...	...	...	...	...	1	11	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of OCTOBER, 1925.
(... = no clouds.)

Days of the Month	Hours, Hongkong Standard Time. 1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	WSW	cu-nb	WSW	ci-st	SSE	cu	WSW	nb	ESE	cu-nb	ESE	cu	NE	nb	E
2	cu-nb	E	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E
3	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	cu-nb	E	cu	E
4	cu	E	nb	E	cu	E	ci-st / cu	WNW / E	cu	E	cu	E	cu	E	a-cu / cu	SW / E
5	cu	E	cu	E	cu	E	cu	E	cu	E	nb	N	nb	NNE	a-cu / cu	WSW / N
6	a-cu / cu	WSW / NNE	a-cu / cu	WSW / NNE	cu	ENE	ci-cu / cu	WSW / E	a-cu / cu	SW / E	a-cu / cu	SW / ENE	cu	ENE	cu	ENE
7	cu	NNE	cu	NNE	cu	ENE	cu	ENE	cu	E	cu	E	cu	E	nb	E
8	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu	NNE	cu	ENE	...	...
9	...	...	...	...	cu	NE	...	...	...	...	...	...	...	...	...	...
10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11	...	...	...	...	...	...	ci-st	SSW	...	...	ci-st	SW	...	...	...	...
12	...	...	...	...	...	...	ci-st	SW	ci-st	SSW	ci-st	SW	...	...	...	...
13	...	...	...	...	...	...	...	...	...	...	cu	E	cu	ENE	...	...
14	...	...	cu	NE	a-cu	WSW	a-cu	WSW	...	...	...	...	...	...	...	...
15	cu	ESE	...	...	ci-cu	ENE	cu	ENE	cu	ENE	cu	ENE	...	...	...	...
16	cu	ENE	...	...	cu	E	cu	ENE	...	...	cu	ENE	...	...	...	...
17	...	...	...	...	cu	ENE	cu	ENE	cu	E	ci-st	W	...	...	...	...
18	cu	E	...	...	cu	E	cu	E	ci	WNW	ci-cu / a-cu	WNW / W	a-cu / cu	W / E	...	...
19	cu	ENE	cu	ENE	ci-cu / cu	WNW / E	a-cu / cu	W / ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE
20	nb	E	nb	E	cu	NNE	a-st	SW	cu	NNW	cu-nb	NNW	cu-nb	N	cu-nb	E
21	cu-nb	N	cu-nb	N	...	...	cu	WNW	cu	NW	cu	NW	cu	NNW	cu	NE
22	cu-nb	NE	...	...	cu	NE	cu	NE	cu	NE	cu	NE	...	...	...	...
23	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
24	...	...	...	...	cu	ENE	cu	NE	...	...	...	...	...	...	...	...
25	...	...	...	...	a-cu / cu	WNW / ENE	cu	NE	cu	N	...	...	...	...	...	...
26	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
27	cu	NE	...	...	cu	E	...	...	...	...	...	...	...	...	...	...
28	...	...	...	...	cu	ENE	...	...	...	...	...	...	...	...	...	...
29	cu	ENE	cu	ENE	...	...	...	...	...	...	...	...	...	...	...	...
30	...	...	...	...	...	...	...	...	cu	E	cu	E	...	...	...	...
31	...	...	...	...	...	...	...	...	cu	NNE	cu	NE	...	...	...	...

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of OCTOBER, 1925.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·787	84·9	75·9	9·0	79·3	76·0	0·854	86	83	4·6	39	2·235	5	− 0·2	+ 10·6	91	10·6	11·1
2	·877	82·7	79·1	3·6	80·3	74·3	·769	74	70	6·6	55	...	...	+ 4·0	+ 20·0	79	20·4	20·2
3	·929	80·2	77·6	2·6	79·3	73·7	·757	76	86	0·5	4	0·015	1	+ 5·2	+ 19·7	75	20·4	21·0
4	·909	82·3	77·9	4·4	80·1	75·3	·813	79	94	5·4	46	0·010	2	+ 5·4	+ 16·8	72	17·6	17·7
5	·917	84·5	75·7	8·8	79·0	75·3	·829	83	89	2·6	22	0·760	2	+ 1·8	+ 3·8	65	4·2	6·5
6	·909	84·1	74·7	9·4	78·3	71·7	·690	71	87	5·9	50	...	...	+ 9·9	+ 4·0	22	10·7	10·8
7	·873	82·0	73·6	8·4	78·5	72·2	·707	73	56	10·8	92	...	...	+ 5·2	+ 11·8	66	12·9	13·8
8	·808	86·1	75·0	11·1	80·0	73·8	·752	73	45	10·4	88	...	...	+ 4·3	+ 4·2	44	6·0	7·1
9	·792	84·9	75·8	9·1	79·9	65·0	·419	41	1	11·3	97	...	...	+ 18·6	+ 1·5	5	18·7	18·7
10	·853	79·4	70·0	9·4	74·7	58·7	·283	33	...	11·4	97	...	...	+ 15·9	+ 3·3	12	16·2	16·3
11	·886	78·1	67·3	10·8	72·8	60·2	·355	44	8	11·0	94	...	...	+ 7·3	+ 2·7	20	7·8	8·9
12	·860	81·1	69·2	11·9	74·7	62·5	·404	47	18	10·7	91	...	...	+ 5·0	+ 2·0	22	5·4	5·8
13	·863	80·9	69·9	11·0	74·9	64·0	·432	52	15	10·2	88	...	...	+ 4·7	+ 2·5	28	5·3	6·6
14	·907	79·7	69·9	9·8	74·4	64·1	·462	54	22	11·0	95	...	...	+ 5·6	+ 8·0	55	9·8	11·8
15	·935	78·5	69·1	9·4	74·0	64·8	·491	58	22	10·4	90	...	...	+ 2·1	+ 8·9	77	9·2	10·4
16	·921	77·7	69·9	7·8	73·4	64·8	·499	60	10	10·1	87	...	...	+ 1·6	+ 9·0	80	9·2	10·5
17	·924	78·5	70·0	8·5	74·1	66·5	·550	65	20	10·4	90	...	...	+ 0·8	+ 11·7	86	11·7	12·2
18	·941	77·8	72·8	5·0	74·6	67·6	·583	68	50	8·9	77	...	...	+ 1·2	+ 14·1	85	14·2	14·4
19	·963	82·2	72·2	10·0	76·6	69·7	·634	69	89	6·0	52	0·005	...	+ 0·8	+ 5·3	81	5·3	7·1
20	·994	75·6	69·6	6·0	72·1	66·6	·580	74	97	...	...	0·140	5	+ 2·7	+ 2·7	45	3·8	4·6
21	·966	78·9	70·1	8·8	74·0	67·8	·599	71	52	6·8	59	...	...	− 0·5	+ 4·5	97	4·5	4·6
22	30·032	78·8	71·5	7·3	74·2	67·3	·577	68	19	10·6	92	...	...	+ 2·5	+ 12·3	78	12·5	13·5
23	·049	76·4	70·4	6·0	72·7	63·9	·478	59	2	10·9	96	...	...	+ 2·5	+ 15·3	81	15·5	15·9
24	29·999	76·8	68·9	7·9	72·6	64·1	·485	60	10	9·7	85	...	...	+ 0·5	+ 7·5	86	7·5	8·3
25	30·021	78·1	68·9	9·2	73·3	64·5	·490	59	21	8·8	77	...	...	− 0·9	+ 8·3	96	8·4	8·5
26	·057	77·0	70·4	6·6	73·3	61·9	·403	49	1	10·8	95	...	...	+ 1·8	+ 17·0	84	17·1	17·3
27	·010	77·2	69·2	8·0	72·3	63·6	·473	59	5	10·6	93	...	...	+ 1·7	+ 13·9	83	14·0	14·7
28	29·958	79·1	68·8	10·3	72·8	65·2	·521	65	4	10·5	93	...	...	+ 0·1	+ 7·8	89	7·8	8·7
29	·952	81·0	70·0	11·0	74·1	66·8	·560	67	6	10·9	96	...	...	...	+ 4·9	90	4·9	6·0
30	·958	79·9	70·3	9·6	73·9	67·1	·574	69	6	10·6	94	...	...	...	+ 4·5	90	4·5	5·0
31	·909	80·3	69·2	11·1	74·7	67·1	·564	66	9	10·3	91	...	...	− 0·3	− 3·0	264	3·0	3·9
Means	29·928	80·2	71·7	8·5	75·4	67·3	0·568	64	35	Sum. 268·7	75	Sum. 3·165	Sum 15	+ 3·5	+ 8·3	67	9·0	11·0
Normals	29·870	8 ·8	72·7	8·1	76·3	69·9	0·652	71	51	214·4	60	5·022	34	+ 2·8	+ 10·3	75	10·6	13·9
Absolute Max.	30·124	86·1	...	11·9	...	78·7	0·922	...	...	11·4	97	2·235	5	...	...	...	...	30·0 †
Day.	26	8	...	12	...	1	1	...	...	10	9,10	1	1,20	...	...	...	...	10*d* 9*h*
Absolute Min.	29·739	...	67·3	2·6	...	55·8	0·271	31	...	...	...	...	...	...	...	...	...	...
Day.	9	...	11	3	...	10	10	10	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Lunar halo :—on the 4th.

Lunar corona :—on the 4th and 29th.

Unusual visibility :—on the 7th, 8th and 9th.

Dew :—on the 8th, 12th, 28th, 29th and 31st.

Lightning :—on the 1st and 5th.

Thunderstorms as follows :—

1*d.* 12*h.* 12*m.* to 15*h.* 17*m.* N.N.E. to S.S.W.; nearest at 12*h.* 12*m.* (1*s*).

Rain fell on 5 days. The mean hourly intensity was 0·211*in*, and the maximum fall in one hour was 0·870*ins* at 14*h* on the 1st.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 47 miles per hour at 9*h* 07*m* on the 10th.

* 0°=N., 90°=E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of OCTOBER, 1925.

(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature: Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1010·6	302·4	297·4	5·0	299·3	297·4	28·8	56·8	5	− 0·1	+ 3·5	19	3·5	3·6
2	1013·7	301·2	299·2	2·0	299·8	296·5	25·9	...	...	+ 1·3	+ 6·6	79	6·7	6·6
3	1015·5	299·8	298·3	1·5	299·3	296·2	25·5	0·4	1	+ 1·7	+ 6·5	75	6·7	6·9
4	1014·7	300·9	298·5	2·4	299·7	297·1	27·4	0·2	2	+ 1·8	+ 5·5	72	5·8	5·8
5	1015·0	302·2	297·3	4·9	299·1	297·1	28·0	19·3	2	+ 0·6	+ 1·2	65	1·4	2·1
6	1014·8	301·9	296·7	5·2	298·7	295·1	23·3	...	...	+ 3·2	+ 1·3	22	3·5	3·5
7	1013·6	300·8	296·1	4·7	298·8	295·3	23·8	...	...	+ 1·7	+ 3·9	66	4·2	4·5
8	1011·3	303·1	296·9	6·2	299·7	296·2	25·4	...	...	+ 1·4	+ 1·4	44	2·0	2·3
9	1010·8	302·4	297·3	5·1	299·6	291·3	14·1	...	...	+ 6·1	+ 0·5	5	6·1	6·1
10	1012·9	299·3	294·1	5·2	296·7	287·8	9·5	...	...	+ 5·2	+ 1·1	12	5·3	5·3
11	1014·0	298·6	292·6	6·0	295·7	288·7	11·9	...	...	+ 2·4	+ 0·9	20	2·6	2·9
12	1013·1	300·3	293·7	6·6	296·7	289·9	13·6	...	...	+ 1·6	+ 0·7	22	1·8	1·9
13	1013·2	300·2	294·1	6·1	296·8	290·8	15·2	...	...	+ 1·5	+ 0·8	28	1·7	2·2
14	1014·7	299·5	294·1	5·4	296·6	290·8	15·6	...	...	+ 1·8	+ 2·6	55	3·2	3·9
15	1015·7	298·8	293·6	5·2	296·3	291·2	16·5	...	...	+ 0·7	+ 2·9	77	3·0	3·4
16	1015·2	298·4	294·1	4·3	296·0	291·2	16·8	...	...	+ 0·5	+ 3·0	80	3·0	3·4
17	1015·3	298·8	294·1	4·7	296·4	292·2	18·6	...	...	+ 0·3	+ 3·8	86	3·8	4·0
18	1015·9	298·4	295·7	2·7	296·7	292·8	19·7	...	...	+ 0·4	+ 4·6	85	4·7	4·7
19	1016·6	300·9	295·3	5·6	297·8	293·9	21·4	0·1	...	+ 0·3	+ 1·7	81	1·7	2·3
20	1017·7	297·2	293·9	3·3	295·3	292·2	19·6	3·6	5	+ 0·9	+ 0·9	45	1·2	1·5
21	1016·7	299·1	294·2	4·9	296·3	292·9	20·2	...	...	− 0·2	+ 1·5	97	1·5	1·5
22	1019·0	299·0	294·9	4·1	296·4	292·6	19·5	...	...	+ 0·8	+ 4·0	78	4·1	4·4
23	1019·5	299·7	294·3	5·4	295·6	290·7	16·1	...	...	+ 0·8	+ 5·0	81	5·1	5·2
24	1017·9	297·9	293·5	4·4	295·6	290·8	16·4	...	...	+ 0·2	+ 2·5	86	2·5	2·7
25	1018·6	298·6	293·5	5·1	295·9	291·1	16·5	...	...	− 0·3	+ 2·7	96	2·8	2·8
26	1019·8	298·0	294·3	3·7	295·9	289·6	13·6	...	...	+ 0·6	+ 5·6	84	5·6	5·7
27	1018·2	298·1	293·7	4·4	295·4	290·6	15·9	...	...	+ 0·6	+ 4·6	83	4·6	4·8
28	1016·5	299·2	293·4	5·8	295·7	291·4	17·6	...	...	...	+ 2·6	89	2·6	2·9
29	1016·3	300·2	294·1	6·1	296·4	292·3	18·9	..	...	...	+ 1·6	90	1·6	2·0
30	1016·5	299·6	294·3	5·3	296·3	292·5	19·4	...	...	...	+ 1·5	90	1·5	1·6
31	1014·8	299·8	293·7	6·1	296·7	292·5	19·0	...	...	− 0·1	− 1·0	264	1·0	1·3
† Means.	1015·4	299·8	295·1	4·7	297·1	292·6	19·2	Sum. 80·4	Sum. 15	+ 1·1	+ 2·7	67	3·0	3·6
Normals	1013·7	300·1	295·6	4·5	297·6	294·1	22·0	127·6	34	+ 0·9	+ 3·4	75	3·5	4·6
Absolute Maximum.	1022·1	303·1	...	6·6	...	298·9	31·1	56·8	5	...	...	...	...	9·8†
Day.	26	8	...	12	...	1	1	1	1, 20	...	...	...	...	10*d* 9*h*
Absolute Minimum.	1008·9	...	292·6	1·5	...	286·2	9·1	...	...	...	...	...	...	...
Day.	9	...	11	3	...	10	10	...	...	...	...	...	...	...

ADOPTED ERRORS OF TIMEBALL, OCTOBER, 1925.

Date.	Error.	Date.	Error.	Date.	Error.
	s		*s*		*s*
1	...	11	− 0·1	21	− 0·2
2	...	12	− 0·1	22	...
3	+ 0·1	13	...	23	+ 0·1
4	+ 0·1	14	− 0·1	24	+ 0·1
5	...	15	− 0·2	25	+ 0·1
6	...	16	− 0·1	26	+ 0·2
7	− 0·2	17	− 0·2	27	+ 0·1
8	− 0·2	18	− 0·1	28	− 0·1
9	− 0·3	19	− 0·1	29	− 0·1
10	− 0·2	20	− 0·3	30	...
				31	+ 0·1

+ = Late; − = Early.

The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.

The probable error for the month was ± 0s·10

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of OCTOBER, 1925.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-100)	Percentage of Possible Sunshine.	Rainfall. Percentage of Total. Amount.	Rainfall. Percentage of Total. Duration	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·931	73·7	67·5	0·599	71	40		1	6	+ 3·2	+ 6·0	62	6·8	7·8
2	·920	73·3	67·0	·586	71	40		1	6	+ 4·2	+ 6·4	57	7·7	8·6
3	·912	73·2	66·9	·584	71	38		6	18	+ 5·4	+ 7·4	54	9·2	10·3
4	·910	73·0	66·6	·576	70	35		1	9	+ 5·5	+ 7·9	55	9·6	10·6
5	·913	72·7	66·3	·569	70	35		1	11	+ 6·2	+ 7·4	50	9·7	10·5
6	·926	72·5	66·1	·564	69	40	7	...	5	+ 6·5	+ 7·7	50	10·1	11·0
7	·942	72·8	66·1	·560	68	34	63	...	...	+ 6·7	+ 7·3	47	9·9	10·9
8	·958	74·4	66·9	·568	66	39	79	...	1	+ 7·7	+ 8·2	47	11·3	12·5
9	·970	76·1	67·4	·562	61	41	83	...	...	+ 7·5	+ 9·6	52	12·2	13·8
10	·979	77·6	67·6	·550	58	39	88	...	...	+ 6·5	+ 10·5	58	12·4	14·5
11	·968	78·3	68·0	·555	57	39	88	...	...	+ 3·6	+ 10·1	70	10·7	13·9
Noon.	·947	78·9	68·2	·554	55	37	85	3	2	+ 2·3	+ 10·7	78	11·0	14·1
13	·920	79·0	68·2	·553	55	34	85	6	6	+ 0·9	+ 10·7	85	10·7	13·4
14	·896	79·0	68·3	·557	55	40	81	28	5	+ 0·3	+ 10·6	88	10·6	13·4
15	·881	78·5	68·0	·552	56	39	79	8	4	+ 0·2	+ 9·9	89	9·9	13·3
16	·881	77·9	67·9	·557	58	37	78	...	3	+ 0·7	+ 9·4	86	9·4	12·6
17	·888	77·2	67·7	·559	59	38	55	...	1	+ 1·0	+ 9·1	84	9·2	11·5
18	·898	75·9	67·3	·561	62	38	4	...	1	+ 1·1	+ 8·5	83	8·6	10·3
19	·911	75·0	67·0	·563	64	30		24	8	+ 1·9	+ 7·3	75	7·6	9·2
20	·928	74·9	67·2	·572	65	27		...	3	+ 1·9	+ 7·3	75	7·6	9·0
21	·943	74·6	67·3	·579	67	26		...	...	+ 2·2	+ 6·7	72	7·1	8·3
22	·951	74·3	67·4	·587	68	23		21	5	+ 2·3	+ 6·7	71	7·1	8·3
23	·950	74·1	67·3	·586	69	30		...	3	+ 3·2	+ 6·6	64	7·3	8·6
Midn.	·943	73·8	67·1	·582	69	32		...	3	+ 3·5	+ 6·3	61	7·2	8·5

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of OCTOBER, 1925.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1015·6	296·2	292·7	20·2	+ 1·0	+ 2·0	62	2·2	2·6
2	1015·2	295·9	292·4	19·8	+ 1·4	+ 2·1	57	2·5	2·8
3	1014·9	295·9	292·4	19·7	+ 1·8	+ 2·4	54	3·0	3·4
4	1014·8	295·8	292·2	19·4	+ 1·8	+ 2·6	55	3·1	3·5
5	1014·9	295·6	292·1	19·2	+ 2·0	+ 2·4	50	3·2	3·4
6	1015·4	295·5	291·9	19·0	+ 2·1	+ 2·5	50	3·3	3·6
7	1015·9	295·7	291·9	18·9	+ 2·2	+ 2·4	47	3·2	3·6
8	1016·5	296·6	292·4	19·2	+ 2·5	+ 2·7	47	3·7	4·1
9	1016·8	297·5	292·7	19·0	+ 2·5	+ 3·1	52	4·0	4·5
10	1017·1	298·3	292·8	18·6	+ 2·1	+ 3·4	58	4·1	4·8
11	1016·8	298·7	293·0	18·7	+ 1·2	+ 3·3	70	3·5	4·6
Noon.	1016·1	299·1	293·1	18·7	+ 0·8	+ 3·5	78	3·6	4·6
13	1015·1	299·1	293·1	18·6	+ 0·3	+ 3·5	85	3·5	4·4
14	1014·3	299·1	293·2	18·8	+ 0·1	+ 3·5	88	3·5	4·4
15	1013·8	298·8	293·0	18·6	+ 0·1	+ 3·2	89	3·2	4·4
16	1013·8	298·5	292·9	18·8	+ 0·2	+ 3·1	86	3·1	4·1
17	1014·1	298·1	292·8	18·9	+ 0·3	+ 3·0	84	3·0	3·8
18	1014·4	297·4	292·6	18·9	+ 0·4	+ 2·8	83	2·8	3·4
19	1014·9	296·9	292·4	19·0	+ 0·6	+ 2·4	75	2·5	3·0
20	1015·5	296·8	292·6	19·3	+ 0·6	+ 2·4	75	2·5	3·0
21	1016·0	296·7	292·6	19·5	+ 0·7	+ 2·2	72	2·3	2·7
22	1016·2	296·5	292·7	19·8	+ 0·8	+ 2·2	71	2·3	2·7
23	1016·2	296·4	292·6	19·8	+ 1·0	+ 2·2	64	2·4	2·8
Midn.	1016·0	296·2	292·5	19·6	+ 1·1	+ 2·1	61	2·4	2·8

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

OCTOBER,

1925.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	30th September, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	1st October, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Vladivostock,	12	29.90	759.4	67	...	NNE	4	c		29.91	759.6	51	...	NNE	4	o
Nemuro,	11	29.94	760.5	...	...	SSE	2	...	5	29.80	757.0	...	...	E	1	...
Hakodate,	,,	29.80	757.0	...	...	E	2	...	,,	29.67	753.5	...	...	E	1	...
Tokio,	,,	29.67	753.5	...	...	NNW	1	...	,,	29.31	744.5	...	...	N	3	...
Kochi,	,,	29.27	743.5	...	...	N	2	...	,,	29.57	751.0	...	...	...	0	...
Nagasaki,	,,	29.53	750.0	...	...	NNE	3	...	,,	29.75	755.5	...	...	NNE	1	...
Kagoshima,	,,	29.45	748.0	...	...	NNW	2	...	,,	29.71	754.5	...	...	...	0	...
Oshima,	,,	29.63	752.5	...	...	N	2	...	,,	29.76	756.0	...	...	NNE	2	...
Kasa,	,,	29.74	755.5	...	...	WNW	1	...	,,	29.84	758.0	...	...	WNW	1	...
Ishigakijima,	,,	29.84	758.0	...	...	WNW	2	...	,,	29.84	758.0	...	...	NW	1	...
Bonin Island,	,,	29.82	757.5	...	...	SSW	2	...	,,	29.80	757.0	...	...	SW	2	...
Chefoo,	15	29.87	758.7	73	58	N	1	b	6	29.97	761.2	62	67	NNW	4	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.85	758.1	84	49	NNW	4	b	,,	29.94	760.5	61	100	NNW	1	bf
Gutzlaff,	,,	29.88	758.9	78	70	N	4	b	,,	29.95	760.7	70	95	NNW	2	b
Sharp Peak,	,,	29.86	758.4	92	54	E	1	b	7	29.91	759.7	74	76	...	0	b
Amoy,	15	29.78	756.4	82	71	SSE	4	o	9	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.87	758.7	81	56	WNW	2	b	5	29.89	759.3	63	94	E	2	b
Taichu,	,,	29.85	758.1	86	...	...	0	b	,,	29.88	759.0	64	...	...	0	b
Tainan,	,,	29.85	758.1	86	...	WNW	2	b	,,	29.85	758.1	70	...	...	0	b
Koshun,	,,	29.82	757.5	86	...	...	0	b	,,	29.84	757.8	73	...	...	0	b
Pescadores,	,,	29.86	758.4	84	...	NE	4	o	,,	29.86	758.4	73	...	NNE	4	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.76	756.0	84	75	ENE	2	o	,,	29.82	757.4	76	93	E	2	o
Gap Rock,	,,	29.78	756.4	...	...	WSW	3	b	,,	29.81	757.2	...	...	SE	3	b
Macao,	,,	29.78	756.3	86	65	S	1	b	,,	29.80	756.9	81	97	SSE	1	o
Wuchow,	15	...		...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	29.67	753.6	...	...	...	0	c	,,	29.72	754.9	...	...	...	0	b
Phulien,	,,	29.72	754.8	82	86	SSE	4	o	7	29.79	756.6	77	89	E	1	bf
Tourane,	,,	29.74	755.4	86	...	SE	2	b	,,	29.78	756.3	77	...	SSW	4	b
Cape St. James,	,,	29.75	755.7	86	...	S	2	o	,,	29.80	756.9	73	...	NW	2	b
Basco,	14	29.75	755.7	86	68	WNW	4	o	6	29.81	757.2	79	84	...	0	o
Aparri,	,,	29.75	755.7	...	42	NNE	2	b	,,	29.81	757.2	75	91	...	0	o
Manila,	,,	29.74	755.4	86	68	SW	4	o	,,	29.81	757.2	75	96	...	0	o
Legaspi,	,,	29.73	755.1	86	75	WSW	2	o	,,	29.80	756.9	77	98	...	0	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	86	71	SW	4	o	,,	29.82	757.5	79	89	N	1	o
Surigao,	,,	29.74	755.4	86	75	...	0	o	,,	29.81	757.2	75	94	...	0	o
Guam,	12.20	29.76	756.0	...	...	NE	4	o	4.20	29.78	756.3	...	...	NE	4	b
Yap,	12.47	29.78	756.3	...	...	ENE	4	o	4.47	29.80	756.9	...	...	NE	4	o
Labuan,	11	29.72	754.9	86	88	NW	4	b	6	29.81	757.2	80	91	S	2	b

October 1*d.* 10*h.* 55*m.*—Pressure has decreased considerably over central Japan; it has increased considerably over S. Japan and slightly to moderately elsewhere.

A weak anticyclonic area covers China and S. Manchuria; the typhoon is passing to the south-east of Tokio on a N.E. track.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·15 inch. Total since January 1st, 83.25 inches, against an average of 75·87 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks.	E. winds, moderate; fair.
3.—Hongkong to Gap Rock,	E. winds, moderate; fair.
4.—South coast of China between Hongkong and Hainan,	E. winds, moderate; fair.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	1st October, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd October, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostook,	12	29.88	758.9	67	...	NNE	4	o	c	29.96	761.0	48	...	NNE	5	o
Nemuro,	11	29.72	755.0	...	...	E	1	...	5	29.78	756.5	...	...	SE	1	...
Hokodate,	,,	29.61	752.0	...	...	ENE	2	...	,,	29.69	754.0	...	...	...	...	...
Tokio,	,,	29.39	746.5	...	...	N	2	...	,,	29.69	754.0	...	...	NE	1	...
Kochi,	,,	29.67	753.5	...	...	NNW	2	...	,,	29.76	756.0	...	...	SW	1	...
Nagasaki,	,,	29.80	757.0	...	...	N	2	...	,,	29.90	759.5	...	...	N	2	...
Kagoshima,	,,	29.86	758.5	...	...	NW	1	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.82	757.5	...	...	NNE	2	...	,,	29.88	759.0	...	...	SSE	1	...
Naha,	,,	29.86	758.5	...	...	NW	1	...	,,	29.92	760.0	...	...	...	...	...
Ishigakijima,	,,	29.90	759.5	...	...	WNW	2	...	,,	29.92	760.0	...	...	NW	1	...
Bonin Island,	,,	29.80	757.0	...	...	WSW	2	..	,,	29.88	759.0	...	...	WSW	2	...
Chefoo,	15	30.01	762.2	66	59	NNW	6	b	6	30.12	765.0	64	48	NNW	6	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	.	..	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.99	761.7	77	68	NNW	1	o	,,	30.11	764.7	66	76	NNE	2	o
Gutzlaff,	,,	29.97	761.2	77	73	N	4	o	,,	30.08	764.0	68	70	NNE	4	o
Sharp Peak,	,,	29.83	757.7	92	57	E	1	b	7	30.01	762.2	75	79	N	1	o
Amoy,	15	29.84	757.9	86	68	SSE	4	b	9	29.94	760.5	75	81	NE	2	b
Swatow,	,,	...		...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.92	759.9	84	58	NE	4	b	5	29.95	760.8	68	94	E	2	b
Taichu,	,,	29.89	759.3	84	...	...	o	b	,,	29.93	760.2	68	...	...	o	b
Tainan,	,,	29.88	759.0	84	...	SW	2	b	,,	29.91	759.6	72	...	...	o	b
Koshun,	,,	29.88	759.7	84	...	NE	4	b	,,	29.89	759.3	77	...	NE	4	o
Pescadores,	,,	29.89	759.3	82	...	NNE	4	b	,,	29.91	759.6	77	...	NNE	4	b
Canton,	14	...		...	...	...	...	...	6	...	...	.	...	...	...	...
Hongkong,	,,	29.84	757.9	77	94	ENE	2	o1t	,,	29.90	759.4	80	80	E	4	o
Gap Rock,	,,	29.83	757.7	...	...	ENE	2	c	,,	29.89	759.2	...	...	E	4	o
Macao,	,,	29.84	757.8	84	77	SE	1	o	,,	...	...	...	...	...	...	...
Wuchow,	15	...		...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.74	755.4	86	68	SSE	4	b	7	29.88	759.0	75	96	NE	2	r
Tourane,	,,	29.76	756.0	84	...	SE	2	b	,,	29.86	758.4	77	...	S	2	b
Cape St. James,	,,	29.74	755.4	86	...	SW	2	b	,,	29.84	757.8	77	...	WNW	2	b
Basco,	14	29.79	756.6	73	85	W	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.75	755.7	90	60	NE	4	b	,,	29.85	758.1	77	94	...	o	o
Manila,	,,	29.75	755.7	86	75	NW	1	o	,,	29.85	758.1	75	92	E	1	o
Legaspi,	,,	29.74	755.4	95	66	NE	2	o	,,	29.81	757.2	79	95	...	o	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	86	71	SW	4	o	,,	...	...	...	...	...	...	...
Surigao,	..	29.73	755.1	86	75	NNE	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.72	754.8	...	...	NE	4	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.71	754.5	...	...	NE	4	o	4.47	29.78	756.3	...	...	NE	4	o
Labuan,	14	29.79	756.6	86	88	NW	2	o	6	...	...	...	...	...	...	...

October 2*d.* 10*h.* 54*m.*—Pressure has increased considerably over central Japan, and moderately to slightly elsewhere. A moderate anticyclone now covers China and a depression is situated in the Pacific to the east of Japan.

Moderate to fresh monsoon will prevail along the China coast and over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 2·08 inch. Total since January 1st, 85·35 inches, against an average of 76·16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; cloudy, occasional rain.
3.—Hongkong to Gap Rock,	N.E. winds, fresh; cloudy, occasional rain.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; cloudy, occasional rain.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	2nd October, 1925.								3rd October, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	29.97	761.3	60	...	NNE	5	c		30.16	766.0	49	..	NNE	4	b
Gensan,	11	29.80	757.0	...	...	ESE	1	...	5	29.76	756.0	...	...	NNE	2	...
Hakodate,	..	29.69	754.0	...	...	ESE	1	...	,,	29.67	753.5	...	...	N	2	...
Tokio,	,,	29.65	753.0	...	...	NE	1	...	,,	29.61	752.0	...	...	NW	1	...
Kochi,	,,	29.74	755.5	...	...	SW	1	...	,,	29.90	759.5	...	...	...	0	...
Nagasaki,	,,	29.94	760.5	...	...	NW	4	...	,,	30.08	764.0	...	...	NE	1	...
Kagoshima,	,,	29.90	759.5	...	...	NNW	3	...	,,	30.06	763.5	...	...	NW	1	...
Ishima,	,,	29.94	760.5	...	...	N	3	...	,,	30.04	763.0	...	...	NW	1	...
Isha,	,,	29.98	761.5	...	...	NNW	2	...	,,	30.06	763.5	...	...	NE	1	...
Ishigakijima,	,,	30.02	762.5	...	...	WNW	2	...	,,	30.02	762.5	...	...	NNE	1	...
Bonin Island,	..	29.86	758.5	...	...	WSW	1	..	..	29.92	760.0	...	...	SW	2	...
Chefoo,	15	30.13	765.3	68	51	NNW	4	b	6	30.14	765.5	56	63	...	0	b
Hankow,	,,	.	..	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.14	765.6	73	48	N	1	o	,,	30.19	766.8	55	93	NE	1	b
Gutzlaff,	,,	30.15	765.8	71	57	NNE	4	o	,,	30.19	766.8	66	64	NE	2	b
Sharp Peak,	,,	30.05	763.2	77	57	E	4	b	7	30.03	762.7	75	77	NE	2	o
Amoy,	15	29.92	759.9	88	62	E	4	b	9	30.00	762.0	76	77	NE	1	b
Swatow,	,,	...		...	...	...	...	...	8	...	..	..	...	..	..	...
Taihoku,	11	30.01	762.3	84	55	ENE	4	b	5	30.02	762.6	73	91	E	4	o
Taichu,	,,	29.97	761.1	86	...	...	o	b	,,	30.00	762.0	66	..	...	o	b
Tainan,	,,	29.97	761.1	90	...	WNW	2	b	,,	29.95	760.8	72	...	..	o	b
Koshun,	,,	29.95	760.8	84	...	ENE	4	b	,,	29.97	761.1	77	...	NE	4	b
Pescadores,	,,	29.99	761.7	84	...	NE	4	b	,,	29.98	761.5	75	...	NE	4	b
Canton,	14	...		...	...	...	...	...	6	...	...		...	...	...	...
Hongkong,	,,	29.93	760.2	82	69	E	4	o	,,	29.96	761.0	78	75	ENE	5	o
Gap Rock,	,,	29.91	759.7	...	...	ENE	5	c	,,	29.95	760.7	...	..	ENE	5	cp
Macao,	,,	29.92	759.9	84	68	SE	4	b	,,	29.95	760.8	79	76	E	6	o
Wuchow,	15	..		...	...	...	...	...	9	..	..	...	..	..	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	29.76	755.9	...	...	NE	5	c	,,	29.80	756.9	...	...	E	...	c
Phulien,	,,	29.86	758.4	86	68	SSE	1	o	7	29.93	760.2	77	94	NE	2	bf
Tourane,	,,	29.84	757.8	84	...	SE	2	b	,,	29.91	759.6	75	..	...	o	b
Cape St. James,	,,	29.81	757.2	86	...	SW	2	o	..	29.87	758.7	75	...	N	2	b
Basco,	14	29.88	759.0	82	77	NNE	4	o	6	29.93	760.2	79	96	...	o	b
Aparri,	,,	29.85	758.1	82	81	ENE	4	o	,,	29.89	759.3	79	89	ENE	4	o
Manila,	,,	29.79	756.6	86	68	NW	4	o	,,	29.88	759.0	75	94	E	1	o
Legaspi,	,,	29.80	756.9	90	69	NE	4	o	..	29.86	758.4	81	90	NNE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	90	60	NE	4	o	,,	29.84	757.8	79	91	N	4	o
Surigao,	..	29.79	756.6	81	89	ESE	1	o	..		...	...	...	...	...	...
Guam,	12.20	29.74	755.4	...	...	ENE	4	r	4.20	29.81	757.2	...	...	NE	2	r
Yap,	12.47	29.71	754.5	...	...	NE	4	o	4.47	29.80	756.9	...	...	NE	2	b
Labuan,	14	29.81	757.2	78	91	N	2	o	6	29.75	755.6	78	91	NE	2	b

October 3*d*. 11*h*. 02*m*.—Pressure has decreased slightly over N. Japan, and increased slightly to moderately elsewhere. The anticyclone continues to increase in intensity and has extended to S. Manchuria; the depression remains to the east of Japan.

Fresh monsoon will continue along the China coast and over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 85·35 inches, against an average of 76·46 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh to strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; cloudy, occasional rain.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	3rd October, 1925.								4th October, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.12	765.0	64	...	NNW	3	c	-	30.20	767.1	58	...	SSE	3	o
Nemuro,	11	29.67	753.5	...	...	NNE	5	...	5	29.94	760.5	...	...	N	5	...
Hokodate,	,,	29.67	753.5	...	...	NNW	5	...	,,	30.08	764.0	...	...	NNW	...	...
Tokio,	,,	29.67	753.5	...	...	NW	2	...	,,	30.12	765.0	...	...	NW	1	...
Kochi,	,,	29.96	761.0	...	...	NW	1	...	,,	30.14	765.5	...	...	SW	1	...
Nagasaki,	,,	30.10	764.5	...	...	E	1	...	,,	30.12	765.0	...	...	NNE	1	...
Kagoshima,	,,	30.06	763.5	...	...	NW	1	...	,,	30.14	765.5	...	...	NW	1	...
Oshima,	,,	30.06	763.5	...	...	N	2	...	,,	30.10	764.5	...	...	SSE	1	...
Naha,	,,	30.08	764.0	...	...	NW	2	...	,,	30.08	764.0	...	...	NNE	1	...
Ishigakijima,	,,	30.08	764.0	...	...	NE	2	...	,,	30.04	763.0	...	...	NNE	1	...
Bonin Island,	,,	29.92	760.0	...	...	W	2	.	,,	30.06	763.5	...	...	...	0	...
Chefoo,	15	30.09	764.3	72	42	SW	1	o	6	30.10	764.5	63	78	SSW	1	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.12	765.0	73	52	E	2	o	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	30.16	766.0	71	53	SE	2	b	,,	.	...	...	...	...	...	...
Sharp Peak,	,,	30.08	764.0	81	67	E	2	o	7	30.07	763.8	72	85	W	1	o
Amoy,	15	29.96	761.0	88	62	SSE	4	b	9	...	...	...	...	...	...	...
Swatow,	,,	...		...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.06	763.5	81	69	ENE	4	b	5	30.01	762.3	72	91	E	2	b
Taichu,	,,	30.01	762.3	86	...	...	0	b	,,	30.00	762.0	75	...	...	0	o
Tainan,	,,	30.01	762.3	86	...	W	2	b	,,	29.99	761.7	73	...	E	2	b
Koshun,	,,	30.01	762.3	86	...	...	0	b	,,	29.99	761.7	73	..	..	0	b
Pescadores,	,,	30.01	762.3	84	...	NNE	2	b	,,	29.99	761.7	50	...	N	2	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	.	...	...	...	...
Hongkong,	,,	29.99	761.7	80	76	E	4	o	,,	29.95	760.7	78	84	ENE	5	od
Gap Rock,	,,	29.98	761.5	...	...	E	5	o	,,	29.93	760.2	...	..	E	6	o
Macao,	,,	...	...	82	77	ESE	6	o	,,	29.93	760.2	79	84	ESE	6	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	29.80	756.9	...	...	E	...	b	,,	29.80	756.9	...	...	E	...	b
Phulien,	,,	29.88	759.0	86	71	SSE	4	b	7	29.93	760.2	77	94	NE	2	b
Tourane,	,,	29.86	758.4	84	...	...	0	b	,,	29.92	759.9	75	..	W	2	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	77	...	ENE	2	o
Basco,	14	29.92	759.9	86	58	N	2	b	6	...	...	...	...	...	...	...
Aparri,	,,	29.89	759.3	81	75	ENE	2	o	,,	29.92	759.9	73	...	...	0	b
Manila,	,,	29.85	758.1	86	75	WNW	2	o	,,	29.88	759.0	75	96	E	2	o
Legaspi,	,,	29.84	757.8	90	72	ENE	4	of	,,	29.85	758.1	81	86	N	2	b
Tacloban,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	90	57	NE	6	o	,,	...	...	...	...	...	...	...
Surigao,	..	29.81	757.2	77	94	S	1	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	NE	4	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.73	755.1	...	...	ENE	4	o	4.47	29.81	757.2	...	...	SE	2	r
Labuan,	12	29.81	757.2	80	91	S	2	b	6	29.81	757.2	77	91	NE	2	b

October 4*d*. 11*h*. 05*m*.—Pressure has decreased slightly over Luzon and the south-east coast of China; it has increased slightly to moderately elsewhere.

The anticyclone has moved eastward, and is now central to the north of Korea.

Moderate monsoon will prevail over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·03 inch. Total since January 1st, 85.36 inches, against an average of 76·77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, fresh; cloudy, occasional rain.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	4th October, 1925.								5th October, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.17	766.2	63	...	SSE	4	o	6	30.06	763.6	59	...	WSW	3	r
Nemuro,	11	30.10	764.5	...	...	N	5	...	5	30.26	768.5	...	...	S	1	...
Hokodate,	,,	30.20	767.0	...	...	S	2	...	,,	30.20	767.0	...	...	N	1	...
Tokio,	,,	30.18	766.5	...	...	NNE	1	...	,,	30.24	768.0	...	...	NW	1	...
Kochi,	,,	30.14	765.5	...	...	SE	1	...	,,	30.08	764.0	...	...	...	...	...
Nagasaki,	,,	30.14	765.5	...	...	SE	2	...	,,	30.06	763.5	...	...	SSE	1	...
Kagoshima,	,,	30.12	765.0	...	...	S	1	...	,,	30.08	764.0	...	...	NW	1	...
Oshima,	,,	30.10	764.5	...	...	...	0	...	,,	30.06	763.5	...	...	SSE	1	...
Naha,	,,	30.08	764.0	...	...	ENE	1	...	,,	30.04	763.0	...	...	..	...	...
Ishigakijima,	,,	30.06	763.5	...	...	E	1	...	,,	30.00	762.0	...	...	ENE	1	...
Bonin Island,	,,	30.06	763.5	...	...	ENE	1	...	,,	30.12	765.0	...	...	...	0	...
Chefoo,	15	30.07	767.8	69	65	E	1	o	6	30.11	764.8	54	94	...	0	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	29.95	760.8	73	89	SSE	1	o	,,	30.05	763.2	64	96	W	4	r
Gutzlaff,	,,	29.97	761.2	72	81	SSE	6	o	,,	30.06	763.5	65	95	WNW	4	r
Sharp Peak,	,,	30.06	763.5	90	66	...	0	b	7	30.05	763.2	80	78	N	1	o
Amoy,	15	29.94	760.5	86	68	SSE	4	b	9	29.96	761.0	78	86	SE	1	b
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	..	...
Taihoku,	11	30.00	762.0	86	56	E	2	b	5	29.99	761.7	72	98	...	0	o
Taichu,	,,	30.00	762.0	86	...	...	0	b	,,	30.00	762.0	70	...	...	0	b
Tainan,	,,	30.00	762.0	86	...	WSW	2	b	,,	29.97	761.1	73	..	...	0	b
Koshun,	,,	30.01	762.3	84	...	ENE	4	b	,,	29.97	761.1	72	..	...	0	b
Pescadores,	,,	30.01	762.3	84	...	NNW	4	b	,,	29.98	761.4	75	...	N	2	b
Canton,	14	29.98	761.5	80	87	N	1	o	6	...	...		...	...	...	...
Hongkong,	,,	29.96	761.0	82	72	E	4	o	,,	29.95	760.7	77	89	ENE	2	o
Gap Rock,	,,	29.97	761.2	...	...	E	5	o	,,	29.94	760.5	...	...	E	4	c
Macao,	,,	29.92	759.9	81	76	ESE	4	o	,,	29.93	760.2	79	90	NE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	29.79	756.6	...	...	E	...	b	,,	29.81	757.2	...	...	E	5	b
Phulien,	,,	29.91	759.6	77	91	SE	4	r	7	29.95	760.8	75	88	NE	4	o
Tourane,	,,	29.87	758.7	79	...	ENE	2	o	,,	29.91	759.6	75	...	WNW	2	b
Cape St. James,	,,	...	...	81	...	E	4	o	,,	29.85	758.1	73	...	NE	4	o
Basco,	14	29.91	759.6	86	68	E	4	o	6	29.92	759.9	79	84	NE	2	o
Aparri,	,,	29.88	759.0	86	61	ENE	4	o	,,	29.91	759.6	75	94	...	0	b
Manila,	,,	29.84	757.8	90	60	NE	2	o	,,	29.86	758.4	73	94	NE	2	b
Legaspi,	,,	29.80	756.9	86	75	NNE	2	o	,,	29.80	756.9	79	96	NE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	86	75	NE	6	o	,,	29.79	756.6	77	96	N	4	o
Surigao,	..	29.80	756.9	79	91	ESE	1	r	,,	29.78	756.3	73	92	SE	1	o
Guam,	12.20	29.78	756.3	...	...	ENE	4	r	4.20	29.76	756.0	...	...	NE	1	r
Yap,	12.47	29.74	755.4	...	...	ENE	4	o	4.47	29.78	756.3	...	...	SSE	1	o
Labuan,	12	29.77	756.1	86	84	N	4	b	6	29.86	758.4	78	91	NE	2	b

October 5*d.* 11*h.* 30*m.*—Pressure has increased slightly over N. Japan, Shantung, the lower Yangtze and the Bonins; it has decreased slightly elsewhere.

The anticyclone has passed into the Pacific, and there are indications of the formation of another over China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 85.38 inches, against an average of 77·06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; cloudy, occasional rain.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	5th October, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	6th October, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostook,	12	30.01	762.2	62	...	NNE	4	c	[illegible]	30.13	765.4	47	...	NNE	3	b
Nemuro,	11	30.20	767.0	...	...	S	3	...	5	...	...	...	...	...	...	...
Hokodate,	,,	30.12	765.0	...	...	ESE	1	...	,,	30.00	762.0	...	...	...	0	...
Tokio,	,,	30.20	767.0	...	...	S	1	...	,,	30.00	762.0	...	...	...	0	...
Kochi,	,,	30.10	764.5	...	...	...	...	...	,,	30.02	762.5	...	...	...	...	...
Nagasaki,	,,	30.04	763.0	...	...	SW	2	...	,,	30.02	762.5	...	...	N	2	...
Kagoshima,	,,	30.08	764.0	...	...	SSE	1	...	,,	30.00	762.0	...	...	...	...	...
Oshima,	,,	30.06	763.5	...	...	S	1	...	,,	30.04	763.0	...	...	...	...	...
Naha,	,,	30.06	763.5	...	...	ENE	1	...	,,	30.02	762.5	...	...	...	...	...
Ishigakijima,	,,	30.04	763.0	...	...	SSE	1	...	,,	30.00	762.0	...	...	NE	1	...
Bonin Island,	,,	30.08	764.0	...	...	E	1	...	,,	30.10	764.5	...	...	...	0	...
Chefoo,	15	30.11	764.8	71	49	NW	2	b	6	30.16	766.0	54	80	...	0	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.10	764.4	73	62	NNW	4	o	,,	30.19	766.8	63	93	NNW	2	b
Gutzlaff,	,,	30.09	764.3	71	76	NNW	4	o	,,	30.17	766.3	68	74	NNE	4	o
Sharp Peak,	,,	30.03	762.7	90	66	E	2	o	7	30.06	763.5	72	81	N	2	o
Amoy,	15	29.90	759.4	86	72	SSE	4	b	9	30.00	762.0	76	86	NE	4	o
Swatow,	,,	...		...	...	...	...	...	8	...	...	...	...	...	...	...
Taiboku,	11	30.00	762.0	86	61	...	o	b	5	30.00	762.0	75	91	E	4	o
Taichu,	,,	29.99	761.7	86	...	...	o	b	,,	29.97	761.1	72	...	...	o	o
Tainan,	,,	29.99	761.7	90	...	NW	2	b	,,	29.94	760.5	73	...	...	o	b
Koshun,	,,	29.99	761.7	86	...	ENE	2	b	,,	29.94	760.5	77	...	NNE	4	b
Pescadores,	,,	30.00	762.0	84	...	NNE	4	o	,,	29.93	760.2	79	...	NNE	4	b
Canton,	14	...		...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	29.95	760.7	81	78	ESE	2	o	,,	29.96	761.0	75	72	NNE	3	o
Gap Rock,	,,	29.96	761.0	...	...	E	4	o	,,	29.96	761.0	...	...	NNE	4	o
Macao,	,,	29.95	760.8	81	96	...	1	r	,,	29.94	760.5	77	79	N	6	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	29.78	756.4	...	...	E	5	o	,,	29.87	758.7	...	...	E	5	c
Phulien,	,,	29.94	760.5	84	71		0	r	7	30.00	762.0	75	76	N	4	o
Tourane,	,,	29.87	758.7	82	...	N	2	b	,,	29.91	759.6	73	...	NW	2	r
Cape St. James,	,,	29.84	757.8	81	...	E	2	o	,,	29.84	757.8	75	...	NE	2	b
Basco,	14	29.87	758.7	86	68	E	4	o	6	29.92	759.9	79	84	NNE	6	o
Aparri,	,,	29.85	758.1	86	68	NE	4	b	,,	29.86	758.4	77	75	ENE	4	o
Manila,	,,	29.79	756.6	81	59	WSW	1	o	,,	29.80	756.9	75	91	NE	1	o
Legaspi,	,,	29.76	756.0	84	77	NNE	4	o	,,	29.74	755.4	79	92	...	o	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	81	92	NNE	2	o	,,	29.73	755.1	75	96	E	1	o
Surigao,	,,	29.72	754.8	79	95	...	o	r	,,	29.71	754.5	75	96	SSE	1	r
Guam,	12.20	29.75	755.7	...	...	WNW	4	o	4.20	29.75	755.7	...	...	NE	4	r
Yap,	12.47	29.74	755.4	...	...	ESE	4	o	4.47	29.78	756.3	...	...	...	o	o
Labuan,	11	29.75	755.6	86	88	N	2	b	6	29.82	757.4	76	94	NE	1	o

October *6d. 11h. 12m.*—Pressure has increased moderately over South Manchuria, and slightly over Annam and the east coast of China; it has decreased slightly elsewhere.

The anticyclone has increased in intensity and extended north eastward to Manchuria; a shallow depression is central over the Visayas.

Moderate monsoon will prevail along the coast and over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·74 inch. Total since January 1st, 86.12 inches, against an average of 77·34 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate; fair.
3.—Hongkong to Gap Rock,	N.E. winds, moderate; fair.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; fair.

C. W. JEFFRIES *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	6th October, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	7th October, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	12	30.08	764.0	59	...	NNW	2	b		30.17	766.2	50	...	ENE	2	b
Gemuro,	11	29.82	757.5	...	...	NW	4	...	5	30.04	763.0	...	...	W	1	...
Hakodate,	..	29.98	761.5	...	...	NW	3	...	,,	30.12	765.0	...	...	N	1	...
Tokio,	,,	29.98	761.5	...	...	E	1	...	,,	30.06	763.5	...	...	NNE	1	...
Kochi,	,,	29.98	761.5	...	...	...	0	...	,,	30.02	762.5	...	...	SW	1	...
Nagasaki,	,,	30.04	763.0	...	...	NNW	1	...	,,	30.08	764.0	...	...	..	0	...
Kagoshima,	,,	30.00	762.0	...	...	S	1	...	,,	30.04	763.0	...	...	WNW	1	...
Oshima,	,,	30.02	762.5	...	...	NE	1	...	,,	30.04	763.0	...	...	...	...	...
Naha,	,,	30.04	763.0	...	...	NW	1	...	,,	30.00	762.0	...	...	NE	1	...
Ishigakijima,	,,	30.00	762.0	...	...	ESE	2	...	,,	29.96	761.0	...	...	NE	1	...
Bonin Island,	..	30.06	763.5	...	...	SSE	1		,,	30.08	764.0	...	...	.	0	...
Chefoo,	15	30.13	765.3	70	44	ENE	1	b	6	30.03	762.7	62	72	SW	1	b
Hankow,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	.	..	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.17	766.2	79	42	NE	1	b	,,	30.15	765.9	55	98	...	0	b
Gutzlaff,	,,	30.19	766.8	75	52	NE	2	b	,,	30.16	766.0	66	68	SE	1	b
Sharp Peak,	,,	30.03	762.7	82	67	N	2	o	7	30.04	763.0	72	76	N	2	o
Amoy,	15	29.95	760.7	81	71	SSE	4	o	9	29.96	761.0	75	72	NNE	1	o
Swatow,	,,	...		...	...	.	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.01	762.3	81	73	E	4	o	5	29.98	761.5	72	94	E	4	o
Taichu,	,,	29.97	761.1	86	...	...	0	o	,,	29.91	759.6	72	..	...	0	bf
Tainan,	,,	29.95	760.8	86	...	SW	2	b	,,	29.91	759.6	72	...	NNW	2	b
Koshun,	,,	29.95	760.8	84	...	NNE	4	b	,,	29.91	759.6	77	...	NNE	4	b
Pescadores,	,,	29.97	761.1	79	...	NNE	6	r	,,	29.92	759.9	77	...	NNE	6	r
Canton,	14	...		...	...	...	...	...	6	...	...	...	..	..	...	...
Hongkong,	,,	29.94	760.5	83	65	NE	3	o	,,	29.93	760.2	75	77	NE	3	b
Gap Rock,	,,	29.94	760.5	...	...	NE	5	c	,,	29.92	759.9	...	..	ENE	5	c
Macao,	,,	29.98	761.5	77	72	N	2	o	,,	29.92	759.9	86	85	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	29.75	755.6	...	...	NE	5	b	,,	29.77	756.1	...	..	NE	2	c
Phulien,	,,	29.94	760.5	82	63	N	2	o	7	29.95	760.8	75	71	NNE	2	o
Tourane,	,,	29.88	759.0	75	...	NNW	6	o	,,	29.86	758.4	73	...	NNE	2	o
Cape St. James,	,,	29.80	756.9	82	...	E	4	b	,,	29.81	757.2	75	...	...	0	b
Basco,	14	29.87	758.7	84	81	N	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.80	756.9	86	78	ENE	4	o	,,	29.79	756.6	79	90	NE	4	r
Manila,	,,	29.73	755.1	81	77	...	0	o	,,	29.71	754.5	75	96	N	2	r
Legaspi,	,,	29.67	753.9	82	92	NNE	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	..	29.62	752.4	79	90	N	2	r	..	...	...	...	...	...	...	...
Guam,	12.20	29.71	754.5	...	...	ENE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.72	754.8	...	...	NNE	1	o	4.47	29.75	755.7	...	...	N	1	o
Labuan,	14	29.88	758.9	76	91	SW	2	r	6	29.84	757.9	76	91	NE	1	o

October 7*d.* 11*h.* 43*m.*—Pressure has increased slightly to moderately over Japan, and decreased slightly to moderately elsewhere. The anticyclone has moved eastward to the Sea of Japan, and the depression remains over the Visayas.

Moderate monsoon will continue over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.12 inches, against an average of 77·60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fair.
3.—Hongkong to Gap Rock,	N.E. winds, fresh; fair.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fair.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	7th October, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	8th October, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, .	12	30.13	765.4	62	...	SSE	4	o	,,	30.06	763.4	60	..	SE	5	o
Nemuro,	11	30.12	765.0	...	...	NNW	2	...	5	30.28	769.0	...	...	SSW	1	...
Hokodate,	.	30.16	766.0	...	...	WSW	1	...	,,	30.22	767.5	...	...	..	...	...
Tokio,	,,	30.14	765.5	...	...	ENE	2	...	,,	30.18	766.5	...	..	NNW	1	...
Kochi,	..	30.04	763.0	...	...	SE	1	...	,,	30.04	763.0	...	..	...	...	...
Nagasaki,	,,	30.06	763.5	...	...	...	0	...	,,	30.06	763.5	...	...	...	0	...
Kagoshima,	,,	30.02	762.5	...	...	E	1	...	,,	30.02	762.5	...	...	NW	1	...
Oshima,	,,	30.00	762.0	...	...	NE	1	...	,,	29.98	761.5	...	...	...	...	...
Naha,	,,	29.98	761.5	...	...	E	1	...	,,	30.02	762.5	...	...	..	...	...
Ishigakijima,	,,	29.96	761.0	...	...	ENE	2	...	,,	29.88	759.0	...	...	NE	1	...
Bonin Island,	..	30.04	763.0	...	...	SE	1	...	..	30.10	764.5	...	...	ESE	1	...
Chefoo,	15	29.91	759.7	78	54	S	4	b	6	29.93	760.2	62	83	SW	4	b
Hankow,	,,	...		...	...	...	..	...	,,	...	...	...	..	..	...	...
Ichang,	,,	...	..	...	...	..	..	...	,,	...	...	...	...	...	...	...
Changsha,	,,	.	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Shanghai,	14	30.07	763.8	75	45	SE	1	o	,,	30.05	763.2	59	96	ESE	1	b
Gutzlaff,	,,	30.11	764.8	73	58	ENE	1	o	,,	30.07	763.8	67	74	SSE	1	o
Sharp Peak,	..	30.05	763.2	82	63	NE	4	o	7	30.02	762.5	73	94	NNW	1	o
Amoy,	15	29.90	759.4	84	65	SSE	4	o	9	29.91	759.7	75	72	NNE	1	o
Swatow,	,,	...		...	...	.	...	...	8	...	...	...	.	...	...	...
Taihoku,	11	30.00	762.0	77	88	E	4	o	5	29.89	759.3	73	96	E	4	b
Taichu,	,,	29.94	760.5	86	...	NW	2	b	,,	29.89	759.3	72		..	0	b
Tainan,	,,	29.91	759.6	86	...	WNW	2	b	,,	29.85	758.1	73	.	NNE	2	b
Koshun,	,,	29.92	759.9	84	...	NE	4	o	,,	29.82	757.5	75	.	NNE	2	o
Pescadores,	,,	29.94	760.5	81	...	NE	6	o	..	29.87	758.7	77	...	NNE	4	o
Canton,	14	...	..	...	...	...	...	...	6	..	..		..	..	...	...
Hongkong,	,,	29.90	759.4	82	68	E	4	c	,,	29.88	758.9	76	85	ENE	1	c
Gap Rock,	,,	29.90	759.4	...	...	ENE	5	c	,,	29.88	758.9	...	...	ENE	5	c
Macao,	,,	29.89	759.3	81	66	NE	2	o	,,	29.86	758.4	77	89	N	2	b
Wuchow,	15	..	...	...	...	...	...	...	9	..	...	...			...	...
Pakhoi,	,,	.	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,		...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	29.70	754.4	...	...	NE	...	c	,,	...	...	...	...	...	...	...
Phulien,	,,	29.88	759.0	86	56	NW	2	b	7	29.93	760.2	73	85	N	4	b
Tourane,	,,	29.82	757.5	73	...	N	4	o	,,	29.85	758.1	73	...	ESE	6	r
Cape St. James.	,,	29.75	755.7	86	...	SSW	2	b	..	29.79	756.6	77	...	WNW	2	o
Basco,	14	29.79	756.6	81	87	NNE	4	r	6	29.78	756.3	77	88	...	0	r
Aparri,	,,	29.76	756.0	75	91	SE	2	r	,,	...	...	...	...	...	..	...
Manila,	,,	29.61	752.1	79	90	N	2	r	,,	29.63	752.7	75	98	...	0	r
Legaspi,	,,	29.61	752.1	82	84	NNE	4	o	..	29.72	754.8	77	96	..	0	o
Tacloban,	,,	...	...	...	...	...	..	...	,,	29.76	756.0	79	85	SSE	2	o
Iloilo,	,,	29.61	752.1	79	96	SSW	4	r	,,	29.71	754.5	77	91	SE	4	r
Surigao,	..	...	..	...	...	...	...	...	,,	..	..	...	...		...	...
Guam,	12.20	29.68	753.9	...	...	NE	4	r	4.20	29.69	754.2	...	...	NE	4	o
Yap,	12.47	29.69	754.2	...	...	ENE	2	o	4.47	29.74	755.4	...	...	NNE	2	o
Labuan,	14	29.82	757.4	78	91	SW	2	b	6	...	...	...	...	...	...	...

October 8*d.* 11*h.* 52*m.*—Warning to Hongkong.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 13° N. Long. 119° E., moving W.N.W.

October 8*d.* 11*h.* 40*m.*—Pressure has increased moderately over N. Japan, and decreased slightly elsewhere. The anticyclone has moved into the Pacific and the depression of the Visayas has entered the China Sea. It is situated about 120 miles west of Mindoro, moving W. or W.N.W.

Fresh to strong N.E. winds and rough weather may be expected over the northern China Sea.

Manila warning. 7*d.* 15*h.* 30*m.*:—The typhoon is crossing the western Visayas in the form of a shallow depression. It may increase in intensity in the China Sea Recd. 7*d.* 17*h.* 11*m.*

Manila warning. 7*d.* 20*h.* 00*m.*:—Cyclone or typhoon near or over Mindoro moving W.N.W. or N.W. Recd. 7*d.* 20*h.* 50*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.12 inches, against an average of 77·85 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine generally.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	8th October, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	9th October, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	129.99	761.8	61	..	SSE	7	r		29.88	759.0	53	...		0	0
Nemuro,	11	30.26	768.5	...	...	SSW	2	...	5	30.20	767.0	...	..	SSE	2	...
Hokodate,	..	30.18	761.5	...	...	ESE	4	...	,,	30.00	762.0	...	..	ENE	1	...
Tokio,	,,	30.16	766.0	...	..	N	2	...	,,	29.98	761.5	...	..	...	0	...
Kochi,	..	30.04	763.0	...	..	..	...	...	,,	29.88	759.0	...	..	..	...	...
Nagasaki,	..	30.02	762.5	...	...	SSE	1	...	,,	29.90	759.5	...	..	NNW	1	...
Kagoshima,	..	30.00	762.0	...	...	...	...	...	,,	29.88	759.0	..	..	NW	1	...
Oshima,	..	29.98	761.5	...	..	NNE	2	...	,,	29.90	759.5	...	...	...	0	...
Naba,	,,	29.96	761.0	...	...	ESE	1	...	,,	29.88	759.0	...	..		0	...
Ishigakijima,	,,	29.90	759.5	...	...	ESE	2	...	,,	29.84	758.0	...	...	E	1	...
Bonin Island,	..	30.04	763.0	...	...	SE	2	...	..	30.00	762.0	...	...	SE	1	...
Chefoo,	15	29.98	761.5	66	73	NW	6	o	6	30.03	762.7	60	65	NW	7	o
Hankow,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Ichang,	,,			...	...	..	...	...	,,	...	...	...	...	...	..	...
Changsha,	,,		...	...	...	...	...	...	,,	...	...	...	...		...	...
Shanghai,	14	29.99	761.7	82	40	...	0	b	,,	30.10	764.4	61	79	NNW	2	b
Gutzlaff,	,,	30.03	762.7	72	67	SSE	2	o	,,	30.07	763.8	67	69	N	6	o
Sharp Peak,	,,	29.98	761.5	83	63	ENE	4	o	7	29.97	761.2	72	76	N	1	b
Amoy,	15	29.81	757.2	88	52	ENE	4	b	9	29.81	757.2	76	77	NNE	1	b
Swatow,	,,	...		...	...	..	...	...	8	...	..	...	...	..	..	...
Taiboku,	11	29.88	759.0	81	80	ENE	4	r	5	29.86	758.4	72	96	E	4	r
Taichu,	,,	29.88	759.0	84	...	N	4	b	,,	29.81	757.2	72	..	N	2	b
Tainan,	,,	29.82	757.5	86	...	NNW	2	o	,,	29.78	756.3	73	..	N	2	o
Koshun,	,,	29.84	757.8	81	...	NE	4	o	,,	29.76	756.0	73	..	NNE	2	r
Pescadores,	,,	29.86	758.4	82	...	NNE	6	o	,,	29.79	756.6	77	...	NNE	6	b
Canton,	14	...	...		...	..	...	...	6		..		..	...	...	...
Hongkong,	,,	29.81	757.2	85	58	N	3	o	,,	29.86	758.4	77	46	NNE	4	b
Gap Rock,	,,	29.84	757.9	...	..	NE	4	o	,,	29.84	757.9	..		NE	4	b
Macao,	,,	29.82	757.5	82	57	NNE	2	b	,,	29.85	758.1	77	68	N	2	b
Wuchow,	15	..	...	...	...	..	...	...	9	...	..				...	...
Pakhoi,	,,	..		...		..	...	...	,,	...	..	.	..	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	.	...
Pratas Island	,,	...	...	...	...	...	...	...	,,	29.69	754.1	...	...	NE	2	o
Phulien,	,,	29.87	758.7	86	46	NW	2	b	7	29.94	760.5	72	65	N	4	b
Tourane,	,,	29.81	757.2	75	...	WNW	2	of	,,	29.86	758.4	77	..	ENE	4	o
Cape St. James,	..	29.75	755.7	82	...	SW	2	o	..	29.80	756.9	75	...	N	2	of
Basco,	14	29.69	754.2	79	85	...	0	o	6	29.63	752.7	77	94	E	6	r
Aparri,	,,	29.66	753.3	79	55		0	r	,,	29.58	751.2	77	96	S	2	o
Manila,	,,	..	...	79	92	S	1	r	,,	29.66	753.3	75	96	SE	1	o
Legaspi,	,,	29.67	753.6	82	90	S	4	o	..	29.71	754.5	79	91	S	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	.	..	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.73	755.1	79	96	SW	4	o
Surigao,	..	29.71	754.5	84	81	N	2	o	..	29.78	756.3	75	96	SSW	2	o
Guam,	12.20	29.65	753.0	...	...	NE	4	o	4.20	29.66	753.3	...	..	E	1	o
Yap,	12.47	29.65	753.0	...	...	NNE	2	b	4.47	29.65	753.0	...	...	NNW	2	o
Labuan,	14	29.77	756.1	86	80	N	2	b	6	29.82	757.4	76	91	NE	2	r

October 8*d.* 17*h.* 30*m.*—Warning to Hongkong,:—Depression or typhoon of unknown intensity within 120 miles of Lat. 14° N. Long. 117° E., moving W.N.W.

October 9*d.* 11*h.* 20*m.*—Warning to Hongkong,:—Depression or typhoon of unknown intensity within 120 miles of Lat. 18° N. Long. 118° E, recurving

October 9*d.* 11*h.* 27*m.*—Pressure has increased slightly from Chefoo to Tourane and decreased slightly to moderately elsewhere. An anticyclone has developed over China, and the typhoon is recurving north eastwards in Lat. 18° N. and Long. 118° E. Another depression or typhoon is indicated to the south-east of Yap.

Fresh to strong N.E. winds and rough weather will continue over the northern China Sea.

Shanghai warning. 8*d.* 22*h.* 20*m.* :—Typhoon of unknown intensity within 120 miles of Lat. 14° N. Long. 118° E., moving N.W. Recd. 8*d.* 23*h.* 42*m.*

Manila warning. 8*d.* 11*h.* 15*m.* :—Cyclone or typhoon W. of Manila more than 100 miles distant moving W.N.W. or N.W. Recd. 8*d.* 11*h.* 55*m.*

Manila warning. 8*d.* 21*h.* 00*m.* :—Typhoon in Lat. 16° N. Long. 116° E., moving N.W. Recd. 8*d.* 21*h.* 56*m.*

Manila warning. 9*d.* 10*h.* 00*m.* :—1 Typhoon in Lat. 8° N. Long. 143° E., direction unknown.

,, ,, ,, ,, : 2 Cyclone or typhoon W. of northern Luzon, more than 100 miles distant recurving northeastward. Recd. 9*d.* 11*h.* 15*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 86.12 inches, against an average of 78·08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh ; fine.
3.—Hongkong to Gap Rock,	N.E. winds, fresh ; fine.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh ; fine.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	9th October, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	10th October, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Vladivostock,	12	29.78	756.3	54	...	...	0	r	[illegible]	29.80	756.8	49	..	NNE	5	o
Nemuro,	11	...	...	...	...	...	...	...	8	...	...	...	..	...	...	..
Hokodate,	.	29.88	759.0	...	...	ENE	2	...	,,	29.73	755.0	...	..	...	0	..
Tokio,	,,	29.84	758.0	...	...	S	1	...	,,	29.75	755.5	...	..	S	1	..
Kochi,	.	29.82	757.5	...	...	...	0	..	,,	29.80	757.0	...	..	..	0	..
Nagasaki,	,,	29.86	758.5	..	...	W	1	...	,,	29.90	759.5	...	..	NNW	2	..
Kagoshima,	,,	29.86	758.5	...	...	...	...	...	,,	29.88	759.0	..	..	NW	1	...
Oshima,	,,	29.86	758.5	...	...	S	1	...	,,	29.88	759.0	...	...	NNE	2	...
Naha,	,,	29.86	758.5	...	...	NE	1	...	,,	29.84	758.0	...	..	N	4	..
Ishigakijima,	,,	29.86	758.5	...	...	SE	2	...	,,	29.82	757.5	...	...	ESE	4	..
Bonin Island,	,,	30.00	762.0	...	...	SE	2	.	,,	29.90	759.5	..	..	E	1	..
Chefoo,	13	30.03	762.7	62	61	NW	6	b	6	30.02	762.5	60	65	NW	4	b
Hankow,	,,		...	...	...	...	...	...	,,	...	...	...	..	..	..	...
Ichang,	,,			...	...	..	...	...	,,	...	...	...	...	...	..	...
Changsha,	,,			...	...		...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.08	761.	72	43	NNW	4	b	,,	30.12	765.0	48	95	NW	2	o
Gutzlaff,	,,	30.07	763.8	71	57	NNW	4	o	,,	30.11	764.8	62	56	NW	6	b
Sharp Peak,	,,	29.96	761.0	81	56	ENE	4	b	7	30.00	762.0	67	64	N	4	b
Amoy,	15	29.78	756.4	88	52	ENE	4	b	9	29.87	758.7	71	62	NE	4	b
Swatow,	,,			...	...		..	...	8	...	...	...	..	...	..	...
Taihoku,	11	29.91	760.5	79	66	E	4	o	5	29.95	760.8	68	73	E	2	o
Taichu,	,,	29.80	756.9	82	...	N	4	b	,,	29.79	756.6	68	..	NNE	2	b
Tainan,	,,	29.75	755.7	86	...	NNE	4	b	,,	29.75	755.7	70	..	NNE	4	o
Korhun,	,,	29.76	756.0	79	...	NNE	4	o	,,	29.71	754.5	75	.		.	...
Pescadores,	,,	29.80	756.9	86	...	NE	4	b	,,	29.80	756.9	73	...	NE	8	b
Canton,	14	.	..	..	...	.	...	...	6	.	..		..		...	...
Hongkong,	,,	29.81	757.2	84	34	NNE	3	b	,,	29.91	759.7	70	36	N	3	b
Gap Rock,	,,	29.81	757.2	.	...	N	5	b	,,	29.91	759.7	..		N	5	b
Macao,	,,	29.84	757.8	81	38	NNE	2	b	,,	29.91	759.6	75	45	NNW	4	b
Wuchow,	15		...	...	...	...	...	...	9	..	..	...		.	...	...
Pakhoi,	,,	..		...	...	..	...	...	,,	..	..	.	..	...	...	...
Hoihow,	,,		..	...	...		...	...	,,	...	...	...	...	.	.	...
Pratas Island,	,,	29.62	752.3	...	...	NE	2	o	,,	29.75	755.6	...	..	NE	6	o
Phulien,	,,	29.88	759.0	86	41	NNW	1	b	7	29.95	760.8	73	52	NNE	4	b
Tourane,	,,	29.81	757.2	82	...	NNW	4	b	,,	29.86	758.4	77	.	NE	6	o
Cape St. James,	,,	29.78	756.3	79	...	WSW	2	o	..	29.80	756.9	75	...	N	4	of
Basco,	14	29.59	751.5	81	87	ENE	4	o	6	...	...	...	..	...	...	..
Aparri,	,,	29.56	750.9	79	98	N	2	r	,,	..	...	...	..	..	...	...
Manila,	,,	29.59	751.5	81	90	SW	4	o	,,	29.61	752.1	75	96	SE	2	r
Legaspi,	,,	29.63	752.7	84	77	SSW	4	o	,,	29.66	753.3	77	96	SW	2	o
Tacloban,	,,	...	...	...	...	...	..	...	,,	...	...	..		...	...	...
Iloilo,	,,	29.66	753.3	84	77	SW	6	o	,,	29.68	753.9	81	89	SW	6	o
Surigao,	.	29.68	753.9	86	68	WNW	2	o	..	...	...	..	.	...	.	..
Guam,	12.20	29.59	751.5	...	...	SW	2	o	4.20	..	..	...	...	..	..	...
Yap,	12.47	29.60	751.8	...	...	NNW	1	o	4.47	29.65	753.0	..	...	NW	2	o
Labuan,	11	29.75	55.6	86	88	N	2	b	6	29.82	757.4	76	91	S	2	r

October 9*d.* 17*h.* 18*m.*—Warning to Hongkong.:—Typhoon of unknown intensity within 120 miles of Lat. 18° N. Long. 119° E., moving N.E.

October 10*d.* 11*h.* 44*m.*—Warning to Hongkong.:—Depression or typhoon in Lat. 19° N. Long. 121° E., moving N.E. position uncertain.

October 10*d.* 11*h.* 44*m.*—Pressure has increased slightly from Shanghai to Tourane and decreased slightly to moderately elsewhere. The anticyclone remains stationary and has increased slightly in intensity.

In the absence of observations from N. Luzon, the position of the typhoon is uncertain; it is probably situated near or over the Balintang Channel moving N.E.

Shanghai warning. 9*d.* 10*h.* 50*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 16° N. Long. 116° E., moving N.W. Recd. 9*d.* 11*h.* 37*m.*

Shanghai warning. 9*d.* 12*h.* 50*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 116° E., recurving. Recd. 9*d.* 16*h.* 10*m.*

Shanghai warning. 9*d.* 21*h.* 30*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 118° E., recurving. Recd. 9*d.* 23*h.* 10*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 86.12 inches, against an average of 78·29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel.	N. winds, strong.
2.—South coast of China between Hongkong and Lamocks.	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock.	N.E. winds, fresh; fine.
4.—South coast of China between Hongkong and Hainan.	N.E. winds, fresh; fine.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	10th October, 1925.								11th October, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	14	29.82	757.5	57	...	NNE	4	b	0	30.12	765.0	45	...	NNE	4	b
Nemuro,	11	29.69	754.0	...	...	S	6	...	5	29.75	755.5	...	..	N	2	...
Hokodate,	..	29.70	754.5	...	...	SSW	2	...	,,	29.82	757.5	...	..	...	...	...
Tokio,	,,	29.74	755.5	...	...	SSW	1	...	,,	29.80	757.0	...	..	...	...	...
Kochi,	,,	29.80	757.0	...	...	WSW	1	...	,,	29.96	761.0	...	..	...	0	...
Nagasaki,	,,	29.92	760.0	...	...	NW	4	...	,,	30.04	763.0	...	..	...	...	...
Kagoshima,	,,	29.90	759.5	...	...	NW	1	...	,,	29.98	761.5	...	..	NW	1	...
Oshima,	,,	29.92	760.0	...	...	NNE	2	...	,,	29.94	760.5	...	...	N	2	...
Naha,	,,	29.92	760.0	...	...	NNE	4	...	,,	29.94	760.5	...	..	NE	2	...
Ishigakijima,	,,	29.90	759.5	...	...	N	4	...	,,	29.92	760.0	...	...	NNW	2	...
Bonin Island,	,,	29.88	759.0	...	...	SE	2	...	,,	29.86	758.5	...	...	SE	2	...
Chefoo,	15	30.04	763.0	66	64	NW	4	b	6	30.11	764.8	52	88	SW	1	b
Hankow,	,,	...	..	...	...	...	...	...	,,	...	...	...	..	...	..	...
Ichang,	,,	..	..	...	...	..	...	...	,,	...	...	...	...	..	..	...
Changsha,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.14	765.6	72	29	NNW	4	b	,,	30.18	766.5	50	95	NNW	2	b
Gutzlaff,	,,	30.13	765.3	70	40	NNW	4	b	,,	30.16	766.0	64	73	N	4	b
Sharp Peak,	,,	30.01	762.2	77	46	ENE	4	b	7	30.04	763.0	69	75	NNW	2	o
Amoy,	15	29.87	758.7	82	67	ENE	4	b	9	..	...	...	...	...	...	...
Swatow,	,,	...		...	...	...	...	...	8	...	...	...	..	...	...	...
Taihoku,	11	30.00	762.0	73	58	E	4	o	5	29.98	761.4	66	85	E	2	b
Taichu,	,,	29.80	756.9	81	...	N	4	b	,,	29.82	757.5	64	.	...	c	b
Tainan,	,,	29.79	756.6	82	...	NNE	4	b	,,	29.80	756.9	70	.	NNE	2	b
Koshun,	,,	29.79	756.6	79	...	NE	0	b	,,	29.76	756.0	73	..	NE	6	b
Pescadores,	,,	29.86	758.4	77	...	NNE	7	b	,,	29.79	756.6	73	...	NE	7	b
Canton,	14	...	...	...	...	...	...	...	6	...	...		...	..	...	...
Hongkong,	,,	29.89	759.2	78	28	NNE	4	b	,,	29.94	760.5	67	50	N	3	b
Gap Rock,	,,	29.89	759.2	...	...	NE	5	b	,,	29.92	759.9	...	...	NE	4	b
Macao,	,,	29.87	758.7	77	35	NNE	2	b	,,	29.92	759.9	72	75	NNE	4	b
Wuchow,	15	..	...	...	...	...	...	...	9	..	...	...			...	...
Pakhoi,	,,			...	...	..	...	...	,,	...	...	...	..	...	...	...
Hoihow,	,,		...	...	...	..	...	...	,,	...	...	...	...	...	..	...
Pratas Island	,,	29.70	754.4	...	...	NE	...	c	,,	29.78	756.4	...	..	NE	5	c
Phulien,	,,	29.91	759.6	84	40	NNW	1	b	7	29.97	761.1	70	61	NNE	4	b
Tourane,	,,	29.87	758.7	79	...	NE	6	b	,,	29.91	759.6	75	...	NE	4	o
Cape St. James,	,,	29.76	756.0	86	...	SW	2	b	,,	...	...	73	...	N	4	o
Basco,	14	29.65	753.0	77	92	NNE	6	o	6	29.71	754.5	77	94	N	6	r
Aparri,	,,	29.60	751.8	79	84	NNE	6	o	,,	...	...	...	..		...	...
Manila,	,,	29.59	751.5	77	94	N	2	r	,,	29.61	752.1	75	96	NNE	1	o
Legaspi,	,,	29.60	751.8	86	75	S	4	o	..	29.65	753.0	79	92	S	1	o
Tacloban,	,,	..	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.62	752.4	84	81	SSW	6	o	,,	...	..	...	...	...	...	...
Surigao,	..	29.65	753.0	85	56	SW	2	b	..	...	...	...	..	...	..	...
Guam,	12.20	29.66	753.3	...	...	SSW	2	r	4.20	...	..	...	...	...	...	...
Yap,	12.47	29.62	752.4	...	...	WNW	4	o	4.47	29.74	755.4	...	...	SSW	4	r
Labuan,	14	29.82	757.4	80	91	S	2	o	6	...	...	...	...	...	...	...

October 11*d.* 11*h.* 45*m.*—Pressure has increased moderately to slightly at the majority of reporting stations.

The anticyclone over China has strengthened moderately.

The typhoon has filled up, leaving an area of low pressure extending from N. Luzon to Yap.

Shanghai warning. 10*d.* 11*h.* 55*m.*:—1 Typhoon of unknown intensity within 120 miles of Lat. 18° N. Long. 120° E., moving N.N.E. 2 Typhoon of unknown intensity within 120 miles of Lat. 11° N. Long. 140° E., moving W.N.W. Recd. 10*d.* 12*h.* 55*m.*

Shanghai warning. 10*d.* 22*h.* 00*m.*:—1 Typhoon of unknown intensity within 120 miles of Lat. 19° N. Long. 124° E., moving N.E. 2 Typhoon of unknown intensity within 120 miles of Lat. 12° N. Long. 138° E., moving W.N.W. Recd. 10*d.* 23*h.* 10*m.*

Manila warning. 10*d.* 12*h.* 30*m.*:—1 Cyclone or typhoon W. of Mindoro direction unknown. } Recd. 10*d.* 14*h.* 35*m.*
" " " :—2 Cyclone or typhoon E. of Balintang Channel moving E. }

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.12 inches, against an average of 78·48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel.	N. winds, strong.
2.—South coast of China between Hongkong and Lamocks.	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock.	N.E. winds, fresh; fine.
4.—South coast of China between Hongkong and Hainan.	N.E. winds, fresh; fine.

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	11th October, 1925.								12th October, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.13	765.2	58	...	N	4	b	0	30.19	766.8	50	...	...	0	b
Nemuro,	11	29.84	758.0	...	...	NNE	3	...	5	30.08	764.0	...	...	NNE	1	...
Hokodate,	,,	29.82	757.5	...	...	..	1	...	,,	30.10	764.5	...	...	..	0	...
Tokio,	,,	29.82	757.5	...	...	NNW	1	...	,,	30.08	764.0	...	...	NNW	1	...
Kochi,	,,	29.96	761.0	...	...	N	1	...	,,	30.04	763.0	...	...	SW	1	...
Nagasaki,	,,	30.04	763.0	...	...	NNE	1	...	,,	30.06	763.5	...	...	ENE	2	...
Kagoshima,	,,	30.00	762.0	...	...	NE	1	...	,,	30.02	762.5	...	..	NW	1	...
Oshima,	,,	29.98	761.5	...	...	NE	3	...	,,	29.92	760.0	...	...	NE	1	...
Naha,	,,	29.96	761.0	...	...	NNE	4	...	,,	29.90	759.5	...	..	NNE	2	...
Ishigakijima,	,,	29.96	761.0	...	...	N	4	...	,,	29.88	759.0	...	...	NNE	6	...
Bonin Island,	,,	29.82	757.5	...	...	SE	2	...	,,	29.80	757.0	...	..	SE	3	...
Chefoo,	15	30.11	764.8	71	57	NE	1	b	6	30.11	764.8	62	72	S	1	b
Hankow,	,,	...	..	...	...	...	..	...	,,	...	...	..	..	..	..	...
Ichang,	,,	.	..	...	...	...	..	...	,,	...	..	..	..	...	...	...
Changsha,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.14	765.6	75	39	NNE	4	o	,,	30.14	765.6	57	91	ENE	1	of
Gutzlaff,	,,	30.16	766.0	72	54	NNE	2	o	,,	30.13	765.3	65	68	NE	4	o
Sharp Peak,	,,	30.03	762.7	76	94	ENE	4	o	7	30.00	762.0	69	70	NNE	2	o
Amoy,	15	29.91	759.7	81	52	NNE	4	b	9	29.94	760.5	70	66	N	4	o
Swatow,	,,	...	...	...	...	...	...	...	8	...	..	..	..	.	..	...
Taihoku,	11	30.01	762.3	77	54	E	4	o	5	29.92	759.9	70	82	E	2	o
Taichu,	,,	29.86	758.4	82	...	...	o	b	,,	29.85	758.1	68	..	...	c	o
Tainan,	,,	29.85	758.1	84	...	W	2	b	,,	29.81	757.2	68	..	NE	2	b
Koshun,	,,	29.86	758.4	79	...	NE	6	o	,,	29.80	756.9	75	..	NNE	6	o
Pescadores,	,,	29.89	759.3	82	...	NE	7	b	,,	29.82	757.5	73	...	NNE	6	b
Canton,	14	...	..	...	...	...	...	...	6	...	...		...	..	...	...
Hongkong,	,,	29.93	760.2	78	38	N	2	b	,,	29.93	760.2	70	48	NE	3	b
Gap Rock,	,,	29.92	759.9	...	...	NE	5	b	,,	29.91	759.7	...	..	NE	4	b
Macao,	,,	29.92	759.9	75	39	NNE	1	b	,,	29.92	759.9	73	52	N	1	o
Wuchow,	15	..	...	...	...	...	...	...	9	...	..	..	.	...	...	...
Pakhoi,	,,	..	..	...	...	...	...	...	,,	...	...	..	..	...	...	...
Hoihow,	,,	...	...	...	...	..	...	...	,,	...	...	...	..	...	..	...
Pratas Island	,,	29.72	754.9	...	...	NE	5	c	,,	29.79	756.6	...	..	NE	2	o
Phulien,	,,	29.95	760.8	84	71	SSE	1	b	7	30.01	762.3	68	77	NNW	4	b
Tourane,	,,	29.89	759.3	77	...	NE	4	o	,,	29.94	760.5	73	..	NW	4	b
Cape St. James	,,	29.80	756.9	79	...	N	2	o	,,	29.87	758.7	73	...	ENE	2	o
Basco,	14	29.73	755.1	81	80	N	6	o	6	29.76	756.0	77	92	N	4	o
Aparri,	,,	29.63	752.7	77	91	NE	6	o	,,	..	...	...	..	.	...	...
Manila,	,,	29.61	752.1	79	91	...	o	r	,,	29.69	754.2	75	96	SE	1	o
Legaspi,	,,	29.61	752.1	90	69	SSW	4	o	,,	29.69	754.2	77	94	SW	1	o
Tacloban,	,,	..	...	...	...	..	..	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.65	753.0	84	74	SSW	6	o	,,	...	...	...	...	...	...	...
Surigao,	.	29.67	753.6	90	60	W	2	b	..	...	...	...	..	...	...	...
Guam,	12.20	29.66	753.3	...	...	SE	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.68	753.9	...	...	NNW	2	o	4.47	29.72	754.8	...	...	NW	2	b
Labuan,	11	29.81	757.2	86	84	N	2	b	6	29.81	757.2	76	91	NW	2	b

October 12*d.* 10*h.* 46*m.*—Pressure has decreased slightly over the vicinity of the Eastern Sea and increased slightly to moderately elsewhere; it is highest over South Manchuria and relatively low in the Pacific to the east of Luzon.

Moderate to fresh monsoon will prevail along the coast and over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.12 inches, against an average of 78·65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel.	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock.	
4.—South coast of China between Hongkong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	12th October, 1925.								13th October, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.13	765.2	63	...	NNE	3	b	6	30.15	765.7	48	...	...	0	b
Nemuro,	11	30.06	763.5	...	...	...	0	...	5	29.94	760.5	...	...	...	0	...
Hokodate,	,,	30.08	764.0	...	...	W	1	...	,,	30.04	762.0	...	...	N	1	...
Tokio,	,,	30.04	763.0	...	...	E	1	...	,,	29.96	761.0	...	...	WNW	2	...
Kochi,	,,	30.00	762.0	...	...	N	1	...	,,	29.90	759.5	...	...	...	0	...
Nagasaki,	,,	30.06	763.5	...	...	ENE	2	...	,,	29.94	760.5	...	..	...	0	...
Kagoshima,	,,	29.98	761.5	...	...	NE	1	...	,,	29.90	759.5	...	..	NW	1	...
Oshima,	,,	29.90	759.5	...	..	NE	2	...	,,	29.82	757.5	...	...	NE	3	...
Naha,	,,	29.88	759.0	...	...	NE	3	...	,,	29.82	757.5	...	..	NNE	2	...
Ishigakijima,	,,	29.90	759.5	...	...	N	2	...	,,	29.84	758.0	...	...	N	3	...
Bonin Island,	,,	29.78	756.5	...	.	...	...	...	,,	29.71	754.5	...	..	SSE	3	
Chefoo,	15	30.14	765.5	71	76	NE	1	b	6	30.16	766.0	58	90	...	0	bf
Hankow,	,,	..		...	...	...	...	...	,,	...	...	...	..	...	..	...
Ichang,	,,	..		...	...	..	...	...	,,	...	..	...	..	...	..	...
Changsha,	,,	..	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.13	765.3	72	54	NE	2	0	,,	30.14	765.6	55	93	N	1	b
Gutzlaff,	,,	30.13	765.3	68	65	NE	2	0	,,	30.12	765.0	65	63	N	4	b
Sharp Peak,	,,	30.00	762.0	80	58	NNE	4	0	7	30.00	762.0	69	75	N	2	0
Amoy,	15	29.85	758.2	80	58	N	4	b	9	29.91	759.7	72	67	NNE	4	0
Swatow,	,,	..	..	...	...	...	..	...	8	...	...	...	..	..	..	...
Taihoku,	11	29.91	760.5	81	56	E	4	b	5	..	..	68	91	E	6	b
Taichu,	,,	29.86	758.4	82	...	...	0	b	,,	29.86	758.4	68	..	SE	1	r
Tainan,	,,	29.85	758.1	84	...	W	2	b	,,	29.81	757.2	55	..	...	0	b
Koshun,	,,	29.85	758.1	81	...	NE	4	b	,,	29.80	756.9	73	.	NE	4	b
Pescadores,	,,	29.88	759.0	79	...	NE	6	0	,,	29.80	756.9	75	...	NNE	6	0
Canton,	14	...	..	...	...	...	...	...	6	..	...	...	..	..	...	...
Hongkong,	,,	29.86	758.4	81	38	NNE	3	c	,,	29.92	759.9	71	48	NNE	2	b
Gap Rock,	,,	29.87	758.7	...	...	NW	4	b	,,	29.92	759.9	...	..	NNE	4	c
Macao,	,,	29.86	758.4	77	40	NNE	1	b	,,	...	...	...	...	...	...	...
Wuchow,	15	..	...	...	...	...	...	...	9	...	..	...	..	.	...	...
Pakhoi,	,,	..	..	...	...	...	...	...	,,	...	...	..	..	...	...	...
Hoihow,	,,	..	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Pratas Island	,,	29.70	754.4	...	...	NE	4	r	,,	29.77	756.1	...	..	NE	4	c
Phulien,	,,	29.93	760.2	84	40	WNW	1	b	7	29.99	761.7	70	69	NNE	4	b
Tourane,	,,	29.87	758.7	79	...	N	6	b	,,	29.93	760.2	73	...	NNW	4	b
Cape St. James	,,	29.82	757.5	84	...	S	2	b	,,	29.88	759.0	77	...	NW	2	b
Basco,	14	29.72	754.8	81	86	N	6	0	6	..	...	...	..		...	...
Aparri,	,,	29.71	754.5	73	96	...	0	r	,,	29.75	755.7	75	92	NE	4	r
Manila,	,,	29.62	752.4	90	66	SE	1	0	,,	29.68	753.9	77	94	S	2	0
Legaspi,	,,	29.65	753.0	86	68	SSW	4	0	,,	29.69	754.2	77	96	...	0	b
Tacloban,	,,	..	...	...	...	..	..	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.67	753.6	86	78	SW	6	0	,,	...	...	...	...	...	...	...
Surigao,	.	29.72	754.8	86	61	WSW	4	0	..	...	...	...	..	...	...	...
Guam,	12.20	29.61	752.1	...	...	SSE	2	0	4.20	...	...	...	...	..	...	...
Yap,	12.47	29.67	753.6	...	...	WSW	4	0	4.47	29.71	754.5	...	..	WSW	2	0
Labuan,	11	29.71	754.6	86	88	NW	2	b	6	29.82	757.4	82	91	NW	2	b

October 13*d*. 11*h*. 03*m*.—Pressure has increased slightly over S. Manchuria, Shantung and the coast between Hongkong and Tourane; it has decreased slightly to moderately elsewhere, remaining highest over N. China and S. Manchuria. An area of relatively low pressure remains in the Pacific to the east of Luzon.

Moderate to fresh monsoon will continue along the coast and over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 86.12 inches, against an average of 78·80 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh to strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock,	N.E. winds, fresh; fine.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fine.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	13th October, 1925.								14th October, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock.	14	30.02	762.6	65	...	WSW	2	b	6	30.15	765.7	45	...	NNE	5	b
Nemuro,	11	29.90	759.5	...	...	NNW	1	...	5	29.78	756.5	...	...	SW	1	...
Hokodate,	..	29.96	761.0	...	...	...	0	...	,,	29.90	759.5	...	...	...	0	...
Tokio,	,,	29.92	760.0	...	...	N	2	...	,,	29.90	759.5	...	...	NW	1	...
Kochi,	,,	29.82	757.5	...	...	N	1	...	,,	29.86	758.5	...	...	SW	1	...
Nagasaki,	,,	29.92	760.0	...	...	NE	2	...	,,	29.94	760.5	...	...	...	0	...
Kagoshima,	,,	29.84	758.0	...	...	NE	1	...	,,	29.86	758.5	...	...	NW	1	...
Oshima,	,,	29.82	757.5	...	...	NNE	3	...	,,	29.82	757.5	...	...	N	2	...
Naha,	,,	29.82	757.5	...	...	N	3	...	,,	29.84	758.0	...	...	NNE	1	...
Ishigakijima,	,,	29.88	759.0	...	...	NNW	2	...	,,	29.88	759.0	...	...	NW	3	...
Bonin Island,	,	29.67	753.5	...	...	S	3	...	..	29.55	750.5	...	..	S	5	...
Chefoo,	15	30.09	764.3	69	75	N	1	b	6	30.10	764.5	58	94	NW	1	b
Hankow,	,,	..	..	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	..	..	...	...	..	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Shanghai,	14	30.11	764.7	75	45	NNE	2	b	,,	30.12	765.0	52	97	NNW	1	b
Gutzlaff,	,,	30.10	764.5	72	54	N	4	b	,,	30.12	765.0	65	73	N	2	b
Sharp Peak,	..	29.99	761.7	78	65	ENE	4	b	7	30.03	762.7	67	74	N	1	b
Amoy,	15	29.85	758.2	82	52	NE	4	b	9	29.97	761.2	69	70	NNE	4	b
Swatow,	..	..	...	...	...	.	...	...	8	..	..	.	..	...	..	...
Taihoku,	11	29.95	760.8	79	73	E	4	b	5	29.98	761.4	63	92	...	0	b
Taichu,	,,	29.85	758.1	82	...	...	0	b	,,	29.89	759.3	66	..	N	2	b
Tainan,	,,	29.85	758.1	82	...	WNW	2	o	,,	29.86	758.4	64	...	NNE	2	b
Koshun,	,,	29.84	757.8	81	...	NE	6	b	,,	29.85	758.1	72	..	NNE	2	b
Pescadores,	,,	29.88	759.0	81	...	NE	6	o	..	29.87	758.7	73	...	NE	6	b
Canton,	14	...	..	...	...	...	...	...	6		...		...	.	...	...
Hongkong,	,,	29.88	758.9	80	46	ESE	3	b	,,	29.96	761.0	72	43	N	3	o
Gap Rock,	,,	29.89	759.2	...	...	NNE	4	b	,,	29.93	760.2	...	..	NNE	4	c
Macao,	,,	29.87	758.7	77	44	NE	1	b	,,	29.93	760.2	75	60	N	1	b
Wuchow,	15	..	...	...	...	...	...	...	9	..	...	...	..	..	...	...
Pakhoi,	,,	..	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	29.71	754.6	...	...	NE	5	c	,,	29.79	756.6	...	...	NE	5	b
Phulien,	,,	29.93	760.2	84	34	W	1	b	7	30.00	762.0	72	62	N	4	b
Tourane,	,,	29.91	759.6	75	...	NW	4	o	,,	29.93	760.2	73	...	NW	2	b
Cape St. James	..	29.81	757.2	84	...	W	2	o	,,	29.84	757.8	75	...	N	2	of
Basco,	14	29.73	755.1	81	86	NE	4	o	6	29.79	756.6	77	94	N	6	r
Aparri,	,,	29.73	755.1	79	76	NE	4	o	,,	..	...	...	...	...	...	...
Manila,	,,	29.62	752.4	86	71	N	2	o	,,	29.72	754.8	73	96	...	o	o
Legaspi,	,,	29.65	753.0	86	71	WSW	4	o	..	29.71	754.5	77	89	...	o	o
Tacloban,	..	...	...	..	...	...	..	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.66	753.3	79	84	S	6	o	,,	...	...	...	...	...	...	...
Surigao,	.	29.67	753.6	86	65	WSW	4	b	..	...	...	...	..	...	...	...
Guam,	12.20	29.63	752.7	...	...	SSW	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.65	753.0	...	...	W	4	o	4.47	29.75	755.7	...	...	WSW	2	o
Labuan,	11	29.71	754.6	88	84	N	2	b	6	29.84	757.9	76	91	S	2	o

October 14*d.* 10*h.* 53*m.*—Pressure has decreased moderately over N. Japan and the Bonins and slightly over Amram; it has increased slightly to moderately elsewhere. The anticyclone remains over N. China and S. Manchuria, and the area of relatively low pressure extends from Luzon to S. Japan with indications of a depression to the north-west of the Bonins.

Fresh monsoon will prevail along the S.E. coast and over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.12 inches, against an average of 78·93 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	14th October, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	15th October, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Vladivostock,	12	30.12	765.1	54	...	N	4	b	0	30.18	766.6	42	..	ESE	2	b
Nemuro,	11	29.76	756.0	...	...	WNW	1	...	5	29.98	761.5	...	...	N	2	...
Hokodate,	,,	29.86	758.5	...	...	WNW	4	...	,,	30.08	764.0	...	...	NNE	1	...
Tokio,	,,	29.88	759.0	...	...	NE	2	...	,,	30.00	762.0	...	...	NW	1	...
Kochi,	,,	29.84	758.0	...	...	N	1	...	,,	29.94	760.5	...	...	SW	1	...
Nagasaki,	,,	29.92	760.0	...	...	NNE	2	...	,,	29.98	761.5	...	..	...	0	...
Kagoshima,	,,	29.84	758.0	...	...	E	1	...	,,	29.94	760.5	...	...	NW	1	...
Oshima,	,,	29.88	759.0	...	...	NNE	3	...	,,	29.90	759.5	...	...	N	2	...
Naha,	,,	29.88	759.0	...	...	N	3	...	,,	29.94	760.5	...	..	NE	1	...
Ishigakijima,	,,	29.94	760.5	...	...	NNW	3	...	,,	29.96	761.0	...	...	NNW	2	...
Bonin Island,	..	29.47	748.5	...	...	S	6	..	..	29.67	753.5	...	...	NNE	1	..
Chefoo,	15	30.06	763.5	71	53	NW	1	b	6	30.15	765.8	56	100	...	0	bf
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	..	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Changsha,	,,	..			...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.08	764.1	77	35	N	4	b	,,	30.14	765.6	52	95	NNW	1	b
Gutzlaff,	,,	30.10	764.5	72	58	N	2	b	,,	30.14	765.5	65	68	NNE	2	b
Sharp Peak,	..	30.03	762.7	80	55	ENE	2	b	7	30.06	763.5	67	79	NE	2	b
Amoy,	15	29.90	759.4	82	49	ENE	2	b	9	30.00	762.0	69	65	NNE	4	b
Swatow,	,,	..		...	...	...	...	...	8		..	...	..	..	..	...
Taihoku,	11	30.02	762.6	77	47	E	4	b	5	30.02	762.6	77	92	SSE	2	b
Taichu,	,,	29.98	761.4	77	...	NE	4	b	,,	29.98	761.4	61	..	...	0	o
Tainan,	,,	29.91	759.6	82	...	N	2	b	,,	29.92	759.9	64	..	NNE	2	b
Koshun,	,,	29.91	759.6	81	...	NE	4	b	,,	29.89	759.3	73	..	NE	6	b
Pescadores,	,,	29.95	760.8	79	...	NE	6	b	,,	29.92	759.9	73	...	NE	6	b
Canton,	14	...		...	...	.	...	...	6		...		..	.	...	...
Hongkong,	,,	29.91	759.7	78	53	ESE	3	b	,,	30.00	762.0	71	66	NNE	2	o
Gap Rock,	,,	29.91	759.7	...	...	NE	5	b	,,	29.97	761.2	...		ENE	4	b
Macao,	,,	29.91	759.6	77	47	NNE	1	b	,,	29.98	761.4	72	82	NE	1	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	..	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	...	...	...	...	..	...	..	,,	29.82	757.4	...	..	NE	5	b
Phulien,	,,	29.94	760.5	84	40	ESE	4	b	7	30.01	762.3	72	57	NE	4	b
Tourane,	,,	29.91	759.6	73	...	NW	2	o	,,	29.94	760.5	73	...	NNW	2	o
Cape St. James,	..	29.81	757.2	82	...	SE	2	o	..	29.85	758.1	75	...	NW	2	o
Basco,	14	29.79	756.6	77	88	N	6	o	6	..	...	...	...	...	..	...
Aparri,	,,	29.76	756.0	84	58	NE	4	b	..	29.82	757.5	77	79	NE	4	o
Manila,	..	29.69	754.2	79	89	E	1	o	..	29.75	755.7	75	94	SE	2	o
Legaspi,	,,	29.67	753.6	82	87	NE	2	o	..	29.74	755.4	75	98	...	0	o
Tacloban,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.66	753.3	82	84	SW	4	o	..	...	...	...	...	...	...	...
Surigao,	.	29.68	753.9	86	58	SW	4	o	..	...	...	...	..	...	...	...
Guam,	12.20	29.69	754.2	...	...	SSW	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.75	755.7	...	...	SW	4	r	4.47	29.80	756.9	...	...	WSW	2	o
Labuan,	13	29.81	757.2	86	84	N	2	b	6	29.80	756.9	80	91	S	2	r

October 15*d.* 10*h.* 40*m.*—Pressure has increased considerably over N. Japan and the Bonins, and slightly to moderately elsewhere. The anticyclone remains over N. China and S. Manchuria, and an area of relatively low pressure extends from the Philippines to the Bonins.

Fresh monsoon will continue over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 86.12 inches, against an average of 79·05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock,	N.E. winds, fresh; fine.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fine.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	15th October, 1925.								16th October, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.12	765.1	57	...	SSE	2	b	6	30.16	766.1	51	...	...	0	0
Nemuro,	11	30.02	762.5	...	...	NW	3	...	5	30.10	764.5	...	...	...	...	...
Hokodate,	,,	30.10	764.5	...	...	WSW	1	...	,,	30.18	766.5	...	...	...	0	...
Tokio,	,,	30.02	762.5	...	...	ENE	1	...	,,	30.16	766.0	...	...	NW	1	...
Kochi,	,,	29.98	761.5	...	...	N	1	...	,,	30.04	763.0	...	...	SW	1	...
Nagasaki,	,,	30.00	762.0	...	...	ENE	2	...	,,	30.06	763.5	...	...	WNW	1	...
Kagoshima,	,,	29.94	760.5	...	...	ENE	1	...	,,	30.02	762.5	...	...	WNW	1	...
Oshima,	,,	29.92	760.0	...	...	NNE	2	...	,,	29.90	759.5	...	...	...	..	...
Naha,	,,	29.98	761.5	...	...	NNE	3	...	,,	29.92	760.0	...	..	E	1	...
Ishigakijima,	,,	30.00	762.0	...	...	NNW	3	...	,,	29.94	760.5	...	...	NW	1	...
Bonin Island,	..	29.70	754.5	...		...	0		..	29.82	757.5	...	..	NE	1	...
Chefoo,	15	30.07	763.8	69	65	NE	1	b	6	30.08	764.0	58	81	SSW	2	b
Hankow,	..	..	...	.	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	..	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	..	..			...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.12	765.0	75	39	NE	1	b	,,	30.13	765.3	50	95	...	0	b
Gutzlaff,	,,	30.14	765.5	73	55	NNE	2	b	,,	30.13	765.3	64	53	ENE	2	b
Sharp Peak,	,,	30.06	763.5	81	62	ENE	2	b	7	30.06	763.5	66	77	NW	2	b
Amoy,	15	29.94	760.5	81	56	NE	4	b	9	30.01	762.2	68	70	NNE	1	b
Swatow,	,,	..		...	...	...	...	...	8	..	.	..	...	..	..	...
Taihoku,	11	30.05	763.2	79	45	E	4	o	5	30.01	762.3	59	91	S	2	b
Taichu,	,,	29.98	76 .4	81	...	N	2	b	,,	29.98	761.4	59	...	...	0	b
Tainan,	,,	29.95	760.8	82	...	NW	2	b	,,	29.93	760.2	59	..		0	b
Koshun,	,,	29.94	760.5	79	...	NE	4	b	,,	29.91	759.6	72	..	NNE	4	b
Pescadores,	,,	30.00	762.0	79	...	NE	6	o	,,	29.93	760.2	72	...	NE	4	b
Canton,	14	...		...	...	..	...	...	6	..	...		...	...	...	...
Hongkong,	,,	29.97	761.2	78	47	ESE	3	b	,,	29.99	761.7	70	77	NE	3	b
Gap Rock,	,,	29.97	761.2	...	...	ENE	5	b	,,	29.98	761.5	...		ENE	4	c
Macao,	,,	29.95	760.8	79	48	ESE	1	b	,,	29.97	761.1	86	89	N	1	b
Wuchow,	15	..	...	...	...	...	...	...	9	...	...	...	..	..	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island	,,	29.79	756.6	...	...	NE	5	b	,,	29.83	757.7	...	..	NE	4	b
Phulien,	,,	29.95	760.8	82	40	ESE	2	b	7	29.98	761.4	72	54	NE	4	b
Tourane,	,,	29.92	759.9	72	...	SE	4	of	,,	29.94	760.5	72	...	WNW	2	of
Cape St. James,	,,	29.82	757.5	84	...	S	2	o	,,	29.85	758.1	75	...	N	4	bf
Basco,	14	29.84	757.8	81	76	N	4	o	6	..	...	...	...	...	..	...
Aparri,	,,	29.79	756.6	84	60	ENE	4	o	,,	29.84	757.8	72	92		0	o
Manila,	,,	29.68	753.9	75	92	...	0	r	,,	29.71	754.5	72	92	N	2	o
Legaspi,	,,	29.71	754.5	81	90	SW	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	.	...	...	...	...	...	...	,,	...	..	..	...	...	..	...
Iloilo,	,,	29.69	754.2	75	96	SE	1	r	,,	29.72	754.8	81	84	S	6	o
Surigao,	.	29.72	754.8	90	57	WNW	2	o	..	...	...	...	..	...	...	...
Guam,	12.20	29.69	754.2	...	...	SW	4	o	4.20	..	...	...	...	...	...	...
Yap,	12.47	29.75	755.7	...	...	WSW	4	o	4.47	29.80	756.9	...	...	W	2	o
Labuan,	12	29.81	757.2	86	84	N	2	b	6	29.81	757.2	78	91	S	2	o

October 16*d.* 11*h.* 40*m.*—The anticyclone has moved eastward into the Sea of Japan; pressure has increased slightly to moderately in that locality, and decreased slightly elsewhere. The trough of low pressure remains stationary with centres indicated over the Visayas and to the South of the Bonins.

Moderate monsoon will prevail over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.12 inches, against an average of 79·17 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hongkong and Lamocks. 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; fine.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	16th October, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	17th October, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.15	765.7	59	...	SE	4	o	0	30.15	765.9	54	...	SSE	2	o
Nemuro,	,,	30.14	765.5	...	...	NW	2	...	5	30.39	772.0	...	...	SE	1	...
Hakodate,	,,	30.20	767.0	...	...	...	...	...	,,	30.32	770.0	...	...	E	1	...
Tokio,	,,	30.18	766.5	...	...	NE	1	...	,,	30.24	768.0	...	...	N	1	...
Kochi,	,,	30.04	763.0	...	...	...	0	...	,,	30.06	763.5	...	...	...	..	...
Nagasaki,	,,	30.04	763.0	...	...	E	2	...	,,	...	...	...	..	...	...	...
Kagoshima,	,,	30.00	762.0	...	...	NE	1	...	,,	30.00	762.0	...	...	NW	1	...
Oshima,	,,	29.92	760.0	...	...	NE	3	...	,,	29.92	760.0	...	...	NNE	1	...
Naha,	,,	29.94	760.5	...	...	N	2	...	,,	29.94	760.5	...	...	NE	1	...
Ishigakijima,	,,	29.98	761.5	...	...	N	2	...	,,	29.94	760.5	...	...	N	1	...
Bonin Island,	,,	29.84	758.0	...		NE	1	..	,,	29.80	757.0	...	...	E	1	...
Chefoo,	15	30.03	762.7	70	66	E	1	b	6	30.03	762.7	60	82	S	2	b
Hankow,	,,	..	..	...	...	...	...	...	,,	...	...	...	..	..	..	...
Ichang,	,,	..	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.10	764.4	75	33	NE	1	b	,,	30.13	765.3	50	95	...	0	b
Gutzlaff,	,,	30.12	765.0	71	49	ENE	1	b	,,	30.12	765.0	64	73	NNW	1	b
Sharp Peak,	,,	30.06	763.5	81	59	E	4	b	7	30.06	763.5	67	74	N	1	o
Amoy,	15	29.92	759.9	80	55	E	2	b	9	30.00	762.0	68	74	NNE	1	b
Swatow,	,,	.	...	...	..	.	...	...	8	..		..	.	...	..	...
Taihoku,	,,	30.04	762.9	75	49	E	4	b	5	29.99	761.7	63	92	...	0	o
Taichu,	,,	29.98	761.4	81	...	NW	2	b	,,	29.97	761.1	63	..		0	b
Tainan,	,,	29.97	761.1	82	...	WNW	2	b	,,	29.94	760.5	63	..	NNE	2	b
Koshun,	,,	29.95	760.8	81	...	NE	4	b	,,	29.93	760.2	68	...	...	0	b
Pescadores,	,,	29.99	761.7	75	...	NE	6	b	..	29.92	759.9	63	...	NNE	4	b
Canton,	14	...		...	...	...	...	...	6	..	...		...	..	...	...
Hongkong,	,,	29.93	760.2	77	48	E	3	b	,,	29.98	761.5	71	80	NE	3	o
Gap Rock,	,,	29.94	760.5	...	...	ENE	4	b	,,	29.98	761.5	...	..	E	4	b
Macao,	,,	29.93	760.2	79	52	NE	1	b	,,	29.94	760.5	79	66	NE	2	b
Wuchow,	15		...	...	...	..	...	...	9	..	..	...			...	...
Pakhoi,	,,	..		...	...	...	...	...	,,	...	...	...	..	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	...	...	...	...	...	...	...	,,	29.83	757.7	...	..	NE	1	b
Phulien,	,,	29.92	759.9	82	60	SSE	4	o	7	29.94	760.5	73	82	ESE	6	o
Tourane,	,,	29.91	759.6	75	...	...	0	o	,,	29.92	759.9	73	.	SSE	2	b
Cape St. James,	,,	29.82	757.5	82	...	E	4	b	..	29.86	758.4	72	...	ENE	2	o
Basco,	14	29.84	757.8	81	66	N	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.82	757.5	73	91	E	4	r	,,	...	...	...	...	...	...	...
Manila,	,,	29.69	754.2	77	76	N	4	o	,,	...	...	...	...	...	...	...
Legaspi,	,,	29.72	754.8	77	96	SW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,		...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	82	77	SW	6	o	,,	...	...	...	...	...	...	...
Surigao,	,,		...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Guam,	12.20	29.66	753.3	...	...	WNW	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.75	755.7	...	...	W	4	o	4.47	...	...	...	...	...	...	...
Labuan,	11	29.72	754.8	88	84	NE	2	o	6	29.78	756.1	78	91	S	1	b

October 17*d.* 11*h.* 22*m.*—Pressure has decreased slightly over Indo-China, Formosa, and the Loochoos; it has increased considerably over N. Japan and slightly elsewhere. The anticyclone has passed into the Pacific, and another will probably form over China.

In the total absence of returns from Manila, no information is available concerning the position and motion of the depression to the east of Luzon.

Moderate to freshmonsoon will prevail over the northern China Sea.

Manila warning. 16*d.* 11*h.* 30*m.*:—Cyclone or typhoon near or over Mindoro moving E.N.E. Recd. 16*d.* 14*h.* 22*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.12 inches, against an average of 79·28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock,	N.E. winds, fresh; fine.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fine.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	17th October, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	18th October, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock.	12	30.17	766.3	60	...	SSE	4	c	6	30.19	766.7	52	...	...	0	0
Nemuro.....	11	30.41	772.5	...	...	SSE	3	...	5	30.36	771.0	...	...	SE	2	...
Hokodate.	..	30.30	769.5	...	...	ESE	4	...	,,	30.18	766.5	...	...	SE	2	...
Tokio.....	,,	30.22	767.5	...	...	ESE	4	...	,,	30.00	762.0	...	...	NW	2	...
Kochi, ...	,,	30.04	763.0	...	...	...	...	...	,,	30.02	762.5	...	...	SW	1	...
Nagasaki, ...	,,	30.04	763.0	...	...	NW	1	...	,,	30.06	763.5	...	...	NE	1	...
Kagoshima, ...	,,	30.02	762.5	...	...	ENE	1	...	,,	30.02	762.5	...	...	NW	1	...
Oshima, ...	,,	29.94	760.5	...	...	NNE	2	...	,,	29.96	761.0	...	...	NE	3	...
Naha, ...	,,	29.94	760.5	...	...	N	2	...	,,	29.98	761.5	...	...	...	0	...
Ishigakijima....	,,	29.96	761.0	...	...	NE	2	...	,,	29.96	761.0	...	...	N	1	...
Bonin Island,..	..	29.80	757.0	...	...	SE	1	.	..	29.82	757.5	...	...	...	0	...
Chefoo.	15	30.02	762.5	73	55	NNE	1	b	6	30.06	763.5	67	69	SSW	4	o
Hankow, ...	,,	.		...	...	...	...	...	,,	...	...	...	..		..	...
Ichang, ...	,,	..	..	...	...	..	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,		..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai.	14	30.11	764.7	79	36	ENE	1	b	,,	30.15	765.7	57	93	E	1	b
Gutzlaff,.....	,,	30.13	765.3	75	60	N	1	b	,,	30.16	766.0	66	64	SSE	4	o
Sharp Peak, ...	..	30.04	763.0	83	75	NE	1	b	7	30.06	763.5	69	82	NW	1	o
Amoy, ...	15	29.95	760.7	80	55	NE	4	b	9	30.02	762.5	69	75	N	1	b.
Swatow, ...	,,	..		...	...	...	...	...	8		..		...		..	...
Taihoku, ...	11	30.04	762.9	75	67	E	2	o	5	29.99	761.7	64	53	...	..	...
Taichu, ...	,,	29.98	761.4	82	...	...	o	b	,,	29.99	761.7	61	.	...	o	b
Tainan, ...	,,	29.98	761.4	82	...	W	2	b	,,	29.98	761.4	63	..	...	o	bf
Koshun,.....	,,	29.97	761.1	82	...	NE	4	o	,,	29.95	760.8	72	..	N	4	b
Pescadores, ...	,,	29.99	761.7	81	...	NE	4	b	,,	29.97	761.1	73	...	NE	4	b
Canton, ...	14	...	.	...	...	..	...	...	6	..	...	.	..	..	...	...
Hongkong,.....	,,	29.94	760.5	77	56	E	4	b	,,	29.99	761.7	73	76	ENE	3	b
Gap Rock, ...	,,	29.95	760.7	...	...	ENE	4	b	,,	29.98	761.5	...		E	4	o
Macao, ...	,,	29.93	760.2	79	48	ESE	15	b	,,	29.95	760.8	77	76	ESE	4	o
Wuchow, ...	15	.	...	...	...	...	...	...	9	...	...	...	..	..	...	...
Pakhoi, ...	,,	..	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Pratas Island ..	,,	29.78	756.4	...	...	NE	4	b	,,	29.84	757.9	...	..	NE	2	b
Phulien, ...	,,	29.88	759.0	77	79	SE	6	of	,,	29.95	760.8	72	96	WSW	4	of
Tourane,.....	,,	29.88	759.0	81	...	SE	2	b	,,	29.89	759.3	73	..	W	2	b
Cape St. James.	,,	29.84	757.8	81	...	E	4	o	..	29.89	759.3	79	....	NE	4	o
Basco,.....	14	29.84	757.8	81	69	N	4	o	6	29.89	759.3	75	79	...	o	o
Aparri, ...	,,	29.82	757.5	84	68	NE	4	o	,,	29.88	759.0	73	91	..	o	o
Manila, ...	,,	29.75	755.7	82	74	NNW	2	o	,,	29.81	757.2	77	79	NNE	2	o
Legaspi, ...	,,	29.67	753.6	77	92	SSE	4	o	..	...	...	...	...	...	...	...
Tacloban, ...	,,	.	...	..	...	...	..	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.73	755.1	81	86	S	4	o	,,	...	...	...	...	...	...	...
Surigao.	..		...	...	...	...	...	...	..	...	...	...	...	...	...	...
Guam,.....	12.20	29.65	753.0	...	...	SSW	4	o	4.20	...	...	...	...	...	...	...
Yap, ...	12.47	29.73	755.1	...	...	WNW	2	r	4.47	29.75	755.7	...	...	W	4	r
Labuan.	14	29.81	757.2	78	91	NW	2	b	6	..	...	...	...	...	...	..

October 18*d.* 11*h.* 55*m.*—Pressure has decreased moderately over central and N.E. Japan. It has increased slightly elsewhere.

The anticyclone over central China has strengthened.

An area of relatively low pressure extends from the Bonin to the Philippine Islands.

Moderate to fresh monsoon will prevail along the S.E. coast of China and over the northern China Sea.

Manila warning. 17*d.* 12*h.* 30*m.*:—Cyclone or typhoon near or over southern Luzon, moving E. Recd. 17*d.* 15*h.* 34*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.12 inches, against an average of 79·39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel.	N.E. winds, moderate to fresh; fine.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,.....	
4.—South coast of China between Hongkong and Hainan, .	

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	18th October, 1925.								19th October, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	30.15	765.9	54	...	N	4	c	6	29.97	761.2	34	...	N	6	or
Nemuro,	11			...	...	..	...	...	5	30.00	762.0	...	...	ESE	2	...
Hokodate,	,,	30.12	765.0	...	...	SE	3	...	,,	29.94	760.5	...	...	E	1	...
Tokio,	,,	29.94	760.5	...	...	N	3	...	,,	29.98	761.5	...	..	N	1	...
Kochi,	,,	30.00	762.0	...	...	N	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.04	763.0	...	...	ENE	2	...	,,	29.98	761.5	...	..	...	...	...
Kagoshima,	,,	30.00	762.0	...	...	ENE	1	...	,,	29.96	761.0	...	..	SE	1	...
Oshima,	,,	29.96	761.0	...	...	NNE	3	...	,,	29.91	759.5	...	...	SSE	1	...
Naha,	,,	29.96	761.0	...	...	N	2	...	,,	29.92	760.0	...	..	NNE	1	...
Ishigakijima,	,,	30.00	762.0	...	...	N	1	...	,,	29.96	761.0	...	...	NW	1	...
Bonin Island,	..	29.80	757.0	...	..	WSW	1	..	..	29.86	758.5	...	..	...	0	...
Chefoo,	15	30.03	762.7	76	45	WSW	4	o	6	30.28	769.1	52	66	N	6	b
Hankow,	,,	..	...	...	...	...	...	...	,,	...	...	.	..	..	...	...
Ichang,	,,	..	...	...	...	.	...	...	,,	...	...	..	...	...	...	...
Changsha,	,,	..	...		...	.	...	...	,,	...	...	...	..	..	...	...
Shanghai,	14	30.06	763.5	72	57	SE	1	o	,,	30.15	765.9	61	87	ESE	2	o
Gutzlaff,	,,	30.12	765.0	70	57	E	1	o	,,		...	..	..	..	..	...
Sharp Peak,	,,	30.06	763.5	83	91	ENE	2	o	7	30.05	763.2	70	90	NE	1	b
Amoy,	15	29.96	761.0	83	57	ENE	2	b	9	29.97	761.2	71	80	NE	1	o
Swatow,	,,	..		...	..	.	...	...	8	...	.		..	...	..	...
Taihoku,	11	30.01	762.3	82	60	E	4	b	5	30.02	762.6	64	92	...	o	b
Taichu,	,,	30.00	762.0	82	...	...	o	b	,,	30.00	762.0	64	..	...	o	b
Tainan,	,,	29.99	761.7	86	...	W	2	b	,,	29.97	761.1	63	..	...	o	b
Keshun,	,,	29.99	761.7	81	...	NNE	4	b	,,	29.97	761.1	70	.	.	o	b
Pescadores,	,,	30.00	762.0	81	...	NNE	4	b	,,	29.95	760.8	73	...	NNE	4	b
Canton,	14	...	..	..	...	..	...	...	6	..	...		..	...	...	...
Hongkong,	,,	29.97	761.2	76	61	E	4	c	,,	30.01	762.2	73	75	ENE	2	o
Gap Rock,	,,	29.97	761.2	...	...	ENE	4	b	,,	30.00	762.0	...	.	E	4	c
Macao,	,,	29.97	761.2	79	62	SE	1	b	,,	29.99	761.7	77	84	N	1	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	..	...	.	..	...	...
Pakhoi,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	..	.....	...	...	..	...	...	,,	...	...	...	...	...	..	...
Pratas Island	,,	29.81	757.2	...	...	NE	2	b	,,	29.84	757.9	...	..	NE	2	b
Phulien,	,,	29.92	759.9	77	89	E	4	of	7	29.97	761.1	73	91	ENE	4	of
Tourane,	,,	29.95	760.8	70	...	SE	2	b	,,	29.95	760.8	73	...	S	2	b
Cape St. James	,,	29.86	758.4	82	...	E	2	of	,,	29.89	759.3	75	...	ENE	4	of
Basco,	14	29.86	758.4	82	48	SSW	4	o	6	.	...	.	..	..	...	...
Aparri,	,,	29.85	758.1	84	60	SW	4	b	,,	29.91	759.6	79	76	ENE	2	o
Manila,	,,	29.78	756.3	86	56	NE	4	o	,,	29.88	759.0	75	67	SE	2	o
Legaspi,	,,		...	..	...	...	..	...	,,	29.85	758.1	75	98	WNW	1	b
Tacloban,	,,	29.76	756.0	86	68	S	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,		...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Surigao,	.	29.76	756.0	86	75	WSW	2	o	..	...	...	...	..	...	..	...
Guam,	12.20	29.69	754.2	...	...	S	2	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.72	754.8	...	...	SW	2	r	4.47	29.76	756.0	...	...	WNW	4	r
Labuan,	14	29.73	755.1	88	84	SW	4	b	6	29.87	758.7	76	94	S	2	o

October 19*d.* 11*h.* 34*m.*—Pressure has increased considerably over Shantung and decreased considerably over N. Japan; other changes are slight. An anticyclone of moderate intensity covers China to the north of the Yangtze Valley; a typhoon is probably situated between Yap and Guam, but in the absence of returns from the latter station, this is uncertain.

The monsoon will probably freshen along the coast and over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 86.12 inches, against an average of 79.49 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh to strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	19th October, 1925.								20th October, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.88	758.9	32	...	NNE	7	s	0	29.72	754.8	36	...	...	0	c
Nemuro,	11	29.92	760.0	...	...	ESE	2	...	5	29.76	756.0	...	...	SE	2	...
Hokodate,	,,	29.90	759.5	...	...	NNW	1	...	,,	29.49	749.0	...	...	ESE	1	...
Tokio,	,,	29.94	760.5	...	...	SSE	1	..	,,	29.67	753.5	...	...	N	1	...
Kochi,	,,	29.94	760.5	...	...	..	0	...	,,	29.86	758.5	...	...	SW	1	...
Nagasaki,	,,	29.98	761.5	...	...	NNW	1	...	,,	30.00	762.0	...	..	...	0	...
Kagoshima,	,,	29.92	760.0	...	...	WSW	1	...	,,	29.96	761.0	...	..	...	0	...
Oshima,	,,	29.92	760.0	...	...	..	0	...	,,	29.94	760.5	...	...	N	3	...
Naha,	,,	29.94	760.5	...	...	N	3	...	,,	29.98	761.5	...	..	NNE	3	...
Ishigakijima,	,,	30.00	762.0	...	...	NNW	3	...	,,	...	...	...	...	...	...	...
Bonin Island,	..	29.86	758.5	...	..	...	0	...	,,	29.82	757.5	...	..	...	...	...
Chefoo,	15	30.25	768.3	86	76	NW	4	b	6	30.08	764.0	54	62	SW	4	b
Hankow,	,,	..	...	...	...	...	...	...	,,	...	...	..	..	..	..	...
Ichang,	,,	..	...	...	...	.	...	...	,,	...	...	...	..	..	...	...
Changsha,	,,	..	...		...	...	...	...	,,	...	...	...	..	..	...	...
Shanghai,	14	30.20	765.1	72	54	N	4	b	,,	30.26	768.6	46	89	NNW	4	b
Gutzlaff,	,,	30.17	766.3	70	66	N	6	b	,,	30.25	768.3	56	81	NNW	6	o
Sharp Peak,	,,	30.07	763.8	78	65	E	2	o	7	30.11	764.8	68	74	N	2	o
Amoy,	15	29.97	761.2	83	57	ENE	4	b	9	30.02	762.5	72	71	NNE	2	o
Swatow,	,,	..		...	...	..	...	...	8	.	...	...	..	.	..	...
Taihoku,	11	30.05	763.2	82	51	E	4	b	5	30.10	764.4	64	94	E	2	r
Taichu,	,,	30.00	762.0	82	...	NNW	2	b	,,	30.02	762.6	61	..	..	0	b
Tainan,	,,	29.99	761.7	84	...	NNW	2	b	,,	29.99	761.7	63	..	NE	2	b
Koshun,	,,	29.99	761.7	84	...	NE	2	o	,,	29.99	761.7	73	..	NNE	4	b
Pescadores,	,,	30.11	764.7	79	...	SW	6	b	,,	30.01	762.3	73	...	NE	6	b
Canton,	14	...	...	...	...	...	...	...	6	..	...	..	...	...	...	...
Hongkong,	,,	29.98	761.5	81	57	E	2	c	,,	30.06	763.5	70	84	N	1	o
Gap Rock,	,,	30.00	762.0	...	...	NNE	4	b	,,	30.05	763.2	...	.	NE	4	o
Macao,	,,	29.98	761.4	81	59	NE	1	o	,,	29.80	756.9	75	83	N	4	cf
Wuchow,	15	..	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Pratas Island	,,	29.81	757.2	...	...	NE	1	b	,,	29.88	758.9	...	...	NE	4	b
Phulien,	,,	29.99	761.7	75	76	NE	6	o	7	30.08	764.1	68	92	NW	2	o
Tourane,	,,	29.94	760.5	81	...	E	2	b	,,	29.99	761.7	75	...	E	4	o
Cape St. James.	,,	29.88	759.0	82	...	ESE	2	b	,,	29.89	759.3	79	...	E	2	o
Basco,	14		...	..	...	...	...	...	6	..	...	.	...	...	...	...
Aparri,	,,	29.87	758.7	82	67	NE	4	o	,,	29.93	760.2	75	79	NE	4	r
Manila,	,,	29.82	757.5	84	74	N	2	o	,,	29.88	759.0	75	96	...	0	o
Legaspi,	,,	29.86	758.4	86	71	ENE	2	o	,,	29.88	759.0	75	96	NNE	2	o
Tacloban,	,,	29.80	756.9	86	81	NNW	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	.	29.80	756.9	86	71	W	2	o	..	...	...	...	..	...	...	...
Guam,	12.20	29.73	755.1	..	...	S	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.73	755.1	...	...	WSW	6	r	4.47	29.76	756.0	...	...	WSW	2	o
Labuan,	11	29.71	754.6	88	84	N	4	b	6	29.81	757.2	78	86	S	1	o

October 20*d.* 11*h.* 27*m.*—Pressure has decreased considerably over N. Japan, and moderately over Shantung; it has increased slightly elsewhere. The anticyclone has increased in intensity and a depression is crossing Japan to the south of Hokkaido.

Fresh monsoon will prevail along the coast and over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·14 inch. Total since January 1st. 86·26 inches, against an average of 79·59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fair.
3.—Hongkong to Gap Rock,	N.E. winds, fresh; fair.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fair.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	20th October, 1925.								21st October, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.60	751.8	48	...	...	0	c	0	29.80	756.9	36	..	NW	4	c
Nemuro,	11	29.57	751.0	...	...	SE	4	...	5	29.61	752.0	...	...	WSW	1	...
Hokodate,	..	29.39	746.5	...	...	SW	3	...	,,	29.61	752.0	...	...	NNW	2	...
Tokio,	,,	29.65	753.0	...	...	N	1	...	,,	29.78	756.5	...	...	NW	1	...
Kochi,	,,	29.84	758.0	...	...	SSE	1	...	,,	29.88	759.0	...	...	SW	1	...
Nagasaki,	,,	30.00	762.0	...	...	NW	1	...	,,	29.98	761.5	...	...	N	1	...
Kagoshima,	,,	29.94	760.5	...	...	NW	1	...	,,	29.94	760.5	...	...	NW	1	...
Oshima,	,,	29.96	761.0	...	...	N	3	...	,,	29.94	760.5	...	...	N	2	...
Naha,	,,	29.98	761.5	...	...	N	3	...	,,	...	...	...	..	...	...	...
Ishigakijima,	,,	30.02	762.5	...	...	NNW	4	...	,,	...	...	...	...	...	...	...
Bonin Island,	..	29.78	756.5	...	...	S	1	...	..	29.78	756.5	...	...	...	...	...
Chefoo,	15	29.95	760.7	66	49	WNW	6	b	6	30.10	764.5	56	51	NNE	2	b
Hankow,	,,	..	..	...	...	...	...	...	,,	...	...	...	..	..	...	...
Ichang,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.15	765.9	68	35	WNW	2	b	,,	30.13	765.3	46	97	W	2	b
Gutzlaff,	,,	30.17	766.3	69	52	NNW	2	b	,,	30.14	765.5	58	64	NNW	4	b
Sharp Peak,	,,	30.12	765.0	80	62	E	4	b	7	30.12	765.0	65	84	NW	1	b
Amoy,	15	30.00	762.0	76	73	NNE	4	o	9	30.01	762.2	70	70	NE	1	o
Swatow,	,,	...		...	...	...	...	...	8	..	...		...	...	..	...
Taihoku,	11	30.11	764.7	68	87	E	4	o	5	30.05	763.2	63	94	...	o	o
Taichu,	,,	30.01	762.3	81	...	...	o	b	,,	30.02	762.6	59	..	..	o	b
Tainan,	,,	30.02	762.6	82	...	WNW	2	b	,,	29.98	761.4	63	..	N	2	b
Koshun,	,,	29.99	761.7	79	...	NE	6	b	,,	29.95	760.8	68	..	...	o	b
Pescadores,	,,	30.05	763.2	79	...	NE	6	o	,,	29.98	761.4	72	...	NE	4	o
Canton,	14	...	...	...	...	...	...	...	6	..	...		..	...	...	...
Hongkong,	,,	30.02	762.5	75	65	E	2	o	,,	30.02	762.5	71	76	...	o	c
Gap Rock,	,,	30.02	762.5	...	...	NE	4	o	,,	30.01	762.2	...	..	NE	4	o
Macao,	,,	30.01	762.3	75	71	NNE	2	o	,,	29.99	761.7	73	79	N	2	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	....	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	29.84	757.9	...	...	NE	1	c	,,	29.88	758.9	...	..	NE	1	c
Phulien,	,,	30.02	762.6	79	66	SSW	1	o	7	30.04	762.9	70	82	ENE	4	o
Tourane,	,,	29.94	760.5	81	...	SE	2	b	,,	29.97	761.1	73	...	..	o	o
Cape St. James,	,,	29.87	758.7	82	...	ESE	2	o	..	29.91	759.6	75	...	NW	2	cf
Basco,	14	29.89	759.3	81	59	N	4	o	6	..	...	..	...	...	...	...
Aparri,	,,	29.89	759.3	84	64	NE	4	b	,,	29.92	759.9	73	91	SW	2	o
Manila,	,,	29.84	757.8	82	74	SW	2	o	,,	29.87	758.7	73	91	E	1	o
Legaspi,	,,	29.80	756.9	86	61	NE	4	o	..	29.84	757.8	73	96	...	o	o
Tacloban,	,,		...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.80	756.9	86	91	S	4	o	,,	...	...	...	...	...	...	...
Surigao,	..	29.79	756.6	84	71	WSW	2	o	..	...	...	...	...	...	...	...
Guam,	12.20	29.72	754.8	...	...	SSW	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.73	755.1	...	...	SW	6	r	4.47	29.79	756.6	...	...	SW	4	o
Labuan,	11	29.76	755.9	86	80	N	2	o	6	29.84	757.9	75	94	...	1	o

October *21d. 10h. 57m.*—Pressure has increased moderately over Japan and Shantung, and decreased slightly elsewhere. The anticyclone remains over China and the depression is situated the north of Hokkaido.

Moderate to fresh monsoon will prevail along the coast and over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.26 inches, against an average of 79·69 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate; fair.
3.—Hongkong to Gap Rock,	N.E. winds, moderate; fair.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; fair.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	21st October, 1925.								22nd October, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.80	757.0	45	...	NW	4	c	6	30.00	761.9	37	...	WNW	4	b
Nemuro,	11	29.65	753.0	...	...	SSW	5	...	5	29.73	755.0	...	...	SSW	1	...
Hokodate,	,,	29.69	754.0	...	...	W	2	...	,,	29.88	759.0	...	...	W	2	...
Tokio,	,,	29.74	755.5	...	...	SSE	1	...	,,	29.88	759.0	...	...	NNW	1	...
Kochi,	,,	29.84	758.0	...	...	...	0	...	,,	29.94	760.5	...	...	SW	1	...
Nagasaki,	,,	29.99	761.0	...	...	WNW	4	...	,,	30.06	763.5	...	...	N	1	...
Kagoshima,	,,	29.94	760.5	...	...	N	1	...	,,	30.02	762.5	...	...	WNW	1	...
Oshima,	,,	29.94	760.5	...	...	N	2	...	,,	30.00	762.0	...	...	N	3	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.02	762.5	...	..	NE	1	...
Ishigakijima,	,,	..	...	...	...	...	...	...	,,	30.02	762.5	...	...	NNW	2	...
Bonin Island,	..	29.80	757.0	...	...	...	0	...	,,	29.86	758.5	...	..	SSE	2	...
Chefoo,	15	30.16	766.0	56	40	N	6	b	6	30.20	767.1	50	58	S	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	..	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	..	...
Changsha,	,,	..	..	..	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.11	764.7	73	24	NNW	1	b	,,	30.24	768.0	50	84	WNW	1	b
Gutzlaff,	,,	30.12	765.0	74	43	NW	2	b	,,	30.22	767.6	63	57	NE	2	b
Sharp Peak,	,,	30.10	764.5	81	56	E	2	b	7	30.14	765.5	65	78	N	1	b
Amoy,	15	29.97	761.2	80	62	SE	4	b	9	30.07	763.8	68	65	NNE	2	b
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	..	...	..	...
Taihoku,	11	30.06	763.5	77	50	E	2	b	5	30.12	765.0	54	97	...	0	b
Taichu,	,,	30.01	762.3	77	...	N	4	b	,,	30.05	763.2	55	..	..	0	b
Tainan,	,,	30.00	762.0	81	...	N	4	b	,,	30.02	762.5	57	..	NE	2	b
Koshun,	,,	30.00	762.0	79	...	NE	4	b	,,	30.02	762.5	68	..	NNE	4	b
Pescadores,	,,	30.05	763.2	84	...	NNE	4	b	,,	30.04	762.9	70	...	NNE	6	b
Canton,	14	...	...	...	...	..	...	...	6	..	...	..	...	...	...	...
Hongkong,	,,	29.98	761.5	78	65	E	2	o	,,	30.07	763.8	72	77	NE	3	b
Gap Rock,	,,	29.98	761.5	...	...	ENE	4	o	,,	30.06	763.5	...	..	E	4	o
Macao,	,,	29.97	761.1	77	54	NE	2	b	,,	30.01	762.3	73	89	N	1	bf
Wuchow,	15	..	...	...	...	...	...	...	9	...	..	...	..	..	...	...
Pakhoi,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	29.81	757.2	...	...	NE	4	b	,,	29.85	758.2	...	..	NE	5	b
Phulien,	,,	29.99	761.7	82	63	SSW	1	o	7	30.07	763.8	72	89	NNE	2	o
Tourane,	,,	29.93	760.2	79	...	..	4	o	,,	30.00	762.0	72	...	WSW	4	o
Cape St. James.	,,	29.86	758.4	84	...	SW	2	o	..	29.93	760.2	73	...	SW	2	r
Basco,	14	29.88	759.0	79	66	N	4	o	6	..	...	...	...	...	...	...
Aparri,	,,	29.88	759.0	75	89	NNW	4	r	,,	29.95	760.8	75	76	NE	4	o
Manila,	,,	29.81	757.2	86	65	SW	2	o	,,	29.92	759.9	73	94	NE	1	o
Legaspi,	,,	29.80	756.9	81	73	NNW	4	o	..	...	...	...	...	...	...	...
Tacloban,	,,	...	...	..	...	...	...	...	,,	..	...	...	...	...	...	...
Iloilo,	,,	29.78	756.3	86	65	S	4	o	,,	29.89	759.3	75	96	N	2	o
Surigao,	..	29.78	756.3	84	74	W	2	o	..	...	...	...	..	...	...	...
Guam,	12.20	29.79	756.6	...	...	SSW	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.76	756.0	...	...	SW	4	o	4.47	29.85	758.1	...	...	ENE	2	o
Labuan,	11	29.76	755.9	84	91	NW	2	b	6	29.82	757.5	76	91	S	2	b

October 22*d*. 11*h*. 00*m*.—Pressure has increased slightly to moderately throughout the area, the anticyclone over China having increased in intensity.

Moderate to fresh monsoon will prevail along the coast and over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.26 inches, against an average of 79·78 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock,	N.E. winds, fresh; fine.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fine.

C. W. Jeffries *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	22nd October, 1925.								23rd October, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	29.99	761.7	47	...	N	2	b	...	30.18	766.6	37	...	...	0	b
Nemuro,	11	29.74	755.5	...	...	WSW	2	...	5	29.90	759.5	...	...	SW	1	...
Hokodate,	,,	29.90	759.5	...	...	WNW	3	...	,,	30.02	762.5	...	...	W	2	...
Tokio,	,,	29.94	760.5	...	...	N	1	...	,,	30.08	764.0	...	...	NNW	1	...
Kochi,	,,	29.94	760.5	...	...	SW	1	...	,,	30.04	763.0	...	...	...	0	...
Nagasaki,	,,	30.08	764.0	...	...	NNW	3	...	,,	30.16	766.0	...	..	...	0	...
Kagoshima,	,,	30.02	762.5	...	...	NNW	1	...	,,	30.10	764.5	...	...	NNW	1	...
Oshima,	,,	30.04	763.0	...	...	N	4	...	,,	30.02	762.5	...	...	N	4	...
Naha,	,,	30.04	763.0	...	...	N	5	...	,,	...	...	...	..	...	...	...
Ishigakijima,	,,	29.67	763.5	...	...	NNW	3	...	,,	...	...	...	...	...	...	...
Bonin Island,	..	29.84	758.0	...	...	SW	2	...	..	...	...	...	...	SSW	2	..
Chefoo,	15	30.20	767.1	63	61	NNW	4	b	6	30.20	767.1	50	93	SW	1	bf
Hankow,	,,	...	...	..	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...		.	...	...	...	...	,,	...	...	...	...	..	...	...
Shanghai,	14	30.25	768.3	75	26	N	2	b	,,	30.24	768.0	50	90	SW	1	b
Gutzlaff,	,,	30.27	768.8	71	57	NE	1	b	,,	30.26	768.6	63	83	WNW	2	b
Sharp Peak,	..	30.15	765.8	77	77	ENE	4	b	7	30.16	766.0	66	89	NW	2	b
Amoy,	15	30.07	763.8	80	55	NE	4	b	9	30.12	765.0	67	74	NNE	2	b
Swatow,	..	...		...	...	...	...	...	8	..	..	..	..	...	..	...
Taihoku,	11	30.14	765.6	77	47	E	4	b	5	30.17	766.2	59	89	SE	2	b
Taichu,	,,	30.06	763.5	77	...	N	2	b	,,	30.11	764.7	55	...	.	0	b
Tainan,	,,	30.06	763.5	81	...	NW	2	b	,,	30.06	763.5	59	..	N	2	b
Koshun,	,,	30.04	762.9	77	...	NE	4	b	,,	30.08	764.1	70	..	NE	6	b
Pescadores,	,,	30.08	764.1	77	...	NE	6	b	..	30.06	763.5	68	...	...	0	b
Canton,	14	...	...	...	...	...	...	...	6	..	...	.	...	...	...	...
Hongkong,	,,	30.05	763.5	77	64	ESE	3	b	,,	30.13	765.3	70	66	ENE	4	b
Gap Rock,	,,	30.06	763.5	...	...	ENE	4	b	,,	30.11	764.8	...	..	E	4	c
Macao,	,,	30.05	763.2	77	47	NE	2	b	,,	30.10	764.4	73	75	E	6	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	29.83	757.7	...	...	NE	5	b	,,	29.88	758.9	...	..	NE	5	b
Phulien,	,,	30.05	763.2	82	51	ESE	2	b	7	30.08	764.1	72	82	NE	4	bf
Tourane,	,,	30.00	762.0	79	...	...	0	0	,,	30.00	762.0	75	...	E	4	b
Cape St. James,	,,	29.93	760.2	75	...	SSE	2	r	..	29.94	760.5	73	...	N	4	of
Basco,	14	29.94	760.5	77	57	N	4	0	6	...	...	...	...	...	...	...
Aparri,	,,	29.92	759.9	81	90	NE	4	b	,,	29.99	761.7	75	71	NNE	4	o
Manila,	,,	29.85	758.1	86	91	SSW	4	o	..	29.94	760.5	73	89	NNE	1	o
Legaspi,	,,	29.86	758.4	79	84	NNE	4	o	..	...	...	...	...	...	...	...
Tacloban,	,,		...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.84	757.8	86	68	SSW	4	o	,,	29.89	759.3	73	91	N	4	o
Surigao,	..	29.84	757.8	82	81	N	2	o	..	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	SW	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.79	756.6	...	...	SW	4	o	4.47	29.82	757.5	...	...	...	o	b
Labuan,	14	29.81	757.2	80	91	S	2	b	6	...	...	...	...	...	...	...

October *23d. 10h. 40m.*—Pressure has decreased slightly over N. China, Indo-China and the Visayas, and increased slightly to moderately elsewhere. The anticyclone has extended considerably to the eastward, covering N. China and the greater part of Japan.

Fresh monsoon will prevail over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.26 inches, against an average of 79·87 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock,	N.E. winds, fresh; fine.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fine.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	23rd October, 1925.								24th October, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...		...		...	...	..	..	...
Nemuro,	11	...	...	...	...	...	..	...	5	29.94	760.5	...	...	SW	1	...
Hokodate,	..	30.02	762.5	...	...	WNW	3	...	,,	30.04	763.0	...	...	WSW	1	...
Tokio,	,,	30.05	763.5	...	...	NNW	1	...	,,	30.12	765.0	...	...	NNW	1	...
Kochi,	,,	30.06	763.5	...	...	N	1	...	,,	30.06	763.5	...	...	SW	1	...
Nagasaki,	,,	30.14	765.5	...	...	N	3	...	,,	30.08	764.0	...	...	...	0	...
Kagoshima,	,,	30.08	764.0	...	...	N	1	...	,,	30.06	763.5	...	...	WNW	1	...
Oshima,	,,	30.02	762.5	...	...	NNE	3	...	,,	29.96	761.0	...	...	NE	1	...
Naba,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	..	29.82	757.5	...	...	S	2	...	..	29.82	757.5	...	...	...	0	...
Chefoo,	15	30.16	766.0	64	58	E	1	b	6	30.09	764.3	58	64	SSE	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	..	..	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.17	766.2	79	29	NW	4	b	,,	30.17	766.2	52	100	SE	1	b
Gutzlaff,	,,	30.18	766.6	72	54	W	1	b	,,	30.16	766.0	62	72	N	1	b
Sharp Peak,	..	30.18	766.6	80	51	ENE	4	b	7	30.13	765.3	65	94	WSW	2	b
Amoy,	15	30.05	763.2	80	51	NE	4	b	9	30.05	763.2	66	73	NNW	1	b
Swatow,	..	..		...	...	...	...	...	8	...	...	...	...	...	..	...
Taihoku,	11	30.18	766.5	75	49	ENE	4	b	5	30.10	764.4	54	95	...	0	b
Taichu,	,,	30.08	764.1	79	...	N	2	b	,,	30.06	763.5	55	...	...	0	b
Tainan,	,,	30.07	763.8	82	...	WNW	2	b	,,	30.01	762.3	57	...		0	b
Koshun,	,,	30.06	763.5	77	...	NNE	6	b	,,	30.00	762.0	68	...	NNE	4	b
Pescadores,	,,	30.11	764.7	75	...	NE	6	b	,,	30.04	762.9	72	...	...	6	b
Canton,	14		...	...	...	..	...	...	6	..	...		...	...	...	...
Hongkong,	,,	30.07	763.8	75	51	ESE	4	b	,,	30.08	764.0	70	75	NE	2	b
Gap Rock,	,,	30.08	764.0	...	...	ENE	5	b	,,	30.07	763.8	...	...	E	4	b
Macao,	,,	30.06	763.5	79	48	NE	1	b	,,	30.04	762.9	73	82	N	2	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	..	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	29.81	757.2	...	...	NE	5	b	,,	29.89	759.2	...	...	NE	4	b
Phulien,	,,	30.01	762.3	82	54	SE	6	bf	7	30.05	763.2	72	91	ENE	4	bf
Tourane,	,,	29.98	761.4	75	...	E	4	of	,,	30.01	762.3	72	...	S	2	o
Cape St. James,	..	...	...	...	...	...	...	...	..	29.91	759.6	75	...	N	2	o
Basco,	14	29.93	760.2	77	50	N	6	o	6	...	...	...	...	...	...	...
Aparri,	..	29.93	760.2	77	72	ENE	4	o	,,	29.95	760.8	76	90	SW	2	o
Manila,	,,	29.86	758.4	84	64	W	2	o	,,	29.91	759.6	70	92	...	0	o
Legaspi,	,,	29.84	757.8	86	58	N	4	b	,,	29.88	759.0	75	83	N	4	o
Tacloban,	..	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.84	757.8	82	77	SW	4	o	,,	...	...	...	...	...	...	...
Surigao,	.	29.82	757.5	84	71	NNE	2	o	..	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	NE	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.75	755.7	...	...	ENE	4	o	4.47	29.78	756.3	...	...	NW	1	o
Labuan,	11	29.72	754.9	88	88	N	2	b	6	29.81	757.2	78	91	NW	2	b

October 24*d*. 10*h*. 50*m*.—Pressure has decreased slightly at the majority of reporting stations, the anticyclone having continued to weaken.

Moderate monsoon will prevail over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 86.26 inches, against an average of 79·96 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate; fine.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. Jeffries *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	24th October, 1925.									25th October, 1925.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock.	12	30.01	762.2	51	...	N	4	c		6	30.45	770.8	35	...	NE	3	b	
Nemuro.....	11	...	...	...	...	...	...	...		5	29.98	761.5	...	...	NE	2	...	
Hokodate, ...	..	30.02	762.5	...	...	W	2	...		,,	30.04	763.0	...	...	NNW	2	...	
Tokio,.....	,,	30.12	765.0	...	...	N	1	...		,,	30.04	763.0	...	...	NNW	1	...	
Kochi, ...	..	30.02	762.5	...	...	...	0	...		,,	29.96	761.0	...	...	SW	1	...	
Nagasaki, ...	,,	30.04	763.0	...	...	E	1	...		,,	30.04	763.0	...	...	...	0	...	
Kagoshima, ...	,,	30.02	762.5	...	...	NE	1	...		,,	30.00	762.0	...	...	WNW	1	...	
Oshima, ...	,,	29.96	761.0	...	...	NNE	3	...		,,	29.96	761.0	...	...	N	1	...	
Naha, ...	,,	29.98	761.5	...	...	N	3	...		,,	30.00	762.0	...	...	ENE	1	...	
Ishigakijima,..	,,	30.02	762.5	...	...	NNW	2	...		,,	30.02	762.5	...	...	NW	1	...	
Bonin Island,..	..	29.78	756.5	...	...	SSE	3	.		..	29.75	755.5	...	...	SSW	3	...	
Chefoo.	15	30.04	763.0	73	43	S	2	b		6	30.14	765.5	58	81	N	2	o	
Hankow, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	..	...	...	
Ichang, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Changsha, ...	,,	...	..	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Shanghai, ...	14	30.12	765.0	73	32	N	1	b		,,	30.18	766.5	50	100	NE	1	b	
Gutzlaff,.....	,,	30.14	765.5	72	50	N	1	b		,,	30.19	766.8	60	76	N	1	b	
Sharp Peak, ...	,,	30.09	764.3	86	51	E	1	b		7	30.10	764.5	65	73	W	1	b	
Amoy, ...	15	29.98	761.5	81	52	SE	4	b		9	30.06	763.5	67	84	WSW	2	b	
Swatow, ...	,,	..		...	...	...	...	...		8	...	...	...	..	...	...	...	
Taihoku, ...	11	30.08	764.1	77	50	E	2	b		5	30.04	762.9	55	93	...	0	b	
Taichu, ...	,,	30.05	763.2	79	...	...	0	b		,,	30.10	764.4	54	..	...	0	bf	
Tainan, ...	,,	30.02	762.6	82	...	W	2	b		,,	30.02	762.6	57	...	...	0	b	
Koshun, ...	,,	30.01	762.3	79	...	NNE	4	b		,,	30.00	762.0	70	...	NNW	4	b	
Pescadores, ...	,,	30.05	763.2	77	...	NE	6	b		,,	30.02	762.6	70	...	NE	4	b	
Canton, ...	14	30.02	762.5	84	96	...	0	b		6	..	...	...	...	...	...	...	
Hongkong,.....	,,	30.01	762.2	76	46	ESE	3	b		,,	30.08	764.0	69	70	...	0	b	
Gap Rock, ...	,,	30.02	762.5	...	...	ENE	4	b		,,	30.07	763.8	...	...	E	3	b	
Macao, ...	,,	30.01	762.3	81	56	SE	1	b		,,	30.06	763.5	68	83	...	0	o	
Wuchow, ...	15	...	...	...	...	...	...	...		9	...	...	...	..	...	...	...	
Pakhoi, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hoihow, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Pratas Island ...	,,	29.84	757.9	...	...	NE	4	b		,,	29.89	759.2	...	...	NE	4	b	
Phulien, ...	,,	30.00	762.0	77	79	ESE	4	of		7	30.10	764.4	72	89	NNE	4	bf	
Tourane,.....	,,	29.97	761.1	79	...	E	2	b		,,	30.04	762.9	72	...	...	0	o	
Cape St. James,	,,	29.86	758.4	81	...	E	2	b		,,	29.92	759.9	75	...	ENE	4	o	
Basco,.....	14	29.91	759.6	81	53	N	...	...		6	...	...	...	...	...	...	...	
Aparri, ...	,,	29.91	759.6	62	55	N	1	o		,,	...	...	...	...	...	...	...	
Manila, ...	,,	29.84	757.8	82	63	NNW	2	o		,,	...	...	...	...	...	...	...	
Legaspi, ...	,,	29.82	757.5	84	40	N	4	o		,,	...	...	...	...	...	...	...	
Tacloban, ...	..	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Iloilo, ...	,,	29.80	756.9	84	64	N	4	o		,,	...	...	...	...	...	...	...	
Surigao, ...	..	29.81	757.2	82	70	NNE	1	o		..	...	...	...	...	...	...	...	
Guam,.....	12.20	29.71	754.5	...	...	N	2	o		4.20	...	...	...	...	...	...	...	
Yap, ...	12.47	29.69	754.2	...	...	WNW	4	o		4.47	...	...	...	...	...	...	...	
Labuan, ...	14	29.76	755.9	86	92	NW	2	b		6	29.83	757.7	78	91	N	2	b	

October 25*d.* 11*h.* 30*m.*—No returns from the Philippines. Pressure has decreased moderately over central Japan, and increased slightly to moderately elsewhere; an anticyclone has developed over China and S. Manchuria.

Moderate to fresh monsoon will prevail along the coast and over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.26 inches, against an average of 80·04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel, ...	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate; fine.
3.—Hongkong to Gap Rock,.....	
4.—South coast of China between Hongkong and Hainan, .	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY. HONGKONG.

DAILY WEATHER REPORT.

Station.	25th October, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	26th October, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock.	12	30.28	769.1	47	...	NW	3	b	..	30.28	769.1	35	...	..	0	f
Nemuro.	11	30.00	762.0	...	...	NW	1	...	5	30.02	762.5	...	...	NE	4	...
Hokodate.	..	30.04	763.0	...	...	...	0	...	,,	30.12	765.0	...	...	N	1	...
Tokio.	,,	30.00	762.0	...	...	N	2	...	,,	30.14	765.5	...	...	NW	1	...
Kochi.	,,	29.94	760.5	...	...	...	0	...	,,	30.14	765.5	...	...	SW	1	...
Nagasaki.	,,	30.04	763.0	...	...	N	2	...	,,	30.20	767.0	...	...	..	0	...
Kagoshima.	,,	29.96	761.0	...	...	...	..	...	,,	30.16	766.0	...	...	WNW	1	...
Oshima.	,,	30.00	762.0	...	...	NNE	1	...	,,	30.08	764.0	...	...	NNE	..	...
Naha.	,,	30.02	762.5	...	...	NNE	2	...	,,	30.08	764.0	...	...	NNE	1	...
Ishigakijima.	,,	30.06	763.5	...	...	NNW	2	...	,,	30.10	764.5	...	...	NW	1	...
Bonin Island.	..	29.74	755.5	...	..	SW	4	..	..	29.96	761.0	...	...	NNE	1	
Chefoo.	15	30.20	767.1	58	76	N	1	b	6	30.26	768.6	47	87	W	1	1f
Hankow.	,,	...	...	...	...	...	...	...	,,	...	...	..	..	...	...	...
Ichang.	,,	.	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai.	14	30.20	767.1	75	33	ENE	1	b	,,	30.26	768.6	54	92	E	1	b
Gutzlaff.	,,	30.21	767.3	72	54	NNE	2	b	,,	30.27	768.8	64	68	ESE	4	b
Sharp Peak.	..	30.03	762.7	82	56	E	1	b	7	30.03	762.7	63	83	N	1	b
Amoy.	15	30.05	763.2	80	51	ESE	2	b	9	30.14	765.5	65	68	ENE	1	b
Swatow.	,,	...		...	...		...	...	8	..	..	..	..	.	..	...
Taihoku.	11	30.13	765.3	75	42	NE	2	b	5	30.17	766.2	55	93	E	2	b
Taichu.	,,	30.07	763.8	79	...	NNW	2	b	,,	30.10	764.4	54	..	..	0	b
Tainan.	,,	30.06	763.5	81	...	WNW	2	b	,,	30.06	763.5	57	...	NNE	2	b
Koshun.	,,	30.04	762.9	79	...	NE	4	b	,,	30.00	762.0	70	..	NE	4	b
Pescadores.	,,	30.08	764.1	77	...	NE	6	b	,,	30.08	764.1	70	...	NE	6	c
Canton.	14	...	...	..	...	...	...	...	6	...	...	..	..	...	...	...
Hongkong.	,,	30.04	763.0	77	53	ESE	4	b	,,	30.12	765.0	71	49	E	4	b
Gap Rock.	,,	30.05	763.2	...	...	ENE	3	b	,,	30.12	765.0	...	..	E	5	b
Macao.	,,	30.02	762.6	79	58	ENE	2	b	,,	30.10	764.4	72	57	ESE	4	b
Wuchow.	15	..	...	...	...	...	...	...	9	...	..	...		..	...	...
Pakhoi.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	29.86	758.4	...	...	NE	5	b	,,	29.88	758.9	...	..	NE	2	c
Phulien.	,,	30.04	762.9	84	58	WSW	1	o	7	30.11	764.7	70	96	NNW	4	bf
Tourane.	,,	30.00	762.0	77	...	E	2	b	,,	30.02	762.6	73	...	E	2	b
Cape St. James.	,,	29.86	758.4	81	...	E	4	b	..	29.92	759.9	73	...	ENE	4	b
Basco.	14	29.93	760.2	79	55	N	4	o	6	...	...	..	..	..	...	...
Aparri.	,,	29.92	759.9	82	60	NE	4	o	,,	29.99	761.7	77	68	NE	4	o
Manila.	,,	29.85	758.1	84	58	WSW	2	b	,,	29.94	760.5	72	89	E	1	o
Legaspi.	,,	29.82	757.5	84	64	N	4	o	..	29.89	759.3	77	84	N	4	b
Tacloban.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo.	,,	29.81	757.2	86	58	NE	4	b	,,	...	...	..	...	...	...	...
Surigao.	.	29.81	757.2	82	67	N	2	b	..	...	...	...	..	...	...	...
Guam.	12.20	29.71	754.5	...	...	E	4	o	4.20	...	...	...	...	...	...	...
Yap.	12.47	29.73	755.1	...	...	NNW	...	o	4.47	29.75	755.7	...	...	NW	2	o
Labuan.	14	29.76	755.9	90	92	NW	1	o	6	29.83	757.7	77	91	NW	1	o

October 26*d.* 10*h.* 42*m.*—Pressure has increased moderately over Japan and slightly elsewhere, the anticyclone having increased in intensity.

Moderate to fresh monsoon will prevail along the S.E. coast of China and over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86·26 inches, against an average of 80·12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel.	N. winds, strong.
2.—South coast of China between Hongkong and Lamocks.	E. winds, fresh; fine.
3.—Hongkong to Gap Rock.	
4.—South coast of China between Hongkong and Hainan.	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	26th October, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	27th October, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	30.23	767.7	59	...	...	0	b	[illegible]	30.19	766.9	38	.	.	0	f
Nemuro,	11	30.02	762.5	...	...	NW	1	...	5	30.02	762.5	...	..	SSW	1	...
Hokodate,	..	30.14	765.5	...	...	WNW	3	...	,,	...	...	...	...	...	.	...
Tokio,	..	30.16	766.0	...	...	NNW	1	...	,,	30.30	769.5	...	...	NW	1	...
Kochi,	..	30.18	766.5	...	...	NNW	1	...	,,	30.20	767.0	...	...	SW	1	...
Nagasaki,	..	30.22	767.5	...	...	N	1	...	..	30.28	769.0	...	...	...	0	...
Kagoshima,	,,	30.18	766.5	...	...	ENE	1	...	,,	30.24	768.0	...	...	WNW	1	...
Oshima,	,,	30.10	764.5	...	...	NNE	1	...	,,	30.14	765.5	...	...	SSE	1	...
Naha,	,,	30.10	764.5	...	...	N	3	...	,,	30.10	764.5	...	...	NNE	1	...
Ishigakijima,	,,	30.12	765.0	...	...	NNW	3	...	,,	30.08	764.0	...	...	N	1	...
Bonin Island,	..	29.98	761.5	...	...	NNE	1	...	,,	30.08	764.0	...	...	ENE	1	...
Chefoo,	15	30.26	768.6	60	49	NNW	2	o	6	30.25	768.3	50	79	...	0	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	..	...
Ichang,	,,		...	...	...	.	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	.	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.25	768.3	77	40	ESE	1	b	,,	30.25	768.3	55	93	ESE	1	b
Gutzlaff,	,,	30.28	769.1	71	57	E	2	b	,,	30.25	768.3	64	73	SE	2	b
Sharp Peak,	,,	30.19	766.8	78	61	ENE	2	b	7	30.16	766.0	65	78	NW	2	o
Amoy,	15	30.07	763.8	80	55	NE	4	b	9	30.12	765.0	66	68	NNW	2	b
Swatow,	..	...		...	...		...	...	8	...	...	...	..	...	..	...
Taihoku,	11	30.18	766.5	79	52	E	4	b	5	30.11	764.7	61	96	E	2	b
Taichu,	,,	30.11	764.7	81	...	...	0	h	,,	30.10	764.4	59	.	...	0	b
Tainan,	,,	30.08	764.1	82	...	WSW	2	b	,,	30.06	763.5	63	..	...	0	c
Koshun,	,,	30.07	763.8	79	...	NE	4	b	,,	30.05	763.2	64	..	N	2	b
Pescadores,	,,	30.10	764.4	77	...	NE	0	h	,,	30.04	762.9	70	...	NE	4	b
Canton,	14	...	..	..	...	...	..	...	6		.		..	...	...	...
Hongkong,	,,	30.09	764.3	76	34	E	3	b	,,	30.11	764.8	70	68	E	4	c
Gap Rock,	,,	30.08	764.0	...	...	ENE	5	b	,,	30.10	764.5	...	...	E	5	b
Macao,	,,	30.07	763.8	81	43	SE	4	b	,,	30.08	764.1	72	75	ESE	4	b
Wuchow,	15	.	...	...	...	...	...	...	9	...	...	...		...	...	...
Pakhoi,	,,	..	...	...		...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	..	...	...	...	...	...	...	..	...	...	...	...	...	.	..
Pratas Island	,,	29.86	758.4	...	...	NE	5	b	,,	29.91	759.6	...	...	NE	4	b
Phulien,	..	30.05	763.2	84	68	SSE	4	b	7	30.08	764.1	72	84	ENE	4	of
Tourane,	,,	30.01	762.3	77	...	E	4	b	,,	30.05	763.2	70	...	ENE	4	of
Cape St. James,	,,	30.13	765.3	79	...	ENE	2	b	,,	29.91	759.6	73	...	ENE	4	b
Basco,	14	29.97	761.1	73	75	N	6	o	6	...	...	...	...	..	...	...
Aparri,	,,	29.94	760.5	82	63	NE	4	b	,,	29.95	760.8	75	79	NE	4	o
Manila,	,,	29.87	758.7	84	64	NE	1	b	,,	29.91	759.6	70	94	NE	1	b
Legaspi,	,,	29.82	757.5	72	57	NNE	4	o	..	29.85	758.1	68	96	...	0	b
Tacloban,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.80	756.9	84	55	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	..	29.80	756.9	84	68	N	2	b	..	..	...	...	..	...	...	...
Guam,	12.20	29.62	752.4	.	...	ENE	4	o	4.20	..	...	...	...	...	...	...
Yap,	12.47	29.68	753.9	...	...	NW	2	o	4.47	29.63	752.7	...	...	WNW	4	r
Labuan,	14	29.76	755.9	86	88	NW	2	b	6	29.81	757.2	78	86	S	1	o

October 27*d.* 10*h.* 46*m.*—Pressure has increased moderately over central Japan and the Bonins and decreased slightly to moderately elsewhere; the anticyclone has extended eastwards to Japan.

A depression or typhoon is situated about 250 miles E.N.E. of Yap, moving W. or W.N.W.

Moderate to fresh monsoon will prevail along the S.E. coast and over the northern China Sea.

Manila warning. 26*d.* 15*h.* 00*m.*:—Typhoon in Lat. 10° N. Long. 145° E., direction unknown. Recd. 26*d.* 17*h.* 25*m.*

Manila warning. 27*d.* 8*h.* 45*m.*:—Cyclone or typhoon in Lat. 10° N. Long. 142° E., moving W. Recd. 27*d.* 10*h.* 32*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.26 inches, against an average of 80·20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks.	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock	N.E. winds, fresh; fine.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fine.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	27th October, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	28th October, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock.	12	30.08	764.1	58	...	ESE	2	b		30.15	765.9	40		NNE	4	b
Nemuro.....	11	29.94	760.5	...	...	SSW	3	...	5	29.84	758.0	...	..	SW	1	...
Hokodate.		30.22	767.5	...	...	W	4	...	,,	30.02	762.5	...	...	W	3	...
Tokio.....	.	30.26	768.5	...	...	...	0	...	,,	30.22	767.5	...	..	NNW	1	...
Kochi, ...	..	30.24	768.0	...	...	...	0	...	,,	30.22	767.5	...	...	SW	1	...
Nagasaki.	..	30.24	768.0	...	...	SSE	1	...	,,	30.18	766.5	...	...	E	1	...
Kagoshima, ...	,,	30.22	767.5	...	...	ENE	1	...	,,	30.16	766.0	...	...	W	1	...
Oshima, ...	,,	30.12	765.0	...	...	NE	1	...	,,	30.04	763.0	...	...	...	0	...
Naha, ...	,,	30.10	764.5	...	...	E	4	...	,,	29.98	761.5	...	...	NNE	1	...
Ishigakijima...	,,	30.08	764.0	...	...	NE	2	...	,,	29.98	761.5	...	...	NE	1	...
Bonin Island,..	..	30.06	763.5	...	...	ENE	1	...	..	30.08	764.0	...	...	NE	1	...
Chefoo.	15	30.16	766.0	62	83	NE	2	r	6	30.14	765.5	58	94	E	1	o
Hankow, ...	..	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang, ...	,,	...		...	...		...	...	,,	...	...	...	...	...	...	...
Changsha, ...	..	.	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Shanghai.	14	30.18	765.5	77	40	SSE	2	b	,,	30.13	765.3	59	96	ESE	2	b
Gutzlaff.....	,,	30.20	767.1	74	59	SE	2	b	..	30.24	768.1	66	79	SE	4	o
Sharp Peak, ...	..	30.14	765.5	77	69	E	4	o	7	30.11	764.8	67	79	NW	1	b
Amoy, ...	15	30.01	762.2	80	62	NNE	4	b	9	30.03	762.7	67	91	WNW	2	b
Swatow, ...	..			...	...		...	...	8		...	..		...	..	...
Taihoku, ...	11	30.13	765.3	72	86	E	2	r	5	30.01	762.3	64	96	E	2	b
Taichu, ...	,,	30.08	764.1	81	...	...	0	b	,,	29.99	761.7	57		...	0	b
Tainan, ...	,,	30.06	763.5	82	...	W	2	b	,,	29.98	761.4	59	.	ENE	2	b
Koshun,.....	..	30.05	763.2	82	...	NE	4	b	,,	29.95	760.8	68	..	...	0	b
Pescadores, ..	..	30.07	763.8	77	...	NNE	4	b	..	30.00	762.0	72	...	NE	4	b
Canton, ...	14	...	..	..	...	.	...	...	6	..	...		..	...	..	...
Hongkong,.....	..	30.03	762.7	77	43	E	2	b	,,	30.04	763.0	70	76	NE	2	b
Gap Rock, ...	,,	30.04	763.0	...	...	ENE	4	b	..	30.04	763.0	...	..	E	4	o
Macao, ...	,,	30.02	762.6	77	47	ESE	2	b	,,	30.00	762.0	70	82	ENE	2	b
Wuchow, ...	15	.	...	...	...	...	...	...	9	...	...	...		..	...	...
Pakhoi, ...	,,	..	...	...		..	...	...	,,	..	...	..	..	...	...	...
Hoihow.....	..	..		...	...	...	...	...	..	..	...	...	...	...	.	..
Pratas Island...	,,	29.85	758.2	...	...	NE	4	b	,,	29.88	759.0	...		NE	1	b
Phulien, ...	,,	29.99	761.7	82	44	SE	6	bf	7	30.04	762.9	72	82	E	4	of
Tourane,.....	,,	29.97	761.1	75	...	E	2	b	,,	29.95	760.8	73	...	E	2	b
Cape St. James.	,,	29.86	758.4	82	...	ESE	4	b	..	29.87	758.7	73	...	ENE	4	b
Basco,.....	14	29.89	759.3	77	72	N	4	o	6	...	...		..	..	...	...
Aparri, ...	,,	29.88	759.0	75	88	NE	4	r	,,	29.86	758.4	79	73	NE	4	r
Manila, ...	,,	29.81	757.2	84	58	SW	2	o	,,	29.84	757.8	70	92	N	2	b
Legaspi, ...	,,	29.76	756.0	86	65	NNE	..	b	..	29.79	756.6	73	96	W	1	b
Tacloban, ...	,,	.	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Iloilo, ...	,,	29.75	755.7	84	64	NE	4	b	,,	...	...	...	...	...	...	...
Surigao, ...	.	29.74	755.1	82	77	N	4	o	..	..	...	...	..	...	..	...
Guam,.....	12.20	29.67	753.6	...	...	SE	4	r	4.20	..	..	...	...	...	..	...
Yap, ...	12.47	29.48	748.8	...	...	WSW	6	r	4.47	29.66	753.3	...	...	SW	6	r
Labuan.	14	29.79	756.6	86	84	NW	2	b	6	29.83	757.7	76	94	SW	1	o

October 28*d*. 10*h*. 50*m*.—Pressure has increased slightly over S. Manchuria, and moderately over the Caroline Islands; it has decreased slightly to moderately elsewhere. The anticyclone is central over the Sea of Japan, and the typhoon is situated about 200 miles N.W. of Yap moving W.N.W.

Moderate to fresh monsoon will prevail over the northern China Sea and surrounding coasts.

Manila warning. 27*d*. 18*h*. 20*m*.:—Typhoon in Lat. 11° N. Long. 139° E., moving W.N.W. Recd. 27*d*. 19*h*. 35*m*.

Manila warning. 28*d*. 8*h*. 45*m*.:—Typhoon in Lat. 12° N. Long. 136° E., moving W.N.W. Recd. 28*d*. 10*h*. 00*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 86.26 inches, against an average of 80·28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel, ...	N. winds, fresh.
2.—South coast of China between Hongkong and Lamooks,	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock.....	
4.—South coast of China between Hongkong and Hainan, .	

C. W. Jeffries *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	28th October, 1925.								29th October, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...		...		...		...	...	...
Nemuro,	11	29.82	757.5	...	...	WSW	1	...	5	30.12	765.0	...	..	W	1	...
Hokodate,		30.00	762.0	...	...	W	5	...	,,	30.18	766.5	...	..	..	0	...
Tokio,	.	30.18	766.5	...	...	...	0	...	,,	30.28	769.0	...	..	NW	1	...
Kochi,	.	30.20	767.0	...	...	...	...	...	,	30.18	766.5	...	...	SW	1	...
Nagasaki,	,,	30.18	766.5	...	...	SE	1	...	,,	30.10	764.5	...	..	.	...	...
Kagoshima,	,,	30.14	765.5	...	...	NE	1	...	,,	30.06	763.5	...	...	N	1	...
Oshima,	,,	30.04	763.0	...	...	E	1	...	,,	29.98	761.5	...	...	.	.	...
Naha,	,,	30.00	762.0	...	...	NW	1	...	,,	29.96	761.0	...	...	N	1	...
Ishigakijima,	,,	30.02	762.5	...	...	NNE	3	...	,,	29.95	761.0	...	...	N	1	...
Bonin Island,	,,	30.08	764.0	...	...	E	1	...	,,	...	...	...	...	...	...	...
Chefoo,	15	30.14	765.5	62	77	NE	1	0	6	30.11	764.8	56	94	S	1	0
Hankow,	,,	.	.	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	..	...	...	...	.	...	...	,,	...	...	...	...	..	...	...
Changsha,	,,	..	..	...	...	...	...	...	,,	...	...	...	...	.	...	...
Shanghai,	14	30.10	764.4	79	42	SE	1	b	,,	30.13	765.3	57	100	ESE	4	bf
Gutzlaff,	,,	30.12	765.0	74	68	E	1	b	,,	30.14	765.5	65	100	NW	4	of
Sharp Peak,	..	30.09	764.3	84	60	E	2	b	7	30.14	765.5	68	79	NW	1	b
Amoy,	15	29.95	760.7	80	74	SE	4	b	9	...	...	...	...	...	...	...
Swatow,	,,	...		...	...	...	...	...	8	...	...	...	..	...	...	...
Taiboku,	11	30.02	762.6	81	66	E	2	b	5	29.99	761.7	68	96	E	2	b
Taichu,	,,	30.02	762.6	81	...	...	0	b	,,	30.00	762.0	57		...	0	b
Tainan,	,,	30.00	762.0	84	...	NNW	2	b	,,	29.93	760.2	61	.	.	0	b
Koshun,	..	29.99	761.7	82	...	NE	4	b	,,	29.91	759.6	73	.	N	4	b
Pescadores,	,,	30.02	762.6	79	...	NNE	4	b	,,	29.94	760.5	73	...	NNE	2	b
Canton,	14	30.10	764.5	77	65	S	1	b	6	.	...		..	...	...	...
Hongkong,	,,	29.97	761.2	79	49	E	3	b	,,	30.01	762.2	70	75	ENE	2	b
Gap Rock,	,,	29.99	761.7	...	...	ENE	4	b	,,	30.00	762.0	...	...	NE	5	c
Macao,	,,	29.97	761.1	79	52	ESE	2	b	,,	30.00	762.0	68	87	...	2	b
Wuchow,	15		...	...	...	...	...	...	9	.	...	..	.		...	...
Pakhoi,	,,	...		...	...	...	...	...	,,	...	...	...	..	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Pratas Island	,,	29.81	757.2	...	...	NE	2	b	,,	29.84	757.9	...	...	NE	4	c
Phulien,	,,	29.97	761.1	84	49	SE	4	b	7	30.05	763.2	68	92	ENE	2	bf
Tourane,	,,	29.94	760.5	77	...	E	2	b	,,	29.97	761.1	73	..	E	2	b
Cape St. James,	,,	29.85	758.1	79	...	E	6	b	,,	29.86	758.4	75	...	NE	2	o
Basco,	14	29.84	757.8	72	54	N	6	r	6	29.86	758.4	77	89	N	6	o
Aparri,	,,	29.82	757.5	81	73	NE	4	o	,,	29.82	757.5	77	88	NE	4	r
Manila,	,,	29.76	756.0	84	68	WSW	4	o	,,	29.79	756.6	75	96	NE	1	o
Legaspi,	,,	...	...	...	...	...	..	...	,,	29.74	755.4	73	98	...	0	o
Tacloban,	,,	...	...	..	...	...	...	...	,,	...	...	.	...	.	..	...
Iloilo,	,,	29.71	754.5	86	61	S	4	o	,,	29.78	756.3	73	96	N	1	o
Surigao,	..	29.69	754.2	82	77	WSW	2	o	,,	29.73	755.1	79	89	W	2	o
Guam,	12.20	29.74	755.4	...	...	SE	2	o	4.20	29.87	758.7	...	...	SE	1	o
Yap,	12.47	29.65	753.0	...	...	SSW	6	r	4.47	29.81	757.2	...	...	SSW	4	o
Labuan,	14	29.73	755.1	86	88	NW	2	b	6	29.83	757.7	76	91	S	1	o

October 28*d*. 16*h*. 23*m*.—Warning to Hongkong.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 13° N. Long. 134° E., moving W.N.W.

October 28*d*. 11*h*. 30*m*.—Warning to Hongkong.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 130° E, moving W.N.W.

October 29*d*. 11*h*. 30*m*.—Pressure has increased considerably over N. Japan, moderately over the Ladrones and the Carolines and slightly along the south coast of China; it has decreased slightly elsewhere.

The anticyclone has passed into the Pacific to the east of Japan, and another will probably develope over N. China. The typhoon continues on a W.N.W. track; it is situated in Lat. 15° N. and Long. 130° E.

Moderate to fresh monsoon will prevail along the coast and over the northern China Sea.

Manila warning. 28*d*. 19*h*. 00*m*.:—Typhoonin Lat. 13° N. Long. 134° E., moving W.N.W. Recd. 28*d*. 20*h*. 07*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.26 inches, against an average of 80·36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate to fresh.
2.—South coast of China between Hongkong and Lamocks.	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock	
4.—South coast of China between Hongkong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	29th October, 1925.								30th October, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.08	763.9	52	...	SE	4	b	.	30.05	763.3	41	..	N	4	o
Nemuro,	11	30.10	764.5	...	...	SSW	1	...	5	29.92	760.0	...	..	SW	3	...
Hokodate,		30.16	766.0	...	...	WSW	1	...	,,	30.00	762.0	...	..	N	1	...
Tokio,	.	30.26	768.5	...	...	NW	1	...	,,	30.02	762.5	...	..	NW	1	...
Kochi,	.	30.14	765.5	...	...	SW	1	...	,	29.98	761.5	...	..	...	0	...
Nagasaki,	,,	30.06	763.5	...	...	...	0	...	,,	30.08	764.0	...	...	.	0	...
Kagoshima,	,,	30.02	762.5	...	...	NE	1	...	,,	30.02	762.5	...	...	NW	1	...
Oshima,	,,	29.98	761.5	...	...	...	...	...	,,	30.00	762.0	...	...	N	2	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.98	761.5	...	...	N	1	...
Ishigakijima,	,,	...		...	...	...	...	...	,,	29.94	760.5	...	...	NNW	2	...
Bonin Island,	,,	30.10	764.5	...	...	E	1	...	,,	30.04	763.0	...	...	S	2	...
Chefoo,	15	30.08	764.0	62	83	NW	2	o	6	30.14	765.5	56	75	WSW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.15	765.9	72	42	WNW	4	b	,,	30.21	767.4	48	97	NNW	1	b
Gutzlaff,	,,	30 16	766.0	68	68	NNW	4	b	,,	30.23	767.8	60	90	NNW	4	o
Sharp Peak,	,,	30.07	763.8	84	60	E	1	b	7	30.09	764.3	69	99	E	2	b
Amoy,	15	29.94	760.5	83	74	ENE	4	b	9	30.01	762.2	70	75	NNE	4	b
Swatow,	,,	...		...	...	...	...	...	8	...	...	...	..	...	...	...
Taihoku,	11	30.02	762.6	81	66	E	4	b	5	30.01	762.3	70	85	E	2	o
Taichu,	,,	29.97	761.1	82	...	...	0	b	,,	29.98	761.4	59	..	...	0	b
Tainan,	,,	29.97	761.1	82	...	WNW	2	b	,,	29.92	759.9	63	..	.	0	b
Koshun,	,,	29.94	760.5	84	...	NNE	4	b	,,	29.91	759.6	73	..	N	2	b
Pescadores,	,,	29.99	761.7	79	...	NNE	0	b	,,	29.94	760.5	73	...	NE	1	b
Canton,	14	...		...	...	...	...	...	6	..	...		...	...	...	...
Hongkong,	,,	29.97	761.2	80	51	E	2	b	,,	30.02	762.5	72	65	NE	2	b
Gap Rock,	,,	29.99	761.7	...	...	NE	4	b	,,	30.03	762.7	...	...	NE	3	b
Macao,	,,	29.97	761.1	82	51	SE	2	b	,,	29.99	761.7	68	88	N	2	b
Wuchow,	15	...	...	...	...	...	...	...	9	..	..	...	..	..	...	...
Pakhoi,	,,	..	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	.	...	...	...	...	...	...	,,	29.84	757.9	...	..	NE	5	b
Phulien,	,,	29.99	761.7	84	40	E	2	b	7	30.06	763.5	68	96	NNW	2	bf
Tourane,	,,	29.97	761.1	75	...	E	2	b	,,	30.00	762.0	72	...	...	0	b
Cape St. James,	,,	29.85	758.1	81	...	E	4	b	,,	29.89	759.3	73	...	ENE	4	b
Basco,	14	29.80	756.9	77	54	N	6	o	6	29.81	757.2	75	91	N	6	r
Aparri,	,,	29.79	756.6	81	84	NE	4	r	,,	29.82	757.5	77	79	N	4	o
Manila,	,,	29.73	755.1	82	74	SW	1	o	,,	29.79	756.6	75	96	S	1	o
Legaspi,	,,	29.67	753.6	85	68	NNE	4	o	,,	29.76	756.0	75	96	SW	2	o
Tacloban,	,,	...	...	...	...	...	..	...	,,	...	...	..	...	.	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	77	91	SW	1	o
Surigao,	,,	29.72	754.8	79	84	SW	2	r	,,	29.80	756.9	79	85	SW	2	o
Guam,	12.20	29.82	757.5	..	...	E	2	o	4.20	29.88	759.0	...	...	N	1	o
Yap,	12.47	29.78	756.3	...	...	S	4	b	4.47	29.91	759.6	...	...	ENE	1	o
Labuan,	14	29.81	757.2	71	90	NW	2	b	6	29.82	757.4	76	94	S	2	b

October 29*d.* 17*h.* 10*m.*—Warning to Hongkong,:—Depression or typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 129° E., moving W.N.W.

October 30*d.* 11*h.* 29*m.*—Warning to Hongkong,:—Depression or typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 128° E, stationary or very slow.

October 30*d.* 11*h.* 33*m.*—Pressure has decreased considerably over Japan; other changes are slight. An anticyclone covers China, and the typhoon appears to be nearly stationary in Lat. 17° N. and Long. 128° E.

Moderate to fresh monsoon will prevail along the coast and over the northern China Sea.

Manila warning. 29*d.* 20*h.* 00*m.* :—Cyclone or typhoon E. of Luzon more than 300 miles distant inclining northward. Recd. 29*d.* 21*h.* 10*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.26 inches, against an average of 80·43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	30th October, 1925.								31st October, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.04	763.0	48	...	N	4	b		30.24	768.1	38	..	NNE	2	b
Nemuro,	11	...	...	...	...	...	...	...	5	29.84	758.0	...	...	NE	4	...
Hokodate,		29.92	760.0	...	...	SW	1	...	,,	29.98	761.5	...	...	N	1	...
Tokio,	,,	29.92	760.0	...	...	N	1	...	,,	30.04	763.0	...	...	N	1	...
Kochi,	,,	29.96	761.0	...	...	...	0	...	,,	30.06	763.5	...	...	SW	1	...
Nagasaki,	,,	30.06	763.5	...	...	NW	2	...	,,	30.12	765.0	...	...	...	0	...
Kagoshima,	,,	30.02	762.5	...	...	NNW	1	...	,,	30.08	764.0	...	...	WNW	1	...
Oshima,	,,	30.04	763.0	...	...	NNE	2	...	,,	30.02	762.5	...	...	..	...	...
Naha,	,,	30.00	762.0	...	...	NNE	2	...	,,	29.94	760.5	...	...	NNE	2	...
Ishigakijima,	,,	30.00	762.0	...	...	NNE	3	...	,,	29.86	758.5	...	...	N	5	...
Bonin Island,	,,	29.98	761.5	...	...	S	2	...	,,	30.04	763.0	...	...	...	0	...
Chefoo,	15	30.21	767.3	58	70	NNW	2	0	6	30.22	767.6	50	72	W	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	.	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Shanghai,	14	30.19	766.8	72	40	NNE	1	b	,,	30.20	767.1	57	89	NE	2	b
Gutzlaff,	,,	30.20	767.1	73	55	NNW	2	b	,,	30.19	766.8	64	73	NE	4	o
Sharp Peak,	,,	30.09	764.3	78	65	E	4	b	7	30.03	762.7	66	73	NW	2	b
Amoy,	15	29.95	760.7	82	63	NE	4	b	9	29.99	761.7	67	79	NNE	4	b
Swatow,	,,	...		...	...	...	...	...	8	...	...	..	...	...	...	...
Taihoku,	11	30.07	763.8	75	67	E	4	o	5	30.46	773.7	68	77	E	2	o
Taichu,	,,	29.97	761.1	81	...	...	0	o	,,	30.40	772.2	59	.	..	0	o
Tainan,	,,	29.95	760.8	82	...	NW	2	o	,,	29.87	758.7	66	..	N	2	o
Koshun,	,,	29.93	760.2	82	...	NNE	4	o	,,	29.85	758.1	72	..	N	2	o
Pescadores,	,,	29.97	761.1	79	...	NNE	6	b	,,	29.88	759.0	72	...	NNE	6	o
Canton,	14	29.98	761.5	86	96	NW	1	b	6	...	...	..	...	...	...	...
Hongkong,	,,	29.98	761.5	78	66	ESE	3	c	,,	29.99	761.7	70	85	..	0	b
Gap Rock,	,,	29.99	761.7	...	...	NE	4	c	,,	30.00	762.0	...	...	NE	3	c
Macao,	,,	29.97	761.1	81	50	E	2	b	,,	29.98	761.4	68	91	NNE	2	b
Wuchow,	15	.	...	...	...	...	...	...	9	..	..	...	.	..	...	...
Pakhoi,	,,	..	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	29.81	757.2	...	...	NE	5	c	,,	...	...	...	..	...	...	...
Phulien,	,,	29.99	761.7	82	48	WNW	1	bf	7	30.04	762.9	70	87	NW	4	bf
Tourane,	,,	29.97	761.1	75	...	NE	2	b	,,	29.99	761.7	73	...	NE	2	o
Cape St. James,	,,	29.86	758.4	81	...	ENE	6	b	,,	29.88	759.0	75	...	NE	2	b
Basco,	14	29.74	755.4	81	80	N	6	r	6	29.84	757.9	...	...	...	...	b
Aparri,	,,	29.75	755.7	79	84	N	4	o	,,	29.81	757.2	77	84	WNW	4	r
Manila,	,,	29.75	755.7	84	71	W	2	o	,,	29.84	757.8	75	98	E	1	o
Legaspi,	,,	29.73	755.1	86	75	SW	4	o	,,	29.82	757.5	77	98	SW	2	o
Tacloban,	,,	..	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	86	68	S	6	o	,,	...	...	...	...	...	...	...
Surigao,	..	29.79	756.6	84	68	W	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.81	757.2	...	...	ENE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.84	757.8	...	...	ESE	2	o	4.47	29.87	758.7	...	...	NNW	2	o
Labuan,	14	29.71	754.5	86	88	NE	4	b	6	29.83	757.7	78	86	NE	2	r

October 31*d.* 10*h.* 55*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 19° N. Long. 127° E., moving N.W.

October 31*d.* 11*h.* 20*m.*—Pressure has decreased slightly to moderately over Formosa, the adjacent China coast, and the Loochoos; it has increased slightly to moderately elsewhere.

The anticyclone is now central over S. Manchuria, and the typhoon is situated about 800 miles east of the Balintang Channel moving N.W.

Moderate to fresh monsoon will prevail along the S.E. coast of China and over the northern China Sea.

Shanghai warning. 30*d.* 21*h.* 40*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 128° E., moving N.N.W. Recd. 31*d.* 0*h.* 17*m.*

Manila warning. 31*d.* 9*h.* 00*m.*:—Cyclone or typhoon E. of Balintang Channel moving W. or W.N.W Recd. 31*d.* 10*h.* 20*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.26 inches, against an average of 80·50 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh to strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate; fine.
3.—Hongkong to Gap Rock,	N.E. winds, moderate; fine.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; fine.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

NOVEMBER,

1925.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,

DIRECTOR.

HONGKONG:

PRINTED BY NORONHA & Co.

GOVERNMENT PRINTERS.

1926.

[Price 60c.]

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

NOVEMBER,

1925.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of NOVEMBER, 1925.

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	ins.	ins.	ins	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·877	29·874	29·869	29·868	29·873	29·880	29·894	29·906	29·922	29·928	29·923	29·892	1
2	29·923	29·907	29·907	29·916	29·917	29·932	29·956	29·973	29·986	30·003	29·983	29·960	2
3	29·938	29·928	29·918	29·926	29·926	29·950	29·957	29·975	29·985	30·000	29·979	29·954	3
4	29·979	29·977	29·976	29·980	29·992	30·001	30·026	30·040	30·061	30·078	30·067	30·048	4
5	30·065	30·057	30·057	30·051	30·061	30·078	30·106	30·120	30·126	30·150	30·138	30·122	5
6	30·118	30·105	30·102	30·104	30·106	30·122	30·144	30·160	30·169	30·171	30·153	30·125	6
7	30·108	30·094	30·090	30·083	30·084	30·090	30·106	30·118	30·128	30·136	30·129	30·109	7
8	30·080	30·066	30·058	30·054	30·062	30·074	30·093	30·100	30·102	30·121	30·100	30·081	8
9	30·059	30·048	30·037	30·030	30·038	30·049	30·068	30·074	30·090	30·095	30·068	30·051	9
10	30·018	30·006	29·988	29·980	29·972	29·982	30·000	30·020	30·034	30·048	30·025	29·996	10
11	29·972	29·958	29·946	29·928	29·930	29·940	29·968	29·974	29·992	29·995	29·980	29·958	11
12	29·956	29·940	29·938	29·942	29·940	29·953	29·965	29·975	29·979	29·985	29·966	29·938	12
13	29·997	29·992	29·980	29·983	29·995	30·018	30·046	30·056	30·063	30·069	30·050	30·024	13
14	30·041	30·035	30·026	30·011	30·016	30·030	30·051	30·073	30·095	30·103	30·099	30·066	14
15	30·066	30·054	30·056	30·045	30·043	30·041	30·068	30·078	30·094	30·103	30·080	30·038	15
16	29·994	29·978	29·970	29·964	29·952	29·969	29·978	29·996	30·009	30·016	30·001	29·963	16
17	29·909	29·903	29·893	29·890	29·884	29·900	29·917	29·941	29·958	29·967	29·962	29·933	17
18	29·909	29·899	29·887	29·885	29·889	29·897	29·910	29·929	29·955	29·966	29·954	29·939	18
19	29·979	29·973	29·964	29·957	29·955	29·956	29·976	29·996	30·009	30·017	30·016	29·987	19
20	30·030	30·003	30·012	29·999	30·008	30·014	30·028	30·042	30·052	30·066	30·061	30·036	20
21	30·002	29·988	29·986	29·982	29·990	30·002	30·016	30·039	30·059	30·060	30·044	30·020	21
22	30·017	30·005	30·001	30·001	30·009	30·022	30·033	30·056	30·068	30·078	30·066	30·046	22
23	30·029	30·021	30·011	30·011	30·013	30·024	30·029	30·036	30·039	30·047	30·021	29·996	23
24	29·976	29·970	29·950	29·942	29·932	29·946	29·957	29·969	29·983	29·988	29·969	29·949	24
25	29·953	29·943	29·919	29·921	29·925	29·932	29·949	29·965	29·993	30·009	30·000	29·962	25
26	30·014	30·001	29·989	29·987	29·992	30·010	30·029	30·062	30·077	30.095	30.074	30·053	26
27	30·057	30·046	30·044	30·052	30·061	30·084	30·110	30·132	30·140	30.137	30.120	30·089	27
28	30·123	30·108	30·106	30·098	30·090	30·107	30·124	30·135	30·133	30.124	30.110	30·081	28
29	30·003	29·992	29·978	29·965	29·964	29·957	29·966	29·970	29·990	30.003	29·991	29·964	29
30	29·948	29·928	29·906	29·906	29·913	29·934	29·945	29·971	29·989	29·997	29·984	29·963	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins	ins.	
1	29·868	29·844	29·837	29·844	29·858	29·871	29·884	29·898	29·916	29·922	29·928	29·959	1
2	29·922	29·892	29·886	29·891	29·900	29·908	29·919	29·941	29·951	29·952	29·956	29·954	2
3	29·935	29·915	29·905	29·909	29·919	29·928	29·948	29·963	29·973	29·987	29·989	29·989	3
4	30·031	30·011	30·008	30·014	30·022	30·037	30·044	30·071	30·081	30·087	30·081	30·067	4
5	30·104	30·083	30·065	30·076	30·084	30·095	30·109	30·125	30·135	30·138	30·138	30·134	5
6	30·094	30·072	30·062	30·060	30·062	30·066	30·080	30·101	30·115	30·117	30·119	30·119	6
7	30·080	30·062	30·045	30·039	30·028	30·047	30·060	30·079	30·093	30·093	30·089	30·082	7
8	30·064	30·040	30·034	30·032	30·030	30·034	30·049	30·059	30·072	30·076	30·078	30·073	8
9	30·027	29·997	29·975	29·981	29·986	30·004	30·018	30·036	30·042	30·048	30·046	30·038	9
10	29·963	29·946	29·933	29·932	29·942	29·947	29·968	29·984	29·998	30·004	30·007	29·988	10
11	29·921	29·912	29·900	29·909	29·910	29·920	29·937	29·963	29·973	29·986	29·982	29·974	11
12	29·918	29·904	29·905	29·902	29·936	29·968	29·990	30·007	30·017	30·023	30·016	30·019	12
13	29·997	29·986	29·972	29·983	29·989	29·996	30·015	30·029	30·049	30·049	30·051	30·046	13
14	30·042	30·019	29·994	29·997	30·012	30·021	30·039	30·054	30·054	30·074	30·076	30·061	14
15	30·010	29·982	29·953	29·948	29·955	29·975	30·004	30·016	30·018	30·013	30·016	30·000	15
16	29·925	29·895	29·897	29·892	29·898	29·910	29·924	29·933	29·946	29·941	29·933	29·921	16
17	29·904	29·888	29·875	29·878	29·891	29·889	29·897	29·907	29·911	29·913	29·919	29·915	17
18	29·913	29·892	29·888	29·891	29·900	29·916	29·894	29·948	29·962	29·972	29·976	29·979	18
19	29·962	29·940	29·927	29·930	29·938	29·954	29·992	30·015	30·035	30·044	30.043	30·047	19
20	29·998	29·978	29·968	29·968	29·978	29·992	30·010	30·024	30·031	30·032	30·020	30·012	20
21	29·989	29·963	29·953	29·955	29·972	29·994	30·004	30·016	30·030	30·040	30·040	30·028	21
22	30·021	30·003	29·993	29·996	30·000	30·011	30·020	30·034	30·046	30·050	30·044	30·034	22
23	29·961	29·942	29·932	29·928	29·943	29·959	29·970	29·986	29·996	30·002	30·002	29·986	23
24	29·933	29·913	29·911	29·919	29·928	29·936	29·948	29·958	29·962	29·976	29·975	29·973	24
25	29·938	29·917	29·920	29·936	29·959	29·976	29·989	30·007	30·022	30·026	30·027	30·024	25
26	30·014	29·983	29·976	29·976	29·995	30·008	30·027	30·038	30·049	30·055	30·059	30·056	26
27	30·057	30·034	30·015	30·021	30·043	30·058	30·074	30·089	30·110	30·126	30·132	30·129	27
28	30·047	30·024	29·994	29·996	29·995	29·997	30·006	30·026	30·033	30.033	30·030	30·017	28
29	29·930	29·915	29·901	29·901	29·914	29·930	29·940	29·952	29·958	29·958	29·955	29·952	29
30	29·946	29·925	29·936	29·946	29·968	29·980	29·993	30·015	30·024	30·028	30·025	30·016	30

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of NOVEMBER, 1925.

Hours. Hongkong Standard Time.

Days of the Month.	1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	73·8	72·8	71·8	71·7	70·3	71·1	72·0	73·6	76·5	79·0	82·0	81·9	1
2	70·1	70·9	71·1	70·5	70·5	69·9	70·3	73·2	76·6	77·1	77·8	76·6	2
3	70·1	69·9	70·2	70·0	70·0	69·1	69·9	73·1	75·0	76·7	77·4	77·1	3
4	71·1	70·2	70·3	69·9	69·9	70·0	70·2	72·0	74·6	76·9	78·0	78·6	4
5	72·4	71·8	71·2	71·0	69·9	69·8	69·3	70·0	72·5	73·1	73·6	74·1	5
6	71·3	71·1	70·5	70·1	70·0	70·0	70·0	70·9	71·9	72·3	73·0	72·9	6
7	72·3	72·1	71·7	71·1	71·1	70·5	70·1	70·8	71·9	72·6	73·8	74·1	7
8	72·1	71·9	71·8	71·2	71·0	71·0	71·0	71·5	72·0	73·5	73·6	73·9	8
9	72·1	71·3	70·9	70·9	70·9	71·0	71·0	71·2	72·0	75·9	74·9	74·5	9
10	71·0	70·9	71·0	70·7	72·0	71·0	72·0	76·0	78·9	79·0	77·9	78·9	10
11	73·1	74·0	74·0	75·2	73·8	74·0	75·0	78·7	78·9	79·4	80·1	78·9	11
12	73·1	72·7	72·7	72·6	72·5	72·8	72·4	73·2	75·8	77·0	78·0	80·0	12
13	69·2	68·8	69·0	69·0	67·2	66·8	66·0	66·2	67·6	68·4	72·5	74·6	13
14	70·1	69·3	69·7	69·2	69·1	69·5	69·1	69·4	71·0	72·9	73·8	74·1	14
15	70·0	70·0	70·5	70·0	70·0	70·4	70·2	72·1	72·0	73·0	73·0	74·6	15
16	71·9	71·6	71·2	70·5	70·2	70·0	70·9	71·5	72·0	72·2	72·4	73·1	16
17	70·2	70·3	70·3	70·9	70·8	70·2	70·8	70·7	71·4	72·9	74·0	74·9	17
18	73·2	73·2	73·1	73·1	73·1	73·1	73·2	73·5	74·9	76·2	75·1	75·8	18
19	73·1	72·9	72·4	72·0	72·1	72·3	72·3	72·9	74·8	74·1	75·9	77·8	19
20	67·7	67·4	66·1	65·7	65·4	65·1	65·0	65·9	68·0	68·6	68·4	70·3	20
21	67·7	67·2	67·4	67·4	66·2	66·0	66·3	68·0	72·0	73·2	73·0	74·1	21
22	69·4	68·9	70·2	70·0	69·8	69·1	68·9	70·4	72·0	73·0	73·0	71·8	22
23	70·5	70·2	69·7	69·8	69·9	69·4	69·0	70·2	72·1	72·0	75·5	76·9	23
24	72·1	72·2	72·7	72·5	72·3	72·4	72·0	73·0	74·0	77·5	78·9	77·5	24
25	73·0	72·9	72·5	72·3	71·9	71·9	72·1	75·3	76·5	79·2	79·2	81·0	25
26	69·5	69·0	69·0	68·7	68·4	68·0	67·3	68·6	72·9	71·1	72·9	74·3	26
27	68·3	68·5	68·0	67·9	67·7	67·3	67·2	67·7	68·2	72·7	72·9	74·7	27
28	65·2	64·3	63·9	62·5	62·0	61·5	61·2	63·0	64·5	66·6	67·6	69·1	28
29	64·1	63·8	62·0	63·0	61·9	62·0	62·9	66·2	69·7	71·1	71·2	70·0	29
30	69·2	69·1	69·0	68·5	68·1	68·5	68·7	69·1	72·1	74·8	73·8	72·1	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	81·3	78·7	77·7	77·8	76·0	73·9	72·9	72·8	72·1	71·2	71·2	71·1	1
2	76·6	77·5	75·9	75·2	73·9	72·0	71·7	71·1	70·8	70·9	71·1	70·8	2
3	75·9	76·0	75·0	74·3	73·5	73·0	72·7	72·4	72·2	71·8	71·2	71·3	3
4	78·0	77·9	76·9	75·2	74·0	73·0	72·2	72·1	72·1	72·1	72·4	72·9	4
5	74·0	74·0	74·0	73·9	73·0	72·1	72·1	72·2	72·0	72·1	72·1	71·9	5
6	73·7	74·2	74·0	73·1	72·1	71·3	71·1	71·8	72·4	72·7	72·3	72·1	6
7	74·0	73·8	74·1	73·9	73·0	72·2	72·0	72·1	72·2	72·0	72·1	72·1	7
8	75·0	74·4	74·7	74·0	72·9	72·1	72·0	72·0	71·9	72·4	72·1	72·0	8
9	75·1	75·9	76·0	75·9	75·0	73·2	72·9	72·2	71·8	71·3	71·1	71·0	9
10	79·8	80·0	79·0	78·5	76·2	75·2	74·4	74·1	74·1	74·2	74·1	74·0	10
11	79·6	78·8	76·7	76·0	75·1	74·2	73·9	73·9	74·0	73·4	73·5	73·0	11
12	78·2	77·0	74·1	75·1	69·3	68·8	68·9	68·7	69·0	68·9	69·0	69·0	12
13	74·2	74·8	74·9	73·0	72·0	71·2	71·2	71·1	71·1	71·2	70·6	70·5	13
14	75·0	74·2	72·6	71·6	71·2	71·0	70·9	70·8	70·8	70·6	70·2	69·2	14
15	74·5	75·1	74·1	74·0	73·1	72·9	72·1	72·4	72·4	72·8	72·3	71·9	15
16	72·2	72·7	72·9	72·2	72·1	71·0	70·0	70·0	69·4	69·5	69·7	69·8	16
17	75·0	75·5	76·0	74·8	73·4	73·0	72·5	72·8	73·0	73·2	73·4	73·1	17
18	76·0	76·6	75·7	75·0	74·3	74·1	74·0	74·0	73·9	73·5	73·2	73·0	18
19	77·0	76·1	76·9	75·1	73·8	73·2	70·0	68·3	67·2	67·7	67·9	67·9	19
20	70·4	70·0	69·8	69·9	68·5	67·8	67·3	67·3	67·4	67·8	67·8	67·6	20
21	75·1	73·7	74·1	72·2	71·1	70·4	70·1	69·5	69·2	68·8	69·0	68·9	21
22	73·6	72·9	72·5	72·0	71·4	71·2	71·8	71·9	72·0	71·9	72·1	71·1	22
23	76·2	75·7	73·6	73·2	72·7	72·2	72·2	72·3	72·1	72·4	72·5	71·9	23
24	77·9	77·3	76·9	76·3	75·1	74·5	74·0	74·0	73·6	73·3	73·1	73·1	24
25	80·2	79·1	79·1	78·5	77·2	74·9	71·2	72·0	71·4	70·2	71·8	71·0	25
26	74·6	74·4	73·6	72·9	71·9	71·1	71·2	70·9	70·9	70·5	70·3	68·7	26
27	76·2	75·8	73·4	72·1	71·1	70·3	69·8	69·2	69·5	68·0	67·0	66·1	27
28	70·1	70·8	70·2	69·1	68·7	66·8	65·8	65·6	64·9	65·1	65·1	64·5	28
29	70·1	69·9	69·1	68·4	67·7	67·9	67·7	68·0	68·1	68·1	68·2	68·1	29
30	73·5	73·2	72·5	72·4	71·9	70·9	70·8	70·2	69·1	68·9	68·2	68·0	30

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of NOVEMBER, 1925.

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	60·5	60·0	59·9	59·5	58·9	59·0	59·0	60·1	61·0	62·3	63·4	65·0	1
2	65·0	65·5	66·0	66·0	66·7	66·1	67·0	68·2	69·5	69·9	70·5	70·1	2
3	65·8	65·8	66·0	65·9	65·6	65·1	66·0	67·7	68·7	69·0	69·8	69·0	3
4	67·2	67·0	66·9	67·1	67·0	66·8	66·3	67·4	66·7	67·2	67·0	66·9	4
5	67·0	66·4	66·0	65·9	65·0	64·5	64·1	64·8	66·0	67·0	67·0	67·0	5
6	66·7	66·8	66·5	66·0	66·0	66·0	66·0	66·1	66·1	66·8	67·1	67·1	6
7	66·8	66·8	66·7	66·5	66·0	66·0	65·9	65·9	66·1	66·4	66·0	65·0	7
8	67·2	67·0	66·1	66·7	65·9	65·3	65·2	65·2	65·0	65·9	65·4	66·1	8
9	67·3	67·3	66·7	66·5	65·9	65·5	66·0	66·3	66·5	68·0	67·1	67·0	9
10	68·3	68·0	67·1	67·0	66·9	67·0	67·2	68·6	70·0	69·3	70·0	68·8	10
11	67·0	67·4	66·0	65·1	65·0	65·1	65·2	66·9	69·0	68·0	66·0	67·3	11
12	69·0	69·0	69·1	69·1	69·0	69·1	69·1	69·2	70·6	71·0	72·0	72·6	12
13	57·7	56·9	56·1	55·4	55·9	55·0	54·1	55·1	56·9	57·0	59·4	61·0	13
14	60·0	59·5	60·5	61·0	61·0	62·8	62·3	62·2	61·9	62·2	63·2	64·0	14
15	64·0	64·0	64·8	64·6	65·1	65·7	65·2	66·0	65·6	65·7	65·1	65·7	15
16	67·2	67·6	67·2	67·8	67·8	67·1	67·1	67·0	67·4	67·7	67·8	67·5	16
17	68·8	69·0	69·0	69·3	69·7	69·0	69·1	69·3	69·8	70·3	71·0	71·0	17
18	71·4	71·1	71·2	71·1	71·2	71·1	71·1	71·1	71·8	72·1	71·9	72·0	18
19	71·0	70·9	70·4	69·9	69·8	69·8	69·2	69·2	70·0	69·4	70·0	71·1	19
20	60·9	60·7	59·9	59·5	59·1	58·7	58·1	59·1	60·5	61·3	61·4	62·2	20
21	61·9	62·0	62·4	62·4	62·0	62·0	62·1	62·9	65·0	65·5	64·7	65·2	21
22	65·9	65·8	66·9	66·5	66·0	66·0	65·5	66·0	66·0	66·0	66·3	65·2	22
23	66·1	66·0	65·2	65·0	64·7	64·1	63·4	63·9	64·7	64·9	67·1	66·5	23
24	69·4	69·8	69·5	69·0	68·7	68·3	68·4	69·1	69·8	71·1	70·9	69·1	24
25	70·2	69·8	69·3	69·4	69·0	69·2	67·3	67·7	68·0	69·3	69·8	70·1	25
26	64·0	62·8	62·6	62·8	62·0	61·4	61·1	61·9	64·7	63·1	63·9	64·9	26
27	60·0	60·1	60·0	60·1	60·2	60·1	59·7	59·9	60·2	63·2	63·8	62·0	27
28	56·3	55·7	55·2	54·9	54·2	54·0	53·2	54·1	54·9	55·9	57·0	58·0	28
29	58·2	58·0	57·0	57·9	56·2	56·9	58·0	60·2	60·2	60·1	59·0	60·1	29
30	65·1	65·0	65·1	64·5	63·9	63·9	64·1	65·0	66·1	67·0	67·1	65·0	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	65·0	66·2	66·1	65·7	65·1	63·9	64·0	65·0	66·0	65·1	64·7	64·1	1
2	69·5	69·5	68·9	68·0	67·7	67·0	66·7	66·7	66·8	66·7	66·0	66·0	2
3	68·3	68·7	68·2	68·0	67·1	67·0	66·9	67·0	67·0	67·1	67·1	67·0	3
4	67·1	67·9	68·0	67·0	67·0	66·9	66·5	66·0	66·1	66·7	67·0	66·9	4
5	66·9	66·1	65·9	66·9	66·1	66·1	66·3	67·1	67·0	67·1	67.0	66·9	5
6	67·8	68·1	68·0	67·0	66·8	66·1	66·4	66·6	67·2	67·8	67·4	67·0	6
7	65·8	66·7	66·9	66·5	66·7	66·8	67·0	67·0	67·1	67·0	67·0	67·0	7
8	67·1	66·9	66·0	65·6	66·0	66·2	67·0	67·4	67·1	67·7	67·1	67·2	8
9	67·6	67·2	67·0	67·0	67·9	67·8	68·0	68·3	67·8	67·9	68·4	68·5	9
10	68·6	69·0	69·1	69·1	69·9	69·5	69·3	69·6	69·3	69·0	67·9	68·0	10
11	67·9	70·0	70·5	70·2	70·0	70·0	70·0	69·8	70·0	70·1	69·2	69·7	11
12	72·0	72·7	72·4	72·2	65·2	62·9	62·3	60·1	59·0	58·0	57·9	58·0	12
13	60·0	61·0	60·2	61·1	59·8	60·1	60·0	60·0	60·4	60·9	60·1	60·0	13
14	64·4	65·0	63·9	63·3	63·1	62·8	63·0	63·3	63·7	63·4	63·1	63·2	14
15	64·1	64·6	63·0	64·0	65·0	64·9	65·8	65·4	65·6	66·0	66·3	67·1	15
16	67·8	68·0	67·9	67·2	67·2	67·8	68·5	68·8	68·0	68·0	67·9	68·2	16
17	71·1	71·6	71·7	71·1	70·9	70·9	70·8	71·0	71·0	71·2	71·1	71·1	17
18	72·0	72·0	71·8	71·5	71·2	71·1	71·0	71·0	71·0	71·0	70·6	70·4	18
19	71·0	70·2	70·9	70·1	69·7	70·3	67·0	64·2	62·1	61·6	61·0	60·8	19
20	62·4	62·3	62·5	62·8	62·0	61·8	61·2	61·2	61·5	61·9	61·9	62·0	20
21	66·1	65·8	66·4	66·0	65·8	65·2	65·3	65·0	65·1	65·0	65·3	65·6	21
22	66·5	65·8	66·0	65·1	65·7	65·9	66·1	66·7	66·4	66·6	65·0	66·0	22
23	67·0	66·1	65·9	66·0	66·0	67·9	68·0	68·1	68·3	68·0	69·0	68·8	23
24	69·9	69·6	69·0	69·5	69·3	68·9	68·6	68·5	69·0	69·0	69·7	70·3	24
25	69·1	68·9	67·8	67·7	67·0	69·7	68·0	69·8	69·3	65·8	67·3	65·2	25
26	65·0	65·0	65·1	65·4	65·1	65·1	65·0	65·4	65·3	65·2	62·1	61·0	26
27	63·0	63·6	64·1	64·5	63·8	63·5	63·3	62·0	58·8	57·9	56·9	57·0	27
28	58·5	58·2	57·3	57·6	57·9	57·9	57·6	57·8	57·7	59·6	58·8	57·6	28
29	61·5	62·0	62·5	62·0	61·1	61·2	62·0	62·5	63·0	64·0	64·0	64·1	29
30	66·0	65·0	64·3	64·1	62·7	61·5	61·1	61·4	60·3	59·9	59·6	60·0	30

TABLE IV.—AMOUNT OF CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of NOVEMBER, 1925.
(... = Clear Sky.)

Days of the Month	Hours, Hongkong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Mdn.	
1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	1	1	3	4	6	6	3	3	2	1	1	1	1	...	...	...	...	...	...	...	2
3	1	...	1	1	2	2	1	1	2	2	2	1	6	2	2	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	8	2	...	1	1	2	2	6	2	2	1	1	1	...	...	...	...	...	8	9	4
5	9	9	10	10	10	6	6	8	8	9	7	5	1	1	1	1	1	3	1	1	1	2	3	4	5
6	7	4	5	3	3	7	4	3	3	4	9	9	9	7	...	1	1	...	3	7	10	10	10	10	6
7	10	10	9	10	8	6	8	9	10	9	8	1	5	6	7	7	7	2	3	4	6	7	4	9	7
8	9	10	8	10	9	9	9	10	8	8	5	8	9	7	3	7	4	2	2	2	3	3	3	6	8
9	10	10	10	10	8	5	6	7	8	2	2	1	1	...	...	...	...	...	...	1	...	...	...	...	9
10	...	...	...	7	9	9	8	9	8	7	5	3	...	2	3	3	3	4	3	4	2	1	1	...	10
11	...	...	2	...	...	...	2	1	...	...	...	...	2	1	2	1	1	2	2	2	1	2	...	2	11
12	1	8	10	9	10	10	10	10	5	6	7	5	10	10	10	10	10	10	10	10	10	10	10	10	12
13	10	10	10	10	10	10	9	10	10	9	3	3	2	5	10	10	10	10	10	9	10	10	9	9	13
14	9	9	10	5	1	10	10	10	10	6	10	7	5	3	8	9	9	10	9	10	10	9	9	10	14
15	10	9	10	9	8	9	4	9	9	8	8	6	4	7	7	9	10	10	10	4	3	9	9	9	15
16	9	9	10	10	10	10	10	10	10	10	10	10	9	9	10	10	10	10	10	10	10	10	10	10	16
17	10	10	10	10	10	10	10	10	10	10	10	10	9	9	8	9	10	10	10	10	10	10	10	10	17
18	10	10	10	10	10	9	9	10	9	9	10	10	10	10	10	10	10	10	8	8	8	8	7	10	18
19	8	10	9	3	9	10	10	10	10	9	6	2	3	8	8	9	10	10	10	10	10	10	10	10	19
20	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	20
21	10	10	10	10	10	10	8	8	8	...	...	...	1	1	...	...	1	...	...	...	...	...	...	...	21
22	1	1	4	9	4	2	1	8	4	6	5	5	3	7	7	5	3	3	10	10	10	10	10	7	22
23	9	10	9	10	10	10	4	6	7	7	5	8	9	9	4	10	10	10	10	10	10	10	10	10	23
24	10	10	10	10	10	9	7	9	10	7	7	8	8	9	10	10	10	10	10	10	10	10	10	10	24
25	10	10	7	7	7	9	5	6	6	5	5	7	6	6	7	9	10	10	10	10	10	10	10	10	25
26	10	10	10	10	10	10	1	10	9	10	10	10	3	3	4	8	10	10	10	10	10	10	10	4	26
27	6	10	10	9	10	10	10	10	10	2	6	3	3	8	4	3	7	10	10	3	1	2	2	1	27
28	1	1	1	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	3	1	1	1	4	2	28
29	...	...	...	...	2	1	7	3	3	6	2	3	7	8	7	4	4	10	3	7	6	9	7	6	29
30	10	10	10	10	10	10	8	8	6	5	10	10	10	10	10	10	10	10	10	10	10	10	10	10	30

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of NOVEMBER, 1925.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h	h.	h.	h.	h.	h.	
1	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	1
2	...	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	2
3	...	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	...	3
4	...	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	...	4
5	...	0·1	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	5
6	...	0·1	1·0	1·0	0·9	0·9	0·6	0·8	1·0	1·0	1·0	0·7	...	6
7	...	...	0·1	0·4	1·0	1·0	1·0	1·0	1·0	0·9	1·0	0·7	...	7
8	...	...	...	0·4	1·0	1·0	1·0	1·0	0·8	1·0	0·8	0·8	...	8
9	...	...	0·5	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	9
10	...	0·4	0·8	1·0	0·6	1·0	1·0	1·0	0·7	0·8	0·5	0·5	...	10
11	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	11
12	...	...	0·2	1·0	0·7	0·9	1·0	...	...	...	...	...	...	12
13	...	...	0·1	0·3	0·6	1·0	1·0	1·0	1·0	0·2	...	...	...	13
14	...	...	...	0·8	0·8	0·3	1·0	1·0	1·0	0·4	0·3	...	...	14
15	...	0·4	0·6	0·5	0·9	0·9	1·0	1·0	1·0	0·9	...	...	...	15
16	...	...	...	...	...	...	...	0·1	0·3	0·1	...	...	...	16
17	...	...	...	...	...	...	...	0·2	0·7	1·0	...	...	...	17
18	...	...	0·3	0·1	0·5	...	...	0·3	0·5	0·1	...	0·1	...	18
19	...	...	...	0·6	0·1	0·9	1·0	1·0	0·4	0·7	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	0·1	...	...	20
21	...	...	0·2	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	21
22	...	0·8	0·9	1·0	1·0	1·0	1·0	1·0	1·0	0·8	1·0	0·7	...	22
23	...	0·2	0·9	0·4	0·5	1·0	1·0	1·0	0·6	0·7	0·3	...	...	23
24	...	...	...	0·3	1·0	0·3	0·1	...	...	...	...	...	...	24
25	...	0·5	0·9	1·0	1·0	1·0	0·9	0·9	1·0	0·8	0·1	...	...	25
26	...	0·4	0·6	0·2	0·1	0·3	1·0	1·0	1·0	0·6	...	...	...	26
27	...	...	...	0·4	1·0	1·0	1·0	0·9	0·8	1·0	1·0	0·2	...	27
28	...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	...	28
29	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	0·7	1·0	0·5	...	...	29
30	...	...	0·7	1·0	0·9	0·4	...	...	...	...	...	...	...	30

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of NOVEMBER, 1925.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	d	...	...	...	...	...	...	...	...	...	14
15	...	d	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	d	...	...	...	...	d	...	...	16
17	d	d	d	...	...	...	...	...	d	...	...	...	17
18	...	...	...	...	d	...	...	...	...	...	...	...	18
19	...	d	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	d	0·005	d	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	d	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	d	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	0·025	0·205	0·005	0·050	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	d	...	...	...	...	d	0·005	0·005	0·005	d	d	16
17	...	...	...	...	...	d	...	...	...	...	d	...	17
18	d	...	...	...	...	...	...	...	...	...	...	d	18
19	...	...	...	...	0·010	d	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	d	...	d	0·005	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	d	0·585	0·185	...	d	d	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of NOVEMBER, 1925.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hongkong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	1	12	1	11	1	6	2	9	2	5	...	1	1	5	32	9	1	11	2	9	2	8	5	8	1
2	...	...	11	6	9	6	10	4	...	1	...	1	6	2	6	7	8	8	9	11	10	15	10	15	2
3	8	4	8	5	8	8	6	6	5	5	...	1	...	1	5	8	8	10	10	11	9	13	9	15	3
4	7	5	...	1	...	...	..	1	...	...	...	...	...	1	1	7	2	7	4	7	7	5	9	10	4
5	7	25	6	22	6	21	5	20	4	12	4	12	5	17	4	18	5	21	6	23	6	23	7	24	5
6	7	22	6	20	6	19	6	19	6	17	5	16	5	15	6	16	6	16	7	17	8	18	9	16	6
7	6	17	6	15	6	16	5	16	6	15	5	16	6	17	6	18	6	21	6	20	7	21	6	22	7
8	6	25	6	22	6	24	6	20	6	22	6	21	6	20	6	23	7	23	7	24	6	28	7	25	8
9	6	24	6	20	6	20	6	23	6	21	5	17	6	20	6	24	6	23	6	19	7	23	8	20	9
10	8	12	6	7	8	7	10	3	10	3	...	...	...	1	9	6	9	12	9	18	9	17	9	15	10
11	...	...	9	3	...	...	...	...	...	1	...	...	9	3	9	12	9	15	8	17	8	17	7	19	11
12	6	13	5	14	5	13	6	10	7	12	5	10	6	11	6	9	7	11	9	12	10	10	10	9	12
13	4	4	7	10	3	13	32	15	32	9	1	8	1	13	32	6	1	11	32	12	1	5	4	7	13
14	...	...	...	...	8	4	7	9	6	8	5	11	5	13	5	14	6	15	7	17	9	15	9	15	14
15	9	2	7	2	5	5	5	8	5	11	6	15	7	16	7	18	7	19	7	19	7	20	6	22	15
16	6	23	6	18	6	22	6	18	7	16	7	15	7	15	7	15	6	15	6	17	7	11	8	21	16
17	8	16	8	18	7	17	7	14	7	15	7	16	6	16	7	14	7	16	7	14	8	14	8	16	17
18	6	14	6	14	7	15	7	13	7	13	6	13	6	19	6	17	7	17	6	16	7	16	7	12	18
19	6	14	6	14	6	13	6	13	6	13	6	15	6	14	6	13	6	16	7	16	8	15	9	13	19
20	1	5	32	7	1	10	1	10	1	9	1	7	1	6	32	7	32	4	32	5	32	9	32	8	20
21	5	12	5	4	5	6	5	7	4	3	...	...	2	2	3	4	5	2	8	6	11	9	11	6	21
22	9	3	9	3	7	9	6	10	6	11	6	11	6	11	6	13	8	17	8	20	7	18	7	17	22
23	6	19	6	17	6	18	6	20	6	17	6	16	5	16	5	15	6	15	6	14	7	11	9	11	23
24	6	11	6	12	6	15	6	19	6	15	6	10	6	9	7	8	8	5	9	8	9	14	8	15	24
25	7	3	4	2	...	1	...	1	...	...	...	...	1	5	1	9	2	11	3	5	4	9	5	10	25
26	2	8	2	10	2	6	2	6	1	10	1	4	2	4	2	9	1	4	32	8	1	7	6	6	26
27	2	8	1	9	32	8	1	9	1	9	1	11	2	12	2	12	2	12	2	9	2	7	1	9	27
28	1	19	4	9	4	6	2	10	1	14	1	19	1	20	1	19	1	24	1	20	1	16	32	13	28
29	...	...	..	...	...	...	...	...	11	2	...	...	5	3	...	...	8	6	10	11	9	14	9	13	29
30	7	11	7	15	6	14	6	12	6	9	7	11	8	9	7	3	7	2	10	2	13	3	32	10	30

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	9	10	10	15	12	10	15	7	16	6	16	3	16	5	16	3	...	...	...	...	...	...	...	...	1
2	10	14	10	15	10	16	10	11	10	12	11	10	11	7	11	6	11	4	11	7	10	5	8	4	2
3	9	16	9	12	9	14	9	14	9	13	10	11	10	11	8	9	7	9	6	8	7	8	6	6	3
4	9	14	10	13	10	13	10	13	9	13	9	10	9	7	8	6	7	8	6	5	6	9	6	18	4
5	7	24	8	22	8	17	8	18	7	18	8	14	8	14	8	18	7	15	7	15	6	19	7	19	5
6	9	14	9	14	10	16	10	11	9	16	9	14	8	15	7	14	7	13	7	13	6	17	6	18	6
7	7	21	8	19	8	21	8	20	8	18	8	20	7	19	8	20	7	24	7	23	7	26	7	24	7
8	7	19	8	20	8	20	7	18	7	16	7	18	6	16	7	17	5	15	7	18	7	20	6	22	8
9	8	19	9	18	9	16	9	17	9	18	8	16	7	13	6	12	7	7	8	7	8	4	8	4	9
10	9	17	10	16	9	15	9	17	9	15	10	8	10	11	10	9	9	10	9	3	..	1	...	...	10
11	7	20	7	17	8	21	8	16	8	15	8	18	8	19	8	17	7	15	6	16	6	17	7	15	11
12	6	5	1	4	...	1	...	1	4	15	3	11	4	3	1	13	31	21	31	22	32	15	3	6	12
13	8	11	9	10	10	10	10	12	11	11	11	9	10	6	8	7	8	4	8	5	8	5	9	5	13
14	9	15	9	15	9	13	9	15	9	11	8	7	8	7	8	7	9	7	10	6	10	5	...	1	14
15	6	25	7	23	7	23	7	20	6	21	7	17	6	13	7	18	6	22	6	23	6	24	6	23	15
16	8	21	8	21	7	19	7	18	6	20	6	19	6	16	7	18	6	20	6	20	7	17	7	16	16
17	8	14	8	16	7	15	7	13	7	13	7	11	7	12	7	12	7	10	7	11	6	14	6	12	17
18	6	15	7	13	7	15	7	14	7	13	7	11	8	17	8	17	7	15	6	15	6	15	6	13	18
19	9	18	9	14	9	12	9	12	8	10	1	10	1	9	1	15	1	16	2	8	31	3	1	5	19
20	32	9	32	8	32	8	32	4	1	3	1	2	2	5	3	2	4	5	5	6	5	10	5	10	20
21	10	11	10	11	9	9	9	13	9	12	9	9	9	6	9	7	9	6	9	6	9	6	10	5	21
22	8	19	8	16	8	17	8	17	8	17	8	18	8	19	8	19	8	19	7	18	7	19	6	22	22
23	10	15	11	14	10	16	9	17	8	14	7	13	7	11	6	12	6	9	5	6	6	12	6	13	23
24	10	12	10	12	10	6	9	2	6	7	8	8	8	9	9	9	9	10	9	10	9	10	8	7	24
25	5	10	4	7	3	10	1	9	4	10	9	11	9	15	9	12	8	13	6	17	4	11	3	10	25
26	10	9	11	10	10	10	10	6	10	9	10	5	9	7	7	7	5	6	2	6	1	10	2	11	26
27	32	4	1	7	8	11	11	12	11	11	9	9	6	10	2	8	1	12	1	16	1	22	32	20	27
28	31	9	10	6	13	6	13	2	14	2	14	5	14	4	...	1	...	...	...	...	...	...	...	...	28
29	8	12	8	12	9	13	8	17	6	18	7	14	7	15	7	15	7	15	7	15	7	15	6	13	29
30	32	12	1	10	32	10	31	8	32	11	31	3	1	8	2	11	1	8	2	10	3	9	4	5	30

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of NOVEMBER, 1925.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2	...	...	...	...	cu	E	cu	E	cu	ENE	cu	ENE	...	...	...	...
3	cu	E	cu	ENE	cu	E	cu	ENE	cu	ENE	...	...	...	...	...	...
4	...	...	...	...	...	...	cu	ENE	cu	ENE	cu	ENE	...	...	...	...
5	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E
6	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E
7	cu	E	cu	E	cu	E	cu	E	cu	E	ci-st	WSW	cu	E	cu	E
8	cu	E	cu	E	a-cu / cu	W / E	a-cu / cu	W / E	a-cu / cu	ENE / E	cu	E	cu	E	cu	E
9	cu	E	cu	E	cu	E	cu	E	cu	E	...	...	...	...	...	...
10	...	...	cu	E	cu	SSE	cu	SE	...	...	a-cu / cu	WNW / SE	cu	ESE	cu	ESE
11	...	...	...	...	a-cu	WNW	...	...	cu	E	cu	E	cu	E	cu	E
12	cu	E	cu	E	cu	E	cu	E	cu	NNW	nb	N	cu-nb	NNE	cu-nb	NNE
13	cu	NNE	cu	NNE	cu	WNW	cu	NNW	cu	NNW	cu	NNW	cu	NNW	cu	NNW
14	cu	NNW	cu	NNW	cu	NNW	a-cu	W	a-cu	W	a-cu	W	a-cu	WNW	a-cu	WNW
15	cu	E	cu	E	cu	E	a-cu	WSW	ci-cu / a-cu	WSW / W	a-cu / cu	WSW / ENE	cu	ENE	cu	ENE
16	cu	ENE	cu	ENE	cu	E	cu-nb	E	cu	SE	cu-nb	ESE	nb	E	nb	E
17	nb	E	nb	E	nb	E	nb	E	cu	E	cu	E	cu-nb	E	cu	E
18	cu-nb	E	cu	E	cu	E	cu	E	cu-nb	E	cu	E	cu	E	cu	E
19	cu	E	cu	E	cu	E	cu	E	cu	W	cu	W	cu	W	cu	W
20	cu	WNW	cu	WNW	cu	SSE	st-cu	E	st-cu	SE	cu	ESE	cu	ENE	cu	ENE
21	cu	ENE	cu	ENE	cu	E	...	...	cu	ESE	...	...	...	...	...	...
22	cu	E	cu	E	cu	ENE	cu	ENE	cu	E	cu	E	cu	E	cu	E
23	cu	E	cu	E	cu	E	cu	ESE	cu	ESE	cu	ESE	cu	ESE	cu-nb	ESE
24	nb	ESE	cu-nb	E	cu	E	cu	SE	cu	E	cu	E	cu	E	cu	E
25	cu	E	cu	E	cu	WSW	cu	WSW	cu	E	cu / cu	WSW / E	cu	E	cu-nb	ESE
26	cu-nb	ESE	cu-nb	ESE	cu	E	cu	E	cu	E	cu	ENE	cu	ENE	cu	ENE
27	cu	ENE	cu	ENE	cu	NNE	cu	NNE	cu	NNW	cu	NNW	a-cu / cu	WNW / NNW	cu	NNW
28	cu	NNW	...	...	...	...	...	...	...	...	...	...	a-cu	WNW	a-cu	WNW
29	...	...	...	...	cu	ENE	a-cu	WNW	cu	SSE	cu	S	cu	ESE	cu	ESE
30	cu	ESE	a-cu	W	cu	SW	a-cu / cu	WSW / NE	cu	NE	st-cu	NNE	cu	NNE	cu	NNE

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of NOVEMBER, 1925.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Range.	Temperature. Of the Air. Mean.	Temperature. Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Bright Sunshine. Percentage of possible amount.	Rainfall. Amount.	Rainfall. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·888	83·4	69·9	13·5	74·7	62·9	0·418	49	...	10·7	95	...	...	+ 2·0	+ 2·4	50	3·1	6·4
2	·935	78·9	69·9	9·0	73·0	67·5	·601	74	14	10·2	91	...	...	− 2·6	+ 7·1	110	7·6	7·8
3	·950	78·3	68·8	9·5	72·8	67·2	·593	74	11	10·0	89	...	...	− 0·6	+ 8·7	94	8·7	9·1
4	30·032	79·7	69·8	9·9	73·4	66·9	·574	70	19	9·9	88	...	...	+ 0·3	+ 6·4	87	6·4	7·2
5	·101	75·1	68·3	6·8	72·2	66·3	·568	72	49	9·6	86	...	...	+ 5·5	+ 17·5	72	18·4	18·8
6	·110	75·0	69·9	5·1	71·9	66·8	·590	75	54	9·0	80	...	...	+ 2·5	+ 15·4	81	15·6	16·1
7	·086	75·0	70·1	4·9	72·3	66·5	·574	72	69	8·1	72	...	...	+ 4·6	+ 18·8	76	19·4	19·5
8	·068	76·1	70·9	5·2	72·5	66·3	·564	70	64	7·8	70	...	...	+ 5·8	+ 19·7	74	20·6	20·7
9	·038	76·1	70·8	5·3	72·8	67·2	·593	74	34	9·0	81	...	...	+ 3·5	+ 16·0	78	16·4	16·9
10	29·987	80·2	70·6	9·6	75·1	68·6	·613	71	38	8·3	75	...	...	− 1·8	+ 9·0	101	9·2	9·3
11	·951	80·9	72·5	8·4	75·7	68·1	·587	66	10	10·4	94	...	...	+ 0·9	+ 12·1	86	12·1	12·2
12	·962	81·8	68·1	13·7	72·9	67·1	·588	73	88	3·8	34	0·285	2	+ 5·7	+ 6·0	46	8·3	10·5
13	30·018	76·9	65·9	11·0	70·5	58·5	·332	44	87	5·2	47	...	...	+ 3·1	+ 5·1	59	6·0	8·7
14	·045	75·2	69·0	6·2	71·1	62·6	·456	60	82	5·6	51	...	...	+ 0·4	+ 9·2	87	9·2	9·6
15	·027	75·1	69·7	5·4	72·2	65·1	·526	67	79	7·2	63	...	...	+ 5·1	+ 16·2	72	17·0	17·0
16	29·950	73·8	69·3	4·5	71·2	67·7	·632	83	98	0·5	5	0·015	5	+ 4·7	+ 17·3	75	17·9	18·0
17	·910	77·1	70·1	7·0	72·6	70·4	·715	89	98	1·9	17	...	3	+ 2·3	+ 14·0	81	14·2	14·1
18	·925	77·2	73·0	4·2	74·2	71·3	·729	86	94	1·9	17	...	1	+ 3·8	+ 14·2	75	14·7	14·7
19	·984	78·0	67·1	10·9	72·7	68·3	·634	79	85	4·7	43	0·010	1	+ 4·1	+ 10·2	68	11·0	12·5
20	30·015	70·9	64·9	6·0	67·7	61·0	·449	66	100	0·1	1	...	...	+ 6·1	+ 1·5	14	6·3	6·6
21	·007	77·2	65·9	11·3	70·0	64·4	·531	72	36	8·8	81	...	...	− 0·3	+ 6·2	93	6·2	6·7
22	·027	73·8	68·7	5·1	71·3	66·0	·570	74	56	10·2	93	...	...	+ 1·8	+ 14·8	83	15·0	15·1
23	29·995	78·0	68·9	9·1	72·2	66·3	·568	72	86	6·6	61	0·005	2	+ 3·0	+ 13·2	77	13·4	14·2
24	·953	79·0	72·0	7·0	74·4	69·3	·649	76	93	1·7	16	0·005	2	+ 0·6	+ 9·7	86	9·7	10·1
25	·967	81·5	70·1	11·4	74·8	68·5	·614	71	80	8·1	74	0·770	2	+ 3·8	+ 5·7	56	6·9	8·0
26	30·026	75·6	67·3	8·3	70·9	63·7	·495	65	84	5·2	48	...	...	+ 3·5	+ 4·1	49	5·4	7·4
27	·082	76·9	66·1	10·8	70·0	61·2	·425	58	62	7·3	67	...	...	+ 7·7	+ 4·0	27	8·7	10·7
28	·064	72·1	61·0	11·1	65·8	56·7	·341	53	7	10·3	94	...	...	+ 7·2	+ 2·4	19	7·6	9·3
29	29·956	72·0	61·8	10·2	67·0	60·5	·442	66	44	8·9	82	...	...	+ 0·7	+ 9·1	86	9·1	9·3
30	·966	76·0	68·0	8·0	70·5	63·7	·501	67	95	3·0	28	...	...	+ 5·2	+ 4·4	40	6·8	8·5
Means	30·001	76·9	68·6	8·3	71·9	65·6	0·549	70	61	Sum. 204·0	62	Sum. 1·090	Sum 18	+ 3·0	+ 10·0	73	10·5	11·8
Normals	29·987	74·2	65·2	9·0	69·3	62·5	0·488	66	54	182·9	55	1·742	31	+ 4·3	+ 8·7	64	9·7	12·7
Absolute Max.	30·171	83·4	...	13·7	...	74·1	0·785	...	...	10·7	95	0·770	5	...	...	...	...	28·0 †
Day.	6	1	...	12	...	12	12	...	...	1	1	25	16	...	...	...	...	8*d* 11*h*
Absolute Min.	29·837	...	61·0	4·2	...	53·2	0·260	31	...	...	...	...	...	...	...	...	...	...
Day	1	...	28	18	...	28	13	1	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Lunar corona :—on the 10th and 28th.

Dew :—on the 2nd, 4th, 10th and 28th.

Rain fell on 4 days. The mean hourly intensity was 0·061*in*, and the maximum fall in one hour was 0·585*ins* at 20*h* on the 25th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 37 miles per hour at 10*h* 57*m* on the 8th.

* 0°=N., 90°=E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of NOVEMBER, 1925.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1014·1	301·6	294·1	7·5	296·7	290·2	14·1	...	...	+ 0·7	+ 0·8	50	1·0	2·1
2	1015·7	299·1	294·1	5·0	295·8	292·7	20·3	...	...	− 0·9	+ 2·3	110	2·5	2·6
3	1016·2	298·7	293·4	5·3	295·7	292·6	20·0	...	...	− 0·2	+ 2·9	94	2·9	3·0
4	1019·0	299·5	294·0	5·5	296·0	292·4	19·4	...	...	+ 0·1	+ 2·1	87	2·1	2·4
5	1021·3	296·9	293·2	3·7	295·3	292·1	19·2	...	...	+ 1·8	+ 5·7	72	6·0	6·2
6	1021·6	296·9	294·1	2·8	295·2	292·3	19·9	...	...	+ 0·8	+ 5·0	81	5·1	5·3
7	1020·8	296·9	294·2	2·7	295·4	292·2	19·4	...	...	+ 1·5	+ 6·2	76	6·4	6·4
8	1020·2	297·5	294·6	2·9	295·5	292·1	19·0	...	...	+ 1·9	+ 6·5	74	6·8	6·8
9	1019·2	297·5	294·6	2·9	295·7	292·6	20·0	...	...	+ 1·1	+ 5·2	78	5·4	5·5
10	1017·4	299·8	294·4	5·4	296·9	293·3	20·7	...	...	− 0·6	+ 3·0	101	3·0	3·0
11	1016·2	300·2	295·5	4·7	297·3	293·1	19·8	...	...	+ 0·3	+ 4·0	86	4·0	4·0
12	1016·6	300·7	293·1	7·6	295·7	292·5	19·8	7·2	2	+ 1·9	+ 2·0	46	2·7	3·4
13	1018·5	297·9	291·8	6·1	294·4	287·7	11·2	...	...	+ 1·0	+ 1·7	59	2·0	2·9
14	1019·4	297·0	293·6	3·4	294·7	290·0	15·4	...	...	+ 0·1	+ 3·0	87	3·0	3·1
15	1018·8	296·9	293·9	3·0	295·3	291·4	17·7	...	...	+ 1·7	+ 5·3	72	5·6	5·6
16	1016·2	296·2	293·7	2·5	294·8	292·8	21·3	0·4	5	+ 1·5	+ 5·7	75	5·9	5·9
17	1014·8	298·1	294·2	3·9	295·6	294·3	24·1	...	3	+ 0·8	+ 4·6	81	4·7	4·6
18	1015·4	298·1	295·8	2·3	296·4	294·8	24·6	...	1	+ 1·2	+ 4·7	75	4·8	4·8
19	1017·3	298·6	292·5	6·1	295·6	293·2	21·4	0·3	1	+ 1·3	+ 3·3	68	3·6	4·1
20	1018·4	294·6	291·3	3·3	292·8	289·1	15·1	...	...	+ 2·0	+ 0·5	14	2·1	2·2
21	1018·2	298·1	291·8	6·3	294·1	291·0	17·9	...	...	− 0·1	+ 2·0	93	2·0	2·2
22	1018·8	296·2	293·4	2·8	294·8	291·9	19·2	...	...	+ 0·6	+ 4·9	83	4·9	5·0
23	1017·7	298·6	293·5	5·1	295·3	292·1	19·2	0·1	2	+ 1·0	+ 4·3	77	4·4	4·7
24	1016·3	299·1	295·2	3·9	296·6	293·7	21·9	0·1	2	+ 0·2	+ 3·2	86	3·2	3·3
25	1016·8	300·5	294·2	6·3	296·8	293·3	20·7	19·6	2	+ 1·2	+ 1·9	56	2·3	2·6
26	1018·8	297·2	292·6	4·6	294·6	290·6	16·7	...	...	+ 1·1	+ 1·3	49	1·8	2·4
27	1020·7	297·9	291·9	6·0	294·1	289·2	14·3	...	...	+ 2·5	+ 1·3	27	2·9	3·5
28	1020·1	295·3	289·1	6·2	291·8	286·7	11·5	...	...	+ 2·4	+ 0·8	19	2·5	3·0
29	1016·4	295·2	289·6	5·6	292·4	288·8	14·9	...	...	+ 0·2	+ 3·0	86	3·0	3·0
30	1016·8	297·4	293·0	4·4	294·4	290·6	16·9	...	...	+ 1·7	+ 1·4	40	2·2	2·8
								Sum.	Sum.					
Means.	1017·9	297·9	293·3	4·6	295·2	291·7	18·5	27·7	18	+ 1·0	+ 3·3	73	3·4	3·9
Normals	1017·5	296·4	291·4	5·0	293·7	289·9	16·4	44·2	31	+ 1·4	+ 2·9	64	3·2	4·2
Absolute Maximum.	1023·7	301·6	...	7·6	...	296·4	26·5	19·6	5	...	...	...	...	9·2†
Day.	6	1	...	12	...	12	12	25	16	...	...	...	...	8*d* 11*h*
Absolute Minimum.	1012·3	...	289·1	2·3	...	284·8	8·7	...	...	...	...	...	...	...
Day.	1	...	28	18	...	28	13	...	...	...	...	...	...	...

ADOPTED ERRORS OF TIMEBALL, NOVEMBER, 1925.

Date.	Error.	Date.	Error.	Date.	Error.
	s		*s*		*s*
1	− 0·1	11	+ 0·2	21	+ 0·1
2	− 0·1	12	− 0·1	22	− 0·1
3	...	13	− 0·1	23	...
4	+ 0·1	14	+ 0·1	24	+ 0·1
5	+ 0·1	15	+ 0·2	25	+ 0·1
6	...	16	...	26	...
7	...	17	+ 0·1	27	...
8	...	18	+ 0·1	28	...
9	...	19	+ 0·1	29	...
10	− 0·1	20	...	30	...

+ = Late; − = Early.
The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.
The probable error for the month was ± 0s·10

* 0° = N. 90° = E., &c. † Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of NOVEMBER, 1925.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-100).	Percentage of Possible Sunshine	Rainfall. Percentage of Total. Amount.	Rainfall. Percentage of Total. Duration	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·005	70·6	65·2	0·554	74	63		...	6	+ 4·4	+ 9·2	64	10·2	11·0
2	29·993	70·3	65·1	·554	74	67		1	10	+ 4·1	+ 8·6	64	9·5	10·3
3	·985	70·1	64·8	·547	74	68		...	7	+ 4·5	+ 9·0	63	10·1	10·7
4	·982	69·9	64·7	·546	74	67		...	...	+ 5·2	+ 8·5	59	10·0	10·8
5	·984	69·6	64·5	·543	75	70		...	4	+ 4·7	+ 7·7	59	9·0	9·9
6	·996	69·5	64·4	·541	75	69	...	...	...	+ 4·8	+ 7·0	55	8·5	9·2
7	30·014	69·5	64·2	·534	74	60	26	...	...	+ 5·3	+ 8·0	56	9·6	10·5
8	·029	70·9	64·9	·540	71	70	52	...	...	+ 5·8	+ 8·9	57	10·7	11·8
9	·043	72·7	65·6	·540	67	67	67	...	3	+ 5·1	+ 10·5	64	11·7	13·0
10	·052	74·1	66·1	·538	63	58	75	...	1	+ 3·8	+ 11·3	71	12·0	13·6
11	·037	74·8	66·4	·540	62	56	76	...	...	+ 2·3	+ 11·9	79	12·1	13·7
Noon.	·011	75·3	66·4	·533	61	51	79	...	...	+ 1·9	+ 12·4	81	12·6	14·1
13	29·984	75·4	66·6	·539	61	50	77	...	1	+ 0·9	+ 12·9	86	12·9	14·4
14	·963	75·2	66·8	·550	62	54	75	2	4	− 0·7	+ 12·4	93	12·4	13·7
15	·952	74·5	66·6	·551	64	52	70	18	6	− 0·8	+ 12·3	94	12·3	13·4
16	·955	73·9	66·4	·552	65	56	52	1	1	− 0·6	+ 11·3	93	11·3	12·5
17	·965	72·7	66·0	·554	68	58	32	5	7	+ 0·8	+ 11·6	86	11·6	12·9
18	·978	71·8	65·9	·563	71	59	...	...	3	+ 0·2	+ 10·2	89	10·2	11·1
19	·993	71·3	65·8	·566	73	59		...	2	+ 1·0	+ 9·9	84	10·0	11·0
20	30·009	71·2	65·8	·567	74	58		54	9	+ 2·1	+ 9·9	78	10·1	11·4
21	·020	71·0	65·6	·563	74	57		17	11	+ 3·6	+ 9·1	68	9·8	11·3
22	·025	70·9	65·5	·560	74	61		1	6	+ 4·0	+ 9·0	66	9·9	11·2
23	·025	70·8	65·2	·551	73	62		...	8	+ 4·4	+ 9·5	65	10·5	11·6
Midn.	·019	70·5	65·2	·555	74	63		1	11	+ 4·3	+ 9·1	65	10·1	10·9

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of NOVEMBER, 1925.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1018·1	294·4	291·4	18·7	+ 1·4	+ 3·0	64	3·3	3·6
2	1017·7	294·3	291·4	18·7	+ 1·3	+ 2·8	64	3·1	3·4
3	1017·4	294·2	291·2	18·5	+ 1·5	+ 3·0	63	3·3	3·5
4	1017·3	294·1	291·2	18·4	+ 1·7	+ 2·8	59	3·3	3·5
5	1017·4	293·9	291·1	18·3	+ 1·5	+ 2·5	59	3·0	3·2
6	1017·8	293·8	291·0	18·2	+ 1·6	+ 2·3	55	2·8	3·0
7	1018·4	293·8	290·9	18·0	+ 1·7	+ 2·6	56	3·1	3·4
8	1018·9	294·6	291·3	18·2	+ 1·9	+ 2·9	57	3·5	3·9
9	1019·3	295·6	291·7	18·2	+ 1·7	+ 3·4	64	3·8	4·3
10	1019·6	296·4	291·9	18·1	+ 1·2	+ 3·7	71	3·9	4·5
11	1019·1	296·8	292·1	18·2	+ 0·8	+ 3·9	79	4·0	4·5
Noon.	1018·3	297·1	292·1	18·0	+ 0·6	+ 4·1	81	4·1	4·6
13	1017·3	297·1	292·2	18·2	+ 0·3	+ 4·2	86	4·2	4·7
14	1016·6	297·0	292·3	18·6	− 0·2	+ 4·1	93	4·1	4·5
15	1016·3	296·6	292·2	18·6	− 0·3	+ 4·0	94	4·0	4·4
16	1016·4	296·3	292·1	18·6	− 0·2	+ 3·7	93	3·7	4·1
17	1016·7	295·6	291·9	18·7	+ 0·3	+ 3·8	86	3·8	4·2
18	1017·1	295·1	291·8	19·0	+ 0·1	+ 3·3	89	3·3	3·6
19	1017·7	294·8	291·8	19·1	+ 0·3	+ 3·2	84	3·3	3·6
20	1018·2	294·8	291·8	19·1	+ 0·7	+ 3·2	78	3·3	3·7
21	1018·6	294·7	291·7	19·0	+ 1·2	+ 3·0	68	3·2	3·7
22	1018·8	294·6	291·6	18·9	+ 1·3	+ 3·0	66	3·2	3·7
23	1018·8	294·6	291·4	18·6	+ 1·4	+ 3·1	65	3·4	3·8
Midn.	1018·6	294·4	291·4	18·7	+ 1·4	+ 3·0	65	3·3	3·6

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

NOVEMBER,

1925.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	31st October, 1925.								1st November, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.16	766.0	49	...	NNE	2	b		30.08	763.9	37		...	0	0
Nemuro,	11	29.86	758.5	...	...	NW	1	...	5	30.02	762.5	...	..	SW	2	...
Hokodate,	..	30.02	762.5	...	...	WNW	6	...	,,	30.10	764.5	...	..	..	...	...
Tokio,	,,	30.04	763.0	...	...	N	1	..	,,	30.10	764.5	...	..	NW	1	...
Kochi,	,,	30.08	764.0	...	...	...	0	...	,,	30.00	762.0	...	...	...	0	...
Nagasaki,	..	30.12	765.0	...	...	ESE	1	...	,,	29.96	761.0	...	..	...	...	...
Kagoshima,	..	30.06	763.5	...	...	...	...	...	,,	29.94	760.5	...	..	...	0	...
Oshima,	,,	30.02	762.5	...	...	...	0	...	,,	29.78	756.5	...	...	NE	1	...
Naha,	..	29.92	760.0	...	...	NNE	3	...	,,	29.31	744.5	...	..	NE	6	...
Ishigakijima,	,,	29.78	756.5	...	...	NNE	5	...	,,	29.67	753.5	...	...	NE	6	...
Bonin Island,	..	29.98	761.5	...	...	...	0	..	,,	29.96	761.0	...	...	INE	3	...
Chefoo,	15	30.14	765.5	60	55	NW	1	b	6	30.11	764.8	46	92	W	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,			...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,			...	...	...	...	...	,,	...	...	...	...	..	...	...
Shanghai,	14	30.13	765.3	70	45	NE	1	b	,,	30.11	764.7	54	92	NNE	4	b
Gutzlaff,	,,	30.13	765 3	70	53	NE	4	o	,,	30.06	763.5	63	62	NNE	6	b
Sharp Peak,	,,	30.01	762.2	77	65	NE	4	b	7	29.98	761.5	64	84	N	1	b
Amoy,	15	29.86	758.4	80	48	NE	2	b	9	29.94	760.5	67	84	NE	1	b
Swatow,	,,	...		...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	29.98	761.4	70	38	E	2	o	5	29.91	759.6	66	92	SW	2	o
Taichu,	,,	29.88	759.0	81	...	N	2	b	,,	29.87	758.7	64	...	N	2	b
Tainan,	,,	29.86	758.4	81	...	NNW	4	b	,,	29.85	758.1	66	..	N	4	b
Koshun,	,,	29.85	758.1	84	...	SW	1	b	,,	29.81	757.2	64	..	...	0	b
Pescadores,	,,	29.91	759.6	77	...	NNE	6	o	,,	29.88	759.0	70	...	NNE	6	o
Canton,	14	30.05	763.2	80	55	N	2	b	6	..	...		..	..	...	...
Hongkong,	,,	29.93	760.2	79	61	W	2	o	,,	29.94	760.5	71	46	..	0	b
Gap Rock,	,,	29.95	760.7	...	...	NE	3	b	,,	29.94	760.5	...	..	NNE	3	b
Macao,	,,	29.93	760.2	84	52	SE	2	b	,,	29.92	759.9	68	73	N	2	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...		...	...	...
Pakhoi,	,,	.		...	...	..	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	..	...
Pratas Island	,,	...	...	...	...	...	...	..	,,	29.83	757.7	...	...	NE	2	b
Phulien,	,,	29.97	761.1	86	44	WSW	1	bf	7	29.98	761.4	72	82	WSW	4	bf
Tourane,	,,	29.97	761.1	77	...	E	2	b	,,	29.97	761.1	70	...	...	0	b
Cape St. James,	,,	29.86	758.4	84	...	SE	2	b	,,	29.86	758 4	75	...	ENE	2	b
Basco,	14	29.72	754.8	77	76	NW	6	o	6	29.80	756.9	68	92	...	0	o
Aparri,	,,	29.78	756.3	81	76	WNW	4	o	,,	..	...	...	...	...	..	...
Manila,	,,	29.79	756.6	86	71	SW	2	o	,,	29.85	758.1	73	94	N	2	b
Legaspi,	,,	29.78	756.3	90	66	S	4	b	,,	29.84	757.8	72	98	...	0	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.80	756.9	86	68	S	4	o	,,	...	...	...	...	...	...	..
Surigao,	..	29.80	756.9	86	75	NE	1	b	,,	29.86	758.4	73	96	SW	1	b
Guam,	12.20	29.75	755.7	...	...	NE	4	o	4.20	29.68	753.9	...	...	N	2	r
Yap,	12.47	29.80	756.9	...	...	N	4	o	4.47	29.82	757.5	...	...	NNW	2	o
Labuan,	14	29.78	756.4	84	83	NW	2	b	6	..	...	...	...	...	...	...

October 31*d.* 16*h.* 39*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 21° N. Long. 126° E., moving N.N.W.

November 1*d.* 11*h.* 35*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 25° N. Long. 128° E., moving N.N.E.

November 1*d.* 11*h.* 40*m.*—Pressure has decreased considerably at Naha and Oshima, moderately over S.W. and central Japan and slightly over China and Indo-China. It has increased moderately over N.E. Japan and slightly over Formosa and the Philippines.

The anticyclone has weakened and moved eastward.

The typhoon is about 80 miles south of Naha moving N.N.E.

Shanghai warning. 31*d.* 11*h.* 45*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 19° N. Long. 127° E., moving N.W. Recd. 31*d.* 12*h.* 20*m.*

Manila warning. 31*d.* 21*h.* 00*m.*:—Typhoon in Lat. 22° N. Long. 126° E., moving N. Recd. 31*d.* 21*h.* 45*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.26 inches, against an average of 80·56 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh to moderate.
2.—South coast of China between Hongkong and Lamocks,	N. to N.E. winds, moderate; fine.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

B. D. EVANS, *Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	1st November, 1925.								2nd November, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.01	762.2	56	...	ESE	2	b	0	30.05	763.3	37	...	NNE	4	o
Nemuro,	11	29.96	761.0	...	...	SSW	2	...	5	29.45	748.0	...	...	SW	1	...
Hokodate,	..	30.00	762.0	...	...	S	1	...	,,	29.96	761.0	...	...	NNE	1	...
Tokio,	..	30.02	762.5	...	...	N	1	...	,,	29.88	759.0	...	...	NNW	1	...
Kochi,	,,	29.96	761.0	...	...	...	0	...	,,	29.76	756.0	...	...	W	1	...
Nagasaki,	,,	29.92	760.0	...	...	...	0	...	,,	29.84	758.0	...	...	NE	1	...
Kagoshima,	,,	29.86	758.5	...	...	NE	1	...	,,	29.80	757.0	...	...	...	...	...
Oshima,	,,	29.63	752.5	...	...	NE	6	...	,,	29.84	758.0	...	...	...	0	...
Naha,	,,	..	...	...	...	...	...	...	,,	29.90	759.5	...	...	N	1	...
Ishigakijima,	,,	29.82	757.5	...	...	WNW	4	...	,,	29.96	761.0	...	...	NW	1	...
Bonin Island,	..	29.90	759.5	...	...	SE	1	...	,,	29.82	757.5	...	...	SSE	2	...
Chefoo,	15	30.04	763.0	62	61	NW	2	b	6	29.99	761.7	56	69	SW	2	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Ichang,	,,	..	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.01	762.3	70	45	N	4	b	,,	30.11	764.7	48	89	ENE	1	b
Gutzlaff,	,,	30.04	763.0	68	56	NNE	6	b	,,	30.10	764.5	60	71	N	4	b
Sharp Peak,	,,	29.94	760.5	80	70	NE	1	b	7	30.03	762.7	65	73	W	2	b
Amoy,	15	29.89	759.2	76	69	SSE	4	b	9	30.03	762.7	66	84	NE	1	b
Swatow,	,,	..	...	...	...	...	...	...	8	...	...	...	.	...	...	...
Taihoku,	11	29.97	761.1	70	77	..	0	o	5	30.02	762.6	59	96	...	0	o
Taichu,	,,	29.89	759.3	77	...	N	2	b	,,	29.97	761.1	57	..	..	0	b
Tainan,	,,	29.91	759.6	81	...	NNW	4	b	,,	29.94	760.5	61	..	N	2	b
Koshun,	,,	29.88	759.0	81	...	...	0	o	,,	29.93	760.2	70	..	NNE	4	o
Pescadores,	,,	29.92	759.9	77	...	NNE	6	b	,,	29.94	760.5	70	...	NE	6	b
Canton,	14	...	...	...	...	...	...	...	6	..	...	...	...	...	...	...
Hongkong,	,,	29.90	759.4	79	50	E	3	b	,,	29.99	761.7	70	81	...	0	b
Gap Rock,	,,	29.92	759.9	...	...	N	3	b	,,	29.98	761.5	...	...	E	2	o
Macao,	,,	29.89	759.3	82	44	E	2	b	,,	29.98	761.4	72	84	ESE	2	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	..	...	..	..	...	...
Pakhoi,	,,	..	.	...	..	..	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	..	..	...
Pratas Island	,,	...	...	...	...	...	...	...	,,	29.85	758.2	...	...	NE	5	b
Phulien,	,,	29.92	759.9	86	41	SSW	2	bf	7	29.98	761.4	70	91	NNE	1	bf
Tourane,	,,	29.93	760.2	79	...	...	0	b	,,	29.99	761.7	68	...	...	0	b
Cape St. James,	,,	29.84	757.8	82	...	ENE	2	b	,,	29.87	758.7	73	...	ENE	4	b
Basco,	14	29.80	756.9	82	57	N	4	o	6	29.89	759.3	73	82	N	4	o
Aparri,	,,	29.82	757.5	84	64	NNW	4	o	,,	29.88	759.0	73	92	...	0	o
Manila,	,,	29.81	757.2	86	58	W	2	b	,,	29.88	759.0	72	89	N	2	b
Legaspi,	,,	29.78	756.3	86	75	SSW	2	o	,,	29.84	757.8	72	98	...	0	b
Tacloban,	,,	..	..	...	...	...	...	...	,,	..	...	...	...	...	...	...
Iloilo,	,,	29.78	756.3	86	68	N	2	b	,,	29.85	758.1	77	91	N	2	b
Surigao,	..	29.78	756.3	86	78	NNE	1	b	,,	29.84	757.8	73	96	ESE	1	o
Guam,	12.20	29.55	750.6	...	...	SW	4	o	4.20	29.74	755.4	...	...	SSE	2	o
Yap,	12.47	29.75	755.7	...	...	NNW	2	o	4.47	29.79	756.6	...	...	...	0	o
Labuan,	14	29.71	754.6	88	84	N	4	b	6	29.77	756.1	77	94	N	2	b

November 1*d.* 17*h.* 47*m.*—Warning to Hongkong,:—Typhoon of unknown intensity within 60 miles of Lat. 27° N. Long. 129° E., moving N.N.E.

November 2*d.* 11*h.* 01*m.*—Pressure has decreased slightly to considerably over Japan, and increased slightly to moderately elsewhere. The typhoon appears to be situated to the S.E. Shikoku and another is indicated to the N.W. of Guam.

An anticyclone is forming over China, and the monsoon will freshen along the coast and over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 86.26 inches, against an average of 80·61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3rd.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh to strong.
2.—South coast of China between Hongkong and Lamocks.	N.E. winds, moderate to fresh; fine.
3.—Hongkong to Gap Rock,	N.E. winds, moderate to fresh; fine.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate to fresh; fine.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	2nd November, 1925.									3rd November, 1925.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	29.99	761.7	44	...	NNE	4	0		0	30.03	762.8	35	...	NNE	4	0
Nemuro,	11	29.86	758.5	...	...	NW	3	...		5	29.90	759.5	...	..	...	0	...
Hokodate,	.	29.94	760.5	...	...	N	2	...		,,	29.96	761.0	...	...	..	0	...
Tokio,	.	29.88	759.0	...	...	N	1	...		,,	29.90	759.5	...	...	N	1	...
Kochi,	,,	29.74	755.5	...	...	NNW	1	...		,,	29.92	760.0	...	...	SW	1	...
Nagasaki,	,,	29.90	759.5	...	...	N	3	...		,,	30.00	762.0	...	...	.	0	...
Kagoshima,	,,	29.82	757.5	...	...	NW	1	...		,,	29.96	761.0	...	...	NW	1	...
Oshima,	,,	29.88	759.0	...	...	NNE	1	...		,,	29.96	761.0	...	...	N	2	...
Naha,	,,	...	...	...	...	...	...	...		,,	29.96	761.0	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.78	756.5	...	...	SSW	1	...		,,	29.82	757.5	...	...	...	0	...
Chefoo,	15	29.97	761.2	60	60	NW	4	b		6	30.02	762.5	52	73	SW	2	0
Hankow,	,,	...	...	...	...	...	...	...		,,	...	...	...	..	...	...	...
Ichang,	,,	..	...	...	...	..	...	...		,,	...	...	...	...	...	...	...
Changsha,	,,	..	...	...	...	...	...	...		,,	...	...	...	...	..	...	...
Shanghai,	14	30.07	763.8	73	38	N	1	b		,,	30.10	764.4	52	97	SW	1	b
Gutzlaff,	,,	30.08	764.0	70	57	NNW	2	b		,,	30.11	764.8	60	82	W	1	b
Sharp Peak,	,,	30.03	762.7	84	60	E	2	b		7	30.05	763.2	63	83	W	1	b
Amoy,	15	29.96	761.0	81	62	E	4	b		9	...	...	...	...	...	...	...
Swatow,	,,	...		...	...	...	...	...		8	...	...	...	..	...	...	...
Taihoku,	11	30.04	762.9	77	54	E	4	b		5	30.01	762.3	55	58	...	0	b
Taichu,	,,	29.99	761.7	81	...	..	0	b		,,	30.00	762.0	57	...	...	0	b
Tainan,	,,	29.98	761.4	82	...	NW	2	b		,,	29.97	761.1	59	..	..	0	b
Koshun,	,,	29.97	761.1	79	...	NE	4	b		,,	29.97	761.1	70	..	NNE	4	b
Pescadores,	,,	30.01	762.3	77	...	NE	6	b		,,	29.99	761.7	70	...	NE	4	b
Canton,	14	...	..	...	...	...	...	...		6	..	...		...	...	...	...
Hongkong,	,,	29.95	760.7	77	67	E	3	b		,,	30.01	762.2	69	80	..	0	b
Gap Rock,	,,	29.95	760.7	...	...	ENE	3	b		,,	29.99	761.7	...	...	NNE	3	0
Macao,	,,	29.94	760.5	84	60	SE	2	b		,,	29.98	761.4	68	91	N	2	bf
Wuchow,	15	..	...	...	...	...	...	...		9	...	...	...	..	..	...	...
Pakhoi,	,,	..		...	...	..	...	...		,,	...	...	...	..	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Pratas Island	,,	...	...	...	...	...	...	..		,,	..	...	...	..	...	...	...
Phulien,	,,	29.93	760.2	86	46	S	2	bf		7	29.98	761.4	73	88	SSE	2	bf
Tourane,	,,	29.94	760.5	79	...	...	0	b		,,	29.98	761.4	72	...	SW	2	b
Cape St. James,	,,	29.87	758.7	82	...	E	2	b		,,	29.89	759.3	75	...	ENE	2	bf
Basco,	14	29.86	758.4	79	66	N	4	0		6	29.92	759.9	73	71	N	4	b
Aparri,	,,	29.86	758.5	81	73	ENE	4	0		,,	29.91	759.6	75	88	E	4	0
Manila,	,,	29.82	757.5	86	61	W	4	b		,,	29.89	759.3	72	96	...	0	b
Legaspi,	,,	29.80	756.9	90	69	NE	2	b		,,	29.87	758.7	73	98	...	0	b
Tacloban,	,,	..	.	...	...	...	...	...		,,	...	...	..	...	...	...	...
Iloilo,	,,	29.78	756.3	86	61	NE	4	0		,,	29.87	758.7	75	83	N	4	b
Surigao,	..	29.80	756.9	86	65	NNE	2	b		..	...	..	...	...	...	..	...
Guam,	12.20	29.73	755.1	...	...	SSW	4	0		4.20	29.81	757.2	...	...	SE	1	0
Yap,	12.47	29.76	756.0	...	...	NW	2	0		4.47	29.82	757.5	...	...		0	0
Labuan,	14	29.76	755.9	81	87	NE	2	0		6	29.83	757.7	77	94	NE	2	b

November 3*d.* 12*h.* 02*m.*—Pressure has decreased slightly over Indo-China, and increased slightly to moderately elsewhere. A weak anticyclonic area extends from Tongking to S. Manchuria; the typhoons appear to have filled up.

Moderate monsoon will prevail over the northern China Sea.

Manila warning. 2*d.* 11*h.* 45*m.*:—Typhoon in Lat. 19° N. Long. 139° E., moving W.N.W. Recd. 2*d.* 12*h.* 40*m.*

Shanghai warning. 2*d.* 17*h.* 20*m.*:—Typhoon of unknown intensity within 120 miles of Lat. 31° N. Long. 137° E., moving N.N.E. Recd. 2*d.* 21*h.* 40*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.26 inches, against an average of 80·66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate; fine.
3.—Hongkong to Gap Rock,	N.E. winds, moderate; fine.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; fine.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	3rd November, 1925.								4th November, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.01	762.3	39	...	NNE	4	0	0	30.07	763.8	29	...	NNE	3	0
Nemuro,	11	29.88	759.0	...	...	ESE	1	...	5	29.76	756.0	...	...	E	1	...
Hokodate,	,,	29.92	760.0	...	...	S	1	...	,,	29.75	755.5	...	...	N	1	...
Tokio,	,,	29.94	760.5	...	...	S	1	...	,,	29.84	758.0	...	...	...	0	...
Kochi,	,,	29.90	759.5	...	...	SE	1	...	,,	29.90	759.5	...	...	..	0	...
Nagasaki,	,,	30.00	762.0	...	...	WSW	1	...	,,	30.00	762.0	...	...	NNW	2	...
Kagoshima,	,,	29.96	761.0	...	...	NW	1	...	,,	29.98	761.5	...	...	NW	1	...
Oshima,	,,	29.98	761.5	...	...	ENE	1	...	,,	...	...	...	...	SSE	1	...
Naha,	,,	30.00	762.0	...	...	NNE	1	...	,,	30.02	762.5	...	..	...	0	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	..	29.80	757.0	...	...	ENE	1	...	..	29.80	757.0	...	...	N	2	...
Chefoo,	15	30.05	763.2	50	88	WNW	4	0	6	30.23	767.8	48	87	NW	6	r
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	..	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.10	764.4	66	59	NNW	4	0	,,	30.25	768.3	46	94	NW	2	b
Gutzlaff,	,,	30.08	764.0	70	61	WSW	4	0	,,	30.24	768.1	54	89	NW	4	b
Sharp Peak,	,,	30.03	762.7	84	60	E	2	b	7	30.06	763.5	67	79	NE	1	0
Amoy,	15	29.95	760.7	80	66	ENE	4	b	9	30.09	764.3	67	91	ENE	2	0
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	..	...
Taihoku,	11	30.04	762.9	77	54	E	2	b	5	30.10	764.4	54	94	...	0	b
Taichu,	,,	30.01	762.3	79	...		0	b	,,	30.06	763.5	52	...	...	0	b
Tainan,	,,	30.00	762.0	81	...	WSW	2	b	,,	30.02	762.6	59	..	...	0	b
Koshun,	,,	29.99	761.7	81	...	NE	2	b	,,	30.02	762.6	70	..	...	0	0
Pescadores,	,,	30.00	762.0	75	...	NE	4	b	,,	30.02	762.6	70	...	NNE	4	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	..	..	...	...	...
Hongkong,	,,	29.97	761.2	76	67	E	3	b	,,	30.06	763.5	70	83	...	0	b
Gap Rock,	,,	29.98	761.5	...	...	ENE	4	b	,,	30.06	763.5	...	...	N	3	b
Macao,	,,	29.95	760.8	82	54	SE	2	b	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	...	...	...	...	...	...	...	,,	29.88	758.9	...	...	NE	4	b
Phulien,	,,	29.94	760.5	86	46	S	4	bf	7	30.11	764.7	70	74	ENE	4	0
Tourane,	,,	29.95	760.8	77	...	...	0	b	,,	30.07	763.8	70	...	..	0	b
Cape St. James,	,,	29.88	759.0	81	...	E	4	b	,,	29.94	760.5	77	...	E	4	0
Basco,	14	29.88	759.0	92	67	NW	4	0	6	...	...	...	...	...	...	...
Aparri,	,,	29.87	758.7	81	76	ENE	4	b	,,	29.97	761.1	75	88	SE	2	b
Manila,	,,	29.82	757.5	86	65	WNW	4	b	,,	29.93	760.2	82	97	...	0	0
Legaspi,	,,	29.81	757.2	90	66	NE	2	0	..	29.91	759.6	75	98	...	0	0
Tacloban,	,,	..	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	86	65	N	4	0	,,	...	...	...	...	...	...	...
Surigao,	..	29.81	757.2	84	74	NNE	2	0	..	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	SSW	2	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.79	756.6	...	...	SW	1	0	4.47	29.88	759.0	...	...	N	1	b
Labuan,	14	29.78	756.4	84	83	NW	2	b	6	29.85	758.2	76	91	S	1	0

November 4*d.* 10*h.* 38*m.*—Pressure has decreased moderately over N. Japan and increased slightly to moderately elsewhere. The anticyclone has increased in intensity and the monsoon will freshen along the coast and over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.26 inches, against an average of 80·71 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh to strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock,	N.E. winds, fresh; fine.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fine.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	4th November, 1925.								5th November, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.01	762.3	42	...	NNE	2	o	[illegible]	30.05	763.3	35	..	NW	2	o
Nemuro,	11	29.63	752.5	...	...	NNE	2	...	5	29.80	757.0	...	...	W	3	...
Hokodate,	,,	29.70	754.5	...	...	NNW	4	...	,,	29.86	758.5	...	...	N	2	...
Tokio,	,,	29.69	754.0	...	...	SSE	1	...	,,	...	...	...	...	..	o	...
Kochi,	,,	29.88	759.0	...	...	SSE	1	...	,,	30.10	764.5	...	...	SW	1	...
Nagasaki,	,,	30.04	763.0	...	...	NW	4	...	,,	30.20	767.0	...	...	N	1	...
Kagoshima,	,,	30.00	762.0	...	...	NW	2	...	,,	30.18	766.5	...	..	..	o	...
Oshima,	,,	30.02	762.5	...	...	NNE	1	...	,,	30.16	766.0	...	...	N	2	...
Naha,	,,	30.08	764.0	...	...	NNW	1	...	,,	30.14	765.5	...	...	N	3	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.16	766.0	...	...	N	1	...
Bonin Island,	..	29.78	756.5	...	...	NNW	1		..	30.02	762.5	...	...	...	o	...
Chefoo,	15	30.26	768.6	52	53	NW	6	o	6	30.26	768.6	46	62	SW	4	o
Hankow,	,,	...	.	...	...	...	...	...	,,	...	...	...	..	...	..	...
Ichang,	,,	...	...	...	...	..	...	...	,,	...	...	..	..	...	...	...
Changsha,	,,	...	...	..	...	...	...	...	,,	...	...	...	..	..	...	...
Shanghai,	14	30.30	769.5	64	28	NW	4	b	,,	30.36	771.0	45	86	NW	1	b
Gutzlaff,	,,	30.28	769.1	66	45	NNW	4	b	,,	30.36	771.1	54	80	NNW	4	b
Sharp Peak,	,,	30.15	765.8	65	81	E	6	o	7	30.24	768.1	64	73	ENE	4	o
Amoy,	15	30.10	764.5	76	69	ENE	4	o	9	30.21	767.3	67	74	NE	4	o
Swatow,	,,	..		...	...	..	...	...	8	...	...	..	..	..	..	
Taihoku,	11	30.17	766.2	77	61	E	4	o	5	30.12	765.0	64	80	E	2	of
Taichu,	,,	30.12	765.0	77	...	...	o	b	,,	30.[illegible]7	766.2	55	..	...	o	b
Tainan,	,,	30.10	764.4	82	...	NW	2	b	,,	30.13	765.3	59	..	N	2	b
Koshun,	,,	30.10	764.4	79	...	NNE	2	b	,,	30.11	764.7	72	..	NNE	4	b
Pescadores,	,,	30.13	765.3	77	...	NE	6	b	,,	30.14	765.6	70	...	NNE	o	o
Canton,	14	...	..	...	...	...	...	...	6	...	.	..	...	...	...	...
Hongkong,	,,	30.07	763.8	78	58	ESE	3	b	,,	30.14	765.5	70	75	NE	3	o
Gap Rock,	,,	30.09	764.3	...	...	NE	4	b	,,	30.14	765.5	...	..	E	4	o
Macao,	,,	30.05	763.2	77	50	NNE	4	o	,,	30.11	764.7	68	64	NNE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	..	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	..	...	...
Phulien,	,,	30.07	763.8	81	50	NW	4	o	7	30.13	765.3	68	73	ENE	4	o
Tourane,	,,	30.02	762.6	79	...	SE	2	b	,,	30.05	763.2	72	...	E	4	o
Cape St. James,	,,	29.89	759.3	79	...	E	4	o	,,	29.93	760.2	73	...	ENE	4	o
Basco,	14	29.99	761.7	81	56	ENE	4	o	6	30.08	764.1	70	74	...	o	o
Aparri,	,,	29.97	761.1	84	64	ENE	4	b	,,	...	...	..		...	...	...
Manila,	,,	29.91	759.6	84	68	ENE	2	o	,,	29.99	761.7	75	88	ESE	1	o
Legaspi,	,,	29.88	759.0	82	81	NE	2	o	..	29.97	761.1	73	98	N	2	o
Tacloban,	,,	..	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.84	757.8	86	71	NE	3	o	,,	...	...	...	...	...	...	...
Surigao,	.	29.87	758.7	79	89	NNE	2	o	..	...	...	...	...	...	...	...
Guam,	12.20	29.84	757.8	...	...	NW	1	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.85	758.1	...	...	NE	4	o	4.47	29.91	759.6	...	...	NNE	2	o
Labuan,	11	29.81	757.2	78	86	S	1	o	6	29.83	757.7	76	91	S	1	o

November 5*d.* 10*h.* 50*m.*—Pressure has decreased slightly over Indo-China and increased slightly to moderately elsewhere. The anticyclone continues to increase in intensity and fresh to strong monsoon will prevail along the coast and over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.26 inches, against an average of 80·76 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	5th November, 1925.								6th November, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.02	762.6	44	...	NNE	4	c	6	30.15	765.7	36	...	WNW	4	o
Nemuro,	11	29.76	756.0	...	...	NW	4	...	5	29.65	753.0	...	...		0	...
Hokodate,	,,	29.86	758.5	...	...	WNW	5	...	,,	29.80	757.0	...	...	NW	5	...
Tokio,	,,	29.98	761.5	...	...	NNW	2	...	,,	29.98	761.5	...	...	NW	1	...
Kochi,	,,	30.12	765.0	...	...	ESE	1	...	,,	30.18	766.5	...	...	SW	1	...
Nagasaki,	,,	30.22	767.5	...	...	WNW	2	...	,,	30.24	768.0	...	...	..	0	...
Kagoshima,	,,	30.20	767.0	...	...	NW	1	...	,,	30.20	767.0	...	...	NW	1	...
Oshima,	,,	30.20	767.0	...	...	N	1	...	,,	30.22	767.5	...	...	S	1	...
Naha,	,,	30.22	767.5	...	...	N	1	...	,,	30.20	767.0	...	...	ENE	1	...
Ishigakijima,	,,	30.24	768.0	...	...	NNE	3	...	,,	30.20	767.0	...	...	NNE	1	...
Bonin Island,	,,	30.02	762.5	...	...	WNW	1	...	,,	30.12	765.0	...	...	...	0	...
Chefoo,	15	30.35	770.9	52	53	N	6	o	6	30.43	772.9	46	69	NE	2	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.32	770.1	68	25	...	0	b	,,	30.37	771.3	46	54	ENE	1	b
Gutzlaff,	,,	30.33	770.4	66	49	N	1	b	,,	30.37	771.4	56	63	NNE	1	b
Sharp Peak,	,,	30.25	768.3	78	70	ENE	2	o	7	30.35	770.9	62	80	W	1	b
Amoy,	15	30.16	766.0	77	61	E	4	b	9	30.23	767.8	64	78	NNE	2	b
Swatow,	,,	...		...	...	...	...	...	8	...	...	..	..	...	..	...
Taihoku,	11	30.26	768.6	70	65	E	4	o	5	30.22	767.7	55	96	...	0	b
Taichu,	,,	30.19	766.8	77	...	N	2	b	,,	30.19	766.8	54	..	...	0	b
Tainan,	,,	30.18	766.5	81	...	NNW	2	b	,,	30.17	766.2	57	..	NNE	2	b
Koshun,	,,	30.14	765.6	79	...	NE	4	b	,,	30.14	765.6	70	..	NE	2	o
Pescadores,	,,	30.19	766.8	75	...	NE	6	b	,,	30.15	765.9	68	...	NNE	4	b
Canton,	14	...	..	...	...	...	...	...	6	...	..	..	...	...	...	...
Hongkong,	,,	30.14	765.5	74	63	E	4	b	,,	30.18	766.6	70	80	ENE	3	c
Gap Rock,	,,	30.13	765.3	...	...	ENE	5	c	,,	30.17	766.3	...	...	ENE	4	b
Macao,	,,	30.11	764.7	79	61	SE	2	o	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.10	764.4	77	61	ENE	2	o	7	30.14	765.6	68	91	NNE	4	bf
Tourane,	,,	30.01	762.3	75	...	E	4	b	,,	30.06	763.5	73	...	SE	4	b
Cape St. James,	,,	29.91	759.6	79	...	ENE	6	b	,,	29.93	760.2	73	...	ENE	4	b
Basco,	14	30.02	762.6	...	...	...	...	...	6	30.10	764.4	73	79	E	4	o
Aparri,	,,	30.01	762.3	82	60	ENE	4	b	,,	30.07	763.8	68	94	SW	2	b
Manila,	,,	29.95	760.8	82	57	ESE	2	o	,,	30.01	762.3	70	94	E	1	b
Legaspi,	,,	29.94	760.5	82	77	NNE	4	o	,,	29.99	761.7	77	79	N	4	b
Tacloban,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.86	758.4	86	58	NE	6	b	,,	29.95	760.8	73	96	N	4	b
Surigao,	..	29.88	759.0	86	68	ENE	4	o	..	...	...	...	...	...	..	...
Guam,	12.20	29.87	758.7	...	...	NE	2	r	4.20	29.91	759.6	...	...	NE	1	o
Yap,	12.47	29.84	757.8	...	...	NNE	4	o	4.47	29.85	758.1	...	...	N	2	o
Labuan,	11	29.77	756.1	88	80	N	2	b	6	29.82	757.4	77	91	NE	1	o

November 6*d*. 11*h*. 07*m*.—Pressure has decreased moderately over northern Japan, and increased slightly to moderately elsewhere. The anticyclone continues to increase in intensity, and a depression is situated to the south-east of Hokkaido.

Fresh to strong monsoon will continue along the coast and over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 86·26 inches, against an average of 80·81 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh to strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	6th November, 1925.								7th November, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12			...	...	...	...	...		...	...	...	.	...	...	...
Nemuro,	11	29.59	751.5	...	...	W	3	...	5	...	...	...	...	...	...	...
Hokodate,	..	29.80	757.0	...	...	NW	1	...	,,	29.94	760.5	...	...	W	2	...
Tokio,	,,	30.00	762.0	...	...	NNW	2	...	,,	30.16	766.0	...	..	N	3	...
Kochi,	,,	30.18	766.5	...	...	NW	1	...	,,	30.26	768.5	...	...	...	0	...
Nagasaki,	,,	30.26	768.5	...	...	NW	1	...	,,	30.28	769.0	...	..	.	...	...
Kagoshima,	,,	30.22	767.5	...	...	WNW	1	...	,,	30.28	769.0	...	...	NW	1	...
Oshima,	,,	30.22	767.5	...	...	NNE	1	...	,,	30.24	768.0	...	...	...	0	...
Naha,	,,	30.24	768.0	...	...	N	1	...	,,	30.24	768.0	...	..		...	...
Ishigakijima,	,,	30.22	767.5	...	...	NE	2	...	,,	30.20	767.0	...	...	NNE	1	...
Bonin Island,	..	30.10	764.5	...	...	W	1	...	..	30.18	766.5	...	.	...	0	...
Chafoo,	15	30.39	771.9	50	45	NW	2	0	6	30.35	770.9	44	60	SW	2	b
Hankow,	,,	...	.	...	...	...	...	...	,,	...	...	..	..	..	...	...
Ichang,	,,	...	..	...	...	...	...	...	,,	...	...	..	..	...	...	...
Changsha,	..	...	...	...	...	...	...	...	,,	...	...	...	...	.	...	...
Shanghai,	14	30.32	770.1	66	41	N	1	b	,,	30.36	771.0	50	97	N	1	b
Gutzlaff,	,,	30.32	770.1	63	52	NE	1	0	,,	30.36	771.1	58	70	NE	2	b
Sharp Peak,	..	30.25	768.3	72	71	E	2	b	7	30.25	768.3	65	84	N	2	0
Amoy,	15	30.14	765.5	78	61	NE	4	b	9	30.20	767.1	65	84	NE	2	b
Swatow,	..	...		...	...	.	...	...	8	...	...	..	..	.	...	...
Taihoku,	11	30.21	767.4	77	57	E	4	b	8	30.20	767.1	63	88	E	2	b
Taichu,	,,	30.18	766.5	81	...	NNW	2	b	,,	30.19	766.8	55	...	...	0	b
Tainan,	,,	30.18	766.5	79	...	NNW	2	b	,,	30.15	765.9	59	...	...	0	b
Koshun,	,,	30.18	766.5	73	...	NE	4	0	,,	30.14	765.6	70	...	NNE	4	b
Pescadores,	,,	30.20	767.1	77	...	NNE	6	b	..	30.17	766.2	81	...	NE	4	0
Canton,	14	...	..	...	...	...	...	...	6	...	..	..	...	...	...	...
Hongkong,	,,	30.13	765.3	74	72	ESE	2	c	,,	30.15	765.8	70	78	E	4	c
Gap Rock,	,,	30.13	765.3	...	...	ENE	4	c	,,	30.14	765.5	...	.	ENE	4	c
Macao,	,,	30.11	764.7	79	69	SE	4	b	,,	30.11	764.7	72	78	SE	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	..	...	...	..	..	...	...
Pakhoi,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	..	...
Phulien,	,,	30.06	763.5	82	60	ENE	6	b	7	30.08	764.1	72	92	ENE	4	bf
Tourane,	,,	30.05	763.2	79	...	SE	2	b	,,	30.06	763.5	75	...	SE	2	o
Cape St. James,	..	29.91	759.6	79	...	ENE	4	b	..	29.93	760.2	75	...	ENE	7	b
Basco,	14	30.06	763.5	82	58	E	4	o	6	30.08	764.1	73	88	E	4	o
Aparri,	..	30.02	762.6	77	72	ENE	4	o	,,	30.07	763.8	75	71	ENE	4	o
Manila,	,,	29.94	760.5	82	63	SW	2	o	..	29.98	761.4	68	91	NE	1	o
Legaspi,	,,	29.93	760.2	86	65	NNE	4	b	..	29.94	760.5	77	89	N	2	b
Tacloban,	,,	29.89	759.3	90	51	NE	4	b	,,	...	...	...	...	...	...	...
Iloilo,	,,	..	.	...	...	...	..	...	,,	29.93	760.2	73	79	N	4	b
Surigao,	.	29.88	759.0	86	68	ENE	4	o	..	29.91	759.6	73	94	SSE	1	o
Guam,	12.20	29.86	758.4	...	...	ENE	4	r	4.20	29.89	759.3	...	...	NE	1	o
Yap,	12.47	29.80	756.9	...	...	NE	2	o	4.47	29.79	756.6	...	..	E	6	r
Labuan,	14	29.73	755.1	86	84	NE	2	b	6	29.81	757.2	78	91	N	2	b

November 7*d.* 11*h.* 07*m.*—Pressure has decreased slightly over Shantung and the China Sea, and increased slightly to moderately elsewhere.

The anticyclone remains stationary and fresh to strong monsoon will prevail along the south coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.26 inches, against an average of 80·86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh to strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fair.
3.—Hongkong to Gap Rock,	N.E. winds, fresh; fair.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fair.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	7th November, 1925.								8th November, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.19	766.9	51	...	NNW	2	b		30.34	770.5	33	...	..	0	c
Nemuro,	11		...	...	...	...	...	...	5	30.14	765.5	...	...	WSW	1	...
Hokodate,	,,	30.02	762.5	...	...	NW	1	...	,,	30.26	768.5	...	...	N	1	...
Tokio,	,,	30.14	765.5	...	...	...	0	...	,,	30.36	771.0	...	...	NW	1	...
Kochi,	,,	30.24	768.0	...	...	...	0	...	,,	30.32	770.0	...	...	SW	1	...
Nagasaki,	,,	30.28	769.0	...	...	NW	1	...	,,	30.34	770.5	...	...	...	0	...
Kagoshima,	,,	30.26	768.5	...	...	NNW	1	...	,,	30.34	770.5	...	...	NW	1	...
Oshima,	,,	30.24	768.0	...	...	NNE	1	...	,,	30.28	769.0	...	...	SSE	5	...
Naha,	,,	30.24	768.0	...	...	N	1	...	,,	30.24	768.0	...	..	...	0	...
Ishigakijima,	,,	30.22	767.5	...	...	...	0	...	,,	30.18	766.5	...	...	NNE	1	...
Bonin Island,	..	30.16	766.0	...	...	W	1	..	..	30.26	768.5	...	...	NNE	1	...
Chefoo,	15	30.28	769.1	56	57	NW	2	b	6	30.35	770.9	46	77	SW	1	b
Hankow,	,,	...	...	.	...	...	...	...	,,	...	...	..	..	...	...	...
Ichang,	,,	...	...	...	...	..	...	...	,,	...	...	..	..	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	.	...	...
Shanghai,	14	30.30	769.5	66	46	E	2	b	,,	30.31	769.8	61	85	E	2	o
Gutzlaff,	,,	30.32	770.1	65	67	E	2	b	,,	30.34	770.6	63	78	SE	4	o
Sharp Peak,	,,	30.23	767.8	72	81	ENE	1	b	7	30.30	769.6	68	85	NE	2	b
Amoy,	15	30.14	765.5	80	58	ENE	4	b	9	30.18	766.6	67	70	N	1	b
Swatow,	,,	...		...	..	..	...	...	8	...	...	...	..	...	..	...
Taihoku,	11	30.22	767.7	75	56	E	4	o	5	...	...	64	88	E	7	b
Taichu,	,,	30.17	766.2	79	...	...	0	b	,,	...	...	57	...	...	0	b
Tainan,	,,	30.15	765.9	82	...	NNW	2	b	,,	..	...	61	...	...	0	b
Koshun,	,,	30.15	765.9	75	...	NE	4	r	,,	...	..	72	...	NNE	4	b
Pescadores,	,,	30.17	765.2	84	...	NE	6	b	,,	...	...	50	...	NNE	4	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	..	...	...	...	...
Hongkong,	,,	30.12	765.0	74	68	E	4	c	,,	30.13	765.3	71	72	ENE	4	o
Gap Rock,	,,	30.10	764.5	...	...	ENE	5	c	,,	30.12	765.0	...	...	ENE	5	b
Macao,	,,	30.10	764.5	77	64	SE	4	o	,,	30.11	764.7	72	94	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	..	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.05	763.2	73	88	SSE	6	r	7	...	..	...	...	...	...	...
Tourane,	,,	30.02	762.6	77	...	E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.88	759.0	79	...	ENE	7	b	,,	...	..	...	...	...	...	...
Basco,	14	30.05	763.2	77	61	NE	6	o	6	30.07	763.8	75	71	ENE	4	o
Aparri,	,,	30.02	762.6	81	62	NE	4	b	,,	30.04	762.9	73	82	E	2	b
Manila,	,,	29.92	759.9	82	60	NE	2	o	,,	29.95	760.8	68	85	NE	2	b
Legaspi,	,,	29.89	759.3	82	84	NNE	4	o	..	29.88	759.0	77	96	NNE	4	o
Tacloban,	,,	...	.	...	...	...	..	...	,,	...	..	...	...	...	...	...
Iloilo,	,,	29.84	757.8	86	58	NE	4	o	,,	29.86	758.4	75	91	N	4	o
Surigao,	..	29.84	757.8	86	68	ENE	4	o	..	29.85	758.1	75	96	SW	2	r
Guam,	12.20	29.82	757.5	...	...	ENE	4	o	4.20	29.89	759.3	...	...	NE	4	b
Yap,	12.47	29.78	756.3	...	...	E	4	o	4.47	29.85	758.1	...	...	E	6	r
Labuan,	14	29.77	756.1	77	94	N	2	b	6	...	...	...	...	...	...	...

November 8*d.* 10*h.* 57*m.*—Pressure has decreased slightly along the coast from Shanghai to the southward, and over the Philippines; it has increased moderately over Japan.

The anticyclone has moved eastwards and is now central over Korea. Fresh to strong monsoon will continue along the coast and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.26 inches, against an average of 80·92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh to strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fair.
3.—Hongkong to Gap Rock,	N.E. winds, fresh; fair.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fair.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	8th November, 1925.								9th November, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	30.27	768.8	51	...	SE	2	c	.	30.34	770.6	34	...	...	0	f
Nemuro,	11	30.24	768.0	...	...	NW	3	...	5	30.30	769.5	...	...	...	0	...
Hokodate,	..	30.28	769.0	...	...	NW	2	...	,,	30.34	770.5	...	...	N	1	...
Tokio,	,,	30.33	770.5	...	...	...	0	...	,,	30.36	771.0	...	...	NNW	1	...
Kochi,	,,	30.30	769.5	...	...	...	0	...	,,	30.39	772.0	...	...	...	0	...
Nagasaki,	..	30.33	770.5	...	...	NNE	1	...	,,	30.39	772.0	...	...	NE	1	...
Kagoshima,	,,	30.28	769.0	...	...	ENE	1	...	,,	30.34	770.5	...	...	NW	1	...
Oshima,	,,	30.30	769.5	...	...	N	2	...	,,	30.28	769.0	...	...	...	0	...
Naha,	,,	30.26	768.5	...	...	ENE	1	...	,,	30.22	767.5	...	..	NE	1	...
Ishigakijima,	,,	30.24	768.0	...	...	NE	2	...	,,	30.18	766.5	...	...	NE	1	...
Bonin Island,	..	30.24	768.0	...	...	ENE	1	.	..	30.28	769.0	...	...	...	..	...
Chefoo,	15	30.32	770.1	60	60	NNW	1	b	6	30.37	771.4	44	92	...	0	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	.	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	..	..	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	..	...	..	..	...	...
Shanghai,	14	30.28	769.2	68	64	ENE	4	o	,,	30.25	768.3	61	91	ESE	4	b
Gutzlaff,	,,	30.31	769.9	63	78	SE	4	o	,,	30.27	768.8	64	78	SSE	4	o
Sharp Peak,	,,	30.23	767.8	72	76	NE	4	o	7	30.23	767.8	68	85	N	2	b
Amoy,	15	30.11	764.8	80	62	E	4	b	9	30.11	764.8	69	85	NNE	4	b
Swatow,	,,	...		...	...	.	...	...	8	..	...	..	..	..	..	...
Taihoku,	11	30.18	766.5	82	54	E	4	b	5	30.11	764.7	66	82	E	4	b
Taichu,	,,	30.10	764.4	81	...	NNW	2	b	,,	30.13	765.3	59	...	.	0	b
Tainan,	,,	30.14	765.6	81	...	NE	2	b	,,	30.10	764.4	64	..	E	2	b
Koshun,	,,	30.13	765.3	79	...	NE	4	o	,,	30.07	763.8	73	..	NE	4	o
Pescadores,	,,	30.15	765.9	77	...	NE	4	b	..	30.08	764.1	72	...	N	2	o
Canton,	14	...	..	...	...	...	...	...	6	.	...	.	..	...	...	...
Hongkong,	,,	30.10	764.5	74	67	E	4	c	,,	30.11	764.8	70	76	NE	3	c
Gap Rock,	,,	30.10	764.5	...	...	ENE	5	o	,,	30.10	764.5	...	..	ENE	5	o
Macao,	,,	30.07	763.8	77	68	SE	4	o	,,	30.08	764.1	70	77	E	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	..	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	...	...	...	...	...	...	...	,,	...	...	...	..	..	..	...
Phulien,	,,	30.01	762.3	75	89	SSE	4	o	7	30.06	763.5	70	94	SW	4	of
Tourane,	,,	29.99	761.7	77	...	E	2	b	,	30.01	762.3	73	...	E	4	b
Cape St. James,	,,	...	.	...	...	...	...	...	..	29.91	759.6	73	...	ENE	4	b
Basco,	14	30.02	762.6	81	59	NE	4	b	6	..	...	...	...	...	..	...
Aparri,	,,	29.98	761.4	82	70	ENE	4	o	,,	29.97	761.1	77	94	ENE	4	r
Manila,	,,	29.88	759.0	84	58	W	4	b	,,	29.88	759.0	73	94	N	2	o
Legaspi,	,,	29.84	757.8	77	98	NNE	4	o	..	29.85	758.1	75	98	N	4	o
Tacloban,	,,	...		...	...	...	..	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	81	84	N	4	o	,,	...	...	...	...	...	...	...
Surigao,	..	29.74	755.4	77	94	N	2	r	..	...	...	...	...	...	...	...
Guam,	12.20	29.82	757.5	...	...	NE	6	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.81	757.2	...	...	ESE	4	o	4.47	29.87	758.7	...	...	WNW	1	o
Labuan,	14	29.77	756.1	77	94	N	2	b	6	29.82	757.4	77	91	NE	2	b

November 9*d.* 11*h.* 12*m.*—Pressure has increased slightly over Shantung, S. Manchuria and Japan, and decreased slightly elsewhere. The anticyclone continues to move slowly eastward, and is now central over the Sea of Japan.

Fresh to strong monsoon will prevail along the S.E. coast, and over the China Sea.

Manila warning. 8*d.* 17*h.* 45*m.*:—Typhoon in Lat. 07° N. Long. 130° E., moving W.N.W. Recd. 8*d.* 18*h.* 20*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.26 inches, against an average of 80·97 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh to strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	9th November, 1925.								10th November, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.27	768.8	51	...	ESE	2	b		30.34	770.5	32	...	..	5	o
Nemuro,	11	30.24	768.0	...	...	SSE	1	...	5	30.16	766.0	...	...	WSW	1	...
Hokodate,	"	30.30	769.5	...	...	WSW	1	...	"	30.28	769.0	...	...	...	0	...
Tokio,	"	30.33	770.5	...	...	N	1	...	"	30.34	770.5	...	...	NNW	1	...
Kochi,	"	30.33	770.5	...	...	...	0	...	"	30.30	769.5	...	...	WSW	1	...
Nagasaki,	"	30.33	770.5	...	...	NW	1	...	"	30.26	768.5	...	...	NNE	1	...
Kagoshima,	"	30.33	770.5	...	...	...	0	...	"	30.26	768.5	...	...	NW	1	...
Oshima,	"	30.28	769.0	...	...	E	1	...	"	30.16	766.0	...	...	S	1	...
Naha,	"	30.22	767.5	...	...	ENE	3	...	"	30.06	763.5	...	...	ESE	1	...
Ishigakijima,	"	30.18	766.5	...	...	ENE	3	...	"	30.06	763.5	...	...	ESE	2	...
Bonin Island,	"	30.24	768.0	...	...	.	0	.	"	30.20	767.0	...	...	ENE	1	...
Chefoo.	15	30.29	769.3	60	65	E	1	o	6	30.17	766.3	56	75	ESE	1	o
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	..	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	14	30.18	766.5	77	50	SSE	4	b	"	30.13	765.3	63	98	SSE	2	r
Gutzlaff,	"	30.21	767.3	70	75	SSE	4	b	"	30.14	765.5	65	100	S	2	o
Sharp Peak,	"	30.18	766.6	76	77	N	1	b	7	30.13	765.3	69	80	W	2	b
Amoy,	15	30.02	762.5	83	63	NE	4	o	9	30.05	763.2	69	95	NNE	4	b
Swatow,	"	...		...	...	...	...	...	8	..	...	..	...	...	..	...
Taihoku,	11	30.11	764.7	86	46	E	4	b	5	30.05	763.2	63	94	...	0	b
Taichu,	"	30.11	764.7	79	...	...	0	b	"	30.07	763.8	61	...	...	0	b
Tainan,	"	30.10	764.4	84	...	W	2	b	"	30.04	762.9	64	...	...	0	b
Koshun,	"	30.10	764.4	81	...	NNE	4	b	"	30.04	762.9	72	...	NE	4	b
Pescadores,	"	30.10	764.4	79	...	N	4	b	"	30.05	763.2	72	...	NNE	4	b
Canton,	14	...	...	...	...	...	...	...	6	..	...		...	...	...	...
Hongkong,	"	30.05	763.2	76	62	E	4	b	"	30.04	763.0	71	80	...	0	o
Gap Rock,	"	30.06	763.5	...	...	ENE	5	b	"	30.04	763.0	...	...	ENE	4	b
Macao,	"	30.04	762.9	79	58	ESE	2	b	"	30.02	762.6	68	94	N	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	..	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow.	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island	"	...	...	...	...	...	...	...	"	...	...	...	..	..	...	...
Phulien,	"	30.00	762.0	84	55	SSE	4	b	7	30.05	763.2	70	96	ENE	4	bf
Tourane,	"	29.97	761.1	77	...	E	2	b	"	29.99	761.7	73	...	E	2	o
Cape St. James,	"	29.86	758.4	79	...	ENE	4	b	"	29.86	758.4	75	...	ENE	2	o
Basco,	14	29.95	760.8	75	94	NE	4	r	6	..	...	...	...	...	..	...
Aparri,	"	29.91	759.6	82	81	ENE	4	o	"	29.95	760.8	73	96	...	0	o
Manila,	"	29.82	757.5	77	92	NNE	1	r	"	29.88	759.0	73	96	...	0	o
Legaspi,	"	29.82	757.5	79	96	NNE	4	o	"	29.86	758.4	77	96	NNE	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	81	80	SE	1	o	"	...	...	...	...	...	...	...
Surigao,	"	29.78	756.3	79	89	E	2	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.82	757.5	...	...	ENE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.79	756.6	...	...	NE	4	o	4.47	29.82	757.5	...	...	ENE	4	o
Labuan,	12	29.73	755.1	88	84	NW	2	b	6	29.85	758.2	78	86	S	2	b

November 10*d.* 10*h.* 55*m.*—Pressure has increased slightly over S. Manchuria, and decreased slightly to moderately elsewhere. The anticyclone remains central over Japan, and has weakened.

Fresh monsoon will prevail along the south-east coast, and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.26 inches, against an average of 81·03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock,	N.E. winds, fresh; fine.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fine.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	10th November, 1925.								11th November, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	30.26	768.5	43	...	NNE	4	o	[illegible]	30.[illegible]7	766.2	32	...	NNE	4	s
Nemuro,	11	30.18	766.5	...	...	NW	3	...	5	30.18	766.5	...	...	ESE	1	...
Hokodate,	,,	30.26	768.5	...	...	WNW	1	...	,,	30.12	765.0	...	...	...	o	...
Tokio,	,,	30.28	769.0	...	...	N	1	...	,,	30.08	764.0	...	...	...	...	...
Kochi,	,,	30.24	768.0	...	...	...	...	...	,,	29.96	761.0	...	...	...	o	...
Nagasaki,	,,	30.18	766.5	...	...	SSE	3	...	,,	29.96	761.0	...	...	WNW	3	...
Kagoshima,	,,	30.18	766.5	...	...	NNE	1	...	,,	29.96	761.0	...	...	NW	1	...
Oshima,	,,	30.10	764.5	...	...	SSE	1	...	,,	30.00	762.0	...	...	...	o	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.02	762.5	...	...	...	o	...
Bonin Island,	..	30.18	766.5	...	...	NE	1	..	..	30.08	764.0	...	...	.	o	...
Chefoo,	15	30.09	764.3	58	70	E	2	o	6	30.15	765.8	54	80	N	4	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	.	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Changsha,	,,	...	...	.	...	...	...	...	,,	...	...	...	..	...	...	...
Shanghai,	14	30.13	765.3	63	82	WNW	6	o	,,	30.21	767.4	57	96	WNW	1	b
Gutzlaff,	,,	30.12	765.0	63	94	NW	4	o	,,	30.21	767.3	60	94	NNW	4	o
Sharp Peak,	,,	30.09	764.3	80	74	N	1	b	7	30.10	764.5	71	85	N	1	b
Amoy,	15	29.98	761.5	74	76	NE	4	b	9	30.04	763.0	70	95	SE	4	b
Swatow,	,,	...		...	...	...	...	...	8	.	...	...	..	...	..	...
Taihoku,	11	30.06	763.5	82	51	...	o	b	5	30.05	763.2	64	96	...	o	b
Taichu,	,,	30.06	763.5	86	...	...	o	b	,,	30.02	762.6	63	...	...	o	b
Tainan,	,,	30.05	763.2	84	...	NW	2	b	,,	30.00	762.0	66	..	N	2	of
Koshun,	,,	30.02	762.6	86	...	NNE	4	b	,,	29.99	761.7	73	..	...	o	b
Pescadores,	,,	30.06	763.5	79	...	NE	4	b	,,	30.00	762.0	72	...	NNE	4	b
Canton,	14	...	...	...	...	...	...	...	6	..	...	.	...	...	...	...
Hongkong,	,,	30.00	762.0	80	56	E	3	b	,,	30.00	762.0	74	57	...	o	b
Gap Rock,	,,	30.00	762.0	...	...	ENE	4	b	,,	30.01	762.2	...	..	...	4	b
Macao,	,,	30.04	762.9	82	60	SE	2	o	,,	29.97	761.1	70	91	NE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	N	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.00	762.0	...	...	ESE	2	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.94	760.5	75	...	NE	4	of	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.82	757.5	84	...	W	2	o	,,	...	...	...	...	...	...	...
Basco,	14	29.93	760.2	82	77	E	4	o	6	29.97	761.1	81	96	E	2	o
Aparri,	,,	29.88	759.0	84	74	E	4	o	,,	29.94	760.5	73	96	...	o	b
Manila,	,,	29.84	757.8	84	71	NW	1	o	,,	29.89	759.3	72	96	E	1	b
Legaspi,	,,	29.82	757.5	84	85	NNE	4	o	..	29.86	758.4	77	96	...	o	o
Tacloban,	,,	...	..	...	...	...	..	...	,,	..	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	86	71	NE	4	o	,,	29.85	758.1	75	92	N	4	b
Surigao,	..	...	...	...	..		...	...	..	29.85	758.1	75	92	...	o	b
Guam,	12.20	29.79	756.6	...	...	ENE	4	o	4.20	29.82	757.5	...	...	NE	2	b
Yap,	12.47	29.76	756.0	...	...	ENE	4	o	4.47	29.81	757.2	...	..	ENE	2	o
Labuan,	14	29.73	755.1	86	88	NW	4	b	6	29.80	756.9	78	86	NE	2	b

November 11*d.* 11*h.* 49*m.*—Pressure has increased slightly over N. China and decreased considerably over Japan; it has decreased slightly to moderately elsewhere.

The anticyclone has passed into the Pacific, and another is forming over China. Fresh to strong monsoon will prevail along the coast and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.26 inches, against an average of 81·09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh to strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock,	N.E. winds, fresh; fine.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fine.

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	11th November, 1925.								12th November, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperatures.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperatures.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...		...	...	...	..	...	...	...
Nemuro,	11	...	...	...	...	SSE	3	...	5	...	...	...	..	...	..	...
Hokodate,	..	29.94	760.5	...	...	ESE	2	...	,,	29.75	755.5	...	...	NNW	4	...
Tokio,	,,	29.94	760.5	...	...	...	...	...	,,	29.86	758.5	...	..	NW	1	...
Kochi,	..	29.86	758.5	...	...	...	0	...	,,	29.96	761.0	...	...	SW	1	...
Nagasaki,	,,	29.98	761.5	...	...	W	3	...	,,	29.96	761.0	...	...	SE	1	...
Kagoshima,	,,	29.96	761.0	...	...	WNW	2	...	,,	29.96	761.0	...	...	...	0	...
Oshima,	,,	30.02	762.5	...	...	NNE	1	...	,,	29.96	761.0	...	...	SSE	1	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	..	30.00	762.0	...	...	SSE	1	...	..	29.98	761.5	...	...	W	2	...
Chefoo,	15	30.16	766.0	52	73	NNW	4	0	6	30.12	765.0	50	65	NE	1	0
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	..	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.14	765.6	64	76	NNW	1	0	,,	30.06	763.5	55	96	NNE	4	r
Gutzlaff,	,,	30.17	766.3	63	78	NNW	1	0	,,	30.04	763.0	56	100	NE	4	r
Sharp Peak,	..	30.10	764.5	73	81	NNE	2	0	7	30.08	764.0	70	85	..	0	b
Amoy,	15	30.01	762.2	82	67	NE	4	b	9	30.01	762.2	70	95	ENE	2	b
Swatow,	,,	...		...	...	..	...	...	8	...	...	...	..	...	...	...
Taihoku,	11	30.07	763.8	79	69	ENE	4	b	5	29.98	761.4	66	94	...	0	0
Taichu,	,,	30.02	762.6	84	...		0	b	,,	30.00	762.0	64		...	0	b
Tainan,	,,	30.02	762.6	84	...	SW	2	b	,,	30.00	762.0	72	..	...	0	0
Koshun,	,,	30.01	762.3	84	...	NNE	2	0	,,	29.98	761.4	73	.	N	2	0
Pescadores,	,,	30.05	763.2	79	...	NE	6	b	,,	30.00	762.0	72	...	N	2	b
Canton,	14	30.05	763.2	84	57	E	1	b	6		...		..	...	...	...
Hongkong,	,,	29.97	761.2	78	61	E	4	b	,,	30.01	762.2	73	82	E	2	0
Gap Rock,	,,	29.96	761.0	...	...	ENE	4	b	,,	29.99	761.7	...	...	ENE	4	c
Macao,	,,	29.93	760.2	82	60	SE	2	b	,,	29.99	761.7	75	85	E	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	.	..	...	.		...	...
Pakhoi,	,,	...	.	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	.	...	..	..
Phulien,	,,	29.92	759.9	84	52	ESE	2	b	,,	29.97	761.1	72	86	NE	2	of
Tourane,	,,	29.86	758.4	77	...	E	6	of	7	29.91	759.6	73	...	SE	2	of
Cape St. James,	,,	29.69	754.2	73	...	WSW	6	rf	,,	...	...	...	...	...	...	...
Basco,	,,	29.91	759.6	82	70	NE	4	0	,,	29.94	760.5	75	89	E	4	0
Aparri,	14	29.88	759.0	82	77	ENE	4	0	6	29.93	760.2	73	96	...	0	b
Manila,	,,	29.82	757.5	84	71	W	2	0	,,	29.88	759.0	72	96	NE	1	b
Legaspi,	,,	29.81	757.2	82	89	NNE	4	0	,,	29.86	758.4	77	94	NNE	...	0
Tacloban,	,,	...	...	...	...	...	..	...	,,	..	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...		...	...	,,	29.82	757.5	77	92	N	4	b
Surigao,	,,	29.78	756.3	86	75	ENE	4	0	,,	29.84	757.8	77	96	...	0	0
Guam,	..	29.76	756.0	...	...	ENE	4	0	,,	29.82	757.5	...	...	NE	2	0
Yap,	12.20	29.78	756.3	...	...	ENE	4	0	4.20	29.81	757.2	...	...	ENE	2	b
Palu,	12.47	...	...	...	...	...	...	...	4.47	29.84	757.9	77	...	NE	1	c
Labuan,	14	29.76	755.9	88	84	NW	4	b	6	29.84	757.9	78	91	NE	2	b

November 11*d*. 14*h*. 48*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 11° N. Long. 111° E., direction unknown.

November 11*d*. 18*h*. 40*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 12° N. Long. 109° E., moving W.N.W.

November 12*d*. 11*h*. 09*m*.—Pressure has decreased considerably over N. Japan, other changes are slight. The anticyclone has weakened and a depression covers Hokkaido.

Moderate monsoon will prevail over the northern China Sea.

Shanghai warning, 11*d*. 21*h*. 45*m*.:—Typhoon of unknown intensity within 120 miles of Lat. 12° N. Long. 110° E., moving W.N.W. Recd. 11*d*. 23*h*. 20*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 86.26 inches, against an average of 81·15 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. Jeffries *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	12th November, 1925.								13th November, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	30.12	764.9	32	...	NNE	4	o	-	30.08	763.9	20	...	NNE	4	b
Nemuro,	11	..	..	...	...	WNW	7	...	5	29.96	761.0	...	...	...	o	...
Hokodate,	,,	29.88	759.0	...	...	WNW	4	...	,,	29.96	761.0	...	...	...	...	...
Tokio,	,,	29.90	759.5	...	...	N	2	...	,,	29.69	754.0	...	...	NNW	2	...
Kochi,	,,	29.94	760.5	...	...	...	o	...	,,	29.65	753.0	...	...	...	...	...
Nagasaki,	,,	29.94	760.5	...	...	NE	1	...	,,	29.80	757.0	...	...	N	2	...
Kagoshima,	,,	29.92	760.0	...	...	ESE	1	...	,,	29.80	757.0	...	...	NW	1	...
Oshima,	,,	29.94	760.5	...	...	NE	1	...	,,	...	..	...	...	N	2	...
Naha,	,,	29.98	761.5	...	...	S	1	...	,,	30.02	762.5	...	..	WNW	4	...
Ishigakijima,	,,	29.98	761.5	...	...	SE	1	...	,,	30.04	763.0	...	...	NNW	3	...
Bonin Island,	..	29.98	761.5	...	...	W	1	..	,,	29.98	761.5	...	...	SSE	2	...
Chefoo,	15	30.05	763.2	47	70	NW	1	o	6	30.01	762.2	40	85	SSW	1	b
Hankow,	,,	...	..		...	...	...	...	,,	...	...	..	..	..	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	..	..	..	...	...
Changsha,	,,		..	..	...	...	...	...	,,	...	...	...	...		...	...
Shanghai,	14	30.07	763.8	55	88	WNW	4	r	,,	30.20	767.1	43	85	WNW	4	b
Gutzlaff,	,,	30.05	763.2	54	94	NW	6	r	,,	30.17	766.3	47	93	NW	7	b
Sharp Peak,	,,	30.00	761.5	73	72	W	1	o	7	30.13	765.3	62	61	N	2	b
Amoy,	15	29.89	759.2	78	74	SE	4	o	9	30.05	763.2	60	76	NNE	6	b
Swatow,	,,	...		...	...	...	...	...	8	...	...	..		...	..	...
Taihoku,	11	29.94	760.5	81	62	...	o	b	5	30.11	764.7	63	88	...	o	o
Taichu,	,,	29.99	761.7	84	...	...	o	b	,,	30.06	763.5	64	..	N	2	o
Tainan,	,,	29.99	761.7	84	...	WNW	2	b	,,	30.00	762.0	66	..	N	4	o
Koshun,	,,	29.97	761.1	86	...	...	o	b	,,	29.99	761.7	72	..	NE	4	o
Pescadores,	,,	29.99	761.7	79	...	NW	2	b	,,	30.05	763.2	70	...	NNE	6	o
Canton,	14	...	..	...	...	...	...	..	6	...	...		...	...	...	...
Hongkong,	,,	29.96	761.0	77	79	...	o	od	,,	30.08	764.0	67	43	N	2	o
Gap Rock,	,,	29.96	761.0	...	...	ENE	4	o	,,	30.07	763.8	...		N	4	o
Macao,	,,	29.95	760.8	72	98	N	2	r	,,	30.07	763.8	63	60	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	..	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	.	...	...	...
Phulien,	,,	29.95	760.8	81	73	SE	2	o	,,	30.12	765.0	66	67	NNE	4	o
Tourane,	,,	29.89	759.3	75	...	ESE	2	o	7	29.95	760.8	75	...	E	4	of
Cape St. James,	,,	29.86	758.4	79	...	ENE	4	o	,,	..	...	...	..	...	...	...
Basco,	,,	...	...	...	...	...	...	...	..	29.95	760.8	72	92	E	2	o
Aparri,	14	29.85	758.1	84	74	NE	4	o	6	29.93	760.2	73	96	...	o	o
Manila,	,,	29.81	757.2	86	68	SW	2	o	,,	29.88	759.0	73	92	N	2	o
Legaspi,	,,	29.80	756.9	86	75	ENE	4	o	,,	29.85	758.1	79	95	NNE	2	o
Tacloban,	,,	29.79	756.6	86	75	SE	2	o	..		...	...	..	...	...	...
Iloilo,	,,	29.79	756.6	86	61	NE	6	b	,,	29.82	757.5	77	96	N	4	o
Surigao,	,,	29.76	756.0	82	87	ESE	2	b	,,	29.82	757.5	75	96	...	o	o
Guam,	..	29.78	756.3	...	...	NE	4	o	..	29.84	757.8	...	...	NE	2	o
Yap,	12.20	29.76	756.0	...	...	ENE	4	o	4.20	29.82	757.5	...	...	ENE	4	o
Palu,	12.47	...	...	...	...		...	..	5	29.81	757.2	78	..	NE	1	o
Labuan,	11	29.72	754.9	86	92	NW	4	b	6	29.84	757.9	78	91	NE	2	b

November 13*d.* 11*h.* 55*m.*—Pressure has increased moderately from Shanghai to Haiphong and decreased considerably over South and central Japan, which is now covered by a somewhat deep depression.

The anticyclone over China has strengthened and the monsoon will freshen along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·29 inch. Total since January 1st, 86·55 inches, against an average of 81·15 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong.
2.—South coast of China between Hongkong and Lamocks.	N. winds, moderate to fresh; fair, cooler.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLANTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	13th November, 1925.									14th November, 1925.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	12	30.00	762.0	34	...	...	0	b		-	29.89	759.2	39	...	ESE	7	o	
Nemuro,	11	29.88	759.0	...	...	ENE	1	...		5	29.94	760.5	...	...	N	2	...	
Hokodate,	..	29.90	759.5	...	...	N	1	...		,,	30.06	763.5	...	...	...	0	...	
Tokio,	,,	29.59	751.5	...	...	NNE	3	...		,,	30.12	765.0	...	...	..	...	...	
Kochi,	,,	29.69	754.0	...	...	WSW	1	...		,,	30.14	765.5	...	...	SW	1	...	
Nagasaki,	,,	29.92	760.0	...	...	NNW	3	...		,,	30.16	766.0	...	...	...	...	...	
Kagoshima,	,,	29.92	760.0	...	...	NNW	1	...		,,	30.18	766.5	...	...	WNW	1	...	
Oshima,	,,	30.00	762.0	...	...	N	2	...		,,	30.14	765.5	...	...	SSE	1	...	
Naha,	,,	30.08	764.0	...	...	NW	4	...		,,	30.16	766.0	...	...	...	...	...	
Ishigakijima,	,,	30.12	765.0	...	...	N	3	...		,,	30.14	765.5	...	...	N	1	...	
Bonin Island,	..	29.96	761.0	...	...	SSW	1	..		,,	30.08	764.0	...	...	...	0	...	
Chefoo,	15	29.90	759.4	54	55	SW	2	b		6	29.96	761.0	50	65	W	4	b	
Hankow,	,,	..	...	...	...	...	...	...		,,	...	...	..	..	...	..	...	
Ichang,	,,	..	...	...	...	...	...	...		,,	...	...	...	..	..	..	...	
Changsha,	,,	.	...	...	...	...	...	...		,,	...	...	...	...	.	...	...	
Shanghai,	14	30.15	765.9	59	68	WNW	2	b		,,	30.19	766.8	45	86	SSE	2	b	
Gutzlaff,	,,	30.18	766.6	56	45	NW	4	b		,,	30.20	767.1	56	57	SW	4	b	
Sharp Peak,	,,	30.13	765.3	70	70	E	2	b		7	30.20	767.1	62	89	W	2	b	
Amoy,	15	29.96	761.0	74	43	NE	4	b		9	30.13	765.3	60	76	ENE	4	b	
Swatow,	,,	..		...	..		...	...		8	...	...	..	...	.	..	...	
Taihoku,	11	30.15	765.9	68	56	ENE	4	o		5	30.11	764.7	63	82	E	2	o	
Taichu,	,,	30.05	763.2	75	...	N	4	b		,,	30.12	765.0	63	..	...	o	o	
Tainan,	,,	30.06	763.5	77	...	NNW	4	b		,,	30.08	764.1	66	...	...	o	o	
Koshun,	,,	30.05	763.2	73	...	NE	4	o		,,	30.07	763.8	70	..	..	o	o	
Pescadores,	,,	30.11	764.7	73	...	NNE	6	b		,,	30.10	764.4	68	...	NNE	4	o	
Canton,	14	...		...	...	...	...	...		6		...		...	...	...	...	
Hongkong,	,,	30.04	763.0	75	35	ENE	3	c		,,	30.09	764.3	70	64	NE	2	o	
Gap Rock,	,,	30.06	763.5	...	...	N	4	c		,,	30.08	764.0	...	.	NNE	4	c	
Macao,	,,	30.04	762.9	73	32	N	4	o		,,	30.08	764.1	66	67	N	2	o	
Wuchow,	15	...	...	...	...	...	...	...		9	..	...	...	..	..	...	...	
Pakhoi,	,,	..	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	..	...	
Phulien,	,,	30.06	763.5	75	39	ESE	1	o		,,	30.07	763.8	68	64	NE	4	o	
Tourane,	,,	29.95	760.8	75	...	E	4	of		7	30.01	762.3	75	...	E	4	o	
Cape St. James,	,,	29.84	757.8	79	...	ENE	6	bf		,,	29.87	758.7	75	..	ENE	4	b	
Basco,	..	29.94	760.5	82	87	N	4	o		..	30.04	762.9	75	88	N	4	o	
Aparri,	14	29.91	759.6	82	77	ENE	4	o		6	29.99	761.7	77	88	E	2	b	
Manila,	,,	29.85	758.1	86	85	W	1	o		,,	29.93	760.2	72	92	NE	1	o	
Legaspi,	,,	29.84	757.8	86	75	NNE	2	o		,,	29.88	759.0	79	92	NNE	2	o	
Tacloban,	,,	..	...	...	...	...	...	...		..	..		...	..	...	...	...	
Iloilo,	,,	29.79	756.6	86	58	NE	4	o		,,	29.85	758.1	77	96	N	4	o	
Surigao,	,,	29.80	756.9	86	75	NE	2	o		,,	29.86	758.4	75	96	...	o	o	
Guam,	.	29.80	756.9	...	...	ENE	4	o		..	29.87	758.7	...	...	NE	2	b	
Yap,	12.20	29.79	756.6	...	...	E	4	o		4.20	29.86	758.4	...	...	ENE	4	o	
Palu,	12.47	...		...	...		...	..		5	29.87	758.7	78	...	ESE	1	c	
Labuan,	11	29.77	756.1	88	80	N	2	b		6	...	...	...	...	...	...	...	

November 14*d.* 10*h.* 50*m.*—Pressure has increased considerably over Japan and moderately over the Loochoos. It has decreased slightly at Wladivostock and is nearly stationary elsewhere.

The Japanese depression has passed into the Pacific.

A depression which formed over N.E. China yesterday is moving eastward.

The anticyclone continues to spread eastward.

The monsoon is interrupted to the north of Amoy but remains fresh over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 86·55 inches, against an average of 81·27 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	14th November, 1925.								15th November, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.77	756.1	46	...	SE	7	c	-	29.98	761.5	31	...	NNW	2	b
Nemuro,	11	30.08	764.0	...	...	NNE	2	...	5	30.08	764.0	...	...	SE	2	...
Hokodate,	,,	30.10	764.5	...	...	...	...	...	,,	...	...	...	...	SSW	2	...
Tokio,	,,	30.18	766.5	...	...	SSE	1	...	,,	30.08	764.0	...	...	NW	1	...
Kochi,	,,	30.16	766.0	...	...	SE	1	...	,,	30.18	766.5	...	...	SW	1	...
Nagasaki,	,,	30.20	767.0	...	...	E	1	...	,,	30.20	767.0	...	...	WNW	2	...
Kagoshima,	,,	30.18	766.5	...	...	SE	1	...	,,	30.22	767.5	...	...	NW	1	...
Oshima,	,,	30.16	766.0	...	...	...	0	...	,,	30.22	767.5	...	...	...	0	...
Naha,	,,	30.18	766.5	...	...	N	1	...	,,	30.20	767.0	...	...	ENE	1	...
Ishigakijima,	,,	30.18	766.5	...	...	ENE	1	...	,,	30.16	766.0	...	...	NE	3	...
Bonin Island,	..	30.10	764.5	...	...	W	1	...	,,	30.16	766.0	...	...	...	0	...
Chefoo.	15	30.05	763.2	52	73	WNW	6	b	6	30.19	766.8	44	53	SW	2	b
Hankow,	,,	...	..	...	...	...	...	...	,,	...	...	..	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Changsha,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	..	...	...
Shanghai,	14	30.17	766.2	70	38	WSW	2	b	,,	30.25	768.3	48	97	NW	1	b
Gutzlaff,	,,	30.19	766.8	64	34	W	2	b	,,	...	..	58	90	NNE	2	o
Sharp Peak,	,,	30.13	765.3	70	90	E	1	b	7	30.18	766.6	64	92	NW	1	o
Amoy,	15	30.07	763.8	76	64	NNE	4	b	9	30.13	765.3	64	91	WNW	2	b
Swatow,	,,	...		...	...	..	...	...	8	...	...	...	...	...	..	...
Taihoku,	11	30.14	765.6	75	67	E	2	o	5	30.13	765.3	68	87	E	4	o
Taichu,	,,	30.13	765.3	77	...	...	o	b	,,	30.13	765.3	64	..	...	o	b
Tainan,	,,	30.12	765.0	79	...	N	2	o	,,	30.11	764.7	64	...	N	2	b
Koshun,	,,	30.11	764.7	77	...	NNE	4	o	,,	30.10	764.4	72	..	NNE	2	o
Pescadores,	,,	30.13	765.3	75	...	NE	4	b	,,	30.12	765.0	70	...	NNE	4	o
Canton,	14	...	..	...	...	...	...	...	6	...	...	.	...	...	...	...
Hongkong,	,,	30.08	764.0	74	59	ESE	3	c	,,	30.10	764.5	70	78	E	3	o
Gap Rock,	,,	30.08	764.0	...	...	ENE	4	c	,,	30.10	764.5	...	...	ENE	4	b
Macao,	,,	30.06	763.5	73	62	...	4	o	,,	30.08	764.1	70	82	ESE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.05	763.2	73	82	ENE	1	o	,,	...	...	...	..	...	...	...
Tourane,	,,	30.00	762.0	77	...	E	2	o	7	...	...	...	...	...	..	...
Cape St. James,	,,	29.85	758.1	81	...	ENE	6	b	,,	...	...	...	...	...	...	...
Basco,	,,	29.99	761.7	79	80	N	4	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.97	761.1	82	74	ENE	4	o	6	30.00	762.0	75	96	...	o	b
Manila,	,,	29.89	759.3	82	77	SW	1	o	,,	29.93	760.2	73	96	...	o	o
Legaspi,	,,	29.87	758.7	81	96	SE	4	o	,,	...	..	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	..	...	..	...	...	...	...	...	...	...
Iloilo,	,,	29.81	757.2	86	68	NE	6	o	,,	29.86	758.4	79	91	N	6	o
Surigao,	,,	29.82	757.5	82	87	ENE	4	o	,,	...	...	...	...	...	...	...
Guam,	..	29.81	757.2	...	...	NE	4	o	..	...	...	...	...	...	...	...
Yap,	12.20	29.81	757.2	...	...	ENE	4	o	4.20	29.87	758.7	...	...	ENE	2	o
Palu,	12.47	..	..	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	11	29.77	756.1	88	80	NE	2	b	6	...	...	...	...	...	...	...

November 15*d.* 11*h.* 23*m.*—Pressure has increased considerably at Wladivostock, moderately at Chefoo and slightly from Shanghai to the Loochoos. It has decreased moderately at Tokio and is nearly stationary elsewhere.

The northern depression is now approaching Hokkaido. The anticyclone is developing over China.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.55 inches, against an average of 81·33 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	15th November, 1925.								16th November, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.02	762.4	38	...	NW	3	o	...	30.35	770.8	28	...	...	o	b
Nemuro,	11	29.86	758.5	...	...	SE	5	...	5	29.82	757.5	...	...	W	2	...
Hokodate,	,,	29.72	755.0	...	...	WSW	1	...	,,	29.94	760.5	...	...	WNW	6	...
Tokio,	,,	29.90	759.5	...	...	SSW	2	...	,,	30.16	766.0	...	...	N	1	...
Kochi,	,,	30.14	765.5	...	...	...	...	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.28	769.0	...	...	NNW	2	...	,,	...	...	...	...	NE	1	...
Kagoshima,	,,	30.22	767.5	...	...	NW	1	...	,,	30.26	768.5	...	...	NW	1	...
Oshima,	,,	30.24	768.0	...	...	NNE	1	...	,,	30.20	767.0	...	...	SSE	1	...
Naha,	,,	30.22	767.5	...	...	NNE	1	...	,,	30.14	765.5	...	..	E	1	...
Ishigakijima,	,,	30.18	766.5	...	...	NE	3	...	,,	30.10	764.5	...	...	E	2	...
Bonin Island,	,,	30.12	765.0	...	...	SW	1	...	,,	30.16	766.0	...	...	NNE	1	...
Chefoo,	15	30.16	766.0	62	46	SSW	1	b	6	30.21	767.3	50	88	SW	1	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	..	...	...	,,	...	...	...	..	...	...	...
Changsha,	,,	..	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.26	768.6	70	53	ESE	2	b	,,	30.13	765.3	59	96	ESE	1	r
Gutzlaff,	,,	30.27	768.8	65	68	SE	1	o	,,	30.17	766.3	60	100	SE	1	r
Sharp Peak,	,,	30.20	767.1	64	93	N	1	r	7	30.13	765.3	64	97	W	1	of
Amoy,	15	30.10	764.5	74	59	NNE	2	o	9	...	...	...	...	...	..	...
Swatow,	,,	...		...	...	.	...	...	8	..	...	...	...	...	..	...
Taihoku,	11	30.18	766.5	72	84	E	4	o	5	30.06	763.5	64	45	...	o	b
Taichu,	,,	30.14	765.6	75	...	...	o	o	,,	30.07	763.8	64	...	...	o	o
Tainan,	,,	30.14	765.6	81	...	NNW	4	b	,,	30.04	762.9	66	...	NNE	2	o
Koshun,	,,	30.10	764.4	77	...	N	4	o	,,	30.00	762.0	73	...	NNE	4	b
Pescadores,	,,	30.15	765.9	75	...	NNE	6	o	..	30.04	762.9	70	...	NNE	4	o
Canton,	14	...		...	...	.	...	...	6	..	...	.	...	...	...	...
Hongkong,	,,	30.04	763.0	75	53	E	4	c	,,	30.03	762.7	70	85	E	3	o
Gap Rock,	,,	30.03	762.7	...	...	ENE	5	b	,,	30.01	762.2	...	...	ENE	4	o
Macao,	,,	30.02	762.6	77	89	SE	4	o	,,	...	...	...	..	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	..	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.99	761.7	75	76	...	o	of	,,	...	..	...	...	...	...	...
Tourane,	,,	29.95	760.8	77	...	E	2	b	7	...	...	...	...	...	...	...
Cape St. James,	,,	29.84	757.8	81	...	ENE	6	b	,,	..	...	...	...	...	...	...
Basco,	,,	29.97	761.1	81	53	E	4	o	,,	30.00	762.0	75	88	E	4	r
Aparri,	14	29.93	760.2	81	80	ENE	4	o	6	...	...	...	...	...	...	...
Manila,	,,	29.86	758.4	86	78	SW	2	o	,,	29.89	759.3	70	96	E	1	b
Legaspi,	,,	29.85	758.1	82	89	NE	4	o	,,	29.87	758.7	79	92	NNE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.85	758.1	86	65	NE	6	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.80	756.9	86	87	ENE	4	o	,,	...	...	...	...	...	...	...
Guam,	..	29.82	757.5	...	...	NE	4	o	..	...	...	...	...	...	...	...
Yap,	12.20	29.79	756.6	...	...	ENE	4	o	4.20	29.81	757.2	...	...	NE	2	o
Palu,	12.47	...	..	...	...		...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.71	754.6	88	80	NW	2	b	6	...	...	...	...	...	...	...

November 16*d.* 10*h.* 08*m.*—Pressure has increased considerably from central Japan to S. Manchuria. It has decreased moderately along the east coast of China and slightly from Hongkong to the Loochoos, and is nearly stationary elsewhere.

The depression has moved into the Pacific and the anticyclone into the Sea of Japan.

Moderate monsoon may be expected along the S. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86·55 inches, against an average of 81·38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; generally overcast, some drizzle or mist.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	16th November, 1925.								17th November, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.33	770.3	23	...	NNE	2	b	6	30.36	771.1	30	...	NNE	4	b
Nemuro,	11	29.63	752.5	...	...	W	6	...	5	29.90	759.5	...	...	WNW	6	...
Hokodate,	..	30.02	762.5	...	...	W	4	...	,,	30.22	767.5	...	...	N	2	...
Tokio,	,,	30.18	766.5	...	...	NW	1	...	,,	30.28	769.0	...	...	...	0	...
Kochi,	,,	30.30	769.5	...	...	...	0	...	,,	30.24	768.0	...	...	...	0	...
Nagasaki,	,,	30.30	769.5	..	...	ESE	1	...	,,	30.12	765.0	...	..	E	1	...
Kagoshima,	,,	30.26	768.5	...	...	NE	1	...	,,	30.10	764.5	...	..	ENE	1	...
Oshima,	,,	30.20	767.0	...	...	...	0	...	,,	30.04	763.0	...	...	SSE	1	...
Naha,	,,	30.16	766.0	...	...	ESE	1	...	,,	...	...	...	..	..	...	...
Ishigakijima,	,,	30.10	764.5	...	...	SE	2	...	,,	30.02	762.5	...	...	SSE	1	...
Bonin Island,	..	30.16	766.0	...	...	NE	1		..	30.16	766.0	...	...	NE	1	...
Chefoo,	15	30.15	765.8	60	65	SSE	2	o	6	30.17	766.3	48	93	...	0	b
Hankow,	,,	..	.	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Changsha,	,,	.		...	...	...	...	...	,,	...	...	...	...		...	...
Shanghai,	14	30.07	763.8	66	63	WSW	2	b	,,	30.11	764.7	50	100	WSW	1	b
Gutzlaff,	,,	30.08	764.0	64	84	WSW	2	b	,,	30.13	765.3	56	81	NW	1	o
Sharp Peak,	..	30.10	764.5	64	93	...	0	r	7	30.07	763.8	66	91	N	1	rf
Amoy,	15	30.01	762.2	67	95	W	2	r	9	29.99	761.7	69	95	W	2	o
Swatow,	,,	...		...	...	...	...	...	8	.	...	..	..	...	..	...
Taiboku,	11	30.06	763.5	77	68	NW	2	o	5	30.00	762.0	68	96	E	2	o
Taichu,	,,	30.06	763.5	81	...	...	0	b	,,	30.00	762.0	75	...	...	0	b
Tainan,	,,	30.06	763.5	82	...	W	2	b	,,	29.99	761.7	68	..	...	0	b
Koshun,	,,	30.05	763.2	82	...	ENE	4	o	,,	29.97	761.1	72	..	..	0	b
Pescadores,	,,	30.07	763.8	75	...	N	4	o	,,	29.98	761.4	72	...	NE	4	b
Canton,	14	...		...	...	...	...	...	6	..	...	.	...	...	...	...
Hongkong,	,,	29.95	760.7	72	78	E	4	o	,,	29.96	761.0	70	94	E	3	o
Gap Rock,	,,	29.95	760.7	...	...	ENE	4	o	,,	29.94	760.5	...	..	ENE	4	o
Macao,	,,	29.93	760.2	77	76	SE	4	o	,,	29.93	760.2	72	91	ENE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	..	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	...	...	...	..	...	...	...
Phulien,	,,	29.89	759.3	81	76	SSW	1	of	,,	29.92	759.9	73	96	S	4	bf
Tourane,	,,	29.89	759.3	77	...	SE	2	o	7	29.92	759.9	73	...	S	2	o
Cape St. James,	,,	29.80	756.9	81	...	ENE	4	o	,,	29.82	757.5	75	..	ENE	2	b
Basco,	,,	29.91	759.6	81	76	E	6	r	,,	29.97	761.1	77	88	E	4	o
Aparri,	14	29.89	759.3	86	61	E	4	b	6	29.91	759.6	73	91	S	2	o
Manila,	,,	29.84	757.8	82	74	SSW	2	o	,,	29.86	758.4	72	94	NE	1	b
Legaspi,	,,	29.84	757.8	86	76	NNE	4	o	,,	29.82	757.5	79	91	NNE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	86	61	NE	6	o	,,	29.80	756.9	75	96	N	4	o
Surigao,	,,	29.78	756.3	86	71	ENE	4	o	,,	29.80	756.9	79	91	ENE	1	r
Guam,	.	29.78	756.3	...	...	NE	4	r	..	29.79	756.6	...	...	NE	4	o
Yap,	12.20	29.78	756.3	...	...	ENE	6	r	4.20	29.76	756.0	...	...	ENE	4	o
Palu,	12.47	...	...	...	...	...	...	...	5	..	...	...	...	...	...	...
Labuan,	11	29.73	755.1	88	84	NW	2	b	6	29.82	757.4	76	94	NE	2	b

November 17*d.* 11*h.* 15*m.*—Pressure has increased considerably over N.E. Japan. It has decreased moderately over S.W. Japan and slightly over Formosa and from the Philippines to Guam.

The anticyclone, which has strengthened slightly, is central over S. Manchuria.

Moderate monsoon will continue along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 86·56 inches, against an average of 81·43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; generally overcast, some drizzle or mist.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	17th November, 1925.								18th November, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.32	770.1	43	...	NNE	4	b	-	30.31	769.8	37	..	ESE	2	o
Nemuro,	11	30.02	762.5	...	...	W	7	...	5	30.37	771.5	...	...	N	3	...
Hokodate,	..	30.26	768.5	...	...	...	...	...	,,	30.36	771.0	...	...	...	..	...
Tokio,	,,	30.26	768.5	...	...	NNE	1	...	,,	30.26	768.5	...	...	NNW	1	...
Kochi,	,,	30.22	767.5	...	...	SW	1	...	,,	30.06	763.5	...	...	SW	1	...
Nagasaki,	,,	30.06	763.5	...	...	SE	4	...	,,	30.14	765.5	...	...	...	...	...
Kagoshima,	,,	30.10	764.5	...	...	...	0	...	,,	30.04	763.0	...	...	NW	1	...
Oshima,	,,	30.00	762.0	...	...	S	1	...	,,	30.02	762.5	...	...	...	0	...
Naha,	,,	30.06	763.5	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...		...	...	,,	30.02	762.5	...	...	SSE	1	...
Bonin Island,	..	30.16	766.0	...	...	ESE	1	..	,,	30.12	765.0	...	...	...	0	...
Chefoo,	15	30.14	765.5	58	70	ENE	2	b	6	30.18	766.6	46	92	...	0	b
Hankow,	,,	..	..	...	...	...	...	...	,,	...	...	..	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	..	..	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Shanghai,	14	30.12	765.0	59	79	WNW	1	o	,,	30.20	767.1	46	100	W	1	bf
Gutzlaff,	,,	30.12	765.0	60	90	N	1	o	,,	30.21	767.3	56	100	NNW	4	b
Sharp Peak,	,,	30.05	763.2	74	76	N	1	o	7	30.09	764.3	65	94	NE	4	o
Amoy,	15	29.96	761.0	73	86	NNE	4	b	9	29.89	759.2	69	95	NE	2	r
Swatow,	,,	...		...	...		...	...	8	...	...	..	..	...	..	...
Taihoku,	11	30.02	762.6	81	73	E	4	b	5	30.01	762.3	68	98	...	0	o
Taichu,	,,	30.02	762.6	86	...	...	0	b	,,	30.01	762.3	63	...	...	0	b
Tainan,	,,	30.01	762.3	84	...	WSW	2	b	,,	29.98	761.4	68	...	...	0	b
Koshun,	,,	30.01	762.3	81	...	ENE	2	b	,,	29.97	761.1	72	..	...	0	b
Pescadores,	,,	30.04	762.9	79	...	N	4	b	,,	29.99	761.7	72	...	NNE	4	o
Canton,	14	...		...	...	...	...	...	6	..	...	..	...	...	...	...
Hongkong,	,,	29.95	760.7	76	82	E	3	o	,,	29.96	761.0	73	91	ENE	3	o
Gap Rock,	,,	29.93	760.2	...	...	ENE	4	b	,,	29.94	760.5	...	...	ENE	4	o
Macao,	,,	29.92	759.9	81	76	SE	4	o	,,	29.89	759.3	73	92	SE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.86	758.4	82	74	SSE	6	b	,,	29.93	760.2	75	96	SSE	2	bf
Tourane,	,,	29.88	759.0	79	...	SE	2	b	7	29.92	759.9	72	...	S	2	b
Cape St. James,	,,	...	...	...	...	...	..	...	,,	29.82	757.5	75	...	E	4	b
Basco,	,,	29.91	759.6	81	80	ESE	4	o	,,	29.92	759.9	77	85	E	4	o
Aparri,	14	29.87	758.7	82	70	E	4	o	6	...	...	...	..	...	...	...
Manila,	,,	29.81	757.2	84	71	SW	2	o	,,	29.85	758.1	73	96	ENE	1	o
Legaspi,	,,	29.81	757.2	81	96	NNE	2	o	,,	29.81	757.2	79	92	N	2	o
Tacloban,	,,	...	...	...	...	...	..	...	,,	...	..	...	...	...	..	...
Iloilo,	,,	29.73	755.1	86	65	NE	6	o	,,	29.85	758.1	77	92	N	4	o
Surigao,	,,	29.75	755.7	82	84	ENE	4	r	,,	29.78	756.3	75	92	...	0	o
Guam,	..	29.73	755.1	...	...	NE	4	r	..	29.75	755.7	...	...	SE	1	b
Yap,	12.20	29.74	755.4	...	...	ENE	6	r	4.20	29.75	755.7	...	...	ENE	4	o
Palu,	12.47	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	14	29.73	755.1	86	88	NW	4	b	6	29.83	757.7	77	86	NE	2	b

November 18*d*. 11*h*. 00*m*.—Pressure has increased considerably over Hokkaido, moderately at Chefoo and slightly at Shanghai. It has decreased slightly over S.W. Japan and is nearly stationary elsewhere.

The anticyclone is now central to the north of Hokkaido. The depression which formed yesterday afternoon is now central to the south of Kobe.

A new anticyclone appears to be forming over China. The monsoon will freshen along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.56 inches, against an average of 81·48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate to fresh; generally overcast, some drizzle or mist.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	18th November, 1925.								19th November, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	12	30.26	768.6	43	...	SE	4	o	-	30.17	766.2	41	...	ESE	3	o
Nemuro,	11	30.39	772.0	...	...	N	2	...	5	30.38	771.5	...	...	SSW	1	...
Hokodate,	..	30.33	770.5	...	...	SE	3	...	,,	30.24	768.0	...	...	SE	1	...
Tokio,	,,	30.24	768.0	...	...	NNW	2	...	,,	30.20	767.0	...	...	NW	1	...
Kochi,	,,	30.08	764.0	...	...	SSE	1	...	,,	30.12	765.0	...	...	...	0	...
Nagasaki,	,,	30.08	764.0	...	...	SE	1	...	,,	30.10	764.5	...	...	...	...	...
Kagoshima,	,,	30.06	763.5	...	...	ENE	1	...	,,	30.08	764.0	...	...	NW	1	...
Oshima,	,,	30.06	763.5	...	...	N	1	...	,,	30.08	764.0	...	...	SSE	1	...
Naha,	,,	30.06	763.5	...	...	N	1	...	,,	...	...	...	..	...	...	...
Ishigakijima,	,,	30.04	763.0	...	...	SSE	1	...	,,	...	...	...	...	...	...	...
Bonin Island,	..	30.08	764.0	...	...	ESE	1		,,	30.08	764.0	...	..	...	...	...
Chefoo,	15	30.21	767.3	56	89	N	1	o	6	30.24	768.1	48	78	W	1	o
Hankow,	,,	...	..	...	...	...	...	...	,,	...	...	..	..	...	...	...
Ichang,	,,	...	...	...	...	..	...	...	,,	...	...	..	..	...	...	...
Changsha,	,,	...	...	.	...	..	...	...	,,	...	...	...	...	..	...	...
Shanghai,	14	30.20	767.1	63	65	NE	1	o	,,	30.21	767.4	55	90	NNW	1	r
Gutzlaff,	,,	30.20	767.1	62	67	NNE	2	o	,,	30.21	767.3	58	70	N	4	o
Sharp Peak,	..	30.05	763.2	65	95	NNE	2	r	7	30.07	763.8	63	93	N	1	o
Amoy,	15	29.97	761.2	74	92	NNE	4	b	9	30.01	762.2	69	91	ENE	2	o
Swatow,	,,	...		...	...	...	...	...	8	.	...	..	...	...	..	...
Taihoku,	11	...	...	81	66	E	4	b	5	30.02	762.6	70	94	...	o	o
Taichu,	,,	30.01	762.3	84	...	...	o	b	,,	30.04	762.9	68	..	...	o	b
Tainan,	,,	30.01	762.3	84	...	NNW	2	b	,,	30.01	762.3	70	...	N	2	b
Koshun,	,,	30.00	762.0	84	...	NNE	2	b	,,	30 00	762.0	72	...	...	o	b
Pescadores,	,,	30.04	762.9	77	...	NNE	4	o	,,	30.02	762.6	73	...	NNE	4	o
Canton,	14	...		...	...	...	...	...	6	..	...		...	...	...	...
Hongkong,	,,	29.95	760.7	76	79	E	3	o	,,	30.02	762.5	72	88	ENE	3	o
Gap Rock,	,,	29.94	760.5	...	...	ENE	4	c	,,	30.03	762.7	...	...	ENE	4	b
Macao,	,,	29.80	759.3	81	76	SE	4	o	,,	29.99	761.7	72	91	ESE	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.88	759.0	82	70	SSE	4	b	,,	30.01	762.3	72	96	ENE	2	o
Tourane,	,,	29.91	759.6	79	...	SE	2	b	7	29.98	761.4	73	...	E	2	b
Cape St. James,	,,	29.82	757.5	79	...	ENE	6	b	,,	29.85	758.1	75	...	ENE	2	b
Basco,	,,	29.89	759.3	82	77	ESE	4	o	,,	29.94	760.5	75	88	ESE	4	o
Aparri,	14	...	...	...	...	...	..	...	6	29.94	760.5	72	94	...	o	o
Manila,	,,	29.81	757.2	86	71	W	1	o	,,	29.88	759.0	70	96	NE	1	o
Legaspi,	,,	29.81	757.2	81	92	NNE	4	o	,,	29.85	758.1	77	91	NNE	2	b
Tacloban,	,,	29.79	756.6	82	84	SSE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	86	68	NE	6	r	,,	29.81	757.2	75	91	N	4	b
Surigao,	,,	29.76	756.0	79	92	ESE	4	o	,,	29.81	757.2	75	96	SE	1	o
Guam,	..	29.74	755.4	...	...	ENE	2	r	,,	29.81	757.2	...	...	ESE	2	r
Yap,	12.20	29.74	755.4	...	...	ENE	4	o	4.20	29.76	756.0	...	...	NE	2	o
Palu,	12.47	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	11	29.77	756.1	84	83	NW	2	o	6	29.83	757.7	76	91	NW	2	b

November 19*d*. 11*h*. 45*m*.—Pressure has decreased slightly from S. Manchuria to central and N.E. Japan. It has increased slightly over S. China and Indo-China and is nearly stationary elsewhere.

The anticyclone is developing slowly over S.E. Mongolia and N. China.

Moderate to fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.56 inches, against an average of 81·53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate to fresh ; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	19th November, 1925.								20th November, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.10	764.5	36	...	NNE	3	8	.	30.02	762.4	28	..	...	0	0
Nemuro,	11	30.28	769.0	...	...	S	3	...	5	29.80	757.0	...	..	SSE	5	...
Hokodate,	..	30.14	765.5	...	...	SE	1	...	,,	29.67	753.5	...	...	S	1	...
Tokio,	,,	30.10	764.5	...	...	NNW	2	...	,,	29.82	757.5	...	...	W	1	...
Kochi,	,,	30.06	763.5	...	...	...	...	...	,,	29.92	760.0	...	...	...	0	...
Nagasaki,	,,	30.06	763.5	...	...	S	1	...	,,	30.06	763.5	...	..	...	...	...
Kagoshima,	,,	30.02	762.5	...	...	E	1	...	,,	30.02	762.5	...	..	..	0	...
Oshima,	,,	30.04	763.0	...	..	NE	1	...	,,	30.02	762.5	...	...	N	2	...
Naba,	,,	30.02	762.5	...	...	SE	1	...	,,	30.02	762.5	...	..	N	3	...
Ishigakijima,	,,	30.04	763.0	...	...	S	1	...	,,	30.06	763.5	...	...	N	2	...
Bonin Island,	..	30.04	763.0	...	...	SE	2		,,	30.06	763.5	...	..	..	0	...
Chefoo,	15	30.18	766.6	52	47	NW	2	0	6	30.11	764.8	40	65	SW	1	b
Hankow,	,,	...	...	.	...	...	...	...	,,	...	...	..	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Changsha,	,,	..	..	.	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.22	767.7	57	67	NW	1	0	,,	30.27	768.9	46	100	WNW	1	b
Gutzlaff,	,,	30.20	767.1	56	75	N	4	r	,,	30.25	768.3	52	93	NW	4	b
Sharp Peak,	..	30.09	764.3	63	94	NE	4	of	7	30.14	765.5	62	83	N	1	0
Amoy,	15	29.99	761.7	77	77	SSE	4	b	9	30.07	763.8	67	91	NE	2	0
Swatow,	,,	.		...	...	...	...	...	8	...	...	...	...	...	..	...
Taihoku,	11	30.02	762.6	81	66	NW	2	b	5	30.12	765.0	64	92	...	0	0
Taichu,	,,	30.04	762.9	84	...	...	0	b	,,	30.06	763.5	64	...	N	2	b
Tainan,	,,	30.02	762.6	84	...	W	2	b	,,	30.04	762.9	66	...	N	4	0
Koshun,	,,	30.01	762.3	81	...	...	0	0	,,	30.01	762.3	72	...	...	0	r
Pescadores,	,,	30.06	763.5	77	...	NW	4	0	,,	30.06	763.5	70	...	NNE	6	0
Canton,	14	...	...	...	...	..	...	...	6	...	...		..	...	...	...
Hongkong,	,,	30.00	762.0	76	73	E	3	0	,,	30.08	764.0	65	66	N	2	0
Gap Rock,	,,	30.01	762.2	..	...	ENE	4	c	,,	30.07	763.8	...	...	N	4	0
Macao,	,,	29.98	761.4	84	64	SE	2	0	,,	30.07	763.8	61	79	N	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.98	761.4	84	60	SE	4	b	,,	30.14	765.6	63	75	WNW	4	0
Tourane,	,,	29.97	761.1	77	...	ENE	2	b	7	30.00	762.0	73	...	E	2	b
Cape St. James,	,,	29.84	757.8	81	...	ENE	2	b	,,	29.85	758.1	77	...	NNE	2	0
Basco,	..	29.92	759.9	82	77	ESE	4	0	,,	...	...	...	...	...	...	...
Aparri,	14	29.88	759.0	86	68	NE	4	b	6	29.94	760.5	73	91	...	0	0
Manila,	,,	29.82	757.5	86	61	NE	4	0	,,	29.88	759.0	70	92	N	1	b
Legaspi,	,,	29.81	757.2	86	65	NNE	4	b	,,	29.86	758.4	77	88	NE	2	b
Tacloban,	,,	...	...	...	...	..	...	...	,,	29.86	758.4	75	94	N	2	0
Iloilo,	,,	29.76	756.0	86	61	NE	6	0	,,	29.82	757.5	75	91	N	4	0
Surigao,	,,	29.78	756.3	82	81	ENE	1	0	,,	29.85	758.1	75	96	N	4	0
Guam,	..	29.75	755.7	...	...	NE	2	0	..	29.80	756.9	...	...	NE	2	0
Yap,	12.20	29.74	755.4	...	...	ENE	4	0	4.20	29.79	756.6	...	...	ENE	2	0
Palu,	12.47	...	...	...	...	...	...	...	5	..	...	...	...	...	...	...
Labuan,	11	29.73	755.1	88	84	NW	2	b	6	29.85	758.2	76	94	NW	2	b

November 20*d.* 11*h.* 15*m.*—Pressure has decreased considerably over central and N.E. Japan and slightly from Chefoo to Wladivostock. It has increased moderately over Tongking and slightly from Hongkong to Formosa. It is nearly stationary elsewhere.

A somewhat deep depression is moving eastward over N.E. Japan.

The anticyclone now appears to be central over the Yangtze Valley.

Moderate to fresh monsoon will continue along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 86·57 inches, against an average of 81·57 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh to strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate to fresh; fair.
3.—Hongkong to Gap Rock,	N.E. winds, moderate to fresh; fair.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate to fresh; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	20th November, 1925.								21st November, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.95	760.8	38	...	ESE	2	o	.	29.84	757.8	38	...	SE	2	o
Nemuro,	11	.		...	...	...	...	...	5	30.04	763.0	...	...	SW	3	...
Hokodate,	..	29.72	755.0	...	...	NW	2	...	,,	30.08	764.0	...	...	NE	1	...
Tokio,	,,	29.78	756.5	...	...	N	1	...	,,	30.14	765.5	...	...	NW	1	...
Kochi,	,,	29.96	761.0	...	...	...	o	...	,,	30.14	765.5	...	...	SW	1	...
Nagasaki,	,,	30.08	764.0	...	...	N	2	...	,,	30.16	766.0	...	..	SSE	1	...
Kagoshima,	,,	30.01	763.0	...	...	NW	2	...	,,	30.18	766.5	...	..	WNW	1	...
Oshima,	,,	30.06	763.5	...	...	N	2	...	,,	30.14	765.5	...	...	...	o	...
Naha,	,,	30.06	763.5	...	...	N	3	...	,,	30.10	764.5	...	..	NE	1	...
Ishigakijima,	,,	29.67	753.5	...	...	N	2	...	,,	30.04	763.0	...	...	NE	1	...
Bonin Island,	..	30.04	763.0	...	...	SSE	1	..	..	30.10	764.5	...	.	SSE	1	...
Chefoo,	15	29.95	760.7	56	35	SW	4	b	6	29.95	760.7	52	66	SW	4	b
Hankow,	,,	...	...	..	...	...	...	...	,,	...	...	..	..	...	..	...
Ichang,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Changsha,	..	...		.	...	...	...	...	,,	...	...	...	...	..	...	...
Shanghai,	14	30.19	766.8	61	50	W	1	b	,,	30.17	766.2	46	97	SSE	1	b
Gutzlaff,	,,	30.22	767.6	58	58	WNW	2	b	,,	30.20	767.1	56	81	SW	2	b
Sharp Peak,	,,	30.13	765.3	70	75	ENE	2	o	7	30.13	765.3	62	92	NW	1	o
Amoy,	15	30.06	763.5	70	75	NE	2	o	9	30.08	764.0	65	95	NNW	2	b
Swatow,	,,	..		...	..		...	...	8	...	...	..	..	...	..	...
Taihoku,	11	30.12	765.0	72	75	E	4	o	5	30.05	763.2	66	88	SE	2	b
Taichu,	,,	30.05	763.2	77	...	N	2	b	,,	30.06	763.5	59	...		o	b
Tainan,	,,	30.04	762.9	75	...	N	2	o	,,	30.02	762.6	63	...	NNE	2	b
Koshun,	,,	29.98	761.4	79	...	NE	6	b	,,	30.01	762.3	68	..	NNE	2	b
Pescadores,	,,	30.06	763.5	73	...	NNE	6	o	..	30.04	762.9	70	...	NNE	4	b
Canton,	14	...		...	...	...	...	...	6	.	..		...	...	...	...
Hongkong,	,,	30.04	763.0	70	63	N	2	o	,,	30.06	763.5	66	79	...	o	o
Gap Rock,	,,	30.03	762.7	..	...	N	4	o	,,	30.05	763.2	...	.	N	4	o
Macao,	,,	30.06	763.5	66	63	NNE	4	o	,,	30.04	762.9	66	76	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Phulien,	,,	30.05	763.2	73	52	NW	1	b	,,	30.07	763.8	64	82	NE	4	bf
Tourane,	,,	.	...	...	...	...	...	...	7	..	...	.	...	..	..	...
Cape St. James,	,,	...	...	..	...	...	...	...	,,	29.84	757.8	75	...	NE	2	b
Basco,	,,	29.93	760.2	81	80	NNE	4	o	..	29.95	760.8	75	88	ENE	4	o
Aparri,	14	29.88	759.0	84	68	ENE	4	b	6	29.93	760.2	72	92	...	o	b
Manila,	,,	29.81	757.2	82	67	SW	2	o	,,	29.86	758.4	68	96	NNE	1	b
Legaspi,	,,	29.80	756.9	86	71	NNE	4	b	,,	29.81	757.2	77	92	NNE	2	o
Tacloban,	,,	...	...	...	...	...	..	...	..	...	..	...	...	...	...	...
Iloilo,	,,	29.74	755.4	86	75	NE	6	o	,,	29.81	757.2	75	94	N	4	o
Surigao,	,,	29.76	756.0	81	69	ENE	2	o	,,	29.81	757.2	75	96	...	o	o
Guam,	.	29.74	755.4	..	...	E	4	o	..	29.81	757.2	...	...	NE	2	o
Yap,	12.20	29.76	756.0	...	...	ENE	4	r	4.20	29.80	756.9	...	...	NNE	2	b
Palu,	12.47	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	11	29.77	756.1	77	94	N	...	...	6	29.82	757.4	75	94	NW	2	b

November 21*d.* 11*h.* 09*m.*—Pressure has increased considerably over Japan, moderately over the Loochoos, and slightly over Formosa and northern Luzon; it has decreased moderately over S. Manchuria, and slightly elsewhere.

An area of moderately high pressure extends from China across Japan and the Bonins to the Pacific. Moderate monsoon will prevail along the S.E. coast of China and over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.57 inches, against an average of 81·61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate.
2.—South coast of China between Hongkong and Lamocks.	N. winds, moderate; fine.
3.—Hongkong to Gap Rock,	N. winds, moderate; fine.
4.—South coast of China between Hongkong and Hainan,	N. winds, moderate; fine.

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	21st November, 1925.								22nd November, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12			...	...	...	...	...	-	...	...	...	...	...	...	...
Nemuro,	11	30.06	763.5	...	...	SSE	5	...	5	...	...	...	...	...	...	...
Hokodate,	..	30.06	763.5	...	...	SSE	1	...	,,	29.80	757.0	...	...	W	7	...
Tokio,	,,	30.12	765.0	...	...	NE	1	...	,,	30.02	762.5	...	...	WNW	1	...
Kochi,	,,	30.12	765.0	...	...	..	0	...	,,	30.20	767.0	...	...	WSW	1	...
Nagasaki,	,,	30.18	766.5	...	...	WSW	1	...	,,	30.24	768.0	...	...	...	0	...
Kagoshima,	,,	30.18	766.5	...	...	ENE	1	...	,,	30.24	768.0	...	...	WNW	1	...
Oshima,	,,	30.16	766.0	...	...	NNE	1	...	,,	30.20	767.0	...	...	SSE	1	...
Naha,	,,	30.12	765.0	...	...	NW	2	...	,,	30.20	767.0	...	...	ENE	2	...
Ishigakijima,	,,	30.10	764.5	...	...	NE	2	...	,,	30.08	764.0	...	...	ENE	1	...
Bonin Island,	..	30.08	764.0	...	...	S	1	.	..	30.12	765.0	..	...	...	0	...
Chefoo,	15	30.18	766.6	48	49	NW	6	b	6	30.37	771.4	38	72	NW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	.	...	...	...	...	,,	...	...	...	...		...	...
Shanghai,	14	30.20	767.1	66	38	W	1	b	,,	30.30	769.5	45	100	NW	1	b
Gutzlaff,	,,	30.21	767.3	64	53	W	2	b	,,	30.33	770.4	54	89	N	1	b
Sharp Peak,	,,	30.17	766.3	78	65	E	2	b	7	30.17	766.3	62	89	NNW	2	b
Amoy,	15	30.04	763.0	77	65	NNE	4	b	0	...	...	...	...	...	...	...
Swatow,	..	..		...	...	.	...	...	8	..	...	..	...	...	...	...
Taihoku,	11	30.08	764.1	77	68	N	2	o	5	30.11	764.7	68	91	ENE	2	o
Taichu,	,,	30.07	763.8	81	...	NNW	2	b	,,	30.07	763.8	59	...	...	0	b
Tainan,	,,	30.06	763.5	82	...	N	4	b	,,	30.05	763.2	64	...	N	2	b
Koshun,	,,	30.05	763.2	81	...	NE	4	b	,,	30.01	762.3	73	...	NNE	4	o
Pescadores,	,,	30.10	764.4	77	...	N	4	o	,,	30.11	764.7	64	...	...	0	o
Canton,	14	30.05	763.2	79	58	N	2	b	6	..	..		...	...	...	...
Hongkong,	,,	30.02	762.5	74	63	ESE	3	b	,,	30.08	764.0	69	84	ENE	3	b
Gap Rock,	,,	30.03	762.7	...	...	NNE	4	b	,,	30.06	763.5	...	...	ENE	4	b
Macao,	,,	30.00	762.0	73	62	N	4	b	,,	30.05	763.2	64	94	N	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.99	761.7	77	57	NNW	1	b	,,	...	...	...	...	...	...	...
Tourane,	,,	29.95	760.8	75	...	ENE	4	of	7	...	...	...	...	...	...	...
Cape St. James,	,,	29.80	756.9	79	...	ENE	6	bf	,,	...	...	...	...	...	...	...
Basco,	..	29.92	759.9	79	76	NE	4	o	..	...	...	...	...	...	...	...
Aparri,	14	29.89	759.3	77	91	NNW	8	r	6	29.93	760.2	73	96	...	c	r
Manila,	,,	29.80	756.9	86	58	WSW	4	o	,,	29.87	758.7	73	94	NE	2	o
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	79	96	N	2	o
Tacloban,	,,	29.78	756.3	84	81	NNW	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	86	71	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.76	756.0	81	87	N	4	o	,,	...	...	...	...	...	...	...
Guam,	.	29.76	756.0	...	...	ENE	4	r	,,	...	...	...	...	...	...	...
Yap,	12.20	29.75	755.7	...	...	NNE	4	o	4.20	29.79	756.6	...	...	NNE	2	o
Palu,	12.47	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Labuan,	11	29.71	754.6	86	88	NW	4	b	b	...	...	...	...	...	...	...

November 22*d.* 10*h.* 55*m.*—Pressure has increased moderately at Chefoo and slightly in central districts. It has decreased considerably over N.E. Japan and slightly over central Japan. In the South it is nearly stationary.

The anticyclone is developing and is now central over S.E. Mongolia and N. China.

Moderate to fresh monsoon may be expected along the coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.57 inches, against an average of 81·65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

District.	Forecast.
1.—Formosa Channel.	N.E. winds, moderate to fresh; fine.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock.	
4.—South coast of China between Hongkong and Hainan.	

T. F. CLANTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	22nd November, 1925.								23rd November, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.22	767.7	34	...	WNW	4	b		30.51	775.0	18	..	NNE	2	b
Nemuro,	11	..	..	...	...	...	...	...	5	30.00	762.0	...	...	SW	3	...
Hokodate,	..	29.96	761.0	...	...	W	7	...	,,	30.22	767.5	...	...	W	5	...
Tokio,	,,	30.02	762.5	...	...	NW	1	...	,,	30.32	770.0	...	...	...	...	...
Kochi,	,,	30.18	766.5	...	...	..	...	...	,,	30.32	770.0	...	...	SW	1	...
Nagasaki,	,,	30.26	768.5	...	...	NNW	1	...	,,	30.33	770.5	...	...	NNE	1	...
Kagoshima,	,,	30.24	768.0	...	...	ENE	1	...	,,	30.30	769.5	...	...	NW	1	...
Oshima,	,,	30.22	767.5	...	...	NNE	2	...	,,	30.24	768.0	...	...	...	0	...
Naha,	,,	30.18	766.5	...	...	NE	3	...	,,	30.18	766.5	...	..	ENE	6	...
Ishigakijima,	,,	30.12	765.0	...	...	WNW	1	...	,,	30.08	764.0	...	...	ENE	3	...
Bonin Island,	..	30.10	764.5	...	...	S	1	..	..	30.16	766.0	...	...	NNE	1	...
Chefoo,	15	30.32	770.1	52	41	S	1	b	6	30.31	769.9	40	91	...	0	b
Hankow,	,,	...	...	.	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...		...	...	...	...	,,	...	...	...	...	..	...	...
Shanghai,	14	30.32	770.1	66	54	ENE	2	b	,,	30.28	769.2	55	86	E	2	b
Gutzlaff,	,,	30.31	769.9	67	64	NNW	1	b	,,	30.30	769.6	58	76	ESE	4	o
Sharp Peak,	,,	30.16	766.0	69	56	NE	4	o	7	30.16	766.0	65	78	NNW	2	o
Amoy,	15	30.07	763.8	77	65	ENE	4	b	9	30.09	764.3	67	84	NNW	2	b
Swatow,	,,	...		...	...		...	...	8	.	.	...	...	..	...	...
Taihoku,	11	30.14	765.6	77	72	E	4	b	5	30.05	763.2	72	94	E	2	o
Taichu,	,,	30.06	763.5	61	...	N	2	b	,,	30.06	763.5	61	...	...	0	b
Tainan,	,,	30.05	763.2	81	...	NNW	2	b	,,	30.02	762.6	64	...	...	0	b
Koshun,	,,	30.04	762.9	81	...	NNE	4	b	,,	30.01	762.3	75	...	NNE	4	b
Pescadores,	,,	30.10	764.4	75	...	NE	2	o	..	30.04	762.9	72	...	NNE	4	b
Canton,	14	...		...	...	...	...	...	6		..		...	...	...	...
Hongkong,	,,	30.06	763.5	73	66	E	3	c	,,	30.08	764.0	69	76	NE	2	o
Gap Rock,	,,	30.06	763.5	...	...	ENE	4	c	,,	30.07	763.8	...	..	ENE	4	c
Macao,	,,	30.04	762.9	79	61	SE	2	b	,,	30.04	762.9	70	77	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,	,,	...	...	...	...	...	...	...	,,	30.02	762.5	75	..	NE	5	c
Phulien,	,,	30.00	762.0	75	71	ESE	4	o	7	30.01	762.3	68	96	NNE	2	of
Tourane,	,,	29.97	761.1	75	...	NE	6	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.81	757.2	81	...	ENE	6	bf	..	...	...	...	...	...	...	...
Basco,	14	29.95	760.8	75	85	N	4	o	6	..	...	...	..	...	...	...
Aparri,	,,	29.88	759.0	75	96	E	4	r	,,	29.92	759.9	75	96	..	0	o
Manila,	,,	29.81	757.2	86	61	ENE	4	o	..	29.86	758.4	73	94	NE	1	o
Legaspi,	,,	29.80	756.9	79	96	NNE	2	o	..	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	.	...	,,	.	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	86	68	NE	6	o	,,	29.81	757.2	77	91	N	4	b
Surigao,	..	29.78	756.3	82	...	ENE	2	o	..	...	...	...	...	...	...	...
Guam,	12.20	29.75	755.7	...	...	ENE	4	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.74	755.4	...	...	ENE	4	o	5	29.79	756.6	...	..	ENE	4	o
Labuan,	11	29.72	754.9	86	92	NW	4	b	6	29.83	757.7	78	86	NW	2	b

November 23*d.* 10*h.* 10*m.*—Pressure has increased considerably from S. Manchuria to central and N.E. Japan, and slightly from S.W. Japan to the Bonins. It has decreased slightly along the east coast of China and is nearly stationary elsewhere.

The anticyclone has strengthened and is now central to the west of Wladivostock.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.57 inches, against an average of 81·69 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	23rd November, 1925.								24th November, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.46	773.7	30	...	...	0	0	...	30.27	768.9	26	..	NNE	4	0
Nemuro,	11	30.04	763.0	...	...	WSW	4	...	5	30.30	769.5	...	...	SW	1	...
Hokodate,	..	30.31	770.0	...	...	W	5	...	,,	30.36	771.0	...	...	N	1	...
Tokio,	,,	30.31	770.0	...	...	NNE	1	...	,,	30.39	772.0	...	...	NNW	1	...
Kochi,	,,	30.31	770.0	...	...	...	0	...	,,	30.24	768.0	...	...	...	0	...
Nagasaki,	,,	30.33	770.5	...	...	SE	1	...	,,	30.24	768.0	...	...	E	1	...
Kagoshima,	,,	30.30	769.5	...	...	E	1	...	,,	30.24	768.0	...	...	...	0	...
Oshima,	,,	30.24	768.0	...	...	ENE	1	...	,,	30.16	766.0	...	...	..	0	...
Naha,	,,	30.18	766.5	...	...	ENE	2	...	,,	30.14	765.5	...	...	ENE	1	...
Ishigakijima,	,,	30.10	764.5	...	...	E	3	...	,,	30.04	763.0	...	...	ESE	3	...
Bonin Island,	..	30.14	765.5	...	...	ENE	1	..	..	30.16	766.0	...	...	...	0	...
Chefoo,	15	30.20	767.1	56	69	SSE	2	0	6	30.24	768.1	46	92	...	0	b
Hankow,	,,	...	..	..	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...		...	..	...	...	,,	...	...	...	...	..	...	...
Shanghai,	14	30.18	766.5	66	71	ESE	4	0	,,	30.15	765.9	61	100	ESE	1	of
Gutzlaff,	,,	30.23	767.8	66	73	SE	4	0	,,	30.15	765.8	64	100	SSE	2	b
Sharp Peak,	,,	30.13	765.3	70	80	NNE	1	0	7	30.07	763.8	69	91	W	2	0
Amoy,	15	29.99	761.7	80	70	NE	4	b	9	30.01	762.2	70	91	W	4	0
Swatow,	,,	...		...	...		...	...	8	.		...	...	...	..	...
Taihoku,	11	30.07	763.8	81	69	E	4	b	5	29.98	761.4	72	89	E	2	0
Taichu,	,,	30.05	763.2	81	...		0	b	,,	30.06	763.5	72	...	...	0	of
Tainan,	,,	30.07	763.8	84	...	NNW	2	b	,,	30.00	762.0	68	...	...	0	b
Koshun,	,,	30.02	762.6	82	...	NE	4	0	,,	29.99	761.7	72	...	...	0	b
Pescadores,	,,	30.06	763.5	75	...	NNE	4	0	..	30.01	762.3	72	...	...	0	0
Canton,	14	...		...	...	...	...	...	6	.	..		...	...	...	...
Hongkong,	,,	30.00	762.0	75	60	ESE	3	0	,,	30.01	762.2	72	81	ENE	3	0
Gap Rock,	,,	30.00	762.0	...	...	ENE	5	0	,,	30.00	762.0	...	..	ENE	4	0
Macao,	,,	29.98	761.4	75	63	NE	2	0	,,	29.99	761.7	70	92	NE	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	...	...	...	...	...	...	..	,,	30.02	762.5	77	..	NNE	4	b
Phulien,	,,	29.97	761.1	77	85	ENE	1	rf	7	30.05	763.2	68	96	N	4	of
Tourane,	,,	29.91	759.6	73	...	...	0	rf	,,	29.94	760.5	72	...	N	6	r
Cape St. James,	,,	29.79	756.6	82	...	ENE	6	0	..	29.81	757.2	75	...	...	0	0
Basco,	14	29.89	759.3	81	76	ENE	6	r	6	29.94	760.5	77	88	E	4	0
Aparri,	,,	29.88	759.0	79	91	SW	2	0	,,	29.92	759.9	73	96	...	0	b
Manila,	,,	29.81	757.2	79	92	...	0	0	,,	29.86	758.4	75	96	...	0	0
Legaspi,	,,	29.78	756.3	79	96	NNE	2	0	..	29.81	757.2	79	92	NE	2	0
Tacloban,	,,	...	..	...	...	...	..	...	,,	..	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	86	56	NE	4	0	,,	29.81	757.2	77	94	N	4	0
Surigao,	..	...		...	...	.	...	...	..	29.81	757.2	77	92	ENE	2	r
Guam,	12.20	29.73	755.1	...	...	NE	2	r	4.20	29.75	755.7	...	...	NE	2	0
Yap,	12.47	29.74	755.4	...	...	E	4	0	5	29.76	756.0	...	...	NE	4	0
Labuan,	12	29.78	756.4	84	83	N	2	b	6	29.76	755.9	76	94	N	2	b

November 24*d.* 11*h.* 09*m.*—Pressure has increased moderately over Hokkaido, and slightly over Shantung and the Bonins; it has decreased slightly to moderately elsewhere. The anticyclone is central over Japan.

Moderate monsoon will prevail over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. **Total since January 1st.** 86.58 **inches, against an average of** 81·73 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	24th November, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	25th November, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.31	769.9	27	...	NNE	5	c	-	30.54	775.8	14	...	NE	3	b
Nemuro,	11	30.18	766.5	...	...	W	1	...	5	...	...	...	...	..	..	...
Hokodate,	,,	30.20	767.0	...	...	...	0	...	,,	30.08	764.0	...	...	NW	4	...
Tokio,	,,	30.30	769.5	...	...	NW	2	...	,,	30.04	763.0	...	...	...	0	...
Kochi,	,,	30.26	768.5	...	...	...	0	...	,,	30.08	764.0	...	...	...	0	...
Nagasaki,	,,	30.20	767.0	...	...	...	0	...	,,	30.10	764.5	...	...	ENE	2	...
Kagoshima,	,,	30.20	767.0	...	...	...	0	...	,,	30.06	763.5	...	...	...	0	...
Oshima,	,,	30.16	766.0	...	...	SE	1	...	,,	30.02	762.5	...	...	...	0	...
Naha,	,,	30.10	764.5	...	...	E	1	...	,,	30.02	762.5	...	..	...	0	...
Ishigakijima,	,,	30.06	763.5	...	...	FSE	2	...	,,	30.00	762.0	...	...	NNE	1	...
Bonin Island,	..	30.12	765.0	...	...	...	0	...	..	30.08	764.0	...	..	...	...	...
Chefoo,	15	30.35	770.9	48	78	N	2	0	6	30.45	773.4	42	66	NW	4	b
Hankow,	,,	...	-	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	..	..	...	...	...	...	,,	...	...	...	...	..	...	...
Shanghai,	14	30.14	765.6	64	76	N	2	0	,,	30.26	768.6	57	84	NNE	6	0
Gutzlaff,	,,	30.13	765.3	62	94	NNE	4	0	,,	30.25	768.3	58	81	NNE	6	0
Sharp Peak,	..	30.05	763.2	...	...	E	1	b	7	30.10	764.5	64	93	NNE	4	r
Amoy,	15	29.95	760.7	74	81	NNE	4	b	0	30.03	762.7	72	92	ENE	1	r
Swatow,	..	...		...	...	...	...	...	8	.		...	...	...	...	...
Taihoku,	11	30.01	762.3	82	63	...	0	b	5	30.02	762.6	78	88	E	4	0
Taichu,	,,	30.04	762.9	79	...	...	0	0	,,	30.01	762.3	63	...	...	0	0
Tainan,	,,	30.01	762.3	84	...	NNW	2	b	,,	29.98	761.4	68	...	N	2	0
Koshun,	,,	30.01	762.3	84	...	ENE	2	b	,,	29.98	761.4	70	...	...	0	b
Pescadores,	,,	30.02	762.6	79	...	NNW	2	b	,,	29.99	761.7	73	...	NNE	4	0
Canton,	14	...		...	...	...	...	...	6	...	..	...	...	...	...	...
Hongkong,	,,	29.97	761.2	77	67	ESE	2	0	,,	29.99	761.7	72	87	...	0	0
Gap Rock,	,,	29.97	761.2	...	...	ENE	4	0	,,	30.00	762.0	...	.	NE	4	c
Macao,	,,	29.97	761.1	77	72	NE	2	0	,,	29.98	761.4	72	82	N	1	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.97	761.2	84	...	NE	...	c	,,	30.01	762.2	81	..	NE	...	c
Phulien,	,,	29.97	761.1	82	63	S	1	0	7	30.04	762.0	70	98	NNW	4	bf
Tourane,	,,	29.02	759.9	73	...	NW	2	of	,,	29.95	760.8	73	...	E	2	rf
Cape St. James,	,,	29.81	757.2	52	...	ENE	4	0	..	29.81	757.2	77	...	ENE	2	b
Basco,	14	29.91	759.6	81	84	ESE	4	0	6	29.92	759.9	73	92	E	4	0
Aparri,	,,	29.87	758.7	81	84	E	2	r	,,	29.89	759.3	73	96	...	0	b
Manila,	,,	29.82	757.5	90	51	E	4	0	,,	29.85	758.1	75	91	NE	1	0
Legaspi,	,,	29.81	757.2	79	96	NNE	2	b	..	29.80	756.9	79	95	NNE	4	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Iloilo,	,,	29.75	755.7	86	61	NE	4	0	,,	29.79	756.6	77	96	N	4	0
Surigao,	..	29.79	756.6	79	91	.	0	r	,,	29.78	756.3	75	96	...	0	0
Guam,	12.20	29.72	754.8	...	...	E	4	0	4.20	29.78	756.3	...	...	NE	2	r
Yap,	12.47	29.75	755.7	...	...	NE	4	0	5	29.76	756.0	...	...	NE	2	0
Labuan,	11	29.72	754.9	86	84	N	4	b	6	29.71	754.6	78	91	N	2	b

November 25*d*. 11*h*. 29*m*.—Pressure has increased considerably at Wladivostock and slightly from Chefoo to Shanghai. It has decreased considerably over central Japan, moderately over S.W. Japan, and slightly over the Loochoos and in the extreme South.

The new anticyclone is now central over S.W. Manchuria.

A depression has formed between the Bonins and S.W. Japan. It will probably move north-eastward.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 86.58 inches, against an average of 81·77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLANTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	25th November, 1925.								26th November, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.49	774.2	27	...	NNE	3	b	0	30.39	771.8	23	...	NNE	3	b
Nemuro,	11	29.96	761.0	...	...	WNW	4	...	5	29.90	759.5	...	...	SW	1	...
Hokodate,	,,	30.14	765.5	...	...	WNW	6	...	,,	30.04	763.0	...	...	W	3	...
Tokio,	,,	30.10	764.5	...	...	NNW	2	...	,,	30.20	767.0	...	...	NNW	1	...
Kochi,	,,	30.12	765.0	...	...	NNE	1	...	,,	30.10	764.5	...	...	...	0	...
Nagasaki,	,,	30.14	765.5	...	...	NE	3	...	,,	30.12	765.0	...	...	NE	2	...
Kagoshima,	,,	30.08	764.0	...	...	..	0	...	,,	30.04	763.0	...	...	NNW	1	...
Oshima,	,,	29.98	761.5	...	...	SSE	1	...	,,	29.96	761.0	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.00	762.0	...	...	N	1	...
Ishigakijima,	,,	..	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	..	30.04	763.0	...	...	...	...	...	..	30.00	762.0	...	...	...	0	...
Chefoo,	15	30.45	773.4	46	62	NNW	2	b	6	30.37	771.4	36	83	WNW	2	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	.	..	...	...	...	...	,,	...	...	...	...	..	...	...
Shanghai,	14	30.31	769.8	63	56	NNE	4	b	,,	30.34	770.7	45	92	NNW	4	b
Gutzlaff,	,,	30.27	768.8	60	65	NNE	4	o	,,	30.31	769.9	54	74	NE	4	o
Sharp Peak,	,,	30.11	764.8	68	95	ENE	2	r	7	30.14	765.5	63	83	E	1	o
Amoy,	15	30.01	762.2	76	73	ENE	4	o	9	30.09	764.3	66	84	NE	2	b
Swatow,	,,			...	...		...	...	8	..	..	...	...	...	...	...
Taihoku,	11	30.08	764.1	75	76	ENE	4	r	5	30.10	764.4	64	94	E	4	o
Taichu,	,,	30.01	762.3	81	...	NNW	2	b	,,	30.00	762.0	66	...	...	0	b
Tainan,	,,	30.00	762.0	82	...	N	2	b	,,	29.98	761.4	66	...	NNE	2	o
Koshun,	,,	29.98	761.4	82	...	NNE	2	b	,,	29.98	761.4	70	...	...	0	b
Pescadores,	,,	30.04	762.9	77	...	NNE	4	b	,,	30.00	762.0	70	...	NNE	6	o
Canton,	14	...	...		...	...	...	...	6		...		...	..	...	...
Hongkong,	,,	29.97	761.2	79	54	NE	2	c	,,	30.07	763.8	68	67	NNE	1	o
Gap Rock,	,,	29.99	761.7	...	...	NE	4	c	,,	30.06	763.5	...	...	ENE	5	o
Macao,	,,	29.93	760.2	77	61	N	4	o	,,	30.00	762.0	68	71	NNE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	..	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	...	...	...	...	...	...	...	,,	30.03	762.7	79	...	NE	...	c
Phulien,	,,	29.99	761.7	82	60	...	c	o	7	30.06	763.5	68	77	NNE	5	o
Tourane,	,,	29.91	759.6	75	...	E	2	ot	,,	29.95	760.8	73	...	E	4	o
Cape St. James,	,,	29.76	756.0	81	...	ENE	6	b	..	29.80	756.9	75	...	ENE	6	b
Basco,	14	29.89	759.3	81	73	NE	4	o	6	29.94	760.5	75	85	NNE	4	b
Aparri,	,,	29.86	758.4	82	74	ENE	4	o	,,	29.93	760.2	75	85	E	2	o
Manila,	,,	29.82	757.5	81	76	N	2	o	,,	29.85	758.1	68	98	...	0	b
Legaspi,	,,	29.79	756.6	86	78	NNE	4	b	..	29.79	756.6	79	92	NNE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	86	71	NNE	4	o	,,	29.78	756.3	75	91	N	4	b
Surigao,	..	29.73	755.1	81	94	...	0	o	..	29.78	756.3	75	96	...	0	o
Guam,	12.20	29.72	754.8	...	...	E	2	r	4.20	29.79	756.6	...	...	SE	1	r
Yap,	12.47	29.75	755.7	...	...	SE	2	o	5	29.80	756.9	...	...	N	1	b
Labuan,	14	29.75	755.6	84	83	N	1	o	6	29.82	757.4	76	94	N	2	b

November 26*d.* 11*h.* 20*m.*—Pressure has decreased slightly in northern districts and increased slightly from Hongkong to Formosa. It is nearly stationary elsewhere. The form and position of the anticyclone is uncertain this morning.

The Bonins depression has passed into the Pacific.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·77 inch. Total since January 1st, 87·35 inches, against an average of 81·80 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel.	N.E. winds, fresh; generally cloudy, some drizzle or mist.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock.	
4.—South coast of China between Hongkong and Hainan.	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	26th November, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	27th November, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.35	770.8	40	...	NNE	4	b		30.38	771.6	23	..		0	b
Nemuro,	11	29.74	755.5	...	...	W	3	...	5	30.08	764.0	...	...	WNW	4	...
Hokodate,	..	29.96	761.0	...	...	W	6	...	,,	30.24	768.0	...	...	...	0	...
Tokio,	,,	30.12	765.0	...	...	N	1	...	,,	30.18	766.5	...	...	NNE	1	...
Kochi,	,,	30.08	764.0	...	...	...	0	...	,,	30.08	764.0	...	...	SW	1	...
Nagasaki,	,,	30.22	767.5	...	...	NE	1	...	,,	30.14	765.5	...	...	NE	1	...
Kagoshima,	,,	30.08	764.0	...	...	NNW	1	...	,,	30.06	763.5	...	...	...	..	...
Oshima,	,,	30.00	762.0	...	...	SE	3	...	,,	30.04	763.0	...	...	N	3	...
Naha,	,,	30.02	762.5	...	...	ENE	1	...	,,	30.08	764.0	...	..	N	3	...
Ishigakijima,	,,	30.08	764.0	...	...	NNW	2	...	,,	30.08	764.0	...	...	N	2	...
Bonin Island,	..	29.92	760.0	...	...	...	0		..	29.84	758.0	...	..	W	1	...
Chefoo,	15	30.31	769.9	50	72	NW	0	0	6	30.30	769.6	42	75	SW	4	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	..	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Changsha,	,,	...		...	...	...	...	...	,,	...	...	...	...	..	...	...
Shanghai,	14	30.33	770.4	57	51	NNW	4	b	,,	30.34	770.7	41	94	NW	1	b
Gutzlaff,	,,	30.32	770.1	58	58	NNW	4	b	,,	30.33	770.4	52	66	NNW	4	b
Sharp Peak,	,,	30.17	766.3	72	67	E	4	b	7	30.19	766.8	60	76	N	1	b
Amoy,	15	30.05	763.2	76	69	NE	4	b	9	30.17	766.3	63	67	NNE	4	b
Swatow,	..	...		...	...		...	...	8	..	..	...	...	...	..	...
Taihoku,	11	30.18	766.8	68	81	E	4	o	5	30.15	765.9	64	86	E	2	o
Taichu,	,,	30.06	763.5	75	...	N	4	b	,,	30.06	763.5	64	...	N	2	o
Tainan,	,,	30.06	763.5	75	...	NNW	4	o	,,	30.05	763.2	63	...	N	4	b
Koshun,	,,	30.04	762.9	77	...	NNE	4	o	,,	30.01	762.3	70	...	NNE	4	b
Pescadores,	,,	30.10	764.4	72	...	NNE	6	o	,,	30.08	764.1	68	...	NNE	6	b
Canton,	14	...		...	...	...	...	...	6	...	...	..	..	...	...	...
Hongkong,	,,	30.04	763.0	74	57	E	2	o	,,	30.15	765.8	67	64	NNE	2	o
Gap Rock,	,,	30.05	763.2	...	...	NE	4	o	,,	30.14	765.5	...	..	NE	4	o
Macao,	,,	30.02	762.6	73	62	NE	4	b	,,	30.13	765.3	64	82	NNW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.07	763.8	76	...	ENE	6	ed	,,	30.11	764.8	73	..	NE	6	o
Phulien,	,,	30.02	762.6	81	53	E	1	b	7	30.12	765.0	68	83	ENE	6	b
Tourane,	,,	29.92	759.9	75	...	E	4	o	,,	30.01	762.3	73	...	E	6	o
Cape St. James,	,,	29.79	756.6	79	...	ENE	6	b	,,	29.82	757.5	75	...	NE	2	o
Basco,	14	29.87	758.7	75	91	N	4	r	6	29.99	761.7	73	79	N	6	o
Aparri,	,,	29.87	758.7	82	70	NE	4	b	,,	29.94	760.5	77	79	NE	4	o
Manila,	,,	29.79	756.6	82	74	SSW	1	o	,,	29.85	758.1	70	96	ENE	1	b
Legaspi,	,,	29.74	755.4	86	75	NNE	4	o	,,	29.80	756.9	77	96	...	0	o
Tacloban,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	86	65	NE	4	o	,,	29.80	756.9	75	91	N	4	o
Surigao,	.	29.72	754.8	84	81	N	2	b	..	29.78	756.3	75	96	...	0	o
Guam,	12.20	29.75	755.7	...	...	SW	2	r	4.20	29.79	756.6	...	...	SSW	1	o
Yap,	12.47	29.74	755.4	...	...	E	2	b	5	29.79	756.6	...	...	ENE	..	o
Labuan,	14	29.71	754.6	86	84	N	4	b	6	29.77	756.1	80	95	N	2	b

November 27d. 11h. 15m.—Pressure has increased considerably over N.E. Japan and slightly from the Loochoos to Luzon and over S. China. It has decreased slightly over the Bonins and is nearly stationary elsewhere.

The northern portion of the anticyclone has moved eastward, leaving a separate anticyclone over China.

A depression is shown to the east of the Bonins.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 87·35 inches, against an average of 81·83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N. winds, fresh; fine.
3.—Hongkong to Gap Rock,	N. winds, fresh; fine.
4.—South coast of China between Hongkong and Hainan,	N. winds, fresh; fine.

T. F. CLANTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	27th November, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	28th November, 1925. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.24	768.1	37	...	SE	2	b	.	29.89	759.2	38	..	SE	4	o
Nemuro,	11	30.10	764.5	...	...	NNW	4	...	5	30.18	766.5	...	..	..	o	...
Hokodate,	,,	30.26	768.5	...	...	N	2	...	,,	30.14	765.5	...	...	NNE	1	...
Tokio,	,,	30.20	767.0	...	...	NE	2	...	,,	30.16	766.0	...	...	NW	1	...
Kochi,	,,	30.08	764.0	...	...	...	o	...	,,	29.98	761.5	...	...	SW	1	...
Nagasaki,	,,	30.10	764.5	...	...	ENE	1	...	,,	30.00	762.0	...	...	...	o	...
Kagoshima,	,,	30.06	763.5	...	...	...	o	...	,,	29.98	761.5	...	...	WNW	1	...
Oshima,	,,	30.06	763.5	...	...	N	2	...	,,	30.00	762.0	...	...	NNW	1	...
Naha,	,,	30.10	764.5	...	...	NNW	3	..	,,	30.06	763.5	...	..	WNW	2	...
Ishigakijima,	,,	30.14	765.5	...	...	NNE	4	...	,,	30.10	764.5	...	...	NNW	1	...
Bonin Island,	,,	29.80	757.0	...	...	W	1	..	,,	29.86	758.5	...	...	ENE	1	...
Chefoo,	15	30.19	766.8	52	53	SW	2	o	6	30.03	762.7	40	91	N	7	o
Hankow,	,,	...	..	...	...	...	...	...	,,	...	...	...	..	...	..	...
Ichang,	,,	...	..	...	...	...	...	...	,,	...	...	..	...	...	..	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	..	...	...
Shanghai,	14	30.30	769.5	59	43	W	2	b	,,	30.25	768.3	45	80	WNW	4	b
Gutzlaff,	,,	30.30	769.6	58	58	NNW	4	b	,,	30.24	768.1	48	78	NW	6	b
Sharp Peak,	,,	30.20	767.1	73	58	E	2	b	7	30.20	767.1	56	84	W	1	o
Amoy,	15	30.09	764.3	74	55	NE	2	b	9	30.19	766.8	60	82	NE	2	b
Swatow,	,,	...		...	...	...	...	...	8	.	..	...	...	...	..	...
Taihoku,	11	30.20	767.1	66	76	E	4	o	5	30.18	766.5	59	98	...	c	c
Taichu,	,,	30.13	765.3	73	...	N	2	o	,,	30.11	764.7	59	...	N	2	b
Tainan,	,,	30.11	764.7	77	...	N	4	b	,,	30.10	764.4	59	...	N	4	b
Koshun,	,,	30.07	763.8	75	...	NE	6	b	,,	30.06	763.5	68	...	NNE	4	b
Pescadores,	,,	30.15	765.9	70	...	NNE	6	o	,,	30.13	765.3	64	...	NNE	6	b
Canton,	14	30.12	765.0	78	50	N	2	b	6	..	.		..	...	...	...
Hongkong,	,,	30.07	764.3	76	47	N	2	o	,,	30.17	766.3	61	59	NNE	4	b
Gap Rock,	,,	30.09	764.3	...	...	ENE	4	b	,,	30.15	765.8	...	...	N	4	b
Macao,	,,	30.08	764.1	73	48	NNE	4	b	,,	30.20	767.1	61	59	NNE	4	o
Wuchow,	15	..	...	...	...	...	...	...	9	...	...	...		...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pratas Island,	,,	30.15	765.8	78	...	NNE	4	b	,,	...	...	...	..	...	...	. .
Phulien,	,,	30.07	763.8	81	46	SE	4	b	7	30.19	766.8	64	71	NE	4	o
Tourane,	,,	30.00	762.0	75	...	E	6	o	,,	30.06	763.5	72	...	ENE	4	o
Cape St. James,	,,	29.85	758.1	79	...	ENE	6	o	..	29.85	758.1	73	...	ENE	6	b
Basco,	14	29.95	760.8	77	76	N	4	o	6	30.00	762.0	72	65	N	4	o
Aparri,	,,	29.92	759.9	81	73	NE	4	b	,,	29.98	761.4	73	91	ENE	4	r
Manila,	,,	29.82	757.5	82	67	...	o	o	,,	29.88	759.0	75	89	N	1	o
Legaspi,	,,	29.81	757.2	86	71	NE	2	b	,,	29.82	757.5	73	90	...	c	b
Tacloban,	,,	...	...	...	...	...	..	...	,,	..	...	...	...	...	..	...
Iloilo,	,,	29.75	755.7	86	68	N	4	o	,,	29.82	757.5	75	94	N	4	o
Surigao,	.	29.75	755.7	84	81	NNE	2	o	..	29.84	757.8	75	96	...	c	o
Guam,	12.20	29.74	755.4	...	...	ESE	2	o	4.20	29.80	756.9	...	...	SE	1	b
Yap,	12.47	29.76	756.0	...	...	SSE	1	b	5	29.82	757.5	...	...	NW	1	o
Labuan,	11	29.73	755.1	88	84	N	2	b	o	29.81	757.2	76	94	NE	2	b

November 28*d.* 10*h.* 35*m.*—Pressure has decreased considerably at Wladivostock, moderately at Chefoo and slightly over Japan. It has increased slightly over S. China and is nearly stationary elsewhere.

The anticyclone over China has weakened slightly.

The monsoon will moderate along the S.E. coast of China and remain fresh over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 87·75 inches, against an average of 81·86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh ; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	28th November, 1925.								29th November, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.72	754.9	40	...	...	5	o		29.70	754.3	27	...	N	6	o
Nemuro,	11	30.08	764.0	...	...	SSW	2	...	5	29.84	758.0	...	...	SE	5	...
Hokodate,	,,	29.98	761.5	...	...	SE	3	...	,,	29.43	747.5	...	...	ENE	2	...
Tokio,	,,	30.02	762.5	...	...	N	2	...	,,	29.45	748.0	...	...	...	c	...
Kochi,	,,	29.82	757.5	...	...	SW	1	...	,,	..	...	...	...	..	...	...
Nagasaki,	,,	29.90	759.5	...	...	W	2	...	,,	29.94	760.5	...	...	NNW	2	...
Kagoshima,	,,	29.94	760.5	...	...	WNW	1	...	,,	29.90	759.5	...	...	...	o	...
Oshima,	,,	30.00	762.0	...	...	N	2	...	,,	30.00	762.0	...	...	NNW	1	...
Naha,	,,	30.08	764.0	...	...	NW	3	...	,,	30.06	763.5	...	...	NW	2	...
Ishigakijima,	,,	30.14	765.5	...	...	NNW	2	...	,,	30.08	764.0	...	...	NNW	1	...
Bonin Island,	,,	29.84	758.0	...	...	...	o	...	,,	29.82	757.5	...	...	N	2	...
Chefoo,	15	30.04	763.0	74	81	NW	6	o	6	30.10	764.3	32	82	...	o	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Shanghai,	14	30.20	767.1	54	28	WNW	6	b	,,	30.18	766.5	32	84	SW	1	b
Gutzlaff,	,,	30.19	766.8	52	35	NW	6	b	,,	30.18	766.6	44	53	N	2	b
Sharp Peak,	,,	30.15	765.8	76	53	E	1	b	7	30.13	765.5	58	76	W	2	b
Amoy,	15	30.06	763.5	73	51	NE	4	b	9	30.07	763.8	60	82	NNE	1	b
Swatow,	,,	...	...	...	...	...	...	...	8	...	..	...	...	...	...	...
Taihoku,	11	30.19	766.8	72	51	E	4	b	5	30.07	763.8	55	81	E	4	b
Taichu,	,,	30.12	765.0	72	...	NNW	2	b	,,	30.04	762.9	50	...	...	c	b
Tainan,	,,	30.11	764.7	72	...	N	4	b	,,	30.01	762.3	55	...	...	o	b
Koshun,	,,	30.08	764.1	73	...	NE	4	b	,,	...	...	66	...	NE	4	b
Pescadores,	,,	30.14	765.6	72	...	NNE	6	b	,,	30.04	762.9	63	...	NNE	4	b
Canton,	14	.	...	...	...	..	...	...	6	...	..	...	...	...	...	...
Hongkong,	,,	30.08	764.0	71	42	ESE	1	b	,,	30.02	762.5	62	71	...	o	b
Gap Rock,	,,	30.09	764.3	...	...	NNE	4	b	,,	30.03	762.7	...	...	NNE	4	b
Macao,	,,	30.07	763.8	68	40	NE	4	b	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.10	764.5	78	...	NE	4	c	,,	30.01	762.2	72	...	NE	4	c
Phulien,	,,	30.10	764.4	73	48	NNW	1	o	7	...	...	...	...	...	...	...
Tourane,	,,	30.00	762.0	72	...	E	6	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.79	756.6	81	...	ENE	6	o	,,	...	...	...	...	...	...	...
Basco,	14	29.94	760.5	75	63	N	4	o	6	..	...	...	..	...	...	...
Aparri,	,,	...	...	...	...	...	...	...	,,	29.93	760.2	68	96	...	o	o
Manila,	,,	29.79	756.6	84	64	SSW	2	o	,,	29.84	757.8	73	89	...	o	o
Legaspi,	,,	29.78	756.3	86	75	NE	2	o	,,	29.81	757.2	75	98	NNE	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	86	68	N	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.74	755.4	82	81	ENE	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.74	755.4	...	...	N	1	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.75	755.7	...	...	ENE	4	o	5	29.78	756.3	...	...	SW	1	b
Labuan,	14	29.77	756.1	86	84	N	2	b	6	...	...	...	...	...	...	...

November 29*d.* 10*h.* 50*m.*—Pressure has decreased considerably over central and N.E. Japan and slightly from Shanghai to Hongkong and Formosa. It is nearly stationary elsewhere.

A somewhat deep depression is central to the north of Tokio.

The anticyclone has weakened slightly.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 87·35 inches, against an average of 81·89 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	29th November, 1925.								30th November, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.75	755.6	26	...	N	4	s	6	30.09	764.3	20	..	NNE	4	b
Nemuro,	11	29.51	749.5	...	...	ESE	7	...	5	29.27	743.5	...	...	W	4	...
Hokodate,		29.15	740.5	...	...	WSW	4	..	,,	29.29	744.0	...	...	N	2	..
Tokio,	,,	29.43	747.5	.	...	SSW	3	...	,,	29.78	756.5	...	...	...	...	...
Kochi,	,,	29.78	756.5	...	...	SW	2	...	,,	30.06	763.5	...	...	SW	1	...
Nagasaki,	,,	30.00	762.0	...	...	NW	3	...	,,	30.12	765.0	...	...	...	0	...
Kagoshima,	,,	29.98	76[illegible].5	...	...	WNW	1	...	,,	30.10	764.5	...	...	...	0	...
Oshima,	,,	30.04	763.0	...	...	N	2	...	,,	30.10	764.5	...	...	SSE	1	...
Naha,	,,		...	...	...	...	...	...	,,	30.12	765.0	...	...	ENE	1	...
Ishigakijima,	,,	30.12	765.0	...	...	NNE	3	...	,,	30.06	763.5	...	...	NNE	1	...
Bonin Island,	,,	29.85	758.5	...	.	W	1	...	,,	30.04	763.0	...	...	W	1	...
Chefoo,	15	30.09	764.3	44	60	SSE	1	b	6	29.99	761.7	42	85	SW	1	b
Hankow,	,,	..	..	..	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	.	.	...	...	..	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.12	765.0	59	22	SE	2	b	,,	30.10	764.4	50	79	SSW	2	b
Gutzlaff,	,,	30.15	765.8	54	38	S	1	b	,,	30.12	765.0	54	89	SSW	4	o
Sharp Peak,	,,	30.09	764.3	75	56	ENE	2	b	7	30.08	764.0	58	90	NW	1	rf
Amoy,	15	29.98	761.5	72	58	E	2	b	9	29.98	761.5	62	94	NE	2	o
Swatow,	,,	...		...	...	.	...	...	8	..	...	...	.	...	.	..
Taihoku,	11	30.07	763.8	70	53	E	4	b	5	30.02	762.6	59	87	...	0	o
Taichu,	,,	30.05	763.2	73	...	...	0	b	,,	30.04	762.9	55	..	..	0	o
Tainan,	,,	30.04	762.9	77	...	WNW	2	b	,,	30.00	762.0	57	...	E	2	b
Koshun,	,,	30.00	762.0	73	...	NE	4	b	,,	29.97	761.1	70	...	NE	4	b
Pescadores,	,,	30.04	762.9	72	...	N	4	b	,,	30.01	762.3	68	...	N	2	o
Canton,	14	..	..	...	...	...	...	...	6	...	...		...	...	...	...
Hongkong,	,,	29.97	761.2	70	61	ENE	2	o	,,	29.99	761.7	68	77	E	2	o
Gap Rock,	,,	29.96	761.0	...	...	NE	4	c	,,	29.97	761.2	...	...	ENE	4	c
Macao,	,,	29.94	760.5	73	55	ESE	2	b	,,	29.98	761.4	66	87	NE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...			...	...
Pakhoi,	,,	.		...	...	.	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	..	...	...		...	...	,,	...	...	...	...	...	..	...
Pratas Island,	,,	29.97	761.2	77	...	NE	4	c	,,	29.96	761.0	77	...	E	2	b
Phulien,	,,	29.93	760.2	73	58	E	2	o	7	30.00	762.0	66	98	NNW	2	cf
Tourane,	,,	29.92	759.9	73	...	E	4	b	,,	29.93	760.2	68	...	SE	2	b
Cape St. James,	,,	29.79	756.6	79	...	ENE	6	o	,,	29.84	757.8	73	...	NE	2	b
Basco,	14	29.92	759.9	73	62	NE	4	o	6	29.94	760.5	73	71	E	6	o
Aparri,	,,	29.89	759.3	75	83	E	4	r	,,	29.95	760.8	72	96	...	0	o
Manila,	,,	29.81	757.2	82	67	WSW	2	o	,,	29.88	759.0	72	96	E	1	b
Legaspi,	,,	29.82	757.5	77	96	NE	4	o	,,	29.86	758.4	79	96	NNE	4	c
Tacloban,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	..	...
Iloilo,	,,	29.75	755.7	86	71	NE	4	o	,,	29.82	757.5	75	96	N	4	o
Surigao,	..	29.75	755.7	82	81	N	2	b	,,	29.82	757.5	73	96	...	0	o
Guam,	,,	29.76	756.0	...	...	NE	2	o	4.20	29.81	757.2	...	...	NE	4	o
Yap,	12.20	29.74	755.4	...	...	ENE	4	o	,,	...	...	...	...	...	...	...
Palu,	12.47	...	...	...		..	...	...	5	29.81	757.2	..	...	ENE	2	c
Labuan,	11	29.73	755.1	88	84	NW	4	b	6	29.81	757.2	78	91	N	2	b

November 30*d.* 11*h.* 15*m.*—Pressure has decreased slightly from Chefoo to Amoy and increased slightly over the Loochoos. It is nearly stationary in southern districts.

A deep depression is shown over Hokkaido.

The anticyclone has weakened further. It is now central over the Eastern Sea.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 87·35 inches, against an average of 81·92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel.	N.E. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock.	
4.—South coast of China between Hongkong and Hainan.	

T. F. CLANTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

DECEMBER,

1925.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST, TOGETHER WITH MEAN MONTHLY AND ANNUAL VALUES OF THE PRINCIPAL METEOROLOGICAL ELEMENTS AT HONGKONG, TYPHOON TRACKS, AND RESULTS OF MAGNETIC OBSERVATIONS MADE IN 1925.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,

DIRECTOR.

HONGKONG:

PRINTED BY NORONHA & Co.

GOVERNMENT PRINTERS.

1926.

[*Price* 60c.]

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

DECEMBER, 1925.

INTRODUCTION.

In this Bulletin an annual summary of the Hongkong Observations for the year 1925 is given in Tables XIII to XX, following the usual monthly Tables. They contain mean and extreme values of the principal Meteorological Elements, in British and C.G.S. Units, and of the prevalence of different phenomena for each month, and for the year, together with the normal values (for the period 1884-1923 unless otherwise stated). Also five-day means of the principal meteorological elements for the year 1925 and the period 1884-1923.

The readings of the barometer in British Units are *not* reduced to sea-level, or to the gravity at latitude 45°.

In the column headed "Days of rain" only those days have been counted on which the fall amounted to or exceeded 0·01 inch.

The remaining columns in the Tables require no special remark, the necessary explanations having been given in the Introduction to the Bulletin for the month of January.

The tracks of the typhoons and principal depressions which occurred in the Far East during the year 1925 are shown on two plates following the five-day means.

The results of Magnetic Observations made in the year 1925 are given at the end of the Bulletin.

T. F. CLAXTON.

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

DECEMBER,

1925.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of DECEMBER, 1925.

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30·015	30·008	30·008	30·007	30·016	30·019	30·034	30·049	30·077	30·082	30·061	30·043	1
2	30·090	30·088	30·086	30·092	30·092	30·106	30·119	30·141	30·158	30·162	30·152	30·128	2
3	30·139	30·128	30·108	30·092	30·093	30·087	30·098	30·108	30·114	30·124	30·112	30·100	3
4	30·064	30·060	30·051	30·047	30·051	30·061	30·080	30·101	30·118	30·126	30·130	30·114	4
5	30·170	30·168	30·157	30·169	30·170	30·185	30·214	30·226	30·243	30·258	30·250	30·235	5
6	30·232	30·228	30·218	30·212	30·208	30·222	30·236	30·252	30·272	30·281	30·265	30·242	6
7	30·230	30·226	30·219	30·213	30·207	30·215	30·226	30·236	30·254	30·254	30·250	30·216	7
8	30·213	30·201	30·178	30·162	30·157	30·159	30·162	30·174	30·196	30·197	30·186	30·150	8
9	30·094	30·079	30·064	30·054	30·054	30·070	30·073	30·089	30·116	30·132	30·104	30·071	9
10	30·102	30·102	30·092	30·090	30·076	30·066	30·097	30·118	30·135	30·144	30·126	30·113	10
11	30·057	30·049	30·032	30·032	30·034	30·046	30·060	30·084	30·101	30·118	30·104	30·086	11
12	30·034	30·034	30·020	30·016	30·017	30·029	30·049	30·070	30·100	30·110	30·101	30·073	12
13	30·077	30·072	30·061	30·049	30·047	30·064	30·077	30·096	30·120	30·136	30·130	30·103	13
14	30·046	30·032	30·001	29·986	29·984	29·988	30·004	30·012	30·032	30·041	30·030	29·993	14
15	29·920	29·915	29·895	29·891	29·893	29·902	29·916	29·924	29·937	29·950	29·935	29·904	15
16	29·916	29·907	29·911	29·914	29·916	29·930	29·944	29·984	30·001	30·020	30·018	29·998	16
17	30·035	30·015	30·015	30·019	30·024	30·036	30·053	30·072	30·092	30·108	30·100	30·076	17
18	30·085	30·079	30·074	30·085	30·095	30·109	30·127	30·145	30·162	30·164	30·158	30·132	18
19	30·137	30·123	30·107	30·098	30·102	30·114	30·121	30·132	30·146	30·151	30·140	30·126	19
20	30·237	30·208	30·204	30·177	30·182	30·201	30·221	30·251	30·259	30·253	30·241	30·208	20
21	30·164	30·151	30·140	30·137	30·137	30·141	30·152	30·168	30·190	30·190	30·179	30·148	21
22	30·163	30·152	30·145	30·136	30·140	30·156	30·185	30·213	30·224	30·241	30·234	30·210	22
23	30·205	30·196	30·180	30·180	30·174	30·184	30·202	30·208	30·236	30·244	30·240	30·215	23
24	30·157	30·150	30·138	30·118	30·142	30·138	30·150	30·164	30·189	30·183	30·185	30·152	24
25	30·124	30·106	30·094	30·096	30·098	30·104	30·131	30·143	30·164	30·174	30·182	30·148	25
26	30·096	30·078	30·076	30·078	30·065	30·071	30·078	30·098	30·131	30.138	30.129	30·096	26
27	30·016	29·996	29·982	29·964	29·960	29·958	29·972	29·977	30·017	30.026	30.006	29·971	27
28	29·956	29·948	29·946	29·943	29·951	29·959	29·983	30·002	30·030	30.037	30.024	29·998	28
29	30·041	30·041	30·050	30·060	30·081	30·096	30·134	30·177	30·181	30.202	30·202	30·178	29
30	30·233	30·215	30·217	30·222	30·226	30·236	30·252	30·275	30·317	30·343	30·331	30·299	30
31	30·299	30·269	30·235	30·261	30·267	30·269	30·279	30·285	30·303	30·314	30·291	30·272	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins	ins.	
1	30·030	30·008	30·003	30·006	30·027	30·043	30·056	30·080	30·093	30·109	30·111	30·099	1
2	30·103	30·080	30·061	30·065	30·071	30·088	30·102	30·117	30·130	30·146	30·151	30·151	2
3	30·069	30·038	30·022	30·032	30·044	30·053	30·059	30·073	30·081	30·091	30·079	30·077	3
4	30·079	30·067	30·066	30·076	30·088	30·113	30·122	30·147	30·159	30·168	30·172	30·171	4
5	30·199	30·170	30·162	30·168	30·185	30·200	30·220	30·238	30·246	30·248	30·249	30·245	5
6	30·204	30·178	30·174	30·170	30·176	30·189	30·195	30·221	30·238	30·243	30·243	30·237	6
7	30·191	30·155	30·144	30·146	30·160	30·175	30·192	30·203	30·218	30·231	30·227	30·218	7
8	30·121	30·087	30·074	30·072	30·091	30·099	30·106	30·127	30·137	30·135	30·126	30·114	8
9	30·054	30·026	30·026	30·016	30·034	30·052	30·072	30·088	30·100	30·106	30·116	30·106	9
10	30·084	30·056	30·042	30·032	30·044	30·047	30·057	30·065	30·077	30·081	30·076	30·062	10
11	30·061	30·041	30·017	30·013	30·024	30·032	30·036	30·045	30·053	30·060	30·050	30·050	11
12	30·042	30·021	30·002	30·003	30·024	30·037	30·057	30·077	30·090	30·098	30·090	30·082	12
13	30·069	30·030	30·011	30·012	30·028	30·040	30·049	30·064	30·076	30·084	30·082	30·062	13
14	29·958	29·924	29·906	29·900	29·904	29·906	29·919	29·925	29·934	29·944	29·928	29·924	14
15	29·869	29·856	29·848	29·849	29·860	29·873	29·880	29·892	29·911	29·920	29·918	29·923	15
16	29·975	29·964	29·960	29·965	29·974	29·993	30·006	30·020	30·037	30·056	30·055	30·035	16
17	30·035	30·024	30·016	30·024	30·029	30·043	30·058	30·072	30·082	30·086	30·092	30·080	17
18	30·100	30·078	30·079	30·092	30·103	30·115	30·126	30·143	30·149	30·157	30·157	30·148	18
19	30·104	30·074	30·070	30·059	30·081	30·097	30·128	30·153	30·175	30·181	30·199	30·230	19
20	30·159	30·122	30·094	30·089	30·100	30·110	30·135	30·147	30·162	30·170	30·169	30·171	20
21	30·125	30·092	30·074	30·082	30·091	30·103	30·120	30·147	30·169	30·176	30·174	30·166	21
22	30·173	30·162	30·144	30·143	30·151	30·156	30·177	30·195	30·212	30·219	30·209	30·214	22
23	30·181	30·159	30·143	30·138	30·143	30·154	30·157	30·173	30·187	30·201	30·185	30·179	23
24	30·128	30·109	30·091	30·094	30·100	30·096	30·108	30·132	30·140	30·144	30·142	30·132	24
25	30·116	30·084	30·074	30·082	30·084	30·090	30·105	30·117	30·127	30·121	30·115	30·102	25
26	30·057	30·032	30·008	30·002	30·020	30·024	30·027	30·037	30·033	30·034	30·032	30·030	26
27	29·937	29·905	29·890	29·885	29·892	29·901	29·915	29·936	29·949	29·959	29·959	29·960	27
28	29·966	29·938	29·920	29·924	29·935	29·954	29·968	29·978	29·996	30·022	30·032	30·037	28
29	30·145	30·129	30·125	30·144	30·174	30·175	30·200	30·221	30·237	30.245	30·243	30·238	29
30	30·253	30·243	30·220	30·237	30·243	30·267	30·279	30·291	30·317	30·328	30·332	30·334	30
31	30·236	30·196	30·174	30·184	30·177	30·196	30·202	30·209	30·219	30·228	30·217	30·211	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of DECEMBER, 1925.

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	66·7	65·9	66·0	65·3	64·6	65·4	64·2	65·1	66·5	71·0	74·5	74·3	1
2	65·5	64·7	64·0	63·9	63·2	63·0	62·4	62·9	64·9	67·0	69·4	70·9	2
3	60·0	58·8	58·9	57·8	57·5	56·9	57·3	58·8	61·6	62·4	63·6	66·7	3
4	61·0	60·2	59·7	60·0	58·9	57·7	57·3	60·0	63·0	65·5	69·0	69·3	4
5	63·0	63·0	61·2	60·1	59·2	58·9	56·9	58·4	63·0	64·9	67·0	68·1	5
6	60·0	59·1	58·8	58·0	57·0	56·2	56·0	58·9	61·0	63·6	64·0	63·9	6
7	60·0	57·2	56·3	57·2	54·5	55·8	55·2	58·0	59·2	61·0	65·0	66·0	7
8	58·0	57·1	56·8	56·0	56·0	55·2	55·7	56·5	58·8	61·9	63·9	64·2	8
9	58·9	58·8	59·7	59·0	60·0	60·0	60·1	61·5	62·6	62·7	64·0	65·9	9
10	61·2	61·2	60·6	59·7	60·1	61·8	61·9	60·8	60·9	62·0	63·0	65·0	10
11	65·9	65·9	65·1	65·1	65·4	64·8	65·0	66·0	66·1	67·8	69·2	70·0	11
12	63·1	63·9	64·0	64·9	64·4	63·2	64·0	64·7	66·2	69·0	71·0	71·5	12
13	64·1	64·0	63·3	63·2	63·0	62·2	61·1	64·0	67·1	68·1	69·0	69·1	13
14	63·9	63·9	63·7	63·4	63·3	63·5	63·8	64·2	65·7	68·2	69·1	69·9	14
15	63·8	62·9	63·2	63·0	63·4	63·6	63·5	66·2	67·6	69·9	73·0	74·3	15
16	66·1	65·8	65·9	67·0	68·1	68·6	68·5	70·4	70·8	70·5	71·9	71·7	16
17	65·1	64·9	64·7	64·1	64·0	64·0	64·0	63·7	63·9	63·9	65·0	66·0	17
18	64·0	63·7	63·2	63·1	62·8	62·5	62·4	63·1	63·8	65·0	64·0	64·9	18
19	60·5	60·0	59·8	59·1	59·0	58·3	58·7	61·0	62·0	63·0	65·3	65·1	19
20	53·0	52·1	51·6	51·2	50·5	49·6	49·0	49·2	51·1	51·1	55·8	57·2	20
21	52·8	52·7	53·2	52·2	52·1	52·5	53·0	54·7	58·0	61·0	63·0	65·0	21
22	56·9	55·9	55·5	55·1	55·3	54·9	55·0	59·0	63·8	67·0	69·5	70·1	22
23	60·8	60·6	60·9	60·4	60·0	60·1	60·5	61·0	64·4	63·5	65·0	66·7	23
24	62·8	62·1	62·1	61·9	62·0	61·2	61·8	62·9	64·4	66·8	65·6	65·8	24
25	64·3	64·2	64·0	64·1	64·0	64·0	64·0	64·4	65·5	67·1	66·0	66·0	25
26	65·3	65·0	65·6	66·1	67·1	67·5	67·5	67·0	61·4	65·2	64·3	65·5	26
27	66·0	65·9	65·0	64·8	64·3	63·9	64·1	64·7	66·0	67·8	70·0	72·0	27
28	64·4	64·0	63·8	64·0	63·7	63·6	63·5	64·7	69·0	70·0	70·9	72·2	28
29	66·8	64·4	63·5	61·8	60·8	59·5	58·5	58·0	57·7	62·2	60·8	60·6	29
30	53·8	53·1	52·9	52·0	51·5	51·0	50·0	50·0	50·3	49·9	48·0	49·7	30
31	49·0	49·1	50·7	49·6	49·8	49·2	49·8	49·8	51·9	52·2	52·9	52·7	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	75·3	75·9	76·0	74·0	72·8	71·0	71·5	71·0	69·6	68·2	67·1	66·1	1
2	71·8	70·3	69·7	69·4	68·0	66·1	65·0	64·0	63·5	62·6	61·3	61·0	2
3	65·8	66·4	66·0	65·0	64·9	63·0	62·1	61·1	60·6	60·7	59·8	60·7	3
4	70·0	70·0	69·2	68·3	67·4	66·0	65·0	64·2	63·7	64·0	63·9	62·5	4
5	68·6	69·0	68·4	66·7	65·0	64·0	63·1	63·0	62·8	61·6	60·9	60·5	5
6	65·0	65·1	65·0	65·0	64·0	62·4	61·2	61·0	61·0	61·0	60·9	60·5	6
7	67·2	67·2	67·2	66·5	65·2	63·1	63·7	62·9	61·6	60·7	59·0	58·3	7
8	65·1	65·4	64·9	63·6	62·8	61·1	60·0	59·4	58·5	57·9	59·0	59·0	8
9	66·0	66·2	65·5	66·0	66·0	64·7	62·2	62·7	61·4	61·8	61·4	60·0	9
10	65·0	66·2	65·7	65·9	66·3	66·2	65·6	65·5	65·5	65·7	66·0	65·9	10
11	71·7	70·9	68·2	68·1	66·7	67·0	66·0	65·8	65·0	64·7	63·1	62·6	11
12	71·2	71·1	70·8	66·9	69·7	67·9	66·0	65·8	65·1	65·0	64·9	64·5	12
13	67·0	67·3	68·1	67·0	66·0	65·0	64·9	64·5	64·2	64·0	63·1	63·2	13
14	71·4	71·8	69·5	69·5	68·0	66·2	65·8	65·1	64·7	64·1	63·0	62·3	14
15	76·2	76·1	74·9	73·1	71·7	69·1	68·5	68·0	67·0	66·8	65·8	65·9	15
16	70·2	69·2	69·1	68·3	67·5	67·1	67·4	67·0	66·9	66·7	66·2	66·0	16
17	65·7	67·0	66·9	66·0	65·2	65·1	65·2	65·1	65·3	65·3	65·0	64·8	17
18	64·1	63·8	64·0	62·8	62·4	62·1	62·0	62·0	61·9	61·3	61·0	60·7	18
19	66·0	66·7	65·5	63·9	63·7	63·8	60·5	59·6	58·2	56·9	55·9	55·6	19
20	59·5	60·5	60·8	60·0	59·0	57·5	56·4	55·0	54·9	53·0	53·2	53·4	20
21	65·1	66·0	64·8	63·9	62·5	60·4	59·4	58·4	57·9	57·2	56·8	56·0	21
22	69·4	68·4	67·7	66·9	66·0	64·1	62·9	61·2	61·1	60·0	60·9	62·7	22
23	66·1	65·4	65·0	64·5	63·7	63·4	62·9	62·0	62·0	61·9	62·1	62·8	23
24	65·1	65·7	65·0	65·0	65·1	64·8	64·4	64·3	64·5	64·3	64·2	64·4	24
25	67·1	68·0	67·7	66·5	65·9	65·7	65·5	66·0	66·0	65·5	65·3	65·1	25
26	66·0	66·5	67·1	67·1	65·0	64·9	65·1	65·7	66·0	65·9	66·0	66·0	26
27	70·2	71·0	73·0	72·0	71·0	69·1	67·1	66·1	65·3	64·8	64·9	66·3	27
28	71·9	71·2	71·3	71·0	69·2	67·9	66·9	66·0	65·9	65·5	66·4	66·5	28
29	62·1	63·0	62·5	60·3	59·0	57·9	57·0	56·7	55·2	54·2	53·2	52·8	29
30	49·4	50·0	48·0	47·8	47·7	48·2	47·0	47·0	47·4	47·8	48·0	48·8	30
31	52·2	53·1	53·1	52·8	52·3	51·0	50·9	51·2	51·1	53·0	53·1	52·3	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of DECEMBER, 1925.

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	59·9	59·8	59·4	59·2	58·7	58·7	58·0	58·0	58·6	60·0	61·0	57·0	1
2	55·6	54·3	53·5	53·0	52·5	52·0	51·8	51·5	52·4	53·4	55·2	55·9	2
3	48·5	47·4	47·0	45·9	45·9	45·3	45·2	46·7	48·0	48·3	49·0	50·8	3
4	48·4	49·0	48·6	47·1	46·9	46·5	46·4	47·1	48·6	50·1	51·2	52·8	4
5	57·0	52·1	50·1	49·2	49·0	49·9	48·4	49·1	51·0	52·0	53·1	53·0	5
6	50·0	49·0	50·3	49·5	48·0	47·0	46·9	48·5	50·9	51·9	52·7	53·8	6
7	53·9	52·1	51·1	51·4	50·0	47·0	46·4	47·0	47·9	48·0	50·0	49·2	7
8	46·4	46·9	45·9	45·6	45·4	45·0	44·9	45·0	46·2	48·2	48·1	49·0	8
9	51·0	49·8	51·0	51·0	50·8	50·7	51·1	52·2	51·2	51·9	52·5	53·0	9
10	57·1	57·0	57·0	56·9	56·0	55·6	56·7	56·8	57·1	58·5	59·9	60·0	10
11	58·4	60·0	60·0	59·0	58·0	57·9	58·0	56·9	55·0	55·9	57·0	58·0	11
12	59·8	60·0	59·5	57·8	55·2	56·1	54·0	53·8	55·0	55·1	57·8	57·5	12
13	60·0	60·5	60·1	59·5	58·9	58·3	58·1	59·7	59·6	60·2	60·0	60·2	13
14	61·0	61·0	60·9	61·0	61·0	61·0	60·8	60·8	61·4	62·1	63·0	63·0	14
15	61·0	60·1	60·2	60·3	61·1	61·0	61·0	62·4	62·7	64·0	65·0	65·2	15
16	63·0	62·7	62·5	63·0	63·0	63·8	64·0	65·2	65·5	65·0	65·0	65·0	16
17	61·6	61·0	60·8	60·4	60·0	60·0	59·9	59·1	59·3	59·0	59·0	59·1	17
18	59·6	59·0	58·0	58·0	57·4	58·0	57·5	57·0	57·2	57·9	57·8	57·3	18
19	56·0	55·8	55·4	54·6	54·0	53·8	52·9	54·0	54·1	55·1	56·2	56·3	19
20	47·2	46·0	45·8	44·9	44·8	44·0	43·0	43·8	43·8	41·9	45·0	44·9	20
21	41·0	41·7	42·1	41·8	41·4	41·3	43·3	45·0	46·0	47·2	47·7	48·7	21
22	50·4	49·9	50·8	48·9	48·8	48·2	50·1	52·1	55·6	53·0	53·5	53·7	22
23	52·0	53·3	54·2	54·1	54·4	54·1	55·0	54·9	56·7	57·1	58·0	59·0	23
24	60·0	59·1	58·7	56·1	57·0	56·8	56·2	56·1	56·8	58·0	57·9	58·9	24
25	62·1	62·0	61·5	61·1	60·8	60·0	59·0	59·1	59·7	60·2	59·8	59·1	25
26	59·5	59·0	57·9	56·2	56·4	57·0	56·3	57·1	57·4	58·7	58·6	59·0	26
27	63·8	63·4	63·4	63·1	62·9	62·8	62·4	63·2	64·0	65·0	65·6	67·0	27
28	63·5	63·0	62·7	62·7	62·5	62·2	62·9	63·2	65·1	65·9	66·0	66·8	28
29	64·5	59·3	56·1	54·2	53·0	51·6	50·1	49·2	49·0	52·0	51·0	51·1	29
30	45·3	45·1	45·1	44·9	44·5	43·8	43·2	49·3	44·9	45·1	44·2	45·5	30
31	44·0	43·1	43·7	43·1	43·9	42·8	42·9	43·0	44·0	44·0	44·0	44·2	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	57·0	58·0	58·1	60·1	60·4	60·2	60·0	59·1	57·6	57·2	57·0	56·3	1
2	56·0	54·4	54·0	52·3	51·6	50·7	51·0	50·6	50·2	50·0	49·0	48·2	2
3	51·2	51·9	52·1	52·0	51·9	52·0	52·1	51·6	51·8	52·2	51·1	48·7	3
4	53·9	53·3	53·0	53·9	53·1	53·0	53·9	54·2	54·7	54·8	55·2	53·9	4
5	54·1	55·1	54·6	55·1	54·7	55·0	55·2	55·1	55·7	54·5	53·0	51·0	5
6	54·9	55·5	54·9	54·6	54·5	54·1	54·0	54·3	54·0	53·8	53·9	53·9	6
7	50·1	50·2	51·2	50·0	49·2	48·0	48·0	47·5	47·0	46·9	46·0	46·0	7
8	50·0	51·2	51·0	51·0	51·1	50·9	51·0	50·5	50·9	50·0	51·0	51·2	8
9	53·7	54·7	55·5	54·5	54·5	54·9	54·8	54·9	55·5	56·3	56·0	56·7	9
10	59·9	60·2	59·8	59·1	58·1	57·0	58·5	58·9	58·2	59·0	58·0	57·1	10
11	58·9	58·0	58·0	58·2	59·0	59·8	60·0	60·9	60·5	60·9	60·2	60·2	11
12	59·2	59·0	59·1	58·9	59·0	59·8	59·9	59·9	60·4	60·0	60·0	59·9	12
13	60·0	60·2	61·1	60·4	59·9	58·9	58·2	58·7	59·1	59·7	55·9	60·0	13
14	63·5	63·9	63·0	62·9	62·3	61·9	62·0	62·1	62·1	62·0	61·2	60·5	14
15	66·1	65·0	64·4	64·8	65·5	63·9	64·1	63·6	63·6	63·0	63·0	63·0	15
16	64·9	64·2	63·9	62·9	62·5	62·9	62·9	63·0	62·7	62·4	62·3	62·0	16
17	58·8	59·9	59·5	59·1	59·8	60·1	60·6	60·4	60·3	60·5	60·2	60·0	17
18	56·7	56·8	57·1	56·2	56·2	56·8	56·9	56·9	56·8	56·0	55·9	56·0	18
19	57·0	57·6	57·7	56·7	56·7	56·0	53·6	53·0	52·0	50·9	50·0	48·0	19
20	46·1	46·6	46·1	47·0	45·8	45·4	44·9	43·8	44·6	42·8	43·5	42·2	20
21	49·0	52·2	51·2	51·0	50·9	50·2	50·0	49·8	50·0	50·1	50·4	50·7	21
22	54·1	54·7	53·8	52·1	53·0	54·0	53·2	53·0	52·2	51·9	51·0	50·8	22
23	58·9	58·7	59·1	59·2	58·9	59·0	59·0	59·0	58·9	58·8	59·2	59·9	23
24	58·5	59·4	58·6	59·3	60·0	60·1	60·7	61·0	61·3	61·2	61·6	61·9	24
25	60·5	61·0	61·1	60·5	60·3	60·4	60·2	60·7	60·0	59·1	59·1	59·2	25
26	59·9	60·2	61·1	61·0	61·0	61·4	61·7	62·0	62·7	62·9	63·8	63·9	26
27	65·9	66·0	66·1	66·0	65·9	64·7	64·9	64·5	63·9	63·2	63·0	63·5	27
28	66·2	66·1	66·0	65·9	65·2	65·0	64·7	63·9	64·0	63·9	64·8	65·0	28
29	51·7	52·1	51·9	50·3	49·8	48·2	48·4	47·8	46·8	45·9	45·9	45·1	29
30	45·1	46·1	45·0	45·0	45·2	45·9	45·0	45·0	45·2	45·0	44·0	44·9	30
31	45·1	44·8	45·0	45·5	45·8	45·2	45·1	46·0	45·8	46·7	47·2	47·0	31

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of DECEMBER, 1925.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	10	10	10	10	9	10	4	5	5	3	4	2	1	1	1	4	9	7	10	9	8	5	4	3	1
2	2	1	2	2	1	1	2	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	5	5	6	6	6	4	3	2	...	...	...	...	4
5	...	...	...	...	...	...	7	3	3	...	2	2	2	2	2	3	3	2	...	...	...	...	2	...	5
6	...	...	...	...	...	1	2	1	1	1	1	1	1	1	1	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	5	3	3	2	2	3	3	4	3	2	6	7	3	2	...	...	...	...	7
8	...	...	...	...	...	...	2	2	2	...	2	2	2	1	1	2	2	2	1	...	...	...	7	7	8
9	5	5	6	8	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	9	9	10	10	10	10
11	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	9	7	4	2	2	11
12	5	10	5	4	6	6	8	9	9	10	5	4	3	2	1	...	9	8	2	4	...	...	...	...	12
13	...	...	...	...	2	2	3	1	1	...	...	1	3	2	4	8	10	3	...	...	...	...	...	9	13
14	4	3	1	6	...	3	3	7	6	2	4	2	1	1	1	1	1	2	...	...	...	...	...	...	14
15	...	...	...	...	...	...	3	4	2	2	2	2	1	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	2	2	8	9	9	6	9	7	7	9	9	8	10	10	10	10	10	10	10	10	16
17	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	6	7	9	9	10	10	10	9	10	17
18	10	10	10	10	10	10	10	10	10	10	10	9	8	9	8	9	10	10	10	10	10	10	10	10	18
19	10	10	10	9	7	2	2	4	7	10	9	8	8	8	10	8	10	10	10	10	10	10	10	10	19
20	10	10	10	10	10	9	10	10	9	4	1	...	...	...	2	1	2	1	...	...	...	...	...	1	20
21	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	2	9	4	2	1	2	1	...	...	...	...	2	9	3	4	7	22
23	...	...	2	...	2	3	9	7	4	7	7	6	4	3	7	8	9	10	10	9	10	10	10	10	23
24	9	10	10	10	7	4	7	8	9	6	8	9	10	10	10	10	10	10	10	10	10	10	10	10	24
25	10	10	10	10	8	7	10	9	8	10	10	10	9	8	8	10	10	10	10	9	9	8	8	7	25
26	3	6	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	26
27	10	10	7	10	4	1	2	10	10	10	5	2	4	8	6	2	1	...	...	...	...	...	7	10	27
28	10	10	9	10	9	9	4	5	6	3	2	2	5	6	5	4	2	2	...	...	...	1	1	9	28
29	10	9	10	10	10	10	10	9	9	9	8	9	10	10	10	10	10	10	10	10	10	10	10	10	29
30	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	30
31	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of DECEMBER, 1925.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1		0·1	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	...		1
2		...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	...		2
3		0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·2		3
4		0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4		4
5		0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4		5
6		0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		6
7		0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·2		7
8		0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3		8
9		...	...	...	...	...	...	...	...	...	0·2	...		9
10		...	...	...	...	...	...	...	...	...	...	...		10
11		...	...	...	...	...	...	...	...	...	...	...		11
12		...	0·1	0·2	0·8	1·0	1·0	1·0	1·0	1·0	0·8	...		12
13		...	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	...		13
14		...	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3		14
15		0·1	1·0	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·1		15
16		0·1	0·2	0·7	0·5	1·0	1·0	1·0	0·1	...	...	...		16
17		...	...	...	0·1	0·2	0·5	0·6	1·0	0·9	0·7	0·1		17
18		...	...	0·3	0·4	0·4	0·8	0·2	0·9	0·4	0·1	...		18
19		0·4	0·3	...	0·3	0·5	0·6	0·7	0·3	0·5	...	...		19
20		...	0·1	0·2	0·9	1·0	1·0	1·0	1·0	1·0	1·0	0·7		20
21		0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7		21
22		0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		22
23		...	0·9	0·8	0·7	1·0	1·0	1·0	1·0	0·7	0·3	...		23
24		...	0·2	0·7	0·7	...	...	...	...	...	...	...		24
25		...	0·5	1·0	0·9	0·1	0·3	1·0	0·6	0·8	...	...		25
26		...	...	0·2	...	...	...	...	...	0·1	0·2	...		26
27		...	0·1	...	0·3	1·0	1·0	0·5	0·6	1·0	1·0	0·5		27
28		...	0·8	1·0	1·0	1·0	1·0	0·8	0·3	0·8	1·0	0·1		28
29		...	...	0·4	0·1	0·1	...	...	...	0·1	...	...		29
30		...	...	...	...	...	...	...	...	...	...	...		30
31		...	...	...	...	...	...	...	...	...	...	...		31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of DECEMBER, 1925.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	d	d	...	9
10	d	0·010	0·020	d	...	...	d	0·015	d	d	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22		...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	d	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	0·005	0·005	d	d	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	d	d	d	...	...	30
31	d	d	...	d	d	...	d	...	...	d	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	0·010	0·010	d	d	d	d	0·020	9
10	d	...	d	...	...	...	...	...	...	...	...	...	10
11	...	d	d	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	d	d	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	d	...	...	...	...	d	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	d	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	0·015	0·010	0·015	0·010	0·045	0·015	0·020	d	...	d	30
31	d	...	d	...	...	...	...	...	...	...	...	...	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of DECEMBER, 1925.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hongkong Standard Time. 1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	2	4	1	5	1	2	32	4	1	3	1	4	1	6	1	7	1	3	...	...	10	4	5	12	1
2	3	8	2	11	2	12	2	15	1	13	32	15	32	14	1	12	32	16	32	14	32	14	1	9	2
3	1	16	2	9	3	13	3	11	2	11	1	17	1	12	1	11	1	10	1	10	4	5	11	5	3
4	...	1	...	1	1	4	2	6	3	8	2	3	2	6	...	1	2	5	3	4	7	6	8	14	4
5	5	2	3	5	3	8	2	7	1	14	1	11	1	8	3	3	4	10	5	13	6	12	8	15	5
6	1	14	2	11	2	10	1	9	1	8	2	4	4	5	3	6	3	7	7	12	7	17	8	20	6
7	4	10	3	8	2	7	2	8	2	7	1	6	1	14	1	17	1	19	32	23	31	18	32	22	7
8	32	21	32	19	32	17	32	13	32	15	32	14	32	18	1	16	32	13	1	11	5	9	6	12	8
9	...	1	...	...	...	1	...	...	...	...	10	7	8	4	6	5	4	2	32	2	...	1	...	1	9
10	7	9	8	7	7	7	8	2	8	3	9	6	10	9	10	16	9	12	9	9	9	9	11	2	10
11	7	8	7	10	7	10	6	9	5	5	4	4	3	7	2	6	1	9	32	10	1	8	1	5	11
12	...	...	...	...	...	1	...	...	...	1	...	...	2	2	1	4	2	7	7	5	10	9	10	11	12
13	8	7	8	9	8	6	7	8	5	6	...	...	...	...	...	1	8	6	10	7	11	6	10	8	13
14	7	10	6	12	6	12	6	11	6	12	5	12	5	12	6	12	7	14	7	13	8	14	9	12	14
15	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	21	5	23	6	15
16	...	...	...	...	...	...	...	1	26	4	8	8	8	8	7	16	7	23	8	28	7	29	7	28	16
17	7	26	7	28	7	28	6	23	6	23	7	23	7	23	7	26	7	25	6	27	7	24	7	24	17
18	6	34	7	32	7	39	6	37	6	32	7	33	6	27	6	28	7	24	7	28	6	28	6	28	18
19	5	27	5	27	6	27	5	27	5	22	5	18	5	10	5	15	5	15	6	14	8	14	9	14	19
20	31	14	31	9	31	9	32	9	1	6	32	6	32	11	32	9	32	15	1	14	1	8	1	9	20
21	1	7	1	7	4	8	3	2	...	...	...	...	...	...	...	...	28	5	29	5	32	8	8	9	21
22	...	...	18	2	...	...	...	...	...	...	...	1	...	...	...	...	...	...	16	2	12	5	11	8	22
23	13	2	9	5	8	7	7	7	8	11	8	12	7	13	7	15	6	16	7	16	8	16	8	16	23
24	7	17	6	15	6	15	6	13	6	13	7	17	7	18	7	20	8	21	8	20	8	26	8	19	24
25	7	25	7	24	8	26	8	20	8	21	7	23	7	24	7	23	7	26	7	26	7	24	7	25	25
26	7	20	7	19	7	14	8	15	8	18	9	15	7	25	7	26	6	21	6	19	6	14	8	10	26
27	11	2	...	...	...	...	...	1	19	2	...	...	...	1	23	6	24	8	24	5	23	7	23	9	27
28	...	...	...	...	...	...	...	...	...	...	...	...	...	...	26	2	26	6	4	8	13	10	20	5	28
29	31	2	1	14	2	17	2	21	2	15	1	15	1	18	1	15	2	16	1	22	32	15	32	13	29
30	2	8	1	12	1	10	32	10	32	10	32	11	1	14	1	14	1	10	1	13	2	8	3	10	30
31	1	8	4	7	3	13	32	8	31	7	1	8	2	2	1	5	4	7	4	10	4	17	5	13	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel	Dir.	Vel.	Dir.	Vel.	
1	8	11	10	8	24	4	24	2	24	5	24	3	...	1	2	7	2	6	...	1	...	...	2	2	1
2	32	9	32	12	1	13	1	14	1	12	32	13	32	14	32	16	32	20	1	14	1	13	1	11	2
3	21	4	24	4	...	1	...	1	...	1	...	1	...	1	...	...	...	1	...	1	...	1	...	1	3
4	9	14	9	16	9	17	10	14	9	11	8	7	6	10	6	7	6	5	5	7	5	4	...	...	4
5	9	11	9	11	10	12	11	11	10	13	8	10	6	9	5	8	4	8	3	5	2	11	1	13	5
6	8	19	8	17	8	17	9	16	8	15	7	12	6	10	5	9	5	6	4	7	4	7	5	7	6
7	1	17	1	16	1	14	1	14	32	11	32	9	32	13	1	20	32	19	32	22	32	22	32	24	7
8	9	13	10	15	10	14	10	16	11	11	11	6	11	2	11	2	...	...	...	1	...	...	...	...	8
9	26	5	25	4	27	8	31	3	3	2	5	2	7	6	8	10	8	9	8	6	9	10	8	8	9
10	11	5	10	7	9	7	8	7	7	3	...	...	...	...	...	...	..	...	...	...	...	1	8	6	10
11	3	8	6	6	8	15	9	11	9	13	9	10	8	10	8	10	9	8	10	5	...	...	...	...	11
12	10	10	10	12	9	10	8	5	5	3	3	6	8	9	8	8	7	10	7	8	7	9	7	8	12
13	9	13	9	13	9	12	9	14	9	13	9	12	9	9	8	7	9	5	9	5	11	4	10	2	13
14	9	10	9	12	9	16	8	10	9	12	8	16	9	11	9	8	9	7	...	1	...	1	...	...	14
15	24	7	25	7	26	4	26	2	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	15
16	8	25	8	25	8	24	7	25	7	23	7	22	6	23	7	20	6	22	7	25	6	26	7	25	16
17	7	22	8	20	8	20	7	21	6	23	6	21	6	22	6	25	6	29	6	31	7	35	6	34	17
18	6	29	6	30	6	31	6	30	6	27	6	28	6	27	6	27	5	28	6	32	6	28	6	28	18
19	9	14	9	11	9	13	9	11	7	11	3	9	1	10	31	10	1	2	1	9	31	10	30	14	19
20	1	7	32	10	1	10	32	9	31	10	31	6	31	3	31	4	...	1	31	3	...	...	32	8	20
21	12	5	22	5	24	9	24	7	23	5	23	2	23	6	20	2	...	...	...	...	...	...	...	...	21
22	10	13	9	15	9	17	8	15	9	13	9	13	9	6	...	1	12	3	...	1	11	5	9	10	22
23	8	16	7	16	7	16	7	14	7	14	6	11	7	13	7	10	6	13	6	10	6	7	7	10	23
24	8	22	8	20	8	23	8	18	7	20	7	24	7	22	7	20	7	21	7	25	7	21	7	23	24
25	7	24	7	24	7	26	7	25	7	20	7	19	8	17	7	18	7	19	6	21	7	22	6	18	25
26	8	10	8	12	7	18	7	16	8	14	9	11	10	7	10	6	10	10	9	10	9	8	10	5	26
27	23	8	23	7	23	6	24	8	24	5	...	1	...	1	...	1	26	2	...	...	...	...	...	1	27
28	25	7	29	7	3	4	4	2	4	2	...	1	3	2	...	...	...	...	6	5	7	9	5	8	28
29	1	10	32	12	32	13	32	15	32	13	1	13	1	12	32	11	1	13	2	16	1	15	1	10	29
30	1	11	1	6	1	10	1	5	2	5	1	7	1	9	32	5	1	7	1	7	1	9	1	7	30
31	5	8	6	11	7	12	7	8	3	7	1	5	1	4	...	1	1	2	6	10	6	5	5	5	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of DECEMBER, 1925.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	W	cu	W	a-cu / cu	WSW / NE	a-cu / cu	SW / NE	a-cu	SW	a-cu	WSW	a-cu	WSW	a-cu	WSW
2	a-cu	WSW	a-cu	WSW	a-cu	SW	...	...	...	...	...	...	...	...	...	...
3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4	...	...	...	...	...	...	...	...	ci-st	W	ci-st	W	ci-st	WSW	...	...
5	...	...	...	...	ci-st	WSW	...	...	ci-st	WSW	ci-st	W	...	...	...	...
6	...	...	...	...	ci-st	SW	ci-st	SW	ci-st	WSW	...	...	...	...	...	...
7	...	...	...	...	ci-st	SW	ci-st	SW	ci-st	WSW	ci-st	WSW	ci-st	WSW	...	...
8	...	...	...	...	ci-st	WSW	...	...	ci-st	WSW	ci-st	W	ci-st	W	...	...
9	a-cu	SW	a-cu	SW	cu	NNE	nb	NE	st-cu	NE	st-cu	NE	nb	NE	nb	NE
10	nb	NE	nb	NE	nb	NE	nb	ENE	cu-nb	E	cu-nb	E	cu-nb	E	cu-nb	E
11	st-cu	E	st-cu	E	st-cu	SW	st-cu	SW	st-cu	SW	st-cu	SW	cu	ENE	cu	ENE
12	cu	ENE	cu	ENE	cu	SSW	cu	SSW	cu	SSW	...	...	a-cu	SW	...	...
13	...	...	...	...	ci-st	ESE	...	...	ci-st	SSW	ci-st	SW	...	...	...	...
14	cu	ESE	cu	ESE	cu	E	cu	E	cu	E	cu	E	...	...	...	...
15	...	...	...	...	ci-st	SW	cu	W	cu	W	...	...	...	...	...	...
16	...	...	...	...	cu	E	cu	E	cu	E	cu	E	nb	E	cu	E
17	cu	E	cu	E	cu	E	cu-nb	E	cu	E	cu	E	cu	E	cu	E
18	cu	E	cu	E	cu	E	a-cu / cu	WNW / E	a-cu / cu	WNW / E	a-cu / cu	WNW / E	cu	E	cu-nb	E
19	cu	E	cu	E	a-cu / cu	W / E	cu	E	cu	E	a-cu / cu	WNW / ESE	cu-nb	E	cu	E
20	cu	E	cu	E	a-cu / cu	W / E	cu	E	...	...	ci-st	WNW	...	...	...	...
21	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
22	...	...	...	...	...	...	ci-st	W	ci-st	W	...	...	...	...	a-cu	W
23	...	...	...	...	a-cu / cu	W / E	a-cu / cu	W / ESE	cu	E	cu	E	a-cu / cu	W / E	cu	E
24	cu	E	cu	E	cu	E	a-cu / cu	W / SSE	cu	E	cu	E	cu	E	cu	E
25	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	ci-st / cu	SW / ESE
26	cu	E	cu	E	cu	E	nb	E	cu-nb	E	cu	E	cu	E	cu	E
27	cu	S	cu	S	cu	S	cu-nb	W	cu	W	cu	W	...	...	...	...
28	cu	SE	cu	SE	cu	SE	cu	WSW	cu	WSW	cu	SW	...	...	a-cu	WSW
29	cu	E	cu	E	cu	ENE	cu	ENE	st-cu	ENE	st-cu	ENE	a-cu / cu	W / ENE	a-cu	WSW
30	cu	ENE	cu	ENE	st-cu	ENE	cu-nb	ENE	cu-nb	ENE	nb	ENE	nb	ENE	nb	ENE
31	nb	ENE	nb	ENE	nb	NNW	nb	NE	nb	NE	nb	S	cu-nb	S	cu	S

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of DECEMBER, 1925.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·045	76·3	64·2	12·1	69·5	58·7	0·352	48	60	7·7	71	...	...	+ 2·2	+ 1·3	31	2·6	4·3
2	·112	72·4	60·8	11·6	65·6	52·5	·223	35	7	8·9	82	...	...	+ 12·9	+ 1·7	8	13·0	13·1
3	·084	67·1	56·8	10·3	61·5	49·4	·194	35	...	9·6	89	...	...	+ 4·7	+ 1·4	17	4·9	6·1
4	·101	70·4	56·9	13·5	64·0	51·2	·209	35	15	9·9	92	...	...	+ 1·4	+ 5·9	77	6·1	7·1
5	·207	69·2	56·8	12·4	63·2	52·8	·263	45	14	9·9	92	...	...	+ 3·8	+ 6·7	60	7·7	9·6
6	·222	65·4	55·6	9·8	61·2	52·1	·270	50	5	10·1	94	...	...	+ 4·1	+ 8·7	65	9·6	11·0
7	·209	67·8	54·4	13·4	61·2	48·9	·185	34	20	9·9	92	...	...	+ 14·7	+ 1·8	7	14·8	15·0
8	·143	65·9	55·2	10·7	59·9	48·6	·195	37	15	10·0	93	...	...	+ 5·7	+ 4·0	35	7·0	10·7
9	·075	66·6	58·3	8·3	62·4	53·3	·288	51	92	0·2	2	0·040	3	+ 0·6	+ 2·1	74	2·2	4·0
10	·083	66·4	59·6	6·8	63·7	58·0	·408	69	99	...	...	0·045	3	— 0·8	+ 5·1	99	5·2	5·3
11	·054	72·0	62·6	9·4	66·5	58·7	·392	60	89	...	..	...	1	+ 2·4	+ 6·1	68	6·6	7·8
12	·053	72·4	62·8	9·6	66·7	58·2	·374	57	46	6·9	64	...	...	+ 0·4	+ 5·0	85	5·0	5·7
13	·068	69·7	61·1	8·6	65·1	59·6	·439	71	20	8·6	80	...	...	— 1·1	+ 7·0	99	7·1	7·2
14	29·968	72·4	62·1	10·3	66·0	61·8	·497	78	20	8·6	80	...	...	+ 1·2	+ 10·0	83	10·1	10·4
15	·899	76·9	62·8	14·1	68·2	63·1	·511	74	7	9·0	84	...	...	...	— 1·3	270	1·3	1·5
16	·979	72·3	65·3	7·0	68·2	63·5	·524	76	69	4·6	43	...	1	+ 3·1	+ 17·2	80	17·5	17·9
17	30·054	67·6	63·5	4·1	65·0	59·9	·450	72	96	4·1	38	...	...	+ 6·5	+ 24·1	75	25·0	25·1
18	·119	66·8	60·6	6·2	62·9	57·2	·395	68	97	3·5	33	...	...	+ 10·2	+ 28·0	70	30·0	29·8
19	·127	67·3	53·6	13·7	61·1	54·5	·339	62	84	3·6	34	...	...	+ 6·4	+ 10·7	59	12·5	14·7
20	·178	61·1	48·8	12·3	54·4	44·7	·170	40	42	7·9	74	...	...	+ 7·9	— 0·1	359	7·9	7·9
21	·142	68·0	51·8	16·2	58·3	47·2	·180	37	...	10·4	97	...	...	+ 1·2	— 0·8	326	1·4	3·8
22	·181	70·9	54·4	16·5	62·1	52·0	·256	46	19	10·3	96	...	...	— 1·5	+ 4·8	105	5·0	5·4
23	·186	67·4	59·8	7·6	62·7	57·1	·394	69	61	7·4	69	...	...	+ 2·0	+ 11·7	80	11·9	11·9
24	137	68·2	61·1	7·1	64·0	59·0	·435	73	90	1·6	15	...	...	+ 2·9	+ 19·5	82	19·8	19·7
25	·116	68·8	63·9	4·9	65·5	60·3	·456	72	91	5·2	49	...	...	+ 4·1	+ 22·4	80	22·8	22·5
26	·061	67·9	60·9	7·0	65·8	59·8	·435	68	95	0·5	5	0·010	1	+ 1·2	+ 14·0	85	14·1	14·3
27	29·956	73·0	63·7	9·3	67·3	64·3	·564	84	50	6·0	56	...	...	— 0·4	— 2·9	262	2·9	3·4
28	·977	73·0	63·3	9·7	67·2	64·5	·572	86	47	7·8	73	...	...	+ 0·8	+ 0·7	41	1·1	3·2
29	30·155	67·2	52·6	14·6	59·5	51·0	·263	51	97	0·7	7	...	...	+ 13·7	+ 2·7	11	14·0	14·0
30	·271	54·1	46·8	7·3	49·6	44·9	·237	67	100	...	...	0·130	8	+ 8·9	+ 1·8	11	9·1	9·1
31	·241	53·4	48·5	4·9	51·4	44·7	·209	54	100	...	...	...	1	+ 5·1	+ 4·7	43	7·0	7·6
Means	30·103	68·3	58·3	10·0	62·9	55·2	0·344	58	53	Sum. 182·9	55	Sum. 0·225	Sum 18	+ 4·0	+ 7·2	61	8·2	10·6
Normals	30·050	67·6	58·6	9·0	62·7	56·8	0·393	67	54	173·2	52	1·085	36	+ 3·5	+ 8·2	67	8·9	11·8
Absolute Max.	30·343	76·9	...	16·5	...	67·9	0·633	...	...	10·4	97	0·130	8	...	...	...	...	39·0 †
Day.	30	15	...	22	...	28	29	...	...	21	21	30	30	...	...	...	...	18*d* 3*h*
Absolute Min.	29·848	...	46·8	4·1	...	41·0	0·103	19	...	...	...	...	...	...	...	...	...	...
Day	15	...	30	17	...	21	21	4	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Lunar halo :—on the 25th and 26th.

Lunar corona :—on the 8th and 9th.

Fog :—on the 15th and 16th.

Haze :—on the 2nd, 3rd, 4th, 5th, 12th, 15th and 21st.

Unusual visibility :—on the 20th.

Dew :—on the 14th, 22nd and 28th.

Rainbow :—on the 11th.

Rain fell on 4 days. The mean hourly intensity was 0·013*in*, and the maximum fall in one hour was 0·045*ins* at 19*h* on the 30th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 51 miles per hour at 2*h* 57*m* on the 18th.

* 0° = N., 90° = E &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of DECEMBER, 1925.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1019·4	297·6	290·9	6·7	293·8	287·8	11·8	...	...	+ 0·7	+ 0·4	31	0·9	1·4
2	1021·7	295·4	289·0	6·4	291·7	284·4	7·5	...	...	+ 4·2	+ 0·6	8	4·3	4·3
3	1020·8	292·5	286·8	5·7	289·4	282·7	6·5	...	...	+ 1·5	+ 0·5	17	1·6	2·0
4	1021·4	294·3	286·8	7·5	290·8	283·7	7·0	...	...	+ 0·5	+ 1·9	77	2·0	2·3
5	1025·0	293·7	286·8	6·9	290·3	284·6	8·8	...	...	+ 1·2	+ 2·2	60	2·5	3·1
6	1025·5	291·6	286·1	5·5	289·2	284·2	9·1	...	...	+ 1·3	+ 2·9	65	3·1	3·6
7	1025·1	292·9	285·4	7·5	289·2	282·4	6·2	...	...	+ 4·8	+ 0·6	7	4·9	4·9
8	1022·9	291·8	285·9	5·9	288·5	282·2	6·5	...	...	+ 1·9	+ 1·3	35	2·3	3·5
9	1020·5	292·2	287·6	4·6	289·9	284·8	9·7	1·0	3	+ 0·2	+ 0·7	74	0·7	1·3
10	1020·8	292·1	288·3	3·8	290·6	287·4	13·7	1·1	3	− 0·3	+ 1·7	99	1·7	1·7
11	1019·8	295·2	290·0	5·2	292·2	287·8	13·2	...	1	+ 0·8	+ 2·0	68	2·2	2·6
12	1019·8	295·4	290·1	5·3	292·3	287·6	12·6	...	...	+ 0·1	+ 1·6	85	1·6	1·9
13	1020·3	293·9	289·2	4·7	291·4	288·3	14·8	...	...	− 0·4	+ 2·3	99	2·3	2·4
14	1016·9	295·4	289·7	5·7	291·9	289·6	16·8	...	...	+ 0·4	+ 3·3	83	3·3	3·4
15	1014·5	297·9	290·1	7·8	293·1	290·3	17·2	...	...	...	− 0·4	270	0·4	0·5
16	1017·2	295·4	291·5	3·9	293·1	290·5	17·7	...	1	+ 1·0	+ 5·6	80	5·7	5·9
17	1019·8	292·8	290·5	2·3	291·3	288·5	15·2	...	...	+ 2·1	+ 7·9	75	8·2	8·2
18	1022·0	292·3	288·9	3·4	290·2	287·0	13·3	...	...	+ 3·3	+ 9·2	70	9·8	9·8
19	1022·3	292·6	285·0	7·6	289·2	285·5	11·4	...	...	+ 2·1	+ 3·5	59	4·1	4·8
20	1024·1	289·2	282·3	6·9	285·4	280·1	5·7	...	...	+ 2·6	...	359	2·6	2·6
21	1022·8	293·0	284·0	9·0	287·6	281·4	6·0	...	...	+ 0·4	− 0·3	326	0·5	1·2
22	1024·1	294·6	285·4	9·2	289·7	284·1	8·6	...	...	− 0·5	+ 1·6	107	1·6	1·8
23	1024·3	292·7	288·4	4·3	290·1	286·9	13·3	...	...	+ 0·7	+ 3·8	80	3·9	3·9
24	1022·6	293·1	289·2	3·9	290·8	288·0	14·7	...	...	+ 1·0	+ 6·4	82	6·5	6·5
25	1021·9	293·4	290·7	2·7	291·6	288·7	15·4	...	...	+ 1·3	+ 7·3	80	7·5	7·4
26	1020·0	292·9	289·1	3·8	291·8	288·4	14·7	0·3	1	+ 0·4	+ 4·6	85	4·6	4·7
27	1016·4	295·8	290·6	5·2	292·6	290·9	19·0	...	...	− 0·1	− 1·0	262	1·0	1·1
28	1017·1	295·8	290·4	5·4	292·6	291·1	19·3	...	...	+ 0·3	+ 0·2	41	0·4	1·0
29	1023·3	292·6	284·4	8·2	288·3	283·6	8·8	...	...	+ 4·5	+ 0·9	11	4·6	4·6
30	1027·3	285·3	281·2	4·1	282·8	280·2	8·0	3·3	8	+ 2·9	+ 0·6	11	3·0	3·0
31	1026·2	284·9	282·2	2·7	283·8	280·1	7·0	...	1	+ 1·7	+ 1·5	43	2·3	2·5
Means.	1021·5	293·2	287·6	5·6	290·2	285·9	11·6	Sum. 5·7	Sum. 18	+ 1·3	+ 2·4	61	2·7	3·5
Normals	1019·7	292·8	287·8	5·0	290·1	286·8	13·2	27·6	36	+ 1·1	+ 2·7	67	2·9	3·9
Absolute Maximum.	1029·7	297·9	...	9·2	...	292·9	21·4	3·3	8	...	...	...	...	12·8†
Day.	30	15	...	22	...	28	29	30	30	...	...	...	...	18d 3h
Absolute Minimum.	1012·7	...	281·2	2·3	...	278·0	3·5	...	...	...	...	...	...	...
Day.	15	...	30	17	...	21	21	...	...	...	...	...	...	...

ADOPTED ERRORS OF TIMEBALL, DECEMBER, 1925.

Date.	Error.	Date.	Error.	Date.	Error.
	s		s		s
1	− 0·1	11	− 0·1	21	...
2	− 0·1	12	...	22	...
3	− 0·1	13	...	23	+ 0·1
4	− 0·1	14	...	24	...
5	− 0·1	15	...	25	...
6	− 0·2	16	...	26	...
7	− 0·1	17	...	27	...
8	− 0·1	18	...	28	...
9	− 0·1	19	...	29	...
10	− 0·1	20	...	30	− 0·1
				31	− 0·2

+ = Late ; − = Early.
The above may also be regarded as the errors of the time signals by radiotelegraphy and by signal lights.
The probable error for the month was ± 0s·10

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of DECEMBER, 1925.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-100)	Percentage of Possible Sunshine	Rainfall. Percentage of Total. Amount.	Rainfall. Percentage of Total. Duration	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·108	61·5	55·5	0·371	66	51		...	3	+ 5·0	+ 6·5	52	8·2	9·8
2	·098	61·0	54·9	·360	65	53		4	5	+ 5·0	+ 6·6	53	8·3	9·9
3	·087	60·8	54·6	·354	65	52		9	4	+ 5·1	+ 7·4	55	9·0	10·4
4	·084	60·4	54·0	·342	63	54		...	2	+ 5·5	+ 6·1	48	8·2	9·6
5	·086	60·2	53·6	·334	62	50		...	1	+ 5·2	+ 5·6	47	7·7	9·4
6	·094	60·0	53·3	·328	61	48	...	...	...	+ 4·6	+ 6·0	52	7·6	9·5
7	·111	59·8	53·1	·325	61	58	20	...	2	+ 5·6	+ 6·2	48	8·4	10·0
8	·129	61·0	53·6	·322	58	61	47	9	6	+ 5·4	+ 6·9	52	8·8	10·9
9	·149	62·5	54·3	·323	55	60	59	2	3	+ 6·0	+ 7·1	50	9·3	12·0
10	·158	64·2	55·0	·320	52	56	64	...	4	+ 5·8	+ 8·1	54	10·0	12·6
11	·148	65·6	55·6	·319	49	53	65	...	2	+ 3·7	+ 8·6	67	9·4	12·6
Noon.	·123	66·5	55·9	·316	47	49	68	...	...	+ 2·7	+ 9·2	74	9·6	12·7
13	·091	66·7	56·3	·325	48	51	67	...	1	+ 1·7	+ 8·6	79	8·8	12·5
14	·066	66·9	56·7	·334	49	52	64	...	4	+ 1·8	+ 8·6	78	8·8	12·6
15	·053	66·5	56·5	·333	49	54	65	7	5	+ 2·2	+ 9·6	77	9·8	13·4
16	·055	65·7	56·3	·338	52	52	56	4	6	+ 2·2	+ 8·7	76	9·0	11·9
17	·066	64·8	56·2	·347	55	60	19	7	6	+ 2·4	+ 7·9	73	8·3	10·9
18	·078	63·7	56·0	·356	59	57	...	9	11	+ 3·0	+ 7·3	68	7·9	9·7
19	·091	62·9	56·0	·366	62	51		24	9	+ 3·3	+ 6·6	63	7·4	9·4
20	·108	62·5	55·9	·369	63	50		7	7	+ 3·6	+ 6·1	59	7·1	8·8
21	·120	62·[illegible]	55·8	·372	65	49		9	6	+ 3·7	+ 6·3	60	7·3	8·9
22	·129	61·7	55·5	·368	65	45		...	4	+ 4·3	+ 6·8	58	8·0	9·3
23	·127	61·3	55·4	·371	67	50		...	3	+ 3·9	+ 6·4	59	7·5	9·1
Midn.	·122	61·1	55·1	·365	66	56		9	6	+ 4·5	+ 6·2	54	7·7	9·3

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of DECEMBER, 1925.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.*	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1021·6	289·4	286·1	12·5	+ 1·6	+ 2·1	52	2·7	3·2
2	1021·3	289·1	285·7	12·1	+ 1·6	+ 2·2	53	2·7	3·2
3	1020·9	289·0	285·6	11·9	+ 1·7	+ 2·4	55	3·0	3·4
4	1020·8	288·8	285·2	11·5	+ 1·8	+ 2·0	48	2·7	3·1
5	1020·9	288·7	285·0	11·2	+ 1·7	+ 1·8	47	2·5	3·1
6	1021·2	288·6	284·8	11·0	+ 1·5	+ 2·0	52	2·5	3·1
7	1021·8	288·4	284·7	10·9	+ 1·8	+ 2·0	48	2·8	3·3
8	1022·4	289·1	285·0	10·8	+ 1·8	+ 2·3	52	2·9	3·6
9	1023·0	289·9	285·4	10·9	+ 2·0	+ 2·3	50	3·0	3·9
10	1023·3	290·9	285·8	10·8	+ 1·9	+ 2·7	54	3·3	4·1
11	1023·0	291·7	286·1	10·7	+ 1·2	+ 2·8	67	3·1	4·1
Noon.	1022·1	292·2	286·3	10·6	+ 0·9	+ 3·0	74	3·1	4·2
13	1021·0	292·3	286·5	10·9	+ 0·6	+ 2·8	79	2·9	4·1
14	1020·2	292·4	286·7	11·2	+ 0·6	+ 2·8	78	2·9	4·1
15	1019·8	292·2	286·6	11·2	+ 0·7	+ 3·1	77	3·2	4·4
16	1019·8	291·7	286·5	11·4	+ 0·7	+ 2·9	76	3·0	3·9
17	1020·2	291·2	286·4	11·7	+ 0·8	+ 2·6	73	2·7	3·6
18	1020·6	290·6	286·3	12·0	+ 1·0	+ 2·4	68	2·6	3·2
19	1021·1	290·2	286·3	12·3	+ 1·1	+ 2·2	63	2·4	3·1
20	1021·6	289·9	286·3	12·4	+ 1·2	+ 2·0	59	2·3	2·9
21	1022·1	289·7	286·2	12·5	+ 1·2	+ 2·1	60	2·4	2·9
22	1022·4	289·5	286·1	12·4	+ 1·4	+ 2·2	58	2·6	3·0
23	1022·3	289·3	286·0	12·5	+ 1·3	+ 2·1	59	2·5	3·0
Midn.	1022·1	289·2	285·8	12·3	+ 1·5	+ 2·0	54	2·5	3·0

* 0° = N., 90° = E., &c.

TABLE XIII.—MONTHLY VALUES of the METEOROLOGICAL ELEMENTS in the YEAR 1925. (*British Units*).

Month, 1925.	Barometric Pressure. Highest.	Lowest.	Mean.	Mean Diurnal Inequality (Range.)	Air Temperature. Highest.	Lowest	Range in Month.	Mean of the Daily Maxima.	Mean of the Daily Minima	Mean Daily Range.	Mean	Temperature of Evaporation	Vapour Tension. Highest	Lowest.	Mean.
	ins.	ins.	ins.	ins.	°	°	°	°	°	°	°	°	ins.	ins.	ins.
January	30·281	29·671	29·994	0·105	74·6	41·4	33·2	61·1	53·3	7·8	56·8	53·0	0·524	0·112	0·358
February	·313	·679	30·037	0·118	71·2	39·7	31·5	60·4	52·5	7·9	56·0	51·3	0·540	0·116	0·322
March	·181	·668	29·910	0·106	78·9	54·8	24·1	67·7	60·6	7·1	63·7	60·3	0·723	0·141	0·484
April	·305	·667	·915	0·100	81·2	52·4	28·8	70·0	61·8	8·2	65·2	62·0	0·839	0·312	0·525
May	29·849	·493	·701	0·088	88·7	65·5	23·2	82·3	74·1	8·2	77·4	73·9	1·011	0·566	0·796
June	·776	·451	·631	0·069	90·8	72·0	18·8	85·6	77·6	8·0	81·1	76·8	1·014	0·602	0·866
July	·894	·272	·601	0·071	92·3	73·8	18·5	87·8	78·3	9·5	82·5	78·1	1·071	0·745	0·903
August	·734	·410	·586	0·076	92·8	75·6	17·2	87·4	78·9	8·5	82·5	77·4	1·035	0·666	0·874
September	·936	·511	·728	0·085	91·1	72·3	18·8	86·4	77·2	9·2	81·4	75·0	0·985	0·480	0·787
October	30·124	·739	·928	0·098	86·1	67·3	18·8	80·2	71·7	8·5	75·4	67·3	0·922	0·271	0·568
November	·171	·837	30·001	0·100	83·4	61·0	22·4	76·9	68·6	8·3	71·9	65·6	0·785	0·260	0·549
December	·343	·848	·103	0·105	76·9	46·8	30·1	68·3	58·3	10·0	62·9	55·2	0·633	0·103	0·344
Year.	30·343	29·272	29·845	0·093	92·8	39·7	53·1	76·2	67·7	8·5	71·4	66·3	1·071	0·103	0·615
Date.	Dec. 30.	July 14.	...	...	Aug. 28.	Feb. 1.	...	...	...	...	...	...	July. 14.	Dec 21.	...

Month, 1925.	Degree of Humidity. Mean.	Lowest.	Clouds. Mean amount (0-100)	Direction of motion * of Upper.	of Lower	Bright Sunshine. Daily Duration	Percentage of Possible Sunshine	Rainfall. Total.	Duration.	Days of Rain	Hourly Intensity.	Daily Maximum	Hourly Maximum.	Wind. Resultant. † Direction *	Velocity.	Observed Velocity Mean †	Maximum Hourly †	Maximum Squall ‡
	%	%		°	°	hrs	%	ins.	hrs.		ins.	ins.	ins.	°	m.p.h.	m.p.h.	m.p.h.	m.p.h.
Jan.	76	41	82	259	75	91·3	27	4·335	118	12	0·037	1·795	0·660	68	7·9	10·4	37	45
Feb.	70	27	72	258	90	113·4	36	0·385	36	6	0·011	0·130	0·070	77	11·6	14·1	34	43
Mar.	81	17	74	266	92	115·5	31	8·280	205	13	0·040	2·405	0·790	81	15·9	17·0	39	51
April	83	47	80	264	96	110·4	29	7·935	129	11	0·062	3·105	1·200	79	10·6	12·7	43	52
May	85	57	83	258	130	171·5	42	2·580	52	13	0·050	0·765	0·470	93	8·4	11·9	27	36
June	82	58	73	260	150	197·8	49	23·355	99	19	0·236	7·550	3·160	118	6·7	10·6	45	60
July	81	58	60	86	208	269·1	65	20·665	55	17	0·376	10·380	2·880	190	3·5	8·2	35	65
Aug.	79	54	69	59	161	226·4	57	5·625	36	11	0·156	1·620	1·110	135	3·5	9·8	34	49
Sept.	74	35	49	343	79	255·3	70	9·940	32	13	0·311	4·115	3·125	77	6·3	9·4	35	54
Oct.	64	31	35	247	68	268·7	75	3·165	15	5	0·211	2·235	0·870	67	9·0	11·0	30	47
Nov.	70	31	61	275	83	204·0	62	1·090	18	4	0·061	0·770	0·585	63	10·5	11·8	28	37
Dec.	58	19	53	251	90	182·9	55	0·225	18	4	0·013	0·130	0·045	61	8·2	10·6	39	51
Year.	75	17	66	266	102	2206·3	50	87·580	813	128	0·108	10·380	3·160	82	7·8	11·5	45	65
Date.	...	May. 12.	...	...	...	...	...	...	...	...	...	July 17.	June 15d 23h	...	...	...	June 26d 9h	July 15d 19h 7m

* 0° = North, 90° = East &c. † Beckley Anemograph. ‡ Dines-Baxendell Anemograph.

TABLE XIV.—MONTHLY NORMALS of the METEOROLOGICAL ELEMENTS and EXTREME VALUES for the PERIOD 1884-1923. (*British Units*).

Month.	Barometric Pressure.				Air Temperature.							Temperature of Evaporation.	Vapour Tension.		
	Highest.	Lowest.	Mean.	Mean Diurnal Inequality (Range).	Highest.	Lowest.	Range in Month.	Mean of the Daily Maxima.	Mean of the Daily Minima.	Mean Daily Range.	Mean.		Highest.	Lowest.	Mean.
	ins.	ins.	ins.	ins.	°	°	°	°	°	°	°	°	ins.	ins.	ins.
January	30·509	29·605	30·050	0·108	79·3	32·0	47·3	64·4	56·1	8·3	59·8	55·2	0·748	0·020	0·384
February	30·400	29·421	30·015	0·105	79·4	38·4	41·0	63·0	55·3	7·7	58·8	54·9	0·820	0·026	0·391
March	30·355	29·527	29·942	0·103	82·8	45·4	37·4	67·3	59·8	7·5	63·1	60·0	0·873	0·097	0·488
April	30·273	29·488	29·843	0·094	88·6	51·8	36·8	74·8	67·1	7·7	70·4	67·4	0·967	0·162	0·638
May	30·045	29·330	29·746	0·084	91·5	59·7	31·8	81·4	73·5	7·9	76·8	73·2	1·057	0·221	0·775
June	29·881	29·137	29·648	0·070	93·6	68·9	24·7	85·3	77·7	7·6	81·0	77·0	1·073	0·314	0·875
July	29·889	28·762	29·615	0·068	94·0	72·1	21·9	86·7	78·4	8·3	82·0	77·7	1·128	0·548	0·895
August	29·873	28·590	29·617	0·073	97·0	71·6	25·4	86·6	77·8	8·8	81·6	77·5	1·123	0·535	0·891
September	30·009	28·876	29·719	0·079	94·0	65·6	28·4	85·3	76·7	8·6	80·5	75·2	1·069	0·183	0·805
October	30·192	29·089	29·876	0·091	93·8	57·4	36·4	80·8	72·7	8·1	76·3	69·9	0·962	0·177	0·652
November	30·445	28·735	29·987	0·101	86·1	43·7	42·4	74·2	65·2	9·0	69·3	62·5	0·893	0·055	0·488
December	30·454	29·725	30·050	0·107	81·9	40·7	41·2	67·6	58·6	9·0	62·7	56·8	0·752	0·035	0·393
Year.	30·509	28·590	29·842	0·090	97·0	32·0	...	76·4	68·2	8·2	71·9	67·3	1·128	0·020	0·639
Date.	1903, Jan. 6.	1923, Aug. 18.	...	..	1900 Aug. 19.	1893. Jan. 18.	...	...	...	...	...	...	1919, July 3.	1888, Jan. 2.	...

Month.	Degree of Humidity.		Clouds.			Bright Sunshine.		Rainfall.						Wind. †			
	Mean.	Lowest.	Mean Amount (0-100).	Direction of Motion.* of Upper.	Direction of Motion.* of Lower.	Daily Duration.	Percentage of Possible Sunshine.	Total.	Duration.	Days of Rain.	Hourly Intensity.	Daily Maximum.	Hourly Maximum.	Resultant. Direction.*	Resultant. Velocity.	Observed Velocity. Mean.	Observed Velocity. Absolute Maximum.
	%	%		°	°	hrs.	%	ins.	hrs.		ins.	ins.	ins.	°	m.p.h.	m.p.h.	m.p.h.
Jan.	72	4	62	252	98	149·6	44	1·293	47	6.3	0·028	3·920	0·725	76	10·1	13·0	53
Feb.	76	6	74	261	102	100·0	31	1·679	65	8.2	0·026	2·185	0·970	79	11·4	14·2	53
Mar.	83	19	83	258	118	90·4	24	2·739	76	10.8	0·036	3·785	1·570	84	13·1	15·2	49
April	84	17	80	259	133	116·0	31	5·287	74	11.8	0·071	6·225	2·420	90	11·4	14·1	47
May	83	28	75	268	160	155·2	38	11·856	91	16.1	0·130	20·495	3·400	101	7·9	12·6	52
June	83	25	77	340	190	164·2	41	15·663	86	20.5	0·182	12·630	2·855	151	5·6	11·7	48
July	82	49	67	52	176	212·4	51	13·876	70	18.4	0·198	13·480	3·480	140	5·1	11·1	108
Aug.	83	38	66	50	184	199·1	50	14·743	70	17.1	0·211	11·135	2·350	139	3·1	9·5	106
Sept.	77	23	58	38	93	200·9	55	9·808	53	14.2	0·185	6·060	2·420	82	6·9	11·4	89
Oct.	71	22	51	275	83	214·4	60	5·022	34	8.1	0·148	11·505	2·820	75	10·6	13·9	85
Nov.	66	10	54	248	85	182·9	55	1·742	31	5.7	0·056	5·875	1·740	64	9·7	12·7	90
Dec.	67	7	54	248	89	173·2	52	1·085	36	5·0	0·030	1·670	0·500	67	8·9	11·8	63
Year.	77	4	67	270	126	1958·3	44	84·793	733	142·2	0·116	20·495	3·480	87	8·0	12·6	108
Date.	...	1888 Jan. 2.	...	...	...	...	...	...	...	...	...	1889, May 30.	1886, July 15d 15h	...	...	...	1896, July 29d 22h

* 0° = North, 90° = East &c.

† Beckley Anemograph.

TABLE XV.—MONTHLY VALUES of the METEOROLOGICAL ELEMENTS in the YEAR 1925. (*C.G.S. Units*).

Month, 1925.	Barometric Pressure.				Air Temperature.							Temperature of Evaporation.
	Highest.	Lowest.	Mean	Mean Diurnal Inequality (Range).	Highest.	Lowest.	Range in Month.	Mean of the Daily Maxima.	Mean of the Daily Minima.	Mean Daily Range.	Mean.	
	m.b.	m.b.	m.b.	m.b.	°	°	°	°	°	°	°	°
January	1027·7	100·68	1017·8	3·5	296·7	278·2	18·5	289·2	284·8	4·4	286·8	284·7
February	1028·7	1007·1	1019·3	4·0	294·8	277·3	17·5	288·8	284·4	4·4	286·3	283·7
March	1024·2	1006·7	1014·9	3·6	299·1	285·7	13·4	292·8	288·9	3·9	290·6	288·7
April	1028·4	1006·5	1015·1	3·4	300·3	284·3	16·0	294·1	289·6	4·5	291·4	289·7
May	1012·8	1000·6	1007·7	3·0	304·5	291·6	12·9	300·9	296·4	4·5	298·2	296·3
June	1010·2	999·2	1005·3	2·4	305·7	295·2	10·5	302·8	298·3	4·5	300·3	297·9
July	1014·2	993·1	1004·3	2·4	306·5	296·2	10·3	304·0	298·7	5·3	301·1	298·6
August	1008·8	997·8	1003·8	2·6	306·8	297·2	9·6	303·8	299·1	4·7	301·1	298·2
September	1015·7	1001·2	1008·6	3·0	305·8	295·4	10·4	303·2	298·1	5·1	300·4	296·9
October	1022·1	1008·9	1015·4	3·3	303·1	292·6	10·5	299·8	295·1	4·7	297·1	292·6
November	1023·7	1012·3	1017·9	3·3	301·6	289·1	12·5	297·9	293·3	4·6	295·2	291·7
December	1029·7	1012·7	1021·5	3·5	297·9	281·2	16·7	293·2	287·6	5·6	290·2	285·9
Year.	1029·7	993·1	1012·6	3·2	306·8	277·3	29·5	297·5	292·9	4·6	294·9	292·1
Date.	Dec. 30.	July 14.	...	...	Aug. 28.	Feb. 1.	...	...	...	...	...	...

Month, 1925.	Vapour Tension.			Rainfall.						Wind.				
										Resultant. †		Observed Velocity.		
	Highest.	Lowest.	Mean.	Total.	Duration.	Days of Rain.	Hourly Intensity.	Daily Maximum.	Hourly Maximum.	Direction.*	Velocity.	Mean †	Maximum Hourly.†	Maximum Squall.‡
	m.b.	m.b.	m.b.	m.m.	hrs.		m.m.	m.m.	m.m.	°	m.p.s.	m.p.s.	m.p.s.	m.p.s.
January	17·7	3·9	12·0	110·0	118	12	0·9	45·6	16·8	68	2·6	3·4	12·1	15
February	18·2	4·0	10·8	9·8	36	6	0·3	3·3	1·8	77	3·8	4·6	11·1	14
March	24·4	4·8	16·3	210·3	205	13	1·0	61·1	20·1	81	5·2	5·6	12·8	17
April	28·3	10·5	17·7	201·5	129	11	1·6	78·9	30·5	79	3·5	4·2	14·1	17
May	34·1	19·1	26·8	65·5	52	13	1·3	19·4	11·9	93	2·8	3·9	8·9	12
June	34·2	20·3	29·2	393·2	99	19	6·0	191·8	80·3	118	2·2	3·5	14·8	20
July	36·1	25·1	30·5	524·9	55	17	9·5	263·7	73·1	190	1·1	2·7	11·5	21
August	34·9	22·4	29·5	142·9	36	11	4·0	41·2	28·2	135	1·1	3·2	11·1	16
September	33·3	16·2	26·5	252·5	32	13	7·9	104·5	79·4	77	2·1	3·1	11·5	18
October	31·1	9·1	19·2	80·4	15	5	5·4	56·8	22·1	67	3·0	3·6	9·8	15
November	26·5	8·7	18·5	27·7	18	4	1·5	19·6	14·9	73	3·4	3·9	9·2	12
December	21·4	3·5	11·6	5·7	18	4	0·3	3·3	1·1	61	2·7	3·5	12·8	17
Year.	36·1	3·5	20·7	2224·4	813	128	2·7	263·7	80·3	82	2·6	3·8	14·8	21
Date.	July 14.	Dec. 21.	...	...	...	...	...	July 17.	June 15d 23h	...	...	...	June 26d 9h	July 15d 19h 7m

* 0°=North, 90°=East &c. † Beckley Anemograph. ‡ Dines-Baxendell Anemograph

TABLE XVI.—MONTHLY NORMALS of the METEOROLOGICAL ELEMENTS and EXTREME VALUES for the PERIOD 1884-1923. (*C.G.S. Units*).

Month.	Barometric Pressure.				Air Temperature.							Temperature of Evaporation.
	Highest.	Lowest.	Mean.	Mean Diurnal Inequality (Range).	Highest.	Lowest.	Range in Month.	Mean of the Daily Maxima.	Mean of the Daily Minima.	Mean Daily Range.	Mean.	
	m.b.	m.b.	m.b.	m.b.	°	°	°	°	°	°	°	°
January	1035·4	1004·6	1019·7	3·6	299·3	273·0	26·3	291·0	286·4	4·6	288·4	285·9
February	1031·7	998·3	1018·5	3·5	299·3	276·6	22·7	290·2	285·9	4·3	287·9	285·7
March	1030·2	1001·9	1016·0	3·5	301·2	280·4	20·8	292·6	288·4	4·2	290·3	288·6
April	1027·3	1000·5	1012·6	3·2	304·4	284·0	20·4	296.8	292·5	4·3	294·3	292·7
May	1019·5	995·1	1009·3	2·8	306·1	288·4	17·7	300·4	296·1	4·3	297·9	295·9
June	1013·8	988·5	1005·9	2·4	307·2	293·5	13·7	302·6	298·4	4·2	300·2	298·0
July	1014·1	975·8	1004·8	2·3	307·4	295·3	12·1	303·4	298·8	4·6	300·8	298·4
August	1013·6	970·0	1004·9	2·5	309·1	295·0	14·1	303·3	298·4	4·9	300·6	298·3
September	1018·2	979·7	1008·3	2·7	307·4	291·7	15·7	302·6	297·8	4·8	299·9	297·0
October	1024·5	986·9	1013·7	3·1	307·3	287·1	20·2	300·1	295·6	4·5	297·6	294·1
November	1033·2	974·9	1017·5	3·4	303·1	279·5	23·6	296·4	291·4	5·0	293·7	289·9
December	1033·5	1009·4	1019·7	3·6	300·7	277·8	22·9	292·8	287·8	5·0	290·1	286·8
Year.	1035·4	970·0	1012·6	3·1	309·1	273·0	...	297·7	293·1	4·6	295·2	292·6
Date.	1903, Jan. 6.	1923, Aug 18.	...	...	1900, Aug. 19.	1893, Jan. 18.	...	...	...	...	...	...

Month.	Vapour Tension.			Rainfall.						Wind. †			
										Resultant.		Observed Velocity.	
	Highest.	Lowest.	Mean.	Total.	Duration.	Days of Rain.	Hourly Intensity.	Daily Maximum.	Hourly Maximum.	Direction.*	Velocity.	Mean.	Absolute Maximum
	m.b.	m.b.	m.b.	m.m.	hrs.		m.m.	m.m.	m.m.	°	m.p.s.	m.p.s.	m.p.s.
January	25·2	0·7	12·9	32·8	47	6·3	0·7	99·6	18·4	76	3·3	4·3	17
February	27·7	0·9	13·2	42·7	65	8·2	0·7	55·5	24·6	79	3·7	4·7	17
March	29·5	3·3	16·4	69·6	76	10·8	0·9	96·1	39·9	84	4·3	5·0	16
April	32·6	5·5	21·5	134·3	74	11·8	1·8	158·1	61·5	90	3·7	4·6	15
May	35·7	7·4	26·1	301·1	91	16·1	3·3	520·6	86·4	101	2·6	4·1	17
June	36·2	10·6	29·5	397·9	86	20·5	4·6	320·8	72·5	151	1·8	3·8	16
July	38·1	18·5	30·2	352·4	70	18·4	5·0	342·4	88·4	140	1·7	3·6	35
August	37·9	18·0	30·1	374·5	70	17·1	5·3	282·8	59·7	139	1·0	3·1	35
September	36·1	6·1	27·2	249·1	53	14·2	4·7	153·9	61·5	82	2·3	3·7	29
October	32·5	6·0	22·0	127·6	34	8·1	3·8	292·2	54·1	75	3·5	4·6	28
November	30·1	1·9	16·4	44·2	31	5·7	1·4	149·2	44·2	64	3·2	4·2	30
December	25·4	1·2	13·2	27·6	36	5·0	0·8	42·4	12·7	67	2·9	3·9	21
Year.	38·1	0·7	21·6	2153·8	733	142·2	2·9	520·6	88·4	87	2·6	4·1	35
Date.	1919, July 3.	1888, Jan. 2.	...	...	...	...	...	1889, May 30.	1886, July 15d 15h	...	...	...	1896, July 29d 22h

* 0° = North, 90° = East &c.

† Beckley Anemograph.

TABLE XVII.—MONTHLY PREVALENCE of METEOROLOGICAL PHENOMENA in the YEAR 1925.

Month 1925.	Percentage of Wind from the Eight Principal Points of the Compass.									Number of Days on which different Phenomena were observed.						
	N	NE	E	SE	S	SW	W	NW	Calm.	Fog.	Electric Phenomena.	Lightning.	Thunder.	Rainbow.	Unusual Visibility.	Dew.
January....	29	15	36	4	1	1	4	2	8	1	..	...	...	...	1	1
February..	18	12	54	4	1	3	4	1	3	1	1	1	...	...	5	1
March.....	1	14	67	3	...	1	3	2	9	10	8	5	8	...	1	...
April.....	9	15	55	3	3	1	4	2	8	5	4	4	3	...	4	4
May.....	1	9	55	5	8	8	4	3	7	7	11	10	6	1	5	4
June.....	1	5	34	16	23	6	5	3	7	1	11	9	7	3	7	4
July.....	...	1	17	12	15	17	19	3	16	...	17	17	11	3	11	12
August.....	1	7	28	5	11	22	9	4	13	...	16	12	8	1	3	9
September.	16	8	41	11	2	3	4	5	10	...	11	10	3	2	7	4
October...	15	22	45	5	...	1	1	1	10	...	2	2	1	...	3	5
November.	14	20	53	6	1	...	...	...	6	...	...	...	...	...	...	4
December..	23	16	36	4	...	1	4	1	15	2	...	...	...	1	1	3
Year.....	11	12	43	7	6	5	5	2	9	27	81	70	47	11	48	51

Month. 1925.	Number of Days on which different Phenomena were observed.					Number of Times different Forms of Cloud were observed, (8 observations a day.)									
	Halo		Corona.		No. of Thunder-Storms.	Cirrus.	Cirro-Stratus.	Cirro-Cumulus.	Alto-Stratus.	Alto-Cumulus.	Cumulus.	Strato-Cumulus.	Cumulo-Nimbus	Nimbus.	Stratus.
	Solar.	Lunar.	Solar.	Lunar											
January....	...	...	...	1	...	...	4	1	...	28	73	42	10	71	10
February..	...	...	...	1	...	...	10	1	1	30	80	17	24	42	...
March	...	...	...	3	8	...	...	3	...	22	75	1	13	108	...
April.....	...	...	...	1	5	...	3	1	...	17	79	14	37	79	1
May.....	...	1	...	...	5	...	9	1	...	27	149	6	40	46	...
June.....	2	1	...	2	4	...	23	1	...	9	159	...	13	57	...
July.....	3	3	...	2	19	...	55	1	...	3	159	...	14	40	...
August....	1	2	...	3	4	...	43	5	...	21	165	1	17	27	...
September.	1	...	...	3	...	...	24	3	...	22	166	...	9	14	...
October....	...	1	..	2	1	1	8	4	1	12	104	...	10	8	...
November.	...	...	...	2	...	...	1	1	...	19	166	3	12	8	...
December..	...	2	...	2	...	...	26	...	...	26	97	11	12	18	...
Year.....	7	10	...	22	46	1	206	22	2	236	1472	95	211	518	11

TABLE XVIII.—NORMAL PREVALENCE of METEOROLOGICAL PHENOMENA for the PERIOD 1884-1923.

Month.	Percentage of Wind from the Eight Principal Points of the Compass.									Number of Days on which different Phenomena were observed.					
	N	NE	E	SE	S	SW	W	NW	Calm	Fog.	Electric Phenomena.	Lightning.	Thunder.	Rainbow.	Dew.
January ...	18	11	51	5	1	1	5	3	5	4·4	0·3	0·3	0·2	0·2	2·4
February...	16	10	55	5	2	1	4	3	4	4·7	0·5	0·4	0·3	0·1	1·4
March.....	8	8	65	5	3	1	3	3	4	8·8	2·9	2·6	2·4	0·1	1·8
April.....	4	6	64	6	7	3	3	3	4	7·4	7·2	6·4	5·0	0·2	3·7
May.....	3	5	50	6	12	11	4	3	6	2·2	12·5	12·0	6·5	1·2	4·7
June.....	1	4	28	9	24	21	5	3	5	1·0	15·5	14·6	8·4	3·4	3·7
July	1	4	28	12	18	17	9	4	7	1·2	15·8	14·8	7·8	4·2	7·3
August	2	4	25	10	12	15	14	6	12	3·0	19·0	18·0	10·1	3·3	10·5
September.	8	10	38	10	5	4	9	5	11	2·5	13·1	12·5	5·4	2·2	8·2
October....	15	15	49	8	2	1	3	2	5	0·7	3·0	2·9	1·0	0·8	3·8
November.	24	18	42	5	1	1	3	1	5	0·9	0·4	0·4	0·2	0·4	3·7
December..	24	14	44	5	1	1	3	2	6	2·3	0·3	0·3	0·2	0·1	3·5
Year.....	10	9	45	7	8	7	5	3	6	39·1	9·05	85·2	47·5	16·2	54·7

Month.	Number of Days on which different Phenomena were observed.					Number of Times different Forms of Cloud were observed. (8 observations a day).									
	Halo.		Corona.		No. of Thunder Storms.										
	Solar.	Lunar.	Solar.	Lunar.		Cirrus.	Cirro-Stratus.	Cirro-Cumulus.	Alto-Stratus.*	Alto-Cumulus.	Cumulus.	Strato-Cumulus.	Cumulo-Nimbus.	Nimbus.	Stratus.
January....	0·2	0·2	...	1·2	0·2	0·3	6·1	5·3	0·2	41·8	93·2	8·4	17·2	22·0	15·0
February..	0·1	0·1	0·1	1·1	0·2	0·2	4·1	2·7	0·5	30·6	82·9	10·2	20·8	34·9	22·7
March.....	0·5	0·4	0·3	0·7	1·8	...	4·4	3·0	0·5	27·6	106·7	12·6	27·3	43·6	23·9
April.....	1·2	0·3	0·3	1·4	4·0	0·3	10·3	6·8	0·3	31·0	120·4	7·0	24·8	41·8	14·3
May.....	2·3	1·8	0·2	2·4	5·2	0·8	24·2	15·1	0·4	34·8	140·4	5·5	22·2	44·6	6·6
June.....	4·0	3·4	0·3	3·2	5·8	1·1	42·4	22·4	0·2	13·1	159·2	3·6	18·4	41·6	5·3
July.....	5·3	4·1	0·4	3·5	5·6	1·4	60·5	28·7	0·2	17·5	166·1	2·8	14·8	35·1	4·2
August.....	5·3	4·4	0·9	3·4	6·5	1·8	57·3	28·6	0·3	24·3	154·2	1·4	14·7	36·3	5·6
September.	3·1	3·0	0·3	3·3	3·5	0.5	37·9	23·9	0·1	31·8	141·5	3·2	11·5	23·1	4·6
October....	1·1	1·3	0·3	2·3	0·8	0·3	15·2	14·4	0·1	36·2	138·3	0·3	9·6	18·0	5·7
November.	1·1	1·1	0·2	2·3	0·1	0·2	20·2	11·1	0·5	43·1	102·0	5·5	8·7	17·6	8·7
December .	0·2	0·3	0·1	2·0	0·1	0·4	11·9	6·4	0·8	44·9	85·0	8·0	10·4	20·3	10·1
Year.....	24·4	20·4	3·4	26·8	33·8	7·3	294·5	168·4	4·1	376·7	1489·9	68·5	200·4	378·9	126·7

* For the Period 1913-1923.

TABLE XIX.—FIVE-DAY MEANS OF THE PRINCIPAL METEOROLOGICAL ELEMENTS AT THE ROYAL OBSERVATORY, HONGKONG IN THE YEAR 1925, AND NORMALS FOR THE PERIOD 1884–1923. (*British Units*).

Five day periods beginning.	Barometric Pressure.		Temperature of the Air.		Relative Humidity.		Vapour Tension		Wind * Direction		Wind Velocity.		Amount of Cloud. (0-100).		Bright Sunshine.		Rainfall.	
	1925	Normals.	1925.	Normals.	1925	Normals.	1925.	Normals.	1925.	Normals	1925.	Normals.	1925.	Normals	1925.	Normals	1925.	Normals
	ins.	ins.	°	°			ins	ins.	°	°	m.p.h.	m.p.h.			hrs.	hrs.	ins.	ins.
Jan. 1	30·069	30·090	58·3	60·1	77	67	·378	0·362	63	70	7·5	11·6	86	55	2·7	5·5	0·087	·027
6	·098	·076	54·6	60·2	72	69	·308	·375	12	75	5·0	12·7	84	52	2·6	5·8	0·008	·028
11	29·969	·030	61·1	60·6	75	73	·408	·399	88	77	11·7	11·7	92	66	2·3	4·5	0·004	·029
16	·996	·055	53·2	58·9	80	73	·325	·375	34	76	6·3	12·7	97	66	0·9	4·3	0·301	·025
21	·921	·039	58·9	60·1	77	75	·384	·402	77	79	14·5	14·0	64	63	6·2	4·9	...	·038
26	·865	·020	57·1	59·2	81	77	·389	·397	78	78	17·5	13·6	87	71	1·4	3·8	0·467	·104
31	30·190	·026	51·3	57·4	58	74	·232	·361	70	69	14·5	13·8	37	72	9·3	3·8	...	·074
Feb. 5	·054	·035	58·8	57·7	76	72	·331	·365	89	76	12·6	13·7	70	73	2·9	3·7	...	·047
10	·041	·048	57·0	58·1	80	74	·374	·369	79	79	16·6	14·5	99	68	0·9	4·3	0·005	·051
15	29·853	·005	58·0	59·5	83	78	·404	·409	85	81	16·2	12·9	93	75	2·3	3·4	0·022	·067
20	30·077	29·994	54·7	59·6	55	78	·239	·403	64	82	12·5	14·1	61	78	5·3	3·0	0·019	·057
25	·021	·970	55·1	60·8	62	81	·270	·441	63	80	10·9	14·6	67	79	4·2	3·0	0·030	·053
Mar. 2	·057	·955	61·7	61·4	72	81	·393	·452	82	82	17·6	15·5	44	82	8·3	2·9	...	·049
7	·046	·951	64·4	62·7	69	83	·418	·485	83	85	11·5	16·2	37	86	8·3	2·5	...	·049
12	29·871	·945	66·9	62·1	78	83	·516	·475	73	82	13·6	15·0	58	82	5·5	2·7	0·001	·104
17	·815	·942	63·3	62·9	92	82	·534	·479	83	83	24·2	14·7	99	80	0·8	3·2	0·334	·097
22	·804	·925	65·3	64·5	93	82	·534	·516	83	85	16·3	14·6	100	85	...	2·8	0·952	·123
27	·852	·914	61·1	65·6	80	83	·483	·534	76	85	20·2	15·4	100	83	0·1	3·2	0·369	·107
Apr. 1	·813	·883	65·9	67·2	91	82	·591	·553	87	88	12·8	14·6	100	81	1·5	3·5	1·162	·111
6	30·112	·870	58·5	68·3	80	83	·397	·585	48	89	11·3	14·3	100	84	...	2·9	0·067	·156
11	29·992	·846	62·5	70·1	78	85	·441	·633	85	87	16·0	13·8	69	81	5·0	3·7	0·226	·186
16	·918	·825	65·4	70·8	75	85	·471	·658	70	88	7·2	14·0	42	78	8·7	3·7	0·127	·205
21	·811	·817	70·8	72·8	89	85	·668	·685	96	91	10·2	13·4	70	75	6·0	4·7	...	·151
26	·843	·816	68·4	73·3	83	85	·583	·695	78	90	18·6	14·5	96	78	0·9	4·6	0·005	·251
May. 1	·753	·814	73·9	73·7	90	83	·759	·700	93	87	11·9	13·8	94	74	4·0	4·8	...	·232
6	·727	·754	76·8	75·6	89	83	·818	·742	98	97	10·0	12·3	82	71	6·3	5·1	0·177	·297
11	·711	·758	77·3	76·4	84	83	·795	·759	88	95	10·8	13·1	61	76	8·3	5·1	0·040	·369
16	·652	·730	77·7	77·7	82	84	·782	·804	89	112	14·1	12·0	91	75	5·4	5·2	0·181	·431
21	·670	·716	78·7	78·2	83	83	·817	·811	108	107	13·1	12·2	88	79	3·9	4·5	0·056	·426
26	·679	·703	79·3	78·9	78	82	·786	·818	79	110	11·5	12·2	81	74	5·1	5·2	0·062	·493
31	·683	·695	80·3	79·5	86	82	·891	·831	95	129	9·1	11·8	79	74	6·9	5·3	0·293	·547
June 5	·535	·670	82·3	79·7	79	84	·874	·854	187	123	7·1	11·9	63	80	7·4	4·5	0·169	·520
10	·640	·650	80·4	80·7	78	84	·813	·874	104	146	8·4	11·1	45	79	9·2	5·3	0·330	·580
15	·635	·630	79·9	81·7	85	82	·864	·887	118	178	10·8	11·7	95	78	2·5	5·3	2·582	·500
20	·658	·639	80·7	81·8	84	83	·878	·898	108	158	13·7	11·7	85	78	3·5	5·6	1·046	·512
25	·614	·629	82·2	81·9	80	82	·879	·892	131	155	14·7	11·4	74	71	9·6	6·7	0·212	·466
30	·613	·620	82·8	81·6	81	83	·910	·892	121	155	12·9	12·1	78	76	9·0	5·4	0·138	·571
July 5	·471	·652	84·5	82·0	79	82	·931	·897	263	159	7·3	10·9	52	71	9·9	6·7	0·004	·384
10	·479	·646	83·6	82·5	80	80	·924	·895	236	137	7·2	11·0	60	64	9·5	8·0	1·029	·221
15	·572	·605	79·9	82·1	87	81	·889	·892	210	149	13·5	10·4	98	63	1·3	7·3	2·970	·603
20	·716	·585	82·2	81·9	80	82	·882	·895	224	112	5·8	11·1	45	67	11·7	6·6	...	·437
25	·696	·581	82·7	81·7	80	83	·893	·896	155	118	4·2	11·6	37	67	11·1	6·5	0·027	·531
30	·698	·581	81·9	81·9	79	82	·862	·896	126	155	3·1	11·6	63	67	5·3	6·5	0·031	·549
Aug. 4	·621	·598	81·9	82·0	81	83	·886	·900	89	178	7·9	10·4	67	67	8·0	6·8	0·207	·437
9	·629	·598	82·7	81·5	79	84	·888	·900	202	144	13·3	9·1	80	72	6·5	5·7	0·207	·520
14	·561	·618	84·5	81·3	78	83	·927	·893	220	132	10·2	9·9	72	70	7·0	6·1	0·020	·502
19	·530	·641	80·4	81·4	81	83	·840	·885	78	107	11·2	8·6	68	58	6·3	7·1	0·326	·319
24	·515	·639	83·0	81·5	74	82	·836	·883	86	124	8·7	8·1	45	62	10·0	6·6	0·126	·519
29	·622	·649	82·5	81·6	77	81	·862	·879	76	101	17·2	9·0	79	63	8·2	6·6	0·312	·375
Sept. 3	·605	·655	84·2	81·6	64	79	·746	·848	10	97	6·3	9·0	25	57	10·9	7·2	...	·321
8	·709	·673	81·9	80·6	80	78	·871	·811	96	78	12·1	10·7	72	60	8·3	6·5	0·314	·367
13	·691	·728	80·5	80·5	60	78	·627	·809	358	83	9·0	10·8	40	58	9·6	6·7	0·022	·324
18	·837	·749	79·8	80·2	78	77	·800	·802	95	81	8·3	13·1	52	58	6·8	6·4	1·198	·473
23	·836	·785	80·7	79·7	79	75	·832	·764	96	78	9·2	13·1	40	58	8·7	6·8	0·160	·208
28	·766	·780	80·3	78·9	81	72	·841	·724	90	71	8·7	13·9	65	60	6·1	6·1	0·641	·276
Oct. 3	·907	·817	79·0	78·1	76	71	·759	·685	64	76	14·0	14·3	82	54	5·0	6·9	0·157	·272
8	·840	·863	76·4	77·2	48	72	·443	·679	15	74	11·4	13·7	14	51	11·0	6·8	...	·169
13	·910	·877	74·2	76·4	58	71	·491	·657	69	75	10·3	12·4	18	49	10·4	7·2	...	·072
18	·979	·895	74·3	75·8	70	71	·595	·641	81	73	8·8	13·5	61	50	6·5	6·9	0·029	·148
23	30·027	·920	72·8	74·9	57	71	·466	·619	85	77	12·9	14·0	8	45	10·2	7·5	...	·060
28	29·933	·924	74·0	73·6	63	71	·527	·597	83	65	6·0	12·7	5	53	10·6	6·3	...	·186
Nov. 2	30·026	·949	72·7	72·7	73	71	·585	·578	85	70	11·8	13·4	29	57	9·7	6·2	...	·047
7	·026	·953	73·7	71·4	71	67	·586	·527	80	65	15·7	13·4	43	57	8·7	5·9	...	·065
12	·000	·988	71·6	69·4	65	64	·507	·474	71	60	12·8	12·7	87	55	4·5	6·0	0·060	·066
17	29·968	·989	71·4	68·7	78	65	·612	·468	71	61	10·9	11·7	83	54	3·5	6·1	0·002	·076
22	·994	30·021	72·7	66·9	72	63	·579	·438	75	61	11·0	12·7	80	46	6·4	6·5	0·156	·050
27	30·023	·042	68·6	65·4	58	64	·412	·417	42	63	8·4	12·3	54	56	7·4	5·7	...	·038
Dec. 2	·145	·044	63·1	64·4	40	66	·232	·412	42	61	9·4	12·0	8	54	9·7	5·7	...	·049
7	·113	·022	62·7	63·7	50	66	·294	·405	40	65	8·6	11·0	63	53	4·0	5·7	0·017	·036
12	29·993	·054	66·8	62·7	71	64	·469	·382	85	63	8·5	11·5	32	55	7·5	5·3	...	·016
17	30·124	·052	60·3	62·3	56	68	·307	·399	63	69	16·3	12·0	64	57	5·9	5·4	...	·050
22	·136	·068	64·0	61·2	66	68	·395	·380	83	68	14·8	11·6	71	54	5·0	5·6	0·002	·033
27	·120	·061	59·0	61·0	68	68	·369	·372	14	74	7·5	12.0	79	53	2·9	5·7	0·026	·035

*0° = N, 90° E, etc.

Table XX.—Five-Day Means of the Principal Meteorological Elements at the Royal Observatory, Hongkong, in the Year 1925, and Normals for the Period 1884–1923. (*C.G.S. Units*).

Five-day periods beginning.	Barometric Pressure.		Temperature of the Air.		Vapour Tension.		Wind.								Rainfall.	
							N. Component.		E. Component.		Direction.		Velocity.			
	1925.	Normal.	1925.	Normal.	1925.	Normal.	1925.	Normal.	1925.	Normal.	1925.	Normal.	1925.	Normal.	1925.	Normal.
	m.b.	m.b.	°	°	m.b.	m.b.	m.p.s.	m.p.s.	m.p.s.	m.p.s.	°	°	m.p.s.	m.p.s.	m.m.	m.m.
Jan. 1	1020·4	1021·0	287·6	288·6	12·7	12·2	+0·8	+1·0	+1·6	+2·6	63	70	2·5	3·8	2·2	0·7
6	1021·4	1020·6	285·6	288·7	10·4	12·6	+1·0	+0·9	+0·2	+3·2	12	75	1·6	4·2	0·2	0·7
11	1016·9	1019·0	289·2	288·9	13·7	13·4	+0·1	+0·8	+3·4	+3·3	88	77	3·8	3·8	0·1	0·7
16	1017·9	1019·9	284·8	287·9	10·9	12·6	+1·3	+0·8	+0·9	+3·1	34	76	2·1	4·2	7·6	0·6
21	1015·3	1019·3	287·9	288·6	12·9	13·5	+0·8	+0·6	+4·0	+3·3	77	79	4·8	4·6	...	1·0
26	1013·5	1018·7	286·9	288·1	13·1	13·4	+1·0	+0·8	+4·7	+3·4	78	78	5·7	4·5	11·9	2·6
31	1024·5	1018·9	283·7	287·1	7·8	12·1	+1·3	+1·1	+3·6	+3·0	70	69	4·8	4·5	...	1·9
Feb. 5	1020·2	1019·2	287·9	287·3	12·8	12·3	+0·1	+0·8	+2·9	+3·4	89	76	4·1	4·5	...	1·2
10	1019·4	1019·6	286·9	287·5	12·6	12·4	+1·0	+0·8	+5·0	+3·8	79	79	5·4	4·8	0·2	1·3
15	1013·4	1018·2	287·4	288·3	13·6	13·8	+0·4	+0·6	+4·7	+3·6	85	81	5·3	4·2	0·6	1·7
20	1020·7	1017·8	285·6	288·3	8·0	13·7	+1·3	+0·5	+2·8	+3·4	64	82	4·1	4·6	0·5	1·7
25	1018·8	1017·0	285·8	289·0	9·1	14·9	+1·2	+0·7	+2·4	+3·9	63	80	3·6	4·8	0·8	1·3
Mar. 2	1019·9	1016·8	289·5	289·3	13·4	15·2	+0·8	+0·6	+5·6	+4·1	82	82	5·8	5·1	...	1·2
7	1019·5	1016·3	291·0	290·1	14·1	16·4	+0·3	+0·4	+2·8	+4·7	83	85	3·8	5·3	...	1·2
12	1013·6	1016·1	292·4	289·7	17·4	16·0	+0·9	+0·6	+4·1	+4·1	78	82	4·5	4·9	...	2·5
17	1011·7	1016·0	290·4	290·2	18·0	16·1	+1·0	+0·5	+7·7	+4·1	83	83	7·9	4·8	8·5	2·5
22	1011·3	1015·5	291·5	291·1	19·7	17·4	+0·7	+0·4	+5·0	+4·0	83	85	5·3	4·8	24·2	3·1
27	1013·0	1015·0	289·2	291·7	16·3	18·0	+1·5	+0·4	+5·1	+4·3	76	85	6·6	5·0	9·4	2·7
Apr. 1	1011·6	1014·0	291·8	292·6	19·9	18·8	+0·2	+0·1	+3·3	+3·9	87	88	4·2	4·8	29·5	2·8
6	1021·8	1013·5	28·77	293·2	13·4	19·7	+2·2	...	+2·5	+3·8	48	89	3·7	4·7	1·7	4·0
11	1017·7	1012·7	289·9	294·2	14·9	21·5	+0·4	+0·2	+4·9	+3·6	85	87	5·2	4·5	5·7	4·7
16	1015·2	1012·0	291·6	294·6	15·9	22·2	+0·4	+0·1	+1·1	+3·7	70	88	2·4	4·6	3·2	5·2
21	1011·5	1011·7	294·6	295·7	22·5	23·1	−0·3	−0·1	+3·1	+3·3	95	91	3·3	4·4	...	3·8
26	1012·6	1011·7	293·2	295·9	19·7	23·5	+1·2	...	+5·7	+3·8	78	90	6·1	4·8	0·1	6·4
May 1	1009·5	1011·6	296·3	296·2	25·6	23·6	−0·2	+0·2	+3·3	+3·8	93	87	3·9	4·5	...	5·9
6	1008·6	1009·9	297·9	297·2	27·6	25·0	−0·4	−0·3	+2·6	+2·6	98	97	3·3	4·0	4·5	7·5
11	1008·1	1009·7	298·2	297·7	26·8	25·6	+0·1	−0·3	+2·4	+3·0	88	95	3·5	4·3	1·0	9·4
16	1006·4	1008·7	298·4	298·4	26·4	27·1	+0·1	−0·8	+3·3	+2·0	89	112	4·6	3·9	4·6	10·9
21	1006·6	1008·2	298·9	298·7	27·6	27·4	−0·8	−0·7	+2·4	+2·1	108	107	4·3	4·0	1·4	10·8
26	1006·9	1007·8	299·3	299·1	26·5	27·6	+0·5	−0·7	+2·5	+2·0	79	110	3·8	4·0	1·6	12·5
31	1007·1	1007·5	299·8	299·4	30·1	28·0	−0·2	−1·0	+2·5	+1·3	95	129	3·0	3·9	7·4	13·9
June 5	1002·0	1006·6	300·9	299·5	29·5	28·8	−0·6	−1·0	−0·1	+1·6	187	123	2·3	3·9	4·3	13·2
10	1005·6	1006·0	299·9	300·1	27·4	29·5	−0·5	−1·4	+1·9	+1·0	104	146	2·8	3·6	8·4	14·7
15	1007·2	1005·3	299·6	300·6	29·1	29·9	−0·9	−2·0	+1·7	+0·1	118	178	3·5	3·8	65·6	12·7
20	1006·2	1005·6	300·1	300·7	29·6	30·3	−1·0	−2·0	+3·2	+0·8	108	158	4·5	3·8	25·6	13·0
25	1004·7	1005·3	300·9	300·7	29·7	30·1	−2·4	−1·7	+2·8	+0·8	131	155	4·8	3·7	5·4	11·8
30	1004·7	1005·0	301·2	300·6	30·7	30·1	−1·9	−1·8	+3·2	+0·9	121	155	4·2	4·0	3·5	14·5
July 5	999·9	1006·0	302·2	300·8	31·4	30·3	−0·2	−1·6	−1·3	+0·6	263	159	2·4	3·6	0·1	9·8
10	1000·1	1005·8	301·7	301·1	31·2	30·2	−0·5	−1·3	−0·8	+1·3	236	137	2·4	3·6	26·1	5·6
15	1003·3	1004·4	299·6	300·8	30·0	30·1	−3·2	−1·0	−1·9	+0·6	210	149	4·4	3·4	75·4	15·3
20	1008·2	1003·7	300·9	300·7	29·8	30·2	−1·1	−0·6	−1·1	+1·4	224	112	1·9	3·6	...	11·1
25	1007·5	1003·6	301·2	300·6	30·1	30·2	−0·6	−0·9	+0·3	+1·6	155	118	1·4	3·8	0·7	13·5
30	1007·6	1003·6	300·7	300·7	29·1	30·2	−0·2	−1·3	+0·2	+0·6	126	155	1·0	3·8	0·8	13·9
Aug. 4	1005·0	1004·2	300·7	300·8	29·9	30·4	...	−1·5	+2·3	+0·1	89	178	2·6	3·4	5·3	11·1
9	1005·2	1004·2	301·2	300·5	30·0	30·4	−3·8	−0·9	−1·5	+0·6	202	144	4·4	3·0	5·3	15·2
14	1002·9	1004·9	302·2	300·4	31·3	30·1	−2·5	−0·8	−2.1	+0·9	220	132	3·3	3·2	0·5	12·3
19	1001·9	1005·7	299·9	300·4	28·3	29·9	+0·6	−0·4	+2·9	+1·4	78	107	3·7	2·8	8·3	8·1
24	1001·4	1005·6	301·3	300·5	28·2	29·8	+0·1	−0·4	+1·3	+0·6	86	124	2·9	2·7	3·2	13·2
29	1005·0	1005·9	301·1	300·6	29·1	29·7	+1·3	−0·2	+5·2	+0·9	76	101	5·6	3·0	7·9	9·5
Sept. 3	1004·4	1006·1	302·0	300·6	25·2	28·6	+0·6	−0·1	+0·1	+1·1	10	97	2·1	3·0	...	8·2
8	1008·0	1006·7	300·7	300·0	29·4	27·4	−0·4	+0·4	+3·7	+1·8	95	78	4·0	3·5	8·0	9·3
13	1007·4	1008·6	299·9	299·9	21·2	27·3	+2·6	+0·3	−0·1	+2·3	358	83	3·0	3·5	0·6	8·2
18	1012·3	1009·3	299·6	299·8	27·0	27·0	−0·2	+0·5	+2·3	+2·8	95	81	2·7	4·3	30·4	12·0
23	1012·3	1010·5	300·1	299·5	28·1	25·8	−0·3	+0·6	+2·9	+3·0	96	78	3·0	4·3	4·1	5·3
28	1009·9	1010·4	299·8	299·1	28·4	24·4	...	+1·1	+2·2	+3·1	90	71	2·9	4·6	16·3	7·0
Oct. 3	1014·7	1011·7	299·1	298·6	25·6	23·1	+1·8	+0·8	+3·7	+3·3	64	76	4·6	4·7	4·0	6·9
8	1012·4	1013·2	297·7	298·1	14·9	22·9	+3·3	+0·9	+0·9	+3·3	15	74	3·7	4·5	...	4·3
13	1014·8	1013·7	296·4	297·7	16·5	22·1	+1·0	+1·0	+2·6	+3·6	69	75	3·4	4·1	...	1·8
18	1017·2	1014·3	296·5	297·3	20·0	21·6	+0·4	+1·0	+2·6	+3·2	81	73	2·9	4·4	0·7	3·8
23	1018·8	1015·2	295·7	296·8	15·7	20·9	+0·4	+0·8	+4·1	+3·7	85	77	4·2	4·6	...	1·5
28	1015·6	1015·3	296·3	296·1	17·8	20·1	+0·1	+1·3	+1·1	+2·9	83	65	2·0	4·2	..	4·7
Nov. 2	1018·8	1016·2	295·6	295·6	19·7	19·5	+0·3	+1·2	+3·6	+3·3	85	70	3·9	4·4	...	1·2
7	1018·8	1016·3	296·2	294·9	19·8	17·8	+0·9	+1·5	+5·0	+3·1	80	65	5·1	4·4	...	1·7
12	1017·9	1017·5	295·0	293·8	17·1	16·0	+1·2	+1·6	+3·5	+2·7	71	60	4·2	4·2	1·5	1·7
17	1016·8	1017·5	294·9	293·4	20·6	15·8	+1·0	+1·4	+3·0	+2·5	71	61	3·6	3·8	0·1	1·9
22	1017·7	1018·7	295·6	292·4	19·5	14·8	+0.8	+1·5	+3·1	+2·7	75	61	3·6	4·2	4·0	1·3
27	1018·7	1019·4	293.3	291·6	13·9	14·0	+1·5	+1·4	+1·4	+2·8	42	63	2·8	4·0	...	1·0
Dec. 2	1022·9	1019·4	290·3	291·0	7·8	13·9	+1·8	+1·4	+1·6	+2·6	42	61	3·1	3·9	...	1·2
7	1021·8	1018·7	290·1	290·6	9.9	13·6	+1·5	+1·1	+1·2	+2·5	40	65	2·8	3·6	0·4	0·9
12	1017·7	1019·8	292·3	290·1	15·8	12·9	+0·2	+1·3	+2·5	+2·5	85	63	2·8	3·8	...	0·4
17	1022·2	1019·8	288·7	289·8	10·3	13·4	+2·1	+1·1	+4·1	+3·0	63	69	5·3	3·9	...	1·3
22	1022·6	1020·3	290·8	289·2	13·3	12·8	+0·6	+1·1	+4·8	+2·6	83	68	4·9	3·8	0·1	0·8
27	1022·1	1020·1	288·0	289·1	12·4	12·5	+1·8	+0·9	+0·5	+3·0	14	74	2·5	3·9	0·7	0·9

ROYAL OBSERVATORY, HONGKONG.

PLATE II.—TRACKS OF TYPHOONS AND DEPRESSIONS IN THE FAR EAST DURING THE YEAR 1925.

The circles indicate the position of the centre at 6 a.m. of the 120th meridian on each day, unless otherwise stated.



ROYAL OBSERVATORY, HONGKONG.

PLATE I:—TRACKS OF TYPHOONS AND DEPRESSIONS IN THE FAR EAST DURING THE YEAR 1925.

The circles indicate the position of the centre at 6 a.m. of the 120th meridian on each day, unless otherwise stated.



ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

DECEMBER,

1925.

LATITUDE AND LONGITUDE OF METEOROLOGICAL STATIONS REPORTING TELEGRAPHICALLY TO THE ROYAL OBSERVATORY, HONGKONG.

Station	Latitude N.		Longitude E.		Station	Latitude N.		Longitude E.	
	°	′	°	′		°	′	°	′
Wladivostock	43	07	131	54	Koshun	22	00	120	45
Nemuro	43	20	145	35	Pescadores	23	32	119	33
Hakodate	41	47	140	43	Canton	23	08	113	27
Tokio	35	41	139	46	Hongkong	22	18	114	10
Kochi	33	33	133	32	Gap Rock	21	49	113	56
Nagasaki	32	44	129	52	Pratas Island	20	40	116	47
Kagoshima	31	34	130	33	Macao	22	11	113	33
Oshima	28	23	129	30	Wuchow	23	29	111	20
Naha	26	13	127	41	Pakhoi	21	29	109	06
Ishigakijima	24	20	124	10	Hoihow	20	01	110	20
Bonin Island	27	05	142	11	Phulien	20	48	106	37
Chefoo	37	33	121	30	Tourane	16	07	108	13
Hankow	30	36	114	20	Cape St. James	10	20	107	05
Ichang	30	42	111	16	Basco	20	28	121	59
Changsha	28	12	112	47	Aparri	18	22	121	38
Shanghai	31	14	121	29	Manila	14	35	120	58
Gutzlaff	30	48	122	10	Legaspi	13	09	123	45
Sharp Peak	26	03	119	39	Tacloban	11	15	125	00
Amoy	24	28	118	05	Iloilo	10	42	122	34
Swatow	23	20	116	43	Surigao	9	48	125	29
Taihoku	25	02	121	31	Guam	13	24	144	38
Taichu	24	09	120	41	Yap	9	29	138	08
Tainan	23	00	120	13	Labuan	5	16	115	13
					Pelew	7	20	134	29

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	30th November, 1925.								1st December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.07	763.7	24	...	NNE	4	c	6	29.91	759.8	18	...	NNE	6	s
Nemuro,	11	29.25	743.0	...	...	W	1	...	5	29.53	750.0	...	...	W	2	...
Hokodate,		29.90	759.5	...	...	WNW	3	...	,,	29.92	760.0	...	...	NNW	1	...
Tokio,	,,	29.84	758.0	...	...	...	0	...	,,	29.98	761.5	...	...	NW	1	...
Kochi,	,,		...	...	...	...	...	...	,,	30.00	762.0	...	...	...	0	...
Nagasaki,	,,	30.12	765.0	...	...	WNW	1	...	,,	29.96	761.0	...	...	WNW	6	...
Kagoshima,	,,	30.12	765.0	...	...	...	0	...	,,	29.96	761.0	...	...	...	0	...
Oshima,	,,	30.14	765.5	...	...	...	0	...	,,	30.04	763.0	...	...	SSE	1	...
Naha,	,,	30.12	765.0	...	...	E	1	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.08	764.0	...	...	SE	1	...	,,	30.06	763.5	...	...	NW	1	...
Bonin Island,	,,	30.04	763.0	...	...	...	0	...	,,	30.10	764.5	...	.	...	0	...
Chefoo,	15	29.83	757.7	40	91	WSW	2	r	6	29.88	758.9	30	88	W	6	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Changsha,	,,		..	...	...	...	...	...	,,	...	...	...	..	...	...	...
Shanghai,	14	30.07	763.8	63	43	WSW	4	b	,,	29.24	768.0	37	57	W	4	b
Gutzlaff,	,,	30.09	764.3	60	65	WSW	4	b	,,	29.22	767.6	44	30	...	...	b
Sharp Peak,	,,	30.05	763.5	60	97	...	0	rf	7	30.09	764.3	58	81	W	3	b
Amoy,	15	30.02	762.5	63	94	NE	2	r	9	30.06	763.5	62	94	NNE	2	b
Swatow,	,,	...		...	...	...	...	...	8	...	.	...	.	...	...	...
Taihoku,	11	30.07	763.8	68	68	...	...	...	5	30.14	765.6	59	96	...	0	o
Taichu,	,,	30.04	762.9	73	...	N	2	o	,,	30.08	764.1	63	..	N	2	o
Tainan,	,,	30.02	762.6	79	...	N	4	b	,,	30.02	762.6	64	...	NNW	4	o
Koshun,	,,	29.99	761.7	79	...	ENE	4	b	,,	30.01	762.3	70	..	NE	2	o
Pescadores,	,,	30.05	763.2	72	...	NNE	4	o	,,	30.07	763.8	68	...	NNE	4	o
Canton,	14	30.06	763.5	66	84	N	2	o	6	...	...		...	...	...	...
Hongkong,	,,	29.98	761.5	73	62	N	2	o	,,	30.08	764.0	65	64	NNE	1	o
Gap Rock,	,,	29.99	761.7	...	...	NE	4	c	,,	30.06	763.5	...	...	NNE	4	o
Macao,	,,	29.99	761.7	70	69	NNW	4	o	,,	30.06	763.5	63	75	N	4	o
Wuchow,	15		...	...	...	...	...	...	9	...	..	...		.	...	...
Pakhoi,	,,	.	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	29.98	761.5	83	...	NNE	...	d	,,	...	...	...	...	...	...	...
Phulien,	,,	30.00	762.0	75	67	NNW	1	o	7	30.11	764.7	63	86	NNW	4	o
Tourane,	,,	29.94	760.5	75	...	E	2	b	,,	30.01	762.3	70	...	NW	2	o
Cape St. James,	,,	29.84	757.8	81	...	ENE	4	b	,,	29.88	759.0	77	...	ESE	6	o
Basco,	14	29.91	759.6	75	63	E	4	o	6	29.95	760.8	75	67	E	4	of
Aparri,	,,	29.91	759.6	79	76	ENE	4	o	,,	29.93	760.2	72	89	...	c	o
Manila,	,,	29.87	758.7	84	64	N	1	o	,,	29.91	759.6	70	92	NE	1	b
Legaspi,	,,	29.82	757.5	82	81	NNE	4	o	,,	29.86	758.4	75	96	NNE	2	o
Tacloban,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	..	...
Iloilo,	,,	29.79	756.6	86	71	NE	6	o	,,	29.82	757.5	75	96	N	4	o
Surigao,	,,	29.79	756.6	84	77	NNE	2	o	,,	29.84	757.8	75	96	...	c	o
Guam,	,,	29.76	756.0	...	...	NE	6	o	4.20	29.79	756.6	...	...	NE	4	o
Yap,	12.20	29.75	755.7	...	...	NE	4	o	,,	29.78	756.3	...	...	ENE	4	o
Palu,	12.47	...	...	..	..	...	...	...	5	29.81	757.2	66	...	NE	1	c
Labuan,	11	29.73	755.1	88	84	NW	2	b	6	29.81	757.2	78	91	N	2	b

December 1*d.* 11*h.* 10*m.*—Pressure has decreased moderately from Wladivostock to S.W. Japan. It has increased moderately at Shanghai and slightly at Hongkong. Farther South it is nearly stationary.

The anticyclone is passing into the Pacific. Another has formed over China.

The monsoon will freshen along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 87·35 inches, against an average of 81·95 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate to fresh; fine.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	1st December, 1925.								2nd December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	29.72	755.0	20	...	NNE	7	s	6	29.54	750.3	25	.	N	6	s
Nemuro,	11	..	...	...	...	...	...	...	5	29.80	757.0	...	.	...	..	...
Hokodate,	.	29.90	759.5	...	...	N	1	...	..	29.53	750.0	...	..	ESE	6	...
Tokio,	,,	29.92	760.0	...	...	N	1	...	,,	29.63	752.5	...	..	...	0	...
Kochi,	,,	29.90	759.5	...	...	...	0	...	,,	29.86	758.5	...	...	WSW	1	...
Nagasaki,	,,	30.00	762.0	...	...	W	6	...	,,	30.00	762.0	...	..	W	5	...
Kagoshima,	,,	30.02	762.5	...	...	W	2	...	,,	30.02	762.5	...	...	NW	1	...
Oshima,	,,	30.08	764.0	...	...	N	1	...	,,	30.12	765.0	...	...	NNW	3	...
Naha,	,,	30.14	765.5	...	...	NNW	3	...	,,	30.20	767.0	...	...	NNW	4	...
Ishigakijima,	,,	30.14	765.5	...	...	N	2	...	,,	...	...	...	...	...	...	...
Bonin Island,	..	30.06	763.5	...	...	...	0	...	,,	30.02	762.5	...	..	...	0	...
Chefoo,	15	30.02	762.5	32	100	NW	7	r	6	30.15	765.8	32	100	NW	6	r
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	.	.	...	...	..	...	...	,,	..	...	..	..	...	...	...
Shanghai,	14	30.24	768.0	46	22	WNW	6	b	,,	30.41	772.5	28	66	WNW	4	b
Gutzlaff,	,,	30.24	768.1	47	34	NW	8	b	,,	30.36	771.1	34	51	NW	8	b
Sharp Peak,	..	30.14	765.5	72	67	E	2	o	7	30.21	767.3	54	92	W	2	o
Amoy,	15	30.05	763.2	72	62	ENE	2	b	9	30.19	766.8	58	81	ENE	2	b
Swatow,	,,	...		..	.	...	...	...	8	...		..	.	..	...	...
Taiboku,	11	30.18	766.5	66	71	E	4	o	5	30.22	767.6	54	85	E	2	o
Taichu,	,,	30.10	764.4	68	...	NNW	2	o	,,	30.15	765.9	57	.	...	0	o
Tainan,	,,	30.06	763.5	70	...	N	4	o	,,	30.13	765.3	59	...	N	4	r
Koshun,	,,	30.07	763.8	70	...	NE	6	b	,,	30.08	764.1	66	..	NNE	6	o
Pescadores,	,,	30.10	764.5	70	..	NE	6	b	,,	30.13	765.3	64	...	NE	6	o
Canton,	14	30.11	764.8	77	46	N	2	b	6	...	...	...	...	...	...	...
Hongkong,	,,	30.07	763.8	76	26	ESE	2	b	,,	30.17	766.3	63	42	NNE	2	b
Gap Rock,	,,	30.07	763.8	...	...	NNE	4	b	,,	30.15	765.8	...	...	NNE	4	b
Macao,	,,	30.05	763.5	72	43	NNE	4	b	,,	30.17	766.2	59	63	NNE	4	o
Wuchow,	15	..	...	...	...	...	...	...	9	..	..	...			...	...
Pakhoi,	,,	...	.	...	...	...	...	...	,,	..	...	...	..	...	...	...
Hoihow,	,,	..	..	...	...	...	...	...	,,	...	...	...	...	...	.	...
Pratas Island,	,,	30.07	763.8	78	...	NE	4	b	,,	30.15	765.8	73	...	NE	6	...
Phulien,	,,	30.07	763.8	77	40	NNW	1	b	7	30.18	766.5	64	80	ENE	2	b
Tourane,	,,	29.99	761.7	73	...	NE	2	of	,,	30.02	762.6	73	...	ENE	6	of
Cape St. James,	,,	29.87	758.7	81	...	E	4	b	,,	29.93	760.2	73	...	NNE	2	o
Basco,	14	29.98	761.4	68	96	N	6	r	6	30.00	762.0	68	96	N	4	o
Aparri,	,,	29.91	759.6	81	76	NE	2	o	,,	29.98	761.4	73	88	E	4	r
Manila,	,,	29.84	757.8	86	65	SW	4	o	,,	29.88	759.0	72	88	N	2	o
Legaspi,	,,	29.82	757.5	77	96	NNE	2	o	..	29.84	757.8	75	98	...	0	o
Tacloban,	,,	...	...	...	...	...	..	...	,,	..	...	...	...	.	..	...
Iloilo,	,,	29.78	756.3	86	68	NNE	4	o	,,	29.82	757.5	75	94	N	2	o
Surigao,	..	29.78	756.3	81	89	...	0	o	..	..		...	...	...	...	.
Guam,	,,	29.76	756.0	...	...	NE	4	r	4.20	29.80	756.9	...	...	E	4	o
Yap,	12.20	29.71	754.5	...	...	E	4	o	,,	29.75	755.7	...	...	...	0	o
Palu,	12.47	...	...	...	...	...	...	...	5	29.71	754.6	77	...	...	0	o
Labuan,	11	29.71	754.6	88	84	N	2	b	6	29.84	757.9	78	91	N	2	b

December 2d. 11h. 22m.—Pressure has decreased considerably over the Sea of Japan. It has increased moderately from Chefoo to Shanghai and slightly from the Loochoos to Tongking. It is nearly stationary in the South.

A somewhat deep depression lies over the Sea of Japan.

The anticyclone over China has strengthened.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 87·35 inches, against an average of 81·99 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine, cooler.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	2nd December, 1925.								3rd December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.58	751.3	26	...	NNE	5	o	6	29.91	759.8	23	...	NNE	4	o
Nemuro,	11	29.65	753.0	...	...	ESE	3	...	5	29.33	745.0	...	...	SW	1	...
Hokodate,		29.51	749.5	...	...	WSW	2	...	,,	...	...	...	...	...	..	...
Tokio,	,,	29.51	749.5	...	...	SSW	4	...	,,	29.67	753.5	...	...	W	1	...
Kochi,	,,	29.84	758.0	...	...	W	2	...	,,	29.90	759.5	...	...	..	0	...
Nagasaki,	,,	29.98	761.5	...	...	WNW	5	...	,,	30.00	762.0	...	...	NW	2	...
Kagoshima,	,,	29.98	761.5	...	...	N	1	...	,,	30.00	762.0	...	...	NW	1	...
Oshima,	,,	30.12	765.0	...	...	NNW	2	...	,,	30.04	763.0	...	...	N	2	...
Naba,	,,	30.20	767.0	...	...	NW	4	...	,,	30.12	765.0	...	...	NW	2	...
Ishigakijima,	,,	30.22	767.5	...	...	N	3	...	,,	30.18	766.5	...	...	NNW	1	...
Bonin Island,	..	29.94	760.5	...	...	SW	1	...	..	29.94	760.5	...	...	.	...	...
Chefoo,	15	30.16	766.0	34	90	NW	6	o	6	30.07	763.8	30	100	SW	1	o
Hankow,	,,	...	.	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	..	..	..	...	...
Shanghai,	14	30.37	771.3	41	...	WNW	4	b	,,	30.28	769.2	25	87	WNW	2	b
Gutzlaff,	,,	30.33	770.4	38	38	NNW	8	b	..	30.29	769.3	34	69	NW	6	b
Sharp Peak,	,,	30.21	767.3	72	50	ENE	2	of	7	30.20	767.1	54	74	W	2	b
Amoy,	15	30.14	765.5	69	52	NE	4	b	9	30.14	765.5	54	62	NE	2	b
Swatow,	,,			...	...	..	...	...	8	...	...	..	..	...	..	
Taihoku,	11	30.24	768.0	66	49	ENE	4	b	5	...	...	45	94	...	0	b
Taichu,	,,	30.17	766.2	66	...	N	2	o	,,	30.15	765.9	45		...	0	b
Tainan,	,,	30.15	765.9	68	...	N	4	o	,,	30.12	765.0	52	...	NNE	4	b
Koshun,	,,	30.12	765.0	70	...	NE	6	o	,,	30.12	765.0	59	..	NNE	4	b
Pescadores,	,,	30.19	766.8	68	...	NE	6	o	,,	...	...	...	...	...	..	...
Canton,	14	..		...	...	...	...	..	6	...	...	..	...	...	...	...
Hongkong,	,,	30.14	765.5	70	27	N	3	b	,,	30.15	765.8	57	36	NNE	3	b
Gap Rock,	,,	30.13	765.3	...	...	NE	5	b	,,	30.15	765.8	...	...	NE	4	b
Macao,	,,	30.13	765.3	68	32	NNE	4	o	,,	30.13	765.3	55	44	N	4	b
Wuchow,	15	.	...	...	...	...	...	...	9	...	...	...		.	..	...
Pakhoi,	,,	.	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Pratas Island,	,,	30.14	765.5	75	...	NE	...	o	,,	30.14	765.5	71	...	NE	4	b
Phulien,	,,	30.13	765.3	77	35	NNW	2	b	7	30.15	765.9	63	60	ENE	4	b
Tourane,	,,	30.02	762.6	73	...	NE	6	of	,,	30.05	763.2	72	...	NE	7	of
Cape St. James,	,,	29.87	758.7	86	...	SW	2	b	,,	29.91	759.6	75	...	ESE	2	o
Basco,	14	29.99	761.7	68	87	N	4	r	6	30.01	762.3	68	68	N	4	o
Aparri,	,,	29.94	760.5	72	94	NE	6	r	,,	29.99	761.7	70	94	NE	4	r
Manila,	,,	29.80	756.9	86	61	SW	1	o	,,	29.85	758.1	75	88	NE	1	o
Legaspi,	,,	29.79	756.6	82	89	ENE	2	o	,,	29.79	756.6	73	96	...	0	o
Tacloban,	,,	...	..	...	...	...	..	...	,,	...	...	...	...	...	..	...
Iloilo,	,,	29.76	756.0	82	81	N	4	o	,,	29.79	756.6	75	92	N	4	o
Surigao,	..	29.76	756.0	82	81	...	0	o	,,	29.79	756.6	72	94	SSW	1	o
Guam,	,,	29.76	756.0	...	...	ENE	4	o	4.20	29.79	756.6	...	...	NE	2	o
Yap,	12.20	29.75	755.7	...	...	...	0	r	,,	29.76	756.0	...	...	ESE	2	o
Palu,	12.47	...	...	...	...	...	...	...	5	29.77	756.1	77	...	...	..	c
Labuan,	11	29.79	756.6	88	80	NW	4	b	6	29.80	756.9	78	98	NW	2	b

December 3*d.* 11*h.* 52*m.*—Pressure has decreased considerably over N.E. Japan and slightly over China. It is nearly stationary in the South.

The depression is passing into the Pacific.

The anticyclone over China has weakened slightly.

The monsoon will moderate along the S.E. coast of China and remain fresh over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 87·35 inches, against an average of 82·03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	3rd December, 1925.								4th December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.98	761.5	24	...	N	4	o	0	30.19	766.8	20	...	NNE	4	o
Nemuro,	11	29.23	742.5	...	...	W	2	...	5	29.76	756.0	...	..	NW	5	...
Hokodate,		29.82	757.5	...	...	WNW	2	..	,,	29.92	760.0	...	...	N	3	...
Tokio,	,,	29.72	755.0	...	...	N	1	...	,,	29.98	761.5	...	...	NW	1	...
Kochi,	,,	29.92	760.0	...	...	WNW	1	...	,,	29.98	761.5	...	...	..	o	...
Nagasaki,	,,	30.00	762.0	...	...	NW	1	...	,,	30.04	763.0	...	..	NNE	1	...
Kagoshima,	,,	29.98	761.5	...	...	NNW	1	...	,,	30.00	762.0	...	...	...	o	...
Oshima,	,,	30.06	763.5	...	...	NNE	1	...	,,	30.08	764.0	...	...	N	1	...
Niha,	,,	30.10	764.5	...	...	NW	2	...	,,	30.12	765.0	...	..	NW	2	...
Ishigakijima,	,,	30.16	766.0	...	...	NNW	2	...	,,	30.16	766.0	...	...	NNW	1	...
Bonin Island,	..	29.94	760.5	...	...	WNW	1	.	..	30.04	763.0	..	..	..	...	...
Chefoo,	15	30.11	764.8	34	69	NNE	4	o	6	30.25	768.3	28	100	N	1	r
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	..	..	...	...		...	...	,,	...	...	...	..	...	..	...
Changsha,	..			..	...		...	...	,,	..	...	..	..		...	...
Shanghai,	14	30.19	766.8	46	22	W	4	b	,,	30.22	767.7	32	68	SW	1	b
Gutzlaff,	,,	30.21	767.3	44	30	NW	4	b	,,	30.23	767.8	44	53	WNW	4	b
Sharp Peak,	,,	30.14	765.5	72	50		0	b	7	30.15	765.8	52	60	W	2	b
Amoy,	15	29.97	761.2	68	56	NE	4	b	0	30.12	765.0	54	89	SW	2	b
Swatow,	,,	...		...	...	...	...	...	8	...		..	.	...	..	...
Taihoku,	11	30.17	766.2	66	54	E	4	b	5	30.17	766.2	45	92	...	0	b
Taichu,	,,	30.14	765.6	66	...	NNW	2	b	,,	30.15	765.9	39	.	...	0	b
Tainan,	,,	30.12	765.0	70	...	N	4	b	,,	30.11	764.7	48	...	N	2	b
Koshun,	,,	30.08	764.1	72	...	NNE	4	b	,,	30.08	764.1	03	...	NNE	4	b
Pescadores,	,,	30.14	765.6	66	...	NE	4	o	..	30.12	765.0	64	...	NE	4	b
Canton,	14	30.12	765.0	72	42	N	2	b	6	...	...		...	...	...	...
Hongkong,	,,	30.10	764.5	67	30	WSW	1	b	,,	30.12	765.0	58	37	N	2	b
Gap Rock,	,,	30.09	764.3	...	...	NNE	4	b	,,	30.12	765.0	...	..	N	4	b
Macao,	,,	30.08	764.1	64	32	NE	4	b	,,	30.11	764.7	57	51	N	4	o
Wuchow,	15	..	...	...	...	...	...	...	9	...	...	...		..	...	...
Pakhoi,	,,	.	.	...	...	..	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	.		...	...	...	...	...	..	...	...	...	...	...	.	...
Pratas Island,	,,	30.09	764.3	77	...	NE	2	b	,,	30.10	764.5	71	...	NE	4	b
Phulien,	,,	30.10	764.4	75	39	ESE	2	bf	7	30.14	765.6	61	81	NE	4	bf
Tourane,	,,	30.04	762.9	72	...	NE	6	of	,,	30.05	763.2	64	...	NW	2	rf
Cape St. James,	,,	29.87	758.7	77	...	ENE	2	o	..	..	..	..	...	...	...	...
Basco,	14	29.98	761.4	70	57	N	6	r	6	30.04	762.9	66	59	N	4	o
Aparri,	,,	29.95	760.8	70	83	NE	4	o	,,	29.99	761.7	70	77	ENE	4	o
Manila,	,,	29.79	756.6	82	63	NNE	4	o	,,	29.86	758.4	75	76	N	2	o
Legaspi,	,,	29.75	755.7	86	71	ENE	2	o	..	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	86	61	N	4	o	,,	29.80	756.9	73	82	N	4	b
Surigao,	..	29.73	755.1	82	81	NNE	2	b	..	29.78	756.3	72	96	...	o	o
Guam,	,,	29.75	755.7	...	...	E	4	o	4.20	29.82	757.5	...	...	NE	1	o
Yap,	12.20	29.74	755.4	...	...	E	2	o	,,	29.81	757.2	...	...	ENE	1	o
Palu,	12.47	...	...	.	.	...	...	...	5	29.81	757.2	77	...	NNW	1	o
Labuan,	12	29.71	754.6	86	92	N	2	b	6	...	...	..	...	...	...	...

December 4*d.* 10*h.* 57*m.*—Pressure has increased moderately from Wladivostock to Chefoo and over the Sea of Japan. It has increased slightly from S.W. Japan to Formosa and is nearly stationary elsewhere.

The anticyclone over China now forms part of a large anticyclone over Mongolia.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. **Total since January 1st, 87·35 inches, against an average of 82·08 inches.**

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fine.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	4th December, 1925.								5th December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	11	30.17	766.3	22	...	NNE	4	b	0	30.20	767.1	13	...	NNE	5	b
Nemuro,	11	29.90	759.5	...	...	WNW	4	...	5	30.10	764.5	...	...	WNW	1	...
Hokodate,		30.00	762.0	...	...	N	3	..	,,	30.06	763.5	...	...	ENE	1	...
Tokio,	,,	30.02	762.5	...	...	...	0	...	,,	29.96	761.0	...	...	NW	1	...
Kochi,	,,	29.98	761.5	...	...	...	0	...	,,	30.02	762.5	...	...	..	0	...
Nagasaki,	,,	30.08	764.0	...	...	...	0	...	,,	30.18	766.5	...	...	NNW	4	...
Kagoshima,	,,	30.06	763.5	...	...	...	0	...	,,	30.14	765.5	...	...	...	..	...
Oshima,	,,	30.12	765.0	...	...	N	2	...	,,	30.18	766.5	...	...	N	2	...
Naha,	,,	30.18	766.5	...	...	NW	3	...	,,	30.22	767.5	...	...	NNW	2	...
Ishigakijima,	,,	30.22	767.5	...	...	N	2	...	,,	30.30	769.5	...	...	N	2	...
Bonin Island,	..	30.06	763.5	...	...	WSW	1	.	..	30.10	764.5	..	...	..	0	...
Chefoo,	15	30.32	770.1	32	90	NW	6	o	6	30.39	771.9	36	70	WNW	4	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	..	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,		...	...	...	...	...	...	,,	...	...	..	...	.	...	...
Shanghai,	14	30.38	771.6	46	39	NW	6	b	,,	30.53	775.5	25	87	WNW	2	b
Gutzlaff,	,,	30.34	770.6	46	62	NNW	7	b	..	30.49	774.4	36	70	NNW	6	b
Sharp Peak,	,,	30.16	766.0	70	57	ENE	2	b	7	30.30	769.6	54	80	NW	2	b
Amoy,	15	30.13	765.3	68	51	SE	4	b	9	30.26	768.6	50	75	NNE	2	b
Swatow,	,,	..		...	...	...	...	...	8	...	..	...	..	...	.	...
Taihoku,	11	30.21	767.4	68	56	ENE	4	b	5	30.34	770.7	45	92	...	0	b
Taichu,	,,	30.18	766.5	68	...	...	0	b	,,	30.26	768.6	41	...	...	0	b
Tainan,	,,	30.17	766.2	64	...	N	4	b	,,	30.22	767.7	48	...	NNE	2	b
Koshun,	,,	30.14	765.6	72	...	NNE	4	b	,,	30.19	766.8	64	...	NE	4	b
Pescadores,	,,	30.19	766.8	68	...	ENE	2	b	..	30.24	768.0	61	...	NE	0	b
Canton,	14	...	...	...	...	...	...	...	6	...	...		...	...	...	...
Hongkong,	,,	30.13	765.3	70	28	E	3	c	,,	30.25	768.3	59	49	N	3	b
Gap Rock,	,,	30.15	765.8	...	...	NE	4	b	..	30.23	767.8	...	..	NE	4	b
Macao,	,,	30.1.	764.7	68	32	NNE	4	b	,,	30.22	767.7	59	48	NNE	2	o
Wuchow,	15	..	...	...	...	...	...	...	9	...	...	...		.	...	...
Pakhoi,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.12	765.0	78	...	NE	...	c	,,	30.22	767.6	72	...	NE	...	c
Phulien,	,,	30.11	764.7	75	39	ESE	1	bf	7	30.22	767.7	61	64	NE	4	bf
Tourane,	,,	30.06	763.5	66	...	...	0	of	,,	30.11	764.7	68	...	SE	2	o
Cape St. James,	,,	29.86	758.4	75	...	ENE	2	of	..	29.91	759.6	72	...	ENE	2	b
Basco,	14	30.04	762.9	70	61	N	4	o	6	30.15	765.9	68	51	N	4	o
Aparri,	,,	29.99	761.7	73	66	ENE	4	o	,,	...	...	...	...	...	..	...
Manila,	,,	29.84	757.8	82	67	SW	2	o	,,	29.94	760.5	70	85	N	1	o
Legaspi,	,,	29.79	756.6	79	85	NNE	4	o	..	29.88	759.0	75	94	NNE	4	r
Tacloban,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	82	81	N	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.74	755.4	82	77	NE	2	b	,,	...	...	...	...	...	..	...
Guam,	,,	29.79	756.6	...	...	ENE	2	o	4.20	..	...	...	...	...	...	...
Yap,	12.20	29.75	755.6	...	...	ENE	4	o	,,	29.81	757.2	...	...	NE	2	o
Palu,	12.47	...	...	...	...	...	...	...	5	29.83	757.7	76	...	E	2	o
Labuan,	11	29.72	754.9	88	80	NW	4	b	6	29.82	757.4	78	91	N	1	b

December 5*d.* 11*h.* 20*m.*—Pressure has increased moderately to slightly in all districts except over central Japan where it has decreased slightly.

The anticyclone over China has strengthened slightly.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 87·35 inches, against an average of 82·12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks.	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock,	N.E. winds, fresh; fine.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fine.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	5th December, 1925.								6th December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.15	765.7	20	...	N	5	b	6	30.31	769.9	16	...	N	4	b
Nemuro,	11	30.04	763.0	...	...	WNW	1	...	5	29.88	759.0	...	...	ENE	3	...
Hokodate,		29.96	761.0	...	...	NE	2	...	,,	29.88	759.0	...	...	NNW	1	...
Tokio,	,,	29.84	758.0	...	...	NW	1	...	,,	29.78	756.5	...	...	NW	1	...
Kochi,	,,	30.04	763.0	...	...	NW	2	...	,,	30.12	765.0	...	...	SW	1	...
Nagasaki,	,,	30.22	767.5	...	...	NW	3	...	,,	30.28	769.0	...	...	N	1	...
Kagoshima,	,,	30.20	767.0	...	...	NW	2	...	,,	30.24	768.0	...	...	WNW	1	...
Oshima,	,,	30.22	767.5	...	...	NNE	3	...	,,	30.24	768.0	...	...	N	3	...
Naha,	,,	30.28	769.0	...	...	...	...	...	,,	30.24	768.0	...	...	N	3	...
Ishigakijima,	,,	30.35	771.0	...	...	NNW	2	...	,,	30.32	770.0	...	...	N	3	...
Bonin Island,	,,	30.08	764.0	...	...	...	...	...	,,	29.98	761.5	...	...	WNW	1	...
Chefoo,	15	30.38	771.6	40	74	WNW	4	o	6	30.34	770.6	36	70	SW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.52	775.2	45	31	WNW	4	b	,,	30.52	775.2	21	100	NW	1	b
Gutzlaff,	,,	30.50	774.7	44	45	NW	4	b	,,	30.53	775.4	38	72	NNW	2	b
Sharp Peak,	,,	30.38	771.6	67	60	E	2	b	7	30.40	772.1	50	79	NW	4	b
Amoy,	15	30.27	768.8	66	68	NE	4	b	9	30.31	769.9	54	74	NNE	4	b
Swatow,	,,	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...
Taihoku,	11	30.40	772.2	61	55	E	4	o	5	30.36	771.0	79	92	E	2	o
Taichu,	,,	30.28	769.2	66	...	N	2	b	,,	30.28	769.2	59	...	...	o	b
Tainan,	,,	30.26	768.6	68	...	N	4	b	,,	30.25	768.3	45	...	...	o	b
Koshun,	,,	30.21	767.4	70	...	NNE	6	b	,,	30.22	767.7	63	...	NNE	4	o
Pescadores,	,,	30.31	769.8	66	...	NE	6	b	,,	30.24	768.0	59	...	NE	6	b
Canton,	14	30.27	768.8	73	43	WSW	2	b	6	...	...	...	...	...	...	...
Hongkong,	,,	30.23	767.8	69	36	ESE	2	b	,,	30.29	769.3	56	45	NNE	2	b
Gap Rock,	,,	30.24	768.1	...	...	ENE	5	b	,,	30.26	768.6	...	...	NNE	5	b
Macao,	,,	30.22	767.7	66	34	NNE	4	b	,,	...	...	57	51	NNE	4	o
Wuchow,	15		...	...	...	...	...	...	9	...	...	...		...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.24	768.1	73	...	NE	...	c	,,	30.25	768.3	71	...	NE	6	c
Phulien,	,,	30.22	767.7	73	32	E	4	bf	7	...	...	...	...	...	...	...
Tourane,	,,	30.08	764.1	72	...	ENE	6	of	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Basco,	14	30.12	765.0	70	65	NE	6	o	6	...	...	...	...	...	...	...
Aparri,	,,	30.07	763.8	73	62	NE	4	o	,,	30.12	765.0	72	65	ENE	2	b
Manila,	,,	29.91	759.6	82	51	ENE	4	o	,,	29.98	761.4	70	82	NW	1	o
Legaspi,	,,	29.86	758.4	77	84	NNE	6	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.89	759.3	45	88	N	4	o
Iloilo,	,,	29.80	756.0	82	74	N	6	o	,,	29.67	758.7	73	92	N	6	o
Surigao,	,,	29.79	756.6	79	89	NNE	2	o	,,	...	...	...	...	...	...	...
Guam,	,,	29.78	756.3	...	...	ENE	4	o	4.20	29.82	757.5	...	...	NE	2	o
Yap,	12.20	29.75	755.7	...	...	ENE	4	o	,,	29.84	757.8	...	...	SSW	2	o
Palu,	12.47	...	...	...	...	...	...	...	5	29.82	757.4	78	...	...	o	c
Labuan,	12	29.76	755.9	88	84	NW	4	b	6	29.82	757.4	78	91	N	2	of

December *6d. 12h. 15m.*—Pressure has decreased slightly from N.E. Japan to the Bonins and from Chefoo to Shanghai. It has increased moderately at Wladivostock and is nearly stationary elsewhere.

The Japanese depression is moving eastward.

The anticyclone over China has weakened slightly.

Strong to fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 87·35 inches, against an average of 82·16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel.	N.E. winds, strong to fresh; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock.	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	6th December, 1925.								7th December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock. .	12	30.29	769.4	21	...	NNE	4	b	6	30.33	770.3	17	.	NNE	2	o
Nemuro,	11	29.86	758.5	...	...	NE	4	...	5	30.12	765.0	...	..	NNE	5	...
Hokodate,	.	29.90	759.5	...	...	NNW	3	...	,,	30.18	766.5	...	...	NNE	1	...
Tokio,	,,	29.88	759.0	...	...	N	1	...	,,	30.14	765.5	...	...	NNW	1	...
Kochi,	,,	30.14	765.5	...	...	NNW	3	...	,,	30.24	768.0	...	...	SW	1	...
Nagasaki,	,,	30.30	769.5	...	...	N	1	...	,,	30.30	769.5	...	...	...	0	...
Kagoshima,	,,	30.28	769.0	...	...	N	1	...	,,	30.28	769.0	...	...	WNW	1	...
Oshima,	,,	30.26	768.5	...	...	N	3	...	,,	30.26	768.5	...	...	N	1	...
Naha,	,,	30.30	764.5	...	...	NNE	3	...	,,	...	...	...	...	..	...	...
Ishigakijima,	,,	30.31	770.0	...	...	NNW	2	...	,,	30.24	768.0	...	...	NNW	1	...
Bonin Island,	..	30.02	762.5	...	...	WNW	1	...	..	30.12	765.0	...	.	...	...	...
Chefoo,	15	30.31	769.9	46	54	WNW	2	b	6	30.34	770.6	34	69	SW	2	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	..	...	...	..	...	...	,,	...	...	...	...	...	...	...
Changsha,	..			...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.43	772.8	52	30	WNW	1	b	,,	30.43	772.8	34	70	SW	1	b
Gutzlaff,	,,	30.44	773.2	47	48	NW	1	b	,,	30.44	773.2	42	66	NW	1	o
Sharp Peak,	,,	30.33	770.4	64	58	F	4	b	7	30.37	771.4	48	63	W	2	b
Amoy,	15	30.25	768.3	60	71	ENE	4	b	9	...	...	...	..	...	...	...
Swatow,	,,	...		...	...		...	...	8	...	..	...	..	...	...	...
Taihoku,	11	30.37	771.3	61	64	ENE	4	o	5	30.26	768.6	57	81	E	2	o
Taichu,	,,	30.27	768.9	66	...	...	0	b	,,	30.24	768.0	55	...	...	0	o
Tainan,	,,	30.26	768.6	70	...	...	0	b	,,	30.21	767.4	50	..	...	0	b
Koshun,	,,	30.27	768.9	68	...	NE	4	b	,,	30.18	766.5	61	..	NNE	2	b
Pescadores,	,,	30.30	769.5	66	...	NE	6	b	,,	30.21	767.4	63	...	NNE	4	o
Canton,	14	30.26	768.6	70	44	N	2	b	6	...	...	...	..	..	...	...
Hongkong,	,,	30.24	768.1	65	51	E	4	b	,,	30.28	769.1	56	45	NNE	1	b
Gap Rock,	,,	30.25	768.3	...	...	ENE	6	b	,,	30.24	768.1	...	.	ENE	5	b
Macao,	,,	30.22	767.7	64	41	NE	2	b	,,	30.25	768.3	57	56	NNE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	..	...	...
Pakhoi,	,,	...	..	...	...	...	...	...	,,	...	...	...	..	...	...	...
Hoihow,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.21	767.3	74	...	NE	...	b	,,	30.20	767.1	70	..	NE	...	c
Phulien,	,,	30.22	767.7	75	33	SE	2	bf	7	30.31	769.8	55	71	NNE	4	bf
Tourane,	,,	30.10	764.4	72	...	ENE	6	o	,,	30.13	765.3	70	..	ENE	6	of
Cape St. James,	,,	29.89	759.3	81	...	E	2	o	..	..		..	...	...	..	...
Basco,	14	30.10	764.4	70	57	N	6	o	6	30.11	764.7	70	65	...	0	o
Aparri,	,,	30.07	763.8	72	78	E	4	o	,,	30.06	763.5	70	83	E	2	o
Manila,	,,	29.89	759.3	86	49	N	1	b	,,	29.94	760.5	68	83	N	1	o
Legaspi,	,,	29.87	758.7	79	79	N	6	o	..	29.88	759.0	75	88	N	4	o
Tacloban,	,,	...	...	...	...	...	..	...	,,	..		...	...	...	..	...
Iloilo,	,,	29.81	757.2	79	76	N	6	o	,,	29.82	757.5	75	91	N	6	o
Surigao,	..	...	...	...	...	...	...	...	,,	29.80	756.9	77	98	WNW	2	r
Guam,	,,	29.79	756.6	...	...	E	4	o	4.20	29.82	757.5	...	...	NE	2	o
Yap,	12.20	29.74	755.4	...	...	ENE	4	o	,,	29.79	756.6	...	...	ENE	4	o
Palu,	12.47	..	...		..	...	...	...	5	29.80	756.9	78	...	E	1	o
Labuan,	14	29.71	754.6	88	84	NW	2	b	6	29.79	756.6	77	94	N	2	b

December 7*d*. 11*h*. 10*m*.—Pressure has increased considerably over N.E. Japan and has decreased slightly from Shanghai to the Visayas.

The anticyclone has again weakened slightly, but fresh monsoon may still be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 87·35 inches, against an average of 82·20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	7th December, 1925.								8th December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.24	768.2	23	...	...	0	s	6	29.96	760.9	20	..	NNE	5	o
Nemuro,	11	30.16	766.0	...	...	NNW	4	...	5	30.26	768.5	...	..	..	0	...
Hokodate,	.	30.20	767.0	...	...	...	0	...	,,	30.08	764.0	...	..	SE	2	...
Tokio,	,,	30.16	766.0	...	...	NE	1	...	,,	30.12	765.0	...	...	...	...	...
Kochi,	,,	30.20	767.0	...	...	...	0	...	,,	30.14	765.5	...	...	SW	1	...
Nagasaki,	,,	30.28	759.0	...	...	NW	2	...	,,	30.20	767.0	...	...	NNW	2	...
Kagoshima,	,,	30.26	768.5	...	...	NNE	1	...	,,	30.22	767.5	...	...	...	0	...
Oshima,	,,	30.24	768.0	...	...	N	1	...	,,	30.20	767.0	...	...	NNW	1	...
Naha,	,,	30.26	768.5	...	...	NNE	2	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30 28	769.0	...	...	NNW	3	...	,,	30.20	767.0	...	...	NNW	1	...
Bonin Island,	..	30.10	764.5	...	...	...	0	...	,,	30.14	765.5	...	...	..	0	...
Chefoo,	15	30.26	768.6	36	70	WNW	6	b	6	30.04	763.0	34	90	SW	1	b
Hankow,	,,	...	..	...	...	..	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	..	...	...	..	..	...	,,	...	...	...	...	...	...	...
Changsha,	,,		..	...	...	..	...	...	,,	...	...	..	...	...	...	...
Shanghai,	14	30.38	771.6	54	42	WNW	4	b	,,	30.37	771.3	28	100	SW	1	b
Gutzlaff,	,,	30.37	771.4	52	53	NW	2	b	,,	30.37	771.4	40	74	NW	2	b
Sharp Peak,	,,	30.27	768.8	67	41	ENE	4	b	-	30.33	770.4	52	79	W	1	b
Amoy,	15	30.22	767.6	68	56	NE	4	b	6	30.27	768.8	54	74	NE	2	b
Swatow,	,,	...		...	...	...	...	...	,,	...	..	..	..	...	...	...
Taihoku,	11	30.30	769.5	63	75	E	4	o	5	30.13	765.3	55	81	E	2	o
Taichu,	,,	30.24	768.0	70	...	...	0	b	,,	30.19	766.8	46	...	..	0	b
Tainan,	,,	30 21	767.4	73	...	NNW	4	b	,,	30.15	765.9	50	...	N	2	b
Koshun,	,,	30.17	766.2	72	...	NNE	4	b	,,	30.13	765.3	64	...	NNE	4	o
Pescadores,	,,	30.26	768.6	64	...	NNE	6	o	,,	30.18	766.5	63	...	NE	6	b
Canton,	14	..	...	...	...	...	...	...	6	...	...	.	...	...	...	...
Hongkong,	,,	30.22	767.1	67	21	NNE	3	c	,,	30.22	767.6	56	35	N	3	b
Gap Rock,	,,	30.23	767.8	...	...	N	5	b	,,	30.21	767.3	...	...	NNE	5	b
Macao,	,,	30.21	767.4	64	32	NNE	4	b	,,	30.21	767.4	52	57	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	..	...	...
Pakhoi,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.20	767.1	71	...	NE	...	c	,,	30.17	766.3	69	...	NE	...	c
Phulien,	,,	30.25	768.3	73	41	ENE	1	bf	7	...	...	...	...	...	...	...
Tourane,	,,	30.13	765.3	70	...	NE	6	of	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.85	758.1	77	...	ENE	2	o	,,	...	...	...	...	...	...	...
Basco,	14	30.04	762.9	73	66	N	4	o	6	30.10	764.4	72	70	N	4	o
Aparri,	,,	30.00	762.0	75	67	ENE	4	o	,,	30.01	762.3	68	94	SW	2	o
Manila,	,,	29.86	758.4	86	56	E	2	o	,,	29.92	759.9	72	82	N	2	o
Legaspi,	,,	29.84	757.8	77	96	NNE	4	o	,,	...	...	...	..	...	...	...
Tacloban,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	..	...
Iloilo,	,,	29.76	756.0	79	85	N	6	o	,,	29.82	757.5	75	96	N	4	o
Surigao,	,,	29.78	756.3	77	92	ENE	4	r	,,	...	..	...	...	...	...	...
Guam,	12.20	29.75	755.7	...	...	NE	4	o	4.20	29.81	757.2	...	...	ENE	4	o
Yap,	12.47	29.72	754.8	...	...	ENE	4	o	,,	29.78	756.3	...	...	ENE	4	r
Pelew,	11.00	..	...	..	..	...	...	...	5	29.79	756.6	76	...	SW	1	c
Labuan,	1.	29.80	756.9	78	94	NW	2	b	6	29.83	757.7	78	91	N	2	b

December 8*d.* 11*h.* 4*cm.*—Pressure has decreased considerably at Wladivostock and Chefoo. It has decreased slightly over Japan and at Shanghai, and is nearly stationary elsewhere.

The anticyclone over China continues to weaken slowly.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 87·35 inches, against an average of 82·24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fine.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock,	N.E. winds, fresh; fine.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fine.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	8th December, 1925.								9th December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.95	760.7	27	...	NNE	2	o	6	30.21	767.4	15	...	...	o	f
Nemuro,	11	30.20	767.0	...	...	SE	2	...	5	29.86	758.5	...	...	S	3	...
Hokodate,		29.92	760.0	...	...	SE	2	...	,,	30.02	762.5	...	...	W	4	...
Tokio,	,,	30.04	763.0	...	...	...	o	...	,,	30.14	765.5	...	...	...	...	...
Kochi,	,,	30.12	765.0	...	...	WSW	1	...	,,	30.28	769.0	...	...	SW	1	...
Nagasaki,	,,	30.24	768.0	...	...	NNW	2	...	,,	30.28	769.0	...	...	SE	2	...
Kagoshima,	,,	30.20	767.0	...	...	NW	1	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.22	767.5	...	...	N	1	...	,,	30.26	768.5	...	...	SW	1	...
Naha,	,,	30.22	767.5	...	...	N	2	...	,,	30.22	767.5	...	...	NE	1	...
Ishigakijima,	,,	30.20	767.0	...	...	NNW	3	...	,,	30.16	766.0	...	...	NNE	1	...
Bonin Island,	,,	30.10	764.5	...	...	SSE	1	...	,,	30.14	765.5	...	...	NNW	1	...
Chefoo,	15	29.95	760.7	50	45	S	1	b	6	29.90	759.4	38	91	...	o	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.22	767.7	59	22	SSW	2	b	,,	30.20	767.1	39	93	SSE	4	b
Gutzlaff,	,,	30.28	759.1	52	41	SW	4	b	,,	30.23	767.8	50	58	S	6	b
Sharp Peak,	,,	30.24	768.1	68	47	E	2	b	,,	30.20	767.1	50	65	W	2	b
Amoy,	15	30.14	765.5	68	56	NE	4	b	6	30.18	766.6	56	89	N	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.25	768.3	64	62	E	4	o	5	30.13	765.3	55	93	...	o	b
Taichu,	,,	30.17	766.2	70	...	...	o	b	,,	30.11	764.7	52	...	...	o	b
Tainan,	,,	30.15	765.9	70	...	N	2	b	,,	30.10	764.4	52	...	N	2	b
Koshun,	,,	30.12	765.0	70	...	NE	6	b	,,	30.00	763.5	68	...	NNE	6	o
Pescadores,	,,	30.19	766.8	68	...	NNE	6	b	,,	30.12	765.0	64	...	NE	4	o
Canton,	14	30.18	766.6	69	43	N	1	b	6	...	...	...	...	...	...	...
Hongkong,	,,	30.15	765.8	66	28	E	3	b	,,	30.13	765.3	60	47	N	2	o
Gap Rock,	,,	30.15	765.8	...	...	NNW	4	b	,,	30.11	764.8	...	...	NNE	4	c
Macao,	,,	30.13	765.3	63	35	NE	4	b	,,	30.11	764.7	55	55	NNW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.12	765.0	72	...	NE	...	c	,,	30.09	764.3	71	...	NE	...	r
Phulien,	,,	30.19	766.8	68	32	NW	1	bf	7	30.19	766.8	54	76	NNW	4	rf
Tourane,	,,	30.10	764.4	66	...	NE	4	of	,,	30.08	764.1	64	...	NW	4	of
Cape St. James,	,,	29.85	758.1	82	...	SSE	2	b	,,	29.91	759.6	70	...	N	2	o
Basco,	14	30.01	762.3	73	75	N	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	29.97	761.1	75	79	E	4	o	,,	29.99	761.7	70	94	...	o	o
Manila,	,,	29.84	757.8	81	66	N	2	o	,,	29.91	759.6	72	96	...	o	o
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	77	91	N	2	o
Tacloban,	,,	29.76	756.0	86	68	...	o	b	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	66	63	NE	6	r	,,	...	...	...	...	...	...	...
Surigao,	,,	29.75	755.7	81	84	...	o	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	ENE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.74	755.4	...	...	ENE	o	r	,,	29.80	756.9	...	...	NE	4	o
Pelew,	11.00	...	...	...	...	...	...	...	5	29.82	757.5	76	...	NE	2	c
Labuan,	12	29.75	755.6	84	83	N	2	b	6	29.83	757.7	76	91	N	2	b

December 9*d.* 11*h.* 25*m.*—Pressure has increased considerably at Wladivostock and slightly over Japan. It has decreased moderately at Chefoo and slightly from Shanghai to Formosa and S. China.

The anticyclone is now central over S.W. Japan.

A depression has formed over N. China.

The monsoon is interrupted to the north of Amoy and has moderated over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 87·35 inches, against an average of 82·28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; generally overcast, some drizzle or mist.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	9th December, 1925.								10th December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.14	765.5	25	...	NE	2	o	6	29.78	756.4	39	...	W	2	o
Nemuro,	11	29.90	759.5	...	...	NW	1	...	5	30.22	767.5	...	...	S	1	...
Hokodate,		30.14	765.5	...	...	WNW	4	...	,,	30.18	766.5	...	...	...	0	...
Tokio,	,,	30.18	766.5	...	...	NE	1	...	,,	30.28	769.0	...	...	NW	1	...
Kochi,	,,	30.24	768.0	...	...	...	0	...	,,	30.26	768.5	...	...	WSW	1	...
Nagasaki,	,,	30.30	769.5	...	...	SE	2	...	,,	30.22	767.5	...	...	SE	3	...
Kagoshima,	,,	30.30	769.5	...	...	ENE	1	...	,,	30.24	768.0	...	...	NW	1	...
Oshima,	,,	30.26	768.5	...	...	...	0	...	,,	30.22	767.5	...	...	SSE	1	...
Naha,	,,	30.24	768.0	...	...	E	1	...	,,	30.18	766.5	...	...	ENE	1	...
Ishigakijima,	,,	30.18	766.5	...	...	ENE	2	...	,,	30.14	765.5	...	...	SSE	3	...
Bonin Island,	,,	30.14	765.5	...	...	E	1	...	,,	30.18	766.5	...	...	NE	1	...
Chefoo,	15	29.87	758.7	56	45	WSW	2	b	6	30.23	767.8	40	65	NW	6	b
Hankow,	,,	...	..	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	..		...	...	...	...	...	,,	...	...	..	...		...	...
Shanghai,	14	30.14	765.6	64	13	SSW	1	b	,,	30.30	769.5	37	79	W	2	b
Gutzlaff,	,,	30.19	766.8	56	63	S	4	b	,,	30.19	766.8	48	71	NW	6	b
Sharp Peak,	,,	30.16	766.0	76	49	...	0	b	-	30.17	766.3	60	74	W	1	b
Amoy,	15	30.08	764.0	65	73	SW	2	r	6	30.15	765.8	60	90	SSW	1	o
Swatow,	,,	.		...	..	...	...	...	,,	...		...	..	..	..	..
Taihoku,	11	30.14	765.6	70	61	WNW	2	o	5	30.15	765.9	61	89	SW	2	o
Taichu,	,,	30.15	765.9	68	...	...	0	o	,,	30.14	765.6	63	...	..	0	o
Tainan,	,,	30.13	765.3	73	...	NNE	2	o	,,	30.12	765.0	64	...	N	2	o
Koshun,	,,	30.11	764.7	73	...	NNE	4	o	,,	30.11	764.7	..	...	NNE	2	r
Pescadores,	,,	30.07	763.8	68	...	NE	4	o	,,	30.13	765.3	68	...	NNE	4	o
Canton,	14	...	..	...	...	...	...	...	6	..	...		...	...	...	...
Hongkong,	,,	30.09	764.3	66	45	WNW	1	o	,,	30.13	765.3	62	63	NE	2	o
Gap Rock,	,,	30.09	764.3	...	...	NNE	4	o	,,	30.15	765.8	...	...	NE	4	od
Macao,	,,	30.07	763.8	59	58	NNE	2	r	,,	30.13	765.3	59	83	NE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	..	...	.	...	...	...
Pakhoi,	,,	.	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Pratas Island,	,,	...	...	...	...	...	...	...	,,	30.12	765.0	71	...	NE	6	c
Phulien,	,,	30.11	764.7	72	...	WNW	1	bf	7	30.20	767.1	52	92	NNW	2	bf
Tourane,	,,	30.05	763.2	66	...	NW	4	of	,,	30.10	764.4	66	...	NW	2	of
Cape St. James.	,,	29.87	758.7	84	...	SW	2	b	..	29.91	759.6	73	...	...	0	bf
Basco,	14	29.98	761.4	75	67	E	4	o	6	30.02	762.6	72	65	N	4	o
Aparri,	,,	29.94	760.5	77	84	E	4	o	,,	29.98	761.4	73	96	...	c	o
Manila,	,,	29.82	757.5	82	74	W	2	o	,,	29.92	759.9	73	94	N	1	o
Legaspi,	,,	29.82	757.5	82	87	NNE	2	o	,,	29.88	759.0	77	92	NE	2	o
Tacloban,	,,	...	...	...	...	...	..	...	,,	...	..	...	...	...	..	...
Iloilo,	,,	29.78	756.3	86	68	NE	6	o	,,	29.87	758.7	75	96	N	4	o
Surigao,	..	29.78	756.3	79	92	E	1	o	,,	29.88	759.0	75	94	ESE	2	o
Guam,	12.20	29.79	756.6	...	...	NE	4	o	4.20	29.85	758.1	...	...	NE	4	o
Yap,	12.47	29.76	756.0	...	...	NE	6	r	4.47	29.81	757.2	...	...	ENE	4	o
Pelew,	11.00	...	...	...	...	...	...	...	5	29.81	757.2	79	...	NE	2	c
Labuan,	14	29.72	754.9	88	80	NW	4	b	6	29.82	757.4	76	94	NE	2	b

December 10*d.* 11*h.* 20*m.*—Pressure has decreased considerably at Wladivostock and slightly over South Japan and the Loochoos; it has increased considerably over Shantung and slightly to moderately elsewhere.

The anticyclone has passed into the Pacific and another has formed over China; a depression covers S. Manchuria.

Fresh to strong monsoon may be expected along the coast and over the northern China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·09 inch. Total since January 1st. 87·44 inches, against an average of 82·32 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, fresh to strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; cloudy, some drizzle or mist.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	10th December, 1925.								11th December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.80	756.8	32	...	WNW	2	o	6	30.11	764.7	16	...	...	o	c
Nemuro,	11	30.14	765.5	...	...	S	3	...	5	29.63	752.5	...	...	WSW	1	...
Hokodate,	.	30.06	763.5	...	...	SSE	2	...	"	29.94	760.5	...	...	W	5	...
Tokio,	"	30.16	766.0	...	...	NNE	1	...	"	30.04	763.0	...	..	N	1	...
Kochi,	"	30.18	766.5	...	...	...	...	...	"	30.18	766.5	...	...	WSW	1	...
Nagasaki,	"	30.18	766.5	...	...	SSW	2	...	"	30.24	768.0	...	...	..	o	...
Kagoshima,	"	30.22	767.5	...	...	...	o	...	"	30.24	768.0	...	...	NW	1	...
Oshima,	"	30.20	767.0	...	...	N	1	...	"	30.20	767.0	...	...	SSE	1	...
Naha,	"	30.20	767.0	...	...	SE	1	...	"	30.16	766.0	...	...	NE	1	...
Ishigakijima,	"	30.20	767.0	...	...	SE	1	...	"	30.12	765.0	...	...	E	2	...
Bonin Island,	..	30.12	765.0	...	...		o	...	..	30.12	765.0	...	...	NNW	1	...
Chefoo,	15	30.31	769.9	38	63	NW	4	b	6	30.18	766.6	32	82	SW	2	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	..	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	.	.	...	...	...	...	...	"	...	...	...	...	..	...	...
Shanghai,	14	30.38	771.6	54	42	N	2	b	"	30.33	770.4	36	96	NNE	1	b
Gutzlaff,	"	30.36	771.1	52	66	N	6	b	"	30.33	770.4	44	86	N	2	b
Sharp Peak,	"	30.16	766.0	70	53	E	2	o	"	30.17	766.3	58	76	N	2	r
Amoy,	15	30.12	765.0	67	69	E	2	o	6	30.14	765.5	60	71	...	c	o
Swatow,	"	..		...	..	...	...	...	"	..	...	...	..	...	..	..
Taihoku,	11	30.21	767.4	70	77	ESE	2	o	5	30.10	764.4	64	96	E	4	o
Taichu,	"	30.13	765.3	77	...	N	2	b	"	30.07	763.8	57	...	...	o	b
Tainan,	"	30.13	765.3	77	...	NNE	4	o	"	30.04	762.9	63	...	...	o	o
Koshun,	"	30.11	764.7	72	...	NE	2	o	"	30.02	762.6	70	..	NE	4	o
Pescadores,	"	30.15	765.9	72	...	NNE	4	o	"	30.06	763.5	66	...	NE	6	o
Canton,	14	...	...	...	...	...	...	...	6	..	...	..	...	...	...	...
Hongkong,	"	30.12	765.0	66	69	E	1	o	"	30.11	764.8	65	63	N	1	o
Gap Rock,	"	30.11	764.8	...	...	NE	4	o	"	30.10	764.5	...	...	ENE	4	o
Macao,	"	30.10	764.4	68	56	NE	4	o	"	30.04	762.9	61	59	NNW	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	..	...	...	.	...	...	...
Pakhoi,	"	..	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	..	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	30.12	765.0	72	...	NE	...	c	"	30.07	763.8	72	..	NE	...	r
Phulien,	"	30.11	764.7	66	15	WSW	2	bf	7	30.13	765.3	57	56	NW	4	bf
Tourane,	"	30.06	763.5	66	...	NW	2	of	"	30.05	763.2	68	...	NW	4	of
Cape St. James,	"	..	...	...	...	...	...	...	"	..	..	..	...	..	...	...
Basco,	14	29.97	761.1	70	83	N	4	r	6	29.97	761.1	72	91	ENE	6	r
Aparri,	"	29.92	759.9	75	96	NE	4	r	"	29.92	759.9	73	96	..	c	r
Manila,	"	29.84	757.8	86	65	W	2	o	"	29.84	757.8	73	92	ESE	1	o
Legaspi,	"	29.84	757.8	84	85	NNE	2	o	"	29.86	758.4	79	89	NNE	2	o
Tacloban,	"	...	...	...	...	...	..	...	"	..	...	...	...	...	..	...
Iloilo,	"	29.76	756.0	86	68	NNE	4	o	"	29.84	757.8	75	96	N	4	o
Surigao,	..	29.79	756.6	82	84	ESE	2	o	"	...	..	...	...	...	..	...
Guam,	12.20	29.79	756.6	...	...	NE	4	o	4.20	29.84	757.8	...	...	NE	2	o
Yap,	12.47	29.74	755.4	...	...	ENE	6	r	4.47	29.79	756.6	...	...	ENE	6	o
Pelew,	11.00	...	...	...	...	...	...	...	5	29.79	756.6	76	...	SSE	1	o
Labuan,	14	29.74	755.4	84	83	N	4	b	6	29.81	757.2	78	91	N	2	b

December 11*d.* 11*h.* 17*m.*—Pressure has increased considerably at Wladivostock. It has decreased considerably over N.E. Japan, moderately over central Japan and slightly at the majority of other stations.

The anticyclone over China has weakened and is moving eastward.

The Manchuria depression is passing into the Pacific.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 87·44 inches, against an average of 82·36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; cloudy at first, improving later.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	11th December, 1925.								12th December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.99	761.8	24	...	...	0	o	6	30.06	763.6	17	..	WNW	4	c
Nemuro,	11	29.78	756.5	...	...	W	4	...	5	29.76	756.0	...	...	W	4	...
Hokodate,	.	30.00	762.0	...	...	WSW	4	...	,,	29.92	760.0	...	...	W	2	...
Tokio,	,,	30.06	763.5	...	...	NE	1	...	,,	29.94	760.5	...	...	...	...	...
Kochi,	,,	30.12	765.0	...	...	..	0	...	,,	30.10	764.5	...	...	SW	1	...
Nagasaki,	,,	30.24	768.0	...	...	WSW	1	...	,,	30.18	766.5	...	...	...	0	...
Kagoshima,	,,	30.20	767.0	...	...	SW	1	...	,,	30.18	766.5	...	...	WNW	1	...
Oshima,	,,	30.18	766.5	...	...	NNE	1	...	,,	30.16	766.0	...	...	W	1	...
Naha,	,,	30.16	766.0	...	...	ENE	2	...	,,	30.10	764.5	...	...	N	2	...
Ishigakijima,	,,	30.10	764.5	...	...	ESE	1	...	,,	30.06	763.5	...	...	ENE	1	...
Bonin Island,	..	30.06	763.5	...	...	NNE	1	...	..	30.06	763.5	...	...	...	0	...
Chefoo,	15	30.21	767.3	40	56	NW	6	b	6	30.27	768.8	30	80	SW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...		...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.22	767.7	57	46	W	1	b	,,	30.36	771.0	36	92	NNW	2	b
Gutzlaff,	,,	30.26	768.6	54	74	WNW	1	b	,,	30.34	770.6	44	86	N	4	o
Sharp Peak,	,,	30 17	766.3	75	52	E	1	o	-	30.24	768.1	58	79	NW	2	b
Amoy,	15	30.09	764.3	70	75	NE	2	o	6	...	...	...	...	...	...	...
Swatow,	,,	...		...	...	...	...	...	,,	...	...	...	...	...	..	...
Taihoku,	11	30.11	764.7	73	75	E	4	o	,,	30.12	765.0	64	92	E	4	o
Taichu,	,,	30.11	764.7	73	...	...	0	o	,,	30.05	763.2	63	...	N	2	o
Tainan,	,,	30.08	764.1	75	...	NNW	2	o	,,	30.02	762.6	64	...	N	4	o
Koshun,	,,	30.06	763.5	75	...	NE	2	o	,,	...	...	70	...	NE	2	o
Pescadores,	,,	30.12	765.0	70	...	NNE	4	o	,,	30.08	764.1	66	...	NNE	6	o
Canton,	14	...	...	...	...	...	...	...	6	...	...		...	...	...	...
Hongkong,	,,	30.10	764.5	71	42	N	1	o	,,	30.09	764.3	63	64	...	0	o
Gap Rock,	,,	30.10	764.5	...	...	NE	4	o	,,	30.08	764.0	...	...	NNE	4	o
Macao,	,,	30.08	764.1	72	47	NE	4	o	,,	30.07	763.8	61	59	N	2	o
Wuchow,	15	.	...	...	...	...	...	...	9	...	...	...	.	...	...	...
Pakhoi,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.05	763.2	73	...	NE	...	r	,,	30.06	763.5	72	...	NE	...	c
Phulien,	,,	30.07	763.8	77	35	WNW	2	bf	7	30.14	76.55	57	62	NW	4	bf
Tourane,	,,	30.02	762.6	68	...	NW	4	of	,,	30.05	763.2	66	...	NW	4	of
Cape St. James,	..	29.86	758.4	84	...	SW	2	o	..	...	...	..	...	...	...	...
Basco,	14	29.91	759.6	77	85	E	6	r	6	29.94	760.5	75	94	E	4	o
Aparri,	,,	29.89	759.3	77	94	E	4	r	,,	29.91	759.6	70	96	...	0	b
Manila,	,,	29.82	757.5	86	58	E	4	o	,,	29.87	758.7	68	92	E	1	b
Legaspi,	,,	29.81	757.2	84	74	NNE	4	o	..	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	..	..	...
Iloilo,	,,	29.75	755.7	86	61	N	6	o	,,	29.84	757.8	79	87	NNE	2	o
Surigao,	..	29.75	755.7	84	81	ENE	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	ENE	4	o	4.20	29.82	757.5	...	...	SW	2	o
Yap,	12.47	29.76	756.0	...	...	ENE	6	r	4.47	29.79	756.6	...	...	E	6	r
Pelew,	11.00	..	...	...	..	...	...	...	5	29.77	756.1	81	...	E	2	c
Labuan,	14	29.80	756.9	84	83	N	2	b	6	29.83	757.7	76	94	N	1	r

December 12*d.* 11*h.* 05*m.*—Pressure has decreased moderately to slightly over Japan and increased slightly from Chefoo to Shanghai. It is nearly stationary elsewhere.

The anticyclone over China, after showing signs of weakening yesterday, has now strengthened slightly.

Moderate to fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 87·44 inches, against an average of 82·40 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate to fresh; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	12th December, 1925.								13th December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.01	762.3	23	...	SW	4	c	6	30.22	767.6	15	...	...	0	b
Nemuro,	11	29.84	758.0	...	...	N	1	...	5	29.86	758.5	...	...	W	2	...
Hokodate,	,,	29.88	759.0	...	...	...	...	...	,,	29.94	760.5	...	...	W	3	...
Tokio,	,,	29.90	759.5	...	...	...	0	...	,,	30.00	762.0	...	...	...	0	...
Kochi,	,,	30.10	764.5	...	...	...	0	...	,,	30.20	767.0	...	...	SW	1	...
Nagasaki,	,,	30.20	767.0	...	...	N	2	...	,,	30.30	769.5	...	...	...	0	...
Kagoshima,	,,	30.16	766.0	...	...	WNW	1	...	,,	30.26	768.5	...	...	WNW	1	...
Oshima,	,,	30.16	766.0	...	...	N	1	...	,,	30.20	767.0	...	...	N	1	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.18	766.5	...	...	NNE	1	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.12	765.0	...	...	NNE	2	...
Bonin Island,	,,	30.02	762.5	...	...	...	0	...	,,	30.06	763.5	...	...	...	0	...
Chefoo,	15	30.22	767.6	46	33	W	1	b	6	30.19	766.8	36	70	...	0	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.34	770.7	52	35	N	1	o	,,	30.36	771.0	39	87	E	1	b
Gutzlaff,	,,	30.35	770.9	50	65	N	2	o	,,	30.38	771.6	46	77	N	2	o
Sharp Peak,	,,	30.20	767.1	67	84	ENE	4	of	,,	30.20	767.1	56	69	N	2	o
Amoy,	15	30.08	764.0	70	61	NE	4	b	6	30.17	766.3	58	76	N	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.21	767.4	66	49	E	4	o	5	30.13	765.3	63	92	NE	4	o
Taichu,	,,	30.10	764.4	72	...	NNW	2	b	,,	30.07	763.8	61	...	...	0	b
Tainan,	,,	30.08	764.1	73	...	N	4	o	,,	30.06	763.5	61	...	NNE	2	b
Koshun,	,,	30.06	763.5	73	...	NNE	4	o	,,	30.00	762.0	70	...	NNE	6	b
Pescadores,	,,	30.12	765.0	70	...	NE	6	o	,,	30.08	764.1	66	...	NNE	6	o
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	30.08	764.0	71	45	ESE	2	b	,,	30.13	765.3	63	75	N	1	b
Gap Rock,	,,	30.08	764.0	...	...	NE	4	c	,,	30.11	764.8	...	...	ENE	4	b
Macao,	,,	30.07	763.8	70	38	NE	2	b	,,	30.08	764.1	57	77	NNW	2	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.06	763.5	75	...	NE	...	c	,,	30.11	764.8	73	...	NE	...	...
Phulien,	,,	30.08	764.1	77	35	WNW	4	bf	7	...	...	...	...	...	...	...
Tourane,	,,	30.02	762.6	66	...	NW	2	of	,,	...	...	...	...	...	...	...
Cape St. James	,,	29.88	759.0	82	...	SW	2	o	,,	...	...	...	...	...	...	...
Basco,	14	...	...	...	...	...	...	...	6	29.99	761.7	77	72	N	6	r
Aparri,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.84	757.8	84	64	SW	1	o	,,	29.89	759.3	72	91	...	0	o
Legaspi,	,,	29.81	757.2	77	86	NNE	2	o	,,	29.87	758.7	75	96	NNE	2	o
Taoloban,	,,	29.79	756.6	82	...	ENE	4	o	,,	29.84	757.8	75	96	NNE	4	o
Iloilo,	,,	29.75	755.7	84	74	NNE	4	o	,,	29.82	757.5	73	96	N	4	o
Surigao,	,,	29.79	756.6	77	94	...	0	r	,,	29.81	757.2	72	98	N	0	o
Guam,	12.20	29.78	756.3	...	...	NE	4	o	4.20	29.81	757.2	...	...	...	4	o
Yap,	12.47	29.76	756.0	...	...	ENE	6	r	4.47	29.82	757.5	...	...	NE	4	o
Pelew,	11.00	...	...	...	...	...	...	...	5	29.84	757.9	78	...	ENE	2	b
Labuan,	14	29.79	756.6	80	91	S	2	b	6	29.82	757.4	76	91	S	4	b

December 13*d*. 12*h*. 15*m*.—Pressure has increased slightly at Wladivostock and over Japan. It is nearly stationary elsewhere.

The anticyclone over China is spreading eastward. There is probably another over E. Mongolia.

Moderate to fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 87·44 inches, against an average of 82·43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate to fresh; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	13th December, 1925.								14th December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock. .	12	30.15	763.8	25	...	NNE	2	b	6	29.80	756.9	29	...	...	0	c
Nemuro.....	11	29.86	758.5	...	..	SW	2	...	5	30.02	762.5	...	...	SSW	1	...
Hokodate, ...	.	30.00	762.0	...	...	NW	6	...	,,	30.04	763.0	...	...	...	0	...
Tokio,.....	,,	30.02	762.5	..	...	NNW	1	...	,,	30.04	763.0	...	..	...	0	...
Kochi, ...	,,	30.22	767.5	...	...	...	0	...	,,	30.26	768.5	...	...	WSW	1	...
Nagasaki, ...	,,	30.31	770.0	...	...	NNW	1	...	,,	30.28	769.0	...	...	..	0	...
Kagoshima, ...	,,	30.28	769.0	...	...	NNW	1	...	,,	30.26	768.5	...	...	NW	1	...
Oshima, ...	,,	30.24	768.0	...	...	N	2	...	,,	30.22	767.5	...	...	SSE	1	...
Naha, ...	,,	...	...	...	...	...	...	...	,,	30.14	765.5	...	...	NNE	1	...
Ishigakijima...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Bonin Island,..	..	30.06	763.5	...	...	NW	1	...	,,	30.14	765.5	...	...	...	0	...
Chefoo, ...	15	30.02	762.5	54	49	SSW	2	b	6	29.97	761.2	42	75	NW	1	b
Hankow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang, ...	,,	..	..	...	...	...	...	...	,,	...	...	...	..	...	..	...
Changsha, ...	,,		...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Shanghai, ...	14	30.31	769.8	61	36	SSE	2	b	,,	30.17	766.2	46	94	SE	4	b
Gutzlaff,.....	,,	30.30	769.6	56	89	SE	2	b	,,	30.17	766.3	52	88	S	4	bf
Sharp Peak, ..	,,	30.20	767.1	63	67	N	2	of	,,	30.14	765.5	58	88	W	1	o
Amoy, ...	15	30.10	764.5	72	67	ENE	2	b	6	30.05	763.2	60	94	WSW	2	o
Swatow,.....	,,	..		...	...		...	...	,,	..	..	...	..	...	...	...
Taihoku, ...	11	30.19	766.8	68	85	E	4	o	5	30.02	762.6	66	87	E	4	o
Taichu, ...	,,	30.12	765.0	72	...	.	0	b	,,	30.02	762.6	57	..	...	0	b
Tainan, ...	,,	30.1[illegible]	764.7	77	...	N	2	b	,,	30.00	762.0	63	..	N	2	b
Koshun,.....	,,	30.07	763.8	77	...	NNE	6	o	,,	29.95	760.8	73	..	NE	6	b
Pescadores, ..	,,	30.15	765.9	70	...	NE	6	o	,,	30.01	762.3	68	...	NNE	4	b
Canton, ...	14	30.10	764.5	74	43	N	2	b	6	...	...	.	...	...	...	...
Hongkong,.....	,,	30.09	764.3	67	63	E	3	b	,,	30.05	763.2	64	86	ENE	2	c
Gap Rock, ...	,,	30.10	764.5	...	...	ENE	4	b	,,	30.04	763.0	...	...	ENE	4	c
Macao, ...	,,	30.07	763.8	68	51	ESE	2	b	,,	30.02	762.6	59	93	...	2	of
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow.....	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,...	,,	30.09	764.3	73	...	NE	...	c	,,	30.16	766.0	72	...	NE	...	...
Phulien, ...	,,	30.07	763.8	77	40	ESE	1	bf	7	30.05	763.2	59	91	NW	2	bf
Tourane,.....	,,	30.02	762.6	70	...	NW	2	of	,,	30.00	762.0	66	...	NW	4	of
Cape St. James.	,,	29.87	758.7	81	...	ENE	2	o	,,	29.88	759.0	73	...	ESE	2	b
Basco.....	14	29.97	761.1	75	92	N	6	r	6	29.94	760.5	73	88	E	4	o
Aparri, ...	,,	29.89	759.3	79	87	ENE	4	o	,,	...	...	...	...	...	...	...
Manila, ...	,,	29.82	757.5	81	80	W	2	o	,,	29.86	758.4	73	98	...	0	o
Legaspi, ...	,,	...		...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban, ...	,,	...	...	.	...	...	..	...	,,	..	...	...	...	...	...	...
Iloilo, ...	,,	29.75	755.7	84	81	NE	4	o	,,	29.84	757.8	75	96	N	4	o
Surigao, ...	,,	29.76	756.0	84	81	ENE	2	o	,,	...	...	...	...	...	...	...
Guam,.....	12.20	29.75	755.7	...	...	NE	6	o	4.20	...	...	...	...	...	...	...
Yap, ...	12.47	29.76	756.0	...	...	NNE	4	o	4.47	29.78	756.3	...	...	NNE	4	o
Pelew, ...	11.00	...	...	..	..	...	...	...	5	29.80	756.9	77	...	NE	1	c
Labuan.	14	29.83	757.7	80	91	S	1	o	6	29.83	757.7	76	91	S	1	o

December 14*d.* 11*h.* 05*m.*—Pressure has decreased considerably at Wladivostock, moderately at Shanghai and slightly at the majority of other stations.

The anticyclone has moved eastward and is now central over S.W. Japan.

A depression is shown to the north of Wladivostock.

The monsoon is interrupted to the north of Foochow. It will remain moderate over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 87·44 inches, against an average of 82·46 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel.	N.E. winds, moderate; fine.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock.....	
4.—South coast of China between Hongkong and Hainan. .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY. HONGKONG.

DAILY WEATHER REPORT.

Station.	14th December, 1925.								15th December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock. .	12	29.82	757.4	39	...	NNE	2	c	6	30.24	768.0	9	...	NNE	4	o
Kemuro.	11	29.90	759.5	...	...	SSW	3	...	5	29.82	757.5	...	...	N	1	...
Hokodate.	.	29.86	758.5	...	...	SW	1	...	,,	30.02	762.5	...	...	NNW	3	...
Tokio.	,,	30.12	765.0	...	...	ESE	1	...	,,	30.08	764.0	...	...	...	..	...
Kochi, ...	,,	30.22	767.5	...	...	...	0	...	,,	30.12	765.0	...	...	SW	1	...
Nagasaki, ...	,,	...	...	...	...	...	...	...	,,	29.98	761.5	...	...	SE	5	...
Kagoshima, ...	,,	30.22	767.5	...	...	...	0	...	,,	30.04	763.0	...	...	NW	1	...
Oshima, ...	,,	30.18	766.5	...	...	E	1	...	,,	30.00	762.0	...	...	S	2	...
Naba, ...	,,	30.14	765.5	...	...	ENE	...	...	,,	...	...	...	...	...	...	...
Ishigakijima, ...	,,	30.08	764.0	...	...	E	3	...	,,	...	...	...	...	...	..	...
Bonin Island, ..	..	30.14	765.5	...	...	NNW	1	...	..	30.16	766.0	...	...	...	0	...
Chefoo.	15	29.91	759.7	52	60	NNE	1	b	6	29.89	759.2	34	90	NNW	6	o
Hankow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang, ...	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	.	...	...
Shanghai.	14	30.02	762.6	63	60	SSE	4	o	,,	29.94	760.5	50	87	WSW	2	b
Gutzlaff.	,,	30.07	763.8	60	76	SSE	4	o	,,	29.96	761.0	54	89	WNW	6	o
Sharp Peak, ..	,,	30.05	763.2	68	70	N	1	o	-	30.01	762.2	60	93	...	0	b
Amoy, ...	15	29.94	760.5	74	68	WSW	4	b	6	29.95	760.7	64	95	SSE	4	o
Swatow.	..	...		...	...		...	...	,,	..	..	..	.	...	...	...
Taihoku, ...	11	30.01	762.2	52	60	ESE	4	o	5	29.97	761.1	63	96	...	0	b
Taichu, ...	,,	30.01	762.3	77	...		0	b	,,	29.99	761.7	63	..	...	c	b
Tainan, ...	,,	30.01	762.3	79	...	NNW	2	b	,,	29.93	760.2	66	..	...	0	o
Koshun, ...	,,	30.00	762.0	79	...	N	4	b	,,	29.94	760.5	72	..	...	0	o
Pescadores, ...	,,	30.04	762.9	72	...	N	4	o	,,	29.97	761.1	68	...	NE	2	o
Canton, ...	14	...	..	...	...	...	...	...	6	..	...	..	...	...	...	...
Hongkong, ...	,,	29.98	761.5	72	61	E	3	b	,,	29.96	761.0	64	84	...	0	b
Gap Rock, ...	,,	29.98	761.5	...	...	ENE	4	b	,,	29.96	761.0	...	...	ENE	4	c
Macao.	,,	29.97	761.1	73	62	...	2	b	,,	29.93	760.2	61	100	NNW	1	of
Wuchow, ...	15	..	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi, ...	,,	..	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Hoihow.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Pratas Island, ...	,,	30.03	762.7	74	...	NE	...	c	,,	29.96	761.0	73	...	NE	...	r
Phulien, ...	,,	29.97	761.1	79	48	SSE	2	bf	7	29.97	761.1	64	92	NE	4	of
Tourane, ...	,,	29.95	760.8	73	...	NW	2	of	,,	29.93	760.2	66	...	...	0	of
Cape St. James.	,,	29.85	758.1	81	...	SW	2	o	..	29.85	758.1	75	...	WSW	4	b
Basco, ...	14	29.88	759.0	81	80	ESE	4	o	6	29.89	759.3	75	86	SE	4	r
Aparri, ...	,,	29.87	758.7	82	67	SSE	4	b	,,	29.88	759.0	72	88	S	2	b
Manila, ...	,,	29.82	757.5	81	80	NE	1	o	,,	29.85	758.1	72	98	...	0	o
Legaspi, ...	,,	29.82	757.5	86	78	ENE	4	o	..	29.86	758.4	77	92	...	0	o
Tacloban, ...	,,	...	...	...	...	...		...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.76	756.0	84	71	NE	6	o	,,	29.85	758.1	75	91	N	4	o
Surigao, ...	..	29.80	756.9	84	77	ENE	4	o	,,	29.85	758.1	72	98	E	1	o
Guam, ...	12.20	29.65	753.0	...	...	NE	7	o	4.20	29.69	754.2	...	...	NE	6	r
Yap, ...	12.47	29.69	754.2	...	...	NNE	4	o	4.47	29.62	752.4	...	...	N	6	r
Pelew, ...	11.00	...	...	...	...	...	...	...	5	29.75	755.6	80	...	NNE	2	c
Labuan.	14	29.77	756.1	84	83	S	2	o	6	29.81	757.2	77	91	NE	2	b

December 15*d.* 11*h.* 45*m.*—Pressure has increased considerably at Wladivostock and decreased slightly to moderately elsewhere.

An anticyclone is shown over E. Mongolia and Manchuria. A depression covers the Yellow Sea and a typhoon is situated in about Lat. 8° N. and Long. 141° E. moving westward.

Light to moderate monsoon may be expected over the China Sea.

Manila warning. 14*d.* 14*h.* 00*m.*:—Cyclone or typhoon S. of Guam direction unknown. Recd. 15*d.* 0*h.* 06*m.*

Manila warning. 15*d.* 8*h.* 30*m.*:—Typhoon in Lat. 08° N. Long. 142° E., moving W. Recd. 15*d.* 9*h.* 40*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 87·44 inches, against an average of 82·50 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel, ...	N. or variable winds, light to moderate; fine.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	15th December, 1925.								16th December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.11	764.7	10	...	NNE	4	o	6	30.08	764.0	−2	...	NNW	3	o
Nemuro,	11	29.90	759.5	...	...	N	2	...	5	29.21	742.0	...	...	ESE	2	...
Hokodate,	..	30.02	762.5	...	...	NNW	2	...	,,	29.15	740.5	...	...	W	6	...
Tokio,	,,	30.00	762.0	...	...	SSE	1	...	,,	29.53	750.0	...	...	...	...	...
Kochi,	,,	30.02	762.5	...	...	SW	1	...	,,	29.88	759.0	...	...	...	0	...
Nagasaki,	,,	29.78	756.5	...	...	S	6	...	,,	30.10	764.5	...	...	NW	2	...
Kagoshima,	,,	29.86	758.5	...	...	SE	2	...	,,	30.06	763.5	...	...	NNW	1	...
Oshima,	,,	29.92	760.0	...	...	S	2	...	,,	30.08	764.0	...	...	N	3	...
Naha,	,,	29.96	761.0	...	...	S	3	...	,,	30.08	764.0	...	...	N	3	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	N	2	...
Bonin Island,	..	30.14	765.5	...	...	ESE	1	...	,,	30.06	763.5	...	...	...	..	...
Chefoo,	15	30.15	765.8	30	88	NNW	6	o	6	30.34	770.6	28	88	NW	2	r
Hankow,	,,	...	...	.	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Shanghai,	14	30.07	763.8	59	39	NW	6	b	,,	30.38	771.6	36	89	NW	2	b
Gutzlaff,	,,	30.05	763.2	58	64	NNW	6	o	,,	30.36	771.1	44	68	N	6	o
Sharp Peak,	,,	30.00	762.0	47	21	...	0	o	-	30.15	765.8	58	47	NNE	4	o
Amoy,	15	29.90	759.4	73	81	SE	6	b	6	30.06	763.5	64	84	ENE	6	o
Swatow,	,,	..		..	...	...	...	...	,,	..	..	..	.	...	..	...
Taihoku,	11	30.01	762.3	73	75	...	0	o	,,	30.12	765.0	64	48	E	4	o
Taichu,	,,	30.00	762.0	77	...	...	0	o	,,	30.00	762.0	63	...	...	0	o
Tainan,	,,	29.99	761.7	73	...	NNW	2	o	,,	29.97	761.1	66	..	N	2	o
Koshun,	,,	29.93	760.2	81	...	...	0	o	,,	29.95	760.8	70	..	NNE	4	o
Pescadores,	,,	30.00	762.0	72	...	NNE	4	o	,,	29.99	761.7	70	...	NE	6	o
Canton,	14	...		.	...	...	...	...	6	...	...		...	...	...	...
Hongkong,	,,	29.91	759.7	76	53	W	2	b	,,	29.99	761.7	68	74	E	2	b
Gap Rock,	,,	29.93	760.2	..	...	N	3	b	,,	29.98	761.5	...	..	NNE	3	o
Macao,	,,	29.89	759.3	73	55	ENE	2	b	,,	29.98	761.4	66	76	NNE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	.	...	...	...
Pakhoi,	,,	...	...	...	..	...	...	...	,,	...	...	...	...	..	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Pratas Island,	,,	29.97	761.2	74	...	NE	...	r	,,	29.99	761.7	74	...	NE	...	o
Phulien,	,,	29.91	759.6	77	61	SW	1	of	7	30.02	762.6	63	96	NW	2	bf
Tourane,	,,	29.91	759.6	73	...	NNW	2	bf	,,	29.97	761.1	68	...	WNW	2	of
Cape St. James,	,,	29.82	757.5	86	...	SSE	4	b	,,	29.86	758.4	68	...	SW	2	o
Basco,	14	29.84	757.8	82	77	ESE	4	o	6	29.93	760.2	75	94	NNE	4	r
Aparri,	,,	29.81	757.2	82	74	ENE	4	o	,,	29.89	759.3	73	90	...	0	o
Manila,	,,	29.82	757.5	86	68	E	4	o	,,	29.87	758.7	70	96	...	0	o
Legaspi,	,,	29.79	756.6	82	81	NNE	2	o	,,	29.86	758.4	77	94	N	2	o
Tacloban,	,,	29.80	756.9	86	78	SSE	4	o	,,	29.86	758.4	75	96	NW	4	o
Iloilo,	,,	29.78	756.3	86	56	NE	4	o	,,	29.85	758.1	73	98	N	4	o
Surigao,	..	...	...	...	...	...	.	...	,,	29.85	758.1	73	96	...	0	o
Guam,	12.20	29.71	754.5	...	...	NE	4	o	4.20	29.80	756.9	...	...	NE	2	o
Yap,	12.47	29.21	741.9	...	...	NNE	2	o	4.47	...	...	...	...	...	...	...
Pelew,	11.00	..	...	...	...	...	...	...	5	29.67	753.6	81	...	WNW	5	r
Labuan,	14	29.80	756.9	84	83	S	2	o	6	29.82	757.5	77	91	S	1	o

December 16*d.* 11*h.* 58*m.*—Pressure has decreased very considerably over Hokkaido, considerably from the Yangtze Valley to S.W. Japan, and slightly from Tongking to Formosa. It has decreased slightly over the Pelew Islands.

The anticyclone is developing and spreading southward.

The northern depression has developed into a typhoon and moved rapidly to Hokkaido.

The Guam typhoon is approaching the Pelew Islands from eastward.

The monsoon will freshen considerably along the S.E. coast of China and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 87·44 inches, against an average of 82·54 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh to strong; fair, cooler.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	17th December, 1925.								18th December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.17	766.5	4	...	N	3	o	6	30.27	768.9	00	...	...	o	b
Nemuro,	11	..	..	...	...	SW	1	...	5	29.69	754.0	...	...	...	...	...
Hokodate,	.	29.88	759.0	...	...	W	5	...	,,	29.82	757.5	...	...	WNW	4	...
Tokio,	,,	29.92	760.0	...	...	NE	1	...	,,	29.86	758.5	...	...	NW	1	...
Kochi,	,,	30.10	764.5	...	...	SW	1	...	,,	30.18	766.5	...	...	...	...	...
Nagasaki,	,,	30.28	769.0	...	...	NNW	3	...	,,	30.34	770.5	...	...	NW	5	...
Kagoshima,	,,	30.20	767.0	...	...	NW	1	...	,,	30.30	769.5	...	...	WNW	2	...
Oshima,	,,	30.20	767.0	...	...	N	3	...	,,	30.26	768.5	...	...	N	4	...
Naha,	,,	30.20	767.0	...	...	N	3	...	,,	30.26	768.5	...	...	N	4	...
Ishigakijima,	,,	30.20	767.0	...	...	NNE	3	...	,,	30.24	768.0	...	...	N	3	...
Bonin Island,	..	29.94	760.5	...	...	...	...	...	,,	29.98	761.5	...	...	NW	1	...
Chefoo,	15	30.56	776.2	26	87	NNW	4	r	6	30.68	779.3	26	87	NW	4	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...		...	...
Shanghai,	14	30.52	775.2	45	36	N	2	b	,,	30.65	778.5	28	83	NW	1	b
Gutzlaff,	,,	30.49	775.4	47	55	N	6	b	,,	30.61	777.5	38	63	N	6	o
Sharp Peak,	,,	30.24	768.1	54	74	ENE	4	o	,,	30.38	771.6	50	65	NNE	4	o
Amoy,	15	30.11	764.8	67	74	ENE	4	b	6	29.27	768.8	56	81	ENE	4	b
Swatow,	,,	...		...	...	...	...	...	,,	...		...	..	...	..	...
Taihoku,	11	30.25	768.3	64	76	ESE	4	o	,,	30.31	769.8	57	77	E	4	o
Taichu,	,,	30.08	764.1	72	...	N	4	o	,,	30.15	765.9	59	...	...	o	o
Tainan,	,,	30.10	764.4	72	...	N	2	o	,,	30.12	765.0	57	...	NNE	4	b
Koshun,	,,	30.10	764.4	68	...	NE	6	o	,,	30.13	765.3	64	...	NNE	6	b
Pescadores,	,,	30.14	765.6	68	...	NE	7	b	,,	30.15	765.9	63	...	NNE	7	o
Canton,	14	...	...	...	...	...	..	...	6	...	...	...	...	...	...	...
Hongkong,	,,	30.08	764.0	67	62	E	4	o	,,	30.17	766.3	63	78	E	5	o
Gap Rock,	,,	30.08	764.0	...	...	ENE	6	o	,,	30.14	765.5	...	...	ENE	6	o
Macao,	,,	30.06	763.5	70	69	SE	4	o	,,	30.14	765.6	63	75	ESE	6	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.10	764.5	73	...	NE	...	c	,,	30.15	765.8	71	...	NE	6	c
Phulien,	,,	30.01	762.3	81	59	SE	2	bf	7	30.07	763.8	66	94	NE	2	rf
Tourane,	,,	29.97	761.1	72	...	NW	4	of	,,	29.99	761.7	70	...	S	2	r
Cape St. James,	,,	29.86	758.4	84	...	SW	2	b	,,	29.91	759.6	73	...	SW	2	b
Basco,	14	29.95	760.8	72	82	N	4	r	6	30.01	762.3	66	59	N	6	o
Aparri,	,,	29.89	759.3	77	79	NE	4	o	,,	30.00	762.0	73	82	NE	6	o
Manila,	,,	29.82	757.5	84	64	WSW	2	o	,,	29.88	759.0	72	91	...	o	o
Legaspi,	,,	29.81	757.2	82	67	NNE	4	o	,,	29.84	757.8	77	84	NNE	4	o
Tacloban,	,,	29.78	756.3	84	64	NNW	4	o	,,	29.82	757.5	75	86	N	4	o
Iloilo,	,,	29.78	756.3	86	52	N	6	o	,,	29.84	757.8	73	91	N	4	o
Surigao,	..	29.78	756.3	81	73	N	4	o	,,	29.81	757.2	75	76	WNW	2	o
Guam,	12.20	29.75	755.7	...	...	E	4	o	4.20	29.85	758.1	...	...	NE	1	o
Yap,	12.47	...	...	...	...	...	..	...	4.47	..	..	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.80	756.9	80	...	WSW	3	c
Labuan,	14	29.81	757.2	80	91	S	2	b	6	29.81	757.2	76	91	S	2	r

December 18*d.* 11*h.* 20*m.*—Pressure has increased slightly in central districts, and from Pelew to Guam. It has decreased slightly over N.E. Japan, and is nearly stationary over the Philippines. The anticyclone has again strengthened, and the typhoon appears to be about 300 miles north of the Pelew Islands, moving N. or N.W.

Strong monsoon may be expected along the S.E. coast of China and over the northern portion of the N. China Sea.

Manila warning. 17*d.* 19*h.* 00*m.*:—Typhoon N.W. of the Pelew Islands inclining northward. Recd. 17*d.* 19*h.* 32*m.*

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 87·44 inches, against an average of 82·62 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel,	N.E. gale.
2.—South coast of China between Hongkong and Lamocks.	N.E. winds, strong; generally cloudy.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	19th December, 1925.								20th December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.02	762.6	22	...	NNE	2	o	6	30.32	770.0	4	...	...	o	b
Nemuro,	11	29.76	756.0	...	...	WSW	1	...	5	..	...	...	...	..	..	...
Hokodate,	.	29.78	756.5	...	...	WNW	4	...	,,	30.02	762.5	...	...	NW	6	...
Tokio,	,,	30.04	763.0	...	...	S	1	...	,,	30.04	763.0	...	...	...	...	...
Kochi,	,,	30.24	768.0	...	...	...	o	...	,,	30.16	766.0	...	...	WSW	1	...
Nagasaki,	,,	30.31	770.0	...	...	N	1	...	,,	30.14	765.5	...	...	NE	1	...
Kagoshima,	,,	30.31	770.0	...	...	NE	1	...	,,	30.14	765.5	...	...	WNW	1	...
Oshima,	,,	30.26	768.5	...	...	SE	1	...	,,	30.06	763.5	...	...	S	1	...
Naha,	,,	30.24	768.0	...	...	ENE	2	...	,,	..	...	...	...	E	1	...
Ishigakijima,	,,	30.20	767.0	...	...	NE	2	...	,,	30.00	762.0	...	...	NE	1	...
Bonin Island,	,,	30 12	765.0	...	...	ENE	1	...	,,	...	...	...	...	...	o	...
Chefoo,	15	30.35	770.9	36	61	WNW	2	b	6	30.21	767.3	30	80	N	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	.		...	...	...	...	...	,,	...	...	...	...	.	...	...
Shanghai,	14	30.40	772.2	37	85	NNW	1	r	,,	30.30	769.5	32	96	NW	1	o
Gutzlaff,	,,	30.38	771.6	40	91	N	4	r	,,	30.26	768.6	32	100	NNW	4	rf
Sharp Peak,	,,	30.20	767.1	63	62	N	1	o	-	30.15	765.8	46	69	W	2	b
Amoy,	15	30.15	765.8	66	73	NE	4	b	6	30.16	766.0	52	79	WNW	6	b
Swatow,	,,	...		...	...	...	...	...	,,	..	..	...	..	...	..	...
Taihoku,	11	30.19	766.8	68	64	E	4	o	5	30.12	765.0	54	..	WNW	4	r
Taichu,	,,	30.17	766.2	72	...	...	o	b	,,	30.14	765.6	55	...	NNW	2	r
Tainan,	,,	30.15	765.9	72	...	WSW	2	b	,,	30.10	764.4	59	...	N	4	r
Koshun,	,,	30.13	765.3	70	....	NE	4	b	,,	30.02	762.6	61	..	...	o	b
Pescadores,	,,	30.15	765.9	66	...	NE	6	o	,,	30.12	765.0	61	...	N	6	o
Canton,	14	30.21	767.3	58	70	N	2	o	6	...	...	.	...	...	...	...
Hongkong,	,,	30.13	765.3	67	55	ESE	2	o	,,	30.27	768.8	50	58	N	2	o
Gap Rock,	,,	30. 4	765.5	...	...	ENE	5	c	,,	30.24	768.1	...	...	NNW	5	o
Macao,	,,	30.13	765.3	66	59	NE	4	o	,,	30.26	768.6	46	66	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.13	765.3	75	...	...	...	c	,,	30.19	766.8	68	...	NE	...	c
Phulien,	,,	30.12	765.0	61	98	NNE	6	rf	7	...	...	...	...	...	...	...
Tourane,	,,	29.99	761.7	75	...	SE	2	of	,,	...	...	...	...	...	...	...
Cape St. James	,,	29.87	758.7	84	...	S	2	b	,,	...	...	...	...	...	...	...
Basco,	14	29.99	761.7	73	66	N	4	o	6	29.97	761.1	64	86	...	o	o
Aparri,	,,	29.99	761.7	77	61	NE	4	o	,,	29.98	761.5	66	90	SW	2	b
Manila,	,,	29.87	758.7	82	51	SW	2	o	,,	29.94	760.5	64	94	NE	2	b
Legaspi,	,,	29.82	757.5	81	59	NNW	4	o	..	29.85	758.1	73	62	NNW	4	b
Tacloban,	,,	29.80	756.9	79	76	NNW	6	o	,,	29.87	758.7	81	84	W	4	o
Iloilo,	,,	29.84	757.8	82	60	N	6	o	,,	29.89	759.3	73	85	N	4	o
Surigao,	..	29.81	757.2	79	80	N	4	o	,,	29.87	758.7	73	88	W	2	o
Guam,	12.20	29.84	757.8	...	...	NE	2	o	4.20	29.87	758.7	...	...	NE	2	o
Yap,	12.47	...	...	...	...	...	..	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.86	758.4	77	...	WSW	1	r
Labuan,	14	29.76	755.9	88	80	NW	2	b	6	29.82	757.4	76	91	S	2	b

December 20*d*. 11*h*. 50*m*.—Pressure has decreased moderately in central districts and slightly from Formosa to N. Luzon. It has increased considerably from Wladivostock to N.E. Japan and moderately over S.W. China.

The anticyclone has broken up and another has formed over S.W. China.

The typhoon this morning was in about Lat. 14° N. and Long. 132° E., moving N.N.W.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Manila warning. 19*d*. 16*h*. 50*m*.:—Typhoon in Lat. 12° N. Long. 133° E., moving N. Recd. 19*d*. 17*h*. 30*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 87·44 inches, against an average of 82·70 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st

District.	Forecast.
1.—Formosa Channel.	N. winds, strong.
2.—South coast of China between Hongkong and Lamocks.	N. winds, fresh; fine.
3.—Hongkong to Gap Rock.	N. winds, fresh; fine.
4.—South coast of China between Hongkong and Hainan.	N. winds, fresh; fine.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	18th December, 1925.								19th December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	30.17	766.3	14	...	...	0	o	6	30.00	762.0	14	...	...	0	f
Nemuro,	11	29.63	752.5	...	...	WSW	2	...	5	...	...	...	...	...	...	...
Hokodate,	.	29.84	758.0	...	...	WNW	4	..	,,	29.92	760.0	...	...	W	2	...
Tokio,	,,	29.94	760.5	...	...	NNW	4	...	,,	30.16	766.0	...	...	...	0	...
Kochi,	,,	30.24	768.0	...	...	NW	1	...	,,	30.32	770.0	...	...	SW	1	...
Nagasaki,	,,	30.43	773.0	...	...	N	2	...	,,	30.39	772.0	...	...	SE	1	...
Kagoshima,	,,	30.37	771.5	...	...	NNW	2	...	,,	30.36	771.0	...	...	NW	1	...
Oshima,	,,	30.31	770.0	...	...	N	5	...	,,	30.28	769.0	...	...	SSE	1	...
Naha,	,,	30.30	769.5	...	...	N	5	...	,,	30.22	767.5	...	...	NE	1	...
Ishigakijima,	,,	30.31	770.0	...	...	N	3	...	,,	30.18	766.5	...	...	N	1	...
Bonin Island,	..	29.94	760.5	...	...	NW	1	.	,,	30.12	765.0	..	...	NNW	1	...
Chefoo,	15	30.55	775.9	34	69	W	2	b	6	30.37	771.4	26	63	WSW	4	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	..	.	.	...	...	.	...	...	,,	...	...	...	...		...	...
Shanghai,	14	30.59	777.0	41	54	NNE	1	o	,,	30.45	773.4	37	93	N	1	r
Gutzlaff,	,,	30.57	776.5	42	58	N	4	o	,,	30.43	772.9	42	75	N	4	o
Sharp Peak,	..	30.33	770.4	56	51	ENE	4	b	,,	30.26	768.6	50	79	NNW	1	o
Amoy,	15	30.24	768.1	64	63	ENE	6	b	6	30.22	767.6	56	75	N	4	b
Swatow,	..	.		...	...		...	...	,,	...		...	.	...	..	...
Taihoku,	11	30.36	771.0	59	81	E	4	o	,,	30.20	767.1	54	88	E	4	b
Taichu,	,,	30.19	766.8	68	...	NNW	2	b	,,	30.15	765.9	54	...	..	0	b
Tainan,	,,	30.19	766.8	66	...	N	4	o	,,	30.14	765.6	54	..	SE	2	b
Koshun,	,,	30.18	766.5	70	...	NNE	6	b	,,	30.11	764.7	63	...	NE	4	b
Pescadores,	,,	30.24	768.0	64	...	NE	7	o	,,	30.13	765.3	63	...	NE	4	b
Canton,	14	30.14	765.5	69	65	N	1	o	6	...	...		..	...	...	...
Hongkong,	,,	30.14	765.5	64	65	E	5	o	,,	30.18	766.6	58	72	ENE	4	b
Gap Rook,	,,	30.12	765.0	...	...	ENE	6	c	,,	30.16	766.0	...	...	ENE	6	o
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	..	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	..	...	..	...	...	...	...	...	..	...	...	...	...	..	...	...
Pratas Island,	,,	30.14	765.5	71	...	NE	6	c	,,	30.15	765.8	70	...	NE	...	b
Phulien,	,,	30.05	763.2	68	91	NNE	6	rf	7	30.08	764.1	63	98	ENE	4	rf
Tourane,	,,	29.97	761.1	73	...	E	4	of	,,	30.02	762.6	72	...	SE	4	of
Cape St. James,	..	29.85	758.1	82	...	SW	2	b	,,	29.91	759.6	75	...	SW	2	o
Basco,	14	30.02	762.6	72	36	N	6	r	6	30.06	763.5	68	77	N	6	o
Aparri,	,,	30.01	762.3	72	78	ENE	4	o	,,	30.04	762.9	72	75	NE	4	o
Manila,	,,	29.85	758.1	84	52	NNE	4	o	,,	29.93	760.2	68	88	W	1	o
Legaspi,	,,	29.81	757.2	77	88	NNE	4	o	,,	29.87	758.7	75	79	N	4	o
Tacloban,	,,	29.75	755.7	82	77	NNW	4	o	,,	29.84	757.8	75	86	NNW	0	o
Iloilo,	,,	29.70	756.6	86	61	N	6	o	,,	29.85	758.1	73	86	N	6	o
Surigao,	..	29.76	756.0	82	67	WSW	2	o	,,	29.82	757.5	77	79	NNW	4	o
Guam,	12.20	29.76	756.0	...	...	E	4	o	4.20	29.82	757.5	...	...	E	1	o
Yap,	12.47	...	...	...	...	...	..	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	..	5	29.81	757.2	78	...	S	2	b
Labuan,	14	29.81	757.2	80	91	S	2	b	0	29.81	757.2	78	86	NW	2	b

December 19d. 11h. 50m.—Pressure has decreased moderately from Chefoo to Foochow and slightly over the Loochoos. It has increased slightly over Japan and is nearly stationary elsewhere.

The Guam typhoon still appears to be about 300 miles north of the Pelew Islands.

The anticyclone has weakened considerably and is moving eastward. The monsoon will moderate along the S.E. coast of China and over the N. China Sea.

Manila warning. 18d. 19h. 0m.:—Typhoon in Lat. 11° N. Long. 133° E., almost stationary. Recd. 18d. 19h. 28m.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 87·44 inches, against an average of 82·66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rook,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	19th December, 1925.								20th December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.02	762.6	22	...	NNE	2	o	6	30.32	770.0	4	...	...	0	b
Nemuro,	11	29.76	756.0	...	...	WSW	1	...	5	..	...	...	...	..	..	...
Hokodate,	.	29.78	756.5	...	...	WNW	4	...	,,	30.02	762.5	...	...	NW	6	...
Tokio,	,,	30.04	763.0	...	...	S	1	...	,,	30.04	763.0	...	...	...	...	...
Kochi,	,,	30.24	768.0	...	...	...	0	...	,,	30.16	766.0	...	...	WSW	1	...
Nagasaki,	,,	30.31	770.0	...	...	N	1	...	,,	30.14	765.5	...	...	NE	1	...
Kagoshima,	,,	30.31	770.0	...	...	NE	1	...	,,	30.14	765.5	...	...	WNW	1	...
Oshima,	,,	30.26	768.5	...	...	SE	1	...	,,	30.06	763.5	...	...	S	1	...
Naha,	,,	30.24	768.0	...	...	ENE	2	...	,,	..	...	...	...	E	1	...
Ishigakijima,	,,	30.20	767.0	...	...	NE	2	...	,,	30.00	762.0	...	...	NE	1	...
Bonin Island,	..	30 12	765.0	...	...	ENE	1	...	..	...	...	...	...	...	0	...
Chefoo,	15	30.35	770.9	36	61	WNW	2	b	6	30.21	767.3	30	80	N	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	.		...	...	...	...	...	,,	...	...	...	...	.	...	...
Shanghai,	14	30.40	772.2	37	86	NNW	1	r	,,	30.30	769.5	32	96	NW	1	o
Gutzlaff,	,,	30.38	771.6	40	91	N	4	r	,,	30.26	768.0	32	100	NNW	4	rf
Sharp Peak,	,,	30.20	767.1	63	62	N	1	o	,,	30.15	765.8	46	69	W	2	b
Amoy,	15	30.15	765.8	66	73	NE	4	b	6	30.16	766.0	52	79	WNW	6	b
Swatow,	,,	...		...	...	...	...	...	,,	...	..	...	...	...	...	...
Taihoku,	11	30.19	766.8	68	64	E	4	o	5	30.12	765.0	54	..	WNW	4	r
Taichu,	,,	30.17	766.2	72	...	...	0	b	,,	30.14	765.6	55	...	NNW	2	r
Tainan,	,,	30.15	765.9	72	...	WSW	2	b	,,	30.10	764.4	59	...	N	4	r
Koshun,	,,	30.13	765.3	70	....	NE	4	b	,,	30.02	762.6	61	..	...	0	b
Pescadores,	,,	30.15	765.9	66	...	NE	6	o	,,	30.12	765.0	61	...	N	6	o
Canton,	14	30.21	767.3	58	70	N	2	o	6	...	...		...	...	...	...
Hongkong,	,,	30.13	765.3	67	55	ESE	2	o	,,	30.27	768.8	50	58	N	2	o
Gap Rock,	,,	30. 4	765.5	...	...	ENE	5	c	,,	30.24	768.1	...	...	NNW	5	o
Macao,	,,	30.13	765.3	66	59	NE	4	o	,,	30.26	768.6	46	66	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.13	765.3	75	...	...	...	c	,,	30.19	766.8	68	...	NE	...	c
Phulien,	,,	30.12	765.0	61	98	NNE	6	rf	7	....	...	...	...	...	...	...
Tourane,	,,	29.99	761.7	75	...	SE	2	of	,,	...	...	...	...	...	...	...
Cape St. James.	,,	29.87	758.7	84	...	S	2	b	,,	...	...	...	...	...	...	...
Basco,	14	29.99	761.7	73	66	N	4	o	6	29.97	761.1	64	86	...	0	o
Aparri,	,,	29.99	761.7	77	61	NE	4	o	,,	29.98	761.5	66	90	SW	2	b
Manila,	,,	29.87	758.7	82	51	SW	2	o	,,	29.94	760.5	64	94	NE	2	b
Legaspi,	,,	29.82	757.5	81	59	NNW	4	o	,,	29.85	758.1	73	62	NNW	4	b
Tacloban,	,,	29.80	756.9	79	76	NNW	6	o	,,	29.87	758.7	81	84	W	4	o
Iloilo,	,,	29.84	757.8	82	60	N	6	o	,,	29.89	759.3	73	85	N	4	o
Surigao,	..	29.81	757.2	79	80	N	4	o	,,	29.87	758.7	73	88	W	2	o
Guam,	12.20	29.84	757.8	...	...	NE	2	o	4.20	29.87	758.7	...	...	NE	2	o
Yap,	12.47	...	...	...	...	...	..	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.86	758.4	77	...	WSW	1	r
Labuan,	14	29.76	755.9	88	80	NW.	2	b	6	29.82	757.4	76	91	S	2	b

December 20*d*. 11*h*. 50*m*.—Pressure has decreased moderately in central districts and slightly from Formosa to N. Luzon. It has increased considerably from Wladivostock to N.E. Japan and moderately over S.W. China.

The anticyclone has broken up and another has formed over S.W. China.

The typhoon this morning was in about Lat. 14° N. and Long. 132° E., moving N.N.W.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Manila warning. 19*d*. 16*h*. 50*m*.:—Typhoon in Lat. 12° N. Long. 133° E., moving N. Recd. 19*d*. 17*h*. 30*m*.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 87·44 inches, against an average of 82·70 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong.
2.—South coast of China between Hongkong and Lamocks.	N. winds, fresh; fine.
3.—Hongkong to Gap Rock,	N. winds, fresh; fine.
4.—South coast of China between Hongkong and Hainan.	N. winds, fresh; fine.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	20th December, 1925.								21st December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.24	768.1	16	...	N	5	o	6	30.11	764.7	5	...	N	5	o
Nemuro,	11	29.94	760.5	...	...	W	5	...	5	30.32	770.0	...	...	E	1	...
Hokodate,	.	30 16	766.0	...	...	WNW	3	...	,,	30.16	766.0	...	...	NE	1	...
Tokio,	,,	30.12	765.0	...	...	N	1	...	,,	29.73	755.0	...	...	NNW	2	...
Kochi,	,,	30.08	764.0	...	...	...	0	...	,,	29.37	746.0	...	...	...	0	...
Nagasaki,	,,	29.98	761.5	...	...	NNE	1	...	,,	29.69	754.0	...	...	NW	3	...
Kagoshima,	,,	29.96	761.0	...	...	ENE	1	...	,,	29.78	756.5	...	...	NW	2	...
Oshima,	,,	29.88	759.0	...	...	SSE	1	...	,,	29.82	757.5	...	...	N	3	...
Naha,	,,	29.90	759.5	...	...	S	3	...	,,	29.96	761.0	...	...	NW	5	...
Ishigakijima,	,,	30.00	762.0	...	...	NW	4	...	,,	30.08	764.0	...	...	WNW	3	...
Bonin Island,	,,	30.02	762.5	...	...	NE	1	...	,,	29.75	755.5	...	...	ESE	1	...
Chefoo,	15	30.06	763.5	36	70	NW	1	o	6	29.90	759.4	32	58	SSW	1	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,			...	...	...	...	...	,,	...	...	...	...	..	...	...
Shanghai,	14	30.15	765.9	37	83	WNW	4	o	,,	30.11	764.7	32	92	WSW	2	b
Gutzlaff,	,,	30.16	766.0	38	84	NW	6	o	,,	30.11	764.8	40	74	WNW	7	b
Sharp Peak,	,,	30.14	765.5	58	47	W	4	b	,,	30.18	766.6	44	68	W	1	b
Amoy,	15	30.11	764.8	65	49	SW	2	b	6	30.21	767.3	48	78	WNW	4	b
Swatow,	,,	...		...	...	...	...	...	,,	...	..	...	...	..	...	...
Taihoku,	11	30.18	766 5	50	82	NW	4	r	5	30.18	766.5	45	80	WSW	2	b
Taichu,	,,	30.19	766.8	52	...	N	4	o	,,	30.19	766.8	41	...	...	0	b
Tainan,	,,	30.12	765.0	63	...	N	4	o	,,	30.13	765.3	45	...	NNE	4	b
Koshun,	,,	30.09	762.0	68	...	NW	4	b	,,	30.07	763.8	50	...	...	0	b
Pescadores,	,,	30.14	765.6	61	...	N	6	b	,,	30.13	765.3	54	...	NNE	4	b
Canton,	14	...		...	...	...	...	...	6	...	...	..	...	...	...	...
Hongkong,	,,	30.18	766.6	60	27	N	2	b	,,	30.21	767.3	53	33	...	0	b
Gap Rock,	,,	30.19	766.8	...	...	NNW	5	b	,,	30.20	767.1	...	...	N	4	b
Macao,	,,	30.18	766.5	57	41	NNW	4	b	,,	30.18	766.5	48	54	NNW	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.20	767.1	71	...	N	6	b	,,	30.19	766.8	66	...	N	...	b
Phulien,	,,	30.28	769.2	68	32	WNW	2	b	7	30.24	768.0	55	44	NW	2	bf
Tourane,	,,	30.20	767.1	66	...	NNE	4	of	,,	30.20	767.1	61	...	SW	2	b
Cape St. James,	,,	29.92	759.9	79	...	ENE	4	b	,,	29.99	761.7	72	...	NE	2	b
Basco,	14	..	...	...	...	...	...	...	6	...	...	...	..	...	...	...
Aparri,	,,	29.95	760.8	73	86	NW	4	r	,,	30.00	762.0	63	88	W	2	b
Manila,	,,	29.87	758.7	81	56	WSW	2	b	,,	29.98	761.4	66	76	NE	2	b
Legaspi,	,,	29.84	757.8	81	62	N	4	o	,,	29.94	760.5	64	94	...	0	o
Tacloban,	,,	29.82	757.5	81	62	NNW	4	o	,,	..	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	..	...	,,	...	...	...	..	...	...	...
Surigao,	,,	29.82	757.5	82	67	WNW	2	b	,,	29.92	759.9	66	90	SW	2	o
Guam,	12.20	29.80	756.9	...	...	NE	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	..	...	...	...	5	29.89	759.2	80	...	NNW	2	c
Labuan,	14	29.80	756.9	84	83	S	2	o	6	29.83	757.7	76	91	S	2	r

December 21*d.* 11*h.* 10*m.*—Pressure has decreased very considerably over S.W. Japan, moderately at Chefoo and slightly at Shanghai and Haiphong. It has increased slightly from the Philippines to Naha.

The anticyclone over S.W. China has weakened.

The Guam typhoon has probably filled up.

The Loochoos depression has developed into a typhoon and moved to the Inland Sea.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 87·44 inches, against an average of 82·74 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND

District.	Forecast.
1.—Formosa Channel,	N. winds, moderate; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	21st December, 1925.								22nd December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.18	766.5	...	...	NE	3	...	5	...	...	...	...	...	...	...
Hokodate,	"	29.82	757.5	...	...	E	5	...	"	28.74	730.0	...	...	N	4	...
Tokio,	"	29.43	747.5	...	...	W	2	...	"	29.29	744.0	...	...	SW	3	...
Kochi,	"	29.47	748.5	...	...	W	1	...	"	29.71	754.5	...	...	W	1	...
Nagasaki,	"	29.72	755.0	...	...	N	3	...	"	29.82	757.5	...	...	NNW	6	...
Kagoshima,	"	29.74	755.5	...	...	NW	2	...	"	29.82	757.5	...	...	WNW	1	...
Oshima,	"	29.90	759.5	...	...	N	2	...	"	30.04	763.0	...	...	N	4	...
Naha,	"	30.02	762.5	...	...	NW	5	...	"	30.14	765.5	...	...	NW	4	...
Ishigakijima,	"	30.14	765.5	...	...	W	3	...	"	30.16	766.0	...	...	NW	1	...
Bonin Island,	..	29.63	752.5	...	...	SSW	2	...	"	29.86	758.5	...	...	W	1	...
Chefoo,	15	30.02	762.5	30	88	NNW	6	r	6	30.23	767.8	28	88	NW	7	r
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	.		...	...	...	...	...	"	...	...	...	...	..	...	...
Shanghai,	14	30.11	764.7	50	50	WNW	6	b	"	30.33	770.4	28	66	WNW	2	b
Gutzlaff,	"	30.10	764.5	47	63	WNW	6	b	"	30.31	769.9	36	54	NNW	6	b
Sharp Peak,	"	30.12	765.0	67	46	SE	1	b	"	30.19	766.8	50	65	W	1	b
Amoy,	15	30.13	765.3	66	59	NNE	2	b	6	30.24	768.1	52	88	WNW	4	b
Swatow,	"	...		...	...	...	...	...	"	...	.	...	..	...	...	...
Taihoku,	11	30.21	767.4	59	43	W	2	b	5	30.25	768.3	36	100	...	0	b
Taichu,	"	30.21	767.4	59	...	N	2	b	"	30.25	768.3	37	...	...	0	b
Tainan,	"	30.19	766.8	63	...	N	4	b	"	30.20	767.1	57	...	ENE	2	b
Koshun,	"	30.12	765.0	66	...	NNW	4	b	"	30.19	766.8	54	...	..	0	b
Pescadores,	"	30.21	767.4	61	...	NNE	4	b	"	30.21	767.4	59	...	NNE	4	b
Canton,	14	...	...	...	...	...	..	...	6	...	...		...	...	...	...
Hongkong,	"	30.15	765.8	66	32	W	2	b	"	30.22	767.6	55	57	...	0	b
Gap Rock,	"	30.16	766.0	...	...	NNE	3	b	"	30.21	767.3	...	...	NNE	2	b
Macao,	"	30.14	765.6	63	35	NE	2	b	"	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	..	...
Pratas Island,	"	30.20	767.1	67	...	N	..	b	"	30.24	768.1	66	...	N	4	b
Phulien,	"	30.18	766.5	70	42	SW	1	b	7	...	...	...	...	...	...	...
Tourane,	"	30.14	765.6	70	...	E	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.95	760.8	77	...	ENE	2	b	"	...	...	...	...	...	...	...
Basco,	14	30.01	762.3	72	57	ENE	4	o	6	..	...	..	...	...	..	...
Aparri,	"	30.00	762.0	77	54	NE	4	o	"	30.14	765.6	61	91	...	o	b
Manila,	"	29.92	759.9	81	59	WSW	2	b	"	30.07	763.8	77	92	NNE	1	b
Legaspi,	"	29.91	759.6	81	59	NNE	6	o	"	30.01	762.3	73	66	N	4	b
Tacloban,	"	29.87	758.7	86	58	N	2	o	"	30.00	762.0	72	91	NW	4	o
Iloilo,	"	29.87	758.7	82	63	NE	6	o	"	..	...	...	..	...	...	...
Surigao,	..	29.87	758.7	81	62	NNW	4	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.81	757.2	...	...	E	1	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	..	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	..	...	...	...	5	29.90	759.4	76	...	NNE	1	b
Labuan,	14	29.81	757.2	80	91	S	2	b	6	29.83	757.7	75	94	NE	1	o

December 22*d*. 11*h*. 10*m*.—Pressure has decreased very considerably at Hakodate and moderately at Tokio. It has increased moderately from Chefoo to Shanghai and S.W. Japan and also over the Philippines. It has increased slightly from Hongkong to Ishigaki.

The typhoon has become very severe. It is in the vicinity of Hakodate.

The anticyclone now covers the whole of China.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 87·44 inches, against an average of 82·78 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD

District.	Forecast.
1.—Formosa Channel.	N.E. winds, moderate; fine.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock.	
4.—South coast of China between Hongkong and Hainan.	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	22nd December, 1925.								23rd December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.78	756.3	11	...	NNE	5	o	6	29.99	761.7	7	...	N	4	b
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hokodate,	"	...	...	...	...	...	...	...	"	29.29	744.0	...	...	NW	6	...
Tokio,	"	29.37	746.0	...	...	SSW	3	...	"	29.67	753.5	...	...	...	0	...
Kochi,	"	29.74	755.5	...	...	NW	3	...	"	30.02	762.5	...	...	...	0	...
Nagasaki,	"	29.92	760.0	...	...	WNW	2	...	"	30.16	766.0	...	...	NNW	3	...
Kagoshima,	"	29.94	760.5	...	...	NW	3	...	"	30.12	765.0	...	...	NNW	1	...
Oshima,	"	30.10	764.5	...	...	NNW	5	...	"	30.18	766.5	...	...	N	2	...
Naha,	"	...	...	...	...	...	...	...	"	30.24	768.0	...	...	NNW	3	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	30.32	770.0	...	...	NNW	1	...
Bonin Island,	..	29.86	758.5	...	...	WSW	2	...	..	29.96	761.0	...	...	WNW	3	...
Chefoo,	15	30.36	771.1	28	88	NNW	7	r	6	30.35	770.9	24	77	NW	4	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"		...	...	...	...	...	...	"	...	...	...	...		...	...
Shanghai,	14	30.39	771.9	43	22	NW	4	b	"	30.41	772.5	25	96	NNW	1	b
Gutzlaff,	"	30.38	771.6	44	37	NW	6	b	"	30.41	772.4	34	60	NW	2	b
Sharp Peak,	..	30.17	766.3	34	42	NNE	1	b	-	30.26	768.6	50	86	NW	1	b
Amoy,	15	30.22	767.6	69	56	SSE	2	b	6	30.29	769.3	56	89	ESE	2	b
Swatow,	..	..		...	...	...	...	...	"	...	...	...	...	...	..	...
Taihoku,	11	30.30	769.5	61	55	...	o	b	5	30.32	770.1	43	94	...	o	b
Taichu,	"	30.30	769.5	66	...	...	o	b	"	30.31	769.8	41	..	...	o	b
Tainan,	"	30.28	769.2	70	...	NNE	2	b	"	30.27	768.9	45	...	NE	2	b
Koshun,	"	30.25	768.3	70	...	NE	2	b	"	30.24	768.0	64	..	NNE	4	b
Pescadores,	"	30.30	769.5	70	...	N	4	b	"	30.33	770.4	61	...	NE	4	o
Canton,	14	...	..	..	..	...	..	...	6	..	...		...	...	...	...
Hongkong,	"	30.22	767.6	68	36	E	3	b	"	30.25	768.3	60	65	E	2	o
Gap Rock,	"	30.22	767.6	...	...	NE	2	b	"	30.23	767.8	...	...	ENE	4	b
Macao,	"	30.15	765.9	70	49	ESE	2	b	"	...	...	...	...	...	...	...
Wuchow,	15	..	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	..	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	..	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	30.24	768.1	70	...	N	4	b	"	30.23	767.8	69	...	NE	4	b
Phulien,	"	30.20	767.1	75	39	SE	2	o	7	30.22	767.7	57	86	NE	4	of
Tourane,	"	30.14	765.6	72	...	...	o	b	"	30.17	766.2	66	...	E	2	of
Cape St. James,	"	29.98	761.4	75	...	ENE	6	b	"	30.04	762.9	68	...	ENE	6	b
Basco,	14	30.13	765.3	70	53	N	4	o	6	...	...	...	...	...	..	...
Aparri,	"	30.11	764.7	75	67	ENE	4	b	"	30.18	766.5	66	63	E	2	o
Manila,	"	30.00	762.0	82	40	E	4	o	"	30.08	764.1	63	84	NNE	2	o
Legaspi,	"	30.00	762.0	73	55	NNE	4	b	..	30.06	763.5	75	71	N	2	o
Tacloban,	"	29.97	761.1	81	69	NNE	4	o	"	30.05	763.2	73	82	NNW	4	o
Iloilo,	"	29.93	760.2	81	59	N	1	o	"	...	...	...	..	...	...	...
Surigao,	..	29.93	760.2	77	79	NE	4	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.82	757.5	...	...	E	1	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	..	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.92	759.9	76	...	NE	1	b
Labuan,	14	29.73	755.1	86	68	NE	2	b	6	29.82	757.4	76	94	S	2	b

December 23*d*. 11*h*. 05*m*.—Pressure has increased considerably over Japan, and slightly from Formosa to the Bonins. It is nearly stationary elsewhere.

The Japanese typhoon is passing into the Pacific.

The anticyclone over China remains unchanged.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 87·44 inches, against an average of 82·82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fair at first, some drizzle or mist later.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	23rd December, 1925.								24th December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.98	761.6	17	...	NNW	3	b	6	30.27	768.8	7	...	NNE	3	c
Nemuro,	11	...	..	...	...	.	...	...	5	...	...	...	...	...	...	...
Hokodate,	.	29.47	748.5	...	...	WNW	6	...	"	29.73	755.0	...	...	W	5	...
Tokio,	"	29.74	755.5	...	...	N	1	...	"	29.88	759.0	...	...	W	1	...
Kochi,	"	30.02	762.5	...	...	WSW	1	...	"	30.18	766.5	...	...	SW	1	...
Nagasaki,	"	30.20	767.0	...	...	NNW	3	...	"	30.34	770.5	...	...	NNW	2	...
Kagoshima,	"	30.16	766.0	...	...	NNE	1	...	"	30.32	770.0	...	...	...	0	...
Oshima,	"	30.22	767.5	...	...	N	1	...	"	...	...	...	...	NNW	3	...
Naha,	"	30.30	769.5	...	...	NNW	2	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	30.35	771.0	...	...	NNW	1	...	"	...	...	...	...	...	..	...
Bonin Island,	"	30.02	762.5	...	...	W	1	...	"	30.10	764.5	...	...	W	1	...
Chefoo,	15	30.31	769.9	36	61	WSW	1	b	6	30.32	770.1	26	87	...	0	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	..	...	...	...	...	...	...	"	...	...	...	...	.	...	...
Shanghai,	14	30.36	771.0	50	38	ESE	2	b	"	30.30	769.5	39	93	E	2	b
Gutzlaff,	"	30.38	771.6	44	60	E	1	b	"	30.31	769.9	48	87	SSE	4	b
Sharp Peak,	"	30.26	768.6	72	81	...	0	b	"	30.26	768.6	54	80	W	2	b
Amoy,	15	30.23	767.8	69	65	NNE	4	b	6	30.24	768.1	56	89	ESE	2	b
Swatow,	"	...		...	...		...	...	"	...	..	...	..	...	...	...
Taihoku,	11	30.30	769.5	64	58	ENE	4	b	5	30.26	768.6	52	92	...	0	b
Taichu,	"	30.30	769.5	66	...		0	b	"	30.27	768.9	46	...	...	0	b
Tainan,	"	30.28	769.2	72	...	NW	2	b	"	30.24	768.0	48	...	...	0	b
Koshun,	"	30.27	768.9	72	...	NE	4	b	"	30.25	768.3	63	...	NE	2	b
Pescadores,	"	30.31	769.8	72	...	NE	4	b	"	30.25	768.3	61	...	NE	2	b
Canton,	14	...	...	...	...	...	..	...	6	...	...		...	...	...	...
Hongkong,	"	30.22	767.6	66	66	E	3	c	"	30.20	767.1	61	76	ENE	3	c
Gap Rock,	"	30.20	767.1	...	...	ENE	4	b	"	30.17	766.3	...	...	NE	4	o
Macao,	"	30.19	766.8	72	62	SE	4	o	"	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pratas Island,	"	30.21	767.3	73	...	ENE	4	o	"	30.16	766.0	72	...	ENE	...	c
Phulien,	"	30.14	765.6	72	57	E	4	o	7	...	...	...	...	...	...	...
Tourane,	"	30.10	764.4	73	...	E	2	b	"	...	...	...	...	...	...	...
Cape St. James.	"	29.98	761.4	77	...	ENE	4	b	"	...	...	...	...	...	...	...
Basco,	14	30.14	765.6	68	64	ENE	6	o	6	30.19	766.8	68	60	NNE	4	o
Aparri,	"	30.12	765.0	73	62	S	4	o	"	30.14	765.6	64	94	...	0	o
Manila,	"	30.02	762.6	82	74	E	4	o	"	30.06	763.5	63	88	NE	2	b
Legaspi,	"	30.01	762.3	79	...	NNE	4	o	"	30.02	762.6	73	86	N	4	b
Tacloban,	"	29.94	760.5	84	64	NE	4	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.93	760.2	75	71	NE	6	o	"	...	...	...	...	...	...	...
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.86	758.4	...	...	NE	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	..	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.91	759.6	76	...	NE	3	o
Labuan,	14	29.79	756.6	86	84	NW	2	b	6	29.85	758.2	80	91	NE	2	b

December 24*d.* 11*h.* 10*m.*—Pressure has increased considerably from Wladivostock to N.E. Japan and moderately over central and S.W. Japan. It has decreased slightly from Shanghai to Hongkong and is nearly stationary over the Philippines.

The anticyclone has weakened and moved eastward. It is now central over S. Korea.

The monsoon is interrupted to the north of Amoy. It will remain moderate to fresh over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 87·44 inches, against an average of 82·86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate to fresh; generally cloudy, some drizzle or mist.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	24th December, 1925.								25th December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.86	758.5	...	...	WNW	3	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.98	761.5	...	...	NW	1	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.24	768.0	...	...	ESE	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.37	771.5	...	...	NNE	1	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.35	771.0	...	...	N	2	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.35	771.0	...	...	NNW	2	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.37	771.5	...	...	NNW	1	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.35	771.0	...	...	ENE	1	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	30.14	765.5	...	...	W	1	...	,,	...	...	...	...	...	...	...
Chefoo,	15	30.27	768.8	44	68	SSE	1	o	6	30.22	767.6	40	91	...	o	b
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	14	30.24	768.0	61	50	SE	1	b	,,	30.28	769.2	45	94	SSE	1	b
Gutzlaff,	,,	30.27	768.8	54	74	S	4	b	,,	30.31	769.9	52	93	S	4	b
Sharp Peak,	,,	30.28	769.1	65	68	...	o	o	7	30.26	768.1	62	77	NW	1	b
Amoy,	15	30.22	767.6	67	69	ENE	2	b	6	30.22	767.6	58	90	SE	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	11	30.30	769.5	68	60	...	o	b	5	30.26	768.6	52	100	...	o	b
Taichu,	,,	30.30	769.5	70	...	...	o	b	,,	30.28	769.2	45	...	...	o	b
Tainan,	,,	30.27	768.9	73	...	WSW	2	b	,,	30.24	768.0	48	...	NE	2	b
Koshun,	,,	30.28	769.2	75	...	NE	4	b	,,	30.22	767.7	66	...	NE	4	b
Pescadores,	,,	30.28	769.2	63	...	NE	4	o	,,	30.24	768.0	61	...	NE	4	b
Canton,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hongkong,	,,	30.17	766.3	65	67	E	3	o	,,	30.17	766.3	64	78	E	4	o
Gap Rock,	,,	30.15	765.8	...	...	ENE	5	o	,,	30.14	765.5	...	...	ENE	5	od
Macao,	,,	30.12	765.0	63	70	N	2	o	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.11	764.7	74	...	ENE	...	c	,,	30.17	766.3	72	...	ENE	6	...
Phulien,	,,	30.08	764.1	68	91	ENE	2	if	7	...	...	...	...	...	...	...
Tourane,	,,	30.04	762.9	73	...	E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.97	761.1	77	...	ENE	4	b	,,	...	...	...	...	...	...	...
Basco,	14	30.13	765.3	70	57	ENE	4	o	6	...	...	...	...	...	...	...
Aparri,	,,	30.12	765.0	73	66	E	4	o	,,	30.14	765.6	66	94	...	o	o
Manila,	,,	29.99	761.7	82	51	ENE	2	b	,,	30.05	763.2	64	94	NNW	2	b
Legaspi,	,,	29.99	761.7	81	73	NNE	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.98	761.4	81	76	NNE	4	of	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.92	759.9	82	67	NE	6	o	,,	29.97	761.1	73	91	N	6	o
Surigao,	,,	29.93	760.2	81	73	NE	6	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.87	758.7	...	...	NE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.91	759.6	79	...	ENE	2	b
Labuan,	14	29.79	756.6	88	84	N	4	b	6	...	...	...	...	...	...	...

December 25*d.* 11*h.* 25*m.*—Pressure changes are small since yesterday.

Moderate to fresh monsoon will continue over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 87·44 inches, against an average of 82·90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate to fresh; generally cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	25th December, 1925.								26th December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.13	765.2	30	...	SSE	4	o	6	30.36	771.0	20	..	NNE	2	b
Nemuro,.....	11	...	...	...	...	...	...	...	5	30.10	764.5	...	...	S	1	...
Hokodate, ...	.	30.24	768.0	...	...	WNW	2	...	,,	30.12	765.0	...	...	N	1	...
Tokio,.....	,,	30.30	769.5	...	...	NNW	2	...	,,	30.36	771.0	...	...	S	1	...
Kochi, ...	,,	30.41	772.5	...	...	...	0	...	,,	30.45	773.5	...	...	WSW	1	...
Nagasaki, ...	,,	30.45	773.5	...	...	SE	1	...	,,	30.39	772.0	...	...	SE	3	...
Kagoshima, ...	,,	30.47	774.0	...	...	ENE	1	...	,,	30.45	773.5	...	...	NW	1	...
Oshima, ...	,,	30.43	773.0	...	...	ENE	1	...	,,	30.39	772.0	...	...	...	0	...
Naha, ...	,,	30.43	773.0	...	...	ENE	1	...	,,	...	...	...	...	...	...	...
Ishigakijima,..	,,	30.33	770.5	...	...	E	3	...	,,	...	...	...	...	...	...	...
Bonin Island,..	..	30.30	769.5	...	...	NNW	1	...	,,	30.38	771.5	...	...	N	1	...
Chefoo.	15	30.30	769.6	42	75	W	1	b	6	30.30	769.6	38	84	...	0	o
Hankow, ...	,,		...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang, ...	,,	.	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	14	30.25	768.3	70	42	SSW	1	b	,,	30.25	768.3	54	97	SSE	2	b
Gutzlaff,.....	,,	30.30	769.6	58	81	S	2	b	,,	30.26	768.6	54	94	S	6	o
Sharp Peak, ..	,,	30.26	768.6	76	60	NNE	2	b	,,	30.23	767.8	63	80	W	1	b
Amoy, ...	15	30.17	766.3	73	68	SSE	1	b	6	30.18	766.6	58	94	WNW	2	b
Swatow,.....	..	...		...	...	...	...	...	,,	...		...	..	...	..	...
Taihoku, ...	11	30.26	768.6	75	49	...	0	b	5	30.18	766.5	57	93	...	0	b
Taichu, ...	,,	30.26	768.6	72	...	...	0	b	,,	30.20	767.1	48	..	...	0	b
Tainan, ...	,,	30.25	768.3	75	...	NNW	2	b	,,	30.19	766.8	52	..	...	0	b
Koshun,.....	,,	30.21	767.4	73	...	NE	4	b	,,	30.18	766.3	70	...	NE	4	o
Pescadores, ..	,,	30.27	768.9	70	...	NE	4	b	,,	30.17	766.2	63	...	NNE	2	b
Canton, ...	14	30.13	765.3	77	61	SE	2	c	6	...	...		...	...	...	...
Hongkong,.....	,,	30.14	765.5	68	65	E	4	o	,,	30.13	765.3	67	47	E	2	o
Gap Rock, ...	,,	30.12	765.0	...	...	ENE	6	b	,,	30.11	764.8	...	...	ENE	5	o
Macao, ...	,,	30.11	764.7	72	70	ESE	4	o	,,	30.11	764.7	64	80	ESE	4	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi, ...	,,	...	..	...	...	...	...	...	,,	...	...	...	..	..	...	...
Hoihow,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,...	,,	...	...	..	...	...	...	...	,,	30.12	765.0	73	...	NE	4	df
Phulien, ...	,,	30.07	763.8	70	77	SSE	4	of	7	...	...	...	...	...	...	...
Tourane,.....	,,	30.06	763.5	70	...	.	0	o	,,	...	...	...	...	...	...	...
Cape St. James.	,,	29.93	760.2	77	...	E	4	b	,,	...	...	...	...	...	...	...
Basco,.....	14	30.14	765.6	73	52	N	6	o	6	30.13	765.3	68	68	N	4	o
Aparri, ...	,,	30.10	764.4	77	61	E	2	o	,,	30.08	764.1	68	92	...	0	o
Manila, ...	,,	29.98	761.4	82	63	W	2	o	,,	30.02	762.6	66	94	NE	1	b
Legaspi, ...	,,	29.95	760.8	82	70	NE	6	o	,,	...	...	...	...	...	...	...
Tacloban, ...	,,	...	...	...	...	...	..	...	,,	..	...	...	...	...	...	...
Iloilo, ...	,,	...	...	...	...	...	...	...	,,	29.89	759.3	75	88	N	4	o
Surigao, ...	..	29.92	759.9	79	87	ENE	6	r	,,	...	...	...	...	...	...	...
Guam,.....	12.20	29.87	758.7	...	...	NE	4	b	4.20	...	...	...	...	...	...	...
Yap, ...	12.47	...	...	...	...	...	..	...	4.47	...	...	...	...	...	...	...
Pelew, ...	11.00	...	...	...	..	...	...	...	5	29.89	759.2	77	...	NE	3	e
Labuan, ...	14	29.75	755.6	86	88	N	4	b	6	29.85	758.2	77	91	NE	1	o

December 26*d.* 11*h.* 50*m.*—Pressure has decreased slightly in central districts and increased slightly over central Japan. It is nearly stationary elsewhere.

The anticyclone is central over S.W. Japan.

Moderate to fresh monsoon may be expected over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st. 87·45 inches, against an average of 82·94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate to fresh; generally cloudy, some drizzle or mist.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,.....	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	26th December, 1925.								27th December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.31	769.8	24	...	NE	2	b	6	30.30	769.7	11	...	NNE	4	o
Nemuro,	11	.	...	...	...	...	...	...	5	30.12	765.0	...	...	WSW	1	...
Hokodate,	"	30.12	765.0	...	...	W	3	...	"	30.24	768.0	...	...	N	2	...
Tokio,	"	30.28	769.0	...	...	SSW	1	...	"	30.18	766.5	...	...	NW	1	...
Kochi,	"	30.39	772.0	...	...	...	...	...	"	30.22	767.5	...	...	SW	1	...
Nagasaki,	"	30.35	771.0	...	...	SSE	2	...	"	30.12	765.0	...	...	S	4	...
Kagoshima,	"	30.41	772.5	...	...	...	0	...	"	30.18	766.5	...	...	NW	1	...
Oshima,	"	30.37	771.5	...	...	SSE	1	...	"	30.16	766.0	...	...	S	1	...
Naha,	"	30.31	770.0	...	...	ESE	1	...	"	30.16	766.0	...	...	SSE	1	...
Ishigakijima,	"	30.26	768.5	...	...	SE	3	...	"	30.10	764.5	...	...	SSE	1	...
Bonin Island,	"	30.35	771.0	...	...	NNE	1	...	"	30.34	770.5	...	...	...	0	...
Chefoo,	15	30.20	767.1	40	85	S	1	o	6	30.11	764.8	30	80	NW	1	b
Hankow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	..		...	...	...	...	...	"	...	...	...	...		...	...
Shanghai,	14	30.14	765.6	70	61	SSW	4	o	"	30.07	763.8	52	97	NW	4	r
Gutzlaff,	"	30.17	766.3	58	90	S	4	o	"	30.05	763.2	52	100	S	4	rf
Sharp Peak,	"	30.15	765.8	80	87	...	0	b	"	30.09	764.3	62	89	E	1	r
Amoy,	15	30.09	764.3	74	68	S	4	b	6	30.06	763.5	62	94	WNW	4	b
Swatow,	"	...		...	...	...	...	...	"	...	..	...	..	...	..	...
Taihoku,	11	30.18	766.5	77	57	...	0	b	5	30.05	763.5	55	96	...	0	b
Taichu,	"	30.20	767.1	72	...	...	0	b	"	30.11	764.7	55	...	...	0	b
Tainan,	"	30.19	766.8	73	...	NNW	2	b	"	30.06	763.5	59	...	E	1	b
Koshun,	"	30.18	766.5	77	...	ENE	4	o	"	30.04	762.9	70	...	...	0	b
Pescadores,	"	30.20	767.1	72	...	NNE	4	b	"	30.04	762.9	63	...	NNE	2	b
Canton,	14	...	...	...	...	...	...	...	6	..	...		...	...	...	...
Hongkong,	"	30.09	764.3	65	66	E	2	od	"	30.02	762.5	64	94	...	0	b
Gap Rock,	"	30.09	764.3	...	...	E	4	o	"	30.03	762.7	...	...	N	3	c
Macao,	"	30.07	763.8	66	80	NE	2	o	"	30.01	762.3	63	98	NNW	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	..	...	...	...	...	...	"	...	...	...	...	..	...	...
Hoihow,	"	...	..	...	...	...	...	...	"	...	...	...	...	..	...	...
Pratas Island,	"	30 12	765.0	76	...	E	4	c	"	30.03	762.7	73	...	NE	...	f
Phulien,	"	30.06	763.5	77	57	SSE	1	b	7	...	...	...	...	...	...	...
Tourane,	"	30.06	763.5	70	...	...	0	o	"	...	...	...	...	...	...	...
Cape St. James.	"	29.91	759.6	79	...	ENE	6	bf	"	...	...	...	...	...	...	...
Basco,	14	30.05	763.2	75	71	E	6	o	6	..	...	...	...	...	...	...
Aparri,	"	...	...	...	...	...	..	...	"	29.99	761.7	68	94	S	2	b
Manila,	"	29.98	761.4	82	67	WNW	1	o	"	29.98	761.4	66	90	ENE	1	o
Legaspi,	"	29.97	761.1	84	71	NE	4	b	"	29.93	760.2	77	79	NNE	4	o
Tacloban,	"	29.93	760.2	86	65	NE	4	o	"	29.92	759.9	75	96	NNE	4	o
Iloilo,	"	...	...	...	...	...	...	...	"	29.89	759.3	73	91	N	4	o
Surigao,	"	29.89	759.3	79	89	ENE	4	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.88	759.0	...	...	NE	6	o	4.20	29.88	759.0	...	...	NE	4	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	..	...	...	...	...	...
Pelew,	11.00	...	...	...	.	...	...	...	5	29.85	758.2	78	...	ENE	2	c
Labuan,	14	29.76	755.9	86	84	NE	2	b	6	29.77	756.1	78	91	NE	2	b

December 27*d*. 12*h*. 15*m*.—Pressure is nearly stationary at Wladivostock and over the Bonins. It has decreased considerably over S.W. Japan and slightly to moderately elsewhere.

The anticyclone is now central over the Bonins.

Light to moderate monsoon may be expected over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 87·45 inches, against an average of 82·98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N. or variable winds, light to moderate; fine to cloudy, fog later.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	27th December, 1925.								28th December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.26	768.5	18	...	NNE	5	o	6	30.11	764.8	8	...	NNE	4	s
Nemuro,	11	30.14	765.5	...	...	ENE	1	...	5	30.28	769.0	...	...	..	0	...
Hokodate,	..	30.24	768.0	...	...	...	0	...	,,	30.10	764.5	...	...	ENE	2	...
Tokio,	,,	30.12	765.0	...	...	NE	1	...	,,	29.94	760.5	...	...	N	1	...
Kochi,	,,	30.14	765.5	...	...	...	...	...	,,	30.08	764.0	...	...	WSW	1	...
Nagasaki,	,,	30.04	763.0	...	...	SSW	4	...	,,	30.04	763.0	...	...	W	3	...
Kagoshima,	,,	30.08	764.0	...	...	S	1	...	,,	30.26	768.5	...	...	...	...	...
Oshima,	,,	30.12	765.0	...	...	S	2	...	,,	30.06	763.5	...	...	...	0	...
Naha,	,,	30.12	765.0	...	...	SSE	2	...	,,	30.12	765.0	...	...	SSE	1	...
Ishigakijima,	,,	30.12	765.0	...	...	S	2	...	,,	30.00	762.0	...	...	S	2	...
Bonin Island,	..	30.30	769.5	...	...	SE	1	...	,,	30.22	767.5	...	...	...	0	...
Chefoo,	15	30.08	764.0	42	85	NE	1	b	6	30.49	774.4	24	87	NNW	7	r
Hankow,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Shanghai,	14	30.07	763.8	54	78	NW	4	o	,,	30.22	767.7	48	89	N	4	o
Gutzlaff,	,,	30.07	763.8	50	94	NW	1	of	,,	30.24	768.1	46	92	N	4	b
Sharp Peak,	,,	30.05	763.2	65	94	...	0	r	,,	30.06	763.5	60	94	WNW	4	r
Amoy,	15	29.98	761.5	63	100	WSW	2	r	6	30.02	762.5	63	99	...	0	of
Swatow,	,,	..	..	...	...	...	...	...	,,	...	..	...	.	...	...	...
Taiboku,	11	30.08	764.1	73	62	...	0	b	5	30.05	763.2	59	96	...	0	o
Taichu,	,,	30.07	763.8	77	...	...	0	b	,,	30.05	763.2	63	..	...	0	o
Tainan,	,,	30.06	763.5	82	...	NW	2	b	,,	30.00	762.0	61	..	NNE	2	b
Koshun,	,,	30.06	763.5	79	...	ENE	4	b	,,	29.99	761.7	70	..	...	0	b
Pescadores,	,,	30.07	763.8	75	...	NE	4	b	,,	30.02	762.6	68	...	NE	4	b
Canton,	14	29.99	761.7	69	80	N	1	o	6	..	...	..	...	...	...	...
Hongkong,	,,	29.96	761.0	71	75	W	2	o	,,	30.02	762.5	64	95	...	0	of
Gap Rock,	,,	29.98	761.5	...	...	N	3	b	,,	30.01	762.2	...	...	N	2	b
Macao,	,,	29.94	760.5	70	82	ESE	2	b	,,	30.01	762.2	63	98	...	0	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	..	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.02	762.5	77	...	NNE	2	...	,,	30.01	762.2	75	...	NE	4	c
Phulien,	,,	29.93	760.2	75	76	SSE	4	o	7	29.97	761.1	68	96	ESE	2	of
Tourane,	,,	29.95	760.8	72	...	...	0	b	,,	29.97	761.1	68	...	SE	4	b
Cape St. James.	,,	29.86	758.4	79	...	ENE	6	bf	,,	29.88	759.0	73	...	ENE	4	b
Basco,	14	30.04	762.9	77	57	ESE	4	o	6	29.97	761.1	75	92	SE	4	o
Aparri,	,,	29.94	760.5	81	73	NE	2	b	,,	29.94	760.5	68	92	S	2	b
Manila,	,,	29.89	759.3	86	56	W	4	b	,,	29.93	760.2	68	92	NE	2	b
Legaspi,	,,	29.88	759.0	81	80	NE	4	o	,,	29.92	759.9	77	88	NNE	4	b
Taoloban,	,,	29.85	758.1	81	92	NE	4	o	,,	29.91	759.6	75	94	NE	2	o
Iloilo,	,,	29.81	757.2	82	..	NNE	6	o	,,	29.88	759.0	73	96	...	4	r
Surigao,	..	29.81	757.2	79	91	ENE	4	o	,,	29.86	758.4	75	91	SE	2	o
Guam,	12.20	29.82	757.5	...	...	NE	6	o	4.20	29.85	758.1	...	...	NE	4	o
Yap,	12.47	...	...	...	...	...	..	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.84	757.9	77	...	NE	2	c
Labuan,	14	29.77	756.1	84	83	NE	1	o	6	29.85	758.2	77	91	NE	1	o

December 28*d*. 11*h*. 25*m*.—Pressure has decreased moderately from Wladivostock to central Japan and slightly from the Bonins to Ishigaki. It has increased considerably at Chefoo and moderately at Shanghai. Further south it is nearly stationary.

An anticyclone has formed over N. China and S.E. Mongolia, and a shallow depression is shown over Japan.

The monsoon will freshen along the E. coast of China but remain light to moderate over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 87·45 inches, against an average of 83·02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate to fresh.
2.—South coast of China between Hongkong and Lamocks,	Light, variable winds, with fine weather at first, moderate N.E. winds, with drizzle or mist later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	28th DECEMBER, 1925.								29th DECEMBER, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.03	764.1	8	...	NNE	5	s	6	30.19	766.7	−7	...	NNE	3	b
Nemuro,	11	30.16	766.0	...	...	E	1	...	5	29.73	755.0	...	...	SE	5	...
Hokodate,	..	29.96	761.0	...	...	ESE	6	...	,,	29.71	754.5	...	...	WSW	3	...
Tokio,	,,	29.90	759.5	...	...	N	1	...	,,	29.84	758.0	...	...	...	..	...
Kochi,	,,	29.94	760.5	...	...	SW	1	...	,,	29.96	761.0	...	...	W	2	...
Nagasaki,	,,	30.08	764.0	...	...	NNW	3	...	,,	30.20	767.0	...	...	NW	3	...
Kagoshima,	,,	29.90	759.5	...	...	N	1	...	,,	30.14	765.5	...	...	NW	1	...
Oshima,	,,	30.08	764.0	...	...	N	1	...	,,	30.14	765.5	...	...	N	2	...
Naha,	,,	30.06	763.5	...	...	S	2	...	,,	30.10	764.5	...	...	NNE	5	...
Ishigakijima,	,,	30.06	763.5	...	...	WNW	1	...	,,	30.08	764.0	...	...	N	4	...
Bonin Island,	..	30.18	766.5	...	...	SSW	1	...	..	30.12	765.0	...	...	SE	1	...
Chefoo,	15	30.51	774.9	24	87	NNW	6	r	6	30.51	774.9	24	77	NW	7	o
Hankow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	..	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Shanghai,	14	30.37	771.3	39	90	N	4	r	,,	30.62	777.9	25	71	NW	6	b
Gutzlaff,	,,	30.28	769.1	44	72	N	6	o	,,	30.57	766.5	30	80	NNW	7	o
Sharp Peak,	..	30.10	764.5	56	93	NNE	4	r	,,	30.27	768.8	50	92	E	4	r
Amoy,	15	30.04	763.0	67	95	NE	2	o	6	30.24	768.1	56	94	NNE	4	o
Swatow,	..	...	...	...	...	...	...	...	,,	..	..	..	.	...	..	...
Taihoku,	11	30.11	764.7	66	87	...	0	o	,,	30.26	768.6	57	84	E	2	o
Taichu,	,,	30.06	763.5	77	...	N	2	b	,,	30.11	764.7	57	.	N	4	b
Tainan,	,,	30.06	763.5	81	...	NNW	2	b	,,	30.08	764.1	63	..	N	4	o
Koshun,	,,	30.04	762.9	81	...	...	0	b	,,	30.05	763.2	70	..	NNE	2	b
Pescadores,	,,	30.08	764.1	72	...	W	4	b	,,	30.13	765.3	61	...	NE	7	o
Canton,	14			...	...	..	..	...	6	..	...	.	...	...	...	...
Hongkong,	,,	30.00	762.0	72	73	WNW	2	c	,,	30.16	766.0	59	56	NNE	3	o
Gap Rock,	,,	30.01	762.2	...	...	NNE	2	b	,,	30.15	765.8	...	...	N	5	o
Macao,	,,	29.98	761.4	75	71	ESE	2	b	,,	30.17	766.2	55	71	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	..	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pratas Island,	,,	30.06	763.5	77	...	NE	4	b	,,	30.12	765.0	73	...	NE	5	c
Phulien,	,,	29.94	760.5	82	60	SSE	4	o	7	30.10	764.4	63	80	NE	6	rf
Tourane,	,,	29.93	760.2	72	...	E	2	b	,,	30.02	762.6	70	...	E	4	o
Cape St. James,	..	29.84	757.8	77	...	ENE	6	b	..	..	...	...	...	...	...	...
Basco,	14	...	..	...	...	...	...	...	6	30.01	762.3	68	96	...	0	b
Aparri,	,,	29.91	759.6	81	73	NE	4	b	,,	29.95	760.8	68	94	...	0	b
Manila,	,,	29.86	758.4	85	52	W	2	o	,,	29.93	760.2	68	91	NE	1	o
Legaspi,	,,	29.87	758.7	86	68	NE	2	o	..	29.88	759.0	77	79	N	2	o
Tacloban,	,,	29.84	757.8	86	68	NE	4	o	,,	29.88	759.0	79	92	N	2	o
Iloilo,	,,	29.80	756.9	86	61	NNE	1	o	,,	29.85	758.1	75	86	N	4	o
Surigao,	,,	..	...	...	..	.	...	...	,,	29.84	757.8	77	92	...	0	o
Guam,	12.20	29.82	757.5	...	...	NE	4	o	4.20	29.81	757.2	...	...	NE	4	o
Yap,	12.47	...		...	...	...	..	...	4.47	..	...	...	...	...	...	...
Pelew,	11.00	...	...		...	...	...	...	5	29.79	756.6	78	...	ENE	2	b
Labuan,	14	29.77	756.1	86	84	N	4	b	6	29.82	757.4	80	91	NE	4	b

December 29*d.* 11*h.* 05*m.*—Pressure has decreased considerably over N.E. Japan and slightly from Tokio to the Bonins and over the Pelew Islands. It has increased considerably at Shanghai, moderately from Foochow to Haiphong, and slightly from Formosa to Luzon.

The Japanese depression has deepened and moved to Hokkaido. The anticyclone over China has strengthened.

Strong monsoon may be expected along the coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 87·45 inches, against an average of 83·06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30th.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong; overcast at first, clearing later.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	29th December, 1925.								30th December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.16	766.0	1	...	NNW	3	b	6	30.20	767.0	−12	...	NW	4	c
Nemuro,	11	29.67	753.5	...	...	SW	1	...	5	29.78	756.5	...	..	W	1	...
Hokodate,	.	29.80	757.0	...	...	NW	3	...	,,	29.92	760.0	...	...	W	5	...
Tokio,	,,	29.70	754.5	...	...	NNW	1	...	,,	29.92	760.0	...	...	NW	2	...
Kochi,	,,	29.96	761.0	...	...	WSW	2	...	,,	30.24	768.0	...	...	...	0	...
Nagasaki,	,,	30.28	769.0	...	...	NNW	3	...	,,	30.32	770.0	...	...	N	1	...
Kagoshima,	,,	30.20	767.0	...	...	NW	2	...	,,	30.32	770.0	...	...	...	...	...
Oshima,	,,	30.20	767.0	...	...	N	4	...	,,	30.30	769.5	...	...	NNW	2	...
Naha,	,,	30.22	767.5	...	...	N	4	...	,,	30.34	770.5	...	...	N	3	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.30	769.5	...	...	NNW	1	...
Bonin Island,	..	30.06	763.5	...	...	S	1	...	..	30.06	763.5	...	...	SW	1	...
Chefoo,	15	30.52	775.2	24	87	NW	6	0	6	30.40	772.1	24	77	WSW	4	b
Hankow,	,,		...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Ichang,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...		...	...	...	...	...	,,	...	...	...	...	.	...	...
Shanghai,	14	30.65	778.5	28	38	NW	6	b	,,	30.62	777.9	18	76	NW	2	b
Gutzlaff,	,,	30.60	777.2	32	58	NNW	6	0	,,	30.60	777.2	24	87	NW	6	b
Sharp Peak,	,,	30.33	770.4	48	78	ENE	4	0	,,	30.40	772.1	42	75	N	4	0
Amoy,	15	30.27	768.8	58	81	NE	6	0	6	30.39	771.9	48	87	ENE	4	r
Swatow,	,,	...		...	...	...	...	...	,,	...	..	...	..	...	...	...
Taihoku,	11	30.37	771.3	54	83	E	4	0	5	30.38	771.6	50	82	E	4	0
Taichu,	,,	30.21	767.4	61	...	N	4	0	,,	30.25	768.3	50	..	N	2	0
Tainan,	,,	30.19	766.8	66	...	N	4	0	,,	30.22	767.7	52	..	N	4	0
Koshun,	,,	30.13	765.3	70	...	NNE	6	0	,,	30.17	766.2	63	..	NNE	6	b
Pescadores,	,,	30.25	768.3	59		NE	7	0	,,	30.27	768.9	55	...	NE	6	0
Canton,	14	30.29	769.3	55	68	N	4	0	6	...	...		...	...	...	...
Hongkong,	,,	30.19	766.8	63	42	N	2	0	,,	30.30	769.6	51	52	NNE	3	0
Gap Rock,	,,	30.18	766.6	...	...	N	4	0	,,	30.28	769.1	...	...	NNE	4	0
Macao,	,,	30.18	766.5	55	55	NNE	4	0	,,	30.31	769.8	43	73	N	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	.	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	.	...
Pratas Island,	,,	30.16	766.0	75	...	NE	6	c	,,	30.21	767.3	67	...	NE	6	r
Phulien,	,,	30.20	767.1	55	77	NNE	4	0	7	30.33	770.4	46	97	NNE	4	rf
Tourane,	,,	30.02	762.6	70	...	E	4	0	,,	30.11	764.7	66	...	NW	2	rf
Cape St. James,	,,	29.86	758.4	77	...	ENE	6	b	,,	29.93	760.2	73	...	ENE	6	0
Basco,	14	30.02	762.6	72	84	N	6	0	6	30.08	764.1	66	76	N	6	r
Aparri,	,,	29.98	761.4	79	76	NE	4	0	,,	30.06	763.5	72	91	ENE	4	r
Manila,	,,	29.88	759.0	82	60	WNW	2	0	,,	29.95	760.8	68	94	NE	1	b
Legaspi,	,,	29.87	758.7	84	68	NNE	2	0	,,	29.94	760.5	75	91	NE	4	0
Tacloban,	,,	29.84	757.8	84	71	ENE	4	0	,,	29.92	759.9	73	48	NNW	2	0
Iloilo,	,,	29.78	756.3	84	68	NE	6	0	,,	29.91	759.6	73	89	NNE	6	0
Surigao,	..	29.81	757.2	79	90	NE	4	0	,,	29.88	759.0	79	76	ENE	4	0
Guam,	12.20	29.80	756.9	...	...	NE	6	0	4.20	29.86	758.4	...	...	NE	4	0
Yap,	12.47	...	...	...	...	...	..	...	4.47	..	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	...	...	...	5	29.82	757.4	77	...	ESE	1	c
Labuan,	14	29.77	756.1	84	87	NE	2	0	0	29.82	757.4	80	82	NE	2	b

December 30*d.* 12*h.* 20*m.*—Pressure has decreased slightly from Chefoo to Shanghai and increased slightly at other reporting stations.

The anticyclone over China has weakened lightly.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st. 87·45 inches, against an average of 83·10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; cloudy.
3.—Hongkong to Gap Rock,	N.E. winds, fresh; cloudy.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	30th December, 1925.								31st December, 1925.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.06	763.5	−1	...	E	2	b	6	29.93	760.2	1	...	WSW	3	c
Nemuro,	11	29.80	757.0	...	...	WSW	3	...	5	29.78	756.5	...	...	W	3	...
Hokodate,	.	29.90	759.5	...	...	WNW	2	...	,,	29.78	756.5	...	...	W	2	...
Tokio,	,,	29.94	760.5	...	...	...	0	...	,,	29.96	761.0	...	...	WSW	1	...
Kochi,	,,	30.22	767.5	...	...	SW	1	...	,,	30.16	766.0	...	...	...	0	...
Nagasaki,	,,	30.31	770.0	...	...	...	0	...	,,	30.30	769.5	...	...	NNW	4	...
Kagoshima,	,,	30.30	769.5	...	...	WNW	1	...	,,	30.26	768.5	...	...	NW	1	...
Oshima,	,,	30.31	770.0	...	...	NNE	1	...	,,	30.36	771.0	...	...	N	2	...
Naha,	,,	30.36	771.0	...	...	N	3	...	,,	30.38	771.5	...	...	NNW	3	...
Ishigakijima,	,,	30.37	771.5	...	...	NNW	2	...	,,	30.36	771.0	...	...	N	2	...
Bonin Island,	..	30.0	764.0	...	...	...	0	.	..	30.18	766.5	...	...	...	0	...
Chefoo,	15	30.37	771.4	24	60	WNW	6	o	6	30.34	770.6	24	77	WSW	4	b
Hankow,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	.	...	...	...	...	...	,,	...	...	...	...	..	...	...
Shanghai,	14	30.56	776.1	36	33	W	4	b	,,	30.58	776.7	21	95	WNW	1	b
Gutzlaff,	,,	30.54	775.7	32	82	NW	2	b	,,	30.56	776.2	30	88	NW	4	b
Sharp Peak,	,,	30.38	771.6	50	65	E	2	o	,,	30.41	772.4	44	84	NNE	2	o
Amoy,	15	30.35	770.9	52	79	ENE	4	o	6	30.38	771.6	50	65	ENE	2	o
Swatow,	,,	...		...	...	...	...	...	,,	...	..	...	...	...	...	...
Taihoku,	11	30.41	772.5	54	92	E	4	r	5	30.43	772.8	50	84	E	4	r
Taichu,	,,	30.31	769.8	54	...	NNW	2	r	,,	30.30	769.5	50	...	NNW	2	r
Tainan,	,,	30.30	769.5	59	...	N	4	o	,,	30.28	769.2	50	...	NNW	4	r
Koshun,	,,	30.21	767.4	64	...	NE	6	o	,,	30.20	767.1	63	...	NNE	6	o
Pescadores,	,,	30.34	770.7	57	...	NNE	1	b	,,	30.28	769.2	57	...	NE	6	o
Canton,	14	...	...	...	...	...	..	...	6	...	...	.	...	...	...	...
Hongkong,	,,	30.31	769.9	50	73	N	2	o	,,	30.34	770.6	49	55	NNW	2	o
Gap Rock,	,,	30.28	769.1	...	...	N	5	o	,,	30.31	769.9	...	...	NNE	5	o
Macao,	,,	30.30	769.5	43	94	N	4	r	,,	30.31	769.8	45	74	NNE	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	..	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	..	...
Pratas Island,	,,	30.24	768.1	67	...	NE	6	r	,,	30.23	767.8	66	...	NE	6	o
Phulien,	,,	30.33	770.4	48	97	N	4	rf	7	30.37	771.3	45	97	NNW	1	rf
Tourane,	,,	30.11	764.7	64	...	NW	6	of	,,	30.17	766.2	63	...	NW	6	o
Cape St. James,	,,	29.91	759.6	77	...	ENE	6	of	,,	29.92	759.9	72	...	ENE	4	b
Basco,	14	30.08	764.1	68	87	N	4	r	6			...	...	...	...	...
Aparri,	,,	30.02	762.6	73	89	ENE	6	r	,,	30.10	764.4	72	91	ENE	4	o
Manila,	,,	29.92	759.9	81	62	WNW	2	o	,,	29.99	761.7	70	92	...	0	o
Legaspi,	,,	29.91	759.6	82	74	NE	2	o	,,	29.95	760.8	79	80	N	4	o
Tacloban,	,,	29.88	759.0	84	74	NE	6	o	,,	..	...	...	...	...	...	...
Iloilo,	,,	29.85	758.1	82	67	NE	6	o	,,	29.91	759.6	75	86	NNE	4	o
Surigao,	..	..	...	...	...		..	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.82	757.5	...	...	NE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	..	...	...	...	..	...	4.47	...	...	...	...	...	...	...
Pelew,	11.00	...	...	...	...	..	...	...	5	29.85	758.2	77	...	NE	1	b
Labuan,	14	29.79	756.6	86	88	NE	2	b	6	29.82	757.4	80	91	NE	2	b

December 31*d.* 11*h.* 20*m.*—Pressure changes are slight since yesterday. The anticyclone remains unchanged over China.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·13 inch. Total since January 1st. 87·58 inches, against an average of 83·14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; overcast, some drizzle or mist.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

MAGNETIC OBSERVATIONS,

1925.

Ashley

Absolute Values of Magnetic Elements, 1925.

Determinations of Magnetic Horizontal Force in the Year 1925.

Hongkong Standard Time, 1925.	Deflecting Magnet. Corrected Time of one Vibration.	Deflecting Magnet. Temperature (A.)	Deflecting Magnet. Effect of 20° of Torsion.	Observed Deflection. Distance. 30 cms.	Observed Deflection. Distance. 40 cms.	Temperature (A.)	C. G. S. Units. Log. mX.	C. G. S. Units. Log. $\frac{m}{X}$	C. G. S. Units. m.	C. G. S. Units. X.	Observer.
	s	°	′	° ′	° ′	°					
January,... 19 15 16	2·9164	287·5	2·42	9 19·45	3 55·47	287·7	2·48522	3·34070	818·39	0·37347	B.D.E.
February,.. 13 15 20	2·9174	288·5	2·27	9 21·88	3 55·48	288·1	2·48509	3·34170	819·21	0·37298	C.W.J.
March, ... 17 15 17	2·9215	295·0	2·12	9 18·75	3 54·46	294·8	2·48471	3·34067	817·88	0·37327	B.D.E.
April,..... 17 15 18	2·9199	297·0	1·44	9 18·66	3 54·43	296·9	2·48541	3·34096	818·80	0·37344	C.W.J.
May, ... 15 15 36	2·9244	305·6	1·93	9 17·34	3 53·77	305·1	2·48587	3·34128	819·54	0·37350	B.D.E.
June, ... 17 15 14	2·9218	300·7	1·98	9 17·46	3 54·38	300·5	2·48508	3·34107	818·60	0·37325	C.W.J.
July, ... 16 15 20	2·9224	302·8	1·82	9 17·67	3 53·57	302·4	2·48511	3·34075	818·33	0·37340	B.D.E.
August, ... 18 15 0	2·9242	304·6	2·00	9 17·49	3 53·79	304·4	2·48468	3·34123	818·39	0·37301	C.W.J.
September, 16 15 13	2·9233	303·2	2·93	9 18·21	3 54·09	302·7	2·48464	3·34148	818·58	0·37389	B.D.E.
October, ... 16 15 1	2·9205	299·6	3·06	9 17·66	3 54·35	298·7	2·48487	3·34081	818·16	0·37328	C.W.J.
November, 17 15 19	2·9194	297·9	2·30	9 19·14	3 54·54	297·6	2·48497	3·34136	818·77	0·37308	B.D.E.
December, 17 14 50	2·9173	293·3	2·72	9 19·01	3 54·49	292·8	2·48484	3·34045	817·80	0·37342	C.W.J.
Year,	2·9205	298·0	2.25	9 18.56	3 54.40	297.6	2.48500	3.34104	818.54	0·37325	

Results of Observations of Magnetic Declination and Dip in the year 1925, with deduced Monthly Values of Vertical Force and Total Force.

Hongkong Standard Time, 1925.	Observed Declination (West.)	Observer.	Hongkong Standard Time, 1925.	Needle.	Observed Dip (North)	Observer.	Monthly Values of Dip (North)	Monthly Values of Vertical Force. (C. G. S. Units.)	Monthly Values of Total Force. (C. G. S. Units.)
	° ′		d. h. m.		° ′		° ′		
January,... 19 15 56	0 26·9	B.D.E.	17 12 20	¾	30 41·4 30 42·2	C.W.J.	30 41·8	0·22172	0·43433
February,.. 13 15 52	26·1	C.W.J.	13 11 52	⅞	30 42·7 30 47·2	C.W.J.	44·9	0·22190	0·43400
March, ... 17 16 3	26·6	B.D.E.	16 15 11	¾	30 44·3 30 44·6	B.D.E.	44·4	0·22199	0·43429
April,..... 17 15 53	26·6	C.W.J.	16 15 5	⅞	30 39·3 30 44·6	B.D.E.	41·9	0·22172	0·43430
May, ... 15 16 21	27·2	B.D.E.	18 15 20	¾	30 39·4 30 40·4	C.W.J.	39·9	0·22146	0·43432
June, ... 16 15 23	28·0	C.W.J.	16 14 50	⅞	30 39·6 30 39·7	C.W.J.	39·7	0·22127	0·43391
July, ... 16 16 9	27·5	B.D.E.	16 12 13	⅞	30 42·3 30 42·4	B.D.E.	42·3	0·22176	0·43429
August, ... 18 15 46	27·8	C.W.J.	17 15 0	¾	30 38·4 30 41·9	B.D.E.	40·2	0·22121	0·43367
September, 16 14 28	26·5	B.D.E.	17 10 35	⅞	30 40·6 30 45·2	C.W.J.	42·9	0·22154	0·43373
October,... 16 15 44	27·6	C.W.J.	16 12 25	¾	30 41·0 30 41·3	C.W.J.	41·2	0·22151	0·43405
November, 18 16 9	27·2	B.D.E.	19 14 53	⅞	30 43·6 30 43·8	B.D.E.	43·7	0·22177	0·43401
December,.. 17 15 25	28·2	C.W.J.	18 14 44	¾	30 40·1 30 37·7	B.D.E.	38·9	0·22126	0·43404
Year,	0 27·2						30 41·8	0·22159	0·43408

The initials C.W.J. and B.D.E. are those of Mr. Jeffries and Mr. Evans.