UNION OF SOUTH AFRICA

Department of Irrigation

Meteorological Office

REPORT
for the Year 1926

Presented to both Houses of Parliament by Command of His Excellency the Governor-General.

PRICE 7s. 6d.

UNIE VAN SUID-AFRIKA

Departement van Besproeiing

Meteorologiese Kantoor

VERSLAG
vir die Jaar 1926

Voorgelê aan beide Huise van die Parlement op Bevel van Sy Eksellensie die Goewerneur-Generaal.

PRYS 7s. 6d.

The Government Printer, Pretoria, 1929

Cost of Printing £200. 18s. 3d.
[U.G. No. 40 - '29.]
10340—2/1929—1,500

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Lason, Inc.
Imaging Subcontractor
Beltsville, MD
December 20, 2000

South Africa. Weather Bureau

QC
991
.S6
R6
1926

UNION OF SOUTH AFRICA

Department of Irrigation

Meteorological Office

REPORT
for the Year 1926

Presented to both Houses of Parliament by Command of His Excellency the Governor-General.

LIBRARY
N.O.A.A.
U.S. Dept of Commerce

UNIE VAN SUID-AFRIKA

Departement van Besproeiing

Meteorologiese Kantoor

52622
SEP 22 1931
WEATHER BUREAU

VERSLAG
vir die Jaar 1926

Voorgelê aan beide Huise van die Parlement op Bevel van Sy Eksellensie die Goewerneur-Generaal.

The Government Printer, Pretoria, 1929

[U.G. No. 40—'29.]
10340—3/12/28—1.000

CONTENTS.

	PAGES.
Introduction	4–7
Notes on Temperature and Precipitation during 1926	8–9
Summaries of Results :—	
Barometric Stations	10–43
Thermometric Stations	44–115
Solar Radiation Stations	116
Terrestrial Radiation Stations	116–118
Underground Temperature Stations	118–119
Evaporation Stations	119
Rainfall Stations	121–201
Addendum to Rainfall Stations	202–203
Wind Records— Zwartkop Aerodrome	204
Index to Stations	i–xxiii

Key Map to Rainfall Sections.

INHOUD.

BLADSY.

INLEIDING 4–7

AANMERKINGS IN VERBAND MET TEMPERATUUR EN PRESIPITASIE GEDURENDE 1926 8–9

SAMEVATTING :—

BAROMETRIESE STASIES 10–43

TERMOMETRIESE STASIES 44–115

STASIES VAN HITTESTRALING VAN DIE SON 116

STASIES VAN HITTESTRALING VAN DIE AARDE 116–11

STASIES VAN ONDERAARDSE TEMPERATUUR 118–11

VERDAMPING STASIES 119

REËNVAL STASIES 121–20

BYLAE VAN REËNVAL STASIES 202–20

VERSLAE VAN DIE WIND—ZWARTKOP VLIEGBAAN 204

BLADWYSER VAN STASIES ..... i–xxiii

HOOFKAART VAN REËNVAL SEKSIES.

INTRODUCTION.

The following pages contain the results of meteorological instrumental observations taken during the calendar year 1926, and is the first meteorological report to contain in one volume data for the four provinces constituting the Union of South Africa.

The meteorological services of the four colonies discontinued publication of the usual summaries of observation a year or two previous to Union. Thus, the last Annual Report issued by the Cape Meteorological Commission was that for the year 1908, which was also the date of the last Report of the Government Astronomer of Natal, under whose direction meteorological observations were carried out. In the Orange Free State the last published data of this nature were for the year ending June, 1909, while the last Report of the Transvaal Meteorological Service contained summaries of observations for the twelve months July, 1909, to June, 1910.

On the amalgamation of the various Meteorological services in 1912, it was proposed, seeing that many of the reports of all the provinces had been out of print for a number of years :—

(1) That all available data to 1910 should be prepared on a uniform basis and issued as a separate publication ; and

(2) that reports should be issued for each subsequent period of five years.

Although the first portion of this scheme was duly carried out, it was not until last year (1927) that funds were available for the publication of a section of this work, under the title of " Rainfall Normals," which summarised all data to the end of 1925.

The preparation of normals of barometric pressure, temperature, etc., for the same period, is not yet complete, but is being carried on by the staff at such odd times as may be available in the intervals of routine work.

The second proposal was never carried out as no funds were available at any period for this purpose.

The gap between the dates of discontinuance of the issue of the Annual Reports by the separate provinces and the present time, has been filled to a limited extent by the publication of monthly summaries of data for a short series of stations representative of the whole Union, first in the *Government Gazette*, then in the *Agricultural Journal*, subsequently in the *Journal of Mines and Industries*, and later, that is from January, 1920, as a separate pamphlet with the title of " The Monthly Weather Report." This last was discontinued after September, 1925.

In addition, papers and articles dealing with special subjects have been contributed to various official or semi-official publications as well as to scientific societies ; while since 1918, articles dealing with the more general aspects of our climate and briefly summarising the results of more recent pieces of work undertaken, have appeared annually in the *Official Year Book*. Many of these articles are illustrated by means of photographs, diagrams and maps ; among the last may be mentioned the set of three maps illustrative of the distribution and duration of frost over the Union, various monthly, annual and average rainfall maps, and a generalised thunderstorm map showing the average number occurring over the Union throughout the year.

In view of the fact that the most recent publication, " Rainfall Normals," summarises data to the end of 1925, and further as it is intended to publish pressure, temperature and other averages based on observations ending the same year, it was evidently desirable, in order to maintain some form of continuity, that the first annual summary of observations taken in the Union should be that for the year 1926.

The present publication has been confined to summaries of instrumental observations and contains results from seventy-nine (79) barometric stations, one hundred and seventy-seven (177) thermometric stations, three thousand one hundred and twenty (3,120) rainfall stations.

In addition data are given for four (4) solar radiation stations, sixteen (16) terrestrial radiation stations, nine (9) stations equipped with earth thermometers, sixteen (16) evaporation stations, and one (1) anemograph station.

The tabular matter contained in the annexures shows :—

(1) The monthly and yearly mean values of—

- (*a*) the readings of barometer corrected to 32° F., but not for gravity except in the single instance of the Union Observatory, Johannesburg ;
- (*b*) the temperature of the air at 8.30 a.m. (unless otherwise stated) as shown by the dry bulb ;
- (*c*) the temperature due to evaporation, at the same hour, as shown by the wet bulb thermometer ;
- (*d*) the relative humidity of the atmosphere. (Saturation = 100) ;

INLEIDING.

Die volgende paginas bevat die verslae van die meteorologiese instruments-waarnemings wat gedurende die jaar 1926, geneem is, en is die eerste meteorologiese rapport wat in een boekdeel die gegewens bevat vir die vier provinsies wat die Unie van Suid-Afrika uitmaak.

Die meteorologiese werk van die vier kolonies het 'n jaar of twee voor Unie opgekom met die publikasies van die gewone opsomming van waarnemings. Dus was die jaarverslag wat deur die Kaapse Meteorologiese Kommissie uitgegee was daardie een vir die jaar 1908, wat ook die datum was van die laaste Rapport van die Goewerments-Sterrekundige van Natal, onder wie se bestuur meteorologiese waarnemings uitgevoer was. In die Oranje Vrystaat was die laaste gepubliseerde gegewens (van hierdie aard) vir die jaar wat eindig op Junie 1909, terwyl die laaste Rapport van die Transvaal Meteorologiese Werke, opsommings in verband met waarnemings bevat het vir die twaalf maande, Julie 1909, tot Junie 1910.

Met die samesmelting van die verskeie meteorologiese werke in 1912, was dit voorgestel, dat, tenaansien van baie van die rapporte van al die provinsies wat vir enige jare buite druk was :—

(1) Dat alle beskikbare gegewens tot op 1910 eenvormig gemaak word en uitgegee word as 'n afsonderlike uitgawe ; en

(2) dat rapporte uitgegee word vir iedere volgende tydperk van vyf jaar.

Hoewel die eerste deel van hierdie skema behoorlik uitgevoer werd, was daar voor en tot die jaar 1927, geen geld verkrygbaar vir die publikasie van 'n deel van hierdie werk, onder die opskrif van "Reënval Normale :" nie, wat alle gegewens bevat het tot op die end van 1925.

Die preparasie van normale van barometriese druk, temperatuur, ens., vir dieselfde tydperk is nog nie gereed nie, dog word dit deur die staf gedurende die tussentyd gedoen wat daar beskikbaar is.

Die twede voorstel is nooit uitgevoer nie en wel omdat daar nooit geld vir daardie doel was nie.

Die tydsruimte tussen die ophou met die uitreiking van die Jaarverslag deur die afsonderlike provinsies en die teenswoordige tyd is opgeneem met die publikasie van maandelikse opsomming in verband met gegewens van 'n korte reeks van stasies wat die hele Unie verteenwoordig, ten eerste in die *Staatskoerant*, daarna in die *Landbou-Joernaal*, en dan in die *Joernaal van Mynwese en Nywerhede*, en laastelik, dit is vanaf Januarie 1920, as 'n afsonderlike pamflet onder die volgende opskrif *Die Maandelikse Weerverslag*. Laasgenoemde het na September 1925 opgehou.

Afgesien hiervan, is papiere en artiekels wat oor spesiale onderwerpe handel, aan verskeie offisiële of offisiens publikasies bygedra, sowel as aan wetenskaplike genootskappe, terwyl artiekels wat handel oor die meer algemene uitsig van onse klimaat en wat korteliks die resultate opsom van die meer huidige werke wat onderneem was, het vanaf 1918, iedere jaar in die *Offisiële Jaarboek* verskyn. Baie van hierdie artiekels word deur fotokaarte en tekeninge geïllustreer, by die laasgenoemde is 'n stel van drie kaarte wat die verdeling en duur van ryp oor die hele Unie, verduidelik, verskeie maandelikse, jaarlikse en gemiddelde reënvalkaarte, sowel as 'n algemene donderstormkaart wat die gemiddelde hoeveelheid aanwys wat binne die Unie gedurende die jaar plaasvind.

Ten aansien van die feit dat die mees huidige publikasie, "Reënval Normale," gegewens bevat tot op die end van 1925, en verder, daar dit die mening is om lugdruk, temperatuur en ander metinge in verband met waarnemings te laat druk wat dieselfde jaar eindig, was dit blykbaar die begeerte, om een of ander vorm van duursaamheid te hou, dat die eerste jaarlikse opsoming van waarnemings wat in die Unie geneem word, daardie moet wees van die jaar 1926.

Die bestaande publikasie is bepaal tot opsomming van instrument-waarnemings en dit bevat die verslae van neë-en-sewentig (79) barometriese stasies, een-honderd sewen-en-sewentig (177) termometriese stasies, drieduisend eenhonderd-en-twintig (3,120) reënval stasies.

Afgesien hiervan bevat dit die gegewens van vier (4) stasies van hittestraling van die son, sestien (16) stasies van hittestraling van die aarde, neë (9) stasies uitgerus met onderaardse termometers, sestien (16) verdamping stasies, en een (1) anemograaf stasie.

Die tafelvormige besonderhede soos in die bylae bevat wys die volgende aan :—

(1) Die maandelikse en jaarlikse gemiddelde waarde van—

(*a*) die lesing van barometer reggestel op 32° F. dog nie vir swaartekrag nie behalwe in die enkele instansie van die Unie Obserwatorium, Johannesburg ;

(*b*) die temperatuur van die lug te 8.30 v.m. (behalwe dat dit anders vermeld word) soos aangetoon deur die droë bol ;

(*c*) die temperatuur tewyte aan verdamping as die selfde uur, soos aangetoon deur die nat bol termometer ;

(*d*) die betreklike vogtigheid van die atmosfeer. (Versadiging = 100) ;

(*e*) the mean and the absolute maximum and minimum temperature of the air ;

(*f*) the mean temperature of each month, deduced from the means of the maximum (M) and minimum (m) by the formula $\frac{1}{2}$ (M + m) ;

(*g*) the amount of cloud on the scale 0–10 ;

(*h*) the latitude and longitude of the individual stations, corrected by the latest determinations and the heights above mean sea level ; the last for the most part being approximate only ;

(*i*) evaporation as measured at sixteen (16) stations ;

(*k*) the mean and extreme values of terrestrial radiation for sixteen (16) stations, and of solar radiation for four (4) stations ;

(*l*) monthly means of daily readings of earth temperatures at various depths for nine (9) stations ;

(*m*) the frequency of wind direction and the mean velocity, as measured by an anemobiagraph at Zwartkop Aerodrome and the maximum velocity recorded each month at Royal Observatory, Capetown.

The rainfall data have been arranged according to the sections given in "Rainfall Normals," while an Appendix (Section 32) contains tables of rainfall for stations not falling in any of these sections ; these are situated mainly in the Bechuanaland Protectorate. As means for these stations were not included in the published Normals, and details have not been previously published, data are given for each year since the starting of observations.

Since the amalgamation of the meteorological services, attention has been directed mainly to the filling up of gaps between existing stations ; to the equipment of stations with self-recording barographs, thermographs, hygrographs, and anemographs ; to the subject of weather forecasting for the whole Union and an expansion of the area covered by the telegraphic reporting stations so as to include data from adjoining territories, and of upper air research.

Unfortunately the staff available is insufficient to admit of the reduction of the records from the self-recording instruments, except in the case of the Zwartkop Aerodrome, so that these still await reduction.

As the result of the untimely death of Mr. L. Carpenter, on the 9th of June, 1926, in the railway accident at Salt River, and of the resignation of his assistant, Mr. G. C. Kidd, in February of the following year, the forecasting section was left without any trained substitute, so that it was necessary to start this branch of the subject practically anew and train a new assistant in its principles and practical application.

Other resignations and retirements have considerably handicapped the office in its work of the last two years as various sections had to be put in the hands of new assistants totally unacquainted with their nature. This state of affairs together with the prolonged illness of a member of the staff, and the necessary concentration of the energies of the staff on the preparation of the Rainfall Normals to 1925, have led to some delay in the preparation of this Report.

Observations for determining the direction and velocity of the air at various altitudes were first started at Pretoria in June, 1918. Some additional light was thrown on the movements of the Upper Air by the observations taken at the five (5) aerodromes made use of during the experimental Air Mail Service of the year 1925. As these observations were, however, too few in number and covered too short a period to admit of any generalizations being drawn from them, three (3) aerological stations were established and each placed in charge of a meteorological assistant ; one being at the North Ridge Reservoir, Durban, a second at Elsies River, in the Cape Peninsula, and a third at Zwartkop Aerodrome, in the immediate vicinity of Pretoria. These all started operations between the end of 1925 and the beginning of 1926. While the station at the Zwartkop Aerodrome may be regarded as practically of a permanent nature, being primarily for the information of the Air Force, those at the other two centres were maintained for only one year, and at the end of this period the assistants were moved to other two positions in the Union for a similar period. While this system of changing the sites of two aerological stations every year will serve to give ultimately a general idea of the circulation of the Upper Air over the Union, it fails to indicate any secular variation, information that can be obtained only by means of observations carried out continuously at permanent stations.

The data so far obtained are being worked up for each station in a uniform manner, but are not yet ready for publication.

A. D. LEWIS, M.A., M.INST.C.E.,
Director of Irrigation.

(*e*) die gemiddelde en volstrekte hoogste en laagste temperatuur van die lug;

(*f*) die gemiddelde temperatuur van iedere maand, afgelei van die gemiddelde van die hoogste (M) en laagste (m) deur die voorskrif $\frac{1}{2}$ (M + m);

(*g*) die wolkshoeveelheid op die skaal 0–10;

(*h*) die breedtegraad en lengtegraad van die indiwiduele stasies, reggestel deur die laaste bepalings en die hoogstes bo die gemiddelde seehoogte; laasgenoemde is maar grotendeels by benadering;

(*i*) verdamping soos gemeet by sestien (16) stasies;

(*k*) die gemiddelde en uitermatige waardes van hittestraling van die aarde vir (16) sestien stasies en hittestraling van die son vir vier (4) stasies;

(*l*) maandelikse verslae van daaglikse lesings in verband met temperatuur van die aarde op verskillende dieptes vir (9) neë stasies;

(*m*) die gedurige rigting van die wind en die gemiddelde snelheid, soos met 'n anemograaf gemeet by Zwartkop Vliegbaan en die hoogste snelheid wat iedere maand waargeneem word by die Royal Observatory, Kaapstad.

Die reënval gegewens is gereël ooreenkomstig die seksies soos vermeld in "Reënval Normale," terwyl 'n aanhangsel (Seksie 32) die reënval tafels bevat van stasies wat nie binne enige van hierdie seksies val nie, wat hoofsaaklik in Bechuanaland Protektoraat geleë is. Aangesien die besonderhede vir hierdie stasies nie by die gepubliseerde Normale ingesluit was nie, en besonderhede nie tevore gepubliseer was nie, word gegewens vir iedere jaar gegee vanaf die datum waarop waarnemings begin het.

Vanaf die amalgamasie van die Meteorologiese Werke, het ek hoofsaaklik die aandag gevestig op die opvulling van die opening tussen bestaande stasies, die uitrusting van stasies met selfregistrerende barograwe, termograwe, hierograwe en anemograwe, op die onderwerp in verband met weer-voorspelling vir die streek wat gedek is met telegrafiese rapporterende stasies sodat gegewens van aangeleë streke en van Hoër Lugondersoek ingesluit word.

Ongelukkig is die staf wat verkrygbaar is, nie genoeg nie om toe te laat dat die verslae verminder word van die selfregistrerende instrumente, behalwe in die geval van die Zwartkop Vliegbaan, met die gevolg dat hulle nog op vermindering wag.

As 'n gevolg van die ontydige dood van Meneer L. Carpenter op die 9e Junie 1926, met die trein ongeluk te Sout Rivier, en die bedanking van sy assistent, Meneer G. C. Kidd, in Februarie van die volgende jaar, was die Voorspelling Seksie sonder 'n geoefende opvolger gelaat, met die gevolg dat dit nodig was om met hierdie afdeling byna opnuut te begin en 'n nuwe assistent te leer hoe die praktiese werk gedoen moet word. Die bedanking en aftreding van ander persone het die kantoor in verband met sy werk vir die laaste twee jaar baie teruggehou omdat die werk in nuwe hande gelaat moes word wat daarmee heeltemal onbekend is. Hierdie toestand van sake tesame met die lange siekte van 'n lid van die staf en die nodige aandag van die staf in verband met "Reënval Normale" tot op 1925, is die oorsaak dat hierdie rapport vertraag is.

Waarnemings om die rigtings en snelheid van wind op verskeie hoogtes te bepaal het vir die eerste keer in die maand Junie 1918, te Pretoria plaasgevind. In verband met die hoër lugbeweging wat deur die vyf (5) vliegbane geneem is gedurende die toets Poslugdiens in 1925, het ons baie lig op die saak gekry. Daar hierdie waarnemings egter te klein in getal was, en die tydperk te kort is om tot 'n algemeenmaking te kom, is drie (3) stasies in verband met hoër lugmeting opgesit waarvan iedereen onder die toesig gesit is van 'n Meteorologiese Assistent, een te North Ridge Reservoir, Durban, 'n twede te Elsies Rivier, in die Kaap Skiereiland, en 'n derde te Zwartkop Vleigbaan, in die digte nabyheid van Pretoria. Die werking van hierdie stasies het almal 'n aanvang geneem tussen die end van 1925, en die begin van 1926, terwyl die stasies te Zwartkop Vliegbaan byna as permanent beskou mag word, synde aanvanklik vir die informasie van die Lugmag, en by die ander twee plekke was alleen net vir een jaar, en op die end van hierdie tydperk was die assistente verplaas na twee ander plekke in die Unie vir 'n gelyke tydperk. Terwyl hierdie sisteem van verandering van die liggings van die twee stasies van hoërlugmeting iedere jaar verander word wat eintlik 'n algemene idee sal gee van die beweging van die Hoërlug oor die Unie, wys dit geen tydelike verandering wat alleen verkry kan word deur middel van aanhoudende waarneming by permanente stasies.

Die gegewens dusver verkry word vir iedere stasie afgewerk op 'n eenvormige wyse, dog is dit nog nie vir publikasie gereed nie.

A. D. LEWIS, M.A., M.INST.C.E.,
Direkteur van Besproeiing.

NOTES ON TEMPERATURE AND PRECIPITATION DURING THE YEAR 1926.

The mean temperature for the year over the Union as a whole (63°·5) was 0°·3 in excess of normal, the days with a mean of 76°·4 being 0°·2, and the nights with 50°·7, being 0°·4 warmer than usual. The first six months of the year, in common with August, October and December, had a mean temperature in excess, whereas July, September and November had temperatures in defect of the normal. The mean warmest month was January with 73°·9, and the mean coldest, July, with 50°·2, being 2°·7 above and 2°·8 below their respective average temperatures, and showing a range of 23°·7 as against a normal value of 18°·2. The mean maximum or day temperatures were higher than usual during the first five months, as also in August, October and December, the excess varying from 3°·2 in January to 0°·2 in May. The days were cooler than the average during the remaining four months, the deficit being greatest, 3°·6 in July and least, 0°·5 in June. The mean minima or night temperatures were higher than usual during the first half of the year, as also in October and December, the excesses varying from 2°·2 in January to 0°·4 in March. During the remaining four months the mean minima were colder than the average by amounts lying between 2°·0 in July and 0°·6 in August and September.

Precipitation.—The mean rainfall for the year 1926, as shown by representative stations, was only 20·31 inches, being 5·52 inches or 21 per cent. less than normal. A small excess (less than 10 per cent.), however, occurred in the north and north-east of the Free State, the south-western interior of Natal and the eastern interior of Kaffraria, while in the neighbourhood of Mossel Bay and Port Elizabeth on the south coast, the excesses rose to 22 and 32 per cent. respectively. The surplus amounts in the last two areas were mainly due to the heavy local rains in October, when severe damaging floods were experienced. The shortages were greatest, over 50 per cent., in the Central Karoo, the central portions of the Northern Karoo and the Northern Border of the Cape Province, the proportion being as low as 26 per cent. at Beaufort West; while in the Transvaal, the north and north-east of the Province had totals for the year only slightly more than half the usual quantities. An intensity of drought conditions similar to those experienced in the north of the Transvaal was met with over the Southern Karoo, the east and south-west of the Northern Karoo and the greater portion of the eastern section of the Northern Border. An excess of precipitation over the Union as a whole, was confined to the months of July and September, when the mean rainfall was 15 and 16 per cent., respectively, more than usual.

During the remaining ten months the mean rainfall was less than usual, ranging from 42 per cent. of the normal in April, to 95 per cent. in November.

Considering the Provinces separately, the Transvaal had a rainfall for the year equivalent to 74 per cent. of the normal; the Cape Province, 76 per cent.; Natal, 89 per cent.; and the Free State, 90 per cent.

In the Transvaal the monthly means were above the average in May, June, July and September, the excesses varying between 52 per cent. in May and 256 per cent. in July. During the other months precipitation was sub-normal by amounts varying from 18 per cent in February to 87 per cent. in August. Over the Cape Province the mean monthly rainfall was in excess of normal only in October and November by 25 and 33 per cent. respectively. The deficits during the other months ranged from 59 per cent. in January to 8 per cent. in July. In Natal the mean precipitation was above the average in June, and from September to December, by amounts equivalent to 200 per cent. of the normal in the month of June, and to 4 per cent. in November. In the remaining seven months the rainfall was less than usual by 5 per cent. in March, and practically 100 per cent. in August. In the Orange Free State, March and September were the only months having a mean precipitation greater than usual by 6 and 77 per cent. respectively. The shortages during the other ten months ranged from 8 per cent. in February to 82 per cent. in July.

A. D. LEWIS, M.A., M.INST.C.E.,
Director of Irrigation.

AANMERKINGS IN VERBAND MET DIE WEERGESTELDHEID EN PRESIPITASIE GEDURENDE DIE JAAR 1926.

Die gemiddelde temperatuur vir die jaar oor die Unie as 'n geheel (63°·5) was 0°·3 bo die normaal, die dae met 'n gemiddelde 76°·4, synde 0°·2 en die nagte met 50°·7, synde 0°·4, warmder as gewoonlik. Die eerste ses maande van die jaar het, tesame met Augustus, Oktober en Desember, 'n gemiddelde ekstra temperatuur gehad, terwyl Julie, September en November temperatuur benede die normaal had. Die gemiddelde warmste maand was Januarie met 73°·9, en die gemiddelde koudste was Julie met 50°·2, synde 2°·7 bo en 2°·8 onder hulle respektiewe gemiddelde temperature, aanwysende 'n reeks van 23°·7 in vergelyking met 'n normale waarde van 18°·2. Die gemiddelde hoogste of daaglikse temperatuur was gedurende die eerste vyf maande hoër as gewoonlik, sowel as in Augustus, Oktober en Desember, die oordaad verskil tussen 3°·2 in Januarie tot 0°·2 in Mei. Die dae was koeler as wat dit gemiddeld was gedurende die orige vier maande, die tekort is die hoogste, 3°·6 in Julie en minste 0°·5 in Junie. Die gemiddelde minste of nagtemperatuur was hoër as gewoonlik gedurende die eerste half-jaar, sowel as in Oktober en Desember, die oordaad wissel af van 2°·2 in Januarie tot 0°·4 in Maart. Gedurende die oorblywende vire maande was die gemiddelde minima kouer as die gemiddelde, 2°·0 in Julie en 0°·6 in Augustus en September.

Presipitasie.—Die gemiddelde reënval vir die jaar 1926, soos deur verteenwoordigende stasies aangetoon, is alleen 20·31 duim, synde 5·52 duim of 21 persent minder as normaal. 'n Kleine oordaad (minder as 10 persent) het egter in die noorde en in die Noordoos van die Vrystaat plaasgevind, die suid-westelike binneland van Natal en die oostelike binneland van Kaffraria, terwyl in die nabyheid van Mosselbaai en Port Elizabeth aan die suide kus die oordaad opgestyg het tot 22 en 32 persent respektiewelik. Die ekstra hoeveelhede in die laaste twee streke is hoofsaaklik die gevolg van sware plaaslike reën in Oktober toe ernstige beskadigende oorstrominge plaasgevind het. Die tekort was die hoogste, oor 50 persent, in die Middel Karo, die middel gedeeltes van die Noordelike Karo en die noordelike grens, van die Kaapprovinsie en te Beaufort Wes was die ewerdigheid so laag as 26 persent, terwyl in die Transvaal, die noord en noord-ooste gedeelte van die provinsie totale had vir die jaar wat maar 'n bietjie meer was as helfte van die gewone hoeveelhede. 'n Hewige droogte, soos die wat ons in die Noordelike Transvaal ondervind het, het ons ook in die Suidelike Karo ondervind, die Oos en Suid-wes van die Noordelike Karoo en die grootste gedeelte van die Oostelike deel van die Noordelike grens.

'n Oordaad van presipitasie oor die Unie as 'n geheel is beperk op Julie en September, toe die gemiddelde reënval 15 en 16 persent was, en dit is respektiewelik meer as gewoonlik.

Gedurende die orige tien maande was die gemiddelde minder as gewoonlik, lopende vanaf 42 persent van die normaal in April tot 95 persent in November.

As ons iedere Provinsie afsonderlik bereken dan kry die Transvaal 'n reënval vir die jaar wat gelyk staan aan 74 persent van die normaal ; die Kaapprovinsie, 76 persent ; Natal, 89 persent,; en die Vrystaat, 90 persent.

In die Transvaal was die gemiddelde reënval hoër as gewoonlik in die maande Mei, Junie, Julie en September, die oordaad verskil tussen 18 persent in Februarie tot 87 persent in Augustus. In die Kaapprovinsie was die gemiddelde maandelikse reënval bo die normaal, en alleenlik in Oktober en November was dit 25 en 33 persent respektiewelik.

Die tekort gedurende ander maande, loop vanaf 58 persent in Januarie tot 8 persent in Julie. In Natal was die gemiddelde presipitasie hoër as dit gewoonlik in Junie is, en vanaf September tot Desember was die hoeveelhede gelyk aan 200 persent van die normaal in die maand Junie, en tot 4 persent in November. Binne die orige sewe maande was die reënval minder as gewoonlik met 5 persent in Maart en byna 100 persent in Augustus.

In die Oranje Vrystaat was Maart en September die enigste maande met 'n gemiddelde presipitasie groter as gewoonlik met 6 en 77 persent respektiewelik. Die tekort gedurende die ander tien maande loop vanaf 8 persent in Februarie tot 82 persent in Julie.

A. D. LEWIS, M.A., INST.C.E.,
Direkteur van Bespoeiing.

SUMMARIES OF METEOROLOGICAL OBSERVATIONS.

Barometric Stations.—(A) Cape Province.

Time of Observation 8.30 a.m. (unless otherwise stated).
Correction for Index-error applied to Barometric Readings (unless otherwise stated).

OPSOMMING VAN METEOROLOGIESE WAARNEMINGS.

Barometriese Stasies.—(A) Kaap Provinsie.

Tyd van Waarneming 8.30 v.m. (behalwe dit anders vermeld word).
Verbetering aan Register-fout aangebring aan Barometriese Lesings (behalwe dit anders vermeld word).

Month—Maand.	Pressure. Druk.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.)	Cloud. (Amount 0–10.)	Rainfall—Reënval.	
				Self-registering Thermometers—Self-registrerende Termometers.								
	Barometric Means at 32° F. Barometriese Gemiddelde te 32° F.	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Minimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Minimum.	Betreklike Natheid. (Sat. = 100.)	Wolk. (Beloop tot 10.)		
1926.	Inches. Duime.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%		Inches. Duime.	Days—Dae.
ARMOEDSVLAKTE. Lat. 26° 56′ S. Long. 24° 39′ E. Approximate Height above Sea-level, 4,600 feet.												
January—Januarie	25·966	81·4	64·4	98·5	64·8	81·6	106·0	56·5	41	3·1	0·51	6
February—Februarie	25·972	79·2	64·3	99·0	62·0	80·5	104·5	53·2	46	1·6	0·27	2
March—Maart	26·062	70·9	62·6	88·6	59·2	73·9	100·6	55·2	65	3·8	2·64	13
April	26·144	64·4	56·7	82·1	50·8	66·4	95·0	39·5	58	3·1	2·12	5
May—Mei	26·114	56·6	49·5	75·4	41·0	58·2	83·4	32·0	61	2·2	0·46	4
June—Junie	26·123	50·7	43·9	70·5	34·7	52·6	80·2	22·2	59	2·0	0·09	1
July—Julie	26·225	47·2	40·2	66·2	29·9	48·0	78·5	17·0	56	1·4	0·16	1
August—Augustus	26·194	56·7	45·1	77·9	35·3	56·6	89·5	20·2	40	0·5	0·00	0
September	26·082	62·6	49·6	80·1	42·6	61·4	94·5	31·5	40	0·9	0·50	2
October—Oktober	26·008	70·2	56·4	85·5	51·5	68·5	99·8	39·0	44	2·1	1·10	5
November	26·007	71·3	58·9	87·8	54·5	71·2	97·5	41·5	50	2·5	1·61	9
December—Desember	25·958	78·1	65·4	92·9	62·4	77·6	99·0	53·2	51	2·7	2·87	9
YEAR—JAAR	26·071	65·8	54·8	83·7	49·1	66·4	106·0	17·0	51	2·2	12·33	57
BIRD ISLAND. Lat. 33° 51′ S. Long. 26° 17′ E. Height above Sea-level, 12 feet.												
January—Januarie	29·967	69·1	66·4	75·1	64·2	69·6	80·0	50·0	87	5·2	0·34	2
February—Februarie	29·939	68·9	66·1	75·4	64·3	69·8	80·0	54·0	87	6·1	0·38	5
March—Maart	30·045	68·2	65·3	73·5	62·1	67·8	79·0	54·0	87	5·8	0·55	6
April	30·119	62·9	59·8	71·5	59·1	65·3	80·0	54·0	85	5·3	0·35	4
May—Mei	30·071	62·2	58·7	68·9	58·3	63·6	83·0	40·0	81	6·3	7·42	5
June—Junie	30·212	58·1	54·7	64·8	53·4	59·1	76·0	42·0	81	5·3	0·69	6
July—Julie	30·187	56·4	52·5	63·5	51·2	57·4	74·0	37·0	76	5·1	0·65	6
August—Augustus	30·185	58·5	55·0	65·0	54·1	59·6	75·0	41·0	80	5·0	0·41	3
September	30·110	59·0	56·4	64·7	53·8	59·2	80·0	42·0	86	5·6	0·72	6
October—Oktober	30·014	61·5	58·6	66·5	57·3	61·9	71·0	50·0	85	5·1	2·35	6
November	30·038	62·9	59·6	71·4	56·8	64·1	83·0	42·0	82	6·1	1·11	6
December—Desember	29·970	68·1	65·0	75·4	63·0	69·2	82·0	58·0	86	5·1	0·36	5
YEAR—JAAR	30·071	63·0	59·8	69·6	58·1	63·8	83·0	37·0	84	5·5	15·33	60

CAPE AGULHAS.

Lat. 34° 50′ S. Long. 20° 01′ E. Height above Sea-level, 62 feet.

CAPE AGULHAS.

Breedtegraad 34° 50′ S. Lengtegraad 20° 01′ O. Hoogte bo Seehoogte, 62 voet.

January—Januarie	29·926	69·2	64·4	74·0	62·6	68·3	78·2	54·8	78	6·5	0·63	8
February—Februarie	29·906	67·4	62·6	73·9	61·0	67·4	84·0	56·0	76	4·7	0·43	7
March—Maart	30·015	66·1	63·4	70·6	61·5	66·0	77·0	53·0	86	6·4	0·99	11
April	30·056	62·7	60·1	67·8	58·2	63·0	75·0	40·5	86	6·8	0·59	11
May—Mei	29·998	58·8	56·0	65·3	54·6	60·0	81·0	47·0	84	5·6	1·68	11
June—Junie	30·139	55·7	53·9	62·0	52·1	57·0	71·4	46·0	90	6·1	1·10	10
July—Julie	30·147	53·8	51·5	60·9	48·5	54·7	80·0	38·0	86	5·9	2·89	16
August—Augustus	30·117	55·3	53·4	61·0	50·0	55·5	88·0	39·0	88	5·3	1·40	11
September	30·080	56·9	54·5	61·4	52·1	56·8	73·0	44·8	86	6·2	1·13	13
October—Oktober	29·948	59·5	56·8	63·9	52·9	58·3	73·2	43·0	85	6·2	6·96	14
November	30·018	62·5	58·6	66·4	56·7	61·6	73·8	48·2	79	4·9	0·97	8
December—Desember	29·961	67·6	62·4	70·7	60·4	65·6	74·8	52·0	75	5·4	0·12	3
YEAR—JAAR	30·026	61·3	58·1	66·5	55·9	61·2	88·0	38·0	83	5·8	18·89	123

CAPE HERMES (PORT ST. JOHNS).

Lat. 31° 38′ S. Long. 29° 35′ E. Height above Sea-level, 153 feet.

CAPE HERMES (PORT ST. JOHNS).

Breedtegraad 31° 38′ S. Lengtegraad 29° 35′ O. Hoogte bo Seehoogte, 153 voet.

January—Januarie	29·806	73·8	70·2	78·1	68·6	73·4	82·0	62·0	84	6·1	3·48	18
February—Februarie	29·785	74·3	70·3	79·5	68·5	74·0	85·0	61·0	82	6·5	6·88	17
March—Maart	29·895	71·6	68·0	76·1	65·3	70·7	86·0	57·0	83	5·0	7·86	16
April	29·987	69·8	65·3	76·4	63·5	70·0	91·0	56·0	80	5·5	0·60	6
May—Mei	29·951	67·1	61·7	73·8	60·4	67·1	85·0	50·0	74	5·2	0·47	7
June—Junie	30·111	61·7	56·3	69·8	55·7	62·8	76·0	50·0	72	3·7	3·61	6
July—Julie	30·072	61·5	55·1	70·5	55·1	62·8	80·0	48·0	67	1·3	0·19	3
August—Augustus	30·056	63·5	58·9	70·7	56·6	63·6	87·0	45·0	77	4·5	0·57	2
September	29·963	65·5	61·7	70·7	57·5	64·1	89·0	50·0	81	5·0	5·21	11
October—Oktober	29·853	70·0	65·3	75·4	61·4	68·4	106·0	55·0	78	5·1	2·15	8
November	29·874	69·6	64·7	72·5	61·7	67·1	80·0	54·0	77	6·0	9·24	11
December—Desember	29·802	73·0	68·6	77·1	66·2	71·6	90·0	60·0	80	6·5	4·02	14
YEAR—JAAR	29·930	68·4	63·8	74·2	61·7	68·0	106·0	45·6	78	5·0	44·28	119

CAPE POINT.

Lat. 34° 21′ S. Long. 18° 30′ E. Height above Sea-level, 707 and 248 feet.

CAPE POINT.

Breedtegraad 34° 21′ S. Lengtegraad 18° 30′ O. Hoogte bo Seehoogte, 707 en 248 voet.

January—Januarie	29·298	64·1	61·9	71·2	60·1	65·6	79·0	54·0	88	4·5	0·13	3
February—Februarie	29·292	62·4	62·2	70·1	59·0	64·6	75·0	55·0	98	5·3	0·56	4
March—Maart	29·358	61·1	60·7	68·3	57·4	62·8	83·0	50·0	97	4·0	0·16	4
April	29·396	59·5	56·8	66·8	54·7	60·8	86·0	50·0	85	6·0	0·31	3
May—Mei	29·331	57·1	54·0	64·5	53·3	58·9	80·0	45·0	83	5·1	2·00	9
June—Junie	29·464	54·2	52·5	61·7	51·4	56·6	74·0	47·0	90	5·1	1·17	5
July—Julie	29·490	52·1	49·4	58·6	47·4	53·0	74·0	35·0	83	5·0	1·61	14
August—Augustus	29·440	51·7	49·5	60·0	47·4	53·7	76·0	37·0	86	5·4	1·23	9
September	*—	54·3	51·0	59·0	50·9	55·0	75·0	44·0	*81	4·6	0·82	10
October—Oktober	—	56·3	52·7	61·9	52·4	57·2	82·0	44·0	79	5·2	1·22	8
November	—	58·1	54·2	62·9	54·7	58·8	85·0	48·0	77	3·8	0·52	6
December—Desember	29·730†	60·9	59·2	64·3	58·3	61·3	71·0	54·0	91	4·2	0·09	2
YEAR—JAAR	—	57·6	55·3	64·1	53·9	59·0	86·0	35·0	86	4·8	9·82	77

* Barometer damaged during removal to new lighthouse, September.
† New position of barometer 248 above M.S.L.

Month—Maand.	Pressure. Druk.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.)	Cloud. (Amount 0–10.)	Rainfall—Reënval.	
				Self-registering Thermometers—Self-registrerende Termometers.								
	Barometric Means at 32° F. Barometriese Gemiddelde te 32° F.	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Minimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Minimum.	Betreklike Natheid. (Sat. = 100.)	Wolk. (Beloop tot 10.)	Inches. Duims.	Days—Dae.
1926.	Inches. Duims.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
CAPE ST. FRANCIS. Lat. 34° 12′ S. Long. 24° 50′ E. Approximate Height above Sea-level, 20 feet.												
CAPE ST. FRANCIS. Breedtegraad 34° 12′ S. Lengtegraad 24° 50′ O. Hoogte min of meer bo Seehoogte, 20 voet.												
January—Januarie	29·986	70·3	68·1	74·8	61·8	68·3	85·0	55·0	89	3·7	0·22	5
February—Februarie	29·961	70·4	66·4	75·2	62·0	68·6	79·0	53·0	81	4·6	1·42	10
March—Maart	30·082	68·1	65·3	72·5	61·5	67·0	78·0	52·0	87	4·2	1·22	8
April	30·125	62·5	62·1	67·2	57·2	62·2	76·0	49·0	97	4·4	2·03	8
May—Mei	30·084	61·9	58·5	67·8	54·4	61·1	87·0	37·0	82	4·8	4·88	9
June—Junie	30·219	59·2	55·2	67·1	51·9	59·5	82·0	45·0	78	3·9	1·01	6
July—Julie	30·204	55·6	51·9	63·8	48·7	56·2	81·0	36·0	78	4·1	7·79	10
August—Augustus	30·192	58·6	55·3	64·9	51·9	58·4	81·0	41·0	81	4·9	2·62	9
September	30·131	60·1	56·7	64·9	52·6	58·8	89·0	43·0	82	3·7	2·03	9
October—Oktober	30·025	62·3	59·3	66·0	55·9	61·0	72·0	47·0	85	5·5	3·07	10
November	30·067	63·8	60·6	67·5	57·8	62·6	75·0	50·0	84	5·0	4·37	9
December—Desember	30·004	68·8	65·7	72·2	61·8	67·0	78·0	53·0	85	4·2	0·29	4
YEAR—JAAR	30·090	63·5	60·4	68·7	56·5	62·6	89·0	36·0	84	4·4	30·95	97
CAPE TOWN (CITY HOSPITAL). Lat. 33° 56′ S. Long. 18° 29′ E. Height above Sea-Level, 54 feet.												
KAAPSTAD (STADSHOSPITAAL). Breedtegraad 33° 56′ S. Lengtegraad 18° 29′ O. Hoogte bo Seehoogte, 54 voet.												
January—Januarie	29·978	66·2	61·1	80·8	58·4	69·6	95·3	52·1	75	2·5	0·30	3
February—Februarie	29·999	63·3	58·7	77·7	57·1	67·4	91·0	52·5	77	2·0	0·91	5
March—Maart	30·038	61·8	57·2	78·8	56·8	67·8	97·2	51·8	76	1·1	0·19	4
April	30·066	58·3	54·6	74·7	52·9	63·8	89·8	47·0	79	1·4	1·78	10
May—Mei	30·079	55·4	52·5	67·7	51·3	59·5	83·3	42·7	83	2·0	3·56	17
June—Junie	30·187	51·8	49·6	64·4	47·8	56·1	75·7	39·0	86	1·1	1·06	11
July—Julie	30·214	50·7	47·6	61·6	45·1	53·4	79·1	37·0	80	1·2	4·51	20
August—Augustus	30·118	51·4	48·7	64·3	44·6	54·4	78·0	35·5	83	1·4	3·06	24
September	30·123	54·2	50·2	66·0	47·5	56·8	80·3	40·5	76	1·4	2·03	15
October—Oktober	30·025	58·3	53·6	69·2	49·8	59·5	86·5	43·0	73	1·7	2·81	15
November	30·034	62·8	56·2	74·8	54·1	64·4	95·5	46·2	66	1·4	0·68	9
December—Desember	29·972	65·2	57·7	79·8	56·2	68·0	96·8	47·4	64	1·3	0·01	1
YEAR—JAAR	30·071	58·3	54·0	71·6	51·8	61·7	97·2	35·5	76	1·5	20·90	134

CARNARVON.

Lat. 30° 58′ S. Long. 22° 08′ E. Height above Sea-level, 4,112 feet.

CARNARVON.

Breedtegraad 30° 58′ S. Lengtegraad 22° 08′ O. Hoogte bo Seehoogte, 4,112 voet.

January—Januarie	25·884	79·2	70·5	93·2	60·5	76·8	100·0	46·0	66	1·6	0·00	0
February—Februarie	26·863	73·4	62·9	88·1	55·7	71·9	98·0	44·0	58	1·0	0·06	1
March—Maart	25·967	70·8	59·1	85·9	55·7	70·8	96·0	40·0	51	1·2	0·68	2
April	26·046	68·4	57·6	80·6	49·6	65·1	87·0	35·0	53	2·3	0·10	1
May—Mei	26·030	54·9	47·5	67·8	39·4	53·6	75·0	26·0	59	4·0	0·06	1
June—Junie	26·109	50·7	43·8	64·0	35·4	49·7	75·0	26·0	58	7·4	0·03	1
July—Julie	26·128	44·8	39·3	60·3	28·6	44·4	68·0	20·0	62	1·7	0·03	1
August—Augustus	26·099	51·7	42·6	66·9	33·9	50·4	78·0	25·0	49	2·2	0·04	1
September	26·003	57·5	46·6	71·4	39·3	55·4	84·0	28·0	45	2·2	0·17	2
October—Oktober	25·909	63·5	52·9	76·1	45·7	60·9	89·0	32·0	51	3·6	0·14	2
November	25·919	66·0	54·3	79·3	50·0	64·6	92·0	37·0	47	3·6	0·30	3
December—Desember	25·869	74·6	62·0	90·5	58·0	74·2	97·0	49·0	50	1·7	0·06	1
Year—Jaar	25·986	63·0	53·3	77·0	46·0	61·5	100·0	20·0	54	2·7	1·67	16

CRADOCK.

Lat. 32° 10′ S. Long. 25° 38′ E. Approximate Height above Sea-level, 2,855 feet.

CRADOCK.

Breedtegraad 32° 10′ S. Lengtegraad 25° 38′ O. Hoogte min of meer bo Seehoogte, 2,855 voet.

January—Januarie	27·101	69·7	62·3	90·2	58·5	74·4	101·0	53·0	67	1·7	0·31	3
February—Februarie	27·096	65·0	60·1	86·7	55·7	71·2	102·0	49·0	76	2·5	0·36	3
March—Maart	27·204	61·4	57·2	82·7	53·3	68·0	100·0	41·0	79	2·7	1·48	5
April	27·266	55·6	52·0	79·4	47·1	63·2	91·0	38·0	80	2·0	0·95	6
May—Mei	27·233	48·4	44·8	70·7	41·0	55·8	81·0	29·0	78	2·9	0·10	2
June—Junie	27·360	41·3	38·0	70·0	36·7	53·4	79·0	28·0	76	2·3	0·74	3
July—Julie	27·369	38·0	34·3	67·8	32·0	49·9	78·0	21·0	70	3·1	0·08	1
August—Augustus	27·326	45·5	40·7	75·6	35·3	55·4	89·0	25·0	68	2·1	0·00	0
September	27·232	53·6	47·5	77·1	41·2	59·2	95·0	30·0	66	2·3	1·16	3
October—Oktober	27·125	60·1	53·9	82·8	47·5	65·2	103·0	38·0	68	2·5	0·65	3
November	27·148	63·1	55·3	84·3	48·5	66·4	100·0	38·0	63	2·5	1·38	6
December—Desember	27·102	67·3	60·8	90·5	55·0	72·8	106·0	48·0	70	2·6	1·18	2
Year—Jaar	27·214	55·8	50·6	79·8	46·0	62·9	106·0	21·0	72	2·4	8·39	37

DASSEN ISLAND.

Lat. 33° 26′ S. Long. 18° 06′ E. Height above Sea-level, 91 feet.

DASSEN ISLAND.

Breedtegraad 33° 26′ S. Lengtegraad 18° 06′ O. Hoogte bo Seehoogte, 91 voet.

January—Januarie	29·952	64·5	62·4	70·2	58·8	64·5	75·0	51·0	88	2·9	0·12	1
February—Februarie	29·940	62·4	60·9	68·3	58·3	63·3	72·0	54·0	92	3·5	0·06	2
March—Maart	29·999	59·5	58·3	64·3	55·5	59·9	71·0	41·0	94	3·5	0·00	0
April	30·053	56·9	56·0	60·7	53·4	57·0	65·0	50·0	95	3·3	0·26	1
May—Mei	30·023	57·4	55·5	64·4	53·5	59·0	82·0	50·0	89	4·5	2·27	8
June—Junie	30·136	55·7	54·5	60·9	52·3	56·6	72·0	50·0	93	4·4	1·11	4
July—Julie	30·192	52·6	51·3	58·8	49·1	54·0	74·0	42·0	91	3·7	3·22	13
August—Augustus	30·145	54·1	52·9	59·7	50·6	55·2	70·0	43·0	93	5·8	1·78	10
September	30·099	55·3	53·7	60·6	51·4	56·0	64·0	45·0	91	4·6	0·72	8
October—Oktober	29·979	58·5	56·6	63·9	53·8	58·8	74·0	47·0	89	4·9	1·56	9
November	30·012	59·9	57·2	64·3	55·0	59·6	69·0	51·0	85	3·4	0·30	5
December—Desember	29·915	60·5	58·4	65·2	54·6	59·9	70·0	49·0	89	2·6	0·00	0
Year—Jaar	30·037	58·1	56·5	63·4	53·9	58·6	82·0	42·0	91	3·9	11·40	61

Month—Maand.	Pressure. Druk.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.)	Cloud. (Amount 0–10.)	Rainfall—Reënval.	
				Self-registering Thermometers—Self-registrerende Termometers.								
	Barometric Means at 32° F. Barometriese Gemiddelde te 32° F.	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Minimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Minimum.	Betreklike Natheid. (Sat. = 100.)	Wolk. (Beloop tot 10.)		
1926.	Inches. Duime.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%		Inches. Duime.	Days—Dae.
DEEPWALLS. Lat. 33° 55′ S. Long. 23° 10′ E. Approximate Height above Sea-level, 1,750 feet.												
DEEPWALLS. Breedtegraad 33° 55′ S. Lengtegraad 23° 10′ O. Hoogte min of meer bo Seehoogte, 1,750 voet.												
January—Januarie	28·232	66·4	62·6	75·4	56·7	66·0	86·0	50·0	81	3·7	3·35	11
February—Februarie	28·212	63·9	60·0	73·9	55·0	64·4	91·8	49·0	80	5·1	3·41	18
March—Maart	28·319	61·9	58·8	71·8	54·7	63·2	88·8	41·0	83	4·5	5·62	16
April	28·350	60·7	56·2	72·5	53·0	62·9	90·5	43·2	77	4·8	3·43	10
May—Mei	28·305	56·7	51·4	67·0	51·1	59·0	82·0	37·2	70	5·9	2·12	8
June—Junie	28·431	55·8	49·4	66·9	48·7	57·8	80·2	36·0	64	3·7	2·72	3
July—Julie	28·421	49·7	45·0	60·7	44·5	52·6	76·2	32·8	70	4·9	3·67	12
August—Augustus	28·407	51·8	47·5	64·1	45·0	54·6	90·5	32·0	74	5·1	2·89	11
September	28·348	54·9	50·1	65·5	45·6	55·6	90·5	36·0	72	4·4	4·00	14
October—Oktober	28·233	59·3	53·7	68·9	48·5	58·7	100·5	36·2	71	5·7	5·02	14
November	28·297	60·0	54·9	69·0	49·6	59·3	96·5	40·0	74	6·0	6·37	14
December—Desember	28·242	64·3	59·6	73·0	52·9	63·0	91·8	45·5	77	4·7	1·81	13
Year—Jaar	28·316	58·8	54·1	69·1	50·4	59·8	100·5	32·0	74	4·9	44·41	144
DEVIL'S PEAK. Lat. 33° 57′ S. Long. 18° 27′ E. Approximate Height above Sea-level, 1,530 feet.												
DEVIL'S PEAK. Breedtegraad 33° 57′ S. Lengtegraad 18° 27′ O. Hoogte min of meer bo Seehoogte, 1,530 voet.												
January—Januarie	28·503	66·3	60·9	75·5	56·6	66·0	88·0	45·0	74	3·8	0·90	4
February—Februarie	28·490	61·3	56·5	71·3	55·6	63·4	83·0	44·0	76	4·9	1·58	7
March—Maart	28·558	62·9	57·4	70·9	55·8	63·4	94·0	48·0	71	4·3	0·58	3
April	28·603	61·5	55·3	70·0	55·4	62·7	90·0	48·0	68	3·7	1·97	5
May—Mei	28·576	58·3	51·8	64·5	54·4	59·4	82·0	44·0	64	5·2	5·71	13
June—Junie	28·670	55·6	49·9	61·4	50·3	55·8	72·0	42·0	67	3·4	3·12	4
July—Julie	28·698	50·9	45·9	56·3	46·1	51·2	74·0	31·0	68	4·9	7·76	17
August—Augustus	28·670	52·0	46·5	60·1	46·4	53·2	77·0	35·0	65	5·5	4·86	15
September	28·629	54·7	48·8	61·8	48·1	55·0	80·0	40·0	64	4·5	3·58	12
October—Oktober	28·509	56·5	51·2	63·7	50·1	56·9	87·0	40·0	69	5·8	3·88	16
November	28·545	60·1	53·8	67·4	52·1	59·8	82·0	44·0	66	3·6	1·03	8
December—Desember	28·482	62·5	56·4	70·2	54·8	62·5	84·0	49·0	69	3·4	0·20	4
Year—Jaar	28·578	58·6	52·9	66·1	52·1	59·1	94·0	31·0	68	4·4	35·17	108

DUNBRODY.

Lat. 33° 30′ S. Long. 25° 28′ E. Approximate Height above Sea-level, 200 feet.

DUNBRODY.

Breedtegraad 33° 30′ S. Lengtegraad 25° 28′ O. Hoogte min of meer bo Seehoogte, 200 voet.

January—Januarie	29·737	72·6	65·4	89·0	61·0	75·0	105·0	53·8	68	5·6	0·08	2
February—Februarie	29·730	71·5	63·7	88·7	61·2	75·0	110·6	51·2	66	5·0	0·21	1
March—Maart	29·846	66·5	61·3	85·4	55·9	70·6	101·2	45·0	74	4·3	0·86	5
April	29·870	60·8	56·8	84·1	51·2	67·6	98·3	41·6	78	4·0	0·23	4
May—Mei	29·864	54·3	51·0	76·5	47·4	62·0	93·0	34·0	80	5·4	0·90	5
June—Junie	30·014	48·2	46·4	72·9	41·7	57·3	86·2	33·0	88	5·3	1·01	4
July—Julie	29·976	46·7	44·2	70·5	39·4	55·0	83·0	26·1	83	3·8	0·05	2
August—Augustus	29·968	52·2	47·2	75·6	44·2	59·9	94·3	33·0	68	4·5	0·32	3
September	29·944	56·9	52·3	77·3	46·9	62·1	101·2	33·2	73	4·0	0·84	6
October—Oktober	29·788	63·8	56·8	80·5	51·5	66·0	105·5	38·0	65	4·9	1·67	7
November	29·845	65·3	58·5	80·6	53·3	67·0	103·9	39·2	67	5·7	2·09	8
December—Desember	29·766	71·4	62·3	84·5	58·2	71·4	106·2	51·0	61	5·6	0·26	2
YEAR—JAAR	29·862	60·8	55·5	80·5	51·0	65·8	110·6	26·1	73	4·8	8·52	49

EAST LONDON.

Lat. 33° 02′ S. Long. 27° 55′ E. Height above Sea-level, 147 feet.

OOS-LONDEN.

Breedtegraad 33° 02′ S. Lengtegraad 27° 55′ O. Hoogte bo Seehoogte, 147 voet.

January—Januarie	29·813	71·9	66·7	78·8	65·1	72·0	84·5	60·0	76	3·9	1·34	11
February—Februarie	29·793	71·4	65·5	79·3	65·2	72·2	102·8	58·5	73	5·8	3·79	12
March—Maart	29·912	68·9	63·8	75·3	63·0	69·2	83·0	54·2	76·	4·1	3·02	11
April	29·968	66·2	60·4	73·9	59·7	66·8	92·0	53·0	71	4·4	1·25	6
May—Mei	29·934	61·4	55·5	73·1	55·9	64·5	94·5	43·8	69	5·1	2·37	4
June—Junie	30·052	56·9	51·8	68·9	51·9	60·4	84·0	46·0	71	4·3	2·47	7
July—Julie	30·044	53·5	47·2	69·4	48·2	58·8	83·9	38·5	62	2·7	0·01	1
August—Augustus	30·041	58·4	52·1	69·7	51·9	60·8	91·0	43·0	65	4·3	0·70	8
September	29·967	60·1	54·7	69·3	53·6	61·4	97·0	45·0	71	4·3	3·36	12
October—Oktober	29·858	65·3	60·0	73·2	57·5	65·4	101·5	46·5	73	5·1	3·94	8
November	29·888	65·8	61·9	71·8	58·3	65·0	80·0	49·0	80	5·3	3·04	12
December—Desember	29·824	70·4	66·7	77·0	62·8	69·9	84·0	53·0	82	6·1	2·52	13
YEAR—JAAR	29·924	64·2	58·9	73·3	57·8	65·6	102·8	38·5	72	4·6	27·81	105

ELSENBURG.

Lat. 33° 51′ S. Long. 18° 50′ E. Approximate Height above Sea-Level, 650 feet.

ELSENBURG.

Breedtegraad 33° 51′ S. Lengtegraad 18° 50′ O. Hoogte min of meer bo Seehoogte, 650 voet.

January—Januarie	29·395	69·9	60·6	82·2	58·8	70·5	93·0	52·2	58	1·6	0·25	1
February—Februarie	29·400	65·7	59·1	76·7	56·0	66·4	89·9	51·2	68	3·0	1·31	5
March—Maart	29·465	64·7	58·8	79·7	55·4	67·6	98·7	42·8	70	1·8	0·19	2
April	29·556	63·1	57·5	77·6	53·0	65·3	95·1	45·0	72	1·8	0·88	5
May—Mei	29·480	58·2	53·1	69·1	51·9	60·5	84·8	42·2	73	4·9	4·41	12
June—Junie	29·574	52·8	49·5	65·3	47·5	56·4	75·1	35·3	79	3·0	1·80	7
July—Julie	29·631	50·8	47·2	60·0	44·7	52·4	76·8	31·0	77	4·1	4·15	16
August—Augustus	29·586	51·5	48·6	63·7	45·3	54·5	81·7	36·1	81	4·8	3·03	11
September	29·543	54·7	51·2	65·2	45·7	55·4	84·2	39·9	79	4·0	2·38	14
October—Oktober	29·426	58·7	54·0	68·9	48·9	58·9	92·2	37·9	74	4·4	3·37	10
November	29·447	64·5	57·6	74·0	52·5	63·2	94·6	42·1	65	3·1	0·70	7
December—Desember	29·373	68·6	61·5	80·4	53·0	66·7	95·0	46·8	67	2·2	0·00	0
YEAR—JAAR	29·490	60·3	54·9	71·9	51·1	61·5	98·7	31·0	72	3·2	22·47	90

Month—Maand.	Pressure. Druk.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.)	Cloud. (Amount 0–10.)	Rainfall—Reënval.	
				Self-registering Thermometers—Self-registrerende Termometers.								
	Barometric Means at 32° F.	Mean Dry Bulb.	Mean Wet Bulb.	Mean Maximum.	Mean Minimum.	Mean Monthly Temperatures.	Absolute Maximum.	Absolute Minimum.	Betrekklike Natheid. (Sat. = 100.)	Wolk. (Beloop tot 10.)		
	Barometriese Gemiddelde te 32° F.	Gemiddelde Droë Bol.	Gemiddelde Nat Bol.	Gemiddelde Maksimum.	Gemiddelde Minimum.	Gemiddelde Maandelikse Temperature.	Volstrekte Maksimum.	Volstrekte Minimum.				
1926.	Inches. Duime.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%		Inches. Duime.	Days—Dae.
ELSIES RIVER.												
Lat. 33° 54′ S. Long. 18° 35′ E. Approximate Height above Sea-level, 102 feet.												
ELSIESRIVIER.												
Breedtegraad 33° 54′ S. Lengtegraad 18° 35′ O. Hoogte min of meer bo Seehoogte, 102 voet.												
January—Januarie	29·880	69·7	64·6	79·3	57·9	68·6	91·6	48·1	77	3·8	0·12	2
February—Februarie	29·884	66·0	61·0	75·9	56·2	66·0	85·5	45·6	75	4·6	1·08	5
March—Maart	29·947	64·2	60·6	76·5	57·3	66·9	96·0	49·6	82	3·1	0·21	3
April	30·095	58·4	56·3	73·5	50·5	62·0	89·5	40·2	88	3·4	0·52	6
May—Mei	29·964	52·9	51·2	69·0	47·9	58·4	87·7	35·6	89	5·3	2·90	12
June—Junie	30·088	47·6	46·9	65·4	42·6	54·0	77·1	33·6	95	5·4	1·38	6
July—Julie	30·125	47·3	45·4	62·0	40·9	51·4	78·8	31·9	86	4·8	3·08	16
August—Augustus	30·077	49·4	47·8	63·9	43·6	53·8	80·0	31·8	90	5·5	2·21	14
September	30·038	53·0	51·1	65·1	44·9	55·0	81·2	37·4	88	5·3	1·40	12
October—Oktober	29·906	58·0	54·9	68·6	47·5	58·0	86·2	36·8	83	5·5	2·17	12
November	Station	Closed.	—	—	—	—	—	—	—	—	—	—
December—Desember	—	—	—	—	—	—	—	—	—	—	—	—
Year—Jaar	—	—	—	—	—	—	—	—	—	—	—	—
EVELYN VALLEY.												
Lat. 32° 41′ S. Long. 27° 15′ E. Approximate Height above Sea-level, 3,700 feet.												
EVELYNVALLEI.												
Breedtegraad 32° 41′ S. Lengtegraad 27° 15′ O. Hoogte min of meer bo Seehoogte, 3,700 voet.												
January—Januarie	26·281	65·2	59·7	74·6	54·3	64·4	87·0	48·0	74	—	7·53	14
February—Februarie	26·288	62·2	58·1	73·3	53·5	63·4	87·0	49·0	79	—	7·67	16
March—Maart	26·356	61·8	57·6	72·4	52·5	62·4	86·5	44·0	79	—	13·89	17
April	26·409	61·3	54·7	71·0	50·5	60·8	84·0	39·0	68	—	1·68	9
May—Mei	26·351	57·3	50·8	67·8	47·3	57·6	84·0	36·0	66	—	2·81	7
June—Junie	26·485	54·3	47·8	61·3	45·3	53·3	75·0	34·0	63	—	3·32	6
July—Julie	26·437	48·4	42·9	58·9	40·4	49·6	74·0	27·0	65	—	1·19	3
August—Augustus	26·413	53·8	45·8	64·7	44·7	54·7	83·0	29·0	55	—	1·57	11
September	26·358	51·4	45·7	60·1	42·4	51·2	85·5	32·0	66	—	8·43	12
October—Oktober	26·283	56·3	50·2	66·8	46·6	56·7	92·0	35·0	68	—	8·98	12
November	26·295	57·2	52·1	66·6	46·7	56·6	82·0	36·0	74	—	8·80	12
December—Desember	26·266	60·8	55·2	67·2	54·2	60·7	94·0	44·0	72	—	5·30	18
Year—Jaar	26·352	57·5	51·7	67·1	48·2	57·6	94·0	27·0	69	—	71·17	137

GEORGE.

Lat. 33° 57′ S. Long. 22° 29′ E. Approximate Height above Sea-level, 880 feet.

GEORGE.

Breedtegraad 33° 57′ S. Lengtegraad 22° 29′ O. Hoogte min of meer bo Seehoogte, 880 voet.

January—Januarie	29·135	68·6	64·1	75·6	57·6	66·6	81·2	49·8	78	1·9	1·95	7
February—Februarie	29·112	65·9	61·5	74·1	57·1	65·6	90·3	52·2	78	3·8	1·61	7
March—Maart	29·223	62·1	59·4	73·8	55·2	64·5	87·8	46·0	86	3·4	2·53	10
April	29·266	59·8	57·1	74·3	52·7	63·5	90·8	44·3	86	3·7	1·39	10
May—Mei	29·222	56·4	53·3	70·7	49·8	60·2	84·2	40·8	82	3·6	1·63	8
June—Junie	29·350	52·6	49·4	66·5	45·8	56·2	81·3	41·0	81	2·9	2·43	4
July—Julie	29·363	49·6	46·3	62·2	43·7	53·0	77·6	35·3	78	3·7	1·61	7
August—Augustus	29·333	52·3	48·4	64·8	45·1	55·0	90·1	34·0	75	3·0	1·70	6
September	29·278	54·6	51·1	64·3	46·3	55·3	87·5	39·8	79	3·8	1·61	11
October—Oktober	29·168	57·9	53·6	67·5	49·3	58·4	95·1	39·2	75	4·2	4·52	15
November	29·224	61·2	56·0	69·2	51·4	60·3	93·3	43·7	74	3·8	4·08	11
December—Desember	29·162	65·7	60·6	72·5	55·8	64·2	84·2	49·8	76	3·8	1·19	9
YEAR—JAAR	29·236	58·9	55·1	69·6	50·8	60·2	95·1	34·0	79	3·5	26·25	105

GRAHAMSTOWN.

Lat. 33° 18′ S. Long. 26° 32′ E. Approximate Height above Sea-level, 1,700 feet.

GRAHAMSTOWN.

Breedtegraad 33° 18′ S. Lengtegraad 26° 32′ O. Hoogte min of meer bo Seehoogte, 1,700 voet.

	*											
January—Januarie	28·186	68·2	63·8	79·9	55·4	67·6	95·2	47·6	79	4·2	1·22	6
February—Februarie	28·165	66·7	62·5	78·9	56·1	67·5	104·8	45·6	80	4·3	1·75	7
March—Maart	28·274	65·5	61·4	77·6	53·4	65·5	94·2	43·4	80	4·9	2·77	9
April	28·339	62·0	57·6	75·6	50·4	63·0	89·6	39·8	78	4·3	0·58	5
May—Mei	28·292	56·3	53·1	69·6	46·9	58·8	85·6	34·2	82	3·3	1·33	6
June—Junie	28·411	51·4	48·2	69·6	40·7	55·2	83·6	35·2	81	2·8	1·45	5
July—Julie	28·376	48·1	44·0	64·0	38·5	51·2	74·4	26·6	74	2·2	0·56	3
August—Augustus	28·374	54·9	49·0	68·9	43·1	56·0	89·4	33·6	64	2·9	0·45	4
September	28·310	56·3	51·6	69·5	43·7	56·6	92·6	33·0	74	4·5	1·84	7
October—Oktober	28·231	61·1	54·5	75·3	47·8	61·6	102·8	34·6	66	4·1	2·94	7
November	28·264	60·7	56·0	71·5	50·5	61·0	93·6	42·5	76	4·0	3·16	6
December—Desember	28·185	66·6	60·9	78·7	54·6	66·6	101·2	41·5	72	3·9	0·88	4
YEAR—JAAR	28·284	59·8	55·2	73·3	48·4	60·8	104·8	26·6	76	3·8	18·93	69

GREAT FISH POINT.

Lat. 33° 31′ S. Long. 27° 06′ E. Height above Sea-level, 239 feet.

GREAT FISH POINT.

Breedtegraad 33° 31′ S. Lengtegraad 27° 06′ O. Hoogte bo Seehoogte, 239 voet.

January—Januarie	29·715	71·7	67·7	77·1	64·0	70·6	85·0	58·0	81	5·7	1·65	7
February—Februarie	29·681	71·4	66·6	76·8	63·6	70·2	83·0	51·0	78	4·3	3·89	8
March—Maart	29·800	68·8	64·5	74·3	61·3	67·8	81·0	52·0	79	3·4	1·86	9
April	29·871	64·8	60·9	72·1	58·2	65·2	88·0	49·0	79	3·9	1·35	7
May—Mei	29·830	61·3	58·1	71·3	55·4	63·4	94·0	45·0	73	4·6	2·00	7
June—Junie	29·988	57·0	53·1	69·0	52·2	60·6	90·0	43·0	77	3·8	2·27	6
July—Julie	29·947	54·5	50·5	68·2	50·5	59·4	82·0	42·0	76	3·1	0·22	3
August—Augustus	29·946	58·1	53·4	66·8	51·5	59·2	82·0	40·0	70	4·5	0·70	3
September	29·869	59·8	56·1	68·4	52·5	60·4	99·0	45·0	80	4·3	2·85	10
October—Oktober	29·749	64·5	60·1	70·3	56·5	63·4	81·0	48·0	78	5·4	4·24	7
November	29·778	65·6	61·4	71·3	57·0	64·2	81·0	48·0	79	5·1	1·69	9
December—Desember	29·722	71·5	66·1	76·9	62·1	69·5	87·0	57·0	76	4·4	0·94	3
YEAR—JAAR	29·825	64·1	59·7	71·9	57·1	64·5	99·0	40·0	77	4·4	23·66	79

* No correction for Index-error applied.

Month—Maand.	Pressure. Druk.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.)	Cloud. (Amount 0–10.)	Rainfall—Reënval.	
				Self-registering Thermometers—Self-registrerende Termometers.								
	Barometric Means at 32° F.	Mean Dry Bulb.	Mean Wet Bulb.	Mean Maximum.	Mean Minimum.	Mean Monthly Temperatures.	Absolute Maximum.	Absolute Minimum.	Betreklike Natheid. (Sat. = 100.)	Wolk. (Beloop tot 10.)		
	Barometriese Gemiddelde te 32° F.	Gemiddelde Droë Bol.	Gemiddelde Nat Bol.	Gemiddelde Maksimum.	Gemiddelde Minimum.	Gemiddelde Maandelikse Temperature.	Volstrekte Maksimum.	Volstrekte Minimum.				
1926.	Inches. Duime.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%		Inches. Duime.	Days—Dae.
GROOTFONTEIN. Lat. 31° 37′ S. Long. 24° 58′ E. Approximate Height above Sea-level, 4,130 feet.												
GROOTFONTEIN. Breedtegraad 31° 37′ S. Lengtegraad 24° 58′ O. Hoogte min of meer bo Seehoogte, 4,130 voet.												
January—Januarie	*25·880	71·7	59·9	91·8	55·3	73·6	99·0	41·0	52	2·3	0·09	2
February—Februarie	25·880	68·7	57·4	89·3	52·2	70·8	100·0	43·0	51	3·1	0·31	2
March—Maart	26·003	64·1	56·5	81·7	51·3	66·5	96·5	35·0	64	4·5	1·59	5
April	26·057	59·5	55·7	76·7	45·0	60·8	86·0	28·0	80	2·6	1·27	5
May—Mei	26·014	53·1	49·3	66·4	38·7	52·6	76·0	23·5	78	5·2	0·30	3
June—Junie	26·151	48·8	44·6	62·6	32·3	47·4	75·0	18·0	74	4·3	0·26	1
July—Julie	26·110	44·3	38·7	58·1	30·5	44·3	67·0	15·0	62	2·9	0·14	2
August—Augustus	26·093	50·9	42·2	68·1	33·6	50·8	79·0	12·0	48	4·2	0·00	0
September	25·996	54·6	46·5	69·6	38·7	54·2	84·5	22·0	54	3·5	0·75	5
October—Oktober	25·910	62·7	51·1	77·1	44·0	60·6	93·0	31·0	45	5·6	0·26	3
November	25·920	62·8	52·2	77·8	47·2	62·5	93·0	30·0	50	4·0	1·71	7
December—Desember	25·883	68·5	59·8	87·7	52·3	70·0	98·0	41·0	61	3·1	0·59	6
Year—Jaar	25·991	59·1	51·2	75·6	43·4	59·5	100·0	12·0	60	3·8	7·27	41
KAKAMAS. Lat. 28° 46′ S. Long. 20° 36′ E. Approximate Height above Sea-level, 2,250 feet.												
KAKAMAS. Breedtegraad 28° 46 S. Lengtegraad 20° 36′ O. Hoogte min of meer bo Seehoogte, 2,250 voet.												
January—Januarie	*Incomplete	—	—	—	—	—	—	—	—	—	0·06	1
February—Februarie	27·715	71·3	63·8	96·2	61·6	78·9	103·5	51·5	68	0·8	0·00	0
March—Maart	27·737	73·4	66·4	95·5	63·8	79·6	104·5	52·0	71	1·6	0·05	1
April	27·855	68·8	62·4	88·6	57·7	73·2	96·0	42·8	71	2·1	0·20	1
May—Mei	27·869	56·5	50·3	74·6	47·2	60·9	85·0	37·0	65	2·8	0·48	2
June—Junie	28·001	49·9	45·1	72·4	43·2	57·8	83·5	30·0	70	2·4	0·00	0
July—Julie	28·060	43·6	39·2	67·2	36·5	51·8	76·5	25·4	69	1·1	0·03	1
August—Augustus	28·002	49·4	43·6	74·4	41·1	57·8	88·0	27·4	63	3·6	0·00	0
September	27·884	55·2	50·0	79·1	45·8	62·4	92·0	36·0	71	1·7	0·11	1
October—Oktober	27·770	62·6	56·6	85·2	51·4	68·3	100·2	40·5	69	2·7	0·03	1
November	27·759	67·9	58·7	88·1	57·0	72·6	100·6	43·8	59	1·8	0·94	4
December—Desember	27·717	75·9	—	97·9	65·1	81·5	105·0	56·5	—	1·8	0·18	2
Year—Jaar	—	—	—	—	—	—	—	—	—	—	2·08	14

* No correction for index-error applied.

KENHARDT.

Lat. 29° 18′ S. Long. 21° 09′ E. Approximate Height above Sea-level, 2,583 feet.

KENHARDT.

Breedtegraad 29° 18′ S. Lengtegraad 21° 09′ O. Hoogte min of meer bo Seehoogte, 2,583 voet.

January—Januarie	27·300	77·4	62·2	100·6	68·4	84·5	108·0	51·0	43	1·6	0·01	1
February—Februarie	27·314	72·1	58·5	95·7	61·6	78·6	105·0	50·0	45	0·4	0·00	0
March—Maart	27·392	71·8	59·9	93·8	62·9	78·4	105·0	53·0	51	1·0	0·69	2
April	27·493	65·8	56·6	87·1	57·6	72·4	94·0	42·0	58	1·8	0·19	3
May—Mei	27·491	51·4	46·2	73·6	45·7	59·6	84·0	35·0	69	3·3	0·33	2
June—Junie	27·591	46·6	42·1	71·2	40·5	55·8	82·0	28·0	70	2·3	0·00	0
July—Julie	27·618	41·5	38·3	65·3	35·1	50·2	74·0	22·0	76	1·4	0·05	1
August—Augustus	27·574	47·9	43·2	73·5	39·8	56·6	86·0	25·0	70	1·5	0·00	0
September	27·475	55·0	48·1	77·6	45·5	61·6	91·0	35·0	62	1·4	0·36	2
October—Oktober	27·384	62·2	52·4	83·2	50·7	67·0	99·0	40·0	52	2·4	0·09	2
November	27·377	68·9	57·8	87·4	56·8	72·1	101·0	43·0	52	1·8	0·79	3
December—Desember	*27·294	76·0	64·5	97·4	64·2	80·8	104·0	55·0	54	0·7	0·14	3
Year—Jaar	27·442	61·4	52·5	83·9	52·4	68·2	108·0	22·0	58	1·6	2·65	19

KINGWILLIAMSTOWN.

Lat. 32° 52′ S. Long. 27° 23′ E. Approximate Height above Sea-level, 1,240 feet.

KINGWILLIAMSTOWN.

Breedtegraad 32° 52′ S. Lengtegraad 27° 23′ O. Hoogte min of meer bo Seehoogte, 1,240 voet.

January—Januarie	28·638	73·2	66·0	84·5	62·7	73·6	96·0	56·0	69	4·4	1·32	5
February—Februarie	28·706	71·4	63·9	83·5	61·9	72·7	102·0	55·0	67	6·0	0·96	10
March—Maart	28·810	69·1	62·8	81·0	58·8	69·9	100·0	50·0	71	4·1	2·67	10
April	28·871	65·5	59·5	79·6	55·4	67·5	96·0	42·0	71	2·8	0·84	5
May—Mei	28·810	59·0	53·5	74·1	49·6	61·8	89·0	37·0	70	3·8	0·70	5
June—Junie	28·980	53·4	49·3	71·6	43·8	57·7	86·0	36·0	75	3·7	1·13	4
July—Julie	28·941	51·1	45·3	68·4	41·0	54·9	81·0	33·0	64	2·1	0·22	1
August—Augustus	28·929	55·9	49·4	74·2	45·9	60·0	94·0	32·0	63	4·5	0·32	2
September	28·860	59·0	53·4	72·2	48·4	60·3	97·0	39·0	70	3·9	2·69	8
October—Oktober	28·729	64·7	58·2	75·6	53·2	64·4	104·0	41·0	67	5·3	2·36	7
November	28·744	66·4	59·1	75·4	54·8	65·1	93·0	42·0	64	6·3	2·61	8
December—Desember	28·717	69·9	62·8	81·2	59·0	70·1	107·0	52·0	68	5·2	1·88	7
Year—Jaar	28·811	63·2	56·9	76·8	52·9	64·8	107·0	32·0	68	4·3	17·70	72

KLAVER.

Lat. 31° 47′ S. Long. 18° 37′ E. Height above Sea-level, 137 feet.

KLAVER.

Breedtegraad 31° 47′ S. Lengtegraad 18° 37′ O. Hoogte bo Seehoogte, 137 voet.

January—Januarie	29·856	70·3	64·2	89·5	60·4	75·0	102·5	51·3	72	1·9	0·00	0
February—Februarie	29·840	66·6	61·2	84·8	58·3	71·6	98·2	53·0	73	2·5	0·19	2
March—Maart	29·898	65·5	59·7	89·3	57·8	73·6	109·6	49·8	71	2·0	0·03	1
April	29·955	61·9	57·0	85·8	55·0	70·4	104·6	46·6	75	2·6	0·02	1
May—Mei	29·968	57·7	54·7	75·4	53·7	64·6	93·0	42·8	84	4·1	2·18	9
June—Junie	30·056	53·5	51·5	73·5	49·3	61·4	84·3	41·0	88	4·3	0·34	2
July—Julie	30·126	50·7	48·7	68·1	44·9	56·5	85·9	35·8	87	3·3	1·94	9
August—Augustus	30·058	52·9	49·7	73·1	46·5	59·8	95·3	34·0	81	4·0	0·50	5
September	29·996	56·5	51·4	76·3	49·3	62·8	100·3	40·0	71	3·9	0·61	6
October—Oktober	29·901	58·8	54·5	77·7	50·9	64·3	102·2	43·0	75	4·3	0·94	6
November	29·897	65·3	59·7	83·6	56·8	70·2	107·2	47·2	72	3·4	0·56	4
December—Desember	29·835	67·1	63·8	88·3	57·5	72·9	106·3	51·2	84	2·0	0·00	0
Year—Jaar	29·949	60·6	56·3	80·4	53·4	66·9	109·6	34·0	78	3·2	7·31	45

* December 18th.—Barometer removed from Mr. J. H. van Rooyen to Mr. A. E. de Gruchy.

Month—Maand.	Pressure. Druk.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.)	Cloud. (Amount 0–10.)	Rainfall—Reënval.	
				Self-registering Thermometers—Self-registrerende Termometers.								
	Barometric Means at 32° F.	Mean Dry Bulb.	Mean Wet Bulb.	Mean Maximum.	Mean Minimum.	Mean Monthly Temperatures.	Absolute Maximum.	Absolute Minimum.	Betreklike Natheid. (Sat. = 100.)	Wolk. (Beloop tot 10.)		
	Barometriese Gemiddelde te 32° F.	Gemiddelde Droë Bol.	Gemiddelde Nat Bol.	Gemiddelde Maksimum.	Gemiddelde Minimum.	Gemiddelde Maandelikse Temperature.	Volstrekte Maksimum.	Volstrekte Minimum.				
1926.	Inches. Duime.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%		Inches. Duime.	Days—Dae.
KOKSTAD.												
Lat. 30° 33′ S. Long. 29° 26′ E. Approximate Height above Sea-level, 4,400 feet.												
KOKSTAD.												
Breedtegraad 30° 33′ S. Lengtegraad 29° 26′ O. Hoogte min of meer bo Seehoogte, 4,400 voet.												
January—Januarie	25·708	69·9	62·9	83·2	57·1	70·2	97·0	49·9	70	3·3	2·51	12
February—Februarie	25·697	68·4	61·9	82·0	56·9	69·4	97·0	47·0	70	4·4	0·63	11
March—Maart	25·807	61·2	58·0	74·9	52·8	63·8	94·0	45·0	83	5·0	7·22	18
April	25·860	57·3	54·0	73·6	46·2	59·9	84·7	35·0	82	2·8	0·69	3
May—Mei	25·797	49·2	46·0	66·8	40·0	53·4	77·0	27·9	81	3·6	0·71	5
June—Junie	25·938	39·8	37·8	61·8	33·7	47·8	74·4	27·0	85	3·0	1·92	4
July—Julie	25·875	39·6	35·5	62·0	29·7	45·8	75·0	21·0	69	1·0	0·08	1
August—Augustus	25·885	49·2	43·0	69·6	36·6	53·1	85·0	22·3	63	2·8	0·05	1
September	25·802	52·8	47·6	68·3	41·1	54·7	85·0	31·0	69	3·1	2·96	5
October—Oktober	25·720	62·4	55·9	75·5	47·8	61·6	92·0	37·6	68	3·2	3·38	13
November	25·720	63·5	55·9	74·0	48·4	61·2	86·0	38·0	64	3·5	2·42	9
December—Desember	25·700	67·1	61·3	78·1	54·6	66·4	94·5	47·0	73	4·3	5·73	15
YEAR—JAAR	25·792	56·7	51·6	72·5	45·4	59·0	97·0	21·0	73	3·3	28·30	97
LOVEDALE.												
Lat. 32° 46′ S. Long. 26° 51′ E. Height above Sea-level, 1,760 feet.												
LOVEDALE.												
Breedtegraad 32° 46′ S. Lengtegraad 26° 51′ O. Hoogte bo Seehoogte, 1,760 voet.												
January—Januarie	28·177	72·9	64·6	88·2	61·2	74·7	100·0	51·0	64	4·5	0·71	9
February—Februarie	28·176	67·8	62·0	82·9	59·2	71·0	101·0	52·0	73	5·2	2·21	15
March—Maart	28·276	65·3	60·7	81·4	57·0	69·2	100·0	46·0	78	4·5	3·89	11
April	28·335	60·4	56·7	78·2	52·3	65·2	93·0	39·0	76	3·6	0·64	6
May—Mei	28·292	55·0	50·5	72·1	48·0	60·0	85·0	35·0	75	4·2	1·77	4
June—Junie	28·437	47·6	45·5	69·5	41·2	55·4	84·0	34·0	85	3·3	1·46	5
July—Julie	28·399	49·7	43·5	67·1	39·7	53·4	79·0	28·0	61	2·6	0·37	4
August—Augustus	28·386	52·9	47·4	73·0	43·7	58·4	92·0	31·0	67	4·8	0·19	3
September	28·311	55·7	51·0	71·7	45·9	58·8	95·0	35·0	74	3·8	2·36	10
October—Oktober	28·206	61·6	56·2	76·9	50·5	63·7	106·0	39·0	73	4·8	1·58	10
November	28·229	62·9	56·9	77·4	52·1	64·8	99·0	37·0	69	5·1	3·70	11
December—Desember	28·194	67·7	61·0	83·4	57·6	70·5	108·0	47·0	69	5·8	2·33	9
YEAR—JAAR	28·285	60·0	54·7	76·8	50·7	63·8	108·0	28·0	72	4·4	21·41	97

MAFEKING.

Lat. 25° 52′ S. Long. 25° 39′ E. Approximate Height above Sea-level, 4,260 feet.

MAFEKING.

Breedtegraad 25° 52′ S. Lengtegraad 25° 39′ O. Hoogte min of meer bo Seehoogte, 4,260 voet.

	*											
January—Januarie	25·813	74·9	67·6	90·7	65·1	77·9	99·0	56·8	70	4·1	2·73	12
February—Februarie	25·815	74·4	68·5	90·3	64·8	77·6	98·7	55·9	75	3·7	1·61	6
March—Maart	25·898	68·0	63·7	83·3	59·6	71·4	92·0	54·9	80	3·6	0·96	8
April	25·955	62·6	56·2	79·6	52·5	66·0	87·0	44·0	69	1·9	0·89	6
May—Mei	25·934	51·6	45·8	73·0	42·7	57·8	79·0	33·0	66	1·3	0·66	4
June—Junie	26·018	44·5	40·3	68·6	38·9	53·8	78·2	31·5	71	1·4	0·08	2
July—Julie	26·008	41·3	36·6	64·3	32·1	48·2	73·0	14·5	65	1·3	0·00	0
August—Augustus	25·994	50·8	43·1	75·7	39·5	57·6	85·5	27·0	53	0·3	0·00	0
September	25·873	59·5	51·5	78·4	46·6	62·5	88·5	32·0	60	1·2	2·17	2
October—Oktober	25·831	66·0	55·8	82·9	54·8	68·8	93·2	37·5	54	1·7	2·09	10
November	25·827	67·5	57·3	83·9	57·8	70·8	91·3	49·0	56	3·3	1·82	12
December—Desember	25·786	73·0	64·6	85·8	62·6	74·2	92·8	57·5	66	4·4	3·00	12
Year—Jaar	25·896	61·2	54·2	79·7	51·4	65·6	99·0	14·5	65	4·4	16·01	74

MAFETENG (BASUTOLAND).

Lat. 29° 47′ S. Long. 27° 13′ E. Approximate Height above Sea-level, 5,300 feet.

MAFETENG (BASOETOELAND).

Breedtegraad 29° 47′ S. Lengtegraad 27° 13′ O. Hoogte min of meer bo Seehoogte, 5,300 voet.

	*											
January—Januarie	24·695	70·1	60·5	87·4	58·5	73·0	94·0	48·0	60	1·0	1·29	8
February—Februarie	24·702	67·4	57·8	83·5	57·5	70·5	92·0	47·0	59	0·7	4·29	5
March—Maart	24·791	60·5	56·3	73·9	53·0	63·4	84·0	45·0	78	3·0	5·37	10
April	24·856	57·4	51·4	70·2	46·8	58·5	77·0	36·0	69	1·1	0·95	4
May—Mei	24·810	48·8	43·0	62·7	40·5	51·6	69·0	27·0	65	1·6	0·65	3
June—Junie	24·903	44·3	38·9	58·5	36·0	47·2	69·0	28·0	64	1·1	0·36	2
July—Julie	24·889	37·9	32·7	53·8	30·0	41·9	60·0	18·0	61	1·2	0·15	1
August—Augustus	24·878	47·3	38·0	64·8	35·7	50·2	75·0	19·0	43	0·5	0·00	0
September	24·769	52·0	43·2	67·4	41·2	54·3	83·0	29·0	51	0·7	0·57	5
October—Oktober	24·699	59·6	49·9	73·1	48·7	60·9	84·0	36·0	53	1·7	2·96	7
November	24·699	59·4	51·1	72·4	48·8	60·6	80·0	37·0	59	2·0	4·09	9
December—Desember	24·688	67·5	57·5	81·0	56·6	68·8	89·0	47·0	57	1·4	3·08	10
Year—Jaar	24·782	56·0	48·4	70·7	46·1	58·4	94·0	18·0	60	1·3	23·76	64

MAHALAPYE (BECHUANALAND).

Lat. 23° 06′ S. Long. 26° 50′ E. Approximate Height above Sea-level, 3,350 feet.

MAHALAPYE (BETSJOEANALAND).

Breedtegraad 23° 06′ S. Lengtegraad 26° 50′ O. Hoogte min of meer bo Seehoogte, 3,350 voet.

	*											
January—Januarie	26·667	77·3	67·2	93·7	68·3	81·0	99·0	63·0	60	4·1	1·65	8
February—Februarie	26·698	75·7	68·3	93·0	69·3	81·2	103·0	64·0	69	5·2	1·41	8
March—Maart	26·763	70·5	64·6	88·3	61·9	74·1	94·0	54·0	73	5·3	1·13	5
April	26·842	68·1	59·3	84·4	55·1	69·8	93·0	46·0	61	2·9	0·02	1
May—Mei	26·829	61·1	53·9	79·5	47·3	63·4	88·0	38·0	65	1·9	0·43	4
June—Junie	26·926	56·0	49·7	72·7	42·7	57·7	84·0	33·0	65	2·5	0·10	1
July—Julie	26·924	51·2	45·0	67·4	37·5	52·4	78·0	27·0	64	2·3	0·43	3
August—Augustus	26·906	59·6	49·2	77·8	42·3	60·0	92·0	24·0	48	0·7	0·00	0
September	26·772	66·5	56·0	84·4	52·6	68·5	97·0	35·0	52	2·9	0·08	2
October—Oktober	26·727	72·9	58·7	89·5	60·3	74·9	99·0	48·0	43	2·9	0·47	3
November	26·714	72·9	62·1	88·7	65·0	76·8	101·0	57·0	55	5·2	2·83	4
December—Desember	26·663	77·0	66·8	89·2	65·8	77·5	99·0	60·0	59	3·8	1·61	5
Year—Jaar	26·786	67·4	58·4	83·9	55·7	69·8	103·0	24·0	60	3·3	10·16	44

* No correction for index-error applied.

Month—Maand.	Pressure. Druk.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.)	Cloud. (Amount 0–10.)	Rainfall—Reënval.	
				Self-registering Thermometers—Self-registrerende Termometers.								
	Barometric Means at 32° F.	Mean Dry Bulb.	Mean Wet Bulb.	Mean Maximum.	Mean Minimum.	Mean Monthly Temperatures.	Absolute Maximum.	Absolute Minimum.				
	Barometriese Gemiddelde te 32° F.	Gemiddelde Droë Bol.	Gemiddelde Nat Bol.	Gemiddelde Maksimum.	Gemiddelde Minimum.	Gemiddelde Maandelikse Temperature.	Volstrekte Maksimum.	Volstrekte Minimum.	Betreklike Natheid. (Sat. = 100.)	Wolk. (Beloop tot 10.)		
1925.	Inches. Duime.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%		Inches. Duime.	Days—Dae.
NELSPOORT.												
Lat. 32° 09′ S. Long. 23° 01′ E. Approximate Height above Sea-level, 3,310 feet.												
NELSPOORT.												
Breedtegraad 32° 09′ S. Lengtegraad 23° 01′ O. Hoogte min of meer bo Seehoogte, 3,310 voet.												
January—Januarie	26·640	71·4	58·5	91·2	60·2	75·7	102·9	52·2	47	1·8	0·00	0
February—Februarie	26·623	66·8	56·3	87·8	57·2	72·5	103·2	49·5	52	1·9	0·00	0
March—Maart	26·727	63·8	54·8	84·5	55·4	70·0	94·9	42·3	57	2·3	0·04	2
April	26·788	60·0	50·4	80·3	50·6	65·4	90·2	35·6	52	1·7	0·47	3
May—Mei	26·775	51·5	44·1	68·6	43·8	56·2	80·8	26·5	57	4·2	0·39	3
June—Junie	26·898	48·1	40·8	66·3	40·3	53·3	79·9	23·0	53	2·9	0·76	1
July—Julie	26·869	46·0	38·1	61·0	36·0	48·5	71·1	22·2	46	2·4	0·05	2
August—Augustus	26·839	51·8	41·8	68·7	39·6	54·2	83·8	21·4	43	2·5	0·01	1
September	26·764	54·2	44·2	70·7	42·6	56·6	89·0	29·1	45	3·0	0·21	2
October—Oktober	26·662	61·3	48·4	78·5	48·5	63·5	95·8	35·4	39	2·3	0·13	2
November	26·686	61·4	50·9	78·7	50·3	64·5	96·2	38·4	48	3·2	0·72	6
December—Desember	26·631	67·3	56·1	87·7	56·4	72·0	99·6	48·2	51	1·6	0·21	1
Year—Jaar	26·742	58·6	48·7	77·0	48·4	62·7	103·2	21·4	49	2·5	2·99	23
O'OKIEP.												
Lat. 29° 36′ S. Long. 17° 52′ E. Height above Sea-level, 3,060 feet.												
O'OKIEP.												
Breedtegraad 29° 36′ S. Lengtegraad 17° 52′ O. Hoogte bo Seehoogte, 3,060 voet.												
January—Januarie	26·886	72·5	60·0	89·1	60·5	74·8	97·6	42·4	49	1·2	0·00	0
February—Februarie	26·887	64·4	54·4	82·9	55·1	69·0	97·0	46·0	53	1·3	0·06	2
March—Maart	26·932	67·3	55·9	86·3	59·0	72·6	98·0	42·0	50	1·3	0·00	0
April	26·999	65·4	55·1	82·8	57·9	70·4	91·4	43·6	52	1·0	0·00	0
May—Mei	26·990	54·3	48·1	69·1	51·0	60·0	80·0	37·6	65	4·4	0·26	5
June—Junie	27·058	52·2	45·8	67·6	48·3	58·0	83·0	38·3	63	2·6	0·65	4
July—Julie	27·093	46·3	40·4	61·3	42·3	51·8	72·3	30·0	60	1·8	1·44	4
August—Augustus	27·055	50·3	42·2	66·6	44·7	55·6	85·6	31·2	50	4·5	0·45	4
September	26·993	55·1	45·5	71·2	48·0	59·6	89·0	35·6	48	2·4	0·10	3
October—Oktober	26·915	57·4	48·0	72·7	48·3	60·5	94·8	37·0	51	3·5	1·38	6
November	26·924	62·6	52·5	77·6	52·4	65·0	95·0	40·4	50	3·4	0·12	5
December—Desember	26·863	70·3	55·8	86·0	57·3	71·6	97·7	41·7	40	0·7	0·00	0
Year—Jaar	26·966	59·8	50·3	76·1	52·1	64·1	97·7	30·0	53	2·3	4·46	33

PORT ELIZABETH.

Lat. 33° 59′ S. Long. 25° 37′ E. Height above Sea-level, 181 feet.

PORT ELIZABETH.

Breedtegraad 33° 59′ S. Lengtegraad 25° 37′ O. Hoogte bo Seehoogte, 181 voet.

January—Januarie	29·792	72·1	66·2	77·7	64·3	71·0	84·0	59·0	73	4·7	0·33	8
February—Februarie	29·765	70·9	64·7	77·5	64·5	71·0	93·0	59·0	71	5·1	0·66	9
March—Maart	29·881	68·7	63·6	74·5	62·1	68·3	80·0	51·0	76	4·4	1·57	7
April	29·929	63·8	60·2	72·0	58·3	65·2	90·0	50·0	82	4·6	0·67	6
May—Mei	29·890	59·5	56·6	69·2	54·5	61·8	90·0	46·0	85	5·0	4·15	8
June—Junie	30·040	56·0	53·1	68·2	50·2	59·2	81·0	45·0	83	4·2	1·52	10
July—Julie	30·019	53·2	49·0	65·1	47·3	56·2	82·0	36·0	75	4·3	3·75	9
August—Augustus	30·009	56·2	52·6	65·3	50·9	58·1	81·0	39·0	79	4·5	3·27	10
September	29·941	57·9	54·6	66·9	51·6	59·2	98·0	45·0	81	4·5	2·15	9
October—Oktober	29·836	62·5	58·5	68·5	55·1	61·8	84·0	47·0	79	6·3	6·89	10
November	29·871	64·8	59·1	69·5	57·1	63·3	78·0	48·0	71	4·8	3·77	10
December—Desember	29·802	69·2	63·6	74·5	61·0	67·8	90·0	55·0	74	4·4	0·71	7
Year—Jaar	29·898	62·9	58·5	70·7	56·4	63·6	98·0	36·0	77	4·7	29·44	103

PORT NOLLOTH.

Lat. 29° 16′ S. Long. 16° 52′ E. Height above Sea-level, 24 feet.

PORT NOLLOTH.

Breedtegraad 29° 16′ S. Lengtegraad 16° 52′ O. Hoogte bo Seehoogte, 24 voet.

January—Januarie	30·033	58·0	56·7	65·5	52·1	58·8	78·0	46·0	93	6·4	0·00	0
February—Februarie	30·040	58·2	55·8	65·3	51·1	58·2	70·0	44·0	87	3·7	0·20	2
March—Maart	30·073	56·8	55·0	64·4	50·1	57·2	97·0	42·0	90	5·5	0·01	1
April	30·124	55·9	54·5	64·0	48·6	56·3	93·0	41·0	92	6·4	0·04	1
May—Mei	30·128	57·7	52·9	65·8	49·9	57·8	90·0	37·0	73	4·6	0·07	3
June—Junie	30·208	51·9	50·4	64·7	44·6	54·6	90·0	36·0	90	4·6	0·27	3
July—Julie	30·281	51·8	48·3	63·2	43·3	53·2	86·0	35·0	78	2·8	0·27	2
August—Augustus	30·218	52·7	50·4	64·0	44·6	54·3	88·0	35·3	85	5·1	0·12	2
September	30·176	53·4	51·3	60·1	44·2	52·2	85·0	37·0	87	4·5	0·00	0
October—Oktober	30·091	56·1	53·9	62·4	47·1	54·8	98·0	39·0	87	4·5	0·44	4
November	30·081	59·8	56·3	66·3	50·3	58·3	99·5	42·0	81	6·2	0·01	1
December—Desember	30·034	58·0	56·6	63·4	52·0	57·7	68·0	44·0	93	4·6	0·00	0
Year—Jaar	30·124	55·9	53·5	64·1	48·2	56·2	99·5	35·0	88	4·9	1·43	19

POSTMASBURG.

Lat. 28° 20′ S. Long. 23° 04′ E. Approximate Height above Sea-level, 4,328 feet.

POSTMASBURG.

Breedtegraad 28° 20′ S. Lengtegraad 23° 04′ O. Hoogte min of meer bo Seehoogte, 4,328 voet.

January—Januarie	25·707	77·3	60·2	92·6	65·1	78·8	100·3	48·4	71	4·0	1·27	7
February—Februarie	25·693	74·0	56·9	92·0	59·1	75·6	99·5	50·8	70	1·9	0·35	3
March—Maart	25·781	68·7	59·9	84·4	59·4	71·9	93·3	48·7	61	3·1	1·61	9
April	25·853	61·5	53·9	79·0	52·8	65·9	86·8	39·8	63	2·2	0·50	4
May—Mei	25·833	50·5	44·9	68·7	43·1	55·9	76·1	33·4	66	2·0	0·43	5
June—Junie	25·926	43·8	38·6	*	37·6	—	—	25·9	65	1·4	0·00	0
July—Julie	25·928	40·3	36·3	*	32·0	—	—	19·1	70	1·2	0·05	1
August—Augustus	25·905	47·1	39·2	70·2	38·1	54·2	81·1	21·9	50	1·2	0·00	0
September	25·805	54·0	44·8	72·9	43·8	58·4	83·5	31·7	49	0·9	0·26	3
October—Oktober	25·733	63·4	51·3	78·4	50·7	64·6	93·5	35·9	45	3·0	0·70	5
November	25·731	67·3	55·0	81·8	54·6	68·2	90·8	37·5	47	2·5	0·45	4
December—Desember	25·681	74·9	60·7	89·2	63·7	76·4	96·8	55·7	44	2·2	2·25	6
Year—Jaar	25·798	60·2	50·1	—	50·0	—	—	19·1	58	2·1	7·87	47

* Thermometer broken.

Month—Maand.	Pressure. Druk.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.)	Cloud. (Amount 0–10.)	Rainfall—Reënval.	
				Self-registering Thermometers—Self-registrerende Termometers.								
	Barometric Means at 32° F.	Mean Dry Bulb.	Mean Wet Bulb.	Mean Maximum.	Mean Minimum.	Mean Monthly Temperatures.	Absolute Maximum.	Absolute Minimum.	Betreklike Natheid. (Sat. = 100.)	Wolk. (Beloop tot 10.)		
	Barometriese Gemiddelde te 32° F.	Gemiddelde Droë Bol.	Gemiddelde Nat Bol.	Gemiddelde Maksimum.	Gemiddelde Mienimum.	Gemiddelde Maandelikse Temperature.	Volstrekte Maksimum.	Volstrekte Mienimum.				
1926.	Inches. Duime.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%		Inches. Duime.	Days—Dae.
QUEENSTOWN (H. HOLLEY). Lat. 31° 54′ S. Long. 26° 52′ E. Height above Sea-level, 3,533 feet.												
QUEENSTOWN (H. HOLLEY). Breedtegraad 31° 54′ S. Lengtegraad 26° 52′ O. Hoogte bo Seehoogte, 3,533 voet.												
January—Januarie	26·464	71·7	64·3	89·2	59·5	74·4	102·0	53·0	70	4·3	4·26	9
February—Februarie	26·446	67·4	64·0	86·5	58·2	72·4	100·0	49·0	84	6·4	0·31	9
March—Maart	26·562	63·4	58·5	80·1	55·0	67·6	99·0	46·0	76	6·7	2·84	13
April	26·617	58·7	54·4	78·1	49·7	63·9	89·0	35·0	77	4·2	1·07	8
May—Mei	26·577	51·6	47·5	69·1	43·0	56·0	79·0	31·0	76	5·6	1·18	6
June—Junie	26·704	42·6	40·4	66·1	34·8	50·4	79·0	28·0	85	5·4	0·65	6
July—Julie	26·660	43·3	38·2	62·6	34·2	48·4	72·0	21·0	65	3·4	0·05	2
August—Augustus	26·652	51·4	44·7	72·2	40·0	56·1	85·0	28·0	60	3·9	0·04	2
September	26·563	54·7	48·3	71·3	43·7	57·5	88·0	29·0	64	4·6	2·43	7
October—Oktober	26·492	61·6	54·7	78·7	49·3	64·0	96·0	35·0	66	4·5	0·29	4
November	26·486	63·3	56·3	78·7	49·8	64·2	93·0	35·0	67	5·5	2·73	9
December—Desember	26·456	68·2	61·7	84·2	56·4	70·3	99·0	44·0	70	5·2	3·30	13
YEAR—JAAR	26·557	58·2	52·8	76·4	47·8	62·1	102·0	21·0	72	5·0	19·15	88
QUEENSTOWN (J. F. C. RHEIN). Lat. 31° 54′ S. Long. 26° 52′ E. Approximate Height above Sea-level, 3,550 feet.												
QUEENSTOWN (J. F. C. RHEIN). Breedtegraad 31° 54′ S. Lengtegraad 26° 52′ O. Hoogte min of meer bo Seehoogte, 3,550 voet.												
January—Januarie	26·441*	70·9	63·7	87·9	59·0	73·4	99·1	52·0	69	3·8	3·63	8
February—Februarie	26·428	67·1	61·5	85·4	57·4	71·4	99·4	48·0	74	4·8	0·30	7
March—Maart	26·548	63·1	58·0	78·7	54·7	66·7	97·8	45·0	76	5·6	2·63	11
April	26·601	58·4	53·7	76·3	48·8	62·6	89·0	32·7	75	3·5	1·19	7
May—Mei	26·559	50·7	46·6	67·6	42·7	55·2	77·0	31·0	75	5·1	1·17	4
June—Junie	26·692	42·6	40·0	64·4	34·9	49·6	77·0	27·8	82	3·4	0·68	6
July—Julie	26·655	41·6	37·2	61·5	33·4	47·4	71·0	19·0	68	1·9	0·06	2
August—Augustus	26·647	50·0	43·8	70·6	38·9	54·8	84·0	28·0	63	3·2	0·05	2
September	26·550	54·6	48·8	70·4	43·4	56·9	87·8	28·0	67	4·0	2·61	7
October—Oktober	26·457	61·7	55·4	78·5	49·3	63·9	95·4	34·8	69	3·7	0·27	4
November	26·477	63·4	56·4	78·0	48·9	63·4	93·5	34·2	67	4·5	3·06	7
December—Desember	26·436	67·4	60·9	83·3	55·3	69·3	99·8	43·8	71	4·5	3·60	11
YEAR—JAAR	26·541	57·6	52·2	75·2	47·2	61·2	99·8	19·0	71	4·0	19·25	76

* No correction for index-error applied.

SOMERSET EAST.

Lat. 32° 44′ S. Long. 25° 35′ E. Approximate Height above Sea-level, 2,470 feet.

SOMERSET OOS.

Breedtegraad 32° 44′ S. Lengtegraad 25° 35′ O. Hoogte min of meer bo Seehoogte, 2,470 voet.

January—Januarie	27·486	68·6	61·6	87·0	58·3	72·6	100·0	51·5	69	—	1·50	7
February—Februarie	27·462	68·3	59·3	85·1	57·2	71·2	100·0	51·2	67	4·9	0·86	11
March—Maart	27·573	64·5	58·0	80·8	55·9	68·4	98·2	45·0	68	4·8	2·57	10
April	27·621	59·5	54·8	78·7	52·3	65·5	92·5	38·4	75	—	1·06	6
May—Mei	27·583	54·9	48·3	70·9	48·4	59·6	84·5	34·8	63	4·1	1·34	7
June—Junie	27·712	51·7	45·3	68·4	44·9	56·6	82·2	35·2	63	3·2	1·73	6
July—Julie	27·684	50·0	40·8	64·4	42·4	53·4	74·5	29·8	45	2·6	0·55	4
August—Augustus	27·661	53·0	44·9	70·6	44·5	57·6	87·4	31·4	54	3·6	0·39	4
September	27·587	56·0	47·8	70·8	45·2	58·0	93·0	32·0	54	3·6	1·28	8
October—Oktober	27·497	60·5	52·9	75·8	48·8	62·3	101·0	36·5	62	4·9	1·02	10
November	27·523	61·4	53·8	75·8	50·1	63·0	94·5	36·0	63	4·6	3·46	11
December—Desember	27·472	66·4	57·8	81·8	56·4	69·1	101·0	47·0	64	5·5	1·89	7
YEAR—JAAR	27·572	59·3	52·1	75·8	50·4	63·1	101·0	29·8	72	—	17·65	91

STELLENBOSCH.

Lat. 33° 56′ S. Long. 18° 51′ E. Approximate Height above Sea-level, 440 feet.

STELLENBOSCH.

Breedtegraad 33° 56′ S. Lengtegraad 18° 51′ O. Hoogte min of meer bo Seehoogte, 440 voet.

January—Januarie	29·592*	69·6	63·1	81·5	55·3	68·4	94·3	48·7	70	3·0	0·28	1
February—Februarie	29·597	65·2	59·7	76·8	52·9	64·8	89·5	46·7	72	3·5	1·43	4
March—Maart	29·662	62·9	58·5	79·3	52·3	65·8	95·0	41·5	77	2·1	0·39	2
April	29·713	58·2	55·3	77·1	49·0	63·0	95·5	41·0	79	2·4	1·10	3
May—Mei	29·684	54·8	51·5	69·7	48·5	59·1	86·6	37·9	80	5·5	4·16	13
June—Junie	29·815	49·3	47·2	65·9	43·4	54·6	77·1	34·5	86	4·3	2·20	6
July—Julie	29·847	47·7	45·0	61·4	40·6	51·0	78·9	33·4	81	4·2	4·76	15
August—Augustus	29·803	49·2	47·0	65·2	42·0	53·6	84·3	31·6	86	5·4	2·99	12
September	29·758	52·8	50·1	67·1	43·7	55·4	86·0	35·2	83	4·6	2·07	10
October—Oktober	29·637	58·1	53·4	69·6	47·3	58·4	94·1	37·5	73	5·4	3·30	13
November	29·659	64·9	56·6	75·3	51·5	63·4	95·1	40·0	59	3·5	0·66	9
December—Desember	29·587	68·6	59·4	80·2	52·2	66·2	95·0	42·5	58	2·1	0·00	0
YEAR—JAAR	29·696	58·4	53·9	72·4	48·2	60·3	95·5	31·6	75	3·8	23·34	88

STORMS RIVER.

Lat. 33° 58′ S. Long. 23° 52′ E. Approximate Height above Sea-level, 735 feet.

STORMSRIVIER.

Breedtegraad 33° 58′ S. Lengtegraad 23° 52′ O. Hoogte min of meer bo Seehoogte, 735 voet.

January—Januarie	29·196	69·8	64·8	74·8	57·7	66·2	85·6	52·0	77	3·1	2·43	8
February—Februarie	29·185	66·9	62·4	72·9	56·5	64·7	90·0	50·5	78	4·4	2·65	11
March—Maart	29·289	64·1	60·6	71·6	55·1	63·4	87·6	46·5	82	4·5	5·37	12
April	29·328	60·6	57·2	72·1	53·0	62·6	88·7	43·5	82	4·6	0·63	4
May—Mei	29·287	57·4	53·2	69·4	48·2	58·8	84·5	37·0	76	5·9	1·77	6
June—Junie	29·417	55·0	51·3	68·3	46·2	57·2	83·0	39·0	78	4·5	2·03	4
July—Julie	29·404	52·8	48·4	62·5	43·3	52·9	77·8	36·0	73	4·8	4·77	12
August—Augustus	29·406	53·6	49·0	64·4	44·7	54·6	91·0	32·3	77	3·6	3·38	10
September	29·320	56·3	52·6	64·7	46·0	55·4	88·9	32·7	78	4·1	4·86	12
October—Oktober	29·256	60·7	56·8	68·4	48·7	58·6	98·2	40·0	78	5·0	4·06	13
November	29·296	62·3	57·2	69·0	51·5	60·2	94·6	45·0	75	4·8	6·43	12
December—Desember	29·220	66·2	61·4	71·3	54·1	62·7	85·0	48·0	77	4·3	1·20	7
YEAR—JAAR	29·300	60·5	56·3	69·1	50·4	59·8	98·2	32·3	78	4·5	39·58	111

* No correction for index-error applied.

Month—Maand.	Pressure. Druk.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.)	Cloud. (Amount 0–10.)	Rainfall—Reënval.	
				Self-registering Thermometers—Self-registrerende Termometers.								
	Barometric Means at 32° F. Barometriese Gemiddelde te 32° F.	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Minimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Minimum.	Betreklike Natheid. (Sat. = 100.)	Wolk. (Beloop tot 10.)		
1926.	Inches. Duime.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%		Inches. Duime.	Days—Dae.
STUTTERHEIM.												
Lat. 32° 34′ S. Long. 27° 26′ E. Approximate Height above Sea-level, 2,750 feet.												
STUTTERHEIM.												
Breedtegraad 32° 34′ S. Lengtegraad 27° 26′ O. Hoogte min of meer bo Seehoogte, 2,750 voet.												
January—Januarie	Incomplete	—	—	—	—	—	—	—	—	—	2·03	13
February—Februarie	Incomplete	—	—	—	—	—	—	—	—	—	1·90	15
March—Maart	27·307	63·2	58·8	78·6	56·3	67·4	96·8	45·7	78	6·2	5·56	14
April	27·358	62·2	56·7	78·5	53·1	65·8	92·4	42·7	67	4·3	0·83	3
May—Mei	27·301	58·8	51·8	71·6	49·1	60·4	83·5	36·2	63	4·8	1·52	8
June—Junie	27·448	56·4	49·3	69·4	46·3	57·8	81·4	38·1	62	3·9	1·46	6
July—Julie	27·401	53·8	44·8	65·7	43·5	54·6	74·7	30·4	50	3·2	0·19	3
August—Augustus	27·384	59·3	49·5	72·7	48·4	60·6	90·0	35·0	51	4·6	0·42	8
September	27·304	57·3	49·9	71·3	46·3	58·8	94·3	34·2	61	4·5	3·51	10
October—Oktober	27·230	61·4	55·2	74·0	50·5	62·2	97·5	32·0	69	5·4	3·42	12
November	27·246	60·9	57·1	70·9	51·2	61·0	86·2	41·7	80	5·4	6·25	13
December—Desember	27·211	65·1	61·1	75·5	56·3	65·9	98·0	49·0	81	7·5	3·69	15
Year—Jaar	—	—	—	—	—	—	—	—	—	—	30·78	120
SYDNEY'S HOPE.												
Lat. 33° 24′ S. Long. 26° 10′ E. Approximate Height above Sea-level, 1,750 feet.												
SYDNEY'S HOPE.												
Breedtegraad 33° 24′ S. Lengtegraad 26° 10′ O. Hoogte min of meer bo Seehoogte, 1,750 voet.												
January—Januarie	28·141	66·3	62·5	80·0	59·0	69·5	98·0	53·0	81	5·3	1·05	11
February—Februarie	28·108	64·9	61·0	80·5	58·1	69·3	103·0	54·8	81	5·0	1·15	10
March—Maart	28·223	62·1	59·4	76·6	56·4	66·5	95·5	45·0	86	4·4	2·27	11
April	28·287	59·2	56·3	75·1	53·5	64·3	89·0	44·5	86	3·6	0·33	7
May—Mei	28·248	56·0	52·1	68·0	51·9	60·0	84·5	41·0	78	4·4	1·73	8
June—Junie	28·391	53·6	49·0	65·5	49·2	57·4	79·0	39·0	74	3·6	1·81	8
July—Julie	28·316	49·1	44·7	61·2	44·8	53·0	73·5	33·0	73	4·1	0·83	5
August—Augustus	28·322	52·5	48·1	67·3	47·4	57·4	88·0	35·0	74	4·8	0·65	7
September	28·258	54·5	50·3	68·1	47·1	57·6	90·5	39·5	76	4·8	2·00	11
October—Oktober	28·159	59·9	54·7	72·3	51·6	62·0	102·0	39·5	73	5·1	3·34	13
November	28·176	59·6	55·3	71·2	52·0	61·6	93·0	43·0	77	5·9	3·67	8
December—Desember	28·137	63·3	59·1	76·7	55·8	66·2	101·0	48·5	79	5·8	0·96	7
Year—Jaar	28·230	58·4	54·4	71·9	52·2	62·0	103·0	33·0	78	4·7	19·79	106

TABLE MOUNTAIN.

Lat. 33° 59′ S. Long. 18° 24′ E. Height above Sea-level, 2,496 feet.

TABLE MOUNTAIN.

Breedtegraad 33° 59′ S. Lengtegraad 18° 24′ O. Hoogte bo Seehoogte, 2,496 voet.

	*											
January—Januarie	27·441	61·9	55·8	72·0	53·3	62·6	86·5	45·5	69	3·3	1·10	4
February—Februarie	27·434	56·7	52·3	66·2	51·0	58·6	79·0	44·9	75	5·4	2·65	7
March—Maart	27·506	57·9	53·9	67·6	51·0	59·3	87·5	40·0	78	4·5	1·42	4
April	27·546	57·2	50·9	66·1	50·0	58·0	82·2	40·8	65	4·7	3·40	5
May—Mei	27·492	53·3	47·6	60·9	47·9	54·4	77·3	37·0	66	5·5	7·07	13
June—Junie	27·528	50·5	44·7	59·3	44·0	51·6	68·0	36·2	63	3·8	4·19	5
July—Julie	27·590	46·2	41·7	53·9	40·2	47·0	69·1	29·0	69	5·2	8·58	17
August—Augustus	27·582	47·9	42·5	57·0	41·5	49·2	77·1	29·8	65	5·5	7·35	16
September	27·541	50·1	44·4	58·1	42·8	50·4	77·8	33·2	63	5·5	5·51	11
October—Oktober	27·439	52·2	47·1	59·6	43·3	51·4	88·6	31·2	70	5·8	6·66	15
November	27·487	54·6	49·1	62·4	45·2	53·8	86·2	36·6	68	4·5	1·26	8
December—Desember	27·425	58·1	52·7	67·3	48·5	57·9	87·2	41·3	71	4·3	0·27	1
YEAR—JAAR	27·501	53·9	48·6	62·5	46·6	54·6	88·6	29·0	68	4·8	49·46	106

UITENHAGE.

Lat. 33° 47′ S. Long. 25° 24′ E. Height above Sea-level, 186 feet.

UITENHAGE.

Breedtegraad 33° 47′ S. Lengtegraad 25° 24′ O. Hoogte bo Seehoogte, 186 voet.

January—Januarie	29·788	72·1	66·7	84·2	60·8	72·5	93·2	52·2	72	4·6	0·40	8
February—Februarie	29·755	70·5	63·1	85·2	61·0	73·1	108·3	51·5	66	4·6	0·30	3
March—Maart	29·905	65·9	61·0	81·1	57·3	69·2	97·0	46·0	75	4·2	1·54	9
April	29·955	60·0	56·7	79·3	53·2	66·2	93·5	40·0	82	4·8	0·58	6
May—Mei	29·911	55·0	51·8	74·7	47·7	61·2	92·0	35·7	82	5·5	0·70	5
June—Junie	30·060	50·4	47·4	73·8	42·6	58·2	92·2	34·5	81	5·0	0·70	8
July—Julie	30·050	47·5	44·8	68·9	40·3	54·6	83·0	29·0	81	4·5	0·67	7
August—Augustus	30·030	51·2	48·1	72·3	44·4	58·4	95·0	31·5	82	5·1	0·78	8
September	29·954	55·2	51·6	73·7	46·8	60·2	100·5	36·7	79	5·0	1·22	9
October—Oktober	29·839	62·4	56·7	76·0	52·1	64·0	104·2	38·0	65	6·2	1·96	9
November	29·878	65·3	58·5	75·5	54·0	64·8	92·8	40·0	67	5·5	2·76	8
December—Desember	29·804	70·4	62·3	81·1	58·1	69·6	103·3	48·5	64	4·9	0·25	4
YEAR—JAAR	29·910	60·5	55·6	77·2	51·5	64·4	108·3	29·0	75	5·0	11·86	84

UMTATA.

Lat. 31° 35′ S. Long. 28° 46′ E. Height above Sea-level, 2,278 feet.

UMTATA.

Breedtegraad 31° 35′ S. Lengtegraad 28° 46′ O. Hoogte bo Seehoogte, 2,278 voet.

January—Januarie	27·698	72·0	65·4	84·2	62·4	73·3	101·7	55·5	72	5·5	2·80	12
February—Februarie	27·687	69·6	64·1	81·7	61·0	71·4	100·7	51·7	74	5·3	2·48	15
March—Maart	27·807	66·1	61·7	79·1	58·2	68·6	99·3	47·8	79	6·1	3·56	13
April	27·863	62·2	58·2	78·6	52·6	65·6	90·8	40·4	79	4·7	0·20	4
May—Mei	27·824	55·1	51·5	73·0	46·0	60·0	86·3	31·2	80	4·2	0·68	6
June—Junie	27·968	47·8	45·3	69·4	39·8	54·6	84·2	32·5	82	2·8	1·42	4
July—Julie	27·926	46·9	41·7	68·8	35·5	52·2	78·3	28·3	65	1·1	0·09	1
August—Augustus	27·912	52·5	47·5	73·4	41·3	57·4	91·7	29·2	70	3·5	0·14	3
September	27·833	58·5	52·4	73·0	46·4	59·7	92·5	36·0	66	3·3	2·46	7
October—Oktober	27·721	66·4	59·0	77·1	53·1	65·1	101·8	43·8	66	3·6	3·21	10
November	27·744	66·2	57·9	75·1	53·0	64·0	91·9	39·3	61	3·8	3·44	7
December—Desember	27·697	69·2	62·1	80·2	58·9	69·6	102·3	51·0	70	5·1	4·00	15
YEAR—JAAR	27·807	61·0	55·6	76·1	50·7	63·4	102·3	28·3	72	4·1	24·48	97

* No correction for index-error applied.

Summary of the Meteorological Observations

made at

Royal Observatory, Cape of Good Hope.

9h. 30m. S.A.S.T. Lat. 33° 56′ S. Long. 18° 29′ E. Height 40 feet.

Month.	Barometer at 32° F.	Thermometers.					Cloud. (0–10.)	Dew Point.	Humidity.
		Mean Dry Bulb.	Mean Wet Bulb.	Mean Maximum.	Absolute Maximum.	Date.			
1926.	Inches.	°F.	°F.	°F.	°F.			°F.	%
January	29·963	69·8	63·9	81·7	94·1	19th	2·7	59·4	69
February	29·969	65·5	60·6	78·5	86·4	13th	4·4	56·6	73
March	30·034	64·4	60·5	77·8	97·7	12th	3·4	57·3	78
April	30·087	59·1	56·7	74·2	93·0	3rd	3·5	54·5	85
May	30·054	55·0	52·6	69·2	87·1	16th	6·3	50·3	84
June	30·182	50·2	49·0	64·5	76·0	20th	5·0	47·7	92
July	30·221	49·4	47·3	61·8	79·2	16th	4·5	45·0	85
August	30·171	51·2	49·1	63·1	75·1	27th	5·1	46·9	86
September	30·130	54·1	51·5	65·5	81·1	29th	5·0	49·0	82
October	29·998	59·3	55·2	69·3	82·9	11th	5·3	51·5	76
November	30·033	64·4	57·9	73·9	93·1	15th	3·3	52·5	66
December	29·959	67·6	61·0	77·6	90·4	22nd	2·5	55·9	66
Year	30·067	59·2	55·4	71·4	97·7	March 12	4·3	52·2	79

12h. 46m. S.A.S.T. (Local Noon).

Month.	Barometer at 32° F.	Thermometers.					Cloud. (0–10.)	Dew Point.	Humidity.	Mean Monthly Temperature.	Mean Daily Range.	Monthly Range.
		Mean Dry Bulb.	Mean Wet Bulb.	Mean Minimum.	Absolute Minimum.	Date.						
1926.	Inches.	°F.	°F.	°F.	°F.			°F.	%	°F.	°F.	°F.
January	29·952	78·9	67·3	60·6	50·2	3rd	2·1	59·3	51	71·2	21·1	43·9
February	29·955	74·7	64·2	58·5	49·1	23rd	3·5	56·6	54	68·5	20·0	37·3
March	30·033	74·4	64·5	59·8	50·9	31st	2·9	57·3	55	68·8	18·0	46·8
April	30·078	71·3	62·8	54·7	44·1	21st	3·0	56·4	60	64·5	19·5	48·9
May	30·047	66·2	58·4	51·4	39·5	27th	6·5	52·1	60	60·3	17·8	47·6
June	30·170	62·2	57·1	47·1	35·7	3rd	4·2	52·7	72	55·8	17·4	40·3
July	30·220	58·9	53·8	45·0	35·5	25th	4·9	49·2	71	53·4	16·8	43·7
August	30·163	61·3	55·5	47·6	35·0	5th	4·5	50·5	68	55·4	15·5	40·1
September	30·117	63·4	56·6	48·6	41·7	17th	3·7	50·9	64	57·1	16·9	39·4
October	29·988	66·0	58·8	51·1	43·5	20th	5·3	52·9	63	60·2	18·2	39·4
November	30·021	71·5	61·5	55·6	46·0	7th	3·5	54·0	54	64·8	18·3	47·1
December	29·944	75·8	65·0	58·7	46·7	13th	1·6	57·3	52	68·2	18·9	43·7
Year	30·057	68·7	60·5	53·2	35·0	Aug. 5	3·8	54·1	60	62·4	18·2	43·2

Opsomming van die Weerkundige Waarneminge

gemaak op die

Koninklike Sterrewag, Kaap die Goede Hoop.

20*h*. 30*m*. S.A.S.T.

Month.	Barometer at 32° F.	Thermometers.		Cloud. (0–10).	Dew Point.	Humidity.	Rainfall.			
		Mean Dry Bulb.	Mean Wet Bulb.				Ground Gauges.		Roof Gauge.	Number of Rain Days.
							12-inch Standard.	8-inch.	8-inch.	
1926.	Inches.	°	°		°F.	%	Inches.	Inches.	Inches.	
January.....	29·951	67·5	63·4	2·6	60·1	78	0·301	0·287	0·306	4
February.....	29·961	64·3	60·0	2·7	56·4	76	0·837	0·845	0·860	5
March.....	30·022	64·0	60·4	1·9	57·4	79	0·216	0·203	0·209	4
April.....	30·078	61·5	58·3	2·5	55·5	81	0·720	0·733	0·713	5
May.....	30·056	57·1	54·3	3·7	51·7	83	3·623	3·647	3·558	10
June.....	30·165	53·5	51·9	3·4	50·3	89	1·731	1·705	1·770	5
July.....	30·212	51·4	49·3	3·6	47·1	86	4·396	4·374	4·388	16
August.....	30·159	52·9	50·7	4·0	48·5	85	3·005	2·967	3·011	12
September.....	30·123	54·2	51·6	3·8	49·1	82	1·817	1·811	1·795	10
October.....	29·983	56·7	54·3	4·4	52·1	84	2·655	2·639	2·678	12
November.....	30·027	60·3	56·6	3·5	53·4	78	0·456	0·439	0·447	4
December.....	29·945	63·2	59·4	2·5	56·2	78	0·055	0·060	0·060	1
Year.....	30·057	58·9	55·9	3·2	53·2	82	19·812	19·710	19·795	88

Month.	Anemo-Biagraph.				Barograph.			
	Maximum Gust Velocity of Wind.	Direction.	Date.	Time. (S.A.S.T.)	Highest Recorded Pressure.	Date.	Lowest Recorded Pressure.	Date.
1926.	m.p.h.			h. m.	Inches.		Inches.	
January.....	42	S	18th	8 40	30·23	2nd	29·90	25th
February.....	40	N	24th	12 50	30·26	22nd	29·75	24th
March.....	44	SE	15th	16 18	30·37	10th & 31st	29·91	2nd
April.....	38	SSE	11th	5 10	30·50	19th	29·89	4th
May.....	52	NW	22nd	15 50	30·52	31st	29·80	22nd
June.....	40	SSE	17th	2 50	30·56	1st	29·77	9th
July.....	43	WSW	20th	19 0	30·74	23rd	29·82	20th
August.....	45	WSW	3rd	20 15	30·67	5th	29·90	3rd
September.....	37	WSW	26th	15 12	30·51	3rd	29·81	29th
October.....	45	WNW	17th	14 50	30·37	20th	29·70	17th
November.....	45	SSE	10th	19 48	30·50	9th	29·80	22nd
		SSE	12th	11 58				
		ESE	6th	9 6				
December.....	45	SSE	7th	19 32	30·30	27th	29·82	2nd
		SSE	21st	12 35				
		SSE	28th	20 15				
	Highest Gust Velocity for Year.				Absolute Extremes of Pressure for Year.			
Year.....	52	NW	May 22	15 50	30·74	July 23	29·70	October 17

ORANGE FREE STATE.

SUMMARIES OF METEOROLOGICAL OBSERVATIONS.

Barometric Stations.—(B) Orange Free State.

Time of Observation 8.30 a.m. (unless otherwise stated).
Correction for Index-error applied to Barometric Readings (unless otherwise stated).

ORANJE VRYSTAAT.

OPSOMMING VAN METEOROLOGIESE WAARNEMINGS.

Barometriese Stasies.—(B) Oranje Vrystaat.

Tyd van Waarneming 8.30 v.m. (behalwe dit anders vermeld word).
Verbetering aan Register-fout aangebring aan Barometriese Lesings (behalwe dit anders vermeld word).

Month—Maand.	Pressure. Druk.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.)	Cloud. (Amount 0–10.)	Rainfall—Reënval.	
				Self-registering Thermometers—Self-registrerende Termometers.								
	Barometric Means at 32° F. Barometriese Gemiddelde te 32° F.	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Minimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Minimum.	Betreklike Natheid. (Sat. = 100.)	Wolk. (Beloop tot 10.)		
1926.	Inches. Duime.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%		Inches. Duime.	Days—Dae.
BETHANY.												
Lat. 29° 36′ S. Long. 25° 57′ E. Approximate Height above Sea-level, 4,400 feet.												
BETHANY.												
Breedtegraad 29° 36′ S. Lengtegraad 25° 57′ O. Hoogte min of meer bo Seehoogte, 4,400 voet.												
January—Januarie	25·686	75·8	64·2	92·3	60·5	76·4	99·0	41·0	54	2·6	1·25	5
February—Februarie	25·672	71·4	63·4	90·0	57·4	73·7	98·0	47·0	67	1·8	1·17	6
March—Maart	27·785	63·8	59·2	80·0	55·0	67·5	94·0	47·0	78	4·6	4·90	12
April	25·865	55·7	52·1	75·9	45·6	60·8	84·0	33·0	80	2·6	1·12	5
May—Mei	25·833	44·9	40·5	67·9	35·6	51·8	74·0	20·0	75	3·6	0·23	2
June—Junie	25·943	38·4	34·3	64·8	29·0	46·9	76·0	19·0	68	2·6	0·03	1
July—Julie	25·946	34·5	30·9	58·9	23·4	41·2	68·0	7·0	70	2·0	0·17	2
August—Augustus	25·912	42·9	36·5	69·5	29·7	49·6	79·0	20·0	55	1·8	0·00	0
September	Incomplete	—	—	—	—	—	—	—	—	—	0·28	1
October—Oktober	25·712	62·5	53·6	77·4	48·0	62·7	91·0	32·0	57	3·6	1·09	4
November	25·719	63·9	54·5	79·1	48·8	64·0	88·0	32·0	56	4·0	1·96	9
December—Desember	25·679	71·3	61·9	87·4	57·4	72·4	96·0	47·0	61	3·5	2·39	10
Year—Jaar	—	—	—	—	—	—	—	—	—	—	14·59	57
BETHULIE.												
Lat. 30° 30′ S. Long. 25° 58′ E. Approximate Height above Sea-level, 4,300 feet.												
BETHULIE.												
Breedtegraad 30° 30′ S. Lengtegraad 25° 58′ O. Hoogte min of meer bo Seehoogte, 4,300 voet.												
January—Januarie	25·848	74·7	69·3	92·6	61·0	76·8	98·0	48·0	77	0·8	0·31	3
February—Februarie	25·835	70·4	67·2	90·0	58·0	74·0	100·1	46·0	85	1·5	0·67	3
March—Maart	25·941	63·4	61·0	82·2	53·2	68·7	95·1	44·0	88	2·6	2·37	9
April	26·006	58·2	53·6	76·8	47·8	62·3	86·0	32·4	76	1·8	1·31	5
May—Mei	25·987	46·7	42·0	68·3	38·3	53·3	79·0	23·5	69	1·8	0·03	1
June—Junie	26·105	40·6	35·9	64·9	32·7	48·8	74·9	25·0	65	1·7	0·19	2
July—Julie	26·088	37·6	33·2	59·3	31·7	45·5	67·2	—	67	1·7	0·23	2
August—Augustus	26·059	43·6	38·7	70·0	33·5	51·8	80·9	15·9	67	1·4	0·00	0
September	25·947	51·5	46·0	71·6	40·2	55·9	83·8	27·0	69	1·6	0·90	3
October—Oktober	25·870	63·4	57·2	78·8	50·8	64·8	91·6	33·8	71	3·0	0·55	3
November	25·883	62·9	56·9	77·6	49·2	63·4	88·3	35·2	71	2·7	1·98	5
December—Desember	25·832	71·2	63·4	86·6	57·2	71·9	95·6	45·4	68	1·7	2·51	6
Year—Jaar	25·950	57·0	52·0	76·6	46·3	61·4	100·1	—	73	1·9	11·05	42

BLOEMFONTEIN.

Lat. 29° 07′ S. Long. 26° 12′ E. Height above Sea-level, 4,615 feet.

BLOEMFONTEIN.

Breedtegraad 29° 07′ S. Lengtegraad 26° 12′ O. Hoogte bo Seehoogte, 4,615 voet.

January—Januarie	25·482	76·0	66·6	93·3	61·9	77·6	101·2	50·5	62	3·1	3·00	3
February—Februarie	25·475	71·9	61·7	90·1	59·0	74·6	97·4	49·3	58	2·3	3·28	6
March—Maart	25·576	64·0	60·1	78·9	55·5	67·2	92·1	48·5	80	4·5	3·82	13
April	25·648	57·9	53·8	75·3	46·9	61·1	82·7	31·9	78	2·2	1·79	4
May—Mei	25·608	48·4	44·1	68·7	37·7	53·2	76·8	25·5	73	3·0	0·23	1
June—Junie	25·710	39·8	36·3	64·5	31·0	47·8	75·1	21·8	74	2·6	0·02	1
July—Julie	25·705	38·7	33·6	69·4	25·7	42·6	67·4	11·9	74	1·5	0·16	1
August—Augustus	25·691	46·3	39·6	70·4	32·3	51·4	79·6	19·0	56	1·4	0·00	0
September	25·571	55·4	46·8	73·6	40·1	56·8	89·0	27·1	54	2·7	0·67	5
October—Oktober	25·514	64·3	54·1	79·6	50·1	64·8	91·9	36·2	53	3·6	1·86	4
November	25·512	64·3	55·2	78·5	50·5	64·5	87·8	38·7	58	4·0	3·28	10
December—Desember	25·470	71·8	62·4	87·9	58·9	73·4	96·5	48·4	61	4·0	2·00	9
Year—Jaar	25·580	58·1	51·2	76·7	45·8	61·2	101·2	11·9	65	2·9	20·11	57

GLEN.

Lat. 28° 58′ S. Long. 26° 19′ E. Height above Sea-level, 4,279 feet.

GLEN.

Breedtegraad 28° 58′ S. Lengtegraad 26° 19′ O. Hoogte bo Seehoogte, 4,279 voet.

January—Januarie	25·801	74·4	62·4	91·9	62·1	77·0	99·5	46·2	52	2·7	3·09	6
February—Februarie	25·794	71·5	62·2	90·3	58·4	74·4	98·9	50·3	61	1·5	4·72	9
March—Maart	25·907	63·8	60·5	78·4	55·5	67·0	90·3	48·1	83	3·0	5·10	14
April	25·976	56·1	52·9	75·1	45·9	60·5	82·7	31·8	82	2·3	1·40	6
May—Mei	25·942	45·4	41·6	68·4	34·5	51·4	75·8	21·0	75	3·0	0·10	1
June—Junie	26·046	38·0	35·0	64·3	29·5	46·9	74·3	20·0	76	2·4	0·00	0
July—Julie	26·055	34·5	31·1	59·1	23·5	41·3	66·0	12·0	70	1·9	0·11	1
August—Augustus	26·024	44·2	38·9	69·6	29·5	49·6	81·0	17·0	63	0·7	0·00	0
September	25·913	52·9	48·8	72·9	38·9	55·9	89·5	25·5	76	2·0	0·65	4
October—Oktober	25·843	62·6	55·1	78·9	48·7	63·8	92·1	34·9	64	3·0	1·50	7
November	25·860	63·9	56·0	80·0	50·7	65·4	89·4	32·4	62	3·0	3·14	10
December—Desember	25·800	72·3	62·4	87·7	58·8	73·2	95·5	46·9	59	3·6	1·39	8
Year—Jaar	25·913	56·6	50·6	76·4	44·7	60·5	99·5	12·0	69	2·4	21·20	66

KROONSTAD.

Lat. 27° 39′ S. Long. 27° 15′ E. Approximate Height above Sea-level, 4,400 feet.

KROONSTAD.

Breedtegraad 27° 39′ S. Lengtegraad 27° 15′ O. Hoogte min of meer bo Seehoogte, 4,400 voet.

January—Januarie	—	75·2	66·0	91·5	62·1	76·8	98·0	53·0	63	2·6	2·34	15
February—Februarie	—	72·9	64·7	89·1	60·4	74·8	96·0	47·5	66	2·0	4·44	9
March—Maart	—	65·7	61·4	80·6	56·1	68·4	89·0	50·0	80	3·7	3·14	12
April	25·824	57·6	53·8	78·2	46·4	62·3	85·3	36·0	79	1·7	1·30	3
May—Mei	25·773	46·5	42·8	70·7	36·1	53·4	77·0	24·8	76	2·1	0·51	3
June—Junie	25·868	40·2	37·7	65·9	32·7	49·3	74·0	25·0	82	2·6	0·52	4
July—Julie	25·863	32·8	30·2	61·7	25·3	43·5	68·0	15·0	73	0·6	0·00	0
August—Augustus	25·844	43·2	38·8	72·4	32·2	52·3	82·0	15·4	69	0·7	0·00	0
September	25·727	56·1	48·8	75·7	41·3	58·5	90·6	28·3	60	1·8	0·62	3
October—Oktober	25·679	65·5	57·2	81·4	51·2	66·3	94·4	36·8	63	2·3	3·29	9
November	25·656	67·4	60·6	82·1	52·1	67·1	91·0	31·5	70	2·6	2·89	7
December—Desember	25·631	72·9	63·3	86·9	59·0	73·0	93·0	51·0	60	3·2	5·15	12
Year—Jaar	—	58·0	52·1	78·0	46·2	62·1	98·0	15·0	70	2·2	24·20	77

NATAL PROVINCE.

SUMMARIES OF METEOROLOGICAL OBSERVATIONS.

Barometric Stations.—(C) Natal.

Time of Observation 8.30 a.m. (unless otherwise stated).
Correction for Index-error applied to Barometric Readings (unless otherwise stated).

NATAL PROVINSIE.

OPSOMMING VAN METEOROLOGIESE WAARNEMINGS.

Barometriese Stasies.—(C) Natal.

Tyd van Waarneming 8.30 v.m. (behalwe dit anders vermeld word).
Verbetering aan Register-fout aangebring aan Barometriese Lesings (behalwe dit anders vermeld word).

Month—Maand.	Pressure. Druk.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.)	Cloud. (Amount 0-10.)	Rainfall—Reënval.	
				Self-registering Thermometers—Self-regsitrerende Termometerse.								
	Barometric Means at 32° F.	Mean Dry Bulb.	Mean Wet Bulb.	Mean Maximum.	Mean Minimum.	Mean Monthly Temperatures.	Absolute Maximum.	Absolute Minimum.	Relatiwe Humidity. (Sat. = 100.)	Wolk. (Beloop tot 10.)	Inches.	Days—Dae.
	Barometriese Gemiddelde te 32° F.	Gemiddelde Droë Bol.	Gemiddelde Nat Bol.	Gemiddelde Maksimum.	Gemiddelde Mienimum.	Gemiddelde Maandelikse Temperature.	Volstrekte Maksimum.	Volstrekte Mienimum.	Betreklike Natheid. (Sat. = 100.)			
1926.	Inches. Duime.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%		Duime.	
AMATIKULU.												
Lat. 29° 02′ S. Long. 31° 32′ E. Approximate Height above Sea-level, 100 feet.												
AMATIKULU.												
Breedtegraad 29° 02′ S. Lengtegraad 31° 32′ O. Hoogte min of meer bo Seehoogte, 100 voet.												
January—Januarie	Incomplete	—	—	—	—	—	—	—	—	—	2·16	5
February—Februarie	Incomplete	—	—	—	—	—	—	—	—	—	3·36	6
March—Maart	Incomplete	—	—	—	—	—	—	—	—	—	13·69	14
April	29·892	70·8	66·4	81·0	62·0	71·5	90·0	57·9	80	—	0·29	5
May—Mei	29·879	66·1	62·2	77·0	57·7	67·4	89·2	49·2	81	—	0·98	10
June—Junie	30·030	59·5	57·2	72·3	53·5	62·9	85·1	48·8	87	—	3·31	7
July—Julie	30·007	57·1	52·3	73·4	49·7	61·6	86·5	39·1	73	—	0·51	2
August—Augustus	29·959	63·2	58·8	76·8	54·6	65·7	93·5	44·8	78	—	0·40	5
September	29·894	66·8	60·3	76·1	57·3	66·7	99·2	48·2	72	—	1·69	9
October—Oktober	29·783	73·2	69·0	84·1	61·0	72·6	106·0	53·8	81	—	4·10	13
November	29·775	73·0	66·9	82·4	61·5	72·0	104·8	49·0	73	4·6	2·62	11
December—Desember	29·719	75·6	69·9	86·5	66·3	76·4	107·5	59·8	75	4·9	2·07	15
Year—Jaar	—	—	—	—	—	—	—	—	—	—	35·18	102
CAPE ST. LUCIA.												
Lat. 28° 31′ S. Long. 32° 24′ E. Height above Sea-level, 375 feet.												
CAPE ST. LUCIA.												
Breedtegraad 28° 31′ S. Lengtegraad 32° 24′ O. Hoogte bo Seehoogte, 375 voet.												
January—Januarie	—	—	—	—	—	—	—	—	—	—	2·92	8
February—Februarie	29·541	77·9	73·9	87·5	72·4	80·0	96·2	64·3	74	6·5	2·38	10
March—Maart	—	—	—	—	—	—	—	—	—	—	10·29	12
April	29·752	69·2	66·6	80·2	64·2	72·2	87·2	57·0	88	2·8	2·86	5
May—Mei	29·713	65·0	62·1	76·7	60·4	68·6	83·8	50·8	82	4·2	0·54	8
June—Junie	29·858	60·3	58·6	73·0	56·6	64·8	78·5	51·5	91	4·7	2·95	8
July—Julie	29·846	57·7	54·5	72·2	52·9	62·6	85·0	42·3	82	3·0	3·45	8
August—Augustus	29·788	61·4	58·8	72·7	57·3	65·0	81·2	46·7	86	3·6	1·32	7
September	29·740	64·5	62·0	72·0	59·6	65·8	79·0	54·6	87	5·3	3·29	13
October—Oktober	29·660	70·6	66·6	79·1	63·0	71·0	88·0	54·7	81	4·9	2·43	11
November	29·598	70·9	66·4	79·8	63·6	71·7	95·0	56·5	79	6·3	4·39	12
December—Desember	29·561	75·4	70·5	83·9	67·6	75·8	92·2	57·0	78	5·7	2·85	11
Year—Jaar	—	—	—	—	—	—	—	—	—	—	39·67	113

DURBAN (NORTH RIDGE RESERVOIR).

Lat. 29° 50′ S. Long. 31° 01′ E. Approximate Height above Sea-level, 460 feet.

DURBAN (NORTH RIDGE RESERVOIR).

Breedtegraad 29° 50′ S. Lengtegraad 31° 01′ O. Hoogte min of meer bo Seehoogte, 460 voet.

January—Januarie	29·485	75·0	71·5	80·3	68·8	74·6	87·3	62·6	84	7·0	1·10	11
February—Februarie	29·465	74·5	70·5	80·1	69·1	74·6	96·1	62·0	82	6·8	4·12	13
March—Maart	29·611	71·2	67·3	77·1	65·4	71·2	82·5	59·2	81	6·3	6·84	17
April	29·679	68·7	64·0	75·6	61·8	68·7	81·6	55·5	76	4·3	0·30	4
May—Mei	29·635	64·3	59·3	72·8	58·7	65·8	86·4	47·1	75	5·3	0·74	8
June—Junie	29·810	58·3	54·3	68·9	53·4	61·2	80·1	47·2	77	4·4	2·04	6
July—Julie	29·771	57·6	51·5	69·1	51·1	60·1	82·2	43·8	65	1·9	0·24	2
August—Augustus	29·749	60·9	56·6	69·7	54·9	62·3	79·0	44·7	76	3·8	0·46	5
September	29·650	64·6	58·9	70·3	57·2	63·8	83·5	51·4	71	4·6	1·77	9
October—Oktober	29·551	69·1	64·1	75·3	61·2	68·2	104·9	53·9	77	5·5	2·94	13
November	29·553	69·3	64·5	74·0	61·8	67·9	90·8	55·4	78	6·7	3·23	12
December—Desember	Station	Closed	—	—	—	—	—	—	—	—	—	—
Year—Jaar	—	—	—	—	—	—	—	—	—	—	—	—

DURBAN (POINT).

Lat. 29° 52′ S. Long. 31° 03′ E. Approximate Height above Sea-level, 50 feet.

DURBAN (POINT).

Breedtegraad 29° 52′ S. Lengtegraad 31° 03′ O. Hoogte min of meer bo Seehoogte, 50 voet.

January—Januarie	29·919	77·4	71·9	84·3	72·1	78·2	88·8	65·0	76	6·1	1·31	9
February—Februarie	29·898	76·4	71·3	82·5	72·1	77·3	89·8	64·8	78	6·1	4·10	10
March—Maart	30·042	73·7	68·3	80·1	68·8	74·4	85·8	61·6	76	5·7	6·81	16
April	30·118	70·9	65·2	78·3	65·3	71·8	84·4	59·2	73	3·5	1·00	4
May—Mei	30·075	65·9	59·8	75·2	61·3	68·2	85·2	55·2	70	4·1	1·38	7
June—Junie	30·253	60·5	55·7	71·4	56·2	63·8	78·6	53·0	74	3·5	2·03	6
July—Julie	30·220	59·3	51·7	72·0	54·6	63·3	83·2	51·8	60	1·6	0·57	4
August—Augustus	30·193	62·9	57·4	71·8	58·1	65·0	78·6	51·0	71	3·3	0·65	5
September	30·084	66·1	60·0	72·0	60·3	66·2	79·8	55·0	70	4·4	1·81	8
October—Oktober	29·985	69·9	64·9	76·3	64·4	70·4	86·4	57·0	77	4·5	3·42	14
November	30·011	70·5	64·2	76·8	65·1	71·0	85·4	57·4	71	5·1	3·74	12
December—Desember	29·932	73·5	68·4	80·2	69·0	74·6	88·4	60·8	78	6·6	3·71	18
Year—Jaar	30·061	68·9	63·2	76·7	63·9	70·3	89·8	51·0	73	4·5	30·53	113

HILLARY (Observations taken at 8.00 a.m.).

Lat. 29° 53′ S. Long. 30° 53′ E. Approximate Height above Sea-level, 330 feet.

HILLARY.

Breedtegraad 29° 53′ S. Lengtegraad 30° 53′ O. Hoogte min of meer bo Seehoogte, 330 voet.

January—Januarie	29·622	75·2	70·6	82·5	70·0	76·2	89·9	63·9	80	5·5	1·35	11
February—Februarie	29·597	74·1	70·0	81·6	70·5	76·0	90·9	64·1	82	5·8	4·27	14
March—Maart	29·742	70·6	66·9	78·9	66·5	72·7	86·0	60·2	83	5·0	5·01	16
April	29·810	67·2	63·6	77·7	62·4	70·0	84·0	56·0	83	2·8	0·18	4
May—Mei	29·767	63·3	58·2	75·2	59·1	67·2	89·3	48·6	75	4·2	0·43	6
June—Junie	29·950	57·3	54·4	70·4	54·0	62·2	78·8	47·5	84	3·9	1·99	7
July—Julie	29·904	56·7	50·8	71·3	51·7	61·5	84·3	44·0	65	1·2	0·08	3
August—Augustus	29·881	59·6	55·6	72·1	55·4	63·8	84·0	45·0	78	2·9	0·55	5
September	29·779	63·1	58·3	72·5	57·6	65·0	84·1	51·9	75	4·1	2·10	11
October—Oktober	29·684	68·3	63·9	77·0	62·0	69·5	107·0	55·1	79	5·1	3·55	15
November	29·695	68·9	63·4	76·0	62·2	69·1	97·0	54·8	73	5·2	2·74	13
December—Desember	29·633	71·9	67·5	79·3	67·0	73·2	91·7	59·5	80	6·1	3·08	21
Year—Jaar	29·755	66·4	61·9	76·2	61·5	68·8	107·0	44·0	78	4·3	25·33	126

Month—Maand.	Pressure. Druk.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.)	Cloud. (Amount 0–10.)	Rainfall—Reënval.	
				Self-registering Thermometers—Self-registrerende Termometers.								
	Barometric Means at 32° F. Barometriese Gemiddelde te 32° F.	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Minimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Minimum.	Betreklike Natheid. (Sat. = 100.)	Wolk. (Beloop tot 10.)	Inches. Duime.	Days—Dae.
1926.	Inches. Duime.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
HILLCREST.												
Lat. 29° 46′ S. Long. 30° 46′ E. Approximate Height above Sea-level, 2,220 feet.												
HILLCREST.												
Breedtegraad 29° 46′ S. Lengtegraad 30° 46′ O. Hoogte min of meer bo Seehoogte, 2,220 voet.												
January—Januarie	* —	—	—	—	—	—	—	—	—	—	2·18	* 15
February—Februarie	27·963	70·7	66·3	78·0	63·8	70·9	96·0	58·8	80	6·0	5·40	19
March—Maart	28·072	66·6	63·2	73·6	60·4	67·0	89·0	53·8	84	6·2	7·68	18
April	28·126	66·1	59·9	75·6	57·5	66·6	88·0	50·0	71	3·7	0·95	3
May—Mei	Incomplete	—	—	—	—	—	—	—	—	—	(0·18	4)
June—Junie	Incomplete	—	—	—	—	—	—	—	—	—	—	—
July—Julie	Incomplete	—	—	—	—	—	—	—	—	—	0·00	0
August—Augustus	28·167	59·9	51·1	70·4	51·4	60·9	92·5	40·8	55	3·2	0·76	6
September	28·079	61·1	53·3	70·2	52·6	61·4	91·0	45·0	61	4·6	4·04	11
October—Oktober	Incomplete	—	—	—	—	—	—	—	—	—	4·20	16
November	28·011	66·0	59·2	73·4	55·7	64·6	88·0	45·0	68	5·7	4·49	15
December—Desember	27·966	67·8	63·0	76·0	59·9	68·0	98·0	53·0	78	6·7	4·86	20
Year—Jaar	—	—	—	—	—	—	—	—	—	—	—	—
PIETERMARITZBURG.												
Lat. 29° 35′ S. Long. 30° 23′ E. Height above Sea-level, 2,272 feet.												
PIETERMARITZBURG.												
Breedtegraad 29° 35′ S. Lengtegraad 30° 23′ O. Hoogte bo Seehoogte, 2,272 voet.												
January—Januarie	27·651	74·3	67·0	83·4	64·1	73·8	97·5	57·0	69	6·3	3·07	13
February—Februarie	27·670	74·1	67·1	83·2	64·3	73·8	99·8	59·0	71	6·1	4·65	16
March—Maart	27·806	69·3	63·4	78·1	60·4	69·2	98·0	54·0	73	6·1	3·81	17
April	27·869	67·7	60·3	79·0	54·9	67·0	91·0	46·0	67	3·1	0·07	2
May—Mei	27·827	60·6	54·6	73·8	50·4	62·1	85·8	37·8	68	4·8	2·44	5
June—Junie	27·987	54·2	49·6	68·5	43·9	56·2	80·0	34·2	74	3·7	1·10	4
July—Julie	27·966	54·5	46·0	69·0	39·5	54·2	80·4	31·0	51	0·9	0·00	0
August—Augustus	28·010	60·6	51·2	74·8	47·2	61·0	94·5	37·2	53	3·8	0·43	6
September	27·854	63·7	54·8	73·7	51·2	62·4	92·3	42·6	57	5·3	4·67	11
October—Oktober	27·764	69·7	60·5	79·8	57·1	68·4	97·2	47·8	60	4·9	3·19	9
November	27·764	68·4	60·8	77·4	56·9	67·2	95·5	47·0	66	6·5	3·95	14
December—Desember	27·730	70·2	64·1	79·9	60·7	70·3	98·0	50·6	73	6·5	6·56	19
Year—Jaar	27·825	65·6	58·3	76·7	54·2	65·4	99·8	31·0	65	4·8	33·94	116

* No correction for index-error applied.

TRANSVAAL PROVINCE.

SUMMARIES OF METEOROLOGICAL OBSERVATIONS.

Barometric Stations.—(D) Transvaal.

Time of Observation 8.30 a.m. (unless otherwise stated).

Correction for Index-error applied to Barometric Readings (unless otherwise stated).

TRANSVAAL PROVINSIE.

OPSOMMING VAN METEOROLOGIESE WAARNEMINGS.

Barometriese Stasies.—(D) Transvaal.

Tyd van Waarneming 8.30 v.m. (behalwe dit anders vermeld word).

Verbetering aan Register-fout aangebring aan Barometriese Lesings (behalwe dit anders vermeld word).

Month—Maand.	Pressure. Druk.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.)	Cloud. (Amount 0–10.)	Rainfall—Reënval.	
				Self-registering Thermometers—Self-registrerende Termometers.								
	Barometric Means at 32° F.	Mean Dry Bulb.	Mean Wet Bulb.	Mean Maximum.	Mean Minimum.	Mean Monthly Temperatures.	Absolute Maximum.	Absolute Minimum.				
	Barometriese Gemiddelde te 32° F.	Gemiddelde Droë Bol.	Gemiddelde Nat Bol.	Gemiddelde Maksimum.	Gemiddelde Minimum.	Gemiddelde Maandelikse Temperature.	Volstrekte Maksimum.	Volstrekte Mienimum.	Betreklike Natheid. (Sat. = 100.)	Wolk. (Beloop tot 10.)		
1926.	Inches. Duime.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%		Inches. Duime.	Days—Dae.
BARBERTON.												
Lat. 25° 47′ S. Long. 31° 03′ E. Approximate Height above Sea-level, 2,700 feet.												
Breedtegraad 25° 47′ S. Lengtegraad 31° 03′ O. Hoogte min of meer bo Seehoogte, 2,700 voet.												
Position of barometer changed 24th December, 1926; alteration in height not ascertained.												
January—Januarie	27·155	71·4	66·2	85·1	65·9	75·5	92·0	60·0	77	5·9	3·15	11
February—Februarie	27·151	71·5	67·9	86·6	67·0	76·8	97·0	63·0	84	5·8	5·45	12
March—Maart	27·257	67·2	63·7	82·4	62·8	72·6	92·0	55·0	84	5·4	3·01	7
April	27·319	63·4	58·7	79·6	57·9	68·8	91·0	51·0	77	3·5	0·37	2
May—Mei	27·293	58·8	54·5	75·4	53·1	64·2	87·0	44·0	77	2·6	2·18	5
June—Junie	27·401	55·2	51·0	71·4	49·1	60·2	79·0	42·0	76	2·5	0·05	1
July—Julie	27·393	52·7	46·5	69·9	46·4	58·2	82·0	35·0	64	2·5	1·25	4
August—Augustus	27·387	56·6	49·6	77·1	49·8	63·4	90·0	39·0	62	2·7	0·00	0
September	27·287	59·7	55·9	76·2	54·9	65·6	92·0	49·0	80	4·7	0·51	4
October—Oktober	27·227	66·8	60·5	82·8	59·4	71·1	95·0	49·0	70	4·7	0·93	3
November	27·215	66·3	60·4	80·2	59·9	70·0	98·0	51·0	72	6·7	2·27	9
December—Desember	27·154	75·3	65·6	84·6	63·5	74·0	96·0	50·0	61	5·4	1·98	4
Year—Jaar	27·269	63·7	58·4	79·3	57·5	68·4	98·0	35·0	74	4·4	21·15	62
BELFAST.												
Lat. 25° 40′ S. Long. 30° 03′ E. Approximate Height above Sea-level, 6,100 feet.												
Breedtegraad 25° 40′ S. Lengtegraad 30° 03′ O. Hoogte min of meer bo Seehoogte, 6,100 voet.												
January—Januarie	24·137*	65·0	59·3	76·7	51·4	64·0	83·0	40·0	73	4·8	5·06	12
February—Februarie	24·144	66·0	61·1	78·1	53·3	65·7	84·0	46·0	74	2·9	1·81	9
March—Maart	24·213	61·7	56·5	74·1	46·6	60·4	82·0	36·0	74	2·4	0·71	9
April	24·265	58·8	52·7	73·7	40·2	57·0	81·0	30·0	69	2·3	0·27	1
May—Mei	24·206	50·2	45·3	66·2	30·7	48·4	75·0	23·0	71	2·1	3·20	4
June—Junie	24·289	43·8	40·0	60·9	27·4	44·2	70·0	19·0	75	3·7	0·27	2
July—Julie	24·253	43·1	37·2	57·1	22·7	39·9	68·0	8·0	62	1·3	0·49	3
August—Augustus	24·280	50·3	43·3	69·3	26·6	48·0	80·0	10·0	60	0·9	0·00	0
September	24·180	55·6	49·4	71·6	36·7	54·2	83·0	25·0	68	1·8	3·15	4
October—Oktober	24·153	64·8	55·5	77·0	42·7	59·8	86·0	30·0	57	1·8	1·24	8
November	24·150	59·6	54·1	73·9	44·9	59·4	87·0	35·0	72	2·8	5·09	14
December—Desember	24·125	64·7	57·4	76·9	46·8	61·8	84·0	39·0	66	3·0	4·17	12
Year—Jaar	24·200	57·0	51·0	71·3	39·2	55·2	87·0	8·0	68	2·5	25·46	78

* No correction for index-error applied.

Month—Maand.	Pressure. Druk.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.)	Cloud. (Amount 0–10.)	Rainfall—Reënval.	
				Self-registering Thermometers—Self-registrerende Termometers.								
	Barometric Means at 32° F. Barometriese Gemiddelde te 32° F.	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Minimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Minimum.	Betreklike Natheid. (Sat. = 100.)	Wolk. (Beloop tot 10.)	Inches. Duime.	Days—Dae.
1926.	Inches. Duime.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
GEMSBOKFONTEIN. Lat. 25° 44′ S. Long. 29° 41′ E. Approximate Height above Sea-level, 5,500 feet.												
GEMSBOKFONTEIN. Breedtegraad 25° 44′ S. Lengtegraad 29° 41′ O. Hoogte min of meer bo Seehoogte, 5,500 voet.												
January—Januarie	24·774	67·4	60·7	80·8	55·6	68·2	87·5	47·1	70	4·9	4·27	14
February—Februarie	24·782	67·5	61·7	81·0	56·7	68·8	88·7	48·1	74	5·8	3·45	11
March—Maart	24·853	62·6	57·2	76·2	49·7	63·0	82·9	42·6	73	3·4	1·69	9
April	24·907	59·1	53·1	75·3	43·2	59·2	81·4	33·9	71	2·1	0·23	2
May—Mei	24·872	50·1	46·1	67·3	34·5	50·9	75·9	23·5	77	2·0	1·67	6
June—Junie	24·957	45·0	41·1	63·0	30·4	46·7	71·3	21·3	74	2·5	0·16	1
July—Julie	24·930	39·4	34·7	59·1	25·2	42·2	68·5	8·1	67	1·3	0·07	1
August—Augustus	24·947	50·0	42·6	69·5	31·5	50·5	79·5	17·0	58	1·2	0·00	0
September	24·837	57·6	50·1	71·4	41·6	56·5	85·4	29·3	62	3·2	2·92	4
October—Oktober	24·814	64·8	54·1	78·9	48·2	63·6	87·0	36·8	51	3·0	1·15	10
November	24·800	63·2	55·5	77·0	50·4	63·7	89·2	37·7	64	5·8	3·61	14
December—Desember	24·776	66·5	58·1	79·3	53·0	66·2	87·3	44·3	62	4·6	4·40	14
Year—Jaar	24·854	57·8	51·2	73·2	43·3	58·2	89·2	8·1	67	3·3	23·62	86
HEIDELBERG. Lat. 26° 30′ S. Long. 28° 22′ E. Height above Sea-level, 5,055 and 5,045 feet.												
HEIDELBERG. Breedtegraad 26° 30′ S. Lengtegraad 28° 22′ O. Hoogte bo Seehoogte, 5,055 en 5,045 voet.												
January—Januarie	25·125	65·7	61·1	84·7	59·0	71·8	90·2	53·4	78	4·0	8·98	16
February—Februarie	25·115	64·8	61·0	84·2	59·2	71·7	89·0	54·6	81	3·8	2·34	11
March—Maart	25·196	58·7	56·3	77·8	53·5	65·6	87·0	46·0	87	4·2	3·45	10
April	No records	—	—	—	—	—	—	—	—	—	—	—
May—Mei	No records	—	—	—	—	—	—	—	—	—	—	—
June—Junie	*No records	—	—	—	—	—	—	—	—	—	—	—
July—Julie	25·295	36·1	33·3	60·7	24·3	42·5	69·7	12·8	77	1·3	0·14	1
August—Augustus	25·304	45·8	40·2	71·4	31·2	51·3	81·2	13·0	64	1·0	0·00	0
September	25·195	56·2	48·6	75·1	40·4	57·8	87·9	27·6	60	2·3	0·82	1
October—Oktober	25·159	64·4	54·8	80·6	49·4	65·0	89·8	35·7	57	2·7	1·93	6
November	25·147	63·8	56·5	78·8	52·0	65·4	87·6	40·9	66	4·6	2·60	13
December—Desember	25·119	69·0	61·1	82·2	56·8	69·5	90·4	50·0	64	4·4	5·28	17
Year—Jaar	—	—	—	—	—	—	—	—	—	—	—	—

* Barometer moved from residence of Mr. W. A. ter Horst to residence of Mr. A. W. E. Schultz.

JOHANNESBURG (HOSPITAL HILL).

Lat. 26° 11′ S. Long. 28° 03′ E. Approximate Height above Sea-level, 5,860 feet.

JOHANNESBURG (HOSPITAL HILL).

Breedtegraad 26° 11′ S. Lengtegraad 28° 03′ O. Hoogte min of meer bo Seehoogte, 5,860 voet.

	*											
January—Januarie	24·393	67·3	60·7	79·8	56·1	68·0	85·2	48·0	71	3·6	7·46	14
February—Februarie	24·395	66·9	61·1	80·5	56·9	68·7	87·0	54·0	74	3·3	2·49	11
March—Maart	24·472	62·6	57·0	74·0	52·8	63·4	83·0	45·0	72	3·7	3·20	13
April	24·531	60·5	52·1	72·9	49·1	61·0	79·5	41·5	59	1·1	0·07	4
May—Mei	24·490	54·7	47·2	65·2	43·5	54·4	73·0	34·0	59	1·8	2·04	6
June—Junie	24·570	49·1	42·4	61·1	40·3	50·7	70·0	31·8	62	1·5	0·21	4
July—Julie	24·553	44·4	37·9	56·4	35·7	46·0	65·0	22·0	56	1·3	1·11	1
August—Augustus	24·589	54·0	44·6	67·2	44·4	55·8	77·0	24·0	50	0·3	0·00	0
September	24·449	56·6	47·4	70·9	47·9	59·4	84·0	36·0	53	2·0	0·94	1
October—Oktober	24·412	62·9	53·2	76·2	52·1	64·2	84·5	38·0	54	1·5	1·40	6
November	24·402	61·8	53·9	75·0	52·3	63·6	84·0	45·5	62	4·4	4·50	12
December—Desember	24·383	66·4	58·4	77·6	57·4	67·5	86·0	51·5	64	3·8	4·47	14
YEAR—JAAR	24·470	58·9	51·3	71·4	49·0	60·2	87·0	22·0	61	2·4	27·89	86

JOHANNESBURG (UNION OBSERVATORY).

Lat. 26° 11′ S. Long. 28° 04′ E. Height above Sea-level, 5,925 feet.

JOHANNESBURG (UNION OBSERVATORY).

Breedtegraad 26° 11′ S. Lengtegraad 28° 04′ O. Hoogte bo Seehoogte, 5,925 voet.

	†											
January—Januarie	24·309	66·4	60·0	80·6	57·7	69·2	88·2	50·3	71	3·1	7·57	16
February—Februarie	24·316	66·0	60·4	80·0	58·1	69·0	85·8	54·4	74	3·6	2·83	11
March—Maart	24·389	62·0	56·9	74·0	54·3	64·2	80·8	46·1	74	3·2	2·47	12
April	24·436	59·9	52·0	73·6	51·1	62·4	78·6	43·8	61	1·5	0·19	4
May—Mei	24·385	54·2	46·8	65·1	46·6	55·8	72·7	34·3	60	1·4	1·71	6
June—Junie	24·471	48·9	43·5	61·7	41·9	51·8	71·8	30·4	68	1·6	0·13	2
July—Julie	24·442	44·0	38·3	56·8	36·2	46·6	64·6	20·8	62	1·4	0·88	1
August—Augustus	24·460	52·3	43·2	67·4	44·3	55·8	75·8	23·0	50	0·6	0·00	0
September	24·352	55·9	47·4	70·4	47·4	58·9	82·1	35·6	56	2·1	0·75	1
October—Oktober	24·325	61·6	52·0	76·6	51·4	64·0	87·0	39·3	55	2·1	1·48	5
November	24·307	60·6	53·9	74·6	52·2	63·4	83·6	45·0	67	4·4	4·73	14
December—Desember	24·293	64·4	58·0	77·5	56·8	67·2	86·4	50·8	70	4·0	4·54	16
YEAR—JAAR	24·374	58·0	51·0	71·5	49·8	60·6	88·2	20·8	64	2·4	27·28	88

KOMATIPOORT.

Lat. 25° 26′ S. Long. 31° 56′ E. Height above Sea-level, 494 feet.

KOMATIPOORT.

Breedtegraad 25° 26′ S. Lengtegraad 31° 56′ O. Hoogte bo Seehoogte, 494 voet.

January—Januarie	29·499	79·1	—	93·9	—	—	106·0	—	—	5·9	4·98	10
February—Februarie	29·493	80·7	—	95·1	—	—	108·0	—	—	5·4	8·32	11
March—Maart	29·602	75·1	—	89·5	—	—	99·0	—	—	5·5	4·32	5
April	29·709	69·3	—	88·2	59·0	73·6	98·0	50·0	—	3·1	0·06	1
May—Mei	29·687	64·9	—	84·3	53·7	69·0	95·0	44·0	—	3·8	0·96	3
June—Junie	29·829	60·5	—	78·2	49·6	63·9	88·0	41·0	—	3·3	0·28	1
July—Julie	29·852	56·8	—	77·5	45·4	61·4	91·0	37·0	—	2·2	0·51	5
August—Augustus	29·827	63·3	—	83·5	51·1	67·3	100·5	36·0	—	2·6	0·00	0
September	29·705	67·6	—	82·9	59·2	71·0	99·0	53·0	—	5·6	1·13	3
October—Oktober	29·631	74·4	—	91·5	62·7	77·1	107·0	53·0	—	4·5	0·46	1
November	29·625	76·4	—	89·9	65·3	77·6	110·0	56·0	—	6·1	2·69	9
December—Desember	29·534	80·5	70·8	95·3	70·0	82·6	106·0	62·0	62	6·3	1·81	5
YEAR—JAAR	29·666	70·7	—	87·5	—	—	110·0	—	—	4·5	25·52	54

* No correction for index-error applied.

† Barometer corrected for temperature and gravity.

Month—Maand.	Pressure. Druk.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.)	Cloud. (Amount 0–10.)	Rainfall—Reënval.	
				Self-registering Thermometers—Self-registrerende Termometers.								
	Barometric Means at 32° F. Barometriese Gemiddelde te 32° F.	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Minimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Minimum.	Betreklike Natheid. (Sat. = 100.)	Wolk. (Beloop tot 10.)	Inches. Duime.	Days—Dae.
1926.	Inches. Duime.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
KOPJE ALLEEN. Lat. 24° 51′ S. Long. 28° 41′ E. Approximate Height above Sea-level, 3,488 feet.												
KOPJE ALLEEN. Breedtegraad 24° 51′ S. Lengtegraad 28° 41′ O. Hoogte min of meer bo Seehoogte, 3,488 voet.												
January—Januarie	26·560*	75·1	65·8	88·8	63·7	76·2	95·3	57·9	63	4·6	1·87	12
February—Februarie	26·507	74·5	66·8	88·2	64·3	76·2	95·8	60·7	68	4·8	3·07	9
March—Maart	26·603	69·7	62·6	84·1	58·7	71·4	90·3	50·3	70	3·5	2·01	9
April	26·671	65·8	57·3	81·2	52·2	66·7	89·5	41·0	62	2·1	0·28	2
May—Mei	26·641	57·7	51·3	74·7	44·4	59·6	81·6	36·5	67	2·4	2·21	6
June—Junie	26·749	52·5	47·2	69·5	39·8	54·6	78·6	32·1	69	2·2	0·15	3
July—Julie	26·727	47·9	41·5	65·0	35·9	50·4	74·9	23·3	61	1·6	1·10	2
August—Augustus	26·733	57·1	47·0	76·1	40·8	58·4	88·1	26·1	50	1·3	0·00	0
September	26·602	63·4	54·0	81·3	48·8	65·0	95·0	38·9	57	2·4	0·23	1
October—Oktober	26·562	70·9	57·5	87·9	56·0	72·0	95·4	46·1	46	3·1	0·22	5
November	26·541	70·5	59·9	85·3	59·2	72·2	99·4	52·2	58	4·6	3·26	10
December—Desember	26·506	72·6	64·0	85·7	62·1	73·9	94·8	56·9	65	4·1	5·17	12
Year—Jaar	26·612	64·8	56·2	80·6	52·2	66·4	99·4	23·3	61	3·1	19·57	71
MODDERFONTEIN. Lat. 26° 06′ S. Long. 28° 09′ E. Approximate Height above Sea-level, 5,500 feet.												
MODDERFONTEIN. Breedtegraad 26° 06′ S. Lengtegraad 28° 09′ O. Hoogte min of meer bo Seehoogte, 5,500 voet.												
January—Januarie	24·858*	68·9	62·4	83·8	60·6	72·2	91·4	50·0	70	4·1	5·79	13
February—Februarie	24·862	69·1	63·3	82·8	61·7	72·2	88·7	58·1	75	4·6	5·25	8
March—Maart	24·937	63·9	59·4	76·3	57·2	66·8	85·1	49·1	78	3·7	3·13	9
April	24·984	60·3	53·8	74·7	52·2	63·4	85·1	44·6	68	1·7	0·31	2
May—Mei	24·945	51·6	46·6	65·7	44·6	55·2	72·5	32·0	71	1·9	1·94	6
June—Junie	25·028	47·1	42·6	61·5	40·6	51·0	70·7	29·3	73	2·0	0·17	2
July—Julie	25·138	41·9	37·0	56·8	34·3	45·6	64·4	17·6	66	0·9	0·87	1
August—Augustus	25·024	51·4	44·1	67·8	44·4	56·1	76·1	22·1	59	0·5	0·00	0
September	24·921	58·8	50·2	72·1	51·2	61·6	85·1	38·3	57	1·9	0·82	1
October—Oktober	24·878	64·9	55·9	79·2	54·5	66·8	87·8	37·4	59	2·2	0·70	8
November	24·870	65·1	56·7	78·1	54·3	66·2	86·0	43·7	62	4·6	3·07	12
December—Desember	24·846	69·3	62·4	82·6	59·9	71·2	90·5	51·8	71	4·2	3·88	13
Year—Jaar	24·941	59·4	52·9	73·4	51·3	62·4	91·4	17·6	67	2·7	25·93	75

* No correction for index-error applied.

NATALIA (SWAZILAND).

Lat. 26° 41′ S. Long. 31° 49′ E. Approximate Height above Sea-level, 720 feet.

NATALIA (SWASIELAND).

Breedtegraad 26° 41′ S. Lengtegraad 31° 49′ O. Hoogte min of meer bo Seehoogte, 720 voet.

	*											
January—Januarie	29·250	79·4	74·0	90·0	68·3	79·2	99·0	61·0	77	5·7	2·97	13
February—Februarie	29·244	81·4	77·3	92·9	71·5	82·2	104·0	66·0	82	5·2	1·91	6
March—Maart	29·385	76·0	70·1	87·3	65·7	76·5	98·0	54·0	74	4·6	2·86	5
April	29·474	69·1	64·8	86·2	58·1	72·2	93·0	48·0	79	2·8	0·40	2
May—Mei	29·429	63·7	59·4	80·4	52·0	66·2	93·0	42·0	77	2·9	0·71	3
June—Junie	29·588	58·9	54·7	76·5	48·3	62·4	86·0	38·0	76	2·7	0·01	1
July—Julie	29·577	58·4	52·3	75·6	43·8	59·7	90·0	29·0	67	2·0	0·32	2
August—Augustus	29·492	64·8	57·4	82·3	49·2	65·8	98·0	30·0	63	1·5	0·00	0
September	29·448	65·1	60·5	80·6	56·9	68·8	93·0	48·0	78	6·1	1·33	5
October—Oktober	29·352	71·9	64·8	87·6	60·7	74·2	102·0	53·0	69	5·2	2·12	7
November	29·346	73·8	66·6	87·3	63·0	75·2	106·0	52·0	68	4·9	2·44	6
December—Desember	29·278	77·4	70·8	91·5	67·3	79·4	102·0	61·0	72	4·9	2·09	8
YEAR—JAAR	29·405	70·0	64·4	84·9	58·7	71·8	106·0	29·0	74	4·0	17·16	58

NYLSTROOM.

Lat. 24° 42′ S. Long. 28° 25′ E. Approximate Height above Sea-level, 3,735 feet.

NYLSTROOM.

Breedtegraad 24° 42′ S. Lengtegraad 28° 25′ O. Hoogte min of meer bo Seehoogte, 3,735 voet.

	*											
January—Januarie	26·293	76·5	68·5	87·6	63·1	75·4	93·0	57·0	68	—	2·85	12
February—Februarie	26·297	75·7	68·7	86·9	64·2	75·6	95·0	60·0	72	—	3·05	5
March—Maart	26·393	71·0	66·0	83·1	57·7	70·4	89·0	49·0	78	—	0·90	4
April	26·497	67·9	59·9	80·6	50·0	65·3	88·5	41·0	65	—	0·84	2
May—Mei	26·481	59·7	53·7	74·4	42·5	58·4	88·5	35·0	70	—	1·92	3
June—Junie	26·580	53·1	47·3	69·6	36·7	53·2	79·0	30·0	67	—	0·11	1
July—Julie	26·615	50·1	43·3	65·5	33·1	49·3	74·2	21·0	59	—	2·26	2
August—Augustus	26·638	60·0	50·9	76·4	39·0	57·7	87·0	21·5	56	—	0·00	0
September	26·613	65·9	56·9	80·2	46·0	63·1	93·0	34·0	59	—	0·21	1
October—Oktober	26·599	72·7	61·6	85·9	53·4	69·6	93·5	40·0	55	—	0·19	3
November	26·550	72·2	63·2	84·8	58·6	71·7	93·0	51·0	62	—	4·60	11
December—Desember	26·605	74·5	66·3	85·2	60·8	73·0	92·0	50·5	67	—	3·11	11
YEAR—JAAR	26·513	66·6	58·9	80·0	50·4	65·2	95·0	21·0	65	—	20·04	55

PIETERSBURG.

Lat. 23° 54′ S. Long. 29° 28′ E. Approximate Height above Sea-level, 4,155 feet.

PIETERSBURG.

Breedtegraad 23° 54′ S. Lengtegraad 29° 28′ O. Hoogte min of meer bo Seehoogte, 4,155 voet.

January—Januarie	25·930	69·0	63·0	87·0	61·7	74·4	97·0	57·0	73	3·9	2·90	11
February—Februarie	25·934	68·0	64·3	86·2	62·6	74·4	98·0	57·0	82	5·2	4·24	9
March—Maart	26·017	63·5	60·4	81·7	57·2	69·4	89·0	49·0	85	3·7	0·83	6
April	26·080	56·8	53·7	80·3	49·4	64·8	89·0	39·0	83	3·2	0·47	1
May—Mei	26·080	52·6	50·2	75·1	43·3	59·2	85·0	34·0	86	2·1	0·45	5
June—Junie	26·131	44·6	42·3	69·6	37·8	53·7	79·0	31·0	84	3·0	0·04	2
July—Julie	26·134	43·2	40·4	66·1	37·8	52·0	75·0	31·0	81	1·7	0·52	2
August—Augustus	26·118	46·6	43·2	74·4	40·5	57·4	87·0	30·0	78	1·6	0·00	0
September	26·011	56·1	51·6	78·8	48·2	63·5	92·0	39·0	75	2·6	0·17	1
October—Oktober	25·979	64·4	56·1	83·4	52·8	68·1	94·0	45·0	60	2·8	0·03	1
November	25·974	64·2	57·5	81·9	56·5	69·2	99·0	50·0	68	5·2	3·21	10
December—Desember	25·929	68·2	61·0	83·6	60·1	71·8	94·0	54·0	68	2·9	1·48	4
YEAR—JAAR	26·026	58·1	53·6	79·0	50·7	64·8	99·0	30·0	77	3·2	14·34	52

* No correction for index-error applied.

Month—Maand.	Pressure. Druk.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.)	Cloud, (Amount 0-10.)	Rainfall—Reënval.	
				Self-registering Thermometers—Self-registrerende Termometers.								
	Barometric Means at 32° F.	Mean Dry Bulb.	Mean Wet Bulb.	Mean Maximum.	Mean Minimum.	Mean Monthly Temperatures.	Absolute Maximum.	Absolute Minimum.	Betrekklike Natheid. (Sat. = 100.)	Wolk. (Beloop tot 10.)		
	Barometriese Gemiddelde te 32° F.	Gemiddelde Droë Bol.	Gemiddelde Nat Bol.	Gemiddelde Maksimum.	Gemiddelde Minimum.	Gemiddelde Maandelikse Temperature.	Volstrekte Maksimum.	Volstrekte Minimum.				
1926.	Inches. Duime.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%		Inches. Duime.	Days—Dae.
PIET RETIEF. Lat. 27° 00′ S. Long. 30° 48′ E. Approximate Height above Sea-level, 4,134 feet.												
PIET RETIEF. Breedtegraad 27° 00′ S. Lengtegraad 30° 48′ O. Hoogte min of meer bo Seehoogte, 4,134 voet.												
January—Januarie	25·979	69·3	64·2	79·7	60·6	70·2	90·0	54·0	77	5·7	6·28	15
February—Februarie	25·958	70·8	65·2	82·0	61·2	71·6	92·0	57·5	75	4·8	6·83	11
March—Maart	26·047	64·7	60·1	76·5	56·8	66·6	85·6	49·0	78	5·6	5·14	9
April	26·100	62·6	56·4	75·1	51·2	63·2	83·0	41·0	70	2·8	0·16	5
May—Mei	26·066	56·0	49·7	70·6	44·8	57·7	81·0	33·0	66	1·6	1·38	4
June—Junie	26·186	50·0	45·2	63·9	40·2	52·0	75·6	32·5	71	3·0	0·33	2
July—Julie	26·142	48·5	42·7	63·9	36·4	50·2	79·0	24·1	64	1·1	0·04	2
August—Augustus	26·136	55·7	48·9	72·2	43·2	57·7	86·0	26·9	63	2·0	0·03	1
September	26·043	59·3	54·5	71·4	48·0	59·7	86·5	38·0	76	4·2	3·23	8
October—Oktober	25·997	64·9	57·3	77·2	53·5	65·4	88·0	44·0	64	4·5	1·18	9
November	25·988	63·2	57·1	73·7	53·4	63·6	92·0	44·0	71	4·6	4·54	12
December—Desember	25·947	68·9	62·6	79·4	57·9	68·6	90·0	51·8	71	4·8	6·95	10
YEAR—JAAR	26·049	61·2	55·3	73·8	50·6	62·2	92·0	24·1	70	3·7	36·09	88
POTCHEFSTROOM. Lat. 26° 44′ S. Long. 27° 05′ E. Height above Sea-level, 4,409 feet.												
POTCHEFSTROOM. Breedtegraad 26° 44′ S. Lengtegraad 27° 05′ O. Hoogte bo Seehoogte, 4,409 voet.												
January—Januarie	25·651	73·9	64·3	89·4	62·4	75·9	96·7	54·5	61	3·7	3·54	15
February—Februarie	25·647	72·8	65·0	87·2	61·2	74·2	94·4	53·0	68	3·0	4·39	11
March—Maart	25·748	67·2	61·4	80·8	56·8	68·8	89·5	50·0	73	3·4	3·30	11
April	25·817	62·6	55·7	78·1	47·8	63·0	84·9	37·0	66	1·5	0·63	5
May—Mei	25·779	52·6	47·4	71·0	37·8	54·4	77·9	26·8	69	3·1	0·45	4
June—Junie	25·872	46·1	42·2	66·2	33·7	50·0	76·0	25·2	74	2·3	0·77	2
July—Julie	25·875	41·1	36·9	60·7	27·5	44·1	69·4	13·6	70	0·9	0·67	1
August—Augustus	25·864	51·5	43·3	73·1	35·5	54·3	81·9	15·6	53	0·7	0·00	0
September	25·709	59·4	49·5	76·3	42·8	59·6	89·9	29·5	51	2·2	0·37	2
October—Oktober	25·644	68·9	57·2	82·8	52·1	67·4	93·2	37·9	50	2·4	1·57	8
November	25·662	68·6	57·4	82·7	54·5	68·6	91·9	37·6	52	4·0	1·20	11
December—Desember	25·637	73·4	62·5	85·4	60·1	72·8	90·6	53·8	56	3·6	4·94	13
YEAR—JAAR	25·742	61·5	53·6	77·6	47·7	62·6	96·7	13·6	62	2·7	21·83	83

PRETORIA (TOWN).

Lat. 25° 45′ S. Long. 28° 12′ E. Height above Sea-level, 4,350 feet.

PRETORIA (STAD).

Breedtegraad 25° 45′ S. Lengtegraad 28° 12′ O. Hoogte bo Seehoogte, 4,350 voet.

January—Januarie	25·735	71·4	63·8	87·0	62·9	75·0	93·7	56·3	69	3·6	3·59	9
February—Februarie	25·742	70·6	64·8	86·2	63·4	74·8	95·9	59·5	74	4·6	3·91	12
March—Maart	25·824	66·7	60·9	82·4	58·0	70·2	89·7	51·3	73	3·8	1·97	9
April	25·890	65·0	57·4	82·1	52·0	67·0	89·9	45·0	66	1·8	0·17	3
May—Mei	25·859	54·0	49·1	73·8	43·6	58·7	82·2	34·8	71	1·6	1·41	5
June—Junie	25·958	47·1	43·3	69·5	40·1	54·8	78·3	32·2	76	1·7	0·18	1
July—Julie	25·942	43·7	39·2	65·3	33·6	49·4	74·4	25·0	68	1·4	0·66	1
August—Augustus	25·941	54·6	47·4	76·1	39·5	57·8	86·7	26·8	60	0·9	0·00	0
September	25·821	61·9	53·0	80·1	48·3	64·2	93·8	38·2	57	2·6	0·70	1
October—Oktober	25·780	68·4	58·8	86·7	55·4	71·0	95·9	45·0	58	2·4	0·55	6
November	25·769	67·6	61·4	84·7	57·6	71·2	96·6	50·7	72	5·4	4·89	12
December—Desember	25·735	70·4	62·6	86·0	60·9	73·4	94·1	54·4	67	5·2	2·16	14
Year—Jaar	25·833	61·8	55·1	80·0	51·3	65·6	96·6	25·0	68	2·9	20·19	73

RUSTENBURG.

Lat. 25° 40′ S. Long. 27° 14′ E. Approximate Height above Sea-level, 3,900 feet.

RUSTENBURG.

Breedtegraad 25° 40′ S. Lengtegraad 27° 14′ O. Hoogte min of meer bo Seehoogte, 3,900 voet.

January—Januarie	26·248	75·8	67·3	89·9	63·0	76·4	98·0	56·0	65	—	4·18	15
February—Februarie	26·253	75·8	68·3	90·9	62·4	76·6	97·0	56·0	70	—	2·09	12
March—Maart	26·345	71·1	63·8	85·1	57·9	71·5	96·0	52·0	70	—	1·95	10
April	26·401	68·7	59·4	83·8	51·6	67·7	90·0	45·0	59	—	0·51	4
May—Mei	26·317*	56·7	50·0	73·2	42·5	57·8	81·0	36·0	63	1·9	1·89	3
June—Junie	26·407	53·4	46·9	69·1	37·0	53·0	77·0	30·0	64	2·3	0·17	2
July—Julie	26·412	48·2	41·2	65·2	33·8	49·5	74·0	24·0	56	1·3	0·99	2
August—Augustus	26·391	56·1	46·4	76·1	39·4	57·8	86·0	22·0	48	1·1	0·00	0
September	26·259	63·8	52·9	79·9	47·1	63·5	93·0	32·0	51	3·0	0·67	2
October—Oktober	26·219	71·4	58·5	86·7	54·3	70·5	95·0	38·0	47	2·1	0·18	4
November	26·207	71·0	58·7	85·8	59·2	72·5	96·0	52·0	50	4·4	4·10	7
December—Desember	26·185	72·7	64·4	86·0	61·6	73·8	94·0	56·0	65	4·5	1·37	13
Year—Jaar	26·304	65·4	56·5	81·0	50·8	65·9	98·0	22·0	59	—	18·10	74

STANDERTON.

Lat. 26° 57′ S. Long. 29° 15′ E. Approximate Height above Sea-level, 4,980 feet.

STANDERTON.

Breedtegraad 26° 57′ S. Lengtegraad 29° 15′ O. Hoogte min of meer bo Seehoogte, 4,980 voet.

January—Januarie	25·141	70·1	63·0	85·4	58·9	72·2	93·0	52·5	70	4·6	4·36	12
February—Februarie	25·138	69·1	62·5	84·9	58·2	71·6	91·5	50·6	72	4·4	2·35	11
March—Maart	25·223	62·5	57·8	79·4	53·5	66·4	87·5	43·9	76	5·6	1·95	11
April	25·271	56·6	51·8	78·4	43·9	61·2	85·5	35·0	74	3·0	1·12	2
May—Mei	25·231	46·9	43·1	69·4	34·7	52·0	78·5	25·5	75	1·8	1·72	6
June—Junie	25·326	39·7	37·6	63·6	31·1	47·4	72·0	23·0	85	2·1	1·46	3
July—Julie	25·301	34·0	30·2	61·5	22·9	42·2	72·0	13·0	66	0·8	0·25	1
August—Augustus	25·313	44·8	38·4	72·6	31·2	51·9	83·0	13·0	58	1·3	0·00	0
September	25·211	55·2	48·9	74·4	41·1	57·8	88·0	28·0	66	3·1	3·33	3
October—Oktober	25·157	64·9	55·2	81·3	48·0	64·6	91·5	34·9	55	3·6	1·80	6
November	25·159	63·7	56·0	80·5	51·4	66·0	88·5	40·5	64	6·0	2·30	9
December—Desember	25·129	70·7	60·6	83·6	56·1	69·8	91·5	50·5	58	4·5	2·49	7
Year—Jaar	25·217	56·5	50·4	76·2	44·3	60·2	93·0	13·0	68	3·4	23·13	71

Month—Maand.	Pressure. Druk.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.)	Cloud. (Amount 0–10.)	Rainfall—Reënval.	
				Self-registering Thermometers—Self-registrerende Termometers.								
	Barometric Means at 32° F.	Mean Dry Bulb.	Mean Wet Bulb.	Mean Maximum.	Mean Minimum.	Mean Monthly Temperatures.	Absolute Maximum.	Absolute Minimum.				
	Barometriese Gemiddelde te 32° F.	Gemiddelde Droë Bol.	Gemiddelde Nat Bol.	Gemiddelde Maksimum.	Gemiddelde Mienimum.	Gemiddelde Maandelikse Temperature.	Volstrekte Maksimum.	Volstrekte Mienimum.	Betreklike Natheid. (Sat. = 100.)	Wolk. (Beloop tot 10.)		
1925.	Inches. Duime.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%		Inches. Duime.	Days—Dae.
VEREENIGING. Lat. 26° 40′ S. Long. 27° 56′ E. Approximate Height above Sea-level, 4,750 feet.												
VEREENIGING. Breedtegraad 26° 40′ S. Lengtegraad 27° 56′ O. Hoogte min of meer bo Seehoogte, 4,750 voet.												
January—Januarie	25·375	72·0	63·4	87·2	60·4	73·8	96·0	55·0	64	4·3	5·15	7
February—Februarie	25·353	73·8	64·8	88·3	59·8	74·0	98·3	52·5	63	3·4	1·36	5
March—Maart	25·428	66·3	59·8	80·3	55·3	67·8	89·5	48·0	69	4·0	2·95	7
April	25·529	60·7	53·8	78·8	47·5	63·2	86·3	37·0	65	1·4	0·00	0
May—Mei	25·466	51·1	45·7	70·5	38·8	54·6	78·3	28·5	68	1·4	1·78	3
June—Junie	25·552	43·0	39·1	66·0	33·6	49·8	76·3	25·0	72	3·0	0·36	2
July—Julie	25·550	38·8	33·6	60·8	27·6	44·2	70·0	17·0	59	1·0	0·63	1
August—Augustus	25·545	49·2	41·3	72·8	33·1	53·0	82·5	16·5	52	1·1	0·00	0
September	25·447	58·0	48·6	77·2	42·2	59·7	90·5	29·5	52	1·7	1·44	2
October—Oktober	25·390	66·8	56·1	81·9	50·3	66·1	94·0	39·5	54	3·0	1·46	8
November	25·389	67·8	58·0	81·5	53·4	67·4	91·0	41·0	58	4·5	3·07	12
December—Desember	25·342	71·3	62·0	84·2	57·5	70·8	91·5	42·5	61	4·0	6·40	12
Year—Jaar	25·447	59·9	52·2	77·5	46·6	62·0	98·3	16·5	61	2·7	24·60	59
ZEERUST. Lat. 25° 32′ S. Long. 26° 05′ E. Approximate Height above Sea-level, 3,940 feet.												
ZEERUST. Breedtegraad 25° 32′ S. Lengtegraad 26° 05′ O. Hoogte min of meer bo Seehoogte, 3,940 voet.												
January—Januarie	26·136	74·6	65·2	90·2	64·7	77·4	97·0	58·0	62	3·2	2·06	16
February—Februarie	26·140	74·2	66·0	90·9	65·2	78·0	97·2	58·0	67	4·3	1·96	9
March—Maart	26·228	67·7	61·9	85·8	59·0	72·4	94·4	53·4	73	4·2	2·00	12
April	26·306	63·0	55·0	83·3	50·7	67·0	92·0	43·2	62	1·9	0·61	4
May—Mei	26·305	51·8	46·8	75·6	40·1	57·8	84·0	33·0	70	1·9	1·01	5
June—Junie	26·380	46·7	42·3	69·9	36·1	53·0	78·7	27·4	69	2·8	0·47	2
July—Julie	26·374	40·0	34·8	65·6	29·1	47·4	77·0	20·3	62	1·1	0·09	1
August—Augustus	26·368	56·9	42·4	77·0	36·8	56·9	86·2	22·2	75	0·6	0·00	0
September	26·237	59·5	49·6	80·2	44·6	62·4	93·0	33·3	51	2·0	0·34	2
October—Oktober	26·188	69·3	56·0	84·6	53·0	68·8	94·2	38·2	46	2·3	1·08	7
November	26·169	70·4	59·8	85·4	59·5	72·4	93·0	51·3	56	3·9	3·56	11
December—Desember	26·131	72·9	66·0	86·4	62·3	74·4	93·3	54·1	71	4·9	4·17	8
Year—Jaar	26·247	62·3	53·8	81·2	50·1	65·6	97·2	20·3	64	2·8	17·35	77

ZWARTKOP.

Lat. 25° 49′ S. Long. 28° 09′ E. Approximate Height above Sea-level, 4,740 feet.

ZWARTKOP.

Breedtegraad 25° 49′ S. Lengtegraad 28° 09′ O. Hoogte min of meer bo Seehoogte, 4,740 voet.

Time of observation 9 a.m.

January—Januarie	25·376	72·2	65·6	84·8	57·1	71·0	90·7	53·1	73	3·6	4·21	12
February—Februarie	25·382	71·8	64·7	86·0	60·7	73·4	94·6	55·7	71	4·3	2·17	10
March—Maart	25·467	68·0	61·1	79·9	55·1	67·5	87·2	46·5	69	4·5	2·44	8
April	25·528	65·3	56·3	81·3	47·8	64·6	86·7	39·2	60	2·0	0·34	2
May—Mei	25·491	57·2	50·9	70·7	38·6	54·6	78·7	28·7	67	2·5	1·60	5
June—Junie	25·587	50·7	45·4	65·6	33·9	49·8	75·7	25·8	68	2·5	0·15	1
July—Julie	25·588	46·0	40·6	61·2	28·6	44·9	69·6	21·0	66	1·4	0·81	1
August—Augustus	25·575	51·3	46·0	72·2	34·1	53·2	82·1	20·0	69	1·2	0·00	0
September	25·450	61·7	52·1	76·2	44·0	60·1	90·0	31·6	55	2·0	0·65	1
October—Oktober	25·411	68·1	56·9	82·6	53·4	68·0	90·7	41·5	52	2·3	0·51	5
November	25·397	67·5	57·6	81·4	55·3	68·4	93·7	46·0	57	4·9	4·39	10
December—Desember	25·372	70·1	62·3	82·9	58·6	70·8	91·1	53·2	67	5·0	2·54	10
YEAR—JAAR	25·469	62·5	55·0	77·1	47·3	62·2	94·6	20·0	65	3·0	19·81	65

ZWARTKOPJES.

Lat. 26° 21′ S. Long. 28° 03′ E. Approximate Height above Sea-level, 4,850 feet.

ZWARTKOPJES.

Breedtegraad 26° 21′ S. Lengtegraad 28° 03′ O. Hoogte min of meer bo Seehoogte, 4,850 voet.

January—Januarie	25·216*	69·8	63·5	85·1	59·4	72·2	92·7	53·5	72	3·9	5·57	13
February—Februarie	25·220	69·5	63·5	86·3	59·3	72·8	93·3	51·0	74	3·2	2·22	11
March—Maart	25·322	62·6	59·1	80·5	53·8	67·2	89·6	46·0	82	2·2	3·22	11
April	25·363	56·6	52·9	76·6	45·3	61·0	84·0	37·5	79	0·7	0·47	3
May—Mei	25·338	45·8	43·6	70·2	37·0	53·6	75·3	27·5	86	1·1	1·43	3
June—Junie	25·417	37·5	36·1	65·7	31·2	48·4	74·2	23·5	89	1·7	0·25	2
July—Julie	25·397	33·4	31·6	61·4	26·0	43·7	71·0	18·5	84	1·3	0·92	1
August—Augustus	25·402	42·1	38·1	73·1	31·9	52·5	82·6	14·0	71	0·1	0·00	0
September	25·263	56·2	50·0	75·8	41·5	58·6	91·0	30·5	67	0·7	0·48	1
October—Oktober	25·244	65·7	57·7	82·0	50·1	66·0	93·8	38·2	64	1·6	2·13	8
November	25·232	64·1	60·1	80·1	52·9	66·5	87·8	42·8	80	4·2	2·24	10
December—Desember	25·206	68·1	63·8	83·4	58·0	70·7	91·8	49·8	80	3·5	3·55	13
YEAR—JAAR	25·302	56·0	51·7	76·7	45·5	61·1	93·8	14·0	77	2·0	22·48	76

* No correction for index-error applied.

CAPE PROVINCE.

SUMMARIES OF METEOROLOGICAL OBSERVATIONS.

Thermometric Stations.—(A) Cape Province.

Time of Observation 8.30 a.m. (unless otherwise stated).

KAAP PROVINSIE.

OPSOMMING VAN METEOROLOGIESE WAARNEMINGS.

Termometriese Stasies.—(A) Kaap Provinsie.

Tyd van Waarneming 8.30 v.m. (behalwe dit anders vermeld word).

Month—Maand. 1926.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Self-registering Thermometers—Self-registrerende Termometers.								
			Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Mienimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Mienimum.			Inches. Duime.	Days—Dae.
	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
ALIWAL NORTH. Lat. 30° 41′ S. Long. 26° 40′ E. Approximate Height above Sea-level, 4,352 feet.											
ALIWAL NOORD. Breedtegraad 30° 41′ S. Lengtegraad 26° 40′ O. Hoogte min of meer bo Seehoogte, 4,352 voet.											
January—Januarie	73·9	62·1	91·7	58·8	75·2	98·5	42·5	53	1·8	0·57	6
February—Februarie	70·0	60·8	88·4	56·7	72·6	97·0	46·5	62	1·8	2·36	5
March—Maart	64·2	58·7	81·2	53·0	67·1	93·0	41·5	74	3·3	4·22	12
April	59·0	52·4	76·7	44·6	60·6	86·0	30·5	67	2·1	1·24	8
May—Mei	47·3	43·0	67·8	37·0	52·4	74·0	24·5	73	2·8	0·54	6
June—Junie	38·7	35·7	63·9	31·0	47·4	74·0	24·0	77	2·8	0·55	3
July—Julie	36·5	32·5	60·0	26·8	43·4	68·0	14·5	67	1·8	0·03	1
August—Augustus	44·7	38·0	71·0	32·1	51·6	79·5	21·0	56	1·2	0·01	1
September	54·3	46·1	73·1	40·1	56·6	87·0	27·5	55	2·2	0·65	5
October—Oktober	63·0	52·7	78·6	47·0	62·8	90·0	32·5	53	3·0	0·69	5
November	63·3	53·0	78·6	48·2	63·4	89·0	33·0	53	3·7	1·36	9
December—Desember	70·9	60·4	87·9	55·4	71·6	98·0	45·0	56	1·7	1·66	10
Year—Jaar	57·2	49·6	76·6	44·2	60·4	98·5	14·5	62	2·4	13·88	71
ANDRIESFONTEIN. Lat. 30° 57′ S. Long. 24° 35′ E. Approximate Height above Sea-level, 4,400 feet.											
ANDRIESFONTEIN. Breedtegraad 30° 57′ S. Lengtegraad 24° 35′ O. Hoogte min of meer bo Seehoogte, 4,400 voet.											
January—Januarie	72·3	65·5	92·3	57·0	74·6	98·1	47·0	72	2·1	0·36	2
February—Februarie	68·6	60·6	90·4	51·9	71·2	99·8	40·3	65	1·7	0·00	0
March—Maart	63·2	58·7	82·6	52·0	67·3	96·2	39·0	78	2·9	1·44	5
April	56·7	52·2	76·5	44·6	60·6	87·0	30·0	75	2·7	0·62	4
May—Mei	46·5	41·9	65·1	36·6	50·8	73·9	23·0	71	4·6	0·48	4
June—Junie	41·2	37·7	61·2	30·9	46·0	72·8	21·5	75	4·0	0·00	0
July—Julie	36·7	32·8	57·2	24·7	41·0	68·8	15·0	67	2·2	0·00	0
August—Augustus	43·1	37·9	67·0	29·3	48·2	77·3	15·0	65	3·2	0·00	0
September	51·3	45·4	69·3	36·5	52·9	83·4	24·0	66	2·7	0·21	1
October—Oktober	60·3	51·4	76·2	43·0	59·6	92·0	30·0	57	5·6	0·29	3
November	60·8	52·3	77·3	46·1	61·7	92·0	31·8	58	3·7	1·91	4
December—Desember	68·9	61·8	87·7	53·9	70·8	98·2	43·0	69	2·3	0·52	5
Year—Jaar	55·8	49·8	75·2	42·2	58·7	99·8	15·0	68	3·1	5·83	28

BELVEDERE.

Lat. 34° 03′ S. Long. 23° 03′ E.

BELVEDERE.

Breedtegraad 34° 03′ S. Lengtegraad 23° 03′ O.

January—Januarie	71·7	66·4	78·8	61·6	70·2	89·0	55·2	76	5·2	1·03	9
February—Februarie	67·7	63·4	77·0	59·4	68·2	90·4	54·9	79	4·1	3·59	15
March—Maart	64·8	61·7	75·4	58·6	67·0	86·8	48·8	85	5·5	3·87	14
April	Incomplete	—	—	—	—	—	—	—	—	1·13	5
May—Mei	54·9	52·6	70·3	49·6	60·0	85·4	40·0	86	4·9	1·13	13
June—Junie	51·5	49·8	69·0	48·1	57·6	80·9	39·5	83	4·2	2·23	8
July—Julie	49·4	47·4	64·9	44·4	54·6	81·5	34·7	87	4·9	2·79	15
August—Augustus	51·3	49·3	66·9	45·6	56·2	93·4	33·9	87	3·6	2·45	15
September	55·0	52·6	66·4	47·9	57·2	86·8	42·1	87	4·1	3·18	16
October—Oktober	60·8	57·1	70·7	52·0	61·4	92·9	43·0	80	6·5	3·39	12
November	64·1	59·3	71·2	54·3	62·8	89·3	47·8	77	6·6	5·16	11
December—Desember	69·3	63·6	75·2	57·7	66·4	84·8	50·2	74	5·9	0·83	8
Year—Jaar	—	—	—	—	—	—	—	—	—	30·78	141

BRITSTOWN.

Lat. 30° 35′ S. Long. 23° 33′ E. Approximate Height above Sea-level, 3,685.

BRITSTOWN.

Breedtegraad 30° 35′ S. Lengtegraad 23° 33′ O. Hoogte min of meer bo Seehoogte, 3,685 voet.

January—Januarie	—	—	96·6	62·9	79·8	103·0	47·0	—	—	0·00	0
February—Februarie	—	—	92·9	57·1	75·0	102·0	47·0	—	—	0·20	1
March—Maart	—	—	87·3	58·0	72·6	100·0	45·0	—	—	1·41	5
April	62·3	56·4	79·9	52·7	66·3	88·0	39·0	71	—	1·10	2
May—Mei	50·7	46·5	68·4	42·0	55·2	78·0	31·0	75	—	0·04	1
June—Junie	44·4	41·1	64·2	36·5	50·4	76·0	27·0	77	—	0·00	0
July—Julie	41·2	36·2	60·0	32·8	46·4	69·0	19·0	64	—	0·06	2
August—Augustus	47·7	42·7	69·3	36·0	52·6	82·0	17·0	68	—	0·00	0
September	55·6	47·8	72·9	42·2	57·6	86·0	29·0	58	—	0·27	1
October—Oktober	62·3	54·7	79·7	49·0	64·4	94·0	32·0	63	—	0·26	1
November	65·6	55·1	83·4	51·1	67·2	95·0	36·0	53	—	0·83	1
December—Desember	75·0	66·0	93·5	60·1	76·8	102·0	50·0	64	—	0·42	2
Year—Jaar	—	—	79·0	48·4	63·7	103·0	17·0	—	—	4·59	16

BULSHOEK.

Lat. 31° 59′ S. Long. 18° 45′ E. Approximate Height above Sea-level, 254 feet.

BULSHOEK.

Breedtegraad 31° 59′ S. Lengtegraad 18° 45′ O. Hoogte min of meer bo Seehoogte, 254 voet.

January—Januarie	70·6	58·9	91·6	61·0	76·3	106·0	55·0	48	0·8	0·00	0
February—Februarie	67·4	57·8	85·7	58·5	72·1	101·0	56·0	56	2·3	0·08	1
March—Maart	66·0	57·5	89·2	57·4	73·3	107·5	52·0	59	0·8	0·00	0
April	62·1	54·9	86·9	54·6	70·8	101·0	47·0	63	3·4	0·29	2
May—Mei	59·1	53·1	77·0	53·0	65·0	95·0	42·5	68	4·7	1·85	9
June—Junie	52·7	47·5	73·5	47·0	60·2	86·0	38·0	67	4·3	0·30	3
July—Julie	50·9	45·4	69·7	44·3	57·0	86·0	35·0	63	2·8	1·31	6
August—Augustus	51·5	46·4	73·5	44·9	59·2	96·0	34·0	68	3·0	0·67	7
September	55·8	49·6	76·6	48·9	62·8	100·0	42·0	65	2·6	0·11	4
October—Oktober	59·4	51·3	78·0	52·0	65·0	102·5	41·0	58	4·9	0·77	7
November	64·4	54·6	85·4	56·0	70·7	106·0	47·0	52	2·2	0·30	2
December—Desember	67·7	57·1	91·1	58·7	74·9	111·0	51·0	52	1·2	0·01	1
Year—Jaar	60·6	52·8	81·5	53·0	67·2	111·0	34·0	60	2·8	5·69	42

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Self-registering Thermometers—Self-registrerende Termometers. Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Mienimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Mienimum.			Inches. Duime.	Days—Dae.
1926.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
BUTHA BUTHE (BASUTOLAND). Lat. 28° 44′ S. Long. 28° 13′ E. Approximate Height above Sea-level, 5,500 feet.								**BUTHA BUTHE (BASOETOELAND).** Breedtegraad 28° 44′ S. Lengtegraad 28° 13′ O. Hoogte min of meer bo Seehoogte, 5,500 voet.			
January—Januarie	71·3	61·8	88·3	55·7	72·0	98·0	51·0	61	—	5·72	11
February—Februarie	70·4	61·1	86·3	55·0	70·6	94·0	48·0	61	—	3·89	4
March—Maart	61·7	58·0	74·7	51·4	63·0	85·0	40·0	82	—	4·95	13
April	58·7	52·4	75·0	43·8	59·4	81·0	34·0	68	—	0·07	2
May—Mei	49·1	43·5	67·0	35·8	51·4	75·0	27·0	68	—	0·59	6
June—Junie	40·6	37·1	61·7	30·0	45·8	73·0	23·0	74	—	1·02	6
July—Julie	36·3	32·1	59·2	23·9	41·6	68·0	10·0	66	—	0·12	2
August—Augustus	47·0	38·9	71·0	31·1	51·0	80·0	14·0	52	—	0·00	0
September	55·3	48·8	73·4	39·7	56·6	88·0	29·0	59	—	2·54	5
October—Oktober	62·2	52·9	76·4	46·5	61·4	90·0	35·0	56	—	4·83	10
November	62·9	55·7	76·2	48·8	62·5	86·0	38·0	66	—	5·73	11
December—Desember	68·8	60·6	—	54·3	—	—	42·0	64	—	5·25	12
YEAR—JAAR	57·0	50·2	—	43·0	—	—	10·0	65	—	34·71	82
CALA. Lat. 31° 31′ S. Long. 27° 40′ E. Approximate Height above Sea-level, —,— feet.								**CALA.** Breedtegraad 31° 31′ S. Lengtegraad 27° 40′ O. Hoogte min of meer bo Seehoogte, —,— voet.			
January—Januarie	71·3	63·8	85·2	58·5	71·8	96·0	52·0	69	3·3	4·84	9
February—Februarie	66·5	60·7	81·4	57·2	69·3	98·0	49·5	73	5·2	1·49	6
March—Maart	61·9	57·8	75·6	53·3	64·4	93·0	43·5	79	6·5	3·92	10
April	60·0	54·8	76·3	49·2	62·8	84·5	33·5	74	3·1	0·76	5
May—Mei	52·3	46·4	68·3	43·4	55·8	77·0	32·0	65	4·9	1·87	6
June—Junie	44·8	41·0	64·9	37·0	51·0	77·5	29·5	78	4·2	0·96	3
July—Julie	45·0	36·6	62·4	34·7	48·6	70·0	23·0	55	1·3	0·11	1
August—Augustus	52·6	40·9	71·7	41·0	56·4	84·0	27·5	36	1·8	0·00	0
September	56·1	44·9	70·4	43·7	57·0	86·5	29·5	42	2·7	2·23	5
October—Oktober	63·6	50·8	78·1	49·4	63·8	93·5	38·5	42	2·5	0·48	5
November	63·6	50·4	75·7	49·2	62·4	91·0	34·5	41	4·4	3·37	8
December—Desember	68·7	56·0	79·9	55·4	67·6	96·5	44·0	45	4·5	2·17	5
YEAR—JAAR	58·9	50·3	74·2	47·7	61·0	98·0	23·0	58	3·7	22·20	63

CAPE ST. BLAIZE (MOSSEL BAY).

Lat. 34° 12′ S. Long. 22° 09′ E. Approximate Height above Sea-level, 100 feet.

CAPE ST. BLAIZE (MOSSELBAAI).

Breedtegraad 34° 12′ S. Lengtegraad 22° 09′ O. Hoogte min of meer bo Seehoogte, 100 voet.

January—Januarie	70·0	66·0	76·4	65·1	70·8	80·0	58·0	81	4·5	0·71	7
February—Februarie	68·1	62·6	76·2	64·0	70·1	81·0	58·0	73	4·5	0·20	5
March—Maart	65·8	62·2	73·6	62·5	68·0	78·0	53·0	82	4·4	1·35	10
April	60·9	58·2	69·8	58·5	64·2	81·0	55·0	85	4·0	1·12	10
May—Mei	59·4	55·8	69·8	56·3	63·0	87·0	46·5	81	4·0	0·60	4
June—Junie	56·9	53·0	66·8	53·1	60·0	82·0	48·0	76	4·4	1·12	3
July—Julie	52·7	49·2	63·3	49·0	56·2	80·0	38·0	78	3·5	3·45	10
August—Augustus	54·4	50·0	64·5	50·5	57·5	87·5	40·0	73	4·2	1·08	6
September	56·3	53·3	64·2	52·2	58·2	76·0	43·0	83	4·2	1·52	6
October—Oktober	59·7	56·7	66·3	55·6	61·0	72·0	45·0	85	5·1	8·16	10
November	61·9	58·0	67·8	57·0	62·4	77·0	49·0	79	3·8	1·55	6
December—Desember	67·4	62·2	73·2	62·2	67·7	79·0	57·0	75	3·4	0·18	4
Year—Jaar	61·1	57·3	69·3	57·2	63·2	87·5	38·0	79	4·2	21·04	81

CAPE TOWN (GARDENS).

Lat. 33° 56′ S. Long. 18° 29′ E. Time of Observation 8 a.m.

KAAPSTAD (TUINE).

Breedtegraad 33° 56′ S. Lengtegraad 18° 29′ O. Tyd van Waarneming 8 v.m.

January—Januarie	66·3	62·3	79·5	61·8	70·6	98·0	54·0	80	2·5	—	—
February—Februarie	63·4	59·1	75·4	60·0	67·7	92·0	55·0	78	3·5	—	—
March—Maart	64·6	60·1	85·2	61·2	73·2	98·0	52·0	77	2·4	—	—
April	62·0	57·3	80·5	59·3	69·9	93·0	51·0	75	3·0	—	—
May—Mei	58·7	54·6	72·6	56·4	64·5	93·0	45·0	77	4·8	—	—
June—Junie	55·4	51·4	72·4	52·5	62·4	86·0	45·0	76	4·0	—	—
July—Julie	52·5	48·4	67·1	49·7	58·4	84·0	37·0	75	4·4	—	—
August—Augustus	53·5	49·5	71·3	49·5	60·4	85·0	40·0	76	6·4	—	—
September	55·0	51·3	72·0	50·7	61·4	85·0	45·0	78	4·3	—	—
October—Oktober	57·5	53·7	69·8	53·2	61·5	93·0	44·0	79	5·4	—	—
November	61·1	55·9	74·6	56·5	65·6	95·0	46·0	73	3·3	—	—
December—Desember	65·1	59·3	80·0	60·8	70·4	96·0	52·0	71	2·4	—	—
Year—Jaar	59·6	55·2	75·0	56·0	65·5	98·0	37·0	76	3·9	—	—

CATHCART.

Lat. 32° 18′ S. Long. 27° 09′ E. Approximate Height above Sea-level, 3,900 feet.

CATHCART.

Breedtegraad 32° 18′ S. Lengtegraad 27° 09′ O. Hoogte min of meer bo Seehoogte, 3,900 voet.

January—Januarie	65·1	58·4	83·9	54·8	69·4	96·0	47·0	69	4·2	5·07	10
February—Februarie	61·0	56·8	77·2	53·4	65·3	91·0	45·0	79	5·3	1·88	10
March—Maart	59·0	54·4	74·3	51·1	62·7	93·0	39·0	77	4·9	4·36	14
April	59·3	52·4	73·0	49·7	61·4	84·0	36·0	65	2·3	0·84	6
May—Mei	53·5	46·8	65·4	45·5	55·4	76·0	33·0	62	2·0	1·17	4
June—Junie	49·6	43·3	62·2	42·6	52·4	75·0	32·0	62	1·4	1·12	5
July—Julie	46·3	38·8	57·9	38·4	48·2	67·0	26·0	50	0·6	0·25	3
August—Augustus	52·3	43·5	65·5	42·2	53·8	80·0	28·0	50	1·7	0·09	2
September	52·8	45·9	66·6	43·6	55·1	84·0	30·0	59	2·8	3·31	7
October—Oktober	57·9	50·9	72·0	45·5	58·8	91·0	33·0	64	2·4	1·65	8
November	56·2	51·4	71·4	45·5	58·4	86·0	34·0	74	3·0	3·67	10
December—Desember	61·3	56·1	76·6	50·8	63·7	97·0	41·0	75	3·6	2·97	11
Year—Jaar	56·2	49·9	70·5	46·9	58·7	97·0	26·0	66	2·8	26·38	90

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Self-registering Thermometers—Self-registrerende Termometers.								
			Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Mienimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Mienimum.			Inches. Duime.	Days—Dae.
1926.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
CERES. Lat. 33° 22′ S. Long. 19° 19′ E. Approximate Height above Sea-level, 1,500 feet.											
CERES. Breedtegraad 33° 22′ S. Lengtegraad 19° 19′ O. Hoogte min of meer bo Seehoogte, 1,500 voet.											
January—Januarie	70·2	62·2	87·2	54·8	71·0	100·3	43·0	64	1·7	0·11	2
February—Februarie	64·2	58·3	81·7	51·7	66·7	91·5	45·4	70	2·1	1·46	4
March—Maart	61·1	56·1	84·3	51·2	67·8	98·0	38·5	75	1·5	0·04	1
April	50·8	48·1	80·6	44·3	62·4	94·0	36·2	83	1·8	1·51	2
May—Mei	47·7	45·4	69·6	43·2	56·4	84·6	32·0	84	5·4	5·96	11
June—Junie	39·4	38·1	67·3	34·3	50·8	75·9	23·5	89	2·9	0·91	4
July—Julie	39·4	37·7	61·4	35·0	48·2	74·8	28·4	86	3·7	6·88	11
August—Augustus	43·0	40·7	65·7	37·1	51·4	83·7	28·4	83	3·8	3·30	9
September	46·8	44·2	69·0	39·5	54·2	86·5	33·6	82	3·3	1·60	8
October—Oktober	55·1	50·2	72·2	44·4	58·3	96·0	32·6	72	4·0	4·68	11
November	62·8	54·6	77·7	50·3	64·0	95·7	39·7	58	3·2	1·91	9
December—Desember	69·6	59·2	85·7	53·1	69·4	97·2	43·1	54	1·2	0·00	0
YEAR—JAAR	54·2	49·6	75·2	44·9	60·0	100·3	23·5	75	2·9	28·36	72
CLANWILLIAM. Lat. 32° 10′ S. Long. 18° 59′ E. Approximate Height above Sea-level, 245 feet.											
CLANWILLIAM. Breedtegraad 32° 10′ S. Lengtegraad 18° 59′ O. Hoogte min of meer bo Seehoogte, 245 voet.											
January—Januarie	Incomplete	—	—	—	—	—	—	—	—	0·00	0
February—Februarie	61·7	57·1	86·7	56·0	71·4	99·5	51·0	77	2·8	0·04	2
March—Maart	57·3	53·9	90·8	53·6	72·2	106·0	42·0	81	1·9	0·00	0
April	56·7	52·9	87·6	49·0	68·3	100·2	40·0	78	1·5	0·00	0
May—Mei	52·4	50·2	73·6	47·7	60·6	92·0	36·0	87	4·8	1·19	8
June—Junie	48·5	46·0	72·4	42·8	57·6	83·0	35·0	86	3·2	0·47	3
July—Julie	45·8	43·9	67·7	39·7	53·7	84·0	31·0	89	2·9	0·89	4
August—Augustus	48·3	46·4	72·2	41·9	57·0	94·0	31·5	89	4·7	0·44	3
September	51·4	48·3	75·5	42·7	59·1	97·0	36·0	81	3·6	0·26	3
October—Oktober	54·3	50·6	77·4	47·8	62·6	100·5	38·0	77	4·3	1·07	6
November	61·1	54·9	83·1	53·4	68·3	104·0	41·5	68	3·5	0·26	3
December—Desember	63·5	57·0	84·6	53·9	69·2	104·0	48·5	67	1·7	0·00	0
YEAR—JAAR	—	—	—	—	—	—	—	—	—	4·62	32

COMMANDOKRAAL.

Lat. 33° 33′ S. Long. 25° 40′ E.

COMMANDOKRAAL.

Breedtegraad 33° 33′ S. Lengtegraad 25° 40′ O.

January—Januarie	73·5	67·6	86·6	61·2	73·9	95·5	54·0	74	4·3	0·24	3
February—Februarie	71·4	65·4	86·3	61·0	73·6	110·0	51·0	73	3·9	0·15	2
March—Maart	66·7	62·5	83·5	57·5	70·5	100·5	47·0	79	3·8	1·04	8
April	62·6	59·4	82·2	50·9	66·6	94·0	41·0	83	2·9	0·11	3
May—Mei	54·6	52·2	74·7	46·5	60·6	93·0	31·0	86	4·5	0·26	7
June—Junie	48·6	47·1	71·8	41·3	56·6	86·0	33·0	90	3·8	1·06	6
July—Julie	46·1	44·1	69·2	39·2	54·2	82·0	27·5	86	2·9	0·12	3
Augustus—Augustus	52·6	50·6	72·9	44·0	58·4	93·5	33·5	87	3·0	0·55	5
September	56·6	53·3	74·2	46·8	60·5	100·2	34·0	80	2·9	0·72	7
October—Oktober	63·8	58·9	78·5	51·6	65·0	106·0	38·0	75	3·5	0·99	7
November	66·8	60·7	79·2	53·1	66·2	103·0	37·0	70	3·3	2·97	9
December—Desember	72·3	64·3	82·5	57·8	70·2	104·0	50·0	65	2·3	0·27	3
Year—Jaar	61·3	57·2	78·5	50·9	64·7	110·0	27·5	79	3·4	8·48	63

CONCORDIA.

Lat. 29° 31′ S. Long. 17° 58′ E. Approximate Height above Sea-level, 3,350 feet.

CONCORDIA.

Breedtegraad 29° 31′ S. Lengtegraad 17° 58′ O. Hoogte min of meer bo Seehoogte, 3,350 voet.

January—Januarie	76·0	55·8	88·7	59·5	74·1	98·5	44·0	28	1·9	0·00	0
February—Februarie	67·1	52·6	82·4	53·6	68·0	94·0	43·8	39	1·7	0·15	3
March—Maart	67·0	52·9	85·2	56·1	70·6	95·8	40·0	41	1·4	0·00	0
April	63·5	51·2	81·3	53·7	67·5	88·5	42·0	44	1·6	0·00	0
May—Mei	52·2	46·3	67·3	46·6	57·0	78·0	34·0	65	5·3	0·50	5
June—Junie	48·2	42·2	64·0	—	—	77·5	—	62	3·3	0·62	4
July—Julie	44·1	38·7	59·1	—	—	69·5	—	63	1·5	1·36	3
August—Augustus	46·6	40·5	64·7	—	—	83·0	—	60	4·8	0·77	6
September	51·8	44·6	69·7	—	—	87·0	—	58	2·8	0·20	3
October—Oktober	56·7	46·1	72·3	46·9	59·6	92·0	32·0	44	—	1·56	7
November	61·8	50·1	76·5	50·7	63·6	94·0	39·0	44	3·9	0·19	3
December—Desember	71·6	55·1	85·5	56·3	70·9	95·5	45·0	35	1·1	0·00	0
Year—Jaar	58·9	48·0	74·7	—	—	98·5	—	49	—	5·35	34

DANGER POINT.

Lat. 34° 37′ S. Long. 19° 18′ E. Approximate Height above Sea-level, 64 feet.

DANGER POINT.

Breedtegraad 34° 37′ S. Lengtegraad 19° 18′ O. Hoogte min of meer bo Seehoogte, 64 voet.

January—Januarie	68·6	64·0	74·0	60·0	67·0	82·0	55·0	78	4·1	0·61	7
February—Februarie	67·8	62·2	73·1	59·3	66·2	83·0	53·0	73	4·1	0·63	6
March—Maart	64·1	61·0	69·7	57·6	63·6	80·0	46·0	84	4·1	0·51	10
April	61·4	58·8	66·5	55·8	61·2	72·0	46·0	86	4·2	0·49	5
May—Mei	59·1	56·1	66·4	53·5	60·0	76·0	44·0	85	4·6	2·24	9
June—Junie	55·3	53·8	62·0	50·6	56·3	72·0	44·0	91	4·9	1·80	7
July—Julie	53·8	50·9	60·8	47·9	54·4	79·0	38·0	83	5·1	3·51	14
August—Augustus	54·1	51·9	61·8	49·0	55·4	78·0	42·0	87	5·0	1·64	7
September	56·3	54·2	62·0	50·6	56·3	70·0	44·0	88	4·6	1·04	6
October—Oktober	59·4	55·6	64·3	52·6	58·4	76·0	41·0	80	4·5	7·32	8
November	61·9	57·2	66·4	54·7	60·6	72·0	45·0	75	4·1	0·50	3
December—Desember	65·1	60·6	70·5	57·0	63·8	81·0	50·0	77	4·5	0·04	1
Year—Jaar	60·6	57·2	66·5	54·0	60·2	83·0	38·0	82	4·5	20·33	83

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Self-registering Thermometers—Self-registrerende Termometers.								
			Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Minimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Minimum.			Inches. Duime.	Days—Dae.
1926.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
DARLING.											
Lat. 33° 22′ S. Long. 18° 23′ E. Approximate Height above Sea-level, 378 feet.											
DARLING.											
Breedtegraad 33° 22′ S. Lengtegraad 18° 23′ O. Hoogte min of meer bo Seehoogte, 378 voet.											
January—Januarie	70·6	62·8	81·4	59·5	70·4	94·0	52·5	65	1·4	0·22	1
February—Februarie	63·8	58·8	76·3	57·3	66·8	87·0	50·0	75	2·0	0·95	5
March—Maart	64·5	58·6	80·8	57·8	69·3	98·0	47·0	70	1·2	0·22	3
April	59·5	55·5	77·4	54·7	66·0	96·5	45·5	78	2·5	0·87	5
May—Mei	54·7	51·7	70·5	51·4	62·0	86·0	40·5	83	4·6	2·83	12
June—Junie	52·5	49·6	66·3	46·9	56·6	76·0	39·0	82	3·1	0·84	6
July—Julie	46·5	44·6	61·4	42·6	52·0	76·0	34·5	86	3·7	4·20	19
August—Augustus	50·7	47·9	65·6	44·4	55·0	84·0	34·0	82	4·5	1·59	13
September	55·1	50·6	68·1	46·1	57·1	86·0	39·0	73	2·8	1·40	9
October—Oktober	58·1	53·5	70·6	49·4	60·0	95·0	39·5	74	4·5	2·43	13
November	61·5	53·8	72·1	51·3	61·7	98·5	44·0	60	2·7	0·50	7
December—Desember	62·0	57·4	79·2	55·2	67·2	90·0	47·5	76	2·1	0·00	0
Year—Jaar	58·3	53·7	72·5	51·4	62·0	98·5	34·0	75	2·9	16·05	93
DE DOORNS.											
Lat. 33° 29′ S. Long. 19° 44′ E. Approximate Height above Sea-level, 1,572 feet.											
DE DOORNS.											
Breedtegraad 33° 29′ S. Lengtegraad 19° 44′ O. Hoogte min of meer bo Seehoogte, 1,572 voet.											
January—Januarie	70·1	63·7	89·6	57·9	73·8	103·0	51·0	71	—	0·00	0
February—Februarie	66·2	62·0	84·1	52·8	68·4	93·0	42·0	79	—	0·19	2
March—Maart	64·9	59·6	83·9	54·1	69·0	99·0	43·0	73	—	0·01	1
April	61·2	56·2	81·5	50·7	66·1	95·0	42·0	75	—	0·00	0
May—Mei	54·5	51·1	70·5	47·6	59·0	82·0	37·0	80	—	1·96	8
June—Junie	47·2	44·6	68·0	41·5	54·8	82·0	34·0	83	—	0·56	2
July—Julie	44·8	42·3	63·2	38·5	50·8	76·0	31·0	83	—	1·70	7
August—Augustus	49·7	46·0	66·7	41·9	54·3	88·0	33·0	75	—	0·57	3
September	53·6	49·1	71·7	42·8	57·2	90·0	35·0	73	—	0·39	6
October—Oktober	60·3	52·8	75·2	46·7	62·0	99·0	34·0	60	—	2·49	6
November	62·4	54·9	74·5	49·4	62·0	96·0	39·0	61	—	0·20	2
December—Desember	71·8	64·2	89·3	55·4	72·4	99·0	49·0	67	—	0·00	0
Year—Jaar	58·9	53·9	76·5	48·3	62·4	103·0	31·0	73	—	8·07	37

DIKGATLONG RANCH (BECHUANALAND).
Lat. 25° 27′ S. Long. 27° 15′ E.

DIKGATLONG RANCH (BETSJOEANALAND).
Breedtegraad 25° 27′ S. Lengtegraad 27° 15′ O.

January—Januarie	79·8	69·8	95·0	68·8	81·9	102·5	62·0	62	4·8	2·32	6
February—Februarie	78·6	71·6	93·1	69·4	81·2	104·0	65·0	72	6·0	1·54	9
March—Maart	72·2	66·4	86·7	61·9	74·3	94·0	54·0	75	5·2	1·56	6
April	68·2	59·3	85·6	55·6	70·6	96·0	45·0	60	2·6	0·00	0
May—Mei	61·5	55·3	81·2	44·9	63·0	90·0	35·0	69	1·7	0·27	2
June—Junie	56·0	51·2	74·7	40·6	57·6	84·0	31·0	73	2·1	0·00	0
July—Julie	51·3	46·4	71·0	35·8	53·4	80·0	27·0	70	1·6	1·04	3
August—Augustus	58·8	55·2	79·4	40·7	60·0	94·0	26·0	81	0·1	0·00	0
September	66·3	58·2	85·7	51·7	68·7	98·0	36·0	62	3·0	0·00	0
October—Oktober	74·7	64·1	91·1	59·2	75·2	102·0	48·0	57	3·3	0·25	2
November	75·8	68·3	91·0	65·4	78·2	104·0	58·0	68	4·8	2·43	7
December—Desember	77·8	70·9	89·9	65·7	77·8	98·0	60·0	72	3·5	2·37	5
Year—Jaar	68·4	61·4	85·4	55·0	70·2	104·0	26·0	68	3·2	11·78	40

EMYANYANA.
Lat. 31° 48′ S. Long. 28° 08′ E.

EMYANYANA.
Breedtegraad 31° 48′ S. Lengtegraad 28° 08′ O.

January—Januarie	70·5	64·4	85·2	61·2	73·2	99·9	50·6	72	—	5·54	14
February—Februarie	66·7	62·1	79·9	59·6	69·8	94·6	52·2	78	—	2·66	18
March—Maart	64·0	59·6	76·8	56·9	66·8	96·6	46·1	78	—	4·08	19
April	62·6	58·0	78·1	53·6	65·8	89·6	40·8	77	3·7	0·55	6
May—Mei	57·0	52·0	70·5	49·1	59·8	81·7	37·1	73	3·5	2·27	6
June—Junie	53·2	44·6	67·3	45·3	56·3	82·6	35·0	52	2·6	1·13	6
July—Julie	52·9	45·5	66·3	42·3	54·3	75·4	32·0	57	1·2	0·04	1
August—Augustus	55·5	48·6	71·7	46·6	59·2	88·7	34·5	62	3·4	0·20	4
September	57·8	51·2	71·4	48·4	59·9	92·5	37·5	65	3·2	3·45	9
October—Oktober	61·4	56·8	77·0	—	—	98·0	—	77	4·4	2·80	13
November	63·0	57·1	75·7	52·7	64·2	92·4	41·1	71	4·7	2·88	12
December—Desember	66·8	61·2	79·0	57·8	68·4	103·1	49·4	73	5·5	4·28	13
Year—Jaar	61·0	55·1	74·9	—	—	103·1	—	70	—	29·88	121

FRANCISTOWN (BECHUANALAND).
Lat. 21° 08′ S. Long. 27° 35′ E. Approximate Height above Sea-level, 3,254 feet.

FRANCISTOWN (BETSJOEANALAND).
Breedtegraad 21° 08′ S. Lengtegraad 27° 35′ O. Hoogte min of meer bo Seehoogte, 3,254 voet.

January—Januarie	75·6	66·9	89·2	64·4	76·8	97·0	59·0	64	—	2·43	5
February—Februarie	76·6	68·7	89·2	66·6	77·9	100·0	62·0	67	—	5·14	13
March—Maart	68·8	64·3	80·3	60·7	70·5	88·0	52·0	79	4·7	3·04	8
April	69·7	60·5	82·2	52·6	67·4	91·0	40·0	61	2·2	0·03	1
May—Mei	63·2	55·4	80·6	49·4	65·0	89·0	38·0	63	1·4	0·14	2
June—Junie	59·2	51·8	73·6	—	—	84·0	—	63	1·5	0·00	0
July—Julie	55·5	47·9	69·8	37·9	53·8	81·0	29·0	59	2·6	0·20	1
August—Augustus	62·9	51·7	77·8	43·2	60·5	90·0	33·0	46	0·6	0·00	0
September	70·6	58·7	86·9	52·7	69·8	97·0	39·0	50	1·0	0·00	0
October—Oktober	76·4	62·4	90·6	59·7	75·2	100·0	49·0	46	2·2	1·07	4
November	76·1	65·4	88·6	62·6	75·6	105·0	56·0	57	3·8	0·62	5
December—Desember	77·9	68·6	88·2	64·5	76·4	97·0	60·0	62	3·5	2·71	6
Year—Jaar	69·4	60·2	83·1	—	—	105·0	—	60	—	15·38	45

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Self-registering Thermometers—Self-registrerende Termometers. Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Minimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Minimum.			Inches. Duime.	Days—Dae.
1926.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
GABERONES (BECHUANALAND). Lat. 24° 40′ S. Long. 25° 55′ E. Approximate Height above Sea-level, 3,329 feet.								**GABERONES (BETSJOEANALAND).** Breedtegraad 24° 40′ S. Lengtegraad 25° 55′ O. Hoogte min of meer bo Seehoogte, 3,329 voet.			
January—Januarie	76·4	67·6	92·7	64·6	78·6	100·5	58·0	64	4·5	5·27	13
February—Februarie	81·0	71·0	94·3	58·5	76·4	101·0	48·0	62	—	0·93	7
March—Maart	72·3	65·7	87·4	61·1	74·2	97·0	52·0	72	4·3	2·69	10
April	66·3	57·6	85·3	50·5	67·9	93·0	42·0	58	1·4	0·08	5
May—Mei	52·2	48·3	77·3	40·8	59·0	85·0	32·0	77	1·2	0·64	6
June—Junie	48·9	45·7	71·8	38·7	55·2	81·0	29·0	80	2·4	0·60	6
July—Julie	41·0	36·9	67·9	31·1	49·5	77·0	22·0	71	1·6	0·18	3
August—Augustus	50·5	45·5	78·5	36·0	57·2	89·0	25·0	69	0·8	0·00	0
September	62·8	56·5	83·2	48·1	65·6	97·0	38·0	68	1·2	1·19	2
October—Oktober	71·4	62·1	89·0	56·4	72·7	99·0	45·0	61	2·5	0·58	5
November	69·1	61·7	89·1	61·8	75·4	98·0	55·0	67	—	3·88	9
December—Desember	71·7	—	91·3	63·4	77·4	100·0	56·0	—	—	1·07	12
YEAR—JAAR	63·6	—	84·0	50·9	67·4	101·0	22·0	—	—	17·11	78
GHANZI (BECHUANALAND). Lat. 21° 30′ S. Long. 21° 45′ E.								**GHANZI (BETSJOEANALAND).** Breedtegraad 21° 30′ S. Lengtegraad 21° 45′ O.			
January—Januarie	77·1	67·2	94·4	64·6	79·5	98·5	60·0	60	2·7	2·04	6
February—Februarie	77·2	67·8	95·3	65·3	80·3	101·2	61·0	62	3·1	0·22	3
March—Maart	71·4	64·9	88·5	60·2	74·4	94·0	53·0	72	2·6	0·62	4
April	68·9	60·3	85·3	54·8	70·0	92·0	44·0	62	2·9	0·36	3
May—Mei	58·8	53·3	78·0	45·5	61·8	84·9	36·5	70	2·5	1·74	5
June—Junie	52·2	46·1	73·4	40·9	57·2	82·4	30·8	65	2·1	0·31	2
July—Julie	48·2	40·6	68·7	33·4	51·0	77·5	16·3	52	1·4	0·00	0
August—Augustus	54·5	44·0	79·8	41·0	60·4	88·6	23·8	42	0·5	0·00	0
September	61·0	49·4	86·1	48·0	67·0	96·0	33·0	45	0·9	0·15	1
October—Oktober	71·4	58·1	89·3	55·9	72·6	98·0	41·5	46	2·5	0·92	3
November	73·2	65·5	89·0	62·4	75·7	95·5	53·0	67	4·7	4·46	11
December—Desember	74·1	69·4	87·9	63·1	75·5	97·0	58·8	79	4·5	4·28	20
YEAR—JAAR	65·7	57·2	84·6	52·9	68·8	101·2	16·3	60	2·5	15·60	58

GOMO (BECHUANALAND).
Lat. —° —′ S. Long. —° —′ E.

GOMO (BETJOEANALAND).
Breedtegraad —° —′ S. Lengtegraad —° —′ O.

January—Januarie	80·7	68·2	95·8	66·0	80·9	101·0	59·0	53	—	0·40	4
February—Februarie	79·9	70·7	95·8	67·8	81·8	104·0	62·0	64	—	1·51	6
March—Maart	72·0	65·6	84·5	60·8	72·6	90·0	52·0	73	7·2	8·01	7
April	66·9	59·7	85·4	54·0	69·7	93·0	41·5	66	3·6	0·00	0
May—Mei	60·0	53·7	80·7	45·1	62·9	89·0	37·6	67	1·1	0·85	4
June—Junie	52·5	49·0	75·6	41·5	58·6	85·3	33·2	79	0·6	0·21	2
July—Julie	Incomplete	—	—	—	—	—	—	—	—	0·00	0
August—Augustus	No records	—	—	—	—	—	—	—	—	—	—
September	66·9	55·0	91·1	50·1	70·6	99·5	33·2	46	1·6	0·00	0
October—Oktober	74·8	62·5	93·6	59·7	76·6	103·6	48·0	52	3·2	0·05	1
November	76·3	65·7	95·7	64·5	80·1	104·5	58·0	57	4·7	0·51	4
December—Desember	77·4	69·4	92·1	67·4	79·8	104·5	62·5	68	3·3	1·79	8
YEAR—JAAR	—	—	—	—	—	—	—	—	—	—	—

GOODHOUSE.
Lat. 28° 56′ S. Long. 18° 13′ E.

GOODHOUSE.
Breedtegraad 28° 56′ S. Lengtegraad 18° 13′ O.

January—Januarie	80·0	68·1	104·3	71·5	87·9	112·0	58·0	55	2·6	0·00	0
February—Februarie	73·6	62·1	98·2	65·9	82·0	108·0	57·0	54	1·7	0·02	2
March—Maart	73·8	62·7	99·5	67·6	83·6	109·0	55·0	55	1·7	0·01	1
April	68·5	59·7	94·4	63·5	79·0	102·0	53·0	61	1·3	0·01	1
May—Mei	57·9	—	79·9	53·0	66·4	91·0	40·0	—	3·4	0·11	1
June—Junie	50·3	—	75·5	45·6	60·6	87·0	36·0	—	2·4	0·07	1
July—Julie	47·1	—	73·8	42·3	58·0	84·0	31·0	—	1·1	0·08	1
August—Augustus	51·0	43·1	78·4	46·4	62·4	97·0	31·0	51	2·7	0·00	0
September	58·1	47·3	84·0	51·0	67·5	101·0	43·0	44	2·1	0·00	0
October—Oktober	64·7	51·7	88·3	56·3	72·3	109·0	47·0	41	3·0	0·10	4
November	72·1	57·7	92·6	62·3	77·4	108·0	52·0	42	2·3	0·23	4
December—Desember	79·4	62·4	102·2	69·3	85·8	110·0	61·0	39	1·2	0·00	0
YEAR—JAAR	64·7	—	89·3	57·9	73·6	112·0	31·0	—	2·1	0·63	15

GRAAFF-REINET (THE CONVENT).
Lat. 32° 16′ S. Long. 24° 32′ E. Approximate Height above Sea-level, 2,463 feet.

GRAAFF-REINET (THE CONVENT).
Breedtegraad 32° 16′ S. Lengtegraad 24° 32′ O. Hoogte min of meer bo Seehoogte, 2,463 voet.

January—Januarie	70·1	62·5	95·2	61·5	78·4	108·5	53·0	67	2·8	0·35	2
February—Februarie	67·6	60·3	93·7	59·9	76·8	107·4	53·7	67	3·8	0·23	1
March—Maart	64·8	58·7	87·8	57·3	72·6	102·5	44·0	70	4·3	0·56	4
April	60·9	54·6	83·4	53·4	68·4	95·2	39·0	66	3·5	0·33	6
May—Mei	55·5	48·6	72·9	49·5	61·2	84·3	36·2	62	4·5	0·72	5
June—Junie	51·8	45·2	69·9	47·0	58·4	82·7	31·8	60	3·6	1·35	3
July—Julie	48·1	41·3	65·4	43·3	54·4	75·0	32·2	56	2·2	0·42	4
August—Augustus	53·7	45·1	73·3	47·5	60·4	89·8	32·0	51	2·8	0·05	2
September	56·9	49·4	75·7	49·2	62·4	94·2	33·0	58	3·0	0·52	4
October—Oktober	61·5	53·4	82·5	51·5	67·0	101·0	38·7	60	4·7	0·19	3
November	62·5	54·4	81·6	52·2	66·9	102·0	38·0	60	4·1	2·11	8
December—Desember	66·8	59·7	89·4	57·8	73·6	104·4	49·3	68	3·4	1·19	4
YEAR—JAAR	60·0	52·8	80·9	52·5	66·7	108·5	31·8	62	3·6	8·02	46

Month—Maand. 1926.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm). Mean Dry Bulb. Gemiddelde Droë Bol. °F.	Mean Wet Bulb. Gemiddelde Nat Bol. °F.	Self-registering Thermometers—Self-registrerende Termometers. Mean Maximum. Gemiddelde Maksimum. °F.	Mean Minimum. Gemiddelde Minimum. °F.	Mean Monthly Temperature. Gemiddelde Maandelikse Temperature. °F.	Absolute Maximum. Volstrekte Maksimum. °F.	Absolute Minimum. Volstrekte Minimum. °F.	Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. =00.) %	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval. Inches. Duime.	Days—Dae.
GRAAFF-REINET (VAN RYNEVELD'S PASS). Lat. 32° 16′ S. Long. 24° 32′ E. Approximate Height above Sea-level, 2,463 feet.											
January—Januarie	69·6	61·2	91·3	62·0	76·6	103·0	55·0	63	2·6	0·37	2
February—Februarie	67·4	59·2	88·6	59·6	74·1	105·0	53·0	63	3·6	0·27	1
March—Maart	64·7	58·1	84·6	57·0	70·8	100·0	45·0	67	3·7	0·47	7
April	61·5	54·5	81·2	52·9	67·0	93·0	40·0	65	2·6	0·56	4
May—Mei	55·1	49·1	70·9	47·1	59·0	83·0	33·0	66	4·5	0·71	5
June—Junie	49·5	44·8	68·3	43·4	55·8	81·7	30·4	70	4·4	1·30	3
July—Julie	48·1	41·0	63·4	40·2	51·8	72·6	30·3	56	3·2	0·45	3
August—Augustus	52·6	44·4	70·8	43·6	57·2	88·9	28·2	52	4·9	0·01	1
September	57·5	48·1	72·7	47·2	60·0	91·3	34·2	51	4·7	0·44	2
October—Oktober	62·7	52·8	79·8	51·2	65·5	98·4	39·9	51	5·6	0·19	2
November	63·9	54·5	79·1	52·5	65·8	97·8	39·6	56	5·0	2·34	7
December—Desember	67·6	59·2	86·8	57·1	72·0	102·8	50·6	62	4·4	1·55	2
Year—Jaar	60·0	52·2	78·1	51·2	64·6	105·0	28·2	60	4·1	8·66	39
GRASS RIDGE. Lat. 31° 44′ S. Long. 25° 28′ E.											
January—Januarie	71·7	62·5	92·4	58·5	75·4	101·0	48·5	62	0·6	0·47	1
February—Februarie	66·7	59·1	89·7	55·6	72·6	101·0	48·0	64	1·0	0·51	1
March—Maart	63·4	57·5	82·5	53·8	68·2	100·0	38·0	71	2·1	0·92	7
April	58·6	52·1	77·9	49·1	63·5	89·0	35·5	65	1·1	1·34	4
May—Mei	50·1	44·1	67·9	42·5	55·2	76·5	29·0	64	1·8	0·16	4
June—Junie	45·1	40·0	64·5	36·7	50·6	76·5	23·5	66	2·0	0·57	2
July—Julie	40·7	35·7	58·7	32·3	45·5	69·0	19·5	62	1·3	0·02	1
August—Augustus	47·6	40·5	69·3	37·4	53·4	81·0	19·5	55	0·6	0·00	0
September	53·4	46·2	71·4	42·0	56·7	87·0	30·0	59	1·8	0·68	3
October—Oktober	59·4	50·8	78·1	48·0	63·0	93·5	35·0	56	1·9	0·15	2
November	62·3	51·8	79·3	49·3	64·3	94·5	35·5	49	2·1	0·75	5
December—Desember	67·8	58·2	87·6	54·9	71·2	102·5	44·0	58	0·9	0·72	4
Year—Jaar	57·2	49·9	76·6	48·7	61·6	102·5	19·5	61	1·4	6·29	34

GROOT CONSTANTIA.

Lat. 34° 02′ S. Long. 18° 25′ E. Approximate Height above Sea-level, 150 feet.

GROOT CONSTANTIA.

Breedtegraad 34° 02′ S. Lengtegraad 18° 25′ O. Hoogte min of meer bo Seehoogte, 150 voet.

January—Januarie	70·0	63·5	77·8	59·4	68·6	88·0	53·0	70	3·1	0·86	2
February—Februarie	66·6	60·4	73·9	57·4	65·6	81·0	52·0	69	4·9	1·93	5
March—Maart	65·7	61·1	73·1	57·7	65·4	88·0	50·0	77	3·7	0·32	4
April	62·4	58·5	71·5	54·9	63·2	90·0	47·0	79	3·5	2·03	5
May—Mei	57·9	54·2	67·6	52·8	60·2	84·0	44·0	79	5·0	6·87	10
June—Junie	53·7	51·2	64·6	48·7	56·6	78·0	42·0	85	4·3	2·63	7
July—Julie	51·8	48·1	60·5	45·7	53·1	77·0	37·0	77	4·4	6·73	17
August—Augustus	53·7	49·7	62·9	46·9	54·9	85·0	39·0	76	5·3	4·87	14
September	55·6	51·8	63·0	47·9	55·4	83·0	43·0	78	4·6	3·22	11
October—Oktober	59·4	54·2	66·7	50·6	58·6	91·0	42·0	72	4·9	4·98	15
November	63·6	57·2	70·9	54·0	62·4	88·0	47·0	68	3·1	1·10	9
December—Desember	67·0	60·1	73·7	56·7	65·2	85·0	50·0	67	2·8	0·03	1
YEAR—JAAR	60·6	55·8	68·8	52·7	60·8	91·0	37·0	75	4·1	35·57	100

GROOT DRAKENSTEIN.

Lat. 33° 52′ S. Long. 19° 01′ E. Approximate Height above Sea-level, 540 feet.

GROOT DRAKENSTEIN

Breedtegraad 33° 52′ S. Lengtegraad 19° 01′ O. Hoogte min of meer bo Seehoogte, 540 voet.

January—Januarie	71·4	—	85·8	58·2	72·0	96·5	49·0	—	1·3	0·57	1
February—Februarie	65·5	—	80·9	53·8	67·4	94·0	47·0	—	2·9	1·71	5
March—Maart	66·9	59·0	83·0	56·3	69·6	102·0	45·0	62	1·8	0·16	2
April	61·2	55·8	79·2	51·5	65·4	94·5	45·0	72	1·9	1·29	3
May—Mei	54·6	51·7	70·0	47·8	58·9	85·0	33·0	83	4·7	6·64	13
June—Junie	48·1	46·0	67·2	42·7	55·0	78·0	35·0	86	2·8	2·47	4
July—Julie	45·8	—	61·1	40·6	50·8	78·0	34·0	—	4·2	5·78	16
Augustus—Augustus	47·7	—	65·2	42·2	53·7	83·0	32·5	—	4·9	3·65	11
September	53·3	48·8	68·9	44·5	56·7	87·5	39·0	72	3·0	3·02	9
October—Oktober	58·1	52·8	71·5	48·2	59·8	96·0	38·5	70	4·5	4·75	12
November	64·5	55·5	78·3	54·3	66·3	99·0	42·3	56	2·9	0·80	5
December—Desember	69·8	59·3	84·0	56·0	70·0	97·0	42·3	54	1·2	0·00	0
YEAR—JAAR	58·9	—	74·6	49·7	62·2	102·0	32·5	—	3·0	30·84	81

GROOTVALLEI.

Lat. 32° 12′ S. Long. 25° 00′ E.

GROOTVALLEI.

Breedtegraad 32° 12′ S. Lengtegraad 25° 00′ O.

January—Januarie	67·2	57·2	81·7	50·5	66·1	90·1	40·0	54	3·3	0·06	1
February—Februarie	63·6	54·0	79·8	49·2	64·5	87·9	39·7	55	3·0	0·04	1
March—Maart	61·1	53·0	74·4	48·3	61·4	87·5	34·9	61	2·8	1·41	5
April	58·2	49·3	70·3	44·1	57·2	79·5	28·8	53	2·3	0·60	4
May—Mei	47·4	41·7	57·2	37·6	47·4	68·5	25·4	64	4·3	1·29	3
June—Junie	44·3	38·8	56·4	36·0	46·2	69·2	27·0	62	2·7	0·68	2
July—Julie	38·2	34·0	51·5	32·2	41·8	68·5	20·4	66	2·7	0·36	2
August—Augustus	44·2	36·2	60·6	35·3	48·0	73·2	21·0	45	2·0	0·65	2
September	49·8	43·1	61·9	38·1	50·0	77·7	25·2	60	3·1	1·06	4
October—Oktober	57·8	46·3	67·9	42·3	55·1	86·5	28·5	41	3·9	0·37	2
November	No records	—	—	—	—	—	—	—	—	—	—
December—Desember	64·9	56·0	79·7	48·2	64·0	89·9	35·9	57	0·8	2·21	1
YEAR—JAAR	—	—	—	—	—	—	—	—	—	—	—

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Self-registering Thermometers—Self-registrerende Termometers. Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Minimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Minimum.			Inches. Duime.	Days—Dae.
1926.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
HARKERVILLE. Lat. 34° 03′ S. Long. 23° 12′ E. Approximate Height above Sea-level, 550 feet.								**HARKERVILLE.** Breedtegraad 34° 03′ S. Lengtegraad 23° 12′ O. Hoogte min of meer bo Seehoogte, 550 voet.			
January—Januarie	69·0	64·1	75·5	56·9	66·2	84·0	51·5	77	3·3	2·94	8
February—Februarie	68·0	62·5	74·9	56·2	65·6	88·5	52·0	74	3·9	4·03	10
March—Maart	64·0	61·3	73·9	56·3	65·1	88·8	45·1	86	4·8	5·52	8
April	61·0	58·4	73·3	52·6	63·0	91·4	43·0	87	4·3	1·15	3
May—Mei	56·6	53·7	69·8	50·5	60·2	85·0	40·9	82	5·6	0·97	6
June—Junie	55·2	51·8	68·6	47·6	58·1	82·0	40·1	80	3·6	2·71	3
July—Julie	50·8	48·5	62·7	44·5	53·6	78·0	36·5	85	4·7	5·60	14
August—Augustus	52·4	49·6	65·2	45·6	55·4	91·4	34·5	84	4·7	4·02	9
September	55·2	51·5	64·9	46·7	55·8	88·9	39·8	78	5·0	4·14	13
October—Oktober	59·1	55·9	67·9	49·8	58·8	92·8	41·2	83	5·1	4·41	10
November	60·6	58·0	68·8	51·2	60·0	94·9	44·2	87	5·1	7·66	11
December—Desember	65·6	61·6	73·1	54·8	64·0	87·0	47·0	80	4·5	1·14	6
Year—Jaar	59·8	56·4	69·9	51·1	60·5	94·9	34·5	82	4·6	44·29	101
HOFMEYR. Lat. 31° 38′ S. Long. 25° 48′ E. Approximate Height above Sea-level, 4,104 feet.								**HOFMEYR.** Breedtegraad 31° 38′ S. Lengtegraad 25° 48′ O. Hoogte min of meer bo Seehoogte, 4,104 voet.			
January—Januarie	72·6	63·2	91·4	—	—	100·0	—	61	0·4	0·46	3
February—Februarie	68·5	60·5	88·2	—	—	101·0	—	65	2·5	0·60	2
March—Maart	64·1	59·8	81·7	53·9	67·8	97·0	42·5	79	3·1	0·81	6
April	58·3	56·1	75·9	50·2	63·0	86·5	38·0	89	2·4	1·48	5
May—Mei	50·3	48·5	66·1	43·8	55·0	75·0	30·5	89	2·8	0·47	4
June—Junie	48·6	45·7	61·9	40·1	51·0	74·0	28·5	82	3·2	0·84	3
July—Julie	44·2	42·7	58·1	35·5	46·8	68·0	20·0	89	2·1	0·00	0
August—Augustus	51·5	47·7	68·2	40·3	54·3	80·5	23·0	78	1·7	0·00	0
September	54·6	45·9	70·1	42·6	56·4	86·0	27·0	51	2·3	0·90	3
October—Oktober	61·0	50·2	76·4	49·4	62·9	93·0	36·0	49	3·4	0·45	2
November	62·1	51·3	77·4	49·9	63·6	91·0	35·0	49	2·9	1·47	4
December—Desember	67·7	57·3	85·8	54·0	69·9	97·0	44·0	55	2·6	0·42	2
Year—Jaar	58·6	52·4	75·1	—	—	101·0	—	70	2·4	7·90	34

IDUTYWA.

Lat. 32° 06′ S. Long. 28° 18′ E. Approximate Height above Sea-level, 2,850 feet.

IDUTYWA.

Breedtegraad 32° 06′ S. Lengtegraad 28° 18′ O. Hoogte min of meer bo Seehoogte, 2,850 voet.

January—Januarie	69·0	62·6	79·8	59·0	69·4	98·0	52·0	72	5·1	2·16	12
February—Februarie	66·0	60·9	77·1	57·2	67·2	97·0	44·5	75	6·6	1·85	18
March—Maart	64·9	59·1	76·0	55·6	65·8	98·5	45·5	72	6·2	3·45	17
April	63·5	57·4	76·0	52·1	64·0	90·0	41·0	71	3·5	0·34	6
May—Mei	58·4	52·1	70·3	47·8	59·0	83·0	36·5	66	4·0	0·56	8
June—Junie	54·7	47·7	66·2	45·7	56·0	80·0	36·5	60	3·9	1·68	7
July—Julie	53·4	44·0	65·5	41·0	53·2	75·0	32·5	48	1·3	0·00	0
Augustus—Augustus	56·7	47·8	70·0	44·7	57·4	89·0	34·5	51	3·6	0·18	4
September	58·6	51·6	69·6	46·8	58·2	91·0	34·5	63	3·9	3·29	10
October—Oktober	62·5	55·4	72·8	50·6	61·7	99·0	38·0	65	4·1	1·81	13
November	61·4	54·8	70·5	50·3	60·4	88·0	39·5	67	5·7	3·09	12
December—Desember	66·0	59·0	75·4	55·6	65·5	103·5	47·5	67	5·6	4·21	19
Year—Jaar	61·3	54·4	72·4	50·5	61·4	103·5	32·5	65	4·5	22·62	126

JANSENVILLE.

Lat. 32° 56′ S. Long. 24° 40′ E.

JANSENVILLE.

Breedtegraad 32° 56′ S. Lengtegraad 24° 40′ O.

January—Januarie	72·9	64·1	95·5	61·5	78·5	107·0	53·0	62	3·0	0·20	1
February—Februarie	73·1	64·4	94·1	61·0	77·6	108·0	53·0	63	2·9	0·00	0
March—Maart	66·9	60·7	89·4	58·1	73·8	105·0	44·0	71	4·1	0·00	0
April	59·6	54·7	85·8	52·1	69·0	99·0	37·0	74	3·4	0·00	0
May—Mei	55·0	49·7	75·6	47·7	61·6	88·0	31·0	70	3·8	0·25	1
June—Junie	47·5	44·7	70·5	40·1	55·3	82·0	33·0	81	3·6	0·45	1
July—Julie	46·5	41·9	68·1	37·6	52·8	83·0	26·0	69	1·9	0·16	2
August—Augustus	50·5	45·1	74·2	41·1	57·6	89·0	25·0	67	3·3	0·00	0
September	54·1	48·7	76·2	43·3	59·8	99·0	33·0	69	2·7	0·35	2
October—Oktober	62·5	58·0	84·5	50·7	67·6	106·0	37·0	77	3·9	0·38	3
November	63·4	57·8	84·1	53·1	68·6	105·0	39·0	72	4·3	1·29	4
December—Desember	69·4	61·2	92·0	58·6	75·3	111·0	49·0	64	2·8	0·00	0
Year—Jaar	60·1	54·2	82·5	50·4	66·4	111·0	25·0	70	3·3	3·08	14

KALAMARI (BECHUANALAND).

Lat. 23° 00′ S. Long. 26° 45′ E.

KALAMARI (BETSJOEANALAND).

Breedtegraad 23° 00′ S. Lengtegraad 26° 45′ O.

January—Januarie	76·0	67·0	89·6	66·4	78·0	96·0	61·0	64	—	1·66	6
February—Februarie	74·7	62·8	88·9	67·5	78·2	97·0	62·0	53	—	2·64	6
March—Maart	68·4	63·4	81·1	61·3	71·2	88·0	56·5	77	—	0·91	3
April	66·5	58·5	79·7	57·4	68·6	89·0	46·5	64	2·4	0·00	0
May—Mei	62·4	56·0	75·4	50·9	63·2	84·0	43·0	69	1·3	0·44	3
June—Junie	56·8	51·2	69·2	47·7	58·4	79·0	37·5	70	1·8	0·02	1
July—Julie	52·6	46·7	64·2	43·1	53·6	73·5	32·5	65	2·3	1·15	1
August—Augustus	59·6	51·5	74·3	46·8	60·6	89·0	33·0	60	0·5	0·00	0
September	63·2	56·4	81·2	53·8	67·5	94·0	41·0	68	2·8	0·00	0
October—Oktober	69·9	58·2	86·3	60·0	73·2	96·0	49·5	51	2·6	0·70	4
November	71·3	61·5	87·3	61·5	74·4	99·0	53·0	60	4·3	1·58	3
December—Desember	74·7	64·5	86·5	63·6	75·0	95·0	58·0	59	3·1	5·29	4
Year—Jaar	66·3	58·1	80·3	56·7	68·5	99·0	32·5	63	—	14·39	31

Month—Maand. 1926.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm). Mean Dry Bulb. Gemiddelde Droë Bol. °F.	Mean Wet Bulb. Gemiddelde Nat Bol. °F.	Self-registering Thermometers—Self-registrerende Termometers. Mean Maximum. Gemiddelde Maksimum. °F.	Mean Minimum. Gemiddelde Minimum. °F.	Mean Monthly Temperatures, Gemiddelde Maandelikse Temperature. °F.	Absolute Maximum. Volstrekte Maksimum. °F.	Absolute Minimum. Volstrekte Minimum. °F.	Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.) %	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval. Inches. Duime.	Days—Dae.
KAMANASSIE DAM. Lat. 33° 39′ S. Long. 22° 23′ E. Approximate Height above Sea-level, 1,100 feet.											
January—Januarie	69·8	61·6	88·9	60·6	74·8	104·2	54·0	63	2·6	0·00	0
February—Februarie	65·1	58·9	85·6	58·6	72·1	101·0	53·0	70	3·8	0·00	0
March—Maart	63·4	58·1	83·9	56·2	70·0	101·0	46·5	73	2·5	0·00	0
April	57·8	53·7	82·9	51·9	67·4	95·0	43·5	77	2·4	0·13	2
May—Mei	51·3	47·5	72·7	46·6	59·6	84·5	37·0	76	4·2	0·28	3
June—Junie	47·2	44·0	70·7	42·2	56·4	81·0	33·5	79	2·5	0·71	2
July—Julie	43·1	41·2	64·1	38·7	51·4	77·0	31·0	85	3·6	0·88	5
August—Augustus	46·5	43·3	69·9	40·8	55·4	90·0	31·0	78	3·2	0·32	5
September	50·1	46·7	72·2	44·2	58·2	96·0	36·0	78	3·5	0·74	7
October—Oktober	59·4	53·1	77·9	50·9	64·4	103·0	38·0	66	3·5	1·27	6
November	62·7	55·5	78·8	53·5	66·2	102·0	43·0	63	3·8	1·68	4
December—Desember	67·1	59·4	83·6	57·7	70·6	100·0	49·2	64	3·2	0·00	0
YEAR—JAAR	57·0	51·9	77·6	50·2	63·9	104·2	31·0	73	3·2	6·01	34
KASANE (BECHUANALAND). Lat. 17° 48′ S. Long. 25° 09′ E. Approximate Height above Sea-level, 3,045 feet.											
January—Januarie	76·4	72·9	89·7	65·9	77·8	98·2	62·0	85	6·1	2·35	11
February—Februarie	74·6	70·3	87·5	66·4	77·0	94·5	62·0	81	7·5	5·83	17
March—Maart	74·9	69·5	84·1	66·6	75·4	88·8	61·2	77	6·3	6·04	14
April	74·8	65·3	85·1	60·6	72·8	91·5	48·5	61	2·4	0·57	4
May—Mei	68·6	59·2	81·4	51·1	66·3	86·5	40·0	59	0·6	0·12	2
June—Junie	64·8	55·0	78·6	46·4	62·5	86·0	36·0	53	0·0	0·00	0
July—Julie	63·4	53·1	75·8	44·6	60·2	83·5	35·0	51	1·8	0·00	0
August—Augustus	72·8	58·0	84·1	48·4	66·2	93·5	35·5	40	0·0	0·00	0
September	81·0	65·9	93·6	57·1	75·4	97·2	46·0	45	0·0	0·00	0
October—Oktober	80·0	65·1	93·1	63·9	78·5	100·0	53·0	45	3·2	0·90	5
November	80·4	69·4	91·9	64·5	78·2	98·0	59·5	58	5·7	2·56	6
December—Desember	74·3	69·9	87·8	65·8	76·8	92·5	62·0	81	7·9	8·43	16
YEAR—JAAR	73·8	64·5	86·1	58·4	72·2	100·0	35·0	61	3·5	26·80	75

KAMANASSIEDAM. Breedtegraad 33° 39′ S. Lengtegraad 22° 23′ O. Hoogte min of meer bo Seehoogte, 1,100 voet.

KASANE (BETSJOEANALAND). Breedtegraad 17° 48′ S. Lengtegraad 25° 09′ O. Hoogte min of meer bo Seehoogte, 3,045 voet.

KEERWEDER.

Lat. 33° 55′ S. Long. 19° 07′ E.

KEERWEDER.

Breedtegraad 33° 55′ S. Lengtegraad 19° 07′ O.

January—Januarie	66·2	61·0	82·3	58·1	70·2	93·7	48·6	76	2·5	0·22	2
February—Februarie	61·8	57·4	77·6	54·9	66·2	88·8	48·0	77	3·8	1·80	4
March—Maart	61·8	56·8	78·6	56·9	67·8	96·6	47·3	75	2·5	0·41	5
April	56·7	53·0	75·4	52·3	63·8	92·3	45·1	78	2·8	1·22	4
May—Mei	53·5	50·2	67·2	49·2	58·2	82·6	37·4	80	5·7	6·56	11
June—Junie	48·1	46·0	64·9	43·4	54·2	74·3	37·5	85	4·0	2·38	6
July—Julie	45·4	43·4	59·5	41·2	50·4	74·2	32·0	86	5·0	4·96	17
August—Augustus	47·1	44·8	63·0	42·8	52·9	81·3	32·5	84	4·3	3·58	12
September	50·4	47·1	66·3	45·9	56·1	83·9	38·4	78	4·5	2·35	10
October—Oktober	55·4	51·1	68·8	48·3	58·6	91·2	37·6	74	5·1	6·29	12
November	60·0	54·1	73·3	52·7	63·0	92·9	41·4	68	3·9	1·29	6
December—Desember	64·5	57·2	80·2	55·4	67·8	93·4	46·0	57	2·2	0·00	0
Year—Jaar	55·9	51·8	71·4	50·1	60·8	96·6	32·0	76	3·9	31·06	89

KIMBERLEY.

Lat. 28° 43′ S. Long. 24° 46′ E. Approximate Height above Sea-level, 4,042 feet.

KIMBERLEY.

Breedtegraad 28° 43′ S. Lengtegraad 24° 46′ O. Hoogte min of meer bo Seehoogte, 4,042 voet.

January—Januarie	79·5	64·7	98·1	67·2	82·6	106·2	55·0	46	3·5	0·42	3
February—Februarie	74·2	62·8	95·8	63·4	79·6	103·4	55·0	54	1·2	0·89	2
March—Maart	66·9	60·2	85·5	60·1	72·8	98·3	52·0	69	3·8	3·50	13
April	61·0	54·8	80·9	54·1	67·5	90·0	46·0	70	2·2	0·63	6
May—Mei	50·6	45·6	72·4	44·8	58·6	81·0	33·0	69	2·6	0·78	2
June—Junie	44·8	39·4	68·5	38·7	53·6	81·0	26·0	63	1·5	0·00	0
July—Julie	40·5	35·5	63·3	33·8	48·6	73·0	19·0	63	1·1	0·00	0
August—Augustus	49·2	41·2	74·6	39·6	57·1	84·4	23·0	52	1·7	0·00	0
September	57·0	47·5	77·7	46·2	62·0	89·6	34·0	51	0·9	0·14	2
October—Oktober	66·2	55·5	82·0	54·1	68·0	95·6	38·0	52	3·6	0·63	4
November	68·8	56·6	84·3	54·9	69·6	94·0	42·0	48	3·0	1·04	7
December—Desember	74·3	63·5	92·3	62·1	77·2	100·0	53·0	57	1·8	3·66	10
Year—Jaar	61·1	52·3	81·3	51·6	66·4	106·2	19·0	58	2·2	11·69	49

KIRSTENBOSCH.

Lat. 33° 58′ S. Long. 18° 26′ E. Approximate Height above Sea-level, 250 feet.

KIRSTENBOSCH.

Breedtegraad 33° 58′ S. Lengtegraad 18° 26′ O. Hoogte min of meer bo Seehoogte, 250 voet.

January—Januarie	69·5	63·5	76·7	58·8	67·8	87·5	51·3	72	—	1·02	4
February—Februarie	66·4	60·2	73·9	57·5	65·7	82·7	52·1	69	—	2·44	6
March—Maart	66·1	60·9	73·2	58·1	65·6	91·2	47·6	74	—	0·43	6
April	64·0	59·0	72·1	55·6	63·8	92·1	47·5	75	—	2·93	4
May—Mei	60·9	55·9	67·8	54·1	61·0	84·5	42·6	73	—	8·22	12
June—Junie	55·7	52·2	64·4	49·3	56·8	75·0	43·4	85	—	3·49	6
July—Julie	52·5	48·2	59·8	44·7	52·2	75·4	35·2	72	—	7·13	17
August—Augustus	55·1	50·3	63·0	46·6	54·8	84·3	36·3	72	—	5·91	14
September	55·8	51·9	62·6	46·8	54·7	82·8	41·2	76	—	4·39	10
October—Oktober	59·8	53·9	66·0	49·4	57·7	90·7	41·0	68	—	6·36	15
November	62·9	56·6	69·6	53·2	61·4	86·7	43·1	67	—	1·38	9
December—Desember	66·5	59·6	72·7	55·5	64·1	84·4	44·3	66	—	0·05	1
Year—Jaar	61·3	56·0	68·5	52·5	60·5	92·1	35·2	72	—	43·75	104

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.)	Cloud. (Amount 0–10.)	Rainfall—Reënval.	
	Mean Dry Bulb.	Mean Wet Bulb.	Self-registering Thermometers—Self-registrerende Termometers.								
			Mean Maximum.	Mean Minimum.	Mean Monthly Temperatures.	Absolute Maximum.	Absolute Minimum.				
	Gemiddelde Droë Bol.	Gemiddelde Nat Bol.	Gemiddelde Maksimum.	Gemiddelde Mienimum.	Gemiddelde Maandelikse Temperature.	Volstrekte Maksimum.	Volstrekte Mienimum.	Betreklike Natheid. (Sat. = 100.)	Wolk. (Beloop tot 10.)		
1926.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%		Inches. Duime.	Days—Dae.
KRAAIPAN.											
Lat. 26° 18′ S. Long. 25° 19′ E. Approximate Height above Sea-level, 4,175 feet.											
KRAAIPAN.											
Breedtegraad 26° 18′ S. Lengtegraad 25° 19′ O. Hoogte min of meer bo Seehoogte, 4,175 voet.											
January—Januarie	75·1	65·7	92·8	65·3	79·0	99·0	56·5	62	3·2	2·78	7
February—Februarie	73·9	65·9	92·2	64·2	78·2	97·0	57·0	67	2·0	1·44	7
March—Maart	68·2	62·0	84·1	60·0	72·0	91·5	55·0	72	3·0	2·73	9
April	63·3	58·0	79·3	51·9	65·6	89·0	45·0	65	1·9	1·80	3
May—Mei	53·5	47·7	72·8	40·8	56·8	79·0	32·5	67·	1·3	0·21	4
June—Junie	47·6	42·2	67·8	37·7	52·8	77·0	27·6	66	0·8	0·11	1
July—Julie	42·1	37·3	63·2	31·2	47·2	70·0	15·0	65	1·1	0·00	0
August—Augustus	50·9	44·3	74·4	38·0	56·2	84·0	23·0	61	0·0	0·00	0
September	59·8	49·8	77·4	45·5	61·4	91·2	33·0	51	0·8	0·39	2
October—Oktober	67·3	55·8	82·9	53·6	68·2	95·3	39·0	50	1·6	1·59	6
November	67·5	58·1	84·4	57·2	70·8	91·5	49·0	59	2·7	1·18	9
December—Desember	72·6	63·7	86·4	62·9	74·6	92·5	55·0	62	3·2	6·15	8
Year—Jaar	61·8	54·0	79·8	50·7	65·2	99·0	15·0	62	1·8	18·38	56
LAKE MENTZ.											
Lat. 33° 12′ S. Long. 25° 10′ E.											
LAKE MENTZ.											
Breedtegraad 33° 12′ S. Lengtegraad 25° 10′ O.											
January—Januarie	74·3	64·6	92·8	64·0	78·4	107·0	58·0	60	4·3	0·06	1
February—Februarie	72·7	63·1	91·8	64·2	78·0	109·0	56·0	59	3·2	0·05	1
March—Maart	68·5	61·6	87·1	60·4	73·8	102·0	50·0	69	3·4	0·19	6
April	62·2	57·2	84·1	54·3	69·2	96·0	43·0	75	4·2	0·12	2
May—Mei	53·5	49·1	74·1	46·0	60·0	91·0	34·0	75	3·8	0·26	3
June—Junie	45·2	44·0	68·8	40·1	54·4	83·0	34·0	92	4·9	0·39	2
July—Julie	44·5	41·4	67·7	36·6	52·2	81·0	26·0	78	3·2	0·20	3
August—Augustus	50·6	45·9	74·1	43·0	58·6	92·0	26·0	70	3·3	0·02	1
September	56·6	50·7	74·0	47·3	60·6	100·0	36·0	66	3·6	0·52	4
October—Oktober	63·7	56·5	82·8	53·9	68·4	106·0	42·0	65	4·3	0·51	5
November	67·1	57·8	83·1	57·2	70·2	104·0	46·0	58	4·1	1·78	5
December—Desember	71·5	61·8	88·6	61·7	75·2	109·0	52·0	59	3·8	0·09	1
Year—Jaar	60·9	54·5	80·8	52·4	66·6	109·0	26·0	69	3·8	4·19	34

LANGHOLME.

Lat. 33° 23′ S. Long. 26° 43′ E.

LANGHOLME.

Breedtegraad 33° 23′ S. Lengtegraad 26° 43′ O.

January—Januarie	68·1	64·5	80·7	64·3	72·5	94·0	56·5	83	—	1·06	8
February—Februarie	68·4	63·3	80·7	62·9	71·8	107·5	57·0	76	—	1·85	9
March—Maart	66·5	61·8	77·2	58·6	67·9	94·5	45·5	77	—	3·10	9
April	61·8	57·6	75·2	55·3	65·4	86·0	46·0	79	—	0·77	5
May—Mei	57·9	53·1	71·8	51·7	61·8	88·0	42·0	75	2·9	1·53	7
June—Junie	56·1	49·8	69·8	49·0	59·4	86·0	44·0	64	1·8	1·87	7
July—Julie	51·9	47·7	66·1	45·1	55·6	79·0	35·0	76	3·5	0·35	4
August—Augustus	55·4	50·3	71·9	47·0	59·4	93·0	36·0	71	3·7	1·04	5
September	56·3	51·8	70·9	48·0	59·4	94·0	40·0	75	4·4	1·88	7
October—Oktober	63·1	56·6	74·5	51·7	63·1	107·0	43·0	63	4·3	3·28	7
November	62·7	56·4	73·2	53·2	63·2	91·0	42·0	67	4·8	2·80	10
December—Desember	68·3	59·5	80·8	55·5	68·2	104·0	43·5	60	3·7	0·88	4
YEAR—JAAR	61·4	56·0	74·4	53·5	64·0	107·5	35·0	72	—	20·41	82

LERIBE (BASUTOLAND).

Lat. 28° 53′ S. Long. 28° 04′ E. Approximate Height above Sea-level, 5,210 feet.

LERIBE (BASOETOELAND).

Breedtegraad 28° 53′ S. Lengtegraad 28° 04′ O. Hoogte min of meer bo Seehoogte, 5,210 voet.

January—Januarie	72·6	—	86·5	61·4	74·0	94·0	53·0	—	3·2	3·68	9
February—Februarie	71·7	—	85·0	58·1	71·6	93·0	48·0	—	2·8	4·53	7
March—Maart	61·9	57·4	73·6	54·6	64·1	85·0	43·0	77	5·0	6·61	16
April	57·6	51·7	72·8	46·1	59·4	80·0	35·0	69	1·5	0·20	1
May—Mei	48·4	42·8	65·7	38·1	51·9	73·0	26·0	66	2·5	0·89	4
June—Junie	43·1	38·0	60·5	33·8	47·2	71·0	26·0	65	2·3	0·55	3
July—Julie	36·5	30·9	57·2	27·2	42·2	65·0	11·0	55	1·1	0·00	0
August—Augustus	46·1	37·3	67·7	34·0	50·8	76·0	22·0	45	0·5	0·00	0
September	54·5	47·2	68·6	42·6	55·6	86·0	30·0	60	3·1	2·77	4
October—Oktober	62·6	54·8	74·3	52·9	63·6	87·0	36·0	63	3·4	3·37	10
November	62·4	56·4	74·7	52·5	63·6	87·0	39·0	71	4·6	7·32	10
December—Desember	69·7	61·1	81·9	57·2	69·6	90·0	50·0	64	4·0	5·80	11
YEAR—JAAR	57·3	—	72·4	46·5	59·4	94·0	11·0	—	2·8	35·72	75

LIWANDI.

Lat. 33° 27′ S. Long. 25° 42′ E.

LIWANDI.

Breedtegraad 33° 27′ S. Lengtegraad 25° 42′ O.

January—Januarie	75·2	—	88·7	61·2	75·0	97·8	55·0	—	4·7	0·36	6
February—Februarie	71·4	63·9	87·6	60·7	74·2	111·1	52·5	67	4·2	0·27	3
March—Maart	66·7	62·5	84·4	57·3	70·8	102·4	45·3	79	4·2	1·47	7
April	63·4	59·0	83·1	52·7	67·9	95·0	43·2	77	3·3	0·20	4
May—Mei	57·4	53·6	75·5	48·9	62·2	94·0	35·6	74	5·0	0·36	6
June—Junie	53·6	50·7	73·5	43·2	58·4	87·6	34·2	82	4·1	1·11	6
July—Julie	52·7	49·0	69·9	41·1	55·5	82·4	28·2	76	3·5	0·18	3
August—Augustus	55·4	51·0	74·7	46·4	60·6	95·6	36·0	74	2·8	0·38	8
September	58·9	53·6	75·4	47·9	61·6	101·2	33·6	70	3·6	0·80	6
October—Oktober	64·3	58·9	—	52·2	—	—	38·8	73	4·8	1·28	8
November	66·0	60·0	80·3	53·6	67·0	103·5	41·8	71	4·8	3·02	8
December—Desember	72·4	65·0	84·3	57·8	71·0	103·4	51·6	68	5·0	0·26	2
YEAR—JAAR	63·1	—	—	51·9	—	—	28·2	—	4·2	9·69	67

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Self-registering Thermometers—Self-registrerende Termometers. Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Minimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Minimum.				
1926.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%		Inches. Duime.	Days—Dae.
LOBATSI (BECHUANALAND). Lat. 25° 13′ S. Long. 25° 40′ E. Approximate Height above Sea-level, 3,915 feet. **LOBATSI (BETSJOEANALAND).** Breedtegraad 25° 13′ S. Lengtegraad 25° 40′ O. Hoogte min of meer bo Seehoogte, 3,915 voet.											
January—Januarie	76·5	66·1	91·0	64·9	78·0	96·0	61·0	59	4·5	3·39	7
February—Februarie	76·3	66·8	91·8	64·7	78·2	97·0	58·0	61	4·3	2·65	5
March—Maart	71·0	62·9	85·3	60·0	72·6	95·0	54·0	67	3·8	0·93	7
April	66·6	56·3	81·8	51·4	66·6	90·0	43·0	54	2·6	0·97	2
May—Mei	56·3	49·3	73·8	41·5	57·6	82·0	34·0	62	2·1	1·22	3
June—Junie	50·9	45·0	68·0	38·4	53·2	77·0	29·0	70	2·5	0·52	1
July—Julie	46·6	39·0	64·5	33·8	49·2	73·0	21·0	50	1·8	0·05	1
August—Augustus	55·7	44·7	75·6	38·8	57·2	85·0	24·0	43	0·7	0·00	0
September	64·1	54·0	79·4	46·3	62·8	93·0	35·0	54	1·9	0·31	2
October—Oktober	71·4	64·8	84·6	54·3	69·4	95·0	41·0	72	2·0	1·44	5
November	71·6	68·9	86·0	58·3	72·2	94·0	48·0	87	4·4	3·83	9
December—Desember	74·7	65·9	88·5	62·9	75·7	96·0	57·0	64	4·5	1·58	7
YEAR—JAAR	65·1	57·0	80·9	51·3	66·1	97·0	21·0	62	2·9	16·89	49
LOUISVALE. Lat. 28° 28′ S. Long. 21° 15′ E. Approximate Height above Sea-level, 2,624 feet. **LOUISVALE.** Breedtegraad 28° 28′ S. Lengtegraad 21° 15′ O. Hoogte min of meer bo Seehoogte, 2,624 voet.											
January—Januarie	79·3	67·3	99·3	67·1	83·2	106·5	54·0	55	2·7	0·09	1
February—Februarie	71·6	61·6	95·1	59·7	77·4	105·0	51·5	58	0·8	0·00	0
March—Maart	73·0	62·3	93·2	61·2	77·2	104·5	52·5	57	2·5	0·43	3
April	66·3	58·2	86·7	56·0	71·4	93·4	43·5	63	3·0	0·48	3
May—Mei	53·2	47·1	74·3	44·2	59·2	82·5	34·4	66	2·6	0·00	0
June—Junie	48·6	42·8	71·5	39·7	55·6	83·5	24·5	64	2·4	0·00	0
July—Julie	43·0	37·9	65·8	34·3	50·0	75·8	21·0	64	1·0	0·00	0
August—Augustus	49·5	42·5	75·0	39·2	57·1	88·7	22·5	58	1·5	0·00	0
September	56·7	—	77·8	44·5	61·2	90·1	34·0	—	0·8	0·18	2
October—Oktober	63·8	51·3	84·3	50·8	67·6	100·0	43·0	42	2·8	0·00	0
November	70·7	59·0	88·2	55·5	71·8	99·7	42·4	50	1·8	0·68	2
December—Desember	78·7	65·7	96·8	64·6	80·7	103·5	51·0	51	1·6	0·55	3
YEAR—JAAR	62·9	—	84·0	51·4	67·7	106·5	21·0	—	2·0	2·41	14

MASERU (BASUTOLAND).

Lat. 29° 17′ S. Long. 27° 30′ E. Approximate Height above Sea-level, 5,065 feet.

MASERU (BASOETOELAND).

Breedtegraad 29° 17′ S. Lengtegraad 27° 30′ O. Hoogte min of meer bo Seehoogte, 5,065 voet.

January—Januarie	78·3	62·9	88·7	69·4	79·0	96·0	45·0	43	—	3·80	9
February—Februarie	71·2	59·2	88·3	57·6	73·0	96·0	50·0	51	—	1·53	9
March—Maart	64·3	58·5	71·2	54·9	63·0	88·0	46·0	73	4·7	4·60	14
April	56·2	49·9	65·9	45·5	55·7	81·0	32·0	66	2·6	0·76	5
May—Mei	45·9	41·6	63·4	38·2	50·8	72·0	25·0	72	3·2	0·49	5
June—Junie	39·2	35·0	59·4	31·1	45·2	66·0	22·0	70	2·3	0·38	3
July—Julie	31·8	28·9	54·5	23·8	39·2	63·0	14·0	72	1·3	0·00	0
August—Augustus	41·1	33·4	62·2	30·2	46·2	76·0	15·0	47	1·0	0·00	0
September	53·0	43·8	60·2	40·6	50·4	88·0	24·0	50	2·7	0·86	5
October—Oktober	61·2	51·7	65·6	49·5	57·6	90·0	32·0	55	3·8	3·07	9
November	61·9	53·8	68·6	50·7	59·6	84·0	38·0	62	4·6	2·08	9
December—Desember	69·2	60·3	78·7	57·7	68·2	93·0	48·0	63	3·8	2·73	15
Year—Jaar	56·1	48·2	68·9	45·8	57·4	96·0	14·0	60	—	20·30	83

MAUN (BECHUANALAND).

Lat. 20° 00′ S. Long. 23° 26′ E. Approximate Height above Sea-level, 3,090 feet.

MAUN (BETSJOEANALAND).

Breedtegraad 20° 00′ S. Lengtegraad 23° 26′ O. Hoogte min of meer bo Seehoogte, 3,090 voet.

January—Januarie	77·9	69·3	91·6	66·2	78·9	97·0	62·0	66	3·4	2·47	9
February—Februarie	77·5	71·0	91·3	66·7	79·0	98·0	62·0	73	3·9	1·10	5
March—Maart	72·0	66·8	84·9	62·7	73·8	90·0	57·0	78	4·5	3·09	12
April	69·5	62·0	85·0	55·6	70·3	93·5	46·0	68	2·8	0·55	5
May—Mei	64·5	57·3	81·9	46·7	64·3	88·5	37·0	66	1·7	0·36	3
June—Junie	59·6	54·3	77·0	44·8	60·9	86·0	36·0	73	0·2	0·00	0
July—Julie	55·1	48·9	72·9	40·6	56·8	80·5	31·0	67	0·9	0·00	0
Augustus—Augustus	63·3	54·5	81·7	46·3	64·0	92·5	33·0	58	0·1	0·00	0
September	71·7	60·2	89·6	55·6	72·6	97·0	42·0	53	0·0	0·00	0
October—Oktober	75·9	66·1	91·7	61·3	76·5	99·0	52·0	61	2·7	0·66	3
November	77·1	68·4	90·7	64·9	77·8	96·0	60·0	65	4·6	1·53	9
December—Desember	79·0	71·0	90·5	64·8	77·6	96·5	61·0	69	3·9	4·23	8
Year—Jaar	70·3	62·5	85·7	56·4	71·0	99·0	31·0	66	2·4	13·99	54

MELTON WOLD.

Lat. 31° 27′ S. Long. 22° 45′ E.

MELTON WOLD.

Breedtegraad 31° 27′ S. Lengtegraad 22° 45′ O.

January—Januarie	73·5	61·0	90·2	54·6	72·4	98·0	42·5	50	1·6	0·00	0
February—Februarie	68·0	58·8	86·6	51·5	69·0	93·0	42·0	59	1·8	0·00	0
March—Maart	63·4	56·9	83·4	49·7	66·6	93·0	36·0	69	2·7	0·45	4
April	61·3	53·9	79·1	44·7	61·9	86·0	31·0	64	3·0	0·48	6
May—Mei	50·6	45·4	66·4	34·5	50·4	76·0	23·0	68	3·1	0·10	3
June—Junie	46·0	41·0	64·1	30·5	47·3	75·0	21·0	67	2·3	0·01	1
July—Julie	Incomplete	—	—	—	—	—	—	—	—	0·00	0
August—Augustus	52·0	46·2	68·4	30·5	49·4	84·0	21·0	66	2·1	0·00	0
September	52·0	45·8	71·0	34·1	52·6	86·0	24·0	64	3·6	0·17	2
October—Oktober	58·2	51·7	76·7	40·6	58·6	92·0	29·0	66	3·0	0·16	3
November	63·3	56·8	77·2	46·6	61·9	90·0	33·0	69	2·8	0·94	3
December—Desember	66·6	60·5	85·7	48·3	67·0	95·0	42·0	71	2·3	0·27	1
Year—Jaar	—	—	—	—	—	—	—	—	—	2·58	23

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Self-registering Thermometers—Self-registrerende Termometers.								
			Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Mienimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Mienimum.			Inches. Duime.	Days—Dae.
1926.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
MOHALE'S HOEK (BASUTOLAND). Lat. 30° 08′ S. Long. 27° 28′ E. Approximate Height above Sea-level, 4,500 feet.											
January—Januarie	74·4	65·4	91·6	58·9	75·2	99·0	50·0	63	2·3	1·57	9
February—Februarie	72·5	61·1	87·2	57·7	72·4	94·0	48·0	53	1·8	3·53	4
March—Maart	63·6	57·5	78·0	52·7	65·4	91·0	40·0	71	3·5	5·46	14
April	No Records	—	—	—	—	—	—	—	—	—	—
May—Mei	Incomplete	—	—	—	—	—	—	—	—	1·49	3
June—Junie	43·9	38·7	61·7	33·9	47·8	72·0	25·0	65	2·3	0·84	3
July—Julie	41·2	34·6	56·7	29·9	43·3	65·0	14·0	54	1·7	0·00	0
August—Augustus	51·8	41·7	*	36·8	—	—	18·0	44	0·6	0·00	0
September	56·7	46·3	*	42·1	—	—	28·0	45	2·1	0·48	3
October—Oktober	67·1	52·8	*	48·7	—	—	35·0	39	3·8	0·70	2
November	65·2	53·4	*	49·5	—	—	34·0	47	3·5	3·07	10
December—Desember	71·6	60·2	*	56·1	—	—	45·0	53	2·4	2·49	8
YEAR—JAAR	—	—	—	—	—	—	—	—	—	—	—

MOHALESHOEK (BASOETOELAND). Breedtegraad 30° 08′ S. Lengtegraad 27° 28′ O. Hoogte min of meer bo Seehoogte, 4,500 voet.

* Thermometer broken.

MOLEPOLOLE (BECHUANALAND). Lat. 24° 25′ S. Long. 25° 25′ E.											
January—Januarie	74·3	69·9	88·7	64·9	76·8	97·5	60·2	81	5·3	7·65	15
February—Februarie	76·0	69·9	90·8	65·6	78·2	99·5	61·2	75	5·3	1·25	8
March—Maart	71·0	64·1	85·6	60·4	73·0	93·0	55·5	71	4·1	0·78	7
April	69·3	58·6	83·4	54·5	69·0	91·1	46·1	54	1·8	0·16	3
May—Mei	61·3	52·6	76·2	46·3	61·2	83·1	38·0	56	2·0	0·33	4
June—Junie	54·6	48·4	69·8	42·5	56·2	80·6	34·3	65	1·1	0·67	2
July—Julie	50·3	43·3	65·1	36·0	50·6	74·7	27·0	58	1·5	0·00	0
August—Augustus	59·8	49·5	76·3	43·5	59·9	87·0	28·1	48	0·6	0·00	0
September	63·2	52·4	81·6	50·3	66·0	95·0	37·0	49	1·9	0·29	2
October—Oktober	72·3	57·6	86·9	58·0	72·4	96·6	47·0	40	2·4	0·63	9
November	73·5	60·2	87·1	62·2	74·6	96·5	53·2	47	5·0	4·97	12
December—Desember	76·8	64·7	87·2	65·0	76·1	95·2	59·5	53	4·8	3·00	12
YEAR—JAAR	66·9	57·6	81·6	54·1	67·8	99·5	27·0	58	3·0	19·73	74

MOLEPOLOLE (BETSJOEANALAND). Breedtegraad 24° 25′ S. Lengtegraad 25° 25′ O.

MONS.

Lat. 30° 55′ S. Long. 28° 21′ E.

MONS.

Breedtegraad 30° 55′ S. Lengtegraad 28° 21′ O.

January—Januarie	—	—	—	—	—	—	—	—	—	6·32	12
February—Februarie	—	—	—	—	—	—	—	—	—	1·51	14
March—Maart	—	—	—	—	—	—	—	—	—	6·97	17
April	—	—	—	—	—	—	—	—	—	0·89	5
May—Mei	—	—	—	—	—	—	—	—	—	2·77	7
June—Junie	Station Established (Thermometric)									1·40	4
July—Julie	46·2	39·6	61·7	36·0	48·8	73·1	24·8	57	—	0·02	1
August—Augustus	50·0	43·7	69·1	41·0	55·0	82·3	26·3	62	—	0·10	1
September	54·8	49·4	67·5	45·0	56·2	84·9	32·0	69	—	3·43	7
October—Oktober	60·7	53·7	74·1	50·2	62·2	91·0	40·3	65	—	1·28	10
November	63·1	55·6	73·7	49·7	61·7	87·0	36·7	64	—	3·77	8
December—Desember	64·7	60·2	76·9	56·0	66·4	92·0	48·0	78	—	5·36	15
Year—Jaar	—	—	—	—	—	—	—	—	—	33·82	101

MOUNT FLETCHER.

Lat. 30° 42′ S. Long. 28° 30′ E. Approximate Height above Sea-level, 5,500 feet.

MOUNT FLETCHER.

Breedtegraad 30° 42′ S. Lengtegraad 28° 30′ O. Hoogte min of meer bo Seehoogte, 5,500 voet.

January—Januarie	68·6	62·6	84·3	58·3	71·3	93·6	51·0	74	5·0	4·71	14
February—Februarie	65·6	59·2	81·2	57·1	69·2	93·0	49·0	71	6·5	2·10	12
March—Maart	59·2	55·5	74·3	53·7	64·0	89·0	44·9	81	6·6	5·57	18
April	55·8	51·2	73·5	47·8	60·6	82·0	36·8	76	4·5	0·51	6
May—Mei	49·4	44·4	66·7	42·2	54·4	76·0	29·0	71	4·2	1·29	6
June—Junie	40·4	37·7	61·3	35·4	48·3	73·0	28·0	80	3·2	1·20	4
July—Julie	39·5	34·5	59·7	32·4	46·0	70·0	21·0	65	2·0	0·06	2
August—Augustus	48·3	40·4	69·2	39·4	54·3	81·3	24·9	52	1·5	0·04	1
September	51·1	45·2	67·5	42·5	55·0	82·0	31·6	66	4·0	2·67	6
October—Oktober	59·5	51·3	73·9	48·7	61·3	90·0	39·0	60	4·2	2·55	14
November	60·8	52·2	73·4	49·5	61·4	84·0	36·0	58	4·7	3·16	11
December—Desember	66·1	57·8	78·6	54·7	66·6	91·0	43·0	62	5·2	3·72	15
Year—Jaar	55·4	49·3	72·0	46·8	59·4	93·6	21·0	68	4·3	27·58	109

MUIZENBURG.

Lat. 34° 06′ S. Long. 18° 27′ E.

MUIZENBURG.

Breedtegraad 34° 06′ S. Lengtegraad 18° 27′ O.

January—Januarie	68·6	64·0	74·9	63·2	69·0	85·0	52·0	78	2·7	0·25	3
February—Februarie	66·5	61·6	72·8	60·5	66·6	82·0	49·0	75	4·6	0·96	6
March—Maart	64·6	61·6	69·0	61·5	65·2	85·0	54·0	85	3·7	0·15	3
April	60·4	58·2	69·1	55·0	62·0	92·0	46·0	88	3·2	0·70	4
May—Mei	57·0	54·3	66·5	52·4	59·0	81·0	44·0	81	5·1	3·83	10
June—Junie	54·0	52·4	62·8	48·2	56·5	76·0	38·0	91	4·1	1·41	5
July—Julie	51·7	49·6	60·6	45·7	53·2	78·0	37·0	86	3·8	3·09	17
August—Augustus	53·9	51·8	62·1	48·3	55·2	81·0	37·0	87	4·9	1·96	13
September	55·6	53·5	61·7	52·1	56·9	83·0	45·0	87	5·8	1·88	12
October—Oktober	58·7	55·8	64·9	52·9	58·9	90·0	45·0	84	5·0	3·03	12
November	61·4	57·8	66·8	56·7	61·8	80·0	47·0	81	3·6	1·11	7
December—Desember	65·2	61·0	69·5	59·4	64·4	77·0	48·0	79	2·9	0·00	0
Year—Jaar	59·8	56·8	66·6	54·7	60·6	92·0	37·0	84	4·1	18·37	92

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.)	Cloud. (Amount 0–10.)	Rainfall—Reënval.	
	Mean Dry Bulb.	Mean Wet Bulb.	Self-registering Thermometers—Self-registrerende Termometers.								
			Mean Maximum.	Mean Minimum.	Mean Monthly Temperatures.	Absolute Maximum.	Absolute Minimum.				
	Gemiddelde Droë Bol.	Gemiddelde Nat Bol.	Gemiddelde Maksimum.	Gemiddelde Mienimum.	Gemiddelde Maandelikse Temperature.	Volstrekte Maksimum.	Volstrekte Mienimum.	Betreklike Natheid. (Sat. = 100.)	Wolk. (Beloop tot 10.)	Inches. Duime.	Days—Dae.
1926.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
ONDONGA (S.W. PROTECTORATE).								**ONDONGA (S.W. PROTEKTORAAT).**			
Lat. 17° 58′ S. Long. 15° 50′ E.	Time of Observation 7.30 a.m.							Breedtegraad 17° 58′ S. Lengtegraad 15° 50′ O.		Tyd van Waarneming 7.30 v.m.	
January—Januarie	Incomplete	—	—	—	—	—	—	—	—	—	—
February—Februarie	72·9	67·4	93·6	—	—	97·2	—	76	5·1	2·53	14
March—Maart	70·2	67·8	88·5	—	—	95·4	—	89	4·3	3·11	10
April	66·6	62·5	83·4	—	—	89·2	—	80	4·3	1·35	6
May—Mei	60·1	56·1	82·4	33·5	58·0	87·2	25·2	79	1·2	1·03	2
June—Junie	52·1	47·9	77·0	42·3	59·6	86·5	38·8	76	0·7	0·00	0
July—Julie	48·5	43·5	76·8	41·5	59·2	82·1	35·5	74	0·4	0·00	0
August—Augustus	53·9	44·4	85·5	46·6	66·0	92·5	37·0	47	0·6	0·00	0
September	61·1	51·6	91·1	53·5	72·3	96·5	45·0	55	2·3	0·00	0
October—Oktober	68·6	56·2	93·8	58·3	76·0	100·8	51·5	47	1·8	0·65	2
November	74·6	64·6	90·9	67·1	79·0	98·5	61·9	60	5·6	1·04	8
December—Desember	73·1	64·1	88·5	64·7	76·6	97·1	57·3	63	6·2	—	—
Year—Jaar	—	—	—	—	—	—	—	—	—	—	—
OUDTSHOORN.								**OUDTSHOORN.**			
Lat. 33° 35′ S. Long. 22° 13′ E. Approximate Height above Sea-level, 1,090 feet.								Breedtegraad 33° 35′ S. Lengtegraad 22° 13′ O. Hoogte min of meer bo Seehoogte, 1,090 voet.			
January—Januarie	68·4	61·4	87·9	58·0	73·0	103·0	50·0	67	—	0·00	0
February—Februarie	63·7	58·8	84·6	57·1	70·8	101·0	49·0	75	3·3	0·05	1
March—Maart	59·4	54·6	83·5	53·8	68·6	101·0	40·0	75	2·4	0·03	1
April	58·1	54·0	81·8	49·0	65·4	95·0	39·0	76	2·1	0·06	1
May—Mei	50·0	46·8	71·8	44·2	58·0	82·0	30·1	80	2·6	0·15	2
June—Junie	43·7	41·1	67·8	37·6	52·7	81·0	27·0	85	2·2	0·40	2
July—Julie	41·1	39·6	62·1	35·8	49·0	78·0	27·0	88	3·0	0·64	4
Augustus—Augustus	45·4	42·8	67·7	38·3	53·0	85·0	27·0	82	2·2	0·09	2
September	51·5	47·8	70·9	41·8	56·4	93·0	34·0	76	2·9	0·66	5
October—Oktober	60·7	54·8	77·5	49·0	63·2	103·0	37·0	68	3·3	1·74	6
November	64·3	58·4	79·0	52·3	65·6	102·0	42·0	70	2·8	1·70	3
December—Desember	Incomplete	—	—	—	—	—	—	—	—	0·00	0
Year—Jaar	—	—	—	—	—	—	—	—	—	5·52	27

PALAPYE ROAD (BECHUANALAND).

Lat. 22° 37′ S. Long. 27° 20′ E. Approximate Height above Sea-level, 3,012 feet.

PALAPYE WEG (BETSJOEANALAND).

Breedtegraad 22° 37′ S. Lengtegraad 27° 20′ O. Hoogte min of meer bo Seehoogte, 3,012 voet.

January—Januarie	76·6	70·2	93·1	67·3	80·2	100·2	60·8	73	4·6	0·67	4
February—Februarie	75·4	69·0	91·5	69·5	80·5	102·0	65·0	73	5·2	2·65	11
March—Maart	No Records	—	—	—	—	—	—	—	—	—	—
April	No Records	—	—	—	—	—	—	—	—	—	—
May—Mei	No Records	—	—	—	—	—	—	—	—	—	—
June—Junie	No Records	—	—	—	—	—	—	—	—	—	—
July—Julie	No Records	—	—	—	—	—	—	—	—	—	—
Augustus—Augustus	No Records	—	—	—	—	—	—	—	—	—	—
September	No Records	—	—	—	—	—	—	—	—	—	—
October—Oktober	No Records	—	—	—	—	—	—	—	—	—	—
November	No Records	—	—	—	—	—	—	—	—	—	—
December—Desember	No Records	—	—	—	—	—	—	—	—	—	—
Year—Jaar	—	—	—	—	—	—	—	—	—	—	

PATERNOSTER.

Lat. 32° 48′ S. Long. 17° 54′ E.

PATERNOSTER.

Breedtegraad 32° 48′ S. Lengtegraad 17° 54′ O.

January—Januarie	—	—	—	—	—	—	—	—	—	—	—
February—Februarie	—	—	—	—	—	—	—	—	—	—	—
March—Maart	—	—	—	—	—	—	—	—	—	—	—
April	—	—	—	—	—	—	—	—	—	—	—
May—Mei	—	—	—	—	—	—	—	—	—	—	—
June—Junie	—	—	—	—	—	—	—	—	—	—	—
July—Julie	—	—	—	—	—	—	—	—	—	—	—
August—Augustus	—	—	—	—	—	—	—	—	—	—	—
September	Station Established.		—	—	—	—	—	—	—	—	—
October—Oktober	58·2	55·4	68·5	51·8	60·2	93·2	39·5	84	4·9	0·62	10
November	64·3	58·4	74·2	53·3	63·8	94·4	43·0	70	3·0	0·34	4
December—Desember	66·3	61·1	76·2	54·4	65·3	94·9	46·2	74	2·9	0·00	0
Year—Jaar	—	—	—	—	—	—	—	—	—	—	—

PORT ALFRED.

Lat. 33° 36′ S. Long. 26° 54′ E. Approximate Height above Sea-level, 22 feet.

PORT ALFRED.

Breedtegraad 33° 36′ S. Lengtegraad 26° 54′ O. Hoogte min of meer bo Seehoogte, 22 voet.

January—Januarie	71·2	66·5	78·3	65·5	71·9	83·5	59·5	78	3·6	1·52	8
February—Februarie	70·1	66·9	78·5	64·6	71·6	87·0	60·0	85	2·5	2·03	8
March—Maart	66·4	63·9	76·1	61·4	68·8	86·0	51·5	87	2·0	2·31	8
April	62·5	59·1	74·4	57·6	66·0	88·0	49·0	82	2·6	0·97	3
May—Mei	58·1	55·0	71·8	52·2	62·0	93·0	42·5	83	2·4	3·39	6
June—Junie	53·9	52·4	69·7	47·7	58·7	89·0	42·0	91	1·3	2·06	4
July—Julie	52·0	50·0	66·9	45·8	56·4	82·0	40·0	87	1·5	0·61	5
August—Augustus	56·9	53·4	67·4	49·6	58·5	84·0	40·0	79	1·6	1·12	4
September	57·5	54·0	69·0	51·6	60·3	99·0	41·5	80	2·6	2·19	10
October—Oktober	63·5	59·1	71·8	56·6	64·2	96·0	44·0	78	3·3	4·65	7
November	No Records	—	—	—	—	—	—	—	—	1·47	7
December—Desember	68·4	63·5	77·3	61·0	69·2	97·0	50·0	76	2·3	0·89	3
Year—Jaar	—	—	—	—	—	—	—	—	—	23·21	73

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Self-registering Thermometers—Self-registrerende Termometers.								
			Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Minimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Minimum.			Inches. Duime.	Days—Dae.
1926.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
PRIESKA (E. G. BRYANT). Lat. 29° 39′ S. Long. 22° 45′ E. Approximate Height above Sea-level, 3,100 feet.											
PRIESKA (E. G. BRYANT). Breedtegraad 29° 39′ S. Lengtegraad 22° 45′ O. Hoogte min of meer bo Seehoogte, 3,100 voet.											
January—Januarie	78·3	62·2	100·0	70·2	85·1	105·9	58·0	40	2·5	0·00	0
February—Februarie	75·4	60·3	96·7	65·6	81·2	106·0	54·1	43	1·6	0·00	0
March—Maart	70·6	60·5	91·6	63·0	77·3	102·0	52·0	57	2·0	1·04	6
April	65·3	56·7	85·1	56·2	70·6	92·0	41·2	60	2·5	0·67	3
May—Mei	51·5	47·6	72·6	44·4	58·5	81·0	37·2	77	3·8	0·67	4
June—Junie	43·4	39·5	69·0	36·1	52·6	81·0	27·0	72	2·3	0·00	0
July—Julie	39·3	36·0	63·9	31·9	47·9	73·1	21·2	75	1·2	0·00	0
August—Augustus	45·5	39·8	73·1	36·6	54·8	86·5	22·8	62	2·2	0·00	0
September	55·4	46·9	77·1	45·1	61·1	90·6	36·2	53	0·9	0·36	3
October—Oktober	64·2	52·9	82·9	51·7	67·3	99·3	41·1	47	4·6	0·14	2
November	69·0	57·8	85·8	57·0	71·4	98·8	43·5	52	2·6	1·74	3
December—Desember	78·1	64·3	96·0	65·5	80·8	105·0	55·0	48	1·8	0·56	2
YEAR—JAAR	61·3	52·0	82·8	51·9	67·4	106·0	21·2	57	2·3	5·18	23
PRIESKA (GAOLER). Lat. 29° 39′ S. Long. 22° 45′ E. Approximate Height above Sea-level, 3,100 feet.											
PRIESKA (SIPIER). Breedtegraad 29° 39′ S. Lengtegraad 22° 45′ O. Hoogte min of meer bo Seehoogte, 3,100 voet.											
January—Januarie	79·4	66·2	99·2	70·3	84·8	105·0	58·0	51	1·9	0·00	0
February—Februarie	73·4	60·4	95·8	64·8	80·3	106·0	49·0	48	1·0	0·00	0
March—Maart	76·9	67·1	90·9	62·8	76·8	102·0	51·5	55	2·1	0·89	6
April	63·1	54·5	83·9	55·7	69·8	92·0	40·0	59	2·0	0·46	2
May—Mei	50·6	45·5	72·1	43·7	57·9	81·0	33·0	68	2·8	0·60	1
June—Junie	42·9	37·7	68·4	36·2	52·3	80·0	25·5	62	1·9	0·00	0
July—Julie	37·9	33·9	63·7	31·1	47·4	72·0	21·0	68	1·1	0·00	0
August—Augustus	42·8	36·2	73·0	34·0	54·0	86·0	21·3	53	1·3	0·00	0
September	53·7	43·6	76·8	44·7	60·8	90·0	35·0	45	1·7	0·32	3
October—Oktober	62·6	49·5	82·8	50·8	66·8	99·0	40·0	38	3·4	0·10	1
November	67·0	53·7	85·0	56·7	70·8	98·0	44·0	43	2·5	1·67	3
December—Desember	77·0	62·8	98·1	66·2	82·2	104·2	55·0	47	0·9	0·56	2
YEAR—JAAR	60·6	50·9	82·5	51·4	67·0	106·0	21·0	53	1·9	4·60	18

QACHA'S NEK (BASUTOLAND).

Lat. 30° 07′ S. Long. 28° 42′ E. Approximate Height above Sea-level, 6,230 feet.

QACHA'S NEK (BASOETOELAND).

Breedtegraad 30° 07′ S. Lengtegraad 28° 42′ O. Hoogte min of meer bo Seehoogte, 6,230 voet.

January—Januarie	68·7	60·0	84·3	52·6	68·4	95·0	43·0	62	—	8·98	17
February—Februarie	70·1	58·9	86·4	52·6	69·5	95·0	44·0	55	—	1·69	7
March—Maart	57·7	53·0	75·7	47·1	61·4	88·0	37·0	75	—	6·24	17
April	53·9	47·9	75·1	43·2	59·2	85·0	33·0	67	—	0·38	6
May—Mei	46·8	40·6	64·8	37·8	51·3	74·0	24·0	61	—	0·67	4
June—Junie	40·3	35·4	59·4	30·4	44·9	72·0	15·0	65	—	1·88	2
July—Julie	39·8	33·6	56·6	28·0	42·3	67·0	14·0	56	—	0·20	2
August—Augustus	50·6	40·5	70·0	35·9	53·0	78·0	17·0	44	—	0·04	1
September	52·8	45·6	68·2	36·7	52·4	91·0	26·0	60	—	3·65	6
October—Oktober	63·5	52·5	77·7	45·3	61·5	92·0	35·0	51	—	3·36	11
November	61·5	51·7	76·1	43·6	59·8	92·0	32·0	54	—	6·27	10
December—Desember	68·4	58·1	79·6	50·5	65·0	89·0	41·0	56	—	7·63	14
Year—Jaar	56·2	48·2	72·8	42·0	57·4	95·0	14·0	59	—	40·99	97

RIETFONTEIN.

Lat. 30° 59′ S. Long. 26° 55′ E. Approximate Height above Sea-level, 4,990 feet.

RIETFONTEIN.

Breedtegraad 30° 59′ S. Lengtegraad 26° 55′ O. Hoogte min of meer bo Seehoogte, 4,990 voet.

January—Januarie	—	—	87·3	57·0	72·2	95·0	48·0	—	—	1·25	4
February—Februarie	—	—	Incomplete	—	—	—	—	—	—	4·18	3
March—Maart	—	—	74·6	52·0	63·3	90·0	41·0	—	—	3·62	8
April	—	—	70·8	46·5	58·6	79·5	35·0	—	—	0·77	2
May—Mei	—	—	62·8	37·0	49·9	69·0	26·0	—	—	1·68	4
June—Junie	—	—	59·9	31·3	45·6	69·0	22·0	—	—	0·62	2
July—Julie	—	—	55·5	27·1	41·3	63·0	16·0	—	—	0·00	0
August—Augustus	—	—	66·1	32·0	49·0	75·0	20·0	—	—	0·00	0
September	—	—	68·4	39·4	53·9	86·0	27·0	—	—	0·53	1
October—Oktober	—	—	75·8	44·3	60·0	87·0	34·0	—	—	0·60	4
November	—	—	74·0	45·3	59·6	85·0	31·0	—	—	3·35	8
December—Desember	—	—	82·0	54·6	68·3	94·0	42·0	—	—	3·13	8
Year—Jaar	—	—	—	—	—	—	—	—	—	19·73	44

RIVERSDALE.

Lat. 34° 06′ S. Long. 21° 16′ E. Approximate Height above Sea-level, 200 feet.

RIVERSDALE.

Breedtegraad 34° 06′ S. Lengtegraad 21° 16′ O. Hoogte min of meer bo Seehoogte, 200 voet.

January—Januarie	71·0	64·9	87·0	60·4	73·7	100·0	51·0	72	—	0·28	3
February—Februarie	68·3	61·6	84·0	57·4	70·7	101·0	50·0	68	—	0·03	1
March—Maart	63·2	60·6	79·9	56·7	68·3	102·5	47·0	87	3·3	0·89	6
April	59·3	56·8	79·2	53·5	66·4	98·0	42·0	86	6·0	0·95	5
May—Mei	53·6	51·9	74·9	46·4	60·6	87·0	33·5	90	4·5	0·68	5
June—Junie	53·0	52·3	70·3	43·4	56·8	84·0	33·0	95	6·5	1·32	3
July—Julie	49·4	46·2	65·6	40·5	53·0	80·4	30·0	80	3·7	1·17	4
August—Augustus	52·5	50·1	67·7	43·2	55·4	92·0	31·0	85	5·0	1·32	6
September	53·5	51·2	68·6	44·9	56·8	95·5	36·0	86	6·3	1·35	7
October—Oktober	59·4	54·7	75·6	50·2	62·9	102·0	36·5	74	3·8	2·94	4
November	63·0	56·5	76·0	49·5	62·8	97·0	41·0	67	4·5	1·22	7
December—Desember	69·1	61·4	81·6	55·7	68·6	91·0	48·2	65	4·0	0·00	0
Year—Jaar	59·6	55·7	75·9	50·2	63·0	102·5	30·0	80	—	12·15	51

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Self-registering Thermometers—Self-registrerende Termometers.								
			Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Minimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Minimum.			Inches. Duime.	Days—Dae.
1928.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
RONDEKOP. Lat. 33° 17′ S. Long. 21° 00′ E.								**RONDEKOP.** Breedtegraad 33° 17′ S. Lengtegraad 21° 00′ O.			
January—Januarie	63·8	60·5	93·6	59·8	76·7	106·0	49·0	83	0·8	0·00	0
February—Februarie	65·0	59·2	89·0	57·1	73·0	100·0	51·0	72	0·7	0·03	1
March—Maart	62·4	57·9	86·7	53·9	70·3	101·0	42·0	77	5·8	0·00	0
April	56·2	52·8	82·1	48·3	65·2	94·0	36·0	81	1·1	0·04	1
May—Mei	48·0	46·2	69·7	42·6	56·1	82·0	30·0	88	3·5	0·91	6
June—Junie	40·5	39·2	68·2	35·1	51·6	81·0	28·0	89	1·6	0·06	1
July—Julie	37·3	36·3	63·7	32·1	47·9	75·0	24·0	93	1·8	0·25	4
August—Augustus	42·5	40·8	69·0	36·1	52·5	88·0	28·0	86	1·8	0·16	2
September	44·8	43·3	72·5	39·0	55·7	93·0	32·0	89	1·8	0·09	1
October—Oktober	54·0	50·8	77·5	46·0	61·7	100·0	35·0	81	2·6	2·10	5
November	62·2	57·0	80·8	52·3	66·5	100·0	39·0	74	0·7	0·68	2
December—Desember	67·1	61·3	90·3	57·4	73·8	103·0	50·0	73	0·3	0·00	0
YEAR—JAAR	53·6	50·4	78·6	46·6	62·6	106·0	24·0	82	1·9	4·32	23
SANDFLATS. Lat. 30° 24′ S. Long. 29° 11′ E.								**SANDFLATS.** Breedtegraad 30° 24′ S. Lengtegraad 29° 11′ O.			
January—Januarie	64·6	58·5	81·3	56·4	68·8	92·0	50·4	71	3·0	4·29	12
February—Februarie	64·0	57·6	80·2	56·6	68·4	91·8	48·4	70	3·3	0·82	7
March—Maart	58·8	54·6	73·3	52·5	62·9	90·0	44·0	77	4·8	4·59	17
April	54·8	50·6	72·7	48·8	60·8	80·0	38·5	76	3·0	0·13	2
May—Mei	47·8	42·9	65·7	41·7	53·7	75·6	30·4	68	4·1	0·51	4
June—Junie	41·7	38·0	59·5	36·0	47·8	71·7	27·5	73	3·2	1·68	4
July—Julie	39·0	34·6	58·9	32·3	45·6	70·0	22·0	67	1·2	0·04	1
August—Augustus	47·2	40·0	68·2	39·2	53·7	80·4	23·0	55	1·9	0·00	0
September	48·8	45·2	66·6	41·9	54·2	81·0	29·0	78	3·4	3·36	6
October—Oktober	57·1	51·0	73·4	48·4	60·9	90·0	38·5	69	4·1	3·31	10
November	57·3	50·9	72·3	48·7	60·5	84·5	36·4	67	3·9	2·10	10
December—Desember	62·1	56·6	78·0	54·4	66·2	90·2	45·0	73	3·4	6·47	—
YEAR—JAAR	53·6	48·4	70·8	46·4	58·6	92·0	22·0	70	3·3	27·30	—

SELIKA (BECHUANALAND).
Lat. 23° 05′ S. Long. 27° 50′ E.

SELIKA (BETSJOEANALAND).
Breedtegraad 23° 05′ S. Lengtegraad 27° 50′ O.

January—Januarie	79·0	69·9	—	69·7	—	—	62·5	66	3·7	0·75	3
February—Februarie	76·1	70·0	91·8	70·2	81·0	102·0	64·0	75	5·3	6·09	8
March—Maart	71·1	65·1	85·9	62·6	74·2	99·0	55·5	74	5·8	2·03	6
April	68·4	60·9	85·4	55·5	70·4	93·5	47·0	67	2·6	0·00	0
May—Mei	62·2	56·3	81·4	47·2	64·3	89·0	36·0	71	2·0	0·51	5
June—Junie	56·8	53·2	79·7	37·4	58·6	88·0	31·5	80	1·9	0·00	0
July—Julie	52·0	49·0	71·2	37·2	54·2	83·0	29·0	82	2·2	2·52	2
August—Augustus	59·9	52·2	81·4	41·8	61·6	99·0	32·5	61	0·8	0·00	0
September	67·1	61·6	84·2	57·5	70·8	97·0	38·0	74	2·0	0·00	0
October—Oktober	74·3	—	94·0	65·6	79·8	104·0	58·0	—	1·6	0·29	3
November	77·4	64·5	93·7	—	—	103·0	—	51	3·1	2·47	5
December—Desember	76·4	69·1	94·1	68·6	81·4	101·0	61·5	71	2·5	2·40	5
Year—Jaar	68·4	—	—	—	—	—	—	—	4·8	17·06	37

SEROWE (BECHUANALAND).
Lat. 22° 24′ S. Long. 26° 50′ E.

SEROWE (BETSJOEANALAND).
Breedtegraad 22° 24′ S. Lengtegraad 26° 50′ O.

January—Januarie	74·0	66·5	89·7	63·5	76·6	96·5	58·0	69	3·6	0·36	2
February—Februarie	73·1	67·6	89·9	64·1	77·0	99·0	59·0	77	5·8	2·06	6
March—Maart	70·1	65·4	85·5	59·3	72·4	91·0	52·0	78	3·6	0·10	1
April	67·6	59·8	82·4	52·7	67·6	90·0	41·5	66	2·8	0·12	1
May—Mei	60·8	54·1	77·2	46·6	61·9	84·4	35·3	66	2·5	0·32	2
June—Junie	54·4	49·9	71·1	41·2	56·2	82·3	31·6	74	3·3	0·00	0
July—Julie	52·3	46·5	65·3	38·4	51·8	76·1	29·5	66	2·9	0·62	2
August—Augustus	59·4	49·8	74·5	40·0	57·2	83·1	26·8	53	1·1	0·00	0
September	65·5	54·2	83·9	50·9	67·4	96·2	35·2	49	1·6	0·00	0
October—Oktober	72·5	58·8	87·7	58·6	73·2	98·2	46·8	47	3·1	0·63	3
November	72·5	61·6	88·3	62·5	75·4	99·3	54·1	55	4·4	3·23	5
December—Desember	74·6	66·0	88·0	62·4	75·2	93·3	55·0	65	3·8	4·69	6
Year—Jaar	66·4	58·4	82·0	53·4	67·7	99·3	26·8	64	3·2	12·13	28

STEENBRAS DAM.
Lat. 34° 11′ S. Long. 18° 50′ E. Approximate Height above Sea-level, 1,200 feet.

STEENBRASDAM.
Breedtegraad 34° 11′ S. Lengtegraad 18° 50′ O. Hoogte min of meer bo Seehoogte, 1,200 voet.

January—Januarie	66·6	60·2	74·1	57·8	66·0	87·5	52·4	69	2·6	0·29	6
February—Februarie	62·4	56·9	69·0	55·3	62·2	84·1	50·7	71	4·4	2·17	7
March—Maart	62·6	56·8	72·6	56·7	64·6	90·2	51·3	72	2·9	0·87	3
April	57·8	54·1	70·1	53·0	61·6	86·5	44·6	79	3·2	1·98	5
May—Mei	55·3	50·4	63·7	50·3	57·0	81·6	38·9	72	5·4	6·05	12
June—Junie	49·6	46·8	61·4	44·5	53·0	72·4	30·5	83	3·3	3·68	5
July—Julie	47·9	44·4	58·6	42·3	49·4	71·8	33·5	76	4·4	4·02	16
August—Augustus	50·0	45·7	59·3	44·5	51·9	81·1	35·5	72	5·0	3·75	13
September	51·3	47·4	60·0	45·7	52·8	79·2	38·5	75	4·1	3·59	11
October—Oktober	55·5	50·5	63·5	49·0	56·2	86·1	38·9	72	5·1	5·26	12
November	59·7	53·1	—	52·4	—	—	44·4	65	3·3	0·84	7
December—Desember	63·1	56·6	72·1	55·1	63·6	85·5	45·8	67	2·6	0·00	0
Year—Jaar	56·8	51·9	—	50·6	—	—	30·5	73	3·9	32·50	97

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Self-registering Thermometers—Self-registrerende Termometers.								
			Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Minimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Minimum.			Inches. Duime.	Days—Dae.
1926.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
SUTHERLAND. Lat. 32° 25′ S. Long. 20° 42′ E. Approximate Height above Sea-level, 4,776 feet.											
SUTHERLAND. Breedtegraad 32° 25′ S. Lengtegraad 20° 42′ O. Hoogte min of meer bo Seehoogte, 4,776 voet.											
January—Januarie	71·1	56·3	85·2	47·0	66·1	91·0	37·0	42	1·5	0·00	0
February—Februarie	64·9	53·2	79·6	44·3	62·0	88·0	31·0	47	0·9	0·05	1
March—Maart	63·7	55·3	81·4	41·2	61·3	88·0	21·0	61	1·8	0·00	0
April	54·8	46·9	73·4	35·8	54·6	85·0	26·0	56	1·0	0·09	1
May—Mei	46·4	42·6	62·8	35·3	49·0	72·0	21·0	75	3·9	1·63	6
June—Junie	38·5	35·6	59·0	28·4	43·7	69·0	13·0	81	1·5	0·18	2
July—Julie	Incomplete	—	—	—	—	—	—	—	—	1·53	7
August—Augustus	Incomplete	—	65·8	29·1	47·4	79·0	19·0	—	1·8	0·11	2
September	49·8	41·7	70·4	29·9	50·2	81·0	19·0	53	1·1	0·16	2
October—Oktober	54·4	48·4	74·3	33·3	53·8	86·0	23·0	67	1·6	0·80	4
November	59·0	50·4	79·2	39·7	59·4	88·0	29·0	58	2·0	0·70	3
December—Desember	67·5	50·1	84·9	44·2	64·6	91·0	36·0	67	0·3	0·00	0
Year—Jaar	—	—	—	—	—	—	—	—	—	5·25	28
SYDNEY-ON-VAAL. Lat. 28° 27′ S. Long. 24° 18′ E. Approximate Height above Sea-level, 3,600 feet.											
SYDNEY-ON-VAAL. Breedtegraad 28° 27′ S. Lengtegraad 24° 18′ O. Hoogte min of meer bo Seehoogte, 3,600 voet.											
January—Januarie	80·3	66·0	101·7	69·1	85·4	108·2	55·7	47	3·0	0·11	1
February—Februarie	76·4	64·1	100·2	63·7	82·0	107·4	53·8	52	1·2	0·34	2
March—Maart	68·4	63·6	87·8	61·3	74·6	101·7	53·4	78	4·1	5·86	15
April	61·4	57·2	82·3	53·4	67·8	90·3	40·9	79	2·4	0·48	5
May—Mei	51·5	47·6	74·4	43·3	58·8	81·8	32·1	77	2·5	1·57	5
June—Junie	43·3	39·4	69·4	36·3	52·8	83·0	25·2	72	1·3	0·00	0
July—Julie	39·2	35·0	65·1	31·4	48·2	74·2	18·0	69	1·3	0·05	2
August—Augustus	47·3	40·5	76·5	36·9	56·7	86·9	21·0	57	1·3	0·00	0
September	58·2	48·4	80·9	44·8	62·8	92·8	35·3	50	0·6	0·04	3
October—Oktober	67·0	55·5	85·2	54·2	69·7	99·4	40·0	50	3·7	0·71	5
November	69·5	57·0	88·8	56·1	72·4	99·2	41·5	48	3·4	1·10	6
December—Desember	76·6	66·4	95·2	63·8	79·5	102·3	56·6	59	2·3	3·10	10
Year—Jaar	61·6	53·4	84·0	51·2	67·6	108·2	18·0	62	2·3	13·36	54

UPINGTON.

Lat. 28° 27′ S. Long. 21° 15′ E. Approximate Height above Sea-level, 2,800 feet.

UPINGTON.

Breedtegraad 28° 27′ S. Lengtegraad 21° 15′ O. Hoogte min of meer bo Seehoogte, 2,800 voet.

January—Januarie	79·6	60·9	99·8	71·3	85·6	107·0	56·0	35	2·8	0·02	1
February—Februarie	71·6	57·0	95·5	63·3	79·4	107·0	53·0	41	1·1	0·18	1
March—Maart	72·8	61·3	93·3	64·9	79·1	105·0	53·0	52	2·2	1·41	4
April	65·9	56·6	85·7	59·1	72·4	94·0	43·0	57	2·5	0·97	4
May—Mei	53·4	47·7	73·8	47·5	60·6	83·0	37·0	68	3·9	0·52	5
June—Junie	48·7	42·4	71·3	42·8	57·0	83·0	27·0	60	2·6	0·06	2
July—Julie	42·9	37·9	65·7	36·7	51·2	77·0	21·0	68	1·5	0·05	2
August—Augustus	49·1	40·7	74·9	42·8	58·8	87·0	23·0	48	2·7	0·00	0
September	56·1	46·4	78·2	45·7	62·0	91·0	37·0	47	1·6	0·24	2
October—Oktober	63·2	51·8	83·8	52·8	68·3	101·0	43·0	47	3·6	0·00	0
November	69·6	55·1	87·4	58·5	73·0	100·0	47·0	40	2·3	0·77	3
December—Desember	77·6	60·7	96·7	67·6	82·2	105·0	59·0	37	2·2	0·44	3
Year—Jaar	62·5	51·5	83·8	54·4	69·1	107·0	21·0	50	2·4	4·66	27

VAN STADENS.

Lat. 33° 50′ S. Long. 25° 16′ E. Approximate Height above Sea-level, 1,550 feet.

VAN STADENS.

Breedtegraad 33° 50′ S. Lengtegraad 25° 16′ O. Hoogte min of meer bo Seehoogte, 1,550 voet.

January—Januarie	68·7	66·0	79·2	59·1	69·2	98·0	53·0	87	4·2	0·93	4
February—Februarie	67·4	64·7	79·7	58·9	69·3	100·0	50·0	87	3·6	0·59	5
March—Maart	65·2	62·1	77·0	56·7	66·8	92·0	48·0	85	3·7	2·68	10
April	65·0	61·7	75·1	54·4	64·8	88·0	43·0	83	3·5	1·79	7
May—Mei	58·5	55·6	71·6	50·0	60·8	87·0	40·0	83	3·7	2·63	4
June—Junie	55·3	52·0	70·1	47·1	58·6	89·0	39·0	80	3·2	1·24	3
July—Julie	52·3	49·0	64·8	43·4	54·1	84·0	34·0	79	3·5	2·85	9
August—Augustus	55·7	51·5	67·4	46·2	56·8	91·0	35·0	75	3·7	2·03	6
September	56·5	53·0	70·1	46·8	58·4	95·0	38·0	79	3·5	1·66	6
October—Oktober	61·7	58·2	71·7	51·1	61·4	98·0	39·0	81	4·8	4·93	8
November	61·4	58·5	70·9	52·7	61·8	97·0	43·0	84	4·1	4·92	8
December—Desember	67·0	63·6	75·6	56·3	66·0	96·0	46·0	78	4·1	0·60	2
Year—Jaar	61·2	58·0	72·8	51·9	62·4	100·0	34·0	82	3·8	26·85	72

VAN WIJKSVLEI.

Lat. 30° 21′ S. Long. 21° 49′ E. Approximate Height above Sea-level, 3,100 feet.

VAN WIJKSVLEI.

Breedtegraad 30° 21′ S. Lengtegraad 21° 49′ O. Hoogte min of meer bo Seehoogte, 3,100 voet.

January—Januarie	78·3	68·7	96·2	63·3	79·8	103·0	41·0	62	—	0·00	0
February—Februarie	72·7	67·3	92·6	59·2	75·9	102·9	46·0	77	—	0·00	0
March—Maart	70·8	65·3	90·4	59·4	74·9	99·0	47·2	76	2·2	0·36	3
April	67·1	60·8	84·4	53·4	68·9	95·0	36·0	71	2·2	0·00	0
May—Mei	51·6	47·6	72·2	41·1	56·6	84·0	29·0	77	1·6	0·00	0
June—Junie	43·3	39·4	68·4	36·9	52·6	80·0	28·0	72	1·3	0·00	0
July—Julie	37·5	34·6	61·6	29·4	45·5	78·0	12·0	75	1·1	0·00	0
August—Augustus	43·8	39·3	70·8	33·6	52·2	84·0	19·9	68	0·5	0·00	0
September	52·0	45·6	74·1	39·7	56·9	89·0	39·0	63	1·2	0·21	2
October—Oktober	60·3	51·5	79·3	45·7	62·5	94·3	27·3	55	1·9	0·11	1
November	65·7	56·4	83·4	51·2	67·3	99·0	36·0	57	0·9	0·35	2
December—Desember	74·9	64·3	94·3	59·3	76·8	101·2	51·1	57	0·5	0·00	0
Year—Jaar	59·8	53·4	80·6	47·7	64·2	103·0	12·0	68	—	1·03	8

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betrekkike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	† Self-registering Thermometers—Self-registrerende Termometers. Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Mienimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Mienimum.			Inches. Duime.	Days—Dae.
1926.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
VENTERSTAD.											
Lat. 30° 47′ S. Long. 25° 47′ E. Approximate Height above Sea-level, 4,134 feet.											
VENTERSTAD.											
Breedtegraad 30° 47′ S. Lengtegraad 25° 47′ O. Hoogte min of meer bo Seehoogte, 4,134 voet.											
January—Januarie	75·6	62·1	94·2	59·4	76·8	100·0	44·4	48	1·7	0·26	2
February—Februarie	68·7	59·6	91·5	55·7	73·6	100·0	47·5	60	1·7	0·52	3
March—Maart	63·4	57·3	84·0	53·9	69·0	97·0	43·0	71	3·4	3·05	9
April	53·8	50·7	77·2	46·2	61·7	87·0	34·4	83	2·1	1·64	6
May—Mei	43·6	40·1	67·4	36·5	52·0	74·2	23·5	76	3·2	0·12	4
June—Junie	35·1	32·8	63·1	30·5	46·8	74·0	25·0	80	2·8	0·28	4
July—Julie	31·6	29·1	58·7	25·7	42·2	66·7	13·0	73	1·6	0·21	2
August—Augustus	40·1	34·0	69·0	31·0	50·0	80·2	17·0	56	1·5	0·02	1
September	52·3	44·1	72·3	39·4	55·8	84·2	27·5	53	1·8	0·66	3
October—Oktober	61·8	50·7	77·9	48·8	63·4	92·6	35·0	48	4·5	0·41	4
November	62·2	51·0	78·2	49·6	63·9	91·3	34·5	47	4·2	2·47	6
December—Desember	70·5	59·5	89·2	55·5	72·4	99·0	46·0	54	1·6	1·22	7
Year—Jaar	54·9	47·6	76·9	44·4	60·6	100·0	13·0	62	2·5	10·36	51
VRYBURG.											
Lat. 26° 58′ S. Long. 24° 45′ E. Approximate Height above Sea-level, 3,890 feet.											
VRYBURG.											
Breedtegraad 26° 58′ S. Lengtegraad 24° 45′ O. Hoogte min of meer bo Seehoogte, 3,890 voet.											
January—Januarie	78·7	64·8	96·1	65·9	81·0	103·0	58·0	48	3·2	1·01	9
February—Februarie	76·7	62·8	96·0	63·2	79·6	102·0	54·0	47	1·5	0·56	2
March—Maart	68·9	61·7	86·1	53·1	69·6	98·0	54·0	68	4·4	2·89	11
April	61·5	54·9	79·7	50·4	65·0	90·0	40·0	68	2·8	1·87	5
May—Mei	51·0	46·4	72·8	39·9	56·4	80·0	30·0	73	2·3	0·65	3
June—Junie	43·9	39·2	68·2	33·3	50·8	77·0	22·0	67	1·5	0·15	2
July—Julie	39·0	35·1	63·5	27·9	45·7	71·0	17·0	70	1·5	0·03	1
August—Augustus	47·5	40·0	74·6	34·0	54·3	85·0	20·0	52	0·6	0·00	0
September	56·9	47·5	77·4	42·6	60·0	92·0	30·0	50	0·8	0·50	2
October—Oktober	67·0	55·5	82·7	51·2	67·0	95·0	37·0	50	2·2	1·83	5
November	67·9	56·9	84·7	54·8	69·8	95·0	43·0	51	3·0	2·81	11
December—Desember	75·5	63·2	89·1	61·6	75·4	93·0	54·0	52	2·3	4·66	10
Year—Jaar	61·2	52·3	80·9	48·2	64·6	103·0	17·0	58	2·2	16·96	61

WALVIS BAY.

Lat. 22° 56′ S. Long. 14° 30′ E.

WALVISBAAI.

Breedtegraad 22° 56′ S. Lengtegraad 14° 30′ O.

January—Januarie	63·5	63·0	72·1	60·5	66·3	76·0	51·0	96	8·5	0·00	0
February—Februarie	61·2	61·1	71·8	58·4	65·1	76·0	54·0	98	7·7	0·00	0
March—Maart	62·1	61·0	71·7	59·7	65·7	82·0	54·0	95	8·6	0·00	0
April	58·6	57·7	74·2	55·9	65·0	89·0	52·0	95	5·9	0·00	0
May—Mei	56·0	54·8	73·6	50·9	62·2	91·0	42·0	93	4·9	0·00	0
June—Junie	53·5	52·4	73·7	48·1	60·9	94·0	40·0	93	4·5	0·11	2
July—Julie	57·8	56·0	80·5	50·0	65·2	91·0	38·0	91	1·0	0·00	0
August—Augustus	52·8	51·2	72·4	46·6	59·5	99·0	37·0	90	4·7	0·00	0
September	52·2	51·8	63·7	48·7	56·2	70·0	40·0	97	8·6	0·00	0
October—Oktober	55·0	53·8	66·8	50·2	58·5	76·5	44·0	93	5·6	0·01	1
November	57·8	56·8	68·8	53·9	61·4	80·0	45·0	95	6·1	0·26	1
December—Desember	59·3	57·4	69·7	56·3	63·0	75·0	52·0	90	3·4	0·00	0
YEAR—JAAR	57·5	56·4	71·6	53·3	62·4	99·0	37·0	94	5·8	0·38	4

WILLOWMORE.

Lat. 33° 17′ S. Long. 23° 30′ E. Approximate Height above Sea-level. 2,760 feet.

WILLOWMORE.

Breedtegraad 33° 17′ S. Lengtegraad 23° 30′ O. Hoogte min of meer bo Seehoogte, 2,760 voet.

January—Januarie	69·3	60·0	90·7	56·8	73·8	101·0	48·0	60	2·0	0·54	1
February—Februarie	65·7	58·1	86·7	55·3	71·0	102·0	46·0	64	2·2	0·00	0
March—Maart	62·7	56·5	82·6	51·5	67·0	96·0	39·0	69	3·2	0·02	1
April	58·3	52·0	80·1	48·4	64·2	92·0	33·0	66	3·1	0·00	0
May—Mei	50·9	46·3	68·2	42·2	55·2	82·0	31·0	72	4·0	0·67	2
June—Junie	44·7	40·8	65·9	37·4	51·6	75·0	32·0	72	2·8	0·36	2
July—Julie	41·1	38·0	60·3	33·6	47·0	72·0	25·0	77	2·5	0·62	6
August—Augustus	46·1	41·9	67·1	36·8	52·0	86·0	22·0	72	3·7	0·09	2
September	52·1	46·6	70·1	39·9	55·0	93·0	32·0	68	3·9	0·49	4
October—Oktober	59·6	52·4	77·2	46·0	61·6	101·0	36·0	64	3·5	0·43	3
November	58·5	50·5	74·3	47·0	60·6	95·0	37·0	58	3·7	1·97	3
December—Desember	66·3	56·8	86·0	53·9	70·0	102·0	45·0	56	1·9	0·00	0
YEAR—JAAR	56·3	50·0	75·8	45·7	60·8	102·0	22·0	66	3·0	5·19	24

WYNBERG.

Lat. 34° 00′ S. Long. 18° 28′ E. Approximate Height above Sea-level, 235 feet.

WYNBERG.

Breedtegraad 34° 00′ S. Lengtegraad 18° 28′ O. Hoogte min of meer bo Seehoogte, 235 voet.

January—Januarie	67·5	62·1	80·1	60·1	70·1	90·1	52·8	74	—	0·46	2
February—Februarie	65·2	61·3	77·2	57·9	67·6	87·2	52·0	80	—	1·54	5
March—Maart	63·8	60·2	76·6	58·7	67·6	91·8	51·5	82	—	0·14	2
April	59·0	56·2	74·8	54·6	64·7	94·8	47·8	85	—	1·06	2
May—Mei	54·8	52·8	66·8	51·3	59·0	82·2	43·0	88	—	7·07	9
June—Junie	52·5	50·1	64·1	47·4	55·8	75·5	41·0	85	—	2·06	3
July—Julie	50·3	47·3	59·1	44·5	51·8	77·5	36·0	81	—	4·66	16
August—Augustus	51·0	48·3	61·8	46·3	54·0	84·5	38·0	83	—	3·82	11
September	53·0	51·0	61·6	48·0	54·8	84·8	43·5	88	—	2·59	8
October—Oktober	56·6	53·4	65·9	50·6	58·2	91·5	42·5	82	—	4·45	12
November	61·9	56·4	74·4	54·9	64·6	91·0	46·0	71	—	1·01	5
December—Desember	65·7	60·0	77·1	58·0	67·6	88·5	50·5	71	—	0·00	0
YEAR—JAAR	58·4	54·9	70·0	52·7	61·4	94·8	36·0	81	—	28·86	75

ORANGE FREE STATE.

SUMMARIES OF METEOROLOGICAL OBSERVATIONS.

Thermometric Stations.—(B) Orange Free State.

Time of Observation 8.30 a.m. (unless otherwise stated).

ORANJE VRYSTAAT.

OPSOMMING VAN METEOROLOGIESE WAARNEMINGS.

Termometriese Stasies.—(B) Oranje Vrystaat.

Tyd van Waarneming 8.30 v.m. (behalwe dit anders vermeld word).

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Self-registering Thermometers—Self-registrerende Termometers. Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Mienimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Mienimum.			Inches. Duime.	Days—Dae.
1926.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
BOSCHRAND. Lat. 28° 29′ S. Long. 27° 48′ E. Approximate Height above Sea-level, —,– feet.											
BOSCHRAND. Breedtegraad 28° 29′ S. Lengtegraad 27° 48′ O. Hoogte min of meer bo Seehoogte, —,– voet.											
January—Januarie	70·8	62·6	87·7	58·7	73·2	96·0	51·0	65	2·4	4·67	11
February—Februarie	69·4	64·3	85·7	56·6	71·2	93·0	49·0	77	1·2	4·57	7
March—Maart	60·5	58·0	74·0	51·6	62·8	83·0	43·0	88	4·5	5·40	15
April	56·3	51·3	72·8	47·1	60·0	78·0	37·0	73	1·6	0·83	3
May—Mei	47·5	42·5	65·8	38·4	52·1	72·0	26·0	68	2·5	0·68	4
June—Junie	42·7	38·9	61·9	34·4	48·2	72·0	27·0	73	2·2	0·00	0
July—Julie	36·7	33·3	57·4	27·9	42·6	66·0	15·0	71	0·8	0·00	0
August—Augustus	46·9	40·6	67·7	36·7	52·2	78·0	19·0	59	0·8	0·00	0
September	52·6	46·0	69·6	41·6	55·6	87·0	28·0	61	1·7	1·48	2
October—Oktober	62·2	53·2	76·4	48·1	62·2	90·0	33·0	57	3·3	3·10	11
November	62·4	54·5	76·4	49·2	62·8	87·0	36·0	61	3·7	3·17	12
December—Desember	69·2	60·5	82·6	55·6	69·1	90·0	44·0	62	3·0	2·53	15
YEAR—JAAR	56·4	50·5	73·2	45·5	59·3	96·0	15·0	68	2·3	26·43	80
BOSHOF. Lat. 28° 32′ S. Long. 25° 14′ E. Approximate Height above Sea-level, 4,100 feet.											
BOSHOF. Breedtegraad 28° 32′ S. Lengtegraad 25° 14′ O. Hoogte min of meer bo Seehoogte, 4,100 voet.											
January—Januarie	80·1	64·4	98·1	64·0	81·0	105·0	50·2	44	2·3	1·01	2
February—Februarie	78·4	62·8	96·2	61·1	78·6	104·0	54·0	44	0·9	1·93	2
March—Maart	67·8	61·6	84·9	58·0	71·4	97·0	51·0	72	2·5	3·69	9
April	62·2	57·1	79·6	50·6	65·1	88·5	38·0	75	1·8	1·57	5
May—Mei	51·6	45·8	72·5	40·9	56·7	78·5	28·8	66	1·0	0·62	1
June—Junie	42·7	37·7	68·1	34·7	51·4	79·0	25·0	63	1·4	0·00	0
July—Julie	37·3	33·3	62·2	28·8	45·5	70·5	16·0	68	0·7	0·00	0
August—Augustus	47·5	39·4	73·7	34·3	54·0	82·8	20·5	49	0·6	0·00	0
September	59·6	49·0	78·5	44·0	61·2	91·9	32·1	48	0·8	1·05	3
October—Oktober	67·5	56·3	82·0	50·3	66·2	95·5	38·6	52	2·3	1·51	4
November	69·0	56·6	84·6	53·9	69·2	95·0	40·0	49	2·1	1·70	6
December—Desember	74·7	66·7	89·8	60·1	75·0	99·0	50·0	67	1·3	4·93	6
YEAR—JAAR	61·5	52·6	80·9	48·4	64·6	105·0	16·0	58	1·5	18·01	38

GROENVLEI.

Lat. 27° 19′ S. Long. 28° 37′ E. Approximate Height above Sea-level, —,– feet.

GROENVLEI.

Breedtegraad 27° 19′ S. Lengtegraad 28° 37′ O. Hoogte min of meer bo Seehoogte, –,— voet.

January—Januarie	70·4	65·7	84·3	57·6	71·0	91·0	49·0	79	2·8	4·57	13
February—Februarie	69·1	66·3	84·6	56·8	70·7	92·5	46·5	87	3·2	2·84	7
March—Maart	62·1	59·4	77·5	53·0	65·2	84·0	44·5	87	5·0	1·85	12
April	58·1	54·2	76·3	43·3	59·8	83·0	33·0	78	1·4	0·00	0
May—Mei	45·6	43·8	67·4	33·7	50·6	75·0	22·0	88	1·5	1·06	4
June—Junie	Station Closed.		—	—	—	—	—	—	—	—	—
July—Julie	—	—	—	—	—	—	—	—	—	—	—
August—Augustus	—	—	—	—	—	—	—	—	—	—	—
September	—	—	—	—	—	—	—	—	—	—	—
October—Oktober	—	—	—	—	—	—	—	—	—	—	—
November	—	—	—	—	—	—	—	—	—	—	—
December—Desember	—	—	—	—	—	—	—	—	—	—	—
Year—Jaar	—	—	—	—	—	—	—	—	—	—	—

HARRISMITH.

Lat. 28° 16′ S. Long. 29° 10′ E. Approximate Height above Sea-level, 6,100 feet.

HARRISMITH.

Breedtegraad 28° 16′ S. Lengtegraad 29° 10′ O.. Hoogte min of meer bo Seehoogte, 6,100 voet.

January—Januarie	64·5	60·2	78·0	54·2	66·1	89·0	46·0	79	4·0	7·45	14
February—Februarie	64·1	59·2	78·4	54·7	66·6	86·0	45·0	76	4·6	3·44	14
March—Maart	58·0	54·4	70·1	50·4	60·2	80·0	42·0	82	5·5	3·51	11
April	57·7	50·8	70·5	45·2	57·8	77·0	37·0	65	2·6	0·13	2
May—Mei	50·4	42·2	62·3	38·4	50·4	70·0	26·0	54	2·1	0·81	4
June—Junie	43·3	38·4	56·6	33·7	45·2	67·0	22·0	67	1·5	0·33	3
July—Julie	40·4	35·4	53·1	30·6	41·8	70·0	16·0	65	0·5	0·00	0
August—Augustus	47·5	41·0	64·8	36·7	50·8	76·5	20·0	61	1·1	0·00	0
September	51·5	46·3	65·8	41·1	53·4	81·5	30·0	70	2·9	4·86	3
October—Oktober	57·9	51·9	70·5	46·5	58·5	83·8	39·0	70	4·0	2·76	10
November	57·0	51·7	70·2	47·3	58·8	82·0	37·0	72	5·2	3·88	10
December—Desember	62·3	56·5	75·4	51·9	63·6	84·0	43·0	72	5·0	4·01	11
Year—Jaar	54·5	49·0	68·0	44·2	56·1	89·0	16·0	69	3·2	31·18	82

HOLFONTEIN.

Lat. 27° 52′ S. Long. 27° 04′ E. Approximate Height above Sea-level, 4,800 feet.

HOLFONTEIN.

Breedtegraad 27° 52′ S. Lengtegraad 27° 04′ O. Hoogte min of meer bo Seehoogte, 4,800 voet.

January—Januarie	73·4	—	88·5	59·3	73·9	96·0	50·0	—	3·3	1·95	6
February—Februarie	71·1	—	87·8	57·6	72·7	94·6	52·0	—	2·2	4·39	7
March—Maart	63·9	—	77·4	54·5	66·0	87·0	48·0	—	4·5	3·20	7
April	60·2	—	74·0	45·4	59·7	83·0	34·0	—	1·1	0·00	0
May—Mei	52·1	—	68·6	34·9	51·8	78·0	23·0	—	0·5	0·43	2
June—Junie	44·0	—	63·7	30·6	47·2	71·0	21·0	—	2·0	0·17	1
July—Julie	39·8	—	58·1	24·7	41·4	65·0	10·0	—	0·6	0·00	0
August—Augustus	49·4	—	69·6	31·9	50·8	81·0	19·0	—	0·3	0·00	0
September	58·1	—	72·4	39·5	56·0	88·0	28·0	—	1·2	0·80	2
October—Oktober	64·5	—	77·7	46·4	62·0	89·0	34·0	—	1·9	4·48	7
November	66·4	—	81·8	49·7	65·8	88·0	30·0	—	1·9	2·85	5
December—Desember	70·3	—	85·7	53·9	69·8	92·0	49·0	—	1·8	2·83	5
Year—Jaar	59·4	—	75·4	44·0	59·7	96·0	10·0	—	1·8	21·10	42

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Self-registering Thermometers—Self-registrerende Termometers. Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Minimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Minimum.			Inches. Duime.	Days—Dae.
1928.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
IMPERANI. Lat. 28° 51′ S. Long. 27° 52′ E. Approximate Height above Sea-level, 5,400 feet.								**IMPERANI.** Breedtegraad 28° 51′ S. Lengtegraad 27° 52′ O. Hoogte min of meer bo Seehoogte, 5,400 voet.			
January—Januarie	68·2	62·6	85·8	57·4	71·6	98·0	51·0	75	2·3	4·11	11
February—Februarie	65·0	59·6	83·9	55·3	69·6	92·0	47·0	75	2·2	3·82	7
March—Maart	59·8	57·0	73·9	52·2	63·0	84·0	45·0	86	4·3	6·19	12
April	53·9	50·9	73·0	43·4	58·2	79·0	33·0	83	1·4	0·09	1
May—Mei	44·6	41·9	65·5	36·7	51·1	74·0	26·0	81	2·8	0·68	2
June—Junie	39·8	37·0	62·3	31·3	46·8	71·0	24·0	80	2·2	0·36	3
July—Julie	33·4	30·1	57·1	24·6	40·8	66·0	12·0	72	0·6	0·00	0
August—Augustus	42·3	36·5	67·8	31·8	49·8	78·0	14·0	60	0·6	0·00	0
September	49·3	43·5	65·1	38·1	51·6	79·0	28·0	66	1·6	1·90	3
October—Oktober	57·5	51·6	75·1	47·4	61·2	86·0	38·0	70	3·0	3·46	9
November	59·3	53·0	75·5	49·0	62·2	84·0	40·0	68	3·7	4·35	10
December—Desember	66·1	58·8	81·5	54·0	67·8	88·0	44·0	66	2·8	5·11	12
YEAR—JAAR	53·3	48·5	72·2	43·4	57·8	98·0	12·0	74	2·3	30·07	70
LADYBRAND. Lat. 29° 10′ S. Long. 27° 26′ E. Approximate Height above Sea-level, 5,300 feet.								**LADYBRAND.** Breedtegraad 29° 10′ S. Lengtegraad 27° 26′ O. Hoogte min of meer bo Seehoogte, 5,300 voet.			
January—Januarie	73·4	62·9	86·2	59·7	73·0	93·0	52·0	58	1·6	3·27	7
February—Februarie	69·9	61·0	83·9	57·3	70·6	90·0	50·0	63	1·2	3·63	7
March—Maart	62·0	58·4	73·4	53·7	63·6	84·0	46·0	82	3·6	6·36	15
April	57·2	51·8	72·0	47·2	59·6	80·0	38·0	72	0·9	0·67	4
May—Mei	48·3	43·8	65·2	40·0	52·6	73·0	29·0	72	1·5	0·55	4
June—Junie	42·5	38·2	60·9	34·7	47·8	71·0	26·0	70	0·9	0·28	3
July—Julie	36·0	31·7	55·8	28·2	42·0	64·0	28·2	65	0·9	0·00	0
August—Augustus	45·3	38·4	67·0	35·6	51·3	77·0	19·0	56	0·4	0·00	0
September	53·3	46·0	68·1	42·5	55·3	84·0	32·0	60	0·8	1·48	4
October—Oktober	61·9	53·6	74·5	49·3	61·9	85·0	39·0	60	1·6	3·10	8
November	62·0	54·7	73·4	50·0	61·7	83·0	40·0	65	3·0	3·77	11
December—Desember	69·4	60·2	81·3	55·9	68·6	88·0	49·0	62	1·3	2·90	11
YEAR—JAAR	56·8	50·1	71·8	46·2	59·0	93·0	19·0	65	1·5	26·01	74

LINDLEY.

Lat. 27° 53′ S. Long. 27° 55′ E. Approximate Height above Sea-level, 5,000 feet.

LINDLEY.

Breedtegraad 27° 53′ S. Lengtegraad 27° 55′ O. Hoogte min of meer bo Seehoogte, 5,000 voet.

January—Januarie	No Records	—	—	—	—	—	—	—	—	1·36	2
February—Februarie	No Records	—	—	—	—	—	—	—	—	5·70	3
March—Maart	61·0	57·9	77·4	54·2	65·8	88·0	42·0	85	4·5	2·64	13
April	52·2	49·2	75·7	44·3	60·0	89·0	33·0	83	1·3	0·14	2
May—Mei	42·1	39·5	68·4	34·6	51·5	74·8	21·0	82	1·6	0·39	2
June—Junie	37·0	35·4	63·7	31·2	47·4	72·8	23·0	87	2·3	0·55	1
July—Julie	29·7	27·7	59·5	22·7	41·1	68·8	9·8	80	0·7	0·00	0
August—Augustus	38·1	33·7	69·6	29·9	49·8	80·0	15·8	67	1·1	0·00	0
September	49·2	45·4	72·4	40·4	56·4	87·8	25·0	78	1·7	1·75	4
October—Oktober	61·8	53·7	78·7	50·0	64·4	90·2	40·0	61	2·0	2·47	9
November	61·5	54·9	78·6	50·7	64·6	89·2	34·4	69	3·2	3·79	9
December—Desember	65·0	61·8	81·6	56·8	69·2	90·0	50·2	85	3·4	5·78	10
Year—Jaar	—	—	—	—	—	—	—	—	—	24·57	55

LUCKHOFF.

Lat. 29° 45′ S. Long. 24° 47′ E. Approximate Height above Sea-level, 4,200 feet.

LUCKHOFF.

Breedtegraad 29° 45′ S. Lengtegraad 24° 47′ O. Hoogte min of meer bo Seehoogte, 4,200 voet.

January—Januarie	No Records	—	—	—	—	—	—	—	—	—	—
February—Februarie	No Records	—	—	—	—	—	—	—	—	—	—
March—Maart	No Records	—	—	—	—	—	—	—	—	—	—
April	No Records	—	—	—	—	—	—	—	—	—	—
May—Mei	No Records	—	—	—	—	—	—	—	—	—	—
June—Junie	No Records	—	—	—	—	—	—	—	—	—	—
July—Julie	39·9	36·2	56·5	30·7	43·6	66·0	20·0	73	1·2	0·00	0
August—Augustus	47·9	41·1	68·5	38·0	53·2	81·5	23·0	59	0·0	0·00	0
September	52·1	47·4	71·6	41·8	56·7	84·5	29·5	73	0·7	0·45	1
October—Oktober	59·8	55·1	75·1	51·1	63·1	93·5	34·0	75	1·2	0·55	1
November	58·5	53·3	78·7	48·8	63·8	92·5	37·0	73	1·8	0·83	5
December—Desember	66·9	61·3	87·4	57·2	72·3	99·5	51·5	74	1·3	0·00	0
Year—Jaar	—	—	—	—	—	—	—	—	—	—	—

PORTLAND.

Lat. 28° 01′ S. Long. 27° 03′ E. Approximate Height above Sea-level, –.— feet.

PORTLAND.

Breedtegraad 28° 01′ S. Lengtegraad 27° 03′ O. Hoogte min of meer bo Seehoogte, –,— voet.

January—Januarie	75·8	64·1	91·5	63·5	77·5	99·0	57·0	55	2·5	1·93	10
February—Februarie	72·8	63·4	89·1	62·5	75·8	96·0	57·0	62	1·1	4·67	8
March—Maart	66·8	60·9	78·3	58·3	68·3	87·0	50·0	72	3·4	3·33	11
April	60·8	54·6	75·4	51·1	63·2	82·0	37·0	69	1·0	0·24	3
May—Mei	50·5	45·2	67·6	41·3	54·4	74·0	33·0	68	1·0	1·07	3
June—Junie	44·8	40·5	63·0	36·8	49·9	72·0	28·0	71	1·5	0·54	2
July—Julie	40·7	35·1	58·7	29·2	44·0	66·0	13·0	60	0·9	0·00	0
August—Augustus	50·4	41·8	69·4	37·8	53·6	82·0	17·0	50	0·2	0·00	0
September	58·9	51·0	73·4	44·6	59·0	89·0	31·0	60	0·7	1·20	3
October—Oktober	66·2	56·5	79·4	52·4	65·9	92·0	38·0	57	1·5	2·95	7
November	68·1	58·5	81·6	55·1	68·4	91·0	43·0	59	2·7	1·33	4
December—Desember	72·5	64·3	86·4	61·3	73·8	94·0	55·0	66	2·4	3·90	7
Year—Jaar	60·7	53·0	76·1	49·5	62·8	99·0	13·0	62	1·6	21·06	58

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Self-registering Thermometers—Self-registrerende Termometers. Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Minimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Minimum.			Inches. Duime.	Days—Dae.
1926.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
ROOKWOOD. Lat. 29° 27′ S. Long. 26° 46′ E. Approximate Height above Sea-level, –,— feet.											
ROOKWOOD. Breedtegraad 29° 27′ S. Lengtegraad 26° 46′ O. Hoogte min of meer bo Seehoogte, –,— voet.											
January—Januarie	—	—	—	—	—	—	—	—	—	0·91	2
February—Februarie	—	—	—	—	—	—	—	—	—	2·68	4
March—Maart	—	—	—	—	—	—	—	—	—	3·28	12
April	Station Established (Thermometric)			—	—	—	—	—	—	1·02	4
May—Mei	51·4	47·8	72·4	40·6	56·5	85·0	28·0	79	—	0·17	1
June—Junie	43·9	39·8	66·4	35·3	50·8	74·2	24·0	73	—	0·00	0
July—Julie	42·1	37·7	61·8	30·0	45·9	70·0	17·5	70	—	0·00	0
August—Augustus	47·3	41·7	69·2	36·3	52·8	78·5	19·5	65	—	0·00	0
September	53·6	46·8	71·7	41·5	56·6	88·0	31·9	63	—	1·04	4
October—Oktober	64·0	54·7	77·5	50·2	63·8	89·5	63·8	57	—	1·19	6
November	65·0	57·0	79·4	51·3	65·4	88·5	37·1	64	—	3·21	8
December—Desember	71·1	62·1	87·2	58·1	72·6	95·0	49·4	64	—	1·10	5
YEAR—JAAR	—	—	—	—	—	—	—	—	—	14·60	46
WEPENER. Lat. 29° 44′ S. Long. 27° 02′ E. Approximate Height above Sea-level, 4,750 feet.											
WEPENER. Breedtegraad 29° 44′ S. Lengtegraad 27° 02′ O. Hoogte min of meer bo Seehoogte, 4,750 voet.											
January—Januarie	73·3	64·8	89·0	58·9	74·0	95·2	40·8	66	3·4	1·76	8
February—Februarie	70·5	63·3	87·1	57·3	72·2	95·2	44·5	69	1·8	3·42	5
March—Maart	62·9	58·6	77·7	54·6	66·2	88·2	43·2	78	5·0	3·82	13
April	55·4	50·8	74·8	42·3	58·6	82·8	26·8	75	2·6	0·72	4
May—Mei	46·0	41·1	67·4	35·1	51·2	73·5	21·0	67	4·4	0·47	5
June—Junie	38·0	34·6	63·4	28·2	45·8	72·9	18·5	73	4·0	0·25	2
July—Julie	33·3	29·9	58·5	22·2	40·4	66·0	9·4	70	1·7	0·10	1
August—Augustus	44·3	37·2	69·9	29·9	49·9	78·8	13·0	53	1·8	0·09	1
September	52·6	45·4	72·6	36·6	54·6	88·8	20·0	58	3·0	0·53	5
October—Oktober	63·2	55·4	78·5	48·3	63·4	90·8	32·0	63	3·8	1·94	8
November	63·8	54·2	77·7	47·7	62·7	87·2	31·5	55	4·9	3·67	10
December—Desember	70·8	60·8	85·0	57·0	71·0	93·1	41·8	58	3·4	4·74	12
YEAR—JAAR	56·2	49·7	75·1	43·2	59·2	95·2	9·4	65	3·3	21·51	74

NATAL PROVINCE.

SUMMARIES OF METEOROLOGICAL OBSERVATIONS.

Thermometric Stations.—(C) Natal.

Time of Observation 8.30 a.m. (unless otherwise stated).

NATAL PROVINSIE.

OPSOMMING VAN METEOROLOGIESE WAARNEMINGS.

Termometriese Stasies.—(C) Natal.

Tyd van Waarneming 8.30 v.m. (behalwe dit anders vermeld word).

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.)	Cloud. (Amount 0–10.)	Rainfall—Reënval.	
	Mean Dry Bulb.	Mean Wet Bulb.	Self-registering Thermometers—Self-registrerende Termometers.								
			Mean Maximum.	Mean Minimum.	Mean Monthly Temperatures.	Absolute Maximum.	Absolute Minimum.				
	Gemiddelde Droë Bol.	Gemiddelde Nat Bol.	Gemiddelde Maksimum.	Gemiddelde Minimum.	Gemiddelde Maandelikse Temperature.	Volstrekte Maksimum.	Volstrekte Minimum.	Betreklike Natheid. (Sat. = 100.)	Wolk. (Beloop tot 10.)		
1926.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%		Inches. Duime.	Days—Dae.
CEDARA.											
Lat. 29° 30′ S. Long. 30° 16′ E. Approximate Height above Sea-level, 3,650 feet.											
CEDARA.											
Breedtegraad 29° 30′ S. Lengtegraad 30° 16′ O. Hoogte min of meer bo Seehoogte, 3,650 voet.											
January—Januarie	68·3	64·3	80·5	59·9	70·2	95·0	52·0	81	5·6	2·91	21
February—Februarie	67·6	63·6	79·6	60·0	69·8	95·0	55·0	81	6·9	2·17	20
March—Maart	63·4	59·8	74·5	56·3	65·4	93·0	49·0	82	5·9	4·81	23
April	62·0	56·9	74·7	52·7	63·7	85·0	42·0	75	4·0	0·27	8
May—Mei	54·6	50·2	69·3	46·3	57·8	81·0	32·0	75	4·0	2·16	6
June—Junie	48·8	42·9	64·7	41·0	52·8	74·0	34·0	79	3·4	1·71	6
July—Julie	47·4	42·1	64·8	37·1	51·0	75·0	26·0	66	1·9	0·06	1
August—Augustus	54·3	46·6	70·5	44·6	57·6	85·0	32·0	56	2·9	0·15	6
September	55·9	50·8	69·7	47·1	58·4	89·0	39·0	72	4·4	3·96	14
October—Oktober	62·6	56·9	74·4	53·3	63·8	93·0	42·0	72	4·5	3·12	16
November	61·2	56·9	73·6	52·0	62·8	89·0	41·0	78	5·6	3·77	15
December—Desember	64·4	61·6	75·8	56·2	66·0	92·0	48·0	86	6·0	5·46	24
YEAR—JAAR	59·0	54·4	72·7	50·5	61·6	95·0	26·0	75	4·6	30·55	160
DUNDEE.											
Lat. 28° 11′ S. Long. 30° 18′ E. Approximate Height above Sea-level, 4,100 feet.											
DUNDEE.											
Breedtegraad 28° 11′ S. Lengtegraad 30° 18′ O. Hoogte min of meer bo Seehoogte, 4,100 voet.											
January—Januarie	68·9	64·4	85·2	59·6	72·4	94·0	54·0	79	3·0	2·99	11
February—Februarie	68·0	63·8	86·1	60·9	73·5	94·0	54·0	81	3·7	2·86	11
March—Maart	61·8	58·5	78·9	56·0	67·4	92·0	47·0	83	5·5	4·32	14
April	57·6	53·9	77·3	48·5	62·9	86·0	40·0	79	2·2	2·21	2
May—Mei	53·7	48·8	73·8	41·9	57·8	84·0	33·0	71	3·3	0·72	4
June—Junie	45·1	42·4	66·4	35·6	51·0	73·0	29·0	75	4·6	1·55	3
July—Julie	45·5	40·3	65·6	32·3	49·0	75·0	20·0	66	2·1	0·00	0
August—Augustus	51·4	45·9	74·4	39·1	56·8	87·0	23·0	67	2·8	0·00	0
September	54·8	50·6	74·1	45·9	60·0	89·0	38·0	76	4·6	3·83	5
October—Oktober	60·1	54·0	79·3	52·4	65·8	94·0	44·0	70	4·3	4·02	14
November	61·3	55·2	78·1	51·5	64·8	91·0	41·0	71	4·3	3·73	13
December—Desember	66·5	60·8	84·5	57·1	70·8	96·0	44·0	73	3·6	4·47	15
YEAR—JAAR	57·9	53·2	77·0	48·4	62·7	96·0	20·0	74	3·7	30·70	92

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Self-registering Thermometers—Self-registrerende Termometers. Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Minimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Minimum.			Inches. Duime.	Days—Dae.
1926.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
DURBAN (TOWN) (Borough Water Engineer). Lat. 29° 50′ S. Long. 31° 01′ E. Approximate Height above Sea-level, –,— feet.											
January—Januarie	—	—	—	—	—	—	—	—	—	0·89	4
February—Februarie	78·3	73·1	32·9	72·1	77·5	95·0	65·0	78	—	4·10	12
March—Maart	74·8	69·8	80·5	68·3	74·4	85·5	62·0	78	—	6·21	16
April	72·9	66·6	78·6	64·1	71·4	83·2	57·5	72	—	0·89	4
May—Mei	68·0	62·0	75·2	60·6	67·9	85·5	54·5	71	—	1·00	5
June—Junie	60·7	57·3	70·6	54·9	62·8	77·8	50·0	82	—	0·97	7
July—Julie	60·2	53·4	71·3	52·3	61·8	82·5	46·5	64	—	0·24	3
August—Augustus	64·6	59·0	72·1	57·0	64·6	79·2	47·5	72	—	0·63	5
September	67·1	61·1	72·9	59·5	66·2	78·5	54·0	71	—	1·65	9
October—Oktober	71·1	65·7	76·6	63·7	70·2	91·5	56·0	76	—	2·38	13
November	72·1	65·6	76·6	64·4	70·5	86·0	57·5	71	—	3·10	12
December—Desember	74·5	69·7	79·8	68·3	74·0	90·2	60·5	79	—	3·64	16
Year—Jaar	—	—	—	—	—	—	—	—	—	25·70	106
DURBAN (STAD) (Borough Water Engineer). Breedtegraad 29° 50′ S. Lengtegraad 31° 01′ O. Hoogte min of meer bo Seehoogte, –,—— voet.											
EMERALD DALE. Lat. 29° 58′ S. Long. 29° 58′ E. Approximate Height above Sea-level, –,— feet.											
January—Januarie	69·4	64·0	80·8	58·8	69·8	97·5	51·0	76	5·8	2·59	18
February—Februarie	68·9	62·9	79·4	58·9	69·2	95·0	52·0	72	6·2	3·51	13
March—Maart	64·7	60·4	74·9	55·2	65·0	95·0	48·0	79	5·6	4·20	16
April	63·9	56·2	75·4	50·0	62·7	86·0	38·0	63	3·1	0·03	3
May—Mei	56·8	50·4	69·3	44·0	56·6	81·0	29·0	67	4·0	1·05	6
June—Junie	51·3	45·6	64·3	39·1	51·7	78·0	29·0	66	3·7	1·28	6
July—Julie	50·6	47·4	62·1	33·2	47·6	73·0	25·5	81	0·9	0·00	0
August—Augustus	59·2	52·7	71·9	42·4	57·2	90·0	27·0	67	2·7	0·19	6
September	56·4	50·3	69·0	45·2	57·1	90·0	36·0	68	4·5	3·31	12
October—Oktober	63·8	56·4	75·1	50·6	62·8	92·0	42·0	65	3·2	4·48	14
November	63·0	56·3	73·6	51·1	62·4	89·0	42·0	68	6·0	3·43	16
December—Desember	63·0	59·1	72·8	54·9	63·8	94·0	49·0	80	6·9	5·18	18
Year—Jaar	60·9	55·1	72·4	48·6	60·5	97·5	25·5	71	4·4	29·25	128
EMERALD DALE. Breedtegraad 29° 58′ S. Lengtegraad 29° 58′ O. Hoogte min of meer bo Seehoogte, –,—— voet.											

EMPANGENI.

Lat. 28° 46′ S. Long. 31° 55′ E. Approximate Height above Sea-level, 210 feet.

EMPANGENI.

Breedtegraad 28° 46′ S. Lengtegraad 31° 55′ O. Hoogte min of meer bo Seehoogte, 210 voet.

January—Januarie	77·4	72·1	86·2	68·2	77·2	99·0	61·0	77	6·2	3·70	11
February—Februarie	—	—	85·4	68·1	76·8	100·0	61·0	—	6·1	2·01	11
March—Maart	73·9	70·0	82·0	62·8	72·4	97·0	57·0	82	6·3	8·38	16
April	70·2	66·8	79·3	59·6	69·4	89·0	53·0	84	1·8	1·84	6
May—Mei	65·7	61·9	76·3	57·9	67·1	89·0	47·0	81	2·3	0·70	8
June—Junie	58·6	56·7	71·5	53·3	62·4	81·0	43·0	94	3·5	2·90	9
July—Julie	57·5	54·0	72·1	49·2	60·6	85·0	37·0	80	2·7	0·76	5
August—Augustus	63·1	58·9	74·6	54·7	64·6	95·0	44·0	78	3·3	0·67	6
September	65·0	60·9	74·9	56·3	65·6	93·0	51·0	80	5·0	3·16	3
October—Oktober	71·5	66·2	81·6	61·3	71·4	101·0	53·0	76	4·9	4·31	12
November	72·1	67·2	80·4	62·3	71·4	101·0	54·0	78	5·2	5·47	15
December—Desember	76·0	71·1	84·3	66·7	75·5	102·0	60·0	78	5·5	4·31	10
YEAR—JAAR	—	—	79·1	60·0	69·6	102·0	37·0	—	4·4	38·21	112

ESHOWE.

Lat. 28° 53′ S. Long. 31° 27′ E. Approximate Height above Sea-level, 1,360 feet.

ESHOWE.

Breedtegraad 28° 53′ S. Lengtegraad 31° 27′ O. Hoogte min of meer bo Seehoogte, 1,360 voet.

January—Januarie	70·8	68·0	81·7	65·7	73·7	95·5	60·1	87	3·6	3·10	9
February—Februarie	70·9	67·8	81·8	66·9	74·4	99·9	60·5	85	5·2	4·80	14
March—Maart	66·7	63·9	76·7	62·6	69·6	93·5	54·6	87	5·2	9·44	18
April	64·1	60·3	76·8	60·0	68·4	87·5	54·3	81	2·4	0·67	7
May—Mei	60·8	55·5	73·6	57·0	65·3	88·6	47·4	72	2·6	0·26	10
June—Junie	56·5	51·8	68·5	53·0	60·8	81·8	47·5	74	3·1	2·68	7
July—Julie	55·6	50·2	69·7	51·0	60·4	82·0	42·3	70	2·5	0·20	2
August—Augustus	57·9	57·0	72·3	52·8	62·6	92·8	43·7	95	3·0	1·13	6
September	60·5	59·7	72·0	54·7	63·4	94·5	49·3	95	7·0	3·98	13
October—Oktober	66·1	60·4	77·5	58·8	68·2	97·9	51·0	72	4·3	6·48	13
November	65·5	60·2	75·9	57·8	66·8	94·8	50·4	74	5·3	6·68	14
December—Desember	68·8	64·9	79·3	63·0	71·2	97·7	55·8	81	6·5	4·40	15
YEAR—JAAR	63·7	60·0	75·5	58·6	67·1	99·9	42·3	81	4·2	43·82	128

ESTCOURT.

Lat. 29° 00′ S. Long. 29° 53′ E. Approximate Height above Sea-level, 3,833 feet.

ESTCOURT.

Breedtegraad 29° 00′ S. Lengtegraad 29° 53′ O. Hoogte min of meer bo Seehoogte, 3,833 voet.

January—Januarie	71·8	65·0	86·2	61·9	74·0	99·0	55·0	72	2·3	5·29	14
February—Februarie	70·5	64·2	84·3	61·8	73·0	95·0	55·0	72	2·5	2·98	11
March—Maart	66·1	60·4	80·4	56·8	68·6	92·0	49·0	73	2·6	1·96	11
April	62·0	55·7	77·4	49·3	63·4	85·0	39·0	69	1·5	0·90	4
May—Mei	52·3	47·2	71·1	40·9	56·0	83·0	32·0	69	1·6	0·39	4
June—Junie	46·3	41·9	63·9	35·8	49·8	76·0	27·0	71	1·0	1·03	3
July—Julie	43·8	37·3	64·6	29·5	47·0	74·0	22·0	55	0·6	0·00	0
August—Augustus	50·0	42·4	73·9	36·1	55·0	87·0	23·0	54	1·7	0·00	0
September	57·6	51·2	71·5	46·0	58·8	90·0	39·0	67	1·5	3·57	6
October—Oktober	63·5	56·4	76·5	52·9	64·7	92·0	47·0	67	1·9	3·43	13
November	65·2	58·1	78·6	53·4	66·0	92·0	41·0	68	2·4	3·80	9
December—Desember	69·4	61·9	81·7	58·2	70·0	94·0	46·0	68	2·4	4·04	14
YEAR—JAAR	59·9	53·5	75·8	48·6	62·2	99·0	22·0	67	1·8	27·39	89

Month—Maand, 1926.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Self-registering Thermometers—Self-registrerende Termometers. Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Minimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Minimum.			Inches. Duime.	Days—Dae.
	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
GREYTOWN. Lat. 29° 04′ S. Long. 30° 36′ E. Approximate Height above Sea-level, 3,400 feet.											
GREYTOWN. Breedtegraad 29° 04′ S. Lengtegraad 30° 36′ O. Hoogte min of meer bo Seehoogte, 3,400 voet.											
January—Januarie	69·9	64·2	81·9	60·8	71·4	93·0	52·7	74	5·7	5·14	17
February—Februarie	67·6	63·0	80·5	61·1	70·8	93·9	55·0	78	6·5	1·53	15
March—Maart	62·8	59·5	75·6	57·2	66·4	92·0	49·5	83	5·9	4·25	17
April	63·0	55·9	76·7	53·9	65·3	85·0	43·8	66	2·7	0·29	4
May—Mei	55·8	50·0	70·6	49·8	60·2	82·7	38·5	68	3·8	0·73	4
June—Junie	48·6	45·7	64·2	45·0	54·6	76·4	36·0	80	3·7	1·18	4
July—Julie	—	—	—	—	—	—	—	—	—	0·00	0
August—Augustus	55·7	47·8	71·9	47·8	59·8	87·1	34·0	56	3·3	0·22	4
September	56·9	51·5	70·5	48·9	59·7	87·0	39·3	70	3·7	4·50	12
October—Oktober	63·4	55·8	75·6	55·2	65·4	91·6	43·5	64	4·2	4·39	12
November	62·0	56·2	75·4	53·6	64·5	90·1	44·2	71	5·9	5·22	14
December—Desember	66·3	61·3	78·1	58·2	68·2	90·3	50·5	76	5·6	5·02	20
Year—Jaar	—	—	—	—	—	—	—	—	—	32·47	123
HLABISA. Lat. 28° 08′ S. Long. 31° 52′ E. Approximate Height above Sea-level, 800 feet.											
HLABISA. Breedtegraad 28° 08′ S. Lengtegraad 31° 52′ O. Hoogte min of meer bo Seehoogte, 800 voet.											
January—Januarie	72·9	68·8	84·7	64·9	74·8	97·0	59·0	81	4·6	4·07	13
February—Februarie	72·6	69·3	83·2	66·8	75·0	96·0	61·0	84	3·1	3·16	12
March—Maart	69·2	65·1	79·5	62·5	71·0	90·0	57·0	81	5·3	8·10	13
April	66·7	62·3	78·2	58·9	68·6	89·0	53·0	78	3·2	0·31	4
May—Mei	62·6	57·3	74·8	55·5	65·2	87·0	47·0	72	2·5	1·28	8
June—Junie	57·9	53·8	69·3	51·5	60·4	81·0	46·0	77	4·2	0·83	7
July—Julie	57·8	54·2	69·9	48·4	59·2	86·0	38·0	79	3·7	0·30	5
August—Augustus	60·6	55·1	73·5	51·5	62·5	92·0	42·0	70	4·3	0·33	4
September	61·2	56·7	72·5	53·8	63·2	93·0	48·0	77	3·8	4·48	11
October—Oktober	66·5	61·0	77·7	57·7	67·7	94·0	49·0	74	3·5	4·00	12
November	67·5	61·5	77·3	57·3	67·3	94·0	51·0	72	3·4	3·25	13
December—Desember	70·5	65·5	80·9	61·5	71·2	93·0	55·0	77	4·2	5·29	15
Year—Jaar	65·5	60·9	76·8	57·5	67·2	97·0	38·0	77	3·8	35·40	117

HOWICK.

Lat. 29° 27′ S. Long. 30° 14′ E. Approximate Height above Sea-level, 3,440 feet.

HOWICK.

Breedtegraad 29° 27′ S. Lengtegraad 30° 14′ O. Hoogte min of meer bo Seehoogte, 3,440 voet.

January—Januarie	—	—	85·2	60·8	73·0	98·0	54·0	—	4·4	2·66	15
February—Februarie	—	—	83·5	60·6	72·0	100·0	51·0	—	5·3	1·50	14
March—Maart	—	—	78·2	56·2	67·2	101·0	49·0	—	5·1	3·91	17
April	—	—	85·4	49·7	67·6	91·0	39·0	—	2·5	0·50	5
May—Mei	—	—	71·2	42·6	56·9	85·0	30·0	—	2·8	1·27	5
June—Junie	—	—	64·2	37·6	50·9	74·0	26·0	—	3·1	1·13	4
July—Julie	—	—	64·2	31·7	48·0	75·0	23·0	—	1·5	0·00	0
August—Augustus	—	—	72·8	40·4	56·6	90·0	29·0	—	2·3	0·23	6
September	—	—	71·7	46·2	59·0	90·0	40·0	—	4·4	5·15	10
October—Oktober	—	—	78·8	54·0	66·4	94·0	45·0	—	3·8	3·67	13
November	—	—	78·9	53·5	66·2	96·0	41·0	—	4·7	4·67	12
December—Desember	—	—	80·2	57·5	68·8	98·0	51·0	—	5·6	6·07	22
Year—Jaar	—	—	76·2	49·2	62·7	101·0	23·0	—	3·8	30·76	123

INQWANQWANE.

Lat. 30° 02′ S. Long. 29° 42′ E. Approximate Height above Sea-level, —,— feet.

INQWANQWANE.

Breedtegraad 30° 02′ S. Lengtegraad 29° 42′ O. Hoogte min of meer bo Seehoogte, —,— voet.

January—Januarie	67·1	63·0	79·6	59·6	69·6	97·0	52·0	80	5·5	3·16	14
February—Februarie	66·9	62·8	78·4	59·4	68·9	95·0	53·0	81	5·9	2·35	16
March—Maart	61·5	59·2	73·9	55·6	64·8	92·5	46·0	87	5·5	4·89	17
April	58·3	55·0	74·5	51·5	63·0	85·0	41·0	82	2·9	0·96	5
May—Mei	53·7	49·3	67·9	46·2	57·0	78·0	32·0	75	3·9	2·57	7
June—Junie	45·6	42·7	63·1	39·6	51·4	75·0	31·0	80	2·9	1·60	5
July—Julie	43·0	38·4	63·3	35·7	49·5	72·5	26·5	68	0·4	0·00	0
August—Augustus	51·8	45·5	69·7	43·4	56·6	89·9	30·0	63	2·5	0·30	4
September	54·1	48·6	69·2	44·9	57·0	88·0	36·0	68	3·9	3·41	7
October—Oktober	61·7	55·7	74·7	50·8	62·8	93·5	42·9	70	4·0	3·92	12
November	61·4	56·1	72·4	51·5	62·0	89·5	43·0	72	4·9	5·30	15
December—Desember	64·2	60·1	75·7	55·8	65·8	93·0	49·0	80	5·7	7·96	18
Year—Jaar	57·4	53·0	71·9	49·5	60·7	97·0	26·5	75	4·0	36·42	120

LADYSMITH.

Lat. 28° 33′ S. Long. 29° 47′ E. Approximate Height above Sea-level, 3,284 feet.

LADYSMITH.

Breedtegraad 28° 33′ S. Lengtegraad 29° 47′ O. Hoogte min of meer bo Seehoogte, 3,284 voet.

January—Januarie	73·7	68·0	92·1	63·2	77·6	99·0	55·0	75	2·9	10·14	14
February—Februarie	74·3	67·9	93·1	66·0	79·6	104·0	60·0	65	3·7	2·00	6
March—Maart	68·2	63·8	82·4	61·1	71·8	98·0	55·0	79	3·9	2·74	9
April	62·0	56·9	80·3	52·0	66·2	88·0	45·0	75	3·1	0·34	2
May—Mei	54·3	50·3	72·9	44·6	58·8	85·0	35·0	77	3·1	1·40	3
June—Junie	46·0	42·9	64·3	39·0	51·6	73·0	31·0	79	2·6	0·95	3
July—Julie	45·0	39·1	65·4	36·2	50·8	75·0	28·0	60	0·5	0·00	0
August—Augustus	53·5	45·7	75·6	42·2	58·9	90·0	29·0	56	1·4	0·00	0
September	58·2	53·2	74·8	49·2	62·0	91·0	40·0	73	4·2	4·31	6
October—Oktober	65·7	58·0	81·0	55·2	66·1	95·0	49·0	63	4·4	3·01	11
November	66·9	59·3	81·4	56·0	68·7	95·0	50·0	64	4·5	3·26	9
December—Desember	71·6	64·7	86·4	61·9	74·2	96·0	55·0	71	4·4	4·64	14
Year—Jaar	61·6	55·8	79·1	52·2	65·6	104·0	28·0	70	3·2	32·79	77

Month—Maand, 1926.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skawudee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Self-registering Thermometers—Self-registrerende Termometers.								
			Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Mienimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Mienimum.			Inches. Duime.	Days—Dae.
	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
L'AURET. Lat. 27° 41′ S. Long. 31° 43′ E. Approximate Height above Sea-level, –,— feet.								**L'AURET.** Breedtegraad 27° 41′ S. Lengtegraad 31° 43′ O. Hoogte min of meer bo Seehoogte, –,— voet.			
January—Januarie	Station Established.		—	—	—	—	—	—	—	—	—
February—Februarie	76·5	70·9	89·3	69·8	79·6	101·0	65·5	77	—	0·64	3
March—Maart	73·0	66·9	85·3	65·9	75·6	96·5	58·0	74	—	2·85	6
April	67·9	63·2	82·4	60·2	71·3	95·5	52·5	77	—	0·04	1
May—Mei	63·0	58·5	76·7	55·6	66·2	86·0	46·0	77	—	0·90	4
June—Junie	59·2	54·5	72·9	50·0	61·4	81·0	38·0	75	—	0·00	0
July—Julie	56·1	50·6	72·2	47·2	59·7	87·0	38·0	69	—	0·00	0
August—Augustus	58·8	54·3	78·2	51·6	64·9	95·0	42·0	75	—	0·00	0
September	64·7	60·7	80·1	59·0	69·6	95·5	52·5	80	—	1·89	7
October—Oktober	70·4	64·1	84·3	61·9	73·1	100·0	55·0	72	—	1·38	7
November	70·1	64·1	82·9	61·9	72·4	101·5	53·0	73	—	2·01	11
December—Desember	75·3	68·3	89·1	67·0	78·0	100·0	59·0	72	—	1·75	10
Year—Jaar	—	—	—	—	—	—	—	—	—	—	—
MAGUT. Lat. 27° 37′ S. Long. 31° 37′ E. Approximate Height above Sea-level, –,— feet.								**MAGUT.** Breedtegraad 27° 37′ S. Lengtegraad 31° 37′ O. Hoogte min of meer bo Seehoogte, –,— voet.			
January—Januarie	Station Established.		—	—	—	—	—	—	—	1·43	7
February—Februarie	78·6	71·7	90·8	56·9	73·8	103·0	49·0	72	5·1	0·69	7
March—Maart	73·1	66·9	85·8	54·8	70·3	97·0	43·0	73	5·4	3·13	4
April	70·2	63·4	82·0	53·0	67·5	90·0	45·0	70	2·3	0·42	1
May—Mei	64·6	58·2	75·8	50·0	62·9	82·0	42·0	69	1·5	0·00	0
June—Junie	58·6	53·2	75·4	49·5	62·4	86·0	45·0	71	1·8	0·00	0
July—Julie	55·7	50·9	77·4	45·3	61·4	87·0	40·0	74	—	0·00	0
August—Augustus	—	—	—	—	—	—	—	—	—	—	—
September	—	—	—	—	—	—	—	—	—	—	—
October—Oktober	—	—	—	—	—	—	—	—	—	—	—
November	—	—	—	—	—	—	—	—	—	2·34	8
December—Desember	74·9	66·5	91·1	65·3	78·2	105·0	58·0	65	5·5	2·57	9
Year—Jaar	—	—	—	—	—	—	—	—	—	—	—

MELMOTH.

Lat. 28° 35′ S. Long. 31° 23′ E. Approximate Height above Sea-level, 2,600 feet.

MELMOTH.

Breedtegraad 28° 35′ S. Lengtegraad 31° 23′ O. Hoogte min of meer bo Seehoogte, 2,600 voet.

January—Januarie	74·2	68·4	84·6	63·8	74·2	99·0	57·0	75	5·5	2·96	12
February—Februarie	74·6	69·0	84·2	65·3	74·8	105·0	58·0	76	6·3	1·62	15
March—Maart	69·2	64·5	78·0	60·5	69·2	101·0	55·0	78	5·9	6·42	12
April	66·3	60·6	78·2	55·3	66·8	90·0	48·0	72	2·6	0·59	4
May—Mei	63·8	57·1	73·4	52·5	63·0	88·0	42·0	67	4·2	0·62	5
June—Junie	58·1	53·1	68·0	48·4	58·2	85·0	42·0	73	3·5	2·93	4
July—Julie	58·8	50·7	68·8	45·9	57·4	82·0	37·0	58	2·6	0·02	1
August—Augustus	61·7	53·3	73·9	49·7	61·8	88·0	38·0	58	3·3	0·22	4
September	62·5	55·1	73·5	52·1	62·8	95·0	47·0	65	4·5	2·70	6
October—Oktober	69·2	61·1	79·1	57·3	68·2	100·0	49·0	64	5·1	4·88	12
November	67·7	61·3	77·3	56·4	66·8	100·0	48·0	71	6·1	3·46	14
December—Desember	70·1	64·8	82·4	60·4	71·4	100·5	46·0	76	7·0	2·29	18
YEAR—JAAR	66·4	59·9	76·8	55·6	66·2	105·0	37·0	69	4·7	28·71	107

MID ILLOVO.

Lat. 30° 01′ S. Long. 30° 35′ E. Approximate Height above Sea-level, 2,300 feet.

MID ILLOVO.

Breedtegraad 30° 01′ S. Lengtegraad 30° 35′ O. Hoogte min of meer bo Seehoogte, 2,300 voet.

January—Januarie	—	—	80·5	63·2	71·8	97·0	56·0	—	6·1	2·47	15
February—Februarie	—	—	79·0	63·1	71·0	96·0	53·0	—	6·4	6·99	18
March—Maart	—	—	73·8	59·4	66·6	92·0	52·0	—	5·8	5·24	20
April	—	—	75·8	56·6	66·2	91·0	49·0	—	3·5	0·30	3
May—Mei	—	—	72·3	53·4	62·8	86·0	40·0	—	4·4	0·79	6
June—Junie	—	—	68·0	49·2	58·6	82·0	42·0	—	3·2	1·73	6
July—Julie	—	—	71·4	43·5	57·2	86·0	36·0	—	1·0	0·02	1
August—Augustus	—	—	72·3	50·8	61·6	95·0	40·0	—	3·6	0·84	7
September	—	—	70·8	51·2	61·0	91·0	44·0	—	4·6	3·82	11
October—Oktober	—	—	76·7	56·2	66·4	101·0	47·0	—	4·7	3·64	15
November	—	—	72·8	55·4	64·1	88·0	47·0	—	5·5	4·73	15
December—Desember	—	—	75·4	59·2	67·3	100·0	52·0	—	6·5	6·36	21
YEAR—JAAR	—	—	74·1	55·1	64·6	101·0	36·0	—	4·6	36·93	138

NEWCASTLE (CONVENT).

Lat. 27° 45′ S. Long. 29° 56′ E. Approximate Height above Sea-level, 3,890 feet.

NEWCASTLE (KLOOSTER).

Breedtegraad 27° 45′ S. Lengtegraad 29° 56′ O. Hoogte min of meer bo Seehoogte, 3,890 voet.

January—Januarie	72·3	65·9	87·1	61·9	74·5	97·9	54·0	73	5·0	5·02	12
February—Februarie	72·6	68·0	87·6	63·1	75·4	97·9	55·9	79	4·9	5·49	9
March—Maart	64·8	62·3	80·5	56·3	68·4	93·0	48·5	87	5·9	3·52	9
April	59·8	57·3	76·6	50·3	63·4	87·0	44·1	87	3·9	1·03	4
May—Mei	52·3	48·2	72·7	40·6	56·6	84·8	31·1	76	3·3	0·67	4
June—Junie	42·5	39·7	65·8	35·9	50·8	77·0	26·0	81	2·9	1·91	3
July—Julie	42·5	37·0	65·5	31·7	48·6	82·9	19·8	60	1·6	0·00	0
August—Augustus	51·5	44·0	75·7	38·4	57·0	89·0	20·2	56	2·6	0·00	0
September	57·8	51·3	76·2	47·0	61·6	89·5	34·0	66	3·4	4·18	4
October—Oktober	65·3	58·9	81·9	53·8	67·8	95·1	46·0	70	4·0	1·91	10
November	65·8	—	79·4	54·7	67·0	93·0	42·4	—	5·5	5·43	12
December—Desember	72·4	63·3	85·4	59·2	72·3	94·0	51·1	62	4·4	5·75	12
YEAR—JAAR	60·0	—	78·0	49·4	63·7	97·9	19·8	—	4·0	34·81	79

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Self-registering Thermometers—Self-registrerende Termometers.								
			Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Minimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Minimum.			Inches. Duime.	Days—Dae.
1925.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
NEWCASTLE (GAOL). Lat. 27° 45′ S. Long. 29° 56′ E. Approximate Height above Sea-level, 3,890 feet.								**NEWCASTLE (TRONK).** Breedtegraad 27° 45′ S. Lengtegraad 29° 56′ O. Hoogte min of meer bo Seehoogte, 3,890 voet.			
January—Januarie	71·5	64·5	86·4	62·7	74·6	97·0	49·0	71	3·1	5·45	14
February—Februarie	71·4	64·5	86·3	64·0	75·2	96·0	56·0	71	2·1	5·72	8
March—Maart	64·1	59·6	78·6	57·3	68·0	93·0	50·0	78	3·2	3·98	10
April	58·1	53·7	77·5	49·7	63·6	87·0	43·0	77	2·5	0·79	3
May—Mei	51·4	46·4	72·9	42·8	57·8	84·0	30·0	70	0·9	0·54	4
June—Junie	40·9	38·8	62·9	35·3	49·1	77·0	29·0	84	2·8	2·02	4
July—Julie	42·2	37·1	65·8	32·5	49·2	81·0	22·0	63	1·0	0·00	0
August—Augustus	50·3	43·2	75·1	40·2	57·6	89·0	23·0	58	1·8	0·00	0
September	59·2	51·4	76·0	48·2	62·1	90·0	35·0	61	2·5	4·16	4
October—Oktober	67·0	56·9	81·1	55·4	68·2	94·0	48·0	57	3·9	1·71	10
November	67·7	57·5	79·6	55·0	67·3	94·0	47·0	56	4·3	4·76	12
December—Desember	73·1	62·2	85·7	60·4	73·0	93·0	54·0	57	3·9	4·47	11
Year—Jaar	59·7	53·0	77·3	50·3	63·8	97·0	22·0	67	2·7	33·60	80
NEW HANOVER. Lat. 29° 22′ S. Long. 30° 30′ E. Approximate Height above Sea-level, 2,590 feet.								**NEW HANOVER.** Breedtegraad 29° 22′ S. Lengtegraad 30° 30′ O. Hoogte min of meer bo Seehoogte, 2,590 voet.			
January—Januarie	71·1	66·7	87·4	63·0	75·2	102·5	55·0	80	5·6	2·02	10
February—Februarie	71·2	66·3	85·5	63·9	74·7	102·0	60·0	78	5·9	2·90	14
March—Maart	66·1	62·6	80·4	59·3	69·8	99·5	53·0	83	5·5	4·92	15
April	62·3	58·1	81·7	53·8	67·8	91·0	49·0	79	3·1	0·40	3
May—Mei	58·0	53·6	75·0	48·5	61·8	87·0	35·0	76	3·8	0·99	4
June—Junie	50·5	47·4	70·2	44·5	57·4	81·0	37·0	80	4·2	1·77	4
July—Julie	49·3	43·7	69·0	37·4	53·2	80·0	27·0	66	2·4	0·00	0
August—Augustus	55·5	49·1	77·9	43·9	60·9	95·0	32·0	64	2·5	0·20	3
September	58·4	53·5	74·9	49·9	62·4	95·0	42·0	73	4·7	4·98	10
October—Oktober	66·5	59·4	80·7	56·1	68·4	97·0	46·0	68	5·0	4·73	17
November	67·2	60·5	80·3	55·9	68·1	98·0	46·0	69	6·6	3·85	13
December—Desember	68·8	63·8	82·0	60·0	71·0	99·0	51·5	76	6·2	6·30	20
Year—Jaar	62·1	57·1	78·8	53·0	65·9	102·5	27·0	74	4·6	33·06	113

NOTTINGHAM ROAD.

Lat. 29° 20′ S. Long. 30° 01′ E. Approximate Height above Sea-level, 4,800 feet.

NOTTINGHAM WEG.

Breedtegraad 29° 20′ S. Lengtegraad 30° 01′ O. Hoogte min of meer bo Seehoogte, 4,800 voet.

January—Januarie	64·7	63·0	79·1	55·7	67·4	92·0	50·0	91	5·2	2·44	21
February—Februarie	63·4	61·9	77·0	55·3	66·2	91·0	44·0	92	6·5	1·49	15
March—Maart	58·7	57·2	72·4	51·3	61·8	86·0	41·0	92	5·5	3·94	15
April	53·7	51·9	71·6	41·9	56·8	80·0	31·0	90	3·6	0·48	5
May—Mei	47·5	45·4	67·4	34·6	51·0	79·0	22·0	86	3·3	0·84	5
June—Junie	42·0	40·2	59·5	29·8	44·6	72·0	20·0	86	3·1	1·43	5
July—Julie	36·2	35·2	61·2	22·8	42·0	70·0	9·0	92	1·1	0·01	1
August—Augustus	44·6	43·2	69·5	30·6	50·0	84·0	18·0	91	2·3	0·05	4
September	49·5	47·3	66·7	40·6	53·6	86·0	34·0	87	4·4	4·02	13
October—Oktober	57·0	54·3	70·8	47·0	58·9	87·0	40·0	84	5·1	3·93	17
November	57·7	55·5	71·1	47·5	59·3	84·0	37·0	89	6·0	2·82	14
December—Desember	61·8	59·4	73·8	52·8	63·3	84·0	44·0	88	6·4	6·91	23
Year—Jaar	53·1	51·2	70·0	42·5	56·2	92·0	9·0	89	4·4	28·36	138

PADDOCK.

Lat. 30° 47′ S. Long. 30° 14′ E. Approximate Height above Sea-level, 1,685 feet.

PADDOCK.

Breedtegraad 30° 47′ S. Lengtegraad 30° 14′ O. Hoogte min of meer bo Seehoogte, 1,685 voet.

January—Januarie	71·4	69·4	77·6	63·5	70·6	89·0	57·0	90	5·8	4·01	13
February—Februarie	—	—	78·4	63·8	71·1	94·0	57·5	—	6·0	3·16	11
March—Maart	67·1	62·4	74·9	60·9	67·9	94·5	54·5	77	5·6	11·49	18
April	66·8	61·1	75·5	57·4	66·4	91·0	48·0	72	3·7	0·00	0
May—Mei	62·9	56·2	70·7	53·7	62·2	86·0	42·0	65	3·6	0·22	3
June—Junie	57·1	53·0	67·8	48·1	58·0	79·0	41·5	77	3·3	2·88	7
July—Julie	56·4	50·1	69·0	45·2	57·1	80·0	38·0	64	0·9	0·06	1
August—Augustus	59·9	53·4	70·6	49·9	60·2	93·5	38·0	65	3·9	0·43	3
September	63·6	58·4	70·7	52·0	61·4	92·0	44·0	74	3·0	2·90	7
October—Oktober	66·7	62·3	75·0	55·5	65·2	101·0	46·0	78	4·0	4·70	12
November	66·2	61·8	72·7	54·9	63·8	86·0	47·0	78	5·3	2·89	7
December—Desember	69·2	66·1	76·9	60·5	68·7	98·0	52·5	85	5·9	4·30	12
Year—Jaar	—	—	73·3	55·4	64·4	101·0	38·0	—	4·2	37·04	94

PAULPIETERSBURG.

Lat. 27° 27′ S. Long. 30° 52′ E. Approximate Height above Sea-level, 3,729 feet.

PAULPIETERSBURG.

Breedtegraad 27° 27′ S. Lengtegraad 30° 52′ O. Hoogte min of meer bo Seehoogte, 3,729 voet.

January—Januarie	70·3	64·9	82·4	59·7	71·0	92·0	54·0	76	4·6	4·57	17
February—Februarie	72·3	66·2	83·4	61·2	72·3	96·0	56·0	74	4·1	4·40	11
March—Maart	66·5	61·8	78·6	56·5	67·6	89·0	47·0	77	5·0	5·20	11
April	63·6	57·7	76·7	50·6	63·6	85·0	42·0	71	2·9	1·46	3
May—Mei	58·4	52·3	72·6	45·0	58·8	86·0	35·0	68	2·2	1·55	6
June—Junie	50·8	47·6	65·9	40·2	53·0	74·0	32·0	81	3·1	0·62	4
July—Julie	50·2	43·3	66·7	36·3	51·5	80·0	27·0	58	1·2	0·03	2
August—Augustus	57·6	48·5	74·6	41·9	58·2	89·0	30·0	53	2·5	0·04	2
September	59·0	53·6	72·7	46·9	59·8	91·0	38·0	72	3·9	2·99	10
October—Oktober	66·1	57·7	79·5	53·5	66·5	94·0	45·0	61	4·3	1·51	12
November	64·9	57·6	77·3	53·0	65·2	94·0	43·0	65	6·3	3·29	14
December—Desember	69·5	62·7	81·7	57·5	69·6	93·0	52·0	70	5·4	5·23	13
Year—Jaar	62·4	56·2	76·0	50·2	63·1	96·0	27·0	69	3·8	30·89	105

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
			Self-registering Thermometers—Self-registrerende Termometers.								
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Mienimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Mienimum.			Inches. Duime.	Days—Dae.
1926.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
PORT SHEPSTONE.											
Lat. 30° 43′ S. Long. 30° 27′ E. Approximate Height above Sea-level, — feet.											
PORT SHEPSTONE.											
Breedtegraad 30° 43′ S. Lengtegraad 30° 27′ O. Hoogte min of meer bo Seehoogte, — voet.											
January—Januarie	76·3	72·2	81·3	69·0	75·2	88·0	63·0	82	6·6	3·31	15
February—Februarie	76·3	72·3	80·9	69·3	75·1	94·8	62·6	82	6·4	5·32	13
March—Maart	72·9	68·3	77·4	66·2	71·8	82·0	59·0	79	5·9	8·71	18
April	70·2	65·2	76·1	61·8	69·0	80·7	54·6	77	3·6	0·17	2
May—Mei	65·3	59·0	73·4	57·6	65·5	84·2	49·0	73	4·3	4·30	4
June—Junie	59·1	54·8	69·5	52·9	61·2	75·7	47·6	76	3·3	5·24	8
July—Julie	59·1	51·7	69·9	50·7	60·3	83·0	44·0	61	1·4	0·29	3
August—Augustus	62·4	56·9	69·8	54·1	62·0	79·3	45·0	71	3·3	0·62	4
September	65·4	60·2	70·3	56·8	63·6	76·4	50·7	74	4·4	3·28	9
October—Oktober	69·9	65·8	74·7	61·0	67·8	95·0	53·8	81	4·5	4·22	12
November	70·5	65·1	74·9	61·5	68·2	82·5	53·8	75	5·8	3·88	13
December—Desember	73·5	69·1	78·5	66·1	72·3	90·6	60·0	80	6·1	3·72	14
Year—Jaar	68·4	63·5	74·7	60·6	67·6	95·0	44·0	76	4·6	43·06	115
UMBOGINTWINI.											
Lat. 29° 58′ S. Long. 30° 56′ E. Approximate Height above Sea-level, 200 feet.											
UMBOGINTWINI.											
Breedtegraad 29° 58′ S. Lengtegraad 30° 56′ O. Hoogte min of meer bo Seehoogte, 200 voet.											
January—Januarie	76·0	71·3	86·6	68·3	77·4	96·0	61·0	80	5·9	1·39	11
February—Februarie	75·8	71·1	85·5	67·0	76·2	97·0	61·0	80	6·1	9·43	15
March—Maart	72·2	68·3	82·3	63·0	72·6	91·0	57·0	81	5·8	4·52	16
April	69·5	64·8	81·4	56·4	68·9	89·0	50·0	78	3·0	0·07	3
May—Mei	64·6	59·8	79·0	52·2	65·6	91·0	38·0	75	4·0	0·45	5
June—Junie	57·6	54·6	73·5	46·9	60·2	81·0	42·0	84	3·3	4·06	5
July—Julie	56·5	51·8	75·0	42·4	58·7	85·0	37·0	72	1·2	0·19	3
August—Augustus	61·4	56·6	75·6	47·0	61·3	86·0	35·0	75	3·7	0·65	5
September	64·9	59·4	76·1	49·4	62·8	87·0	43·0	72	4·4	2·66	8
October—Oktober	70·1	64·7	80·5	54·0	67·2	110·0	44·0	75	5·1	3·93	13
November	70·4	64·1	78·6	53·8	66·2	101·0	42·0	71	5·7	3·29	12
December—Desember	73·2	68·4	81·1	62·1	71·6	95·0	53·0	79	6·6	3·02	21
Year—Jaar	67·7	62·9	79·6	55·2	67·4	110·0	35·0	77	4·6	33·66	117

VRYHEID. (Time of Observation 8 a.m.)

Lat. 27° 47′ S. Long. 30° 46′ E. Approximate Height above Sea-level, 3,867 feet.

VRYHEID. (Tyd van Waarneming 8 v.m.)

Breedtegraad 27° 47′ S. Lengtegraad 30° 46′ O. Hoogte min of meer bo Seehoogte, 3,867 voet.

January—Januarie	69·4	63·6	81·8	61·0	71·4	92·8	53·0	74	—	5·26	12
February—Februarie	68·5	64·8	82·1	62·9	72·5	93·8	56·0	82	—	4·90	7
March—Maart	62·4	59·5	77·5	57·3	67·4	87·2	48·5	84	—	2·57	10
April	59·3	55·5	77·3	52·0	64·6	84·5	41·0	80	—	0·33	3
May—Mei	53·5	49·4	70·9	45·9	58·4	79·5	34·0	77	—	0·78	2
June—Junie	45·9	43·7	65·0	40·4	52·7	75·5	30·4	86	—	2·56	3
July—Julie	46·2	39·5	67·4	37·6	52·5	78·0	24·8	56	—	0·00	0
August—Augustus	52·7	46·3	73·4	43·5	58·4	88·5	32·4	63	—	0·04	1
September	55·4	51·9	71·7	48·5	60·1	86·8	38·8	80	—	4·18	4
October—Oktober	62·7	58·9	78·7	55·1	66·9	90·0	47·5	81	—	2·02	8
November	62·8	60·9	76·9	54·5	65·7	92·0	44·5	90	—	2·57	7
December—Desember	68·1	61·1	82·2	59·5	70·8	93·8	52·0	69	—	2·68	10
Year—Jaar	58·9	54·6	75·4	51·5	63·4	93·8	24·8	77	—	27·89	67

WASCHBANK.

Lat. 27° 38′ S. Long. 30° 12′ E. Approximate Height above Sea-level, –,— feet.

WASCHBANK.

Breedtegraad 27° 38′ S. Lengtegraad 30° 12′ O. Hoogte min of meer bo Seehoogte, –,— voet.

January—Januarie	72·0	64·6	86·3	60·7	73·5	95·0	52·0	70	4·0	9·05	12
February—Februarie	72·2	65·7	87·0	61·4	74·2	94·0	52·0	72	4·3	4·65	4
March—Maart	66·0	61·1	78·8	55·6	67·2	92·0	47·5	76	6·3	4·19	10
April	62·4	56·2	78·0	47·6	62·8	85·5	40·0	70	2·5	0·36	3
May—Mei	55·1	48·6	72·3	41·0	56·6	82·0	28·0	64	3·3	0·91	4
June—Junie	46·5	44·0	65·3	35·9	50·6	74·0	28·0	83	3·1	2·00	4
July—Julie	47·3	40·3	65·0	33·0	49·0	82·0	20·0	56	1·5	0·00	0
August—Augustus	56·5	46·7	74·7	39·7	57·2	88·0	21·5	48	2·0	0·00	0
September	59·5	52·1	75·4	44·2	59·8	88·5	33·0	63	2·7	5·25	3
October—Oktober	68·4	58·6	82·2	52·2	67·2	95·0	45·0	58	2·3	0·69	2
November	67·3	61·3	80·1	54·5	67·3	92·0	44·0	72	7·0	3·34	6
December—Desember	72·5	63·6	86·5	58·0	72·2	93·0	50·0	62	1·5	3·45	8
Year—Jaar	62·1	55·2	77·6	48·6	63·1	95·0	20·0	66	3·4	33·89	56

WEENEN.

Lat. 28° 51′ S. Long. 30° 05′ E. Approximate Height above Sea-level, 2,840 feet.

WEENEN.

Breedtegraad 28° 51′ S. Lengtegraad 30° 05′ O. Hoogte min of meer bo Seehoogte, 2,840 voet.

January—Januarie	73·1	66·4	92·0	62·2	77·1	100·0	55·0	71	—	6·51	10
February—Februarie	73·4	66·8	89·4	63·6	76·5	98·0	44·0	72	—	1·06	7
March—Maart	67·8	62·5	83·6	59·2	71·4	97·0	53·0	75	—	3·69	9
April	61·8	56·7	81·6	51·4	66·5	94·0	42·5	75	—	0·93	3
May—Mei	54·7	49·9	76·4	43·1	59·8	89·0	33·5	73	—	1·13	3
June—Junie	47·5	44·3	69·5	35·9	52·7	76·0	30·0	80	—	0·55	2
July—Julie	42·3	37·7	66·2	30·6	48·4	77·0	22·5	67	—	0·00	0
August—Augustus	51·7	45·7	76·8	37·8	57·3	90·5	28·5	65	—	0·00	0
September	57·9	52·8	77·6	43·7	60·6	94·0	39·0	73	—	0·94	1
October—Oktober	65·4	60·1	82·2	50·4	66·3	97·5	40·5	74	—	3·98	9
November	66·7	60·0	82·4	50·2	66·3	94·0	43·0	68	—	3·71	6
December—Desember	72·4	65·2	86·4	57·0	71·7	98·0	47·0	69	—	6·42	13
Year—Jaar	61·2	55·7	80·3	48·8	64·6	100·0	22·5	72	—	28·92	63

TRANSVAAL PROVINCE.

SUMMARIES OF METEOROLOGICAL OBSERVATIONS.

Thermometric Stations.—(D) Transvaal Province.

Time of Observation 8.30 a.m. (unless otherwise stated).

TRANSVAAL PROVINSIE.

OPSOMMING VAN METOROLOGIESE WAARNEMINGS.

Termometriese Stasies.—(D) Transvaal Provinsie.

Tyd van Waarneming 8.30 v.m. (behalwe dit anders vermeld word).

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Self-registering Thermometers—Self-registrerende Termometers. Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Minimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Minimum.			Inches. Duime.	Days—Dae.
1926.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
AMATAVA. Lat. 24° 08′ S. Long. 29° 05′ E. Approximate Height above Sea-level, –,— feet.											
AMATAVA. Breedtegraad 24° 08′ S. Lengtegraad 29° 05′ O. Hoogte min of meer bo Seehoogte, –,— voet.											
January—Januarie	No Records	—	—	—	—	—	—	—	—	—	—
February—Februarie	No Records	—	—	—	—	—	—	—	—	—	—
March—Maart	No Records	—	—	—	—	—	—	—	—	—	—
April	No Records	—	—	—	—	—	—	—	—	—	—
May—Mei	60·9	53·9	75·6	46·5	61·0	84·6	35·2	—	—	0·85	1
June—Junie	55·9	50·0	70·0	41·9	56·0	78·6	33·0	65	2·1	1·44	5
July—Julie	51·9	45·5	65·4	38·1	51·8	74·0	30·3	69	3·1	0·03	1
August—Augustus	58·8	49·7	74·9	43·7	59·3	86·2	28·8	63	1·6	0·84	3
September	65·7	59·3	81·2	51·6	66·4	94·0	41·9	54	0·9	0·00	0
October—Oktober	70·6	66·1	85·4	55·1	70·2	97·8	47·5	70	2·0	0·06	1
November	69·2	65·4	83·9	58·6	71·2	99·0	52·4	79	2·2	0·22	5
December—Desember	72·9	63·4	86·3	61·1	73·7	93·7	55·6	83	3·7	5·55	9
Year—Jaar	60·9	53·9	75·6	46·5	61·0	84·6	28·8	60	3·5	2·63	11
	—	—	—	—	—	—	—	—	—	—	—
ARBURY. Lat. 25° 32′ S. Long. 27° 42′ E. Approximate Height above Sea-level, 3,650 feet.											
ARBURY. Breedtegraad 25° 32′ S. Lengtegraad 27° 42′ O. Hoogte min of meer bo Seehoogte, 3,650 voet.											
January—Januarie	76·6	70·5	89·5	66·0	77·8	96·0	58·0	75	2·1	4·36	9
February—Februarie	75·5	68·7	89·6	65·4	77·5	96·0	59·0	73	3·3	2·44	8
March—Maart	70·2	64·6	83·8	60·4	72·1	90·0	52·0	75	3·3	1·82	6
April	65·2	60·1	82·6	51·7	67·2	89·0	42·0	76	1·2	0·00	0
May—Mei	53·5	51·3	73·1	41·8	57·4	80·0	33·0	88	1·5	2·35	3
June—Junie	54·5	50·8	68·6	37·2	52·9	76·0	30·0	78	0·8	0·03	1
July—Julie	45·2	42·5	65·5	32·1	48·8	75·0	19·5	82	0·9	1·57	2
August—Augustus	54·0	48·8	75·3	36·9	56·1	86·0	32·0	70	0·0	0·00	0
September	—	—	—	—	—	—	—	—	—	—	—
October—Oktober	—	—	—	—	—	—	—	—	—	—	—
November	70·5	—	86·6	59·5	73·0	98·0	51·0	—	3·3	4·17	6
December—Desember	74·0	69·2	85·8	64·3	75·0	94·0	57·0	79	2·6	2·99	8
Year—Jaar	76·6	70·5	89·6	66·0	77·8	98·0	19·5	75	2·6	20·34	48
	—	—	—	—	—	—	—	—	—	—	—

BALAGANE RANCH (SWAZILAND).

Lat. 26° 03′ S. Long. 31° 34′ E. Approximate Height above Sea-level, –,— feet.

BALAGANE RANCH (SWASIELAND).

Breedtegraad 26° 03′ S. Lengtegraad 31° 34′ O. Hoogte min of meer bo Seehoogte, –,— voet.

January—Januarie	77·3	74·6	90·0	68·8	79·4	98·0	60·0	88	7·3	6·38	9
February—Februarie	78·2	75·9	91·3	69·9	80·6	99·0	65·0	90	5·3	2·58	3
March—Maart	75·4	72·0	86·2	65·4	75·8	93·0	59·0	86	6·9	4·07	4
April	72·1	67·3	84·5	58·3	71·4	94·0	48·0	78	4·9	0·04	1
May—Mei	66·5	61·2	79·6	50·8	65·2	90·0	40·0	74	3·2	1·90	3
June—Junie	62·3	57·2	75·7	46·9	61·3	83·0	34·0	75	2·5	0·00	0
July—Julie	62·6	54·8	76·3	42·7	59·5	89·0	34·0	62	2·3	0·59	1
August—Augustus	67·3	59·7	83·3	47·1	65·2	95·0	32·0	65	4·0	0·00	0
September	68·2	61·9	81·3	55·0	68·2	96·0	49·0	71	5·6	2·07	5
October—Oktober	71·5	65·4	86·6	59·5	73·0	102·0	51·0	73	5·7	1·51	3
November	70·3	65·4	89·9	62·3	76·1	106·0	55·0	77	6·3	2·39	3
December—Desember	74·2	68·9	91·9	65·1	78·5	101·0	53·0	77	—	2·43	3
Year—Jaar	70·5	65·4	84·7	57·6	71·2	106·0	32·0	76	—	23·96	35

BERLIN.

Lat. 25° 32′ S. Long. 30° 44′ E. Approximate Height above Sea-level, –,— feet.

BERLIN.

Breedtegraad 25° 32′ S. Lengtegraad 30° 44′ O. Hoogte min of meer bo Seehoogte, –,— voet.

January—Januarie	64·4	—	77·2	57·5	67·4	85·0	52·0	84	4·5	4·40	12
February—Februarie	64·4	—	77·0	58·5	67·8	84·5	55·0	90	4·9	6·54	13
March—Maart	59·2	—	73·1	54·1	63·6	81·0	46·0	90	4·2	4·38	10
April	54·6	—	71·6	49·3	60·4	82·0	41·5	90	3·1	0·00	0
May—Mei	48·8	—	68·4	44·5	56·4	79·5	33·5	92	1·9	1·09	3
June—Junie	—	—	—	—	—	—	—	—	—	0·00	0
July—Julie	40·6	—	60·2	35·7	48·0	70·5	21·5	83	1·9	1·58	4
August—Augustus	—	—	—	—	—	—	—	—	—	0·00	0
September	53·1	—	67·2	46·3	56·8	83·0	40·0	83	4·2	2·38	4
October—Oktober	60·0	—	74·7	50·6	62·6	87·0	39·5	72	3·8	1·38	3
November	58·4	—	72·0	51·1	61·6	89·0	42·0	79	5·7	3·81	13
December—Desember	63·5	—	75·6	55·0	65·3	85·0	51·0	78	4·9	2·89	6
Year—Jaar	—	—	—	—	—	—	—	—	—	28·45	68

BETHAL.

Lat. 26° 27′ S. Long. 29° 28′ E. Approximate Height above Sea-level, 5,580 feet.

BETHAL.

Breedtegraad 26° 27′ S. Lengtegraad 29° 28′ O. Hoogte min of meer bo Seehoogte, 5,580 voet.

January—Januarie	69·9	62·1	82·2	53·8	68·0	88·0	48·6	67	4·6	3·53	9
February—Februarie	69·6	63·2	82·7	54·0	68·4	88·6	50·0	73	5·0	2·01	10
March—Maart	64·5	57·8	77·5	48·6	63·0	86·0	39·0	69	4·7	2·38	9
April	62·1	53·2	75·9	41·6	58·8	81·0	33·0	58	1·8	0·28	1
May—Mei	54·8	47·4	68·8	33·6	51·2	76·0	23·0	60	2·4	1·67	3
June—Junie	45·9	42·1	63·4	28·4	45·9	73·0	18·4	76	3·7	0·33	2
July—Julie	43·9	37·2	60·0	22·3	41·2	70·0	9·6	54	1·0	0·00	0
August—Augustus	54·8	45·5	70·7	31·0	50·8	80·6	10·0	50	1·6	0·00	0
September	58·9	50·9	72·3	39·7	56·0	85·0	28·0	60	3·0	3·30	3
October—Oktober	65·9	55·3	78·3	46·0	62·2	87·0	33·4	54	3·3	1·06	6
November	63·0	55·5	76·6	47·9	62·2	88·0	35·4	65	5·6	3·52	14
December—Desember	68·2	59·9	80·1	49·5	64·8	89·0	47·0	63	3·8	4·17	12
Year—Jaar	60·1	51·5	74·0	41·4	57·7	89·0	9·6	62	3·4	22·25	69

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skawudee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Self-registering Thermometers—Self-registrerende Termometers.								
			Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Mienimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Mienimum.			Inches. Duime.	Days—Dae.
1926.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
BRALBIN.											
Lat. 24° 56′ S. Long. 27° 15′ E. Approximate Height above Sea-level, –,— feet.											
BRALBIN.											
Breedtegraad 24° 56′ S. Lengtegraad 27° 15′ O. Hoogte min of meer bo Seehoogte, –,— voet.											
January—Januarie	78·2	67·1	92·6	63·7	78·2	99·0	56·0	58	5·0	4·80	7
February—Februarie	76·6	68·3	90·7	64·3	77·5	97·0	56·5	66	4·6	3·79	10
March—Maart	71·6	64·4	85·9	62·2	74·0	93·5	50·0	70	3·6	2·61	5
April	67·6	58·1	83·7	47·6	65·6	92·0	39·0	59	1·9	0·06	1
May—Mei	56·0	51·0	76·4	37·5	57·4	83·0	27·0	73	2·1	2·24	3
June—Junie	49·2	45·2	71·6	33·6	52·6	79·0	24·5	76	2·4	0·75	1
July—Julie	42·6	39·2	66·9	26·4	46·6	75·5	16·5	76	1·8	1·21	2
August—Augustus	59·5	49·0	80·3	34·6	57·4	89·0	22·5	49	0·3	0·00	0
September	69·4	59·2	—	—	—	—	—	57	0·7	0·27	2
October—Oktober	74·2	62·6	92·2	54·2	73·2	99·0	43·0	54	2·5	0·64	3
November	74·6	61·4	90·8	59·3	75·0	103·0	47·0	48	4·9	2·49	6
December—Desember	76·2	66·6	89·3	60·5	74·9	96·5	52·0	61	4·7	4·89	8
YEAR—JAAR	66·3	57·7	—	—	—	—	—	62	2·9	23·75	48
BREMERSDORP (SWAZILAND).											
Lat. 26° 29′ S. Long. 31° 23′ E. Approximate Height above Sea-level, 2,200 feet.											
BREMERSDORP (SWASIELAND).											
Breedtegraad 26° 29′ S. Lengtegraad 31° 23′ O. Hoogte min of meer bo Seehoogte, 2,200 voet.											
January—Januarie	—	—	84·5	64·0	74·2	92·0	60·0	—	3·6	4·32	9
February—Februarie	—	—	86·6	66·3	76·4	95·0	58·0	—	4·1	3·71	9
March—Maart	—	—	82·5	65·1	73·8	92·0	55·0	—	3·6	2·43	11
April	—	—	78·8	61·6	70·2	91·0	49·0	—	3·0	0·95	5
May—Mei	—	—	73·6	52·0	62·8	92·0	42·0	—	1·6	1·06	4
June—Junie	—	—	70·9	48·7	59·8	80·0	42·0	—	1·8	0·00	0
July—Julie	—	—	68·8	47·0	57·9	83·0	37·0	—	1·8	0·30	3
August—Augustus	—	—	74·9	49·0	62·0	92·0	35·0	—	1·7	0·00	0
September	—	—	74·6	54·0	64·3	90·0	48·0	—	4·5	2·90	8
October—Oktober	—	—	83·3	57·9	70·6	96·0	50·0	—	4·8	1·32	7
November	—	—	80·9	60·2	70·6	100·0	52·0	—	5·4	2·41	9
December—Desember	—	—	85·4	64·3	74·8	95·0	57·0	—	4·1	2·85	9
YEAR—JAAR	—	—	78·7	57·5	68·1	100·0	35·0	—	3·3	22·25	74

CAROLINA.

Lat. 26° 04′ S. Long. 30° 07′ E. Approximate Height above Sea-level, 5,646 feet.

CAROLINA.

Breedtegraad 26° 04′ S. Lengtegraad 30° 07′ O. Hoogte min of meer bo Seehoogte, 5,646 voet.

January—Januarie	—	—	81·1	55·8	68·4	87·8	48·3	—	3·3	4·28	16
February—Februarie	—	—	82·9	56·0	69·4	89·0	50·6	—	4·6	3·99	12
March—Maart	—	—	76·7	51·3	64·0	86·4	44·2	—	4·1	2·44	13
April	—	—	76·2	42·6	59·4	83·6	34·0	—	1·8	0·32	3
May—Mei	—	—	70·1	35·3	52·7	79·7	24·8	—	1·8	1·88	5
June—Junie	—	—	65·7	30·8	48·2	74·3	21·3	—	4·4	0·00	0
July—Julie	—	—	60·1	25·9	43·0	69·0	5·6	—	1·7	0·12	2
August—Augustus	—	—	71·2	32·1	51·6	82·2	15·1	—	2·1	0·00	0
September	—	—	72·1	41·9	57·0	84·8	31·4	—	2·2	4·46	5
October—Oktober	—	—	79·3	47·5	63·4	88·0	35·0	—	2·5	2·60	10
November	—	—	79·2	49·4	64·3	87·0	39·0	—	5·5	2·48	13
December—Desember	—	—	81·3	52·9	67·1	90·3	45·3	—	3·7	4·52	12
Year—Jaar	—	—	74·7	43·5	59·1	90·3	5·6	—	3·1	27·09	91

CHRISTIANA.

Lat. 27° 55′ S. Long. 25° 10′ E. Approximate Height above Sea-level, 3,970 feet.

CHRISTIANA.

Breedtegraad 27° 55′ S. Lengtegraad 25° 10′ O. Hoogte min of meer bo Seehoogte, 3,970 voet.

January—Januarie	78·3	65·0	95·9	65·1	80·5	103·0	51·0	50	—	1·00	2
February—Februarie	76·3	64·0	94·9	60·8	77·8	102·0	51·0	53	—	1·83	5
March—Maart	69·4	62·4	83·7	58·1	70·9	97·0	47·0	70	—	3·66	17
April	61·5	57·6	78·9	50·3	64·6	88·0	40·0	80	—	0·68	4
May—Mei	52·4	49·6	71·5	42·8	57·2	80·0	34·0	84	—	0·15	2
June—Junie	43·7	40·2	67·3	32·7	50·0	78·0	20·0	75	—	0·02	1
July—Julie	37·9	34·2	61·9	27·0	44·4	70·0	15·0	71	—	0·13	1
August—Augustus	49·1	40·7	73·3	33·9	53·6	83·0	18·0	51	—	0·00	0
September	58·1	48·8	75·9	41·1	58·5	92·0	29·0	52	—	0·13	2
October—Oktober	68·8	58·5	81·5	50·5	66·0	95·0	37·0	55	—	5·23	6
November	68·2	59·2	83·6	52·6	68·1	93·0	38·0	62	—	2·21	8
December—Desember	75·6	66·9	89·0	60·9	75·0	97·0	50·0	66	—	3·24	10
Year—Jaar	61·6	53·9	79·8	48·0	63·9	103·0	15·0	64	—	18·28	58

DASPOORT. (Time of Observation 7.30 a.m.)

Lat. 25° 44′ S. Long. 28° 10′ E. Approximate Height above Sea-level, —,— feet.

DASPOORT. (Tyd van Waarneming 7.30 v.m.)

Breedtegraad 25° 44′ S. Lengtegraad 28° 10′ O. Hoogte min of meer bo Seehoogte, —,— voet.

January—Januarie	70·2	66·3	88·6	62·1	75·4	94·0	56·0	81	—	2·36	10
February—Februarie	68·0	64·8	89·1	62·3	75·7	97·3	58·1	86	—	2·84	11
March—Maart	62·1	59·5	83·1	56·8	70·0	88·9	48·9	87	—	2·08	6
April	54·8	51·9	81·9	48·7	65·3	89·1	41·8	84	—	0·12	3
May—Mei	48·5	46·3	72·7	40·2	56·4	80·3	31·6	87	—	1·23	5
June—Junie	39·2	37·9	68·2	34·4	51·3	77·1	27·5	90	—	0·27	2
July—Julie	34·1	33·1	64·1	29·5	46·8	72·5	24·1	92	—	0·41	1
August—Augustus	42·3	39·6	74·5	35·2	54·8	85·2	23·1	80	—	0·00	0
September	57·7	55·3	78·8	46·2	62·5	92·7	34·8	88	—	0·63	1
October—Oktober	65·2	59·6	85·8	54·8	70·3	93·9	44·3	74	—	0·89	6
November	64·6	61·9	84·7	57·6	71·2	95·7	50·8	87	—	4·82	9
December—Desember	68·8	63·8	86·0	60·4	73·2	94·2	55·1	77	—	2·05	17
Year—Jaar	56·3	53·3	79·8	49·0	64·4	97·3	23·1	84	—	17·70	71

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Self-registering Thermometers—Self-registrerende Termometers. Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Minimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Minimum.			Inches. Duime.	Days—Dae.
1926.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
DEARN (SWAZILAND). (Observations taken at Sunrise). Lat. 26° 39′ S. Long. 31° 28′ E. Approximate Height above Sea-level, –,— feet.								**DEARN (SWASIELAND).** Breedtegraad 26° 39′ S. Lengtegraad 31° 28′ O. Hoogte min of meer bo Seehoogte, –,— voet.			
January—Januarie	70·5	68·0	91·1	69·7	80·4	97·0	62·0	88	6·0	1·69	11
February—Februarie	72·6	70·2	93·5	70·9	82·2	102·0	65·0	89	5·0	1·35	11
March—Maart	66·8	64·7	88·6	65·7	77·2	97·0	55·0	90	5·0	1·15	8
April	58·9	57·5	85·3	57·0	71·2	96·0	46·0	93	2·2	0·87	4
May—Mei	—	—	—	—	—	—	—	—	—	—	—
June—Junie	46·0	44·6	75·7	45·6	60·6	85·0	34·0	91	2·8	0·00	0
July—Julie	40·3	39·1	76·5	39·8	58·2	90·0	31·0	91	1·9	0·00	0
August—Augustus	48·8	45·8	82·5	43·8	63·2	97·0	33·0	81	—	0·00	0
September	57·2	55·4	78·2	56·3	67·2	96·0	48·0	91	5·7	2·02	3
October—Oktober	61·8	59·2	87·2	61·1	74·2	102·0	51·0	86	6·0	0·66	8
November	65·0	61·8	85·8	64·2	75·0	106·0	55·0	84	6·8	1·25	8
December—Desember	67·8	65·2	91·3	67·3	79·3	102·0	62·0	88	6·4	2·86	5
Year—Jaar	—	—	—	—	—	—	—	—	—	—	—
ERMELO (Mrs. S. M. Nicolson). Lat. 26° 31′ S. Long. 29° 59′ E. Approximate Height above Sea-level, 5,570 feet.								**ERMELO** (Mev. S. M. Nicolson). Breedtegraad 26° 31′ S. Lengtegraad 29° 59′ O. Hoogte min of meer bo Seehoogte, 5,570 voet.			
January—Januarie	68·1	61·6	80·8	—	—	88·0	—	72	4·7	2·18	11
February—Februarie	68·2	62·3	80·0	—	—	86·5	—	74	4·9	4·78	10
March—Maart	64·6	58·5	74·2	—	—	84·5	—	72	4·0	1·84	10
April	63·0	54·2	73·2	—	—	79·3	—	59	1·6	1·02	3
May—Mei	54·7	47·4	67·1	—	—	74·0	—	60	2·3	1·72	5
June—Junie	44·4	40·7	61·3	33·6	47·4	72·0	21·2	75	2·2	0·34	2
July—Julie	41·6	36·4	58·3	28·2	43·2	66·0	12·0	64	1·5	0·12	1
August—Augustus	51·8	43·1	68·1	36·0	52·0	79·0	18·0	52	2·1	0·00	0
September	55·8	49·7	70·6	43·2	56·9	84·0	29·7	68	3·5	4·52	3
October—Oktober	63·3	53·8	75·7	48·7	62·2	87·0	37·0	57	3·4	1·09	7
November	61·2	54·2	73·3	49·8	61·6	86·0	40·0	67	5·5	3·13	11
December—Desember	66·2	58·8	78·3	53·9	66·1	86·0	49·0	67	5·1	4·18	16
Year—Jaar	58·6	51·7	71·7	—	—	88·0	—	66	3·4	24·92	79

ERMELO (GOVERNMENT PLANTATION).

Lat. 26° 31′ S. Long. 29° 59′ E. Approximate Height above Sea-level, 5,570 feet.

ERMELO (GOEWERMENTSPLANTASIE).

Breedtegraad 26° 31′ S. Lengtegraad 29° 59′ O. Hoogte min of meer bo Seehoogte, 5,570 voet.

January—Januarie	65·5	—	82·2	56·0	69·1	90·5	50·0	81	5·3	1·54	14
February—Februarie	63·7	—	80·7	56·4	68·6	88·0	53·0	88	5·4	5·68	13
March—Maart	58·3	—	75·0	47·9	61·4	85·0	45·0	90	4·6	2·16	12
April	54·9	—	74·1	44·8	59·4	81·0	38·0	94	1·9	0·96	3
May—Mei	49·0	—	69·1	36·5	52·8	77·0	26·0	82	2·3	1·67	6
June—Junie	41·0	—	64·7	32·6	48·6	76·0	22·0	90	3·2	0·37	1
July—Julie	39·0	—	61·2	27·2	44·2	71·0	10·5	71	1·3	0·08	2
August—Augustus	46·6	—	71·7	34·6	53·2	82·0	17·5	60	2·0	0·00	0
September	52·4	—	71·6	42·9	57·2	86·0	29·5	74	3·2	4·00	6
October—Oktober	58·6	—	77·8	46·9	62·4	88·0	36·5	68	3·3	1·04	7
November	57·9	—	75·5	48·9	62·2	89·3	39·3	77	5·1	3·58	14
December—Desember	63·5	—	79·7	53·8	66·8	87·0	50·0	74	4·5	4·28	15
YEAR—JAAR	54·2	—	73·6	44·0	58·8	90·5	10·5	79	3·5	25·36	93

GUBUTA (SWAZILAND).

Lat. 26° 53′ S. Long. 31° 29′ E. Approximate Height above Sea-level, —,— feet.

GUBUTA (SWASIELAND).

Breedtegraad 26° 53′ S. Lengtegraad 31° 29′ O. Hoogte min of meer bo Seehoogte, —,— voet.

January—Januarie	75·2	69·4	85·3	66·9	76·1	93·0	61·1	76	7·1	3·09	13
February—Februarie	77·6	71·5	—	69·3	—	—	63·5	75	5·6	1·60	9
March—Maart	73·1	66·4	—	64·9	—	—	55·5	71	5·5	3·86	7
April	70·4	63·0	80·9	59·9	70·4	90·2	50·2	67	4·1	0·00	0
May—Mei	65·1	57·5	75·1	55·3	65·2	88·2	46·2	64	3·8	2·15	4
June—Junie	61·9	54·3	71·7	52·1	61·9	81·9	45·3	63	3·8	0·02	1
July—Julie	61·0	52·5	71·2	48·0	59·6	84·1	38·8	57	2·3	0·00	0
August—Augustus	64·2	58·3	76·6	52·7	64·6	94·2	41·7	71	4·1	0·00	0
September	63·9	58·2	74·6	56·1	65·4	90·7	49·8	72	5·7	2·82	8
October—Oktober	71·8	62·4	83·1	60·6	71·8	100·8	52·7	60	5·9	0·69	6
November	70·6	61·5	81·6	60·0	70·8	100·2	48·5	61	6·1	1·73	7
December—Desember	74·3	66·6	86·1	64·1	75·1	97·1	56·8	67	6·4	3·52	9
YEAR—JAAR	69·1	61·8	—	59·2	—	—	38·8	67	5·0	19·48	64

GRASKOP.

Lat. 24° 56′ S. Long. 30° 50′ E. Approximate Height above Sea-level, 4,880 feet.

GRASKOP.

Breedtegraad 24° 56′ S. Lengtegraad 30° 50′ O. Hoogte min of meer bo Seehoogte, 4,880 voet.

January—Januarie	67·0	63·2	74·7	56·3	65·5	80·0	48·0	82	7·8	8·09	12
February—Februarie	68·5	64·4	77·4	58·9	68·2	83·0	52·9	80	6·3	11·79	13
March—Maart	65·5	60·6	72·8	54·6	63·7	77·5	47·0	77	6·5	10·30	14
April	64·0	57·0	71·2	50·2	60·7	80·5	41·0	68	3·7	0·85	2
May—Mei	61·9	54·4	69·0	45·2	57·1	80·0	35·5	64	3·9	0·37	4
June—Junie	56·1	49·1	63·7	41·8	52·8	71·5	35·0	64	4·9	0·25	4
July—Julie	53·0	45·1	61·3	38·5	49·9	70·0	27·0	56	3·6	3·95	5
August—Augustus	58·0	50·5	67·4	43·0	55·2	82·0	32·0	62	2·6	0·39	3
September	59·3	54·6	69·0	47·8	58·4	83·5	42·0	75	5·9	2·95	12
October—Oktober	67·1	59·4	76·6	50·6	63·6	88·9	41·0	66	5·1	0·47	4
November	64·1	58·7	75·1	50·6	62·8	91·0	41·5	75	8·3	6·11	12
December—Desember	66·4	61·3	74·7	54·8	64·8	85·0	47·0	77	6·1	10·11	9
YEAR—JAAR	62·6	56·5	71·1	49·4	60·2	91·0	27·0	70	5·4	55·63	94

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skawudee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.)	Cloud. (Amount 0–10.)	Rainfall—Reënval.	
			Self-registering Thermometers—Self-registrerende Termometers.								
	Mean Dry Bulb.	Mean Wet Bulb.	Mean Maximum.	Mean Minimum.	Mean Monthly Temperatures.	Absolute Maximum.	Absolute Minimum.				
	Gemiddelde Droë Bol.	Gemiddelde Nat Bol.	Gemiddelde Maksimum.	Gemiddelde Minimum.	Gemiddelde Maandelikse Temperature.	Volstrekte Maksimum.	Volstrekte Minimum.	Betreklike Natheid. (Sat. = 100.)	Wolk. (Beloop tot 10.)		
1926.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%		Inches. Duime.	Days—Dae.
GROENEBOOM.								**GROENEBOOM.**			
Lat. 24° 45′ S. Long. 26° 55′ E. Approximate Height above Sea-level, –,— feet.								Breedtegraad 24° 45′ S. Lengtegraad 26° 55′ O. Hoogte min of meer bo Seehoogte, –,— voet.			
January—Januarie	77·6	67·2	91·9	65·1	78·5	98·0	59·0	59	4·4	1·49	6
February—Februarie	76·8	67·8	91·4	64·8	78·1	100·0	61·0	65	5·3	1·89	8
March—Maart	72·0	64·4	86·8	59·5	73·2	93·5	52·8	69	3·6	1·09	8
April	70·7	59·2	83·1	52·7	67·9	91·0	45·0	52	1·3	0·06	1
May—Mei	62·8	54·8	74·4	44·8	59·6	80·0	37·0	62	1·2	1·93	4
June—Junie	57·0	51·8	69·7	41·6	55·6	78·8	32·5	73	1·8	0·58	1
July—Julie	48·5	41·6	64·8	35·1	50·0	74·0	26·0	58	1·2	1·49	2
August—Augustus	58·3	50·9	76·0	41·5	58·6	85·0	30·0	63	0·0	0·00	0
September	Station closed for Thermometric Observations.				—	—	—	—	—	1·20	2
October—Oktober	—	—	—	—	—	—	—	—	—	0·59	3
November	—	—	—	—	—	—	—	—	—	2·38	7
December—Desember	—	—	—	—	—	—	—	—	—	2·28	9
Year—Jaar	—	—	—	—	—	—	—	—	—	14·98	51
HARTEBEESTPOORT.								**HARTEBEESTPOORT.**			
Lat. 25° 43′ S. Long. 27° 51′ E. Approximate Height above Sea-level, 4,000 feet.								Breedtegraad 25° 43′ S. Lengtegraad 27° 51′ O. Hoogte min of meer bo Seehoogte, 4,000 voet.			
January—Januarie	76·0	65·0	87·8	67·0	77·4	95·0	59·0	56	—	3·38	7
February—Februarie	74·8	65·6	87·6	66·3	77·0	94·0	61·5	63	—	3·43	12
March—Maart	69·2	61·4	82·6	62·2	72·4	88·3	55·5	67	—	2·35	4
April	62·3	54·4	81·2	57·1	69·2	87·5	51·5	62	0·3	0·07	2
May—Mei	51·1	47·5	71·9	47·5	59·7	80·0	41·4	79	1·2	1·71	5
June—Junie	45·5	42·1	67·8	42·2	55·0	80·0	37·1	78	1·7	0·16	1
July—Julie	41·0	37·2	63·5	37·5	50·5	71·0	31·5	74	1·1	1·77	1
August—Augustus	48·3	41·3	73·9	42·7	58·3	86·8	33·1	58	0·5	0·00	0
September	59·1	49·9	78·0	51·3	64·6	91·9	42·2	55	1·6	1·01	1
October—Oktober	68·4	—	84·0	59·6	71·8	92·8	48·9	—	1·6	0·56	6
November	68·9	—	83·1	61·0	72·0	96·0	53·8	—	3·9	4·26	10
December—Desember	72·0	62·8	85·2	64·4	74·8	93·3	57·1	63	3·5	2·05	10
Year—Jaar	61·4	—	78·9	54·9	66·9	96·0	31·5	—	—	20·75	59

HLATIKULU (SWAZILAND).

Lat. 26° 58′ S. Long. 31° 20′ E. Approximate Height above Sea-level, 4,000 feet.

HLATIKULU (SWASIELAND).

Breedtegraad 26° 58′ S. Lengtegraad 31° 20′ O. Hoogte min of meer bo Seehoogte, 4,000 voet.

January—Januarie	66·5	63·6	76·5	59·3	67·9	85·0	53·0	86	6·9	9·49	17
February—Februarie	67·3	64·4	77·0	61·4	69·2	85·0	53·0	86	6·8	3·62	17
March—Maart	63·7	59·6	73·4	56·5	65·0	82·0	48·0	79	—	7·12	14
April	60·7	56·2	71·1	53·2	62·2	81·0	44·0	77	—	0·26	6
May—Mei	57·1	51·6	67·3	50·0	58·6	82·0	39·0	70	3·7	1·51	5
June—Junie	52·8	48·4	62·3	45·8	54·0	75·0	39·0	74	3·2	0·31	6
July—Julie	49·8	44·7	61·3	42·1	51·7	77·0	31·0	68	2·9	0·22	5
August—Augustus	55·0	49·4	68·6	46·7	57·6	84·0	35·0	70	3·4	0·07	2
September	55·9	52·2	66·8	49·0	57·9	85·0	41·0	79	5·1	3·94	13
October—Oktober	62·2	56·4	72·9	53·5	63·2	87·0	43·0	72	6·0	1·89	12
November	59·5	54·3	72·8	51·5	62·2	87·0	42·0	74	6·6	4·27	14
December—Desember	64·8	60·7	75·8	56·8	66·3	86·0	46·0	80	6·5	9·41	14
YEAR—JAAR	59·6	55·1	70·5	52·2	61·4	87·0	31·0	76	—	42·11	125

JESSIEVALE.

Lat. 26° 15′ S. Long. 30° 32′ E. Approximate Height above Sea-level, 5,850 feet.

JESSIEVALE.

Breedtegraad 26° 15′ S. Lengtegraad 30° 32′ O. Hoogte min of meer bo Seehoogte, 5,850 voet.

January—Januarie	64·5	60·4	75·4	54·9	65·0	85·1	46·5	81	5·4	4·26	14
February—Februarie	64·5	60·4	76·4	55·2	65·8	86·5	49·0	81	4·5	6·79	16
March—Maart	59·0	56·1	71·9	51·3	61·6	82·5	43·7	85	4·6	2·70	8
April	55·8	51·3	70·2	45·5	57·8	79·1	37·3	76	2·4	0·76	2
May—Mei	50·0	45·9	66·4	40·9	53·6	75·7	31·0	76	2·4	1·37	6
June—Junie	44·4	42·2	60·3	35·4	47·8	71·5	26·6	85	3·1	0·64	2
July—Julie	40·7	36·1	57·2	31·4	44·3	69·5	15·3	68	1·7	0·34	5
August—Augustus	50·0	43·1	67·5	37·8	52·6	79·5	20·0	60	2·5	0·02	2
September	53·0	49·1	66·7	42·8	54·8	80·6	32·2	78	3·5	3·20	7
October—Oktober	58·2	52·1	72·9	47·0	60·0	84·8	32·6	70	4·5	1·45	8
November	58·1	52·8	70·1	47·8	59·0	85·0	38·3	72	5·5	2·29	14
December—Desember	63·9	58·9	74·5	52·6	63·6	84·1	47·2	76	4·2	3·19	14
YEAR—JAAR	55·2	50·7	69·1	45·2	57·2	86·5	15·3	76	3·7	27·01	98

JAKHALSFONTEIN.

Lat. 23° 51′ S. Long. 29° 15′ E. Approximate Height above Sea-level, 4,270 feet.

JAKHALSFONTEIN.

Breedtegraad 23° 51′ S. Lengtegraad 29° 15′ O. Hoogte min of meer bo Seehoogte, 4,270 voet.

January—Januarie	70·4	65·4	84·1	61·4	72·8	95·8	56·3	78	5·9	2·97	11
February—Februarie	69·7	65·0	82·6	62·5	72·6	94·3	59·0	79	6·4	2·39	7
March—Maart	66·2	60·9	79·1	57·8	68·4	88·9	50·0	75	5·1	0·98	5
April	63·7	56·5	76·2	52·4	64·3	86·0	45·0	67	4·4	0·44	2
May—Mei	58·7	51·6	73·0	48·3	60·6	81·8	33·0	65	3·4	0·45	5
June—Junie	53·7	49·0	65·4	43·9	54·6	77·1	37·0	73	2·5	0·09	2
July—Julie	50·6	46·8	61·9	42·3	52·1	72·0	30·0	77	2·6	0·37	5
August—Augustus	56·2	48·9	70·5	45·9	58·2	83·9	33·0	61	2·5	0·00	0
September	60·4	54·2	76·1	51·2	63·6	89·3	43·0	69	3·6	0·00	0
October—Oktober	64·4	56·0	80·3	54·7	67·5	92·0	46·0	61	3·5	0·14	1
November	64·8	57·9	78·3	56·4	67·4	95·0	49·0	68	5·7	3·39	6
December—Desember	69·0	61·9	79·8	59·3	69·6	89·0	52·0	69	5·1	1·84	8
YEAR—JAAR	62·3	56·2	75·6	53·0	64·3	95·8	30·0	70	4·2	13·06	52

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.)	Cloud. (Amount 0–10.)	Rainfall—Reënval.	
	Mean Dry Bulb.	Mean Wet Bulb.	Self-registering Thermometers—Self-registrerende Termometers.								
			Mean Maximum.	Mean Minimum.	Mean Monthly Temperatures.	Absolute Maximum.	Absolute Minimum.				
	Gemiddelde Droë Bol.	Gemiddelde Nat Bol.	Gemiddelde Maksimum.	Gemiddelde Minimum.	Gemiddelde Maandelikse Temperature.	Volstrekte Maksimum.	Volstrekte Minimum.	Betreklike Natheid. (Sat. = 100.)	Wolk. (Beloop tot 10.)	Inches. Duime.	Days—Dae.
1926.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
JOHANNESBURG (JOUBERT PARK).											
Lat. 26° 11′ S. Long. 28° 03′ E. Approximate Height above Sea-level, 5,750 feet.											
JOHANNESBURG (JOUBERT PARK).											
Breedtegraad 26° 11′ S. Lengtegraad 28° 03′ O. Hoogte min of meer bo Seehoogte, 5,750 voet.											
January—Januarie	67·9	60·8	83·1	58·7	70·9	88·8	51·0	70	2·8	8·07	15
February—Februarie	67·0	60·9	83·6	59·5	71·6	89·8	55·8	74	3·1	2·98	10
March—Maart	61·9	56·8	76·5	54·8	65·6	86·0	45·0	75	3·2	3·68	17
April	59·5	52·0	74·9	50·2	62·6	81·6	44·5	63	1·0	0·20	4
May—Mei	52·8	45·9	66·6	43·3	55·0	75·6	33·0	61	1·6	2·05	6
June—Junie	47·1	41·7	61·8	39·0	50·4	71·8	31·4	68	1·5	0·15	3
July—Julie	41·8	36·0	57·4	33·4	45·4	66·5	22·0	61	1·6	0·71	1
August—Augustus	51·1	41·8	68·9	41·6	55·2	78·4	23·0	48	0·5	0·00	0
September	56·2	47·5	72·5	46·2	59·4	85·6	33·8	55	1·9	1·10	1
October—Oktober	62·2	52·5	79·1	51·4	65·2	87·8	38·4	54	2·1	1·65	7
November	61·5	53·9	77·7	52·3	65·0	87·0	45·0	64	4·4	5·05	14
December—Desember	66·1	58·6	80·5	57·1	68·8	88·6	51·8	66	4·0	5·60	17
Year—Jaar	57·9	50·7	73·6	49·0	61·3	89·8	22·0	63	2·3	31·24	95
KAAPMUIDEN.											
Lat. 25° 32′ S. Long. 31° 21′ E. Approximate Height above Sea-level, 1,350 feet.											
KAAPMUIDEN.											
Breedtegraad 25° 32′ S. Lengtegraad 31° 21′ O. Hoogte min of meer bo Seehoogte, 1,350 voet.											
January—Januarie	77·3	71·5	91·0	68·1	79·6	99·1	53·0	76	—	5·80	9
February—Februarie	78·2	72·9	91·3	70·7	81·0	101·0	62·0	77	—	3·99	10
March—Maart	75·1	67·3	87·4	66·0	76·7	98·5	58·2	67	—	2·21	8
April	69·1	62·5	84·5	58·3	71·4	97·3	47·5	70	—	0·40	3
May—Mei	64·1	58·6	78·7	53·4	66·0	89·2	44·4	72	2·5	3·89	4
June—Junie	59·1	53·3	75·1	48·8	62·0	83·9	39·3	69	3·0	0·06	1
July—Julie	55·1	50·0	74·3	44·9	59·6	88·9	34·4	71	2·1	1·07	3
August—Augustus	60·5	53·4	80·5	48·7	64·6	95·5	37·0	62	2·6	0·00	0
September	65·0	59·6	80·5	56·7	68·6	95·5	49·4	74	5·4	1·42	4
October—Oktober	72·1	63·2	89·2	60·8	75·0	103·9	49·1	61	3·9	0·20	2
November	73·1	64·1	87·4	64·4	75·9	106·9	55·5	62	5·4	1·43	8
December—Desember	77·4	68·7	91·2	68·2	79·7	101·5	63·0	64	4·3	1·38	7
Year—Jaar	68·8	62·1	84·3	59·1	71·7	106·9	34·4	69	—	21·85	59

KILGOBBIN.

Lat. 23° 05′ S. Long. 29° 28′ E. Approximate Height above Sea-level, –,— feet.

KILGOBBIN.

Breedtegraad 23° 05′ S. Lengtegraad 29° 28′ O. Hoogte min of meer bo Seehoogte, –,— voet.

January—Januarie	—	—	—	—	—	—	—	—	—	—	—
February—Februarie	—	—	—	—	—	—	—	—	—	—	—
March—Maart	Station Established.										
April	65·6	60·2	81·8	54·9	68·4	91·2	45·0	74	2·9	0·00	0
May—Mei	59·6	55·2	77·0	49·3	63·2	85·5	40·8	77	2·8	0·41	3
June—Junie	55·5	52·3	68·7	43·5	56·1	83·2	36·5	82	2·2	0·00	0
July—Julie	57·0	50·1	73·6	42·0	57·8	77·5	34·5	63	3·0	3·65	6
August—Augustus	57·0	52·7	76·1	46·8	61·4	88·5	35·5	76	1·7	0·00	0
September	62·3	57·5	82·6	52·6	67·6	95·0	45·0	76	1·7	0·00	0
October—Oktober	—	—	—	—	—	—	—	—	—	0·00	0
November	67·9	63·1	84·5	58·5	71·5	102·0	51·0	77	5·0	3·55	6
December—Desember	—	—	—	—	—	—	—	—	—	2·71	7
Year—Jaar	—	—	—	—	—	—	—	—	—	—	—

KRUGERSDORP.

Lat. 26° 06′ S. Long. 27° 46′ E. Approximate Height above Sea-level, 5,700 feet.

KRUGERSDORP.

Breedtegraad 26° 06′ S. Lengtegraad 27° 46′ O. Hoogte min of meer bo Seehoogte, 5,700 voet.

January—Januarie	68·4	61·8	83·1	58·8	71·0	91·0	50·0	71	6·2	3·52	15
February—Februarie	67·4	62·0	83·0	59·1	71·0	90·0	55·0	76	6·0	2·77	12
March—Maart	63·2	58·5	75·9	53·9	64·9	85·0	48·0	77	5·5	3·12	12
April	59·5	52·8	75·7	48·4	62·0	83·0	42·0	67	1·6	0·78	3
May—Mei	49·7	45·8	67·9	40·6	54·2	77·0	32·0	77	2·5	2·25	4
June—Junie	44·2	40·8	63·6	36·0	49·8	73·0	29·0	78	2·6	0·20	3
July—Julie	40·7	36·7	59·5	31·3	45·4	68·0	21·0	71	1·4	1·32	2
August—Augustus	52·5	44·8	70·5	37·9	54·2	81·0	24·0	56	0·1	0·00	0
September	57·5	50·2	73·1	44·1	58·6	86·0	32·0	63	2·2	0·84	2
October—Oktober	63·7	54·3	79·0	50·4	64·7	88·0	37·0	57	3·8	0·76	5
November	63·7	55·7	77·8	52·3	65·0	90·0	43·0	63	5·8	3·24	14
December—Desember	66·3	59·5	78·9	56·5	67·7	88·0	52·0	69	7·0	4·16	17
Year—Jaar	58·1	51·9	74·0	47·4	60·7	91·0	21·0	69	3·7	22·96	89

LEMANA. (Time of Observation 6.30 a.m.)

Lat. 23° 12′ S. Long. 30° 03′ E. Approximate Height above Sea-level, –,— feet.

LEMANA. (Tyd van Waarneming 6.30 v.m.)

Breedtegraad 23° 12′ S. Lengtegraad 30° 03′ O. Hoogte min of meer bo Seehoogte, –,— voet.

January—Januarie	68·1	65·1	81·6	63·9	72·8	94·0	59·0	86	7·7	3·41	5
February—Februarie	66·6	65·8	81·0	64·0	72·5	98·0	60·0	95	7·4	7·16	11
March—Maart	62·9	62·4	76·4	60·8	68·6	87·6	55·0	96	8·5	4·41	16
April	58·6	57·2	75·4	55·9	65·6	87·6	47·5	93	5·9	0·14	4
May—Mei	53·9	52·5	72·8	50·7	61·8	82·0	42·0	92	2·5	0·22	3
June—Junie	51·7	50·8	66·2	48·2	57·2	82·3	42·0	94	5·3	0·08	2
July—Julie	48·4	46·7	64·8	44·7	54·8	77·4	37·0	89	4·5	2·78	6
August—Augustus	51·7	49·0	71·1	48·4	59·8	87·5	38·9	84	4·3	0·24	4
September	56·4	53·6	73·6	53·2	63·4	90·0	48·8	85	5·3	0·60	6
October—Oktober	62·1	56·5	81·0	57·3	69·2	97·3	49·5	73	5·3	0·21	2
November	62·9	58·4	79·3	58·6	69·0	99·2	48·9	82	6·8	3·41	10
December—Desember	67·5	63·7	81·0	62·7	71·8	92·5	57·0	82	6·6	2·15	8
Year—Jaar	59·2	56·8	75·4	55·7	65·6	99·2	37·0	88	5·8	24·81	77

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Self-registering Thermometers—Self-registrerende Termometers.								
			Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Minimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Minimum.			Inches. Duime.	Days—Dae.
1926.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
LICHTENBURG.											
Lat. 26° 10′ S. Long. 26° 10′ E. Approximate Height above Sea-level, 4,950 feet.											
LICHTENBURG.											
Breedtegraad 26° 10′ S. Lengtegraad 26° 10′ O. Hoogte min of meer bo Seehoogte, 4,950 voet.											
January—Januarie	73·6	63·9	88·6	60·8	74·7	95·0	52·0	61	1·3	2·72	10
February—Februarie	72·7	64·4	87·0	60·2	73·6	93·0	55·0	66	1·2	2·39	10
March—Maart	66·6	61·1	81·3	55·7	68·5	90·0	51·0	74	1·8	3·31	10
April	63·3	55·4	78·9	48·4	63·6	89·0	37·0	63	2·2	0·84	5
May—Mei	54·0	49·0	71·0	39·7	55·4	79·0	29·0	72	0·7	1·82	5
June—Junie	48·0	43·0	66·4	34·2	50·3	75·0	26·0	69	0·7	0·06	1
July—Julie	43·1	37·4	61·8	27·2	44·5	69·0	14·0	62	0·6	0·16	1
Augustus—Augustus	51·2	43·5	72·1	33·3	52·7	81·0	18·0	56	0·0	0·00	0
September	58·4	51·0	75·4	40·6	58·0	86·0	25·0	63	1·2	0·14	1
October—Oktober	65·5	55·7	79·4	50·1	64·8	93·0	34·0	57	1·1	2·04	6
November	64·9	56·5	80·3	52·4	66·4	88·0	39·0	61	1·8	1·63	13
December—Desember	71·4	63·0	82·5	58·5	70·5	90·1	50·0	66	2·6	4·16	7
Year—Jaar	61·1	53·7	77·1	46·8	62·0	95·0	14·0	64	1·3	19·27	69
LOUIS TRICHARDT.											
Lat. 23° 03′ S. Long. 29° 54′ E. Approximate Height above Sea-level, 3,120 feet.											
LOUIS TRICHARDT.											
Breedtegraad 23° 03′ S. Lengtegraad 29° 54′ O. Hoogte min of meer bo Seehoogte, 3,120 voet.											
January—Januarie	71·6	67·0	82·5	62·1	72·3	91·0	54·0	79	7·0	3·62	8
February—Februarie	71·2	68·0	83·4	63·4	73·4	95·0	58·0	85	7·2	4·00	14
March—Maart	67·3	64·3	78·3	59·8	69·0	88·0	53·0	86	7·6	3·35	16
April	64·0	59·8	78·4	52·8	65·6	90·0	45·0	79	5·1	0·00	0
May—Mei	60·6	56·3	75·4	49·4	62·4	85·0	38·0	77	1·5	0·30	5
June—Junie	55·3	51·7	69·7	44·9	57·3	85·0	36·0	80	6·0	0·58	4
July—Julie	53·1	48·2	66·2	42·7	54·4	78·0	36·0	71	4·0	1·34	6
August—Augustus	54·2	51·4	73·4	45·1	59·2	88·0	35·0	84	3·0	0·02	1
September	62·2	56·9	76·1	51·7	63·9	93·0	44·0	73	4·7	0·12	1
October—Oktober	70·6	60·7	84·3	55·4	69·8	97·0	46·0	57	3·6	0·06	2
November	69·3	61·9	83·6	59·2	71·4	102·0	50·0	67	5·3	1·71	10
December—Desember	71·1	65·2	85·0	62·6	73·8	95·0	52·0	74	5·3	1·31	10
Year—Jaar	64·2	59·3	78·0	54·1	66·0	102·0	35·0	76	5·0	16·91	77

MABOKI.

Lat. 24° 42′ S. Long. 31° 02′ E. Approximate Height above Sea-level, 2,800 feet.

MABOKI.

Breedtegraad 24° 42′ S. Lengtegraad 31° 02′ O. Hoogte min of meer bo Seehoogte, 2,800 voet.

January—Januarie	73·8	69·1	87·4	67·0	77·2	95·0	62·0	79	5·7	5·61	12
February—Februarie	75·6	70·9	87·7	68·5	78·1	97·5	63·0	79	5·3	5·48	17
March—Maart	70·8	66·2	83·5	64·6	74·0	92·0	56·0	79	5·3	5·60	12
April	68·5	61·9	81·8	53·2	67·5	95·5	52·0	70	2·8	0·04	2
May—Mei	62·6	57·1	78·0	54·7	66·4	86·5	47·0	72	2·6	2·38	4
June—Junie	58·8	54·1	72·1	51·5	61·8	80·0	43·5	74	2·5	0·03	1
July—Julie	57·0	50·8	70·4	48·9	59·6	83·5	40·0	68	2·4	2·45	5
August—Augustus	60·8	54·7	77·5	52·6	65·0	93·0	40·5	68	3·0	0·04	1
September	62·8	57·6	76·7	55·9	66·3	93·0	52·0	74	6·1	1·66	13
October—Oktober	70·2	61·2	85·0	59·4	72·2	97·5	49·5	61	4·1	0·13	3
November	69·2	62·3	82·6	61·4	72·0	103·0	53·0	70	5·8	4·43	14
December—Desember	73·4	66·6	86·1	64·6	75·4	97·0	59·0	71	5·2	3·18	13
Year—Jaar	67·0	61·0	80·7	58·5	69·6	103·0	40·0	72	4·2	31·03	97

MACHAVIE.

Lat. 26° 47′ S. Long. 26° 58′ E. Approximate Height above Sea-level, 4,440 feet.

MACHAVIE.

Breedtegraad 26° 47′ S. Lengtegraad 26° 58′ O. Hoogte min of meer bo Seehoogte, 4,440 voet.

January—Januarie	75·3	63·5	91·8	62·3	77·0	100·0	54·0	55	3·5	3·40	11
February—Februarie	73·4	63·4	91·2	61·4	76·3	98·0	50·0	60	3·0	3·40	9
March—Maart	67·5	60·2	82·7	56·4	69·6	94·0	50·0	67	4·1	2·39	12
April	64·1	55·4	81·7	46·7	64·2	90·0	32·0	59	1·8	0·88	5
May—Mei	57·3	48·4	74·9	37·2	56·0	85·0	25·0	55	2·2	0·42	3
June—Junie	47·8	41·5	70·1	31·3	50·7	82·0	21·0	61	1·9	0·29	1
July—Julie	43·0	36·3	63·8	24·9	44·4	74·0	10·0	56	0·8	1·11	1
August—Augustus	51·3	42·1	75·9	34·8	55·4	85·0	13·0	49	0·5	0·00	0
September	56·9	47·1	78·5	40·7	59·6	93·0	25·0	49	1·7	0·58	3
October—Oktober	67·7	55·2	84·4	51·8	68·1	95·0	36·0	47	2·8	2·48	6
November	68·0	56·5	84·2	53·1	68·6	93·0	34·0	51	4·3	1·57	8
December—Desember	72·0	61·1	87·7	60·7	74·2	95·0	52·0	55	3·9	3·44	9
Year—Jaar	62·0	52·6	80·6	46·8	63·7	100·0	10·0	55	2·5	19·96	68

MBABAAN (SWAZILAND) (Police).

Lat. 26° 19′ S. Long. 31° 09′ E. Approximate Height above Sea-level, 3,800 feet.

MBABAAN (SWASIELAND) (Poliesie).

Breedtegraad 26° 19′ S. Lengtegraad 31° 09′ O. Hoogte min of meer bo Seehoogte, 3,800 voet.

January—Januarie	68·6	65·5	81·0	60·2	70·6	89·0	52·0	85	5·3	9·57	21
February—Februarie	68·9	66·3	81·7	61·0	71·4	90·0	54·0	88	5·2	9·27	18
March—Maart	64·6	61·6	77·0	56·9	67·0	86·0	50·0	85	4·7	7·17	16
April	60·4	57·1	73·9	51·4	62·6	85·0	42·0	82	2·9	1·96	10
May—Mei	55·3	52·5	69·2	47·1	58·2	80·0	37·0	85	2·0	1·68	7
June—Junie	49·6	47·5	63·1	42·7	52·9	75·0	34·0	88	3·0	0·39	4
July—Julie	47·9	44·1	62·3	39·6	51·0	77·0	26·0	76	2·2	0·91	7
August—Augustus	53·7	49·2	71·1	44·3	57·7	85·0	30·0	74	2·5	0·33	4
September	56·4	53·3	70·2	47·8	59·0	87·0	42·0	83	4·8	4·05	13
October—Oktober	64·6	59·4	78·4	53·3	65·8	95·0	41·0	75	4·6	3·42	11
November	64·3	60·4	76·1	54·1	65·0	94·0	44·0	80	6·0	5·07	17
December—Desember	68·1	64·7	79·3	58·0	68·6	89·0	53·0	84	6·0	7·75	14
Year—Jaar	60·2	56·8	73·6	51·4	62·5	95·0	26·0	82	4·1	51·57	142

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skawudee (in Stevenson se Skerm).							Relative Humidity.. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Self-registering Thermometers—Self-registrerende Termometers.								
			Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Minimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Minimum.			Inches. Duime.	Days—Dae.
1926.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
MBABAAN (SWAZILAND) (Government Agricultural Farm). Lat. 26° 33′ S. Long. 31° 10′ E. Approximate Height above Sea-level, 3,800 feet.											
MBABAAN (SWASIELAND) (Goewermentslandbouplaas). Breedtegraad 26° 33′ S. Lengtegraad 31° 10′ O. Hoogte min of meer bo Seehoogte, 3,800 voet.											
January—Januarie	71·5	68·1	82·7	64·7	73·7	91·0	60·0	85	5·7	7·08	18
February—Februarie	73·3	69·7	84·8	65·8	75·3	94·0	61·0	85	4·8	3·91	12
March—Maart	69·3	64·5	80·5	61·9	71·2	89·0	55·0	78	5·1	4·45	12
April	66·5	59·8	78·0	57·1	67·6	90·0	49·0	69	3·1	0·36	8
May—Mei	63·1	55·6	74·8	53·9	64·4	88·0	45·0	64	2·7	0·89	6
June—Junie	58·9	53·2	69·8	49·9	59·8	80·0	44·0	70	3·3	0·26	4
July—Julie	57·4	50·7	68·7	47·1	57·9	83·0	37·0	65	2·1	0·24	3
August—Augustus	61·5	54·9	74·9	51·1	63·0	91·0	40·0	68	3·0	0·12	2
September	61·4	55·8	72·3	53·3	62·8	91·0	47·0	73	5·1	3·75	12
October—Oktober	66·0	59·6	80·2	58·1	69·2	94·0	48·0	70	6·2	2·30	9
November	66·2	60·4	78·8	58·2	68·5	99·0	49·0	73	6·6	3·54	17
December—Desember	69·0	65·0	80·8	61·9	71·4	91·0	56·0	82	6·4	6·29	14
Year—Jaar	65·3	69·8	77·2	56·9	67·0	99·0	37·0	74	4·5	33·19	117
MIDDELBURG. Lat. 25° 46′ S. Long. 29° 28′ E. Approximate Height above Sea-level, 4,819 feet.											
MIDDELBURG. Breedtegraad 25° 46′ S. Lengtegraad 29° 28′ O. Hoogte min of meer bo Seehoogte, 4,819 voet.											
January—Januarie	71·2	63·0	83·3	58·5	70·9	90·0	53·0	66	5·5	4·15	14
February—Februarie	70·4	63·9	84·0	59·5	71·8	91·0	54·0	72	6·1	3·40	12
March—Maart	65·6	59·2	80·0	53·0	66·5	86·0	45·0	70	4·0	0·96	10
April	60·7	53·8	79·1	45·2	62·2	86·0	38·0	70	1·8	0·00	0
May—Mei	53·4	48·1	70·0	37·3	53·6	79·0	29·0	70	1·6	2·45	5
June—Junie	44·6	41·0	65·9	31·9	48·9	74·0	24·0	75	1·8	0·12	1
July—Julie	38·1	34·1	62·0	26·0	44·0	71·0	11·0	69	1·7	0·03	1
Augustus—Augustus	48·4	41·7	71·9	32·7	52·3	81·0	20·0	59	1·5	0·00	0
September	58·2	51·8	74·1	44·0	59·0	87·0	36·0	67	3·2	2·27	3
October—Oktober	67·3	56·1	81·4	50·5	66·0	88·0	41·0	52	3·0	0·63	6
November	66·3	57·2	79·1	53·5	66·3	91·0	47·0	59	5·7	3·99	12
December—Desember	69·6	60·5	81·7	56·1	68·9	89·0	50·0	62	4·4	2·87	13
Year—Jaar	59·5	52·5	76·0	45·7	60·8	91·0	11·0	66	3·4	20·87	77

MOSDENE.

Lat. 24° 35′ S. Long. 28° 47′ E. Approximate Height above Sea-level, –,— feet.

MOSDENE.

Breedtegraad 24° 35′ S. Lengtegraad 28° 47′ O. Hoogte min of meer bo Seehoogte, –,— voet.

January—Januarie	75·6	67·8	89·8	63·5	76·6	96·8	56·0	69	3·9	2·04	10
February—Februarie	75·4	68·9	89·1	64·2	76·6	97·0	61·1	73	4·8	2·50	8
March—Maart	71·1	63·5	84·9	59·0	72·0	93·3	49·0	69	3·0	2·54	5
April	66·4	59·3	83·2	50·5	66·8	90·1	42·0	67	1·5	0·08	1
May—Mei	58·5	54·0	75·9	43·3	59·6	83·7	36·2	76	2·0	1·41	4
June—Junie	52·7	49·0	71·0	38·0	54·5	80·6	30·0	78	2·1	0·06	1
July—Julie	48·1	44·5	66·0	33·9	50·0	76·0	23·5	78	1·4	1·71	2
August—Augustus	58·1	51·5	77·4	39·9	58·6	89·8	24·5	66	0·4	0·00	0
September	65·1	59·4	82·6	48·6	65·6	96·0	36·1	74	1·8	0·24	2
October—Oktober	71·3	61·5	88·5	55·2	71·8	96·5	43·1	60	2·5	0·36	2
November	70·9	63·1	86·8	59·5	73·2	99·5	52·6	67	4·7	3·74	7
December—Desember	73·0	65·7	86·4	61·5	74·0	94·4	56·4	70	4·3	2·76	6
Year—Jaar	65·5	59·0	81·8	51·4	66·6	99·5	23·5	71	2·7	17·44	48

MYRTHLEY.

Lat. 26° 54′ S. Long. 29° 09′ E. Approximate Height above Sea-level, 5,100 feet.

MYRTHLEY.

Breedtegraad 26° 54′ S. Lengtegraad 29° 09′ O. Hoogte min of meer bo Seehoogte, 5,100 voet.

January—Januarie	69·0	62·3	82·9	56·8	69·8	91·4	51·5	71	8·1	3·35	15
February—Februarie	68·7	63·1	83·6	56·4	70·0	90·6	52·8	75	7·0	2·53	9
March—Maart	61·2	58·1	76·5	51·5	64·0	86·4	40·5	84	7·8	2·59	8
April	58·6	53·9	76·3	43·4	59·8	83·4	37·0	74	4·4	0·24	2
May—Mei	51·9	47·4	68·0	35·5	51·8	76·6	25·0	74	4·3	1·62	6
June—Junie	43·1	41·4	61·7	31·3	46·5	70·7	23·3	88	5·9	2·23	3
July—Julie	38·7	36·3	59·6	24·9	42·2	68·2	12·0	82	2·5	0·17	1
August—Augustus	49·8	45·8	71·1	32·0	51·6	80·4	15·5	76	2·8	0·00	0
September	54·3	51·0	72·3	40·8	56·6	86·2	32·7	82	5·5	2·80	3
October—Oktober	62·9	55·3	79·3	47·4	63·4	88·3	37·0	64	5·1	1·77	8
November	63·1	56·5	77·4	49·6	63·5	89·0	38·3	69	7·0	2·73	10
December—Desember	67·5	61·0	82·3	53·3	67·8	88·0	49·4	71	6·0	3·21	10
Year—Jaar	57·4	52·7	74·2	43·6	58·9	91·4	12·0	76	5·5	23·24	75

NONDWENE.

Lat. 23° 43′ S. Long. 30° 51′ E. Approximate Height above Sea-level, –,— feet.

NONDWENE.

Breedtegraad 23° 43′ S. Lengtegraad 30° 51′ O. Hoogte min of meer bo Seehoogte, –,— voet.

January—Januarie	77·7	71·9	90·2	69·2	79·7	99·1	60·8	77	5·6	5·25	5
February—Februarie	77·8	74·0	89·8	68·9	79·4	102·1	62·1	85	7·9	3·90	9
March—Maart	75·6	71·3	88·0	64·8	78·4	98·4	57·2	82	7·3	1·30	5
April	69·9	66·0	87·4	55·5	71·4	100·1	43·1	82	3·9	0·00	0
May—Mei	65·5	61·3	83·0	48·5	65·8	94·2	38·6	80	2·5	0·28	1
June—Junie	60·8	56·4	77·0	45·4	61·4	88·9	38·8	78	3·2	0·36	1
July—Julie	56·1	51·6	75·3	41·6	58·4	89·1	36·0	75	3·3	1·01	3
August—Augustus	60·6	55·1	82·3	44·6	63·4	97·4	33·9	72	3·1	0·00	0
September	66·3	62·9	82·9	54·1	68·5	97·2	43·0	84	6·2	0·00	0
October—Oktober	71·7	67·5	90·1	56·3	73·2	107·0	43·1	81	4·6	0·15	1
November	72·6	67·2	87·7	62·6	75·2	108·2	54·5	77	7·0	2·08	3
December—Desember	76·6	71·1	92·0	66·3	79·2	101·0	59·0	77	6·4	0·48	3
Year—Jaar	69·3	64·7	85·5	56·5	71·0	108·2	33·9	79	5·1	14·81	31

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Self-registering Thermometers—Self-registrerende Termometers.								
			Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Mienimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Mienimum.			Inches. Duime.	Days—Dae.
1926.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
NOOITGEDACHT. Lat. 24° 56′ S. Long. 28° 11′ E. Approximate Height above Sea-level, –,— feet.								**NOOITGEDACHT.** Breedtegraad 24° 56′ S. Lengtegraad 28° 11′ O. Hoogte min of meer bo Seehoogte, –,— voet.			
January—Januarie	76·5	67·7	89·8	64·2	77·0	95·8	57·4	64	2·3	3·91	9
February—Februarie	74·7	67·5	89·2	64·3	76·8	97·3	58·2	70	2·9	3·74	12
March—Maart	69·8	62·6	84·5	58·0	71·2	90·0	50·0	69	2·2	0·81	8
April	67·1	57·2	82·6	51·0	66·8	91·0	44·2	57	1·2	0·32	3
May—Mei	57·4	51·3	74·9	43·1	59·0	81·4	35·6	69	1·2	1·66	3
June—Junie	51·1	47·1	69·5	37·7	53·6	76·8	30·0	77	1·4	0·46	1
July—Julie	47·0	41·1	65·1	32·5	48·8	73·5	20·6	62	1·3	1·76	2
August—Augustus	55·9	46·4	76·5	39·2	57·8	87·9	20·4	49	0·1	0·00	0
September	64·1	55·9	81·4	47·1	64·2	95·0	34·0	61	1·4	0·29	2
October—Oktober	71·7	60·6	87·7	55·4	71·6	96·2	40·2	55	1·8	0·68	6
November	71·5	62·0	86·4	59·6	73·0	99·4	49·6	60	4·1	4·87	11
December—Desember	73·5	65·0	85·6	62·5	74·0	93·8	57·0	65	3·2	5·74	16
Year—Jaar	65·0	57·0	81·1	51·2	66·2	99·4	20·4	63	1·9	24·24	73
ONDERSTEPOORT. Lat. 25° 38′ S. Long. 28° 11′ E. Approximate Height above Sea-level, 4,200 feet.								**ONDERSTEPOORT.** Breedtegraad 25° 38′ S. Lengtegraad 28° 11′ O. Hoogte min of meer bo Seehoogte, 4,200 voet.			
January—Januarie	73·0	65·7	88·2	62·2	75·2	95·0	56·0	70	2·9	3·08	10
February—Februarie	73·0	65·9	89·0	62·0	75·5	96·8	56·2	70	4·2	2·40	12
March—Maart	68·9	62·7	84·3	55·5	69·9	91·5	48·0	72	3·2	0·99	5
April	65·3	57·2	82·1	49·2	65·6	90·0	40·0	64	2·1	0·02	1
May—Mei	56·8	50·7	75·0	40·2	57·6	83·0	32·2	68	1·9	1·34	5
June—Junie	50·2	45·0	69·5	35·9	52·7	78·2	28·0	68	1·4	0·29	1
July—Julie	46·9	40·6	65·7	31·0	48·4	72·9	23·4	58	1·3	0·41	1
August—Augustus	55·6	46·5	76·4	36·4	56·4	86·3	23·3	52	0·6	0·00	0
September	62·5	52·8	80·4	45·7	63·0	92·3	34·8	53	2·1	0·63	1
October—Oktober	69·9	57·5	86·8	54·1	70·4	93·8	42·0	49	1·6	1·24	7
November	69·8	58·7	85·6	56·9	71·2	97·8	49·6	54	4·6	8·63	11
December—Desember	72·8	64·2	86·8	59·6	73·2	94·5	50·0	64	5·1	2·31	9
Year—Jaar	63·7	55·6	80·8	49·1	65·0	97·8	23·3	62	2·6	19·34	63

PIGEONHOLE.

Lat. 23° 56′ S. Long. 30° 07′ E. Approximate Height above Sea-level, 4,200 feet.

PIGEONHOLE.

Breedtegraad 23° 56′ S. Lengtegraad 30° 07′ O. Hoogte min of meer bo Seehoogte, 4,200 voet.

January—Januarie	66·3	63·0	78·8	60·2	69·5	84·0	55·0	84	5·8	7·38	11
February—Februarie	66·8	63·6	77·5	62·4	70·0	90·0	57·0	84	6·7	7·29	17
March—Maart	64·0	61·2	72·2	59·2	65·7	81·0	53·0	86	6·1	6·66	16
April	61·2	56·2	69·6	56·0	62·8	80·0	47·0	75	3·9	0·46	5
May—Mei	58·1	53·3	66·1	53·8	60·0	76·0	43·0	75	3·2	0·52	7
June—Junie	52·6	48·8	61·3	48·5	54·9	73·0	42·0	78	4·2	0·23	5
July—Julie	50·3	45·1	59·3	45·7	52·5	71·0	36·0	68	2·5	4·31	7
August—Augustus	55·3	49·0	66·1	49·0	57·6	82·0	38·0	66	2·5	0·28	3
September	56·3	52·3	68·6	52·1	60·4	83·0	48·0	78	4·9	1·81	10
October—Oktober	63·1	55·9	75·8	56·8	66·3	89·0	47·0	66	3·8	0·16	4
November	61·1	56·6	74·4	55·4	64·9	94·0	47·0	77	5·9	3·42	10
December—Desember	65·2	61·5	76·6	59·5	68·0	86·0	53·0	82	5·6	5·09	12
Year—Jaar	60·0	55·5	70·5	54·9	62·7	94·0	36·0	77	4·6	37·61	107

PIGGS PEAK (SWAZILAND).

Lat. 25° 58′ S. Long. 31° 15′ E. Approximate Height above Sea-level, 4,500 feet.

PIGGS PEAK (SWASIELAND).

Breedtegraad 25° 58′ S. Lengtegraad 31° 15′ O. Hoogte min of meer bo Seehoogte, 4,500 voet.

January—Januarie	70·2	67·0	82·7	62·3	72·5	93·0	56·0	85	5·7	5·73	11
February—Februarie	69·8	67·0	83·3	63·0	73·2	90·0	57·0	87	4·8	9·49	12
March—Maart	66·8	63·0	79·0	59·1	69·0	86·0	52·0	82	4·7	7·26	11
April	63·4	58·9	76·2	53·8	65·0	89·0	45·0	78	1·4	0·77	2
May—Mei	58·4	53·4	72·7	50·1	61·4	81·0	40·0	74	1·9	2·41	5
June—Junie	54·1	52·1	70·0	45·1	57·6	79·0	39·0	89	2·5	0·00	0
July—Julie	50·9	50·4	68·2	42·7	55·4	79·0	33·0	96	1·9	1·44	3
August—Augustus	55·3	52·0	74·9	45·8	60·4	87·0	34·0	81	2·7	0·05	1
September	60·2	55·8	75·3	40·7	58·0	89·0	44·0	78	5·1	2·90	7
October—Oktober	66·0	58·9	78·7	54·8	66·8	93·0	43·0	67	4·1	1·32	5
November	65·2	59·2	80·0	55·7	67·8	96·0	47·0	72	6·4	2·10	8
December—Desember	68·2	63·4	81·1	59·3	70·2	90·0	54·0	78	6·4	3·95	9
Year—Jaar	62·4	58·4	76·8	52·7	64·8	96·0	33·0	81	4·0	37·42	74

PILGRIMS REST.

Lat. 24° 54′ S. Long. 30° 46′ E. Approximate Height above Sea-level, 4,400 feet.

PILGRIMS REST.

Breedtegraad 24° 54′ S. Lengtegraad 30° 46′ O. Hoogte min of meer bo Seehoogte, 4,400 voet.

January—Januarie	69·2	64·6	79·8	59·1	69·4	87·0	50·0	79	6·1	5·88	17
February—Februarie	69·9	65·5	82·1	60·5	71·3	92·0	56·0	80	5·0	4·09	19
March—Maart	62·3	59·6	76·7	54·5	65·6	87·0	46·5	86	5·8	5·58	19
April	59·1	54·6	76·6	46·7	61·6	85·5	36·5	77	2·1	0·19	3
May—Mei	49·8	46·3	72·4	40·2	56·2	82·0	31·0	79	3·0	0·42	6
June—Junie	47·3	44·1	66·7	37·2	52·0	77·0	27·0	80	3·4	0·08	2
July—Julie	47·3	42·5	63·6	35·1	49·4	74·0	24·0	70	2·2	3·34	8
August—Augustus	51·7	46·4	72·4	38·6	55·5	85·0	25·5	68	3·3	0·04	3
September	57·3	53·3	74·3	46·4	60·4	87·0	38·0	78	4·0	1·21	8
October—Oktober	64·4	57·4	80·0	50·4	65·2	91·0	42·0	67	3·3	0·39	8
November	63·5	58·3	76·7	53·2	65·0	95·5	42·0	75	5·8	2·69	14
December—Desember	67·6	62·4	80·5	55·8	68·2	89·5	48·5	76	4·9	3·48	15
Year—Jaar	59·1	54·6	75·2	48·1	61·6	95·5	24·0	76	4·1	27·39	122

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Self-registering Thermometers—Self-registrerende Termometers.								
			Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Minimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Minimum.			Inches. Duime.	Days—Dae.
1928.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
PRETORIA (ARCADIA). Lat. 25° 44′ S. Long. 28° 13′ E. Height above Sea-level, 4,387 feet.								**PRETORIA (ARCADIA).** Breedtegraad 25° 44′ S. Lengtegraad 28° 13′ O. Hoogte bo Seehoogte, 4,387 voet.			
January—Januarie	72·7	64·8	86·5	62·0	74·2	92·6	55·0	67	4·1	3·41	11
February—Februarie	72·3	65·2	86·8	62·3	74·6	95·0	59·0	71	4·9	2·44	8
March—Maart	68·3	61·0	81·4	57·1	69·2	87·2	50·0	68	4·6	1·91	8
April	65·4	55·9	80·3	51·6	66·0	87·6	45·0	57	2·6	0·16	1
May—Mei	56·2	49·2	71·3	42·5	56·9	78·8	33·0	62	2·4	1·64	4
June—Junie	51·1	45·9	67·3	38·4	52·8	75·2	32·0	69	2·1	0·26	2
July—Julie	48·4	40·1	62·9	33·4	48·2	70·6	24·0	58	1·4	0·56	1
August—Augustus	54·8	45·0	73·4	39·9	56·6	84·0	27·0	46	0·4	0·00	0
September	61·6	52·2	77·0	47·8	62·4	90·0	37·0	55	2·6	0·88	1
October—Oktober	69·0	56·8	84·0	54·7	69·4	92·7	44·0	49	2·0	1·38	5
November	68·0	57·7	82·6	56·4	69·5	94·0	49·0	56	4·7	5·41	9
December—Desember	70·5	61·7	83·1	60·5	71·8	92·0	55·0	62	4·8	2·35	8
Year—Jaar	63·0	54·6	78·1	50·5	64·3	95·0	24·0	60	3·0	20·40	58
PRETORIA (Transvaal University College Experiment Farm). Lat. 25° 44′ S. Long. 28° 16′ E. Approximate Height above Sea-level, –,— feet.								**PRETORIA** (Transvaal Uniwersiteitskollege Proefplaas). Breedtegraad 25° 44′ S. Lengtegraad 28° 16′ O. Hoogte min of meer bo Seehoogte, –,— voet.			
January—Januarie	70·6	—	83·4	60·0	71·7	89·2	54·2	—	3·8	3·57	10
February—Februarie	70·2	—	84·9	59·9	72·4	92·1	55·3	—	4·7	1·48	11
March—Maart	65·8	—	79·7	55·2	67·4	85·5	49·3	—	4·0	1·14	7
April	63·5	—	78·3	49·2	63·8	85·3	43·2	—	2·0	0·00	0
May—Mei	54·7	—	70·0	40·1	55·0	77·6	29·6	—	2·3	1·42	4
June—Junie	50·0	—	65·4	36·3	50·8	74·1	27·8	—	2·2	0·22	2
July—Julie	43·8	—	61·6	30·4	46·0	69·5	22·1	—	1·5	0·49	2
August—Augustus	54·1	—	72·0	37·5	54·8	82·3	21·5	—	1·3	0·00	0
September	59·8	—	75·8	45·4	60·6	85·2	30·7	—	3·1	0·76	1
October—Oktober	66·6	—	82·4	51·5	67·0	90·5	40·0	—	2·5	0·59	5
November	65·9	—	80·7	55·3	68·0	94·9	49·8	—	4·8	4·56	7
December—Desember	68·6	—	81·6	58·4	70·0	88·9	53·1	—	5·3	2·41	13
Year—Jaar	61·1	—	76·3	48·3	62·3	94·9	21·5	—	3·1	16·62	62

PRETORIA (West End Plantation).

Lat. 25° 44′ S. Long. 28° 09′ E. Approximate Height above Sea-level, 4,350 feet.

PRETORIA (Wes-rind Plantasie).

Breedtegraad 25° 44′ S. Lengtegraad 28° 09′ O. Hoogte min of meer bo Seehoogte, 4,350 voet.

January—Januarie	72·6	64·6	84·9	59·8	72·4	91·0	53·0	67	2·5	4·32	13
February—Februarie	71·9	65·0	86·0	59·5	72·8	93·5	55·0	71	2·9	3·13	11
March—Maart	65·3	61·7	80·2	54·2	67·3	89·2	45·0	83	2·6	2·98	9
April	64·6	56·6	78·8	46·1	62·4	86·0	39·0	62	0·6	0·17	3
May—Mei	56·6	50·4	70·9	36·9	53·9	78·0	27·0	67	1·7	1·82	4
June—Junie	50·6	45·2	66·0	32·8	49·4	74·5	25·5	67	1·0	0·21	1
July—Julie	44·3	39·2	58·7	28·1	43·4	70·0	20·0	65	—	1·21	1
August—Augustus	54·1	46·3	70·7	32·6	51·6	80·0	21·0	56	—	0·00	0
September	62·1	53·0	76·7	41·8	59·2	90·0	32·0	56	—	0·81	1
October—Oktober	68·3	57·6	82·8	50·8	66·8	91·0	40·0	55	1·0	1·21	7
November	68·1	59·5	81·7	54·9	68·3	94·0	48·0	62	1·4	5·35	11
December—Desember	71·0	63·5	83·2	56·9	70·0	91·5	48·0	68	2·2	1·98	15
Year—Jaar	62·5	55·2	76·7	46·2	61·4	94·0	20·0	65	—	23·19	76

RIETFONTEIN (Pomona Estates).

Lat. 26° 05′ S. Long. 28° 18′ E.

RIETFONTEIN (Pomona Estates).

Breedtegraad 26° 05′ S. Lengtegraad 28° 18′ O.

January—Januarie	68·7	62·8	82·3	57·0	69·6	88·8	52·0	72	4·5	5·38	11
February—Februarie	68·9	63·0	84·5	56·4	70·4	91·0	50·0	72	5·3	1·87	9
March—Maart	64·2	58·5	77·8	51·9	64·8	85·0	42·8	73	3·7	2·87	8
April	62·3	54·0	76·2	44·5	60·4	83·0	38·4	59	1·5	0·36	3
May—Mei	54·3	48·0	66·6	38·2	53·4	76·6	26·0	64	2·1	1·90	5
June—Junie	46·1	42·3	64·8	32·1	48·4	74·0	21·0	75	2·2	0·12	2
July—Julie	41·8	36·4	60·5	28·3	44·4	69·0	19·6	61	1·5	0·50	1
August—Augustus	53·0	44·6	70·6	34·1	52·4	81·0	19·0	53	0·6	0·00	0
September	58·5	49·5	73·9	41·9	57·9	88·5	29·8	54	1·7	0·77	1
October—Oktober	64·5	54·0	80·2	47·5	63·8	88·4	38·1	52	2·0	0·67	6
November	64·3	55·5	78·8	51·1	65·0	91·0	42·7	58	5·0	3·00	13
December—Desember	67·6	60·3	80·1	55·2	67·6	87·8	49·3	68	4·2	2·92	13
Year—Jaar	59·5	52·4	74·9	44·8	59·8	91·0	19·0	63	2·9	20·36	72

RIETVLEI.

Lat. 26° 44′ S. Long. 30° 17′ E. Approximate Height above Sea-level, —,— feet.

RIETVLEI.

Breedtegraad 26° 44′ S. Lengtegraad 30° 17′ O. Hoogte min of meer bo Seehoogte, —,— voet.

January—Januarie	66·7	62·8	79·0	56·1	67·6	87·5	49·0	81	7·3	4·22	14
February—Februarie	66·6	62·9	79·1	52·6	65·8	86·5	52·3	82	4·8	2·33	12
March—Maart	61·5	57·8	74·6	52·5	63·6	85·0	44·5	81	6·6	6·15	11
April	61·0	56·2	73·3	47·0	60·2	81·9	41·9	76	3·9	0·19	2
May—Mei	54·1	50·4	68·2	40·4	54·3	75·5	29·5	78	4·2	1·18	3
June—Junie	49·5	45·9	—	—	—	—	—	79	3·4	0·69	1
July—Julie	46·3	43·7	—	35·6	—	—	20·5	86	3·7	0·22	2
August—Augustus	—	—	—	—	—	—	—	—	—	0·07	1
September	55·9	51·6	71·2	46·3	58·8	83·2	37·0	76	3·9	5·84	5
October—Oktober	63·1	56·7	74·7	—	—	86·1	—	70	3·9	0·76	7
November	59·3	55·3	71·8	51·0	61·4	85·3	42·0	79	7·2	3·94	11
December—Desember	65·2	60·6	77·4	57·5	67·4	85·5	50·0	78	7·2	3·08	11
Year—Jaar	—	—	—	—	—	—	—	—	—	28·67	80

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.)	Cloud. (Amount 0–10.)	Rainfall—Reënval.	
	Mean Dry Bulb.	Mean Wet Bulb.	Self-registering Thermometers—Self-registrerende Termometers.								
			Mean Maximum.	Mean Minimum.	Mean Monthly Temperatures.	Absolute Maximum.	Absolute Minimum.				
	Gemiddelde Droë Bol.	Gemiddelde Nat Bol.	Gemiddelde Maksimum.	Gemiddelde Minimum.	Gemiddelde Maandelikse Temperature.	Volstrekte Maksimum.	Volstrekte Minimum.	Betreklike Natheid. (Sat. = 100.)	Wolk. (Beloop tot 10.)		
1926.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%		Inches. Duime.	Days—Dae.
SABIE.											
Lat. 25° 05′ S. Long. 30° 47′ E. Approximate Height above Sea-level, 3,635 feet.											
SABIE.											
Breedtegraad 25° 05′ S. Lengtegraad 30° 47′ O. Hoogte min of meer bo Seehoogte, 3,635 voet.											
January—Januarie	72·6	66·5	80·9	60·1	70·5	86·5	46·3	74	5·6	5·00	15
February—Februarie	70·5	66·4	82·5	62·3	72·4	89·0	57·6	82	5·1	8·95	17
March—Maart	65·6	62·1	77·5	56·9	67·2	85·5	49·0	83	6·0	7·73	11
April	60·2	56·2	76·5	50·1	63·3	88·1	39·2	79	3·0	0·04	2
May—Mei	53·8	50·1	73·5	42·2	57·8	82·1	32·6	78	2·2	0·47	4
June—Junie	47·4	45·7	68·6	38·8	53·7	78·7	29·3	89	2·9	0·10	2
July—Julie	48·2	43·5	66·0	36·8	51·4	77·2	24·5	70	2·1	3·26	6
August—Augustus	50·2	46·5	72·6	40·0	56·3	87·8	26·8	77	2·8	0·12	3
September	57·3	54·6	72·5	48·2	60·4	88·2	39·0	85	5·5	1·48	10
October—Oktober	65·8	58·9	81·2	52·1	66·6	93·4	41·7	68	4·5	0·49	5
November	65·2	60·0	77·8	54·3	66·0	97·3	45·1	76	6·4	3·78	14
December—Desember	—	—	—	—	—	—	—	—	—	[4·29	12]
Year—Jaar	—	—	—	—	—	—	—	—	—	[35·71	101]
SKUTWATER.											
Lat. 22° 10′ S. Long. 29° 34′ E. Approximate Height above Sea-level, –,— feet.											
SKUTWATER.											
Breedtegraad 22° 10′ S. Lengtegraad 29° 34′ O. Hoogte min of meer bo Seehoogte, –,— voet.											
January—Januarie	—	—	—	—	—	—	—	—	—	—	—
February—Februarie	—	—	—	—	—	—	—	—	—	—	—
March—Maart	—	—	—	—	—	—	—	—	—	—	—
April	—	—	—	—	—	—	—	—	—	—	—
May—Mei	Station Established.		—	—	—	—	—	—	—	—	—
June—Junie	57·2	53·4	78·2	41·4	59·8	90·0	31·0	79	—	0·00	0
July—Julie	56·0	53·1	75·5	41·0	58·2	86·0	34·0	83	—	1·30	1
August—Augustus	61·6	58·8	82·0	39·9	61·0	95·0	34·0	86	—	0·00	0
September	68·7	66·5	89·6	50·7	70·2	104·0	39·0	90	—	0·00	0
October—Oktober	77·2	68·8	93·7	58·7	76·2	106·0	45·0	67	—	0·00	0
November	76·7	70·5	93·2	63·6	78·4	112·0	54·0	75	—	1·76	3
December—Desember	79·7	74·1	93·4	64·8	79·1	104·0	57·0	79	—	4·27	4
Year—Jaar	—	—	—	—	—	—	—	—	—	—	—

STEGI (SWAZILAND).

Lat. 26° 28′ S. Long. 31° 58′ E. Approximate Height above Sea-level, 2,000 feet.

STEGI (SWASIELAND).

Breedtegraad 26° 28′ S. Lengtegraad 31° 58′ O. Hoogte min of meer bo Seehoogte, 2,000 voet.

January—Januarie	70·6	67·9	82·8	63·0	72·9	93·0	58·0	87	6·5	2·52	12
February—Februarie	73·8	70·8	85·8	64·3	75·0	95·0	57·0	87	6·0	2·65	9
March—Maart	68·9	65·8	80·1	61·3	70·7	89·0	54·0	86	5·8	2·38	9
April	65·4	62·6	78·3	58·1	68·2	86·0	51·0	87	4·1	1·01	5
May—Mei	62·1	58·6	73·1	54·5	63·8	86·0	47·0	82	3·8	0·77	4
June—Junie	56·9	54·2	68·6	50·3	59·4	78·0	42·0	84	4·2	0·22	8
July—Julie	55·1	51·5	68·3	48·1	58·2	80·0	39·0	80	3·2	0·53	5
August—Augustus	59·5	53·3	73·8	49·7	61·8	89·0	41·0	67	2·7	0·00	0
September	60·5	57·8	71·3	53·4	62·4	85·0	47·0	86	5·8	1·75	10
October—Oktober	66·9	61·1	81·4	55·6	68·5	94·0	49·0	72	4·9	1·17	7
November	67·4	61·0	78·9	57·1	68·0	98·0	49·0	71	5·9	1·16	10
December—Desember	69·5	65·3	82·8	61·1	72·0	94·0	55·0	81	5·3	1·11	7
Year—Jaar	64·7	60·8	77·1	56·4	66·8	98·0	39·0	81	4·8	15·27	86

STEYNSDORP.

Lat. 26° 08′ S. Long. 30° 58′ E. Approximate Height above Sea-level, 2,650 feet.

STEYNSDORP.

Breedtegraad 26° 08′ S. Lengtegraad 30° 58′ O. Hoogte min of meer bo Seehoogte, 2,650 voet.

January—Januarie	75·4	68·1	87·1	64·1	75·6	97·0	57·3	70	5·5	2·59	11
February—Februarie	76·1	69·0	89·8	64·6	77·2	98·0	61·0	71	5·2	2·70	11
March—Maart	68·6	63·7	84·0	59·2	71·6	95·0	50·0	76	5·6	3·58	10
April	60·8	56·9	80·8	50·9	65·8	91·0	42·5	79	2·7	0·16	3
May—Mei	55·2	51·6	75·4	46·2	60·8	84·0	37·2	80	2·4	2·17	5
June—Junie	48·8	46·2	70·9	40·2	55·6	78·0	30·5	82	3·0	0·18	1
July—Julie	46·6	41·4	68·5	36·3	52·4	82·0	23·0	65	1·8	0·37	1
August—Augustus	52·0	46·6	77·4	41·4	59·4	92·0	26·0	68	2·2	0·00	0
September	58·6	53·7	77·1	49·6	63·3	93·0	43·0	73	4·2	2·22	4
October—Oktober	65·6	58·5	83·2	55·0	69·1	97·0	42·5	68	4·9	1·27	7
November	66·3	59·7	80·6	57·2	68·9	96·0	48·5	69	6·9	2·18	11
December—Desember	73·3	65·0	86·0	60·2	73·1	96·0	55·0	65	5·1	2·57	9
Year—Jaar	62·3	56·7	80·1	52·1	66·1	98·0	23·0	72	4·1	19·99	73

STRATHMORE.

Lat. 26° 50′ S. Long. 26° 37′ E. Height above Sea-level, 4,360 feet.

STRATHMORE.

Breedtegraad 26° 50′ S. Lengtegraad 26° 37′ O. Hoogte bo Seehoogte, 4,360 voet.

January—Januarie	76·1	65·6	92·8	63·8	78·3	100·5	55·0	59	4·9	2·11	9
February—Februarie	73·4	65·1	90·8	62·5	76·6	98·0	54·0	66	4·2	2·70	7
March—Maart	67·8	61·6	83·4	57·8	70·6	93·0	53·0	72	5·1	1·85	11
April	61·0	54·4	79·7	49·3	64·5	87·0	37·0	68	2·7	0·89	4
May—Mei	52·5	47·2	72·4	39·5	56·0	81·0	29·0	68	3·9	0·51	3
June—Junie	44·1	39·9	67·5	33·2	50·4	78·0	28·0	71	2·9	0·09	2
July—Julie	40·1	35·4	62·1	27·7	44·9	72·0	15·0	65	1·7	0·07	1
August—Augustus	49·4	42·3	74·2	35·7	55·0	83·0	10·0	58	1·5	0·00	0
September	56·1	44·1	76·9	43·1	60·0	89·0	31·0	41	3·1	0·44	2
October—Oktober	66·2	56·6	82·4	52·7	67·6	95·0	40·0	57	2·9	2·27	7
November	66·5	57·7	82·6	55·1	68·8	90·0	41·0	60	4·5	2·14	8
December—Desember	72·6	62·9	86·1	61·2	73·6	92·0	55·0	60	4·6	7·75	11
Year—Jaar	60·5	52·7	79·2	48·5	63·8	100·5	10·0	62	3·5	20·82	65

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Self-registering Thermometers—Self-registrerende Termometers.								
			Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Mienimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Mienimum.			Inches. Duime.	Days—Dae.
1926.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
THANKERTON. Lat. 25° 26′ S. Long. 31° 40′ E. Approximate Height above Sea-level, –,— feet.								**THANKERTON.** Breedtegraad 25° 26′ S. Lengtegraad 31° 40′ O. Hoogte min of meer bo Seehoogte, –,— voet.			
January—Januarie	77·5	72·6	90·1	69·3	79·7	100·0	61·0	78	5·1	4·95	10
February—Februarie	79·2	74·8	90·6	71·3	81·0	102·5	67·0	81	4·0	4·51	11
March—Maart	74·7	70·7	86·0	66·6	76·3	94·0	60·0	82	4·7	6·68	8
April	70·8	66·2	83·6	59·1	71·4	95·0	46·5	79	2·0	0·00	0
May—Mei	65·0	61·5	80·4	54·1	67·2	92·5	46·0	83	2·2	2·44	5
June—Junie	61·9	57·1	75·6	50·8	63·2	86·0	42·0	76	2·6	0·01	1
July—Julie	58·9	53·1	—	46·9	—	—	39·5	68	1·3	0·59	4
August—Augustus	63·7	57·0	79·9	50·6	65·2	96·5	39·0	66	2·9	0·00	0
September	67·1	62·2	79·4	57·7	68·6	94·0	51·0	76	5·7	1·26	5
October—Oktober	72·7	65·8	88·9	61·8	75·4	104·0	53·0	69	3·9	0·56	3
November	74·0	67·6	86·9	63·9	75·4	107·0	56·0	72	5·8	1·46	10
December—Desember	76·4	70·9	90·0	67·6	78·8	100·0	61·0	76	5·1	1·47	11
Year—Jaar	70·2	65·0	—	60·0	—	—	39·0	76	3·8	23·93	68
VENTERSDORP. (Time of Observation 9 a.m.) Lat. 26° 19′ S. Long. 26° 50′ E. Approximate Height above Sea-level, 4,870 feet.								**VENTERSDORP.** (Tyd van Waarneming 9 v.m.) Breedtegraad 26° 19′ S. Lengtegraad 26° 50′ O. Hoogte min of meer bo Seehoogte, 4,870 voet.			
January—Januarie	76·1	66·1	87·7	59·6	73·6	95·0	52·0	60	1·4	3·89	12
February—Februarie	75·0	65·8	86·8	58·0	72·4	93·0	52·0	63	1·7	1·56	7
March—Maart	68·7	61·9	79·4	54·1	66·8	90·0	47·0	70	1·6	4·39	11
April	65·3	56·7	77·2	45·3	61·2	83·0	32·0	61	0·6	0·54	2
May—Mei	57·4	50·6	69·7	35·7	52·7	77·0	26·0	65	3·0	1·60	4
June—Junie	53·8	46·9	65·7	31·1	48·4	75·0	23·0	62	1·3	0·14	1
July—Julie	49·9	42·5	61·8	25·4	43·6	70·0	10·0	56	0·4	0·38	1
August—Augustus	57·4	47·8	71·9	32·6	52·2	80·0	12·0	51	0·2	0·00	0
September	62·6	53·7	74·3	39·6	57·0	87·0	28·0	57	0·6	0·80	3
October—Oktober	68·1	58·0	79·9	57·4	68·6	91·0	36·0	57	0·9	1·91	5
November	68·3	58·9	80·1	50·2	65·0	88·0	36·0	59	1·2	1·80	6
December—Desember	72·0	63·0	82·6	56·0	69·3	89·0	43·0	62	1·5	4·83	8
Year—Jaar	64·6	56·0	76·4	45·4	60·9	95·0	10·0	60	1·2	21·84	60

WAKKERSTROOM.

Lat. 27° 21′ S. Long. 30° 08′ E. Approximate Height above Sea-level, 5,780 feet.

WAKKERSTROOM.

Breedtegraad 27° 21′ S. Lengtegraad 30° 08′ O. Hoogte min of meer bo Seehoogte, 5,780 voet.

January—Januarie	64·0	58·6	77·4	54·6	66·0	85·0	48·0	74	—	2·49	9
February—Februarie	64·3	58·7	78·0	55·7	66·8	87·0	49·0	73	—	3·53	6
March—Maart	58·6	53·9	72·1	48·8	60·4	82·0	37·0	75	—	2·03	10
April	55·6	49·7	73·2	41·8	57·5	79·0	30·0	69	—	0·16	3
May—Mei	47·9	41·6	65·7	32·7	49·2	74·0	20·0	61	—	1·50	4
June—Junie	37·7	35·5	58·7	27·3	43·0	69·0	17·0	83	—	2·02	3
July—Julie	37·2	31·5	57·1	22·7	39·9	73·0	11·0	56	—	0·00	0
August—Augustus	46·0	37·7	67·8	31·3	49·6	79·0	8·0	48	—	0·00	0
September	51·1	45·0	68·0	38·9	53·4	80·0	28·0	66	—	3·73	4
October—Oktober	59·1	50·8	74·3	47·2	60·8	84·0	33·0	69	—	1·44	6
November	57·3	51·6	71·1	46·8	59·0	83·0	35·0	71	—	3·39	9
December—Desember	62·4	56·7	75·8	52·4	64·1	84·0	46·0	72	—	4·23	9
Year—Jaar	53·4	47·6	69·9	41·7	55·8	87·0	8·0	67	—	24·52	63

WATERVAL BOVEN.

Lat. 25° 39′ S. Long. 30° 19′ E. Approximate Height above Sea-level, 4,820 feet.

WATERVAL BOVEN.

Breedtegraad 25° 39′ S. Lengtegraad 30° 19′ O. Hoogte min of meer bo Seehoogte, 4,820 voet.

January—Januarie	—	—	—	—	—	—	—	—	—	—	—
February—Februarie	—	—	—	—	—	—	—	—	—	—	—
March—Maart	63·8	59·8	80·7	54·2	67·4	89·0	44·0	80	4·0	1·18	4
April	63·2	58·2	78·0	40·9	59·4	87·0	42·0	76	1·0	0·42	1
May—Mei	56·0	51·9	70·0	42·1	56·0	82·0	32·0	77	2·5	2·27	2
June—Junie	48·9	44·8	67·6	35·0	51·3	76·0	28·0	74	1·7	0·03	1
July—Julie	—	—	—	—	—	—	—	—	—	—	—
August—Augustus	51·3	42·7	75·6	50·7	63·2	85·0	23·0	52	2·3	0·00	0
September	60·1	54·3	74·7	45·9	60·3	87·0	39·0	71	4·0	2·98	5
October—Oktober	65·6	56·3	81·2	50·5	65·8	92·0	42·0	68	3·6	4·34	7
November	63·8	57·4	78·2	52·2	65·0	91·0	43·0	70	5·3	3·31	10
December—Desember	67·5	60·9	83·9	55·8	69·8	91·0	49·0	71	3·9	4·38	8
Year—Jaar	—	—	—	—	—	—	—	—	—	—	—

Month—Maand.	Temperatures in Shade (in Stevenson's Screen)—Temperature in die Skaduwee (in Stevenson se Skerm).							Relative Humidity. (Sat. = 100.) Betreklike Natheid. (Sat. = 100.)	Cloud. (Amount 0–10.) Wolk. (Beloop tot 10.)	Rainfall—Reënval.	
	Mean Dry Bulb. Gemiddelde Droë Bol.	Mean Wet Bulb. Gemiddelde Nat Bol.	Self-registering Thermometers—Self-registrerende Termometers.								
			Mean Maximum. Gemiddelde Maksimum.	Mean Minimum. Gemiddelde Minimum.	Mean Monthly Temperatures. Gemiddelde Maandelikse Temperature.	Absolute Maximum. Volstrekte Maksimum.	Absolute Minimum. Volstrekte Minimum.			Inches. Duime.	Days—Dae.
1925.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	%			
WHITE RIVER.								**WITRIVIER.**			
Lat. 25° 19′ S. Long. 31° 01′ E. Approximate Height above Sea-level, 2,500 feet.								Breedtegraad 25° 19′ S. Lengtegraad 31° 01′ O. Hoogte min of meer bo Seehoogte, 2,500 voet.			
January—Januarie	71·3	67·3	84·1	63·6	73·8	91·6	56·0	81	7·4	4·98	9
February—Februarie	71·8	68·6	84·3	64·1	74·2	92·2	57·1	85	5·4	4·29	13
March—Maart	67·7	63·9	80·1	59·9	70·0	88·0	53·0	82	4·5	3·67	17
April	65·0	59·8	79·1	53·4	66·2	90·2	44·5	75	2·9	0·10	5
May—Mei	56·6	55·2	73·4	48·6	61·0	83·0	38·0	92	1·7	2·35	6
June—Junie	55·2	51·0	69·0	45·2	57·1	79·0	38·0	77	2·6	0·09	2
July—Julie	51·9	45·2	67·2	42·4	54·8	79·5	28·9	59	2·1	1·85	7
August—Augustus	55·3	49·2	72·9	44·8	58·8	88·5	33·0	66	3·4	0·16	4
September	59·1	55·4	72·7	51·5	62·1	88·5	44·0	80	6·0	2·22	15
October—Oktober	66·9	58·7	80·6	54·7	67·6	95·0	45·0	62	4·5	0·85	9
November	65·7	59·8	78·6	56·8	67·7	97·0	49·0	71	6·1	2·45	15
December—Desember	71·5	64·4	83·4	60·7	72·0	92·0	56·0	70	5·3	2·49	12
Year—Jaar	63·2	58·2	77·1	53·8	65·4	97·0	28·9	75	4·3	25·50	112
WOODBUSH.								**WOODBUSH.**			
Lat. 23° 51′ S. Long. 29° 59′ E. Approximate Height above Sea-level, 4,900 feet.								Breedtegraad 23° 51′ S. Lengtegraad 29° 59′ O. Hoogte min of meer bo Seehoogte, 4,900 voet.			
January—Januarie	63·9	61·6	74·3	57·8	66·0	83·6	51·1	88	6·0	5·80	11
February—Februarie	64·9	62·8	74·1	58·4	66·2	87·3	54·2	89	7·2	8·76	18
March—Maart	62·0	59·4	71·1	55·0	63·0	83·1	47·5	87	6·1	7·87	15
April	59·6	55·3	70·2	49·7	60·0	81·5	40·1	77	4·9	0·88	6
May—Mei	57·5	52·9	67·3	45·6	56·4	78·0	35·5	75	2·9	0·49	5
June—Junie	53·4	49·2	62·7	41·5	52·1	74·5	33·9	76	4·0	0·16	3
July—Julie	50·6	44·0	58·2	39·5	48·8	68·4	28·0	62	2·6	4·24	7
August—Augustus	54·2	47·3	66·1	42·5	54·3	80·7	29·8	62	2·2	0·53	4
September	56·8	52·7	66·0	47·3	56·6	81·5	42·9	77	5·5	2·25	11
October—Oktober	61·3	53·9	72·8	50·5	61·6	87·0	40·9	65	3·9	0·25	2
November	60·2	55·9	71·0	50·7	60·8	89·5	41·1	77	6·1	5·19	14
December—Desember	63·0	59·8	74·4	54·5	64·4	83·4	50·0	85	5·8	6·08	12
Year—Jaar	59·0	54·6	69·0	49·4	59·2	89·5	28·0	77	4·8	42·50	107

ZEEKOEHOEK.

Lat. 25° 57′ S. Long. 27° 33′ E. Approximate Height above Sea-level, –,— feet.

ZEEKOEHOEK.

Breedtegraad 25° 57′ S. Lengtegraad 27° 33′ O. Hoogte min of meer bo Seehoogte, –,— voet.

January—Januarie	Incomplete	—	—	—	—	—	—	—	—	—	—	—
February—Februarie	72·8	65·3	85·9	60·1	73·0	92·6	53·2	69	2·8	2·52	10	
March—Maart	68·4	62·0	78·9	55·0	67·0	84·0	47·1	72	3·5	5·01	8	
April	65·0	56·5	77·7	47·4	62·6	83·0	38·5	61	1·4	0·21	2	
May—Mei	54·3	48·9	70·2	39·4	54·8	78·8	32·2	70	2·0	1·78	4	
June—Junie	46·1	41·8	65·4	35·0	50·2	74·1	26·0	73	2·5	0·38	3	
July—Julie	43·1	37·5	62·3	30·0	46·2	71·5	22·0	64	1·1	1·02	1	
August—Augustus	51·3	44·4	73·1	34·5	53·8	81·8	22·6	61	0·4	0·00	0	
September	60·6	51·2	77·8	40·6	59·2	88·5	33·4	55	1·3	0·61	1	
October—Oktober	67·2	56·3	82·0	49·2	65·6	90·4	40·9	54	1·8	0·55	4	
November	68·0	58·9	80·8	54·3	67·6	91·2	46·1	62	4·1	2·83	8	
December—Desember	71·6	62·9	82·6	57·7	70·2	89·8	51·7	63	3·6	2·81	10	
Year—Jaar	—	—	—	—	—	—	—	—	—	—	—	

ZUURBEKOM.

Lat. 26° 19′ S. Long. 27° 47′ E. Approximate Height above Sea-level, 5,190 feet.

ZUURBEKOM.

Breedtegraad 26° 19′ S. Lengtegraad 27° 47′ O. Hoogte min of meer bo Seehoogte, 5,190 voet.

January—Januarie	68·9	62·4	82·4	59·5	71·0	88·0	52·0	71	4·0	3·06	13	
February—Februarie	68·6	62·4	83·1	58·7	70·9	90·0	50·0	72	3·8	3·23	8	
March—Maart	61·8	58·0	75·7	52·9	64·3	82·0	45·0	81	3·5	3·20	10	
April	55·1	51·2	75·0	43·1	59·0	80·0	32·0	78	1·6	0·71	4	
May—Mei	46·1	43·6	67·9	34·4	51·2	75·0	25·0	84	1·7	1·80	3	
June—Junie	39·9	38·0	63·3	29·5	46·4	74·0	20·0	86	2·4	0·29	1	
July—Julie	34·8	33·1	59·0	22·8	40·9	68·0	13·0	84	1·2	0·78	1	
August—Augustus	44·5	41·1	70·3	30·6	50·4	80·0	11·0	77	0·4	0·00	0	
September	55·2	51·4	72·4	39·3	56·4	86·0	27·0	79	1·7	1·04	1	
October—Oktober	62·9	56·6	—	49·1	—	—	37·0	69	2·3	1·07	5	
November	63·2	58·5	76·6	51·9	64·2	85·0	41·0	77	4·4	3·07	10	
December—Desember	67·3	65·0	78·9	56·5	67·7	85·0	49·0	89	4·8	3·51	16	
Year—Jaar	55·7	51·8	—	44·0	—	—	11·0	79	2·6	21·76	72	

CAPE PROVINCE. KAAPPROVINSIE.

Solar Black Bulb Temperatures.—Swartbol Termometer vir Sonstraling.

Month—Maand.	DUNBRODY.		DEEPWALLS.		ELSIES RIVER.		STUTTERHEIM.	
	Mean Maximum. Gemiddelde Maksimum.	Absolute Maximum. Volstrekte Maksimum.	Mean Maximum. Gemiddelde Maksimum.	Absolute Maximum. Volstrekte Maksimum.	Mean Maximum. Gemiddelde Maksimum.	Absolute Maximum. Volstrekte Maksimum.	Mean Maximum. Gemiddelde Maksimum.	Absolute Maximum. Volstrekte Maksimum.
1926.	°	°	°	°	°	°	°	°
January—Januarie...	130·7	140·6	113·8	125·0	No record	—	Incomplete	—
February—Februarie.	132·1	147·0	108·6	129·0	No record	—	Incomplete	—
March—Maart.....	123·1	137·0	108·0	125·5	133·2	149·9	124·7	148·0
April.....	119·5	129·5	111·3	126·0	123·6	138·8	127·0	139·3
May—Mei.....	107·9	123·0	96·8	114·0	116·4	131·9	114·0	124·8
June—Junie.....	101·8	117·0	102·0	120·5	112·1	122·2	105·2	118·0
July—Julie.....	102·6	115·2	96·3	111·8	109·5	122·8	106·7	117·2
August—Augustus...	110·6	129·0	101·3	116·2	114·3	127·1	Thermometer broken.	
September.....	114·9	134·0	108·1	128·0	121·8	140·9	—	—
October—Oktober...	120·3	136·9	110·0	128·0	125·7	139·9	—	—
November.....	122·0	146·6	113·3	136·5	Station closed		—	—
December—Desember	128·8	144·0	120·6	129·8	—	—	—	—
YEAR—JAAR....	117·9	147·0	107·5	136·5	—	—	—	—

TRANSVAAL PROVINCE. TRANSVAAL PROVINSIE.

Grass Minimum Temperatures.—Gras Mienimum Temperature.

Month—Maand.	KOPJE ALLEEN.		MBABANE (SWAZILAND—SWASIELAND).		JOHANNESBURG. (Union Observatory.)	
	Mean Minimum. Gemiddelde Mienimum.	Absolute Minimum. Volstrekte Mienimum.	Mean Minimum. Gemiddelde Mienimum.	Absolute Minimum. Volstrekte Mienimum.	Mean Minimum. Gemiddelde Mienimum.	Absolute Minimum. Volstrekte Mienimum.
1926.	°	°	°	°	°	°
January—Januarie.....	59·9	52·4	59·4	53·0	56·3	51·2
February—Februarie.....	61·1	57·1	60·6	54·0	57·1	49·2
March—Maart.....	54·0	42·8	56·3	48·0	53·0	44·9
April.....	46·1	36·9	50·6	41·0	47·9	43·6
May—Mei.....	39·3	29·0	44·7	35·0	42·3	32·2
June—Junie.....	33·9	24·9	40·0	32·0	36·0	27·5
July—Julie.....	31·3	19·8	36·4	22·0	32·0	20·0
August—Augustus.....	35·4	22·7	41·4	25·0	38·7	20·0
September.....	44·0	31·0	46·5	40·0	43·9	30·2
October—Oktober.....	52·2	43·0	52·1	39·0	48·9	36·4
November.....	57·9	50·0	53·4	44·0	50·9	41·2
December—Desember.....	60·0	51·9	55·6	51·0	54·7	49·7
YEAR—JAAR.....	47·9	19·8	49·8	22·0	46·8	20·0

Month—Maand.	ONDERSTEPOORT.		PRETORIA. (T.U.C. Experimental Farm.) (T.U.K. Proefplaas.)		PIET RETIEF.	
	Mean Minimum. Gemiddelde Mienimum.	Absolute Minimum. Volstrekte Mienimum.	Mean Minimum. Gemiddelde Mienimum.	Absolute Minimum. Volstrekte Mienimum.	Mean Minimum. Gemiddelde Mienimum.	Absolute Minimum. Volstrekte Mienimum.
1926.	°	°	°	°	°	°
January—Januarie.....	58·6	53·0	57·7	52·3	57·6	52·0
February—Februarie.....	58·0	52·5	58·2	54·1	59·3	53·0
March—Maart.....	51·9	43·0	53·1	47·2	53·0	48·1
April.....	42·7	33·5	45·4	37·1	48·2	40·0
May—Mei.....	33·1	24·3	36·0	28·0	41·6	32·0
June—Junie.....	27·8	20·0	32·2	23·5	37·8	31·0
July—Julie.....	21·5	9·4	26·0	16·5	34·5	23·5
August—Augustus.....	26·7	12·0	29·6	18·0	41·0	26·0
September.....	38·0	27·0	38·7	19·0	45·2	37·0
October—Oktober.....	47·4	35·0	47·3	34·8	51·4	42·8
November.....	52·4	43·4	52·3	44·6	51·6	42·0
December—Desember.....	55·8	47·0	56·1	50·0	56·1	50·0
YEAR—JAAR.....	42·8	9·4	44·4	16·5	48·1	23·5

TRANSVAAL PROVINCE (continued). — TRANSVAAL PROVINSIE (vervolg).

Grass Minimum Temperatures.—Gras Mienimum Temperature.

Month—Maand.	STRATHMORE.		PRETORIA. (West End Plantation.) (Wes-einde Plantasie.)		PRETORIA. (Town—Dorp.)	
	Mean Minimum. Gemiddelde Mienimum.	Absolute Minimum. Volstrekte Mienimum.	Mean Minimum. Gemiddelde Mienimum.	Absolute Minimum. Volstrekte Mienimum.	Mean Minimum. Gemiddelde Mienimum.	Absolute Minimum. Volstrekte Mienimum.
1926.	°	°	°	°	°	°
January—Januarie	57·8	48·0	58·7	52·0	56·8	51·1
February—Februarie	56·6	44·0	58·4	54·0	57·8	50·8
March—Maart	52·3	46·0	53·1	44·0	50·8	41·9
April	42·2	31·0	45·0	37·5	44·6	37·1
May—Mei	31·2	22·0	35·4	26·0	36·6	28·6
June—Junie	27·7	15·0	31·2	24·2	32·4	23·8
July—Julie	22·2	8·0	26·6	19·0	24·8	14·7
August—Augustus	29·3	10·0	30·1	20·0	28·3	13·2
September	38·2	26·0	40·4	31·0	39·0	29·0
October—Oktober	47·4	36·0	49·7	39·8	47·3	36·0
November	47·9	33·0	53·7	46·8	51·8	39·0
December—Desember	54·5	45·0	55·5	46·5	52·9	47·0
YEAR—JAAR	42·3	8·0	44·8	19·0	43·6	13·2

NATAL PROVINCE. — NATAL PROVINSIE.

Month—Maand.	CEDARA.		HILLARY.			
	Mean Minimum. Gemiddelde Mienimum.	Absolute Minimum. Volstrekte Mienimum.	Mean Minimum. Gemiddelde Mienimum.	Absolute Minimum. Volstrekte Mienimum.		
1926.	°	°	°	°		
January—Januarie	56·5	52·0	68·2	61·5		
February—Februarie	Incomplete	—	68·8	63·0		
March—Maart	53·4	46·0	64·3	57·8		
April	48·9	39·0	59·1	52·1		
May—Mei	41·4	28·0	55·6	44·4		
June—Junie	36·6	27·0	50·4	44·4		
July—Julie	31·9	20·0	47·5	40·6		
August—Augustus	39·5	25·0	52·0	41·4		
September	42·7	35·0	55·0	49·0		
October—Oktober	49·3	40·0	59·8	52·0		
November	49·7	40·0	60·1	50·7		
December—Desember	54·2	48·0	64·9	58·4		
YEAR—JAAR	—	—	58·8	40·6		

CAPE PROVINCE. — KAAPPROVINSIE.

Month—Maand.	KOKSTAD.		LIWANDI.		MAHALAPYE (BECHUANALAND—BETSJOEANALAND).	
	Mean Minimum. Gemiddelde Mienimum.	Absolute Minimum. Volstrekte Mienimum.	Mean Minimum. Gemiddelde Mienimum.	Absolute Minimum. Volstrekte Mienimum.	Mean Minimum. Gemiddelde Mienimum.	Absolute Minimum. Volstrekte Mienimum.
1926.	°	°	°	°	°	°
January—Januarie	51·9	42·8	56·0	50·2	66·3	61·0
February—Februarie	51·1	40·0	58·0	49·0	67·7	62·0
March—Maart	45·9	38·2	54·3	43·0	60·5	52·0
April	39·5	30·0	47·9	32·4	53·1	44·0
May—Mei	34·5	22·0	45·2	31·0	45·2	37·0
June—Junie	29·1	22·8	38·8	29·8	40·5	32·0
July—Julie	23·7	16·6	37·1	22·5	35·2	25·0
August—Augustus	30·3	16·8	41·8	28·6	39·6	22·0
September	36·5	26·3	43·8	29·3	50·3	33·0
October—Oktober	43·1	32·9	48·7	35·6	57·7	47·0
November	44·5	34·0	51·2	38·5	63·4	55·5
December—Desember	51·8	42·3	54·2	47·9	63·3	58·0
YEAR—JAAR	40·2	16·6	48·1	22·5	53·6	22·0

CAPE PROVINCE (continued). KAAPPROVINSIE (vervolg).

Grass Minimum Temperatures (continued).—Gras Mienimum Temperature (continued).

Month—Maand.	MAFETENG (BASUTOLAND—BASOETOELAND).		SANDFLATS.			
	Mean Minimum. Gemiddelde Mienimum.	Absolute Minimum. Volstrekte Mienimum.	Mean Minimum. Gemiddelde Mienimum.	Absolute Minimum. Volstrekte Mienimum.		
1926.	°	°	°	°		
January—Januarie	48·7	34·0	52·1	44·4		
February—Februarie	47·4	35·0	52·2	44·0		
March—Maart	46·1	36·0	48·3	41·5		
April	36·2	23·0	42·1	29·5		
May—Mei	28·6	14·0	34·8	20·0		
June—Junie	21·6	10·0	29·7	22·0		
July—Julie	14·7	4·0	24·6	14·0		
August—Augustus	21·2	6·0	31·6	15·0		
September	29·7	8·0	36·0	22·0		
October—Oktober	39·0	23·0	43·3	34·0		
November	39·5	25·0	42·9	29·0		
December—Desember	47·6	33·0	49·5	41·0		
Year—Jaar	35·0*	4·0*	40·6	14·0		

* As these readings appeared doubtful another instrument was placed next to the usual thermometer and this comparison showed that the original instrument was not defective.

* Daar hierdie lesings twyfelagtig lyk, is 'n ander instrument langsaan die gewone termometer gesit en hierdie vergelyking het bewys dat die oorspronklike instrument nie uit order was nie.

TRANSVAAL, NATAL, and CAPE PROVINCES. TRANSVAAL, NATAL en KAAPPROVINSIES.

Earth Temperatures.—Onderaardse Temperatures.

Month—Maand.	MBABANE (SWAZILAND—SWASIELAND).			ONDERSTEPOORT.								
	1 ft. 1 vt.	2 ft. 2 vt.	3 ft. 3 vt.	1 in. 1 dm.	6 in. 6 dm.	1 ft. 1 vt.	1½ ft. 1½ vt.	2 ft. 2 vt.	3 ft. 3 vt.	4 ft. 4 vt.	6 ft. 6 v.	10 ft. 10 vt.
1926.	°	°	°	°	°	°	°	°	°	°	°	°
January—Januarie	77·7	77·1	75·6	80·5	79·6	79·9	80·4	79·6	77·7	75·6	72·9	69·7
February—Februarie	77·4	76·9	76·0	79·5	80·5	80·7	81·1	80·5	79·1	77·1	74·4	71·1
March—Maart	72·4	72·6	72·7	72·7	76·0	76·3	77·3	77·8	77·1	76·3	74·9	72·0
April	66·3	67·1	68·0	67·2	71·5	71·9	73·0	74·0	74·7	74·4	73·9	72·2
May—Mei	56·5	58·0	60·5	53·8	60·2	60·7	62·5	65·1	67·7	69·4	71·2	71·7
June—Junie	50·7	52·3	54·8	48·9	54·7	55·4	57·0	59·5	62·3	64·5	67·4	69·9
July—Julie	46·2	47·5	50·1	43·9	49·5	50·4	52·0	54·7	57·7	60·4	64·0	67·8
August—Augustus	52·5	52·5	52·8	52·5	55·9	56·0	56·5	57·3	58·6	59·7	62·0	65·7
September	61·3	61·1	60·2	64·9	65·3	65·1	65·4	65·2	64·6	63·8	63·5	65·2
October—Oktober	70·7	69·7	67·7	73·4	72·9	72·6	72·6	71·7	70·2	68·3	66·5	66·0
November	70·6	70·2	69·4	75·2	73·6	73·8	74·5	74·5	73·4	71·6	69·7	67·5
December—Desember	74·7	74·0	72·4	77·4	76·4	76·5	76·9	76·0	74·5	72·9	71·0	68·7
Year—Jaar	64·8	64·9	65·0	65·8	68·0	68·3	69·1	69·6	69·8	69·5	69·3	69·0

Month—Maand.	POT-CHEF-STROOM.	CEDARA.	DEEPWALLS.									
	11·5 in. 11·5 dm.	3 ft. 3 vt.	1 ft. A. 1 vt. A.	2 ft. A. 2 vt. A.	4 ft. A. 4 vt. A.	1 ft. B. 1 vt. B.	2 ft. B. 2 vt. B.	1 ft. A. 1 vt. A. *	2 ft. A. 2 vt. A. *	4 ft. A. 4 vt. A. *	1 ft. B. 1 vt. B. *	2 ft. B. 2 vt. B. *
1926.	°	°	°	°	°	°	°	°	°	°	°	°
January—Januarie	80·8	70·9	60·1	59·2	58·3	63·2	62·4	60·6	59·3	58·4	64·9	62·5
February—Februarie	78·1	72·3	59·9	59·7	59·2	62·2	62·3	60·3	59·8	59·2	63·1	62·3
March—Maart	73·9	70·3	59·3	59·3	59·0	60·6	60·8	59·6	59·4	59·0	61·2	60·8
April	66·3	69·0	57·8	58·2	58·2	57·6	58·4	58·2	58·2	58·2	58·2	58·4
May—Mei	56·8	66·6	56·3	57·2	57·4	55·3	56·5	56·9	57·3	57·4	56·0	56·6
June—Junie	51·4	62·0	—	—	—	—	—	54·5	55·0	55·6	53·2	54·3
July—Julie	45·6	58·7	51·3	53·2	54·2	49·9	51·6	No records		—	—	—
August—Augustus	53·0	59·0	51·2	52·3	52·9	50·5	51·4	No records		—	—	—
September	63·2	61·4	51·9	52·7	53·2	52·8	53·3	No records		—	—	—
October—Oktober	69·8	64·3	53·7	53·9	54·0	56·1	55·9	No records		—	—	—
November	72·8	66·2	55·0	55·1	54·9	No records		—	—	—	59·0	58·7
December—Desember	75·7	67·3	57·6	57·0	56·4	62·9	62·0	No records		—	—	—
Year—Jaar	65·6	65·7	—	—	—	—	—	—	—	—	—	—

A. In normal high forest.
B. In an opening caused by fire years ago.
* Observations taken at 7 p.m.

A. In normale hoë woud.
B. In 'n opening wat jare gelede deur vuur veroorsaak is.
* Waarnemings geneem te 7 n.m.

1st June.—Thermometers removed to much larger (7 acres) open site at same elevation.
1ste Junie.—Termometers verplaas na veel groter (7 akkers) oop-ligging op dieselfde hoogte.

CAPE PROVINCE. KAAPPROVINSIE.

Earth Temperatures continued).—Onderaardse Temperature (vervolg).

Month—Maand.	CAPETOWN—KAAPSTAD. City Hospital—Stadshospitaal.			ELSENBURG.				GROOT-FON-TEIN.	MAFETENG (BASUTOLAND—BASOETOELAND).			
	1 ft. 1 vt.	2 ft. 2 vt.	4 ft. 4 vt.	1 ft. 1 vt.	2 ft. 2 vt.	3 ft. 3 vt.	4 ft. 4 vt.	1 ft. 1 vt.	1 ft. 1 vt.	2 ft. 2 vt.	4 ft. 4 vt.	6 ft. 6 vt.
1926.	°	°	°	°	°	°	°	°	°	°	°	°
January—Januarie...	68·1	68·8	67·1	78·6	78·1	75·7	73·6	86·1	76·0	74·2	70·5	68·5
February—Februarie.	70·8	70·4	69·0	75·6	76·2	76·3	75·2	85·0	74·1	73·9	72·1	70·8
March—Maart.....	70·3	69·9	68·9	72·2	73·9	73·2	72·7	75·1	67·7	68·7	69·7	69·9
April.....	65·7	66·9	67·6	66·0	68·3	69·3	69·7	69·4	62·2	63·8	66·0	66·8
May—Mei.....	60·9	62·5	64·7	60·6	63·0	64·6	65·6	60·5	53·9	56·5	60·9	63·2
June—Junie.....	56·6	58·3	61·0	54·3	56·6	58·4	59·8	53·8	48·7	51·5	56·4	59·2
July—Julie.....	54·0	56·2	59·2	51·7	54·0	55·8	57·1	50·0	43·4	46·7	52·2	55·2
August—Augustus...	54·8	55·5	57·6	53·3	54·7	55·5	56·3	54·6	48·8	49·7	51·8	53·4
September.....	57·5	57·7	58·5	56·8	57·9	58·0	58·1	61·3	56·7	56·5	55·8	55·8
October—Oktober...	60·8	60·7	60·4	62·6	62·9	62·0	61·4	67·5	61·1	60·9	59·5	59·1
November.....	64·4	63·5	62·4	69·8	69·5	67·2	65·7	71·7	63·1	63·3	61·9	61·4
December—Desember	69·7	68·1	65·8	78·8	77·7	74·2	71·9	79·7	70·1	69·1	65·7	64·1
YEAR—JAAR....	62·8	63·2	63·5	65·0	66·1	65·8	65·6	67·9	60·5	61·2	61·9	62·3

TRANSVAAL and CAPE PROVINCES. TRANSVAAL EN KAAPPROVINSIES.

Evaporation.—Verdamping.

Month—Maand.	KOPJE ALLEEN. *	MBABANE (Swaziland—Swasieland).	JOHANNES-BURG. (Union Observatory.) *	HARTE-BEESTPOORT. *	ELSENBURG. †	DUNBRODY. ‡	STEENBRAS DAM. ‡	TABLE MOUNTAIN. §
1926.	In.—Dm.	In.—Dm.	In.—Dm.	In.—Dm.	In.—Dm.	In.—Dm.	In.—Dm.	In.—Dm.
January—Januarie...	No record	5·84	5·64	—	10·81	10·74	7·69	5·13
February—Februarie.	6·34	4·83	4·93	—	7·84	8·81	4·86	3·90
March—Maart.....	6·41	4·55	4·03	—	8·40	7·93	6·00	3·24
April.....	5·22	4·59	4·44	5·89	6·55	5·87	3·63	2·25
May—Mei.....	3·84	4·34	3·68	4·11	5·19	4·80	1·92	1·86
June—Junie.....	3·36	2·11	2·72	3·28	3·49	3·35	1·41	1·69
July—Julie.....	4·07	2·99	3·04	3·64	3·77	4·99	1·24	1·43
August—Augustus...	5·35	5·13	4·99	5·20	4·49	6·13	1·93	1·86
September.....	6·88	4·99	5·46	7·25	4·31	6·14	2·39	1·83
October—Oktober...	9·96	8·12	6·54	9·93	6·59	6·93	3·04	2·20
November.....	9·46	6·26	6·40	9·43	9·95	8·13	5·84	3·84
December—Desember	8·34	7·87	5·97	9·64	11·71	10·50	7·78	5·96
YEAR—JAAR....	—	61·62	57·84	—	83·10	84·32	47·73	35·19

Month—Maand.	STUTTER-HEIM. †	LAKE MENTZ DAM. *	TARKA DAM. *	GRASS RIDGE DAM. *	GRAAFF-REINET. Van Ryneveld's Pass Dam. *	KAMA-NASSIE DAM. *	VAN WIJK'S VLEI. *	GROOT-FONTEIN. *
1926.	In.—Dm.	In.—Dm.	In.—Dm.	In.—Dm.	In.—Dm.	In.—Dm.	In.—Dm.	In.—Dm.
January—Januarie...	—	10·56	11·40	11·23	No records	No records	No records	10·50
February—Februarie.	—	9·06	9·17	9·63	No records	No records	No records	8·96
March—Maart.....	5·98	7·57	7·51	7·78	8·48	No records	No records	7·20
April.....	6·20	5·20	5·01	5·62	5·86	No records	7·37	4·75
May—Mei.....	5·41	3·40	3·93	4·04	4·88	No records	4·53	4·51
June—Junie.....	4·81	1·73	2·65	2·74	3·36	2·85	4·14	3·03
July—Julie.....	6·01	2·61	3·36	3·85	4·41	2·87	4·60	3·18
August—Augustus...	7·28	4·04	4·84	5·22	6·30	3·88	6·54	5·70
September.....	5·53	4·99	5·47	5·91	6·78	4·80	7·07	6·16
October—Oktober...	6·71	6·88	7·43	7·71	9·07	7·23	8·46	8·68
November.....	5·75	8·44	8·28	9·05	9·58	8·05	10·23	9·05
December—Desember	5·60	10·21	10·01	11·22	11·88	9·57	10·44	10·98
YEAR—JAAR....	—	74·69	79·06	84·00	—	—	—	82·70

* Symon's tank, 6' x 6' × 2'. † 8" Evaporation gauge. ‡ Concrete tank, 6' × 3'. § Cast-iron tank, 4' 3" × 3' 2" × 2' 6".

The totals for September and October at Stutterheim are for 28 and 23 days respectively and for November and December at Van Wijk's Vlei for 29 and 25 days respectively.

RAINFALL—REËNVAL, 1926.

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) / Feet. / Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 1—SEKSIE 1.																														
2750	Wilton Valley	23° 45′	27° 03′	—	1·97	8	1·35	5	1·93	5	0·07	1	0·84	4	0·08	1	0·92	2	0·00	0	0·48	1	0·38	2	1·57	5	2·65	4	12·24	38
2751	Kruispad	23° 38′	27° 04′	—	1·82	6	3·44	5	2·50	5	0·00	0	0·75	1	0·11	1	0·94	1	0·00	0	0·16	2	1·07	3	2·72	2	2·84	3	16·35	29
2752	Stockpoort	23° 25′	27° 20′	—	2·26	6	2·67	7	2·15	3	0·00	0	0·42	3	0·00	0	1·04	2	0·00	0	0·00	0	0·17	1	2·27	3	1·92	3	12·90	28
2621	Zyverbult	23° 45′	27° 22′	—	0·94	3	1·05	5	1·23	3	0·00	0	0·38	2	0·00	0	1·22	2	0·00	0	0·00	0	0·30	2	2·20	3	1·44	2	8·76	22
4000	De Dam	23° 25′	27° 28′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2·73	2	2·46	5	(5·19	7)
372	Clermont	23° 32′	28° 07′	2,770	1·27	6	4·01	9	3·94	5	0·00	0	0·96	2	0·00	0	2·19	2	0·00	0	0·00	0	0·39	1	2·10	2	0·00	0	14·86	27
2637	Essexvale	22° 42′	28° 13′	—	1·09	1	1·24	2	0·70	1	0·00	0	0·75	1	0·00	0	0·70	1	0·00	0	0·00	0	0·00	0	3·15	3	0·25	1	7·88	10
4001	Kirstenbosch	23° 40′	28° 23′	—	0·66	7	2·53	8	2·10	5	0·00	0	0·44	2	0·00	0	1·18	2	[0·00	0]	0·38	1	0·08	3	2·03	5	1·22	5	10·62	38
2638	Klein Galakwin	23° 38′	28° 32′	—	1·15	4	4·21	9	3·73	4	0·58	2	0·48	4	0·00	0	2·34	3	0·00	0	0·00	0	0·07	1	1·39	1	2·09	5	16·04	33
2639	De Draai	23° 21′	28° 38′	—	0·37	5	2·24	5	3·74	6	0·00	0	0·33	3	0·00	0	1·60	2	0·00	0	0·00	0	0·07	1	3·35	6	1·14	7	12·84	35
4002	Eendracht	22° 54′	28° 39′	—	—	—	2·72	2	0·64	1	0·00	0	0·70	1	0·00	0	1·24	3	0·00	0	0·00	0	0·00	0	4·20	2	1·14	2	(10·64	11)
4003	Canterbury	22° 44′	28° 45′	—	5·31	4	2·42	8	1·98	4	0·18	1	0·23	3	0·00	0	1·54	3	0·00	0	0·00	0	0·00	0	1·95	3	1·57	6	15·18	32
2640	Good Hope	23° 48′	28° 47′	—	1·49	5	2·11	8	2·62	5	0·30	1	0·65	3	0·00	0	1·75	1	0·00	0	0·00	0	0·14	2	4·98	8	6·49	7	20·53	40
1585	Normandy	23° 11′	28° 48′	—	2·59	6	2·23	5	0·66	4	0·14	1	0·57	2	0·00	0	1·05	1	0·00	0	0·00	0	0·00	0	2·98	4	1·00	6	11·22	29
2641	Sweverskraal	23° 45′	28° 53′	—	1·20	9	4·35	8	1·27	7	0·06	1	0·51	5	0·00	0	1·17	2	0·00	0	0·00	0	0·00	0	3·97	4	3·61	10	16·14	46
1290	Leipzig	23° 08′	28° 55′	—	1·46	5	2·74	6	1·43	4	0·05	1	0·30	1	0·00	0	2·15	2	0·00	0	0·00	0	0·00	0	3·45	3	2·06	4	13·64	26
154	Blaauwberg	23° 04′	28° 59′	3,400	1·62	6	3·55	7	2·32	6	0·38	1	0·80	3	0·00	0	3·22	4	0·00	0	0·00	0	0·01	1	4·15	7	2·20	7	18·25	42
SECTION 2—SEKSIE 2.																														
2642	Glenfernie	23° 02′	29° 01′	—	3·80	6	3·07	9	1·42	5	0·20	1	0·72	4	0·00	0	2·09	2	0·00	0	0·00	0	0·02	1	2·94	4	1·97	6	16·23	38
4011	Stembok	22° 26′	29° 02′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1·14	—	(1·14	—)
2643	Bochem	23° 17′	29° 06′	—	0·81	1	4·86	—	1·78	—	0·00	0	0·00	0	0·00	0	2·96	3	0·00	0	0·00	0	0·00	0	0·05	1	2·62	2	13·08	7
2644	Rexham	23° 51′	29° 06′	—	0·53	1	0·75	1	0·85	3	0·00	0	0·00	0	0·00	0	1·30	1	0·00	0	0·00	0	0·00	0	1·00	1	0·80	2	5·23	9
2645	Palmerston	22° 37′	29° 07′	—	4·14	5	2·27	5	0·84	4	0·90	1	0·90	2	0·00	0	1·90	2	0·00	0	0·00	0	0·00	0	1·85	3	1·96	3	14·76	25
2646	Mountain View	23° 50′	27° 08′	—	1·81	3	3·83	6	0·35	1	0·00	0	0·19	2	0·05	1	1·68	1	0·00	0	0·00	0	0·32	2	2·26	1	1·05	1	11·54	18
273	Jackalsfontein	23° 51′	29° 15′	2,000	2·97	11	2·39	7	0·98	5	0·44	2	0·45	5	0·09	2	0·37	5	0·00	0	0·00	0	0·14	1	3·39	6	1·84	8	13·06	52
2647	Soho	23° 28′	29° 16′	—	2·08	9	2·59	9	2·39	5	0·59	1	1·68	5	0·00	0	2·57	2	0·00	0	0·00	0	0·05	3	3·01	6	1·06	4	16·02	44
4012	Redhill	23° 12′	29° 18′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3·41	5	2·71	4	(6·12	9)
149	Biesjespol	23° 52′	29° 19′	4,000	3·93	6	1·87	5	1·12	2	0·51	1	0·24	2	0·00	0	1·30	2	0·00	0	0·00	0	0·00	0	3·69	5	2·50	4	15·16	27
2648	Waldburg	23° 18′	29° 20′	—	1·03	2	3·05	2	1·42	2	0·53	2	1·59	4	0·00	0	1·85	2	0·00	0	0·00	0	0·00	0	1·93	4	0·98	4	12·38	22
1920	Rosenesth	23° 57′	29° 22′	4,000	2·18	6	3·45	6	0·70	3	0·28	3	0·54	4	0·05	1	0·42	1	0·00	0	0·12	1	0·00	0	2·86	5	1·38	4	11·98	34
1401	Mara	23° 06′	29° 25′	2,890	2·86	6	3·37	8	2·21	5	0·73	2	0·34	3	3·30	2	0·00	0	0·00	0	0·00	0	0·00	0	2·98	2	3·03	4	18·82	32
1043	Kalkfontein	23° 22′	29° 25′	3,500	1·06	7	4·99	8	2·15	6	1·51	2	0·26	4	0·00	0	1·79	2	0·00	0	0·00	0	0·00	0	3·31	6	2·04	5	17·11	40
2649	Palmietfontein	23° 45′	29° 26′	—	3·40	4	3·09	7	1·12	2	0·00	0	0·28	1	0·01	1	0·50	2	0·00	0	0·00	0	0·00	0	3·57	6	0·00	0	11·97	23

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude E. / Lengte-graad. O.	Height above M.S.L. (app.) Hoogte bo G.S.H. (omtrent.) Feet. Voet.	Jan. Jan.		Feb. Feb.		Mar. Mrt.		Apr. Apr.		May. Mei.		June. Junie.		July. Julie.		Aug. Aug.		Sept. Sept.		Oct. Okt.		Nov. Nov.		Dec. Des.		Annual Total. Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 2 (*Continued*)—SEKSIE 2 (*vervolg*).																														
4013	Kilgobbin	23° 05′	29° 28′	—	—	—	—	—	—	—	0·00	0	0·41	3	0·00	0	3·65	6	0·00	0	0·00	0	0·00	0	3·55	6	2·71	7	(10·32	22)
478	Thornloe	23° 38′	29° 28′	4,000	2·79	8	3·00	8	1·03	3	0·65	1	0·47	4	0·00	0	0·47	1	0·00	0	0·00	0	0·00	0	2·76	5	1·37	6	12·54	36
1684	Pietersburg Hospital (Hospitaal)	23° 54′	29° 28′	4,270	2·45	5	4·03	5	—	—	—	—	—	—	—	—	—	—	0·00	0	0·17	1	0·00	0	3·26	8	0·82	2	(10·73	21)
1685	Pietersburg Post Office (Poskantoor)	23° 54′	29° 28′	4,270	2·90	11	4·24	9	0·83	6	0·47	1	0·45	5	0·04	2	0·52	2	0·00	0	0·17	1	0·03	1	3·21	10	1·48	4	14·34	52
1686	Pietersburg School (Skool)	23° 54′	29° 28′	4,270	1·93	9	3·47	9	1·00	4	0·36	1	0·41	4	0·06	2	0·40	2	0·00	0	0·13	1	0·00	0	3·09	8	1·38	4	12·23	44
4004	Durban	22° 37′	29° 30′	—	1·87	6	4·32	7	1·22	4	0·16	1	1·28	3	0·00	0	1·44	1	0·00	0	0·00	0	0·00	0	1·03	1	3·54	3	14·86	26
2650	Tweefontein	23° 52′	29° 30′	—	2·19	5	4·01	6	2·15	3	0·11	1	0·60	3	0·14	1	0·15	2	0·00	0	0·00	0	0·00	0	2·76	4	0·66	2	12·77	27
2651	Weltevreden	23° 57′	29° 30′	3,500	3·59	9	3·74	8	2·00	7	0·41	1	0·38	4	0·00	0	0·33	3	0·00	0	0·12	1	0·05	2	3·15	8	1·45	5	15·22	48
2652	Bouw	23° 14′	29° 31′	—	2·77	3	3·14	2	2·35	3	0·33	1	0·59	4	0·00	0	1·16	4	0·00	0	0·01	1	0·05	1	3·01	6	1·73	5	15·14	30
2653	Broadlands	23° 51′	29° 31′	—	4·38	9	5·74	13	1·09	4	0·23	2	0·56	6	0·05	1	0·25	3	0·00	0	0·10	1	0·02	2	3·41	10	1·01	3	16·84	54
1130	Klipdam	23° 42′	29° 33′	3,600	0·88	4	2·27	3	0·80	1	0·00	0	0·35	1	—	—	0·00	0	0·00	0	0·00	0	0·00	0	2·65	3	—	—	(6·95	12)
4005	Skutwater	22° 10′	29° 34′	—	—	—	—	—	—	—	—	—	—	—	0·00	0	1·30	1	0·00	0	0·00	0	0·00	0	1·76	3	4·27	4	(7·33	8)
2654	Sterkstroom	22° 55′	29° 35′	—	2·02	3	5·90	7	1·00	3	0·00	0	0·40	1	0·00	0	0·98	1	0·00	0	0·00	0	0·00	0	1·08	4	1·09	2	12·47	21
2655	Zamenkomst	23° 03′	29° 35′	—	1·62	3	2·27	9	1·06	6	0·00	0	0·38	2	0·00	0	0·67	1	0·00	0	0·00	0	0·03	1	3·03	5	1·29	7	10·35	34
2656	Legkraal	23° 22′	29° 35′	—	0·66	2	5·62	6	5·13	5	0·17	1	0·45	3	0·00	0	0·50	2	0·00	0	0·00	0	0·00	0	2·00	1	0·26	1	14·79	21
1044	Kalkfontein	23° 54′	29° 35′	4,000	2·33	6	4·99	8	2·56	3	0·48	1	0·47	3	0·00	0	0·12	2	0·00	0	0·06	1	0·00	0	2·47	3	0·89	2	14·37	29
2657	Sutherland	22° 53′	29° 38′	—	3·48	5	6·22	8	0·64	5	0·00	0	0·00	0	0·00	0	0·94	1	0·00	0	0·00	0	0·07	1	1·47	4	0·45	2	13·27	26
2658	Waterval	23° 36′	29° 38′	—	0·60	2	5·65	5	0·23	1	0·25	1	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	2·71	3	0·07	2	9·51	14
2659	Una	23° 08′	29° 40′	—	1·86	3	1·71	13	0·79	7	0·16	1	0·53	3	0·17	1	1·00	3	0·00	0	0·00	0	0·02	1	2·52	4	0·40	6	9·16	42
2660	Majebaskraal I.	23° 56′	29° 40′	—	1·60	7	3·99	7	2·12	2	0·00	0	0·45	2	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	3·29	7	1·20	3	12·65	28
4006	Capesthorne	23° 02′	29° 41′	—	2·41	3	2·49	7	1·19	7	0·00	0	0·80	2	0·29	1	1·16	3	0·00	0	0·00	0	0·01	1	3·05	5	0·83	3	12·23	32
4007	Rondehoek	23° 14′	29° 41′	—	1·23	3	1·82	5	1·96	7	0·00	0	0·04	1	0·21	1	0·73	2	0·00	0	0·00	0	0·00	0	1·90	4	0·26	4	8·15	27
2661	Marcelaput	23° 34′	29° 41′	—	0·46	1	3·13	8	1·28	4	0·00	0	0·00	0	0·00	0	0·04	2	0·00	0	0·00	0	0·00	0	2·24	5	0·03	1	7·18	21
2662	Woodlands	22° 52′	29° 43′	—	2·10	5	5·49	9	0·85	7	0·01	1	0·30	3	0·14	1	0·79	2	0·00	0	0·00	0	0·02	1	1·44	7	0·49	3	11·63	39
2663	Happy Rest	23° 01′	29° 44′	—	2·45	6	2·50	10	1·68	8	0·00	0	0·77	4	0·45	1	1·42	6	0·00	0	0·00	0	0·00	0	2·52	5	1·35	4	13·14	44
440	Damplaats	23° 43′	29° 44′	3,700	0·60	3	2·99	7	0·36	1	0·00	0	0·00	0	0·23	1	0·00	0	0·00	0	0·00	0	0·00	0	2·00	3	3·74	5	9·92	20
1452	Middelkop	23° 56′	29° 44′	3,500	4·78	9	9·44	10	7·50	12	0·00	0	0·24	2	0·19	1	3·23	5	0·23	3	1·43	5	0·10	1	3·70	8	3·27	9	34·11	65
559	Dwars River (Dwarsrivier)	23° 26′	29° 45′	3,600	2·25	8	4·00	10	1·16	7	0·05	1	0·40	3	0·12	2	0·17	3	0·00	0	0·02	1	0·13	2	2·78	6	0·75	4	11·83	47
4014	Kempshall	22° 35′	29° 46′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1·35	2	(1·35	2)
2665	Mashaba	23° 11′	29° 47′	—	1·61	6	2·39	10	0·88	5	0·00	0	0·27	4	0·06	1	0·43	4	0·00	0	0·00	0	0·00	0	2·16	5	0·42	6	8·22	41
2666	Silverbank	23° 16′	29° 47′	—	0·83	2	3·65	9	2·24	7	0·00	0	0·26	2	0·00	0	0·70	4	0·00	0	0·00	0	0·00	0	2·30	4	0·35	3	10·33	31
4015	Belhambra Park	23° 18′	29° 47′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2·14	5	0·42	9	(2·56	14)
77	Bandolier Kop	23° 19′	29° 48′	3,800	1·45	5	4·22	7	2·06	8	0·22	1	0·00	0	0·07	1	0·58	3	0·00	0	0·00	0	0·03	1	2·00	5	0·49	5	11·12	36
2296	Verzamelshoek	23° 02′	29° 50′	3,500	3·15	7	3·40	15	2·41	10	0·00	0	0·43	4	0·20	2	1·72	5	0·02	1	0·00	0	0·10	1	1·79	7	0·85	2	14·07	54
2667	Buigtevlei	23° 25′	29° 50′	—	0·69	5	3·39	7	1·59	7	0·00	0	0·22	2	0·08	1	0·49	4	0·00	0	0·00	0	0·04	1	1·88	6	0·42	6	8·80	39

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 2 (*continued*)—SEKSIE 2 (*vervolg*).																														
4016	Tzaneen	23° 48′	30° 08′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3·18	9	3·09	9	(6·27	18)
2765	Rooibandfontein	23° 57′	30° 08′	—	5·55	6	7·32	12	5·17	13	0·46	2	0·45	3	0·10	1	4·35	3	0·22	1	1·15	6	0·00	0	3·86	8	4·08	6	32·71	61
2766	Mount Stuart	22° 41′	30° 09′	—	1·31	6	5·24	11	0·94	6	0·00	0	0·36	4	0·40	1	0·74	1	0·00	0	—	—	0·00	0	—	—	—	—	(8·99	29)
115	Bells Bank	23° 09′	30° 09′	4,000	5·73	6	7·05	9	3·91	11	0·00	0	0·00	0	0·00	0	2·40	2	0·00	0	0·52	8	0·00	0	1·89	3	1·86	4	23·36	43
2767	Pusella	23° 50′	30° 09′	—	8·67	9	5·68	13	5·62	13	0·16	2	0·29	5	0·05	1	3·47	5	0·06	1	0·51	6	0·12	1	2·91	8	2·29	8	29·83	72
539	Duivelskloof	23° 40′	30° 10′	3,800	14·32	9	9·45	19	5·89	15	0·06	1	0·00	0	0·00	0	2·13	2	0·00	0	0·30	2	0·00	0	2·89	6	4·43	7	39·47	61
4017	Moedersfontein	23° 47′	30° 11′	—	—	—	—	—	—	—	—	—	—	—	0·13	3	3·03	7	0·05	2	0·98	8	0·13	2	2·72	11	2·23	11	(9·27	44)
2769	Loretto	23° 52′	30° 11′	—	7·32	9	4·64	11	6·84	14	0·00	0	0·29	3	0·53	3	4·10	8	0·17	5	0·93	10	0·17	2	2·52	10	—	—	(27·51	75)
2770	Groot Geluk	23° 04′	30° 12′	—	6·34	6	8·08	10	4·04	12	0·10	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	(18·56	29)
2771	Jachtdrift	23° 29′	30° 12′	—	5·85	5	7·29	11	2·30	6	0·00	0	0·25	1	0·00	0	0·76	1	0·00	0	0·00	0	0·00	0	2·00	2	0·25	1	18·70	27
2772	Mooiplaats	23° 39′	30° 12′	—	14·29	7	6·60	7	3·69	7	0·06	1	0·25	1	0·00	0	1·85	2	0·14	1	0·00	0	0·00	0	2·55	8	1·39	4	30·82	38
2773	Broederstroomdrift	23° 48′	30° 13′	—	5·17	9	6·29	12	4·54	10	0·00	0	0·22	2	0·25	1	2·05	2	0·00	0	0·32	4	0·10	1	2·29	6	1·48	7	22·71	54
2774	Arwenhurst	23° 51′	30° 13′	—	1·96	7	3·16	10	3·64	10	0·00	0	2·20	8	0·15	2	1·90	3	0·28	2	0·13	5	0·42	3	1·65	5	1·24	6	16·73	61
1118	Klein Australië	23° 02′	30° 14′	4,000	10·67	7	17·29	14	6·42	9	0·45	1	0·82	2	0·67	2	3·28	8	0·02	1	0·71	1	0·22	1	3·35	5	4·15	5	48·05	56
2775	Triangle	23° 41′	30° 14′	—	15·08	8	10·04	14	5·75	13	0·52	3	0·28	3	0·12	1	2·81	6	0·00	0	0·65	4	0·22	1	4·02	10	3·07	8	42·56	71
2776	Entabeni	23° 00′	30° 15′	—	13·47	9	16·15	17	10·63	22	0·93	5	0·24	4	0·89	9	5·34	9	0·39	6	1·16	9	0·29	1	4·56	16	8·87	10	62·92	117
1786	Ravenshill	23° 36′	30° 16′	3,800	9·00	7	8·45	9	2·01	6	0·07	3	0·00	0	0·00	0	2·41	9	0·00	0	0·09	2	0·00	0	3·13	8	1·87	7	27·03	51
4010	Thabina Cotton Estate	23° 51′	30° 16′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0·00	0	0·00	0	1·79	7	1·54	5	(3·33	12)
2153	Thabina	23° 58′	30° 17′	2,000	5·46	7	11·43	8	4·45	8	0·25	1	0·50	2	0·05	1	2·23	4	0·00	0	0·08	2	0·02	1	1·62	6	1·85	6	27·94	46
2777	Letaba Estates	23° 51′	30° 18′	—	6·85	9	4·18	7	5·60	8	0·42	1	0·44	4	0·00	0	1·09	3	0·00	0	0·02	1	0·06	1	1·71	5	1·34	5	21·71	44
2186	Tsakoma	23° 02′	30° 19′	4,400	16·64	8	15·22	14	7·47	13	0·24	1	1·02	2	0·38	2	4·40	7	0·00	0	0·10	1	0·45	1	4·22	8	2·86	6	53·00	63
1612	Onverwacht	23° 12′	30° 19′	3,000	11·12	7	5·29	7	2·69	5	0·00	0	0·00	0	0·42	2	3·25	3	0·00	0	0·17	2	0·54	1	—	—	—	—	(23·48	27)
2778	Vygeboomspruit	23° 32′	30° 19′	—	7·76	8	6·50	10	3·45	10	0·03	1	0·00	0	0·00	0	1·04	3	0·00	0	0·00	0	0·00	0	1·17	6	0·37	2	20·32	40
4018	Laatsgevonden	23° 05′	30° 20′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0·00	0	0·27	6	0·14	1	2·78	9	1·11	4	(4·30	20)
663	Waterboom or (of) Fonseca	23° 15′	30° 22′	2,000	6·45	3	4·42	5	0·88	6	0·00	0	0·00	0	0·00	0	2·46	2	0·00	0	0·00	0	0·00	0	2·60	1	0·57	1	17·38	18
1998	Sibasa	22° 55′	30° 25′	4,500	10·13	6	12·72	13	5·20	11	0·00	0	0·72	2	0·00	0	3·38	3	0·00	0	0·48	4	0·22	1	3·15	5	2·78	5	38·78	50
1644	Palmaryville	22° 59′	30° 28′	4,400	9·14	5	15·02	11	—	—	—	—	—	—	—	—	3·02	1	—	—	0·16	4	0·00	0	1·45	3	—	—	(28·79	24)
2779	Adelaide	22° 25′	30° 32′	—	3·31	4	4·06	5	1·76	3	0·00	0	0·00	0	0·09	1	0·00	0	0·00	0	0·00	0	0·00	0	2·92	3	1·40	2	13·54	18
2780	La Cotte	23° 44′	30° 36′	—	7·23	6	5·74	9	2·59	9	0·00	0	0·00	0	0·02	1	0·78	3	0·00	0	0·02	1	0·00	0	0·99	4	1·08	6	18·45	39
2781	Mon Desir	23° 55′	30° 36′	—	6·30	6	5·09	7	2·39	7	0·12	1	0·00	0	0·00	0	1·03	2	0·00	0	0·16	1	0·00	0	1·61	7	2·07	6	18·77	37

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) / Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 7—SEKSIE 7.																														
4063	Rietpan	26° 56′	25° 05′	—	2·58	10	0·27	8	2·92	11	1·71	5	1·19	2	—	—	—	—	—	—	0·51	1	1·88	6	1·39	8	2·18	5	(14·63	56)
1983	Setlagoli	26° 16′	25° 08′	4,000	2·46	4	1·73	3	0·74	2	—	—	0·79	3	0·15	1	0·00	0	0·00	0	0·87	1	1·48	4	1·45	6	4·78	7	(14·45	31)
1587	Nottingham	26° 10′	25° 10′	4,200	2·42	9	1·14	5	1·31	8	2·06	5	0·51	1	0·14	1	0·00	0	0·00	0	0·33	1	1·49	4	2·20	6	3·71	7	14·91	47
4064	Mopasgom	26° 05′	25° 12′	—	2·43	8	0·96	5	1·97	9	1·30	4	0·45	2	—	—	—	—	—	—	0·57	1	2·04	5	1·47	7	3·93	6	(15·12	47)
1488	Mahemavlakte	26° 43′	25° 15′	—	0·00	0	2·07	2	1·64	2	2·90	2	0·00	0	0·00	0	0·00	0	0·00	0	0·60	1	1·49	1	0·73	1	2·44	2	11·87	11
715	Geysdorp	26° 32′	25° 18′	4,000	—	—	1·07	7	1·69	11	1·61	2	0·58	2	0·00	0	0·01	1	0·00	0	0·71	2	1·58	5	1·29	5	3·37	8	(11·91	43)
2789	Kraaipan	26° 18′	25° 19′	—	2·78	7	1·44	7	2·73	9	1·80	3	0·21	4	0·11	1	0·00	0	0·00	0	0·39	2	1·59	6	1·18	9	6·15	8	18·38	56
2790	Molepolole	24° 25′	25° 25′	—	7·65	15	1·25	8	0·78	7	0·16	3	0·33	4	0·67	2	0·00	0	0·00	0	0·29	2	0·63	9	4·97	12	3·00	12	19·73	74
1712	Poortje	26° 54′	25° 26′	4,100	—	—	—	—	1·37	3	1·23	4	0·00	0	0·00	0	0·00	0	0·00	0	0·40	1	1·34	3	1·32	2	3·17	6	(8·83	19)
2792	De la Rey	26° 42′	25° 27′	—	1·76	6	1·21	7	3·47	12	2·17	4	0·55	4	0·08	1	0·00	0	0·00	0	0·57	2	1·62	4	1·67	5	3·76	9	16·84	54
2793	Rietpan I	26° 51′	25° 28′	—	1·78	2	1·65	2	2·10	3	2·45	3	0·19	1	0·00	0	0·00	0	0·00	0	0·63	1	1·81	2	1·30	3	3·27	5	15·18	22
4019	Rietpan II	26° 51′	25° 28′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1·30	3	2·62	6	(3·92	9)
2794	Kanye	25° 00′	25° 30′	—	3·89	10	2·54	5	1·11	4	0·10	2	1·22	3	0·41	1	0·00	0	0·00	0	0·90	2	0·90	3	2·97	4	2·46	6	16·50	40
2795	Rietvallei	26° 44′	25° 33′	—	2·41	6	0·85	2	4·43	6	2·47	4	0·53	3	0·00	0	0·00	0	0·00	0	0·42	1	2·20	4	1·32	5	3·37	7	18·00	38
4065	Ildon	25° 43′	25° 35′	—	—	—	—	—	—	—	—	—	—	—	0·05	1	0·00	0	0·00	0	1·22	2	2·93	7	1·63	11	2·29	11	(8·12	32)
2797	Holpan	26° 43′	25° 38′	—	1·62	4	0·86	4	2·23	6	1·61	4	0·54	2	0·05	1	0·09	1	0·00	0	1·60	2	1·93	4	1·75	5	3·78	6	16·06	39
505	Doornbult	26° 48′	25° 38′	4,200	1·18	4	0·34	1	4·84	8	1·67	5	0·65	2	0·00	0	0·00	0	0·00	0	1·03	2	1·80	4	1·91	7	5·31	8	18·73	41
2798	Kaffirs Kraal	25° 25′	25° 39′	—	3·69	11	1·12	5	0·82	4	0·42	3	0·54	1	0·23	1	0·00	0	0·00	0	0·43	2	2·12	3	1·75	4	3·77	7	14·89	41
1370	Mafeking (School—Skool)	25° 52′	25° 39′	4,194	2·73	12	1·61	6	0·96	8	0·89	6	0·66	4	0·08	2	0·00	0	0·00	0	2·17	2	2·09	10	1·82	12	3·00	12	16·01	74
1369	Mafeking (Gaol—Tronk)	25° 52′	25° 39′	—	2·76	9	1·72	7	0·95	7	1·13	5	0·82	4	0·10	1	0·00	0	0·00	0	3·09	2	1·99	6	1·80	12	3·54	11	17·90	64
2799	Lobatsi	25° 14′	25° 40′	—	3·39	7	2·65	5	0·93	7	0·97	2	1·22	3	0·52	1	0·05	1	0·00	0	0·31	2	1·44	5	3·83	9	1·58	7	16·89	49
2800	Klipdrift	26° 38′	25° 42′	—	1·92	6	1·11	4	1·90	7	1·35	3	0·22	2	0·05	1	0·15	1	0·00	0	0·56	2	2·42	4	1·48	5	4·54	8	15·70	43
2796	Jagersfontein	25° 38′	25° 43′	—	2·82	10	2·44	5	0·89	5	1·02	3	0·56	2	0·00	0	0·00	0	0·00	0	1·43	2	2·04	4	2·03	6	2·37	9	15·60	46
2801	Uitkyk	26° 13′	25° 43′	—	0·85	1	0·00	0	1·07	3	2·24	3	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	1·34	2	0·98	2	5·12	4	11·60	15
2802	Brakpan	26° 59′	25° 43′	—	1·56	7	1·91	6	2·80	5	1·21	4	0·16	1	0·00	0	0·00	0	0·00	0	1·23	2	1·47	3	2·91	10	4·55	7	17·80	45
486	De Weg	25° 45′	25° 44′	4,200	2·91	4	0·94	3	0·92	4	0·48	3	0·87	2	0·15	1	0·00	0	0·00	0	0·66	1	2·88	3	1·00	4	2·97	5	13·77	30
2803	Nooitgedacht	26° 43′	25° 45′	—	1·91	8	1·04	3	2·61	9	2·33	6	0·31	2	0·00	0	0·00	0	0·00	0	1·12	2	1·77	4	2·30	6	5·82	9	19·21	49
2045	Spring Valley	25° 58′	25° 47′	4,150	3·82	5	1·82	7	1·74	7	0·54	4	—	—	0·00	0	0·00	0	0·00	0	—	—	—	—	—	—	—	—	(7·92	23)
2804	De Putten	25° 36′	25° 48′	—	3·65	5	1·25	2	1·17	4	0·11	1	0·55	1	0·28	1	0·00	0	0·00	0	1·29	2	2·46	5	2·12	5	3·29	5	16·17	31
420	Crocodile Pools	24° 44′	25° 49′	3,340	1·96	4	1·78	6	0·54	2	0·23	1	0·68	2	0·36	1	0·00	0	0·00	0	0·78	2	1·68	3	1·00	3	2·25	4	11·26	28
2012	Slurry	25° 50′	25° 50′	—	3·36	11	1·28	5	2·68	6	0·50	3	0·66	2	0·17	1	0·00	0	0·00	0	0·59	2	3·05	4	1·65	10	2·90	8	16·84	52
4020	Valleifontein	25° 56′	25° 50′	—	—	—	—	—	1·87	8	0·94	4	1·31	4	0·00	0	0·00	0	0·00	0	1·34	2	2·16	5	1·49	5	4·14	7	(13·25	35)
2805	Mimosa	26° 18′	25° 50′	—	1·71	5	0·62	5	2·57	9	1·08	5	0·45	2	0·00	0	0·00	0	0·00	0	0·69	2	1·42	4	1·27	8	6·34	6	16·15	46
2806	Vogelstruisknil	26° 29′	25° 50′	—	1·39	6	2·34	5	2·47	6	1·28	3	0·14	1	0·00	0	0·00	0	0·00	0	0·58	2	1·89	4	1·97	8	3·87	13	15·93	48
1317	Linokana	25° 27′	25° 51′	3,750	2·67	11	2·38	6	1·37	8	0·47	4	1·39	5	0·53	3	0·00	0	0·00	0	0·54	2	0·65	2	3·24	9	2·91	13	16·15	63

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedtegraad. S.	Longitude. E. / Lengtegraad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 7 (*continued*)—SEKSIE 7 (*vervolg*).																														
848	Hartebeestfontein	26° 46′	26° 26′	4,600	1·82	9	3·21	5	2·93	7	1·24	3	0·58	2	0·00	0	0·03	1	0·00	0	1·20	2	1·01	4	2·26	8	3·93	9	18·21	50
1170	Koedoesfontein	25° 40′	26° 27′	3,860	1·59	10	1·70	9	0·52	4	0·23	2	1·63	3	0·34	2	0·25	2	0·01	1	0·38	2	1·20	5	2·82	7	1·33	6	12·00	53
1845	Rietspruit	25° 48′	26° 27′	3,900	1·45	3	2·15	3	1·44	3	0·35	1	0·75	1	0·45	1	0·40	1	0·00	0	0·31	1	0·92	4	2·33	4	4·40	9	14·95	31
2203	Twyfelpoort	25° 38′	26° 30′	4,000	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0·46	2	1·55	4	3·63	7	1·77	7	(7·41	20)
1841	Wolverand	26° 53′	26° 31′	4,380	2·24	4	2·02	3	1·99	3	1·93	4	0·00	0	0·00	0	0·00	0	0·00	0	0·34	1	—	—	—	—	—	—	(8·52	15)
1037	Kaffirs Kraal	26° 24′	26° 32′	4,650	3·74	8	3·21	6	2·25	4	0·00	0	0·00	0	0·00	0	0·15	1	0·00	0	0·00	0	0·50	1	—	—	4·33	6	(14·18	26)
2081	Strathmore	26° 50′	26° 37′	4,360	2·11	9	2·70	7	1·85	11	0·89	4	0·51	3	0·09	2	0·07	1	0·00	0	0·44	2	2·27	7	2·14	8	7·75	11	20·82	65
2820	Benroy	26° 21′	26° 38′	—	2·72	13	1·35	3	1·95	5	0·37	2	1·55	3	0·00	0	0·24	1	0·00	0	0·37	1	2·00	5	2·74	7	4·08	10	17·37	50
5018	Nooitgedacht	25° 35′	26° 40′	—	1·11	8	2·14	7	0·67	4	0·10	1	1·09	2	0·15	1	0·62	1	0·00	0	0·66	2	1·07	3	4·72	10	3·17	9	15·50	49
1127	Klerksdorp	26° 52′	26° 40′	4,350	1·56	9	3·63	9	1·89	12	0·88	4	0·54	4	0·15	3	0·09	1	0·00	0	0·74	5	2·32	8	1·85	10	4·21	11	17·86	74
224	Zwartruggens or (of) Brakfontein	25° 40′	26° 41′	4,300	1·47	6	3·01	6	1·10	7	0·25	1	2·18	3	0·00	0	0·47	1	0·00	0	0·48	2	0·92	3	5·53	7	2·37	5	17·78	41
2821	Klipkuil	25° 02′	26° 42′	—	2·81	5	0·88	9	0·80	8	0·25	1	1·70	3	0·44	1	1·10	2	0·00	0	0·80	2	0·42	3	2·07	7	2·35	8	13·62	49
2822	Kwaggasnek	25° 59′	26° 42′	—	1·99	9	3·35	4	2·68	5	0·00	0	1·75	2	0·31	2	0·00	0	0·00	0	0·25	1	2·14	4	2·64	7	2·12	10	17·23	44
1396	Mapperley	25° 54′	26° 43′	4,500	4·73	11	3·18	8	0·84	3	0·07	1	1·50	3	0·00	0	0·54	2	0·00	0	0·75	2	0·44	3	2·71	8	0·91	7	15·67	48
695	Ganskuil	24° 50′	26° 44′	—	2·15	6	1·25	4	1·87	6	0·09	1	0·87	3	0·00	0	0·70	1	0·00	0	1·72	2	0·36	1	1·74	7	2·87	8	13·61	39
2324	Vlieger Farm	26° 15′	26° 44′	4,500	4·46	11	1·35	5	2·34	8	0·40	2	1·01	2	0·11	1	0·70	1	0·00	0	2·99	2	1·79	5	2·99	7	3·76	10	21·90	54
1152	Klipplaatsdrift	26° 25′	26° 44′	4,820	2·85	12	2·29	9	1·84	7	0·30	3	1·00	3	0·00	0	0·13	1	0·00	0	0·11	1	1·73	5	0·59	3	2·66	9	13·50	53
2823	Palmietfontein	26° 49′	26° 44′	—	1·93	9	2·23	9	—	—	1·23	4	0·50	3	—	—	0·12	1	0·00	0	0·53	3	1·93	7	1·66	8	3·75	8	(13·88	52)
2824	Doornkom	25° 44′	26° 45′	—	1·79	9	6·20	8	0·88	5	0·78	4	1·80	3	0·00	0	0·54	1	0·00	0	0·36	2	0·90	3	3·69	8	2·81	7	19·76	50
2825	Doornpoort	25° 50′	26° 45′	—	3·96	11	4·49	8	2·81	5	0·59	3	2·22	2	0·55	2	0·21	1	0·00	0	0·67	1	1·13	4	2·90	5	3·21	8	22·74	50
2826	Request	26° 45′	26° 45′	—	2·09	5	2·48	5	3·16	6	0·71	3	0·46	2	0·00	0	0·22	1	0·00	0	0·24	2	2·57	7	1·50	4	4·88	9	18·31	44
4023	Uitlanderskraal	25° 06′	26° 46′	—	—	—	—	—	—	—	—	—	2·31	5	0·44	1	1·09	2	0·00	0	1·40	2	0·32	4	2·61	9	2·15	9	(10·32	32)
2827	Cyferfontein	25° 16′	26° 47′	—	2·81	7	2·53	6	1·10	5	0·16	1	2·50	1	0·34	1	1·38	1	0·00	0	1·15	2	0·43	2	2·31	6	4·17	7	18·88	39
2326	Vogelfontein	25° 38′	26° 48′	4,300	1·17	10	3·15	8	1·36	9	0·55	2	2·12	4	0·20	2	0·68	1	0·00	0	0·46	1	0·22	2	7·20	8	0·80	1	17·91	48
2828	Cyferfontein	26° 40′	26° 48′	—	1·96	5	2·66	6	1·82	6	0·66	2	0·44	2	0·14	1	0·32	1	0·00	0	0·36	1	1·94	6	0·74	2	3·67	6	14·71	38
1174	Koekemoer	26° 50′	26° 49′	4,300	2·82	4	2·34	6	1·66	3	2·59	4	0·57	2	0·41	1	0·23	1	0·00	0	0·32	1	1·14	4	2·05	8	5·08	7	19·21	41
201	Bonnieburn	26° 51′	26° 49′	4,300	2·51	5	3·00	3	1·03	4	1·19	4	0·55	3	0·65	1	0·30	1	0·00	0	0·36	1	1·62	5	2·24	7	5·57	10	19·02	44
2279	Ventersdorp I	26° 19′	26° 50′	4,870	3·89	12	1·56	7	4·39	11	0·54	2	1·60	4	0·14	1	0·38	1	0·00	0	0·80	3	1·91	5	1·80	6	4·83	8	21·84	60
2831	Ventersdorp II	26° 19′	26° 50′	4,870	2·73	11	1·09	5	4·00	7	0·70	2	1·68	3	0·00	0	0·00	0	0·00	0	0·32	2	2·15	5	1·96	6	4·25	6	19·38	47
257	Shenfield or (of) Buffelsfontein	26° 55′	26° 50′	4,300	2·44	9	1·96	8	1·85	7	0·71	3	0·52	2	0·00	0	0·22	1	0·00	0	0·34	1	1·47	5	2·14	8	2·38	9	14·03	53
2308	Mullingar or (of) Vlakfontein	26° 28′	26° 51′	—	2·78	7	1·35	5	2·63	5	0·25	2	1·24	2	0·12	2	0·36	1	0·00	0	0·29	1	1·48	4	0·92	5	2·02	7	13·44	41
2832	Eleazar	26° 41′	26° 51′	—	1·67	8	2·89	10	3·40	9	0·77	3	0·68	2	0·32	2	0·34	1	0·00	0	0·61	2	1·41	5	1·47	7	5·15	11	18·71	60
2501	Woodstock	26° 38′	26° 52′	4,500	2·06	9	3·66	8	2·59	7	0·81	3	1·70	3	0·17	1	0·64	1	0·00	0	0·45	1	1·29	5	4·38	7	2·09	9	19·84	54
2833	Wendover	25° 52′	26° 54′	—	4·87	17	3·67	14	3·50	11	1·64	4	1·97	4	0·45	2	0·30	1	0·00	0	0·43	2	1·30	4	3·03	10	4·23	11	26·39	80
2834	Kaallaagte	26° 03′	26° 54′	—	3·62	12	2·59	10	2·41	5	0·85	2	1·82	2	0·29	1	0·00	0	0·00	0	0·36	2	1·55	4	4·46	7	4·07	13	22·02	58

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) Feet. / Voet.	Jan. / Jan. In. Dm.	D.	Feb. / Feb. In. Dm.	D.	Mar. / Mrt. In. Dm.	D.	Apr. / Apr. In. Dm.	D.	May. / Mei. In. Dm.	D.	June. / Junie. In. Dm.	D.	July. / Julie. In. Dm.	D.	Aug. / Aug. In. Dm.	D.	Sept. / Sept. In. Dm.	D.	Oct. / Okt. In. Dm.	D.	Nov. / Nov. In. Dm.	D.	Dec. / Des. In. Dm.	D.	Annual Total. / Jaarlikse Totaal. In. Dm.	D.
SECTION 8 (*Continued*)—SEKSIE 8 (*Vervolg*).																														
1128	Klerkskraal	26° 14′	27° 10′	4,600	3·45	12	0·52	5	3·16	9	0·93	2	1·17	2	0·23	1	0·44	1	0·00	0	0·34	1	1·30	4	3·10	9	3·49	9	18·13	55
1852	Verdun or (of) Rietvlei	25° 43′	27° 11′	4,000	3·41	12	1·76	11	1·88	9	0·69	4	1·11	2	0·14	2	1·02	2	0·00	0	0·56	2	0·31	4	5·52	7	1·56	8	17·96	63
2851	Agen	24° 24′	27° 12′	—	4·15	4	2·47	4	2·03	7	0·03	1	0·74	2	0·80	1	1·41	2	0·00	0	0·18	2	0·85	2	1·67	4	2·01	9	16·34	38
2852	Rhenosterfontein	25° 20′	27° 12′	—	5·78	11	1·75	6	2·65	6	0·40	1	2·05	2	0·25	1	0·85	1	0·00	0	0·74	1	0·21	2	3·40	8	2·00	8	20·08	47
1931	Rustenburg (Experimental Station—Proefplaas)	25° 40′	27° 14′	3,800	3·48	11	2·23	8	2·19	7	0·36	4	1·93	2	0·13	1	0·90	2	0·00	0	0·37	1	0·16	3	4·29	7	2·54	9	18·58	55
1932	Rustenburg	25° 40′	27° 14′	3,800	4·18	15	2·09	12	1·95	10	0·51	4	1·89	3	0·17	2	0·99	2	0·00	0	0·67	2	0·18	4	4·10	7	1·37	13	18·10	74
2853	Bavianskrans	25° 44′	27° 14′	—	3·50	7	2·18	4	1·68	5	0·00	0	1·95	2	0·13	2	0·80	1	0·00	0	0·92	1	0·20	3	2·58	3	1·00	7	14·94	35
2523	Zandfontein	25° 58′	27° 14′	4,600	2·93	8	0·76	3	3·31	5	0·29	2	2·45	4	0·00	0	0·80	1	0·00	0	0·45	1	1·06	4	3·23	5	2·67	8	17·95	41
1912	Rooipoortje	26° 48′	27° 14′	4,500	3·15	9	3·76	6	2·31	13	0·30	3	0·48	2	0·55	2	0·00	0	0·00	0	0·75	3	1·91	6	1·33	7	2·13	12	16·67	63
2854	Bralbin	24° 56′	27° 14′	—	4·80	7	3·79	10	2·61	5	0·06	1	2·24	3	0·75	1	1·21	2	0·00	0	0·27	2	0·64	3	2·49	6	4·89	8	23·75	48
4025	Leeuwkopje	24° 56′	27° 15′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0·28	2	0·83	5	2·44	6	4·64	7	(8·19	20)
2855	Waterkloof	25° 43′	27° 16′	—	3·07	11	2·40	11	2·75	10	0·45	2	1·55	2	0·11	2	0·86	1	0·00	0	0·60	1	0·26	4	3·36	8	1·27	8	16·68	60
2856	Hexkrantz	25° 47′	27° 16′	—	2·45	9	2·84	9	4·70	11	1·97	4	2·23	3	0·00	0	1·27	2	0·00	0	1·02	1	0·59	4	4·72	8	2·74	9	24·53	60
2857	Olifantspoort	25° 49′	27° 16′	—	2·82	9	2·52	10	3·90	10	1·00	3	1·30	2	0·12	1	1·45	1	0·00	0	0·84	1	0·42	3	2·99	6	2·72	9	20·08	55
2858	Mimosa Park	26° 33′	27° 16′	—	3·88	8	2·03	8	3·71	9	0·13	1	1·02	3	0·00	0	0·65	1	0·00	0	0·60	2	2·21	4	3·70	11	2·82	10	20·75	57
2859	Boschfontein	25° 46′	27° 17′	—	3·02	12	2·92	11	3·98	13	0·90	3	1·73	3	0·13	2	1·01	1	0·00	0	0·86	1	0·53	5	3·43	9	1·96	7	20·47	67
2860	Syferfontein	25° 58′	27° 17′	—	2·32	5	2·87	6	1·16	4	0·30	1	2·12	2	0·00	0	0·80	1	0·00	0	0·65	1	1·25	4	3·08	6	3·74	10	18·29	40
533	Drielaagte	25° 04′	27° 18′	—	2·88	6	3·63	9	0·83	3	0·00	0	2·92	3	0·58	1	0·91	2	0·00	0	0·34	2	0·24	2	2·03	8	3·65	8	18·01	44
2861	Haselmere	26° 01′	27° 18′	—	4·10	13	1·52	8	3·29	11	0·52	5	2·21	3	0·33	2	1·16	1	0·00	0	0·54	1	1·22	4	3·69	9	3·14	13	21·72	70
2420	Welverdiend	26° 22′	27° 18′	4,850	5·99	12	3·73	9	3·93	10	0·73	2	1·53	3	0·00	0	0·52	1	0·00	0	0·40	1	1·95	5	3·21	7	4·82	13	26·81	63
2862	Hartebeestpoort	26° 45′	27° 18′	—	5·90	7	1·73	3	2·95	5	0·00	0	0·55	1	0·56	1	0·27	1	0·00	0	0·77	2	1·91	5	2·76	7	3·27	9	20·67	41
1215	Kroondal	25° 43′	27° 19′	3,850	3·15	5	2·19	4	1·65	3	0·00	0	2·15	2	0·00	0	1·38	2	0·00	0	0·40	1	0·38	3	2·77	7	0·76	5	14·83	32
2863	St. Petrock or (of) Modderfontein	25° 47′	27° 19′	—	3·47	15	1·83	8	4·34	9	0·72	4	2·10	3	0·14	2	0·92	1	0·00	0	0·75	1	0·33	4	4·29	7	2·09	8	20·98	62
431	Cyferbult	26° 00′	27° 19′	4,000	4·27	10	1·88	6	3·89	9	0·81	2	2·23	4	0·10	1	1·02	1	0·00	0	0·65	1	1·25	4	4·25	7	2·30	7	22·65	52
1581	Klipdrift Dam	26° 35′	27° 19′	—	5·22	9	2·26	7	5·86	5	1·11	2	0·60	1	0·00	0	0·25	1	0·00	0	0·36	1	1·69	4	2·03	4	2·84	5	22·22	39
1186	Koppieskraal	26° 53′	27° 22′	4,500	3·66	8	3·36	9	2·13	4	0·00	0	0·39	1	0·73	2	—	—	0·00	0	1·26	2	1·91	6	1·60	1	—	—	(15·04	33)
2864	Mabani	24° 39′	27° 24′	—	3·07	5	0·90	5	0·80	3	0·00	0	1·52	1	0·74	1	1·54	2	0·00	0	0·00	0	0·29	1	3·63	5	2·05	4	14·54	27
2487	Wonderfontein	26° 19′	27° 24′	—	4·68	12	1·76	5	2·50	7	0·60	3	1·42	3	0·32	1	0·75	1	0·00	0	0·41	1	1·49	7	3·39	9	5·15	12	22·47	61
1038	Kaffirs Kraal	25° 28′	27° 25′	4,170	4·31	10	2·82	5	1·32	8	0·01	1	1·97	3	0·24	1	1·16	2	0·00	0	1·00	2	0·24	3	3·73	9	1·47	7	18·26	51
2865	Wefing	25° 40′	27° 25′	—	1·53	3	1·03	4	1·49	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	(4·05	12)
2866	Klipkopspruit	25° 22′	27° 26′	—	3·32	7	0·82	6	0·71	6	0·03	1	1·99	4	0·30	1	1·12	2	0·00	0	0·64	2	0·38	4	1·41	8	4·30	7	15·02	48
206	Boschfontein	25° 54′	27° 26′	4,800	3·88	6	1·20	4	2·37	4	0·10	1	1·92	3	0·03	1	1·08	1	—	—	—	—	—	—	—	—	—	—	(10·58	20)
584	Elandsfontein	26° 29′	27° 26′	5,020	4·50	9	3·21	9	4·27	8	0·35	1	0·87	3	0·25	1	0·53	1	0·00	0	0·50	1	1·91	5	2·57	6	5·85	8	24·81	52

911	Holfontein	26° 09′	27° 27′	4,920	2·65	5	1·83	3	3·00	5	0·00	0	1·57	2	0·20	1	0·93	1	0·00	0	0·74	1	0·64	1	2·95	8	0·69	3	15·20	30
1867	Parys	26° 54′	27° 27′	4,600	4·62	10	4·45	7	2·48	9	0·55	3	0·58	2	0·78	2	0·42	1	0·00	0	1·84	2	1·77	6	1·95	7	2·39	6	21·33	55
4026	Groenrivier	24° 16′	27° 28′	—	3·16	5	2·23	7	2·43	4	0·00	0	0·37	2	0·00	0	1·05	2	0·00	0	0·00	0	0·00	0	0·44	1	1·32	2	11·00	23
2867	Carmel Estate	25° 59′	27° 28′	—	1·96	5	3·72	6	2·98	5	0·60	5	1·84	4	0·23	1	0·97	1	0·00	0	0·94	1	0·75	5	2·71	6	2·35	7	19·05	46
2868	Verwag	24° 59′	27° 29′	—	4·37	11	1·68	8	0·92	8	0·07	2	1·36	5	0·69	1	1·22	3	0·00	0	0·19	2	0·40	3	2·25	5	3·66	7	16·81	55
2869	Kaffirs Kraal	25° 44′	27° 29′	—	3·13	9	1·84	—	1·29	9	0·11	2	1·92	3	0·13	1	1·09	1	0·00	0	0·46	1	0·31	2	2·05	6	2·77	7	15·10	(41)
265	Buffelspoort	25° 46′	27° 29′	4,250	3·33	15	2·35	12	1·69	7	0·23	3	2·01	5	0·14	2	1·18	1	0·00	0	0·44	1	0·48	7	2·59	10	2·36	10	16·80	73
2870	Buffelspoort Citrus Canker Experimental Farm	25° 46′	27° 29′	4,250	3·50	13	2·26	11	1·51	7	0·14	2	2·00	3	0·12	2	1·12	2	0·00	0	0·43	1	0·48	7	2·36	8	2·72	7	16·64	63
2871	Hopewell	24° 12′	27° 30′	—	3·61	12	1·67	9	2·57	7	0·25	2	1·22	3	0·22	1	1·06	2	0·00	0	0·12	1	0·10	2	1·76	8	1·24	9	13·82	56
2872	Waaikraal	25° 33′	27° 30′	—	2·85	5	1·50	4	2·51	4	0·00	0	2·00	2	0·00	0	1·90	1	0·00	0	—	—	—	—	—	—	—	—	(10·76	16)
1197	Kraalkop	26° 26′	27° 30′	4,900	4·27	6	3·39	5	2·83	4	0·00	0	1·19	3	0·00	0	0·58	1	0·00	0	0·72	1	1·55	5	2·44	6	3·32	6	20·29	37
2559	Zuikerboschfontein	26° 08′	27° 31′	4,940	4·25	12	3·77	12	3·84	14	0·15	2	1·63	3	0·17	2	0·97	1	0·00	0	0·81	1	0·74	7	2·66	8	2·37	14	21·36	76
78	Bank	26° 19′	27° 31′	5,020	5·21	9	4·58	8	1·52	7	0·00	0	1·50	2	0·40	1	0·65	1	0·00	0	0·66	1	1·23	5	2·86	6	3·64	6	22·25	46*
1281	Leeuwpoort	26° 25′	29° 31′	4,900	5·35	10	4·11	5	1·74	4	0·82	2	1·50	3	0·37	1	0·59	1	0·00	0	0·71	1	1·83	6	3·51	6	2·80	8	23·33	47
4027	Klipdrift	24° 18′	27° 32′	—	4·03	8	2·81	11	2·45	6	0·05	2	1·40	4	0·26	1	0·79	2	0·00	0	0·10	1	0·08	3	2·03	8	2·63	14	16·63	60
2873	Twee Rivers	25° 18′	27° 32′	—	2·48	3	0·69	2	2·84	4	0·00	0	1·84	1	0·47	1	1·15	1	0·00	0	0·95	2	0·23	2	2·11	5	2·00	6	14·76	27
2874	Wooldridge	26° 48′	27° 32′	—	4·00	12	3·23	6	4·60	10	0·04	5	0·57	2	0·32	3	0·47	1	0·00	0	1·04	2	2·03	7	2·40	10	3·00	13	22·30	71
4028	Zeekoehoek	25° 57′	27° 33′	—	—	—	2·52	10	5·01	8	0·21	2	1·78	4	0·38	3	1·02	1	0·00	0	0·61	1	0·55	4	2·83	8	2·81	10	(17·72	51)
4062	Iasy	26° 55′	27° 33′	—	—	—	2·62	4	2·20	10	0·43	3	0·81	4	0·81	2	0·40	1	0·00	0	1·10	2	1·92	5	1·22	4	2·96	6	(14·47	41)
2875	Vaalkop	25° 11′	27° 34′	—	4·76	9	1·56	4	0·62	4	0·05	1	1·55	2	0·57	1	1·07	2	0·00	0	1·30	2	0·29	2	2·70	6	4·15	5	18·62	38
2876	Yzerfontein	25° 21′	27° 34′	—	3·57	2	0·57	3	2·39	4	0·00	0	1·60	1	0·38	1	1·14	1	0·00	0	0·50	1	0·09	1	1·30	2	2·41	6	13·95	22
1578	Nooitgedacht	25° 52′	27° 34′	—	3·08	4	3·11	5	2·13	3	0·00	0	1·52	2	0·00	0	1·29	1	0·00	0	0·69	1	0·63	2	3·04	6	1·24	2	17·33	26
2053	Steenkoppies	26° 01′	27° 35′	4,940	3·33	7	2·06	9	3·19	5	0·18	1	2·08	3	0·27	2	1·10	1	0·00	0	1·24	1	0·29	3	3·28	7	2·67	9	19·67	48
4029	Bethanie	25° 33′	27° 36′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0·65	1	0·67	5	2·89	7	1·62	4	(5·83	17)
873	Hekpoort	25° 54′	27° 36′	5,000	5·06	10	2·67	10	2·13	8	0·13	2	1·66	3	0·03	1	1·17	1	0·00	0	0·83	1	0·62	3	2·44	8	3·30	9	20·04	56
2498	Woodlands	26° 46′	27° 37′	4,706	6·09	10	4·98	5	4·31	9	0·35	1	0·69	3	0·12	1	0·73	1	0·00	0	1·11	2	2·59	6	2·55	6	3·58	11	27·10	55
2877	Lindequesdrift	26° 44′	27° 38′	—	3·52	9	6·71	7	4·46	7	0·54	3	0·69	3	0·00	0	0·70	1	0·00	0	0·92	2	2·38	6	2·62	6	2·83	10	25·37	54
2316	*Tarlton	26° 04′	27° 39′	5,400	4·18	11	2·88	8	2·28	8	0·39	2	—	—	—	—	—	—	—	—	—	—	—	—	3·48	8	1·72	3	(14·93	40)
4030	Wolvekraal	25° 35′	27° 40′	—	3·01	4	2·67	8	0·97	3	0·00	0	1·71	2	0·21	1	1·24	1	0·00	0	1·23	1	0·79	2	5·65	3	2·15	4	19·63	29
2878	Arbury	25° 32′	27° 42′	—	4·36	9	2·44	8	1·82	6	0·00	0	2·35	3	0·03	1	1·57	2	0·00	0	—	—	—	—	4·17	6	2·99	8	(19·73	43)
2478	Wolhuterskop	25° 42′	27° 42′	4,250	1·83	12	2·69	6	3·70	—	0·02	1	1·77	4	0·10	1	3·68	1	0·00	0	0·55	1	0·23	7	3·41	8	1·89	10	19·87	(51)
1784	Randfontein	26° 10′	27° 42′	5,784	4·88	15	1·53	9	2·34	12	0·51	3	1·65	6	0·10	2	1·21	1	0·00	0	1·36	1	0·80	5	3·51	12	3·69	12	21·58	78
2879	Barrage	26° 44′	27° 42′	—	4·52	14	3·28	7	4·76	15	0·58	3	1·01	5	0·12	3	0·00	1	0·00	0	1·03	2	3·08	7	3·04	12	3·81	14	26·13	83
1283	Leeuwpoort	24° 56′	27° 43′	4,000	4·25	10	2·36	10	1·31	7	0·00	0	1·97	2	0·62	1	1·72	2	0·00	0	0·36	2	0·57	4	2·87	8	2·12	8	18·15	54
1611	Onverwacht	24° 44′	27° 44′	—	4·86	5	1·71	6	1·58	4	0·00	0	1·47	2	0·52	1	1·80	1	0·00	0	0·00	0	0·46	1	2·41	7	1·73	8	16·54	35
2880	Luipaardsvlei	26° 14′	27° 44′	—	2·57	8	0·99	6	1·53	4	0·11	1	1·18	3	0·21	1	1·09	1	0·00	0	1·15	1	0·94	3	2·54	7	3·24	9	15·55	44
2881	Hartebeestpoort (Exp. Station—Proefplaas)	25° 34′	27° 45′	—	3·49	6	3·20	9	1·18	3	0·00	0	2·08	4	0·30	1	1·20	1	0·00	0	1·47	1	0·58	2	6·73	5	1·91	4	22·14	36
2882	Bokfontein	25° 42′	27° 45′	—	1·27	1	2·78	5	0·19	1	0·00	0	0·00	0	0·00	0	1·02	1	0·00	0	4·71	1	0·00	0	1·67	2	2·90	2	14·54	13
65	Bailey's Farm (Plaas)	26° 43′	27° 45′	4,800	5·05	10	1·11	3	4·09	5	0·00	0	0·82	1	0·49	2	1·33	1	0·00	0	1·05	1	1·50	4	2·63	5	3·91	6	21·98	38
1906	Rooiberg	24° 50′	27° 45′	4,200	2·82	5	1·78	9	1·61	6	0·09	1	1·92	3	0·70	2	1·87	2	0·00	0	0·17	1	0·83	3	2·95	10	3·53	11	18·07	53
1209	Kromdraai	26° 00′	27° 46′	5,400	5·57	12	1·04	5	2·66	7	0·00	0	1·40	3	0·27	1	1·33	1	0·00	0	0·75	1	0·00	0	2·21	7	2·63	5	17·86	42
	*Previously at Vlakplaats	26° 05′	27° 39′	—																														

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) / Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 8 (*Continued*)—SEKSIE 8 (*Vervolg*).																														
1222	Krugersdorp II	26° 06′	27° 46′	5,700	3·36	12	2·89	10	3·26	13	0·99	3	2·31	5	0·18	3	1·15	1	0·00	0	0·85	1	0·58	4	2·81	9	2·91	15	21·29	76
1223	Krugersdorp III	26° 06′	27° 46′	5,700	3·19	14	2·28	9	2·61	11	0·54	2	1·38	3	0·16	2	1·32	1	0·00	0	0·74	1	0·69	4	2·48	8	2·65	14	18·04	69
1224	Krugersdorp IV	26° 06′	27° 46′	5,700	3·52	15	2·77	12	3·12	12	0·78	3	2·25	4	0·20	3	1·32	2	0·00	0	0·84	2	0·76	5	3·24	14	4·16	17	22·96	89
1242	Laastegevonden	24° 07′	27° 47′	—	2·85	9	1·79	6	2·72	6	0·02	1	1·09	3	0·09	2	2·02	2	0·00	0	0·14	1	0·37	2	3·63	11	2·79	10	17·51	53
882	Hermanusdoorns	24° 09′	27° 47′	3,000	5·87	8	1·21	4	1·92	4	0·00	0	1·92	2	0·40	1	2·94	2	0·00	0	0·27	1	0·32	3	1·87	5	1·09	5	17·81	35
1955	Scheerpoort	25° 48′	27° 47′	4,900	3·08	8	2·74	6	2·31	4	0·75	2	2·33	2	0·00	0	1·50	1	0·00	0	0·70	1	0·81	2	3·48	5	3·51	6	21·21	37
851	Hartebeesthoek	25° 52′	27° 47′	5,000	2·28	2	1·14	6	3·59	3	1·22	2	—	—	0·00	0	1·45	1	0·00	0	0·75	1	0·40	1	1·67	3	1·05	3	(13·55	22)
1347	Luipaardsvlei (G.M.)	26° 07′	27° 47′	5,780	3·50	13	—	—	3·65	12	0·72	2	2·02	5	0·20	2	1·06	1	0·00	0	0·96	1	0·67	4	3·11	11	3·75	12	(19·64	63)
2561	Zuurbekom	26° 18′	27° 47′	5,190	3·06	13	3·23	8	3·20	10	0·71	4	1·80	3	0·29	1	0·78	1	0·00	0	1·04	1	1·07	5	3·07	10	3·51	16	21·76	72
2884	Hartebeestpoort Settlement	25° 32′	27° 48′	—	—	—	—	—	1·76	1	0·00	0	1·50	2	0·35	1	0·75	1	0·00	0	1·25	1	0·19	1	6·60	4	0·75	1	(13·15	12)
589	Elandshoek	24° 24′	27° 49′	5,600	6·32	10	2·04	6	3·60	8	0·10	1	1·84	3	0·34	1	2·47	2	0·00	0	0·45	1	0·48	2	4·31	8	3·33	7	25·28	49
2885	Sterkfontein	24° 27′	27° 49′	—	7·08	8	3·11	8	2·87	8	0·05	1	2·23	3	0·29	1	2·91	2	0·00	0	0·50	1	0·49	4	4·28	10	4·78	11	28·59	57
2886	De Kroon	25° 40′	27° 49′	—	2·22	2	4·20	5	1·00	1	0·00	0	1·85	2	0·00	0	1·58	1	0·00	0	1·31	1	0·21	1	4·11	5	1·66	4	18·14	22
2887	Roseberry Plain	26° 53′	27° 49′	—	5·17	12	3·08	8	4·15	9	0·33	2	0·93	3	0·68	2	0·96	1	0·00	0	1·12	2	2·02	6	1·72	6	3·57	11	23·73	62
2894	Klip River (Kliprivier)	24° 33′	27° 50′	—	5·23	8	2·02	4	2·37	5	0·00	0	1·38	2	0·50	1	1·77	2	0·00	0	0·40	1	0·28	3	3·20	4	3·49	7	20·64	37
1921	Roseneath Estate	26° 21′	27° 50′	5,000	4·75	11	0·29	2	1·94	4	0·16	1	1·56	3	0·75	1	0·95	1	0·00	0	0·90	1	1·73	3	2·33	6	3·84	8	19·20	41
1948	Saltberry Plain	26° 51′	27° 50′	4,886	5·70	11	3·43	4	4·08	10	0·42	1	0·56	3	0·00	0	1·18	1	0·00	0	1·17	2	1·82	5	1·94	6	5·45	13	25·75	56
1805	Rhenosterpoort	24° 30′	27° 51′	3,600	5·06	6	1·31	3	2·80	6	0·00	0	1·38	2	0·30	1	1·31	1	0·00	0	0·45	1	0·31	3	3·43	5	3·01	5	19·36	33
442	Hartebeestpoort (Irrigation Works)	25° 43′	27° 51′	4,000	3·38	7	3·43	12	2·35	4	0·07	2	1·71	5	0·16	1	1·77	1	0·00	0	1·01	1	0·56	6	4·26	10	2·05	10	20·75	59
1892	Roodekranz	26° 05′	27° 51′	5,700	3·50	9	3·20	6	2·83	10	0·33	1	0·38	2	0·20	1	—	—	0·00	0	0·83	1	—	—	—	—	—	—	(11·27	30)
1902	Roodepoort (Durban Deep G.M.)	26° 08′	27° 51′	5,720	5·87	13	2·93	11	1·76	6	0·57	3	1·70	5	0·13	1	—	—	0·00	0	1·01	1	0·58	5	3·09	14	3·23	13	(20·87	72)
240	Brereton	26° 56′	27° 51′	4,900	—	—	4·39	8	3·14	8	0·45	3	0·72	1	2·03	2	—	—	—	—	1·13	1	3·42	8	2·35	6	—	—	(17·63	37)
1903	Roodepoort (Municipality—Munsipaliteit)	26° 09′	27° 52′	5,720	5·41	12	2·87	9	2·01	6	0·60	3	1·50	3	0·12	2	0·77	1	0·00	0	0·86	1	0·53	4	4·05	8	2·58	10	21·30	59
850	Hartebeestfontein	26° 25′	27° 52′	4,900	4·64	16	2·04	5	2·00	4	0·00	0	1·36	3	0·45	1	0·82	1	0·00	0	0·88	1	3·09	4	2·53	4	3·13	8	20·94	47
419	Kalkheuvel	25° 51′	27° 53′	4,800	2·48	6	3·02	6	3·15	5	0·09	1	1·44	2	0·14	1	1·82	1	0·00	0	1·02	1	1·63	6	3·28	8	2·55	6	20·62	43
2271	Van Wyk's Rust	26° 20′	27° 53′	5,100	3·81	16	1·11	2	2·54	5	0·00	0	1·80	3	0·43	1	0·74	1	0·00	0	0·98	1	2·05	4	4·51	4	4·43	13	22·40	50
2888	Doornkuil	26° 28′	27° 53′	—	5·23	14	2·50	8	2·08	6	0·00	0	1·30	3	0·43	1	0·75	1	0·00	0	0·98	1	2·19	5	2·88	10	3·35	8	21·69	57
1125	Kleinleeuwkuil	26° 43′	27° 53′	4,690	6·41	10	2·19	7	6·21	12	0·67	3	1·41	4	0·59	3	0·76	1	0·00	0	1·70	3	2·01	8	2·24	8	5·55	13	29·74	72
119	Beltrim	26° 53′	27° 53′	4,800	4·44	8	3·04	5	2·85	5	0·36	1	0·58	1	—	—	0·00	0	0·00	0	0·00	0	1·92	7	2·03	5	2·93	7	(18·15	39)
2889	Rhenosterfontein	24° 33′	27° 54′	—	3·53	5	0·51	2	3·40	6	0·00	0	1·61	2	0·37	1	2·97	2	0·00	0	0·46	1	0·28	3	3·42	5	3·02	5	19·57	32
661	Florida I	26° 09′	27° 54′	5,600	7·59	16	2·34	9	2·14	10	0·20	2	1·38	6	0·12	2	0·75	1	0·00	0	0·79	1	0·57	4	4·12	15	3·18	16	23·18	82
662	Florida II	26° 09′	27° 54′	5,600	7·29	15	2·29	9	2·29	9	0·10	2	1·33	4	0·12	2	0·75	1	0·00	0	0·77	1	0·54	5	4·25	15	3·07	14	22·80	77
2891	Rietfontein	26° 56′	27° 54′	4,787	6·59	11	2·59	5	2·92	10	0·00	0	0·55	3	1·05	1	0·36	1	0·00	0	1·19	2	1·64	8	1·56	5	3·01	7	21·46	53
4031	Zuikerboschfontein	24° 25′	27° 55′	—	5·76	9	3·97	10	3·02	8	0·00	0	2·44	4	0·17	1	2·21	2	0·00	0	0·37	1	0·28	5	3·36	9	1·29	10	22·85	59
2892	Kareefontein	24° 43′	27° 55′	—	7·71	7	4·26	9	4·13	9	0·11	1	1·80	3	0·00	0	2·32	2	0·00	0	0·25	1	0·35	4	3·33	8	3·46	9	27·72	51

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) Hoogte bo G.S.H. (omtrent). Feet. Voet.	Jan. Jan.		Feb. Feb.		Mar. Mrt.		Apr. Apr.		May. Mei.		June. Junie.		July. Julie.		Aug. Aug.		Sept. Sept.		Oct. Okt.		Nov. Nov.		Dec. Des.		Annual Total. Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 8 (*continued*)—SEKSIE 8 (*vervolg*).																														
992	Johannesburg (Joubert Park)	26° 11′	28° 03′	5,750	8·07	15	2·98	10	3·68	17	0·20	4	2·05	6	0·15	3	0·71	1	0·00	0	1·10	1	1·65	7	5·05	14	5·60	17	31·24	95
1005	Johannesburg (Parktown I)	26° 11′	28° 03′	5,760	5·80	17	1·69	13	2·79	13	0·14	6	2·09	5	0·16	4	0·92	1	0·00	0	0·88	1	1·15	6	4·10	13	3·13	15	22·85	94
987	Johannesburg (City Deep)	26° 11′	28° 03′	5,600	5·99	15	3·66	12	2·57	14	0·19	2	1·38	5	0·11	2	0·73	1	0·00	0	0·95	1	1·53	5	4·25	14	5·12	16	26·48	87
985	Johannesburg (Castle Breweries)	26° 12′	28° 03′	5,700	—	—	2·60	9	3·01	12	0·00	0	1·76	4	0·11	3	—	—	0·00	0	1·07	1	1·32	6	5·29	10	5·83	13	(20·99	58)
999	Johannesburg (Natalspruit Depot)	26° 13′	28° 03′	5,500	12·52	16	3·70	10	2·70	10	0·06	3	1·66	5	0·09	3	1·12	1	0·00	0	1·10	1	1·68	6	5·86	12	8·30	15	38·79	82
1002	Johannesburg (Oakdene)	26° 15′	28° 03′	5,800	7·52	14	2·72	10	3·22	11	0·02	1	1·40	4	0·43	2	1·30	1	0·00	0	0·85	1	1·05	5	2·97	12	4·05	15	25·53	76
2574	Zwartkoppies	26° 21′	28° 03′	4,960	5·57	13	2·22	11	3·22	11	0·47	3	1·43	3	0·25	2	0·92	1	0·00	0	0·48	1	2·13	8	2·24	10	3·55	13	22·48	76
2682	Zand River	24° 18′	28° 04′	—	3·87	6	4·18	9	1·99	8	0·07	1	1·66	3	0·18	2	2·39	2	0·00	0	0·28	1	0·48	4	3·02	10	2·05	9	20·17	55
2683	Mimosa	25° 42′	28° 04′	—	3·76	8	3·17	9	2·60	5	0·38	1	1·68	4	0·24	1	1·45	1	0·00	0	1·00	1	2·04	6	5·90	7	2·64	11	24·86	54
1814	Riepen	26° 06′	28° 04′	5,000	2·62	7	2·08	4	1·11	5	0·00	0	2·26	3	0·12	1	[0·75	1]	0.00	0	0·65	1	0·31	2	3·39	5	3·08	7	16·37	36
1000	Johannesburg (Norwood)	26° 09′	28° 04′	5,600	6·70	16	2·92	11	3·03	12	0·34	4	1·60	7	0·18	2	1·02	1	0·00	0	0·81	1	1·19	7	3·46	13	3·24	13	24·49	87
1004	Johannesburg (Observatory)	26° 11′	28° 04′	5,925	7·57	16	2·83	11	2·47	12	0·19	4	1·71	6	0·13	2	0·88	1	0·00	0	0·75	1	1·48	5	4·73	14	4·54	16	27·28	88
993	Johannesburg (Kensington)	26° 12′	28° 04′	5,900	8·37	16	3·14	10	3·10	12	0·15	2	1·61	5	0·12	2	0·74	1	0·00	0	0·77	1	1·38	5	5·01	11	4·71	14	29·10	79
1017	Johannesburg (Wolhuter G.M. Co.)	26° 12′	28° 04′	5,640	6·84	14	3·40	9	2·74	10	0·00	0	1·85	6	0·00	0	—	—	0·00	0	0·33	1	2·07	5	5·10	11	5·06	12	(27·39	68)
1018	Johannesburg (Wolhuter Intake)	26° 12′	28° 04′	5,600	5·35	10	3·34	9	2·51	9	0·10	1	1·58	3	0·09	1	0·88	1	0·00	0	0·80	1	1·45	5	4·69	7	4·39	12	25·18	59
2684	Hartebeesthoek	25° 39′	28° 05′	—	4·56	11	3·55	13	2·40	5	0·36	4	1·66	6	0·27	1	1·51	2	0·00	0	0·94	1	1·08	7	5·65	9	2·49	16	24·47	75
213	Bothasfontein	26° 00′	28° 05′	5,000	4·22	10	1·79	11	2·59	9	0·02	1	1·41	3	0·14	2	0·88	1	[0·00	0]	0·77	1	0·69	4	—	—	—	—	(12·51	42)
2394	Waverley	26° 07′	28° 05′	5,400	6·12	11	2·54	6	3·91	9	0·25	1	1·71	4	0·24	3	0·90	1	0·00	0	0·75	1	0·77	5	3·10	8	2·94	13	23·23	62
2982	Johannesburg (Bezuidenhout Valley)	26° 12′	28° 05′	5,800	5·38	15	5·20	11	5·93	11	0·12	4	3·52	7	0·17	2	2·06	1	0·00	0	1·10	1	1·78	5	7·29	13	7·10	16	39·65	86
2906	Willow Grange	26° 29′	28° 05′	—	5·48	6	1·02	3	3·60	8	0·15	1	1·54	3	0·38	1	0·56	1	0·00	0	0·97	1	2·56	5	2·40	7	3·83	11	22·49	47
2685	Derdekraal	24° 00′	28° 06′	—	1·08	6	1·47	9	2·86	6	0·09	1	0·99	4	0·10	1	2·29	3	0·00	0	0·02	1	0·47	4	3·18	6	2·90	8	15·45	49
2686	Zoutpan	25° 24′	28° 06′	—	4·39	8	3·60	11	0·94	4	0·00	0	2·09	3	0·37	1	1·38	2	0·00	0	0·37	2	0·55	4	2·51	8	2·32	10	18·52	53
2907	Denver	26° 12′	28° 06′	—	7·07	12	3·85	7	2·80	7	0·18	1	1·88	3	0·10	1	—	—	—	—	0·74	1	1·56	5	5·19	11	4·01	13	(27·38	61)
858	Hayfields	26° 19′	28° 06′	5,050	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0·83	1	1·51	7	3·06	11	3·45	15	(8·85	34)
225	Brakfontein	24° 04′	28° 07′	3,460	3·41	9	1·66	10	2·10	7	0·09	2	0·73	3	0·06	2	2·26	3	0·00	0	0·41	1	0·53	2	4·31	10	2·07	8	17·63	57
2527	Zandrivierpoort	24° 25′	28° 07′	3,750	4·39	6	6·14	10	3·08	5	0·00	0	2·71	2	0·07	1	2·01	1	0·00	0	0·25	1	0·32	2	2·49	6	2·75	6	24·21	40
1742	Pretoria (Leper Asylum)	25° 44′	28° 07′	4,500	2·72	4	2·27	6	2·70	2	0·25	1	0·98	1	0·00	0	1·50	1	0·00	0	1·04	1	1·16	4	5·37	5	1·73	4	19·72	29
2687	Pretoria (Sewage Works)	25° 44′	28° 07′	—	3·36	6	2·79	11	2·63	4	0·07	1	1·36	2	0·20	2	0·57	1	0·00	0	0·73	1	0·58	5	5·47	8	1·58	6	19·34	47
2688	Pretoria (New Cemetery)	25° 44′	28° 07′	—	3·65	12	3·53	13	2·70	8	0·15	2	1·80	4	0·22	1	0·77	1	0·00	0	0·59	1	1·11	7	5·74	10	1·97	13	22·23	72
97	Bedford Farm	26° 10′	28° 07′	5,700	5·21	11	2·76	10	2·22	9	0·21	4	1·67	6	0·19	2	1·01	1	0·00	0	0·67	2	1·10	4	3·13	13	4·72	12	22·89	74
1922	Rosherville	26° 13′	28° 07′	5,560	7·31	15	3·90	7	2·98	9	0·14	1	1·71	5	0·07	1	0·73	1	0·00	0	0·49	1	1·62	5	5·80	13	3·28	16	28·03	74
2689	Bushy Park	25° 27′	28° 08′	—	3·93	3	3·04	8	1·21	5	0·40	1	1·84	3	0·34	1	1·28	2	0·00	0	0·47	2	0·57	2	3·05	8	1·88	8	17·99	43
1764	Haakdoornboom	25° 38′	28° 08′	4,060	3·45	6	2·93	13	0·73	4	0·50	3	1·42	2	0·32	1	1·16	2	0·00	0	0·42	1	0·56	5	5·98	7	1·93	9	19·40	53
4034	Witfontein	25° 39′	28° 08′	—	—	—	—	—	—	—	—	—	—	—	—	—	0·69	3	0·00	0	0·99	1	1·49	6	6·73	9	1·88	11	(11·76	30)
1866	Roberts Heights	25° 47′	28° 08′	5,340	4·70	15	2·81	10	3·23	10	0·33	3	1·70	5	0·18	1	0·73	1	0·00	0	0·75	1	1·26	7	4·76	16	1·96	13	22·41	82

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent). / Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 8 (*continued*)—SEKSIE 8 (*vervolg*).																														
2911	Schikfontein	26° 36′	28° 13′	—	3·11	9	1·97	8	2·10	6	0·18	1	0·88	2	0·42	1	0·43	1	0·00	0	1·10	1	1·87	6	2·58	8	2·80	7	17·44	50
2699	Ons Plaas	25° 39′	28° 14′	—	4·45	8	2·64	7	1·29	7	0·00	0	1·09	2	0·25	1	0·54	2	0·00	0	0·65	1	1·12	5	6·37	10	2·24	9	20·64	52
1748	Pretoria (Rietfontein)	25° 43′	28° 14′	4,500	3·91	7	—	—	1·38	4	0·00	0	1·37	2	0·00	0	0·17	1	0·00	0	0·68	1	—	—	—	—	—	—	(7·51	15)
1735	Pretoria (Bryntirion)	25° 45′	28° 14′	4,430	3·55	12	2·01	12	1·92	9	—	—	1·63	6	0·25	2	0·45	1	0·00	0	0·82	1	0·79	8	5·14	11	3·06	14	(19·62	76)
1600	Olifantsfontein	25° 58′	28° 14′	5,050	5·68	5	2·40	3	3·53	4	0·14	1	0·20	1	0·03	1	0·57	1	0·00	0	0·65	1	0·88	2	3·39	7	2·27	3	19·74	29
2564	Kempton Park	26° 07′	28° 14′	5,460	5·94	11	3·01	10	4·53	9	1·05	3	2·11	3	0·22	2	—	—	0·00	0	0·82	2	0·71	5	2·99	11	4·49	20	(25·87	76)
567	East Rand Mines	26° 13′	28° 14′	5,350	7·10	13	4·57	12	3·19	10	0·04	2	1·60	5	0·17	3	0·75	1	0·00	0	0·86	1	1·35	7	4·39	13	3·58	14	27·60	81
1577	Noodshulp	24° 56′	28° 15′	3,650	2·47	7	4·81	11	0·24	1	0·00	0	1·76	2	0·35	1	1·55	2	0·00	0	0·39	1	0·35	1	4·08	10	3·01	4	19·01	40
2187	Tregenna	25° 21′	28° 15′	3,907	2·63	5	1·91	9	0·92	8	0·09	1	1·06	4	0·39	1	0·71	2	0·00	0	0·16	1	0·62	4	2·87	8	3·55	12	15·51	55
2438	Wilderness	25° 29′	28° 15′	—	2·92	7	1·72	8	0·44	4	0·59	2	1·49	3	0·30	1	0·89	2	0·00	0	0·48	2	0·68	3	3·99	9	2·24	9	15·54	50
2700	Hilltop	25° 33′	28° 15′	—	4·46	5	0·97	9	0·91	5	0·26	2	1·80	1	0·37	1	0·69	2	0·00	0	0·43	1	0·61	4	4·70	7	2·56	11	17·76	48
1172	Koedoespoort	25° 43′	28° 15′	—	4·38	9	1·90	12	1·55	8	0·02	1	1·14	5	[0·10	1]	0·16	1	0·00	0	0·55	1	0·74	7	3·32	8	2·66	12	16·52	65
855A	Hatfield	25° 44′	28° 15′	4,500	3·80	11	2·09	12	1·58	8	0·06	2	1·66	5	0·22	1	0·45	1	0·00	0	0·77	1	0·86	9	4·95	9	3·15	14	19·59	73
2701	Pretoria (Brooklyn II)	25° 46′	28° 15′	4,500	3·59	10	1·89	4	1·12	3	0·00	0	1·41	3	0·22	1	0·54	1	0·00	0	0·00	0	0·20	2	4·19	6	2·24	9	15·40	38
4040	Pretoria (Brooklyn III)	25° 48′	28° 15′	4,500	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4·24	10	2·79	13	(7·03	23)
2389	Waterkloof (Country Club)	25° 47′	28° 15′	4,550	4·40	10	1·85	14	1·80	11	0·00	0	1·59	5	0·19	1	0·46	1	0·00	0	0·74	1	0·85	4	3·81	7	3·77	8	19·46	62
1026	Kaalfontein	26° 02′	28° 15′	5,328	7·06	7	3·63	6	3·28	7	0·11	1	1·71	4	0·10	1	0·86	1	0·00	0	0·74	1	0·72	4	3·06	9	3·06	6	24·33	47
197	Boksburg (Town Engineer—Stadsingenieur)	26° 13′	28° 15′	5,350	4·17	13	5·01	11	2·81	8	0·19	2	1·56	6	0·12	2	0·58	1	0·00	0	0·71	1	1·08	5	4·83	13	2·74	13	23·80	75
2257	Vaalkop	24° 40′	28° 16′	3,500	3·79	6	3·67	5	3·27	6	0·00	0	2·19	2	0·25	1	1·89	2	0·00	0	0·19	1	0·00	0	3·55	7	2·09	8	20·89	38
2702	Welgegund	25° 04′	28° 16′	—	3·05	6	5·71	8	1·08	8	0·01	1	1·26	2	0·33	1	0·58	2	0·00	0	0·00	0	0·36	2	3·28	8	5·17	12	20·83	50
2703	Pretoria (T.U.C.—T.U.K.)	25° 45′	28° 16′	4,500	3·57	10	1·46	11	1·14	7	0·00	0	1·42	4	0·22	2	0·49	2	0·00	0	0·76	1	0·59	5	4·56	7	2·41	13	16·62	62
2200	Twenty-four Rivers	24° 15′	28° 17′	3,750	3·01	11	2·22	10	1·45	7	0·16	2	0·99	3	0·07	1	1·75	2	0·00	0	0·23	1	0·51	5	2·23	10	2·97	9	15·39	61
2373	Warmbaths (Hotel)	24° 53′	28° 17′	3,660	1·29	4	6·16	8	1·19	5	0·00	0	1·20	1	0·33	1	1·73	2	0·00	0	0·62	1	0·46	5	3·44	8	3·65	12	20·07	47
1679	Pienaars River	25° 12′	28° 17′	3,440	1·14	4	4·38	4	—	—	0·00	0	—	—	—	—	—	—	—	—	0·00	0	0·33	1	—	—	3·11	6	(8·96	15)
829	Hamanskraal	25° 24′	28° 17′	3,709	0·60	1	3·53	12	1·05	2	0·10	1	1·34	4	0·28	1	0·57	1	0·00	0	0·34	2	0·44	1	3·91	5	3·57	8	15·73	38
1356	Lynnwood	25° 48′	28° 17′	4,500	3·29	9	1·63	9	1·26	6	0·00	0	1·25	4	0·20	1	0·38	1	0·00	0	1·93	1	0·86	6	3·67	9	1·87	10	16·34	56
2465	Witkleifontein	26° 48′	28° 17′	4,900	5·12	15	1·55	3	2·64	7	0·21	1	1·08	2	0·38	1	0·26	1	0·00	0	1·67	2	0·96	5	1·93	6	5·11	6	20·91	49
4041	Doornfontein	24° 33′	28° 18′	—	4·20	7	3·49	7	1·51	4	0·00	0	1·96	2	0·00	0	2·18	1	0·00	0	0·29	1	0·26	2	3·05	5	2·94	8	19·88	37
2706	Bothasvlei	25° 02′	28° 18′	—	3·09	5	4·92	11	2·15	10	0·03	1	1·38	2	0·38	1	0·69	2	0·00	0	0·27	1	0·71	5	4·74	11	4·49	13	22·85	62
156	Blaauwboschkuil	25° 05′	28° 18′	3,700	1·83	4	5·06	8	0·94	3	0·00	0	1·49	2	0·37	1	0·64	2	0·00	0	0·25	1	0·45	1	4·50	7	5·32	7	20·85	36
2707	Garstfontein	25° 48′	28° 18′	—	4·48	10	2·03	11	1·98	7	0·04	2	1·52	4	0·18	1	0·42	1	0·00	0	0·74	1	0·98	7	4·59	11	2·27	11	19·23	66
2912	Rietfontein	26° 05′	28° 18′	—	5·38	11	1·87	9	2·87	8	0·36	3	1·90	5	0·12	2	0·50	1	0·00	0	0·77	1	0·67	6	3·00	13	2·92	13	20·36	72
2913	Hopewell	26° 19′	28° 18′	—	7·70	12	4·35	10	2·65	5	0·00	0	1·77	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	(16·47	29)
1853	Glen Roy	26° 23′	28° 18′	5,190	2·53	11	3·24	6	2·80	4	0·00	0	1·44	3	0·11	1	0·36	1	0·00	0	0·56	1	1·48	6	2·06	8	4·54	12	19·12	53
2708	Highlands	24° 22′	28° 19′	—	3·39	10	6·23	10	1·94	7	0·03	1	1·28	5	0·10	1	1·85	2	0·00	0	0·29	1	—	—	—	—	—	—	(16·11	37)

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) Hoogte bo G.S.H. (omtrent.) Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 8 (*continued*)—SEKSIE 8 (*vervolg*).																														
2715	Dandaloo	24° 57′	28° 30′	—	1·88	6	4·46	8	0·43	4	0·00	0	1·86	2	0·30	1	1·08	2	0·00	0	0·52	2	0·31	3	4·22	9	2·89	15	17·95	52
1733	Premier Mine	25° 40′	28° 30′	4,847	3·77	9	4·11	10	1·63	7	0·07	1	1·46	3	0·23	1	0·32	1	0·00	0	0·27	1	1·18	7	5·02	11	3·38	13	21·44	64
2921	Tweefontein	26° 41′	28° 30′	—	6·32	13	1·64	8	2·13	8	0·00	0	1·34	5	0·48	1	0·30	1	0·00	0	0·94	1	1·96	8	3·07	9	2·51	11	20·69	65
951	Illawarra	24° 58′	28° 31′	3,500	3·05	7	5·74	7	0·57	2	0·00	0	2·32	3	0·24	1	1·02	2	0·00	0	0·40	1	0·00	0	2·93	8	2·54	7	18·81	38
816	Grootvlei	26° 48′	28° 31′	5,000	6·08	13	4·19	7	2·81	9	0·20	1	1·59	4	1·39	2	0·28	1	0·00	0	1·11	1	1·17	6	2·79	11	2·35	8	23·96	63
830	Good Hope	24° 54′	28° 32′	3,500	1·89	9	4·28	7	1·50	4	0·00	0	1·86	1	0·28	1	1·10	2	0·00	0	0·26	1	0·18	3	4·54	8	4·68	12	20·57	48
1164	Knapbrooke	24° 56′	28° 32′	3,840	2·32	12	3·77	12	0·78	6	0·00	0	1·81	4	0·30	3	0·98	2	0·00	0	0·48	2	0·28	4	4·23	10	4·73	13	19·68	68
1985	Settlers	24° 58′	28° 32′	3,460	2·37	9	5·32	11	0·57	5	0·00	0	2·04	3	0·40	1	0·84	2	0·00	0	0·37	1	0·28	3	2·86	8	4·04	9	19·09	52
2363	Wagendrift, De	25° 31′	28° 33′	4,200	2·83	9	2·98	10	1·65	8	0·30	1	1·39	3	0·20	1	0·51	2	0·00	0	0·39	2	1·29	4	4·53	9	3·50	10	19·57	59
2549	Zonderwater	25° 42′	28° 33′	4,800	5·08	7	2·98	6	1·88	6	0·00	0	1·56	3	0·25	1	0·54	1	0·00	0	0·27	1	1·41	6	5·54	10	3·35	12	22·86	53
2922	Rietfontein	26° 36′	28° 33′	—	6·58	13	3·46	7	1·13	7	0·08	1	1·22	5	0·64	2	0·25	1	0·00	0	0·60	1	1·81	6	2·88	10	3·12	9	21·77	62
2274	Varkenskuil	24° 46′	28° 34′	4,000	1·35	7	4·09	9	1·03	4	0·11	2	2·01	2	0·00	0	1·44	2	0·00	0	0·31	1	0·31	2	3·28	4	3·67	8	17·60	41
2717	Rietfontein	24° 30′	28° 36′	—	3·43	12	3·36	9	3·04	7	0·36	3	1·92	4	0·06	1	2·18	2	0·00	0	0·20	1	0·00	0	2·53	1	2·21	6	19·29	46
70	Balfour	26° 39′	28° 36′	5,270	4·48	10	2·87	10	2·54	9	0·10	1	1·54	5	0·73	3	0·42	1	0·00	0	0·73	1	1·86	7	3·22	9	3·46	8	21·93	64
1591	Num Num	24° 42′	28° 37′	3,500	2·76	10	4·29	10	2·26	4	0·03	3	1·79	3	0·07	1	1·52	2	0·00	0	0·28	1	0·47	6	3·74	10	3·24	14	20·45	64
2454	Winburg	24° 52′	28° 37′	3,000	1·12	5	3·66	7	0·99	3	0·00	0	1·80	2	0·00	0	1·13	2	0·00	0	0·25	1	0·06	1	4·49	5	4·64	7	18·14	33
2718	Badseloop	24° 34′	28° 38′	—	3·10	9	2·76	7	1·13	3	0·16	2	1·11	2	0·00	0	1·92	2	0·00	0	0·47	1	0·30	1	5·90	5	2·35	3	19·19	35
2719	Boekenhout	24° 36′	28° 38′	—	1·39	4	1·97	4	1·61	3	1·05	2	0·00	0	0·00	0	1·25	2	0·00	0	0·26	1	0·10	1	4·08	4	2·52	7	14·23	28
2086	Strydpan	26° 13′	28° 38′	—	3·96	9	2·74	6	1·60	2	0·00	0	1·30	2	0·00	0	0·31	1	0·00	0	0·90	1	0·74	3	4·13	7	1·84	5	17·52	39
2720	Deelkraal	24° 41′	28° 39′	—	1·69	3	3·66	3	2·75	4	0·00	0	1·63	1	0·00	0	1·60	1	0·00	0	0·25	1	0·33	2	3·18	3	2·98	3	18·07	21
2721	Witfontein	25° 45′	28° 39′	—	2·80	8	3·58	9	2·63	8	0·00	0	1·78	2	0·14	1	0·73	1	0·00	0	0·20	1	0·82	6	3·97	9	2·67	7	19·32	52
1817	Rietbult	26° 36′	28° 39′	5,200	3·93	13	3·02	12	2·94	12	0·55	2	1·04	6	0·77	2	0·33	1	0·00	0	0·65	1	1·67	6	2·74	11	2·49	9	20·13	75
2722	Rooikop	25° 11′	28° 40′	—	3·16	5	3·70	10	0·24	1	0·00	0	2·60	3	0·28	1	0·63	1	0·00	0	0·26	1	1·31	4	3·25	7	2·40	3	17·83	36
463	Deercroft	24° 51′	28° 41′	4,400	1·80	9	3·68	10	2·07	8	0·20	2	1·55	4	0·04	1	0·75	2	0·00	0	0·19	1	0·22	3	2·10	9	3·45	8	16·05	57
2723	Kopje Alleen	24° 51′	28° 41′	4,400	1·87	12	3·07	9	2·01	9	0·28	2	2·21	6	0·15	3	1·10	2	0·00	0	0·23	1	0·22	5	3·26	10	5·17	12	19·57	71
615	Rakeldoorn	25° 24′	28° 41′	3,000	1·99	6	3·15	12	2·39	6	0·00	0	1·76	3	0·35	1	0·70	2	0·00	0	0·46	2	0·95	3	1·95	8	3·93	8	17·63	51
2360	Waaikraal	25° 59′	28° 41′	5,000	4·05	8	5·21	8	2·28	5	0·00	0	1·50	1	0·00	0	1·01	1	0·00	0	0·53	1	0·33	2	3·13	5	5·94	6	23·98	37
2466	Witklip	26° 09′	28° 41′	5,000	8·62	13	2·01	8	2·14	8	0·12	2	1·70	5	0·13	1	0·42	1	0·00	0	0·75	2	1·14	5	4·62	10	3·78	9	25·43	64
1160	Klipspruit	24° 13′	28° 42′	4,000	0·26	4	5·78	10	0·80	4	0·05	2	0·75	4	0·00	0	1·96	3	0·00	0	0·09	1	0·29	2	3·29	7	3·44	8	16·71	45
2724	Nylsvlei	24° 39′	28° 42′	—	0·52	1	2·41	8	2·02	3	0·00	0	1·12	2	0·00	0	1·51	2	0·00	0	0·30	1	0·40	5	4·60	8	3·82	10	16·70	40

| | | |

No. / No.	Station. / Stasie.	Latitude S. / Breedte-graad. S.	Longitude E. / Lengte-graad. O.	Height above M.S.L. ((app.) / Hoogte bo G.S.H. (omtrent.) / Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
	SECTION 9—SEKSIE 9.																													
2736	Keerom	24° 58′	29° 50′	—	1·86	5	0·83	2	1·04	4	0·00	0	2·15	2	0·00	0	1·32	2	0·00	0	0·46	2	0·25	1	3·22	4	0·78	2	11·91	24
2221	Uitloop	24° 06′	29° 01′	4,000	1·04	6	5·64	8	1·44	6	0·50	—	—	—	0·00	0	0·70	2	0·00	0	0·00	0	0·16	2	5·10	6	1·82	6	(16·40	36)
1731	Potgietersrust (School—Skool)	24° 11′	29° 01′	3,700	2·27	5	4·58	11	1·31	6	0·00	0	1·26	4	0·00	0	0·48	2	0·00	0	0·02	1	0·16	2	4·52	5	3·02	6	17·62	42
2737	Potgietersrust (S.A. Police—S.A. Polisie)	24° 11′	29° 01′	3,700	2·43	8	4·36	11	1·71	9	0·10	1	0·85	1	0·00	0	0·47	2	0·00	0	0·10	1	0·25	3	3·99	7	3·71	9	17·99	52
2738	Mooigelegen	24° 30′	29° 01′	—	1·26	8	4·18	11	1·28	6	0·78	1	2·34	5	0·08	1	1·74	2	0·00	0	0·17	2	0·25	2	4·34	6	2·35	6	18·77	50
2929	Cologne	26° 08′	29° 01′	—	4·77	12	3·86	14	1·19	7	0·08	2	1·74	6	0·03	1	0·40	1	0·00	0	1·10	4	0·72	6	4·15	12	2·99	16	21·03	81
2930	Roodebank	26° 37′	29° 01′	—	9·35	6	0·54	1	0·24	1	1·67	2	1·75	2	0·55	1	0·24	1	0·00	0	1·90	3	0·76	3	3·45	4	4·57	7	25·02	31
26	Allendale	26° 53′	29° 01′	5,000	5·24	10	3·46	5	2·05	9	0·00	0	1·70	4	1·52	2	0·28	1	0·00	0	2·32	3	1·94	7	2·42	8	5·84	9	26·77	58
2931	Vaalbank	26° 54′	29° 01′	—	5·34	15	2·95	7	1·48	9	0·20	1	1·58	4	1·52	1	0·00	0	0·00	0	2·55	3	1·78	6	2·71	11	5·00	8	25·09	65
2739	Witpoort	24° 20′	29° 02′	—	5·29	6	4·41	6	1·30	4	0·00	0	0·65	1	0·00	0	1·16	2	0·00	0	0·11	2	0·14	2	4·72	10	4·68	9	22·46	42
2932	Zandfontein Estate	26° 30′	29° 02′	—	5·73	13	3·26	8	1·51	5	0·36	2	1·21	2	0·00	0	0·25	1	0·00	0	2·33	3	1·39	5	3·95	8	1·69	6	21·68	53
1041	Kalkfontein	24° 24′	29° 03′	—	6·18	9	4·46	8	2·32	5	0·00	0	1·95	4	0·00	0	1·64	2	0·00	0	0·35	3	0·29	2	4·12	9	2·40	9	23·71	51
2933	Bombardie	26° 10′	29° 03′	—	3·47	11	2·50	8	1·03	4	0·00	0	1·71	2	0·13	1	0·29	1	0·00	0	1·55	3	0·69	3	3·20	9	3·11	12	17·68	54
4044	Springboklaagte	26° 09′	29° 04′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3·44	9	(3·44	9)
2934	Rietkuil	26° 56′	29° 04′	—	2·19	14	2·23	7	1·99	9	0·22	1	1·42	5	0·97	3	0·15	1	0·00	0	2·76	4	1·67	8	2·74	10	3·18	10	19·52	72
2740	Amatava	24° 08′	29° 05′	—	—	—	—	—	—	—	0·85	1	1·44	5	0·03	1	0·84	3	0·00	0	0·06	1	0·22	5	5·55	9	2·63	11	(11·62	36)
1700	Planknek	24° 11′	29° 05′	3,750	1·30	2	4·44	9	1·58	6	0·00	0	0·74	3	0·00	0	0·46	1	0·00	0	0·00	0	0·00	0	5·76	6	3·21	8	17·49	35
4045	Doornfontein	24° 20′	29° 05′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0·00	0	0·10	2	0·21	2	6·18	11	1·35	7	(7·84	22)
1613	Oogies	26° 02′	29° 05′	5,000	2·99	10	3·27	10	1·79	6	0·00	0	1·91	6	0·00	0	0·30	1	0·00	0	1·05	3	1·02	4	4·23	10	3·06	11	19·62	61
2741	Hoogbult	24° 37′	29° 06′	—	2·85	4	3·30	6	1·04	4	0·00	0	1·51	3	0·00	0	1·32	2	0·00	0	0·51	3	0·33	2	3·96	6	3·11	7	17·93	37
2935	Nooitgedacht	25° 51′	29° 06′	—	4·08	4	5·57	7	0·61	3	0·00	0	1·38	1	0·00	0	0·00	0	0·00	0	1·00	3	1·43	2	3·52	5	0·76	2	18·35	27
2936	Clewer Township	25° 55′	29° 06′	—	1·47	7	4·24	5	1·46	5	0·00	0	1·45	2	0·00	0	0·10	1	0·00	0	0·96	3	1·50	3	3·43	4	2·71	7	17·32	37
2937	Mizpah or (of) Vaalbank	26° 22′	29° 06′	—	5·40	11	3·52	8	3·04	7	0·31	2	1·10	1	0·14	1	0·42	1	0·00	0	2·23	3	1·03	4	2·51	8	3·35	8	23·05	52
2377	Waterval	25° 35′	29° 07′	5,000	2·67	8	0·81	3	0·52	6	0·04	1	1·91	3	0·17	1	0·76	2	0·00	0	0·76	3	0·67	3	2·28	8	2·04	8	12·63	46
1850	Rietvlei	26° 36′	29° 07′	5,000	3·64	6	1·87	4	1·82	6	0·40	1	1·39	3	0·00	0	0·35	1	0·00	0	2·20	3	1·65	4	2·57	4	1·10	3	16·99	35
192	Boesmanspruit	26° 45′	29° 07′	4,000	3·99	12	4·61	11	2·51	8	0·69	1	2·01	3	1·60	2	0·21	1	0·00	0	2·18	3	1·90	5	1·93	8	1·34	4	22·97	58
51	Aspley	26° 52′	29° 07′	5,000	3·84	12	3·29	10	1·90	6	0·60	1	1·89	4	1·36	1	0·25	1	0·00	0	2·46	4	1·42	5	3·11	12	1·97	8	22·09	64
2938	Waterpan	26° 00′	29° 08′	—	2·88	7	3·54	11	1·28	3	0·00	0	1·38	2	0·00	0	0·00	0	0·00	0	0·98	2	1·19	4	2·71	7	2·58	11	16·54	47
2939	Blaauwkranz	25° 56′	29° 09′	—	2·77	9	3·24	12	2·17	8	0·00	0	1·64	6	0·03	1	0·10	1	0·00	0	1·19	3	2·19	7	3·93	10	1·85	3	19·11	70
495	Dieplaagte	26° 25′	29° 09′	5,000	2·94	12	3·31	9	3·01	5	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	2·39	3	—	—	1·82	4	2·76	6	(16·23	39)
1625	Myrthley	26° 54′	29° 09′	5,100	3·35	15	2·53	9	2·59	8	0·24	2	1·62	6	2·23	3	0·17	1	0·00	0	2·80	3	1·77	8	2·73	10	3·21	10	23·24	75
1862	Riverside	25° 49′	29° 10′	4,800	3·19	6	1·70	5	1·42	5	0·00	0	2·08	5	0·15	1	0·24	1	0·00	0	0·65	3	0·98	4	2·25	5	2·23	3	14·89	38
2940	Friesgewacht	26° 12′	29° 10′	—	3·46	9	3·72	4	1·09	4	0·00	0	1·13	3	0·00	0	0·00	0	0·00	0	1·13	3	0·73	2	1·86	9	2·97	7	16·09	41
1261	Langsluit	26° 23′	29° 10′	5,030	5·14	11	3·21	7	2·74	7	0·20	1	1·27	3	0·00	0	0·27	1	0·00	0	2·56	3	0·91	4	3·01	11	1·56	4	20·87	52
529	Driefontein	26° 29′	29° 10′	5,331	3·33	8	3·72	7	2·11	3	0·64	2	1·13	2	0·15	1	0·31	1	0·00	0	2·42	3	1·92	6	2·41	6	1·83	8	19·97	47

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.L. (omtrent.) / Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 9 (*continued*)—SEKSIE 9 (*vervolg*).																														
2963	Tweefontein	25° 37′	29° 34′	—	3·15	14	6·93	13	1·93	12	0·17	1	1·78	5	0·28	2	0·04	2	0·00	0	2·77	3	0·73	8	2·21	14	1·80	12	21·79	86
676	Fountainvale	26° 13′	29° 34′	5,000	4·92	15	2·39	9	3·43	10	0·10	1	1·66	4	0·25	1	0·00	0	0·00	0	3·25	4	1·55	5	6·54	11	5·39	12	29·48	72
2964	Eikenboom	25° 54′	29° 35′	—	6·65	10	4·28	6	0·00	0	0·00	0	2·10	2	0·00	0	0·00	0	0·00	0	2·26	3	1·59	3	4·47	11	2·81	8	24·16	43
2965	Bankpan	26° 17′	29° 35′	—	3·97	12	2·18	11	2·84	10	0·10	1	1·65	1	0·23	2	0·03	1	0·00	0	2·80	4	1·51	5	5·71	11	4·04	11	25·00	69
2966	Protest	26° 47′	29° 35′	—	4·35	12	2·72	9	1·54	10	0·46	2	1·77	5	0·61	2	0·08	1	0·00	0	2·99	4	1·53	7	2·07	10	3·81	7	21·93	69
2967	Uitkomst	26° 50′	29° 35′	—	2·93	12	3·17	10	1·51	9	0·34	2	1·45	5	1·00	2	0·10	1	0·00	0	3·10	3	2·30	5	1·94	9	2·26	9	20·10	67
2968	Korinkoppies	24° 40′	29° 36′	—	4·30	6	2·27	9	0·88	4	0·00	0	0·56	—	0·05	1	0·23	2	0·00	0	1·75	1	0·18	1	4·68	5	3·90	8	18·78	(37)
105	Bekkersrust	26° 33′	29° 36′	5,300	5·65	13	3·24	8	1·47	3	0·68	2	1·18	1	0·25	1	0·00	0	0·00	0	2·63	3	0·75	4	3·06	9	2·83	6	21·74	50
2315	Vlaklaagte	26° 15′	29° 37′	5,000	3·52	3	2·20	4	0·80	2	0·00	0	0·98	1	0·00	0	0·00	0	0·00	0	2·60	2	0·85	2	1·76	2	3·28	4	15·99	20
2969	Tegwane	26° 59′	29° 37′	—	4·04	12	5·31	13	2·24	11	1·29	4	1·83	10	2·19	10	0·16	3	0·06	4	4·07	5	1·30	5	3·51	12	3·62	9	29·62	98
2387	Watershed	26° 28′	29° 38′	5,400	2·15	6	3·05	8	1·62	6	0·31	1	1·28	1	1·41	1	0·00	0	0·00	0	2·66	3	1·02	3	5·27	9	4·40	6	23·17	44
2970	Morgenzon	26° 44′	29° 38′	—	2·48	8	2·69	7	1·52	5	0·60	2	1·61	5	0·51	2	0·00	0	0·00	0	3·04	4	0·97	6	2·77	9	5·51	12	21·70	60
2569	Zwartfontein	25° 45′	29° 40′	5,390	2·27	9	4·12	10	1·11	7	0·18	2	1·60	4	0·27	2	0·03	1	0·00	0	2·41	2	0·25	3	3·55	11	4·68	11	20·47	62
2971	Kuilfontein	26° 21′	29° 40′	—	3·57	11	2·87	10	2·28	10	0·00	0	1·42	1	0·19	2	0·00	0	0·00	0	2·40	4	1·37	5	5·57	10	5·37	11	25·04	64
451	Davel	26° 26′	29° 40′	5,780	2·62	14	4·31	11	1·62	12	0·43	2	1·22	5	0·32	1	0·00	0	0·00	0	2·95	4	1·39	6	5·73	13	5·76	12	26·35	80
833	Hamelfontein	26° 28′	29° 40′	5,480	2·48	14	3·39	14	2·03	13	0·62	1	1·52	5	0·40	1	0·00	0	0·00	0	2·80	4	1·09	6	5·84	13	5·41	11	25·58	82
223	Brakfontein	26° 31′	29° 40′	—	2·90	7	1·60	7	2·01	3	1·04	1	0·00	0	0·40	2	0·00	0	0·00	0	2·60	2	0·64	4	2·54	5	3·54	8	17·27	39
4047	Waterval	25° 21′	29° 41′	—	—	—	—	—	1·85	8	0·00	0	2·30	3	0·08	2	0·18	1	0·00	0	2·36	4	0·31	1	4·97	11	2·63	11	(14·68	41)
706	Gemsbokfontein	25° 44′	29° 41′	5,700	4·27	14	3·45	11	1·69	9	0·23	2	1·67	6	0·16	1	0·07	1	0·00	0	2·92	4	1·15	10	3·61	14	4·40	14	23·62	86
2972	Reston	25° 54′	29° 43′	—	3·97	11	3·86	8	0·87	5	0·00	0	2·21	3	0·00	0	0·00	0	0·00	0	2·92	4	1·04	5	3·64	11	3·25	10	21·76	57
2973	Uitzicht	26° 25′	29° 43′	—	2·69	5	4·86	9	1·20	4	0·55	1	1·57	2	0·28	1	0·00	0	0·00	0	2·85	5	1·68	5	3·84	9	5·34	7	24·86	48
1792	Remhoogte	26° 29′	29° 43′	5,460	4·34	11	3·67	12	5·33	9	1·16	2	1·21	4	0·45	2	0·00	0	0·00	0	2·70	3	0·91	6	5·20	11	5·06	11	30·03	71
2144	Tevreden	26° 20′	29° 44′	5,200	3·26	9	2·92	9	1·39	9	0·28	2	0·50	4	0·00	0	0·03	1	0·00	0	2·73	3	1·54	3	3·05	10	2·71	10	18·41	60
1711	Pokwani	24° 52′	29° 45′	4,000	2·68	7	2·98	5	0·75	5	0·00	0	1·11	3	0·00	0	0·00	0	0·00	0	2·26	3	0·40	3	6·36	10	2·89	5	19·43	41
1512	Mooivlei	26° 16′	29° 45′	5,600	3·11	7	1·74	6	0·69	5	0·06	1	1·50	1	0·15	1	0·00	0	0·00	0	2·56	3	0·37	4	2·58	5	2·21	7	14·97	40
2321	Vleiplaats	26° 47′	29° 45′	3,400	5·73	9	5·02	9	2·78	6	0·20	1	1·50	2	0·76	1	0·00	0	0·00	0	2·62	4	0·71	2	—	—	—	—	(19·32	34)
1656	Panplaats	25° 41′	29° 46′	5,900	3·15	8	3·52	9	0·98	3	0·44	2	0·00	0	0·00	0	0·00	0	0·00	0	2·50	2	1·07	6	4·52	14	3·78	6	19·96	50
1964	Schoonoord	26° 00′	29° 46′	5,200	3·65	10	3·90	8	2·01	7	2·34	1	0·20	1	0·00	0	0·00	0	0·00	0	2·25	3	0·87	4	2·01	9	2·11	6	19·34	49
2133	Tautesberg	25° 17′	29° 47′	4,000	4·88	7	3·45	9	1·59	4	0·00	0	3·12	2	0·00	0	0·00	0	0·00	0	2·46	3	0·44	4	4·04	6	2·40	4	22·38	39
1975	Sebastian	26° 23′	29° 47′	5,400	2·48	9	1·70	9	1·07	10	0·00	0	2·58	6	0·00	0	0·00	0	0·00	0	2·65	3	1·18	5	3·24	12	5·18	12	20·08	66
2224	Uitzicht	26° 38′	29° 47′	5,460	3·97	13	5·81	10	2·31	7	1·50	2	1·11	3	0·42	1	0·00	0	0·00	0	2·07	3	0·94	5	3·68	8	2·55	9	24·36	61
2974	Morgenzon	24° 50′	29° 49′	—	2·33	3	2·08	6	1·70	6	0·00	0	0·68	3	0·24	2	0·26	2	0·00	0	1·50	4	0·63	3	4·76	5	2·19	7	16·37	41
1900	Roodepoort	25° 44′	29° 49′	5,500	3·31	5	2·10	2	2·30	2	0·25	1	0·00	0	0·00	0	0·00	0	0·00	0	—	—	1·15	3	3·60	4	1·80	2	(14·51	19)
770	Karina or (of) Groblersrecht	26° 06′	29° 49′	5,350	2·36	13	1·66	10	1·55	7	0·24	2	1·92	5	0·05	1	0·09	1	0·00	0	2·67	3	1·52	6	2·37	12	3·62	11	18·05	71
4048	Zeekoegat	24° 17′	29° 50′	—	—	—	2·49	4	0·94	4	0·06	1	0·00	0	0·00	0	0·40	2	0·00	0	0·06	1	0·05	1	1·68	8	1·41	5	(7·09	26)

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) / Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 9 (*Continued*)—SEKSIE 9 (*Vervolg*).																														
2585	Malta	24° 10′	30° 15′	—	4·32	11	4·63	13	6·19	15	0·15	1	0·62	6	0·09	1	1·61	5	0·00	0	1·03	8	0·10	1	3·37	9	6·12	6	28·23	76
962	Iona	26° 15′	30° 15′	5,600	3·51	10	6·59	8	1·93	7	1·35	2	1·55	2	0·30	1	0·00	0	0·00	0	4·59	3	1·35	6	2·49	6	2·95	7	26·61	52
2558	Wemmershoek	25° 15′	30° 16′	—	4·62	7	4·78	8	1·59	9	0·77	2	1·12	1	0·00	0	0·75	2	0·00	0	2·21	3	0·58	3	2·57	9	4·40	10	23·39	54
2536	Schelm	24° 08′	30° 17′	—	3·27	10	7·17	16	7·65	15	0·06	1	0·43	4	0·46	3	2·11	4	0·05	2	1·14	7	0·03	1	3·14	11	4·04	7	29·55	81
2091	Zuikerboschfontein	25° 57′	30° 17′	5,500	2·78	4	3·80	4	3·02	5	0·73	2	1·93	3	0·00	0	0·89	3	0·00	0	3·75	4	3·04	4	4·12	4	2·78	4	26·84	37
649	Fairview	26° 10′	30° 17′	5,600	3·46	11	—	—	—	—	—	—	1·65	1	0·00	0	0·15	1	0·00	0	4·13	3	1·78	6	2·82	5	2·82	4	(16·81	31)
4052	Onverwacht	26° 35′	30° 17′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5·42	13	(5·42	13)
5020	Rietvlei	26° 44′	30° 17′	—	4·22	14	2·33	12	6·15	11	0·19	2	1·18	3	0·69	1	0·22	2	0·07	1	5·84	5	0·76	7	3·94	11	3·08	11	28·67	80
2443	Wilgekraal	25° 27′	30° 18′	4,500	—	—	1·96	4	0·90	6	0·07	1	1·65	1	0·00	0	0·00	0	0·00	0	2·38	2	0·78	2	2·99	7	3·24	4	(13·97	27)
2391	Waterval Boven	25° 39′	30° 19′	4,820	—	—	—	—	1·18	4	0·42	1	2·27	2	0·03	1	—	—	0·00	0	2·98	5	4·34	7	3·31	10	4·38	8	(18·91	38)
2212	Uitkomst	25° 47′	30° 20′	5,800	1·43	4	1·88	6	2·58	8	0·25	1	2·35	2	0·60	0	0·50	1	0·00	0	2·70	2	3·35	3	4·24	7	2·30	3	21·58	37
111	Bellevue	26° 15′	30° 20′	5,600	2·35	7	2·18	8	2·01	6	0·63	3	1·24	4	—	—	—	—	0·00	0	3·92	3	0·17	2	2·78	8	2·73	[8]	18·01	49
2566	Zwagershoek	25° 14′	30° 21′	5,000	2·80	10	2·85	8	3·88	9	0·00	0	0·96	3	0·00	0	0·40	2	0·00	0	1·83	2	0·72	1	3·54	10	1·87	4	18·85	49
760	Grasdale	26° 17′	30° 21′	5,200	3·76	8	7·43	7	4·14	8	1·05	2	1·23	2	0·47	1	0·03	1	0·02	1	5·66	5	0·99	4	2·77	8	1·83	5	29·38	52
2587	Viljoenshoop	24° 36′	30° 22′	—	3·81	6	1·69	3	0·61	3	0·00	0	0·44	6	0·16	4	0·29	4	0·00	0	0·00	0	0·00	0	2·09	8	2·08	8	11·17	42
2029	Tarbert	26° 11′	30° 22′	5,750	3·33	8	4·98	9	2·58	6	0·75	1	1·91	3	0·15	1	0·01	1	0·00	0	3·55	3	3·05	8	2·72	6	2·12	5	25·15	51
2588	Dusseldorp	24° 02′	30° 23′	—	3·90	6	5·22	8	4·73	9	0·00	0	0·26	3	0·28	2	1·36	3	0·00	0	0·27	3	0·00	0	1·47	6	0·48	3	17·97	43
2589	Pretoria	24° 06′	30° 23′	—	1·56	6	7·23	10	3·80	5	0·00	0	0·00	0	0·15	2	—	—	—	—	—	—	—	—	—	—	—	—	(12·74	23)
2590	Witklip	25° 13′	30° 23′	—	2·80	6	3·02	4	2·66	5	0·00	0	1·48	1	0·00	0	0·30	1	0·00	0	1·35	1	0·99	3	3·25	6	1·71	4	17·56	31
2591	Badfontein	25° 21′	30° 23′	—	2·42	8	2·52	7	1·32	10	0·07	1	1·47	3	0·03	1	0·67	3	0·00	0	1·63	4	1·81	6	1·94	10	1·53	9	15·41	62
2392	Waterval Onder	25° 39′	30° 23′	4,145	1·46	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2·02	4	(3·48	8)
2173	Sandcliff	26° 28′	30° 23′	5,000	3·68	14	3·07	10	0·95	4	0·20	1	0·86	3	0·36	1	0·19	1	0·01	1	2·90	5	0·59	4	3·30	9	3·16	7	19·27	60
1341	Zilverkop or (of) Lower Goedverwacht	26° 01′	30° 25′	4,700	6·33	17	3·65	13	3·53	12	1·12	7	1·65	5	0·14	1	0·89	3	0·04	1	3·43	5	3·10	9	3·57	18	2·71	14	29·96	105
1580	Nooitgedacht	25° 03′	30° 26′	4,800	1·96	5	2·56	7	1·27	4	0·00	0	0·61	2	0·00	0	0·00	0	0·00	0	0·67	3	0·12	1	1·98	8	3·01	7	12·18	37
2592	Weltevreden	25° 41′	30° 26′	—	3·84	15	4·04	9	3·73	12	0·19	3	3·04	4	0·00	0	0·95	3	0·00	0	3·01	4	1·64	6	4·19	15	4·14	10	28·77	81
1353	Lydenburg	25° 06′	30° 27′	4,820	2·32	8	2·76	6	0·92	4	0·00	0	0·42	1	0·00	0	0·23	2	0·00	0	0·45	2	0·34	1	1·89	8	3·42	9	12·75	41
2231	Umpilusi	26° 21′	30° 27′	—	2·14	10	3·91	9	5·02	8	0·54	2	0·74	4	0·26	1	0·10	1	0·00	0	4·18	6	1·24	8	2·07	4	2·00	8	22·20	61
381	Clifton	26° 28′	30° 28′	5,000	4·36	10	3·07	10	1·72	6	0·23	4	1·23	4	0·00	0	0·26	3	0·00	0	2·99	5	0·88	4	3·33	8	2·10	10	20·17	64
588	Elandshoek	25° 37′	30° 29′	5,800	3·74	8	1·97	5	2·11	9	0·00	0	3·35	1	0·00	0	1·05	3	0·00	0	1·87	3	2·49	4	2·88	9	2·57	6	22·03	48
12	Airlie	25° 37′	30° 31′	3,609	3·75	6	1·65	5	2·15	6	0·00	0	1·34	2	0·00	0	1·09	3	0·00	0	1·10	1	1·83	4	2·55	6	3·11	3	18·57	36
2595	Slaaihoek	25° 43′	30° 32′	—	4·05	9	4·13	10	3·56	11	0·35	2	2·52	3	0·60	0	1·66	4	0·06	1	3·15	5	1·63	7	3·74	13	5·03	8	29·88	73
976	Jessievale	26° 15′	30° 32′	5,850	4·28	14	6·78	16	2·68	8	0·76	2	1·37	6	0·64	2	0·34	5	0·02	2	3·25	7	1·45	8	2·29	14	3·17	14	27·03	98
2372	Badplaats	25° 58′	30° 33′	5,000	3·85	6	3·79	6	2·00	3	0·85	1	1·39	1	0·00	0	0·84	2	0·00	0	3·16	3	1·56	2	2·76	8	2·21	3	22·41	35
2596	Ohrigstad	24° 43′	30° 34′	—	2·15	6	1·80	4	1·15	1	0·00	0	0·18	4	0·02	1	0·80	3	0·00	0	0·54	4	0·20	2	2·26	8	1·57	5	10·67	38
4053	Waterval	25° 21′	30° 36′	—	—	—	—	—	—	—	0·00	0	0·65	4	0·00	0	2·17	5	0·00	0	0·83	4	1·39	3	2·46	5	3·10	7	(10·60	28)

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) / Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 9 (*Continued*)—SEKSIE 9 (*Vervolg*).																														
2611	White Hills	25° 44′	30° 53′	—	4·38	13	6·34	11	6·49	8	0·46	3	2·85	4	0·00	0	1·11	5	0·08	3	2·26	7	0·91	5	2·15	13	2·24	10	29·27	82
5022	Weltevreden	26° 49′	30° 53′	—	7·94	10	8·74	9	3·59	9	0·00	0	1·58	2	0·30	2	0·00	0	0·04	1	2·91	6	1·67	6	2·43	10	6·02	11	35·22	66
2612	Hobron	25° 08′	30° 54′	—	8·15	8	5·33	8	7·58	8	0·98	3	0·95	3	0·60	1	3·69	4	0·59	3	2·43	5	0·17	1	3·15	6	2·89	4	36·51	54
293	Cairn	25° 27′	30° 54′	2,260	5·33	12	6·46	14	5·59	6	0·00	0	1·60	2	0·00	0	1·75	5	0·00	0	1·37	6	0·50	5	2·21	10	2·26	7	27·07	67
2613	Retreat	25° 40′	30° 54′	—	3·64	10	4·21	10	5·22	9	0·53	2	2·38	4	0·00	0	0·93	4	0·00	0	1·28	5	0·96	3	1·89	8	1·75	9	22·79	64
2614	Montrose	25° 53′	30° 54′	—	5·27	13	3·72	15	6·03	14	0·60	1	2·54	6	0·00	0	1·56	3	0·08	2	2·26	9	1·37	6	3·57	12	3·01	12	30·01	93
170	Bleskopspruit	26° 57′	30° 54′	—	6·51	13	4·37	10	5·19	9	0·15	2	1·12	3	0·25	3	0·02	2	0·03	1	3·16	10	2·18	9	2·76	15	4·60	12	30·34	89
2615	Glenlyden	24° 33′	30° 55′	—	9·69	10	10·07	13	3·51	10	0·00	0	2·13	5	0·22	3	1·58	3	0·34	2	1·55	9	0·07	2	4·66	12	8·37	10	42·19	79
1368	Macvale	25° 39′	30° 55′	2,700	—	—	—	—	5·50	7	0·40	1	2·70	4	0·00	0	0·94	4	0·00	0	1·00	2	0·87	1	2·13	6	2·39	5	(15·99	30)
2616	Otezella	25° 42′	30° 55′	—	4·75	9	3·14	7	4·38	9	0·24	1	2·59	5	0·00	0	0·68	3	0·00	0	1·38	4	0·94	2	2·18	7	0·82	3	21·10	50
2989	Hartebeestkop	26° 12′	30° 55′	—	3·17	6	8·05	8	4·99	8	0·10	1	2·91	3	0·00	0	0·56	2	0·00	0	2·88	2	1·34	4	4·27	5	3·41	6	31·68	45
2990	Kopje Alleen	26° 52′	30° 55′	—	5·09	10	5·35	7	5·75	7	0·00	0	1·30	4	0·03	2	0·00	0	0·00	0	2·48	3	2·33	4	4·44	8	1·89	10	28·66	55
2617	Madrid	24° 30′	30° 56′	—	2·23	4	9·77	13	3·47	7	0·00	0	2·17	3	0·15	1	0·85	5	0·05	1	0·51	6	0·01	1	2·97	9	6·22	8	28·40	58
2618	Cottonia	25° 19′	30° 56′	—	2·58	5	4·69	8	7·62	9	0·02	1	1·48	4	0·04	2	2·07	5	0·00	0	2·24	3	0·26	2	1·00	4	0·84	4	22·84	47
341	Castle Kop	25° 40′	30° 56′	2,700	4·84	5	3·15	7	5·15	7	0·26	1	3·05	2	0·00	0	0·80	2	0·00	0	1·40	2	0·83	1	1·86	4	1·12	3	22·46	34
4054	Maggiesdale	25° 30′	30° 57′	—	3·83	11	4·90	12	5·38	12	0·07	1	1·77	4	0·00	0	1·25	5	0·10	1	1·58	3	0·51	3	1·92	10	2·41	6	23·72	68
2067	Steynsdorp	26° 08′	30° 58′	2,650	2·59	11	2·70	11	3·58	10	0·16	3	2·17	5	0·18	1	0·37	1	0·00	0	2·22	4	1·27	7	2·18	11	2·57	9	19·99	73
1554	Nelspruit	25° 28′	30° 59′	2 350	3·90	9	2·49	7	4·24	7	0·27	2	2·45	4	0·02	1	1·44	6	0·07	1	1·30	5	0·51	4	1·12	8	2·07	6	19·88	59
1616	Oorschot	25° 49′	30° 59′	3,000	5·03	9	2·56	7	7·22	6	0·63	1	2·57	3	0·00	0	0·82	1	0·00	0	2·54	6	1·10	3	1·41	4	2·98	3	26·86	43
SECTION 10—SEKSIE 10.																														
1483	Modderspruit	24° 56′	31° 00′	4,000	7·98	11	6·89	14	6·84	11	0·93	1	2·21	2	0·09	2	3·10	6	0·37	4	1·62	4	0·04	1	4·53	9	4·95	10	39·55	75
84	Carmichael	25° 47′	31° 00′	2,885	2·82	8	4·02	11	5·22	9	0·72	2	2·37	4	0·01	1	0·35	3	0·00	0	1·62	3	0·93	3	1·67	8	1·37	5	21·10	57
2432	White River	25° 19′	31° 01′	2,500	4·98	9	4·29	11	3·67	17	0·10	5	2·35	6	0·09	2	1·85	7	0·16	4	2·22	15	0·85	9	2·45	15	2·49	12	25·50	112
2619	Highlands	25° 33′	31° 01′	—	4·07	10	4·16	10	4·60	9	0·14	2	2·81	3	0·08	1	0·83	2	0·00	0	2·36	5	0·44	2	2·07	9	1·82	5	23·38	68
620	Fleur-de-Lys	24° 33′	31° 02′	—	4·68	8	4·08	10	1·90	9	0·00	0	1·48	2	0·22	3	1·10	4	0·00	0	0·37	4	0·01	1	2·67	10	3·10	7	19·61	58
23	Maboki or (of) Mount Casteel	24° 42′	31° 02′	2,800	5·61	12	5·48	17	5·60	12	0·04	2	2·38	4	0·03	1	2·45	5	0·04	1	1·66	13	0·13	3	4·43	14	3·18	13	31·03	97
2621	Lowlands	25° 44′	31° 02′	—	2·91	7	3·78	8	5·83	6	0·00	0	3·45	3	0·00	0	0·50	3	0·00	0	1·50	2	0·88	3	1·35	6	1·56	3	21·76	41
83	Barberton I.	25° 47′	31° 03′	2,885	3·15	11	5·45	12	3·01	7	0·37	2	2·18	5	0·05	1	1·25	4	0·00	0	0·51	4	0·93	3	2·27	9	1·98	4	21·15	62
4055	Barberton II.	25° 47′	31° 03′	2,885	3·37	9	4·68	12	4·08	8	0·56	2	2·06	5	0·00	0	0·49	2	0·00	0	1·41	4	1·01	3	1·87	8	1·29	4	20·82	57
2622	Champagne	24° 02′	31° 04′	—	4·70	12	4·93	14	4·72	10	0·18	3	1·15	4	0·15	3	2·22	4	0·01	1	0·58	7	0·09	2	3·70	11	2·75	8	25·18	79

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 10 (*Continued*)—SEKSIE 10 (*Vervolg*).																														
1179	Komati Poort	25° 26′	31° 56′	620	4·98	10	8·32	11	4·32	5	0·06	1	0·96	3	0·28	1	0·51	5	0·00	0	1·13	3	0·46	1	2·69	9	1·81	5	25·52	54
5015	Wisselrode	26° 54′	31° 56′	—	4·30	8	0·71	6	1·37	6	0·00	0	0·53	2	0·18	1	0·02	1	0·00	0	1·76	5	0·89	6	2·10	9	0·83	5	12·69	49
1574	Nomahasha	25° 57′	31° 58′	2,000	—	—	—	—	7·80	—	2·35	1	0·65	2	0·00	0	—	—	—	—	—	—	—	—	—	—	—	—	(10·80	3)
1967	Stegi	26° 28′	31° 58′	2,000	2·52	12	2·65	9	2·38	9	1·01	5	0·77	4	0·22	8	0·53	5	0·00	0	1·75	10	1·17	7	1·16	10	1·11	7	15·27	86
5016	Changalane	26° 12′	32° 07′	—	3·99	8	3·18	8	1·84	5	0·00	0	—	—	0·02	1	0·24	2	—	—	0·83	7	0·79	6	1·23	9	2·78	7	(14·90	53)
5017	Ndumu	26° 57′	32° 17′	—	2·50	2	2·50	7	1·39	8	0·00	0	0·83	2	0·20	1	0·32	2	0·00	0	0·94	3	0·87	4	1·61	7	1·03	8	12·19	44
SECTION 11—SEKSIE 11.																														
1724	Port Nolloth	29° 14′	16° 51′	25	0·00	0	0·20	2	0·01	1	0·04	1	0·07	3	0·27	3	0·27	2	0·12	2	0·00	0	0·44	4	0·01	1	0·00	0	1·43	19
38	Anenous	29° 14′	17° 35′	1,774	0·00	0	0·21	2	0·00	0	0·00	0	0·00	0	0·31	2	1·00	2	0·42	3	0·00	0	0·79	2	0·00	0	0·00	0	2·73	11
1142	Klipfontein	29° 13′	17° 39′	3,109	0·00	0	0·25	2	0·00	0	0·00	0	0·06	1	0·16	1	1·15	2	0·38	2	0·12	1	1·09	3	0·11	2	0·00	0	3·32	14
1192	Steinkopf	29° 15′	17° 44′	3,000	0·00	0	0·00	0	0·00	0	0·00	0	0·11	1	0·54	3	1·55	2	0·30	2	0·00	0	1·23	3	0·11	2	0·00	0	3·84	13
1614	O'okiep	29° 36′	17° 52′	3,036	0·00	0	0·06	2	0·00	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	(0·06	2)
2037	Springbo	29° 40′	17° 53	3,200	0·00	0	0·23	2	0·00	0	0·00	0	0·40	2	0·55	2	2·26	3	0·73	3	0·09	1	2·13	5	0·36	2	0·00	0	6·75	20
400	Concordia	29° 32′	17° 56′	3,350	0·00	0	0·15	3	0·00	0	0·00	0	0·50	5	0·62	4	1·36	3	0·77	6	0·20	3	1·56	7	0·19	3	0·00	0	5·35	34
3641	Good House	28° 56′	18° 13′	—	0·00	0	0·02	2	0·01	1	0·01	1	0·11	1	0·07	1	0·08	1	0·00	0	0·00	0	0·10	4	0·23	4	0·00	0	0·63	15
SECTION 12—SEKSIE 12.																														
1663	Pella	29° 02′	19° 09′	1,500	0·00	0	0·00	0	0·06	1	0·26	1	0·41	1	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·06	1	0·00	0	0·79	4
3162	Zwartmodder	28° 03′	20° 35′	—	0·00	0	0·00	0	0·70	3	0·52	2	0·42	2	0·00	0	0·00	0	0·00	0	0·20	2	0·00	0	0·31	1	0·37	3	2·52	13
3163	Kakamas	28° 46′	20° 36′	—	0·06	1	0·00	0	0·05	1	0·20	1	0·48	2	0·00	0	0·03	1	0·00	0	0·11	1	0·03	1	0·94	4	0·18	2	2·08	14
SECTION 13—SEKSIE 13.																														
3224	Geelkop	28° 35′	21° 00′	—	0·23	1	0·00	0	0·13	2	0·06	1	0·29	2	0·00	0	0·08	1	0·00	0	0·17	2	0·12	1	0·54	2	0·24	2	1·86	14
1086	Kenhardt (Gaol—Tronk)	29° 21′	21° 09′	2,704	0·03	1	0·00	0	0·68	2	0·17	2	0·35	2	0·00	0	0·07	1	0·00	0	0·29	2	0·12	2	0·76	2	0·15	2	2·84	16
3226	Kenhardt II	29° 21′	21° 09′	—	0·01	1	0·00	0	0·69	2	0·19	3	0·33	2	0·00	0	0·05	1	0·00	0	0·36	2	0·09	2	0·79	3	0·14	3	2·65	19
2240	Upington (Gaol—Tronk)	28° 27′	21° 15′	2,800	0·02	1	0·18	1	1·41	4	0·97	4	0·52	5	0·06	2	0·05	2	0·00	0	0·24	2	0·00	0	0·77	3	0·44	3	4·66	27
3228	Louisvale	28° 28′	21° 15′	—	0·09	1	0·00	0	0·43	3	0·48	3	0·00	0	0·00	0	0·00	0	0·00	0	0·18	2	0·00	0	0·68	2	0·55	3	2·41	14
2185	Troollapepar	28° 40′	21° 34′	2,900	0·00	0	0·19	1	1·22	2	1·41	2	0·50	2	0·00	0	0·00	0	0·00	0	0·29	2	0·11	1	3·19	4	0·38	1	7·29	15
3229	Brakboschpoort	29° 25′	22° 00′	—	0·00	0	0·00	0	0·82	2	1·25	3	0·00	0	0·00	0	0·00	0	0·00	0	0·16	1	0·31	1	1·76	2	0·00	0	4·30	9

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) / Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 14 (*Continued*)—SEKSIE 14 (*Vervolg*).																														
3606	Van Tonderskans	29° 32′	23° 50′	—	0·37	3	0·19	1	2·54	4	0·49	3	0·08	3	0·00	0	0·00	0	0·00	0	0·15	2	0·39	2	1·86	4	0·49	2	6·56	24
3607	Solmonsfontein	28° 40′	23° 51′	—	0·68	1	0·00	0	4·67	7	0·00	0	0·21	1	0·00	0	0·00	0	0·00	0	0·00	0	0·61	1	0·00	0	0·00	0	6·17	10
3608	Elandsberg	29° 52′	23° 51′	—	0·00	0	0·09	1	4·40	4	0·00	0	0·00	0	0·18	1	0·00	0	0·00	0	0·07	1	0·32	2	1·07	2	1·82	5	7·95	16
89	Battlemond	27° 00′	23° 57′	3,800	1·13	2	0·52	1	1·74	5	0·98	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	(4·37	11)
3609	Wimbledon	29° 05′	23° 58′	—	0·13	1	0·00	0	3·86	6	0·59	5	0·24	1	0·05	1	0·00	0	0·00	0	0·21	2	0·58	2	2·29	7	1·77	6	9·72	31
3310	Takoon	27° 05′	24° 00′	3,900	0·92	7	0·60	2	4·98	13	0·86	4	1·17	4	0·05	1	0·00	0	0·00	0	0·07	2	0·62	4	0·92	8	3·13	10	13·32	55
3611	Baviaanskrans	28° 35′	24° 00′	—	0·08	2	0·16	2	3·08	10	0·94	3	0·56	3	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·45	2	1·60	5	6·87	27
3612	Tweefontein	28° 44′	24° 00′	—	0·59	2	0·24	2	1·06	6	1·17	3	0·26	1	0·00	0	0·00	0	0·00	0	0·14	1	0·83	3	2·26	4	1·97	6	8·52	28
4074	Perdeput	29° 55′	24° 02′	—	0·07	1	0·04	1	3·93	8	0·60	2	0·16	2	0·21	2	0·03	1	0·00	0	0·06	2	0·30	2	1·05	4	0·93	4	7·38	29
3613	Potfontein	28° 24′	24° 04′	—	1·83	2	0·07	1	3·10	11	2·43	4	0·48	2	0·00	0	0·00	0	0·00	0	0·08	2	0·78	4	1·61	5	2·40	7	12·78	38
3614	Schmidtsdrift	28° 42′	24° 04′	—	0·31	1	0·14	1	6·39	7	0·67	3	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·50	1	0·69	4	1·18	5	9·88	22
927	Hopetown	29° 37′	24° 05′	3,604	0·10	2	0·23	1	2·77	7	0·36	4	0·27	2	0·06	2	0·00	0	0·00	0	0·06	1	0·46	4	1·66	8	0·79	4	6·76	35
1619	Orange River (Oranjerivier)	29° 38′	24° 12′	3,520	0·00	0	1·00	2	2·64	4	0·06	1	0·20	2	0·00	0	0·04	1	0·00	0	0·08	2	0·65	4	1·46	3	0·57	1	6·70	20
2325	Vogelfontein	28° 17′	24° 14′	3,800	0·42	3	0·03	1	2·16	12	1·27	6	0·45	2	0·00	0	0·04	1	0·00	0	0·13	1	0·27	2	0·29	6	1·68	10	6·74	44
2107	Sydney-on-Vaal	28° 27′	24° 18′	3,600	0·11	1	0·34	2	5·86	15	0·48	5	1·57	5	0·00	0	0·05	2	0·00	0	0·04	3	0·71	5	1·10	6	3·10	10	13·36	54
3615	Knockbarragh	27° 57′	24° 20′	—	0·67	1	0·28	1	3·68	13	0·93	3	0·51	3	0·00	0	0·03	1	0·00	0	0·00	0	1·10	4	1·83	8	3·88	11	12·91	45
3616	Thorndale	29° 42′	24° 21′	—	0·00	0	0·53	1	2·49	7	0·20	2	0·03	1	0·09	1	0·00	0	0·00	0	0·00	0	0·42	1	0·63	6	0·43	2	4·82	21
3617	Newlands	28° 20′	24° 22′	3,500	0·83	3	0·44	3	3·28	15	1·55	6	0·62	3	0·00	0	0·15	3	0·00	0	0·30	2	0·78	4	1·20	7	3·24	10	12·39	56
117	Belmont	29° 25′	24° 22′	3,957	0·00	0	0·53	2	2·46	8	0·33	3	0·29	—	0·00	0	0·21	2	0·00	0	0·52	1	0·58	2	0·72	3	0·39	—	6·03	(21)
116	Bellsbank	28° 08′	24° 24′	3,840	0·30	2	0·20	1	5·10	12	1·22	2	0·50	1	0·00	0	0·10	1	0·00	0	0·00	0	1·02	2	0·95	2	3·29	6	12·68	29
3619	Bawood	27° 27′	24° 25′	—	1·11	5	1·40	5	4·02	13	1·28	5	0·84	4	0·00	0	0·36	2	0·00	0	0·05	2	1·23	6	1·42	8	3·47	10	15·18	60
193	Boetsap	27° 56′	24° 25′	3,900	3·53	2	0·00	0	10·45	12	1·48	3	0·92	1	0·00	0	1·08	2	0·00	0	0·00	0	1·38	2	0·86	6	3·61	8	23·31	36
4085	Union Saltpan	29° 37′	24° 25′	—	0·00	0	0·64	2	1·84	4	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·50	1	0·45	1	0·49	2	1·61	1	5·53	11
3621	Scholtzfontein	27° 16′	24° 26′	—	0·65	4	0·53	1	3·70	10	1·26	3	0·82	2	0·00	0	0·10	1	0·00	0	0·23	1	0·90	3	0·46	2	1·50	7	10·15	34
3622	Doornlaagte	28° 15′	24° 27′	—	0·15	1	0·00	0	3·34	11	2·65	5	0·54	3	0·00	0	0·25	1	0·00	0	0·00	0	0·85	2	0·80	5	3·49	8	12·07	36
631	Eureka	29° 05′	24° 29′	3,800	0·00	0	0·54	2	2·26	7	0·05	2	0·30	1	0·00	0	0·00	0	0·00	0	0·21	2	0·28	3	1·37	5	2·24	6	7·25	28
3623	Spitzkop	28° 18′	24° 32′	—	0·00	0	0·41	1	3·10	11	1·16	3	0·54	1	0·00	0	0·25	1	0·00	0	0·00	0	1·02	3	0·87	2	2·03	6	9·38	28
87	Barkly West (Wes)	28° 32′	24° 32′	3,800	0·12	3	1·27	3	3·52	14	0·94	6	0·95	2	0·00	0	0·00	0	0·00	0	0·36	3	0·55	2	0·78	7	4·48	13	12·97	53
5036	Legpan	29° 40′	24° 34′	—	0·20	2	0·50	3	1·68	7	0·59	4	0·28	3	0·10	1	0·04	1	0·00	0	0·00	0	0·99	3	0·93	5	3·04	5	8·35	34
3624	Ramoth	29° 26′	24° 35′	—	0·00	0	0·15	1	1·42	4	0·00	0	·000	0	0·00	0	0·00	0	0·00	0	—	—	2·90	6	0·00	0	0·25	1	(4·72	12)
3625	Spreeuwfontein	29° 18′	24° 36′	—	—	—	0·43	1	2·10	4	0·39	—	0·00	0	0·00	0	0·00	0	0·00	0	0·55	1	0·50	1	0·48	2	1·39	3	(5·84	12)
1480	Modder River (Modderrivier)	29° 03′	24° 37′	3,668	0·00	0	1·35	2	1·27	4	0·81	2	0·33	1	0·00	0	0·00	0	0·00	0	0·10	1	0·03	1	2·27	6	2·70	7	8·86	24
2556	Zoutpan	29° 15′	24° 38′	3,900	0·00	0	0·08	1	1·86	5	0·78	2	0·37	2	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	1·15	3	1·21	1	5·43	14
5025	Madrid	27° 14′	24° 40′	—	1·66	6	2·58	3	4·74	10	1·34	4	0·77	2	0·00	0	0·00	0	0·00	0	0·53	2	1·27	5	2·70	6	1·31	6	16·90	44
1870	Rocklands	28° 20′	24° 40′	3,800	0·43	4	1·17	2	5·04	15	0·88	4	0·60	1	0·00	0	0·00	0	0·00	0	0·00	0	1·50	3	0·80	6	1·29	5	11·71	40

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 15 (*Continued*)—SEKSIE 15 (*Vervolg*).																														
2015	Smithskraal	28° 06′	25° 04′	3,985	0·21	3	0·25	3	5·01	14	0·81	4	0·69	3	0·00	0	0·77	1	0·00	0	0·16	3	1·19	6	1·68	6	5·41	9	16·18	52
487	De Werf	29° 01′	25° 04′	3,800	0·00	0	0·00	0	1·55	5	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	—	—	—	—	—	—	—	—	(1·55	5)
1633	Paardeberg	28° 58′	25° 05′	3,850	0·00	0	0·60	2	2·26	6	1·30	2	1·40	1	0·00	0	0·00	0	0·00	0	0·18	3	1·25	5	2·20	7	3·03	4	12·22	30
3084	Blaauwbank	29° 30′	25° 05′	—	0·00	0	0·25	1	4·13	9	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·28	1	0·93	3	0·67	3	0·30	1	6·56	18
3085	Taaiboslaagte	29° 35′	25° 05′	—	0·09	1	0·37	3	2·74	9	0·59	3	0·29	2	0·00	0	0·00	0	0·00	0	0·20	3	0·67	4	2·89	7	0·75	7	8·59	39
3086	Wheeldon	29° 51′	25° 05′	—	0·00	0	0·00	0	0·00	0	0·57	2	0·00	0	0·00	0	0·00	0	0·00	0	0·40	1	0·42	1	1·62	5	0·93	4	3·94	13
2220	Uitkyk	29° 16′	25° 07′	4,150	0·00	0	0·43	2	1·21	3	0·42	3	0·17	2	0·08	1	0·00	0	0·00	0	0·00	0	0·20	2	1·76	5	0·00	0	4·27	18
3088	Graspan	28° 54′	25° 07′	—	0·34	1	0·00	0	4·48	6	0·63	2	0·47	2	0·00	0	0·00	0	0·00	0	0·00	0	0·91	3	2·17	5	1·55	5	10·55	24
3089	Parys No. 570	29° 55′	25° 07′	—	0·06	1	0·46	2	2·08	7	0·70	2	0·63	3	0·04	1	0·00	0	0·00	0	0·04	2	0·89	4	2·85	5	1·00	7	8·75	34
786	Graspan	27° 40′	25° 08′	4,000	1·45	3	0·53	5	4·63	15	1·29	3	0·22	1	0·03	1	0·00	0	0·00	0	0·36	3	1·99	6	1·98	7	4·40	8	16·86	52
5027	Danielsfontein	28° 51′	25° 08′	—	0·27	2	0·26	2	2·74	10	0·62	2	0·00	0	0·00	0	0·00	0	0·00	0	0·13	1	1·15	3	1·74	6	2·65	9	9·56	35
360	Christiana	27° 55′	25° 10′	3,970	1·00	2	1·83	5	3·66	17	0·68	4	0·15	2	0·02	1	0·13	1	0·00	0	0·13	2	5·23	6	2·21	8	3·24	10	18·28	58
1815	Rietput	29° 36′	25° 10′	4,257	0·17	1	0·49	2	2·11	5	0·30	2	0·39	1	0·00	0	0·00	0	0·00	0	0·00	0	0·87	3	1·82	4	0·00	0	6·15	18
488	De Hoop	27° 47′	25° 11′	4,000	0·72	1	0·00	0	2·97	11	0·92	2	0·00	0	0·00	0	0·00	0	0·00	0	0·57	2	0·72	3	1·33	3	3·72	7	10·95	29
3092	Doornfontein	28° 53′	25° 11′	—	0·11	1	0·33	3	2·26	10	0·97	3	0·78	2	0·00	0	0·00	0	0·00	0	0·25	2	1·27	5	1·29	5	2·28	8	9·54	39
4088	Stowlands	27° 54′	25° 12′	—	0·96	2	1·68	4	4·58	16	0·69	3	0·11	2	0·04	1	0·45	1	0·00	0	0·60	2	5·15	4	3·10	5	2·98	5	20·34	45
4089	Sandy Mount	29° 46′	25° 12′	—	0·02	1	0·24	2	2·45	6	1·01	5	1·09	3	0·14	1	0·04	1	0·00	0	0·02	1	1·30	5	2·42	5	1·05	6	9·78	36
209	Boshof	28° 32′	25° 14′	4,100	1·01	2	1·93	2	3·69	9	1·57	5	0·62	1	0·00	0	0·00	0	0·00	0	1·05	3	1·51	4	1·70	6	4·93	6	18·01	38
3094	Glen	28° 43′	25° 14′	—	0·03	1	0·88	3	3·63	10	1·54	4	0·41	2	0·00	0	0·00	0	0·00	0	0·35	2	1·20	3	2·43	7	3·19	7	13·66	39
1973	Schweizer Reneke, Lot No. 15	27° 08′	25° 15′	4,500	1·30	4	1·53	6	3·53	10	2·20	3	0·00	0	0·00	0	0·00	0	0·00	0	0·76	2	4·20	4	1·30	2	2·42	4	17·24	35
104	Beginseldam	28° 12′	25° 15′	4,262	0·00	0	0·00	0	2·68	5	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	1·03	1	1·61	2	1·05	1	6·37	9
3097	Makouwsdrift	28° 56′	25° 16′	—	0·00	0	0·22	1	2·30	10	0·00	0	0·50	1	0·00	0	0·00	0	0·00	0	0·35	1	1·20	4	1·31	4	2·88	5	8·76	26
2139	Tembani	29° 30′	25° 16′	4,100	0·94	1	0·00	0	2·17	4	0·37	1	0·00	0	0·00	0	0·00	0	0·00	0	0·18	2	0·72	3	1·45	5	1·33	4	7·16	20
4090	Hartebeestfontein	29° 49′	25° 16′	—	—	—	—	—	—	—	—	—	—	—	—	—	0·05	1	0·00	0	0·29	2	0·76	3	1·81	7	2·50	6	(5·41	19)
3096	Bordeaux	28° 21′	25° 17′	—	0·16	1	0·00	0	3·58	9	1·42	3	0·56	2	0·00	0	0·00	0	0·00	0	0·22	1	0·86	2	1·09	4	5·20	8	13·09	30
3098	Barrydene	27° 54′	25° 18′	—	0·75	2	0·54	3	5·18	15	0·80	2	0·21	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	(7·49	24)
3099	Meriba	28° 00′	25° 19′	—	0·61	1	2·08	5	4·64	10	0·15	1	0·00	0	0·00	0	0·00	0	0·00	0	0·05	1	3·10	5	2·25	4	3·50	5	16·37	32
3100	Koppieskraal	29° 35′	25° 19′	—	0·89	2	0·29	3	2·25	5	0·87	4	0·00	0	0·00	0	0·00	0	0·00	0	0·31	2	0·32	2	2·38	6	0·47	4	8·28	26
654	Fauresmith (School—Skool)	29° 45′	25° 19′	4,500	0·36	3	0·40	2	2·35	4	0·49	2	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	1·01	2	2·38	5	0·35	1	7·34	19
3101	Fauresmith (Station—Stasie)	29° 45′	25° 19′	4,600	0·00	0	0·44	2	2·13	5	0·33	1	0·45	3	0·00	0	0·00	0	0·00	0	0·30	2	0·30	1	2·32	5	0·95	3	7·22	22
1972	Schweizer Reneke	27° 11′	25° 20′	3,900	0·62	9	2·34	7	2·25	7	1·15	3	0·20	1	0·00	0	0·00	0	0·00	0	0·41	1	3·02	3	1·00	4	2·63	6	13·62	41
2522	Zandfontein	27° 18′	25° 20′	4,400	1·12	9	1·00	6	2·76	16	1·06	5	0·24	3	0·12	2	0·00	0	0·00	0	0·67	3	3·28	6	1·43	8	5·29	9	16·97	67
3102	Inhoek	29° 07′	25° 20′	—	0·63	1	1·02	4	3·38	9	1·16	4	0·75	2	0·00	0	0·00	0	0·00	0	0·06	1	1·32	4	1·59	6	2·38	8	12·29	39
3103	Ventersvlei	29° 31′	25° 20′	—	1·36	2	0·34	3	1·78	6	1·08	6	0·24	1	0·00	0	0·00	0	0·00	0	0·16	1	0·71	2	0·20	1	0·00	0	5·87	22
3104	Melrose	27° 44′	25° 21′	—	1·45	4	0·00	0	3·44	13	1·05	2	0·60	2	0·00	0	0·45	1	0·00	0	0·52	2	1·50	5	3·58	5	5·24	8	17·83	42

3104	Pietersville	28° 49′	25° 21′	—	0·77	3	2·85	5	3·79	13	1·66	3	0·43	1	0·00	0	0·00	0	0·00	0	0·31	3	1·22	4	2·87	6	2·49	7	16·39	45				
3106	Dwarsvlei	29° 56′	25° 21′	—	0·48	1	0·45	2	2·20	9	0·63	3	0·20	3	0·14	1	0·00	0	0·00	0	0·00	0	1·42	4	2·24	6	1·16	5	8·92	34				
3107	Spitskop	29° 59′	25° 21′	—	0·10	1	0·48	3	2·85	9	0·85	4	0·24	2	0·10	1	0·00	0	0·00	0	0·26	1	0·84	3	2·91	7	1·94	6	10·57	37				
1897	Roodepoort	27° 50′	25° 23′	4,002	0·70	1	0·80	4	3·31	10	1·56	2	0·32	2	0·00	0	0·12	1	0·00	0	0·64	2	3·34	4	2·02	6	4·16	9	16·97	41				
3109	Eagles Nest	28° 54′	25° 23′	3,900	—	—	—	—	—	—	1·15	1	0·44	1	0·00	0	0·00	0	0·00	0	0·18	1	1·17	3	1·86	6	1·92	4	(6·72	16)				
3110	Brandfontein	29° 39′	25° 23′	—	0·15	2	1·34	3	0·33	2	0·26	2	0·00	0	0·00	0	0·00	0	0·00	0	0·87	2	0·33	1	2·09	4	0·88	3	6·25	19				
3111	Holpan	27° 14′	25° 24′	—	1·12	5	1·26	4	2·34	9	1·17	4	0·12	2	0·00	0	0·00	0	0·00	0	0·67	3	3·21	4	1·59	7	4·10	9	15·58	47				
3112	Mooifontein	27° 29′	25° 24′	—	0·66	3	0·45	2	2·75	7	0·60	2	0·63	1	0·00	0	0·00	0	0·00	0	0·90	2	1·64	4	0·29	2	3·60	5	11·52	28				
3108	Rondefontein	28° 48′	25° 24′	—	—	—	—	—	0·77	7	0·77	2	0·47	1	0·00	0	0·00	0	0·00	0	0·70	1	1·21	3	2·89	7	2·48	4	(9·29	25)				
1199	Kranzhoek	29° 23′	25° 24′	4,400	0·44	1	1·10	2	1·02	3	0·85	2	0·40	1	0·00	0	0·00	0	0·00	0	0·25	1	0·95	2	0·81	2	0·84	2	6·66	16				
1669	Petrusburg	29° 07′	25° 25′	4,100	0·45	3	1·07	4	3·80	11	1·18	3	0·66	1	0·00	0	0·00	0	0·00	0	0·15	2	1·05	4	1·86	7	2·62	5	12·84	40				
450	Dassiespoort	29° 33′	25° 25′	4,120	2·15	1	0·00	0	1·23	3	0·69	2	0·40	2	0·00	0	0·00	0	0·12	1	0·37	1	0·63	2	1·49	3	1·14	2	8·22	17				
1646	Palmietfontein	27° 40′	25° 26′	3,900	1·16	5	0·06	1	3·53	10	1·08	4	0·73	2	0·00	0	0·19	1	0·00	0	0·87	3	1·44	6	1·82	5	4·76	9	15·64	46				
3113	Westhoek	29° 02′	25° 26′	—	0·51	2	0·56	2	3·57	11	1·54	3	0·63	1	0·00	0	0·00	0	0·00	0	0·16	1	1·31	3	2·01	7	3·76	6	14·05	36				
972	Jagersfontein	29° 46′	25° 26′	4,650	0·30	1	0·51	1	4·00	8	0·36	2	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	1·75	2	0·35	1	7·27	15				
3114	Lapdoorns	27° 43′	25° 28′	—	0·72	9	0·52	7	3·00	18	0·93	4	0·80	3	0·02	1	0·25	1	0·00	0	1·04	4	1·56	7	2·04	8	5·70	11	16·58	73				
3115	Houmoed	28° 06′	25° 29′	—	2·00	2	0·52	2	2·65	3	0·20	1	0·50	1	0·00	0	0·00	0	0·00	0	0·00	0	0·58	3	0·80	5	4·90	8	12·15	25				
3116	Halfweg	28° 53′	25° 29′	—	0·24	3	0·48	4	2·86	12	1·05	2	0·40	1	0·00	0	0·00	0	0·00	0	0·52	3	0·92	4	2·62	9	3·41	11	12·50	49				
1145	Klipnek	29° 16′	25° 29′	4,500	1·16	1	1·80	3	2·37	4	0·98	2	0·55	1	0·00	0	0·00	0	0·00	0	0·61	4	0·99	5	1·42	6	2·89	10	12·77	36				
2011	Sleutelpoort	29° 52′	25° 29′	4,458	0·00	0	0·00	0	0·99	3	0·00	0	0·59	1	0·00	0	0·00	0	0·00	0	0·33	1	1·27	3	3·55	3	0·76	3	7·49	14				
3117	Bosmansfontein	27° 32′	25° 30′	—	0·70	1	2·10	2	3·25	11	0·40	1	0·00	0	0·00	0	0·20	1	0·00	0	1·00	2	1·70	3	0·40	1	4·55	5	14·30	27				
594	Elandsput	28° 29′	25° 30′	4,130	0·17	1	0·93	5	5·02	11	1·53	4	0·38	1	0·00	0	0·00	0	0·00	0	0·73	2	1·02	4	0·79	4	2·97	6	13·54	38				
2388	Waterval No. 752	28° 50′	25° 30′	4,000	0·20	2	0·84	2	4·04	12	0·76	2	0·61	1	0·00	0	0·00	0	0·00	0	0·78	2	1·31	4	2·48	7	3·25	10	14·27	42				
1074	Katdoornput	29° 00′	25° 30′	4,000	0·28	2	0·57	2	3·87	8	1·50	2	0·48	2	0·00	0	0·00	0	0·00	0	0·17	1	1·30	4	2·08	7	2·51	6	12·76	34				
3118	Bestersput	29° 11′	25° 30′	—	0·84	1	1·20	2	3·96	5	1·49	2	0·25	2	0·00	0	0·00	0	0·00	0	0·14	1	1·20	4	2·84	7	2·00	6	13·92	30				
1560	Newlands	29° 30′	25° 30′	4,400	0·46	4	0·61	2	2·72	5	0·26	2	0·34	2	0·00	0	0·00	0	0·00	0	0·36	2	0·64	3	1·48	4	0·48	3	7·35	27				
4091	Grasvlei	29° 44′	25° 30′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0·35	2	1·26	3	2·48	5	1·45	6	(5·54	16)				
1060	Karreefontein	27° 38′	25° 31′	—	0·36	1	0·09	3	2·23	7	0·46	2	0·65	3	0·00	0	0·00	0	0·00	0	1·02	2	1·16	4	0·80	2	3·12	4	9·89	28				
3119	Karreefontein	27° 39′	25° 31′	—	0·91	4	0·22	1	3·01	11	0·83	3	0·33	1	0·00	0	0·45	1	0·00	0	1·09	3	1·14	5	1·41	4	3·31	8	12·70	41				
3120	Hertzogville	28° 08′	25° 31′	—	1·41	3	1·08	5	5·99	10	0·00	0	0·30	1	0·00	0	0·00	0	0·00	0	0·46	2	1·25	6	0·80	5	4·90	8	16·19	40				
515	Doornplaats	29° 04′	25° 31′	4,145	0·77	4	1·11	4	4·59	13	1·38	3	0·75	4	0·00	0	0·00	0	0·00	0	0·31	3	1·41	5	2·51	7	3·65	8	16 48	49				
3121	Helpmekaar	29° 28′	25° 31′	—	0·90	2	0·22	1	1·74	10	0·32	2	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·93	3	1·68	4	0·33	1	6·12	23				
3122	Gleniffer	29° 41′	25° 31′	—	0·48	3	1·41	3	3·00	6	0·79	5	0·22	1	0·00	0	0·09	1	0·00	0	0·56	2	0·09	1	2·35	6	0·86	5	9·85	33				
3123	Makouwskop	27° 04′	25° 33′	—	1·26	9	1·31	5	4·05	15	1·22	9	0·07	2	0·09	2	0·00	0	0·00	0	0·57	2	2·42	6	0·61	7	2·67	10	14·27	67				
3124	Evesbatch	29° 22′	25° 33′	—	0·59	3	0·98	5	3·03	8	0·90	4	0·27	1	0·00	0	0·00	0	0·00	0	0·55	3	1·09	4	1·30	5	2·14	10	10·85	43				
3125	Diamant Doorns	27° 07′	25° 34′	—	1·76	5	1·50	3	2·97	9	1·38	4	0·00	0	0·00	0	0·00	0	0·00	0	0·42	1	2·35	5	0·72	4	7·12	8	18·22	39				
3126	Belgrave	29° 06′	25° 34′	—	0·89	4	1·47	8	3·66	15	1·37	4	0·84	6	0·00	0	0·00	0	0·00	0	0·35	3	1·56	5	2·18	10	2·63	8	14·95	63				
3127	Slangfontein	29° 44′	25° 34′	—	0·70	5	1·30	5	3·10	8	0·91	5	0·31	3	0·10	1	0·10	1	0·00	0	0·15	1	0·87	4	2·49	6	1·33	4	11·36	43				
3128	Buffelbout	29° 52′	25° 34′	—	0·09	2	0·66	4	2·75	8	0·85	4	0·29	4	0·12	2	0·00	0	0·00	0	0·17	1	0·93	2	2·70	8	0·75	4	9·31	39				
2540	Zevenfontein	27° 27′	25° 36′	4,200	1·92	5	1·82	8	2·96	10	0·51	3	0·36	2	0·00	0	0·00	0	0·00	0	0·57	3	2·37	6	0·96	5	4·68	7	16·15	49				
185	Bloemhof	27° 39′	25° 36′	4,050	1·25	5	0·90	5	3·19	13	0·59	3	0·28	1	0·00	0	0·00	0	0·00	0	0·45	1	1·51	4	1·35	3	—	—	(9·52	35)				
3130	Lusthof	29° 26′	25° 36′	—	0·00	0	0·46	1	3·08	8	0·80	4	0·23	1	0·00	0	—	—	—	—	—	—	—	—	—	—	—	—	(4·57	14)				
1326	Lokshoek	29° 40′	25° 36′	4,400	0·84	2	0·50	2	2·96	6	1·12	6	0·12	4	0·00	0	0·10	1	0·00	0	0·34	1	0·58	2	3·76	5	2·26	7	12·58	36				
3131	Koppiesdam	29° 13′	25° 37′	—	1·33	2	1·79	4	4·10	7	1·07	3	0·46	2	0·00	0	0·00	0	0·00	0	0·39	2	0·99	3	1·89	6	2·38	6	14·40	35				
2277	Vendutiekop	29° 45′	25° 38′	4,300	0·22	1	0·49	2	5·62	10	0·86	3	0·15	1	0·00	0	0·12	1	0·00	0	0·41	2	0·18	1	2·14	5	0·93	4	11·12	34				

No. / No.	Station. / Staste.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 15 (*Continued*)—SEKSIE 15 (*Vervolg*).																														
886	Hessie	27° 14′	25° 39′	4,400	0·90	3	0·78	4	2·55	13	0·68	3	0·26	2	0·00	0	0·00	0	0·00	0	0·48	3	3·65	7	1·18	6	3·58	8	14·06	49
3134	Kraalkop	28° 06′	25° 40′	—	0·70	2	1·44	4	3·86	8	0·60	2	0·32	1	0·00	0	0·00	0	0·00	0	0·40	1	2·27	4	1·27	3	4·33	6	15·19	31
3135	Sterkfontein	29° 16′	25° 41′	—	2·06	4	1·98	3	4·21	8	1·72	3	0·37	1	0·00	0	0·00	0	0·00	0	0·06	1	1·60	4	3·04	8	2·69	5	17·73	37
3136	Vaalboschfontein	27° 15′	25° 42′	—	0·82	3	0·31	4	4·77	14	0·85	3	0·30	2	0·00	0	0·00	0	0·00	0	0·61	2	3·11	5	3·18	8	4·99	9	18·94	50
3137	Wolhuterskop	28° 14′	25° 42′	—	0·73	2	0·50	1	3·70	6	0·66	2	0·00	0	0·00	0	0·00	0	0·00	0	0·42	2	0·57	3	0·00	0	2·79	6	9·37	22
3138	Helderfontein	28° 58′	25° 42′	—	1·97	4	0·84	2	5·06	11	2·51	4	0·59	1	0·00	0	0·00	0	0·00	0	0·71	2	1·89	4	3·62	8	2·60	7	19·79	43
3143	Klippan	29° 25′	25° 42′	3,330	0·00	0	2·39	5	2·12	8	0·47	2	0·64	4	0·00	0	0·00	0	0·00	0	0·20	1	0·65	5	1·08	4	0·76	4	8·31	33
4093	Doornrandjes	28° 43′	25° 43′	—	0·00	0	1·24	4	4·01	11	0·83	3	0·49	1	0·00	0	0·00	0	0·00	0	0·88	3	1·20	4	0·70	3	3·18	6	12·53	35
168	Blesbokfontein	29° 33′	25° 43′	4,300	1·06	1	1·57	2	1·18	4	0·07	1	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·81	3	0·85	2	0·40	1	5·94	14
3139	Fairview	29° 50′	25° 43′	—	0·50	1	0·75	4	5·14	11	0·69	3	0·50	1	0·00	0	0·00	0	0·00	0	0·42	1	1·27	4	2·85	3	0·90	4	13·02	32
4094	Kelvedon	28° 37′	25° 45′	—	0·49	3	1·08	3	4·84	13	0·82	2	0·37	1	0·00	0	0·00	0	0·00	0	1·46	3	1·03	4	1·15	6	1·81	2	13·05	37
1636	Paardekraal	28° 56′	25° 45′	4,100	0·96	2	1·29	2	5·92	11	1·96	4	0·64	2	0·00	0	0·00	0	0·00	0	0·69	2	2·07	4	2·83	10	2·54	5	18·90	42
3140	Kameelfontein	27° 36′	25° 46′	—	0·12	1	0·83	1	3·24	9	0·35	1	0·36	1	0·01	1	0·00	0	0·00	0	0·61	2	1·66	6	0·70	4	3·00	7	10·88	33
3141	Kromloop	28° 20′	25° 46′	—	0·76	2	0·67	2	4·32	6	1·05	2	0·55	1	0·00	0	0·00	0	0·00	0	0·83	3	2·67	3	1·11	4	4·90	6	16·86	29
453	Dealesville	28° 41′	25° 46′	4,100	0·38	2	1·90	4	4·12	10	1·18	4	0·33	1	0·00	0	0·00	0	0·00	0	1·30	3	0·95	3	0·86	4	2·36	5	13·40	36
475	De Put	29° 46′	25° 46′	4,600	0·29	1	0·18	1	3·61	6	0·43	2	0·00	0	0·00	0	0·05	1	0·00	0	0·43	2	0·56	2	3·32	5	0·97	3	9·84	23
456	De Brug	29° 09′	25° 48′	4,200	0·00	0	3·51	4	2·76	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	(6·27	9)
5028	Glandinasdal	27° 52′	25° 48′	—	0·41	5	0·76	5	1·52	6	0·52	1	0·72	2	0·00	0	0·00	0	0·00	0	0·93	2	2·79	7	0·82	6	3·49	6	11·96	40
3144	Bloemhof	29° 59′	25° 48′	—	0·22	2	0·63	4	4·34	11	1·09	3	0·11	2	0·10	2	0·00	0	0·00	0	0·36	2	1·07	4	3·77	7	1·30	7	12·99	44
3145	Northfield	29° 15′	25° 49′	—	1·76	2	3·16	6	4·70	11	1·82	5	1·01	7	0·00	0	0·01	1	0·00	0	0·51	3	1·83	4	2·44	8	2·38	11	19·62	58
3146	Vaalbank	29° 32′	25° 49′	—	1·28	1	1·26	2	3·39	8	0·41	2	0·00	0	0·00	0	0·00	0	0·00	0	0·15	1	1·00	4	1·42	5	0·92	2	9·83	25
1229	Kruger Siding	29° 56′	25° 49′	4,686	0·00	0	0·65	3	3·58	9	0·20	2	0·00	0	0·00	0	0·00	0	0·00	0	0·10	1	1·39	4	1·85	5	0·18	2	7·95	26
1058	Karreebosch	27° 18′	25° 50′	4,500	0·73	5	1·36	9	5·06	15	0·91	5	0·25	2	0·00	0	0·00	0	0·00	0	0·59	3	2·82	7	2·14	7	4·21	8	18·07	61
3149	Klippan	28° 37′	25° 51′	—	0·00	0	1·60	4	4·64	6	0·94	2	0·55	2	0·03	1	0·00	0	0·00	0	1·54	4	1·26	4	0·99	4	2·89	6	14·44	33
1643	Pakpoort	29° 30′	25° 52′	4,320	1·75	1	0·71	2	5·26	10	0·96	4	0·41	2	0·00	0	0·00	0	0·00	0	0·30	1	1·08	3	2·65	8	2·46	6	15·58	37
4096	Modderdrift	27° 52′	25° 53′	—	—	—	—	—	—	—	—	—	—	—	0·03	1	0·01	1	0·00	0	—	—	—	—	1·08	8	3·91	13	(5·03	29)
4097	Brand	28° 10′	25° 53′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1·70	7	1·12	5	2·19	6	(5·01	18)
1237	Kuilput	29° 18′	25° 53′	4,400	2·39	4	4·01	5	4·11	10	1·69	5	0·58	5	0·00	0	0·00	0	0·00	0	0·49	2	1·21	4	1·97	10	2·28	11	18·73	56
1935	Rustfontein	29° 25′	25° 54′	4,520	1·81	2	1·40	3	4·10	7	0·90	2	0·42	1	0·00	0	0·00	0	0·00	0	0·00	0	1·30	3	1·39	3	1·44	3	12·76	24
3150	Hoopstad (Gaol—Tronk)	27° 50′	25° 54′	4,000	0·83	3	1·48	4	3·16	6	0·40	2	0·66	2	0·00	0	0·00	0	0·00	0	0·76	2	3·95	5	0·62	3	3·82	6	15·68	33
923	Hoopstad (School—Skool)	27° 50′	25° 54′	4,000	0·67	5	1·36	6	2·25	9	0·39	3	0·53	2	0·00	0	0·00	0	0·00	0	0·65	2	3·24	7	0·58	6	2·43	7	12·10	47
3147	Vaalbank	27° 35′	25° 55′	—	1·37	4	1·62	4	4·37	10	0·15	1	0·00	0	0·00	0	0·00	0	0·00	0	0·55	2	1·59	5	0·67	3	4·42	6	14·74	35
3148	Braeside	28° 14′	25° 56′	—	1·17	3	1·16	5	3·42	7	1·12	2	1·05	1	0·00	0	0·30	1	0·00	0	0·68	2	1·50	5	3·49	5	2·95	4	16·84	35
1702	Platkop	29° 14′	25° 56′	4,300	1·37	5	1·54	5	2·72	12	1·50	4	0·48	2	0·00	0	0·00	0	0·00	0	0·40	3	1·49	4	2·49	9	2·09	7	14·08	51
570	Edenburg	29° 44′	25° 56′	4,500	1·23	3	0·88	2	6·23	11	0·99	4	0·50	2	0·00	0	0·00	0	0·00	0	0·00	0	1·31	5	2·68	5	1·26	5	15·08	37

113	Bellevue	29° 47′	25° 56′	4,552	1·20	2	1·18	3	4·62	11	0·86	2	0·00	0	0·00	0	0·15	1	0·00	0	0·30	1	1·37	3	2·24	5	2·01	6	13·93	34									
2219	Uitkyk	29° 55′	25° 56′	4,800	0·20	3	1·65	3	2·83	6	0·85	3	0·13	1	0·00	0	0·00	0	0·00	0	0·00	0	0·84	4	1·81	5	0·43	3	8·74	28									
135	Bethany Village	29° 36′	25° 57′	4,400	1·25	5	1·17	6	4·90	12	1·12	5	0·23	2	0·03	1	0·17	2	0·00	0	0·28	1	1·09	4	1·96	9	2·39	10	14·59	57									
4098	Poortjesfontein	29° 36′	25° 57′	—	—	—	—	—	—	—	1·00	4	0·00	0	0·00	0	0·05	1	0·00	0	0·00	0	3·25	4	2·94	7	3·78	7	(11·02 | 23)									
5026	Skema	29° 59′	25° 58′	—	0·25	1	0·75	2	5·40	6	0·37	3	0·25	1	0·12	1	0·00	0	0·00	0	0·00	0	1·05	3	0·73	3	0·80	1	9·72	21									
1910	Rooipoort	27° 04′	25° 59′	4,300	1·55	3	2·36	5	5·93	8	1·27	2	0·00	0	0·00	0	0·00	0	0·00	0	0·71	2	1·86	4	1·17	4	1·87	5	16·72	33									
2479	Wolmaransstad	27° 12′	25° 59′	4,380	2·40	5	1·53	3	5·17	11	0·70	3	0·46	2	0·00	0	0·00	0	0·00	0	0·50	2	3·25	7	2·18	5	4·03	6	20·22	44									
1400	Maquassi	27° 19′	26° 00′	4,300	1·39	10	1·03	8	1·98	13	0·58	3	0·25	1	0·00	0	0·00	0	0·00	0	0·55	2	2·32	6	1·75	4	6·48	9	16·33	56									
136	Bethany Rail	29° 37′	26° 00′	4,585	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0·32	1	0·73	2	2·63	6	2·27	5	(5·95 | 14)											
4099	The Olives	28° 19′	26° 01′	—	—	—	—	—	—	—	—	—	0·48	2	0·02	2	0·04	1	0·00	0	0·71	2	1·90	6	1·28	7	3·93	9	(8·36 | 29)									
641	Fairfield	28° 22′	26° 01′	4,500	1·08	5	1·22	4	3·11	11	1·35	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	(6·76 | 24)									
4100	Middelkop	28° 47′	26° 01′	—	1·06	4	2·89	5	3·50	5	1·61	4	0·53	1	0·00	0	0·00	0	0·00	0	0·77	2	1·13	5	3·27	4	1·40	2	16·16	32									
1544	Myburghsfontein	28° 48′	26° 02′	4,200	1·20	2	2·06	4	3·83	9	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	1·10	2	1·19	4	3·30	8	3·72	6	16·40	35									
2169	Toeloop	29° 46′	26° 03′	4,500	2·07	4	1·94	3	3·66	8	0·79	2	0·59	3	0·00	0	0·00	0	0·00	0	0·00	0	0·99	3	2·44	6	1·41	4	13·89	33									
3152	Risk	27° 58′	26° 04′	—	0·21	1	1·60	1	3·20	3	0·56	2	0·00	0	0·00	0	0·00	0	0·00	0	0·56	1	2·02	3	1·74	4	2·92	3	12·81	18									
4101	Floris Bad	28° 47′	26° 04′	—	1·14	5	4·15	8	4·64	9	0·99	4	0·71	1	0·00	0	0·00	0	0·00	0	1·24	4	2·00	4	2·02	8	1·81	7	18·70	50									
2450	Willows, The	29° 15′	26° 04′	—	3·52	2	3·52	4	4·50	9	2·00	5	0·40	1	0·00	0	0·00	0	0·00	0	0·33	1	1·40	3	2·43	7	0·70	1	18·80	33									
1166	Knelpoort	29° 54′	26° 04′	4,800	0·30	3	1·82	4	2·79	11	1·40	5	0·25	2	0·07	2	0·00	0	0·00	0	0·23	3	0·82	4	1·48	4	1·62	6	10·78	44									
3153	De Rots	27° 42′	26° 05½′	—	0·00	0	0·00	0	1·44	2	1·06	1	0·00	0	0·00	0	0·00	0	0·00	0	0·68	2	—	—	4·00	4	1·57	2	(8·75 | 11)									
66	Bainsvlei	29° 03′	26° 06′	4,500	1·93	2	3·09	5	5·21	11	2·81	4	0·21	1	0·00	0	0·07	1	0·00	0	0·72	3	2·56	4	3·80	9	1·98	6	22·38	46									
1033	Kaffir River	29° 26′	26° 06′	4,500	1·79	2	2·73	4	4·35	4	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	1·39	3	1·15	3	0·95	1	12·36	17									
3154	Puntjesfontein	29° 42′	26° 06′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1·63	4	1·98	4	2·11	2	(5·72 | 10)									
2217	Uitkyk	27° 17′	26° 07′	—	2·05	5	1·43	2	2·16	4	0·53	2	0·18	1	0·00	0	0·00	0	0·00	0	0·62	2	2·38	5	0·70	3	6·12	8	16·17	32									
499	Donkerhoek	28° 54′	26° 07′	4,240	3·30	3	4·99	6	5·73	9	1·65	3	0·45	3	0·00	0	0·00	0	0·00	0	0·65	3	1·01	4	2·93	8	3·52	6	24·23	45									
1860	Riversford	29° 27′	26° 07′	4,600	2·89	4	2·58	3	3·72	10	0·54	1	0·00	0	0·02	1	0·09	1	0·00	0	0·00	0	0·99	2	2·27	9	1·41	7	14·51	38									
1274	Leeuwkop	27° 03′	26° 08′	4,000	0·40	1	0·35	1	3·72	5	0·85	3	0·00	0	0·00	0	0·00	0	0·00	0	0·78	3	2·10	4	4·31	9	2·91	5	15·42	31									
1030	Kaalspruit	29° 16′	26° 08′	4,497	3·02	3	3·23	4	1·71	6	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	1·35	4	2·05	7	0·21	2	11·57	26									
4102	Wonderklip	29° 25′	26° 08′	—	2·54	3	2·92	4	3·64	9	1·32	5	0·20	1	0·00	0	0·00	0	0·00	0	0·45	2	0·99	3	2·56	9	1·68	6	16·30	42									
3156	Bultfontein	28° 17′	26° 09′	—	0·99	5	1·91	8	4·05	13	1·13	3	0·29	2	0·03	3	0·11	1	0·00	0	1·24	3	2·23	10	1·02	7	3·82	11	16·82	66									
3157	Kareepan	28° 23′	26° 09′	—	1·86	2	3·21	4	4·33	7	1·34	4	0·00	0	0·00	0	0·07	1	0·00	0	0·75	2	0·56	2	2·72	7	2·26	2	17·10	31									
3158	Lydzaamheid	28° 00′	26° 10′	—	0·00	0	1·27	3	3·61	8	0·00	0	0·00	0	0·00	0	0·00	0	—	—	—	—	2·22	4	2·53	3	2·20	4	11·83	22									
1798	Retreat	29° 05′	26° 10′	4,750	2·44	2	3·50	4	6·73	10	2·02	3	0·40	1	0·00	0	0·12	1	0·00	0	0·23	1	3·23	5	4·69	10	1·74	4	25·10	41									
3159	Hope Orchards	29° 14′	26° 10′	—	2·34	3	4·30	7	4·35	12	1·82	6	0·23	2	0·00	0	0·07	1	0·00	0	0·52	2	1·57	4	2·50	10	1·16	8	18·86	55									
1789	Reddersburg	29° 39′	26° 10′	4,700	0·38	1	1·63	3	4·92	14	2·00	6	0·08	1	0·00	0	0·08	1	0·00	0	0·58	3	1·34	4	1·80	8	2·32	7	15·13	48									
1230	Kruidfontein	29° 49′	26° 10′	4,600	0·25	1	0·84	2	3·43	10	0·59	3	0·00	0	0·00	0	0·00	0	0·00	0	0·23	1	0·79	4	2·53	6	1·43	3	10·09	30									
2459*	Wintersveld	27° 42′	26° 11′	4,125	0·00	0	3·53	4	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	2·55	3	4·65	3	1·34	3	12·07	13									
1506	Mooiplaats	29° 45′	26° 11′	4,700	0·08	2	1·91	3	2·53	6	0·84	2	0·00	0	0·00	0	0·00	0	0·00	0	0·32	1	0·31	2	2·04	3	1·28	4	9·31	23									
3160	Koudekraal	29° 54′	26° 11′	—	0·09	2	0·50	2	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·14	1	0·45	2	1·20	2	0·98	2	3·36	11									
4103	Ellenboogsleegte	27° 48′	26° 12′	—	1·17	5	2·40	5	3·11	7	0·70	4	0·40	1	0·00	0	0·00	0	0·00	0	1·11	3	3·44	4	1·89	3	3·29	7	17·51	39									
3161	Quaggavlakte	27° 50′	26° 12′	—	1·39	8	1·78	6	4·04	11	0·59	5	0·31	2	0·00	0	0·00	0	0·00	0	1·09	2	4·02	6	1·29	6	3·23	7	17·74	53									
179	Bloemfontein (Grey)	29° 07′	26° 12′	4,500	3·00	3	3·28	6	3·82	13	1·79	4	0·23	1	0·02	1	0·13	1	0·00	0	0·67	5	1·86	4	3·28	10	2·00	9	20·11	57									
1269	Leeuwdoorns	27° 10′	26° 13′	4,354	1·19	7	0·97	6	3·98	10	0·62	2	0·04	1	0·00	0	0·00	0	0·00	0	0·77	2	2·55	8	2·53	7	5·34	9	17·99	52									
177	Bloemfontein (Waverley Road)	29° 06′	26° 13′	—	2·54	3	3·96	6	4·77	15	1·41	4	0·34	3	0·01	1	0·11	1	0·00	0	0·76	3	2·30	4	5·00	10	2·33	10	23·53	60									
41	Bloemfontein (Arboretum)	29° 07′	26° 13′	4,500	—	—	4·56	4	5·76	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	(10·32 | 14)									
178	Bloemfontein (St. Michael's School)	29° 07′	26° 13′	4,500	2·56	4	4·08	7	4·51	12	2·02	5	0·32	3	0·00	0	0·14	1	0·00	0	0·63	3	0·86	3	4·77	10	2·45	10	22·34	58									

* Records doubtful.

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) / Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 15 (*Continued*)—SEKSIE 15 (*Vervolg*).																														
4104	Commandodrift	27° 29′	26° 14′	—	2·02	5	2·90	4	3·62	9	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·87	2	3·23	6	1·04	6	5·17	6	18·85	38
180	Bloemfontein (Hamilton Park)	29° 07′	26° 14′	4,500	3·37	3	3·66	5	4·14	11	2·06	4	0·37	2	0·00	0	0·00	0	0·00	0	0·70	2	3·03	5	3·32	10	3·12	8	23·77	50
101	Beervlei	29° 30′	26° 14′	4,765	1·20	3	3·08	5	3·73	9	1·63	5	0·17	1	0·00	0	0·00	0	0·00	0	0·00	0	1·16	4	2·19	6	1·09	4	14·25	37
270	Bulsfontein	29° 35′	26° 14′	4,800	0·78	2	1·45	3	3·92	11	1·38	3	0·00	0	0·00	0	0·00	0	0·00	0	0·39	1	1·63	4	2·32	7	1·16	3	13·03	34
91	Bayswater	29° 05′	26° 15′	4,500	2·64	4	4·06	6	4·17	14	1·34	3	0·33	3	0·01	1	0·11	1	0·00	0	0·73	3	1·19	3	4·36	10	1·58	8	20·52	56
1823	Rietfontein I	29° 23′	26° 16′	4,700	2·56	3	2·46	3	3·88	10	1·16	4	0·18	1	0·00	0	0·00	0	0·00	0	0·57	3	0·79	3	1·92	6	0·72	4	14·24	37
600	Ellerslie South (Suid)	29° 34′	26° 16′	4,800	0·38	1	3·17	4	2·86	5	1·11	3	0·00	0	0·00	0	0·00	0	0·00	0	0·47	2	0·99	3	3·04	7	3·63	6	15·65	31
3175	Rietvlei	27° 52′	26° 17′	—	1·59	10	2·88	6	3·81	10	0·49	3	0·15	3	0·02	2	0·00	0	0·00	0	1·52	4	4·04	5	2·03	5	3·02	5	19·55	53
3176	Boesmansberg	28° 33′	26° 18′	—	2·31	4	1·96	7	2·54	10	0·47	2	0·17	1	0·00	0	0·19	1	0·00	0	0·71	3	1·29	3	1·00	8	1·17	6	11·81	45
3177	Roodeheuvel	28° 54′	26° 18′	—	1·91	3	3·20	6	4·06	9	0·99	2	0·00	0	0·00	0	0·41	1	0·00	0	0·80	5	1·90	6	3·08	8	1·43	4	17·78	44
3178	Shannon	29° 08′	26° 18′	—	3·50	7	4·64	7	3·77	15	1·58	4	0·28	4	0·02	1	0·15	1	0·00	0	0·81	5	2·53	9	4·09	10	1·82	15	23·19	78
2289	Brakfontein	28° 02′	26° 19′	4,200	0·15	1	2·60	2	5·41	5	0·46	1	0·00	0	0·00	0	0·00	0	0·00	0	1·15	2	0·88	3	2·90	2	2·23	3	15·78	19
721	Glen	28° 58′	26° 19′	4,250	3·09	6	4·72	9	5·10	14	1·40	6	0·10	1	0·00	0	0·11	1	0·00	0	0·65	4	1·50	7	3·14	10	1·39	8	21·20	66
3179	Bloemspruit	29° 07′	26° 19′	—	3·16	2	4·17	6	4·37	11	1·99	3	0·30	1	0·00	0	0·00	0	0·00	0	0·26	1	2·86	4	4·51	10	1·88	7	23·50	45
3180	Shannon Valley	29° 08′	26° 19′	—	3·58	5	5·05	6	3·82	14	1·41	3	0·19	2	0·00	0	0·13	1	0·00	0	0·59	1	2·26	4	4·25	10	1·31	7	22·59	53
3181	Wicksfield	28° 48′	26° 20′	—	2·68	2	3·35	5	5·98	10	0·98	3	0·00	0	0·00	0	0·22	1	0·00	0	0·75	2	1·53	5	2·38	8	0·92	2	18·79	38
619	Erasmusfontein	29° 28′	26° 20′	4,800	—	—	2·77	4	1·10	9	0·74	3	0·00	0	0·00	0	0·00	0	0·00	0	0·17	1	—	—	—	—	—	—	(4·78	17)
1263	Lastpoort	29° 48′	26° 20′	4,848	0·66	5	2·13	4	3·83	11	1·24	4	0·10	1	0·00	0	0·12	1	0·00	0	0·50	3	1·12	3	4·71	7	1·15	5	15·56	44
494	Diepkuil	27° 19′	26° 21′	4,150	0·24	3	1·53	5	6·07	10	0·42	2	0·18	1	0·00	0	0·00	0	0·00	0	1·07	3	2·53	6	0·90	5	3·89	7	16·83	42
2218	Uitkyk	27° 21′	26° 22′	4,200	0·61	5	1·34	5	4·30	8	0·43	3	0·13	1	0·00	0	0·00	0	0·00	0	1·00	2	2·38	5	1·06	6	3·88	6	15·13	41
1146	Wesselsbron	27° 50′	26° 22′	4,240	0·83	2	2·52	3	2·78	4	0·35	1	0·00	0	0·00	0	0·00	0	0·00	0	1·36	2	3·22	5	2·29	4	3·23	3	16·58	24
3182	Karree	28° 52′	26° 22′	—	2·06	2	4·40	6	5·07	10	0·71	2	0·00	0	0·00	0	0·00	0	0·00	0	0·77	3	1·66	5	3·28	8	1·95	4	19·90	40
3183	Esbachskop	28° 37′	26° 23′	—	2·15	4	3·01	5	2·96	7	0·60	2	0·00	0	0·00	0	0·23	1	0·00	0	0·63	2	2·25	5	1·10	4	1·34	2	14·27	32
1421	Mazelspoort	29° 03′	26° 24′	4,336	2·17	6	4·97	6	4·10	15	1·14	4	0·09	1	0·02	1	0·19	1	0·00	0	0·71	5	2·32	7	3·58	10	1·34	9	20·63	65
1415	Matjespruit	27° 08′	26° 25′	4,200	0·77	5	2·00	8	3·46	11	1·03	3	0·32	3	0·00	0	0·00	0	0·00	0	0·82	4	1·74	5	1·55	7	5·33	11	17·02	57
3184	Doornpan	28° 11′	26° 25′	—	2·10	1	2·50	3	1·80	2	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·85	2	1·55	3	1·60	2	4·00	5	14·40	18
1213	Kromspruit	29° 15′	26° 25′	4,700	4·50	7	4·64	5	3·62	11	1·10	4	0·25	2	0·00	0	0·12	1	0·00	0	0·22	2	1·67	5	3·37	10	1·25	6	20·74	53
3185	Draaihoek	29° 54′	26° 25′	—	0·00	0	1·44	2	2·49	3	0·70	1	0·00	0	0·00	0	0·00	0	0·00	0	0·37	1	1·11	4	2·93	8	2·55	9	11·59	28
334	Droogfontein	29° 41′	26° 26′	5,200	0·28	1	2·25	5	4·19	11	0·90	2	0·00	0	0·00	0	0·20	1	0·00	0	0·55	2	1·11	3	2·32	7	1·97	8	13·77	40
516	Doornplaats	27° 04′	26° 27′	4,260	4·49	7	2·17	7	3·16	11	0·83	3	0·20	2	0·00	0	0·30	1	0·00	0	0·82	3	1·83	4	1·28	5	4·82	6	19·90	49
3186	Niekerksvlei	29° 30′	26° 27′	—	1·95	4	2·53	5	4·36	13	1·06	4	0·21	1	0·13	1	0·10	1	0·00	0	0·65	2	0·77	3	2·80	10	1·37	7	15·93	51
3187	Blaauwboskop	29° 32′	26° 27′	—	1·81	4	2·41	5	5·24	15	1·13	4	0·25	1	0·15	1	0·15	1	0·00	0	0·71	2	0·59	2	2·42	8	1·64	8	16·50	51
1828	Nelsdrift	28° 04′	26° 28′	4,200	0·32	2	2·86	4	2·82	5	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	1·26	3	1·60	4	1·00	2	1·15	2	11·01	22
233	Brandtfort	28° 42′	26° 28′	4,800	1·61	5	3·09	6	4·99	13	0·74	3	0·12	2	0·00	0	0·12	1	0·00	0	1·08	3	2·69	7	1·74	10	0·71	8	16·89	58
3188	Middelpoort	29° 20′	26° 29′	—	1·99	3	4·20	4	5·62	12	1·78	5	0·18	2	0·00	0	0·02	1	0·00	0	0·81	3	1·03	4	3·62	8	0·84	5	20·09	47

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) / Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarliks Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 15 (*Continued*)—SEKSIE 15 (*Vervolg*).																														
3210	Winkelpost	27° 33′	26° 51′	—	2·31	5	5·48	6	2·38	7	0·32	1	0·41	2	0·00	0	0·00	0	0·00	0	1·54	3	2·40	6	0·36	2	4·92	7	20·12	39
2148	Thaba 'Nchu	29° 13′	26° 51′	5,000	2·03	6	3·43	5	6·05	14	0·95	4	0·36	3	0·09	2	0·00	0	0·00	0	1·45	5	1·88	7	4·46	10	2·25	8	22·95	64
3210	Thaba 'Nchu	29° 13′	26° 51′	5,000	2·04	7	3·35	5	6·01	14	0·79	4	0·36	3	0·00	0	0·00	0	0·00	0	1·41	4	1·82	6	4·91	10	2·41	8	23·10	61
3212	Tarntaaldraai	27° 28′	26° 52′	—	1·40	4	6·55	5	2·83	7	2·08	2	0·65	3	0·07	2	0·00	0	0·00	0	1·65	4	2·46	5	1·34	5	3·55	7	22·58	44
802	Groothoek	29° 17′	26° 52′	5,100	1·81	3	3·52	3	4·15	11	0·82	2	0·23	1	0·00	0	0·00	0	0·00	0	0·90	2	—	—	2·83	8	1·23	4	15·49	34
3213	Grootdam	29° 44′	26° 52′	—	0·82	3	2·18	9	3·60	14	0·73	4	0·43	5	0·17	1	0·08	1	0·00	0	0·20	2	1·64	6	2·40	8	4·94	11	17·19	64
3214	Levina	28° 51′	26° 53′	—	2·67	3	2·90	5	5·75	7	1·60	2	0·14	1	0·00	0	0·00	0	0·00	0	0·62	1	2·10	5	2·73	8	1·59	5	20·10	37
1428	Melrose	29° 30′	26° 53′	5,442	1·18	4	3·44	4	3·72	11	0·75	3	0·57	2	0·00	0	0·00	0	0·00	0	0·75	3	1·37	4	2·96	7	1·74	5	16·48	43
3215	Goudhoek	28° 28′	26° 54′	—	2·84	10	3·40	8	3·12	14	1·53	3	0·21	2	0·05	2	0·00	0	0·00	0	1·05	4	1·73	9	1·76	6	3·76	13	19·45	71
1586	North End	29° 04′	26° 54′	4,872	2·26	3	3·26	6	7·48	16	1·05	3	0·12	1	0·00	0	0·00	0	0·00	0	1·18	4	3·15	6	2·99	8	3·03	10	24·52	57
3216	Goodhope	29° 19′	26° 54′	—	1·96	5	4·06	5	4·95	16	0·70	4	0·41	4	0·16	2	0·03	1	0·00	0	1·06	2	1·83	7	3·42	7	2·32	9	20·90	62
3217	Rustpan	27° 25′	26° 55′	—	0·56	3	8·17	10	3·29	7	0·92	2	0·48	2	0·00	0	0·00	0	0·00	0	1·15	2	1·80	5	0·62	2	2·52	5	19·51	38
2439	Wilgeboom Nek	29° 14′	26° 55′	5,400	1·90	5	4·27	6	6·08	14	0·95	4	0·49	4	0·12	2	0·00	0	0·00	0	1·47	3	2·55	7	5·02	9	2·18	7	25·03	61
3218	Yoxford	29° 22′	26° 55′	—	1·45	6	2·84	4	3·86	10	0·78	2	0·28	2	0·06	1	0·00	0	0·00	0	0·44	1	1·47	6	2·90	4	2·58	6	16·66	42
862	Hebron	27° 21′	26° 56′	4,440	1·48	6	4·70	4	3·86	8	0·67	2	0·39	2	0·00	0	0·00	0	0·00	0	1·17	2	2·90	5	1·11	3	3·01	5	19·29	37
3220	Mowbray	27° 32′	26° 57′	—	1·87	3	6·85	4	0·95	4	0·50	1	0·00	0	0·00	0	0·00	0	0·00	0	1·63	3	1·88	4	1·45	3	2·90	3	18·03	25
3221	Rietvlei	28° 19′	26° 57′	—	2·84	7	4·91	7	2·43	6	0·75	3	0·08	1	0·00	0	0·00	0	0·00	0	0·70	2	1·71	7	1·60	3	2·94	7	17·96	43
1978	Seliba	29° 02′	26° 57′	5,000	2·07	2	3·00	5	4·78	8	1·48	3	0·00	0	0·00	0	0·00	0	0·00	0	1·33	3	3·88	7	2·82	8	1·32	4	20·68	40
2515	York	29° 18′	26° 58′	5,200	2·57	10	4·12	6	4·81	14	0·77	4	0·27	5	0·28	3	0·00	0	0·00	0	1·72	6	2·06	7	4·13	10	2·61	9	23·34	74
1492	Monaro	29° 15′	26° 59′	5,300	—	—	—	—	5·99	13	0·73	5	0·14	5	0·15	3	0·10	1	0·00	0	2·06	4	3·74	7	4·72	9	1·82	9	(19·45	56)
1424	Meander	29° 35′	26° 59′	4,900	1·70	4	2·77	4	3·88	9	0·80	2	0·40	2	0·00	0	0·00	0	0·00	0	0·00	0	1·57	3	3·79	7	2·98	7	17·89	38
2383	Waterford	29° 43′	26° 59′	4,700	2·02	7	2·54	5	3·62	14	0·66	3	0·57	3	0·18	1	0·00	0	0·00	0	0·38	4	1·85	6	3·48	8	3·20	10	18·50	61
3223	Quilimane	29° 58′	26° 59′	—	0·85	4	4·01	6	5·16	8	0·78	2	0·65	3	0·33	1	0·00	0	0·20	1	0·17	1	1·67	3	2·19	6	3·00	7	19·01	42
SECTION 16—SEKSIE 16.																														
3434	Adamsonsvlei	28° 00′	27° 00′	—	2·62	5	4·44	8	3·62	10	0·95	4	0·09	1	0·04	1	0·00	0	0·00	0	1·38	4	2·33	7	1·16	5	1·82	8	18·45	53
2253	Vaalbankskuil	28° 07′	27° 00′	4,400	4·75	3	4·31	5	2·80	5	1·30	2	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	2·05	3	1·20	1	0·94	3	17·35	22
1312	Liviana	28° 55′	27° 00′	4,700	2·92	4	2·99	5	6·51	13	0·90	3	0·37	2	0·00	0	0·00	0	0·00	0	1·75	2	2·65	5	2·89	8	1·61	3	22·59	45
668	Fort Bassett	29° 16′	27° 00′	5,350	2·27	4	5·45	5	4·82	9	0·68	2	0·00	0	0·00	0	0·00	0	0·00	0	1·42	2	3·07	5	5·01	7	2·77	9	25·49	43
2105	Sweetwaters	29° 55′	27° 0′	5,000	—	—	—	—	5·37	9	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·45	1	2·39	5	2·60	6	2·95	9	(13·76	30)
2453	Winburg	28° 31′	27° 01′	4,700	4·26	6	3·83	6	2·65	11	0·01	3	0·30	2	0·04	1	0·00	0	0·00	0	0·86	3	2·30	8	1·54	6	2·33	10	19·12	56
3436	Elladale	29° 08′	27° 01′	—	1·64	4	3·58	5	4·46	14	0·39	2	0·05	1	0·20	1	0·00	0	0·00	0	1·73	3	3·45	6	2·49	8	2·36	8	20·35	52
614	Enkeldoorn	27° 31′	27° 02′	4,350	0·80	3	4·17	5	1·36	9	0·15	1	0·10	1	0·20	1	0·00	0	0·00	0	1·18	2	0·67	5	1·49	2	1·08	4	11·20	33
678	Foxhill	28° 44′	27° 02′	4,710	3·64	3	2·92	4	5·53	9	1·60	2	0·00	0	0·00	0	0·00	0	0·00	0	0·79	2	2·33	4	2·33	3	2·48	1	21·62	28
2198	Tweespruit	29° 11′	27° 02′	5,300	2·21	8	3·17	7	4·47	13	0·77	3	0·00	0	0·41	2	0·00	0	0·00	0	1·17	3	3·41	10	5·08	11	1·63	8	22·32	66

| | | |

No. / No.	Station. / Staale.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) / Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 16 (*continued*)—SEKSIE 16 (*vervolg*).																														
3460	Waterland	29° 13′	27° 13′	—	2·33	8	1·74	5	4·91	16	0·73	3	0·34	3	0·11	2	0·00	0	0·00	0	1·33	4	2·48	9	3·00	10	3·20	9	20·17	69
3461	Broxton	29° 14′	27° 13′	—	1·97	4	3·57	5	5·49	12	0·82	3	0·39	2	0·09	1	0·00	0	0·00	0	1·67	2	3·05	7	4·09	9	2·52	7	23·66	52
3462	Middelweg	27° 18′	27° 14′	—	2·75	8	3·35	6	3·98	10	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·77	3	2·21	6	1·57	7	3·13	7	17·76	47
1217	Kroonstad (Convent)	27° 40′	27° 14′	4,300	1·84	9	3·39	10	3·36	10	1·32	3	0·56	4	1·13	3	0·00	0	0·00	0	0·46	2	2·82	9	2·30	5	4·48	13	21·66	68
81	Bantry	28° 40′	27° 14′	4,850	2·34	6	3·12	6	4·34	13	0·80	3	0·27	3	0·00	0	0·00	0	0·00	0	1·28	3	2·91	7	2·72	6	4·15	9	21·93	56
3463	Driehoek	28° 56′	27° 14′	—	1·99	9	3·02	6	4·14	17	0·78	3	0·21	4	0·07	2	0·00	0	0·00	0	2·03	4	2·32	8	4·25	10	2·94	9	21·75	72
303	Campridge	29° 11′	27° 14′	5,150	2·18	—	1·82	—	5·45	—	0·81	—	0·32	—	0·25	—	0·00	—	0·00	—	1·02	—	3·38	—	2·32	—	2·84	—	20·39	—
1371	Mafeteng	29° 49′	27° 14′	5,600	1·29	8	4·29	5	5·37	10	0·95	4	0·65	3	0·36	2	0·15	1	0·00	0	0·57	5	2·96	7	4·09	9	3·08	10	23·76	64
1783	Randfontein	27° 30′	27° 15′	4,600	3·57	7	2·62	4	2·97	8	0·33	2	0·45	3	0·00	0	0·00	0	0·00	0	1·17	3	2·43	5	1·18	3	2·91	8	17·63	43
1219	Kroonstad (Parks)	27° 39′	27° 15′	4,400	2·34	15	4·44	9	3·14	12	1·30	3	0·51	3	0·52	4	0·00	0	0·00	0	0·62	3	3·29	9	2·89	7	5·15	12	24·20	77
1287	Leeuwspruit	27° 49′	27° 15′	4,600	1·53	6	4·02	5	2·64	11	0·28	1	0·36	2	0·00	0	0·00	0	0·00	0	0·42	2	3·83	7	2·28	5	3·91	9	19·27	48
3464	Kwessie	28° 05′	27° 16′	—	2·35	4	4·09	3	2·79	6	0·28	1	0·25	1	0·24	1	0·00	0	0·45	1	0·83	2	0·33	2	1·21	3	2·52	7	15·34	31
3465	Willowvale	28° 09′	27° 16′	—	3·29	7	3·38	4	1·74	7	1·19	2	0·49	3	0·21	1	0·00	0	0·00	0	0·98	3	2·79	9	1·96	5	4·13	7	20·16	48
2551	Zorgvliet	29° 07′	27° 16′	5,400	2·12	3	1·76	3	2·13	3	2·38	5	0·00	0	0·00	0	0·00	0	0·00	0	1·58	2	3·72	7	1·98	7	1·44	5	17·11	35
3467	Erfbloem	28° 19′	27° 17′	—	2·03	6	3·68	7	2·99	10	0·40	2	0·27	3	0·29	1	0·00	0	0·00	0	0·55	3	2·37	9	1·82	7	2·56	5	16·96	53
3468	Rust-u-Marie	29° 10′	27° 17′	—	3·56	8	2·53	5	6·28	12	0·38	1	0·29	2	0·00	0	0·00	0	0·00	0	1·49	2	2·81	5	2·78	9	1·64	5	21·76	49
396	Commissiepoort	29° 19′	27° 17′	5,300	3·11	11	3·71	6	4·52	15	0·62	4	0·24	4	0·09	2	0·02	1	0·00	0	0·90	4	2·83	7	3·21	10	2·44	11	21·69	75
3469	Driehoek	27° 58′	27° 18′	—	4·43	10	3·32	3	3·01	8	0·33	1	0·48	2	0·25	2	0·00	0	0·00	0	0·65	2	3·07	8	1·97	5	3·55	7	21·06	48
3470	Moquatlingsnek	28° 59′	27° 18′	—	1·34	3	3·22	5	4·62	10	0·56	2	0·00	0	0·00	0	0·00	0	0·00	0	1·73	1	2·84	5	2·81	5	2·10	4	19·32	35
3471	Convamore	29° 28′	27° 18′	—	1·39	5	2·65	4	3·63	8	0·56	3	0·41	2	0·00	0	0·00	0	0·00	0	0·49	3	2·01	5	3·73	10	1·49	8	16·36	48
3472	Woburn	27° 32′	27° 19′	—	3·33	10	3·32	9	3·86	13	0·33	2	0·13	3	0·02	1	0·00	0	0·00	0	0·50	2	3·03	7	1·17	6	3·13	13	18·82	66
660	Flora	28° 47′	27° 19′	5,000	2·41	8	4·11	6	5·59	2	0·69	3	0·72	4	0·08	2	0·00	0	0·00	0	1·61	1	2·86	7	3·43	7	4·51	8	26·01	48
403	Congleton	27° 36′	27° 20′	4,800	3·08	7	3·29	6	2·32	9	0·60	2	0·53	3	0·24	1	0·00	0	0·00	0	—	—	—	—	—	—	—	—	(10·06	28)
3473	Bluegum	28° 27′	27° 20′	—	1·50	1	2·60	2	2·80	2	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·75	1	2·10	2	1·05	1	0·00	0	10·80	9
2341	Vredefort (School—Skool)	27° 00′	27° 22′	4,690	2·88	10	5·83	6	2·05	10	0·28	2	0·34	1	0·26	2	0·21	1	0·00	0	1·03	2	1·99	7	1·76	7	1·63	5	18·26	53
3475	Verblyding	27° 28′	27° 22′	—	2·01	8	2·27	5	3·40	9	0·14	1	0·22	1	0·00	0	0·00	0	0·00	0	0·61	3	2·20	6	1·08	6	1·91	6	13·84	45
4117	Astbury	27° 36′	27° 22′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2·55	7	2·01	6	4·94	10	(9·50	23)
3476	Fraaiuitzig	27° 30′	27° 23′	—	3·70	5	5·11	6	2·99	6	0·00	0	0·01	1	0·00	0	0·00	0	0·00	0	0·80	1	1·43	5	2·02	4	2·11	7	18·17	35
3477	Goedemoed	28° 45′	27° 23′	—	2·48	6	3·85	6	4·54	8	0·58	2	0·30	3	0·21	2	0·00	0	0·00	0	1·70	4	2·23	9	2·91	6	3·90	12	22·70	58
88	Barletta	28° 59′	27° 23′	5,400	1·61	3	1·65	2	3·57	6	0·52	1	0·60	2	0·00	0	0·00	0	0·00	0	2·61	1	4·29	6	4·06	7	1·57	5	20·48	33
3478	Skaapplaas	28° 09′	27° 24′	—	5·45	8	3·30	5	2·70	7	0·65	2	0·26	1	0·19	1	0·00	0	0·00	0	0·57	2	2·30	6	2·22	6	2·14	8	19·78	46
1567	Newvale	29° 15′	27° 24′	5,100	2·82	7	2·86	6	5·72	11	0·47	2	0·45	1	0·00	0	0·00	0	0·00	0	1·43	4	2·67	6	2·45	8	2·99	7	21·86	52
665	Fonteinlaagte	27° 41′	27° 25′	4,600	1·15	3	3·80	6	1·36	3	0·00	0	0·00	0	0·54	1	0·00	0	0·00	0	0·20	1	3·04	6	1·62	3	5·92	8	17·63	31
1404	Marquard (S.A.P.)	28° 40′	27° 26′	4,900	1·89	4	4·31	6	3·11	9	0·81	2	0·50	1	0·12	1	0·00	0	0·00	0	1·52	4	2·50	7	2·61	5	4·11	10	21·48	49
1405	Marquard (School—Skool)	28° 40′	27° 26′	4,900	—	—	—	—	3·13	11	0·73	2	0·50	8	0·27	2	0·00	0	0·00	0	1·94	4	2·78	9	3·11	7	4·51	8	(16·97	46)

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedtegraad. S.	Longitude. E. / Lengtegraad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) Feet. Voet.	Jan. / Jan. In. Dm.	D.	Feb. / Feb. In. Dm.	D.	Mar. / Mrt. In. Dm.	D.	Apr. / Apr. In. Dm.	D.	May. / Mei. In. Dm.	D.	June. / Junie. In. Dm.	D.	July. / Julie. In. Dm.	D.	Aug. / Aug. In. Dm.	D.	Sept. / Sept. In. Dm.	D.	Oct. / Okt. In. Dm.	D.	Nov. / Nov. In. Dm.	D.	Dec. / Des. In. Dm.	D.	Annual Total. / Jaarlikse Totaal. In. Dm.	D.
SECTION 16 (*continued*)—SEKSIE 16 (*vervolg*).																														
1112	Kirklington	28° 55′	27° 40′	5,500	2·96	11	4·19	7	4·14	13	0·09	1	0·56	7	0·27	3	0·00	0	0·00	0	2·07	4	2·58	8	4·18	11	4·32	14	2·36	79
3499	Doorndraai	27° 15′	27° 41′	—	2·70	8	2·99	5	3·35	8	0·21	2	0·45	3	0·52	1	0·00	0	0·00	0	1·42	3	1·70	6	1·90	5	2·16	7	17·40	48
79	Bankfontein	27° 52′	27° 41′	4,200	7·33	4	6·14	3	2·20	8	0·18	1	0·36	2	0·48	1	0·00	0	0·00	0	0·44	1	2·81	7	3·23	3	2·38	5	25·55	35
3500	Hibernia	28° 34′	27° 41′	—	3·24	5	3·99	4	3·26	6	0·00	0	0·30	1	0·46	2	0·00	0	0·00	0	1·59	3	2·51	6	2·33	6	3·22	8	20·90	41
1181	Komspruit	28° 02′	27° 43′	5,200	4·67	6	4·23	4	1·41	4	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·93	2	3·30	8	3·12	8	2·57	4	20·23	36
2301	Vischgat	28° 04′	27° 43′	5,233	5·14	7	4·83	6	2·83	11	0·16	1	1·37	4	0·00	0	0·00	0	0·00	0	1·55	2	3·58	8	3·29	7	3·42	10	26·17	56
2358	Waaihoek	27° 41′	27° 44′	5,140	2·26	4	3·75	3	2·84	7	0·00	0	0·35	1	0·07	1	0·00	0	0·00	0	1·12	1	2·22	6	2·96	4	4·28	5	19·85	32
2147	Teyateyaneng	29° 09′	27° 44′	5,690	3·65	13	2·60	5	—	—	0·25	2	0·76	4	0·58	6	0·00	0	0·00	0	1·25	4	2·64	13	3·60	9	2·39	14	(17·72	70)
1123	Kleinfontein	27° 51′	27° 45′	4,800	1·69	5	4·88	6	1·08	7	0·16	1	0·21	1	0·30	1	0·00	0	0·00	0	0·45	1	1·67	6	3·15	5	1·75	6	15·34	39
1898	Roodepoort	28° 00′	27° 45′	5,147	3·33	5	4·41	6	3·57	7	0·00	0	1·18	2	0·18	1	0·00	0	0·00	0	0·81	2	3·19	7	2·36	7	2·80	4	21·83	41
2381	Waterford	28° 02′	27° 45′	5,215	—	—	—	—	—	—	—	—	0·00	0	0·00	0	0·00	0	0·00	0	—	—	3·05	8	3·44	—	3·53	—	(10·02	8)
3502	Swartlaagte No. 29	28° 54′	27° 45′	—	3·56	9	3·41	6	3·45	8	0·00	0	0·42	4	0·39	4	0·02	1	0·00	0	1·97	4	2·47	9	4·34	8	2·87	7	22·90	60
3503	Vaalkrans	27° 25′	27° 46′	—	3·45	6	2·20	2	3·23	8	0·00	0	0·11	1	0·91	1	0·00	0	0·00	0	1·22	2	1·54	6	1·31	5	2·10	4	16·07	35
3504	Winkelplaats	27° 26′	27° 46′	—	4·56	8	3·45	3	4·20	8	0·41	1	0·11	1	0·00	0	0·00	0	0·00	0	1·19	2	1·90	6	1·56	7	4·80	9	22·18	45
3505	Elandslaagte	27° 46′	27° 47′	—	3·22	4	5·78	5	3·62	10	0·14	1	0·55	3	0·10	1	0·00	0	0·00	0	1·07	1	2·95	7	1·83	5	6·80	9	26·06	46
3506	Kismet Estate	27° 48′	27° 47′	—	3·14	8	7·15	4	3·77	13	0·12	1	0·38	1	0·00	0	0·00	0	0·00	0	1·30	1	2·66	7	1·99	5	5·47	7	25·98	47
1214	Kroonbank	27° 27′	27° 48′	5,270	4·85	10	5·05	7	2·95	14	0·16	2	0·48	4	0·33	2	0·00	0	0·00	0	1·15	2	3·13	10	2·13	10	4·06	11	24·29	72
2196	Tweefontein	27° 54′	27° 48′	5,100	3·27	6	5·46	4	1·67	8	0·00	0	0·22	1	0·30	1	0·00	0	0·00	0	0·85	1	2·57	6	2·60	3	4·68	6	21·62	36
3507	Boschrand	28° 29′	27° 48′	—	4·67	11	4·57	7	5·40	15	0·83	3	0·68	4	0·00	0	0·00	0	0·00	0	1·48	2	3·10	11	3·17	12	2·53	15	26·43	80
834	Hammonia	28° 44′	27° 48′	5,300	5·79	11	4·35	6	6·42	17	0·75	2	0·73	5	0·09	1	0·00	0	0·00	0	2·48	4	2·81	8	3·18	9	2·64	7	29·42	70
182	Bloemhoek	27° 57′	27° 49′	4,960	3·62	7	5·24	4	4·56	6	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	1·45	2	2·79	6	2·53	3	3·12	5	23·31	33
3508	Enkelbosch	27° 26′	27° 50′	—	4·10	11	2·78	3	4·05	14	0·05	1	1·03	4	0·69	1	0·00	0	0·00	0	1·04	3	1·67	7	1·43	6	3·50	7	20·34	57
2248	Vaalbank No. 219	27° 40′	27° 50′	5,200	3·77	4	7·18	5	2·56	10	0·07	1	0·31	1	0·18	1	0·00	0	0·00	0	1·00	1	1·69	6	4·00	7	6·19	3	26·95	39
2428	Wexford	28° 03′	27° 50′	5,300	4·76	9	5·60	7	6·42	15	0·21	2	0·74	2	0·25	1	0·00	0	0·00	0	2·30	2	4·01	12	4·72	8	4·36	11	33·37	69
1090	Kerry	28° 00′	27° 51′	5,060	3·69	7	3·81	5	2·63	9	—	—	0·00	0	0·24	1	0·00	0	0·00	0	1·64	2	3·04	9	3·19	7	3·54	11	(21·78	51)
1315	Lindley Road	28° 02′	27° 51′	5,150	5·34	10	4·86	6	3·54	13	0·22	2	0·63	2	0·30	1	0·00	0	0·00	0	2·25	3	4·50	10	3·58	7	4·32	4	29·54	58
3509	Marais Rust	27° 00′	27° 52′	—	5·34	11	2·66	6	1·35	5	0·00	0	1·35	3	0·80	1	0·00	0	0·00	0	1·20	1	2·47	7	2·03	5	2·54	7	19·74	46
3510	Glen Morgan	28° 44′	27° 52′	—	7·22	11	4·46	6	4·99	12	0·16	2	0·99	4	0·39	2	0·04	1	0·00	0	2·22	4	3·10	9	3·24	7	3·94	13	30·75	71
954	Imperani	28° 51′	27° 52′	5,400	4·11	11	3·82	7	6·19	12	0·09	1	0·68	2	0·36	3	0·00	0	0·00	0	1·90	3	3·46	9	4·35	10	5·11	12	30·07	70
656	Ficksburg (Gaol—Tronk)	28° 52′	27° 52′	5,200	4·24	13	3·76	6	5·60	12	0·14	2	0·80	5	0·54	4	0·00	0	0·00	0	2·42	4	4·01	11	4·40	12	4·82	12	30·73	81
3511	Ficksburg (Town—Stad)	28° 52′	27° 52′	5,200	3·83	11	3·84	6	6·28	11	0·00	0	0·39	1	0·19	1	0·00	0	0·00	0	2·39	4	3·11	6	3·75	8	4·44	7	28·22	55
3512	Schaapplaats	27° 00′	27° 53′	—	5·10	10	3·29	8	2·12	5	0·36	2	0·53	2	1·01	2	0·35	1	0·00	0	0·94	2	2·46	8	1·69	5	3·77	11	21·62	56
3513	Burnetsland	27° 44′	27° 53′	—	4·34	8	5·27	4	2·72	10	0·00	0	0·33	2	0·06	1	0·00	0	0·00	0	0·85	1	2·34	8	2·98	8	6·07	7	24·96	49
4122	Van de Venters Rust	28° 42′	27° 53′	—	—	—	—	—	—	—	0·24	4	1·01	5	0·58	3	0·04	1	0·00	0	3·18	3	4·28	10	4·69	9	5·47	13	(19·49	48)
3514	Vechtkop (School—Skool)	27° 28′	27° 54′	—	5·66	12	3·52	7	4·21	12	0·03	1	0·78	4	0·87	1	0·00	0	0·00	0	0·91	2	1·88	8	1·31	4	3·31	8	(22·48	59)

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent). Feet. Voet.	Jan. / Jan.	Feb. / Feb.	Mar. / Mrt.	Apr. / Apr.	May. / Mei.	June. / Junie.	July. / Julie.	Aug. / Aug.	Sept. / Sept.	Oct. / Okt.	Nov. / Nov.	Dec. / Des.	Annual Total. / Jaarlikse Totaal.
					In. Dm. D.	In. Dm. D.	In. Dm. D.	In. Dm. D.	In. Dm. D.	In. Dm. D.	In. Dm. D.	In. Dm. D.	In. Dm. D.	In. Dm. D.	In. Dm. D.	In. Dm. D.	In. Dm. D.
	SECTION 16 (*continued*)—SEKSIE 16 (*vervolg*).																
3532	Nooitgedacht	27° 47′	28° 13′	—	4·24 8	5·01 4	1·37 5	0·00 0	0·41 1	0·52 3	0·00 0	0·00 0	1·46 4	1·57 6	3·97 9	3·94 8	22·49 48
290	Butha Butha	28° 44′	28° 13′	5,500	5·72 11	3·89 4	4·95 13	0·07 2	0·59 6	1·02 6	0·12 2	0·00 0	2·54 5	4·83 10	5·73 11	5·25 12	34·71 82
3534	Uitzicht	27° 11′	28° 14′	—	6·32 10	3·98 9	1·62 8	0·20 1	1·05 5	1·35 3	0·17 1	0·00 0	0·60 2	1·34 6	2·52 10	1·82 8	20·97 63
3535	Esperanza	27° 43′	28° 15′	—	4·11 9	3·61 9	2·21 13	0·00 0	0·55 4	0·80 2	0·00 0	0·00 0	1·39 3	2·19 7	3·40 10	6·07 9	24·33 66
3536	Populierbank	28° 16′	28° 15′	—	4·20 12	6·29 10	3·49 16	0·14 3	1·18 3	0·45 1	0·00 0	0·00 0	1·83 4	3·24 11	3·39 11	3·14 12	27·35 83
3537	Millerton	27° 40′	28° 16′	—	3·48 11	4·73 7	1·69 9	0·00 0	0·82 4	0·78 2	0·00 0	0·00 0	1·42 3	1·93 9	3·21 11	5·38 11	23·44 67
2431	Whinburn	28° 16′	28° 16′	5,600	4·02 12	4·84 9	3·73 17	0·01 1	1·14 3	0·51 3	0·00 0	0·00 0	2·22 4	3·55 12	3·04 12	2·67 12	25·73 85
3538	Vergenoeg	27° 19′	28° 17′	—	6·56 10	3·49 7	3·23 10	0·03 2	1·09 4	1·58 2	0·07 1	0·00 0	1·00 3	1·91 8	5·10 12	5·45 12	29·51 71
3539	La France	28° 37′	27° 17′	—	3·68 14	4·39 7	4·14 13	0·00 0	0·52 4	1·16 6	0·00 0	0·00 0	3·32 4	3·81 10	5·04 10	3·73 10	29·79 78
2496	Woodfort	28° 00′	28° 18′	5,312	3·60 8	3·34 7	3·04 11	0·10 2	0·98 2	0·26 1	0·00 0	0·00 0	2·26 4	2·20 9	4·72 13	3·14 13	23·64 70
140	Bethlehem	28° 14′	28° 18′	5,300	1·06 4	4·27 6	1·76 10	0·00 0	1·23 2	0·33 1	0·00 0	0·00 0	0·78 3	1·30 8	1·67 7	0·44 1	12·84 42
3540	Bethlehem	28° 14′	28° 18′	5,300	1·89 —	5·75 —	3·97 —	0·00 —	1·96 —	0·47 —	0·00 —	0·00 —	1·92 —	2·94 —	3·30 —	2·84 —	25·04 —
920	Hooggelegen	27° 35′	28° 20′	5,580	6·89 10	3·32 7	1·56 6	0·06 1	0·99 3	1·62 2	0·00 0	0·00 0	1·17 2	1·34 6	4·19 7	6·09 9	27·23 53
3541	Westhartebeeshoek	27° 57′	28° 20′	—	4·00 11	4·02 10	2·39 12	0·00 0	1·15 4	0·30 8	0·00 0	0·00 0	1·75 4	2·18 11	5·23 12	4·18 10	25·20 82
3542	Tweefontein	27° 00′	28° 22′	—	2·50 1	2·11 1	0·20 1	0·00 0	1·53 1	1·04 1	0·00 0	0·00 0	0·57 1	0·26 1	1·48 4	2·05 4	11·74 15
3543	Buffelsvlei	27° 34′	28° 22′	—	6·09 7	3·64 6	1·32 5	0·00 0	0·86 2	1·51 2	0·00 0	0·00 0	1·07 2	1·25 4	3·89 7	3·95 7	23·58 42
3544	Tweelingskop	28° 05′	28° 22′	—	1·76 4	3·89 4	1·80 4	0·00 0	0·00 0	0·00 0	0·00 0	0·00 0	1·53 1	1·65 4	4·15 7	2·59 4	17·37 28
2517	Zaaihoek	28° 28′	28° 23′	6,020	0·96 2	5·40 9	4·08 9	0·00 0	0·38 1	0·30 1	0·00 0	0·00 0	1·82 3	2·55 7	4·81 7	3·37 8	23·67 47
3545	Turffontein	27° 17′	28° 24′	—	6·00 8	3·65 7	2·22 10	0·00 0	1·09 4	2·03 2	0·00 0	0·00 0	0·63 1	1·90 5	2·46 7	3·33 8	23·31 52
3546	Clarens	28° 31′	28° 24′	—	3·18 8	6·06 8	2·87 9	0·00 0	0·65 2	0·54 2	0·00 0	0·00 0	3·05 3	5·22 12	4·01 11	7·79 10	33·37 65
3547	Geluk	28° 34′	28° 24′	—	3·60 10	4·33 7	3·95 13	0·35 3	0·42 2	0·41 4	0·03 1	0·00 0	2·43 4	3·78 10	5·33 9	4·65 13	29·23 76
3548	Jacobs Erf	27° 10′	28° 25′	—	6·98 12	3·67 6	1·80 6	0·00 0	1·11 3	2·20 2	0·20 1	0·00 0	0·85 2	1·99 6	3·56 8	1·95 6	24·31 52
2035	Spitzkrantz	28° 26′	28° 25′	5,700	2·54 4	6·25 8	2·34 7	0·10 1	1·11 2	0·45 2	0·00 0	0·00 0	2·00 3	1·93 5	3·55 8	3·00 6	23·27 46
3549	Bethel	28° 31′	28° 25′	—	0·00 0	2·45 3	2·13 5	0·30 1	0·60 2	0·00 0	0·00 0	0·00 0	2·75 2	0·68 1	4·66 4	— —	(13·57 18)
1791	Reitz	27° 48′	28° 26′	5,400	5·27 13	6·45 7	2·23 12	0·00 0	1·03 5	0·61 4	0·00 0	0·00 0	1·64 3	1·58 10	5·46 11	7·30 15	31·57 80
5031	Susanna	28° 14′	28° 27′	—	3·00 9	4·07 9	4·58 11	0·00 0	1·23 4	0·46 2	0·00 0	0·00 0	3·10 3	3·44 8	3·12 12	5·26 11	28·26 69
1631	Ovens, The	27° 03′	28° 28′	5,000	4·97 11	4·78 7	1·05 3	0·00 0	0·97 2	1·06 2	0·21 1	0·00 0	0·85 1	1·46 4	1·73 6	5·17 9	22·25 46
3550	Stompkop	27° 44′	28° 28′	—	9·19 13	4·03 6	1·38 8	0·15 1	0·75 2	1·11 2	0·00 0	0·00 0	2·36 3	2·38 9	4·54 9	7·42 10	33·31 63
679	Frankfort	27° 17′	28° 30′	5,100	4·19 6	1·97 6	2·03 9	0·99 5	0·00 0	2·11 3	0·47 1	0·00 0	0·92 1	1·57 5	1·78 4	2·47 3	18·50 43
112	Bellevue	28° 15′	28° 30′	5,200	3·81 7	4·00 8	3·38 11	0·72 2	1·50 2	0·40 1	0·00 0	0·00 0	2·75 4	3·45 11	3·72 9	3·21 10	26·94 65
3551	Glen Alphen	27° 07′	28° 31′	—	2·98 8	2·26 4	1·94 5	0·00 0	1·05 2	1·40 3	0·24 1	0·00 0	0·54 1	1·57 5	2·06 7	4·35 9	18·39 45
4129	Tweeling	27° 12′	28° 31′	—	5·42 15	2·02 5	0·95 5	0·00 0	0·16 1	1·38 2	0·00 0	0·00 0	1·36 3	1·28 4	4·02 8	4·18 7	20·77 50
3552	Erfenis	28° 17′	28° 31′	—	2·62 8	3·58 7	3·84 7	0·44 2	0·92 2	0·38 2	0·00 0	0·00 0	3·27 3	2·08 5	3·55 7	4·12 13	24·80 56
3553	Vogeldraai	27° 26′	28° 35′	—	5·39 9	2·93 6	1·62 5	0·00 0	1·14 1	2·55 2	0·00 0	0·00 0	1·26 2	1·85 5	2·72 7	4·14 6	23·60 43
3554	Kleinfontein	28° 20′	28° 35′	—	2·93 9	2·19 4	2·57 8	0·00 0	0·82 2	0·27 1	0·00 0	0·00 0	4·34 3	1·79 5	2·80 8	3·38 12	21·09 52

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) Hoogte bo G.S.H. (omtrent). Feet. Voet.	Jan. Jan.		Feb. Feb.		Mar. Mrt.		Apr. Apr.		May. Mei.		June. Junie.		July. Julie.		Aug. Aug.		Sept. Sept.		Oct. Okt.		Nov. Nov.		Dec. Des.		Annual Total. Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
	SECTION 17—SEKSIE 17.																													
5042	Boschkloof	28° 32′	29° 00′	—	4·31	12	2·67	7	5·88	11	0·07	1	0·45	1	0·48	3	0·00	0	0·00	0	5·05	3	1·66	5	5·86	10	3·39	8	29·82	61
3281	Welvaart	27° 45′	29° 02′	5,800	5·43	6	2·45	4	0·40	2	0·00	0	1·40	4	1·94	3	0·00	0	0·00	0	2·87	3	2·42	5	5·16	6	4·20	3	26·27	36
1917	Rosedale	28° 21′	29° 02′	5,300	6·75	9	1·09	5	1·03	4	0·32	1	0·77	1	0·00	0	0·00	0	0·00	0	3·05	3	1·76	6	1·88	5	2·38	5	19·03	39
1564	Newleeds	28° 30′	29° 03′	5,500	9·36	9	2·51	6	4·05	7	0·00	0	0·40	2	0·42	1	0·00	0	0·00	0	2·55	3	1·03	6	3·34	7	3·05	9	26·71	50
1976	Sehlabathebe	29° 52′	29° 04′	5,000	7·25	18	1·45	8	4·53	16	1·31	5	0·85	1	1·74	2	0·00	0	0·00	0	2·86	4	2·54	11	4·14	11	5·46	21	32·13	97
3282	Cloverfield	27° 11′	29° 05′	—	4·13	8	2·23	5	1·70	6	0·85	1	0·21	2	1·29	2	0·00	0	0·00	0	2·59	3	1·93	7	2·11	8	4·25	12	21·29	54
711	Georgeskraal	27° 45′	29° 05′	5,800	0·00	0	1·50	1	0·00	0	0·00	0	0·00	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	(1·50	1)
3283	Gravelotte	28° 28′	29° 06′	—	8·79	14	2·78	8	2·42	7	0·65	3	0·65	3	0·81	2	0·00	0	0·00	0	4·68	3	0·30	1	3·00	2	0·35	1	24·41	44
5043	Harrismith (Town Clerk—Stadsklerk)	28° 16′	29° 07′	—	4·31	11	2·14	5	2·51	8	0·65	2	0·78	3	0·51	3	0·00	0	0·00	0	4·73	3	2·39	9	2·97	8	2·57	7	23·56	59
4131	Harrismith	28° 16′	29° 07′	—	4·53	11	1·52	6	3·98	8	0·00	0	0·71	2	0·38	1	0·00	0	0·00	0	5·10	5	2·42	8	3·17	6	—	—	(21·81	47)
254	Buckland Downs	27° 58′	29° 08′	5,840	6·31	14	2·64	11	2·89	13	0·06	1	0·72	4	1·05	2	0·00	0	0·00	0	3·08	3	3·83	10	4·19	12	6·02	11	30·79	81
3285	Vrede (School—Skool)	27° 25′	29° 09′	5,500	—	—	3·65	—	1·40	5	0·31	1	1·11	3	0·96	2	0·00	0	0·00	0	2·21	3	2·24	4	2·23	6	—	—	(14·11	24)
2338	Vrede (Town Clerk—Stadsklerk)	27° 25′	29° 09′	5,500	3·31	5	2·76	4	1·37	4	0·88	2	0·00	0	2·05	2	0·00	0	0·00	0	2·30	3	2·37	5	2·01	7	3·39	4	20·44	36
4132	Mountain View	28° 08′	29° 10′	—	—	—	—	—	—	—	—	—	0·64	3	0·68	2	0·00	0	0·00	0	3·91	3	—	—	—	—	—	—	(5·23	8)
843	Harrismith (Government Forester)	28° 16′	29° 10′	6,100	7·45	14	3·44	14	3·51	11	0·13	2	0·81	4	0·33	3	0·00	0	0·00	0	4·86	3	2·76	10	3·88	10	4·01	11	31·18	82
4133	Moffat	28° 03′	29° 12′	—	4·16	6	1·91	2	1·42	5	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	5·35	3	4·59	7	4·21	7	—	—	(21·64	30)
2291	Verkykerskop	27° 56′	29° 14′	5,900	5·43	14	3·03	6	2·99	8	0·00	0	0·75	5	2·05	3	0·00	0	0·00	0	2·10	3	3·14	7	5·35	7	3·25	4	28·09	57
532	Driehoek	28° 10′	29° 14′	5,900	6·10	13	1·00	3	1·76	5	0·46	1	0·75	3	0·79	1	0·00	0	0·00	0	3·70	3	1·65	5	4·68	7	3·67	7	24·56	48
1962	Schoondraai	28° 21′	29° 16′	5,370	7·12	11	3·03	8	2·70	8	0·09	1	0·75	3	0·87	3	0·00	0	0·00	0	3·96	3	3·36	8	3·99	7	6·90	8	32·77	60
3289	Morgenlicht	27° 57′	29° 18′	—	6·13	6	2·30	4	3·77	8	0·00	0	0·32	3	1·19	2	0·00	0	0·00	0	2·42	3	3·88	5	3·18	4	1·25	2	24·44	37
3290	Jansdeel	28° 19′	29° 18′	—	3·12	8	1·83	9	0·65	3	0·15	2	0·48	5	0·50	3	0·00	0	0·00	0	4·45	3	2·13	8	1·53	3	2·62	9	17·46	53
884	Hermitage	27° 45′	29° 19′	6,500	3·48	9	0·65	2	1·74	6	0·00	0	0·00	0	2·12	2	0·00	0	0·00	0	2·32	3	2·41	4	—	—	—	—	(12·72	26)
806	Heelgoed	27° 55′	29° 19′	6,500	6·03	11	3·77	6	3·00	7	0·00	0	0·58	3	1·33	2	0·00	0	0·00	0	2·98	3	3·79	7	4·44	11	3·31	8	29·23	58
3291	Kromdraai (Questred)	27° 01′	29° 22′	—	2·19	4	1·35	4	0·77	2	0·00	0	1·60	2	1·15	1	0·00	0	0·00	0	3·03	2	1·16	3	2·01	5	2·06	4	15·32	27
1208	Kromdraai (Station Master—Stasiemeester)	27° 02′	29° 22′	5,320	2·58	4	2·20	6	0·77	2	0·00	0	1·60	4	1·15	2	0·21	1	0·00	0	3·00	2	0·60	2	0·71	3	3·26	10	16·08	36
4134	Uitvlucht	27° 27′	29° 23′	—	—	—	3·53	10	2·10	8	0·46	2	1·21	4	1·86	2	0·10	1	0·00	0	6·15	3	2·52	7	3·92	11	3·96	9	(25·81	57)
2266	Van Reenen's Pass	28° 22′	29° 23′	5,590	6·65	7	2·95	6	2·23	5	0·28	2	0·65	3	0·70	2	0·00	0	0·00	0	2·55	5	0·69	7	1·43	8	3·11	8	21·24	53
3292	Winkelhaak	27° 15′	29° 24′	—	6·30	6	2·47	7	2·27	7	0·35	1	0·86	3	1·46	2	0·11	1	0·00	0	3·16	3	1·47	5	1·97	8	4·51	9	24·93	52
563	Earlridge	27° 07′	29° 27′	5,450	4·62	12	5·46	10	1·70	6	0·65	1	1·27	6	2·11	3	0·15	1	0·00	0	3·16	3	1·29	7	2·06	12	2·90	11	25·37	72
3294	Grosvenor Downs	28° 23′	29° 27′	—	15·21	14	6·48	14	5·35	12	0·96	3	0·66	—	1·25	4	0·00	0	0·25	2	5·66	7	4·86	12	6·21	14	6·84	14	53·73	(96)
3295	Malta	28° 47′	29° 27′	—	9·09	14	3·08	9	5·36	11	0·32	2	0·84	3	0·70	3	0·00	0	0·00	0	4·08	3	3·00	7	4·32	7	8·76	14	39·55	73
1706	Platrand	27° 05′	29° 28′	5,450	5·90	11	6·60	13	1·53	8	0·00	0	1·12	3	1·55	3	0·07	1	0·00	0	3·24	4	1·38	6	1·62	7	6·39	13	29·40	69
1562	Newlands	27° 06′	29° 28′	5,450	6·69	8	5·52	8	1·13	3	0·33	1	1·12	2	1·77	2	0·15	1	0·00	0	3·07	3	0·85	3	1·57	5	4·87	6	27·07	42
936	Houthoek	27° 38′	29° 28′	6,000	3·10	8	3·25	5	1·79	6	0·44	1	1·04	4	1·65	2	0·00	0	0·00	0	3·03	4	2·90	6	4·21	7	4·74	9	26·15	52
3296	Sans Souci	28° 04′	29° 28′	—	6·13	12	2·28	6	1·95	5	0·00	0	0·81	2	0·94	3	0·00	0	0·00	0	4·16	4	3·61	9	3·28	9	4·58	11	27·74	61

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedtegraad. S.	Longitude. E. / Lengtegraad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent). Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D
SECTION 17 (*continued*)—SEKSIE 17 (*vervolg*).																														
3323	Holmlea	28° 38′	29° 50′	—	5·85	11	2·10	6	3·20	5	0·50	2	0·90	2	0·67	2	0·00	0	0·00	0	4·31	3	4·16	8	6·36	11	7·70	7	35·75	57
4140	Colenso	28° 43′	29° 50′	—	5·57	13	2·37	9	3·26	11	0·12	3	1·58	3	0·69	2	0·00	0	0·00	0	4·63	5	4·33	11	4·16	10	6·89	18	33·60	85
3324	Effort Farm	29° 15′	29° 50′	—	10·74	13	3·18	8	2·91	10	0·99	4	1·54	6	1·13	2	0·00	0	0·02	1	3·78	7	3·09	9	3·26	7	4·52	14	35·16	81
5034	Xumeni	29° 52′	29° 50′	—	5·07	20	5·54	22	5·88	25	0·84	9	1·60	6	1·65	4	0·01	1	0·73	7	4·17	11	6·20	15	7·00	19	7·72	21	46·41	160
4141	Middelin	28° 10′	29° 51′	—	6·48	10	4·05	7	2·68	8	1·40	3	0·53	3	1·76	4	0·00	0	0·00	0	6·14	4	2·25	11	4·25	7	7·69	11	37·23	68
3325	Dawn	28° 46′	29° 51′	—	4·48	15	2·56	9	2·46	13	0·24	2	1·52	3	0·72	3	0·00	0	0·00	0	4·78	4	4·17	12	4·06	11	7·44	16	32·43	88
953	Impendhle	29° 36′	29° 51′	6,500	2·19	9	2·62	11	3·37	15	1·05	4	0·70	2	1·22	4	0·00	0	0·00	0	4·17	7	3·06	9	2·08	7	3·89	12	24·95	80
3326	Loskop	27° 36′	29° 52′	—	8·93	9	3·13	5	6·37	10	0·26	2	0·53	2	1·61	3	0·00	0	0·00	0	4·03	4	1·48	4	3·45	9	5·11	11	34·90	59
35	Amersfoort	27° 00′	29° 53′	5,400	1·17	6	3·73	7	1·54	5	2·20	3	1·62	3	0·84	2	0·00	0	0·00	0	3·37	4	1·24	5	1·45	6	2·01	5	19·17	46
2332	Volksrust I	27° 22′	29° 53′	52,90	4·04	12	5·82	15	4·02	14	0·08	5	1·19	5	0·91	5	0·08	1	0·00	0	3·19	5	1·25	5	4·57	12	4·96	12	30·11	91
4060	Volksrust II	27° 22′	29° 53′	5,290	4·26	12	7·46	13	3·46	11	0·05	1	1·20	5	1·59	2	0·20	1	0·00	0	4·27	4	1·33	7	4·88	9	4·73	10	33·43	75
3328	Matiwane	28° 28′	29° 53′	—	12·78	12	1·72	6	3·40	11	0·80	2	1·36	2	1·25	2	0·00	0	0·00	0	4·92	4	3·85	8	2·95	8	3·10	8	36·13	63
3329	Wolfenden	28° 33′	29° 53′	—	7·29	10	0·86	2	0·85	4	0·45	1	0·76	2	0·21	1	0·00	0	0·00	0	3·65	4	2·58	4	3·35	6	3·68	6	23·68	40
629	Estcourt	29° 00′	29° 53′	3,833	5·29	14	2·98	11	1·96	11	0·90	4	0·39	4	1·03	3	0·00	0	0·00	0	3·57	6	3·43	13	3·80	9	4·04	14	27·39	89
3330	Fort Nottingham	29° 24′	29° 54′	—	2·89	13	2·88	7	2·99	10	0·80	3	1·55	4	1·29	4	0·00	0	0·02	1	3·77	8	4·04	10	4·15	12	7·42	16	31·80	88
3332	Newcastle (Convent—Klooster)	27° 45′	29° 56′	3,890	5·02	12	5·49	9	3·52	9	1·03	4	0·57	4	1·91	3	0·00	0	0·00	0	4·18	4	1·91	10	5·43	12	5·75	12	34·81	79
1555	Newcastle (Gaol—Tronk)	27° 45′	29° 56′	3,890	5·45	14	5·72	8	3·98	10	0·79	3	0·54	4	2·02	4	0·00	0	0·00	0	4·16	4	1·71	10	4·76	12	4·47	11	33·60	80
616	Enon	27° 01′	29° 57′	5,300	4·59	8	2·78	4	2·65	5	1·63	2	1·42	2	1·02	2	0·00	0	0·00	0	3·66	4	1·76	5	1·68	6	3·15	2	24·34	40
3333	Nooitgezien	27° 18′	29° 57′	6,000	2·80	10	4·60	8	2·65	7	0·31	3	1·02	2	2·37	2	0·00	0	0·00	0	4·09	4	1·57	6	3·63	7	2·64	6	25·68	55
3331	Elandslaagte	28° 25′	29° 57′	—	8·55	12	4·14	7	3·43	10	1·15	2	0·00	0	1·62	3	0·00	0	0·00	0	5·46	2	3·41	9	3·07	9	5·91	9	36·74	63
3334	Ballengeich	27° 54′	29° 58′	—	3·86	15	3·48	12	3·20	12	0·36	2	0·53	6	1·09	3	0·00	0	0·00	0	4·43	4	1·35	9	4·98	11	6·06	11	29·34	85
3335	Emerald Dale	29° 58′	29° 58′	—	2·59	18	3·51	13	4·20	16	0·03	3	1·05	6	1·28	6	0·00	0	0·19	6	3·31	12	4·48	14	3·43	16	5·18	18	29·25	128
4143	Lauriston	29° 05′	29° 59′	—	5·66	12	2·09	7	5·26	10	1·61	3	0·42	3	1·48	3	0·00	0	0·00	0	4·69	4	4·72	9	3·44	7	4·01	9	33·38	67
4142	Struisvogelpoort	28° 06′	30° 01′	—	4·34	13	2·56	9	3·90	12	0·42	2	0·36	2	1·43	3	0·00	0	0·00	0	3·22	3	1·72	8	4·87	11	2·97	8	25·79	71
3337	Rongpoort	29° 03′	30° 01′	—	6·47	12	1·90	8	4·03	11	0·80	3	0·55	3	1·19	3	0·00	0	0·00	0	3·75	3	3·66	11	3·46	7	5·35	13	31·16	74
1588	Nottingham Road	29° 20′	30° 01′	4,800	2·44	21	1·49	15	3·94	15	0·48	5	0·84	5	1·43	5	0·01	1	0·05	4	4·02	13	3·93	17	2·82	14	6·91	23	28·36	138
2548	Zomershoek	27° 10′	30° 02′	5,600	2·85	4	5·64	5	0·75	1	0·00	0	1·50	1	1·25	1	0·00	0	0·00	0	2·85	3	1·30	2	1·65	2	2·75	3	20·54	22
4144	Fitty Park	28° 35′	30° 03′	—	7·54	9	1·72	3	2·52	8	0·15	1	0·75	2	3·91	6	0·00	0	0·00	0	3·16	4	2·80	15	4·20	6	3·83	7	30·58	61
4145	Essenwood or (of) Sorsgrove	29° 15′	30° 03′	—	2·22	7	1·76	5	3·05	6	0·41	2	0·25	2	1·46	3	0·00	0	0·00	0	—	—	—	—	—	—	—	—	(9·15	25)
3339	Try Again	28° 01′	30° 05′	—	2·40	6	2·76	5	3·44	6	0·00	0	0·57	3	1·60	3	0·00	0	0·00	0	3·48	4	2·40	6	3·99	10	3·81	11	24·45	54
2398	Weenen	28° 51′	30° 05′	2,840	6·51	10	1·06	7	3·69	9	0·03	3	1·13	3	0·55	2	0·00	0	0·00	0	0·94	1	3·98	9	3·71	6	6·42	13	28·92	63
1309	Lidgetton	29° 26′	30° 07′	3,950	4·18	13	2·34	10	5·96	16	1·30	3	1·19	5	1·30	3	0·00	0	0·10	1	4·52	10	4·35	12	5·17	14	5·48	21	35·89	108
2365	Wakkerstroom	27° 21′	30° 08′	5,780	2·49	9	3·53	6	2·03	10	0·16	3	1·50	4	2·02	3	0·00	0	0·00	0	3·73	4	1·44	6	3·30	9	4·23	9	24·52	63
69	Balbrogie	28° 22′	30° 10′	3,700	4·50	16	3·41	11	3·93	16	0·76	4	0·27	3	2·18	4	0·00	0	0·00	0	4·30	6	2·90	15	4·29	12	3·83	14	30·37	101
4146	Wahroonga	29° 32′	30° 10′	—	3·76	12	2·21	13	4·26	17	0·39	5	0·93	5	1·40	4	0·00	0	0·16	3	4·40	9	3·30	14	3·38	12	5·69	19	29·88	113

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) / Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In.	D.	In.	D.	In.	D.	In.	D.	In.	D.	In.	D.	In.	D.	In.	D.	In.	D.	In.	D.	In.	D.	In.	D.	In.	D.
SECTION 17 (*continued*)—SEKSIE 17 (*vervolg*).																														
3353	Sarnia	29° 52′	30° 52′	—	1·45	10	5·03	9	4·80	16	0·03	1	0·39	6	1·45	5	0·11	2	0·33	3	2·32	6	4·17	13	2·80	12	3·54	20	26·42	103
3354	Elandsvlei	29° 06′	30° 53′	—	2·15	12	2·39	14	6·26	19	0·23	3	1·08	5	1·52	6	0·01	1	0·54	6	3·66	9	7·74	16	2·64	13	7·54	16	35·76	120
1388	Malvern	29° 52′	30° 53′	550	1·06	8	4·03	8	5·44	18	0·00	0	0·26	1	1·49	3	0·00	0	0·33	2	1·95	6	3·35	8	1·77	9	2·72	15	22·49	78
805	Hillary	29° 53′	30° 53′	30	1·35	11	4·27	14	5·01	16	0·18	4	0·43	6	1·99	7	0·08	3	0·55	5	2·10	11	3·55	15	2·74	13	3·08	21	25·33	126
3039	Umlaas	29° 56′	30° 53′	—	1·44	12	4·76	13	4·32	17	0·03	3	0·48	6	1·70	7	0·14	2	0·17	4	2·08	8	3·06	13	2·49	13	2·34	14	23·01	112
1552	Ndwedwe	29° 33′	30° 55′	2,500	2·29	11	4·02	14	6·20	16	0·27	4	0·46	5	1·91	5	0·15	1	0·77	2	2·68	11	4·24	8	5·28	8	4·25	12	32·52	97
3355	Elandskop	29° 03′	30° 56′	—	3·07	7	4·09	10	10·30	16	0·50	1	2·99	5	1·71	4	0·00	0	0·00	0	3·32	6	3·41	7	2·10	8	3·91	11	35·40	75
3036	Coedmore	29° 55′	30° 56′	—	1·32	12	5·32	12	3·09	16	0·19	3	0·44	6	1·77	6	0·04	2	0·54	4	2·20	8	2·78	13	2·43	11	2·72	15	24·84	108
2228	Umbogintwini	29° 58′	30° 56′	200	1·39	11	9·43	15	4·52	16	0·07	3	0·45	5	4·06	5	0·19	3	0·65	5	2·66	8	3·93	13	3·29	12	3·02	21	33·66	117
3356	Zaaiplaats	27° 18′	30° 57′	—	7·37	9	1·54	4	7·06	6	0·35	1	1·33	3	0·38	1	0·00	0	0·00	0	2·92	4	1·80	5	1·63	5	6·47	8	30·85	46
902A	Hlobane	27° 43′	30° 59′	4,140	2·78	6	3·76	9	1·40	5	0·37	1	0·86	5	0·82	4	0·00	0	0·00	0	2·41	5	2·24	10	1·78	9	2·04	11	18·46	65
1465	Milkwood Kraal	29° 43′	30° 59′	—	0·99	6	3·88	9	4·01	9	0·23	2	0·71	4	1·40	6	0·18	2	0·20	2	2·11	4	4·39	9	2·18	8	2·28	9	22·56	70
3040	Cato Road	29° 51′	30° 59′	—	1·02	10	4·18	13	6·41	16	0·17	3	1·86	5	1·83	6	0·11	1	0·53	4	1·94	9	3·49	11	3·26	11	2·52	14	27·32	103
SECTION 18—SEKSIE 18.																														
3029	Mantonga	27° 20′	31° 00′	—	8·37	12	1·78	3	4·93	5	0·00	0	0·92	3	0·29	1	0·00	0	0·00	0	1·69	2	1·71	4	0·68	2	4·05	8	24·42	(40)
3030	Langkrans or (of) Enyati	27° 50′	31° 00′	—	6·52	11	3·80	10	5·97	12	0·89	7	1·47	6	2·38	5	0·00	0	0·00	0	6·16	4	2·74	7	7·01	14	9·55	12	46·49	88
63	Babanango	28° 24′	31° 00′	3,500	1·68	7	2·44	7	3·21	7	1·23	2	1·07	4	1·47	2	0·00	0	0·00	0	0·96	2	3·04	6	3·27	5	1·85	4	20·22	46
552	Durban (Botanical Gardens)	29° 50′	31° 00′	—	0·85	12	3·59	11	5·39	12	0·21	3	0·70	4	2·01	6	0·17	1	0·46	4	1·69	8	2·55	11	—	—	2·54	14	(20·16	86)
3031	Westbrook	29° 42′	31° 00′	—	0·80	4	3·79	9	3·79	9	0·27	2	0·67	4	2·10	6	0·28	2	0·38	2	2·10	4	4·48	9	2·67	8	2·56	10	23·89	69
1941	Saccharine	29° 42′	31° 00′	—	2·07	8	4·12	9	4·60	10	0·31	2	0·51	6	2·41	6	0·30	1	0·37	3	2·43	4	4·43	11	2·45	9	2·88	10	26·88	79
1677	Phoenix	29° 43′	31° 00′	115	1·01	7	3·55	9	3·64	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	(8·20	26)
3032	Effingham	29° 45′	31° 00′	—	0·97	5	2·83	6	4·55	10	0·14	2	1·92	5	1·56	6	0·19	1	0·39	2	1·88	4	4·61	11	1·99	9	1·89	10	22·92	71
4154	Durban (North Ridge Reservoir)	29° 49′	31° 00′	—	1·10	11	4·12	13	6·84	17	0·30	4	0·74	8	2·04	6	0·24	2	0·46	5	1·77	9	2·94	13	3·23	12	—	—	(23·78	100)
737	Glückstadt	27° 58′	31° 01′	—	3·55	10	4·77	12	4·79	12	0·22	3	0·62	4	1·42	6	0·00	0	0·09	3	4·03	7	2·91	9	4·07	14	2·24	10	28·71	90
3033	Cornubia	29° 41′	31° 01′	—	0·77	6	2·98	11	4·01	11	0·39	2	0·40	4	2·65	7	0·00	0	0·55	3	2·05	6	4·86	11	2·27	10	2·08	10	23·01	81
3034	Redhill	29° 46′	31° 01′	—	1·19	12	4·15	17	6·32	13	0·38	3	1·08	5	0·56	4	0·21	2	0·38	3	2·08	7	3·23	15	2·30	11	2·94	14	24·81	106
550	Durban (Silverton Road)	29° 50′	31° 01′	260	1·05	12	3·90	12	6·38	14	0·33	3	0·81	7	2·13	6	0·23	2	0·48	4	1·85	9	2·73	12	3·31	12	2·96	14	26·16	107
4155	Durban (Old Court House)	29° 50′	31° 01′	—	0·89	4	4·10	12	6·21	16	0·89	4	1·00	5	0·97	7	0·24	3	0·63	5	1·65	9	2·38	13	3·10	12	3·64	16	25·70	106
3042	Mount Edgecombe	29° 42′	31° 02′	—	0·99	8	4·12	11	4·48	12	0·27	2	0·55	8	2·41	7	0·15	2	0·28	3	2·07	7	5·44	13	2·49	9	2·30	10	25·55	92
551	Durban (Point, 8′)	29° 52′	31° 03′	20	1·38	9	4·15	10	7·14	17	1·03	4	1·40	7	2·05	6	0·58	4	0·67	5	1·88	9	3·51	14	3·85	12	3·84	18	31·48	115
3043	Durban (Point, 5′)	29° 52′	31° 03′	—	1·31	9	4·10	10	6·81	16	1·00	4	1·38	7	2·03	6	0·57	4	0·65	5	1·81	8	3·42	14	3·74	12	3·71	18	30·53	113
3044	Durban (Bluff, 5′)	29° 52′	31° 03	—	1·56	11	3·96	11	6·58	16	0·97	4	1·09	7	2·08	5	0·66	5	0·74	5	2·29	11	3·47	14	3·74	12	3·39	18	30·44	119
2293	Verulam	29° 37′	31° 04′	170	0·94	8	2·75	11	3·42	13	0·30	2	0·12	2	1·77	6	0·18	1	0·16	1	2·59	7	3·54	13	2·97	10	2·44	7	21·09	81
162	Blackburn	29° 41′	31° 04′	—	1·33	6	4·94	8	5·00	10	0·45	2	0·49	3	3·06	6	0·11	1	0·66	4	2·50	5	5·98	11	4·16	10	4·39	10	33·07	76

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) / Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Dec.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm	D.
SECTION 18 (*Continued*)—SEKSIE 18 (*Vervolg*).																														
3074	Woodford	28° 32′	32° 11′	—	2·29	14	1·53	9	9·19	13	2·06	7	1·38	9	1·11	5	0·91	5	0·67	8	2·31	8	3·93	7	4·19	7	3·38	9	32·95	101
3075	Byram	28° 36′	32° 13′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2·23	10	2·73	9	2·08	8	2·83	7	(9·87	34)
2220	River View	28° 27′	32° 13′	50	1·30	4	1·58	5	6·47	12	0·75	4	0·90	9	0·77	4	0·51	3	0·32	5	1·46	4	2·89	7	2·11	8	3·49	6	22·55	71
4162	Walls Place	28° 06′	32° 15′	—	1·08	8	2·01	9	3·18	8	0·38	4	0·14	4	0·10	2	0·18	4	0·02	1	1·11	7	1·84	9	2·57	7	2·38	8	14·99	71
3057	Hluhluwe (Lot No. 40)	28° 03′	32° 16′	—	0·77	3	0·44	3	2·16	3	0·14	1	0·11	1	0·10	1	0·28	2	0·00	0	0·84	2	1·49	6	2·48	9	—	—	(8·81	31)
3078	Hluhluwe (Lot No. 29)	28° 06′	32° 16′	—	0·80	4	1·05	5	3·17	7	0·41	4	0·25	4	0·13	2	0·18	3	0·00	0	1·33	6	1·78	6	3·19	8	2·43	8	14·72	57
3076	Matubatuba	28° 22′	32° 17′	—	1·69	10	1·81	9	6·09	10	0·86	5	0·73	7	0·83	5	0·73	4	0·41	6	2·36	6	2·71	7	3·06	11	3·46	8	24·74	88
4163	Dukudnku	28° 24′	32° 18′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2·03	11	2·73	8	2·18	10	2·86	8	(9·80	37)
3077	Cape St. Lucia	28° 31′	32° 24′	—	2·92	8	2·38	10	10·29	12	2·86	5	0·54	8	2·95	8	3·45	8	1·32	7	3·29	13	2·43	11	4·39	12	2·85	11	39·67	113
1398	Maputa	27° 01′	32° 48′	100	4·92	10	6·00	9	3·21	7	0·39	3	0·13	3	2·00	8	2·13	5	0·17	2	1·23	5	0·41	3	1·20	6	3·87	11	25·66	72
SECTION 19—SEKSIE 19.																														
4075	Paternoster	32° 48′	17° 54′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0·62	10	0·34	4	0·00	0	(0·96	14)
1971	Schuinskraal	30° 33′	17° 56′	—	—	—	—	—	—	—	—	—	—	—	0·38	2	1·34	4	0·95	4	0·23	3	1·52	5	0·21	3	0·00	0	(4·63	21)
696	Garies	30° 33′	17° 59′	830	0·00	0	0·00	0	0·00	0	0·00	0	0·40	3	0·38	2	0·90	2	0·35	1	0·00	0	1·16	4	0·00	0	0·00	0	3·19	12
3024	Vredenburg	32° 52′	18° 00′	—	0·20	1	0·61	3	0·10	1	0·30	2	2·09	9	0·74	4	2·18	9	1·30	6	0·88	7	1·15	6	0·10	1	0·00	0	9·65	49
1311	Lilyfontein	30° 18′	18° 05′	5,000	0·00	0	0·05	1	0·00	0	0·20	1	0·73	2	1·63	4	2·14	4	1·23	4	0·65	4	2·64	5	0·65	3	0·00	0	9·92	28
3025	Nieuwe Rust	31° 15′	18° 10′	—	0·00	0	0·28	2	0·08	1	0·02	1	0·80	5	0·26	2	1·70	5	0·53	3	0·22	3	0·67	1	0·35	2	0·00	0	4·91	25
1091	Kersefontein	32° 52′	18° 21′	15	0·00	0	0·24	1	0·22	1	0·22	2	2·46	9	0·28	2	2·06	10	1·24	5	0·57	6	0·78	3	0·36	2	0·00	0	8·43	41
4076	Roodeklipheuvel	31° 50′	18° 33	—	—	—	—	—	—	—	—	—	—	—	0·17	2	1·27	5	0·27	2	0·05	2	0·85	5	0·20	2	0·00	0	(2·81	18)
3027	Graafwater	32° 10′	18° 35′	—	0·06	1	0·17	3	0·05	1	0·07	3	2·24	10	0·17	2	1·32	9	0·82	8	0·59	6	1·33	9	0·28	5	0·00	0	7·10	57
3026	Klaver	31° 47′	18° 37′	—	0·00	0	0·19	2	0·03	1	0·02	1	2·18	9	0·34	2	1·94	9	0·50	5	0·61	6	0·94	6	0·56	4	0·00	0	7·31	45
1696	Piquetberg	32° 53′	18° 45′	770	0·29	3	0·85	3	0·28	2	0·72	2	3·77	8	0·91	2	3·75	8	2·18	7	1·68	8	2·47	9	0·84	5	0·00	0	17·74	57
271	Bulshoek	31° 59′	18° 45′	254	0·00	0	0·08	1	0·00	0	0·29	2	1·85	9	0·30	3	1·31	6	0·67	7	0·11	4	0·77	7	0·30	2	0·01	1	5·69	42
2267	Van Rhynsdorp	31° 35′	18° 46′	400	0·00	0	0·00	0	0·00	0	0·00	0	1·82	5	0·15	1	1·67	7	0·44	3	0·19	1	0·62	2	0·33	2	0·00	0	5·22	21
4077	Elandsfontein	32° 18′	18° 50′	—	—	—	0·79	2	0·00	0	0·38	2	3·72	7	0·83	3	2·70	7	2·50	5	1·20	7	2·90	9	1·10	4	0·00	0	(16·12	46)
4078	Vuurfontein	31° 28′	18° 51′	—	—	—	—	—	0·03	1	0·02	1	1·78	10	0·37	3	1·65	5	0·35	5	0·28	3	0·99	7	0·34	2	0·00	0	(5·81	37)
362	Clanwilliam I	32° 10′	18° 55′	245	0·00	0	0·04	2	0·00	0	0·00	0	1·19	8	0·47	3	0·89	4	0·44	3	0·26	3	1·07	6	0·26	3	0·00	0	4·62	32
363	Clanwilliam (Gaol—Tronk)	32° 10′	18° 55′	245	0·00	0	0·07	2	0·00	0	0·00	0	1·92	11	0·41	3	1·01	6	0·86	5	0·38	4	1·20	7	0·31	3	0·00	0	6·16	41
SECTION 20—SEKSIE 20.																														
385	Cloudskraal	31° 21′	19° 01′	2,500	0·00	0	1·01	2	0·00	0	0·55	2	4·98	10	1·35	2	4·03	3	2·07	2	1·25	4	1·96	3	0·68	3	0·00	0	17·85	31
16	Algeria	32° 22′	19° 03′	1,500	0·02	1	0·89	2	0·02	1	0·42	2	5·14	9	2·23	3	3·63	7	2·75	6	1·25	4	3·54	7	1·75	3	0·00	0	21·64	45
3165	Honingvlei	32° 12′	19° 06′	—	0·03	1	0·67	2	0·03	1	0·72	2	5·06	11	0·80	4	4·40	8	3·49	8	1·44	5	3·92	9	1·26	4	0·00	0	21·82	55
3166	Nieuwoudtville	31° 22′	19° 09′	—	0·00	0	0·45	1	0·13	1	0·00	0	1·89	4	0·27	1	3·11	2	0·00	0	0·00	0	2·17	5	0·30	1	0·00	0	8·32	15

| | | |

No.	Station. Stasie.	Latitude. S. Breedte-graad. S.	Longitude. E. Lengte-graad. O.	Height above M.S.L. (app.) Hoogte bo G.S.H. (omtrent). Feet. Voet.	Jan. Jan.		Feb. Feb.		Mar. Mrt.		Apr. Apr.		May. Mei.		June. Junie.		July. Julie.		Aug. Aug.		Sept. Sept.		Oct. Okt.		Nov. Nov.		Dec. Des.		Annual Total. Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 21 (*Continued*)—SEKSIE 21 (*Vervolg*).																														
276	Bulwater	32° 30′	21° 53′	2,000	0·00	0	0·00	0	0·68	1	0·00	0	0·60	1	0·40	1	0·00	0	0·00	0	0·37	1	0·00	0	0·59	2	0·00	0	2·64	6
2016	Smouskolk	30° 29′	21° 54′	3,200	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·35	1	0·00	0	0·35	1
3259	Slingersfontein	31° 35′	21° 55′	—	0·00	0	0·00	0	0·16	2	0·04	1	0·29	3	0·21	1	0·09	3	0·13	2	0·03	1	0·24	3	0·48	3	0·00	0	1·67	19
4082	Tamboersfontein	32° 30′	21° 57′	—	0·00	0	0·00	0	0·22	1	0·00	0	0·84	4	0·35	1	0·17	2	0·00	0	0·25	1	0·09	2	0·41	3	0·00	0	2·33	14
2850	Hottentots River	32° 20′	21° 59′	2,850	0·00	0	0·00	0	0·00	0	0·00	0	1·23	1	0·41	1	0·20	1	0·00	0	0·23	1	0·00	0	0·61	1	0·00	0	2·68	5
3260	Rietfontein	32° 16′	22° 00′	—	0·00	0	0·00	0	0·00	0	0·96	1	0·70	1	0·65	1	0·23	1	0·00	0	0·12	1	0·00	0	0·61	2	0·00	0	3·27	7
685	Fraserburg Road	32° 46′	22° 00′	1,820	0·00	0	0·00	0	0·00	0	0·00	0	0·20	1	0·00	0	0·00	0	0·00	0	0·30	1	0·00	0	—	—	0·00	0	(0·50	2)
6	Abrahamskraal	32° 55′	22° 00′	2,050	0·00	0	0·00	0	0·00	0	0·00	0	0·10	2	0·10	1	0·07	1	0·00	0	0·30	1	0·17	2	0·00	0	0·00	0	0·74	7
3261	Garstkolk	30° 41′	22° 02′	—	0·00	0	0·00	0	0·77	2	0·07	1	0·00	0	0·00	0	0·08	1	0·00	0	0·16	2	0·09	1	0·26	2	0·00	0	1·43	9
2303	Vlagfontein	32° 32′	22° 02′	2,300	0·00	0	0·00	0	0·00	0	—	—	0·62	1	0·32	1	—	—	—	—	0·25	1	—	—	0·40	1	—	—	(1·59	4)
3262	Visgat	31° 29′	22° 03′	—	0·00	0	0·00	0	1·02	3	0·13	1	0·00	0	0·21	1	0·09	1	0·00	0	0·00	0	0·00	0	0·30	1	0·00	0	1·75	7
333	Carnarvon (School—Skool)	30° 58′	22° 08′	4,060	0·00	0	0·06	1	0·68	2	0·10	1	0·06	1	0·03	1	0·03	1	0·04	1	0·17	2	0·14	2	0·30	3	0·06	1	1·67	16
3263	Carnarvon (Municipality—Munisipaliteit)	30° 58′	22° 08′	4,060	0·00	0	0·00	0	0·72	1	0·08	1	0·00	0	0·00	0	0·00	0	0·00	0	0·17	2	0·11	2	0·22	1	0·00	0	1·30	7
759	Grantham	32° 17′	22° 09′	3,000	0·00	0	0·00	0	0·00	0	0·19	1	1·21	2	0·53	2	0·25	1	0·00	0	0·11	1	0·00	0	0·72	1	0·00	0	3·01	8
3264	Juriesfontein	31° 38′	22° 10′	—	0·00	0	0·00	0	0·21	1	0·00	0	0·50	2	0·00	0	0·20	1	0·00	0	0·00	0	0·00	0	0·40	2	0·00	0	1·31	6
4084	Asbestos	31° 54′	22° 10′	—	0·00	0	0·00	0	0·21	1	0·20	4	0·33	3	0·19	1	0·11	1	0·00	0	0·16	2	0·22	2	0·34	3	0·00	0	1·76	17
693	Gannapan	30° 23′	22° 11′	3,500	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·27	2	0·00	0	0·00	0	0·00	0	0·27	2
4165	Springfontein	31° 44′	22° 12′	—	—	—	0·00	0	0·21	2	0·11	2	0·13	1	0·94	1	0·55	2	0·07	1	0·13	1	0·28	2	0·35	2	0·00	0	(2·77	14)
1303	Letjesbosch	32° 33′	22° 15′	2,300	0·00	0	0·00	0	0·00	0	0·00	0	0·17	1	0·33	1	0·14	2	0·07	1	0·23	3	0·28	2	0·33	2	0·00	0	1·55	12
817	Groot Waterval	32° 59′	22° 16′	2,000	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·25	1	0·42	2	0·00	0	0·40	1	0·20	1	0·00	0	0·00	0	1·27	5
3265	Rosary, The	32° 00′	22° 20′	—	0·00	0	0·00	0	0·29	1	0·08	1	0·45	2	0·21	1	0·16	1	0·09	1	0·17	2	0·23	2	0·44	3	0·00	0	2·12	14
3266	Lammerkraal	32° 47′	22° 20′	—	0·00	0	0·00	0	0·01	1	0·01	1	0·18	2	0·45	2	0·26	2	0·01	1	0·39	1	0·46	4	0·27	2	0·00	0	2·04	16
3267	Loxton	31° 28′	22° 21′	—	0·00	0	0·00	0	0·41	3	0·40	2	0·10	3	0·37	2	0·21	3	0·15	2	0·35	2	0·28	3	0·38	2	0·00	0	2·65	22
3268	Snydersfontein	31° 50′	22° 21′	—	0·00	0	0·00	0	0·16	2	0·22	2	0·23	1	0·32	1	0·25	1	0·05	1	0·11	1	0·13	1	0·50	2	0·00	0	1·97	12
4164	Rocklands	31° 43′	22° 24′	—	0·00	0	0·00	0	0·60	2	0·93	6	0·71	5	0·47	1	0·50	4	0·07	2	0·16	2	0·31	3	0·55	4	0·08	1	4·38	30
3269	Stoltz River Dam	32° 25′	22° 24′	—	0·00	0	0·00	0	0·00	0	0·00	0	0·27	2	0·45	2	0·16	1	0·00	0	0·12	1	0·34	4	0·27	1	0·00	0	1·61	11
3270	Slangfontein	31° 40′	22° 25′	—	0·00	0	0·00	0	0·50	1	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·22	1	0·00	0	0·00	0	0·00	0	0·72	2
1615	Oorlogshoek	30° 34′	22° 26′	4,000	—	—	—	—	—	—	—	—	0·40	1	0·00	0	0·14	1	0·00	0	0·15	1	0·20	1	0·00	0	0·00	0	0·89	4
3271	Bakovenfontein	32° 45′	22° 26′	—	0·00	0	0·00	0	0·00	0	0·00	0	0·09	1	0·54	1	0·33	2	0·00	0	0·26	1	0·08	2	0·13	1	0·00	0	1·43	8
544	Dunedin	31° 56′	22° 27′	4,900	0·00	0	0·00	0	0·85	2	0·11	1	0·25	2	0·35	1	0·12	1	0·00	0	0·00	0	0·30	2	0·25	1	0·00	0	2·23	10
1432	Meyerspoort	32° 40′	22° 27′	2,500	0·15	1	0·00	0	0·00	0	0·10	1	0·18	1	0·50	2	0·35	2	0·00	0	0·16	1	0·27	1	0·31	1	0·00	0	2·02	10
3272	Paardekraal	32° 13′	22° 30′	—	0·00	0	0·00	0	0·00	0	0·00	0	0·74	3	1·02	1	0·40	1	0·09	1	0·20	1	0·00	0	1·00	2	0·00	0	3·45	9
4166	Noblesfontein	32° 35′	22° 30′	—	0·00	0	0·00	0	0·00	0	0·00	0	0·18	3	0·45	1	0·36	1	0·00	0	0·11	1	0·06	1	0·27	1	0·00	0	1·43	8
3273	Weltevreden	32° 26′	22° 32′	—	0·00	0	0·00	0	0·00	0	0·00	0	0·49	2	0·53	1	0·16	1	0·00	0	0·14	1	0·31	3	0·00	0	0·00	0	1·63	8
4167	Taaiboschfontein	31° 27′	22° 33′	—	—	—	0·00	0	0·24	3	0·00	0	0·16	2	0·18	1	0·16	1	0·00	0	0·22	2	0·00	0	0·32	1	0·47	1	(1·75	11)

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 22 (*Continued*)—SEKSIE 22 (*Vervolg*).																														
3664	Lekkervlei	31° 07′	23° 42′	—	0·00	0	0·00	0	1·62	4	0·91	1	0·52	1	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	1·48	2	0·92	1	5·45	9
4175	Patrysfontein	31° 20′	23° 45′	—	—	—	—	—	—	—	—	—	0·00	0	0·11	1	0·10	1	0·00	0	0·35	2	0·00	0	1·60	3	0·57	2	(2·73	9)
4176	Stiltevrede	30° 43′	23° 46′	—	0·00	0	0·00	0	1·66	4	0·19	1	0·15	2	0·15	1	0·14	1	0·00	0	0·00	0	0·26	1	1·35	2	0·00	0	3·90	12
4177	Elandspoort	31° 35′	23° 47′	—	—	—	—	—	—	—	—	—	—	—	0·26	1	0·15	2	0·00	0	0·15	1	0·23	1	2·21	2	0·85	1	(3·85	8)
4178	Soutfontein	32° 43′	23° 47′	—	0·04	1	0·00	0	0·08	2	0·05	1	0·51	3	0·40	3	0·21	1	0·05	1	0·20	1	0·05	1	1·24	3	0·00	0	2·83	17
1540	Murraysburg	31° 57′	23° 48′	3,800	—	—	—	—	—	—	—	—	—	—	0·29	3	0·30	2	0·08	1	0·13	1	0·00	0	—	—	1·12	1	(1·92	8)
1833	Weldon	32° 59′	23° 49′	2,270	0·00	0	0·00	0	0·00	0	0·00	0	0·34	2	0·19	1	0·40	1	0·00	0	0·27	1	0·19	3	1·37	2	0·00	0	2·76	10
4179	Oudefontein	31° 20′	23° 50′	—	—	—	0·31	1	0·90	3	0·24	2	0·00	0	0·16	1	0·34	2	0·00	0	0·25	1	—	—	1·54	3	0·90	2	(4·64	15)
3668	Snyderskraal	31° 48′	23° 50′	—	0·00	0	0·35	1	1·38	3	0·45	2	0·15	1	0·47	2	0·02	1	0·00	0	0·15	1	0·28	2	0·98	3	0·49	2	4·72	18
470	De Kruis	32° 06′	23° 51′	4,500	0·00	0	0·58	1	0·00	0	1·00	4	0·78	3	0·60	3	0·71	3	0·00	0	0·22	1	0·17	1	2·20	7	0·42	1	6·68	24
3669	Cromdale	32° 53′	23° 51′	—	0·08	1	0·00	0	0·00	0	0·36	2	0·17	2	0·82	1	0·43	1	0·00	0	0·25	1	0·00	0	1·05	2	0·22	1	3·38	11
3670	Klipplaat	31° 45′	23° 53′	—	0·00	0	0·00	0	0·48	2	0·60	1	0·00	0	0·55	2	0·00	0	0·00	0	0·25	1	0·00	0	1·35	4	0·75	1	3·98	11
3671	Kocksbeen	30° 22′	23° 54′	—	0·00	0	0·00	0	1·65	6	0·28	3	0·09	1	0·06	1	0·18	1	0·00	0	0·19	2	0·33	2	2·08	3	0·89	3	5·48	22
3672	Chelmsford	32° 50′	23° 55′	—	0·00	0	0·00	0	0·00	0	0·00	0	0·80	1	0·25	1	0·24	2	0·00	0	0·23	1	0·07	1	1·37	2	0·04	1	3·00	9
1809	Richmond	31° 25′	23° 57′	4,700	0·00	0	0·22	1	1·02	2	0·67	1	0·00	0	0·25	1	0·28	2	0·06	1	0·33	2	0·22	2	1·47	3	0·42	1	4·94	16
159	Blaauwkrantz	30° 34′	23° 59′	4,000	0·00	0	0·00	0	2·35	4	0·13	1	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·15	1	0·37	1	1·89	3	0·27	1	5·16	11
452	De Aar	30° 39′	24° 01′	4,079	0·00	0	0·00	0	2·49	4	0·35	2	0·04	1	0·13	1	0·02	1	0·00	0	0·17	1	0·24	2	1·33	2	0·20	3	4·97	17
3673	Ezelsfontein	30° 57′	24° 02′	—	0·12	2	0·00	0	1·69	—	0·52	5	0·20	1	0·17	3	0·19	1	0·00	0	0·27	1	0·19	1	1·29	3	0·39	3	5·03	(20)
3	Aberdeen (Gaol—Tronk)	32° 28′	24° 03′	2,400	0·50	2	0·20	1	0·15	2	0·57	3	0·53	1	0·85	1	0·21	2	0·05	1	0·40	1	0·06	1	1·32	2	0·22	1	5·05	18
2	Aberdeen II	32° 28′	24° 03′	2,400	0·61	3	0·24	2	0·19	2	0·78	3	0·60	1	0·95	1	0·31	3	0·06	1	0·48	2	0·00	0	1·62	3	0·27	1	6·01	22
4181	Aberdeen III	32° 28′	24° 03′	2,400	—	—	0·28	3	0·18	3	0·71	3	0·50	1	0·93	1	0·25	1	—	—	—	—	—	—	—	—	—	—	(2·85	12)
3674	Ebenezer	30° 37′	24° 05′	—	0·15	4	0·00	0	2·31	4	0·37	4	0·26	5	0·06	1	0·14	1	0·00	0	0·27	3	0·31	4	1·78	4	0·59	5	6·24	35
3675	Kwesfontein	30° 53′	24° 06′	—	0·00	0	0·00	0	1·67	5	0·73	3	0·15	1	0·00	0	—	—	—	—	—	—	—	—	1·58	3	—	—	(4·13	12)
3676	Elandsfontein	31° 04′	24° 06′	—	0·00	0	0·00	0	1·57	5	0·72	4	—	—	0·00	0	0·00	0	0·00	0	0·30	1	0·30	1	—	—	0·49	1	(3·38	12)
3677	Wortelfontein	31° 10′	24° 07′	—	0·28	1	0·18	1	0·94	6	1·00	5	0·00	0	0·18	2	0·07	1	0·00	0	0·36	1	0·31	1	1·39	4	0·80	2	5·60	24
3642	Hartebeesthoek	30° 44′	24° 08′	—	0·00	0	0·00	0	1·83	4	0·28	3	0·00	0	0·11	1	0·00	0	0·00	0	0·15	1	0·28	1	1·15	1	0·26	1	4·06	12
1956	Scheurfontein	31° 20′	24° 08′	5,500	0·00	0	0·00	0	1·03	2	0·67	2	0·00	0	0·33	1	0·45	1	0·00	0	0·40	1	0·30	1	1·75	4	0·52	1	5·45	13
337	Carolinspoort	30° 37′	24° 10′	4,300	0·21	1	0·00	0	2·18	4	0·20	2	0·05	1	0·02	1	0·22	2	0·00	0	0·17	2	0·28	2	1·70	3	0·45	4	5·48	22
3645	Nooitverwacht	31° 24′	24° 11′	5,200	0·00	0	0·41	1	1·06	2	0·62	2	0·00	0	0·25	1	0·33	1	0·00	0	0·38	1	0·22	1	2·01	3	0·37	1	5·65	13
4191	Paardekraal	32° 13′	24° 12′	—	0·45	2	0·35	2	0·10	1	0·55	2	0·66	2	0·00	0	—	—	—	—	—	—	—	—	—	—	—	—	(2·11	9)
2547	Zoetvlei	31° 35′	24° 14′	5,000	0·00	0	0·37	1	1·08	5	1·81	4	0·00	0	0·33	2	0·28	3	0·05	1	0·37	1	0·00	0	1·89	3	0·56	4	6·44	24
3647	Rietfontein	30° 45′	24° 15′	—	0·00	0	0·00	0	2·20	4	0·68	6	0·15	2	0·14	1	0·20	1	0·00	0	0·24	2	0·25	1	1·56	2	0·15	1	5·57	20
794	Grootfontein	31° 15′	24° 15′	5,000	0·00	0	0·00	0	1·76	4	0·69	3	0·25	2	0·26	2	0·00	0	0·00	0	0·41	2	0·20	1	1·52	3	1·32	4	6·41	21
4192	Wolwehoek	31° 40′	24° 16′	—	0·30	1	0·00	0	0·67	2	0·60	1	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	1·58	3	0·87	2	4·06	9
3648	Slingershoek	30° 41′	24° 18′	—	0·00	0	0·00	0	2·98	4	0·17	1	0·00	0	0·00	0	0·21	1	0·00	0	0·14	1	0·35	1	0·81	1	0·00	0	4·66	9

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) Feet. / Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 22 (*Continued*)—SEKSIE 22 (*Vervolg*).																														
975	Jansenville (Gaol—Tronk)	32° 56′	24° 40′	1,470	0·21	1	0·02	1	0·05	1	0·08	1	0·24	1	0·48	1	0·21	2	0·00	0	0·41	4	0·43	3	1·56	5	0·00	0	3·69	20
3690	Jansenville	32° 56′	24° 40′	—	0·20	1	0·00	0	0·00	0	0·00	0	0·25	1	0·45	1	0·16	2	0·00	0	0·35	2	0·38	3	1·29	4	0·00	0	3·08	14
3691	Grasfontein	30° 30′	24° 43′	—	0·00	0	0·00	0	2·96	7	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·36	1	0·00	0	1·58	4	0·84	3	5·74	15
1272	Leeuwhoek	31° 25′	24° 43′	5,000	0·00	0	0·00	0	1·11	3	1·28	2	0·00	0	0·00	0	0·00	0	0·00	0	0·57	1	0·00	0	1·23	2	1·07	3	5·26	11
749	Gordonville	31° 43′	24° 43′	5,700	0·72	5	0·09	1	1·53	4	3·45	4	0·29	3	0·68	3	0·25	2	0·26	1	0·78	2	0·40	2	1·93	7	1·09	3	11·47	37
186	Bloemhof	31° 59′	24° 43′	3,400	0·48	2	0·00	0	0·55	3	0·32	4	1·22	3	0·95	3	0·22	2	0·08	1	0·62	1	0·66	1	1·55	5	2·29	3	8·94	28
1055	Kapokhoek	31° 27′	24° 44′	5,000	0·36	1	0·00	0	2·02	2	1·06	4	0·00	0	0·00	0	0·00	0	0·00	0	0·63	1	0·17	1	—	—	—	—	(4·24	9)
2168	Toegedacht (Uitkomst)	32° 44′	24° 44′	1,900	0·00	0	0·00	0	0·17	1	0·11	1	0·24	2	0·48	3	0·15	1	0·00	0	0·23	1	0·15	2	0·89	4	0·12	2	2·54	17
1459	Middelwater	31° 16′	24° 46′	5,250	0·00	0	0·00	0	1·50	2	1·45	2	0·00	0	0·00	0	0·00	0	0·00	0	0·42	1	0·45	3	1·39	4	0·60	4	5·81	16
139	Bethesda Road	31° 54′	24° 46′	4,618	0·46	2	0·13	1	1·24	6	0·55	4	1·29	5	0·83	2	0·39	2	0·40	1	0·84	3	0·59	5	2·14	6	1·91	4	10·77	41
1970	Schuilhoek	30° 58′	24° 47′	4,500	0·91	5	0·00	0	1·53	7	1·10	5	0·43	5	0·26	2	0·18	4	0·03	1	0·56	2	0·27	2	1·92	6	0·94	5	8·13	44
3692	Damfontein	31° 09′	24° 47′	—	0·00	0	0·00	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	(0·00	0)
725	Glen Harry	32° 07′	24° 47′	3,310	0·53	1	0·00	0	0·15	2	0·15	1	2·00	2	0·90	2	0·47	2	0·00	0	0·70	1	0·40	1	1·45	3	2·50	1	9·25	16
4184	Loopfontein	32° 50′	24° 48′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0·14	1	(0·14	1)
3693	Bell Rock	30° 35′	24° 50′	—	0·20	1	0·00	0	2·01	5	0·16	11	0·38	4	0·15	2	0·18	3	0·00	0	0·40	2	0·30	2	2·04	4	0·97	5	6·79	39
2226	Uitzicht	31° 24′	24° 50′	6,000	0·00	0	0·00	0	0·37	1	1·91	3	0·30	1	0·47	1	0·49	1	0·00	0	0·84	1	0·32	1	1·55	1	0·90	1	7·15	11
3694	Eucalyptus	31° 35′	24° 50′	—	0·56	2	0·34	1	0·39	5	1·57	7	0·16	2	0·67	2	0·11	1	0·08	1	0·87	3	0·33	2	2·31	7	1·08	6	8·47	38
3695	Excelsior	32° 12′	24° 50′	—	0·19	3	0·16	2	0·52	5	0·69	6	1·00	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	(2·56	20)
4194	Winterhoek	31° 18′	24° 52′	—	0·00	0	0·00	0	2·01	6	1·34	2	0·70	4	0·45	2	—	—	—	—	0·43	1	0·50	3	—	—	—	—	(5·43	18)
3696	The Dingle	31° 37′	24° 52′	—	0·65	3	0·43	3	1·43	6	1·28	5	0·41	3	0·54	2	0·25	1	0·05	1	0·75	3	0·37	3	2·42	7	1·06	6	9·64	43
3697	Icebell	32° 18′	24° 52′	—	0·70	1	0·25	1	1·23	3	0·00	0	0·00	0	1·12	1	0·24	1	0·00	0	0·85	3	0·00	0	1·80	2	3·33	2	9·52	14
3698	Hinwick	31° 40′	24° 53′	—	0·32	2	0·50	2	0·95	4	1·55	5	0·16	1	0·45	3	0·14	3	0·17	2	0·93	4	0·43	3	1·98	8	1·03	6	8·61	43
4185	Abbotsbury	31° 57′	24° 53′	—	—	—	—	—	—	—	1·07	5	0·37	2	1·01	6	0·73	6	0·62	4	1·44	5	0·59	5	2·94	8	1·52	3	(10·29	44)
4186	Groenkloof	32° 20′	24° 53′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0·94	1	(0·94	1)
4187	Middelwater	30° 45′	24° 54′	4,500	0·12	1	0·00	0	1·80	4	0·55	2	0·19	1	0·00	0	0·08	1	—	—	0·43	2	0·56	1	1·30	3	1·65	3	(6·68	18)
3699	Goudfontein	31° 49′	24° 54′	—	0·40	1	0·35	1	2·52	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	(3·27	7)
4188	Nooitgedacht	30° 11′	24° 55′	—	0·21	1	0·77	2	1·46	5	0·44	3	0·40	2	0·14	2	0·00	0	0·00	0	0·12	2	0·50	2	2·10	4	1·89	3	8·03	26
5045	Blaauwboschhoek	30° 01′	24° 56′	—	0·46	4	0·45	2	3·50	11	0·68	4	0·49	4	0·23	2	0·00	0	0·00	0	0·22	3	0·69	3	2·50	7	0·88	4	10·10	44
3700	Kalkfontein	30° 08′	24° 56′	—	0·22	1	0·53	3	2·05	3	0·55	4	0·36	4	0·24	2	0·00	0	0·00	0	0·18	2	0·62	3	1·97	8	1·49	6	8·21	36
1140	Klipfontein	32° 29′	24° 56′	4,000	0·39	1	—	—	0·00	0	0·47	3	0·48	4	0·88	1	—	—	—	—	—	—	—	—	—	—	—	—	(2·22	9)
3701	Nasauwpoort	31° 11′	24° 57′	4,880	0·17	1	0·00	0	1·98	4	0·87	4	0·21	2	0·30	2	0·11	1	0·00	0	0·81	2	0·35	2	2·05	4	0·61	4	7·46	26
331	Carlton	31° 16′	24° 57′	5,187	—	—	0·00	0	1·76	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	(1·76	3)
3702	Grootfontein (College—Kollege)	31° 37′	24° 58′	—	0·09	2	0·31	2	1·59	5	1·27	5	0·30	3	0·26	1	0·14	2	0·00	0	0·75	5	0·28	3	1·71	7	0·59	6	7·27	41

3739	Olivewood	30° 24′	25° 00′	—	1·50	1	0·19	1	3·13	5	0·47	1	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·32	1	1·72	2	0·30	1	7·63	12
628	Esperanza	30° 35′	25° 00′	4,400	0·04	1	0·10	2	1·93	6	0·45	5	0·15	2	0·10	1	0·14	2	0·00	0	0·39	2	0·32	2	0·82	2	1·12	7	5·56	32
1435	Middelburg (Gaol—Tronk)	31° 30′	25° 00′	4,095	0·60	3	0·00	0	1·69	5	1·04	4	0·15	1	0·18	1	0·13	2	0·00	0	0·65	3	0·03	1	1·06	5	0·30	1	5·83	26
1436	Middelburg (Station—Stasie)	31° 30′	25° 00′	4,095	0·42	2	0·00	0	1·64	5	1·09	5	0·25	2	0·32	2	0·32	2	0·00	0	0·40	1	0·58	3	1·06	4	0·39	1	6·47	27
3740	Middelburg (Stahl)	31° 30′	25° 00′	4,095	0·57	3	0·05	1	2·09	6	1·28	7	0·20	2	0·25	1	0·23	2	0·00	0	0·96	4	0·38	2	1·70	5	0·55	3	8·24	36
4195	Karreepoort	31° 50′	25° 00′	—	0·45	3	0·23	2	0·94	5	0·67	2	1·30	2	0·85	2	0·13	1	0·00	0	0·76	1	0·14	1	1·76	5	1·29	3	8·52	27
3741	Vergenoeg	32° 12′	25° 00′	—	0·06	1	0·04	1	1·41	5	0·60	4	1·29	3	0·68	2	0·36	2	0·65	2	1·06	4	0·37	2	—	—	2·22	1	(8·74	27)
415	Cranemere	32° 30′	25° 00′	2,750	0·00	0	0·00	0	0·12	1	0·40	3	0·25	2	0·90	2	0·00	0	0·00	0	0·50	1	0·00	0	1·16	4	0·00	0	3·33	13
3743	Philadelphia	31° 40′	25° 02′	—	0·00	0	0·27	1	0·68	2	1·02	3	0·00	0	0·25	2	—	—	0·00	0	0·63	2	0·08	1	1·27	2	—	—	(4·20	13)
4196	Zuurfontein	32° 10′	25° 03′	—	0·00	0	0·42	1	0·72	1	0·21	1	0·00	0	0·78	1	0·00	0	0·00	0	0·52	1	0·00	0	1·46	3	1·80	2	5·91	10
4227	Renswoude	30° 03′	25° 04′	—	—	—	—	—	—	—	—	—	—	—	—	—	0·00	0	0·00	0	0·27	1	0·73	3	1·93	6	0·88	3	(3·81	13)
3745	Karreepoort	30° 15′	25° 05′	—	0·51	2	0·86	3	2·58	7	0·61	4	0·27	2	0·23	2	0·18	2	0·00	0	0·22	2	0·45	2	2·39	5	1·06	3	9·36	34
3746	Fonteintjie	30° 30′	25° 05′	—	0·22	1	0·28	4	2·02	6	0·32	3	0·40	3	0·22	1	0·00	0	0·00	0	0·06	1	0·60	2	1·90	4	0·71	3	6·73	28
3747	Ventersfontein	31° 00′	25° 05′	—	0·10	1	0·00	0	2·21	6	0·98	4	0·41	3	0·23	2	0·17	3	0·00	0	0·76	2	0·42	1	2·36	6	0·71	4	8·35	32
3748	Kleinfontein	31° 55′	25° 05′	—	0·13	1	0·07	1	0·38	3	0·82	4	0·61	2	0·92	2	0·18	1	0·00	0	0·66	1	0·27	2	1·58	5	1·18	3	6·80	25
3749	Sundays River	32° 22′	25° 05′	—	0·00	0	0·00	0	1·18	4	0·45	2	1·13	4	1·05	1	0·62	2	0·20	1	1·00	2	0·51	3	2·53	7	2·90	3	11·57	29
3750	Diyatalawa	30° 30′	25° 06′	—	0·00	0	0·19	2	2·35	5	1·24	3	0·42	2	0·20	1	0·00	0	0·00	0	0·05	1	0·44	1	2·11	4	0·84	3	7·84	22
389	Colesberg	30° 43′	27° 07′	4,470	0·00	0	0·00	0	3·43	5	0·90	3	0·45	2	0·10	1	0·00	0	0·00	0	0·00	0	1·75	2	3·16	4	2·23	4	12·02	21
1660	Pearston	32° 34′	25° 07′	4,000	0·26	1	0·08	1	0·14	1	0·52	4	0·79	4	1·85	3	0·26	1	0·16	1	0·61	1	0·15	1	2·19	6	0·86	1	7·87	25
3751	Stradbroke West	31° 39′	25° 08′	—	0·62	2	0·17	1	1·24	3	1·94	3	0·35	2	0·21	1	0·00	0	0·00	0	0·46	1	0·24	1	1·25	3	0·82	3	7·30	20
3752	Hartmanshoop	30° 15′	25° 09′	—	0·43	4	0·70	3	3·16	8	1·05	7	0·14	2	0·21	2	0·21	3	0·00	0	0·14	4	0·46	3	2·13	5	1·04	7	9·67	48
3753	Jasfontein	30° 51′	25° 09′	—	0·00	0	0·00	0	2·78	5	0·62	4	0·00	0	0·00	0	0·00	0	0·00	0	0·54	2	0·00	0	2·86	5	—	—	6·80	16
3754	Rietfontein I.	30° 35′	25° 10′	—	0·36	2	0·15	2	2·42	10	0·69	3	0·83	4	0·14	2	0·10	1	0·00	0	0·46	2	0·22	3	2·01	5	2·31	7	9·69	41
2138	Telpoort	31° 23′	25° 10′	4,300	0·00	0	0·00	0	0·72	2	1·40	3	0·00	0	0·40	1	0·00	0	0·00	0	1·44	2	00·0	0	2·51	2	0·25	1	6·72	11
4197	Rockdale	32° 13′	25° 10′	—	0·25	1	0·48	2	0·67	3	0·26	1	0·00	0	0·27	1	0·33	2	0·00	0	1·12	2	0·00	0	1·82	3	1·40	2	6·60	17
2367	Walsingham	32° 28′	25° 10′	3,500	0·00	0	0·27	2	0·40	2	0·70	4	0·94	4	1·41	2	0·00	0	0·00	0	0·64	1	0·25	1	2·35	6	1·03	2	7·99	24
1061	Karreefontein	32° 00′	25° 11′	—	0·00	0	0·67	3	1·31	5	0·55	2	0·00	0	0·86	2	0·19	2	0·00	0	0·72	3	0·38	4	1·30	5	1·20	3	7·18	29
3755	Grapevale	30° 52′	25° 12′	—	0·14	2	0·00	0	2·00	5	0·77	4	0·00	0	0·27	1	0·00	0	0·00	0	0·67	2	0·19	1	2·73	4	0·48	3	7·25	22
3756	Stradbroke	31° 39′	25° 12′	—	1·13	2	0·11	1	1·43	3	1·32	4	0·29	2	0·29	1	0·00	0	0·00	0	0·54	1	0·05	1	1·59	3	0·75	3	7·50	21
4228	Philadelphia	30° 01′	25° 13′	—	0·16	2	0·00	0	2·94	4	0·83	3	0·40	1	0·15	1	0·00	0	0·00	0	0·00	0	1·46	4	1·71	4	1·06	4	8·71	23
4198	Adamsfontein	30° 35′	25° 13′	—	—	—	0·29	3	2·28	5	0·50	3	0·44	2	0·21	1	0·00	0	0·00	0	0·00	0	0·68	3	1·74	4	1·56	6	(7·70	27)
3758	Tafelkop	31° 38′	25° 13′	—	0·47	3	0·55	1	2·26	5	1·25	3	0·53	3	0·48	2	0·16	1	0·00	0	0·77	2	0·74	2	1·77	3	0·43	2	9·41	27
2125	Tafelberg Hall	31° 38′	25° 15′	4,022	0·90	4	0·11	1	1·87	4	1·44	5	0·21	2	0·23	1	0·00	0	0·00	0	0·67	2	0·07	1	1·84	5	0·66	2	8·02	27
3759	Philippolis	30° 16′	25° 16′	4,500	0·72	2	0·80	2	3·38	7	1·21	6	0·70	2	0·18	2	0·07	1	0·00	0	0·38	2	0·29	2	2·28	5	0·62	3	10·63	34
3760	Rowlesfontein	30° 16′	25° 16′	—	0·70	3	0·99	3	2·81	7	0·96	7	0·25	3	0·26	2	0·14	2	0·00	0	0·49	2	0·43	2	2·39	6	0·79	4	10·21	41
3761	Glencoe	31° 42′	25° 16′	—	0·15	1	0·08	1	1·56	6	1·09	4	0·09	1	0·41	2	0·00	0	0·00	0	0·63	2	0·14	2	0·81	3	0·77	4	5·73	26
1259	Avondzon	30° 08′	25° 17′	4,737	0·38	—	0·35	—	1·55	3	1·05	5	0·00	0	0·36	2	0·00	0	0·00	0	0·00	0	1·25	4	1·39	3	1·15	4	7·48	(21)
3762	Stratheden	30° 46′	25° 17′	—	0·13	1	0·18	2	2·98	5	0·92	4	1·30	3	0·20	2	0·26	3	0·02	1	0·44	2	0·14	1	2·64	5	0·91	3	10·12	32
3763	Zebraspoort	31° 20′	25° 17′	—	0·22	2	0·14	1	1·15	5	1·23	3	0·00	0	0·64	2	0·00	0	0·00	0	1·78	2	0·17	1	2·18	7	0·79	3	8·90	26
3764	Bloemhof	30° 06′	25° 18′	—	0·00	0	1·02	2	2·99	3	1·26	2	0·30	1	0·00	0	0·00	0	0·00	0	0·40	1	0·55	1	1·83	3	0·84	2	9·19	15
3765	Lansdowne	31° 34′	25° 18′	—	0·62	2	0·15	1	1·84	3	—	—	—	—	—	—	—	—	—	—	1·80	2	0·30	1	0·00	0	0·50	1	(5·21	10)
3766	Goedehoop	32° 11′	25° 19′	—	0·00	0	1·80	1	1·94	4	0·10	1	0·18	2	0·91	2	0·23	1	0·00	0	0·70	1	0·00	0	1·35	3	1·60	3	8·81	18
2230	Alwynskop	30° 09′	25° 20′	—	—	—	—	—	—	—	0·61	6	0·24	3	0·20	2	0·01	1	0·00	0	0·40	1	0·49	3	1·60	9	0·77	5	4·32	30
3767	Waterkloof	30° 15′	25° 20′	—	0·35	1	1·78	4	3·98	11	0·08	1	0·11	1	0·00	0	0·00	0	0·00	0	0·08	1	0·90	4	1·99	7	0·53	3	9·80	33
2189	Tuinplaats	30° 18′	25° 20′	4,476	0·00	0	0·75	—	—	—	0·00	—	0·00	—	0·00	—	0·00	—	0·00	—	0·32	1	0·45	2	1·70	3	0·43	1	(3·65	7)

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) Hoogte bo G.S.H. (omtrent.) Feet. Voet.	Jan. Jan.		Feb. Feb.		Mar. Mrt.		Apr. Apr.		May. Mei.		June. Junie.		July. Julie.		Aug. Aug.		Sept. Sept.		Oct. Okt.		Nov. Nov.		Dec. Des.		Annual Total. Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 23 (*Continued*)—SEKSIE 23 (*Vervolg*).																														
3768	Achtertang	30° 41′	25° 20′	—	0·00	0	0·00	0	2·13	4	0·97	3	0·32	1	0·00	0	0·00	0	0·00	0	0·06	1	0·67	3	2·24	5	—	—	(6·39	17)
3769	Riverglen	32° 10′	25° 20′	—	0·43	1	—	—	3·01	7	0·65	3	0·00	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	(4·09	11)
3770	Helpmekaar	32° 10′	25° 22′	—	0·86	2	0·28	1	1·22	3	1·05	4	0·35	1	0·97	2	0·14	1	0·00	0	1·12	2	0·29	2	1·05	3	1·71	3	9·04	24
3771	Groot Rietvlei	32° 30′	25° 22′	—	0·01	1	0·38	2	1·50	4	0·63	3	0·77	4	1·13	2	0·50	3	0·42	1	1·01	2	0·52	2	2·56	6	1·17	3	10·60	33
3772	Tweefontein	30° 32′	25° 23′	—	0·00	0	0·00	0	3·57	5	0·67	2	0·00	0	0·00	0	0·00	0	0·00	0	0·40	1	0·42	1	1·98	4	1·02	5	8·06	18
3773	Bruintjieshoogte	32° 40′	25° 23′	—	0·87	2	0·14	3	0·57	6	0·84	5	0·36	4	1·40	2	0·39	3	0·11	1	1·00	5	0·55	3	2·29	6	0·96	3	9·48	43
3774	Plenaarsfontein	30° 24′	25° 24′	—	2·32	2	0·52	3	2·90	10	0·76	4	0·30	3	0·24	2	0·19	1	0·00	0	0·39	3	0·59	4	1·60	7	0·88	4	10·69	
1417	Mauritzkop	30° 08′	25° 25′	4,850	0·28	1	0·36	2	2·46	7	1·01	6	0·49	5	0·17	1	0·00	0	0·00	0	0·35	2	0·60	4	2·12	5	1·39	4	9·23	37
3775	Vlakplaats	30° 23′	25° 25′	—	1·65	1	0·36	2	2·72	7	0·47	2	0·00	0	0·00	0	0·00	0	0·00	0	0·39	2	0·35	1	1·73	5	1·19	3	8·86	23
658	Fish River	31° 55′	25° 25′	3,244	0·67	3	0·00	0	2·22	3	0·90	1	0·00	0	0·65	2	0·00	0	0·00	0	0·59	2	0·21	1	0·58	2	0·66	2	6·48	16
3776	Die Doringe	32° 30′	25° 25′	—	1·17	4	0·00	0	0·31	3	0·65	3	0·51	3	1·35	2	0·30	1	0·21	1	0·80	1	0·46	2	2·31	5	2·61	1	10·68	26
1207	Kriekfontein	30° 14′	25° 26′	5,000	0·50	1	1·00	3	2·55	7	0·39	2	0·26	1	0·30	1	0·00	0	0·00	0	0·10	1	0·99	4	1·60	5	1·05	5	8·74	30
1674	Philippolis Road (Station—Stasie)	30° 11′	25° 27′	4,950	0·28	1	0·12	2	1·90	4	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·21	1	0·39	2	1·36	3	0·64	1	4·90	14
3777	Driekop	30° 29′	25° 27′	—	0·84	3	0·90	3	2·91	7	2·48	7	0·15	2	0·27	2	0·16	1	0·00	0	0·35	2	0·48	4	1·65	6	1·52	8	11·71	45
4202	Brandvlei	31° 20′	25° 27′	—	—	—	—	—	1·15	6	1·18	6	0·44	3	0·59	3	0·00	0	0·04	1	0·94	3	0·26	1	3·33	6	0·73	3	(8·65	32)
435	Culmstock	31° 33′	25° 27′	—	0·87	3	0·00	0	3·00	6	1·41	6	0·52	2	0·08	1	0·07	1	0·00	0	1·00	2	0·27	1	1·06	4	0·22	1	8·50	27
3778	Tweefontein	30° 55′	25° 28′	—	0·00	0	0·00	0	2·30	5	0·79	3	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	2·76	4	—	—	5·85	12
3779	Grassridge	31° 46′	25° 28′	—	0·47	1	0·51	1	0·92	7	1·34	4	0·16	4	0·57	2	0·02	1	0·00	0	0·68	3	0·15	2	0·75	5	0·72	4	6·29	34
501	Donkerpoort	30° 32′	25° 30′	4,200	0·04	1	0·64	3	3·31	10	0·66	4	0·17	2	0·21	2	0·05	2	0·00	0	0·46	3	0·35	2	1·71	5	0·81	5	8·41	39
3780	Norvalspont	30° 38′	25° 30′	—	0·00	0	0·62	1	1·89	3	1·45	2	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	1·70	2	0·00	0	5·66	8
3781	Knel	31° 03′	25° 30′	—	—	—	—	—	—	—	—	—	—	—	0·00	0	0·00	0	0·00	0	0·81	4	0·71	2	2·10	3	—	—	(3·62	9)
2273	Manor Holme	31° 30′	25° 30′	3,825	0·92	1	0·00	0	2·09	6	1·27	3	0·41	1	0·43	3	0·00	0	0·00	0	0·89	2	0·21	1	1·58	5	0·50	2	8·30	24
4203	Gowerneurskop	32° 50′	25° 30′	—	—	—	—	—	1·16	8	0·72	4	1·27	5	0·77	2	0·70	2	0·24	1	1·04	4	1·22	3	2·05	4	1·18	2	(10·35	35)
1618	Oranje	30° 20′	25° 31′	—	0·60	2	1·82	4	5·18	8	0·93	2	0·48	2	0·00	0	0·00	0	0·00	0	0·00	0	—	—	—	—	—	—	(9·01	18)
1496	Montagu Farm	30° 47′	25° 32′	4,200	1·03	3	0·24	3	3·33	9	1·79	7	0·19	4	0·27	4	0·15	2	0·00	0	1·20	2	0·46	2	3·53	9	1·23	7	13·42	52
4204	Vaalkrans	32° 36′	25° 32′	—	0·71	2	0·52	1	0·78	5	0·79	2	0·57	2	1·44	2	0·24	2	0·00	0	1·13	3	0·92	2	2·27	5	1·86	1	11·23	27
1762	Pylfontein	31° 10′	25° 33′	—	0·57	3	0·21	1	1·93	3	1·22	6	0·37	1	0·80	1	0·06	1	0·00	0	1·42	3	0·28	2	3·46	8	1·51	4	11·63	33
3783	Fortuinplaats	31° 58′	25° 33′	—	1·43	2	0·29	1	1·48	3	0·83	2	0·00	0	0·85	2	0·00	0	0·00	0	0·72	2	0·30	1	0·97	2	1·36	3	8·23	18
3784	Springfield	31° 09′	25° 35′	—	0·66	3	0·72	2	2·69	6	2·09	4	0·88	2	0·41	1	0·21	1	0·00	0	1·43	3	0·38	1	3·16	5	0·92	3	13·45	31
2020	Somerset East (Gaol—Trunk)	32° 44′	25° 35′	2,400	1·68	8	1·15	11	2·67	7	1·01	4	1·17	5	1·86	5	0·59	2	0·35	1	1·05	2	0·98	9	3·56	10	2·12	5	18·19	69
2019	Somerset East (College—Kollege)	32° 44′	25° 35′	2,400	1·50	7	0·86	11	2·57	10	1·06	6	1·34	7	1·73	6	0·55	4	0·39	4	1·28	8	1·02	10	3·46	11	1·89	7	17·65	91
1786	Priors	30° 25′	25° 36′	4,600	0·00	0	0·00	0	3·51	6	1·79	3	0·00	0	0·35	2	0·00	0	0·00	0	0·00	0	0·00	0	1·88	5	1·95	5	9·48	21
3785	Doornkloof	30° 55′	25° 36′	—	0·10	1	0·01	1	3·30	6	1·02	4	0·40	1	0·21	1	0·09	1	0·00	0	0·54	2	0·29	2	2·84	5	1·75	5	10·55	29
3786	Paardefontein II	31° 59′	25° 36′	—	2·19	5	0·25	2	1·22	7	0·57	3	0·70	4	0·85	3	0·00	0	0·00	0	0·84	4	0·22	2	1·36	7	1·34	4	9·54	41
3787	Kapiteinskop	32° 02′	25° 37′	—	1·38	4	0·28	1	0·28	1	1·48	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	(3·42	8)

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
1427	Melrose	32° 38′	25° 51′	2,050	0·59	2	1·57	6	1·34	7	1·17	5	0·72	3	1·22	3	0·09	2	0·00	0	1·57	5	1·55	4	4·45	8	1·51	4	15·78	49
2427	Westward Ho!	30° 07′	25° 52′	4,785	1·90	3	0·45	1	1·37	5	0·62	3	0·12	1	0·00	0	0·00	0	0·00	0	0·20	1	0·20	1	1·60	4	0·81	4	7·17	23
3808	Mooivlei	31° 07′	25° 52′	—	0·36	3	0·92	3	3·88	6	0·95	3	0·22	2	0·43	2	0·00	0	0·00	0	0·75	1	0·35	1	1·62	2	0·00	0	9·48	23
3809	Windmolenplaats (Farm Gauge)	32° 25′	25° 52′	—	0·28	1	0·78	2	0·68	2	0·59	3	0·00	0	1·25	1	0·00	0	0·00	0	1·59	3	0·79	2	1·37	2	2·18	4	9·51	20
435	Daggaboer	32° 32′	25° 52′	2,900	0·75	2	2·42	7	2·11	6	1·15	4	0·08	1	1·57	2	0·10	1	0·00	0	1·87	6	1·16	4	3·90	8	1·78	3	16·89	44
4231	Middelfontein	30° 19′	25° 53′	—	0·86	1	1·05	3	3·37	11	1·16	6	0·46	5	0·24	2	0·00	0	0·00	0	0·55	3	0·72	3	2·72	8	3·25	8	14·38	50
1475	Modderfontein	31° 58′	25° 54′	4,000	1·30	1	0·00	0	1·02	3	1·18	4	0·00	0	0·58	2	0·00	0	0·00	0	0·96	2	0·34	2	2·20	4	0·29	1	7·87	19
2361	Waaiplaats	31° 55′	25° 55′	4,000	0·92	2	0·35	2	0·70	1	—	—	0·05	1	0·62	1	0·00	0	0·00	0	0·88	2	0·18	1	1·58	4	0·61	4	(5·89	18)
1822	Rietfontein	32° 08′	25° 55′	4,000	0·95	2	0·35	1	0·30	2	0·35	1	0·00	0	0·71	2	0·00	0	0·00	0	0·65	1	0·45	1	1·48	3	0·40	1	5·64	14
3811	Donkerhoek II	32° 23′	25° 55′	—	0·72	2	1·20	3	1·27	4	0·61	4	0·37	2	1·73	2	0·19	2	0·00	0	1·75	4	0·57	2	3·86	7	1·57	4	13·84	36
1	Abercairn	30° 12′	25° 56′	4,800	0·82	5	1·67	5	4·49	11	1·15	6	0·22	3	0·29	2	0·01	1	0·00	0	0·77	3	0·82	3	3·09	9	4·35	10	17·68	58
3812	Driefontein	30° 25′	25° 56′	—	0·30	2	0·32	3	3·20	6	1·19	5	0·04	1	0·16	2	0·26	2	0·00	0	0·70	2	0·65	4	2·22	6	4·40	7	13·44	40
1277	Leeuwkuil	31° 49′	25° 56′	3,250	2·23	3	0·99	3	1·71	4	1·30	2	0·60	3	0·74	1	0·00	0	0·00	0	0·60	1	0·76	2	2·68	4	0·54	3	12·17	26
637	Excelsior	30° 01′	25° 57′	4,760	0·37	2	0·74	4	3·27	8	1·27	5	0·55	3	0·00	0	0·00	0	0·00	0	0·42	1	2·51	2	2·98	5	2·48	5	14·59	38
3813	Vaalbank	30° 39′	25° 57′	—	0·17	4	0·59	3	2·68	5	1·50	5	0·22	3	0·22	2	0·11	1	0·00	0	0·08	2	0·88	3	1·78	6	1·23	6	9·46	40
3814	De Dam	31° 17′	25° 57′	—	0·24	1	1·07	2	5·54	6	0·87	2	0·20	1	0·52	1	0·00	0	0·00	0	0·22	1	1·21	2	2·68	5	1·22	4	13·77	25
1730	Potgieterskraal	31° 37′	25° 57′	4,100	1·61	2	0·46	2	2·18	3	1·23	4	0·45	3	1·14	2	0·21	1	0·00	0	0·87	3	0·36	2	1·76	5	0·73	3	11·00	30
3815	Van Vuurenshoek	31° 40′	25° 57′	—	0·76	1	0·00	0	1·56	2	1·67	3	0·53	3	1·01	3	0·00	0	0·00	0	0·00	0	1·38	1	1·41	4	0·84	2	9·16	19
3816	Grootfontein	31° 45′	25° 57′	—	1·06	2	0·99	2	2·03	4	1·51	3	0·20	1	0·87	2	0·00	0	0·00	0	0·43	1	0·71	2	1·82	4	0·30	1	9·92	22
580	Elandsdrift	32° 13′	25° 57′	—	0·87	2	0·18	1	1·19	4	0·72	3	0·42	3	0·87	2	0·00	0	0·00	0	1·38	2	0·22	2	1·86	4	1·99	4	9·70	27
143	Bethulie	30° 30′	25° 58′	4,300	0·31	3	0·67	3	2·37	9	1·31	5	0·03	1	0·19	2	0·23	2	0·00	0	0·90	3	0·55	3	1·98	5	2·51	6	11·05	42
3817	Wolvekloof	31° 20′	25° 58′	—	0·25	1	0·00	0	2·03	4	2·03	4	1·60	3	0·44	1	0·00	0	0·00	0	1·10	4	0·39	1	2·24	5	1·81	3	11·89	26
811	Grootvlei	31° 47′	25° 58′	3,250	1·57	3	0·56	1	0·64	1	1·03	3	0·56	1	0·00	0	0·60	1	0·00	0	1·05	2	0·30	1	2·04	3	0·12	1	8·47	17
2378	Waterval	30° 03′	25° 59′	4,900	0·45	3	0·90	3	3·16	8	0·70	4	0·70	3	0·00	0	0·00	0	0·00	0	0·50	1	0·95	3	3·02	6	1·81	6	12·19	37
3818	Wonderboom	30° 58′	25° 59′	—	0·86	2	0·61	5	2·96	7	1·09	4	0·65	3	0·52	3	0·00	0	0·02	1	0·22	2	0·75	3	1·98	5	1·35	5	11·01	40
1355	Lynedoch	32° 31′	25° 59′	2,700	0·30	2	2·71	3	1·37	5	0·81	3	0·18	1	1·30	2	0·29	1	0·27	1	1·62	4	1·30	4	3·29	7	2·48	3	15·92	36
3819	Elswald	30° 35′	26° 00′	—	0·15	1	0·90	2	1·40	4	1·35	—	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	1·46	4	1·75	7	2·97	5	9·98	(23)
3820	Stillewoning	30° 40′	26° 00′	—	0·00	0	0·00	0	0·45	2	0·00	0	0·00	0	0·27	1	0·00	0	0·00	0	0·00	0	1·39	5	2·35	5	0·32	2	4·78	15
3821	Cheviotdale	30° 48′	26° 00′	—	0·09	1	0·15	1	4·28	9	1·52	4	0·53	3	0·12	1	0·00	0	0·12	1	0·65	1	0·52	2	3·22	5	3·35	6	14·55	34
4210	Spitzkop	31° 38′	26° 00′	—	0·41	1	0·00	0	2·30	5	1·44	3	0·72	4	0·45	1	0·14	1	0·00	0	0·98	4	0·44	1	1·70	4	0·80	4	9·38	28
1293	Leliekloof	32° 18′	26° 00′	5,000	1·56	2	0·77	4	1·89	7	0·98	3	0·78	2	1·28	2	0·00	0	0·00	0	1·78	5	0·36	2	2·87	6	1·94	4	14·21	37
13	Albertvale	32° 45′	26° 00′	2,300	0·65	4	1·46	10	1·53	9	0·71	5	0·74	3	1·29	3	0·23	4	0·26	4	1·52	6	1·60	7	3·00	9	1·68	6	14·67	70
4223	Stormfontein	31° 05′	26° 02′	—	0·30	1	0·47	1	3·02	9	1·15	2	0·61	2	0·47	2	0·00	0	0·00	0	0·14	1	0·80	2	2·34	4	0·30	2	9·60	26
3823	Ulenhoek	31° 35′	26° 02′	—	0·31	1	0·00	0	1·93	5	0·47	3	1·50	4	0·71	1	0·19	1	0·00	0	1·21	3	0·49	2	2·68	4	0·78	4	10·27	28
1047	Erfdeel	31° 49′	26° 02′	4,500	1·14	3	0·38	2	1·91	3	0·15	1	0·10	1	0·00	0	0·00	0	0·12	1	0·40	1	1·35	3	1·01	2	0·11	1	6·67	18

| | | |

No. / No.	Station. / Staste.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) / Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 23 (*Continued*)—SEKSIE 23 (*Vervolg*).																														
3834	Adelaide (D.R.C.)	32° 43′	26° 18′	—	0·28	4	1·97	8	3·23	10	0·69	5	0·62	3	1·17	3	0·19	2	0·09	1	1·53	5	1·19	6	2·85	8	1·92	6	15·73	61
525	Dreunberg	30° 58′	26° 19′	4,840	0·40	1	0·70	1	1·60	3	0·70	2	0·55	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	(3·95	8)
278	Burghersdorp (Gaol—Tronk)	31° 02′	26° 19′	4,500	1·93	4	0·38	3	1·47	6	1·58	5	0·97	2	0·35	2	0·00	0	0·00	0	0·84	3	0·15	2	2·45	7	2·27	8	12·39	42
1406	Marsden Heights	31° 35′	26° 19′	6,000	0·72	1	0·89	2	1·91	8	1·60	6	—	—	—	—	0·00	0	0·00	0	2·32	4	0·20	1	3·45	6	2·19	4	(13·28	32)
601	Ellesmere	30° 42′	26° 20′	4,400	0·37	4	1·16	3	1·72	11	1·29	4	0·20	1	0·39	2	0·00	0	0·00	0	0·50	2	0·39	4	1·78	7	1·62	9	9·42	47
3835	Glen Roy	32° 15′	26° 20′	—	—	—	0·17	2	2·79	7	0·91	2	0·67	2	0·64	1	0·27	1	0·00	0	1·06	3	1·24	3	2·66	6	1·10	2	(11·51	29)
4219	Besterskraal	32° 40′	26° 20′	—	—	—	—	—	3·37	9	0·92	6	0·54	4	1·49	2	0·13	1	0·41	2	1·83	5	1·31	4	3·24	7	1·83	6	(15·07	46)
1968	Dalkeith	31° 28′	26° 21′	5,500	0·91	3	1·18	4	2·27	7	1·12	4	0·54	3	0·39	1	0·15	1	0·00	0	1·87	4	0·18	1	2·86	7	1·57	4	13·04	39
2282	Ventnor	32° 22′	26° 21′	6,000	0·50	1	0·18	1	2·35	6	0·77	5	1·68	3	1·53	1	0·32	1	0·32	3	3·60	5	0·85	3	4·59	8	2·07	4	18·76	41
3836	Longdraai	32° 31′	26° 21′	—	0·59	2	0·68	3	1·64	8	0·49	3	0·97	2	1·14	2	0·00	0	0·08	1	1·18	5	0·63	3	2·27	7	1·42	3	11·09	39
3837	De Villiers Farm	31° 00′	26° 22′	—	1·43	4	0·75	3	1·91	7	1·98	4	1·35	2	0·45	2	0·00	0	0·00	0	1·91	3	0·28	3	2·69	6	2·79	9	15·54	43
2409	Weltevreden	31° 20′	26° 22′	5,000	0·54	2	1·67	4	3·41	6	1·59	3	1·00	5	0·56	2	0·00	0	0·00	0	1·15	2	0·26	2	2·07	5	1·54	5	13·79	36
1491	Molteno	31° 23′	26° 22′	5,180	2·43	3	1·68	4	3·54	7	1·36	5	1·31	4	0·38	2	0·00	0	0·00	0	1·48	4	0·15	1	2·69	7	1·32	6	15·34	43
282	Burnley	31° 34′	26° 22′	5,400	2·26	5	0·62	1	3·47	6	1·35	4	0·00	0	0·00	0	0·00	0	0·00	0	2·49	4	0·00	0	1·51	2	2·34	4	14·04	26
3838	Springfield II	32° 16′	26° 22′	—	1·88	3	0·15	1	2·08	4	0·90	6	0·87	4	1·17	3	0·22	1	0·10	1	1·66	4	0·59	4	2·79	5	1·28	3	13·69	39
3840	Cottesbrook	32° 50′	26° 22′	—	1·03	8	2·17	10	4·38	11	0·58	4	1·52	2	1·03	2	0·20	1	0·14	1	2·04	5	2·27	10	3·78	9	2·46	7	21·60	70
3841	Riverside	30° 37′	26° 23′	—	0·37	3	0·88	4	4·30	8	0·91	2	0·52	4	0·51	2	0·00	0	0·00	0	0·49	2	0·42	3	1·96	5	1·65	6	12·00	39
3842	Stoneycroft	30° 47′	26° 23′	—	0·79	5	1·55	5	2·55	9	1·33	4	0·72	5	0·34	3	0·05	1	0·03	1	0·70	4	0·34	3	2·66	9	1·75	10	11·81	59
3843	Welgevonden	31° 11′	26° 23′	—	0·62	1	1·28	2	2·71	6	1·12	4	1·02	2	0·37	1	0·00	0	0·00	0	1·03	3	0·27	1	1·46	4	0·85	3	10·73	27
521	Dorrington	31° 15′	26° 24′	4,500	—	—	—	—	—	—	0·82	3	0·70	2	0·26	2	0·00	0	0·00	0	0·21	1	0·76	2	—	—	—	—	(2·75	10)
434	Cyphergat	31° 27′	26° 25′	5,450	1·46	5	0·78	2	3·14	8	1·02	5	0·87	3	0·56	2	0·00	0	0·00	0	1·79	4	0·10	1	2·00	4	1·96	4	13·68	38
1107	Kings Glen	31° 32′	26° 25′	5,300	0·38	3	1·18	3	3·09	7	1·54	5	0·86	2	0·63	2	0·22	1	0·00	0	2·18	4	0·21	1	3·52	7	2·53	4	16·34	39
1859	Erfeniskraal	30° 33′	26° 26′	4,400	0·00	0	0·00	0	4·59	6	0·00	0	0·00	0	0·33	1	0·00	0	0·00	0	0·41	1	0·00	0	0·58	2	1·01	3	6·92	13
1590	Oatlands	31° 08′	26° 26′	4,600	1·06	2	1·15	3	4·03	11	1·34	4	1·06	4	0·40	2	0·10	1	0·00	0	0·94	3	0·31	2	4·34	6	1·44	5	16·17	43
2159	Thibet Park	32° 10′	26° 27′	4,500	2·10	6	0·39	4	1·26	9	0·88	6	0·55	3	0·96	4	0·15	2	0·09	2	1·70	3	0·50	4	2·27	8	1·00	5	11·85	56
4232	Goedemoed	30° 35′	26° 28′	—	0·23	1	0·85	3	5·04	7	0·89	3	0·63	2	0·55	2	0·00	0	0·00	0	0·60	2	0·37	2	1·83	7	1·94	8	12·93	37
2395	Waverley	31° 56′	26° 28′	4,020	3·36	3	0·15	2	1·84	7	1·61	4	1·09	3	1·02	3	0·11	1	0·00	0	2·51	3	0·20	2	2·97	8	1·65	7	16·51	43
3844	Welgedacht	30° 34′	26° 30′	—	1·60	3	0·75	2	2·70	8	1·21	3	0·75	3	0·47	2	0·00	0	0·00	0	0·75	2	0·65	3	2·65	7	1·04	4	12·57	37
4225	Sunnyside	32° 17′	26° 30′	—	0·98	5	1·32	6	2·05	6	0·57	4	1·24	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	(6·16	25)
673	Fort Fordyce	32° 41′	26° 30′	3,838	3·64	12	5·37	18	8·48	15	0·84	6	1·14	3	2·08	4	0·32	4	0·77	6	3·46	7	2·06	10	6·47	10	3·44	11	38·34	106
3845	Braeside	32° 44′	26° 30′	—	0·32	5	1·96	10	4·88	8	0·49	4	0·65	3	0·37	1	0·20	1	0·20	2	2·13	5	1·06	3	4·13	8	2·16	7	18·55	57
2014	Smithfield	30° 13′	26° 32′	4,600	0·35	1	3·70	5	5·96	11	1·32	3	0·33	1	0·00	0	0·00	0	0·00	0	0·67	3	1·23	4	2·89	5	2·14	5	18·59	38
3847	Voorwaarts	30° 25′	26° 32′	—	0·00	0	0·50	1	3·94	5	2·65	3	0·14	1	0·00	0	0·00	0	0·00	0	0·00	0	0·99	4	1·42	4	2·72	4	12·36	22
2252	Vetkraal	30° 58′	26° 32′	5,000	1·62	2	0·88	2	2·06	8	1·14	3	0·21	2	0·44	2	0·00	0	0·00	0	0·67	1	0·43	2	3·05	5	1·29	6	11·79	33
675	Fountain Head	32° 24′	26° 32′	4,000	2·50	2	1·10	3	3·03	8	1·03	5	1·40	5	1·66	5	0·31	2	0·17	2	2·84	6	1·04	3	3·83	8	1·57	5	20·48	52

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) / Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
	SECTION 23 (*Continued*)—SEKSIE 23 (*Vervolg*).																													
3870	Queenstown (Holley)	31° 54′	26° 52′	3,500	4·26	9	0·31	9	2·84	13	1·07	8	1·18	6	0·65	6	0·05	2	0·04	2	2·43	7	0·29	4	2·73	9	3·30	13	19·15	88
3871	Queenstown (Rein)	31° 54′	26° 52′	—	3·63	8	0·30	7	2·63	11	1·19	7	1·17	4	0·68	6	0·06	2	0·05	2	2·61	7	0·27	4	3·06	7	3·60	11	19·25	78
1773	Queenstown (Gaol—Tronk)	31° 54′	26° 52′	3,500	5·12	7	0·13	2	2·87	5	1·00	4	0·97	3	0·50	1	0·00	0	0·00	0	2·37	4	0·33	2	2·94	8	3·22	7	19·45	43
4233	Waaipoort	30° 20′	26° 53′	—	0·28	4	3·30	6	6·77	14	1·02	6	0·58	4	0·00	0	0·00	0	0·00	0	0·53	4	1·50	5	3·43	7	4·10	9	21·51	59
3872	Woburn	32° 43′	26° 53′	—	0·28	1	1·10	2	6·05	7	0·37	2	0·00	0	1·62	2	—	—	—	—	2·64	5	1·13	3	3·34	5	—	—	(16·53	27)
3873	Queenstown (Mental Hospital)	31° 57′	26° 54′	—	3·77	8	0·25	3	2·50	11	1·01	6	0·94	4	0·71	5	0·00	0	0·03	1	2·38	6	0·29	4	2·86	8	2·78	7	17·52	63
1822	Rietfontein	30° 59′	26° 55′	4,990	1·25	4	4·18	3	3·62	8	0·77	2	1·68	4	0·62	2	0·00	0	0·00	0	0·53	1	0·60	4	3·35	8	3·13	8	19·73	44
1869	Rockford	32° 30′	26° 55′	5,000	1·80	1	0·45	2	1·80	6	1·02	4	1·09	2	1·67	4	0·00	0	0·00	0	3·57	6	0·66	4	3·47	7	1·45	3	16·98	39
906	Hogsback	32° 36′	26° 56′	3,753	3·21	11	4·75	16	11·53	13	1·06	3	0·68	5	2·80	4	0·66	3	1·02	6	5·59	10	2·35	7	8·00	11	4·37	9	46·02	98
916	Honeydale	32° 41′	26° 56′	3,600	1·63	8	3·06	12	7·61	8	0·71	3	0·32	2	0·69	1	0·10	1	0·26	1	3·98	8	1·80	6	4·86	5	2·57	3	27·59	58
	SECTION 24—SEKSIE 24.																													
4246	Vrede Rust	30° 53′	27° 00′	—	0·95	3	4·30	5	4·66	10	0·82	3	0·67	7	0·57	3	0·06	1	0·05	1	0·70	4	0·73	8	3·00	8	2·26	7	18·77	60
1450	Middeldrift	32° 49′	27° 00′	1,540	0·46	2	1·04	4	3·19	7	0·19	1	0·90	1	—	—	0·00	0	0·00	0	2·58	6	2·27	5	3·53	7	2·24	3	(16·40	36)
3866	Fransboek	30° 06′	27° 01′	—	0·79	5	4·05	3	4·07	10	0·76	3	0·41	2	0·00	0	0·00	0	0·00	0	0·20	3	3·44	4	2·69	7	1·94	6	18·35	43
520	Dordrecht (Station—Stasie)	31° 24′	27° 02′	5,390	5·20	12	2·38	5	5·46	11	1·53	6	2·13	8	0·60	1	0·14	1	0·00	0	2·30	5	0·28	2	3·02	9	2·35	8	25·39	68
5049	Riversdale	32° 06′	27° 02′	—	2·44	5	1·23	3	3·63	7	0·83	1	0·34	2	0·20	1	0·00	0	0·00	0	2·39	4	0·26	1	2·18	5	1·81	4	15·31	33
519	Dordrecht (Gaol—Tronk)	31° 22′	27° 03′	5,500	3·65	8	4·10	5	4·92	13	2·19	7	0·85	7	0·57	3	0·10	1	0·00	0	2·16	6	0·43	3	2·98	7	2·12	10	24·07	70
1295	Lenye	32° 43′	27° 03′	3,500	0·80	4	2·45	13	5·05	9	0·65	5	0·30	2	1·99	5	0·42	3	0·54	3	3·68	9	2·18	7	4·91	10	3·46	9	26·43	79
2136	Tarsus	32° 20′	27° 04′	4,000	3·79	8	1·40	9	2·63	11	0·72	6	0·59	3	1·46	5	0·21	2	0·04	1	2·90	6	2·49	6	3·04	11	2·07	8	21·34	76
2529	Zastron	30° 18′	27° 05′	4,500	0·69	10	2·38	8	5·78	15	1·00	8	0·55	6	0·29	3	0·10	1	0·05	1	0·41	5	1·56	6	2·37	11	3·48	12	18·66	86
1063	Kelvin Grove	31° 00′	27° 05′	—	1·81	8	3·00	4	5·48	13	1·05	4	1·22	5	0·70	2	0·10	1	0·03	1	1·63	4	1·73	4	4·01	8	3·95	8	24·71	62
2204	Tylden	32° 07′	27° 05′	2,896	2·68	7	1·09	5	3·31	8	1·04	3	0·28	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	(8·40	24)
2477	Wolfridge	32° 39′	27° 05′	4,500	2·21	6	3·89	12	8·68	10	0·50	2	0·45	3	2·32	4	0·65	3	0·60	3	4·64	8	2·70	9	6·39	8	5·56	12	38·59	80
4266	Brakfontein	30° 45′	27° 06′	—	1·29	4	1·07	3	5·05	11	0·99	4	0·95	6	0·33	2	0·10	1	0·00	0	0·57	3	1·29	6	1·82	9	1·95	11	15·41	60
3867	Fort White	32° 42′	27° 06′	—	0·93	5	1·86	9	3·06	6	0·44	2	0·48	1	1·51	4	0·25	2	0·19	4	2·55	9	1·59	7	3·97	9	1·71	3	18·54	61
455	Debe Nek	32° 47′	27° 06′	1,995	2·34	6	3·18	11	6·38	8	0·51	2	0·55	3	2·10	5	0·00	0	0·00	0	2·91	5	2·82	5	2·97	1	0·00	0	23·76	46
287	Bushmanskop	30° 02′	27° 07′	5,000	0·80	4	4·19	3	3·11	4	0·38	1	0·69	2	0·00	0	0·00	0	0·00	0	0·29	1	1·33	3	2·23	4	1·50	4	14·52	26
374	Clark's Siding	31° 25′	27° 07′	—	5·51	6	2·69	4	5·52	13	1·57	5	1·55	5	0·76	2	0·00	0	0·00	0	2·49	5	0·31	2	3·33	7	2·44	7	26·17	56
4235	Wheatland	30° 11′	27° 08′	—	(0·45	4)	3·89	5	6·72	12	1·17	7	0·51	5	0·24	2	0·00	0	0·01	1	0·31	5	1·48	5	1·95	9	2·20	8	(18·93	63)
639	Exwell Park	32° 10′	27° 08′	3,000	1·75	3	0·49	2	2·49	9	0·92	3	0·00	0	0·72	2	0·00	0	0·00	0	2·16	4	1·07	3	1·97	8	2·23	5	13·80	37
3868	The Downs	32° 30′	27° 08′	—	—	—	—	—	—	—	—	—	0·50	3	0·94	3	0·10	1	0·08	1	1·55	4	1·93	3	2·41	5	0·96	2	(8·47	22)
342	Cats	32° 35′	27° 08′	3,200	2·75	8	3·94	13	9·57	12	0·15	1	0·97	5	1·39	6	0·44	2	0·84	6	4·44	9	2·58	8	4·87	8	4·36	10	36·30	86
885	Herschel	30° 37′	27° 09′	5,100	0·00	0	1·85	6	7·76	10	0·21	1	0·41	2	0·00	0	0·00	0	0·00	0	0·29	2	0·66	2	3·30	8	1·40	2	15·88	33
344	Cathcart (Forest)	32° 18′	27° 09′	3,900	5·07	10	1·88	10	4·36	14	0·84	6	1·17	4	1·12	5	0·25	3	0·09	2	3·31	7	1·65	8	3·67	10	2·97	11	26·38	90
1091	Keiskama Hoek	32° 41′	27° 09′	2,300	1·27	6	1·00	7	4·04	10	0·44	6	0·77	4	1·43	4	0·44	2	0·10	2	3·18	4	1·12	5	3·99	8	2·62	6	20·40	64
345	Cathcart (Gaol—Tronk)	32° 18′	27° 10′	3,900	3·36	8	1·37	8	4·70	9	1·13	5	0·38	3	1·10	5	0·16	2	0·03	1	3·30	5	1·53	5	3·90	9	2·58	9	23·54	69

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) Feet. / Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. / Dm.	D.	In. / Dm.	D.	In. / Dm.	D.	In. / Dm.	D.	In. / Dm.	D.	In. / Dm.	D.	In. / Dm.	D.	In. / Dm.	D.	In. / Dm.	D.	In. / Dm.	D.	In. / Dm.	D.	In. / Dm	D.	In. / Dm.	D.
SECTION 24 (*Continued*)—SEKSIE 24 (*Vervolg*).																														
1487	Mohaleshoek	30° 09′	27° 29′	4,500	1·57	9	3·53	4	5·46	14	—	—	1·49	3	0·84	3	0·00	0	0·00	0	0·48	3	0·70	2	3·07	10	2·49	8	(19·63	56)
1766	Quacu	32° 34′	27° 29′	3,500	3·05	12	2·35	14	4·05	14	0·45	3	0·60	3	1·80	5	0·10	1	0·13	3	4·00	8	3·55	11	3·40	9	4·55	12	28·03	95
1234	Kubusie (Station—Stasie)	32° 29′	32° 35′	2,400	1·39	4	0·56	4	4·53	11	0·51	2	—	—	1·43	3	0·00	0	0·00	0	3·14	8	3·31	10	4·81	8	2·55	4	22·23	54
1235	Kubusie (Forest)	32° 35′	27° 29′	—	2·41	14	3·31	17	5·53	15	0·68	7	1·03	6	2·16	5	0·56	5	0·76	10	4·29	12	3·59	12	6·46	13	4·24	17	35·02	133
3896	Woodlands	32° 43′	27° 30′	—	1·52	7	2·07	9	4·52	7	0·50	3	0·42	3	0·81	2	0·00	0	0·00	0	3·62	9	3·47	10	6·56	8	2·65	7	26·14	66
165	Blaney	32° 50′	27° 31′	1,774	1·09	2	1·47	3	2·36	8	0·58	4	0·26	3	1·31	3	0·21	2	0·44	3	3·45	8	2·97	8	4·62	6	3·14	5	21·90	53
59	Avoca	30° 45′	27° 32′	6,000	1·52	10	3·20	9	7·87	15	1·01	5	1·72	7	0·93	4	0·29	1	0·03	1	1·94	5	3·45	11	4·90	13	4·65	11	31·51	92
4262	Sweetlands	32° 18′	27° 32′	—	—	—	—	—	—	—	0·57	3	0·49	5	1·44	4	0·00	0	0·09	1	3·03	6	1·35	7	2·05	7	2·62	8	(11·64	41)
1080	Kei Road	32° 44′	27° 39′	2,335	2·60	8	3·24	12	6·54	10	0·81	3	0·72	2	1·76	3	0·35	1	0·38	3	4·65	8	4·35	10	6·72	7	4·65	10	36·77	77
1077	Keilands	32° 13′	27° 34′	1,740	2·18	7	1·40	5	1·94	7	0·88	4	1·59	4	1·35	5	0·00	0	0·00	0	3·29	4	0·95	6	2·24	8	3·05	7	18·87	57
946	Huxley Farm	32° 30′	27° 34′	2,000	2·14	9	0·93	10	4·13	11	0·64	4	0·37	2	1·15	4	0·00	0	0·10	2	3·34	7	2·24	9	3·92	9	3·06	10	22·02	77
4260	Beddgelert	30° 44′	27° 35′	—	—	—	4·23	6	7·48	12	1·35	3	2·38	5	0·00	0	0·47	1	0·11	1	1·75	3	4·36	7	5·85	7	3·74	8	(31·72	53)
1265	Lauriston	30° 47′	27° 35′	5,800	2·40	7	3·43	7	5·71	10	0·82	4	1·07	5	0·94	3	0·10	1	0·00	0	2·07	4	3·22	10	5·33	9	3·80	13	28·89	73
3887	Nququ	31° 47′	27° 35′	—	4·55	9	3·96	13	5·84	14	0·33	2	1·24	2	1·31	4	0·12	1	—	—	—	—	—	—	3·65	7	4·40	12	(25·40	64)
387	Cofimvaba	32° 00′	27° 35′	4,000	4·15	12	2·03	13	3·09	9	0·54	3	1·53	5	1·34	4	0·06	1	0·00	0	3·09	6	1·26	7	4·45	10	3·81	11	25·35	81
3888	Hazelmere	32° 37′	27° 35′	—	2·05	10	1·52	8	4·28	10	0·78	4	0·31	4	1·36	4	0·25	3	0·00	0	2·43	9	3·82	8	4·44	10	2·54	7	23·78	77
171	Blikana	30° 34′	27° 36′	6,600	1·69	11	4·02	7	6·03	14	1·36	5	0·92	7	—	—	0·24	1	0·03	1	1·19	4	2·03	8	2·65	10	2·55	13	(22·71	81)
86	Barkly East	30° 58′	27° 36′	5,830	2·35	10	2·03	8	6·37	15	0·94	4	0·63	7	1·65	3	0·07	1	0·00	0	1·41	4	0·79	8	2·82	10	3·95	12	(23·01	82)
199	Bolo	32° 23′	27° 38′	2,660	1·88	10	1·14	11	2·54	15	0·47	4	0·48	4	1·47	5	0·02	1	0·45	3	3·76	8	2·02	11	3·62	11	3·64	14	21·49	97
948	Idia	31° 25′	27° 39′	4,420	3·13	8	1·84	7	4·22	14	1·31	4	1·24	6	1·00	3	0·12	1	0·04	1	2·70	5	0·71	6	3·34	10	3·31	11	22·96	76
3890	Figlands	31° 40′	27° 39′	—	5·33	6	1·02	2	3·50	6	0·42	2	1·82	2	0·40	2	0·00	0	0·00	0	2·86	5	0·54	3	3·06	6	2·03	4	20·98	38
961	Invergwali	32° 30′	27° 39′	3,000	1·30	9	0·52	7	2·66	10	0·72	4	0·29	2	1·00	5	0·00	0	0·18	2	3·06	8	2·21	8	4·08	9	2·29	9	18·31	73
3891	Cala (Grundling)	31° 31′	27° 40′	—	4·84	9	1·49	6	3·92	10	0·76	5	1·87	6	0·96	3	0·11	1	0·00	0	2·23	5	0·48	5	3·37	8	2·17	5	22·20	68
3893	Mbulu (Plantation)	32° 08′	27° 42′	—	3·11	8	2·37	12	5·01	10	0·51	2	1·63	4	2·06	6	0·00	0	0·19	2	4·27	7	1·39	9	4·61	10	6·06	14	31·21	84
3894	Granta	32° 36′	27° 42′	—	2·55	8	2·30	12	4·93	13	0·96	7	0·28	3	1·45	5	0·09	1	0·17	4	3·79	8	3·74	8	3·92	7	2·97	8	27·15	84
674	Fort Jackson	32° 55′	27° 42′	1,108	0·62	3	0·68	4	2·77	5	0·46	2	0·26	1	1·59	4	0·00	0	0·45	2	3·49	8	4·29	6	3·80	7	2·74	5	21·15	47
1692	Moyeni	30° 25′	27° 43′	6,000	2·10	11	4·37	7	—	—	0·81	2	0·09	2	1·24	3	0·16	1	0·05	1	1·36	4	2·42	10	2·56	8	3·94	11	(19·10	60)
3895	Cloverley	30° 53′	27° 43′	—	1·57	6	3·13	5	5·80	15	0·89	4	1·27	4	1·00	3	0·06	1	0·00	0	1·53	5	1·70	8	3·37	10	3·19	10	28·51	71
294	Cala (Gaol—Tronk)	31° 31′	27° 43′	4,500	4·78	9	1·43	6	4·06	11	0·85	5	1·86	6	1·01	4	0·11	1	0·08	1	2·90	6	0·58	6	3·26	7	2·36	6	23·27	68
3896	Granard	31° 00′	27° 45′	—	1·96	3	1·45	4	6·29	10	1·00	2	0·50	1	0·82	2	0·00	0	0·00	0	2·09	3	1·72	5	2·58	6	—	—	(18·41	30)
3897	Nomadamba	31° 45′	27° 45′	—	6·57	16	6·20	16	7·53	15	1·48	5	1·59	2	1·06	6	0·13	1	0·44	3	3·55	8	5·82	11	5·41	9	8·71	16	48·49	103
3898	Hopewell II	32° 22′	27° 45′	—	2·03	11	1·24	12	—	—	—	—	0·58	2	1·74	6	0·02	1	0·03	3	3·61	7	1·86	10	3·59	10	4·49	12	(19·24	74)
3899	Sasun	31° 25′	27° 46′	—	5·74	10	1·91	6	3·82	8	0·45	3	0·85	3	0·99	2	0·07	1	0·00	0	1·89	4	0·33	4	3·28	6	1·95	4	21·28	51
3900	Bellville	31° 13′	27° 47′	—	4·41	10	2·30	7	5·22	11	0·73	5	1·08	6	1·27	3	0·18	2	0·02	1	2·35	6	1·33	6	4·31	9	4·70	7	28·10	73
1757	Prospect Farm	32° 37′	27° 48′	2,000	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0·15	1	3·07	5	3·76	6	4·15	6	3·02	6	(14·15	24)

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Hight above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) / Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 24 (*Continued*)—SEKSIE 24 (*Vervolg*).																														
3922	Ntywenka	31° 10′	28° 30′	—	6·05	13	4·16	16	8·07	14	0·88	3	1·94	3	1·28	5	0·00	0	0·34	3	3·89	8	2·83	9	4·24	8	5·72	13	39·40	95
4248	Colwana	30° 40′	28° 35′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2·67	14	3·36	10	5·72	12	(11·75	36)
3923	Kambi	31° 20′	28° 35′	—	4·31	14	5·50	16	6·28	15	0·28	3	2·16	8	1·47	5	0·00	0	0·29	3	4·10	10	4·03	14	3·05	9	5·82	15	37·29	112
3924	Kenegha Drift	30° 30′	28° 40′	—	8·21	13	0·78	4	4·36	15	0·30	3	0·41	5	1·08	4	0·00	0	0·00	0	2·35	6	2·50	10	2·79	7	3·60	12	26·38	79
4249	Etwa	30° 50′	28° 40′	—	—	—	—	—	—	—	—	—	—	—	—	—	0·00	0	0·37	3	3·58	8	3·25	14	2·82	9	5·36	17	(15·35	51)
3925	Cezu	31° 42′	28° 40′	—	4·07	13	4·53	17	6·03	17	0·59	7	0·16	4	1·75	6	0·03	1	0·32	5	3·74	9	2·95	14	3·37	12	5·35	17	32·69	122
1765	Qachas Nek	30° 07′	28° 42′	6,320	8·98	17	1·69	7	6·24	17	0·38	6	0·67	4	1·88	2	0·20	2	0·04	1	3·65	6	3·36	11	6·27	16	7·83	14	40·99	97
603	Elliotdale	31° 57′	28° 42′	600	3·42	9	2·88	15	4·93	15	0·33	2	1·67	2	2·55	5	0·00	0	0·27	2	3·15	8	1·39	6	3·01	8	3·94	11	27·54	83
1585	Mqanduli	31° 46′	28° 43′	2,300	3·85	15	3·90	16	4·95	17	0·54	5	0·95	7	1·05	5	0·00	0	0·40	3	2·75	8	2·60	11	2·25	8	4·51	16	27·75	110
3926	Cengcane	31° 10′	28° 45′	—	4·28	14	4·69	13	8·24	16	1·05	8	2·09	5	1·34	5	0·05	1	0·44	3	4·00	11	3·29	14	3·23	12	6·39	17	39·09	119
3927	Nqadu Heights	31° 25′	28° 45′	—	5·27	14	6·76	17	9·64	16	0·61	4	1·26	6	1·47	3	0·21	1	0·49	4	5·59	10	4·98	14	6·44	12	8·02	17	50·74	118
2188	Tubeni	32° 03′	28° 45′	1,200	3·81	9	4·48	14	5·79	12	1·04	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	(15·12	39)
2233	Umtata	31° 35′	28° 46′	2,400	2·80	12	2·48	15	3·56	13	0·20	4	0·68	6	1·42	4	0·09	1	0·14	3	2·46	7	3·21	10	3·44	7	4·00	15	24·48	97
1410	Matatiele (Gaol—Trunk)	30° 20′	28° 48′	4,650	8·26	8	1·18	3	5·66	8	0·14	1	0·00	0	0·77	2	0·00	0	0·00	0	2·26	5	3·92	8	3·24	6	5·91	10	31·34	51
4247	Matatiele (Town—Stad)	30° 20′	28° 48′	—	7·64	13	1·00	6	5·35	12	0·10	1	0·23	3	1·09	4	0·06	1	0·00	0	2·42	5	3·33	9	3·28	8	6·42	14	30·92	76
3928	Rockford	30° 43′	28° 48′	—	4·80	8	1·16	6	7·56	14	0·26	3	0·66	3	0·93	4	0·00	0	0·00	0	2·45	6	2·42	9	2·48	5	4·01	6	26·73	64
3937	Glen Hope	30° 49′	28° 48′	—	4·08	11	2·14	13	6·08	12	0·58	1	0·37	4	2·81	4	0·00	0	0·00	0	4·06	6	2·63	7	2·73	6	4·58	10	30·04	74
3928	Tsolo	31° 18′	28° 48′	—	2·30	9	2·02	10	5·71	14	0·30	6	2·04	4	1·91	5	—	—	—	—	—	—	—	—	1·76	8	4·03	7	(20·07	63)
3930	Nqadu (Plantation—Plantasie)	31° 27′	28° 48′	—	3·59	13	4·45	16	7·17	16	0·66	7	2·12	8	2·05	6	0·22	1	0·36	5	4·33	10	3·69	11	4·25	13	5·81	13	38·70	119
617	Entremonts	30° 22′	28° 49′	5,000	—	—	—	—	—	—	—	—	—	—	—	—	0·09	2	0·00	0	2·20	5	2·54	8	2·60	7	3·47	10	(10·90	32)
3931	Lotana	31° 18′	28° 52′	—	2·50	7	1·29	7	6·74	13	0·11	1	0·16	1	1·88	5	0·00	0	0·00	0	2·00	5	2·56	11	1·61	7	3·06	4	21·91	61
3932	Amanzamyama	30° 45′	28° 55′	—	5·27	12	4·57	15	10·70	17	0·84	3	1·28	6	2·39	5	0·09	1	0·43	3	4·52	7	3·04	11	3·43	12	6·48	14	43·04	106
3933	Bencuti	30° 50′	28° 55′	—	4·02	11	2·53	9	6·08	12	0·63	4	2·10	4	1·25	4	0·07	1	0·42	4	2·90	6	4·25	9	3·13	7	6·92	10	34·30	81
3934	Wilo	31° 50′	28° 55′	—	4·79	13	5·04	12	4·79	15	0·30	3	0·46	2	2·11	6	0·00	0	0·64	3	5·29	9	5·28	10	3·52	7	4·27	7	36·49	87
430	Cwebe	32° 12′	28° 56′	—	5·10	13	5·09	14	7·18	16	1·72	7	4·45	3	4·41	7	0·00	0	0·45	1	7·74	8	—	—	—	—	—	—	(36·14	69)
3935	Mount Frere	30° 54′	28° 59′	—	3·98	11	3·19	13	8·08	18	0·35	3	1·26	4	1·88	2	0·05	1	0·20	3	5·18	8	2·87	11	2·99	7	4·80	15	34·81	96
SECTION 25—SEKSIE 25.																														
1542	Mvenyane	30° 33′	29° 00′	4,300	5·59	15	1·52	16	7·69	19	0·48	9	1·56	8	1·55	6	0·02	2	0·10	3	2·97	8	2·71	14	3·78	11	4·50	18	32·41	129
3936	Tshatsheni	30° 40′	29° 00′	—	4·49	12	2·71	16	—	—	0·21	4	0·71	6	1·60	4	0·01	1	0·24	4	3·85	9	2·85	11	3·53	11	5·61	15	(25·81	93)
3941	Papane	31° 00′	29° 00′	—	3·68	12	1·94	14	7·18	19	—	—	—	—	2·46	4	0·12	2	0·28	3	2·73	7	1·88	9	2·74	9	4·65	11	(27·64	90)
3938	Libode	31° 30′	29° 00′	—	2·79	16	3·18	15	7·17	17	0·51	5	0·89	7	2·23	5	0·11	1	0·42	4	3·31	9	3·19	13	3·13	10	4·04	14	30·97	116
2368	Wanstead	31° 18′	29° 01′	4,990	4·28	10	0·93	6	5·38	14	1·22	2	0·46	2	—	—	0·00	0	0·00	0	3·85	5	3·23	8	3·10	6	5·16	16	(27·61	89)

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) / Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 25 (*Continued*)—SEKSIE 25 (*Vervolg*).																														
4241	Stae Braes	30° 01′	30° 11′	—	0·54	4	1·60	7	3·59	10	0·08	1	0·94	2	0·55	3	0·09	1	0·00	0	2·17	4	2·66	7	2·39	8	3·33	10	17·94	57
3961	Ballyclare	30° 49′	30° 13′	—	5·64	12	(—	—)	19·83	—)	0·00	0	0·26	4	2·30	8	0·04	1	(0·28	2)	—	—	6·77	12	4·32	12	5·14	10	(44·58	61)
3962	Leenane	30° 08′	30° 14′	—	0·79	5	1·62	15	3·72	20	0·05	1	0·84	4	0·91	3	0·00	0	0·06	2	1·75	6	2·86	11	3·26	13	4·33	15	20·19	95
3963	Paddock	30° 47′	30° 14′	—	4·01	13	3.16	11	11·49	18	0·00	0	0·22	3	2·88	7	0·06	1	0·43	3	2·90	7	4·70	12	2·89	7	4·30	12	37·04	94
4242	Bushy Vales or (of) Fascadale	30° 55′	30° 18′	—	3·37	12	5·12	13	6·02	13	0·00	0	1·88	2	3·23	5	0·00	0	0·63	3	2·13	6	5·38	8	4·21	7	3·86	10	35·83	79
3964	Mehlomnyama	30° 37′	30° 20′	—	—	—	—	—	—	—	—	—	—	—	2·31	6	0·00	0	0·00	0	3·28	7	6·38	8	2·36	5	3·79	9	(18·12	35)
4243	Heatherly	30° 27′	30° 26′	—	3·29	14	3·57	12	6·78	17	0·03	2	0·22	6	2·04	8	0·19	3	0·47	5	3·04	9	4·44	13	2·91	15	4·33	17	31·31	121
3965	Orange Grove or (of) Marburg	30° 44′	30° 26′	—	3·81	13	4·46	10	7·26	15	0·20	3	3·84	3	3·67	8	0·00	0	0·74	4	2·67	9	4·75	12	3·34	10	3·24	11	37·98	98
1726	Port Shepstone (Gaol—Tronk)	30° 43′	30° 27′	180	3·58	12	7·00	10	9·58	13	0·18	2	4·88	3	4·54	7	0·16	3	0·79	3	3·58	9	5·01	12	4·27	13	4·07	14	47·64	101
3966	Port Shepstone (Lightkeeper)	30° 43′	30° 27′	180	3·31	15	5·32	13	8·71	18	0·17	2	4·30	4	5·24	8	0·29	3	0·82	4	3·28	9	4·22	12	3·88	13	3·72	14	43·06	115
3967	Sawòti	30° 16′	30° 29′	—	3·06	14	3·25	15	6·19	20	0·17	4	0·38	6	1·49	9	0·09	2	0·51	5	2·51	10	3·12	15	3·30	14	3·98	20	28·05	134
1162	Kloofend	30° 34′	30° 31′	200	5·00	15	3·22	15	8·75	18	0·11	2	0·83	4	3·11	9	0·11	3	0·64	4	2·82	12	4·44	12	3·44	16	2·52	17	34·99	127
3968	Rumpus Ridge	30° 35′	30° 32′	—	5·34	13	3·73	13	9·79	19	0·24	4	0·56	4	3·28	8	0·10	4	0·77	5	3·45	11	4·53	11	3·78	14	2·74	15	38·31	121
1460	Mid-Illovo	30° 01′	30° 35′	2,300	2·47	15	6·99	18	5·24	20	0·30	3	0·79	6	1·73	6	0·02	1	0·84	7	3·82	11	3.64	15	4·73	15	6·36	21	36·93	138
4244	Scottburgh	30° 16′	30° 45′	—	3·12	12	2·81	10	5·62	13	0·07	1	0·74	4	2·95	8	0·20	3	0·97	4	2·43	6	2·88	12	2·85	11	2·74	11	27·38	95
2457	Winkelspruit	30° 03′	30° 51′	120	—	—	—	—	—	—	—	—	—	—	—	—	0·38	3	0·41	2	3·16	5	3·46	10	4·22	8	2·51	8	14·14	36
4245	Ezandi or (of) Izingolweni	30° 08′	30° 52′	—	—	—	2·77	7	8·17	17	0·10	1	0·00	0	2·80	5	0·00	0	0·39	6	2·26	9	4·65	10	2·78	9	3·30	6	27·22	70
3969	Amanzimtoti or (of) Blythwood	30° 03′	30° 53′	—	1·70	7	5·64	13	4·70	11	0·02	1	0·40	4	3·16	5	0·24	1	0·41	3	2·46	8	2·36	7	2·16	5	1·71	10	24·96	75
SECTION 26—SEKSIE 26.																														
1256	Langebaan	33° 05′	18° 02′	15	0·09	0	0·44	3	0·00	0	0·09	1	1·03	6	0·02	1	2·03	7	0·73	3	0·29	2	0·79	4	0·00	0	0·00	0	5·42	27
448	Dassen Island	33° 24′	18° 06′	15	0·12	1	0·06	2	0·00	0	0·26	1	2·27	8	1·11	4	3·22	13	1·78	10	0·72	8	1·56	9	0·30	5	0·00	0	11·40	61
2992	Geelbek	33° 11′	18° 08′	—	0·33	2	0·64	3	0·14	3	0·16	3	1·28	8	0·67	2	2·07	10	0·99	6	0·73	8	0·56	7	0·42	4	0·00	0	7·99	56
926	Hopefield	33° 04′	18° 21′	140	0·20	1	0·71	3	0·00	0	0·28	2	2·22	9	0·53	3	2·04	9	1·50	8	0·72	7	1·56	9	0·44	3	0·00	0	10·20	54
445	Darling	33° 22′	18° 23′	378	0·22	1	0·95	5	0·22	3	0·87	5	2·83	12	0·84	6	4·20	19	1·59	13	1·40	9	2·43	13	0·50	7	0·00	0	16·05	93
1864	Robben Island	33° 48′	18° 23′	25	0·17	2	0·94	4	0·08	3	0·35	5	2·27	10	1·14	5	3·81	14	2·10	12	1·04	9	2·66	8	0·40	7	0·00	0	14·96	79
320	Capetown (Sea Point Hall)	33° 55′	18° 23′	43	0·25	2	0·88	3	0·05	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	(1·18	7)
322	Capetown (Signal Hill)	33° 55′	18° 24′	1,148	0·06	1	0·73	5	0·09	2	0·55	5	2·48	10	0·72	3	3·39	14	1·32	11	1·59	9	1·87	11	0·38	5	0·00	0	13·17	76
324	Capetown (Tamboerskloof)	33° 56′	18° 24′	328	0·38	2	1·28	6	0·26	2	1·78	7	4·22	13	1·65	4	5·07	16	3·54	12	2·51	12	3·22	14	0·88	9	0·04	2	24·83	99
2118	Table Mountain (Kasteelspoort)	33° 59′	18° 24′	2,500	1·01	—	2·84	—	1·28	—	3·95	—	8·06	—	5·19	—	10·73	—	6·87	—	5·19	—	6·69	—	1·48	—	0·22	—	53·51	—
2123	Table Mountain (Woodhead Dam)	33° 59′	18° 24′	2,450	1·11	—	2·95	—	1·49	—	3·43	—	7·73	—	4·75	—	10·05	—	8·23	—	6·08	—	7·17	—	1·55	—	0·29	—	54·83	—
2993	Capetown (Table Mountain House)	33° 59′	18° 24′	—	1·10	4	2·65	7	1·42	4	3·40	5	7·07	13	4·19	5	8·58	17	7·35	16	5·51	11	6·66	15	1·26	8	0·27	1	49·46	106
2117	Table Mountain (Disa Head)	33° 59′	18° 24′	2,500	0·32	—	1·78	—	0·69	—	1·34	—	3·16	—	3·09	—	6·67	—	3·80	—	3·42	—	3·70	—	1·19	—	0·21	—	29·37	—
2124	Table Mountain (Woodhead Tunnel)	33° 59′	18° 24′	2,250	1·00	—	2·18	—	0·51	—	1·98	—	4·73	—	2·70	—	7·66	—	5·55	—	4·52	—	4·92	—	0·90	—	0·05	—	36·70	—
313	Capetown (Lower Reservoir)	33° 56′	18° 25′	290	0·44	—	1·20	—	0·26	—	1·92	—	5·09	—	2·00	—	5·71	—	3·76	—	2·53	—	3·12	—	0·81	—	0·05	—	26·89	—

309	Capetown (Fire Station)	33° 55′	18° 25′	88	0·31	2	0·96	4	0·10	2	1·10	5	3·71	10	1·50	5	4·91	17	3·01	13	1·91	10	2·45	12	0·54	6	0·01	1	20·51	87
315	Capetown (Platteklip)	33° 57′	18° 25′	550	0·68	—	1·50	—	0·35	—	2·38	—	5·96	—	2·33	—	7·09	—	5·40	—	3·58	—	4·13	—	0·99	—	0·07	—	34·46	—
2122	Table Mountain (Wasi Vlei)	33° 58′	18° 25′	3,200	1·18	—	2·89	—	1·71	—	3·24	—	8·16	—	6·99	—	7·94	—	7·25	—	4·71	—	5·92	—	1·16	—	0·18	—	51·33	—
2120	Table Mountain (St. Michaels)	33° 58′	18° 25′	3,050	1·22	—	3·10	—	1·42	—	3·23	—	11·19	—	8·74	—	10·87	—	8·45	—	7·53	—	8·19	—	1·79	—	0·31	—	66·04	—
2121	Table Mountain (Waaikoppie)	33° 58′	18° 25′	3,100	0·74	—	2·76	—	0·70	—	2·57	—	8·64	—	5·39	—	6·76	—	6·68	—	4·45	—	6·10	—	1·49	—	0·17	—	46·45	—
788	Groot Constantia	34° 02′	18° 25′	150	0·86	2	1·93	5	0·32	4	2·03	5	6·87	10	2·63	7	6·73	17	4·87	14	3·22	11	4·98	15	1·10	9	0·03	1	35·57	100
2172	Tokai	34° 04′	18° 25′	—	0·47	4	1·50	7	0·75	5	1·95	4	7·04	10	1·68	3	6·90	18	3·75	11	3·68	11	4·70	10	1·49	7	0·05	2	33·96	92
311	Capetown (Hospital)	33° 54′	18° 25′	54	0·30	3	0·91	5	0·19	4	1·78	10	3·56	17	1·06	11	4·51	20	3·06	24	2·03	15	2·81	15	0·68	9	0·01	1	20·90	134
2119	Table Mountain (Maclear's Beacon)	33° 58′	18° 25′	3,582	1·22	—	3·10	—	1·42	—	3·23	—	11·19	—	8·74	—	10·87	—	8·45	—	7·53	—	8·19	—	1·79	—	0·31	—	66·04	—
314	Capetown (Molteno Reservoir)	33° 56′	18° 26′	306	0·43	—	1·26	—	0·27	—	1·84	—	5·14	—	2·06	—	5·46	—	3·49	—	2·62	—	3·23	—	0·76	—	0·07	—	26·63	—
1113	Kirstenbosch	33° 58′	18° 26′	250	1·02	4	2·44	6	0·43	6	2·93	4	8·22	12	3·49	6	7·13	17	5·91	14	4·39	10	6·36	15	1·38	9	0·05	1	43·75	104
2114	Table Mountain (Devil's Peak)	33° 57′	18° 27′	—	0·90	4	1·58	7	0·58	3	1·97	5	5·71	13	3·12	4	7·76	17	4·86	15	3·58	12	3·88	16	1·03	8	0·20	4	35·17	108
4274	Muizenberg	34° 06′	18° 27′	—	0·25	3	0·96	6	0·15	3	0·70	4	3·83	10	1·41	5	3·09	17	1·96	13	1·88	12	3·03	12	1·11	7	0·00	0	18·37	92
2996	Smitswinkel Bay	34° 15′	18° 27′	—	0·34	4	1·44	6	0·71	6	1·36	5	4·51	14	2·68	5	4·31	15	3·18	9	1·84	8	1·95	7	1·35	6	0·14	3	23·81	88
2180	The Towers	33° 25′	18° 28′	600	0·20	1	1·02	4	0·27	2	0·76	3	2·49	11	0·95	3	3·64	11	1·72	8	1·13	9	2·46	10	0·78	4	0·00	0	15·42	66
2997	Paradise Estate	33° 55′	18° 28′	—	0·89	3	2·04	4	0·26	3	1·76	3	10·18	10	3·21	3	6·56	15	6·86	12	4·78	11	5·06	14	1·18	6	0·00	0	43·38	84
2512	Wynberg (St. Mary's Convent)	34° 00′	18° 28′	235	0·46	2	1·54	5	0·14	2	1·06	2	7·07	9	2·06	3	4·66	16	3·82	11	2·59	8	4·45	12	1·01	5	0·00	0	28·86	75
1710	Plumstead	34° 01′	18° 28′	100	0·26	2	1·33	4	0·05	2	0·67	2	6·66	9	1·71	5	4·39	16	3·36	12	2·43	11	3·77	12	1·03	6	0·00	0	25·66	81
1538	Muizenberg (Reservoir)	34° 06′	18° 28′	—	1·66	—	3·22	—	1·93	—	3·51	—	7·69	—	4·23	—	9·63	—	7·43	—	4·54	—	5·06	—	2·12	—	0·09	—	51·11	—
316	Capetown (Royal Observatory)	33° 56′	18° 29′	40	0·36	4	0·84	5	0·22	4	0·72	5	3·62	10	1·73	5	4·40	16	3·01	12	1·82	10	2·66	12	0·46	4	0·06	1	19·84	88
306	Cape Point	34° 21′	18° 30′	703	0·13	3	0·56	4	0·16	4	0·31	3	2·00	9	1·17	5	1·61	14	1·23	9	0·82	10	1·22	8	0·52	6	0·09	2	9·82	77
1378	Maitland (Cemetery)	33° 54′	18° 30′	50	0·00	0	0·40	3	0·04	1	0·40	3	1·75	7	0·94	2	2·15	10	1·49	6	1·37	7	1·35	6	0·22	3	0·00	0	10·11	48
3003	De Grendel	33° 51′	18° 34′	—	0·30	3	0·70	3	0·20	2	0·44	4	3·14	8	1·30	3	3·56	12	2·45	9	1·11	6	1·85	6	0·75	6	0·00	0	15·30	62
3004	Van Schoorsdrift	33° 41′	18° 35′	—	0·00	0	0·27	3	0·00	0	0·08	1	1·56	7	0·36	3	1·15	10	0·61	5	0·34	5	0·73	6	0·14	1	0·00	0	5·24	41
4276	Elsies River	33° 54′	18° 35′	—	0·12	2	1·08	5	0·21	3	0·52	6	2·90	12	1·38	6	3·08	16	2·21	14	1·40	12	2·17	12	—	—	—	—	(15·07	88)
3005	Bellville	33° 54′	18° 36′	—	0·05	1	0·41	3	0·08	2	0·23	3	1·28	10	0·51	3	1·21	13	0·89	12	0·52	9	1·05	8	0·21	5	0·00	0	6·44	69
3006	Altydgedacht	33° 50′	18° 37′	—	0·30	3	1·28	5	0·16	2	0·71	2	3·33	11	1·52	5	3·77	15	2·80	11	1·70	12	2·73	12	0·74	8	0·02	1	19·06	87
553	Durbanville	33° 49′	18° 39′	650	0·48	4	1·36	4	0·11	2	0·82	4	3·77	10	2·03	4	4·27	14	2·80	8	1·70	8	3·47	11	0·82	3	0·00	0	21·63	72
3007	Alexandria	33° 40′	18° 40′	—	0·00	0	0·85	4	0·00	0	0·36	2	2·02	10	0·99	3	2·46	14	1·67	7	1·17	7	2·14	10	0·62	4	0·00	0	12·28	61
3008	Occultdale	33° 43′	18° 40′	—	0·01	1	0·84	4	0·05	2	0·36	3	2·45	12	1·15	5	2·56	15	1·97	9	1·19	8	2·18	10	0·64	4	0·00	0	13·40	73
3009	Bellville Forest	33° 55′	18° 40′	—	0·10	1	1·04	3	0·12	2	0·44	3	3·03	9	1·58	5	3·19	13	2·26	13	1·34	7	2·63	8	0·51	6	0·00	0	16·24	70
1239	Kuils River (Langverwacht)	33° 56′	18° 41′	600	0·20	1	1·43	5	0·27	2	0·77	4	3·41	9	1·83	5	3·87	16	2·43	12	2·04	12	1·91	9	1·33	9	0·00	0	19·49	84
1385	Malmesbury	33° 28′	18° 43′	460	0·15	1	1·17	3	0·10	1	0·37	2	3·05	7	0·47	2	3·21	11	1·68	6	1·46	6	2·07	7	0·35	4	0·00	0	14·08	50
577	Eerste River	34° 02′	18° 44′	100	0·07	1	1·09	3	0·22	2	0·83	2	3·69	9	1·32	3	3·29	10	3·27	13	1·49	5	2·73	9	0·22	3	0·00	0	18·22	60
3010	Kraaifontein	33° 45′	18° 45′	—	0·31	3	1·02	4	0·01	1	0·80	4	3·08	12	1·72	9	3·12	15	2·48	9	1·36	10	2·88	12	0·46	8	0·02	1	17·26	88
4275	Nooitgedacht	33° 54′	18° 48′	—	—	—	—	—	—	—	—	—	—	—	—	—	5·80	6	1·80	4	—	—	2·53	3	0·00	0	0·00	0	(10·13	13)
3011	Slent	33° 41′	18° 49′	—	0·11	1	1·11	5	0·14	2	0·61	2	4·17	9	0·94	4	2·98	13	1·84	12	1·13	10	3·30	10	0·91	6	0·00	0	17·24	74
607	Elsenburg	33° 51′	18° 50′	400	0·25	1	1·31	5	0·19	2	0·88	5	4·41	12	1·80	7	4·15	16	3·03	11	2·38	14	3·37	10	0·70	7	0·00	0	22·47	90
3012	Steenbras No. 3	34° 09′	18° 50′	—	0·13	—	2·06	—	0·46	—	1·71	—	5·22	—	2·35	—	5·20	—	3·53	—	2·86	—	5·23	—	0·90	—	0·00	0	29·65	—
3013	Steenbras No. 1	34° 10′	18° 50′	—	0·27	—	2·00	—	0·60	—	1·72	—	5·66	—	3·00	—	4·75	—	3·53	—	3·07	—	5·15	—	0·80	—	0·00	0	30·55	—
4273	Steenbras Dam	34° 11′	18° 50′	—	0·29	6	2·17	7	0·87	3	1·98	5	6·05	12	3·68	5	4·02	16	3·75	13	3·59	11	5·26	12	0·84	7	0·00	0	32·50	97
3014	Steenbras No. 2	34° 12′	18° 50′	—	0·62	—	3·35	—	1·35	—	2·50	—	9·46	—	7·49	—	7·23	—	5·77	—	4·90	—	7·79	—	1·34	—	0·00	0	51·80	—
2057	Stellenbosch (Agricultural College)	33° 56′	18° 51′	400	0·28	1	1·43	4	0·39	2	1·10	3	4·16	13	2·20	6	4·76	15	2·99	12	2·07	10	3·30	13	0·66	9	0·00	0	23·34	88
2056	Stellenbosch (Gaol)	33° 56′	18° 51′	290	0·31	2	1·47	5	0·41	2	1·12	2	4·21	9	2·17	3	5·07	14	3·01	10	2·25	9	3·33	11	0·67	6	0·00	0	24·02	73
2021	Somerset West	34° 05′	18° 51′	100	0·10	1	2·10	3	0·00	0	0·91	1	4·05	8	1·85	3	4·35	8	2·85	6	1·30	4	2·85	9	0·45	4	0·00	0	20·81	47

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) Hoogte bo G.S.H. (omtrent.) Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 26 (*Continued*)—SEKSIE 26 (*Vervolg*).																														
3015	Bothmaskloof	33° 25′	18° 52′	—	0·35	1	1·00	2	0·11	2	0·68	2	6·99	8	1·22	3	4·23	11	2·37	6	1·06	7	4·18	8	0·99	5	0·00	0	23·18	55
3016	Lourensford	34° 04′	18° 52′	—	0·28	1	1·96	5	0·09	1	1·28	2	7·15	10	2·05	4	6·04	10	4·25	9	2·42	8	4·45	10	2·10	7	0·00	0	32·07	67
3017	Steenbras No. 4	34° 08′	18° 53′	—	0·31	—	2·46	—	0·77	—	1·70	—	5·44	—	2·21	—	5·86	—	5·90	—	3·14	—	6·65	—	2·21	—	0·03	—	36·68	—
1117	Klapmuts	33° 48′	18° 54′	—	0·30	1	1·39	5	0·27	3	0·97	3	4·63	12	2·02	5	4·69	14	3·26	11	2·11	9	3·54	11	0·86	7	0·00	0	24·04	81
1243	La Bonne Esperance	33° 15′	18° 55′	275	0·00	0	1·21	2	0·16	1	0·40	3	3·34	6	1·02	3	3·05	9	1·55	6	0·76	5	2·24	6	0·53	3	0·00	0	14·26	44
3018	Steenbras No. 5	34° 07′	18° 55′	—	0·39	—	1·46	—	0·71	—	1·05	—	2·29	—	0·93	—	3·15	—	1·87	—	1·01	—	2·51	—	0·70	—	0·01	—	16·08	—
3019	Steenbras No. 6	34° 08′	18° 55′	—	0·23	—	1·93	—	2·40	—	1·55	—	5·81	—	5·82	—	6·00	—	4·15	—	5·16	—	7·27	—	1·63	—	0·00	—	41·95	—
1641	Paarl	33° 45′	18° 57′	450	0·30	1	1·44	5	0·12	3	1·20	2	5·66	9	2·86	3	5·89	16	3·51	10	2·35	8	4·06	12	0·90	7	0·01	1	28·30	77
3021	Good Hope	33° 52′	18° 57′	—	1·27	2	1·85	5	0·28	2	2·83	4	10·25	14	3·84	5	8·73	17	5·87	12	3·98	9	6·07	12	0·91	6	0·00	0	45·88	88
3022	Jonkershoek	33° 58′	18° 57′	—	0·29	1	1·70	6	0·75	3	1·93	4	5·82	12	2·47	7	7·75	18	4·93	14	3·17	13	6·13	12	1·81	9	0·00	0	36·75	99
1721	Porterville	33° 00′	18° 59′	650	0·00	0	1·49	3	0·11	1	0·00	0	3·07	6	0·00	0	2·71	7	1·11	4	0·75	4	2·67	6	0·35	2	0·00	0	12·26	33
2405	Wellington	33° 38′	18° 59′	350	0·10	1	0·50	2	0·00	0	0·54	2	5·84	9	1·76	3	5·05	11	1·40	7	1·01	5	5·76	8	0·58	4	0·00	0	22·54	52
SECTION 27—SEKSIE 27.																														
2349	Vruchtbaar	33° 40′	19° 00′	450	0·30	2	1·55	5	0·00	0	0·74	2	5·91	9	1·31	3	4·49	9	2·66	9	1·54	8	5·26	10	0·66	5	0·00	0	24·42	62
4277	Morning Star	34° 10′	19° 00′	—	—	—	—	—	—	—	1·39	2	4·08	7	—	—	—	—	4·07	13	1·22	3	4·07	8	0·92	5	0·52	1	(16·27	39)
1722	Porterville Road	33° 18′	19° 01′	294	0·00	0	1·28	2	0·00	0	0·32	1	3·74	5	0·95	2	3·65	9	2·06	3	0·85	4	2·64	5	0·49	1	0·00	0	15·98	32
3372	Onverwacht	33° 37′	19° 01′	—	0·00	0	1·48	4	0·00	0	0·62	2	5·87	9	1·32	3	5·25	7	2·77	5	1·83	6	5·00	8	0·63	3	0·00	0	24·77	47
791	Groot Drakenstein	33° 52′	19° 01′	540	0·57	1	1·71	5	0·16	2	1·29	3	6·64	13	2·47	4	5·78	16	3·65	11	3·02	9	4·75	12	0·80	5	0·00	0	30·84	81
597	Elgin	34° 09′	19° 01′	919	0·31	5	1·67	4	0·41	3	1·17	3	5·69	7	2·64	5	6·13	9	4·04	6	2·63	7	5·33	7	2·44	4	0·00	0	32·46	60
4278	Artois	33° 22′	19° 03′	—	0·00	0	1·38	4	0·00	0	0·31	2	2·61	9	0·58	4	3·71	8	1·80	7	0·82	7	3·35	9	0·89	5	0·00	0	15·45	55
3373	La Motte	33° 52′	19° 03′	—	0·37	2	1·48	3	0·15	2	1·14	2	6·62	11	2·76	4	5·32	11	4·31	8	1·71	6	5·67	9	0·98	6	0·00	0	30·51	64
3374	Driefontein	33° 54′	19° 03′	—	0·53	2	2·45	3	0·25	2	2·20	2	14·49	11	4·23	4	9·01	11	7·17	8	2·64	6	9·85	9	1·43	6	0·00	0	54·25	64
3375	Lebanon	34° 10′	19° 05′	—	0·03	1	1·02	4	0·41	4	0·22	2	3·16	8	1·49	2	3·53	10	2·15	7	1·31	5	4·79	6	1·42	5	0·00	0	19·53	54
3376	Keerweder	33° 55′	19° 07′	—	0·22	2	1·80	4	0·41	5	1·22	4	6·56	11	2·38	6	4·96	17	3·58	12	2·35	10	6·29	12	1·29	8	0·00	0	31·06	89
2190	Tulbagh	33° 18′	19° 08′	400	0·00	0	0·31	3	0·00	0	0·39	2	2·70	7	0·59	3	3·70	7	1·19	5	0·53	3	3·42	8	0·83	4	0·00	0	14·26	42
1163	Kluitjeskraal	33° 27′	19° 08′	880	0·00	0	1·06	3	0·00	0	0·22	2	3·51	8	0·84	4	4·14	10	2·30	7	0·88	6	4·10	8	1·25	6	0·00	0	18·30	54
3377	Bainskloof	33° 38′	19° 08′	—	0·90	—	3·12	—	0·35	—	2·38	—	14·50	—	2·80	—	10·25	—	6·72	—	3·80	—	9·98	—	1·90	—	0·05	—	56·75	—
3378	La Plaisante	33° 28′	19° 11′	—	0·00	0	0·68	2	0·00	0	0·12	1	2·49	5	0·69	2	2·75	8	1·88	6	0·69	3	3·16	8	0·59	1	0·00	0	13·05	36
2480	Wolseley	33° 25′	19° 12′	860	0·00	0	1·30	3	0·00	0	0·15	2	3·26	7	1·20	4	3·67	10	2·19	9	0·82	8	3·48	9	1·23	7	0·00	0	17·30	59
2396	Waverley Mills	33° 26′	19° 12′	800	0·05	2	1·58	5	0·00	0	0·25	2	4·85	8	1·14	4	3·50	10	2·30	10	0·80	8	3·75	9	0·98	8	0·00	0	19·20	66
3379	Kompagniesdrift	34° 14′	19° 12′	—	0·13	3	0·49	2	0·37	2	0·32	2	2·21	9	1·36	4	4·19	8	2·15	8	1·90	9	4·05	7	0·95	5	0·00	0	18·12	59
4279	Inkruip	33° 13′	19° 14′	—	0·00	0	2·93	3	0·59	2	1·65	2	7·49	9	1·78	2	5·47	7	4·69	6	2·34	6	6·33	9	3·09	7	0·00	0	36·36	53
3380	Villiersdorp	34° 00′	19° 17′	—	0·23	1	0·70	2	0·34	1	0·37	2	3·00	6	2·49	3	4·41	8	2·41	6	1·50	5	3·42	7	0·88	4	0·00	0	19·75	45

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) / Feet. Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 27 (*Continued*)—SEKSIE 27 (*Vervolg*).																														
3395	Barrydale	33° 54′	20° 44′	—	0·00	0	0·18	1	0·00	0	0·00	0	0·55	1	1·04	2	0·00	0	0·00	0	0·20	1	1·75	1	0·00	0	0·00	0	3·72	6
3396	Platdrift	33° 32′	20° 50′	—	0·10	1	0·20	1	0·19	1	0·10	1	0·20	3	0·31	2	0·63	3	0·03	1	0·23	2	1·95	3	0·75	3	0·00	0	4·69	21
809	Strawberryhill	33° 59′	20° 52′	1,000	5·85	14	3·20	7	4·53	7	4·36	9	1·38	6	1·42	4	5·60	10	3·59	9	3·00	7	6·32	9	5·04	8	0·55	3	44·84	93
1251	Laingsburg	33° 12′	20° 54′	2,160	0·00	0	0·20	2	0·00	0	0·00	0	0·32	3	0·00	0	0·22	2	0·00	0	0·14	1	2·97	4	0·69	2	0·00	0	4·54	14
3397	Meadowside (Blackdown)	34° 03′	20° 57′	—	0·54	4	0·68	5	1·18	6	1·40	7	0·39	5	0·98	3	1·65	10	0·77	6	1·42	5	2·35	8	1·83	7	0·12	1	13·31	67
3398	Buffelsvlei I	33° 30′	20° 58′	—	0·00	0	0·14	1	0·00	0	0·38	1	0·00	0	0·60	1	0·37	2	0·15	1	0·50	1	1·31	4	1·32	3	0·00	0	4·77	14
869	Heidelberg	34° 05′	20° 58′	100	0·76	6	0·55	3	0·85	7	1·47	5	0·44	3	0·76	2	1·58	8	1·15	7	1·19	7	2·66	7	1·43	7	0·18	1	13·02	63
3400	Poortfontein	33° 44′	20° 59′	—	0·00	0	0·20	1	0·03	1	0·01	1	0·47	3	0·14	1	0·47	5	0·25	3	0·25	3	2·02	3	0·63	3	0·00	0	4·47	24
SECTION 28—SEKSIE 28.																														
3401	Rondekop	33° 17	21° 00′	—	0·00	0	0·03	1	0·00	0	0·04	1	0·91	6	0·06	1	0·25	4	0·16	2	0·09	1	2·10	5	0·68	2	0·00	0	4·32	23
3403	Rietvlei	33° 21′	21° 16′	—	0·00	0	0·14	1	0·00	0	0·00	0	1·09	3	0·00	0	0·27	1	0·08	1	0·03	2	2·65	3	0·74	2	0·00	0	5·00	13
1858	Riversdale (Gaol—Tronk)	34° 06′	21° 16′	200	0·35	6	0·04	1	0·82	5	0·91	5	0·61	5	1·28	3	1·32	9	1·45	7	1·13	5	3·09	4	1·02	4	0·15	1	12·17	55
3404	Riversdale (Johnson)	34° 06′	21° 18′	200	0·28	3	0·03	1	0·89	6	0·95	5	0·68	5	1·32	3	1·17	4	1·32	6	1·35	7	2·94	4	1·22	7	0·00	0	12·15	51
793	Koup	33° 07′	21° 17′	2,405	0·00	0	0·00	0	0·00	0	0·00	0	0·15	1	0·00	0	0·75	2	0·00	0	0·00	0	2·52	2	0·35	1	0·00	0	3·77	6
1244	Ladismith	33° 29′	21° 17′	1,860	0·00	0	0·00	0	0·15	1	0·76	2	0·39	4	0·43	2	1·07	4	0·18	2	0·84	5	3·08	3	2·36	5	0·00	0	9·26	28
3405	Rietfontein	33° 30′	21° 20′	—	0·11	1	0·00	0	0·22	2	0·00	0	0·27	2	0·34	1	0·75	4	0·19	1	0·50	3	1·85	2	0·82	2	0·00	0	5·05	16
3406	Still Bay	34° 22′	21° 25′	—	0·60	3	0·00	0	1·07	4	0·43	2	0·00	0	0·86	2	3·35	9	0·98	6	0·95	4	4·40	5	1·20	4	0·21	1	14·05	40
3407	Weltevrede	34° 07′	21° 33′	—	0·24	5	0·03	1	0·76	6	0·76	7	0·49	5	1·10	3	1·40	6	1·27	6	0·81	5	4·03	7	1·21	7	0·00	0	12·10	58
3408	Opzoek	33° 27′	21° 35′	—	0·00	0	0·28	1	1·00	2	0·26	1	0·18	1	0·50	1	0·63	2	0·00	0	0·93	3	2·68	2	0·76	3	0·00	0	7·22	16
3409	Albertinia	34° 11′	21° 36′	—	0·27	5	0·05	1	1·01	5	0·83	6	0·53	5	1·06	2	2·36	7	1·11	5	1·11	4	6·06	7	1·27	4	0·00	0	15·66	51
266	Buffelsvlei (Besemkop)	33° 29′	21° 42′	750	0·00	0	0·00	0	0·00	0	0·29	1	0·00	0	0·45	1	0·24	2	0·17	1	0·00	0	1·37	3	1·32	3	0·00	0	3·84	11
298	Calitzdorp	33° 32′	21° 42′	750	0·00	0	0·15	2	0·00	0	0·26	1	0·22	3	0·38	2	0·18	1	0·10	1	0·15	1	1·58	4	0·64	3	0·00	0	3·66	18
3410	Calitzdorp Dam	33° 28′	21° 45′	—	0·00	0	0·00	0	0·20	1	0·26	1	0·11	2	0·40	1	0·23	3	0·09	2	0·25	2	1·13	4	0·47	2	0·00	0	3·14	18
3411	Brakfontein	34° 17′	21° 48′	—	0·35	1	0·00	0	0·97	5	0·58	6	0·29	2	1·02	4	2·41	10	1·05	5	1·08	6	4·96	8	3·14	5	0·07	1	15·92	53
781	Groenfontein	33° 26′	21° 50′	1,200	0·00	0	0·47	2	0·48	2	0·55	1	0·00	0	0·52	1	0·00	0	0·00	0	0·57	3	2·21	2	2·76	3	0·00	0	7·56	14
4289	Welbedacht	33° 36′	22° 00′	—	0·00	0	0·00	0	0·01	1	0·00	0	0·04	2	0·24	1	0·25	3	0·01	1	0·32	5	1·62	4	0·43	3	0·00	0	2·92	20
1754	Prince Albert	33° 11′	22° 02′	2,120	0·28	1	0·00	0	0·00	0	0·03	1	0·21	3	0·05	2	0·36	3	0·00	0	0·24	3	0·60	4	0·45	4	0·00	0	2·22	21
1519	Mossel Bay (Mosselbaai)	34° 11′	22° 09′	100	0·71	7	0·20	5	1·35	10	1·12	10	0·60	4	1·12	3	3·45	10	1·08	6	1·52	6	8·16	10	1·55	6	0·18	4	21·04	81
3413	Jonkersberg	33° 50′	22° 10′	—	4·04	10	1·76	8	3·62	10	2·64	8	1·59	4	3·90	4	5·34	10	3·07	8	2·98	8	6·82	12	5·35	10	3·19	6	44·30	98
3414	Klein Brak Rivier	34° 00′	22° 10′	—	0·35	3	0·15	1	1·13	3	0·46	5	0·35	2	1·13	2	0·87	6	0·56	2	0·97	4	4·04	7	2·72	4	0·30	2	13·03	41
1629	Oudtshoorn (Gaol—Tronk)	33° 35′	22° 13′	1,090	0·00	0	0·18	2	0·03	1	0·15	2	0·14	1	0·47	2	0·71	4	0·08	1	0·59	4	1·58	4	1·86	3	0·00	0	5·79	24
3415	Oudtshoorn (Municipality—Munisipaliteit)	33° 35′	22° 13′	—	0·00	0	0·16	3	0·05	2	0·13	2	0·16	4	0·45	2	0·68	6	0·11	3	0·63	5	1·37	7	1·78	4	0·00	0	5·52	38
4290	Oudtshoorn (West Bank)	33° 35′	22° 13′	—	0·00	0	0·05	1	0·03	1	0·06	1	0·15	2	0·40	2	0·64	4	0·09	2	0·66	5	1·74	6	1·70	3	0·00	0	5·52	27
769	Great Brak River	34° 03′	22° 14′	14	0·89	6	0·60	6	1·76	8	0·84	7	0·53	3	1·32	3	0·91	5	0·61	4	0·80	3	3·19	7	3·27	4	0·50	4	15·22	60

| | | |

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) Feet. / Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 29 (*Continued*)—SEKSIE 29 (*Vervolg*).																														
3580	Gouna	33° 55′	23° 05′	—	2·42	10	3·22	12	3·96	11	1·69	5	1·50	6	2·83	3	2·19	9	1·93	12	2·71	13	3·81	14	6·37	15	1·66	8	34·29	118
3581	Kaffirskop	34° 00′	23° 05′	—	1·69	7	2·20	12	3·17	12	2·19	7	1·20	6	2·61	3	3·90	11	3·51	8	3·11	12	4·38	12	5·79	10	0·59	3	34·34	103
2010	Slabbertspoort	33° 07′	23° 06′	2,500	0·15	1	0·00	0	0·00	0	0·00	0	0·32	2	0·30	1	0·47	2	0·00	0	0·27	1	0·74	2	1·78	2	0·00	0	4·03	11
2333	Vondeling	33° 21′	23° 08′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0·00	0	0·25	1	0·13	1	0·87	1	0·00	0	(1·25	3)
1324	Loeriefontein	33° 13′	23° 09′	2,500	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0·28	1	0·93	3	1·49	2	0·00	0	(2·70	6)
482	Deugas	33° 35′	23° 09′	2,250	0·06	1	0·00	0	0·06	1	0·20	3	0·45	6	0·71	2	0·94	7	0·39	5	1·42	6	0·78	6	2·38	7	0·03	1	7·42	45
2238	Uniondale	33° 39′	23° 09′	2,244	0·00	0	0·00	0	0·00	0	0·00	0	0·45	3	1·25	2	0·87	3	0·12	1	1·52	5	0·93	4	2·66	3	0·00	0	7·80	21
4294	Vettevlei	33° 32′	23° 10′	—	—	—	—	—	—	—	0·00	0	0·59	5	0·50	2	0·36	3	0·11	2	0·75	3	0·65	3	2·22	4	0·00	0	(5·18	22)
61	Avontuur	33° 44′	23° 10′	2,860	0·25	1	0·00	0	0·25	1	0·12	2	1·02	4	1·75	1	1·00	2	0·46	3	2·50	4	1·03	2	0·85	2	0·38	1	9·61	23
264	Buffelsnek	33° 53′	23° 10′	2,210	2·24	10	2·03	10	4·09	13	1·78	5	1·92	4	2·41	3	2·63	9	1·44	10	3·24	9	3·45	12	6·79	9	1·47	7	33·49	101
3582	Deepwalls (Base)	33° 55′	23° 10′	—	3·35	11	3·41	18	5·62	16	3·43	10	2·12	8	2·72	3	3·67	12	2·89	11	4·00	14	5·02	14	6·37	14	1·81	13	44·41	144
3583	Deepwalls (Elandskop)	33° 55′	23° 10′	—	3·37	11	3·41	18	5·62	16	3·30	10	1·89	8	2·32	3	3·32	12	3·00	11	3·54	14	4·24	14	5·95	14	1·64	13	41·60	144
4295	De Vingt	33° 49′	23° 11′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0·24	3	(0·24	3)
840	Harkerville	34° 03′	23° 12′	550	2·94	8	4·03	10	5·52	8	1·15	3	0·97	6	2·71	3	5·60	14	4·02	9	4·14	13	4·41	10	7·66	11	1·14	6	44·29	101
2223	Uitvlugt	33° 37′	23° 13′	2,250	0·00	0	0·00	0	0·00	0	0·00	0	1·08	2	0·21	1	0·38	3	0·40	1	0·71	4	0·59	3	1·67	2	0·00	0	5·04	16
1442	Middelkraal	33° 19′	23° 16′	2,500	0·50	1	0·00	0	0·00	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	(0·50	1)
465	De Hoop	33° 41′	23° 16′	2,250	0·00	0	0·00	0	0·00	0	0·00	0	0·36	2	1·28	1	1·17	5	0·10	1	1·60	4	0·54	1	4·59	6	0·00	0	9·62	20
2403	Welgelegen	33° 43′	23° 18′	2,200	0·00	0	0·00	0	0·00	0	0·00	0	1·30	1	1·90	1	2·21	4	0·76	2	3·25	5	0·64	2	5·10	4	0·00	0	15·16	19
1273	Leeuwkloof	33° 14′	23° 22′	—	0·00	0	0·00	0	0·00	0	0·15	1	0·15	1	0·13	1	0·00	0	0·00	0	0·30	1	0·00	0	0·80	1	0·45	1	1·98	6
1707	Plettenberg Bay	34° 04′	23° 22′	240	0·71	3	1·33	4	2·54	6	0·39	3	0·12	2	1·97	2	4·05	8	2·17	3	2·45	6	2·41	7	5·19	6	0·36	2	23·69	52
4296	Skildpadbeen	33° 25′	23° 25′	—	—	—	0·00	0	0·00	0	0·16	2	0·61	4	0·55	2	2·04	5	0·24	1	0·40	1	0·95	3	2·19	2	0·00	0	(7·14	20)
2447	Willowmore	33° 17′	23° 30′	2,760	0·54	1	0·00	0	0·02	1	0·00	0	0·67	2	0·36	2	0·62	6	0·09	2	0·49	4	0·43	3	1·97	3	0·00	0	5·19	24
2455	Windheuvel	33° 05′	23° 31′	—	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·55	1	0·35	1	0·00	0	0·00	0	0·00	0	1·33	2	0·00	0	2·23	4
3584	Kliphеuvel	33° 47′	23° 37′	—	0·71	5	0·63	7	0·43	10	0·63	6	1·23	7	2·24	3	1·32	8	0·61	7	3·14	11	2·52	7	4·72	7	0·14	5	18·32	83
3585	Ovendale	33° 11′	23° 40′	—	0·32	1	0·00	0	0·00	0	0·06	1	0·54	2	0·27	1	0·26	1	0·00	0	0·24	1	0·73	3	1·25	1	0·00	0	3·67	11
158	Blaauwkrantz	33° 58′	23° 40′	700	3·14	9	2·84	14	4·95	13	1·21	4	0·73	7	2·59	3	1·98	9	3·08	11	2·90	13	3·69	13	6·87	12	1·38	8	35·36	116
1333	Lottering	33° 56′	23° 41′	700	4·14	10	3·60	14	5·26	13	1·28	5	0·90	4	2·21	3	3·54	14	3·20	14	4·32	17	3·95	13	6·61	13	1·76	11	40·77	131
3586	Matjesfontein	33° 34′	23° 45′	—	0·00	0	0·00	0	0·00	0	0·00	0	0·80	4	0·61	1	0·44	2	0·30	2	1·25	4	0·45	1	2·02	4	0·00	0	5·87	18
3587	Krakeel River	33° 48′	23° 45′	—	0·00	0	0·00	0	0·15	1	0·16	1	1·43	4	1·75	1	1·98	5	1·38	2	2·64	6	2·57	7	4·42	4	0·00	0	16·48	31
690	Fullarton	33° 10′	23° 50′	2,016	0·30	1	0·00	0	0·00	0	0·00	0	0·68	1	0·15	1	0·50	2	0·00	0	0·00	0	0·45	1	1·10	1	0·00	0	3·18	7
1914	Rooiwal	33° 10′	23° 50′	2,250	0·00	0	0·00	0	0·16	1	0·00	0	0·40	3	0·32	1	0·83	2	0·00	0	0·25	1	0·41	2	1·73	3	0·00	0	4·10	13
2076	Storms River	33° 58′	23° 52′	580	2·43	8	2·65	11	5·37	12	0·63	4	1·77	6	2·03	4	4·77	12	3·38	10	4·86	12	4·06	13	6·43	12	1·20	7	39·58	111
3588	East Lynne	33° 18′	23° 53′	—	0·56	1	0·00	0	0·00	0	0·00	0	0·29	2	0·25	1	0·46	1	0·22	2	0·25	1	1·11	4	1·57	3	0·00	0	4·71	15
4307	Elandsheuwel	33° 17′	23° 55′	—	0·25	1	0·00	0	0·00	0	0·00	0	0·29	4	0·08	1	0·34	1	0·10	1	0·32	1	0·50	2	1·34	1	—	—	(3·22	12)
3589	Twee Rivieren	33° 47′	23° 55′	—	0·00	0	0·00	0	0·27	2	0·10	1	0·84	4	1·20	1	1·28	4	1·31	4	2·15	6	1·12	4	3·28	3	0·00	0	11·55	29

4297	Koeifontein	33° 30′	24° 08′	—	0·06	1	0·00	0	0·00	0	0·00	0	0·35	4	0·58	1	0·18	1	0·07	3	0·33	5	0·60	4	1·19	3	0·00	0	3·36	22
2471	Witteklsbos	34° 00′	24° 09′	745	2·37	7	2·26	10	4·78	11	1·05	5	2·68	4	2·35	3	6·35	12	4·70	11	5·07	12	3·80	10	5·06	7	1·70	4	42·17	96
4298	Allemanskraal	33° 14′	24° 15′	—	—	—	—	—	—	—	—	—	—	—	—	—	0·21	2	0·02	2	0·20	1	0·00	0	1·84	2	0·00	0	(2·27	7)
3590	Rooikrans	33° 32′	24° 15′	—	0·00	0	0·00	0	0·00	0	0·00	0	0·84	4	0·86	2	0·30	1	0·14	1	0·32	2	0·56	2	2·40	3	0·00	0	5·42	15
2069	Steytlerville	33° 20′	24° 19′	2,200	0·20	1	0·00	0	0·14	3	0·01	1	0·17	1	0·30	1	0·19	2	0·00	0	0·34	2	0·63	2	2·43	2	0·00	0	4·41	15
4306	Kranskop	33° 14′	24° 22′	—	0·00	0	0·00	0	0·06	1	0·00	0	0·40	2	0·00	0	0·70	1	0·00	0	0·16	1	0·00	0	2·17	3	0·00	0	3·49	8
4299	Waaipoort	33° 25′	24° 25′	4,299	0·10	1	0·00	0	0·00	0	0·00	0	0·27	1	0·51	2	0·20	1	0·00	0	0·14	1	0·32	3	2·08	4	0·00	0	3·62	13
4305	Dawkomskraal	33° 53′	24° 30′	—	0·77	5	0·33	1	0·74	3	0·00	0	1·36	5	1·07	3	1·80	5	1·88	4	1·85	3	1·31	4	2·94	4	0·43	1	14·48	38
4301	Kenstroom	33° 10′	24° 45′	—	—	—	—	—	—	—	—	—	—	—	0·36	3	0·10	2	0·03	1	0·19	2	0·73	2	1·40	2	0·00	0	(2·81	12)
3591	Slangrivier	34° 09′	24° 45′	—	0·34	3	0·78	4	1·24	4	0·60	3	2·74	7	2·20	4	11·13	11	4·65	7	1·38	6	4·66	7	2·22	4	0·00	0	31·94	60
943	Humansdorp (Gaol—Tronk)	34° 02′	24° 46′	360	0·55	7	0·69	3	0·61	3	0·52	4	2·59	5	0·56	4	6·12	10	3·07	7	1·81	7	4·35	8	3·80	7	0·53	2	25·20	67
944	Humansdorp (Station—Stasie)	34° 02′	24° 46′	500	0·56	7	0·67	3	0·65	4	0·62	4	1·86	4	1·13	2	—	—	—	—	—	—	—	—	—	—	—	—	(5·49	24)
4304	Vleikraal	33° 30′	24° 47′	—	0·00	0	0·00	0	0·11	1	0·00	0	0·00	0	0·25	2	0·05	2	0·00	0	0·22	2	0·89	3	1·28	4	0·00	0	2·80	14
4302	Saltpansnek	33° 15′	24° 50′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0·10	1	(0·10	1)
4303	Loch Nevar	33° 58′	24° 50′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0·16	1	(0·16	1)
307	Cape St. Francis	34° 12′	24° 50′	25	0·22	5	1·42	10	1·22	8	2·03	8	4·88	9	1·01	6	7·79	10	2·62	9	2·03	9	3·07	10	4·37	9	0·29	4	30·95	97
1126	Kleinpoort	33° 20′	24° 53′	1,900	0·00	0	0·00	0	0·10	1	0·04	1	0·00	0	0·52	2	0·17	1	0·00	0	0·34	3	1·02	5	1·89	3	0·14	1	4·22	17

SECTION 30—SEKSIE 30.

3703	Waterford	33° 10′	25° 00′	—	0·65	1	0·00	0	0·20	1	0·00	0	0·08	1	0·58	2	0·06	1	0·00	0	0·50	2	0·41	2	1·89	4	0·16	1	4·53	15
3704	Sleutelpoortje	33° 35′	25° 00′	—	0·00	0	0·00	0	0·30	1	0·00	0	0·00	0	0·44	1	0·25	1	0·00	0	0·52	3	1·78	2	2·00	2	0·00	0	5·29	10
1323	Loerie (Station—Stasie)	33° 50′	25° 00′	100	0·56	4	0·32	2	1·06	6	0·08	1	1·57	2	0·81	1	1·20	7	1·63	4	0·95	5	2·48	7	4·09	7	0·66	1	15·41	47
3705	Buffelshoek	33° 57′	25° 02′	—	0·27	2	0·69	3	0·68	3	0·00	0	1·38	3	0·50	1	1·77	5	1·69	4	0·66	2	1·50	6	2·77	3	0·25	1	12·16	33
4309	Adolphskraal	33° 32′	25° 05′	—	—	—	—	—	—	—	0·00	0	0·03	1	0·42	4	0·25	2	0·23	3	0·36	3	1·69	2	1·60	4	0·00	0	(4·58	19)
3706	Lake Mentz	33° 12′	25° 10′	—	0·06	1	0·05	1	0·19	6	0·12	2	0·26	3	0·39	2	0·20	3	0·02	1	0·52	4	0·51	5	1·78	5	0·09	1	4·19	34
723	Glen Connor	33° 24′	25° 10′	730	0·00	0	0·00	0	0·46	2	0·49	1	0·00	0	0·12	1	0·07	1	0·00	0	0·52	2	0·98	3	0·89	2	0·68	1	4·21	13
3707	Toverklip	33° 27′	25° 10′	—	0·00	0	0·28	1	0·00	0	0·00	0	0·00	0	0·38	2	0·05	1	0·18	1	0·30	1	1·34	2	1·12	2	0·09	1	3·74	11
3708	Elands River (Elandsrivier)	33° 40′	25° 10′	—	0·82	3	0·00	0	2·20	6	0·68	2	0·89	3	0·88	4	0·66	4	0·88	4	0·95	4	3·13	6	2·83	5	0·30	1	14·22	42
3709	Hankey (Loerie Plantation—Loerie Plantasie)	33° 50′	25° 10′	—	0·72	8	0·82	3	1·43	8	0·65	8	1·96	6	1·24	5	0·96	6	1·65	8	1·01	6	2·86	10	3·44	8	0·93	4	17·67	80
3710	Witteklip Estate	33° 55′	25° 14′	—	0·76	7	0·80	7	2·16	9	1·12	8	2·33	7	1·37	6	4·02	10	2·17	7	1·76	7	5·57	6	6·10	9	1·36	7	29·52	90
2270	Van Staadens (Hill)	33° 50′	25° 16′	1,550	1·21	—	0·47	—	2·53	—	1·84	—	2·60	—	1·21	—	2·78	—	1·94	—	1·51	—	4·90	—	4·84	—	1·61	—	27·44	—
2268	Van Staadens	33° 50′	25° 16′	988	0·93	4	0·59	5	2·68	10	1·79	7	2·63	4	1·24	3	2·85	9	2·03	6	1·66	6	4·93	8	4·92	8	0·60	2	26·85	72
4310	Maraishoop	33° 32′	25° 20′	—	0·13	1	0·16	1	0·23	4	0·17	3	0·08	1	0·39	3	0·14	2	0·21	2	0·46	3	1·59	6	1·67	4	0·00	0	5·23	30
2210	Uitenhage (Springs)	33° 40′	25° 24′	400	0·55	3	0·05	1	1·50	5	0·31	1	0·43	3	0·86	3	0·46	4	0·83	2	1·09	4	1·68	2	3·10	5	0·00	0	10·86	33
3711	Uitenhage (Cannon Hill)	33° 47′	25° 24′	—	0·51	6	0·30	2	1·71	9	0·49	5	0·65	4	0·65	8	0·61	7	0·71	5	0·98	7	1·87	7	2·76	8	0·22	4	11·46	72
2209	Uitenhage (Inggs)	33° 47′	25° 24′	185	0·40	8	0·30	3	1·54	9	0·58	6	0·70	5	0·70	8	0·67	7	0·78	8	1·22	9	1·96	9	2·76	8	0·25	4	11·86	84
4311	Spes Bona	33° 00′	25° 25′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0·47	2	(0·47	2)
2208	Uitenhage (Park)	33° 46′	25° 25′	200	0·45	7	0·28	2	1·84	11	0·58	7	0·69	5	0·79	9	0·57	8	0·85	8	1·28	9	2·02	9	2·36	8	0·17	3	11·88	86
2207	Uitenhage (Gaol—Tronk)	33° 46′	25° 25′	200	0·35	5	0·28	2	1·51	6	0·48	5	0·78	5	0·63	6	0·69	6	0·85	5	0·96	7	1·82	6	2·66	5	0·09	3	11·10	61
4312	Brockhurst	33° 58′	25° 25′	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3·99	7	0·52	3	(4·51	10)
43	Armadale	33° 26′	25° 28′	250	0·22	1	0·26	1	0·90	5	0·21	2	0·75	3	0·82	2	0·00	0	0·22	1	0·70	3	1·58	4	1·60	4	0·12	1	7·38	27
542	Dunbrody	33° 30′	25° 28′	200	0·08	2	0·21	1	0·86	5	0·23	4	0·90	5	1·01	4	0·05	2	0·32	3	0·84	6	1·67	7	2·09	8	0·26	2	8·52	49
3712	Klipfontein	33° 10′	25° 30′	—	0·00	0	0·00	0	0·18	1	0·07	1	0·00	0	0·54	3	0·23	3	0·06	1	0·63	4	0·76	5	2·00	5	0·15	1	4·62	24
1458	Middelwater	33° 05′	25° 32′	1,335	0·68	1	0·10	1	0·00	0	0·41	2	0·72	1	0·64	2	0·00	0	0·00	0	0·46	1	0·40	1	1·71	4	0·20	1	5·32	14

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) / Hoogte bo G.S.H. (omtrent.) Feet. / Voet.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
					In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 30 (*Continued*)—SEKSIE 30 (*Vervolg*).																														
330	Carlton	33° 25′	25° 35′	115	0·11	1	0·19	1	0·90	7	0·19	3	0·30	4	0·90	1	0·12	1	0·33	1	1·78	5	1·26	5	2·58	6	0·16	2	8·82	37
610	Emerald Hill	33° 58′	25° 36′	450	0·80	4	0·15	2	0·72	5	1·44	6	5·00	7	1·49	2	4·13	9	2·81	5	2·66	10	6·26	5	1·51	8	0·67	4	27·64	67
1718	Port Elizabeth (Lighthouse)	33° 58′	25° 37′	176	0·33	8	0·66	9	1·57	7	0·67	6	4·15	8	1·52	10	3·75	9	3·27	10	2·15	9	6·89	10	3·77	10	0·71	7	29·44	103
5050	Port Elizabeth (Golf Club)	33° 59′	25° 37′	—	0·39	6	0·54	7	1·24	7	0·76	3	4·35	6	1·52	6	3·94	5	3·14	4	1·96	5	5·66	6	—	—	—	—	(23·50	55)
1990	Sharks River	33° 59′	25° 37′	100	0·38	8	1·02	5	1·21	10	0·75	6	5·36	7	1·74	8	4·59	9	3·50	9	2·60	10	4·77	8	3·42	5	0·55	5	29·89	90
3713	Walmer	33° 59′	25° 38′	—	0·35	6	0·67	5	1·80	6	0·93	5	4·54	7	1·70	7	4·18	8	3·32	8	1·88	8	7·72	9	3·95	6	0·73	4	31·77	79
3714	Commandokraal	33° 33′	25° 40′	—	0·24	3	0·15	2	1·04	8	0·11	3	0·26	7	1·06	6	0.12	3	0·55	5	0·72	7	0·99	7	2·97	9	0·27	3	8·48	63
3715	Liwandi	33° 27′	25° 42′	—	0·36	6	0·27	3	1·47	7	0·20	4	0·36	6	1·11	6	0·18	3	0·38	8	0·80	6	1·28	8	3·02	8	0·26	2	9·69	67
3716	Moira	33° 30′	25° 45′	—	0·12	3	0·18	2	0·99	6	0·15	3	0·38	5	0·90	5	0·14	3	0·43	4	0·74	6	1·26	8	3·12	9	0·28	3	8·69	57
3717	Zuurberg	33° 20′	25° 47′	—	2·51	7	0·72	4	3·62	8	0·22	2	2·06	5	1·53	1	0·47	2	0·49	3	1·68	5	2·57	8	4·63	7	1·46	2	21·96	54
3718	Grootfontein	33° 17′	25° 50′	—	0·48	2	0·47	1	0·58	3	0·18	3	0·57	5	1·02	2	0·15	1	0·20	1	1·08	3	1·75	2	2·60	5	0·00	0	9·08	28
3719	Sheldon	33° 03′	25° 52′	—	—	—	0·70	1	0·70	2	0·47	2	—	—	—	—	—	—	0·00	0	0·70	1	1·65	3	2·12	3	0·36	1	(8·70	13)
3720	Paterson	33° 26′	25° 59′	—	0·34	4	0·43	2	0·82	6	0·25	2	1·27	4	0·91	2	0·67	3	0·41	4	1·21	5	2·45	8	2·77	7	2·77	7	14·30	54
3721	Nelskraal	33° 00′	26° 00′	—	0·15	1	0·66	1	0·77	3	0·51	3	0·57	3	0·98	2	0·40	1	0·00	0	1·08	3	2·30	4	2·02	5	0·81	2	10·25	28
3722	Eensgevonden	33° 13′	26° 05′	—	1·20	3	0·88	6	2·21	8	0·33	4	1·23	5	1·70	3	0·93	4	0·18	1	2·04	7	2·80	7	3·09	6	0·76	1	17·35	55
18	Alicedale	33° 20′	26° 05′	905	0·61	2	0·61	3	1·36	6	0·26	2	1·24	4	1·28	3	0·61	3	0·26	2	1·59	5	2·00	3	2·94	5	0·42	1	13·16	39
4313	Kalmoesfontein	33° 15′	26° 10′	—	0·98	5	0·74	8	2·32	7	0·37	2	0·74	4	1·47	5	0·54	3	0·33	2	1·61	6	2·70	4	2·25	5	0·68	1	14·73	52
2108	Sydneyshope	33° 24′	26° 10′	850	1·05	11	1·15	10	2·27	11	0·33	7	1·73	8	1·81	8	0·83	5	0·65	7	2·00	11	3·34	13	3·67	8	0·96	7	19·79	106
3723	Bird Island	33° 51′	26° 17′	—	0·34	2	0·38	5	0·55	6	0·35	4	7·42	5	0·69	6	0·65	6	0·41	3	0·72	6	2·35	6	1·11	6	0·36	5	15·33	60
3839	Longbush	33° 42′	26° 23′	—	1·72	8	1·65	7	5·55	9	1·66	6	5·90	6	2·00	7	1·44	7	3·28	9	3·98	15	6·22	13	5·24	11	1·54	7	40·18	105
3724	Hounslow	33° 11′	26° 25′	—	0·96	1	0·40	1	—	—	0·15	3	1·13	3	0·94	3	0·22	1	—	—	—	—	—	—	—	—	—	—	(3·80	12)
53	Atherstone	33° 19′	26° 25′	2,263	0·44	1	0·75	1	1·82	3	0·62	2	1·70	2	1·55	2	0·60	1	0·04	1	2·31	5	1·82	1	3·72	6	—	—	(15·37	25)
15	Alexandri	33° 38′	26° 25′	669	0·75	6	0·90	4	2·44	9	0·76	3	3·03	6	1·95	4	1·35	5	1·35	2	1·35	3	3·69	4	3·47	4	0·44	2	21·48	52
3725	Longvale	33° 33′	26° 28′	—	0·78	4	0·00	0	1·53	5	0·74	3	1·42	2	1·67	4	0·50	3	0·56	2	1·61	6	2·31	4	1·37	6	0·26	1	12·75	40
3726	Slaalkraal	33° 17′	26° 29′	—	0·90	7	2·19	10	2·97	9	0·66	8	1·42	6	2·00	7	0·70	5	0·62	4	2·40	10	3·25	10	4·18	8	1·10	7	22·39	91
3727	Westerdale	33° 17′	26° 32′	—	1·75	11	2·27	9	3·75	10	0·86	7	1·33	6	1·71	5	0·76	6	0·61	4	2·28	13	3·58	9	3·76	10	1·36	8	24·02	98
3728	Grahamstown (V.R.O.)	33° 18′	26° 32′	—	1·22	6	1·75	7	2·77	9	0·58	5	1·33	6	1·45	5	0·56	3	0·45	4	1·84	7	2·94	7	3·16	6	0·83	4	18·93	69
756	Grahamstown (Gaol—Tronk)	33° 18′	26° 32′	1,700	1·58	5	2·54	11	3·96	10	0·89	8	1·48	6	1·91	6	0·72	4	0·63	4	2·56	9	3·67	7	4·13	7	1·14	1	25·21	78
3729	Uplands	33° 09′	26° 36′	—	0·09	1	0·61	1	0·14	1	0·44	2	0·76	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	(2·04	8)
3730	Welbedacht	33° 42′	26 36′	—	0·75	6	1·15	8	2·59	10	1·11	5	3·00	6	1·94	6	0·85	6	1·60	9	2·87	10	4·49	10	3·50	10	0·57	4	24·42	90
3731	Lombards Post	33° 33′	26° 42′	—	1·06	8	0·74	6	3·51	11	1·21	7	2·99	11	3·00	10	0·87	5	1·20	5	2·46	11	3·87	9	2·15	6	1·23	5	24·29	94
4314	Langholm	33° 23′	26° 43′	—	—	—	1·85	9	3·10	9	0·77	5	1·53	7	1·87	7	0·35	4	1·04	5	1·88	7	3·28	7	2·80	10	0·88	4	(19·35	74)
686	Frasers Camp	33° 16′	26° 50′	1,750	1·34	3	1·54	5	1·24	3	0·56	2	4·02	1	1·03	3	0·13	1	0·20	2	1·18	4	3·47	8	1·64	5	1·45	3	17·80	40
3732	Bathurst	33° 30′	26° 50′	—	0·76	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	(0·76	3)
1715	Port Alfred	33° 34′	26° 54′	22	1·52	8	2·03	8	2·31	8	0·97	3	3·39	6	2·06	4	0·61	5	1·12	4	2·19	10	4·65	7	1·47	7	0·89	3	23·31	73
3733	Rooklands	33° 30′	26° 57′	—	1·47	5	3·12	10	2·62	9	1·31	7	1·94	6	2·15	5	0·49	3	0·73	3	2·24	11	4·83	10	3·37	9	0·98	3	25·25	81

3734	Great Fish Point	33° 31′	27° 06′	—	1·65	7	3·89	8	1·86	9	1·35	7	2·00	7	2·27	6	0·22	3	0·70	3	2·85	10	4·24	7	1·69	9	0·94	3	23·66	79
1661	Peddie	33° 13′	27° 07′	500	1·30	5	0·73	7	2·39	8	0·78	3	0·75	2	—	—	0·28	2	0·40	1	2·79	9	2·76	8	3·57	9	1·93	6	(17·68	80)
4316	Lessendrum	33° 27′	27° 09′	—	1·85	13	2·62	9	2·58	10	0·99	4	3·01	7	2·23	8	0·16	2	0·55	3	3·75	12	4·22	8	2·22	7	1·14	6	25·32	89
3735	Citrus Glen	33° 00′	27° 25′	—	1·90	10	2·12	14	6·18	12	0·43	5	0·71	6	1·22	4	0·28	1	0·22	5	3·32	7	3·15	7	4·17	8	3·47	11	27·17	90
4315	Silv rdales	33° 05′	27° 33′	—	1·79	9	2·88	12	2·50	12	0·67	5	1·41	5	2·02	5	0·17	1	0·54	7	3·40	11	5·05	9	3·98	9	1·91	5	26·32	90
3736	East London (Filter Beds)	33° 00′	27° 52′	—	1 14	10	3·15	12	2·87	11	1·22	6	2·82	4	2·02	6	0·11	2	0·60	8	3·11	12	3·30	6	3·64	11	1·92	10	25·90	98
3737	East London (Umzoniana)	33° 00′	27° 53′	—	1·30	9	2·74	12	2·98	13	0·64	7	1·14	4	1·52	6	0·16	2	0·54	7	3·75	12	4·48	9	3·41	12	1·82	10	24·48	103
564	East London (East)	33° 01′	27° 54′	150	1·34	11	3·79	12	3·02	11	1·25	6	2·37	4	2·47	7	0·01	1	0·70	8	3·36	12	3·94	8	3·04	12	2·52	13	27·81	105
3738	East London (Queen's Park)	33° 01′	27° 54′	—	1·28	6	3·92	12	3·31	11	1·52	7	2·95	3	2·51	6	0·09	1	0·83	7	3·81	12	3·97	7	3·38	12	2·05	8	29·62	92

No. / No.	Station. / Stasie.	Latitude. S. / Breedte-graad. S.	Longitude. E. / Lengte-graad. O.	Height above M.S.L. (app.) Hoogte bo G.S.H. (omtrent.) Feet. Voet.	Year. / Jaar.	Jan. / Jan.		Feb. / Feb.		Mar. / Mrt.		Apr. / Apr.		May. / Mei.		June. / Junie.		July. / Julie.		Aug. / Aug.		Sept. / Sept.		Oct. / Okt.		Nov. / Nov.		Dec. / Des.		Annual Total. / Jaarlikse Totaal.	
						In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.	In. Dm.	D.
SECTION 32—SEKSIE 32.																															
—	Francistown	21° 08′	27° 35′	—	1921	—	—	—	—	—	—	—	—	—	—	—	—	0·00	0	0·00	0	0·01	1	0·57	3	5·71	10	2·70	8	(8·99	22)
					1922	0·00	0	3·02	1	0·59	6	0·00	0	0·99	5	0·18	2	0·00	0	0·10	1	0·00	0	1·86	5	2·01	8	2·02	3	10·77	31
					1923	11·57	15	1·48	7	3·79	7	0·00	0	0·05	1	0·00	0	0·00	0	0·00	0	0·11	1	0·04	1	1·16	8	1·79	6	19·99	46
					1924	2·42	3	2·12	4	4·07	10	0·00	0	0·20	1	0·00	0	0·00	0	0·00	0	0·00	0	1·39	5	4·26	7	8·77	17	23·23	47
					1925	3·82	7	1·04	7	9·27	21	2·32	10	1·46	5	0·00	0	0·07	1	0·00	0	2·73	4	—	—	1·41	5	1·46	3	(23·58	63)
					1926	2·43	5	5·14	13	3·04	8	0·03	1	0·14	2	0·00	0	0·20	1	0·00	0	0·00	0	1·07	4	0·62	5	2·71	6	15·38	45
—	Maun	20° 00′	23° 26′	—	1917	3·40	—	4·74	—	0·55	—	0·07	—	0·52	—	0·00	—	0·00	—	0·00	—	0·00	—	0·04	—	2·00	—	2·36	—	13·68	—
					1918	7·95	—	3·46	—	11·80	—	0·01	—	0·00	—	0·00	—	0·00	—	0·09	—	0·00	—	1·18	—	2·19	—	2·70	—	29·38	—
					1919	7·23	—	2·91	—	1·50	—	1·33	—	0·32	—	0·00	—	0·00	—	0·00	—	0·00	—	0·80	—	2·24	—	0·56	—	16·89	—
					1920	5·22	—	9·77	—	1·03	—	0·11	—	0·22	—	0·00	—	0·00	—	0·00	—	0·00	—	0·55	—	0·43	—	2·78	—	20·11	—
					1921	3·95	—	4·47	—	6·68	—	0·38	—	1·55	—	0·00	—	0·00	—	0·00	—	0·00	—	0·69	—	5·17	—	3·29	—	26·18	—
					1922	4·94	12	—	—	1·87	5	0·00	0	0·71	2	0·00	0	0·00	0	0·13	2	0·00	0	0·92	10	0·96	8	3·88	9	(13·41	48)
					1923	4·73	19	4·64	15	3·76	13	0·35	2	0·49	3	0·00	0	0·00	0	0·00	0	0·00	0	0·04	1	1·02	10	1·39	11	16·42	74
					1924	0·56	9	1·86	6	7·43	15	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·12	1	1·77	5	1·86	7	3·70	13	17·30	56
					1925	6·55	17	—	—	6·24	18	1·90	10	2·45	6	—	—	0·00	0	0·00	0	0·54	4	0·05	2	0·38	2	3·27	10	(21·38	69)
					1926	2·47	9	1·10	5	3·09	12	0·55	5	0·36	3	0·00	0	0·00	0	0·00	0	0·00	0	0·66	3	1·53	9	4·23	8	13·99	54
—	Kasane	17° 48′	25° 09′	—	1921	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0·25	3	3·25	10	5·25	12	(8·75	25)
					1922	2·22	8	7·66	10	1·53	6	0·00	0	0·11	1	0·00	0	0·00	0	0·00	0	0·00	0	1·39	4	1·42	7	2·44	5	16·77	41
					1923	8·58	17	8·92	13	5·49	15	0·16	2	0·00	0	0·00	0	0·00	0	0·00	0	0·48	1	1·10	3	1·97	4	0·98	5	27·68	60
					1924	2·02	8	1·61	7	9·35	13	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	—	—	2·64	10	8·17	18	(23·79	56)
					1925	10·02	21	9·64	16	4·40	12	3·65	6	2·26	3	0·00	0	0·00	0	0·00	0	0·43	4	0·24	2	1·69	6	4·05	9	36·38	79
					1926	2·35	11	5·83	17	6·04	14	0·57	4	0·12	2	0·00	0	0·00	0	0·00	0	0·00	0	0·90	5	2·56	6	8·43	16	26·80	75
—	Ghanzi	21° 30′	21° 45′	—	1922	—	—	—	—	4·05	8	0·00	0	—	—	0·00	0	0·00	0	0·00	0	0·00	0	—	—	0·76	6	—	—	(4·81	14)
					1923	5·49	16	7·12	15	3·87	12	0·96	4	0·27	3	0·00	0	0·00	0	0·00	0	0·00	0	0·32	3	2·39	4	0·99	4	21·41	61
					1924	1·90	4	0·78	5	4·49	10	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	1·71	—	1·80	—	2·89	—	13·57	(19)
					1925	—	—	—	—	—	—	—	—	—	—	0·00	0	—	—	0·00	0	0·06	2	0·00	0	2·95	6	1·18	9	(4·19	17)
					1926	2·04	6	0·22	3	0·62	4	0·86	3	1·74	5	0·31	2	0·00	0	0·00	0	0·15	1	0·92	3	4·46	11	4·28	20	15·80	58
—	Gomo	21° 00′	24° 30′	—	1925	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1·39	7	2·35	7	(3·74	14)
					1926	0·40	4	1·51	6	8·01	7	0·00	0	0·85	4	—	—	—	—	—	—	—	—	0·05	1	0·51	4	1·79	8	(13·12	34)
—	Palapye Road	22° 37′	27° 20′	—	1922	—	—	—	—	0·46	6	0·00	0	0·59	5	0·00	0	0·00	0	0·72	1	0·00	0	0·64	7	4·74	9	1·39	6	(8·54	34)
					1923	9·46	17	4·41	10	3·95	7	0·08	1	0·10	1	0·00	0	0·02	1	0·00	0	0·00	0	0·01	1	3·00	5	2·92	7	23·95	50
					1924	0·76	2	3·65	6	3·86	14	0·00	0	1·92	1	0·00	0	0·00	0	0·00	0	0·00	0	2·24	2	2·66	10	3·75	15	18·84	59
					1925	5·04	12	0·73	6	8·10	20	1·43	12	3·33	7	1·31	2	0·00	0	0·00	0	3·88	8	1·12	5	0·73	6	1·98	8	27·63	86
					1926	0·67	4	2·65	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	(3·32	15)

| | | |

ZWARTKOP AERODROME: WINDS: Percentage Frequency of Direction and Mean Hourly Velocity during 1926.

		N.	NNE.	NE.	ENE.	E.	ESE.	SE.	SSE.	S.	SSW.	SW.	WSW.	W.	WNW.	NW.	NNW.	Calms.	Mean Monthly Velocity.
January.....	Percentage Direction.....	1·4	9·1	13·8	10·0	7·4	8·7	3·5	2·3	1·4	0·6	0·1	0·3	0·4	0·1	0·1	1·2	39·7	Miles per Hour.
	Mean Velocity in Miles per Hour	5·1	9·1	9·1	9·1	11·5	12·3	8·9	10·9	10·3	10·5	12·0	5·0	3·3	5·0	3·0	5·1	—	5·9
February.....	Percentage Direction.....	1·9	7·0	18·4	11·2	6·6	4·6	2·4	2·2	2·2	0·4	0·7	0·1	0·3	1·6	1·9	1·1	37·4	
	Mean Velocity in Miles per Hour	5·0	7·0	8·8	9·9	9·3	9·0	7·8	8·5	10·0	6·0	12·8	3·0	10·0	5·6	6·5	6·0	—	5·4
March.....	Percentage Direction.....	0·5	1·7	9·7	6·5	4·9	9·3	5·3	2·8	1·2	1·0	0·5	0·0	0·3	0·3	0·1	0·1	56·4	
	Mean Velocity in Miles per Hour	4·5	5·6	6·3	7·8	7·3	9·6	9·8	8·2	5·6	6·3	5·8	0·0	3·0	3·4	4·0	4·0	—	3·4
April.....	Percentage Direction.....	0·7	1·9	6·5	6·3	3·9	4·0	2·1	2·5	0·4	1·9	0·5	0·5	0·1	1·1	0·1	0·0	67·5	
	Mean Velocity in Miles per Hour	4·2	4·9	6·8	7·1	8·1	7·9	7·7	5·6	6·3	6·9	5·8	6·0	4·0	3·6	3·0	0·0	—	2·1
May.....	Percentage Direction.....	1·4	2·8	5·2	2·6	0·5	2·3	1·5	1·2	1·7	2·2	2·6	1·2	0·6	2·6	1·0	0·5	70·1	
	Mean Velocity in Miles per Hour	4·3	4·6	8·2	7·5	4·2	5·5	4·7	6·6	4·0	7·9	7·8	6·8	5·0	6·4	4·6	4·8	—	1·9
June.....	Percentage Direction.....	2·9	4·3	8·3	5·9	2·4	3·3	4·3	5·1	3·3	2·3	0·8	0·4	1·1	2·0	1·9	1·5	50·4	
	Mean Velocity in Miles per Hour	5·1	5·4	8·0	8·1	6·8	9·6	12·5	9·6	7·2	6·8	5·8	6·3	4·4	5·1	5·5	4·5	—	3·8
July.....	Percentage Direction.....	0·5	2·6	4·5	3·6	3·2	8·5	7·0	1·9	2·5	3·0	4·5	1·8	2·5	5·9	3·0	1·2	43·9	
	Mean Velocity in Miles per Hour	4·2	5·2	7·3	7·0	9·2	10·7	12·4	5·8	6·2	8·1	8·8	6·1	4·5	7·7	5·8	5·8	—	4·5
August.....	Percentage Direction.....	3·2	5·8	6·5	3·6	2·7	0·8	2·1	1·4	2·7	2·8	2·5	0·9	1·8	3·2	3·5	2·3	54·2	
	Mean Velocity in Miles per Hour	5·4	5·2	9·0	8·7	12·3	8·3	5·6	6·7	8·0	11·0	8·3	3·7	9·0	6·7	6·4	4·9	—	3·5
September.....	Percentage Direction.....	3·5	11·5	11·1	6·3	3·1	0·4	3·2	3·2	1·7	3·7	2·0	1·9	2·4	4·8	4·8	2·5	34·0	
	Mean Velocity in Miles per Hour	6·8	10·5	10·4	10·1	8·0	4·0	7·8	6·3	7·6	6·7	5·7	5·9	8·2	6·4	6·1	6·2	—	5·5
October.....	Percentage Direction.....	3·1	9·2	16·7	14·6	1·5	1·8	2·5	2·7	2·2	1·4	2·7	1·2	1·9	1·7	3·2	2·5	31·2	
	Mean Velocity in Miles per Hour	6·0	10·5	11·3	10·5	7·7	7·9	7·4	10·0	6·5	7·5	9·0	6·8	6·6	7·4	5·4	8·9	—	6·5
November.....	Percentage Direction.....	4·9	10·8	14·3	8·1	4·5	6·5	3·9	3·6	3·7	3·3	1·6	0·9	0·5	2·0	4·3	3·5	23·5	
	Mean Velocity in Miles per Hour	6·8	8·4	10·7	12·4	10·4	12·6	9·6	10·3	9·6	9·9	6·7	8·1	11·2	8·5	8·0	6·2	—	7·5
December.....	Percentage Direction.....	5·0	12·5	16·9	8·8	4·5	3·4	2·2	1·3	0·6	0·3	0·6	0·4	0·4	1·3	2·1	1·0	38·7	
	Mean Velocity in Miles per Hour	7·4	8·2	9·1	8·1	12·2	12·9	12·8	8·7	11·4	12·0	8·0	7·7	3·3	5·8	4·8	5·6	—	5·5
Year.....	Percentage Direction.....	2·4	6·6	10·9	7·2	3·7	4·4	3·3	2·5	2·0	1·9	1·6	0·8	1·0	2·2	2·2	1·4	45·7	
	Mean Velocity in Miles per Hour	6·0	8·1	8·3	9·2	9·6	10·4	9·6	8·4	7·8	8·2	8·0	6·2	6·5	6·6	6·2	6·0	—	4·6

In the above table all velocities under 3 miles per hour have been treated as "Calms."

INDEX—BLADWYSER.

BAROMETRIC STATIONS—BAROMETRIESE STASIES.

CAPE PROVINCE—KAAP PROVINSIE.

Name of Station—Naam van Stasie.	*Observer—Waarnemer.*	*Page Pagina*
Armoedsvlakte	N. K. Gillham, Esq. (Meneer)	10
Bird Island	Lightkeeper (Vuurtoring Waarnemer) F. H. Ball	10
Cape Agulhas	Lightkeepers (Vuurtoring Waarnemers) J. R. Clingen and (en) P. W. Gardiner	11
Cape Hermes	Lightkeepers (Vuurtoring Waarnemers) P. D. Jordan and (en) A. H. Spring	11
Cape Point	Lightkeeper (Vuurtoring Waarnemer) James J. Jeffrey	11
Cape St. Francis	Lightkeeper (Vuurtoring Waarnemer) D. C. Kalmer	12
Capetown (Kaapstad)—		
City Hospital (Stads Hospitaal)	A. L. S. Smith, Esq. (Meneer)	12, 119
Royal Observatory	H.M. Astronomer	28, 29
Carnarvon	Miss (Mej.) K. E. Wallis	13
Cradock	Gaoler (Sipier) J. M. James	13
Dassen Island	Lightkeepers (Vuurtoring Waarnemers) A. H. Spring, W. Bissett and (en) B. D. Jordan	13
Deepwalls	J. P. Philips, Esq. (Meneer)	14, 116, 118
Devils Peak	Foresters (Boswagters) S. P. McCarthy and (en) J. L. de Vos	14
Dunbrody	Rev. (Ds.) Father F. H. McGinty and (en) Rev. (Ds.) Father L. Lallemond	15, 116, 119
East London (Oos-Londen)	The Signalmen (Die Sienjaalmanne)	15
Elsenburg	Arthur Skibbe, Esq. (Meneer)	15, 119
Elsies River (Elsiesrivier)	D. S. Kearney, Esq. (Meneer)	16, 116
Evelyn Valley	Forester (Boswagter) R. J. Allen	16
George	Forester (Boswagter) L. B. Gericke	17
Grahamstown	Edward George, Esq. (Meneer)	17
Great Fish Point	Lightkeeper (Vuurtoring Waarnemer) W. M. Hayward	17
Grootfontein	E. J. van Meerten, Esq. (Meneer)	18, 119
Kakamas	M. J. Oosthuizen, Esq. (Meneer)	18
Kenhardt	Messrs. (Die Here) J. H. van Rooyen and (en) A. E. de Gruchy	19
Kingwilliamstown	W. A. Kindness, Esq. (Meneer)	19
Klaver	W. M. Cameron, Esq. (Meneer)	19
Kokstad	H. D. Coyte, Esq. (Meneer)	20, 117
Lovedale	Messrs. (Die Here) C. Pilson and (en) J. Chalmers	20
Mafeking (Convent—Klooster)	The Mother Superior	21
Mafeteng (Basutoland)	F. Hodgson, Esq. (Meneer)	21, 118, 119
Mahalapye (Bechuanaland)	Miss (Mej.) M. Giles	21, 117
Nelspoort	Dr. P. Allen	22
O'okiep	H. T. Wyles, Esq. (Meneer)	22
Port Elizabeth	Lightkeeper (Vuurtoring Opsigter) J. Piper	23
Port Nolloth	Lightkeeper (Vuurtoring Opsigter) A. E. Hannabus	23
Postmasburg	D. Brown, Esq., (Meneer)	23
Queenstown	H. Holley, Esq. (Meneer)	24
Queenstown	J. F. C. Rein, Esq. (Meneer)	24
Somerset East (Oos)	C. Harris, Esq. (Meneer)	25
Stellenbosch	Prof. J. T. Morrison and (en) J. H. T. Ackermann, Esq. (Meneer)	25
Storms River	Forester (Boswagter) H. Meyer	25
Stutterheim	Messrs. (Die Here) F. H. Bousfield and (en) F. C. Bousfield	26, 116, 119
Sydneys Hope	Rev. (Ds.) S. Rippon	26
Table Mountain (Tafelberg)	The City Water Engineer	27, 119
Uitenhage	Herbert Inggs, Esq. (Meneer)	27
Umtata	Messrs. (Die Here) B. Hackitt and (en) A. Dixpeek	27

ORANGE FREE STATE—ORANJE VRYSTAAT.

Bethany	Rev. (Ds.) Carl Prozesky	30
Bethulie	J. J. Wardhaugh, Esq. (Meneer)	30
Bloemfontein	Messrs. (Die Here) G. W. Scheepers and (en) T. Blok	31
Glen	The Principal, School of Agriculture (Die Hoof van die Landbouskool)	31
Kroonstad	A. C. Mason, Esq. (Meneer)	31

NATAL.

Amatikulu	Wallace A. Bell, Esq. (Meneer)	32
Cape St. Lucia	Lightkeeper (Vuurtoring Opsigter) J. Murphy	32
Durban—		
Point	A. P. White, Esq. (Meneer)	33
North Ridge Reservoir	B. R. Schulze, Esq. (Meneer)	33
Hillary	H. A. Thorpe, Esq. (Meneer)	33, 117
Hillcrest	Capt. (Kapt.) W. D. Fraser	34
Pietermaritzburg (Mental Hospital—Kranksinnigegestig)	The Superintendent	34

TRANSVAAL.

Name of Station—Naam van Stasie.	*Observer—Waarnemer.*	*Page Pagina*
Barberton	Messrs. (Die Here) L. McClelland and (en) L. P. Hampson	35
Belfast	Forester (Boswagter) L. W. Binge	35
Gemsbokfontein	Foresters (Boswagters) F. G. Stokes and (en) C. M. van Coller	36
Heidelberg	Messrs. (Die Here) W. A. ter Horst and (en) A. W. E. Schultz	36
Johannesburg—		
Hospital Hill	W. C. Colledge, Esq. (Meneer)	37
Union Observatory (Unie Observatorium)	The Union Astronomer (Die Unie Sterrekyker)	37, 116, 119
Komatipoort	Messrs. (Die Here) R. V. Hinds and (en) A. H. White	37
Kopje Alleen	J. Lyall Soutter, Esq. (Meneer)	38, 116, 119
Modderfontein	J. A. Campbell, Esq. (Meneer)	38
Natalia (Swaziland)	L. C. Wood, Esq. (Meneer)	39
Nylstroom	G. Bakker, Esq. (Meneer)	39
Pietersburg	Messrs. (Die Here) W. Frankleyne and (en) B. Roos	39
Piet Retief	Messrs. (Die Here) J. and (en) B. Werner	40, 116
Potchefstroom	D. Moses, Esq. (Meneer)	40, 118
Pretoria (Town—Stad)	Meteorological Office Staff (Meteorologiese Kantoorstaf)	41, 117
Rustenburg	Messrs. (Die Here) A. Streatfield and (en) W. Impey	41
Standerton	D. J. van der Merwe, Esq. (Meneer)	41
Vereeniging	W. B. Day, Esq. (Meneer)	42
Zeerust	H. Dietrich, Esq. (Meneer)	42
Zwartkop	C. D. McRae, Esq. (Meneer)	43
Zwartkopjes	Messrs. (Die Here) E. Taylor and (en) P. P. Roos	43

THERMOMETRIC STATIONS—TERMOMETRIESE STASIES.

CAPE PROVINCE—KAAP PROVINSIE.

Name of Station—Naam van Stasie.	*Observer—Waarnemer.*	*Page Pagina*
Aliwal North	Alex. Alcock, Esq. (Meneer)	44
Andriesfontein	H. van der Merwe, Esq. (Meneer)	44
Belvedere	F. Thornbury, Esq. (Meneer)	45
Britstown	South African Police (Suid-Afrikaanse Poliesie)	45
Bulshoek	H. Barnes, Esq. (Meneer)	45
Butha Buthe (Basutoland)	The Assistant Commissioner (Die Assistent Kommissaris)	46
Cala	D. A. Grundlingh, Esq. (Meneer)	46
Cape St. Blaize	Lightkeeper (Vuurtoring Opsigter) H. H. Hews	47
Capetown (Gardens)	A. Russel Fraser, Esq. (Meneer)	47
Cathcart	Forester (Boswagter) A. E. Whibley	47
Ceres	Gaoler (Sipier) W. Clews	48
Clanwilliam	C. B. van Zijl, Esq. (Meneer)	48
Commandokraal	W. A. H. Baynham, Esq. (Meneer)	49
Concordia	Messrs. (Die Here) F. R. Carstens and (en) C. L. Wilson	49
Danger Point	Lightkeeper (Vuurtoring Opsigter) H. Stokes	49
Darling	P. H. Drake, Esq. (Meneer)	50
De Doorns	A. B. Heald, Esq. (Meneer)	50
Dikgatlong (Bechuanaland)	Paul Jousse, Esq. (Meneer)	51
Emyanyana	Rev. (Ds.) J. A. Mackonochie	51
Francistown (Bechuanaland)	J. W. Joyce, Esq. (Meneer)	51
Gaberones (Bechuanaland)	Dr. H. A. Spencer and (en) Messrs. (Die Here) T. Elliott Booker and (en) A. M. Boyle	52
Ghanzi (Bechuanaland)	Messrs. (Die Here) J. C. Warren, H. E. Dixon and (en) T. Elliott Booker	52
Gomo (Bechuanaland)	E. C. Ingleton, Esq. (Meneer)	53
Goodhouse	G. F. Rautenbach, Esq. (Meneer)	53
Graaff-Reinet—		
Convent	The Mother Superior	53
Van Ryneveld's Pass	The Maintenance Engineer (Insjenieur van Onderhoudswerke)	54, 119
Grassridge	E. Devereux Quicke, Esq. (Meneer)	54, 119
Groot Constantia	J. Burnard, Esq. (Meneer)	55
Groot Drakenstein	A. Franceys, Esq. (Meneer)	55
Grootvallei	W. du Plessis, Esq. (Meneer)	55
Harkerville	Forester (Boswagter) R. Wolhuter	56
Hofmeyr	Gaolers (Sipiere) W. G. Beetje and (en) W. Thom	56
Idutywa	R. Richardson, Esq. (Meneer)	57
Jansenville	Messrs. (Die Here) W. C. S. Albertyn and (en) B. McQuire	57
Kalamari (Bechuanaland)	E. Smith, Esq. (Meneer)	57
Kamanassie Dam	L. J. Raubenheimer, Esq. (Meneer)	58, 119
Kasane (Bechuanaland)	S. C. Sinclair, Esq. (Meneer)	58
Keerweder	P. Eglington, Esq. (Meneer)	59
Kimberley	C. H. Dowler, Esq. (Meneer)	59
Kirstenbosch	The Secretary (Die Sekretaris) and (en) J. W. Matthews, Esq. (Meneer)	59
Kraaipan	P. J. Hart, Esq. (Meneer)	60
Lake Mentz	J. W. Viennings, Esq. (Meneer)	60, 119
Langholme	J. van Broekhuizen, Esq. (Meneer)	61
Leribe (Basutoland)	The Assistant Commissioner (Die Assistent Kommissaris)	61
Liwandi	Major (Majoor) J. Kreft	61, 117
Lobatsi (Bechuanaland)	The Magistrate (Die Magistraat)	62
Louisvale	Stuart N. Smith, Esq. (Meneer)	62
Maseru (Basutoland)	G. F. Ford, Esq. (Meneer)	63
Maun (Bechuanaland)	Messrs. (Die Here) B. Tijou and (en) H. Germond	63
Melton Wold	Messrs. (Die Here) M. MacCarthy and (en) P. Turquand	63
Mohalies Hoek (Basutoland)	B. L. Austin, Esq. (Meneer)	64
Molepolole (Bechuanaland)	Capt. (Kapt.) A. G. Stigand, Dr. H. A. Spencer and (en) T. Elliott Booker, Esq. (Meneer)	64

CAPE PROVINCE (*continued*)—KAAP PROVINSIE (*vervolg*).

Name of Station—Naam van Stasie.	*Observer—Waarnemer.*	*Page Pagina*
Mons	B. K. Reid, Esq. (Meneer)	65
Mount Fletcher	Gaoler (Sipier) J. A. McDougall	65
Muizenberg	E. W. Gorvett, Esq. (Meneer)	65
Ondongo (S.W. Protectorate)	Messrs. (Die Here) J. Rainer and (en) L. D. Thompson	66
Oudtshoorn	C. Kent, Esq. (Meneer)	66
Palapye Road (Bechuanaland)	Thos. W. Shaw, Esq. (Meneer)	67
Paternoster	P. Schwirner, Esq. (Meneer)	67
Port Alfred	W. H. Pascoe, Esq. (Meneer)	67
Prieska	E. G. Bryant, Esq. (Meneer)	68
Prieska	Gaoler (Sipier) A. J. de Klerk	68
Qacha's Nek (Basutoland)	The Assistant Commissioner (Die Assistent Kommissaris)	69
Rietfontein	J. Roth, Esq. (Meneer)	69
Riversdale	Rev. (Ds.) Martin Johnson	69
Rondekop	J. B. Wolfaardt, Esq. (Meneer)	70
Sandflats	Hewson B. Corderoy, Esq. (Meneer)	70, 118
Selika (Bechuanaland)	Messrs. (Die Here) H. Rayne and (en) F. E. Beale	71
Serowe (Bechuanaland)	The Magistrate (Die Magistraat)	71
Steenbras Dam	J. C. Hawkins, Esq. (Meneer)	71, 119
Sutherland	Dr. D. A. Stegmann	72
Sydney-on-Vaal	J. G. Richards, Esq. (Meneer)	72
Tarka Dam	D.G.Mahon	119
Upington	F. W. J. Schmidt, Esq. (Meneer)	73
Van Staadens	T. MacAdams, Esq. (Meneer)	73
Van Wijks Vlei	G. P. Louw, Esq. (Meneer)	73, 119
Venterstad	Rev. (Ds.) A. J. van Zijl Viljoen	74
Vryburg	Sergt. S. H. White	74
Walvis Bay	R. Brownlee, Esq. (Meneer)	75
Willowmore	W. F. Hemens, Esq. (Meneer) and (en) Mrs. (Mev.) B. M. Hemens	75
Wynberg (Convent)	The Mother Superior	75

ORANGE FREE STATE—ORANJE VRYSTAAT.

Boschrand	A. Chicken, Esq. (Meneer)	76
Boshof	P. H. van Rooyen, Esq. (Meneer)	76
Groenvlei	B. Stollreither, Esq. (Meneer)	77
Harrismith	Forester (Boswagter) J. P. Ashton	77
Holfontein	Forester (Boswagter) L. C. McInerney	77
Imperani	Foresters (Boswagters) L. J. M. Nel and (en) C. J. van der Heever	78
Ladybrand	Forester (Boswagter) J. B. Patterson	78
Lindley	The Gaoler (Die Sipier)	79
Luckhoff	R. Weideman, Esq. (Meneer)	79
Portland	A. F. Clarke, Esq. (Meneer)	79
Rockwood	J. C. Howell, Esq. (Meneer)	80
Wepener	W. D. Roche, Esq. (Meneer)	80

NATAL.

Cedara	The Principal, School of Agriculture (Die Hoof, Landbouskool)	81, 117, 118
Dundee	West. Thorrold, Esq. (Meneer)	81
Durban (Town—Stad)	The Borough Water Engineer (Die Dorps Water Insjenieur)	82
Emerald Dale	Max. Anderson, Esq. (Meneer)	82
Empangeni	W. G. Cochrane, Esq. (Meneer)	83
Eshowe	Messrs. (Die Here) C. Benham and (en) F. J. Talbot	83
Estcourt	E. M. Dixon, Esq. (Meneer)	83
Greytown	J. M. Hanley, Esq. (Meneer)	84
Hlabisa	E. E. Redgrove, Esq. (Meneer)	84
Howick	Gaoler (Sipier) B. J. Potgieter	85
Ingwangwane	Forester (Boswagter) F. H. Houshold	85
Ladysmith	Messrs. (Die Here) H. Hillebrand and (en) G. P. Pretorius	85
L'Auret	E. J. Dalton, Esq. (Meneer)	86
Magut	F. S. Parsons, Esq. (Meneer)	86
Melmoth	Dr. James Petrie	87
Mid-Illovo	Lt.-Col. (Lt.-Kol.) J. W. V. Montgomery, C.M.G., D.S.O.	87
Newcastle—		
Convent	The Mother Superior	87
Gaol	Gaolers (Sipiere) W. G. Koen, I. Robbins and (en) D. A. H. Botha	88
New Hanover	Misses (Juffroue) M. and (en) E. M. Herbert	88
Nottingham Road	Miss (Mej.) E. Smythe	89
Paddock	G. Victor Merriman, Esq. (Meneer)	89
Paulpietersburg	Dr. Niel Lipscomb	89
Port Shepstone	Lightkeeper (Vuurtoring Opsigter) E. K. Andreasen	90
Umbogintwini	Messrs. (Die Here) J. P. Lyle and (en) C. H. Rodliffe	90
Vryheid	A. G. Turton, Esq. (Meneer)	91
Waschbank	J. F. Torlage, Esq. (Meneer)	91
Weenen	Gaoler (Sipier) J. Pullen	91

TRANSVAAL.

Amatava	Messrs. (Die Here) A. R. and (en) A. W. J. Troye	92
Arbury	G. F. Mills, Esq. (Meneer)	92
Balagane Ranch (Swaziland)	R. Cross, Esq. (Meneer)	93
Berlin	Foresters (Boswagters) E. Edwards and (en) C. J. van der Heever	93
Bethal	H. F. M. Joubert, Esq. (Meneer)	93
Bralbin	R. C. S. Macpherson, Esq. (Meneer)	94
Bremersdorp (Swaziland)	J. H. Howe, Esq. (Meneer)	94
Carolina	G. F. Mynhardt, Esq. (Meneer)	95
Christiana	Gaolers (Sipiere) H. W. Bennett, W. S. Horn and (en) C. G. van Niekerk	95
Daapoort	S. A. Haigh, Esq. (Meneer)	95
Dearn (Swaziland)	C. J. Stapleton, Esq. (Meneer)	96

TRANSVAAL (*continued—vervolg*).

Name of Station—Naam van Stasie.	*Observer—Waarnemer.*	*Page Pagina*
Ermelo	Mrs. (Mev.) S. M. Nicolson	96
Ermelo	Forester (Boswagter) A. Drummond	97
Gubutsa (Swaziland)	Ivan H. Pierce, Esq. (Meneer)	97
Graskop	Forester (Boswagter) R. Evans	97
Groeneboom	F. N. von Nouhuys, Esq. (Meneer)	98
Hartebeestpoort	The Administration Engineer (Die Administrasie Insjenieur)	98, 119
Hlatikulu (Swaziland)	J. Pullen, Esq. (Meneer)	99
Jakhalsfontein	Rev. (Ds.) J. C. Palmer	99
Jessievale	Foresters (Boswagters) G. B. Glaeser and (en) C. G. Laver	99
Johannesburg (Joubert Park)	A. W. Taylor, Esq. (Meneer)	100
Kaapmuiden	G. Rousseau, Esq. (Meneer)	100
Kilgobbin	T. C. Archer, Esq. (Meneer)	101
Krugersdorp	H. Sharp, Esq. (Meneer)	101
Lemana	H. Thomas, Esq. (Meneer)	101
Lichtenburg	Gaoler (Sipier) J. P. Lindeque	102
Louis Trichardt	Messrs. (Die Here) C. L. Pope and (en) T. C. Cairns	102
Maboki	P. C. Jensen, Esq. (Meneer)	103
Machavie	Foresters (Boswagters) A. Winckworth and (en) C. G. Laver	103
Mbabane (Police) (Swaziland)	R. C. S. Markham, Esq. (Meneer)	103, 116, 118, 119
Mbabane (Government Agricultural Farm) (Swaziland)—(Goewerments Landbouplaas) (Swasieland)	C. K. Marriller, Esq. (Meneer)	104
Middelburg	J. B. Kotze, Esq. (Meneer)	104
Moedene	E. E. Galpin, Esq. (Meneer)	105
Myrthley	J. Lawrence Ellis, Esq. (Meneer)	105
Nondwene	J. C. Peake, Esq. (Meneer)	105
Nooitgedacht	G. Gordon Brown, Esq. (Meneer)	106
Onderstepoort Laboratory (Laboratorium)	The Director (Die Direkteur)	106, 116, 118
Pigeonhole	J. McCallum, Esq. (Meneer)	107
Pigg's Peak (Swaziland)	C. J. Wetton, Esq. (Meneer)	107
Pilgrims Rest	E. M. Skea, Esq. (Meneer)	107
Pretoria—		
Arcadia	L. I. Goldblatt, Esq. (Meneer)	108
Transvaal University College Experimental Farm)—(Transvaal Universiteitskollege Proefplaas)	P. J. C. Vorster, Esq. (Meneer)	108, 116
Pretoria (West End)	W. H. Foster, Esq. (Meneer)	109, 117
Rietfontein	E. A. Clark, Esq.	109
Rietvlei	P. J. Steenkamp, Esq. (Meneer)	109
Sabie	W. F. Easton, Esq. (Meneer)	110
Skutwater	J. R. Stone, Esq. (Meneer)	110
Stegi (Swaziland)	B. A. Marwick, Esq. (Meneer)	111
Steynsdorp	A. P. Wilson Moore, Esq. (Meneer)	111
Strathmore	C. Scott, Esq. (Meneer)	111, 117
Thankerton	Capt. (Kapt.) F. H. Newman	112
Ventersdorp	W. M. Cheyne, Esq. (Meneer)	112
Wakkerstroom	J. C. Aspden, Esq. (Meneer)	113
Waterval Boven	O. Berry, Esq. (Meneer)	113
White River	Messrs. (Die Here) M. Lyall Soutter and (en) S. F. Hawkins	114
Woodbush	Forester (Boswagter) F. C. Corlett	114
Zeekoehoek	Ian H. Hartley, Esq. (Meneer)	115
Zuurbekom	Messrs. (Die Here) E. Langdon and (en) J. E. Anderson	115

Name of Station. Naam van Stasie.	Section. Seksie.	Page. Pagina.
Abbotsbury	22	178
Abercairn	23	182
Aberdeen II	22	176
Aberdeen (Gaol)	22	176
Aberdeen III	22	176
Aberdeen Road	22	177
Abrahamskraal	21	174
Abrahamskraal	15	157
Achtertang	23	180
Adam Forest	25	191
Adamsfontein	23	179
Adamshoop	14	151
Adamsonsvlei	16	158
Adelaide	23	183
Adelaide	2	124
Adelaide (D.R.C.)	23	184
Adolphskraal	30	199
Agen	8	130
Airlie	9	144
Albertinia	28	196
Albert Vale	23	182
Alexandria	30	200
Alexandria	26	193
Alexandria	15	151
Algeria	20	172
Alice	23	185
Alicedale	30	200
Aliwal North (Town)	23	185
Aliwal North (Gaol)	23	185
Aliwal North (Station)	23	185
Aliwal North (Alcock)	23	185
Alkmaar	9	145
Allemanskraal	29	199
Allandale	2	123
Allandale	16	159
Allandale	9	140
Alma	16	161
Alphen	23	185
Altydgedacht	26	193
Altydmooi	2	123
Alwynskop	23	179
Amalinda Reservoir	24	189
Amanzamnyama	24	190
Amanzintoti	25	192
Amatava	9	140
Amatikulu	18	171
Amatikulu	18	171
Amersfoort	17	168
Amsterdam	9	145
Andriesfontein	22	177
Anenous	11	148
Anoniem	16	159
Arbury	8	131
Arcadia	9	141
Arcadia	16	163
Armadale	30	199
Armoedsvlakte	6	125
Arranmore or Grootvlei	8	139
Artois	27	194
Arwenhurst	2	124
Asbestos	21	174
Aspley	9	140
Astbury	16	160
Atherstone	30	200
Avoca	24	188
Avondale	7	127
Avondzon	23	179
Avontuur	29	198
Baakensrug	22	175
Babanango	18	170
Badfontein	9	144
Badplaats	9	144
Badsloop	8	138
Bailey's Farm	8	131
Bain's Kloof	27	194
Bainsvlei	15	154
Baklysdrift	27	195
Bakovenfontein	21	174
Balaclava	16	159
Balbrogie	17	168
Balfour	8	138
Balfour	23	185
Ballengeich	17	168
Ballyclare	25	192
Balmoral	8	139
Bandoliers Kop	2	122
Bank	8	131
Bankfontein	16	162
Bankpan	9	142
Bantry	16	160
Barberton I	10	146
Barberton II	10	146
Barclayvale	9	145
Barkly East	24	188
Barkly West	14	150
Barletta	16	160
Barnardsdale	29	197
Barrage	8	131
Barrydale	27	196
Barrydene	15	152
Basberg	22	177
Bathurst	30	200
Battlemond	14	150
Baviaanskrans	8	130
Baviaanskrantz	14	150
Bawood	14	150
Bayswater	15	156
Baziya	24	189
Beaufort West	21	175
Beaufort West (The Homestead)	21	175
Beddington	16	159
Bedford	9	145
Bedford (Gaol)	23	183
Bedford (Farm)	8	134
Beddgelert	24	188
Beerlaagte	8	137
Beervlei	15	156
Beginderlyn	9	143
Beginsel	9	141
Beginseldam	15	152
Bekaf	2	123
Bekkersrust	9	142
Belaganes Ranch	10	147
Belfast	9	143
Belgrave	15	153
Belhambra Park	2	122
Belladale	16	165
Bellair	27	195
Belleville	24	188
Belleville	26	193
Bellevue	9	144
Bellevue	16	164
Bellevue	15	155
Bellevue	15	157
Bell Rock	22	178
Bell's Bank	2	124
Bellsbank	14	150
Bellville Forest	26	193
Belmont	14	150
Belmont	6	125
Belmont	16	161
Belmont	18	171
Beltresna	9	143
Beltrim	8	132
Belvedere	9	145

Name of Station. Naam van Stasie.	Section. Seksie.	Page. Pagina.
Belvedere	29	197
Belvedere Power Station	9	145
Bencuti Forest	24	190
Benfontein	14	151
Ben Lomond	25	191
Benoni I.	8	137
Benoni II.	8	137
Benroy	7	128
Bensonvale	24	187
Bergplaats	18	171
Bergplaats	28	197
Bergview	17	169
Bergvlei	2	123
Berlin	9	145
Berlin	16	163
Berlyn	9	145
Bersheba	16	163
Beschuitkuil	22	175
Besterskraal	22	175
Besterskraal	23	184
Bestersput	15	153
Bethal	9	141
Bethanie	8	131
Bethany Station	15	155
Bethany Village	15	155
Bethel	16	161
Bethel	16	164
Bethesda	16	161
Bethesda Road	22	178
Bethlehem	16	164
Bethlehem	16	164
Bethulie	23	182
Beverley	16	161
Bideford	17	167
Biesjesfontein	22	175
Biesjespol	2	121
Biesjesvlakte	6	125
Bieskop	16	165
Bird Island	30	200
Birmingham	8	133
Bizana	25	191
Blaauwbank	9	141
Blaauwbank	14	151
Blaauwbank	15	152
Blaauwberg	1	121
Blaauwboschhoek	22	178
Blaauwboschkuil	8	136
Blaauwboschkuil	21	175
Blaauwboskop	15	156
Blaauwheuvel	23	181
Blaauwkrantz	29	198
Blaauwkrantz	22	176
Blaauwkrantz	9	140
Blaauwwildebeestput	7	127
Blackburn	18	170
Blackwoods	22	175
Blaney	24	188
Blesbokfontein	15	154
Blesbokfontein	7	129
Blesbokspruit	9	146
Blikana	24	188
Blindefontein	8	139
Blindefontein	8	139
Bloemfontein (Arboretum)	15	155
Bloemfontein (Grey College)	15	155
Bloemfontein (Hamilton Park)	15	156
Bloemfontein (St. Michael's School)	15	155
Bloemfontein (Waverley Road)	15	155
Bloemhoek	16	162
Bloemhof	15	153
Bloemhof	15	154
Bloemhof	22	178
Bloemhof	23	179
Bloemhof	23	181
Bloemspruit	15	156
Bloemspruit	15	157
Bluebank	17	167
Bluegum	16	160
Bluffpoint	16	159
Bochem	2	121
Boekenhout	8	138
Boekenhoutkloof	8	135
Boesmansberg	15	156
Boesmanspruit	9	140
Bootsap	14	150
Bokfontein	22	177
Bokfontein	8	131
Boksburg (Town Engineer)	8	136
Bold Point	23	185
Bolo	24	188
Bombardie	9	140
Bon Accord Dam	8	135
Bonapartesfontein	25	191
Bonnieburn	7	128
Bonnie Vale	27	195
Bontebokskloof	27	195
Bontfontein	2	123
Boontjeskraal	27	195
Bordeaux	15	152
Bormansdrift	10	147
Borneo	16	161
Boschfontein	8	130
Boschfontein	8	130
Bosch Hoek	8	129
Boschhofshoop	14	151
Boschkloof	17	166
Boschkop	8	133
Boschrand	14	151
Boschrand	16	162
Boshof	15	152
Boshofskraal	23	185
Boskop	8	129
Bosmansfontein	15	153
Bothaville	15	157
Bothasfontein	8	134
Botha's Pass	17	167
Bothasvlei	8	136
Bothma's Kloof	26	194
Bothsabelo	9	141
Bouw	2	122
Braemar	16	161
Braeside	15	154
Braeside	23	184
Brakboschpoort	13	148
Brakfontein	15	156
Brakfontein	9	142
Brakfontein	7	128
Brakfontein	8	134
Brakfontein	22	175
Brakfontein	24	186
Brakfontein	28	196
Brakkies	14	149
Brakkrans	17	167
Brakpan I.	8	137
Brakpan	7	126
Brakpan II.	8	137
Brakspruit	9	143
Brakspruit	7	127
Brakspruit	8	129
Bralbin	8	130
Brand	15	154
Brandfontein	15	153
Brandfort	15	156
Brandpoort	23	181
Brandsiekfontein	14	149
Brandvlei	20	173
Brandvlei	23	180
Brandwacht	16	161
Bredasdorp	27	195
Bremersdorp	10	147
Brereton	8	132
Britstown	22	175
Broadholm	9	145
Broadlands	2	122
Brockhurst	30	199
Broederstroom	2	123
Broederstroom Drift	2	124
Bronkhorstfontein	16	163
Bronkhorstspruit I.	8	139
Bronkhorstspruit II.	8	139
Brook, The	9	144
Broughton	23	185
Broughty Ferry	17	169
Broxton	16	160
Bruintjeshoogte	23	180
Brummersdam	22	177
Buckingham	8	129
Buckland Downs	17	166
Bucklands	14	149
Buffelbout	15	153

Name of Station. Naam van Stasie.	Section. Seksie.	Page. Pagina.
Buffelsfontein	23	185
Buffelsfontein or Shenfield	7	128
Buffelshoek	30	199
Buffelshoek	8	129
Buffelsklip	28	197
Buffelsnek	29	198
Buffelspoort	8	131
Buffels Poort (Citrus Cancer Experiment Farm)	8	131
Buffelsvallei (Besemkop)	28	196
Buffelsvlei	27	196
Buffelsvlei	16	164
Bulhoek	23	181
Bullkraal	21	173
Bulsberg	15	157
Bulsfontein	15	156
Bulshoek	19	172
Bultfontein	8	137
Bultfontein (and Jackalsfontein)	2	123
Bultfontein	23	183
Bultfontein	15	155
Bultfontein	15	157
Bulwater	21	174
Bulwer	17	167
Burgerville	22	177
Burghersdorp (Gaol)	23	184
Burgundy	16	159
Burnetts Holme	16	159
Burnetteland	16	162
Burnley	23	184
Busby	9	145
Bushbuck Ridge	10	147
Bushmanskop	24	186
Bushy Bend	7	129
Bushy Park	8	134
Bushy Vales	25	192
Butha Buthe	16	164
Butterworth	24	189
Buxton Forest	23	185
Byram	18	172
Bysonder	8	139
Cairn	9	146
Cala (Gaol)	24	188
Cala (Grundling)	24	188
Caledon	27	195
Caledondraai	16	161
Caledonia	16	165
Calitzdorp	28	196
Calitzdorp Dam	28	196
Calvinia	20	173
Cambrai	16	161
Camperdown	17	169
Camperdown	17	169
Campridge	16	160
Canterbury	1	121
Cape Agulhas	27	195
Cape Point	26	193
Cape St. Francis	29	199
Capesthorne	2	122
Cape St. Lucia	18	172
Cape Town (Fire Station)	26	193
Cape Town (Hospital)	26	193
Cape Town (Lower Reservoir)	26	192
Cape Town (Molteno Reservoir)	26	193
Cape Town (Platteklip)	26	193
Cape Town (Royal Observatory)	26	193
Cape Town (Sea Point Hall)	26	192
Cape Town (Signal Hill)	26	192
Cape Town (Table Mountain House)	26	192
Cape Town (Tamboers Kloof)	26	192
Carlton	30	200
Carlton	22	178
Carmel Estates	8	131
Carmichael	10	146
Carnarvon	21	174
Carnarvon (Town Clerk)	21	174
Carolina I	9	143
Carolina II	9	143
Caroluspoort	22	176
Carrigholt	16	159
Carsdale	18	171
Carthage	9	145
Carwin	17	169
Castlekop	9	146
Cata	24	186
Catheart (Forest)	24	186
Catheart (Gaol)	24	186
Catheart (Station)	24	187
Cato Road	17	170
Cedara Hill	17	169
Celeryfontein	21	173
Cengcane	24	190
Ceres	27	195
Ceres (Gaol)	27	195
Cezu (Plantation)	24	190
Champagne	10	146
Changalane	10	148
Charl Cilliers	9	141
Chelmsford	22	176
Chester	2	125
Cheviotdale	23	182
Chiselhurst	24	189
Christiana	15	152
Chunes Poort	9	141
Citrus Glen	31	201
Clanwilliam (Gaol)	19	172
Clanwilliam	19	172
Claremont	16	165
Clarens	16	164
Clarkbury	24	189
Clark's Siding	24	184
Clearwater	24	187
Clermont	1	121
Clewer House	9	145
Clewer Township	9	140
Cliff, The	15	157
Clifton	9	144
Clim	9	141
Clippesley	7	127
Clocolan (S.A.P.)	16	167
Clocolan (Creameries)	16	161
Cloebert	24	187
Cloudskraal	20	172
Cloverfield	17	166
Cloverfields	23	181
Cloverley	24	188
Coedmore	17	170
Coetzeestroom	9	145
Cofimvaba	24	188
Colenso	17	168
Colesberg	23	179
Coldstream	23	185
Collingham	23	183
Cologne	9	140
Calwana	24	190
Commandosdrift	15	156
Commando Kraal	30	200
Commissiepoort	16	160
Concordia	11	148
Concordia	29	197
Confidence	18	171
Congleton	16	160
Content	14	151
Contest	24	187
Convamore	16	160
Cookhouse	23	181
Cornelia	16	165
Cornubia	18	170
Cottesbrook	23	184
Cottonia	9	146
Cradock	16	161
Cradock	23	181
Craigend	9	143
Cranbourne	17	167
Cranemere	23	179
Crawley	24	187
Crocodile Pools	7	126
Crocodilepoort	10	147
Cromdale	22	176
Cullendale	23	183
Culmstock	23	180
Cumberland	7	129
Cumberland	16	159
Cumnor	6	125
Cwebe	24	190
Cyferbult	8	130
Cyferfontein	7	128
Cyferfontein	7	128
Cyphergat	23	184

Name of Station. Naam van Stasie.	Section. Seksie.	Page. Pagina.
Daggaboer	23	182
Dalkeith	23	184
Dalmanutha	9	143
Damfontein	22	178
Damplaats	23	183
Damplaats	2	122
Dandaloo	8	138
Danger Point	27	195
Danielsfontein	15	152
Danielshope	20	173
Danielskuil	14	149
Darling	26	192
Daspoort	8	135
Dassen Island	26	192
Dassie Klip	17	167
Dassiesfontein	22	177
Dassiespoort	15	153
Davel	9	142
Dawkomskraal	29	199
Dawn	17	168
De Aar	22	175
De Aar	22	176
Dealesville	15	154
Dearn	10	147
Deben	13	149
Debe Nek	24	186
De Brug	16	165
De Brug	15	154
De Dam	1	121
De Dam	23	182
De Doorns	27	195
De Draai	1	121
Deelkraal	8	138
Deelpan	16	163
De Emigratie	9	143
Deelsvlei	23	183
Deepwalls (Base)	29	198
Deepwalls (Elandskop)	29	198
Deercroft	8	138
De Grendel	26	193
De Hoek	2	123
De Hoop	23	183
De Hoop	29	198
De Hoop	27	195
De Hoop	15	152
De Kroon	8	132
De Kruis	22	176
De Langersdrift	9	143
De la Rey	7	126
Delville	16	165
Delville Bos	24	189
De Molen	16	165
Den Haag	23	185
Denver	8	134
De Put	15	154
De Putten	7	126
Derby	8	129
Derdekraal	8	134
De Rots	15	155
De Rust	28	197
Deugas	29	198
De Villiers Farm	23	184
De Vlugt	29	198
Devon	8	139
De Wagendrift	9	141
De Weg	7	126
De Werf	15	152
Dewetsdorp	15	157
Dewindam	2	123
Diamant Doorns	15	153
Die Dorings	23	180
Diepkloof	28	197
Diepkuil	15	156
Dieplaagte	9	140
Diepspruit	9	141
Diepwater	13	149
Dikgatlong	32	203
Dingle, The	22	178
Diyatalawa	23	179
Dohne	24	187
Dolton	10	147
Donkerhoek II	23	182
Donkerhoek	15	155
Donkerhoek	8	137
Donkerhoek or Rainhill	8	129
Donkerpoort	23	180
Dontsah	24	187
Doon	24	187
Doornboom	2	123
Doornbult	7	126
Doorndraai	8	139
Doorndraai	16	162
Doornfontein	15	152
Doornfontein	8	136
Doornfontein	7	127
Doornfontein	9	140
Doornhoek	17	167
Doornhoek	23	185
Doornkom	7	128
Doornkuil	8	132
Doornkloof	23	180
Doornkloof	9	141
Doornkraal	9	145
Doornlaagte	14	150
Doornpan	15	156
Doornplaats	15	153
Doornplaats	15	156
Doornpoort	7	128
Doornrandjes	15	154
Doorn River	20	173
Doorn River	28	197
Doorn River	27	195
Dordrecht (Gaol)	24	186
Dordrecht (Station)	24	186
Dorrington	23	184
Douglas (Gaol)	14	149
Douglas (Irrigation)	14	149
Downs, The	9	143
Downs, The	24	186
Draaifontein	22	175
Draaihoek	15	156
Draycott	17	167
Dreunberg	23	184
Driefontein	16	163
Driefontein	9	140
Driefontein	2	123
Driefontein	8	139
Driefontein	23	182
Driefontein	23	185
Driefontein	27	194
Driehoek	16	160
Driehoek	16	160
Driehoek	17	166
Driekop	23	180
Driekoppies	2	123
Drielaagte	8	130
Drieputs	14	151
Droogefontein	22	177
Droogfontein	15	156
Dubbelvlei	21	173
Duivels Kloof	2	124
Dukuduku	18	172
Dullstroom	9	143
Dunbrody	30	199
Dundee	17	169
Dunedin	10	147
Dunedin	21	174
Dunedin	16	165
Dunghye Park	27	195
Dunkeld	16	161
Dunley	24	189
Dunmurry	13	149
Dunottar	16	161
Durban (Old Court House)	18	170
Durban (Silverton Road)	18	170
Durban (Point) (8)	18	170
Durban (Botanical Gardens)	18	170
Durban	2	122
Durban (Point) (5-in.)	18	170
Durban Point (Bluff)	18	170
Durban (North Ridge Reservoir)	18	170
Durbanville	26	193
Dusseldorp	9	144
Dwaalpoort	22	177
Dwaleni	18	171
Dwarsfontein	8	129
Dwarskloof	16	163
Dwars River	2	122
Dwarsvlei	15	153
Eagle's Nest	15	153
Earlridge	17	166

Name of Station. Naam van Stasie.	Section. Seksie.	Page. Pagina.
East Leigh	15	157
East London (East)	31	201
East London (Filter Beds)	31	201
East London (Queen's Park)	31	201
East London (Umzoniana)	31	201
East Lynne	29	198
East Lynne	2	123
East Rand Mines	8	136
Ebenezer	22	176
Ebenhaezer	16	165
Eden	15	157
Edenburg	15	154
Edendale	17	167
Eenbult	23	181
Eendracht	1	121
Eensgevonden	8	135
Eensgevonden	30	200
Eenstroom	29	199
Eerstegeluk	16	165
Eerste River	26	193
Eerste Zending	16	165
Effingham	18	170
Effort Farm	17	168
Eiffel	24	187
Eikenboom	9	142
Elandsberg	14	150
Elandsbosch	8	137
Elandsdrift or Scylla	25	191
Elandsdrift	23	182
Elandsfontein	19	172
Elandsfontein	23	181
Elandsfontein	9	145
Elandsfontein	23	181
Elandsfontein	8	130
Elandsfontein	22	176
Elandsfontein	23	183
Elands Height	24	189
Elandsheuvel	8	129
Elandsheuvel	29	198
Elandshoek	9	144
Elandshoek	9	145
Elandshoek	8	132
Elandskop	17	170
Elandskop	16	161
Elandslaagte	17	168
Elandslaagte	16	162
Elandspoort	8	137
Elandspoort	22	176
Elandsput	15	153
Elands River	30	199
Elandsvlei	17	170
Eleazar	7	128
Elgin	27	194
Elim	2	123
Elim	23	181
Elladale	16	158
Ellenboogsleegte	15	155
Ellerslie (South)	15	156
Ellesmere	23	184
Elliot	24	189
Elliotdale	24	190
Elmadale	13	149
Elsenburg	26	193
Elsies River	26	193
Elswald	23	182
Emerald Dale	17	168
Emerald Hill	30	200
Emfundisweni	25	191
Emgewe	24	189
Emjanyana	24	189
Emoyeni	18	171
Empangeni	18	171
Engcobo	24	189
Engeland	16	163
Enkelbosch	16	162
Enkeldoorn	16	158
Enkeldoorn	8	138
Enon	17	168
Entabeni	2	124
Entremonts	24	190
Erasmusfontein	15	156
Erfbloem	16	160
Erfdeel	23	182
Erfenis	16	164
Erfeniskraal	23	184
Ermelo	9	143
Ermelo (Forest Station)	9	143
Ermelo	9	143
Esbachakop	15	156
Eshowe	18	171
Esperanza	23	179
Esperanza	16	164
Essenwood	17	168
Essexvale	1	121
Estcourt	17	168
Eston (Cleveland Hill)	17	169
Etwa	24	190
Eucalyptus	22	178
Eureka	10	147
Eureka	14	150
Evelyn Valley	24	187
Evesbatch	15	153
Excelsior	23	181
Excelsior	23	182
Excelsior	16	159
Excelsior	9	141
Excelsior	10	147
Excelsior	27	195
Excelsior	22	178
Exwell Park	24	186
Ezandi	25	192
Ezeljagt	28	197
Ezelsfontein	22	176
Fairfield	23	183
Fairfield	15	155
Fairfield	16	163
Fairfield	25	191
Fairview	6	125
Fairview	23	183
Fairview	15	154
Fairview	22	177
Fair View	9	144
Fairview	22	177
Farleigh	28	197
Faroasfontein I.	8	133
Faroasfontein II.	8	133
Fauresmith (School)	15	152
Fauresmith (Railway Station)	15	152
Fenton	2	123
Ficksburg (Gaol)	16	162
Ficksburg (Town)	16	162
Fielden	6	125
Figlands	24	188
Figtree	10	147
Fig Tree	2	123
Fish River	23	180
Fitty Park	17	168
Flagstaff	25	191
Fleur de Lys	10	146
Flora	16	160
Florida I.	8	132
Florida II.	8	132
Floris Bad	15	155
Fonseca	2	124
Fonteinlaagte	16	160
Fonteintje	23	179
Forbes Reef	10	147
Ford	16	161
Forest Hill	9	143
Fort Bassett	16	158
Fort Beaufort (Gaol)	23	185
Fort Cunynghame	24	187
Fort Donald	25	191
Fort Fordyce	23	184
Fort Grey	24	189
Fort Jackson	24	188
Fort Nottingham	17	168
Fortuin	27	195
Fortuinplaats	23	180
Fort White	24	186
Fountain Head	23	184
Fountainvale	9	142
Fouriesburg	16	163
Fourteen Streams	14	151
Foxhill	16	158
Fraaiuitsig	16	160
Francistown	32	202
Frankfort	24	187
Frankfort	16	164
Frankfort	9	145

Name of Station. Naam van Stasie.	Section. Seksie.	Page. Pagina.
Franshoek	24	186
Franshoek	16	163
Franshoek	2	123
Frantzinas Rust	9	145
Fraserburg	21	173
Fraserburg Road	21	174
Fraser's Camp	30	200
Frederikstad	8	129
Free State	2	125
Friesgewacht	9	140
Frischfontein	16	163
Frischgewaagd	9	141
Frischgewaagd	17	169
Fullarton	29	198
Gaberones	7	127
Gannapan	21	174
Gansbaai	27	195
Ganskuil	7	128
Gansvlei	21	173
Garfield	23	185
Garies	19	172
Garsfontein	8	136
Garstkolk	21	174
Garth	8	139
Garton	17	167
Gcegcuana	24	189
Geelbek	26	192
Geelkop	13	148
Geluk	18	171
Geluk	16	164
Gemsbokfontein	9	142
Gemsbokpoort	8	135
Genadendal	27	195
George (Rectory)	28	197
George (Plantation)	28	197
Georgeskraal	17	166
Gerhard Minnebron	8	129
Germiston	8	135
Germiston (New Primrose G.M.)	8	135
Geysdorp	7	126
Ghanzi	32	202
Ginginhlovu	18	171
Glandinasdal	15	154
Glass Nevin	24	189
Glen	15	152
Glen	15	156
Glen Alphen	16	164
Glencairn	23	185
Glencoe	23	179
Glen Connor	30	199
Glendoone	17	167
Glenfernis	2	121
Glen Harry	22	178
Glen Hope	24	189
Glen Hope	24	190
Gleniffer	15	153
Glenlyden	9	146
Glen Morgan	16	162
Glen Roy	23	184
Glen Roy	8	136
Glen Thomson	24	189
Glentig	8	137
Glückstad	18	170
Godwan River	9	145
Goedehoop	9	143
Goedehoop	9	143
Goedehoop	23	179
Goedehoop	23	185
Goedehoop	16	161
Goede Hope	2	123
Goedemoed	23	184
Goedemoed	16	160
Goedgelegen	7	127
Goedverwachting	9	143
Goedverwachting	8	135
Gomo	32	202
Goodhope	1	121
Good Hope	8	138
Goodhope	15	158
Goodhope	16	163
Good Hope	26	194
Goodhouse	11	148
Goodluck	15	157
Goraas	21	173
Gordonia	16	161
Gordon Park	23	185
Gordonsfontein	22	177
Gordonville	22	178
Gouda	14	151
Goudfontein	22	178
Goudhoek	15	158
Goudmyn	9	143
Gouna	29	198
Gowerneurskop	23	180
Graaff-Reinet (Convent)	22	177
Graaff-Reinet (Engineer)	22	177
Graaff-Reinet (Rail)	22	177
Graaff-Reinet (Gaol)	22	177
Graafwater	19	172
Grahamstown (Gaol)	30	200
Grahamstown (Vet. Research Officer)	30	200
Granard	24	188
Granta	24	188
Grantham	21	174
Grapevale	23	179
Grasdale	9	144
Grasfontein	22	178
Graskop Town	9	145
Graskop Forest	9	145
Graskop	9	145
Graspan	15	152
Graspan	15	152
Grasvlei	15	153
Grassridge	23	180
Gravelotte	17	166
Great Brak River	26	196
Great Fish Point	31	201
Grenfell	16	165
Grenfell Camp	2	123
Gresham	23	183
Greylingstad I	8	139
Greytown	17	169
Griquatown	14	149
Groblersrecht or Karina	9	142
Groeneboom	7	129
Groenfontein	8	137
Groenfontein Tin Mines	8	139
Groenfontein	28	196
Groenkloof	22	178
Groenrivier	8	131
Groenvlei	16	165
Grootarendskraal	22	177
Grootchwaing	6	125
Groot Constantia	26	193
Grootdam	23	181
Grootdam	15	158
Groot Doorn Rivier	28	197
Groot Drakenstein	27	194
Grootfontein	30	200
Grootfontein (College)	22	178
Grootfontein	22	176
Grootfontein	8	137
Grootfontein	23	182
Grootfontein	2	123
Grootfontein	21	173
Groot Geluk	2	124
Groothoek	22	177
Groot Hoek	9	141
Groothoek	15	158
Grootkop	16	165
Grootkuil	15	157
Grootlaagte	9	143
Groot Marico	7	127
Grootrietvlei	23	180
Grootvallei	8	139
Grootvlakte	20	173
Grootvlei	23	182
Grootvlei	8	138
Grootvlei	8	139
Grootvlei or Arranmore	8	139
Groot Waterval	21	174
Groot Zeekoegat	23	183
Grosvenor Downs	17	166
Gruisfontein	23	181
Guernsey	10	147
Gunsteling	23	181
Haakdoornboom or Pyramid	8	134
Haarlem	6	125

Name of Station. Naam van Stasie.	Section. Seksie.	Page. Pagina.
Haenertsburg	2	123
Halfweg	15	153
Halseton	23	185
Hamanskraal	8	136
Hamelfontein	23	181
Hamelfontein	9	142
Hamilton Manor	23	181
Hammonia	16	162
Hampstead	17	167
Hampton	17	167
Hancock Grange	25	191
Hankey (Loerie Plantation)	30	199
Hanover	22	177
Happy Rest	2	122
Harding	25	191
Harkerville	29	198
Harrismith	17	166
Harrismith (Forest Station)	17	166
Harrismith	17	166
Hartebeestfontein	9	143
Hartebeestfontein	16	159
Hartebeestfontein	15	152
Hartebeestfontein	7	128
Hartebeestfontein	8	132
Hartebeesthoek	8	132
Hartebeesthoek	22	176
Hartebeesthoek	8	134
Hartebeestkop	9	146
Hartebeestlegte	23	183
Hartebeestpoort (Exp. Station)	8	131
Hartebeestpoort (Settlement)	8	132
Hartebeestpoort (Irrigation) Works	8	132
Hartebeestpoort	8	130
Hartlip	14	151
Hartmansloop	23	179
Hasebult	2	123
Haselmere	8	130
Hatfield	8	136
Hatherley	8	137
Hayfields	8	134
Hazeldene	21	175
Hazelmere	24	188
Heatherly	25	192
Hebron	9	146
Hebron	15	158
Hebron	8	133
Hebron	16	161
Heotorspruit	10	147
Heelgoed	17	166
Heidelberg I	8	137
Heidelberg II	8	137
Heidelberg	27	196
Heilbron	16	163
Heimers River	28	197
Hekpoort	8	131
Helderfontein	15	154
Helpmekaar	23	180
Helpmekaar	17	169
Helpmekaar	15	153
Helpmekaar	15	157
Helvetia	15	157
Hendham	24	187
Hendrikspan	9	141
Hennops River	8	133
Hermanus Doorns	8	132
Hermitage	16	161
Hermitage	17	166
Herschel	24	186
Hertzogina	15	157
Hertzogville	15	153
Hessie	15	154
Het Loo	16	159
Hexkranz	8	130
Hex River	27	195
Hibernia	16	162
Highbury	23	181
Highlands	10	146
Highlands	8	136
Hillandale	27	195
Hillary	17	170
Hill Crest	17	169
Hillmoor	23	183
Hilltop	8	136
Hinwick	22	178
Hlabisa	18	171
Hlatikulu	10	147
Hlobane	17	170
Hluhluwe (Lot 40)	18	172
Hluhluwe (Lot 29)	18	172
Hluhluwe (Lot H. 88)	18	171
Hobhouse	16	159
Hofmeyr	23	181
Hogsback	23	186
Holfontein	16	159
Holfontein	8	131
Holmlea	17	168
Holpan	15	153
Holpan	7	126
Holyrood	24	187
Home Rule	17	167
Homestead	9	145
Honeydale	23	186
Honingnestkranz	8	129
Honingnestkranz	8	135
Honingvlei	20	172
Hoogbult	9	140
Hoogekraal	21	173
Hoogmoedfontein	22	177
Hooggelegen	16	164
Hoogstede	23	183
Hoopstad (Gaol)	15	154
Hoopstad (School)	15	154
Hopefield	17	169
Hopefield (Police)	26	192
Hope Orchards, Ltd	15	155
Hopetown	14	150
Hopewell	8	131
Hopewell	8	136
Hopewell	24	188
Hopewell	24	189
Hopkins	13	149
Horatio	23	185
Hospital Farm	24	187
Hottentots River	21	174
Houmoed	15	153
Hounslow	30	200
Houthoek	17	166
Howick	17	169
Hughenden	23	183
Hukuwa	23	185
Humansdorp (Gaol)	29	199
Humansdorp (Station)	29	199
Hurst	24	187
Huxley Farm	24	188
Ibeka	24	189
Icebell	22	178
Ida	24	188
Idalia	9	145
Idutywa (Gaol)	24	189
Idutywa (Station)	24	189
Ildon	7	126
Illawarra	8	138
Impendhle	17	168
Imperani	16	162
Impetyne	25	191
Indlunkulu	24	189
Indwe (Station)	24	187
Indwe	24	187
Ingwangwane	25	191
Ingwavuma	18	171
Ingwavuma North	18	171
Inhoek	15	152
Inkruip	27	194
Innerleithen	9	141
Insikeni	25	191
Insizwa	25	191
Intake Weir	17	169
Invergwali	24	188
Inverness	6	125
Iona	9	144
Irene	8	135
Irene (Doornkloof)	8	135
Irenedale	9	141
Isidinge	24	187
Isilingo	18	171
Issy	8	131
Italie	15	151
Ixopo	25	191
Izeleni	24	187

Name of Station. Naam van Stasie.	Section. Seksie.	Page. Pagina.
Jachtdrift	2	124
Jacobsdal	14	151
Jagersfontein	7	126
Jagersfontein	15	153
Jackalsfontein	2	121
Jacobs Erf	16	164
Jamaica	16	163
Jamestown	23	185
Jansdeel	17	166
Jansenville	22	178
Jansenville (Egan)	22	178
Jasfontein	23	179
Jessievale	9	144
Johannesburg (Auckland Park)	8	133
Johannesburg (Berea)	8	133
Johannesburg (Bezuidenhout Valley)	8	134
Johannesburg (Booysens)	8	133
Johannesburg (Burghersdorp)	8	133
Johannesburg (Castle Brewery)	8	134
Johannesburg (Cemetery)	8	133
Johannesburg (City Deep)	8	134
Johannesburg (Dunkeld)	8	133
Johannesburg (Hospital Hill)	8	133
Johannesburg (Houghton)	8	133
Johannesburg (Joubert Park)	8	134
Johannesburg (Kensington)	8	134
Johannesburg (King Edward VII School)	8	133
Johannesburg (Natalspruit Depot)	8	134
Johannesburg (Norwood)	8	134
Johannesburg (Oakdene)	8	134
Johannesburg (Observatory)	8	134
Johannesburg (Ormonde)	8	133
Johannesburg (Parktown I)	8	134
Johannesburg (Parktown North)	8	133
Johannesburg (Parktown North II)	8	133
Johannesburg (*Smit Street*)	8	133
Johannesburg (Springfield)	8	133
Johannesburg (Turffontein Race Course)	8	133
Johannesburg (Vierfontein)	8	133
Johannesburg (Vrededorp)	8	133
Johannesburg (Wolhuter G.M. Co.)	8	134
Johannesburg (Wolhuter Intake)	8	134
Johannesburg (Zoo I)	8	133
Johannesburg (Zoo II)	8	133
Jonkersberg Plantation	28	196
Jonkers Hoek	26	194
Jonkerskraal	15	157
Juriesfontein	21	174
Just-in-time	14	151
Kaalfontein	8	136
Kaalfontein	7	127
Kaallaagte	16	163
Kaallaagte	7	128
Kaalplaats	15	157
Kaalplaats	23	181
Kaalspruit	15	155
Kaapmuiden	10	147
Kaapsche Hoop	9	145
Kafferfontein	15	151
Kafferskop	15	157
Kafferskraal	16	163
Kafferstad	16	165
Kaffir River	15	155
Kaffirskop	29	198
Kaffir's Kraal	7	127
Kaffir's Kraal	7	126
Kaffirskraal	7	127
Kaffirskraal	8	130
Kaffirskraal	7	128
Kaffirskraal	8	131
Kakamas	12	148
Kalabashoogte	15	151
Kalabas Puts	21	173
Kalamari	32	203
Kalkfontein	2	121
Kalkfontein	22	178
Kalkfontein II	23	185
Kalkfontein	2	122
Kalkfontein	9	140
Kalkheuvel	8	132
Kalkheuvel	8	137
Kalklaagte	15	151
Kalkroenkrans	23	185
Kalkoenkrantz	23	183
Kalkput	14	151
Kalmoesfontein	30	200
Kamanassie	28	197
Kamberg	17	167
Kambi	24	190
Kameelfontein	15	154
Kamferskraal	22	175
Kamhlabane Ranch	10	147
Kanye	7	126
Kapiteinskop	23	180
Kapokhoek	22	178
Kappa	16	165
Karina or Groblersrecht	9	142
Karino	10	147
Karkloof	17	169
Karree	15	156
Karreeboom	16	159
Karreebosch	15	154
Karreefontein	15	153
Karreefontein	23	179
Karreefontein	23	181
Karreefontein	8	132
Karreefontein	15	153
Karreegrange	14	149
Karreekloof	14	149
Karreepan	15	155
Karreepoort	23	179
Karreepoort	23	179
Karroodam	15	157
Kasane	32	202
Katberg	23	185
Katdoornput	15	153
Katrina	15	151
Keble	16	161
Keerom	9	140
Keerweder	27	194
Kei Bridge (Sihota)	24	189
Keilands	24	188
Kei Road	24	188
Keiskama Hoek	24	186
Kelvedon	15	154
Kelvin Grove	24	186
Kempshell	2	122
Kempton Park	8	136
Kendrew Estates	22	177
Kendrew (Station)	22	177
Kenegha Drift	24	190
Kenhardt (Gaol)	13	148
Kenhardt	13	148
Kennedysvale	9	143
Kentani	24	189
Kerry	16	162
Kersefontein	19	172
Kestell (Town)	16	165
Kestell (188)	16	165
Khosis	14	149
Kilcullen	24	189
Kildare	15	157
Kilgobbin	2	122
Kimberley	14	151
Kingsdown	9	141
Kings Glen	23	184
Kingsleigh	23	183
Kingwilliamstown (Gaol)	24	187
Kingwilliamstown (Club)	24	187
Kirklington	16	162
Kirstenbosch	1	121
Kirstenbosch	26	193
Kismet Estate	16	162
Klaarstroom	28	197
Klaasvoogds	27	195
Klapmuts	26	194
Klaver	19	172
Klein Australie	2	124
Klein Begin	2	123
Klein Brak River	28	196
Kleinfontein	16	159
Kleinfontein	16	164
Kleinfontein	28	197
Kleinfontein	23	179
Kleinfontein Farm	8	137
Kleinfontein	16	162
Klein Galakwin	1	121
Kleinkeuwkuil	8	132
Kleinpoort	29	199

Name of Station. Naam van Stasie.	Section. Seksie.	Page. Pagina.
Klerksdorp	7	128
Klerkskraal Settlement	8	129
Klerkskraal	8	130
Klipdale	27	195
Klipdam	2	122
Klipdrift	7	126
Klipdrift	8	130
Klipdrift	8	131
Klipdrift	8	137
Klipfontein	20	173
Klipfontein	8	139
Klipfontein	7	127
Klipfontein	22	178
Klipfontein	23	181
Klipfontein	11	148
Klipfontein	30	199
Klipfontein	23	183
Klipgat II	21	176
Klipheuvel	29	198
Klipkopspruit	8	130
Klipkuil	7	128
Klipnek	15	153
Klippan	7	127
Klippan	15	154
Klippan	15	154
Klippan	7	127
Klippan	9	143
Klipplaat	22	176
Klipplaatsdrift	23	183
Klipplaatsdrift	7	128
Kliprif	7	127
Klip River	8	132
Kliprug	20	173
Klipspruit	8	133
Klipspruit	8	138
Kloofend	25	192
Kluitjes Kraal	27	194
Knapbrooke	8	138
Knapdaar	15	151
Knapdaar	22	177
Knel	23	180
Knelpoort	15	155
Knights G.M. Co	8	135
Knockbarragh	14	150
Knysna	29	197
Kocksbeen	22	176
Koedoesfontein	7	128
Koedoespoort	8	136
Koegas	13	149
Koeifontein	29	199
Koekemoer	7	128
Koffyfontein	15	151
Kokstad (Gaol)	25	191
Kokstad (The Willows)	25	191
Kologha	24	187
Komatipoort	10	148
Komgha	24	189
Kompagniesdrift	27	194
Komspruit	16	162
Kopje Alleen	9	146
Kopje Alleen	8	138
Kopjes School	16	161
Kopjesdam	16	161
Koppiesdam	15	153
Koppieskraal	14	151
Koppieskraal	8	130
Koppieskraal	15	152
Korinkoppies	9	142
Kornetspruit	24	187
Korte	16	163
Koster	7	129
Kondekraal	15	155
Koup	28	196
Kraaifontein	26	193
Kraaipan	7	126
Kraal	8	137
Kraalkop	15	154
Kraalkop	8	131
Krakeel River	29	198
Kranskop	29	199
Kranspan	9	143
Krantzkop	17	169
Kransbock	15	153
Kreylingspos	8	133
Kriekfontein	23	180
Kromdraai	17	166
Kromdraai	8	129
Kromdraai	15	157
Kromhof	17	167
Kromkuil	8	133
Kromkuil	16	161
Kromloop	15	154
Krom River	22	175
Kromspruit	15	156
Kroonbank	16	162
Kroondal	8	130
Kroonhoek	23	183
Kroonstad (Convent)	16	160
Kroonstad (Parks)	16	160
Krugersbaken	22	177
Krugersdorp II	8	132
Krugersdorp III	8	132
Krugersdorp IV	8	132
Kruger Siding	15	154
Kruidfontein	15	155
Kruispad	1	121
Kruis River	7	127
Kubusie	24	188
Kubusie (Forest)	24	188
Kubuta	10	147
Kuilfontein	7	127
Kuilfontein	9	142
Kuilput	15	154
Kuilspoort	21	175
Kuils River	26	193
Kulu Halt	18	171
Kuruman I	14	149
Kwaggaskop	9	143
Kwaggasnek	7	128
Kwesfontein	22	176
Kwessie	16	160
Kyrchil	17	167
Laastegevonden	8	132
Laatsgevonden	2	124
La Bonne Espérance	26	194
La Cotte	2	124
La Dauphine	13	149
Ladismith	28	196
Ladybrand (School)	16	161
Ladybrand (Forest)	16	161
Lady Frere	24	187
Lady Grey	24	187
Ladysdale	16	159
Ladysmith	17	167
La France	16	164
Laingsburg	27	196
Lake Chrissie	9	143
Lake Mentz	30	199
Lambertina	16	161
Lammerkraal	21	174
La Motte	27	194
Lancefort	8	135
Landau Mine	9	141
Langebaan	26	192
Langhoek	14	151
Langholm	30	200
Langkrans or Enyati	18	170
Langlaagte	8	133
Langsluit	9	140
Languedoc	16	163
Lansdowne	23	179
Lapdoorns	15	153
La Plaisante	27	194
Lastpoort	15	156
L'Auret	18	171
Lauriston	24	188
Lauriston	17	168
Lavoni	18	171
Laxey	6	125
Lebanon	27	194
Leenane	25	192
Leeuwdoorns	15	155
Leeuwfontein	17	167
Leeuwfontein	23	181
Leeuwhoek	22	178
Leeuwkloof	29	198
Leeuwkopje	8	130
Leeuwkop	8	133

Name of Station. Naam van Stasie.	Section. Seksie.	Page. Pagina.
Leeuwkop	15	155
Leeuwkraal	17	167
Leeuwkuil	23	182
Leeuwkuil	8	137
Leeuwpoort	8	131
Leeuwpoort	9	143
Leeuwpoort	8	131
Leeuw River	21	175
Leeuwspruit	16	160
Legkraal	2	122
Legpan	14	150
Lehanas Pass	24	189
Leinster	8	129
Leipzig	1	121
Lekkerlach	9	145
Lekkervlei	22	176
Lekkerwater	17	167
Leliefontein	15	151
Leliekloof	23	182
Lemana	2	123
Lemoenboom	16	163
Lemoenhof	27	195
Lenye	24	186
Leopardsvlei	22	177
Leribe	16	163
L'Esperance	16	161
Leslie	8	139
Lessendrum	30	201
Letaba Estates	2	124
Letaba Ranch	3	125
Letjesbosch	21	174
Letubi	10	147
Leuctia	16	163
Levina	15	158
Libode	25	190
Lichtenburg (Gaol)	7	127
Lichtenburg (Plantation)	7	127
Lidgetton	17	168
Liebsfontein	23	181
Likatlong	15	157
Lilyfontein	19	172
Limerick	8	129
Linana	16	158
Lindequesdrift	8	131
Lindley	16	163
Lindley Road	16	162
Linokana	7	126
Little Bend	10	147
Liwandi	30	200
Lobatsi	7	126
Locatie	8	139
Loch Nevar	29	199
Loerie	30	199
Loeriesfontein	29	198
Logaging	6	125
Lokenburg	20	173
Lokshoek	15	153
Lomati	10	147
Lombards Kraal	21	175
Lombards Post	30	200
London	9	145
Longbush	30	200
Longdraai	23	184
Longhirst	6	125
Longueval	2	123
Longvale	30	200
Loole	10	147
Loopfontein	22	178
L'Orange	2	123
Loretto	2	124
Loskop	17	168
Lotana	24	190
Lottering	29	198
Louieville	10	147
Louis Trichardt	2	123
Louisvale	13	148
Lourensford	26	194
Lourensia	16	159
Louwbosch	4	125
Louwsburg	18	171
Lovedale	23	185
Lower Clevedon	14	149
Lower Goedverwacht or Zilverkop	9	144
Lowlands	10	146
Loxton	21	174
Lucerne Vale	22	177
Lucernelodge	21	175
Luckhoff	14	151
Ludeke	25	191
Ludiksdam	14	151
Luipaardsvlei	8	131
Luipaardsvlei (G.M.)	8	132
Lusikisiki (Gaol)	25	191
Lusikisiki (Ntsubane)	25	191
Lusthof	15	153
Lydenburg	9	144
Lydzaamheid	15	155
Lyndhurst	18	171
Lynedoch	23	182
Lynwood	8	136
Lyttelton Junction	8	135
Maandagshoek	9	143
Maboki or Mount Casteel	10	146
Maccauvlei	8	133
Machadodorp	9	143
Machavie	7	129
Maclear (Magistrate)	24	189
Maclear (Gaol)	24	189
Maclear (Station)	24	189
Mac Mac	9	145
Macsvale	9	146
Madrid	9	146
Madrid	14	150
Mafeking (Gaol)	7	126
Mafeking (School)	7	126
Mafeteng	16	160
Magdalena	16	163
Maggiesdale	9	146
Maghallen	24	187
Magut	18	171
Mahemsvlakte	7	126
Mahalapye	32	203
Mahlabatini	18	171
Mahobieskraal	7	129
Maitland (Cemetery)	26	193
Majebaskraal	2	122
Makouwkuil	22	175
Makouwsdrift	15	152
Makouwskop	15	153
Malelane	10	147
Malika	15	157
Mallow	8	137
Malmani Oog	7	127
Malmesbury	26	193
Malopposdraai	16	163
Malpas	24	189
Malta	9	144
Malta	17	166
Malvern	17	170
Mampakuil	2	123
Manelsdam	23	183
Manina	24	189
Manitoba	16	163
Mankaiana	10	147
Manorholme	23	180
Mantonga	18	170
Mapperley	7	128
Maputa	18	172
Maquabie	9	143
Maquassi	15	155
Mara	2	121
Maraisburg	8	133
Maraishoop	20	199
Maraisrust	16	162
Maroelaput	2	122
Marquard	16	160
Marquard (School)	16	160
Marsden Heights	23	184
Marshmoor	23	185
Marthinusdrift	17	169
Marydale	13	149
Maseru	16	161
Mashaba	2	122
Matapa	10	147
Matatiele (Gaol)	24	190
Matatiele (Town)	24	190
Matawaanskloof	17	167
Matendela	10	147
Matiwane	17	168
Matjesgoedkuil	8	139
Matjesfontein	27	195

Name of Station. Naam van Stasie.	Section. Seksie.	Page. Pagina.
Matjesfontein	21	175
Matjesfontein	29	198
Matjeskloof	21	175
Matjespruit	15	156
Matjesvlei	28	197
Matsoaking	16	165
Matubatuba	18	172
Maun	32	202
Mauritzfontein	14	151
Mauritzkop	23	180
Mayana Mabede	6	125
Mayland	17	167
Mayville	8	135
Mazelspoort	15	156
Mbabane	10	147
Mbabane (Government Farm)	10	147
Mbulu (Plantation)	24	188
McCreedy	10	147
McGregor	27	195
McKenzie	8	137
Meadows, The	25	191
Meadowside or Blackdown	27	196
Meander	15	158
Mebani	8	130
Mehloninyana	25	192
Melmoth	18	171
Melrose	23	182
Melrose	15	152
Melrose	15	158
Melton Wold	21	175
Memel	17	167
Mequatlingsnek	16	160
Meriba	15	152
Merweville	21	173
Meyer's Poort	21	174
Meyersrust	17	167
Mfongosi	17	169
Mfongosi	17	169
Middelburg (Gaol)	23	179
Middelburg (Station)	23	179
Middelburg	9	141
Middelburg (Stahl)	23	179
Middelfontein	23	182
Middelfontein	15	151
Middelfontein	8	129
Middelfontein	23	183
Middelin	17	168
Middelkop	8	129
Middelkop	8	137
Middelkop	2	122
Middelkop	6	125
Middelkop	15	155
Middelkraal	29	198
Middelkraal III	22	175
Middelplaats	23	185
Middelpoort	15	156
Middelpunt	16	163
Middelweg	16	160
Middenspruit	16	159
Middledrift	24	186
Middlemount	22	177
Middleton	23	181
Middleton	17	169
Middlewater	22	178
Middlewater	30	199
Middlewater	22	178
Mid-Illovo	25	192
Mierkraal	27	195
Milkwoodkraal	17	170
Mill Barton	16	165
Millerton	16	164
Millholme	23	185
Mill River	28	197
Mills, The	22	177
Millwood	28	197
Milnersdale	29	197
Mimosa	15	151
Mimosa	7	126
Mimosa	8	134
Mimosa Park	8	130
Mistake	6	125
Mizpah or Vaalbank	9	140
Mkambati	25	191
Mliba	10	147
Mngqesha	24	187
Mochudi	7	127
Modderdrift	16	154
Modderfontein	15	182
Modderfontein (Dynamite Factory)	23	135
Modderfontein or St. Petrock	8	130
Modderfontein	8	141
Modderfontein II	9	183
Modderpoort	23	161
Modder River	14	150
Moddespruit	10	146
Moedersfontein	2	124
Moffat	16	159
Moffat	17	166
Mohalishoek	24	188
Moira	30	200
Mokeetsi	2	123
Molepolole	7	126
Molteno	23	184
Molteno	16	163
Monaro	15	158
Mon Désir	2	124
Mon Repos	16	159
Mons	24	189
Montagu	27	195
Montagu Farm	23	180
Montagu	7	127
Montagu	15	151
Montrose	9	146
Mooibank	8	129
Mooifontein	15	153
Mooifontein	23	183
Mooigelegen	9	140
Mooimeisjesfontein	8	139
Mooiplaats	15	155
Mooiplaats	8	137
Mooiplaats	2	124
Mooivlei	23	182
Mooivlei	23	183
Mooivlei	9	142
Moorddrift	8	139
Moorside	17	167
Mopasgom	7	126
Moreson	16	159
Morgenlicht	17	166
Morgenzon	16	165
Morgenzon	9	142
Morgenzon	9	142
Morning Star	27	194
Morokwen	6	125
Mosdene	8	139
Mosita	6	125
Mossel Bay	28	196
Motkop	24	187
Mountain View	2	121
Mountain View	17	166
Mount Ayliff	25	191
Mount Barnard	15	157
Mount Casteel or Maboki	10	146
Mount Coke	24	187
Mount Edgecombe	18	170
Mount Fletcher	24	189
Mount Frere	24	190
Mount Morkel	16	163
Mount Stephen	16	159
Mount Stuart	2	124
Mount Temple	13	149
Mowbray	15	158
Moyeni	24	188
Mpharane	16	161
Mpofana	17	169
Mposa	18	171
Mqanduli	24	190
Muizenberg	26	193
Muizenburg (Reservoir)	26	193
Muldersvlei	2	123
Mullingar or Vlakfontein	7	128
Murraysburg	22	176
Mushroomvalley	16	159
Mvenyane	25	190
Mvenyane (Forest)	25	191
Myburghsfontein	15	155
Myrthley	9	140
Naauwpoort	22	178
Naauwpoort	9	143

Name of Station. Naam van Stasie.	Section. Seksie.	Page. Pagina.
Naboomspruit	8	139
Natalia	10	147
Natalspruit	8	135
Nazareth House Farm	14	151
N'dabakazi	24	189
Ndindindi	25	191
Ndumu	10	148
Ndwedwe	17	170
Negenfontein	17	167
Nelsdrift	15	156
Nelskop	20	173
Nelskraal	30	200
Nelspoort	22	176
Nelspoort Sanatorium	22	176
Nelspruit	9	146
New Bethesda	22	177
Newcastle (Convent)	17	168
Newcastle (Gaol)	17	168
New Denmark	9	141
New England	24	187
New Hanover	17	169
New Kleinfontein (G.M.)	8	137
Newlands	15	153
Newlands	15	157
Newlands	17	166
Newlands	23	181
Newlands	8	133
Newlands	17	169
Newlands	14	150
New Leede	17	166
New Modderfontein (G.M. Co.)	8	137
New Smitsdorp	9	141
Newvale	16	160
Newyearskraal	14	149
Ngome	18	171
Ngqeleni	25	191
Niekerks Vlei	9	141
Niekerksvlei	15	156
Nieuwe Rust	19	172
Nieuwjaarsfontein	15	157
Nieuwoudtville	20	172
Nigel I	8	137
Nigel II	8	137
Nkandhla	18	171
Nkobongo	24	189
Nkwaleni	18	171
Noblesfontein	21	174
Nogeya	18	171
Noltesville	13	149
Nomadamba	24	188
Nomahasha	10	148
Nondwene	2	125
Nongoma	18	171
Nonniesbult	16	165
Noodshulp	8	136
Nooitgedacht	26	193
Nooitgedacht	22	178
Nooitgedacht	9	140
Nooitgedacht	8	131
Nooitgedacht	8	135
Nooitgedacht	9	144
Nooitgedacht	7	128
Nooitgedacht	8	139
Nooitgedacht	9	145
Nooitgedacht	7	126
Nooitgedacht	16	164
Nooitgedacht	17	169
Nooitgezien	17	168
Nooitverwacht	22	176
Normandale	23	181
Normandy	1	121
Normandy	16	161
Norrie	8	129
North End	15	158
Northfield	15	154
Norvalspont	23	180
Notinsila	25	191
Nottingham	7	126
Nottingham Road	17	168
Nqamakwe	24	189
Nqadu Heights	24	190
Nqadu (Plantation)	24	190
Nququ	24	188
Nqutu	17	169
Ntambanana	18	171
Ntlaza	25	191
Ntywenka	24	190
Num Num	8	138
Nylstroom	8	137
Nylsvlei	8	138
Oakdale	8	139
Oakhurst	24	189
Oaklands	23	181
Oatlands	23	184
Occultdale	26	193
Odendaalsrust	15	157
Ohrigstad	9	144
Oldenburg	16	165
Olifantsfontein	8	136
Olifantspoort	8	130
Olifants River	9	141
Olifantsvlei	7	127
Oliphants Hoek I	13	149
Oliphants Hoek II	13	149
Olivewood	23	179
Olivierspost	16	163
Onde Noree	27	195
Onder Ongeluk	14	149
Onderstepoort	8	135
Ondonga	32	203
Ons Plaas	8	136
Onverwacht	27	194
Onverwacht	9	141
Onverwacht	9	144
Onverwacht	8	131
Onverwacht	2	124
Oogies	9	140
O'okiep	11	148
Oorlogshoek	21	174
Oorschot	9	146
Opperman	16	161
Opzoek	28	196
Orange Grove or Marbury	25	192
Orange River	14	150
Oranje	23	180
Oranjeville	8	135
Orpendale	24	187
Osfontein	23	183
Oshoek	16	163
Oskloof	23	183
Otezella	9	146
Otobotini	18	171
Otterburn	23	185
Ottosdal	7	127
Ottoshoop	7	127
Oudefontein	22	176
Oudeklip	23	183
Oudekloof	21	173
Oudekraal	23	181
Oudtshoorn (Gaol)	28	196
Oudtshoorn (Municipality)	28	196
Oudtshoorn (West Bank)	28	196
Ovendale	29	198
Ovens, The	16	164
Overdene	16	163
Overwinning	15	157
Paardeberg	15	152
Paardefontein	23	180
Paardefontein	20	173
Paardekop	17	167
Paardekop Farm	17	167
Paardekraal	15	157
Paardekraal	22	176
Paardekraal	15	154
Paarde Kraal	21	174
Paardevlei	22	177
Paarl	26	194
Paarlshoop	8	133
Paddock	25	192
Pafuri	3	125
Pakpoort	15	154
Palapye Road	32	202
Palmaryville	2	124
Palmerston	2	121
Palmford	17	167
Palmietfontein	15	153
Palmietfontein	2	121
Palmietfontein	23	183

Name of Station. Naam van Stasie.	Section. Seksie.	Page. Pagina.
Palmietfontein	21	173
Palmietfontein	21	175
Palmietfontein	7	128
Palmyra	6	125
Panata	10	147
Pangbourne	2	123
Panplaats	9	142
Papane	25	190
Papkuil	14	149
Paradise Estate	26	193
Parys	8	131
Parys	15	152
Paschaskraal	9	143
Paternoster	19	172
Paterson	30	200
Patrysfontein	22	176
Paulpietersburg	17	169
Pearston	23	179
Peddie	31	201
Peiserton Estate	14	149
Pella	12	148
Pelserskraal	15	157
Penicuik	18	171
Perdeput	14	150
Perie Forest	24	187
Perzikfontein	15	157
Petrusburg	15	153
Potrusville	22	177
Philadelphia	23	179
Philadelphia	23	179
Philippolis (Police)	23	179
Philippolis Road (Station)	23	180
Philipstown	22	177
Phoenix	18	170
Pienaarsfontein	23	180
Pienaars Nek	9	141
Pienaars River	8	136
Pietermaritzburg (Town)	17	169
Pietermaritzburg (Mental Hospital)	17	169
Pietermeintjes	27	195
Pietersburg (Hospital)	2	122
Pietersburg (Post Office)	2	122
Pietersburg (School)	2	122
Pietersville	15	153
Piet Retief	17	169
Pigeonhole	2	123
Piggs Peak	10	147
Pilansberg	8	129
Pilgrims Rest (T.G.M.E.)	9	145
Pilgrims Rest (Police)	9	145
Pilgrims Rest	9	145
Pinetown	17	169
Piquetberg	19	172
Pisanghoek	2	123
Plankfontein	23	181
Planknek	9	140
Platdrift	27	196
Platkop	15	154
Platkop	16	161
Platrand	17	166
Platveld	2	125
Pleasure	16	159
Plessis Dam	6	125
Plettenberg Bay	29	198
Plumstead	26	193
Pokwani	9	142
Poortfontein	27	196
Poortje	7	126
Poortjesfontein	15	155
Poortjewest	22	175
Populierbank	16	164
Port Alfred	30	200
Port Dunford	18	171
Port Dunford (Forest)	18	171
Port Elizabeth (Lighthouse)	30	200
Port Elizabeth (Golf Club)	30	200
Porterville	26	194
Porterville Road	27	194
Port Nolloth	11	148
Port St. John	25	191
Port Shepstone (Gaoler)	25	192
Port Shepstone (Lightkeeper)	25	192
Postmasburg	14	149
Postmasburg (Westend Diamonds)	14	149
Potchefstroom (Exp. Farm)	8	129
Potchefstroom (Railway Station)	8	129
Potchefstroom (Town)	8	129
Potchefstroom (Reservoir)	8	129
Potfontein	14	150
Potgieterskraal	23	182
Potgietersrust School	9	140
Potgieters Rust (S.A. Police)	9	140
Premier Mine	8	138
Pretoria (Arcadia)	8	135
Pretoria (Bryntirion)	8	136
Pretoria (Burger Park)	8	135
Pretoria (Drylands Exp. Station)	8	135
Pretoria (Prinshof)	8	135
Pretoria (Brooklyn III)	8	136
Pretoria (Sunnyside)	8	135
Pretoria (Fountains)	8	135
Pretoria (Irrigation Stores)	8	135
Pretoria (Leper Asylum)	8	134
Pretoria (Municipal Depot)	8	135
Pretoria (Old Muckleneuk)	8	135
Pretoria (West)	8	135
Pretoria (Rietfontein)	8	136
Pretoria (Skinner's Court)	8	135
Pretoria (Sewage Works)	8	134
Pretoria (New Cemetery)	8	134
Pretoria (West End Plantation)	8	135
Pretoria (New Power Station)	8	135
Pretoria (Meteorological Office)	8	135
Pretoria (Brooklyn II)	8	136
Pretoria (Tvl. University College)	8	136
Pretoria	9	144
Prieska (Gaol)	13	149
Prieska (Bryant)	13	149
Prieskaspoort	13	149
Prince Albert	28	196
Priors	23	180
Progress	6	125
Prospect	16	165
Prospect Farm	24	188
Protem	27	195
Protest	9	142
Puduhusche	13	149
Punda Maria	3	125
Puntjesfontein	15	155
Pusella	2	124
Putfontein	7	127
Pylfontein	23	180
Qacha's Nek	24	190
Quacu Forest	24	188
Quaggasfontein	24	187
Quaggasfontein	21	175
Quaggasdrift	17	167
Quaggasvlakte	15	155
Qudeni (Lot 26)	17	169
Queenstown (Gaol)	23	186
Queenstown (Holley)	23	186
Queenstown (Rein)	23	186
Queenstown (Mental Hospital)	23	186
Quilimane	15	158
Qunu (Plantation)	24	189
Rabula	24	187
Rafidim	16	161
Rainhill or Donkerhoek	8	129
Ramatoeloes Kloof	2	123
Ramoth	14	150
Ramshorn	9	141
Ranches, Ltd	10	147
Randfontein	16	160
Randfontein	8	131
Randjesfontein	16	159
Rattefontein	21	173
Ravenshill	2	124
Rawsonville	27	195
Red Bank	2	123
Reddersburg	15	155
Redhill	18	170
Redhill	2	121
Redlands	2	123
Red Tiger	10	147
Reedsdell	24	189
Reenen Farm	20	173
Reitz	16	164
Remhoogte	9	142
Renswoude	23	179

Name of Station. Naam van Stasie.	Section. Seksie.	Page. Pagina.
Request	7	128
Reserve	10	147
Residence	17	169
Reston	9	142
Retreat	16	163
Retreat	15	155
Retreat	9	146
Rexham	2	121
Rheboksfontein	21	173
Rhenosterfontein	8	130
Rhenosterfontein	8	132
Rhenosterhoek	20	173
Rhenosterpoort	8	132
Richards Bay	18	171
Richmond	22	176
Richmond	17	169
Richmond North	15	157
Rickertsdam	7	127
Ridges, The	25	191
Riekertsvraag	8	139
Rienzi	16	161
Riepen	8	134
Rietbokspruit	8	139
Rietbron	22	175
Rietbult	8	138
Rietfontein	23	179
Rietfontein	23	186
Rietfontein	15	156
Rietfontein	4	125
Rietfontein	15	157
Rietfontein	7	127
Rietfontein	8	132
Rietfontein	8	135
Rietfontein	8	136
Rietfontein	8	137
Rietfontein	8	138
Rietfontein	8	138
Rietfontein	21	174
Rietfontein	28	196
Rietfontein	22	176
Rietfontein	23	181
Rietfontein	23	182
Rietgat	7	127
Rietkuil	9	140
Rietpan	7	126
Rietpan	7	126
Rietpan	7	126
Rietpan	7	127
Rietpoort	17	167
Rietput	15	152
Rietspruit	7	128
Rietspruit	18	171
Rietvallei	7	126
Rietvallei	9	145
Rietvlei	8	133
Rietvlei	21	173
Rietvlei	9	140
Rietvlei or Verdun	8	130
Rietvlei	9	141
Rietvlei	9	144
Rietvlei	7	127
Rietvlei	15	156
Rietvlei	15	158
Rietvlei	28	196
Risk	15	155
River Glen	23	180
River View	18	172
River View	17	167
Riverdale	16	159
Riversdale	24	186
Riversdale (Gaol)	28	196
Riversdale (Johnson)	28	196
Riversford	15	155
Riverside	16	161
Riverside	23	184
Riverside	9	140
Roadside	16	165
Robben Island	26	192
Roberts Heights	8	134
Robertson (Boys' High School)	27	195
Robertson (Gaol)	27	195
Robertson (Plantation)	27	195
Rockdale	23	179
Rockford	24	190
Rockford	23	186
Rocklands	14	150
Rocklands	21	174
Rocklands	23	185
Rocklands	30	200
Rockwood	15	157
Roetshoek	23	183
Rolfontein	9	143
Rondavel	22	175
Rondavel	23	183
Rondeboschje	8	139
Rondefontein	15	153
Rondehoek	2	122
Rondekop	28	196
Rongpoort	17	168
Roodebank	9	140
Roodebergleegte	23	181
Roodebloem	22	177
Roodeëlsbosch	28	197
Roodeheuvel	15	156
Roodeklipheuvel	19	172
Roodekloof	16	159
Roodekop	16	163
Roodekop	8	135
Roodekop	7	129
Roodekrantz	28	197
Roodekranz	8	132
Roodekuil	8	137
Roodepoort	15	153
Roodepoort	16	162
Roodepoort	9	142
Roodepoort (Durban Deep)	8	132
Roodepoort (Municipality)	8	132
Roodepoort	15	157
Rooibandfontein	2	124
Rooiberg	8	131
Rooibokkraal	7	129
Rooikop	8	138
Rooikraal	16	161
Rooi Krantz	29	199
Rooiplaats	29	197
Rooipoort	15	155
Rooipoort	22	175
Rooipoortje	8	130
Rooirivier	28	197
Rooiwal	29	198
Roossenekal	9	143
Rosary, The	21	174
Roseberry Plain	8	132
Rosedale	17	166
Rose Deep Mine	8	135
Roseleigh	17	167
Rosendal	16	163
Rosehaugh	9	145
Roseneath	2	121
Roseneath Estate	8	132
Rosherville	8	134
Rosslands	23	183
Rouxville	23	185
Rowlesfontein	23	179
Rugby	16	165
Ruigtefontein	23	185
Ruigte Vlei	2	122
Ruigtevlei	28	197
Rumpus Ridge	25	192
Rust	16	165
Rustenburg (Exp. Station)	8	130
Rustenburg	8	130
Rust-en-Vrede	28	197
Rustfontein	15	154
Rustfontein	16	163
Rusthof	17	167
Rustpan	15	158
Rust-u-Marie	16	160
Rynheath	22	177
Ryst Kuil	21	175
Sabie I	9	145
Sabie II	9	145
Saccharini	18	170
Saint Audries	17	167
Saint John's Forest	25	191
Saint Joseph Mission	10	147
Saint Leonard's	16	165
St. Michael's Mount	17	169

Name of Station. Naam van Stasie.	Section. Seksie.	Page. Pagina.
Saint Petrock	8	130
Saltberry Plain	8	132
Saltpansnek	29	199
Sandcliff	9	144
Sandflats	25	191
Sandy Mount	15	152
Sans Souci	17	166
Sarnia	17	170
Sassun	24	188
Sawoti	25	192
Schaapplaats	16	162
Schagen	9	145
Schalkie	16	165
Scheerpoort	8	132
Schelm	9	144
Scheurfontein	22	176
Schikfontein	8	136
Schildpatfontein	8	139
Schmidtsdrift	14	150
Schoemanshoek	28	197
Scholtzfontein	14	150
Schoonberg	28	197
Schoondraai	17	166
Schoonheid	15	151
Schoonoord	9	143
Schoonoord	7	127
Schoonoord	9	142
Schuilhoek	22	178
Schuinsdrift	7	127
Schuinskraal	19	172
Schweizer Reneke	15	152
Schweizer Reneke (Lot 15)	15	152
Scottburg	25	192
Sebastian	9	142
Sebeni	25	191
Sehlabathebe	17	166
Selati Ranch	9	145
Seliba	15	158
Semaphone, The	23	181
Senekal	16	161
Serowe	32	203
Setlagoli	7	126
Settlers	8	138
Seymour	23	185
Shannon	15	156
Shannon Valley	15	156
Shark's River	30	200
Sheba (G.M. Co., Ltd.)	10	147
Sheenspost	16	159
Sheldon	30	200
Shenfield or Buffelsfontein	7	128
Shepherd	23	183
Shongweni	17	169
Sibasa	2	124
Siberia	24	187
Silverbank	2	122
Silverdales	31	201
Silver Streams	14	149
Silverton	8	137
Simmer & Jack (G.M. Co.)	8	135
Simmers Pan	8	135
Singceni	10	147
Skaapkraal	9	143
Skaapplaas	16	162
Skaapplaas	16	160
Skema	15	155
Skildpadbeen	29	198
Skutwater	2	122
Slaaihoek	9	144
Slaafkraal	30	200
Slaapplaas	16	163
Slabbertspoort	29	198
Slangfontein	15	153
Slangfontein	21	174
Slangkop	16	159
Slang River	29	199
Sledmere	24	187
Slent	26	193
Sleutelpoortje	30	199
Sleutelspoort	15	153
Slingersfontein	21	174
Slingersfontein	22	177
Slingershoek	22	176
Slurry	7	126
Smaldeel	16	163
Smalfontein	16	163
Smithfield	23	184
Smithskraal	15	152
Smitswinkel Bay	26	193
Smouskolk	21	174
Smuts	13	149
Smythe	13	149
Snowhill	17	167
Snyderfontein	21	174
Snyderskraal	22	176
Sodium	22	175
Soho	2	121
Solomonsfontein	14	150
Somerset	16	163
Somerset East (College)	23	180
Somerset East (Gaol)	23	180
Somerset West	26	193
Sourflats	29	197
Soutfontein	22	176
Spes Bona	27	195
Spes Bona	30	199
Spitskop	15	153
Spitskop	14	151
Spitskrans	16	164
Spitzkop	14	150
Spitzkop	23	182
Spreeuwfontein	14	151
Spreeuwfontein	14	150
Springbokbult	17	167
Springbok	11	148
Springboklaagte	8	140
Springbokvlakte	16	161
Springfield	23	180
Springfield	23	184
Springfontein (Station)	23	181
Springfontein	21	173
Springfontein (Town)	23	181
Springfontein	21	174
Springkell	8	135
Springs I	8	137
Springs II	8	137
Springvale	18	171
Spring Valley	7	126
Spring Valley	23	183
Squamans Post	10	147
Stae Braes	25	192
Standerton	9	141
Stanford	27	195
Stanger	18	171
Stanleyvale	16	165
Steenbras I	26	193
Steenbras II	26	193
Steenbras III	26	193
Steenbras IV	26	194
Steenbras V	26	194
Steenbras VI	26	194
Steenbras Dam	26	193
Steenkopjes	8	131
Stegi	10	148
Steinkopf	11	148
Stellenbosch (Gaol)	26	193
Stellenbosch (Agricultural College)	26	193
Stembok	2	121
Sterkfontein	8	132
Sterkfontein	15	154
Sterkfontein	15	151
Sterkfontein	22	177
Sterkspruit	24	187
Sterkstroom	23	185
Sterkstroom	15	151
Sterkstroom	2	122
Sterkwater	9	145
Steynsburg	23	181
Steynsdorp	9	146
Steynsrust	16	161
Steynsrust	16	161
Steytlerville	29	199
Still Bay	28	196
Stillewoning	23	182
Stiltevrede	22	176
Stockdale	23	183
Stockpoort	1	121
Stoltz River Dam	21	174
Stompkop	16	164
Stonehouse	23	185
Stoneycroft	23	184
Stormfontein	23	182
Storms River	29	198
Stowlands	15	152

Name of Station. Naam van Stasie.	Section. Seksie.	Page. Pagina.
Stradbroke	23	179
Stradbroke West	23	179
Stratford	22	177
Strathcona	16	163
Stratheden	23	179
Strathmore	7	128
Strathyre	9	141
Strawberry Hill	27	196
Streepfontein	17	167
Streepfontein	23	185
Strehla	8	139
Struisvogelpoort	17	168
Strydenburg	14	149
Strydfontein	17	169
Strydkraal	17	167
Strydpan	8	138
Stutterheim	24	187
Sub-Nigel (G.M. Co.)	8	137
Summerford	25	191
Sundays River	23	179
Sunningdale	8	139
Sunnyside	23	184
Sunnyside	9	145
Susanna	16	164
Sutherland	20	173
Sutherland	2	122
Sutherland	20	173
Sutherland	17	169
Sutton	18	171
Swartlaagte	16	162
Swastika	17	169
Sweetlands	24	188
Sweetwaters	16	158
Sweetwaters	2	123
Swellendam	27	195
Swerwerskraal	1	121
Sydney-on-Vaal	14	150
Sydney's Hope	30	200
Syferfontein	8	130
Taaiboschfontein	21	174
Taaiboschlaagte	15	152
Taaiboschspruit	8	133
Tabankulu (Forest)	25	191
Tabankulu (Gaol)	25	191
Table Mountain (Devil's Peak)	26	193
Table Mountain (Disa Head)	26	192
Table Mountain (Maclear's Beacon)	26	193
Table Mountain (Kasteels Poort)	26	192
Table Mountain (St. Michael's)	26	193
Table Mountain (Waai Kopje)	26	193
Table Mountain (Waai Vlei)	26	193
Table Mountain (Woodhead Dam)	26	192
Table Mountain (Woodhead Tunnel)	26	192
Tafelberg Hall	23	179
Tafelberg	17	169
Tafelberg	21	173
Tafelkop	23	179
Takoon	14	150
Tamboersfontein	21	174
Tarbert	9	144
Tarka Bridge	23	181
Tarkastad (Gaol)	23	183
Tarkastad (Station)	23	183
Tarlton	8	131
Tarntaaldraai	15	158
Tarsus	24	186
Taungs	14	151
Tautesburg	9	142
Tegwane	9	142
Telpoort	23	179
Tembani	15	152
Tevreden	9	142
Tevreden	18	171
Tevredenheid	14	151
Tewkesburry	13	149
Teyateyaning	16	162
Thaba 'Nchu	15	158
Thaba 'Nchu	15	158
Thabina	2	124
Thabina (Cotton Estate)	2	124
Thankerton	10	147
Thebus Waters	23	181
Theekloof	21	173
The Olives	15	155
Theron	16	159
Theta Mine	9	145
Theunissen	15	157
Thibet Park	23	184
Thomasgat	22	175
Thomas River	24	187
Thorley	15	157
Thorndale	14	150
Thornkloof Farm	8	133
Thornloe	2	122
Thornycroft	8	137
Tidbury's Toll	23	185
Tigerkloof	14	151
Tobias Zynloop	8	139
Toegedacht	22	178
Toeloop	15	155
Toevlucht	16	159
Tokai	26	193
Tonteldoos	9	143
Tonti	25	191
Tosing	24	189
Touws River	27	195
Toverklip	30	199
Towers, The	26	193
Transvaalia	10	147
Tregenna	8	136
Trekdrift	7	127
Triangle	27	195
Triangle	2	124
Trichardts	9	141
Trompsburg	23	181
Trooilapspan	13	148
Try Again	17	168
Tsakoma	2	124
Tshatsheni	25	190
Tsolo	24	190
Tsomo	24	189
Tubeni	24	190
Tuinplaats	23	179
Tulbagh	27	194
Turffontein	8	129
Turffontein	16	164
Turndale	6	125
Tussenbeide	27	195
Tweedraai	9	141
Tweefontein	23	180
Tweefontein	16	162
Tweefontein	2	122
Tweefontein	8	138
Tweefontein	9	142
Tweefontein	16	164
Tweefontein	14	150
Tweefontein	23	180
Tweekoppiesfontein	7	127
Tweeling	16	164
Tweelingskop	16	164
Twee Rivers	8	131
Twee Rivieren	29	198
Tweespruit	16	158
Twenty-four Rivers	8	136
Twyfelspoort	7	128
Tygerpoort	8	137
Tylden	24	186
Tzaneen	2	124
Ubombo	18	171
Uienhoek	23	182
Uitenhage (Gaol)	30	199
Uitenhage (Park)	30	199
Uitenhage (Ingge)	30	199
Uitenhage (Springs)	30	199
Uitenhage (Cannon Hill)	30	199
Uitgevallen	8	133
Uitkomst	9	144
Uitkomst	15	151
Uitkomst	9	142
Uitkomst	22	177
Uitkyk	15	152
Uitkyk	15	155
Uitkyk	15	155
Uitkyk	15	156
Uitkyk	9	141
Uitkyk	7	126
Uitlanderskraal	7	128
Uitloop	9	140
Uitvlucht	17	166

Name of Station. Naam van Stasie.	Section. Seksie.	Page. Pagina.
Uitvlugt	29	198
Uitzicht	9	141
Uitzicht	9	142
Uitzicht	9	142
Uitzicht	16	164
Uitzicht	22	178
Uitzoek	16	165
Umbogintwini	17	170
Umgenyana	10	147
Umlaas	17	170
Umnxsha	24	187
Umpilusi	9	144
Umtata	24	190
Umzimkulu (Houtbos)	25	191
Umzimkulu (Gaol)	25	191
Umzimkulu II	25	191
Una	2	122
Uniondale	29	198
Uniondale Road	29	197
Union Saltpan	14	150
Unity	16	159
Upington (Gaol)	13	148
Uplands	8	133
Uplands	30	200
Upper Matjesvlei	21	175
Utrecht	17	169
Vaalbank	8	133
Vaalbank or Mizpah	9	140
Vaalbank	15	154
Vaalbank	15	154
Vaalbank	17	169
Vaalbank	23	182
Vaalbank	16	162
Vaalbank	15	157
Vaalbank	16	163
Vaalbank	9	140
Vaalbankskuil	16	158
Vaalboschfontein	15	154
Vaalboschhoek	6	125
Vaalhoek	9	145
Vaalkop	7	127
Vaalkop	8	131
Vaalkop	8	136
Vaalkrans	16	162
Vaalkrans	23	180
Vaalvlei	23	183
Val	8	139
Valleifontein	7	126
Van der Byl	2	123
Van der Lindesdam	23	181
Vandermerwesdrift	17	167
Van de Venters Rust	16	162
Vandykskraal	16	161
Van Kolders Kop	8	139
Van Reenen's Pass	17	166
Van Rhynsdorp	19	172
Van Schoorsdrift	26	193
Van Staaden's	30	199
Van Staaden's (Hill)	30	199
Van Tonderskans	14	150
Van Vuurenshoek	23	182
Van Wyks Rust	8	132
Vanwyksvlei	21	173
Varkenskuil	8	138
Varsch Vlei	23	181
Vastrap	8	139
Vechtkop	16	162
Vendutiekop	15	153
Ventersburg	16	159
Ventersburg Road	16	159
Ventersdorp I	7	128
Ventersdorp II	7	128
Ventersfontein	23	179
Venterstad	23	181
Venterstad	23	181
Ventersvlei	15	152
Ventnor	23	184
Verblyding	16	160
Verde Prado	25	191
Verdiend	18	171
Verdun or Rietvlei	8	130
Vereeniging I	8	133
Vereeniging III	8	133
Vergelegen	22	177
Vergenoeg	23	179
Vergenoeg	16	164
Vergenoeg	7	127
Verkeerdepan	9	143
Verkeerdevlei	15	157
Verkykerskop	17	166
Verona	14	151
Verulam	18	170
Verwag	8	131
Verzamelshoek	2	122
Vetkraal	23	184
Vettevlei	29	198
Victoria West	22	175
Vierfontein (Police)	15	157
Viljoensdrift	8	133
Viljoenshoop	9	144
Viljoenskroon	16	163
Villiers	16	165
Villiersdorp	27	194
Vindragersfontein	21	173
Vineyard	23	185
Vischgat	16	162
Visgat	21	174
Vissersdrift	14	151
Vlagfontein	21	174
Vlakfontein	8	137
Vlakfontein	9	143
Vlakfontein	22	175
Vlakfontein or Mullingar	7	128
Vlakfontein	8	139
Vlaklaagte	9	141
Vlaklaagte	9	142
Vlakplaats	23	180
Vlakplaats	9	145
Vlakplaats	8	139
Vlakpan	7	127
Vlakspruit	9	141
Vlakteplaats	28	197
Vleeschfontein	7	127
Vleiplaats	9	142
Vleikraal	29	199
Vliegenkraal	28	197
Vlieger Farm	7	128
Vogeldraai	16	164
Vogelfontein	14	150
Vogelfontein	7	128
Vogelfontein	8	139
Vogelstruisfontein	9	141
Vogelstruiskooi	15	157
Vogelstruiskraal	8	129
Vogelstruiskuil	7	126
Vogelvlei	6	125
Volksrust I	17	168
Volksrust II	17	168
Vondeling	29	198
Voorspoed	16	159
Voorwaarts	23	184
Vosburg	21	175
Vrede	16	165
Vrede (Town)	17	166
Vrede (School)	17	166
Vredefort (School)	16	160
Vredenburg	19	172
Vrederust	24	186
Vrolikheid	16	161
Vruchtbaar	27	194
Vryheid (Gaol)	17	169
Vryheid	17	169
Vryburg	6	125
Vuurfontein	19	172
Vyfhoek	8	129
Vyfhoek	9	143
Vygeboompoort	8	137
Vygeboomspruit	2	124
Waaihoek	16	162
Waaikraal	8	131
Waaikraal	8	138
Waaiplaats	23	182
Waaipoort	29	199
Waaipoort	23	186
Wagenboomkraal	28	197
Wagendrift, De	8	138
Wahroonga	17	168
Wakkerstroom	17	168

Name of Station. Naam van Stasie.	Section. Seksie.	Page. Pagina.
Waldburg	2	121
Wall's Place	18	172
Walmer	30	200
Walsingham	23	179
Walvis Bay	32	203
Wanstead	25	190
Waratah	24	187
Warden	16	165
Wardenfield	15	157
Wargundy	16	159
Warmbaths (Hotel)	8	136
Warrenton	14	151
Waschbank	17	169
Waterboom	2	124
Waterfall	17	167
Waterfall	22	177
Waterfall, The	24	189
Waterford	8	135
Waterford	16	162
Waterford	7	129
Waterford	15	158
Waterford	30	199
Waterkloof (Country Club)	8	136
Waterkloof	8	130
Waterkloof	23	179
Waterland	16	160
Waterpan	9	140
Waterpan	15	157
Water Reserve	2	123
Watershed	9	142
Waterval (752)	15	153
Waterval	2	122
Waterval	9	140
Waterval	9	142
Waterval	9	144
Waterval	23	182
Waterval	9	145
Waterval Boven	9	144
Waterval Onder	9	144
Waterval West	14	151
Waverley	8	134
Waverley	23	184
Waverley Mills	27	194
Weenen	17	168
Wefing	8	130
Wegdraai	14	151
Weilaagte	8	139
Welbedacht	20	173
Welbedacht	7	127
Welbedacht	30	200
Welbedacht	28	196
Weldon	22	176
Welgedacht	8	137
Welgedacht	23	184
Welgegund	8	136
Welgelegen	29	198
Welgelegen	9	143
Welgelegen	6	125
Welgevonden	23	184
Welgevonden	7	127
Welkom	18	171
Welkom	15	157
Wellington	26	194
Wellwood	22	177
Weltevrede	28	196
Weltevreden	23	184
Weltevreden	9	141
Weltevreden	9	141
Weltevreden	8	130
Weltevreden	8	133
Weltevreden	23	183
Weltevreden	21	174
Weltevreden	9	143
Weltevreden	2	122
Weltevreden	2	123
Weltevreden	9	144
Weltevreden	9	146
Welvaart	17	166
Welverdiend	8	130
Welverdiend	9	141
Wemmerhoek	9	144
Wenaarsbaken	23	183
Wendover	7	128
Wepener (Roche)	16	159
Wepener (Pettit)	16	159
Wesselsbron	15	156
Westbrook	18	170
Westbury	25	191
Westerdale	30	200
Westfalia	2	123
Westhartebeesthoek	16	164
Westhoek	15	153
Westminster	16	159
Westward Ho	23	182
Wexford	16	162
Weza Plantation	25	191
Wheatland	24	186
Wheatlands	23	183
Wheeldon	15	152
Whinburn	16	164
Whitehills	9	146
White Hills Rail	27	195
White River	10	146
Whites	16	159
Wicksfield	15	156
Wiegnaarspoort	22	175
Wildebeestfontein	9	141
Wildebeestkooi	22	175
Wilderness	8	136
Wilgeboomnek	15	158
Wilgeboschfontein	2	123
Wilgefontein	21	173
Wilgekraal	9	144
Wilgerboschdrift	21	173
Wilge River	8	139
Willow, The	22	177
Willowdale	25	191
Willow Glen	28	197
Willow Grange	8	134
Willowmore	29	198
Willows	8	137
Willows, The	22	177
Willows, The	15	155
Willows, The	24	187
Willowvale	16	160
Willowvale	24	189
Wilo	24	190
Wilton Valley	1	121
Wimbledon	14	150
Winburg	16	158
Winburg	8	138
Winchester	9	143
Windheuvel	29	198
Windhoek	21	173
Windmolenplaats (Mountain)	23	181
Windmolenplaats (Farm)	23	182
Windsor	23	183
Windsorton	14	151
Windsorton Road	14	151
Winkelhaak	17	166
Winkelplaats	16	162
Winkelpost	15	158
Winkelspruit	25	192
Winstead	13	149
Winterhoek	22	178
Winterhoek	22	177
Winterhoek	23	183
Wintersveld	15	155
Winton	13	149
Wisselrode	10	148
Witbank I	9	141
Witbank II	9	141
Witbanksfontein	16	163
Witfontein	8	134
Witfontein	8	138
Witkleifontein	8	136
Witklip	8	138
Witklip	9	144
Witkop	15	157
Witkoppies	8	129
Witmoss	23	181
Witpoort	9	140
Wittebank	8	139
Witteëlsbosch	29	199
Witteklip Estate	30	199
Witziershoek	16	165
Woburn	8	137
Woburn	16	160
Woburn	23	186
Wolfenden	17	168

Name of Station. Naam van Stasie.	Section. Seksie.	Page. Pagina.
Wolfridge	24	186
Wolhuterskop	15	154
Wolhuterskop	8	131
Wolmada	22	177
Wolmaransstad	15	155
Wolseley	27	194
Wolvekloof	23	182
Wolvekraal	29	197
Wolvekraal	8	131
Wolverand	7	128
Wolvehoek	22	176
Wonderboom	7	127
Wonderboom	16	159
Wonderboom	23	182
Wonderboom (School)	8	135
Wonderfontein (School)	7	127
Wonderfontein	7	127
Wonderfontein	9	143
Wonderfontein	8	130
Wonderklip	15	155
Wonderkop	16	159
Woodbush (Forest No. 1)	2	123
Woodbush (Forest No. 2)	2	123
Woodford	18	172
Woodfort	16	164
Woodlands	24	188
Woodlands	8	131
Woodlands	2	122
Woodlands	8	133
Woodside	16	165
Woodstock	7	128
Woodville	28	197
Wooldridge	8	131
Woolhope	24	189
Worcester (Gaol)	27	195
Wortelfontein	22	176
Woudzicht	16	165
Wupperthal	20	173
Wyford	17	167
Wynberg	16	165
Wynberg (St. Mary's Convent)	26	193
Xumeni	17	168
Yardley Chase	23	185
Yaxham	16	159
York	15	158
Yoxford	15	158
Yzerfontein	8	131
Zaaihoek	16	164
Zaaiplaats	17	170
Zaaiplaats	8	139
Zamenkomst	2	122
Zamenkomst	8	129
Zamenkomst	8	129
Zamenloop	16	159
Zandbakken	8	139
Zandfontein	15	152
Zandfontein	8	130
Zandfontein	8	137
Zandfontein	9	140
Zandfontein	8	137
Zand River	8	134
Zandrivierpoort	8	134
Zandspruit	17	167
Zastron	24	186
Zebraspoort	23	179
Zeekoegat	9	141
Zeekoegat	9	142
Zeekoehoek	8	131
Zeekoevlei	21	173
Zeerust	7	127
Zevenfontein	15	153
Ziek	2	125
Zilverkop or Lower Goedverwacht	9	144
Zoetendalspoort	29	197
Zoetendal's Vallei	27	195
Zoetveld	16	165
Zoetvlei	22	176
Zomerkomst	2	123
Zomershoek	17	168
Zondagsfontein	8	139
Zonderhout	16	163
Zonderwater	8	138
Zonnebloem	23	185
Zorgvliet	16	160
Zoutkoppies	28	197
Zoutpan	14	150
Zoutpan	8	134
Zuikerboschfontein	9	144
Zuikerboschfontein	8	131
Zuikerboschfontein	8	132
Zuurbekom	8	132
Zuurberg	30	200
Zuurbraak	27	195
Zuurfontein	23	179
Zuurfontein	23	183
Zwagershoek	9	144
Zwartfontein	9	142
Zwartkop	8	135
Zwartkop	8	135
Zwartkop (Aerodrome)	8	135
Zwartkoppies	8	134
Zwartkoppies	8	137
Zwarte Kraal	28	197
Zwartlaagte	24	187
Zwartmodder	12	148
Zwaartrandjes	2	123
Zwartruggens	7	128
Zwart Siding	21	173
Zyferbult	1	121


15°
17°
19°
21°
23°
25°
27°
29°
31°
33°
24°
27°
30°
33°
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
PRETORIA
JOHANNESBURG
KIMBERLEY
BLOEMFONTEIN
PIETERMARITZBURG
DURBAN
BEAUFORT WEST
CAPE TOWN
PORT ELIZABETH
INSET ON SHEET 11
KEY MAP
TO
SHEETS