METEOROLOGICAL REGISTER OF SYRIAN PROTESTANT COLLEGE, BEIRUT, SYRIA.

LAT. 33° 54' 22" N.

LONG. E. FROM GREENWICH 35° 28' 10"

Year 1895
Month January

Height of Barometer above Sea level ~~33.7~~ 35.0 meters
" " Thermometer above the earth 1.22 "
" " Rim of Rain Guage above " 0.36 "
Hours of observation 8½ 2½ 8½

Date	Barometer as read 8½ Attached Thermometer Cent.	8½ Barometer Millimeters	2½ Attached Thermometer Cent.	2½ Barometer Millimeters	8½ Attached Thermometer Cent.	8½ Barometer Millimeters	Barometer reduced to 0° and sea level 8½	2½	8½	mean	Thermometer Cent. max.	min.	min. on grass	Solar Black Bulb
1	13.9	762.5	17.2	760.4	16.3	758.9	763.7	761.1	757.8	761.5	19.9	10.8	9.6	
2	15.6	759.3	18.1	758.6	16.1	758.2	760.3	759.3	757.1	759.6	19.8	13.5	11.2	
3	15.3	756.2	18.1	754.8	17.2	752.6	757.2	753.4	753.4	755.3	21.4	13.9	10.8	
4	16.1	756.1	15.2	757.7	15.2	762.0	757.1	758.9	763.0	760.0	18.4	13.8	12.3	
5	15.4	767.0	16.5	766.5	15.1	767.1	768.0	767.1	768.2	767.8	17.6	6.5	10.9	
6	13.8	765.1			14.6	761.9	766.3	764.0	763.0	764.4	17.1	10.4	7.6	
7	13.8	761.4	19.1	761.4	15.6	761.7	762.6	761.9	762.7	762.4	18.1	11.4	8.8	
8	14.0	762.5	16.4	762.3	15.4	763.4	763.8	765.7	764.4	764.6	18.2	11.5	10.3	
9	14.6	764.1	16.1	763.2	14.3	763.3	765.3	764.1	764.4	764.6	17.1	12.6	10.6	
10	14.0	762.4	16.1	758.9	15.5	760.1	763.7	757.8	761.0	761.5	19.4	12.0	8.9	
11	15.6	762.1	16.5	762.3	15.3	763.8	763.1	763.2	764.8	763.7	18.1	12.8	12.6	
12	14.8	765.1	16.4	764.4	15.0	764.8	766.3	765.2	765.9	765.8	17.9	11.6	8.6	
13	13.9	762.7	15.7	760.7	15.3	761.2	763.9	761.7	762.3	762.6	17.3	11.6	9.1	
14	14.4	762.0	15.7	761.9	15.1	761.6	763.2	762.8	762.7	762.9	16.6	10.4	8.5	
15	14.1	762.6	15.0	763.7	14.4	765.6	763.8	764.7	766.7	765.1	15.7	11.1	10.0	
16	13.2	766.5	15.1	766.5	14.1	767.2	767.9	762.5	768.4	767.9	17.1	9.8	7.3	
17	13.2	767.5	15.2	767.2	14.6	768.5	768.8	768.3	769.7	768.7	16.6	10.1	8.3	
18	12.5	768.8	14.3	767.8	13.4	768.6	770.2	768.9	769.9	769.7	16.3	9.2	7.1	
19	12.1	768.7	14.1	[illegible]	13.1	766.8	770.2	768.4	768.1	768.9	15.6	9.1	7.2	
20	12.7	766.0	14.9	764.1	14.5	764.3	767.4	765.1	765.5	766.0	15.9	9.8	8.0	
21	12.9	764.2	14.7	763.8	13.5	765.4	765.6	764.9	766.7	765.7	16.2	10.1	7.7	
22	13.0	767.8	15.0	768.3	13.7	770.0	769.1	769.4	771.3	769.9	17.1	10.1		
23	12.9	770.0	16.4	769.4	14.4	769.2	771.4	770.2	770.3	770.6	17.3	10.1		
24	14.2	767.7	15.7	765.8	14.7	764.6	768.9	766.8	765.7	767.1	17.7	11.2		
25	13.9	762.0	15.8	760.8	14.7	761.2	763.2	761.8	762.4	762.5	18.8	12.1		
26	13.9	761.7	16.6	760.7	15.1	761.0	762.9	761.6	762.0	762.2	18.1	11.4		
27	14.7	761.8	17.2	761.3	16.1	762.5	762.9	762.1	763.4	762.8	18.8	12.8		
28	15.0	764.6	16.6	764.1	16.3	764.4	765.6	765.0	765.3	765.3	17.7	12.1		
29	15.4	764.8	17.4	763.8	16.6	763.7	765.8	764.5	764.6	765.0	18.6	13.7		
30	15.3	763.2	17.4	762.7	15.6	762.3	764.2	763.4	763.2	763.6	19.1	12.9		
31	16.7	761.9	18.2	763.4	17.4	763.0	762.7	762.5	764.6	765.0	20.6	14.4		
Sums							23715.1	23682.8	23684.6		551.6	352.8		
Means							765.00	763.96	~~763.92~~ 764.51	764.57	17.8	11.8		

Date	Dry Bulb Cent. 8½	2½	8½	mean	Wet Bulb Cent. 8½	2½	8½	Elasticity of vapor Millimeters 8½	2½	8½	mean	Relative Moisture per cent. 8½	2½	8½	mean
1	15.5	18.8	16.6	17.0	10.6	12.8	11.2	7.1	7.9	7.2	7.4	54	48	51	51
2	16.0	18.8	14.6	16.5	10.1	13.2	10.9	6.5	8.3	7.8	7.5	48	57	63	54
3	16.4	20.6	17.3	18.1	11.3	13.6	10.1	7.4	8.0	6.5	7.3	53	45	44	47
4	13.8	12.9	13.3	14.0	9.7	11.3	12.9	7.0	9.1	9.0	8.4	61	82	69	71
5	13.8	16.9	12.7	14.5	12.1	13.0	11.1	9.4	8.2	8.7	9.1	80	62	87	74
6	13.3	16.7	14.0	14.7	10.0		10.8	7.5		8.0		65		67	
7	13.9	17.0	13.6	14.8	8.7	9.8	10.4	6.0	6.0	7.8	6.6	51	41	67	53
8	13.3	17.4	14.0	14.9	8.8	9.8	11.1	6.4	5.8	8.2	6.8	55	39	69	54
9	13.1	16.2	12.9	14.1	9.9	11.9	10.1	7.5	8.1	7.7	7.8	67	60	89	72
10	13.1	18.9	16.1	16.0	9.7	13.9	12.7	7.2	9.1	8.5	8.3	74	56	63	64
11	15.1	16.7	13.8	15.2	12.1	12.6	11.5	8.8	8.5	8.8	8.7	69	60	74	68
12	13.5	16.9	13.6	14.7	9.9	11.4	9.9	7.4	7.3	7.3	7.3	64	51	63	59
13	13.3	16.2	15.5	15.0	8.5	11.6	10.8	6.1	7.8	7.3	7.1	53	57	56	55
14	11.4	14.6	12.7	12.9	9.9	12.3	11.6	8.3	9.4	9.5	9.1	82	76	88	82
15	13.9	14.8	11.8	13.5	10.5	10.1	9.2	7.7	6.9	7.3	7.3	65	55	71	64
16	11.5	15.8	12.2	13.2	7.9	11.0	9.3	6.8	7.4	7.2	7.1	62	55	68	62
17	11.6	13.6	14.6	13.3	8.2	10.5	9.4	6.4	7.0	6.8	6.7	63	54	55	57
18	10.6	14.7	10.7	12.0	7.2	9.7	7.4	6.0	6.6	6.1	6.2	63	53	64	60
19	10.8	14.7	11.5	12.3	7.4	10.3	9.4	6.1	7.2	7.6	7.0	63	57	73	64
20	12.2	15.2	14.9	14.1	8.9	8.9	7.9	6.9	5.8	5.2	6.0	64	45	43	51
21	12.1	15.2	11.6	13.0	7.8	9.1	7.6	5.9	5.7	5.7	[illegible]	56	46	59	54
22	11.6	16.1	12.6	13.4	8.3	12.4	9.8	6.6	8.8	8.3	7.9	65	64	71	67
23	12.2	16.4	13.1	14.2	7.7	13.5	11.6	5.8	9.8	9.3	8.3	55	71	82	69
24	13.8	16.8	13.8	14.6	9.1	12.6	10.7	6.4	8.5	8.3	7.7	53	57	72	62
25	13.3	17.0	10.6	13.6	8.7	12.2	9.4	8.4	8.0	8.2	8.2	51	56	85	64
26	12.9	17.6	14.9	15.1	6.5	11.3	11.2	4.7	7.0	7.4	6.4	43	47	59	50
27	15.9	18.1	14.9	16.3	10.1	13.7	12.6	6.5	9.2	9.4	8.3	48	60	74	61
28	13.8	16.9	15.6	15.4	12.1	14.2	13.2	9.4	10.4	9.8	9.9	80	73	75	76
29	15.3	17.9	14.8	16.0	12.3	14.7	13.2	9.0	10.5	10.3	9.9	66	68	82	72
30	14.8	18.4	16.1	16.4	11.4	15.2	11.6	8.3	10.9	7.9	9.0	63	69	58	64
31	16.2	18.8	16.2	17.1	12.4	15.2	13.2	[illegible]	10.5	[illegible]	[illegible]	63	68	82	72
Sums	418.0	516.0	432.1					222.2		249.7		1903		2128	
Means	13.5	17.0	13.9					7.2		8.1		61.4	~~68.5~~	68.5	

Date	Clouds (Clear—0, Overcast—10) 8½	2½	8½	mean	Direction and force of Wind 0—10 8½	2½	8½	Wind per day, miles Km.	Sea	Rain in 24 hours measured at 8½ A.M. & 8½ P.M. inches A.M.	P.M.	Total	Observations and Phenomena
1	3 cir	4 cir	6 cum	4.3	E.1	N.2	N.E.2		Tra				
2	0	0	0	0	N.1	S.W.1	E.1		Tra				
3	0	0	0	0	0	S.W.1	O.W.1		Tra				
4	5 Cum & Nim	9 C & Nim W	10 Cum	8.0	S.2	W.3	S.W.1		Agita	0.04	0.26	0.30	
5	7 Cum & Nim	3 Cum	0	3.3	S.E.1	S.S.W.1	S.E.1		Agita	0.05	0.03	0.08	
6	0	0	0	0	S.E.1	E.1	0		Tra				
7	1 cir	5 cir W	1 cir	2.3	S.1	N.1	S.1		Tra				
8	2 cir	6 cir W	10 cir S	6.0	S.1	N.1	S.1		Tra				
9	9 cir S	7 cir	10 cir S	8.7	S.E.1	N.1	S.E.1		Tra				
10	9 cum	5 cum W	8 cum W	7.3	S.E.1	0	S.1		Tra				
11	7 cum S.W	6 cum N	9 cum E.N.E	7.3	S.W.1	N.1	S.E.1		Tra	0.01		0.01	
12	4 cir & cum	1 cir	0	1.7	S.E.1	N.1	S.E.1		Tra				
13	1 cum	1 cir	4 cum	2.0	S.E.1	N.1	S.E.1		Tra				
14	4 cum	8 cum W	10 Nim	7.3	S.E.1	E.1	N.E.1		Tra	0.325	0.07	0.395	T ▲ ●
15	7 cum W	1 cum	0	2.7	N.3	N.E.1	S.E.1		Tra	0.24		0.24	●
16	2 cum	3 cir-c & cum	1 cum	2.0	S.1	N.1	S.E.1		Tra				
17	1 cum	1 cum	0	0.7	S.E.1	N.1	N.1		Tra				
18	0	0	0	0	S.E.1	N.W.1	S.W.1		Tra				
19	1 cum	0	0	0.3	S.E.1	N.W.1	S.W.1		Tra				
20	7 cir-c S.W	1 cir	1 cum	3.0	S.E.1	N.1	N.2		Tra				
21	3 cir-c	1 cum & cir	0	1.3	S.E.1	N.1	S.E.1		Tra				
22	0	1 cum	0	0.3	S.1	N.W.1	S.E.1		Tra				
23	2 cum	1 cum S.W	0	1.0	S.E.1	S.1			Tra				
24	8 cir & cir-c	6 cir	0	4.7	0	0	S.E.1		Tra				
25	4 cir & cir-S.W	4 cum	0	2.7	S.E.1	S.W.1	N.1		Tra				
26	0	0	1 cum	0.3	S.E.1	N.E.1	S.1		Tra				
27	2 cir-c	1 cir	0	1.0	0	N.1	0		Tra				
28	1 cum	2 cir-c	10 St	1.3	S.W.1	N.1	E.N.E.1		Tra				
29	7 cir & cir-S	9 cir & cir-S	0	5.3	0	N.1	E.1		Tra				
30	0	0	0	0	0	N.1	0		Tra				
31	0	7 cir & cir-c S.W	6 Cum	4.3	S.1	S.W.2	0		Tra				
Sums	97	93	78							0.66	0.361	1.025	
Means	3.1	3	2.5							16.8	9.1	0.033	

Barometer Maximum 771.4 on 23
" Minimum 753.4 on 3
Thermometer Maximum 21.4 on 3
" Minimum 6.5 on 5

LIBRARY
N.O.A.A.
U.S. Dept. of Commerce

Oversize QC 990 .L4 M6 1895

National Oceanic and Atmospheric Administration

Climate Database Modernization Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Climate Database Modernization Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

LASON
Imaging Subcontractor
12200 Kiln Court
Beltsville, MD 20704-1387
March 28, 2002

METEOROLOGICAL REGISTER OF SYRIAN PROTESTANT COLLEGE, BEIRUT, SYRIA.

LAT. 33° 54' 22" N.

LONG. E. FROM GREENWICH 35° 28' 10"

Year 1895
Month February

Height of Barometer above Sea level 33.7 meters
" " Thermometer above the earth 1.22 "
" " Rim of Rain Guage above " 0.36 "
Hours of observation 8½ 2½ 8½

Date	Barometer as read 8½ Attached Thermometer Cent.	8½ Barometer Millimeters	2½ Attached Thermometer Cent.	2½ Barometer Millimeters	8½ Attached Thermometer Cent.	8½ Barometer Millimeters	Barometer reduced to 0° and sea level 8½	2½	8½	mean	Thermometer Cent. max.	min.	min. on grass	Solar Black Bulb	Dry Bulb Cent. 8½	2½	8½	mean	Wet Bulb Cent. 8½	2½	8½
1	16.6	764.6	17.6	763.1	16.3	763.1	763.4	763.8	764.0	764.4	18.1	13.7			14.8	16.4	15.2	15.5	12.7	12.8	12.1
2	15.6	763.9	17.6	763.2	15.6	763.7	764.9	763.9	764.7	764.5	18.3	12.7			14.6	17.2	12.7	14.8	11.5	12.8	9.4
3	15.0	763.3	17.4	763.4	16.3	761.4	764.4	762.2	762.4	763.0	18.6	11.7			13.4	17.0	13.4	14.6	11.6	13.0	11.5
4	15.3	760.9	16.3	759.1	15.6	757.0	761.3	760.1	761.1	760.5	17.3	11.6			13.7	15.8	13.7	14.4	11.7	13.0	11.7
5	14.8	756.4	16.5	754.4	16.2	756.8	757.5	755.6	757.7	756.9	19.9	12.3			14.0	18.1	16.5	16.2	11.4	14.3	12.0
6	15.7	761.2	16.8	761.8	16.5	763.1	762.2	762.6	764.0	762.9	18.9	13.2			14.6	17.5	15.5	15.9	13.3	15.0	13.0
7	15.7	764.5	18.1	763.2	16.7	763.9	765.5	763.8	764.7	764.7	18.7	13.3			13.8	17.9	15.8	15.8	12.1	15.1	14.6
8	15.8	764.2	18.0	762.7	16.8	763.0	765.2	763.4	763.8	764.1	19.6	13.8			14.9	18.5	15.5	16.3	12.3	15.7	14.8
9	16.6	761.3	19.9	757.5	17.8	759.0	762.2	759.9	759.8	760.6	22.9	13.2			16.4	20.6	17.7	18.2	13.9	16.1	14.5
10	18.9	757.1	20.1	755.8	18.9	759.4	757.6	755.6	760.2	759.4	22.5	16.0			19.4	22.1	18.1	19.9	14.0	16.1	15.9
11	17.9	759.8	19.0	761.2	17.8	762.8	760.5	761.7	763.5	761.9	20.1	16.1			15.7	18.3	16.2	16.8	15.4	15.3	13.2
12	16.7	764.5	18.9	764.6	17.2	764.4	765.4	765.2	765.2	765.3	18.6	12.8			15.1	17.9	15.6	16.2	12.1	13.5	12.8
13	15.3	763.6	17.5	762.3	17.2	762.2	764.7	763.0	763.0	763.6	18.8	11.8			14.1	18.2	16.5	16.3	11.4	14.5	14.3
14	16.4	762.2	17.8	760.8	17.2	757.8	763.1	761.5	758.6	761.1	18.7	13.1			15.6	18.3	17.1	17.0	13.3	14.8	13.8
15	17.1	760.6	17.8	759.6	16.7	761.1	761.4	760.4	761.9	761.2	19.3	14.9			16.1	16.1	15.2	15.8	11.9	12.8	13.1
16	15.9	761.5	17.4	760.1	16.3	759.7	762.4	760.8	760.6	761.3	18.8	9.1			14.6	16.3	14.0	14.9	12.1	13.1	12.8
17	15.2	757.6	17.1	754.7	16.3	755.0	758.7	755.5	755.9	[illegible]	18.0	9.1			14.2	17.1	14.6	15.3	11.1	13.1	12.1
18	18.1	753.6	19.9	753.4	18.8	752.8	754.0	753.8	753.4	753.8	25.3	14.1			16.9	20.8	18.3	18.7	13.0	16.7	15.1
19	19.6	758.3	20.0	758.4	18.2	758.8	758.7	758.5	759.5	758.9	22.1	17.9			19.4	19.4	15.7	18.2	13.3	15.3	11.3
20	16.3	759.5	16.4	762.1	15.6	763.5	760.5	763.0	764.5	762.7	17.2	9.4			12.7	14.6	12.8	13.7	10.8	10.7	10.4
21	15.0	762.4	16.1	761.5	15.2	762.4	763.5	762.5	763.5	763.2	16.3	10.3			13.8	13.5	14.2	13.8	10.7	11.8	10.5
22	14.6	763.0	16.3	762.9	15.2	762.9	764.1	763.6	764.0	763.9	17.4	11.5			13.5	16.7	13.1	14.4	10.7	13.1	11.2
23	14.7	761.1	17.1	759.6	16.2	757.6	762.8	760.4	758.5	760.6	17.9	11.5			14.2	17.6	16.3	16.0	11.3	13.4	14.1
24	16.5	753.8	19.1	749.4	16.7	752.7	753.9	750.0	753.6	752.5	23.4	13.8			18.6	18.7	13.9	17.1	13.2	15.6	12.8
25	14.8	755.4	15.4	757.6	14.6	~~761.8~~	756.5	758.6	760.4	758.5	15.3	8.9			12.4	14.4	12.8	13.2	9.7	11.8	
26	14.4	760.3	15.7	761.1	14.1	761.8	761.4	762.0	763.0	762.1	17.0	10.5			14.0	15.8	13.0	14.3	10.1	11.6	9.9
27	14.0	761.4	15.2	759.2	15.1	758.0	762.6	760.3	759.0	760.6	16.8	9.8			13.4	15.7	16.2	15.1	9.4	11.7	13.7
28	16.0	757.5	19.8	754.9	19.2	755.6	758.5	755.4	756.2	756.7	25.6	13.0			18.3	24.6	21.1	21.3	13.4	16.7	15.6
29																					
30																					
31																					
Sums							21321.2	21290.2	21305.5		540.9	348.6 ~~422.4~~			422.4	495.1	430.9				
Means							761.4	760.36	760.91	760.91	19.3	12.45 ~~15.1~~			15.1	17.7	15.4	16.1			

Date	Elasticity of vapour Millimeters 8½	2½	8½	mean	Relative Moisture per cent. 8½	2½	8½	mean	Clouds. Clear—0 Overcast—10 8½	2½	8½	mean	Direction and force of Wind. 0—10 8½	2½	8½	Wind per day. miles Km.	Sea	Rain in 24 hours measured at 8½ A.M. & 8½ P.M. inches. mm. A.M.	P.M.	Total	Observations and Phenomena
1	9.7	9.0	8.8	[illegible]	78	65	69	71	7 Cum.	10 Cum.	10 Cum.	9.0	S.1	W.1	0		Tran				
2	8.5	8.6	7.1	8.1	69	57	65	64	3 Cum. S.W.	3 Cir-C	1 Cum	3.7	N.W.1	0	S.E.1		Tran				
3	8.0	8.9	9.0	8.6	69	62	78	70	4 Cir & Cum	3 Cir-C	10 Nim & Cum	5.7	S.E.1	S.W.1	0		Tran	0.01		0.01	●
4	9.1	9.5	9.0	9.2	77	71	74	74	8 Cum	9 Cum	7 Cum & Cir-S	8.0	0	S.1	S.E.1		Tran	0.065	0.06	0.125	● [symbol]
5	8.6	9.8	8.1	8.8	72	63	57	64	10 Cir-S	8 Cum & Cir-S S.W.	1 Cir	6.3	S.1	S.W.1	S.W.2		Calm		0.005	0.005	●
6	10.5	11.1	9.7	10.4	84	74	73	77	9 Cum	7 C & Cir-C	10 Cum	8.7	S.E.1	S.W.2	S.W.1		Tran	0.01	0.03	0.04	●
7	9.4	10.2	11.6	10.4	80	67	87	78	4 C & Cir-C N.W.	3 Cir & C W.	8 Cir-C N.W.	5.0	S.E.1	S.W.2	S.W.1		Tran				
8	9.1	11.8	12.1	11.0	72	75	93	80	3 Cir	7 Cir N.	6 Cir-C.	5.3	0	S.1	0		Tran				-a- (U)
9	11.3	10.9	10.4	10.5	74	60	69	68	7 Cir	8 Cir & Cum W.	4 Cir & Cum	6.3	S.E.1	S.2	S.1		Tran				-a- (U)
10	9.0	10.1	12.1	10.4	53	51	79	61	5 Cir-C & Cum	3 Cir-C & Cir	9 Nim & Cum	5.7	0	S.W.1	S.W.1		Calm				
11	12.6	11.0	9.6	11.1	94	71	70	78	7 Cum & Nim	5 Cum S.W.	2 Cum	4.7	0	S.1	S.2		Tran	0.02		0.02	● ↘
12	8.8	9.1	9.4	9.1	69	59	72	67	2 Cum	1 Cum	0	1.0	S.1	S.E.2	N.E.1		Tran				
13	8.6	10.1	10.8	9.8	71	65	77	71	0	2 Cir-S	3 Cir-S	1.7	E.1	N.1	N.W.1		Tran				-a-
14	9.9	10.4	9.8	10.0	73	66	69	69	8 Cir-S	7 Cir	10 Cir-S	8.3	S.W.1	N.1	S.1		Tran				
15	8.2	9.2	9.9	9.1	60	88	77	75	9 C & Cir-C W.	9 Cum & Nim	10 Nim & C	9.3	S.2	S.3	S.2		Agitated	0.04	0.115	0.155	[symbol] ●
16	9.0	9.4	10.2	9.5	73	69	86	76	10 Cum	10 Cum & Nim	4 Cum.	8.0	S.W.1	S.W.1	S.1		Agitated	0.02	0.01	0.03	●
17	8.2	9.0	9.0	8.7	68	63	73	68	8 Cir & Cir-S	4 Cir	0	4.0	S.E.1	N.E.1	S.1		Tran				
18	8.9	11.5	10.6	10.3	62	62	68	64	7 Cir & Cir C.W.	9 Cum.	9 Cir-S	8.8	S.E.1	S.W.1	E.1		Tran				Sirocco
19	8.3	10.5	11.3	10.0	49	62	59	57	10 Cir-S & Cum S.W.	8 Cir & Cum S.W.	9 Cum S.W.	9.0	S.W.1	S.W.2	S.W.3		Tran				
20	8.6	7.5	8.1	8.1	78	61	73	71	10 Cum Nim	8 Cum S.S.W.	8 Cum	8.7	S.W.3	S.W.3	W.1		ag	0.11	0.06	0.17	● Showers
21	7.9	9.3	7.6	8.3	67	80	63	70	9 Cum S.W.	10 Cum Nim S.W.	8 Cum	9.0	S.S.W.1	S.W.1	W.1		ag	0.23	.07	0.30	● Showers
22	8.1	9.2	8.9	8.7	69	65	78	71	5 Cum	6 Cir & Cum	1 Str.	4.0	S.1	N.W.1	S.E.1		Tran				
23	8.4	9.1	10.6	9.4	70	61	77	69	1 Cir	9 Cir-S & Cir-C S.W.	1 Str.	3.7	E.1	N.1	N.E.2		Tran				⊕ noon
24	8.4	11.2	10.3	10.0	52	70	87	73	9 Cum	3 Cum	1 Nim	6.0	E.1	S.W.4	S.W.5		ag		.335	0.335	[symbol] from 2 p.m. ● 3 4 p.m.
25	7.5	8.8			70	72			9 Cum & Nim	7 Cum W.S.W.	10 Nim	8.7	S.5	S.W.4	W.2		ag	.06	.12	.18	●
26	7.3	8.0	7.6	7.6	61	60	68	63	7 Cum S.W.	5 Cum	1 Cum	4.3	S.W.1	N.1	0		Tran				-a- p.m.
27	6.9	7.5	10.2	8.2	59	57	75	64	9 Cum W.N.W.	2 Cir & Cum	8 Cir-S	6.3	S.E.1	N.1	E.1		Tran				● trace 9 a.m.
28	8.8	9.9	10.0	9.6	56	43	53	51	9 Cum & Cir-S W.	8 Cir & Cir-S S.W.	10 Cir-S	9.0	E.1	S.W.1	E.1		Tran				[symbol]
29																					
30																					
31																					
Sums	246.6	270.6			1929	1821												[illegible]		1.39	
Means	8.8	9.6			69	65												[illegible]	20.6	34.8	

Barometer Maximum 765.5 on 7
" Minimum 750.0 on 24
Thermometer Maximum 25.6 on 28
" Minimum 8.9 on 25

METEOROLOGICAL REGISTER OF SYRIAN PROTESTANT COLLEGE, BEIRUT, SYRIA.

LAT. 33° 54′ 22″ N.

LONG. E. FROM GREENWICH 35° 28′ 10″

Height of Barometer above Sea level 33.7 meters
" " Thermometer above the earth 1.22 "
" " Rim of Rain Guage above " 0.36 "
Hours of observation 8½ 2½ 8½

Year 1895
Month March

Date	Barometer as read 8½ Attached Thermometer Cent.	8½ Barometer Millimeters	2½ Attached Thermometer Cent.	2½ Barometer Millimeters	8½ Attached Thermometer Cent.	8½ Barometer Millimeters	Barometer reduced to 0° and sea level 8½	2½	8½	mean	Thermometer Cent. max.	min.	min. on grass	Solar Black Bulb
1	18.5	756.8	19.6	758.2	17.4	759.2	757.4	755.8	760.0	758.73	22.1	13.0		
2	15.8	756.5	15.7	757.3	13.9	758.8	757.5	758.3	760.1	758.63	16.[illegible]	11.8		
3	13.9	763.5	14.7	762.1	14.6	764.0	764.7	763.7	765.1	764.60	15.0	4.3		
4	13.8	762.2	16.3	760.4	15.6	759.7	763.5	761.3	760.7	760.93	[illegible]	9.8		
5	16.9	756.9	19.0	756.3	18.6	755.2	757.7	756.9	755.9	756.83	23.0	14.0		
6	18.4	757.2	19.2	758.2	18.1	755.2	757.9	758.7	757.6	758.73	23.7	14.2		
7	17.4	760.5	18.9	760.3	17.6	760.2	761.2	760.8	761.0	760.50	17.8	14.3		
8	16.8	760.9	17.9	760.4	15.6	760.1	761.8	761.1	761.1	761.33	17.8	13.5		
9	15.5	758.0	16.4	757.2	15.2	758.2	759.0	758.2	759.2	758.80	16.3	10.9		
10	14.4	757.2	16.1	756.9	14.3	757.9	758.4	757.8	759.2	758.46	16.3	9.1		
11	13.2	760.5	14.1	760.4	13.9	761.5	761.8	761.6	762.8	762.06	15.4	7.8		
12	13.1	762.5	14.8	762.8	13.9	762.6	763.8	763.9	765.8	763.83	15.9	9.3		
13	13.7	762.6	15.7	762.2	15.4	764.4	763.9	763.1	762.9	763.13	17.2	10.9		
14	15.9	758.6	15.1	757.2	16.7	758.2	759.5	757.9	757.1	758.16	20.3	14.0		
15	16.3	755.7	17.8	756.4	16.1	756.6	756.6	757.1	757.6	757.10	18.4	13.1		
16	15.8	757.0	16.8	755.8	15.6	756.8	757.0	755.8	757.8	756.86	17.2	12.3		
17	15.7	757.4	17.2	756.5	15.9	756.6	758.4	757.3	757.6	757.76	17.4	11.6		
18	14.6	754.8	15.9	755.1	14.8	755.6	755.9	756.1	756.7	756.23	15.8	10.4		
19	14.4	757.6	14.7	757.4	14.6	758.2	758.7	758.6	759.4	758.90	16.9	10.1		
20	14.1	759.3	15.5	759.4	14.4	760.2	760.6	760.4	761.4	760.80	16.5	14.9		
21	14.9	759.6	15.7	759.5	14.8	758.8	761.0	760.5	759.9	760.46	17.1	10.7		
22	15.4	755.7	16.0	754.0	15.2	758.7	756.7	754.9	757.8	756.46	18.4	12.7		
23	14.2	760.5	16.1	760.5	14.6	759.4	761.7	761.4	761.5	761.20	17.0	10.4		
24	17.1	746.9	14.3	750.4	13.9	756.0	747.7	751.5	757.3	752.16	20.6	10.3		
25	13.9	758.2	15.1	760.9	14.7	761.4	759.4	761.9	762.6	761.30	16.4	9.3		
26	14.7	762.7	17.1	762.7	16.1	762.7	763.8	763.5	763.7	763.66	[illegible]	11.8		
27	15.7	760.5	17.4	758.2	16.5	757.2	761.5	758.9	758.0	759.40	17.7	12.1		
28	17.8	749.8	18.5	754.1	17.4	753.1	750.8	754.7	753.9	753.13	24.3	14.9		
29	16.1	755.0	17.6	758.5	16.7	759.4	756.0	758.3	760.3	758.20	18.5	11.3		
30	16.6	762.1	17.9	763.1	16.3	764.3	763.0	763.8	765.2	764.00	19.0	13.2		
31	16.4	765.3	17.5	765.3	16.7	765.0	766.2	766.1	765.8	766.06	18.5	12.3		
Sums							23545.1	23543.6	23562.5		566.5	345.8		
Means							759.45	[illegible]	760.4		18.27	11.43		

Date	Dry Bulb Cent. 8½	2½	8½	mean	Wet Bulb Cent. 8½	2½	8½	Elasticity of vapour Millimeters 8½	2½	8½	mean	Relative Moisture per cent. 8½	2½	8½	mean
1	18.2	19.4	16.2	17.9	15.9	17.5	14.4	11.9	13.5	11.1	12.1	77	78	81	78
2	13.3	14.2	9.7	12.4	9.9	11.4	8.3	7.5	8.5	7.4	7.8	65	71	83	73
3	12.4	14.2	11.7	12.7	9.1	9.3	8.2	6.9	6.4	6.4	6.5	65	54	63	60
4	13.3	17.4	17.7	16.1	10.4	12.6	11.4	7.9	8.3	7.1	7.7	69	56	47	57
5	17.9	18.8	18.0	18.2	14.7	17.3	16.4	10.5	13.5	12.8	12.2	69	83	82	78
6	16.7	17.7	15.5	16.6	15.2	15.2	12.2	11.8	11.2	8.8	10.6	83	74	66	65
7	16.6	18.1	14.9	12.9	13.8	14.3	13.2	10.1	9.9	10.2	10.0	72	64	81	72
8	15.1	16.6	12.2	14.6	11.1	12.2	11.2	7.8	12.2	9.2	9.6	61	58	88	69
9	12.6	14.9	14.0	13.8	11.4	11.2	9.6	9.6	8.0	6.8	7.8	86	62	57	68
10	12.9	14.4	10.0	12.4	9.6	10.4	8.5	7.2	7.4	7.4	7.3	64	60	82	68
11	12.5	14.4	12.6	13.2	9.9	9.6	8.3	7.7	6.6	6.1	6.8	72	54	57	61
12	12.6	14.7	13.3	13.5	9.4	10.1	9.1	7.2	7.0	6.7	6.9	67	56	58	60
13	14.6	16.2	15.3	15.4	9.4	10.2	11.8	6.4	6.5	8.4	7.1	52	47	65	51
14	15.9	19.0	15.1	16.6	13.4	15.6	13.7	10.0	11.0	10.7	10.5	75	67	85	75
15	16.3	17.8	15.6	16.5	14.6	13.8	11.8	11.2	9.4	8.3	9.6	81	62	63	68
16	15.3	15.4	14.5	15.0	11.8	13.1	11.0	8.4	9.9	7.9	8.7	66	76	65	69
17	14.8	16.6	13.4	14.9	12.3	12.7	11.1	9.2	8.8	8.6	8.8	73	63	74	70
18	14.4	15.2	13.6	14.4	10.3	10.6	9.4	7.3	7.3	6.8	7.1	[illegible]	56	58	57
19	14.0	13.6	11.1	12.9	9.4	9.2	8.5	7.1	6.7	7.3	7.0	60	57	74	63
20	13.1	15.5	11.2	13.2	9.6	9.9	7.6	7.1	6.6	6.0	6.5	63	50	63	58
21	14.9	15.6	14.2	14.9	11.8	14.1	9.4	8.6	10.9	6.5	8.7	68	83	55	68
22	16.4	13.3	14.0	14.5	12.4	12.3	9.6	10.5	10.1	6.8	9.1	76	89	57	74
23	12.7	15.9	10.9	13.1	10.1	11.8	10.1	7.7	8.1	7.8	7.8	71	60	70	72
24	20.1	12.7	11.4	14.7	13.2	10.7	8.5	7.9	8.4	6.8	7.7	45	76	68	63
25	13.3	14.7	12.8	13.6	10.7	10.7	9.8	8.2	7.5	7.4	7.7	71	60	68	66
26	16.1	[illegible]	15.1	16.5	12.7	14.4	12.8	9.1	9.9	9.7	9.5	67	63	76	68
27	15.9	17.4	16.2	16.5	12.9	14.2	14.4	9.2	10.2	11.1	10.1	68	69	81	72
28	23.6	16.8	16.8	19.1	18.5	13.4	12.2	12.6	9.5	8.1	10.1	58	67	57	60
29	13.8	17.3	14.6	15.3	13.1	14.3	13.5	10.8	10.3	10.7	10.2	92	70	86	82
30	16.8	18.1	14.5	16.4	13.7	14.6	12.6	9.8	10.3	9.8	9.9	69	67	79	71
31	16.2	17.5	14.7	16.2	13.6	14.9	13.6	10.0	11.0	10.9	10.6	73	74	88	78
Sums	472.3	501.8	419.9					276.9	284.9	259.6		2137	1999	2162	
Means	15.23	16.18	13.45					8.93	9.19	8.37		68.9	64.4	69.7	

Date	Clouds. Clear—0 Overcast—10 8½	2½	8½	mean	Direction and force of Wind. 0—10 8½	2½	8½	Wind per day. miles Km.	Sea	Rain in 24 hours measured at 8½ A.M. & 8½ P.M. inches. A.M.	P.M.	Total	Observations and Phenomena
1	10 cir-S 4 cum W	5 cum S.W.	3 cum.	6.0	S.W.3	S.W.1	S.W.1		Tran				⊘ ~~showers ▲ 8:30 p.m.~~
2	9 cum 4 nim W	7 cum	10 nim	8.6	S.W.4	S.W.6	N.W.3		~~Tran~~ ag	0.01	0.27	0.28	⊘ showers (8:30 p.m. ▲)
3	1 cum	0	0	0.3	S.E.1	N.W.1	E.1		Tran	.14		.04	⊘ showers 9:10 p.m.
4	2 cir 4 cir-S	1 cir.	10 cir-S	4.3	S.E.1	E.N.E.1	S.E.1		Tran	~~.055~~	~~.06~~	~~0.115~~	
5	8 cir-cu cir	10 cir-S	10 cum	9.3	0	0	S.E.1		Tran				
6	2 cum.	10 cum S.S.W.	1 cum. S	3.3	S.E.1	S.W.2	W.2		Tran				
7	3 cum	8 cum S.W.	6 cum W.	5.6	S.1	S.W.1	S.1		Tran				
8	9 cum S.S.W.	9 cum.	9 str. 1 nim	9.0	S.W.2	S.W.2	S.S.W.1		Tran	.055	.06	0.115	⊘ showers 7 p.m. & 8:45
9	9 cum 9 nim	8 cum. W	7 cum W	8.0	S.W.1	W.S.W.2	S.W.3		ag	.64	.12	.76	⊘
10	9 cum W.	3 cum W	6 cum 9 nim W	6.6	N.W.1	W.1	0		ag	.61	.125	.135	⊘ T ≤ ▲ 12:30 a.m. ≤ n 8 a.m. T n 2 a.m.
11	2 cum	3 cum.	3 cum.	2.6	0	N.1	W.1		Tran	.085		.085	⊘ 4 a.m.
12	4 cum	1 cum	0	3.3	S.W.1	W.1	N.E.1		Tran	.015		~~.15~~ 0.015	
13	1 cir-S	1 cir-E	8 cum	3.3	0	N.1	N.E.2		Tran				
14	7 cir-cu W.	4 cir-E	0	3.6	S.W.1	N.1	E.1		Tran				
15	3 cum	3 cum	9 cum	5.0	S.W.1	S.1	S.W.3		Tran				
16	5 cum W.	8 cum	10 str. 4 nim	7.6	S.W.2	S.W.3	W.S.W.1		ag	0.07	.06	0.13	⊘ showers T & ≤
17	5 cum	10 cir-cu cum W	2 cum	5.6	S.2	S.W.2	E.1		Tran				⊘
18	0	1 cum	0	0.3	N.E.2	N.2	N.E.2		ag				
19	2 cum	10 cum 9 nim	9 cum	7.0	S.W.1	N.W.1	S.E.1		Tran		.03	.03	⊘
20	9 cum N.	2 cum	1 Str	4.0	S.E.1	W.1	S.E.1		Tr.				
21	9 cum S.W.	5 cum	10 nim	8.0	S.W.1	S.S.W.1	S.2		ag	.025	.225	.25	⊘
22	6 cir-cu cum W.S.W.	10 nim W.	8 cum	8.0	S.W.2	S.W.4	S.W.6		ag	.02	.09	.11	≤ 2 a.m. ⊘ ▲
23	1 cum	7 cum cir-S W	10 cir-S	6.0	S.W.2	S.S.W.1	0		ag	.22		.22	⊘
24	10 cir-S	10 cum N	9 cum	9.6	S.6	N.5	N.W.1		ag	.025		.25 / .025	⊘ circles ≤ 9:45 p.m.
25	9 cum N.W.	6 cum W	1 cum	5.3	S.1	N.1	S.1		Tr.				
26	7 cum W.S.W.	4 cum S.W.	4 cum	5.0	S.S.W.1	S.2	S.W.1		Tr.				
27	7 cir & cir-E	8 cir-S	8 cir-S	7.6	S.E.1	N.E.2	N.E.2		Tr.				
28	10 cir-S S.W.	7 cum-str nim S.W.	10 cir-S ?	9.0	S.2	S.S.W.4	S.W.2		ag				
29	10 nim S.W.	3 cum S.W.	2 cum	5.0	S.W.2	S.W.2	S.W.1		ag	.87	.05	.92	⊘ heavy showers 9:30–10 p.m.
30	1 cum S.W.	1 cum	0	0.6	S.S.W.1	S.S.W.1	S.W.1		Tr.	.30		.30	⊘
31	0	1 cum 9 cir-S	0	0.3	S.1	N.W.1	0		Tr.				
Sums	175	157	184		47	59	45					3.915	
Means	5.64	5.06	5.93		1.57	1.74	1.45						

Barometer	Maximum	766.2	on	31
"	Minimum	747.7	on	24
Thermometer	Maximum	24.3	on	28
"	Minimum	7.8	on	4

METEOROLOGICAL REGISTER OF SYRIAN PROTESTANT COLLEGE, BEIRUT, SYRIA.

LAT. 33° 54' 22" N.

LONG. E. FROM GREENWICH 35° 28' 10"

Height of Barometer above Sea level 33.7 meters
" " Thermometer above the earth 1.22 "
" " Rim of Rain Guage above " 0.36 "
Hours of observation 8½ 2½ 8½

Year 1895
Month April

Date	Barometer as read 8½ Attached Thermometer Cent.	8½ Barometer Millimeters	2½ Attached Thermometer Cent.	2½ Barometer Millimeters	8½ Attached Thermometer Cent.	8½ Barometer Millimeters	Barometer reduced to 0° and sea level 8½	2½	8½	mean	Thermometer Cent. max.	min.	min. on grass	Solar Black Bulb
1	16.5	765.2	17.6	764.8	16.8	764.0	766.1	765.6	764.9	765.53	18.3	13.2		
2	17.4	763.8	18.3	763.6	17.9	763.0	764.5	764.2	763.7	764.13	19.3	14.4		
3	18.1	762.7	20.4	763.0	18.9	763.5	763.3	763.3	764.2	763.60	23.1	14.1		
4	19.0	763.0	20.6	762.8	19.1	762.4	763.5	763.1	762.9	763.16	23.7	16.3		
5	18.3	761.8	19.7	760.2	18.3	760.1	762.5	760.9	760.7	761.36	20.8	14.4		
6	17.9	759.5	19.1	758.3	18.2	758.4	760.2	758.8	759.0	757.33	20.4	13.4		
7	18.9	757.0	20.0	756.9	19.7	755.0	757.7	757.3	755.5	756.76	23.7	15.4		
8	12.1	754.4	21.5	756.0	18.7	757.3	754.6	756.8	757.8	756.40	23.1	15.4		
9	19.4	758.6	20.4	758.3	18.2	758.0	759.1	758.7	758.6	758.80	21.2	15.7		
10	18.9	756.0	20.9	754.5	19.9	752.5	756.6	754.8	753.0	754.80	22.7	15.0		
11	19.1	753.0	17.4	752.7	18.3	752.7	753.6	753.6	753.5	753.56	22.4	14.8		
12	17.5	752.5	18.0	753.[illegible]	17.6	754.4	752.3	753.8	755.1	753.56	19.1	13.7		
13	17.9	756.5	19.8	756.8	[illegible]	757.2	752.2	757.2	758.4	757.60	20.8	14.0		
14	17.2	758.5	19.2	758.6	18.4	757.7	758.3	759.2	758.3	758.93	20.1	14.0		
15	18.9	757.5	20.0	759.1	18.8	760.9	758.0	759.5	761.4	759.63	20.8	17.4		
16	18.6	761.3	20.3	760.0	18.3	759.5	761.9	760.4	760.2	760.76	20.8	15.3		
17	18.3	758.3	20.2	754.2	19.4	755.9	759.9	754.5	756.4	756.93	23.9	15.2		
18	19.3	757.6	21.0	757.7	19.1	759.2	758.1	758.2	759.5	758.60	20.9	15.1		
19	18.9	761.6	19.9	762.3	18.6	763.8	762.1	762.7	764.4	763.06	21.0	15.1		
20	18.7	764.4	19.8	763.6	18.3	762.9	764.7	764.0	763.5	764.06	20.9	13.7		
21	18.7	757.6	20.2	757.9	19.9	755.9	760.2	758.3	756.3	758.26	21.6	14.8		
22	20.4	756.4	21.5	758.0	19.6	758.2	756.8	758.2	758.7	757.90	23.6	18.1		
23	18.2	757.4	19.6	758.5	18.1	759.6	758.1	759.0	760.3	[illegible]	20.4	13.4		
24	18.3	759.9	19.7	760.2	18.1	760.4	760.6	760.6	761.1	760.76	19.9	14.2		
25	16.9	759.9	18.8	760.0	16.8	759.3	760.7	760.5	760.2	760.73	19.2	13.7		
26	17.8	758.3	19.7	757.9			759.0	758.3	759.1	758.80	20.8	14.2		
27	17.8	758.8	19.7	759.4	18.1	759.6	759.5	759.4	760.2	759.70	20.8	12.1		
28	18.1	758.6	19.2	758.3	15.1	757.3	759.2	758.9	760.0	759.36	20.7	14.2		
29	18.2	764.4	19.8	761.9	19.2	760.5	762.0	762.3	761.0	761.43	20.8	14.0		
30	20.2	754.4	21.9	756.9	20.2	759.2	754.8	756.9	759.6	757.10	24.2	16.0		
31														
Sums							2278.59	2277.85	2272.25		639.0	440.3		
Means							~~759.53~~ 759.13	~~754.9~~ 759.6	~~755.08~~ 757.8		~~20.11~~ 21.3	~~14.70~~ 14.7		

Date	Dry Bulb Cent. 8½	2½	8½	mean	Wet Bulb Cent. 8½	2½	8½	Elasticity of vapour Millimeters 8½	2½	8½	mean	Relative Moisture per cent. 8½	2½	8½	mean
1	16.7	17.6	16.1	16.8	15.0	15.5	15.0	12.3	11.8	12.0	12.0	86	79	89	84
2	17.7	18.6	16.9	17.7	16.3	16.9	15.8	12.8	13.2	12.6	12.8	85	83	88	85
3	18.7	20.9	17.9	19.1	17.6	18.2	16.8	14.1	13.7	13.6	13.8	88	75	89	84
4	19.6	20.8	16.7	19.0	15.6	—	15.4	14.7	—	12.1	13.4	63	—	85	74
5	16.6	19.4	15.2	17.0	15.9	17.2	14.4	13.8	13.1	11.7	12.6	93	78	91	87
6	17.2	18.2	16.6	17.6	15.7	16.2	15.0	12.3	11.8	11.6	11.9	84	71	83	76
7	20.1	19.7	20.0	19.9	18.6	16.1	17.1	14.8	11.3	12.5	12.8	85	66	72	74
8	21.9	20.1	17.2	19.7	16.6	17.9	16.1	10.9	13.8	12.9	12.5	56	79	89	74
9	18.2	20.1	16.6	18.3	16.8	18.2	15.7	13.2	13.7	12.7	13.2	85	77	91	84
10	19.0	21.9	18.9	19.9	17.6	18.4	17.4	14.0	13.4	13.7	13.7	86	68	85	79
11	15.7	15.5	14.3	15.5	15.4	14.4	12.4	12.8	11.5	9.6	11.3	96	89	79	88
12	13.9	16.9	15.9	15.5	13.3	15.8	15.3	11.0	12.5	12.4	11.9	92	87	92	90
13	18.5	19.9	15.5	17.9	15.2	17.2	14.6	10.8	12.8	11.8	11.8	69	74	91	76
14	17.6	19.0	18.1	18.2	15.4	16.0	16.4	11.7	11.6	12.8	12.0	78	71	84	77
15	18.5	19.7	16.7	18.3	16.7	17.6	15.8	13.0	13.4	12.8	13.0	82	78	91	83
16	18.7	20.1	16.2	18.3	16.4	17.1	15.1	12.3	12.5	12.0	12.2	78	72	88	76
17	17.7	23.2	18.1	19.6	15.7	18.0	16.8	12.0	12.1	14.5	12.8	79	58	86	74
18	19.8	20.1	16.7	18.8	16.0	17.2	15.6	11.2	12.6	12.3	12.0	64	73	87	74
19	17.9	19.8	16.5	18.1	15.9	14.9	13.2	12.1	9.8	9.4	10.4	79	57	67	67
20	18.8	20.2	16.8	18.6	14.4	15.6	14.6	9.7	10.4	11.0	10.3	60	58	78	65
21	15.6	21.1	19.1	18.6	15.8	17.6	17.8	11.3	12.6	14.2	12.7	70	68	86	71
22	19.6	20.4	17.6	19.2	17.8	16.7	15.6	13.9	11.8	11.9	12.5	82	66	79	75
23	14.8	18.4	14.8	16.0	13.8	16.7	13.8	11.0	13.0	11.2	11.7	87	83	89	86
24	17.0	19.1	15.5	17.2	14.1	14.6	13.8	10.2	9.8	10.6	10.2	71	59	82	70
25	14.6	18.2	15.2	16.0	14.1	15.4	12.7	11.6	11.3	9.4	10.7	94	73	73	81
26	17.9	19.3	14.0	17.1	14.3	14.9		10.0	10.9			68	61		
27	18.4	20.1	16.2	18.2	15.7	17.2	14.7	11.6	12.7	12.3	12.2	74	72	84	76
28	15.1	19.1	17.6	18.2	15.8	15.3	12.6	11.9	10.6	8.3	10.2	78	64	56	66
29	18.4	19.2	16.6	18.0	15.9	16.1	15.3	11.8	11.6	12.1	11.8	76	70	87	77
30	20.8	22.0	18.8	20.5	18.5	19.7	17.7	14.4	15.3	14.3	14.6	81	78	88	85
31															
Sums	535.1	589.6	502.3					362.4				2369			
Means	~~17.36~~ 17.9	~~19.20~~ 19.3	~~11.20~~ 16.7	18.0				~~11.69~~ 12.1				~~75.1~~ 75.6			

Date	Clouds (Clear—0, Overcast—10) 8½	2½	8½	mean	Direction and force of Wind 0—10 8½	2½	8½	Wind per day, miles Km.	Sea	Rain in 24 hours, measured at 8½ A.M. & 8½ P.M., inches. A.M.	P.M.	Total	Observations and Phenomena
1	0	0	0	0	E.1	N.E.1	N.E.1		Calm				
2	0	3 cir.	0	1.0	E.1	N.1	N.E.1		Calm				p.m.
3	5 cir. w.	1 cir.	9 cir. s	5.0	S.W.1	S.S.W.1	S.E.1		Calm				very heavy
4	0	0	0	0.0	[illegible]	[illegible]	0		Calm				
5	9 cir. s.w.	10 cir.-s	0	6.3	0	0	0		Calm				2 a.m.
6	0	0	8 cir.-s	2.6	S.W.1	N.1	0		Calm				4 p.m.
7	7 cir & cir.-c	10 cir.-s	10 cum.	9.0	N.S.1	N.N.E.2	0		Tr.				
8	10 cir.-s	8 cir.-s.s.w.	10 cir.-s	9.3	S.W.2	S.W.3	S.S.W.1		Tr.				2 T N.E. 5 a.m.
9	10 cum. s.w.	5 cir. & cir.-c	2 cum. s.s.w.	5.6	S.W.1	N.W.1	N.E.1		Tr.				
10	0	1 cir.	1 cir.-s	0.6	E.1	N.1	S.W.1		Tr.				2 a.m.
11	10 nim.	10 cum.	10 nim.	10.6	S.W.1	N.1	0		Tr.	0.18	0.38	0.56	heavy showers p.m. T S.W.
12	10 nim.	10 cum.	0	6.6	0	0	S.S.W.1		Tr.	0.22	0.04	0.26	
13	1 cum.	6 cum.	0	2.3	S.W.2	S.S.W.1	S.W.1		Tr.				
14	0	9 cir.-s.s.	9 cum.	6.0	0	N.2	N.E.3		Tr.				
15	10 cum. s.w.	2 cum.	2 str.	4.6	N.1	S.W.1	S.W.1		Rg.	0.01		0.01	9 p.m.
16	1 cum.	2 cir.-s	0	1.0	S.W.2	S.S.W.2	S.W.1		Tr.				
17	10 cum.	10 cum. s.w.	2 cum.	7.3	0	0	S.W.3		Tr.				
18	1 cum.	3 cum. w.s.w.	2 cum.	2.0	S.W.1	S.W.3	S.W.1		Tr.				
19	9 cum.	1 cir.-s	1 str.	2.6	E.1	N.W.2	0		Tr.				
20	9 cir.	[illegible]	5 str. w.	3.6	0	W.N.W.1	E.N.E.1		Tr.				
21	1 cir.	5 cir.-s & cir. s.s.w.	3 cum.	3.6	E.N.E.1	N.E.1	E.1		Tr.				
22	[illegible]	5 cum. s.s.w.	3 cum.	3.3	S.S.W.3	S.S.W.2	S.W.1		Tr.				
23	10 cum. s.w.	5 cum. w.	2 cum.	5.6	S.W.1	S.E.1	S.1		Tr.	0.11	0.07	0.18	5 a.m.–7 a.m. & T
24	10 cum. s.w.	2 cum.	10 cum.	7.3	S.S.W.2	S.S.W.3	S.W.3		Rg.	0.14	0.04	0.18	8 p.m.
25	9 cum. w.	8 cum.	3 str. s.w.	6.6	0	S.W.3	S.W.1		Tr.	0.90	0.16	0.86	
26	5 cum. s.w.	4 cum. s.w.	10 nim.	6.3	S.W.2	S.S.W.1	S.E.1		Tr.				
27	5 cum. s.w.	3 cum. & cir. w.	1 cum.	3.0	S.W.1	S.W.2	S.W.1		Tr.	1.21		1.21	
28	7 cir. & cum. w.	1 cir. c	0	2.6	N.W.1	N.N.W.2	N.N.W.2		Tr.				
29	2 cum.	10 cir.-s	8 cum. & cir.-s	6.6	S.W.1	N.W.1	S.W.1		Calm				
30	10 cir.-s	10 cir.-c.s	10 cir.-s.s.	10.0	0	S.4	0		Tr.				
31													
Sums	162	146	113							2.77	0.59	3.36	
Means	~~5.22~~ 5.4	~~4.74~~ 4.8	~~3.58~~ 3.8		1.0	1.5	1.0			70.4	15.0	85.4	

Barometer	Maximum	766.1	on	1
"	Minimum	752.3	on	12
Thermometer	Maximum	24.2	on	30
"	Minimum	12.1	on	27

METEOROLOGICAL REGISTER OF SYRIAN PROTESTANT COLLEGE, BEIRUT, SYRIA.

LAT. 33° 54′ 22″ N.

LONG. E. FROM GREENWICH 35° 28′ 10″

Year 1895
Month May

Height of Barometer above Sea level 33.7 meters
" " Thermometer above the earth 1.22 "
" " Rim of Rain Guage above " 0.36 "
Hours of observation 8½ 2½ 8½

Date	Barometer as read 8½ Attached Thermometer Cent.	8½ Barometer Millimeters	2½ Attached Thermometer Cent.	2½ Barometer Millimeters	8½ Attached Thermometer Cent.	8½ Barometer Millimeters	Barometer reduced to 0° and sea level 8½	2½	8½	mean	Thermometer Cent. max.	min.	min. on grass	Solar Black Bulb	Dry Bulb Cent. 8½	2½	8½	mean	Wet Bulb Cent. 8½	2½	8½	Elasticity of vapour Millimeters 8½	2½	8½	mean
1	20.4	756.9	21.9	755.8	20.1	756.4	757.2	756.0	756.9	756.70	22.9	18.4			20.7	21.6	17.4	19.9	17.6	18.7	16.6	12.8	13.9	13.4	[illegible]
2	20.3	756.8	17.4	757.7	18.5	758.7	757.3	758.4	759.3	[illegible]	20.2	16.5			17.9	19.0	16.6	17.8	14.5	14.8	12.8	10.2	10.1	8.9	[illegible]
3	18.6	760.7	20.6	761.7	18.7	762.7	761.3	762.0	763.3	762.20	21.3	13.7			18.6	20.3	17.3	18.7	15.0	16.8	14.8	11.2	12.0	10.9	[illegible]
4	18.7	764.5	19.4	765.9	17.3	766.9	765.1	766.4	767.7	766.40	20.7	12.3			17.4	19.1	16.5	17.6	13.0	13.1	11.2	8.7	8.1	7.3	[illegible]
5	17.6	764.7	18.9	765.6	18.4	764.8	765.4	766.2	765.4	765.66	19.8	15.7			17.8	19.1	18.0	18.9	12.6	14.3	15.4	8.3	9.4	11.4	[illegible]
6	18.9	764.2	20.7	763.1	19.6	762.4	764.8	763.4	762.9	763.70	21.6	14.1			18.6	21.2	19.1	19.6	14.9	17.0	16.8	10.3	11.8	12.8	[illegible]
7	19.8	761.6	21.4	760.9	20.4	759.7	762.1	761.1	760.1	760.53	23.1	14.0			20.2	21.9	19.5	20.5	18.3	18.3	16.4	14.2	13.2	11.9	[illegible]
8	21.2	757.9	22.9	756.4	21.5	754.3	758.1	756.1	754.5	756.33	26.9	17.1			22.1	22.8	20.4	21.7	18.9	20.4	17.8	14.0	16.0	13.3	[illegible]
9	21.4	756.7	22.9	757.5	20.9	758.3	756.9	757.5	758.6	757.66	24.0	18.2			20.7	22.1	18.9	20.5	17.9	19.3	17.3	13.3	14.7	13.5	[illegible]
10	21.3	760.6	22.8	762.0	20.4	762.6	760.8	762.1	763.0	761.96	22.4	16.6			20.6	21.7	18.7	20.3	17.9	19.0	17.4	13.2	14.4	13.9	[illegible]
11	20.4	764.1	21.8	765.2	19.2	764.7	764.4	765.3	765.3	765.00	19.8	16.4			19.9	20.6	17.4	19.3	17.2	17.8	15.6	12.8	12.5	12.8	[illegible]
12	19.7	765.1	21.3	764.7	19.5	763.4	765.5	765.0	763.9	764.80	21.8	14.1			19.2	20.4	17.0	18.8	16.4	17.4	15.2	12.1	12.8	11.7	[illegible]
13	20.4	762.8	20.6	761.6	19.6	761.5	763.2	761.9	762.0	762.32	21.3	15.5			19.0	19.9	17.0	18.6	15.9	16.3	15.0	11.4	11.5	11.4	[illegible]
14	19.7	760.9	21.3	760.6	19.6	760.5	761.3	760.8	760.9	761.00	21.2	14.5			19.2	20.3	20.3	19.9	16.3	16.7	15.8	12.2	11.8	10.7	[illegible]
15	20.5	757.6	21.3	757.7	21.9	757.2	758.0	758.0	757.4	757.80	23.7	16.4			19.6	20.6	23.5	21.2	16.9	18.1	17.8	12.6	13.6	11.7	[illegible]
16	22.6	755.7	25.3	755.8	24.0	755.9	755.8	755.5	755.8	755.70	29.4	19.6			23.8	27.0	24.8	25.2	19.1	22.2	18.8	13.3	16.2	12.4	[illegible]
17	22.9	759.9	23.9	761.6	20.7	761.9	759.9	761.5	762.2	761.20	25.6	19.2			20.7	22.7	17.9	20.4	19.5	19.7	16.4	15.9	15.0	12.9	[illegible]
18	20.1	763.1	22.1	763.0	21.1	763.0	763.4	763.1	763.3	763.26	23.8	15.3			20.3	21.3	18.3	19.9	17.0	17.5	16.0	12.2	12.4	12.0	[illegible]
19	20.7	761.9	21.9	761.8	20.9	761.8	762.2	761.9	762.1	762.06	22.9	16.3			20.4	21.9	19.1	20.4	17.8	18.2	17.3	13.3	13.1	13.6	[illegible]
20	21.3	761.4	22.9	761.7	21.5	761.3	761.6	761.7	761.5	761.60	24.8	16.4			20.3	23.0	19.2	20.8	18.7	19.3	17.6	14.8	14.0	13.8	[illegible]
21	22.4	762.3	23.4	762.5	21.8	762.3	762.4	762.5	762.5	762.46	24.9	18.5			22.3	24.1	20.8	22.4	19.8	20.3	19.1	15.3	14.9	15.1	[illegible]
22	22.6	762.4	23.6	761.8	22.3	760.9	762.4	761.8	761.0	761.13	24.8	19.6			22.7	24.3	21.2	22.7	19.4	21.2	19.9	14.5	11.4	16.4	[illegible]
23	22.9	761.4	24.6	761.7	22.7	761.2	761.4	761.5	761.2	761.36	26.3	18.7			22.7	24.5	24.1	23.7	20.7	21.8	20.8	16.6	17.1	15.8	[illegible]
24	23.2	761.5	25.1	761.6	23.2	761.4	761.5	760.4	761.3	761.06	27.5	19.1			22.3	25.7	23.8	23.9	20.2	20.5	19.3	16.0	14.4	13.6	[illegible]
25	22.9	761.6	24.6	761.2	22.6	761.1	761.6	761.0	761.2	761.26	26.9	19.1			21.6	23.6	20.4	21.8	20.1	21.2	19.8	16.3	16.9	16.6	[illegible]
26	24.0	761.9	25.4	761.9	23.9	761.5	761.8	761.6	761.4	761.60	26.8	20.5			24.1	25.4	22.7	24.0	21.8	23.7	21.8	17.7	19.0	18.6	[illegible]
27	24.0	761.6	26.9	761.3	24.7	760.7	761.8	760.8	760.57	760.93	29.6	20.5			23.9	21.6	22.8	24.7	22.6	24.1	21.4	19.2	19.4	17.8	[illegible]
28	25.6	759.3	26.8	759.2	25.2	758.3	759.0	759.2	758.0	758.73	28.2	21.8			26.3	26.8	23.1	25.4	21.6	23.9	22.0	15.7	19.8	18.8	[illegible]
29	25.9	758.2	27.1	758.2	26.1	757.3	757.8	757.7	757.0	757.50	30.4	22.0			26.2	27.5	24.5	26.0	23.8	21.8	19.9	20.0	15.4	14.1	[illegible]
30	25.6	758.1	26.8	758.4	24.9	758.4	757.8	757.9	[illegible]	757.96	27.9	21.6			24.9	26.2	21.8	24.3	21.9	21.7	20.1	17.3	15.9	16.2	[illegible]
31	25.2	759.7	26.1	[illegible]	24.4	759.4	759.4	758.8	[illegible]	759.16	26.9	21.2			22.9	25.7	22.1	23.5	19.3	20.5	19.1	14.1	14.4	14.2	[illegible]
Sums							23579.9	23587.4	23587.7		766.8	542.6			656.7	707.8	624.2					429.6	440.8	437.4	
Means							[illegible]	760.88	760.88	760.95	23.44	17.50			21.19	22.80	20.13					13.95	14.21	13.46	

Date	Relative Moisture per cent. 8½	2½	8½	mean	Clouds. Clear—0 Overcast—10 8½	2½	8½	mean	Direction and force of Wind. 0—10 8½	2½	8½	Wind per day. miles Km.	Sea	Rain in 24 hours measured at 8½ A.M. & 8½ P.M. inches. mm. A.M.	P.M.	Total	Observations and Phenomena
1	70	72	91	77	10 Cum. S.W.	9 Cir. Cu.-S.W.	10 Ni.	9.6	E.N.E.1	N.W.1	0		Tr.	0.02	0.065	0.085	●
2	67	62	64	64	8 Cu. S.W.	5 Cum. W.	5 Cum. W.	6.0	S.S.W.3	S.S.W.4	S.W.5		Ag.	0.02	0.035	0.055	●
3	70	68	74	70	4 Cum.	5 Cum. S.W.	7 Cum. S.W.	5.3	S.W.2	S.W.4	S.W.2		Ag.				
4	60	49	52	53	4 Cum. S.W.	4 Cir. Cum.	6 Cum.	4.6	S.W.2	N.N.W.1	N.E.1		Ag.	0.14		0.14	⌐ ● 1:30 a.m. ⌐ & ⌐
5	54	57	74	61	6 Cir.	1 Cir. C	0	2.3	E.1	N.E.3	N.5		Tr.	0.44		0.44	
6	66	63	75	69	4 Cir.	1 Cir.-S	0	3.6	N.1	N.3	N.1	4.3	Ag.				
7	81	67	71	73	2 Cir.	0	0	0.6	S.E.1	N.E.1	0		Tr.				⌐
8	70	78	74	74	8 Cir.-S.W.	8 Cum. Cir.-S.W.	0	5.3	0	N.E.1	S.E.1		Calm				⌐°
9	74	74	84	77	1 Cum.	0	10 Cum.	3.6	S.W.2	S.W.2	S.W.1		Tr.				⌐ morning & evening.
10	74	74	87	78	7 Cir. 9 Cir.-S.W.	9 Cir.-Cu.-S.W.	10 Cum.	[illegible]	S.W.2	S.W.3	S.W.2		Tr.				⌐ morning
11	74	69	87	73	3 Cir. 9 Cir.-S.W.	9 Cir.-S.W.	2 Str.	4.6	S.W.1	S.W.1	S.W.1		Ag.				
12	73	71	81	75	1 Cir.	6 Cir.-Cu.	1 Cum.	2.6	S.W.1	W.2	N.E.1		Tr.				⌐ Evening.
13	70	66	79	71	4 Cum.	5 Cir.-W.	2 Cum.	5.3	N.W.1	N.W.1	0		Tr.				
14	77	67	60	68	3 Cum. S.W.	4 Cum. Cir.-E.S.W.	8 Cum.	5.0	S.W.1	N.W.1	0		Tr.				
15	75	76	54	68	9 Cum. W.	10 Cir.-S.W.	10 Ni.	9.6	S.W.1	N.N.E.2	E.1		Tr.		0.01	0.01	● between 3.10 & 9.30 p.m.
16	61	61	54	58	10 Cu. & Cir.-S	10 Cir.-S.W.	10 Cir. S	10.0	S.E.1	0	0		Tr.				
17	88	74	85	82	10 Cum. S.	1 Cum.	0	3.6	S.1	S.W.1	W.1		Tr.	0.04		0.04	⚡ 10.30 p.m. ⚡ & ● 1.30 a.m.
18	69	66	76	70	2 Cum.	1 Cum.	0	1.0	N.1	N.W.1	0		Tr.				⌐ morning.
19	75	67	82	74	1 Cu.	0	0	0.3	N.1	N.W.1	0		Cal.				⌐ morning.
20	83	67	83	77	1 Cum.	0	0	0.3	S.W.1	N.W.1	0		Calm				morning & evening ⌐
21	77	67	82	75	0	0	0	0.0	N.W.1	N.E.1	N.E.1		Calm				⌐ a.m.
22	71	73	87	77	0	0	0	0.0	S.W.1	N.E.1	E.1		Tr.				⌐ a.m. & p.m.
23	81	75	71	75	0	0	0	0.0	N.1	N.1	E.1		Tr.				⌐ a.m. & p.m.
24	80	58	62	66	0	7 Cir. Cir.-S.W.	1 Str.	2.6	S.W.1	S.W.1	0		Calm				⌐ a.m.
25	84	77	93	84	0	0	1 Str.	0.3	S.W.1	S.W.2	0		Calm				≡ w. ⚡ 6:30 a.m. & ⌐ p.m.
26	79	79	91	83	1 Cir.-S	1 Cir.-S	0	0.6	N.W.1	N.E.1	0		Calm				⌐ a.m.
27	86	71	86	81	0	0	0	0.0	S.W.1	N.W.1	0		Calm				≡ 5 a.m. & ⌐ a.m. & p.m.
28	62	75	89	75	0	0	0	0.0	S.W.1	W.1	0		Calm				⌐ a.m.
29	79	56	63	66	0	0	0	0.0	S.W.1	S.W.1	E.1		Calm				≡ 10 a.m. in the sea ⌐ a.m.
30	74	62	83	76	1 Cum.	0	0	0.3	S.2	S.W.2	0		Ag.				
31	59	58	72	63	9 Cum.	1 Cum.-Str.	10 Cum. S.W.	6.3	S.W.1	S.W.2	S.W.1		Ag.				
Sums	2263	2099	2369		114	102	93		37	45	29			0.22	0.11	0.33	
Means	73.0	67.7	76.4		3.35	3.29	3.0		1.19	1.45	0.93			[illegible]	[illegible]	[illegible]	

Barometer	Maximum	768.0	on	5
"	Minimum	754.5	on	8
Thermometer	Maximum	30.4	on	29
"	Minimum	12.3	on	4

METEOROLOGICAL REGISTER OF SYRIAN PROTESTANT COLLEGE, BEIRUT, SYRIA.

LAT. 33° 54′ 22″ N.

LONG. E. FROM GREENWICH 35° 28′ 10″

Height of Barometer above Sea level 33.7 meters
" " Thermometer above the earth 1.22 "
" " Rim of Rain Guage above " 0.36 "
Hours of observation 8½ 2½ 8½

Year 1895
Month June

Date	Barometer as read. 8½ Attached Thermometer Cent.	Barometer Millimeters	2½ Attached Thermometer Cent.	Barometer Millimeters	8½ Attached Thermometer Cent.	Barometer Millimeters	Barometer reduced to 0° and sea level. 8½	2½	8½	mean	Thermometer Cent. max.	min.	min. on grass	Solar Black Bulb	Dry Bulb Cent. 8½	2½	8½	mean	Wet Bulb Cent. 8½	2½	8½	Elasticity of vapor Millimeters 8½	2½	8½	mean	Relative Moisture per cent. 8½	2½	8½	mean	Clouds. Clear—0 Overcast—10 8½	2½	8½	mean	Direction and force of Wind. 0—10 8½	2½	8½	Wind per day. miles Km.	Sea	Rain in 24 hours measured at 8½ A.M. & 8½ P.M. inches. A.M.	P.M.	Total	Observations and Phenomena
1	22.6	759.8	25.0	761.5	23.0	761.0	759	760.2	761.0	760.56	25.9	18.1			19.3	24.6	20.8	21.3	18.2	17.5	17.2	14.7	10.8	12.2	12.3	88	48	66	64	9Cu+Ci S.W.	6Cu S.W.	9Cu. S.W.	7.6	S.W.1	S.W.3	S.W.1		Ag.	1.02	0.02	1.02	⊗ a. m.
2	23.9	762.6	24.7	763.3	22.9	764.1	762.5	763.3	764.1	763.30	27.6	19.2			22.3	23.4	22.8	22.8	18.1	18.4	16.6	12.7	12.6	10.4	11.9	62	59	50	57	7Cu. S.W.	4Cu. S.W.	1Cu	4.0	S.W.3	W.2	W.1		Ag.				
3	22.1	764.7	23.2	763.3	22.6	762.3	764.9	763.3	762.4	763.53	29.3	18.4			21.7	23.7	21.2	22.0	18.8	19.2	19.6	12.5	13.8	15.3	13.8	65	65	79	69	1Cu.	0	0	0.3	N.2.1	N.4	N.4		Ag.				
4	23.3	761.6	25.0	760.3	24.4	759.8	761.5	760.0	759.9	760.13	27.4	20.4			23.4	25.3	20.4	24.2	19.9	21.8	20.1	14.8	16.7	14.7	15.4	69	70	65	68	0	1Cir-S	0	0.3	N.1	N.2.3	N.2.2		Tr.				
5	24.3	759.0	25.2	761.4	24.1	759.4	759.9	761.1	759.3	759.43	27.8	22.4			24.7	25.4	22.8	24.3	20.7	23.2	21.4	15.3	18.4	17.8	17.1	66	76	87	76	0	0	0	0.0	N.1	N.1	0		Tr.				
6	24.2	758.5	29.2	759.0	24.2	757.7	758.3	759.6	757.6	758.3	27.3	19.9			23.9	26.4	21.9	24.1	21.8	17.6	20.9	17.8	10.1	17.6	15.1	81	40	90	70	0	1Cu.	1Cu-C.W.	3.6	S.W.1	S.W.3	0		Tr.				S.W. 5:30 a.m.
7	24.6	756.8	25.9	757.0	23.9	756.5	756.6	756.6	756.5	756.8	26.8	19.7			23.6	26.6	21.7	23.6	20.7	21.9	20.9	15.9	16.8	17.7	16.8	73	69	92	78	2Cir-C	1Cu.	0	1.0	S.W.2	S.W.1	S.W.1		Tr.				
8	24.3	757.2	25.9	756.9	24.4	756.1	757.0	756.5	756.0	756.5	28.1	19.6			23.4	25.8	22.1	23.7	21.1	22.9	20.2	16.7	18.4	16.2	17.1	79	74	82	78	0	0	0	0.0	S.W.1	N.W.1	0		Tr.				
9	25.8	756.7	26.1	756.7	24.0	756.8	756.3	756.3	756.7	756.8	29.3	21.1			25.4	26.1	22.1	24.5	22.5	23.1	21.2	17.9	19.8	18.0	18.5	74	79	91	81	9Cir-S S.W.	7Cir-C	1 Str.	5.6	S.1	N.1	0		Calm				
10	24.8	758.4	26.8	759.3	24.2	758.9	758.2	758.9	758.8	758.63	28.2	19.9			24.7	27.1	22.6	24.8	21.8	23.4	21.3	17.1	18.5	17.8	17.8	74	70	88	77	0	0	0	0.0	S.W.4	S.W.2	S.W.1		Tr.				
11	24.8	759.0	26.7	759.0	24.7	759.1	759.9	759.1	758.9	759.00	27.6	20.5			24.5	26.8	21.9	24.4	21.3	22.8	20.4	16.5	17.5	16.6	16.8	73	66	85	74	0	1Cum.	0	0.3	S.W.3	S.W.1	0		Tr.				
12	24.7	760.3	26.2	760.6	24.4	759.6	760.1	760.1	759.4	759.86	28.2	19.4			24.4	26.6	22.4	24.5	21.6	23.3	21.3	17.0	18.5	17.8	17.7	76	71	87	78	0	0	0	0.0	S.W.1	S.W.1	S.W.1		Tr.				
13	25.6	759.3	27.1	759.4	26.3	758.8	759.0	759.4	758.4	758.8	36.8	20.7			25.5	28.2	24.4	24.8	22.4	21.0	21.9	17.7	10.8	17.6	15.3	72	29	77	59	2Cir S.W.	4Cu.S.W.	4Cum.	8.3	0	0	S.W.2		Calm				
14	25.7	760.9	27.2	760.8	24.6	760.6	760.5	760.3	760.5	760.43	31.3	21.8			25.6	26.5	22.5	24.9	20.4	21.0	19.4	14.4	14.6	14.5	14.5	58	66	72	62	2Cum S.W.	7Cum S.W.	4Cum.	3.3	S.W.1	S.W.2	S.W.1		Ag.				
15	25.6	759.6	26.7	760.3	24.7	759.2	759.3	759.8	759.1	759.4	27.3	21.6			24.3	25.2	22.6	24.0	20.3	20.6	20.1	14.8	14.8	15.7	15.1	66	62	77	68	4Cum S.W.	7Cum S.W.	2Cum.	4.3	S.W.2	S.W.2	S.W.2		Ag.				
16	25.6	759.9	26.9	759.7	24.6	758.9	759.5	759.2	758.8	759.16	27.3	21.2			25.1	26.3	22.4	24.6	20.9	21.2	19.4	15.3	15.1	14.6	15.0	64	59	73	65	1Cum S.W.	2Cum S.W.	1Cum.	3.3	S.W.1	S.W.2	S.W.2		Ag.				
17	24.8	758.8	26.5	758.8	24.3	758.5	758.7	758.4	758.3	758.43	27.1	20.2			23.9	25.9	24.8	24.8	19.7	20.5	18.9	14.8	14.9	17.5	13.8	64	57	54	58	1Cum.	3Cum S.W.	1Cum.	1.6	S.W.1	S.W.2	S.W.1		Tr.				
18	25.2	758.7	26.3	759.2	24.2	759.0	758.4	758.6	758.9	758.6	26.9	19.4			24.0	24.6	24.6	24.4	20.2	19.6	18.8	14.9	15.5	12.5	14.3	67	59	55	60	2Cum	8Cum.S	0	3.3	S.W.1	S.W.2	S.W.1		Tr.				
19	25.2	759.5	26.5	760.2	24.4	760.5	759.3	759.8	760.4	759.8	27.4	19.7			24.7	25.8	22.3	24.2	19.8	20.6	19.7	13.8	14.3	13.2	14.4	60	57	77	64	4Cum+Ci S.W.	1Cum.	0	1.6	S.W.1	S.W.2	S.W.1		Tr.				
20	25.0	761.8	26.8	762.6	25.2	762.2	761.6	762.1	762.2	762.00	28.2	20.3			25.1	27.3	22.7	25.0	21.2	21.8	21.6	15.3	15.1	18.2	16.4	66	57	89	70	0	0	0	0.0	S.W.2	S.W.1	0		Tr.				
21	25.9	761.8	26.4	761.3	24.8	760.3	761.4	760.9	761.1	760.80	27.6	19.8			25.1	26.6	23.1	24.9	21.8	22.6	20.8	16.8	17.2	16.4	16.8	71	65	78	71	0	0	0	0.0	S.W.1	W.1	2.1		Tr.				
22	25.4	759.9	26.8	759.7	25.0	759.1	759.6	759.2	758.9	759.6	28.6	20.8			25.6	27.2	23.3	25.3	22.8	22.2	19.3	16.5	16.1	13.9	15.5	68	60	85	76	0	0	0	0.0	S.W.1	W.S.W.1	0		Tr.				
23	26.2	759.6	28.5	759.5	25.7	759.2	759.2	759.3	758.9	759.0	28.7	20.9			26.1	27.8	23.2	25.7	22.3	23.6	21.9	17.1	18.2	18.5	17.9	68	66	87	73	0	0	0	0.0	S.W.1	S.W.2	0		Cal.				
24	25.9	758.6	27.8	758.2	25.7	757.8	758.3	757.6	757.6	757.8	28.1	21.0			25.7	27.5	23.8	25.6	22.6	23.7	22.4	17.8	18.6	18.1	18.5	72	68	87	75	0	2Cum S.W.	0	0.6	S.W.1	S.W.2	S.W.1		Calm.				
25	26.3	758.4	27.8	758.6	26.1	758.4	758.0	758.1	758.1	758.0	28.3	22.6			26.6	27.2	23.9	26.5	21.3	21.8	20.5	15.6	15.4	15.4	15.4	64	57	70	63	1Cum.	5Cum S	10Cir-S	5.3	S.W.1	S.W.1	S.W.1		Tr.				
26	26.4	759.2	27.3	759.3	25.9	759.1	758.7	759.1	759.3	758.9	28.1	21.3			26.2	27.2	23.2	25.5	20.7	21.9	20.3	14.3	15.7	15.6	15.2	57	58	84	63	2Cum.	1Cum.	1Cum.	1.3	S.W.1	W.1	W.1		Tr.				
27	25.9	760.2	27.0	759.9	25.8	759.9	759.8	759.4	759.5	759.5	27.8	20.4			24.9	26.8	23.0	24.9	20.8	21.9	18.2	15.4	15.9	12.5	14.1	66	60	60	62	1Cum.	1Cum.	0	0.6	S.W.1	N.W.1	0		Tr.				
28	25.8	759.9	27.1	759.6	25.7	759.1	759.5	759.0	758.8	759.1	28.5	20.7			24.7	26.8	23.2	24.9	21.2	22.2	20.8	16.1	16.4	16.5	16.3	70	62	78	70	1Cum	1Cum.	0	2.6	S.W.1	S.W.2	S.W.1		Tr.				
29	25.7	758.5	27.9	758.3	26.1	758.2	758.2	759.6	759.9	759.0	29.3	20.2			25.8	27.6	23.8	25.7	22.0	22.8	21.1	16.7	17.0	17.7	16.1	67	61	80	69	1Cum S.W.	2Cum.	0	1.0	S.W.1	W.2	W.1		Tr.				
30	27.1	758.8	28.1	759.9	26.7	759.7	759.2	759.5	756.3	756.6	29.4	21.7			26.1	28.1	23.8	26.0	23.1	23.8	22.3	18.6	18.4	18.9	18.6	73	65	86	74	6Cum S.W.	1Cum S.W.	0	2.3	S.W.1	W.1	0		Tr.				
31																																					Tr.				
Sums							227.8	228.4	227.0	759.15	842.7	614.9			735.3	794.2	687.2					477.3	475.5	497.4		201.3	184.5	230.1		61	64	32		33	47	27			6.02	0.02		
Means							759.3	759.6	759.4	759.4	28.09	20.49			24.51	26.47	22.90					15.91	15.85	15.91		69.1	61.5	76.7		2.03	2.13	1.66		1.10	1.56	0.9			5.1	5.1		

Barometer	Maximum	764.9	on 3
"	Minimum	756.0	on 7
Thermometer	Maximum	36.8	on 13
"	Minimum	18.1	on 1

WEATHER BUREAU
AUG 6 1895
DIVISION OF RECORD AND METEOROLOGY

METEOROLOGICAL REGISTER OF SYRIAN PROTESTANT COLLEGE, BEIRUT, SYRIA.

LAT. 33° 54′ 22″ N.

LONG. E. FROM GREENWICH 35° 28′ 10″

Year 1895
Month July

Height of Barometer above Sea level 33.7 meters
" " Thermometer above the earth 1.22 "
" " Rim of Rain Guage above " 0.36 "
Hours of observation 8½ 2½ 8½

Date	Barometer as read 8½ Attached Thermometer Cent.	8½ Barometer Millimeters	2½ Attached Thermometer Cent.	2½ Barometer Millimeters	8½ Attached Thermometer Cent.	8½ Barometer Millimeters	Barometer reduced to 0° and sea level 8½	2½	8½	mean	Thermometer Cent. max.	min.	min. on grass	Solar Black Bulb
1	26.8	756.6	27.6	756.4	26.3	756.1	756.1	755.9	755.7	755.90	29.1	21.6		
2	27.2	757.1	28.3	757.9	26.9	[illegible]	758.6	757.2	757.6	757.80	29.7	23.2		
3	27.2	758.6	28.3	758.7	26.9	757.9	758.1	758.0	757.5	757.83	29.7	22.0		
4	27.2	757.1	28.9	757.9	27.1	757.4	757.1	757.1	756.8	757.00	29.7	22.2		
5	27.1	757.6	29.1	758.0	26.8	758.1	757.1	757.2	757.7	757.33	29.7	22.1		
6	27.0	758.0	28.9	758.8	26.8	758.9	757.6	758.0	758.5	758.03	30.1	22.3		
7	27.4	759.2	28.6	758.6	27.1	758.4	758.6	757.9	758.0	758.16	29.6	21.6		
8	27.6	761.8	28.5	755.6	27.4	767.6	758.3	760.0	757.1	758.46	29.8	22.6		
9	28.7	757.0	29.7	758.8	28.3	755.7	756.3	755.4	755.0	755.56	31.3	23.6		
10	29.1	756.3	30.7	754.4	28.1	757.0	755.5	755.5	756.4	755.80	32.3	24.1		
11	28.3	757.3	29.5	757.6	27.2	757.7	756.6	756.8	757.2	756.86	29.8	22.1		
12	27.4	757.8	29.4	758.5	27.4	758.4	757.2	757.7	757.9	756.60	30.1	22.5		
13	27.8	758.6	27.5	758.2	26.4	757.2	758.0	757.1	757.3	757.48	28.6	22.3		
14	27.3	757.3	28.5	757.5	27.4	756.9	756.7	756.8	756.3	756.60	30.8	22.3		
15	28.0	757.4	28.9	757.1	27.7	756.5	756.7	756.3	755.9	756.30	30.1	22.4		
16	28.3	757.4	29.7	754.4	28.7	756.2	756.7	753.2	755.5	755.13	33.4	22.3		
17	28.7	755.9	29.6	755.9	26.9	755.0	755.2	755.1	754.5	754.93	30.4	24.1		
18	27.8	754.2	27.3	753.9	27.9	753.5	753.6	753.3	752.8	753.23	30.7	22.4		
19	29.2	753.7	30.2	753.7	28.1	752.7	752.9	752.8	753.0	752.90	30.8	24.8		
20	28.2	754.6	29.8	754.5	27.9	754.9	753.9	753.7	754.3	753.96	30.4	24.8		
21	27.4	755.8	29.0	756.4	27.7	756.4	755.2	755.7	755.9	755.60	30.1	22.5		
22	28.2	757.6	28.2	757.7	28.1	757.9	756.9	757.0	757.2	757.03	29.8	25.1		
23	27.7	757.1	27.3	757.4	28.1	757.4	756.4	756.8	756.7	756.63	30.8	23.1		
24	28.1	756.9	29.9	756.7	28.4	756.6	756.2	756.5	755.9	756.20	30.8	23.8		
25	28.3	755.9	30.3	756.1	28.3	755.6	755.2	755.2	755.0	755.13	30.9	23.2		
26	27.9	756.3	29.4	756.5	28.2	756.6	755.7	755.7	755.9	755.76	30.4	23.0		
27	28.1	757.0	29.7	757.1	28.6	757.2	756.3	756.2	756.5	756.33	30.4	23.7		
28	28.2	757.5	30.3	757.8	28.9	757.6	756.8	756.9	756.9	756.86	31.4	23.7		
29	28.2	757.4	30.3	757.0	28.6	756.8	756.7	756.1	756.1	756.30	31.3	23.1		
30	28.7	755.0	30.7	755.3	28.9	755.2	754.3	754.3	754.5	754.36	31.4	25.3		
31	28.1	754.4	30.3	754.6	28.7	754.1	753.7	753.7	753.9	753.76	31.3	23.6		
Sums							23442.1	23439.6	23440.9		934.7	715.4		
Means							756.19	756.11	756.15		30.15	23.08		

Date	Dry Bulb Cent. 8½	2½	8½	mean	Wet Bulb Cent. 8½	2½	8½	Elasticity of vapour Millimeters 8½	2½	8½	mean	Relative Moisture per cent. 8½	2½	8½	mean
1	25.3	27.3	25.0	25.8	22.7	23.3	21.8	18.5	18.0	16.9	17.8	77	67	72	72
2	27.9	29.0	25.0	27.3	22.2	22.9	21.4	15.8	16.2	16.2	16.0	56	55	69	60
3	26.6	28.4	24.4	26.4	23.3	24.1	21.9	18.5	18.7	17.6	18.2	71	65	77	71
4	26.2	28.8	27.3	27.4	23.1	24.0	22.6	18.4	18.3	16.7	17.8	72	61	62	65
5	26.7	28.7	24.6	26.6	21.2	24.0	22.5	14.9	18.4	18.5	17.2	57	63	81	67
6	26.2	28.1	24.6	26.3	22.5	23.6	22.7	17.4	18.0	19.0	18.1	68	64	83	71
7	26.4	29.1	24.7	26.4	23.3	24.0	22.6	18.7	18.1	18.7	18.5	73	60	81	71
8	26.7	29.1	26.2	27.3	23.8	24.7	24.1	19.6	19.5	20.4	19.8	75	65	81	73
9	28.7	29.5	26.6	28.2	25.7	25.7	25.1	22.0	21.0	22.3	21.8	76	67	86	76
10	29.4	30.9	25.9	28.7	25.8	26.0	22.8	21.5	20.8	18.2	20.2	70	62	72	68
11	28.0	28.9	24.9	27.2	21.9	22.8	20.1	15.2	16.2	14.1	15.2	54	54	59	55
12	27.3	28.9	24.4	26.9	25.6	21.8	20.0	22.8	14.5	14.2	17.1	84	49	63	65
13	26.3	27.3	25.2	27.9	21.7	22.2	22.5	15.9	16.1	18.1	16.7	61	59	75	65
14	27.3	28.1	26.5	27.3	23.4	24.1	23.7	18.2	18.8	19.4	18.8	67	66	75	69
15	28.1	29.2	26.6	27.9	23.7	25.6	23.8	18.3	21.3	19.5	19.7	65	70	75	70
16	27.6	29.7	25.8	27.7	24.4	24.8	23.6	20.0	18.8	18.6	19.1	73	61	75	69
17	27.3	28.6	24.4	26.8	23.1	22.7	21.6	17.6	16.1	17.0	16.9	65	54	76	65
18	27.0	29.7	25.9	27.5	22.9	24.1	23.1	17.1	17.9	18.7	17.9	63	57	74	65
19	28.6	30.0	26.2	28.2	21.7	24.7	23.4	14.5	18.7	19.2	17.4	56	59	76	61
20	27.4	29.4	24.9	27.2	22.7	24.0	22.3	15.9	19.0	18.0	17.6	62	62	77	67
21	26.6	29.6	25.8	27.3	23.2	23.9	23.5	18.3	17.7	19.6	18.5	70	57	79	68
22	28.0	29.3	25.7	27.6	24.6	21.9	23.8	20.0	14.5	20.2	18.2	71	47	82	66
23	27.9	30.0	26.3	28.0	24.1	24.9	23.8	19.1	19.3	19.8	19.4	68	61	78	69
24	28.2	29.8	29.0	29.0	24.1	25.0	23.8	18.8	22.7	17.9	19.8	66	92	60	72
25	29.1	30.1	29.6	29.6	24.1	24.9	23.9	18.3	19.1	17.0	18.1	61	59	58	59
26	27.8	29.1	26.3	27.7	23.7	24.6	24.1	18.5	19.2	20.5	19.4	67	64	80	70
27	28.3	29.6	26.5	28.1	24.8	25.1	24.6	20.3	20.0	21.3	20.5	71	64	83	72
28	28.0	27.4	29.2	28.2	24.8	25.7	24.3	19.9	22.9	18.6	20.4	73	84	62	73
29	27.9	30.2	26.8	28.3	26.7	25.3	21.4	20.2	20.0	15.1	18.4	73	62	57	64
30	29.1	30.6	26.8	28.8	23.6	25.7	24.4	17.4	20.3	20.7	19.4	57	62	80	63
31	29.1	30.3	26.7	27.7	24.3	25.1	24.1	18.5	19.4	20.0	19.3	62	60	77	66
Sums	[illegible]	854.8	895.1	807.8				570.3	579.5	572.0		2108	1932	2285	
Means	27.57	27.57	32.70 28.87	26.6				18.52	18.69	18.45		68	62.3	73.7	

Date	Clouds (Clear—0, Overcast—10) 8½	2½	8½	mean	Direction and force of Wind 0—10 8½	2½	8½	Wind per day miles Km.	Sea	Rain in 24 hours measured at 8½ A.M. & 8½ P.M. inches, mm. A.M.	P.M.	Total	Observations and Phenomena
1	6 Cum.	0	0	2.0	N.W.1	N.W.1	0		Tr.				
2	0	0	0	0.0	N.W.1	N.W.1	S.W.1		Tr.				
3	1 Cum. S.W.	1 Cum.	0	0.6	S.W.1	W.1	0		Tr.				
4	3 Cum. S.W.	5 Cum.	0	2.6	S.W.1	S.W.1	0		Tr.				
5	0	5 Cum. S.W.	0	1.6	S.W.2	S.W.2	W.1		Tr.				
6	0	0	0	0.0	S.W.2	S.W.1	W.1		Tr.				⟵ a. m.
7	7 Cum. S.W.	0	0	2.3	S.W.1	S.W.1	W.1		Tr.				⟵ a.m.
8	7 Cum.	0	0	2.3	N.W.1	N.1	N.1		Tr.				
9	7 Cum. S.W.	0	0	2.3	S.W.1	N.W.1	0		Calm				
10	0	6	0	2.3	S.W.2	S.W.3	S.W.3		Tr.				
11	4 Cum. S.W.	3 Cum. S.W.	2 Cum. S.W.	3.0	S.W.2	S.W.3	S.W.3		ag				
12	1 Cum. S.W.	4 Cum. S.E.	0	1.6	S.W.2	S.W.1	0		ag				
13	6 Cum. W.	0	0	2.0	W.1	N.W.2	N.E.3		Thr				
14	3 Cum. N.W.	2 Cum. N.W.	0	1.6	N.1	N.2	N.2		Tr.				
15	1 Cum.	0	0	0.3	N.1	N.2	N.1		Tr.				
16	1 Cum.	1 Cum.	0	0.6	W.1	S.W.2	0		Tr.				
17	1 Cum. S.W.	1 Cum.	0 Cir.	0.6	S.W.2	S.W.4	S.W.1		Tr.				
18	8 Cum. S.W.	4 Cum. S.W.	6 Cum.	2.6	S.W.2	S.W.3	S.W.1		Tr.				
19	8 Cum. S.	4 Cum. S.W.	5 Cum.	5.6	S.W.3	S.W.3	S.W.3		ag				
20	3 Cum. & Cir. S.W.	1 Cum.	0	1.3	S.W.2	S.W.2	0		Tr.				
21	1 Cum.	1 Cum. S.	0	0.6	S.W.1	W.S.W.1	0		Tr.				
22	4 Cum. W.	3 Cum.	0	2.3	W.S.W.1	N.W.1	0		Tr.				
23	8 Cum. S.W.	1 Cum.	1 Cum.	3.3	S.S.W.2	S.W.2	S.W.1		Tr.				
24	1 Cum.	9 Cum. W.	1 Cum.	3.6	S.W.2	S.W.3	S.W.1		Tr.				
25	1 Cum. S.	4 Cum. S.	0	1.6	S.W.1	W.2	0		Tr.				
26	1 Cum.	3 Cum. N.	0	1.3	S.W.1	N.W.2	0		Calm				
27	1 Cum.	7 Cum.	1 Cum.	3.0	S.W.1	W.1	W.1		Calm				
28	0	1 Cum.	0	0.3	S.W.1	S.W.2	0		Calm				⟵
29	2 Cum. S.	3 Cum. S.	3 Cum. S.	2.6	S.S.W.2	S.W.3	S.W.2		Tr.				
30	1 Cum.	4 Cum. S.	1 Cum.	3.0	S.S.W.4	S.W.4	S.W.1		Tr.				
31	0	2 Cum. S.	0	0.6	S.W.2	S.W.3	S.W.1		Tr.				
Sums	80	66	20		48	60	28						
Means	2.6	2.1	0.6		1.5	1.9	0.9						

Barometer	Maximum	758.6	on	7
"	Minimum	752.8	on	18.19
Thermometer	Maximum	33.4	on	16
"	Minimum	21.6	on	1.7

904
29.19

METEOROLOGICAL REGISTER OF SYRIAN PROTESTANT COLLEGE, BEIRUT, SYRIA.

LAT. 33° 54' 22" N.

LONG. E. FROM GREENWICH 35° 28' 10"

Year 1895
Month August

Height of Barometer above Sea level 33.7 meters
" " Thermometer above the earth 1.22 "
" " Rim of Rain Guage above " 0.36 "
Hours of observation 8½ 2½ 8½

Date	Barometer as read 8½ Att. Therm. Cent.	8½ Barometer Millimeters	2½ Att. Therm. Cent.	2½ Barometer Millimeters	8½ Att. Therm. Cent.	8½ Barometer Millimeters	Barometer reduced to 0° and sea level 8½	2½	8½	mean	Thermometer Cent. max.	min.	min. on grass	Solar Black Bulb
1	28.6	755.3	27.6	755.3	28.7	755.4	754.6	754.7	754.7	754.66	31.3	23.8		
2	29.3	755.6	28.3	756.0	29.1	756.0	754.8	755.3	755.3	754.80	31.5	24.9		
3	28.7	756.1	31.1	756.1	29.1	756.0	755.4	755.1	755.3	755.26	31.8	24.3		
4	28.9	755.9	31.2	756.2	29.4	756.6	755.1	755.1	755.7	755.30	32.1	24.7		
5	28.6	756.9	31.2	757.9	29.1	756.7	756.1	756.1	755.9	756.03	31.8	24.7		
6	28.6	755.8	30.4	755.8	28.1	755.3	754.4	754.8	754.4	754.[illegible]	30.9	23.7		
7	28.6	755.0	27.1	755.4	29.0	755.1	754.4	754.8	754.8	754.66	30.8	24.7		
8	28.6	754.4	30.5	754.7	29.0	754.1	753.7	753.8	753.3	753.60	31.7	24.1		
9	29.3	754.3	28.8	753.6	29.0	752.7	753.5	752.8	752.0	752.76	31.9	24.4		
10	29.2	753.3	31.3	753.3	28.7	753.3	752.6	752.3	752.6	752.46	31.6	24.7		
11	28.3	753.8	30.6	754.2	28.6	754.5	753.1	753.2	753.8	753.33	31.8	23.7		
12	27.8	755.7	29.2	756.0	27.9	755.9	755.1	755.5	755.3	755.30	30.6	23.6		
13	27.9	756.8	29.9	757.2	28.8	756.8	756.2	756.2	756.0	756.13	31.0	23.7		
14	28.2	757.0	28.3	756.5	29.1	756.5	756.3	756.5	755.8	756.20	32.2	23.7		
15	28.6	755.8	30.7	755.5	29.0	755.6	755.1	754.5	754.9	754.83	31.6	24.0		
16	28.2	755.8	30.4	755.9	28.4	755.8	755.1	754.5	755.1	754.90	31.5	23.6		
17	27.7	755.9	30.4	755.7	28.5	756.3	755.3	755.0	755.7	755.33	31.4	23.0		
18	27.7	755.7	30.1	754.8	28.3	755.6	755.1	754.8	755.0	754.96	31.4	22.6		
19	28.6	755.6	30.3	755.7	28.4	756.2	754.9	755.1	755.5	755.10	31.4	23.6		
20	27.9	755.9	30.0	756.3	27.9	756.7	755.3	755.4	756.0	755.56	31.6	22.8		
21	28.1	757.5	28.9	757.5	27.8	757.7	756.8	756.7	757.1	756.86	29.9	24.0		
22	28.0	758.8	29.2	758.6	28.2	758.9	758.1	757.8	758.3	758.07	30.8	24.6		
23	27.3	758.8	29.6	759.1	27.9	759.1	758.2	758.3	758.5	758.33	30.9	23.2		
24	27.4	758.7	29.7	758.8	28.2	758.1	758.2	757.9	758.0	758.03	31.8	23.5		
25	27.9	758.3	29.8	757.9	28.4	757.8	757.6	757.0	757.1	757.23	31.4	23.8		
26	27.9	757.6	28.6	757.2	28.3	757.4	756.9	756.4	756.8	756.70	29.8	23.6		
27	28.2	757.2	28.9	756.5	28.0	755.5	756.7	755.7	755.0	755.80	30.1	23.1		
28	29.1	756.6	29.8	756.6	28.3	756.2	755.8	755.7	755.5	755.67	31.3	26.7		
29	29.1	757.3	30.2	756.9	28.9	756.7	756.5	756.0	755.9	756.13	30.8	27.0		
30	28.7	757.3	29.6	757.0	28.3	756.5	756.6	756.1	755.8	756.16	30.3	27.1		
31	29.0	756.9	31.0	756.0	29.9	755.9	756.1	755.0	755.1	755.40	33.3	26.9		
Sums							23424.3	23419.2	23418.2		969.7	752.1		
Means							755.62	755.40	755.42	755.50	31.25	24.26		

Date	Dry Bulb Cent. 8½	2½	8½	mean	Wet Bulb Cent. 8½	2½	8½	Elasticity of vapour Millimeters 8½	2½	8½	mean	Relative Moisture per cent. 8½	2½	8½	mean
1	28.1	30.0	26.6	28.2	24.3	25.2	24.2	19.4	19.7	20.4	19.8	69	62	79	70
2	28.3	30.7	26.7	28.5	25.3	25.9	24.3	21.2	20.7	19.3	20.4	74	62	74	70
3	28.3	31.2	26.9	28.8	25.1	26.4	25.2	20.8	21.3	22.4	21.5	73	63	85	73
4	28.6	31.4	28.1	29.3	25.2	26.8	23.1	20.9	21.9	17.0	19.9	72	64	60	65
5	29.0	31.1	29.1	30.4	25.2	26.1	23.5	20.5	20.8	17.3	19.5	69	61	57	62
6	27.3	29.6	26.6	27.8	23.8	24.7	23.7	18.9	18.8	19.4	19.0	70	60	75	68
7	27.9	28.7	27.1	27.8	24.6	24.1	24.2	20.2	18.7	19.9	19.6	72	64	76	70
8	29.1	30.9	26.7	28.9	22.8	25.6	24.6	16.1	19.8	21.0	18.9	53	59	81	64
9	28.1	31.2	27.0	28.7	24.6	26.6	24.8	18.8	21.7	21.3	20.6	67	64	81	70
10	29.1	30.8	26.9	28.9	25.1	25.4	23.9	20.2	19.7	19.6	19.8	66	58	75	66
11	29.1	30.3	26.5	28.8	23.5	24.6	23.0	17.1	18.4	18.1	17.8	57	57	70	61
12	27.3	29.1	26.4	27.8	22.3	23.9	23.2	16.4	18.0	18.6	17.6	61	59	72	64
13	27.6	30.0	27.1	28.2	23.8	25.2	24.2	18.8	19.8	19.9	19.5	68	62	76	68
14	28.9	30.9	26.9	28.7	24.7	26.7	25.0	19.4	22.2	22.5	21.4	65	67	89	73
15	29.1	30.8	26.9	28.9	24.5	26.6	24.2	19.1	22.1	20.2	20.4	63	67	77	69
16	28.6	30.8	26.3	28.6	24.7	26.8	23.6	19.7	22.6	19.4	[illegible]	68	68	76	70
17	28.1	30.3	26.2	28.2	25.2	21.7	23.4	21.1	25.0	19.2	21.7	75	77	75	76
18	28.6	30.6	26.4	27.8	25.6	24.1	22.9	22.2	17.4	18.1	19.2	76	53	70	66
19	29.1	30.7	26.4	28.7	23.7	23.7	21.9	16.7	16.6	16.1	16.4	55	50	63	56
20	28.7	30.9	26.5	28.4	22.1	24.3	22.3	15.1	17.9	16.8	[illegible]	51	56	65	57
21	27.7	29.3	27.2	28.1	23.3	23.9	23.3	17.8	17.9	18.2	17.9	64	58	68	63
22	28.7	29.2	26.4	28.1	24.0	24.2	22.3	18.3	18.4	16.8	17.8	62	61	65	62
23	27.9	30.3	25.8	28.3	22.2	23.9	22.3	16.6	17.1	17.3	16.7	56	63	70	59
24	28.3	30.4	26.1	28.3	22.5	24.3	23.2	16.0	17.8	18.8	17.5	56	55	74	61
25	28.3	30.7	26.6	28.5	24.9	25.1	23.9	18.9	19.1	19.9	19.3	66	58	77	67
26	27.0	27.6	26.4	27.0	23.3	23.1	23.1	18.3	17.5	18.3	18.03	69	64	71	68
27	28.6	28.6	27.5	28.2	23.4	24.4	25.1	17.5	19.3	21.6	19.5	60	68	79	69
28	29.6	30.1	27.6	29.1	25.6	25.8	25.6	21.0	21.1	22.5	21.5	67	65	82	71
29	28.2	29.1	27.8	28.4	25.1	23.9	22.7	20.9	17.9	16.7	18.5	74	59	60	64
30	28.3	29.2	27.2	28.2	24.2	25.6	25.1	18.9	21.3	21.9	20.7	62	71	81	71
31	28.7	32.5	30.8	30.7	25.5	26.3	25.2	21.4	20.2	19.2	20.3	74	55	57	62
Sums	880.3	936.2	836.0					587.2	620.7	597.7		2034	1904	2190	
Means	28.40	30.20	26.96					18.94	20.02	19.28		65.6	61.4	70.6	

Date	Clouds (Clear—0, Overcast—10) 8½	2½	8½	mean	Direction and force of Wind (0—10) 8½	2½	8½	Wind per day, miles Km.	Sea	Rain in 24 hours measured at 8½ A.M. & 8½ P.M., inches, mm. A.M.	P.M.	Total	Observations and Phenomena
1	2 Cu. S	4 Cu. S	7 Cu.	4.3	S.W.2	S.W.1	0		Calm				
2	8 Cum.	6 Cum & Cir-C	2 Cir-C	5.3	W.1	W.1	0		Calm				
3	2 Cu. S.W.	2 Cu. S.W.	0	1.3	S.W.1	S.W.1	0		Calm				
4	1 Cu. S.W.	2 Cu. S.W.	9 Cu. S.W.	4.0	S.W.1	S.W.1	S.W.1		Calm				[illegible] a.m.
5	3 Cu. S.W.	7 Cu. W.S.W.	0	3.3	S.W.1	W.S.W.2	0		Tr.				[illegible] a.m.
6	5 Cum. S.W.	1 Cum. S.W.	0	2.0	S.W.1	W.1	N.W.1		Tr.				
7	8 Cum. S.W.	10 Cum & Cu-S	2 Cu.	5.0	W.1	W.1	N.1		Calm				[illegible] a.m.
8	3 Cu. W	3 Cu. S.W.	0	2.0	W.1	W.2	0		Calm				
9	9 Cu. S	1 Cu. W.	0	3.3	S.S.W.2	W.1	S.W.1		Tr.				
10	7 Cu. S.W.	1 Cum.	0	2.6	S.W.2	S.W.2	W.S.W.2		Tr.				
11	0	6 Cu. W.	0	2.0	S.W.1	W.S.W.2	S.W.1		Tr.				
12	1 Cum.	1 Cum.	0	0.6	S.W.1	S.W.1	0		Tr.				
13	0	1 Cu.	0	0.3	N.W.1	N.W.1	0		Tr.				
14	0	3 Cu. S.W.	0	1.0	S.W.2	S.W.1	0		Tr.				
15	0	1 Cum.	0	0.3	S.W.2	S.W.2	S.W.1		Tr.				
16	4 Cu. S.W.	1 Cu.	0	1.6	S.S.W.2	S.W.2	0		Tr.				
17	2 Cu. S	2 Cu. S.W.	0	1.3	S.S.W.2	S.W.2	0		Tr.				
18	2 Cu.	2 Cu.	0	1.3	W.1	W.1	S.W.1		Tr.				
19	1 Cu. W	3 Cu. S.W.	0	1.3	W.1	W.3	S.1		Tr.				
20	0	8 Cu. S	0	2.6	S.W.1	W.1	E.1		Calm				
21	3 Cu. N.E.	0	0	1.0	0	N.2	N.E.1		Tr.				
22	0	0	0	0.0	[illegible]	N.W.1	0		Cal.				
23	0	0	0	0.0	W.1	N.W.1	0		Tr.				
24	0	0	0	0.0	S.W.1	S.W.1	0		Tr.				
25	1 Cu. N.	1 Cu.	0	0.7	0	W.1	W.1		Tr.				
26	6 Cu. S.W.	10 Cum & Cu-S	10 Cu.	8.7	S.W.1	W.1	0		Tr.				
27	2 Cu.	0	0	0.7	N.N.W.1	N.N.W.2	N.N.E.3		Ag.				
28	5 Cu.	1 Cu.	9 Cu.	5.0	[illegible]	N.W.2	N.E.2		Tr.				
29	8 Cu. S.W.	10 Cum.	10 Cum.	9.7	W.1	N.W.1	N.E.1		Tr.				
30	10 Cu. W	10 Cu. N	8 Cu.	9.7	W.1	N.N.W.1	E.1		Tr.				
31	1 Cu.	1 Cu.	0	0.7	S.W.1	S.W.1	N.E.1		Tr.				
Sums	89	98	57		34	43	21						
Means	2.87	3.16	1.84		1.09	1.38	0.68						

Barometer	Maximum	758.5	on	23
"	Minimum	752.0	on	9
Thermometer	Maximum	33.3	on	31
"	Minimum	22.6	on	18

METEOROLOGICAL REGISTER OF SYRIAN PROTESTANT COLLEGE, BEIRUT, SYRIA.

LAT. 33° 54′ 22″ N.

LONG. E. FROM GREENWICH 35° 28′ 10″

Year 1895

Month September

Height of Barometer above Sea level 33.7 meters

" " **Thermometer above the earth** 1.22 "

" " **Rim of Rain Gauge above** " 0.36 "

Hours of observation 8½ 2½ 8½

Date	Barometer as read. 8½ Attached Thermometer Cent.	Barometer Millimeters	2½ Attached Thermometer Cent.	Barometer Millimeters	8½ Attached Thermometer Cent.	Barometer Millimeters	Barometer reduced to 0° and sea level. 8½	2½	8½	mean	Thermometer Cent. max.	min.	min. on grass	Solar Black Bulb	Dry Bulb Cent. 8½	2½	8½	mean	Wet Bulb Cent. 8½	2½	8½	Elasticity of vapour Millimeters 8½	2½	8½	mean	Relative Moisture per cent. 8½	2½	8½	mean	Clouds. Clear— 0 Overcast—10 8½	2½	8½	mean	Direction and force of Wind. 0 — 10 8½	2½	8½	Wind per day. miles Km.	Sea	Rain in 24 hours measured at 8½ A.M. & 8½ P.M. inches. mm. A.M.	P.M.	Total	Observations and Phenomena
1	29.1	766.5	30.1	766.1	29.0	765.4	765.7	765.2	765.7	765.53	31.0	24.7			28.1	30.1	26.4	28.9	25.9	27.4	23.7	22.2	27.6	19.5	22.1	76	76	76	76	5 Cu. w.	1 Cu.	0	2.0	S.w.1	w.1	0		Cal						
2	27.9	757.4	30.1	757.3	28.6	757.9	756.7	756.4	757.2	756.77	31.3	23.7			28.1	28.9	27.6	28.9	25.1	27.0	24.4	21.0	24.6	18.5	21.4	74	83	60	72	2 Cu. S.w.	4 Cu. S.w.	7 Cu.	6.0	S.w.1	w.2	S.w.1		Cal						
3	28.5	758.6	28.9	758.7	28.3	758.6	57.9	757.9	757.7	757.83	29.9	25.7			27.6	28.1	26.8	27.5	25.7	23.8	23.4	22.8	18.4	18.7	19.9	83	65	71	73	1 Cu. S.w.	1 Cu. S	2 Cu. S	6.3	w.1	w.1	S.w.1		Cal						
4	27.5	758.6	29.8	758.3	28.8	758.0	757.9	757.4	757.4	757.57	31.3	23.4			28.3	30.1	26.3	28.5	23.7	24.1	23.0	18.7	17.7	18.3	18.1	63	55	72	63	1 Cu. S	0	0	1.3	0	w.1	w.1		Calm						
5	27.7	758.4	29.7	757.1	27.8	760.3	757.8	758.3	759.6	758.56	30.7	23.8			28.1	29.9	26.0	28.2	23.2	23.4	22.3	16.9	16.7	17.2	16.9	57	63	69	59	0	0	0	0.0	S.w.1	w.1	0		Cal						
6	27.9	761.0	31.0	761.4	27.9	761.5	760.4	760.6	760.8	760.6	31.8	22.5			27.6	30.6	25.9	28.0	23.7	25.5	23.9	18.5	20.0	20.1	19.9	67	61	81	69	0	0	0	0.0	S.w.1	W.h.w.2	0		Tran						
7	27.4	761.3	30.0	761.3	27.9	761.3	760.5	760.4	760.4	760.56	31.3	23.4			28.3	30.1	26.7	28.4	23.7	27.1	21.9	18.1	23.8	16.1	19.0	63	74	61	66	0	1 Cu. S.w.	0	2.0	W.S.w.1	S.w.2	W.S.w.2		Tr.						
8	27.1	758.9	29.2	758.4	27.8	759.9	758.3	757.6	757.3	757.73	30.4	22.8			27.7	29.5	26.1	27.8	23.8	26.3	23.9	18.8	22.5	18.2	19.8	68	72	72	71	0	1 Cu.	6 Cu. S.w.	2.3	W.S.w.1	S.w.2	W.S.w.1		Tr.						
9	27.8	759.6	29.1	759.7	26.9	759.8	759.1	759.3	759.5	759.50	30.2	22.9			27.6	29.2	25.7	27.5	23.7	26.3	22.6	18.9	22.8	18.0	19.9	69	74	73	72	1 Cu. S.w.	2 Cu. S.w.	3 Cu. S.w.	2.0	S.w.1	S.w.2	S.w.2		Ag.						
10	26.8	759.3	28.7	758.2	27.0	759.0	757.8	757.4	758.3	757.83	29.8	22.8			27.4	28.4	25.1	27.0	24.1	25.7	21.7	19.6	21.9	16.8	19.1	73	77	71	73	3 Cu. S	1 Cu.	1 Cu.	1.7	S.1	w.1	S.w.1		Tr.						
11	25.5	759.6	27.4	760.3	26.1	761.2	759.3	759.7	760.8	759.96	28.7	21.1			24.9	27.9	23.8	25.5	20.2	25.5	21.3	14.3	22.0	16.8	17.7	60	79	76	72	4 Cu. w.	1 Cu. w.	1 Cu.	2.0	w.1	w.h.w.1	0		Tr.	0.145	0.105	0.15		a. h. & P.h.	a. h.
12	25.8	762.2	27.4	762.4	26.3	762.4	762.3	761.8	762.0	762.03	28.9	21.6			26.7	28.0	26.0	26.9	23.8	25.4	22.3	19.5	22.9	18.8	20.4	71	88	75	76	0	0	0	0.0	0	h.1	h.2.1		Tr.						
13	26.7	762.2	28.0	761.3	27.1	759.6	761.7	760.6	759.6	760.13	29.1	23.3			27.1	27.9	26.4	27.1	24.5	26.1	25.3	20.6	23.3	22.9	22.2	78	84	90	84	0	0	0	0.0	h.1	h.2	h.w.2		Tr.						
14	26.8	761.1	28.0	760.4	26.7	760.9	760.8	759.7	760.4	760.33	29.4	24.6			26.8	28.7	25.9	27.1	24.8	26.9	23.9	21.5	24.6	19.9	22.0	83	84	80	82	1 Cu.	2 Cu. h.	0	1.0	h.2	h.2	h.2		Tr.						
15	27.6	760.5	28.3	760.2	26.5	760.0	760.0	759.5	760.2	759.9	29.9	24.7			25.7	27.1	24.8	25.9	23.4	25.7	23.7	19.6	23.2	20.9	21.6	79	87	89	85	10 Cu. S.w.	9 Cu. S.w.	1 Cu.	6.7	S.w.1	S.w.1	S.w.1		Tr.						
16	28.7	760.4	28.2	760.4	26.9	760.2	759.2	759.7	759.7	759.53	30.2	22.5			29.1	28.9	24.5	27.7	25.1	26.9	23.4	19.7	24.3	20.4	21.3	62	82	89	77	0	3 Cu. S.w.	0	1.0	S.w.1	S.w.1	0		Cal						
17	26.0	760.6	28.7	760.5	27.6	761.0	760.2	759.7	760.1	760.00	29.9	24.7			27.8	28.7	25.3	27.3	25.9	26.9	23.9	23.1	24.6	20.8	22.8	84	84	86	85	1 Cu.	2 Cu. S.w.	2 Cu.	1.7	0	w.1	S.w.1		Tr.						
18	28.5	761.8	28.1	762.2	26.2	762.3	761.0	761.6	761.9	761.50	29.1	24.6			29.6	28.3	24.8	27.6	24.8	26.8	23.4	19.3	23.9	20.1	21.3	62	86	86	78	1 Cu.	0	0	0.3	S.w.1	S.w.1	0		Tr.						
19	25.4	764.1	27.3	763.2	24.6	763.9	763.8	762.6	763.4	763.27	28.7	24.1			26.4	29.2	24.4	26.8	24.7	26.6	25.4	21.6	24.9	23.2	23.2	85	91	91	89	0	1 Cu.	0	0.3	h.2.1	h.2.1	h.2.3		Tr.						
20	27.2	763.0	28.2	762.2	27.4	761.5	762.4	761.6	760.9	761.48	29.4	24.0			28.0	28.9	26.7	27.9												0	0	0	0.0	h.3	h.3	h.3.4		Ag.						
21	27.9	761.4	30.2	761.7	28.3	760.4	760.9	760.3	759.7	758.93	32.2	24.1			28.9	29.6	26.7	28.2												7 Cu. e	8 Cu. e & Cu.	10 Cu. & Cu.	8.3	W.1	w.1	0		Calm						
22	26.9	761.4	28.6	760.4	26.3	759.4	760.9	759.7	759.1	759.90	29.3	24.6			26.5	28.9	25.7	26.9												3 Cu. S.w.	5 Cu. S.w.	2 Cu. S.w.	4.0	S.w.1	S.w.3	S.w.2		Tr.						
23	25.8	757.9	24.8	758.8	23.6	759.9	757.5	756.6	757.8	756.63	27.1	22.7			25.7	24.3	23.1	24.4	24.8	23.8	22.4	22.4	21.4	19.5	21.1	91	95	93	93	4 Cu. S.w.	8 Cu. & h.	S.w. 3 Cu. & Cu.	5.0	S.S.w.5	W.h.w.3	h.3		Ag.						
24	22.8	762.8	23.6	760.1	22.4	761.5	762.8	760.1	761.6	760.44	25.2	18.6			22.2	24.2	22.0	22.8	21.4	23.2	21.4	18.3	20.2	18.4	19.9	92	90	94	92	0 Cu. & Cu.	5 Cu. & Cu.	Cu. 3 Cu. & h.	5.7	W.S.w.1	h.4	h.w.3		Ag.						
25	22.5	763.5	23.8	764.1	22.6	765.2	763.5	764.0	765.2	764.17	25.7	19.2			22.6	24.2	22.3	23.3	21.9	23.9	21.4	19.1	21.7	18.3	19.3	94	96	91	94	4 Cu. w	1 Cu.	0	1.7	h.2.w.1	h.2	h.5		Ag.						
26	23.0	764.7	26.1	764.4	24.7	764.3	764.7	764.0	764.1	764.27	27.4	20.2			24.6	26.4	24.8	25.3	24.1	26.2	24.7	21.8	24.1	22.1	22.9	94	97	96	96	0	0	0	0.0	0	0	h.3.3		Ag.						
27	25.2	762.8	26.9	761.8	27.1	761.3	762.5	761.3	761.7	761.50	28.1	22.9			26.2	28.1	25.7	26.7												0	0	0	0.0	0	h.1	h.3		Tr.						
28	26.0	761.2	26.6	760.4	25.3	761.3	760.5	760.3	761.0	760.10	29.3	24.2			25.8	26.9	24.8	25.8												0	0	0	0.0	0.2.12	h.2	h.2.2		Tr.						
29	24.7	762.2	26.0	762.3	24.8	763.1	762.0	761.6	762.9	762.17	27.8	20.9			24.7	26.9	24.3	25.3												0	0	0	0.0	0	h.1	h.1		Calm						
30	26.5	764.5	25.4	763.9	24.7	764.1	764.1	763.6	763.9	763.87	26.7	19.8			24.4	25.9	24.3	24.9												0	0	0	0.0	2.1	h.1	h.2		Calm						
31																																											
Sums							228.24	227.91	229.9	228.3					804.2	844.4	762.9												66	60	41		31	46	46			0.14	0.01	0.15			
Means							760.25	759.93	760.8	760.28	29.20	22.92			26.81	28.04	25.43												2.20	2.0	1.37		1.03	1.53	1.53			3.6	0.2	3.8			

Barometer	**Maximum**	760.2	**on**	25
"	**Minimum**	755.2	**on**	1
Thermometer	**Maximum**	32.0	**on**	21
"	**Minimum**	18.6	**on**	24

METEOROLOGICAL REGISTER OF SYRIAN PROTESTANT COLLEGE, BEIRUT, SYRIA.

LAT. 33° 54′ 22″ N.
LONG. E. FROM GREENWICH 35° 28′ 10″

Year 1895
Month October

Height of Barometer above Sea level 33.7 meters
" " Thermometer above the earth 1.22 "
" " Rim of Rain Guage above " 0.36 "
Hours of observation 8½ 2½ 8½

Date	Barometer as read 8½ Attached Thermometer Cent.	8½ Barometer Millimeters	2½ Attached Thermometer Cent.	2½ Barometer Millimeters	8½ Attached Thermometer Cent.	8½ Barometer Millimeters	Barometer reduced to 0° and sea level 8½	2½	8½	mean	Thermometer Cent. max.	min.	min. on grass	Solar Black Bulb
1	24.3	764.6	25.7	763.8	24.6	763.6	764.4	763.4	763.4	763.73	26.9	20.3		
2	23.6	762.6	26.3	761.3	24.3	761.0	762.5	761.4	760.9	761.60	27.8	19.3		
3	23.4	759.8	26.1	758.9	24.1	758.8	759.7	758.5	758.7	758.97	26.8	19.5		
4	23.0	759.3	[24.7]	[759.2]	23.5	761.7	759.3	[759.0]	761.6	759.97	26.8	18.8		
5	23.1	760.7	25.8	760.1	23.7	760.9	761.1	760.2	760.8	760.57	26.8	18.1		
6	22.9	760.0	25.1	759.4	23.7	759.2	760.0	759.1	759.1	759.40	25.9	19.0		
7	22.5	760.9	22.3	759.0	22.7	760.1	760.9	759.1	760.2	760.07	26.7	16.8		
8	22.6	760.7	24.3	760.5	23.3	761.2	760.7	760.3	761.2	760.73	25.2	19.1		
9	23.7	762.0	25.3	761.7	24.6	762.1	761.9	761.4	761.9	761.77	26.7	20.5		
10	24.6	761.4	26.7	760.3	24.8	760.2	761.2	759.8	760.0	760.33	28.7	22.3		
11	24.8	760.1	26.1	759.4	25.3	759.6	759.8	759.0	759.3	759.36	27.4	21.6		
12	24.4	760.0	26.3	759.5	24.1	759.8	759.8	759.1	759.7	759.53	27.5	21.3		
13	23.3	759.2	25.6	758.9	24.5	759.4	759.2	758.6	759.3	759.03	26.8	19.1		
14	21.8	757.7	23.2	757.4	21.7	758.7	757.9	757.4	759.0	758.30	24.9	17.4		
15	21.4	761.0	22.6	760.8	21.3	760.8	760.7	760.9	760.8	760.63	24.1	15.9		
16	20.7	762.1	22.4	761.8	21.3	761.9	762.4	761.8	762.1	762.10	23.7	17.3		
17	20.7	761.7	22.2	761.1	21.4	761.5	762.0	761.2	761.7	761.63	23.5	16.8		
18	21.1	761.9	23.0	760.3	22.7	760.3	762.2	760.3	760.4	760.97	24.7	17.8		
19	22.9	759.6	24.8	759.3	23.7	759.1	759.6	759.1	759.1	759.27	27.3	20.2		
20	23.0	759.3	24.6	759.5	23.2	760.3	759.3	759.3	760.3	759.63	26.6	19.7		
21	23.7	760.7	23.7	760.5	20.2	760.7	760.8	760.4	761.0	760.73	24.8	20.8		
22	22.2	757.3	24.2	758.5	24.0	759.3	759.4	758.3	759.2	758.97	26.8	18.7		
23	22.6	760.0	23.9	759.3	22.6	760.0	760.1	759.2	760.1	759.80	24.7	18.8		
24	21.3	758.2	22.6	757.1	21.8	760.2	757.4	759.1	760.4	759.63	24.7	15.2		
25	20.9	760.9	22.3	760.8	21.3	762.1	761.2	760.8	762.3	761.33	23.7	15.9		
26	20.6	763.4	22.4	763.2	21.3	763.8	763.7	763.2	764.0	763.63	24.1	17.3		
27	21.0	764.4	22.7	763.6	22.2	764.1	764.7	763.6	764.2	764.17	24.1	18.2		
28	21.9	763.2	23.1	762.0	22.9	762.1	763.3	762.0	762.1	762.48	23.7	20.9		
29	22.0	762.6	23.7	761.2	23.4	761.6	762.7	761.1	761.6	761.80	25.9	19.3		
30	22.2	762.8	23.8	762.4	22.9	763.2	763.0	762.3	763.2	762.83	25.8	19.7		
31	22.6	763.3	23.9	762.3	23.1	762.8	763.4	762.2	762.8	762.80	25.1	19.8		
Sums							23595.4	23571.1	23594		792.5	585.4		
Means							761.14	760.36	760.98		25.71	18.88		

Date	Dry Bulb Cent. 8½	2½	8½	mean	Wet Bulb Cent. 8½	2½	8½	Elasticity of vapour Millimeters 8½	2½	8½	mean	Relative Moisture per cent. 8½	2½	8½	mean
1	24.7	25.7	23.2	24.5	20.3	21.1	20.1	14.7	15.3	15.2	15.1	68	62	72	66
2	24.1	27.0	22.2	24.4	19.8	24.1	19.4	13.6	19.8	14.7	16.0	57	75	74	69
3	24.2	26.3	22.6	24.4	19.3	20.1	18.3	13.4	13.4	12.8	13.2	59	52	63	58
4	24.5	25.4	21.0	23.6	20.7	[20.3]	18.8	15.3	[14.9]	11.5	13.7	68	[61]	63	64
5	23.7	25.8	24.4	24.6	18.1	20.1	18.5	11.9	13.7	12.1	12.6	58	55	53	55
6	23.5	25.3	22.6	23.8	19.3	19.9	19.6	13.7	13.8	14.8	14.1	64	57	74	65
7	21.9	24.7	21.1	22.6	19.3	19.7	18.1	14.7	13.7	13.4	13.9	75	59	71	68
8	23.0	24.0	23.1	23.4	19.3	19.8	19.7	14.0	14.4	14.7	14.4	67	64	70	67
9	24.6	25.5	24.3	24.8	19.3	21.2	22.3	13.1	15.5	18.4	15.7	57	63	81	67
10	25.1	27.4	22.3	24.9	21.1	21.7	21.2	16.7	15.3	17.9	16.3	66	55	89	70
11	24.3	26.4	23.8	24.8	21.6	22.4	20.8	16.4	17.0	16.1	16.5	69	66	74	69
12	24.3	25.8	21.7	23.9	20.2	19.2	18.1	14.6	12.4	12.9	13.3	65	50	67	61
13	23.4	25.7	23.1	24.1	17.8	21.1	19.6	11.7	15.2	14.4	13.8	54	62	69	62
14	18.3	21.3	16.1	18.2	18.3	18.4	15.6	15.7	14.4	12.8	14.3	100	81	94	92
15	21.6	22.9	18.9	20.8	18.3	16.9	15.2	13.4	10.9	10.6	11.6	71	53	66	63
16	21.2	22.8	21.1	21.7	15.9	16.9	15.0	10.4	10.8	9.3	10.2	55	52	50	52
17	21.2	22.8	21.4	21.8	15.9	16.5	16.1	10.4	10.4	10.5	10.4	50	50	55	53
18	21.7	23.7	24.1	23.2	15.9	18.5	18.3	10.1	12.5	12.1	11.6	52	57	54	54
19	23.4	25.7	22.9	24.0	19.4	21.2	20.7	14.0	21.2	16.5	17.2	65	63	80	69
20	23.2	25.0	21.9	23.4	20.3	[illegible]	[illegible]	15.5	14.2	14.7	14.8	74	60	74	69
21	23.2	23.7	22.1	23.0	19.9	20.1	19.7	14.9	14.9	15.2	15.0	70	69	77	72
22	21.9	25.5	23.1	23.5	18.7	19.8	19.6	13.7	13.4	13.5	13.5	69	55	69	64
23	19.0	23.6	19.7	20.8	17.4	18.5	16.7	13.7	12.6	12.1	12.8	84	58	71	71
24	20.7	22.5	18.8	20.7	16.8	18.2	16.1	11.8	12.7	11.8	12.1	64	62	73	66
25	20.4	23.1	19.6	21.0	17.8	18.5	16.9	13.2	12.9	12.5	12.9	74	61	74	69
26	21.0	23.2	20.2	21.5	16.9	18.9	17.2	11.7	13.3	12.6	12.5	64	63	71	66
27	21.8	23.0	22.1	22.3	18.5	19.7	18.9	13.6	14.7	14.0	14.1	69	70	70	70
28	21.9	23.2	22.6	22.6	18.5	20.1	20.3	13.5	15.1	16.1	14.9	68	72	79	73
29	21.9	24.7	21.9	22.8	19.7	18.6	19.3	15.4	12.1	14.8	14.1	78	52	75	68
30	22.3	24.7	21.2	22.7	18.6	21.2	18.7	13.4	16.0	14.2	14.5	67	69	76	71
31	22.6	24.2	22.8	23.2	19.7	21.6	21.4	15.0	17.1	17.9	16.7	74	76	87	79
Sums	698.6	759.5	675.9					429.2	443.1	421.1		2074	1904	2152	
Means	22.50	24.50	21.81					13.62	14.29	13.58		66.9	61.4	69.5	

Date	Clouds (Clear—0, Overcast—10) 8½	2½	8½	mean	Direction and force of Wind (0—10) 8½	2½	8½	Wind per day miles Km.	Sea	Rain in 24 hours measured at 8½ A.M. & 8½ P.M. inches A.M.	P.M.	Total	Observations and Phenomena
1	0	0	0	0.0	N.E.1	N.W.1	N.1		Calm.				
2	0	1Cu. S.W.	6Cu. S.W.	2.3	S.W.1	S.W.1	S.E.1		Calm.				
3	4Cir & Cu.	7Cu. S.W.	9Cu. S.W.	6.7	W.1	S.W.2	0		Tr.				
4	1Cu. S.W.	5Cu.	0	2.0	W.1	S.W.1	0		Cal.				
5	1Cu.	8Cir & Cu.	3Cir 9Cu.	4.0	S.W.1	N.W.1	0		Cal.				
6	1Cu.	6Cir-S	10Cu.	5.7	0	S.W.1	0		Cal.	~~.625~~		~~0.625~~	⚡ N.-W. Eve. & ⊘
7	2Cu. S.W.	1Cu. S.W.	1Cu.	1.3	W.1	W.1	0		Tr.	.625		0.625	Ţ4 3-5 a.m.
8	1Cu.	1Cu.	0	0.7	0	N.W.2	N.1		Tr.				
9	0	0	0	1.0	N.E.1	N.E.2	N.E.2		Tr.				
10	2Cir. S.W.	7Cir-Cu Cir-S	0	1.3	S.W.1	S.W.1	S.W.1		Tr.				⌒ — A.m & P.m.
11	3Cu.	2Cu.	10Cu.	5.0	S.W.1	S.W.1	S.W.1		Tr.				
12	1Cu.	9Cu. S.E.	0	3.3	S.W.1	N.W.1	S.W.1		Tr.				
13	1Cu.	2Cu.	1Cu.	1.3	S.W.1	S.W.2	S.W.1		Tr.				⚡ eve N.-W.
14	10 Nim.	8Cu. S.W.	3Cu.	7.0	W.2	S.W.1	0		Tr.	4.80	1.655	5.455	⊘ 8 a.m. ⌒ Ţ a.m. & P.m. ⚡ N. all eve
15	8Cu. N.	Cu & Cir-C	1Cu.	5.0	0	N.W.1	S.E.3		Tr.		0.070	.070	⊭ 9 ⊘ a.m.
16	5Cu & Cir-C	3Cu.	0	2.7	0	N.E.1	N.E.1		Tr.				
17	0	0	0	0.0	0	N.1	N.E.1		Tr.				
18	0	9Cir-S	1St.	3.3	N.E.1	N.E.1	N.3		Tr.				
19	8Cir-Cu.	10Cir-S	9Cir-S	9.0	S.W.1	0	0		Tr.				
20	0	1Cu. S.W.	0	0.3	0	W.1	0		Tr.				⌒ — a.m & P.m.
21	7Cu. N.E.	4Cu. N.E.	4Cu.	5.0	0	N.W.1	N.1		Tr.				
22	4Cir-Cu-Cir. S.W.	8Cir-S.W.	3Cu.	5.0	0	W.1	S.1		Cal.				⌒ — a.m ⊠ ⚡ N.W. ½ P.m.
23	9Cu & Cir S.W.	7Cu. S.W.	2Cu.	6.0	S.W.1	S.W.2	0		Tr.	0.225	0.08	0.305	⊘ a.m & P.m ⌒ a.m, Ţ4 a.m & ⚡ ½ P.m.
24	7Cu.	7Cu. W.S.W.	3Cu.	3.7	S.W.1	S.W.1	0		Tr.	0.34		0.34	⊘ a.m & P.m. Ţ4 a.m & Ţ4 ½ eve
25	5Cu & Cir-C	3Cu & Cir-C	3Cir-C	3.3	0	S.W.1	S.E.1		Tr.	0.57	—	0.57	
26	6Cir-Cu. N.W.	3Cu.	2Cir-C	3.7	0	N.W.1	S.E.1		Tr.				⌒ — P.m.
27	1Cir-C	0	0	0.3	0	0	S.E.1		Tr.				⌒ — a.m.
28	1Cu.	1Cu. N.E.	2Cir.	1.3	N.E.2	N.E.3	N.E.2		Tr.				
29	0	1Cir.	0	0.3	0	N.E.4	0		Tr.				⌒ — a.m.
30	0	0	0	0.0	0	0	0		Tr.				⌒ — a.m & P.m.
31	0	0	0	0.0	N.1	N.E.1	N.E.1		Tr.				⌒ — a.m & P.m.
Sums	82	114	73		19	35	23			1.56	0.807	1.365	
Means	2.64	3.68	2.35		0.61	1.13	0.74			[illegible]			

Barometer	Maximum	764.7	on	27
"	Minimum	757.4	on	4
Thermometer	Maximum	28.7	on	10
"	Minimum	15.2	on	24

METEOROLOGICAL REGISTER OF SYRIAN PROTESTANT COLLEGE, BEIRUT, SYRIA.

LAT. 33° 54' 22" N.

LONG. E. FROM GREENWICH 35° 28' 10"

Height of Barometer above Sea level 33.7 meters
" " Thermometer above the earth 1.22 "
" " Rim of Rain Guage above " 0.36 "
Hours of observation 8½ 2½ 8½

Year 1895
Month November

Date	Barometer as read 8½ Attached Thermometer Cent.	8½ Barometer Millimeters	2½ Attached Thermometer Cent.	2½ Barometer Millimeters	8½ Attached Thermometer Cent.	8½ Barometer Millimeters	Barometer reduced to 0° and sea level 8½	2½	8½	mean	Thermometer Cent. max.	min.	min. on grass	Solar Black Bulb
1	23.2	763.5	24.7	762.8	23.6	763.5	763.5	762.5	763.5	763.17	27.6	20.2		
2	22.9	764.0	24.2	762.5	22.8	761.6	764.0	762.4	761.6	762.67	25.7	19.8		
3	22.2	762.2	21.4	761.8	20.0	763.0	762.3	762.0	763.4	762.57	23.0	19.4		
4	20.2	765.8	20.0	766.7	19.8	767.5	766.2	766.9	768.3	767.13	23.1	14.7		
5	18.6	769.7	20.8	769.6	19.6	769.6	770.2	766.8	770.0	770.1	22.6	15.4		
6	19.3	769.9	20.9	769.4	20.1	769.1	770.4	766.6	769.5	769.83	22.3	15.9		
7	19.2	768.4	20.6	766.7	19.8	766.9	768.6	767.0	767.5	767.63	21.3	16.6		
8	19.0	766.3	20.6	[illegible]	19.4	766.0	766.8	765.5	765.5	765.93	20.8	14.7		
9	18.6	[illegible]	[illegible]	[illegible]	19.8	764.5	765.7	764.2	765.0	764.97	21.3	15.2		
10	19.3	764.7	21.2	764.1	20.3	764.7	765.2	764.3	764.6	764.70	22.9	16.3		
11	19.8	765.3	21.3	763.8	20.4	764.4	765.7	764.0	764.7	764.80	22.2	17.8		
12	20.2	765.1	21.4	764.6	20.9	764.6	765.5	764.8	764.9	765.07	22.1	16.7		
13	20.4	765.2	21.3	763.9	20.5	764.1	765.5	764.1	764.4	764.67	22.2	17.1		
14	20.6	763.6	22.1	762.1	21.3	762.1	763.9	762.3	762.1	762.77	23.2	18.2		
15	22.8	761.7	24.3	760.9	22.8	[illegible]	761.7	[illegible]	761.?	764.?	27.1	19.9		
16	22.1	760.2	22.2	759.4	21.1	760.3	760.4	759.6	760.6	760.2	27.1	19.3		
17	20.2	761.0	20.1	760.9	19.8	760.2	761.4	761.4	760.7	761.17	19.2	16.9		
18	18.3	759.9	20.2	758.7	18.4	759.6	760.5	757.1	760.2	759.93	21.1	14.8		
19	17.1	768.9	17.2	758.1	16.7	758.7	759.8	758.9	759.0	759.23	20.4	13.8		
20	15.0	759.1	16.8	759.6	15.7	761.4	760.3	760.5	762.4	761.07	16.5	8.9		
21	15.0	763.5	16.7	763.6	16.2	764.2	764.6	764.4	765.2	764.73	18.5	17.7		
22	15.7	764.0	17.8	762.4	17.2	761.7	764.9	763.1	762.5	763.47	19.1	12.9		
23	16.7	760.7	19.1	760.3	17.8	760.0	760.6	760.8	762.7	761.0	20.1	12.7		
24	17.6	765.5	19.7	765.5	18.6	766.4	765.8	765.9	767.0	766.23	21.3	15.4		
25	18.2	767.6	19.7	766.7	18.4	766.2	767.7	767.1	766.8	767.23	21.5	15.2		
26	17.4	[illegible]	20.2	763.2	18.4	760.9	765.9	763.6	761.6	763.70	21.4	15.2		
27	18.9	756.2	18.9	755.9	17.9	757.2	756.8	756.5	757.9	757.07	19.4	16.3		
28	16.7	759.6	17.9	759.7	17.2	760.9	760.5	760.4	761.7	760.87	19.2	13.7		
29	17.1	760.2	18.9	759.5	17.3	757.8	761.0	760.1	760.5	760.53	20.3	14.4		
30	17.2	759.6	18.3	758.7	17.8	759.5	760.4	759.4	760.3	760.03	20.2	14.8		
31														
Sums							22911.3	22890.9	22904.4		653.8	471.3		
Means							763.710	763.030	763.480		21.793	15.710		

Date	Dry Bulb Cent. 8½	2½	8½	mean	Wet Bulb Cent. 8½	2½	8½	Elasticity of vapour Millimeters 8½	2½	8½	mean	Relative Moisture per cent. 8½	2½	8½	mean
1	22.3	26.8	21.9	23.7	21.2	21.2	20.9	17.8	14.8	17.6	16.7	89	56	90	78
2	22.8	24.7	20.8	22.2	19.8	21.3	19.2	15.3	16.2	16.3	15.6	77	70	84	77
3	21.9	20.5	19.0	20.5	18.9	10.2	10.9	13.3	5.3	6.2	8.3	67	29	38	45
4	18.7	21.1	16.8	18.9	12.2	12.9	12.4	7.4	7.3	8.3	7.7	46	39	58	48
5	18.5	21.6	18.3	19.5	13.1	14.4	14.1	8.3	8.6	9.6	8.8	52	45	61	53
6	19.1	21.6	20.2	20.3	12.7	14.1	14.7	7.8	8.2	9.4	8.5	47	43	53	48
7	18.4	20.2	19.6	19.4	13.1	14.8	14.9	8.4	9.5	10.0	9.3	52	54	59	55
8	18.4	20.0	16.2	18.2	10.6	14.6	13.4	6.2	9.4	9.8	8.5	39	54	72	55
9	18.3	20.7	18.0	19.0	13.7	17.2	15.7	9.0	12.3	11.8	11.0	57	67	77	67
10	19.4	22.0	18.8	19.4	16.5	18.8	17.3	12.0	13.8	13.6	13.1	72	70	84	75
11	19.8	21.4	18.7	20.0	16.7	18.4	17.4	12.1	14.2	13.9	13.4	71	75	87	78
12	19.2	21.8	20.3	20.4	17.6	18.6	18.3	13.9	13.7	14.2	13.9	84	70	80	78
13	19.4	21.4	19.4	20.1	17.8	18.7	17.7	13.9	14.1	13.9	14.0	83	75	83	80
14	21.1	22.3	20.8	21.1	18.3	19.3	17.6	14.9	14.5	12.8	14.2	82	73	71	77
15	23.4	25.6	22.1	23.7	18.3	17.8	18.9	12.5	10.7	14.1	12.4	58	44	71	58
16	19.2	19.1	18.2	18.83	17.2	18.8	17.2	13.2	15.1	13.9	14.1	80	92	89	87
17	18.8	18.7	17.2	18.2	16.9	17.9	15.6	13.0	14.7	12.1	13.3	81	91	84	85
18	17.0	20.2	17.2	18.1	13.3	14.7	13.6	9.2	9.4	9.6	9.4	65	53	66	61
19	14.0	14.5	15.3	14.6	13.3	13.1	11.9	10.9	10.4	8.6	9.9	91	84	67	80
20	9.8	15.9	14.0	13.2	9.1	9.7	10.8	8.2	6.2	8.0	7.5	90	47	67	68
21	14.4	17.1	14.7	15.4	10.8	12.2	11.1	7.8	8.0	7.9	7.9	64	56	64	61
22	15.3	18.3	15.7	16.4	10.9	13.2	12.1	7.5	8.6	8.5	8.2	58	54	64	59
23	16.6	19.7	16.6	17.6	14.9	14.7	13.3	11.6	9.6	9.4	10.2	82	56	67	68
24	17.1	20.6	17.1	18.3	13.1	15.4	14.6	9.0	10.0	10.8	9.9	63	55	75	64
25	17.1	20.4	16.8	18.1	12.9	15.9	14.2	8.8	10.7	10.4	9.3	61	59	74	65
26	16.8	20.3	16.9	18.0	12.7	16.1	14.3	8.7	11.0	10.5	10.1	61	62	74	65
27	19.0	18.1	14.7	17.3	14.8	13.7	12.0	10.0	9.2	8.9	9.7	61	59	72	64
28	14.7	18.1	15.3	16.0	12.2	13.8	12.4	9.1	9.3	9.1	9.2	73	60	70	68
29	16.3	18.8	15.1	16.7	13.4	14.1	13.4	9.8	9.2	10.4	9.8	71	58	82	70
30	15.6	19.1	17.3	17.3	14.3	14.1	13.6	11.3	9.2	9.4	10.1	85	56	65	68
31															
Sums	540.8	610.8	533.5					320.6	323.2	328.2		2062	1806	2152	
Means	18.027	20.36	17.783					10.686	10.773	10.973		68.73	60.20	71.73	

Date	Clouds (Clear—0, Overcast—10) 8½	2½	8½	mean	Direction and force of Wind 0—10 8½	2½	8½	Wind per day miles Km.	Sea	Rain in 24 hours measured at 8½ A.M. & 8½ P.M. inches A.M.	P.M.	Total	Observations and Phenomena
1	0	0	0	0.0	0	0	0		Tr.				⏤ a.m & P.m.
2	0	0	0	0.0	0	0	0		Tr.				⏤ P.m.
3	0	0	0	0.0	N.E.5	N.N.E.6	N.E.6		Ag.				N.E. all day.
4	0	0	0	0.0	S.E.2	N.E.1	S.E.1		Tr.				
5	0	0	4 Ci–S	1.3	0	N.W.1	S.E.1		Tr.				
6	1 Ci.	1 Ci–S	0	0.6	S.E.1	N.E.1	N.E.1		Tr.				
7	9 Ci–St–C	9 Ci–S	3 Ci–S	7.0	0	N.2	N.E.2		Tr.				
8	1 Ci–C	0	0	0.3	0	N.N.W.1	0		Cal.				⏤ P.m.
9	2 Ci & Ci–C	2 Ci–N.	0	1.3	S.E.1	0	0		Cal.				⏤ P.m.
10	0	3 Cu–S.W.	0	1.0	0	W.1	S.W.1		Cal.				⏤² P.m.
11	1 Cu. S.W.	0	0	0.3	S.W.1	N.1	0		Cal.				⏤² p.m & a.m.
12	3 Cu & Ci	3 Ci & Ci–S	4 Cu.	3.3	0	N.E.1	0		Tr.				⏤² a.m & P.m.
13	8 Ci–S.W.S.W.	Ci & Ci–S.E.	2 Cu.	5.7	0	N.E.1	S.E.1		Tr.				⏤ a.m.
14	10 Ci–S	8 Ci–S	1 St.	6.3	0	N.E.1	0		Tr.				⏤ ⊕ a.m & P.m.
15	10 Ci–S	10 Ci–S	10 Ci–S	10.0	S.W.1	0	0		Tr.				
16	10 Ni & Cu S.E.	10 Cu. S.E.	1 Cu.	7.0	0	0	S.E.1		Tr.	0.235	0.15	0.385	⊘ a.m. ⚡ & ⏤ P.m.
17	10 Cu.	10 Nim.	10 Cu & Nim.	10.0	S.W.2	0	0		Tr.		0.305	0.305	⊘ a.m & P.m & T P.m & a.m.
18	0	4 Cu. S.W.	1 Cu.	1.7	S.E.1	S.W.2	S.W.1		Tr.				
19	10 Ni.	10 Cu. W.	10 Ni.	10.0	N.E.2	N.E.4	N.E.1		Tr.	0.140	0.145	0.285	⊘ a.m & P.m & N.E. P.m.
20	7 Cu. N.W.	4 Cu.	4 Cu.	5.0	S.E.1	W.1	N.E.1		Tr.	0.405		0.405	⊘ & ▲ a.m.
21	2 Cu.	1 Cu.	0	1.0	0	N.1	S.E.1		Tr.				
22	0	1 Cu.	0	0.3	0	N.N.E.1	0		Tr.				⏤ a.m & P.m.
23	6 Ci–C.S.	2 Ci & Cu.	1 Ci.	3.0	S.E.1	N.1	S.W.1		Tr.				⚡ N–N.W. eve
24	1 Ci–St Cu.	3 Ci & Cu.	0	1.3	S.E.1	N.1	S.E.1		Tr.				⏤ a.m & P.m & ⚡ N–N.E.
25	1 Ci–S	1 Ci–S	9 Ci–S	3.7	0	0	0		Tr.				⏤ a.m & P.m & ⊘ eve
26	1 Cu.	8 Ci & Cu.	2 Cu.	3.7	S.E.1	S.W.1	0		Tr.				⏤ a.m & P.m.
27	9 Cu. W.S.W.	5 Cu. W.	3 Ci–C	5.7	S.W.5	N.W.4	S.E.1		Ag.	0.085	0.002	0.087	⊘ a.m & P.m & ⚡ & T a.m.
28	3 Cu.	1 Cu.	3 Ci–C S.S.W.	2.3	S.E.1	0	S.E.1		Tr.	0.05		0.05	⊘ a.m.
29	7 Cu. S.	7 Cu & Ci–C S.W.	10 Ni.	8.0	S.E.1	S.W.3	S.E.1		Tr.	0.08		0.08	⊘ P.m.
30	10 Cu & Ni.	10 Cu. S.W.	10 Cu.	10.0	S.W.1	S.E.1	0		Ag.	0.26	0.01	0.27	⊘ a.m & P.m.
31													
Sums	122	120	88		29	37	22			1.255	0.63	1.885	
Means	4.06	4.0	2.93		.966	1.23	1.73			[illegible]	[illegible]	[illegible]	

Barometer Maximum 770.4 on 6
" Minimum 756.5 on 27
Thermometer Maximum 27.6 on 1
" Minimum 8.9 on 20

METEOROLOGICAL REGISTER OF SYRIAN PROTESTANT COLLEGE, BEIRUT, SYRIA.

LAT. 33° 54′ 22″ N.

LONG. E. FROM GREENWICH 35° 28′ 10″

Year 1895

Month December

Height of Barometer above Sea level 33.7 meters
" " Thermometer above the earth 1.32 "
" " Rim of Rain Guage above " 0.36 "
Hours of observation 8½ 2½ 8½

Date	Bar. as read 8½ Attached Thermometer Cent.	8½ Barometer Millimeters	2½ Attached Thermometer Cent.	2½ Barometer Millimeters	8½ Attached Thermometer Cent.	8½ Barometer Millimeters	Bar. reduced to 0° and sea level 8½	2½	8½	mean	Thermometer Cent. max.	min.	min. on grass	Solar Black Bulb	Dry Bulb Cent. 8½	2½	8½	mean	Wet Bulb Cent. 8½	2½	8½
1	18.3	757.3	20.3	757.2	19.5	759.4	758.2	757.6	760.0	758.60	20.8	15.4			18.8	20.3	16.1	18.4	14.3	17.1	15.9
2	19.1	761.7	20.7	762.9	19.1	764.2	762.2	763.2	764.8	763.40	22.4	17.0			19.1	20.3	17.3	18.9	15.2	15.9	14.2
3	18.6	764.3	20.6	764.1	18.6	764.9	764.9	764.4	765.5	764.93	21.9	15.8			18.3	20.3	15.7	18.1	13.4	15.6	14.2
4	17.6	764.8	18.9	763.5	18.3	763.5	765.5	764.1	764.1	764.57	19.7	14.8			16.2	18.8	17.7	17.6	13.5	15.8	15.2
5	17.8	761.3	19.3	757.9	18.8	757.3	762.0	760.0	757.9	760.63	20.7	15.3			17.6	19.4	19.1	18.7	14.6	15.8	15.4
6	18.7	760.2	19.8	760.6	19.1	762.1	760.7	761.0	762.7	761.47	21.3	17.1			18.3	19.4	17.2	18.3	15.2	16.8	15.0
7	18.3	764.4	19.7	764.7	18.7	765.2	765.6	765.1	765.8	765.30	20.9	14.7			17.4	19.6	16.3	17.8	14.7	15.6	14.2
8	18.2	764.1	19.6	762.7	18.5	762.8	764.8	763.1	763.4	763.77	20.7	14.3			16.1	19.1	16.4	17.2	15.0	16.3	15.0
9	17.4	761.4	19.1	759.7	18.1	759.4	761.7	760.2	760.1	760.67	20.2	14.6			15.3	19.2	16.4	17.0	12.6	15.2	14.3
10	17.5	754.6	17.9	752.2	16.7	763.1	755.4	752.9	754.6	754.3	19.1	15.1			15.6	17.4	14.9	16.0	13.7	14.3	12.0
11	14.7	752.5	14.4	755.1	14.2	757.5	753.8	756.3	758.7	756.27	15.7	6.9			10.1	11.6	12.6	11.4	8.7	9.7	11.3
12	13.9	761.1	14.8	760.5	14.6	761.9	762.4	761.6	762.6	762.22	17.0	9.7			13.1	13.1	13.4	13.2	11.1	9.5	11.6
13	14.7	763.7	16.1	763.8	15.4	765.6	764.8	764.7	766.7	765.40	18.4	12.3			14.1	17.1	15.2	15.5	14.1	11.3	11.3
14	14.2	766.4	15.6	765.8	15.3	764.8	767.5	766.8	765.8	766.70	16.4	10.8			12.6	15.6	13.4	13.9	9.7	11.4	10.8
15	15.0	761.9	16.9	761.1	15.7	761.5	763.0	761.9	762.5	762.47	19.7	12.4			15.8	18.6	15.8	16.7	11.3	15.2	11.7
16	15.2	761.4	16.8	761.6	16.1	763.6	762.5	762.4	764.5	763.13	19.3	14.0			14.6	18.1	15.9	16.2	10.1	14.7	12.7
17	15.9	764.7	17.9	765.2	17.2	767.2	765.7	765.9	768.0	766.53	19.4	14.2			16.5	18.6	15.5	16.9	13.6	15.4	13.6
18	15.7	769.4	17.8	769.1	16.8	769.0	770.4	769.8	769.8	770.0	19.0	13.6			15.1	18.1	15.2	16.1	9.7	14.7	13.3
19	15.6	768.8	18.4	766.9	17.2	766.5	769.8	767.5	767.2	768.17	18.6	13.2			14.2	18.0	17.0	16.4	11.6	11.4	14.3
20	16.4	764.9	17.7	763.2	16.5	762.4	765.8	763.9	763.3	764.33	18.8	13.7			16.1	17.9	15.2	16.4	12.3	14.4	12.6
21	15.9	761.3	17.8	760.4	16.9	760.4	762.2	761.0	763.8	762.33	20.7	14.8			16.2	19.0	15.5	16.9	12.0	13.7	13.8
22	16.1	757.1	19.7	755.1	17.6	755.7	758.8	755.6	756.2	756.87	21.8	13.7			16.2	19.6	17.2	17.7	12.7	15.6	14.2
23	15.7	753.8	15.6	762.8	15.3	756.9	754.8	753.8	757.9	755.50	17.7	14.2			11.8	13.8	14.1	13.2	10.8	12.2	11.4
24	14.3	760.2	17.3	760.8	13.9	762.5	761.2	761.6	763.5	762.10	18.6	11.8			14.3	17.3	13.8	14.8	11.8	12.6	12.2
25	15.0	764.9	16.7	764.9	15.6	766.6	766.0	765.7	767.5	766.40	18.2	12.4			12.4	17.0	14.1	14.5	11.9	13.8	12.4
26	14.7	768.7	16.5	767.5	16.0	767.6	769.7	768.2	768.9	768.93	17.7	12.2			14.0	17.0	14.7	15.2	11.1	14.4	12.7
27	15.7	766.6	17.6	764.8	16.3	764.5	767.6	765.5	765.4	766.17	19.3	13.7			13.7	18.6	14.9	16.4	10.8	14.3	12.2
28	15.3	763.9	17.2	763.2	16.2	763.2	764.9	763.9	764.1	764.30	19.1	12.9			14.6	17.7	15.0	15.8	11.3	14.6	13.1
29	15.2	760.7	16.7	757.6	16.6	756.3	761.7	758.4	757.2	759.10	18.7	12.9			14.4	16.8	16.8	16.0	11.3	[13.3]	13.1
30	16.5	756.3	18.3	755.5	16.7	756.8	757.5	756.2	757.7	757.13	19.4	14.3			16.1	17.9	14.6	16.2	13.3	14.4	11.4
31	16.1	756.7	17.0	754.4	15.6	756.2	757.6	755.3	757.3	756.73	17.2	14.3			15.5	15.9	12.1	14.5	11.4	11.2	11.5
Sums							23648.1	23617.6	23649.5		578.4	421.5			479.1	551.1	477.3				
Means							762.84	761.92	762.89		19.3	13.6			15.5	17.8	15.5				

Date	Elasticity of vapour Millimeters 8½	2½	8½	mean	Relative Moisture per cent. 8½	2½	8½	mean	Clouds (Clear—0, Overcast—10) 8½	2½	8½	mean
1	9.5	12.3	13.4	11.7	59	70	98	76	9 Cu.	7 Cu. Sw.	2 Cu.	6.0
2	10.4	10.8	10.2	10.5	65	61	70	65	7 Ci-S+Cu	4 Cu Sw.	6 Ci-C Sw	5.7
3	8.8	10.3	11.1	10.1	56	58	85	66	6 Ci 4 Cu	9 Cu. Sw.	10 Cu.	8.3
4	9.9	11.4	11.3	10.9	73	71	74	73	7 Ci-S+Cu	2 Cu.	7 Ci-C.W.	5.3
5	10.5	11.1	11.8	10.8	69	66	66	67	3 Ci-S	9 Ci. S.S.	6 Cu.	6.0
6	10.9	12.5	11.3	11.6	70	75	77	74	9 Ci-C h.	2 Cu.	1 Cu.	4.0
7	10.7	10.7	10.7	10.7	72	63	78	71	9 Cu. W.	3 Cu.	10 Cu.	7.3
8	12.0	11.5	11.7	11.7	89	66	84	79	10 Cu+Ci-S	3 Cu.	1 Cu.	4.7
9	7.3	12.4	10.8	10.8	72	63	78	71	8 Ci-Sw. Sw	10 Cu+Ci-S	10 Cu.	9.3
10	10.5	10.2	8.9	9.9	80	77	70	73	10 Cu+Nim Sw	10 Cu+Nim Sw	5 Cu.	8.3
11	7.6	7.9	9.2	8.2	83	77	85	82	10 Cu+Nim Sw.	10 Cu+Ci-S Sw	9 Cu+Nim	9.9
12	8.7	7.1	9.1	8.3	77	63	79	73	7 Cu. W.Sw.	10 Nim. W.	8 Cu.	8.3
13	6.8	7.1	8.5	7.5	57	49	67	58	8 Cu. Sw.	6 Cu. Sw.	4 Cu.	6.0
14	7.4	7.9	8.3	7.9	69	60	72	67	1 Cu.	10 Ci-S	0	3.7
15	7.6	10.7	8.1	8.8	57	68	60	61	10 Ci-S	10 Ci-S	0	6.7
16	7.0	10.4	9.1	8.8	57	68	68	64	9 Ci-C+Cu	10 Ci-S+Cu	10 Ci-h	9.9
17	9.9	11.0	10.4	10.4	71	70	80	74	7 Cu Sw	1 Cu.	0	2.7
18	6.5	10.4	10.2	9.0	51	67	80	66	3 Cu 4 Ci.	7 Ci-S	0	3.3
19	8.7	7.0	10.4	8.5	73	46	72	64	9 Ci-S	10 Ci-S	7 Ci-S	8.7
20	8.6	10.2	9.3	9.4	63	66	72	67	10 Ci-S	10 Ci-S	2 Ci-S	7.3
21	8.2	8.8	10.7	9.2	59	57	82	65	8 Ci-S W	2 Ci-Sw.	2 Cu.	3.7
22	9.0	10.8	10.2	10.0	66	63	70	66	0	0	4 Cu. Sw	1.3
23	9.1	9.5	8.5	9.0	89	81	72	81	10 Ci-S+Cu	9 Cu+Nim W.	7 Cu. N.E.	8.7
24	8.9	8.3	9.5	8.9	73	57	80	70	7 Cu. W.	8 Cu+Ci-S Sw.	10 Ci-S+Cu	8.3
25	10.1	9.9	9.7	9.9	95	76	81	84	10 Cu. Sw.	1 Cu.	2 Cu.	4.3
26	8.2	10.6	9.8	9.5	69	74	79	74	1 St.	1 St.	0	0.7
27	7.3	9.7	9.0	8.7	55	67	71	64	9 Ci-S	7 Ci-C	0	5.3
28	8.2	10.4	10.1	9.5	66	68	80	71	3 Ci+Cu	1 Cu.	4 Cu.	2.7
29	8.3	[10.9]	[illegible]	9.1	68	[66]	64	71	3 Cu-W	0	0	3.7
30	9.7	10.1	8.3	9.4	72	66	67	68	1 Cu.	5 Cu. Sw.	5 Cu Sw.	3.7
31	8.0	7.5	9.3	8.3	61	56	89	69	1 Ci-S	9 Nim	10 Cu.	10.0
Sums	271.3	308.5	307.0		2136	2024	2351		214	186	141	
Means	8.9	9.9	9.9		68.9	65.3	75.8		6.9	6.0	4.6	

Date	Direction and force of Wind 0—10 8½	2½	8½	Wind per day miles Km.	Sea	Rain in 24 hours, inches A.M.	P.M.	Total	Observations and Phenomena
1	0	Sw.4	Sw.1		ag	0.005	—	0.005	● a.m.
2	S.E.1	Sw.1	S.E.1		Tr.	0.015	0.020	0.035	● P.m.; T a.m & P.m.
3	S.E.1	Sw.4	0		Tr.	0.005	0.170	0.175	
4	0	N.E.1	N.E.2		Tr.	0.01	—	0.010	
5	N.E.1	N.1	0		Tr.				a.m.
6	0	N.1	Sw.1		Tr.				← P.m.
7	0	Sw.1	0		Tr.	0.06		0.06	● a.m & ←
8	0	Sw.1	0		Tr.	0.05		0.05	● & ←
9	0	Sw.1	Sw.1		Tr.				← a.m & P.m.
10	Sw.1	Sw.4	Sw.7		ag	0.035	0.555	0.590	● T ▲ &
11	Sw.2	Sw.1	N.E.1		ag	1.275	0.12	1.395	●
12	S.E.1	Sw.1	S.E.1		ag	0.06	0.055	0.115	● a & P.
13	S.E.1	Sw.1	N.E.2		ag	0.065	0.015	0.080	● a.m.
14	S.E.1	N.1	Sw.1		Tr.				← P.
15	0	0	0		Tr.				← a.m & P.m.
16	S.E.1	0	S.E.1		Tr.				
17	Sw.1	N.E.1	0		Tr.	0.045		0.045	● & ←
18	Sw.1	N.1	0		Tr.				← a & P.
19	0	N.E.1	N.E.1		Tr.				← a
20	0	N.1	S.E.1		Cal.				← a & P.
21	0	Sw.1	0		Tr.				← P.
22	S.E.1	Sw.3	Sw.2		Tr.	1.88	0.31	2.190	4 eve
23	Sw.1	0	Sw.1		ag	0.050	0.320	0.370	● a & P. T & 4 P.
24	S.E.1	Sw.1	0		ag.	0.210	0.005	0.215	● a & P.
25	0	Sw.1	S.E.1		Tr.	[illegible]	[illegible]	[illegible]	● a & P.
26	0	N.1	0		Tr.				← P
27	0	0	0		Tr.				← a & P.
28	0	0	S.E.1		Tr.				← a & P.
29	0	0	0		Cal.	0.080		0.080	← a.
30	Sw.1	Sw.4	Sw.2		Tr.	0.76		0.76	● P.
31	S.4	Sw.4	0		ag	19.3		19.3	● P.
Sums	20	42	27			4.61	1.15	6.175	
Means	0.7	1.4	0.9			117.1	39.9	157.0	

Barometer Maximum 770.4 on 18
" Minimum 751.9 on 10
Thermometer Maximum 22.4 on 2
" Minimum 6.9 on 11