41327
C/16100
P966.0

DEC 6 1912
Weather Bureau

51453

Meteorological Observations taken at Prospect, Bermuda,

During January, 1910.

Latitude 32° 17′ 40″ North.
Longitude 60° 47′ 0″ West.

Height of cistern of Barometer above sea level 151 feet.
Height of rim of Lower Rain Gauge above sea level 150 feet.
above the ground 2 feet 0 inches.

AT 9 A.M., LOCAL TIME.

Day of the Month	BAROMETER: Attached Thermometer	BAROMETER: Uncorrected	BAROMETER: Corrected and reduced to 32° Fah't.	TEMPERATURE: Dry bulb As read	TEMPERATURE: Wet bulb As read	TEMPERATURE: Dew point	Elastic force of Aqueous Vapour	WIND: Direction	WIND: Force (0—12)	WIND: By Robinson's Anemometer	CLOUD: Amount (0—10)	CLOUD: Form	CLOUD: Direction of lower stratum, whence coming	WEATHER: At time of Observation	WEATHER: Since last Observation	RAIN: Entered to preceding day	RAIN: Estimated duration.	Maximum Thermometer Entered to preceding day	Minimum Thermometer
	°	ins.	ins.	°	°	°	in			miles						ins.	hrs.		
1	58	30·390	30·394	57·4	53·0	49·0	·347	N.W	2	172	7	cum	N.W	C	C.O.O	0·04	½	62·6	52·0
2	61	30·376	30·481	60·0	53·4	47·6	·330	S	1	173	2	cum	S.E	B	C.B			64·4	56·0
3	62	30·272	30·353	63·0	57·4	52·7	·393	S	1	259	2	cum	S W	B	C.B.			67·4	61·0
4	64	30·166	30·241	66·0	63·0	60·6	·529	W	2	486	7	cum	N.W	C	B C	0.02	p.s.	69·0	53·0
5	60	30·430	30·518	55·0	49·0	43·2	·280	N.E	3	260	9	cum	N.E	O	O			59·0	53·0
6	58	30·453	30·545	58·0	52·4	47·4	·328	S.E	1	261	10	cum	S.E	O	O			61·4	57·0
7	62	30·408	30·489	61·3	60·0	58·9	·500	S	3	278	9	cum str	S E	O	O P	T	p.s.	67·0	60·0
8	65	30·464	30·534	66·0	64·0	62·4	·564	S	1	125	5	cum	S	C	C			70·4	60·0
9	64	30·400	30·473	64·0	59·6	55·9	·459	E	1	305	8	cum: str	E	O	C.O.P	0·02	10″	68·8	53·0
10	68	30·178	30·245	66·6	63·0	60·1	·520	S	3	492	7	cum: str	S W	C	C.P	0·12	2½	69·0	53·0
11	60	30·388	30·476	56·0	50·0	44·4	·295	N	3	411	9	cum: str	N	O	O.O			60·4	59·2
12	59	30·470	30·560	57·2	52·0	47·2	·325	N	1	217	9	cum: str	N	O	O			64·0	58·4
13	60	30·374	30·460	60·0	53·4	45·7	·308	N.W	2	213	4	cum: str	N.W	C	C.O C			64·0	57·2
14	60	30·336	30 412	60·0	55·0	50·6	·369	N	1	196	3	stratus	N.E	C	C.B.C			66·4	53 8
15	62	30·212	30·293	63·6	59·0	55·1	·436	S.	3	391	7	cum	S.W	C	C		1	67·2	51·6
16	61	29·640	29·729	55·0	54·0	53·0	·403	W	2	536	10	nimbus	S.W	O O	C.O.O	0·82	6	60·8	53·0
17	60	30·072	30·159	60·0	56·4	53·3	·406	N.W	5	371	6	cum	N.W	C	C P.	T	p.s.	63·6	59 0
18	60	30 420	30·507	61·0	57·0	53·5	·410	N.E	1	209	4	cum	E	O	C			65.0	53·0
19	62	30 212	30·293	63·4	61·0	59·0	·500	S	2	354	8	cum	S W	O	C.O	0·02	10″	67·0	55·6
20	63	30·176	30·256	61·2	57·0	53·3	·408	N.E	4	356	8	cum	N E	O	C.O.O	0.14	3	64·0	60·0
21	60	30·196	30·276	60·0	55·4	51·4	·379	E	3	423	10	cum: str	E	O	C.O			66·4	59·0
22	65	30·076	30·142	66·0	64·4	63·1	·575	S	4	440	5	cum	S	C	O C P	0 12	1¾	67·8	62·4
23	65	30·082	30·155	63·0	63·0	63·0	·576	calm		309	10	nimbus	N	O O	O.O2	3 84	22	68 0	60·0
24	64	29·998	30 074	63·0	62·0	61·2	·540	S	4	207	10	nimbus	S	O O	O O 2	3 26	22	69·4	59·6
25	63	29·816	29·894	62·0	61·6	61·2	·542	S	1	220	10	nimbus	S	O O	O.O.	0 84	8	63·8	57·0
26	63	29·760	29·838	62·0	59·4	57·1	·468	N.W	3	398	7	nimbus	N	C	O.C	0.38	4	64·0	56·4
27	62	29·988	29·970	61·0	51·6	48·4	·287	W	2	817	9	cum: str	W	O	C.O			65 0	59·0
28	64	29·928	30·003	65·4	64 0	62·9	·574	S.W	2	327	7	cir: cum	S.W	C	B C	T	p.s.	69·0	62·2
29	65	30·032	30·104	65·6	63·4	61·6	·549	S.E	3	515	9	cir: cum	S.E	O	C.O.P	T	p.s.	68·4	60·0
30	65	30·176	30·249	63 0	56·0	50 8	·372	N.W	2	151	3	cum	N.W	C	OCO2	0.30	5	67·0	55·0
31	63	30·160	30 240	62·2	59·0	56·2	·453	N E	1	420	9	stratus	N E	O	C.O.P	T	p.s.	66·0	56 0
Sums	1928	935·849	938·349	1906·8	1788·4	1684·8	13·490		66 0	9862 0	223						9.42	Dys. 18	2036·2	1760 4
Means	62·	30·189	30·269	61·5	57·7	54·3	·433		2	318·0	7						·304		65·7	56·8

Highest corrected reading of Barometer 30·560 on 12th at 9 a.m.
Lowest " " " " 29·729 on 16th at 9 a.m.
Highest temperature in Shade 70·4 on 8th.
Lowest " " " 51·6 on 15th.
Highest " Sun on Grass 125·3 on 30th.
Lowest " " " 37·6 on 1st

AT 3 P.M. LOCAL TIME

Day of the Month	BAROMETER: Attached Thermometer	BAROMETER: Uncorrected	BAROMETER: Corrected and reduced to 32° Fah't.	TEMPERATURE: Dry bulb As read	TEMPERATURE: Wet bulb As read	TEMPERATURE: Dew point	Elastic Force of Aqueous Vapour	WIND: Direction	WIND: Force (0—12)	CLOUD: Amount (0—10)	CLOUD: Form	CLOUD: Direction of lower stratum, whence coming	WEATHER: At time of Observation	WEATHER: Since last Observation	EXTRA OBS'V'TIONS: Solar Radiation Thermometer 9 a.m. entered to preceding day.	EXTRA OBS'V'TIONS: Terrestrial Radiation Thermometer 9 a.m.	EXTRA OBS'V'TIONS: Daily values of humidity At 9 a.m.	EXTRA OBS'V'TIONS: Daily values of humidity At 3 p.m.
	°	ins.	ins	°	°	°	in.											%	%
61	30·384	30·468	63·0	56.0	50·1	·361	N.W	1	7	cum	N.W	C	C.O.P	119·8	37·6	73·0	63·0
63	30 340	30 418	63·0	60·0	57·5	·474	S	1	5	cum	S.E	C	C	119 9	44·0	83 6	82·0
65	30·200	30 282	66·4	61·4	57·4	·472	W	2	2	cum	S W	B	B.	118 7	55·0	69·0	73·4
67	30·152	30 219	66·4	64·0	62·1	·558	W	3	6	cum	W	C	C	122·8	50·4	83 0	66·0
57	30·434	30·529	57·0	51·0	45·5	·304	N.E	2	8	cum	N.E	O	O	111·2	50 0	65·0	65·0
60	30·450	30 537	59·4	54·0	49·2	·350	S.E	2	9	cum: str	S.E	O	O	86·2	54·2	70·0	66·0
65	30·350	30 430	66·0	62·0	58·8	·496	S.	3	3	cum	S.W	C	O.C.P	116·3	52·0	92·8	78·0
68	30·420	30·481	69 0	64 0	60·1	·517	S.W	1	5	cum	S.W	C	C	119 5	51·0	88·0	78 0
62	30·276	30 356	63·4	60·0	57·2	·469	S.E	3	7	cum	S.E	C	O C.P	124·1	54·4	75·0	80·0
65	30·180	30 254	59·4	58·0	56·8	·461	N.W	3	10	nimbus	N W	O O	C.O.O	120·9	49·0	80·0	92·4
60	30·400	30·498	56·0	50 0	44·4	295	N.W	4	9	cum: str	N.W	O	O	111·2	44·6	65·0	65·0
62	30·418	30·498	62·4	55·0	48·7	·348	N	2	5	cum	N	C	O.C.	120·1	44·2	69·2	60·4
63	30 300	30·377	62·0	55·0	49·0	·347	N.W	3	6	cum	N.W	C	C	119·3	43·0	59·6	62 0
63	30·290	30·367	63·8	58·0	53 2	·405	E	1	5	cum	E	C	C	124·3	48 4	71 0	68·8
65	30·100	30 171	66 6	62·0	58 3	·488	s	3	7	cum	S.W	C	C	112 8	52·6	75·6	75·0
57	29·700	29·800	57.0	55·0	54·1	·419	N.W	3	7	cum	N.W	C	O.C.O	116 3	47·2	93·0	93·0
63	30 160	30·238	63·0	58·6	54·9	·430	N	4	4	cum	N	C	C	118 3	41·6	78·4	75 0
64	30·262	30·338	64·0	60·4	57·4	·473	N.E	2	4	cum	E	C	C	120 7	50·0	77 0	79 0
64	30·200	30·283	64·0	60·0	56·7	·461	E	2	7	cum	E	C	O.C	120·7	50 3	86·0	77 0
62	30·180	30 277	63·0	59·0	55·6	·443	E	2	6	cum	E	C	O C	114·6	50·4	76 0	77 0
64	30 154	30·229	64·6	60·4	56·9	·465	S.E	2	8	cum: str	S.E	O	O C.O	116 3	57·0	73 0	76·0
68	30 040	30·105	66·4	65.0	63·9	·594	S.E	5	8	cum	E	O	C.O.P	113·2	60 4	90 4	91 6
65	30·050	30·122	65·0	65 0	65·0	·617	N.W	3	10	nimbus	N	O O	O.O. 2	74 2	51 4	100 0	100·0
63	29·900	29 977	60·0	60·0	60 0	518	calm		10	nimbus	S.W	O O	O O 2	74·2	53 0	94 0	100 0
64	29 700	29·776	63·0	62·0	61·2	·540	E	6	10	nimbus	S.E	O O	O.O	87·2	54 0	97 6	94·0
63	29·796	29·875	61·0	56 4	52·4	·394	N	3	7	cum	N W	C	C	116 3	49.4	84 4	74 0
63	29·810	29 888	62 4	59·0	56·1	·451	W	2	5	cum	S.W	C	O.C	119 7	55·0	52 4	80 0
68	29·960	30·028	67·0	64·6	62·7	·571	s	3	7	cum	S.W	C	C	122 3	58·6	91·6	86 0
68	29 950	30 013	68·0	65·0	62·6	·569	S.E	6	9	cum	S.E	O	O	112 2	52 4	86·8	83·0
68	30·190	30·254	68 2	60·0	55·0	·432	N	1	3	cum	N.W	C	C	125·3	46 0	67 0	67·2
65	29 980	30 052	64·4	63·6	61·8	·554	S.E	2	9	cum: str	S.E	O	O	114 7	55 0	81·6	91·6
1975	994·726	987·115	1962·8	1843·8	1744·6	14·271		80 0	208					3512·1	1567·0	2428 4	2437 4
64·0	30·153	30 230	63·3	59·5	56·3	·460		3	7					113·3	50·6	78·3	78·6

Halos on 18th.

The Observations have been taken by W. B. T. JOHNSON, L.-SGT. R.A.M.C.

Signed J. C. CULLING, LIEUT.-COL. R. A. M. C.
S. M. O. Bermuda

LIBRARY
DEC 1 1 2001
National Oceanic & Atmospheric Administration
U.S. Dept. of Commerce

QC
993
.B46
M48
1910

LIBRARY
DEC 1 1 2001
National Oceanic & Atmospheric Administration
U.S. Dept. of Commerce

National Oceanic and Atmospheric Administration

Climate Database Modernization Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Climate Database Modernization Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

LASON
Imaging Subcontractor
12200 Kiln Court
Beltsville, MD 20704-1387
March 28, 2002

Meteorological Observations taken at Prospect, Bermuda,

During February, 1910.

Latitude 32° 17′ 40″ North.
Longitude 64° 47′ 0″ West.

Height of cistern of Barometer above sea level 151 feet.
Height of rim of Lower Rain Gauge above sea level 150 feet. above the ground 2 feet 0 inches.

AT 9 A.M. LOCAL TIME

Day of the Month	BAROMETER: Attached Thermometer	BAROMETER: Uncorrected	BAROMETER: Corrected and reduced to 32° Fah't.	TEMPERATURE: As read (Dry bulb)	TEMPERATURE: As read (Wet bulb)	TEMPERATURE: Dew point	Elastic force of Aqueous Vapour	WIND: Direction	WIND: Force (0–12)	WIND: By Robinson's Anemometer	CLOUD: Amount (0–10)	CLOUD: Form	Direction of lower stratum, whence coming	WEATHER: At time of Observation	WEATHER: Since last Observation	RAIN: Entered to preceding day	RAIN: Estimated duration.	Maximum Thermometer Entered to preceding day	Minimum Thermometer
	°	ins.	ins.	°	°	°	in			miles						ins.	hrs.		
1	64	29·762	29·888	63·0	61·0	59·3	·506	S	4	556	¾	cum	S.W	C	OCR 2	0·64	3	67·0	53·0
2	60	29·782	29·922	56·0	53·0	50·2	·385	N.W	5	843	6	cum	N.W	O	C.O.R	0·14	3	59·0	51·4
3	59	29·866	29·957	59·0	54·6	50·6	·370	N.W	7	420	7	nimbus	N.W	O	O.C.P	0·08	1	62·6	55·6
4	60	29·793	29·878	62·0	59·4	57·2	·488	S	3	130	9	cum	S.W	O	C.O	0·04	1	66·0	55·0
5	60	29·898	29·986	57·8	52·0	46·8	·320	W	3	418	7	cum	W	C	C.P	T	10″	66·0	51·8
6	58	29·883	29·976	58·2	53·0	48·3	·340	S.W	1	320	7	cum	S.W	C	C.P.	0·02	½	62·0	53·0
7	59	29·918	30·009	56·0	50·6	45·6	·308	W	4	527	7	cum	W	C	O.R.C	0·14	1	59·0	46·0
8	35	30·330	30·423	58·3	49·0	44·8	·297	N.W	gentle	*	10	cum-str	N.W	O	C	T	p.s.	59·4	52·0
9	59	30·354	30·447	61·2	55·4	50·4	·366	S E	gentle		7	cum: str	S.E	C	O.C.P	0·10	1	67·8	59·2
10	61	30·274	30·358	63·4	63·0	60·9	·534	S	brisk		4	cum: str	S.E	C	C.P.	0·02	¼	71·4	61·0
11	63	30·324	30·401	64·0	63·0	62·2	·560	calm			7	cum	S.W	B	S.P	0·02	⅛	71·0	63·2
12	65	30·268	30·337	66·0	64·0	60·8	·534	S	brisk		2	cum: str	S	B	C.O.R	1·64	7 0	69·0	53·0
13	66	30·048	30·117	66·8	66·0	65·4	·635	S	strong		10	nimbus	N.W	O	O.R	0·40	4	68·0	51·0
14	60	30·168	30·257	56·0	52·0	48·2	·340	W	brisk		9	nimbus	N	O	C.P	0·02	10″	63·2	53·0
15	58	30·350	30·444	51·0	52·0	47·4	·327	N	gentle		7	cum	N.W	C	C.O			64·8	55 0
16	59	30·420	30·510	53·4	55·0	51·9	·388	W	1	123	9	cum: str	W	O	C.O	T	p.s.	67·0	62·0
17	62	30·400	30·488	63·4	59·0	55·8	·488	S.E	1	548	9	cum	S.E	O	C			69·0	62·0
18	65	30·280	30·350	66·4	63·4	60·8	·534	S.W	3	396	5	cum	S W	O	C	0 14	2	69·6	63·0
19	62	30·274	30·354	65·4	62·0	59·2	·504	S	3	281	10	cum: str	S.	O	C.O	0·56	4	67·4	62·0
20	56	30·349	30·418	53·4	53·0	53·7	·370	N.W	2	321	8	cum	N	O	O.R. 2	0·06	2	70·0	63·0
21	57	30·340	30·426	57·0	54·8	53·0	·378	S.E	2	296	1	cum: str	.E	B	O.B.B			69·8	68·0
22	57	30·250	30·317	66·0	64·0	62·4	·564	S	3	242	3	cum: str		B	C			71·0	68·0
23	68	30·264	30·347	67·4	66·0	64·9	·616	S	2	345	7	cum	S.W	C	C.B.C			71·0	62·0
24	66	30·226	30·289	66·0	66·0	64·4	·606	S	3	262	2	cum	S	B	C.B	0·04	2	71·0	62·0
25	69	29·988	30·045	70·0	67·4	65·4	·626	S	4	363	8	cum	S	O	C.O	0·16	2	71·4	56·0
26	65	30·414	30·489	58·0	53·4	49·8	·352	N	6	619	7	cum	N	C	O.C.P	0·02	½	68·4	53·0
27	63	30·568	30·645	61·4	57·0	53·2	·405	S.E	3	449	10	cum: str	E	O	O			65·0	60·0
28	64	30·456	30·524	62·4	61·2	60·2	·531	E	2	322	8	cum	S.E	O	O.R	0·02	¼	69 8	61·0
29																			
30																			
31																			
Sums	1751	845·243	847·488	1738·8	1649·2	1570·7	12·964		62·0	7769·0	192					4·26	Dys. 22	1864·2	1691·0
Means	63	30 187	30·267	62·1	58·9	56·1	·463		2	399·0	7					0·152		66·6	57·2

AT 9 P.M. LOCAL TIME — EXTRA OBS'VTIONS

Day of the Month	BAROMETER: Attached Thermometer	BAROMETER: Uncorrected	BAROMETER: Corrected and reduced to 32° Fah't.	TEMPERATURE: As read (Dry bulb)	TEMPERATURE: As read (Wet bulb)	TEMPERATURE: Dew point	Elastic Force of Aqueous Vapour	WIND: Direction	WIND: Force (0–12)	CLOUD: Amount (0–10)	CLOUD: Form	Direction of lower stratum, whence coming	WEATHER: At time of Observation	WEATHER: Since last Observation	Solar Radiation Thermometer 9 a.m. entered to preceding day.	Terrestrial Radiation Thermometer 9 a.m.	Daily values of humidity: At 9 a.m.	Daily values of humidity: At 9 p.m.
	°	ins.	ins	°	°	°	in.										%	%
64	29·650	29·738	63·4	60.0	57·2	·469	S.W	4	10	nimbus	S.W	O R	C.O.R	122·7	47·6	88·0	89·0
61	29·744	29·841	53·0	53·0	51 1	·375	N.W	6	9	nimbus	N.W	O	O.R	110·8	50·2	81·0	87·0
61	29·850	29 935	60·0	56·0	52·5	395	W	4·5	4	cum	W	C	C	116·3	45·8	74·0	76·0
63	29·700	29·783	62·0	60·0	58·8	·497	S.W	4	4	cum	S.W	C	O.C	114·8	49·0	84·4	88·0
63	29·900	29·981	62 0	56·0	50·8	·372	W	2	3	cum	W	C	C	117·3	48·4	70·0	65·4
63	29·788	29·869	62·4	56·0	50·5	·368	W	4	5	cum	S.W	C	C	125·8	38·0	68·8	67·0
58	30·090	30·186	50·2	45·0	39·5	·243	W	6	7	cum	N.W	C	C.P	112·0	42 0	68·0	67·0
57	30 338	30·435	57.0	53·0	49·3	·351	N.W	gentle	3	cum	W	C	O.C	96 0	47·0	73·0	75·0
61	30·324	30·408	64·0	57·0	51·2	·376	S.E	gentle	2	cum	S.E	B	C.·B	117·5	50·4	68·2	68·0
64	30·250	30·324	64·0	61·0	58·5	·492	S	gentle	3	cum	S.W	C	C	124·7	51·0	91·6	82·0
66	30 200	30·266	70·0	66·0	62·9	·576	calm		3	cum	S.E	C	C	126·5	55·0	74·0	78·0
68	30·200	30 262	70·0	65·0	61·1	·541	S	brisk	6	cum: str	S.W	B	B.C	122·3	62 0	78·0	72·0
68	30·060	30·123	68·0	68·0	68·0	·684	S.W	strong	10	nimbus	W	O	O.R	124 8	50·0	95·2	100·0
60	30·166	30·195	56·0	51·4	50·1	·326	W	brisk	7	cum	N.W	C	O.C.P	112·2	47·0	75·0	72·0
63	30·350	30·427	63·4	59·0	55·8	·488	S.W	1	8	cum	S.W	C	C	123·1	41·4	70·0	77·0
63	30·384	30·427	63·4	59·0	54·6	·427	N	1	8	cum	N.W	C	O.C	116·8	51·0	79·0	75·4
63	30·384	30·427	63·4	59·0	55·8	·488	S.W	1	8	cum	S.W	C	O.C.P	118·2	57·0	75·4	78·0
64	30 380	30·450	65·0	61·0	51·7	·478	S.W	2	7	cum	S.W	C	C	122·9	53·0	82·0	83·0
66	30·210	30·273	66·0	65 0	62·6	·569	S	4	3	cum	S	C	O.P	124·7	61·4	81·0	88·0
68	30·232	30 295	67·0	65·0	63·4	·585	S	3	10	cum: str	S	O	O.C.	123·2	58·6	97 6	88·0
67	30·354	30·420	67·0	65·0	63·4	·585	N	2	7	cum: str	N	C	B C	124·7	69 4	87·0	88·0
69	30·266	30 346	68·0	66·0	64·4	·606	S.E	3	3	cum	S.E	C	C	126·7	59·6	88·0	83·0
69	30·230	30·280	69·0	66·0	63·7	·587	S.W	3	4	cum	S.W	C	C	126·7	59 0	91·6	87·0
70	30·250	30·306	69·2	67·0	65·2	·638	S.W	2	7	cum	S.W	C	C	126·7	59 0	91·6	94·0
70	30·180	30·238	68·0	67·0	66·2	·644	S	3	9	cum	S	B.C.O	B.C.O	122·8	59·6	88·6	94·0
68	29·950	30 013	67 0	67 0	67·0	·661	S.W	5	10	nimbus	S.W	O R	O.R	128·5	54 0	85·0	100·0
69	30 000	30·076	69·0	55·0	51·4	·390	N	4	8	cum	N.E	O	O	120·7	49·6	73·0	76·0
65	30·500	30·570	65·0	62·0	59·6	·510	E	2	8	cum	E	O	O	120·8	58·6	75 0	88·0
68	30·400	30·461	68·0	65·0	62·6	·569	E	2	7	cum	S.E	C	O.C	123·9	54·6	92·6	83·0
1812	844·496	846·578	1780·6	1695·4	1612·0	13·917		67·0	180·					3362 4	1454.2	2252·6	2356·8
65·0	30·161	30·235	63·9	60·5	57·6	·497		2	6					120·1	51·9	80·4	80·6

Highest corrected reading of Barometer — 30·645 on 27th at 9 a.m.
Lowest " " " — 29·738 on 1st at 9 p.m.
Highest temperature in Shade — 71·4 on 11th and 25th.
Lowest " " " — 46·0 on 7th.
Highest " " Sun — 128·5 on 25th.
Lowest " on Grass — 39·0 on 5th

Gales on 2nd, 3rd, 5th.

* From 8th to 15th anemograph was under repair and the velocity of wind was recorded under the headings (1) Gentle, (2) Brisk, (3) Strong.

The Observations have been taken by W. B. T. JOHNSON, L.-Sgt. R.A.M.C.

Signed J. C. CULLING, LIEUT.-COL. R. A. M. C.
S. M. O, Bermuda

Meteorological Observations taken at Prospect, Bermuda,

During March, 1910.

Latitude 32° 17′ 40″ North.
Longitude 60° 47′ 0″ West.

Height of cistern of Barometer above sea level 151 feet.
Height of rim of Lower Rain Gauge { above sea level 150 feet. above the ground 2 feet 0 inches.

AT 9 A.M. LOCAL TIME.

Day of the Month	BAROMETER: Attached Thermometer	BAROMETER: Uncorrected	BAROMETER: Corrected and reduced to 32° Fah't.	TEMPERATURE: Dry bulb As read	TEMPERATURE: Wet bulb As read	TEMPERATURE: Dew point	TEMPERATURE: Elastic force of Aqueous Vapour	WIND: Direction	WIND: Force (0—12)	CLOUD: By Robinson's Anemometer	CLOUD: Amount (0—10)	CLOUD: Form	CLOUD: Direction of lower stratum, whence coming	WEATHER: At time of Observation	WEATHER: Since last Observation	RAIN: Entered to preceding day	RAIN: Estimated duration.	Maximum Thermometer Entered to preceding day	Minimum Thermometer
	°	ins.	ins.	°	°	°	in			miles						ins.	hrs.		
1	66	30·422	30·490	66·2	64·2	62·6	·568	S	2	224	6	cum	S	C	C	0·02	¼	70·2	61·0
2	67	30·326	30·390	67·0	64·4	62·3	·568	S	1	231	7	cum	S	C	B	0·08	1	69·2	62·0
3	67	30·168	30·234	67·6	62·0	57·6	·477	S.W	2	243	2	cum	S.W	C.B	C.O			70·4	63·0
4	67	30·083	30·148	67·0	66·0	65·2	·622	S	1	228	9	nimbus	S.	C.O	O.R	0·32	4	69·8	59·0
5	65	30·098	30·161	62·0	61·8	61·6	·549	calm		175	10	nimbus	N.E	O.R	O.P	0·04	1	69·8	58·2
6	64	30·058	30·134	68·0	59·0	55·6	·443	N.E	3	290	8	cum	N.E	O.P	OCB?	T	p.s.	68·0	61·0
7	65	29·900	29·972	66·4	61·4	57·4	·472	N.E	2	380	2	cum	N.E	B	OCB?	T	p.s.	70·2	59·0
8	66	29·830	29·898	67·0	63·0	59·8	·515	calm		173	1	cum	S.E	R	C.B.			69·4	61·0
9	67	29·858	29·925	65·4	63·0	61·1	·538	N.W	1	160	7	cum	N.W	C	B C			69·4	57·0
10	66	30·100	30·168	67·0	60·2	54·8	·480	calm		243	1	cum	N	B	C.B			69·0	58·6
11	66	30·176	30·244	66·6	61·0	56·5	·457	S	2	143	6	cum str	S.W	C	C			70·2	61·0
12	66	30·158	30·226	67·2	62·0	57·8	·480	S	2	191	5	cum: str	S	C	B.C.			71·0	64·0
13	67	29·951	30·018	65·0	63·0	61·4	·544	S	4	457	10	nimbus	S	O	C.O.R	0·40	7	70·0	58·8
14	65	29·864	29·936	64·0	62·0	60·3	·525	W	2	320	2	cum	W	R	OR2CB	0·20	3	68·8	59·0
15	65	29·918	29·992	67·0	61·0	56·2	·458	S.W	1	190	2	cum: str	S.W	R	B			71·0	62·0
16	67	29·872	29·938	68·2	62·0	57·1	·469	S	3	260	7	cum	S	C	B C	0·08	2	73·2	57·0
17	64	30·082	30·159	61·0	51·6	43·4	·270	N.E	1	294	9	cum: str	N.W	O	O.P	T	p s.	68·0	58·0
18	64	30·150	30·226	68·4	52·0	42·4	·270	N	4	195	2	cum: str	N	B	OPCB	T	p.s.	67·2	56·0
19	64	30·242	30·327	66·0	56·0	47·9	·333	N.E	4	387	7	cum	N.E	C	C			67·0	57·0
20	64	30·116	30·192	63·0	58·4	54·5	·426	N.E	2	311	7	cum: str	N.E	C	B.C.R	0·18	1	67·8	59·0
21	65	30·174	30·246	66·2	62·0	58·6	·493	N.E	2	267	6	cum: str	N.E	C	C.O.R	0·18	1½	71·0	60·0
22	65	30·180	30·201	67·0	61·0	56·2	·453	N E	3	230	4	cum	N.E	C	C P.	0·04	½	70·2	62·0
23	66	30·188	30·253	66·0	61·2	57·4	·470	N.E	gentle		5	cum	N.E	C	C			72·0	57·0
24	66	30·274	30·343	66·2	60·2	55·3	·436	N.E	gentle		4	cum	N.E	C	C			70·4	58·0
25	66	30·230	30·299	66·4	62·0	58·6	·490	S.E	gentle		8	cum: str	S.E	C	C.O			68·6	61·0
26	66	30·096	30·166	68·8	63·0	60·4	·543	S.E	1		10	nimbus	S.E	O R	O.R	1·34	14	66·0	60·0
27	65	30·034	30·105	66·4	63·0	60·8	·538	N	4	248	8	nimbus	S.E	O	O.R	0·12	2	67·8	58·4
28	64	30·210	30·286	63·0	58·2	54·2	·420	N	3	414	4	cum	N	O	C	T	p.s.	67·6	55 0
29	64	30·350	30·426	64·0	59·0	54·8	·431	N.E	1	268	1	cum	N	C	B.C			67·4	61 0
30	67	30·170	30·236	67·0	64·2	62·0	·556	N.W	3	246	6	cum	N.W	B	B.C			70 8	62 0
31	67	30·050	30 117	64·0	59·2	55 2	·437	N	5	247	9	nimbus	N.W	C	C.O			65 8	60 4
Sums	3003	933·265	935·457	2030 0	1887·0	1770 4	14·678		59 0	7045 0	175					3 00	Dys. 16	2146·2	1848 4
Means	66	30 105	30·178	65·5	60·9	57·1	·473		2	261·0	6					·097		69 2	59·6

AT 9 P.M. LOCAL TIME

EXTRA OBS'VTIONS

Day of the Month	BAROMETER: Attached Thermometer	BAROMETER: Uncorrected	BAROMETER: Corrected and reduced to 32° Fah't.	TEMPERATURE: Dry bulb As read	TEMPERATURE: Wet bulb As read	TEMPERATURE: Dew point	TEMPERATURE: Elastic Force of Aqueous Vapour	WIND: Direction	WIND: Force (0—12)	CLOUD: Amount (0—10)	CLOUD: Form	CLOUD: Direction of lower stratum, whence coming	WEATHER: At time of Observation	WEATHER: Since last Observation	Solar Radiation Thermometer 9 a.m. entered to preceding day.	Terrestrial Radiation Thermometer 9 a.m.	Daily values of humidity: At 9 a.m.	Daily values of humidity: At 3 p.m.
	°	ins.	ins	°	°	°	in.									%	%	
67	30·400	30·464	67 0	65 4	64·1	·600	E	2	7	cum	S.E	C	C	128·7	55·0	88·4	90·4
68	30·300	30·361	68·0	65·0	62·6	·569	E	2	6	cum	S	C	C	121·5	54·0	85·0	83·0
70	30·118	30·175	69·8	66·0	63·1	·576	S.W	2	4	cum	S.W	C	B C	125·5	56·0	70·0	79·0
69	30·060	30·151	66 2	64.0	62·2	·561	S.W	2	8	cum	S.W	O	O.C.O	132·1	55·4	94·0	87·0
65	30·080	30·152	65·0	63·0	61·4	·544	E	1	9	cum	N.E	O	O	86 6	55 8	98·8	88·0
65	30·020	30·092	64·8	60·0	56 1	·450	N E	3	7	cum	E	C	O.C	129·5	54 0	77·0	73·0
69	29·830	29·890	68·8	63·6	59·5	·509	E	3	5	cum	E	C	B.C.	129 5	46·0	78·4	72 0
68	29·826	29 890	69·0	63 0	58·8	·486	calm		2	cum	S	B	R	122·7	58·0	78·0	68·0
68	29·900	29 964	66·0	62·0	58·8	·496	N.W	1	7	cum	N.W	C	C	125·3	46·6	85·6	78·0
68	30·126	30·190	65·0	59·0	54·1	·418	calm		3	cum	N.W	C	B.O	124·0	47·0	64·8	68·0
68	30·160	30·223	68·4	62·0	57 0	·465	S W	1	2	cum: str	S.W	B	C.B	126·1	50·0	71·6	66·0
68	30·100	30 163	68·0	65·0	62·6	·569	S	3	7	cum	S	C	C	124·7	51·0	72·0	83·0
68	29·850	29·917	66·0	65·0	64·2	·601	S.E	4	10	nimbus	S.E	O	C	114·9	48·6	88 0	94 0
68	29·864	29·930	67·0	60·0	54·4	·424	S W	1	2	cum	S.W	B	B	126·7	48·0	88·0	64 0
67	29 964	29·920	67·0	65·0	62·6	·569	S	2	2	cum	S	R	B	126·8	46 0	68·0	88·0
70	29·920	29·978	68·0	65·0	62·6	·569	S	2	2	cum	S	B	B	126·3	46 0	68·0	88·0
69	29 900	29 960	69·0	68·0	67·2	·665	S	4	10	nimbus	S W	O R	C.O.R	128·5	50·0	67·0	94 0
64	30 070	30·145	65·0	63·0	61·4	·544	N.E	2	9	cum: str	N.E	O	O.P.	124·3	51 0	52·4	88·0
66	30 200	30 269	66·0	60 0	55·1	·434	N	3	5	cum	N.E	C	B C	126·7	51·0	45 8	68·0
66	30 214	30 284	64·0	57·0	51·2	·376	N.E	3	2	cum: str	E	B	C.B	129·3	53 0	52·0	63 0
64	30 100	30·175	65·0	60·0	55·9	·447	N.E	2	6	cum	N.E	C	C	126 1	53·8	77 0	79·0
67	30·058	30 125	65·4	61·6	58 5	·492	N.E	3	7	stratus	N.E	C	C.O	132·3	48·6	68·0	77·0
69	30·142	30·203	66·2	61·0	56·8	·462	N.E	3	9	cum: str	N.E	C	C	140·1	46·0	74·0	78·0
70	30·200	30·257	69 0	65 0	61·9	·551	N.E	gentle	3	cum	N.E	C	C	140·1	46·0	74·0	78·0
66	30·276	30·345	66·4	60·0	54·8	·430	N	gentle	4	cum	N.E	C	O	131·3	49 0	66·2	66·4
68	30·190	30·253	68·0	65·4	63 3	·584	S	gentle	9	cum: str	S	O	O	127 3	53 0	76·0	85 0
66	29·996	30·066	64·0	64·0	64 0	·596	S.E	2	10	nimbus	S.E	O R	O.R	93·2	52·0	95·2	100 0
66	30·100	30 169	66·0	62·4	59·5	·509	N	3	6	cum	N.E	C	O.C	126 7	49·0	81·0	80·0
66	30·250	30 319	66·0	60·6	56·2	·452	N.E.	2	7	cum	N.E	C	C	127 3	44·0	78 0	71 0
66	30 274	30·341	64 6	59 0	54·3	·433	S.W	1	clo	udless.		B	B	126 3	53 0	72 0	69·6
67	30 112	30 170	68 6	66·0	63·9	·596	N.W	2	6	cum	N.W	C	C	120 5	55·0	84 0	84·4
70	30·060	30 129	64·0	61·0	58 5	·492	N	4	4	cum	N	C	O.C	119·7	53·0	78·0	82 0
2088	932·696	934·780	2064 2	1942 0	1843·5	15·890		61 0	178					3997·0	1579.2	2385·2	2484·8
67 0	30·087	30 153	66·6	62·6	59·5	·513		2	6					125·7	50·9	75 8	78·6

Highest corrected reading of Barometer 30·490 on 1st at 9 a.m.
Lowest " " " " 29 878 on 8th at 9 a.m.
Highest temperature in Shade 73·2 on 16th
Lowest " " " 55·0 on 28th.
Highest " " Sun 140·1 on 28
Lowest " on Grass 44·0 on 28th

The Observations have been taken by W. B. T. JOHNSON, L.-Sgt. R.A.M.C.

Signed J. C. CULLING, LIEUT.-COL. R. A. M. C.
S. M. O. Bermuda

Meteorological Observations taken at Prospect, Bermuda,

During April, 1910.

Latitude 32° 17′ 40″ North.
Longitude 64° 47′ 0″ West.

Height of cistern of Barometer above sea level 151 feet.
Height of rim of Lower Rain Gauge above sea level 150 feet. above the ground 2 feet 0 inches.

AT 9 A.M. LOCAL TIME.

Day of the Month	BAROMETER: Attached Thermometer	BAROMETER: Uncorrected	BAROMETER: Corrected and reduced to 32° Fah't.	TEMPERATURE: As read Dry bulb	TEMPERATURE: As read Wet bulb	TEMPERATURE: Dew point	TEMPERATURE: Elastic force of Aqueous Vapour	WIND: Direction	WIND: Force (0—12)	WIND: By Robinson's Anemometer	CLOUD: Amount (0—10)	CLOUD: Form	CLOUD: Direction of lower stratum, whence coming	WEATHER: At time of Observation	WEATHER: Since last Observation	RAIN: Entered to preceding day	RAIN: Estimated duration.	Maximum Thermometer Entered to preceding day	Minimum Thermometer
	°	ins.	ins.	°	°	°	in			miles						ins.	hrs.		
1	66	30·160	30·229	62·0	57·0	52·7	·399	N.E	1	149	4	cum	N.E	C	C			71·0	60·0
2	66	30·124	30·193	65·4	61·2	57·7	·479	N.W	1	91	10	cum str	N.W	O	C.O			70·0	61·2
3	68	30·168	30·221	67·8	63·0	59·2	·504	calm		107	9	str:	N	O	O.C.O			73·2	59·8
4	67	30·292	30·359	66·4	62·2	59·4	·506	E	1	244	9	cum	S.E	O	C.O			71·0	60·0
5	67	30·150	30·208	63·0	62·0	61·2	·540	N.W	1	288	9	nimbus	N.W	O	C.OR2	4·96	6	72·0	61·0
6	69	30·040	30·101	68·4	66·0	64·1	·599	N.W	2	161	10	cum	N.W	O	O.P	0·02	p.s.	72·0	62·0
7	68	30·020	30·084	67·0	63·2	60·2	·522	S.W	1	297	9	cum	S.W	O	O.P	T	p.s.	70·8	65·0
8	70	30·004	30·061	70·4	66·0	62·6	·570	S.W	3	255	2	str:	S.W	B	C.B	0·06	1	72·0	60·0
9	67	30·040	30 107	65·4	62·4	59·9	·518	N.W	1	208	4	str:	N.W	C	C.O.C			68·4	56·8
10	66	29·982	30·051	65·0	58·2	52·7	·392	S.W	2	453	7	cum	S.W	C	C	0·12	2	67·2	57·0
11	65	30·036	30·109	68·0	59·0	55·6	·443	N.W	3	237	2	cum	W	C	C.O.R			67·4	59·8
12	67	30·136	30·202	66·6	60·6	55·8	·445	N.W	2	360	3	cum	S.W	C	C			69·0	63·0
13	68	30·110	30·173	68·6	67·0	65·7	·630	S	3	412	10	cum	S.W	O	C.O			71·4	65·0
14	67	29·900	29·906	66·0	66·0	66·0	·689	S	5	323	10	nimbus	S.W	O.R	O.R	0·78	3½	71·6	62·4
15	65	29·838	29·959	67·4	64·0	61·3	·543	N.E	4	300	8	nimbus	N	O	O.R	0·10	1	69·6	60·0
16	67	30·000	30·066	68·0	63·2	59·4	·508	N	1	275	1	str:	N.E	B	C.B			71·0	62·0
17	68	30·078	30·142	65·6	61·4	57·9	·468	N.E	3	314	7	cum: str	N.E	C	B C			67·4	56·8
18	65	30·270	30·343	62·2	55·0	48·8	·345	S.E	2	297	8	str:	E	C	C.O			66·0	60·0
19	66	30·162	30·231	66 0	59·0	53·3	·406	S.E	2	452	7	cum: str	S.E	C	C			69·8	63·8
20	68	30·070	30·135	68·0	63 2	49·4	·508	S.E	5	535	7	cum: str	W	C	C			71·0	65·0
21	68	29·982	30·046	66·0	66·0	66 0	·629	S.E	5	282	10	nimbus	S.E	O.R	O.R	1·50	18	68·0	60·0
22	67	29·823	29·888	68·0	65·0	62·6	·569	S	3	479	5	cum	S	C	O.R.C	0·36	4	69·2	57·0
23	66	29·833	29·905	64·0	61·0	58·5	·492	N.W	5	428	5	cum	N.W	C	CORC	0·10	2	69·8	62·6
24	68	29·980	30·043	68·8	63·0	58·3	·489	N	2	178	2	str:	N	B	C.B			71·2	59·8
25	68	30·146	30·209	68·8	64·2	60·5	·538	S	2	224	5	cum	S.E	C	C			71·0	61·0
26	66	30·250	30·313	67·0	62·0	58 0	·483	S.E	2	241	8	cum: str	S.E	O	C.O			71·2	62·0
27	68	30·126	30·189	67·4	62·2	58·1	·484	S.E	3	392	10	cum: str	S.E	O	C.O			71·0	62·0
28	66	29·884	29·884	68·0	62·2	61·6	·547	S	3	377	10	nimbus	S	O.R	C.O.R	1·04	18	71 0	59·8
29	65	29·648	29·723	68·0	59 0	55·6	·443	N.E	6	685	10	nimbus	N	O.R	O.R	0·26	3	67·2	58·0
30	64	30 042	30·118	63·8	57·2	53·3	·407	N	4	237	8	cum	N	O	O P	T	p.s.	67·0	57·4
31																			
Sums	2008	901·282	903·206	1982·0	1861·4	1765·6	15·044		78·9	9961·0	209					2·30	Dys. 12	2098·4	1832·2
Means	67·0	30·043	30·107	66·1	62·1	58·9	·501		3	312·7	7					·310		69·9	60·7

AT 3 P.M. LOCAL TIME. EXTRA OBSERVATIONS

Day of the Month	BAROMETER: Attached Thermometer	BAROMETER: Uncorrected	BAROMETER: Corrected and reduced to 32° Fah't.	TEMPERATURE: As read Dry bulb	TEMPERATURE: As read Wet bulb	TEMPERATURE: Dew point	TEMPERATURE: Elastic Force of Aqueous Vapour	WIND: Direction	WIND: Force (0—12)	CLOUD: Amount (0—10)	CLOUD: Form	CLOUD: Direction of lower stratum, whence coming	WEATHER: At time of Observation	WEATHER: Since last Observation	Solar Radiation Thermometer 9 a.m. entered to preceding day.	Terrestrial Radiation Thermometer 9 a.m.	Daily values of humidity: At 9 a.m.	Daily values of humidity: At 3 p.m.
	°	ins.	ins	°	°	°	in.										%	%
1	70	30·114	30·171	70·6	65·0	60·7	·532	N	1	5	cum	N	C	C	128·9	52·6	72·0	70·6
2	70	30 088	30·146	68·4	63·0	58·8	·495	N.W	1	8	cum: str	N.W	O	O	128·9	53·0	77·0	71·0
3	69	30 180	30·240	69·0	65·0	61·9	·551	calm		6	cum	N.E	C	O.C	130·3	52·6	74·0	78·0
4	68	30 280	30 344	68·0	64.0	60·8	·534	E	2	6	cum	S.E	O.C	O.C	127·3	57·0	79·0	78·0
5	72	30 086	30·138	71·0	68·0	65·7	·633	S.W	3	9	cum	W	O	O.R	128·7	61·0	94·0	83·0
6	68	30 060	30·124	68 0	67·0	66·2	·644	N.W	1	8	cum	N.W	O	O	129·1	56·6	85·6	94·0
7	69	30·000	30·059	69 6	65·0	61·5	·543	S	2	5	cum	S.W	C	O.C	124·8	59·0	79·0	75·0
8	67	30·000	30·066	67·0	61·0	56·2	·458	N.W	2	6	cum	N.W	C	B.C.	125·3	50·8	76·0	68·0
9	67	30 010	29·967	70·0	66·0	62·9	·576	N.W	2	7	cum	N.W	C	C	126·9	49·0	84·0	91·6
10	66	29·970	30 039	65·0	63·6	62·5	·566	W	2	7	nimbus	W	C	C	127·5	47·4	77·0	80·6
11	67	30 090	30·156	66·8	58·6	52·1	·390	N.W	2	4	cum	N.W	C	C	124·9	57·0	68·6	60·8
12	69	30·130	30·190	68·0	66·0	64·4	·626	S.W	2	3	cum	S.W	C	C	124·7	61·0	89·2	88·0
13	69	30·070	30·129	70·0	68·0	66·5	·651	S	2	8	cum: str	S	O	O	130·1	56·6	100·0	88·0
14	70	29·900	29·957	70·0	68·0	66·5	·651	S.W	2	8	nimbus	S.W	O	O	129·5	50·0	81·0	88·0
15	68	29·900	29·963	68·0	65·0	62·6	·569	N.E	2	7	cum	N.E	C	O.C	127·5	56·0	74·0	76·0
16	71	29 980	30 034	69 4	65 0	61·6	·546	N.W	2	4	cum	W	C	B C	127·5	56·0	74·0	76·0
17	69	30·150	30·212	68 2	57·0	51·8	·385	N.E	3	7	cum	N.E	C	C	132·8	48·4	77·0	66·2
18	66	30 234	30·303	64·8	57·0	50·9	·368	S.E	1	7	str:	S.E	C	O.C	130·9	53·0	61·2	59·8
19	67	30·158	30·224	67·0	63 0	59·8	·515	S	3	5	cum	S	C	C	128·5	56·4	64·0	78·0
20	71	30 036	30·090	69·6	66·0	63·2	·579	S.E	4	9	cum	S.E	O	C.O	129·2	62·0	74·0	80·0
21	68	29·918	29·982	64·0	63·6	63·3	·582	S	3	10	nimbus	S.E	O.R	O.R	111·2	56·4	100·0	97·6
22	68	29 750	29·812	69·0	64·0	60·1	·517	S.W	3	7	nimbus	S.W	C	CORC	123·8	52·0	88·0	78·0
23	69	29·880	29 941	68 0	62·6	58·4	·489	N.W	4	5	cum	N.W	C	C	127·3	55·4	82·0	71·0
24	70	30 000	30·057	69·6	65·0	61·4	·543	N	2	5	cum: str	N	C	C	132 5	51·0	69·0	75·0
25	69	30·186	30·245	69·0	64·6	61·2	·537	S.E	1	5	cum	S.E	C	C	133·8	52·0	75·0	76·0
26	71	30 210	30 264	70·4	65·2	61·2	·542	S.E	3	4	cum: str	S.E	C	O.C	133·8	53·0	78·0	72·4
27	69	30·090	30·150	68·4	63·0	58·8	·495	S.E	3	7	cum	S.E	C	O.C.	133·7	50·0	72·0	71·0
28	68	29 736	29·782	65·4	65·0	63·9	·595	S	2	10	nimbus	S	O.R	O.R	107·6	56·6	95·2	96·4
29	67	29 680	29·749	64·0	59 6	55·9	·449	N	6	10	nimbus	N	O	O P.	110·2	51·4	77·0	75·0
30	65	30·098	30·172	61·0	56·4	52·4	·394	N	2	6	cum	N	C	O.C	132·7	49·0	70·2	74·0
31																		
Sums	2030	900·984	902·806	2082·2	1910·2	1813·2	15·950		69·0	198					3781·7	1623.6	2346·0	2309·0
Means	69·0	30·033	30·094	67·8	63·7	60·4	·532		2	7					126·1	54·1	78 2	77·0

Highest corrected reading of Barometer 30·359 on 4th at 9 a.m.
Lowest " " " " 29·723 on 29th at 9 a.m.
Highest temperature in Shade 73·2 on 3rd.
Lowest " " " 56·8 on 17th.
Highest " " Sun 135·2 on 25th.
Lowest " on Grass 47·4 on 11th.

Thunderstorms on 5th, 10th, 14th, 22nd.
Gales on 20th.

The Observations have been taken by W. B. T. JOHNSON, L.-Sgt. R.A.M.C.

Signed J. C. CULLING, LIEUT.-COL. R. A. M. C.
S. M. O. Bermuda

Meteorological Observations taken at Prospect, Bermuda,

During May, 1910.

Latitude 32° 17′ 40″ North.
Longitude 64° 47′ 0″ West.

Height of cistern of Barometer above sea level 151 feet.
Height of rim of Lower Rain Gauge above sea level 150 feet, above the ground 2 feet 0 inches.

AT 8.41 A.M., LOCAL TIME.

Day of the Month	BAROMETER: Attached Thermometer	BAROMETER: Uncorrected	BAROMETER: Corrected and reduced to 32° Fah't. and sea level.	TEMPERATURE: As read (Dry bulb)	TEMPERATURE: As read (Wet bulb)	TEMPERATURE: Dew point	TEMPERATURE: Elastic force of Aqueous Vapour	WIND: Direction	WIND: Force (0—12)	CLOUD: By Robinson's Anemometer	CLOUD: Amount (0—10)	CLOUD: Form	CLOUD: Direction of lower stratum, whence coming	WEATHER: At time of Observation	WEATHER: Since last Observation	RAIN: Entered to preceding day	RAIN: Estimated duration.	Maximum Thermometer Entered to preceding day	Minimum Thermometer
	°	ins.	ins.	°	°	°	in.			miles						ins.	hrs.		
1	66	30·116	30·184	66·4	61·0	56·7	·359	N.W	1	142	7	cum	W	C	B.C.			70·2	57·4
2	68	30·091	30·122	70·2	63·0	58·0	·427	N.W	1	118	5	cum	N.W	C	O.C			75·0	64·0
3	70	30·095	30·154	69·0	66·0	63·7	·487	N.E	1	132	9	cum	N.E	C	C			78·8	62·0
4	71	30·110	30·164	69·4	67·0	65·1	·519	N.W	1	161	5	cum	N.W	C	C			74·2	61·0
5	70	30·062	30·119	69·2	65·8	63·2	·477	S	3	414	2	cum:str	S	B	C.C.B			72·8	62·4
6	68	29·919	29·976	61·4	61·0	60·7	·380	N	5	431	10	nimbus	N	O,R	C.O.R	0·32	2	66·0	61·0
7	65	30·100	30·173	63·0	56·2	50·5	·266	N.W	3	209	2	cum	N.W	B	C.B.P	0·02	p.s.	67·4	57·0
8	65	29·986	30·055	67·2	60·0	54·3	·322	N.E	1	205	1	cum	N.E	B	B			68·2	55·6
9	66	30·264	30·351	67·0	59·0	52·6	·297	S	3	389	1	cum:str	S.E	B	B			70·0	55·4
10	68	30·100	30·169	69·0	68·0	66·7	·467	S	4	259	9	cum:str	S.W	Q	C.O	0·04	1	72·0	53·8
11	69	30·070	30·136	68·0	67·4	66·9	·460	calm		300	10	nimbus	S	Q	O.R	0·30	3	73·6	65·0
12	70	30·100	30·157	70·6	68·6	68·8	·505	S	3	348	10	nimbus	S	O	O.P	0·14	5	71·6	67·0
13	70	30·082	30·140	68·0	68·4	67·9	·482	S	3	410	10	nimbus	S	O,R	O.R	0·04	1	72·8	66·0
14	71	30·076	30·130	71·0	70·0	69·2	·514	S	3	419	7	cum:str	S	C	O.R0C	0·50	4	73·2	66·0
15	69	29·930	30·001	63·0	63·0	63·0	·417	S.W	3	383	10	nimbus	S.W	Q,R2	O.E. 2	3·36	16	69·0	63·2
16	67	30·074	30·141	66·0	62·4	59·5	·369	N	4	450	1	cum	N	B	cuCcB	0·20	1	69·2	60·0
17	67	30·196	30·213	66·0	61·0	57·0	·404	N	4	376	2	cum	N	B	C.B			68·4	60·6
18	65	30·142	30·216	69·0	58·4	56·9	·466	N.W	4	171	9	nimbus	N.W	O	C.O.P	T	p.s.	68·8	58·0
19	68	30·170	30·239	67·0	61·0	56·2	·453	S.W	3	196	9	cum	S.W	O	B.C.O			69·6	58·0
20	68	30·208	30·271	69·0	66·0	63·7	·587	W	2	161	8	cum	S.W	O	C.O			73·0	62·8
21	70	30·220	30·277	70·0	67·6	65·8	·642	N.W	1	210	3	cum	W	C	B.C			73·4	63·0
22	69	30·090	30·149	70·2	67·0	64·6	·610	S.W	3	297	4	cum	N.W	C	C			73·0	64·8
23	71	29·990	30·044	70·0	70·0	70·0	·788	S.W	2	215	10	nimbus	S.W	Q,R0	C.O.R	0·08	8	75·4	66·8
24	70	30·064	30·141	70·0	66·2	63·8	·589	N.E	3	295	4	cum	N.E	C	C			72·8	61·0
25	70	30·164	30·231	70·0	65·4	62·1	·550	E	3	284	2	cum	E	B	B			73·4	62·4
26	73	30·174	30·235	71·8	70·0	69·6	·703	S	3	308	2	cum:str	S.E	B	C.B			74·0	66·0
27	73	30·218	30·269	70·2	70·0	69·8	·720	S	3	304	6	cum:str	S	C	B.C.			76·8	67·6
28	73	30·106	30·156	72·0	71·0	70·2	·762	S	3	431	9	cum:str	S	Q	O	0·40	0·40	74·0	68·0
29	70	30·058	30·014	68·2	62·0	57·1	·467	N.W	3	325	4	cum	N.W	C	O.R.C	0·06	0·06	72·0	63·8
30	71	29·982	30·016	70·6	67·0	64·8	·608	W	3	397	5	cum	N.W	C	B.C			74·8	63·0
31	73	29·910	29·960	72·0	66·0	61·5	·547	S	4	477	2	cum	S.W	B	B			75·0	67·0
Sums	2189	933·076	934·949	2119·4	2022·4	1946·0	17·999			9228·0	179					5·36	Dys. 13	2232·8	1939·6
Means	69·0	30·099	30·160	68·8	65·2	62·8	·581		3	297·5	6					0·173		72·0	62·6

AT 3 P.M. LOCAL TIME.

Day of the Month	BAROMETER: Attached Thermometer	BAROMETER: Uncorrected	BAROMETER: Corrected and reduced to 32° Fah't. and sea level	TEMPERATURE: As read (Dry bulb)	TEMPERATURE: As read (Wet bulb)	TEMPERATURE: Dew point	TEMPERATURE: Elastic Force of Aqueous Vapour	WIND: Direction	WIND: Force (0—12)	CLOUD: Amount (0—10)	CLOUD: Form	CLOUD: Direction of lower stratum, whence coming	WEATHER: At time of Observation	WEATHER: Since last Observation
	°	ins.	ins.	°	°	°	ins.							
1	68	30·100	30·163	68·0	65·4	62·8	·384	W	1	9	cum	S.W	O	C.O
2	71	30·050	30·103	72·0	70·0	67·8	·480	N.W	1	10	nimbus	N.W	O	C.O
3	72	30·070	30·121	71·0	68·0	63·3	·360	N.E	1	7	cum	N.E	C	O.C
4	72	30·100	30·151	70·0	62·0	60·5	·351	S.W	1	8	nimbus	S.W	O	C.O
5	72	30·018	30·069	71·4	68·0	65·4	·427	S	3	4	cum	S	C	B.C
6	69	29·930	30·011	65·0	60·0	57·9	·447	N	4	4	cum	N.W	C	O.C.P
7	67	30·156	30·217	60·0	60·4	59·8	·445	N.W	2	5	cum	N	C	B.C
8	67	30·200	30·264	67·0	60·0	54·4	·324	S.E	1	3	cum	E	B	B
9	68	30·244	30·307	62·0	62·4	58·0	·402	S.E	3	4	cum	S.E	C	B.C
10	70	30·050	30·107	70·2	67·4	65·4	·623	S	3	10	nimbus	S.W	O	O.P
11	70	30·034	30·124	71·4	69·6	68·2	·690	S	3	9	nimbus	S.W	O	O.P
12	70	30·105	30·164	69·8	68·0	67·4	·670	S	2	10	nimbus	S	O.R0	O.R0
13	70	30·054	30·123	72·0	70·0	68·5	·696	S	2	9	nimbus	S	O	O.P.
14	72	30·052	30·123	69·4	69·0	68·7	·709	S	4	10	nimbus	S	O.R	C.O.R
15	69	30·000	30·062	64·0	64·0	64·0	·590	N	3	10	nimbus	N	O.R0	O.R3
16	69	30·060	30·117	69·0	65·0	61·9	·551	N.W	3	6	cum	N.W	C	B.C
17	69	30·136	30·196	67·2	65·0	59·7	·512	N	3	5	cum	N	C	B.C.
18	69	30·150	30·210	67·0	63·0	59·8	·515	N	2	6	cum	N	C	O.C
19	69	30·175	30·236	69·0	64·0	60·1	·517	S.W	2	5	cum	S.W	C	C
20	71	30·199	30·234	70·4	68·0	66·2	·644	N.W	1	7	cum	N.W	C	O.C
21	73	30·200	30·261	71·0	67·0	64·0	·596	S.W	2	4	cum	S.W	C	C
22	73	30·070	30·131	70·0	66·4	63·6	·601	S.W	3	6	cum	S.W	C	C
23	73	30·000	30·051	69·0	68·0	67·2	·665	N.E	3	10	nimbus	N.E	O.R0	O.R0
24	73	30·100	30·148	72·0	69·0	66·7	·655	E	3	5	cum	N.E	C	C
25	73	30·149	30·191	70·0	67·0	64·7	·618	S.E	3	7	cum	S.E	C	C
26	73	30·186	30·234	72·4	69·0	66·4	·649	S.E	3	4	cum	S.E	C	B.C
27	73	30·200	30·250	73·0	70·0	68·5	·696	S	2	7	cum:str	S	C	C
28	72	30·066	30·111	70·0	70·0	70·0	·733	S	3	9	nimbus	S.W	O	C
29	70	29·970	30·023	67·0	64·6	62·3	·562	N.W	3	7	nimbus	N.W	C	C.O.R
30	73	29·964	30·012	72·0	68·0	64·8	·604	S	3	6	cum	S	C	C
31	74	29·948	29·953	74·0	68·0	63·6	·588	S	4	3	cum	S.W	C	C.B
Sums	2194	932·318	934·509	2158·2	2058·2	1980·9	18·576			77	208			
Means	71·0	30·091	30·147	69·9	66·4	63·9	·599		2	7				

AT 8.41 P.M. LOCAL TIME.

Day of the Month	BAROMETER: Attached Thermometer	BAROMETER: Uncorrected	BAROMETER: Corrected and reduced to 32° Fah't. and to sea level	TEMPERATURE: As read (Dry bulb)	TEMPERATURE: As read (Wet bulb)	TEMPERATURE: Dew point	TEMPERATURE: Elastic Force of Aqueous Vapour	WIND: Direction	WIND: Force (0—12)	CLOUD: Amount (0—10)	CLOUD: Form	CLOUD: Direction of lower stratum, whence coming	WEATHER: At time of Observation	WEATHER: Since last Observation
	°	ins.	ins	°	°	°	in.							
67	30·080	30·147		66·0	63·4	61·3	·543	W	1	10	cum	W	O	O
70	30·070	30·130		63·0	61·0	59·3	·506	N	1	8	cum	N.W	O	O
71	30·096	30·152		65·0	64·0	63·2	·560	calm		8	str:	N	O	O
71	30·122	30·176		69·2	67·0	66·2	·622	S	1	8	str:	S	C	O.C
70	29·992	30·040		66·0	67·0	66·2	·644	S	3	9	cum:str	S	O	C.O
67	30·068	30·107		59·2	55·0	51·3	·378	N	3	4	cum:str	N	C	C.P
65	30·200	30·274		59·0	53·6	46·0	·321	N.W	2	2	cum	N	B	C.B
66	30·318	30·388		61·0	55·0	49·8	·358	S.E	1	1	str:	S.E	B	B
67	30·230	30·298		65·0	62·0	59·5	·510	S	3	2	cum	S.E	B	C.B
69	30·060	30·120		68·0	67·0	66·2	·644	S	3	10	nimbus	S	O	O.R
70	30·100	30·167		69·0	68·0	67·2	·665	S	2	8	nimbus	S	O	O.P
70	30·140	30·198		68·0	67·6	67·3	·668	S	3	10	nimbus	S	O.R0	O.R0
71	30·100	30·155		69·0	68·6	68·0	·690	S	3	9	nimbus	S	O.R	O.R
68	30·060	30·129		67·0	67·0	67·0	·661	S	3	10	nimbus	S	O.R1	O 3 3
68	30·050	30·116		61·0	60·8	60·6	·589	N.E	2	10	nimbus	N	O.R	O.R
67	30·120	30·196		64·0	60·0	58·7	·481	N	4	4	cum	N.W	C	C
67	30·166	30·235		61·0	57·4	54·2	·439	N	3	4	cum	N	C	C
66	30·156	30·227		62·0	58·4	55·8	·480	N	1	3	cum	N	B	C.B
67	30·172	30·240		64·0	62·4	61·1	·539	S.W	1	5	cum	S.W	C	C
68	30·200	30·264		66·0	62·0	60·6	·529	W	1	2	cum	W	B	C.B
70	30·178	30·237		66·6	65·4	64·4	·606	W	1	7	cum	S.W	C	C
71	30·049	30·095		67·4	66·4	65·1	·620	W	2	6	cum	W	C	C
70	30·010	30·069		65·0	62·4	60·2	·524	N.E	2	7	cum	N.E	C	O.C
71	30·112	30·168		65·2	63·0	61·2	·541	S	2	2	cum	E	B	C.B
70	30·160	30·218		67·4	65·0	63·0	·578	E	3	2	cum	E	C	O.C
70	30·190	30·248		69·0	67·6	66·5	·640	S.E	3	2	cum	S.E	B	C.B
71	30·190	30·247		70·0	68·6	67·5	·675	S	2	8	cum	S	O	C.O
70	30·009	30·066		65·0	63·0	63·0	·617	N	4	10	nimbus	N.W	O.R	O R
70	29·980	30·038		67·4	65·0	63·1	·579	W	3	2	cum	W	B	C.B
70	29·964	30·021		70·0	69·0	66·5	·651	S	3	1	cirrus	S.W	B	C.B
73	29·958	30·000		70·0	68·0	66·3	·651	S	3	2	cum	S	B	C.B
3140	930·268	935·140		2037·4	1971·6	1916·1	17·428			69·0	179			
69·0	30·165	30·166		65·7	63·6	61·8	·562			8	6			

EXTRA OBSERVATIONS

Day of the Month	Solar Radiation Thermometer, 8.41 a.m. entered to preceding day.	Terrestrial Radiation Thermometer 8.41 a.m.	Daily values of humidity: At 8.41 a.m.	Daily values of humidity: At 3 p.m.	Daily values of humidity: At 8.41 p.m.
			%	%	%
1	129·6	49·0	71·4	55·0	85·0
2	127·6	53·5	93·4	84·0	88·0
3	127·5	54·4	83·0	73·0	94·0
4	125·5	52·0	80·0	66·0	87·0
5	130·7	54·2	80·0	51·0	94·0
6	126·8	56·8	97·6	73·0	75·0
7	125·3	49·4	63·8	70·0	64·0
8	126·5	46·0	62·2	64·0	67·0
9	125·9	47·0	60·0	70·0	83·0
10	122·1	55·8	88·0	65·0	94·0
11	109·2	51·0	90·4	99·6	94·0
12	109·4	62·4	94·0	95·2	97·6
13	121·7	61·0	90·4	89·0	97·6
14	120·5	61·2	94·0	97·6	100·0
15	98·8	59·8	100·0	100·0	98·8
16	129·2	54·0	80·0	73·0	77·0
17	129·3	56·0	78·0	77·0	79·0
18	124·7	47·0	80·4	78·0	79·0
19	128·8	49·4	66·0	73·0	90·4
20	128·3	51·4	95·0	89·0	89·0
21	126·1	53·8	86·0	78·0	92·0
22	123·9	56·0	82·0	80·0	94·0
23	125·3	60·6	100·0	94·0	95·0
24	127·6	52·0	79·0	84·0	88·0
25	124·5	52·0	75·0	88·0	85·6
26	123·5	61·0	91·0	82·0	91·6
27	124·8	62·2	98·8	89·0	91·6
28	127·7	63·0	94·0	100·0	100·0
29	123·9	53·8	67·0	88·0	85·6
30	122·6	57·0	80·0	74·0	88·0
31	121·7	57·4	69·0	70·0	88·0
Sums	3988·9	1768·2	2577·4	2585·4	2718·4
Means	128·6	55·1	83·1	83·5	87·6

Highest corrected reading of Barometer 30·388 on 8th at 8.41 p.m.
Lowest " " " " 29·952 on 31st at 3 p.m.
Highest temperature in Shade 73·6 on 27th.
Lowest " " " 55·4 on 9th.
Highest " " Sun 139·1 on 21st,
Lowest " on Grass 49·4 on 19th.

Thunderstorms on 6th, 14th.
Lightning seen, thunder not heard 5th.

The Observations have been taken by W. B. T. Johnson, L.-Sgt. R.A.M.C.

Signed J. C. CULLING, Lieut.-Col. R.A.M.C.
S. M. O. Bermuda

Meteorological Observations taken at Prospect, Bermuda, during June, 1910.

Gravity correction + .010 inch.

Date.	ATTACHED THERMOMETER AND BAROMETER AS READ			BAROMETER Corrected and Reduced to 32° at Sea Level.			AIR TEMPERATURE								HUMIDITY.									WIND				CLOUD									WEATHER						RAIN	
							Dry	Wet	Dry	Wet	Dry	Wet			Dep. of Wet			Vapour Pressure			Percentage			Direction and Force				Amount			Form			Direction Whence Coming			At time of Observation			During Interval Ending			24 Hours Beginning 9 a.m.	Estimated Duration
	I	II	III	I	II	III	I		II		III		Max.	Min.	I	II	III	I	II	III	I	II	III	I	II	III	Miles in 24 Hours	I	II	III	I	II	III	I	II	III	I	II	III	I	II	III	Inches	Hours
	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.		3.0 p.m.		8.41 p.m.				8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8 a.m. to 8 a.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.		
1	29·949	29·942	29·940	29·988	29·991	29·985	29·977	72·0	71·0	73·6	72·0	72·0	70·6	75·0	0·0	1·0	1·0	1·4	·739	·755	·722	94·0	91·0	92·0	S	4	SW	4	S	4	509·0	9	9	4	cumulus; cumulostr	cumulus; stratus	cumulus	S; S	S; S.W	S W	O	O	C	B.C.O.B.C	O.C O	O. C. O. C	0·06	1
2	29·938	29·928	29·940	29·940	29·976	29·991	29·966	72·0	71·2	71·0	69·0	69·8	69·0	69·4	0·8	2·0	0·8	·748	·872	·693	90·2	88·0	88·2	S	3	S	3	S	2	232·0	10	10	9	cumulus; nimbus	nimbus	cumulus; nimbus	S.W; S.W	S.W	S W; S.W	O. B	O. B.	C	C O B	C O R	O. B. C	0·09	3
3	29·942	29·942	29·920	29·960	30·000	30·005	30·020	72·6	64·8	73·0	71·0	70·4	70·0	70·8	64·8	4·0	2·0	0·4	·839	·722	·725	80·6	89·0	97·6	S	3	S	3	S	3	463·0	1	4	2	"	"	"	S.W	S.W	S.W	B	C	C	C P B	B C	C.B	T	
4	29·904	29·904	29·900	29·900	29·906	29·908	29·931	30·010	72·0	72·0	71·6	69·0	70·4	69·6	72·0	63·0	0·0	2·6	1·8	·765	·663	·709	100·0	85·0	95·2	S W	4	W	4	N.W	4	529·0	5	6	6	"	"	"	S.W	W	N.W	C	C	C	B.C.O.R.SC	C O C	C	0·04	1
5	29·962	29·962	30·100	30·150	30·187	30·151	30·297	67·4	68·0	71·0	67·0	64·0	69·0	71·6	64·0	4·4	4·0	2·0	·509	·596	·625	76·0	78·0	88·0	N W	3	N	2	N	1	175·0	9	5	6	"	"	"	N.W	N	N.E	C	C	C	C.O.C.O	O C	C		
6	30·196	29·962	30·200	30·200	30·254	30·186	30·257	68·4	64·0	70·0	65·0	65·4	68·0	71·0	61·4	4·4	5·0	3·4	·526	·541	·588	70·0	78·0	85·6	S	2	S.E	1	S	1	191·0	5	4	4	cirrus; cumulus	"	cum:str	S; S.E	S.E	S.E	C	C	C	C	C B	C		
7	30·146	30·108	30·138	30·170	30·208	30·209	30·205	70·6	66·0	72·2	68·0	67·0	65·0	74·0	63·4	4·6	4·2	2·0	·566	·614	·585	75·0	78·2	88·0	S	3	S W	3	S	1	265·0	6	2	2	"	"	"	S; S W	S W; S W	S; S	B	B	B	B C	B C	B		
8	30·152	30·156	30·164	30·170	30·203	30·251	30·219	72·4	70·6	73·0	70·0	69·0	68·0	75·0	65·2	2·4	3·0	1·0	·630	·680	·695	87·0	84·0	94·0	S	2	S	2	S	1	237·0	7	2	2	cumulus	cirrus; cumulus	cirrus; cumulus	S W	S	S W	B	B	B	B C	C B	B		
9	30·230	30·236	30·286	30·240	30·278	30·284	30·291	72·6	71·0	72·4	69·0	69·0	68·0	75·0	67·6	1·8	3·4	1·0	·734	·649	·685	90·0	82·0	94·0	S E	3	S E	3	S E	1	380·0	3	7	6	"	cirrus; cumulus	cumulus; cum:str	S E	S E; S E	S; S E	B	C	C	B C	B C	C		
10	30·356	30·296	30·290	30·276	30·302	30·344	30·358	72·6	70·6	74·0	71·4	71·0	70·0	76·4	67·0	2·6	2·6	1·0	·688	·722	·714	86·0	86·0	94·0	S E	3	S	3	S E	1	250·0	7	4	2	cum:str; cumulus	" "	cum:str	S E; S W	S E; S W	S	C	C	C B	B C	C		
11	30·320	30·280	30·350	30·340	30·363	30·398	30·418	74·0	73·0	75·0	73·0	71·6	70·0	76·4	69·4	1·6	2·0	1·0	·732	·781	·656	94·0	87·0	96·0	S	3	S E	2	S E	1	260·0	9	7	8	cumulus	" "	cum:str; cumulus	S	S W; S E	S E; S E	O	C	C	B C O	O C	C B		
12	30·394	30·396	30·396	30·350	30·404	30·435	30·397	73·8	73·0	75·0	73·0	71·6	70·0	76·4	69·4	1·0	2·4	1·4	·788	·781	·656	94·0	87·0	96·0	S	3	S E	2	S E	1	260·0	9	7	8	"	"	cum:str; cumulus	S	S W; S E	S E; S E	O	C	C	B C O	O C	C O		
13	30·400	30·400	30·370	30·340	30·440	30·407	30·357	74·2	71·0	76·0	73·0	69·8	67·0	76·4	67·0	3·2	3·0	2·8	·702	·756	·613	88·0	84·0	94·0	S	1	S E	1	S	1	151·0	4	4	3	"	"	cumulus	cumulus	S	S	O	C	C	B C	C	B		
14	30·368	30·368	30·306	30·276	30·354	30·294	30·317	74·2	70·4	76·4	72·2	69·0	68·0	77·6	67·0	3·6	4·2	1·0	·677	·715	·665	89·0	78·4	94·0	W	1	S W	2	S W	1	170·0	4	3	1	"	"	"	S	S E	S	O	C	C	B C	C	C		
15	30·230	30·230	30·236	30·244	30·275	30·273	30·288	78·0	70·0	75·8	71·0	70·0	68·0	77·0	68·6	3·0	4·2	1·4	·690	·688	·645	84·0	78·2	91·6	S W	1	S	3	S	1	170·0	3	4	3	"	"	"	W	S W	S W	O	C	C	B C	C	C B		
16	30·268	30·268	30·300	30·318	30·292	30·337	30·359	71·4	70·0	76·0	72·0	72·0	70·8	77·8	69·0	1·4	4·0	1·2	·707	·718	·702	92·0	79·0	98·0	S	1	S E	2	S	1	233·0	10	7	6	cumulus; nimbus	"	"	S E; S	S E	S E	O	C	C	B C	C	C B		
17	30·184	30·180	30·080	30·056	30·170	30·112	30·097	76·2	73·2	78·0	73·4	72·0	70·0	79·0	70·0	3·0	1·6	2·0	·762	·877	·698	84·0	91·0	98·0	S E	2	S	2	S	2	298·0	8	7	6	cumulus; stratus	cirrus; cumulus	cirrus; cumulus	S.E; S.E	S; S E	S E; S W	O	C	C	C O	O C	C O C	T	
18	30·260	30·280	30·240	30·234	30·284	30·278	30·272	75·6	73·6	77·2	74·0	73·6	73·4	78·0	70·2	2·0	3·2	2·2	·701	·770	·701	89·0	83·0	98·0	S	3	S	3	S	2	363·0	9	7	6	cir:cum; cum:str	cir:cum; cumulus	cum:str; cumulus	S W; S	S; S	S; S	O	C	C	C O B O	O C	C	0·04	½
19	30·224	30·224	30·220	30·230	30·268	30·252	30·260	77·0	74·4	78·0	77·0	74·0	73·8	77·8	71·4	2·6	1·0	0·4	·699	·805	·730	86·0	94·0	96·0	S W	3	S W	4	S W	3	357·0	8	9	9	cumulus	cumulus	cumulus	S W	S W	S W	O	C	C	C O	O	O P	T	T
20	30·274	30·274	30·100	30·124	30·118	30·138	30·104	76·4	74·0	78·0	76·6	74·2	73·0	80·0	71·0	2·4	2·4	1·2	·704	·768	·739	87·0	87·0	96·0	S	3	S	4	S	2	330·0	8	7	3	cirrus; cum:str	cum:str	cum:str	S W; S	S W	S	O	C	C	O P	O C	C B	T	T
21	30·150	30·150	29·940	30·150	30·189	30·180	30·210	77·0	75·0	78·0	76·0	74·4	73·6	80·0	73·0	2·0	3·0	0·6	·899	·839	·814	89·0	85·0	96·6	S	2	S E	3	S W	2	260·0	6	5	1	"	cumulus	"	N.E; S W	S E	S W	O	C	C	C	C	C B		
22	30·200	30·200	29·970	30·170	30·226	30·201	30·231	77·0	76·4	77·0	75·0	75·0	73·8	81·2	71·4	3·0	2·0	1·6	·801	·820	·702	86·0	89·0	96·0	S	2	S W	3	S W	1	215·0	8	8	4	cirrus; cum:str	"	stratus	S.W; S W	S W	S W	O	C	C	B C O	O C O	O C		
23	30·180	30·180	29·940	30·190	30·216	30·223	30·179	77·4	76·6	78·0	74·0	74·0	74·0	81·0	70·0	3·6	4·0	1·0	·765	·765	·765	80·4	79·0	94·0	S	3	S W	1	S W	1	226·0	2	5	0	cirrus:cum	"	cum:str	S	S	S W	O	C	C	C O	B C	C		
24	30·108	30·108	29·970	30·128	30·158	30·157	30·145	77·0	76·4	80·0	75·6	74·2	73·0	81·0	72·0	3·6	5·0	2·2	·748	·775	·744	86·0	75·0	96·0	S W	2	S	3	S W	3	268·0	5	5	1	"	"	cumulus	W	S W	S W	O	C	C	B	C	C		
25	30·058	30·058	29·820	30·060	30·094	30·092	30·066	77·4	74·0	78·0	74·0	73·6	72·0	81·4	71·6	3·4	4·0	1·6	·775	·765	·752	77·4	79·0	90·6	S W	2	S W	3	S W	3	258·0	4	5	10	cum:str	"	nimbus	S W	S W	S W	O	C	C	B C	C	C. O. P		
26	30·020	30·020	29·800	29·850	29·858	29·841	29·851	76·0	76·0	77·0	74·0	73·0	72·0	81·0	71·0	3·4	4·0	1·6	·775	·765	·752	77·4	79·0	90·6	S W	2	S W	3	S W	3	258·0	4	5	10	cum:str	"	nimbus	S W	S W	S W	O	C	C	B C	C	C. O. P		
27	30·042	30·042	29·810	29·870	29·912	29·878	29·903	76·0	76·0	78·0	74·0	73·0	72·0	81·0	71·0	3·6	4·0	2·0	·783	·720	·651	100·0	89·0	98·0	S W	1	N	2	N.E	1	169·0	10	9	8	nimbus	nimbus	"	N.W	N	N.E	O	C	C	O R'	O R'	O. R'	0·80	2
28	30·022	30·022	29·790	29·850	29·914	29·878	29·903	76·0	76·0	78·0	74·0	73·0	72·0	81·0	71·0	3·6	4·0	2·0	·783	·720	·651	100·0	89·0	98·0	S W	1	N	2	N.E	1	169·0	10	9	8	nimbus	nimbus	"	N.W	N	N.E	O	C	C	O R'	O R'	O. R'	0·04	½
29	30·096	30·096	29·860	29·900	29·960	29·936	29·960	76·0	76·0	77·0	74·0	73·4	73·0	81·0	72·0	3·6	4·0	2·2	·650	·674	·592	74·0	79·0	92·0	N E	3	N E	2	N E	1	197·0	7	7	1	cum:str	cirrus; cum:str	cumulus	N.E	W; S.E	N.E	O	C	C	O R.C	C O C	C B		
30	30·106	30·106	29·960	30·000	30·032	30·004	30·041	76·0	76·0	77·0	74·0	73·6	72·0	81·0	71·0	3·6	4·0	2·0	·672	·664	·628	75·0	79·0	92·0	N E	2	N E	1	S E	0	140·0	3	5	3	cumulus	"	"	N.E	S.E	S.E	O	C	C	B C	C	C B		
31	30·106	30·106	29·960	30·000	30·032	30·004	30·041	76·0	76·0	77·0	74·0	73·6	72·0	81·0	71·0	3·6	4·0	2·0	·672	·664	·628	75·0	79·0	92·0	N E	2	N E	1	S E	0	140·0	3	5	3	cumulus	"	"	N.E	S.E	S.E	O	C	C	B C	C	C B		
30	30·106	30·106	29·960	30·000	30·032	30·004	30·041	76·0	76·0	77·0	74·0	73·6	72·0	81·0	71·0	3·6	4·0	2·0	·672	·664	·628	75·0	79·0	92·0	N E	2	N E	1	S E	0	140·0	3	5	3	cumulus	"	"	N.E	S.E	S.E	O	C	C	B C	C	C B		
31	30·106	30·106	29·960	30·000	30·032	30·004	30·041	76·0	76·0	77·0	74·0	73·6	72·0	81·0	71·0	3·6	4·0	2·0	·672	·664	·628	75·0	79·0	92·0	N E	2	N E	1	S E	0	140·0	3	5	3	cumulus	"	"	N.E	S.E	S.E	O	C	C	B C	C	C B		
30	30·106	30·106	29·960	30·000	30·032	30·004	30·041	76·0	76·0	77·0	74·0	73·6	72·0	81·0	71·0	3·6	4·0	2·0	·672	·664	·628	75·0	79·0	92·0	N E	2	N E	1	S E	0	140·0	3	5	3	cumulus	"	"	N.E	S.E	S.E	O	C	C	B C	C	C B		
31	30·106	30·106	29·960	30·000	30·032	30·004	30·041	76·0	76·0	77·0	74·0	73·6	72·0	81·0	71·0	3·6	4·0	2·0	·672	·664	·628	75·0	79·0	92·0	N E	2	N E	1	S E	0	140·0	3	5	3	cumulus	"	"	N.E	S.E	S.E	O	C	C	B C	C	C B		
Sums	29·949	29·942	29·940	29·988	29·991	29·985	29·977	72·0	71·0	73·6	72·0	72·0	70·6	75·0	0·0	1·0	1·0	1·4	·739	·755	·722	94·0	91·0	92·0	S	4	S W	4	S	4	509·0	9	9	4	cumulus; cumulostr	cumulus; stratus	cumulus	S; S	S; S.W	S W	O	O	C	B.C.O.B.C	O.C O	O. C. O. C	0·06	1
Means	29·962	29·904	29·912	29·976	30·005	29·991	29·966	72·6	71·0	73·8	72·0	71·4	70·4	76·0	67·4	2·6	3·0	1·6	·715	·729	·680	84·4	82·7	91·0	2		3		2		264·0	6	6	4													0·029		

WEATHER

Number of Days of

Rain	Snow	Hail	Thunder-storm	Clear Sky	Overcast	Fog	Gales	
6			8		4			

WIND

Number of Observations of

Forces 4-7	Calm	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
8	1	5	5		15	89	99	2	3

EXTREMES

Highest corrected reading of Barometer	30.449	on 18th at 8.41 a.m.
Lowest " " " "	29·976	on 2nd at 8.41 a.m.
Greatest daily rainfall	0.80 inch	on 2nd.
Highest temperature in Shade	81.9°	on 22nd.
Lowest " " "	61.4°	on 6th.
Highest " " Sun	146.3°	on 30th.
Lowest " on Grass	47.4°	on 6th.

Height above mean sea level of barometer cistern, 151 feet.

Height above ground of thermometers, 3 feet 9 inches.

Height above ground of rim of rain gauge, 2 feet.

Height above mean sea level of rain gauge, 150 feet.

HOURS OF OBSERVATION { I—8.41 a.m. local time. II—3.0 p.m. " " III—8.41 p.m. " "

Meteorological Observations taken at Prospect, Bermuda, during June, 1910.

Latitude 32° 17′ 40″ North.
Longitude 64° 47′ 0″ West.

Day	BAROMETER Corrected and Reduced to 32° at Sea Level. I 8.41 a.m.	II 3.0 p.m.	III 8.41 p.m.	AIR TEMPERATURE Dry I 8.41 a.m.	Wet I	Dry II 3.0 p.m.	Wet II	Dry III 8.41 p.m.	Wet III	Max.	Min.	HUMIDITY. Dep. of Wet I 8.41 a.m.	II 3.0 p.m.	III 8.41 p.m.	Vapour Pressure I 8.41 a.m.	II 3.0 p.m.	III 8.41 p.m.	Percentage I 8.41 a.m.	II 3.0 p.m.	III 8.41 p.m.	WIND Direction and Force I 8.41 a.m.	II 3.0 p.m.	III 8.41 p.m.	Miles in 24 Hours 8 a.m. to 8 a.m.	CLOUD Amount I 8.41 a.m.	II 3.0 p.m.	III 8.41 p.m.	Form I 8.41 a.m.	II 3.0 p.m.	III 8.41 p.m.	Direction Whence Coming I 8.41 a.m.	II 3.0 p.m.	III 8.41 p.m.	WEATHER At time of Observation I 8.41 a.m.	II 3.0 p.m.	III 8.41 p.m.	During Interval Ending I 8.41 a.m.	II 3.0 p.m.	III 8.41 p.m.	RAIN 24 Hours Beginning 9 a.m. Inches	Estimated Duration Hours	RADIATION Maximum in Sun Black Bulb in Vacuo	Minimum on Grass	REMARKS	Day
1	29.991	29.963	29.977	72.0	71.0	73.6	72.0	72.0	70.6	75.6	69.0	1.0	1.6	1.4	.739	.755	.732	94.0	91.6	92.0	S 4	SW 4	S 4	509.0	9	9	4	cumulus; cumulostr	cumulus; stratus	cumulus	S; S	S; S.W	S.W	O O.E	O O.R	C B	B.C.O.R.C	O.C O	O. C. O. C	0.06	1	136.5	62.0	Dull day.	1
2	29.976	29.891	29.905	72.0	71.2	71.0	69.0	69.8	69.0	76.4	69.8	0.6	2.0	0.8	.748	.672	.698	95.2	88.0	95.2	S 3	S 3	S 2	252.0	10	10	9	cumulus; nimbus	nimbus	cumulus; nimbus	S.W.; S.W	S.W	S.W; S.W	O.E	O.R	O	C.O.R	O.R	O.R.O	0.38	3	105.2	60.4	" "	2
3	.030	.030	30.051	72.6	64.8	73.0	71.0	70.4	70.0	78.8	64.8	4.0	2.0	0.4	.698	.722	.785	89.6	89.0	97.6	S 3	S 3	S 3	483.0	1	4	2	cumulus	cumulus	cumulus	S.W	S.W	S.W	B	C	B	O.C.P.B	B.C	C.B	T		131.7	54.0	Fine day.	3
4	30.008	29.951	30.040	72.0	72.0	71.6	69.0	70.4	69.6	78.6	65.0	0.0	2.5	1.8	.785	.802	.766	100.0	85.0	95.2	S.W 4	W 4	N.W 4	529.0	5	6	6	"	"	"	S.W	W	N.W	C	C	C	B.C.O.R.SC	C.O.C	C	0.24	1	130.3	60.0	Fine windy day.	4
5	.150	.187	.151	.207	67.4	68.0	71.0	67.0	64.0	62.0	71.6	64.0	4.4	4.0	2.0	.509	.396	.535	78.0	78.0	88.0	N.W 3	N 2	N 1	175.0	9	5	6	"	"	"	N.W	N	N.E	O	C	C	C.O.C.O	O.C	C			126.3	55.4	Fine day.	5
6	.196	.254	.185	.257	68.4	64.0	70.0	63.0	65.4	63.0	71.0	61.4	4.4	5.0	2.4	.528	.541	.583	70.0	73.0	63.6	S 2	S.E 1	S 1	191.0	5	4	4	cirrus; cumulus	"	"	S; S.E	S.E	S.E	C	C	C	C	C	C			130.3	47.4	" "	6
7	.170	.203	.209	.225	70.6	65.0	72.2	68.0	67.0	65.0	74.0	63.4	4.6	4.2	2.0	.586	.614	.585	75.0	78.2	88.0	S 3	S.W 3	S 1	265.0	6	2	2	"	cirrus; cumulus	cirrus; cumulus	S; S.W	S.W; S.W	S; S	C	B	B	C	C.B	B			125.9	51.0	" "	7
8	.240	.278	.264	.291	72.8	71.6	72.4	69.0	69.0	68.0	75.8	67.6	1.6	3.4	1.0	.724	.649	.665	90.0	82.0	94.0	S.E 3	S.E 3	S.E 1	286.0	3	7	6	"	cirrus; cumulus	cumulus; cum:str	S.E	S.E; S.E	S; S.E	B	C	C	B	B.C	C			135.3	59.2	" "	8
9	.176	.202	.244	.233	73.6	70.6	74.0	71.4	71.0	70.0	76.4	67.0	2.6	2.6	1.0	.686	.729	.714	86.0	86.0	94.0	S.E 3	S 3	S 1	259.0	7	4	2	cum:str; cumulus	" "	cum:str	S.E; S.W	S.E; S.W	S	C	C	B	C	C	C.B			133.5	58.4	" "	9
10	.374	.365	.389	.418	74.0	72.0	74.0	71.6	70.0	68.6	76.2	69.2	1.0	2.4	1.4	.783	.731	.656	94.0	87.0	86.0	S 3	S.E 2	S.E 1	360.0	9	7	8	"	"	cum:str; cumulus	S	S.E; S.E	S.E; S.E	Q	C	Q	B.C.O	O.C	C.O			129.9	62.6	Hazy day.	10
11	.350	.404	.430	.397	78.8	73.0	75.0	73.0	71.6	70.0	76.4	69.4	1.8	3.0	1.6	.752	.781	.703	90.0	84.0	91.0	S 3	S.E 2	S.E 1	194.0	3	2	1	"	cumulus	cumulus	S	S	S	C	B	B	O.C	C.B	B			134.3	68.4	Fine day.	11
12	.348	.403	.407	.387	74.8	71.0	76.0	73.0	69.8	67.0	76.4	67.0	3.2	3.0	2.8	.702	.756	.613	86.0	84.0	84.0	S 1	S.E 1	S 1	151.0	4	4	3	"	"	"	S	S.E	S	C	C	C	B.C	C	C			133.8	57.6	" "	12
13	.278	.254	.294	.317	74.2	70.4	76.4	73.2	69.0	68.0	77.8	67.6	3.8	4.2	1.0	.677	.715	.665	80.0	78.4	94.0	W 1	S.W 3	S.W 1	150.0	4	3	1	"	"	"	W	S.W	S.W	C	C	B	C	C	C.B			143.9	56.1	" "	13
14	.244	.275	.273	.288	76.0	70.0	75.2	71.0	70.0	68.0	77.0	66.6	3.0	4.2	1.4	.680	.690	.653	84.0	78.2	91.6	S.W 1	S 3	S 1	179.0	3	4	2	"	"	"	S.W	S.W	S.W	C	C	B	B.C	C	C.B			136.7	54.0	" "	14
15	.318	.362	.337	.339	71.4	70.0	76.0	72.0	72.0	70.8	77.0	69.0	1.4	4.0	1.2	.707	.713	.722	95.0	79.0	93.0	S 1	S.E 2	S 1	333.0	10	7	0	cumulus; nimbus	"	"	S.E; S	S.E	S.E	O	C	C	B.C.O.P.O	O.C	C.O.C	T		140.3	58.0	" "	Dull early morning.	15
16	.066	.120	.113	.097	76.2	71.2	78.0	75.4	72.0	70.0	79.0	70.0	3.0	1.8	2.0	.762	.877	.696	84.0	91.0	89.0	S.E 2	S 2	S 2	299.0	8	7	6	cumulus; stratus	cirrus; cumulus	cirrus; cumulus	S.E; S.E	S; S.E	S.E; S.W	O	C	C	C.O	O.C	C.O.C			140.3	61.4	" "	17
17	.284	.260	.273	.273	73.6	73.6	77.2	74.0	72.6	70.4	78.0	70.2	2.0	3.2	2.2	.791	.770	.703	89.0	83.0	88.0	S 3	S 3	S 2	363.0	9	7	6	cir:cum; cum:str	cir:cum; cumulus	cum:str; cumulus	S.W; S	S; S	S; S	O	C	C	C.O.E.O	O.C	C	0.04	½	141.3	64.6	" "	18
18	.050	.068	.030	.020	77.0	74.4	78.0	77.0	74.0	73.6	77.8	71.4	2.6	1.0	0.4	.796	.806	.780	89.0	94.0	96.0	S.W 3	S.W 4	S.W 3	387.0	8	9	9	cumulus	cumulus	cumulus	S.W	S.W	S.W	O	O	O	C.O	O	O.P	T		137.1	64.6	Dull day.	19
19	.124	.110	.103	.164	76.4	74.0	76.0	73.6	74.2	73.0	80.0	71.0	2.4	2.4	1.2	.704	.769	.783	87.0	87.0	93.0	S 3	S 3	S 3	330.0	8	7	8	cirrus; cum:str	cum:str	cum:str	S.W; S	S.W	S	O	C	C	O.P	O.C	C	T		138.3	64.0	Fine day.	20
20	.176	.189	.160	.210	77.0	73.0	79.0	75.0	74.4	73.6	80.0	72.0	2.0	2.0	0.8	.823	.839	.814	89.0	85.0	95.0	S 3	S.E 3	S.W 2	280.0	6	5	1	"	cumulus	"	N.E; S.W	S.E	S.W	C	C	B	C	C	C.B			143.3	66.0	" "	21
21	.268	.286	.201	.261	77.0	74.4	77.0	75.0	73.6	73.8	81.2	71.4	2.6	2.0	1.8	.801	.829	.795	89.0	89.0	90.0	S 3	S.W 3	S.W 1	215.0	8	8	4	cir:cum; cum:str	"	stratus	S.W; S.W	S.W	S.W	O	O	C	B.C.O	O.C.O	O.C			139.9	63.2	Dull close day.	22
22	.152	.216	.203	.170	77.4	73.6	78.0	74.0	74.0	73.0	81.0	70.0	3.8	4.0	1.0	.765	.765	.783	80.4	79.0	94.0	S 3	S.W 1	S.W 2	258.0	3	5	3	"	cumulus	cumulus	S	S	S.W	B	C	C	C.B	B.C	C			143.5	60.2	Fine day.	23
23	.100	.150	.159	.157	.145	75.0	74.2	76.0	75.0	74.0	79.0	72.0	2.6	3.0	2.2	.748	.775	.744	86.0	85.0	88.0	S.W 2	S 3	S.W 2	288.0	5	5	1	"	"	"	W	S.W	S.W	C	C	C	B	C	C.B			141.7	65.4	" "	24
24	.021	.051	.054	.080	.060	74.4	74.0	74.8	74.0	73.0	79.0	71.0	3.4	4.0	1.8	.775	.765	.732	77.4	79.0	90.5	S.W 2	S.W 3	S.W 3	233.0	4	5	10	cum:str	"	nimbus	S.W	S.W	S.W	C	C	O	B.C	C	C.O.P			145.1	67.0	" "	25
25	.124	.098	.082	.106	.088	74.0	73.0	74.0	73.0	72.0	78.0	67.4	0.0	2.0	2.0	.738	.722	.651	100.0	89.0	88.0	N.W 1	N 2	N.E 1	199.0	10	9	8	nimbus	nimbus	"	N.W	N	N.E	O	O	O	O.R.*	O.R*	O.R*	0.20	3	127.7	66.0	Dull day.	26
26	.056	.054	.049	.061	.054	73.0	70.0	73.0	69.0	67.4	78.0	67.4	0.0	2.0	2.0	.738	.722	.651	100.0	89.0	88.0	N.W 1	N 2	N.E 1	187.0	7	7	1	cum:str	cirrus; cum:str	cumulus	N.E	W; N.E	N.E	C	C	B	O.R.O.C	C.O.C	C.B	0.04	½	144.1	59.4	Fine day.	27
27	.022	.018	.028	.111	.076	73.0	71.0	73.0	71.0	70.4	81.2	69.0	2.6	4.0	2.2	.650	.674	.691	74.8	79.0	89.0	N.E 3	N.E 2	N.E 1	140.0	3	5	3	cumulus	cirrus; cum:str	cumulus	N.E	S.E	S.E	C	C	B	B.C	C	C.B			139.1	56.0	" "	28
28	.208	.180	.208	.234	.211	75.0	74.0	76.0	73.0	72.4	79.8	71.0	3.0	6.0	1.4	.672	.681	.787	75.0	71.0	98.4	S 3	S.W 3	S.W 1	220.0	3	3	2	cirro:cum; cum:str	"	"	S; S	S.W	S.W	C	C	B	B.C	C	C.B			145.8	58.0	" "	29
29	.130	.102	.125	.179	.152	77.0	74.0	77.0	73.0	74.2	79.8	71.2	3.6	5.0	1.6	.765	.697	.771	79.0	75.0	90.0	W 2	S.W 3	S.W 2	286.0	4	7	6	cirrus; cumulus	cirrus; cumulus	cumulus; nimbus	N.W; S.W	S.W; S.W	S.W; S.W	C	C	C	B.C	C	C			141.5	65.0	" "	30
	.252	.265.421	.265.257	.307.310	2217.4	2134.0	2272.0	2152.6	2135.6	2035.2	2321.4	2043.2	83.6	68.4	46.6	21.491	21.701	20.888	2530.0	2479.8	2729.1	72	77	49	7220.0	179	169	127													0.66		4108.0	1776.0		Means
	.148	30.181	30.175	30.187	73.9	71.1	75.1	71.8	71.1	69.5	77.4	69.1	2.8	3.3	1.6	.716	.726	.730	84.4	82.7	91.0	2	8	2	264.0	6	6	4													0.029		137.0	59.2		

t cistern, 151 feet.
feet 9 inches.
2 feet.
, 150 feet.

WEATHER

Number of Days of.

Rain	Snow	Hail	Thunder-storm	Clear Sky	Overcast	Fog	Gales
6			8		4		1

WIND

Number of Observations of

Forces 4-7	Calm	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
8	1	3	5		15	22	23	1	3

EXTREMES

Highest corrected reading of Barometer	30.448	on 18th at 8.41 a.m.
Lowest " " " "	29.976	on 2nd at 8.41 a.m.
Greatest daily rainfall	0.80 inch	on 2nd.
Highest temperature in Shade	81.6°	on 22nd.
Lowest " " "	61.4°	on 6th.
Highest " " Sun	168.8°	on 29th.
Lowest " on Grass	47.4°	on 6th.

HOURS OF OBSERVATION { I—8.41 a.m. local time. II—3.0 p.m. " " III—8.41 p.m. " "

W. B. T. JOHNSON, L. Sec., R.I.M.C., Observer.
A. C. CULLING, Lieut.-Col., R.A.M.C., S.M.O. Bermuda.

Meteorological Observations taken at Prospect, Bermuda, during July, 1910.

Gravity correction + .010 inch.

Date.	ATTACHED THERMOMETER AND BAROMETER AS READ			BAROMETER Corrected and Reduced to 32° at Sea Level.			AIR TEMPERATURE								HUMIDITY.									WIND				CLOUD										WEATHER						RAIN	
							Dry	Wet	Dry	Wet	Dry	Wet			Dep. of Wet			Vapour Pressure			Percentage			Direction and Force			Miles in 24 Hours	Amount			Form			Direction Whence Coming			At time of Observation			During Interval Ending			24 Hours Beginning 9 a.m.	Estimated Duration
	I	II	III	I	II	III	I		II		III		Max.	Min.	I	II	III	I	II	III	I	II	III	I	II	III		I	II	III	I	II	III	I	II	III	I	II	III	I	II	III	Inches	Hours
	8.41 a.m.		3.0 p.m.	8.41 a.m.		8.41 p.m.	8.41 a.m.		3.0 p.m.		8.41 p.m.				8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8 a.m. to 8 a.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.		
1	78·0	80·112	80·0	30·134	78·0	30·090	30·145	30·152	30·125	79·0	77·4	79·2	77·0	75·2	74·2	81·5	73·0	1·6	2·2	1·0	·899	·956	·836	92·0	89·0	94·2	W	1	S.W.	3	S.W	2	275·0	0	8	8	cir:cum; cum:nimb	cum; nimbus	cum; nimbus	S.W.; S.W.	S.W.; S.W	S.W.; S.W	O	C	O	C.O.R	O.C.O	O	0·10	1
2	78·0	30·104	79·0	30·110	78·0	30·118	30·138	30·141	30·132	76·0	75·2	80·0	78·0	76·0	74·8	82·1	74·0	0·8	2·0	1·2	·854	·916	·839	97·2	93·0	96·0	S.W	3	S.W	3	S.W	1	287·0	10	7	8	cumulus; nimbus	cumulus	cumulus	W.; S.W.	S.W	S.W	O	R	O	B.C.O.P	O.C	C.O C.O	0·04	¼
3	78·0	30·105	78·0	30·130	77·0	30·150	30·140	30·164	30·167	78·0	75·2	79·0	76·0	76·0	75·0	83·0	73·8	2·8	2·0	1·0	·819	·857	·948	87·0	89·0	94·0	S.W	3	S.W	3	S	1	274·0	7	6	9	"	"	"	S.W.; S.W	S.W	S	C	C	C	C.O.C	C.O.C	C	C.B		
4	78·0	30·118	81·0	30·100	80·0	30·130	30·152	30·145	30·178	78·8	75·0	81·0	76·0	78·0	76·0	83·0	74·0	3·6	5·0	3·0	·796	·902	·839	85·0	86·0	92·0	S.W	3	S.W	2	S.W	1	295·0	7	6	7	cum:str; nimbus	cumulus; nimbus	cumulus; nimbus	S.W.; S.W	S.W.; S.W	S.W.; S.W	C	C	C	C.O.C	C.O.C	C.O.C				
5	79·0	30·090	81·0	30·210	79·0	30·220	30·231	30·235	30·232	78·6	75·8	80·0	77·2	75·4	74·0	81·6	74·0	3·8	2·8	1·4	·749	·739	·858	75·0	70·4	92·0	S	3	S	3	S	2	303·0	4	3	4	cirrus; cumulus	cirrus; cumulus	cirrus; cumulus	S.W.; S	S; S	S; S	C	C	C	C	C.O.C	C	C	C	C.B		
6	79·0	30·228	81·0	30·210	79·0	30·190	30·258	30·235	30·224	79·0	74·0	81·0	76·0	78·0	72·0	83·2	73·6	4·6	5·0	4·0	·755	·902	·713	76·6	76·0	79·0	S	3	S	3	S	2	300·0	3	4	2	"	"	"	S	S	S	C	C	C	B	B.C.O	C	C.B		
7	78·0	30·226	81·0	30·240	79·0	30·260	30·257	30·263	30·268	78·6	74·0	81·0	76·0	75·4	73·0	83·0	73·2	3·2	3·6	2·4	·772	·809	·767	74·2	82·0	87·0	S	3	S	3	S	1	252·0	3	4	2	"	"	"	S.E	S	S	C	C	C	B	B.C.O.B.S	O.C.O.C	C.B	0·40	⅜
8	78·0	30·240	80·0	30·210	78·0	30·200	30·268	30·228	30·183	78·4	73·0	80·4	76·0	74·4	72·0	81·0	70·0	1·4	4·4	2·4	·750	·813	·741	92·0	88·4	87·0	S	1	S.W	2	S	1	171·0	8	5	8	cum:str; cum:nimb;	"	"	S; S.W	S.W	S.W	C	C	C	B.C.O.C	C	C		
9	77·0	30·276	80·0	30·260	78·0	30·240	30·312	30·286	30·278	78·4	73·0	80·4	76·0	74·4	73·4	81·0	72·4	3·0	3·0	2·6	·722	·897	·768	75·0	85·0	86·0	S	1	S	2	S	1	137·0	4	5	8	circum; cum:str	"	cum:str; cum	S; S	S	S; S	C	C	C	C	O.C	C		
10	78·0	30·260	80·0	30·258	78·0	30·230	30·298	30·284	30·282	78·0	73·0	81·0	76·4	75·0	73·4	83·0	72·4	3·0	4·8	2·6	·722	·821	·774	75·0	77·0	89·0	S	1	S.E	2	S.E	1	143·0	8	7	8	"	"	cumulus	S; S	S	S.E	C	C	C	C.O.C.O	O.C.O.P	O.C	0·62	½
11	79·0	30·280	81·0	30·275	78·0	30·278	30·324	30·297	30·314	78·0	73·0	81·0	76·0	75·0	73·0	83·0	72·6	3·0	4·4	2·0	·707	·775	·774	71·0	78·0	89·0	S	1	S	1	W	1	118·0	6	7	8	"	"	cir:cum; cum:nimb	S.E; S.E	S.E; S.E	S.W.; S.W	C	C	C	C	C	C		
12	79·0	30·282	80·0	30·274	79·0	30·252	30·311	30·300	30·286	79·0	76·0	79·0	74·6	75·0	73·0	83·0	72·6	3·0	3·0	3·2	·693	·752	·727	68·8	71·0	82·0	S	2	S	2	S	1	163·0	3	4	7	"	"	cir:cum	S; S	S	S	C	C	C	C	C	C		
13	79·0	30·244	80·0	30·250	79·0	30·240	30·276	30·270	30·272	78·8	76·0	80·0	74·0	75·2	72·0	83·0	72·0	3·2	3·0	2·4	·704	·802	·767	70·2	74·0	87·0	S	2	S	2	S	1	229·0	4	4	8	cumulus	cirrus; cumulus	cirrus; cumulus	S	S; S	S; S	C	C	C	C	C	C		
14	79·0	30·238	80·0	30·248	78·0	30·240	30·297	30·274	30·272	79·2	78·0	81·0	76·0	75·4	73·0	82·6	72·6	3·2	2·8	2·2	·668	·703	·690	67·8	64·8	87·0	S	2	S	3	S	2	282·0	6	7	8	cumulus; cumulus	"	"	N.E.; S.W	S.; S.W	S	C	C	C	C.O.C.O.P.C	C.O.C.O.P	C.O.C	1·12	1
15	79·0	30·206	81·0	30·200	79·0	30·180	30·237	30·225	30·212	80·0	79·2	81·8	74·0	76·4	74·2	86·4	74·2	6·0	7·0	3·8	·743	·720	·748	71·0	69·0	80·0	S.W	3	S.W	3	S	2	366·0	6	4	8	cumulus; nimbus	cumulus; nimbus	"	S.W; S.W	S; S	S	C.P	C	C	C.O.P.C	C	C	0·04	10′
16	79·0	30·122	82·0	30·092	79·0	30·096	30·158	30·115	30·126	80·4	74·4	81·8	74·2	77·0	73·2	86·0	73·0	6·0	7·0	3·6	·704	·804	·848	70·2	82·0	91·0	S	4	S	3	S	2	369·0	4	6	5	"	"	"	S.W	S.W	S.W	C	C	C	C.O.P	C	C	C.B	T	
17	80·0	30·068	81·0	30·080	80·0	30·070	30·126	30·103	30·096	78·2	73·0	81·0	77·4	77·0	75·4	84·0	74·0	6·2	7·0	3·0	·807	·742	·783	87·0	83·0	84·0	S	3	S	3	S	2	366·0	5	3	2	cum:str; nimbus	cumulus; nimbus	cirrus; cirro: cum	S.W	S.W.; S.W	S.E; S.E	C	C	C	C.O.C.O	O.C.O.P.C	C.O.P.C	0·08	⅛
18	80·0	30·162	82·0	30·180	82·0	30·138	30·190	30·203	30·167	80·0	77·4	82·0	75·0	77·0	74·0	84·2	73·4	3·6	7·0	3·0	·807	·783	·839	72·6	72·0	89·0	S	3	S	2	S	2	301·0	0	7	4	cirrus: cumulus	cirrus; cumulus	cirrus; cumulus	S.W.; S.W	S; S.E	S.E; S.E	C	C	C	C.O.P.C	C.O.C	C.B	T	
19	81·0	30·258	83·0	30·250	81·0	30·295	30·258	30·271	30·214	80·0	74·4	82·0	76·0	77·0	75·0	86·6	73·4	5·6	6·0	3·0	·749	·795	·853	72·8	72·0	88·0	S	3	E	3	S	2	308·0	6	7	2	cirrus; cumulus	cirrus; cumulus	cirrus; cumulus	S.W.; S	S; S.E	S.E; S.E	C	C	C	C.O.P.C	C	C.B		
20	80·0	30·236	82·0	30·224	80·0	30·230	30·276	30·247	30·229	81·6	76·0	82·0	76·0	78·2	76·0	84·2	75·0	5·6	6·0	3·2	·765	·795	·858	72·6	74·6	87·0	S	3	S	3	S	1	185·0	6	7	8	"	"	cirro:cum; nimbus	S.; S	S; S.W	S; S	C	C	C	C.O.C	C.O.C	C.O.C		
21	81·0	30·220	82·0	30·170	81·0	30·166	30·245	30·193	30·192	80·6	75·0	81·4	76·0	79·0	76·4	85·8	75·0	5·6	6·4	3·6	·765	·795	·858	72·6	74·6	87·0	S	3	S	3	S	1	240·0	7	7	4	cirrus; cumulus	cumulus; nimbus	cumulus; nimbus	S.W.; S.W	S.W.; S.W	S; S.W	C	C	C	C.O.C	C.O.C	C.O.C		
22	81·0	30·144	82·0	30·148	81·0	30·220	30·199	30·168	30·154	80·2	77·4	83·0	76·0	78·0	75·0	84·0	75·0	6·0	7·0	2·4	·775	·766	·838	75·0	68·0	87·0	S.W	1	S.W	2	S.W	1	197·0	6	8	2	cir:cum; cum:str	cirrus; cumulus	cumulus; nimbus	E.; S.W	S.W.; S.W	S.W.; S.W	C	C	C	C.O.C	C	C.B	T	
23	81·0	30·078	83·0	30·048	82·0	30·046	30·091	30·045	30·060	80·0	75·0	83·0	76·0	78·0	75·0	84·0	75·0	6·0	7·0	3·0	·818	·760	·853	70·2	66·4	84·0	S.W	2	S.W	1	S.W	1	174·0	6	7	5	cum:str--	cirrus; cum:str	cirrus; cumulus	S.; S.W	S; S.W	S.W	C	C	C	C.O.C	C	C	T	
24	80·0	30·052	82·0	30·080	81·0	30·048	30·078	30·047	30·038	80·2	76·0	83·4	76·0	77·0	74·0	85·2	74·0	7·0	8·0	4·4	·715	·713	·767	64·0	61·6	77·4	S.W	1	S.W	1	calm		111·0	4	6	4	"	"	cumulus; nimbus	S.W	S.W.; S.W	S.W	C	C	C	C.O.C	C.O.C	C		
25	81·0	30·220	83·0	30·208	82·0	30·240	30·313	30·279	30·302	81·0	74·0	83·0	74·0	75·4	71·0	84·0	73·4	7·0	8·0	4·4	·715	·687	·691	65·0	61·6	79·0	S.W	1	S.W	1	S	1	162·0	7	4	1	cumulus; nimbus	cumulus	"	S.; S.W	S.W	S	C	C	C	C.O.C	C	C.B		
26	81·0	30·200	82·0	30·174	79·0	30·170	30·225	30·196	30·204	81·0	74·0	83·0	74·0	75·4	71·0	84·0	73·4	7·0	8·0	4·4	·675	·741	·765	64·0	65·6	82·0	S	3	S	3	S	2	202·0	8	4	2	"	"	"	S	S.W	S.E	C	C	C	C.B.C	C	C	T	
27	80·0	30·188	82·0	30·170	79·0	30·180	30·207	30·202	30·193	81·0	75·0	83·0	75·4	77·0	73·6	84·0	73·0	7·2	7·4	4·8	·707	·760	·714	67·2	66·4	76·6	S	3	S.E	3	S	2	209·0	5	6	4	"	"	"	S	S.E.; S	S.E	C	C	C	C.O.P.C	C.O.P.C	C	0·04	½
28	81·0	30·186	84·0	30·180	79·0	30·178	30·211	30·194	30·215	81·0	79·8	84·0	78·0	79·0	75·4	84·2	73·0	6·2	7·6	3·6	·729	·804	·823	70·2	81·0	94·0	S.E	3	S	3	S.E; S.E	2	327·0	6	7	7	"	"	"	S.E	S	S.E; S.E	C	C	C	C.O.P.C	C.O.P.C	C	0·02	⅛
29	81·0	30·048	82·0	30·100	80·0	30·128	30·078	30·152	30·101	80·0	74·0	82·8	80·0	78·0	75·4	84·2	73·0	4·0	5·6	4·4	·820	·818	·739	80·0	73·6	77·4	S	3	S	2	S	2	318·0	4	6	4	"	"	"	S	S	S	C	C	C	C.O.C	C.O.P.C	C	T	
30	80·0	30·172	82·0	30·170	80·0	30·160	30·209	30·186	30·166	80·0	76·0	82·6	77·0	78·4	76·0	85·6	74·0	6·0	7·0	3·6	·838	·853	·853	76·0	74·4	87·0	S	3	S	3	S	2	353·0	5	5	2	"	"	"	S	S	S	C	C	C	C.O.C	C.O.P.C	C	T	
31	81·0	30·144	83·0	30·122	81·0	30·120	30·169	30·151	30·140	82·0	77·0	85·0	77·6	78·4	76·0	85·6	75·4	6·0	7·0	2·4	·889	·838	·853	76·0	74·4	87·0	S	3	S	3	S	2					"	"	"	S	S	S							1.16	
Sums	2468·0	30·6·334	2532·0	936·040	2472·0	935·968	937·143	936·777	936·942	2451·2	2319·2	2524·6	2359·8	2376·2	2293·6	2585·6	2277·4	152·0	164·0	93·0	23·739	24·646	24·497	2363·6	2336·4	2659·6		74		78		46	7092·0	182	174	117														.038	
Means	79·0	30·201	81·0	30·195	79·0	30·193	30·260	30·249	30·234	79·2	74·6	81·4	76·1	76·7	74·0	83·4	73·5	4·9	5·3	3·1	·797	·801	·797	76·2	75·4	85·8		2		2		1	981·0	6	6	4															

Height above mean sea level of barometer cistern, 151 feet.

Height above ground of thermometers, 3 feet 9 inches.

Height above ground of rim of rain gauge, 2 feet.

Height above mean sea level of rain gauge, 150 feet.

WEATHER

Number of Days of

Rain	Snow	Hail	Thunder Storms	Clear Sky	Overcast	Fog	Gales
10			5		8		

WIND

Number of Observations of

Forces 4-7	Calm	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
3	1			1	4	36	30	9	

HOURS OF OBSERVATION { I—8.41 a.m. local time. II—3.0 p.m. " III—8.41 p.m. "

EXTREMES

Highest corrected reading of Barometer	30.278	on 24th at 8.41 a.m.
Lowest " " " "	30·099	on 17th at 8.41 p.m.
Greatest daily rainfall	0.40 inch	on 9th.
Highest temperature in Shade	85.8 °	on 31st.
Lowest " " "	70·0 °	on 16th.
Highest " " Sun	152.8 °	on 24th.
Lowest " on Grass	64.8 °	on 16th, 17th, 18th.

Meteorological Observations taken at Prospect, Bermuda, during July, 1910.

Latitude 32° 17′ 40″ North.
Longitude 64° 47′ 0″ West.

BAROMETER (Inches)		AIR TEMPERATURE (°F)						HUMIDITY									WIND			CLOUD						WEATHER						RAIN	RADIATION		REMARKS	Date
		Dry	Wet	Dry	Wet	Dry	Wet		Dep. of Wet			Vapour Pressure			Percentage			Direction and Force			Miles in 24 Hours	Amount			Form			Direction Whence Coming			At time of Observation			During Interval Ending			24 Hours Beginning 9 a.m.	Estimated Duration	Maximum in Sun Black Bulb in Vacuo	Minimum on Grass		
II	III	I		II		III		Max.	Min.	I	II	III	I	II	III	I	II	III		I	II	III	I	II	III	I	II	III	I	II	III	I	II	III						
8.0 p.m.	8.41 p.m.	8.41 a.m.		3.0 p.m.		8.41 p.m.				8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8 a.m. to 8 a.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.						
																																				Inches	Hours				
30·132	30·125	79·0	77·4	79·2	77·0	75·2	74·2	81·8	78·0	1·6	2·2	1·0	·889	·893	·826	92·0	89·0	94·2	W	1	S.W	3	S.W	2	275·0	9	8	8	cir.cum; cum.nimb	cum: nimbus	cum: nimbus	S.W; S.W	S.W; S.W	S.W; S.W	O	O	O	C.O.R	O.C.O	O	0·10	1	148·5	72·4	Dull day.	1
30·141	30·133	78·0	75·2	80·0	78·0	78·0	74·8	82·4	74·0	0·8	2·0	1·2	·874	·916	·880	95·2	90·0	88·0	S.W	2	S.W	2	S.W	2	321·0	10	5	2	cum: nimbus	cumulus		W; S.W	S.W	S.W	O.R	C	O	O.R.O	O.C	C.O.C.B	0·04	½	143·3	72·4	Dull morning; fine afternoon and evening	2
30·164	30·197	78·0	73·2	78·0	76·0	76·0	70·0	82·0	73·8	2·8	2·0	1·0	·819	·857	·848	85·0	89·0	94·0	S.W	3	S.W	3	S.W	1	267·0	9	7	6	"	"		S.W; S.W	S.W	S.W	O	C	C	O.R.O	O.C	C.B	0·02	10″	142·8	72·0	Dull a.m. Fine afternoon. Dull after 8 p.m.	3
30·125	30·178	79·8	75·0	81·0	76·0	79·0	70·0	82·0	74·0	3·8	3·0	3·0	·796	·802	·839	80·0	76·0	85·0	S.W	2	S.W	3	S	1	274·0	7	6	3	"	"		W; S.W	S.W	S.W	O	C	C	B.C.O.P	O.C	C.O.C.O	0·02	10″	143·8	72·0	Dull a.m. Fine afternoon. Dull after 8 p.m.	4
30·233	30·253	79·6	73·6	80·0	77·2	75·4	74·0	81·8	74·0	2·8	2·8	1·4	·851	·877	·812	85·0	86·0	92·0	S.W	3	S.W	2	S.W	1	208·0	7	6	5	cum: str; nimbus cirrus; cumulus cumulus	cumulus: nimbus cirrus; cumulus cumulus	cumulus; nimbus cirrus: cumulus cumulus	S.W; S.W	S.W; S.W	S.W; S.W	C	C	C	C.O.C	C.O.C	C.O.C			139·3	71·6	Fine day.	5
30·265	30·224	79·0	74·0	81·0	74·6	77·0	69·0	83·0	73·2	5·0	6·4	1·4	·749	·799	·858	77·0	79·4	92·0	S	3	S	3	S	2	300·0	8	4	2	"	"	"	S.W; S.W	S.W	S.W	C	C	C	C	C	C			142·3	71·6	" "	6
30·263	30·263	78·6	74·0	81·0	76·0	76·0	70·0	88·2	73·6	4·6	5·0	4·0	·755	·802	·748	76·6	76·0	79·0	S	3	S	3	S	2	300·0	8	4	2	"	"	"	S	S	S	C	C	C	C	C	C			145·8	70·4	" "	7
30·249	30·263	80·2	75·0	80·0	76·4	75·4	73·0	83·0	73·2	5·2	3·0	2·4	·772	·838	·767	74·2	89·0	87·0	S	3	S	3	S	2	252·0	5	4	2	"	"	"	S.E	S	S	C	C	B	B.C	C	C.B			140·3	70·0	" "	8
30·288	30·278	79·4	73·0	80·4	76·0	74·1	72·0	81·0	70·0	1·4	4·4	2·4	·859	·918	·741	93·0	89·4	87·0	S	1	S.W	3	S	1	171·0	8	5	2	"	"	"	S; S.W	S.W	S.W	C	C	B	B.C.O.R.2	O.C.O.C	C.B	0·40	½	140·1	68·0	" " Heavy shower 7.50 a.m. to 8.20 a.m.	9
30·264	30·283	79·0	73·0	81·0	76·0	75·0	72·4	81·0	72·0	5·0	3·0	2·0	·797	·748	·758	85·0	89·0	89·0	S	1	S	3	S	1	137·0	4	5	3	"	"	"	S; S	S	S	C	C	C	B.C.O.C	C	C.B			142·8	64·8	" "	10
30·237	30·314	79·0	73·0	81·0	76·4	76·0	73·4	83·0	73·4	3·0	4·6	2·6	·742	·831	·774	75·0	77·6	85·0	S	1	S	3	S	1	142·0	8	7	8	"	"	"	S; S	S	S.E	C	C	C	C.O	O.C	C			145·4	64·8	" "	11
30·280	30·286	79·0	73·0	79·0	74·6	75·0	70·0	83·0	72·0	6·0	4·4	3·0	·707	·775	·774	71·0	78·0	89·0	S	1	S	1	W	1	118·0	6	7	8	"	"	cir:cum; cum:nimb cir:cum	S.E; S.E	S.E; S.E	S.W; S.W	C	C	C	C.O.C.O	O.C.O.P	O.C	0·03	½	147·1	67·2	Fine morning. Dull p.m.	12
30·272	30·272	79·2	73·0	80·0	74·0	75·2	72·0	83·0	72·0	6·8	6·0	3·2	·695	·732	·727	68·8	71·0	82·0	S	2	S	3	S	1	163·0	5	4	7	"	"	"	S; S	S	S	C	C	C	C	C	C			143·2	64·8	Fine day.	13
30·274	30·273	79·2	73·6	81·0	76·0	76·4	73·0	83·6	73·6	6·2	5·0	2·4	·704	·802	·767	70·2	74·0	87·0	S	2	S	3	S	1	220·0	4	4	8	cumulus	cumulus	cumulus	S	S	S	C	C	C	C	C	C			142·9	65·0	" "	14
30·225	30·213	80·0	76·2	81·8	74·0	76·4	74·2	88·4	74·2	6·8	7·8	2·2	·696	·708	·809	67·8	84·8	87·0	S	3	S	3	S	2	262·0	6	7	4	cumulus; cumulus	cumulus; nimbus cumulus	cirro: cumulus cumulus	N.E; S.W	S; S.W	S	C	C	C	C	C	C			145·3	66·6	" "	15
30·115	30·138	80·4	74·4	81·2	74·2	77·0	72·2	88·0	70·0	6·0	7·0	3·6	·742	·720	·748	71·0	69·0	80·0	S.W	3	S.W	3	S	2	266·0	6	4	3	"	"	"	S.W; S.W	S; S.W	S	C.P	C	C	C.O.O.P.C	C.O.C.O.P	C.O.C	1·12	1	148·9	67·4	" " Some showers locally.	16
30·103	30·096	79·2	73·0	81·0	77·4	77·0	73·4	86·0	73·0	6·2	5·6	1·6	·804	·868	·848	70·2	83·0	91·0	S	4	S	3	S	2	269·0	4	6	5	"	"	"	S.W	S.W	S.W	C	C	C	C. O. P	C	C	0·04	10″	141·8	70·4	" "	17
30·208	30·167	80·0	77·4	82·0	75·0	77·0	74·0	84·2	75·4	2·6	7·0	3·0	·887	·743	·788	87·0	69·0	84·0	S	3	S	3	S	2	266·0	5	3	2	"	"	"	S.W	S.W	S.W	C	C	C	C. O. P	C	C	0·04	10″	141·8	70·4	" "	18
30·271	30·214	80·0	74·4	82·0	76·0	77·0	73·0	83·6	73·4	5·0	6·0	2·0	·749	·785	·839	74·8	72·0	89·0	S	3	S	3	S	2	301·0	9	7	4	cum: str; nimbus cirrus; cumulus cir:cum; cum:str cirrus; cumulus cir:cum; cum:str cirrus; cumulus cir:cum; cum:str

Meteorological Observations taken at Prospect, Bermuda, during August, 1910. (+ Sept.)

Gravity correction + .010 inch.

Date	ATTACHED THERMOMETER AND BAROMETER AS READ I 8.41 a.m.	II 3.0 p.m.	III 8.41 p.m.	BAROMETER Corrected and Reduced to 32° at Sea Level. I 8.41 a.m.	II 3.0 p.m.	III 8.41 p.m.	AIR TEMPERATURE I Dry 8.41 a.m.	I Wet 8.41 a.m.	II Dry 3.0 p.m.	II Wet 3.0 p.m.	III Dry 8.41 p.m.	III Wet 8.41 p.m.	Max.	Min.	HUMIDITY. Dep. of Wet I 8.41 a.m.	Dep. of Wet II 3.0 p.m.	Dep. of Wet III 8.41 p.m.	Vapour Pressure I 8.41 a.m.	Vapour Pressure II 3.0 p.m.	Vapour Pressure III 8.41 p.m.	Percentage I 8.41 a.m.	Percentage II 3.0 p.m.	Percentage III 8.41 p.m.	WIND Direction and Force I 8.41 a.m.	II 3.0 p.m.	III 8.41 p.m.	Miles in 24 Hours. 8 a.m. to 8 a.m.	Amount I 8.41 a.m.	Amount II 3.0 p.m.	Amount III 8.41 p.m.	CLOUD Form I 8.41 a.m.	Form II 3.0 p.m.	Form III 8.41 p.m.	Direction Whence Coming I 8.41 a.m.	Direction Whence Coming II 3.0 p.m.	Direction Whence Coming III 8.41 p.m.	WEATHER At time of Observation I 8.41 a.m.	At time of Observation II 3.0 p.m.	At time of Observation III 8.41 p.m.	During Interval Ending I 8.41 a.m.	During Interval Ending II 3.0 p.m.	During Interval Ending III 8.41 p.m.	RAIN 24 Hours Beginning 8 a.m. Inches.	RADIATION Estimated Duration in Hours.	Maximum in Sun Black Bulb in Vacuo.	Minimum on Grass.
1	81.0	30.168	84.0	30.162	81.0	30.127	30.193	30.198	30.208	81.6	77.4	82.0	76.0	81.6	75.0	86.0	76.4	4.2	6.0	5.6	.837	.810	.824	79.6	72.0	81.0	S. 3	S. 2	S. 2	308.0	9	6	9	cumulus	cumulus	cumulus; nimbus cumulus	S.	S.	S.W.	0	0	0	C.0	0.C	C.0			139.2	70.2
2	82.0	30.242	84.0	30.250	82.0	30.261	30.264	30.244	30.261	79.8	76.0	83.0	76.0	77.4	76.0	85.6	74.0	3.8	5.0	1.6	.747	.856	.871	69.6	76.0	92.0	S. 3	S. 2	CALM.	181.0	2	6	5	"	"	"	S.	S.	S.	C	C	C	C.B	B.C	C	T		158.8	67.4
3	81.0	30.224	83.0	30.230	81.0	30.236	30.246	30.246	30.261	79.8	76.0	83.0	76.0	78.4	77.0	85.0	74.0	5.0	5.4	1.4	775	.849	.898	75.0	74.4	92.0	S.E. 1	S. 3	W. 1	233.0	7	7	7	"	"	cumulus; nimbus	S.W.	S.	S.W.	C	C	C	C.B	C.P	C		0.10	161.0	64.8
4	81.0	30.202	83.0	30.190	81.0	30.186	30.226	30.208	30.274	80.0	71.0	83.0	78.0	78.4	77.0	85.0	73.0	2.0	5.0	3.0	715	.856	.749	68.0	76.0	75.0	S. 3	S.W. 3	S.W. 2	389.0	5	7	4	cirrus; cumulus	cirrus; cumulus	cirrus; cumulus	S.	S.	S.W.	C	C	C	C.O.R	C	C			165.2	70.0
5	81.0	30.132	83.0	30.140	81.0	30.165	30.219	30.156	30.158	81.0	76.0	84.0	76.0	76.4	75.0	87.0	73.0	6.8	6.0	3.4	746	.840	.803	68.8	72.0	82.0	S.W. 3	S.W. 2	S. 2	291.0	7	7	4	"	"	"	S.W.	S.W.	S.W.	C	C	C	C	C	C.O			160.0	69.6
6	81.0	30.179	84.0	30.180	81.0	30.190	30.195	30.196	30.216	81.8	75.0	84.0	78.0	78.4	75.0	87.0	73.0	5.0	6.6	2.6	802	.853	.887	76.0	69.6	85.0	Is. 4	S.W. 3	S.W. 3	355.0	5	7	9	"	"	cumulus	S.W.	S.W.	S.W.	C	C	C	C.O.P	O.P	O.C.P	0.20		138.4	66.6
7	81.0	30.140	84.0	30.100	81.0	30.050	30.170	30.115	30.104	81.0	76.0	84.6	78.0	80.0	77.4	84.2	75.0	5.0	6.6	2.6	877	.947	.803	94.0	90.0	82.0	S.W. 2	S.W. 4	S.W. 2	269.0	9	8	4	"	"	cumulus; nimbus	cumulus; nimbus	S.W.	S.W.	W.	C	C	C	C.O.P	O.R	O.P	0.04		149.4	70.2
8	80.0	30.053	83.0	30.054	80.0	30.054	30.066	30.053	30.052	77.0	76.0	81.0	79.0	76.4	75.0	82.4	72.0	1.0	2.0	3.4	877	.947	.843	80.0	83.0	88.0	S.W. 4	S.W. 3	W. 1	315.0	8	9	7	cumulus; nimbus	cumulus	cumulus	S.W.	S.W.	W.	C	C	C	C.O.P	O.R	O.C	0.02		153.4	68.6
9	80.0	30.002	85.0	30.000	81.0	30.020	30.029	30.018	30.045	81.0	77.0	82.4	79.0	77.8	75.6	84.0	74.0	4.0	3.4	2.2	849	.917	.879	87.0	80.0	88.0	S.W. 3	S.W. 2	S.W. 1	224.0	8	7	5	"	"	"	S.W.	S.W.	S.W.	C	C	C	C.P	O.R	C.P	T		155.6	69.0
10	80.0	30.034	85.0	30.080	82.0	30.120	30.112	30.098	30.133	79.0	77.0	84.0	80.0	79.4	77.0	85.6	75.0	4.0	2.6	1.2	877	.945	.927	80.0	82.0	94.0	S.W. 2	S.W. 2	S.W. 1	202.0	6	6	4	cumulus	"	"	S.W.	S.W.	S.W.	C	C	C	C	C	C	0.14		157.6	68.0
11	82.0	30.120	84.0	30.125	82.0	30.126	30.142	30.139	30.149	82.0	78.0	83.6	80.0	80.0	76.0	86.6	75.0	3.0	5.0	4.0	926	.911	.839	85.0	75.0	82.0	N.W. 1	N.E. 1	CALM	68.0	5	4	2	cumulus; stratus	"	"	W.	N.E.	E.	C	C	C	C.B	B.C	C			155.4	62.0
12	82.0	30.124	86.0	30.144	84.0	30.160	30.146	30.153	30.179	82.0	79.0	83.0	74.0	77.0	69.0	87.0	73.0	4.0	9.0	8.0	905	.684	.584	90.0	60.0	68.0	N.E. 1	S.E. 1	S.E. 1	109.0	3	3	2	"	"	cumulus	S.E.	E.	S.E.	C	C	C	C.B	B.C	C.B			160.4	62.0
13	81.0	30.168	84.0	30.196	80.0	30.206	30.211	30.201	30.214	81.0	80.0	87.0	82.0	78.4	76.0	88.4	73.0	4.0	5.0	2.4	938	.925	.850	80.0	77.0	87.0	E. 1	E. 1	E. 1	131.0	4	4	2	"	"	"	N.E.	E.	E.	C	C	C	C.B	B.C	C.B			155.0	63.0
14	83.0	30.206	85.0	30.188	81.0	30.190	30.224	30.205	30.196	83.0	79.0	85.0	80.0	79.0	75.4	87.2	74.6	4.0	5.0	3.6	905	.922	.811	80.0	76.0	82.0	E. 1	E. 1	E. 1	223.0	6	5	2	cumulus	"	"	S.E.	S.	E.	C	C	C	C.O	B.C	C			156.0	68.8
15	82.0	30.206	85.0	30.190	82.0	30.174	30.222	30.205	30.215	83.0	79.0	84.0	78.0	78.6	75.0	86.2	76.0	4.0	6.0	3.6	905	.840	.800	89.0	72.0	81.0	S.E. 3	S. 3	S. 3	196.0	6	7	7	"	"	"	S.E.	S.E.	S.E.	C	C	C	C.O	C	C			153.2	62.4
16	82.0	30.160	85.0	30.174	81.0	30.190	30.178	30.157	30.166	82.0	77.0	80.0	77.0	77.0	75.4	83.2	74.0	5.0	3.0	1.6	839	.867	.848	76.0	85.0	91.0	S. 1	S.W. 3	CALM	147.0	8	10	7	cumulus; stratus	nimbus	nimbus	S.	S.W.	S.W.	C	C	C	C.P	C	C	T		154.6	62.4
17	82.0	30.168	84.0	30.144	80.0	30.138	30.190	30.170	30.166	80.0	76.0	85.0	80.0	79.0	77.0	86.2	73.4	4.0	5.0	2.0	820	.922	.887	80.0	76.0	90.0	N.W. 1	N.W. 1	CALM	102.0	5	6	5	cumulus	cumulus	cumulus	N.W.	N.W.	E.	C	C	C	C	C	C			155.6	61.0
18	81.0	30.174	84.0	30.196	80.0	30.196	30.198	30.220	30.185	80.4	76.0	84.0	79.0	79.6	77.0	84.6	73.0	4.6	5.0	2.6	813	.898	.875	78.4	76.0	87.0	W. 1	S. 2	S. 3	233.0	5	4	4	cumulus; stratus	cirrus; cumulus	cumulus; nimbus	N.W.	S.W.	S.	C	C	C	C.O.P	B.C	C	0.06		156.6	67.0
19	81.0	30.148	84.0	30.146	80.0	30.154	30.172	30.163	30.181	82.0	78.0	82.0	77.0	79.0	78.0	85.2	75.6	4.0	5.0	1.0	877	.830	.937	80.0	76.0	95.0	S. 3	S.W. 3	S.W. 1	315.0	7	9	8	"	"	cumulus; nimbus	S.	S.W.	S.W.	C	C	C	C.B	B.C	C	0.02		156.8	65.4
20	81.0	30.086	82.0	30.092	81.0	30.070	30.110	30.114	30.094	82.0	79.0	85.0	81.0	79.0	76.0	86.0	72.8	3.4	4.0	3.0	917	.973	.839	83.0	80.0	85.0	S. 4	S. 3	S. 1	273.0	7	6	4	cumulus; nimbus	cumulus	cumulus	S.W.	S.W.	S.W.	C	C	C	C.B	B.C	C			154.0	67.0
21	82.0	30.150	83.0	30.176	81.0	30.226	30.172	30.182	30.222	83.0	80.0	84.8	81.0	80.0	78.4	86.4	76.8	3.0	3.8	1.6	956	.976	.937	85.0	82.6	92.0	S. 3	S. 2	S. 1	235.0	4	5	7	cumulus	"	"	S.	S.	S.	C	C	C	C.B	B	C			150.4	67.6
22	83.0	30.258	85.0	30.232	81.0	30.300	30.274	30.242	30.312	83.0	80.0	84.0	80.0	79.8	77.8	86.4	77.0	4.0	5.0	2.0	905	.922	.912	80.0	76.0	90.0	S.E. 3	S.E. 2	S.E. 1	218.0	4	2	2	"	"	"	S.E.	S.E.	S.E.	C	C	C	C.B	B	C			152.2	66.0
23	83.0	30.284	85.0	30.280	82.0	30.324	30.300	30.290	30.344	83.0	79.0	85.0	80.0	79.8	77.8	86.4	76.8	4.0	4.4	2.0	938	.987	.887	80.0	78.4	90.0	E. 2	E. 2	N.E. 1	193.0	2	4	4	"	"	"	N.E.	E.	E.	C	C	C	C.O	B.C	C			151.2	65.0
24	83.0	30.330	85.0	30.316	83.0	30.328	30.346	30.325	30.346	84.0	80.0	86.0	81.6	79.0	77.0	88.0	76.8	4.0	4.4	2.0	913	.915	.821	82.0	93.4	87.0	E. 2	E. 2	N.E. 1	159.0	10	8	9	"	"	"	E.	E.	N.E.	C	C	C	C.O	O.C	C			158.0	72.0
25	83.0	30.312	85.0	30.302	82.0	30.260	30.331	30.309	30.300	82.6	79.0	83.6	79.0	78.4	74.0	86.4	73.4	2.0	4.6	2.6	888	.994	.790	76.0	77.6	86.0	N.E. 1	N.E. 1	N.E. 1	166.0	6	5	3	"	"	"	N.E.	N.E.	N.E.	C	C	C	C.B	O.C	C			158.8	62.0
26	83.0	30.230	85.0	30.212	83.0	30.214	30.248	30.225	30.236	83.4	79.0	83.6	79.0	76.6	74.0	86.4	73.4	5.6	4.0	3.0	839	.908	.810	73.6	77.6	84.0	N.E. 3	N.E. 2	N.E. 1	216.0	5	6	2	"	"	"	N.E.	N.E.	N.E.	C	C	C	C.B	O.C	C			156.0	61.0
27	82.0	30.178	85.0	30.152	83.0	30.186	30.199	30.149	30.205	84.0	78.4	84.0	79.4	78.0	75.0	88.2	73.4	5.6	4.0	3.0	839	.908	.935	76.4	79.2	82.0	E. 2	E. 2	E. 1	193.0	4	9	6	"	"	"	E.	E.	E.	C	C	C	C.O	C	C			151.2	62.8
28	82.0	30.196	85.0	30.184	82.0	30.212	30.217	30.197	30.235	83.4	79.0	84.2	80.0	78.8	75.0	85.6	75.0	3.6	5.0	3.0	892	.885	.810	82.4	78.4	84.0	E. 1	S.E. 2	CALM	131.0	4	4	3	"	"	"	E.	S.E.	S.E.	C	C	C	C.O	C	C			156.2	61.4
29	82.0	30.298	84.0	30.178	82.0	30.210	30.236	30.193	30.233	82.4	78.8	83.0	78.0	78.0	75.0	86.2	73.6	5.0	5.0	4.4	856	.888	.786	76.0	76.0	78.4	W. 2	W. 3	W. 2	340.0	7	7	9	"	"	cumulus; nimbus	W.	W.	S.W.	C	C	C	O.P.C	C	C	0.06		148.8	67.0
30	83.0	30.126	85.0	30.132	83.0	30.128	30.194	30.145	30.148	83.0	79.0	79.4	75.0	86.2	73.6	5.0	5.6	4.4	.867	.749	.683	85.0	72.6	77.4	N.E. 5	N.E. 3	N. 3	358.0	6	6	6	"	"	cumulus	N.E.	N.E.	N.E.	C	C	C								
31	82.0	30.084	83.0	30.120	80.0	30.168	30.106	30.149	30.197	80.0	77.0	80.0	74.4	75.4	74.0	83.6	76.0	3.0	5.6	4.4	.867	.749	.683	85.0	72.6	77.4	N.E. 5	N.E. 3	N. 3	358.0	6	6	6	"	"	"	N.E.	N.E.	N.E.	C	C	C				0.64		4793.6	2037.6
Sums	2535.0	935.610	2608.0	935.232	2526.0	935.604	936.145	935.704	936.285	2545.0	2406.5	2595.2	2442.4	2421.4	2341.2	2661.0	76.205	1394	1529.93	2	2665.3	27.538	25.770	2450.8	2390.8	2633.6	72.0		70.0		35.0	7023.0	180	190	155												0.02		154.6	65.6
Means	82.0	30.176	84.0	30.169	75.0	30.161	30.198	30.184	30.203	82.1	77.6	83.7	78.8	78.1	76.2	85.8	77.6	4.2	4.9	3.0	.860	.882	.830	79.1	77.1	84.9	2		2		1	226.0	6	6	5														

Height above mean sea level of barometer cistern, 151 feet.

Height above ground of thermometers, 3 feet 9 inches.

Height above ground of rim of rain gauge, 9 feet.

Height above mean sea level of rain gauge, 189 feet.

WEATHER

Number of Days of

Rain	Snow	Hail	Thunder Storm	Clear Sky	Overcast	Fog	Ozone
9	-				8		

WIND

Number of Observations of

Force 4-7	Calm	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
5	6	1	13	14	5	26	18	7	8

HOUR OF OBSERVATION { I—8.41 a.m. local time. II—3.0 p.m. " " III—8.41 p.m. " "

EXTREMES

Highest corrected reading of Barometer	30.246 on 24th at 8.41 a.m., 8.41 p.m.	
Lowest " " " "	30.018	on 9th at 3 p.m.
Greatest daily rainfall	0.80 inch	on 8th.
Highest temperature in Shade	88.4 °	on 14th.
Lowest " " "	72.0 °	on 6th.
Highest " in Sun	160.8 °	on 6th.
Lowest " on Grass	61.0 °	on 19th and 28th.

W. S. F. JOHNS
R. W. COCHRAN

Meteorological Observations taken at Prospect, Bermuda, during August, 1910. (+ Sept.)

Latitude 32° 17′ 40″ North.
Longitude 64° 47′ 0″ West.

BAROMETER Corrected and Reduced to 32° at Sea Level.			AIR TEMPERATURE							HUMIDITY.									WIND						CLOUD						WEATHER						RAIN	RADIATION			
			Dry	Wet	Dry	Wet	Dry	Wet		Dep. of Wet			Vapour Pressure			Percentage			Direction and Force				Amount			Form			Direction Whence Coming			At time of Observation			During Interval Ending								
I	II	III	I		II		III		Max. Min.	I	II	III	I	II	III	I	II	III	I	II	III	Miles in 24 Hours.	I	II	III	I	II	III	I	II	III	I	II	III	I	II	III	24 Hours Beginning 9 a.m. Inches.	Estimated Duration. Hours.	Maximum in Sun Black Bulb in Vacuo.	Minimum on Grass.	REMARKS	Days.
8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.		3.0 p.m.		8.41 p.m.			8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8 a.m. to 8 a.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.						
30.182	30.193	30.198	81.6	77.4	82.0	76.0	81.6	75.0	86.0	76.4	4.2	2.6	3.0	.837	.810	.824	79.6	72.0	81.0	S.	S.	S.	308.0	9	6	9	cumulus	cumulus	cumulus; nimbus	S.	S.	S.W.	0	0	0	C.O	O.C	C.O			159.2	70.2	Fine day.	1
30.261	30.264	30.268	83.0	77.0	83.6	78.0	78.0	74.0	85.0	76.0	6.0	5.6	4.0	.785	.846	.765	72.0	73.0	79.0	S.	S.	S.	218.0	6	6	3	"	"	cumulus	S.	S.	S.	C	C	C	C	B.C	C			158.6	67.4	Fine day.	2
30.238	30.248	30.248	79.8	76.0	83.0	78.0	77.4	76.0	83.6	74.0	5.0	5.4	1.4	.775	.849	.898	75.0	74.4	92.0	S.E.	S.	W.	233.0	7	7	7	"	"	cumulus; nimbus	S.W.	S.	S.W.	C	C	C	C	C.O.R	C			158.8	64.0	Fine day.	3
30.186	30.226	30.206	80.0	75.0	83.4	78.0	78.4	77.0	83.0	74.0	9.0	5.0	5.0	.715	.859	.749	63.0	76.0	75.0	S.	S.W.	S.W.	389.0	5	7	4	cirrus; cumulus	cirrus; cumulus	cirrus; cumulus	S.	S.	S.W.	C	C	C	C	C.O.R	C	T		161.0	64.8	Fine day.	4
30.166	30.218	30.156	80.0	71.0	83.0	78.0	79.0	74.0	85.0	73.0	9.0	6.0	3.4	.746	.840	.803	68.8	72.0	82.0	S.W.	S.W.	S.W.	291.0	7	7	4	"	"	"	S.W.	S.W.	S.W.	C	C	C	C	C	C.O	0.10		160.0	69.6	Fine a.m.; dull p.m.	5
30.196	30.195	30.196	81.8	75.0	84.0	78.0	78.4	75.0	87.0	73.0	6.8	6.0	2.6	.802	.853	.887	76.0	69.6	87.0	E.	S.W.	S.W.	355.0	5	7	9	"	"	cumulus	S.W.	S.W.	S.W.	C	C	C	C	C.O.P	O.C.P	O.C.P	0.20		138.4	66.6	Dull windy day; showers locally.	6
30.252	30.170	30.115	81.0	76.0	84.6	78.0	80.0	77.4	84.2	75.6	5.0	6.0	2.6	.802	.653	.887	76.0	69.6	87.0	S.W.	S.W.	S.W.	369.0	9	8	4	"	"	cumulus; nimbus	S.W.	S.W.	W.	C	C	C	C	O.P	O.C	O.C	0.04		149.4	70.2	Dull windy day.	7
30.624	30.086	30.053	77.6	76.0	81.0	79.0	78.4	75.0	82.4	72.0	1.6	2.0	3.4	.877	.947	.803	89.0	83.0	88.0	S.W.	S.W.	W.	315.0	8	9	7	cumulus; nimbus	cumulus	cumulus	S.W.	S.W.	W.	C	C	C	C	O.R	O.C	C	0.02		155.4	68.6	Dull a.m.; fine p.m.	10
30.620	30.026	30.010	81.0	77.0	82.4	79.0	77.8	75.6	84.0	74.0	4.0	3.4	2.2	.899	.938	.879	87.0	86.0	88.0	S.W.	S.W.	S.W.	224.0	8	7	5	"	"	"	S.W.	S.W.	S.W.	C	C	C	C	O.R	C	C.P	T		155.6	69.0	Fine day.	11
30.152	30.112	30.098	79.8	77.0	84.0	80.6	79.4	77.0	85.6	75.0	2.6	4.0	2.6	.877	.938	.927	80.0	82.0	94.0	S.W.	S.W.	S.W.	202.0	6	6	4	"	"	"	S.W.	S.W.	S.W.	C	C	C	C	C	C	C.B	0.14		157.6	68.0	Fine calm day.	12
30.126	30.142	30.139	82.0	78.0	83.6	80.6	79.0	77.8	86.0	76.4	4.0	3.0	1.2	.877	.945	.939	83.0	75.0	82.0	N.W.	N.E.	CALM	68.0	5	4	2	cumulus; stratus	"	"	W.	N.E.	E.	C	C	C	C	B	B	C.B			155.4	62.0	Fine calm day.	13
30.160	30.146	30.153	82.0	79.0	85.6	80.6	80.0	76.0	86.6	73.6	3.0	5.0	4.0	.926	.911	.939	85.0	80.0	83.0	S.E.	S.E.	S.E.	109.0	3	3	2	cumulus	"	"	S.E.	E.	S.E.	C	C	C	C	B	B	C.B			160.4	62.0	Fine day.	14
30.200	30.211	30.225	83.0	79.0	83.0	74.0	77.0	69.0	87.0	73.0	4.0	9.0	8.0	.905	.684	.584	80.0	60.0	63.0	E.	E.	E.	151.0	4	4	2	"	"	"	N.E.	E.	E.	C	C	C	C	B	B	C.B			155.0	63.0	Fine day.	15
30.190	30.224	30.202	84.0	80.0	87.0	82.0	78.4	76.0	88.4	73.9	4.4	3.0	2.4	.938	.905	.830	80.0	77.0	87.0	E.	E.	E.	223.0	6	5	2	"	"	"	S.E.	S.	E.	C	C	C	C	B	B	C			156.0	63.8	Fine day.	16
30.174	30.222	30.205	83.0	79.0	85.0	80.6	79.0	75.4	87.2	74.6	4.0	5.0	3.6	.905	.922	.811	80.6	76.0	82.0	E.	E.	E.	196.0	6	7	7	"	"	"	S.E.	S.E.	S.E.	C	C	C	C	B	C	O.C			153.2	62.4	Dull day.	17
30.190	30.178	30.187	81.6	79.0	84.0	78.0	78.6	75.0	86.2	76.6	4.6	6.0	3.6	.905	.840	.800	80.6	72.0	81.0	S.E.	S.	S.	147.0	8	10	7	cumulus; stratus	nimbus	nimbus	S.	S.W.	S.W.	C	C	C	C	C.P	C	C	T		154.6	62.4	Fine calm day.	18
30.158	30.190	30.170	82.0	77.0	80.0	77.0	77.0	75.4	83.2	74.0	5.0	3.0	1.6	.830	.867	.848	76.0	85.0	91.0	S.	S.W.	CALM	102.0	5	6	5	cumulus	cumulus	cumulus	N.W.	N.W.	S.	C	C	C	C	C	C	C			155.0	61.6	Fine day.	19
30.160	30.198	30.209	80.0	76.0	85.0	80.0	79.0	77.0	86.2	73.4	4.0	5.0	2.0	.820	.922	.887	89.0	76.0	90.0	N.W.	N.W.	CALM	102.0	5	6	5	"	"	"	N.W.	S.W.	S.	C	C	C	C	C	C	C	0.06		156.6	67.0	Dull showery day.	20
30.134	30.172	30.163	80.4	76.0	84.0	79.0	79.6	77.0	84.8	73.0	4.0	5.0	2.6	.813	.858	.875	78.4	76.0	87.0	W.	S.	S.	253.0	5	4	4	cumulus; stratus	cirrus; cumulus	cirrus; cumulus	N.W.	S.W.	S.W.	C	C	C	C	C.O.P	O.P	C	0.02		156.8	65.4	Fine day.	21
30.079	30.122	30.114	82.0	78.0	82.0	77.0	79.0	78.0	83.2	75.4	4.0	3.6	1.0	.877	.830	.937	80.0	76.0	95.0	S.	S.	S.W.	315.0	7	9	8	"	"	cumulus; nimbus	S.	S.W.	S.W.	C	C	C	C	B	C	C			154.0	67.0	Fine day.	22
30.208	30.122	30.132	82.4	79.0	85.0	81.0	79.0	76.0	86.0	72.8	3.4	4.0	3.0	.917	.973	.839	83.0	80.0	85.0	S.	S.	S.	273.0	7	6	4	cumulus; nimbus	cumulus	cumulus	S.W.	S.	S.	C	C	C	C	C	B	C			153.4	67.0	Fine day.	23
30.206	30.274	30.243	83.0	80.0	84.8	81.0	80.0	78.4	86.4	76.0	3.0	3.5	1.6	.956	.976	.937	85.0	82.6	92.0	S.	S.	S.	235.0	4	5	7	"	"	"	S.E.	S.E.	S.E.	C	C	C	C	C.B	B	C			150.4	67.6	Fine day.	24
30.206	30.274	30.317	83.0	80.0	84.8	81.0	80.0	78.4	86.4	77.0	4.0	5.0	2.0	.905	.922	.912	80.0	76.0	90.0	S.E.	S.	S.E.	218.0	4	2	2	"	"	"	S.E.	S.E.	E.	C	C	C	C	C	C	C			152.2	66.0	Fine day.	25
30.324	30.300	30.290	83.0	79.0	85.0	80.6	79.8	77.8	86.2	77.0	4.0	4.4	2.0	.938	.987	.887	80.0	78.4	90.0	E.	E.	N.E.	193.0	2	4	4	"	"	"	N.E.	E.	E.	B	C	C	C	B	B	C			151.2	65.0	Dull day.	26
30.326	30.305	30.325	84.0	80.0	86.0	81.6	79.0	77.0	88.0	76.8	4.0	4.4	2.0	.913	.915	.821	82.0	93.4	87.0	E.	E.	N.E.	139.0	10	8	9	"	"	"	E.	E.	N.E.	C	C	C	C	C.O	C	C			158.0	72.0	Fine day.	27
30.280	30.301	30.309	82.6	79.0	85.4	80.0	77.4	75.0	86.4	75.0	3.6	5.4	2.4	.913	.994	.790	76.0	77.6	86.0	N.E.	N.E.	N.E.	168.0	6	5	3	"	"	"	N.E.	E.	N.E.	C	C	C	C	O.C	C	C			155.8	62.0	Fine day.	28
30.214	30.248	30.225	81.6	79.0	83.6	79.0	76.6	74.0	86.4	73.4	5.6	4.0	2.6	.868	.994	.790	76.0	77.6	86.0	N.E.	N.E.	N.E.	216.0	5	6	2	"	"	"	N.E.	N.E.	N.E.	C	C	C	C	C	C	C			156.0	64.0	Fine a.m.; dull p.m.	29
30.199	30.199	30.199	84.0	78.4	84.0	79.4	78.0	75.0	86.2	73.4	5.6	4.6	3.0	.859	.908	.810	73.6	77.6	84.0	N.E.	E.	E.	193.0	4	9	6	"	"	"	E.	E.	N.E.	C	C	C	C	C	C	C			151.2	62.8	Fine day.	30
30.204	30.205	30.205	84.0	78.4	84.0	79.4	78.0	75.0	86.2	73.4	5.6	4.2	3.4	.868	.935	.815	78.4	79.2	82.0	E.	E.	E.	151.0	4	4	3	"	"	"	E.	S.E.	S.E.	C	C	C	C	C	C	C			156.2	61.4	Fine cloudy day.	31
30.212	30.217	30.197	83.4	79.0	84.2	80.0	78.8	75.4	87.2	73.2	5.4	4.2	3.4	.868	.935	.810	82.4	76.4	84.0	E.	S.E.	CALM	151.0	4	4	3	"	"	"	E.	W.	S.W.	C	C	C	C	C	C	C			148.8	67.0	Cloudy windy day.	
30.216	30.230	30.195	82.4	78.8	83.0	78.0	78.0	75.0	85.6	75.0	3.6	5.0	3.0	.892	.885	.810	76.0	76.0	78.4	W.	W.	S.W.	340.0	7	7	9	"	"	cumulus; nimbus	W.	W.	S.W.	C	C	C	C	C	C	C	0.06					
30.128	30.194	30.145	83.0	78.0	86.0	79.0	79.4	75.0	86.2	73.0	5.0	5.0	4.4	.856	.838	.726	76.0	76.0	78.4	N.E.	N.E.	N.E.	358.0	6	6	6	"	"	cumulus	N.E.	N.E.	N.E.	C	C	C	C	O.P.C	C	C						
30.168	30.106	30.149	80.0	77.0	80.0	74.4	73.4	71.0	83.6	74.0	3.0	5.6	4.4	.867	.749	.683	85.0	72.6	77.4	N.E.	N.E.	N.E.																			0.64		4793.6	2033.6		Sums
935.604	936.188	935.704	2545.0	2426.5	2595.2	2442.4	2421.4	2341.2	2661.0	34.205	129.1	152.8	93.2	2665.5	27.338	25.770	2450.8	2290.8	2633.8	72.0		70.0		35.0	7923.0	180	190	155														
30.164	30.198	30.184	82.1	77.6	83.7	78.6	78.1	76.2	85.8	77.6	4.2	4.9	3.0	.860	.882	.830	79.1	77.1	84.9		2		2		1	226.0	6	6	5													0.02		154.6	65.6		Means

meter cistern, 151 feet.
re. 3 feet 9 inches.
gauge, 2 feet.
gauge, 150 feet.

WEATHER

Number of Days of

Rain	Snow	Hail	Thunder-storm	Clear Sky	Overcast	Fog	Gales
8					9		

HOURS OF OBSERVATION { I—8.41 a.m. local time; II—3.0 p.m. " "; III—8.41 p.m. " "

WIND

Number of Observations of

Force of Wind	Calm	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
	5	5	1	18	14	9	25	18	7	8

EXTREMES

Highest corrected reading of Barometer	30.346 on 24th at 8.41 a.m., 8.41 p.m.	
Lowest " " "	30.018 on 9th at 3 p.m.	
Greatest daily rainfall	0.20 inch on 8th.	
Highest temperature in Shade	88.4 ° on 14th.	
Lowest " " "	72.0 ° on 8th.	
Highest " " Sun.	145.0 ° on 6th.	
Lowest " on Grass	61.0 ° on 19th and 20th.	

W. E. T. JOHNSON, Lt.-Col., R.A.M.C., Observer.
E. W. W. COCHRANE, Major, R.A.M.C., for S. M. C. Bermuda.

Meteorological Observations taken at Prospect, Bermuda, during September, 1910.

Gravity correction + .010 inch.

Day	ATTACHED THERMOMETER AND BAROMETER AS READ I (8.41 a.m.)	II (3.0 p.m.)	III (8.41 p.m.)	BAROMETER Corrected and Reduced to 32° at Sea Level. I (8.41 a.m.)	II (3.0 p.m.)	III (8.41 p.m.)	AIR TEMPERATURE Dry I (8.41 a.m.)	Wet I	Dry II (3.0 p.m.)	Wet II	Dry III (8.41 p.m.)	Wet III	Max.	Min.	HUMIDITY. Dep. of Wet I (8.41 a.m.)	II (3.0 p.m.)	III (8.41 p.m.)	Vapour Pressure I (8.41 a.m.)	II (3.0 p.m.)	III (8.41 p.m.)	Percentage I (8.41 a.m.)	II (3.0 p.m.)	III (8.41 p.m.)	WIND Direction and Force I (8.41 a.m.)	II (3.0 p.m.)	III (8.41 p.m.)	Miles in 24 Hours (8 a.m. to 8 a.m.)	CLOUD Amount I (8.41 a.m.)	II (3.0 p.m.)	III (8.41 p.m.)	Form I (8.41 a.m.)	II (3.0 p.m.)	III (8.41 p.m.)	Direction Whence Coming I (8.41 a.m.)	II (3.0 p.m.)	III (8.41 p.m.)	WEATHER At time of Observation I (8.41 a.m.)	II (3.0 p.m.)	III (8.41 p.m.)	During Interval Ending I (8.41 a.m.)	II (3.0 p.m.)	III (8.41 p.m.)	RAIN 24 Hours Beginning 9 a.m. Inches	Estimated Duration Hours	RADIATION Maximum in Sun Black Bulb in Vacuo	Minimum on Grass
1	30·0	30·193	81·0	30·168	79·0	30·140	30·219	30·192	30·171	80·0	74·0	82·0	77·0	77·0	73·6	84·4	70·4	6·0	5·0	3·4	·733	·880	·738	71·0	76·0	82·0	N.E	3	E	2	E	1	194·0	7	7	8	cum:	cum;	cum:	N.E.	N.E.	E.	C	C	C	C.C.C	C.C.C	C.C			158·4	56.
2	30·0	30·130	82·0	30·050	79·0	30·050	30·157	30·072	30·062	81·6	75·4	81·6	76·0	78·0	74·0	84·0	72·0	5·6	6·0	1·6	·791	·840	·677	73·6	72·0	91·0	N.W	1	S.W	2	E	2	159·0	7	7	6	"	"	"	S.E.	S.W	S.E	C	C	C	O.C.C.C	C.O.C	C			159·0	57.
3	31·0	30·093	84·0	30·086	81·0	30·090	30·119	30·107	30·118	82·0	77·0	85·0	78·0	78·0	75·4	88·4	72·2	5·0	5·0	2·6	·830	·956	·929	76·0	76·0	88·0	S	2	S	1	W	1	144·0	2	2	3	"	"	"	S	S.W	W	B	C	C	B	C.B.C	C.C	C.B			156·8	61.
4	31·0	30·138	83·0	30·163	82·0	30·206	30·185	30·181	30·233	82·0	77·0	83·0	78·0	78·0	75·4	88·4	74·2	6·4	5·0	4·4	·880	·922	·930	78·4	76·0	88·0	W	1	S.W	1	W	1	102·0	2	4	1	"	"	"	W.	W.	W	B	C	C	B	C.B.P.B	B.C.B.C	C.B	0·02	10″	153·4	59.
5	30·0	30·044	84·0	30·240	82·0	30·356	30·263	30·245	30·270	83·4	78·0	85·0	80·0	77·0	74·8	87·4	74·0	4·6	5·6	2·0	·864	·908	·999	77·6	72·6	89·0	N.W	1	N.W	1	calm		128·0	3	6	3	"	"	"	W.S.W.	N.W	S.W; N.W	C	C	C	C	C.P	C	T	P.S	153·6	61.
6	31·0	30·226	86·0	30·084	83·0	30·092	30·133	30·099	30·085	83·6	79·0	84·0	80·0	79·0	76·0	86·4	73·4	5·6	4·0	3·0	·918	·938	·873	79·6	80·0	87·0	W	3	N.W	2	N	1	168·0	3	7	4	cirrus; cumulus cum,	cirrus: cumulus cum nimbus:	cirrus; cumulus cirrus cumulus	W.N.W.	N.W.;	N.W	C	C	C	C.O.C	C.O.P.C	C.O.C	0·02	10″	151·6	65.
7	32·0	30·130	84·0	30·034	83·0	30·174	30·263	30·210	30·197	83·6	78·6	85·6	80·0	77·0	75·0	87·0	73·0	4·6	5·6	2·0	·914	·938	·859	83·0	80·0	95·0	N.W	1	W	1	N	1	157·0	4	4	3	cirrus cum. str cumulus nimbus	cum nimbus: cum: nimbus	cum: cirrus cum: nimbus	W.; W.	N.W.; S.W	S.E; W	C	C	C	C.O.C	C.O.C	C.O.C	0·02	10″	152·2	60.
8	32·0	30·226	86·0	30·084	83·0	30·092	30·133	30·099	30·085	83·6	79·0	84·0	80·0	79·0	76·0	86·4	73·4	5·6	4·0	3·0	·918	·938	·873	79·6	80·0	87·0	W	3	N.W	2	N	1	168·0	3	7	4	cirro: cum.	cum: nimbus	cum: nimbus	W.N.W.	N.W.;	N.W	C	C	C	C.O.C	C.O.P.C	C.O.C	0·02	10″	151·6	65.
9	32·0	30·130	84·0	30·034	83·0	30·174	30·263	30·210	30·197	83·6	78·6	85·6	80·0	77·0	75·0	87·0	73·0	4·6	5·6	2·0	·914	·938	·859	83·0	80·0	95·0	N.W	1	W	1	N	1	157·0	4	4	3	cirro: cum.	cum: nimbus	cum: nimbus	W.; W.	N.W.; S.W	S.E; W	C	C	C	C.O.C	C.O.C	O.C.O. 2 C	1·22	5	152·2	60.
10	32·0	30·093	84·0	30·086	83·0	30·090	30·119	30·107	30·118	82·4	77·0	83·0	77·0	75·6	74·0	85·4	73·0	5·4	5·0	1·6	·822	·910	·908	77·0	78·4	89·0	W	1	N	1	E	0	134·0	3	5	4	"	"	"	N.	N.W.N.	N.E; E	C	C	C	C.O.P	C.C	C	T	P.S	156·8	60.
11	32·0	30·093	84·0	30·086	83·0	30·092	30·119	30·107	30·118	82·0	77·0	83·0	77·0	76·0	73·6	84·0	72·0	4·6	4·4	2·0	·793	·887	·929	77·0	78·4	89·0	N.E	2	E	2	N	1	139·0	6	6	2	cirro: cum.	cum	cirro: cum: cum. str.	cum:	N.E.	N.E	C	C	C	C	C	C.B			151·0	60.
12	32·0	30·056	84·0	30·070	81·0	30·060	30·160	30·142	30·132	83·0	79·0	84·0	80·0	76·0	73·6	84·0	72·6	4·0	4·0	2·4	·877	·998	·783	80·0	80·0	97·0	N.E	2	E	2	N	1	125·0	7	7	7	cir. cum: cum. str	cirro: cum	cirro: cum: cum. str.	N.E; N.E	N.E	N; N	C	C	C	C	C	C			152·2	60.
13	32·0	30·128	84·0	30·126	81·0	30·126	30·134	30·054	30·075	82·0	77·0	84·0	79·6	75·0	74·0	85·6	72·8	5·0	4·4	1·0	·830	·918	·820	76·0	78·4	94·0	N	1	N	1	N.W	1	85·0	9	7	1	cum: nimbus	cum: nimbus	stratus	N.; N.	N.W.N	N.W	OR	C	C	C.B.R	O.R.O.C	C.B.R	0·20	3	166·8	59.
14	32·0	30·110	84·0	30·040	81·0	30·045	29·123	30·034	30·075	74·6	74·0	80·0	77·0	74·6	73·0	87·4	70·6	0·6	3·0	1·6	·928	·867	·782	96·4	85·0	91·0	N	1	N	1	N.W	1	70·0	3	8	8	cum:	cum:	cum	N.W.	N.W	N.W	C	C	C	C	C	C			149·2	57.
15	32·0	30·028	82·0	29·990	79·0	29·995	30·058	30·014	30·018	74·6	74·0	80·0	77·0	79·8	76·2	73·0	85·0	72·0	4·0	4·2	1·2	·820	·926	·844	80·0	79·2	88·0	W	1	N.W	1	calm		107·0	7	6	8	cir. cum: str	cum:	cum:	W.S.W.	S.W	W	C	C	C	C.O.R	O.R.O.C	C.O.C	0·28	2	152·0	60.
16	32·0	30·010	83·0	29·964	80·0	30·000	30·040	30·002	29·989	80·0	78·0	83·0	80·4	78·6	74·0	88·4	72·4	4·0	2·6	2·6	·820	·974	·790	80·0	87·0	88·0	W	1	W	1	calm		107·0	7	6	8	cir. cum: str	cum:	cum: nimbus	S.; S.	S.S.W	S.W; S.W	C	C	C	C.O.R	C.O.P	C	T	P.S	151·6	63.
17	32·0	30·060	84·0	30·000	80·0	30·004	30·047	30·021	30·033	80·0	78·0	83·0	80·4	76·0	74·6	83·0	72·0	0·8	4·4	2·4	·812	·818	·821	96·4	78·4	87·0	S	3	S	4	S.W	3	278·0	9	7	7	cum; nimbus	cumulus	cirrus: cumulus	S.W.	S.W	S; S	C	C	C	C.O.P	C	O.R.O	T	P.S	151·6	63.
18	32·0	30·016	83·0	30·020	80·0	30·024	30·048	30·035	30·042	80·0	78·0	84·0	80·4	78·0	74·6	88·0	73·6	3·8	3·4	3·2	·870	·878	·891	81·4	83·0	83·0	S	3	S	3	S	2	309·0	9	8	8	cumulus	cum: str;	cirrus; cumulus	S.	S	S.W; S.	C	O	O	C.O	O	O.R.O	0·24	3	146·0	64.
19	31·0	30·060	83·0	30·092	80·0	30·080	30·034	30·049	30·068	81·4	77·6	81·0	77·6	78·0	76·0	88·4	74·0	3·0	1·4	1·2	·851	·958	·811	85·0	92·0	96·0	S	3	S	1	S.W	1	260·0	9	10	9	"	"	cum: nimbus	S.	S.W; S	S.W; S.W	O	O	O	O.P	O.R	O.R	0·70	6	132·0	68.
20	31·0	30·060	83·0	30·092	80·0	30·080	30·034	30·049	30·068	79·4	76·4	77·0	75·4	75·0	73·6	88·4	74·0	3·0	1·4	1·2	·851	·958	·811	85·0	92·0	96·0	S	3	S	1	S.W	1	260·0	9	10	9	"	"	"	S.	S.W	S.W	O	O	O	O.P	O.R	O.R	0·70	6	132·0	68.
21	30·0	30·042	80·0	30·020	78·0	30·056	30·070	30·048	30·060	79·4	76·4	77·0	75·4	75·0	73·6	88·4	73·6	1·0	0·6	1·4	·848	·785	·802	94·0	100·0	92·0	S	3	S	1	W	1	142·0	9	10	10	nimbus	nimbus	nimbus	S.W.	S.W	S.W	O	O	O	O.R.O	O	O.C	0·68	2	150·0	61.
22	30·0	30·042	80·0	30·020	78·0	30·056	30·070	30·048	30·060	78·0	75·0	72·0	72·0	75·6	73·6	88·0	70·0	1·0	0·6	1·4	·848	·785	·802	94·0	100·0	92·0	S	3	S	1	W	1	142·0	9	10	10	"	"	"	S.	S.W	S.W	O	O	O	O.R.O	O	O.C	0·68	2	150·0	61.
23	27·0	29·996	77·0	29·996	77·0	30·000	30·083	30·054	30·087	76·0	75·0	72·0	72·0	75·6	73·6	88·0	70·0	1·0	0·0	1·4	·848	·785	·802	95·0	80·0	92·0	N	1	S	1	S	1	108·0	8	8	5	cum: str	cirrus cum:	cirrus: cumulus	N.E	S.; S.E	S	C	C	C	C.O.R.O	O.C	C	0·04	1	150·4	59.
24	27·0	29·996	77·0	29·996	77·0	30·000	30·083	30·054	30·087	70·6	74·6	70·0	75·0	75·0	73·6	80·6	69·4	2·0	4·0	1·4	·818	·798	·802	95·0	80·0	92·0	N	1	S	1	S.W	1	132·0	8	5	4	"	"	cum: str	S.	S.W	S.W	O	O	O	C.O.R.O	O.C	C	0·04	1	150·4	59.
25	27·0	30·054	78·0	30·014	77·0	30·036	30·071	30·045	30·068	70·6	74·6	70·0	75·0	75·0	73·6	80·6	69·4	3·0	3·0	1·6	·798	·888	·809	80·0	85·0	91·0	S	1	N.W	1	N	1	138·0	8	5	4	"	"	"	S.	S.W	S.W	O	O	O	C.O.R.O	C.O.P	C.P	0·04	¼	156·8	60.
26	27·0	30·000	78·0	30·014	75·0	30·032	30·098	30·062	30·116	78·8	75·0	73·0	73·0	75·6	74·0	84·4	71·0	3·8	3·0	1·6	·798	·888	·809	89·0	78·8	98·0	N.E	2	N.E	2	N.E	1	275·0	7	6	6	cumulus nimbus	cum: str	cum: nimbus	N.E; E.E.	N.E; N.E	N.E; SE.	C	C	C	C.O.P.C	C.O.P	C.P	0·04	¼	156·8	60.
27	27·0	30·000	78·0	30·064	75·0	30·078	30·131	30·100	30·119	78·0	78·0	79·8	75·0	78·2	75·0	88·2	72·6	2·0	4·8	1·2	·820	·967	·830	90·0	95·0	95·0	N.E	3	N	6	W	6	704·0	9	9	8	"	"	nimbus	N.E.	N.E	N	O	O	O	O.R	O	O.R	0·24	3	145·4	61.
28	29·0	30·100	80·0	30·072	79·0	30·078	30·119	30·089	30·113	80·0	78·0	79·0	78·0	75·0	74·2	82·0	71·0	4·0	1·0	0·8	·820	·774	·811	94·0	80·0	87·0	N.W	7	W	5	N.W	5	581·0	10	10	10	"	"	"	N.W.	W	S.W	O	O	O	O.R. 2·0	O.R.O	O.R.O	1·96	14	111·4	61.
29	27·0	29·918	80·0	29·868	76·0	29·943	30·048	29·995	29·873	75·0	74·0	75·0	73·6	77·0	74·6	80·0	69·0	1·0	2·0	2·4	·820	·774	·811	94·0	77·6	83·0	0	calm	1	136·0	4	4	1	cum:	cum	cum:	S.W.	S.W	S.W	C	C	C	O.P.C	C	C.B	T	P.S	149·0	68.
30	27·0	29·913	78·0	29·868	77·0	29·764	29·951	29·897	29·820	77·0	74·0	75·0	73·6	77·0	74·6	80·0	69·0	1·0	2·0	2·4	·782	·868	·809	85·0	77·6	83·0	0	calm	1	136·0	4	4	1	"	"	"	S.W.	S.W	S.W	C	C	C	O.P.C	C	C.P			153·4	56
31	27·0	29·913	78·0	29·868	77·0	29·764	29·951	29·897	29·820	77·0	74·0	75·0	73·6	77·0	74·6	80·0	69·0	1·0	2·0	2·4	·782	·868	·809	85·0	77·6	83·0	0	calm	1	136·0	4	4	1	cum:	cum	cum:	S.W.	S.W	S.W	C	C	C	O.P.C	C	C.P			153·4	56
32	28·0	29·913	78·0	29·868	77·0	29·764	29·951	29·897	29·820	77·0	74·0	75·0	73·6	77·0	74·6	80·0	69·0	1·0	2·0	2·4	·782	·868	·809	85·0	77·6	83·0	0	calm	1	136·0	4	4	1	cum: str.	"	"	S.W.	S.W	S.W	C	C	C	O.P.C	C	C.P			153·4	56
33	28·0	29·913	78·0	29·868	77·0	29·764	29·951	29·897	29·820	77·0	74·0	75·0	73·6	77·0	74·6	80·0	69·0	1·0	2·0	2·4	·782	·868	·809	85·0	77·6	83·0	0	calm	1	136·0	4	4	1	"	"	"	S.W.	S.W	S.W	C	C	C	O.P.C	C	C.P			153·4	56
34	28·0	29·913	78·0	29·868	77·0	29·764	29·951	29·897	29·820	77·0	74·0	75·0	73·6	77·0	74·6	80·0	69·0	1·0	2·0	2·4	·782	·868	·809	85·0	77·6	83·0	0	calm	1	136·0	4	4	1	"	"	"	S.W.	S.W	S.W	C	C	C	O.P.C	C	C.P			153·4	56
35	28·0	30·136	82·0	30·098	79·0	30·120	30·147	30·120	30·151	79·0	76·0	80·4	78·0	78·0	75·4	82·0	73·0	4·0	4·6	2·6	·830	·938	·938	80·0	77·6	87·0	S.E	2	S	1	E	1	293·0	5	6	7	"	"	"	S.E.	S.W	S	C	C	C	O.C.R.C	C.O.R.O	O.C.P.B	0·04	5	158·2	65
36	29·0	30·136	82·0	30·098	79·0	30·120	30·170	30·130	30·151	80·0	76·0	81·6	77·0	78·0	75·4	82·0	73·0	4·0	4·6	2·6	·830	·938	·938	80·0	77·6	87·0	S.E	2	S	1	E	1	293·0	5	6	7	"	"	"	S.	S.W	S.W	C	C	C	O.C.R.C	C.O.R.O	O.C.P.B	0·04	5	158·2	65
37	29·0	30·149	81·0	30·136	79·0	30·170	30·170	30·130	30·181	80·0	76·0	81·6	77·0	78·0	75·4	82·0	73·0	4·0	4·6	2·6	·830	·938	·938	80·0	77·6	87·0	S.E	2	S	1	E	1	293·0	5	6	7	"	"	"	S.	S.W	S.W	C	C	C	O.C.R.C	C.O.R.O	O.C.P.B	0·04	5	158·2	65
38	29·0	30·149	81·0	30·136	79·0	30·170	30·170	30·133	30·182	80·0	76·0	81·6	77·0	78·0	75·4	82·0	73·0	4·0	4·6	2·6	·830	·938	·938	80·0	77·6	87·0	S.E	2	S	1	E	1	293·0	5	6	7	"	"	"	S.	S.W	S.W	C	C	C	O.C.R.C	C.O.R.O	O.C.P.B	0·04	5	158·2	65
39	28·0	30·056	80·0	30·010	79·0	30·080	30·087	30·033	30·062	78·0	78·0	82·0	79·0	78·4	76·0	83·6	71·4	2·0	3·0	0·4	·857	·926	·859	89·0	85·0	98·0	calm		S.E	1	S.E	1	149·0	7	5	8	cir: cum: str	cirro. cum	nimbus	S.W; S.W	S.W	S.E	C	C	C	BC	C	C.B.R.O	0·22	8	151·0	60
40	28·0	30·046	81·0	30·008	79·0	30·076	30·079	30·054	30·103																																									
41																																																		
Totals	2894·0	901·606	2457·0	901·126	2290·0	901·504	902·660	901·776	902·366	2291·4	2268·0	2450·0	2235·4	2229·6	2241·2	2516·6	2157·2	110·4	111·6	60·0	24·924	25·059	24·680	2461·4	2449·4	2677·2		96		84		39	6148·0	198	189	160															6·50	Days	4308·4	1822
Means	28·0	30·000	82·0	30·038	80·0	30·050	30·059	30·059	30·079	79·7	76·1	81·3	77·0	76·7	74·7	83·9	72·2	3·7	3·7	2·0	·831	·908	·891	82·1	81·4	89·2							205·0	6	6	5															0·217	16	150.1	60

Height above mean sea level of barometer cistern, 131 feet.

Height above ground of thermometers, 3 feet 9 inches.

Height above ground of rim of rain gauge, 2 feet.

Height above mean sea level of rain gauge, 130 feet.

WEATHER

Number of Days of

Rain	Snow	Hail	Thunderstorms	Clear Sky	Overcast	Fog	Gales	
18			4		5		9	

HOURS OF OBSERVATION { I—8.41 a.m. local time. II—3.0 p.m. " " III—8.41 p.m. " "

WIND

Number of Observations of

Force	Calm	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
0 to 7	5	14	6	6	7	12	10	18	13

EXTREMES

Highest corrected reading of Barometer	30.270	on 5th at 8.41 a.m.
Lowest " " " "	29·651	on 26th at 8.41 a.m.
Greatest daily rainfall	1.96 inch	on 25th.
Highest temperature in Shade	87.4 °	on 5th and 19th.
Lowest " " "	69·0 °	on 25th.
Highest " " Sun	166.8 °	on 12th.
Lowest " on Grass	56·0 °	on 27th.

W. J. L.

E. W. W. COO

Meteorological Observations taken at Prospect, Bermuda, during September, 1910.

Latitude 32° 17′ 40″ North.
Longitude 64° 47′ 0″ West.

Date	BAROMETER corrected and Reduced to 32° at Sea Level. I 8.41 a.m.	II 3.0 p.m.	III 8.41 p.m.	AIR TEMPERATURE I Dry 8.41 a.m.	Wet 8.41 a.m.	II Dry 3.0 p.m.	Wet 3.0 p.m.	III Dry 8.41 p.m.	Wet 8.41 p.m.	Max.	Min.	HUMIDITY. Dep. of Wet I 8.41 a.m.	II 3.0 p.m.	III 8.41 p.m.	Vapour Pressure I 8.41 a.m.	II 3.0 p.m.	III 8.41 p.m.	Percentage I 8.41 a.m.	II 3.0 p.m.	III 8.41 p.m.	WIND Direction and Force I 8.41 a.m.	II 3.0 p.m.	III 8.41 p.m.	Miles in 24 Hours 8 a.m. to 8 a.m.	CLOUD Amount I 8.41 a.m.	II 3.0 p.m.	III 8.41 p.m.	Form I 8.41 a.m.	II 3.0 p.m.	III 6.41 p.m.	Direction Whence Coming I 8.41 a.m.	II 3.0 p.m.	III 8.41 p.m.	WEATHER At time of Observation I 8.41 a.m.	II 3.0 p.m.	III 8.41 p.m.	During Interval Ending I 8.41 a.m.	II 3.0 p.m.	III 8.41 p.m.	RAIN 24 Hours Beginning 9 a.m. Inches	Estimated Duration Hours	RADIATION Maximum in Sun Black Bulb in Vacuo	Minimum on Grass	REMARKS	Date
1	29·919	29·922	29·971	80·0	74·0	82·0	77·0	77·0	73·6	84·4	70·4	6·0	5·0	3·4	·783	·830	·758	71·0	75·0	82·0	N.E	3	E	2	E	1	194·0	7	7	8	cum:	cum;	cum:	S.E.	N.E.	E.	C	C	C	C.O.C	C.O.C	C.O			156·4	56.4	Fine cloudy day.	1
2	29·857	29·872	29·932	81·6	73·4	81·6	76·0	78·0	73·0	84·0	73·0	9·6	5·6	2·0	·762	·701	·801	70·8	75·6	72·0	91·0	S.E	3	S	2	S	1	159·0	7	5	6	"	"	"	S.E.	S.W	S.E	C	C	C	O.C.C	C.O.C	C.B			159·0	57·0	" "	2
3	29·919	29·927	29·978	81·6	76·0	84·0	78·0	79·0	75·4	85·4	73·2	9·6	6·0	1·6	·791	·840	·877	75·6	72·0	91·0	S.W	1	S.W	2	S.W	1	178·0	3	6	2	"	"	"	W.	S.W	S.W	C	C	C	B	B.C.B.C	C.O.C			159·2	57·6	" "	3
4	29·925	29·931	29·983	83·0	77·0	83·0	78·0	79·0	75·4	85·4	73·2	9·6	5·0	1·6	·809	·856	·829	76·4	72·6	89·0	W	1	W	1	W	1	144·0	2	3	3	"	"	"	S	S.W	W	C	C	C	B	C.B.P.B	B.C	C.B			158·8	57·6	" "	4
5	29·925	29·945	29·976	82·4	76·0	83·0	80·0	77·0	75·0	87·0	73·0	6·4	5·0	4·4	·809	·922	·930	76·4	78·0	89·0	N.W	1	N.W	2	calm		128·0	3	6	3	cum: str;	cirrus; cumulus	"	N.W.	W.S.W	N.W	N.W; N.W	W	W	B	C	C	C			158·8	61·0	" "	5
6	29·938	29·910	29·967	83·6	78·0	85·6	80·0	77·0	75·0	87·0	73·0	5·6	4·0	3·0	·813	·956	·939	77·6	80·0	85·0	N.W	1	W	2	W	1	162·0	4	4	3	"	"	"	N.W.	W.S.W	W; W	C	C	C	C	C.P	C	T	P.S.	158·6	61·0	" "	6
7	29·955	29·999	29·983	82·6	79·0	84·0	80·0	79·0	78·0	86·0	78·0	4·2	4·0	2·6	·815	·908	·875	79·6	80·0	87·0	W	2	N	1	N	1	162·0	5	7	4	"	"	"	W.	N.W	S.W	C	C	C	C	C.O.C	C.O.C	0.02		151·6	57·0	Cloudy day.	7
8	29·939	29·981	30·007	82·6	79·4	84·0	80·0	79·6	77·0	86·0	76·6	5·4	5·0	1·6	·822	·810	·899	74·6	73·0	91·0	E	1	S	2	E	1	151·0	7	8	7	"	"	"	W.X.W.	N.W.N	N.W	C	C	C	C.O.C	C.O.C	0.C.2	C	1.22	½	132·2	60·0	Cloudy unsettled day. Heavy rain 5.45 p.m	8
9	29·965	29·981	30·001	82·4	77·0	83·0	77·0	75·6	74·0	85·4	73·0	4·6	4·4	2·0	·793	·897	·839	77·0	78·4	89·0	W	1	N	1	E	0	134·0	3	5	4	"	"	"	N.	N.W.N.	N.E. E	C	C	C	C.O.P	C.C	C	T	P.S	156·8	60·0	Fine day.	9
10	29·975	30·005	30·035	80·0	75·4	83·4	79·0	77·0	75·0	86·4	72·0	4·6	4·0	2·4	·817	·908	·783	80·0	80·0	87·0	N.E	2	E	3	N	1	159·0	6	6	2	"	"	"	N.	N.N.E.	N	C	C	C	C	C	C			151·0	60·0	" "	10
11	29·988	30·049	30·105	80·0	75·4	83·4	79·0	77·0	75·0	86·4	72·0	4·0	4·0	2·4	·817	·908	·783	80·0	80·0	87·0	N.E	2	E	3	N	1	159·0	6	6	2	"	"	"	N.E.	E.N.E	N; N	C	C	C	C	C	C			152·2	60·0	" "	11
12	30·160	30·149	30·183	82·0	78·0	84·0	80·0	78·0	78·6	84·8	73·8	3·0	4·4	1·0	·880	·915	·920	76·0	78·4	94·0	N	2	N	1	N	1	135·0	7	7	7	cum; nimbus	cum: nimbus	cum	N.E.	N.N.E	N.W	OR	C	C	C	O.R.C	O.R.O.C	C.B.R	0·20	2	168·6	56·6	Showery day.	12
13	30·183	30·054	30·075	82·0	77·0	84·0	79·6	75·4	74·0	85·6	72·8	3·0	4·4	1·0	·880	·928	·867	·782	86·4	83·0	91·0	N	1	N	1	N.W	1	85·0	9	7	1	"	"	"	N.W.	N.W	N.W	C	C	C	C	C	C			149·2	57·0	Fine calm day.	13
14	30·148	30·114	30·018	74·6	74·0	80·0	77·0	74·6	73·0	87·4	70·6	0·0	0·0	1·6	·880	·928	·867	·782	86·4	83·0	91·0	N	1	N	1	N.W	1	70·0	3	8	8	"	"	"	W.S.W.	S.W	S.W	C	C	C	C	C.O.C.O				158·4	56·6	Fine day.	14
15	30·038	30·014	29·918	80·0	76·0	84·0	79·8	76·2	75·0	85·0	72·0	4·0	4·2	1·2	·820	·926	·844	80·0	79·2	93·0	W	1	W	1	calm		137·0	7	6	8	"	"	"	W.S.W.	S.W	S.W	S.W; S.W	C	C	C	C.O.R	O.R.O.C	C.O.C	0·28	2	152·0	60·4	Dull a.m. Fine p.m. Windy day.	15
16	30·040	30·026	29·929	80·0	76·0	83·0	80·4	76·6	74·0	85·4	72·4	4·0	3·6	2·6	·820	·974	·190	80·0	87·0	86·0	W	1	W	1	calm		137·0	7	6	8	"	"	"	S; S.	S.S.W	S.W; S.W	C	C	C	C.O.P	C	C	T	P.S	151·6	63·0	Fine day.	16
17	30·043	30·021	29·989	80·0	76·0	83·0	80·4	76·6	74·0	89·4	72·4	4·0	3·6	2·6	·812	·818	·857	76·4	78·4	87·0	S	3	S	3	S.W	3	278·0	9	7	7	"	"	"	S.	S.W	S; S	C	C	C	C.O.P	C	C	T	P.S	151·6	63·0	Fine day.	17
18	30·011	29·960	29·923	74·0	73·4	80·4	76·0	77·4	75·0	89·0	72·0	0·6	4·4	2·4	·812	·836	·810	84·0	85·0	84·0	S.W	1	S	3	S	2	239·0	5	6	9	"	"	"	S.	S.W	S.W; S.	C	O	O	C.O	O	O.R.O	0·10	1	156·4	65·4	Dull day.	18
19	30·068	30·068	30·043	80·0	76·8	83·0	80·0	78·0	75·0	86·2	71·6	3·2	3·0	2·0	·833	·836	·810	84·0	85·0	84·0	S	3	S	3	S	2	209·0	9	8	8	"	"	"	S.	S.W	S.W; S.W	C	O	O	O.P	O.R	O.P	0·24	3	146·0	64.4	Dull unsettled day.	19
20	30·088	30·049	30·088	81·4	77·6	81·0	77·6	78·0	74·8	86·0	73·6	3·2	3·4	1·2	·870	·878	·801	81·4	83·0	92·0	S	3	S	3	S.W	1	290·0	9	10	9	"	"	"	S.	S.W	S.W	C	O	O	O.R	O.R	O.R	0·20	6	152·0	63.0	Wet day.	20
21	30·094	30·049	30·088	79·4	76·4	77·0	75·6	75·0	73·8	86·4	71·0	3·0	1·4	1·2	·851	·838	·811	83·0	92·0	96·0	S	3	S	3	S.W	1	142·0	9	10	10	"	"	"	S.W.	S.W	S.W	C	OR	C	O.R.O	O	O.C	0.68	2	150·0	61·0	Dull day: rain early morning.	21
22	30·070	30·046	30·090	79·4	75·6	79·0	75·0	75·0	73·6	86·0	70·0	1·0	0·4	1·4	·848	·755	·802	94·0	100·0	92·0	S	3	S	3	S	1	149·0	9	10	10	"	"	"	S.E	S.W	S.E	C	O	C	C.O.R.O	O.C	C	0.04	1	155·4	59.8	Fine p.m. Dull morning.	22
23	30·099	30·084	30·087	76·6	74·6	79·0	75·0	75·0	72·6	86·0	69·4	2·0	4·0	1·4	·818	·768	·802	86·0	80·0	92·0	N	1	S	1	S	1	138·0	8	5	4	"	"	"	S.	S.W	N.W	C	C	C	C.O.P.C	C.O.P	C.P	0.04	¼	158·6	60·4	Cloudy day and showery.	23
24	30·071	30·045	30·008	76·6	74·6	79·0	75·0	74·0	72·4	86·4	71·0	3·0	3·0	1·6	·796	·809	·809	80·0	85·0	91·0	S	1	NW	1	N	1	125·0	7	6	6	cumulus nimbus	"	"	N.E; N.E.	N.E; N.E	N.E; N.E	C	C	C	C.O.P.C	C.O.P	O.R	0.24	3	145·4	61·4	Dull windy day. Fresh gale 1 a.m to 3 p.m.	24
25	30·056	30·099	30·116	76·5	75·0	74·0	73·0	73·4	72·6	86·2	72·6	2·0	4·6	1·2	·857	·779	·844	89·0	76·8	92·0	N.E	2	N	2	N.E	1	175·0	7	6	6	"	"	"	N.E	N.E	N	C	C	C	O.C.R	O.R	O.R.O	1.96	14	111·4	61.0	Stormy day mod. gale 8 a.m.	25
26	30·151	30·100	30·110	76·0	76·0	79·6	75·6	76·6	74·2	85·2	71·0	4·0	1·0	0·8	·820	·987	·830	80·0	95·0	95·2	N.E	3	N	4	N	0	204·0	9	9	8	"	"	"	S.W.	W	S.W	C	C	C	O.R.O	O.R.O	C.B	T	P.S	149·0	63·0	Fine calm day.	26
27	30·098	29·956	29·975	80·0	78·0	79·0	78·0	77·0	74·6	86·0	69·0	1·0	2·0	2·4	·820	·774	·811	94·0	89·0	87·0	N.W	7	W	4	S.W	5	361·0	10	10	10	"	"	"	S.W.	S.W	S.W	C	C	C	O.P.C	C	C			158·4	56·0	" "	27
28	29·951	29·967	29·980	75·0	74·6	76·0	73·0	73·0	72·4	82·2	72·0	4·6	3·6	1·6	·782	·968	·909	77·6	89·0	91·0	W	3	S.W	2	calm	1	186·0	4	4	1	"	"	"	S.W.	S.W	S.E	C	C	C	C.O.R.C	C.O.R.O	C.P	0.14	1	147·8	59·4	Fine day: rain early morning.	28
29	30·013	30·031	30·089	79·6	75·4	81·0	77·4	75·6	74·0	86·0	72·0	3·0	4·4	1·6	·899	·818	·890	86·4	76·4	86·0	S.E	1	S.E	1	S	1	116·0	8	4	4	"	"	"	S.E.	S.W	S	C	C	C	C.O.R.C	C.O.R.O	C.P.B	0.04	5	158·2	63·0	Dull showery day.	29
30	30·147	30·120	30·151	79·6	76·0	80·4	76·0	78·0	76·4	85·0	72·6	4·0	4·6	2·6	·820	·838	·838	80·0	77·6	87·0	S.E	2	S	2	S	1	203·0	5	6	7	"	"	"	S.	S.W	S.W	C	C	C	C.O.R.O	O.R.O	C.O.R	0.22	3	151·0	60·0	Fine day, rain 7 p.m	30
30	30·170	30·150	30·181	80·0	78·0	81·6	77·0	78·0	76·4	85·0	73·0	3·0	2·0	1·6	·810	·857	·838	84·0	89·0	90·0	S	2	S.W	1	S.W	1	161·0	8	8	2	"	"	"	S.W.	S.W	S.E	C	C	C	B.C	C	C.O.R.O	0.22	3	151·0	60·0	" "	31
31	30·087	30·063	30·063	78·0	75·0	78·0	76·0	78·6	75·0	89·4	72·6	3·0	2·0	1·6	·857	·926	·899	89·0	85·0	90·0	calm		S.E	1	S.E	1	149·0	7	5	8	"	"	"	S.W; S.W	S.W	S.E	S.E												
30	30·079	30·004	30·103	78·0	76·0	82·0	79·0	76·4	76·0	93·6	71·4	2·0	0·0	0·4	·857	·926	·899	89·0	85·0	90·0											cir: cum: str	cirro. cum	nimbus																
Sums	29·919	29·922	29·978	80·0	74·0	84·0	78·0	77·0	73·6	87·0	70·4	9·6	5·0	1·6	·880	·956	·939	80·0	89·0	96·0																							0·50	Days	4508·4	1892·8		Sums
Means	29·955	29·951	29·999	79·7	76·1	81·3	77·3	76·7	74·7	86·0	72·2	4·1	3·7	2·0	·831	·869	·861	82·1	81·4	89·2							903·0	6	6	5													0.217	16	150.1	60.8		Means

WEATHER

Number of Days of

Rain	Snow	Hail	Thunder-storm	Clear Sky	Overcast	Fog	Gales
16			4		5		3

WIND

Number of Observations of

Forces 0-1	Calm	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
5	5	13	6	8	7	12	10	13	13

EXTREMES

Highest corrected reading of Barometer	30.170	on 30th at 8.41 a.m.
Lowest " " " "	29·851	on 25th at 8.41 a.m.
Greatest daily rainfall	1.96 inch	on 29th.
Highest temperature in Shade	87.4 °	on 8th and 13th.
Lowest " " "	69·0 °	on 23rd.
Highest " " Sun	168.8 °	on 13th.
Lowest " on Grass	56·0 °	on 27th.

ern, 151 feet.
) inches.
t.
feet.

HOURS OF OBSERVATION { I—8.41 a.m. local time. II—3.0 p.m. " " III—8.41 p.m. " "

W. B. T. JOHNSON, L.-Sgt., R.A.M.C., Observer.
E. W. W. COCHRANE, Major, R.A.M.C., for S. M. O. Bermuda.

Meteorological Observations taken at Prospect, Bermuda, during October, 1910.

Gravity correction + .010 inch.

Date.	ATTACHED THERMOMETER AND BAROMETER AS READ			BAROMETER Corrected and Reduced to 32° at Sea Level.			AIR TEMPERATURE								HUMIDITY.									WIND						CLOUD			WEATHER						RAIN	RADIAT
							Dry	Wet	Dry	Wet	Dry	Wet			Dep. of Wet			Vapour Pressure			Percentage			Direction and Force				Amount			Form			Direction Whence Coming			At time of Observation			During Interval Ending				
	I	II	III	I	II	III	I		II		III		Max.	Min.	I	II	III	I	II	III	I	II	III	I	II	III	Miles in 24 Hours.	I	II	III	I	II	III	I	II	III	I	II	III		
	8.41 a. m.		3.0 p. m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.		3.0 p. m.		8.41 p.m.				8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a. m.	3.0 p. m.	8.41 p. m.	8 a.m. to 8 a. m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a. m.	3.0 p. m.	8.41 p. m.	8.41 a. m.	3.0 p.m.	8.41 p. m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	24 Hours Beginning 8 a.m. Inches.	Estimated Duration. Hours.	Maximum in Sun Black Bulb in Vacuo.
1	30.046	30.030	30.008	30.073	30.052	30.033	80.0	78.0	81.0	77.0	79.0	76.4	83.0	74.4	2.0	4.0	2.6	.916	.849	.858	90.0	80.0	87.0	S	S	S.W	302.0	4	7	10	cumulus	cumulus; nimbus	cumulus; nimbus	S	S	S.W	C.	C.	C.	C.O.P	C	C.O	T.		154.2
2	30.028	30.012	30.090	30.056	30.036	30.119	77.4	75.0	80.0	78.0	74.8	73.0	81.8	71.2	2.2	2.0	1.8	.821	.916	.774	87.0	90.0	90.0	W	1	N.W	1	N.W	1	140.0	9	9	6	cumulus; nimbus	cumulus	cumulus	S.W	W	N.W	O.	O.	C.	O.R.O	O	O.C	0.18	1	141.0
3	30.170	30.104	30.194	30.198	30.223	30.309	78.0	76.0	75.0	73.0	78.0	75.0	81.4	72.4	2.0	2.0	3.0	.886	.774	.810	89.0	89.0	84.0	N	3	E	3	E	3	365.0	8	6	3	" "	"	"	N.E	N.E	N	O.	C.	C.	O	O.C	C			147.0
4	30.344	30.320	30.360	30.381	30.352	30.409	73.0	70.0	76.6	72.0	76.4	75.0	77.2	70.0	5.0	4.6	1.4	.650	.703	.841	74.0	76.6	92.0	N.E	3	E	2	E	1	257.0	7	6	6	cumulus; stratus	cirrus; cumulus	cumulus; stratus	N.E	E	N.E	C.	C.	O.	C	C	C.O			148.6
5	30.350	30.309	30.348	30.389	30.331	30.348	77.0	71.0	77.0	72.0	73.4	69.0	79.0	70.0	6.0	5.0	4.4	.658	.698	.655	71.0	75.0	77.4	N.E	3	E	2	E	1	257.0	7	6	6	" "	" "	" "	N.E	E	E	C.	C.	O.	C	C	C.O			148.6
6	30.308	30.290	30.250	30.346	30.321	30.288	73.0	71.0	76.4	72.6	76.0	73.4	79.0	68.2	4.0	3.8	2.6	.690	.732	.774	79.0	80.4	86.0	N	1	E	1	E	1	165.0	9	3	2	" "	" "	" "	N.E	N.E	E	O.	C.	C.	O	O.C	C.B			158.2
7	30.218	30.164	30.168	30.267	30.197	30.208	76.8	72.6	77.0	71.0	75.0	71.4	80.0	67.6	4.2	3.0	3.6	.741	.658	.706	81.4	71.0	81.0	N.E	1	N	1	N	1	198.0	5	5	4	cumulus	cumulus	cumulus	N.E	N.E	N.E	O.	C.	C.	B.C	C	C			152.4
8	30.118	30.090	30.082	30.159	30.118	30.122	76.0	76.0	79.0	74.0	74.0	69.6	81.2	69.0	6.0	5.0	4.4	.633	.749	.648	71.0	75.0	77.0	N	2	N	1	N	1	208.0	10	6	2	nimbus	"	"	N	N	N.E	O.	C.	C.	B.C	C.O.P	O.C.P	C.B	T.	150.0
9	29.774	29.750	29.796	29.814	29.787	29.842	76.4	71.0	76.0	67.0	72.0	69.6	80.0	73.4	5.4	9.0	2.4	.666	.528	.680	73.4	59.0	87.0	N	1	E	1	S	1	195.0	6	7	4	cumulus	cirrus; cumulus	"	N.E	E	S	O.	C.	C.	C	C	C			155.0
10	29.904	29.950	29.900	30.030	29.983	29.939	77.0	71.0	79.0	74.0	76.0	74.0	78.0	69.0	6.0	5.0	2.0	.658	.749	.801	71.0	75.0	89.0	W	3	N.W	3	N.W	2	429.0	9	2	8	cumulus; nimbus	" "	" "	W	N.W	N.W	O.	B.	C.	C.O	O.R.2	C.B	0.32	2	138.2
11	30.004	30.008	30.050	30.050	30.042	30.098	72.0	63.0	75.0	70.0	71.0	68.0	76.2	67.0	9.0	5.0	3.0	.454	.650	.630	57.0	74.0	83.0	N	3	N.W	1	N.W	2	205.0	8	4	4	cumulus; nimbus	cumulus	"	N	N.W	N.W	O.	C.	C.	C.O	O.C	C			157.2
12	30.060	30.016	30.058	30.099	30.049	30.098	76.0	70.0	77.0	71.4	74.2	69.0	81.0	70.0	6.0	5.6	5.2	.633	.674	.623	71.0	72.6	72.4	W	1	W	2	W	1	197.0	2	3	7	cumulus	"	"	W	W	N.W	B.	C.	C.	C.B	B.C	C			149.0
13	30.112	30.170	30.216	30.148	30.197	30.268	76.0	72.4	80.0	76.0	73.8	71.0	79.2	67.0	3.6	4.0	2.8	.730	.820	.708	81.0	80.0	85.0	N.W	1	W	2	W	3	260.0	7	7	5	"	"	cumulus	N.W	N.W	N	C.	C.	C.	C	C	C	T.		144.8
14	30.268	30.200	30.200	30.301	30.231	30.249	72.4	67.4	73.4	66.4	70.0	66.0	80.0	64.8	5.0	7.0	4.0	.589	.542	.576	74.0	66.0	78.0	N	2	N.E	2	E	1	182.0	5	3	2	"	"	"	N.E	N.E	N.E	C.	B.	C.	C.B	B	C	T.		149.4
15	30.100	30.050	30.090	30.196	30.133	30.090	74.0	68.6	78.0	75.0	74.0	73.0	78.8	66.0	5.4	3.0	1.0	.610	.810	.793	72.4	84.0	94.0	E	1	E	1	E	1	223.0	5	5	7	cirrus; cumulus	"	"	N.E	N.E	E	C.	C.	C.	C	C	C	T.		152.8
16	30.100	30.100	30.100	30.159	30.133	30.090	74.0	74.0	78.0	75.0	74.0	73.0	78.8	66.0	5.4	3.0	1.0	.610	.810	.793	72.4	84.0	94.0	E	1	E	1	E	1	223.0	5	5	7	"	"	"	N.E	N.E	E	C.	C.	C.	C	C	C	T.		152.8
17	30.044	30.100	30.084	30.150	30.127	30.157	72.0	69.0	74.6	71.4	72.0	69.4	77.0	68.0	3.0	3.2	2.6	.655	.772	.671	84.0	83.6	86.0	E	3	E	2	E	2	268.0	10	9	9	cumulus; stratus	cumulus; stratus	cumulus; stratus	E	E	E	O.	C.	C.	O.C.B	B.C	C			144.6
18	29.994	30.050	30.050	30.040	30.044	30.100	73.4	72.0	71.0	71.0	70.4	69.0	77.0	68.0	1.4	0.0	1.4	.759	.759	.683	92.0	100.0	92.6	N	1	N.E	2	N.E	1	221.0	10	10	10	cumulus; nimbus	nimbus	nimbus	N	N	N.E	O.	R.	O.	O.R	O	O	0.08	1	117.8
19	30.000	30.050	30.090	30.150	30.127	30.157	72.0	69.0	74.6	71.4	72.0	69.4	77.0	68.0	3.0	3.2	2.6	.655	.772	.671	84.0	83.6	86.0	E	3	E	2	E	2	268.0	10	9	9	cumulus; stratus	cumulus; stratus	cumulus; stratus	E	E	E	O.	C.	C.	O.F	O	O	T.		146.2
20	30.076	30.000	29.958	30.124	30.039	30.003	74.8	68.0	75.0	70.0	73.0	70.0	77.0	68.0	6.8	5.0	3.0	.577	.650	.680	66.8	74.0	84.0	S.E	3	S.E	3	E	4	484.0	2	7	7	cumulus	cumulus	cumulus	S.E	S.E	E	O.	C.	C.	O.C.B	B.C	C			144.6
21	29.764	29.680	29.700	29.806	29.716	29.747	75.0	72.0	78.0	76.0	72.0	70.0	78.2	72.0	3.0	2.0	2.0	.731	.837	.696	84.0	89.0	89.0	S.E	5	S.W	3	W	2	402.0	9	8	8	nimbus	nimbus	nimbus	S.E	S.W	N.W	O.	C.	C.	O	O.R	O	0.04	½	136.2
22	29.780	29.750	29.770	29.823	29.784	29.817	74.0	72.0	75.8	74.0	70.0	67.6	76.4	66.6	2.0	1.8	2.4	.748	.805	.636	89.0	90.0	86.0	N.W	2	N.W	2	N.W	1	208.0	4	4	4	cumulus	cumulus	cumulus	N.W	N.W	N.W	O.	C.	C.	O.C.R.C	C.P	C.P	0.06	¼	147.4
23	29.810	29.800	29.870	29.853	29.837	29.920	74.0	70.0	77.0	71.0	70.0	66.0	77.4	67.4	4.0	6.0	4.0	.664	.658	.576	79.0	77.0	78.0	N.W	1	N.W	3	N.W	3	316.0	8	3	3	cumulus; stratus	"	"	N.W	W	N.W	O.	C.	C.	C.O.P	O.C	C	0.02	2	141.0
24	29.858	29.960	29.984	30.004	30.000	30.033	72.6	67.0	74.0	68.0	67.0	63.0	76.0	67.4	5.6	6.0	4.0	.573	.588	.515	71.6	70.0	78.0	N.W	2	N	2	N	1	137.0	3	3	1	cumulus	"	"	N.W	N.W	N	C.	C.	C.	C.B	C	C.B	T.		141.4
25	29.966	29.850	29.885	30.017	29.899	29.908	73.0	69.0	72.4	67.0	71.0	68.0	76.0	64.2	4.0	5.4	3.0	.641	.576	.633	79.0	72.4	85.0	CALM.				S	1	263.0	7	8	3	cirrus; cumulus	cirrus; cumulus	cirrus; cumulus	N.W	S	S	O.	C.	C.	C	C.O	O.C		2	138.4
26	29.718	29.730	29.740	29.761	29.774	29.925	69.0	68.0	74.8	74.0	69.0	65.0	77.2	67.0	1.0	0.8	6.0	.665	.824	.486	94.0	95.2	68.0	W	1	N.W	2	N.W	3	376.0	9	4	2	cumulus; nimbus	cumulus	cumulus	S.W	N.W	N	O.	C.	C.	C.O.R	O.C	C.B	0.28	2	148.4
27	30.138	30.124	30.100	30.201	30.093	30.147	74.0	69.0	73.6	79.0	72.8	68.6	76.8	64.0	5.0	4.6	4.2	.625	.630	.635	74.0	76.6	78.8	S	3	S	4	S	3	436.0	3	8	4	cumulus	cumulus	cumulus	S.W	S	S	O.	C.	O.	B.C	C.O	O.C			143.0
28	30.152	30.050	30.000	30.073	30.039	30.067	74.0	69.0	74.6	76.0	74.8	74.0	78.8	70.2	1.0	2.0	0.8	.820	.801	.824	94.0	89.0	95.2	S	4	S	3	S	3	372.0	8	5	7	cumulus; nimbus	cumulus	cumulus	S	S	S	O.	C.	B.	C.O	O.C	C.B			139.0
29	30.034	30.020	30.004	30.077	30.057	30.044	75.0	74.0	76.0	74.0	74.8	74.0	78.8	70.2	1.0	2.0	2.0	.690	.644	.625	97.6	94.6	88.0	N	3	N	3	N.W	4	537.0	9	10	10	nimbus	nimbus	nimbus	N.E	N	N	R.	O.	R.	B.C.O.R	O.R	O.R	0.64	4	116.0
30	29.988	29.950	30.000	30.035	30.005	30.059	75.0	74.0	76.0	74.8	74.0	70.0	78.8	66.2	0.4	1.0	2.0	.622	.585	.569	94.0	88.0	83.0	N	5	N	5	S	4	640.0	10	10	4	"	"	cumulus	N	N	N	R.	O.	C.	O.R	O.R	O.C	0.14	2	116.4
31	30.000	29.990	30.004	30.059	30.046	30.059	67.0	66.0	67.0	65.0	68.0	65.6	69.2	64.8	1.0	2.0	3.0																															
Sums	2326.0	931.176	2365.0	930.160	2311.0	930.874	932.501	931.318	932.255	2296.4	2178.6	2339.4	2230.8	2245.2	2156.6	2409.2	2111.0	117.6	118.6	88.620	051	22.173	21.217	2499.2	2500.8	2628.4	68.0		71.0	63.0	943.0	218	186	165									4.92		4417.2
Means	75.0	30.038	77.0	30.005	75.0	30.038	30.066	30.042	30.073	74.1	70.3	76.0	72.0	72.4	69.6	77.7	68.1	3.8	3.8	2.6	.647	.715	.684	80.6	80.7	84.8	2		2	2	294.0	7	6	5									0.16		142.5

Height above mean sea level of barometer cistern, 181 feet.

Height above ground of thermometers, 3 feet 9 inches.

Height above ground of rim of rain gauge, 2 feet.

Height above mean sea level of rain gauge, 150 feet.

WEATHER

Number of Days of

Rain	Snow	Hail	Thunder-storm	Clear Sky	Overcast	Fog	Gales
11			9	1	7		

HOURS OF OBSERVATION { I—8.41 a. m. local time; II—3.0 p.m. " "; III—8.41 p.m. " "

WIND

Number of Observations of

Forces 4-7	Calm	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
7	9	95	6	16	5	13	2	7	15

EXTREMES

Highest corrected reading of Barometer	30.400	on 4th at 8.41 p.m.
Lowest " " " "	29.716	on 21st at 3 p.m.
Greatest daily rainfall	2.60 inch	on 16th.
Highest temperature in Shade	88.0 °	on 1st.
Lowest " " "	63.8 °	on 27th.
Highest " " Sun	167.2 °	on 11th.
Lowest " on Grass	44.0 °	on 26th.

W. B. J. J.

E. W. W. COCHRAN

Meteorological Observations taken at Prospect, Bermuda, during October, 1910.

(+ Nov.)

Latitude 32° 19' 40" North.
Longitude 64° 47' 0" West.

010 inch.

TER AND EAD	BAROMETER Corrected and Reduced to 32° at Sea Level.			AIR TEMPERATURE								HUMIDITY.									WIND						CLOUD						WEATHER						RAIN	RADIATION			
				Dry	Wet	Dry	Wet	Dry	Wet			Dep. of Wet			Vapour Pressure			Percentage			Direction and Force			Amount			Form			Direction Whence Coming			At time of Observation			During Interval Ending			24 Hours Beginning 9 a.m.	Bright Sunshine. Number of Hours.	Maximum in Sun Black Bulb in Vacuo.	Minimum on Grass.	REMARKS	Days.
III	I	II	III	I		II		III		Max.	Min.	I	II	III	I	II	III	I	II	III	I	II	III	Miles in 24 Hours.	I	II	III	I	II	III	I	II	III	I	II	III	I	II	III					
8.41 p. m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.		3.0 p. m.		8.41 p. m.		✓	✓	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a. m.	3.0 p. m.	8.41 p. m.	8 a.m. to 8 a. m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a. m.	3.0 p.m.	8.41 p. m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a. m.	3.0 p. m.	8.41 p. m.					
81.0	30.008	30.073	30.052	30.033	80.0	78.0	81.0	77.0	79.0	76.4	83.0	74.4	2.0	4.0	2.6	.916	.849	.858	90.0	80.0	87.0	S	3	S	3	S.W	3	302.0	4	7	10	cumulus	cumulus; nimbus	cumulus; nimbus	S	S	S.W	C.	C.	O.	C.O.P	C	C.O	T.		154.2	64.0	Cloudy day.	1
80.0	30.090	30.056	30.036	30.119	77.4	75.0	80.0	78.0	74.8	73.0	81.8	71.2	2.2	2.0	1.8	.821	.916	.774	87.0	90.0	90.0	W	1	N.W	1	N.W	1	149.0	9	9	6	cumulus; nimbus	cumulus	cumulus	S.W	W	N.W	O.	C.	C.	Q.R.O	O	O.C	0.18	1	141.0	61.0	Dull day. Heavy rain 4 a.m.	2
76.0	30.276	30.198	30.223	30.309	78.0	76.0	75.0	73.0	78.0	75.0	81.4	72.4	2.0	2.0	3.0	.887	.774	.810	89.0	89.0	84.0	N	3	E	3	E	3	365.0	8	6	5	" "	"	"	N.E	N.E	N	O.	C.	C.	O	O.C	C			148.0	58.4	Dull day, cool day.	3
76.0	30.360	30.381	30.352	30.409	75.0	70.0	76.6	72.0	76.4	75.0	77.2	70.0	5.0	4.6	1.4	.650	.703	.841	74.0	76.6	92.0	N	3	E	3	E	3	365.0	8	6	3	cumulus; stratus	cirrus; cumulus	cumulus; stratus	N.E	E	E	O.	C.	C.	C.O	O.C	C			147.0	58.4	Dull a. m.; fine p. m.	4
76.0	30.308	30.389	30.331	30.348	77.0	71.0	77.0	72.0	73.4	69.0	79.0	70.0	6.0	5.0	4.4	.658	.698	.635	71.0	75.0	77.4	N.E	3	E	2	E	1	257.0	7	6	8	" "	" "	cumulus; stratus	N.E	E	E	O.	C.	C.	C	C	C.O			148.4	57.0	Fine day.	5
76.0	30.250	30.308	30.321	30.288	75.0	71.0	76.4	72.6	76.0	73.4	79.0	68.2	4.0	3.8	2.6	.690	.732	.774	79.0	80.4	86.0	N	1	E	2	E	1	165.0	9	3	2	" "	" "	" "	N.E	N.E	E	O.	C.	C.	B.C	O	O.C	C.B		158.2	53.0	Fine day.	6
76.0	30.346	30.267	30.197	30.208	75.0	71.0	76.4	72.6	76.0	73.4	79.0	68.2	4.0	3.8	2.6	.690	.732	.774	79.0	80.4	86.0	N	1	E	2	E	1	165.0	9	3	2	" "	" "	" "	N.E	N.E	E	O.	C.	C.	B.C	O	O.C	C.B		158.2	53.0	Fine day.	7
76.0	30.250	30.346	30.321	30.288	75.0	71.0	76.4	72.6	76.0	73.4	79.0	68.2	4.0	3.8	2.6	.690	.732	.774	79.0	80.4	86.0	N.E	1	N	1	N	1	198.0	5	5	4	cumulus	cumulus	cumulus	N.E	N.E	N.E	O.	C.	C.	B.C	C	C			152.4	53.8	Fine day.	7
76.0	30.168	30.267	30.197	30.208	76.8	72.6	77.0	71.0	75.0	71.4	80.0	67.6	4.2	6.0	3.6	.741	.653	.706	81.4	71.0	81.0	N	2	N	2	N	1	208.0	10	6	2	nimbus	"	"	N	N	N.E	O.	C.	C.	B.	C.O.P	O.C.P	C.B	T.	150.0	53.0	Fine day.	8
76.0	30.082	30.159	30.118	30.122	76.0	70.0	79.0	74.0	74.0	69.6	81.2	69.0	6.0	5.0	4.4	.633	.749	.648	71.0	75.0	77.0	N	1	E	1	S	1	195.0	6	7	4	cumulus	cirrus; cumulus	"	N.E	E	S	C.	C.	C.	C	C	C			155.0	54.0	Fine day.	9
74.0	29.796	29.814	29.787	29.842	76.4	71.0	76.0	67.0	72.0	69.6	80.0	73.4	5.4	9.0	2.4	.666	.528	.680	73.4	59.0	87.0	W	3	N.W	3	N.W	2	429.0	9	2	8	cumulus; nimbus	"	"	W	N.W	N.W	O.	B.	C.	C.O	O.R.2 C.B	B.C	0.32	2	138.2	54.6	Dull a. m.; fine p. m.	10
76.0	29.900	30.030	29.983	29.939	77.0	71.0	79.0	74.0	76.0	74.0	78.0	69.0	6.0	5.0	2.0	.658	.749	.801	71.0	75.0	89.0	W	3	N.W	1	N.W	2	205.0	8	4	4	cumulus; nimbus	cumulus	"	N	N.W	N.W	O.	C.	C.	C.O	O.C	C			157.2	54.0	Fine day.	11
74.0	30.050	30.050	30.042	30.096	72.0	63.0	75.0	70.0	71.0	68.0	76.2	67.0	9.0	5.0	3.0	.454	.650	.630	57.0	74.0	83.0	N	3	N.W	1	N.W	2	197.0	2	3	7	cumulus	"	"	N	W	N.W	O.	C.	C.	C.B	B.C	C			149.0	49.4	Fine hazy day.	12
76.0	30.058	30.099	30.049	30.098	76.0	70.0	77.0	71.4	74.2	69.0	81.0	70.0	6.0	5.6	5.2	.633	.674	.623	71.0	72.6	72.4	W	1	W	2	W	1	197.0	2	3	7	cumulus	"	cumulus; nimbus	N.W	W	N.W	B.	C.	C.	C	C	C	T.		144.8	53.0	Fine cloudy day.	13
75.0	30.216	30.148	30.197	30.268	76.0	72.4	80.0	76.0	73.8	71.0	79.2	67.0	3.6	4.0	2.8	.730	.820	.708	81.0	80.0	85.0	N.W	1	W	2	W	3	260.0	7	7	5	"	"	cumulus	N.W	N.W	N	C.	C.	C.	C	C	C	T.		149.4	50.0	Fine day. Cold night.	14
73.0	30.200	30.301	30.231	30.249	72.4	67.4	73.4	66.4	70.0	66.0	80.0	64.8	5.0	7.0	4.0	.589	.542	.576	74.0	66.0	78.0	N	2	N.E	2	E	1	182.0	5	3	2	"	"	"	N.E	N.E	N.E	C.	B.	C.	C	C	C	T.		152.8	48.6	Fine day.	15
74.0	30.050	30.196	30.153	30.096	74.0	68.6	78.0	75.0	74.0	73.0	78.8	66.0	5.4	3.0	1.0	.610	.810	.793	72.4	64.0	91.0	E	1	E	1	E	1	223.0	5	5	7	cirrus; cumulus	"	"	N.E	N.E	E	C.	C.	C.	C	C	C			152.8	48.6	Fine day.	15
74.0	30.050	30.196	30.153	30.096	74.0	68.6	78.0	75.0	74.0	73.0	78.8	66.0	5.4	3.0	1.0	.610	.810	.793	72.4	64.0	91.0	E	1	E	1	E	1	223.0	5	5	7	"	"	"	N.E	N.E	E	C.	C.	C.	C	C	C			152.8	48.6	Fine day.	15
78.0	29.730	29.904	29.879	29.783	72.0	71.0	73.0	73.0	71.0	71.0	74.0	65.2	1.0	0.0	0.0	.739	.812	.759	94.0	100.0	100.0	S.E	2	S.E	3	S	4	325.0	10	10	10	"	nimbus	nimbus	S.E	S.E	S	O.	R.	R.	C.O.R	O.R2	O.R2	2.60	6	113.4	57.0	Wet day.	16
78.0	29.730	29.904	29.879	29.783	72.0	71.0	73.0	73.0	71.0	71.0	74.0	65.2	1.0	0.0	0.0	.739	.812	.759	94.0	100.0	100.0	S.E	2	S.E	3	S	4	325.0	10	10	10	"	nimbus	nimbus	S.E	S.E	S	O.	R.	R.	C.O.R	O.R2	O.R2	2.60	6	113.4	57.0	Wet day.	16
78.0	29.730	29.904	29.879	29.783	73.0	71.0	76.4	73.0	71.0	67.6	77.8	66.0	2.0	3.4	3.4	.722	.749	.618	89.0	82.0	81.0	N	3	N	3	N	1	165.0	9	9	9	cumulus; stratus	cumulus; stratus	cumulus; stratus	N	N	N	O.	O.	O.	O.R	O	O	0.56	6	139.0	58.0	Dull day.	17
72.0	29.900	29.854	29.799	29.933	73.0	71.0	74.0	71.0	70.4	69.0	77.0	68.2	1.4	0.0	1.4	.759	.759	.683	92.0	100.0	92.6	N	1	N.E	2	N.E	1	221.0	10	10	10	cumulus; nimbus	nimbus	nimbus	N	N	N.E	O.	O.	O.	O.R	O	O	0.08	1	117.8	57.4	Dull day.	18
73.0	30.050	30.040	30.044	30.100	73.4	72.0	71.0	71.0	70.4	69.0	77.0	68.0	3.0	3.2	2.6	.655	.772	.671	84.0	83.0	86.0	E	3	E	2	E	2	268.0	10	9	9	cumulus; stratus	cumulus; stratus	cumulus; stratus	E	E	E	O.	O.	O.	O.P	O	O	T.		146.2	56.8	Dull day.	19
74.0	30.090	30.150	30.127	30.137	72.0	69.0	74.6	71.4	72.0	69.4	77.0	68.0	6.8	5.0	3.0	.577	.650	.680	66.8	74.0	84.0	S.E	3	S.E	3	E	4	484.0	2	7	7	cumulus	cumulus	cumulus	S.E	S.E	E	B.	C.	C.	O.C.B	B.C	C			144.6	53.2	Fine day.	20
74.0	29.958	30.124	30.039	30.001	74.8	68.0	75.0	70.0	73.0	70.0	77.8	72.0	3.0	2.0	2.0	.731	.857	.696	84.0	89.0	89.0	S.E	5	S.W	3	W	2	402.0	9	8	8	nimbus	nimbus	nimbus	S.E	S.W	N.W	O.	C.	O.	C.O	O.R	O	0.04	½	136.2	59.4	Stormy day.	21
74.0	29.700	29.806	29.716	29.747	75.0	72.0	78.0	76.0	72.0	70.0	78.2	68.6	3.0	2.0	2.0	.731	.857	.696	84.0	89.0	89.0	S.W	2	N.W	2	N.W	1	208.0	4	4	4	cumulus	cumulus	cumulus	N.W	N.W	N.W	O.	C.	C.	O.C.R.C	C.P	C.P	0.06	¾	147.4	59.0	Fine day; local showers.	22
74.0	29.770	29.823	29.784	29.817	74.0	72.0	75.8	74.0	70.0	67.6	76.4	68.6	2.0	1.8	2.4	.748	.805	.636	89.0	90.0	86.0	S.W	2	N.W	1	N.W	1	208.0	4	4	4	cumulus	cumulus	cumulus	N.W	N.W	N.W	O.	C.	C.	C.O.P	O.C	C	0.02	2	141.0	55.0	Fine day.	23
73.0	29.870	29.953	29.837	29.920	74.0	70.0	77.0	71.0	70.0	66.0	77.4	67.4	4.0	6.0	4.0	.664	.658	.576	79.0	77.0	78.0	N.W	1	N.W	3	N.W	3	316.0	8	3	5	cumulus; stratus	"	"	N.W	W	N.W	O.	C.	C.	C.O.P	O.C	C	0.02	2	141.0	55.0	Fine day.	23
73.0	29.870	29.953	29.837	29.920	74.0	70.0	77.0	71.0	70.0	66.0	77.4	67.4	4.0	6.0	4.0	.664	.658	.576	79.0	77.0	78.0	N.W	1	N.W	3	N.W	3	316.0	8	3	5	"	"	"	N.W	W	N.W	O.	C.	C.	C.O.P	O.C	C			141.0	55.0	Fine day.	23
73.0	29.984	30.004	30.000	30.033	72.6	67.0	74.0	68.0	67.0	63.0	76.0	67.4	5.6	6.0	4.0	.573	.588	.515	71.6	70.0	78.0	N.W	2	N	2	N	1	137.0	3	3	1	cumulus	"	"	N.W	N.W	N	C.	C.	C.	C	C	C.B	T.		141.4	64.0	Fine day; cold night.	24
73.0	29.984	30.004	30.000	30.033	72.6	67.0	74.0	68.0	67.0	63.0	76.0	67.4	5.6	6.0	4.0	.573	.588	.515	71.6	70.0	78.0	N.W	2	N	2	N	1	137.0	3	3	1	"	"	"	N.W	N.W	N	C.	C.	C.	C	C	C.B			141.4	64.0	Fine day; cold night.	24
72.0	29.856	30.017	29.899	29.908	73.0	69.0	72.4	67.0	71.0	68.0	76.0	64.2	4.0	5.4	3.0	.641	.576	.653	79.0	72.4	83.0	CALM.		S	1	S	1	263.0	7	8	3	cirrus; cumulus	cirrus; cumulus	"	N.W	S	S	C.	C.	C.	C	C.O	O.C		2	138.4	44.0	Fine day.	25
74.0	29.856	30.017	29.899	29.908	73.0	69.0	72.4	67.0	71.0	68.0	76.0	64.2	4.0	5.4	3.0	.641	.576	.653	79.0	72.4	83.0	W	1	N.W	2	N.W	3	376.0	9	4	2	cumulus; nimbus	cumulus	cumulus	S.W	N.W	N	O.	C.	R.	C.O.R	O.C	C.B	0.28	2	148.4	55.0	Dull a. m.; fine p. m.	26
74.0	29.888	29.767	29.774	29.935	69.0	68.0	74.8	74.0	69.0	65.0	77.2	67.0	1.0	0.8	6.0	.665	.824	.486	94.0	95.2	68.0	W	1	CALM.		E	1	236.0	3	1	0	"	"	"	N	N	..	O.	C.	B.	B.C	C.B	B			143.4	51.0	Fine day.	27
72.0	30.188	30.190	30.167	30.211	69.6	65.0	72.4	68.0	66.6	64.0	74.6	63.8	4.4	4.4	2.6	.544	.611	.554	75.0	77.4	85.0	N.W	2	CALM.		E	1	336.0	3	3	4	"	"	"	S	S	S	C.	C.	B.	B.C	C.O	O.C			143.0	49.0	Fine windy day.	28
74.0	30.100	30.201	30.093	30.147	74.0	69.0	73.6	79.0	72.8	68.6	76.8	64.0	5.0	4.6	4.2	.625	.630	.635	74.0	76.6	78.8	S	3	S	3	S	3	436.0	3	8	4	"	cumulus; stratus	cumulus	S.W	S	S	C.	C.	B.	C.O	O.C	C.B			139.0	59.0	Fine day.	29
76.0	30.004	30.077	30.057	30.044	75.0	74.0	76.0	74.0	74.8	74.0	78.8	70.2	1.0	2.0	0.8	.820	.801	.824	94.0	89.0	95.2	S	4	S	4	S	3	372.0	8	5	2	cumulus; nimbus	cumulus	"	S	S	S	O.	C.	B.	C.O	O.C	C.B	0.64	4	116.0	59.0	Dull windy day.	30
71.0	30.033	30.035	30.008	30.055	69.0	68.6	68.0	67.0	69.0	67.0	70.0	66.2	0.4	1.0	2.0	.690	.644	.625	97.6	94.6	88.0	N	3	N	3	N.W	4	537.0	9	10	10	nimbus	nimbus	nimbus	N.E	N	N	R.	O.	R.	B.C.O.R	O.R	O.R	0.04	2	116.4	54.0	Dull windy day.	31
71.0	30.004	30.059	30.046	30.059	67.0	66.0	67.0	65.0	68.0	65.0	69.2	64.8	1.6	2.0	3.0	.622	.585	.569	94.0	88.0	83.0	N	5	N	5	N	4	640.0	10	10	4	"	"	cumulus	N	N	N	R.	O.	C.	O.R	O.R	O.C	0.14	2	116.4	54.0	Dull windy day.	31
2311.0	930.874	932.501	931.318	932.258	2296.4	2178.0	2339.4	2230.8	2285.2	2156.6	2489.2	2111.0	117.6	118.6	88.620	.051	22.173	21.217	2499.2	2500.8	2628.4		68.0		71.0		63.0	945.0	218	186	165														4.92		4417.2	3713.0		Sums
75.0	30.038	30.066	30.042	30.073	74.1	70.3	76.0	72.0	72.4	69.6	77.7	68.1	3.8	3.8	2.6	.647	.715	.684	80.6	80.7	84.8		2		2		2	294.0	7	6	5														0.16		142.5	58.3		Means

of barometer cistern, 151 feet.
n.ometers, 3 feet 9 inches.
of rain gauge, 2 feet.
of rain gauge, 150 feet.

WEATHER

Number of Days of

Rain	Snow	Hail	Thunder-storm	Clear Sky	Overcast	Fog	Gales	
11			2	1	7			

HOURS OF OBSERVATION { I—8.41 a. m. local time; II—3.0 p.m. " "; III—8.41 p.m. " "

WIND

Number of Observations of

Forces 4-7	Calm	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
7	2	25	6	18	5	12	9	7	18

EXTREMES

Highest corrected reading of Barometer	30.400 on 4th at 8.41 p.m.
Lowest " " " "	29.716 on 21st at 3 p.m.
Greatest daily rainfall	2.60 inch on 16th.
Highest temperature in Shade	83.0 ° on 1st.
Lowest " " "	63.8 ° on 27th.
Highest " " Sun	137.2 ° on 11th.
Lowest " on Grass	44.0 ° on 26th.

W. B. F. JOHNSON, L.-Sur., R.A.M.C., Observer.
E. W. W. COCHRANE, Major, R.A.M.C., for S. M. O. Bermuda.

Meteorological Observations taken at Prospect, Bermuda, during November, 1910.

Gravity correction + .010 inch.

Date.	ATTACHED THERMOMETER AND BAROMETER AS READ I 8.41 a. m.	II 3.0 p. m.	III 8.41 p. m.	BAROMETER Corrected and Reduced to 32° at Sea Level. I 8.41 a.m.	II 3.0 p.m.	III 8.41 p.m.	AIR TEMPERATURE Dry I 8.41 a.m.	Wet I 8.41 a.m.	Dry II 3.0 p.m.	Wet II 3.0 p.m.	Dry III 8.41 p.m.	Wet III 8.41 p.m.	Max.	Min.	HUMIDITY. Dep. of Wet I 8.41 a-m.	II 3.0 p.m.	III 8.41 p.m.	Vapour Pressure I 8.41 a.m.	II 3.0 p.m.	III 8.41 p.m.	Percentage I 8.41 a.m.	II 3.0 p.m.	III 8.41 p.m.	WIND Direction and Force I 8.41 a. m.	II 3.0 p. m.	III 8.41 p. m.	Miles in 24 Hours. 8 a. m. to 8 a. m.	CLOUD Amount I 8.41 a.m.	II 3.0 p.m.	III 8.41 p.m.	Form I 8.41 a. m.	II 3.0 p. m.	III 8.41 p. m.	Direction Whence Coming I 8.41 a. m.	II 3.0 p.m.	III 8.41 p. m.	WEATHER At time of Observation I 8.41 a.m.	II 3.0 p. m.	III 8.41 p.m.	During Interval Ending I 8.41 a. m.	II 3.0 p. m.	III 8.41 p.m.	RAIN 24 Hours Beginning 9 a.m. Inches.	Estimated Duration. Hours.	RADIATION Maximum in Sun Black Bulb in Vacuo.	Minimum on Grass.
1	70.0	29.992	70.0	29.990	70.0	30.002	30.050	30.048	30.061	68.0	66.0	69.0	66.4	67.4	66.0	70.0	63.0	2.0	3.4	1.4	.606	.602	.616	88.0	85.0	91.6	N	6	N	6	N	5	367.0	10	10	4	nimbus	nimbus	cumulus	N	N	N	R.	O.	C.	O.R	O.R	O.R.C.	0.14	2	106.8	54.0
2	70.0	29.984	74.0	29.916	72.0	29.864	29.991	29.963	29.936	69.0	66.4	71.6	69.0	69.6	66.4	74.0	65.4	4.0	2.6	3.2	.617	.662	.594	79.0	85.0	82.0	N.E	2	N	2	N	2	260.0	8	8	6	cumulus	cumulus; nimbus	"	N	N	N	O.	O.	C.	C.P.C	O.C.O	O.C	T.		138.2	53.4
3	70.0	29.874	72.0	29.868	71.0	29.862	29.935	29.923	29.920	68.0	66.0	71.0	68.0	69.6	67.4	72.2	66.0	3.4	3.0	2.2	.562	.633	.632	81.0	83.0	87.4	N.E	1	E	1	S.E	1	269.0	8	8	8	cumulus; stratus	cumulus; stratus	cumulus; nimbus	E	E	E	O.	O.	C.	O.C.P	C.O.C	O.C.RC			114.8	54.6
4	72.0	29.790	74.0	29.850	70.0	29.962	29.837	29.897	30.023	71.4	69.0	72.0	70.0	66.0	65.0	75.2	65.4	2.4	2.0	1.0	.665	.696	.601	86.0	89.0	94.0	S	3	S	3	W	1	248.0	6	8	6	cumulus; stratus	cumulus	cumulus; nimbus	S	S.W	S.W	C.	C.	C.	C.O.R.C	C.O.C	C.O	0.08	½	147.2	53.8
5	73.0	29.912	73.0	29.980	70.0	29.940	29.970	29.930	30.019	70.0	66.0	72.0	65.0	66.6	64.0	73.0	67.0	4.0	2.0	2.6	.576	.514	.564	78.0	65.0	88.0	S.W	1	S.W	2	S	2	209.0	7	7	8	"	"	"	W	S.W	S.W	C.	C.	C.	C	C	C	0.14	1	140.6	48.0
6	73.0	29.964	73.0	29.910	71.0	29.870	29.999	29.959	29.925	69.0	66.0	72.0	68.0	70.0	68.0	74.0	62.4	3.0	4.0	2.0	.587	.617	.651	83.0	79.0	88.0	CALM.		S.W	2	S.W	2	240.0	6	6	7	"	"	"	S.W	S.W	S.W	C.	C.	C.	C	C	C			127.0	54.0
7	71.0	29.780	71.0	29.700	70.0	29.758	29.825	29.756	29.815	71.0	67.6	69.2	67.0	69.0	66.0	73.8	62.6	3.4	2.2	3.0	.624	.623	.587	80.0	87.0	83.0	S.W	4	S.W	3	N.W	2	240.0	10	10	7	cumulus; nimbus	cumulus; nimbus	cumulus; nimbus	N.W	N.W	N.W	C.	C.	C.	C	C	C			138.0	46.0
8	68.0	29.952	71.0	29.920	69.0	29.924	30.017	29.973	29.986	66.0	63.0	70.0	66.0	65.0	62.0	72.4	62.0	3.0	4.0	3.0	.529	.578	.510	77.0	88.0	83.0	N.W	1	N.W	1	N.W	1	179.0	3	8	5	"	cumulus; stratus	"	N.W	N.W	N.W	C.	C.	C.	C	C	C			137.4	45.0
9	70.0	29.990	72.0	29.980	70.0	30.020	30.049	30.037	30.080	69.2	65.0	68.0	66.0	66.0	63.4	72.8	61.0	4.2	2.0	2.6	.548	.605	.543	77.0	88.0	83.0	N.W	1	N.W	1	N.W	1	256.0	3	7	10	cumulus; stratus	"	"	cumulus; nimbus	N.W	S.W	S	C.	C.	C.	C	C	C			137.0	48.0
10	70.0	30.124	72.0	30.090	69.0	30.042	30.183	30.142	30.103	69.0	65.0	72.0	68.0	69.6	66.0	72.2	60.4	4.0	4.0	3.6	.551	.617	.579	78.0	79.0	80.0	N.W	1	S	1	S	1	484.0	10	10	1	cumulus; nimbus	cumulus; nimbus	cumulus	S	S	S	O.	O.	C.	C.O.R	C	O	0.04	½	112.4	52.0
11	71.0	29.910	73.0	29.800	72.0	29.768	29.963	29.849	29.820	72.0	70.0	72.6	70.0	70.8	68.0	73.4	69.0	2.0	2.6	2.8	.696	.686	.637	89.0	86.0	84.0	S	4	S	4	S	4	484.0	10	10	1	cumulus; nimbus	cumulus; nimbus	cumulus	S	S	S	C.	C.	C.	C.O.R	B.C.O.R	C.O.P.C	0.52	3	136.0	56.0
12	72.0	29.712	73.0	29.640	70.0	29.650	29.763	29.694	29.712	68.0	67.4	71.8	69.0	64.0	64.0	74.0	65.0	0.6	2.8	0.0	.660	.638	.596	96.0	84.0	100.0	W	2	W	2	N.W	3	363.0	7	3	8	cirrus; cumulus	cumulus	cumulus; nimbus	W	N.W	W	C.	C.	C.	O.R.O	O.R.O	O.R.O	0.20	2	137.4	46.4
13	68.0	29.712	72.0	29.640	70.0	29.650	29.749	29.694	29.712	64.0	59.6	65.0	63.6	60.0	58.4	67.2	61.0	4.8	1.0	1.6	.449	.566	.466	75.0	91.6	90.4	W	3	W	3	W	3	382.0	8	9	8	cumulus; nimbus	cumulus; nimbus	"	W	W	W	C.	C.	C.	O.R.O	O	O	0.04	1	138.0	46.0
14	68.0	29.682	69.0	29.700	68.0	29.750	29.749	29.772	29.821	64.0	59.6	65.0	63.6	60.0	58.4	67.2	61.0	4.8	1.0	1.6	.449	.566	.466	75.0	91.6	90.4	W	3	W	3	W	3	382.0	8	9	8	"	"	"	W	W	N.W	C.	C.	C.	O.R	C.O.R.O	O.C.R	T.		135.0	49.2
15	69.0	29.794	69.0	29.800	67.0	29.842	29.864	29.861	29.910	65.2	60.0	68.6	63.0	66.4	61.4	69.6	57.0	5.2	5.6	5.0	.445	.492	.472	72.0	70.0	73.4	W	3	W	3	W	2	370.0	8	8	7	"	"	"	S.W	S.W	N.W	C.	C.	C.	C.O.R	C.O.P	C.P	T.		134.0	49.0
16	69.0	29.766	72.0	29.700	69.0	29.726	29.826	29.752	29.788	70.0	66.0	71.0	68.0	66.4	63.0	73.0	63.0	4.0	3.0	3.4	.576	.633	.523	78.0	83.0	81.0	S.W	5	W	6	W	3	429.0	6	7	6	cumulus	cumulus	"	W	W	N.W	C.	C.	C.	C.O.P	C.O.P	C.P	0.02	½	134.4	47.0
17	69.0	29.766	72.0	29.700	69.0	29.794	29.828	29.811	29.862	66.2	60.4	67.0	61.0	64.0	58.6	68.2	62.4	5.8	6.0	5.4	.446	.453	.420	70.0	68.0	70.0	W	4	W	5	W	4	463.0	3	5	6	"	"	"	W	W	W	C.	C.	C.	C.P	C.P	C.P.C	T.		133.4	47.0
18	68.0	29.764	69.0	29.750	67.0	29.794	29.828	29.811	29.862	65.0	59.4	66.0	60.0	65.0	60.4	68.0	58.8	5.6	6.0	4.6	.432	.434	.459	70.0	68.0	75.0	W	3	W	4	W	3	370.0	7	7	6	"	"	"	W	W	W	C.	C.	C.	C.P	C	C	T.		137.0	47.0
19	68.0	29.830	66.0	29.790	66.0	29.834	29.900	29.860	29.904	65.0	62.0	69.0	63.0	65.2	63.0	70.2	59.0	5.0	6.0	2.2	.483	.486	.541	75.0	68.0	86.8	W	3	W	3	W	1	231.0	4	7	6	cumulus; stratus	"	"	W	W	W	C.	C.	C.	C.P	C	C	T.		135.2	47.0
20	67.0	29.940	69.0	29.910	65.0	29.978	30.037	29.971	30.051	70.2	66.0	72.0	70.0	69.6	65.0	73.6	62.6	2.2	2.0	4.6	.647	.696	.543	87.0	89.0	75.0	W	3	S.W	3	W	3	266.0	9	7	9	cirrus; cumulus	"	"	S.W	S.W	S.W	C.	C.	C.	C.O.P	O.C	C.O.P	0.36	7	108.0	51.0
21	69.0	29.982	72.0	30.000	71.0	29.988	30.042	30.032	30.044	65.0	63.2	66.0	63.6	61.0	59.6	65.8	62.0	1.8	0.4	1.4	.544	.582	.490	88.0	97.6	91.6	N.E	3	N.E	3	N.E	2	325.0	10	10	10	nimbus	nimbus	nimbus	N.E	N.E	N.E	R.	C.	R.	C.O.R	O.R	O.R	0.06	1	129.0	45.6
22	69.0	29.924	67.0	29.996	65.0	29.830	29.966	29.964	29.904	64.0	60.0	67.0	63.0	61.0	58.2	67.0	56.0	4.0	4.0	2.8	.461	.515	.439	77.0	78.0	82.0	N.E	3	N.E	2	N.E	1	239.0	7	7	5	cumulus	cumulus	cumulus; nimbus	N.E	N.E	N.E	C.	C.	R.	C.O.R	C	C	0.30	3	105.2	46.0
23	66.0	29.938	68.0	29.950	65.0	29.982	30.028	30.014	30.056	63.0	61.0	64.6	64.0	66.0	64.8	66.8	58.0	2.0	0.6	1.2	.506	.486	.594	88.0	95.4	92.8	N.E	2	S.E	2	N.E	3	446.0	10	9	8	cumulus; nimbus	cumulus; nimbus	nimbus	N.E	S.E	S.E	C.	C.	R.	C.O.R	O.R	C	0.02	¼	131.6	46.0
24	65.0	29.932	67.0	29.738	67.0	29.702	30.005	29.806	29.830	63.0	61.0	64.0	64.0	66.0	64.8	66.8	58.0	2.0	0.6	1.2	.506	.486	.594	88.0	95.4	92.8	N.E	2	S.E	2	N.E	3	446.0	10	9	8	"	"	cumulus	N.E	S.E	S.E	C.	C.	R.	C.O.R	C	C	0.02	¼	131.6	46.0
25	65.0	29.790	67.0	29.770	66.0	29.836	29.871	29.838	29.906	62.0	57.0	64.0	58.0	63.0	59.0	65.4	57.4	5.0	6.0	4.0	.399	.403	.443	72.0	67.0	77.0	N.W	5	N.W	6	N.W	5	628.0	7	6	6	"	"	"	N.W	N.W	N.W	C.	C.	C.	C.O.R	C	C	0.02	¼	115.2	47.8
26	65.0	29.790	67.0	29.770	66.0	29.836	29.871	29.838	29.906	62.0	60.0	63.0	60.0	64.0	60.0	65.4	60.0	2.0	3.0	4.0	.487	.474	.461	88.0	82.0	77.0	N	4	N	3	N.W	2	268.0	9	9	4	"	"	"	N	N	N	C.	C.	C.	C.O.P	C	C			131.4	39.6
27	65.0	29.910	67.0	29.920	66.0	29.966	29.964	29.988	30.036	62.0	61.0	64.0	61.0	68.0	64.0	67.0	62.4	3.0	4.0	4.6	.482	.534	.496	82.0	78.0	75.0	N.W	1	S	4	S	4	490.0	5	5	4	cumulus	cumulus	cumulus	N.W	S.W	S.W	C.	C.	C.	C.O.P	C —	C.O.R.O	0.86	4	131.0	43.0
28	64.0	29.876	69.0	29.725	67.0	29.650	29.952	29.787	29.712	64.0	61.0	68.0	64.0	67.0	62.4	69.0	57.0	3.0	4.0	4.6	.482	.534	.496	82.0	78.0	75.0	N.W	1	S	4	S	4	490.0	5	5	4	"	"	"	W	W	N.W	C.	C.	C.	C.O.R	O.R.C	C.O.R.O	0.22	5	125.4	38.0
29	65.0	29.564	66.0	29.562	61.0	29.550	29.640	29.636	29.638	62.0	57.0	59.0	54.0	55.0	53.0	65.0	55.0	6.0	5.0	2.0	.399	.354	.375	72.0	71.0	87.0	W	5	W	5	W	5	707.0	8	7	9	cumulus; nimbus	cumulus; nimbus	nimbus	N.W	N.W	N.W	C.	C.	C.	O.R.C	C	C.O.R	0.22	5	125.4	38.0
30	67.0	29.624	68.0	29.644	62.0	29.670	29.714	29.721	29.746	67.0	64.0	68.0	66.0	68.0	66.0	68.0	60.4	3.2	4.0	3.6	.397	.461	.413	80.6	77.0	78.8	N.W	5	W	5	W	4	665.0	7	7	4	"	"	"	N.W	N.W	N.W	C.	C.	C.	C.O.R	C	C	0.02	¼	113.0	44.0
31	65.0	29.586	66.0	29.750	67.0	29.810	30.059	29.819	29.876	63.4	58.0	65.0	64.0	67.0	65.4	67.0	55.0	5.4	1.0	1.6	.410	.580	.600	70.4	94.0	90.4	W	3	W	1	W	3	349.0	8	9	2	cumulus	nimbus	cumulus	W	W	W	C.	C.	C.	O.R	O.C	C			140.2	52.0
Sums	67.0	29.822	72.0	29.800	69.0	29.772	29.858	29.851	29.832	69.0	67.4	71.0	68.0	69.0	68.0	72.4	61.2	1.6	3.0	1.0	.641	.633	.665	90.4	83.0	94.0	S	3	S	4	S	4	455.0	8	6	4	cumulus	cumulus	cumulus; stratus	S	S	S	C.	C.	B.	B.C.O	O.C	C	0.04	½	130.2	52.0
Mean	69.0	29.738	71.0	29.682	68.0	29.692	29.818	29.736	29.756	68.0	66.0	70.0	67.0	66.4	63.0	71.2	64.0	2.0	3.0	3.4	.606	.613	.523	88.0	83.0	81.0	S.W	1	S.W	2	S.W	4	402.0	5	5	4	"	"	"	S.W	S.W	S.W	C.	C.	C.	C.O.P	C	C			131.2	52.0
31		

Meteorological Observations taken at Prospect, Bermuda, during November, 1910.

Latitude 32° 17' 40" North.
Longitude 64° 47' 0" West.

BAROMETER Corrected and Reduced to 32° at Sea Level.			AIR TEMPERATURE							HUMIDITY.									WIND				CLOUD						WEATHER						RAIN	RADIATION				
			Dry	Wet	Dry	Wet	Dry	Wet		Dep. of Wet			Vapour Pressure			Percentage			Direction and Force				Amount			Form			Direction Whence Coming			At time of Observation			During Interval Ending						
I	II	III	I		II		III		Max.	Min.	I	II	III	I	II	III	I	II	III	I	II	III	Miles in 24 Hours.	I	II	III	I	II	III	I	II	III	I	II	III	24 Hours Beginning 9 a.m. Inches.	Estimated Duration. Hours.	Maximum in Sun Black Bulb in Vacuo.	Minimum on Grass.	REMARKS	Days.
8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.		3.0 p. m.		8.41 p.m.			8.41 a-m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m	8.41 a. m.	3.0 p. m.	8.41 p. m.	8 a. m. to 8 a. m.	8.41 a.m	3.0 p.m	8.41 p.m	8.41 a. m.	3.0 p.m.	8.41 p. m.	8.41 a. m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.						
30.090	30.048	30.061	68.0	66.0	69.0	66.4	67.4	66.0	70.0	63.0	2.0	3.4	1.4	.606	.602	.616	88.0	85.0	91.6	N 6	N 6	W 5	367.0	10	10	4	nimbus	nimbus	cumulus	N	N	N	R.	O.	C.	O.R	O.R	O.R.C.	0.14	2	106.8	54.0	Dull, windy, cold day.	1
29.991	29.963	29.936	69.0	66.8	71.6	69.0	69.6	66.4	74.0	65.4	4.0	2.6	3.2	.617	.662	.594	79.0	85.0	82.0	N.E. 2	N 2	N 2	260.0	8	8	6	cumulus	cumulus; nimbus	"	N	N	N	O.	O.	C.	C.O.P.C	O.C.O	O.C	T.		138.2	53.4	Dull day.	2
29.935	29.923	29.920	68.4	65.0	71.0	68.0	69.6	67.4	72.2	66.0	3.4	3.0	2.2	.562	.633	.632	81.0	83.0	87.4	N.E 1	E 1	S.E 1	269.0	8	8	8	cumulus; stratus	cumulus; stratus	cumulus; nimbus	E	E	E	O.	O.	O.	O)	O	O			114.8	54.6	Dull day.	3
29.837	29.897	30.023	71.4	69.0	72.0	70.0	66.0	65.0	75.2	65.4	2.4	2.0	1.0	.665	.696	.601	86.0	89.0	94.0	S 3	S 3	W 1	248.0	6	8	6	cumulus; nimbus	cumulus; nimbus	nimbus	S	S.W	W	C.	C.	C.	O.C.P	C.O.C	O.C.RC	0.08	½	147.2	53.8	Dull cloudy day; showers locally.	4
29.970	29.930	30.019	70.0	66.0	72.0	65.0	66.6	64.0	73.0	67.0	4.0	7.0	2.6	.576	.514	.564	78.0	65.0	88.0	S.W 1	S.W 2	S 2	209.0	7	7	8	cumulus; stratus	cumulus	cumulus; nimbus	S.W	S.W	S.W	C.	C.	C.	C.O.R.C	C.O.C	C.O	0.14	1	140.2	48.6	Fine cloudy day.	5
29.999	29.959	29.925	69.6	66.0	72.0	68.0	70.0	68.0	74.0	62.4	3.0	4.0	2.0	.587	.617	.651	83.0	79.0	88.0	CALM.	S.W 2	S.W 1	240.0	6	6	7	" "	" "	" "	W	S.W	S.W	C.	C.	C.	C	C	C			140.6	48.0	Fine day.	6
29.825	29.736	29.815	71.0	67.6	69.2	67.0	69.0	66.0	73.8	62.6	3.4	2.2	3.0	.624	.623	.587	80.0	87.0	83.0	S.W 4	S.W 3	N.W 2	240.0	10	10	7	cumulus; nimbus	cumulus; nimbus	" "	S.W	S.W	W	O.	O.	C.	C.O.R.O	O.R.O	O.R.C			127.0	54.0	Dull showery day.	7
30.017	29.973	29.986	66.0	63.0	70.0	66.0	65.0	62.0	72.4	62.0	3.0	4.0	3.0	.529	.576	.510	83.3	83.0	78.0	N.W 1	CALM.	CALM.	88.0	5	6	4	cumulus	cumulus	cumulus	N.W	N.W	W	C.	C.	C.	C	C	C			138.0	46.0	Fine calm day.	8
30.049	30.033	30.080	69.2	65.0	68.0	66.0	66.0	63.4	72.8	61.0	4.2	2.0	2.6	.548	.606	.543	77.0	88.0	85.0	N.W 1	N.W 1	N.W 1	179.0	3	8	5	"	cumulus; stratus	"	N.W	N.W	N.W	C.	C.	C.	C	C	O.C			137.4	45.0	Fine a. m.; dull p. m.	9
30.133	30.142	30.103	69.0	65.0	72.0	68.0	69.6	66.0	72.2	60.4	4.0	4.0	3.6	.551	.617	.579	78.0	79.0	80.0	N.W 1	S.W 1	S 2	256.0	3	7	10	cumulus; stratus	" "	cumulus; nimbus	N.W	N.W	S	C.	C.	C.	C	C	C.O			137.0	48.0	Fine day. Dull 5 p. m.	10
29.965	29.849	29.820	72.0	70.0	72.6	70.0	70.8	68.0	73.4	69.0	2.0	2.6	2.8	.696	.686	.637	89.0	86.0	84.0	S 4	S 4	S 4	484.0	10	10	1	cumulus; nimbus	cumulus; nimbus	cumulus	S	S	S	O.	O.	B.	C.O.R	O	O.C.B	0.04	½	112.4	52.0	Dull day till 4 p.m.; fine evening.	11
29.765	29.694	29.712	68.0	67.4	71.8	69.0	64.0	64.0	74.0	65.0	0.6	2.8	0.0	.660	.638	.596	96.0	84.0	100.0	W 2	W 2	N.W 3	363.0	7	8	8	cirrus; cumulus	cumulus	cumulus; nimbus	W	N.W	W	C.	C.	O.	B.C.O.R	C.O.P.C	C.O.P.O	0.32	3	136.0	56.0	Dull showery day.	12
29.749	29.772	29.821	64.0	59.6	65.0	63.6	60.0	58.4	67.2	61.0	4.8	1.0	1.6	.449	.566	.466	75.0	91.6	90.4	W 3	S.W 3	W 3	382.0	8	9	8	cumulus; nimbus	cumulus; nimbus	" "	W	W	W	O.	O.	O.	O.R.O	O.R.O	O.R.O	0.29	2	137.4	46.4	Dull cold day.	13
29.864	29.861	29.910	65.2	60.0	68.6	63.0	66.4	61.4	69.6	57.0	5.2	5.6	5.0	.445	.492	.472	72.0	70.0	73.4	W 3	W 3	W 2	370.0	8	8	7	" "	" "	" "	W	W	N.W	O.	O.	C.	O.R.O	O	O	0.04	1	138.0	46.0	Dull cloudy day.	14
29.826	29.782	29.788	70.0	66.0	71.0	68.0	66.4	63.0	73.0	63.0	4.0	3.0	3.4	.576	.633	.523	78.0	83.0	81.0	S.W 5	W 6	W 3	479.0	6	7	6	cumulus	cumulus	" "	S.W	S.W	N.W	C.	C.	C.	C.O.R	C.O.R.O	O.C.R	0.42		135.0	49.2	Windy day.	15
29.838	29.811	29.862	66.2	60.4	67.0	61.0	64.0	58.6	68.2	62.4	5.8	6.0	5.4	.446	.453	.420	70.0	68.0	70.0	W 4	W 5	W 4	463.0	3	5	6	"	"	" "	W	W	N.W	C.	C.	C.	C.O.P	C	C.P	T.		134.0	49.0	Fine windy day.	16
29.900	29.860	29.904	63.0	59.4	66.0	60.0	65.0	60.4	68.0	58.8	5.6	6.0	4.6	.432	.434	.459	70.0	68.0	75.0	W 3	W 4	W 3	370.0	7	7	6	"	"	" "	W	W	W	C.	C.	C.	C.P	C.P	C.O.P.C	0.02	½	133.4	47.0	Cloudy day. Local showers.	17
30.007	29.971	30.051	67.0	62.0	69.0	63.0	65.2	63.0	70.2	59.0	5.0	6.0	2.2	.483	.486	.541	75.0	68.0	86.8	W 3	W 3	W 1	231.0	4	7	6	cumulus; stratus	"	" "	W	W	W	C.	C.	C.	C.P	C	C	T.		137.0	47.0	Fine cloudy day.	18
30.042	30.052	30.044	70.2	68.0	72.0	70.0	69.6	65.0	73.6	62.6	2.2	2.0	4.6	.647	.696	.543	87.0	89.0	75.0	W 3	S.W 3	W 3	266.9	9	7	9	cirrus; cumulus	"	" "	S.W	S.W	S.W	O.	C.	O.	C.O.P	O.C	C.O.P	T.		135.2	47.0	Dull day.	19
29.986	29.964	29.904	65.0	63.2	64.0	63.6	63.0	59.6	65.8	62.0	1.8	0.4	1.4	.544	.582	.490	88.0	97.6	91.6	N.E 3	N.E 3	N.E 2	325.0	10	10	10	nimbus	nimbus	nimbus	N.E	N.E	N.E	R.	R.	R.	C.O.R	O.R	O.R	0.36	7	108.0	51.0	Cold, wet day.	20
30.028	30.014	30.056	64.0	60.0	67.0	63.0	61.0	58.2	67.0	56.0	4.0	4.0	2.8	.461	.515	.439	77.0	78.0	82.0	N.E 3	N.E 3	N.E 2	239.0	7	7	5	cumulus	cumulus	cumulus; nimbus	N.E	N.E	N.E	C.	R.	C.	O.R.C	C	C	0.06	1	129.0	45.6	Fine cloudy day.	21
30.005	29.806	29.830	63.0	61.0	64.6	64.0	66.0	64.8	66.8	58.0	2.0	0.6	1.2	.506	.486	.594	88.0	95.4	92.8	N.E 2	S.E 2	S.E 3	446.0	10	9	8	cumulus; nimbus	cumulus; nimbus	nimbus	N.E	S.E	S.E	C.	R.	C.	C.O.R	O.R	O	0.30	3	105.2	46.0	Wet day.	22
29.871	29.838	29.906	62.0	57.0	64.0	58.0	63.0	59.0	65.4	57.4	5.0	6.0	4.0	.399	.403	.443	72.0	67.0	77.0	N.W 5	N.W 6	N.W 5	628.0	7	6	6	" "	" "	cumulus	N.W	N.W	N.W	C.	C.	C.	C.O.R	C	C	0.02	¾	131.6	46.0	Windy day.; mod. gale 5-6 p.m.	23
29.984	29.988	30.036	62.0	60.0	63.0	60.0	64.0	60.0	65.4	60.0	2.0	3.0	4.0	.487	.474	.461	88.0	82.0	77.0	N 4	N 3	N.W 2	268.0	9	9	4	" "	" "	" "	N	N	N	C.	C.	C.	C.O.P	O	O.R.C	0.02	¼	115.2	47.8	Dull day.	24
29.952	29.767	29.717	64.0	61.0	68.0	64.0	67.0	62.4	69.0	57.0	3.0	4.0	4.6	.482	.534	.496	82.0	78.0	75.0	N.W 1	S 5	S 4	490.0	5	5	4	cumulus	cumulus	" "	M.W	S.W	S.W	C.	C.	C.	C —	C	C			131.4	39.0	Fine day.	25
29.640	29.636	29.638	62.0	57.0	59.0	54.0	55.0	53.0	65.0	55.0	6.0	5.0	2.0	.399	.354	.375	72.0	71.0	87.0	W 5	W 5	M.W 6	707.0	8	7	9	cumulus; nimbus	cumulus; nimbus	cumulus; nimbus	W	W	N.W	O.	C.	O.	C.O.R	O.R.C	C.O.R.O	0.86	4	131.0	43.0	Squally day; mod. gale 4-5 p.m.	26
29.734	29.721	29.746	67.8	54.6	64.0	60.0	60.4	56.8	65.2	49.4	3.2	4.0	3.6	.397	.461	.413	80.6	77.0	78.8	N.W 5	N.W 5	W 5	665.0	7	7	4	" "	" "	cumulus; nimbus	N.W	N.W	N.W	O.	C.	C.	O.R.C	C	C.O.R	0.22	5	125.4	38.0	Stormy day.	27
30.059	29.819	29.876	63.4	58.0	65.0	64.0	67.0	65.4	67.0	55.0	5.4	1.0	1.6	.410	.380	.600	70.4	94.0	90.4	W 3	W 3	W 1	349.0	8	9	2	cumulus	nimbus	cumulus	W	W	W	O.	O.	B.	C.O.P	O	O.C.B	0.02	¼	113.0	44.0	Dull day.	28
29.858	29.851	29.852	69.0	67.4	71.0	68.0	69.0	68.0	72.4	61.2	1.6	3.0	1.0	.641	.639	.665	90.4	83.0	94.0	S 3	S 3	S 4	455.0	8	6	4	cumulus; nimbus	cumulus	cumulus	S	S	S	C.	C.	C.	B.C.O	O.C	C			140.2	52.0	Dull a. m.; fine p. m.	29
29.818	29.736	29.756	68.0	66.0	70.0	67.0	66.4	63.0	71.2	64.0	2.0	3.0	3.4	.606	.613	.523	88.0	88.0	81.0	S.W 1	S.W 2	S.W 4	402.0	5	5	4	" "	" "	cumulus; strates	S.W	S.W	S.W	C.	C.	C.	C.O.P	C	C	0.04	½	130.2	52.0	Fine day.	30
897.717	995.908	897.072	1998.8	1897.0	2049.4	1946.6	1970.0	1886.2	2105.8	1828.0	103.6	108	283.8	16.032	16 885	16.033	2421.7	2436.6	2519.2	85.0		91.0	33.0	10828.	212	221	177.											3.30		3885.8	1459.4		Sums
29.924	29.844	29.902	66.6	63.2	68.3	64.9	65.7	62.9	70.2	60.9	3.5	3.4	2.8	.534	.563	.534	80.7	81.2	84.0	2		3	2	300.9	7	7	6											.110		129.5	48.6		Means

WEATHER

Number of Days of

Rain	Snow	Hail	Thunder storms	Clear Sky	Overcast	Fog	Gales
16			2		5		2

WIND

Number of Observations of

Forces 4-7	Calm	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
96	6	6	6	1	3	12	13	27	13

EXTREMES

Highest corrected reading of Barometer	30.188 on 10th at 8.41 a.m
Lowest " " " "	29.696 on 26th at 3 p.m.
Greatest daily rainfall	0.86 inch on 29th.
Highest temperature in Shade	75.3 ° on 4th.
Lowest " " "	49.4 ° on 27th.
Highest " " Sun	147.2 ° on 4th.
Lowest " on Grass	33.0 ° on 27th.

HOURS OF OBSERVATION { I—8.41 a.m. local time; II—3.0 p.m. " "; III—8.41 p.m. " "

W. B. P. JOHNSON, L.-Sgt., R.A.M.C., Observer.
E. W. W. COCHRANE, Major, R.A.M.C., for S.M.O. Bermuda.

Meteorological Observations taken at Prospect, Bermuda, during December, 19

Gravity correction + .010 inch.

ATTACHED THERMOMETER AND BAROMETER AS READ			BAROMETER Corrected and Reduced to 32° at Sea Level.			AIR TEMPERATURE								HUMIDITY.									WIND						CLOUD			
						Dry	Wet	Dry	Wet	Dry	Wet			Dep. of Wet			Vapour Pressure			Percentage			Direction and Force				Amount			Form			Dir
I	II	III	I	II	III	I		II		III		Max.	Min.	I	II	III	I	II	III	I	II	III	I	II	III	Miles in 24 Hours.	I	II	III	I	II	III	I
8.41 a. m.	3.0 p. m.	8.41 p. m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.		3.0 p. m.		8.41 p. m.				8.41 a-m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m	8.41 a.m.	3.0 p.m.	8.41 p.m	8 a. m. to 8 a. m.	8.41 a.m	3.0 p.m	8.41 p.m	8.41 a. m.	3.0 p. m.	8.41 p. m.	8.41 a.m
67.0	29.706	69.0	29.744	68.0	29.748	29.775	29.805	29.813	64.6	61.6	69.2	64.8	63.8	61.6	70.6	60.6	3.0	4.4	2.2	.508	.565	.518	83.5	77.7	87.7	W. 3	S. W 4	S. W. 4	383	9	5	5	cumulus; nimbus	cumulus	cumulus	W.
66.0	29.860	64.0	29.898	65.0	29.978	29.931	29.974	30.035	63.0	59.6	64.6	60.6	60.6	57.8	66.4	59.0	3.4	4.0	2.8	.466	.476	.443	81.1	78.2	83.5	S. W. 3	S. W. 3	W. 2	185	8	4	7	cumulus; nimbus	cirrus; cumulus	cumulus; nimbus	S. W
65.0	30.012	66.0	29.996	65.0	30.050	30.086	30.066	30.123	61.6	59.6	65.0	62.0	64.6	63.0	66.2	56.4	2.0	3.0	1.6	.484	.516	.554	88.3	83.6	91.1	W. 1	N. 3	N. 2	141	7	5	10	cir; cum; cum; str	cum; cum; str	nimbus	W.
63.0	30.064	64.0	30.020	62.0	30.000	30.144	30.098	30.084	59.6	57.6	61.0	59.0	56.3	55.7	67.0	56.2	2.0	2.0	0.6	.449	.475	.436	87.9	88.2	96.2	N. 0	W. 2	W. 3	265	7	8	3	cumulus; stratus	cumulus; nimbus	cumulus	N.
65.0	30.036	67.0	30.046	65.0	30.052	30.109	30.113	30.127	63.8	59.6	68.2	64.0	61.0	58.8	70.0	54.6	4.2	4.2	1.2	.455	.540	.580	76.8	78.4	92.8	N. W. 3	N. W. 2	W. 0	155	4	6	1	cumulus	cumulus	cumulus	N. W
65.0	30.036	67.0	30.046	65.0	30.052	30.109	30.113	30.127	63.8	59.6	68.2	64.0	61.0	58.8	70.0	54.6	4.2	4.2	1.2	.455	.540	.580	76.8	78.4	92.8	N. W. 3	N. W. 2	W. 0	155	4	6	1	cumulus	cumulus	cumulus; nimbus	S. W.
67.0	30.018	68.0	29.900	69.0	29.918	30.085	29.964	29.979	67.8	63.6	66.6	64.6	68.2	67.0	71.0	58.0	4.2	2.0	1.2	.531	.582	.645	78.3	89.2	93.7	S. 3	S. 4	S. 4	468	7	6	7	cumulus	cumulus	cumulus; nimbus	S. W.
67.0	30.018	68.0	29.900	69.0	29.918	30.085	29.964	29.979	67.8	63.6	66.6	64.6	68.2	67.0	71.0	58.0	4.2	2.0	1.2	.531	.582	.645	78.3	89.2	93.7	S. 3	S. 4	S. 4	468	7	6	7	cumulus	cumulus	cumulus; nimbus	S.
70.0	29.864	69.0	29.994	68.0	29.996	29.922	30.056	30.062	70.8	70.7	65.0	64.0	62.8	61.6	71.0	62.4	0.1	1.0	1.2	.750	.583	.531	95.0	94.4	93.1	S. 4	N. W. 3	W. 3	333	10	8	9	nimbus	nimbus	nimbus	S.
65.0	30.176	61.0	30.140	61.0	30.182	30.250	30.223	30.268	63.2	57.6	66.4	62.4	60.4	56.8	69.0	60.0	5.6	4.0	3.6	.401	.510	.414	69.2	78.7	78.9	N. W. 3	N. W 0	N. 0	51	9	5	2	cirro; cumulus	cirrus; cumulus	cumulus	N. W.
64.0	30.020	69.0	30.008	65.0	30.016	30.097	30.069	30.091	62.0	58.6	67.0	63.8	60.6	57.0	68.6	57.6	3.4	3.2	3.6	.448	.549	.418	80.6	85.0	82.2	N. W. 1	N. W. 1	W. 2	190	7	7	2	cirrus; cumulus	cirro; cumulus	cumulus	N. W
64.0	30.020	69.0	30.008	65.0	30.016	30.097	30.069	30.091	62.0	58.6	67.0	63.8	60.6	57.0	68.6	57.6	3.4	3.2	3.6	.448	.549	.418	80.6	85.0	82.2	N. W. 1	N. W. 1	W. 2	190	7	7	2	cirrus; cumulus	cirro; cumulus	cumulus	N. W
65.0	30.076	65.0	30.082	63.0	30.064	30.151	30.154	30.144	60.6	57.6	60.0	57.0	58.4	55.9	64.0	57.0	3.0	3.0	2.5	.436	.426	.480	82.4	82.2	85.7	N. 4	N. 3	N. W. 3	273	8	7	8	cumulus; nimbus	cumulus; nimbus	cumulus; nimbus	N. W
65.0	30.076	65.0	30 082	63.0	30.064	30.151	30.154	30.144	60.6	57.6	60.0	57.0	58.4	55.9	64.0	57.0	3.0	3.0	2.5	.436	.426	.480	82.4	82.2	85.7	N. 4	N. 3	N. W. 3	273	8	7	8	cumulus; nimbus	cumulus; nimbus	cumulus; nimbus	N. W
65.0	30.076	65.0	30 082	63.0	30.064	30.151	30.154	30.144	59.8	55.7	64.8	61.8	64.8	61.8	65.4	55.0	4.1	3.0	3.0	.360	.512	.512	70.2	83.5	33.8	W. 2	W. 4	W. 4	402	2	7	9	cumulus	cumulus	cumulus; nimbus	W.
63.0	30.090	65.0	30.000	64.0	29.964	30.170	30.073	30.040	59.8	55.7	64.8	61.8	64.8	61.8	65.4	55.0	4.1	3.0	3.0	.360	.512	.512	70.2	83.5	33.8	W. 2	W. 4	W. 4	402	2	7	9	cumulus	cumulus	cumulus; nimbus	W.
63.0	30.090	65.0	30.000	64.0	29.964	30.170	30.073	30.040	60.6	55.9	57.6	54.1	55.3	52.7	62.0	51.6	4.7	3.5	2.6	.385	.373	.364	72.9	79.4	83.2	N. W. 4	N. W. 3	N. W. 3	380	6	8	9	cumulus	cumulus; nimbus	cumulus; nimbus	N. W.
64.0	29.930	64.0	29.928	63.0	29.940	30.008	30.007	30.020	60.6	55.9	57.6	54.1	55.3	52.7	62.0	51.6	4.7	3.5	2.6	.385	.373	.364	72.9	79.4	83.2	N. W. 4	W. 4	N. W. 3	380	6	8	9	cumulus	cumulus; nimbus	cumulus; nimbus	N. W.
64.0	29.930	64.0	29.928	63.0	29.940	30.008	30.007	30.020	57.5	52.7	57.8	55.9	51.9	48.7	58.4	47.6	4.8	1.9	3.2	.335	.422	.302	70.5	88.2	78.1	N. W. 4	W. 4	N. W. 3	562	7	8	9	cumulus; nimbus	cumulus; nimbus	cumulus; nimbus	N. W
63.0	29.894	62.0	29.890	60.0	29.882	29.975	29.974	29.972	57.5	52.7	57.8	55.9	51.9	48.7	58.4	47.6	4.8	1.9	3.2	.335	.422	.302	70.5	88.2	78.1	N. W. 4	W. 4	N. W. 3	562	7	8	9	cumulus; nimbus	cumulus; nimbus	cumulus; nimbus	N. W
63.0	29.894	62.0	29.890	60.0	29 882	29.975	29 974	29.972	55.9	50.7	54.9	52.9	52.9	51.1	59.4	51.2	5.2	2.0	1.8	.301	.375	.352	67.4	86.9	87.7	N. W. 4	N. W. 3	N. W. 3	298	6	5	8	cumulus; nimbus	cirrus; cumulus	cumulus; nimbus	N. W.
59.0	30.140	60.0	30.160	60.0	30.182	30.232	30.250	30.272	55.9	50.7	54.9	52.9	52.9	51.1	59.4	51.2	5.2	2.0	1.8	.301	.375	.352	67.4	86.9	87.7	N. W. 4	N. W. 3	N. W. 3	298	6	5	8	cumulus	cumulus	cumulus; nimbus	W.
59.0	30.140	60.0	30.160	60.0	30.182	30.232	30.250	30.272	59.2	54.7	62.6	57.8	60.6	56.6	63.8	58.0	4.3	4.8	4.0	.372	.416	.406	74.4	73.2	71.6	W. 3	W. 1	W. 4	333	7	2	8	cumulus	cumulus	cumulus; nimbus	W.
59.0	30.140	62.0	30.062	62.0	30.024	30.231	30.144	30.107	59.2	54.7	62.6	57.8	60.6	56.6	63.8	58.6	4.0	2.8	4.0	.494	.446	.439	73.8	82.5	77.4	S. W. 4	N. W. 4	N. W. 3	317	10	8	5	cumulus; nimbus	cumulus; nimbus	cumulus	W.
63.0	29.878	65.0	29.992	64.0	30.088	29.956	30.067	30.165	65.6	61.6	60.8	58.0	62.6	58.6	65.8	52.6	3.9	4.0	4.0	.349	.412	.422	76.1	76.9	72.1	N. W. 3	N. W. 3	N. W. 1	213	7	6	8	cumulus	cumulus	cumulus; nimbus	N. W
62.0	30.250	62.0	30.280	62.0	30.288	30.333	30.362	30.369	57.6	53.7	61.0	57.0	61.6	57.6	66.0	54.0	3.9	4.0	4.0	.349	.412	.422	76.1	76.9	72.1	N. W. 3	N. W. 3	N. W. 1	213	7	6	8	cumulus	cumulus	cumulus; nimbus	N. W
62.0	30.250	62.0	30.280	62.0	30.288	30.333	30.362	30.369	58.2	54.7	58.6	55.7	58.0	59.9	66.6	55.2	3.5	2.9	3.1	.376	.406	.391	78.7	82.4	76.0	N. 3	N. E. 2	N. E. 1	193	2	6	8	cumulus	cumulus	cumulus; nimbus	N.
62.0	30.358	62.0	30.300	62.0	30.270	30.441	30.382	30.353	58.2	54.7	58.6	55.7	58.0	59.9	66.6	55.2	3.5	2.9	3.1	.376	.406	.391	78.7	82.4	76.0	N. 3	N. E. 2	N. E. 1	193	2	6	8	cumulus	cumulus	cumulus; nimbus	N.
62.0	30.358	62.0	30.300	62.0	30.270	30.441	30.382	30.353	58.2	54.7	58.6	55.7	58.0	59.9	66.6	55.2	3.8	2.0	1.0	.450	.541	.574	78.6	83.7	89.1	E. 4	S. E. 4	S. E. 4	437	9	9	8	cumulus; nimbus	cumulus; nimbus	cumulus; nimbus	S. E.
62.0	30.022	64.0	29.808	64.0	29.610	30.104	29.884	29.687	62.8	59.0	64.6	62.6	64.6	63.6	66.2	60.6	3.8	2.0	1.0	.450	.541	.574	78.6	83.7	89.1	E. 4	S. E. 4	S. E. 4	437	9	9	8	cumulus; nimbus	cumulus; nimbus	cumulus; nimbus	S. E.
62.0	30.022	64.0	29.808	64.0	29.610	30.104	29.884	29.687	64.6	62.6	64.6	61.6	65.8	62.6	69.6	60.0	2.0	3.0	3.2	.541	.508	.525	83.7	83.5	82.7	S. W. 2	S. 3	S. 4	451	7	2	2	cumulus	cirro; cumulus	cumulus	S. W
66.0	29.636	65.0	29.568	67.0	29.574	29.708	29.640	29.643	64.6	62.6	64.6	61.6	65.8	62.6	69.6	60.0	2.0	3.0	3.2	.541	.508	.525	83.7	83.5	82.7	S. W. 3	S. W. 4	W. 3	460	10	8	7	cumulus; nimbus	cumulus; nimbus	cumulus	S. W.
65.0	29.662	65.0	29.684	66.0	29.808	29.737	29.757	29.881	64.6	61.6	62.0	60.0	57.8	54.9	66.0	48.0	3.0	2.0	2.9	.508	.419	.393	83.5	88.4	82.2	S. W. 3	S. W. 4	W. 4	484	5	5	5	cumulus; nimbus	cumulus; nimbus	cumulus	N. W
65.0	29.662	65.0	29.684	66.0	29.808	29.737	29.757	29.881	64.6	61.6	62.0	60.0	57.8	54.9	66.0	48.0	3.0	3.4	6.1	.308	.323	.265	79.4	77.6	56.7	W. 4	W. 4	W. 4	484	5	5	5	cumulus; nimbus	cumulus; nimbus	cumulus	N. W
62.0	30.062	62.0	30.126	60.0	30.214	30.147	30.211	30.304	51.9	48.9	53.9	50.5	54.9	48.8	58.0	48.4	3.0	3.4	6.1	.308	.323	.265	79.4	77.6	56.7	W. 4	W. 4	W. 4	484	5	5	5	cumulus; nimbus	cumulus; nimbus	cumulus	N. W
62.0	30.062	62.0	30.126	60.0	30.214	30.147	30.211	30.304	51.9	48.9	53.9	50.5	54.9	48.8	58.0	48.4	4.9	3.9	3.0	.333	.359	.362	70.1	76.0	75.2	N. 4	N. 3	N. 2	236	8	8	9	cumulus; nimbus	cumulus; nimbus	nimbus	N.
59.0	30.336	62.0	30.302	60.0	30.362	30.427	30.385	30.450	57.6	52.7	57.4	53.5	55.9	52.9	62.0	53.6	4.9	3.9	3.0	.333	.359	.362	70.1	76.0	75.2	N. 4	N. 3	N. 2	236	8	8	9	cumulus; nimbus	cumulus; nimbus	nimbus	N.
59.0	30.336	62.0	30.302	60.0	30.362	30.427	30.385	30.450	60.0	55.9	59.4	57.4	63.4	57.6	64.6	54.0	4.1	2.0	5.8	.393	.446	.399	71.3	87.9	68.3	S. E. 2	S. 3	S. 3	315	10	8	10	cumulus; stratus	cumulus	cirrus; cumulus	S. E.
60.0	30.316	62.0	30.218	61.0	30.172	30.403	30.390	30.257	60.0	55.9	59.4	57.4	63.4	57.6	64.6	54.0	4.1	2.0	5.8	.393	.446	.399	71.3	87.9	68.3	S. E. 2	S. 3	S. 3	315	10	8	10	cumulus; stratus	cumulus	cirrus; cumulus	S. E.
60.0	30.316	62.0	30.218	61.0	30.172	30.403	30.390	30.257	64.0	61.8	63.8	61.2	62.0	60.8	66.8	56.6	2.2	2.6	1.2	.541	.506	.517	84.6	85.5	93.1	S. 4	S. 4	N. 4	441	9	8	10	cumulus; stratus	cirro; cumulus	nimbus	S.
63.0	30.034	62.0	29.986	64.0	29.950	30.112	30.067	30.027	64.0	61.8	63.8	61.2	62.0	60.8	66.8	56.6	2.2	2.6	1.2	.541	.506	.517	84.6	85.5	93.1	S. 4	S. 4	N. 4	441	9	8	10	cumulus; stratus	cirro; cumulus	nimbus	S.
63.0	30.034	62.0	29.986	64.0	29.950	30.112	30.067	30.027	60.2	56.1	59.6	56.6	58.4	54.9	64.4	54.0	4.1	3.0	3.5	.397	.419	.385	71.4	82.1	78.8	N. 4	N. 3	N. 3	283	6	7	7	cumulus	cumulus	cumulus	N.
63.0	30.076	61.0	30.062	62.0	30.088	30.156	30.140	30.172	60.2	56.1	59.6	56.6	58.4	54.9	64.4	54.0	4.1	3.0	3.5	.397	.419	.385	71.4	82.1	78.8	N. 4	N. 3	N. 3	283	6	7	7	cumulus	cumulus	cumulus	N.
63.0	30.076	61.0	30.062	62.0	30.088	30.156	30.140	30.172	59.6	57.0	60.6	57.6	59.6	56.7	63.8	56.6	2.6	3.0	2.9	.431	.436	.421	84.4	77.1	82.8	N. 4	N. 3	N. 4	347	9	5	4	cumulus	cirrus; cumulus	cumulus	N. W
62.0	30.082	62.0	30.060	64.0	30.114	30.165	30.143	30.192	59.6	57.0	60.6	57.6	59.6	56.7	63.8	56.6	2.6	3.0	2.9	.431	.436	.421	84.4	77.1	82.8	N. 4	N. 3	N. 4	347	9	5	4	cumulus; stratus	cumulus	cumulus	N. W
62.0	30.082	62.0	30.060	64.0	30.114	30.165	30.143	30.192	61.6	56.8	64.6	61.6	59.4	57.0	67.2	54.0	4.8	3.0	2.4	.399	.508	.434	72.7	83.5	85.6	N. 3	N. 3	N. 3	171	2	3	4	cumulus; stratus	cumulus	cumulus	N. W
65.0	30.176	67.0	30.154	65.0	30.186	30.250	30.222	30.261	61.6	56.8	64.6	61.6	59.4	57.0	67.2	54.0	4.8	3.0	2.4	.399	.508	.434	72.7	83.5	85.6	N. 3	N. 3	N. 3	171	2	3	4	cumulus; stratus	cumulus	cumulus	N. W
65.0	30.176	67.0	30.154	65.0	30.186	30.250	30.222	30.261	62.6	57.6	66.0	57.0	57.8	55.9	67.6	55.6	5.0	3.0	1.9	.409	.426	.422	72.1	82.2	88.2	N. W. 0	N. W. 0	W. 0	118	2	2	1	cumulus; stratus	cirrus; cumulus	cumulus	N. W
65.0	30.284	65.0	30.270	65.0	30.264	30.356	30.343	30.338	62.6	57.6	66.0	57.0	57.8	55.9	67.6	55.6	5.0	3.0	1.9	.409	.426	.422	72.1	82.2	88.2	N. W. 0	N. W. 0	W. 0	118	2	2	1	cumulus; stratus	cirrus; cumulus	cumulus	N. W
63.0	30.260	65.0	30.174	67.0	30.174	30.337	30.244	30.242	64.2	58.8	65.6	62.2	65.6	61.6	66.6	56.0	5.4	3.4	4.0	.425	.515	.494	70.7	81.6	78.5	S. 3	S. W. 3	S. 3	372	10	10	8	cumulus; stratus	cumulus; stratus	cumulus; nimbus	S.
64.0	30.288	64.0	30.320	63.0	30.398	30.365	30.397	30.478	58.2	57.0	57.8	55.1	57.2	52.7	62.0	51.6	1.2	2.7	4.5	.449	.400	.338	92.5	83.3	72.3	N. 5	N. 4	N. E. 4	388	10	9	8	cumulus; nimbus	cumulus; nimbus	cumulus; nimbus	N.
1971.2	931.746	1997.0	931.172	1976.0	931.558	934.163	933.604	933.956	1903.3	1771.6	1925.0	1832.3	1866.8	1797.2	2036.0	1716.0	111.5	92.7	88.6	13.484	14.388	14.226	2422.1	2559.0	2548.0		94		90		88	9.605	220	195	201				
63.6	30.056	64.4	30.038	63.8	30.050	30.134	30.116	30.128	61.4	57.2	62.1	59.1	60.2	58.0	65.7	55.4	3.6	3.0	2.9	.435	.464	.459	78.1	82.6	82.2		3		3		3	310	7	6	6				

Height above mean sea level of barometer cistern, 151 feet.

Height above ground of thermometers, 3 feet 9 inches.

Height above ground of rim of rain gauge, 2 feet.

Height above mean sea level of rain gauge, 150 feet.

WEATHER

Number of Days of

Rain	Snow	Hail	Thunder-storms	Clear Sky	Overcast	Fog	Gales	
21			1		3			

WIND

Number of Observations of

Forces 4-7	Calm	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
24	7	22	3	1	5	13	9	20	26

HOURS OF OBSERVATION { I—8.41 a. m. local time; II—3.0 p. m. " "; III—8.41 p.m. " "

Highest
Lowest
Greatest d
Highest t
Lowest
Highest
Lowest

eteorological Observations taken at Prospect, Bermuda, during December, 1910.

Latitude 32° 17′ 40″ North.
Longitude 64° 47′ 0″ West.

HUMIDITY.									WIND						CLOUD						WEATHER						RAIN		RADIATION			
Dep. of Wet			Vapour Pressure			Percentage			Direction and Force				Amount			Form			Direction Whence Coming			At time of Observation			During Interval Ending			24 Hours Beginning 9 a.m. Inches.	Estimated Duration. Hours.	Maximum in Sun Black Bulb in Vacuo.	Minimum on Grass.	REMARKS	Days.
I	II	III	I	II	III	I	II	III	I	II	III	Miles in 24 Hours.	I	II	III	I	II	III	I	II	III	I	II	III	I	II	III						
41 m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m	8.41 a.m.	3.0 p.m.	8.41 p.m	8 a. m. to 8 a. m.	8.41 a.m	3.0 p.m.	8.41 p.m	8.41 a. m.	3.0 p. m.	8.41 p. m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a.m.	3.0 p.m.	8.41 p.m.	8.41 a. m.	3.0 p. m.	8.41 p. m.						
3.0	4.4	2.2	.508	.565	.518	83.5	77.7	87.7	W. 3	S. W 4	S. W. 4	383	9	5	5	cumulus; nimbus	cumulus	cumulus	W.	W.	S. W.	O	C	C	C. O. R. C.	C.	C. P. C.	.14	2	126.0	50.0	Fine cloudy day.	1
3.4	4.0	2.8	.466	.476	.443	81.1	78.2	83.5	S. W. 3	S. W. 3	W. 2	185	8	4	7	cumulus; nimbus	cirrus; cumulus	cumulus; nimbus	S. W.	S. W.	W.	O	C	C	O. R. O.	C. P. C.	C. O. C.	.06	1	126.2	47.0	Dull morning, fine afternoon and	2
2.0	3.0	1.6	.484	.516	.554	88.3	83.6	91.1	W. 1	N. 3	N. 2	141	7	3	10	cir; cum; cum; str	cum; cum; str	nimbus	W.	N.	N.	O	C	O	C. O. C.	C.	C. O. R. O.	.02	½	124.4	39.0	Fine day [evening	3
2.0	2.0	0.6	.449	.475	.436	87.9	88.2	96.2	N. 0	W. 2	W. 3	205	7	8	3	cumulus; stratus	cumulus; nimbus	cumulus	N.	W.	W.	C	O	C	C.	C. O.	O. R. O.	.02	¼	134.4	37.0	Fine morn; Dull after; Fine eve;	4
4.2	4.2	1.2	.455	.540	.580	76.8	78.4	92.8	N. W. 3	N. W. 2	W. 0	155	4	6	1	cumulus	cumulus	cumulus	N. W.	W.	N. W.	C	C	B	R. O. C.	C.	C. B.	.02	½	135.0	38.0	Fine warm day.	5
4.2	2.0	1.2	.531	.582	.645	78.3	89.2	93.7	S. 3	S. 4	S. 4	468	7	6	7	cumulus	cumulus	cumulus; nimbus	S. W.	S.	S. W.	C	C	C	C.	C.	C. O. C.			132.4	57.0	Fine cloudy day.	6
0.1	1.0	1.2	.750	.583	.531	95.0	94.4	93.1	S. 4	N. W. 3	W. 3	333	10	8	9	nimbus	nimbus	nimbus	S.	N. W.	N. W.	O	R	R	C. P. C. O.	R.	R. O. R.	1.36	8	103.0	45.0	Dull wet day	7
5.6	4.0	3.6	.401	.510	.414	69.2	78.7	78.9	N. W. 3	N. W 0	N. 0	51	9	5	2	cirro; cumulus	cirrus; cumulus	cumulus	N. W.	N. W.	W.	O	C	B	O. R. C. O.	O. C.	C.	.02	¼	142.0	35.0	Fine calm day.	8
3.4	3.2	3.6	.448	.549	.418	80.6	85.0	82.2	N. W. 1	N. W. 1	W. 2	190	7	7	2	cirrus; cumulus	cirro; cumulus	cumulus	N. W.	W.	W.	C	C	B	C. O. C.	C.	O. C.			138.2	38.0	Fine day.	9
3.0	3.0	2.5	.436	.426	.480	82.4	82.2	85.7	N. 4	N. 3	N. W. 3	273	8	7	8	cumulus; nimbus	cumulus; nimbus	cumulus; nimbus	N. W.	N. W.	N. W.	C	C	O	C. P. C.	O. C.	O.	.02	¼	130.6	34.2	Dull day.	10
4.1	3.0	3.0	.360	.512	.512	70.2	83.5	33.8	W. 2	W. 4	W. 4	402	2	7	9	cumulus	cumulus	cumulus; nimbus	W.	W.	W.	B	C	O	O. C.	B. C.	C. O.			127.0	44.0	Fine a.m.; Dull windy, p.m.	11
4.7	3.5	2.6	.385	.373	.364	72.9	79.4	83.2	N. W. 4	N. W. 3	N. W. 3	380	6	8	9	cumulus	cumulus; nimbus	cumulus; nimbus	N. W.	N. W.	N. W.	B	O	O	O. C.	C. O.	R. O. R.	.06	½	126.0	38.0	Fine day; Dull evening.	12
4.8	1.9	3.2	.335	.422	.302	70.5	88.2	78.1	N. W. 4	W. 4	N. W. 5	582	7	8	9	cumulus; nimbus	cumulus; nimbus	cumulus; nimbus	N. W.	W.	N. W.	R	O	O	R. O. R.	O.	R. O.	.16	1½	119.0	36.0	Dull windy day.	13
5.2	2.0	1.8	.301	.375	.352	67.4	86.9	87.7	N. W. 4	N. W. 3	N. W. 3	298	6	7	8	cumulus; nimbus	cirrus; cumulus	cumulus; nimbus	N. W.	N. W.	N. W.	C	C	O	R. C.	C. P.	C. P. C.	.22	2	130.2	37.0	Dull chilly day.	14
4.3	4.8	4.0	.372	.416	.406	74.4	73.2	71.6	W. 3	W. 1	W. 4	333	7	7	8	cumulus	cumulus	cumulus; nimbus	W.	W.	W.	C	B	O	P. C.	C. B.	C. P. O.	.02	¼	129.4	44.0	Fine day; dull evening.	15
4.0	2.8	4.0	.494	.446	.439	73.8	82.5	77.4	S. W. 4	N. W. 4	N. W. 3	317	10	7	5	cumulus; nimbus	cumulus; nimbus	cumulus	W.	N. W.	N. W.	O	O	C	O.	O.	R. C.	.12	¾	121.0	39.0	Dull day. Fine evening.	16
3.9	4.0	4.0	.349	.412	.422	76.1	76.9	72.1	N. W. 3	N. W. 3	N. W. 1	213	7	6	8	cumulus	cumulus	cumulus; nimbus	N. W.	N. W.	N. W.	C	C	O	P. C.	C.	C. O.	.02	¼	137.0	39.0	Fine day.	17
3.5	2.9	3.1	.376	.406	.391	78.7	82.4	76.0	N. 3	N. E. 2	N. E. 1	195	7	6	8	cumulus	cumulus	cumulus; nimbus	N.	N. E.	N. E.	B	C	O	C. B.	C. B. C.	O.			131.2	40.0	Fine bright a.m.; dull p.m.	18
3.8	2.0	1.0	.450	.541	.574	78.6	83.7	89.1	E. 4	S. E. 4	S. E. 4	437	9	7	8	cumulus; nimbus	cumulus; nimbus	cumulus; nimbus	S. E.	S. E.	S. E.	O	O	O	O.	O.	R. O.	.20	1½	97.2	49.0	Dull windy day.	19
2.0	3.0	3.2	.541	.508	.525	83.7	83.5	82.7	S. W. 2	S. 3	S. 4	451	7	7	2	cumulus	cirro; cumulus	cumulus	S. W.	S. W.	S. W.	C	B	B	R. C.	O. R. B.	C. P. B.	.82	5	130.4	47.0	Dull a.m.; fine but showery p.m.	20
3.0	2.0	2.9	.508	.419	.393	83.5	88.4	82.2	S. W. 3	S. W. 4	W. 3	460	10	7	7	cumulus; nimbus	cumulus; nimbus	cumulus	S. W.	S. W.	W.	O	C	C	C. P. C.	O. R. O.	C. P. C.	.22	2	104.2	35.0	Dull showery day.	21
3.0	3.4	6.1	.308	.323	.265	79.4	77.6	56.7	W. 4	W. 4	W. 4	484	5	5	5	cumulus; nimbus	cumulus; nimbus	cumulus	N. W.	N. W.	N. W.	C	C	C	C. P. C.	P. C.	C. P. C.	.24	2	124.0	37.0	Cold showery day.	22
4.9	3.9	3.0	.333	.359	.362	70.1	76.0	75.2	N. 4	N. 3	N. 2	236	8	8	9	cumulus; nimbus	cumulus; nimbus	nimbus	N.	N. E.	N.	O	O	O	C. O.	O.	O.			129.0	38.6	Dull day.	23
4.1	2.0	5.8	.393	.446	.399	71.3	87.9	68.3	S. E. 2	S. 3	S. 3	315	10	10	10	cumulus; stratus	cumulus	cirrus; cumulus	S. E.	S. E.	S.	O	O	O	O.	C. O.	O.			93.6	40.6	Dull day.	24
2.2	2.6	1.2	.541	.506	.517	84.6	85.5	93.1	S. 4	S. 4	N. 4	441	9	9	10	cumulus; stratus	cirro; cumulus	nimbus	S.	S.	N. W.	O	O	O	R. O.	R. O. R.	C. O. R.	.42	2½	114.8	42.4	Dull a.m.; Wet p.m.	25
4.1	3.0	3.5	.397	.419	.385	71.4	82.1	78.8	N. 4	N. 3	N. 3	283	6	7	7	cumulus	cumulus	cumulus	N.	N.	N. W.	C	C	C	O. R. C.	C.	B. C.	.02	¼	139.4	39.0	Fine cloudy day.	26
2.6	3.0	2.9	.431	.436	.421	84.4	77.1	82.8	N. 4	N. 3	N. 4	347	9	7	4	cumulus	cirrus; cumulus	cumulus	N. W.	N.	N.	C	C	C	O. C. O.	C.	C.			127.6	40.2	Dull a.m.; fine p.m.	27
4.8	3.0	2.4	.399	.508	.434	72.7	83.5	85.6	N. 3	N. 3	N. 3	171	2	4	4	cumulus; stratus	cumulus	cumulus	N. W.	N.	N. E.	C	C	B	C. B.	C.	C.			127.4	33.0	Fine warm day.	28
5.0	3.0	1.9	.409	.426	.422	72.1	82.2	88.2	N. W. 0	N. W. 0	W. 0	118	2	1	1	cumulus; stratus	cirrus; cumulus	cumulus	N. W.	N. W.	N. W.	B	B	B	C. B.	B.	B. C.			130.2	35.0	Fine calm hazy day.	29
5.4	3.4	4.0	.425	.515	.494	70.7	81.6	78.5	S. 3	S. W. 3	S. 3	372	10	10	8	cumulus; stratus	cumulus; stratus	cumulus	S.	S. W.	S.	O	O	O	C. O.	O.	C. O.			119.0	45.0	Dull day.	30
1.2	2.7	4.5	.449	.400	.338	92.5	83.3	72.3	N. 5	N. 4	N. E. 4	388	10	9	8	cumulus; nimbus	cumulus; nimbus	cumulus; nimbus	N.	N.	N. E.	R	O	O	O. R.	O.	R. O.	.20	1	98.4	38.0	Dull day.	31
11.5	92.7	88.6	13.484	14.388	14.226	2422.1	2559.0	2548.0	94	90	88	9.605	220	195	201													4.38		3848.2	1257.0		Sums
3.6	3.0	2.9	.435	.464	.459	78.1	82.6	82.2	3	3	3	310	7	6	6													.14		124.1	40.6		Means

WIND

Number of Observations of

Forces 4–7	Calm	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
34	7	23	8	1	8	13	9	30	[illegible]

EXTREMES

Highest corrected reading of Barometer	30.478 on 31st at 8.41 a.m	
Lowest " " " "	29.640 on 20th at 8 p.m.	
Greatest daily rainfall	1.36 inch on 7th.	
Highest temperature in Shade	71.0 °	on 6th and 7th
Lowest " " "	47.6 °	on 27th.
Highest " " Sun	142.0 °	on 8th.
Lowest " on Grass	33.0 °	on 29th.

a. m. local time
p. m. " "
p. m. " "

C. WARD, Staff-Sgt., R.A.M.C., Observer.
C. E. HAIG, R.A.M.C., Lieut-Col. R. M. C. Bermuda.

Jan. 1911



Prospect, Bermuda