U. S. Department of Commerce
Sinclair Weeks, *Secretary*
Coast and Geodetic Survey
Robert F. A. Studds, *Director*

Special Publication No. 329

PLANE COORDINATE INTERSECTION TABLES

(2½-MINUTE)

LOUISIANA

QB
275
.U35
no. 329
1954

LIBRARY
SEP 6 1996
NOAA
U.S. DEPT. OF COMMERCE

UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON : 1954

For sale by the Superintendent of Documents, U. S. Government Printing Office
Washington 25, D. C. - Price 50 cents

National Oceanic and Atmospheric Administration

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This has been a co-operative project between the NOAA Central Library and the Climate Database Modernization Program, National Climate Data Center (NCDC). To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

LASON
Imaging Contractor
12200 Kiln Court
Beltsville, MD 20704-1387
January 1, 2006

U. S. DEPARTMENT OF COMMERCE
COAST AND GEODETIC SURVEY



STATE PLANE-COORDINATE ZONES

X-10263
MAR 2 1955

FOREWORD

The tables in this publication contain the plane coordinates for 2½-minute intersections of meridians and parallels within the limits of the State. These plane coordinates are based on the State plane-coordinate system established by the U. S. Coast and Geodetic Survey. The tables are arranged by 12½-minute bands of latitude with the full range of longitude of the Zone, followed by the coordinates for the next higher band of latitude. The tables are also arranged by Zone.

These tables have been prepared for use in making maps. Meridians and parallels may be placed on maps constructed on a rectangular grid of the State system, or the grid lines of the system may be placed on maps constructed on a projection of meridians and parallels. In the latter case the grid will not be truly rectangular unless the projection has been constructed on the State system. Approximate values of plane coordinates of geographic positions may be obtained by interpolation within the tables. In general, this is not recommended, as it is believed to involve more numerical operations than a rigorous computation from the basic projection tables.

The basic projection tables for this State system may be obtained from the Superintendent of Documents, U. S. Government Printing Office.

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 30 45 00 X	LATITUDE 30 45 00 Y	LATITUDE 30 47 30 X	LATITUDE 30 47 30 Y
91 00 00	2 471 273.48	33 575.29	2 471 063.70	48 730.51
02 30	2 458 183.36	33 396.61	2 457 979.40	48 551.91
05 00	2 445 093.16	33 222.97	2 444 895.03	48 378.34
07 30	2 432 002.90	33 054.35	2 431 810.60	48 209.80
91 10 00	2 418 912.57	32 890.77	2 418 726.10	48 046.29
12 30	2 405 822.18	32 732.22	2 405 641.53	47 887.81
15 00	2 392 731.74	32 578.70	2 392 556.92	47 734.36
17 30	2 379 641.23	32 430.22	2 379 472.23	47 585.95
91 20 00	2 366 550.67	32 286.77	2 366 387.50	47 442.56
22 30	2 353 460.05	32 148.36	2 353 302.71	47 304.21
25 00	2 340 369.38	32 014.98	2 340 217.87	47 170.89
27 30	2 327 278.66	31 886.63	2 327 132.98	47 042.60
91 30 00	2 314 187.90	31 763.32	2 314 048.04	46 919.34
32 30	2 301 097.08	31 645.03	2 300 963.05	46 801.11
35 00	2 288 006.22	31 531.78	2 287 878.02	46 687.91
37 30	2 274 915.32	31 423.56	2 274 792.95	46 579.74
91 40 00	2 261 824.38	31 320.38	2 261 707.83	46 476.60
42 30	2 248 733.40	31 222.23	2 248 622.68	46 378.50
45 00	2 235 642.38	31 129.11	2 235 537.49	46 285.42
47 30	2 222 551.33	31 041.03	2 222 452.27	46 197.37
91 50 00	2 209 460.25	30 957.97	2 209 367.01	46 114.36
52 30	2 196 369.13	30 879.96	2 196 281.72	46 036.38
55 00	2 183 277.99	30 806.97	2 183 196.41	45 963.42
57 30	2 170 186.82	30 739.02	2 170 111.06	45 895.50
92 00 00	2 157 095.62	30 676.11	2 157 025.69	45 832.62

LONGITUDE	LATITUDE 30 50 00 X	LATITUDE 30 50 00 Y	LATITUDE 30 52 30 X	LATITUDE 30 52 30 Y
91 00 00	2 470 853.92	63 885.60	2 470 644.14	79 040.59
02 30	2 457 775.45	63 707.08	2 457 571.50	78 862.15
05 00	2 444 696.90	63 533.59	2 444 498.78	78 688.73
07 30	2 431 618.30	63 365.12	2 431 426.00	78 520.34
91 10 00	2 418 539.62	63 201.68	2 418 353.15	78 356.98
12 30	2 405 460.89	63 043.28	2 405 280.24	78 198.64
15 00	2 392 382.10	62 889.89	2 392 207.28	78 045.33
17 30	2 379 303.24	62 741.54	2 379 134.25	77 897.04
91 20 00	2 366 224.33	62 598.23	2 366 061.17	77 753.79
22 30	2 353 145.37	62 459.94	2 352 988.04	77 615.56
25 00	2 340 066.36	62 326.67	2 339 914.85	77 482.36
27 30	2 326 987.30	62 198.44	2 326 841.61	77 354.18
91 30 00	2 313 908.18	62 075.24	2 313 768.33	77 231.03
32 30	2 300 829.02	61 957.06	2 300 695.00	77 112.90
35 00	2 287 749.82	61 843.91	2 287 621.62	76 999.80
37 30	2 274 670.57	61 735.79	2 274 548.20	76 891.73
91 40 00	2 261 591.29	61 632.70	2 261 474.74	76 788.69
42 30	2 248 511.96	61 534.63	2 248 401.24	76 690.67
45 00	2 235 432.60	61 441.60	2 235 327.71	76 597.67
47 30	2 222 353.20	61 353.59	2 222 254.14	76 509.71
91 50 00	2 209 273.77	61 270.61	2 209 180.53	76 426.76
52 30	2 196 194.31	61 192.66	2 196 106.90	76 348.85
55 00	2 183 114.82	61 119.74	2 183 033.24	76 275.96
57 30	2 170 035.31	61 051.85	2 169 959.55	76 208.11
92 00 00	2 156 955.76	60 989.00	2 156 885.83	76 145.28

LONGITUDE	LATITUDE 30 55 00 X	LATITUDE 30 55 00 Y	LATITUDE 30 57 30 X	LATITUDE 30 57 30 Y
91 00 00	2 470 434.36	94 195.47	2 470 224.59	109 350.27
02 30	2 457 367.54	94 017.11	2 457 163.60	109 171.99
05 00	2 444 300.65	93 843.78	2 444 102.53	108 998.73
07 30	2 431 233.70	93 675.46	2 431 041.41	108 830.49
91 10 00	2 418 166.68	93 512.17	2 417 980.21	108 667.27
12 30	2 405 099.60	93 353.90	2 404 918.96	108 509.08
15 00	2 392 032.46	93 200.66	2 391 857.65	108 355.90
17 30	2 378 965.26	93 052.44	2 378 796.27	108 207.75
91 20 00	2 365 898.01	92 909.25	2 365 734.85	108 064.62
22 30	2 352 830.70	92 771.08	2 352 673.37	107 926.52
25 00	2 339 763.34	92 637.94	2 339 611.83	107 793.43
27 30	2 326 695.93	92 509.82	2 326 550.25	107 665.37
91 30 00	2 313 628.48	92 386.72	2 313 488.62	107 542.33
32 30	2 300 560.97	92 268.65	2 300 426.94	107 424.31
35 00	2 287 493.42	92 155.60	2 287 365.22	107 311.31
37 30	2 274 425.83	92 047.58	2 274 303.45	107 203.33
91 40 00	2 261 358.19	91 944.58	2 261 241.65	107 100.38
42 30	2 248 290.52	91 846.60	2 248 179.80	107 002.45
45 00	2 235 222.82	91 753.65	2 235 117.92	106 909.54
47 30	2 222 155.07	91 665.72	2 222 056.01	106 821.65
91 50 00	2 209 087.30	91 582.82	2 208 994.06	106 738.78
52 30	2 196 019.49	91 504.94	2 195 932.08	106 660.94
55 00	2 182 951.66	91 432.08	2 182 870.08	106 588.11
57 30	2 169 883.79	91 364.26	2 169 808.04	106 520.32
92 00 00	2 156 815.90	91 301.46	2 156 745.98	106 457.54

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 30 45 00 X	LATITUDE 30 45 00 Y	LATITUDE 30 47 30 X	LATITUDE 30 47 30 Y
92 00 00	2 157 095.62	30 676.11	2 157 025.69	45 832.62
02 30	2 144 004.40	30 618.23	2 143 940.30	45 774.76
05 00	2 130 913.16	30 565.38	2 130 854.88	45 721.93
07 30	2 117 821.90	30 517.56	2 117 769.45	45 674.14
92 10 00	2 104 730.62	30 474.78	2 104 684.00	45 631.38
12 30	2 091 639.33	30 437.03	2 091 598.53	45 593.64
15 00	2 078 548.02	30 404.31	2 078 513.05	45 560.94
17 30	2 065 456.70	30 376.63	2 065 427.56	45 533.27
92 20 00	2 052 365.37	30 353.97	2 052 342.06	45 510.63
22 30	2 039 274.04	30 336.36	2 039 256.55	45 493.02
25 00	2 026 182.69	30 323.77	2 026 171.04	45 480.44
27 30	2 013 091.35	30 316.22	2 013 085.52	45 472.89
92 30 00	2 000 000.00	30 313.70	2 000 000.00	45 470.37
32 30	1 986 908.65	30 316.22	1 986 914.48	45 472.89
35 00	1 973 817.31	30 323.77	1 973 828.96	45 480.44
37 30	1 960 725.96	30 336.36	1 960 743.45	45 493.02
92 40 00	1 947 634.63	30 353.97	1 947 657.94	45 510.63
42 30	1 934 543.30	30 376.63	1 934 572.44	45 533.27
45 00	1 921 451.98	30 404.31	1 921 486.95	45 560.94
47 30	1 908 360.67	30 437.03	1 908 401.47	45 593.64
92 50 00	1 895 269.38	30 474.78	1 895 316.00	45 631.38
52 30	1 882 178.10	30 517.56	1 882 230.55	45 674.14
55 00	1 869 086.84	30 565.38	1 869 145.12	45 721.93
57 30	1 855 995.60	30 618.23	1 856 059.70	45 774.76
93 00 00	1 842 904.38	30 676.11	1 842 974.31	45 832.62

LONGITUDE	LATITUDE 30 50 00 X	LATITUDE 30 50 00 Y	LATITUDE 30 52 30 X	LATITUDE 30 52 30 Y
92 00 00	2 156 955.76	60 989.00	2 156 885.83	76 145.28
02 30	2 143 876.20	60 931.17	2 143 812.10	76 087.47
05 00	2 130 796.61	60 878.36	2 130 738.34	76 034.69
07 30	2 117 717.00	60 830.59	2 117 664.56	75 986.94
92 10 00	2 104 637.38	60 787.85	2 104 590.76	75 944.22
12 30	2 091 557.74	60 750.13	2 091 516.95	75 906.51
15 00	2 078 478.09	60 717.44	2 078 443.13	75 873.84
17 30	2 065 398.43	60 689.78	2 065 369.29	75 846.19
92 20 00	2 052 318.75	60 667.15	2 052 295.44	75 823.57
22 30	2 039 239.07	60 649.55	2 039 221.59	75 805.98
25 00	2 026 159.38	60 636.97	2 026 147.73	75 793.41
27 30	2 013 079.69	60 629.43	2 013 073.86	75 785.87
92 30 00	2 000 000.00	60 626.91	2 000 000.00	75 783.35
32 30	1 986 920.31	60 629.43	1 986 926.14	75 785.87
35 00	1 973 840.62	60 636.97	1 973 852.27	75 793.41
37 30	1 960 760.93	60 649.55	1 960 778.41	75 805.98
92 40 00	1 947 681.25	60 667.15	1 947 704.56	75 823.57
42 30	1 934 601.57	60 689.78	1 934 630.71	75 846.19
45 00	1 921 521.91	60 717.44	1 921 556.87	75 873.84
47 30	1 908 442.26	60 750.13	1 908 483.05	75 906.51
92 50 00	1 895 362.62	60 787.85	1 895 409.24	75 944.22
52 30	1 882 283.00	60 830.59	1 882 335.44	75 986.94
55 00	1 869 203.39	60 878.36	1 869 261.66	76 034.69
57 30	1 856 123.80	60 931.17	1 856 187.90	76 087.47
93 00 00	1 843 044.24	60 989.00	1 843 114.17	76 145.28

LONGITUDE	LATITUDE 30 55 00 X	LATITUDE 30 55 00 Y	LATITUDE 30 57 30 X	LATITUDE 30 57 30 Y
92 00 00	2 156 815.90	91 301.46	2 156 745.98	106 457.54
02 30	2 143 747.99	91 243.67	2 143 683.89	106 399.79
05 00	2 130 680.06	91 190.92	2 130 621.79	106 347.06
07 30	2 117 612.11	91 143.19	2 117 559.66	106 299.35
92 10 00	2 104 544.14	91 100.48	2 104 497.52	106 256.66
12 30	2 091 476.16	91 062.80	2 091 435.37	106 218.99
15 00	2 078 408.16	91 030.14	2 078 373.20	106 186.35
17 30	2 065 340.15	91 002.50	2 065 311.02	106 158.73
92 20 00	2 052 272.13	90 979.89	2 052 248.82	106 136.12
22 30	2 039 204.11	90 962.31	2 039 186.63	106 118.55
25 00	2 026 136.08	90 949.74	2 026 124.42	106 105.99
27 30	2 013 068.04	90 942.21	2 013 062.21	106 098.45
92 30 00	2 000 000.00	90 939.69	2 000 000.00	106 095.94
32 30	1 986 931.96	90 942.21	1 986 937.79	106 098.45
35 00	1 973 863.92	90 949.74	1 973 875.58	106 105.99
37 30	1 960 795.89	90 962.31	1 960 813.37	106 118.55
92 40 00	1 947 727.87	90 979.89	1 947 751.18	106 136.12
42 30	1 934 659.85	91 002.50	1 934 688.98	106 158.73
45 00	1 921 591.84	91 030.14	1 921 626.80	106 186.35
47 30	1 908 523.84	91 062.80	1 908 564.63	106 218.99
92 50 00	1 895 455.86	91 100.48	1 895 502.48	106 256.66
52 30	1 882 387.89	91 143.19	1 882 440.34	106 299.35
55 00	1 869 319.94	91 190.92	1 869 378.21	106 347.06
57 30	1 856 252.01	91 243.67	1 856 316.11	106 399.79
93 00 00	1 843 184.10	91 301.46	1 843 254.02	106 457.54

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 30 45 00 X	LATITUDE 30 45 00 Y	LATITUDE 30 47 30 X	LATITUDE 30 47 30 Y
93 00 00	1 842 904.38	30 676.11	1 842 974.31	45 832.62
02 30	1 829 813.18	30 739.02	1 829 888.94	45 895.50
05 00	1 816 722.01	30 806.97	1 816 803.59	45 963.42
07 30	1 803 630.87	30 879.96	1 803 718.28	46 036.38
93 10 00	1 790 539.75	30 957.97	1 790 632.99	46 114.36
12 30	1 777 448.67	31 041.03	1 777 547.73	46 197.37
15 00	1 764 357.62	31 129.11	1 764 462.51	46 285.42
17 30	1 751 266.60	31 222.23	1 751 377.32	46 378.50
93 20 00	1 738 175.62	31 320.38	1 738 292.17	46 476.60
22 30	1 725 084.68	31 423.56	1 725 207.05	46 579.74
25 00	1 711 993.78	31 531.78	1 712 121.98	46 687.91
27 30	1 698 902.92	31 645.03	1 699 036.95	46 801.11
93 30 00	1 685 812.10	31 763.32	1 685 951.96	46 919.34
32 30	1 672 721.34	31 886.63	1 672 867.02	47 042.60
35 00	1 659 630.62	32 014.98	1 659 782.13	47 170.89
37 30	1 646 539.95	32 148.36	1 646 697.29	47 304.21
93 40 00	1 633 449.33	32 286.77	1 633 612.50	47 442.56
42 30	1 620 358.77	32 430.22	1 620 527.77	47 585.95
45 00	1 607 268.26	32 578.70	1 607 443.08	47 734.36
47 30	1 594 177.82	32 732.22	1 594 358.47	47 887.81
93 50 00	1 581 087.43	32 890.77	1 581 273.90	48 046.29
52 30	1 567 997.10	33 054.35	1 568 189.40	48 209.80
55 00	1 554 906.84	33 222.97	1 555 104.97	48 378.34
57 30	1 541 816.64	33 396.61	1 542 020.60	48 551.91
94 00 00	1 528 726.52	33 575.29	1 528 936.30	48 730.51

LONGITUDE	LATITUDE 30 50 00 X	LATITUDE 30 50 00 Y	LATITUDE 30 52 30 X	LATITUDE 30 52 30 Y
93 00 00	1 843 044.24	60 989.00	1 843 114.17	76 145.28
02 30	1 829 964.69	61 051.85	1 830 040.45	76 208.11
05 00	1 816 885.18	61 119.74	1 816 966.76	76 275.96
07 30	1 803 805.69	61 192.66	1 803 893.10	76 348.85
93 10 00	1 790 726.23	61 270.61	1 790 819.47	76 426.76
12 30	1 777 646.80	61 353.59	1 777 745.86	76 509.71
15 00	1 764 567.40	61 441.60	1 764 672.29	76 597.67
17 30	1 751 488.04	61 534.63	1 751 598.76	76 690.67
93 20 00	1 738 408.71	61 632.70	1 738 525.26	76 788.69
22 30	1 725 329.43	61 735.79	1 725 451.80	76 891.73
25 00	1 712 250.18	61 843.91	1 712 378.38	76 999.80
27 30	1 699 170.98	61 957.06	1 699 305.00	77 112.90
93 30 00	1 686 091.82	62 075.24	1 686 231.67	77 231.03
32 30	1 673 012.70	62 198.44	1 673 158.39	77 354.18
35 00	1 659 933.64	62 326.67	1 660 085.15	77 482.36
37 30	1 646 854.63	62 459.94	1 647 011.96	77 615.56
93 40 00	1 633 775.67	62 598.23	1 633 938.83	77 753.79
42 30	1 620 696.76	62 741.54	1 620 865.75	77 897.04
45 00	1 607 617.90	62 889.89	1 607 792.72	78 045.33
47 30	1 594 539.11	63 043.28	1 594 719.76	78 198.64
93 50 00	1 581 460.38	63 201.68	1 581 646.85	78 356.98
52 30	1 568 381.70	63 365.12	1 568 574.00	78 520.34
55 00	1 555 303.10	63 533.59	1 555 501.22	78 688.73
57 30	1 542 224.55	63 707.08	1 542 428.50	78 862.15
94 00 00	1 529 146.08	63 885.60	1 529 355.86	79 040.59

LONGITUDE	LATITUDE 30 55 00 X	LATITUDE 30 55 00 Y	LATITUDE 30 57 30 X	LATITUDE 30 57 30 Y
93 00 00	1 843 184.10	91 301.46	1 843 254.02	106 457.54
02 30	1 830 116.21	91 364.26	1 830 191.96	106 520.32
05 00	1 817 048.34	91 432.08	1 817 129.92	106 588.11
07 30	1 803 980.51	91 504.94	1 804 067.92	106 660.94
93 10 00	1 790 912.70	91 582.82	1 791 005.94	106 738.78
12 30	1 777 844.93	91 665.72	1 777 943.99	106 821.65
15 00	1 764 777.18	91 753.65	1 764 882.08	106 909.54
17 30	1 751 709.48	91 846.60	1 751 820.20	107 002.45
93 20 00	1 738 641.81	91 944.58	1 738 758.35	107 100.38
22 30	1 725 574.17	92 047.58	1 725 696.55	107 203.33
25 00	1 712 506.58	92 155.60	1 712 634.78	107 311.31
27 30	1 699 439.03	92 268.65	1 699 573.06	107 424.31
93 30 00	1 686 371.52	92 386.72	1 686 511.38	107 542.33
32 30	1 673 304.07	92 509.82	1 673 449.75	107 665.37
35 00	1 660 236.66	92 637.94	1 660 388.17	107 793.43
37 30	1 647 169.30	92 771.08	1 647 326.63	107 926.52
93 40 00	1 634 101.99	92 909.25	1 634 265.15	108 064.62
42 30	1 621 034.74	93 052.44	1 621 203.73	108 207.75
45 00	1 607 967.54	93 200.66	1 608 142.35	108 355.90
47 30	1 594 900.40	93 353.90	1 595 081.04	108 509.08
93 50 00	1 581 833.32	93 512.17	1 582 019.79	108 667.27
52 30	1 568 766.30	93 675.46	1 568 958.59	108 830.49
55 00	1 555 699.35	93 843.78	1 555 897.47	108 998.73
57 30	1 542 632.46	94 017.11	1 542 836.40	109 171.99
94 00 00	1 529 565.64	94 195.47	1 529 775.41	109 350.27

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 31 00 00 X	LATITUDE 31 00 00 Y	LATITUDE 31 02 30 X	LATITUDE 31 02 30 Y
91 00 00	2 470 014.81	124 504.99	2 469 805.04	139 659.62
02 30	2 456 959.65	124 326.79	2 456 755.70	139 481.50
05 00	2 443 904.41	124 153.61	2 443 706.29	139 308.39
07 30	2 430 849.11	123 985.44	2 430 656.82	139 140.30
91 10 00	2 417 793.75	123 822.29	2 417 607.28	138 977.23
12 30	2 404 738.32	123 664.17	2 404 557.68	138 819.17
15 00	2 391 682.83	123 511.06	2 391 508.02	138 666.13
17 30	2 378 627.29	123 362.98	2 378 458.30	138 518.11
91 20 00	2 365 571.69	123 219.91	2 365 408.53	138 375.11
22 30	2 352 516.03	123 081.87	2 352 358.70	138 237.13
25 00	2 339 460.33	122 948.84	2 339 308.82	138 104.17
27 30	2 326 404.57	122 820.84	2 326 258.89	137 976.22
91 30 00	2 313 348.77	122 697.85	2 313 208.92	137 853.29
32 30	2 300 292.92	122 579.89	2 300 158.89	137 735.37
35 00	2 287 237.02	122 466.94	2 287 108.82	137 622.47
37 30	2 274 181.08	122 359.01	2 274 058.71	137 514.60
91 40 00	2 261 125.10	122 256.10	2 261 008.56	137 411.73
42 30	2 248 069.09	122 158.21	2 247 958.37	137 313.89
45 00	2 235 013.03	122 065.35	2 234 908.15	137 221.06
47 30	2 221 956.95	121 977.49	2 221 857.88	137 133.25
91 50 00	2 208 900.83	121 894.66	2 208 807.59	137 050.46
52 30	2 195 844.67	121 816.85	2 195 757.26	136 972.68
55 00	2 182 788.49	121 744.07	2 182 706.91	136 899.93
57 30	2 169 732.29	121 676.30	2 169 656.53	136 832.19
92 00 00	2 156 676.05	121 613.55	2 156 606.12	136 769.47

LONGITUDE	LATITUDE 31 05 00 X	LATITUDE 31 05 00 Y	LATITUDE 31 07 30 X	LATITUDE 31 07 30 Y
91 00 00	2 469 595.27	154 814.20	2 469 385.49	169 968.70
02 30	2 456 551.75	154 636.16	2 456 347.81	169 790.74
05 00	2 443 508.17	154 463.13	2 443 310.05	169 617.79
07 30	2 430 464.52	154 295.11	2 430 272.23	169 449.85
91 10 00	2 417 420.81	154 132.11	2 417 234.35	169 286.92
12 30	2 404 377.04	153 974.13	2 404 196.40	169 129.01
15 00	2 391 333.21	153 821.16	2 391 158.40	168 976.11
17 30	2 378 289.32	153 673.20	2 378 120.33	168 828.22
91 20 00	2 365 245.37	153 530.27	2 365 082.21	168 685.35
22 30	2 352 201.37	153 392.35	2 352 044.04	168 547.49
25 00	2 339 157.32	153 259.44	2 339 005.81	168 414.64
27 30	2 326 113.22	153 131.55	2 325 967.54	168 286.81
91 30 00	2 313 069.07	153 008.67	2 312 929.22	168 163.99
32 30	2 300 024.87	152 890.81	2 299 890.85	168 046.18
35 00	2 286 980.63	152 777.96	2 286 852.43	167 933.38
37 30	2 273 936.34	152 670.13	2 273 813.97	167 825.60
91 40 00	2 260 892.02	152 567.32	2 260 775.48	167 722.83
42 30	2 247 847.65	152 469.52	2 247 736.94	167 625.07
45 00	2 234 803.26	152 376.73	2 234 698.37	167 532.33
47 30	2 221 758.82	152 288.96	2 221 659.76	167 444.59
91 50 00	2 208 714.36	152 206.20	2 208 621.12	167 361.87
52 30	2 195 669.86	152 128.46	2 195 582.45	167 284.17
55 00	2 182 625.33	152 055.74	2 182 543.75	167 211.48
57 30	2 169 580.78	151 988.03	2 169 505.03	167 143.80
92 00 00	2 156 536.20	151 925.34	2 156 466.27	167 081.14

LONGITUDE	LATITUDE 31 10 00 X	LATITUDE 31 10 00 Y	LATITUDE 31 12 30 X	LATITUDE 31 12 30 Y
91 00 00	2 469 175.72	185 123.16	2 468 965.95	200 277.57
02 30	2 456 143.86	184 945.28	2 455 939.92	200 099.77
05 00	2 443 111.93	184 772.41	2 442 913.81	199 926.97
07 30	2 430 079.94	184 604.54	2 429 887.65	199 759.18
91 10 00	2 417 047.88	184 441.69	2 416 861.42	199 596.40
12 30	2 404 015.76	184 283.84	2 403 835.12	199 438.63
15 00	2 390 983.58	184 131.01	2 390 808.77	199 285.86
17 30	2 377 951.35	183 983.19	2 377 782.36	199 138.11
91 20 00	2 364 919.05	183 840.38	2 364 755.90	198 995.36
22 30	2 351 886.71	183 702.58	2 351 729.37	198 857.63
25 00	2 338 854.31	183 569.79	2 338 702.80	198 724.90
27 30	2 325 821.86	183 442.02	2 325 676.19	198 597.18
91 30 00	2 312 789.37	183 319.25	2 312 649.52	198 474.47
32 30	2 299 756.82	183 201.50	2 299 622.80	198 356.76
35 00	2 286 724.23	183 088.75	2 286 596.04	198 244.07
37 30	2 273 691.60	182 981.01	2 273 569.23	198 136.38
91 40 00	2 260 658.93	182 878.29	2 260 542.39	198 033.70
42 30	2 247 626.22	182 780.58	2 247 515.51	197 936.03
45 00	2 234 593.48	182 687.87	2 234 488.59	197 843.37
47 30	2 221 560.70	182 600.18	2 221 461.64	197 755.72
91 50 00	2 208 527.89	182 517.50	2 208 434.65	197 673.07
52 30	2 195 495.04	182 439.83	2 195 407.63	197 595.43
55 00	2 182 462.17	182 367.17	2 182 380.59	197 522.81
57 30	2 169 429.27	182 299.52	2 169 353.52	197 455.19
92 00 00	2 156 396.35	182 236.89	2 156 326.42	197 392.59

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 31 00 00 X	LATITUDE 31 00 00 Y	LATITUDE 31 02 30 X	LATITUDE 31 02 30 Y
92 00 00	2 156 676.05	121 613.55	2 156 606.12	136 769.47
02 30	2 143 619.79	121 555.82	2 143 555.70	136 711.77
05 00	2 130 563.52	121 503.11	2 130 505.25	136 659.08
07 30	2 117 507.22	121 455.43	2 117 454.77	136 611.41
92 10 00	2 104 450.91	121 412.76	2 104 404.29	136 568.77
12 30	2 091 394.58	121 375.11	2 091 353.79	136 531.13
15 00	2 078 338.23	121 342.48	2 078 303.27	136 498.52
17 30	2 065 281.88	121 314.87	2 065 252.74	136 470.92
92 20 00	2 052 225.52	121 292.28	2 052 202.21	136 448.34
22 30	2 039 169.14	121 274.71	2 039 151.66	136 430.78
25 00	2 026 112.77	121 262.15	2 026 101.11	136 418.23
27 30	2 013 056.38	121 254.62	2 013 050.55	136 410.70
92 30 00	2 000 000.00	121 252.11	2 000 000.00	136 408.19
32 30	1 986 943.62	121 254.62	1 986 949.45	136 410.70
35 00	1 973 887.23	121 262.15	1 973 898.89	136 418.23
37 30	1 960 830.86	121 274.71	1 960 848.34	136 430.78
92 40 00	1 947 774.48	121 292.28	1 947 797.79	136 448.34
42 30	1 934 718.12	121 314.87	1 934 747.26	136 470.92
45 00	1 921 661.77	121 342.48	1 921 696.73	136 498.52
47 30	1 908 605.42	121 375.11	1 908 646.21	136 531.13
92 50 00	1 895 549.09	121 412.76	1 895 595.71	136 568.77
52 30	1 882 492.78	121 455.43	1 882 545.23	136 611.41
55 00	1 869 436.48	121 503.11	1 869 494.75	136 659.08
57 30	1 856 380.21	121 555.82	1 856 444.30	136 711.77
93 00 00	1 843 323.95	121 613.55	1 843 393.88	136 769.47

LONGITUDE	LATITUDE 31 05 00 X	LATITUDE 31 05 00 Y	LATITUDE 31 07 30 X	LATITUDE 31 07 30 Y
92 00 00	2 156 536.20	151 925.34	2 156 466.27	167 081.14
02 30	2 143 491.60	151 867.66	2 143 427.50	167 023.49
05 00	2 130 446.97	151 815.00	2 130 388.70	166 970.85
07 30	2 117 402.33	151 767.35	2 117 349.88	166 923.22
92 10 00	2 104 357.67	151 724.73	2 104 311.05	166 880.62
12 30	2 091 313.00	151 687.11	2 091 272.21	166 843.01
15 00	2 078 268.31	151 654.51	2 078 233.34	166 810.43
17 30	2 065 223.61	151 626.92	2 065 194.47	166 782.85
92 20 00	2 052 178.90	151 604.35	2 052 155.59	166 760.29
22 30	2 039 134.18	151 586.80	2 039 116.70	166 742.75
25 00	2 026 089.46	151 574.26	2 026 077.80	166 730.21
27 30	2 013 044.73	151 566.73	2 013 038.90	166 722.69
92 30 00	2 000 000.00	151 564.22	2 000 000.00	166 720.18
32 30	1 986 955.27	151 566.73	1 986 961.10	166 722.69
35 00	1 973 910.54	151 574.26	1 973 922.20	166 730.21
37 30	1 960 865.82	151 586.80	1 960 883.30	166 742.75
92 40 00	1 947 821.10	151 604.35	1 947 844.41	166 760.29
42 30	1 934 776.39	151 626.92	1 934 805.53	166 782.85
45 00	1 921 731.69	151 654.51	1 921 766.66	166 810.43
47 30	1 908 687.00	151 687.11	1 908 727.79	166 843.01
92 50 00	1 895 642.33	151 724.73	1 895 688.95	166 880.62
52 30	1 882 597.67	151 767.35	1 882 650.12	166 923.22
55 00	1 869 553.03	151 815.00	1 869 611.30	166 970.85
57 30	1 856 508.40	151 867.66	1 856 572.50	167 023.49
93 00 00	1 843 463.80	151 925.34	1 843 533.73	167 081.14

LONGITUDE	LATITUDE 31 10 00 X	LATITUDE 31 10 00 Y	LATITUDE 31 12 30 X	LATITUDE 31 12 30 Y
92 00 00	2 156 396.35	182 236.89	2 156 326.42	197 392.59
02 30	2 143 363.40	182 179.26	2 143 299.30	197 334.99
05 00	2 130 330.43	182 126.65	2 130 272.16	197 282.39
07 30	2 117 297.44	182 079.04	2 117 245.00	197 234.81
92 10 00	2 104 264.43	182 036.45	2 104 217.82	197 192.24
12 30	2 091 231.42	181 998.87	2 091 190.63	197 154.67
15 00	2 078 198.38	181 966.30	2 078 163.42	197 122.12
17 30	2 065 165.34	181 938.74	2 065 136.20	197 094.57
92 20 00	2 052 132.28	181 916.18	2 052 108.97	197 072.03
22 30	2 039 099.22	181 898.65	2 039 081.74	197 054.50
25 00	2 026 066.15	181 886.12	2 026 054.49	197 041.97
27 30	2 013 033.07	181 878.60	2 013 027.25	197 034.46
92 30 00	2 000 000.00	181 876.09	2 000 000.00	197 031.95
32 30	1 986 966.93	181 878.60	1 986 972.75	197 034.46
35 00	1 973 933.85	181 886.12	1 973 945.51	197 041.97
37 30	1 960 900.78	181 898.65	1 960 918.26	197 054.50
92 40 00	1 947 867.72	181 916.18	1 947 891.03	197 072.03
42 30	1 934 834.66	181 938.74	1 934 863.80	197 094.57
45 00	1 921 801.62	181 966.30	1 921 836.58	197 122.12
47 30	1 908 768.58	181 998.87	1 908 809.37	197 154.67
92 50 00	1 895 735.57	182 036.45	1 895 782.18	197 192.24
52 30	1 882 702.56	182 079.04	1 882 755.00	197 234.81
55 00	1 869 669.57	182 126.65	1 869 727.84	197 282.39
57 30	1 856 636.60	182 179.26	1 856 700.70	197 334.99
93 00 00	1 843 603.65	182 236.89	1 843 673.58	197 392.59

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 31 00 00 X	LATITUDE 31 00 00 Y	LATITUDE 31 02 30 X	LATITUDE 31 02 30 Y
93 00 00	1 843 323.95	121 613.55	1 843 393.88	136 769.47
02 30	1 830 267.71	121 676.30	1 830 343.47	136 832.19
05 00	1 817 211.51	121 744.07	1 817 293.09	136 899.93
07 30	1 804 155.33	121 816.85	1 804 242.74	136 972.68
93 10 00	1 791 099.17	121 894.66	1 791 192.41	137 050.46
12 30	1 778 043.05	121 977.49	1 778 142.12	137 133.25
15 00	1 764 986.97	122 065.35	1 765 091.85	137 221.06
17 30	1 751 930.91	122 158.21	1 752 041.63	137 313.89
93 20 00	1 738 874.90	122 256.10	1 738 991.44	137 411.73
22 30	1 725 818.92	122 359.01	1 725 941.29	137 514.60
25 00	1 712 762.98	122 466.94	1 712 891.18	137 622.47
27 30	1 699 707.08	122 579.89	1 699 841.11	137 735.37
93 30 00	1 686 651.23	122 697.85	1 686 791.08	137 853.29
32 30	1 673 595.43	122 820.84	1 673 741.11	137 976.22
35 00	1 660 539.67	122 948.84	1 660 691.18	138 104.17
37 30	1 647 483.97	123 081.87	1 647 641.30	138 237.13
93 40 00	1 634 428.31	123 219.91	1 634 591.47	138 375.11
42 30	1 621 372.71	123 362.98	1 621 541.70	138 518.11
45 00	1 608 317.17	123 511.06	1 608 491.98	138 666.13
47 30	1 595 261.68	123 664.17	1 595 442.32	138 819.17
93 50 00	1 582 206.25	123 822.29	1 582 392.72	138 977.23
52 30	1 569 150.89	123 985.44	1 569 343.18	139 140.30
55 00	1 556 095.59	124 153.61	1 556 293.71	139 308.39
57 30	1 543 040.35	124 326.79	1 543 244.30	139 481.50
94 00 00	1 529 985.19	124 504.99	1 530 194.96	139 659.62

LONGITUDE	LATITUDE 31 05 00 X	LATITUDE 31 05 00 Y	LATITUDE 31 07 30 X	LATITUDE 31 07 30 Y
93 00 00	1 843 463.80	151 925.34	1 843 533.73	167 081.14
02 30	1 830 419.22	151 988.03	1 830 494.97	167 143.80
05 00	1 817 374.67	152 055.74	1 817 456.25	167 211.48
07 30	1 804 330.14	152 128.46	1 804 417.55	167 284.17
93 10 00	1 791 285.64	152 206.20	1 791 378.88	167 361.87
12 30	1 778 241.18	152 288.96	1 778 340.24	167 444.59
15 00	1 765 196.74	152 376.73	1 765 301.63	167 532.33
17 30	1 752 152.35	152 469.52	1 752 263.06	167 625.07
93 20 00	1 739 107.98	152 567.32	1 739 224.52	167 722.83
22 30	1 726 063.66	152 670.13	1 726 186.03	167 825.60
25 00	1 713 019.37	152 777.96	1 713 147.57	167 933.38
27 30	1 699 975.13	152 890.81	1 700 109.16	168 046.18
93 30 00	1 686 930.93	153 008.67	1 687 070.78	168 163.99
32 30	1 673 886.78	153 131.55	1 674 032.46	168 286.81
35 00	1 660 842.68	153 259.44	1 660 994.19	168 414.64
37 30	1 647 798.63	153 392.35	1 647 955.96	168 547.49
93 40 00	1 634 754.63	153 530.27	1 634 917.79	168 685.35
42 30	1 621 710.68	153 673.20	1 621 879.67	168 828.22
45 00	1 608 666.79	153 821.16	1 608 841.60	168 976.11
47 30	1 595 622.96	153 974.13	1 595 803.60	169 129.01
93 50 00	1 582 579.19	154 132.11	1 582 765.65	169 286.92
52 30	1 569 535.48	154 295.11	1 569 727.77	169 449.85
55 00	1 556 491.83	154 463.13	1 556 689.95	169 617.79
57 30	1 543 448.25	154 636.16	1 543 652.19	169 790.74
94 00 00	1 530 404.73	154 814.20	1 530 614.51	169 968.70

LONGITUDE	LATITUDE 31 10 00 X	LATITUDE 31 10 00 Y	LATITUDE 31 12 30 X	LATITUDE 31 12 30 Y
93 00 00	1 843 603.65	182 236.89	1 843 673.58	197 392.59
02 30	1 830 570.73	182 299.52	1 830 646.48	197 455.19
05 00	1 817 537.83	182 367.17	1 817 619.41	197 522.81
07 30	1 804 504.96	182 439.83	1 804 592.37	197 595.43
93 10 00	1 791 472.11	182 517.50	1 791 565.35	197 673.07
12 30	1 778 439.30	182 600.18	1 778 538.36	197 755.72
15 00	1 765 406.52	182 687.87	1 765 511.41	197 843.37
17 30	1 752 373.78	182 780.58	1 752 484.49	197 936.03
93 20 00	1 739 341.07	182 878.29	1 739 457.61	198 033.70
22 30	1 726 308.40	182 981.01	1 726 430.77	198 136.38
25 00	1 713 275.77	183 088.75	1 713 403.96	198 244.07
27 30	1 700 243.18	183 201.50	1 700 377.20	198 356.76
93 30 00	1 687 210.63	183 319.25	1 687 350.48	198 474.47
32 30	1 674 178.14	183 442.02	1 674 323.81	198 597.18
35 00	1 661 145.69	183 569.79	1 661 297.20	198 724.90
37 30	1 648 113.29	183 702.58	1 648 270.63	198 857.63
93 40 00	1 635 080.95	183 840.38	1 635 244.10	198 995.36
42 30	1 622 048.65	183 983.19	1 622 217.64	199 138.11
45 00	1 609 016.42	184 131.01	1 609 191.23	199 285.86
47 30	1 595 984.24	184 283.84	1 596 164.88	199 438.63
93 50 00	1 582 952.12	184 441.69	1 583 138.58	199 596.40
52 30	1 569 920.06	184 604.54	1 570 112.35	199 759.18
55 00	1 556 888.07	184 772.41	1 557 086.19	199 926.97
57 30	1 543 856.14	184 945.28	1 544 060.08	200 099.77
94 00 00	1 530 824.28	185 123.16	1 531 034.05	200 277.57

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 31 15 00 X	LATITUDE 31 15 00 Y	LATITUDE 31 17 30 X	LATITUDE 31 17 30 Y
91 00 00	2 468 756.18	215 431.96	2 468 546.41	230 586.30
02 30	2 455 735.97	215 254.24	2 455 532.03	230 408.65
05 00	2 442 715.70	215 081.52	2 442 517.58	230 236.01
07 30	2 429 695.36	214 913.80	2 429 503.07	230 068.37
91 10 00	2 416 674.95	214 751.09	2 416 488.49	229 905.73
12 30	2 403 654.49	214 593.39	2 403 473.85	229 748.10
15 00	2 390 633.96	214 440.69	2 390 459.15	229 595.47
17 30	2 377 613.38	214 293.00	2 377 444.39	229 447.85
91 20 00	2 364 592.74	214 150.32	2 364 429.58	229 305.24
22 30	2 351 572.04	214 012.65	2 351 414.72	229 167.62
25 00	2 338 551.30	213 879.98	2 338 399.80	229 035.01
27 30	2 325 530.51	213 752.32	2 325 384.83	228 907.41
91 30 00	2 312 509.67	213 629.66	2 312 369.82	228 784.81
32 30	2 299 488.78	213 512.01	2 299 354.75	228 667.21
35 00	2 286 467.84	213 399.36	2 286 339.65	228 554.61
37 30	2 273 446.86	213 291.73	2 273 324.50	228 447.02
91 40 00	2 260 425.85	213 189.09	2 260 309.31	228 344.44
42 30	2 247 404.79	213 091.47	2 247 294.08	228 246.85
45 00	2 234 383.70	212 998.85	2 234 278.82	228 154.27
47 30	2 221 362.58	212 911.23	2 221 263.52	228 066.70
91 50 00	2 208 341.42	212 828.62	2 208 248.19	227 984.13
52 30	2 195 320.23	212 751.02	2 195 232.82	227 906.56
55 00	2 182 299.01	212 678.43	2 182 217.43	227 834.00
57 30	2 169 277.77	212 610.84	2 169 202.01	227 766.44
92 00 00	2 156 256.49	212 548.26	2 156 186.57	227 703.89

LONGITUDE	LATITUDE 31 20 00 X	LATITUDE 31 20 00 Y	LATITUDE 31 22 30 X	LATITUDE 31 22 30 Y
91 00 00	2 468 336.64	245 740.64	2 468 126.87	260 894.95
02 30	2 455 328.09	245 563.07	2 455 124.14	260 717.47
05 00	2 442 319.46	245 390.51	2 442 121.35	260 544.98
07 30	2 429 310.78	245 222.94	2 429 118.49	260 377.49
91 10 00	2 416 302.03	245 060.38	2 416 115.56	260 815.00
12 30	2 403 293.21	244 902.82	2 403 112.58	260 057.51
15 00	2 390 284.34	244 750.26	2 390 109.53	259 905.02
17 30	2 377 275.41	244 602.70	2 377 106.43	259 757.53
91 20 00	2 364 266.43	244 460.15	2 364 103.27	259 615.04
22 30	2 351 257.39	244 322.60	2 351 100.06	259 477.55
25 00	2 338 248.29	244 190.05	2 338 096.79	259 345.06
27 30	2 325 239.16	244 062.50	2 325 093.48	259 217.57
91 30 00	2 312 229.97	243 939.95	2 312 090.12	259 095.08
32 30	2 299 220.73	243 822.41	2 299 086.71	258 977.58
35 00	2 286 211.45	243 709.86	2 286 083.26	258 865.09
37 30	2 273 202.13	243 602.32	2 273 079.76	258 757.59
91 40 00	2 260 192.77	243 499.78	2 260 076.22	258 655.10
42 30	2 247 183.36	243 402.24	2 247 072.65	258 557.60
45 00	2 234 173.93	243 309.70	2 234 069.04	258 465.11
47 30	2 221 164.46	243 222.16	2 221 065.40	258 377.61
91 50 00	2 208 154.95	243 139.63	2 208 061.72	258 295.11
52 30	2 195 145.41	243 062.10	2 195 058.01	258 217.62
55 00	2 182 135.85	242 989.57	2 182 054.27	258 145.12
57 30	2 169 126.26	242 922.04	2 169 050.51	258 077.62
92 00 00	2 156 116.64	242 859.52	2 156 046.72	258 015.13

LONGITUDE	LATITUDE 31 25 00 X	LATITUDE 31 25 00 Y	LATITUDE 31 27 30 X	LATITUDE 31 27 30 Y
91 00 00	2 467 917.10	276 049.27	2 467 707.33	291 203.58
02 30	2 454 920.20	275 871.87	2 454 716.26	291 026.26
05 00	2 441 923.23	275 699.46	2 441 725.11	290 853.98
07 30	2 428 926.20	275 532.04	2 428 733.91	290 686.58
91 10 00	2 415 929.10	275 369.62	2 415 742.64	290 524.24
12 30	2 402 931.94	275 212.20	2 402 751.30	290 366.89
15 00	2 389 934.72	275 059.78	2 389 759.91	290 214.53
17 30	2 376 937.45	274 912.36	2 376 768.46	290 067.17
91 20 00	2 363 940.11	274 769.93	2 363 776.96	289 924.81
22 30	2 350 942.73	274 632.50	2 350 785.40	289 787.45
25 00	2 337 945.29	274 500.07	2 337 793.79	289 655.07
27 30	2 324 947.81	274 372.64	2 324 802.13	289 527.70
91 30 00	2 311 950.27	274 250.20	2 311 810.42	289 405.32
32 30	2 298 952.69	274 132.76	2 298 818.67	289 287.93
35 00	2 285 955.06	274 020.32	2 285 826.87	289 175.53
37 30	2 272 957.39	273 912.87	2 272 835.02	289 068.14
91 40 00	2 259 959.68	273 810.42	2 259 843.14	288 965.73
42 30	2 246 961.94	273 712.97	2 246 851.22	288 868.33
45 00	2 233 964.15	273 620.52	2 233 859.27	288 775.91
47 30	2 220 966.33	273 533.06	2 220 867.27	288 688.49
91 50 00	2 207 968.49	273 450.60	2 207 875.25	288 606.07
52 30	2 194 970.60	273 373.13	2 194 883.20	288 528.64
55 00	2 181 972.70	273 300.67	2 181 891.12	288 456.21
57 30	2 168 974.76	273 233.20	2 168 899.01	288 388.78
92 00 00	2 155 976.79	273 170.74	2 155 906.87	288 326.34

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 31 15 00 X	LATITUDE 31 15 00 Y	LATITUDE 31 17 30 X	LATITUDE 31 17 30 Y
92 00 00	2 156 256.49	212 548.26	2 156 186.57	227 703.89
02 30	2 143 235.20	212 490.69	2 143 171.10	227 646.34
05 00	2 130 213.89	212 438.12	2 130 155.62	227 593.80
07 30	2 117 192.55	212 390.56	2 117 140.11	227 546.26
92 10 00	2 104 171.20	212 348.01	2 104 124.58	227 503.73
12 30	2 091 149.84	212 310.46	2 091 109.05	227 466.19
15 00	2 078 128.46	212 277.92	2 078 093.49	227 433.67
17 30	2 065 107.06	212 250.38	2 065 077.93	227 406.14
92 20 00	2 052 085.66	212 227.85	2 052 062.35	227 383.62
22 30	2 039 064.25	212 210.33	2 039 046.77	227 366.11
25 00	2 026 042.84	212 197.81	2 026 031.19	227 353.59
27 30	2 013 021.42	212 190.30	2 013 015.59	227 346.09
92 30 00	2 000 000.00	212 187.79	2 000 000.00	227 343.58
32 30	1 986 978.58	212 190.30	1 986 984.41	227 346.09
35 00	1 973 957.16	212 197.81	1 973 968.81	227 353.59
37 30	1 960 935.75	212 210.33	1 960 953.23	227 366.11
92 40 00	1 947 914.34	212 227.85	1 947 937.65	227 383.62
42 30	1 934 892.94	212 250.38	1 934 922.07	227 406.14
45 00	1 921 871.54	212 277.92	1 921 906.51	227 433.67
47 30	1 908 850.16	212 310.46	1 908 890.95	227 466.19
92 50 00	1 895 828.80	212 348.01	1 895 875.42	227 503.73
52 30	1 882 807.45	212 390.56	1 882 859.89	227 546.26
55 00	1 869 786.11	212 438.12	1 869 844.38	227 593.80
57 30	1 856 764.80	212 490.69	1 856 828.90	227 646.34
93 00 00	1 843 743.51	212 548.26	1 843 813.43	227 703.89

LONGITUDE	LATITUDE 31 20 00 X	LATITUDE 31 20 00 Y	LATITUDE 31 22 30 X	LATITUDE 31 22 30 Y
92 00 00	2 156 116.64	242 859.52	2 156 046.72	258 015.13
02 30	2 143 107.00	242 802.00	2 143 042.91	257 957.63
05 00	2 130 097.35	242 749.48	2 130 039.07	257 905.14
07 30	2 117 087.66	242 701.96	2 117 035.22	257 857.64
92 10 00	2 104 077.97	242 659.45	2 104 031.35	257 815.15
12 30	2 091 068.26	242 621.93	2 091 027.47	257 777.64
15 00	2 078 058.53	242 589.42	2 078 023.57	257 745.15
17 30	2 065 048.79	242 561.90	2 065 019.66	257 717.65
92 20 00	2 052 039.05	242 539.39	2 052 015.74	257 695.14
22 30	2 039 029.29	242 521.89	2 039 011.81	257 677.65
25 00	2 026 019.53	242 509.38	2 026 007.88	257 665.14
27 30	2 013 009.76	242 501.87	2 013 003.94	257 657.64
92 30 00	2 000 000.00	242 499.37	2 000 000.00	257 655.14
32 30	1 986 990.24	242 501.87	1 986 996.06	257 657.64
35 00	1 973 980.47	242 509.38	1 973 992.12	257 665.14
37 30	1 960 970.71	242 521.89	1 960 988.19	257 677.65
92 40 00	1 947 960.95	242 539.39	1 947 984.26	257 695.14
42 30	1 934 951.21	242 561.90	1 934 980.34	257 717.65
45 00	1 921 941.47	242 589.42	1 921 976.43	257 745.15
47 30	1 908 931.74	242 621.93	1 908 972.53	257 777.64
92 50 00	1 895 922.03	242 659.45	1 895 968.65	257 815.15
52 30	1 882 912.34	242 701.96	1 882 964.78	257 857.64
55 00	1 869 902.65	242 749.48	1 869 960.93	257 905.14
57 30	1 856 893.00	242 802.00	1 856 957.09	257 957.63
93 00 00	1 843 883.36	242 859.52	1 843 953.28	258 015.13

LONGITUDE	LATITUDE 31 25 00 X	LATITUDE 31 25 00 Y	LATITUDE 31 27 30 X	LATITUDE 31 27 30 Y
92 00 00	2 155 976.79	273 170.74	2 155 906.87	288 326.34
02 30	2 142 978.81	273 113.27	2 142 914.71	288 268.89
05 00	2 129 980.80	273 060.79	2 129 922.53	288 216.44
07 30	2 116 982.78	273 013.32	2 116 930.33	288 168.99
92 10 00	2 103 984.73	272 970.84	2 103 938.12	288 126.53
12 30	2 090 986.68	272 933.36	2 090 945.89	288 089.06
15 00	2 077 988.60	272 900.88	2 077 953.64	288 056.60
17 30	2 064 990.52	272 873.39	2 064 961.39	288 029.12
92 20 00	2 051 992.43	272 850.90	2 051 969.12	288 006.64
22 30	2 038 994.33	272 833.41	2 038 976.85	287 989.15
25 00	2 025 996.22	272 820.91	2 025 984.57	287 976.67
27 30	2 012 998.11	272 813.41	2 012 992.28	287 969.17
92 30 00	2 000 000.00	272 810.91	2 000 000.00	287 966.67
32 30	1 987 001.89	272 813.41	1 987 007.72	287 969.17
35 00	1 974 003.78	272 820.91	1 974 015.43	287 976.67
37 30	1 961 005.67	272 833.41	1 961 023.15	287 989.15
92 40 00	1 948 007.57	272 850.90	1 948 030.88	288 006.64
42 30	1 935 009.48	272 873.39	1 935 038.61	288 029.12
45 00	1 922 011.40	272 900.88	1 922 046.36	288 056.60
47 30	1 909 013.32	272 933.36	1 909 054.11	288 089.06
92 50 00	1 896 015.27	272 970.84	1 896 061.88	288 126.53
52 30	1 883 017.22	273 013.32	1 883 069.67	288 168.99
55 00	1 870 019.20	273 060.79	1 870 077.47	288 216.44
57 30	1 857 021.19	273 113.27	1 857 085.29	288 268.89
93 00 00	1 844 023.21	273 170.74	1 844 093.13	288 326.34

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 31 15 00 X	LATITUDE 31 15 00 Y	LATITUDE 31 17 30 X	LATITUDE 31 17 30 Y
93 00 00	1 843 743.51	212 548.26	1 843 813.43	227 703.89
02 30	1 830 722.23	212 610.84	1 830 797.99	227 766.44
05 00	1 817 700.99	212 678.43	1 817 782.57	227 834.00
07 30	1 804 679.77	212 751.02	1 804 767.18	227 906.56
93 10 00	1 791 658.58	212 828.62	1 791 751.81	227 984.13
12 30	1 778 637.42	212 911.23	1 778 736.48	228 066.70
15 00	1 765 616.30	212 998.85	1 765 721.18	228 154.27
17 30	1 752 595.21	213 091.47	1 752 705.92	228 246.85
93 20 00	1 739 574.15	213 189.09	1 739 690.69	228 344.44
22 30	1 726 553.14	213 291.73	1 726 675.50	228 447.02
25 00	1 713 532.16	213 399.36	1 713 660.35	228 554.61
27 30	1 700 511.22	213 512.01	1 700 645.25	228 667.21
93 30 00	1 687 490.33	213 629.66	1 687 630.18	228 784.81
32 30	1 674 469.49	213 752.32	1 674 615.17	228 907.41
35 00	1 661 448.70	213 879.98	1 661 600.20	229 035.01
37 30	1 648 427.96	214 012.65	1 648 585.28	229 167.62
93 40 00	1 635 407.26	214 150.32	1 635 570.42	229 305.24
42 30	1 622 386.62	214 293.00	1 622 555.61	229 447.85
45 00	1 609 366.04	214 440.69	1 609 540.85	229 595.47
47 30	1 596 345.51	214 593.39	1 596 526.15	229 748.10
93 50 00	1 583 325.05	214 751.09	1 583 511.51	229 905.73
52 30	1 570 304.64	214 913.80	1 570 496.93	230 068.37
55 00	1 557 284.30	215 081.52	1 557 482.42	230 236.01
57 30	1 544 264.03	215 254.24	1 544 467.97	230 408.65
94 00 00	1 531 243.82	215 431.96	1 531 453.59	230 586.30

LONGITUDE	LATITUDE 31 20 00 X	LATITUDE 31 20 00 Y	LATITUDE 31 22 30 X	LATITUDE 31 22 30 Y
93 00 00	1 843 883.36	242 859.52	1 843 953.28	258 015.13
02 30	1 830 873.74	242 922.04	1 830 949.49	258 077.62
05 00	1 817 864.15	242 989.57	1 817 945.73	258 145.12
07 30	1 804 854.59	243 062.10	1 804 941.99	258 217.62
93 10 00	1 791 845.05	243 139.63	1 791 938.28	258 295.11
12 30	1 778 835.54	243 222.16	1 778 934.60	258 377.61
15 00	1 765 826.07	243 309.70	1 765 930.96	258 465.11
17 30	1 752 816.64	243 402.24	1 752 927.35	258 557.60
93 20 00	1 739 807.23	243 499.78	1 739 923.78	258 655.10
22 30	1 726 797.87	243 602.32	1 726 920.24	258 757.59
25 00	1 713 788.55	243 709.86	1 713 916.74	258 865.09
27 30	1 700 779.27	243 822.41	1 700 913.29	258 977.58
93 30 00	1 687 770.03	243 939.95	1 687 909.88	259 095.08
32 30	1 674 760.84	244 062.50	1 674 906.52	259 217.57
35 00	1 661 751.71	244 190.05	1 661 903.21	259 345.06
37 30	1 648 742.61	244 322.60	1 648 899.94	259 477.55
93 40 00	1 635 733.57	244 460.15	1 635 896.73	259 615.04
42 30	1 622 724.59	244 602.70	1 622 893.57	259 757.53
45 00	1 609 715.66	244 750.26	1 609 890.47	259 905.02
47 30	1 596 706.79	244 902.82	1 596 887.42	260 057.51
93 50 00	1 583 697.97	245 060.38	1 583 884.44	260 215.00
52 30	1 570 689.22	245 222.94	1 570 881.51	260 377.49
55 00	1 557 680.54	245 390.51	1 557 878.65	260 544.98
57 30	1 544 671.91	245 563.07	1 544 875.86	260 717.47
94 00 00	1 531 663.36	245 740.64	1 531 873.13	260 894.95

LONGITUDE	LATITUDE 31 25 00 X	LATITUDE 31 25 00 Y	LATITUDE 31 27 30 X	LATITUDE 31 27 30 Y
93 00 00	1 844 023.21	273 170.74	1 844 093.13	288 326.34
02 30	1 831 025.24	273 233.20	1 831 100.99	288 388.78
05 00	1 818 027.30	273 300.67	1 818 108.88	288 456.21
07 30	1 805 029.40	273 373.13	1 805 116.80	288 528.64
93 10 00	1 792 031.51	273 450.60	1 792 124.75	288 606.07
12 30	1 779 033.67	273 533.06	1 779 132.73	288 688.49
15 00	1 766 035.85	273 620.52	1 766 140.73	288 775.91
17 30	1 753 038.06	273 712.97	1 753 148.78	288 868.33
93 20 00	1 740 040.32	273 810.42	1 740 156.86	288 965.73
22 30	1 727 042.61	273 912.87	1 727 164.98	289 068.14
25 00	1 714 044.94	274 020.32	1 714 173.13	289 175.53
27 30	1 701 047.31	274 132.76	1 701 181.33	289 287.93
93 30 00	1 688 049.73	274 250.20	1 688 189.58	289 405.32
32 30	1 675 052.19	274 372.64	1 675 197.87	289 527.70
35 00	1 662 054.71	274 500.07	1 662 206.21	289 655.07
37 30	1 649 057.27	274 632.50	1 649 214.60	289 787.45
93 40 00	1 636 059.89	274 769.93	1 636 223.04	289 924.81
42 30	1 623 062.55	274 912.36	1 623 231.54	290 067.17
45 00	1 610 065.28	275 059.78	1 610 240.09	290 214.53
47 30	1 597 068.06	275 212.20	1 597 248.70	290 366.89
93 50 00	1 584 070.90	275 369.62	1 584 257.36	290 524.24
52 30	1 571 073.80	275 532.04	1 571 266.09	290 686.58
55 00	1 558 076.77	275 699.46	1 558 274.89	290 853.92
57 30	1 545 079.80	275 871.87	1 545 283.74	291 026.26
94 00 00	1 532 082.90	276 049.27	1 532 292.67	291 203.58

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 31 30 00 X	LATITUDE 31 30 00 Y	LATITUDE 31 32 30 X	LATITUDE 31 32 30 Y
91 00 00	2 467 497.56	306 357.92	2 467 287.79	321 512.27
02 30	2 454 512.31	306 180.67	2 454 308.37	321 335.10
05 00	2 441 527.00	306 008.42	2 441 328.88	321 162.92
07 30	2 428 541.62	305 841.15	2 428 349.33	320 995.73
91 10 00	2 415 556.17	305 678.88	2 415 369.71	320 833.53
12 30	2 402 570.67	305 521.60	2 402 390.03	320 676.33
15 00	2 389 585.10	305 369.31	2 389 410.29	320 524.11
17 30	2 376 599.48	305 222.02	2 376 430.50	320 376.88
91 20 00	2 363 613.80	305 079.72	2 363 450.64	320 234.65
22 30	2 350 628.07	304 942.42	2 350 470.74	320 097.40
25 00	2 337 642.28	304 810.11	2 337 490.78	319 965.15
27 30	2 324 656.45	304 682.79	2 324 510.78	319 837.89
91 30 00	2 311 670.57	304 560.46	2 311 530.72	319 715.62
32 30	2 298 684.64	304 443.12	2 298 550.62	319 598.33
35 00	2 285 698.67	304 330.78	2 285 570.48	319 486.04
37 30	2 272 712.65	304 223.43	2 272 590.29	319 378.74
91 40 00	2 259 726.60	304 121.08	2 259 610.06	319 276.43
42 30	2 246 740.51	304 023.71	2 246 629.79	319 179.11
45 00	2 233 754.38	303 931.34	2 233 649.49	319 086.78
47 30	2 220 768.21	303 843.96	2 220 669.15	318 999.44
91 50 00	2 207 782.02	303 761.57	2 207 688.79	318 917.09
52 30	2 194 795.79	303 684.18	2 194 708.38	318 839.73
55 00	2 181 809.54	303 611.78	2 181 727.96	318 767.36
57 30	2 168 823.25	303 544.38	2 168 747.50	318 699.99
92 00 00	2 155 836.94	303 481.97	2 155 767.02	318 637.61

LONGITUDE	LATITUDE 31 35 00 X	LATITUDE 31 35 00 Y	LATITUDE 31 37 30 X	LATITUDE 31 37 30 Y
91 00 00	2 467 078.02	336 666.64	2 466 868.25	351 821.06
02 30	2 454 104.43	336 489.56	2 453 900.48	351 644.06
05 00	2 441 130.76	336 317.46	2 440 932.65	351 472.03
07 30	2 428 157.04	336 150.34	2 427 964.75	351 304.99
91 10 00	2 415 183.25	335 988.21	2 414 996.78	351 142.94
12 30	2 402 209.39	335 831.08	2 402 028.76	350 985.87
15 00	2 389 235.48	335 678.93	2 389 060.67	350 833.79
17 30	2 376 261.51	335 531.77	2 376 092.53	350 686.69
91 20 00	2 363 287.49	335 389.60	2 363 124.33	350 544.59
22 30	2 350 313.41	335 252.42	2 350 156.08	350 407.47
25 00	2 337 339.28	335 120.22	2 337 187.77	350 275.33
27 30	2 324 365.10	334 993.02	2 324 219.42	350 148.19
91 30 00	2 311 390.87	334 870.80	2 311 251.02	350 026.03
32 30	2 298 416.60	334 753.57	2 298 282.58	349 908.85
35 00	2 285 442.28	334 641.33	2 285 314.08	349 796.65
37 30	2 272 467.92	334 534.07	2 272 345.55	349 689.45
91 40 00	2 259 493.52	334 431.81	2 259 376.98	349 587.23
42 30	2 246 519.08	334 334.53	2 246 408.36	349 490.00
45 00	2 233 544.60	334 242.24	2 233 439.72	349 397.75
47 30	2 220 570.09	334 154.94	2 220 471.03	349 310.49
91 50 00	2 207 595.55	334 072.63	2 207 502.32	349 228.21
52 30	2 194 620.98	333 995.31	2 194 533.57	349 150.92
55 00	2 181 646.38	333 922.97	2 181 564.80	349 078.62
57 30	2 168 671.75	333 855.63	2 168 596.00	349 011.31
92 00 00	2 155 697.09	333 793.27	2 155 627.17	348 948.98

LONGITUDE	LATITUDE 31 40 00 X	LATITUDE 31 40 00 Y	LATITUDE 31 42 30 X	LATITUDE 31 42 30 Y
91 00 00	2 466 658.48	366 975.52	2 466 448.71	382 130.03
02 30	2 453 696.54	366 798.59	2 453 492.59	381 953.18
05 00	2 440 734.53	366 626.65	2 440 536.41	381 781.31
07 30	2 427 772.46	366 459.68	2 427 580.16	381 614.42
91 10 00	2 414 810.32	366 297.70	2 414 623.85	381 452.51
12 30	2 401 848.12	366 140.71	2 401 667.48	381 295.59
15 00	2 388 885.86	365 988.69	2 388 711.05	381 143.64
17 30	2 375 923.54	365 841.66	2 375 754.56	380 996.68
91 20 00	2 362 961.17	365 699.62	2 362 798.01	380 854.70
22 30	2 349 998.75	365 562.56	2 349 841.42	380 717.71
25 00	2 337 036.27	365 430.49	2 336 884.77	380 585.69
27 30	2 324 073.75	365 303.40	2 323 928.07	380 458.66
91 30 00	2 311 111.17	365 181.29	2 310 971.32	380 336.60
32 30	2 298 148.55	365 064.16	2 298 014.53	380 219.53
35 00	2 285 185.89	364 952.02	2 285 057.69	380 107.44
37 30	2 272 223.18	364 844.87	2 272 100.81	380 000.33
91 40 00	2 259 260.43	364 742.69	2 259 143.89	379 898.21
42 30	2 246 297.65	364 645.50	2 246 186.93	379 801.06
45 00	2 233 334.83	364 553.30	2 233 229.94	379 708.90
47 30	2 220 371.97	364 466.08	2 220 272.91	379 621.71
91 50 00	2 207 409.08	364 383.84	2 207 315.85	379 539.51
52 30	2 194 446.16	364 306.58	2 194 358.75	379 462.29
55 00	2 181 483.22	364 234.31	2 181 401.64	379 390.05
57 30	2 168 520.24	364 167.03	2 168 444.49	379 322.80
92 00 00	2 155 557.24	364 104.73	2 155 487.31	379 260.53

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 31 30 00 X	LATITUDE 31 30 00 Y	LATITUDE 31 32 30 X	LATITUDE 31 32 30 Y
92 00 00	2 155 836.94	303 481.97	2 155 767.02	318 637.61
02 30	2 142 850.61	303 424.55	2 142 786.51	318 580.21
05 00	2 129 864.26	303 372.12	2 129 805.99	318 527.81
07 30	2 116 877.89	303 324.69	2 116 825.44	318 480.40
92 10 00	2 103 891.50	303 282.25	2 103 844.88	318 437.98
12 30	2 090 905.10	303 244.80	2 090 864.31	318 400.54
15 00	2 077 918.68	303 212.35	2 077 883.72	318 368.11
17 30	2 064 932.25	303 184.88	2 064 903.12	318 340.65
92 20 00	2 051 945.81	303 162.41	2 051 922.50	318 318.19
22 30	2 038 959.37	303 144.93	2 038 941.89	318 300.72
25 00	2 025 972.91	303 132.45	2 025 961.26	318 288.25
27 30	2 012 986.46	303 124.96	2 012 980.63	318 280.76
92 30 00	2 000 000.00	303 122.46	2 000 000.00	318 278.26
32 30	1 987 013.54	303 124.96	1 987 019.37	318 280.76
35 00	1 974 027.09	303 132.45	1 974 038.74	318 288.25
37 30	1 961 040.63	303 144.93	1 961 058.11	318 300.72
92 40 00	1 948 054.19	303 162.41	1 948 077.50	318 318.19
42 30	1 935 067.75	303 184.88	1 935 096.88	318 340.65
45 00	1 922 081.32	303 212.35	1 922 116.28	318 368.11
47 30	1 909 094.90	303 244.80	1 909 135.69	318 400.54
92 50 00	1 896 108.50	303 282.25	1 896 155.12	318 437.98
52 30	1 883 122.11	303 324.69	1 883 174.56	318 480.40
55 00	1 870 135.74	303 372.12	1 870 194.01	318 527.81
57 30	1 857 149.39	303 424.55	1 857 213.49	318 580.21
93 00 00	1 844 163.06	303 481.97	1 844 232.98	318 637.61

LONGITUDE	LATITUDE 31 35 00 X	LATITUDE 31 35 00 Y	LATITUDE 31 37 30 X	LATITUDE 31 37 30 Y
92 00 00	2 155 697.09	333 793.27	2 155 627.17	348 948.98
02 30	2 142 722.42	333 735.91	2 142 658.32	348 891.64
05 00	2 129 747.72	333 683.53	2 129 689.45	348 839.28
07 30	2 116 773.00	333 636.14	2 116 720.55	348 791.91
92 10 00	2 103 798.26	333 593.74	2 103 751.65	348 749.53
12 30	2 090 823.52	333 556.32	2 090 782.73	348 712.13
15 00	2 077 848.75	333 523.90	2 077 813.79	348 679.73
17 30	2 064 873.98	333 496.46	2 064 844.84	348 652.30
92 20 00	2 051 899.19	333 474.01	2 051 875.89	348 629.86
22 30	2 038 924.40	333 456.54	2 038 906.92	348 612.40
25 00	2 025 949.61	333 444.07	2 025 937.95	348 599.94
27 30	2 012 974.80	333 436.59	2 012 968.97	348 592.46
92 30 00	2 000 000.00	333 434.09	2 000 000.00	348 589.96
32 30	1 987 025.20	333 436.59	1 987 031.03	348 592.46
35 00	1 974 050.39	333 444.07	1 974 062.05	348 599.94
37 30	1 961 075.60	333 456.54	1 961 093.08	348 612.40
92 40 00	1 948 100.81	333 474.01	1 948 124.11	348 629.86
42 30	1 935 126.02	333 496.46	1 935 155.16	348 652.30
45 00	1 922 151.25	333 523.90	1 922 186.21	348 679.73
47 30	1 909 176.48	333 556.32	1 909 217.27	348 712.13
92 50 00	1 896 201.74	333 593.74	1 896 248.35	348 749.53
52 30	1 883 227.00	333 636.14	1 883 279.45	348 791.91
55 00	1 870 252.28	333 683.53	1 870 310.55	348 839.28
57 30	1 857 277.58	333 735.91	1 857 341.68	348 891.64
93 00 00	1 844 302.91	333 793.27	1 844 372.83	348 948.98

LONGITUDE	LATITUDE 31 40 00 X	LATITUDE 31 40 00 Y	LATITUDE 31 42 30 X	LATITUDE 31 42 30 Y
92 00 00	2 155 557.24	364 104.73	2 155 487.31	379 260.53
02 30	2 142 594.22	364 047.41	2 142 530.12	379 203.24
05 00	2 129 631.18	363 995.08	2 129 572.90	379 150.93
07 30	2 116 668.11	363 947.73	2 116 615.67	379 103.60
92 10 00	2 103 705.03	363 905.37	2 103 658.41	379 061.26
12 30	2 090 741.94	363 867.99	2 090 701.15	379 023.89
15 00	2 077 778.83	363 835.59	2 077 743.86	378 991.51
17 30	2 064 815.71	363 808.18	2 064 786.57	378 964.11
92 20 00	2 051 852.58	363 785.75	2 051 829.27	378 941.69
22 30	2 038 889.44	363 768.30	2 038 871.96	378 924.25
25 00	2 025 926.30	363 755.84	2 025 914.64	378 911.80
27 30	2 012 963.15	363 748.36	2 012 957.32	378 904.32
92 30 00	2 000 000.00	363 745.87	2 000 000.00	378 901.83
32 30	1 987 036.85	363 748.36	1 987 042.68	378 904.32
35 00	1 974 073.70	363 755.84	1 974 085.36	378 911.80
37 30	1 961 110.56	363 768.30	1 961 128.04	378 924.25
92 40 00	1 948 147.42	363 785.75	1 948 170.73	378 941.69
42 30	1 935 184.29	363 808.18	1 935 213.43	378 964.11
45 00	1 922 221.17	363 835.59	1 922 256.14	378 991.51
47 30	1 909 258.06	363 867.99	1 909 298.85	379 023.89
92 50 00	1 896 294.97	363 905.37	1 896 341.59	379 061.26
52 30	1 883 331.89	363 947.73	1 883 384.33	379 103.60
55 00	1 870 368.82	363 995.08	1 870 427.10	379 150.93
57 30	1 857 405.78	364 047.41	1 857 469.88	379 203.24
93 00 00	1 844 442.76	364 104.73	1 844 512.69	379 260.53

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 31 30 00 X	LATITUDE 31 30 00 Y	LATITUDE 31 32 30 X	LATITUDE 31 32 30 Y
93 00 00	1 844 163.06	303 481.97	1 844 232.98	318 637.61
02 30	1 831 176.75	303 544.38	1 831 252.50	318 699.99
05 00	1 818 190.46	303 611.78	1 818 272.04	318 767.36
07 30	1 805 204.21	303 684.18	1 805 291.62	318 839.73
93 10 00	1 792 217.98	303 761.57	1 792 311.21	318 917.09
12 30	1 779 231.79	303 843.96	1 779 330.85	318 999.44
15 00	1 766 245.62	303 931.34	1 766 350.51	319 086.78
17 30	1 753 259.49	304 023.71	1 753 370.21	319 179.11
93 20 00	1 740 273.40	304 121.08	1 740 389.94	319 276.43
22 30	1 727 287.35	304 223.43	1 727 409.71	319 378.74
25 00	1 714 301.33	304 330.78	1 714 429.52	319 486.04
27 30	1 701 315.36	304 443.12	1 701 449.38	319 598.33
93 30 00	1 688 329.43	304 560.46	1 688 469.28	319 715.62
32 30	1 675 343.55	304 682.79	1 675 489.22	319 837.89
35 00	1 662 357.72	304 810.11	1 662 509.22	319 965.15
37 30	1 649 371.93	304 942.42	1 649 529.26	320 097.40
93 40 00	1 636 386.20	305 079.72	1 636 549.36	320 234.65
42 30	1 623 400.52	305 222.02	1 623 569.50	320 376.88
45 00	1 610 414.90	305 369.31	1 610 589.71	320 524.11
47 30	1 597 429.33	305 521.60	1 597 609.97	320 676.33
93 50 00	1 584 443.83	305 678.88	1 584 630.29	320 833.53
52 30	1 571 458.38	305 841.15	1 571 650.67	320 995.73
55 00	1 558 473.00	306 008.42	1 558 671.12	321 162.92
57 30	1 545 487.69	306 180.67	1 545 691.63	321 335.10
94 00 00	1 532 502.44	306 357.92	1 532 712.21	321 512.27

LONGITUDE	LATITUDE 31 35 00 X	LATITUDE 31 35 00 Y	LATITUDE 31 37 30 X	LATITUDE 31 37 30 Y
93 00 00	1 844 302.91	333 793.27	1 844 372.83	348 948.98
02 30	1 831 328.25	333 855.63	1 831 404.00	349 011.31
05 00	1 818 353.62	333 922.97	1 818 435.20	349 078.62
07 30	1 805 379.02	333 995.31	1 805 466.43	349 150.92
93 10 00	1 792 404.45	334 072.63	1 792 497.68	349 228.21
12 30	1 779 429.91	334 154.94	1 779 528.97	349 310.49
15 00	1 766 455.40	334 242.24	1 766 560.28	349 397.75
17 30	1 753 480.92	334 334.53	1 753 591.64	349 490.00
93 20 00	1 740 506.48	334 431.81	1 740 623.02	349 587.23
22 30	1 727 532.08	334 534.07	1 727 654.45	349 689.45
25 00	1 714 557.72	334 641.33	1 714 685.92	349 796.65
27 30	1 701 583.40	334 753.57	1 701 717.42	349 908.85
93 30 00	1 688 609.13	334 870.80	1 688 748.98	350 026.03
32 30	1 675 634.90	334 993.02	1 675 780.58	350 148.19
35 00	1 662 660.72	335 120.22	1 662 812.23	350 275.33
37 30	1 649 686.59	335 252.42	1 649 843.92	350 407.47
93 40 00	1 636 712.51	335 389.60	1 636 875.67	350 544.59
42 30	1 623 738.49	335 531.77	1 623 907.47	350 686.69
45 00	1 610 764.52	335 678.93	1 610 939.33	350 833.79
47 30	1 597 790.61	335 831.08	1 597 971.24	350 985.87
93 50 00	1 584 816.75	335 988.21	1 585 003.22	351 142.94
52 30	1 571 842.96	336 150.34	1 572 035.25	351 304.99
55 00	1 558 869.24	336 317.46	1 559 067.35	351 472.03
57 30	1 545 895.57	336 489.56	1 546 099.52	351 644.06
94 00 00	1 532 921.98	336 666.64	1 533 131.75	351 821.06

LONGITUDE	LATITUDE 31 40 00 X	LATITUDE 31 40 00 Y	LATITUDE 31 42 30 X	LATITUDE 31 42 30 Y
93 00 00	1 844 442.76	364 104.73	1 844 512.69	379 260.53
02 30	1 831 479.76	364 167.03	1 831 555.51	379 322.80
05 00	1 818 516.78	364 234.31	1 818 598.36	379 390.05
07 30	1 805 553.84	364 306.58	1 805 641.25	379 462.29
93 10 00	1 792 590.92	364 383.84	1 792 684.15	379 539.51
12 30	1 779 628.03	364 466.08	1 779 727.09	379 621.71
15 00	1 766 665.17	364 553.30	1 766 770.06	379 708.90
17 30	1 753 702.35	364 645.50	1 753 813.07	379 801.06
93 20 00	1 740 739.57	364 742.69	1 740 856.11	379 898.21
22 30	1 727 776.82	364 844.87	1 727 899.19	380 000.33
25 00	1 714 814.11	364 952.02	1 714 942.31	380 107.44
27 30	1 701 851.45	365 064.16	1 701 985.47	380 219.53
93 30 00	1 688 888.83	365 181.29	1 689 028.68	380 336.60
32 30	1 675 926.25	365 303.40	1 676 071.93	380 458.66
35 00	1 662 963.73	365 430.49	1 663 115.23	380 585.69
37 30	1 650 001.25	365 562.56	1 650 158.58	380 717.71
93 40 00	1 637 038.83	365 699.62	1 637 201.99	380 854.70
42 30	1 624 076.46	365 841.66	1 624 245.44	380 996.68
45 00	1 611 114.14	365 988.69	1 611 288.95	381 143.64
47 30	1 598 151.88	366 140.71	1 598 332.52	381 295.59
93 50 00	1 585 189.68	366 297.70	1 585 376.15	381 452.51
52 30	1 572 227.54	366 459.68	1 572 419.84	381 614.42
55 00	1 559 265.47	366 626.65	1 559 463.59	381 781.31
57 30	1 546 303.46	366 798.59	1 546 507.41	381 953.18
94 00 00	1 533 341.52	366 975.52	1 533 551.29	382 130.03

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 31 45 00 X	LATITUDE 31 45 00 Y	LATITUDE 31 47 30 X	LATITUDE 31 47 30 Y
91 00 00	2 466 238.93	397 284.61	2 466 029.16	412 439.25
02 30	2 453 288.65	397 107.84	2 453 084.70	412 262.56
05 00	2 440 338.29	396 936.05	2 440 140.17	412 090.84
07 30	2 427 387.87	396 769.23	2 427 195.58	411 924.10
91 10 00	2 414 437.39	396 607.40	2 414 250.92	411 762.34
12 30	2 401 486.84	396 450.54	2 401 306.20	411 605.56
15 00	2 388 536.24	396 298.66	2 388 361.42	411 453.75
17 30	2 375 585.57	396 151.77	2 375 416.59	411 306.92
91 20 00	2 362 634.85	396 009.85	2 362 471.70	411 165.07
22 30	2 349 684.08	395 872.92	2 349 526.75	411 028.19
25 00	2 336 733.26	395 740.96	2 336 581.76	410 896.30
27 30	2 323 782.39	395 613.99	2 323 636.71	410 769.38
91 30 00	2 310 831.47	395 491.99	2 310 691.62	410 647.43
32 30	2 297 880.50	395 374.97	2 297 746.48	410 530.47
35 00	2 284 929.49	395 262.93	2 284 801.30	410 418.48
37 30	2 271 978.44	395 155.87	2 271 856.07	410 311.46
91 40 00	2 259 027.35	395 053.79	2 258 910.80	410 209.43
42 30	2 246 076.22	394 956.69	2 245 965.50	410 112.37
45 00	2 233 125.05	394 864.56	2 233 020.16	410 020.29
47 30	2 220 173.85	394 777.42	2 220 074.78	409 933.18
91 50 00	2 207 222.61	394 695.25	2 207 129.38	409 851.05
52 30	2 194 271.35	394 618.07	2 194 183.94	409 773.91
55 00	2 181 320.06	394 545.86	2 181 238.48	409 701.73
57 30	2 168 368.74	394 478.64	2 168 292.98	409 634.54
92 00 00	2 155 417.39	394 416.40	2 155 347.46	409 572.33

LONGITUDE	LATITUDE 31 50 00 X	LATITUDE 31 50 00 Y	LATITUDE 31 52 30 X	LATITUDE 31 52 30 Y
91 00 00	2 465 819.38	427 593.96	2 465 609.61	442 748.76
02 30	2 452 880.75	427 417.35	2 452 676.80	442 572.23
05 00	2 439 942.05	427 245.72	2 439 743.92	442 400.67
07 30	2 427 003.28	427 079.05	2 426 810.99	442 234.08
91 10 00	2 414 064.45	426 917.36	2 413 877.98	442 072.46
12 30	2 401 125.56	426 760.65	2 400 944.92	441 915.82
15 00	2 388 186.61	426 608.91	2 388 011.79	441 764.15
17 30	2 375 247.60	426 462.14	2 375 078.61	441 617.45
91 20 00	2 362 308.53	426 320.36	2 362 145.37	441 475.73
22 30	2 349 369.42	426 183.55	2 349 212.08	441 338.98
25 00	2 336 430.25	426 051.71	2 336 278.74	441 207.20
27 30	2 323 491.03	425 924.84	2 323 345.35	441 080.39
91 30 00	2 310 551.77	425 802.96	2 310 411.91	440 958.56
32 30	2 297 612.45	425 686.04	2 297 478.43	440 841.70
35 00	2 284 673.10	425 574.10	2 284 544.90	440 729.81
37 30	2 271 733.70	425 467.14	2 271 611.32	440 622.90
91 40 00	2 258 794.26	425 365.15	2 258 677.71	440 520.95
42 30	2 245 854.78	425 268.14	2 245 744.06	440 423.98
45 00	2 232 915.27	425 176.10	2 232 810.38	440 331.98
47 30	2 219 975.72	425 089.03	2 219 876.66	440 244.96
91 50 00	2 207 036.14	425 006.94	2 206 942.91	440 162.90
52 30	2 194 096.53	424 929.82	2 194 009.12	440 085.82
55 00	2 181 156.89	424 857.68	2 181 075.31	440 013.71
57 30	2 168 217.23	424 790.52	2 168 141.47	439 946.58
92 00 00	2 155 277.53	424 728.34	2 155 207.61	439 884.43

LONGITUDE	LATITUDE 31 55 00 X	LATITUDE 31 55 00 Y	LATITUDE 31 57 30 X	LATITUDE 31 57 30 Y
91 00 00	2 465 399.83	457 903.65	2 465 190.05	473 058.65
02 30	2 452 472.85	457 727.20	2 452 268.90	472 882.28
05 00	2 439 545.80	457 555.72	2 439 347.67	472 710.87
07 30	2 426 618.69	457 389.20	2 426 426.39	472 544.43
91 10 00	2 413 691.51	457 227.66	2 413 505.04	472 382.96
12 30	2 400 764.27	457 071.09	2 400 583.63	472 226.46
15 00	2 387 836.98	456 919.48	2 387 662.16	472 074.92
17 30	2 374 909.62	456 772.85	2 374 740.63	471 928.36
91 20 00	2 361 982.21	456 631.19	2 361 819.05	471 786.76
22 30	2 349 054.75	456 494.50	2 348 897.41	471 650.14
25 00	2 336 127.23	456 362.78	2 335 975.72	471 518.48
27 30	2 323 199.67	456 236.03	2 323 053.99	471 391.78
91 30 00	2 310 272.06	456 114.26	2 310 132.20	471 270.06
32 30	2 297 344.40	455 997.45	2 297 210.37	471 153.31
35 00	2 284 416.70	455 885.61	2 284 288.50	471 041.52
37 30	2 271 488.95	455 778.74	2 271 366.58	470 934.70
91 40 00	2 258 561.17	455 676.85	2 258 444.62	470 832.85
42 30	2 245 633.35	455 579.92	2 245 522.63	470 735.96
45 00	2 232 705.49	455 487.96	2 232 600.60	470 644.05
47 30	2 219 777.59	455 400.97	2 219 678.53	470 557.10
91 50 00	2 206 849.67	455 318.95	2 206 756.43	470 475.12
52 30	2 193 921.71	455 241.91	2 193 834.30	470 398.11
55 00	2 180 993.73	455 169.83	2 180 912.15	470 326.07
57 30	2 168 065.72	455 102.73	2 167 989.96	470 258.99
92 00 00	2 155 137.68	455 040.60	2 155 067.75	470 196.89

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 31 45 00 X	LATITUDE 31 45 00 Y	LATITUDE 31 47 30 X	LATITUDE 31 47 30 Y
92 00 00	2 155 417.39	394 416.40	2 155 347.46	409 572.33
02 30	2 142 466.02	394 359.13	2 142 401.92	409 515.09
05 00	2 129 514.63	394 306.85	2 129 456.36	409 462.82
07 30	2 116 563.22	394 259.54	2 116 510.78	409 415.54
92 10 00	2 103 611.80	394 217.22	2 103 565.18	409 373.24
12 30	2 090 660.36	394 179.87	2 090 619.57	409 335.90
15 00	2 077 708.90	394 147.50	2 077 673.94	409 303.55
17 30	2 064 757.44	394 120.11	2 064 728.30	409 276.18
92 20 00	2 051 805.96	394 097.70	2 051 782.65	409 253.78
22 30	2 038 854.48	394 080.27	2 038 837.00	409 236.35
25 00	2 025 902.99	394 067.82	2 025 891.33	409 223.91
27 30	2 012 951.49	394 060.35	2 012 945.67	409 216.44
92 30 00	2 000 000.00	394 057.86	2 000 000.00	409 213.95
32 30	1 987 048.51	394 060.35	1 987 054.33	409 216.44
35 00	1 974 097.01	394 067.82	1 974 108.67	409 223.91
37 30	1 961 145.52	394 080.27	1 961 163.00	409 236.35
92 40 00	1 948 194.04	394 097.70	1 948 217.35	409 253.78
42 30	1 935 242.56	394 120.11	1 935 271.70	409 276.18
45 00	1 922 291.10	394 147.50	1 922 326.06	409 303.55
47 30	1 909 339.64	394 179.87	1 909 380.43	409 335.90
92 50 00	1 896 388.20	394 217.22	1 896 434.82	409 373.24
52 30	1 883 436.78	394 259.54	1 883 489.22	409 415.54
55 00	1 870 485.37	394 306.85	1 870 543.64	409 462.82
57 30	1 857 533.98	394 359.13	1 857 598.08	409 515.09
93 00 00	1 844 582.61	394 416.40	1 844 652.54	409 572.33

LONGITUDE	LATITUDE 31 50 00 X	LATITUDE 31 50 00 Y	LATITUDE 31 52 30 X	LATITUDE 31 52 30 Y
92 00 00	2 155 277.53	424 728.34	2 155 207.61	439 884.43
02 30	2 142 337.82	424 671.12	2 142 273.72	439 827.24
05 00	2 129 398.09	424 618.88	2 129 339.81	439 775.02
07 30	2 116 458.33	424 571.62	2 116 405.88	439 727.78
92 10 00	2 103 518.56	424 529.34	2 103 471.94	439 685.51
12 30	2 090 578.78	424 492.02	2 090 537.98	439 648.21
15 00	2 077 638.97	424 459.68	2 077 604.01	439 615.89
17 30	2 064 699.16	424 432.32	2 064 670.03	439 588.54
92 20 00	2 051 759.34	424 409.93	2 051 736.03	439 566.16
22 30	2 038 819.51	424 392.51	2 038 802.03	439 548.75
25 00	2 025 879.68	424 380.08	2 025 868.08	439 536.32
27 30	2 012 939.84	424 372.61	2 012 934.01	439 528.86
92 30 00	2 000 000.00	424 370.12	2 000 000.00	439 526.37
32 30	1 987 060.16	424 372.61	1 987 065.99	439 528.86
35 00	1 974 120.32	424 380.08	1 974 131.98	439 536.32
37 30	1 961 180.49	424 392.51	1 961 197.97	439 548.75
92 40 00	1 948 240.66	424 409.93	1 948 263.97	439 566.16
42 30	1 935 300.84	424 432.32	1 935 329.97	439 588.54
45 00	1 922 361.03	424 459.68	1 922 395.99	439 615.89
47 30	1 909 421.22	424 492.02	1 909 462.02	439 648.21
92 50 00	1 896 481.44	424 529.34	1 896 528.06	439 685.51
52 30	1 883 541.67	424 571.62	1 883 594.12	439 727.78
55 00	1 870 601.91	424 618.88	1 870 660.19	439 775.02
57 30	1 857 662.18	424 671.12	1 857 726.28	439 827.24
93 00 00	1 844 722.47	424 728.34	1 844 792.39	439 884.43

LONGITUDE	LATITUDE 31 55 00 X	LATITUDE 31 55 00 Y	LATITUDE 31 57 30 X	LATITUDE 31 57 30 Y
92 00 00	2 155 137.68	455 040.60	2 155 067.75	470 196.89
02 30	2 142 209.62	454 983.44	2 142 145.52	470 139.76
05 00	2 129 281.54	454 931.25	2 129 223.27	470 087.59
07 30	2 116 353.44	454 884.03	2 116 300.99	470 040.39
92 10 00	2 103 425.32	454 841.78	2 103 378.70	469 998.16
12 30	2 090 497.19	454 804.50	2 090 456.40	469 960.89
15 00	2 077 569.05	454 772.19	2 077 534.08	469 928.60
17 30	2 064 640.89	454 744.85	2 064 611.75	469 901.27
92 20 00	2 051 712.72	454 722.48	2 051 689.41	469 878.91
22 30	2 038 784.55	454 705.08	2 038 767.07	469 861.52
25 00	2 025 856.37	454 692.66	2 025 844.72	469 849.10
27 30	2 012 928.18	454 685.20	2 012 922.36	469 841.65
92 30 00	2 000 000.00	454 682.71	2 000 000.00	469 839.16
32 30	1 987 071.82	454 685.20	1 987 077.64	469 841.65
35 00	1 974 143.63	454 692.66	1 974 155.28	469 849.10
37 30	1 961 215.45	454 705.08	1 961 232.93	469 861.52
92 40 00	1 948 287.28	454 722.48	1 948 310.59	469 878.91
42 30	1 935 359.11	454 744.85	1 935 388.25	469 901.27
45 00	1 922 430.95	454 772.19	1 922 465.92	469 928.60
47 30	1 909 502.81	454 804.50	1 909 543.60	469 960.89
92 50 00	1 896 574.68	454 841.78	1 896 621.30	469 998.16
52 30	1 883 646.56	454 884.03	1 883 699.01	470 040.39
55 00	1 870 718.46	454 931.25	1 870 776.73	470 087.59
57 30	1 857 790.38	454 983.44	1 857 854.48	470 139.76
93 00 00	1 844 862.32	455 040.60	1 844 932.25	470 196.89

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 31 45 00 X	LATITUDE 31 45 00 Y	LATITUDE 31 47 30 X	LATITUDE 31 47 30 Y
93 00 00	1 844 582.61	394 416.40	1 844 652.54	409 572.33
02 30	1 831 631.26	394 478.64	1 831 707.02	409 634.54
05 00	1 818 679.94	394 545.86	1 818 761.52	409 701.73
07 30	1 805 728.65	394 618.07	1 805 816.06	409 773.91
93 10 00	1 792 777.39	394 695.25	1 792 870.62	409 851.05
12 30	1 779 826.15	394 777.42	1 779 925.22	409 933.18
15 00	1 766 874.95	394 864.56	1 766 979.84	410 020.29
17 30	1 753 923.78	394 956.69	1 754 034.50	410 112.37
93 20 00	1 740 972.65	395 053.79	1 741 089.20	410 209.43
22 30	1 728 021.56	395 155.87	1 728 143.93	410 311.46
25 00	1 715 070.51	395 262.93	1 715 198.70	410 418.48
27 30	1 702 119.50	395 374.97	1 702 253.52	410 530.47
93 30 00	1 689 168.53	395 491.99	1 689 308.38	410 647.43
32 30	1 676 217.61	395 613.99	1 676 363.29	410 769.38
35 00	1 663 266.74	395 740.96	1 663 418.24	410 896.30
37 30	1 650 315.92	395 872.92	1 650 473.25	411 028.19
93 40 00	1 637 365.15	396 009.85	1 637 528.30	411 165.07
42 30	1 624 414.43	396 151.77	1 624 583.41	411 306.92
45 00	1 611 463.76	396 298.66	1 611 638.58	411 453.75
47 30	1 598 513.16	396 450.54	1 598 693.80	411 605.56
93 50 00	1 585 562.61	396 607.40	1 585 749.08	411 762.34
52 30	1 572 612.13	396 769.23	1 572 804.42	411 924.10
55 00	1 559 661.71	396 936.05	1 559 859.83	412 090.84
57 30	1 546 711.35	397 107.84	1 546 915.30	412 262.56
94 00 00	1 533 761.07	397 284.61	1 533 970.84	412 439.25

LONGITUDE	LATITUDE 31 50 00 X	LATITUDE 31 50 00 Y	LATITUDE 31 52 30 X	LATITUDE 31 52 30 Y
93 00 00	1 844 722.47	424 728.34	1 844 792.39	439 884.43
02 30	1 831 782.77	424 790.52	1 831 858.53	439 946.58
05 00	1 818 843.11	424 857.68	1 818 924.69	440 013.71
07 30	1 805 903.47	424 929.82	1 805 990.88	440 085.82
93 10 00	1 792 963.86	425 006.94	1 793 057.09	440 162.90
12 30	1 780 024.28	425 089.03	1 780 123.34	440 244.96
15 00	1 767 084.73	425 176.10	1 767 189.62	440 331.98
17 30	1 754 145.22	425 268.14	1 754 255.94	440 423.98
93 20 00	1 741 205.74	425 365.15	1 741 322.29	440 520.95
22 30	1 728 266.30	425 467.14	1 728 388.68	440 622.90
25 00	1 715 326.90	425 574.10	1 715 455.10	440 729.81
27 30	1 702 387.55	425 686.04	1 702 521.57	440 841.70
93 30 00	1 689 448.23	425 802.96	1 689 588.09	440 958.56
32 30	1 676 508.97	425 924.84	1 676 654.65	441 080.39
35 00	1 663 569.75	426 051.71	1 663 721.26	441 207.20
37 30	1 650 630.58	426 183.55	1 650 787.92	441 338.98
93 40 00	1 637 691.47	426 320.36	1 637 854.63	441 475.73
42 30	1 624 752.40	426 462.14	1 624 921.39	441 617.45
45 00	1 611 813.39	426 608.91	1 611 988.21	441 764.15
47 30	1 598 874.44	426 760.65	1 599 055.08	441 915.82
93 50 00	1 585 935.55	426 917.36	1 586 122.02	442 072.46
52 30	1 572 996.72	427 079.05	1 573 189.01	442 234.08
55 00	1 560 057.95	427 245.72	1 560 256.08	442 400.67
57 30	1 547 119.25	427 417.35	1 547 323.20	442 572.23
94 00 00	1 534 180.62	427 593.96	1 534 390.39	442 748.76

LONGITUDE	LATITUDE 31 55 00 X	LATITUDE 31 55 00 Y	LATITUDE 31 57 30 X	LATITUDE 31 57 30 Y
93 00 00	1 844 862.32	455 040.60	1 844 932.25	470 196.89
02 30	1 831 934.28	455 102.73	1 832 010.04	470 258.99
05 00	1 819 006.27	455 169.83	1 819 087.85	470 326.07
07 30	1 806 078.29	455 241.91	1 806 165.70	470 398.11
93 10 00	1 793 150.33	455 318.95	1 793 243.57	470 475.12
12 30	1 780 222.41	455 400.97	1 780 321.47	470 557.10
15 00	1 767 294.51	455 487.96	1 767 399.40	470 644.05
17 30	1 754 366.65	455 579.92	1 754 477.37	470 735.96
93 20 00	1 741 438.83	455 676.85	1 741 555.38	470 832.85
22 30	1 728 511.05	455 778.74	1 728 633.42	470 934.70
25 00	1 715 583.30	455 885.61	1 715 711.50	471 041.52
27 30	1 702 655.60	455 997.45	1 702 789.63	471 153.31
93 30 00	1 689 727.94	456 114.26	1 689 867.80	471 270.06
32 30	1 676 800.33	456 236.03	1 676 946.01	471 391.78
35 00	1 663 872.77	456 362.78	1 664 024.28	471 518.48
37 30	1 650 945.25	456 494.50	1 651 102.59	471 650.14
93 40 00	1 638 017.79	456 631.19	1 638 180.95	471 786.76
42 30	1 625 090.38	456 772.85	1 625 259.37	471 928.36
45 00	1 612 163.02	456 919.48	1 612 337.84	472 074.92
47 30	1 599 235.73	457 071.09	1 599 416.37	472 226.46
93 50 00	1 586 308.49	457 227.66	1 586 494.96	472 382.96
52 30	1 573 381.31	457 389.20	1 573 573.61	472 544.43
55 00	1 560 454.20	457 555.72	1 560 652.33	472 710.87
57 30	1 547 527.15	457 727.20	1 547 731.10	472 882.28
94 00 00	1 534 600.17	457 903.65	1 534 809.95	473 058.65

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 31 45 00 X	LATITUDE 31 45 00 Y	LATITUDE 31 47 30 X	LATITUDE 31 47 30 Y
94 00 00	1 533 761.07	397 284.61	1 533 970.84	412 439.25
02 30	1 520 810.85	397 466.36	1 521 026.45	412 620.91
05 00	1 507 860.70	397 653.09	1 508 082.12	412 807.56
07 30	1 494 910.62	397 844.80	1 495 137.88	412 999.18
94 10 00	1 481 960.62	398 041.48	1 482 193.70	413 195.78
12 30	1 469 010.70	398 243.14	1 469 249.60	413 397.35
15 00	1 456 060.85	398 449.79	1 456 305.58	413 603.90
17 30	1 443 111.08	398 661.41	1 443 361.64	413 815.43
94 20 00	1 430 161.40	398 878.02	1 430 417.79	414 031.94

LONGITUDE	LATITUDE 31 50 00 X	LATITUDE 31 50 00 Y	LATITUDE 31 52 30 X	LATITUDE 31 52 30 Y
94 00 00	1 534 180.62	427 593.96	1 534 390.39	442 748.76
02 30	1 521 242.05	427 775.55	1 521 457.65	442 930.27
05 00	1 508 303.55	427 962.12	1 508 524.98	443 116.75
07 30	1 495 365.13	428 153.65	1 495 592.39	443 308.19
94 10 00	1 482 426.78	428 350.16	1 482 659.87	443 504.61
12 30	1 469 488.51	428 551.64	1 469 727.42	443 706.00
15 00	1 456 550.32	428 758.10	1 456 795.05	443 912.37
17 30	1 443 612.20	428 969.53	1 443 862.77	444 123.71
94 20 00	1 430 674.17	429 185.94	1 430 930.56	444 340.02

LONGITUDE	LATITUDE 31 55 00 X	LATITUDE 31 55 00 Y	LATITUDE 31 57 30 X	LATITUDE 31 57 30 Y
94 00 00	1 534 600.17	457 903.65	1 534 809.95	473 058.65
02 30	1 521 673.26	458 085.07	1 521 888.86	473 239.99
05 00	1 508 746.41	458 271.47	1 508 967.85	473 426.30
07 30	1 495 819.65	458 462.83	1 496 046.90	473 617.58
94 10 00	1 482 892.95	458 659.16	1 483 126.04	473 813.82
12 30	1 469 966.33	458 860.46	1 470 205.24	474 015.03
15 00	1 457 039.79	459 066.73	1 457 284.53	474 221.21
17 30	1 444 113.33	459 277.98	1 444 363.90	474 432.35
94 20 00	1 431 186.95	459 494.19	1 431 443.35	474 648.47

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 32 00 00 X	LATITUDE 32 00 00 Y	LATITUDE 32 02 30 X	LATITUDE 32 02 30 Y
90 40 00	2 568 300.26	489 802.85	2 568 043.86	504 957.35
42 30	2 555 385.54	489 586.83	2 555 134.97	504 741.43
45 00	2 542 470.73	489 375.78	2 542 225.98	504 530.48
47 30	2 529 555.84	489 169.70	2 529 316.93	504 324.48
90 50 00	2 516 640.87	488 968.58	2 516 407.79	504 123.46
52 30	2 503 725.83	488 772.42	2 503 498.57	503 927.39
55 00	2 490 810.72	488 581.24	2 490 589.28	503 736.29
57 30	2 477 895.53	488 395.01	2 477 679.92	503 550.14
91 00 00	2 464 980.27	488 213.75	2 464 770.49	503 368.96

LONGITUDE	LATITUDE 32 05 00 X	LATITUDE 32 05 00 Y	LATITUDE 32 07 30 X	LATITUDE 32 07 30 Y
90 40 00	2 567 787.47	520 111.99	2 567 531.06	535 266.75
42 30	2 554 884.39	519 896.16	2 554 633.82	535 051.02
45 00	2 541 981.24	519 685.30	2 541 736.49	534 840.25
47 30	2 529 078.01	519 479.40	2 528 839.09	534 634.45
90 50 00	2 516 174.69	519 278.46	2 515 941.60	534 433.60
52 30	2 503 271.31	519 082.48	2 503 044.04	534 237.71
55 00	2 490 367.85	518 891.47	2 490 146.41	534 046.78
57 30	2 477 464.31	518 705.41	2 477 248.70	533 860.81
91 00 00	2 464 560.70	518 524.31	2 464 350.92	533 679.79

LONGITUDE	LATITUDE 32 10 00 X	LATITUDE 32 10 00 Y	LATITUDE 32 12 30 X	LATITUDE 32 12 30 Y
90 40 00	2 567 274.66	550 421.64	2 567 018.26	565 576.69
42 30	2 554 383.24	550 206.01	2 554 132.67	565 361.16
45 00	2 541 491.74	549 995.34	2 541 246.99	565 150.58
47 30	2 528 600.16	549 789.62	2 528 361.24	564 944.96
90 50 00	2 515 708.51	549 588.87	2 515 475.41	564 744.30
52 30	2 502 816.77	549 393.07	2 502 589.50	564 548.58
55 00	2 489 924.97	549 202.22	2 489 703.52	564 357.83
57 30	2 477 033.08	549 016.33	2 476 817.47	564 172.02
91 00 00	2 464 141.13	548 835.40	2 463 931.34	563 991.17

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 32 00 00 X	LATITUDE 32 00 00 Y	LATITUDE 32 02 30 X	LATITUDE 32 02 30 Y
91 00 00	2 464 980.27	488 213.75	2 464 770.49	503 368.96
02 30	2 452 064.94	488 037.46	2 451 860.99	503 192.75
05 00	2 439 149.55	487 866.13	2 438 951.42	503 021.50
07 30	2 426 234.09	487 699.76	2 426 041.79	502 855.21
91 10 00	2 413 318.57	487 538.36	2 413 132.09	502 693.89
12 30	2 400 402.98	487 381.93	2 400 222.34	502 537.53
15 00	2 387 487.34	487 230.47	2 387 312.52	502 386.13
17 30	2 374 571.64	487 083.97	2 374 402.65	502 239.69
91 20 00	2 361 655.88	486 942.44	2 361 492.72	502 098.23
22 30	2 348 740.07	486 805.87	2 348 582.73	501 961.72
25 00	2 335 824.21	486 674.27	2 335 672.70	501 830.18
27 30	2 322 908.31	486 547.63	2 322 762.62	501 703.60
91 30 00	2 309 992.35	486 425.97	2 309 852.49	501 581.99
32 30	2 297 076.34	486 309.26	2 296 942.31	501 465.34
35 00	2 284 160.30	486 197.52	2 284 032.09	501 353.65
37 30	2 271 244.20	486 090.75	2 271 121.83	501 246.93
91 40 00	2 258 328.08	485 988.95	2 258 211.53	501 145.17
42 30	2 245 411.91	485 892.11	2 245 301.19	501 048.37
45 00	2 232 495.70	485 800.23	2 232 390.81	500 956.54
47 30	2 219 579.46	485 713.32	2 219 480.40	500 869.67
91 50 00	2 206 663.19	485 631.38	2 206 569.95	500 787.76
52 30	2 193 746.89	485 554.41	2 193 659.48	500 710.82
55 00	2 180 830.56	485 482.40	2 180 748.98	500 638.85
57 30	2 167 914.21	485 415.35	2 167 838.45	500 571.83
92 00 00	2 154 997.82	485 353.28	2 154 927.89	500 509.79

LONGITUDE	LATITUDE 32 05 00 X	LATITUDE 32 05 00 Y	LATITUDE 32 07 30 X	LATITUDE 32 07 30 Y
91 00 00	2 464 560.70	518 524.31	2 464 350.92	533 679.79
02 30	2 451 657.03	518 348.18	2 451 453.07	533 503.74
05 00	2 438 753.29	518 177.01	2 438 555.16	533 332.64
07 30	2 425 849.49	518 010.79	2 425 657.18	533 166.50
91 10 00	2 412 945.62	517 849.54	2 412 759.14	533 005.32
12 30	2 400 041.69	517 693.25	2 399 861.04	532 849.10
15 00	2 387 137.70	517 541.92	2 386 962.88	532 697.84
17 30	2 374 233.65	517 395.55	2 374 064.66	532 551.54
91 20 00	2 361 329.55	517 254.15	2 361 166.38	532 410.20
22 30	2 348 425.39	517 117.71	2 348 268.05	532 273.82
25 00	2 335 521.19	516 986.22	2 335 369.67	532 142.40
27 30	2 322 616.94	516 859.70	2 322 471.25	532 015.93
91 30 00	2 309 712.63	516 738.15	2 309 572.77	531 894.43
32 30	2 296 808.28	516 621.55	2 296 674.25	531 777.89
35 00	2 283 903.89	516 509.91	2 283 775.68	531 666.30
37 30	2 270 999.45	516 403.24	2 270 877.07	531 559.67
91 40 00	2 258 094.98	516 301.52	2 257 978.43	531 458.00
42 30	2 245 190.46	516 204.77	2 245 079.74	531 361.30
45 00	2 232 285.92	516 112.98	2 232 181.02	531 269.55
47 30	2 219 381.33	516 026.15	2 219 282.26	531 182.75
91 50 00	2 206 476.72	515 944.28	2 206 383.47	531 100.92
52 30	2 193 572.07	515 867.37	2 193 484.65	531 024.05
55 00	2 180 667.39	515 795.43	2 180 585.81	530 952.14
57 30	2 167 762.69	515 728.45	2 167 686.93	530 885.19
92 00 00	2 154 857.96	515 666.43	2 154 788.03	530 823.20

LONGITUDE	LATITUDE 32 10 00 X	LATITUDE 32 10 00 Y	LATITUDE 32 12 30 X	LATITUDE 32 12 30 Y
91 00 00	2 464 141.13	548 835.40	2 463 931.34	563 991.17
02 30	2 451 249.11	548 659.43	2 451 045.15	563 815.27
05 00	2 438 357.02	548 488.41	2 438 158.89	563 644.33
07 30	2 425 464.88	548 322.34	2 425 272.57	563 478.34
91 10 00	2 412 572.66	548 161.23	2 412 386.18	563 317.31
12 30	2 399 680.38	548 005.09	2 399 499.73	563 161.23
15 00	2 386 788.05	547 853.89	2 386 613.22	563 010.10
17 30	2 373 895.66	547 707.66	2 373 726.66	562 863.94
91 20 00	2 361 003.21	547 566.38	2 360 840.04	562 722.72
22 30	2 348 110.71	547 430.06	2 347 953.37	562 586.47
25 00	2 335 218.16	547 298.70	2 335 066.64	562 455.16
27 30	2 322 325.56	547 172.29	2 322 179.87	562 328.81
91 30 00	2 309 432.91	547 050.85	2 309 293.05	562 207.42
32 30	2 296 540.22	546 934.35	2 296 406.18	562 090.98
35 00	2 283 647.48	546 822.82	2 283 519.27	561 979.49
37 30	2 270 754.70	546 716.24	2 270 632.32	561 872.96
91 40 00	2 257 861.88	546 614.62	2 257 745.32	561 771.39
42 30	2 244 969.02	546 517.95	2 244 858.29	561 674.77
45 00	2 232 076.12	546 426.24	2 231 971.23	561 583.10
47 30	2 219 183.19	546 339.49	2 219 084.12	561 496.39
91 50 00	2 206 290.23	546 257.69	2 206 196.99	561 414.63
52 30	2 193 397.24	546 180.86	2 193 309.83	561 337.83
55 00	2 180 504.22	546 108.98	2 180 422.64	561 265.98
57 30	2 167 611.18	546 042.06	2 167 535.42	561 199.09
92 00 00	2 154 718.10	545 980.10	2 154 648.17	561 137.15

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 32 00 00 X	LATITUDE 32 00 00 Y	LATITUDE 32 02 30 X	LATITUDE 32 02 30 Y
92 00 00	2 154 997.82	485 353.28	2 154 927.89	500 509.79
02 30	2 142 081.42	485 296.17	2 142 017.32	500 452.70
05 00	2 129 164.99	485 244.02	2 129 106.72	500 400.58
07 30	2 116 248.55	485 196.85	2 116 196.10	500 353.43
92 10 00	2 103 332.08	485 154.64	2 103 285.46	500 311.24
12 30	2 090 415.61	485 117.39	2 090 374.82	500 274.00
15 00	2 077 499.12	485 085.11	2 077 464.15	500 241.74
17 30	2 064 582.62	485 057.80	2 064 553.48	500 214.44
92 20 00	2 051 666.10	485 035.45	2 051 642.79	500 192.10
22 30	2 038 749.59	485 018.06	2 038 732.10	500 174.72
25 00	2 025 833.06	485 005.65	2 025 821.41	500 162.31
27 30	2 012 916.53	484 998.20	2 012 910.70	500 154.86
92 30 00	2 000 000.00	484 995.71	2 000 000.00	500 152.38
32 30	1 987 083.47	484 998.20	1 987 089.30	500 154.86
35 00	1 974 166.94	485 005.65	1 974 178.59	500 162.31
37 30	1 961 250.41	485 018.06	1 961 267.90	500 174.72
92 40 00	1 948 333.90	485 035.45	1 948 357.21	500 192.10
42 30	1 935 417.38	485 057.80	1 935 446.52	500 214.44
45 00	1 922 500.88	485 085.11	1 922 535.85	500 241.74
47 30	1 909 584.39	485 117.39	1 909 625.18	500 274.00
92 50 00	1 896 667.92	485 154.64	1 896 714.54	500 311.24
52 30	1 883 751.45	485 196.85	1 883 803.90	500 353.43
55 00	1 870 835.01	485 244.02	1 870 893.28	500 400.58
57 30	1 857 918.58	485 296.17	1 857 982.68	500 452.70
93 00 00	1 845 002.18	485 353.28	1 845 072.11	500 509.79

LONGITUDE	LATITUDE 32 05 00 X	LATITUDE 32 05 00 Y	LATITUDE 32 07 30 X	LATITUDE 32 07 30 Y
92 00 00	2 154 857.96	515 666.43	2 154 788.03	530 823.20
02 30	2 141 953.21	515 609.37	2 141 889.11	530 766.16
05 00	2 129 048.44	515 557.27	2 128 990.17	530 714.09
07 30	2 116 143.65	515 510.14	2 116 091.20	530 666.98
92 10 00	2 103 238.84	515 467.97	2 103 192.22	530 624.82
12 30	2 090 334.02	515 430.75	2 090 293.23	530 587.63
15 00	2 077 429.19	515 398.50	2 077 394.22	530 555.39
17 30	2 064 524.34	515 371.21	2 064 495.20	530 528.11
92 20 00	2 051 619.48	515 348.88	2 051 596.17	530 505.79
22 30	2 038 714.62	515 331.51	2 038 697.14	530 488.43
25 00	2 025 809.75	515 319.11	2 025 798.10	530 476.03
27 30	2 012 904.87	515 311.66	2 012 899.05	530 468.59
92 30 00	2 000 000.00	515 309.18	2 000 000.00	530 466.11
32 30	1 987 095.13	515 311.66	1 987 100.95	530 468.59
35 00	1 974 190.25	515 319.11	1 974 201.90	530 476.03
37 30	1 961 285.38	515 331.51	1 961 302.86	530 488.43
92 40 00	1 948 380.52	515 348.88	1 948 403.83	530 505.79
42 30	1 935 475.66	515 371.21	1 935 504.80	530 528.11
45 00	1 922 570.81	515 398.50	1 922 605.78	530 555.39
47 30	1 909 665.98	515 430.75	1 909 706.77	530 587.63
92 50 00	1 896 761.16	515 467.97	1 896 807.78	530 624.82
52 30	1 883 856.35	515 510.14	1 883 908.80	530 666.98
55 00	1 870 951.56	515 557.27	1 871 009.83	530 714.09
57 30	1 858 046.79	515 609.37	1 858 110.89	530 766.16
93 00 00	1 845 142.04	515 666.43	1 845 211.97	530 823.20

LONGITUDE	LATITUDE 32 10 00 X	LATITUDE 32 10 00 Y	LATITUDE 32 12 30 X	LATITUDE 32 12 30 Y
92 00 00	2 154 718.10	545 980.10	2 154 648.17	561 137.15
02 30	2 141 825.01	545 923.09	2 141 760.90	561 080.17
05 00	2 128 931.89	545 871.04	2 128 873.62	561 028.14
07 30	2 116 038.75	545 823.94	2 115 986.31	560 981.07
92 10 00	2 103 145.60	545 781.81	2 103 098.98	560 938.96
12 30	2 090 252.44	545 744.63	2 090 211.64	560 901.80
15 00	2 077 359.26	545 712.41	2 077 324.29	560 869.59
17 30	2 064 466.07	545 685.14	2 064 436.93	560 842.34
92 20 00	2 051 572.86	545 662.83	2 051 549.55	560 820.04
22 30	2 038 679.66	545 645.48	2 038 662.17	560 802.69
25 00	2 025 786.44	545 633.09	2 025 774.78	560 790.30
27 30	2 012 893.22	545 625.65	2 012 887.39	560 782.87
92 30 00	2 000 000.00	545 623.17	2 000 000.00	560 780.39
32 30	1 987 106.78	545 625.65	1 987 112.61	560 782.87
35 00	1 974 213.56	545 633.09	1 974 225.22	560 790.30
37 30	1 961 320.34	545 645.48	1 961 337.83	560 802.69
92 40 00	1 948 427.14	545 662.83	1 948 450.45	560 820.04
42 30	1 935 533.93	545 685.14	1 935 563.07	560 842.34
45 00	1 922 640.74	545 712.41	1 922 675.71	560 869.59
47 30	1 909 747.56	545 744.63	1 909 788.36	560 901.80
92 50 00	1 896 854.40	545 781.81	1 896 901.02	560 938.96
52 30	1 883 961.25	545 823.94	1 884 013.69	560 981.07
55 00	1 871 068.11	545 871.04	1 871 126.38	561 028.14
57 30	1 858 174.99	545 923.09	1 858 239.10	561 080.17
93 00 00	1 845 281.90	545 980.10	1 845 351.83	561 137.15

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 32 00 00 X	LATITUDE 32 00 00 Y	LATITUDE 32 02 30 X	LATITUDE 32 02 30 Y
93 00 00	1 845 002.18	485 353.28	1 845 072.11	500 509.79
02 30	1 832 085.79	485 415.35	1 832 161.55	500 571.83
05 00	1 819 169.44	485 482.40	1 819 251.02	500 638.85
07 30	1 806 253.11	485 554.41	1 806 340.52	500 710.82
93 10 00	1 793 336.81	485 631.38	1 793 430.05	500 787.76
12 30	1 780 420.54	485 713.32	1 780 519.60	500 869.67
15 00	1 767 504.30	485 800.23	1 767 609.19	500 956.54
17 30	1 754 588.09	485 892.11	1 754 698.81	501 048.37
93 20 00	1 741 671.92	485 988.95	1 741 788.47	501 145.17
22 30	1 728 755.80	486 090.75	1 728 878.17	501 246.93
25 00	1 715 839.70	486 197.52	1 715 967.91	501 353.65
27 30	1 702 923.66	486 309.26	1 703 057.69	501 465.34
93 30 00	1 690 007.65	486 425.97	1 690 147.51	501 581.99
32 30	1 677 091.69	486 547.63	1 677 237.38	501 703.60
35 00	1 664 175.79	486 674.27	1 664 327.30	501 830.18
37 30	1 651 259.93	486 805.87	1 651 417.27	501 961.72
93 40 00	1 638 344.12	486 942.44	1 638 507.28	502 098.23
42 30	1 625 428.36	487 083.97	1 625 597.35	502 239.69
45 00	1 612 512.66	487 230.47	1 612 687.48	502 386.13
47 30	1 599 597.02	487 381.93	1 599 777.66	502 537.53
93 50 00	1 586 681.43	487 538.36	1 586 867.91	502 693.89
52 30	1 573 765.91	487 699.76	1 573 958.21	502 855.21
55 00	1 560 850.45	487 866.13	1 561 048.58	503 021.50
57 30	1 547 935.06	488 037.46	1 548 139.01	503 192.75
94 00 00	1 535 019.73	488 213.75	1 535 229.51	503 368.96

LONGITUDE	LATITUDE 32 05 00 X	LATITUDE 32 05 00 Y	LATITUDE 32 07 30 X	LATITUDE 32 07 30 Y
93 00 00	1 845 142.04	515 666.43	1 845 211.97	530 823.20
02 30	1 832 237.31	515 728.45	1 832 313.07	530 885.19
05 00	1 819 332.61	515 795.43	1 819 414.19	530 952.14
07 30	1 806 427.93	515 867.37	1 806 515.35	531 024.05
93 10 00	1 793 523.28	515 944.28	1 793 616.53	531 100.92
12 30	1 780 618.67	516 026.15	1 780 717.74	531 182.75
15 00	1 767 714.08	516 112.98	1 767 818.98	531 269.55
17 30	1 754 809.54	516 204.77	1 754 920.26	531 361.30
93 20 00	1 741 905.02	516 301.52	1 742 021.57	531 458.00
22 30	1 729 000.55	516 403.24	1 729 122.93	531 559.67
25 00	1 716 096.11	516 509.91	1 716 224.32	531 666.30
27 30	1 703 191.72	516 621.55	1 703 325.75	531 777.89
93 30 00	1 690 287.37	516 738.15	1 690 427.23	531 894.43
32 30	1 677 383.06	516 859.70	1 677 528.75	532 015.93
35 00	1 664 478.81	516 986.22	1 664 630.33	532 142.40
37 30	1 651 574.61	517 117.71	1 651 731.95	532 273.82
93 40 00	1 638 670.45	517 254.15	1 638 833.62	532 410.20
42 30	1 625 766.35	517 395.55	1 625 935.34	532 551.54
45 00	1 612 862.30	517 541.92	1 613 037.12	532 697.84
47 30	1 599 958.31	517 693.25	1 600 138.96	532 849.10
93 50 00	1 587 054.38	517 849.54	1 587 240.86	533 005.32
52 30	1 574 150.51	518 010.79	1 574 342.82	533 166.50
55 00	1 561 246.71	518 177.01	1 561 444.84	533 332.64
57 30	1 548 342.97	518 348.18	1 548 546.93	533 503.74
94 00 00	1 535 439.30	518 524.31	1 535 649.08	533 679.79

LONGITUDE	LATITUDE 32 10 00 X	LATITUDE 32 10 00 Y	LATITUDE 32 12 30 X	LATITUDE 32 12 30 Y
93 00 00	1 845 281.90	545 980.10	1 845 351.83	561 137.15
02 30	1 832 388.82	546 042.06	1 832 464.58	561 199.09
05 00	1 819 495.78	546 108.98	1 819 577.36	561 265.98
07 30	1 806 602.76	546 180.86	1 806 690.17	561 337.83
93 10 00	1 793 709.77	546 257.69	1 793 803.01	561 414.63
12 30	1 780 816.81	546 339.49	1 780 915.88	561 496.39
15 00	1 767 923.88	546 426.24	1 768 028.77	561 583.10
17 30	1 755 030.98	546 517.95	1 755 141.71	561 674.77
93 20 00	1 742 138.12	546 614.62	1 742 254.68	561 771.39
22 30	1 729 245.30	546 716.24	1 729 367.68	561 872.96
25 00	1 716 352.52	546 822.82	1 716 480.73	561 979.49
27 30	1 703 459.78	546 934.35	1 703 593.82	562 090.98
93 30 00	1 690 567.09	547 050.85	1 690 706.95	562 207.42
32 30	1 677 674.44	547 172.29	1 677 820.13	562 328.81
35 00	1 664 781.84	547 298.70	1 664 933.36	562 455.16
37 30	1 651 889.29	547 430.06	1 652 046.63	562 586.47
93 40 00	1 638 996.79	547 566.38	1 639 159.96	562 722.72
42 30	1 626 104.34	547 707.66	1 626 273.34	562 863.94
45 00	1 613 211.95	547 853.89	1 613 386.78	563 010.10
47 30	1 600 319.62	548 005.09	1 600 500.27	563 161.23
93 50 00	1 587 427.34	548 161.23	1 587 613.82	563 317.31
52 30	1 574 535.12	548 322.34	1 574 727.43	563 478.34
55 00	1 561 642.98	548 488.41	1 561 841.11	563 644.33
57 30	1 548 750.89	548 659.43	1 548 954.85	563 815.27
94 00 00	1 535 858.87	548 835.40	1 536 068.66	563 991.17

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 32 00 00 X	LATITUDE 32 00 00 Y	LATITUDE 32 02 30 X	LATITUDE 32 02 30 Y
94 00 00	1 535 019.73	488 213.75	1 535 229.51	503 368.96
02 30	1 522 104.47	488 395.01	1 522 320.08	503 550.14
05 00	1 509 189.28	488 581.24	1 509 410.72	503 736.29
07 30	1 496 274.17	488 772.42	1 496 501.43	503 927.39
94 10 00	1 483 359.13	488 968.58	1 483 592.21	504 123.46
12 30	1 470 444.16	489 169.70	1 470 683.07	504 324.48
15 00	1 457 529.27	489 375.78	1 457 774.02	504 530.48
17 30	1 444 614.46	489 586.83	1 444 865.03	504 741.43
94 20 00	1 431 699.74	489 802.85	1 431 956.14	504 957.35

LONGITUDE	LATITUDE 32 05 00 X	LATITUDE 32 05 00 Y	LATITUDE 32 07 30 X	LATITUDE 32 07 30 Y
94 00 00	1 535 439.30	518 524.31	1 535 649.08	533 679.79
02 30	1 522 535.69	518 705.41	1 522 751.30	533 860.81
05 00	1 509 632.15	518 891.47	1 509 853.59	534 046.78
07 30	1 496 728.69	519 082.48	1 496 955.96	534 237.71
94 10 00	1 483 825.31	519 278.46	1 484 058.40	534 433.60
12 30	1 470 921.99	519 479.40	1 471 160.91	534 634.45
15 00	1 458 018.76	519 685.30	1 458 263.51	534 840.25
17 30	1 445 115.61	519 896.16	1 445 366.18	535 051.02
94 20 00	1 432 212.53	520 111.99	1 432 468.94	535 266.75

LONGITUDE	LATITUDE 32 10 00 X	LATITUDE 32 10 00 Y	LATITUDE 32 12 30 X	LATITUDE 32 12 30 Y
94 00 00	1 535 858.87	548 835.40	1 536 068.66	563 991.17
02 30	1 522 966.92	549 016.33	1 523 182.53	564 172.02
05 00	1 510 075.03	549 202.22	1 510 296.48	564 357.83
07 30	1 497 183.23	549 393.07	1 497 410.50	564 548.58
94 10 00	1 484 291.49	549 588.87	1 484 524.59	564 744.30
12 30	1 471 399.84	549 789.62	1 471 638.76	564 944.96
15 00	1 458 508.26	549 995.34	1 458 753.01	565 150.58
17 30	1 445 616.76	550 206.01	1 445 867.33	565 361.16
94 20 00	1 432 725.34	550 421.64	1 432 981.74	565 576.69

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 32 15 00 X	LATITUDE 32 15 00 Y	LATITUDE 32 17 30 X	LATITUDE 32 17 30 Y
90 40 00	2 566 761.85	580 731.90	2 566 505.44	595 887.26
42 30	2 553 882.08	580 516.46	2 553 631.50	595 671.92
45 00	2 541 002.24	580 305.98	2 540 757.48	595 461.54
47 30	2 528 122.31	580 100.46	2 527 883.38	595 256.10
90 50 00	2 515 242.31	579 899.88	2 515 009.20	595 055.62
52 30	2 502 362.23	579 704.26	2 502 134.95	594 860.08
55 00	2 489 482.08	579 513.59	2 489 260.63	594 669.50
57 30	2 476 601.85	579 327.86	2 476 386.22	594 483.86
91 00 00	2 463 721.55	579 147.10	2 463 511.76	594 303.17

LONGITUDE	LATITUDE 32 20 00 X	LATITUDE 32 20 00 Y	LATITUDE 32 22 30 X	LATITUDE 32 22 30 Y
90 40 00	2 566 249.02	611 042.81	2 565 992.61	626 198.54
42 30	2 553 380.91	610 827.57	2 553 130.32	625 983.40
45 00	2 540 512.72	610 617.28	2 540 267.96	625 773.21
47 30	2 527 644.45	610 411.94	2 527 405.51	625 567.96
90 50 00	2 514 776.10	610 211.55	2 514 542.99	625 367.66
52 30	2 501 907.67	610 016.10	2 501 680.39	625 172.30
55 00	2 489 039.18	609 825.60	2 488 817.72	624 981.89
57 30	2 476 170.60	609 640.05	2 475 954.97	624 796.41
91 00 00	2 463 301.96	609 459.44	2 463 092.16	624 615.89

LONGITUDE	LATITUDE 32 25 00 X	LATITUDE 32 25 00 Y	LATITUDE 32 27 30 X	LATITUDE 32 27 30 Y
90 40 00	2 565 736.19	641 354.44	2 565 479.76	656 510.56
42 30	2 552 879.73	641 139.40	2 552 629.13	656 295.61
45 00	2 540 023.19	640 929.30	2 539 778.42	656 085.60
47 30	2 527 166.58	640 724.14	2 526 927.63	655 880.54
90 50 00	2 514 309.88	640 523.93	2 514 076.76	655 680.42
52 30	2 501 453.11	640 328.66	2 501 225.82	655 485.24
55 00	2 488 596.27	640 138.34	2 488 374.81	655 295.00
57 30	2 475 739.35	639 952.95	2 475 523.71	655 109.70
91 00 00	2 462 882.36	639 772.51	2 462 672.55	654 929.34

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 32 15 00 X	LATITUDE 32 15 00 Y	LATITUDE 32 17 30 X	LATITUDE 32 17 30 Y
91 00 00	2 463 721.55	579 147.10	2 463 511.76	594 303.17
02 30	2 450 841.19	578 971.28	2 450 637.22	594 127.44
05 00	2 437 960.75	578 800.42	2 437 762.61	593 956.65
07 30	2 425 080.26	578 634.50	2 424 887.95	593 790.81
91 10 00	2 412 199.70	578 473.54	2 412 013.21	593 629.92
12 30	2 399 319.07	578 317.53	2 399 138.42	593 473.99
15 00	2 386 438.40	578 166.48	2 386 263.57	593 323.00
17 30	2 373 557.66	578 020.37	2 373 388.66	593 176.96
91 20 00	2 360 676.87	577 879.23	2 360 513.69	593 035.88
22 30	2 347 796.02	577 743.03	2 347 638.67	592 899.74
25 00	2 334 915.12	577 611.79	2 334 763.60	592 768.56
27 30	2 322 034.18	577 485.49	2 321 888.49	592 642.32
91 30 00	2 309 153.19	577 364.16	2 309 013.32	592 521.04
32 30	2 296 272.15	577 247.77	2 296 138.11	592 404.71
35 00	2 283 391.06	577 136.33	2 283 262.85	592 293.32
37 30	2 270 509.93	577 029.85	2 270 387.55	592 186.89
91 40 00	2 257 628.77	576 928.32	2 257 512.22	592 085.40
42 30	2 244 747.57	576 831.74	2 244 636.84	591 988.87
45 00	2 231 866.33	576 740.12	2 231 761.43	591 897.28
47 30	2 218 985.05	576 653.44	2 218 885.98	591 810.65
91 50 00	2 206 103.75	576 571.72	2 206 010.50	591 728.96
52 30	2 193 222.41	576 494.95	2 193 134.99	591 652.23
55 00	2 180 341.05	576 423.14	2 180 259.46	591 580.45
57 30	2 167 459.66	576 356.28	2 167 383.89	591 513.62
92 00 00	2 154 578.24	576 294.37	2 154 508.30	591 451.74

LONGITUDE	LATITUDE 32 20 00 X	LATITUDE 32 20 00 Y	LATITUDE 32 22 30 X	LATITUDE 32 22 30 Y
91 00 00	2 463 301.96	609 459.44	2 463 092.16	624 615.89
02 30	2 450 433.25	609 283.79	2 450 229.28	624 440.31
05 00	2 437 564.47	609 113.08	2 437 366.33	624 269.68
07 30	2 424 695.63	608 947.31	2 424 503.31	624 103.99
91 10 00	2 411 826.72	608 786.50	2 411 640.24	623 943.25
12 30	2 398 957.76	608 630.63	2 398 777.10	623 787.45
15 00	2 386 088.73	608 479.71	2 385 913.90	623 636.60
17 30	2 373 219.65	608 333.74	2 373 050.64	623 490.70
91 20 00	2 360 350.51	608 192.72	2 360 187.33	623 349.74
22 30	2 347 481.32	608 056.65	2 347 323.97	623 213.73
25 00	2 334 612.08	607 925.52	2 334 460.56	623 082.66
27 30	2 321 742.79	607 799.34	2 321 597.10	622 956.54
91 30 00	2 308 873.45	607 678.12	2 308 733.59	622 835.37
32 30	2 296 004.07	607 561.83	2 295 870.03	622 719.14
35 00	2 283 134.64	607 450.50	2 283 006.43	622 607.85
37 30	2 270 265.17	607 344.11	2 270 142.78	622 501.52
91 40 00	2 257 395.66	607 242.67	2 257 279.10	622 400.13
42 30	2 244 526.11	607 146.18	2 244 415.38	622 303.68
45 00	2 231 656.53	607 054.64	2 231 551.63	622 212.18
47 30	2 218 786.91	606 968.04	2 218 687.83	622 125.62
91 50 00	2 205 917.26	606 886.40	2 205 824.01	622 044.01
52 30	2 193 047.58	606 809.70	2 192 960.16	621 967.35
55 00	2 180 177.87	606 737.95	2 180 096.28	621 895.63
57 30	2 167 308.13	606 671.15	2 167 232.37	621 828.86
92 00 00	2 154 438.37	606 609.30	2 154 368.43	621 767.04

LONGITUDE	LATITUDE 32 25 00 X	LATITUDE 32 25 00 Y	LATITUDE 32 27 30 X	LATITUDE 32 27 30 Y
91 00 00	2 462 882.36	639 772.51	2 462 672.55	654 929.34
02 30	2 450 025.30	639 597.01	2 449 821.33	654 753.92
05 00	2 437 168.18	639 426.46	2 436 970.03	654 583.44
07 30	2 424 311.00	639 260.84	2 424 118.67	654 417.90
91 10 00	2 411 453.74	639 100.17	2 411 267.25	654 257.30
12 30	2 398 596.43	638 944.45	2 398 415.77	654 101.65
15 00	2 385 739.06	638 793.66	2 385 564.22	653 950.93
17 30	2 372 881.63	638 647.82	2 372 712.62	653 805.16
91 20 00	2 360 024.15	638 506.93	2 359 860.97	653 664.33
22 30	2 347 166.62	638 370.98	2 347 009.26	653 528.45
25 00	2 334 309.03	638 239.98	2 334 157.50	653 397.50
27 30	2 321 451.40	638 113.91	2 321 305.70	653 271.49
91 30 00	2 308 593.72	637 992.79	2 308 453.84	653 150.43
32 30	2 295 735.99	637 876.62	2 295 601.94	653 034.30
35 00	2 282 878.21	637 765.38	2 282 750.00	652 923.12
37 30	2 270 020.40	637 659.09	2 269 898.01	652 816.88
91 40 00	2 257 162.54	637 557.75	2 257 045.98	652 715.58
42 30	2 244 304.65	637 461.34	2 244 193.92	652 619.22
45 00	2 231 446.72	637 369.88	2 231 341.82	652 527.80
47 30	2 218 588.76	637 283.37	2 218 489.68	652 441.32
91 50 00	2 205 730.76	637 201.79	2 205 637.52	652 359.79
52 30	2 192 872.74	637 125.16	2 192 785.32	652 283.19
55 00	2 180 014.69	637 053.48	2 179 933.09	652 211.54
57 30	2 167 156.61	636 986.74	2 167 080.84	652 144.83
92 00 00	2 154 298.50	636 924.95	2 154 228.56	652 083.07

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 32 15 00 X	LATITUDE 32 15 00 Y	LATITUDE 32 17 30 X	LATITUDE 32 17 30 Y
92 00 00	2 154 578.24	576 294.37	2 154 508.30	591 451.74
02 30	2 141 696.80	576 237.42	2 141 632.69	591 394.81
05 00	2 128 815.34	576 185.41	2 128 757.06	591 342.83
07 30	2 115 933.86	576 138.36	2 115 881.41	591 295.80
92 10 00	2 103 052.36	576 096.27	2 103 005.74	591 253.73
12 30	2 090 170.85	576 059.12	2 090 130.06	591 216.60
15 00	2 077 289.32	576 026.93	2 077 254.36	591 184.42
17 30	2 064 407.79	575 999.69	2 064 378.65	591 157.19
92 20 00	2 051 526.24	575 977.40	2 051 502.93	591 134.91
22 30	2 038 644.69	575 960.06	2 038 627.21	591 117.58
25 00	2 025 763.13	575 947.68	2 025 751.47	591 105.21
27 30	2 012 881.56	575 940.25	2 012 875.74	591 097.78
92 30 00	2 000 000.00	575 937.77	2 000 000.00	591 095.30
32 30	1 987 118.44	575 940.25	1 987 124.26	591 097.78
35 00	1 974 236.87	575 947.68	1 974 248.53	591 105.21
37 30	1 961 355.31	575 960.06	1 961 372.79	591 117.58
92 40 00	1 948 473.76	575 977.40	1 948 497.07	591 134.91
42 30	1 935 592.21	575 999.69	1 935 621.35	591 157.19
45 00	1 922 710.68	576 026.93	1 922 745.64	591 184.42
47 30	1 909 829.15	576 059.12	1 909 869.94	591 216.60
92 50 00	1 896 947.64	576 096.27	1 896 994.26	591 253.73
52 30	1 884 066.14	576 138.36	1 884 118.59	591 295.80
55 00	1 871 184.66	576 185.41	1 871 242.94	591 342.83
57 30	1 858 303.20	576 237.42	1 858 367.31	591 394.81
93 00 00	1 845 421.76	576 294.37	1 845 491.70	591 451.74

LONGITUDE	LATITUDE 32 20 00 X	LATITUDE 32 20 00 Y	LATITUDE 32 22 30 X	LATITUDE 32 22 30 Y
92 00 00	2 154 438.37	606 609.30	2 154 368.43	621 767.04
02 30	2 141 568.59	606 552.40	2 141 504.48	621 710.16
05 00	2 128 698.78	606 500.44	2 128 640.50	621 658.23
07 30	2 115 828.96	606 453.43	2 115 776.50	621 611.24
92 10 00	2 102 959.11	606 411.38	2 102 912.49	621 569.20
12 30	2 090 089.26	606 374.26	2 090 048.47	621 532.11
15 00	2 077 219.39	606 342.10	2 077 184.42	621 499.96
17 30	2 064 349.51	606 314.88	2 064 320.37	621 472.75
92 20 00	2 051 479.62	606 292.61	2 051 456.31	621 450.49
22 30	2 038 609.72	606 275.29	2 038 592.24	621 433.18
25 00	2 025 739.82	606 262.92	2 025 728.16	621 420.82
27 30	2 012 869.91	606 255.50	2 012 864.08	621 413.40
92 30 00	2 000 000.00	606 253.02	2 000 000.00	621 410.92
32 30	1 987 130.09	606 255.50	1 987 135.92	621 413.40
35 00	1 974 260.18	606 262.92	1 974 271.84	621 420.82
37 30	1 961 390.28	606 275.29	1 961 407.76	621 433.18
92 40 00	1 948 520.38	606 292.61	1 948 543.69	621 450.49
42 30	1 935 650.49	606 314.88	1 935 679.63	621 472.75
45 00	1 922 780.61	606 342.10	1 922 815.58	621 499.96
47 30	1 909 910.74	606 374.26	1 909 951.53	621 532.11
92 50 00	1 897 040.89	606 411.38	1 897 087.51	621 569.20
52 30	1 884 171.04	606 453.43	1 884 223.50	621 611.24
55 00	1 871 301.22	606 500.44	1 871 359.50	621 658.23
57 30	1 858 431.41	606 552.40	1 858 495.52	621 710.16
93 00 00	1 845 561.63	606 609.30	1 845 631.57	621 767.04

LONGITUDE	LATITUDE 32 25 00 X	LATITUDE 32 25 00 Y	LATITUDE 32 27 30 X	LATITUDE 32 27 30 Y
92 00 00	2 154 298.50	636 924.95	2 154 228.56	652 083.07
02 30	2 141 440.37	636 868.09	2 141 376.26	652 026.24
05 00	2 128 582.22	636 816.18	2 128 523.94	651 974.35
07 30	2 115 724.05	636 769.22	2 115 671.60	651 927.41
92 10 00	2 102 865.87	636 727.20	2 102 819.24	651 885.41
12 30	2 090 007.67	636 690.12	2 089 966.87	651 848.35
15 00	2 077 149.45	636 657.99	2 077 114.49	651 816.23
17 30	2 064 291.23	636 630.80	2 064 262.09	651 789.05
92 20 00	2 051 433.00	636 608.55	2 051 409.68	651 766.81
22 30	2 038 574.75	636 591.24	2 038 557.27	651 749.51
25 00	2 025 716.51	636 578.88	2 025 704.85	651 737.16
27 30	2 012 858.25	636 571.46	2 012 852.42	651 729.74
92 30 00	2 000 000.00	636 568.99	2 000 000.00	651 727.27
32 30	1 987 141.75	636 571.46	1 987 147.58	651 729.74
35 00	1 974 283.49	636 578.88	1 974 295.15	651 737.16
37 30	1 961 425.25	636 591.24	1 961 442.73	651 749.51
92 40 00	1 948 567.00	636 608.55	1 948 590.32	651 766.81
42 30	1 935 708.77	636 630.80	1 935 737.91	651 789.05
45 00	1 922 850.55	636 657.99	1 922 885.51	651 816.23
47 30	1 909 992.33	636 690.12	1 910 033.13	651 848.35
92 50 00	1 897 134.13	636 727.20	1 897 180.76	651 885.41
52 30	1 884 275.95	636 769.22	1 884 328.40	651 927.41
55 00	1 871 417.78	636 816.18	1 871 476.06	651 974.35
57 30	1 858 559.63	636 868.09	1 858 623.74	652 026.24
93 00 00	1 845 701.50	636 924.95	1 845 771.44	652 083.07

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 32 15 00 X	LATITUDE 32 15 00 Y	LATITUDE 32 17 30 X	LATITUDE 32 17 30 Y
93 00 00	1 845 421.76	576 294.37	1 845 491.70	591 451.74
02 30	1 832 540.34	576 356.28	1 832 616.11	591 513.62
05 00	1 819 658.95	576 423.14	1 819 740.54	591 580.45
07 30	1 806 777.59	576 494.95	1 806 865.01	591 652.23
93 10 00	1 793 896.25	576 571.72	1 793 989.50	591 728.96
12 30	1 781 014.95	576 653.44	1 781 114.02	591 810.65
15 00	1 768 133.67	576 740.12	1 768 238.57	591 897.28
17 30	1 755 252.43	576 831.74	1 755 363.16	591 988.87
93 20 00	1 742 371.23	576 928.32	1 742 487.78	592 085.40
22 30	1 729 490.07	577 029.85	1 729 612.45	592 186.89
25 00	1 716 608.94	577 136.33	1 716 737.15	592 293.32
27 30	1 703 727.85	577 247.77	1 703 861.89	592 404.71
93 30 00	1 690 846.81	577 364.16	1 690 986.68	592 521.04
32 30	1 677 965.82	577 485.49	1 678 111.51	592 642.32
35 00	1 665 084.88	577 611.79	1 665 236.40	592 768.56
37 30	1 652 203.98	577 743.03	1 652 361.33	592 899.74
93 40 00	1 639 323.13	577 879.23	1 639 486.31	593 035.88
42 30	1 626 442.34	578 020.37	1 626 611.34	593 176.96
45 00	1 613 561.60	578 166.48	1 613 736.43	593 323.00
47 30	1 600 680.93	578 317.53	1 600 861.58	593 473.99
93 50 00	1 587 800.30	578 473.54	1 587 986.79	593 629.92
52 30	1 574 919.74	578 634.50	1 575 112.05	593 790.81
55 00	1 562 039.25	578 800.42	1 562 237.39	593 956.65
57 30	1 549 158.81	578 971.28	1 549 362.78	594 127.44
94 00 00	1 536 278.45	579 147.10	1 536 488.24	594 303.17

LONGITUDE	LATITUDE 32 20 00 X	LATITUDE 32 20 00 Y	LATITUDE 32 22 30 X	LATITUDE 32 22 30 Y
93 00 00	1 845 561.63	606 609.30	1 845 631.57	621 767.04
02 30	1 832 691.87	606 671.15	1 832 767.63	621 828.86
05 00	1 819 822.13	606 737.95	1 819 903.72	621 895.63
07 30	1 806 952.42	606 809.70	1 807 039.84	621 967.35
93 10 00	1 794 082.74	606 886.40	1 794 175.99	622 044.01
12 30	1 781 213.09	606 968.04	1 781 312.17	622 125.62
15 00	1 768 343.47	607 054.64	1 768 448.37	622 212.18
17 30	1 755 473.89	607 146.18	1 755 584.62	622 303.68
93 20 00	1 742 604.34	607 242.67	1 742 720.90	622 400.13
22 30	1 729 734.83	607 344.11	1 729 857.22	622 501.52
25 00	1 716 865.36	607 450.50	1 716 993.57	622 607.85
27 30	1 703 995.93	607 561.83	1 704 129.97	622 719.14
93 30 00	1 691 126.55	607 678.12	1 691 266.41	622 835.37
32 30	1 678 257.21	607 799.34	1 678 402.90	622 956.54
35 00	1 665 387.92	607 925.52	1 665 539.44	623 082.66
37 30	1 652 518.68	608 056.65	1 652 676.03	623 213.73
93 40 00	1 639 649.49	608 192.72	1 639 812.67	623 349.74
42 30	1 626 780.35	608 333.74	1 626 949.36	623 490.70
45 00	1 613 911.27	608 479.71	1 614 086.10	623 636.60
47 30	1 601 042.24	608 630.63	1 601 222.90	623 787.45
93 50 00	1 588 173.28	608 786.50	1 588 359.76	623 943.25
52 30	1 575 304.37	608 947.31	1 575 496.69	624 103.99
55 00	1 562 435.53	609 113.08	1 562 633.67	624 269.68
57 30	1 549 566.75	609 283.79	1 549 770.72	624 440.31
94 00 00	1 536 698.04	609 459.44	1 536 907.84	624 615.89

LONGITUDE	LATITUDE 32 25 00 X	LATITUDE 32 25 00 Y	LATITUDE 32 27 30 X	LATITUDE 32 27 30 Y
93 00 00	1 845 701.50	636 924.95	1 845 771.44	652 083.07
02 30	1 832 843.39	636 986.74	1 832 919.16	652 144.83
05 00	1 819 985.31	637 053.48	1 820 066.91	652 211.54
07 30	1 807 127.26	637 125.16	1 807 214.68	652 283.19
93 10 00	1 794 269.24	637 201.79	1 794 362.48	652 359.79
12 30	1 781 411.24	637 283.37	1 781 510.32	652 441.32
15 00	1 768 553.28	637 369.88	1 768 658.18	652 527.80
17 30	1 755 695.35	637 461.34	1 755 806.08	652 619.22
93 20 00	1 742 837.46	637 557.75	1 742 954.02	652 715.58
22 30	1 729 979.60	637 659.09	1 730 101.99	652 816.88
25 00	1 717 121.79	637 765.38	1 717 250.00	652 923.12
27 30	1 704 264.01	637 876.62	1 704 398.06	653 034.30
93 30 00	1 691 406.28	637 992.79	1 691 546.16	653 150.43
32 30	1 678 548.60	638 113.91	1 678 694.30	653 271.49
35 00	1 665 690.97	638 239.98	1 665 842.50	653 397.50
37 30	1 652 833.38	638 370.98	1 652 990.74	653 528.45
93 40 00	1 639 975.85	638 506.93	1 640 139.03	653 664.33
42 30	1 627 118.37	638 647.82	1 627 287.38	653 805.16
45 00	1 614 260.94	638 793.66	1 614 435.78	653 950.93
47 30	1 601 403.57	638 944.45	1 601 584.23	654 101.65
93 50 00	1 588 546.26	639 100.17	1 588 732.75	654 257.30
52 30	1 575 689.00	639 260.84	1 575 881.33	654 417.90
55 00	1 562 831.82	639 426.46	1 563 029.97	654 583.44
57 30	1 549 974.70	639 597.01	1 550 178.67	654 753.92
94 00 00	1 537 117.64	639 772.51	1 537 327.45	654 929.34

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 32 15 00 X	LATITUDE 32 15 00 Y	LATITUDE 32 17 30 X	LATITUDE 32 17 30 Y
94 00 00	1 536 278.45	579 147.10	1 536 488.24	594 303.17
02 30	1 523 398.15	579 327.86	1 523 613.78	594 483.86
05 00	1 510 517.92	579 513.59	1 510 739.37	594 669.50
07 30	1 497 637.77	579 704.26	1 497 865.05	594 860.08
94 10 00	1 484 757.69	579 899.88	1 484 990.80	595 055.62
12 30	1 471 877.69	580 100.46	1 472 116.62	595 256.10
15 00	1 458 997.76	580 305.98	1 459 242.52	595 461.54
17 30	1 446 117.92	580 516.46	1 446 368.50	595 671.92
94 20 00	1 433 238.15	580 731.90	1 433 494.56	595 887.26

LONGITUDE	LATITUDE 32 20 00 X	LATITUDE 32 20 00 Y	LATITUDE 32 22 30 X	LATITUDE 32 22 30 Y
94 00 00	1 536 698.04	609 459.44	1 536 907.84	624 615.89
02 30	1 523 829.40	609 640.05	1 524 045.03	624 796.41
05 00	1 510 960.82	609 825.60	1 511 182.28	624 981.89
07 30	1 498 092.33	610 016.10	1 498 319.61	625 172.30
94 10 00	1 485 223.90	610 211.55	1 485 457.01	625 367.66
12 30	1 472 355.55	610 411.94	1 472 594.49	625 567.96
15 00	1 459 487.28	610 617.28	1 459 732.04	625 773.21
17 30	1 446 619.09	610 827.57	1 446 869.68	625 983.40
94 20 00	1 433 750.98	611 042.81	1 434 007.39	626 198.54

LONGITUDE	LATITUDE 32 25 00 X	LATITUDE 32 25 00 Y	LATITUDE 32 27 30 X	LATITUDE 32 27 30 Y
94 00 00	1 537 117.64	639 772.51	1 537 327.45	654 929.34
02 30	1 524 260.65	639 952.95	1 524 476.29	655 109.70
05 00	1 511 403.73	640 138.34	1 511 625.19	655 295.00
07 30	1 498 546.89	640 328.66	1 498 774.18	655 485.24
94 10 00	1 485 690.12	640 523.93	1 485 923.24	655 680.42
12 30	1 472 833.42	640 724.14	1 473 072.37	655 880.54
15 00	1 459 976.81	640 929.30	1 460 221.58	656 085.60
17 30	1 447 120.27	641 139.40	1 447 370.87	656 295.61
94 20 00	1 434 263.81	641 354.44	1 434 520.24	656 510.56

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 32 30 00 X	LATITUDE 32 30 00 Y	LATITUDE 32 32 30 X	LATITUDE 32 32 30 Y
91 00 00	2 462 462.75	670 086.37	2 462 252.94	685 243.62
02 30	2 449 617.35	669 911.04	2 449 413.37	685 068.36
05 00	2 436 771.88	669 740.64	2 436 573.72	684 898.04
07 30	2 423 926.35	669 575.17	2 423 734.02	684 732.65
91 10 00	2 411 080.75	669 414.65	2 410 894.25	684 572.20
12 30	2 398 235.10	669 259.06	2 398 054.43	684 416.69
15 00	2 385 389.38	669 108.42	2 385 214.54	684 266.11
17 30	2 372 543.61	668 962.71	2 372 374.59	684 120.47
91 20 00	2 359 697.78	668 821.94	2 359 534.60	683 979.77
22 30	2 346 851.90	668 686.12	2 346 694.54	683 844.00
25 00	2 334 005.97	668 555.23	2 333 854.44	683 713.17
27 30	2 321 160.00	668 429.28	2 321 014.29	683 587.28
91 30 00	2 308 313.97	668 308.27	2 308 174.09	683 466.33
32 30	2 295 467.90	668 192.20	2 295 333.85	683 350.31
35 00	2 282 621.78	668 081.07	2 282 493.56	683 239.23
37 30	2 269 775.62	667 974.88	2 269 653.23	683 133.08
91 40 00	2 256 929.42	667 873.62	2 256 812.86	683 031.87
42 30	2 244 083.18	667 777.31	2 243 972.45	682 935.60
45 00	2 231 236.91	667 685.93	2 231 132.00	682 844.27
47 30	2 218 390.60	667 599.49	2 218 291.52	682 757.87
91 50 00	2 205 544.27	667 517.99	2 205 451.01	682 676.40
52 30	2 192 697.89	667 441.43	2 192 610.47	682 599.88
55 00	2 179 851.50	667 369.81	2 179 769.90	682 528.29
57 30	2 167 005.08	667 303.13	2 166 929.31	682 461.64
92 00 00	2 154 158.62	667 241.40	2 154 088.68	682 399.93

LONGITUDE	LATITUDE 32 35 00 X	LATITUDE 32 35 00 Y	LATITUDE 32 37 30 X	LATITUDE 32 37 30 Y
91 00 00	2 462 043.12	700 401.08	2 461 833.31	715 558.78
02 30	2 449 209.38	700 225.90	2 449 005.39	715 383.68
05 00	2 436 375.57	700 055.65	2 436 177.41	715 213.51
07 30	2 423 541.69	699 890.34	2 423 349.36	715 048.27
91 10 00	2 410 707.75	699 729.96	2 410 521.25	714 887.96
12 30	2 397 873.75	699 574.52	2 397 693.07	714 732.59
15 00	2 385 039.69	699 424.01	2 384 864.85	714 582.15
17 30	2 372 205.58	699 278.43	2 372 036.56	714 436.64
91 20 00	2 359 371.41	699 137.80	2 359 208.21	714 296.07
22 30	2 346 537.18	699 002.10	2 346 379.82	714 160.43
25 00	2 333 702.91	698 871.33	2 333 551.37	714 029.72
27 30	2 320 868.59	698 745.49	2 320 722.88	713 903.94
91 30 00	2 308 034.22	698 624.59	2 307 894.34	713 783.10
32 30	2 295 199.80	698 508.63	2 295 065.75	713 667.18
35 00	2 282 365.34	698 397.59	2 282 237.11	713 556.20
37 30	2 269 530.83	698 291.50	2 269 408.44	713 450.15
91 40 00	2 256 696.29	698 190.33	2 256 579.72	713 349.04
42 30	2 243 861.71	698 094.11	2 243 750.97	713 252.85
45 00	2 231 027.09	698 002.81	2 230 922.18	713 161.60
47 30	2 218 192.44	697 916.45	2 218 093.36	713 075.28
91 50 00	2 205 357.76	697 835.03	2 205 264.51	712 993.89
52 30	2 192 523.05	697 758.54	2 192 435.62	712 917.43
55 00	2 179 688.31	697 686.98	2 179 606.71	712 845.91
57 30	2 166 853.54	697 620.36	2 166 777.77	712 779.32
92 00 00	2 154 018.75	697 558.68	2 153 948.80	712 717.67

LONGITUDE	LATITUDE 32 40 00 X	LATITUDE 32 40 00 Y	LATITUDE 32 42 30 X	LATITUDE 32 42 30 Y
91 00 00	2 461 623.49	730 716.72	2 461 413.66	745 874.90
02 30	2 448 801.40	730 541.70	2 448 597.40	745 699.96
05 00	2 435 979.24	730 371.60	2 435 781.07	745 529.95
07 30	2 423 157.02	730 206.44	2 422 964.69	745 364.86
91 10 00	2 410 334.74	730 046.21	2 410 148.23	745 204.70
12 30	2 397 512.40	729 890.91	2 397 331.71	745 049.47
15 00	2 384 689.99	729 740.53	2 384 515.14	744 899.16
17 30	2 371 867.53	729 595.09	2 371 698.51	744 753.79
91 20 00	2 359 045.02	729 454.58	2 358 881.82	744 613.34
22 30	2 346 222.45	729 319.00	2 346 065.08	744 477.82
25 00	2 333 399.83	729 188.35	2 333 248.29	744 347.23
27 30	2 320 577.17	729 062.63	2 320 431.46	744 221.57
91 30 00	2 307 754.45	728 941.84	2 307 614.57	744 100.84
32 30	2 294 931.69	728 825.98	2 294 797.64	743 985.03
35 00	2 282 108.89	728 715.05	2 281 980.66	743 874.15
37 30	2 269 286.04	728 609.05	2 269 163.64	743 768.19
91 40 00	2 256 463.15	728 507.98	2 256 346.58	743 667.17
42 30	2 243 640.23	728 411.84	2 243 529.49	743 571.07
45 00	2 230 817.27	728 320.63	2 230 712.36	743 479.90
47 30	2 217 994.28	728 234.34	2 217 895.19	743 393.66
91 50 00	2 205 171.25	728 152.99	2 205 077.99	743 312.35
52 30	2 192 348.19	728 076.57	2 192 260.77	743 235.96
55 00	2 179 525.11	728 005.08	2 179 443.51	743 164.50
57 30	2 166 702.00	727 938.52	2 166 626.23	743 097.98
92 00 00	2 153 878.86	727 876.90	2 153 808.92	743 036.38

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 32 30 00 X	LATITUDE 32 30 00 Y	LATITUDE 32 32 30 X	LATITUDE 32 32 30 Y
92 00 00	2 154 158.62	667 241.40	2 154 088.68	682 399.93
02 30	2 141 312.15	667 184.59	2 141 248.04	682 343.16
05 00	2 128 465.66	667 132.73	2 128 407.38	682 291.32
07 30	2 115 619.15	667 085.81	2 115 566.69	682 244.42
92 10 00	2 102 772.62	667 043.83	2 102 725.99	682 202.46
12 30	2 089 926.08	667 006.78	2 089 885.28	682 165.43
15 00	2 077 079.52	666 974.68	2 077 044.55	682 133.34
17 30	2 064 232.95	666 947.51	2 064 203.81	682 106.18
92 20 00	2 051 386.37	666 925.28	2 051 363.06	682 083.96
22 30	2 038 539.79	666 907.99	2 038 522.30	682 066.68
25 00	2 025 693.19	666 895.64	2 025 681.54	682 054.34
27 30	2 012 846.60	666 888.23	2 012 840.77	682 046.93
92 30 00	2 000 000.00	666 885.76	2 000 000.00	682 044.46
32 30	1 987 153.40	666 888.23	1 987 159.23	682 046.93
35 00	1 974 306.81	666 895.64	1 974 318.46	682 054.34
37 30	1 961 460.21	666 907.99	1 961 477.70	682 066.68
92 40 00	1 948 613.63	666 925.28	1 948 636.94	682 083.96
42 30	1 935 767.05	666 947.51	1 935 796.19	682 106.18
45 00	1 922 920.48	666 974.68	1 922 955.45	682 133.34
47 30	1 910 073.92	667 006.78	1 910 114.72	682 165.43
92 50 00	1 897 227.38	667 043.83	1 897 274.01	682 202.46
52 30	1 884 380.85	667 085.81	1 884 433.31	682 244.42
55 00	1 871 534.34	667 132.73	1 871 592.62	682 291.32
57 30	1 858 687.85	667 184.59	1 858 751.96	682 343.16
93 00 00	1 845 841.38	667 241.40	1 845 911.32	682 399.93

LONGITUDE	LATITUDE 32 35 00 X	LATITUDE 32 35 00 Y	LATITUDE 32 37 30 X	LATITUDE 32 37 30 Y
92 00 00	2 154 018.75	697 558.68	2 153 948.80	712 717.67
02 30	2 141 183.93	697 501.93	2 141 119.82	712 660.95
05 00	2 128 349.10	697 450.12	2 128 290.81	712 609.15
07 30	2 115 514.24	697 403.24	2 115 461.78	712 562.30
92 10 00	2 102 679.36	697 361.30	2 102 632.74	712 520.37
12 30	2 089 844.48	697 324.28	2 089 803.68	712 483.38
15 00	2 077 009.58	697 292.21	2 076 974.61	712 451.32
17 30	2 064 174.67	697 265.06	2 064 145.52	712 424.19
92 20 00	2 051 339.74	697 242.85	2 051 316.43	712 401.99
22 30	2 038 504.82	697 225.58	2 038 487.33	712 384.72
25 00	2 025 669.88	697 213.24	2 025 658.22	712 372.39
27 30	2 012 834.94	697 205.84	2 012 829.11	712 364.99
92 30 00	2 000 000.00	697 203.37	2 000 000.00	712 362.52
32 30	1 987 165.06	697 205.84	1 987 170.89	712 364.99
35 00	1 974 330.12	697 213.24	1 974 341.78	712 372.39
37 30	1 961 495.18	697 225.58	1 961 512.67	712 384.72
92 40 00	1 948 660.26	697 242.85	1 948 683.57	712 401.99
42 30	1 935 825.33	697 265.06	1 935 854.48	712 424.19
45 00	1 922 990.42	697 292.21	1 923 025.39	712 451.32
47 30	1 910 155.52	697 324.28	1 910 196.32	712 483.38
92 50 00	1 897 320.64	697 361.30	1 897 367.26	712 520.37
52 30	1 884 485.76	697 403.24	1 884 538.22	712 562.30
55 00	1 871 650.90	697 450.12	1 871 709.19	712 609.15
57 30	1 858 816.07	697 501.93	1 858 880.18	712 660.95
93 00 00	1 845 981.25	697 558.68	1 846 051.20	712 717.67

LONGITUDE	LATITUDE 32 40 00 X	LATITUDE 32 40 00 Y	LATITUDE 32 42 30 X	LATITUDE 32 42 30 Y
92 00 00	2 153 878.86	727 876.90	2 153 808.92	743 036.38
02 30	2 141 055.70	727 820.20	2 140 991.59	742 979.71
05 00	2 128 232.53	727 768.43	2 128 174.24	742 927.96
07 30	2 115 409.32	727 721.60	2 115 356.87	742 881.14
92 10 00	2 102 586.11	727 679.69	2 102 539.48	742 839.26
12 30	2 089 762.88	727 642.71	2 089 722.08	742 802.30
15 00	2 076 939.64	727 610.67	2 076 904.66	742 770.27
17 30	2 064 116.38	727 583.55	2 064 087.24	742 743.16
92 20 00	2 051 293.12	727 561.36	2 051 269.80	742 720.98
22 30	2 038 469.84	727 544.10	2 038 452.36	742 703.73
25 00	2 025 646.57	727 531.78	2 025 634.91	742 691.41
27 30	2 012 823.28	727 524.38	2 012 817.45	742 684.02
92 30 00	2 000 000.00	727 521.91	2 000 000.00	742 681.55
32 30	1 987 176.72	727 524.38	1 987 182.55	742 684.02
35 00	1 974 353.43	727 531.78	1 974 365.09	742 691.41
37 30	1 961 530.16	727 544.10	1 961 547.64	742 703.73
92 40 00	1 948 706.88	727 561.36	1 948 730.20	742 720.98
42 30	1 935 883.62	727 583.55	1 935 912.76	742 743.16
45 00	1 923 060.36	727 610.67	1 923 095.34	742 770.27
47 30	1 910 237.12	727 642.71	1 910 277.92	742 802.30
92 50 00	1 897 413.89	727 679.69	1 897 460.52	742 839.26
52 30	1 884 590.68	727 721.60	1 884 643.13	742 881.14
55 00	1 871 767.47	727 768.43	1 871 825.76	742 927.96
57 30	1 858 944.30	727 820.20	1 859 008.41	742 979.71
93 00 00	1 846 121.14	727 876.90	1 846 191.08	743 036.38

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 32 30 00 X	LATITUDE 32 30 00 Y	LATITUDE 32 32 30 X	LATITUDE 32 32 30 Y
93 00 00	1 845 841.38	667 241.40	1 845 911.32	682 399.93
02 30	1 832 994.92	667 303.13	1 833 070.69	682 461.64
05 00	1 820 148.50	667 369.81	1 820 230.10	682 528.29
07 30	1 807 302.11	667 441.43	1 807 389.53	682 599.88
93 10 00	1 794 455.73	667 517.99	1 794 548.99	682 676.40
12 30	1 781 609.40	667 599.49	1 781 708.48	682 757.87
15 00	1 768 763.09	667 685.93	1 768 868.00	682 844.27
17 30	1 755 916.82	667 777.31	1 756 027.55	682 935.60
93 20 00	1 743 070.58	667 873.62	1 743 187.14	683 031.87
22 30	1 730 224.38	667 974.88	1 730 346.77	683 133.08
25 00	1 717 378.22	668 081.07	1 717 506.44	683 239.23
27 30	1 704 532.10	668 192.20	1 704 666.15	683 350.31
93 30 00	1 691 686.03	668 308.27	1 691 825.91	683 466.33
32 30	1 678 840.00	668 429.28	1 678 985.71	683 587.28
35 00	1 665 994.03	668 555.23	1 666 145.56	683 713.17
37 30	1 653 148.10	668 686.12	1 653 305.46	683 844.00
93 40 00	1 640 302.22	668 821.94	1 640 465.40	683 979.77
42 30	1 627 456.39	668 962.71	1 627 625.41	684 120.47
45 00	1 614 610.62	669 108.42	1 614 785.46	684 266.11
47 30	1 601 764.90	669 259.06	1 601 945.57	684 416.69
93 50 00	1 588 919.25	669 414.65	1 589 105.75	684 572.20
52 30	1 576 073.65	669 575.17	1 576 265.98	684 732.65
55 00	1 563 228.12	669 740.64	1 563 426.28	684 898.04
57 30	1 550 382.65	669 911.04	1 550 586.63	685 068.36
94 00 00	1 537 537.25	670 086.37	1 537 747.06	685 243.62

LONGITUDE	LATITUDE 32 35 00 X	LATITUDE 32 35 00 Y	LATITUDE 32 37 30 X	LATITUDE 32 37 30 Y
93 00 00	1 845 981.25	697 558.68	1 846 051.20	712 717.67
02 30	1 833 146.46	697 620.36	1 833 222.23	712 779.32
05 00	1 820 311.69	697 686.98	1 820 393.29	712 845.91
07 30	1 807 476.95	697 758.54	1 807 564.38	712 917.43
93 10 00	1 794 642.24	697 835.03	1 794 735.49	712 993.89
12 30	1 781 807.56	697 916.45	1 781 906.64	713 075.28
15 00	1 768 972.91	698 002.81	1 769 077.82	713 161.60
17 30	1 756 138.29	698 094.11	1 756 249.03	713 252.85
93 20 00	1 743 303.71	698 190.33	1 743 420.28	713 349.04
22 30	1 730 469.17	698 291.50	1 730 591.56	713 450.15
25 00	1 717 634.66	698 397.59	1 717 762.89	713 556.20
27 30	1 704 800.20	698 508.63	1 704 934.25	713 667.18
93 30 00	1 691 965.78	698 624.59	1 692 105.66	713 783.10
32 30	1 679 131.41	698 745.49	1 679 277.12	713 903.94
35 00	1 666 297.09	698 871.33	1 666 448.63	714 029.72
37 30	1 653 462.82	699 002.10	1 653 620.18	714 160.43
93 40 00	1 640 628.59	699 137.80	1 640 791.79	714 296.07
42 30	1 627 794.42	699 278.43	1 627 963.44	714 436.64
45 00	1 614 960.31	699 424.01	1 615 135.15	714 582.15
47 30	1 602 126.25	699 574.52	1 602 306.93	714 732.59
93 50 00	1 589 292.25	699 729.96	1 589 478.75	714 887.96
52 30	1 576 458.31	699 890.34	1 576 650.64	715 048.27
55 00	1 563 624.43	700 055.65	1 563 822.59	715 213.51
57 30	1 550 790.62	700 225.90	1 550 994.61	715 383.68
94 00 00	1 537 956.88	700 401.08	1 538 166.69	715 558.78

LONGITUDE	LATITUDE 32 40 00 X	LATITUDE 32 40 00 Y	LATITUDE 32 42 30 X	LATITUDE 32 42 30 Y
93 00 00	1 846 121.14	727 876.90	1 846 191.08	743 036.38
02 30	1 833 298.00	727 938.52	1 833 373.77	743 097.98
05 00	1 820 474.89	728 005.08	1 820 556.49	743 164.50
07 30	1 807 651.81	728 076.57	1 807 739.23	743 235.96
93 10 00	1 794 828.75	728 152.99	1 794 922.01	743 312.35
12 30	1 782 005.72	728 234.34	1 782 104.81	743 393.66
15 00	1 769 182.73	728 320.63	1 769 287.64	743 479.90
17 30	1 756 359.77	728 411.84	1 756 470.51	743 571.07
93 20 00	1 743 536.85	728 507.98	1 743 653.42	743 667.17
22 30	1 730 713.96	728 609.05	1 730 836.36	743 768.19
25 00	1 717 891.11	728 715.05	1 718 019.34	743 874.15
27 30	1 705 068.31	728 825.98	1 705 202.36	743 985.03
93 30 00	1 692 245.55	728 941.84	1 692 385.43	744 100.84
32 30	1 679 422.83	729 062.63	1 679 568.54	744 221.57
35 00	1 666 600.17	729 188.35	1 666 751.71	744 347.23
37 30	1 653 777.55	729 319.00	1 653 934.92	744 477.82
93 40 00	1 640 954.98	729 454.58	1 641 118.18	744 613.34
42 30	1 628 132.47	729 595.09	1 628 301.49	744 753.79
45 00	1 615 310.01	729 740.53	1 615 484.86	744 899.16
47 30	1 602 487.60	729 890.91	1 602 668.29	745 049.47
93 50 00	1 589 665.26	730 046.21	1 589 851.77	745 204.70
52 30	1 576 842.98	730 206.44	1 577 035.31	745 364.86
55 00	1 564 020.76	730 371.60	1 564 218.93	745 529.95
57 30	1 551 198.60	730 541.70	1 551 402.60	745 699.96
94 00 00	1 538 376.51	730 716.72	1 538 586.34	745 874.90

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 32 30 00 X	LATITUDE 32 30 00 Y	LATITUDE 32 32 30 X	LATITUDE 32 32 30 Y
94 00 00	1 537 537.25	670 086.37	1 537 747.06	685 243.62
02 30	1 524 691.92	670 266.65	1 524 907.56	685 423.82
05 00	1 511 846.66	670 451.87	1 512 068.12	685 608.95
07 30	1 499 001.47	670 642.02	1 499 228.76	685 799.02
94 10 00	1 486 156.35	670 837.12	1 486 389.47	685 994.03
12 30	1 473 311.31	671 037.15	1 473 550.26	686 193.96
15 00	1 460 466.35	671 242.12	1 460 711.13	686 398.84
17 30	1 447 621.47	671 452.03	1 447 872.07	686 608.65
94 20 00	1 434 776.66	671 666.88	1 435 033.10	686 823.41

LONGITUDE	LATITUDE 32 35 00 X	LATITUDE 32 35 00 Y	LATITUDE 32 37 30 X	LATITUDE 32 37 30 Y
94 00 00	1 537 956.88	700 401.08	1 538 166.69	715 558.78
02 30	1 525 123.20	700 581.19	1 525 338.84	715 738.81
05 00	1 512 289.59	700 766.25	1 512 511.06	715 923.78
07 30	1 499 456.06	700 956.23	1 499 683.36	716 113.67
94 10 00	1 486 622.60	701 151.14	1 486 855.72	716 308.50
12 30	1 473 789.21	701 350.99	1 474 028.17	716 508.26
15 00	1 460 955.90	701 555.77	1 461 200.69	716 712.95
17 30	1 448 122.68	701 765.49	1 448 373.29	716 922.57
94 20 00	1 435 289.53	701 980.15	1 435 545.97	717 137.13

LONGITUDE	LATITUDE 32 40 00 X	LATITUDE 32 40 00 Y	LATITUDE 32 42 30 X	LATITUDE 32 42 30 Y
94 00 00	1 538 376.51	730 716.72	1 538 586.34	745 874.90
02 30	1 525 554.49	730 896.67	1 525 770.14	746 054.77
05 00	1 512 732.54	731 081.55	1 512 954.02	746 239.57
07 30	1 499 910.66	731 271.36	1 500 137.97	746 429.29
94 10 00	1 487 088.86	731 466.10	1 487 321.99	746 623.94
12 30	1 474 267.13	731 665.76	1 474 506.09	746 823.52
15 00	1 461 445.47	731 870.36	1 461 690.27	747 028.02
17 30	1 448 623.90	732 079.89	1 448 874.52	747 237.46
94 20 00	1 435 802.41	732 294.35	1 436 058.86	747 451.82

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 32 45 00 X	LATITUDE 32 45 00 Y	LATITUDE 32 47 30 X	LATITUDE 32 47 30 Y
91 00 00	2 461 203.84	761 033.33	2 460 994.01	776 192.03
02 30	2 448 393.41	760 858.47	2 448 189.40	776 017.25
05 00	2 435 582.90	760 688.53	2 435 384.73	775 847.39
07 30	2 422 772.34	760 523.52	2 422 580.00	775 682.45
91 10 00	2 409 961.72	760 363.43	2 409 775.20	775 522.44
12 30	2 397 151.03	760 208.27	2 396 970.34	775 367.35
15 00	2 384 340.28	760 058.04	2 384 165.42	775 217.18
17 30	2 371 529.48	759 912.73	2 371 360.45	775 071.93
91 20 00	2 358 718.62	759 772.34	2 358 555.42	774 931.62
22 30	2 345 907.71	759 636.89	2 345 750.33	774 796.22
25 00	2 333 096.75	759 506.36	2 332 945.20	774 665.75
27 30	2 320 285.74	759 380.75	2 320 140.02	774 540.20
91 30 00	2 307 474.68	759 260.07	2 307 334.79	774 419.58
32 30	2 294 663.58	759 144.32	2 294 529.52	774 303.87
35 00	2 281 852.43	759 033.48	2 281 724.20	774 193.09
37 30	2 269 041.24	758 927.58	2 268 918.83	774 087.24
91 40 00	2 256 230.01	758 826.60	2 256 113.44	773 986.30
42 30	2 243 418.74	758 730.55	2 243 308.00	773 890.29
45 00	2 230 607.44	758 639.42	2 230 502.52	773 799.21
47 30	2 217 796.10	758 553.22	2 217 697.02	773 713.04
91 50 00	2 204 984.74	758 471.94	2 204 891.48	773 631.80
52 30	2 192 173.34	758 395.59	2 192 085.90	773 555.49
55 00	2 179 361.91	758 324.16	2 179 280.31	773 484.09
57 30	2 166 550.46	758 257.67	2 166 474.68	773 417.63
92 00 00	2 153 738.98	758 196.10	2 153 669.03	773 356.09

LONGITUDE	LATITUDE 32 50 00 X	LATITUDE 32 50 00 Y	LATITUDE 32 52 30 X	LATITUDE 32 52 30 Y
91 00 00	2 460 784.17	791 351.00	2 460 574.34	806 510.25
02 30	2 447 985.40	791 176.30	2 447 781.39	806 335.63
05 00	2 435 186.55	791 006.51	2 434 988.37	806 165.93
07 30	2 422 387.65	790 841.65	2 422 195.30	806 001.14
91 10 00	2 409 588.68	790 681.71	2 409 402.15	805 841.27
12 30	2 396 789.65	790 526.69	2 396 608.95	805 686.32
15 00	2 383 990.56	790 376.59	2 383 815.69	805 536.29
17 30	2 371 191.41	790 231.41	2 371 022.37	805 391.18
91 20 00	2 358 392.21	790 091.16	2 358 229.00	805 250.99
22 30	2 345 592.96	789 955.82	2 345 435.58	805 115.72
25 00	2 332 793.65	789 825.41	2 332 642.10	804 985.36
27 30	2 319 994.30	789 699.92	2 319 848.58	804 859.93
91 30 00	2 307 194.90	789 579.35	2 307 055.01	804 739.42
32 30	2 294 395.45	789 463.70	2 294 261.39	804 623.82
35 00	2 281 595.96	789 352.97	2 281 467.73	804 513.14
37 30	2 268 796.43	789 247.16	2 268 674.02	804 407.38
91 40 00	2 255 996.86	789 146.28	2 255 880.28	804 306.54
42 30	2 243 197.25	789 050.31	2 243 086.50	804 210.62
45 00	2 230 397.60	788 959.26	2 230 292.68	804 119.61
47 30	2 217 597.92	788 873.14	2 217 498.83	804 033.53
91 50 00	2 204 798.21	788 791.93	2 204 704.95	803 952.36
52 30	2 191 998.47	788 715.65	2 191 911.04	803 876.11
55 00	2 179 198.70	788 644.29	2 179 117.10	803 804.78
57 30	2 166 398.91	788 577.86	2 166 323.13	803 738.38
92 00 00	2 153 599.08	788 516.34	2 153 529.14	803 676.89

LONGITUDE	LATITUDE 32 55 00 X	LATITUDE 32 55 00 Y	LATITUDE 32 57 30 X	LATITUDE 32 57 30 Y
91 00 00	2 460 364.49	821 669.77	2 460 154.65	836 829.61
02 30	2 447 577.38	821 495.23	2 447 373.36	836 655.15
05 00	2 434 790.19	821 325.60	2 434 592.00	836 485.60
07 30	2 422 002.94	821 160.89	2 421 810.58	836 320.96
91 10 00	2 409 215.63	821 001.09	2 409 029.10	836 161.24
12 30	2 396 428.25	820 846.22	2 396 247.55	836 006.43
15 00	2 383 640.82	820 696.25	2 383 465.95	835 856.53
17 30	2 370 853.33	820 551.21	2 370 684.29	835 711.55
91 20 00	2 358 065.79	820 411.08	2 357 902.57	835 571.49
22 30	2 345 278.19	820 275.87	2 345 120.81	835 436.34
25 00	2 332 490.55	820 145.58	2 332 338.99	835 306.11
27 30	2 319 702.85	820 020.20	2 319 557.12	835 180.79
91 30 00	2 306 915.11	819 899.74	2 306 775.21	835 060.38
32 30	2 294 127.32	819 784.19	2 293 993.25	834 944.89
35 00	2 281 339.49	819 673.56	2 281 211.25	834 834.31
37 30	2 268 551.61	819 567.85	2 268 429.20	834 728.65
91 40 00	2 255 763.70	819 467.06	2 255 647.11	834 627.90
42 30	2 242 975.75	819 371.18	2 242 864.99	834 532.07
45 00	2 230 187.76	819 280.22	2 230 082.83	834 441.14
47 30	2 217 399.74	819 194.17	2 217 300.64	834 355.14
91 50 00	2 204 611.68	819 113.04	2 204 518.42	834 274.04
52 30	2 191 823.60	819 036.83	2 191 736.16	834 197.87
55 00	2 179 035.49	818 965.53	2 178 953.88	834 126.60
57 30	2 166 247.35	818 899.16	2 166 171.57	834 060.26
92 00 00	2 153 459.19	818 837.70	2 153 389.24	833 998.83

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 32 45 00 X	LATITUDE 32 45 00 Y	LATITUDE 32 47 30 X	LATITUDE 32 47 30 Y
92 00 00	2 153 738.98	758 196.10	2 153 669.03	773 356.09
02 30	2 140 927.47	758 139.45	2 140 863.36	773 299.46
05 00	2 128 115.95	758 087.73	2 128 057.67	773 247.77
07 30	2 115 304.41	758 040.93	2 115 251.95	773 200.99
92 10 00	2 102 492.85	757 999.07	2 102 446.22	773 159.15
12 30	2 089 681.28	757 962.12	2 089 640.48	773 122.22
15 00	2 076 869.69	757 930.11	2 076 834.72	773 090.22
17 30	2 064 058.09	757 903.01	2 064 028.95	773 063.13
92 20 00	2 051 246.49	757 880.84	2 051 223.17	773 040.98
22 30	2 038 434.87	757 863.60	2 038 417.39	773 023.74
25 00	2 025 623.25	757 851.29	2 025 611.59	773 011.43
27 30	2 012 811.62	757 843.90	2 012 805.80	773 004.04
92 30 00	2 000 000.00	757 841.43	2 000 000.00	773 001.58
32 30	1 987 188.38	757 843.90	1 987 194.20	773 004.04
35 00	1 974 376.75	757 851.29	1 974 388.41	773 011.43
37 30	1 961 565.13	757 863.60	1 961 582.61	773 023.74
92 40 00	1 948 753.51	757 880.84	1 948 776.83	773 040.98
42 30	1 935 941.91	757 903.01	1 935 971.05	773 063.13
45 00	1 923 130.31	757 930.11	1 923 165.28	773 090.22
47 30	1 910 318.72	757 962.12	1 910 359.52	773 122.22
92 50 00	1 897 507.15	757 999.07	1 897 553.78	773 159.15
52 30	1 884 695.59	758 040.93	1 884 748.05	773 200.99
55 00	1 871 884.05	758 087.73	1 871 942.33	773 247.77
57 30	1 859 072.53	758 139.45	1 859 136.64	773 299.46
93 00 00	1 846 261.02	758 196.10	1 846 330.97	773 356.09

LONGITUDE	LATITUDE 32 50 00 X	LATITUDE 32 50 00 Y	LATITUDE 32 52 30 X	LATITUDE 32 52 30 Y
92 00 00	2 153 599.08	788 516.34	2 153 529.14	803 676.89
02 30	2 140 799.24	788 459.75	2 140 735.12	803 620.32
05 00	2 127 999.38	788 408.07	2 127 941.09	803 568.67
07 30	2 115 199.49	788 361.32	2 115 147.03	803 521.94
92 10 00	2 102 399.59	788 319.50	2 102 352.96	803 480.13
12 30	2 089 599.68	788 282.58	2 089 558.87	803 443.24
15 00	2 076 799.75	788 250.60	2 076 764.77	803 411.26
17 30	2 063 999.81	788 223.53	2 063 970.66	803 384.21
92 20 00	2 051 199.86	788 201.38	2 051 176.54	803 362.07
22 30	2 038 399.90	788 184.15	2 038 382.41	803 344.85
25 00	2 025 599.94	788 171.85	2 025 588.28	803 332.55
27 30	2 012 799.97	788 164.46	2 012 794.14	803 325.17
92 30 00	2 000 000.00	788 162.00	2 000 000.00	803 322.71
32 30	1 987 200.03	788 164.46	1 987 205.86	803 325.17
35 00	1 974 400.06	788 171.85	1 974 411.72	803 332.55
37 30	1 961 600.10	788 184.15	1 961 617.59	803 344.85
92 40 00	1 948 800.14	788 201.38	1 948 823.46	803 362.07
42 30	1 936 000.19	788 223.53	1 936 029.34	803 384.21
45 00	1 923 200.25	788 250.60	1 923 235.23	803 411.26
47 30	1 910 400.32	788 282.58	1 910 441.13	803 443.24
92 50 00	1 897 600.41	788 319.50	1 897 647.04	803 480.13
52 30	1 884 800.51	788 361.32	1 884 852.97	803 521.94
55 00	1 872 000.62	788 408.07	1 872 058.91	803 568.67
57 30	1 859 200.76	788 459.75	1 859 264.88	803 620.32
93 00 00	1 846 400.92	788 516.34	1 846 470.86	803 676.89

LONGITUDE	LATITUDE 32 55 00 X	LATITUDE 32 55 00 Y	LATITUDE 32 57 30 X	LATITUDE 32 57 30 Y
92 00 00	2 153 459.19	818 837.70	2 153 389.24	833 998.83
02 30	2 140 671.00	818 781.16	2 140 606.88	833 942.31
05 00	2 127 882.80	818 729.53	2 127 824.50	833 890.71
07 30	2 115 094.57	818 682.82	2 115 042.10	833 844.02
92 10 00	2 102 306.32	818 641.03	2 102 259.69	833 802.25
12 30	2 089 518.07	818 604.15	2 089 477.26	833 765.39
15 00	2 076 729.80	818 572.19	2 076 694.82	833 733.44
17 30	2 063 941.52	818 545.15	2 063 912.37	833 706.41
92 20 00	2 051 153.22	818 523.02	2 051 129.91	833 684.29
22 30	2 038 364.93	818 505.81	2 038 347.44	833 667.09
25 00	2 025 576.62	818 493.52	2 025 564.96	833 654.80
27 30	2 012 788.31	818 486.14	2 012 782.48	833 647.43
92 30 00	2 000 000.00	818 483.68	2 000 000.00	833 644.97
32 30	1 987 211.69	818 486.14	1 987 217.52	833 647.43
35 00	1 974 423.38	818 493.52	1 974 435.04	833 654.80
37 30	1 961 635.07	818 505.81	1 961 652.56	833 667.09
92 40 00	1 948 846.78	818 523.02	1 948 870.09	833 684.29
42 30	1 936 058.48	818 545.15	1 936 087.63	833 706.41
45 00	1 923 270.20	818 572.19	1 923 305.18	833 733.44
47 30	1 910 481.93	818 604.15	1 910 522.74	833 765.39
92 50 00	1 897 693.68	818 641.03	1 897 740.31	833 802.25
52 30	1 884 905.43	818 682.82	1 884 957.90	833 844.02
55 00	1 872 117.20	818 729.53	1 872 175.50	833 890.71
57 30	1 859 329.00	818 781.16	1 859 393.12	833 942.31
93 00 00	1 846 540.81	818 837.70	1 846 610.76	833 998.83

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 32 45 00 X	LATITUDE 32 45 00 Y	LATITUDE 32 47 30 X	LATITUDE 32 47 30 Y
93 00 00	1 846 261.02	758 196.10	1 846 330.97	773 356.09
02 30	1 833 449.54	758 257.67	1 833 525.32	773 417.63
05 00	1 820 638.09	758 324.16	1 820 719.69	773 484.09
07 30	1 807 826.66	758 395.59	1 807 914.10	773 555.49
93 10 00	1 795 015.26	758 471.94	1 795 108.52	773 631.80
12 30	1 782 203.90	758 553.22	1 782 302.98	773 713.04
15 00	1 769 392.56	758 639.42	1 769 497.48	773 799.21
17 30	1 756 581.26	758 730.55	1 756 692.00	773 890.29
93 20 00	1 743 769.99	758 826.60	1 743 886.56	773 986.30
22 30	1 730 958.76	758 927.58	1 731 081.17	774 087.24
25 00	1 718 147.57	759 033.48	1 718 275.80	774 193.09
27 30	1 705 336.42	759 144.32	1 705 470.48	774 303.87
93 30 00	1 692 525.32	759 260.07	1 692 665.21	774 419.58
32 30	1 679 714.26	759 380.75	1 679 859.98	774 540.20
35 00	1 666 903.25	759 506.36	1 667 054.80	774 665.75
37 30	1 654 092.29	759 636.89	1 654 249.67	774 796.22
93 40 00	1 641 281.38	759 772.34	1 641 444.58	774 931.62
42 30	1 628 470.52	759 912.73	1 628 639.55	775 071.93
45 00	1 615 659.72	760 058.04	1 615 834.58	775 217.18
47 30	1 602 848.97	760 208.27	1 603 029.66	775 367.35
93 50 00	1 590 038.28	760 363.43	1 590 224.80	775 522.44
52 30	1 577 227.66	760 523.52	1 577 420.00	775 682.45
55 00	1 564 417.10	760 688.53	1 564 615.27	775 847.39
57 30	1 551 606.59	760 858.47	1 551 810.60	776 017.25
94 00 00	1 538 796.16	761 033.33	1 539 005.99	776 192.03

LONGITUDE	LATITUDE 32 50 00 X	LATITUDE 32 50 00 Y	LATITUDE 32 52 30 X	LATITUDE 32 52 30 Y
93 00 00	1 846 400.92	788 516.34	1 846 470.86	803 676.89
02 30	1 833 601.09	788 577.86	1 833 676.87	803 738.38
05 00	1 820 801.30	788 644.29	1 820 882.90	803 804.78
07 30	1 808 001.53	788 715.65	1 808 088.96	803 876.11
93 10 00	1 795 201.79	788 791.93	1 795 295.05	803 952.36
12 30	1 782 402.08	788 873.14	1 782 501.17	804 033.53
15 00	1 769 602.40	788 959.26	1 769 707.32	804 119.61
17 30	1 756 802.75	789 050.31	1 756 913.50	804 210.62
93 20 00	1 744 003.14	789 146.28	1 744 119.72	804 306.54
22 30	1 731 203.57	789 247.16	1 731 325.98	804 407.38
25 00	1 718 404.04	789 352.97	1 718 532.27	804 513.14
27 30	1 705 604.55	789 463.70	1 705 738.61	804 623.82
93 30 00	1 692 805.10	789 579.35	1 692 944.99	804 739.42
32 30	1 680 005.70	789 699.92	1 680 151.42	804 859.93
35 00	1 667 206.35	789 825.41	1 667 357.90	804 985.36
37 30	1 654 407.04	789 955.82	1 654 564.42	805 115.72
93 40 00	1 641 607.79	790 091.16	1 641 771.00	805 250.99
42 30	1 628 808.59	790 231.41	1 628 977.63	805 391.18
45 00	1 616 009.44	790 376.59	1 616 184.31	805 536.29
47 30	1 603 210.35	790 526.69	1 603 391.05	805 686.32
93 50 00	1 590 411.32	790 681.71	1 590 597.85	805 841.27
52 30	1 577 612.35	790 841.65	1 577 804.70	806 001.14
55 00	1 564 813.45	791 006.51	1 565 011.63	806 165.93
57 30	1 552 014.60	791 176.30	1 552 218.61	806 335.63
94 00 00	1 539 215.83	791 351.00	1 539 425.66	806 510.25

LONGITUDE	LATITUDE 32 55 00 X	LATITUDE 32 55 00 Y	LATITUDE 32 57 30 X	LATITUDE 32 57 30 Y
93 00 00	1 846 540.81	818 837.70	1 846 610.76	833 998.83
02 30	1 833 752.65	818 899.16	1 833 828.43	834 060.26
05 00	1 820 964.51	818 965.53	1 821 046.12	834 126.60
07 30	1 808 176.40	819 036.83	1 808 263.84	834 197.87
93 10 00	1 795 388.32	819 113.04	1 795 481.58	834 274.04
12 30	1 782 600.26	819 194.17	1 782 699.36	834 355.14
15 00	1 769 812.24	819 280.22	1 769 917.17	834 441.14
17 30	1 757 024.25	819 371.18	1 757 135.01	834 532.07
93 20 00	1 744 236.30	819 467.06	1 744 352.89	834 627.90
22 30	1 731 448.39	819 567.85	1 731 570.80	834 728.65
25 00	1 718 660.51	819 673.56	1 718 788.75	834 834.31
27 30	1 705 872.68	819 784.19	1 706 006.75	834 944.89
93 30 00	1 693 084.89	819 899.74	1 693 224.79	835 060.38
32 30	1 680 297.15	820 020.20	1 680 442.88	835 180.79
35 00	1 667 509.45	820 145.58	1 667 661.01	835 306.11
37 30	1 654 721.81	820 275.87	1 654 879.19	835 436.34
93 40 00	1 641 934.21	820 411.08	1 642 097.43	835 571.49
42 30	1 629 146.67	820 551.21	1 629 315.71	835 711.55
45 00	1 616 359.18	820 696.25	1 616 534.05	835 856.53
47 30	1 603 571.75	820 846.22	1 603 752.45	836 006.43
93 50 00	1 590 784.37	821 001.09	1 590 970.90	836 161.24
52 30	1 577 997.06	821 160.89	1 578 189.42	836 320.96
55 00	1 565 209.81	821 325.60	1 565 408.00	836 485.60
57 30	1 552 422.62	821 495.23	1 552 626.64	836 655.15
94 00 00	1 539 635.51	821 669.77	1 539 845.35	836 829.61

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 32 45 00 X	LATITUDE 32 45 00 Y	LATITUDE 32 47 30 X	LATITUDE 32 47 30 Y
94 00 00	1 538 796.16	761 033.33	1 539 005.99	776 192.03
02 30	1 525 985.80	761 213.12	1 526 201.46	776 371.73
05 00	1 513 175.50	761 397.83	1 513 396.99	776 556.37
07 30	1 500 365.28	761 587.47	1 500 592.59	776 745.91
94 10 00	1 487 555.13	761 782.03	1 487 788.27	776 940.39
12 30	1 474 745.06	761 981.52	1 474 984.03	777 139.78
15 00	1 461 935.06	762 185.93	1 462 179.86	777 344.10
17 30	1 449 125.14	762 395.27	1 449 375.77	777 553.34
94 20 00	1 436 315.31	762 609.53	1 436 571.76	777 767.51

LONGITUDE	LATITUDE 32 50 00 X	LATITUDE 32 50 00 Y	LATITUDE 32 52 30 X	LATITUDE 32 52 30 Y
94 00 00	1 539 215.83	791 351.00	1 539 425.66	806 510.25
02 30	1 526 417.12	791 530.62	1 526 632.79	806 689.80
05 00	1 513 618.48	791 715.17	1 513 839.97	806 874.26
07 30	1 500 819.91	791 904.63	1 501 047.24	807 063.64
94 10 00	1 488 021.42	792 099.02	1 488 254.57	807 257.93
12 30	1 475 223.00	792 298.32	1 475 461.98	807 457.14
15 00	1 462 424.66	792 502.54	1 462 669.47	807 661.28
17 30	1 449 626.40	792 711.69	1 449 877.04	807 870.33
94 20 00	1 436 828.22	792 925.76	1 437 084.69	808 084.30

LONGITUDE	LATITUDE 32 55 00 X	LATITUDE 32 55 00 Y	LATITUDE 32 57 30 X	LATITUDE 32 57 30 Y
94 00 00	1 539 635.51	821 669.77	1 539 845.35	836 829.61
02 30	1 526 848.46	821 849.23	1 527 064.13	837 008.99
05 00	1 514 061.47	822 033.61	1 514 282.97	837 193.28
07 30	1 501 274.56	822 222.90	1 501 501.89	837 382.49
94 10 00	1 488 487.73	822 417.11	1 488 720.89	837 576.61
12 30	1 475 700.97	822 616.23	1 475 939.95	837 775.64
15 00	1 462 914.28	822 820.27	1 463 159.10	837 979.58
17 30	1 450 127.68	823 029.23	1 450 378.32	838 188.45
94 20 00	1 437 341.16	823 243.10	1 437 597.63	838 402.22

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 33 00 00 X	LATITUDE 33 00 00 Y	LATITUDE 33 02 30 X	LATITUDE 33 02 30 Y
91 00 00	2 459 944.80	851 989.74	2 459 734.94	867 150.18
02 30	2 447 169.34	851 815.36	2 446 965.31	866 975.88
05 00	2 434 393.81	851 645.88	2 434 195.61	866 806.49
07 30	2 421 618.22	851 481.32	2 421 425.85	866 642.00
91 10 00	2 408 842.56	851 321.67	2 408 656.02	866 482.42
12 30	2 396 066.84	851 166.93	2 395 886.14	866 327.76
15 00	2 383 291.07	851 017.10	2 383 116.19	866 178.00
17 30	2 370 515.24	850 872.19	2 370 346.19	866 033.15
91 20 00	2 357 739.35	850 732.19	2 357 576.13	865 893.21
22 30	2 344 963.42	850 597.11	2 344 806.02	865 758.19
25 00	2 332 187.43	850 466.93	2 332 035.86	865 628.07
27 30	2 319 411.39	850 341.67	2 319 265.66	865 502.87
91 30 00	2 306 635.31	850 221.32	2 306 495.40	865 382.57
32 30	2 293 859.18	850 105.88	2 293 725.10	865 267.19
35 00	2 281 083.00	849 995.35	2 280 954.75	865 156.71
37 30	2 268 306.78	849 889.74	2 268 184.37	865 051.14
91 40 00	2 255 530.53	849 789.03	2 255 413.94	864 950.48
42 30	2 242 754.23	849 693.24	2 242 643.48	864 854.74
45 00	2 229 977.91	849 602.36	2 229 872.98	864 763.90
47 30	2 217 201.54	849 516.39	2 217 102.44	864 677.97
91 50 00	2 204 425.15	849 435.34	2 204 331.88	864 596.95
52 30	2 191 648.72	849 359.20	2 191 561.28	864 520.84
55 00	2 178 872.27	849 287.96	2 178 790.66	864 449.65
57 30	2 166 095.79	849 221.65	2 166 020.01	864 383.36
92 00 00	2 153 319.28	849 160.25	2 153 249.33	864 321.99

LONGITUDE	LATITUDE 33 05 00 X	LATITUDE 33 05 00 Y	LATITUDE 33 07 30 X	LATITUDE 33 07 30 Y
91 00 00	2 459 525.08	882 310.93	2 459 315.22	897 472.03
02 30	2 446 761.28	882 136.71	2 446 557.25	897 297.89
05 00	2 433 997.41	881 967.39	2 433 799.21	897 128.64
07 30	2 421 233.48	881 802.98	2 421 041.10	896 964.31
91 10 00	2 408 469.48	881 643.47	2 408 282.93	896 804.88
12 30	2 395 705.42	881 488.88	2 395 524.71	896 650.35
15 00	2 382 941.31	881 339.19	2 382 766.42	896 500.73
17 30	2 370 177.13	881 194.41	2 370 008.08	896 356.01
91 20 00	2 357 412.91	881 054.54	2 357 249.68	896 216.21
22 30	2 344 648.63	880 919.57	2 344 491.23	896 081.31
25 00	2 331 884.30	880 789.52	2 331 732.73	895 951.31
27 30	2 319 119.92	880 664.37	2 318 974.18	895 826.22
91 30 00	2 306 355.49	880 544.13	2 306 215.58	895 706.03
32 30	2 293 591.02	880 428.79	2 293 456.94	895 590.75
35 00	2 280 826.50	880 318.36	2 280 698.25	895 480.37
37 30	2 268 061.95	880 212.85	2 267 939.52	895 374.90
91 40 00	2 255 297.35	880 112.24	2 255 180.76	895 274.34
42 30	2 242 532.71	880 016.53	2 242 421.95	895 178.68
45 00	2 229 768.05	879 925.74	2 229 663.11	895 087.92
47 30	2 217 003.34	879 839.85	2 216 904.24	895 002.07
91 50 00	2 204 238.60	879 758.86	2 204 145.33	894 921.13
52 30	2 191 473.84	879 682.79	2 191 386.39	894 845.09
55 00	2 178 709.04	879 611.63	2 178 627.43	894 773.96
57 30	2 165 944.22	879 545.37	2 165 868.44	894 707.73
92 00 00	2 153 179.38	879 484.03	2 153 109.42	894 646.41

LONGITUDE	LATITUDE 33 10 00 X	LATITUDE 33 10 00 Y	LATITUDE 33 12 30 X	LATITUDE 33 12 30 Y
91 00 00	2 459 105.35	912 633.45	2 458 895.48	927 795.22
02 30	2 446 353.21	912 459.38	2 446 149.17	927 621.23
05 00	2 433 601.00	912 290.22	2 433 402.78	927 452.14
07 30	2 420 848.72	912 125.96	2 420 656.34	927 287.96
91 10 00	2 408 096.38	911 966.60	2 407 909.83	927 128.67
12 30	2 395 343.98	911 812.14	2 395 163.26	926 974.29
15 00	2 382 591.53	911 662.59	2 382 416.63	926 824.80
17 30	2 369 839.01	911 517.94	2 369 669.95	926 680.22
91 20 00	2 357 086.44	911 378.20	2 356 923.21	926 540.54
22 30	2 344 333.82	911 243.36	2 344 176.42	926 405.76
25 00	2 331 581.15	911 113.42	2 331 429.58	926 275.88
27 30	2 318 828.43	910 988.39	2 318 682.69	926 150.91
91 30 00	2 306 075.67	910 868.26	2 305 935.75	926 030.83
32 30	2 293 322.85	910 753.03	2 293 188.77	925 915.65
35 00	2 280 570.00	910 642.70	2 280 441.74	925 805.38
37 30	2 267 817.10	910 537.28	2 267 694.67	925 700.00
91 40 00	2 255 064.16	910 436.76	2 254 947.56	925 599.53
42 30	2 242 311.18	910 341.14	2 242 200.42	925 503.96
45 00	2 229 558.17	910 250.43	2 229 453.24	925 413.29
47 30	2 216 805.13	910 164.62	2 216 706.02	925 327.51
91 50 00	2 204 052.05	910 083.71	2 203 958.77	925 246.64
52 30	2 191 298.94	910 007.71	2 191 211.49	925 170.67
55 00	2 178 545.81	909 936.61	2 178 464.19	925 099.61
57 30	2 165 792.65	909 870.41	2 165 716.86	925 033.44
92 00 00	2 153 039.46	909 809.12	2 152 969.50	924 972.18

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 33 00 00 X	LATITUDE 33 00 00 Y	LATITUDE 33 02 30 X	LATITUDE 33 02 30 Y
92 00 00	2 153 319.28	849 160.25	2 153 249.33	864 321.99
02 30	2 140 542.76	849 103.76	2 140 478.63	864 265.52
05 00	2 127 766.21	849 052.18	2 127 707.92	864 213.96
07 30	2 114 989.64	849 005.51	2 114 937.17	864 167.32
92 10 00	2 102 213.06	848 963.76	2 102 166.42	864 125.59
12 30	2 089 436.46	848 926.91	2 089 395.65	864 088.76
15 00	2 076 659.85	848 894.98	2 076 624.87	864 056.84
17 30	2 063 883.22	848 867.96	2 063 854.08	864 029.84
92 20 00	2 051 106.59	848 845.86	2 051 083.27	864 007.74
22 30	2 038 329.95	848 828.66	2 038 312.46	863 990.55
25 00	2 025 553.30	848 816.38	2 025 541.64	863 978.28
27 30	2 012 776.65	848 809.01	2 012 770.82	863 970.91
92 30 00	2 000 000.00	848 806.55	2 000 000.00	863 968.45
32 30	1 987 223.35	848 809.01	1 987 229.18	863 970.91
35 00	1 974 446.70	848 816.38	1 974 458.36	863 978.28
37 30	1 961 670.05	848 828.66	1 961 687.54	863 990.55
92 40 00	1 948 893.41	848 845.86	1 948 916.73	864 007.74
42 30	1 936 116.78	848 867.96	1 936 145.92	864 029.84
45 00	1 923 340.15	848 894.98	1 923 375.13	864 056.84
47 30	1 910 563.54	848 926.91	1 910 604.35	864 088.76
92 50 00	1 897 786.94	848 963.76	1 897 833.58	864 125.59
52 30	1 885 010.36	849 005.51	1 885 062.83	864 167.32
55 00	1 872 233.79	849 052.18	1 872 292.08	864 213.96
57 30	1 859 457.24	849 103.76	1 859 521.37	864 265.52
93 00 00	1 846 680.72	849 160.25	1 846 750.67	864 321.99

LONGITUDE	LATITUDE 33 05 00 X	LATITUDE 33 05 00 Y	LATITUDE 33 07 30 X	LATITUDE 33 07 30 Y
92 00 00	2 153 179.38	879 484.03	2 153 109.42	894 646.41
02 30	2 140 414.51	879 427.59	2 140 350.38	894 590.00
05 00	2 127 649.62	879 376.05	2 127 591.32	894 538.49
07 30	2 114 884.71	879 329.43	2 114 832.24	894 491.89
92 10 00	2 102 119.78	879 287.71	2 102 073.15	894 450.19
12 30	2 089 354.85	879 250.90	2 089 314.04	894 413.40
15 00	2 076 589.89	879 219.00	2 076 554.91	894 381.51
17 30	2 063 824.93	879 192.01	2 063 795.78	894 354.53
92 20 00	2 051 059.95	879 169.92	2 051 036.63	894 332.45
22 30	2 038 294.97	879 152.74	2 038 277.48	894 315.28
25 00	2 025 529.98	879 140.47	2 025 518.33	894 303.02
27 30	2 012 764.99	879 133.11	2 012 759.16	894 295.66
92 30 00	2 000 000.00	879 130.65	2 000 000.00	894 293.20
32 30	1 987 235.01	879 133.11	1 987 240.84	894 295.66
35 00	1 974 470.02	879 140.47	1 974 481.67	894 303.02
37 30	1 961 705.03	879 152.74	1 961 722.52	894 315.28
92 40 00	1 948 940.05	879 169.92	1 948 963.37	894 332.45
42 30	1 936 175.07	879 192.01	1 936 204.22	894 354.53
45 00	1 923 410.11	879 219.00	1 923 445.09	894 381.51
47 30	1 910 645.15	879 250.90	1 910 685.96	894 413.40
92 50 00	1 897 880.22	879 287.71	1 897 926.85	894 450.19
52 30	1 885 115.29	879 329.43	1 885 167.76	894 491.89
55 00	1 872 350.38	879 376.05	1 872 408.68	894 538.49
57 30	1 859 585.49	879 427.59	1 859 649.62	894 590.00
93 00 00	1 846 820.62	879 484.03	1 846 890.58	894 646.41

LONGITUDE	LATITUDE 33 10 00 X	LATITUDE 33 10 00 Y	LATITUDE 33 12 30 X	LATITUDE 33 12 30 Y
92 00 00	2 153 039.46	909 809.12	2 152 969.50	924 972.18
02 30	2 140 286.25	909 752.73	2 140 222.12	924 915.82
05 00	2 127 533.02	909 701.25	2 127 474.72	924 864.36
07 30	2 114 779.77	909 654.67	2 114 727.30	924 817.80
92 10 00	2 102 026.51	909 612.99	2 101 979.87	924 776.14
12 30	2 089 273.23	909 576.21	2 089 232.42	924 739.38
15 00	2 076 519.93	909 544.34	2 076 484.95	924 707.52
17 30	2 063 766.63	909 517.37	2 063 737.48	924 680.56
92 20 00	2 051 013.32	909 495.30	2 050 990.00	924 658.51
22 30	2 038 259.99	909 478.14	2 038 242.50	924 641.35
25 00	2 025 506.67	909 465.88	2 025 495.01	924 629.10
27 30	2 012 753.33	909 458.52	2 012 747.50	924 621.74
92 30 00	2 000 000.00	909 456.07	2 000 000.00	924 619.29
32 30	1 987 246.67	909 458.52	1 987 252.50	924 621.74
35 00	1 974 493.33	909 465.88	1 974 504.99	924 629.10
37 30	1 961 740.01	909 478.14	1 961 757.50	924 641.35
92 40 00	1 948 986.69	909 495.30	1 949 010.00	924 658.51
42 30	1 936 233.37	909 517.37	1 936 262.52	924 680.56
45 00	1 923 480.07	909 544.34	1 923 515.05	924 707.52
47 30	1 910 726.77	909 576.21	1 910 767.58	924 739.38
92 50 00	1 897 973.49	909 612.99	1 898 020.13	924 776.14
52 30	1 885 220.23	909 654.67	1 885 272.70	924 817.80
55 00	1 872 466.98	909 701.25	1 872 525.28	924 864.36
57 30	1 859 713.75	909 752.73	1 859 777.88	924 915.82
93 00 00	1 846 960.54	909 809.12	1 847 030.50	924 972.18

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 33 00 00 X	LATITUDE 33 00 00 Y	LATITUDE 33 02 30 X	LATITUDE 33 02 30 Y
93 00 00	1 846 680.72	849 160.25	1 846 750.67	864 321.99
02 30	1 833 904.21	849 221.65	1 833 979.99	864 383.36
05 00	1 821 127.73	849 287.96	1 821 209.34	864 449.65
07 30	1 808 351.28	849 359.20	1 808 438.72	864 520.84
93 10 00	1 795 574.85	849 435.34	1 795 668.12	864 596.95
12 30	1 782 798.46	849 516.39	1 782 897.56	864 677.97
15 00	1 770 022.09	849 602.36	1 770 127.02	864 763.90
17 30	1 757 245.77	849 693.24	1 757 356.52	864 854.74
93 20 00	1 744 469.47	849 789.03	1 744 586.06	864 950.48
22 30	1 731 693.22	849 889.74	1 731 815.63	865 051.14
25 00	1 718 917.00	849 995.35	1 719 045.25	865 156.71
27 30	1 706 140.82	850 105.88	1 706 274.90	865 267.19
93 30 00	1 693 364.69	850 221.32	1 693 504.60	865 382.57
32 30	1 680 588.61	850 341.67	1 680 734.34	865 502.87
35 00	1 667 812.57	850 466.93	1 667 964.14	865 628.07
37 30	1 655 036.58	850 597.11	1 655 193.98	865 758.19
93 40 00	1 642 260.65	850 732.19	1 642 423.87	865 893.21
42 30	1 629 484.76	850 872.19	1 629 653.81	866 033.15
45 00	1 616 708.93	851 017.10	1 616 883.81	866 178.00
47 30	1 603 933.16	851 166.93	1 604 113.86	866 327.76
93 50 00	1 591 157.44	851 321.67	1 591 343.98	866 482.42
52 30	1 578 381.78	851 481.32	1 578 574.15	866 642.00
55 00	1 565 606.19	851 645.88	1 565 804.39	866 806.49
57 30	1 552 830.66	851 815.36	1 553 034.69	866 975.88
94 00 00	1 540 055.20	851 989.74	1 540 265.06	867 150.18

LONGITUDE	LATITUDE 33 05 00 X	LATITUDE 33 05 00 Y	LATITUDE 33 07 30 X	LATITUDE 33 07 30 Y
93 00 00	1 846 820.62	879 484.03	1 846 890.58	894 646.41
02 30	1 834 055.78	879 545.37	1 834 131.56	894 707.73
05 00	1 821 290.96	879 611.63	1 821 372.57	894 773.96
07 30	1 808 526.16	879 682.79	1 808 613.61	894 845.09
93 10 00	1 795 761.40	879 758.86	1 795 854.67	894 921.13
12 30	1 782 996.66	879 839.85	1 783 095.76	895 002.07
15 00	1 770 231.95	879 925.74	1 770 336.89	895 087.92
17 30	1 757 467.29	880 016.53	1 757 578.05	895 178.68
93 20 00	1 744 702.65	880 112.24	1 744 819.24	895 274.34
22 30	1 731 938.05	880 212.85	1 732 060.48	895 374.90
25 00	1 719 173.50	880 318.36	1 719 301.75	895 480.37
27 30	1 706 408.98	880 428.79	1 706 543.06	895 590.75
93 30 00	1 693 644.51	880 544.13	1 693 784.42	895 706.03
32 30	1 680 880.08	880 664.37	1 681 025.82	895 826.22
35 00	1 668 115.70	880 789.52	1 668 267.27	895 951.31
37 30	1 655 351.37	880 919.57	1 655 508.77	896 081.31
93 40 00	1 642 587.09	881 054.54	1 642 750.32	896 216.21
42 30	1 629 822.87	881 194.41	1 629 991.92	896 356.01
45 00	1 617 058.69	881 339.19	1 617 233.58	896 500.73
47 30	1 604 294.58	881 488.88	1 604 475.29	896 650.35
93 50 00	1 591 530.52	881 643.47	1 591 717.07	896 804.88
52 30	1 578 766.52	881 802.98	1 578 958.90	896 964.31
55 00	1 566 002.59	881 967.39	1 566 200.79	897 128.64
57 30	1 553 238.72	882 136.71	1 553 442.75	897 297.89
94 00 00	1 540 474.92	882 310.93	1 540 684.78	897 472.03

LONGITUDE	LATITUDE 33 10 00 X	LATITUDE 33 10 00 Y	LATITUDE 33 12 30 X	LATITUDE 33 12 30 Y
93 00 00	1 846 960.54	909 809.12	1 847 030.50	924 972.18
02 30	1 834 207.35	909 870.41	1 834 283.14	925 033.44
05 00	1 821 454.19	909 936.61	1 821 535.81	925 099.61
07 30	1 808 701.06	910 007.71	1 808 788.51	925 170.67
93 10 00	1 795 947.95	910 083.71	1 796 041.23	925 246.64
12 30	1 783 194.87	910 164.62	1 783 293.98	925 327.51
15 00	1 770 441.83	910 250.43	1 770 546.76	925 413.29
17 30	1 757 688.82	910 341.14	1 757 799.58	925 503.96
93 20 00	1 744 935.84	910 436.76	1 745 052.44	925 599.53
22 30	1 732 182.90	910 537.28	1 732 305.33	925 700.00
25 00	1 719 430.00	910 642.70	1 719 558.26	925 805.38
27 30	1 706 677.15	910 753.03	1 706 811.23	925 915.65
93 30 00	1 693 924.33	910 868.26	1 694 064.25	926 030.83
32 30	1 681 171.57	910 988.39	1 681 317.31	926 150.91
35 00	1 668 418.85	911 113.42	1 668 570.42	926 275.88
37 30	1 655 666.18	911 243.36	1 655 823.58	926 405.76
93 40 00	1 642 913.56	911 378.20	1 643 076.79	926 540.54
42 30	1 630 160.99	911 517.94	1 630 330.05	926 680.22
45 00	1 617 408.47	911 662.59	1 617 583.37	926 824.80
47 30	1 604 656.02	911 812.14	1 604 836.74	926 974.29
93 50 00	1 591 903.62	911 966.60	1 592 090.17	927 128.67
52 30	1 579 151.28	912 125.96	1 579 343.66	927 287.96
55 00	1 566 399.00	912 290.22	1 566 597.22	927 452.14
57 30	1 553 646.79	912 459.38	1 553 850.83	927 621.23
94 00 00	1 540 894.65	912 633.45	1 541 104.52	927 795.22

LOUISIANA – NORTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 33 00 00 X	LATITUDE 33 00 00 Y	LATITUDE 33 02 30 X	LATITUDE 33 02 30 Y
94 00 00	1 540 055.20	851 989.74	1 540 265.06	867 150.18
02 30	1 527 279.81	852 169.03	1 527 495.49	867 329.40
05 00	1 514 504.48	852 353.25	1 514 725.99	867 513.53
07 30	1 501 729.23	852 542.36	1 501 956.57	867 702.56
94 10 00	1 488 954.05	852 736.39	1 489 187.22	867 896.50
12 30	1 476 178.95	852 935.33	1 476 417.95	868 095.35
15 00	1 463 403.92	853 139.19	1 463 648.75	868 299.11
17 30	1 450 628.97	853 347.95	1 450 879.63	868 507.78
94 20 00	1 437 854.11	853 561.63	1 438 110.59	868 721.37

LONGITUDE	LATITUDE 33 05 00 X	LATITUDE 33 05 00 Y	LATITUDE 33 07 30 X	LATITUDE 33 07 30 Y
94 00 00	1 540 474.92	882 310.93	1 540 684.78	897 472.03
02 30	1 527 711.18	882 490.07	1 527 926.87	897 651.08
05 00	1 514 947.51	882 674.11	1 515 169.03	897 835.04
07 30	1 502 183.92	882 863.05	1 502 411.27	898 023.90
94 10 00	1 489 420.40	883 056.91	1 489 653.58	898 217.66
12 30	1 476 656.95	883 255.67	1 476 895.96	898 416.33
15 00	1 463 893.58	883 459.33	1 464 138.42	898 619.91
17 30	1 451 130.29	883 667.91	1 451 380.96	898 828.39
94 20 00	1 438 367.08	883 881.40	1 438 623.58	899 041.78

LONGITUDE	LATITUDE 33 10 00 X	LATITUDE 33 10 00 Y	LATITUDE 33 12 30 X	LATITUDE 33 12 30 Y
94 00 00	1 540 894.65	912 633.45	1 541 104.52	927 795.22
02 30	1 528 142.57	912 812.42	1 528 358.27	927 974.10
05 00	1 515 390.56	912 996.29	1 515 612.09	928 157.89
07 30	1 502 638.62	913 185.06	1 502 865.98	928 346.58
94 10 00	1 489 886.76	913 378.74	1 490 119.95	928 540.17
12 30	1 477 134.97	913 577.32	1 477 373.99	928 738.65
15 00	1 464 383.26	913 780.80	1 464 628.11	928 942.04
17 30	1 451 631.63	913 989.19	1 451 882.31	929 150.33
94 20 00	1 438 880.08	914 202.48	1 439 136.59	929 363.53

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 28 45 00 X	LATITUDE 28 45 00 Y	LATITUDE 28 47 30 X	LATITUDE 28 47 30 Y
88 40 00	2 854 603.15	40 250.19	2 854 250.56	55 398.73
42 30	2 841 252.34	39 941.88	2 840 905.25	55 090.54
45 00	2 827 901.41	39 638.40	2 827 559.83	54 787.19
47 30	2 814 550.36	39 339.80	2 814 214.29	54 488.71
88 50 00	2 801 199.22	39 046.03	2 800 868.66	54 195.06
52 30	2 787 847.97	38 757.13	2 787 522.91	53 906.29
55 00	2 774 496.61	38 473.07	2 774 177.06	53 622.34
57 30	2 761 145.15	38 193.89	2 760 831.11	53 343.27
89 00 00	2 747 793.59	37 919.54	2 747 485.06	53 069.04

LONGITUDE	LATITUDE 28 50 00 X	LATITUDE 28 50 00 Y	LATITUDE 28 52 30 X	LATITUDE 28 52 30 Y
88 40 00	2 853 897.97	70 547.14	2 853 545.38	85 695.40
42 30	2 840 558.17	70 239.08	2 840 211.09	85 387.47
45 00	2 827 218.25	69 935.85	2 826 876.68	85 084.37
47 30	2 813 878.23	69 637.49	2 813 542.16	84 786.13
88 50 00	2 800 538.10	69 343.96	2 800 207.54	84 492.73
52 30	2 787 197.86	69 055.31	2 786 872.82	84 204.19
55 00	2 773 857.52	68 771.49	2 773 537.98	83 920.49
57 30	2 760 517.08	68 492.53	2 760 203.05	83 641.65
89 00 00	2 747 176.53	68 218.40	2 746 868.01	83 367.63

LONGITUDE	LATITUDE 28 55 00 X	LATITUDE 28 55 00 Y	LATITUDE 28 57 30 X	LATITUDE 28 57 30 Y
88 40 00	2 853 192.79	100 843.57	2 852 840.21	115 991.62
42 30	2 839 864.01	100 535.77	2 839 516.93	115 683.94
45 00	2 826 535.11	100 232.79	2 826 193.54	115 381.09
47 30	2 813 206.10	99 934.68	2 812 870.04	115 083.10
88 50 00	2 799 876.99	99 641.39	2 799 546.44	114 789.94
52 30	2 786 547.77	99 352.98	2 786 222.73	114 501.64
55 00	2 773 218.45	99 069.39	2 772 898.91	114 218.17
57 30	2 759 889.02	98 790.66	2 759 574.99	113 939.56
89 00 00	2 746 559.49	98 516.76	2 746 250.98	113 665.77

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 28 45 00 X	LATITUDE 28 45 00 Y	LATITUDE 28 47 30 X	LATITUDE 28 47 30 Y
89 00 00	2 747 793.59	37 919.54	2 747 485.06	53 069.04
02 30	2 734 441.93	37 650.07	2 734 138.91	52 799.67
05 00	2 721 090.16	37 385.42	2 720 792.65	52 535.14
07 30	2 707 738.30	37 125.66	2 707 446.30	52 275.48
89 10 00	2 694 386.36	36 870.73	2 694 099.86	52 020.66
12 30	2 681 034.32	36 620.67	2 680 753.34	51 770.71
15 00	2 667 682.19	36 375.45	2 667 406.72	51 525.59
17 30	2 654 329.98	36 135.11	2 654 060.01	51 285.35
89 20 00	2 640 977.67	35 899.60	2 640 713.22	51 049.93
22 30	2 627 625.28	35 668.97	2 627 366.34	50 819.39
25 00	2 614 272.81	35 443.17	2 614 019.38	50 593.69
27 30	2 600 920.27	35 222.24	2 600 672.34	50 372.85
89 30 00	2 587 567.64	35 006.15	2 587 325.22	50 156.85
32 30	2 574 214.93	34 794.94	2 573 978.02	49 945.73
35 00	2 560 862.14	34 588.56	2 560 630.74	49 739.43
37 30	2 547 509.29	34 387.06	2 547 283.39	49 538.02
89 40 00	2 534 156.36	34 190.39	2 533 935.97	49 341.43
42 30	2 520 803.35	33 998.60	2 520 588.48	49 149.72
45 00	2 507 450.29	33 811.64	2 507 240.92	48 962.84
47 30	2 494 097.15	33 629.56	2 493 893.29	48 780.83
89 50 00	2 480 743.95	33 452.32	2 480 545.60	48 603.66
52 30	2 467 390.68	33 279.95	2 467 197.84	48 431.36
55 00	2 454 037.35	33 112.41	2 453 850.02	48 263.89
57 30	2 440 683.96	32 949.76	2 440 502.14	48 101.30
90 00 00	2 427 330.50	32 791.93	2 427 154.19	47 943.54

LONGITUDE	LATITUDE 28 50 00 X	LATITUDE 28 50 00 Y	LATITUDE 28 52 30 X	LATITUDE 28 52 30 Y
89 00 00	2 747 176.53	68 218.40	2 746 868.01	83 367.63
02 30	2 733 835.89	67 949.15	2 733 532.88	83 098.49
05 00	2 720 495.14	67 684.73	2 720 197.63	82 834.18
07 30	2 707 154.30	67 425.18	2 706 862.31	82 574.74
89 10 00	2 693 813.38	67 170.46	2 693 526.89	82 320.12
12 30	2 680 472.36	66 920.61	2 680 191.38	82 070.38
15 00	2 667 131.25	66 675.60	2 666 855.78	81 825.46
17 30	2 653 790.05	66 435.45	2 653 520.09	81 585.42
89 20 00	2 640 448.76	66 200.13	2 640 184.31	81 350.19
22 30	2 627 107.39	65 969.69	2 626 848.45	81 119.85
25 00	2 613 765.94	65 744.08	2 613 512.51	80 894.33
27 30	2 600 424.41	65 523.34	2 600 176.48	80 673.68
89 30 00	2 587 082.80	65 307.42	2 586 840.38	80 457.86
32 30	2 573 741.11	65 096.39	2 573 504.20	80 246.90
35 00	2 560 399.34	64 890.18	2 560 167.94	80 040.78
37 30	2 547 057.50	64 688.84	2 546 831.61	79 839.53
89 40 00	2 533 715.59	64 492.34	2 533 495.21	79 643.11
42 30	2 520 373.60	64 300.70	2 520 158.73	79 451.55
45 00	2 507 031.56	64 113.90	2 506 822.19	79 264.82
47 30	2 493 689.44	63 931.97	2 493 485.58	79 082.97
89 50 00	2 480 347.25	63 754.87	2 480 148.91	78 905.94
52 30	2 467 005.00	63 582.64	2 466 812.17	78 733.79
55 00	2 453 662.69	63 415.25	2 453 475.37	78 566.46
57 30	2 440 320.32	63 252.72	2 440 138.51	78 404.00
90 00 00	2 426 977.88	63 095.03	2 426 801.57	78 246.37

LONGITUDE	LATITUDE 28 55 00 X	LATITUDE 28 55 00 Y	LATITUDE 28 57 30 X	LATITUDE 28 57 30 Y
89 00 00	2 746 559.49	98 516.76	2 746 250.98	113 665.77
02 30	2 733 229.87	98 247.73	2 732 926.86	113 396.85
05 00	2 719 900.13	97 983.53	2 719 602.63	113 132.76
07 30	2 706 570.31	97 724.19	2 706 278.32	112 873.53
89 10 00	2 693 240.40	97 469.69	2 692 953.92	112 619.13
12 30	2 679 910.40	97 220.04	2 679 629.43	112 369.59
15 00	2 666 580.31	96 975.23	2 666 304.84	112 124.87
17 30	2 653 250.13	96 735.28	2 652 980.17	111 885.03
89 20 00	2 639 919.86	96 500.15	2 639 655.41	111 650.00
22 30	2 626 589.51	96 269.91	2 626 330.57	111 419.84
25 00	2 613 259.07	96 044.48	2 613 005.64	111 194.51
27 30	2 599 928.56	95 823.92	2 599 680.64	110 974.04
89 30 00	2 586 597.97	95 608.19	2 586 355.55	110 758.40
32 30	2 573 267.29	95 397.32	2 573 030.39	110 547.62
35 00	2 559 936.54	95 191.28	2 559 705.15	110 341.67
37 30	2 546 605.72	94 990.11	2 546 379.84	110 140.58
89 40 00	2 533 274.83	94 793.77	2 533 054.45	109 944.32
42 30	2 519 943.86	94 602.30	2 519 728.99	109 752.92
45 00	2 506 612.83	94 415.65	2 506 403.47	109 566.35
47 30	2 493 281.73	94 233.87	2 493 077.88	109 384.65
89 50 00	2 479 950.57	94 056.91	2 479 752.23	109 207.77
52 30	2 466 619.33	93 884.83	2 466 426.50	109 035.75
55 00	2 453 288.05	93 717.57	2 453 100.72	108 868.56
57 30	2 439 956.69	93 555.18	2 439 774.88	108 706.24
90 00 00	2 426 625.27	93 397.62	2 426 448.96	108 548.74

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE X 28 45 00	LATITUDE Y 28 45 00	LATITUDE X 28 47 30	LATITUDE Y 28 47 30
90 00 00	2 427 330.50	32 791.93	2 427 154.19	47 943.54
02 30	2 413 976.99	32 638.98	2 413 806.19	47 790.66
05 00	2 400 623.44	32 490.87	2 400 458.15	47 642.61
07 30	2 387 269.83	32 347.63	2 387 110.05	47 499.43
90 10 00	2 373 916.16	32 209.23	2 373 761.89	47 361.08
12 30	2 360 562.45	32 075.71	2 360 413.69	47 227.62
15 00	2 347 208.70	31 947.02	2 347 065.44	47 098.98
17 30	2 333 854.89	31 823.20	2 333 717.15	46 975.21
90 20 00	2 320 501.04	31 704.22	2 320 368.81	46 856.28
22 30	2 307 147.15	31 590.12	2 307 020.42	46 742.23
25 00	2 293 793.22	31 480.85	2 293 672.00	46 633.01
27 30	2 280 439.25	31 376.47	2 280 323.54	46 528.66
90 30 00	2 267 085.24	31 276.91	2 266 975.04	46 429.15
32 30	2 253 731.20	31 182.23	2 253 626.51	46 334.51
35 00	2 240 377.12	31 092.38	2 240 277.95	46 244.70
37 30	2 227 023.01	31 007.42	2 226 929.34	46 159.77
90 40 00	2 213 668.88	30 927.29	2 213 580.72	46 079.67
42 30	2 200 314.71	30 852.03	2 200 232.06	46 004.44
45 00	2 186 960.51	30 781.61	2 186 883.38	45 934.05
47 30	2 173 606.30	30 716.07	2 173 534.67	45 868.54
90 50 00	2 160 252.05	30 655.36	2 160 185.94	45 807.85
52 30	2 146 897.79	30 599.53	2 146 837.18	45 752.04
55 00	2 133 543.49	30 548.52	2 133 488.40	45 701.06
57 30	2 120 189.20	30 502.41	2 120 139.61	45 654.97
91 00 00	2 106 834.88	30 461.12	2 106 790.80	45 613.69

LONGITUDE	LATITUDE X 28 50 00	LATITUDE Y 28 50 00	LATITUDE X 28 52 30	LATITUDE Y 28 52 30
90 00 00	2 426 977.88	63 095.03	2 426 801.57	78 246.37
02 30	2 413 635.39	62 942.21	2 413 464.60	78 093.61
05 00	2 400 292.86	62 794.22	2 400 127.57	77 945.68
07 30	2 386 950.27	62 651.10	2 386 790.49	77 802.62
90 10 00	2 373 607.62	62 512.81	2 373 453.35	77 664.39
12 30	2 360 264.93	62 379.40	2 360 116.17	77 531.04
15 00	2 346 922.19	62 250.81	2 346 778.94	77 402.51
17 30	2 333 579.41	62 127.10	2 333 441.67	77 278.84
90 20 00	2 320 236.58	62 008.22	2 320 104.35	77 160.01
22 30	2 306 893.70	61 894.21	2 306 766.98	77 046.05
25 00	2 293 550.79	61 785.03	2 293 429.58	76 936.92
27 30	2 280 207.84	61 680.73	2 280 092.14	76 832.66
90 30 00	2 266 864.85	61 581.26	2 266 754.66	76 733.23
32 30	2 253 521.83	61 486.66	2 253 417.14	76 638.67
35 00	2 240 178.77	61 396.89	2 240 079.60	76 548.93
37 30	2 226 835.68	61 311.99	2 226 742.01	76 464.07
90 40 00	2 213 492.56	61 231.92	2 213 404.41	76 384.04
42 30	2 200 149.41	61 156.73	2 200 066.77	76 308.87
45 00	2 186 806.24	61 086.37	2 186 729.10	76 238.54
47 30	2 173 463.04	61 020.88	2 173 391.42	76 173.08
90 50 00	2 160 119.82	60 960.22	2 160 053.70	76 112.44
52 30	2 146 776.58	60 904.43	2 146 715.97	76 056.68
55 00	2 133 433.30	60 853.47	2 133 378.20	76 005.74
57 30	2 120 090.02	60 807.39	2 120 040.44	75 959.68
91 00 00	2 106 746.72	60 766.14	2 106 702.65	75 918.45

LONGITUDE	LATITUDE X 28 55 00	LATITUDE Y 28 55 00	LATITUDE X 28 57 30	LATITUDE Y 28 57 30
90 00 00	2 426 625.27	93 397.62	2 426 448.96	108 548.74
02 30	2 413 293.80	93 244.92	2 413 123.01	108 396.11
05 00	2 399 962.28	93 097.05	2 399 797.00	108 248.30
07 30	2 386 630.71	92 954.05	2 386 470.94	108 105.36
90 10 00	2 373 299.09	92 815.88	2 373 144.82	107 967.24
12 30	2 359 967.41	92 682.58	2 359 818.65	107 834.00
15 00	2 346 635.69	92 554.10	2 346 492.45	107 705.57
17 30	2 333 303.93	92 430.49	2 333 166.19	107 582.01
90 20 00	2 319 972.12	92 311.70	2 319 839.89	107 463.28
22 30	2 306 640.26	92 197.79	2 306 513.54	107 349.41
25 00	2 293 308.37	92 088.70	2 293 187.16	107 240.37
27 30	2 279 976.44	91 984.49	2 279 860.73	107 136.20
90 30 00	2 266 644.46	91 885.10	2 266 534.27	107 036.84
32 30	2 253 312.46	91 790.57	2 253 207.78	106 942.36
35 00	2 239 980.42	91 700.88	2 239 881.25	106 852.70
37 30	2 226 648.35	91 616.05	2 226 554.69	106 767.91
90 40 00	2 213 316.26	91 536.05	2 213 228.10	106 687.94
42 30	2 199 984.12	91 460.92	2 199 901.48	106 612.84
45 00	2 186 651.97	91 390.62	2 186 574.84	106 542.57
47 30	2 173 319.79	91 325.18	2 173 248.17	106 477.16
90 50 00	2 159 987.59	91 264.57	2 159 921.47	106 416.58
52 30	2 146 655.37	91 208.83	2 146 594.76	106 360.86
55 00	2 133 323.10	91 157.91	2 133 268.01	106 309.96
57 30	2 119 990.85	91 111.87	2 119 941.26	106 263.94
91 00 00	2 106 658.57	91 070.65	2 106 614.49	106 222.74

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 28 45 00 X	LATITUDE 28 45 00 Y	LATITUDE 28 47 30 X	LATITUDE 28 47 30 Y
91 00 00	2 106 834.88	30 461.12	2 106 790.80	45 613.69
02 30	2 093 480.55	30 424.71	2 093 441.98	45 577.30
05 00	2 080 126.21	30 393.13	2 080 093.15	45 545.74
07 30	2 066 771.86	30 366.44	2 066 744.31	45 519.05
91 10 00	2 053 417.49	30 344.58	2 053 395.45	45 497.20
12 30	2 040 063.13	30 327.59	2 040 046.60	45 480.22
15 00	2 026 708.76	30 315.44	2 026 697.74	45 468.08
17 30	2 013 354.38	30 308.17	2 013 348.87	45 460.81
91 20 00	2 000 000.00	30 305.73	2 000 000.00	45 458.37
22 30	1 986 645.62	30 308.17	1 986 651.13	45 460.81
25 00	1 973 291.24	30 315.44	1 973 302.26	45 468.08
27 30	1 959 936.87	30 327.59	1 959 953.40	45 480.22
91 30 00	1 946 582.51	30 344.58	1 946 604.55	45 497.20
32 30	1 933 228.14	30 366.44	1 933 255.69	45 519.05
35 00	1 919 873.79	30 393.13	1 919 906.85	45 545.74
37 30	1 906 519.45	30 424.71	1 906 558.02	45 577.30
91 40 00	1 893 165.12	30 461.12	1 893 209.20	45 613.69
42 30	1 879 810.80	30 502.41	1 879 860.39	45 654.97
45 00	1 866 456.51	30 548.52	1 866 511.60	45 701.06
47 30	1 853 102.21	30 599.53	1 853 162.82	45 752.04
91 50 00	1 839 747.95	30 655.36	1 839 814.06	45 807.85
52 30	1 826 393.70	30 716.07	1 826 465.33	45 868.54
55 00	1 813 039.49	30 781.61	1 813 116.62	45 934.05
57 30	1 799 685.29	30 852.03	1 799 767.94	46 004.44
92 00 00	1 786 331.12	30 927.29	1 786 419.28	46 079.67

LONGITUDE	LATITUDE 28 50 00 X	LATITUDE 28 50 00 Y	LATITUDE 28 52 30 X	LATITUDE 28 52 30 Y
91 00 00	2 106 746.72	60 766.14	2 106 702.65	75 918.45
02 30	2 093 403.42	60 729.76	2 093 364.85	75 882.08
05 00	2 080 060.09	60 698.21	2 080 027.03	75 850.55
07 30	2 066 716.76	60 671.54	2 066 689.21	75 823.88
91 10 00	2 053 373.42	60 649.70	2 053 351.38	75 802.05
12 30	2 040 030.07	60 632.73	2 040 013.54	75 785.09
15 00	2 026 686.72	60 620.58	2 026 675.70	75 772.95
17 30	2 013 343.36	60 613.32	2 013 337.85	75 765.69
91 20 00	2 000 000.00	60 610.88	2 000 000.00	75 763.25
22 30	1 986 656.64	60 613.32	1 986 662.15	75 765.69
25 00	1 973 313.28	60 620.58	1 973 324.30	75 772.95
27 30	1 959 969.93	60 632.73	1 959 986.46	75 785.09
91 30 00	1 946 626.58	60 649.70	1 946 648.62	75 802.05
32 30	1 933 283.24	60 671.54	1 933 310.79	75 823.88
35 00	1 919 939.91	60 698.21	1 919 972.97	75 850.55
37 30	1 906 596.58	60 729.76	1 906 635.15	75 882.08
91 40 00	1 893 253.28	60 766.14	1 893 297.35	75 918.45
42 30	1 879 909.98	60 807.39	1 879 959.56	75 959.68
45 00	1 866 566.70	60 853.47	1 866 621.80	76 005.74
47 30	1 853 223.42	60 904.43	1 853 284.03	76 056.68
91 50 00	1 839 880.18	60 960.22	1 839 946.30	76 112.44
52 30	1 826 536.96	61 020.88	1 826 608.58	76 173.08
55 00	1 813 193.76	61 086.37	1 813 270.90	76 238.54
57 30	1 799 850.59	61 156.73	1 799 933.23	76 308.87
92 00 00	1 786 507.44	61 231.92	1 786 595.59	76 384.04

LONGITUDE	LATITUDE 28 55 00 X	LATITUDE 28 55 00 Y	LATITUDE 28 57 30 X	LATITUDE 28 57 30 Y
91 00 00	2 106 658.57	91 070.65	2 106 614.49	106 222.74
02 30	2 093 326.28	91 034.31	2 093 287.71	106 186.41
05 00	2 079 993.98	91 002.78	2 079 960.92	106 154.89
07 30	2 066 661.66	90 976.13	2 066 634.12	106 128.25
91 10 00	2 053 329.34	90 954.30	2 053 307.30	106 106.44
12 30	2 039 997.01	90 937.35	2 039 980.48	106 089.49
15 00	2 026 664.68	90 925.21	2 026 653.66	106 077.36
17 30	2 013 332.34	90 917.95	2 013 326.83	106 070.10
91 20 00	2 000 000.00	90 915.52	2 000 000.00	106 067.67
22 30	1 986 667.66	90 917.95	1 986 673.17	106 070.10
25 00	1 973 335.32	90 925.21	1 973 346.34	106 077.36
27 30	1 960 002.99	90 937.35	1 960 019.52	106 089.49
91 30 00	1 946 670.66	90 954.30	1 946 692.70	106 106.44
32 30	1 933 338.34	90 976.13	1 933 365.88	106 128.25
35 00	1 920 006.02	91 002.78	1 920 039.08	106 154.89
37 30	1 906 673.72	91 034.31	1 906 712.29	106 186.41
91 40 00	1 893 341.43	91 070.65	1 893 385.51	106 222.74
42 30	1 880 009.15	91 111.87	1 880 058.74	106 263.94
45 00	1 866 676.90	91 157.91	1 866 731.99	106 309.96
47 30	1 853 344.63	91 208.83	1 853 405.24	106 360.86
91 50 00	1 840 012.41	91 264.57	1 840 078.53	106 416.58
52 30	1 826 680.21	91 325.18	1 826 751.83	106 477.16
55 00	1 813 348.03	91 390.62	1 813 425.16	106 542.57
57 30	1 800 015.88	91 460.92	1 800 098.52	106 612.84
92 00 00	1 786 683.74	91 536.05	1 786 771.90	106 687.94

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 29 00 00 X	LATITUDE 29 00 00 Y	LATITUDE 29 02 30 X	LATITUDE 29 02 30 Y
88 40 00	2 852 487.63	131 139.56	2 852 135.05	146 287.41
42 30	2 839 169.86	130 832.01	2 838 822.79	145 979.99
45 00	2 825 851.98	130 529.29	2 825 510.41	145 677.39
47 30	2 812 533.99	130 231.42	2 812 197.93	145 379.65
88 50 00	2 799 215.89	129 938.38	2 798 885.34	145 086.72
52 30	2 785 897.69	129 650.20	2 785 572.65	144 798.67
55 00	2 772 579.38	129 366.85	2 772 259.85	144 515.43
57 30	2 759 260.97	129 088.35	2 758 946.95	144 237.05
89 00 00	2 745 942.46	128 814.68	2 745 633.95	143 963.49

LONGITUDE	LATITUDE 29 05 00 X	LATITUDE 29 05 00 Y	LATITUDE 29 07 30 X	LATITUDE 29 07 30 Y
88 40 00	2 851 782.47	161 435.18	2 851 429.90	176 582.86
42 30	2 838 475.72	161 127.88	2 838 128.65	176 275.69
45 00	2 825 168.85	160 825.41	2 824 827.29	175 973.33
47 30	2 811 861.88	160 527.79	2 811 525.83	175 675.84
88 50 00	2 798 554.80	160 234.99	2 798 224.25	175 383.16
52 30	2 785 247.61	159 947.05	2 784 922.58	175 095.34
55 00	2 771 940.32	159 663.93	2 771 620.80	174 812.34
57 30	2 758 632.93	159 385.66	2 758 318.91	174 534.19
89 00 00	2 745 325.44	159 112.22	2 745 016.93	174 260.86

LONGITUDE	LATITUDE 29 10 00 X	LATITUDE 29 10 00 Y	LATITUDE 29 12 30 X	LATITUDE 29 12 30 Y
88 40 00	2 851 077.32	191 730.47	2 850 724.75	206 878.01
42 30	2 837 781.59	191 423.43	2 837 434.52	206 571.10
45 00	2 824 485.74	191 121.20	2 824 144.18	206 268.99
47 30	2 811 189.78	190 823.83	2 810 853.73	205 971.75
88 50 00	2 797 893.71	190 531.28	2 797 563.17	205 679.31
52 30	2 784 597.55	190 243.58	2 784 272.51	205 391.73
55 00	2 771 301.27	189 960.69	2 770 981.75	205 108.96
57 30	2 758 004.89	189 682.65	2 757 690.88	204 831.04
89 00 00	2 744 708.42	189 409.43	2 744 399.91	204 557.93

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 29 00 00 X	LATITUDE 29 00 00 Y	LATITUDE 29 02 30 X	LATITUDE 29 02 30 Y
89 00 00	2 745 942.46	128 814.68	2 745 633.95	143 963.49
02 30	2 732 623.85	128 545.87	2 732 320.85	143 694.79
05 00	2 719 305.13	128 281.89	2 719 007.64	143 430.92
07 30	2 705 986.33	128 022.77	2 705 694.34	143 171.90
89 10 00	2 692 667.44	127 768.47	2 692 380.96	142 917.71
12 30	2 679 348.45	127 519.03	2 679 067.48	142 668.37
15 00	2 666 029.38	127 274.42	2 665 753.92	142 423.87
17 30	2 652 710.21	127 034.67	2 652 440.26	142 184.22
89 20 00	2 639 390.97	126 799.74	2 639 126.52	141 949.38
22 30	2 626 071.63	126 569.68	2 625 812.69	141 719.42
25 00	2 612 752.21	126 344.44	2 612 498.79	141 494.27
27 30	2 599 432.72	126 124.06	2 599 184.80	141 273.98
89 30 00	2 586 113.14	125 908.51	2 585 870.73	141 058.52
32 30	2 572 793.49	125 697.82	2 572 556.59	140 847.92
35 00	2 559 473.76	125 491.95	2 559 242.36	140 642.13
37 30	2 546 153.95	125 290.95	2 545 928.07	140 441.21
89 40 00	2 532 834.08	125 094.77	2 532 613.71	140 245.11
42 30	2 519 514.13	124 903.45	2 519 299.26	140 053.88
45 00	2 506 194.12	124 716.95	2 505 984.76	139 867.46
47 30	2 492 874.03	124 535.32	2 492 670.19	139 685.90
89 50 00	2 479 553.89	124 358.52	2 479 355.55	139 509.17
52 30	2 466 233.67	124 186.57	2 466 040.84	139 337.30
55 00	2 452 913.40	124 019.45	2 452 726.08	139 170.25
57 30	2 439 593.07	123 857.20	2 439 411.26	139 008.06
90 00 00	2 426 272.66	123 699.76	2 426 096.36	138 850.69

LONGITUDE	LATITUDE 29 05 00 X	LATITUDE 29 05 00 Y	LATITUDE 29 07 30 X	LATITUDE 29 07 30 Y
89 00 00	2 745 325.44	159 112.22	2 745 016.93	174 260.86
02 30	2 732 017.85	158 843.63	2 731 714.84	173 992.38
05 00	2 718 710.14	158 579.87	2 718 412.65	173 728.73
07 30	2 705 402.36	158 320.96	2 705 110.37	173 469.93
89 10 00	2 692 094.48	158 066.87	2 691 808.01	173 215.94
12 30	2 678 786.51	157 817.64	2 678 505.55	172 966.81
15 00	2 665 478.46	157 573.23	2 665 203.00	172 722.51
17 30	2 652 170.31	157 333.68	2 651 900.36	172 483.06
89 20 00	2 638 862.08	157 098.94	2 638 597.64	172 248.42
22 30	2 625 553.76	156 869.08	2 625 294.83	172 018.64
25 00	2 612 245.36	156 644.02	2 611 991.94	171 793.68
27 30	2 598 936.88	156 423.83	2 598 688.97	171 573.58
89 30 00	2 585 628.32	156 208.45	2 585 385.92	171 358.29
32 30	2 572 319.69	155 997.93	2 572 082.79	171 147.86
35 00	2 559 010.97	155 792.24	2 558 779.58	170 942.25
37 30	2 545 702.19	155 591.40	2 545 476.31	170 741.49
89 40 00	2 532 393.33	155 395.38	2 532 172.96	170 545.56
42 30	2 519 084.40	155 204.22	2 518 869.54	170 354.48
45 00	2 505 775.41	155 017.88	2 505 566.05	170 168.22
47 30	2 492 466.34	154 836.40	2 492 262.50	169 986.81
89 50 00	2 479 157.21	154 659.74	2 478 958.88	169 810.22
52 30	2 465 848.02	154 487.94	2 465 655.19	169 638.49
55 00	2 452 538.76	154 320.96	2 452 351.45	169 471.58
57 30	2 439 229.45	154 158.84	2 439 047.64	169 309.53
90 00 00	2 425 920.06	154 001.53	2 425 743.76	169 152.29

LONGITUDE	LATITUDE 29 10 00 X	LATITUDE 29 10 00 Y	LATITUDE 29 12 30 X	LATITUDE 29 12 30 Y
89 00 00	2 744 708.42	189 409.43	2 744 399.91	204 557.93
02 30	2 731 411.84	189 141.07	2 731 108.85	204 289.68
05 00	2 718 115.16	188 877.52	2 717 817.67	204 026.24
07 30	2 704 818.39	188 618.83	2 704 526.41	203 767.66
89 10 00	2 691 521.53	188 364.96	2 691 235.06	203 513.89
12 30	2 678 224.58	188 115.93	2 677 943.62	203 264.96
15 00	2 664 927.54	187 871.72	2 664 652.08	203 020.86
17 30	2 651 630.41	187 632.37	2 651 360.46	202 781.61
89 20 00	2 638 333.20	187 397.83	2 638 068.76	202 547.16
22 30	2 625 035.89	187 168.15	2 624 776.96	202 317.58
25 00	2 611 738.51	186 943.28	2 611 485.09	202 092.80
27 30	2 598 441.05	186 723.27	2 598 193.14	201 872.88
89 30 00	2 585 143.51	186 508.07	2 584 901.11	201 657.77
32 30	2 571 845.89	186 297.73	2 571 609.00	201 447.52
35 00	2 558 548.19	186 092.20	2 558 316.81	201 242.07
37 30	2 545 250.43	185 891.53	2 545 024.55	201 041.49
89 40 00	2 531 952.59	185 695.68	2 531 732.22	200 845.71
42 30	2 518 654.67	185 504.68	2 518 439.81	200 654.79
45 00	2 505 356.70	185 318.49	2 505 147.35	200 468.68
47 30	2 492 058.65	185 137.16	2 491 854.81	200 287.43
89 50 00	2 478 760.54	184 960.65	2 478 562.21	200 110.99
52 30	2 465 462.36	184 788.99	2 465 269.54	199 939.40
55 00	2 452 164.13	184 622.14	2 451 976.81	199 772.62
57 30	2 438 865.83	184 460.16	2 438 684.03	199 610.71
90 00 00	2 425 567.46	184 302.98	2 425 391.16	199 453.60

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 29 00 00 X	LATITUDE 29 00 00 Y	LATITUDE 29 02 30 X	LATITUDE 29 02 30 Y
90 00 00	2 426 272.66	123 699.76	2 426 096.36	138 050.69
02 30	2 412 952.21	123 547.20	2 412 781.42	138 698.18
05 00	2 399 631.71	123 399.45	2 399 466.43	138 550.50
07 30	2 386 311.16	123 256.57	2 386 151.39	138 407.68
90 10 00	2 372 990.55	123 118.51	2 372 836.29	138 269.67
12 30	2 359 669.90	122 985.32	2 359 521.14	138 136.54
15 00	2 346 349.20	122 856.95	2 346 205.95	138 008.22
17 30	2 333 028.45	122 733.43	2 332 890.71	137 884.76
90 20 00	2 319 707.66	122 614.75	2 319 575.43	137 766.12
22 30	2 306 386.82	122 500.93	2 306 260.10	137 652.35
25 00	2 293 065.95	122 391.93	2 292 944.74	137 543.40
27 30	2 279 745.03	122 287.80	2 279 629.34	137 439.31
90 30 00	2 266 424.08	122 188.49	2 266 313.89	137 340.04
32 30	2 253 103.10	122 094.05	2 252 998.42	137 245.64
35 00	2 239 782.08	122 004.43	2 239 682.91	137 156.05
37 30	2 226 461.03	121 919.67	2 226 367.36	137 071.33
90 40 00	2 213 139.95	121 839.74	2 213 051.80	136 991.43
42 30	2 199 818.84	121 764.67	2 199 736.19	136 916.39
45 00	2 186 497.70	121 694.42	2 186 420.57	136 846.18
47 30	2 173 176.54	121 629.04	2 173 104.92	136 780.82
90 50 00	2 159 855.36	121 568.48	2 159 789.24	136 720.29
52 30	2 146 534.15	121 512.79	2 146 473.55	136 664.62
55 00	2 133 212.91	121 461.91	2 133 157.82	136 613.76
57 30	2 119 891.68	121 415.91	2 119 842.09	136 567.78
91 00 00	2 106 570.42	121 374.72	2 106 526.34	136 526.61

LONGITUDE	LATITUDE 29 05 00 X	LATITUDE 29 05 00 Y	LATITUDE 29 07 30 X	LATITUDE 29 07 30 Y
90 00 00	2 425 920.06	154 001.53	2 425 743.76	169 152.29
02 30	2 412 610.63	153 849.09	2 412 439.84	168 999.91
05 00	2 399 301.15	153 701.47	2 399 135.87	168 852.34
07 30	2 385 991.61	153 558.70	2 385 831.84	168 709.64
90 10 00	2 372 682.03	153 420.76	2 372 527.76	168 571.75
12 30	2 359 372.39	153 287.68	2 359 223.63	168 438.73
15 00	2 346 062.71	153 159.41	2 345 919.46	168 310.51
17 30	2 332 752.98	153 036.00	2 332 615.24	168 187.16
90 20 00	2 319 443.20	152 917.42	2 319 310.98	168 068.62
22 30	2 306 133.39	152 803.69	2 306 006.67	167 954.94
25 00	2 292 823.53	152 694.78	2 292 702.32	167 846.08
27 30	2 279 513.64	152 590.74	2 279 397.94	167 742.08
90 30 00	2 266 203.70	152 491.51	2 266 093.51	167 642.89
32 30	2 252 893.74	152 397.15	2 252 789.06	167 548.57
35 00	2 239 583.74	152 307.60	2 239 484.57	167 459.05
37 30	2 226 273.70	152 222.91	2 226 180.04	167 374.40
90 40 00	2 212 963.65	152 143.04	2 212 875.49	167 294.57
42 30	2 199 653.55	152 068.04	2 199 570.91	167 219.59
45 00	2 186 343.44	151 997.85	2 186 266.30	167 149.43
47 30	2 173 033.29	151 932.52	2 172 961.67	167 084.13
90 50 00	2 159 723.13	151 872.01	2 159 657.02	167 023.65
52 30	2 146 412.95	151 816.37	2 146 352.34	166 968.02
55 00	2 133 102.72	151 765.53	2 133 047.63	166 917.21
57 30	2 119 792.50	151 719.57	2 119 742.92	166 871.27
91 00 00	2 106 482.26	151 678.42	2 106 438.19	166 830.13

LONGITUDE	LATITUDE 29 10 00 X	LATITUDE 29 10 00 Y	LATITUDE 29 12 30 X	LATITUDE 29 12 30 Y
90 00 00	2 425 567.46	184 302.98	2 425 391.16	199 453.60
02 30	2 412 269.05	184 150.67	2 412 098.26	199 301.34
05 00	2 398 970.59	184 003.16	2 398 805.31	199 153.90
07 30	2 385 672.07	183 860.52	2 385 512.30	199 011.32
90 10 00	2 372 373.50	183 722.69	2 372 219.24	198 873.54
12 30	2 359 074.88	183 589.72	2 358 926.13	198 740.62
15 00	2 345 776.22	183 461.56	2 345 632.98	198 612.52
17 30	2 332 477.51	183 338.25	2 332 339.77	198 489.26
90 20 00	2 319 178.75	183 219.76	2 319 046.53	198 370.82
22 30	2 305 879.95	183 106.14	2 305 753.24	198 257.25
25 00	2 292 581.11	182 997.31	2 292 459.91	198 148.47
27 30	2 279 282.24	182 893.36	2 279 166.54	198 044.56
90 30 00	2 265 983.33	182 794.21	2 265 873.14	197 945.45
32 30	2 252 684.38	182 699.93	2 252 579.70	197 851.20
35 00	2 239 385.40	182 610.45	2 239 286.23	197 761.76
37 30	2 226 086.38	182 525.83	2 225 992.72	197 677.18
90 40 00	2 212 787.34	182 446.03	2 212 699.19	197 597.41
42 30	2 199 488.27	182 371.09	2 199 405.63	197 522.50
45 00	2 186 189.17	182 300.96	2 186 112.04	197 452.40
47 30	2 172 890.05	182 235.68	2 172 818.43	197 387.15
90 50 00	2 159 590.90	182 175.22	2 159 524.79	197 326.72
52 30	2 146 291.74	182 119.62	2 146 231.13	197 271.14
55 00	2 132 992.53	182 068.83	2 132 937.44	197 220.37
57 30	2 119 693.33	182 022.90	2 119 643.75	197 174.46
91 00 00	2 106 394.11	181 981.79	2 106 350.04	197 133.36

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 29 00 00 X	LATITUDE 29 00 00 Y	LATITUDE 29 02 30 X	LATITUDE 29 02 30 Y
91 00 00	2 106 570.42	121 374.72	2 106 526.34	136 526.61
02 30	2 093 249.15	121 338.41	2 093 210.58	136 490.31
05 00	2 079 927.86	121 306.91	2 079 894.80	136 458.82
07 30	2 066 606.57	121 280.28	2 066 579.02	136 432.20
91 10 00	2 053 285.26	121 258.47	2 053 263.22	136 410.41
12 30	2 039 963.95	121 241.53	2 039 947.43	136 393.47
15 00	2 026 642.64	121 229.41	2 026 631.62	136 381.35
17 30	2 013 321.32	121 222.15	2 013 315.81	136 374.10
91 20 00	2 000 000.00	121 219.72	2 000 000.00	136 371.67
22 30	1 986 678.68	121 222.15	1 986 684.19	136 374.10
25 00	1 973 357.36	121 229.41	1 973 368.38	136 381.35
27 30	1 960 036.05	121 241.53	1 960 052.57	136 393.47
91 30 00	1 946 714.74	121 258.47	1 946 736.78	136 410.41
32 30	1 933 393.43	121 280.28	1 933 420.98	136 432.20
35 00	1 920 072.14	121 306.91	1 920 105.20	136 458.82
37 30	1 906 750.85	121 338.41	1 906 789.42	136 490.31
91 40 00	1 893 429.58	121 374.72	1 893 473.66	136 526.61
42 30	1 880 108.32	121 415.91	1 880 157.91	136 567.78
45 00	1 866 787.09	121 461.91	1 866 842.18	136 613.76
47 30	1 853 465.85	121 512.79	1 853 526.45	136 664.62
91 50 00	1 840 144.64	121 568.48	1 840 210.76	136 720.29
52 30	1 826 823.46	121 629.04	1 826 895.08	136 780.82
55 00	1 813 502.30	121 694.42	1 813 579.43	136 846.18
57 30	1 800 181.16	121 764.67	1 800 263.81	136 916.39
92 00 00	1 786 860.05	121 839.74	1 786 948.20	136 991.43

LONGITUDE	LATITUDE 29 05 00 X	LATITUDE 29 05 00 Y	LATITUDE 29 07 30 X	LATITUDE 29 07 30 Y
91 00 00	2 106 482.26	151 678.42	2 106 438.19	166 830.13
02 30	2 093 172.01	151 642.13	2 093 133.45	166 793.86
05 00	2 079 861.75	151 610.66	2 079 828.69	166 762.40
07 30	2 066 551.47	151 584.05	2 066 523.93	166 735.80
91 10 00	2 053 241.19	151 562.26	2 053 219.15	166 714.02
12 30	2 039 930.90	151 545.33	2 039 914.37	166 697.10
15 00	2 026 620.60	151 533.22	2 026 609.58	166 684.99
17 30	2 013 310.30	151 525.97	2 013 304.79	166 677.75
91 20 00	2 000 000.00	151 523.54	2 000 000.00	166 675.32
22 30	1 986 689.70	151 525.97	1 986 695.21	166 677.75
25 00	1 973 379.40	151 533.22	1 973 390.42	166 684.99
27 30	1 960 069.10	151 545.33	1 960 085.63	166 697.10
91 30 00	1 946 758.81	151 562.26	1 946 780.85	166 714.02
32 30	1 933 448.53	151 584.05	1 933 476.07	166 735.80
35 00	1 920 138.25	151 610.66	1 920 171.31	166 762.40
37 30	1 906 827.99	151 642.13	1 906 866.55	166 793.86
91 40 00	1 893 517.74	151 678.42	1 893 561.81	166 830.13
42 30	1 880 207.50	151 719.57	1 880 257.08	166 871.27
45 00	1 866 897.28	151 765.53	1 866 952.37	166 917.21
47 30	1 853 587.05	151 816.37	1 853 647.66	166 968.02
91 50 00	1 840 276.87	151 872.01	1 840 342.98	167 023.65
52 30	1 826 966.71	151 932.52	1 827 038.33	167 084.13
55 00	1 813 656.56	151 997.85	1 813 733.70	167 149.43
57 30	1 800 346.45	152 068.04	1 800 429.09	167 219.59
92 00 00	1 787 036.35	152 143.04	1 787 124.51	167 294.57

LONGITUDE	LATITUDE 29 10 00 X	LATITUDE 29 10 00 Y	LATITUDE 29 12 30 X	LATITUDE 29 12 30 Y
91 00 00	2 106 394.11	181 981.79	2 106 350.04	197 133.36
02 30	2 093 094.88	181 945.53	2 093 056.31	197 097.12
05 00	2 079 795.63	181 914.08	2 079 762.58	197 065.69
07 30	2 066 496.38	181 887.50	2 066 468.83	197 039.11
91 10 00	2 053 197.11	181 865.73	2 053 175.07	197 017.35
12 30	2 039 897.84	181 848.81	2 039 881.31	197 000.44
15 00	2 026 598.56	181 836.71	2 026 587.54	196 988.35
17 30	2 013 299.28	181 829.47	2 013 293.77	196 981.11
91 20 00	2 000 000.00	181 827.04	2 000 000.00	196 978.68
22 30	1 986 700.72	181 829.47	1 986 706.23	196 981.11
25 00	1 973 401.44	181 836.71	1 973 412.46	196 988.35
27 30	1 960 102.16	181 848.81	1 960 118.69	197 000.44
91 30 00	1 946 802.89	181 865.73	1 946 824.93	197 017.35
32 30	1 933 503.62	181 887.50	1 933 531.17	197 039.11
35 00	1 920 204.37	181 914.08	1 920 237.42	197 065.69
37 30	1 906 905.12	181 945.53	1 906 943.69	197 097.12
91 40 00	1 893 605.89	181 981.79	1 893 649.96	197 133.36
42 30	1 880 306.67	182 022.90	1 880 356.25	197 174.46
45 00	1 867 007.47	182 068.83	1 867 062.56	197 220.37
47 30	1 853 708.26	182 119.62	1 853 768.87	197 271.14
91 50 00	1 840 409.10	182 175.22	1 840 475.21	197 326.72
52 30	1 827 109.95	182 235.68	1 827 181.57	197 387.15
55 00	1 813 810.83	182 300.96	1 813 887.96	197 452.40
57 30	1 800 511.73	182 371.09	1 800 594.37	197 522.50
92 00 00	1 787 212.66	182 446.03	1 787 300.81	197 597.41

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 29 00 00 X	Y	LATITUDE 29 02 30 X	Y
92 00 00	1 786 860.05	121 839.74	1 786 948.20	136 991.43
02 30	1 773 538.97	121 919.67	1 773 632.64	137 071.33
05 00	1 760 217.92	122 004.43	1 760 317.09	137 156.05
07 30	1 746 896.90	122 094.05	1 747 001.58	137 245.64
92 10 00	1 733 575.92	122 188.49	1 733 686.11	137 340.04
12 30	1 720 254.97	122 287.80	1 720 370.66	137 439.31
15 00	1 706 934.05	122 391.93	1 707 055.26	137 543.40
17 30	1 693 613.18	122 500.93	1 693 739.90	137 652.35
92 20 00	1 680 292.34	122 614.75	1 680 424.57	137 766.12
22 30	1 666 971.55	122 733.43	1 667 109.29	137 884.76
25 00	1 653 650.80	122 856.95	1 653 794.05	138 008.22
27 30	1 640 330.10	122 985.32	1 640 478.86	138 136.54
92 30 00	1 627 009.45	123 118.51	1 627 163.71	138 269.67
32 30	1 613 688.84	123 256.57	1 613 848.61	138 407.68
35 00	1 600 368.29	123 399.45	1 600 533.57	138 550.50
37 30	1 587 047.79	123 547.20	1 587 218.58	138 698.18
92 40 00	1 573 727.34	123 699.76	1 573 903.64	138 850.69
42 30	1 560 406.93	123 857.20	1 560 588.74	139 008.06
45 00	1 547 086.60	124 019.45	1 547 273.92	139 170.25
47 30	1 533 766.33	124 186.57	1 533 959.16	139 337.30
92 50 00	1 520 446.11	124 358.52	1 520 644.45	139 509.17
52 30	1 507 125.97	124 535.32	1 507 329.81	139 685.90
55 00	1 493 805.88	124 716.95	1 494 015.24	139 867.46
57 30	1 480 485.87	124 903.45	1 480 700.74	140 053.88
93 00 00	1 467 165.92	125 094.77	1 467 386.29	140 245.11

LONGITUDE	LATITUDE 29 05 00 X	Y	LATITUDE 29 07 30 X	Y
92 00 00	1 787 036.35	152 143.04	1 787 124.51	167 294.57
02 30	1 773 726.30	152 222.91	1 773 819.96	167 374.40
05 00	1 760 416.26	152 307.60	1 760 515.43	167 459.05
07 30	1 747 106.26	152 397.15	1 747 210.94	167 548.57
92 10 00	1 733 796.30	152 491.51	1 733 906.49	167 642.89
12 30	1 720 486.36	152 590.74	1 720 602.06	167 742.08
15 00	1 707 176.47	152 694.78	1 707 297.68	167 846.08
17 30	1 693 866.61	152 803.69	1 693 993.33	167 954.94
92 20 00	1 680 556.80	152 917.42	1 680 689.02	168 068.62
22 30	1 667 247.02	153 036.00	1 667 384.76	168 187.16
25 00	1 653 937.29	153 159.41	1 654 080.54	168 310.51
27 30	1 640 627.61	153 287.68	1 640 776.37	168 438.73
92 30 00	1 627 317.97	153 420.76	1 627 472.24	168 571.75
32 30	1 614 008.39	153 558.70	1 614 168.16	168 709.64
35 00	1 600 698.85	153 701.47	1 600 864.13	168 852.34
37 30	1 587 389.37	153 849.09	1 587 560.16	168 999.91
92 40 00	1 574 079.94	154 001.53	1 574 256.24	169 152.29
42 30	1 560 770.55	154 158.84	1 560 952.36	169 309.53
45 00	1 547 461.24	154 320.96	1 547 648.55	169 471.58
47 30	1 534 151.98	154 487.94	1 534 344.81	169 638.49
92 50 00	1 520 842.79	154 659.74	1 521 041.12	169 810.22
52 30	1 507 533.66	154 836.40	1 507 737.50	169 986.81
55 00	1 494 224.59	155 017.88	1 494 433.95	170 168.22
57 30	1 480 915.60	155 204.22	1 481 130.46	170 354.48
93 00 00	1 467 606.67	155 395.38	1 467 827.04	170 545.56

LONGITUDE	LATITUDE 29 10 00 X	Y	LATITUDE 29 12 30 X	Y
92 00 00	1 787 212.66	182 446.03	1 787 300.81	197 597.41
02 30	1 773 913.62	182 525.83	1 774 007.28	197 677.18
05 00	1 760 614.60	182 610.45	1 760 713.77	197 761.76
07 30	1 747 315.62	182 699.93	1 747 420.30	197 851.20
92 10 00	1 734 016.67	182 794.21	1 734 126.86	197 945.45
12 30	1 720 717.76	182 893.36	1 720 833.46	198 044.56
15 00	1 707 418.89	182 997.31	1 707 540.09	198 148.47
17 30	1 694 120.05	183 106.14	1 694 246.76	198 257.25
92 20 00	1 680 821.25	183 219.76	1 680 953.47	198 370.82
22 30	1 667 522.49	183 338.25	1 667 660.23	198 489.26
25 00	1 654 223.78	183 461.56	1 654 367.02	198 612.52
27 30	1 640 925.12	183 589.72	1 641 073.87	198 740.62
92 30 00	1 627 626.50	183 722.69	1 627 780.76	198 873.54
32 30	1 614 327.93	183 860.52	1 614 487.70	199 011.32
35 00	1 601 029.41	184 003.16	1 601 194.69	199 153.90
37 30	1 587 730.95	184 150.67	1 587 901.74	199 301.34
92 40 00	1 574 432.54	184 302.98	1 574 608.84	199 453.60
42 30	1 561 134.17	184 460.16	1 561 315.97	199 610.71
45 00	1 547 835.87	184 622.14	1 548 023.19	199 772.62
47 30	1 534 537.64	184 788.99	1 534 730.46	199 939.40
92 50 00	1 521 239.46	184 960.65	1 521 437.79	200 110.99
52 30	1 507 941.35	185 137.16	1 508 145.19	200 287.43
55 00	1 494 643.30	185 318.49	1 494 852.65	200 468.68
57 30	1 481 345.33	185 504.68	1 481 560.19	200 654.79
93 00 00	1 468 047.41	185 695.68	1 468 267.78	200 845.71

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 29 00 00 X	LATITUDE 29 00 00 Y	LATITUDE 29 02 30 X	LATITUDE 29 02 30 Y
93 00 00	1 467 165.92	125 094.77	1 467 386.29	140 245.11
02 30	1 453 846.05	125 290.95	1 454 071.93	140 441.21
05 00	1 440 526.24	125 491.95	1 440 757.64	140 642.13
07 30	1 427 206.51	125 697.82	1 427 443.41	140 847.92
93 10 00	1 413 886.86	125 908.51	1 414 129.27	141 058.52
12 30	1 400 567.28	126 124.06	1 400 815.20	141 273.98
15 00	1 387 247.79	126 344.44	1 387 501.21	141 494.27
17 30	1 373 928.37	126 569.68	1 374 187.31	141 719.42
93 20 00	1 360 609.03	126 799.74	1 360 873.48	141 949.38
22 30	1 347 289.79	127 034.67	1 347 559.74	142 184.22
25 00	1 333 970.62	127 274.42	1 334 246.08	142 423.87
27 30	1 320 651.55	127 519.03	1 320 932.52	142 668.37
93 30 00	1 307 332.56	127 768.47	1 307 619.04	142 917.71
32 30	1 294 013.67	128 022.77	1 294 305.66	143 171.90
35 00	1 280 694.87	128 281.89	1 280 992.36	143 430.92
37 30	1 267 376.15	128 545.87	1 267 679.15	143 694.79
93 40 00	1 254 057.54	128 814.68	1 254 366.05	143 963.49
42 30	1 240 739.03	129 088.35	1 241 053.05	144 237.05
45 00	1 227 420.62	129 366.85	1 227 740.15	144 515.43
47 30	1 214 102.31	129 650.20	1 214 427.35	144 798.67
93 50 00	1 200 784.11	129 938.38	1 201 114.66	145 086.72
52 30	1 187 466.01	130 231.42	1 187 802.07	145 379.65
55 00	1 174 148.02	130 529.29	1 174 489.59	145 677.39
57 30	1 160 830.14	130 832.01	1 161 177.21	145 979.99
94 00 00	1 147 512.37	131 139.56	1 147 864.95	146 287.41

LONGITUDE	LATITUDE 29 05 00 X	LATITUDE 29 05 00 Y	LATITUDE 29 07 30 X	LATITUDE 29 07 30 Y
93 00 00	1 467 606.67	155 395.38	1 467 827.04	170 545.56
02 30	1 454 297.81	155 591.40	1 454 523.69	170 741.49
05 00	1 440 989.03	155 792.24	1 441 220.42	170 942.25
07 30	1 427 680.31	155 997.93	1 427 917.21	171 147.86
93 10 00	1 414 371.68	156 208.45	1 414 614.08	171 358.29
12 30	1 401 063.12	156 423.83	1 401 311.03	171 573.58
15 00	1 387 754.64	156 644.02	1 388 008.06	171 793.68
17 30	1 374 446.24	156 869.08	1 374 705.17	172 018.64
93 20 00	1 361 137.92	157 098.94	1 361 402.36	172 248.42
22 30	1 347 829.69	157 333.68	1 348 099.64	172 483.06
25 00	1 334 521.54	157 573.23	1 334 797.00	172 722.51
27 30	1 321 213.49	157 817.64	1 321 494.45	172 966.81
93 30 00	1 307 905.52	158 066.87	1 308 191.99	173 215.94
32 30	1 294 597.64	158 320.96	1 294 889.63	173 469.93
35 00	1 281 289.86	158 579.87	1 281 587.35	173 728.73
37 30	1 267 982.15	158 843.63	1 268 285.16	173 992.38
93 40 00	1 254 674.56	159 112.22	1 254 983.07	174 260.86
42 30	1 241 367.07	159 385.66	1 241 681.09	174 534.19
45 00	1 228 059.68	159 663.93	1 228 379.20	174 812.34
47 30	1 214 752.39	159 947.05	1 215 077.42	175 095.34
93 50 00	1 201 445.20	160 234.99	1 201 775.75	175 383.16
52 30	1 188 138.12	160 527.79	1 188 474.17	175 675.84
55 00	1 174 831.15	160 825.41	1 175 172.71	175 973.33
57 30	1 161 524.28	161 127.88	1 161 871.35	176 275.69
94 00 00	1 148 217.53	161 435.18	1 148 570.10	176 582.86

LONGITUDE	LATITUDE 29 10 00 X	LATITUDE 29 10 00 Y	LATITUDE 29 12 30 X	LATITUDE 29 12 30 Y
93 00 00	1 468 047.41	185 695.68	1 468 267.78	200 845.71
02 30	1 454 749.57	185 891.53	1 454 975.45	201 041.49
05 00	1 441 451.81	186 092.20	1 441 683.19	201 242.07
07 30	1 428 154.11	186 297.73	1 428 391.00	201 447.52
93 10 00	1 414 856.49	186 508.07	1 415 098.89	201 657.77
12 30	1 401 558.95	186 723.27	1 401 806.86	201 872.88
15 00	1 388 261.49	186 943.28	1 388 514.91	202 092.80
17 30	1 374 964.11	187 168.15	1 375 223.04	202 317.58
93 20 00	1 361 666.80	187 397.83	1 361 931.24	202 547.16
22 30	1 348 369.59	187 632.37	1 348 639.54	202 781.61
25 00	1 335 072.46	187 871.72	1 335 347.92	203 020.86
27 30	1 321 775.42	188 115.93	1 322 056.38	203 264.96
93 30 00	1 308 478.47	188 364.96	1 308 764.94	203 513.89
32 30	1 295 181.61	188 618.83	1 295 473.59	203 767.66
35 00	1 281 884.84	188 877.52	1 282 182.33	204 026.24
37 30	1 268 588.16	189 141.07	1 268 891.15	204 289.68
93 40 00	1 255 291.58	189 409.43	1 255 600.09	204 557.93
42 30	1 241 995.11	189 682.65	1 242 309.12	204 831.04
45 00	1 228 698.73	189 960.69	1 229 018.25	205 108.96
47 30	1 215 402.45	190 243.58	1 215 727.49	205 391.73
93 50 00	1 202 106.29	190 531.28	1 202 436.83	205 679.31
52 30	1 188 810.22	190 823.83	1 189 146.27	205 971.75
55 00	1 175 514.26	191 121.20	1 175 855.82	206 268.99
57 30	1 162 218.41	191 423.43	1 162 565.48	206 571.10
94 00 00	1 148 922.68	191 730.47	1 149 275.25	206 878.01

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 29 15 00 X	LATITUDE 29 15 00 Y	LATITUDE 29 17 30 X	LATITUDE 29 17 30 Y
88 40 00	2 850 372.18	222 025.51	2 850 019.61	237 172.96
42 30	2 837 087.46	221 718.72	2 836 740.40	236 866.30
45 00	2 823 802.63	221 416.74	2 823 461.07	236 564.44
47 30	2 810 517.68	221 119.62	2 810 181.64	236 267.44
88 50 00	2 797 232.63	220 827.30	2 796 902.10	235 975.25
52 30	2 783 947.48	220 539.84	2 783 622.45	235 687.91
55 00	2 770 662.23	220 257.19	2 770 342.70	235 405.37
57 30	2 757 376.86	219 979.39	2 757 062.85	235 127.68
89 00 00	2 744 091.40	219 706.39	2 743 782.90	234 854.80

LONGITUDE	LATITUDE 29 20 00 X	LATITUDE 29 20 00 Y	LATITUDE 29 22 30 X	LATITUDE 29 22 30 Y
88 40 00	2 849 667.04	252 320.36	2 849 314.47	267 467.73
42 30	2 836 393.34	252 013.83	2 836 046.28	267 161.33
45 00	2 823 119.52	251 712.10	2 822 777.97	266 859.72
47 30	2 809 845.59	251 415.23	2 809 509.55	266 562.97
88 50 00	2 796 571.56	251 123.15	2 796 241.02	266 271.02
52 30	2 783 297.42	250 835.93	2 782 972.40	265 983.91
55 00	2 770 023.18	250 553.51	2 769 703.66	265 701.61
57 30	2 756 748.84	250 275.94	2 756 434.83	265 424.15
89 00 00	2 743 474.40	250 003.17	2 743 165.89	265 151.50

LONGITUDE	LATITUDE 29 25 00 X	LATITUDE 29 25 00 Y	LATITUDE 29 27 30 X	LATITUDE 29 27 30 Y
88 40 00	2 848 961.91	282 615.09	2 848 609.34	297 762.42
42 30	2 835 699.22	282 308.81	2 835 352.16	297 456.26
45 00	2 822 436.42	282 007.33	2 822 094.86	297 154.91
47 30	2 809 173.50	281 710.70	2 808 837.46	296 858.40
88 50 00	2 795 910.49	281 418.87	2 795 579.95	296 566.70
52 30	2 782 647.37	281 131.89	2 782 322.34	296 279.83
55 00	2 769 384.14	280 849.70	2 769 064.63	295 997.76
57 30	2 756 120.81	280 572.36	2 755 806.80	295 720.53
89 00 00	2 742 857.39	280 299.82	2 742 548.89	295 448.11

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 29 15 00 X	LATITUDE 29 15 00 Y	LATITUDE 29 17 30 X	LATITUDE 29 17 30 Y
89 00 00	2 744 091.40	219 706.39	2 743 782.90	234 854.80
02 30	2 730 805.85	219 438.25	2 730 502.85	234 586.77
05 00	2 717 520.18	219 174.92	2 717 222.69	234 323.55
07 30	2 704 234.43	218 916.44	2 703 942.45	234 065.18
89 10 00	2 690 948.58	218 662.78	2 690 662.11	233 811.62
12 30	2 677 662.65	218 413.96	2 677 381.69	233 562.90
15 00	2 664 376.63	218 169.95	2 664 101.17	233 319.00
17 30	2 651 090.51	217 930.80	2 650 820.57	233 079.95
89 20 00	2 637 804.32	217 696.45	2 637 539.88	232 845.69
22 30	2 624 518.03	217 466.96	2 624 259.10	232 616.30
25 00	2 611 231.67	217 242.28	2 610 978.25	232 391.71
27 30	2 597 945.23	217 022.45	2 597 697.32	232 171.97
89 30 00	2 584 658.70	216 807.43	2 584 416.30	231 957.04
32 30	2 571 372.10	216 597.27	2 571 135.21	231 746.96
35 00	2 558 085.42	216 391.91	2 557 854.04	231 541.69
37 30	2 544 798.67	216 191.40	2 544 572.80	231 341.27
89 40 00	2 531 511.85	215 995.71	2 531 291.48	231 145.66
42 30	2 518 224.95	215 804.87	2 518 010.09	230 954.90
45 00	2 504 938.00	215 618.84	2 504 728.65	230 768.94
47 30	2 491 650.97	215 437.66	2 491 447.13	230 587.84
89 50 00	2 478 363.88	215 261.29	2 478 165.54	230 411.54
52 30	2 465 076.71	215 089.77	2 464 883.89	230 240.09
55 00	2 451 789.50	214 923.07	2 451 602.18	230 073.46
57 30	2 438 502.22	214 761.22	2 438 320.41	229 911.67
90 00 00	2 425 214.86	214 604.17	2 425 038.57	229 754.69

LONGITUDE	LATITUDE 29 20 00 X	LATITUDE 29 20 00 Y	LATITUDE 29 22 30 X	LATITUDE 29 22 30 Y
89 00 00	2 743 474.40	250 003.17	2 743 165.89	265 151.50
02 30	2 730 199.85	249 735.25	2 729 896.86	264 883.69
05 00	2 716 925.20	249 472.14	2 716 627.71	264 620.69
07 30	2 703 650.47	249 213.88	2 703 358.49	264 362.53
89 10 00	2 690 375.64	248 960.42	2 690 089.17	264 109.18
12 30	2 677 100.73	248 711.81	2 676 819.76	263 860.67
15 00	2 663 825.72	248 468.01	2 663 550.26	263 616.97
17 30	2 650 550.62	248 229.05	2 650 280.68	263 378.12
89 20 00	2 637 275.44	247 994.90	2 637 011.01	263 144.06
22 30	2 624 000.18	247 765.60	2 623 741.25	262 914.86
25 00	2 610 724.83	247 541.10	2 610 471.41	262 690.45
27 30	2 597 449.40	247 321.46	2 597 201.49	262 470.90
89 30 00	2 584 173.90	247 106.61	2 583 931.49	262 256.15
32 30	2 570 898.31	246 896.62	2 570 661.42	262 046.24
35 00	2 557 622.65	246 691.43	2 557 391.27	261 841.14
37 30	2 544 346.92	246 491.10	2 544 121.04	261 640.88
89 40 00	2 531 071.12	246 295.57	2 530 850.75	261 445.43
42 30	2 517 795.24	246 104.88	2 517 580.38	261 254.83
45 00	2 504 519.30	245 919.00	2 504 309.95	261 069.03
47 30	2 491 243.28	245 737.97	2 491 039.44	260 888.07
89 50 00	2 477 967.21	245 561.75	2 477 768.88	260 711.92
52 30	2 464 691.07	245 390.38	2 464 498.24	260 540.62
55 00	2 451 414.87	245 223.81	2 451 227.56	260 374.12
57 30	2 438 138.61	245 062.09	2 437 956.80	260 212.47
90 00 00	2 424 862.27	244 905.18	2 424 685.98	260 055.62

LONGITUDE	LATITUDE 29 25 00 X	LATITUDE 29 25 00 Y	LATITUDE 29 27 30 X	LATITUDE 29 27 30 Y
89 00 00	2 742 857.39	280 299.82	2 742 548.89	295 448.11
02 30	2 729 593.86	280 032.13	2 729 290.87	295 180.53
05 00	2 716 330.23	279 769.23	2 716 032.74	294 917.74
07 30	2 703 066.51	279 511.18	2 702 774.53	294 659.80
89 10 00	2 689 802.70	279 257.93	2 689 516.23	294 406.66
12 30	2 676 538.80	279 009.53	2 676 257.84	294 158.35
15 00	2 663 274.81	278 765.93	2 662 999.36	293 914.85
17 30	2 650 010.73	278 527.17	2 649 740.79	293 676.20
89 20 00	2 636 746.57	278 293.21	2 636 482.13	293 442.33
22 30	2 623 482.32	278 064.10	2 623 223.39	293 213.32
25 00	2 610 217.99	277 839.79	2 609 964.57	292 989.10
27 30	2 596 953.58	277 620.33	2 596 705.67	292 769.73
89 30 00	2 583 689.09	277 405.67	2 583 446.69	292 555.16
32 30	2 570 424.53	277 195.85	2 570 187.63	292 345.43
35 00	2 557 159.88	276 990.83	2 556 928.50	292 140.49
37 30	2 543 895.17	276 790.66	2 543 669.29	291 940.40
89 40 00	2 530 630.38	276 595.29	2 530 410.02	291 745.12
42 30	2 517 365.52	276 404.77	2 517 150.66	291 554.67
45 00	2 504 100.60	276 219.04	2 503 891.25	291 369.02
47 30	2 490 835.60	276 038.16	2 490 631.76	291 188.22
89 50 00	2 477 570.55	275 862.09	2 477 372.22	291 012.22
52 30	2 464 305.42	275 690.85	2 464 112.60	290 841.06
55 00	2 451 040.24	275 524.43	2 450 852.93	290 674.70
57 30	2 437 775.00	275 362.84	2 437 593.19	290 513.18
90 00 00	2 424 509.68	275 206.06	2 424 333.38	290 356.46

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 29 15 00 X	LATITUDE 29 15 00 Y	LATITUDE 29 17 30 X	LATITUDE 29 17 30 Y
90 00 00	2 425 214.86	214 604.17	2 425 038.57	229 754.69
02 30	2 411 927.47	214 451.98	2 411 756.69	229 602.57
05 00	2 398 640.03	214 304.60	2 398 474.75	229 455.25
07 30	2 385 352.53	214 162.07	2 385 192.76	229 312.78
90 10 00	2 372 064.98	214 024.36	2 371 910.72	229 175.12
12 30	2 358 777.38	213 891.49	2 358 628.63	229 042.31
15 00	2 345 489.73	213 763.44	2 345 346.49	228 914.32
17 30	2 332 202.04	213 640.24	2 332 064.31	228 791.16
90 20 00	2 318 914.30	213 521.85	2 318 782.08	228 672.82
22 30	2 305 626.52	213 408.32	2 305 499.81	228 559.34
25 00	2 292 338.70	213 299.58	2 292 217.50	228 450.65
27 30	2 279 050.85	213 195.71	2 278 935.15	228 346.82
90 30 00	2 265 762.95	213 096.65	2 265 652.76	228 247.80
32 30	2 252 475.02	213 002.44	2 252 370.35	228 153.63
35 00	2 239 187.06	212 913.04	2 239 087.89	228 064.27
37 30	2 225 899.06	212 828.49	2 225 805.40	227 979.75
90 40 00	2 212 611.04	212 748.76	2 212 522.89	227 900.05
42 30	2 199 322.99	212 673.87	2 199 240.35	227 825.20
45 00	2 186 034.91	212 603.80	2 185 957.78	227 755.16
47 30	2 172 746.80	212 538.58	2 172 675.18	227 689.96
90 50 00	2 159 458.68	212 478.18	2 159 392.57	227 629.58
52 30	2 146 170.53	212 422.62	2 146 109.93	227 574.05
55 00	2 132 882.35	212 371.87	2 132 827.25	227 523.32
57 30	2 119 594.16	212 325.98	2 119 544.58	227 477.45
91 00 00	2 106 305.96	212 284.90	2 106 261.89	227 436.39

LONGITUDE	LATITUDE 29 20 00 X	LATITUDE 29 20 00 Y	LATITUDE 29 22 30 X	LATITUDE 29 22 30 Y
90 00 00	2 424 862.27	244 905.18	2 424 685.98	260 055.62
02 30	2 411 585.90	244 753.11	2 411 415.11	259 903.62
05 00	2 398 309.47	244 605.86	2 398 144.19	259 756.43
07 30	2 385 032.99	244 463.45	2 384 873.22	259 614.08
90 10 00	2 371 756.46	244 325.84	2 371 602.20	259 476.53
12 30	2 358 479.88	244 193.09	2 358 331.12	259 343.83
15 00	2 345 203.25	244 065.15	2 345 060.01	259 215.94
17 30	2 331 926.57	243 942.05	2 331 788.84	259 092.89
90 20 00	2 318 649.86	243 823.75	2 318 517.63	258 974.65
22 30	2 305 373.09	243 710.32	2 305 246.38	258 861.26
25 00	2 292 096.29	243 601.68	2 291 975.09	258 752.66
27 30	2 278 819.46	243 497.89	2 278 703.76	258 648.92
90 30 00	2 265 542.58	243 398.91	2 265 432.39	258 549.98
32 30	2 252 265.67	243 304.78	2 252 160.99	258 455.89
35 00	2 238 988.72	243 215.45	2 238 889.56	258 366.60
37 30	2 225 711.74	243 130.98	2 225 618.09	258 282.16
90 40 00	2 212 434.74	243 051.30	2 212 346.59	258 202.52
42 30	2 199 157.71	242 976.48	2 199 075.07	258 127.73
45 00	2 185 880.65	242 906.47	2 185 803.51	258 057.75
47 30	2 172 603.56	242 841.30	2 172 531.94	257 992.61
90 50 00	2 159 326.45	242 780.95	2 159 260.34	257 932.27
52 30	2 146 049.32	242 725.44	2 145 988.72	257 876.79
55 00	2 132 772.16	242 674.73	2 132 717.06	257 826.10
57 30	2 119 495.00	242 628.88	2 119 445.41	257 780.27
91 00 00	2 106 217.81	242 587.83	2 106 173.74	257 739.24

LONGITUDE	LATITUDE 29 25 00 X	LATITUDE 29 25 00 Y	LATITUDE 29 27 30 X	LATITUDE 29 27 30 Y
90 00 00	2 424 509.68	275 206.06	2 424 333.38	290 356.46
02 30	2 411 244.32	275 054.12	2 411 073.54	290 204.59
05 00	2 397 978.91	274 906.98	2 397 813.64	290 057.51
07 30	2 384 713.45	274 764.69	2 384 553.69	289 915.28
90 10 00	2 371 447.94	274 627.20	2 371 293.68	289 777.85
12 30	2 358 182.37	274 494.56	2 358 033.62	289 645.26
15 00	2 344 916.77	274 366.72	2 344 773.53	289 517.48
17 30	2 331 651.11	274 243.72	2 331 513.38	289 394.53
90 20 00	2 318 385.41	274 125.53	2 318 253.19	289 276.38
22 30	2 305 119.66	274 012.19	2 304 992.95	289 163.09
25 00	2 291 853.88	273 903.64	2 291 732.68	289 054.58
27 30	2 278 588.06	273 799.94	2 278 472.37	288 950.93
90 30 00	2 265 322.20	273 701.04	2 265 212.02	288 852.07
32 30	2 252 056.31	273 606.99	2 251 951.64	288 758.05
35 00	2 238 790.39	273 517.73	2 238 691.22	288 668.84
37 30	2 225 524.43	273 433.33	2 225 430.77	288 584.47
90 40 00	2 212 258.44	273 353.72	2 212 170.30	288 504.90
42 30	2 198 992.43	273 278.96	2 198 909.79	288 430.17
45 00	2 185 726.38	273 209.01	2 185 649.25	288 360.24
47 30	2 172 460.32	273 143.90	2 172 388.70	288 295.16
90 50 00	2 159 194.23	273 083.59	2 159 128.12	288 234.87
52 30	2 145 928.12	273 028.13	2 145 867.52	288 179.43
55 00	2 132 661.97	272 977.46	2 132 606.88	288 128.79
57 30	2 119 395.83	272 931.65	2 119 346.24	288 083.00
91 00 00	2 106 129.66	272 890.63	2 106 085.59	288 042.00

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 29 15 00 X	LATITUDE 29 15 00 Y	LATITUDE 29 17 30 X	LATITUDE 29 17 30 Y
91 00 00	2 106 305.96	212 284.90	2 106 261.89	227 436.39
02 30	2 093 017.75	212 248.67	2 092 979.18	227 400.17
05 00	2 079 729.52	212 217.25	2 079 696.46	227 368.77
07 30	2 066 441.28	212 190.69	2 066 413.74	227 342.21
91 10 00	2 053 153.03	212 168.94	2 053 131.00	227 320.47
12 30	2 039 864.78	212 152.03	2 039 848.26	227 303.58
15 00	2 026 576.53	212 139.94	2 026 565.51	227 291.49
17 30	2 013 288.26	212 132.71	2 013 282.76	227 284.26
91 20 00	2 000 000.00	212 130.28	2 000 000.00	227 281.83
22 30	1 986 711.74	212 132.71	1 986 717.24	227 284.26
25 00	1 973 423.47	212 139.94	1 973 434.49	227 291.49
27 30	1 960 135.22	212 152.03	1 960 151.74	227 303.58
91 30 00	1 946 846.97	212 168.94	1 946 869.00	227 320.47
32 30	1 933 558.72	212 190.69	1 933 586.26	227 342.21
35 00	1 920 270.48	212 217.25	1 920 303.54	227 368.77
37 30	1 906 982.25	212 248.67	1 907 020.82	227 400.17
91 40 00	1 893 694.04	212 284.90	1 893 738.11	227 436.39
42 30	1 880 405.84	212 325.98	1 880 455.42	227 477.45
45 00	1 867 117.65	212 371.87	1 867 172.75	227 523.32
47 30	1 853 829.47	212 422.62	1 853 890.07	227 574.05
91 50 00	1 840 541.32	212 478.18	1 840 607.43	227 629.58
52 30	1 827 253.20	212 538.58	1 827 324.82	227 689.96
55 00	1 813 965.09	212 603.80	1 814 042.22	227 755.16
57 30	1 800 677.01	212 673.87	1 800 759.65	227 825.20
92 00 00	1 787 388.96	212 748.76	1 787 477.11	227 900.05

LONGITUDE	LATITUDE 29 20 00 X	LATITUDE 29 20 00 Y	LATITUDE 29 22 30 X	LATITUDE 29 22 30 Y
91 00 00	2 106 217.81	242 587.83	2 106 173.74	257 739.24
02 30	2 092 940.62	242 551.63	2 092 902.05	257 703.06
05 00	2 079 663.41	242 520.24	2 079 630.35	257 671.67
07 30	2 066 386.19	242 493.70	2 066 358.64	257 645.14
91 10 00	2 053 108.96	242 471.96	2 053 086.92	257 623.42
12 30	2 039 831.73	242 455.08	2 039 815.20	257 606.54
15 00	2 026 554.49	242 442.99	2 026 543.47	257 594.46
17 30	2 013 277.25	242 435.76	2 013 271.74	257 587.23
91 20 00	2 000 000.00	242 433.34	2 000 000.00	257 584.81
22 30	1 986 722.75	242 435.76	1 986 728.26	257 587.23
25 00	1 973 445.51	242 442.99	1 973 456.53	257 594.46
27 30	1 960 168.27	242 455.08	1 960 184.80	257 606.54
91 30 00	1 946 891.04	242 471.96	1 946 913.08	257 623.42
32 30	1 933 613.81	242 493.70	1 933 641.36	257 645.14
35 00	1 920 336.59	242 520.24	1 920 369.65	257 671.67
37 30	1 907 059.38	242 551.63	1 907 097.95	257 703.06
91 40 00	1 893 782.19	242 587.83	1 893 826.26	257 739.24
42 30	1 880 505.00	242 628.88	1 880 554.59	257 780.27
45 00	1 867 227.84	242 674.73	1 867 282.94	257 826.10
47 30	1 853 950.68	242 725.44	1 854 011.28	257 876.79
91 50 00	1 840 673.55	242 780.95	1 840 739.66	257 932.27
52 30	1 827 396.44	242 841.30	1 827 468.06	257 992.61
55 00	1 814 119.35	242 906.47	1 814 196.49	258 057.75
57 30	1 800 842.29	242 976.48	1 800 924.93	258 127.73
92 00 00	1 787 565.26	243 051.30	1 787 653.41	258 202.52

LONGITUDE	LATITUDE 29 25 00 X	LATITUDE 29 25 00 Y	LATITUDE 29 27 30 X	LATITUDE 29 27 30 Y
91 00 00	2 106 129.66	272 890.63	2 106 085.59	288 042.00
02 30	2 092 863.49	272 854.47	2 092 824.92	288 005.85
05 00	2 079 597.29	272 823.10	2 079 564.24	287 974.49
07 30	2 066 331.10	272 796.58	2 066 303.55	287 947.98
91 10 00	2 053 064.88	272 774.86	2 053 042.85	287 926.28
12 30	2 039 798.67	272 757.99	2 039 782.14	287 909.41
15 00	2 026 532.45	272 745.92	2 026 521.43	287 897.34
17 30	2 013 266.23	272 738.69	2 013 260.72	287 890.12
91 20 00	2 000 000.00	272 736.27	2 000 000.00	287 887.70
22 30	1 986 733.77	272 738.69	1 986 739.28	287 890.12
25 00	1 973 467.55	272 745.92	1 973 478.57	287 897.34
27 30	1 960 201.33	272 757.99	1 960 217.86	287 909.41
91 30 00	1 946 935.12	272 774.86	1 946 957.15	287 926.28
32 30	1 933 668.90	272 796.58	1 933 696.45	287 947.98
35 00	1 920 402.71	272 823.10	1 920 435.76	287 974.49
37 30	1 907 136.51	272 854.47	1 907 175.08	288 005.85
91 40 00	1 893 870.34	272 890.63	1 893 914.41	288 042.00
42 30	1 880 604.17	272 931.65	1 880 653.76	288 083.00
45 00	1 867 338.03	272 977.46	1 867 393.12	288 128.79
47 30	1 854 071.88	273 028.13	1 854 132.48	288 179.43
91 50 00	1 840 805.77	273 083.59	1 840 871.88	288 234.87
52 30	1 827 539.68	273 143.90	1 827 611.30	288 295.16
55 00	1 814 273.62	273 209.01	1 814 350.75	288 360.24
57 30	1 801 007.57	273 278.96	1 801 090.21	288 430.17
92 00 00	1 787 741.56	273 353.72	1 787 829.70	288 504.90

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 29 15 00 X	LATITUDE 29 15 00 Y	LATITUDE 29 17 30 X	LATITUDE 29 17 30 Y
92 00 00	1 787 388.96	212 748.76	1 787 477.11	227 900.05
02 30	1 774 100.94	212 828.49	1 774 194.60	227 979.75
05 00	1 760 812.94	212 913.04	1 760 912.11	228 064.27
07 30	1 747 524.98	213 002.44	1 747 629.65	228 153.63
92 10 00	1 734 237.05	213 096.65	1 734 347.24	228 247.80
12 30	1 720 949.15	213 195.71	1 721 064.85	228 346.82
15 00	1 707 661.30	213 299.58	1 707 782.50	228 450.65
17 30	1 694 373.48	213 408.32	1 694 500.19	228 559.34
92 20 00	1 681 085.70	213 521.85	1 681 217.92	228 672.82
22 30	1 667 797.96	213 640.24	1 667 935.69	228 791.16
25 00	1 654 510.27	213 763.44	1 654 653.51	228 914.32
27 30	1 641 222.62	213 891.49	1 641 371.37	229 042.31
92 30 00	1 627 935.02	214 024.36	1 628 089.28	229 175.12
32 30	1 614 647.47	214 162.07	1 614 807.24	229 312.78
35 00	1 601 359.97	214 304.60	1 601 525.25	229 455.25
37 30	1 588 072.53	214 451.98	1 588 243.31	229 602.57
92 40 00	1 574 785.14	214 604.17	1 574 961.43	229 754.69
42 30	1 561 497.78	214 761.22	1 561 679.59	229 911.67
45 00	1 548 210.50	214 923.07	1 548 397.82	230 073.46
47 30	1 534 923.29	215 089.77	1 535 116.11	230 240.09
92 50 00	1 521 636.12	215 261.29	1 521 834.46	230 411.54
52 30	1 508 349.03	215 437.66	1 508 552.87	230 587.84
55 00	1 495 062.00	215 618.84	1 495 271.35	230 768.94
57 30	1 481 775.05	215 804.87	1 481 989.91	230 954.90
93 00 00	1 468 488.15	215 995.71	1 468 708.52	231 145.66

LONGITUDE	LATITUDE 29 20 00 X	LATITUDE 29 20 00 Y	LATITUDE 29 22 30 X	LATITUDE 29 22 30 Y
92 00 00	1 787 565.26	243 051.30	1 787 653.41	258 202.52
02 30	1 774 288.26	243 130.98	1 774 381.91	258 282.16
05 00	1 761 011.28	243 215.45	1 761 110.44	258 366.60
07 30	1 747 734.33	243 304.78	1 747 839.01	258 455.89
92 10 00	1 734 457.42	243 398.91	1 734 567.61	258 549.98
12 30	1 721 180.54	243 497.89	1 721 296.24	258 648.92
15 00	1 707 903.71	243 601.68	1 708 024.91	258 752.66
17 30	1 694 626.91	243 710.32	1 694 753.62	258 861.26
92 20 00	1 681 350.14	243 823.75	1 681 482.37	258 974.65
22 30	1 668 073.43	243 942.05	1 668 211.16	259 092.89
25 00	1 654 796.75	244 065.15	1 654 939.99	259 215.94
27 30	1 641 520.12	244 193.09	1 641 668.88	259 343.83
92 30 00	1 628 243.54	244 325.84	1 628 397.80	259 476.53
32 30	1 614 967.01	244 463.45	1 615 126.78	259 614.08
35 00	1 601 690.53	244 605.86	1 601 855.81	259 756.43
37 30	1 588 414.10	244 753.11	1 588 584.89	259 903.62
92 40 00	1 575 137.73	244 905.18	1 575 314.02	260 055.62
42 30	1 561 861.39	245 062.09	1 562 043.20	260 212.47
45 00	1 548 585.13	245 223.81	1 548 772.44	260 374.12
47 30	1 535 308.93	245 390.38	1 535 501.76	260 540.62
92 50 00	1 522 032.79	245 561.75	1 522 231.12	260 711.92
52 30	1 508 756.72	245 737.97	1 508 960.56	260 888.07
55 00	1 495 480.70	245 919.00	1 495 690.05	261 069.03
57 30	1 482 204.76	246 104.88	1 482 419.62	261 254.83
93 00 00	1 468 928.88	246 295.57	1 469 149.25	261 445.43

LONGITUDE	LATITUDE 29 25 00 X	LATITUDE 29 25 00 Y	LATITUDE 29 27 30 X	LATITUDE 29 27 30 Y
92 00 00	1 787 741.56	273 353.72	1 787 829.70	288 504.90
02 30	1 774 475.57	273 433.33	1 774 569.23	288 584.47
05 00	1 761 209.61	273 517.73	1 761 308.78	288 668.84
07 30	1 747 943.69	273 606.99	1 748 048.36	288 758.05
92 10 00	1 734 677.80	273 701.04	1 734 787.98	288 852.07
12 30	1 721 411.94	273 799.94	1 721 527.63	288 950.93
15 00	1 708 146.12	273 903.64	1 708 267.32	289 054.58
17 30	1 694 880.34	274 012.19	1 695 007.05	289 163.09
92 20 00	1 681 614.59	274 125.53	1 681 746.81	289 276.38
22 30	1 668 348.89	274 243.72	1 668 486.62	289 394.53
25 00	1 655 083.23	274 366.72	1 655 226.47	289 517.48
27 30	1 641 817.63	274 494.56	1 641 966.38	289 645.26
92 30 00	1 628 552.06	274 627.20	1 628 706.32	289 777.85
32 30	1 615 286.55	274 764.69	1 615 446.31	289 915.28
35 00	1 602 021.09	274 906.98	1 602 186.36	290 057.51
37 30	1 588 755.68	275 054.12	1 588 926.46	290 204.59
92 40 00	1 575 490.32	275 206.06	1 575 666.62	290 356.46
42 30	1 562 225.00	275 362.84	1 562 406.81	290 513.18
45 00	1 548 959.76	275 524.43	1 549 147.07	290 674.70
47 30	1 535 694.58	275 690.85	1 535 887.40	290 841.06
92 50 00	1 522 429.45	275 862.09	1 522 627.78	291 012.22
52 30	1 509 164.40	276 038.16	1 509 368.24	291 188.22
55 00	1 495 899.40	276 219.04	1 496 108.75	291 369.02
57 30	1 482 634.48	276 404.77	1 482 849.34	291 554.67
93 00 00	1 469 369.62	276 595.29	1 469 589.98	291 745.12

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 29 15 00 X	LATITUDE 29 15 00 Y	LATITUDE 29 17 30 X	LATITUDE 29 17 30 Y
93 00 00	1 468 488.15	215 995.71	1 468 708.52	231 145.66
02 30	1 455 201.33	216 191.40	1 455 427.20	231 341.27
05 00	1 441 914.58	216 391.91	1 442 145.96	231 541.69
07 30	1 428 627.90	216 597.27	1 428 864.79	231 746.96
93 10 00	1 415 341.30	216 807.43	1 415 583.70	231 957.04
12 30	1 402 054.77	217 022.45	1 402 302.68	232 171.97
15 00	1 388 768.33	217 242.28	1 389 021.75	232 391.71
17 30	1 375 481.97	217 466.96	1 375 740.90	232 616.30
93 20 00	1 362 195.68	217 696.45	1 362 460.12	232 845.69
22 30	1 348 909.49	217 930.80	1 349 179.43	233 079.95
25 00	1 335 623.37	218 169.95	1 335 898.83	233 319.00
27 30	1 322 337.35	218 413.96	1 322 618.31	233 562.90
93 30 00	1 309 051.42	218 662.78	1 309 337.89	233 811.62
32 30	1 295 765.57	218 916.44	1 296 057.55	234 065.18
35 00	1 282 479.82	219 174.92	1 282 777.31	234 323.55
37 30	1 269 194.15	219 438.25	1 269 497.15	234 586.77
93 40 00	1 255 908.60	219 706.39	1 256 217.10	234 854.80
42 30	1 242 623.14	219 979.39	1 242 937.15	235 127.68
45 00	1 229 337.77	220 257.19	1 229 657.30	235 405.37
47 30	1 216 052.52	220 539.84	1 216 377.55	235 687.91
93 50 00	1 202 767.37	220 827.30	1 203 097.90	235 975.25
52 30	1 189 482.32	221 119.62	1 189 818.36	236 267.44
55 00	1 176 197.37	221 416.74	1 176 538.93	236 564.44
57 30	1 162 912.54	221 718.72	1 163 259.60	236 866.30
94 00 00	1 149 627.82	222 025.51	1 149 980.39	237 172.96

LONGITUDE	LATITUDE 29 20 00 X	LATITUDE 29 20 00 Y	LATITUDE 29 22 30 X	LATITUDE 29 22 30 Y
93 00 00	1 468 928.88	246 295.57	1 469 149.25	261 445.43
02 30	1 455 653.08	246 491.10	1 455 878.96	261 640.88
05 00	1 442 377.35	246 691.43	1 442 608.73	261 841.14
07 30	1 429 101.69	246 896.62	1 429 338.58	262 046.24
93 10 00	1 415 826.10	247 106.61	1 416 068.51	262 256.15
12 30	1 402 550.60	247 321.46	1 402 798.51	262 470.90
15 00	1 389 275.17	247 541.10	1 389 528.59	262 690.45
17 30	1 375 999.82	247 765.60	1 376 258.75	262 914.86
93 20 00	1 362 724.56	247 994.90	1 362 988.99	263 144.06
22 30	1 349 449.38	248 229.05	1 349 719.32	263 378.12
25 00	1 336 174.28	248 468.01	1 336 449.74	263 616.97
27 30	1 322 899.27	248 711.81	1 323 180.24	263 860.67
93 30 00	1 309 624.36	248 960.42	1 309 910.83	264 109.18
32 30	1 296 349.53	249 213.88	1 296 641.51	264 362.53
35 00	1 283 074.80	249 472.14	1 283 372.29	264 620.69
37 30	1 269 800.15	249 735.25	1 270 103.14	264 883.69
93 40 00	1 256 525.60	250 003.17	1 256 834.11	265 151.50
42 30	1 243 251.16	250 275.94	1 243 565.17	265 424.15
45 00	1 229 976.82	250 553.51	1 230 296.34	265 701.61
47 30	1 216 702.58	250 835.93	1 217 027.60	265 983.91
93 50 00	1 203 428.44	251 123.15	1 203 758.98	266 271.02
52 30	1 190 154.41	251 415.23	1 190 490.45	266 562.97
55 00	1 176 880.48	251 712.10	1 177 222.03	266 859.72
57 30	1 163 606.66	252 013.83	1 163 953.72	267 161.33
94 00 00	1 150 332.96	252 320.36	1 150 685.53	267 467.73

LONGITUDE	LATITUDE 29 25 00 X	LATITUDE 29 25 00 Y	LATITUDE 29 27 30 X	LATITUDE 29 27 30 Y
93 00 00	1 469 369.62	276 595.29	1 469 589.98	291 745.12
02 30	1 456 104.83	276 790.66	1 456 330.71	291 940.40
05 00	1 442 840.12	276 990.83	1 443 071.50	292 140.49
07 30	1 429 575.47	277 195.85	1 429 812.37	292 345.43
93 10 00	1 416 310.91	277 405.67	1 416 553.31	292 555.16
12 30	1 403 046.42	277 620.33	1 403 294.33	292 769.73
15 00	1 389 782.01	277 839.79	1 390 035.43	292 989.10
17 30	1 376 517.68	278 064.10	1 376 776.61	293 213.32
93 20 00	1 363 253.43	278 293.21	1 363 517.87	293 442.33
22 30	1 349 989.27	278 527.17	1 350 259.21	293 676.20
25 00	1 336 725.19	278 765.93	1 337 000.64	293 914.85
27 30	1 323 461.20	279 009.53	1 323 742.16	294 158.35
93 30 00	1 310 197.30	279 257.93	1 310 483.77	294 406.66
32 30	1 296 933.49	279 511.18	1 297 225.47	294 659.80
35 00	1 283 669.77	279 769.23	1 283 967.26	294 917.74
37 30	1 270 406.14	280 032.13	1 270 709.13	295 180.53
93 40 00	1 257 142.61	280 299.82	1 257 451.11	295 448.11
42 30	1 243 879.19	280 572.36	1 244 193.20	295 720.53
45 00	1 230 615.86	280 849.70	1 230 935.37	295 997.76
47 30	1 217 352.63	281 131.89	1 217 677.66	296 279.83
93 50 00	1 204 089.51	281 418.87	1 204 420.05	296 566.70
52 30	1 190 826.50	281 710.70	1 191 162.54	296 858.40
55 00	1 177 563.58	282 007.33	1 177 905.14	297 154.91
57 30	1 164 300.78	282 308.81	1 164 647.84	297 456.26
94 00 00	1 151 038.09	282 615.09	1 151 390.66	297 762.42

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 29 30 00 X	LATITUDE 29 30 00 Y	LATITUDE 29 32 30 X	LATITUDE 29 32 30 Y
88 40 00	2 848 256.77	312 909.74	2 847 904.21	328 057.07
42 30	2 835 005.10	312 603.72	2 834 658.04	327 751.17
45 00	2 821 753.31	312 302.49	2 821 411.76	327 450.07
47 30	2 808 501.42	312 006.11	2 808 165.38	327 153.81
88 50 00	2 795 249.42	311 714.52	2 794 918.88	326 862.34
52 30	2 781 997.32	311 427.77	2 781 672.29	326 575.72
55 00	2 768 745.11	311 145.82	2 768 425.59	326 293.88
57 30	2 755 492.79	310 868.71	2 755 178.78	326 016.89
89 00 00	2 742 240.38	310 596.40	2 741 931.88	325 744.68

LONGITUDE	LATITUDE 29 35 00 X	LATITUDE 29 35 00 Y	LATITUDE 29 37 30 X	LATITUDE 29 37 30 Y
88 40 00	2 847 551.64	343 204.41	2 847 199.07	358 351.77
42 30	2 834 310.98	342 898.64	2 833 963.92	358 046.12
45 00	2 821 070.21	342 597.66	2 820 728.66	357 745.27
47 30	2 807 829.33	342 301.52	2 807 493.29	357 449.26
88 50 00	2 794 588.35	342 010.18	2 794 257.81	357 158.03
52 30	2 781 347.26	341 723.67	2 781 022.23	356 871.64
55 00	2 768 106.07	341 441.95	2 767 786.55	356 590.04
57 30	2 754 864.77	341 165.07	2 754 550.76	356 313.28
89 00 00	2 741 623.38	340 892.98	2 741 314.87	356 041.30

LONGITUDE	LATITUDE 29 40 00 X	LATITUDE 29 40 00 Y	LATITUDE 29 42 30 X	LATITUDE 29 42 30 Y
88 40 00	2 846 846.50	373 499.14	2 846 493.93	388 646.56
42 30	2 833 616.86	373 193.63	2 833 269.80	388 341.17
45 00	2 820 387.11	372 892.90	2 820 045.55	388 040.57
47 30	2 807 157.24	372 597.01	2 806 821.20	387 744.80
88 50 00	2 793 927.28	372 305.91	2 793 596.74	387 453.82
52 30	2 780 697.21	372 019.64	2 780 372.18	387 167.67
55 00	2 767 467.03	371 738.16	2 767 147.51	386 886.31
57 30	2 754 236.75	371 461.50	2 753 922.73	386 609.77
89 00 00	2 741 006.37	371 189.64	2 740 697.87	386 338.02

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 29 30 00 X	LATITUDE 29 30 00 Y	LATITUDE 29 32 30 X	LATITUDE 29 32 30 Y
89 00 00	2 742 240.38	310 596.40	2 741 931.88	325 744.68
02 30	2 728 987.88	310 328.93	2 728 684.88	325 477.33
05 00	2 715 735.26	310 066.25	2 715 437.77	325 214.76
07 30	2 702 482.55	309 808.41	2 702 190.58	324 957.03
89 10 00	2 689 229.76	309 555.38	2 688 943.29	324 704.10
12 30	2 675 976.88	309 307.18	2 675 695.92	324 456.00
15 00	2 662 723.91	309 063.78	2 662 448.45	324 212.71
17 30	2 649 470.84	308 825.22	2 649 200.90	323 974.25
89 20 00	2 636 217.70	308 591.46	2 635 953.26	323 740.58
22 30	2 622 964.47	308 362.54	2 622 705.54	323 511.76
25 00	2 609 711.15	308 138.42	2 609 457.73	323 287.73
27 30	2 596 457.76	307 919.13	2 596 209.85	323 068.53
89 30 00	2 583 204.29	307 704.65	2 582 961.89	322 854.14
32 30	2 569 950.74	307 495.00	2 569 713.85	322 644.58
35 00	2 556 697.11	307 290.16	2 556 465.73	322 439.82
37 30	2 543 443.42	307 090.15	2 543 217.54	322 239.90
89 40 00	2 530 189.65	306 894.95	2 529 969.28	322 044.77
42 30	2 516 935.80	306 704.58	2 516 720.95	321 854.48
45 00	2 503 681.90	306 519.01	2 503 472.55	321 668.99
47 30	2 490 427.92	306 338.28	2 490 224.08	321 488.34
89 50 00	2 477 173.89	306 162.35	2 476 975.55	321 312.48
52 30	2 463 919.78	305 991.26	2 463 726.96	321 141.46
55 00	2 450 665.61	305 824.97	2 450 478.30	320 975.24
57 30	2 437 411.39	305 663.52	2 437 229.59	320 813.86
90 00 00	2 424 157.09	305 506.87	2 423 980.79	320 657.27

LONGITUDE	LATITUDE 29 35 00 X	LATITUDE 29 35 00 Y	LATITUDE 29 37 30 X	LATITUDE 29 37 30 Y
89 00 00	2 741 623.38	340 892.98	2 741 314.87	356 041.30
02 30	2 728 381.89	340 625.74	2 728 078.89	355 774.17
05 00	2 715 140.28	340 363.28	2 714 842.80	355 511.82
07 30	2 701 898.60	340 105.66	2 701 606.62	355 254.30
89 10 00	2 688 656.82	339 852.83	2 688 370.35	355 001.58
12 30	2 675 414.96	339 604.84	2 675 134.00	354 753.69
15 00	2 662 173.00	339 361.64	2 661 897.55	354 510.60
17 30	2 648 930.96	339 123.28	2 648 661.01	354 272.34
89 20 00	2 635 688.83	338 889.71	2 635 424.39	354 038.86
22 30	2 622 446.61	338 660.98	2 622 187.68	353 810.23
25 00	2 609 204.32	338 437.05	2 608 950.90	353 586.39
27 30	2 595 961.94	338 217.95	2 595 714.03	353 367.38
89 30 00	2 582 719.49	338 003.64	2 582 477.09	353 153.16
32 30	2 569 476.95	337 794.17	2 569 240.06	352 943.78
35 00	2 556 234.35	337 589.49	2 556 002.96	352 739.19
37 30	2 542 991.67	337 389.65	2 542 765.79	352 539.43
89 40 00	2 529 748.92	337 194.61	2 529 528.55	352 344.47
42 30	2 516 506.09	337 004.40	2 516 291.23	352 154.34
45 00	2 503 263.20	336 818.99	2 503 053.85	351 969.00
47 30	2 490 020.24	336 638.41	2 489 816.40	351 788.50
89 50 00	2 476 777.22	336 462.62	2 476 578.89	351 612.79
52 30	2 463 534.13	336 291.68	2 463 341.31	351 441.91
55 00	2 450 290.99	336 125.52	2 450 103.67	351 275.83
57 30	2 437 047.78	335 964.21	2 436 865.98	351 114.58
90 00 00	2 423 804.50	335 807.68	2 423 628.20	350 958.12

LONGITUDE	LATITUDE 29 40 00 X	LATITUDE 29 40 00 Y	LATITUDE 29 42 30 X	LATITUDE 29 42 30 Y
89 00 00	2 741 006.37	371 189.64	2 740 697.87	386 338.02
02 30	2 727 775.90	370 922.62	2 727 472.90	386 071.11
05 00	2 714 545.31	370 660.38	2 714 247.82	385 808.97
07 30	2 701 314.64	370 402.97	2 701 022.66	385 551.67
89 10 00	2 688 083.88	370 150.35	2 687 797.41	385 299.17
12 30	2 674 853.03	369 902.57	2 674 572.07	385 051.48
15 00	2 661 622.09	369 659.57	2 661 346.64	384 808.59
17 30	2 648 391.07	369 421.41	2 648 121.12	384 570.53
89 20 00	2 635 159.96	369 188.03	2 634 895.52	384 337.25
22 30	2 621 928.76	368 959.50	2 621 669.83	384 108.81
25 00	2 608 697.48	368 735.75	2 608 444.06	383 885.15
27 30	2 595 466.12	368 516.83	2 595 218.21	383 666.32
89 30 00	2 582 234.68	368 302.70	2 581 992.28	383 452.28
32 30	2 569 003.17	368 093.41	2 568 766.27	383 243.07
35 00	2 555 771.58	367 888.90	2 555 540.19	383 038.65
37 30	2 542 539.92	367 689.23	2 542 314.04	382 839.06
89 40 00	2 529 308.18	367 494.35	2 529 087.81	382 644.26
42 30	2 516 076.37	367 304.29	2 515 861.51	382 454.29
45 00	2 502 844.50	367 119.03	2 502 635.15	382 269.11
47 30	2 489 612.56	366 938.60	2 489 408.72	382 088.75
89 50 00	2 476 380.56	366 762.97	2 476 182.23	381 913.19
52 30	2 463 148.49	366 592.16	2 462 955.66	381 742.45
55 00	2 449 916.36	366 426.15	2 449 729.05	381 576.51
57 30	2 436 684.17	366 264.97	2 436 502.37	381 415.40
90 00 00	2 423 451.91	366 108.57	2 423 275.61	381 259.07

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 29 30 00 X	LATITUDE 29 30 00 Y	LATITUDE 29 32 30 X	LATITUDE 29 32 30 Y
90 00 00	2 424 157.09	305 506.87	2 423 980.79	320 657.27
02 30	2 410 902.75	305 355.05	2 410 731.97	320 505.52
05 00	2 397 648.36	305 208.04	2 397 483.08	320 358.57
07 30	2 384 393.92	305 065.87	2 384 234.15	320 216.46
90 10 00	2 371 139.42	304 928.49	2 370 985.16	320 079.14
12 30	2 357 884.87	304 795.96	2 357 736.12	319 946.66
15 00	2 344 630.28	304 668.23	2 344 487.04	319 818.98
17 30	2 331 375.64	304 545.33	2 331 237.91	319 696.13
90 20 00	2 318 120.96	304 427.24	2 317 988.74	319 578.09
22 30	2 304 866.24	304 313.99	2 304 739.52	319 464.89
25 00	2 291 611.47	304 205.53	2 291 490.27	319 356.47
27 30	2 278 356.67	304 101.91	2 278 240.98	319 252.90
90 30 00	2 265 101.83	304 003.10	2 264 991.65	319 154.13
32 30	2 251 846.96	303 909.12	2 251 742.28	319 060.19
35 00	2 238 592.05	303 819.94	2 238 492.89	318 971.05
37 30	2 225 337.11	303 735.61	2 225 243.45	318 886.75
90 40 00	2 212 082.15	303 656.07	2 211 994.00	318 807.24
42 30	2 198 827.15	303 581.37	2 198 744.51	318 732.58
45 00	2 185 572.12	303 511.48	2 185 494.99	318 662.71
47 30	2 172 317.07	303 446.42	2 172 245.45	318 597.68
90 50 00	2 159 062.00	303 386.16	2 158 995.89	318 537.45
52 30	2 145 806.91	303 330.74	2 145 746.31	318 482.05
55 00	2 132 551.78	303 280.12	2 132 496.69	318 431.45
57 30	2 119 296.66	303 234.35	2 119 247.08	318 385.69
91 00 00	2 106 041.51	303 193.36	2 105 997.44	318 344.73

LONGITUDE	LATITUDE 29 35 00 X	LATITUDE 29 35 00 Y	LATITUDE 29 37 30 X	LATITUDE 29 37 30 Y
90 00 00	2 423 804.50	335 807.68	2 423 628.20	350 958.12
02 30	2 410 561.18	335 656.00	2 410 390.39	350 806.50
05 00	2 397 317.81	335 509.11	2 397 152.53	350 659.67
07 30	2 384 074.38	335 367.05	2 383 914.61	350 517.67
90 10 00	2 370 830.90	335 229.79	2 370 676.64	350 380.47
12 30	2 357 587.37	335 097.37	2 357 438.62	350 248.10
15 00	2 344 343.80	334 969.75	2 344 200.56	350 120.53
17 30	2 331 100.18	334 846.95	2 330 962.45	349 997.78
90 20 00	2 317 856.52	334 728.95	2 317 724.30	349 879.84
22 30	2 304 612.81	334 615.80	2 304 486.10	349 766.73
25 00	2 291 369.06	334 507.43	2 291 247.86	349 658.40
27 30	2 278 125.28	334 403.90	2 278 009.59	349 554.92
90 30 00	2 264 881.46	334 305.16	2 264 771.27	349 456.22
32 30	2 251 637.61	334 211.27	2 251 532.93	349 362.37
35 00	2 238 393.72	334 122.16	2 238 294.55	349 273.30
37 30	2 225 149.79	334 037.90	2 225 056.14	349 189.07
90 40 00	2 211 905.85	333 958.43	2 211 817.70	349 109.63
42 30	2 198 661.87	333 883.79	2 198 579.23	349 035.03
45 00	2 185 417.86	333 813.95	2 185 340.73	348 965.22
47 30	2 172 173.83	333 748.95	2 172 102.21	348 900.24
90 50 00	2 158 929.78	333 688.74	2 158 863.67	348 840.06
52 30	2 145 685.71	333 633.37	2 145 625.10	348 784.71
55 00	2 132 441.60	333 582.79	2 132 386.50	348 734.15
57 30	2 119 197.49	333 537.05	2 119 147.91	348 688.43
91 00 00	2 105 953.36	333 496.11	2 105 909.29	348 647.50

LONGITUDE	LATITUDE 29 40 00 X	LATITUDE 29 40 00 Y	LATITUDE 29 42 30 X	LATITUDE 29 42 30 Y
90 00 00	2 423 451.91	366 108.57	2 423 275.61	381 259.07
02 30	2 410 219.61	365 957.01	2 410 048.82	381 107.57
05 00	2 396 987.25	365 810.25	2 396 821.97	380 960.86
07 30	2 383 754.84	365 668.31	2 383 595.07	380 818.99
90 10 00	2 370 522.38	365 531.16	2 370 368.12	380 681.90
12 30	2 357 289.87	365 398.85	2 357 141.12	380 549.64
15 00	2 344 057.32	365 271.33	2 343 914.08	380 422.17
17 30	2 330 824.72	365 148.64	2 330 686.98	380 299.53
90 20 00	2 317 592.07	365 030.74	2 317 459.85	380 181.68
22 30	2 304 359.38	364 917.68	2 304 232.67	380 068.67
25 00	2 291 126.65	364 809.40	2 291 005.45	379 960.43
27 30	2 277 893.89	364 705.96	2 277 778.20	379 857.04
90 30 00	2 264 661.09	364 607.30	2 264 550.90	379 758.42
32 30	2 251 428.25	364 513.49	2 251 323.57	379 664.64
35 00	2 238 195.38	364 424.45	2 238 096.21	379 575.65
37 30	2 224 962.48	364 340.26	2 224 868.82	379 491.49
90 40 00	2 211 729.55	364 260.85	2 211 641.40	379 412.12
42 30	2 198 496.59	364 186.28	2 198 413.94	379 337.58
45 00	2 185 263.60	364 116.50	2 185 186.47	379 267.82
47 30	2 172 030.59	364 051.55	2 171 958.97	379 202.90
90 50 00	2 158 797.56	363 991.39	2 158 731.44	379 142.77
52 30	2 145 564.50	363 936.07	2 145 503.90	379 087.47
55 00	2 132 331.41	363 885.53	2 132 276.32	379 036.95
57 30	2 119 098.32	363 839.83	2 119 048.74	378 991.27
91 00 00	2 105 865.21	363 798.92	2 105 821.14	378 950.37

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 29 30 00 X	LATITUDE 29 30 00 Y	LATITUDE 29 32 30 X	LATITUDE 29 32 30 Y
91 00 00	2 106 041.51	303 193.36	2 105 997.44	318 344.73
02 30	2 092 786.35	303 157.23	2 092 747.79	318 308.61
05 00	2 079 531.18	303 125.89	2 079 498.13	318 277.28
07 30	2 066 276.00	303 099.39	2 066 248.46	318 250.79
91 10 00	2 053 020.81	303 077.69	2 052 998.77	318 229.10
12 30	2 039 765.62	303 060.83	2 039 749.09	318 212.25
15 00	2 026 510.41	303 048.77	2 026 499.39	318 200.19
17 30	2 013 255.21	303 041.55	2 013 249.70	318 192.98
91 20 00	2 000 000.00	303 039.13	2 000 000.00	318 190.56
22 30	1 986 744.79	303 041.55	1 986 750.30	318 192.98
25 00	1 973 489.59	303 048.77	1 973 500.61	318 200.19
27 30	1 960 234.39	303 060.83	1 960 250.91	318 212.25
91 30 00	1 946 979.19	303 077.69	1 947 001.23	318 229.10
32 30	1 933 724.00	303 099.39	1 933 751.54	318 250.79
35 00	1 920 468.82	303 125.89	1 920 501.87	318 277.28
37 30	1 907 213.65	303 157.23	1 907 252.21	318 308.61
91 40 00	1 893 958.49	303 193.36	1 894 002.56	318 344.73
42 30	1 880 703.34	303 234.35	1 880 752.92	318 385.69
45 00	1 867 448.22	303 280.12	1 867 503.31	318 431.45
47 30	1 854 193.09	303 330.74	1 854 253.69	318 482.05
91 50 00	1 840 938.00	303 386.16	1 841 004.11	318 537.45
52 30	1 827 682.93	303 446.42	1 827 754.55	318 597.68
55 00	1 814 427.88	303 511.48	1 814 505.01	318 662.71
57 30	1 801 172.85	303 581.37	1 801 255.49	318 732.58
92 00 00	1 787 917.85	303 656.07	1 788 006.00	318 807.24

LONGITUDE	LATITUDE 29 35 00 X	LATITUDE 29 35 00 Y	LATITUDE 29 37 30 X	LATITUDE 29 37 30 Y
91 00 00	2 105 953.36	333 496.11	2 105 909.29	348 647.50
02 30	2 092 709.22	333 460.00	2 092 670.66	348 611.41
05 00	2 079 465.07	333 428.68	2 079 432.01	348 580.11
07 30	2 066 220.91	333 402.21	2 066 193.36	348 553.64
91 10 00	2 052 976.73	333 380.53	2 052 954.70	348 531.97
12 30	2 039 732.56	333 363.68	2 039 716.03	348 515.13
15 00	2 026 488.38	333 351.63	2 026 477.36	348 503.09
17 30	2 013 244.19	333 344.42	2 013 238.68	348 495.88
91 20 00	2 000 000.00	333 342.00	2 000 000.00	348 493.46
22 30	1 986 755.81	333 344.42	1 986 761.32	348 495.88
25 00	1 973 511.62	333 351.63	1 973 522.64	348 503.09
27 30	1 960 267.44	333 363.68	1 960 283.97	348 515.13
91 30 00	1 947 023.27	333 380.53	1 947 045.30	348 531.97
32 30	1 933 779.09	333 402.21	1 933 806.64	348 553.64
35 00	1 920 534.93	333 428.68	1 920 567.99	348 580.11
37 30	1 907 290.78	333 460.00	1 907 329.34	348 611.41
91 40 00	1 894 046.64	333 496.11	1 894 090.71	348 647.50
42 30	1 880 802.51	333 537.05	1 880 852.09	348 688.43
45 00	1 867 558.40	333 582.79	1 867 613.50	348 734.15
47 30	1 854 314.29	333 633.37	1 854 374.90	348 784.71
91 50 00	1 841 070.22	333 688.74	1 841 136.33	348 840.06
52 30	1 827 826.17	333 748.95	1 827 897.79	348 900.24
55 00	1 814 582.14	333 813.95	1 814 659.27	348 965.22
57 30	1 801 338.13	333 883.79	1 801 420.77	349 035.03
92 00 00	1 788 094.15	333 958.43	1 788 182.30	349 109.63

LONGITUDE	LATITUDE 29 40 00 X	LATITUDE 29 40 00 Y	LATITUDE 29 42 30 X	LATITUDE 29 42 30 Y
91 00 00	2 105 865.21	363 798.92	2 105 821.14	378 950.37
02 30	2 092 632.09	363 762.84	2 092 593.53	378 914.31
05 00	2 079 398.96	363 731.55	2 079 365.90	378 883.04
07 30	2 066 165.82	363 705.10	2 066 138.27	378 856.59
91 10 00	2 052 932.66	363 683.44	2 052 910.62	378 834.94
12 30	2 039 699.50	363 666.60	2 039 682.97	378 818.12
15 00	2 026 466.34	363 654.56	2 026 455.32	378 806.08
17 30	2 013 233.17	363 647.36	2 013 227.66	378 798.88
91 20 00	2 000 000.00	363 644.94	2 000 000.00	378 796.46
22 30	1 986 766.83	363 647.36	1 986 772.34	378 798.88
25 00	1 973 533.66	363 654.56	1 973 544.68	378 806.08
27 30	1 960 300.50	363 666.60	1 960 317.03	378 818.12
91 30 00	1 947 067.34	363 683.44	1 947 089.38	378 834.94
32 30	1 933 834.18	363 705.10	1 933 861.73	378 856.59
35 00	1 920 601.04	363 731.55	1 920 634.10	378 883.04
37 30	1 907 367.91	363 762.84	1 907 406.47	378 914.31
91 40 00	1 894 134.79	363 798.92	1 894 178.86	378 950.37
42 30	1 880 901.68	363 839.83	1 880 951.26	378 991.27
45 00	1 867 668.59	363 885.53	1 867 723.68	379 036.95
47 30	1 854 435.50	363 936.07	1 854 496.10	379 087.47
91 50 00	1 841 202.44	363 991.39	1 841 268.56	379 142.77
52 30	1 827 969.41	364 051.55	1 828 041.03	379 202.90
55 00	1 814 736.40	364 116.50	1 814 813.53	379 267.82
57 30	1 801 503.41	364 186.28	1 801 586.06	379 337.58
92 00 00	1 788 270.45	364 260.85	1 788 358.60	379 412.12

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE X 29 30 00	LATITUDE Y	LATITUDE X 29 32 30	LATITUDE Y
92 00 00	1 787 917.85	303 656.07	1 788 006.00	318 807.24
02 30	1 774 662.89	303 735.61	1 774 756.55	318 886.75
05 00	1 761 407.95	303 819.94	1 761 507.11	318 971.05
07 30	1 748 153.04	303 909.12	1 748 257.72	319 060.19
92 10 00	1 734 898.17	304 003.10	1 735 008.35	319 154.13
12 30	1 721 643.33	304 101.91	1 721 759.02	319 252.90
15 00	1 708 388.53	304 205.53	1 708 509.73	319 356.47
17 30	1 695 133.76	304 313.99	1 695 260.48	319 464.89
92 20 00	1 681 879.04	304 427.24	1 682 011.26	319 578.09
22 30	1 668 624.36	304 545.33	1 668 762.09	319 696.13
25 00	1 655 369.72	304 668.23	1 655 512.96	319 818.98
27 30	1 642 115.13	304 795.96	1 642 263.88	319 946.66
92 30 00	1 628 860.58	304 928.49	1 629 014.84	320 079.14
32 30	1 615 606.08	305 065.87	1 615 765.85	320 216.46
35 00	1 602 351.64	305 208.04	1 602 516.92	320 358.57
37 30	1 589 097.25	305 355.05	1 589 268.03	320 505.52
92 40 00	1 575 842.91	305 506.87	1 576 019.21	320 657.27
42 30	1 562 588.61	305 663.52	1 562 770.41	320 813.86
45 00	1 549 334.39	305 824.97	1 549 521.70	320 975.24
47 30	1 536 080.22	305 991.26	1 536 273.04	321 141.46
92 50 00	1 522 826.11	306 162.35	1 523 024.45	321 312.48
52 30	1 509 572.08	306 338.28	1 509 775.92	321 488.34
55 00	1 496 318.10	306 519.01	1 496 527.45	321 668.99
57 30	1 483 064.20	306 704.58	1 483 279.05	321 854.48
93 00 00	1 469 810.35	306 894.95	1 470 030.72	322 044.77

LONGITUDE	LATITUDE X 29 35 00	LATITUDE Y	LATITUDE X 29 37 30	LATITUDE Y
92 00 00	1 788 094.15	333 958.43	1 788 182.30	349 109.63
02 30	1 774 850.21	334 037.90	1 774 943.86	349 189.07
05 00	1 761 606.28	334 122.16	1 761 705.45	349 273.30
07 30	1 748 362.39	334 211.27	1 748 467.07	349 362.37
92 10 00	1 735 118.54	334 305.16	1 735 228.73	349 456.22
12 30	1 721 874.72	334 403.90	1 721 990.41	349 554.92
15 00	1 708 630.94	334 507.43	1 708 752.14	349 658.40
17 30	1 695 387.19	334 615.80	1 695 513.90	349 766.73
92 20 00	1 682 143.48	334 728.95	1 682 275.70	349 879.84
22 30	1 668 899.82	334 846.95	1 669 037.55	349 997.78
25 00	1 655 656.20	334 969.75	1 655 799.44	350 120.53
27 30	1 642 412.63	335 097.37	1 642 561.38	350 248.10
92 30 00	1 629 169.10	335 229.79	1 629 323.36	350 380.47
32 30	1 615 925.62	335 367.05	1 616 085.39	350 517.67
35 00	1 602 682.19	335 509.11	1 602 847.47	350 659.67
37 30	1 589 438.82	335 656.00	1 589 609.61	350 806.50
92 40 00	1 576 195.50	335 807.68	1 576 371.80	350 958.12
42 30	1 562 952.22	335 964.21	1 563 134.02	351 114.58
45 00	1 549 709.01	336 125.52	1 549 896.33	351 275.83
47 30	1 536 465.87	336 291.68	1 536 658.69	351 441.91
92 50 00	1 523 222.78	336 462.62	1 523 421.11	351 612.79
52 30	1 509 979.76	336 638.41	1 510 183.60	351 788.50
55 00	1 496 736.80	336 818.99	1 496 946.15	351 969.00
57 30	1 483 493.91	337 004.40	1 483 708.77	352 154.34
93 00 00	1 470 251.08	337 194.61	1 470 471.45	352 344.47

LONGITUDE	LATITUDE X 29 40 00	LATITUDE Y	LATITUDE X 29 42 30	LATITUDE Y
92 00 00	1 788 270.45	364 260.85	1 788 358.60	379 412.12
02 30	1 775 037.52	364 340.26	1 775 131.18	379 491.49
05 00	1 761 804.62	364 424.45	1 761 903.79	379 575.65
07 30	1 748 571.75	364 513.49	1 748 676.43	379 664.64
92 10 00	1 735 338.91	364 607.30	1 735 449.10	379 758.42
12 30	1 722 106.11	364 705.96	1 722 221.80	379 857.04
15 00	1 708 873.35	364 809.40	1 708 994.55	379 960.43
17 30	1 695 640.62	364 917.68	1 695 767.33	380 068.67
92 20 00	1 682 407.93	365 030.74	1 682 540.15	380 181.68
22 30	1 669 175.28	365 148.64	1 669 313.02	380 299.53
25 00	1 655 942.68	365 271.33	1 656 085.92	380 422.17
27 30	1 642 710.13	365 398.85	1 642 858.88	380 549.64
92 30 00	1 629 477.62	365 531.16	1 629 631.88	380 681.90
32 30	1 616 245.16	365 668.31	1 616 404.93	380 818.99
35 00	1 603 012.75	365 810.25	1 603 178.03	380 960.86
37 30	1 589 780.39	365 957.01	1 589 951.18	381 107.57
92 40 00	1 576 548.09	366 108.57	1 576 724.39	381 259.07
42 30	1 563 315.83	366 264.97	1 563 497.63	381 415.40
45 00	1 550 083.64	366 426.15	1 550 270.95	381 576.51
47 30	1 536 851.51	366 592.16	1 537 044.34	381 742.45
92 50 00	1 523 619.44	366 762.97	1 523 817.77	381 913.19
52 30	1 510 387.44	366 938.60	1 510 591.28	382 088.75
55 00	1 497 155.50	367 119.03	1 497 364.85	382 269.11
57 30	1 483 923.63	367 304.29	1 484 138.49	382 454.29
93 00 00	1 470 691.82	367 494.35	1 470 912.19	382 644.26

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 29 30 00 X	LATITUDE 29 30 00 Y	LATITUDE 29 32 30 X	LATITUDE 29 32 30 Y
93 00 00	1 469 810.35	306 894.95	1 470 030.72	322 044.77
02 30	1 456 556.58	307 090.15	1 456 782.46	322 239.90
05 00	1 443 302.89	307 290.16	1 443 534.27	322 439.82
07 30	1 430 049.26	307 495.00	1 430 286.15	322 644.58
93 10 00	1 416 795.71	307 704.65	1 417 038.11	322 854.14
12 30	1 403 542.24	307 919.13	1 403 790.15	323 068.53
15 00	1 390 288.85	308 138.42	1 390 542.27	323 287.73
17 30	1 377 035.53	308 362.54	1 377 294.46	323 511.76
93 20 00	1 363 782.30	308 591.46	1 364 046.74	323 740.58
22 30	1 350 529.16	308 825.22	1 350 799.10	323 974.25
25 00	1 337 276.09	309 063.78	1 337 551.55	324 212.71
27 30	1 324 023.12	309 307.18	1 324 304.08	324 456.00
93 30 00	1 310 770.24	309 555.38	1 311 056.71	324 704.10
32 30	1 297 517.45	309 808.41	1 297 809.42	324 957.03
35 00	1 284 264.74	310 066.25	1 284 562.23	325 214.76
37 30	1 271 012.12	310 328.93	1 271 315.12	325 477.33
93 40 00	1 257 759.62	310 596.40	1 258 068.12	325 744.68
42 30	1 244 507.21	310 868.71	1 244 821.22	326 016.89
45 00	1 231 254.89	311 145.82	1 231 574.41	326 293.88
47 30	1 218 002.68	311 427.77	1 218 327.71	326 575.72
93 50 00	1 204 750.58	311 714.52	1 205 081.12	326 862.34
52 30	1 191 498.58	312 006.11	1 191 834.62	327 153.81
55 00	1 178 246.69	312 302.49	1 178 588.24	327 450.07
57 30	1 164 994.90	312 603.72	1 165 341.96	327 751.17
94 00 00	1 151 743.23	312 909.74	1 152 095.79	328 057.07

LONGITUDE	LATITUDE 29 35 00 X	LATITUDE 29 35 00 Y	LATITUDE 29 37 30 X	LATITUDE 29 37 30 Y
93 00 00	1 470 251.08	337 194.61	1 470 471.45	352 344.47
02 30	1 457 008.33	337 389.65	1 457 234.21	352 539.43
05 00	1 443 765.65	337 589.49	1 443 997.04	352 739.19
07 30	1 430 523.05	337 794.17	1 430 759.94	352 943.78
93 10 00	1 417 280.51	338 003.64	1 417 522.91	353 153.16
12 30	1 404 038.06	338 217.95	1 404 285.97	353 367.38
15 00	1 390 795.68	338 437.05	1 391 049.10	353 586.39
17 30	1 377 553.39	338 660.98	1 377 812.32	353 810.23
93 20 00	1 364 311.17	338 889.71	1 364 575.61	354 038.86
22 30	1 351 069.04	339 123.28	1 351 338.99	354 272.34
25 00	1 337 827.00	339 361.64	1 338 102.45	354 510.60
27 30	1 324 585.04	339 604.84	1 324 866.00	354 753.69
93 30 00	1 311 343.18	339 852.83	1 311 629.65	355 001.58
32 30	1 298 101.40	340 105.66	1 298 393.38	355 254.30
35 00	1 284 859.72	340 363.28	1 285 157.20	355 511.82
37 30	1 271 618.11	340 625.74	1 271 921.11	355 774.17
93 40 00	1 258 376.62	340 892.98	1 258 685.13	356 041.30
42 30	1 245 135.23	341 165.07	1 245 449.24	356 313.28
45 00	1 231 893.93	341 441.95	1 232 213.45	356 590.04
47 30	1 218 652.74	341 723.67	1 218 977.77	356 871.64
93 50 00	1 205 411.65	342 010.18	1 205 742.19	357 158.03
52 30	1 192 170.67	342 301.52	1 192 506.71	357 449.26
55 00	1 178 929.79	342 597.66	1 179 271.34	357 745.27
57 30	1 165 689.02	342 898.64	1 166 036.08	358 046.12
94 00 00	1 152 448.36	343 204.41	1 152 800.93	358 351.77

LONGITUDE	LATITUDE 29 40 00 X	LATITUDE 29 40 00 Y	LATITUDE 29 42 30 X	LATITUDE 29 42 30 Y
93 00 00	1 470 691.82	367 494.35	1 470 912.19	382 644.26
02 30	1 457 460.08	367 689.23	1 457 685.96	382 839.06
05 00	1 444 228.42	367 888.90	1 444 459.81	383 038.65
07 30	1 430 996.83	368 093.41	1 431 233.73	383 243.07
93 10 00	1 417 765.32	368 302.70	1 418 007.72	383 452.28
12 30	1 404 533.88	368 516.83	1 404 781.79	383 666.32
15 00	1 391 302.52	368 735.75	1 391 555.94	383 885.15
17 30	1 378 071.24	368 959.50	1 378 330.17	384 108.81
93 20 00	1 364 840.04	369 188.03	1 365 104.48	384 337.25
22 30	1 351 608.93	369 421.41	1 351 878.88	384 570.53
25 00	1 338 377.91	369 659.57	1 338 653.36	384 808.59
27 30	1 325 146.97	369 902.57	1 325 427.93	385 051.48
93 30 00	1 311 916.12	370 150.35	1 312 202.59	385 299.17
32 30	1 298 685.36	370 402.97	1 298 977.34	385 551.67
35 00	1 285 454.69	370 660.38	1 285 752.18	385 808.97
37 30	1 272 224.10	370 922.62	1 272 527.10	386 071.11
93 40 00	1 258 993.63	371 189.64	1 259 302.13	386 338.02
42 30	1 245 763.25	371 461.50	1 246 077.27	386 609.77
45 00	1 232 532.97	371 738.16	1 232 852.49	386 886.31
47 30	1 219 302.79	372 019.64	1 219 627.82	387 167.67
93 50 00	1 206 072.72	372 305.91	1 206 403.26	387 453.82
52 30	1 192 842.76	372 597.01	1 193 178.80	387 744.80
55 00	1 179 612.89	372 892.90	1 179 954.45	388 040.57
57 30	1 166 383.14	373 193.63	1 166 730.20	388 341.17
94 00 00	1 153 153.50	373 499.14	1 153 506.07	388 646.56

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 29 45 00 X	LATITUDE 29 45 00 Y	LATITUDE 29 47 30 X	LATITUDE 29 47 30 Y
88 40 00	2 846 141.36	403 794.00	2 845 788.79	418 941.49
42 30	2 832 922.74	403 488.74	2 832 575.68	418 636.36
45 00	2 819 704.00	403 188.26	2 819 362.45	418 336.01
47 30	2 806 485.15	402 892.62	2 806 149.11	418 040.49
88 50 00	2 793 266.20	402 601.75	2 792 935.66	417 749.75
52 30	2 780 047.15	402 315.72	2 779 722.12	417 463.84
55 00	2 766 827.99	402 034.48	2 766 508.46	417 182.71
57 30	2 753 608.72	401 758.05	2 753 294.71	416 906.40
89 00 00	2 740 389.36	401 486.42	2 740 080.86	416 634.88

LONGITUDE	LATITUDE 29 50 00 X	LATITUDE 29 50 00 Y	LATITUDE 29 52 30 X	LATITUDE 29 52 30 Y
88 40 00	2 845 436.22	434 089.05	2 845 083.65	449 236.68
42 30	2 832 228.61	433 784.05	2 831 881.55	448 931.80
45 00	2 819 020.89	433 483.82	2 818 679.33	448 631.70
47 30	2 805 813.06	433 188.42	2 805 477.01	448 336.42
88 50 00	2 792 605.12	432 897.80	2 792 274.58	448 045.93
52 30	2 779 397.08	432 612.01	2 779 072.05	447 760.25
55 00	2 766 188.94	432 331.00	2 765 869.42	447 479.36
57 30	2 752 980.69	432 054.81	2 752 666.67	447 203.28
89 00 00	2 739 772.35	431 783.40	2 739 463.84	446 931.99

LONGITUDE	LATITUDE 29 55 00 X	LATITUDE 29 55 00 Y	LATITUDE 29 57 30 X	LATITUDE 29 57 30 Y
88 40 00	2 844 731.07	464 384.37	2 844 378.49	479 532.13
42 30	2 831 534.48	464 079.61	2 831 187.41	479 227.51
45 00	2 818 337.77	463 779.64	2 817 996.21	478 927.66
47 30	2 805 140.96	463 484.49	2 804 804.90	478 632.63
88 50 00	2 791 944.04	463 194.11	2 791 613.49	478 342.38
52 30	2 778 747.02	462 908.56	2 778 421.98	478 056.94
55 00	2 765 549.89	462 627.78	2 765 230.36	477 776.28
57 30	2 752 352.66	462 351.82	2 752 038.64	477 500.43
89 00 00	2 739 155.33	462 080.63	2 738 846.82	477 229.36

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 29 45 00 X	LATITUDE 29 45 00 Y	LATITUDE 29 47 30 X	LATITUDE 29 47 30 Y
89 00 00	2 740 389.36	401 486.42	2 740 080.86	416 634.88
02 30	2 727 169.90	401 219.62	2 726 866.91	416 368.19
05 00	2 713 950.33	400 957.59	2 713 652.84	416 106.27
07 30	2 700 730.68	400 700.40	2 700 438.70	415 849.19
89 10 00	2 687 510.94	400 448.00	2 687 224.47	415 596.89
12 30	2 674 291.11	400 200.42	2 674 010.14	415 349.41
15 00	2 661 071.19	399 957.63	2 660 795.73	415 106.72
17 30	2 647 851.17	399 719.66	2 647 581.23	414 868.86
89 20 00	2 634 631.08	399 486.48	2 634 366.64	414 635.77
22 30	2 621 410.90	399 258.13	2 621 151.97	414 407.52
25 00	2 608 190.64	399 034.57	2 607 937.22	414 184.05
27 30	2 594 970.30	398 815.83	2 594 722.39	413 965.40
89 30 00	2 581 749.88	398 601.88	2 581 507.47	413 751.54
32 30	2 568 529.38	398 392.76	2 568 292.48	413 542.51
35 00	2 555 308.81	398 188.43	2 555 077.42	413 338.26
37 30	2 542 088.16	397 988.92	2 541 862.28	413 138.83
89 40 00	2 528 867.45	397 794.20	2 528 647.08	412 944.20
42 30	2 515 646.65	397 604.31	2 515 431.79	412 754.38
45 00	2 502 425.80	397 419.20	2 502 216.45	412 569.35
47 30	2 489 204.88	397 238.92	2 489 001.04	412 389.15
89 50 00	2 475 983.89	397 063.43	2 475 785.56	412 213.73
52 30	2 462 762.84	396 892.77	2 462 570.02	412 043.14
55 00	2 449 541.73	396 726.89	2 449 354.42	411 877.33
57 30	2 436 320.56	396 565.85	2 436 138.75	411 716.35
90 00 00	2 423 099.31	396 409.58	2 422 923.02	411 560.16

LONGITUDE	LATITUDE 29 50 00 X	LATITUDE 29 50 00 Y	LATITUDE 29 52 30 X	LATITUDE 29 52 30 Y
89 00 00	2 739 772.35	431 783.40	2 739 463.84	446 931.99
02 30	2 726 563.91	431 516.82	2 726 260.91	446 665.52
05 00	2 713 355.35	431 255.01	2 713 057.86	446 403.82
07 30	2 700 146.72	430 998.03	2 699 854.74	446 146.95
89 10 00	2 686 937.99	430 745.84	2 686 651.52	445 894.86
12 30	2 673 729.18	430 498.46	2 673 448.21	445 647.59
15 00	2 660 520.27	430 255.88	2 660 244.81	445 405.10
17 30	2 647 311.28	430 018.11	2 647 041.33	445 167.44
89 20 00	2 634 102.20	429 785.12	2 633 837.76	444 934.55
22 30	2 620 893.04	429 556.97	2 620 634.11	444 706.49
25 00	2 607 683.79	429 333.59	2 607 430.37	444 483.20
27 30	2 594 474.47	429 115.04	2 594 226.56	444 264.74
89 30 00	2 581 265.07	428 901.26	2 581 022.66	444 051.06
32 30	2 568 055.59	428 692.32	2 567 818.69	443 842.20
35 00	2 554 846.03	428 488.15	2 554 614.64	443 638.11
37 30	2 541 636.41	428 288.81	2 541 410.53	443 438.86
89 40 00	2 528 426.71	428 094.25	2 528 206.34	443 244.38
42 30	2 515 216.93	427 904.52	2 515 002.07	443 054.73
45 00	2 502 007.10	427 719.57	2 501 797.75	442 869.85
47 30	2 488 797.19	427 539.44	2 488 593.35	442 689.80
89 50 00	2 475 587.23	427 364.10	2 475 388.89	442 514.53
52 30	2 462 377.19	427 193.57	2 462 184.36	442 344.08
55 00	2 449 167.10	427 027.84	2 448 979.78	442 178.41
57 30	2 435 956.95	426 866.92	2 435 775.14	442 017.56
90 00 00	2 422 746.72	426 710.79	2 422 570.42	441 861.49

LONGITUDE	LATITUDE 29 55 00 X	LATITUDE 29 55 00 Y	LATITUDE 29 57 30 X	LATITUDE 29 57 30 Y
89 00 00	2 739 155.33	462 080.63	2 738 846.82	477 229.36
02 30	2 725 957.91	461 814.28	2 725 654.90	476 963.12
05 00	2 712 760.37	461 552.69	2 712 462.87	476 701.64
07 30	2 699 562.75	461 295.93	2 699 270.77	476 444.98
89 10 00	2 686 365.04	461 043.94	2 686 078.57	476 193.11
12 30	2 673 167.24	460 796.77	2 672 886.28	475 946.04
15 00	2 659 969.36	460 554.39	2 659 693.90	475 703.76
17 30	2 646 771.38	460 316.82	2 646 501.43	475 466.29
89 20 00	2 633 573.32	460 084.03	2 633 308.88	475 233.59
22 30	2 620 375.17	459 856.06	2 620 116.24	475 005.72
25 00	2 607 176.95	459 632.87	2 606 923.52	474 782.62
27 30	2 593 978.64	459 414.50	2 593 730.73	474 564.34
89 30 00	2 580 780.26	459 200.91	2 580 537.85	474 350.84
32 30	2 567 581.79	458 992.13	2 567 344.89	474 142.15
35 00	2 554 383.25	458 788.14	2 554 151.86	473 938.24
37 30	2 541 184.65	458 588.96	2 540 958.76	473 739.15
89 40 00	2 527 985.96	458 394.57	2 527 765.59	473 544.84
42 30	2 514 787.21	458 204.99	2 514 572.34	473 355.34
45 00	2 501 588.39	458 020.19	2 501 379.04	473 170.62
47 30	2 488 389.51	457 840.22	2 488 185.66	472 990.71
89 50 00	2 475 190.56	457 665.02	2 474 992.22	472 815.59
52 30	2 461 991.54	457 494.64	2 461 798.71	472 645.28
55 00	2 448 792.47	457 329.04	2 448 605.15	472 479.75
57 30	2 435 593.33	457 168.26	2 435 411.52	472 319.04
90 00 00	2 422 394.12	457 012.26	2 422 217.82	472 163.10

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 29 45 00 X	LATITUDE 29 45 00 Y	LATITUDE 29 47 30 X	LATITUDE 29 47 30 Y
90 00 00	2 423 099.31	396 409.58	2 422 923.02	411 560.16
02 30	2 409 878.03	396 258.15	2 409 707.24	411 408.79
05 00	2 396 656.69	396 111.50	2 396 491.41	411 262.20
07 30	2 383 435.30	395 969.68	2 383 275.53	411 120.44
90 10 00	2 370 213.86	395 832.65	2 370 059.60	410 983.47
12 30	2 356 992.37	395 700.45	2 356 843.62	410 851.32
15 00	2 343 770.84	395 573.04	2 343 627.59	410 723.96
17 30	2 330 549.25	395 450.44	2 330 411.52	410 601.42
90 20 00	2 317 327.63	395 332.64	2 317 195.40	410 483.67
22 30	2 304 105.95	395 219.68	2 303 979.24	410 370.75
25 00	2 290 884.24	395 111.49	2 290 763.04	410 262.60
27 30	2 277 662.50	395 008.13	2 277 546.80	410 159.29
90 30 00	2 264 440.71	394 909.56	2 264 330:53	410 060.76
32 30	2 251 218.90	394 815.82	2 251 114.22	409 967.06
35 00	2 237 997.05	394 726.87	2 237 897.88	409 878.14
37 30	2 224 775.16	394 642.74	2 224 681.50	409 794.05
90 40 00	2 211 553.25	394 563.40	2 211 465.10	409 714.74
42 30	2 198 331.30	394 488.89	2 198 248.66	409 640.26
45 00	2 185 109.34	394 419.17	2 185 032.21	409 570.57
47 30	2 171 887.35	394 354.27	2 171 815.72	409 505.70
90 50 00	2 158 665.33	394 294.16	2 158 599.22	409 445.62
52 30	2 145 443.29	394 238.89	2 145 382.69	409 390.37
55 00	2 132 221.22	394 188.39	2 132 166.13	409 339.89
57 30	2 118 999.15	394 142.73	2 118 949.57	409 294.25
91 00 00	2 105 777.06	394 101.85	2 105 732.99	409 253.39

LONGITUDE	LATITUDE 29 50 00 X	LATITUDE 29 50 00 Y	LATITUDE 29 52 30 X	LATITUDE 29 52 30 Y
90 00 00	2 422 746.72	426 710.79	2 422 570.42	441 861.49
02 30	2 409 536.45	426 559.48	2 409 365.66	441 710.25
05 00	2 396 326.13	426 412.96	2 396 160.85	441 563.79
07 30	2 383 115.76	426 271.26	2 382 955.99	441 422.15
90 10 00	2 369 905.34	426 134.34	2 369 751.08	441 285.29
12 30	2 356 694.87	426 002.25	2 356 546.11	441 153.25
15 00	2 343 484.35	425 874.94	2 343 341.11	441 026.00
17 30	2 330 273.78	425 752.45	2 330 136.05	440 903.56
90 20 00	2 317 063.18	425 634.75	2 316 930.95	440 785.90
22 30	2 303 852.52	425 521.88	2 303 725.81	440 673.08
25 00	2 290 641.83	425 413.78	2 290 520.62	440 565.02
27 30	2 277 431.11	425 310.51	2 277 315.41	440 461.80
90 30 00	2 264 220.34	425 212.02	2 264 110:15	440 363.35
32 30	2 251 009.54	425 118.36	2 250 904.86	440 269.73
35 00	2 237 798.71	425 029.48	2 237 699.54	440 180.88
37 30	2 224 587.84	424 945.42	2 224 494.18	440 096.86
90 40 00	2 211 376.95	424 866.15	2 211 288.80	440 017.62
42 30	2 198 166.02	424 791.70	2 198 083.38	439 943.20
45 00	2 184 955.07	424 722.04	2 184 877.94	439 873.57
47 30	2 171 744.10	424 657.19	2 171 672.48	439 808.75
90 50 00	2 158 533.10	424 597.14	2 158 466.99	439 748.72
52 30	2 145 322.09	424 541.90	2 145 261.48	439 693.51
55 00	2 132 111.03	424 491.45	2 132 055.94	439 643.08
57 30	2 118 899.98	424 445.83	2 118 850.40	439 597.48
91 00 00	2 105 688.91	424 404.98	2 105 644.84	439 556.65

LONGITUDE	LATITUDE 29 55 00 X	LATITUDE 29 55 00 Y	LATITUDE 29 57 30 X	LATITUDE 29 57 30 Y
90 00 00	2 422 394.12	457 012.26	2 422 217.82	472 163.10
02 30	2 409 194.87	456 861.08	2 409 024.08	472 011.99
05 00	2 395 995.57	456 714.68	2 395 830.29	471 865.64
07 30	2 382 796.22	456 573.09	2 382 636.45	471 724.12
90 10 00	2 369 596.81	456 436.29	2 369 442.55	471 587.38
12 30	2 356 397.36	456 304.31	2 356 248.60	471 455.45
15 00	2 343 197.86	456 177.11	2 343 054.62	471 328.30
17 30	2 329 998.31	456 054.72	2 329 860.58	471 205.96
90 20 00	2 316 798.72	455 937.12	2 316 666.50	471 088.41
22 30	2 303 599.09	455 824.34	2 303 472.37	470 975.68
25 00	2 290 399.42	455 716.33	2 290 278.21	470 867.71
27 30	2 277 199.71	455 613.15	2 277 084.01	470 764.57
90 30 00	2 263 999.96	455 514.74	2 263 889.77	470 666.21
32 30	2 250 800.18	455 421.16	2 250 695.50	470 572.66
35 00	2 237 600.37	455 332.35	2 237 501.20	470 483.89
37 30	2 224 400.52	455 248.36	2 224 306.86	470 399.94
90 40 00	2 211 200.65	455 169.16	2 211 112.49	470 320.77
42 30	2 198 000.74	455 094.77	2 197 918.10	470 246.41
45 00	2 184 800.81	455 025.16	2 184 723.68	470 176.84
47 30	2 171 600.85	454 960.37	2 171 529.23	470 112.08
90 50 00	2 158 400.88	454 900.37	2 158 334.76	470 052.09
52 30	2 145 200.88	454 845.18	2 145 140.27	469 996.93
55 00	2 132 000.84	454 794.77	2 131 945.75	469 946.54
57 30	2 118 800.81	454 749.18	2 118 751.23	469 900.97
91 00 00	2 105 600.76	454 708.37	2 105 556.68	469 860.18

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 29 45 00 X	LATITUDE 29 45 00 Y	LATITUDE 29 47 30 X	LATITUDE 29 47 30 Y
91 00 00	2 105 777.06	394 101.85	2 105 732.99	409 253.39
02 30	2 092 554.96	394 065.80	2 092 516.40	409 217.35
05 00	2 079 332.85	394 034.54	2 079 299.79	409 186.10
07 30	2 066 110.72	394 008.11	2 066 083.17	409 159.68
91 10 00	2 052 888.58	393 986.46	2 052 866.55	409 138.05
12 30	2 039 666.45	393 969.65	2 039 649.92	409 121.24
15 00	2 026 444.30	393 957.61	2 026 433.28	409 109.21
17 30	2 013 222.15	393 950.41	2 013 216.64	409 102.01
91 20 00	2 000 000.00	393 948.00	2 000 000.00	409 099.60
22 30	1 986 777.85	393 950.41	1 986 783.36	409 102.01
25 00	1 973 555.70	393 957.61	1 973 566.72	409 109.21
27 30	1 960 333.55	393 969.65	1 960 350.08	409 121.24
91 30 00	1 947 111.42	393 986.46	1 947 133.45	409 138.05
32 30	1 933 889.28	394 008.11	1 933 916.83	409 159.68
35 00	1 920 667.15	394 034.54	1 920 700.21	409 186.10
37 30	1 907 445.04	394 065.80	1 907 483.60	409 217.35
91 40 00	1 894 222.94	394 101.85	1 894 267.01	409 253.39
42 30	1 881 000.85	394 142.73	1 881 050.43	409 294.25
45 00	1 867 778.78	394 188.39	1 867 833.87	409 339.89
47 30	1 854 556.71	394 238.89	1 854 617.31	409 390.37
91 50 00	1 841 334.67	394 294.16	1 841 400.78	409 445.62
52 30	1 828 112.65	394 354.27	1 828 184.28	409 505.70
55 00	1 814 890.66	394 419.17	1 814 967.79	409 570.57
57 30	1 801 668.70	394 488.89	1 801 751.34	409 640.26
92 00 00	1 788 446.75	394 563.40	1 788 534.90	409 714.74

LONGITUDE	LATITUDE 29 50 00 X	LATITUDE 29 50 00 Y	LATITUDE 29 52 30 X	LATITUDE 29 52 30 Y
91 00 00	2 105 688.91	424 404.98	2 105 644.84	439 556.65
02 30	2 092 477.83	424 368.97	2 092 439.26	439 520.65
05 00	2 079 266.73	424 337.73	2 079 233.68	439 489.42
07 30	2 066 055.63	424 311.32	2 066 028.08	439 463.02
91 10 00	2 052 844.51	424 289.69	2 052 822.47	439 441.41
12 30	2 039 633.39	424 272.89	2 039 616.86	439 424.61
15 00	2 026 422.26	424 260.87	2 026 411.24	439 412.59
17 30	2 013 211.13	424 253.67	2 013 205.62	439 405.40
91 20 00	2 000 000.00	424 251.26	2 000 000.00	439 402.99
22 30	1 986 788.87	424 253.67	1 986 794.38	439 405.40
25 00	1 973 577.74	424 260.87	1 973 588.76	439 412.59
27 30	1 960 366.61	424 272.89	1 960 383.14	439 424.61
91 30 00	1 947 155.49	424 289.69	1 947 177.53	439 441.41
32 30	1 933 944.37	424 311.32	1 933 971.92	439 463.02
35 00	1 920 733.27	424 337.73	1 920 766.32	439 489.42
37 30	1 907 522.17	424 368.97	1 907 560.74	439 520.65
91 40 00	1 894 311.09	424 404.98	1 894 355.16	439 556.65
42 30	1 881 100.02	424 445.83	1 881 149.60	439 597.48
45 00	1 867 888.97	424 491.45	1 867 944.06	439 643.08
47 30	1 854 677.91	424 541.90	1 854 738.52	439 693.51
91 50 00	1 841 466.90	424 597.14	1 841 533.01	439 748.72
52 30	1 828 255.90	424 657.19	1 828 327.52	439 808.75
55 00	1 815 044.93	424 722.04	1 815 122.06	439 873.57
57 30	1 801 833.98	424 791.70	1 801 916.62	439 943.20
92 00 00	1 788 623.05	424 866.15	1 788 711.20	440 017.62

LONGITUDE	LATITUDE 29 55 00 X	LATITUDE 29 55 00 Y	LATITUDE 29 57 30 X	LATITUDE 29 57 30 Y
91 00 00	2 105 600.76	454 708.37	2 105 556.68	469 860.18
02 30	2 092 400.70	454 672.39	2 092 362.13	469 824.21
05 00	2 079 200.62	454 641.18	2 079 167.56	469 793.01
07 30	2 066 000.53	454 614.79	2 065 972.99	469 766.63
91 10 00	2 052 800.43	454 593.18	2 052 778.39	469 745.03
12 30	2 039 600.33	454 576.39	2 039 583.80	469 728.25
15 00	2 026 400.23	454 564.38	2 026 389.21	469 716.24
17 30	2 013 200.11	454 557.19	2 013 194.61	469 709.06
91 20 00	2 000 000.00	454 554.78	2 000 000.00	469 706.65
22 30	1 986 799.89	454 557.19	1 986 805.39	469 709.06
25 00	1 973 599.77	454 564.38	1 973 610.79	469 716.24
27 30	1 960 399.67	454 576.39	1 960 416.20	469 728.25
91 30 00	1 947 199.57	454 593.18	1 947 221.61	469 745.03
32 30	1 933 999.47	454 614.79	1 934 027.01	469 766.63
35 00	1 920 799.38	454 641.18	1 920 832.44	469 793.01
37 30	1 907 599.30	454 672.39	1 907 637.87	469 824.21
91 40 00	1 894 399.24	454 708.37	1 894 443.32	469 860.18
42 30	1 881 199.19	454 749.18	1 881 248.77	469 900.97
45 00	1 867 999.16	454 794.77	1 868 054.25	469 946.54
47 30	1 854 799.12	454 845.18	1 854 859.73	469 996.93
91 50 00	1 841 599.12	454 900.37	1 841 665.24	470 052.09
52 30	1 828 399.15	454 960.37	1 828 470.77	470 112.08
55 00	1 815 199.19	455 025.16	1 815 276.32	470 176.84
57 30	1 801 999.26	455 094.77	1 802 081.90	470 246.41
92 00 00	1 788 799.35	455 169.16	1 788 887.51	470 320.77

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 29 45 00 X	Y	LATITUDE 29 47 30 X	Y
92 00 00	1 788 446.75	394 563.40	1 788 534.90	409 714.74
02 30	1 775 224.84	394 642.74	1 775 318.50	409 794.05
05 00	1 762 002.95	394 726.87	1 762 102.12	409 878.14
07 30	1 748 781.10	394 815.82	1 748 885.78	409 967.06
92 10 00	1 735 559.29	394 909.56	1 735 669.47	410 060.76
12 30	1 722 337.50	395 008.13	1 722 453.20	410 159.29
15 00	1 709 115.76	395 111.49	1 709 236.96	410 262.60
17 30	1 695 894.05	395 219.68	1 696 020.76	410 370.75
92 20 00	1 682 672.37	395 332.64	1 682 804.60	410 483.67
22 30	1 669 450.75	395 450.44	1 669 588.48	410 601.42
25 00	1 656 229.16	395 573.04	1 656 372.41	410 723.96
27 30	1 643 007.63	395 700.45	1 643 156.38	410 851.32
92 30 00	1 629 786.14	395 832.65	1 629 940.40	410 983.47
32 30	1 616 564.70	395 969.68	1 616 724.47	411 120.44
35 00	1 603 343.31	396 111.50	1 603 508.59	411 262.20
37 30	1 590 121.97	396 258.15	1 590 292.76	411 408.79
92 40 00	1 576 900.69	396 409.58	1 577 076.98	411 560.16
42 30	1 563 679.44	396 565.85	1 563 861.25	411 716.35
45 00	1 550 458.27	396 726.89	1 550 645.58	411 877.33
47 30	1 537 237.16	396 892.77	1 537 429.98	412 043.14
92 50 00	1 524 016.11	397 063.43	1 524 214.44	412 213.73
52 30	1 510 795.12	397 238.92	1 510 998.96	412 389.15
55 00	1 497 574.20	397 419.20	1 497 783.55	412 569.35
57 30	1 484 353.35	397 604.31	1 484 568.21	412 754.38
93 00 00	1 471 132.55	397 794.20	1 471 352.92	412 944.20

LONGITUDE	LATITUDE 29 50 00 X	Y	LATITUDE 29 52 30 X	Y
92 00 00	1 788 623.05	424 866.15	1 788 711.20	440 017.62
02 30	1 775 412.16	424 945.42	1 775 505.82	440 096.86
05 00	1 762 201.29	425 029.48	1 762 300.46	440 180.88
07 30	1 748 990.46	425 118.36	1 749 095.14	440 269.73
92 10 00	1 735 779.66	425 212.02	1 735 889.85	440 363.35
12 30	1 722 568.89	425 310.51	1 722 684.59	440 461.80
15 00	1 709 358.17	425 413.78	1 709 479.38	440 565.02
17 30	1 696 147.48	425 521.88	1 696 274.19	440 673.08
92 20 00	1 682 936.82	425 634.75	1 683 069.05	440 785.90
22 30	1 669 726.22	425 752.45	1 669 863.95	440 903.56
25 00	1 656 515.65	425 874.94	1 656 658.89	441 026.00
27 30	1 643 305.13	426 002.25	1 643 453.89	441 153.25
92 30 00	1 630 094.66	426 134.34	1 630 248.92	441 285.29
32 30	1 616 884.24	426 271.26	1 617 044.01	441 422.15
35 00	1 603 673.87	426 412.96	1 603 839.15	441 563.79
37 30	1 590 463.55	426 559.48	1 590 634.34	441 710.25
92 40 00	1 577 253.28	426 710.79	1 577 429.58	441 861.49
42 30	1 564 043.05	426 866.92	1 564 224.86	442 017.56
45 00	1 550 832.90	427 027.84	1 551 020.22	442 178.41
47 30	1 537 622.81	427 193.57	1 537 815.64	442 344.08
92 50 00	1 524 412.77	427 364.10	1 524 611.11	442 514.53
52 30	1 511 202.81	427 539.44	1 511 406.65	442 689.80
55 00	1 497 992.90	427 719.57	1 498 202.25	442 869.85
57 30	1 484 783.07	427 904.52	1 484 997.93	443 054.73
93 00 00	1 471 573.29	428 094.25	1 471 793.66	443 244.38

LONGITUDE	LATITUDE 29 55 00 X	Y	LATITUDE 29 57 30 X	Y
92 00 00	1 788 799.35	455 169.16	1 788 887.51	470 320.77
02 30	1 775 599.48	455 248.36	1 775 693.14	470 399.94
05 00	1 762 399.63	455 332.35	1 762 498.80	470 483.89
07 30	1 749 199.82	455 421.16	1 749 304.50	470 572.66
92 10 00	1 736 000.04	455 514.74	1 736 110.23	470 666.21
12 30	1 722 800.29	455 613.15	1 722 915.99	470 764.57
15 00	1 709 600.58	455 716.33	1 709 721.79	470 867.71
17 30	1 696 400.91	455 824.34	1 696 527.63	470 975.68
92 20 00	1 683 201.28	455 937.12	1 683 333.50	471 088.41
22 30	1 670 001.69	456 054.72	1 670 139.42	471 205.96
25 00	1 656 802.14	456 177.11	1 656 945.38	471 328.30
27 30	1 643 602.64	456 304.31	1 643 751.40	471 455.45
92 30 00	1 630 403.19	456 436.29	1 630 557.45	471 587.38
32 30	1 617 203.78	456 573.09	1 617 363.55	471 724.12
35 00	1 604 004.43	456 714.68	1 604 169.71	471 865.64
37 30	1 590 805.13	456 861.08	1 590 975.92	472 011.99
92 40 00	1 577 605.88	457 012.26	1 577 782.18	472 163.10
42 30	1 564 406.67	457 168.26	1 564 588.48	472 319.04
45 00	1 551 207.53	457 329.04	1 551 394.85	472 479.75
47 30	1 538 008.46	457 494.64	1 538 201.29	472 645.28
92 50 00	1 524 809.44	457 665.02	1 525 007.78	472 815.59
52 30	1 511 610.49	457 840.22	1 511 814.34	472 990.71
55 00	1 498 411.61	458 020.19	1 498 620.96	473 170.62
57 30	1 485 212.79	458 204.99	1 485 427.66	473 355.34
93 00 00	1 472 014.04	458 394.57	1 472 234.41	473 544.84

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE X 29 45 00		LATITUDE X 29 47 30	
	Y	Y	Y	Y
93 00 00	1 471 132.55	397 794.20	1 471 352.92	412 944.20
02 30	1 457 911.84	397 988.92	1 458 137.72	413 138.83
05 00	1 444 691.19	398 188.43	1 444 922.58	413 338.26
07 30	1 431 470.62	398 392.76	1 431 707.52	413 542.51
93 10 00	1 418 250.12	398 601.88	1 418 492.53	413 751.54
12 30	1 405 029.70	398 815.83	1 405 277.61	413 965.40
15 00	1 391 809.36	399 034.57	1 392 062.78	414 184.05
17 30	1 378 589.10	399 258.13	1 378 848.03	414 407.52
93 20 00	1 365 368.92	399 486.48	1 365 633.36	414 635.77
22 30	1 352 148.83	399 719.66	1 352 418.77	414 868.86
25 00	1 338 928.81	399 957.63	1 339 204.27	415 106.72
27 30	1 325 708.89	400 200.42	1 325 989.86	415 349.41
93 30 00	1 312 489.06	400 448.00	1 312 775.53	415 596.89
32 30	1 299 269.32	400 700.40	1 299 561.30	415 849.19
35 00	1 286 049.67	400 957.59	1 286 347.16	416 106.27
37 30	1 272 830.10	401 219.62	1 273 133.09	416 368.19
93 40 00	1 259 610.64	401 486.42	1 259 919.14	416 634.88
42 30	1 246 391.28	401 758.05	1 246 705.29	416 906.40
45 00	1 233 172.01	402 034.48	1 233 491.54	417 182.71
47 30	1 219 952.85	402 315.72	1 220 277.88	417 463.84
93 50 00	1 206 733.80	402 601.75	1 207 064.34	417 749.75
52 30	1 193 514.85	402 892.62	1 193 850.89	418 040.49
55 00	1 180 296.00	403 188.26	1 180 637.55	418 336.01
57 30	1 167 077.26	403 488.74	1 167 424.32	418 636.36
94 00 00	1 153 858.64	403 794.00	1 154 211.21	418 941.49

LONGITUDE	LATITUDE X 29 50 00		LATITUDE X 29 52 30	
	Y	Y	Y	Y
93 00 00	1 471 573.29	428 094.25	1 471 793.66	443 244.38
02 30	1 458 363.59	428 288.81	1 458 589.47	443 438.86
05 00	1 445 153.97	428 488.15	1 445 385.36	443 638.11
07 30	1 431 944.41	428 692.32	1 432 181.31	443 842.20
93 10 00	1 418 734.93	428 901.26	1 418 977.34	444 051.06
12 30	1 405 525.53	429 115.04	1 405 773.44	444 264.74
15 00	1 392 316.21	429 333.59	1 392 569.63	444 483.20
17 30	1 379 106.96	429 556.97	1 379 365.89	444 706.49
93 20 00	1 365 897.80	429 785.12	1 366 162.24	444 934.55
22 30	1 352 688.72	430 018.11	1 352 958.67	445 167.44
25 00	1 339 479.73	430 255.88	1 339 755.19	445 405.10
27 30	1 326 270.82	430 498.46	1 326 551.79	445 647.59
93 30 00	1 313 062.01	430 745.84	1 313 348.48	445 894.86
32 30	1 299 853.28	430 998.03	1 300 145.26	446 146.95
35 00	1 286 644.65	431 255.01	1 286 942.14	446 403.82
37 30	1 273 436.09	431 516.82	1 273 739.09	446 665.52
93 40 00	1 260 227.65	431 783.40	1 260 536.16	446 931.99
42 30	1 247 019.31	432 054.81	1 247 333.33	447 203.28
45 00	1 233 811.06	432 331.00	1 234 130.58	447 479.36
47 30	1 220 602.92	432 612.01	1 220 927.95	447 760.25
93 50 00	1 207 394.88	432 897.80	1 207 725.42	448 045.93
52 30	1 194 186.94	433 188.42	1 194 522.99	448 336.42
55 00	1 180 979.11	433 483.82	1 181 320.67	448 631.70
57 30	1 167 771.39	433 784.05	1 168 118.45	448 931.80
94 00 00	1 154 563.78	434 089.05	1 154 916.35	449 236.68

LONGITUDE	LATITUDE X 29 55 00		LATITUDE X 29 57 30	
	Y	Y	Y	Y
93 00 00	1 472 014.04	458 394.57	1 472 234.41	473 544.84
02 30	1 458 815.35	458 588.96	1 459 041.24	473 739.15
05 00	1 445 616.75	458 788.14	1 445 848.14	473 938.24
07 30	1 432 418.21	458 992.13	1 432 655.11	474 142.15
93 10 00	1 419 219.74	459 200.91	1 419 462.15	474 350.84
12 30	1 406 021.36	459 414.50	1 406 269.27	474 564.34
15 00	1 392 823.05	459 632.87	1 393 076.48	474 782.62
17 30	1 379 624.83	459 856.06	1 379 883.76	475 005.72
93 20 00	1 366 426.68	460 084.03	1 366 691.12	475 233.59
22 30	1 353 228.62	460 316.82	1 353 498.57	475 466.29
25 00	1 340 030.64	460 554.39	1 340 306.10	475 703.76
27 30	1 326 832.76	460 796.77	1 327 113.72	475 946.04
93 30 00	1 313 634.96	461 043.94	1 313 921.43	476 193.11
32 30	1 300 437.25	461 295.93	1 300 729.23	476 444.98
35 00	1 287 239.63	461 552.69	1 287 537.13	476 701.64
37 30	1 274 042.09	461 814.28	1 274 345.10	476 963.12
93 40 00	1 260 844.67	462 080.63	1 261 153.18	477 229.36
42 30	1 247 647.34	462 351.82	1 247 961.36	477 500.43
45 00	1 234 450.11	462 627.78	1 234 769.64	477 776.28
47 30	1 221 252.98	462 908.56	1 221 578.02	478 056.94
93 50 00	1 208 055.96	463 194.11	1 208 386.51	478 342.38
52 30	1 194 859.04	463 484.49	1 195 195.10	478 632.63
55 00	1 181 662.23	463 779.64	1 182 003.79	478 927.66
57 30	1 168 465.52	464 079.61	1 168 812.59	479 227.51
94 00 00	1 155 268.93	464 384.37	1 155 621.51	479 532.13

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 30 00 00 X	LATITUDE 30 00 00 Y	LATITUDE 30 02 30 X	LATITUDE 30 02 30 Y
88 40 00	2 844 025.91	494 680.00	2 843 673.33	509 827.97
42 30	2 830 840.34	494 375.50	2 830 493.26	509 523.60
45 00	2 817 654.65	494 075.78	2 817 313.08	509 224.00
47 30	2 804 468.85	493 780.87	2 804 132.79	508 929.22
88 50 00	2 791 282.95	493 490.74	2 790 952.40	508 639.20
52 30	2 778 096.94	493 205.42	2 777 771.90	508 354.01
55 00	2 764 910.83	492 924.88	2 764 591.30	508 073.58
57 30	2 751 724.61	492 649.15	2 751 410.59	507 797.96
89 00 00	2 738 538.30	492 378.19	2 738 229.79	507 527.12

LONGITUDE	LATITUDE 30 05 00 X	LATITUDE 30 05 00 Y	LATITUDE 30 07 30 X	LATITUDE 30 07 30 Y
88 40 00	2 843 320.75	524 976.03	2 842 968.16	540 124.20
42 30	2 830 146.19	524 671.78	2 829 799.11	539 820.09
45 00	2 816 971.51	524 372.31	2 816 629.94	539 520.74
47 30	2 803 796.73	524 077.65	2 803 460.67	539 226.20
88 50 00	2 790 621.85	523 787.76	2 790 291.29	538 936.43
52 30	2 777 446.86	523 502.68	2 777 121.81	538 651.47
55 00	2 764 271.76	523 222.37	2 763 952.23	538 371.28
57 30	2 751 096.56	522 946.87	2 750 782.54	538 095.90
89 00 00	2 737 921.27	522 676.14	2 737 612.75	537 825.28

LONGITUDE	LATITUDE 30 10 00 X	LATITUDE 30 10 00 Y	LATITUDE 30 12 30 X	LATITUDE 30 12 30 Y
88 40 00	2 842 615.57	555 272.50	2 842 262.98	570 420.94
42 30	2 829 452.03	554 968.51	2 829 104.94	570 117.08
45 00	2 816 288.37	554 669.29	2 815 946.80	569 817.98
47 30	2 803 124.61	554 374.87	2 802 788.54	569 523.69
88 50 00	2 789 960.74	554 085.23	2 789 630.18	569 234.16
52 30	2 776 796.76	553 800.39	2 776 471.71	568 949.44
55 00	2 763 632.69	553 520.31	2 763 313.15	568 669.48
57 30	2 750 468.51	553 245.04	2 750 154.47	568 394.33
89 00 00	2 737 304.23	552 974.54	2 736 995.70	568 123.94

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 30 00 00 X	LATITUDE 30 00 00 Y	LATITUDE 30 02 30 X	LATITUDE 30 02 30 Y
89 00 00	2 738 538.30	492 378.19	2 738 229.79	507 527.12
02 30	2 725 351.90	492 112.06	2 725 048.89	507 261.10
05 00	2 712 165.38	491 850.69	2 711 867.88	506 999.84
07 30	2 698 978.78	491 594.14	2 698 686.79	506 743.40
89 10 00	2 685 792.09	491 342.37	2 685 505.60	506 491.73
12 30	2 672 605.30	491 095.40	2 672 324.33	506 244.87
15 00	2 659 418.43	490 853.22	2 659 142.97	506 002.79
17 30	2 646 231.47	490 615.85	2 645 961.52	505 765.52
89 20 00	2 633 044.43	490 383.25	2 632 779.98	505 533.01
22 30	2 619 857.30	490 155.48	2 619 598.36	505 305.33
25 00	2 606 670.09	489 932.47	2 606 416.66	505 082.42
27 30	2 593 482.81	489 714.28	2 593 234.89	504 864.32
89 30 00	2 580 295.44	489 500.87	2 580 053.03	504 651.00
32 30	2 567 107.99	489 292.27	2 566 871.09	504 442.49
35 00	2 553 920.47	489 088.44	2 553 689.08	504 238.75
37 30	2 540 732.88	488 889.44	2 540 507.00	504 039.82
89 40 00	2 527 545.22	488 695.20	2 527 324.84	503 845.67
42 30	2 514 357.48	488 505.79	2 514 142.61	503 656.33
45 00	2 501 169.68	488 321.14	2 500 960.32	503 471.76
47 30	2 487 981.81	488 141.31	2 487 777.96	503 292.01
89 50 00	2 474 793.88	487 966.26	2 474 595.54	503 117.03
52 30	2 461 605.88	487 796.03	2 461 413.05	502 946.87
55 00	2 448 417.83	487 630.56	2 448 230.51	502 781.48
57 30	2 435 229.71	487 469.92	2 435 047.90	502 620.90
90 00 00	2 422 041.52	487 314.05	2 421 865.21	502 465.09

LONGITUDE	LATITUDE 30 05 00 X	LATITUDE 30 05 00 Y	LATITUDE 30 07 30 X	LATITUDE 30 07 30 Y
89 00 00	2 737 921.27	522 676.14	2 737 612.75	537 825.28
02 30	2 724 745.88	522 410.23	2 724 442.87	537 559.48
05 00	2 711 570.38	522 149.08	2 711 272.88	537 298.44
07 30	2 698 394.79	521 892.74	2 698 102.80	537 042.21
89 10 00	2 685 219.12	521 641.18	2 684 932.64	536 790.75
12 30	2 672 043.36	521 394.42	2 671 762.38	536 544.10
15 00	2 658 867.50	521 152.44	2 658 592.03	536 302.22
17 30	2 645 691.56	520 915.27	2 645 421.60	536 065.15
89 20 00	2 632 515.54	520 682.87	2 632 251.09	535 832.84
22 30	2 619 339.42	520 455.28	2 619 080.48	535 605.35
25 00	2 606 163.23	520 232.46	2 605 909.80	535 382.62
27 30	2 592 986.96	520 014.46	2 592 739.04	535 164.71
89 30 00	2 579 810.61	519 801.22	2 579 568.20	534 951.56
32 30	2 566 634.19	519 592.79	2 566 397.28	534 743.22
35 00	2 553 457.68	519 389.14	2 553 226.29	534 539.65
37 30	2 540 281.11	519 190.30	2 540 055.22	534 340.89
89 40 00	2 527 104.46	518 996.23	2 526 884.09	534 146.91
42 30	2 513 927.74	518 806.97	2 513 712.87	533 957.73
45 00	2 500 750.97	518 622.48	2 500 541.60	533 773.31
47 30	2 487 574.11	518 442.80	2 487 370.26	533 593.71
89 50 00	2 474 397.20	518 267.90	2 474 198.86	533 418.88
52 30	2 461 220.22	518 097.80	2 461 027.39	533 248.85
55 00	2 448 043.18	517 932.48	2 447 855.86	533 083.60
57 30	2 434 866.08	517 771.97	2 434 684.27	532 923.16
90 00 00	2 421 688.91	517 616.23	2 421 512.61	532 767.48

LONGITUDE	LATITUDE 30 10 00 X	LATITUDE 30 10 00 Y	LATITUDE 30 12 30 X	LATITUDE 30 12 30 Y
89 00 00	2 737 304.23	552 974.54	2 736 995.70	568 123.94
02 30	2 724 139.86	552 708.85	2 723 836.84	567 858.36
05 00	2 710 975.37	552 447.92	2 710 677.86	567 597.53
07 30	2 697 810.80	552 191.79	2 697 518.81	567 341.52
89 10 00	2 684 646.15	551 940.44	2 684 359.66	567 090.27
12 30	2 671 481.40	551 693.89	2 671 200.42	566 843.83
15 00	2 658 316.56	551 452.11	2 658 041.09	566 602.15
17 30	2 645 151.64	551 215.14	2 644 881.68	566 365.28
89 20 00	2 631 986.63	550 982.93	2 631 722.18	566 133.16
22 30	2 618 821.54	550 755.54	2 618 562.59	565 905.86
25 00	2 605 656.36	550 532.90	2 605 402.93	565 683.32
27 30	2 592 491.11	550 315.08	2 592 243.19	565 465.59
89 30 00	2 579 325.78	550 102.02	2 579 083.36	565 252.62
32 30	2 566 160.37	549 893.77	2 565 923.46	565 044.46
35 00	2 552 994.89	549 690.29	2 552 763.49	564 841.06
37 30	2 539 829.33	549 491.61	2 539 603.44	564 642.47
89 40 00	2 526 663.71	549 297.70	2 526 443.32	564 448.64
42 30	2 513 498.00	549 108.60	2 513 283.13	564 259.62
45 00	2 500 332.24	548 924.27	2 500 122.88	564 075.36
47 30	2 487 166.41	548 744.74	2 486 962.55	563 895.91
89 50 00	2 474 000.51	548 569.98	2 473 802.17	563 721.22
52 30	2 460 834.55	548 400.03	2 460 641.71	563 551.34
55 00	2 447 668.53	548 234.84	2 447 481.21	563 386.22
57 30	2 434 502.45	548 074.47	2 434 320.64	563 225.92
90 00 00	2 421 336.30	547 918.85	2 421 159.99	563 070.37

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 30 00 00 X	LATITUDE 30 00 00 Y	LATITUDE 30 02 30 X	LATITUDE 30 02 30 Y
90 00 00	2 422 041.52	487 314.05	2 421 865.21	502 465.09
02 30	2 408 853.29	487 162.99	2 408 682.50	502 314.10
05 00	2 395 665.01	487 016.71	2 395 499.72	502 167.88
07 30	2 382 476.67	486 875.25	2 382 316.90	502 026.48
90 10 00	2 369 288.28	486 738.56	2 369 134.02	501 889.84
12 30	2 356 099.85	486 606.69	2 355 951.09	501 758.03
15 00	2 342 911.37	486 479.59	2 342 768.12	501 630.99
17 30	2 329 722.84	486 357.31	2 329 585.10	501 508.75
90 20 00	2 316 534.27	486 239.80	2 316 402.04	501 391.30
22 30	2 303 345.65	486 127.12	2 303 218.93	501 278.66
25 00	2 290 157.00	486 019.20	2 290 035.79	501 170.78
27 30	2 276 968.31	485 916.10	2 276 852.61	501 067.73
90 30 00	2 263 779.58	485 817.78	2 263 669.39	500 969.45
32 30	2 250 590.82	485 724.27	2 250 486.14	500 875.98
35 00	2 237 402.03	485 635.54	2 237 302.85	500 787.28
37 30	2 224 213.20	485 551.62	2 224 119.53	500 703.40
90 40 00	2 211 024.34	485 472.48	2 210 936.19	500 624.30
42 30	2 197 835.45	485 398.16	2 197 752.81	500 550.00
45 00	2 184 646.54	485 328.61	2 184 569.41	500 480.48
47 30	2 171 457.61	485 263.88	2 171 385.98	500 415.78
90 50 00	2 158 268.65	485 203.92	2 158 202.53	500 355.85
52 30	2 145 079.67	485 148.78	2 145 019.06	500 300.73
55 00	2 131 890.65	485 098.41	2 131 835.56	500 250.38
57 30	2 118 701.64	485 052.86	2 118 652.06	500 204.85
91 00 00	2 105 512.61	485 012.09	2 105 468.53	500 164.09

LONGITUDE	LATITUDE 30 05 00 X	LATITUDE 30 05 00 Y	LATITUDE 30 07 30 X	LATITUDE 30 07 30 Y
90 00 00	2 421 688.91	517 616.23	2 421 512.61	532 767.48
02 30	2 408 511.70	517 465.30	2 408 340.90	532 616.62
05 00	2 395 334.44	517 319.14	2 395 169.15	532 470.52
07 30	2 382 157.12	517 177.80	2 381 997.34	532 329.23
90 10 00	2 368 979.75	517 041.22	2 368 825.48	532 192.71
12 30	2 355 802.33	516 909.46	2 355 653.58	532 061.01
15 00	2 342 624.87	516 782.47	2 342 481.63	531 934.07
17 30	2 329 447.36	516 660.29	2 329 309.62	531 811.94
90 20 00	2 316 269.81	516 542.88	2 316 137.58	531 694.58
22 30	2 303 092.21	516 430.29	2 302 965.49	531 582.04
25 00	2 289 914.58	516 322.46	2 289 793.37	531 474.25
27 30	2 276 736.91	516 219.45	2 276 621.21	531 371.29
90 30 00	2 263 559.20	516 121.21	2 263 449.01	531 273.09
32 30	2 250 381.46	516 027.78	2 250 276.77	531 179.70
35 00	2 237 203.68	515 939.12	2 237 104.51	531 091.07
37 30	2 224 025.87	515 855.27	2 223 932.21	531 007.26
90 40 00	2 210 848.04	515 776.20	2 210 759.88	530 928.22
42 30	2 197 670.17	515 701.94	2 197 587.52	530 853.99
45 00	2 184 492.27	515 632.45	2 184 415.14	530 784.53
47 30	2 171 314.36	515 567.77	2 171 242.73	530 719.88
90 50 00	2 158 136.42	515 507.86	2 158 070.30	530 660.00
52 30	2 144 958.46	515 452.77	2 144 897.85	530 604.93
55 00	2 131 780.46	515 402.44	2 131 725.37	530 554.62
57 30	2 118 602.47	515 356.93	2 118 552.88	530 509.13
91 00 00	2 105 424.45	515 316.19	2 105 380.38	530 468.40

LONGITUDE	LATITUDE 30 10 00 X	LATITUDE 30 10 00 Y	LATITUDE 30 12 30 X	LATITUDE 30 12 30 Y
90 00 00	2 421 336.30	547 918.85	2 421 159.99	563 070.37
02 30	2 408 170.11	547 768.05	2 407 999.31	562 919.63
05 00	2 395 003.86	547 622.02	2 394 838.57	562 773.66
07 30	2 381 837.57	547 480.79	2 381 677.79	562 632.49
90 10 00	2 368 671.21	547 344.33	2 368 516.94	562 496.08
12 30	2 355 504.82	547 212.68	2 355 356.06	562 364.49
15 00	2 342 338.38	547 085.80	2 342 195.12	562 237.66
17 30	2 329 171.88	546 963.71	2 329 034.14	562 115.63
90 20 00	2 316 005.35	546 846.40	2 315 873.12	561 998.37
22 30	2 302 838.77	546 733.91	2 302 712.05	561 885.92
25 00	2 289 672.16	546 626.17	2 289 550.94	561 778.22
27 30	2 276 505.51	546 523.25	2 276 389.80	561 675.34
90 30 00	2 263 338.81	546 425.09	2 263 228.62	561 577.22
32 30	2 250 172.09	546 331.74	2 250 067.41	561 483.91
35 00	2 237 005.33	546 243.15	2 236 906.16	561 395.37
37 30	2 223 838.54	546 159.38	2 223 744.88	561 311.63
90 40 00	2 210 671.73	546 080.37	2 210 583.57	561 232.65
42 30	2 197 504.88	546 006.17	2 197 422.23	561 158.48
45 00	2 184 338.00	545 936.74	2 184 260.87	561 089.08
47 30	2 171 171.11	545 872.11	2 171 099.48	561 024.48
90 50 00	2 158 004.19	545 812.25	2 157 938.07	560 964.65
52 30	2 144 837.25	545 757.20	2 144 776.64	560 909.62
55 00	2 131 670.27	545 706.92	2 131 615.17	560 859.36
57 30	2 118 503.30	545 661.45	2 118 453.71	560 813.91
91 00 00	2 105 336.30	545 620.74	2 105 292.22	560 773.22

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 30 00 00 X	LATITUDE 30 00 00 Y	LATITUDE 30 02 30 X	LATITUDE 30 02 30 Y
91 00 00	2 105 512.61	485 012.09	2 105 468.53	500 164.09
02 30	2 092 323.56	484 976.13	2 092 285.00	500 128.15
05 00	2 079 134.50	484 944.94	2 079 101.45	500 096.98
07 30	2 065 945.44	484 918.58	2 065 917.89	500 070.62
91 10 00	2 052 756.36	484 896.99	2 052 734.32	500 049.04
12 30	2 039 567.28	484 880.21	2 039 550.75	500 032.27
15 00	2 026 378.19	484 868.21	2 026 367.17	500 020.28
17 30	2 013 189.10	484 861.03	2 013 183.59	500 013.10
91 20 00	2 000 000.00	484 858.62	2 000 000.00	500 010.69
22 30	1 986 810.90	484 861.03	1 986 816.41	500 013.10
25 00	1 973 621.81	484 868.21	1 973 632.83	500 020.28
27 30	1 960 432.72	484 880.21	1 960 449.25	500 032.27
91 30 00	1 947 243.64	484 896.99	1 947 265.68	500 049.04
32 30	1 934 054.56	484 918.58	1 934 082.11	500 070.62
35 00	1 920 865.50	484 944.94	1 920 898.55	500 096.98
37 30	1 907 676.44	484 976.13	1 907 715.00	500 128.15
91 40 00	1 894 487.39	485 012.09	1 894 531.47	500 164.09
42 30	1 881 298.36	485 052.86	1 881 347.94	500 204.85
45 00	1 868 109.35	485 098.41	1 868 164.44	500 250.38
47 30	1 854 920.33	485 148.78	1 854 980.94	500 300.73
91 50 00	1 841 731.35	485 203.92	1 841 797.47	500 355.85
52 30	1 828 542.39	485 263.88	1 828 614.02	500 415.78
55 00	1 815 353.46	485 328.61	1 815 430.59	500 480.48
57 30	1 802 164.55	485 398.16	1 802 247.19	500 550.00
92 00 00	1 788 975.66	485 472.48	1 789 063.81	500 624.30

LONGITUDE	LATITUDE 30 05 00 X	LATITUDE 30 05 00 Y	LATITUDE 30 07 30 X	LATITUDE 30 07 30 Y
91 00 00	2 105 424.45	515 316.19	2 105 380.38	530 468.40
02 30	2 092 246.43	515 280.26	2 092 207.86	530 432.49
05 00	2 079 068.39	515 249.10	2 079 035.33	530 401.34
07 30	2 065 890.34	515 222.76	2 065 862.79	530 375.01
91 10 00	2 052 712.28	515 201.19	2 052 690.24	530 353.45
12 30	2 039 534.22	515 184.42	2 039 517.69	530 336.70
15 00	2 026 356.15	515 172.43	2 026 345.13	530 324.71
17 30	2 013 178.08	515 165.26	2 013 172.57	530 317.54
91 20 00	2 000 000.00	515 162.85	2 000 000.00	530 315.13
22 30	1 986 821.92	515 165.26	1 986 827.43	530 317.54
25 00	1 973 643.85	515 172.43	1 973 654.87	530 324.71
27 30	1 960 465.78	515 184.42	1 960 482.31	530 336.70
91 30 00	1 947 287.72	515 201.19	1 947 309.76	530 353.45
32 30	1 934 109.66	515 222.76	1 934 137.21	530 375.01
35 00	1 920 931.61	515 249.10	1 920 964.67	530 401.34
37 30	1 907 753.57	515 280.26	1 907 792.14	530 432.49
91 40 00	1 894 575.55	515 316.19	1 894 619.62	530 468.40
42 30	1 881 397.53	515 356.93	1 881 447.12	530 509.13
45 00	1 868 219.54	515 402.44	1 868 274.63	530 554.62
47 30	1 855 041.54	515 452.77	1 855 102.15	530 604.93
91 50 00	1 841 863.58	515 507.86	1 841 929.70	530 660.00
52 30	1 828 685.64	515 567.77	1 828 757.27	530 719.88
55 00	1 815 507.73	515 632.45	1 815 584.86	530 784.53
57 30	1 802 329.83	515 701.94	1 802 412.48	530 853.99
92 00 00	1 789 151.96	515 776.20	1 789 240.12	530 928.22

LONGITUDE	LATITUDE 30 10 00 X	LATITUDE 30 10 00 Y	LATITUDE 30 12 30 X	LATITUDE 30 12 30 Y
91 00 00	2 105 336.30	545 620.74	2 105 292.22	560 773.22
02 30	2 092 169.29	545 584.84	2 092 130.73	560 737.33
05 00	2 079 002.27	545 553.71	2 078 969.21	560 706.21
07 30	2 065 835.24	545 527.39	2 065 807.70	560 679.90
91 10 00	2 052 668.20	545 505.83	2 052 646.16	560 658.36
12 30	2 039 501.16	545 489.09	2 039 484.63	560 641.62
15 00	2 026 334.11	545 477.10	2 026 323.09	560 629.64
17 30	2 013 167.06	545 469.93	2 013 161.55	560 622.47
91 20 00	2 000 000.00	545 467.53	2 000 000.00	560 620.07
22 30	1 986 832.94	545 469.93	1 986 838.45	560 622.47
25 00	1 973 665.89	545 477.10	1 973 676.91	560 629.64
27 30	1 960 498.84	545 489.09	1 960 515.37	560 641.62
91 30 00	1 947 331.80	545 505.83	1 947 353.84	560 658.36
32 30	1 934 164.76	545 527.39	1 934 192.30	560 679.90
35 00	1 920 997.73	545 553.71	1 921 030.79	560 706.21
37 30	1 907 830.71	545 584.84	1 907 869.27	560 737.33
91 40 00	1 894 663.70	545 620.74	1 894 707.78	560 773.22
42 30	1 881 496.70	545 661.45	1 881 546.29	560 813.91
45 00	1 868 329.73	545 706.92	1 868 384.83	560 859.36
47 30	1 855 162.75	545 757.20	1 855 223.36	560 909.62
91 50 00	1 841 995.81	545 812.25	1 842 061.93	560 964.65
52 30	1 828 828.89	545 872.11	1 828 900.52	561 024.48
55 00	1 815 662.00	545 936.74	1 815 739.13	561 089.08
57 30	1 802 495.12	546 006.17	1 802 577.77	561 158.48
92 00 00	1 789 328.27	546 080.37	1 789 416.43	561 232.65

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 30 00 00 X	LATITUDE 30 00 00 Y	LATITUDE 30 02 30 X	LATITUDE 30 02 30 Y
92 00 00	1 788 975.66	485 472.48	1 789 063.81	500 624.30
02 30	1 775 786.80	485 551.62	1 775 880.47	500 703.40
05 00	1 762 597.97	485 635.54	1 762 697.15	500 787.28
07 30	1 749 409.18	485 724.27	1 749 513.86	500 875.98
92 10 00	1 736 220.42	485 817.78	1 736 330.61	500 969.45
12 30	1 723 031.69	485 916.10	1 723 147.39	501 067.73
15 00	1 709 843.00	486 019.20	1 709 964.21	501 170.78
17 30	1 696 654.35	486 127.12	1 696 781.07	501 278.66
92 20 00	1 683 465.73	486 239.80	1 683 597.96	501 391.30
22 30	1 670 277.16	486 357.31	1 670 414.90	501 508.75
25 00	1 657 088.63	486 479.59	1 657 231.88	501 630.99
27 30	1 643 900.15	486 606.69	1 644 048.91	501 758.03
92 30 00	1 630 711.72	486 738.56	1 630 865.98	501 889.84
32 30	1 617 523.33	486 875.25	1 617 683.10	502 026.48
35 00	1 604 334.99	487 016.71	1 604 500.28	502 167.88
37 30	1 591 146.71	487 162.99	1 591 317.50	502 314.10
92 40 00	1 577 958.48	487 314.05	1 578 134.79	502 465.09
42 30	1 564 770.29	487 469.92	1 564 952.10	502 620.90
45 00	1 551 582.17	487 630.56	1 551 769.49	502 781.48
47 30	1 538 394.12	487 796.03	1 538 586.95	502 946.87
92 50 00	1 525 206.12	487 966.26	1 525 404.46	503 117.03
52 30	1 512 018.19	488 141.31	1 512 222.04	503 292.01
55 00	1 498 830.32	488 321.14	1 499 039.68	503 471.76
57 30	1 485 642.52	488 505.79	1 485 857.39	503 656.33
93 00 00	1 472 454.78	488 695.20	1 472 675.16	503 845.67

LONGITUDE	LATITUDE 30 05 00 X	LATITUDE 30 05 00 Y	LATITUDE 30 07 30 X	LATITUDE 30 07 30 Y
92 00 00	1 789 151.96	515 776.20	1 789 240.12	530 928.22
02 30	1 775 974.13	515 855.27	1 776 067.79	531 007.26
05 00	1 762 796.32	515 939.12	1 762 895.49	531 091.07
07 30	1 749 618.54	516 027.78	1 749 723.23	531 179.70
92 10 00	1 736 440.80	516 121.21	1 736 550.99	531 273.09
12 30	1 723 263.09	516 219.45	1 723 378.79	531 371.29
15 00	1 710 085.42	516 322.46	1 710 206.63	531 474.25
17 30	1 696 907.79	516 430.29	1 697 034.51	531 582.04
92 20 00	1 683 730.19	516 542.88	1 683 862.42	531 694.58
22 30	1 670 552.64	516 660.29	1 670 690.38	531 811.94
25 00	1 657 375.13	516 782.47	1 657 518.37	531 934.07
27 30	1 644 197.67	516 909.46	1 644 346.42	532 061.01
92 30 00	1 631 020.25	517 041.22	1 631 174.52	532 192.71
32 30	1 617 842.88	517 177.80	1 618 002.66	532 329.23
35 00	1 604 665.56	517 319.14	1 604 830.85	532 470.52
37 30	1 591 488.30	517 465.30	1 591 659.10	532 616.62
92 40 00	1 578 311.09	517 616.23	1 578 487.39	532 767.48
42 30	1 565 133.92	517 771.97	1 565 315.73	532 923.16
45 00	1 551 956.82	517 932.48	1 552 144.14	533 083.60
47 30	1 538 779.78	518 097.80	1 538 972.61	533 248.85
92 50 00	1 525 602.80	518 267.90	1 525 801.14	533 418.88
52 30	1 512 425.89	518 442.80	1 512 629.74	533 593.71
55 00	1 499 249.03	518 622.48	1 499 458.40	533 773.31
57 30	1 486 072.26	518 806.97	1 486 287.13	533 957.73
93 00 00	1 472 895.54	518 996.23	1 473 115.91	534 146.91

LONGITUDE	LATITUDE 30 10 00 X	LATITUDE 30 10 00 Y	LATITUDE 30 12 30 X	LATITUDE 30 12 30 Y
92 00 00	1 789 328.27	546 080.37	1 789 416.43	561 232.65
02 30	1 776 161.46	546 159.38	1 776 255.12	561 311.63
05 00	1 762 994.67	546 243.15	1 763 093.84	561 395.37
07 30	1 749 827.91	546 331.74	1 749 932.59	561 483.91
92 10 00	1 736 661.19	546 425.09	1 736 771.38	561 577.22
12 30	1 723 494.49	546 523.25	1 723 610.20	561 675.34
15 00	1 710 327.84	546 626.17	1 710 449.06	561 778.22
17 30	1 697 161.23	546 733.91	1 697 287.95	561 885.92
92 20 00	1 683 994.65	546 846.40	1 684 126.88	561 998.37
22 30	1 670 828.12	546 963.71	1 670 965.86	562 115.63
25 00	1 657 661.62	547 085.80	1 657 804.88	562 237.66
27 30	1 644 495.18	547 212.68	1 644 643.94	562 364.49
92 30 00	1 631 328.79	547 344.33	1 631 483.06	562 496.08
32 30	1 618 162.43	547 480.79	1 618 322.21	562 632.49
35 00	1 604 996.14	547 622.02	1 605 161.43	562 773.66
37 30	1 591 829.89	547 768.05	1 592 000.69	562 919.63
92 40 00	1 578 663.70	547 918.85	1 578 840.01	563 070.37
42 30	1 565 497.55	548 074.47	1 565 679.36	563 225.92
45 00	1 552 331.47	548 234.84	1 552 518.79	563 386.22
47 30	1 539 165.45	548 400.03	1 539 358.29	563 551.34
92 50 00	1 525 999.49	548 569.98	1 526 197.83	563 721.22
52 30	1 512 833.59	548 744.74	1 513 037.45	563 895.91
55 00	1 499 667.76	548 924.27	1 499 877.12	564 075.36
57 30	1 486 502.00	549 108.60	1 486 716.87	564 259.62
93 00 00	1 473 336.29	549 297.70	1 473 556.68	564 448.64

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 30 00 00 X	LATITUDE 30 00 00 Y	LATITUDE 30 02 30 X	LATITUDE 30 02 30 Y
93 00 00	1 472 454.78	488 695.20	1 472 675.16	503 845.67
02 30	1 459 267.12	488 889.44	1 459 493.00	504 039.82
05 00	1 446 079.53	489 088.44	1 446 310.92	504 238.75
07 30	1 432 892.01	489 292.27	1 433 128.91	504 442.49
93 10 00	1 419 704.56	489 500.87	1 419 946.97	504 651.00
12 30	1 406 517.19	489 714.28	1 406 765.11	504 864.32
15 00	1 393 329.91	489 932.47	1 393 583.34	505 082.42
17 30	1 380 142.70	490 155.48	1 380 401.64	505 305.33
93 20 00	1 366 955.57	490 383.25	1 367 220.02	505 533.01
22 30	1 353 768.53	490 615.85	1 354 038.48	505 765.52
25 00	1 340 581.57	490 853.22	1 340 857.03	506 002.79
27 30	1 327 394.70	491 095.40	1 327 675.67	506 244.87
93 30 00	1 314 207.91	491 342.37	1 314 494.40	506 491.73
32 30	1 301 021.22	491 594.14	1 301 313.21	506 743.40
35 00	1 287 834.62	491 850.69	1 288 132.12	506 999.84
37 30	1 274 648.10	492 112.06	1 274 951.11	507 261.10
93 40 00	1 261 461.70	492 378.19	1 261 770.21	507 527.12
42 30	1 248 275.39	492 649.15	1 248 589.41	507 797.96
45 00	1 235 089.17	492 924.88	1 235 408.70	508 073.58
47 30	1 221 903.06	493 205.42	1 222 228.10	508 354.01
93 50 00	1 208 717.05	493 490.74	1 209 047.60	508 639.20
52 30	1 195 531.15	493 780.87	1 195 867.21	508 929.22
55 00	1 182 345.35	494 075.78	1 182 686.92	509 224.00
57 30	1 169 159.66	494 375.50	1 169 506.74	509 523.60
94 00 00	1 155 974.09	494 680.00	1 156 326.67	509 827.97

LONGITUDE	LATITUDE 30 05 00 X	LATITUDE 30 05 00 Y	LATITUDE 30 07 30 X	LATITUDE 30 07 30 Y
93 00 00	1 472 895.54	518 996.23	1 473 115.91	534 146.91
02 30	1 459 718.89	519 190.30	1 459 944.78	534 340.89
05 00	1 446 542.32	519 389.14	1 446 773.71	534 539.65
07 30	1 433 365.81	519 592.79	1 433 602.72	534 743.22
93 10 00	1 420 189.39	519 801.22	1 420 431.80	534 951.56
12 30	1 407 013.04	520 014.46	1 407 260.96	535 164.71
15 00	1 393 836.77	520 232.46	1 394 090.20	535 382.62
17 30	1 380 660.58	520 455.28	1 380 919.52	535 605.35
93 20 00	1 367 484.46	520 682.87	1 367 748.91	535 832.84
22 30	1 354 308.44	520 915.27	1 354 578.40	536 065.15
25 00	1 341 132.50	521 152.44	1 341 407.97	536 302.22
27 30	1 327 956.64	521 394.42	1 328 237.62	536 544.10
93 30 00	1 314 780.88	521 641.18	1 315 067.36	536 790.75
32 30	1 301 605.21	521 892.74	1 301 897.20	537 042.21
35 00	1 288 429.62	522 149.08	1 288 727.12	537 298.44
37 30	1 275 254.12	522 410.23	1 275 557.13	537 559.48
93 40 00	1 262 078.73	522 676.14	1 262 387.25	537 825.28
42 30	1 248 903.44	522 946.87	1 249 217.46	538 095.90
45 00	1 235 728.24	523 222.37	1 236 047.77	538 371.28
47 30	1 222 553.14	523 502.68	1 222 878.19	538 651.47
93 50 00	1 209 378.15	523 787.76	1 209 708.71	538 936.43
52 30	1 196 203.27	524 077.65	1 196 539.33	539 226.20
55 00	1 183 028.49	524 372.31	1 183 370.06	539 520.74
57 30	1 169 853.81	524 671.78	1 170 200.89	539 820.09
94 00 00	1 156 679.25	524 976.03	1 157 031.84	540 124.20

LONGITUDE	LATITUDE 30 10 00 X	LATITUDE 30 10 00 Y	LATITUDE 30 12 30 X	LATITUDE 30 12 30 Y
93 00 00	1 473 336.29	549 297.70	1 473 556.68	564 448.64
02 30	1 460 170.67	549 491.61	1 460 396.56	564 642.47
05 00	1 447 005.11	549 690.29	1 447 236.51	564 841.06
07 30	1 433 839.63	549 893.77	1 434 076.54	565 044.46
93 10 00	1 420 674.22	550 102.02	1 420 916.64	565 252.62
12 30	1 407 508.89	550 315.08	1 407 756.81	565 465.59
15 00	1 394 343.64	550 532.90	1 394 597.07	565 683.32
17 30	1 381 178.46	550 755.54	1 381 437.41	565 905.86
93 20 00	1 368 013.37	550 982.93	1 368 277.82	566 133.16
22 30	1 354 848.36	551 215.14	1 355 118.32	566 365.28
25 00	1 341 683.44	551 452.11	1 341 958.91	566 602.15
27 30	1 328 518.60	551 693.89	1 328 799.58	566 843.83
93 30 00	1 315 353.85	551 940.44	1 315 640.34	567 090.27
32 30	1 302 189.20	552 191.79	1 302 481.19	567 341.52
35 00	1 289 024.63	552 447.92	1 289 322.14	567 597.53
37 30	1 275 860.14	552 708.85	1 276 163.16	567 858.36
93 40 00	1 262 695.77	552 974.54	1 263 004.30	568 123.94
42 30	1 249 531.49	553 245.04	1 249 845.53	568 394.33
45 00	1 236 367.31	553 520.31	1 236 686.85	568 669.48
47 30	1 223 203.24	553 800.39	1 223 528.29	568 949.44
93 50 00	1 210 039.26	554 085.23	1 210 369.82	569 234.16
52 30	1 196 875.39	554 374.87	1 197 211.46	569 523.69
55 00	1 183 711.63	554, 669.29	1 184 053.20	569 817.98
57 30	1 170 547.97	554 968.51	1 170 895.06	570 117.08
94 00 00	1 157 384.43	555 272.50	1 157 737.02	570 420.94

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 30 15 00 X	LATITUDE 30 15 00 Y	LATITUDE 30 17 30 X	LATITUDE 30 17 30 Y
88 40 00	2 841 910.38	585 569.49	2 841 557.79	600 718.21
42 30	2 828 757.86	585 265.76	2 828 410.77	600 414.60
45 00	2 815 605.22	584 966.79	2 815 263.63	600 115.76
47 30	2 802 452.47	584 672.62	2 802 116.39	599 821.71
88 50 00	2 789 299.61	584 383.21	2 788 969.05	599 532.43
52 30	2 776 146.66	584 098.61	2 775 821.60	599 247.94
55 00	2 762 993.60	583 818.77	2 762 674.05	598 968.22
57 30	2 749 840.44	583 543.73	2 749 526.40	598 693.30
89 00 00	2 736 687.18	583 273.45	2 736 378.65	598 423.13

LONGITUDE	LATITUDE 30 20 00 X	LATITUDE 30 20 00 Y	LATITUDE 30 22 30 X	LATITUDE 30 22 30 Y
88 40 00	2 841 205.18	615 867.07	2 840 852.58	631 016.10
42 30	2 828 063.67	615 563.59	2 827 716.57	630 712.74
45 00	2 814 922.05	615 264.87	2 814 580.46	630 414.15
47 30	2 801 780.32	614 970.94	2 801 444.24	630 120.35
88 50 00	2 788 638.48	614 681.78	2 788 307.91	629 831.30
52 30	2 775 496.54	614 397.42	2 775 171.48	629 547.06
55 00	2 762 354.50	614 117.81	2 762 034.95	629 267.57
57 30	2 749 212.35	613 843.00	2 748 898.31	628 992.88
89 00 00	2 736 070.11	613 572.95	2 735 761.58	628 722.94

LONGITUDE	LATITUDE 30 25 00 X	LATITUDE 30 25 00 Y	LATITUDE 30 27 30 X	LATITUDE 30 27 30 Y
88 40 00	2 840 499.97	646 165.28	2 840 147.35	661 314.66
42 30	2 827 369.47	645 862.06	2 827 022.37	661 011.56
45 00	2 814 238.87	645 563.58	2 813 897.27	660 713.21
47 30	2 801 108.15	645 269.91	2 800 772.06	660 419.66
88 50 00	2 787 977.33	644 980.99	2 787 646.75	660 130.86
52 30	2 774 846.41	644 696.86	2 774 521.34	659 846.86
55 00	2 761 715.39	644 417.49	2 761 395.83	659 567.60
57 30	2 748 584.26	644 142.91	2 748 270.20	659 293.14
89 00 00	2 735 453.03	643 873.09	2 735 144.49	659 023.43

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 30 15 00 X	LATITUDE 30 15 00 Y	LATITUDE 30 17 30 X	LATITUDE 30 17 30 Y
89 00 00	2 736 687.18	583 273.45	2 736 378.65	598 423.13
02 30	2 723 533.82	583 007.99	2 723 230.80	598 157.78
05 00	2 710 380.35	582 747.27	2 710 082.84	597 897.17
07 30	2 697 226.80	582 491.37	2 696 934.80	597 641.37
89 10 00	2 684 073.17	582 240.23	2 683 786.67	597 390.34
12 30	2 670 919.44	581 993.88	2 670 638.45	597 144.10
15 00	2 657 765.62	581 752.31	2 657 490.14	596 902.62
17 30	2 644 611.71	581 515.53	2 644 341.74	596 665.95
89 20 00	2 631 457.72	581 283.52	2 631 193.26	596 434.03
22 30	2 618 303.64	581 056.31	2 618 044.69	596 206.92
25 00	2 605 149.49	580 833.86	2 604 896.05	595 984.56
27 30	2 591 995.26	580 616.22	2 591 747.32	595 767.01
89 30 00	2 578 840.94	580 403.34	2 578 598.52	595 554.22
32 30	2 565 686.55	580 195.27	2 565 449.64	595 346.23
35 00	2 552 532.08	579 991.95	2 552 300.68	595 143.00
37 30	2 539 377.55	579 793.44	2 539 151.65	594 944.58
89 40 00	2 526 222.94	579 599.70	2 526 002.55	594 750.92
42 30	2 513 068.25	579 410.75	2 512 853.38	594 562.05
45 00	2 499 913.51	579 226.57	2 499 704.14	594 377.95
47 30	2 486 758.70	579 047.20	2 486 554.84	594 198.64
89 50 00	2 473 603.82	578 872.58	2 473 405.47	594 024.11
52 30	2 460 448.88	578 702.77	2 460 256.04	593 854.37
55 00	2 447 293.88	578 537.73	2 447 106.55	593 689.39
57 30	2 434 138.82	578 377.49	2 433 957.00	593 529.21
90 00 00	2 420 983.68	578 222.00	2 420 807.37	593 373.80

LONGITUDE	LATITUDE 30 20 00 X	LATITUDE 30 20 00 Y	LATITUDE 30 22 30 X	LATITUDE 30 22 30 Y
89 00 00	2 736 070.11	613 572.95	2 735 761.58	628 722.94
02 30	2 722 927.77	613 307.70	2 722 624.75	628 457.80
05 00	2 709 785.32	613 047.21	2 709 487.80	628 197.42
07 30	2 696 642.79	612 791.52	2 696 350.78	627 941.84
89 10 00	2 683 500.17	612 540.59	2 683 213.67	627 691.01
12 30	2 670 357.46	612 294.45	2 670 076.47	627 444.97
15 00	2 657 214.66	612 053.08	2 656 939.17	627 203.70
17 30	2 644 071.77	611 816.50	2 643 801.80	626 967.23
89 20 00	2 630 928.80	611 584.68	2 630 664.33	626 735.50
22 30	2 617 785.74	611 357.67	2 617 526.78	626 508.58
25 00	2 604 642.60	611 135.40	2 604 389.16	626 286.42
27 30	2 591 499.39	610 917.95	2 591 251.45	626 069.05
89 30 00	2 578 356.09	610 705.24	2 578 113.66	625 856.43
32 30	2 565 212.72	610 497.34	2 564 975.80	625 648.62
35 00	2 552 069.27	610 294.20	2 551 837.86	625 445.56
37 30	2 538 925.75	610 095.85	2 538 699.85	625 247.30
89 40 00	2 525 782.16	609 902.27	2 525 561.77	625 053.80
42 30	2 512 638.50	609 713.49	2 512 423.62	624 865.09
45 00	2 499 494.77	609 529.46	2 499 285.40	624 681.14
47 30	2 486 350.98	609 350.23	2 486 147.12	624 501.99
89 50 00	2 473 207.12	609 175.77	2 473 008.77	624 327.60
52 30	2 460 063.20	609 006.10	2 459 870.35	624 158.00
55 00	2 446 919.22	608 841.19	2 446 731.88	623 993.16
57 30	2 433 775.17	608 681.08	2 433 593.35	623 833.12
90 00 00	2 420 631.06	608 525.73	2 420 454.74	623 677.84

LONGITUDE	LATITUDE 30 25 00 X	LATITUDE 30 25 00 Y	LATITUDE 30 27 30 X	LATITUDE 30 27 30 Y
89 00 00	2 735 453.03	643 873.09	2 735 144.49	659 023.43
02 30	2 722 321.71	643 608.06	2 722 018.68	658 758.51
05 00	2 709 190.28	643 347.79	2 708 892.75	658 498.35
07 30	2 696 058.77	643 092.31	2 695 766.75	658 242.98
89 10 00	2 682 927.17	642 841.59	2 682 640.66	657 992.36
12 30	2 669 795.47	642 595.66	2 669 514.47	657 746.53
15 00	2 656 663.69	642 354.49	2 656 388.20	657 505.46
17 30	2 643 531.82	642 118.11	2 643 261.84	657 269.19
89 20 00	2 630 399.87	641 886.48	2 630 135.39	657 037.66
22 30	2 617 267.83	641 659.66	2 617 008.86	656 810.93
25 00	2 604 135.71	641 437.59	2 603 882.25	656 588.95
27 30	2 591 003.51	641 220.31	2 590 755.57	656 371.76
89 30 00	2 577 871.23	641 007.78	2 577 628.80	656 159.32
32 30	2 564 738.88	640 800.06	2 564 501.95	655 951.68
35 00	2 551 606.45	640 597.08	2 551 375.03	655 748.80
37 30	2 538 473.95	640 398.91	2 538 248.04	655 550.70
89 40 00	2 525 341.38	640 205.49	2 525 120.98	655 357.36
42 30	2 512 208.73	640 016.86	2 511 993.85	655 168.82
45 00	2 499 076.03	639 832.99	2 498 866.65	654 985.02
47 30	2 485 943.25	639 653.91	2 485 739.38	654 806.02
89 50 00	2 472 810.41	639 479.59	2 472 612.05	654 631.77
52 30	2 459 677.51	639 310.06	2 459 484.66	654 462.32
55 00	2 446 544.54	639 145.29	2 446 357.21	654 297.62
57 30	2 433 411.52	638 985.32	2 433 229.69	654 137.71
90 00 00	2 420 278.42	638 830.10	2 420 102.10	653 982.55

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE X 30 15 00	LATITUDE Y 30 15 00	LATITUDE X 30 17 30	LATITUDE Y 30 17 30
90 00 00	2 420 983.68	578 222.00	2 420 807.37	593 373.80
02 30	2 407 828.51	578 071.33	2 407 657.71	593 223.18
05 00	2 394 673.28	577 925.41	2 394 507.99	593 077.33
07 30	2 381 518.00	577 784.31	2 381 358.22	592 936.28
90 10 00	2 368 362.67	577 647.96	2 368 208.40	592 799.99
12 30	2 355 207.29	577 516.42	2 355 058.53	592 668.51
15 00	2 342 051.87	577 389.64	2 341 908.62	592 541.78
17 30	2 328 896.40	577 267.66	2 328 758.65	592 419.86
90 20 00	2 315 740.89	577 150.45	2 315 608.65	592 302.69
22 30	2 302 585.33	577 038.05	2 302 458.60	592 190.34
25 00	2 289 429.73	576 930.40	2 289 308.51	592 082.73
27 30	2 276 274.10	576 827.56	2 276 158.39	591 979.94
90 30 00	2 263 118.43	576 729.48	2 263 008.23	591 881.90
32 30	2 249 962.72	576 636.21	2 249 858.03	591 788.67
35 00	2 236 806.98	576 547.70	2 236 707.81	591 700.20
37 30	2 223 651.21	576 464.00	2 223 557.54	591 616.53
90 40 00	2 210 495.42	576 385.05	2 210 407.26	591 537.62
42 30	2 197 339.58	576 310.92	2 197 256.94	591 463.51
45 00	2 184 183.73	576 241.54	2 184 106.59	591 394.17
47 30	2 171 027.85	576 176.97	2 170 956.23	591 329.62
90 50 00	2 157 871.95	576 117.16	2 157 805.83	591 269.84
52 30	2 144 716.03	576 062.16	2 144 655.42	591 214.86
55 00	2 131 560.07	576 011.92	2 131 504.98	591 164.64
57 30	2 118 404.12	575 966.49	2 118 354.53	591 119.22
91 00 00	2 105 248.14	575 925.81	2 105 204.06	591 078.57

LONGITUDE	LATITUDE X 30 20 00	LATITUDE Y 30 20 00	LATITUDE X 30 22 30	LATITUDE Y 30 22 30
90 00 00	2 420 631.06	608 525.73	2 420 454.74	623 677.84
02 30	2 407 486.90	608 375.18	2 407 316.10	623 527.35
05 00	2 394 342.69	608 229.39	2 394 177.40	623 381.62
07 30	2 381 198.44	608 088.40	2 381 038.65	623 240.69
90 10 00	2 368 054.12	607 952.17	2 367 899.85	623 104.51
12 30	2 354 909.76	607 820.74	2 354 761.00	622 973.14
15 00	2 341 765.36	607 694.07	2 341 622.10	622 846.52
17 30	2 328 620.91	607 572.19	2 328 483.16	622 724.69
90 20 00	2 315 476.41	607 455.08	2 315 344.18	622 607.63
22 30	2 302 331.87	607 342.77	2 302 205.15	622 495.37
25 00	2 289 187.30	607 235.21	2 289 066.08	622 387.85
27 30	2 276 042.68	607 132.46	2 275 926.98	622 285.15
90 30 00	2 262 898.03	607 034.46	2 262 787.83	622 187.19
32 30	2 249 753.35	606 941.27	2 249 648.66	622 094.04
35 00	2 236 608.63	606 852.83	2 236 509.45	622 005.64
37 30	2 223 463.88	606 769.20	2 223 370.21	621 922.04
90 40 00	2 210 319.10	606 690.32	2 210 230.94	621 843.19
42 30	2 197 174.29	606 616.24	2 197 091.64	621 769.15
45 00	2 184 029.46	606 546.93	2 183 952.32	621 699.86
47 30	2 170 884.60	606 482.41	2 170 812.97	621 635.37
90 50 00	2 157 739.72	606 422.66	2 157 673.60	621 575.64
52 30	2 144 594.81	606 367.70	2 144 534.20	621 520.71
55 00	2 131 449.88	606 317.50	2 131 394.78	621 470.53
57 30	2 118 304.94	606 272.10	2 118 255.35	621 425.15
91 00 00	2 105 159.99	606 231.46	2 105 115.91	621 384.53

LONGITUDE	LATITUDE X 30 25 00	LATITUDE Y 30 25 00	LATITUDE X 30 27 30	LATITUDE Y 30 27 30
90 00 00	2 420 278.42	638 830.10	2 420 102.10	653 982.55
02 30	2 407 145.29	638 679.68	2 406 974.48	653 832.19
05 00	2 394 012.10	638 534.01	2 393 846.80	653 686.59
07 30	2 380 878.86	638 393.14	2 380 719.07	653 545.77
90 10 00	2 367 745.57	638 257.02	2 367 591.29	653 409.71
12 30	2 354 612.23	638 125.70	2 354 463.46	653 278.45
15 00	2 341 478.85	637 999.13	2 341 335.58	653 151.94
17 30	2 328 345.41	637 877.36	2 328 207.66	653 030.21
90 20 00	2 315 211.94	637 760.34	2 315 079.70	652 913.25
22 30	2 302 078.42	637 648.13	2 301 951.69	652 801.08
25 00	2 288 944.86	637 540.66	2 288 823.64	652 693.65
27 30	2 275 811.27	637 438.00	2 275 695.56	652 591.03
90 30 00	2 262 677.63	637 340.08	2 262 567.43	652 493.16
32 30	2 249 543.97	637 246.97	2 249 439.28	652 400.09
35 00	2 236 410.27	637 158.60	2 236 311.09	652 311.76
37 30	2 223 276.54	637 075.04	2 223 182.87	652 228.23
90 40 00	2 210 142.78	636 996.23	2 210 054.62	652 149.45
42 30	2 197 008.99	636 922.21	2 196 926.34	652 075.47
45 00	2 183 875.18	636 852.96	2 183 798.03	652 006.24
47 30	2 170 741.34	636 788.49	2 170 669.71	651 941.80
90 50 00	2 157 607.48	636 728.79	2 157 541.36	651 882.12
52 30	2 144 473.59	636 673.88	2 144 412.98	651 827.24
55 00	2 131 339.68	636 623.72	2 131 284.58	651 777.10
57 30	2 118 205.76	636 578.36	2 118 156.17	651 731.76
91 00 00	2 105 071.83	636 537.75	2 105 027.74	651 691.17

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 30 15 00 X	LATITUDE 30 15 00 Y	LATITUDE 30 17 30 X	LATITUDE 30 17 30 Y
91 00 00	2 105 248.14	575 925.81	2 105 204.06	591 078.57
02 30	2 092 092.16	575 889.94	2 092 053.59	591 042.72
05 00	2 078 936.16	575 858.84	2 078 903.10	591 011.62
07 30	2 065 780.15	575 832.54	2 065 752.60	590 985.33
91 10 00	2 052 624.12	575 811.00	2 052 602.08	590 963.81
12 30	2 039 468.10	575 794.27	2 039 451.57	590 947.08
15 00	2 026 312.07	575 782.30	2 026 301.05	590 935.11
17 30	2 013 156.04	575 775.13	2 013 150.53	590 927.95
91 20 00	2 000 000.00	575 772.73	2 000 000.00	590 925.55
22 30	1 986 843.96	575 775.13	1 986 849.47	590 927.95
25 00	1 973 687.93	575 782.30	1 973 698.95	590 935.11
27 30	1 960 531.90	575 794.27	1 960 548.43	590 947.08
91 30 00	1 947 375.88	575 811.00	1 947 397.92	590 963.81
32 30	1 934 219.85	575 832.54	1 934 247.40	590 985.33
35 00	1 921 063.84	575 858.84	1 921 096.90	591 011.62
37 30	1 907 907.84	575 889.94	1 907 946.41	591 042.72
91 40 00	1 894 751.86	575 925.81	1 894 795.94	591 078.57
42 30	1 881 595.88	575 966.49	1 881 645.47	591 119.22
45 00	1 868 439.93	576 011.92	1 868 495.02	591 164.64
47 30	1 855 283.97	576 062.16	1 855 344.58	591 214.86
91 50 00	1 842 128.05	576 117.16	1 842 194.17	591 269.84
52 30	1 828 972.15	576 176.97	1 829 043.77	591 329.62
55 00	1 815 816.27	576 241.54	1 815 893.41	591 394.17
57 30	1 802 660.42	576 310.92	1 802 743.06	591 463.51
92 00 00	1 789 504.58	576 385.05	1 789 592.74	591 537.62

LONGITUDE	LATITUDE 30 20 00 X	LATITUDE 30 20 00 Y	LATITUDE 30 22 30 X	LATITUDE 30 22 30 Y
91 00 00	2 105 159.99	606 231.46	2 105 115.91	621 384.53
02 30	2 092 015.02	606 195.63	2 091 976.45	621 348.71
05 00	2 078 870.04	606 164.54	2 078 836.98	621 317.64
07 30	2 065 725.05	606 138.27	2 065 697.50	621 291.37
91 10 00	2 052 580.05	606 116.75	2 052 558.01	621 269.86
12 30	2 039 435.04	606 100.03	2 039 418.51	621 253.15
15 00	2 026 290.03	606 088.07	2 026 279.01	621 241.19
17 30	2 013 145.02	606 080.91	2 013 139.51	621 234.04
91 20 00	2 000 000.00	606 078.51	2 000 000.00	621 231.64
22 30	1 986 854.98	606 080.91	1 986 860.49	621 234.04
25 00	1 973 709.97	606 088.07	1 973 720.99	621 241.19
27 30	1 960 564.96	606 100.03	1 960 581.49	621 253.15
91 30 00	1 947 419.95	606 116.75	1 947 441.99	621 269.86
32 30	1 934 274.95	606 138.27	1 934 302.50	621 291.37
35 00	1 921 129.96	606 164.54	1 921 163.02	621 317.64
37 30	1 907 984.98	606 195.63	1 908 023.55	621 348.71
91 40 00	1 894 840.01	606 231.46	1 894 884.09	621 384.53
42 30	1 881 695.06	606 272.10	1 881 744.65	621 425.15
45 00	1 868 550.12	606 317.50	1 868 605.22	621 470.53
47 30	1 855 405.19	606 367.70	1 855 465.80	621 520.71
91 50 00	1 842 260.28	606 422.66	1 842 326.40	621 575.64
52 30	1 829 115.40	606 482.41	1 829 187.03	621 635.37
55 00	1 815 970.54	606 546.93	1 816 047.68	621 699.86
57 30	1 802 825.71	606 616.24	1 802 908.36	621 769.15
92 00 00	1 789 680.90	606 690.32	1 789 769.06	621 843.19

LONGITUDE	LATITUDE 30 25 00 X	LATITUDE 30 25 00 Y	LATITUDE 30 27 30 X	LATITUDE 30 27 30 Y
91 00 00	2 105 071.83	636 537.75	2 105 027.74	651 691.17
02 30	2 091 937.88	636 501.95	2 091 899.31	651 655.38
05 00	2 078 803.92	636 470.89	2 078 770.86	651 624.34
07 30	2 065 669.95	636 444.64	2 065 642.40	651 598.09
91 10 00	2 052 535.97	636 423.14	2 052 513.92	651 576.60
12 30	2 039 401.98	636 406.43	2 039 385.45	651 559.90
15 00	2 026 267.99	636 394.48	2 026 256.97	651 547.96
17 30	2 013 134.00	636 387.33	2 013 128.49	651 540.81
91 20 00	2 000 000.00	636 384.93	2 000 000.00	651 538.41
22 30	1 986 866.00	636 387.33	1 986 871.51	651 540.81
25 00	1 973 732.01	636 394.48	1 973 743.03	651 547.96
27 30	1 960 598.02	636 406.43	1 960 614.55	651 559.90
91 30 00	1 947 464.03	636 423.14	1 947 486.08	651 576.60
32 30	1 934 330.05	636 444.64	1 934 357.60	651 598.09
35 00	1 921 196.08	636 470.89	1 921 229.14	651 624.34
37 30	1 908 062.12	636 501.95	1 908 100.69	651 655.38
91 40 00	1 894 928.17	636 537.75	1 894 972.26	651 691.17
42 30	1 881 794.24	636 578.36	1 881 843.83	651 731.76
45 00	1 868 660.32	636 623.72	1 868 715.42	651 777.10
47 30	1 855 526.41	636 673.88	1 855 587.02	651 827.24
91 50 00	1 842 392.52	636 728.79	1 842 458.64	651 882.12
52 30	1 829 258.66	636 788.49	1 829 330.29	651 941.80
55 00	1 816 124.82	636 852.96	1 816 201.97	652 006.24
57 30	1 802 991.01	636 922.21	1 803 073.66	652 075.47
92 00 00	1 789 857.22	636 996.23	1 789 945.38	652 149.45

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 30 15 00 X	LATITUDE 30 15 00 Y	LATITUDE 30 17 30 X	LATITUDE 30 17 30 Y
92 00 00	1 789 504.58	576 385.05	1 789 592.74	591 537.62
02 30	1 776 348.79	576 464.00	1 776 442.46	591 616.53
05 00	1 763 193.02	576 547.70	1 763 292.19	591 700.20
07 30	1 750 037.28	576 636.21	1 750 141.97	591 788.67
92 10 00	1 736 881.57	576 729.48	1 736 991.77	591 881.90
12 30	1 723 725.90	576 827.56	1 723 841.61	591 979.94
15 00	1 710 570.27	576 930.40	1 710 691.49	592 082.73
17 30	1 697 414.67	577 038.05	1 697 541.40	592 190.34
92 20 00	1 684 259.11	577 150.45	1 684 391.35	592 302.69
22 30	1 671 103.60	577 267.66	1 671 241.35	592 419.86
25 00	1 657 948.13	577 389.64	1 658 091.38	592 541.78
27 30	1 644 792.71	577 516.42	1 644 941.47	592 668.51
92 30 00	1 631 637.33	577 647.96	1 631 791.60	592 799.99
32 30	1 618 482.00	577 784.31	1 618 641.78	592 936.28
35 00	1 605 326.72	577 925.41	1 605 492.01	593 077.33
37 30	1 592 171.49	578 071.33	1 592 342.29	593 223.18
92 40 00	1 579 016.32	578 222.00	1 579 192.63	593 373.80
42 30	1 565 861.18	578 377.49	1 566 043.00	593 529.21
45 00	1 552 706.12	578 537.73	1 552 893.45	593 689.39
47 30	1 539 551.12	578 702.77	1 539 743.96	593 854.37
92 50 00	1 526 396.18	578 872.58	1 526 594.53	594 024.11
52 30	1 513 241.30	579 047.20	1 513 445.16	594 198.64
55 00	1 500 086.49	579 226.57	1 500 295.86	594 377.95
57 30	1 486 931.75	579 410.75	1 487 146.62	594 562.05
93 00 00	1 473 777.06	579 599.70	1 473 997.45	594 750.92

LONGITUDE	LATITUDE 30 20 00 X	LATITUDE 30 20 00 Y	LATITUDE 30 22 30 X	LATITUDE 30 22 30 Y
92 00 00	1 789 680.90	606 690.32	1 789 769.06	621 843.19
02 30	1 776 536.12	606 769.20	1 776 629.79	621 922.04
05 00	1 763 391.37	606 852.83	1 763 490.55	622 005.64
07 30	1 750 246.65	606 941.27	1 750 351.34	622 094.04
92 10 00	1 737 101.97	607 034.46	1 737 212.17	622 187.19
12 30	1 723 957.32	607 132.46	1 724 073.02	622 285.15
15 00	1 710 812.70	607 235.21	1 710 933.92	622 387.85
17 30	1 697 668.13	607 342.77	1 697 794.85	622 495.37
92 20 00	1 684 523.59	607 455.08	1 684 655.82	622 607.63
22 30	1 671 379.09	607 572.19	1 671 516.84	622 724.69
25 00	1 658 234.64	607 694.07	1 658 377.90	622 846.52
27 30	1 645 090.24	607 820.74	1 645 239.00	622 973.14
92 30 00	1 631 945.88	607 952.17	1 632 100.15	623 104.51
32 30	1 618 801.56	608 088.40	1 618 961.35	623 240.69
35 00	1 605 657.31	608 229.39	1 605 822.60	623 381.62
37 30	1 592 513.10	608 375.18	1 592 683.90	623 527.35
92 40 00	1 579 368.94	608 525.73	1 579 545.26	623 677.84
42 30	1 566 224.83	608 681.08	1 566 406.65	623 833.12
45 00	1 553 080.78	608 841.19	1 553 268.12	623 993.16
47 30	1 539 936.80	609 006.10	1 540 129.65	624 158.00
92 50 00	1 526 792.88	609 175.77	1 526 991.23	624 327.60
52 30	1 513 649.02	609 350.23	1 513 852.88	624 501.99
55 00	1 500 505.23	609 529.46	1 500 714.60	624 681.14
57 30	1 487 361.50	609 713.49	1 487 576.38	624 865.09
93 00 00	1 474 217.84	609 902.27	1 474 438.23	625 053.80

LONGITUDE	LATITUDE 30 25 00 X	LATITUDE 30 25 00 Y	LATITUDE 30 27 30 X	LATITUDE 30 27 30 Y
92 00 00	1 789 857.22	636 996.23	1 789 945.38	652 149.45
02 30	1 776 723.46	637 075.04	1 776 817.13	652 228.23
05 00	1 763 589.73	637 158.60	1 763 688.91	652 311.76
07 30	1 750 456.03	637 246.97	1 750 560.72	652 400.09
92 10 00	1 737 322.37	637 340.08	1 737 432.57	652 493.16
12 30	1 724 188.73	637 438.00	1 724 304.44	652 591.03
15 00	1 711 055.14	637 540.66	1 711 176.36	652 693.65
17 30	1 697 921.58	637 648.13	1 698 048.31	652 801.08
92 20 00	1 684 788.06	637 760.34	1 684 920.30	652 913.25
22 30	1 671 654.59	637 877.36	1 671 792.34	653 030.21
25 00	1 658 521.15	637 999.13	1 658 664.42	653 151.94
27 30	1 645 387.77	638 125.70	1 645 536.54	653 278.45
92 30 00	1 632 254.43	638 257.02	1 632 408.71	653 409.71
32 30	1 619 121.14	638 393.14	1 619 280.93	653 545.77
35 00	1 605 987.90	638 534.01	1 606 153.20	653 686.59
37 30	1 592 854.71	638 679.68	1 593 025.52	653 832.19
92 40 00	1 579 721.58	638 830.10	1 579 897.90	653 982.55
42 30	1 566 588.48	638 985.32	1 566 770.31	654 137.71
45 00	1 553 455.46	639 145.29	1 553 642.79	654 297.62
47 30	1 540 322.49	639 310.06	1 540 515.34	654 462.32
92 50 00	1 527 189.59	639 479.59	1 527 387.95	654 631.77
52 30	1 514 056.75	639 653.91	1 514 260.62	654 806.02
55 00	1 500 923.97	639 832.99	1 501 133.35	654 985.02
57 30	1 487 791.27	640 016.86	1 488 006.15	655 168.82
93 00 00	1 474 658.62	640 205.49	1 474 879.02	655 357.36

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 30 15 00 X	LATITUDE 30 15 00 Y	LATITUDE 30 17 30 X	LATITUDE 30 17 30 Y
93 00 00	1 473 777.06	579 599.70	1 473 997.45	594 750.92
02 30	1 460 622.45	579 793.44	1 460 848.35	594 944.58
05 00	1 447 467.92	579 991.95	1 447 699.32	595 143.00
07 30	1 434 313.45	580 195.27	1 434 550.36	595 346.23
93 10 00	1 421 159.06	580 403.34	1 421 401.48	595 554.22
12 30	1 408 004.74	580 616.22	1 408 252.68	595 767.01
15 00	1 394 850.51	580 833.86	1 395 103.95	595 984.56
17 30	1 381 696.36	581 056.31	1 381 955.31	596 206.92
93 20 00	1 368 542.28	581 283.52	1 368 806.74	596 434.03
22 30	1 355 388.29	581 515.53	1 355 658.26	596 665.95
25 00	1 342 234.38	581 752.31	1 342 509.86	596 902.62
27 30	1 329 080.56	581 993.88	1 329 361.55	597 144.10
93 30 00	1 315 926.83	582 240.23	1 316 213.33	597 390.34
32 30	1 302 773.20	582 491.37	1 303 065.20	597 641.37
35 00	1 289 619.65	582 747.27	1 289 917.16	597 897.17
37 30	1 276 466.18	583 007.99	1 276 769.20	598 157.78
93 40 00	1 263 312.82	583 273.45	1 263 621.35	598 423.13
42 30	1 250 159.56	583 543.73	1 250 473.60	598 693.30
45 00	1 237 006.40	583 818.77	1 237 325.95	598 968.22
47 30	1 223 853.34	584 098.61	1 224 178.40	599 247.94
93 50 00	1 210 700.39	584 383.21	1 211 030.95	599 532.43
52 30	1 197 547.53	584 672.62	1 197 883.61	599 821.71
55 00	1 184 394.78	584 966.79	1 184 736.37	600 115.76
57 30	1 171 242.14	585 265.76	1 171 589.23	600 414.60
94 00 00	1 158 089.62	585 569.49	1 158 442.21	600 718.21

LONGITUDE	LATITUDE 30 20 00 X	LATITUDE 30 20 00 Y	LATITUDE 30 22 30 X	LATITUDE 30 22 30 Y
93 00 00	1 474 217.84	609 902.27	1 474 438.23	625 053.80
02 30	1 461 074.25	610 095.85	1 461 300.15	625 247.30
05 00	1 447 930.73	610 294.20	1 448 162.14	625 445.56
07 30	1 434 787.28	610 497.34	1 435 024.20	625 648.62
93 10 00	1 421 643.91	610 705.24	1 421 886.34	625 856.43
12 30	1 408 500.61	610 917.95	1 408 748.55	626 069.05
15 00	1 395 357.40	611 135.40	1 395 610.84	626 286.42
17 30	1 382 214.26	611 357.67	1 382 473.22	626 508.58
93 20 00	1 369 071.20	611 584.68	1 369 335.67	626 735.50
22 30	1 355 928.23	611 816.50	1 356 198.20	626 967.23
25 00	1 342 785.34	612 053.08	1 343 060.83	627 203.70
27 30	1 329 642.54	612 294.45	1 329 923.53	627 444.97
93 30 00	1 316 499.83	612 540.59	1 316 786.33	627 691.01
32 30	1 303 357.21	612 791.52	1 303 649.22	627 941.84
35 00	1 290 214.68	613 047.21	1 290 512.20	628 197.42
37 30	1 277 072.23	613 307.70	1 277 375.25	628 457.80
93 40 00	1 263 929.89	613 572.95	1 264 238.42	628 722.94
42 30	1 250 787.65	613 843.00	1 251 101.69	628 992.88
45 00	1 237 645.50	614 117.81	1 237 965.05	629 267.57
47 30	1 224 503.46	614 397.42	1 224 828.52	629 547.06
93 50 00	1 211 361.52	614 681.78	1 211 692.09	629 831.30
52 30	1 198 219.68	614 970.94	1 198 555.76	630 120.35
55 00	1 185 077.95	615 264.87	1 185 419.54	630 414.15
57 30	1 171 936.33	615 563.59	1 172 283.43	630 712.74
94 00 00	1 158 794.82	615 867.07	1 159 147.42	631 016.10

LONGITUDE	LATITUDE 30 25 00 X	LATITUDE 30 25 00 Y	LATITUDE 30 27 30 X	LATITUDE 30 27 30 Y
93 00 00	1 474 658.62	640 205.49	1 474 879.02	655 357.36
02 30	1 461 526.05	640 398.91	1 461 751.96	655 550.70
05 00	1 448 393.55	640 597.08	1 448 624.97	655 748.80
07 30	1 435 261.12	640 800.06	1 435 498.05	655 951.68
93 10 00	1 422 128.77	641 007.78	1 422 371.20	656 159.32
12 30	1 408 996.49	641 220.31	1 409 244.43	656 371.76
15 00	1 395 864.29	641 437.59	1 396 117.75	656 588.95
17 30	1 382 732.17	641 659.66	1 382 991.14	656 810.93
93 20 00	1 369 600.13	641 886.48	1 369 864.61	657 037.66
22 30	1 356 468.18	642 118.11	1 356 738.16	657 269.19
25 00	1 343 336.31	642 354.49	1 343 611.80	657 505.46
27 30	1 330 204.53	642 595.66	1 330 485.53	657 746.53
93 30 00	1 317 072.83	642 841.59	1 317 359.34	657 992.36
32 30	1 303 941.23	643 092.31	1 304 233.25	658 242.98
35 00	1 290 809.72	643 347.79	1 291 107.25	658 498.35
37 30	1 277 678.29	643 608.06	1 277 981.32	658 758.51
93 40 00	1 264 546.97	643 873.09	1 264 855.51	659 023.43
42 30	1 251 415.74	644 142.91	1 251 729.80	659 293.14
45 00	1 238 284.61	644 417.49	1 238 604.17	659 567.60
47 30	1 225 153.59	644 696.86	1 225 478.66	659 846.86
93 50 00	1 212 022.67	644 980.99	1 212 353.25	660 130.86
52 30	1 198 891.85	645 269.91	1 199 227.94	660 419.66
55 00	1 185 761.13	645 563.58	1 186 102.73	660 713.21
57 30	1 172 630.53	645 862.06	1 172 977.63	661 011.56
94 00 00	1 159 500.03	646 165.28	1 159 852.65	661 314.66

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 30 30 00 X	LATITUDE 30 30 00 Y	LATITUDE 30 32 30 X	LATITUDE 30 32 30 Y
89 00 00	2 734 835.94	674 173.95	2 734 527.39	689 324.66
02 30	2 721 715.64	673 909.14	2 721 412.60	689 059.97
05 00	2 708 595.22	673 649.09	2 708 297.69	688 800.03
07 30	2 695 474.73	673 393.82	2 695 182.71	688 544.87
89 10 00	2 682 354.15	673 143.31	2 682 067.63	688 294.46
12 30	2 669 233.47	672 897.59	2 668 952.46	688 048.84
15 00	2 656 112.71	672 656.62	2 655 837.21	687 807.98
17 30	2 642 991.85	672 420.44	2 642 721.87	687 571.90
89 20 00	2 629 870.92	672 189.01	2 629 606.44	687 340.56
22 30	2 616 749.90	671 962.37	2 616 490.93	687 114.02
25 00	2 603 628.80	671 740.49	2 603 375.34	686 892.23
27 30	2 590 507.62	671 523.39	2 590 259.67	686 675.22
89 30 00	2 577 386.36	671 311.05	2 577 143.92	686 462.97
32 30	2 564 265.03	671 103.49	2 564 028.10	686 255.50
35 00	2 551 143.61	670 900.69	2 550 912.19	686 052.78
37 30	2 538 022.14	670 702.68	2 537 796.22	685 854.85
89 40 00	2 524 900.58	670 509.42	2 524 680.18	685 661.68
42 30	2 511 778.96	670 320.95	2 511 564.06	685 473.29
45 00	2 498 657.27	670 137.23	2 498 447.89	685 289.65
47 30	2 485 535.51	669 958.31	2 485 331.64	685 110.80
89 50 00	2 472 413.69	669 784.13	2 472 215.33	684 936.70
52 30	2 459 291.81	669 614.75	2 459 098.95	684 767.38
55 00	2 446 169.87	669 450.12	2 445 982.52	684 602.82
57 30	2 433 047.86	669 290.28	2 432 866.03	684 443.05
90 00 00	2 419 925.78	669 135.19	2 419 749.46	684 288.02

LONGITUDE	LATITUDE 30 35 00 X	LATITUDE 30 35 00 Y	LATITUDE 30 37 30 X	LATITUDE 30 37 30 Y
89 00 00	2 734 218.83	704 475.57	2 733 910.27	719 626.70
02 30	2 721 109.55	704 210.99	2 720 806.50	719 362.23
05 00	2 708 000.15	703 951.15	2 707 702.61	719 102.50
07 30	2 694 890.68	703 696.11	2 694 598.64	718 847.56
89 10 00	2 681 781.11	703 445.81	2 681 494.59	718 597.37
12 30	2 668 671.45	703 200.29	2 668 390.44	718 351.95
15 00	2 655 561.71	702 959.52	2 655 286.20	718 111.29
17 30	2 642 451.88	702 723.54	2 642 181.88	717 875.40
89 20 00	2 629 341.96	702 492.30	2 629 077.47	717 644.26
22 30	2 616 231.96	702 265.86	2 615 972.98	717 417.91
25 00	2 603 121.88	702 044.16	2 602 868.41	717 196.31
27 30	2 590 011.72	701 827.24	2 589 763.76	716 979.48
89 30 00	2 576 901.48	701 615.08	2 576 659.03	716 767.41
32 30	2 563 791.16	701 407.70	2 563 554.22	716 560.12
35 00	2 550 680.77	701 205.06	2 550 449.34	716 357.57
37 30	2 537 570.31	701 007.22	2 537 344.39	716 159.81
89 40 00	2 524 459.78	700 814.13	2 524 239.37	715 966.79
42 30	2 511 349.17	700 625.82	2 511 134.27	715 778.56
45 00	2 498 238.50	700 442.25	2 498 029.12	715 595.07
47 30	2 485 127.77	700 263.47	2 484 923.89	715 416.37
89 50 00	2 472 016.97	700 089.45	2 471 818.60	715 242.42
52 30	2 458 906.10	699 920.21	2 458 713.24	715 073.25
55 00	2 445 795.18	699 755.71	2 445 607.83	714 908.82
57 30	2 432 684.19	699 596.01	2 432 502.35	714 749.19
90 00 00	2 419 573.13	699 441.05	2 419 396.81	714 594.29

LONGITUDE	LATITUDE 30 40 00 X	LATITUDE 30 40 00 Y	LATITUDE 30 42 30 X	LATITUDE 30 42 30 Y
89 00 00	2 733 601.71	734 778.04	2 733 293.14	749 929.62
02 30	2 720 503.44	734 513.68	2 720 200.38	749 665.37
05 00	2 707 405.07	734 254.06	2 707 107.51	749 405.86
07 30	2 694 306.61	733 999.23	2 694 014.57	749 151.13
89 10 00	2 681 208.06	733 749.14	2 680 921.53	748 901.15
12 30	2 668 109.42	733 503.83	2 667 828.40	748 655.94
15 00	2 655 010.70	733 263.26	2 654 735.18	748 415.48
17 30	2 641 911.88	733 027.48	2 641 641.88	748 179.79
89 20 00	2 628 812.99	732 796.43	2 628 548.49	747 948.85
22 30	2 615 714.00	732 570.18	2 615 455.02	747 722.69
25 00	2 602 614.94	732 348.67	2 602 361.47	747 501.27
27 30	2 589 515.80	732 131.94	2 589 267.84	747 284.63
89 30 00	2 576 416.58	731 919.95	2 576 174.13	747 072.73
32 30	2 563 317.28	731 712.74	2 563 080.34	746 865.61
35 00	2 550 217.91	731 510.28	2 549 986.48	746 663.23
37 30	2 537 118.47	731 312.60	2 536 892.55	746 465.64
89 40 00	2 524 018.96	731 119.67	2 523 798.54	746 272.79
42 30	2 510 919.37	730 931.52	2 510 704.47	746 084.71
45 00	2 497 819.72	730 748.11	2 497 610.33	745 901.38
47 30	2 484 720.01	730 569.48	2 484 516.12	745 722.83
89 50 00	2 471 620.23	730 395.60	2 471 421.85	745 549.02
52 30	2 458 520.38	730 226.50	2 458 327.51	745 379.99
55 00	2 445 420.48	730 062.15	2 445 233.12	745 215.71
57 30	2 432 320.51	729 902.58	2 432 138.67	745 056.21
90 00 00	2 419 220.47	729 747.74	2 419 044.14	744 901.44

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 30 30 00 X	LATITUDE 30 30 00 Y	LATITUDE 30 32 30 X	LATITUDE 30 32 30 Y
90 00 00	2 419 925.78	669 135.19	2 419 749.46	684 288.02
02 30	2 406 803.67	668 984.89	2 406 632.85	684 137.79
05 00	2 393 681.50	668 839.34	2 393 516.20	683 992.30
07 30	2 380 559.28	668 698.59	2 380 399.49	683 851.61
90 10 00	2 367 437.01	668 562.59	2 367 282.72	683 715.66
12 30	2 354 314.69	668 431.38	2 354 165.91	683 584.51
15 00	2 341 192.32	668 304.92	2 341 049.06	683 458.10
17 30	2 328 069.91	668 183.25	2 327 932.15	683 336.48
90 20 00	2 314 947.45	668 066.33	2 314 815.21	683 219.61
22 30	2 301 824.95	667 954.21	2 301 698.22	683 107.54
25 00	2 288 702.42	667 846.83	2 288 581.19	683 000.21
27 30	2 275 579.84	667 744.25	2 275 464.13	682 897.67
90 30 00	2 262 457.23	667 646.42	2 262 347.03	682 799.88
32 30	2 249 334.58	667 553.38	2 249 229.89	682 706.88
35 00	2 236 211.91	667 465.09	2 236 112.72	682 618.63
37 30	2 223 089.19	667 381.60	2 222 995.52	682 535.17
90 40 00	2 209 966.46	667 302.85	2 209 878.29	682 456.46
42 30	2 196 843.69	667 228.90	2 196 761.03	682 382.54
45 00	2 183 720.89	667 159.70	2 183 643.75	682 313.37
47 30	2 170 598.07	667 095.29	2 170 526.44	682 248.99
90 50 00	2 157 475.23	667 035.64	2 157 409.11	682 189.35
52 30	2 144 352.37	666 980.77	2 144 291.76	682 134.51
55 00	2 131 229.47	666 930.66	2 131 174.37	682 084.42
57 30	2 118 106.58	666 885.34	2 118 056.99	682 039.12
91 00 00	2 104 983.66	666 844.77	2 104 939.58	681 998.56

LONGITUDE	LATITUDE 30 35 00 X	LATITUDE 30 35 00 Y	LATITUDE 30 37 30 X	LATITUDE 30 37 30 Y
90 00 00	2 419 573.13	699 441.05	2 419 396.81	714 594.29
02 30	2 406 462.04	699 290.88	2 406 291.22	714 444.18
05 00	2 393 350.89	699 145.45	2 393 185.58	714 298.82
07 30	2 380 239.69	699 004.82	2 380 079.89	714 158.24
90 10 00	2 367 128.44	698 868.93	2 366 974.15	714 022.41
12 30	2 354 017.14	698 737.83	2 353 868.36	713 891.37
15 00	2 340 905.79	698 611.47	2 340 762.52	713 765.07
17 30	2 327 794.40	698 489.90	2 327 656.64	713 643.55
90 20 00	2 314 682.96	698 373.08	2 314 550.72	713 526.78
22 30	2 301 571.48	698 261.06	2 301 444.75	713 414.80
25 00	2 288 459.97	698 153.77	2 288 338.74	713 307.56
27 30	2 275 348.41	698 051.28	2 275 232.70	713 205.11
90 30 00	2 262 236.82	697 953.53	2 262 126.61	713 107.40
32 30	2 249 125.20	697 860.57	2 249 020.50	713 014.48
35 00	2 236 013.54	697 772.35	2 235 914.35	712 926.30
37 30	2 222 901.84	697 688.93	2 222 808.17	712 842.91
90 40 00	2 209 790.13	697 610.25	2 209 701.96	712 764.27
42 30	2 196 678.38	697 536.36	2 196 595.72	712 690.41
45 00	2 183 566.61	697 467.22	2 183 489.46	712 621.30
47 30	2 170 454.81	697 402.87	2 170 383.17	712 556.97
90 50 00	2 157 342.99	697 343.26	2 157 276.86	712 497.39
52 30	2 144 231.15	697 288.44	2 144 170.53	712 442.59
55 00	2 131 119.27	697 238.37	2 131 064.16	712 392.54
57 30	2 118 007.39	697 193.09	2 117 957.80	712 347.27
91 00 00	2 104 895.50	697 152.55	2 104 851.42	712 306.75

LONGITUDE	LATITUDE 30 40 00 X	LATITUDE 30 40 00 Y	LATITUDE 30 42 30 X	LATITUDE 30 42 30 Y
90 00 00	2 419 220.47	729 747.74	2 419 044.14	744 901.44
02 30	2 406 120.40	729 597.70	2 405 949.58	744 751.46
05 00	2 393 020.27	729 452.40	2 392 854.96	744 606.22
07 30	2 379 920.09	729 311.88	2 379 760.29	744 465.76
90 10 00	2 366 819.86	729 176.10	2 366 665.57	744 330.04
12 30	2 353 719.58	729 045.12	2 353 570.80	744 199.11
15 00	2 340 619.25	728 918.87	2 340 475.98	744 072.91
17 30	2 327 518.88	728 797.40	2 327 381.12	743 951.49
90 20 00	2 314 418.47	728 680.68	2 314 286.22	743 834.82
22 30	2 301 318.01	728 568.75	2 301 191.27	743 722.94
25 00	2 288 217.51	728 461.55	2 288 096.28	743 615.79
27 30	2 275 116.98	728 359.14	2 275 001.26	743 513.42
90 30 00	2 262 016.41	728 261.48	2 261 906.20	743 415.80
32 30	2 248 915.80	728 168.60	2 248 811.10	743 322.96
35 00	2 235 815.16	728 080.45	2 235 715.98	743 234.85
37 30	2 222 714.49	727 997.10	2 222 620.81	743 151.53
90 40 00	2 209 613.80	727 918.49	2 209 525.63	743 072.95
42 30	2 196 513.07	727 844.66	2 196 430.41	742 999.16
45 00	2 183 412.31	727 775.58	2 183 335.17	742 930.10
47 30	2 170 311.54	727 711.28	2 170 239.90	742 865.83
90 50 00	2 157 210.74	727 651.72	2 157 144.61	742 806.30
52 30	2 144 109.92	727 596.95	2 144 049.30	742 751.55
55 00	2 131 009.06	727 546.92	2 130 953.96	742 701.54
57 30	2 117 908.21	727 501.67	2 117 858.61	742 656.31
91 00 00	2 104 807.33	727 461.17	2 104 763.25	742 615.83

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 30 30 00 X	LATITUDE 30 30 00 Y	LATITUDE 30 32 30 X	LATITUDE 30 32 30 Y
91 00 00	2 104 983.66	666 844.77	2 104 939.58	681 998.56
02 30	2 091 860.74	666 808.99	2 091 822.17	681 962.80
05 00	2 078 737.80	666 777.96	2 078 704.73	681 931.78
07 30	2 065 614.85	666 751.73	2 065 587.30	681 905.56
91 10 00	2 052 491.88	666 730.25	2 052 469.84	681 884.09
12 30	2 039 368.92	666 713.55	2 039 352.39	681 867.41
15 00	2 026 245.95	666 701.61	2 026 234.93	681 855.47
17 30	2 013 122.98	666 694.47	2 013 117.47	681 848.33
91 20 00	2 000 000.00	666 692.07	2 000 000.00	681 845.93
22 30	1 986 877.02	666 694.47	1 986 882.53	681 848.33
25 00	1 973 754.05	666 701.61	1 973 765.07	681 855.47
27 30	1 960 631.08	666 713.55	1 960 647.61	681 867.41
91 30 00	1 947 508.12	666 730.25	1 947 530.16	681 884.09
32 30	1 934 385.15	666 751.73	1 934 412.70	681 905.56
35 00	1 921 262.20	666 777.96	1 921 295.27	681 931.78
37 30	1 908 139.26	666 808.99	1 908 177.83	681 962.80
91 40 00	1 895 016.34	666 844.77	1 895 060.42	681 998.56
42 30	1 881 893.42	666 885.34	1 881 943.01	682 039.12
45 00	1 868 770.53	666 930.66	1 868 825.63	682 084.42
47 30	1 855 647.63	666 980.77	1 855 708.24	682 134.51
91 50 00	1 842 524.77	667 035.64	1 842 590.89	682 189.35
52 30	1 829 401.93	667 095.29	1 829 473.56	682 248.99
55 00	1 816 279.11	667 159.70	1 816 356.25	682 313.37
57 30	1 803 156.31	667 228.90	1 803 238.97	682 382.54
92 00 00	1 790 033.54	667 302.85	1 790 121.71	682 456.46

LONGITUDE	LATITUDE 30 35 00 X	LATITUDE 30 35 00 Y	LATITUDE 30 37 30 X	LATITUDE 30 37 30 Y
91 00 00	2 104 895.50	697 152.55	2 104 851.42	712 306.75
02 30	2 091 783.59	697 116.80	2 091 745.02	712 271.02
05 00	2 078 671.67	697 085.80	2 078 638.61	712 240.03
07 30	2 065 559.74	697 059.59	2 065 532.19	712 213.83
91 10 00	2 052 447.80	697 038.12	2 052 425.76	712 192.38
12 30	2 039 335.86	697 021.45	2 039 319.33	712 175.71
15 00	2 026 223.91	697 009.51	2 026 212.89	712 163.78
17 30	2 013 111.96	697 002.37	2 013 106.45	712 156.64
91 20 00	2 000 000.00	696 999.98	2 000 000.00	712 154.25
22 30	1 986 888.04	697 002.37	1 986 893.55	712 156.64
25 00	1 973 776.09	697 009.51	1 973 787.11	712 163.78
27 30	1 960 664.14	697 021.45	1 960 680.67	712 175.71
91 30 00	1 947 552.20	697 038.12	1 947 574.24	712 192.38
32 30	1 934 440.26	697 059.59	1 934 467.81	712 213.83
35 00	1 921 328.33	697 085.80	1 921 361.39	712 240.03
37 30	1 908 216.41	697 116.80	1 908 254.98	712 271.02
91 40 00	1 895 104.50	697 152.55	1 895 148.58	712 306.75
42 30	1 881 992.61	697 193.09	1 882 042.20	712 347.27
45 00	1 868 880.73	697 238.37	1 868 935.84	712 392.54
47 30	1 855 768.85	697 288.44	1 855 829.47	712 442.59
91 50 00	1 842 657.01	697 343.26	1 842 723.14	712 497.39
52 30	1 829 545.19	697 402.87	1 829 616.83	712 556.97
55 00	1 816 433.39	697 467.22	1 816 510.54	712 621.30
57 30	1 803 321.62	697 536.36	1 803 404.28	712 690.41
92 00 00	1 790 209.87	697 610.25	1 790 298.04	712 764.27

LONGITUDE	LATITUDE 30 40 00 X	LATITUDE 30 40 00 Y	LATITUDE 30 42 30 X	LATITUDE 30 42 30 Y
91 00 00	2 104 807.33	727 461.17	2 104 763.25	742 615.83
02 30	2 091 706.45	727 425.45	2 091 667.87	742 580.12
05 00	2 078 605.55	727 394.48	2 078 572.48	742 549.16
07 30	2 065 504.64	727 368.29	2 065 477.09	742 522.98
91 10 00	2 052 403.72	727 346.84	2 052 381.68	742 501.55
12 30	2 039 302.80	727 330.18	2 039 286.27	742 484.89
15 00	2 026 201.87	727 318.26	2 026 190.85	742 472.97
17 30	2 013 100.94	727 311.12	2 013 095.43	742 465.84
91 20 00	2 000 000.00	727 308.73	2 000 000.00	742 463.45
22 30	1 986 899.06	727 311.12	1 986 904.57	742 465.84
25 00	1 973 798.13	727 318.26	1 973 809.15	742 472.97
27 30	1 960 697.20	727 330.18	1 960 713.73	742 484.89
91 30 00	1 947 596.28	727 346.84	1 947 618.32	742 501.55
32 30	1 934 495.36	727 368.29	1 934 522.91	742 522.98
35 00	1 921 394.45	727 394.48	1 921 427.52	742 549.16
37 30	1 908 293.55	727 425.45	1 908 332.13	742 580.12
91 40 00	1 895 192.67	727 461.17	1 895 236.75	742 615.83
42 30	1 882 091.79	727 501.67	1 882 141.39	742 656.31
45 00	1 868 990.94	727 546.92	1 869 046.04	742 701.54
47 30	1 855 890.08	727 596.95	1 855 950.70	742 751.55
91 50 00	1 842 789.26	727 651.72	1 842 855.39	742 806.30
52 30	1 829 688.46	727 711.28	1 829 760.10	742 865.83
55 00	1 816 587.69	727 775.58	1 816 664.83	742 930.10
57 30	1 803 486.93	727 844.66	1 803 569.59	742 999.16
92 00 00	1 790 386.20	727 918.49	1 790 474.37	743 072.95

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 30 30 00 X	LATITUDE 30 30 00 Y	LATITUDE 30 32 30 X	LATITUDE 30 32 30 Y
92 00 00	1 790 033.54	667 302.85	1 790 121.71	682 456.46
02 30	1 776 910.81	667 381.60	1 777 004.48	682 535.17
05 00	1 763 788.09	667 465.09	1 763 887.28	682 618.63
07 30	1 750 665.42	667 553.38	1 750 770.11	682 706.88
92 10 00	1 737 542.77	667 646.42	1 737 652.97	682 799.88
12 30	1 724 420.16	667 744.25	1 724 535.87	682 897.67
15 00	1 711 297.58	667 846.83	1 711 418.81	683 000.21
17 30	1 698 175.05	667 954.21	1 698 301.78	683 107.54
92 20 00	1 685 052.55	668 066.33	1 685 184.79	683 219.61
22 30	1 671 930.09	668 183.25	1 672 067.85	683 336.48
25 00	1 658 807.68	668 304.92	1 658 950.94	683 458.10
27 30	1 645 685.31	668 431.38	1 645 834.09	683 584.51
92 30 00	1 632 562.99	668 562.59	1 632 717.28	683 715.66
32 30	1 619 440.72	668 698.59	1 619 600.51	683 851.61
35 00	1 606 318.50	668 839.34	1 606 483.80	683 992.30
37 30	1 593 196.33	668 984.89	1 593 367.15	684 137.79
92 40 00	1 580 074.22	669 135.19	1 580 250.54	684 288.02
42 30	1 566 952.14	669 290.28	1 567 133.97	684 443.05
45 00	1 553 830.13	669 450.12	1 554 017.48	684 602.82
47 30	1 540 708.19	669 614.75	1 540 901.05	684 767.38
92 50 00	1 527 586.31	669 784.13	1 527 784.67	684 936.70
52 30	1 514 464.49	669 958.31	1 514 668.36	685 110.80
55 00	1 501 342.73	670 137.23	1 501 552.11	685 289.65
57 30	1 488 221.04	670 320.95	1 488 435.94	685 473.29
93 00 00	1 475 099.42	670 509.42	1 475 319.82	685 661.68

LONGITUDE	LATITUDE 30 35 00 X	LATITUDE 30 35 00 Y	LATITUDE 30 37 30 X	LATITUDE 30 37 30 Y
92 00 00	1 790 209.87	697 610.25	1 790 298.04	712 764.27
02 30	1 777 098.16	697 688.93	1 777 191.83	712 842.91
05 00	1 763 986.46	697 772.35	1 764 085.65	712 926.30
07 30	1 750 874.80	697 860.57	1 750 979.50	713 014.48
92 10 00	1 737 763.18	697 953.53	1 737 873.39	713 107.40
12 30	1 724 651.59	698 051.28	1 724 767.30	713 205.11
15 00	1 711 540.03	698 153.77	1 711 661.26	713 307.56
17 30	1 698 428.52	698 261.06	1 698 555.25	713 414.80
92 20 00	1 685 317.04	698 373.08	1 685 449.28	713 526.78
22 30	1 672 205.60	698 489.90	1 672 343.36	713 643.55
25 00	1 659 094.21	698 611.47	1 659 237.48	713 765.07
27 30	1 645 982.86	698 737.83	1 646 131.64	713 891.37
92 30 00	1 632 871.56	698 868.93	1 633 025.85	714 022.41
32 30	1 619 760.31	699 004.82	1 619 920.11	714 158.24
35 00	1 606 649.11	699 145.45	1 606 814.42	714 298.82
37 30	1 593 537.96	699 290.88	1 593 708.78	714 444.18
92 40 00	1 580 426.87	699 441.05	1 580 603.19	714 594.29
42 30	1 567 315.81	699 596.01	1 567 497.65	714 749.19
45 00	1 554 204.82	699 755.71	1 554 392.17	714 908.82
47 30	1 541 093.90	699 920.21	1 541 286.76	715 073.25
92 50 00	1 527 983.03	700 089.45	1 528 181.40	715 242.42
52 30	1 514 872.23	700 263.47	1 515 076.11	715 416.37
55 00	1 501 761.50	700 442.25	1 501 970.88	715 595.07
57 30	1 488 650.83	700 625.82	1 488 865.73	715 778.56
93 00 00	1 475 540.22	700 814.13	1 475 760.63	715 966.79

LONGITUDE	LATITUDE 30 40 00 X	LATITUDE 30 40 00 Y	LATITUDE 30 42 30 X	LATITUDE 30 42 30 Y
92 00 00	1 790 386.20	727 918.49	1 790 474.37	743 072.95
02 30	1 777 285.51	727 997.10	1 777 379.19	743 151.53
05 00	1 764 184.84	728 080.45	1 764 284.02	743 234.85
07 30	1 751 084.20	728 168.60	1 751 188.90	743 322.96
92 10 00	1 737 983.59	728 261.48	1 738 093.80	743 415.80
12 30	1 724 883.02	728 359.14	1 724 998.74	743 513.42
15 00	1 711 782.49	728 461.55	1 711 903.72	743 615.79
17 30	1 698 681.99	728 568.75	1 698 808.73	743 722.9
92 20 00	1 685 581.53	728 680.68	1 685 713.78	743 834.[illegible]
22 30	1 672 481.12	728 797.40	1 672 618.88	743 951.49
25 00	1 659 380.75	728 918.87	1 659 524.02	744 072.91
27 30	1 646 280.42	729 045.12	1 646 429.20	744 199.11
92 30 00	1 633 180.14	729 176.10	1 633 334.43	744 330.04
32 30	1 620 079.91	729 311.88	1 620 239.71	744 465.76
35 00	1 606 979.73	729 452.40	1 607 145.04	744 606.22
37 30	1 593 879.60	729 597.70	1 594 050.42	744 751.46
92 40 00	1 580 779.53	729 747.74	1 580 955.86	744 901.44
42 30	1 567 679.49	729 902.58	1 567 861.33	745 056.21
45 00	1 554 579.52	730 062.15	1 554 766.88	745 215.71
47 30	1 541 479.62	730 226.50	1 541 672.49	745 379.99
92 50 00	1 528 379.77	730 395.60	1 528 578.15	745 549.02
52 30	1 515 279.99	730 569.48	1 515 483.88	745 722.83
55 00	1 502 180.28	730 748.11	1 502 389.67	745 901.38
57 30	1 489 080.63	730 931.52	1 489 295.53	746 084.71
93 00 00	1 475 981.04	731 119.67	1 476 201.46	746 272.79

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 30 30 00 X	Y	LATITUDE 30 32 30 X	Y
93 00 00	1 475 099.42	670 509.42	1 475 319.82	685 661.68
02 30	1 461 977.86	670 702.68	1 462 203.78	685 854.85
05 00	1 448 856.39	670 900.69	1 449 087.81	686 052.78
07 30	1 435 734.97	671 103.49	1 435 971.90	686 255.50
93 10 00	1 422 613.64	671 311.05	1 422 856.08	686 462.97
12 30	1 409 492.38	671 523.39	1 409 740.33	686 675.22
15 00	1 396 371.20	671 740.49	1 396 624.66	686 892.23
17 30	1 383 250.10	671 962.37	1 383 509.07	687 114.02
93 20 00	1 370 129.08	672 189.01	1 370 393.56	687 340.56
22 30	1 357 008.15	672 420.44	1 357 278.13	687 571.90
25 00	1 343 887.29	672 656.62	1 344 162.79	687 807.98
27 30	1 330 766.53	672 897.59	1 331 047.54	688 048.84
93 30 00	1 317 645.85	673 143.31	1 317 932.37	688 294.46
32 30	1 304 525.27	673 393.82	1 304 817.29	688 544.87
35 00	1 291 404.78	673 649.09	1 291 702.31	688 800.03
37 30	1 278 284.36	673 909.14	1 278 587.40	689 059.97
93 40 00	1 265 164.06	674 173.95	1 265 472.61	689 324.66
42 30	1 252 043.85	674 443.54	1 252 357.91	689 594.15
45 00	1 238 923.74	674 717.89	1 239 243.31	689 868.38
47 30	1 225 803.73	674 997.03	1 226 128.81	690 147.40
93 50 00	1 212 683.83	675 280.92	1 213 014.42	690 431.17
52 30	1 199 564.03	675 569.59	1 199 900.13	690 719.73
55 00	1 186 444.33	675 863.02	1 186 785.94	691 013.03
57 30	1 173 324.74	676 161.24	1 173 671.86	691 311.13
94 00 00	1 160 205.27	676 464.22	1 160 557.89	691 613.97

LONGITUDE	LATITUDE 30 35 00 X	Y	LATITUDE 30 37 30 X	Y
93 00 00	1 475 540.22	700 814.13	1 475 760.63	715 966.79
02 30	1 462 429.69	701 007.22	1 462 655.61	716 159.81
05 00	1 449 319.23	701 205.06	1 449 550.66	716 357.57
07 30	1 436 208.84	701 407.70	1 436 445.78	716 560.12
93 10 00	1 423 098.52	701 615.08	1 423 340.97	716 767.41
12 30	1 409 988.28	701 827.24	1 410 236.24	716 979.48
15 00	1 396 878.12	702 044.16	1 397 131.59	717 196.31
17 30	1 383 768.04	702 265.86	1 384 027.02	717 417.91
93 20 00	1 370 658.04	702 492.30	1 370 922.53	717 644.26
22 30	1 357 548.12	702 723.54	1 357 818.12	717 875.40
25 00	1 344 438.29	702 959.52	1 344 713.80	718 111.29
27 30	1 331 328.55	703 200.29	1 331 609.56	718 351.95
93 30 00	1 318 218.89	703 445.81	1 318 505.41	718 597.37
32 30	1 305 109.32	703 696.11	1 305 401.36	718 847.56
35 00	1 291 999.85	703 951.15	1 292 297.39	719 102.50
37 30	1 278 890.45	704 210.99	1 279 193.50	719 362.23
93 40 00	1 265 781.17	704 475.57	1 266 089.73	719 626.70
42 30	1 252 671.98	704 744.94	1 252 986.05	719 895.96
45 00	1 239 562.88	705 019.06	1 239 882.46	720 169.96
47 30	1 226 453.90	705 297.96	1 226 778.98	720 448.75
93 50 00	1 213 345.01	705 581.61	1 213 675.61	720 732.28
52 30	1 200 236.23	705 870.05	1 200 572.33	721 020.59
55 00	1 187 127.55	706 163.23	1 187 469.16	721 313.65
57 30	1 174 018.98	706 461.20	1 174 366.10	721 611.50
94 00 00	1 160 910.52	706 763.92	1 161 263.15	721 914.09

LONGITUDE	LATITUDE 30 40 00 X	Y	LATITUDE 30 42 30 X	Y
93 00 00	1 475 981.04	731 119.67	1 476 201.46	746 272.79
02 30	1 462 881.53	731 312.60	1 463 107.45	746 465.64
05 00	1 449 782.09	731 510.28	1 450 013.52	746 663.23
07 30	1 436 682.72	731 712.74	1 436 919.66	746 865.61
93 10 00	1 423 583.42	731 919.95	1 423 825.87	747 072.73
12 30	1 410 484.20	732 131.94	1 410 732.16	747 284.63
15 00	1 397 385.06	732 348.67	1 397 638.53	747 501.27
17 30	1 384 286.00	732 570.18	1 384 544.98	747 722.69
93 20 00	1 371 187.01	732 796.43	1 371 451.51	747 948.85
22 30	1 358 088.12	733 027.48	1 358 358.12	748 179.79
25 00	1 344 989.30	733 263.26	1 345 264.82	748 415.48
27 30	1 331 890.58	733 503.83	1 332 171.60	748 655.94
93 30 00	1 318 791.94	733 749.14	1 319 078.47	748 901.15
32 30	1 305 693.39	733 999.23	1 305 985.43	749 151.13
35 00	1 292 594.93	734 254.06	1 292 892.49	749 405.86
37 30	1 279 496.56	734 513.68	1 279 799.62	749 665.37
93 40 00	1 266 398.29	734 778.04	1 266 706.86	749 929.62
42 30	1 253 300.12	735 047.18	1 253 614.20	750 198.65
45 00	1 240 202.05	735 321.07	1 240 521.63	750 472.42
47 30	1 227 104.08	735 599.74	1 227 429.17	750 750.97
93 50 00	1 214 006.21	735 883.15	1 214 336.82	751 034.26
52 30	1 200 908.44	736 171.34	1 201 244.56	751 322.34
55 00	1 187 810.78	736 464.28	1 188 152.41	751 615.15
57 30	1 174 713.23	736 762.00	1 175 060.36	751 912.74
94 00 00	1 161 615.79	737 064.46	1 161 968.43	752 215.08

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 30 45 00 X	LATITUDE 30 45 00 Y	LATITUDE 30 47 30 X	LATITUDE 30 47 30 Y
89 00 00	2 732 984.57	765 081.41	2 732 675.99	780 233.45
02 30	2 719 897.32	764 817.27	2 719 594.25	779 969.43
05 00	2 706 809.96	764 557.87	2 706 512.40	779 710.14
07 30	2 693 722.52	764 303.25	2 693 430.47	779 455.62
89 10 00	2 680 634.99	764 053.37	2 680 348.45	779 205.85
12 30	2 667 547.38	763 808.26	2 667 266.34	778 960.85
15 00	2 654 459.67	763 567.90	2 654 184.15	778 720.59
17 30	2 641 371.87	763 332.32	2 641 101.86	778 485.10
89 20 00	2 628 284.00	763 101.47	2 628 019.49	778 254.35
22 30	2 615 196.03	762 875.41	2 614 937.04	778 028.38
25 00	2 602 107.99	762 654.08	2 601 854.51	777 807.15
27 30	2 589 019.87	762 437.53	2 588 771.90	777 590.69
89 30 00	2 575 931.67	762 225.72	2 575 689.21	777 378.97
32 30	2 562 843.39	762 018.69	2 562 606.44	777 172.03
35 00	2 549 755.04	761 816.40	2 549 523.60	776 969.82
37 30	2 536 666.62	761 618.88	2 536 440.69	776 772.39
89 40 00	2 523 578.13	761 426.11	2 523 357.71	776 579.70
42 30	2 510 489.56	761 238.12	2 510 274.65	776 391.79
45 00	2 497 400.93	761 054.86	2 497 191.53	776 208.61
47 30	2 484 312.23	760 876.39	2 484 108.34	776 030.21
89 50 00	2 471 223.48	760 702.65	2 471 025.09	775 856.55
52 30	2 458 134.65	760 533.70	2 457 941.78	775 687.66
55 00	2 445 045.77	760 369.48	2 444 858.41	775 523.51
57 30	2 431 956.82	760 210.04	2 431 774.97	775 364.14
90 00 00	2 418 867.80	760 055.34	2 418 691.47	775 209.51

LONGITUDE	LATITUDE 30 50 00 X	LATITUDE 30 50 00 Y	LATITUDE 30 52 30 X	LATITUDE 30 52 30 Y
89 00 00	2 732 367.40	795 385.75	2 732 058.81	810 538.30
02 30	2 719 291.17	795 121.84	2 718 988.09	810 274.50
05 00	2 706 214.84	794 862.66	2 705 917.27	810 015.43
07 30	2 693 138.42	794 608.25	2 692 846.36	809 761.13
89 10 00	2 680 061.91	794 358.58	2 679 775.36	809 511.56
12 30	2 666 985.31	794 113.68	2 666 704.27	809 266.77
15 00	2 653 908.62	793 873.52	2 653 633.09	809 026.71
17 30	2 640 831.85	793 638.14	2 640 561.83	808 791.42
89 20 00	2 627 754.99	793 407.48	2 627 490.48	808 560.86
22 30	2 614 678.05	793 181.61	2 614 419.05	808 335.09
25 00	2 601 601.02	792 960.47	2 601 347.53	808 114.04
27 30	2 588 523.92	792 744.10	2 588 275.94	807 897.76
89 30 00	2 575 446.74	792 532.47	2 575 204.27	807 686.22
32 30	2 562 369.49	792 325.61	2 562 132.53	807 479.45
35 00	2 549 292.15	792 123.49	2 549 060.71	807 277.41
37 30	2 536 214.75	791 926.15	2 535 988.81	807 080.15
89 40 00	2 523 137.28	791 733.54	2 522 916.85	806 887.62
42 30	2 510 059.73	791 545.70	2 509 844.81	806 699.87
45 00	2 496 982.13	791 362.60	2 496 772.72	806 516.84
47 30	2 483 904.45	791 184.27	2 483 700.55	806 338.59
89 50 00	2 470 826.71	791 010.69	2 470 628.32	806 165.08
52 30	2 457 748.90	790 841.87	2 457 556.03	805 996.33
55 00	2 444 671.04	790 677.79	2 444 483.68	805 832.33
57 30	2 431 593.12	790 518.49	2 431 411.27	805 673.09
90 00 00	2 418 515.12	790 363.92	2 418 338.78	805 518.58

LONGITUDE	LATITUDE 30 55 00 X	LATITUDE 30 55 00 Y	LATITUDE 30 57 30 X	LATITUDE 30 57 30 Y
89 00 00	2 731 750.22	825 691.13	2 731 441.62	840 844.22
02 30	2 718 685.01	825 427.44	2 718 381.92	840 580.64
05 00	2 705 619.69	825 168.47	2 705 322.11	840 321.78
07 30	2 692 554.29	824 914.28	2 692 262.22	840 067.70
89 10 00	2 679 488.80	824 664.82	2 679 202.24	839 818.34
12 30	2 666 423.22	824 420.13	2 666 142.17	839 573.75
15 00	2 653 357.56	824 180.17	2 653 082.02	839 333.90
17 30	2 640 291.80	823 944.99	2 640 021.77	839 098.81
89 20 00	2 627 225.96	823 714.52	2 626 961.44	838 868.45
22 30	2 614 160.04	823 488.84	2 613 901.03	838 642.86
25 00	2 601 094.04	823 267.89	2 600 840.54	838 422.00
27 30	2 588 027.96	823 051.70	2 587 779.97	838 205.90
89 30 00	2 574 961.80	822 840.25	2 574 719.32	837 994.54
32 30	2 561 895.56	822 633.57	2 561 658.60	837 787.95
35 00	2 548 829.25	822 431.62	2 548 597.79	837 586.08
37 30	2 535 762.87	822 234.44	2 535 536.93	837 388.98
89 40 00	2 522 696.42	822 041.99	2 522 475.98	837 196.62
42 30	2 509 629.89	821 854.31	2 509 414.97	837 009.02
45 00	2 496 563.31	821 671.37	2 496 353.89	836 826.15
47 30	2 483 496.65	821 493.19	2 483 292.75	836 648.05
89 50 00	2 470 429.93	821 319.75	2 470 231.54	836 474.68
52 30	2 457 363.15	821 151.08	2 457 170.26	836 306.08
55 00	2 444 296.31	820 987.14	2 444 108.94	836 142.21
57 30	2 431 229.41	820 827.97	2 431 047.55	835 983.11
90 00 00	2 418 162.43	820 673.53	2 417 986.08	835 828.73

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 30 45 00 X	LATITUDE 30 45 00 Y	LATITUDE 30 47 30 X	LATITUDE 30 47 30 Y
90 00 00	2 418 867.80	760 055.34	2 418 691.47	775 209.51
02 30	2 405 778.75	759 905.42	2 405 607.92	775 059.65
05 00	2 392 689.64	759 760.24	2 392 524.32	774 914.53
07 30	2 379 600.48	759 619.85	2 379 440.68	774 774.19
90 10 00	2 366 511.27	759 484.18	2 366 356.97	774 638.59
12 30	2 353 422.01	759 353.31	2 353 273.22	774 507.77
15 00	2 340 332.71	759 227.17	2 340 189.43	774 381.68
17 30	2 327 243.35	759 105.80	2 327 105.59	774 260.36
90 20 00	2 314 153.96	758 989.18	2 314 021.71	774 143.79
22 30	2 301 064.52	758 877.34	2 300 937.78	774 032.00
25 00	2 287 975.05	758 770.23	2 287 853.81	773 924.94
27 30	2 274 885.54	758 667.91	2 274 769.81	773 822.66
90 30 00	2 261 795.98	758 570.33	2 261 685.77	773 725.11
32 30	2 248 706.40	758 477.52	2 248 601.70	773 632.35
35 00	2 235 616.78	758 389.46	2 235 517.59	773 544.32
37 30	2 222 527.13	758 306.17	2 222 433.45	773 461.07
90 40 00	2 209 437.46	758 227.63	2 209 349.29	773 382.56
42 30	2 196 347.75	758 153.86	2 196 265.09	773 308.83
45 00	2 183 258.02	758 084.84	2 183 180.87	773 239.83
47 30	2 170 168.26	758 020.59	2 170 096.62	773 175.61
90 50 00	2 157 078.48	757 961.08	2 157 012.36	773 116.13
52 30	2 143 988.68	757 906.36	2 143 928.07	773 061.43
55 00	2 130 898.85	757 856.37	2 130 843.74	773 011.46
57 30	2 117 809.02	757 811.16	2 117 759.42	772 966.27
91 00 00	2 104 719.16	757 770.69	2 104 675.08	772 925.82

LONGITUDE	LATITUDE 30 50 00 X	LATITUDE 30 50 00 Y	LATITUDE 30 52 30 X	LATITUDE 30 52 30 Y
90 00 00	2 418 515.12	790 363.92	2 418 338.78	805 518.58
02 30	2 405 437.09	790 214.13	2 405 266.26	805 368.86
05 00	2 392 359.00	790 069.07	2 392 193.68	805 223.86
07 30	2 379 280.86	789 928.79	2 379 121.05	805 083.64
90 10 00	2 366 202.67	789 793.24	2 366 048.37	804 948.15
12 30	2 353 124.43	789 662.47	2 352 975.64	804 817.43
15 00	2 340 046.15	789 536.44	2 339 902.87	804 691.45
17 30	2 326 967.82	789 415.18	2 326 830.05	804 570.24
90 20 00	2 313 889.45	789 298.65	2 313 757.19	804 453.76
22 30	2 300 811.03	789 186.91	2 300 684.28	804 342.07
25 00	2 287 732.58	789 079.89	2 287 611.34	804 235.10
27 30	2 274 654.09	788 977.66	2 274 538.36	804 132.91
90 30 00	2 261 575.56	788 880.15	2 261 465.34	804 035.44
32 30	2 248 496.99	788 787.43	2 248 392.29	803 942.76
35 00	2 235 418.40	788 699.44	2 235 319.20	803 854.80
37 30	2 222 339.77	788 616.22	2 222 246.08	803 771.62
90 40 00	2 209 261.12	788 537.74	2 209 172.94	803 693.18
42 30	2 196 182.43	788 464.04	2 196 099.76	803 619.50
45 00	2 183 103.72	788 395.07	2 183 026.57	803 550.57
47 30	2 170 024.98	788 330.88	2 169 953.34	803 486.40
90 50 00	2 156 946.23	788 271.42	2 156 880.10	803 426.97
52 30	2 143 867.45	788 216.74	2 143 806.83	803 372.31
55 00	2 130 788.63	788 166.79	2 130 733.52	803 322.38
57 30	2 117 709.82	788 121.63	2 117 660.23	803 277.24
91 00 00	2 104 630.99	788 081.19	2 104 586.90	803 236.82

LONGITUDE	LATITUDE 30 55 00 X	LATITUDE 30 55 00 Y	LATITUDE 30 57 30 X	LATITUDE 30 57 30 Y
90 00 00	2 418 162.43	820 673.53	2 417 986.08	835 828.73
02 30	2 405 095.42	820 523.86	2 404 924.58	835 679.13
05 00	2 392 028.35	820 378.93	2 391 863.02	835 534.26
07 30	2 378 961.24	820 238.76	2 378 801.42	835 394.15
90 10 00	2 365 894.06	820 103.33	2 365 739.76	835 258.78
12 30	2 352 826.85	819 972.67	2 352 678.05	835 128.17
15 00	2 339 759.59	819 846.75	2 339 616.30	835 002.30
17 30	2 326 692.28	819 725.58	2 326 554.50	834 881.19
90 20 00	2 313 624.93	819 609.16	2 313 492.66	834 764.81
22 30	2 300 557.53	819 497.51	2 300 430.78	834 653.21
25 00	2 287 490.10	819 390.58	2 287 368.85	834 546.33
27 30	2 274 422.63	819 288.43	2 274 306.90	834 444.22
90 30 00	2 261 355.12	819 191.01	2 261 244.90	834 346.84
32 30	2 248 287.58	819 098.37	2 248 182.87	834 254.23
35 00	2 235 220.01	819 010.45	2 235 120.81	834 166.35
37 30	2 222 152.40	818 927.30	2 222 058.71	834 083.24
90 40 00	2 209 084.77	818 848.89	2 208 996.59	834 004.86
42 30	2 196 017.10	818 775.25	2 195 934.43	833 931.25
45 00	2 182 949.41	818 706.34	2 182 872.26	833 862.37
47 30	2 169 881.70	818 642.20	2 169 810.05	833 798.26
90 50 00	2 156 813.96	818 582.80	2 156 747.83	833 738.88
52 30	2 143 746.21	818 528.16	2 143 685.59	833 684.27
55 00	2 130 678.41	818 478.25	2 130 623.30	833 634.38
57 30	2 117 610.63	818 433.13	2 117 561.03	833 589.28
91 00 00	2 104 542.82	818 392.73	2 104 498.73	833 548.89

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 30 45 00 X	LATITUDE 30 45 00 Y	LATITUDE 30 47 30 X	LATITUDE 30 47 30 Y
91 00 00	2 104 719.16	757 770.69	2 104 675.08	772 925.82
02 30	2 091 629.30	757 735.01	2 091 590.72	772 890.15
05 00	2 078 539.42	757 704.05	2 078 506.36	772 859.21
07 30	2 065 449.53	757 677.89	2 065 421.98	772 833.05
91 10 00	2 052 359.63	757 656.46	2 052 337.59	772 811.63
12 30	2 039 269.73	757 639.81	2 039 253.20	772 794.99
15 00	2 026 179.83	757 627.90	2 026 168.80	772 783.08
17 30	2 013 089.91	757 620.77	2 013 084.40	772 775.96
91 20 00	2 000 000.00	757 618.38	2 000 000.00	772 773.57
22 30	1 986 910.09	757 620.77	1 986 915.60	772 775.96
25 00	1 973 820.17	757 627.90	1 973 831.20	772 783.08
27 30	1 960 730.27	757 639.81	1 960 746.80	772 794.99
91 30 00	1 947 640.37	757 656.46	1 947 662.41	772 811.63
32 30	1 934 550.47	757 677.89	1 934 578.02	772 833.05
35 00	1 921 460.58	757 704.05	1 921 493.64	772 859.21
37 30	1 908 370.70	757 735.01	1 908 409.28	772 890.15
91 40 00	1 895 280.84	757 770.69	1 895 324.92	772 925.82
42 30	1 882 190.98	757 811.16	1 882 240.58	772 966.27
45 00	1 869 101.15	757 856.37	1 869 156.26	773 011.46
47 30	1 856 011.32	757 906.36	1 856 071.93	773 061.43
91 50 00	1 842 921.52	757 961.08	1 842 987.64	773 116.13
52 30	1 829 831.74	758 020.59	1 829 903.38	773 175.61
55 00	1 816 741.98	758 084.84	1 816 819.13	773 239.83
57 30	1 803 652.25	758 153.86	1 803 734.91	773 308.83
92 00 00	1 790 562.54	758 227.63	1 790 650.71	773 382.56

LONGITUDE	LATITUDE 30 50 00 X	LATITUDE 30 50 00 Y	LATITUDE 30 52 30 X	LATITUDE 30 52 30 Y
91 00 00	2 104 630.99	788 081.19	2 104 586.90	803 236.82
02 30	2 091 552.15	788 045.54	2 091 513.57	803 201.18
05 00	2 078 473.29	788 014.61	2 078 440.23	803 170.27
07 30	2 065 394.43	787 988.47	2 065 366.87	803 144.13
91 10 00	2 052 315.55	787 967.06	2 052 293.50	803 122.73
12 30	2 039 236.67	787 950.42	2 039 220.14	803 106.10
15 00	2 026 157.78	787 938.52	2 026 146.76	803 094.21
17 30	2 013 078.89	787 931.40	2 013 073.38	803 087.09
91 20 00	2 000 000.00	787 929.01	2 000 000.00	803 084.70
22 30	1 986 921.11	787 931.40	1 986 926.62	803 087.09
25 00	1 973 842.22	787 938.52	1 973 853.24	803 094.21
27 30	1 960 763.33	787 950.42	1 960 779.86	803 106.10
91 30 00	1 947 684.45	787 967.06	1 947 706.50	803 122.73
32 30	1 934 605.57	787 988.47	1 934 633.13	803 144.13
35 00	1 921 526.71	788 014.61	1 921 559.77	803 170.27
37 30	1 908 447.85	788 045.54	1 908 486.43	803 201.18
91 40 00	1 895 369.01	788 081.19	1 895 413.10	803 236.82
42 30	1 882 290.18	788 121.63	1 882 339.77	803 277.24
45 00	1 869 211.37	788 166.79	1 869 266.48	803 322.38
47 30	1 856 132.55	788 216.74	1 856 193.17	803 372.31
91 50 00	1 843 053.77	788 271.42	1 843 119.90	803 426.97
52 30	1 829 975.02	788 330.88	1 830 046.66	803 486.40
55 00	1 816 896.28	788 395.07	1 816 973.43	803 550.57
57 30	1 803 817.57	788 464.04	1 803 900.24	803 619.50
92 00 00	1 790 738.88	788 537.74	1 790 827.06	803 693.18

LONGITUDE	LATITUDE 30 55 00 X	LATITUDE 30 55 00 Y	LATITUDE 30 57 30 X	LATITUDE 30 57 30 Y
91 00 00	2 104 542.82	818 392.73	2 104 498.73	833 548.89
02 30	2 091 475.00	818 357.10	2 091 436.42	833 513.28
05 00	2 078 407.16	818 326.20	2 078 374.09	833 482.39
07 30	2 065 339.32	818 300.08	2 065 311.76	833 456.28
91 10 00	2 052 271.46	818 278.69	2 052 249.42	833 434.90
12 30	2 039 203.60	818 262.06	2 039 187.07	833 418.29
15 00	2 026 135.74	818 250.17	2 026 124.72	833 406.40
17 30	2 013 067.87	818 243.06	2 013 062.36	833 399.29
91 20 00	2 000 000.00	818 240.67	2 000 000.00	833 396.90
22 30	1 986 932.13	818 243.06	1 986 937.64	833 399.29
25 00	1 973 864.26	818 250.17	1 973 875.28	833 406.40
27 30	1 960 796.40	818 262.06	1 960 812.93	833 418.29
91 30 00	1 947 728.54	818 278.69	1 947 750.58	833 434.90
32 30	1 934 660.68	818 300.08	1 934 688.24	833 456.28
35 00	1 921 592.84	818 326.20	1 921 625.91	833 482.39
37 30	1 908 525.00	818 357.10	1 908 563.58	833 513.28
91 40 00	1 895 457.18	818 392..73	1 895 501.27	833 548.89
42 30	1 882 389.37	818 433.13	1 882 438.97	833 589.28
45 00	1 869 321.59	818 478.25	1 869 376.70	833 634.38
47 30	1 856 253.79	818 528.16	1 856 314.41	833 684.27
91 50 00	1 843 186.04	818 582.80	1 843 252.17	833 738.88
52 30	1 830 118.30	818 642.20	1 830 189.95	833 798.26
55 00	1 817 050.59	818 706.34	1 817 127.74	833 862.37
57 30	1 803 982.90	818 775.25	1 804 065.57	833 931.25
92 00 00	1 790 915.23	818 848.89	1 791 003.41	834 004.86

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 30 45 00 X	LATITUDE 30 45 00 Y	LATITUDE 30 47 30 X	LATITUDE 30 47 30 Y
92 00 00	1 790 562.54	758 227.63	1 790 650.71	773 382.56
02 30	1 777 472.87	758 306.17	1 777 566.55	773 461.07
05 00	1 764 383.22	758 389.46	1 764 482.41	773 544.32
07 30	1 751 293.60	758 477.52	1 751 398.30	773 632.35
92 10 00	1 738 204.02	758 570.33	1 738 314.23	773 725.11
12 30	1 725 114.46	758 667.91	1 725 230.19	773 822.66
15 00	1 712 024.95	758 770.23	1 712 146.19	773 924.94
17 30	1 698 935.48	758 877.34	1 699 062.22	774 032.00
92 20 00	1 685 846.04	758 989.18	1 685 978.29	774 143.79
22 30	1 672 756.65	759 105.80	1 672 894.41	774 260.36
25 00	1 659 667.29	759 227.17	1 659 810.57	774 381.68
27 30	1 646 577.99	759 353.31	1 646 726.78	774 507.77
92 30 00	1 633 488.73	759 484.18	1 633 643.03	774 638.59
32 30	1 620 399.52	759 619.85	1 620 559.32	774 774.19
35 00	1 607 310.36	759 760.24	1 607 475.68	774 914.53
37 30	1 594 221.25	759 905.42	1 594 392.08	775 059.65
92 40 00	1 581 132.20	760 055.34	1 581 308.53	775 209.51
42 30	1 568 043.18	760 210.04	1 568 225.03	775 364.14
45 00	1 554 954.23	760 369.48	1 555 141.59	775 523.51
47 30	1 541 865.35	760 533.70	1 542 058.22	775 687.66
92 50 00	1 528 776.52	760 702.65	1 528 974.91	775 856.55
52 30	1 515 687.77	760 876.39	1 515 891.66	776 030.21
55 00	1 502 599.07	761 054.86	1 502 808.47	776 208.61
57 30	1 489 510.44	761 238.12	1 489 725.35	776 391.79
93 00 00	1 476 421.87	761 426.11	1 476 642.29	776 579.70

LONGITUDE	LATITUDE 30 50 00 X	LATITUDE 30 50 00 Y	LATITUDE 30 52 30 X	LATITUDE 30 52 30 Y
92 00 00	1 790 738.88	788 537.74	1 790 827.06	803 693.18
02 30	1 777 660.23	788 616.22	1 777 753.92	803 771.62
05 00	1 764 581.60	788 699.44	1 764 680.80	803 854.80
07 30	1 751 503.01	788 787.43	1 751 607.71	803 942.76
92 10 00	1 738 424.44	788 880.15	1 738 534.66	804 035.44
12 30	1 725 345.91	788 977.66	1 725 461.64	804 132.91
15 00	1 712 267.42	789 079.89	1 712 388.66	804 235.10
17 30	1 699 188.97	789 186.91	1 699 315.72	804 342.07
92 20 00	1 686 110.55	789 298.65	1 686 242.81	804 453.76
22 30	1 673 032.18	789 415.18	1 673 169.95	804 570.24
25 00	1 659 953.85	789 536.44	1 660 097.13	804 691.45
27 30	1 646 875.57	789 662.47	1 647 024.36	804 817.43
92 30 00	1 633 797.33	789 793.24	1 633 951.63	804 948.15
32 30	1 620 719.14	789 928.79	1 620 878.95	805 083.64
35 00	1 607 641.00	790 069.07	1 607 806.32	805 223.86
37 30	1 594 562.91	790 214.13	1 594 733.74	805 368.86
92 40 00	1 581 484.88	790 363.92	1 581 661.22	805 518.58
42 30	1 568 406.88	790 518.49	1 568 588.73	805 673.09
45 00	1 555 328.96	790 677.79	1 555 516.32	805 832.33
47 30	1 542 251.10	790 841.87	1 542 443.97	805 996.33
92 50 00	1 529 173.29	791 010.69	1 529 371.68	806 165.08
52 30	1 516 095.55	791 184.27	1 516 299.45	806 338.59
55 00	1 503 017.87	791 362.60	1 503 227.28	806 516.84
57 30	1 489 940.27	791 545.70	1 490 155.19	806 699.87
93 00 00	1 476 862.72	791 733.54	1 477 083.15	806 887.62

LONGITUDE	LATITUDE 30 55 00 X	LATITUDE 30 55 00 Y	LATITUDE 30 57 30 X	LATITUDE 30 57 30 Y
92 00 00	1 790 915.23	818 848.89	1 791 003.41	834 004.86
02 30	1 777 847.60	818 927.30	1 777 941.29	834 083.24
05 00	1 764 779.99	819 010.45	1 764 879.19	834 166.35
07 30	1 751 712.42	819 098.37	1 751 817.13	834 254.23
92 10 00	1 738 644.88	819 191.01	1 738 755.10	834 346.84
12 30	1 725 577.37	819 288.43	1 725 693.10	834 444.22
15 00	1 712 509.90	819 390.58	1 712 631.15	834 546.33
17 30	1 699 442.47	819 497.51	1 699 569.22	834 653.21
92 20 00	1 686 375.07	819 609.16	1 686 507.34	834 764.81
22 30	1 673 307.72	819 725.58	1 673 445.50	834 881.19
25 00	1 660 240.41	819 846.75	1 660 383.70	835 002.30
27 30	1 647 173.15	819 972.67	1 647 321.95	835 128.17
92 30 00	1 634 105.94	820 103.33	1 634 260.24	835 258.78
32 30	1 621 038.76	820 238.76	1 621 198.58	835 394.15
35 00	1 607 971.65	820 378.93	1 608 136.98	835 534.26
37 30	1 594 904.58	820 523.86	1 595 075.42	835 679.13
92 40 00	1 581 837.57	820 673.53	1 582 013.92	835 828.73
42 30	1 568 770.59	820 827.97	1 568 952.45	835 983.11
45 00	1 555 703.69	820 987.14	1 555 891.06	836 142.21
47 30	1 542 636.85	821 151.08	1 542 829.74	836 306.08
92 50 00	1 529 570.07	821 319.75	1 529 768.46	836 474.68
52 30	1 516 503.35	821 493.19	1 516 707.25	836 648.05
55 00	1 503 436.69	821 671.37	1 503 646.11	836 826.15
57 30	1 490 370.11	821 854.31	1 490 585.03	837 009.02
93 00 00	1 477 303.58	822 041.99	1 477 524.02	837 196.62

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 30 45 00 X	LATITUDE 30 45 00 Y	LATITUDE 30 47 30 X	LATITUDE 30 47 30 Y
93 00 00	1 476 421.87	761 426.11	1 476 642.29	776 579.70
02 30	1 463 333.38	761 618.88	1 463 559.31	776 772.39
05 00	1 450 244.96	761 816.40	1 450 476.40	776 969.82
07 30	1 437 156.61	762 018.69	1 437 393.56	777 172.03
93 10 00	1 424 068.33	762 225.72	1 424 310.79	777 378.97
12 30	1 410 980.13	762 437.53	1 411 228.10	777 590.69
15 00	1 397 892.01	762 654.08	1 398 145.49	777 807.15
17 30	1 384 803.97	762 875.41	1 385 062.96	778 028.38
93 20 00	1 371 716.00	763 101.47	1 371 980.51	778 254.35
22 30	1 358 628.13	763 332.32	1 358 898.14	778 485.10
25 00	1 345 540.33	763 567.90	1 345 815.85	778 720.59
27 30	1 332 452.62	763 808.26	1 332 733.66	778 960.85
93 30 00	1 319 365.01	764 053.37	1 319 651.55	779 205.85
32 30	1 306 277.48	764 303.25	1 306 569.53	779 455.62
35 00	1 293 190.04	764 557.87	1 293 487.60	779 710.14
37 30	1 280 102.68	764 817.27	1 280 405.75	779 969.43
93 40 00	1 267 015.43	765 081.41	1 267 324.01	780 233.45
42 30	1 253 928.28	765 350.32	1 254 242.37	780 502.26
45 00	1 240 841.23	765 623.98	1 241 160.83	780 775.80
47 30	1 227 754.28	765 902.42	1 228 079.38	781 054.12
93 50 00	1 214 667.43	766 185.59	1 214 998.05	781 337.17
52 30	1 201 580.68	766 473.54	1 201 916.81	781 625.00
55 00	1 188 494.04	766 766.23	1 188 835.67	781 917.57
57 30	1 175 407.50	767 063.70	1 175 754.65	782 214.91
94 00 00	1 162 321.08	767 365.91	1 162 673.74	782 516.99

LONGITUDE	LATITUDE 30 50 00 X	LATITUDE 30 50 00 Y	LATITUDE 30 52 30 X	LATITUDE 30 52 30 Y
93 00 00	1 476 862.72	791 733.54	1 477 083.15	806 887.62
02 30	1 463 785.25	791 926.15	1 464 011.19	807 080.15
05 00	1 450 707.85	792 123.49	1 450 939.29	807 277.41
07 30	1 437 630.51	792 325.61	1 437 867.47	807 479.45
93 10 00	1 424 553.26	792 532.47	1 424 795.73	807 686.22
12 30	1 411 476.08	792 744.10	1 411 724.06	807 897.76
15 00	1 398 398.98	792 960.47	1 398 652.47	808 114.04
17 30	1 385 321.95	793 181.61	1 385 580.95	808 335.09
93 20 00	1 372 245.01	793 407.48	1 372 509.52	808 560.86
22 30	1 359 168.15	793 638.14	1 359 438.17	808 791.42
25 00	1 346 091.38	793 873.52	1 346 366.91	809 026.71
27 30	1 333 014.69	794 113.68	1 333 295.73	809 266.77
93 30 00	1 319 938.09	794 358.58	1 320 224.64	809 511.56
32 30	1 306 861.58	794 608.25	1 307 153.64	809 761.13
35 00	1 293 785.16	794 862.66	1 294 082.73	810 015.43
37 30	1 280 708.83	795 121.84	1 281 011.91	810 274.50
93 40 00	1 267 632.60	795 385.75	1 267 941.19	810 538.30
42 30	1 254 556.47	795 654.44	1 254 870.57	810 806.88
45 00	1 241 480.43	795 927.87	1 241 800.04	811 080.19
47 30	1 228 404.50	796 206.07	1 228 729.61	811 358.27
93 50 00	1 215 328.67	796 489.00	1 215 659.30	811 641.09
52 30	1 202 252.94	796 776.71	1 202 589.08	811 928.67
55 00	1 189 177.32	797 069.16	1 189 518.96	812 220.99
57 30	1 176 101.80	797 366.37	1 176 448.96	812 518.09
94 00 00	1 163 026.40	797 668.33	1 163 379.06	812 819.91

LONGITUDE	LATITUDE 30 55 00 X	LATITUDE 30 55 00 Y	LATITUDE 30 57 30 X	LATITUDE 30 57 30 Y
93 00 00	1 477 303.58	822 041.99	1 477 524.02	837 196.62
02 30	1 464 237.13	822 234.44	1 464 463.07	837 388.98
05 00	1 451 170.75	822 431.62	1 451 402.21	837 586.08
07 30	1 438 104.44	822 633.57	1 438 341.40	837 787.95
93 10 00	1 425 038.20	822 840.25	1 425 280.68	837 994.54
12 30	1 411 972.04	823 051.70	1 412 220.03	838 205.90
15 00	1 398 905.96	823 267.89	1 399 159.46	838 422.00
17 30	1 385 839.96	823 488.84	1 386 098.97	838 642.86
93 20 00	1 372 774.04	823 714.52	1 373 038.56	838 868.45
22 30	1 359 708.20	823 944.99	1 359 978.23	839 098.81
25 00	1 346 642.44	824 180.17	1 346 917.98	839 333.90
27 30	1 333 576.78	824 420.13	1 333 857.83	839 573.75
93 30 00	1 320 511.20	824 664.82	1 320 797.76	839 818.34
32 30	1 307 445.71	824 914.28	1 307 737.78	840 067.70
35 00	1 294 380.31	825 168.47	1 294 677.89	840 321.78
37 30	1 281 314.99	825 427.44	1 281 618.08	840 580.64
93 40 00	1 268 249.78	825 691.13	1 268 558.38	840 844.22
42 30	1 255 184.67	825 959.59	1 255 498.78	841 112.57
45 00	1 242 119.65	826 232.79	1 242 439.27	841 385.65
47 30	1 229 054.74	826 510.76	1 229 379.87	841 663.50
93 50 00	1 215 989.93	826 793.45	1 216 320.57	841 946.07
52 30	1 202 925.22	827 080.92	1 203 261.37	842 233.42
55 00	1 189 860.62	827 373.11	1 190 202.28	842 525.49
57 30	1 176 796.12	827 670.08	1 177 143.29	842 822.34
94 00 00	1 163 731.73	827 971.78	1 164 084.41	843 123.91

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 31 00 00 X	LATITUDE 31 00 00 Y	LATITUDE 31 02 30 X	LATITUDE 31 02 30 Y
89 00 00	2 731 133.01	855 997.59	2 730 824.40	871 151.27
02 30	2 718 078.82	855 734.13	2 717 775.72	870 887.91
05 00	2 705 024.52	855 475.38	2 704 726.93	870 629.28
07 30	2 691 970.15	855 221.40	2 691 678.06	870 375.41
89 10 00	2 678 915.68	854 972.15	2 678 629.11	870 126.27
12 30	2 665 861.12	854 727.67	2 665 580.06	869 881.88
15 00	2 652 806.47	854 487.91	2 652 530.92	869 642.23
17 30	2 639 751.74	854 252.92	2 639 481.70	869 407.34
89 20 00	2 626 696.92	854 022.66	2 626 432.39	869 177.17
22 30	2 613 642.02	853 797.17	2 613 383.00	868 951.77
25 00	2 600 587.04	853 576.40	2 600 333.53	868 731.10
27 30	2 587 531.98	853 360.40	2 587 283.98	868 515.19
89 30 00	2 574 476.84	853 149.12	2 574 234.35	868 304.00
32 30	2 561 421.62	852 942.61	2 561 184.65	868 097.58
35 00	2 548 366.33	852 740.83	2 548 134.87	867 895.88
37 30	2 535 310.97	852 543.82	2 535 085.02	867 698.95
89 40 00	2 522 255.54	852 351.53	2 522 035.10	867 506.75
42 30	2 509 200.04	852 164.02	2 508 985.10	867 319.31
45 00	2 496 144.47	851 981.22	2 495 935.05	867 136.60
47 30	2 483 088.84	851 803.20	2 482 884.93	866 958.65
89 50 00	2 470 033.14	851 629.90	2 469 834.74	866 785.42
52 30	2 456 977.38	851 461.37	2 456 784.49	866 616.96
55 00	2 443 921.56	851 297.57	2 443 734.18	866 453.23
57 30	2 430 865.68	851 138.54	2 430 683.81	866 294.27
90 00 00	2 417 809.72	850 984.23	2 417 633.37	866 140.02

LONGITUDE	LATITUDE 31 05 00 X	LATITUDE 31 05 00 Y	LATITUDE 31 07 30 X	LATITUDE 31 07 30 Y
89 00 00	2 730 515.78	886 305.24	2 730 207.16	901 459.52
02 30	2 717 472.61	886 041.99	2 717 169.50	901 196.38
05 00	2 704 429.33	885 783.47	2 704 131.73	900 937.96
07 30	2 691 385.98	885 529.70	2 691 093.88	900 684.31
89 10 00	2 678 342.53	885 280.67	2 678 055.95	900 435.38
12 30	2 665 298.99	885 036.39	2 665 017.92	900 191.20
15 00	2 652 255.36	884 796.83	2 651 979.80	899 951.75
17 30	2 639 211.65	884 562.04	2 638 941.60	899 717.06
89 20 00	2 626 167.86	884 331.97	2 625 903.32	899 487.08
22 30	2 613 123.97	884 106.67	2 612 864.94	899 261.88
25 00	2 600 080.01	883 886.09	2 599 826.49	899 041.39
27 30	2 587 035.98	883 670.27	2 586 787.97	898 825.66
89 30 00	2 573 991.86	883 459.17	2 573 749.36	898 614.65
32 30	2 560 947.67	883 252.84	2 560 710.68	898 408.40
35 00	2 547 903.40	883 051.23	2 547 671.92	898 206.88
37 30	2 534 859.06	882 854.38	2 534 633.09	898 010.12
89 40 00	2 521 814.65	882 662.26	2 521 594.20	897 818.08
42 30	2 508 770.17	882 474.90	2 508 555.22	897 630.79
45 00	2 495 725.62	882 292.26	2 495 516.19	897 448.23
47 30	2 482 681.01	882 114.38	2 482 477.09	897 270.43
89 50 00	2 469 636.34	881 941.24	2 469 437.93	897 097.36
52 30	2 456 591.59	881 772.85	2 456 398.69	896 929.04
55 00	2 443 546.80	881 609.18	2 443 359.41	896 765.45
57 30	2 430 501.94	881 450.29	2 430 320.06	896 606.61
90 00 00	2 417 457.01	881 296.10	2 417 280.64	896 452.50

LONGITUDE	LATITUDE 31 10 00 X	LATITUDE 31 10 00 Y	LATITUDE 31 12 30 X	LATITUDE 31 12 30 Y
89 00 00	2 729 898.53	916 614.10	2 729 589.89	931 769.02
02 30	2 716 866.38	916 351.08	2 716 563.25	931 506.11
05 00	2 703 834.12	916 092.77	2 703 536.50	931 247.91
07 30	2 690 801.78	915 839.22	2 690 509.68	930 994.47
89 10 00	2 677 769.36	915 590.40	2 677 482.76	930 745.75
12 30	2 664 736.84	915 346.32	2 664 455.76	930 501.78
15 00	2 651 704.24	915 106.97	2 651 428.66	930 262.53
17 30	2 638 671.54	914 872.38	2 638 401.48	930 028.04
89 20 00	2 625 638.77	914 642.50	2 625 374.22	929 798.25
22 30	2 612 605.91	914 417.39	2 612 346.87	929 573.24
25 00	2 599 572.97	914 197.00	2 599 319.44	929 352.93
27 30	2 586 539.96	913 981.36	2 586 291.94	929 137.39
89 30 00	2 573 506.86	913 770.44	2 573 264.35	928 926.56
32 30	2 560 473.69	913 564.28	2 560 236.69	928 720.49
35 00	2 547 440.44	913 362.84	2 547 208.96	928 519.13
37 30	2 534 407.13	913 166.16	2 534 181.15	928 322.54
89 40 00	2 521 373.74	912 974.20	2 521 153.28	928 130.66
42 30	2 508 340.28	912 787.00	2 508 125.32	927 943.54
45 00	2 495 306.76	912 604.52	2 495 097.32	927 761.13
47 30	2 482 273.16	912 426.79	2 482 069.24	927 583.48
89 50 00	2 469 239.51	912 253.79	2 469 041.09	927 410.55
52 30	2 456 205.79	912 085.54	2 456 012.88	927 242.37
55 00	2 443 172.02	911 922.02	2 442 984.62	927 078.92
57 30	2 430 138.18	911 763.25	2 429 956.30	926 920.22
90 00 00	2 417 104.27	911 609.20	2 416 927.90	926 766.24

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 31 00 00 X	LATITUDE 31 00 00 Y	LATITUDE 31 02 30 X	LATITUDE 31 02 30 Y
90 00 00	2 417 809.72	850 984.23	2 417 633.37	866 140.02
02 30	2 404 753.73	850 834.69	2 404 582.89	865 990.54
05 00	2 391 697.69	850 689.87	2 391 532.35	865 845.79
07 30	2 378 641.59	850 549.83	2 378 481.77	865 705.81
90 10 00	2 365 585.45	850 414.51	2 365 431.13	865 570.54
12 30	2 352 529.25	850 283.96	2 352 380.45	865 440.05
15 00	2 339 473.01	850 158.14	2 339 329.72	865 314.28
17 30	2 326 416.72	850 037.08	2 326 278.94	865 193.27
90 20 00	2 313 360.39	849 920.75	2 313 228.12	865 077.00
22 30	2 300 304.02	849 809.20	2 300 177.26	864 965.49
25 00	2 287 247.61	849 702.36	2 287 126.36	864 858.70
27 30	2 274 191.16	849 600.30	2 274 075.42	864 756.68
90 30 00	2 261 134.68	849 502.96	2 261 024.45	864 659.38
32 30	2 248 078.16	849 410.39	2 247 973.44	864 566.85
35 00	2 235 021.61	849 322.55	2 234 922.40	864 479.04
37 30	2 221 965.02	849 239.47	2 221 871.33	864 396.01
90 40 00	2 208 908.41	849 161.13	2 208 820.23	864 317.69
42 30	2 195 851.77	849 087.55	2 195 769.10	864 244.14
45 00	2 182 795.10	849 018.70	2 182 717.94	864 175.32
47 30	2 169 738.41	848 954.61	2 169 666.76	864 111.26
90 50 00	2 156 681.70	848 895.26	2 156 615.56	864 051.93
52 30	2 143 624.96	848 840.67	2 143 564.34	863 997.37
55 00	2 130 568.19	848 790.80	2 130 513.08	863 947.52
57 30	2 117 511.43	848 745.71	2 117 461.82	863 902.45
91 00 00	2 104 454.64	848 705.35	2 104 410.55	863 862.10

LONGITUDE	LATITUDE 31 05 00 X	LATITUDE 31 05 00 Y	LATITUDE 31 07 30 X	LATITUDE 31 07 30 Y
90 00 00	2 417 457.01	881 296.10	2 417 280.64	896 452.50
02 30	2 404 412.04	881 146.69	2 404 241.18	896 303.15
05 00	2 391 367.01	881 002.00	2 391 201.67	896 158.52
07 30	2 378 321.94	880 862.07	2 378 162.11	896 018.65
90 10 00	2 365 276.81	880 726.87	2 365 122.49	895 883.50
12 30	2 352 231.64	880 596.43	2 352 082.83	895 753.12
15 00	2 339 186.42	880 470.72	2 339 043.13	895 627.46
17 30	2 326 141.16	880 349.76	2 326 003.37	895 506.55
90 20 00	2 313 095.85	880 233.53	2 312 963.58	895 390.37
22 30	2 300 050.50	880 122.07	2 299 923.74	895 278.96
25 00	2 287 005.11	880 015.32	2 286 883.86	895 172.26
27 30	2 273 959.69	879 913.35	2 273 843.95	895 070.32
90 30 00	2 260 914.22	879 816.09	2 260 803.99	894 973.11
32 30	2 247 868.73	879 723.60	2 247 764.01	894 880.66
35 00	2 234 823.20	879 635.83	2 234 723.99	894 792.92
37 30	2 221 777.63	879 552.83	2 221 683.94	894 709.96
90 40 00	2 208 732.05	879 474.54	2 208 643.86	894 631.71
42 30	2 195 686.43	879 401.03	2 195 603.75	894 558.22
45 00	2 182 640.78	879 332.24	2 182 563.62	894 489.46
47 30	2 169 595.11	879 268.20	2 169 523.46	894 425.45
90 50 00	2 156 549.42	879 208.90	2 156 483.29	894 366.17
52 30	2 143 503.71	879 154.36	2 143 443.09	894 311.66
55 00	2 130 457.97	879 104.53	2 130 402.85	894 261.85
57 30	2 117 412.22	879 059.48	2 117 362.62	894 216.82
91 00 00	2 104 366.46	879 019.15	2 104 322.36	894 176.50

LONGITUDE	LATITUDE 31 10 00 X	LATITUDE 31 10 00 Y	LATITUDE 31 12 30 X	LATITUDE 31 12 30 Y
90 00 00	2 417 104.27	911 609.20	2 416 927.90	926 766.24
02 30	2 404 070.33	911 459.92	2 403 899.46	926 617.01
05 00	2 391 036.32	911 315.35	2 390 870.98	926 472.51
07 30	2 378 002.27	911 175.54	2 377 842.44	926 332.76
90 10 00	2 364 968.17	911 040.45	2 364 813.84	926 197.72
12 30	2 351 934.02	910 910.12	2 351 785.20	926 067.45
15 00	2 338 899.83	910 784.51	2 338 756.52	925 941.89
17 30	2 325 865.58	910 663.66	2 325 727.79	925 821.09
90 20 00	2 312 831.30	910 547.52	2 312 699.02	925 705.01
22 30	2 299 796.97	910 436.16	2 299 670.20	925 593.69
25 00	2 286 762.60	910 329.50	2 286 641.35	925 487.08
27 30	2 273 728.20	910 227.61	2 273 612.46	925 385.23
90 30 00	2 260 693.76	910 130.44	2 260 583.53	925 288.10
32 30	2 247 659.29	910 038.03	2 247 554.56	925 195.72
35 00	2 234 624.78	909 950.33	2 234 525.57	925 108.06
37 30	2 221 590.24	909 867.40	2 221 496.54	925 025.17
90 40 00	2 208 555.68	909 789.18	2 208 467.49	924 946.98
42 30	2 195 521.08	909 715.73	2 195 438.40	924 873.56
45 00	2 182 486.46	909 646.99	2 182 409.29	924 804.86
47 30	2 169 451.81	909 583.02	2 169 380.16	924 740.91
90 50 00	2 156 417.15	909 523.76	2 156 351.01	924 681.68
52 30	2 143 382.46	909 469.26	2 143 321.83	924 627.20
55 00	2 130 347.73	909 419.48	2 130 292.62	924 577.44
57 30	2 117 313.01	909 374.47	2 117 263.41	924 532.45
91 00 00	2 104 278.27	909 334.17	2 104 234.18	924 492.17

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 31 00 00 X	LATITUDE 31 00 00 Y	LATITUDE 31 02 30 X	LATITUDE 31 02 30 Y
91 00 00	2 104 454.64	848 705.35	2 104 410.55	863 862.10
02 30	2 091 397.84	848 669.75	2 091 359.26	863 826.52
05 00	2 078 341.03	848 638.88	2 078 307.96	863 795.66
07 30	2 065 284.21	848 612.78	2 065 256.65	863 769.57
91 10 00	2 052 227.37	848 591.40	2 052 205.33	863 748.21
12 30	2 039 170.54	848 574.80	2 039 154.00	863 731.61
15 00	2 026 113.69	848 562.91	2 026 102.67	863 719.73
17 30	2 013 056.85	848 555.80	2 013 051.34	863 712.62
91 20 00	2 000 000.00	848 553.42	2 000 000.00	863 710.24
22 30	1 986 943.15	848 555.80	1 986 948.66	863 712.62
25 00	1 973 886.31	848 562.91	1 973 897.33	863 719.73
27 30	1 960 829.46	848 574.80	1 960 846.00	863 731.61
91 30 00	1 947 772.63	848 591.40	1 947 794.67	863 748.21
32 30	1 934 715.79	848 612.78	1 934 743.35	863 769.57
35 00	1 921 658.97	848 638.88	1 921 692.04	863 795.66
37 30	1 908 602.16	848 669.75	1 908 640.74	863 826.52
91 40 00	1 895 545.36	848 705.35	1 895 589.45	863 862.10
42 30	1 882 488.57	848 745.71	1 882 538.18	863 902.45
45 00	1 869 431.81	848 790.80	1 869 486.92	863 947.52
47 30	1 856 375.04	848 840.67	1 856 435.66	863 997.37
91 50 00	1 843 318.30	848 895.26	1 843 384.44	864 051.93
52 30	1 830 261.59	848 954.61	1 830 333.24	864 111.26
55 00	1 817 204.90	849 018.70	1 817 282.06	864 175.32
57 30	1 804 148.23	849 087.55	1 804 230.90	864 244.14
92 00 00	1 791 091.59	849 161.13	1 791 179.77	864 317.69

LONGITUDE	LATITUDE 31 05 00 X	LATITUDE 31 05 00 Y	LATITUDE 31 07 30 X	LATITUDE 31 07 30 Y
91 00 00	2 104 366.46	879 019.15	2 104 322.36	894 176.50
02 30	2 091 320.68	878 983.58	2 091 282.10	894 140.95
05 00	2 078 274.89	878 952.74	2 078 241.82	894 110.12
07 30	2 065 229.09	878 926.66	2 065 201.53	894 084.05
91 10 00	2 052 183.28	878 905.30	2 052 161.23	894 062.71
12 30	2 039 137.47	878 888.71	2 039 120.93	894 046.12
15 00	2 026 091.65	878 876.84	2 026 080.63	894 034.25
17 30	2 013 045.83	878 869.73	2 013 040.31	894 027.15
91 20 00	2 000 000.00	878 867.35	2 000 000.00	894 024.77
22 30	1 986 954.17	878 869.73	1 986 959.69	894 027.15
25 00	1 973 908.35	878 876.84	1 973 919.37	894 034.25
27 30	1 960 862.53	878 888.71	1 960 879.07	894 046.12
91 30 00	1 947 816.72	878 905.30	1 947 838.77	894 062.71
32 30	1 934 770.91	878 926.66	1 934 798.47	894 084.05
35 00	1 921 725.11	878 952.74	1 921 758.18	894 110.12
37 30	1 908 679.32	878 983.58	1 908 717.90	894 140.95
91 40 00	1 895 633.54	879 019.15	1 895 677.64	894 176.50
42 30	1 882 587.78	879 059.48	1 882 637.38	894 216.82
45 00	1 869 542.03	879 104.53	1 869 597.15	894 261.85
47 30	1 856 496.29	879 154.36	1 856 556.91	894 311.66
91 50 00	1 843 450.58	879 208.90	1 843 516.71	894 366.17
52 30	1 830 404.89	879 268.20	1 830 476.54	894 425.45
55 00	1 817 359.22	879 332.24	1 817 436.38	894 489.46
57 30	1 804 313.57	879 401.03	1 804 396.25	894 558.22
92 00 00	1 791 267.95	879 474.54	1 791 356.14	894 631.71

LONGITUDE	LATITUDE 31 10 00 X	LATITUDE 31 10 00 Y	LATITUDE 31 12 30 X	LATITUDE 31 12 30 Y
91 00 00	2 104 278.27	909 334.17	2 104 234.18	924 492.17
02 30	2 091 243.52	909 298.63	2 091 204.94	924 456.65
05 00	2 078 208.75	909 267.81	2 078 175.68	924 425.84
07 30	2 065 173.98	909 241.76	2 065 146.42	924 399.79
91 10 00	2 052 139.19	909 220.42	2 052 117.14	924 378.46
12 30	2 039 104.40	909 203.84	2 039 087.86	924 361.89
15 00	2 026 069.60	909 191.98	2 026 058.58	924 350.03
17 30	2 013 034.80	909 184.88	2 013 029.29	924 342.94
91 20 00	2 000 000.00	909 182.50	2 000 000.00	924 340.56
22 30	1 986 965.20	909 184.88	1 986 970.71	924 342.94
25 00	1 973 930.40	909 191.98	1 973 941.42	924 350.03
27 30	1 960 895.60	909 203.84	1 960 912.14	924 361.89
91 30 00	1 947 860.81	909 220.42	1 947 882.86	924 378.46
32 30	1 934 826.02	909 241.76	1 934 853.58	924 399.79
35 00	1 921 791.25	909 267.81	1 921 824.32	924 425.84
37 30	1 908 756.48	909 298.63	1 908 795.06	924 456.65
91 40 00	1 895 721.73	909 334.17	1 895 765.82	924 492.17
42 30	1 882 686.99	909 374.47	1 882 736.59	924 532.45
45 00	1 869 652.27	909 419.48	1 869 707.38	924 577.44
47 30	1 856 617.54	909 469.26	1 856 678.17	924 627.20
91 50 00	1 843 582.85	909 523.76	1 843 648.99	924 681.68
52 30	1 830 548.19	909 583.02	1 830 619.84	924 740.91
55 00	1 817 513.54	909 646.99	1 817 590.71	924 804.86
57 30	1 804 478.92	909 715.73	1 804 561.60	924 873.56
92 00 00	1 791 444.32	909 789.18	1 791 532.51	924 946.98

LOUISIANA – SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 31 00 00 X	LATITUDE 31 00 00 Y	LATITUDE 31 02 30 X	LATITUDE 31 02 30 Y
92 00 00	1 791 091.59	849 161.13	1 791 179.77	864 317.69
02 30	1 778 034.98	849 239.47	1 778 128.67	864 396.01
05 00	1 764 978.39	849 322.55	1 765 077.60	864 479.04
07 30	1 751 921.84	849 410.39	1 752 026.56	864 566.85
92 10 00	1 738 865.32	849 502.96	1 738 975.55	864 659.38
12 30	1 725 808.84	849 600.30	1 725 924.58	864 756.68
15 00	1 712 752.39	849 702.36	1 712 873.64	864 858.70
17 30	1 699 695.98	849 809.20	1 699 822.74	864 965.49
92 20 00	1 686 639.61	849 920.75	1 686 771.88	865 077.00
22 30	1 673 583.28	850 037.08	1 673 721.06	865 193.27
25 00	1 660 526.99	850 158.14	1 660 670.28	865 314.28
27 30	1 647 470.75	850 283.96	1 647 619.55	865 440.05
92 30 00	1 634 414.55	850 414.51	1 634 568.87	865 570.54
32 30	1 621 358.41	850 549.83	1 621 518.23	865 705.81
35 00	1 608 302.31	850 689.87	1 608 467.65	865 845.79
37 30	1 595 246.27	850 834.69	1 595 417.11	865 990.54
92 40 00	1 582 190.28	850 984.23	1 582 366.63	866 140.02
42 30	1 569 134.32	851 138.54	1 569 316.19	866 294.27
45 00	1 556 078.44	851 297.57	1 556 265.82	866 453.23
47 30	1 543 022.62	851 461.37	1 543 215.51	866 616.96
92 50 00	1 529 966.86	851 629.90	1 530 165.26	866 785.42
52 30	1 516 911.16	851 803.20	1 517 115.07	866 958.65
55 00	1 503 855.53	851 981.22	1 504 064.95	867 136.60
57 30	1 490 799.96	852 164.02	1 491 014.90	867 319.31
93 00 00	1 477 744.46	852 351.53	1 477 964.90	867 506.75

LONGITUDE	LATITUDE 31 05 00 X	LATITUDE 31 05 00 Y	LATITUDE 31 07 30 X	LATITUDE 31 07 30 Y
92 00 00	1 791 267.95	879 474.54	1 791 356.14	894 631.71
02 30	1 778 222.37	879 552.83	1 778 316.06	894 709.96
05 00	1 765 176.80	879 635.83	1 765 276.01	894 792.92
07 30	1 752 131.27	879 723.60	1 752 235.99	894 880.66
92 10 00	1 739 085.78	879 816.09	1 739 196.01	894 973.11
12 30	1 726 040.31	879 913.35	1 726 156.05	895 070.32
15 00	1 712 994.89	880 015.32	1 713 116.14	895 172.26
17 30	1 699 949.50	880 122.07	1 700 076.26	895 278.96
92 20 00	1 686 904.15	880 233.53	1 687 036.42	895 390.37
22 30	1 673 858.84	880 349.76	1 673 996.63	895 506.55
25 00	1 660 813.58	880 470.72	1 660 956.87	895 627.46
27 30	1 647 768.36	880 596.43	1 647 917.17	895 753.12
92 30 00	1 634 723.19	880 726.87	1 634 877.51	895 883.50
32 30	1 621 678.06	880 862.07	1 621 837.89	896 018.65
35 00	1 608 632.99	881 002.00	1 608 798.33	896 158.52
37 30	1 595 587.96	881 146.69	1 595 758.82	896 303.15
92 40 00	1 582 542.99	881 296.10	1 582 719.36	896 452.50
42 30	1 569 498.06	881 450.29	1 569 679.94	896 606.61
45 00	1 556 453.20	881 609.18	1 556 640.59	896 765.45
47 30	1 543 408.41	881 772.85	1 543 601.31	896 929.04
92 50 00	1 530 363.66	881 941.24	1 530 562.07	897 097.36
52 30	1 517 318.99	882 114.38	1 517 522.91	897 270.43
55 00	1 504 274.38	882 292.26	1 504 483.81	897 448.23
57 30	1 491 229.83	882 474.90	1 491 444.78	897 630.79
93 00 00	1 478 185.35	882 662.26	1 478 405.80	897 818.08

LONGITUDE	LATITUDE 31 10 00 X	LATITUDE 31 10 00 Y	LATITUDE 31 12 30 X	LATITUDE 31 12 30 Y
92 00 00	1 791 444.32	909 789.18	1 791 532.51	924 946.98
02 30	1 778 409.76	909 867.40	1 778 503.46	925 025.17
05 00	1 765 375.22	909 950.33	1 765 474.43	925 108.06
07 30	1 752 340.71	910 038.03	1 752 445.44	925 195.72
92 10 00	1 739 306.24	910 130.44	1 739 416.47	925 288.10
12 30	1 726 271.80	910 227.61	1 726 387.54	925 385.23
15 00	1 713 237.40	910 329.50	1 713 358.65	925 487.08
17 30	1 700 203.03	910 436.16	1 700 329.80	925 593.69
92 20 00	1 687 168.70	910 547.52	1 687 300.98	925 705.01
22 30	1 674 134.42	910 663.66	1 674 272.21	925 821.09
25 00	1 661 100.17	910 784.51	1 661 243.48	925 941.89
27 30	1 648 065.98	910 910.12	1 648 214.80	926 067.45
92 30 00	1 635 031.83	911 040.45	1 635 186.16	926 197.72
32 30	1 621 997.73	911 175.54	1 622 157.56	926 332.76
35 00	1 608 963.68	911 315.35	1 609 129.02	926 472.51
37 30	1 595 929.67	911 459.92	1 596 100.54	926 617.01
92 40 00	1 582 895.73	911 609.20	1 583 072.10	926 766.24
42 30	1 569 861.82	911 763.25	1 570 043.70	926 920.22
45 00	1 556 827.98	911 922.02	1 557 015.38	927 078.92
47 30	1 543 794.21	912 085.54	1 543 987.12	927 242.37
92 50 00	1 530 760.49	912 253.79	1 530 958.91	927 410.55
52 30	1 517 726.84	912 426.79	1 517 930.76	927 583.48
55 00	1 504 693.24	912 604.52	1 504 902.68	927 761.13
57 30	1 491 659.72	912 787.00	1 491 874.68	927 943.54
93 00 00	1 478 626.26	912 974.20	1 478 846.72	928 130.66

☆U. S. GOVERNMENT PRINTING OFFICE : 1955 O-323055