U. S. Department of Commerce
Sinclair Weeks, *Secretary*

Coast and Geodetic Survey
H. Arnold Karo, *Director*

QB
275
.435
no. 339
1955

Special Publication No. 339

PLANE COORDINATE INTERSECTION TABLES

(2½-MINUTE)

MAINE

LIBRARY
N.O.A.A.
U.S. Dept. of Commerce

UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON : 1955

For sale by the Superintendent of Documents, U. S. Government Printing Office
Washington 25, D. C. - Price 45 cents

National Oceanic and Atmospheric Administration

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This has been a co-operative project between the NOAA Central Library and the Climate Database Modernization Program, National Climate Data Center (NCDC). To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

LASON
Imaging Contractor
12200 Kiln Court
Beltsville, MD 20704-1387
January 1, 2006



STATE PLANE-COORDINATE ZONES AND SCALE FACTORS

U.S. DEPARTMENT OF COMMERCE
COAST AND GEODETIC SURVEY

NOV 8 1955

X-11152

FOREWORD

The tables in this publication contain the plane coordinates for 2½-minute intersections of meridians and parallels within the limits of the State. These plane coordinates are based on the State plane-coordinate system established by the U. S. Coast and Geodetic Survey. The tables are arranged by 12½-minute bands of latitude with the full range of longitude of the Zone, followed by the coordinates for the next higher band of latitude. The tables are also arranged by Zone.

These tables have been prepared for use in making maps. Meridians and parallels may be placed on maps constructed on a rectangular grid of the State system, or the grid lines of the system may be placed on maps constructed on a projection of meridians and parallels. In the latter case the grid will not be truly rectangular unless the projection has been constructed on the State system. Approximate values of plane coordinates of geographic positions may be obtained by interpolation within the tables. In general, this is not recommended, as it is believed to involve more numerical operations than a rigorous computation from the basic projection tables.

The basic projection tables for this State system may be obtained from the Superintendent of Documents, U. S. Government Printing Office.

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 43 45 00 X	LATITUDE 43 45 00 Y	LATITUDE 43 47 30 X	LATITUDE 43 47 30 Y
68 00 00	632 113.43	- 29 975.30	632 021.75	- 14 788.36
02 30	621 103.97	- 30 038.97	621 019.92	- 14 852.04
05 00	610 094.51	- 30 097.11	610 018.10	- 14 910.17
07 30	599 085.05	- 30 149.71	599 016.29	- 14 962.78
68 10 00	588 075.59	- 30 196.76	588 014.47	- 15 009.84
12 30	577 066.14	- 30 238.29	577 012.66	- 15 051.36
15 00	566 056.69	- 30 274.27	566 010.85	- 15 087.35
17 30	555 047.24	- 30 304.72	555 009.04	- 15 117.81
68 20 00	544 037.79	- 30 329.64	544 007.23	- 15 142.72
22 30	533 028.34	- 30 349.02	533 005.42	- 15 162.10
25 00	522 018.89	- 30 362.86	522 003.61	- 15 175.94
27 30	511 009.45	- 30 371.16	511 001.81	- 15 184.25
68 30 00	500 000.00	- 30 373.93	500 000.00	- 15 187.02
32 30	488 990.55	- 30 371.16	488 998.19	- 15 184.25
35 00	477 981.11	- 30 362.86	477 996.39	- 15 175.94
37 30	466 971.66	- 30 349.02	466 994.58	- 15 162.10
68 40 00	455 962.21	- 30 329.64	455 992.77	- 15 142.72
42 30	444 952.76	- 30 304.72	444 990.96	- 15 117.81
45 00	433 943.31	- 30 274.27	433 989.15	- 15 087.35
47 30	422 933.86	- 30 238.29	422 987.34	- 15 051.36
68 50 00	411 924.41	- 30 196.76	411 985.53	- 15 009.84
52 30	400 914.95	- 30 149.71	400 983.71	- 14 962.78
55 00	389 905.49	- 30 097.11	389 981.90	- 14 910.17
57 30	378 896.03	- 30 038.97	378 980.08	- 14 852.04
69 00 00	367 886.57	- 29 975.30	367 978.25	- 14 788.36

LONGITUDE	LATITUDE 43 50 00 X	LATITUDE 43 50 00 Y	LATITUDE 43 52 30 X	LATITUDE 43 52 30 Y
68 00 00	631 929.99	398.68	631 838.17	15 585.84
02 30	620 935.82	335.00	620 851.64	15 522.16
05 00	609 941.64	276.86	609 865.12	15 464.01
07 30	598 947.47	224.25	598 878.60	15 411.40
68 10 00	587 953.30	177.19	587 892.09	15 364.33
12 30	576 959.13	135.66	576 905.57	15 322.80
15 00	565 964.97	99.67	565 919.06	15 286.81
17 30	554 970.81	69.21	554 932.55	15 256.35
68 20 00	543 976.64	44.30	543 946.03	15 231.44
22 30	532 982.48	24.92	532 959.53	15 212.05
25 00	521 988.32	11.07	521 973.02	15 198.21
27 30	510 994.16	2.77	510 986.51	15 189.90
68 30 00	500 000.00	0.00	500 000.00	15 187.14
32 30	489 005.84	2.77	489 013.49	15 189.90
35 00	478 011.68	11.07	478 026.98	15 198.21
37 30	467 017.52	24.92	467 040.47	15 212.05
68 40 00	456 023.36	44.30	456 053.97	15 231.44
42 30	445 029.19	69.21	445 067.45	15 256.35
45 00	434 035.03	99.67	434 080.94	15 286.81
47 30	423 040.87	135.66	423 094.43	15 322.80
68 50 00	412 046.70	177.19	412 107.91	15 364.33
52 30	401 052.53	224.25	401 121.40	15 411.40
55 00	390 058.36	276.86	390 134.88	15 464.01
57 30	379 064.18	335.00	379 148.36	15 522.16
69 00 00	368 070.01	398.68	368 161.83	15 585.84

LONGITUDE	LATITUDE 43 55 00 X	LATITUDE 43 55 00 Y	LATITUDE 43 57 30 X	LATITUDE 43 57 30 Y
68 00 00	631 746.27	30 773.11	631 654.31	45 960.49
02 30	620 767.41	30 709.42	620 683.10	45 896.80
05 00	609 788.54	30 651.27	609 711.91	45 838.65
07 30	598 809.68	30 598.66	598 740.71	45 786.03
68 10 00	587 830.82	30 551.59	587 769.51	45 738.96
12 30	576 851.97	30 510.06	576 798.32	45 697.42
15 00	565 873.11	30 474.06	565 827.13	45 661.43
17 30	554 894.26	30 443.60	554 855.94	45 630.97
68 20 00	543 915.40	30 418.68	543 884.75	45 606.05
22 30	532 936.55	30 399.30	532 913.56	45 586.66
25 00	521 957.70	30 385.46	521 942.37	45 572.82
27 30	510 978.85	30 377.15	510 971.19	45 564.51
68 30 00	500 000.00	30 374.38	500 000.00	45 561.74
32 30	489 021.15	30 377.15	489 028.81	45 564.51
35 00	478 042.30	30 385.46	478 057.63	45 572.82
37 30	467 063.45	30 399.30	467 086.44	45 586.66
68 40 00	456 084.60	30 418.68	456 115.25	45 606.05
42 30	445 105.74	30 443.60	445 144.06	45 630.97
45 00	434 126.89	30 474.06	434 172.87	45 661.43
47 30	423 148.03	30 510.06	423 201.68	45 697.42
68 50 00	412 169.18	30 551.59	412 230.49	45 738.96
52 30	401 190.32	30 598.66	401 259.29	45 786.03
55 00	390 211.46	30 651.27	390 288.09	45 838.65
57 30	379 232.59	30 709.42	379 316.90	45 896.80
69 00 00	368 253.73	30 773.11	368 345.69	45 960.49

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 43 45 00 X	LATITUDE 43 45 00 Y	LATITUDE 43 47 30 X	LATITUDE 43 47 30 Y
69 00 00	367 886.57	- 29 975.30	367 978.25	- 14 788.36
02 30	356 877.10	- 29 906.09	356 976.43	- 14 719.15
05 00	345 867.63	- 29 831.35	345 974.60	- 14 644.40
07 30	334 858.16	- 29 751.06	334 972.76	- 14 564.11
69 10 00	323 848.68	- 29 665.24	323 970.93	- 14 478.28
12 30	312 839.20	- 29 573.88	312 969.09	- 14 386.91
15 00	301 829.71	- 29 476.98	301 967.24	- 14 290.01
17 30	290 820.22	- 29 374.54	290 965.39	- 14 187.56
69 20 00	279 810.72	- 29 266.57	279 963.54	- 14 079.58
22 30	268 801.22	- 29 153.06	268 961.68	- 13 966.06
25 00	257 791.71	- 29 034.00	257 959.81	- 13 847.00
27 30	246 782.20	- 28 909.41	246 957.94	- 13 722.40
69 30 00	235 772.68	- 28 779.28	235 956.06	- 13 592.26
32 30	224 763.15	- 28 643.60	224 954.18	- 13 456.58
35 00	213 753.62	- 28 502.39	213 952.29	- 13 315.36
37 30	202 744.08	- 28 355.64	202 950.40	- 13 168.60
69 40 00	191 734.54	- 28 203.35	191 948.49	- 13 016.30
42 30	180 724.98	- 28 045.52	180 946.58	- 12 858.45
45 00	169 715.42	- 27 882.14	169 944.67	- 12 695.07
47 30	158 705.85	- 27 713.22	158 942.74	- 12 526.13
69 50 00	147 696.28	- 27 538.76	147 940.81	- 12 351.66
52 30	136 686.69	- 27 358.75	136 938.87	- 12 171.64
55 00	125 677.10	- 27 173.20	125 936.92	- 11 986.08
57 30	114 667.49	- 26 982.11	114 934.96	- 11 794.97
70 00 00	103 657.88	- 26 785.47	103 932.99	- 11 598.33

LONGITUDE	LATITUDE 43 50 00 X	LATITUDE 43 50 00 Y	LATITUDE 43 52 30 X	LATITUDE 43 52 30 Y
69 00 00	368 070.01	398.68	368 161.83	15 585.84
02 30	357 075.83	467.90	357 175.31	15 655.06
05 00	346 081.65	542.65	346 188.78	15 729.82
07 30	335 087.46	622.95	335 202.24	15 810.12
69 10 00	324 093.27	708.78	324 215.71	15 895.96
12 30	313 099.08	800.15	313 229.17	15 987.34
15 00	302 104.88	897.06	302 242.62	16 084.25
17 30	291 110.67	999.51	291 256.07	16 186.71
69 20 00	280 116.47	1 107.50	280 269.52	16 294.70
22 30	269 122.26	1 221.03	269 282.96	16 408.24
25 00	258 128.04	1 340.10	258 296.40	16 527.31
27 30	247 133.82	1 464.71	247 309.83	16 651.93
69 30 00	236 139.59	1 594.86	236 323.25	16 782.09
32 30	225 145.35	1 730.55	225 336.68	16 917.79
35 00	214 151.11	1 871.78	214 350.09	17 059.02
37 30	203 156.87	2 018.55	203 363.50	17 205.80
69 40 00	192 162.61	2 170.86	192 376.90	17 358.12
42 30	181 168.35	2 328.71	181 390.29	17 515.98
45 00	170 174.08	2 492.11	170 403.68	17 679.39
47 30	159 179.81	2 661.05	159 417.06	17 848.34
69 50 00	148 185.53	2 835.54	148 430.44	18 022.84
52 30	137 191.24	3 015.57	137 443.80	18 202.88
55 00	126 196.94	3 201.14	126 457.16	18 388.46
57 30	115 202.63	3 392.25	115 470.51	18 579.59
70 00 00	104 208.31	3 588.92	104 483.85	18 776.27

LONGITUDE	LATITUDE 43 55 00 X	LATITUDE 43 55 00 Y	LATITUDE 43 57 30 X	LATITUDE 43 57 30 Y
69 00 00	368 253.73	30 773.11	368 345.69	45 960.49
02 30	357 274.86	30 842.33	357 374.49	46 029.72
05 00	346 295.99	30 917.10	346 403.28	46 104.49
07 30	335 317.11	30 997.40	335 432.07	46 184.80
69 10 00	324 338.23	31 083.25	324 460.86	46 270.65
12 30	313 359.35	31 174.63	313 489.64	46 362.03
15 00	302 380.47	31 271.55	302 518.42	46 458.96
17 30	291 401.58	31 374.01	291 547.20	46 561.43
69 20 00	280 422.68	31 482.01	280 575.97	46 669.44
22 30	269 443.78	31 595.55	269 604.73	46 782.98
25 00	258 464.88	31 714.64	258 633.49	46 902.07
27 30	247 485.97	31 839.26	247 662.25	47 026.70
69 30 00	236 507.06	31 969.43	236 691.00	47 156.88
32 30	225 528.14	32 105.13	225 719.75	47 292.59
35 00	214 549.21	32 246.38	214 748.49	47 433.84
37 30	203 570.28	32 393.16	203 777.23	47 580.64
69 40 00	192 591.34	32 545.49	192 805.96	47 732.98
42 30	181 612.40	32 703.37	181 834.68	47 890.86
45 00	170 633.45	32 866.78	170 863.40	48 054.28
47 30	159 654.49	33 035.74	159 892.11	48 223.26
69 50 00	148 675.52	33 210.25	148 920.81	48 397.77
52 30	137 696.55	33 390.30	137 949.51	48 577.83
55 00	126 717.57	33 575.90	126 978.19	48 763.44
57 30	115 738.59	33 767.04	116 006.88	48 954.59
70 00 00	104 759.59	33 963.72	105 035.55	49 151.28

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 44 00 00 X	LATITUDE 44 00 00 Y	LATITUDE 44 02 30 X	LATITUDE 44 02 30 Y
67 00 00	894 688.29	64 338.95	894 411.91	79 526.72
02 30	883 724.64	64 142.24	883 455.94	79 330.00
05 00	872 761.00	63 951.08	872 499.98	79 138.83
07 30	861 797.36	63 765.47	861 544.02	78 953.21
67 10 00	850 833.73	63 585.39	850 588.07	78 773.13
12 30	839 870.11	63 410.87	839 632.13	78 598.59
15 00	828 906.49	63 241.89	828 676.19	78 429.60
17 30	817 942.88	63 078.45	817 720.26	78 266.16
67 20 00	806 979.27	62 920.56	806 764.33	78 108.26
22 30	796 015.68	62 768.22	795 808.41	77 955.91
25 00	785 052.08	62 621.42	784 852.50	77 809.10
27 30	774 088.50	62 480.15	773 896.59	77 667.83
67 30 00	763 124.92	62 344.43	762 940.69	77 532.10
32 30	752 161.34	62 214.25	751 984.79	77 401.91
35 00	741 197.77	62 089.61	741 028.89	77 277.27
37 30	730 234.20	61 970.52	730 073.00	77 158.17
67 40 00	719 270.64	61 856.96	719 117.12	77 044.61
42 30	708 307.08	61 748.95	708 161.24	76 936.59
45 00	697 343.52	61 646.48	697 205.36	76 834.11
47 30	686 379.97	61 549.55	686 249.49	76 737.17
67 50 00	675 416.43	61 458.16	675 293.62	76 645.78
52 30	664 452.88	61 372.30	664 337.75	76 559.92
55 00	653 489.34	61 291.99	653 381.88	76 479.60
57 30	642 525.81	61 217.22	642 426.02	76 404.82
68 00 00	631 562.27	61 147.98	631 470.17	76 335.59

LONGITUDE	LATITUDE 44 05 00 X	LATITUDE 44 05 00 Y	LATITUDE 44 07 30 X	LATITUDE 44 07 30 Y
67 00 00	894 135.34	94 714.59	893 858.53	109 902.58
02 30	883 187.05	94 517.87	882 917.94	109 705.84
05 00	872 238.77	94 326.69	871 977.36	109 514.65
07 30	861 290.50	94 141.05	861 036.78	109 329.01
67 10 00	850 342.24	93 960.97	850 096.20	109 148.91
12 30	839 393.98	93 786.42	839 155.64	108 974.36
15 00	828 445.73	93 617.42	828 215.07	108 805.36
17 30	817 497.48	93 453.97	817 274.52	108 641.90
67 20 00	806 549.24	93 296.07	806 333.97	108 483.98
22 30	795 601.00	93 143.70	795 393.42	108 331.61
25 00	784 652.77	92 996.89	784 452.88	108 184.79
27 30	773 704.55	92 855.61	773 512.35	108 043.51
67 30 00	762 756.33	92 719.88	762 571.82	107 907.77
32 30	751 808.11	92 589.68	751 631.29	107 777.57
35 00	740 859.90	92 465.03	740 690.77	107 652.91
37 30	729 911.69	92 345.92	729 750.25	107 533.80
67 40 00	718 963.49	92 232.36	718 809.74	107 420.23
42 30	708 015.29	92 124.34	707 869.23	107 312.20
45 00	697 067.10	92 021.85	696 928.72	107 209.71
47 30	686 118.91	91 924.91	685 988.22	107 112.76
67 50 00	675 170.72	91 833.51	675 047.72	107 021.36
52 30	664 222.53	91 747.64	664 107.22	106 935.49
55 00	653 274.35	91 667.32	653 166.73	106 855.16
57 30	642 326.17	91 592.54	642 226.24	106 780.38
68 00 00	631 377.99	91 523.30	631 285.75	106 711.14

LONGITUDE	LATITUDE 44 10 00 X	LATITUDE 44 10 00 Y	LATITUDE 44 12 30 X	LATITUDE 44 12 30 Y
67 00 00	893 581.54	125 090.66	893 304.33	140 278.85
02 30	882 648.64	124 893.92	882 379.14	140 082.10
05 00	871 715.76	124 702.72	871 453.95	139 890.89
07 30	860 782.87	124 517.07	860 528.77	139 705.23
67 10 00	849 850.00	124 336.96	849 603.60	139 525.12
12 30	838 917.13	124 162.40	838 678.43	139 350.55
15 00	827 984.26	123 993.39	827 753.27	139 181.53
17 30	817 051.40	123 829.92	816 828.11	139 018.06
67 20 00	806 118.55	123 672.00	805 902.96	138 860.13
22 30	795 185.70	123 519.62	794 977.81	138 707.75
25 00	784 252.85	123 372.79	784 052.67	138 560.91
27 30	773 320.01	123 231.50	773 127.53	138 419.61
67 30 00	762 387.18	123 095.76	762 202.39	138 283.86
32 30	751 454.35	122 965.55	751 277.26	138 153.65
35 00	740 521.52	122 840.89	740 352.14	138 028.98
37 30	729 588.70	122 721.77	729 427.01	137 909.86
67 40 00	718 655.88	122 608.19	718 501.89	137 796.28
42 30	707 723.06	122 500.16	707 576.78	137 688.24
45 00	696 790.25	122 397.67	696 651.67	137 585.74
47 30	685 857.44	122 300.71	685 726.56	137 488.78
67 50 00	674 924.63	122 209.30	674 801.45	137 397.37
52 30	663 991.83	122 123.43	663 876.35	137 311.50
55 00	653 059.03	122 043.10	652 951.24	137 231.16
57 30	642 126.23	121 968.32	642 026.15	137 156.37
68 00 00	631 193.43	121 899.07	631 101.05	137 087.12

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 44 00 00 X	LATITUDE 44 00 00 Y	LATITUDE 44 02 30 X	LATITUDE 44 02 30 Y
68 00 00	631 562.27	61 147.98	631 470.17	76 335.59
02 30	620 598.74	61 084.29	620 514.31	76 271.89
05 00	609 635.21	61 026.13	609 558.46	76 213.73
07 30	598 671.68	60 973.52	598 602.60	76 161.11
68 10 00	587 708.16	60 926.44	587 646.76	76 114.03
12 30	576 744.64	60 884.90	576 690.91	76 072.49
15 00	565 781.11	60 848.90	565 735.06	76 036.49
17 30	554 817.59	60 818.44	554 779.22	76 006.03
68 20 00	543 854.07	60 793.52	543 823.37	75 981.11
22 30	532 890.55	60 774.13	532 867.53	75 961.72
25 00	521 927.04	60 760.29	521 911.68	75 947.87
27 30	510 963.52	60 751.98	510 955.84	75 939.56
68 30 00	500 000.00	60 749.21	500 000.00	75 936.80
32 30	489 036.48	60 751.98	489 044.16	75 939.56
35 00	478 072.96	60 760.29	478 088.32	75 947.87
37 30	467 109.45	60 774.13	467 132.47	75 961.72
68 40 00	456 145.93	60 793.52	456 176.63	75 981.11
42 30	445 182.41	60 818.44	445 220.78	76 006.03
45 00	434 218.89	60 848.90	434 264.94	76 036.49
47 30	423 255.36	60 884.90	423 309.09	76 072.49
68 50 00	412 291.84	60 926.44	412 353.24	76 114.03
52 30	401 328.32	60 973.52	401 397.40	76 161.11
55 00	390 364.79	61 026.13	390 441.54	76 213.73
57 30	379 401.26	61 084.29	379 485.69	76 271.89
69 00 00	368 437.73	61 147.98	368 529.83	76 335.59

LONGITUDE	LATITUDE 44 05 00 X	LATITUDE 44 05 00 Y	LATITUDE 44 07 30 X	LATITUDE 44 07 30 Y
68 00 00	631 377.99	91 523.30	631 285.75	106 711.14
02 30	620 429.82	91 459.60	620 345.26	106 647.43
05 00	609 481.65	91 401.44	609 404.77	106 589.27
07 30	598 533.48	91 348.82	598 464.29	106 536.64
68 10 00	587 585.31	91 301.74	587 523.81	106 489.56
12 30	576 637.14	91 260.19	576 583.33	106 448.02
15 00	565 688.98	91 224.19	565 642.85	106 412.01
17 30	554 740.81	91 193.73	554 702.38	106 381.55
68 20 00	543 792.65	91 168.80	543 761.90	106 356.62
22 30	532 844.49	91 149.42	532 821.42	106 337.23
25 00	521 896.32	91 135.57	521 880.95	106 323.38
27 30	510 948.16	91 127.26	510 940.47	106 315.07
68 30 00	500 000.00	91 124.49	500 000.00	106 312.31
32 30	489 051.84	91 127.26	489 059.53	106 315.07
35 00	478 103.68	91 135.57	478 119.05	106 323.38
37 30	467 155.51	91 149.42	467 178.58	106 337.23
68 40 00	456 207.35	91 168.80	456 238.10	106 356.62
42 30	445 259.19	91 193.73	445 297.62	106 381.55
45 00	434 311.02	91 224.19	434 357.15	106 412.01
47 30	423 362.86	91 260.19	423 416.67	106 448.02
68 50 00	412 414.69	91 301.74	412 476.19	106 489.56
52 30	401 466.52	91 348.82	401 535.71	106 536.64
55 00	390 518.35	91 401.44	390 595.23	106 589.27
57 30	379 570.18	91 459.60	379 654.74	106 647.43
69 00 00	368 622.01	91 523.30	368 714.25	106 711.14

LONGITUDE	LATITUDE 44 10 00 X	LATITUDE 44 10 00 Y	LATITUDE 44 12 30 X	LATITUDE 44 12 30 Y
68 00 00	631 193.43	121 899.07	631 101.05	137 087.12
02 30	620 260.64	121 835.36	620 175.95	137 023.41
05 00	609 327.85	121 777.20	609 250.86	136 965.24
07 30	598 395.06	121 724.57	598 325.77	136 912.61
68 10 00	587 462.27	121 677.48	587 400.68	136 865.53
12 30	576 529.48	121 635.94	576 475.59	136 823.98
15 00	565 596.70	121 599.93	565 550.51	136 787.97
17 30	554 663.91	121 569.46	554 625.42	136 757.50
68 20 00	543 731.13	121 544.54	543 700.34	136 732.57
22 30	532 798.35	121 525.15	532 775.25	136 713.18
25 00	521 865.56	121 511.30	521 850.17	136 699.33
27 30	510 932.78	121 502.99	510 925.08	136 691.02
68 30 00	500 000.00	121 500.22	500 000.00	136 688.26
32 30	489 067.22	121 502.99	489 074.92	136 691.02
35 00	478 134.44	121 511.30	478 149.83	136 699.33
37 30	467 201.65	121 525.15	467 224.75	136 713.18
68 40 00	456 268.87	121 544.54	456 299.66	136 732.57
42 30	445 336.09	121 569.46	445 374.58	136 757.50
45 00	434 403.30	121 599.93	434 449.49	136 787.97
47 30	423 470.52	121 635.94	423 524.41	136 823.98
68 50 00	412 537.73	121 677.48	412 599.32	136 865.53
52 30	401 604.94	121 724.57	401 674.23	136 912.61
55 00	390 672.15	121 777.20	390 749.14	136 965.24
57 30	379 739.36	121 835.36	379 824.05	137 023.41
69 00 00	368 806.57	121 899.07	368 898.95	137 087.12

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 44 00 00 X	LATITUDE 44 00 00 Y	LATITUDE 44 02 30 X	LATITUDE 44 02 30 Y
69 00 00	368 437.73	61 147.98	368 529.83	76 335.59
02 30	357 474.19	61 217.22	357 573.98	76 404.82
05 00	346 510.66	61 291.99	346 618.12	76 479.60
07 30	335 547.12	61 372.30	335 662.25	76 559.92
69 10 00	324 583.57	61 458.16	324 706.39	76 645.78
12 30	313 620.03	61 549.55	313 750.51	76 737.17
15 00	302 656.48	61 646.48	302 794.64	76 834.11
17 30	291 692.92	61 748.95	291 838.76	76 936.59
69 20 00	280 729.36	61 856.96	280 882.88	77 044.61
22 30	269 765.80	61 970.52	269 927.00	77 158.17
25 00	258 802.23	62 089.61	258 971.11	77 277.27
27 30	247 838.66	62 214.25	248 015.21	77 401.91
69 30 00	236 875.08	62 344.43	237 059.31	77 532.10
32 30	225 911.50	62 480.15	226 103.41	77 667.83
35 00	214 947.92	62 621.42	215 147.50	77 809.10
37 30	203 984.32	62 768.22	204 191.59	77 955.91
69 40 00	193 020.73	62 920.56	193 235.67	78 108.26
42 30	182 057.12	63 078.45	182 279.74	78 266.16
45 00	171 093.51	63 241.89	171 323.81	78 429.60
47 30	160 129.89	63 410.87	160 367.87	78 598.59
69 50 00	149 166.27	63 585.39	149 411.93	78 773.13
52 30	138 202.64	63 765.47	138 455.98	78 953.21
55 00	127 239.00	63 951.08	127 500.02	79 138.83
57 30	116 275.36	64 142.24	116 544.06	79 330.00
70 00 00	105 311.71	64 338.95	105 588.09	79 526.72

LONGITUDE	LATITUDE 44 05 00 X	LATITUDE 44 05 00 Y	LATITUDE 44 07 30 X	LATITUDE 44 07 30 Y
69 00 00	368 622.01	91 523.30	368 714.25	106 711.14
02 30	357 673.83	91 592.54	357 773.76	106 780.38
05 00	346 725.65	91 667.32	346 833.27	106 855.16
07 30	335 777.47	91 747.64	335 892.78	106 935.49
69 10 00	324 829.28	91 833.51	324 952.28	107 021.36
12 30	313 881.09	91 924.91	314 011.78	107 112.76
15 00	302 932.90	92 021.85	303 071.28	107 209.71
17 30	291 984.71	92 124.34	292 130.77	107 312.20
69 20 00	281 036.51	92 232.36	281 190.26	107 420.23
22 30	270 088.31	92 345.92	270 249.75	107 533.80
25 00	259 140.10	92 465.03	259 309.23	107 652.91
27 30	248 191.89	92 589.68	248 368.71	107 777.57
69 30 00	237 243.67	92 719.88	237 428.18	107 907.77
32 30	226 295.45	92 855.61	226 487.65	108 043.51
35 00	215 347.23	92 996.89	215 547.12	108 184.79
37 30	204 399.00	93 143.70	204 606.58	108 331.61
69 40 00	193 450.76	93 296.07	193 666.03	108 483.98
42 30	182 502.52	93 453.97	182 725.48	108 641.90
45 00	171 554.27	93 617.42	171 784.93	108 805.36
47 30	160 606.02	93 786.42	160 844.36	108 974.36
69 50 00	149 657.76	93 960.97	149 903.80	109 148.91
52 30	138 709.50	94 141.05	138 963.22	109 329.01
55 00	127 761.23	94 326.69	128 022.64	109 514.65
57 30	116 812.95	94 517.87	117 082.06	109 705.84
70 00 00	105 864.66	94 714.59	106 141.47	109 902.58

LONGITUDE	LATITUDE 44 10 00 X	LATITUDE 44 10 00 Y	LATITUDE 44 12 30 X	LATITUDE 44 12 30 Y
69 00 00	368 806.57	121 899.07	368 898.95	137 087.12
02 30	357 873.77	121 968.32	357 973.85	137 156.37
05 00	346 940.97	122 043.10	347 048.76	137 231.16
07 30	336 008.17	122 123.43	336 123.65	137 311.50
69 10 00	325 075.37	122 209.30	325 198.55	137 397.37
12 30	314 142.56	122 300.71	314 273.44	137 488.78
15 00	303 209.75	122 397.67	303 348.33	137 585.74
17 30	292 276.94	122 500.16	292 423.22	137 688.24
69 20 00	281 344.12	122 608.19	281 498.11	137 796.28
22 30	270 411.30	122 721.77	270 572.99	137 909.86
25 00	259 478.48	122 840.89	259 647.86	138 028.98
27 30	248 545.65	122 965.55	248 722.74	138 153.65
69 30 00	237 612.82	123 095.76	237 797.61	138 283.86
32 30	226 679.99	123 231.50	226 872.47	138 419.61
35 00	215 747.15	123 372.79	215 947.33	138 560.91
37 30	204 814.30	123 519.62	205 022.19	138 707.75
69 40 00	193 881.45	123 672.00	194 097.04	138 860.13
42 30	182 948.60	123 829.92	183 171.89	139 018.06
45 00	172 015.74	123 993.39	172 246.73	139 181.53
47 30	161 082.87	124 162.40	161 321.57	139 350.55
69 50 00	150 150.00	124 336.96	150 396.40	139 525.12
52 30	139 217.13	124 517.07	139 471.23	139 705.23
55 00	128 284.24	124 702.72	128 546.05	139 890.89
57 30	117 351.36	124 893.92	117 620.86	140 082.10
70 00 00	106 418.46	125 090.66	106 695.67	140 278.85

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 44 15 00 X	LATITUDE 44 15 00 Y	LATITUDE 44 17 30 X	LATITUDE 44 17 30 Y
67 00 00	893 026.90	155 467.15	892 749.27	170 655.55
02 30	882 109.42	155 270.39	881 839.51	170 458.78
05 00	871 191.95	155 079.17	870 929.74	170 267.56
07 30	860 274.48	154 893.50	860 019.99	170 081.88
67 10 00	849 357.01	154 713.38	849 110.24	169 901.75
12 30	838 439.55	154 538.81	838 200.50	169 727.17
15 00	827 522.10	154 369.78	827 290.76	169 558.14
17 30	816 604.65	154 206.30	816 381.02	169 394.65
67 20 00	805 687.20	154 048.36	805 471.29	169 236.71
22 30	794 769.76	153 895.98	794 561.56	169 084.31
25 00	783 852.33	153 749.13	783 651.84	168 937.46
27 30	772 934.90	153 607.83	772 742.12	168 796.16
67 30 00	762 017.47	153 472.07	761 832.40	168 660.39
32 30	751 100.05	153 341.86	750 922.69	168 530.17
35 00	740 182.63	153 217.18	740 012.99	168 405.49
37 30	729 265.21	153 098.05	729 103.28	168 286.36
67 40 00	718 347.80	152 984.47	718 193.58	168 172.77
42 30	707 430.39	152 876.42	707 283.88	168 064.72
45 00	696 512.98	152 773.92	696 374.19	167 962.22
47 30	685 595.58	152 676.96	685 464.49	167 865.25
67 50 00	674 678.17	152 585.54	674 554.80	167 773.83
52 30	663 760.78	152 499.67	663 645.12	167 687.95
55 00	652 843.38	152 419.33	652 735.43	167 607.61
57 30	641 925.99	152 344.54	641 825.75	167 532.82
68 00 00	631 008.60	152 275.28	630 916.07	167 463.56

LONGITUDE	LATITUDE 44 20 00 X	LATITUDE 44 20 00 Y	LATITUDE 44 22 30 X	LATITUDE 44 22 30 Y
67 00 00	892 471.44	185 844.05	892 193.39	201 032.66
02 30	881 569.39	185 647.27	881 299.07	200 835.88
05 00	870 667.35	185 456.05	870 404.76	200 644.64
07 30	859 765.32	185 270.36	859 510.45	200 458.95
67 10 00	848 863.29	185 090.23	848 616.15	200 278.81
12 30	837 961.26	184 915.64	837 721.85	200 104.22
15 00	827 059.24	184 746.60	826 827.55	199 935.17
17 30	816 157.23	184 583.11	815 933.26	199 771.67
67 20 00	805 255.22	184 425.16	805 038.98	199 613.72
22 30	794 353.21	184 272.76	794 144.69	199 461.32
25 00	783 451.20	184 125.90	783 250.41	199 314.45
27 30	772 549.20	183 984.59	772 356.14	199 173.14
67 30 00	761 647.21	183 848.82	761 461.87	199 037.36
32 30	750 745.21	183 718.60	750 567.60	198 907.13
35 00	739 843.22	183 593.91	739 673.33	198 782.45
37 30	728 941.24	183 474.78	728 779.07	198 663.30
67 40 00	718 039.25	183 361.18	717 884.81	198 549.70
42 30	707 137.27	183 253.13	706 990.55	198 441.65
45 00	696 235.30	183 150.62	696 096.30	198 339.14
47 30	685 333.32	183 053.65	685 202.04	198 242.17
67 50 00	674 431.35	182 962.23	674 307.79	198 150.74
52 30	663 529.38	182 876.34	663 413.55	198 064.85
55 00	652 627.41	182 796.00	652 519.30	197 984.51
57 30	641 725.44	182 721.20	641 625.06	197 909.70
68 00 00	630 823.48	182 651.94	630 730.81	197 840.44

LONGITUDE	LATITUDE 44 25 00 X	LATITUDE 44 25 00 Y	LATITUDE 44 27 30 X	LATITUDE 44 27 30 Y
67 00 00	891 915.13	216 221.38	891 636.66	231 410.20
02 30	881 028.55	216 024.59	880 757.82	231 213.40
05 00	870 141.97	215 833.34	869 878.98	231 022.15
07 30	859 255.39	215 647.65	859 000.14	230 836.45
67 10 00	848 368.82	215 467.50	848 121.31	230 656.30
12 30	837 482.26	215 292.90	837 242.48	230 481.69
15 00	826 595.69	215 123.85	826 363.65	230 312.64
17 30	815 709.13	214 960.34	815 484.83	230 149.13
67 20 00	804 822.58	214 802.39	804 606.01	229 991.16
22 30	793 936.02	214 649.98	793 727.19	229 838.75
25 00	783 049.48	214 503.11	782 848.38	229 691.88
27 30	772 162.93	214 361.79	771 969.57	229 550.55
67 30 00	761 276.39	214 226.01	761 090.76	229 414.77
32 30	750 389.85	214 095.78	750 211.96	229 284.53
35 00	739 503.31	213 971.09	739 333.16	229 159.84
37 30	728 616.78	213 851.94	728 454.36	229 040.69
67 40 00	717 730.25	213 738.34	717 575.57	228 927.08
42 30	706 843.72	213 630.28	706 696.77	228 819.02
45 00	695 957.19	213 527.76	695 817.98	228 716.50
47 30	685 070.67	213 430.79	684 939.19	228 619.52
67 50 00	674 184.15	213 339.36	674 060.41	228 528.09
52 30	663 297.63	213 253.47	663 181.62	228 442.20
55 00	652 411.11	213 173.12	652 302.84	228 361.85
57 30	641 524.60	213 098.31	641 424.06	228 287.04
68 00 00	630 638.08	213 029.05	630 545.28	228 217.77

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 44 15 00 X	LATITUDE 44 15 00 Y	LATITUDE 44 17 30 X	LATITUDE 44 17 30 Y
68 00 00	631 008.60	152 275.28	630 916.07	167 463.56
02 30	620 091.21	152 211.57	620 006.39	167 399.84
05 00	609 173.82	152 153.40	609 096.71	167 341.67
07 30	598 256.43	152 100.77	598 187.04	167 289.04
68 10 00	587 339.05	152 053.68	587 277.36	167 241.95
12 30	576 421.66	152 012.13	576 367.69	167 200.39
15 00	565 504.28	151 976.12	565 458.02	167 164.38
17 30	554 586.90	151 945.65	554 548.35	167 133.91
68 20 00	543 669.52	151 920.72	543 638.68	167 108.98
22 30	532 752.14	151 901.33	532 729.01	167 089.59
25 00	521 834.76	151 887.48	521 819.34	167 075.74
27 30	510 917.38	151 879.17	510 909.67	167 067.43
68 30 00	500 000.00	151 876.40	500 000.00	167 064.66
32 30	489 082.62	151 879.17	489 090.33	167 067.43
35 00	478 165.24	151 887.48	478 180.66	167 075.74
37 30	467 247.86	151 901.33	467 270.99	167 089.59
68 40 00	456 330.48	151 920.72	456 361.32	167 108.98
42 30	445 413.10	151 945.65	445 451.65	167 133.91
45 00	434 495.72	151 976.12	434 541.98	167 164.38
47 30	423 578.34	152 012.13	423 632.31	167 200.39
68 50 00	412 660.95	152 053.68	412 722.64	167 241.95
52 30	401 743.57	152 100.77	401 812.96	167 289.04
55 00	390 826.18	152 153.40	390 903.29	167 341.67
57 30	379 908.79	152 211.57	379 993.61	167 399.84
69 00 00	368 991.41	152 275.28	369 083.93	167 463.56

LONGITUDE	LATITUDE 44 20 00 X	LATITUDE 44 20 00 Y	LATITUDE 44 22 30 X	LATITUDE 44 22 30 Y
68 00 00	630 823.48	182 651.94	630 730.81	197 840.44
02 30	619 921.52	182 588.23	619 836.57	197 776.72
05 00	609 019.55	182 530.05	608 942.33	197 718.55
07 30	598 117.59	182 477.42	598 048.10	197 665.91
68 10 00	587 215.64	182 430.32	587 153.86	197 618.81
12 30	576 313.68	182 388.77	576 259.63	197 577.26
15 00	565 411.72	182 352.76	565 365.39	197 541.25
17 30	554 509.77	182 322.29	554 471.16	197 510.77
68 20 00	543 607.81	182 297.35	543 576.93	197 485.84
22 30	532 705.86	182 277.96	532 682.69	197 466.45
25 00	521 803.91	182 264.11	521 788.46	197 452.60
27 30	510 901.95	182 255.80	510 894.23	197 444.28
68 30 00	500 000.00	182 253.03	500 000.00	197 441.52
32 30	489 098.05	182 255.80	489 105.77	197 444.28
35 00	478 196.09	182 264.11	478 211.54	197 452.60
37 30	467 294.14	182 277.96	467 317.31	197 466.45
68 40 00	456 392.19	182 297.35	456 423.07	197 485.84
42 30	445 490.23	182 322.29	445 528.84	197 510.77
45 00	434 588.28	182 352.76	434 634.61	197 541.25
47 30	423 686.32	182 388.77	423 740.37	197 577.26
68 50 00	412 784.36	182 430.32	412 846.14	197 618.81
52 30	401 882.41	182 477.42	401 951.90	197 665.91
55 00	390 980.45	182 530.05	391 057.67	197 718.55
57 30	380 078.48	182 588.23	380 163.43	197 776.72
69 00 00	369 176.52	182 651.94	369 269.19	197 840.44

LONGITUDE	LATITUDE 44 25 00 X	LATITUDE 44 25 00 Y	LATITUDE 44 27 30 X	LATITUDE 44 27 30 Y
68 00 00	630 638.08	213 029.05	630 545.28	228 217.77
02 30	619 751.57	212 965.33	619 666.50	228 154.05
05 00	608 865.06	212 907.15	608 787.72	228 095.87
07 30	597 978.55	212 854.51	597 908.95	228 043.23
68 10 00	587 092.04	212 807.41	587 030.17	227 996.13
12 30	576 205.53	212 765.86	576 151.40	227 954.57
15 00	565 319.03	212 729.84	565 272.63	227 918.56
17 30	554 432.52	212 699.37	554 393.85	227 888.08
68 20 00	543 546.02	212 674.44	543 515.08	227 863.15
22 30	532 659.51	212 655.04	532 636.31	227 843.75
25 00	521 773.01	212 641.19	521 757.54	227 829.90
27 30	510 886.50	212 632.88	510 878.77	227 821.59
68 30 00	500 000.00	212 630.11	500 000.00	227 818.82
32 30	489 113.50	212 632.88	489 121.23	227 821.59
35 00	478 226.99	212 641.19	478 242.46	227 829.90
37 30	467 340.49	212 655.04	467 363.69	227 843.75
68 40 00	456 453.98	212 674.44	456 484.92	227 863.15
42 30	445 567.48	212 699.37	445 606.15	227 888.08
45 00	434 680.97	212 729.84	434 727.37	227 918.56
47 30	423 794.47	212 765.86	423 848.60	227 954.57
68 50 00	412 907.96	212 807.41	412 969.83	227 996.13
52 30	402 021.45	212 854.51	402 091.05	228 043.23
55 00	391 134.94	212 907.15	391 212.28	228 095.87
57 30	380 248.43	212 965.33	380 333.50	228 154.05
69 00 00	369 361.92	213 029.05	369 454.72	228 217.77

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 44 15 00 X	LATITUDE 44 15 00 Y	LATITUDE 44 17 30 X	LATITUDE 44 17 30 Y
69 00 00	368 991.41	152 275.28	369 083.93	167 463.56
02 30	358 074.01	152 344.54	358 174.25	167 532.82
05 00	347 156.62	152 419.33	347 264.57	167 607.61
07 30	336 239.22	152 499.67	336 354.88	167 687.95
69 10 00	325 321.83	152 585.54	325 445.20	167 773.83
12 30	314 404.42	152 676.96	314 535.51	167 865.25
15 00	303 487.02	152 773.92	303 625.81	167 962.22
17 30	292 569.61	152 876.42	292 716.12	168 064.72
69 20 00	281 652.20	152 984.47	281 806.42	168 172.77
22 30	270 734.79	153 098.05	270 896.72	168 286.36
25 00	259 817.37	153 217.18	259 987.01	168 405.49
27 30	248 899.95	153 341.86	249 077.31	168 530.17
69 30 00	237 982.53	153 472.07	238 167.60	168 660.39
32 30	227 065.10	153 607.83	227 257.88	168 796.16
35 00	216 147.67	153 749.13	216 348.16	168 937.46
37 30	205 230.24	153 895.98	205 438.44	169 084.31
69 40 00	194 312.80	154 048.36	194 528.71	169 236.71
42 30	183 395.35	154 206.30	183 618.98	169 394.65
45 00	172 477.90	154 369.78	172 709.24	169 558.14
47 30	161 560.45	154 538.81	161 799.50	169 727.17
69 50 00	150 642.99	154 713.38	150 889.76	169 901.75
52 30	139 725.52	154 893.50	139 980.01	170 081.88
55 00	128 808.05	155 079.17	129 070.26	170 267.56
57 30	117 890.58	155 270.39	118 160.49	170 458.78
70 00 00	106 973.10	155 467.15	107 250.73	170 655.55

LONGITUDE	LATITUDE 44 20 00 X	LATITUDE 44 20 00 Y	LATITUDE 44 22 30 X	LATITUDE 44 22 30 Y
69 00 00	369 176.52	182 651.94	369 269.19	197 840.44
02 30	358 274.56	182 721.20	358 374.94	197 909.70
05 00	347 372.59	182 796.00	347 480.70	197 984.51
07 30	336 470.62	182 876.34	336 586.45	198 064.85
69 10 00	325 568.65	182 962.23	325 692.21	198 150.74
12 30	314 666.68	183 053.65	314 797.96	198 242.17
15 00	303 764.70	183 150.62	303 903.70	198 339.14
17 30	292 862.73	183 253.13	293 009.45	198 441.65
69 20 00	281 960.75	183 361.18	282 115.19	198 549.70
22 30	271 058.76	183 474.78	271 220.93	198 663.30
25 00	260 156.78	183 593.91	260 326.67	198 782.45
27 30	249 254.79	183 718.60	249 432.40	198 907.13
69 30 00	238 352.79	183 848.82	238 538.13	199 037.36
32 30	227 450.80	183 984.59	227 643.86	199 173.14
35 00	216 548.80	184 125.90	216 749.59	199 314.45
37 30	205 646.79	184 272.76	205 855.31	199 461.32
69 40 00	194 744.78	184 425.16	194 961.02	199 613.72
42 30	183 842.77	184 583.11	184 066.74	199 771.67
45 00	172 940.76	184 746.60	173 172.45	199 935.17
47 30	162 038.74	184 915.64	162 278.15	200 104.22
69 50 00	151 136.71	185 090.23	151 383.85	200 278.81
52 30	140 234.68	185 270.36	140 489.55	200 458.95
55 00	129 332.65	185 456.05	129 595.24	200 644.64
57 30	118 430.61	185 647.27	118 700.93	200 835.88
70 00 00	107 528.56	185 844.05	107 806.61	201 032.66

LONGITUDE	LATITUDE 44 25 00 X	LATITUDE 44 25 00 Y	LATITUDE 44 27 30 X	LATITUDE 44 27 30 Y
69 00 00	369 361.92	213 029.05	369 454.72	228 217.77
02 30	358 475.40	213 098.31	358 575.94	228 287.04
05 00	347 588.89	213 173.12	347 697.16	228 361.85
07 30	336 702.37	213 253.47	336 818.38	228 442.20
69 10 00	325 815.85	213 339.36	325 939.59	228 528.09
12 30	314 929.33	213 430.79	315 060.81	228 619.52
15 00	304 042.81	213 527.76	304 182.02	228 716.50
17 30	293 156.28	213 630.28	293 303.23	228 819.02
69 20 00	282 269.75	213 738.34	282 424.43	228 927.08
22 30	271 383.22	213 851.94	271 545.64	229 040.69
25 00	260 496.69	213 971.09	260 666.84	229 159.84
27 30	249 610.15	214 095.78	249 788.04	229 284.53
69 30 00	238 723.61	214 226.01	238 909.24	229 414.77
32 30	227 837.07	214 361.79	228 030.43	229 550.55
35 00	216 950.52	214 503.11	217 151.62	229 691.88
37 30	206 063.98	214 649.98	206 272.81	229 838.75
69 40 00	195 177.42	214 802.39	195 393.99	229 991.16
42 30	184 290.87	214 960.34	184 515.17	230 149.13
45 00	173 404.31	215 123.85	173 636.35	230 312.64
47 30	162 517.74	215 292.90	162 757.52	230 481.69
69 50 00	151 631.18	215 467.50	151 878.69	230 656.30
52 30	140 744.61	215 647.65	140 999.86	230 836.45
55 00	129 858.03	215 833.34	130 121.02	231 022.15
57 30	118 971.45	216 024.59	119 242.18	231 213.40
70 00 00	108 084.87	216 221.38	108 363.34	231 410.20

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 44 30 00 X	LATITUDE 44 30 00 Y	LATITUDE 44 32 30 X	LATITUDE 44 32 30 Y
67 00 00	891 357.99	246 599.12	891 079.10	261 788.15
02 30	880 486.89	246 402.32	880 215.75	261 591.34
05 00	869 615.80	246 211.06	869 352.40	261 400.08
07 30	858 744.70	246 025.36	858 489.06	261 214.37
67 10 00	847 873.61	245 845.20	847 625.72	261 034.21
12 30	837 002.52	245 670.59	836 762.38	260 859.60
15 00	826 131.44	245 501.53	825 899.05	260 690.53
17 30	815 260.36	245 338.01	815 035.72	260 527.01
67 20 00	804 389.29	245 180.05	804 172.39	260 369.04
22 30	793 518.21	245 027.63	793 309.06	260 216.62
25 00	782 647.14	244 880.75	782 445.74	260 069.74
27 30	771 776.07	244 739.42	771 582.42	259 928.40
67 30 00	760 905.01	244 603.64	760 719.11	259 792.61
32 30	750 033.95	244 473.39	749 855.79	259 662.37
35 00	739 162.89	244 348.69	738 992.48	259 537.67
37 30	728 291.83	244 229.54	728 129.17	259 418.51
67 40 00	717 420.78	244 115.93	717 265.86	259 304.90
42 30	706 549.72	244 007.87	706 402.55	259 196.83
45 00	695 678.67	243 905.35	695 539.25	259 094.30
47 30	684 807.62	243 808.37	684 675.95	258 997.32
67 50 00	673 936.58	243 716.93	673 812.65	258 905.88
52 30	663 065.53	243 631.03	662 949.35	258 819.99
55 00	652 194.49	243 550.68	652 086.05	258 739.63
57 30	641 323.45	243 475.87	641 222.76	258 664.82
68 00 00	630 452.41	243 406.60	630 359.46	258 595.55

LONGITUDE	LATITUDE 44 35 00 X	LATITUDE 44 35 00 Y	LATITUDE 44 37 30 X	LATITUDE 44 37 30 Y
67 00 00	890 800.02	276 977.28	890 520.72	292 166.52
02 30	879 944.42	276 780.47	879 672.88	291 969.71
05 00	869 088.83	276 589.21	868 825.05	291 778.44
07 30	858 233.24	276 403.49	857 977.22	291 592.72
67 10 00	847 377.66	276 223.33	847 129.40	291 412.55
12 30	836 522.07	276 048.71	836 281.58	291 237.92
15 00	825 666.49	275 879.63	825 433.76	291 068.85
17 30	814 810.92	275 716.11	814 585.94	290 905.32
67 20 00	803 955.34	275 558.14	803 738.13	290 747.34
22 30	793 099.77	275 405.71	792 890.32	290 594.91
25 00	782 244.20	275 258.83	782 042.51	290 448.03
27 30	771 388.64	275 117.49	771 194.70	290 306.69
67 30 00	760 533.07	274 981.70	760 346.90	290 170.89
32 30	749 677.51	274 851.45	749 499.09	290 040.64
35 00	738 821.95	274 726.74	738 651.29	289 915.93
37 30	727 966.39	274 607.58	727 803.49	289 796.77
67 40 00	717 110.84	274 493.97	716 955.70	289 683.15
42 30	706 255.28	274 385.90	706 107.90	289 575.08
45 00	695 399.73	274 283.37	695 260.11	289 472.55
47 30	684 544.18	274 186.39	684 412.31	289 375.56
67 50 00	673 688.63	274 094.95	673 564.52	289 284.12
52 30	662 833.09	274 009.05	662 716.73	289 198.22
55 00	651 977.54	273 928.69	651 868.95	289 117.86
57 30	641 122.00	273 853.88	641 021.16	289 043.05
68 00 00	630 266.45	273 784.61	630 173.37	288 973.77

LONGITUDE	LATITUDE 44 40 00 X	LATITUDE 44 40 00 Y	LATITUDE 44 42 30 X	LATITUDE 44 42 30 Y
67 00 00	890 241.21	307 355.86	889 961.50	322 545.31
02 30	879 401.15	307 159.04	879 129.20	322 348.49
05 00	868 561.08	306 967.77	868 296.91	322 157.21
07 30	857 721.02	306 782.05	857 464.63	321 971.49
67 10 00	846 880.97	306 601.88	846 632.34	321 791.31
12 30	836 040.91	306 427.25	835 800.06	321 616.68
15 00	825 200.86	306 258.17	824 967.78	321 447.60
17 30	814 360.81	306 094.64	814 135.50	321 284.07
67 20 00	803 520.76	305 936.66	803 303.22	321 126.08
22 30	792 680.71	305 784.23	792 470.95	320 973.65
25 00	781 840.67	305 637.34	781 638.67	320 826.76
27 30	771 000.63	305 496.00	770 806.40	320 685.41
67 30 00	760 160.59	305 360.20	759 974.13	320 549.61
32 30	749 320.55	305 229.94	749 141.86	320 419.35
35 00	738 480.51	305 105.23	738 309.60	320 294.64
37 30	727 640.48	304 986.07	727 477.33	320 175.47
67 40 00	716 800.44	304 872.45	716 645.07	320 061.85
42 30	705 960.41	304 764.37	705 812.81	319 953.77
45 00	695 120.38	304 661.84	694 980.55	319 851.24
47 30	684 280.35	304 564.85	684 148.29	319 754.25
67 50 00	673 440.32	304 473.41	673 316.03	319 662.80
52 30	662 600.30	304 387.50	662 483.77	319 576.90
55 00	651 760.27	304 307.14	651 651.51	319 496.54
57 30	640 920.25	304 232.33	640 819.26	319 421.72
68 00 00	630 080.23	304 163.05	629 987.01	319 352.44

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 44 30 00 X	LATITUDE 44 30 00 Y	LATITUDE 44 32 30 X	LATITUDE 44 32 30 Y
68 00 00	630 452.41	243 406.60	630 359.46	258 595.55
02 30	619 581.37	243 342.88	619 496.17	258 531.82
05 00	608 710.33	243 284.70	608 632.88	258 473.64
07 30	597 839.30	243 232.05	597 769.59	258 421.00
68 10 00	586 968.26	243 184.96	586 906.30	258 373.90
12 30	576 097.23	243 143.40	576 043.01	258 332.34
15 00	565 226.19	243 107.38	565 179.72	258 296.32
17 30	554 355.16	243 076.90	554 316.43	258 265.84
68 20 00	543 484.13	243 051.97	543 453.15	258 240.91
22 30	532 613.09	243 032.58	532 589.86	258 221.51
25 00	521 742.06	243 018.72	521 726.57	258 207.66
27 30	510 871.03	243 010.41	510 863.29	258 199.35
68 30 00	500 000.00	243 007.64	500 000.00	258 196.58
32 30	489 128.97	243 010.41	489 136.71	258 199.35
35 00	478 257.94	243 018.72	478 273.43	258 207.66
37 30	467 386.91	243 032.58	467 410.14	258 221.51
68 40 00	456 515.87	243 051.97	456 546.85	258 240.91
42 30	445 644.84	243 076.90	445 683.57	258 265.84
45 00	434 773.81	243 107.38	434 820.28	258 296.32
47 30	423 902.77	243 143.40	423 956.99	258 332.34
68 50 00	413 031.74	243 184.96	413 093.70	258 373.90
52 30	402 160.70	243 232.05	402 230.41	258 421.00
55 00	391 289.67	243 284.70	391 367.12	258 473.64
57 30	380 418.63	243 342.88	380 503.83	258 531.82
69 00 00	369 547.59	243 406.60	369 640.54	258 595.55

LONGITUDE	LATITUDE 44 35 00 X	LATITUDE 44 35 00 Y	LATITUDE 44 37 30 X	LATITUDE 44 37 30 Y
68 00 00	630 266.45	273 784.61	630 173.37	288 973.77
02 30	619 410.91	273 720.88	619 325.59	288 910.04
05 00	608 555.37	273 662.69	608 477.80	288 851.86
07 30	597 699.83	273 610.05	597 630.02	288 799.21
68 10 00	586 844.29	273 562.94	586 782.24	288 752.11
12 30	575 988.75	273 521.38	575 934.46	288 710.55
15 00	565 133.22	273 485.37	565 086.68	288 674.53
17 30	554 277.68	273 454.89	554 238.90	288 644.05
68 20 00	543 422.14	273 429.95	543 391.12	288 619.11
22 30	532 566.61	273 410.56	532 543.34	288 599.72
25 00	521 711.07	273 396.70	521 695.56	288 585.86
27 30	510 855.54	273 388.39	510 847.78	288 577.55
68 30 00	500 000.00	273 385.62	500 000.00	288 574.78
32 30	489 144.46	273 388.39	489 152.22	288 577.55
35 00	478 288.93	273 396.70	478 304.44	288 585.86
37 30	467 433.39	273 410.56	467 456.66	288 599.72
68 40 00	456 577.86	273 429.95	456 608.88	288 619.11
42 30	445 722.32	273 454.89	445 761.10	288 644.05
45 00	434 866.78	273 485.37	434 913.32	288 674.53
47 30	424 011.25	273 521.38	424 065.54	288 710.55
68 50 00	413 155.71	273 562.94	413 217.76	288 752.11
52 30	402 300.17	273 610.05	402 369.98	288 799.21
55 00	391 444.63	273 662.69	391 522.20	288 851.86
57 30	380 589.09	273 720.88	380 674.41	288 910.04
69 00 00	369 733.55	273 784.61	369 826.63	288 973.77

LONGITUDE	LATITUDE 44 40 00 X	LATITUDE 44 40 00 Y	LATITUDE 44 42 30 X	LATITUDE 44 42 30 Y
68 00 00	630 080.23	304 163.05	629 987.01	319 352.44
02 30	619 240.20	304 099.32	619 154.75	319 288.71
05 00	608 400.18	304 041.13	608 322.50	319 230.52
07 30	597 560.16	303 988.49	597 490.25	319 177.87
68 10 00	586 720.14	303 941.38	586 658.00	319 130.77
12 30	575 880.12	303 899.82	575 825.75	319 089.21
15 00	565 040.10	303 863.80	564 993.50	319 053.19
17 30	554 200.09	303 833.32	554 161.25	319 022.71
68 20 00	543 360.07	303 808.38	543 329.00	318 997.77
22 30	532 520.05	303 788.99	532 496.75	318 978.37
25 00	521 680.03	303 775.13	521 664.50	318 964.52
27 30	510 840.02	303 766.82	510 832.25	318 956.21
68 30 00	500 000.00	303 764.05	500 000.00	318 953.44
32 30	489 159.98	303 766.82	489 167.75	318 956.21
35 00	478 319.97	303 775.13	478 335.50	318 964.52
37 30	467 479.95	303 788.99	467 503.25	318 978.37
68 40 00	456 639.93	303 808.38	456 671.00	318 997.77
42 30	445 799.91	303 833.32	445 838.75	319 022.71
45 00	434 959.90	303 863.80	435 006.50	319 053.19
47 30	424 119.88	303 899.82	424 174.25	319 089.21
68 50 00	413 279.86	303 941.38	413 342.00	319 130.77
52 30	402 439.84	303 988.49	402 509.75	319 177.87
55 00	391 599.82	304 041.13	391 677.50	319 230.52
57 30	380 759.80	304 099.32	380 845.25	319 288.71
69 00 00	369 919.77	304 163.05	370 012.99	319 352.44

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 44 30 00 X	LATITUDE 44 30 00 Y	LATITUDE 44 32 30 X	LATITUDE 44 32 30 Y
69 00 00	369 547.59	243 406.60	369 640.54	258 595.55
02 30	358 676.55	243 475.87	358 777.24	258 664.82
05 00	347 805.51	243 550.68	347 913.95	258 739.63
07 30	336 934.47	243 631.03	337 050.65	258 819.99
69 10 00	326 063.42	243 716.93	326 187.35	258 905.88
12 30	315 192.38	243 808.37	315 324.05	258 997.32
15 00	304 321.33	243 905.35	304 460.75	259 094.30
17 30	293 450.28	244 007.87	293 597.45	259 196.83
69 20 00	282 579.22	244 115.93	282 734.14	259 304.90
22 30	271 708.17	244 229.54	271 870.83	259 418.51
25 00	260 837.11	244 348.69	261 007.52	259 537.67
27 30	249 966.05	244 473.39	250 144.21	259 662.37
69 30 00	239 094.99	244 603.64	239 280.89	259 792.61
32 30	228 223.93	244 739.42	228 417.58	259 928.40
35 00	217 352.86	244 880.75	217 554.26	260 069.74
37 30	206 481.79	245 027.63	206 690.94	260 216.62
69 40 00	195 610.71	245 180.05	195 827.61	260 369.04
42 30	184 739.64	245 338.01	184 964.28	260 527.01
45 00	173 868.56	245 501.53	174 100.95	260 690.53
47 30	162 997.48	245 670.59	163 237.62	260 859.60
69 50 00	152 126.39	245 845.20	152 374.28	261 034.21
52 30	141 255.30	246 025.36	141 510.94	261 214.37
55 00	130 384.20	246 211.06	130 647.60	261 400.08
57 30	119 513.11	246 402.32	119 784.25	261 591.34
70 00 00	108 642.01	246 599.12	108 920.90	261 788.15

LONGITUDE	LATITUDE 44 35 00 X	LATITUDE 44 35 00 Y	LATITUDE 44 37 30 X	LATITUDE 44 37 30 Y
69 00 00	369 733.55	273 784.61	369 826.63	288 973.77
02 30	358 878.00	273 853.88	358 978.84	289 043.05
05 00	348 022.46	273 928.69	348 131.05	289 117.86
07 30	337 166.91	274 009.05	337 283.27	289 198.22
69 10 00	326 311.37	274 094.95	326 435.48	289 284.12
12 30	315 455.82	274 186.39	315 587.69	289 375.56
15 00	304 600.27	274 283.37	304 739.89	289 472.55
17 30	293 744.72	274 385.90	293 892.10	289 575.08
69 20 00	282 889.16	274 493.97	283 044.30	289 683.15
22 30	272 033.61	274 607.58	272 196.51	289 796.77
25 00	261 178.05	274 726.74	261 348.71	289 915.93
27 30	250 322.49	274 851.45	250 500.91	290 040.64
69 30 00	239 466.93	274 981.70	239 653.10	290 170.89
32 30	228 611.36	275 117.49	228 805.30	290 306.69
35 00	217 755.80	275 258.83	217 957.49	290 448.03
37 30	206 900.23	275 405.71	207 109.68	290 594.91
69 40 00	196 044.66	275 558.14	196 261.87	290 747.34
42 30	185 189.08	275 716.11	185 414.06	290 905.32
45 00	174 333.51	275 879.63	174 566.24	291 068.85
47 30	163 477.93	276 048.71	163 718.42	291 237.92
69 50 00	152 622.34	276 223.33	152 870.60	291 412.55
52 30	141 766.76	276 403.49	142 022.78	291 592.72
55 00	130 911.17	276 589.21	131 174.95	291 778.44
57 30	120 055.58	276 780.47	120 327.12	291 969.71
70 00 00	109 199.98	276 977.28	109 479.28	292 166.52

LONGITUDE	LATITUDE 44 40 00 X	LATITUDE 44 40 00 Y	LATITUDE 44 42 30 X	LATITUDE 44 42 30 Y
69 00 00	369 919.77	304 163.05	370 012.99	319 352.44
02 30	359 079.75	304 232.33	359 180.74	319 421.72
05 00	348 239.73	304 307.14	348 348.49	319 496.54
07 30	337 399.70	304 387.50	337 516.23	319 576.90
69 10 00	326 559.68	304 473.41	326 683.97	319 662.80
12 30	315 719.65	304 564.85	315 851.71	319 754.25
15 00	304 879.62	304 661.84	305 019.45	319 851.24
17 30	294 039.59	304 764.37	294 187.19	319 953.77
69 20 00	283 199.56	304 872.45	283 354.93	320 061.85
22 30	272 359.52	304 986.07	272 522.67	320 175.47
25 00	261 519.49	305 105.23	261 690.40	320 294.64
27 30	250 679.45	305 229.94	250 858.14	320 419.35
69 30 00	239 839.41	305 360.20	240 025.87	320 549.61
32 30	228 999.37	305 496.00	229 193.60	320 685.41
35 00	218 159.33	305 637.34	218 361.33	320 826.76
37 30	207 319.29	305 784.23	207 529.05	320 973.65
69 40 00	196 479.24	305 936.66	196 696.78	321 126.08
42 30	185 639.19	306 094.64	185 864.50	321 284.07
45 00	174 799.14	306 258.17	175 032.22	321 447.60
47 30	163 959.09	306 427.25	164 199.94	321 616.68
69 50 00	153 119.03	306 601.88	153 367.66	321 791.31
52 30	142 278.98	306 782.05	142 535.37	321 971.49
55 00	131 438.92	306 967.77	131 703.09	322 157.21
57 30	120 598.85	307 159.04	120 870.80	322 348.49
70 00 00	109 758.79	307 355.86	110 038.50	322 545.31

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 44 45 00 X	LATITUDE 44 45 00 Y	LATITUDE 44 47 30 X	LATITUDE 44 47 30 Y
66 50 00	932 979.66	338 577.67	932 668.39	353 767.34
52 30	922 155.13	338 358.64	921 851.65	353 548.31
55 00	911 330.61	338 145.16	911 034.92	353 334.83
57 30	900 506.10	337 937.24	900 218.18	353 126.90
67 00 00	889 681.58	337 734.87	889 401.45	352 924.53

LONGITUDE	LATITUDE 44 50 00 X	LATITUDE 44 50 00 Y	LATITUDE 44 52 30 X	LATITUDE 44 52 30 Y
66 50 00	932 356.89	368 957.12	932 045.15	384 146.99
52 30	921 547.94	368 738.08	921 244.00	383 927.96
55 00	910 739.00	368 524.60	910 442.86	383 714.47
57 30	899 930.06	368 316.67	899 641.71	383 506.54
67 00 00	889 121.12	368 114.29	888 840.57	383 304.16

LONGITUDE	LATITUDE 44 55 00 X	LATITUDE 44 55 00 Y	LATITUDE 44 57 30 X	LATITUDE 44 57 30 Y
66 50 00	931 733.19	399 336.97	931 421.00	414 527.06
52 30	920 939.85	399 117.94	920 635.46	414 308.02
55 00	910 146.50	398 904.45	909 849.93	414 094.53
57 30	899 353.16	398 696.52	899 064.39	413 886.60
67 00 00	888 559.82	398 494.13	888 278.86	413 684.21

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 44 45 00 X	LATITUDE 44 45 00 Y	LATITUDE 44 47 30 X	LATITUDE 44 47 30 Y
67 00 00	889 681.58	337 734.87	889 401.45	352 924.53
02 30	878 857.07	337 538.04	878 584.72	352 727.70
05 00	868 032.55	337 346.76	867 768.00	352 536.42
07 30	857 208.05	337 161.03	856 951.27	352 350.69
67 10 00	846 383.54	336 980.85	846 134.55	352 170.50
12 30	835 559.03	336 806.22	835 317.83	351 995.87
15 00	824 734.53	336 637.13	824 501.11	351 826.78
17 30	813 910.03	336 473.60	813 684.39	351 663.24
67 20 00	803 085.53	336 315.61	802 867.67	351 505.25
22 30	792 261.03	336 163.17	792 050.95	351 352.81
25 00	781 436.53	336 016.28	781 234.24	351 205.92
27 30	770 612.04	335 874.93	770 417.53	351 064.57
67 30 00	759 787.54	335 739.13	759 600.82	350 928.76
32 30	748 963.05	335 608.87	748 784.11	350 798.50
35 00	738 138.56	335 484.16	737 967.40	350 673.78
37 30	727 314.07	335 364.99	727 150.69	350 554.61
67 40 00	716 489.58	335 251.36	716 333.98	350 440.99
42 30	705 665.10	335 143.29	705 517.28	350 332.91
45 00	694 840.61	335 040.75	694 700.57	350 230.37
47 30	684 016.13	334 943.76	683 883.87	350 133.38
67 50 00	673 191.64	334 852.31	673 067.17	350 041.93
52 30	662 367.16	334 766.40	662 250.46	349 956.02
55 00	651 542.68	334 686.04	651 433.76	349 875.66
57 30	640 718.20	334 611.22	640 617.06	349 800.84
68 00 00	629 893.72	334 541.95	629 800.36	349 731.56

LONGITUDE	LATITUDE 44 50 00 X	LATITUDE 44 50 00 Y	LATITUDE 44 52 30 X	LATITUDE 44 52 30 Y
67 00 00	889 121.12	368 114.29	888 840.57	383 304.16
02 30	878 312.18	367 917.46	878 039.43	383 107.33
05 00	867 503.24	367 726.18	867 238.29	382 916.04
07 30	856 694.31	367 540.44	856 437.15	382 730.31
67 10 00	845 885.37	367 360.26	845 636.01	382 550.12
12 30	835 076.44	367 185.62	834 834.87	382 375.48
15 00	824 267.51	367 016.53	824 033.74	382 206.39
17 30	813 458.58	366 852.99	813 232.60	382 042.85
67 20 00	802 649.65	366 695.00	802 431.47	381 884.86
22 30	791 840.73	366 542.56	791 630.34	381 732.41
25 00	781 031.80	366 395.66	780 829.20	381 585.51
27 30	770 222.88	366 254.31	770 028.07	381 444.16
67 30 00	759 413.95	366 118.50	759 226.94	381 308.35
32 30	748 605.03	365 988.24	748 425.81	381 178.09
35 00	737 796.11	365 863.52	737 624.69	381 053.37
37 30	726 987.19	365 744.35	726 823.56	380 934.20
67 40 00	716 178.27	365 630.72	716 022.43	380 820.57
42 30	705 369.35	365 522.64	705 221.31	380 712.49
45 00	694 560.43	365 420.10	694 420.18	380 609.95
47 30	683 751.51	365 323.11	683 619.06	380 512.95
67 50 00	672 942.60	365 231.66	672 817.93	380 421.50
52 30	662 133.68	365 145.75	662 016.81	380 335.59
55 00	651 324.77	365 065.39	651 215.68	380 255.23
57 30	640 515.85	364 990.56	640 414.56	380 180.40
68 00 00	629 706.94	364 921.29	629 613.44	380 111.13

LONGITUDE	LATITUDE 44 55 00 X	LATITUDE 44 55 00 Y	LATITUDE 44 57 30 X	LATITUDE 44 57 30 Y
67 00 00	888 559.82	398 494.13	888 278.86	413 684.21
02 30	877 766.48	398 297.30	877 493.33	413 487.38
05 00	866 973.14	398 106.01	866 707.80	413 296.09
07 30	856 179.80	397 920.28	855 922.27	413 110.35
67 10 00	845 386.47	397 740.09	845 136.74	412 930.16
12 30	834 593.13	397 565.45	834 351.21	412 755.52
15 00	823 799.80	397 396.35	823 565.68	412 586.43
17 30	813 006.46	397 232.81	812 780.15	412 422.88
67 20 00	802 213.13	397 074.82	801 994.62	412 264.89
22 30	791 419.79	396 922.37	791 209.10	412 112.44
25 00	780 626.46	396 775.47	780 423.57	411 965.54
27 30	769 833.13	396 634.12	769 638.04	411 824.19
67 30 00	759 039.80	396 498.31	758 852.52	411 688.38
32 30	748 246.47	396 368.05	748 066.99	411 558.11
35 00	737 453.14	396 243.32	737 281.47	411 433.39
37 30	726 659.81	396 124.15	726 495.94	411 314.22
67 40 00	715 866.48	396 010.52	715 710.42	411 200.59
42 30	705 073.16	395 902.44	704 924.90	411 092.50
45 00	694 279.83	395 799.90	694 139.37	410 989.96
47 30	683 486.50	395 702.90	683 353.85	410 892.97
67 50 00	672 693.18	395 611.45	672 568.33	410 801.51
52 30	661 899.85	395 525.54	661 782.81	410 715.60
55 00	651 106.53	395 445.17	650 997.28	410 635.24
57 30	640 313.20	395 370.35	640 211.76	410 560.42
68 00 00	629 519.88	395 301.07	629 426.24	410 491.14

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 44 45 00 X	LATITUDE 44 45 00 Y	LATITUDE 44 47 30 X	LATITUDE 44 47 30 Y
68 00 00	629 893.72	334 541.95	629 800.36	349 731.56
02 30	619 069.24	334 478.21	618 983.66	349 667.83
05 00	608 244.76	334 420.02	608 166.96	349 609.64
07 30	597 420.28	334 367.37	597 350.27	349 556.99
68 10 00	586 595.81	334 320.27	586 533.57	349 509.88
12 30	575 771.33	334 278.70	575 716.87	349 468.32
15 00	564 946.85	334 242.68	564 900.18	349 432.29
17 30	554 122.38	334 212.20	554 083.48	349 401.81
68 20 00	543 297.90	334 187.27	543 266.78	349 376.88
22 30	532 473.43	334 167.87	532 450.09	349 357.48
25 00	521 648.95	334 154.01	521 633.39	349 343.62
27 30	510 824.48	334 145.70	510 816.70	349 335.31
68 30 00	500 000.00	334 142.93	500 000.00	349 332.54
32 30	489 175.52	334 145.70	489 183.30	349 335.31
35 00	478 351.05	334 154.01	478 366.61	349 343.62
37 30	467 526.57	334 167.87	467 549.91	349 357.48
68 40 00	456 702.10	334 187.27	456 733.22	349 376.88
42 30	445 877.62	334 212.20	445 916.52	349 401.81
45 00	435 053.15	334 242.68	435 099.82	349 432.29
47 30	424 228.67	334 278.70	424 283.13	349 468.32
68 50 00	413 404.19	334 320.27	413 466.43	349 509.88
52 30	402 579.72	334 367.37	402 649.73	349 556.99
55 00	391 755.24	334 420.02	391 833.04	349 609.64
57 30	380 930.76	334 478.21	381 016.34	349 667.83
69 00 00	370 106.28	334 541.95	370 199.64	349 731.56

LONGITUDE	LATITUDE 44 50 00 X	LATITUDE 44 50 00 Y	LATITUDE 44 52 30 X	LATITUDE 44 52 30 Y
68 00 00	629 706.94	364 921.29	629 613.44	380 111.13
02 30	618 898.02	364 857.55	618 812.32	380 047.39
05 00	608 089.11	364 799.36	608 011.20	379 989.20
07 30	597 280.20	364 746.71	597 210.08	379 936.55
68 10 00	586 471.29	364 699.60	586 408.96	379 889.44
12 30	575 662.38	364 658.04	575 607.84	379 847.87
15 00	564 853.46	364 622.02	564 806.72	379 811.85
17 30	554 044.55	364 591.53	554 005.60	379 781.37
68 20 00	543 235.64	364 566.60	543 204.48	379 756.43
22 30	532 426.73	364 547.20	532 403.36	379 737.03
25 00	521 617.82	364 533.34	521 602.24	379 723.18
27 30	510 808.91	364 525.03	510 801.12	379 714.87
68 30 00	500 000.00	364 522.26	500 000.00	379 712.10
32 30	489 191.09	364 525.03	489 198.88	379 714.87
35 00	478 382.18	364 533.34	478 397.76	379 723.18
37 30	467 573.27	364 547.20	467 596.64	379 737.03
68 40 00	456 764.36	364 566.60	456 795.52	379 756.43
42 30	445 955.45	364 591.53	445 994.40	379 781.37
45 00	435 146.54	364 622.02	435 193.28	379 811.85
47 30	424 337.62	364 658.04	424 392.16	379 847.87
68 50 00	413 528.71	364 699.60	413 591.04	379 889.44
52 30	402 719.80	364 746.71	402 789.92	379 936.55
55 00	391 910.89	364 799.36	391 988.80	379 989.20
57 30	381 101.98	364 857.55	381 187.68	380 047.39
69 00 00	370 293.06	364 921.29	370 386.56	380 111.13

LONGITUDE	LATITUDE 44 55 00 X	LATITUDE 44 55 00 Y	LATITUDE 44 57 30 X	LATITUDE 44 57 30 Y
68 00 00	629 519.88	395 301.07	629 426.24	410 491.14
02 30	618 726.55	395 237.34	618 640.72	410 427.40
05 00	607 933.23	395 179.14	607 855.20	410 369.21
07 30	597 139.90	395 126.49	597 069.68	410 316.55
68 10 00	586 346.58	395 079.39	586 284.16	410 269.45
12 30	575 553.26	395 037.82	575 498.64	410 227.88
15 00	564 759.94	395 001.80	564 713.12	410 191.86
17 30	553 966.61	394 971.32	553 927.60	410 161.38
68 20 00	543 173.29	394 946.38	543 142.08	410 136.44
22 30	532 379.97	394 926.98	532 356.56	410 117.04
25 00	521 586.64	394 913.12	521 571.04	410 103.18
27 30	510 793.32	394 904.81	510 785.52	410 094.87
68 30 00	500 000.00	394 902.04	500 000.00	410 092.10
32 30	489 206.68	394 904.81	489 214.48	410 094.87
35 00	478 413.36	394 913.12	478 428.96	410 103.18
37 30	467 620.03	394 926.98	467 643.44	410 117.04
68 40 00	456 826.71	394 946.38	456 857.92	410 136.44
42 30	446 033.39	394 971.32	446 072.40	410 161.38
45 00	435 240.06	395 001.80	435 286.88	410 191.86
47 30	424 446.74	395 037.82	424 501.36	410 227.88
68 50 00	413 653.42	395 079.39	413 715.84	410 269.45
52 30	402 860.10	395 126.49	402 930.32	410 316.55
55 00	392 066.77	395 179.14	392 144.80	410 369.21
57 30	381 273.45	395 237.34	381 359.28	410 427.40
69 00 00	370 480.12	395 301.07	370 573.76	410 491.14

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 44 45 00 X	LATITUDE 44 45 00 Y	LATITUDE 44 47 30 X	LATITUDE 44 47 30 Y
69 00 00	370 106.28	334 541.95	370 199.64	349 731.56
02 30	359 281.80	334 611.22	359 382.94	349 800.84
05 00	348 457.32	334 686.04	348 566.24	349 875.66
07 30	337 632.84	334 766.40	337 749.54	349 956.02
69 10 00	326 808.36	334 852.31	326 932.83	350 041.93
12 30	315 983.87	334 943.76	316 116.13	350 133.38
15 00	305 159.39	335 040.75	305 299.43	350 230.37
17 30	294 334.90	335 143.29	294 482.72	350 332.91
69 20 00	283 510.42	335 251.36	283 666.02	350 440.99
22 30	272 685.93	335 364.99	272 849.31	350 554.61
25 00	261 861.44	335 484.16	262 032.60	350 673.78
27 30	251 036.95	335 608.87	251 215.89	350 798.50
69 30 00	240 212.46	335 739.13	240 399.18	350 928.76
32 30	229 387.96	335 874.93	229 582.47	351 064.57
35 00	218 563.47	336 016.28	218 765.76	351 205.92
37 30	207 738.97	336 163.17	207 949.05	351 352.81
69 40 00	196 914.47	336 315.61	197 132.33	351 505.25
42 30	186 089.97	336 473.60	186 315.61	351 663.24
45 00	175 265.47	336 637.13	175 498.89	351 826.78
47 30	164 440.97	336 806.22	164 682.17	351 995.87
69 50 00	153 616.46	336 980.85	153 865.45	352 170.50
52 30	142 791.95	337 161.03	143 048.73	352 350.69
55 00	131 967.45	337 346.76	132 232.00	352 536.42
57 30	121 142.93	337 538.04	121 415.28	352 727.70
70 00 00	110 318.42	337 734.87	110 598.55	352 924.53

LONGITUDE	LATITUDE 44 50 00 X	LATITUDE 44 50 00 Y	LATITUDE 44 52 30 X	LATITUDE 44 52 30 Y
69 00 00	370 293.06	364 921.29	370 386.56	380 111.13
02 30	359 484.15	364 990.56	359 585.44	380 180.40
05 00	348 675.23	365 065.39	348 784.32	380 255.23
07 30	337 866.32	365 145.75	337 983.19	380 335.59
69 10 00	327 057.40	365 231.66	327 182.07	380 421.50
12 30	316 248.49	365 323.11	316 380.94	380 512.95
15 00	305 439.57	365 420.10	305 579.82	380 609.95
17 30	294 630.65	365 522.64	294 778.69	380 712.49
69 20 00	283 821.73	365 630.72	283 977.57	380 820.57
22 30	273 012.81	365 744.35	273 176.44	380 934.20
25 00	262 203.89	365 863.52	262 375.31	381 053.37
27 30	251 394.97	365 988.24	251 574.19	381 178.09
69 30 00	240 586.05	366 118.50	240 773.06	381 308.35
32 30	229 777.12	366 254.31	229 971.93	381 444.16
35 00	218 968.20	366 395.66	219 170.80	381 585.51
37 30	208 159.27	366 542.56	208 369.66	381 732.41
69 40 00	197 350.35	366 695.00	197 568.53	381 884.86
42 30	186 541.42	366 852.99	186 767.40	382 042.85
45 00	175 732.49	367 016.53	175 966.26	382 206.39
47 30	164 923.56	367 185.62	165 165.13	382 375.48
69 50 00	154 114.63	367 360.26	154 363.99	382 550.12
52 30	143 305.69	367 540.44	143 562.85	382 730.31
55 00	132 496.76	367 726.18	132 761.71	382 916.04
57 30	121 687.82	367 917.46	121 960.57	383 107.33
70 00 00	110 878.88	368 114.29	111 159.43	383 304.16

LONGITUDE	LATITUDE 44 55 00 X	LATITUDE 44 55 00 Y	LATITUDE 44 57 30 X	LATITUDE 44 57 30 Y
69 00 00	370 480.12	395 301.07	370 573.76	410 491.14
02 30	359 686.80	395 370.35	359 788.24	410 560.42
05 00	348 893.47	395 445.17	349 002.72	410 635.24
07 30	338 100.15	395 525.54	338 217.19	410 715.60
69 10 00	327 306.82	395 611.45	327 431.67	410 801.51
12 30	316 513.50	395 702.90	316 646.15	410 892.97
15 00	305 720.17	395 799.90	305 860.63	410 989.96
17 30	294 926.84	395 902.44	295 075.10	411 092.50
69 20 00	284 133.52	396 010.52	284 289.58	411 200.59
22 30	273 340.19	396 124.15	273 504.06	411 314.22
25 00	262 546.86	396 243.32	262 718.53	411 433.39
27 30	251 753.53	396 368.05	251 933.01	411 558.11
69 30 00	240 960.20	396 498.31	241 147.48	411 688.38
32 30	230 166.87	396 634.12	230 361.96	411 824.19
35 00	219 373.54	396 775.47	219 576.43	411 965.54
37 30	208 580.21	396 922.37	208 790.90	412 112.44
69 40 00	197 786.87	397 074.82	198 005.38	412 264.89
42 30	186 993.54	397 232.81	187 219.85	412 422.88
45 00	176 200.20	397 396.35	176 434.32	412 586.43
47 30	165 406.87	397 565.45	165 648.79	412 755.52
69 50 00	154 613.53	397 740.09	154 863.26	412 930.16
52 30	143 820.20	397 920.28	144 077.73	413 110.35
55 00	133 026.86	398 106.01	133 292.20	413 296.09
57 30	122 233.52	398 297.30	122 506.67	413 487.38
70 00 00	111 440.18	398 494.13	111 721.14	413 684.21

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 45 00 00 X	LATITUDE 45 00 00 Y	LATITUDE 45 02 30 X	LATITUDE 45 02 30 Y
67 00 00	887 997.70	428 874.40	887 716.33	444 064.68
02 30	877 219.98	428 677.56	876 946.43	443 867.85
05 00	866 442.27	428 486.27	866 176.53	443 676.56
07 30	855 664.55	428 300.53	855 406.63	443 490.82
67 10 00	844 886.83	428 120.34	844 636.74	443 310.63
12 30	834 109.11	427 945.70	833 866.84	443 135.99
15 00	823 331.40	427 776.61	823 096.94	442 966.89
17 30	812 553.68	427 613.06	812 327.04	442 803.35
67 20 00	801 775.96	427 455.07	801 557.14	442 645.35
22 30	790 998.25	427 302.62	790 787.24	442 492.91
25 00	780 220.53	427 155.78	780 017.34	442 346.01
27 30	769 442.82	427 014.37	769 247.45	442 204.65
67 30 00	758 665.10	426 878.55	758 477.55	442 068.84
32 30	747 887.39	426 748.29	747 707.65	441 938.57
35 00	737 109.67	426 623.57	736 937.75	441 813.85
37 30	726 331.96	426 504.39	726 167.85	441 694.68
67 40 00	715 554.25	426 390.76	715 397.95	441 581.05
42 30	704 776.53	426 282.68	704 628.06	441 472.96
45 00	693 998.82	426 180.14	693 858.16	441 370.42
47 30	683 221.11	426 083.14	683 088.26	441 273.43
67 50 00	672 443.39	425 991.69	672 318.36	441 181.97
52 30	661 665.68	425 905.78	661 548.46	441 096.06
55 00	650 887.97	425 825.41	650 778.57	441 015.70
57 30	640 110.25	425 750.59	640 008.67	440 940.87
68 00 00	629 332.54	425 681.31	629 238.77	440 871.59

LONGITUDE	LATITUDE 45 05 00 X	LATITUDE 45 05 00 Y	LATITUDE 45 07 30 X	LATITUDE 45 07 30 Y
67 00 00	887 434.76	459 255.08	887 152.97	474 445.57
02 30	876 672.68	459 058.24	876 398.73	474 248.74
05 00	865 910.61	458 866.95	865 644.48	474 057.45
07 30	855 148.53	458 681.21	854 890.24	473 871.71
67 10 00	844 386.46	458 501.02	844 136.00	473 691.52
12 30	833 624.38	458 326.38	833 381.75	473 516.88
15 00	822 862.31	458 157.29	822 627.50	473 347.79
17 30	812 100.23	457 993.74	811 873.26	473 184.24
67 20 00	801 338.16	457 835.75	801 119.01	473 026.25
22 30	790 576.08	457 683.30	790 364.76	472 873.80
25 00	779 814.01	457 536.40	779 610.52	472 726.90
27 30	769 051.93	457 395.05	768 856.27	472 585.55
67 30 00	758 289.85	457 259.23	758 102.02	472 449.74
32 30	747 527.78	457 128.97	747 347.77	472 319.47
35 00	736 765.70	457 004.25	736 593.52	472 194.75
37 30	726 003.63	456 885.07	725 839.28	472 075.58
67 40 00	715 241.55	456 771.44	715 085.03	471 961.95
42 30	704 479.47	456 663.36	704 330.78	471 853.86
45 00	693 717.40	456 560.82	693 576.53	471 751.32
47 30	682 955.32	456 463.82	682 822.28	471 654.33
67 50 00	672 193.24	456 372.37	672 068.03	471 562.87
52 30	661 431.16	456 286.46	661 313.78	471 476.96
55 00	650 669.09	456 206.09	650 559.53	471 396.60
57 30	639 907.01	456 131.27	639 805.27	471 321.78
68 00 00	629 144.93	456 061.99	629 051.02	471 252.50

LONGITUDE	LATITUDE 45 10 00 X	LATITUDE 45 10 00 Y	LATITUDE 45 12 30 X	LATITUDE 45 12 30 Y
67 00 00	886 870.99	489 636.18	886 588.79	504 826.89
02 30	876 124.58	489 439.34	875 850.23	504 630.05
05 00	865 378.17	489 248.05	865 111.66	504 438.77
07 30	854 631.76	489 062.32	854 373.09	504 253.03
67 10 00	843 885.35	488 882.13	843 634.52	504 072.84
12 30	833 138.94	488 707.49	832 895.96	503 898.20
15 00	822 392.53	488 538.40	822 157.39	503 729.11
17 30	811 646.12	488 374.85	811 418.81	503 565.57
67 20 00	800 899.71	488 216.86	800 680.24	503 407.58
22 30	790 153.30	488 064.41	789 941.67	503 255.14
25 00	779 406.88	487 917.52	779 203.10	503 108.24
27 30	768 660.47	487 776.16	768 464.52	502 966.88
67 30 00	757 914.06	487 640.35	757 725.95	502 831.07
32 30	747 167.64	487 510.09	746 987.37	502 700.81
35 00	736 421.22	487 385.37	736 248.80	502 576.09
37 30	725 674.81	487 266.19	725 510.22	502 456.92
67 40 00	714 928.39	487 152.56	714 771.64	502 343.29
42 30	704 181.98	487 044.48	704 033.06	502 235.21
45 00	693 435.56	486 941.94	693 294.48	502 132.67
47 30	682 689.14	486 844.94	682 555.90	502 035.67
67 50 00	671 942.72	486 753.49	671 817.32	501 944.22
52 30	661 196.30	486 667.58	661 078.74	501 858.31
55 00	650 449.89	486 587.22	650 340.16	501 777.95
57 30	639 703.47	486 512.39	639 601.58	501 703.12
68 00 00	628 957.05	486 443.11	628 863.00	501 633.85

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 45 00 00 X	LATITUDE 45 00 00 Y	LATITUDE 45 02 30 X	LATITUDE 45 02 30 Y
68 00 00	629 332.54	425 681.31	629 238.77	440 871.59
02 30	618 554.83	425 617.57	618 468.87	440 807.86
05 00	607 777.12	425 559.38	607 698.98	440 749.66
07 30	596 999.41	425 506.72	596 929.08	440 697.01
68 10 00	586 221.69	425 459.62	586 159.18	440 649.90
12 30	575 443.98	425 418.05	575 389.28	440 608.34
15 00	564 666.27	425 382.03	564 619.39	440 572.31
17 30	553 888.56	425 351.55	553 849.49	440 541.83
68 20 00	543 110.85	425 326.61	543 079.59	440 516.89
22 30	532 333.13	425 307.21	532 309.69	440 497.49
25 00	521 555.42	425 293.35	521 539.80	440 483.64
27 30	510 777.71	425 285.04	510 769.90	440 475.33
68 30 00	500 000.00	425 282.27	500 000.00	440 472.56
32 30	489 222.29	425 285.04	489 230.10	440 475.33
35 00	478 444.58	425 293.35	478 460.20	440 483.64
37 30	467 666.87	425 307.21	467 690.31	440 497.49
68 40 00	456 889.15	425 326.61	456 920.41	440 516.89
42 30	446 111.44	425 351.55	446 150.51	440 541.83
45 00	435 333.73	425 382.03	435 380.61	440 572.31
47 30	424 556.02	425 418.05	424 610.72	440 608.34
68 50 00	413 778.31	425 459.62	413 840.82	440 649.90
52 30	403 000.59	425 506.72	403 070.92	440 697.01
55 00	392 222.88	425 559.38	392 301.02	440 749.66
57 30	381 445.17	425 617.57	381 531.13	440 807.86
69 00 00	370 667.46	425 681.31	370 761.23	440 871.59

LONGITUDE	LATITUDE 45 05 00 X	LATITUDE 45 05 00 Y	LATITUDE 45 07 30 X	LATITUDE 45 07 30 Y
68 00 00	629 144.93	456 061.99	629 051.02	471 252.50
02 30	618 382.86	455 998.25	618 296.77	471 188.76
05 00	607 620.78	455 940.06	607 542.52	471 130.57
07 30	596 858.70	455 887.40	596 788.27	471 077.91
68 10 00	586 096.62	455 840.30	586 034.02	471 030.81
12 30	575 334.54	455 798.73	575 279.77	470 989.24
15 00	564 572.47	455 762.71	564 525.51	470 953.22
17 30	553 810.39	455 732.23	553 771.26	470 922.74
68 20 00	543 048.31	455 707.29	543 017.01	470 897.80
22 30	532 286.23	455 687.89	532 262.76	470 878.40
25 00	521 524.16	455 674.03	521 508.50	470 864.54
27 30	510 762.08	455 665.72	510 754.25	470 856.23
68 30 00	500 000.00	455 662.95	500 000.00	470 853.46
32 30	489 237.92	455 665.72	489 245.75	470 856.23
35 00	478 475.84	455 674.03	478 491.50	470 864.54
37 30	467 713.77	455 687.89	467 737.24	470 878.40
68 40 00	456 951.69	455 707.29	456 982.99	470 897.80
42 30	446 189.61	455 732.23	446 228.74	470 922.74
45 00	435 427.53	455 762.71	435 474.49	470 953.22
47 30	424 665.46	455 798.73	424 720.23	470 989.24
68 50 00	413 903.38	455 840.30	413 965.98	471 030.81
52 30	403 141.30	455 887.40	403 211.73	471 077.91
55 00	392 379.22	455 940.06	392 457.48	471 130.57
57 30	381 617.14	455 998.25	381 703.23	471 188.76
69 00 00	370 855.07	456 061.99	370 948.98	471 252.50

LONGITUDE	LATITUDE 45 10 00 X	LATITUDE 45 10 00 Y	LATITUDE 45 12 30 X	LATITUDE 45 12 30 Y
68 00 00	628 957.05	486 443.11	628 863.00	501 633.85
02 30	618 210.63	486 379.38	618 124.42	501 570.11
05 00	607 464.21	486 321.18	607 385.84	501 511.92
07 30	596 717.79	486 268.53	596 647.25	501 459.27
68 10 00	585 971.37	486 221.43	585 908.67	501 412.16
12 30	575 224.95	486 179.86	575 170.09	501 370.59
15 00	564 478.53	486 143.84	564 431.50	501 334.57
17 30	553 732.11	486 113.36	553 692.92	501 304.09
68 20 00	542 985.68	486 088.42	542 954.34	501 279.15
22 30	532 239.26	486 069.02	532 215.75	501 259.75
25 00	521 492.84	486 055.16	521 477.17	501 245.90
27 30	510 746.42	486 046.85	510 738.58	501 237.59
68 30 00	500 000.00	486 044.08	500 000.00	501 234.82
32 30	489 253.58	486 046.85	489 261.42	501 237.59
35 00	478 507.16	486 055.16	478 522.83	501 245.90
37 30	467 760.74	486 069.02	467 784.25	501 259.75
68 40 00	457 014.32	486 088.42	457 045.66	501 279.15
42 30	446 267.89	486 113.36	446 307.08	501 304.09
45 00	435 521.47	486 143.84	435 568.50	501 334.57
47 30	424 775.05	486 179.86	424 829.91	501 370.59
68 50 00	414 028.63	486 221.43	414 091.33	501 412.16
52 30	403 282.21	486 268.53	403 352.75	501 459.27
55 00	392 535.79	486 321.18	392 614.16	501 511.92
57 30	381 789.37	486 379.38	381 875.58	501 570.11
69 00 00	371 042.95	486 443.11	371 137.00	501 633.85

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 45 00 00 X	LATITUDE 45 00 00 Y	LATITUDE 45 02 30 X	LATITUDE 45 02 30 Y
69 00 00	370 667.46	425 681.31	370 761.23	440 871.59
02 30	359 889.75	425 750.59	359 991.33	440 940.87
05 00	349 112.03	425 825.41	349 221.43	441 015.70
07 30	338 334.32	425 905.78	338 451.54	441 096.06
69 10 00	327 556.61	425 991.69	327 681.64	441 181.97
12 30	316 778.89	426 083.14	316 911.74	441 273.43
15 00	306 001.18	426 180.14	306 141.84	441 370.42
17 30	295 223.47	426 282.68	295 371.94	441 472.96
69 20 00	284 445.75	426 390.76	284 602.05	441 581.05
22 30	273 668.04	426 504.39	273 832.15	441 694.68
25 00	262 890.33	426 623.57	263 062.25	441 813.85
27 30	252 112.61	426 748.29	252 292.35	441 938.57
69 30 00	241 334.90	426 878.55	241 522.45	442 068.84
32 30	230 557.18	427 014.37	230 752.55	442 204.65
35 00	219 779.47	427 155.72	219 982.66	442 346.01
37 30	209 001.75	427 302.62	209 212.76	442 492.91
69 40 00	198 224.04	427 455.07	198 442.86	442 645.35
42 30	187 446.32	427 613.06	187 672.96	442 803.35
45 00	176 668.60	427 776.61	176 903.06	442 966.89
47 30	165 890.89	427 945.70	166 133.16	443 135.99
69 50 00	155 113.17	428 120.34	155 363.26	443 310.63
52 30	144 335.45	428 300.53	144 593.37	443 490.82
55 00	133 557.73	428 486.27	133 823.47	443 676.56
57 30	122 780.02	428 677.56	123 053.57	443 867.85
70 00 00	112 002.30	428 874.40	112 283.67	444 064.68

LONGITUDE	LATITUDE 45 05 00 X	LATITUDE 45 05 00 Y	LATITUDE 45 07 30 X	LATITUDE 45 07 30 Y
69 00 00	370 855.07	456 061.99	370 948.98	471 252.50
02 30	360 092.99	456 131.27	360 194.73	471 321.78
05 00	349 330.91	456 206.09	349 440.47	471 396.60
07 30	338 568.84	456 286.46	338 686.22	471 476.96
69 10 00	327 806.76	456 372.37	327 931.97	471 562.87
12 30	317 044.68	456 463.82	317 177.72	471 654.33
15 00	306 282.60	456 560.82	306 423.47	471 751.32
17 30	295 520.53	456 663.36	295 669.22	471 853.86
69 20 00	284 758.45	456 771.44	284 914.97	471 961.95
22 30	273 996.37	456 885.07	274 160.72	472 075.58
25 00	263 234.30	457 004.25	263 406.48	472 194.75
27 30	252 472.22	457 128.97	252 652.23	472 319.47
69 30 00	241 710.15	457 259.23	241 897.98	472 449.74
32 30	230 948.07	457 395.05	231 143.73	472 585.55
35 00	220 185.99	457 536.40	220 389.48	472 726.90
37 30	209 423.92	457 683.30	209 635.24	472 873.80
69 40 00	198 661.84	457 835.75	198 880.99	473 026.25
42 30	187 899.77	457 993.74	188 126.74	473 184.24
45 00	177 137.69	458 157.29	177 372.50	473 347.79
47 30	166 375.62	458 326.38	166 618.25	473 516.88
69 50 00	155 613.54	458 501.02	155 864.00	473 691.52
52 30	144 851.47	458 681.21	145 109.76	473 871.71
55 00	134 089.39	458 866.95	134 355.52	474 057.45
57 30	123 327.32	459 058.24	123 601.27	474 248.74
70 00 00	112 565.24	459 255.08	112 847.03	474 445.57

LONGITUDE	LATITUDE 45 10 00 X	LATITUDE 45 10 00 Y	LATITUDE 45 12 30 X	LATITUDE 45 12 30 Y
69 00 00	371 042.95	486 443.11	371 137.00	501 633.85
02 30	360 296.53	486 512.39	360 398.42	501 703.12
05 00	349 550.11	486 587.22	349 659.84	501 777.95
07 30	338 803.70	486 667.58	338 921.26	501 858.31
69 10 00	328 057.28	486 753.49	328 182.68	501 944.22
12 30	317 310.86	486 844.94	317 444.10	502 035.67
15 00	306 564.44	486 941.94	306 705.52	502 132.67
17 30	295 818.02	487 044.48	295 966.94	502 235.21
69 20 00	285 071.61	487 152.56	285 228.36	502 343.29
22 30	274 325.19	487 266.19	274 489.78	502 456.92
25 00	263 578.78	487 385.37	263 751.20	502 576.09
27 30	252 832.36	487 510.09	253 012.63	502 700.81
69 30 00	242 085.94	487 640.35	242 274.05	502 831.07
32 30	231 339.53	487 776.16	231 535.48	502 966.88
35 00	220 593.12	487 917.52	220 796.90	503 108.24
37 30	209 846.70	488 064.41	210 058.33	503 255.14
69 40 00	199 100.29	488 216.86	199 319.76	503 407.58
42 30	188 353.88	488 374.85	188 581.19	503 565.57
45 00	177 607.47	488 538.40	177 842.61	503 729.11
47 30	166 861.06	488 707.49	167 104.04	503 898.20
69 50 00	156 114.65	488 882.13	156 365.48	504 072.84
52 30	145 368.24	489 062.32	145 626.91	504 253.03
55 00	134 621.83	489 248.05	134 888.34	504 438.77
57 30	123 875.42	489 439.34	124 149.77	504 630.05
70 00 00	113 129.01	489 636.18	113 411.21	504 826.89

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 45 15 00 X	LATITUDE 45 15 00 Y	LATITUDE 45 17 30 X	LATITUDE 45 17 30 Y
67 00 00	886 306.40	520 017.70	886 023.78	535 208.62
02 30	875 575.68	519 820.87	875 300.92	535 011.79
05 00	864 844.96	519 629.58	864 578.05	534 820.51
07 30	854 114.24	519 443.85	853 855.19	534 634.77
67 10 00	843 383.52	519 263.66	843 132.32	534 454.59
12 30	832 652.80	519 089.02	832 409.45	534 279.95
15 00	821 922.07	518 919.94	821 686.58	534 110.87
17 30	811 191.35	518 756.40	810 963.71	533 947.33
67 20 00	800 460.62	518 598.40	800 240.83	533 789.34
22 30	789 729.89	518 445.96	789 517.96	533 636.90
25 00	778 999.17	518 299.07	778 795.08	533 490.00
27 30	768 268.44	518 157.71	768 072.20	533 348.65
67 30 00	757 537.71	518 021.91	757 349.32	533 212.85
32 30	746 806.98	517 891.64	746 626.44	533 082.59
35 00	736 076.25	517 766.92	735 903.56	532 957.87
37 30	725 345.51	517 647.75	725 180.68	532 838.70
67 40 00	714 614.78	517 534.12	714 457.80	532 725.07
42 30	703 884.05	517 426.04	703 734.91	532 616.99
45 00	693 153.31	517 323.51	693 012.03	532 514.46
47 30	682 422.57	517 226.51	682 289.14	532 417.46
67 50 00	671 691.84	517 135.06	671 566.26	532 326.01
52 30	660 961.10	517 049.15	660 843.37	532 240.10
55 00	650 230.36	516 968.79	650 120.48	532 159.74
57 30	639 499.63	516 893.97	639 397.59	532 084.92
68 00 00	628 768.89	516 824.69	628 674.70	532 015.64

LONGITUDE	LATITUDE 45 20 00 X	LATITUDE 45 20 00 Y	LATITUDE 45 22 30 X	LATITUDE 45 22 30 Y
67 00 00	885 740.98	550 399.64	885 457.96	565 590.77
02 30	875 025.97	550 202.81	874 750.82	565 393.94
05 00	864 310.97	550 011.53	864 043.67	565 202.67
07 30	853 595.96	549 825.80	853 336.53	565 016.94
67 10 00	842 880.95	549 645.62	842 629.39	564 836.76
12 30	832 165.94	549 470.99	831 922.24	564 662.13
15 00	821 450.93	549 301.90	821 215.09	564 493.05
17 30	810 735.91	549 138.37	810 507.94	564 329.52
67 20 00	800 020.89	548 980.38	799 800.78	564 171.53
22 30	789 305.87	548 827.94	789 093.63	564 019.09
25 00	778 590.85	548 681.05	778 386.47	563 872.20
27 30	767 875.83	548 539.70	767 679.31	563 730.86
67 30 00	757 160.81	548 403.90	756 972.15	563 595.06
32 30	746 445.79	548 273.64	746 264.99	563 464.80
35 00	735 730.76	548 148.92	735 557.83	563 340.08
37 30	725 015.73	548 029.75	724 850.66	563 220.92
67 40 00	714 300.71	547 916.13	714 143.50	563 107.29
42 30	703 585.68	547 808.05	703 436.33	562 999.22
45 00	692 870.65	547 705.51	692 729.16	562 896.68
47 30	682 155.62	547 608.52	682 021.99	562 799.69
67 50 00	671 440.59	547 517.07	671 314.82	562 708.25
52 30	660 725.55	547 431.16	660 607.65	562 622.34
55 00	650 010.52	547 350.80	649 900.48	562 541.98
57 30	639 295.49	547 275.98	639 193.30	562 467.16
68 00 00	628 580.45	547 206.71	628 486.13	562 397.89

LONGITUDE	LATITUDE 45 25 00 X	LATITUDE 45 25 00 Y	LATITUDE 45 27 30 X	LATITUDE 45 27 30 Y
67 00 00	885 174.74	580 782.00	884 891.31	595 973.34
02 30	874 475.48	580 585.18	874 199.92	595 776.52
05 00	863 776.20	580 393.91	863 508.52	595 585.26
07 30	853 076.93	580 208.18	852 817.13	595 399.54
67 10 00	842 377.65	580 028.01	842 125.73	595 219.36
12 30	831 678.38	579 853.38	831 434.32	595 044.74
15 00	820 979.10	579 684.30	820 742.92	594 875.66
17 30	810 279.81	579 520.77	810 051.51	594 712.14
67 20 00	799 580.53	579 362.79	799 360.10	594 554.16
22 30	788 881.24	579 210.35	788 668.69	594 401.73
25 00	778 181.95	579 063.47	777 977.27	594 254.84
27 30	767 482.66	578 922.12	767 285.86	594 113.50
67 30 00	756 783.37	578 786.32	756 594.44	593 977.70
32 30	746 084.07	578 656.07	745 903.02	593 847.45
35 00	735 384.78	578 531.36	735 211.59	593 722.74
37 30	724 685.48	578 412.19	724 520.17	593 603.58
67 40 00	713 986.18	578 298.57	713 828.74	593 489.96
42 30	703 286.88	578 190.50	703 137.32	593 381.89
45 00	692 587.58	578 087.96	692 445.89	593 279.36
47 30	681 888.28	577 990.97	681 754.46	593 182.37
67 50 00	671 188.97	577 899.53	671 063.03	593 090.93
52 30	660 489.67	577 813.62	660 371.59	593 005.03
55 00	649 790.36	577 733.26	649 680.16	592 924.67
57 30	639 091.05	577 658.45	638 988.72	592 849.85
68 00 00	628 391.75	577 589.17	628 297.29	592 780.58

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 45 15 00 X	LATITUDE 45 15 00 Y	LATITUDE 45 17 30 X	LATITUDE 45 17 30 Y
68 00 00	628 768.89	516 824.69	628 674.70	532 015.64
02 30	618 038.15	516 760.95	617 951.81	531 951.91
05 00	607 307.41	516 702.76	607 228.92	531 893.72
07 30	596 576.67	516 650.11	596 506.03	531 841.07
68 10 00	585 845.93	516 603.00	585 783.14	531 793.96
12 30	575 115.19	516 561.44	575 060.25	531 752.40
15 00	564 384.45	516 525.42	564 337.36	531 716.37
17 30	553 653.71	516 494.94	553 614.46	531 685.89
68 20 00	542 922.97	516 470.00	542 891.57	531 660.96
22 30	532 192.22	516 450.60	532 168.68	531 641.56
25 00	521 461.48	516 436.74	521 445.79	531 627.70
27 30	510 730.74	516 428.43	510 722.89	531 619.39
68 30 00	500 000.00	516 425.66	500 000.00	531 616.62
32 30	489 269.26	516 428.43	489 277.11	531 619.39
35 00	478 538.52	516 436.74	478 554.21	531 627.70
37 30	467 807.78	516 450.60	467 831.32	531 641.56
68 40 00	457 077.03	516 470.00	457 108.43	531 660.96
42 30	446 346.29	516 494.94	446 385.54	531 685.89
45 00	435 615.55	516 525.42	435 662.64	531 716.37
47 30	424 884.81	516 561.44	424 939.75	531 752.40
68 50 00	414 154.07	516 603.00	414 216.86	531 793.96
52 30	403 423.33	516 650.11	403 493.97	531 841.07
55 00	392 692.59	516 702.76	392 771.08	531 893.72
57 30	381 961.85	516 760.95	382 048.19	531 951.91
69 00 00	371 231.11	516 824.69	371 325.30	532 015.64

LONGITUDE	LATITUDE 45 20 00 X	LATITUDE 45 20 00 Y	LATITUDE 45 22 30 X	LATITUDE 45 22 30 Y
68 00 00	628 580.45	547 206.71	628 486.13	562 397.89
02 30	617 865.42	547 142.97	617 778.96	562 334.15
05 00	607 150.38	547 084.78	607 071.78	562 275.96
07 30	596 435.34	547 032.13	596 364.60	562 223.32
68 10 00	585 720.31	546 985.03	585 657.43	562 176.21
12 30	575 005.27	546 943.46	574 950.25	562 134.65
15 00	564 290.23	546 907.44	564 243.07	562 098.63
17 30	553 575.19	546 876.96	553 535.89	562 068.15
68 20 00	542 860.16	546 852.03	542 828.72	562 043.21
22 30	532 145.12	546 832.63	532 121.54	562 023.81
25 00	521 430.08	546 818.77	521 414.36	562 009.96
27 30	510 715.04	546 810.46	510 707.18	562 001.65
68 30 00	500 000.00	546 807.69	500 000.00	561 998.88
32 30	489 284.96	546 810.46	489 292.82	562 001.65
35 00	478 569.92	546 818.77	478 585.64	562 009.96
37 30	467 854.88	546 832.63	467 878.46	562 023.81
68 40 00	457 139.84	546 852.03	457 171.28	562 043.21
42 30	446 424.81	546 876.96	446 464.11	562 068.15
45 00	435 709.77	546 907.44	435 756.93	562 098.63
47 30	424 994.73	546 943.46	425 049.75	562 134.65
68 50 00	414 279.69	546 985.03	414 342.57	562 176.21
52 30	403 564.66	547 032.13	403 635.40	562 223.32
55 00	392 849.62	547 084.78	392 928.22	562 275.96
57 30	382 134.58	547 142.97	382 221.04	562 334.15
69 00 00	371 419.55	547 206.71	371 513.87	562 397.89

LONGITUDE	LATITUDE 45 25 00 X	LATITUDE 45 25 00 Y	LATITUDE 45 27 30 X	LATITUDE 45 27 30 Y
68 00 00	628 391.75	577 589.17	628 297.29	592 780.58
02 30	617 692.44	577 525.44	617 605.85	592 716.85
05 00	606 993.13	577 467.25	606 914.41	592 658.66
07 30	596 293.82	577 414.61	596 222.97	592 606.02
68 10 00	585 594.50	577 367.50	585 531.53	592 558.91
12 30	574 895.19	577 325.94	574 840.09	592 517.35
15 00	564 195.88	577 289.92	564 148.65	592 481.33
17 30	553 496.57	577 259.44	553 457.21	592 450.85
68 20 00	542 797.25	577 234.50	542 765.77	592 425.92
22 30	532 097.94	577 215.11	532 074.33	592 406.52
25 00	521 398.63	577 201.25	521 382.89	592 392.67
27 30	510 699.31	577 192.94	510 691.44	592 384.36
68 30 00	500 000.00	577 190.17	500 000.00	592 381.59
32 30	489 300.69	577 192.94	489 308.56	592 384.36
35 00	478 601.37	577 201.25	478 617.11	592 392.67
37 30	467 902.06	577 215.11	467 925.67	592 406.52
68 40 00	457 202.75	577 234.50	457 234.23	592 425.92
42 30	446 503.43	577 259.44	446 542.79	592 450.85
45 00	435 804.12	577 289.92	435 851.35	592 481.33
47 30	425 104.81	577 325.94	425 159.91	592 517.35
68 50 00	414 405.50	577 367.50	414 468.47	592 558.91
52 30	403 706.18	577 414.61	403 777.03	592 606.02
55 00	393 006.87	577 467.25	393 085.59	592 658.66
57 30	382 307.56	577 525.44	382 394.15	592 716.85
69 00 00	371 608.25	577 589.17	371 702.71	592 780.58

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 45 15 00 X	LATITUDE 45 15 00 Y	LATITUDE 45 17 30 X	LATITUDE 45 17 30 Y
69 00 00	371 231.11	516 824.69	371 325.30	532 015.64
02 30	360 500.37	516 893.97	360 602.41	532 084.92
05 00	349 769.64	516 968.79	349 879.52	532 159.74
07 30	339 038.90	517 049.15	339 156.63	532 240.10
69 10 00	328 308.16	517 135.06	328 433.74	532 326.01
12 30	317 577.43	517 226.51	317 710.86	532 417.46
15 00	306 846.69	517 323.51	306 987.97	532 514.46
17 30	296 115.95	517 426.04	296 265.09	532 616.99
69 20 00	285 385.22	517 534.12	285 542.20	532 725.07
22 30	274 654.49	517 647.75	274 819.32	532 838.70
25 00	263 923.75	517 766.92	264 096.44	532 957.87
27 30	253 193.02	517 891.64	253 373.56	533 082.59
69 30 00	242 462.29	518 021.91	242 650.68	533 212.85
32 30	231 731.56	518 157.71	231 927.80	533 348.65
35 00	221 000.83	518 299.07	221 204.92	533 490.00
37 30	210 270.11	518 445.96	210 482.04	533 636.90
69 40 00	199 539.38	518 598.40	199 759.17	533 789.34
42 30	188 808.65	518 756.40	189 036.29	533 947.33
45 00	178 077.93	518 919.94	178 313.42	534 110.87
47 30	167 347.20	519 089.02	167 590.55	534 279.95
69 50 00	156 616.48	519 263.66	156 867.68	534 454.59
52 30	145 885.76	519 443.85	146 144.81	534 634.77
55 00	135 155.04	519 629.58	135 421.95	534 820.51
57 30	124 424.32	519 820.87	124 699.08	535 011.79
70 00 00	113 693.60	520 017.70	113 976.22	535 208.62

LONGITUDE	LATITUDE 45 20 00 X	LATITUDE 45 20 00 Y	LATITUDE 45 22 30 X	LATITUDE 45 22 30 Y
69 00 00	371 419.55	547 206.71	371 513.87	562 397.89
02 30	360 704.51	547 275.98	360 806.70	562 467.16
05 00	349 989.48	547 350.80	350 099.52	562 541.98
07 30	339 274.45	547 431.16	339 392.35	562 622.34
69 10 00	328 559.41	547 517.07	328 685.18	562 708.25
12 30	317 844.38	547 608.52	317 978.01	562 799.69
15 00	307 129.35	547 705.51	307 270.84	562 896.68
17 30	296 414.32	547 808.05	296 563.67	562 999.22
69 20 00	285 699.29	547 916.13	285 856.50	563 107.29
22 30	274 984.27	548 029.75	275 149.34	563 220.92
25 00	264 269.24	548 148.92	264 442.17	563 340.08
27 30	253 554.21	548 273.64	253 735.01	563 464.80
69 30 00	242 839.19	548 403.90	243 027.85	563 595.06
32 30	232 124.17	548 539.70	232 320.69	563 730.86
35 00	221 409.15	548 681.05	221 613.53	563 872.20
37 30	210 694.13	548 827.94	210 906.37	564 019.09
69 40 00	199 979.11	548 980.38	200 199.22	564 171.53
42 30	189 264.09	549 138.37	189 492.06	564 329.52
45 00	178 549.08	549 301.90	178 784.91	564 493.05
47 30	167 834.06	549 470.99	168 077.76	564 662.13
69 50 00	157 119.05	549 645.62	157 370.61	564 836.76
52 30	146 404.04	549 825.80	146 663.47	565 016.94
55 00	135 689.03	550 011.53	135 956.33	565 202.67
57 30	124 974.03	550 202.81	125 249.18	565 393.94
70 00 00	114 259.02	550 399.64	114 542.04	565 590.77

LONGITUDE	LATITUDE 45 25 00 X	LATITUDE 45 25 00 Y	LATITUDE 45 27 30 X	LATITUDE 45 27 30 Y
69 00 00	371 608.25	577 589.17	371 702.71	592 780.58
02 30	360 908.95	577 658.45	361 011.28	592 849.85
05 00	350 209.64	577 733.26	350 319.84	592 924.67
07 30	339 510.33	577 813.62	339 628.41	593 005.03
69 10 00	328 811.03	577 899.53	328 936.97	593 090.93
12 30	318 111.72	577 990.97	318 245.54	593 182.37
15 00	307 412.42	578 087.96	307 554.11	593 279.36
17 30	296 713.12	578 190.50	296 862.68	593 381.89
69 20 00	286 013.82	578 298.57	286 171.26	593 489.96
22 30	275 314.52	578 412.19	275 479.83	593 603.58
25 00	264 615.22	578 531.36	264 788.41	593 722.74
27 30	253 915.93	578 656.07	254 096.98	593 847.45
69 30 00	243 216.63	578 786.32	243 405.56	593 977.70
32 30	232 517.34	578 922.12	232 714.14	594 113.50
35 00	221 818.05	579 063.47	222 022.73	594 254.84
37 30	211 118.76	579 210.35	211 331.31	594 401.73
69 40 00	200 419.47	579 362.79	200 639.90	594 554.16
42 30	189 720.19	579 520.77	189 948.49	594 712.14
45 00	179 020.90	579 684.30	179 257.08	594 875.66
47 30	168 321.62	579 853.38	168 565.68	595 044.74
69 50 00	157 622.35	580 028.01	157 874.27	595 219.36
52 30	146 923.07	580 208.18	147 182.87	595 399.54
55 00	136 223.80	580 393.91	136 491.48	595 585.26
57 30	125 524.52	580 585.18	125 800.08	595 776.52
70 00 00	114 825.26	580 782.00	115 108.69	595 973.34

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 45 30 00 X	LATITUDE 45 30 00 Y	LATITUDE 45 32 30 X	LATITUDE 45 32 30 Y
67 00 00	884 607.69	611 164.78	884 323.84	626 356.33
02 30	873 924.17	610 967.96	873 648.22	626 159.52
05 00	863 240.66	610 776.70	862 972.59	625 968.26
07 30	852 557.14	610 590.99	852 296.96	625 782.55
67 10 00	841 873.63	610 410.82	841 621.33	625 602.39
12 30	831 190.10	610 236.20	830 945.70	625 427.77
15 00	820 506.58	610 067.12	820 270.06	625 258.70
17 30	809 823.05	609 903.60	809 594.42	625 095.18
67 20 00	799 139.52	609 745.63	798 918.77	624 937.21
22 30	788 455.99	609 593.20	788 243.13	624 784.79
25 00	777 772.45	609 446.32	777 567.48	624 637.91
27 30	767 088.92	609 304.98	766 891.83	624 496.58
67 30 00	756 405.38	609 169.18	756 216.17	624 360.79
32 30	745 721.83	609 038.94	745 540.51	624 230.54
35 00	735 038.29	608 914.23	734 864.86	624 105.84
37 30	724 354.75	608 795.07	724 189.20	623 986.68
67 40 00	713 671.20	608 681.45	713 513.53	623 873.07
42 30	702 987.65	608 573.38	702 837.87	623 765.00
45 00	692 304.10	608 470.86	692 162.20	623 662.47
47 30	681 620.55	608 373.87	681 486.53	623 565.49
67 50 00	670 936.99	608 282.43	670 810.86	623 474.05
52 30	660 253.44	608 196.53	660 135.19	623 388.15
55 00	649 569.88	608 116.17	649 459.52	623 307.80
57 30	638 886.32	608 041.36	638 783.84	623 232.99
68 00 00	628 202.76	607 972.09	628 108.17	623 163.72

LONGITUDE	LATITUDE 45 35 00 X	LATITUDE 45 35 00 Y	LATITUDE 45 37 30 X	LATITUDE 45 37 30 Y
67 00 00	884 039.81	641 547.98	883 755.56	656 739.74
02 30	873 372.08	641 351.17	873 095.73	656 542.95
05 00	862 704.34	641 159.92	862 435.89	656 351.70
07 30	852 036.61	640 974.21	851 776.06	656 166.00
67 10 00	841 368.87	640 794.05	841 116.21	655 985.84
12 30	830 701.12	640 619.44	830 456.37	655 811.23
15 00	820 033.38	640 450.38	819 796.52	655 642.17
17 30	809 365.63	640 286.86	809 136.67	655 478.66
67 20 00	798 697.88	640 128.90	798 476.81	655 320.70
22 30	788 030.12	639 976.48	787 816.95	655 168.29
25 00	777 362.36	639 829.60	777 157.09	655 021.42
27 30	766 694.60	639 688.27	766 497.23	654 880.09
67 30 00	756 026.84	639 552.48	755 837.36	654 744.31
32 30	745 359.07	639 422.24	745 177.49	654 614.07
35 00	734 691.30	639 297.54	734 517.62	654 489.37
37 30	724 023.53	639 178.39	723 857.74	654 370.22
67 40 00	713 355.76	639 064.78	713 197.87	654 256.61
42 30	702 687.98	638 956.71	702 537.99	654 148.55
45 00	692 020.21	638 854.19	691 878.11	654 046.03
47 30	681 352.43	638 757.21	681 218.22	653 949.05
67 50 00	670 684.65	638 665.77	670 558.34	653 857.62
52 30	660 016.86	638 579.88	659 898.45	653 771.72
55 00	649 349.08	638 499.52	649 238.56	653 691.37
57 30	638 681.30	638 424.71	638 578.67	653 616.57
68 00 00	628 013.51	638 355.45	627 918.78	653 547.30

LONGITUDE	LATITUDE 45 40 00 X	LATITUDE 45 40 00 Y	LATITUDE 45 42 30 X	LATITUDE 45 42 30 Y
67 00 00	883 471.11	671 931.60	883 186.45	687 123.57
02 30	872 819.19	671 734.81	872 542.44	686 926.79
05 00	862 167.26	671 543.56	861 898.42	686 735.55
07 30	851 515.32	671 357.87	851 254.39	686 549.86
67 10 00	840 863.38	671 177.72	840 610.37	686 369.72
12 30	830 211.44	671 003.12	829 966.33	686 195.12
15 00	819 559.50	670 834.06	819 322.30	686 026.07
17 30	808 907.55	670 670.56	808 678.26	685 862.57
67 20 00	798 255.60	670 512.60	798 034.21	685 704.62
22 30	787 603.64	670 360.19	787 390.17	685 552.21
25 00	776 951.68	670 213.32	776 746.12	685 405.35
27 30	766 299.72	670 072.00	766 102.06	685 264.03
67 30 00	755 647.75	669 936.22	755 458.00	685 128.26
32 30	744 995.78	669 805.99	744 813.94	684 998.03
35 00	734 343.81	669 681.29	734 169.88	684 873.34
37 30	723 691.84	669 562.15	723 525.81	684 754.20
67 40 00	713 039.86	669 448.54	712 881.75	684 640.60
42 30	702 387.89	669 340.48	702 237.67	684 532.54
45 00	691 735.91	669 237.97	691 593.60	684 430.03
47 30	681 083.92	669 140.99	680 949.52	684 333.06
67 50 00	670 431.94	669 049.56	670 305.45	684 241.63
52 30	659 779.95	668 963.67	659 661.37	684 155.74
55 00	649 127.96	668 883.32	649 017.28	684 075.39
57 30	638 475.97	668 808.52	638 373.20	684 000.59
68 00 00	627 823.98	668 739.25	627 729.11	683 931.33

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 45 30 00 X	LATITUDE 45 30 00 Y	LATITUDE 45 32 30 X	LATITUDE 45 32 30 Y
68 00 00	628 202.76	607 972.09	628 108.17	623 163.78
02 30	617 519.20	607 908.36	617 432.49	623 099.99
05 00	606 835.64	607 850.17	606 756.81	623 041.81
07 30	596 152.08	607 797.53	596 081.14	622 989.16
68 10 00	585 468.52	607 750.43	585 405.46	622 942.06
12 30	574 784.96	607 708.86	574 729.78	622 900.50
15 00	564 101.39	607 672.85	564 054.09	622 864.48
17 30	553 417.83	607 642.37	553 378.41	622 834.01
68 20 00	542 734.26	607 617.43	542 702.73	622 809.07
22 30	532 050.70	607 598.04	532 027.05	622 789.68
25 00	521 367.13	607 584.18	521 351.37	622 775.82
27 30	510 683.57	607 575.87	510 675.68	622 767.51
68 30 00	500 000.00	607 573.10	500 000.00	622 764.74
32 30	489 316.43	607 575.87	489 324.32	622 767.51
35 00	478 632.87	607 584.18	478 648.63	622 775.82
37 30	467 949.30	607 598.04	467 972.95	622 789.68
68 40 00	457 265.74	607 617.43	457 297.27	622 809.07
42 30	446 582.17	607 642.37	446 621.59	622 834.01
45 00	435 898.61	607 672.85	435 945.91	622 864.48
47 30	425 215.04	607 708.86	425 270.22	622 900.50
68 50 00	414 531.48	607 750.43	414 594.54	622 942.06
52 30	403 847.92	607 797.53	403 918.86	622 989.16
55 00	393 164.36	607 850.17	393 243.19	623 041.81
57 30	382 480.80	607 908.36	382 567.51	623 099.99
69 00 00	371 797.24	607 972.09	371 891.83	623 163.78

LONGITUDE	LATITUDE 45 35 00 X	LATITUDE 45 35 00 Y	LATITUDE 45 37 30 X	LATITUDE 45 37 30 Y
68 00 00	628 013.51	638 355.45	627 918.78	653 547.30
02 30	617 345.72	638 291.72	617 258.88	653 483.58
05 00	606 677.93	638 233.54	606 598.99	653 425.40
07 30	596 010.14	638 180.90	595 939.09	653 372.75
68 10 00	585 342.35	638 133.80	585 279.20	653 325.66
12 30	574 674.56	638 092.24	574 619.30	653 284.10
15 00	564 006.77	638 056.22	563 959.40	653 248.08
17 30	553 338.97	638 025.74	553 299.50	653 217.61
68 20 00	542 671.18	638 000.81	542 639.60	653 192.67
22 30	532 003.38	637 981.42	531 979.70	653 173.28
25 00	521 335.59	637 967.56	521 319.80	653 159.43
27 30	510 667.79	637 959.25	510 659.90	653 151.11
68 30 00	500 000.00	637 956.48	500 000.00	653 148.35
32 30	489 332.21	637 959.25	489 340.10	653 151.11
35 00	478 664.41	637 967.56	478 680.20	653 159.43
37 30	467 996.62	637 981.42	468 020.30	653 173.28
68 40 00	457 328.82	638 000.81	457 360.40	653 192.67
42 30	446 661.03	638 025.74	446 700.50	653 217.61
45 00	435 993.23	638 056.22	436 040.60	653 248.08
47 30	425 325.44	638 092.24	425 380.70	653 284.10
68 50 00	414 657.65	638 133.80	414 720.80	653 325.66
52 30	403 989.86	638 180.90	404 060.91	653 372.75
55 00	393 322.07	638 233.54	393 401.01	653 425.40
57 30	382 654.28	638 291.72	382 741.12	653 483.58
69 00 00	371 986.49	638 355.45	372 081.22	653 547.30

LONGITUDE	LATITUDE 45 40 00 X	LATITUDE 45 40 00 Y	LATITUDE 45 42 30 X	LATITUDE 45 42 30 Y
68 00 00	627 823.98	668 739.25	627 729.11	683 931.33
02 30	617 171.99	668 675.53	617 085.03	683 867.61
05 00	606 519.99	668 617.35	606 440.94	683 809.43
07 30	595 868.00	668 564.71	595 796.85	683 756.80
68 10 00	585 216.00	668 517.62	585 152.76	683 709.70
12 30	574 564.00	668 476.06	574 508.66	683 668.14
15 00	563 912.00	668 440.04	563 864.57	683 638.13
17 30	553 260.00	668 409.57	553 220.48	683 601.66
68 20 00	542 608.00	668 384.64	542 576.38	683 576.73
22 30	531 956.00	668 365.24	531 932.29	683 557.33
25 00	521 304.00	668 351.39	521 288.19	683 543.48
27 30	510 652.00	668 343.08	510 644.10	683 535.17
68 30 00	500 000.00	668 340.31	500 000.00	683 532.40
32 30	489 348.00	668 343.08	489 355.90	683 535.17
35 00	478 696.00	668 351.39	478 711.81	683 543.48
37 30	468 044.00	668 365.24	468 067.71	683 557.33
68 40 00	457 392.00	668 384.64	457 423.62	683 576.73
42 30	446 740.00	668 409.57	446 779.52	683 601.66
45 00	436 088.00	668 440.04	436 135.43	683 632.13
47 30	425 436.00	668 476.06	425 491.34	683 668.14
68 50 00	414 784.00	668 517.62	414 847.24	683 709.70
52 30	404 132.00	668 564.71	404 203.15	683 756.80
55 00	393 480.01	668 617.35	393 559.06	683 809.43
57 30	382 828.01	668 675.53	388 914.97	683 867.61
69 00 00	372 176.02	668 739.25	372 270.89	683 931.33

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 45 30 00 X	LATITUDE 45 30 00 Y	LATITUDE 45 32 30 X	LATITUDE 45 32 30 Y
69 00 00	371 797.24	607 972.09	371 891.83	623 163.72
02 30	361 113.68	608 041.36	361 216.16	623 232.99
05 00	350 430.12	608 116.17	350 540.48	623 307.80
07 30	339 746.56	608 196.53	339 864.81	623 388.15
69 10 00	329 063.01	608 282.43	329 189.14	623 474.05
12 30	318 379.45	608 373.87	318 513.47	623 565.49
15 00	307 695.90	608 470.86	307 837.80	623 662.47
17 30	297 012.35	608 573.38	297 162.13	623 765.00
69 20 00	286 328.80	608 681.45	286 486.47	623 873.07
22 30	275 645.25	608 795.07	275 810.80	623 986.68
25 00	264 961.71	608 914.23	265 135.14	624 105.84
27 30	254 278.17	609 038.94	254 459.49	624 230.54
69 30 00	243 594.62	609 169.18	243 783.83	624 360.79
32 30	232 911.08	609 304.98	233 108.17	624 496.58
35 00	222 227.55	609 446.32	222 432.52	624 637.91
37 30	211 544.01	609 593.20	211 756.87	624 784.79
69 40 00	200 860.48	609 745.63	201 081.23	624 937.21
42 30	190 176.95	609 903.60	190 405.58	625 095.18
45 00	179 493.42	610 067.12	179 729.94	625 258.70
47 30	168 809.90	610 236.20	169 054.30	625 427.77
69 50 00	158 126.37	610 410.82	158 378.67	625 602.39
52 30	147 442.86	610 590.99	147 703.04	625 782.55
55 00	136 759.34	610 776.70	137 027.41	625 968.26
57 30	126 075.83	610 967.96	126 351.78	626 159.52
70 00 00	115 392.31	611 164.78	115 676.16	626 356.33

LONGITUDE	LATITUDE 45 35 00 X	LATITUDE 45 35 00 Y	LATITUDE 45 37 30 X	LATITUDE 45 37 30 Y
69 00 00	371 986.49	638 355.45	372 081.22	653 547.30
02 30	361 318.70	638 424.71	361 421.33	653 616.57
05 00	350 650.92	638 499.52	350 761.44	653 691.37
07 30	339 983.14	638 579.88	340 101.55	653 771.72
69 10 00	329 315.35	638 665.77	329 441.66	653 857.62
12 30	318 647.57	638 757.21	318 781.78	653 949.05
15 00	307 979.79	638 854.19	308 121.89	654 046.03
17 30	297 312.02	638 956.71	297 462.01	654 148.55
69 20 00	286 644.24	639 064.78	286 802.13	654 256.61
22 30	275 976.47	639 178.39	276 142.26	654 370.22
25 00	265 308.70	639 297.54	265 482.38	654 489.37
27 30	254 640.93	639 422.24	254 822.51	654 614.07
69 30 00	243 973.16	639 552.48	244 162.64	654 744.31
32 30	233 305.40	639 688.27	233 502.77	654 880.09
35 00	222 637.64	639 829.60	222 842.91	655 021.42
37 30	211 969.88	639 976.48	212 183.05	655 168.29
69 40 00	201 302.12	640 128.90	201 523.19	655 320.70
42 30	190 634.37	640 286.86	190 863.33	655 478.66
45 00	179 966.62	640 450.38	180 203.48	655 642.17
47 30	169 298.88	640 619.44	169 543.63	655 811.23
69 50 00	158 631.13	640 794.05	158 883.79	655 985.84
52 30	147 963.39	640 974.21	148 223.94	656 166.00
55 00	137 295.66	641 159.92	137 564.11	656 351.70
57 30	126 627.92	641 351.17	126 904.27	656 542.95
70 00 00	115 960.19	641 547.98	116 244.44	656 739.74

LONGITUDE	LATITUDE 45 40 00 X	LATITUDE 45 40 00 Y	LATITUDE 45 42 30 X	LATITUDE 45 42 30 Y
69 00 00	372 176.02	668 739.25	372 270.89	683 931.33
02 30	361 524.03	668 808.52	361 626.80	684 000.59
05 00	350 872.04	668 883.32	350 982.72	684 075.39
07 30	340 220.05	668 963.67	340 338.63	684 155.74
69 10 00	329 568.06	669 049.56	329 694.55	684 241.63
12 30	318 916.08	669 140.99	319 050.48	684 333.06
15 00	308 264.09	669 237.97	308 406.40	684 430.03
17 30	297 612.11	669 340.48	297 762.33	684 532.54
69 20 00	286 960.14	669 448.54	287 118.25	684 640.60
22 30	276 308.16	669 562.15	276 474.19	684 754.20
25 00	265 656.19	669 681.29	265 830.12	684 873.34
27 30	255 004.22	669 805.99	255 186.06	684 998.03
69 30 00	244 352.25	669 936.22	244 542.00	685 128.26
32 30	233 700.28	670 072.00	233 897.94	685 264.03
35 00	223 048.32	670 213.32	223 253.88	685 405.35
37 30	212 396.36	670 360.19	212 609.83	685 552.21
69 40 00	201 744.40	670 512.60	201 965.79	685 704.62
42 30	191 092.45	670 670.56	191 321.74	685 862.57
45 00	180 440.50	670 834.06	180 677.70	686 026.07
47 30	169 788.56	671 003.12	170 033.67	686 195.12
69 50 00	159 136.62	671 177.72	159 389.63	686 369.72
52 30	148 484.68	671 357.87	148 745.61	686 549.86
55 00	137 832.74	671 543.56	138 101.58	686 735.55
57 30	127 180.81	671 734.81	127 457.56	686 926.79
70 00 00	116 528.89	671 931.60	116 813.55	687 123.57

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 45 45 00 X	LATITUDE 45 45 00 Y	LATITUDE 45 47 30 X	LATITUDE 45 47 30 Y
67 00 00	882 901.60	702 315.64	882 616.54	717 507.81
02 30	872 265.50	702 118.87	871 988.36	717 311.04
05 00	861 629.40	701 927.64	861 360.18	717 119.82
07 30	850 993.29	701 741.95	850 731.99	716 934.15
67 10 00	840 357.18	701 561.82	840 103.80	716 754.02
12 30	829 721.06	701 387.23	829 475.60	716 579.43
15 00	819 084.94	701 218.18	818 847.40	716 410.40
17 30	808 448.81	701 054.69	808 219.19	716 246.91
67 20 00	797 812.68	700 896.74	797 590.99	716 088.97
22 30	787 176.55	700 744.34	786 962.77	715 936.57
25 00	776 540.41	700 597.49	776 334.55	715 789.72
27 30	765 904.27	700 456.17	765 706.33	715 648.41
67 30 00	755 268.13	700 320.40	755 078.11	715 512.65
32 30	744 631.98	700 190.18	744 449.88	715 382.43
35 00	733 995.83	700 065.49	733 821.65	715 257.75
37 30	723 359.68	699 946.35	723 193.41	715 138.61
67 40 00	712 723.52	699 832.76	712 565.17	715 025.02
42 30	702 087.36	699 724.71	701 936.93	714 916.97
45 00	691 451.20	699 622.20	691 308.69	714 814.47
47 30	680 815.03	699 525.23	680 680.44	714 717.50
67 50 00	670 178.87	699 433.80	670 052.20	714 626.08
52 30	659 542.70	699 347.92	659 423.94	714 540.20
55 00	648 906.53	699 267.58	648 795.69	714 459.86
57 30	638 270.36	699 192.78	638 167.44	714 385.06
68 00 00	627 634.18	699 123.52	627 539.18	714 315.81

LONGITUDE	LATITUDE 45 50 00 X	LATITUDE 45 50 00 Y	LATITUDE 45 52 30 X	LATITUDE 45 52 30 Y
67 00 00	882 331.28	732 700.10	882 045.80	747 892.49
02 30	871 711.02	732 503.34	871 433.48	747 695.74
05 00	861 090.77	732 312.12	860 821.16	747 504.53
07 30	850 470.51	732 126.46	850 208.83	747 318.87
67 10 00	839 850.24	731 946.33	839 596.50	747 138.75
12 30	829 229.97	731 771.76	828 984.16	746 964.18
15 00	818 609.70	731 602.73	818 371.82	746 795.16
17 30	807 989.42	731 439.24	807 759.47	746 631.68
67 20 00	797 369.13	731 281.31	797 147.12	746 473.76
22 30	786 748.84	731 128.92	786 534.76	746 321.37
25 00	776 128.55	730 982.08	775 922.40	746 174.53
27 30	765 508.26	730 840.77	765 310.03	746 033.24
67 30 00	754 887.96	730 705.01	754 697.66	745 897.48
32 30	744 267.65	730 574.80	744 085.29	745 767.27
35 00	733 647.34	730 450.12	733 472.91	745 642.60
37 30	723 027.03	730 330.99	722 860.53	745 523.48
67 40 00	712 406.72	730 217.40	712 248.15	745 409.89
42 30	701 786.40	730 109.36	701 635.76	745 301.86
45 00	691 166.08	730 006.86	691 023.37	745 199.36
47 30	680 545.76	729 909.90	680 410.98	745 102.40
67 50 00	669 925.43	729 818.48	669 798.58	745 010.99
52 30	659 305.11	729 732.60	659 186.18	744 925.11
55 00	648 684.78	729 652.26	648 573.78	744 844.78
57 30	638 064.44	729 577.47	637 961.38	744 769.99
68 00 00	627 444.11	729 508.22	627 348.97	744 700.74

LONGITUDE	LATITUDE 45 55 00 X	LATITUDE 45 55 00 Y	LATITUDE 45 57 30 X	LATITUDE 45 57 30 Y
67 00 00	881 760.13	763 084.98	881 474.25	778 277.58
02 30	871 155.75	762 888.24	870 877.82	778 080.84
05 00	860 551.37	762 697.04	860 281.38	777 889.65
07 30	849 946.98	762 511.38	849 684.93	777 704.01
67 10 00	839 342.59	762 331.28	839 088.48	777 523.91
12 30	828 738.18	762 156.71	828 492.03	777 349.35
15 00	818 133.78	761 987.70	817 895.56	777 180.35
17 30	807 529.37	761 824.23	807 299.09	777 016.89
67 20 00	796 924.95	761 666.31	796 702.62	776 858.97
22 30	786 320.53	761 513.93	786 106.14	776 706.60
25 00	775 716.10	761 367.10	775 509.66	776 559.77
27 30	765 111.68	761 225.81	764 913.17	776 418.49
67 30 00	754 507.24	761 090.06	754 316.68	776 282.75
32 30	743 902.80	760 959.85	743 720.18	776 152.55
35 00	733 298.36	760 835.19	733 123.68	776 027.89
37 30	722 693.92	760 716.07	722 527.18	775 908.77
67 40 00	712 089.47	760 602.49	711 930.67	775 795.20
42 30	701 485.01	760 494.46	701 334.16	775 687.17
45 00	690 880.56	760 391.96	690 737.64	775 584.68
47 30	680 276.10	760 295.01	680 141.13	775 487.74
67 50 00	669 671.64	760 203.60	669 544.60	775 396.33
52 30	659 067.17	760 117.73	658 948.08	775 310.46
55 00	648 462.71	760 037.40	648 351.55	775 230.14
57 30	637 858.24	759 962.61	637 755.02	775 155.35
68 00 00	627 253.77	759 893.36	627 158.49	775 086.11

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 45 45 00 X	LATITUDE 45 45 00 Y	LATITUDE 45 47 30 X	LATITUDE 45 47 30 Y
68 00 00	627 634.18	699 123.52	627 539.18	714 315.81
02 30	616 998.01	699 059.80	616 910.92	714 252.09
05 00	606 361.83	699 001.62	606 282.66	714 193.92
07 30	595 725.65	698 948.99	595 654.40	714 141.28
68 10 00	585 089.47	698 901.89	585 026.13	714 094.19
12 30	574 453.29	698 860.34	574 397.87	714 052.64
15 00	563 817.11	698 824.33	563 769.60	714 016.63
17 30	553 180.92	698 793.86	553 141.34	713 986.16
68 20 00	542 544.74	698 768.92	542 513.07	713 961.23
22 30	531 908.55	698 749.53	531 884.80	713 941.84
25 00	521 272.37	698 735.68	521 256.54	713 927.99
27 30	510 636.19	698 727.37	510 628.27	713 919.67
68 30 00	500 000.00	698 724.60	500 000.00	713 916.91
32 30	489 363.81	698 727.37	489 371.73	713 919.67
35 00	478 727.63	698 735.68	478 743.46	713 927.99
37 30	468 091.45	698 749.53	468 115.20	713 941.84
68 40 00	457 455.26	698 768.92	457 486.93	713 961.23
42 30	446 819.08	698 793.86	446 858.66	713 986.16
45 00	436 182.89	698 824.33	436 230.40	714 016.63
47 30	425 546.71	698 860.34	425 602.13	714 052.64
68 50 00	414 910.53	698 901.89	414 973.87	714 094.19
52 30	404 274.35	698 948.99	404 345.60	714 141.28
55 00	393 638.17	699 001.62	393 717.34	714 193.92
57 30	383 001.99	699 059.80	383 089.08	714 252.09
69 00 00	372 365.82	699 123.52	372 460.82	714 315.81

LONGITUDE	LATITUDE 45 50 00 X	LATITUDE 45 50 00 Y	LATITUDE 45 52 30 X	LATITUDE 45 52 30 Y
68 00 00	627 444.11	729 508.22	627 348.97	744 700.74
02 30	616 823.77	729 444.50	616 736.56	744 637.03
05 00	606 203.44	729 386.33	606 124.15	744 578.86
07 30	595 583.10	729 333.70	595 511.74	744 526.23
68 10 00	584 962.76	729 286.61	584 899.33	744 479.14
12 30	574 342.41	729 245.06	574 286.92	744 437.59
15 00	563 722.07	729 209.05	563 674.50	744 401.58
17 30	553 101.73	729 178.58	553 062.09	744 371.11
68 20 00	542 481.38	729 153.65	542 449.67	744 346.18
22 30	531 861.04	729 134.26	531 837.25	744 326.79
25 00	521 240.69	729 120.41	521 224.84	744 312.94
27 30	510 620.35	729 112.10	510 612.42	744 304.63
68 30 00	500 000.00	729 109.33	500 000.00	744 301.87
32 30	489 379.65	729 112.10	489 387.58	744 304.63
35 00	478 759.31	729 120.41	478 775.16	744 312.94
37 30	468 138.96	729 134.26	468 162.75	744 326.79
68 40 00	457 518.62	729 153.65	457 550.33	744 346.18
42 30	446 898.27	729 178.58	446 937.91	744 371.11
45 00	436 277.93	729 209.05	436 325.50	744 401.58
47 30	425 657.59	729 245.06	425 713.08	744 437.59
68 50 00	415 037.24	729 286.61	415 100.67	744 479.14
52 30	404 416.90	729 333.70	404 488.26	744 526.23
55 00	393 796.56	729 386.33	393 875.85	744 578.86
57 30	383 176.23	729 444.50	383 263.44	744 637.03
69 00 00	372 555.89	729 508.22	372 651.03	744 700.74

LONGITUDE	LATITUDE 45 55 00 X	LATITUDE 45 55 00 Y	LATITUDE 45 57 30 X	LATITUDE 45 57 30 Y
68 00 00	627 253.77	759 893.36	627 158.49	775 086.11
02 30	616 649.29	759 829.66	616 561.96	775 022.40
05 00	606 044.82	759 771.49	605 965.42	774 964.24
07 30	595 440.34	759 718.86	595 368.89	774 911.61
68 10 00	584 835.86	759 671.78	584 772.35	774 864.53
12 30	574 231.38	759 630.23	574 175.81	774 822.98
15 00	563 626.90	759 594.22	563 579.27	774 786.98
17 30	553 022.42	759 563.75	552 982.72	774 756.51
68 20 00	542 417.94	759 538.83	542 386.18	774 731.59
22 30	531 813.45	759 519.44	531 789.64	774 712.20
25 00	521 208.97	759 505.59	521 193.09	774 698.35
27 30	510 604.48	759 497.28	510 596.55	774 690.04
68 30 00	500 000.00	759 494.51	500 000.00	774 687.27
32 30	489 395.52	759 497.28	489 403.45	774 690.04
35 00	478 791.03	759 505.59	478 806.91	774 698.35
37 30	468 186.55	759 519.44	468 210.36	774 712.20
68 40 00	457 582.06	759 538.83	457 613.82	774 731.59
42 30	446 977.58	759 563.75	447 017.28	774 756.51
45 00	436 373.10	759 594.22	436 420.73	774 786.98
47 30	425 768.62	759 630.23	425 824.19	774 822.98
68 50 00	415 164.14	759 671.78	415 227.65	774 864.53
52 30	404 559.66	759 718.86	404 631.11	774 911.61
55 00	393 955.18	759 771.49	394 034.58	774 964.24
57 30	383 350.71	759 829.66	383 438.04	775 022.40
69 00 00	372 746.23	759 893.36	372 841.51	775 086.11

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 45 45 00 X	LATITUDE 45 45 00 Y	LATITUDE 45 47 30 X	LATITUDE 45 47 30 Y
69 00 00	372 365.82	699 123.52	372 460.82	714 315.81
02 30	361 729.64	699 192.78	361 832.56	714 385.06
05 00	351 093.47	699 267.58	351 204.31	714 459.86
07 30	340 457.30	699 347.92	340 576.06	714 540.20
69 10 00	329 821.13	699 433.80	329 947.80	714 626.08
12 30	319 184.97	699 525.23	319 319.56	714 717.50
15 00	308 548.80	699 622.20	308 691.31	714 814.47
17 30	297 912.64	699 724.71	298 063.07	714 916.97
69 20 00	287 276.48	699 832.76	287 434.83	715 025.02
22 30	276 640.32	699 946.35	276 806.59	715 138.61
25 00	266 004.17	700 065.49	266 178.35	715 257.75
27 30	255 368.02	700 190.18	255 550.12	715 382.43
69 30 00	244 731.87	700 320.40	244 921.89	715 512.65
32 30	234 095.73	700 456.17	234 293.67	715 648.41
35 00	223 459.59	700 597.49	223 665.45	715 789.72
37 30	212 823.45	700 744.34	213 037.23	715 936.57
69 40 00	202 187.32	700 896.74	202 409.01	716 088.97
42 30	191 551.19	701 054.69	191 780.81	716 246.91
45 00	180 915.06	701 218.18	181 152.60	716 410.40
47 30	170 278.94	701 387.23	170 524.40	716 579.43
69 50 00	159 642.82	701 561.82	159 896.20	716 754.02
52 30	149 006.71	701 741.95	149 268.01	716 934.15
55 00	138 370.60	701 927.64	138 639.82	717 119.82
57 30	127 734.50	702 118.87	128 011.64	717 311.04
70 00 00	117 098.40	702 315.64	117 383.46	717 507.81

LONGITUDE	LATITUDE 45 50 00 X	LATITUDE 45 50 00 Y	LATITUDE 45 52 30 X	LATITUDE 45 52 30 Y
69 00 00	372 555.89	729 508.22	372 651.03	744 700.74
02 30	361 935.56	729 577.47	362 038.62	744 769.99
05 00	351 315.22	729 658.26	351 426.22	744 844.78
07 30	340 694.89	729 732.60	340 813.82	744 925.11
69 10 00	330 074.57	729 818.48	330 201.42	745 010.99
12 30	319 454.24	729 909.90	319 589.02	745 102.40
15 00	308 833.92	730 006.86	308 976.63	745 199.36
17 30	298 213.60	730 109.36	298 364.24	745 301.86
69 20 00	287 593.28	730 217.40	287 751.85	745 409.89
22 30	276 972.97	730 330.99	277 139.47	745 523.48
25 00	266 352.66	730 450.12	266 527.09	745 642.60
27 30	255 732.35	730 574.80	255 914.71	745 767.27
69 30 00	245 112.04	730 705.01	245 302.34	745 897.48
32 30	234 491.74	730 840.77	234 689.97	746 033.24
35 00	223 871.45	730 982.08	224 077.60	746 174.53
37 30	213 251.16	731 128.92	213 465.24	746 321.37
69 40 00	202 630.87	731 281.31	202 852.88	746 473.76
42 30	192 010.58	731 439.24	192 240.53	746 631.68
45 00	181 390.30	731 602.73	181 628.18	746 795.16
47 30	170 770.03	731 771.76	171 015.84	746 964.18
69 50 00	160 149.76	731 946.33	160 403.50	747 138.75
52 30	149 529.49	732 126.46	149 791.17	747 318.87
55 00	138 909.23	732 312.12	139 178.84	747 504.53
57 30	128 288.98	732 503.34	128 566.52	747 695.74
70 00 00	117 668.72	732 700.10	117 954.20	747 892.49

LONGITUDE	LATITUDE 45 55 00 X	LATITUDE 45 55 00 Y	LATITUDE 45 57 30 X	LATITUDE 45 57 30 Y
69 00 00	372 746.23	759 893.36	372 841.51	775 086.11
02 30	362 141.76	759 962.61	362 244.98	775 155.35
05 00	351 537.29	760 037.40	351 648.45	775 230.14
07 30	340 932.83	760 117.73	341 051.92	775 310.46
69 10 00	330 328.36	760 203.60	330 455.40	775 396.33
12 30	319 723.90	760 295.01	319 858.87	775 487.74
15 00	309 119.44	760 391.96	309 262.36	775 584.68
17 30	298 514.99	760 494.46	298 665.84	775 687.17
69 20 00	287 910.53	760 602.49	288 069.33	775 795.20
22 30	277 306.08	760 716.07	277 472.82	775 908.77
25 00	266 701.64	760 835.19	266 876.32	776 027.89
27 30	256 097.20	760 959.85	256 279.82	776 152.55
69 30 00	245 492.76	761 090.06	245 683.32	776 282.75
32 30	234 888.32	761 225.81	235 086.83	776 418.49
35 00	224 283.90	761 367.10	224 490.34	776 559.77
37 30	213 679.47	761 513.93	213 893.86	776 706.60
69 40 00	203 075.05	761 666.31	203 297.38	776 858.97
42 30	192 470.63	761 824.23	192 700.91	777 016.89
45 00	181 866.22	761 987.70	182 104.44	777 180.35
47 30	171 261.82	762 156.71	171 507.97	777 349.35
69 50 00	160 657.41	762 331.28	160 911.52	777 523.91
52 30	150 053.02	762 511.38	150 315.07	777 704.01
55 00	139 448.63	762 697.04	139 718.62	777 889.65
57 30	128 844.25	762 888.24	129 122.18	778 080.84
70 00 00	118 239.87	763 084.98	118 525.75	778 277.58

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 46 00 00 X	LATITUDE 46 00 00 Y	LATITUDE 46 02 30 X	LATITUDE 46 02 30 Y
67 00 00	881 188.18	793 470.28	880 901.90	808 663.09
02 30	870 599.70	793 273.55	870 321.37	808 466.37
05 00	860 011.21	793 082.37	859 740.84	808 275.20
07 30	849 422.71	792 896.73	849 160.29	808 089.57
67 10 00	838 834.21	792 716.64	838 579.75	807 909.49
12 30	828 245.70	792 542.10	827 999.19	807 734.95
15 00	817 657.18	792 373.10	817 418.63	807 565.96
17 30	807 068.66	792 209.64	806 838.06	807 402.52
67 20 00	796 480.14	792 051.74	796 257.49	807 244.62
22 30	785 891.61	791 899.37	785 676.92	807 092.26
25 00	775 303.07	791 752.55	775 096.33	806 945.45
27 30	764 714.53	791 611.28	764 515.75	806 804.18
67 30 00	754 125.99	791 475.54	753 935.15	806 668.45
32 30	743 537.44	791 345.35	743 354.56	806 538.27
35 00	732 948.88	791 220.69	732 773.96	806 413.62
37 30	722 360.33	791 101.59	722 193.35	806 294.52
67 40 00	711 771.76	790 988.02	711 612.74	806 180.95
42 30	701 183.20	790 879.99	701 032.13	806 072.94
45 00	690 594.63	790 777.51	690 451.51	805 970.46
47 30	680 006.06	790 680.57	679 870.89	805 873.52
67 50 00	669 417.48	790 589.16	669 290.27	805 782.12
52 30	658 828.90	790 503.30	658 709.64	805 696.26
55 00	648 240.32	790 422.98	648 129.01	805 615.94
57 30	637 651.74	790 348.20	637 548.38	805 541.16
68 00 00	627 063.15	790 278.96	626 967.74	805 471.93

LONGITUDE	LATITUDE 46 05 00 X	LATITUDE 46 05 00 Y	LATITUDE 46 07 30 X	LATITUDE 46 07 30 Y
67 00 00	880 615.42	823 856.00	880 328.73	839 049.02
02 30	870 042.85	823 659.29	869 764.13	838 852.32
05 00	859 470.28	823 468.13	859 199.52	838 661.17
07 30	848 897.70	823 282.51	848 634.91	838 475.56
67 10 00	838 325.11	823 102.44	838 070.29	838 295.50
12 30	827 752.52	822 927.91	827 505.66	838 120.98
15 00	817 179.91	822 758.93	816 941.02	837 952.01
17 30	806 607.31	822 595.49	806 376.38	837 788.58
67 20 00	796 034.70	822 437.60	795 811.74	837 630.70
22 30	785 462.08	822 285.25	785 247.08	837 478.36
25 00	774 889.45	822 138.45	774 682.42	837 331.56
27 30	764 316.83	821 997.18	764 117.76	837 190.31
67 30 00	753 744.19	821 861.46	753 553.09	837 054.59
32 30	743 171.55	821 731.28	742 988.42	836 924.42
35 00	732 598.91	821 606.64	732 423.74	836 799.78
37 30	722 026.26	821 487.54	721 859.05	836 680.69
67 40 00	711 453.61	821 373.99	711 294.36	836 567.14
42 30	700 880.96	821 265.97	700 729.67	836 459.14
45 00	690 308.30	821 163.50	690 164.98	836 356.67
47 30	679 735.63	821 066.57	679 600.28	836 259.74
67 50 00	669 162.97	820 975.17	669 035.57	836 168.35
52 30	658 590.30	820 889.32	658 470.86	836 082.50
55 00	648 017.62	820 809.00	647 906.15	836 002.19
57 30	637 444.95	820 734.23	637 341.44	835 927.42
68 00 00	626 872.27	820 665.00	626 776.73	835 858.19

LONGITUDE	LATITUDE 46 10 00 X	LATITUDE 46 10 00 Y	LATITUDE 46 12 30 X	LATITUDE 46 12 30 Y
67 00 00	880 041.85	854 242.13	879 754.75	869 435.37
02 30	869 485.22	854 045.45	869 206.10	869 238.69
05 00	858 928.58	853 854.31	858 657.44	869 047.56
07 30	848 371.94	853 668.71	848 108.78	868 861.98
67 10 00	837 815.29	853 488.66	837 560.11	868 681.93
12 30	827 258.63	853 314.15	827 011.42	868 507.43
15 00	816 701.97	853 145.18	816 462.74	868 338.48
17 30	806 145.30	852 981.76	805 914.04	868 175.07
67 20 00	795 588.62	852 823.89	795 365.34	868 017.20
22 30	785 031.94	852 671.56	784 816.64	867 864.88
25 00	774 475.25	852 524.77	774 267.92	867 718.10
27 30	763 918.55	852 383.52	763 719.21	867 576.86
67 30 00	753 361.85	852 247.82	753 170.48	867 441.16
32 30	742 805.15	852 117.65	742 621.75	867 311.00
35 00	732 248.44	851 993.02	732 073.02	867 186.39
37 30	721 691.72	851 873.94	721 524.28	867 067.31
67 40 00	711 135.01	851 760.40	710 975.53	866 953.77
42 30	700 578.28	851 652.39	700 426.78	866 845.78
45 00	690 021.55	851 549.93	689 878.03	866 743.32
47 30	679 464.82	851 453.01	679 329.27	866 646.40
67 50 00	668 908.09	851 361.63	668 780.51	866 555.02
52 30	658 351.35	851 275.78	658 231.75	866 469.18
55 00	647 794.61	851 195.48	647 682.98	866 388.88
57 30	637 237.86	851 120.71	637 134.21	866 314.12
68 00 00	626 681.11	851 051.48	626 585.43	866 244.90

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 46 00 00 X	LATITUDE 46 00 00 Y	LATITUDE 46 02 30 X	LATITUDE 46 02 30 Y
68 00 00	627 063.15	790 278.96	626 967.74	805 471.93
02 30	616 474.56	790 215.25	616 387.11	805 408.23
05 00	605 885.97	790 157.09	605 806.47	805 350.07
07 30	595 297.38	790 104.47	595 225.83	805 297.45
68 10 00	584 708.79	790 057.39	584 645.18	805 250.37
12 30	574 120.19	790 015.85	574 064.54	805 208.83
15 00	563 531.60	789 979.84	563 483.89	805 172.83
17 30	552 943.00	789 949.38	552 903.25	805 142.37
68 20 00	542 354.40	789 924.45	542 322.60	805 117.44
22 30	531 765.80	789 905.07	531 741.95	805 098.05
25 00	521 177.20	789 891.22	521 161.30	805 084.21
27 30	510 588.60	789 882.91	510 580.65	805 075.90
68 30 00	500 000.00	789 880.14	500 000.00	805 073.13
32 30	489 411.40	789 882.91	489 419.35	805 075.90
35 00	478 822.80	789 891.22	478 838.70	805 084.21
37 30	468 234.20	789 905.07	468 258.05	805 098.05
68 40 00	457 645.60	789 924.45	457 677.40	805 117.44
42 30	447 057.00	789 949.38	447 096.75	805 142.37
45 00	436 468.40	789 979.84	436 516.11	805 172.83
47 30	425 879.81	790 015.85	425 935.46	805 208.83
68 50 00	415 291.21	790 057.39	415 354.82	805 250.37
52 30	404 702.62	790 104.47	404 774.17	805 297.45
55 00	394 114.03	790 157.09	394 193.53	805 350.07
57 30	383 525.44	790 215.25	383 612.89	805 408.23
69 00 00	372 936.85	790 278.96	373 032.26	805 471.93

LONGITUDE	LATITUDE 46 05 00 X	LATITUDE 46 05 00 Y	LATITUDE 46 07 30 X	LATITUDE 46 07 30 Y
68 00 00	626 872.27	820 665.00	626 776.73	835 858.19
02 30	616 299.59	820 601.30	616 212.01	835 794.50
05 00	605 726.91	820 543.15	605 647.29	835 736.35
07 30	595 154.22	820 490.53	595 082.56	835 683.73
68 10 00	584 581.53	820 443.45	584 517.84	835 636.66
12 30	574 008.85	820 401.91	573 953.11	835 595.12
15 00	563 436.16	820 365.91	563 388.39	835 559.12
17 30	552 863.47	820 335.45	552 823.66	835 528.66
68 20 00	542 290.77	820 310.53	542 258.93	835 503.74
22 30	531 718.08	820 291.14	531 694.20	835 484.36
25 00	521 145.39	820 277.30	521 129.46	835 470.51
27 30	510 572.69	820 268.99	510 564.73	835 462.20
68 30 00	500 000.00	820 266.22	500 000.00	835 459.44
32 30	489 427.31	820 268.99	489 435.27	835 462.20
35 00	478 854.61	820 277.30	478 870.54	835 470.51
37 30	468 281.92	820 291.14	468 305.80	835 484.36
68 40 00	457 709.23	820 310.53	457 741.07	835 503.74
42 30	447 136.53	820 335.45	447 176.34	835 528.66
45 00	436 563.84	820 365.91	436 611.61	835 559.12
47 30	425 991.15	820 401.91	426 046.89	835 595.12
68 50 00	415 418.47	820 443.45	415 482.16	835 636.66
52 30	404 845.78	820 490.53	404 917.44	835 683.73
55 00	394 273.09	820 543.15	394 352.71	835 736.35
57 30	383 700.41	820 601.30	383 787.99	835 794.50
69 00 00	373 127.73	820 665.00	373 223.27	835 858.19

LONGITUDE	LATITUDE 46 10 00 X	LATITUDE 46 10 00 Y	LATITUDE 46 12 30 X	LATITUDE 46 12 30 Y
68 00 00	626 681.11	851 051.48	626 585.43	866 244.90
02 30	616 124.36	850 987.79	616 036.66	866 181.21
05 00	605 567.61	850 929.64	605 487.88	866 123.07
07 30	595 010.86	850 877.03	594 939.10	866 070.46
68 10 00	584 454.10	850 829.96	584 390.31	866 023.39
12 30	573 897.34	850 788.43	573 841.53	865 981.86
15 00	563 340.58	850 752.43	563 292.74	865 945.87
17 30	552 783.82	850 721.97	552 743.95	865 915.41
68 20 00	542 227.06	850 697.05	542 195.16	865 890.49
22 30	531 670.29	850 677.67	531 646.37	865 871.11
25 00	521 113.53	850 663.83	521 097.58	865 857.27
27 30	510 556.76	850 655.52	510 548.79	865 848.96
68 30 00	500 000.00	850 652.75	500 000.00	865 846.19
32 30	489 443.24	850 655.52	489 451.21	865 848.96
35 00	478 886.47	850 663.83	478 902.42	865 857.27
37 30	468 329.71	850 677.67	468 353.63	865 871.11
68 40 00	457 772.94	850 697.05	457 804.84	865 890.49
42 30	447 216.18	850 721.97	447 256.05	865 915.41
45 00	436 659.42	850 752.43	436 707.26	865 945.87
47 30	426 102.66	850 788.43	426 158.47	865 981.86
68 50 00	415 545.90	850 829.96	415 609.69	866 023.39
52 30	404 989.14	850 877.03	405 060.90	866 070.46
55 00	394 438.39	850 929.64	394 512.12	866 123.07
57 30	383 875.64	850 987.79	383 963.34	866 181.21
69 00 00	373 318.89	851 051.48	373 414.57	866 244.90

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 46 00 00 X	LATITUDE 46 00 00 Y	LATITUDE 46 02 30 X	LATITUDE 46 02 30 Y
69 00 00	372 936.85	790 278.96	373 032.26	805 471.93
02 30	362 348.26	790 348.20	362 451.62	805 541.16
05 00	351 759.68	790 422.98	351 870.99	805 615.94
07 30	341 171.10	790 503.30	341 290.36	805 696.26
69 10 00	330 582.52	790 589.16	330 709.73	805 782.12
12 30	319 993.94	790 680.57	320 129.11	805 873.52
15 00	309 405.37	790 777.51	309 548.49	805 970.46
17 30	298 816.80	790 879.99	298 967.87	806 072.94
69 20 00	288 228.24	790 988.02	288 387.26	806 180.95
22 30	277 639.67	791 101.59	277 806.65	806 294.52
25 00	267 051.12	791 220.69	267 226.04	806 413.62
27 30	256 462.56	791 345.35	256 645.44	806 538.27
69 30 00	245 874.01	791 475.54	246 064.85	806 668.45
32 30	235 285.47	791 611.28	235 484.25	806 804.18
35 00	224 696.93	791 752.55	224 903.67	806 945.45
37 30	214 108.39	791 899.37	214 323.08	807 092.26
69 40 00	203 519.86	792 051.74	203 742.51	807 244.62
42 30	192 931.34	792 209.64	193 161.94	807 402.52
45 00	182 342.82	792 373.10	182 581.37	807 565.96
47 30	171 754.30	792 542.10	172 000.81	807 734.95
69 50 00	161 165.79	792 716.64	161 420.25	807 909.49
52 30	150 577.29	792 896.73	150 839.71	808 089.57
55 00	139 988.79	793 082.37	140 259.16	808 275.20
57 30	129 400.30	793 273.55	129 678.63	808 466.37
70 00 00	118 811.82	793 470.28	119 098.10	808 663.09

LONGITUDE	LATITUDE 46 05 00 X	LATITUDE 46 05 00 Y	LATITUDE 46 07 30 X	LATITUDE 46 07 30 Y
69 00 00	373 127.73	820 665.00	373 223.27	835 858.19
02 30	362 555.05	820 734.23	362 658.56	835 927.42
05 00	351 982.38	820 809.00	352 093.85	836 002.19
07 30	341 409.70	820 889.32	341 529.14	836 082.50
69 10 00	330 837.03	820 975.17	330 964.43	836 168.35
12 30	320 264.37	821 066.57	320 399.72	836 259.74
15 00	309 691.70	821 163.50	309 835.02	836 356.67
17 30	299 119.04	821 265.97	299 270.33	836 459.14
69 20 00	288 546.39	821 373.99	288 705.64	836 567.14
22 30	277 973.74	821 487.54	278 140.95	836 680.69
25 00	267 401.09	821 606.64	267 576.26	836 799.78
27 30	256 828.45	821 731.28	257 011.58	836 924.42
69 30 00	246 255.81	821 861.46	246 446.91	837 054.59
32 30	235 683.17	821 997.18	235 882.24	837 190.31
35 00	225 110.55	822 138.45	225 317.58	837 331.56
37 30	214 537.92	822 285.25	214 752.92	837 478.36
69 40 00	203 965.30	822 437.60	204 188.26	837 630.70
42 30	193 392.69	822 595.49	193 623.62	837 788.58
45 00	182 820.09	822 758.93	183 058.98	837 952.01
47 30	172 247.48	822 927.91	172 494.34	838 120.98
69 50 00	161 674.89	823 102.44	161 929.71	838 295.50
52 30	151 102.30	823 282.51	151 365.09	838 475.56
55 00	140 529.72	823 468.13	140 800.48	838 661.17
57 30	129 957.15	823 659.29	130 235.87	838 852.32
70 00 00	119 384.58	823 856.00	119 671.27	839 049.02

LONGITUDE	LATITUDE 46 10 00 X	LATITUDE 46 10 00 Y	LATITUDE 46 12 30 X	LATITUDE 46 12 30 Y
69 00 00	373 318.89	851 051.48	373 414.57	866 244.90
02 30	362 762.14	851 120.71	362 865.79	866 314.12
05 00	352 205.39	851 195.48	352 317.02	866 388.88
07 30	341 648.65	851 275.78	341 768.25	866 469.18
69 10 00	331 091.91	851 361.63	331 219.49	866 555.02
12 30	320 535.18	851 453.01	320 670.73	866 646.40
15 00	309 978.45	851 549.93	310 121.97	866 743.32
17 30	299 421.72	851 652.39	299 573.22	866 845.78
69 20 00	288 864.99	851 760.40	289 024.47	866 953.77
22 30	278 308.28	851 873.94	278 475.72	867 067.31
25 00	267 751.56	851 993.02	267 926.98	867 186.39
27 30	257 194.85	852 117.65	257 378.25	867 311.00
69 30 00	246 638.15	852 247.82	246 829.52	867 441.16
32 30	236 081.45	852 383.52	236 280.79	867 576.86
35 00	225 524.75	852 524.77	225 732.08	867 718.10
37 30	214 968.06	852 671.56	215 183.36	867 864.88
69 40 00	204 411.38	852 823.89	204 634.66	868 017.20
42 30	193 854.70	852 981.76	194 085.96	868 175.07
45 00	183 298.03	853 145.18	183 537.26	868 338.48
47 30	172 741.37	853 314.15	172 988.58	868 507.43
69 50 00	162 184.71	853 488.66	162 439.89	868 681.93
52 30	151 628.06	853 668.71	151 891.22	868 861.98
55 00	141 071.42	853 854.31	141 342.56	869 047.56
57 30	130 514.78	854 045.45	130 793.90	869 238.69
70 00 00	119 958.15	854 242.13	120 245.25	869 435.37

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 46 15 00 X	LATITUDE 46 15 00 Y	LATITUDE 46 17 30 X	LATITUDE 46 17 30 Y
67 00 00	879 467.46	884 628.70	879 179.96	899 822.13
02 30	868 926.79	884 432.04	868 647.28	899 625.48
05 00	858 386.12	884 240.92	858 114.59	899 434.37
07 30	847 845.44	884 055.34	847 581.90	899 248.81
67 10 00	837 304.75	883 875.31	837 049.20	899 068.79
12 30	826 764.05	883 700.82	826 516.49	898 894.31
15 00	816 223.34	883 531.88	815 983.77	898 725.38
17 30	805 682.63	883 368.48	805 451.05	898 561.99
67 20 00	795 141.91	883 210.62	794 918.32	898 404.14
22 30	784 601.19	883 058.31	784 385.58	898 251.84
25 00	774 060.46	882 911.54	773 852.84	898 105.08
27 30	763 519.72	882 770.31	763 320.09	897 963.86
67 30 00	752 978.98	882 634.62	752 787.33	897 828.17
32 30	742 438.23	882 504.47	742 254.57	897 698.03
35 00	731 897.47	882 379.85	731 721.80	897 573.42
37 30	721 356.71	882 260.78	721 189.03	897 454.36
67 40 00	710 815.95	882 147.25	710 656.25	897 340.84
42 30	700 275.18	882 039.27	700 123.47	897 232.86
45 00	689 734.41	881 936.82	689 590.68	897 130.41
47 30	679 193.63	881 839.90	679 057.89	897 033.51
67 50 00	668 652.85	881 748.53	668 525.09	896 942.14
52 30	658 112.06	881 662.70	657 992.29	896 856.31
55 00	647 571.28	881 582.40	647 459.49	896 776.02
57 30	637 030.48	881 507.64	636 926.68	896 701.27
68 00 00	626 489.69	881 438.42	626 393.87	896 632.06

LONGITUDE	LATITUDE 46 20 00 X	LATITUDE 46 20 00 Y	LATITUDE 46 22 30 X	LATITUDE 46 22 30 Y
67 00 00	878 892.26	915 015.67	878 604.36	930 209.31
02 30	868 367.58	914 819.04	868 087.68	930 012.69
05 00	857 842.89	914 627.94	857 570.99	929 821.61
07 30	847 318.19	914 442.39	847 054.29	929 636.07
67 10 00	836 793.48	914 262.38	836 537.58	929 456.07
12 30	826 268.77	914 087.91	826 020.86	929 281.62
15 00	815 744.04	913 918.99	815 504.14	929 112.70
17 30	805 219.31	913 755.61	804 987.41	928 949.34
67 20 00	794 694.58	913 597.78	794 470.67	928 791.51
22 30	784 169.83	913 445.48	783 953.92	928 639.23
25 00	773 645.08	913 298.73	773 437.17	928 492.49
27 30	763 120.32	913 157.52	762 920.41	928 351.28
67 30 00	752 595.56	913 021.84	752 403.64	928 215.62
32 30	742 070.79	912 891.71	741 886.87	928 085.49
35 00	731 546.01	912 767.11	731 370.09	927 960.90
37 30	721 021.23	912 648.06	720 853.31	927 841.86
67 40 00	710 496.44	912 534.54	710 336.52	927 728.35
42 30	699 971.65	912 426.57	699 819.73	927 620.38
45 00	689 446.86	912 324.13	689 302.93	927 517.95
47 30	678 922.06	912 227.23	678 786.12	927 421.06
67 50 00	668 397.25	912 135.87	668 269.32	927 329.70
52 30	657 872.44	912 050.05	657 752.50	927 243.89
55 00	647 347.63	911 969.76	647 235.69	927 163.61
57 30	636 822.81	911 895.01	636 718.87	927 088.86
68 00 00	626 297.99	911 825.80	626 202.04	927 019.66

LONGITUDE	LATITUDE 46 25 00 X	LATITUDE 46 25 00 Y	LATITUDE 46 27 30 X	LATITUDE 46 27 30 Y
67 00 00	878 316.26	945 403.07	878 027.95	960 596.93
02 30	867 807.59	945 206.46	867 527.29	960 400.33
05 00	857 298.90	945 015.39	857 026.62	960 209.27
07 30	846 790.21	944 829.86	846 525.93	960 023.76
67 10 00	836 281.51	944 649.88	836 025.24	959 843.79
12 30	825 772.79	944 475.43	825 524.54	959 669.36
15 00	815 264.07	944 306.53	815 023.83	959 500.47
17 30	804 755.35	944 143.18	804 523.12	959 337.12
67 20 00	794 246.61	943 985.36	794 022.39	959 179.32
22 30	783 737.87	943 833.09	783 521.66	959 027.06
25 00	773 229.12	943 686.36	773 020.92	958 880.34
27 30	762 720.36	943 545.17	762 520.17	958 739.15
67 30 00	752 211.60	943 409.51	752 019.42	958 603.51
32 30	741 702.83	943 279.39	741 518.66	958 473.40
35 00	731 194.06	943 154.81	731 017.89	958 348.83
37 30	720 685.28	943 035.77	720 517.12	958 229.80
67 40 00	710 176.49	942 922.27	710 016.34	958 116.31
42 30	699 667.70	942 814.31	699 515.56	958 008.35
45 00	689 158.90	942 711.89	689 014.77	957 905.94
47 30	678 650.10	942 615.00	678 513.98	957 809.06
67 50 00	668 141.29	942 523.66	668 013.18	957 717.72
52 30	657 632.48	942 437.84	657 512.38	957 631.91
55 00	647 123.67	942 357.57	647 011.57	957 551.64
57 30	636 614.85	942 282.83	636 510.76	957 476.91
68 00 00	626 106.03	942 213.63	626 009.95	957 407.71

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 46 15 00 X	LATITUDE 46 15 00 Y	LATITUDE 46 17 30 X	LATITUDE 46 17 30 Y
68 00 00	626 489.69	881 438.42	626 393.87	896 632.06
02 30	615 948.89	881 374.74	615 861.06	896 568.38
05 00	605 408.09	881 316.60	605 328.25	896 510.24
07 30	594 867.29	881 264.00	594 795.43	896 457.64
68 10 00	584 326.48	881 216.93	584 262.61	896 410.57
12 30	573 785.68	881 175.40	573 729.79	896 369.05
15 00	563 244.87	881 139.41	563 196.96	896 333.06
17 30	552 704.06	881 108.96	552 664.14	896 302.61
68 20 00	542 163.25	881 084.04	542 131.31	896 277.69
22 30	531 622.44	881 064.66	531 598.48	896 258.31
25 00	521 081.63	881 050.81	521 065.66	896 244.47
27 30	510 540.81	881 042.51	510 532.83	896 236.16
68 30 00	500 000.00	881 039.74	500 000.00	896 233.40
32 30	489 459.19	881 042.51	489 467.17	896 236.16
35 00	478 918.37	881 050.81	478 934.34	896 244.47
37 30	468 377.56	881 064.66	468 401.52	896 258.31
68 40 00	457 836.75	881 084.04	457 868.69	896 277.69
42 30	447 295.94	881 108.96	447 335.86	896 302.61
45 00	436 755.13	881 139.41	436 803.04	896 333.06
47 30	426 214.32	881 175.40	426 270.21	896 369.05
68 50 00	415 673.52	881 216.93	415 737.39	896 410.57
52 30	405 132.71	881 264.00	405 204.57	896 457.64
55 00	394 591.91	881 316.60	394 671.75	896 510.24
57 30	384 051.11	881 374.74	384 138.94	896 568.38
69 00 00	373 510.31	881 438.42	373 606.13	896 632.06

LONGITUDE	LATITUDE 46 20 00 X	LATITUDE 46 20 00 Y	LATITUDE 46 22 30 X	LATITUDE 46 22 30 Y
68 00 00	626 297.99	911 825.80	626 202.04	927 019.66
02 30	615 773.17	911 762.13	615 685.22	926 955.99
05 00	605 248.35	911 704.00	605 168.39	926 897.86
07 30	594 723.52	911 651.40	594 651.56	926 845.26
68 10 00	584 198.69	911 604.34	584 134.72	926 798.21
12 30	573 673.86	911 562.81	573 617.89	926 756.69
15 00	563 149.02	911 526.83	563 101.05	926 720.70
17 30	552 624.19	911 496.38	552 584.21	926 690.25
68 20 00	542 099.35	911 471.46	542 067.37	926 665.34
22 30	531 574.52	911 452.08	531 550.53	926 645.96
25 00	521 049.68	911 438.24	521 033.69	926 632.12
27 30	510 524.84	911 429.94	510 516.84	926 623.82
68 30 00	500 000.00	911 427.17	500 000.00	926 621.05
32 30	489 475.16	911 429.94	489 483.16	926 623.82
35 00	478 950.32	911 438.24	478 966.31	926 632.12
37 30	468 425.48	911 452.08	468 449.47	926 645.96
68 40 00	457 900.65	911 471.46	457 932.63	926 665.34
42 30	447 375.81	911 496.38	447 415.79	926 690.25
45 00	436 850.98	911 526.83	436 898.95	926 720.70
47 30	426 326.14	911 562.81	426 382.11	926 756.69
68 50 00	415 801.31	911 604.34	415 865.28	926 798.21
52 30	405 276.48	911 651.40	405 348.44	926 845.26
55 00	394 751.65	911 704.00	394 831.61	926 897.86
57 30	384 226.83	911 762.13	384 314.78	926 955.99
69 00 00	373 702.01	911 825.80	373 797.96	927 019.66

LONGITUDE	LATITUDE 46 25 00 X	LATITUDE 46 25 00 Y	LATITUDE 46 27 30 X	LATITUDE 46 27 30 Y
68 00 00	626 106.03	942 213.63	626 009.95	957 407.71
02 30	615 597.21	942 149.97	615 509.13	957 344.05
05 00	605 088.38	942 091.84	605 008.31	957 285.93
07 30	594 579.55	942 039.25	594 507.49	957 233.34
68 10 00	584 070.71	941 992.19	584 006.66	957 186.29
12 30	573 561.88	941 950.68	573 505.83	957 144.78
15 00	563 053.04	941 914.69	563 005.00	957 108.80
17 30	552 544.20	941 884.25	552 504.17	957 078.35
68 20 00	542 035.37	941 859.34	542 003.34	957 053.44
22 30	531 526.53	941 839.96	531 502.50	957 034.07
25 00	521 017.68	941 826.12	521 001.67	957 020.23
27 30	510 508.84	941 817.82	510 500.84	957 011.93
68 30 00	500 000.00	941 815.05	500 000.00	957 009.16
32 30	489 491.16	941 817.82	489 499.16	957 011.93
35 00	478 982.32	941 826.12	478 998.33	957 020.23
37 30	468 473.47	941 839.96	468 497.50	957 034.07
68 40 00	457 964.63	941 859.34	457 996.66	957 053.44
42 30	447 455.80	941 884.25	447 495.83	957 078.35
45 00	436 946.96	941 914.69	436 995.00	957 108.80
47 30	426 438.12	941 950.68	426 494.17	957 144.78
68 50 00	415 929.29	941 992.19	415 993.34	957 186.29
52 30	405 420.45	942 039.25	405 492.51	957 233.34
55 00	394 911.62	942 091.84	394 991.69	957 285.93
57 30	384 402.79	942 149.97	384 490.87	957 344.05
69 00 00	373 893.97	942 213.63	373 990.05	957 407.71

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 46 15 00 X	LATITUDE 46 15 00 Y	LATITUDE 46 17 30 X	LATITUDE 46 17 30 Y
69 00 00	373 510.31	881 438.42	373 606.13	896 632.06
02 30	362 969.52	881 507.64	363 073.32	896 701.27
05 00	352 428.72	881 582.40	352 540.51	896 776.02
07 30	341 887.94	881 662.70	342 007.71	896 856.31
69 10 00	331 347.15	881 748.53	331 474.91	896 942.14
12 30	320 806.37	881 839.90	320 942.11	897 033.51
15 00	310 265.59	881 936.82	310 409.32	897 130.41
17 30	299 724.82	882 039.27	299 876.53	897 232.86
69 20 00	289 184.05	882 147.25	289 343.75	897 340.84
22 30	278 643.29	882 260.78	278 810.97	897 454.36
25 00	268 102.53	882 379.85	268 278.20	897 573.42
27 30	257 561.77	882 504.47	257 745.43	897 698.03
69 30 00	247 021.02	882 634.62	247 212.67	897 828.17
32 30	236 480.28	882 770.31	236 679.91	897 963.86
35 00	225 939.54	882 911.54	226 147.16	898 105.08
37 30	215 398.81	883 058.31	215 614.42	898 251.84
69 40 00	204 858.09	883 210.62	205 081.68	898 404.14
42 30	194 317.37	883 368.48	194 548.95	898 561.99
45 00	183 776.66	883 531.88	184 016.23	898 725.38
47 30	173 235.95	883 700.82	173 483.51	898 894.31
69 50 00	162 695.25	883 875.31	162 950.80	899 068.79
52 30	152 154.56	884 055.34	152 418.10	899 248.81
55 00	141 613.88	884 240.92	141 885.41	899 434.37
57 30	131 073.21	884 432.04	131 352.72	899 625.48
70 00 00	120 532.54	884 628.70	120 820.04	899 822.13

LONGITUDE	LATITUDE 46 20 00 X	LATITUDE 46 20 00 Y	LATITUDE 46 22 30 X	LATITUDE 46 22 30 Y
69 00 00	373 702.01	911 825.80	373 797.96	927 019.66
02 30	363 177.19	911 895.01	363 281.13	927 088.86
05 00	352 652.37	911 969.76	352 764.31	927 163.61
07 30	342 127.56	912 050.05	342 247.50	927 243.89
69 10 00	331 602.75	912 135.87	331 730.68	927 329.70
12 30	321 077.94	912 227.23	321 213.88	927 421.06
15 00	310 553.14	912 324.13	310 697.07	927 517.95
17 30	300 028.35	912 426.57	300 180.27	927 620.38
69 20 00	289 503.56	912 534.54	289 663.48	927 728.35
22 30	278 978.77	912 648.06	279 146.69	927 841.86
25 00	268 453.99	912 767.11	268 629.91	927 960.90
27 30	257 929.21	912 891.71	258 113.13	928 085.49
69 30 00	247 404.44	913 021.84	247 596.36	928 215.62
32 30	236 879.68	913 157.52	237 079.59	928 351.28
35 00	226 354.92	913 298.73	226 562.83	928 492.49
37 30	215 830.17	913 445.48	216 046.08	928 639.23
69 40 00	205 305.42	913 597.78	205 529.33	928 791.51
42 30	194 780.69	913 755.61	195 012.59	928 949.34
45 00	184 255.96	913 918.99	184 495.86	929 112.70
47 30	173 731.23	914 087.91	173 979.14	929 281.62
69 50 00	163 206.52	914 262.38	163 462.42	929 456.07
52 30	152 681.81	914 442.39	152 945.71	929 636.07
55 00	142 157.11	914 627.94	142 429.01	929 821.61
57 30	131 632.42	914 819.04	131 912.32	930 012.69
70 00 00	121 107.74	915 015.67	121 395.64	930 209.31

LONGITUDE	LATITUDE 46 25 00 X	LATITUDE 46 25 00 Y	LATITUDE 46 27 30 X	LATITUDE 46 27 30 Y
69 00 00	373 893.97	942 213.63	373 990.05	957 407.71
02 30	363 385.15	942 282.83	363 489.24	957 476.91
05 00	352 876.33	942 357.57	352 988.43	957 551.64
07 30	342 367.52	942 437.84	342 487.62	957 631.91
69 10 00	331 858.71	942 523.66	331 986.82	957 717.72
12 30	321 349.90	942 615.00	321 486.02	957 809.06
15 00	310 841.10	942 711.89	310 985.23	957 905.94
17 30	300 332.30	942 814.31	300 484.44	958 008.35
69 20 00	289 823.51	942 922.27	289 983.66	958 116.31
22 30	279 314.72	943 035.77	279 482.88	958 229.80
25 00	268 805.94	943 154.81	268 982.11	958 348.83
27 30	258 297.17	943 279.39	258 481.34	958 473.40
69 30 00	247 788.40	943 409.51	247 980.58	958 603.51
32 30	237 279.64	943 545.17	237 479.83	958 739.15
35 00	226 770.88	943 686.36	226 979.08	958 880.34
37 30	216 262.13	943 833.09	216 478.34	959 027.06
69 40 00	205 753.39	943 985.36	205 977.61	959 179.32
42 30	195 244.65	944 143.18	195 476.88	959 337.12
45 00	184 735.93	944 306.53	184 976.17	959 500.47
47 30	174 227.21	944 475.43	174 475.46	959 669.36
69 50 00	163 718.49	944 649.88	163 974.76	959 843.79
52 30	153 209.79	944 829.86	153 474.07	960 023.76
55 00	142 701.10	945 015.39	142 973.38	960 209.27
57 30	132 192.41	945 206.46	132 472.71	960 400.33
70 00 00	121 683.74	945 403.07	121 972.05	960 596.93

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE X 46 30 00	Y	LATITUDE X 46 32 30	Y
67 00 00	877 739.46	975 790.88	877 450.75	990 984.95
02 30	867 246.81	975 594.30	866 966.12	990 788.38
05 00	856 754.15	975 403.26	856 481.49	990 597.35
07 30	846 261.49	975 217.76	845 996.85	990 411.87
67 10 00	835 768.81	975 037.80	835 512.20	990 231.92
12 30	825 276.13	974 863.38	825 027.53	990 057.52
15 00	814 783.44	974 694.51	814 542.86	989 888.66
17 30	804 290.73	974 531.17	804 058.18	989 725.33
67 20 00	793 798.02	974 373.38	793 573.49	989 567.55
22 30	783 305.31	974 221.13	783 088.80	989 415.32
25 00	772 812.58	974 074.42	772 604.09	989 268.62
27 30	762 319.85	973 933.25	762 119.38	989 127.45
67 30 00	751 827.11	973 797.61	751 634.66	988 991.83
32 30	741 334.37	973 667.51	741 149.94	988 861.74
35 00	730 841.61	973 542.95	730 665.20	988 737.19
37 30	720 348.86	973 423.93	720 180.47	988 618.17
67 40 00	709 856.09	973 310.45	709 695.72	988 504.70
42 30	699 363.32	973 202.50	699 210.97	988 396.76
45 00	688 870.55	973 100.09	688 726.22	988 294.36
47 30	678 377.77	973 003.22	678 241.45	988 197.49
67 50 00	667 884.98	972 911.88	667 756.69	988 106.17
52 30	657 392.19	972 826.08	657 271.92	988 020.37
55 00	646 899.40	972 745.82	646 787.14	987 940.12
57 30	636 406.60	972 671.09	636 302.36	987 865.39
68 00 00	625 913.80	972 601.90	625 817.58	987 796.21

LONGITUDE	LATITUDE X 46 35 00	Y	LATITUDE X 46 37 30	Y
67 00 00	877 161.85	1 006 179.12	876 872.73	1 021 373.40
02 30	866 685.25	1 005 982.57	866 404.17	1 021 176.86
05 00	856 208.65	1 005 791.55	855 935.60	1 020 985.86
07 30	845 732.03	1 005 606.08	845 467.02	1 020 800.40
67 10 00	835 255.40	1 005 426.15	834 998.43	1 020 620.49
12 30	824 778.77	1 005 251.76	824 529.82	1 020 446.11
15 00	814 302.12	1 005 082.91	814 061.21	1 020 277.27
17 30	803 825.47	1 004 919.60	803 592.59	1 020 113.98
67 20 00	793 348.81	1 004 761.83	793 123.96	1 019 956.22
22 30	782 872.14	1 004 609.60	782 655.33	1 019 804.01
25 00	772 395.46	1 004 462.92	772 186.68	1 019 657.33
27 30	761 918.78	1 004 321.76	761 718.03	1 019 516.19
67 30 00	751 442.08	1 004 186.15	751 249.36	1 019 380.58
32 30	740 965.38	1 004 056.07	740 780.70	1 019 250.51
35 00	730 488.68	1 003 931.53	730 312.02	1 019 125.98
37 30	720 011.96	1 003 812.52	719 843.34	1 019 006.99
67 40 00	709 535.24	1 003 699.06	709 374.65	1 018 893.53
42 30	699 058.52	1 003 591.13	698 905.95	1 018 785.61
45 00	688 581.79	1 003 488.74	688 437.25	1 018 683.23
47 30	678 105.05	1 003 391.88	677 968.55	1 018 586.37
67 50 00	667 628.31	1 003 300.56	667 499.84	1 018 495.06
52 30	657 151.56	1 003 214.77	657 031.12	1 018 409.28
55 00	646 674.81	1 003 134.52	646 562.40	1 018 329.04
57 30	636 198.06	1 003 059.80	636 093.67	1 018 254.33
68 00 00	625 721.30	1 002 990.62	625 624.94	1 018 185.15

LONGITUDE	LATITUDE X 46 40 00	Y	LATITUDE X 46 42 30	Y
67 00 00	876 583.43	1 036 567.77	876 293.92	1 051 762.26
02 30	866 122.91	1 036 371.25	865 841.44	1 051 565.76
05 00	855 662.38	1 036 180.27	855 388.96	1 051 374.79
07 30	845 201.83	1 035 994.83	844 936.46	1 051 189.36
67 10 00	834 741.28	1 035 814.93	834 483.95	1 051 009.48
12 30	824 280.72	1 035 640.56	824 031.43	1 050 835.13
15 00	813 820.14	1 035 471.74	813 578.90	1 050 666.32
17 30	803 359.56	1 035 308.46	803 126.36	1 050 503.05
67 20 00	792 898.97	1 035 150.71	792 673.81	1 050 345.32
22 30	782 438.37	1 034 998.51	782 221.26	1 050 193.13
25 00	771 977.76	1 034 851.85	771 768.69	1 050 046.48
27 30	761 517.14	1 034 710.72	761 316.12	1 049 905.36
67 30 00	751 056.52	1 034 575.12	750 863.53	1 049 769.78
32 30	740 595.89	1 034 445.06	740 410.94	1 049 639.73
35 00	730 135.25	1 034 320.54	729 958.35	1 049 515.22
37 30	719 674.60	1 034 201.56	719 505.74	1 049 396.24
67 40 00	709 213.95	1 034 088.11	709 053.13	1 049 282.80
42 30	698 753.29	1 033 980.20	698 600.52	1 049 174.90
45 00	688 292.63	1 033 877.82	688 147.89	1 049 072.53
47 30	677 831.95	1 033 780.98	677 695.26	1 048 975.70
67 50 00	667 371.28	1 033 689.67	667 242.63	1 048 884.40
52 30	656 910.60	1 033 603.90	656 789.99	1 048 798.63
55 00	646 449.91	1 033 523.66	646 337.35	1 048 718.40
57 30	635 989.22	1 033 448.96	635 884.70	1 048 643.70
68 00 00	625 528.53	1 033 379.79	625 432.04	1 048 574.54

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 46 30 00 X	LATITUDE 46 30 00 Y	LATITUDE 46 32 30 X	LATITUDE 46 32 30 Y
68 00 00	625 913.80	972 601.90	625 817.58	987 796.21
02 30	615 420.99	972 538.25	615 332.79	987 732.56
05 00	604 928.19	972 480.13	604 848.01	987 674.44
07 30	594 435.38	972 427.55	594 363.21	987 621.86
68 10 00	583 942.56	972 380.50	583 878.42	987 574.82
12 30	573 449.75	972 338.99	573 393.62	987 533.31
15 00	562 956.93	972 303.01	562 908.82	987 497.34
17 30	552 464.11	972 272.57	552 424.02	987 466.90
68 20 00	541 971.29	972 247.66	541 939.22	987 441.99
22 30	531 478.47	972 228.29	531 454.41	987 422.62
25 00	520 985.65	972 214.45	520 969.61	987 408.78
27 30	510 492.82	972 206.15	510 484.81	987 400.48
68 30 00	500 000.00	972 203.38	500 000.00	987 397.72
32 30	489 507.18	972 206.15	489 515.19	987 400.48
35 00	479 014.35	972 214.45	479 030.39	987 408.78
37 30	468 521.53	972 228.29	468 545.59	987 422.62
68 40 00	458 028.71	972 247.66	458 060.78	987 441.99
42 30	447 535.89	972 272.57	447 575.98	987 466.90
45 00	437 043.07	972 303.01	437 091.18	987 497.34
47 30	426 550.25	972 338.99	426 606.38	987 533.31
68 50 00	416 057.44	972 380.50	416 121.58	987 574.82
52 30	405 564.62	972 427.55	405 636.79	987 621.86
55 00	395 071.81	972 480.13	395 151.99	987 674.44
57 30	384 579.01	972 538.25	384 667.21	987 732.56
69 00 00	374 086.20	972 601.90	374 182.42	987 796.21

LONGITUDE	LATITUDE 46 35 00 X	LATITUDE 46 35 00 Y	LATITUDE 46 37 30 X	LATITUDE 46 37 30 Y
68 00 00	625 721.30	1 002 990.62	625 624.94	1 018 185.15
02 30	615 244.54	1 002 926.98	615 156.21	1 018 121.51
05 00	604 767.77	1 002 868.87	604 687.48	1 018 063.41
07 30	594 291.00	1 002 816.29	594 218.74	1 018 010.83
68 10 00	583 814.23	1 002 769.25	583 750.00	1 017 963.80
12 30	573 337.46	1 002 727.75	573 281.25	1 017 922.30
15 00	562 860.68	1 002 691.77	562 812.51	1 017 886.33
17 30	552 383.90	1 002 661.34	552 343.76	1 017 855.89
68 20 00	541 907.12	1 002 636.43	541 875.01	1 017 830.99
22 30	531 430.34	1 002 617.06	531 406.26	1 017 811.62
25 00	520 953.56	1 002 603.23	520 937.51	1 017 797.79
27 30	510 476.78	1 002 594.93	510 468.75	1 017 789.49
68 30 00	500 000.00	1 002 592.16	500 000.00	1 017 786.72
32 30	489 523.22	1 002 594.93	489 531.25	1 017 789.49
35 00	479 046.44	1 002 603.23	479 062.49	1 017 797.79
37 30	468 569.66	1 002 617.06	468 593.74	1 017 811.62
68 40 00	458 092.88	1 002 636.43	458 124.99	1 017 830.99
42 30	447 616.10	1 002 661.34	447 656.24	1 017 855.89
45 00	437 139.32	1 002 691.77	437 187.49	1 017 886.33
47 30	426 662.54	1 002 727.75	426 718.75	1 017 922.30
68 50 00	416 185.77	1 002 769.25	416 250.00	1 017 963.80
52 30	405 709.00	1 002 816.29	405 781.26	1 018 010.83
55 00	395 232.23	1 002 868.87	395 312.52	1 018 063.41
57 30	384 755.46	1 002 926.98	384 843.79	1 018 121.51
69 00 00	374 278.70	1 002 990.62	374 375.06	1 018 185.15

LONGITUDE	LATITUDE 46 40 00 X	LATITUDE 46 40 00 Y	LATITUDE 46 42 30 X	LATITUDE 46 42 30 Y
68 00 00	625 528.53	1 033 379.79	625 432.04	1 048 574.54
02 30	615 067.83	1 033 316.15	614 979.39	1 048 510.91
05 00	604 607.13	1 033 258.05	604 526.73	1 048 452.82
07 30	594 146.43	1 033 205.49	594 074.06	1 048 400.25
68 10 00	583 685.72	1 033 158.45	583 621.40	1 048 353.22
12 30	573 225.01	1 033 116.95	573 168.73	1 048 311.73
15 00	562 764.30	1 033 080.99	562 716.06	1 048 275.77
17 30	552 303.58	1 033 050.56	552 263.38	1 048 245.34
68 20 00	541 842.87	1 033 025.66	541 810.71	1 048 220.44
22 30	531 382.15	1 033 006.29	531 358.03	1 048 201.07
25 00	520 921.44	1 032 992.46	520 905.36	1 048 187.24
27 30	510 460.72	1 032 984.16	510 452.68	1 048 178.94
68 30 00	500 000.00	1 032 981.39	500 000.00	1 048 176.18
32 30	489 539.28	1 032 984.16	489 547.32	1 048 178.94
35 00	479 078.56	1 032 992.46	479 094.64	1 048 187.24
37 30	468 617.85	1 033 006.29	468 641.97	1 048 201.07
68 40 00	458 157.13	1 033 025.66	458 189.29	1 048 220.44
42 30	447 696.42	1 033 050.56	447 736.62	1 048 245.34
45 00	437 235.70	1 033 080.99	437 283.94	1 048 275.77
47 30	426 774.99	1 033 116.95	426 831.27	1 048 311.73
68 50 00	416 314.28	1 033 158.45	416 378.60	1 048 353.22
52 30	405 853.57	1 033 205.49	405 925.94	1 048 400.25
55 00	395 392.87	1 033 258.05	395 473.27	1 048 452.82
57 30	384 932.17	1 033 316.15	385 020.61	1 048 510.91
69 00 00	374 471.47	1 033 379.79	374 567.96	1 048 574.54

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 46 30 00 X	LATITUDE 46 30 00 Y	LATITUDE 46 32 30 X	LATITUDE 46 32 30 Y
69 00 00	374 086.20	972 601.90	374 182.42	987 796.21
02 30	363 593.40	972 671.09	363 697.64	987 865.39
05 00	353 100.60	972 745.82	353 212.86	987 940.12
07 30	342 607.81	972 826.08	342 728.08	988 020.37
69 10 00	332 115.02	972 911.88	332 243.31	988 106.17
12 30	321 622.23	973 003.22	321 758.55	988 197.49
15 00	311 129.45	973 100.09	311 273.78	988 294.36
17 30	300 636.68	973 202.50	300 789.03	988 396.76
69 20 00	290 143.91	973 310.45	290 304.28	988 504.70
22 30	279 651.14	973 423.93	279 819.53	988 618.17
25 00	269 158.39	973 542.95	269 334.80	988 737.19
27 30	258 665.63	973 667.51	258 850.06	988 861.74
69 30 00	248 172.89	973 797.61	248 365.34	988 991.83
32 30	237 680.15	973 933.25	237 880.62	989 127.45
35 00	227 187.42	974 074.42	227 395.91	989 268.62
37 30	216 694.69	974 221.13	216 911.20	989 415.32
69 40 00	206 201.98	974 373.38	206 426.51	989 567.55
42 30	195 709.27	974 531.17	195 941.82	989 725.33
45 00	185 216.56	974 694.51	185 457.14	989 888.66
47 30	174 723.87	974 863.38	174 972.47	990 057.52
69 50 00	164 231.19	975 037.80	164 487.80	990 231.92
52 30	153 738.51	975 217.76	154 003.15	990 411.87
55 00	143 245.85	975 403.26	143 518.51	990 597.35
57 30	132 753.19	975 594.30	133 033.88	990 788.38
70 00 00	122 260.54	975 790.88	122 549.25	990 984.95

LONGITUDE	LATITUDE 46 35 00 X	LATITUDE 46 35 00 Y	LATITUDE 46 37 30 X	LATITUDE 46 37 30 Y
69 00 00	374 278.70	1 002 990.62	374 375.06	1 018 185.15
02 30	363 801.94	1 003 059.80	363 906.33	1 018 254.33
05 00	353 325.19	1 003 134.52	353 437.60	1 018 329.04
07 30	342 848.44	1 003 214.77	342 968.88	1 018 409.28
69 10 00	332 371.69	1 003 300.56	332 500.16	1 018 495.06
12 30	321 894.95	1 003 391.88	322 031.45	1 018 586.37
15 00	311 418.21	1 003 488.74	311 562.75	1 018 683.23
17 30	300 941.48	1 003 591.13	301 094.05	1 018 785.61
69 20 00	290 464.76	1 003 699.06	290 625.35	1 018 893.53
22 30	279 988.04	1 003 812.52	280 156.66	1 019 006.99
25 00	269 511.32	1 003 931.53	269 687.98	1 019 125.98
27 30	259 034.62	1 004 056.07	259 219.30	1 019 250.51
69 30 00	248 557.92	1 004 186.15	248 750.64	1 019 380.58
32 30	238 081.22	1 004 321.76	238 281.97	1 019 516.19
35 00	227 604.54	1 004 462.92	227 813.32	1 019 657.33
37 30	217 127.86	1 004 609.60	217 344.67	1 019 804.01
69 40 00	206 651.19	1 004 761.83	206 876.04	1 019 956.22
42 30	196 174.53	1 004 919.60	196 407.41	1 020 113.98
45 00	185 697.88	1 005 082.91	185 938.79	1 020 277.27
47 30	175 221.23	1 005 251.76	175 470.18	1 020 446.11
69 50 00	164 744.60	1 005 426.15	165 001.57	1 020 620.49
52 30	154 267.97	1 005 606.08	154 532.98	1 020 800.40
55 00	143 791.35	1 005 791.55	144 064.40	1 020 985.86
57 30	133 314.75	1 005 982.57	133 595.83	1 021 176.86
70 00 00	122 838.15	1 006 179.12	123 127.27	1 021 373.40

LONGITUDE	LATITUDE 46 40 00 X	LATITUDE 46 40 00 Y	LATITUDE 46 42 30 X	LATITUDE 46 42 30 Y
69 00 00	374 471.47	1 033 379.79	374 567.96	1 048 574.54
02 30	364 010.78	1 033 448.96	364 115.30	1 048 643.70
05 00	353 550.09	1 033 523.66	353 662.65	1 048 718.40
07 30	343 089.40	1 033 603.90	343 210.01	1 048 798.63
69 10 00	332 628.72	1 033 689.67	332 757.37	1 048 884.40
12 30	322 168.05	1 033 780.98	322 304.74	1 048 975.70
15 00	311 707.37	1 033 877.82	311 852.11	1 049 072.53
17 30	301 246.71	1 033 980.20	301 399.48	1 049 174.90
69 20 00	290 786.05	1 034 088.11	290 946.87	1 049 282.80
22 30	280 325.40	1 034 201.56	280 494.26	1 049 396.24
25 00	269 864.75	1 034 320.54	270 041.65	1 049 515.22
27 30	259 404.11	1 034 445.06	259 589.06	1 049 639.73
69 30 00	248 943.48	1 034 575.12	249 136.47	1 049 769.78
32 30	238 482.86	1 034 710.72	238 683.88	1 049 905.36
35 00	228 022.24	1 034 851.85	228 231.31	1 050 046.48
37 30	217 561.63	1 034 998.51	217 778.74	1 050 193.13
69 40 00	207 101.03	1 035 150.71	207 326.19	1 050 345.32
42 30	196 640.44	1 035 308.46	196 873.64	1 050 503.05
45 00	186 179.86	1 035 471.74	186 421.10	1 050 666.32
47 30	175 719.28	1 035 640.56	175 968.57	1 050 835.13
69 50 00	165 258.72	1 035 814.93	165 516.05	1 051 009.48
52 30	154 798.17	1 035 994.83	155 063.54	1 051 189.36
55 00	144 337.62	1 036 180.27	144 611.04	1 051 374.79
57 30	133 877.09	1 036 371.25	134 158.56	1 051 565.76
70 00 00	123 416.57	1 036 567.77	123 706.08	1 051 762.86

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 46 30 00 X	LATITUDE 46 30 00 Y	LATITUDE 46 32 30 X	LATITUDE 46 32 30 Y
70 00 00	122 260.54	975 790.88	122 549.25	990 984.95
02 30	111 767.91	975 993.01	112 064.64	991 187.06
05 00	101 275.28	976 200.68	101 580.03	991 394.71
07 30	90 782.66	976 413.89	91 095.44	991 607.91
70 10 00	80 290.06	976 632.65	80 610.86	991 826.65

LONGITUDE	LATITUDE 46 35 00 X	LATITUDE 46 35 00 Y	LATITUDE 46 37 30 X	LATITUDE 46 37 30 Y
70 00 00	122 838.15	1 006 179.12	123 127.27	1 021 373.40
02 30	112 361.57	1 006 381.21	112 658.72	1 021 575.48
05 00	101 884.99	1 006 588.85	102 190.18	1 021 783.09
07 30	91 408.43	1 006 802.03	91 721.65	1 021 996.26
70 10 00	80 931.88	1 007 020.76	81 253.13	1 022 214.97

LONGITUDE	LATITUDE 46 40 00 X	LATITUDE 46 40 00 Y	LATITUDE 46 42 30 X	LATITUDE 46 42 30 Y
70 00 00	123 416.57	1 036 567.77	123 706.08	1 051 762.26
02 30	112 956.06	1 036 769.84	113 253.61	1 051 964.31
05 00	102 495.56	1 036 977.44	102 801.16	1 052 171.89
07 30	92 035.07	1 037 190.58	92 348.72	1 052 385.02
70 10 00	81 574.59	1 037 409.28	81 896.29	1 052 603.69

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 46 45 00 X	LATITUDE 46 45 00 Y	LATITUDE 46 47 30 X	LATITUDE 46 47 30 Y
67 00 00	876 004.22	1 066 956.85	875 714.30	1 082 151.54
02 30	865 559.79	1 066 760.36	865 277.93	1 081 955.07
05 00	855 115.36	1 066 569.41	854 841.55	1 081 764.14
07 30	844 670.91	1 066 384.00	844 405.16	1 081 578.74
67 10 00	834 226.45	1 066 204.13	833 968.76	1 081 398.89
12 30	823 781.98	1 066 029.79	823 532.34	1 081 224.57
15 00	813 337.50	1 065 861.00	813 095.92	1 081 055.79
17 30	802 893.01	1 065 697.74	802 659.48	1 080 892.55
67 20 00	792 448.51	1 065 540.03	792 223.04	1 080 734.85
22 30	782 004.00	1 065 387.85	781 786.58	1 080 582.68
25 00	771 559.48	1 065 241.21	771 350.12	1 080 436.06
27 30	761 114.96	1 065 100.10	760 913.65	1 080 294.96
67 30 00	750 670.42	1 064 964.53	750 477.17	1 080 159.40
32 30	740 225.88	1 064 834.50	740 040.68	1 080 029.38
35 00	729 781.33	1 064 710.00	729 604.18	1 079 904.89
37 30	719 336.77	1 064 591.03	719 167.68	1 079 785.93
67 40 00	708 892.21	1 064 477.60	708 731.17	1 079 672.52
42 30	698 447.64	1 064 369.71	698 294.65	1 079 564.63
45 00	688 003.07	1 064 267.35	687 858.13	1 079 462.28
47 30	677 558.48	1 064 170.52	677 421.60	1 079 365.46
67 50 00	667 113.90	1 064 079.23	666 985.06	1 079 274.18
52 30	656 669.30	1 063 993.47	656 548.52	1 079 188.43
55 00	646 224.70	1 063 913.25	646 111.98	1 079 108.21
57 30	635 780.10	1 063 838.56	635 675.43	1 079 033.53
68 00 00	625 335.49	1 063 769.40	625 238.87	1 078 964.38

LONGITUDE	LATITUDE 46 50 00 X	LATITUDE 46 50 00 Y	LATITUDE 46 52 30 X	LATITUDE 46 52 30 Y
67 00 00	875 424.20	1 097 346.34	875 133.89	1 112 541.25
02 30	864 995.89	1 097 149.89	864 713.64	1 112 344.81
05 00	854 567.57	1 096 958.97	854 293.39	1 112 153.91
07 30	844 139.24	1 096 773.59	843 873.13	1 111 968.55
67 10 00	833 710.90	1 096 593.75	833 452.85	1 111 788.73
12 30	823 282.54	1 096 419.45	823 032.56	1 111 614.44
15 00	812 854.18	1 096 250.69	812 612.26	1 111 445.69
17 30	802 425.80	1 096 087.46	802 191.96	1 111 282.48
67 20 00	791 997.42	1 095 929.77	791 771.64	1 111 124.81
22 30	781 569.03	1 095 777.62	781 351.31	1 110 972.67
25 00	771 140.62	1 095 631.01	770 930.97	1 110 826.07
27 30	760 712.21	1 095 489.93	760 510.62	1 110 685.00
67 30 00	750 283.79	1 095 354.38	750 090.27	1 110 549.47
32 30	739 855.36	1 095 224.37	739 669.90	1 110 419.47
35 00	729 426.92	1 095 099.89	729 249.53	1 110 295.00
37 30	718 998.48	1 094 980.95	718 829.15	1 110 176.07
67 40 00	708 570.03	1 094 867.54	708 408.76	1 110 062.67
42 30	698 141.57	1 094 759.66	697 988.37	1 109 954.81
45 00	687 713.10	1 094 657.32	687 567.97	1 109 852.47
47 30	677 284.63	1 094 560.51	677 147.56	1 109 755.67
67 50 00	666 856.15	1 094 469.24	666 727.14	1 109 664.41
52 30	656 427.67	1 094 383.49	656 306.72	1 109 578.67
55 00	645 999.18	1 094 303.28	645 886.30	1 109 498.47
57 30	635 570.69	1 094 228.61	635 465.87	1 109 423.80
68 00 00	625 142.19	1 094 159.46	625 045.44	1 109 354.66

LONGITUDE	LATITUDE 46 55 00 X	LATITUDE 46 55 00 Y	LATITUDE 46 57 30 X	LATITUDE 46 57 30 Y
67 00 00	874 843.39	1 127 736.26	874 552.67	1 142 931.37
02 30	864 431.22	1 127 539.84	864 148.58	1 142 734.97
05 00	854 019.04	1 127 348.96	853 744.48	1 142 544.11
07 30	843 606.84	1 127 163.62	843 340.36	1 142 358.79
67 10 00	833 194.64	1 126 983.81	832 936.24	1 142 179.00
12 30	822 782.42	1 126 809.54	822 532.10	1 142 004.74
15 00	812 370.20	1 126 640.80	812 127.95	1 141 836.03
17 30	801 957.96	1 126 477.61	801 723.79	1 141 672.85
67 20 00	791 545.71	1 126 319.95	791 319.62	1 141 515.20
22 30	781 133.45	1 126 167.83	780 915.44	1 141 363.10
25 00	770 721.18	1 126 021.24	770 511.24	1 141 216.52
27 30	760 308.91	1 125 880.19	760 107.04	1 141 075.48
67 30 00	749 896.62	1 125 744.66	749 702.83	1 140 939.97
32 30	739 484.33	1 125 614.68	739 298.61	1 140 810.00
35 00	729 072.02	1 125 490.22	728 894.39	1 140 685.55
37 30	718 659.71	1 125 371.30	718 490.15	1 140 566.64
67 40 00	708 247.40	1 125 257.91	708 085.91	1 140 453.26
42 30	697 835.07	1 125 150.06	697 681.66	1 140 345.42
45 00	687 422.74	1 125 047.74	687 277.40	1 140 243.11
47 30	677 010.40	1 124 950.94	676 873.14	1 140 146.33
67 50 00	666 598.05	1 124 859.69	666 468.87	1 140 055.08
52 30	656 185.70	1 124 773.96	656 064.59	1 139 969.36
55 00	645 773.35	1 124 693.76	645 660.31	1 139 889.17
57 30	635 360.99	1 124 619.10	635 256.02	1 139 814.51
68 00 00	624 948.62	1 124 549.97	624 851.73	1 139 745.39

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 46 45 00 X	LATITUDE 46 45 00 Y	LATITUDE 46 47 30 X	LATITUDE 46 47 30 Y
68 00 00	625 335.49	1 063 769.40	625 238.87	1 078 964.38
02 30	614 890.88	1 063 705.78	614 802.31	1 078 900.76
05 00	604 446.27	1 063 647.69	604 365.75	1 078 842.67
07 30	594 001.65	1 063 595.13	593 929.19	1 078 790.12
68 10 00	583 557.03	1 063 548.10	583 492.62	1 078 743.10
12 30	573 112.41	1 063 506.61	573 056.05	1 078 701.61
15 00	562 667.78	1 063 470.65	562 619.47	1 078 665.65
17 30	552 223.15	1 063 440.22	552 182.90	1 078 635.23
68 20 00	541 778.53	1 063 415.33	541 746.32	1 078 610.34
22 30	531 333.90	1 063 395.97	531 309.74	1 078 590.97
25 00	520 889.26	1 063 382.13	520 873.16	1 078 577.14
27 30	510 444.63	1 063 373.84	510 436.58	1 078 568.85
68 30 00	500 000.00	1 063 371.07	500 000.00	1 078 566.08
32 30	489 555.37	1 063 373.84	489 563.42	1 078 568.85
35 00	479 110.74	1 063 382.13	479 126.84	1 078 577.14
37 30	468 666.10	1 063 395.97	468 690.26	1 078 590.97
68 40 00	458 221.47	1 063 415.33	458 253.68	1 078 610.34
42 30	447 776.85	1 063 440.22	447 817.10	1 078 635.23
45 00	437 332.22	1 063 470.65	437 380.53	1 078 665.65
47 30	426 887.59	1 063 506.61	426 943.95	1 078 701.61
68 50 00	416 442.97	1 063 548.10	416 507.38	1 078 743.10
52 30	405 998.35	1 063 595.13	406 070.81	1 078 790.12
55 00	395 553.73	1 063 647.69	395 634.25	1 078 842.67
57 30	385 109.12	1 063 705.78	385 197.69	1 078 900.76
69 00 00	374 664.51	1 063 769.40	374 761.13	1 078 964.38

LONGITUDE	LATITUDE 46 50 00 X	LATITUDE 46 50 00 Y	LATITUDE 46 52 30 X	LATITUDE 46 52 30 Y
68 00 00	625 142.19	1 094 159.46	625 045.44	1 109 354.66
02 30	614 713.69	1 094 095.85	614 625.00	1 109 291.05
05 00	604 285.18	1 094 037.77	604 204.56	1 109 232.98
07 30	593 856.68	1 093 985.22	593 784.11	1 109 180.43
68 10 00	583 428.16	1 093 938.20	583 363.66	1 109 133.42
12 30	572 999.65	1 093 896.72	572 943.21	1 109 091.94
15 00	562 571.13	1 093 860.76	562 522.76	1 109 055.99
17 30	552 142.61	1 093 830.34	552 102.30	1 109 025.57
68 20 00	541 714.09	1 093 805.45	541 681.84	1 109 000.68
22 30	531 285.57	1 093 786.09	531 261.38	1 108 981.32
25 00	520 857.05	1 093 772.26	520 840.92	1 108 967.50
27 30	510 428.52	1 093 763.97	510 420.46	1 108 959.20
68 30 00	500 000.00	1 093 761.20	500 000.00	1 108 956.44
32 30	489 571.48	1 093 763.97	489 579.54	1 108 959.20
35 00	479 142.95	1 093 772.26	479 159.08	1 108 967.50
37 30	468 714.43	1 093 786.09	468 738.62	1 108 981.32
68 40 00	458 285.91	1 093 805.45	458 318.16	1 109 000.68
42 30	447 857.39	1 093 830.34	447 897.70	1 109 025.57
45 00	437 428.87	1 093 860.76	437 477.24	1 109 055.99
47 30	427 000.35	1 093 896.72	427 056.79	1 109 091.94
68 50 00	416 571.84	1 093 938.20	416 636.34	1 109 133.42
52 30	406 143.32	1 093 985.28	406 215.89	1 109 180.43
55 00	395 714.82	1 094 037.77	395 795.44	1 109 232.98
57 30	385 286.31	1 094 095.85	385 375.00	1 109 291.05
69 00 00	374 857.81	1 094 159.46	374 954.56	1 109 354.66

LONGITUDE	LATITUDE 46 55 00 X	LATITUDE 46 55 00 Y	LATITUDE 46 57 30 X	LATITUDE 46 57 30 Y
68 00 00	624 948.62	1 124 549.97	624 851.73	1 139 745.39
02 30	614 536.25	1 124 486.37	614 447.44	1 139 681.79
05 00	604 123.88	1 124 428.30	604 043.14	1 139 623.73
07 30	593 711.50	1 124 375.76	593 638.84	1 139 571.20
68 10 00	583 299.12	1 124 328.75	583 234.53	1 139 524.19
12 30	572 886.74	1 124 287.27	572 830.82	1 139 482.72
15 00	562 474.35	1 124 251.33	562 425.91	1 139 446.78
17 30	552 061.96	1 124 220.91	552 021.59	1 139 416.36
68 20 00	541 649.57	1 124 196.02	541 617.28	1 139 391.48
22 30	531 237.18	1 124 176.67	531 212.96	1 139 372.12
25 00	520 824.79	1 124 162.84	520 808.64	1 139 358.30
27 30	510 412.39	1 124 154.54	510 404.32	1 139 350.00
68 30 00	500 000.00	1 124 151.78	500 000.00	1 139 347.24
32 30	489 587.61	1 124 154.54	489 595.68	1 139 350.00
35 00	479 175.21	1 124 162.84	479 191.36	1 139 358.30
37 30	468 762.82	1 124 176.67	468 787.04	1 139 372.12
68 40 00	458 350.43	1 124 196.02	458 382.72	1 139 391.48
42 30	447 938.04	1 124 220.91	447 978.41	1 139 416.36
45 00	437 525.65	1 124 251.33	437 574.09	1 139 446.78
47 30	427 113.26	1 124 287.27	427 169.78	1 139 482.72
68 50 00	416 700.88	1 124 328.75	416 765.47	1 139 524.19
52 30	406 288.50	1 124 375.76	406 361.16	1 139 571.20
55 00	395 876.12	1 124 428.30	395 956.86	1 139 623.73
57 30	385 463.75	1 124 486.37	385 552.56	1 139 681.79
69 00 00	375 051.38	1 124 549.97	375 148.27	1 139 745.39

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 46 45 00 X	LATITUDE 46 45 00 Y	LATITUDE 46 47 30 X	LATITUDE 46 47 30 Y
69 00 00	374 664.51	1 063 769.40	374 761.13	1 078 964.38
02 30	364 219.90	1 063 838.56	364 324.57	1 079 033.53
05 00	353 775.30	1 063 913.25	353 888.02	1 079 108.21
07 30	343 330.70	1 063 993.47	343 451.48	1 079 188.43
69 10 00	332 886.10	1 064 079.23	333 014.94	1 079 274.18
12 30	322 441.52	1 064 170.52	322 578.40	1 079 365.46
15 00	311 996.93	1 064 267.35	312 141.87	1 079 462.28
17 30	301 552.36	1 064 369.71	301 705.35	1 079 564.63
69 20 00	291 107.79	1 064 477.60	291 268.83	1 079 672.52
22 30	280 663.23	1 064 591.03	280 832.32	1 079 785.93
25 00	270 218.67	1 064 710.00	270 395.82	1 079 904.89
27 30	259 774.12	1 064 834.50	259 959.32	1 080 029.38
69 30 00	249 329.58	1 064 964.53	249 522.83	1 080 159.40
32 30	238 885.04	1 065 100.10	239 086.35	1 080 294.96
35 00	228 440.52	1 065 241.21	228 649.88	1 080 436.06
37 30	217 996.00	1 065 387.85	218 213.42	1 080 582.68
69 40 00	207 551.49	1 065 540.03	207 776.96	1 080 734.85
42 30	197 106.99	1 065 697.74	197 340.52	1 080 892.55
45 00	186 662.50	1 065 861.00	186 904.08	1 081 055.79
47 30	176 218.02	1 066 029.79	176 467.66	1 081 224.57
69 50 00	165 773.55	1 066 204.13	166 031.24	1 081 398.89
52 30	155 329.09	1 066 384.00	155 594.84	1 081 578.74
55 00	144 884.64	1 066 569.41	145 158.45	1 081 764.14
57 30	134 440.21	1 066 760.36	134 722.07	1 081 955.07
70 00 00	123 995.78	1 066 956.85	124 285.70	1 082 151.54

LONGITUDE	LATITUDE 46 50 00 X	LATITUDE 46 50 00 Y	LATITUDE 46 52 30 X	LATITUDE 46 52 30 Y
69 00 00	374 857.81	1 094 159.46	374 954.56	1 109 354.66
02 30	364 429.31	1 094 228.61	364 534.13	1 109 423.80
05 00	354 000.82	1 094 303.28	354 113.70	1 109 498.47
07 30	343 572.33	1 094 383.49	343 693.28	1 109 578.67
69 10 00	333 143.85	1 094 469.24	333 272.86	1 109 664.41
12 30	322 715.37	1 094 560.51	322 852.44	1 109 755.67
15 00	312 286.90	1 094 657.32	312 432.03	1 109 852.47
17 30	301 858.43	1 094 759.66	302 011.63	1 109 954.81
69 20 00	291 429.97	1 094 867.54	291 591.24	1 110 062.67
22 30	281 001.52	1 094 980.95	281 170.85	1 110 176.07
25 00	270 573.08	1 095 099.89	270 750.47	1 110 295.00
27 30	260 144.64	1 095 224.37	260 330.10	1 110 419.47
69 30 00	249 716.21	1 095 354.38	249 909.73	1 110 549.47
32 30	239 287.79	1 095 489.93	239 489.38	1 110 685.00
35 00	228 859.38	1 095 631.01	229 069.03	1 110 826.07
37 30	218 430.97	1 095 777.62	218 648.69	1 110 972.67
69 40 00	208 002.58	1 095 929.77	208 228.36	1 111 124.81
42 30	197 574.20	1 096 087.46	197 808.04	1 111 282.48
45 00	187 145.82	1 096 250.69	187 387.74	1 111 445.69
47 30	176 717.46	1 096 419.45	176 967.44	1 111 614.44
69 50 00	166 289.10	1 096 593.75	166 547.15	1 111 788.73
52 30	155 860.76	1 096 773.59	156 126.87	1 111 968.55
55 00	145 432.43	1 096 958.97	145 706.61	1 112 153.91
57 30	135 004.11	1 097 149.89	135 286.36	1 112 344.81
70 00 00	124 575.80	1 097 346.34	124 866.11	1 112 541.25

LONGITUDE	LATITUDE 46 55 00 X	LATITUDE 46 55 00 Y	LATITUDE 46 57 30 X	LATITUDE 46 57 30 Y
69 00 00	375 051.38	1 124 549.97	375 148.27	1 139 745.39
02 30	364 639.01	1 124 619.10	364 743.98	1 139 814.51
05 00	354 226.65	1 124 693.76	354 339.69	1 139 889.17
07 30	343 814.30	1 124 773.96	343 935.41	1 139 969.36
69 10 00	333 401.95	1 124 859.69	333 531.13	1 140 055.08
12 30	322 989.60	1 124 950.94	323 126.86	1 140 146.33
15 00	312 577.26	1 125 047.74	312 722.60	1 140 243.11
17 30	302 164.93	1 125 150.06	302 318.34	1 140 345.42
69 20 00	291 752.60	1 125 257.91	291 914.09	1 140 453.26
22 30	281 340.29	1 125 371.30	281 509.85	1 140 566.64
25 00	270 927.98	1 125 490.22	271 105.61	1 140 685.55
27 30	260 515.67	1 125 614.68	260 701.39	1 140 810.00
69 30 00	250 103.38	1 125 744.66	250 297.17	1 140 939.97
32 30	239 691.09	1 125 880.19	239 892.96	1 141 075.48
35 00	229 278.82	1 126 021.24	229 488.76	1 141 216.52
37 30	218 866.55	1 126 167.83	219 084.56	1 141 363.10
69 40 00	208 454.29	1 126 319.95	208 680.38	1 141 515.20
42 30	198 042.04	1 126 477.61	198 276.21	1 141 672.85
45 00	187 629.80	1 126 640.80	187 872.05	1 141 836.03
47 30	177 217.58	1 126 809.54	177 467.90	1 142 004.74
69 50 00	166 805.36	1 126 983.81	167 063.76	1 142 179.00
52 30	156 393.16	1 127 163.62	156 659.64	1 142 358.79
55 00	145 980.96	1 127 348.96	146 255.52	1 142 544.11
57 30	135 568.78	1 127 539.84	135 851.42	1 142 734.97
70 00 00	125 156.61	1 127 736.26	125 447.33	1 142 931.37

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 47 00 00 X	LATITUDE 47 00 00 Y	LATITUDE 47 02 30 X	LATITUDE 47 02 30 Y
67 00 00	874 261.77	1 158 126.59	873 970.66	1 173 321.91
02 30	863 865.76	1 157 930.21	863 582.74	1 173 125.55
05 00	853 469.75	1 157 739.37	853 194.81	1 172 934.73
07 30	843 073.71	1 157 554.06	842 806.87	1 172 749.44
67 10 00	832 677.67	1 157 374.29	832 418.92	1 172 569.68
12 30	822 281.61	1 157 200.05	822 030.95	1 172 395.46
15 00	811 885.55	1 157 031.35	811 642.97	1 172 226.78
17 30	801 489.47	1 156 868.19	801 254.98	1 172 063.63
67 20 00	791 093.38	1 156 710.56	790 866.98	1 171 906.02
22 30	780 697.28	1 156 558.47	780 478.97	1 171 753.95
25 00	770 301.17	1 156 411.91	770 090.94	1 171 607.40
27 30	759 905.05	1 156 270.88	759 702.91	1 171 466.39
67 30 00	749 508.92	1 156 135.39	749 314.87	1 171 330.91
32 30	739 112.78	1 156 005.42	738 926.82	1 171 200.96
35 00	728 716.64	1 155 880.99	728 538.76	1 171 076.54
37 30	718 320.48	1 155 762.09	718 150.69	1 170 957.65
67 40 00	707 924.32	1 155 648.73	707 762.62	1 170 844.30
42 30	697 528.15	1 155 540.89	697 374.53	1 170 736.47
45 00	687 131.98	1 155 438.59	686 986.44	1 170 634.18
47 30	676 735.79	1 155 341.82	676 598.34	1 170 537.42
67 50 00	666 339.60	1 155 250.58	666 210.24	1 170 446.19
52 30	655 943.41	1 155 164.87	655 822.13	1 170 360.48
55 00	645 547.20	1 155 084.69	645 434.01	1 170 280.31
57 30	635 151.00	1 155 010.04	635 045.89	1 170 205.67
68 00 00	624 754.78	1 154 940.92	624 657.77	1 170 136.56

LONGITUDE	LATITUDE 47 05 00 X	LATITUDE 47 05 00 Y	LATITUDE 47 07 30 X	LATITUDE 47 07 30 Y
67 00 00	873 679.36	1 188 517.33	873 387.85	1 203 712.87
02 30	863 299.54	1 188 320.99	863 016.13	1 203 516.55
05 00	852 919.70	1 188 130.19	852 644.39	1 203 325.77
07 30	842 539.85	1 187 944.92	842 272.65	1 203 140.52
67 10 00	832 160.00	1 187 765.18	831 900.89	1 202 960.80
12 30	821 780.12	1 187 590.98	821 529.11	1 202 786.62
15 00	811 400.24	1 187 422.32	811 157.33	1 202 617.97
17 30	801 020.34	1 187 259.19	800 785.53	1 202 454.86
67 20 00	790 640.43	1 187 101.59	790 413.72	1 202 297.28
22 30	780 260.51	1 186 949.53	780 041.90	1 202 145.23
25 00	769 880.58	1 186 803.00	769 670.07	1 201 998.72
27 30	759 500.64	1 186 662.00	759 298.23	1 201 857.73
67 30 00	749 120.69	1 186 526.53	748 926.38	1 201 722.28
32 30	738 740.73	1 186 396.60	738 554.51	1 201 592.36
35 00	728 360.77	1 186 272.19	728 182.65	1 201 467.96
37 30	717 980.79	1 186 153.31	717 810.77	1 201 349.10
67 40 00	707 600.81	1 186 039.97	707 438.88	1 201 235.77
42 30	697 220.81	1 185 932.16	697 066.99	1 201 127.97
45 00	686 840.82	1 185 829.88	686 695.08	1 201 025.70
47 30	676 460.81	1 185 733.13	676 323.17	1 200 928.96
67 50 00	666 080.80	1 185 641.90	665 951.26	1 200 837.75
52 30	655 700.78	1 185 556.21	655 579.33	1 200 752.06
55 00	645 320.75	1 185 476.05	645 207.41	1 200 671.91
57 30	634 940.72	1 185 401.41	634 835.47	1 200 597.28
68 00 00	624 560.68	1 185 332.31	624 463.53	1 200 528.18

LONGITUDE	LATITUDE 47 10 00 X	LATITUDE 47 10 00 Y	LATITUDE 47 12 30 X	LATITUDE 47 12 30 Y
67 00 00	873 096.15	1 218 908.51	872 804.25	1 234 104.25
02 30	862 732.54	1 218 712.21	862 448.74	1 233 907.97
05 00	852 368.91	1 218 521.44	852 093.23	1 233 717.83
07 30	842 005.26	1 218 336.21	841 737.69	1 233 532.02
67 10 00	831 641.61	1 218 156.51	831 382.15	1 233 352.34
12 30	821 277.94	1 217 982.35	821 026.59	1 233 178.20
15 00	810 914.26	1 217 813.72	810 671.02	1 233 009.58
17 30	800 550.57	1 217 650.62	800 315.44	1 232 846.50
67 20 00	790 186.86	1 217 493.06	789 959.84	1 232 688.96
22 30	779 823.14	1 217 341.03	779 604.24	1 232 536.95
25 00	769 459.42	1 217 194.53	769 248.62	1 232 390.46
27 30	759 095.68	1 217 053.57	758 892.99	1 232 249.51
67 30 00	748 731.93	1 216 918.13	748 537.35	1 232 114.09
32 30	738 368.17	1 216 788.22	738 181.70	1 231 984.19
35 00	728 004.41	1 216 663.84	727 826.04	1 231 859.82
37 30	717 640.63	1 216 544.99	717 470.38	1 231 740.99
67 40 00	707 276.85	1 216 431.67	707 114.70	1 231 627.68
42 30	696 913.06	1 216 323.88	696 759.02	1 231 519.91
45 00	686 549.26	1 216 221.62	686 403.33	1 231 417.66
47 30	676 185.45	1 216 124.89	676 047.63	1 231 320.94
67 50 00	665 821.63	1 216 033.69	665 691.92	1 231 229.74
52 30	655 457.81	1 215 948.01	655 336.21	1 231 144.08
55 00	645 093.99	1 215 867.86	644 980.49	1 231 063.94
57 30	634 730.15	1 215 793.24	634 624.76	1 230 989.33
68 00 00	624 366.32	1 215 724.15	624 269.03	1 230 920.25

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 47 00 00 X	LATITUDE 47 00 00 Y	LATITUDE 47 02 30 X	LATITUDE 47 02 30 Y
68 00 00	624 754.78	1 154 940.92	624 657.77	1 170 136.56
02 30	614 358.57	1 154 877.33	614 269.63	1 170 072.98
05 00	603 962.35	1 154 819.27	603 881.50	1 170 014.92
07 30	593 566.12	1 154 766.74	593 493.36	1 169 962.40
68 10 00	583 169.90	1 154 719.75	583 105.22	1 169 915.41
12 30	572 773.67	1 154 678.28	572 717.07	1 169 873.94
15 00	562 377.43	1 154 642.34	562 328.92	1 169 838.01
17 30	551 981.20	1 154 611.93	551 940.77	1 169 807.60
68 20 00	541 584.96	1 154 587.04	541 552.62	1 169 782.72
22 30	531 188.72	1 154 567.69	531 164.47	1 169 763.37
25 00	520 792.48	1 154 553.87	520 776.31	1 169 749.55
27 30	510 396.24	1 154 545.57	510 388.16	1 169 741.25
68 30 00	500 000.00	1 154 542.81	500 000.00	1 169 738.49
32 30	489 603.76	1 154 545.57	489 611.84	1 169 741.25
35 00	479 207.52	1 154 553.87	479 223.69	1 169 749.55
37 30	468 811.28	1 154 567.69	468 835.53	1 169 763.37
68 40 00	458 415.04	1 154 587.04	458 447.38	1 169 782.72
42 30	448 018.80	1 154 611.93	448 059.23	1 169 807.60
45 00	437 622.57	1 154 642.34	437 671.08	1 169 838.01
47 30	427 226.33	1 154 678.28	427 282.93	1 169 873.94
68 50 00	416 830.10	1 154 719.75	416 894.78	1 169 915.41
52 30	406 433.88	1 154 766.74	406 506.64	1 169 962.40
55 00	396 037.65	1 154 819.27	396 118.50	1 170 014.92
57 30	385 641.43	1 154 877.33	385 730.37	1 170 072.98
69 00 00	375 245.22	1 154 940.92	375 342.24	1 170 136.56

LONGITUDE	LATITUDE 47 05 00 X	LATITUDE 47 05 00 Y	LATITUDE 47 07 30 X	LATITUDE 47 07 30 Y
68 00 00	624 560.68	1 185 332.31	624 463.53	1 200 528.18
02 30	614 180.64	1 185 268.73	614 091.59	1 200 464.61
05 00	603 800.60	1 185 210.69	603 719.64	1 200 406.57
07 30	593 420.55	1 185 158.17	593 347.69	1 200 354.06
68 10 00	583 040.50	1 185 111.18	582 975.73	1 200 307.08
12 30	572 660.44	1 185 069.72	572 603.77	1 200 265.62
15 00	562 280.38	1 185 033.79	562 231.81	1 200 229.69
17 30	551 900.32	1 185 003.38	551 859.84	1 200 199.29
68 20 00	541 520.26	1 184 978.51	541 487.88	1 200 174.42
22 30	531 140.20	1 184 959.16	531 115.91	1 200 155.07
25 00	520 760.13	1 184 945.34	520 743.94	1 200 141.25
27 30	510 380.07	1 184 937.04	510 371.97	1 200 132.96
68 30 00	500 000.00	1 184 934.28	500 000.00	1 200 130.20
32 30	489 619.93	1 184 937.04	489 628.03	1 200 132.96
35 00	479 239.87	1 184 945.34	479 256.06	1 200 141.25
37 30	468 859.80	1 184 959.16	468 884.09	1 200 155.07
68 40 00	458 479.74	1 184 978.51	458 512.12	1 200 174.42
42 30	448 099.68	1 185 003.38	448 140.16	1 200 199.29
45 00	437 719.62	1 185 033.79	437 768.19	1 200 229.69
47 30	427 339.56	1 185 069.72	427 396.23	1 200 265.62
68 50 00	416 959.50	1 185 111.18	417 024.27	1 200 307.08
52 30	406 579.45	1 185 158.17	406 652.31	1 200 354.06
55 00	396 199.40	1 185 210.69	396 280.36	1 200 406.57
57 30	385 819.36	1 185 268.73	385 908.41	1 200 464.61
69 00 00	375 439.32	1 185 332.31	375 536.47	1 200 528.18

LONGITUDE	LATITUDE 47 10 00 X	LATITUDE 47 10 00 Y	LATITUDE 47 12 30 X	LATITUDE 47 12 30 Y
68 00 00	624 366.32	1 215 724.15	624 269.03	1 230 920.25
02 30	614 002.47	1 215 660.59	613 913.30	1 230 856.69
05 00	603 638.63	1 215 602.56	603 557.56	1 230 798.66
07 30	593 274.78	1 215 550.05	593 201.81	1 230 746.16
68 10 00	582 910.92	1 215 503.07	582 846.07	1 230 699.19
12 30	572 547.06	1 215 461.62	572 490.32	1 230 657.74
15 00	562 183.20	1 215 425.69	562 134.56	1 230 621.82
17 30	551 819.34	1 215 395.30	551 778.80	1 230 591.42
68 20 00	541 455.47	1 215 370.43	541 423.05	1 230 566.56
22 30	531 091.61	1 215 351.08	531 067.29	1 230 547.21
25 00	520 727.74	1 215 337.26	520 711.52	1 230 533.40
27 30	510 363.87	1 215 328.97	510 355.76	1 230 525.11
68 30 00	500 000.00	1 215 326.21	500 000.00	1 230 522.35
32 30	489 636.13	1 215 328.97	489 644.24	1 230 525.11
35 00	479 272.26	1 215 337.26	479 288.48	1 230 533.40
37 30	468 908.39	1 215 351.08	468 932.71	1 230 547.21
68 40 00	458 544.53	1 215 370.43	458 576.95	1 230 566.56
42 30	448 180.66	1 215 395.30	448 221.20	1 230 591.42
45 00	437 816.80	1 215 425.69	437 865.44	1 230 621.82
47 30	427 452.94	1 215 461.62	427 509.68	1 230 657.74
68 50 00	417 089.08	1 215 503.07	417 153.93	1 230 699.19
52 30	406 725.22	1 215 550.05	406 798.19	1 230 746.16
55 00	396 361.37	1 215 602.56	396 442.44	1 230 798.66
57 30	385 997.53	1 215 660.59	386 086.70	1 230 856.69
69 00 00	375 633.68	1 215 724.15	375 730.97	1 230 920.25

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 47 00 00 X	LATITUDE 47 00 00 Y	LATITUDE 47 02 30 X	LATITUDE 47 02 30 Y
69 00 00	375 845.22	1 154 940.92	375 342.24	1 170 136.56
02 30	364 849.00	1 155 010.04	364 954.11	1 170 205.67
05 00	354 452.80	1 155 084.69	354 565.99	1 170 280.31
07 30	344 056.59	1 155 164.87	344 177.87	1 170 360.48
69 10 00	333 660.40	1 155 250.58	333 789.76	1 170 446.19
12 30	323 264.21	1 155 341.82	323 401.66	1 170 537.42
15 00	312 868.02	1 155 438.59	313 013.56	1 170 634.18
17 30	302 471.85	1 155 540.89	302 625.47	1 170 736.47
69 20 00	292 075.68	1 155 648.73	292 237.38	1 170 844.30
22 30	281 679.52	1 155 762.09	281 849.31	1 170 957.65
25 00	271 283.36	1 155 880.99	271 461.24	1 171 076.54
27 30	260 887.22	1 156 005.42	261 073.18	1 171 200.96
69 30 00	250 491.08	1 156 135.39	250 685.13	1 171 330.91
32 30	240 094.95	1 156 270.88	240 297.09	1 171 466.39
35 00	229 698.83	1 156 411.91	229 909.06	1 171 607.40
37 30	219 302.72	1 156 558.47	219 521.03	1 171 753.95
69 40 00	208 906.62	1 156 710.56	209 133.02	1 171 906.02
42 30	198 510.53	1 156 868.19	198 745.02	1 172 063.63
45 00	188 114.45	1 157 031.35	188 357.03	1 172 226.78
47 30	177 718.39	1 157 200.05	177 969.05	1 172 395.46
69 50 00	167 322.33	1 157 374.29	167 581.08	1 172 569.68
52 30	156 926.29	1 157 554.06	157 193.13	1 172 749.44
55 00	146 530.25	1 157 739.37	146 805.19	1 172 934.73
57 30	136 134.24	1 157 930.21	136 417.26	1 173 125.55
70 00 00	125 738.23	1 158 126.59	126 029.34	1 173 321.91

LONGITUDE	LATITUDE 47 05 00 X	LATITUDE 47 05 00 Y	LATITUDE 47 07 30 X	LATITUDE 47 07 30 Y
69 00 00	375 439.32	1 185 332.31	375 536.47	1 200 528.18
02 30	365 059.28	1 185 401.41	365 164.53	1 200 597.28
05 00	354 679.25	1 185 476.05	354 792.59	1 200 671.91
07 30	344 299.22	1 185 556.21	344 420.67	1 200 752.06
69 10 00	333 919.20	1 185 641.90	334 048.74	1 200 837.75
12 30	323 539.19	1 185 733.13	323 676.83	1 200 928.96
15 00	313 159.18	1 185 829.88	313 304.92	1 201 025.70
17 30	302 779.19	1 185 932.16	302 933.01	1 201 127.97
69 20 00	292 399.19	1 186 039.97	292 561.12	1 201 235.77
22 30	282 019.21	1 186 153.31	282 189.23	1 201 349.10
25 00	271 639.23	1 186 272.19	271 817.35	1 201 467.96
27 30	261 259.27	1 186 396.60	261 445.49	1 201 592.36
69 30 00	250 879.31	1 186 526.53	251 073.62	1 201 722.28
32 30	240 499.36	1 186 662.00	240 701.77	1 201 857.73
35 00	230 119.42	1 186 803.00	230 329.93	1 201 998.72
37 30	219 739.49	1 186 949.53	219 958.10	1 202 145.23
69 40 00	209 359.57	1 187 101.59	209 586.28	1 202 297.28
42 30	198 979.66	1 187 259.19	199 214.47	1 202 454.86
45 00	188 599.76	1 187 422.32	188 842.67	1 202 617.97
47 30	178 219.88	1 187 590.98	178 470.89	1 202 786.62
69 50 00	167 840.00	1 187 765.18	168 099.11	1 202 960.80
52 30	157 460.15	1 187 944.92	157 727.35	1 203 140.52
55 00	147 080.30	1 188 130.19	147 355.61	1 203 325.77
57 30	136 700.46	1 188 320.99	136 983.87	1 203 516.55
70 00 00	126 320.64	1 188 517.33	126 612.15	1 203 712.87

LONGITUDE	LATITUDE 47 10 00 X	LATITUDE 47 10 00 Y	LATITUDE 47 12 30 X	LATITUDE 47 12 30 Y
69 00 00	375 633.68	1 215 784.15	375 730.97	1 230 920.25
02 30	365 269.85	1 215 793.24	365 375.24	1 230 989.33
05 00	354 906.01	1 215 867.86	355 019.51	1 231 063.94
07 30	344 542.19	1 215 948.01	344 663.79	1 231 144.08
69 10 00	334 178.37	1 216 033.69	334 308.08	1 231 229.74
12 30	323 814.55	1 216 124.89	323 952.37	1 231 320.94
15 00	313 450.74	1 216 221.62	313 596.67	1 231 417.66
17 30	303 086.94	1 216 323.88	303 240.98	1 231 519.91
69 20 00	292 723.15	1 216 431.67	292 885.30	1 231 627.68
22 30	282 359.37	1 216 544.99	282 529.62	1 231 740.99
25 00	271 995.59	1 216 663.84	272 173.96	1 231 859.82
27 30	261 631.83	1 216 788.22	261 818.30	1 231 984.19
69 30 00	251 268.07	1 216 918.13	251 462.65	1 232 114.09
32 30	240 904.32	1 217 053.57	241 107.01	1 232 249.51
35 00	230 540.58	1 217 194.53	230 751.38	1 232 390.46
37 30	220 176.86	1 217 341.03	220 395.76	1 232 536.95
69 40 00	209 813.14	1 217 493.06	210 040.16	1 232 688.96
42 30	199 449.43	1 217 650.62	199 684.56	1 232 846.50
45 00	189 085.74	1 217 813.72	189 328.98	1 233 009.58
47 30	178 722.06	1 217 982.35	178 973.41	1 233 178.20
69 50 00	168 358.39	1 218 156.51	168 617.85	1 233 352.34
52 30	157 994.74	1 218 336.21	158 262.31	1 233 532.02
55 00	147 631.09	1 218 521.44	147 906.77	1 233 717.23
57 30	137 267.46	1 218 712.21	137 551.26	1 233 907.97
70 00 00	126 903.85	1 218 908.51	127 195.75	1 234 104.25

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 47 15 00 X	LATITUDE 47 15 00 Y	LATITUDE 47 17 30 X	LATITUDE 47 17 30 Y
68 00 00	624 171.68	1 246 116.45	624 074.27	1 261 312.76
02 30	613 824.06	1 246 052.90	613 734.76	1 261 249.22
05 00	603 476.43	1 245 994.88	603 395.25	1 261 191.20
07 30	593 128.80	1 245 942.38	593 055.74	1 261 138.71
68 10 00	582 781.17	1 245 895.41	582 716.22	1 261 091.75
12 30	572 433.53	1 245 853.97	572 376.70	1 261 050.31
15 00	562 085.89	1 245 818.05	562 037.18	1 261 014.40
17 30	551 738.24	1 245 787.66	551 697.65	1 260 984.01
68 20 00	541 390.60	1 245 762.80	541 358.13	1 260 959.15
22 30	531 042.95	1 245 743.46	531 018.60	1 260 939.81
25 00	520 695.30	1 245 729.64	520 679.06	1 260 926.00
27 30	510 347.65	1 245 721.35	510 339.53	1 260 917.71
68 30 00	500 000.00	1 245 718.59	500 000.00	1 260 914.95
32 30	489 652.35	1 245 721.35	489 660.47	1 260 917.71
35 00	479 304.70	1 245 729.64	479 320.94	1 260 926.00
37 30	468 957.05	1 245 743.46	468 981.40	1 260 939.81
68 40 00	458 609.40	1 245 762.80	458 641.87	1 260 959.15
42 30	448 261.76	1 245 787.66	448 302.35	1 260 984.01
45 00	437 914.11	1 245 818.05	437 962.82	1 261 014.40
47 30	427 566.47	1 245 853.97	427 623.30	1 261 050.31
68 50 00	417 218.83	1 245 895.41	417 283.78	1 261 091.75
52 30	406 871.20	1 245 942.38	406 944.26	1 261 138.71
55 00	396 523.57	1 245 994.88	396 604.75	1 261 191.20
57 30	386 175.94	1 246 052.90	386 265.24	1 261 249.22
69 00 00	375 828.32	1 246 116.45	375 925.74	1 261 312.76

LONGITUDE	LATITUDE 47 20 00 X	LATITUDE 47 20 00 Y	LATITUDE 47 22 30 X	LATITUDE 47 22 30 Y
68 00 00	623 976.78	1 276 509.18	623 879.24	1 291 705.71
02 30	613 645.40	1 276 445.64	613 555.99	1 291 642.19
05 00	603 314.02	1 276 387.63	603 232.73	1 291 584.19
07 30	592 982.63	1 276 335.15	592 909.47	1 291 531.71
68 10 00	582 651.24	1 276 288.19	582 586.20	1 291 484.76
12 30	572 319.84	1 276 246.76	572 262.94	1 291 443.33
15 00	561 988.44	1 276 210.85	561 939.67	1 291 407.42
17 30	551 657.04	1 276 180.47	551 616.39	1 291 377.04
68 20 00	541 325.63	1 276 155.61	541 293.12	1 291 352.19
22 30	530 994.23	1 276 136.27	530 969.84	1 291 332.85
25 00	520 662.82	1 276 122.46	520 646.56	1 291 319.04
27 30	510 331.41	1 276 114.17	510 323.28	1 291 310.76
68 30 00	500 000.00	1 276 111.41	500 000.00	1 291 308.00
32 30	489 668.59	1 276 114.17	489 676.72	1 291 310.76
35 00	479 337.18	1 276 122.46	479 353.44	1 291 319.04
37 30	469 005.77	1 276 136.27	469 030.16	1 291 332.85
68 40 00	458 674.37	1 276 155.61	458 706.88	1 291 352.19
42 30	448 342.96	1 276 180.47	448 383.61	1 291 377.04
45 00	438 011.56	1 276 210.85	438 060.33	1 291 407.42
47 30	427 680.16	1 276 246.76	427 737.06	1 291 443.33
68 50 00	417 348.76	1 276 288.19	417 413.80	1 291 484.76
52 30	407 017.37	1 276 335.15	407 090.53	1 291 531.71
55 00	396 685.98	1 276 387.63	396 767.27	1 291 584.19
57 30	386 354.60	1 276 445.64	386 444.01	1 291 642.19
69 00 00	376 023.22	1 276 509.18	376 120.76	1 291 705.71

LONGITUDE	LATITUDE 47 25 00 X	LATITUDE 47 25 00 Y	LATITUDE 47 27 30 X	LATITUDE 47 27 30 Y
68 00 00	623 781.62	1 306 902.36	623 683.94	1 322 099.12
02 30	613 466.51	1 306 838.84	613 376.97	1 322 035.61
05 00	603 151.39	1 306 780.85	603 069.99	1 321 977.62
07 30	592 836.26	1 306 728.38	592 763.00	1 321 925.15
68 10 00	582 521.13	1 306 681.43	582 456.01	1 321 878.21
12 30	572 206.00	1 306 640.01	572 149.02	1 321 836.80
15 00	561 890.86	1 306 604.11	561 842.02	1 321 800.90
17 30	551 575.72	1 306 573.73	551 535.02	1 321 770.53
68 20 00	541 260.58	1 306 548.88	541 228.02	1 321 745.68
22 30	530 945.44	1 306 529.54	530 921.02	1 321 726.35
25 00	520 630.29	1 306 515.74	520 614.01	1 321 712.54
27 30	510 315.15	1 306 507.45	510 307.01	1 321 704.26
68 30 00	500 000.00	1 306 504.69	500 000.00	1 321 701.50
32 30	489 684.85	1 306 507.45	489 692.99	1 321 704.26
35 00	479 369.71	1 306 515.74	479 385.99	1 321 712.54
37 30	469 054.56	1 306 529.54	469 078.98	1 321 726.35
68 40 00	458 739.42	1 306 548.88	458 771.98	1 321 745.68
42 30	448 424.28	1 306 573.73	448 464.98	1 321 770.53
45 00	438 109.14	1 306 604.11	438 157.98	1 321 800.90
47 30	427 794.00	1 306 640.01	427 850.98	1 321 836.80
68 50 00	417 478.87	1 306 681.43	417 543.99	1 321 878.21
52 30	407 163.74	1 306 728.38	407 237.00	1 321 925.15
55 00	396 848.61	1 306 780.85	396 930.01	1 321 977.62
57 30	386 533.49	1 306 838.84	386 623.03	1 322 035.61
69 00 00	376 218.38	1 306 902.36	376 316.06	1 322 099.12

MAINE – EAST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 47 15 00 X	LATITUDE 47 15 00 Y	LATITUDE 47 17 30 X	LATITUDE 47 17 30 Y
69 00 00	375 828.32	1 246 116.45	375 925.74	1 261 312.76
02 30	365 480.70	1 246 185.52	365 586.24	1 261 381.82
05 00	355 133.09	1 246 260.12	355 246.74	1 261 456.42
07 30	344 785.48	1 246 340.25	344 907.25	1 261 536.54
69 10 00	334 437.88	1 246 425.91	334 567.77	1 261 622.18
12 30	324 090.29	1 246 517.09	324 228.30	1 261 713.36
15 00	313 742.70	1 246 613.80	313 888.83	1 261 810.06
17 30	303 395.13	1 246 716.04	303 549.37	1 261 912.28
69 20 00	293 047.55	1 246 823.80	293 209.92	1 262 020.03
22 30	282 699.99	1 246 937.10	282 870.48	1 262 133.32
25 00	272 352.44	1 247 055.92	272 531.05	1 262 252.18
27 30	262 004.90	1 247 180.27	262 191.62	1 262 376.46
69 30 00	251 657.36	1 247 310.16	251 852.21	1 262 506.33
32 30	241 309.84	1 247 445.57	241 512.81	1 262 641.72
35 00	230 962.32	1 247 586.50	231 173.41	1 262 782.65
37 30	220 614.82	1 247 732.97	220 834.03	1 262 929.10
69 40 00	210 267.33	1 247 884.96	210 494.66	1 263 081.07
42 30	199 919.85	1 248 042.49	200 155.30	1 263 238.58
45 00	189 572.38	1 248 205.55	189 815.96	1 263 401.63
47 30	179 224.93	1 248 374.15	179 476.62	1 263 570.20
69 50 00	168 877.49	1 248 548.27	169 137.30	1 263 744.31
52 30	158 530.06	1 248 727.93	158 798.00	1 263 923.95
55 00	148 182.64	1 248 913.12	148 458.70	1 264 109.11
57 30	137 835.24	1 249 103.84	138 119.43	1 264 299.82
70 00 00	127 487.86	1 249 300.10	127 780.16	1 264 496.05

LONGITUDE	LATITUDE 47 20 00 X	LATITUDE 47 20 00 Y	LATITUDE 47 22 30 X	LATITUDE 47 22 30 Y
69 00 00	376 023.22	1 276 509.18	376 120.76	1 291 705.71
02 30	365 691.84	1 276 578.24	365 797.52	1 291 774.77
05 00	355 360.47	1 276 652.82	355 474.28	1 291 849.34
07 30	345 029.11	1 276 732.93	345 151.04	1 291 929.44
69 10 00	334 697.75	1 276 818.57	334 827.82	1 292 015.07
12 30	324 366.40	1 276 909.73	324 504.60	1 292 106.22
15 00	314 035.06	1 277 006.42	314 181.38	1 292 202.90
17 30	303 703.72	1 277 108.63	303 858.18	1 292 305.10
69 20 00	293 372.40	1 277 216.37	293 534.98	1 292 412.83
22 30	283 041.08	1 277 329.64	283 211.80	1 292 526.08
25 00	272 709.77	1 277 448.44	272 888.62	1 292 644.86
27 30	262 378.47	1 277 572.76	262 565.45	1 292 769.17
69 30 00	252 047.18	1 277 702.61	252 242.29	1 292 899.01
32 30	241 715.90	1 277 837.99	241 919.15	1 293 034.37
35 00	231 384.64	1 277 978.90	231 596.01	1 293 175.26
37 30	221 053.38	1 278 125.33	221 272.88	1 293 321.68
69 40 00	210 722.14	1 278 277.29	210 949.77	1 293 473.62
42 30	200 390.90	1 278 434.78	200 626.67	1 293 631.09
45 00	190 059.68	1 278 597.80	190 303.58	1 293 794.10
47 30	179 728.48	1 278 766.36	179 980.51	1 293 962.63
69 50 00	169 397.28	1 278 940.45	169 657.45	1 294 136.70
52 30	159 066.11	1 279 120.06	159 334.40	1 294 316.30
55 00	148 734.94	1 279 305.21	149 011.37	1 294 501.42
57 30	138 403.79	1 279 495.89	138 688.35	1 294 692.08
70 00 00	128 072.65	1 279 692.10	128 365.35	1 294 888.26

LONGITUDE	LATITUDE 47 25 00 X	LATITUDE 47 25 00 Y	LATITUDE 47 27 30 X	LATITUDE 47 27 30 Y
69 00 00	376 218.38	1 306 902.36	376 316.06	1 322 099.12
02 30	365 903.27	1 306 971.40	366 009.09	1 322 168.15
05 00	355 588.16	1 307 045.97	355 702.12	1 322 242.71
07 30	345 273.06	1 307 126.06	345 395.16	1 322 322.79
69 10 00	334 957.97	1 307 211.68	335 088.21	1 322 408.40
12 30	324 642.89	1 307 302.82	324 781.27	1 322 499.53
15 00	314 327.81	1 307 399.49	314 474.33	1 322 596.18
17 30	304 012.74	1 307 501.68	304 167.40	1 322 698.36
69 20 00	293 697.68	1 307 609.39	293 860.48	1 322 806.06
22 30	283 382.63	1 307 722.63	283 553.57	1 322 919.29
25 00	273 067.59	1 307 841.40	273 246.67	1 323 038.04
27 30	262 752.55	1 307 965.69	262 939.78	1 323 162.32
69 30 00	252 437.53	1 308 095.51	252 632.91	1 323 292.13
32 30	242 122.52	1 308 230.86	242 326.04	1 323 427.46
35 00	231 807.52	1 308 371.73	232 019.18	1 323 568.31
37 30	221 492.53	1 308 518.13	221 712.33	1 323 714.69
69 40 00	211 177.56	1 308 670.06	211 405.50	1 323 866.60
42 30	200 862.60	1 308 827.51	201 098.68	1 324 024.03
45 00	190 547.65	1 308 990.49	190 791.87	1 324 187.00
47 30	180 232.71	1 309 159.01	180 485.08	1 324 355.49
69 50 00	169 917.79	1 309 333.05	170 178.30	1 324 529.52
52 30	159 602.88	1 309 512.63	159 871.54	1 324 709.07
55 00	149 287.98	1 309 697.73	149 564.79	1 324 894.15
57 30	138 973.11	1 309 888.37	139 258.05	1 325 084.76
70 00 00	128 658.24	1 310 084.53	128 951.34	1 325 280.90

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 43 00 00 X	LATITUDE 43 00 00 Y	LATITUDE 43 02 30 X	LATITUDE 43 02 30 Y
70 00 00	544 586.83	60 786.71	544 556.69	75 972.61
02 30	533 440.12	60 767.36	533 417.52	75 953.26
05 00	522 293.41	60 753.54	522 278.34	75 939.44
07 30	511 146.71	60 745.24	511 139.17	75 931.14
70 10 00	500 000.00	60 742.48	500 000.00	75 928.38
12 30	488 853.29	60 745.24	488 860.83	75 931.14
15 00	477 706.59	60 753.54	477 721.66	75 939.44
17 30	466 559.88	60 767.36	466 582.48	75 953.26
70 20 00	455 413.17	60 786.71	455 443.31	75 972.61
22 30	444 266.46	60 811.59	444 304.13	75 997.49
25 00	433 119.75	60 841.99	433 164.96	76 027.90
27 30	421 973.03	60 877.92	422 025.78	76 063.84
70 30 00	410 826.31	60 919.39	410 886.59	76 105.31
32 30	399 679.59	60 966.38	399 747.41	76 152.30
35 00	388 532.87	61 018.90	388 608.22	76 204.83
37 30	377 386.14	61 076.95	377 469.02	76 262.88
70 40 00	366 239.40	61 140.53	366 329.82	76 326.47
42 30	355 092.66	61 209.64	355 190.62	76 395.58
45 00	343 945.92	61 284.27	344 051.41	76 470.23
47 30	332 799.17	61 364.44	332 912.19	76 550.40
70 50 00	321 652.41	61 450.14	321 772.97	76 636.11
52 30	310 505.65	61 541.36	310 633.75	76 727.35
55 00	299 358.88	61 638.12	299 494.51	76 824.11
57 30	288 212.10	61 740.41	288 355.27	76 926.41
71 00 00	277 065.31	61 848.22	277 216.02	77 034.24

LONGITUDE	LATITUDE 43 05 00 X	LATITUDE 43 05 00 Y	LATITUDE 43 07 30 X	LATITUDE 43 07 30 Y
70 00 00	544 526.53	91 158.63	544 496.34	106 344.76
02 30	533 394.90	91 139.27	533 372.26	106 325.40
05 00	522 263.26	91 125.45	522 248.17	106 311.58
07 30	511 131.63	91 117.15	511 124.08	106 303.28
70 10 00	500 000.00	91 114.39	500 000.00	106 300.52
12 30	488 868.37	91 117.15	488 875.92	106 303.28
15 00	477 736.74	91 125.45	477 751.83	106 311.58
17 30	466 605.10	91 139.27	466 627.74	106 325.40
70 20 00	455 473.47	91 158.63	455 503.66	106 344.76
22 30	444 341.83	91 183.51	444 379.57	106 369.64
25 00	433 210.20	91 213.92	433 255.48	106 400.06
27 30	422 078.56	91 249.86	422 131.38	106 436.00
70 30 00	410 946.92	91 291.33	411 007.29	106 477.48
32 30	399 815.27	91 338.33	399 883.19	106 524.48
35 00	388 683.62	91 390.87	388 759.09	106 577.02
37 30	377 551.97	91 448.93	377 634.98	106 635.08
70 40 00	366 420.31	91 512.52	366 510.87	106 698.68
42 30	355 288.65	91 581.64	355 386.75	106 767.81
45 00	344 156.98	91 656.29	344 262.63	106 842.47
47 30	333 025.31	91 736.48	333 138.51	106 922.66
70 50 00	321 893.63	91 822.19	322 014.37	107 008.39
52 30	310 761.94	91 913.44	310 890.24	107 099.64
55 00	299 630.25	92 010.21	299 766.09	107 196.43
57 30	288 498.55	92 112.52	288 641.94	107 298.74
71 00 00	277 366.84	92 220.36	277 517.78	107 406.59

LONGITUDE	LATITUDE 43 10 00 X	LATITUDE 43 10 00 Y	LATITUDE 43 12 30 X	LATITUDE 43 12 30 Y
70 00 00	544 466.13	121 531.00	544 435.90	136 717.35
02 30	533 349.60	121 511.64	533 326.92	136 698.00
05 00	522 233.07	121 497.81	522 217.95	136 684.17
07 30	511 116.53	121 489.51	511 108.97	136 675.87
70 10 00	500 000.00	121 486.75	500 000.00	136 673.11
12 30	488 883.47	121 489.51	488 891.03	136 675.87
15 00	477 766.93	121 497.81	477 782.05	136 684.17
17 30	466 650.40	121 511.64	466 673.08	136 698.00
70 20 00	455 533.87	121 531.00	455 564.10	136 717.35
22 30	444 417.33	121 555.88	444 455.12	136 742.24
25 00	433 300.79	121 586.30	433 346.14	136 772.66
27 30	422 184.25	121 622.25	422 237.16	136 808.62
70 30 00	411 067.71	121 663.73	411 128.18	136 850.10
32 30	399 951.16	121 710.74	400 019.19	136 897.11
35 00	388 834.61	121 763.28	388 910.20	136 949.66
37 30	377 718.06	121 821.35	377 801.20	137 007.74
70 40 00	366 601.50	121 884.96	366 692.20	137 071.35
42 30	355 484.94	121 954.09	355 583.20	137 140.49
45 00	344 368.37	122 028.76	344 474.19	137 215.16
47 30	333 251.80	122 108.96	333 365.18	137 295.37
70 50 00	322 135.22	122 194.69	322 256.16	137 381.11
52 30	311 018.63	122 285.95	311 147.13	137 472.38
55 00	299 902.04	122 382.75	300 038.10	137 569.19
57 30	288 785.44	122 485.07	288 929.06	137 671.52
71 00 00	277 668.84	122 592.93	277 820.02	137 779.39

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 43 15 00 X	LATITUDE 43 15 00 Y	LATITUDE 43 17 30 X	LATITUDE 43 17 30 Y
70 00 00	544 405.64	151 903.81	544 375.36	167 090.40
02 30	533 304.23	151 884.45	533 281.52	167 071.03
05 00	522 202.82	151 870.62	522 187.68	167 057.20
07 30	511 101.41	151 862.33	511 093.84	167 048.91
70 10 00	500 000.00	151 859.56	500 000.00	167 046.14
12 30	488 898.59	151 862.33	488 906.16	167 048.91
15 00	477 797.18	151 870.62	477 812.32	167 057.20
17 30	466 695.77	151 884.45	466 718.48	167 071.03
70 20 00	455 594.36	151 903.81	455 624.64	167 090.40
22 30	444 492.94	151 928.71	444 530.79	167 115.29
25 00	433 391.53	151 959.13	433 436.95	167 145.72
27 30	422 290.11	151 995.08	422 343.10	167 181.68
70 30 00	411 188.69	152 036.57	411 249.25	167 223.17
32 30	400 087.26	152 083.59	400 155.40	167 270.19
35 00	388 985.84	152 136.14	389 061.54	167 322.75
37 30	377 884.41	152 194.22	377 967.68	167 380.83
70 40 00	366 782.97	152 257.84	366 873.82	167 444.46
42 30	355 681.53	152 326.99	355 779.95	167 513.61
45 00	344 580.09	152 401.67	344 686.08	167 588.30
47 30	333 478.64	152 481.88	333 592.20	167 668.52
70 50 00	322 377.19	152 567.63	322 498.32	167 754.28
52 30	311 275.73	152 658.91	311 404.43	167 845.56
55 00	300 174.26	152 755.73	300 310.53	167 942.39
57 30	289 072.79	152 858.07	289 216.63	168 044.74
71 00 00	277 971.31	152 965.95	278 122.72	168 152.63

LONGITUDE	LATITUDE 43 20 00 X	LATITUDE 43 20 00 Y	LATITUDE 43 22 30 X	LATITUDE 43 22 30 Y
70 00 00	544 345.06	182 277.08	544 314.73	197 463.89
02 30	533 258.79	182 257.72	533 236.05	197 444.52
05 00	522 172.53	182 243.89	522 157.36	197 430.69
07 30	511 086.26	182 235.59	511 078.68	197 422.39
70 10 00	500 000.00	182 232.82	500 000.00	197 419.63
12 30	488 913.74	182 235.59	488 921.32	197 422.39
15 00	477 827.47	182 243.89	477 842.64	197 430.69
17 30	466 741.21	182 257.72	466 763.95	197 444.52
70 20 00	455 654.94	182 277.08	455 685.27	197 463.89
22 30	444 568.67	182 301.98	444 606.58	197 488.79
25 00	433 482.40	182 332.41	433 527.90	197 519.22
27 30	422 396.13	182 368.37	422 449.21	197 555.18
70 30 00	411 309.86	182 409.86	411 370.51	197 596.68
32 30	400 223.58	182 456.89	400 291.82	197 643.71
35 00	389 137.30	182 509.45	389 213.12	197 696.28
37 30	378 051.02	182 567.54	378 134.42	197 754.38
70 40 00	366 964.73	182 631.17	367 055.72	197 818.01
42 30	355 878.44	182 700.33	355 977.01	197 887.18
45 00	344 792.14	182 775.03	344 898.30	197 961.88
47 30	333 705.84	182 855.25	333 819.58	198 042.11
70 50 00	322 619.54	182 941.02	322 740.85	198 127.88
52 30	311 533.23	183 032.31	311 662.13	198 219.19
55 00	300 446.91	183 129.15	300 583.39	198 316.03
57 30	289 360.58	183 231.51	289 504.65	198 418.40
71 00 00	278 274.25	183 339.41	278 425.90	198 526.31

LONGITUDE	LATITUDE 43 25 00 X	LATITUDE 43 25 00 Y	LATITUDE 43 27 30 X	LATITUDE 43 27 30 Y
70 00 00	544 284.38	212 650.80	544 254.01	227 837.83
02 30	533 213.28	212 631.43	533 190.50	227 818.46
05 00	522 142.19	212 617.60	522 127.00	227 804.62
07 30	511 071.09	212 609.30	511 063.50	227 796.32
70 10 00	500 000.00	212 606.53	500 000.00	227 793.56
12 30	488 928.91	212 609.30	488 936.50	227 796.32
15 00	477 857.81	212 617.60	477 873.00	227 804.62
17 30	466 786.72	212 631.43	466 809.50	227 818.46
70 20 00	455 715.62	212 650.80	455 745.99	227 837.83
22 30	444 644.52	212 675.70	444 682.49	227 862.73
25 00	433 573.42	212 706.13	433 618.98	227 893.17
27 30	422 502.32	212 742.10	422 555.48	227 989.14
70 30 00	411 431.22	212 783.60	411 491.97	227 970.64
32 30	400 360.11	212 830.64	400 428.46	228 017.68
35 00	389 289.00	212 883.21	389 364.94	228 070.25
37 30	378 217.89	212 941.31	378 301.42	228 128.36
70 40 00	367 146.77	213 004.95	367 237.90	228 192.01
42 30	356 075.65	213 074.12	356 174.37	228 261.18
45 00	345 004.53	213 148.83	345 110.84	228 335.90
47 30	333 933.40	213 229.07	334 047.31	228 416.15
70 50 00	322 862.26	213 314.85	322 983.77	228 501.93
52 30	311 791.12	213 406.16	311 920.22	228 593.25
55 00	300 719.98	213 503.01	300 856.67	228 690.11
57 30	289 648.83	213 605.39	289 793.12	228 792.50
71 00 00	278 577.67	213 713.31	278 729.55	228 900.42

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 43 30 00 X	LATITUDE 43 30 00 Y	LATITUDE 43 32 30 X	LATITUDE 43 32 30 Y
69 00 00	809 566.39	245 150.47	809 353.40	260 337.89
02 30	798 510.37	244 998.24	798 304.99	260 185.64
05 00	787 454.36	244 851.54	787 256.58	260 038.94
07 30	776 398.35	244 710.38	776 208.19	259 897.77
69 10 00	765 342.36	244 574.76	765 159.80	259 762.13
12 30	754 286.37	244 444.67	754 111.42	259 632.04
15 00	743 230.39	244 320.13	743 063.05	259 507.48
17 30	732 174.41	244 201.12	732 014.68	259 388.46
69 20 00	721 118.44	244 087.64	720 966.32	259 274.98
22 30	710 062.48	243 979.71	709 917.97	259 167.04
25 00	699 006.53	243 877.31	698 869.62	259 064.63
27 30	687 950.58	243 780.45	687 821.28	258 967.76
69 30 00	676 894.63	243 689.12	676 772.94	258 876.43
32 30	665 838.69	243 603.33	665 724.61	258 790.63
35 00	654 782.76	243 523.08	654 676.28	258 710.37
37 30	643 726.83	243 448.36	643 627.96	258 635.64
69 40 00	632 670.91	243 379.17	632 579.64	258 566.45
42 30	621 614.98	243 315.52	621 531.32	258 502.80
45 00	610 559.06	243 257.41	610 483.01	258 444.68
47 30	599 503.15	243 204.83	599 434.70	258 392.10
69 50 00	588 447.24	243 157.79	588 386.39	258 345.06
52 30	577 391.33	243 116.28	577 338.09	258 303.54
55 00	566 335.42	243 080.31	566 289.78	258 267.57
57 30	555 279.51	243 049.87	555 241.48	258 237.13
70 00 00	544 223.61	243 024.97	544 193.19	258 212.22

LONGITUDE	LATITUDE 43 35 00 X	LATITUDE 43 35 00 Y	LATITUDE 43 37 30 X	LATITUDE 43 37 30 Y
69 00 00	809 140.25	275 525.41	808 926.94	290 713.05
02 30	798 099.46	275 373.16	797 893.76	290 560.78
05 00	787 058.67	275 226.44	786 860.59	290 414.05
07 30	776 017.89	275 085.26	775 827.43	290 272.86
69 10 00	764 977.11	274 949.61	764 794.28	290 137.20
12 30	753 936.35	274 819.51	753 761.13	290 007.09
15 00	742 895.59	274 694.94	742 727.99	289 882.51
17 30	731 854.83	274 575.91	731 694.86	289 763.48
69 20 00	720 814.09	274 462.42	720 661.73	289 649.98
22 30	709 773.34	274 354.47	709 628.61	289 542.02
25 00	698 732.61	274 252.06	698 595.49	289 439.60
27 30	687 691.88	274 155.18	687 562.38	289 342.71
69 30 00	676 651.15	274 063.84	676 529.27	289 251.37
32 30	665 610.43	273 978.04	665 496.17	289 165.56
35 00	654 569.72	273 897.77	654 463.07	289 085.28
37 30	643 529.01	273 823.04	643 429.98	289 010.55
69 40 00	632 488.30	273 753.84	632 396.89	288 941.35
42 30	621 447.59	273 690.19	621 363.80	288 877.69
45 00	610 406.89	273 632.06	610 330.72	288 819.56
47 30	599 366.20	273 579.48	599 297.64	288 766.97
69 50 00	588 325.50	273 532.43	588 264.56	288 719.98
52 30	577 284.81	273 490.91	577 231.49	288 678.40
55 00	566 244.12	273 454.93	566 198.41	288 642.42
57 30	555 203.43	273 424.49	555 165.34	288 611.97
70 00 00	544 162.74	273 399.58	544 132.27	288 587.06

LONGITUDE	LATITUDE 43 40 00 X	LATITUDE 43 40 00 Y	LATITUDE 43 42 30 X	LATITUDE 43 42 30 Y
69 00 00	808 713.46	305 900.79	808 499.82	321 088.63
02 30	797 687.91	305 748.51	797 481.90	320 936.34
05 00	786 662.37	305 601.77	786 463.99	320 789.59
07 30	775 636.83	305 460.57	775 446.08	320 648.38
69 10 00	764 611.30	305 324.90	764 428.19	320 512.71
12 30	753 585.78	305 194.78	753 410.30	320 382.58
15 00	742 560.27	305 070.19	742 392.41	320 257.98
17 30	731 534.76	304 951.15	731 374.53	320 138.93
69 20 00	720 509.26	304 837.64	720 356.66	320 025.41
22 30	709 483.76	304 729.68	709 338.80	319 917.44
25 00	698 458.27	304 627.25	698 320.93	319 815.01
27 30	687 432.78	304 530.36	687 303.08	319 718.11
69 30 00	676 407.30	304 439.00	676 285.22	319 626.75
32 30	665 381.82	304 353.19	665 267.38	319 540.92
35 00	654 356.34	304 272.91	654 249.53	319 460.64
37 30	643 330.88	304 198.17	643 231.69	319 385.89
69 40 00	632 305.41	304 128.96	632 213.86	319 316.68
42 30	621 279.95	304 065.29	621 196.02	319 253.01
45 00	610 254.49	304 007.16	610 178.19	319 194.88
47 30	599 229.03	303 954.57	599 160.37	319 142.28
69 50 00	588 203.58	303 907.51	588 142.54	319 095.22
52 30	577 178.12	303 865.99	577 124.72	319 053.70
55 00	566 152.67	303 830.01	566 106.90	319 017.71
57 30	555 127.23	303 799.56	555 089.08	318 987.26
70 00 00	544 101.78	303 774.65	544 071.26	318 962.35

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 43 30 00 X	LATITUDE 43 30 00 Y	LATITUDE 43 32 30 X	LATITUDE 43 32 30 Y
70 00 00	544 223.61	243 024.97	544 193.19	258 212.22
02 30	533 167.70	243 005.60	533 144.89	258 192.85
05 00	522 111.80	242 991.76	522 096.59	258 179.01
07 30	511 055.90	242 983.46	511 048.30	258 170.71
70 10 00	500 000.00	242 980.69	500 000.00	258 167.94
12 30	488 944.10	242 983.46	488 951.70	258 170.71
15 00	477 888.20	242 991.76	477 903.41	258 179.01
17 30	466 832.30	243 005.60	466 855.11	258 192.85
70 20 00	455 776.39	243 024.97	455 806.81	258 212.22
22 30	444 720.49	243 049.87	444 758.52	258 237.13
25 00	433 664.58	243 080.31	433 710.22	258 267.57
27 30	422 608.67	243 116.28	422 661.91	258 303.54
70 30 00	411 552.76	243 157.79	411 613.61	258 345.06
32 30	400 496.85	243 204.83	400 565.30	258 392.10
35 00	389 440.94	243 257.41	389 516.99	258 444.68
37 30	378 385.02	243 315.52	378 468.68	258 502.80
70 40 00	367 329.09	243 379.17	367 420.36	258 566.45
42 30	356 273.17	243 448.36	356 372.05	258 635.64
45 00	345 217.24	243 523.08	345 323.72	258 710.37
47 30	334 161.31	243 603.33	334 275.39	258 790.63
70 50 00	323 105.37	243 689.12	323 227.06	258 876.43
52 30	312 049.42	243 780.45	312 178.72	258 967.76
55 00	300 993.47	243 877.31	301 130.38	259 064.63
57 30	289 937.52	243 979.71	290 082.03	259 167.04
71 00 00	278 881.56	244 087.64	279 033.68	259 274.98

LONGITUDE	LATITUDE 43 35 00 X	LATITUDE 43 35 00 Y	LATITUDE 43 37 30 X	LATITUDE 43 37 30 Y
70 00 00	544 162.74	273 399.58	544 132.27	288 587.06
02 30	533 122.05	273 380.21	533 099.20	288 567.69
05 00	522 081.37	273 366.37	522 066.13	288 553.85
07 30	511 040.68	273 358.07	511 033.07	288 545.54
70 10 00	500 000.00	273 355.30	500 000.00	288 542.78
12 30	488 959.32	273 358.07	488 966.93	288 545.54
15 00	477 918.63	273 366.37	477 933.87	288 553.85
17 30	466 877.95	273 380.21	466 900.80	288 567.69
70 20 00	455 837.26	273 399.58	455 867.73	288 587.06
22 30	444 796.57	273 424.49	444 834.66	288 611.97
25 00	433 755.88	273 454.93	433 801.59	288 642.42
27 30	422 715.19	273 490.91	422 768.51	288 678.40
70 30 00	411 674.50	273 532.43	411 735.44	288 719.92
32 30	400 633.80	273 579.48	400 702.36	288 766.97
35 00	389 593.11	273 632.06	389 669.28	288 819.56
37 30	378 552.41	273 690.19	378 636.20	288 877.69
70 40 00	367 511.70	273 753.84	367 603.11	288 941.35
42 30	356 470.99	273 823.04	356 570.02	289 010.55
45 00	345 430.28	273 897.77	345 536.93	289 085.28
47 30	334 389.57	273 978.04	334 503.83	289 165.56
70 50 00	323 348.85	274 063.84	323 470.73	289 251.37
52 30	312 308.12	274 155.18	312 437.62	289 342.71
55 00	301 267.39	274 252.06	301 404.51	289 439.60
57 30	290 226.66	274 354.47	290 371.39	289 542.02
71 00 00	279 185.91	274 462.42	279 338.27	289 649.98

LONGITUDE	LATITUDE 43 40 00 X	LATITUDE 43 40 00 Y	LATITUDE 43 42 30 X	LATITUDE 43 42 30 Y
70 00 00	544 101.78	303 774.65	544 071.26	318 962.35
02 30	533 076.33	303 755.27	533 053.45	318 942.97
05 00	522 050.89	303 741.43	522 035.63	318 929.13
07 30	511 025.44	303 733.13	511 017.81	318 920.82
70 10 00	500 000.00	303 730.36	500 000.00	318 918.06
12 30	488 974.56	303 733.13	488 982.19	318 920.82
15 00	477 949.11	303 741.43	477 964.37	318 929.13
17 30	466 923.67	303 755.27	466 946.55	318 942.97
70 20 00	455 898.22	303 774.65	455 928.74	318 962.35
22 30	444 872.77	303 799.56	444 910.92	318 987.26
25 00	433 847.33	303 830.01	433 893.10	319 017.71
27 30	422 821.88	303 865.99	422 875.28	319 053.70
70 30 00	411 796.42	303 907.51	411 857.46	319 095.22
32 30	400 770.97	303 954.57	400 839.63	319 142.28
35 00	389 745.51	304 007.16	389 821.81	319 194.88
37 30	378 720.05	304 065.29	378 803.98	319 253.01
70 40 00	367 694.59	304 128.96	367 786.14	319 316.68
42 30	356 669.12	304 198.17	356 768.31	319 385.89
45 00	345 643.66	304 272.91	345 750.47	319 460.64
47 30	334 618.18	304 353.19	334 732.62	319 540.92
70 50 00	323 592.70	304 439.00	323 714.78	319 626.75
52 30	312 567.22	304 530.36	312 696.92	319 718.11
55 00	301 541.73	304 627.25	301 679.07	319 815.01
57 30	290 516.24	304 729.68	290 661.20	319 917.44
71 00 00	279 490.74	304 837.64	279 643.34	320 025.41

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 43 45 00 X	LATITUDE 43 45 00 Y	LATITUDE 43 47 30 X	LATITUDE 43 47 30 Y
69 00 00	808 286.02	336 276.58	808 072.04	351 464.65
02 30	797 275.74	336 124.28	797 069.41	351 312.34
05 00	786 265.46	335 977.52	786 066.78	351 165.57
07 30	775 255.20	335 836.30	775 064.16	351 024.34
69 10 00	764 244.94	335 700.62	764 061.54	350 888.65
12 30	753 234.68	335 570.48	753 058.93	350 758.50
15 00	742 224.44	335 445.88	742 056.33	350 633.89
17 30	731 214.20	335 326.81	731 053.73	350 514.82
69 20 00	720 203.96	335 213.29	720 051.13	350 401.29
22 30	709 193.73	335 105.31	709 048.55	350 293.30
25 00	698 183.50	335 002.87	698 045.96	350 190.85
27 30	687 173.28	334 905.97	687 043.38	350 093.94
69 30 00	676 163.07	334 814.60	676 040.81	350 002.57
32 30	665 152.85	334 728.77	665 038.24	349 916.74
35 00	654 142.65	334 648.48	654 035.67	349 836.44
37 30	643 132.44	334 573.73	643 033.11	349 761.68
69 40 00	632 122.24	334 504.52	632 030.55	349 692.47
42 30	621 112.04	334 440.84	621 027.99	349 628.79
45 00	610 101.85	334 382.70	610 025.44	349 570.64
47 30	599 091.65	334 330.10	599 022.89	349 518.04
69 50 00	588 081.47	334 283.04	588 020.34	349 470.97
52 30	577 071.28	334 241.51	577 017.79	349 429.45
55 00	566 061.09	334 205.52	566 015.25	349 393.45
57 30	555 050.91	334 175.07	555 012.70	349 363.00
70 00 00	544 040.72	334 150.16	544 010.16	349 338.08

LONGITUDE	LATITUDE 43 50 00 X	LATITUDE 43 50 00 Y	LATITUDE 43 52 30 X	LATITUDE 43 52 30 Y
69 00 00	807 857.91	366 652.82	807 643.61	381 841.10
02 30	796 862.93	366 500.50	796 656.28	381 688.77
05 00	785 867.95	366 353.72	785 668.96	381 541.98
07 30	774 872.97	366 212.48	774 681.64	381 400.74
69 10 00	763 878.01	366 076.78	763 694.33	381 265.03
12 30	752 883.04	365 946.63	752 707.02	381 134.86
15 00	741 888.09	365 822.01	741 719.72	381 010.24
17 30	730 893.14	365 702.93	730 732.42	380 891.15
69 20 00	719 898.19	365 589.39	719 745.13	380 777.61
22 30	708 903.25	365 481.40	708 757.85	380 669.61
25 00	697 908.32	365 378.94	697 770.56	380 567.15
27 30	686 913.39	365 282.03	686 783.29	380 470.23
69 30 00	675 918.46	365 190.65	675 796.01	380 378.84
32 30	664 923.54	365 104.81	664 808.74	380 293.00
35 00	653 928.62	365 024.51	653 821.48	380 212.69
37 30	642 933.70	364 949.75	642 834.22	380 137.93
69 40 00	631 938.79	364 880.53	631 846.96	380 068.70
42 30	620 943.88	364 816.84	620 859.70	380 005.01
45 00	609 948.97	364 758.70	609 872.45	379 946.86
47 30	598 954.07	364 706.09	598 885.19	379 894.25
69 50 00	587 959.17	364 659.02	587 897.95	379 847.18
52 30	576 964.27	364 617.49	576 910.70	379 805.65
55 00	565 969.37	364 581.50	565 923.45	379 769.65
57 30	554 974.47	364 551.04	554 936.21	379 739.19
70 00 00	543 979.58	364 526.12	543 948.97	379 714.27

LONGITUDE	LATITUDE 43 55 00 X	LATITUDE 43 55 00 Y	LATITUDE 43 57 30 X	LATITUDE 43 57 30 Y
69 00 00	807 429.15	397 029.48	807 214.52	412 217.98
02 30	796 449.48	396 877.14	796 242.52	412 065.63
05 00	785 469.82	396 730.34	785 270.53	411 918.82
07 30	774 490.16	396 589.09	774 298.53	411 777.56
69 10 00	763 510.51	396 453.37	763 326.55	411 641.84
12 30	752 530.87	396 323.20	752 354.57	411 511.66
15 00	741 551.23	396 198.57	741 382.60	411 387.02
17 30	730 571.59	396 079.48	730 410.63	411 267.92
69 20 00	719 591.96	395 965.93	719 438.66	411 154.36
22 30	708 612.33	395 857.92	708 466.70	411 046.35
25 00	697 632.71	395 755.45	697 494.74	410 943.88
27 30	686 653.09	395 658.52	686 522.79	410 846.94
69 30 00	675 673.48	395 567.13	675 550.84	410 755.55
32 30	664 693.87	395 481.28	664 578.90	410 669.69
35 00	653 714.26	395 400.97	653 606.96	410 589.38
37 30	642 734.66	395 326.20	642 635.02	410 514.61
69 40 00	631 755.06	395 256.97	631 663.08	410 445.37
42 30	620 775.46	395 193.28	620 691.15	410 381.68
45 00	609 795.86	395 135.13	609 719.22	410 323.52
47 30	598 816.27	395 082.52	598 747.29	410 270.90
69 50 00	587 836.68	395 035.44	587 775.37	410 223.83
52 30	576 857.09	394 993.90	576 803.44	410 182.29
55 00	565 877.50	394 957.91	565 831.52	410 146.29
57 30	554 897.92	394 927.45	554 859.60	410 115.83
70 00 00	543 918.33	394 902.53	543 887.68	410 090.90

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 43 45 00 X	LATITUDE 43 45 00 Y	LATITUDE 43 47 30 X	LATITUDE 43 47 30 Y
70 00 00	544 040.72	334 150.16	544 010.16	349 338.08
02 30	533 030.54	334 130.78	533 007.62	349 318.70
05 00	522 020.36	334 116.93	522 005.08	349 304.86
07 30	511 010.18	334 108.63	511 002.54	349 296.55
70 10 00	500 000.00	334 105.86	500 000.00	349 293.79
12 30	488 989.82	334 108.63	488 997.46	349 296.55
15 00	477 979.64	334 116.93	477 994.92	349 304.86
17 30	466 969.46	334 130.78	466 992.38	349 318.70
70 20 00	455 959.28	334 150.16	455 989.84	349 338.08
22 30	444 949.09	334 175.07	444 987.30	349 363.00
25 00	433 938.91	334 205.52	433 984.75	349 393.45
27 30	422 928.72	334 241.51	422 982.21	349 429.45
70 30 00	411 918.53	334 283.04	411 979.66	349 470.97
32 30	400 908.35	334 330.10	400 977.11	349 518.04
35 00	389 898.15	334 382.70	389 974.56	349 570.64
37 30	378 887.96	334 440.84	378 972.01	349 628.79
70 40 00	367 877.76	334 504.52	367 969.45	349 692.47
42 30	356 867.56	334 573.73	356 966.89	349 761.68
45 00	345 857.35	334 648.48	345 964.33	349 836.44
47 30	334 847.15	334 728.77	334 961.76	349 916.74
70 50 00	323 836.93	334 814.60	323 959.19	350 002.57
52 30	312 826.72	334 905.97	312 956.62	350 093.94
55 00	301 816.50	335 002.87	301 954.04	350 190.85
57 30	290 806.27	335 105.31	290 951.45	350 293.30
71 00 00	279 796.04	335 213.29	279 948.87	350 401.29

LONGITUDE	LATITUDE 43 50 00 X	LATITUDE 43 50 00 Y	LATITUDE 43 52 30 X	LATITUDE 43 52 30 Y
70 00 00	543 979.58	364 526.12	543 948.97	379 714.27
02 30	532 984.68	364 506.74	532 961.72	379 694.89
05 00	521 989.79	364 492.90	521 974.48	379 681.05
07 30	510 994.89	364 484.59	510 987.24	379 672.74
70 10 00	500 000.00	364 481.82	500 000.00	379 669.97
12 30	489 005.11	364 484.59	489 012.76	379 672.74
15 00	478 010.21	364 492.90	478 025.52	379 681.05
17 30	467 015.32	364 506.74	467 038.28	379 694.89
70 20 00	456 020.42	364 526.12	456 051.03	379 714.27
22 30	445 025.53	364 551.04	445 063.79	379 739.19
25 00	434 030.63	364 581.50	434 076.55	379 769.65
27 30	423 035.73	364 617.49	423 089.30	379 805.65
70 30 00	412 040.83	364 659.02	412 102.05	379 847.18
32 30	401 045.93	364 706.09	401 114.81	379 894.25
35 00	390 051.03	364 758.70	390 127.55	379 946.86
37 30	379 056.12	364 816.84	379 140.30	380 005.01
70 40 00	368 061.21	364 880.53	368 153.04	380 068.70
42 30	357 066.30	364 949.75	357 165.78	380 137.93
45 00	346 071.38	365 024.51	346 178.52	380 212.69
47 30	335 076.46	365 104.81	335 191.26	380 293.00
70 50 00	324 081.54	365 190.65	324 203.99	380 378.84
52 30	313 086.61	365 282.03	313 216.71	380 470.23
55 00	302 091.68	365 378.94	302 229.44	380 567.15
57 30	291 096.75	365 481.40	291 242.15	380 669.61
71 00 00	280 101.81	365 589.39	280 254.87	380 777.61

LONGITUDE	LATITUDE 43 55 00 X	LATITUDE 43 55 00 Y	LATITUDE 43 57 30 X	LATITUDE 43 57 30 Y
70 00 00	543 918.33	394 902.53	543 887.68	410 090.90
02 30	532 938.75	394 883.14	532 915.76	410 071.52
05 00	521 959.17	394 869.30	521 943.84	410 057.67
07 30	510 979.58	394 860.99	510 971.92	410 049.36
70 10 00	500 000.00	394 858.22	500 000.00	410 046.60
12 30	489 020.42	394 860.99	489 028.08	410 049.36
15 00	478 040.83	394 869.30	478 056.16	410 057.67
17 30	467 061.25	394 883.14	467 084.24	410 071.52
70 20 00	456 081.67	394 902.53	456 112.32	410 090.90
22 30	445 102.08	394 927.45	445 140.40	410 115.83
25 00	434 122.50	394 957.91	434 168.48	410 146.29
27 30	423 142.91	394 993.90	423 196.56	410 182.29
70 30 00	412 163.32	395 035.44	412 224.63	410 223.83
32 30	401 183.73	395 082.52	401 252.71	410 270.90
35 00	390 204.14	395 135.13	390 280.78	410 323.52
37 30	379 224.54	395 193.28	379 308.85	410 381.68
70 40 00	368 244.94	395 256.97	368 336.92	410 445.37
42 30	357 265.34	395 326.20	357 364.98	410 514.61
45 00	346 285.74	395 400.97	346 393.04	410 589.38
47 30	335 306.13	395 481.28	335 421.10	410 669.69
70 50 00	324 326.52	395 567.13	324 449.16	410 755.55
52 30	313 346.91	395 658.52	313 477.21	410 846.94
55 00	302 367.29	395 755.45	302 505.26	410 943.88
57 30	291 387.67	395 857.92	291 533.30	411 046.35
71 00 00	280 408.04	395 965.93	280 561.34	411 154.36

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 44 00 00 X	LATITUDE 44 00 00 Y	LATITUDE 44 02 30 X	LATITUDE 44 02 30 Y
69 00 00	806 999.74	427 406.58	806 784.79	442 595.29
02 30	796 035.41	427 254.22	795 828.14	442 442.93
05 00	785 071.09	427 107.41	784 871.49	442 296.11
07 30	774 106.77	426 966.14	773 914.85	442 154.83
69 10 00	763 142.46	426 830.41	762 958.22	442 019.09
12 30	752 178.15	426 700.22	752 001.59	441 888.90
15 00	741 213.85	426 575.57	741 044.96	441 764.24
17 30	730 249.55	426 456.47	730 088.34	441 645.13
69 20 00	719 285.26	426 342.91	719 131.73	441 531.57
22 30	708 320.97	426 234.89	708 175.12	441 423.54
25 00	697 356.68	426 132.41	697 218.51	441 321.06
27 30	686 392.40	426 035.47	686 261.90	441 224.11
69 30 00	675 428.12	425 944.07	675 305.30	441 132.71
32 30	664 463.85	425 858.21	664 348.71	441 046.85
35 00	653 499.58	425 777.89	653 392.11	440 966.52
37 30	642 535.31	425 703.12	642 435.52	440 891.74
69 40 00	631 571.05	425 633.88	631 478.93	440 822.50
42 30	620 606.78	425 570.18	620 522.35	440 758.80
45 00	609 642.52	425 512.02	609 565.76	440 700.63
47 30	598 678.26	425 459.40	598 609.18	440 648.01
69 50 00	587 714.01	425 412.32	587 652.60	440 600.93
52 30	576 749.75	425 370.78	576 696.02	440 559.39
55 00	565 785.50	425 334.78	565 739.44	440 523.38
57 30	554 821.25	425 304.32	554 782.87	440 492.92
70 00 00	543 857.00	425 279.39	543 826.29	440 467.99

LONGITUDE	LATITUDE 44 05 00 X	LATITUDE 44 05 00 Y	LATITUDE 44 07 30 X	LATITUDE 44 07 30 Y
69 00 00	806 569.67	457 784.11	806 354.39	472 973.03
02 30	795 620.71	457 631.74	795 413.12	472 820.65
05 00	784 671.75	457 484.91	784 471.85	472 673.81
07 30	773 722.79	457 343.63	773 530.58	472 532.52
69 10 00	762 773.84	457 207.88	762 589.32	472 396.77
12 30	751 824.90	457 077.68	751 648.07	472 266.57
15 00	740 875.95	456 953.02	740 706.82	472 141.90
17 30	729 927.02	456 833.91	729 765.57	472 022.78
69 20 00	718 978.09	456 720.33	718 824.33	471 909.20
22 30	708 029.16	456 612.30	707 883.09	471 801.16
25 00	697 080.23	456 509.81	696 941.85	471 698.67
27 30	686 131.31	456 412.86	686 000.62	471 601.72
69 30 00	675 182.39	456 321.45	675 059.39	471 510.30
32 30	664 233.48	456 235.59	664 118.16	471 424.43
35 00	653 284.57	456 155.26	653 176.94	471 344.10
37 30	642 335.66	456 080.47	642 235.72	471 269.31
69 40 00	631 386.75	456 011.23	631 294.50	471 200.06
42 30	620 437.85	455 947.52	620 353.28	471 136.35
45 00	609 488.94	455 889.36	609 412.07	471 078.19
47 30	598 540.04	455 836.73	598 470.86	471 025.56
69 50 00	587 591.15	455 789.65	587 529.65	470 978.47
52 30	576 642.25	455 748.10	576 588.44	470 936.93
55 00	565 693.35	455 712.10	565 647.23	470 900.92
57 30	554 744.46	455 681.63	554 706.02	470 870.45
70 00 00	543 795.57	455 656.71	543 764.82	470 845.52

LONGITUDE	LATITUDE 44 10 00 X	LATITUDE 44 10 00 Y	LATITUDE 44 12 30 X	LATITUDE 44 12 30 Y
69 00 00	806 138.95	488 162.06	805 923.35	503 351.21
02 30	795 205.38	488 009.68	794 997.47	503 198.82
05 00	784 271.80	487 862.84	784 071.60	503 051.97
07 30	773 338.23	487 721.54	773 145.73	502 910.66
69 10 00	762 404.67	487 585.78	762 219.87	502 774.90
12 30	751 471.11	487 455.57	751 294.01	502 644.68
15 00	740 537.55	487 330.90	740 368.16	502 520.01
17 30	729 604.00	487 211.77	729 442.31	502 400.87
69 20 00	718 670.45	487 098.19	718 516.46	502 287.28
22 30	707 736.91	486 990.15	707 590.62	502 179.24
25 00	696 803.37	486 887.65	696 664.77	502 076.74
27 30	685 869.83	486 790.69	685 738.94	501 979.77
69 30 00	674 936.29	486 699.27	674 813.10	501 888.35
32 30	664 002.76	486 613.39	663 887.27	501 802.47
35 00	653 069.23	486 533.06	652 961.44	501 722.13
37 30	642 135.71	486 458.27	642 035.61	501 647.34
69 40 00	631 202.18	486 389.02	631 109.79	501 578.08
42 30	620 268.66	486 325.31	620 183.97	501 514.37
45 00	609 335.14	486 267.13	609 258.14	501 456.20
47 30	598 401.62	486 214.50	598 332.32	501 403.56
69 50 00	587 468.10	486 167.42	587 406.51	501 356.47
52 30	576 534.59	486 125.87	576 480.69	501 314.92
55 00	565 601.07	486 089.86	565 554.88	501 278.91
57 30	554 667.56	486 059.39	554 629.06	501 248.44
70 00 00	543 734.04	486 034.46	543 703.25	501 223.51

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 44 00 00 X	LATITUDE 44 00 00 Y	LATITUDE 44 02 30 X	LATITUDE 44 02 30 Y
70 00 00	543 857.00	425 279.39	543 826.29	440 467.99
02 30	532 892.75	425 260.01	532 869.72	440 448.61
05 00	521 928.50	425 246.16	521 913.15	440 434.76
07 30	510 964.25	425 237.85	510 956.57	440 426.45
70 10 00	500 000.00	425 235.08	500 000.00	440 423.68
12 30	489 035.75	425 237.85	489 043.43	440 426.45
15 00	478 071.50	425 246.16	478 086.85	440 434.76
17 30	467 107.25	425 260.01	467 130.28	440 448.61
70 20 00	456 143.00	425 279.39	456 173.71	440 467.99
22 30	445 178.75	425 304.32	445 217.13	440 492.92
25 00	434 214.50	425 334.78	434 260.56	440 523.38
27 30	423 250.25	425 370.78	423 303.98	440 559.39
70 30 00	412 285.99	425 412.32	412 347.40	440 600.93
32 30	401 321.74	425 459.40	401 390.82	440 648.01
35 00	390 357.48	425 512.02	390 434.24	440 700.63
37 30	379 393.22	425 570.18	379 477.65	440 758.80
70 40 00	368 428.96	425 633.88	368 521.07	440 822.50
42 30	357 464.69	425 703.12	357 564.48	440 891.74
45 00	346 500.42	425 777.89	346 607.89	440 966.52
47 30	335 536.15	425 858.21	335 651.29	441 046.85
70 50 00	324 571.88	425 944.07	324 694.70	441 132.71
52 30	313 607.60	426 035.47	313 738.10	441 224.11
55 00	302 643.32	426 132.41	302 781.49	441 321.06
57 30	291 679.03	426 234.89	291 824.88	441 423.54
71 00 00	280 714.74	426 342.91	280 868.27	441 531.57

LONGITUDE	LATITUDE 44 05 00 X	LATITUDE 44 05 00 Y	LATITUDE 44 07 30 X	LATITUDE 44 07 30 Y
70 00 00	543 795.57	455 656.71	543 764.82	470 845.52
02 30	532 846.67	455 637.32	532 823.61	470 826.13
05 00	521 897.78	455 623.47	521 882.41	470 812.28
07 30	510 948.89	455 615.16	510 941.20	470 803.97
70 10 00	500 000.00	455 612.39	500 000.00	470 801.21
12 30	489 051.11	455 615.16	489 058.80	470 803.97
15 00	478 102.22	455 623.47	478 117.59	470 812.28
17 30	467 153.33	455 637.32	467 176.39	470 826.13
70 20 00	456 204.43	455 656.71	456 235.18	470 845.52
22 30	445 255.54	455 681.63	445 293.98	470 870.45
25 00	434 306.65	455 712.10	434 352.77	470 900.92
27 30	423 357.75	455 748.10	423 411.56	470 936.93
70 30 00	412 408.85	455 789.65	412 470.35	470 978.47
32 30	401 459.96	455 836.73	401 529.14	471 025.56
35 00	390 511.06	455 889.36	390 587.93	471 078.19
37 30	379 562.15	455 947.52	379 646.72	471 136.35
70 40 00	368 613.25	456 011.23	368 705.50	471 200.06
42 30	357 664.34	456 080.47	357 764.28	471 269.31
45 00	346 715.43	456 155.26	346 823.06	471 344.10
47 30	335 766.52	456 235.59	335 881.84	471 424.43
70 50 00	324 817.61	456 321.45	324 940.61	471 510.30
52 30	313 868.69	456 412.86	313 999.38	471 601.72
55 00	302 919.77	456 509.81	303 058.15	471 698.67
57 30	291 970.84	456 612.30	292 116.91	471 801.16
71 00 00	281 021.91	456 720.33	281 175.67	471 909.20

LONGITUDE	LATITUDE 44 10 00 X	LATITUDE 44 10 00 Y	LATITUDE 44 12 30 X	LATITUDE 44 12 30 Y
70 00 00	543 734.04	486 034.46	543 703.25	501 223.51
02 30	532 800.53	486 015.07	532 777.44	501 204.12
05 00	521 867.02	486 001.22	521 851.62	501 190.27
07 30	510 933.51	485 992.91	510 925.81	501 181.96
70 10 00	500 000.00	485 990.14	500 000.00	501 179.19
12 30	489 066.49	485 992.91	489 074.19	501 181.96
15 00	478 132.98	486 001.22	478 148.38	501 190.27
17 30	467 199.47	486 015.07	467 222.56	501 204.12
70 20 00	456 265.96	486 034.46	456 296.75	501 223.51
22 30	445 332.44	486 059.39	445 370.94	501 248.44
25 00	434 398.93	486 089.86	434 445.12	501 278.91
27 30	423 465.41	486 125.87	423 519.31	501 314.92
70 30 00	412 531.90	486 167.42	412 593.49	501 356.47
32 30	401 598.38	486 214.50	401 667.68	501 403.56
35 00	390 664.86	486 267.13	390 741.86	501 456.20
37 30	379 731.34	486 325.31	379 816.03	501 514.37
70 40 00	368 797.82	486 389.02	368 890.21	501 578.08
42 30	357 864.29	486 458.27	357 964.39	501 647.34
45 00	346 930.77	486 533.06	347 038.56	501 722.13
47 30	335 997.24	486 613.39	336 112.73	501 802.47
70 50 00	325 063.71	486 699.27	325 186.90	501 888.35
52 30	314 130.17	486 790.69	314 261.06	501 979.77
55 00	303 196.63	486 887.65	303 335.23	502 076.74
57 30	292 263.09	486 990.15	292 409.38	502 179.24
71 00 00	281 329.55	487 098.19	281 483.54	502 287.28

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 44 00 00 X	LATITUDE 44 00 00 Y	LATITUDE 44 02 30 X	LATITUDE 44 02 30 Y
71 00 00	280 714.74	426 342.91	280 868.27	441 531.57
02 30	269 750.45	426 456.47	269 911.66	441 645.13
05 00	258 786.15	426 575.57	258 955.04	441 764.24
07 30	247 821.85	426 700.22	247 998.41	441 888.90
71 10 00	236 857.54	426 830.41	237 041.78	442 019.09
12 30	225 893.23	426 966.14	226 085.15	442 154.83
15 00	214 928.91	427 107.41	215 128.51	442 296.11
17 30	203 964.59	427 254.22	204 171.86	442 442.93
71 20 00	193 000.26	427 406.58	193 215.21	442 595.29
22 30	182 035.92	427 564.48	182 258.56	442 753.20
25 00	171 071.58	427 727.92	171 301.90	442 916.65
27 30	160 107.24	427 896.92	160 345.23	443 085.65
71 30 00	149 142.88	428 071.45	149 388.56	443 260.20
32 30	138 178.52	428 251.54	138 431.87	443 440.29
35 00	127 214.15	428 437.16	127 475.19	443 625.93
37 30	116 249.78	428 628.34	116 518.49	443 817.11
71 40 00	105 285.39	428 825.06	105 561.79	444 013.84
42 30	94 321.00	429 027.32	94 605.08	444 216.12
45 00	83 356.61	429 235.13	83 648.37	444 423.94
47 30	72 392.20	429 448.49	72 691.64	444 637.31
71 50 00	61 427.78	429 667.40	61 734.91	444 856.23

LONGITUDE	LATITUDE 44 05 00 X	LATITUDE 44 05 00 Y	LATITUDE 44 07 30 X	LATITUDE 44 07 30 Y
71 00 00	281 021.91	456 720.33	281 175.67	471 909.20
02 30	270 072.98	456 833.91	270 234.43	472 022.78
05 00	259 124.05	456 953.02	259 293.18	472 141.90
07 30	248 175.10	457 077.68	248 351.93	472 266.57
71 10 00	237 226.16	457 207.88	237 410.68	472 396.77
12 30	226 277.21	457 343.63	226 469.42	472 532.52
15 00	215 328.25	457 484.91	215 528.15	472 673.81
17 30	204 379.29	457 631.74	204 586.88	472 820.65
71 20 00	193 430.33	457 784.11	193 645.61	472 973.03
22 30	182 481.36	457 942.03	182 704.33	473 130.95
25 00	171 532.38	458 105.49	171 763.04	473 294.42
27 30	160 583.40	458 274.50	160 821.75	473 463.44
71 30 00	149 634.41	458 449.05	149 880.45	473 638.00
32 30	138 685.42	458 629.16	138 939.15	473 818.11
35 00	127 736.42	458 814.80	127 997.84	474 003.77
37 30	116 787.41	459 006.00	117 056.53	474 194.97
71 40 00	105 838.39	459 202.73	106 115.21	474 391.72
42 30	94 889.37	459 405.02	95 173.88	474 594.01
45 00	83 940.34	459 612.85	84 232.54	474 801.85
47 30	72 991.31	459 826.23	73 291.20	475 015.25
71 50 00	62 042.26	460 045.16	62 349.85	475 234.19

LONGITUDE	LATITUDE 44 10 00 X	LATITUDE 44 10 00 Y	LATITUDE 44 12 30 X	LATITUDE 44 12 30 Y
71 00 00	281 329.55	487 098.19	281 483.54	502 287.28
02 30	270 396.00	487 211.77	270 557.69	502 400.87
05 00	259 462.45	487 330.90	259 631.84	502 520.01
07 30	248 528.89	487 455.57	248 705.99	502 644.68
71 10 00	237 595.33	487 585.78	237 780.13	502 774.90
12 30	226 661.77	487 721.54	226 854.27	502 910.66
15 00	215 728.20	487 862.84	215 928.40	503 051.97
17 30	204 794.62	488 009.68	205 002.53	503 198.82
71 20 00	193 861.05	488 162.06	194 076.65	503 351.21
22 30	182 927.46	488 319.99	183 150.77	503 509.15
25 00	171 993.87	488 483.47	172 224.88	503 672.63
27 30	161 060.28	488 652.50	161 298.99	503 841.66
71 30 00	150 126.68	488 827.07	150 373.10	504 016.24
32 30	139 193.07	489 007.19	139 447.20	504 196.37
35 00	128 259.46	489 192.85	128 521.29	504 382.04
37 30	117 325.85	489 384.06	117 595.38	504 573.26
71 40 00	106 392.22	489 580.82	106 669.46	504 770.03
42 30	95 458.59	489 783.12	95 743.53	504 972.34
45 00	84 524.96	489 990.97	84 817.60	505 180.20
47 30	73 591.31	490 204.38	73 891.66	505 393.61
71 50 00	62 657.66	490 423.33	62 965.72	505 612.57

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 44 15 00 X	LATITUDE 44 15 00 Y	LATITUDE 44 17 30 X	LATITUDE 44 17 30 Y
69 00 00	805 707.59	518 540.46	805 491.66	533 729.81
02 30	794 789.42	518 388.06	794 581.20	533 577.40
05 00	783 871.26	518 241.21	783 670.75	533 430.54
07 30	772 953.10	518 099.90	772 760.31	533 289.23
69 10 00	762 034.94	517 964.13	761 849.86	533 153.45
12 30	751 116.79	517 833.90	750 939.43	533 023.22
15 00	740 198.64	517 709.22	740 028.99	532 898.54
17 30	729 280.50	517 590.08	729 118.56	532 779.40
69 20 00	718 362.36	517 476.49	718 208.13	532 665.80
22 30	707 444.22	517 368.44	707 297.70	532 557.74
25 00	696 526.08	517 265.93	696 387.28	532 455.23
27 30	685 607.95	517 168.97	685 476.86	532 358.26
69 30 00	674 689.82	517 077.54	674 566.44	532 266.83
32 30	663 771.70	516 991.66	663 656.03	532 180.95
35 00	652 853.57	516 911.32	652 745.62	532 100.60
37 30	641 935.45	516 836.52	641 835.21	532 025.80
69 40 00	631 017.33	516 767.26	630 924.80	531 956.54
42 30	620 099.21	516 703.54	620 014.39	531 892.82
45 00	609 181.10	516 645.37	609 103.99	531 834.64
47 30	598 262.98	516 592.73	598 193.58	531 782.01
69 50 00	587 344.87	516 545.64	587 283.18	531 734.91
52 30	576 426.76	516 504.09	576 372.78	531 693.36
55 00	565 508.65	516 468.08	565 462.38	531 657.35
57 30	554 590.54	516 437.60	554 551.98	531 626.87
70 00 00	543 672.43	516 412.67	543 641.59	531 601.94

LONGITUDE	LATITUDE 44 20 00 X	LATITUDE 44 20 00 Y	LATITUDE 44 22 30 X	LATITUDE 44 22 30 Y
69 00 00	805 275.57	548 919.27	805 059.31	564 108.85
02 30	794 372.83	548 766.86	794 164.30	563 956.43
05 00	783 470.10	548 620.00	783 269.30	563 809.56
07 30	772 567.38	548 478.68	772 374.30	563 668.24
69 10 00	761 664.65	548 342.90	761 479.30	563 532.46
12 30	750 761.93	548 212.66	750 584.30	563 402.22
15 00	739 859.22	548 087.97	739 689.31	563 277.52
17 30	728 956.50	547 968.83	728 794.32	563 158.37
69 20 00	718 053.79	547 855.22	717 899.33	563 044.76
22 30	707 151.08	547 747.17	707 004.35	562 936.70
25 00	696 248.38	547 644.65	696 109.37	562 834.18
27 30	685 345.68	547 547.68	685 214.39	562 737.21
69 30 00	674 442.98	547 456.25	674 319.41	562 645.77
32 30	663 540.28	547 370.36	663 424.44	562 559.88
35 00	652 637.59	547 290.01	652 529.47	562 479.53
37 30	641 734.89	547 215.20	641 634.50	562 404.72
69 40 00	630 832.20	547 145.94	630 739.53	562 335.45
42 30	619 929.51	547 082.22	619 844.56	562 271.73
45 00	609 026.82	547 024.04	608 949.60	562 213.55
47 30	598 124.14	546 971.40	598 054.63	562 160.91
69 50 00	587 221.45	546 924.30	587 159.67	562 113.81
52 30	576 318.77	546 882.75	576 264.71	562 072.25
55 00	565 416.08	546 846.73	565 369.75	562 036.24
57 30	554 513.40	546 816.26	554 474.79	562 005.76
70 00 00	543 610.72	546 791.33	543 579.83	561 980.83

LONGITUDE	LATITUDE 44 25 00 X	LATITUDE 44 25 00 Y	LATITUDE 44 27 30 X	LATITUDE 44 27 30 Y
69 00 00	804 842.90	579 298.53	804 626.32	594 488.31
02 30	793 955.62	579 146.11	793 746.77	594 335.89
05 00	783 068.35	578 999.24	782 867.24	594 189.01
07 30	772 181.08	578 857.91	771 987.70	594 047.67
69 10 00	761 293.81	578 722.12	761 108.17	593 911.88
12 30	750 406.54	578 591.87	750 228.64	593 781.63
15 00	739 519.28	578 467.17	739 349.12	593 656.93
17 30	728 632.02	578 348.02	728 469.59	593 537.77
69 20 00	717 744.76	578 234.41	717 590.07	593 424.16
22 30	706 857.51	578 126.35	706 710.55	593 316.09
25 00	695 970.26	578 023.82	695 831.04	593 213.57
27 30	685 083.01	577 926.84	684 951.52	593 116.58
69 30 00	674 195.76	577 835.40	674 072.01	593 025.14
32 30	663 308.52	577 749.51	663 192.50	592 939.24
35 00	652 421.27	577 669.16	652 312.99	592 858.89
37 30	641 534.03	577 594.35	641 433.49	592 784.08
69 40 00	630 646.79	577 525.08	630 553.98	592 714.81
42 30	619 759.55	577 461.35	619 674.48	592 651.08
45 00	608 872.32	577 403.17	608 794.98	592 592.89
47 30	597 985.08	577 350.53	597 915.47	592 540.25
69 50 00	587 097.85	577 303.43	587 035.97	592 493.15
52 30	576 210.61	577 261.87	576 156.48	592 451.59
55 00	565 323.38	577 225.85	565 276.98	592 415.57
57 30	554 436.15	577 195.37	554 397.48	592 385.09
70 00 00	543 548.92	577 170.44	543 517.98	592 360.16

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 44 15 00 X	LATITUDE 44 15 00 Y	LATITUDE 44 17 30 X	LATITUDE 44 17 30 Y
70 00 00	543 672.43	516 412.67	543 641.59	531 601.94
02 30	532 754.32	516 393.28	532 731.19	531 582.55
05 00	521 836.21	516 379.43	521 820.79	531 568.70
07 30	510 918.11	516 371.12	510 910.40	531 560.38
70 10 00	500 000.00	516 368.35	500 000.00	531 557.62
12 30	489 081.89	516 371.12	489 089.60	531 560.38
15 00	478 163.79	516 379.43	478 179.21	531 568.70
17 30	467 245.68	516 393.28	467 268.81	531 582.55
70 20 00	456 327.57	516 412.67	456 358.41	531 601.94
22 30	445 409.46	516 437.60	445 448.02	531 626.87
25 00	434 491.35	516 468.08	434 537.62	531 657.35
27 30	423 573.24	516 504.09	423 627.22	531 693.36
70 30 00	412 655.13	516 545.64	412 716.82	531 734.91
32 30	401 737.02	516 592.73	401 806.42	531 782.01
35 00	390 818.90	516 645.37	390 896.01	531 834.64
37 30	379 900.79	516 703.54	379 985.61	531 892.82
70 40 00	368 982.67	516 767.26	369 075.20	531 956.54
42 30	358 064.55	516 836.52	358 164.79	532 025.80
45 00	347 146.43	516 911.32	347 254.38	532 100.60
47 30	336 228.30	516 991.66	336 343.97	532 180.95
70 50 00	325 310.18	517 077.54	325 433.56	532 266.83
52 30	314 392.05	517 168.97	314 523.14	532 358.26
55 00	303 473.92	517 265.93	303 612.72	532 455.23
57 30	292 555.78	517 368.44	292 702.30	532 557.74
71 00 00	281 637.64	517 476.49	281 791.87	532 665.80

LONGITUDE	LATITUDE 44 20 00 X	LATITUDE 44 20 00 Y	LATITUDE 44 22 30 X	LATITUDE 44 22 30 Y
70 00 00	543 610.72	546 791.33	543 579.83	561 980.83
02 30	532 708.04	546 771.93	532 684.87	561 961.43
05 00	521 805.36	546 758.08	521 789.92	561 947.58
07 30	510 902.68	546 749.77	510 894.96	561 939.27
70 10 00	500 000.00	546 747.00	500 000.00	561 936.50
12 30	489 097.32	546 749.77	489 105.04	561 939.27
15 00	478 194.64	546 758.08	478 210.08	561 947.58
17 30	467 291.96	546 771.93	467 315.13	561 961.43
70 20 00	456 389.28	546 791.33	456 420.17	561 980.83
22 30	445 486.60	546 816.26	445 525.21	562 005.76
25 00	434 583.92	546 846.73	434 630.25	562 036.24
27 30	423 681.23	546 882.75	423 735.29	562 072.25
70 30 00	412 778.55	546 924.30	412 840.33	562 113.81
32 30	401 875.86	546 971.40	401 945.37	562 160.91
35 00	390 973.18	547 024.04	391 050.40	562 213.55
37 30	380 070.49	547 082.22	380 155.44	562 271.73
70 40 00	369 167.80	547 145.94	369 260.47	562 335.45
42 30	358 265.11	547 215.20	358 365.50	562 404.72
45 00	347 362.41	547 290.01	347 470.53	562 479.53
47 30	336 459.72	547 370.36	336 575.56	562 559.88
70 50 00	325 557.02	547 456.25	325 680.59	562 645.77
52 30	314 654.32	547 547.68	314 785.61	562 737.21
55 00	303 751.62	547 644.65	303 890.63	562 834.18
57 30	292 848.92	547 747.17	292 995.65	562 936.70
71 00 00	281 946.21	547 855.22	282 100.67	563 044.76

LONGITUDE	LATITUDE 44 25 00 X	LATITUDE 44 25 00 Y	LATITUDE 44 27 30 X	LATITUDE 44 27 30 Y
70 00 00	543 548.92	577 170.44	543 517.98	592 360.16
02 30	532 661.69	577 151.05	532 638.49	592 340.76
05 00	521 774.46	577 137.19	521 758.99	592 326.91
07 30	510 887.23	577 128.88	510 879.50	592 318.60
70 10 00	500 000.00	577 126.11	500 000.00	592 315.83
12 30	489 112.77	577 128.88	489 120.50	592 318.60
15 00	478 225.54	577 137.19	478 241.01	592 326.91
17 30	467 338.31	577 151.05	467 361.51	592 340.76
70 20 00	456 451.08	577 170.44	456 482.02	592 360.16
22 30	445 563.85	577 195.37	445 602.52	592 385.09
25 00	434 676.62	577 225.85	434 723.02	592 415.57
27 30	423 789.39	577 261.87	423 843.52	592 451.59
70 30 00	412 902.15	577 303.43	412 964.03	592 493.15
32 30	402 014.92	577 350.53	402 084.53	592 540.25
35 00	391 127.68	577 403.17	391 205.02	592 592.89
37 30	380 240.45	577 461.35	380 325.52	592 651.08
70 40 00	369 353.21	577 525.08	369 446.02	592 714.81
42 30	358 465.97	577 594.35	358 566.51	592 784.08
45 00	347 578.73	577 669.16	347 687.01	592 858.89
47 30	336 691.48	577 749.51	336 807.50	592 939.24
70 50 00	325 804.24	577 835.40	325 927.99	593 025.14
52 30	314 916.99	577 926.84	315 048.48	593 116.58
55 00	304 029.74	578 023.82	304 168.96	593 213.57
57 30	293 142.49	578 126.35	293 289.45	593 316.09
71 00 00	282 255.24	578 234.41	282 409.93	593 424.16

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 44 15 00 X	LATITUDE 44 15 00 Y	LATITUDE 44 17 30 X	LATITUDE 44 17 30 Y
71 00 00	281 637.64	517 476.49	281 791.87	532 665.80
02 30	270 719.50	517 590.08	270 881.44	532 779.40
05 00	259 801.36	517 709.22	259 971.01	532 898.54
07 30	248 883.21	517 833.90	249 060.57	533 023.22
71 10 00	237 965.06	517 964.13	238 150.14	533 153.45
12 30	227 046.90	518 099.90	227 239.69	533 289.23
15 00	216 128.74	518 241.21	216 329.25	533 430.54
17 30	205 210.58	518 388.06	205 418.80	533 577.40
71 20 00	194 292.41	518 540.46	194 508.34	533 729.81
22 30	183 374.24	518 698.40	183 597.88	533 887.76
25 00	172 456.06	518 861.89	172 687.42	534 051.26
27 30	161 537.88	519 030.93	161 776.95	534 220.30
71 30 00	150 619.69	519 205.52	150 866.48	534 394.90
32 30	139 701.50	519 385.65	139 956.00	534 575.04
35 00	128 783.30	519 571.33	129 045.52	534 760.72
37 30	117 865.10	519 762.56	118 135.03	534 951.96
71 40 00	106 946.89	519 959.34	107 224.54	535 148.74
42 30	96 028.68	520 161.66	96 314.04	535 351.07
45 00	85 110.45	520 369.53	85 403.54	535 558.95
47 30	74 192.23	520 582.95	74 493.03	535 772.37
71 50 00	63 273.99	520 801.92	63 582.51	535 991.35

LONGITUDE	LATITUDE 44 20 00 X	LATITUDE 44 20 00 Y	LATITUDE 44 22 30 X	LATITUDE 44 22 30 Y
71 00 00	281 946.21	547 855.22	282 100.67	563 044.76
02 30	271 043.50	547 968.83	271 205.68	563 158.37
05 00	260 140.78	548 087.07	260 310.69	563 277.52
07 30	249 238.07	548 212.66	249 415.70	563 402.22
71 10 00	238 335.35	548 342.90	238 520.70	563 532.46
12 30	227 432.62	548 478.68	227 625.70	563 668.24
15 00	216 529.90	548 620.00	216 730.70	563 809.56
17 30	205 627.17	548 766.86	205 835.70	563 956.43
71 20 00	194 724.43	548 919.27	194 940.69	564 108.85
22 30	183 821.69	549 077.23	184 045.67	564 266.81
25 00	172 918.95	549 240.73	173 150.66	564 430.32
27 30	162 016.20	549 409.79	162 255.64	564 599.38
71 30 00	151 113.45	549 584.39	151 360.61	564 773.99
32 30	140 210.69	549 764.54	140 465.58	564 954.14
35 00	129 307.93	549 950.23	129 570.55	565 139.84
37 30	118 405.17	550 141.47	118 675.51	565 331.09
71 40 00	107 502.39	550 338.26	107 780.46	565 527.88
42 30	96 599.62	550 540.60	96 885.42	565 730.23
45 00	85 696.84	550 748.48	85 990.36	565 938.12
47 30	74 794.05	550 961.92	75 095.30	566 151.56
71 50 00	63 891.26	551 180.91	64 200.24	566 370.56

LONGITUDE	LATITUDE 44 25 00 X	LATITUDE 44 25 00 Y	LATITUDE 44 27 30 X	LATITUDE 44 27 30 Y
71 00 00	282 255.24	578 234.41	282 409.93	593 424.16
02 30	271 367.98	578 348.02	271 530.41	593 537.77
05 00	260 480.72	578 467.17	260 650.88	593 656.93
07 30	249 593.46	578 591.87	249 771.36	593 781.63
71 10 00	238 706.19	578 722.12	238 891.83	593 911.88
12 30	227 818.92	578 857.91	228 012.30	594 047.67
15 00	216 931.65	578 999.24	217 132.76	594 189.01
17 30	206 044.38	579 146.11	206 253.23	594 335.89
71 20 00	195 157.10	579 298.53	195 373.68	594 488.31
22 30	184 269.82	579 456.50	184 494.14	594 646.29
25 00	173 382.53	579 620.01	173 614.59	594 809.81
27 30	162 495.24	579 789.08	162 735.04	594 978.88
71 30 00	151 607.95	579 963.69	151 855.49	595 153.49
32 30	140 720.65	580 143.85	140 975.93	595 333.66
35 00	129 833.35	580 329.56	130 096.36	595 519.37
37 30	118 946.05	580 520.81	119 216.80	595 710.63
71 40 00	108 058.73	580 717.61	108 337.23	595 907.44
42 30	97 171.42	580 919.97	97 457.65	596 109.80
45 00	86 284.10	581 127.86	86 578.07	596 317.70
47 30	75 396.78	581 341.31	75 698.49	596 531.16
71 50 00	64 509.45	581 560.32	64 818.90	596 750.17

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 44 30 00 X	LATITUDE 44 30 00 Y	LATITUDE 44 32 30 X	LATITUDE 44 32 30 Y
69 00 00	804 409.58	609 678.21	804 192.67	624 868.22
02 30	793 537.78	609 525.78	793 328.62	624 715.79
05 00	782 665.99	609 378.90	782 464.58	624 568.90
07 30	771 794.19	609 237.56	771 600.53	624 427.56
69 10 00	760 922.40	609 101.76	760 736.49	624 291.76
12 30	750 050.62	608 971.51	749 872.45	624 161.50
15 00	739 178.83	608 846.80	739 008.41	624 036.79
17 30	728 307.05	608 727.64	728 144.38	623 917.63
69 20 00	717 435.27	608 614.03	717 280.35	623 804.01
22 30	706 563.49	608 505.95	706 416.32	623 695.93
25 00	695 691.72	608 403.43	695 552.29	623 593.40
27 30	684 819.95	608 306.44	684 688.26	623 496.41
69 30 00	673 948.17	608 215.00	673 824.24	623 404.97
32 30	663 076.40	608 129.09	662 960.22	623 319.06
35 00	652 204.64	608 048.74	652 096.19	623 238.70
37 30	641 332.87	607 973.92	641 232.17	623 163.89
69 40 00	630 461.11	607 904.65	630 368.16	623 094.61
42 30	619 589.34	607 840.92	619 504.14	623 030.88
45 00	608 717.58	607 782.73	608 640.12	622 972.69
47 30	597 845.82	607 730.09	597 776.11	622 920.05
69 50 00	586 974.06	607 682.99	586 912.09	622 872.94
52 30	576 102.30	607 641.43	576 048.08	622 831.38
55 00	565 230.54	607 605.41	565 184.07	622 795.36
57 30	554 358.78	607 574.93	554 320.05	622 764.88
70 00 00	543 487.03	607 549.99	543 456.04	622 739.94

LONGITUDE	LATITUDE 44 35 00 X	LATITUDE 44 35 00 Y	LATITUDE 44 37 30 X	LATITUDE 44 37 30 Y
69 00 00	803 975.61	640 058.33	803 758.38	655 248.54
02 30	793 119.31	639 905.89	792 909.85	655 096.10
05 00	782 263.02	639 759.00	782 061.31	654 949.21
07 30	771 406.73	639 617.66	771 212.78	654 807.86
69 10 00	760 550.44	639 481.85	760 364.25	654 672.05
12 30	749 694.16	639 351.60	749 515.73	654 541.79
15 00	738 837.87	639 226.88	738 667.20	654 417.08
17 30	727 981.59	639 107.72	727 818.68	654 297.91
69 20 00	717 125.31	638 994.09	716 970.16	654 184.28
22 30	706 269.04	638 886.02	706 121.64	654 076.20
25 00	695 412.76	638 783.48	695 273.13	653 973.67
27 30	684 556.49	638 686.49	684 424.61	653 876.67
69 30 00	673 700.21	638 595.04	673 576.10	653 785.22
32 30	662 843.94	638 509.14	662 727.58	653 699.32
35 00	651 987.67	638 428.78	651 879.07	653 618.95
37 30	641 131.41	638 353.96	641 030.56	653 544.13
69 40 00	630 275.14	638 284.68	630 182.05	653 474.86
42 30	619 418.87	638 220.95	619 333.54	653 411.12
45 00	608 562.61	638 162.76	608 485.04	653 352.93
47 30	597 706.35	638 110.11	597 636.53	653 300.28
69 50 00	586 850.08	638 063.01	586 788.03	653 253.18
52 30	575 993.82	638 021.44	575 939.52	653 211.61
55 00	565 137.56	637 985.42	565 091.02	653 175.59
57 30	554 281.30	637 954.94	554 242.51	653 145.11
70 00 00	543 425.04	637 930.01	543 394.01	653 120.17

LONGITUDE	LATITUDE 44 40 00 X	LATITUDE 44 40 00 Y	LATITUDE 44 42 30 X	LATITUDE 44 42 30 Y
69 00 00	803 540.99	670 438.87	803 323.44	685 629.31
02 30	792 700.23	670 286.43	792 490.45	685 476.87
05 00	781 859.46	670 139.53	781 657.45	685 329.97
07 30	771 018.69	669 998.18	770 824.46	685 188.61
69 10 00	760 177.93	669 862.37	759 991.47	685 052.80
12 30	749 337.17	669 732.11	749 158.47	684 922.53
15 00	738 496.41	669 607.39	738 325.49	684 797.81
17 30	727 655.65	669 488.22	727 492.50	684 678.64
69 20 00	716 814.90	669 374.59	716 659.51	684 565.01
22 30	705 974.14	669 266.51	705 826.53	684 456.93
25 00	695 133.39	669 163.97	694 993.55	684 354.39
27 30	684 292.64	669 066.97	684 160.56	684 257.39
69 30 00	673 451.89	668 975.52	673 327.58	684 165.94
32 30	662 611.14	668 889.61	662 494.60	684 080.02
35 00	651 770.39	668 809.25	651 661.63	683 999.66
37 30	640 929.64	668 734.43	640 828.65	683 924.84
69 40 00	630 088.90	668 665.15	629 995.67	683 855.56
42 30	619 248.15	668 601.41	619 162.70	683 791.82
45 00	608 407.41	668 543.22	608 329.72	683 733.63
47 30	597 566.67	668 490.57	597 496.75	683 680.97
69 50 00	586 725.92	668 443.46	586 663.77	683 633.87
52 30	575 885.18	668 401.90	575 830.80	683 592.30
55 00	565 044.44	668 365.88	564 997.83	683 556.28
57 30	554 203.70	668 335.40	554 164.86	683 525.80
70 00 00	543 362.96	668 310.46	543 331.88	683 500.86

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 44 30 00 X	LATITUDE 44 30 00 Y	LATITUDE 44 32 30 X	LATITUDE 44 32 30 Y
70 00 00	543 487.03	607 549.99	543 456.04	622 739.94
02 30	532 615.27	607 530.60	532 592.03	622 720.55
05 00	521 743.51	607 516.74	521 728.02	622 706.69
07 30	510 871.76	607 508.43	510 864.01	622 698.38
70 10 00	500 000.00	607 505.66	500 000.00	622 695.61
12 30	489 128.24	607 508.43	489 135.99	622 698.38
15 00	478 256.49	607 516.74	478 271.98	622 706.69
17 30	467 384.73	607 530.60	467 407.97	622 720.55
70 20 00	456 512.97	607 549.99	456 543.96	622 739.94
22 30	445 641.22	607 574.93	445 679.95	622 764.88
25 00	434 769.46	607 605.41	434 815.93	622 795.36
27 30	423 897.70	607 641.43	423 951.92	622 831.38
70 30 00	413 025.94	607 682.99	413 087.91	622 872.94
32 30	402 154.18	607 730.09	402 223.89	622 920.05
35 00	391 282.42	607 782.73	391 359.88	622 972.69
37 30	380 410.66	607 840.92	380 495.86	623 030.88
70 40 00	369 538.89	607 904.65	369 631.84	623 094.61
42 30	358 667.13	607 973.92	358 767.83	623 163.89
45 00	347 795.36	608 048.74	347 903.81	623 238.70
47 30	336 923.60	608 129.09	337 039.78	623 319.06
70 50 00	326 051.83	608 215.00	326 175.76	623 404.97
52 30	315 180.05	608 306.44	315 311.74	623 496.41
55 00	304 308.28	608 403.43	304 447.71	623 593.40
57 30	293 436.51	608 505.95	293 583.68	623 695.93
71 00 00	282 564.73	608 614.03	282 719.65	623 804.01

LONGITUDE	LATITUDE 44 35 00 X	LATITUDE 44 35 00 Y	LATITUDE 44 37 30 X	LATITUDE 44 37 30 Y
70 00 00	543 425.04	637 930.01	543 394.01	653 120.17
02 30	532 568.78	637 910.61	532 545.51	653 100.77
05 00	521 712.52	637 896.75	521 697.00	653 086.92
07 30	510 856.26	637 888.44	510 848.50	653 078.61
70 10 00	500 000.00	637 885.67	500 000.00	653 075.84
12 30	489 143.74	637 888.44	489 151.50	653 078.61
15 00	478 287.48	637 896.75	478 303.00	653 086.92
17 30	467 431.22	637 910.61	467 454.49	653 100.77
70 20 00	456 574.96	637 930.01	456 605.99	653 120.17
22 30	445 718.70	637 954.94	445 757.49	653 145.11
25 00	434 862.44	637 985.42	434 908.98	653 175.59
27 30	424 006.18	638 021.44	424 060.48	653 211.61
70 30 00	413 149.92	638 063.01	413 211.97	653 253.18
32 30	402 293.65	638 110.11	402 363.47	653 300.28
35 00	391 437.39	638 162.76	391 514.96	653 352.93
37 30	380 581.13	638 220.95	380 666.46	653 411.12
70 40 00	369 724.86	638 284.68	369 817.95	653 474.86
42 30	358 868.59	638 353.96	358 969.44	653 544.13
45 00	348 012.33	638 428.78	348 120.93	653 618.95
47 30	337 156.06	638 509.14	337 272.42	653 699.32
70 50 00	326 299.79	638 595.04	326 423.90	653 785.22
52 30	315 443.51	638 686.49	315 575.39	653 876.67
55 00	304 587.24	638 783.48	304 726.87	653 973.67
57 30	293 730.96	638 886.02	293 878.36	654 076.20
71 00 00	282 874.69	638 994.09	283 029.84	654 184.28

LONGITUDE	LATITUDE 44 40 00 X	LATITUDE 44 40 00 Y	LATITUDE 44 42 30 X	LATITUDE 44 42 30 Y
70 00 00	543 362.96	668 310.46	543 331.88	683 500.86
02 30	532 522.22	668 291.06	532 498.91	683 481.46
05 00	521 681.48	668 277.20	521 665.94	683 467.60
07 30	510 840.74	668 268.89	510 832.97	683 459.29
70 10 00	500 000.00	668 266.12	500 000.00	683 456.52
12 30	489 159.26	668 268.89	489 167.03	683 459.29
15 00	478 318.52	668 277.20	478 334.06	683 467.60
17 30	467 477.78	668 291.06	467 501.09	683 481.46
70 20 00	456 637.04	668 310.46	456 668.12	683 500.86
22 30	445 796.30	668 335.40	445 835.14	683 525.80
25 00	434 955.56	668 365.88	435 002.17	683 556.28
27 30	424 114.82	668 401.90	424 169.20	683 592.30
70 30 00	413 274.08	668 443.46	413 336.23	683 633.87
32 30	402 433.33	668 490.57	402 503.25	683 680.97
35 00	391 592.59	668 543.22	391 670.28	683 733.63
37 30	380 751.85	668 601.41	380 837.30	683 791.82
70 40 00	369 911.10	668 665.15	370 004.33	683 855.56
42 30	359 070.36	668 734.43	359 171.35	683 924.84
45 00	348 229.61	668 809.25	348 338.37	683 999.66
47 30	337 388.86	668 889.61	337 505.40	684 080.02
70 50 00	326 548.11	668 975.52	326 672.42	684 165.94
52 30	315 707.36	669 066.97	315 839.44	684 257.39
55 00	304 866.61	669 163.97	305 006.45	684 354.39
57 30	294 025.86	669 266.51	294 173.47	684 456.93
71 00 00	283 185.10	669 374.59	283 340.49	684 565.01

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 44 30 00 X	LATITUDE 44 30 00 Y	LATITUDE 44 32 30 X	LATITUDE 44 32 30 Y
71 00 00	282 564.73	608 614.03	282 719.65	623 804.01
02 30	271 692.95	608 727.64	271 855.62	623 917.63
05 00	260 821.17	608 846.80	260 991.59	624 036.79
07 30	249 949.38	608 971.51	250 127.55	624 161.50
71 10 00	239 077.60	609 101.76	239 263.51	624 291.76
12 30	228 205.81	609 237.56	228 399.47	624 427.56
15 00	217 334.01	609 378.90	217 535.42	624 568.90
17 30	206 462.22	609 525.78	206 671.38	624 715.79
71 20 00	195 590.42	609 678.21	195 807.33	624 868.22
22 30	184 718.62	609 836.19	184 943.28	625 026.20
25 00	173 846.81	609 999.71	174 079.22	625 189.73
27 30	162 975.01	610 168.79	163 215.16	625 358.81
71 30 00	152 103.20	610 343.41	152 351.10	625 533.44
32 30	141 231.38	610 523.58	141 487.04	625 713.61
35 00	130 359.56	610 709.30	130 622.97	625 899.33
37 30	119 487.74	610 900.56	119 758.90	626 090.60
71 40 00	108 615.91	611 097.38	108 894.82	626 287.42
42 30	97 744.08	611 299.74	98 030.74	626 489.79
45 00	86 872.25	611 507.65	87 166.66	626 697.71
47 30	76 000.41	611 721.11	76 302.57	626 911.18
71 50 00	65 128.57	611 940.13	65 438.48	627 130.20

LONGITUDE	LATITUDE 44 35 00 X	LATITUDE 44 35 00 Y	LATITUDE 44 37 30 X	LATITUDE 44 37 30 Y
71 00 00	282 874.69	638 994.09	283 029.84	654 184.28
02 30	272 018.41	639 107.72	272 181.32	654 297.91
05 00	261 162.13	639 226.88	261 332.80	654 417.08
07 30	250 305.84	639 351.60	250 484.27	654 541.79
71 10 00	239 449.56	639 481.85	239 635.75	654 672.05
12 30	228 593.27	639 617.66	228 787.22	654 807.86
15 00	217 736.98	639 759.00	217 938.69	654 949.21
17 30	206 880.69	639 905.89	207 090.15	655 096.10
71 20 00	196 024.39	640 058.33	196 241.62	655 248.54
22 30	185 168.09	640 216.32	185 393.08	655 406.53
25 00	174 311.79	640 379.85	174 544.54	655 570.07
27 30	163 455.49	640 548.93	163 696.00	655 739.16
71 30 00	152 599.18	640 723.56	152 847.45	655 913.79
32 30	141 742.87	640 903.74	141 998.91	656 093.98
35 00	130 886.56	641 089.47	131 150.36	656 279.71
37 30	120 030.25	641 280.75	120 301.80	656 470.99
71 40 00	109 173.93	641 477.57	109 453.25	656 667.81
42 30	98 317.61	641 679.94	98 604.69	656 870.19
45 00	87 461.28	641 887.87	87 756.12	657 078.12
47 30	76 604.95	642 101.34	76 907.56	657 291.60
71 50 00	65 748.62	642 320.37	66 058.99	657 510.63

LONGITUDE	LATITUDE 44 40 00 X	LATITUDE 44 40 00 Y	LATITUDE 44 42 30 X	LATITUDE 44 42 30 Y
71 00 00	283 185.10	669 374.59	283 340.49	684 565.01
02 30	272 344.35	669 488.22	272 507.50	684 678.64
05 00	261 503.59	669 607.39	261 674.51	684 797.81
07 30	250 662.83	669 732.11	250 841.53	684 922.53
71 10 00	239 822.07	669 862.37	240 008.53	685 052.80
12 30	228 981.31	669 998.18	229 175.54	685 188.61
15 00	218 140.54	670 139.53	218 342.55	685 329.97
17 30	207 299.77	670 286.43	207 509.55	685 476.87
71 20 00	196 459.01	670 438.87	196 676.56	685 629.31
22 30	185 618.23	670 596.87	185 843.56	685 787.31
25 00	174 777.46	670 760.41	175 010.56	685 950.85
27 30	163 936.69	670 929.49	164 177.55	686 119.94
71 30 00	153 095.91	671 104.13	153 344.55	686 294.58
32 30	142 255.13	671 284.32	142 511.54	686 474.78
35 00	131 414.34	671 470.06	131 678.53	686 660.51
37 30	120 573.56	671 661.34	120 845.52	686 851.80
71 40 00	109 732.77	671 858.17	110 012.50	687 048.64
42 30	98 891.98	672 060.56	99 179.48	687 251.02
45 00	88 051.18	672 268.48	88 346.46	687 458.96
47 30	77 210.39	672 481.97	77 513.44	687 672.44
71 50 00	66 369.59	672 701.00	66 680.42	687 891.48

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 44 45 00 X	LATITUDE 44 45 00 Y	LATITUDE 44 47 30 X	LATITUDE 44 47 30 Y
69 00 00	803 105.73	700 819.86	802 887.86	716 010.50
02 30	792 280.51	700 667.41	792 070.42	715 858.05
05 00	781 455.30	700 520.51	781 252.99	715 711.15
07 30	770 630.08	700 379.15	770 435.55	715 569.79
69 10 00	759 804.86	700 243.34	759 618.12	715 433.97
12 30	748 979.65	700 113.07	748 800.69	715 303.70
15 00	738 154.44	699 988.34	737 983.26	715 178.98
17 30	727 329.23	699 869.17	727 165.83	715 059.80
69 20 00	716 504.02	699 755.54	716 348.40	714 946.17
22 30	705 678.81	699 647.45	705 530.98	714 838.08
25 00	694 853.60	699 544.91	694 713.55	714 735.54
27 30	684 028.40	699 447.91	683 896.13	714 638.54
69 30 00	673 203.19	699 356.46	673 078.70	714 547.08
32 30	662 377.99	699 270.54	662 261.28	714 461.17
35 00	651 552.78	699 190.18	651 443.86	714 380.80
37 30	640 727.58	699 115.35	640 626.44	714 305.97
69 40 00	629 902.38	699 046.07	629 809.02	714 236.69
42 30	619 077.18	698 982.33	618 991.59	714 172.95
45 00	608 251.98	698 924.14	608 174.18	714 114.76
47 30	597 426.78	698 871.49	597 356.76	714 062.11
69 50 00	586 601.58	698 824.38	586 539.34	714 015.00
52 30	575 776.38	698 782.81	575 721.92	713 973.43
55 00	564 951.18	698 746.79	564 904.50	713 937.41
57 30	554 125.99	698 716.31	554 087.08	713 906.92
70 00 00	543 300.79	698 691.37	543 269.67	713 881.98

LONGITUDE	LATITUDE 44 50 00 X	LATITUDE 44 50 00 Y	LATITUDE 44 52 30 X	LATITUDE 44 52 30 Y
69 00 00	802 669.83	731 201.26	802 451.63	746 392.14
02 30	791 860.18	731 048.81	791 649.78	746 239.68
05 00	781 050.54	730 901.91	780 847.93	746 092.77
07 30	770 240.89	730 760.54	770 046.08	745 951.41
69 10 00	759 431.25	730 624.73	759 244.23	745 815.59
12 30	748 621.60	730 494.46	748 442.38	745 685.32
15 00	737 811.96	730 369.73	737 640.53	745 560.59
17 30	727 002.32	730 250.55	726 838.68	745 441.41
69 20 00	716 192.68	730 136.92	716 036.83	745 327.78
22 30	705 383.04	730 028.83	705 234.99	745 219.69
25 00	694 573.40	729 926.28	694 433.14	745 117.14
27 30	683 763.76	729 829.28	683 631.30	745 020.14
69 30 00	672 954.13	729 737.83	672 829.45	744 928.68
32 30	662 144.49	729 651.91	662 027.61	744 842.77
35 00	651 334.85	729 571.54	651 225.77	744 762.40
37 30	640 525.22	729 496.72	640 423.92	744 687.57
69 40 00	629 715.59	729 427.43	629 622.08	744 618.29
42 30	618 905.95	729 363.69	618 820.24	744 554.55
45 00	608 096.32	729 305.50	608 018.40	744 496.35
47 30	597 286.68	729 252.84	597 216.56	744 443.70
69 50 00	586 477.05	729 205.73	586 414.72	744 396.59
52 30	575 667.42	729 164.17	575 612.88	744 355.02
55 00	564 857.79	729 128.14	564 811.04	744 318.99
57 30	554 048.16	729 097.66	554 009.20	744 288.51
70 00 00	543 238.52	729 072.72	543 207.36	744 263.57

LONGITUDE	LATITUDE 44 55 00 X	LATITUDE 44 55 00 Y	LATITUDE 44 57 30 X	LATITUDE 44 57 30 Y
69 00 00	802 233.28	761 583.11	802 014.76	776 774.20
02 30	791 439.23	761 430.66	791 228.52	776 621.74
05 00	780 645.18	761 283.75	780 442.27	776 474.83
07 30	769 851.12	761 142.39	769 656.03	776 333.47
69 10 00	759 057.07	761 006.57	758 869.78	776 197.65
12 30	748 263.02	760 876.29	748 083.54	776 067.37
15 00	737 468.97	760 751.56	737 297.29	775 942.64
17 30	726 674.93	760 632.38	726 511.05	775 823.46
69 20 00	715 880.88	760 518.75	715 724.81	775 709.82
22 30	705 086.83	760 410.66	704 938.56	775 601.73
25 00	694 292.78	760 308.11	694 152.32	775 499.18
27 30	683 498.74	760 211.11	683 366.08	775 402.18
69 30 00	672 704.69	760 119.65	672 579.84	775 310.72
32 30	661 910.65	760 033.73	661 793.60	775 224.81
35 00	651 116.60	759 953.36	651 007.35	775 144.43
37 30	640 322.56	759 878.53	640 221.11	775 069.61
69 40 00	629 528.51	759 809.25	629 434.87	775 000.32
42 30	618 734.47	759 745.51	618 648.63	774 936.58
45 00	607 940.43	759 687.31	607 862.39	774 878.38
47 30	597 146.38	759 634.66	597 076.15	774 825.73
69 50 00	586 352.34	759 587.55	586 289.91	774 778.62
52 30	575 558.30	759 545.98	575 503.67	774 737.05
55 00	564 764.25	759 509.95	564 717.43	774 701.02
57 30	553 970.21	759 479.47	553 931.20	774 670.54
70 00 00	543 176.17	759 454.53	543 144.96	774 645.60

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 44 45 00 X	LATITUDE 44 45 00 Y	LATITUDE 44 47 30 X	LATITUDE 44 47 30 Y
70 00 00	543 300.79	698 691.37	543 269.67	713 881.98
02 30	532 475.59	698 671.97	532 452.25	713 862.59
05 00	521 650.39	698 658.11	521 634.83	713 848.73
07 30	510 825.20	698 649.80	510 817.42	713 840.42
70 10 00	500 000.00	698 647.03	500 000.00	713 837.65
12 30	489 174.80	698 649.80	489 182.58	713 840.42
15 00	478 349.61	698 658.11	478 365.17	713 848.73
17 30	467 524.41	698 671.97	467 547.75	713 862.59
70 20 00	456 699.21	698 691.37	456 730.33	713 881.98
22 30	445 874.01	698 716.31	445 912.92	713 906.92
25 00	435 048.82	698 746.79	435 095.50	713 937.41
27 30	424 223.62	698 782.81	424 278.08	713 973.43
70 30 00	413 398.42	698 824.38	413 460.66	714 015.00
32 30	402 573.22	698 871.49	402 643.24	714 062.11
35 00	391 748.02	698 924.14	391 825.82	714 114.76
37 30	380 922.82	698 982.33	381 008.41	714 172.95
70 40 00	370 097.62	699 046.07	370 190.99	714 236.69
42 30	359 272.42	699 115.35	359 373.56	714 305.97
45 00	348 447.22	699 190.18	348 556.14	714 380.80
47 30	337 622.01	699 270.54	337 738.72	714 461.17
70 50 00	326 796.81	699 356.46	326 921.30	714 547.08
52 30	315 971.60	699 447.91	316 103.87	714 638.54
55 00	305 146.40	699 544.91	305 286.45	714 735.54
57 30	294 321.19	699 647.45	294 469.02	714 838.08
71 00 00	283 495.98	699 755.54	283 651.60	714 946.17

LONGITUDE	LATITUDE 44 50 00 X	LATITUDE 44 50 00 Y	LATITUDE 44 52 30 X	LATITUDE 44 52 30 Y
70 00 00	543 238.52	729 072.72	543 207.36	744 263.57
02 30	532 428.89	729 053.32	532 405.52	744 244.17
05 00	521 619.26	729 039.46	521 603.68	744 230.31
07 30	510 809.63	729 031.15	510 801.84	744 222.00
70 10 00	500 000.00	729 028.38	500 000.00	744 219.23
12 30	489 190.37	729 031.15	489 198.16	744 222.00
15 00	478 380.74	729 039.46	478 396.32	744 230.31
17 30	467 571.11	729 053.32	467 594.48	744 244.17
70 20 00	456 761.48	729 072.72	456 792.64	744 263.57
22 30	445 951.84	729 097.66	445 990.80	744 288.51
25 00	435 142.21	729 128.14	435 188.96	744 318.99
27 30	424 332.58	729 164.17	424 387.12	744 355.02
70 30 00	413 522.95	729 205.73	413 585.28	744 396.59
32 30	402 713.32	729 252.84	402 783.44	744 443.70
35 00	391 903.68	729 305.50	391 981.60	744 496.35
37 30	381 094.05	729 363.69	381 179.76	744 554.55
70 40 00	370 284.42	729 427.43	370 377.92	744 618.29
42 30	359 474.78	729 496.72	359 576.08	744 687.57
45 00	348 665.15	729 571.54	348 774.23	744 762.40
47 30	337 855.51	729 651.91	337 972.39	744 842.77
70 50 00	327 045.87	729 737.83	327 170.55	744 928.68
52 30	316 236.24	729 829.28	316 368.70	745 020.14
55 00	305 426.60	729 926.28	305 566.86	745 117.14
57 30	294 616.96	730 028.83	294 765.01	745 219.69
71 00 00	283 807.32	730 136.92	283 963.17	745 327.78

LONGITUDE	LATITUDE 44 55 00 X	LATITUDE 44 55 00 Y	LATITUDE 44 57 30 X	LATITUDE 44 57 30 Y
70 00 00	543 176.17	759 454.53	543 144.96	774 645.60
02 30	532 382.13	759 435.13	532 358.72	774 626.20
05 00	521 588.08	759 421.27	521 572.48	774 612.34
07 30	510 794.04	759 412.96	510 786.24	774 604.03
70 10 00	500 000.00	759 410.19	500 000.00	774 601.26
12 30	489 205.96	759 412.96	489 213.76	774 604.03
15 00	478 411.92	759 421.27	478 427.52	774 612.34
17 30	467 617.87	759 435.13	467 641.28	774 626.20
70 20 00	456 823.83	759 454.53	456 855.04	774 645.60
22 30	446 029.79	759 479.47	446 068.80	774 670.54
25 00	435 235.75	759 509.95	435 282.57	774 701.02
27 30	424 441.70	759 545.98	424 496.33	774 737.05
70 30 00	413 647.66	759 587.55	413 710.09	774 778.62
32 30	402 853.62	759 634.66	402 923.85	774 825.73
35 00	392 059.57	759 687.31	392 137.61	774 878.38
37 30	381 265.53	759 745.51	381 351.37	774 936.58
70 40 00	370 471.49	759 809.25	370 565.13	775 000.32
42 30	359 677.44	759 878.53	359 778.89	775 069.61
45 00	348 883.40	759 953.36	348 992.65	775 144.43
47 30	338 089.35	760 033.73	338 206.40	775 224.81
70 50 00	327 295.31	760 119.65	327 420.16	775 310.72
52 30	316 501.26	760 211.11	316 633.92	775 402.18
55 00	305 707.22	760 308.11	305 847.68	775 499.18
57 30	294 913.17	760 410.66	295 061.44	775 601.73
71 00 00	284 119.12	760 518.75	284 275.19	775 709.82

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 44 45 00 X	LATITUDE 44 45 00 Y	LATITUDE 44 47 30 X	LATITUDE 44 47 30 Y
71 00 00	283 495.98	699 755.54	283 651.60	714 946.17
02 30	272 670.77	699 869.17	272 834.17	715 059.80
05 00	261 845.56	699 988.34	262 016.74	715 178.98
07 30	251 020.35	700 113.07	251 199.31	715 303.70
71 10 00	240 195.14	700 243.34	240 381.88	715 433.97
12 30	229 369.92	700 379.15	229 564.45	715 569.79
15 00	218 544.70	700 520.51	218 747.01	715 711.15
17 30	207 719.49	700 667.41	207 929.58	715 858.05
71 20 00	196 894.27	700 819.86	197 112.14	716 010.50
22 30	186 069.04	700 977.85	186 294.70	716 168.50
25 00	175 243.82	701 141.40	175 477.26	716 332.05
27 30	164 418.60	701 310.50	164 659.82	716 501.15
71 30 00	153 593.37	701 485.14	153 842.38	716 675.80
32 30	142 768.14	701 665.33	143 024.93	716 855.99
35 00	131 942.91	701 851.08	132 207.49	717 041.73
37 30	121 117.68	702 042.37	121 390.04	717 233.03
71 40 00	110 292.44	702 239.21	110 572.59	717 429.87
42 30	99 467.20	702 441.59	99 755.14	717 632.26
45 00	88 641.96	702 649.53	88 937.69	717 840.20
47 30	77 816.72	702 863.02	78 120.23	718 053.69
71 50 00	66 991.48	703 082.07	67 302.77	718 272.74

LONGITUDE	LATITUDE 44 50 00 X	LATITUDE 44 50 00 Y	LATITUDE 44 52 30 X	LATITUDE 44 52 30 Y
71 00 00	283 807.32	730 136.92	283 963.17	745 327.78
02 30	272 997.68	730 250.55	273 161.32	745 441.41
05 00	262 188.04	730 369.73	262 359.47	745 560.59
07 30	251 378.40	730 494.46	251 557.62	745 685.32
71 10 00	240 568.75	730 624.73	240 755.77	745 815.59
12 30	229 759.11	730 760.54	229 953.92	745 951.41
15 00	218 949.46	730 901.91	219 152.07	746 092.77
17 30	208 139.82	731 048.81	208 350.22	746 239.68
71 20 00	197 330.17	731 201.26	197 548.37	746 392.14
22 30	186 520.52	731 359.26	186 746.51	746 550.14
25 00	175 710.87	731 522.82	175 944.66	746 713.69
27 30	164 901.22	731 691.91	165 142.80	746 882.79
71 30 00	154 091.57	731 866.56	154 340.95	747 057.44
32 30	143 281.91	732 046.76	143 539.09	747 237.64
35 00	132 472.26	732 232.51	132 737.23	747 423.39
37 30	121 662.60	732 423.80	121 935.37	747 614.69
71 40 00	110 852.94	732 620.65	111 133.51	747 811.53
42 30	100 043.28	732 823.04	100 331.64	748 013.93
45 00	89 233.62	733 030.98	89 529.78	748 221.87
47 30	78 423.95	733 244.48	78 727.91	748 435.37
71 50 00	67 614.29	733 463.53	67 926.04	748 654.42

LONGITUDE	LATITUDE 44 55 00 X	LATITUDE 44 55 00 Y	LATITUDE 44 57 30 X	LATITUDE 44 57 30 Y
71 00 00	284 119.12	760 518.75	284 275.19	775 709.82
02 30	273 325.07	760 632.38	273 488.95	775 823.46
05 00	262 531.03	760 751.56	262 702.71	775 942.64
07 30	251 736.98	760 876.29	251 916.46	776 067.37
71 10 00	240 942.93	761 006.57	241 130.22	776 197.65
12 30	230 148.88	761 142.39	230 343.97	776 333.47
15 00	219 354.82	761 283.75	219 557.73	776 474.83
17 30	208 560.77	761 430.66	208 771.48	776 621.74
71 20 00	197 766.72	761 583.11	197 985.24	776 774.20
22 30	186 972.67	761 741.12	187 198.99	776 932.20
25 00	176 178.61	761 904.67	176 412.74	777 095.75
27 30	165 384.56	762 073.77	165 626.50	777 264.86
71 30 00	154 590.50	762 248.43	154 840.25	777 439.51
32 30	143 796.45	762 428.63	144 054.00	777 619.71
35 00	133 002.39	762 614.38	133 267.75	777 805.46
37 30	122 208.33	762 805.67	122 481.50	777 996.76
71 40 00	111 414.27	763 002.52	111 695.25	778 193.61
42 30	100 620.21	763 204.92	100 908.99	778 396.01
45 00	89 826.15	763 412.87	90 122.74	778 603.96
47 30	79 032.09	763 626.37	79 336.49	778 817.46
71 50 00	68 238.02	763 845.42	68 550.23	779 036.52

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 45 00 00 X	LATITUDE 45 00 00 Y	LATITUDE 45 02 30 X	LATITUDE 45 02 30 Y
69 00 00	801 796.09	791 965.38	801 577.25	807 156.68
02 30	791 017.65	791 812.93	790 806.63	807 004.23
05 00	780 239.22	791 666.02	780 036.01	806 857.32
07 30	769 460.78	791 524.65	769 265.40	806 715.95
69 10 00	758 682.35	791 388.83	758 494.78	806 580.13
12 30	747 903.92	791 258.56	747 724.16	806 449.86
15 00	737 125.48	791 133.83	736 953.55	806 325.13
17 30	726 347.05	791 014.64	726 182.93	806 205.94
69 20 00	715 568.62	790 901.01	715 412.32	806 092.31
22 30	704 790.19	790 792.91	704 641.70	805 984.22
25 00	694 011.75	790 690.37	693 871.08	805 881.67
27 30	683 233.32	790 593.36	683 100.47	805 784.66
69 30 00	672 454.89	790 501.90	672 329.85	805 693.20
32 30	661 676.46	790 415.99	661 559.24	805 607.29
35 00	650 898.03	790 335.62	650 788.62	805 526.92
37 30	640 119.60	790 260.79	640 018.00	805 452.09
69 40 00	629 341.17	790 191.50	629 247.39	805 382.80
42 30	618 562.74	790 127.76	618 476.77	805 319.06
45 00	607 784.30	790 069.56	607 706.16	805 260.87
47 30	597 005.87	790 016.91	596 935.54	805 208.21
69 50 00	586 227.44	789 969.80	586 164.92	805 161.10
52 30	575 449.01	789 928.23	575 394.31	805 119.53
55 00	564 670.58	789 892.20	564 623.69	805 083.50
57 30	553 892.15	789 861.72	553 853.08	805 053.02
70 00 00	543 113.72	789 836.78	543 082.46	805 028.08

LONGITUDE	LATITUDE 45 05 00 X	LATITUDE 45 05 00 Y	LATITUDE 45 07 30 X	LATITUDE 45 07 30 Y
69 00 00	801 358.25	822 348.09	801 139.09	837 539.61
02 30	790 595.46	822 195.64	790 384.12	837 387.15
05 00	779 832.66	822 048.73	779 629.16	837 240.24
07 30	769 069.87	821 907.36	768 874.19	837 098.88
69 10 00	758 307.08	821 771.54	758 119.23	836 963.06
12 30	747 544.28	821 641.27	747 364.26	836 832.79
15 00	736 781.49	821 516.54	736 609.30	836 708.06
17 30	726 018.70	821 397.35	725 854.33	836 588.87
69 20 00	715 255.90	821 283.72	715 099.37	836 475.24
22 30	704 493.11	821 175.62	704 344.40	836 367.15
25 00	693 730.31	821 073.08	693 589.43	836 264.60
27 30	682 967.52	820 976.07	682 834.47	836 167.60
69 30 00	672 204.72	820 884.61	672 079.50	836 076.14
32 30	661 441.93	820 798.70	661 324.53	835 990.22
35 00	650 679.13	820 718.33	650 569.56	835 909.85
37 30	639 916.34	820 643.50	639 814.60	835 835.02
69 40 00	629 153.54	820 574.21	629 059.63	835 765.74
42 30	618 390.75	820 510.47	618 304.66	835 702.00
45 00	607 627.95	820 452.27	607 549.69	835 643.80
47 30	596 865.16	820 399.62	596 794.72	835 591.14
69 50 00	586 102.36	820 352.51	586 039.75	835 544.03
52 30	575 339.57	820 310.94	575 284.78	835 502.46
55 00	564 576.77	820 274.91	564 529.82	835 466.44
57 30	553 813.98	820 244.43	553 774.85	835 435.96
70 00 00	543 051.18	820 219.49	543 019.88	835 411.02

LONGITUDE	LATITUDE 45 10 00 X	LATITUDE 45 10 00 Y	LATITUDE 45 12 30 X	LATITUDE 45 12 30 Y
69 00 00	800 919.77	852 731.22	800 700.29	867 922.96
02 30	790 172.64	852 578.77	789 961.00	867 770.50
05 00	779 425.51	852 431.86	779 221.71	867 623.60
07 30	768 678.38	852 290.50	768 482.42	867 482.23
69 10 00	757 931.25	852 154.68	757 743.13	867 346.42
12 30	747 184.12	852 024.40	747 003.84	867 216.14
15 00	736 436.99	851 899.67	736 264.55	867 091.41
17 30	725 689.86	851 780.49	725 525.25	866 972.23
69 20 00	714 942.72	851 666.86	714 785.96	866 858.60
22 30	704 195.59	851 558.77	704 046.67	866 750.51
25 00	693 448.46	851 456.22	693 307.37	866 647.96
27 30	682 701.32	851 359.22	682 568.08	866 550.96
69 30 00	671 954.19	851 267.76	671 828.78	866 459.50
32 30	661 207.05	851 181.84	661 089.48	866 373.59
35 00	650 459.92	851 101.47	650 350.19	866 293.22
37 30	639 712.78	851 026.64	639 610.89	866 218.39
69 40 00	628 965.65	850 957.36	628 871.59	866 149.11
42 30	618 218.51	850 893.62	618 132.29	866 085.37
45 00	607 471.37	850 835.42	607 393.00	866 027.17
47 30	596 724.24	850 782.77	596 653.70	865 974.52
69 50 00	585 977.10	850 735.66	585 914.40	865 927.41
52 30	575 229.96	850 694.09	575 175.10	865 885.84
55 00	564 482.83	850 658.06	564 435.80	865 849.81
57 30	553 735.69	850 627.58	553 696.50	865 819.33
70 00 00	542 988.55	850 602.64	542 957.20	865 794.39

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 45 00 00 X	LATITUDE 45 00 00 Y	LATITUDE 45 02 30 X	LATITUDE 45 02 30 Y
70 00 00	543 113.72	789 836.78	543 082.46	805 028.08
02 30	532 335.29	789 817.38	532 311.85	805 008.68
05 00	521 556.86	789 803.52	521 541.23	804 994.82
07 30	510 778.43	789 795.21	510 770.62	804 986.51
70 10 00	500 000.00	789 792.44	500 000.00	804 983.74
12 30	489 221.57	789 795.21	489 229.38	804 986.51
15 00	478 443.14	789 803.52	478 458.77	804 994.82
17 30	467 664.71	789 817.38	467 688.15	805 008.68
70 20 00	456 886.28	789 836.78	456 917.54	805 028.08
22 30	446 107.85	789 861.72	446 146.92	805 053.02
25 00	435 329.42	789 892.20	435 376.31	805 083.50
27 30	424 550.99	789 928.23	424 605.69	805 119.53
70 30 00	413 772.56	789 969.80	413 835.08	805 161.10
32 30	402 994.13	790 016.91	403 064.46	805 208.21
35 00	392 215.70	790 069.56	392 293.84	805 260.87
37 30	381 437.26	790 127.76	381 523.23	805 319.06
70 40 00	370 658.83	790 191.50	370 752.61	805 382.80
42 30	359 880.40	790 260.79	359 982.00	805 452.09
45 00	349 101.97	790 335.62	349 211.38	805 526.92
47 30	338 323.54	790 415.99	338 440.76	805 607.29
70 50 00	327 545.11	790 501.90	327 670.15	805 693.20
52 30	316 766.68	790 593.36	316 899.53	805 784.66
55 00	305 988.25	790 690.37	306 128.92	805 881.67
57 30	295 209.81	790 792.91	295 358.30	805 984.22
71 00 00	284 431.38	790 901.01	284 587.68	806 092.31

LONGITUDE	LATITUDE 45 05 00 X	LATITUDE 45 05 00 Y	LATITUDE 45 07 30 X	LATITUDE 45 07 30 Y
70 00 00	543 051.18	820 219.49	543 019.88	835 411.02
02 30	532 288.39	820 200.09	532 264.91	835 391.62
05 00	521 525.59	820 186.23	521 509.94	835 377.76
07 30	510 762.80	820 177.92	510 754.97	835 369.45
70 10 00	500 000.00	820 175.15	500 000.00	835 366.68
12 30	489 237.20	820 177.92	489 245.03	835 369.45
15 00	478 474.41	820 186.23	478 490.06	835 377.76
17 30	467 711.61	820 200.09	467 735.09	835 391.62
70 20 00	456 948.82	820 219.49	456 980.12	835 411.02
22 30	446 186.02	820 244.43	446 225.15	835 435.96
25 00	435 423.23	820 274.91	435 470.18	835 466.44
27 30	424 660.43	820 310.94	424 715.22	835 502.46
70 30 00	413 897.64	820 352.51	413 960.25	835 544.03
32 30	403 134.84	820 399.62	403 205.28	835 591.14
35 00	392 372.05	820 452.27	392 450.31	835 643.80
37 30	381 609.25	820 510.47	381 695.34	835 702.00
70 40 00	370 846.46	820 574.21	370 940.37	835 765.74
42 30	360 083.66	820 643.50	360 185.40	835 835.02
45 00	349 320.87	820 718.33	349 430.44	835 909.85
47 30	338 558.07	820 798.70	338 675.47	835 990.22
70 50 00	327 795.28	820 884.61	327 920.50	836 076.14
52 30	317 032.48	820 976.07	317 165.53	836 167.60
55 00	306 269.69	821 073.08	306 410.57	836 264.60
57 30	295 506.89	821 175.62	295 655.60	836 367.15
71 00 00	284 744.10	821 283.72	284 900.63	836 475.24

LONGITUDE	LATITUDE 45 10 00 X	LATITUDE 45 10 00 Y	LATITUDE 45 12 30 X	LATITUDE 45 12 30 Y
70 00 00	542 988.55	850 602.64	542 957.20	865 794.39
02 30	532 241.41	850 583.24	532 217.90	865 774.99
05 00	521 494.28	850 569.38	521 478.60	865 761.13
07 30	510 747.14	850 561.07	510 739.30	865 752.82
70 10 00	500 000.00	850 558.30	500 000.00	865 750.05
12 30	489 252.86	850 561.07	489 260.70	865 752.82
15 00	478 505.72	850 569.38	478 521.40	865 761.13
17 30	467 758.59	850 583.24	467 782.10	865 774.99
70 20 00	457 011.45	850 602.64	457 042.80	865 794.39
22 30	446 264.31	850 627.58	446 303.50	865 819.33
25 00	435 517.17	850 658.06	435 564.20	865 849.81
27 30	424 770.04	850 694.09	424 824.90	865 885.84
70 30 00	414 022.90	850 735.66	414 085.60	865 927.41
32 30	403 275.76	850 782.77	403 346.30	865 974.52
35 00	392 528.63	850 835.42	392 607.00	866 027.17
37 30	381 781.49	850 893.62	381 867.71	866 085.37
70 40 00	371 034.35	850 957.36	371 128.41	866 149.11
42 30	360 287.22	851 026.64	360 389.11	866 218.39
45 00	349 540.08	851 101.47	349 649.81	866 293.[illegible]
47 30	338 792.95	851 181.84	338 910.52	866 373.59
70 50 00	328 045.81	851 267.76	328 171.22	866 459.50
52 30	317 298.68	851 359.22	317 431.92	866 550.96
55 00	306 551.54	851 456.22	306 692.63	866 647.96
57 30	295 804.41	851 558.77	295 953.33	866 750.51
71 00 00	285 057.28	851 666.86	285 214.04	866 858.60

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 45 00 00 X	LATITUDE 45 00 00 Y	LATITUDE 45 02 30 X	LATITUDE 45 02 30 Y
71 00 00	284 431.38	790 901.01	284 587.68	806 092.31
02 30	273 652.95	791 014.64	273 817.07	806 205.94
05 00	262 874.52	791 133.83	263 046.45	806 325.13
07 30	252 096.08	791 258.56	252 275.84	806 449.86
71 10 00	241 317.65	791 388.83	241 505.22	806 580.13
12 30	230 539.22	791 524.65	230 734.60	806 715.95
15 00	219 760.78	791 666.02	219 963.99	806 857.32
17 30	208 982.35	791 812.93	209 193.37	807 004.23
71 20 00	198 203.91	791 965.38	198 422.75	807 156.68
22 30	187 425.48	792 123.39	187 652.14	807 314.69
25 00	176 647.04	792 286.94	176 881.52	807 478.24
27 30	165 868.61	792 456.05	166 110.90	807 647.35
71 30 00	155 090.17	792 630.70	155 340.29	807 822.00
32 30	144 311.74	792 810.90	144 569.67	808 002.21
35 00	133 533.30	792 996.65	133 799.05	808 187.96
37 30	122 754.86	793 187.96	123 028.44	808 379.26
71 40 00	111 976.43	793 384.80	112 257.82	808 576.11
42 30	101 197.99	793 587.20	101 487.20	808 778.51
45 00	90 419.55	793 795.15	90 716.58	808 986.46
47 30	79 641.11	794 008.65	79 945.97	809 199.96
71 50 00	68 862.67	794 227.71	69 175.35	809 419.01

LONGITUDE	LATITUDE 45 05 00 X	LATITUDE 45 05 00 Y	LATITUDE 45 07 30 X	LATITUDE 45 07 30 Y
71 00 00	284 744.10	821 283.72	284 900.63	836 475.24
02 30	273 981.30	821 397.35	274 145.67	836 588.87
05 00	263 218.51	821 516.54	263 390.70	836 708.06
07 30	252 455.72	821 641.27	252 635.74	836 832.79
71 10 00	241 692.92	821 771.54	241 880.77	836 963.06
12 30	230 930.13	821 907.36	231 125.81	837 098.88
15 00	220 167.34	822 048.73	220 370.84	837 240.24
17 30	209 404.54	822 195.64	209 615.88	837 387.15
71 20 00	198 641.75	822 348.09	198 860.91	837 539.61
22 30	187 878.96	822 506.10	188 105.95	837 697.61
25 00	177 116.16	822 669.65	177 350.99	837 861.17
27 30	166 353.37	822 838.76	166 596.02	838 030.27
71 30 00	155 590.58	823 013.41	155 841.06	838 204.93
32 30	144 827.79	823 193.61	145 086.10	838 385.13
35 00	134 064.99	823 379.36	134 331.14	838 570.88
37 30	123 302.20	823 570.67	123 576.18	838 762.18
71 40 00	112 539.41	823 767.51	112 821.22	838 959.03
42 30	101 776.62	823 969.91	102 066.26	839 161.43
45 00	91 013.83	824 177.86	91 311.30	839 369.37
47 30	80 251.04	824 391.36	80 556.34	839 582.88
71 50 00	69 488.24	824 610.42	69 801.38	839 801.93

LONGITUDE	LATITUDE 45 10 00 X	LATITUDE 45 10 00 Y	LATITUDE 45 12 30 X	LATITUDE 45 12 30 Y
71 00 00	285 057.28	851 666.86	285 214.04	866 858.60
02 30	274 310.14	851 780.49	274 474.75	866 972.23
05 00	263 563.01	851 899.67	263 735.45	867 091.41
07 30	252 815.88	852 024.40	252 996.16	867 216.14
71 10 00	242 068.75	852 154.68	242 256.87	867 346.42
12 30	231 321.62	852 290.50	231 517.58	867 482.23
15 00	220 574.49	852 431.86	220 778.29	867 623.60
17 30	209 827.36	852 578.77	210 039.00	867 770.50
71 20 00	199 080.23	852 731.22	199 299.71	867 922.96
22 30	188 333.10	852 889.23	188 560.42	868 080.96
25 00	177 585.97	853 052.78	177 821.14	868 244.51
27 30	166 838.84	853 221.88	167 081.85	868 413.62
71 30 00	156 091.72	853 396.54	156 342.56	868 588.27
32 30	145 344.59	853 576.74	145 603.28	868 768.47
35 00	134 597.47	853 762.49	134 864.00	868 954.21
37 30	123 850.34	853 953.79	124 124.72	869 145.51
71 40 00	113 103.22	854 150.64	113 385.44	869 342.36
42 30	102 356.09	854 353.03	102 646.16	869 544.76
45 00	91 608.97	854 560.98	91 906.88	869 752.70
47 30	80 861.85	854 774.48	81 167.60	869 966.20
71 50 00	70 114.73	854 993.53	70 428.32	870 185.25

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 45 15 00 X	LATITUDE 45 15 00 Y	LATITUDE 45 17 30 X	LATITUDE 45 17 30 Y
69 00 00	800 480.66	883 114.60	800 260.85	898 306.75
02 30	789 749.21	882 962.35	789 537.26	898 154.30
05 00	779 017.77	882 815.44	778 813.67	898 007.39
07 30	768 286.33	882 674.08	768 090.08	897 866.03
69 10 00	757 554.88	882 538.26	757 366.48	897 730.22
12 30	746 823.43	882 407.99	746 642.89	897 599.95
15 00	736 091.99	882 283.26	735 919.29	897 475.22
17 30	725 360.54	882 164.08	725 195.69	897 356.04
69 20 00	714 629.09	882 050.45	714 472.10	897 242.41
22 30	703 897.64	881 942.36	703 748.50	897 134.32
25 00	693 166.19	881 839.82	693 024.90	897 031.78
27 30	682 434.74	881 742.81	682 301.30	896 934.78
69 30 00	671 703.29	881 651.36	671 577.69	896 843.32
32 30	660 971.83	881 565.44	660 854.09	896 757.41
35 00	650 240.38	881 485.07	650 130.49	896 677.04
37 30	639 508.93	881 410.25	639 406.89	896 602.22
69 40 00	628 777.47	881 340.96	628 683.28	896 532.93
42 30	618 046.02	881 277.22	617 959.68	896 469.20
45 00	607 314.56	881 219.03	607 236.07	896 411.00
47 30	596 583.11	881 166.37	596 512.47	896 358.35
69 50 00	585 851.65	881 119.26	585 788.86	896 311.24
52 30	575 120.20	881 077.70	575 065.25	896 269.67
55 00	564 388.74	881 041.67	564 341.65	896 233.65
57 30	553 657.28	881 011.19	553 618.04	896 203.16
70 00 00	542 925.83	880 986.25	542 894.43	896 178.22

LONGITUDE	LATITUDE 45 20 00 X	LATITUDE 45 20 00 Y	LATITUDE 45 22 30 X	LATITUDE 45 22 30 Y
69 00 00	800 040.90	913 498.80	799 820.78	928 690.97
02 30	789 325.16	913 346.36	789 112.91	928 538.52
05 00	778 609.43	913 199.45	778 405.04	928 391.62
07 30	767 893.69	913 058.10	767 697.16	928 250.26
69 10 00	757 177.96	912 922.28	756 989.29	928 114.45
12 30	746 462.22	912 792.01	746 281.41	927 984.19
15 00	735 746.48	912 667.29	735 573.54	927 859.46
17 30	725 030.74	912 548.11	724 865.66	927 740.29
69 20 00	714 315.00	912 434.48	714 157.78	927 626.66
22 30	703 599.25	912 326.40	703 449.90	927 518.57
25 00	692 883.51	912 223.85	692 742.01	927 416.03
27 30	682 167.76	912 126.85	682 034.13	927 319.04
69 30 00	671 452.02	912 035.40	671 326.25	927 227.58
32 30	660 736.27	911 949.49	660 618.36	927 141.67
35 00	650 020.52	911 869.12	649 910.47	927 061.31
37 30	639 304.78	911 794.29	639 202.59	926 986.48
69 40 00	628 589.03	911 725.01	628 494.70	926 917.20
42 30	617 873.28	911 661.28	617 786.81	926 853.47
45 00	607 157.53	911 603.08	607 078.92	926 795.27
47 30	596 441.77	911 550.43	596 371.03	926 742.62
69 50 00	585 726.02	911 503.32	585 663.14	926 695.51
52 30	575 010.27	911 461.75	574 955.25	926 653.95
55 00	564 294.52	911 425.73	564 247.36	926 617.92
57 30	553 578.77	911 395.25	553 539.46	926 587.44
70 00 00	542 863.01	911 370.31	542 831.57	926 562.50

LONGITUDE	LATITUDE 45 25 00 X	LATITUDE 45 25 00 Y	LATITUDE 45 27 30 X	LATITUDE 45 27 30 Y
69 00 00	799 600.50	943 883.23	799 380.06	959 075.61
02 30	788 900.50	943 730.79	788 687.94	958 923.17
05 00	778 200.50	943 583.89	777 995.81	958 776.28
07 30	767 500.50	943 442.54	767 303.68	958 634.93
69 10 00	756 800.49	943 306.73	756 611.55	958 499.12
12 30	746 100.48	943 176.46	745 919.41	958 368.86
15 00	735 400.47	943 051.74	735 227.28	958 244.14
17 30	724 700.46	942 932.57	724 535.14	958 124.97
69 20 00	714 000.45	942 818.94	713 843.00	958 011.35
22 30	703 300.44	942 710.86	703 150.86	957 903.27
25 00	692 600.42	942 608.32	692 458.72	957 800.73
27 30	681 900.41	942 511.33	681 766.58	957 703.74
69 30 00	671 200.39	942 419.88	671 074.43	957 612.29
32 30	660 500.37	942 333.97	660 382.29	957 526.38
35 00	649 800.35	942 253.60	649 690.14	957 446.01
37 30	639 100.33	942 178.78	638 997.99	957 371.19
69 40 00	628 400.31	942 109.50	628 305.84	957 301.92
42 30	617 700.28	942 045.76	617 613.69	957 238.18
45 00	607 000.26	941 987.57	606 921.54	957 179.99
47 30	596 300.24	941 934.92	596 229.39	957 127.34
69 50 00	585 600.21	941 887.81	585 537.24	957 080.24
52 30	574 900.19	941 846.25	574 845.08	957 038.67
55 00	564 200.16	941 810.23	564 152.93	957 002.65
57 30	553 500.13	941 779.75	553 460.78	956 972.17
70 00 00	542 800.11	941 754.81	542 768.62	956 947.23

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 45 15 00 X	LATITUDE 45 15 00 Y	LATITUDE 45 17 30 X	LATITUDE 45 17 30 Y
70 00 00	542 925.83	880 986.25	542 894.43	896 178.22
02 30	532 194.37	880 966.85	532 170.82	896 158.83
05 00	521 462.91	880 952.99	521 447.22	896 144.97
07 30	510 731.46	880 944.68	510 723.61	896 136.66
70 10 00	500 000.00	880 941.91	500 000.00	896 133.89
12 30	489 268.54	880 944.68	489 276.39	896 136.66
15 00	478 537.09	880 952.99	478 552.78	896 144.97
17 30	467 805.63	880 966.85	467 829.18	896 158.83
70 20 00	457 074.17	880 986.25	457 105.57	896 178.22
22 30	446 342.72	881 011.19	446 381.96	896 203.16
25 00	435 611.26	881 041.67	435 658.35	896 233.65
27 30	424 879.80	881 077.70	424 934.75	896 269.67
70 30 00	414 148.35	881 119.26	414 211.14	896 311.24
32 30	403 416.89	881 166.37	403 487.53	896 358.35
35 00	392 685.44	881 219.03	392 763.93	896 411.00
37 30	381 953.98	881 277.22	382 040.32	896 469.20
70 40 00	371 222.53	881 340.96	371 316.72	896 532.93
42 30	360 491.07	881 410.25	360 593.11	896 602.22
45 00	349 759.62	881 485.07	349 869.51	896 677.04
47 30	339 028.17	881 565.44	339 145.91	896 757.41
70 50 00	328 296.71	881 651.36	328 422.31	896 843.32
52 30	317 565.26	881 742.81	317 698.70	896 934.78
55 00	306 833.81	881 839.82	306 975.10	897 031.78
57 30	296 102.36	881 942.36	296 251.50	897 134.32
71 00 00	285 370.91	882 050.45	285 527.90	897 242.41

LONGITUDE	LATITUDE 45 20 00 X	LATITUDE 45 20 00 Y	LATITUDE 45 22 30 X	LATITUDE 45 22 30 Y
70 00 00	542 863.01	911 370.31	542 831.57	926 562.50
02 30	532 147.26	911 350.91	532 123.68	926 543.10
05 00	521 431.51	911 337.05	521 415.79	926 529.25
07 30	510 715.75	911 328.74	510 707.89	926 520.94
70 10 00	500 000.00	911 325.97	500 000.00	926 518.17
12 30	489 284.25	911 328.74	489 292.11	926 520.94
15 00	478 568.49	911 337.05	478 584.21	926 529.25
17 30	467 852.74	911 350.91	467 876.32	926 543.10
70 20 00	457 136.99	911 370.31	457 168.43	926 562.50
22 30	446 421.23	911 395.25	446 460.54	926 587.44
25 00	435 705.48	911 425.73	435 752.64	926 617.92
27 30	424 989.73	911 461.75	425 044.75	926 653.95
70 30 00	414 273.98	911 503.32	414 336.86	926 695.51
32 30	403 558.23	911 550.43	403 628.97	926 742.62
35 00	392 842.47	911 603.08	392 921.08	926 795.27
37 30	382 126.72	911 661.28	382 213.19	926 853.47
70 40 00	371 410.97	911 725.01	371 505.30	926 917.20
42 30	360 695.22	911 794.29	360 797.41	926 986.48
45 00	349 979.48	911 869.12	350 089.53	927 061.31
47 30	339 263.73	911 949.49	339 381.64	927 141.67
70 50 00	328 547.98	912 035.40	328 673.75	927 227.58
52 30	317 832.24	912 126.85	317 965.87	927 319.04
55 00	307 116.49	912 223.85	307 257.99	927 416.03
57 30	296 400.75	912 326.40	296 550.10	927 518.57
71 00 00	285 685.00	912 434.48	285 842.22	927 626.66

LONGITUDE	LATITUDE 45 25 00 X	LATITUDE 45 25 00 Y	LATITUDE 45 27 30 X	LATITUDE 45 27 30 Y
70 00 00	542 800.11	941 754.81	542 768.62	956 947.23
02 30	532 100.08	941 735.41	532 076.47	956 927.83
05 00	521 400.05	941 721.55	521 384.31	956 913.98
07 30	510 700.03	941 713.24	510 692.16	956 905.67
70 10 00	500 000.00	941 710.47	500 000.00	956 902.90
12 30	489 299.97	941 713.24	489 307.84	956 905.67
15 00	478 599.95	941 721.55	478 615.69	956 913.98
17 30	467 899.92	941 735.41	467 923.53	956 927.83
70 20 00	457 199.89	941 754.81	457 231.38	956 947.23
22 30	446 499.87	941 779.75	446 539.22	956 972.17
25 00	435 799.84	941 810.23	435 847.07	957 002.65
27 30	425 099.81	941 846.25	425 154.92	957 038.67
70 30 00	414 399.79	941 887.81	414 462.76	957 080.24
32 30	403 699.76	941 934.92	403 770.61	957 127.34
35 00	392 999.74	941 987.57	393 078.46	957 179.99
37 30	382 299.72	942 045.76	382 386.31	957 238.18
70 40 00	371 599.69	942 109.50	371 694.16	957 301.92
42 30	360 899.67	942 178.78	361 002.01	957 371.19
45 00	350 199.65	942 253.60	350 309.86	957 446.01
47 30	339 499.63	942 333.97	339 617.71	957 526.38
70 50 00	328 799.61	942 419.88	328 925.57	957 612.29
52 30	318 099.59	942 511.33	318 233.42	957 703.74
55 00	307 399.58	942 608.32	307 541.28	957 800.73
57 30	296 699.56	942 710.86	296 849.14	957 903.27
71 00 00	285 999.55	942 818.94	286 157.00	958 011.35

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 45 15 00 X	LATITUDE 45 15 00 Y	LATITUDE 45 17 30 X	LATITUDE 45 17 30 Y
71 00 00	285 370.91	882 050.45	285 527.90	897 242.41
02 30	274 639.46	882 164.08	274 804.31	897 356.04
05 00	263 908.01	882 283.26	264 080.71	897 475.22
07 30	253 176.57	882 407.99	253 357.11	897 599.95
71 10 00	242 445.12	882 538.26	242 633.52	897 730.22
12 30	231 713.67	882 674.08	231 909.92	897 866.03
15 00	220 982.23	882 815.44	221 186.33	898 007.39
17 30	210 250.79	882 962.35	210 462.74	898 154.30
71 20 00	199 519.34	883 114.80	199 739.15	898 306.75
22 30	188 787.90	883 272.80	189 015.56	898 464.75
25 00	178 056.46	883 436.35	178 291.97	898 628.30
27 30	167 325.02	883 605.45	167 568.39	898 797.40
71 30 00	156 593.59	883 780.10	156 844.80	898 972.04
32 30	145 862.15	883 960.30	146 121.22	899 152.24
35 00	135 130.71	884 146.05	135 397.64	899 337.98
37 30	124 399.28	884 337.34	124 674.06	899 529.28
71 40 00	113 667.85	884 534.19	113 950.48	899 726.12
42 30	102 936.42	884 736.58	103 226.90	899 928.51
45 00	92 204.99	884 944.52	92 503.33	900 136.45
47 30	81 473.56	885 158.02	81 779.76	900 349.95
71 50 00	70 742.13	885 377.07	71 056.18	900 569.00

LONGITUDE	LATITUDE 45 20 00 X	LATITUDE 45 20 00 Y	LATITUDE 45 22 30 X	LATITUDE 45 22 30 Y
71 00 00	285 685.00	912 434.48	285 842.22	927 626.66
02 30	274 969.26	912 548.11	276 134.34	927 740.29
05 00	264 253.52	912 667.29	264 426.46	927 859.46
07 30	253 537.78	912 792.01	253 718.59	927 984.19
71 10 00	242 822.04	912 922.28	243 010.71	928 114.45
12 30	232 106.31	913 058.10	232 302.84	928 250.26
15 00	221 390.57	913 199.45	221 594.96	928 391.62
17 30	210 674.84	913 346.36	210 887.09	928 538.52
71 20 00	199 959.10	913 498.80	200 179.22	928 690.97
22 30	189 243.37	913 656.80	189 471.36	928 848.96
25 00	178 527.64	913 820.35	178 763.49	929 012.51
27 30	167 811.92	913 989.44	168 055.63	929 181.60
71 30 00	157 096.19	914 164.09	157 347.77	929 356.24
32 30	146 380.46	914 344.28	146 639.91	929 536.43
35 00	135 664.74	914 530.03	135 932.05	929 722.17
37 30	124 949.02	914 721.32	125 224.19	929 913.46
71 40 00	114 233.30	914 918.16	114 516.34	930 110.30
42 30	103 517.59	915 120.55	103 808.49	930 312.68
45 00	92 801.87	915 328.48	93 100.64	930 520.62
47 30	82 086.16	915 541.98	82 392.79	930 734.11
71 50 00	71 370.45	915 761.02	71 684.95	930 953.15

LONGITUDE	LATITUDE 45 25 00 X	LATITUDE 45 25 00 Y	LATITUDE 45 27 30 X	LATITUDE 45 27 30 Y
71 00 00	285 999.55	942 818.94	286 157.00	958 011.35
02 30	275 299.54	942 932.57	275 464.86	958 124.97
05 00	264 599.53	943 051.74	264 772.72	958 244.14
07 30	253 899.52	943 176.46	254 080.59	958 368.86
71 10 00	243 199.51	943 306.73	243 388.45	958 499.12
12 30	232 499.50	943 442.54	232 696.32	958 634.93
15 00	221 799.50	943 583.89	222 004.19	958 776.28
17 30	211 099.50	943 730.79	211 312.06	958 923.17
71 20 00	200 399.50	943 883.23	200 619.94	959 075.61
22 30	189 699.50	944 041.22	189 927.81	959 233.60
25 00	178 999.50	944 204.77	179 235.69	959 397.14
27 30	168 299.51	944 373.86	168 543.58	959 566.23
71 30 00	157 599.52	944 548.50	157 851.46	959 740.86
32 30	146 899.53	944 728.68	147 159.35	959 921.05
35 00	136 199.54	944 914.42	136 467.23	960 106.78
37 30	125 499.56	945 105.70	125 775.13	960 298.06
71 40 00	114 799.57	945 302.54	115 083.02	960 494.89
42 30	104 099.59	945 504.92	104 390.92	960 697.27
45 00	93 399.62	945 712.85	93 698.82	960 905.19
47 30	82 699.64	945 926.33	83 006.72	961 118.67
71 50 00	71 999.67	946 145.37	72 314.63	961 337.71

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 45 30 00 X	LATITUDE 45 30 00 Y	LATITUDE 45 32 30 X	LATITUDE 45 32 30 Y
69 00 00	799 159.47	974 268.10	798 938.71	989 460.70
02 30	788 475.22	974 115.66	788 262.35	989 308.26
05 00	777 790.97	973 968.77	777 585.99	989 161.38
07 30	767 106.72	973 827.42	766 909.62	989 020.03
69 10 00	756 422.47	973 691.62	756 233.26	988 884.23
12 30	745 738.22	973 561.36	745 556.89	988 753.98
15 00	735 053.96	973 436.65	734 880.52	988 629.27
17 30	724 369.71	973 317.48	724 204.15	988 510.10
69 20 00	713 685.45	973 203.86	713 527.77	988 396.48
22 30	703 001.18	973 095.78	702 851.39	988 288.41
25 00	692 316.92	972 993.25	692 175.02	988 185.87
27 30	681 632.66	972 896.25	681 498.64	988 088.88
69 30 00	670 948.39	972 804.81	670 822.25	987 997.44
32 30	660 264.12	972 718.90	660 145.87	987 911.53
35 00	649 579.85	972 638.54	649 469.49	987 831.17
37 30	638 895.58	972 563.72	638 793.10	987 756.36
69 40 00	628 211.31	972 494.44	628 116.71	987 687.08
42 30	617 527.04	972 430.71	617 440.32	987 623.35
45 00	606 842.77	972 372.52	606 763.93	987 565.16
47 30	596 158.49	972 319.87	596 087.54	987 512.52
69 50 00	585 474.22	972 272.77	585 411.15	987 465.41
52 30	574 789.94	972 231.20	574 734.76	987 423.85
55 00	564 105.67	972 195.18	564 058.37	987 387.83
57 30	553 421.39	972 164.70	553 381.97	987 357.35
70 00 00	542 737.11	972 139.77	542 705.58	987 332.41

LONGITUDE	LATITUDE 45 35 00 X	LATITUDE 45 35 00 Y	LATITUDE 45 37 30 X	LATITUDE 45 37 30 Y
69 00 00	798 717.79	1 004 653.40	798 496.72	1 019 846.21
02 30	788 049.32	1 004 500.97	787 836.15	1 019 693.79
05 00	777 380.86	1 004 354.09	777 175.58	1 019 546.91
07 30	766 712.38	1 004 212.75	766 515.00	1 019 405.57
69 10 00	756 043.91	1 004 076.95	755 854.42	1 019 269.78
12 30	745 375.43	1 003 946.70	745 193.84	1 019 139.53
15 00	734 706.95	1 003 821.99	734 533.26	1 019 014.82
17 30	724 038.47	1 003 702.83	723 872.67	1 018 895.66
69 20 00	713 369.98	1 003 589.21	713 212.08	1 018 782.05
22 30	702 701.50	1 003 481.14	702 551.49	1 018 673.98
25 00	692 033.01	1 003 378.61	691 890.90	1 018 571.46
27 30	681 364.52	1 003 281.62	681 230.31	1 018 474.47
69 30 00	670 696.03	1 003 190.18	670 569.71	1 018 383.03
32 30	660 027.53	1 003 104.28	659 909.11	1 018 297.13
35 00	649 359.04	1 003 023.92	649 248.51	1 018 216.78
37 30	638 690.54	1 002 949.11	638 587.91	1 018 141.96
69 40 00	628 022.04	1 002 879.83	627 927.31	1 018 072.69
42 30	617 353.54	1 002 816.10	617 266.70	1 018 008.96
45 00	606 685.04	1 002 757.92	606 606.10	1 017 950.78
47 30	596 016.54	1 002 705.27	595 945.49	1 017 898.13
69 50 00	585 348.04	1 002 658.17	585 284.88	1 017 851.03
52 30	574 679.54	1 002 616.61	574 624.28	1 017 809.47
55 00	564 011.03	1 002 580.59	563 963.67	1 017 773.45
57 30	553 342.53	1 002 550.11	553 303.06	1 017 742.98
70 00 00	542 674.02	1 002 525.17	542 642.45	1 017 718.04

LONGITUDE	LATITUDE 45 40 00 X	LATITUDE 45 40 00 Y	LATITUDE 45 42 30 X	LATITUDE 45 42 30 Y
69 00 00	798 275.48	1 035 039.12	798 054.09	1 050 232.15
02 30	787 622.82	1 034 886.70	787 409.33	1 050 079.74
05 00	776 970.15	1 034 739.83	776 764.57	1 049 932.87
07 30	766 317.47	1 034 598.50	766 119.81	1 049 791.54
69 10 00	755 664.80	1 034 462.71	755 475.04	1 049 655.76
12 30	745 012.12	1 034 332.46	744 830.27	1 049 525.52
15 00	734 359.44	1 034 207.76	734 185.50	1 049 400.82
17 30	723 706.76	1 034 088.61	723 540.72	1 049 281.67
69 20 00	713 054.07	1 033 975.00	712 895.94	1 049 168.06
22 30	702 401.38	1 033 866.93	702 251.16	1 049 060.00
25 00	691 748.69	1 033 764.41	691 606.38	1 048 957.48
27 30	681 096.00	1 033 667.43	680 961.59	1 048 860.50
69 30 00	670 443.30	1 033 575.99	670 316.80	1 048 769.07
32 30	659 790.60	1 033 490.09	659 672.01	1 048 683.17
35 00	649 137.91	1 033 409.74	649 027.22	1 048 602.82
37 30	638 485.21	1 033 334.93	638 382.43	1 048 528.01
69 40 00	627 832.50	1 033 265.66	627 737.63	1 048 458.75
42 30	617 179.80	1 033 201.93	617 092.83	1 048 395.02
45 00	606 527.10	1 033 143.75	606 448.04	1 048 336.84
47 30	595 874.39	1 033 091.11	595 803.24	1 048 284.20
69 50 00	585 221.68	1 033 044.01	585 158.43	1 048 237.10
52 30	574 568.97	1 033 002.45	574 513.63	1 048 195.54
55 00	563 916.26	1 032 966.43	563 868.83	1 048 159.53
57 30	553 263.55	1 032 935.96	553 224.03	1 048 129.05
70 00 00	542 610.84	1 032 911.02	542 579.22	1 048 104.12

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE X 45 30 00	LATITUDE Y 45 30 00	LATITUDE X 45 32 30	LATITUDE Y 45 32 30
70 00 00	542 737.11	972 139.77	542 705.58	987 332.41
02 30	532 052.83	972 120.37	532 029.18	987 313.02
05 00	521 368.56	972 106.51	521 352.79	987 299.16
07 30	510 684.28	972 098.20	510 676.40	987 290.85
70 10 00	500 000.00	972 095.43	500 000.00	987 288.08
12 30	489 315.72	972 098.20	489 323.60	987 290.85
15 00	478 631.44	972 106.51	478 647.21	987 299.16
17 30	467 947.17	972 120.37	467 970.82	987 313.02
70 20 00	457 262.89	972 139.77	457 294.42	987 332.41
22 30	446 578.61	972 164.70	446 618.03	987 357.35
25 00	435 894.33	972 195.18	435 941.63	987 387.83
27 30	425 210.06	972 231.20	425 265.24	987 423.85
70 30 00	414 525.78	972 272.77	414 588.85	987 465.41
32 30	403 841.51	972 319.87	403 912.46	987 512.52
35 00	393 157.23	972 372.52	393 236.07	987 565.16
37 30	382 472.96	972 430.71	382 559.68	987 623.35
70 40 00	371 788.69	972 494.44	371 883.29	987 687.08
42 30	361 104.42	972 563.72	361 206.90	987 756.36
45 00	350 420.15	972 638.54	350 530.51	987 831.17
47 30	339 735.88	972 718.90	339 854.13	987 911.53
70 50 00	329 051.61	972 804.81	329 177.75	987 997.44
52 30	318 367.34	972 896.25	318 501.36	988 088.88
55 00	307 683.08	972 993.25	307 824.98	988 185.87
57 30	296 998.82	973 095.78	297 148.61	988 288.41
71 00 00	286 314.55	973 203.86	286 472.23	988 396.48

LONGITUDE	LATITUDE X 45 35 00	LATITUDE Y 45 35 00	LATITUDE X 45 37 30	LATITUDE Y 45 37 30
70 00 00	542 674.02	1 002 525.17	542 642.45	1 017 718.04
02 30	532 005.52	1 002 505.78	531 981.83	1 017 698.65
05 00	521 337.01	1 002 491.92	521 321.22	1 017 684.79
07 30	510 668.51	1 002 483.61	510 660.61	1 017 676.48
70 10 00	500 000.00	1 002 480.84	500 000.00	1 017 673.71
12 30	489 331.49	1 002 483.61	489 339.39	1 017 676.48
15 00	478 662.99	1 002 491.92	478 678.78	1 017 684.79
17 30	467 994.48	1 002 505.78	468 018.17	1 017 698.65
70 20 00	457 325.98	1 002 525.17	457 357.55	1 017 718.04
22 30	446 657.47	1 002 550.11	446 696.94	1 017 742.98
25 00	435 988.97	1 002 580.59	436 036.33	1 017 773.45
27 30	425 320.46	1 002 616.61	425 375.72	1 017 809.47
70 30 00	414 651.96	1 002 658.17	414 715.12	1 017 851.03
32 30	403 983.46	1 002 705.27	404 054.51	1 017 898.13
35 00	393 314.96	1 002 757.92	393 393.90	1 017 950.78
37 30	382 646.46	1 002 816.10	382 733.30	1 018 008.96
70 40 00	371 977.96	1 002 879.83	372 072.69	1 018 072.69
42 30	361 309.46	1 002 949.11	361 412.09	1 018 141.96
45 00	350 640.96	1 003 023.92	350 751.49	1 018 216.78
47 30	339 972.47	1 003 104.28	340 090.89	1 018 297.13
70 50 00	329 303.97	1 003 190.18	329 430.29	1 018 383.03
52 30	318 635.48	1 003 281.62	318 769.69	1 018 474.47
55 00	307 966.99	1 003 378.61	308 109.10	1 018 571.46
57 30	297 298.50	1 003 481.14	297 448.51	1 018 673.98
71 00 00	286 630.02	1 003 589.21	286 787.92	1 018 782.05

LONGITUDE	LATITUDE X 45 40 00	LATITUDE Y 45 40 00	LATITUDE X 45 42 30	LATITUDE Y 45 42 30
70 00 00	542 610.84	1 032 911.02	542 579.22	1 048 104.12
02 30	531 958.13	1 032 891.63	531 934.42	1 048 084.73
05 00	521 305.42	1 032 877.77	521 289.61	1 048 070.87
07 30	510 652.71	1 032 869.46	510 644.81	1 048 062.56
70 10 00	500 000.00	1 032 866.69	500 000.00	1 048 059.79
12 30	489 347.29	1 032 869.46	489 355.19	1 048 062.56
15 00	478 694.58	1 032 877.77	478 710.39	1 048 070.87
17 30	468 041.87	1 032 891.63	468 065.58	1 048 084.73
70 20 00	457 389.16	1 032 911.02	457 420.78	1 048 104.12
22 30	446 736.45	1 032 935.96	446 775.97	1 048 129.05
25 00	436 083.74	1 032 966.43	436 131.17	1 048 159.53
27 30	425 431.03	1 033 002.45	425 486.37	1 048 195.54
70 30 00	414 778.32	1 033 044.01	414 841.57	1 048 237.10
32 30	404 125.61	1 033 091.11	404 196.76	1 048 284.20
35 00	393 472.90	1 033 143.75	393 551.96	1 048 336.84
37 30	382 820.20	1 033 201.93	382 907.17	1 048 395.02
70 40 00	372 167.50	1 033 265.66	372 262.37	1 048 458.75
42 30	361 514.79	1 033 334.93	361 617.57	1 048 528.01
45 00	350 862.09	1 033 409.74	350 972.78	1 048 602.82
47 30	340 209.40	1 033 490.09	340 327.99	1 048 683.17
70 50 00	329 556.70	1 033 575.99	329 683.20	1 048 769.07
52 30	318 904.00	1 033 667.43	319 038.41	1 048 860.50
55 00	308 251.31	1 033 764.41	308 393.62	1 048 957.48
57 30	297 598.62	1 033 866.93	297 748.84	1 049 060.00
71 00 00	286 945.93	1 033 975.00	287 104.06	1 049 168.06

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 45 45 00 X	LATITUDE 45 45 00 Y	LATITUDE 45 47 30 X	LATITUDE 45 47 30 Y
69 00 00	797 832.54	1 065 425.29	797 610.83	1 080 618.53
02 30	787 195.70	1 065 272.88	786 981.90	1 080 466.13
05 00	776 558.85	1 065 126.01	776 352.98	1 080 319.27
07 30	765 922.00	1 064 984.69	765 724.05	1 080 177.95
69 10 00	755 285.15	1 064 848.91	755 095.11	1 080 042.18
12 30	744 648.29	1 064 718.67	744 466.18	1 079 911.94
15 00	734 011.43	1 064 593.98	733 837.24	1 079 787.26
17 30	723 374.57	1 064 474.83	723 208.29	1 079 668.11
69 20 00	712 737.70	1 064 361.23	712 579.35	1 079 554.52
22 30	702 100.83	1 064 253.17	701 950.40	1 079 446.46
25 00	691 463.96	1 064 150.66	691 321.45	1 079 343.95
27 30	680 827.09	1 064 053.68	680 692.49	1 079 246.98
69 30 00	670 190.21	1 063 962.25	670 063.53	1 079 155.55
32 30	659 553.34	1 063 876.36	659 434.57	1 079 069.66
35 00	648 916.46	1 063 796.01	648 805.61	1 078 989.32
37 30	638 279.57	1 063 721.21	638 176.65	1 078 914.51
69 40 00	627 642.69	1 063 651.94	627 547.68	1 078 845.25
42 30	617 005.81	1 063 588.22	616 918.71	1 078 781.53
45 00	606 368.92	1 063 530.04	606 289.75	1 078 723.36
47 30	595 732.03	1 063 477.40	595 660.78	1 078 670.72
69 50 00	585 095.14	1 063 430.31	585 031.80	1 078 623.62
52 30	574 458.25	1 063 388.75	574 402.83	1 078 582.07
55 00	563 821.36	1 063 352.73	563 773.86	1 078 546.06
57 30	553 184.47	1 063 322.26	553 144.88	1 078 515.58
70 00 00	542 547.58	1 063 297.33	542 515.91	1 078 490.65

LONGITUDE	LATITUDE 45 50 00 X	LATITUDE 45 50 00 Y	LATITUDE 45 52 30 X	LATITUDE 45 52 30 Y
69 00 00	797 388.96	1 095 811.88	797 166.93	1 111 005.35
02 30	786 767.96	1 095 659.48	786 553.86	1 110 852.95
05 00	776 146.96	1 095 512.63	775 940.80	1 110 706.10
07 30	765 525.96	1 095 371.32	765 327.72	1 110 564.80
69 10 00	754 904.95	1 095 235.55	754 714.64	1 110 429.03
12 30	744 283.94	1 095 105.32	744 101.56	1 110 298.81
15 00	733 662.92	1 094 980.64	733 488.48	1 110 174.14
17 30	723 041.90	1 094 861.50	722 875.39	1 110 055.00
69 20 00	712 420.88	1 094 747.91	712 262.30	1 109 941.41
22 30	701 799.86	1 094 639.86	701 649.20	1 109 833.37
25 00	691 178.83	1 094 537.35	691 036.11	1 109 730.86
27 30	680 557.80	1 094 440.38	680 423.00	1 109 633.90
69 30 00	669 936.76	1 094 348.96	669 809.90	1 109 542.48
32 30	659 315.73	1 094 263.07	659 196.79	1 109 456.60
35 00	648 694.69	1 094 182.73	648 583.69	1 109 376.26
37 30	638 073.65	1 094 107.93	637 970.57	1 109 301.46
69 40 00	627 452.61	1 094 038.67	627 357.46	1 109 232.21
42 30	616 831.56	1 093 974.96	616 744.35	1 109 168.49
45 00	606 210.52	1 093 916.78	606 131.23	1 109 110.32
47 30	595 589.47	1 093 864.15	595 518.11	1 109 057.69
69 50 00	584 968.42	1 093 817.05	584 904.99	1 109 010.60
52 30	574 347.37	1 093 775.50	574 291.87	1 108 969.04
55 00	563 726.32	1 093 739.49	563 678.75	1 108 933.03
57 30	553 105.27	1 093 709.02	553 065.62	1 108 902.56
70 00 00	542 484.22	1 093 684.08	542 452.50	1 108 877.63

LONGITUDE	LATITUDE 45 55 00 X	LATITUDE 45 55 00 Y	LATITUDE 45 57 30 X	LATITUDE 45 57 30 Y
69 00 00	796 944.75	1 126 198.91	796 722.40	1 141 392.59
02 30	786 339.62	1 126 046.53	786 125.22	1 141 240.21
05 00	775 734.49	1 125 899.68	775 528.03	1 141 093.37
07 30	765 129.35	1 125 758.38	764 930.83	1 140 952.08
69 10 00	754 524.21	1 125 622.63	754 333.64	1 140 816.32
12 30	743 919.07	1 125 492.41	743 736.43	1 140 686.12
15 00	733 313.92	1 125 367.74	733 139.23	1 140 561.45
17 30	722 708.77	1 125 248.61	722 542.01	1 140 442.33
69 20 00	712 103.61	1 125 135.03	711 944.80	1 140 328.75
22 30	701 498.45	1 125 026.98	701 347.58	1 140 220.71
25 00	690 893.29	1 124 924.48	690 750.36	1 140 118.21
27 30	680 288.12	1 124 827.52	680 153.14	1 140 021.26
69 30 00	669 682.95	1 124 736.11	669 555.91	1 139 929.85
32 30	659 077.78	1 124 650.23	658 958.68	1 139 843.97
35 00	648 472.61	1 124 569.90	648 361.44	1 139 763.64
37 30	637 867.43	1 124 495.10	637 764.21	1 139 688.85
69 40 00	627 262.25	1 124 425.85	627 166.97	1 139 619.60
42 30	616 657.07	1 124 362.14	616 569.73	1 139 555.89
45 00	606 051.89	1 124 303.97	605 972.49	1 139 497.72
47 30	595 446.71	1 124 251.34	595 375.24	1 139 445.10
69 50 00	584 841.52	1 124 204.25	584 778.00	1 139 398.01
52 30	574 236.33	1 124 162.70	574 180.75	1 139 356.46
55 00	563 631.14	1 124 126.69	563 583.50	1 139 320.45
57 30	553 025.95	1 124 096.22	552 986.26	1 139 289.99
70 00 00	542 420.77	1 124 071.29	542 389.01	1 139 265.06

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 45 45 00 X	LATITUDE 45 45 00 Y	LATITUDE 45 47 30 X	LATITUDE 45 47 30 Y
70 00 00	542 547.58	1 063 297.33	542 515.91	1 078 490.65
02 30	531 910.68	1 063 277.93	531 886.93	1 078 471.26
05 00	521 273.79	1 063 264.08	521 257.95	1 078 457.41
07 30	510 636.89	1 063 255.77	510 628.98	1 078 449.09
70 10 00	500 000.00	1 063 253.00	500 000.00	1 078 446.33
12 30	489 363.11	1 063 255.77	489 371.02	1 078 449.09
15 00	478 726.21	1 063 264.08	478 742.05	1 078 457.41
17 30	468 089.32	1 063 277.93	468 113.07	1 078 471.26
70 20 00	457 452.42	1 063 297.33	457 484.09	1 078 490.65
22 30	446 815.53	1 063 322.26	446 855.12	1 078 515.58
25 00	436 178.64	1 063 352.73	436 226.14	1 078 546.06
27 30	425 541.75	1 063 388.75	425 597.17	1 078 582.07
70 30 00	414 904.86	1 063 430.31	414 968.20	1 078 623.62
32 30	404 267.97	1 063 477.40	404 339.22	1 078 670.72
35 00	393 631.08	1 063 530.04	393 710.25	1 078 723.36
37 30	382 994.19	1 063 588.22	383 081.29	1 078 781.53
70 40 00	372 357.31	1 063 651.94	372 452.32	1 078 845.25
42 30	361 720.43	1 063 721.21	361 823.35	1 078 914.51
45 00	351 083.54	1 063 796.01	351 194.39	1 078 989.32
47 30	340 446.66	1 063 876.36	340 565.43	1 079 069.66
70 50 00	329 809.79	1 063 962.25	329 936.47	1 079 155.55
52 30	319 172.91	1 064 053.68	319 307.51	1 079 246.98
55 00	308 536.04	1 064 150.66	308 678.55	1 079 343.95
57 30	297 899.17	1 064 253.17	298 049.60	1 079 446.46
71 00 00	287 262.30	1 064 361.23	287 420.65	1 079 554.52

LONGITUDE	LATITUDE 45 50 00 X	LATITUDE 45 50 00 Y	LATITUDE 45 52 30 X	LATITUDE 45 52 30 Y
70 00 00	542 484.22	1 093 684.08	542 452.50	1 108 877.63
02 30	531 863.16	1 093 664.69	531 839.38	1 108 858.24
05 00	521 242.11	1 093 650.84	521 226.25	1 108 844.39
07 30	510 621.05	1 093 642.53	510 613.13	1 108 836.08
70 10 00	500 000.00	1 093 639.76	500 000.00	1 108 833.31
12 30	489 378.95	1 093 642.53	489 386.87	1 108 836.08
15 00	478 757.89	1 093 650.84	478 773.75	1 108 844.39
17 30	468 136.84	1 093 664.69	468 160.62	1 108 858.24
70 20 00	457 515.78	1 093 684.08	457 547.50	1 108 877.63
22 30	446 894.73	1 093 709.02	446 934.38	1 108 902.56
25 00	436 273.68	1 093 739.49	436 321.25	1 108 933.03
27 30	425 652.63	1 093 775.50	425 708.13	1 108 969.04
70 30 00	415 031.58	1 093 817.05	415 095.01	1 109 010.60
32 30	404 410.53	1 093 864.15	404 481.89	1 109 057.69
35 00	393 789.48	1 093 916.78	393 868.77	1 109 110.32
37 30	383 168.44	1 093 974.96	383 255.65	1 109 168.49
70 40 00	372 547.39	1 094 038.67	372 642.54	1 109 232.21
42 30	361 926.35	1 094 107.93	362 029.43	1 109 301.46
45 00	351 305.31	1 094 182.73	351 416.31	1 109 376.26
47 30	340 684.27	1 094 263.07	340 803.21	1 109 456.60
70 50 00	330 063.24	1 094 348.96	330 190.10	1 109 542.48
52 30	319 442.20	1 094 440.38	319 577.00	1 109 633.90
55 00	308 821.17	1 094 537.35	308 963.89	1 109 730.86
57 30	298 200.14	1 094 639.86	298 350.80	1 109 833.37
71 00 00	287 579.12	1 094 747.91	287 737.70	1 109 941.41

LONGITUDE	LATITUDE 45 55 00 X	LATITUDE 45 55 00 Y	LATITUDE 45 57 30 X	LATITUDE 45 57 30 Y
70 00 00	542 420.77	1 124 071.29	542 389.01	1 139 265.06
02 30	531 815.57	1 124 051.90	531 791.75	1 139 245.67
05 00	521 210.38	1 124 038.05	521 194.50	1 139 231.82
07 30	510 605.19	1 124 029.74	510 597.25	1 139 223.51
70 10 00	500 000.00	1 124 026.97	500 000.00	1 139 220.74
12 30	489 394.81	1 124 029.74	489 402.75	1 139 223.51
15 00	478 789.62	1 124 038.05	478 805.50	1 139 231.82
17 30	468 184.43	1 124 051.90	468 208.25	1 139 245.67
70 20 00	457 579.23	1 124 071.29	457 610.99	1 139 265.06
22 30	446 974.05	1 124 096.22	447 013.74	1 139 289.99
25 00	436 368.86	1 124 126.69	436 416.50	1 139 320.45
27 30	425 763.67	1 124 162.70	425 819.25	1 139 356.46
70 30 00	415 158.48	1 124 204.25	415 222.00	1 139 398.01
32 30	404 553.29	1 124 251.34	404 624.76	1 139 445.10
35 00	393 948.11	1 124 303.97	394 027.51	1 139 497.72
37 30	383 342.93	1 124 362.14	383 430.27	1 139 555.89
70 40 00	372 737.75	1 124 425.85	372 833.03	1 139 619.60
42 30	362 132.57	1 124 495.10	362 235.79	1 139 688.85
45 00	351 527.39	1 124 569.90	351 638.56	1 139 763.64
47 30	340 922.22	1 124 650.23	341 041.32	1 139 843.97
70 50 00	330 317.05	1 124 736.11	330 444.09	1 139 929.85
52 30	319 711.88	1 124 827.52	319 846.86	1 140 021.26
55 00	309 106.71	1 124 924.48	309 249.64	1 140 118.21
57 30	298 501.55	1 125 026.98	298 652.42	1 140 220.71
71 00 00	287 896.39	1 125 135.03	288 055.20	1 140 328.75

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 46 00 00 X	LATITUDE 46 00 00 Y	LATITUDE 46 02 30 X	LATITUDE 46 02 30 Y
69 00 00	796 499.90	1 156 586.36	796 277.24	1 171 780.25
02 30	785 910.67	1 156 433.99	785 695.96	1 171 627.89
05 00	775 321.43	1 156 287.16	775 114.67	1 171 481.07
07 30	764 732.18	1 156 145.87	764 533.38	1 171 339.79
69 10 00	754 142.93	1 156 010.13	753 952.08	1 171 204.05
12 30	743 553.67	1 155 879.93	743 370.78	1 171 073.85
15 00	732 964.41	1 155 755.26	732 789.47	1 170 949.20
17 30	722 375.15	1 155 636.15	722 208.16	1 170 830.09
69 20 00	711 785.88	1 155 522.57	711 626.85	1 170 716.52
22 30	701 196.61	1 155 414.54	701 045.53	1 170 608.49
25 00	690 607.34	1 155 312.05	690 464.21	1 170 506.01
27 30	680 018.06	1 155 215.10	679 882.88	1 170 409.06
69 30 00	669 428.78	1 155 123.69	669 301.55	1 170 317.66
32 30	658 839.49	1 155 037.82	658 720.22	1 170 231.79
35 00	648 250.21	1 154 957.50	648 138.89	1 170 151.47
37 30	637 660.92	1 154 882.71	637 557.55	1 170 076.69
69 40 00	627 071.62	1 154 813.46	626 976.21	1 170 007.44
42 30	616 482.33	1 154 749.76	616 394.87	1 169 943.74
45 00	605 893.03	1 154 691.59	605 813.52	1 169 885.58
47 30	595 303.74	1 154 638.97	595 232.17	1 169 832.95
69 50 00	584 714.44	1 154 591.88	584 650.83	1 169 785.87
52 30	574 125.13	1 154 550.34	574 069.48	1 169 744.33
55 00	563 535.83	1 154 514.33	563 488.12	1 169 708.32
57 30	552 946.53	1 154 483.86	552 906.77	1 169 677.86
70 00 00	542 357.22	1 154 458.94	542 325.42	1 169 652.93

LONGITUDE	LATITUDE 46 05 00 X	LATITUDE 46 05 00 Y	LATITUDE 46 07 30 X	LATITUDE 46 07 30 Y
69 00 00	796 054.43	1 186 974.25	795 831.45	1 202 168.36
02 30	785 481.11	1 186 821.90	785 266.10	1 202 016.01
05 00	774 907.78	1 186 675.08	774 700.73	1 201 869.21
07 30	764 334.45	1 186 533.81	764 135.37	1 201 727.94
69 10 00	753 761.11	1 186 398.08	753 569.99	1 201 592.22
12 30	743 187.76	1 186 267.89	743 004.61	1 201 462.03
15 00	732 614.42	1 186 143.24	732 439.23	1 201 337.39
17 30	722 041.06	1 186 024.13	721 873.84	1 201 218.29
69 20 00	711 467.71	1 185 910.57	711 308.45	1 201 104.74
22 30	700 894.35	1 185 802.55	700 743.05	1 200 996.72
25 00	690 320.98	1 185 700.07	690 177.65	1 200 894.25
27 30	679 747.61	1 185 603.13	679 612.25	1 200 797.31
69 30 00	669 174.24	1 185 511.73	669 046.84	1 200 705.92
32 30	658 600.87	1 185 425.87	658 481.43	1 200 620.06
35 00	648 027.49	1 185 345.55	647 916.01	1 200 539.75
37 30	637 454.11	1 185 270.77	637 350.60	1 200 464.97
69 40 00	626 880.73	1 185 201.53	626 785.18	1 200 395.74
42 30	616 307.34	1 185 137.83	616 219.75	1 200 332.04
45 00	605 733.95	1 185 079.67	605 654.33	1 200 273.88
47 30	595 160.56	1 185 027.05	595 088.90	1 200 221.27
69 50 00	584 587.17	1 184 979.97	584 523.47	1 200 174.19
52 30	574 013.78	1 184 938.43	573 958.04	1 200 132.65
55 00	563 440.39	1 184 902.43	563 392.61	1 200 096.65
57 30	552 866.99	1 184 871.97	552 827.18	1 200 066.19
70 00 00	542 293.59	1 184 847.04	542 261.74	1 200 041.26

LONGITUDE	LATITUDE 46 10 00 X	LATITUDE 46 10 00 Y	LATITUDE 46 12 30 X	LATITUDE 46 12 30 Y
69 00 00	795 608.33	1 217 362.57	795 385.03	1 232 556.90
02 30	785 050.94	1 217 210.23	784 835.62	1 232 404.57
05 00	774 493.55	1 217 063.44	774 286.21	1 232 257.78
07 30	763 936.15	1 216 922.18	763 736.79	1 232 116.53
69 10 00	753 378.74	1 216 786.46	753 187.36	1 231 980.82
12 30	742 821.34	1 216 656.29	742 637.93	1 231 850.65
15 00	732 263.92	1 216 531.65	732 088.49	1 231 726.02
17 30	721 706.50	1 216 412.56	721 539.04	1 231 606.94
69 20 00	711 149.08	1 216 299.01	710 989.60	1 231 493.40
22 30	700 591.65	1 216 191.00	700 440.15	1 231 385.39
25 00	690 034.22	1 216 088.53	689 890.69	1 231 282.93
27 30	679 476.79	1 215 991.60	679 341.23	1 231 186.01
69 30 00	668 919.35	1 215 900.21	668 791.76	1 231 094.62
32 30	658 361.91	1 215 814.36	658 242.30	1 231 008.78
35 00	647 804.46	1 215 734.05	647 692.83	1 230 928.47
37 30	637 247.01	1 215 659.28	637 143.35	1 230 853.70
69 40 00	626 689.56	1 215 590.05	626 593.87	1 230 784.48
42 30	616 132.11	1 215 526.36	616 044.39	1 230 720.79
45 00	605 574.65	1 215 468.20	605 494.91	1 230 662.64
47 30	595 017.19	1 215 415.59	594 945.43	1 230 610.03
69 50 00	584 459.73	1 215 368.51	584 395.94	1 230 562.95
52 30	573 902.27	1 215 326.98	573 846.45	1 230 521.42
55 00	563 344.80	1 215 290.98	563 296.96	1 230 485.42
57 30	552 787.34	1 215 260.52	552 747.47	1 230 454.96
70 00 00	542 229.87	1 215 235.60	542 197.98	1 230 430.04

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 46 00 00 X	LATITUDE 46 00 00 Y	LATITUDE 46 02 30 X	LATITUDE 46 02 30 Y
70 00 00	542 357.22	1 154 458.94	542 325.42	1 169 652.93
02 30	531 767.92	1 154 439.55	531 744.06	1 169 633.55
05 00	521 178.61	1 154 425.70	521 162.71	1 169 619.70
07 30	510 589.31	1 154 417.39	510 581.36	1 169 611.39
70 10 00	500 000.00	1 154 414.62	500 000.00	1 169 608.62
12 30	489 410.69	1 154 417.39	489 418.64	1 169 611.39
15 00	478 821.39	1 154 425.70	478 837.29	1 169 619.70
17 30	468 232.08	1 154 439.55	468 255.94	1 169 633.55
70 20 00	457 642.78	1 154 458.94	457 674.58	1 169 652.93
22 30	447 053.47	1 154 483.86	447 093.23	1 169 677.86
25 00	436 464.17	1 154 514.33	436 511.88	1 169 708.32
27 30	425 874.87	1 154 550.34	425 930.52	1 169 744.33
70 30 00	415 285.56	1 154 591.88	415 349.17	1 169 785.87
32 30	404 696.26	1 154 638.97	404 767.83	1 169 832.95
35 00	394 106.97	1 154 691.59	394 186.48	1 169 885.58
37 30	383 517.67	1 154 749.76	383 605.13	1 169 943.74
70 40 00	372 928.38	1 154 813.46	373 023.79	1 170 007.44
42 30	362 339.08	1 154 882.71	362 442.45	1 170 076.69
45 00	351 749.79	1 154 957.50	351 861.11	1 170 151.47
47 30	341 160.51	1 155 037.82	341 279.78	1 170 231.79
70 50 00	330 571.22	1 155 123.69	330 698.45	1 170 317.66
52 30	319 981.94	1 155 215.10	320 117.12	1 170 409.06
55 00	309 392.66	1 155 312.05	309 535.79	1 170 506.01
57 30	298 803.39	1 155 414.54	298 954.47	1 170 608.49
71 00 00	288 214.12	1 155 522.57	288 373.15	1 170 716.52

LONGITUDE	LATITUDE 46 05 00 X	LATITUDE 46 05 00 Y	LATITUDE 46 07 30 X	LATITUDE 46 07 30 Y
70 00 00	542 293.59	1 184 847.04	542 261.74	1 200 041.26
02 30	531 720.20	1 184 827.66	531 696.31	1 200 021.88
05 00	521 146.80	1 184 813.81	521 130.87	1 200 008.03
07 30	510 573.40	1 184 805.50	510 565.44	1 199 999.72
70 10 00	500 000.00	1 184 802.73	500 000.00	1 199 996.96
12 30	489 426.60	1 184 805.50	489 434.56	1 199 999.72
15 00	478 853.20	1 184 813.81	478 869.13	1 200 008.03
17 30	468 279.80	1 184 827.66	468 303.69	1 200 021.88
70 20 00	457 706.41	1 184 847.04	457 738.26	1 200 041.26
22 30	447 133.01	1 184 871.97	447 172.82	1 200 066.19
25 00	436 559.61	1 184 902.43	436 607.39	1 200 096.65
27 30	425 986.22	1 184 938.43	426 041.96	1 200 132.65
70 30 00	415 412.83	1 184 979.97	415 476.53	1 200 174.19
32 30	404 839.44	1 185 027.05	404 911.10	1 200 221.27
35 00	394 266.05	1 185 079.67	394 345.67	1 200 273.88
37 30	383 692.66	1 185 137.83	383 780.25	1 200 332.04
70 40 00	373 119.27	1 185 201.53	373 214.82	1 200 395.74
42 30	362 545.89	1 185 270.77	362 649.40	1 200 464.97
45 00	351 972.51	1 185 345.55	352 083.99	1 200 539.75
47 30	341 399.13	1 185 425.87	341 518.57	1 200 620.06
70 50 00	330 825.76	1 185 511.73	330 953.16	1 200 705.92
52 30	320 252.39	1 185 603.13	320 387.75	1 200 797.31
55 00	309 679.02	1 185 700.07	309 822.35	1 200 894.25
57 30	299 105.65	1 185 802.55	299 256.95	1 200 996.72
71 00 00	288 532.29	1 185 910.57	288 691.55	1 201 104.74

LONGITUDE	LATITUDE 46 10 00 X	LATITUDE 46 10 00 Y	LATITUDE 46 12 30 X	LATITUDE 46 12 30 Y
70 00 00	542 229.87	1 215 235.60	542 197.98	1 230 430.04
02 30	531 672.40	1 215 216.21	531 648.48	1 230 410.66
05 00	521 114.94	1 215 202.37	521 098.99	1 230 396.82
07 30	510 557.47	1 215 194.06	510 549.50	1 230 388.51
70 10 00	500 000.00	1 215 191.29	500 000.00	1 230 385.74
12 30	489 442.53	1 215 194.06	489 450.50	1 230 388.51
15 00	478 885.06	1 215 202.37	478 901.01	1 230 396.82
17 30	468 327.60	1 215 216.21	468 351.52	1 230 410.66
70 20 00	457 770.13	1 215 235.60	457 802.02	1 230 430.04
22 30	447 212.66	1 215 260.52	447 252.53	1 230 454.96
25 00	436 655.20	1 215 290.98	436 703.04	1 230 485.42
27 30	426 097.73	1 215 326.98	426 153.55	1 230 521.42
70 30 00	415 540.27	1 215 368.51	415 604.06	1 230 562.95
32 30	404 982.81	1 215 415.59	405 054.57	1 230 610.03
35 00	394 425.35	1 215 468.20	394 505.09	1 230 662.64
37 30	383 867.89	1 215 526.36	383 955.61	1 230 720.79
70 40 00	373 310.44	1 215 590.05	373 406.13	1 230 784.48
42 30	362 752.99	1 215 659.28	362 856.65	1 230 853.70
45 00	352 195.54	1 215 734.05	352 307.17	1 230 928.47
47 30	341 638.09	1 215 814.36	341 757.70	1 231 008.78
70 50 00	331 080.65	1 215 900.21	331 208.24	1 231 094.62
52 30	320 523.21	1 215 991.60	320 658.77	1 231 186.01
55 00	309 965.78	1 216 088.53	310 109.31	1 231 282.93
57 30	299 408.35	1 216 191.00	299 559.85	1 231 385.39
71 00 00	288 850.92	1 216 299.01	289 010.40	1 231 493.40

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 46 15 00 X	LATITUDE 46 15 00 Y	LATITUDE 46 17 30 X	LATITUDE 46 17 30 Y
69 00 00	795 161.59	1 247 751.33	794 937.98	1 262 945.86
02 30	784 620.16	1 247 599.00	784 404.54	1 262 793.55
05 00	774 078.73	1 247 452.22	773 871.10	1 262 646.78
07 30	763 537.29	1 247 310.98	763 337.64	1 262 505.55
69 10 00	752 995.84	1 247 175.28	752 804.18	1 262 369.85
12 30	742 454.39	1 247 045.12	742 270.72	1 262 239.70
15 00	731 912.93	1 246 920.50	731 737.25	1 262 115.09
17 30	721 371.47	1 246 801.43	721 203.78	1 261 996.02
69 20 00	710 830.00	1 246 687.89	710 670.30	1 261 882.49
22 30	700 288.53	1 246 579.89	700 136.81	1 261 774.50
25 00	689 747.06	1 246 477.44	689 603.32	1 261 672.05
27 30	679 205.58	1 246 380.52	679 069.83	1 261 575.14
69 30 00	668 664.09	1 246 289.14	668 536.33	1 261 483.76
32 30	658 122.61	1 246 203.30	658 002.83	1 261 397.93
35 00	647 581.11	1 246 123.00	647 469.32	1 261 317.63
37 30	637 039.62	1 246 048.23	636 935.81	1 261 242.88
69 40 00	626 498.12	1 245 979.01	626 402.30	1 261 173.66
42 30	615 956.62	1 245 915.33	615 868.79	1 261 109.98
45 00	605 415.12	1 245 857.18	605 335.27	1 261 051.83
47 30	594 873.61	1 245 804.57	594 801.75	1 260 999.23
69 50 00	584 332.11	1 245 757.50	584 268.23	1 260 952.16
52 30	573 790.60	1 245 715.97	573 734.70	1 260 910.63
55 00	563 249.09	1 245 679.98	563 201.18	1 260 874.64
57 30	552 707.57	1 245 649.52	552 667.65	1 260 844.19
70 00 00	542 166.06	1 245 624.60	542 134.12	1 260 819.27

LONGITUDE	LATITUDE 46 20 00 X	LATITUDE 46 20 00 Y	LATITUDE 46 22 30 X	LATITUDE 46 22 30 Y
69 00 00	794 714.22	1 278 140.50	794 490.30	1 293 335.26
02 30	784 188.78	1 277 988.20	783 972.85	1 293 182.96
05 00	773 663.32	1 277 841.44	773 455.40	1 293 036.21
07 30	763 137.86	1 277 700.21	762 937.94	1 292 895.00
69 10 00	752 612.40	1 277 564.53	752 420.47	1 292 759.32
12 30	742 086.93	1 277 434.39	741 903.00	1 292 629.19
15 00	731 561.45	1 277 309.78	731 385.52	1 292 504.59
17 30	721 035.97	1 277 190.72	720 868.03	1 292 385.54
69 20 00	710 510.48	1 277 077.20	710 350.54	1 292 272.02
22 30	699 984.98	1 276 969.22	699 833.05	1 292 164.05
25 00	689 459.49	1 276 866.77	689 315.55	1 292 061.61
27 30	678 933.98	1 276 769.87	678 798.04	1 291 964.71
69 30 00	668 408.48	1 276 678.50	668 280.53	1 291 873.35
32 30	657 882.97	1 276 592.67	657 763.02	1 291 787.53
35 00	647 357.45	1 276 512.38	647 245.50	1 291 707.24
37 30	636 831.93	1 276 437.63	636 727.98	1 291 632.49
69 40 00	626 306.41	1 276 368.41	626 210.46	1 291 563.28
42 30	615 780.89	1 276 304.73	615 692.93	1 291 499.61
45 00	605 255.36	1 276 246.60	605 175.40	1 291 441.48
47 30	594 729.83	1 276 193.99	594 657.87	1 291 388.88
69 50 00	584 204.30	1 276 146.93	584 140.33	1 291 341.82
52 30	573 678.77	1 276 105.40	573 622.80	1 291 300.29
55 00	563 153.23	1 276 069.41	563 105.26	1 291 264.31
57 30	552 627.70	1 276 038.96	552 587.72	1 291 233.86
70 00 00	542 102.16	1 276 014.05	542 070.17	1 291 208.94

LONGITUDE	LATITUDE 46 25 00 X	LATITUDE 46 25 00 Y	LATITUDE 46 27 30 X	LATITUDE 46 27 30 Y
69 00 00	794 266.23	1 308 530.12	794 042.00	1 323 725.09
02 30	783 756.79	1 308 377.84	783 540.57	1 323 572.82
05 00	773 247.34	1 308 231.09	773 039.13	1 323 426.09
07 30	762 737.88	1 308 089.89	762 537.68	1 323 284.89
69 10 00	752 228.42	1 307 954.23	752 036.22	1 323 149.24
12 30	741 718.95	1 307 824.10	741 534.76	1 323 019.12
15 00	731 209.47	1 307 699.51	731 033.30	1 322 894.54
17 30	720 699.99	1 307 580.47	720 531.83	1 322 775.50
69 20 00	710 190.50	1 307 466.96	710 030.35	1 322 662.01
22 30	699 681.01	1 307 358.99	699 528.86	1 322 554.05
25 00	689 171.51	1 307 256.56	689 027.38	1 322 451.62
27 30	678 662.01	1 307 159.67	678 525.88	1 322 354.74
69 30 00	668 152.50	1 307 068.31	668 024.38	1 322 263.39
32 30	657 642.99	1 306 982.49	657 522.88	1 322 177.58
35 00	647 133.48	1 306 902.21	647 021.37	1 322 097.30
37 30	636 623.96	1 306 827.47	636 519.86	1 322 022.56
69 40 00	626 114.44	1 306 758.27	626 018.35	1 321 953.36
42 30	615 604.91	1 306 694.60	615 516.83	1 321 889.70
45 00	605 095.38	1 306 636.47	605 015.31	1 321 831.57
47 30	594 585.85	1 306 583.87	594 513.79	1 321 778.98
69 50 00	584 076.32	1 306 536.82	584 012.26	1 321 731.93
52 30	573 566.78	1 306 495.29	573 510.73	1 321 690.41
55 00	563 057.25	1 306 459.31	563 009.20	1 321 654.43
57 30	552 547.71	1 306 428.86	552 507.67	1 321 623.98
70 00 00	542 038.17	1 306 403.95	542 006.14	1 321 599.07

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS FEET

LONGITUDE	LATITUDE 46 15 00 X	LATITUDE 46 15 00 Y	LATITUDE 46 17 30 X	LATITUDE 46 17 30 Y
70 00 00	542 166.06	1 245 624.60	542 134.12	1 260 819.87
02 30	531 624.55	1 245 605.22	531 600.59	1 260 799.89
05 00	521 083.03	1 245 591.38	521 067.06	1 260 786.04
07 30	510 541.52	1 245 583.07	510 533.53	1 260 777.74
70 10 00	500 000.00	1 245 580.30	500 000.00	1 260 774.97
12 30	489 458.48	1 245 583.07	489 466.47	1 260 777.74
15 00	478 916.97	1 245 591.38	478 932.94	1 260 786.04
17 30	468 375.45	1 245 605.22	468 399.41	1 260 799.89
70 20 00	457 833.94	1 245 624.60	457 865.88	1 260 819.27
22 30	447 292.43	1 245 649.52	447 332.35	1 260 844.19
25 00	436 750.91	1 245 679.98	436 798.82	1 260 874.64
27 30	426 209.40	1 245 715.97	426 265.30	1 260 910.63
70 30 00	415 667.89	1 245 757.50	415 731.77	1 260 952.16
32 30	405 126.39	1 245 804.57	405 198.25	1 260 999.23
35 00	394 584.88	1 245 857.18	394 664.73	1 261 051.83
37 30	384 043.38	1 245 915.33	384 131.21	1 261 109.98
70 40 00	373 501.88	1 245 979.01	373 597.70	1 261 173.66
42 30	362 960.38	1 246 048.23	363 064.19	1 261 242.88
45 00	352 418.89	1 246 123.00	352 530.68	1 261 317.63
47 30	341 877.39	1 246 203.30	341 997.17	1 261 397.93
70 50 00	331 335.91	1 246 289.14	331 463.67	1 261 483.76
52 30	320 794.42	1 246 380.52	320 930.17	1 261 575.14
55 00	310 252.94	1 246 477.44	310 396.68	1 261 672.05
57 30	299 711.47	1 246 579.89	299 863.19	1 261 774.50
71 00 00	289 170.00	1 246 687.89	289 329.70	1 261 882.49

LONGITUDE	LATITUDE 46 20 00 X	LATITUDE 46 20 00 Y	LATITUDE 46 22 30 X	LATITUDE 46 22 30 Y
70 00 00	542 102.16	1 276 014.05	542 070.17	1 291 208.94
02 30	531 576.62	1 275 994.67	531 552.63	1 291 189.56
05 00	521 051.08	1 275 980.82	521 035.09	1 291 175.72
07 30	510 525.54	1 275 972.52	510 517.54	1 291 167.42
70 10 00	500 000.00	1 275 969.75	500 000.00	1 291 164.65
12 30	489 474.46	1 275 972.52	489 482.46	1 291 167.42
15 00	478 948.92	1 275 980.82	478 964.91	1 291 175.72
17 30	468 423.38	1 275 994.67	468 447.37	1 291 189.56
70 20 00	457 897.84	1 276 014.05	457 929.83	1 291 208.94
22 30	447 372.30	1 276 038.96	447 412.28	1 291 233.86
25 00	436 846.77	1 276 069.41	436 894.74	1 291 264.31
27 30	426 321.23	1 276 105.40	426 377.20	1 291 300.29
70 30 00	415 795.70	1 276 146.93	415 859.67	1 291 341.82
32 30	405 270.17	1 276 193.99	405 342.13	1 291 388.88
35 00	394 744.64	1 276 246.60	394 824.60	1 291 441.48
37 30	384 219.11	1 276 304.73	384 307.07	1 291 499.61
70 40 00	373 693.59	1 276 368.41	373 789.54	1 291 563.28
42 30	363 168.07	1 276 437.63	363 272.02	1 291 632.49
45 00	352 642.55	1 276 512.38	352 754.50	1 291 707.24
47 30	342 117.03	1 276 592.67	342 236.98	1 291 787.53
70 50 00	331 591.52	1 276 678.50	331 719.47	1 291 873.35
52 30	321 066.02	1 276 769.87	321 201.96	1 291 964.71
55 00	310 540.51	1 276 866.77	310 684.45	1 292 061.61
57 30	300 015.02	1 276 969.22	300 166.95	1 292 164.05
71 00 00	289 489.52	1 277 077.20	289 649.46	1 292 272.02

LONGITUDE	LATITUDE 46 25 00 X	LATITUDE 46 25 00 Y	LATITUDE 46 27 30 X	LATITUDE 46 27 30 Y
70 00 00	542 038.17	1 306 403.95	542 006.14	1 321 599.07
02 30	531 528.63	1 306 384.57	531 504.61	1 321 579.70
05 00	521 019.09	1 306 370.73	521 003.07	1 321 565.86
07 30	510 509.54	1 306 362.43	510 501.54	1 321 557.55
70 10 00	500 000.00	1 306 359.66	500 000.00	1 321 554.79
12 30	489 490.46	1 306 362.43	489 498.46	1 321 557.55
15 00	478 980.91	1 306 370.73	478 996.93	1 321 565.86
17 30	468 471.37	1 306 384.57	468 495.39	1 321 579.70
70 20 00	457 961.83	1 306 403.95	457 993.86	1 321 599.07
22 30	447 452.29	1 306 428.86	447 492.33	1 321 623.98
25 00	436 942.75	1 306 459.31	436 990.80	1 321 654.43
27 30	426 433.22	1 306 495.29	426 489.27	1 321 690.41
70 30 00	415 923.68	1 306 536.82	415 987.74	1 321 731.93
32 30	405 414.15	1 306 583.87	405 486.21	1 321 778.98
35 00	394 904.62	1 306 636.47	394 984.69	1 321 831.57
37 30	384 395.09	1 306 694.60	384 483.17	1 321 889.70
70 40 00	373 885.56	1 306 758.27	373 981.65	1 321 953.36
42 30	363 376.04	1 306 827.47	363 480.14	1 322 022.56
45 00	352 866.52	1 306 902.21	352 978.63	1 322 097.30
47 30	342 357.01	1 306 982.49	342 477.12	1 322 177.58
70 50 00	331 847.50	1 307 068.31	331 975.62	1 322 263.39
52 30	321 337.99	1 307 159.67	321 474.12	1 322 354.74
55 00	310 828.49	1 307 256.56	310 972.62	1 322 451.62
57 30	300 318.99	1 307 358.99	300 471.14	1 322 554.05
71 00 00	289 809.50	1 307 466.96	289 969.65	1 322 662.01

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 46 30 00 X	LATITUDE 46 30 00 Y	LATITUDE 46 32 30 X	LATITUDE 46 32 30 Y
69 00 00	793 817.61	1 338 920.17	793 593.07	1 354 115.35
02 30	783 324.20	1 338 767.91	783 107.67	1 353 963.10
05 00	772 830.77	1 338 621.18	772 622.27	1 353 816.39
07 30	762 337.34	1 338 480.00	762 136.86	1 353 675.22
69 10 00	751 843.90	1 338 344.36	751 651.44	1 353 539.59
12 30	741 350.46	1 338 214.25	741 166.02	1 353 409.49
15 00	730 857.00	1 338 089.68	730 680.59	1 353 284.93
17 30	720 363.55	1 337 970.65	720 195.15	1 353 165.91
69 20 00	709 870.08	1 337 857.16	709 709.70	1 353 052.43
22 30	699 376.61	1 337 749.21	699 224.26	1 352 944.48
25 00	688 883.14	1 337 646.79	688 738.80	1 352 842.07
27 30	678 389.66	1 337 549.91	678 253.34	1 352 745.20
69 30 00	667 896.17	1 337 458.57	667 767.87	1 352 653.87
32 30	657 402.68	1 337 372.76	657 282.41	1 352 568.07
35 00	646 909.19	1 337 292.50	646 796.93	1 352 487.81
37 30	636 415.69	1 337 217.77	636 311.45	1 352 413.08
69 40 00	625 922.19	1 337 148.57	625 825.97	1 352 343.89
42 30	615 428.69	1 337 084.91	615 340.49	1 352 280.24
45 00	604 935.18	1 337 026.79	604 855.00	1 352 222.12
47 30	594 441.67	1 336 974.20	594 369.51	1 352 169.53
69 50 00	583 948.16	1 336 927.15	583 884.01	1 352 122.49
52 30	573 454.64	1 336 885.64	573 398.52	1 352 080.98
55 00	562 961.13	1 336 849.66	562 913.02	1 352 045.00
57 30	552 467.61	1 336 819.21	552 427.52	1 352 014.56
70 00 00	541 974.09	1 336 794.30	541 942.02	1 351 989.65

LONGITUDE	LATITUDE 46 35 00 X	LATITUDE 46 35 00 Y	LATITUDE 46 37 30 X	LATITUDE 46 37 30 Y
69 00 00	793 368.37	1 369 310.64	793 143.51	1 384 506.04
02 30	782 891.00	1 369 158.40	782 674.17	1 384 353.82
05 00	772 413.62	1 369 011.70	772 204.83	1 384 207.13
07 30	761 936.24	1 368 870.54	761 735.48	1 384 065.98
69 10 00	751 458.85	1 368 734.91	751 266.12	1 383 930.36
12 30	740 981.45	1 368 604.83	740 796.75	1 383 800.29
15 00	730 504.04	1 368 480.28	730 327.38	1 383 675.75
17 30	720 026.63	1 368 361.26	719 858.00	1 383 556.74
69 20 00	709 549.21	1 368 247.79	709 388.61	1 383 443.28
22 30	699 071.79	1 368 139.86	698 919.22	1 383 335.35
25 00	688 594.36	1 368 037.46	688 449.82	1 383 232.96
27 30	678 116.93	1 367 940.59	677 980.41	1 383 136.10
69 30 00	667 639.49	1 367 849.26	667 511.01	1 383 044.78
32 30	657 162.04	1 367 763.47	657 041.59	1 382 959.00
35 00	646 684.59	1 367 683.21	646 572.17	1 382 878.75
37 30	636 207.14	1 367 608.49	636 102.75	1 382 804.03
69 40 00	625 729.68	1 367 539.31	625 633.32	1 382 734.85
42 30	615 252.22	1 367 475.66	615 163.89	1 382 671.21
45 00	604 774.76	1 367 417.55	604 694.46	1 382 613.10
47 30	594 297.29	1 367 364.97	594 225.02	1 382 560.52
69 50 00	583 819.82	1 367 317.92	583 755.58	1 382 513.49
52 30	573 342.35	1 367 276.41	573 286.14	1 382 471.98
55 00	562 864.87	1 367 240.44	562 816.69	1 382 436.01
57 30	552 387.40	1 367 210.00	552 347.25	1 382 405.57
70 00 00	541 909.92	1 367 185.10	541 877.80	1 382 380.67

LONGITUDE	LATITUDE 46 40 00 X	LATITUDE 46 40 00 Y	LATITUDE 46 42 30 X	LATITUDE 46 42 30 Y
69 00 00	792 918.50	1 399 701.55	792 693.33	1 414 897.17
02 30	782 457.20	1 399 549.34	782 240.08	1 414 744.97
05 00	771 995.90	1 399 402.66	771 786.81	1 414 598.31
07 30	761 534.58	1 399 261.52	761 333.54	1 414 457.18
69 10 00	751 073.26	1 399 125.92	750 880.26	1 414 321.59
12 30	740 611.93	1 398 995.85	740 426.98	1 414 191.53
15 00	730 150.59	1 398 871.32	729 973.68	1 414 067.01
17 30	719 689.25	1 398 752.33	719 520.38	1 413 948.03
69 20 00	709 227.90	1 398 638.87	709 067.07	1 413 834.58
22 30	698 766.54	1 398 530.96	698 613.76	1 413 726.67
25 00	688 305.18	1 398 428.57	688 160.44	1 413 624.30
27 30	677 843.81	1 398 331.72	677 707.11	1 413 527.46
69 30 00	667 382.44	1 398 240.41	667 253.78	1 413 436.15
32 30	656 921.06	1 398 154.63	656 800.45	1 413 350.38
35 00	646 459.68	1 398 074.39	646 347.10	1 413 270.14
37 30	635 998.29	1 397 999.68	635 893.76	1 413 195.44
69 40 00	625 536.90	1 397 930.51	625 440.41	1 413 126.27
42 30	615 075.50	1 397 866.87	614 987.05	1 413 062.64
45 00	604 614.11	1 397 808.76	604 533.70	1 413 004.54
47 30	594 152.70	1 397 756.19	594 080.34	1 412 951.97
69 50 00	583 691.30	1 397 709.16	583 626.97	1 412 904.94
52 30	573 229.89	1 397 667.65	573 173.61	1 412 863.44
55 00	562 768.48	1 397 631.69	562 720.24	1 412 827.48
57 30	552 307.07	1 397 601.25	552 266.87	1 412 797.04
70 00 00	541 845.66	1 397 576.35	541 813.50	1 412 772.15

MAINE – WEST ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 46 30 00 X	LATITUDE 46 30 00 Y	LATITUDE 46 32 30 X	LATITUDE 46 32 30 Y
70 00 00	541 974.09	1 336 794.30	541 942.02	1 351 989.65
02 30	531 480.57	1 336 774.93	531 456.51	1 351 970.28
05 00	520 987.05	1 336 761.09	520 971.01	1 351 956.44
07 30	510 493.52	1 336 752.79	510 485.50	1 351 948.14
70 10 00	500 000.00	1 336 750.02	500 000.00	1 351 945.37
12 30	489 506.48	1 336 752.79	489 514.50	1 351 948.14
15 00	479 012.95	1 336 761.09	479 028.99	1 351 956.44
17 30	468 519.43	1 336 774.93	468 543.49	1 351 970.28
70 20 00	458 025.91	1 336 794.30	458 057.98	1 351 989.65
22 30	447 532.39	1 336 819.21	447 572.48	1 352 014.56
25 00	437 038.87	1 336 849.66	437 086.98	1 352 045.00
27 30	426 545.36	1 336 885.64	426 601.48	1 352 080.98
70 30 00	416 051.84	1 336 927.15	416 115.99	1 352 122.49
32 30	405 558.33	1 336 974.20	405 630.49	1 352 169.53
35 00	395 064.82	1 337 026.79	395 145.00	1 352 222.12
37 30	384 571.31	1 337 084.91	384 659.51	1 352 280.24
70 40 00	374 077.81	1 337 148.57	374 174.03	1 352 343.89
42 30	363 584.31	1 337 217.77	363 688.55	1 352 413.08
45 00	353 090.81	1 337 292.50	353 203.07	1 352 487.81
47 30	342 597.32	1 337 372.76	342 717.59	1 352 568.07
70 50 00	332 103.83	1 337 458.57	332 232.13	1 352 653.87
52 30	321 610.34	1 337 549.91	321 746.66	1 352 745.20
55 00	311 116.86	1 337 646.79	311 261.20	1 352 842.07
57 30	300 623.39	1 337 749.21	300 775.74	1 352 944.48
71 00 00	290 129.92	1 337 857.16	290 290.30	1 353 052.43

LONGITUDE	LATITUDE 46 35 00 X	LATITUDE 46 35 00 Y	LATITUDE 46 37 30 X	LATITUDE 46 37 30 Y
70 00 00	541 909.92	1 367 185.10	541 877.80	1 382 380.67
02 30	531 432.44	1 367 165.73	531 408.35	1 382 361.30
05 00	520 954.96	1 367 151.89	520 938.90	1 382 347.46
07 30	510 477.48	1 367 143.59	510 469.45	1 382 339.16
70 10 00	500 000.00	1 367 140.82	500 000.00	1 382 336.40
12 30	489 522.52	1 367 143.59	489 530.55	1 382 339.16
15 00	479 045.04	1 367 151.89	479 061.10	1 382 347.46
17 30	468 567.56	1 367 165.73	468 591.65	1 382 361.30
70 20 00	458 090.08	1 367 185.10	458 122.20	1 382 380.67
22 30	447 612.60	1 367 210.00	447 652.75	1 382 405.57
25 00	437 135.13	1 367 240.44	437 183.31	1 382 436.01
27 30	426 657.65	1 367 276.41	426 713.86	1 382 471.98
70 30 00	416 180.18	1 367 317.92	416 244.42	1 382 513.49
32 30	405 702.71	1 367 364.97	405 774.98	1 382 560.52
35 00	395 225.24	1 367 417.55	395 305.54	1 382 613.10
37 30	384 747.78	1 367 475.66	384 836.11	1 382 671.21
70 40 00	374 270.32	1 367 539.31	374 366.68	1 382 734.85
42 30	363 792.86	1 367 608.49	363 897.25	1 382 804.03
45 00	353 315.41	1 367 683.21	353 427.83	1 382 878.75
47 30	342 837.96	1 367 763.47	342 958.41	1 382 959.00
70 50 00	332 360.51	1 367 849.26	332 488.99	1 383 044.78
52 30	321 883.07	1 367 940.59	322 019.59	1 383 136.10
55 00	311 405.64	1 368 037.46	311 550.18	1 383 232.96
57 30	300 928.21	1 368 139.86	301 080.78	1 383 335.35
71 00 00	290 450.79	1 368 247.79	290 611.39	1 383 443.28

LONGITUDE	LATITUDE 46 40 00 X	LATITUDE 46 40 00 Y	LATITUDE 46 42 30 X	LATITUDE 46 42 30 Y
70 00 00	541 845.66	1 397 576.35	541 813.50	1 412 772.15
02 30	531 384.25	1 397 556.98	531 360.12	1 412 752.78
05 00	520 922.83	1 397 543.15	520 906.75	1 412 738.95
07 30	510 461.42	1 397 534.85	510 453.38	1 412 730.65
70 10 00	500 000.00	1 397 532.08	500 000.00	1 412 727.88
12 30	489 538.58	1 397 534.85	489 546.62	1 412 730.65
15 00	479 077.17	1 397 543.15	479 093.25	1 412 738.95
17 30	468 615.75	1 397 556.98	468 639.88	1 412 752.78
70 20 00	458 154.34	1 397 576.35	458 186.50	1 412 772.15
22 30	447 692.93	1 397 601.25	447 733.13	1 412 797.04
25 00	437 231.52	1 397 631.69	437 279.76	1 412 827.48
27 30	426 770.11	1 397 667.65	426 826.39	1 412 863.44
70 30 00	416 308.70	1 397 709.16	416 373.03	1 412 904.94
32 30	405 847.30	1 397 756.19	405 919.66	1 412 951.97
35 00	395 385.89	1 397 808.76	395 466.30	1 413 004.54
37 30	384 924.50	1 397 866.87	385 012.95	1 413 062.64
70 40 00	374 463.10	1 397 930.51	374 559.59	1 413 126.27
42 30	364 001.71	1 397 999.68	364 106.24	1 413 195.44
45 00	353 540.32	1 398 074.39	353 652.90	1 413 270.14
47 30	343 078.94	1 398 154.63	343 199.55	1 413 350.38
70 50 00	332 617.56	1 398 240.41	332 746.22	1 413 436.15
52 30	322 156.19	1 398 331.72	322 292.89	1 413 527.46
55 00	311 694.82	1 398 428.57	311 839.56	1 413 624.30
57 30	301 233.46	1 398 530.96	301 386.24	1 413 726.67
71 00 00	290 772.10	1 398 638.87	290 932.93	1 413 834.58

GPO 898473