DESCRIPTION OF TABLES AND CHARTS.

Table I gives the data ordinarily needed for climatological studies for about 158 Weather Bureau stations making simultaneous observations at 8 a. m. and 8 p. m., seventy-fifth meridian time daily, and for about 41 others making only one observation. The altitudes of the instruments above ground are also given.

Table II gives a record of precipitation the intensity of which at some period of the storm's continuance equaled or exceeded the following rates:

Duration (minutes).....	5	10	15	20	25	30	35	40	45	50	60
Rates per hour (inches)....	3.00	1.80	1.40	1.20	1.08	1.00	0.94	0.90	0.87	0.84	0.80

In cases where no storm of sufficient intensity to entitle it to a place in the full table has occurred, the greatest precipitation of any single storm has been given, also the greatest hourly fall during that storm.

Table III gives, for about 30 stations of the Canadian Meteorological Service, the means of pressure and temperature, total precipitation and depth of snowfall; and the respective departures from normal values, except in the case of snowfall.

Chart I.—Hydrographs for several of the principal rivers of the United States.

Chart II.—Tracks of centers of high areas; and

Chart III.—Tracks of centers of low areas. The roman numerals show the chronological order of the centers. The figures within the circles show the days of the month; the letters *a* and *p* indicate, respectively, the observations at 8 a. m. and 8 p. m., seventy-fifth meridian time. Within each circle is also given (Chart II) the last three figures of the highest barometric reading and (Chart III) the lowest reading reported at or near the center at that time, and in both cases as reduced to sea level and standard gravity.

Chart IV.—Total precipitation. The scale of shades showing the depth is given on the chart. Where the monthly amounts are too small to justify shading, and over sections of the country where stations are too widely separated or the topography is too diversified to warrant reasonable accuracy in shading, the actual depths are given for a limited number of representative stations. Amounts less than 0.005 inch are indicated by the letter T, and no precipitation by 0.

Chart V.—Percentage of clear sky between sunrise and sunset. The average cloudiness at each Weather Bureau station is determined by numerous personal observations between sunrise and sunset. The difference between the observed cloudiness and 100 is assumed to represent the percentage of clear sky, and the values thus obtained are the basis of this chart. The chart does not relate to the nighttime.

Chart VI.—Isobars and isotherms at sea level and prevailing wind directions. The pressures have been reduced to sea level and standard gravity by the method described by Prof. Frank H. Bigelow on pages 13–16 of the REVIEW for January, 1902. The pressures have also been reduced to the mean of the 24 hours by the application of a suitable correction to the mean of the 8 a. m. and 8 p. m. readings at stations taking two observations daily, and to the 8 a. m. or the 8 p. m. observations, respectively, at stations taking but a single observation. The diurnal corrections so applied will be found in the Annual Report of the Chief of the Weather Bureau, 1900–1901, volume 2, Table 27, pages 140–164.

The isotherms on the sea-level plane have been constructed by means of the data summarized in chapter 8 of volume 2 of the annual report just mentioned. The correction $t_0 - t$, or temperature on the sea-level plane minus the station temperature as given by Table 48 of that report, is added to the observed surface temperature to obtain the adopted sea-level temperature.

The prevailing wind directions are determined from hourly observations at the great majority of the stations; a few stations having no self-recording wind direction apparatus determine the prevailing direction from the daily or twice-daily observations only.

Chart VII.—Total snowfall. This is based on the reports from regular and cooperative observers and shows the depth in inches and tenths of the snowfall during the month. In general, the depth is shown by lines inclosing areas of equal snowfall, but in special cases figures are also given.

Chart VIII.—Depth of snow on ground at end of the month, expressed in inches and tenths.

Charts VII and VIII are published only when the general snow cover is sufficiently extensive to justify their preparation.

TABLE I.—*Climatological data for United States Weather Bureau stations, February, 1914.*

Districts and stations.	Elevation of instruments.			Pressure in inches.			Temperature of the air, in degrees Fahrenheit.													Precipitation, inches.			Wind.									
	Barometer above sea level, feet.	Thermometer above ground.	Anemometer above ground.	Station reduced to mean of 24 hours.	Sea level, reduced to mean of 24 hours.	Departure from normal.	Mean max. + mean min. ÷ 2.	Departure from normal.	Maximum.	Date.	Mean maximum.	Minimum.	Date.	Mean minimum.	Greatest daily range.	Mean wet thermometer.	Mean temperature of the dew point.	Mean relative humidity, per cent.	Total.	Departure from normal.	Days with 0.01 or more.	Total movement, miles.	Prevailing direction.	Maximum velocity. Miles per hour.	Maximum velocity. Direction.	Maximum velocity. Date.	Clear days.	Partly cloudy days.	Cloudy days.	Average cloudiness, tenths.	Total snowfall.	Snow on ground at end of month.
New England.							19.8	− 5.9										71	2.61	− 0.7										4.9		
Eastport	76	67	85	29.95	30.04	+0.06	14.8	− 6.6	43	7	24	−23	12	6	35	13	10	78	2.26	− 1.4	10	10,391	w.	66	ne.	14	16	6	6	4.8	16.8	0.2
Greenville	1,070	6		28.82	30.06		5.9		47	28	17	−29	12	−5	37				1.92		7		se.								19.2	38.0
Portland, Me.	103	82	117	29.97	30.10	+ .08	17.2	− 6.6	50	4	26	−17	12	9	27	15	7	65	3.92	+ 0.3	6	7,131	n.	42	n.	14	17	4	7	3.8	19.7	11.0
Concord	288	70	79	29.79	30.13	+ .09	15.6	− 8.0	47	4	26	−18	16	5	43				1.65	− 1.6	6	4,589	nw.	30	w.	1	14	7	7	4.4	17.6	18.0
Burlington	404	11	48	29.68	30.16	+ .13	10.2	− 7.7	45	28	19	−22	12	1	29				0.41	− 1.0	3	8,508	n.	54	s.	22	9	12	7	5.1	6.9	3.2
Northfield	876	12	60	29.13	30.14	+ .10	7.7	− 9.5	47	28	20	−33	24	−5	50	5	3	86	1.56	− 0.7	7	5,438	n.	36	sw.	7	11	7	10	5.0	19.7	20.8
Boston	125	115	188	29.96	30.10	+ .06	24.3	− 3.7	56	4	32	−11	12	17	26	21	13	64	3.07	− 0.4	8	8,553	w.	44	e.	14	11	10	7	4.3	20.6	5.6
Nantucket	12	14	90	30.06	30.07	+ .03	28.2	− 4.4	50	7	35	− 4	12	22	22	26	21	78	4.00	+ 0.9	10	13,124	w.	59	se.	14	10	7	11	5.8	19.2	T.
Block Island	26	11	46	30.07	30.10	+ .04	26.2	− 5.0	48	7	32	− 4	12	20	26	24	20	77	2.39	− 1.9	8	16,407	w.	72	nw.	16	9	7	12	6.0	8.9	0.5
Narragansett		9					25.0	− 3.3	56	4	34	− 8	12	16	30				3.56		8		nw.				16	5	7		18.7	1.8
Providence	160	215	251	29.93	30.11	+ .06	23.4	− 5.6	55	4	31	− 9	12	15	27	20	14	68	2.99	− 1.4	8	10,954	nw.	56	nw.	14	12	8	8	4.8	20.4	5.0
Hartford	159	122	140	29.95	30.14	+ .08	21.2	− 6.0	51	4	30	−10	12	13	32	18	10	65	2.79	− 0.8	8	5,822	n.	37	nw.	14	10	6	12	5.4	27.8	9.0
New Haven	106	117	155	30.01	30.14	+ .07	23.6	− 4.7	55	4	32	− 7	12	15	32	20	10	58	3.68	− 0.1	11	7,623	n.	42	nw.	14	10	9	9	5.0	20.3	5.8
Middle Atlantic States.							27.7	− 4.9										70	3.07	− 0.1										5.3		
Albany	97	102	115	30.06	30.17	+ .10	15.7	− 7.9	45	28	25	−16	12	6	38	13	7	69	1.85	− 0.7	6	6,016	n.	27	s.	3	12	9	7	4.6	26.1	8.8
Binghamton	871	10	69	29.18	30.16	+ .08	16.0	− 8.7	48	28	26	−15	25	6	46				2.44	+ 0.5	9	4,576	nw.	26	sw.	7	9	5	14	6.1	26.3	5.8
New York	314	414	454	29.78	30.14	+ .06	25.3	− 5.4	52	4	33	− 2	12	18	30	21	12	57	3.27	− 0.5	10	13,239	nw.	75	nw.	14	10	8	10	5.5	14.1	2.0
Harrisburg	374	94	104	29.76	30.18	+ .09	24.0	− 5.9	47	1	31	0	26	17	34	21	15	70	3.51	+ 0.8	12	5,559	w.	33	w.	8	10	4	14	5.7	25.5	3.0
Philadelphia	117	123	184	30.02	30.16	+ .06	29.0	− 3.8	56	3	36	3	13	22	28	25	20	70	3.32	− 0.1	11	7,938	nw.	39	nw.	14	12	7	9	4.9	15.7	1.5
Reading	325	81	98	29.80	30.17		24.8		49	4	32	0	13	18	37	22	16	70	3.27		11	5,724	nw.	33	w.	7	10	5	13	5.8	19.7	4.0
Scranton	805	111	119	29.26	30.17	+ .09	19.8	− 7.1	51	27	29	− 8	12	11	37	18	14	79	5.23	+ 2.5	10	5,419	nw.	42	sw.	7	6	15	7	5.6	27.9	4.3
Atlantic City	52	37	48	30.09	30.15	+ .04	30.2	− 2.8	57	4	38	3	25	23	30	26	20	69	2.67	− 0.6	11	6,664	nw.	29	e.	14	10	9	9	5.3	9.9	
Cape May	17	13	49	30.14	30.16	+ .05	31.5	− 2.6	56	4	38	5	25	24	28	28	24	80	2.50	− 0.8	10	7,341	n.	36	nw.	14	10	10	8	5.2	11.6	0.5
Trenton	190	159	183	29.92	30.14		25.6		53	4	33	− 1	13	18	34	22	16	70	3.00	− 0.2	11	9,461	w.	48	ne.	14	12	5	11	5.1	17.1	3.6
Baltimore	123	100	113	30.04	30.18	+ .07	30.2	− 4.4	57	4	37	8	25	23	27	26	19	67	2.89	− 0.6	8	5,555	n.	29	w.	7	12	6	10	4.9	11.4	0.5
Washington	112	62	85	30.04	30.16	+ .05	30.1	− 4.4	59	3	38	− 1	25	22	34	25	18	66	3.05	− 0.4	9	5,821	n.	40	nw.	16	11	8	9	5.0	9.3	T.
Lynchburg	681	83	88	29.38	30.15	+ .04	35.2	− 3.0	64	4	45	9	25	26	34	29	23	67	2.77	− 0.7	12	5,080	sw.	27	w.	7	9	11	8	5.3	11.0	
Mount Weather	1,725	10	75	28.22	30.14	+ .03	24.6	− 4.5	53	3	33	− 1	24	17	29	21	14	70	1.99	− 1.2	9	12,716	nw.	70	nw.	14	8	9	11	5.7	13.5	3.5
Norfolk	91	170	205	30.06	30.16	+ .05	38.6	− 3.2	65	18	47	15	25	30	35	34	28	70	3.67	− 0.1	12	10,868	sw.	55	nw.	16	10	9	9	5.6	7.7	
Richmond	144	11	52	30.01	30.18	+ .07	35.0	− 4.9	64	3	44	8	25	26	34	29	23	69	3.27	+ 0.2	12	6,227	s.	34	nw.	16	10	8	10	5.1	10.8	T.
Wytheville	2,293	40	47	27.68	30.16	+ .04	30.5	− 4.6	60	3	40	5	15	21	34	27	23	79	3.75	− 0.3	14	4,179	w.	30	w.	7	14	4	10	5.0	18.5	T.
South Atlantic States.							45.2	− 2.6										74	5.02	+ 1.1										5.7		
Asheville	2,255	70	84	27.72	30.17	+ .04	36.9	− 1.6	63	19	46	15	8	28	42	32	27	74	2.24	− 2.4	11	6,792	nw.	36	e.	6	11	7	10	5.2	4.9	
Charlotte	773	68	76	29.29	30.15	+ .03	39.6	− 4.5	67	4	48	17	13	31	28	34	28	70	4.03	− 0.4	14	5,425	ne.	28	nw.	16	12	4	12	5.5	8.1	T.
Hatteras	11	12	50	30.10	30.11	.00	45.8	− 0.8	68	3	53	27	25	39	23	42	39	82	4.32	− 0.2	12	12,382	n.	68	n.	20	6	11	11	6.2	T.	
Manteo	12	12	46				42.5		71	7	52	21	16	33					5.48	+ 1.2	7		ne.				11	5	12		T.	
Raleigh	376	103	110	29.74	30.16	+ .05	38.7	− 4.6	67	3	48	15	25	30	32	32	25	62	4.45	+ 0.1	12	6,187	ne.	36	nw.	16	13	4	11	5.1	10.4	
Wilmington	78	81	91	30.06	30.15	+ .03	44.8	− 2.9	74	19	54	19	25	36	31	39	34	73	6.04	+ 2.6	9	5,946	n.	38	nw.	16	9	10	9	5.6	0.3	
Charleston	48	11	92	30.08	30.14	+ .02	48.6	− 3.1	69	19	56	26	25	41	29	44	40	78	6.87	+ 3.5	8	7,695	n.	39	ne.	13	7	11	10	5.7	2.1	
Columbia, S. C.	351	41	57	29.76	30.15	+ .04	45.0	− 2.8	72	4	55	21	25	35	32	39	32	69	4.45	− 0.1	10	5,089	ne.	27	nw.	16	9	8	11	5.4	11.7	T.
Augusta	180	89	97	29.95	30.15	+ .03	46.6	− 2.4	71	5	57	21	25	37	31	40	35	74	4.50	+ 0.1	12	4,535	nw.	28	w.	16	8	7	13	6.2	10.5	T.
Savannah	65	150	194	30.07	30.14	+ .02	50.3	− 2.2	76	19	59	26	26	42	28	45	41	78	8.32	+ 5.0	9	8,064	nw.	40	nw.	28	8	6	14	6.1	0.5	
Jacksonville	43	96	129	30.08	30.13	+ .01	55.3	− 1.6	74	19	64	32	26	47	27	50	46	78	4.55	+ 1.1	8	6,653	ne.	54	sw.	13	9	8	11	5.6		
Florida Peninsula.							65.9	− 0.9										80	1.87	− 0.7										5.2		
Key West	22	10	64	30.05	30.07	.00	69.9	− 0.9	82	13	75	57	27	65	18	65	62	81	0.96	− 0.7	7	7,601	ne.	42	w.	20	12	12	4	4.5		
Miami	25	37	72	30.07	30.10		67.4	− 1.4	82	14	75	43	27	60	31	62	60	80	1.21	− 1.5	7	6,639	nw.	30	ne.	9	7	9	12	6.2		
Sand Key	23	39	72	30.03	30.06	− .01	69.5		79	7	73	58	22	66	12	65	63	80	1.11		7	10,716	n.	47	nw.	28	12	13	3	4.1		
Tampa	35	79	96	30.08	30.12	+ .02	60.5	− 0.4	78	19	69	41	27	52	26	55	52	81	3.43	+ 0.2	7	5,612	ne.	29	se.	20	7	9	12	6.2		
Titusville	44	6																														
East Gulf States.							48.1	− 2.8										74	5.24	+ 0.5										5.7		
Atlanta	1,174	190	216	28.88	30.15	+ .03	43.1	− 2.1	68	23	52	19	8	34	35	38	33	71	3.34	− 1.3	11	8,242	w.	40	nw.	24	11	6	11	5.2	3.1	
Macon	370	78	87	29.74	30.15	+ .03	46.5	− 2.4	69	23	56	21	26	36	33	41	37	78	3.99	− 0.6	9	4,627	nw.	24	nw.	16	10	6	12	5.9	6.9	
Thomasville	273	8	57	29.84	30.14	+ .02	51.4	− 3.6	77	4	62	28	26	41	38	45	42	81	12.12	+ 7.6	11	4,140	nw.	32	sw.	6	10	5	13	5.9		
Pensacola	56	140	182	30.08	30.14	+ .03	52.7	− 2.8	72	23	60	32	8	45	27	47	43	75	4.85	+ 0.4	8	9,068	nw.	60	se.	6	7	10	11	6.3		
Anniston	741	9	57				43.8	− 2.0	72	23	54	20	8	34	37				3.53	− 1.1	11	4,702	nw.	34	se.	13	12	7	9		4.8	
Birmingham	700	11	48	29.39	30.18	+ .06	44.4	− 3.9	72	23	54	20	8	34	41	39	33	70	2.66	− 2.1	10	5,361	n.	28	w.	23	9	9	10	5.2	4.2	
Mobile	57	125	161	30.08	30.14	+ .03	52.0	− 1.2	78	6	61	31	8	43	28	46	41	72	7.59	+ 2.2	11	7,265	nw.	34	nw.	24	10	12	6	5.0	T.	
Montgomery	223	100	112	29.91	30.17	+ .05	48.0	− 3.3	75	23	58	24	26	38	37	42	37	72	3.29	− 2.2	9	5,034	nw.	29	w.	23	9	8	11	5.3	4.1	
Meridian	375	85	93	29.75	30.16	+ .05	46.2	− 2.9	72	23	56	23	8	36	42	41	37	76	3.48	− 1.4	11	4,199	nw.	27	w.	23	8	4	16	6.6	3.7	
Vicksburg	247	62	74	29.89	30.18	+ .08	47.6	− 3.3	73	3	57	22	7	38	39	42	36	69	6.41	+ 1.8	11	5,273	se.	29	nw.	6	9	6	13	5.8	0.2	
New Orleans	51	90	121	30.09	30.14	+ .05	53.2	− 3.1	79	6	62	31	26	44	30	48	44	76	6.43	+ 2.0	9	6,453	ne.	30	ne.	28	11	7	10	5.5	T.	
West Gulf States.							47.2	− 2.4										74	2.32	− 0.4										5.9		
Shreveport	349	77	93	29.89	30.17	+ .08	46.4	− 3.6	74	3	56	17	7	37	48	41	37	76	4.85	+ 1.2	11	5,380	se.	33	nw.	6	10	7	11	5.6		
Bentonville	1,303	11	44	28.72	30.13	+ .03	35.4	− 3.1	64	17	46	0	7	25	37				2.54	0.0	11	4,114	s.	28	s.	22	12	6	10	5.0	2.3	
Fort Smith	457	79	94	29.65	30.14	+ .04	40.1	− 1.7	69	17	50	6	7	30	32	35	31	73	2.21	− 0.5	8	6,760	e.	42	nw.	23	10	2	16	6.0	T.	
Little Rock	357	139	147	29.78	30.17	+ .06	41.8	− 2.3	68	17	51	10	7	32	35	36	29	67	2.85	− 1.3	11	6,722	s.	35	w.	22	8	11	9	5.6	T.	
Brownsville	57	3	40				62.8		91	6	72	30	25	53	36				2.28		9		n.	36		22						
Corpus Christi	20	69	77	30.10	30.12	+ .07	56.9	− 0.8	81	6	64	29	25	49	36	53	50	84	0.44	− 1.6	8	8,113	n.	48	n.	6	3	11	14	7.0	0.5	
Dallas	512	109	117	29.60	30.17		43.0		72	16	54	10	7	32	40				2.08		7	7,054	nw.	42	w.	6	8	9	11	6.1	T.	
Fort Worth	670	106	114	29.41	30.14	+ .07	44.3	− 3.8	77	22	55	12	7	34	45	39	32	66	1.17	− 0.1	7	7,663	s.	42	nw.	23	7	9	12	5.9		
Galveston	54	106	114	30.10	30.16	+ .09	52.8	− 2.8	73	6	59	27	24	47	37	49	46	80	3.31	+ 0.2	8	9,086	n.	40	nw.	6	4	12	12	6.3	0.5	
Houston	138	111	121	29.99	30.15		52.9	− 1.1	78	4	62	24	7	44	43				3.32		7	6,525	se.	32	s.	22	9	10	9	6.0	T.	
Palestine	510	64	72	29.60	30.15	+ .07	47.3	− 3.6	75	3	57	17	7	38	45	42	39	78	2.92	− 0.5	9	5,271	n.	29	s.	22	9	6	13	6.2	T.	
San Antonio	701	80	91	29.39	30.13	+ .08	53.2	− 1.2	78	5	64	23	7	43	46	47	40	67	1.38	− 0.4	7	4,705	ne.	31	n.	6	10	8	10	5.5		
Taylor	582	55	63	29.54	30.17	+ .11	48.4	− 2.9	73	3	60	16	7	37	42				1.48	− 1.1	7	6,707	n.	32	s.	22	8	11	9	5.8	T.	

TABLE I.—*Climatological data for United States Weather Bureau stations, February, 1914*—Continued.

Districts and stations.	Elevation of instruments.			Pressure in inches.			Temperature of the air, in degrees Fahrenheit.												Precipitation, inches.			Wind.									
	Barometer above sea level, feet.	Thermometer above ground.	Anemometer above ground.	Station reduced to mean of 24 hours.	Sea level, reduced to mean of 24 hours.	Departure from normal.	Mean max. + mean min. ÷ 2.	Departure from normal.	Maximum.	Date.	Mean maximum.	Minimum.	Date.	Mean minimum.	Greatest daily range.	Mean wet thermometer.	Mean temperature of the dew point.	Mean relative humidity, per cent.	Total.	Departure from normal.	Days with 0.01 or more.	Total movement, miles.	Prevailing direction.	Maximum velocity. Miles per hour.	Maximum velocity. Direction.	Maximum velocity. Date.	Clear days.	Partly cloudy days.	Cloudy days.	Average cloudiness, tenths.	Total snowfall.	Snow on ground at end of month.
Ohio Valley and Tennessee.							30.3	− 5.4										76	3.65	+ 0.1										5.8		
Chattanooga	762	189	213	29.34	30.17	+ .04	41.7	− 2.0	68	23	51	19	8	33	38	36	31	71	3.97	− 1.0	10	5,810	nw.	45	sw.	23	7	11	10	5.7	2.2	....
Knoxville	996	93	100	29.06	30.15	+ .03	39.2	− 1.6	65	19	48	18	24	30	36	35	30	76	3.47	− 1.4	10	3,782	ne.	28	w.	23	7	6	15	6.2	2.0	....
Memphis	399	76	97	29.75	30.19	+ .08	40.2	− 3.1	66	17	49	12	7	31	40	36	31	74	3.15	− 1.2	12	6,885	n.	39	nw.	6	14	2	12	5.1	T.	....
Nashville	546	168	191	29.58	30.18	+ .06	38.0	− 3.1	68	6	48	14	24	28	41	34	29	74	2.03	− 2.3	11	7,355	nw.	46	se.	6	7	8	13	6.2	1.5	....
Lexington	989	75	102	29.07	30.19	+ .08	29.3	− 6.3	62	6	38	2	24	21	38	....	....	....	3.87	+ 0.6	14	8,073	s.	38	s.	7	11	5	12	5.6	5.3	T.
Louisville	525	219	255	29.59	30.20	+ .09	30.0	− 6.6	59	6	38	3	24	21	37	26	22	76	5.77	+ 2.0	11	9,365	n.	40	w.	7	7	6	15	6.3	7.1	T.
Evansville	431	72	82	29.69	30.18	+ .07	29.9	− 5.9	58	22	38	6	24	22	34	27	24	79	4.56	+ 1.5	12	5,706	ne.	26	s.	2	7	9	12	6.0	12.5	....
Indianapolis	822	154	164	29.26	30.19	.. .09	21.8	− 8.9	51	2	30	− 1	24	13	34	20	15	75	2.92	− 0.2	11	7,854	ne.	39	sw.	8	6	10	12	6.1	20.1	1.0
Terre Haute	575	96	129	29.54	30.18	+	22.7	.....	49	17	31	1	24	14	34	21	18	80	3.05	.....	10	8,069	ne.	40	nw.	28	4	12	12	6.4	17.5	T.
Cincinnati	628	152	160	29.48	30.20	+ .10	27.4	− 7.0	56	2	36	1	24	18	34	25	23	85	4.80	+ 1.6	12	5,492	se.	30	w.	7	9	9	10	5.7	21.4	1.0
Columbus	824	173	222	29.26	30.18	.. .09	23.6	− 7.4	51	6	33	− 1	24	14	34	21	17	78	3.70	+ 0.6	10	9,138	ne.	52	nw.	8	15	5	8	4.5	19.6	0.4
Dayton	899	181	216	29.17	30.17	+	23.1	− 6.9	51	2	32	− 3	25	14	35	21	17	81	3.33	+ 0.2	12	9,161	n.	48	sw.	8	11	6	11	5.4	15.2	0.8
Pittsburgh	842	353	410	29.23	30.18	+ .09	24.3	− 7.5	52	3	33	− 2	24	16	34	21	15	71	3.13	+ 0.5	15	8,995	w.	50	w.	7	9	6	13	6.0	23.4	4.8
Elkins	1,940	41	50	28.02	30.18	+ .08	28.0	− 3.5	58	3	38	−10	25	18	51	24	19	74	2.72	− 0.4	14	3,493	w.	24	w.	7	5	8	15	6.9	13.4	T.
Parkersburg	638	77	84	29.51	30.19	.09	27.6	− 6.3	55	2	37	− 7	25	18	38	23	18	73	3.74	+ 0.5	13	4,880	n.	35	nw.	16	11	9	8	5.4	23.4	3.0
Lower Lake Region.							17.1	− 7.6										76	1.68	− 0.8										5.8		
Buffalo	767	247	280	29.29	30.16	.. .10	16.9	− 7.1	46	28	24	− 9	12	10	26	15	11	80	1.95	− 0.9	13	12,192	sw.	88	sw.	7	5	13	10	5.8	21.4	6.0
Canton	448	10	61	29.66	30.17	+	8.3	− 9.7	48	28	18	−27	24	−1	41	....	....	....	1.16	− 1.4	7	7,959	w.	64	w.	1	18	6	4	2.6	14.1	0.5
Oswego	335	76	91	29.77	30.16	+ .10	16.2	− 7.7	48	28	24	−14	13	9	31	14	11	82	2.20	− 0.4	14	8,639	s.	45	w.	1	3	6	19	7.4	21.6	7.0
Rochester	523	86	102	29.57	30.17	+ .11	17.4	− 6.5	49	28	24	− 8	12	10	24	15	9	72	1.66	− 1.2	14	5,917	w.	44	w.	7	5	8	15	6.6	21.6	5.5
Syracuse	597	97	113	29.50	30.18	+ .11	15.6	− 8.2	49	3	24	−20	12	8	27	13	8	75	2.42	+ 0.6	15	8,420	nw.	49	sw.	7	10	7	11	5.2	22.0	5.0
Erie	714	92	102	29.36	30.17	+ .10	19.0	− 7.1	48	3	26	−10	13	12	32	17	12	75	1.49	− 1.4	16	8,286	w.	48	se.	6	3	10	15	6.8	15.3	1.0
Cleveland	762	190	201	29.32	30.19	+ .12	19.8	− 7.0	50	3	28	− 6	13	12	32	17	12	74	1.84	− 0.8	13	8,143	ne.	42	sw.	8	5	12	11	6.3	16.1	2.3
Sandusky	629	62	70	29.48	30.19	+ .12	19.8	− 7.3	49	3	28	− 6	24	12	30	17	13	79	1.86	− 0.5	11	10,147	sw.	48	sw.	7	4	12	12	6.3	10.4	1.0
Toledo	638	208	246	29.48	30.20	.. .13	19.1	− 7.7	45	3	27	− 4	24	11	30	16	12	74	1.24	− 0.7	7	11,457	sw.	56	sw.	7	7	14	7	5.4	8.1	T.
Fort Wayne	856	113	124	29.22	30.19	+	18.0	− 7.8	47	3	27	− 4	9	10	34	16	11	73	1.66	.....	11	8,122	sw.	38	sw.	7	8	10	10	5.8	11.4	5.0
Detroit	730	218	258	29.35	30.18	.12	17.6	− 7.4	44	28	25	− 7	12	10	24	15	12	81	1.03	− 1.2	10	9,591	w.	46	w.	7	5	13	10	6.0	9.0	0.3
Upper Lake Region.							11.8	− 7.4										79	1.04	− 0.7										5.9		
Alpena	609	13	92	29.45	30.16	+ .13	11.2	− 6.6	46	27	20	−18	12	2	33	10	7	85	0.67	− 1.1	15	8,155	nw.	48	se.	2	4	17	7	5.6	10.0	4.5
Escanaba	612	54	60	29.47	30.18	+ .12	9.6	− 5.7	44	28	19	−15	12	1	40	8	4	79	1.11	− 0.2	8	6,613	nw.	36	n.	28	12	6	10	5.0	7.3	0.5
Grand Haven	632	54	92	29.46	30.19	+ .14	15.6	− 8.6	40	27	24	−10	12	8	29	15	11	80	1.49	− 0.4	15	8,917	e.	42	w.	1	5	10	15	6.5	21.8	6.5
Grand Rapids	707	70	87	29.38	30.19	+ .14	15.8	− 9.7	45	27	24	−10	12	8	28	14	10	79	0.75	− 1.2	11	3,880	e.	23	w.	1	5	10	13	6.4	14.6	6.5
Houghton	684	62	72	29.38	30.15	.. .10	7.3	− 8.7	47	27	16	−27	12	−2	40	....	....	....	1.93	+ 0.2	16	6,047	nw.	42	nw.	21	5	10	13	6.2	19.6	10.0
Lansing	878	11	62	29.18	30.18	.....	12.7	− 8.9	44	27	24	−16	12	2	37	10	8	84	0.79	− 1.2	10	4,726	sw.	23	se.	2	6	13	9	5.7	9.2	3.0
Ludington	637	60	66	29.44	30.17	+	15.2	.....	38	27	23	−12	13	7	27	15	10	78	1.59	.....	14	8,818	e.	48	sw.	21	5	3	20	7.8	19.9	2.6
Marquette	734	77	111	29.34	30.19	+ .14	11.6	− 4.3	50	27	20	−11	10	3	40	9	4	76	1.55	− 0.2	14	8,809	w.	46	sw.	28	8	8	12	5.8	15.7	16.2
Port Huron	638	70	120	29.44	30.17	.. .12	15.2	− 6.8	41	27	24	− 7	13	7	29	13	10	81	0.69	− 1.5	8	7,990	sw.	35	w.	8	7	17	4	4.3	6.9	1.0
Saginaw	641	48	82	29.45	30.18	+	13.0	.....	44	27	23	−14	12	3	34	11	9	86	0.78	− 1.3	6	6,904	sw.	36	nw.	7	4	14	10	6.2	9.4	4.2
Sault Sainte Marie	614	11	61	29.43	30.18	+ .15	6.2	− 7.2	43	27	16	−28	12	−3	38	5	2	86	1.08	− 0.3	13	6,342	nw.	42	nw.	21	7	7	14	6.4	12.4	14.5
Chicago	823	140	310	29.27	30.20	+ .12	20.2	− 5.2	48	28	27	− 6	8	13	30	18	12	68	0.93	− 1.2	12	8,702	sw.	38	ne.	23	7	8	13	6.0	7.2	0.5
Green Bay	617	109	144	29.48	30.18	+ .12	9.8	− 7.4	42	28	19	−13	12	0	33	8	4	75	0.83	− 0.8	6	8,351	sw.	46	n.	28	10	10	8	6.1	9.5	....
Milwaukee	681	119	133	29.41	30.18	+ .12	15.6	− 6.3	46	28	24	−10	8	8	31	14	8	70	1.34	− 0.6	12	8,604	nw.	34	e.	13	9	7	12	5.6	11.8	0.5
Duluth	1,133	11	47	28.92	30.22	.14	2.7	−10.9	45	26	13	−28	11	−8	43	0	− 3	82	0.64	− 0.4	7	9,966	nw.	49	w.	28	13	10	5	4.2	9.1	1.5
North Dakota.							1.4	− 5.5										83	0.30	− 0.2										5.2		
Moorhead	940	8	57	29.22	30.32	+ .21	−0.4	− 7.4	48	27	11	−30	7	−12	47	− 2	− 5	81	0.42	− 0.3	8	6,284	n.	36	nw.	28	16	8	4	3.5	4.2	1.3
Bismarck	1,674	8	57	28.39	30.31	+ .19	5.3	− 3.0	52	27	16	−32	7	−6	42	3	− 1	80	0.36	− 0.1	7	6,705	nw.	54	nw.	28	11	6	11	5.2	3.9	T.
Devils Lake	1,482	11	44	28.56	30.26	+ .15	−3.6	− 8.1	47	27	8	−33	6	−15	40	− 5	− 7	87	0.16	− 0.4	8	7,612	nw.	48	nw.	28	12	8	8	4.8	2.2	T.
Williston	1,872	40	47	28.13	30.25	+ .14	4.4	− 3.5	51	27	15	−34	6	−6	35	2	0	84	0.28	− 0.2	6	5,485	n.	48	nw.	28	6	3	19	7.2	2.5	T.
Upper Miss. Valley.							18.9	− 5.7										80	1.60	− 0.1										5.5		
Minneapolis	918	102	208	.....	.....	.....	7.6	.....	42	27	17	−19	11	−2	42	....	....	....	0.45	− 0.3	9	8,100	nw.	49	nw.	28	11	9	8	4.8	6.8	T.
St. Paul	837	201	236	29.29	30.25	+ .16	8.0	− 7.0	42	27	17	−19	11	−1	39	6	2	76	0.49	− 0.4	10	8,436	n.	52	nw.	28	11	9	8	4.9	5.3	0.2
La Crosse	714	11	48	29.42	30.24	+ .16	12.6	− 5.8	45	2	22	−14	8	3	34	....	....	....	0.49	− 0.6	7	3,997	n.	29	nw.	28	9	8	11	5.8	7.9	0.3
Madison	974	70	78	29.10	30.22	+ .15	12.1	− 7.5	43	28	21	−15	8	4	36	10	7	81	0.92	− 0.6	6	7,572	ne.	42	nw.	28	8	8	12	6.0	9.6	0.1
Charles City	1,015	10	49	29.09	30.23	+ .13	12.9	− 2.2	47	2	23	−16	8	3	38	11	8	84	0.47	− 0.5	8	5,455	nw.	36	nw.	28	7	14	7	5.3	8.5	T.
Davenport	606	71	79	29.52	30.23	+ .13	18.6	− 5.2	49	28	27	− 8	8	10	41	16	13	82	0.76	− 0.8	8	6,230	ne.	40	w.	28	5	11	12	6.6	7.9	T.
Des Moines	861	84	97	29.25	30.21	+ .10	19.7	− 4.4	51	2	29	− 9	8	10	35	17	13	77	1.24	+ 0.2	8	6,382	e.	39	nw.	28	7	5	16	6.4	14.8	....
Dubuque	698	81	96	29.44	30.24	+ .15	15.8	− 5.8	47	27	25	−12	8	7	37	14	11	83	1.16	− 0.2	9	4,938	nw.	36	nw.	28	7	9	12	6.4	11.5	0.3
Keokuk	614	64	78	29.51	30.21	+ .10	21.4	− 5.2	51	2	31	− 4	7	12	31	19	14	76	1.12	− 0.5	9	6,338	ne.	40	w.	28	11	11	6	4.8	12.3	T.
Cairo	356	87	93	29.77	30.16	+ .04	33.4	− 4.2	64	17	42	9	7	25	39	30	26	75	3.85	+ 0.5	10	7,023	n.	41	nw.	28	9	5	14	5.9	3.9	....
Peoria	609	11	45	29.52	30.22	+ .12	19.3	− 6.6	47	28	28	− 3	8	11	35	17	15	87	1.36	− 1.3	9	6,262	ne.	33	nw.	28	14	7	7	4.6	12.2	T.
Springfield, Ill	644	10	91	29.48	30.19	+ .09	21.3	− 7.8	47	17	30	1	25	13	32	20	17	83	2.53	− 0.2	9	7,158	ne.	36	nw.	15	10	9	9	5.5	18.4	1.5
Hannibal	534	74	109	29.59	30.19	+ .08	23.0	− 6.1	53	2	32	− 4	25	14	34	....	....	....	2.94	+ 1.3	8	7,304	ne.	47	ne.	22	13	6	9	5.2	20.7	1.0
St. Louis	567	265	303	29.54	30.18	+ .07	27.4	− 6.1	62	17	36	1	7	18	40	24	19	75	4.63	+ 1.9	10	9,293	ne.	60	nw.	28	13	6	9	5.2	23.5	T.
Missouri Valley.							20.9	− 3.6										77	1.69	+ 0.4										5.5		
Columbia, Mo	784	11	84	29.31	30.18	+ .07	25.6	− 4.5	55	2	35	− 3	7	16	31	....	....	....	2.51	+ 0.4	9	6,762	ne.	42	nw.	28	8	8	12	6.0	15.1	T.
Kansas City	963	161	181	29.10	30.18	+ .07	26.8	− 3.1	56	17	36	− 4	7	18	34	23	19	76	2.40	+ 0.8	9	9,059	n.	53	nw.	28	7	11	10	5.6	14.3	T.
St. Joseph	967	11	49	29.10	30.19	.....	24.6	.....	54	17	34	− 7	7	15	34	21	17	77	1.82	.....	8	6,657	ne.	40	nw.	28	10	8	10	5.9	15.6	T.
Springfield, Mo	1,324	98	104	28.70	30.15	+ .04	31.2	− 2.4	62	17	41	− 2	7	22	35	28	24	77	2.26	− 0.0	9	7,505	se.	39	nw.	28	12	4	12	5.1	7.5	....
Iola	984	11	50	29.07	30.17	+ .07	30.0	− 2.0	60	17	40	− 2	7	20	36	....	....	....	3.60	+ 2.5	7	5,877	s.	34	ne.	22	11	11	6	4.6	13.5	....
Topeka	983	85	101	.....	.....	.....	27.2	− 2.8	62	17	36	− 4	7	18	36	....	....	....	1.40	0.0	7	7,189	n.	35	n.	28	7	10	11	5.7	8.4	....
Lincoln	1,189	11	84	28.88	30.21	+ .11	22.4	− 2.4	52	17	32	−10	7	13	31	20	15	76	0.71	0.0	9	8,712	ne.	56	nw.	28	12	3	13	5.5	11.2	T.
Omaha	1,105	115	121	28.48	30.22	+ .11	21.4	− 2.3	50	28	31	−11	7	12	33	18	12	69	0.87	+ 0.1	8	7,378	s.	46	nw.	28	11	7	10	5.4	12.3	....
Valentine	2,598	47	54	27.37	30.24	+ .15	16.4	− 4.8	60	16	29	−28	7	4	54	13	10	82	0.56	0.0	7	6,229	nw.	36	nw.	28	12	4	12	5.2	5.8	T.
Sioux City	1,135	94	164	28.95	30.24	+ .12	16.0	− 3.8	50	16	26	−18	7	6	47	14	10	79	0.52	0.0	9	9,453	nw.	68	nw.	28	11	8	9	5.5	6.4	....
Huron	1,306	56	67	28.80	30.30	+ .18	7.2	− 5.7	44	1	18	−33	7	−4	42	6	3	87	0.79	+ 0.4	9	7,428	nw.	54	nw.	28	12	8	8	4.8	11.4	0.6
Pierre	1,572	70	75	28.54	30.31	+ .20	10.4	− 6.5	50	16	20	−23	7	1	37	8	3	72	1.35	+ 0.9	9	6,467	e.	43	nw.	28	12	9	7	5.3	17.1	1.5
Yankton	1,233	49	57	28.83	30.23	+ .11	15.7	− 2.5	57	16	26	−19	7	5	51	....	....	....	0.86	+ 0.3	12	5,473	nw.	30	nw.	28	7	10	11	6.3	10.2	T.

TABLE I.—*Climatological data for United States Weather Bureau stations, February, 1914*—Continued.

Districts and stations.	Elevation of instruments.			Pressure in inches.			Temperature of the air, in degrees Fahrenheit.												Precipitation, inches.			Wind.										
	Barometer above sea level, feet.	Thermometer above ground.	Anemometer above ground.	Station reduced to mean of 24 hours.	Sea level, reduced to mean of 24 hours.	Departure from normal.	Mean max. + mean min. ÷ 2.	Departure from normal.	Maximum.	Date.	Mean maximum.	Minimum.	Date.	Mean minimum.	Greatest daily range.	Mean wet thermometer.	Mean temperature of the dew point.	Mean relative humidity, per cent.	Total.	Departure from normal.	Days with 0.01 or more.	Total movement, miles.	Prevailing direction.	Maximum velocity. Miles per hour.	Maximum velocity. Direction.	Maximum velocity. Date.	Clear days.	Partly cloudy days.	Cloudy days.	Average cloudiness, tenths.	Total snowfall.	Snow on ground at end of month.
Northern Slope.							19.9	− 1.6										75	0.95	+ 0.2										6.0		
Havre	2,505	11	44	27.42	30.22	+ .15	7.6	− 7.4	45	27	19	−43	6	−4	40	7	4	87	1.04	+ 0.6	8	5,192	e.	38	sw.	27	4	11	13	6.8	10.4	1.0
Helena	4,110	87	114	25.80	30.14	+ .03	23.9	+ 1.7	52	27	32	−26	6	16	35	20	15	69	1.05	+ 0.3	8	4,501	sw.	33	sw.	1	3	8	17	7.1	15.1	0.2
Kalispell	2,962	11	34	26.98	30.16	+ .08	22.3	− 1.5	47	27	31	−18	5	14	26	21	18	83	1.68	+ 0.2	14	2,246	w.	22	sw.	27	3	7	18	7.3	16.2	0.8
Miles City	2,371	26	48	27.56	30.24	+ .15	15.9	− 0.9	51	27	27	−32	6	5	36	13	9	78	0.95	+ 0.4	7	3,838	ne.	26	w.	27	11	11	6	4.8	10.6	T.
Rapid City	3,234	46	50	26.64	30.25	+ .17	17.6	− 5.9	60	16	29	−23	6	6	43	15	10	75	0.95	+ 0.5	9	4,216	w.	34	n.	2	9	6	13	6.0	9.8	1.0
Cheyenne	6,088	58	64	23.93	30.11	+ .08	25.6	− 0.7	56	16	36	−22	6	15	44	21	15	67	0.23	− 0.3	4	10,268	w.	44	w.	3	7	11	10	5.6	2.4	T.
Lander	5,372	60	68	24.60	30.14	+ .06	22.7	+ 0.9	54	21	38	−27	6	8	49	18	11	63	0.76	+ 0.1	5	2,730	sw.	32	sw.	21	14	10	4	4.4	8.2	T.
Sheridan	3,790	10	47	26.11	30.18	.....	20.6	.....	55	16	34	−27	6	7	40	17	14	78	1.25	.....	10	3,416	nw.	30	nw.	4	4	11	13	6.2	14.7	....
Yellowstone Park	6,200	11	48	23.82	30.16	+ .06	20.1	+ 0.5	44	16	29	−29	6	11	32	18	13	72	0.91	− 0.9	9	5,817	s.	34	sw.	27	5	4	19	7.5	6.0	2.3
North Platte	2,821	11	51	27.16	30.22	+ .15	23.3	− 1.3	64	16	36	−15	6	10	46	19	14	74	0.96	+ 0.6	9	4,934	n.	30	nw.	15	14	7	7	4.6	9.7	0.8
Middle Slope.							31.4	− 1.0										69	0.75	0.0										4.1		
Denver	5,291	129	172	24.68	30.09	+ .08	31.3	+ 0.2	70	21	44	−15	6	19	47	24	16	60	0.39	− 0.1	3	5,077	sw.	35	nw.	7	18	7	3	3.3	5.6	....
Pueblo	4,685	80	86	25.26	30.07	+ .07	32.0	+ 0.2	72	21	46	−11	7	18	50	25	16	58	0.36	− 0.1	3	4,019	nw.	34	w.	21	21	3	4	2.9	5.7	....
Concordia	1,398	42	50	28.66	30.20	+ .11	26.6	− 2.2	58	17	37	− 7	7	16	36	23	20	80	0.82	+ 0.1	7	5,331	n.	28	nw.	28	10	8	10	5.8	7.5	T.
Dodge City	2,509	11	51	27.46	30.16	+ .10	30.0	− 1.1	72	21	44	− 7	7	16	51	24	18	68	0.47	− 0.2	5	7,426	nw.	44	nw.	22	17	3	8	4.1	4.1	....
Wichita	1,358	139	158	28.64	30.13	+ .05	32.0	− 1.0	65	22	43	− 2	7	21	55	27	22	74	1.58	+ 0.5	7	9,233	s.	45	n.	6	16	5	7	4.0	6.4	....
Oklahoma	1,214	10	47	28.83	30.15	+ .08	36.7	− 1.8	72	22	49	3	7	24	58	31	26	74	0.86	− 0.1	4	11,109	s.	56	nw.	22	14	8	6	4.5	0.3	....
Southern Slope.							44.6	+ 0.1										57	0.31	− 0.8										4.6		
Abilene	1,738	10	52	28.29	30.14	+ .09	44.0	− 0.8	74	22	58	10	7	30	44	37	28	60	0.14	− 0.9	1	7,551	s.	50	w.	22	5	8	15	6.5	T.	....
Amarillo	3,676	10	49	26.28	30.09	+ .07	38.2	+ 1.0	77	17	54	− 1	6	22	57	30	22	64	0.10	− 0.8	3	7,225	sw.	36	sw.	1	21	5	2	3.3	0.8	....
Del Rio	944	8	57	29.12	30.12	+ .12	53.4	− 0.2	81	20	65	24	25	42	42	.....	.....	.....	0.90	− 0.9	6	4,911	se.	31	n.	6	9	12	7	5.1	.....	....
Roswell	3,566	75	85	26.39	30.05	+ .07	42.8	+ 0.3	76	21	60	8	7	26	48	34	21	47	0.11	− 0.5	2	5,676	s.	48	nw.	22	16	11	1	3.5	0.4	....
Southern Plateau.							44.6	− 0.2										51	0.50	− 0.2										3.2		
El Paso	3,762	110	133	26.21	30.02	+ .07	49.0	+ 0.1	72	21	62	26	25	36	37	38	20	37	0.53	+ 0.1	2	7,374	w.	44	w.	5	13	13	2	3.6	2.5	....
Santa Fe	7,013	57	62	23.21	30.07	+ .09	32.6	+ 0.6	55	21	43	11	7	22	32	25	15	50	0.63	− 0.2	7	4,541	n.	27	n.	8	14	12	2	3.5	5.9	T.
Flagstaff	6,908	8	57	.....	.....	.....	29.8	− 1.0	53	28	42	2	2	18	42	26	.....	.....	1.43	.....	5	.....	w.	31	sw.	21	13	9	6	....	2.0	T.
Phoenix	1,108	76	81	28.87	30.04	+ .05	55.1	+ 0.7	77	10	68	32	7	42	39	46	35	53	0.71	0.0	6	3,217	e.	29	sw.	21	15	5	8	4.2	.....	....
Yuma	141	9	58	29.90	30.05	+ .05	60.0	+ 0.8	83	11	73	34	5	47	38	47	32	41	0.32	− 0.3	3	4,907	n.	34	nw.	21	24	2	2	1.6	.....	....
Independence	3,910	11	42	26.08	30.14	+ .08	41.0	− 2.7	64	28	54	20	2	28	36	35	29	70	0.30	− 0.5	2	3,109	n.	44	s.	20	15	10	3	2.9	.....	....
Middle Plateau.							33.6	+ 1.1										66	0.84	− 0.3										4.4		
Reno	4,532	74	81	25.52	30.14	+ .06	37.8	+ 2.2	63	28	49	16	2	26	31	32	24	62	0.86	− 0.9	5	3,563	w.	36	sw.	19	13	7	8	4.6	0.7	....
Tonopah	6,090	12	20	24.08	30.10	.....	36.0	.....	57	28	43	18	6	29	23	30	21	56	0.59	− 0.2	3	6,109	se.	42	nw.	5	16	5	7	3.8	T.	....
Winnemucca	4,344	18	56	25.68	30.15	+ .06	36.4	+ 3.1	62	28	48	15	6	25	32	31	25	67	0.51	− 0.4	8	4,537	sw.	38	sw.	20	12	5	11	4.7	0.3	....
Modena	5,479	10	43	24.65	30.11	+ .07	32.6	+ 1.0	58	28	43	7	7	22	33	28	21	66	0.98	− 0.2	5	5,504	w.	38	sw.	19	15	4	9	4.4	1.0	....
Salt Lake City	4,360	147	189	25.70	30.16	+ .08	34.5	+ 1.6	60	28	42	11	6	28	23	30	26	71	0.98	− 0.4	8	3,702	se.	32	nw.	5	7	14	7	5.2	3.8	....
Durango	6,546	18	56	23.63	30.12	+ .12	27.4	− 2.5	50	28	41	0	7	14	37	22	16	68	1.46	+ 0.1	5	3,486	nw.	25	ne.	22	17	7	4	3.1	7.3	....
Grand Junction	4,602	43	51	25.44	30.10	+ .06	32.9	+ 1.4	57	21	42	11	2	24	26	28	22	69	0.49	− 0.1	6	3,911	se.	32	se.	21	10	9	9	4.9	2.9	....
Northern Plateau.							32.7	+ 0.6										75	1.22	− 0.2										7.8		
Baker	3,471	48	53	26.53	30.22	+ .10	27.4	− 0.5	46	22	36	− 6	6	19	29	26	22	77	0.94	− 0.4	11	4,122	se.	23	se.	21	5	9	14	6.5	8.2	....
Boise	2,739	78	86	27.29	30.22	+ .10	36.0	+ 2.2	58	28	43	7	6	29	21	32	26	67	0.98	− 0.4	12	3,281	nw.	28	e.	20	2	5	21	8.3	2.8	....
Lewiston	757	40	48	29.32	30.16	+ .05	37.2	+ 1.0	59	27	44	5	6	30	21	.....	.....	.....	0.76	− 0.6	14	2,886	e.	27	s.	27	3	8	17	7.7	1.8	....
Pocatello	4,477	46	54	25.53	30.19	+ .09	28.1	0.0	50	20	37	− 9	6	19	36	26	22	77	1.32	+ 0.5	10	6,077	se.	36	sw.	1	3	7	18	7.1	9.6	....
Spokane	1,929	101	110	28.05	30.16	+ .07	31.4	+ 1.3	50	27	37	− 1	5	26	24	30	26	77	1.72	− 0.2	10	3,708	ne.	27	sw.	27	3	0	25	8.6	4.1	....
Walla Walla	1,000	107	115	29.08	30.18	+ .07	36.3	− 0.1	60	26	42	10	5	31	24	33	30	78	1.59	0.0	11	3,045	s.	23	w.	1	2	4	22	8.6	3.4	....
North Pacific Coast Region.							42.9	+ 2.3										84	3.43	− 2.1										7.5		
North Head	211	11	56	29.86	30.10	+ .04	44.9	+ 2.8	59	15	48	31	5	41	15	44	42	88	5.27	− 0.5	20	11,102	e.	65	se.	23	3	7	18	7.8	.....	....
Port Crescent	259	8	53	29.79	30.07	+ .04	39.4	+ 2.2	51	19	45	26	5	34	20	.....	.....	.....	2.39	− 2.3	14	3,859	se.	22	sw.	3	0	10	18	7.9	T.	....
Seattle	125	215	250	29.98	30.11	+ .05	42.3	+ 2.8	61	20	48	26	5	37	17	41	39	86	1.93	− 1.9	14	4,959	se.	37	sw.	28	3	9	16	7.6	0.4	....
Tacoma	213	113	120	29.87	30.11	+ .05	42.0	+ 1.6	57	20	48	26	3	36	20	40	38	85	2.71	− 2.4	16	3,474	sw.	25	sw.	4	0	7	21	8.1	T.	....
Tatoosh Island	86	7	57	29.94	30.04	+ .04	43.5	+ 2.5	52	20	46	31	5	40	12	42	40	87	5.31	− 3.4	18	13,148	e.	62	s.	28	5	10	13	7.0	T.	....
Portland, Oreg.	153	68	106	29.96	30.12	+ .04	43.4	+ 2.1	57	26	48	28	6	39	19	40	37	79	4.19	− 1.5	17	4,336	se.	28	s.	21	4	5	19	7.5	T.	....
Roseburg	510	9	57	29.57	30.13	+ .03	44.5	+ 1.9	66	26	52	27	7	37	30	42	38	80	2.21	− 2.4	17	1,693	s.	20	sw.	28	0	17	11	6.8	.....	....
Middle Pacific Coast Region.							50.5	+ 1.5										75	4.22	− 0.1										4.8		
Eureka	62	73	89	30.06	30.13	+ .02	47.9	+ 1.1	65	15	54	33	6	41	23	46	44	85	4.20	− 2.8	16	4,111	se.	43	w.	20	8	7	13	6.3	.....	....
Mt. Tamalpais	2,375	11	18	27.61	30.11	+ .01	46.7	+ 1.1	63	28	51	35	5	42	17	42	37	72	3.79	− 1.9	9	11,322	nw.	64	nw.	5	13	7	8	4.7	.....	....
Point Reyes Light	490	7	18	29.54	30.06	.....	52.1	+ 2.9	68	14	56	44	5	48	19	.....	.....	.....	2.15	.....	9	12,203	nw.	80	s.	20	10	9	9	5.5	.....	....
Red Bluff	332	50	56	29.75	30.11	.00	50.6	+ 1.3	70	14	60	32	4	42	29	44	37	66	5.40	+ 1.8	6	3,870	n.	26	nw.	1	11	8	9	4.9	.....	....
Sacramento	69	106	117	30.04	30.12	+ .03	51.1	+ 0.9	65	28	58	35	6	44	22	48	44	77	2.96	− 0.2	6	4,812	se.	42	se.	20	17	3	8	4.0	.....	....
San Francisco	155	200	204	29.94	30.11	+ .01	54.0	+ 2.7	67	28	60	43	4	48	19	49	45	77	5.01	+ 1.3	8	3,686	s.	35	s.	20	16	5	7	3.9	.....	....
San Jose	141	12	110	29.96	30.10	.....	51.4	+ 0.8	72	28	62	31	2	41	35	.....	.....	.....	3.94	+ 1.4	8	3,644	se.	35	se.	20	16	4	8	4.2	.....	....
South Pacific Coast Region.							56.1	+ 3.5										71	3.39	+ 0.9										4.6		
Fresno	327	89	98	29.77	30.13	+ .05	52.2	+ 3.0	72	28	62	35	7	43	28	48	45	77	1.31	0.0	6	3,374	nw.	36	s.	20	8	11	9	5.7	.....	....
Los Angeles	338	159	191	29.70	30.07	+ .01	59.4	+ 5.3	79	14	68	41	3	50	26	51	44	64	7.04	+ 4.1	4	4,234	ne.	36	se.	20	14	5	9	4.5	.....	....
San Diego	87	62	70	29.97	30.06	.00	57.4	+ 2.8	78	15	65	43	12	50	23	52	47	74	1.90	− 0.1	7	4,351	nw.	45	s.	20	13	6	9	4.4	.....	....
San Luis Obispo	201	47	54	29.89	30.11	.00	55.5	+ 3.0	77	14	65	35	3	46	35	50	45	70	3.31	− 0.3	7	3,949	n.	33	s.	20	16	4	8	3.9	.....	....
West Indies.																																
San Juan	82	8	54	29.95	30.04	− .01	74.6	.....	85	15	80	64	27	69	19	.....	.....	.....	3.02	+ 0.5	18	9,134	e.	48	nw.	22	8	16	4	4.7	.....	....
Panama.																																
Ancon	92	6	69	29.76	29.85	.....	81.8	.....	94	7	92	65	25	72	26	73	71	80	0.02	− 0.7	2	7,364	nw.	25	nw.	15	16	10	2	4.0	.....	....
Culebra	404	5	62	29.46	29.87	.....	79.6	.....	90	3	88	66	24	71	23	72	70	84	0.20	− 0.4	4	7,410	nw.	29	n.	17	7	20	1	4.4	.....	....
Colon	10	5	71	29.88	29.89	.....	80.9	.....	86	7	85	73	24	77	12	75	73	80	1.32	− 0.2	13	10,504	n.	30	ne.	1	11	15	2	4.6	.....	....

TABLE II.—*Accumulated amounts of precipitation for each 5 minutes, for the principal storms in which the rate of fall equaled or exceeded 0.25 inch in any 5 minutes, or 0.80 in 1 hour, during February, 1914, at all stations furnished with self-registering gages.*

Stations.	Date.	Total duration.		Total amount of precipitation.	Excessive rate.		Amount before excessive rate began.	Depths of precipitation (in inches) during periods of time indicated.													
		From—	To—		Began—	Ended—		5 min.	10 min.	15 min.	20 min.	25 min.	30 min.	35 min.	40 min.	45 min.	50 min.	60 min.	80 min.	100 min.	120 min.
Abilene, Tex.	18			0.14														.07			
Albany, N. Y.	13–14			1.59														(*)			
Alpena, Mich.	6–7			0.34														(*)			
Amarillo, Tex.	27			0.06														(*)			
Anniston, Ala.																					
Asheville, N. C.	6			0.46														.25			
Atlanta, Ga.	6			2.05														.60			
Atlantic City, N. J.	6			0.36														.12			
Augusta, Ga.	6			1.07														.25			
Baker, Oreg.	10			0.26														(*)			
Baltimore, Md.	13–14			1.02														(*)			
Bentonville, Ark.	3			0.55														.36			
Binghamton, N. Y.	13–14			1.93														.14†			
Birmingham, Ala.	6			0.75														.26			
Bismarck, N. Dak.	5			0.12														(*)			
Block Island, R. I.	6			0.71														.20			
Boise, Idaho	10			0.17														.06			
Boston, Mass.	14			1.49														.31			
Buffalo, N. Y.	22			0.46														(*)			
Burlington, Vt.	14			0.36														(*)			
Cairo, Ill.	18			1.84														.30			
Canton, N. Y.	6–7			0.39														(*)			
Charles City, Iowa	6			0.16														(*)			
Charleston, S. C.	20	3.00 a. m.	4.15 p. m.	2.24	3.57 a. m.	4.17 a. m.	.29	.20	.50	.56	.67										
Charlotte, N. C.	6			0.83														.35			
Chattanooga, Tenn.	6			1.48														.37			
Cheyenne, Wyo.	22–23			0.11														(*)			
Chicago, Ill.	6–7			0.36														(*)			
Cincinnati, Ohio	6			0.78														.33			
Cleveland, Ohio	22			0.62														(*)			
Columbia, Mo.	18–19			0.98														(*)			
Clumbia, S. C.	23			0.59														.25			
Columbus, Ohio	6			0.60														.28			
Concord, N. H.	14			0.96														(*)			
Concordia, Kans.	12			0.30														(*)			
Corpus Christi, Tex.	11			0.27														.04			
Davenport, Iowa	6–7			0.39														(*)			
Dayton, Ohio	18–19			1.01														(*)			
Del Rio, Tex.	11–12			0.52														.28			
Denver, Colo.	22			0.29														(*)			
Des Moines, Iowa	12			0.38														(*)			
Detroit, Mich.	6–7			0.51														(*)			
Devils Lake, N. Dak.	1–2			0.04														(*)			
Dodge City, Kans.	12			0.32														(*)			
Dubuque, Iowa	6			0.66														(*)			
Duluth, Minn.	2			0.36														(*)			
Durango, Colo.	19			0.55														(*)			
Eastport, Me.	14			0.82														(*)			
Elkins, W. Va.	18–19			0.91†														(*)			
El Paso, Tex.	17			0.35														.26			
Erie, Pa.	7–8			0.26														(*)			
Escanaba, Mich.	2			0.72														(*)			
Eureka, Cal.	24			0.44														.33			
Evansville, Ind.	18			2.49														.30			
Flagstaff, Ariz.	21			0.65														(*)			
Fort Smith, Ark.	12			0.96														.27			
Fort Wayne, Ind.	22–23			0.60														(*)			
Fort Worth, Tex.	5			0.14														.13			
Fresno, Cal.	20			0.72														.25			
Galveston, Tex.	12	7.20 a. m.	6.20 p. m.	1.69	5.40 p. m.	5.56 p. m.	1.16	.14	.31	.47	.50										
Grand Haven, Mich.	15–16			0.34														(*)			
Grand Junction, Colo.	22			0.23														(*)			
Grand Rapids, Mich.	6–7			0.17														(*)			
Green Bay, Wis.	6			0.37														(*)			
Hannibal, Mo.	22–23			1.02														(*)			
Harrisburg, Pa.	13–14			1.80														(*)			
Hartford, Conn.	13–14			1.30														(*)			
Hatteras, N. C.	6			0.95														.77			
Havre, Mont.	1–2			0.50														(*)			
Helena, Mont.	21			0.49														(*)			
Houghton, Mich.	8–9			0.53														(*)			
Houston, Tex.	12			1.15														.47			
Huron, S. Dak.	11–12			0.23														(*)			
Independence, Cal.	20			0.29														.09			
Indianapolis, Ind.	18–19			1.04														(*)			
Iola, Kans.	12			1.66														.23			
Jacksonville, Fla.	28			1.98														.40			
Kalispell, Mont.	4			0.54														(*)			
Kansas City, Mo.	18			0.87														(*)			
Keokuk, Iowa	22–23			0.31														(*)			
Key West, Fla.	3			0.47														.16			
Knoxville, Tenn.	6			1.27														.38			
La Crosse, Wis.	6			0.33†														(*)			
Lander, Wyo.	25–26			0.42														(*)			
Lansing, Mich.	6–7			0.49														(*)			
Lewiston, Idaho	10			0.40														.14			
Lexington, Ky.	19			0.77														(*)			
Lincoln, Nebr.	22–23			0.27														(*)			
Little Rock, Ark.	22			0.56														.30			
Los Angeles, Cal.	18	11.30 a. m.	7.45 p. m.	3.10	12.27 p. m.	1.56 p. m.	.18	.06	.11	.21	.29	.32	.35	.41	.45	.55	.63	.86	1.73	1.90	
Louisville, Ky.	18			1.84														.24			
Ludington, Mich.	2–3			0.40														(*)			
Lynchburg, Va.	6			0.62														.16			
Macon, Ga.	6			1.15														.21			
Madison, Wis.	6			0.67														(*)			

* Self-register not working. † Record partly estimated.

TABLE II.—*Accumulated amounts of precipitation for each 5 minutes, for the principal storms in which the rate of fall equaled or exceeded 0.25 inch in any 5 minutes, or 0.80 in 1 hour, during February, 1914, at all stations furnished with self-registering gages*—Continued.

Stations.	Date.	Total duration.		Total amount of precipitation.	Excessive rate.		Amount before excessive rate began.	Depths of precipitation (in inches) during periods of time indicated.													
		From—	To—		Began—	Ended—		5 min.	10 min.	15 min.	20 min.	25 min.	30 min.	35 min.	40 min.	45 min.	50 min.	60 min.	80 min.	100 min.	120 min.
Marquette, Mich	3-4			0.37														(*)			
Memphis, Tenn	4			0.44														.34			
Meridian, Miss	6	1.30 p.m.	4.50 p.m.	0.58	2.04 p.m.	2.20 p.m.	.04	.10	.22	.37	.45										
Miami, Fla	20			0.23														.22			
Milwaukee, Wis	6-7			0.68														(*)			
Minneapolis, Minn	6			0.19														(*)			
Mobile, Ala	6	D. N. a.m.	8.10 a.m.	2.05	6.08 a.m.	7.14 a.m.	.29	.13	.20	.24	.30	.36	.59	1.10	1.24	1.27	1.29	1.45	1.71		
	12-13	5.12 p.m.	6.10 a.m.	2.36	1.16 a.m.	2.17 a.m.	.54	.17	32	.46	.59	.69	.74	.81	.87	.97	1.16	1.39	1.49		
Modena, Utah	21			0.60														.10			
Montgomery, Ala	5			0.70														.22			
Moorhead, Minn	5			0.09														(*)			
Mount Tamalpais, Cal	22			0.86														.26			
Mount Weather, Va	13			0.60														(*)			
Nantucket, Mass	7			0.70														.42			
Nashville, Tenn	6			0.49														.28			
New Haven, Conn	13-14			1.82														(*)			
New Orleans, La	12-13	2.40 p.m.	6.05 a.m.	2.18	11.12 p.m.	11.27 p.m.	1.36	.09	.33	.46											
New York, N. Y	14			1.59														.26			
Norfolk, Va	13			1.09														.20			
Northfield, Vt	14			1.33														(*)			
North Head, Wash	24			0.29														.17			
North Platte, Nebr	22-23			0.57														(*)			
Oklahoma, Okla	18			0.67														.14			
Omaha, Nebr	22-23			0.46														(*)			
Oswego, N. Y	7-8			0.97														(*)			
Palestine, Tex	5	3.50 p.m.	5.55 p.m.	0.82	5.22 p.m.	5.30 p.m.	.37	.31	.43												
Parkersburg, W. Va	18-19			1.26														(*)			
Pensacola, Fla	13			1.53														.46			
Peoria, Ill	22-23			0.51														(*)			
Philadelphia, Pa	13-14			1.37														(*)			
Phoenix, Ariz	21			0.54														.18			
Pierre, S. Dak	21-22			0.68														(*)			
Pittsburgh, Pa	18-19			1.14														(*)			
Pocatello, Idaho	21			0.34														.19			
Point Reyes Light, Cal	18			0.46														.19			
Port Huron, Mich	6-7			0.28														(*)			
Portland, Me	14			2.27														.37			
Portland, Oreg	12			0.29														.22			
Providence, R. I	13-14			1.16														(*)			
Pueblo, Colo	22			0.26														(*)			
Raleigh, N. C	20			1.39														.24			
Rapid City, S. Dak	21-22			0.60														(*)			
Reading, Pa	13-14			1.29														(*)			
Red Bluff, Cal	20			2.71														.46			
Reno, Nev	20			0.42														(*)			
Richmond, Va	6			0.68														.16			
Rochester, N. Y	13-14			0.54														(*)			
Roseburg, Oreg	20			0.30														.12			
Roswell, N. Mex	27			0.10														(*)			
Sacramento, Cal	18			0.58														.17			
Saginaw, Mich	6-7			0.38														(*)			
St. Joseph, Mo	22-23			1.05														(*)			
St. Louis, Mo	18-19			1.92														(*)			
St. Paul, Minn	6			0.17														(*)			
Salt Lake City, Utah	21-22			0.37														(*)			
San Antonio, Tex	12			0.65														.43			
San Diego, Cal	21			0.65														.33			
Sand Key, Fla	3			0.55														.20			
Sandusky, Ohio	6-7			0.97														(*)			
San Francisco, Cal	17			0.47														.43			
San Jose, Cal	18			0.73														.35			
San Luis Obispo, Cal	20			1.71														.39			
Santa Fe, N. Mex	26-27			0.38														(*)			
Sault Ste. Marie, Mich	2-3			0.38														(*)			
Savannah, Ga	20	1.05 a.m.	10.55 a.m.	2.15	1.45 a.m.	2.33 a.m.	.23	.11	.27	.36	.49	.51	.54	.60	.69	.79	.84				
Scranton, Pa	13-14			3.58														(*)			
Seattle, Wash	23			0.27														.08			
Sheridan, Wyo	21-22			0.64														(*)			
Shreveport, La	5	5.30 p.m.	7.25 p.m.	0.71	6.45 p.m.	7.11 p.m.	.06	.13	.39	.42	.46	.59	.64								
Sioux City, Iowa	5-6			0.25														(*)			
Spokane, Wash	24			0.66														(*)			
Springfield, Ill	18			0.85														(*)			
Springfield, Mo	18-19			1.16														(*)			
Syracuse, N. Y	13-14			1.58														(*)			
Tacoma, Wash	28			0.51														.24			
Tampa, Fla	10			1.04														.38			
Tatoosh Island, Wash	26			1.03														.28			
Taylor, Tex	27			0.99														.19			
Terre Haute, Ind	18-19			1.24														(*)			
Thomasville, Ga	6	9.20 a.m.	5.45 p.m.	2.13	Noon.	12.53 p.m.	.26	.06	.12	.19	.23	.28	.39	.53	.66	.73	.79	.86			
	6	6.36 p.m.	Midnight.	1.61	10.38 p.m.	11.38 p.m.	.16	.09	.13	.17	.30	.37	.39	.42	.65	.98	1.28	1.42			
Toledo, Ohio	6			0.46														(*)			
Tonopah, Nev	20-21			0.51														(*)			
Topeka, Kans	22-23			0.57														(*)			
Valentine, Nebr	21-22			0.38														(*)			
Vicksburg, Miss	5	D. N. a.m.	9.00 a.m.	2.33	3.11 a.m.	3.24 a.m.	.44	.34	.62	.75											
Walla Walla, Wash	24-25			0.54														(*)			
Washington, D. C	13-14			1.14														(*)			
Wichita, Kans	12			0.98														(*)			
Williston, N. Dak	2			0.11														(*)			
Wilmington, N. C	20			1.92														.56			
Winnemucca, Nev	20-21			0.32														.22			
Wytheville, Va	12-13			1.00†														(*)			
Yankton, S. Dak	22			0.32														(*)			
Yellowstone Park, Wyo	21			0.42														(*)			

* Self-register not working. † Record partly estimated.

TABLE III.—*Data furnished by the Canadian Meteorological Service, February, 1914.*

Districts and stations.	Pressure.			Temperature.						Precipitation.		
	Station, reduced to mean of 24 hours.	Sea level, reduced to mean of 24 hours.	Departure from normal.	Mean max.+mean min.÷2.	Departure from normal.	Mean maximum.	Mean minimum.	Highest.	Lowest.	Total.	Departure from normal.	Total snowfall.
	Inches.	*Inches.*	*Inches.*	° *F.*	° *F.*	° *F.*	° *F.*	° *F.*	° *F.*	*Inches.*	*Inches.*	*Inches.*
St. Johns, Newfoundland	29.62	29.76	−.07	15.0	−7.0	22.3	7.7	46	− 5	2.58	−2.33	18.0
Sydney, Cape Breton Island	29.90	29.94	+.02	14.3	−5.0	24.1	4.5	48	−16	3.00	−1.09	23.0
Halifax, Nova Scotia	29.89	30.00	+.05	17.7	−4.7	28.3	7.2	47	−13	4.53	−0.63	21.0
Yarmouth, Nova Scotia	29.96	30.04	+.05	21.5	−4.3	29.5	13.5	47	− 6	3.92	−0.82	26.1
Charlottetown, Prince Edward Island	29.92	29.96	+.01	10.4	−7.2	20.7	0.0	42	−20	2.96	−0.10	23.6
Chatham, New Brunswick	29.98	30.01	+.05	4.0	−8.5	13.3	− 5.2	45	−28	2.34	−0.82	22.0
Father Point, Quebec	29.99	30.02	+.04	3.2	−8.3	12.5	− 6.2	44	−28	1.52	−0.69	15.2
Quebec, Quebec	29.73	30.07	+.08	3.4	−8.4	12.5	− 5.6	41	−31	2.49	−0.78	24.9
Montreal, Quebec	29.90	30.13	+.11	8.0	−6.5	16.3	− 0.4	41	−27	1.57	−1.50	14.9
Stonecliffe, Ontario	29.47	30.12	+.11	2.0	−7.9	16.6	−12.6	48	−42	2.48	+0.48	24.8
Ottawa, Ontario	29.88	30.23	+.21	6.2	−5.5	16.5	− 4.1	42	−28	1.13	−1.56	11.3
Kingston, Ontario	29.84	30.18	+.14	11.0	−6.8	20.7	1.4	40	−23	0.60	−1.94	5.3
Toronto, Ontario	29.74	30.14	+.10	15.5	−6.0	23.3	7.7	45	−18	1.87	−0.74	12.8
White River, Ont.	28.72	30.14	+.12	− 9.7	−9.9	9.2	−28.6	40	−56	0.80	−0.72	8.0
Port Stanley, Ontario	29.51	30.18	+.12	15.4	−7.4	24.3	6.6	39	−11	2.22	−0.99	15.1
Southampton, Ontario	29.41	.....	.....	13.6	−6.3	22.0	5.2	41	21	2.65	−0.25	26.5
Parry Sound, Ontario	29.41	30.16	+.15	7.0	−7.3	19.0	− 5.0	42	−33	2.30	−0.62	23.0
Port Arthur, Ontario	29.43	30.20	+.15	0.9	−5.5	13.2	−11.4	46	−37	0.39	−0.51	3.9
Winnipeg, Manitoba	29.38	30.30	+.20	− 8.8	−7.2	1.3	−18.8	39	−40	0.83	−0.15	8.2
Minnedosa, Manitoba	28.30	30.27	+.18	− 8.0	−5.3	3.6	−19.6	39	−45	0.30	−0.31	3.0
Qu'Appelle, Saskatchewan	27.78	30.20	+.12	− 2.3	−1.7	9.4	−14.0	44	−41	0.32	−0.41	3.2
Medicine Hat, Alberta	27.74	30.14	+.09	9.6	−1.6	19.7	0.5	47	−39	0.80	+0.13	8.0
Swift Current, Saskatchewan	27.44	30.18	+.11	4.4	−3.6	14.5	− 5.8	46	−37	0.38	−0.36	3.8
Calgary, Alberta	26.40	30.10	+.11	16.5	+3.0	28.6	4.3	55	−29	1.15	+0.52	11.5
Banff, Alberta	25.32	30.12	+.14	17.8	−1.4	28.8	6.9	40	−42	0.25	−0.67	2.5
Edmonton, Alberta	27.75	30.18	+.16	7.9	−0.4	19.0	− 3.2	51	−36	1.07	+0.40	10.6
Prince Albert, Saskatchewan	28.54	30.22	+.13	− 5.2	−2.2	7.8	−18.2	47	−47	0.06	−0.63	0.6
Battleford, Saskatchewan	28.37	30.25	+.16	− 4.4	−4.5	5.0	−13.7	45	−46	0.40	+0.03	4.0
Kamloops, British Columbia	28.86	30.18	+.22	25.2	−3.1	30.7	19.7	52	−18	2.18	+1.39	21.3
Victoria, British Columbia	29.98	30.08	+.08	42.0	+2.5	46.1	37.9	53	26	1.56	−2.54	0.3
Barkerville, British Columbia	25.59	30.01	+.10	20.9	+2.0	28.4	13.3	38	−25	3.60	+0.54	36.0
Hamilton, Bermuda	29.98	30.15	+.04	61.0	−0.5	66.0	55.9	71	48	10.40	+5.96	0.0

○