

on account of snow-covered range. Stock in general continued in satisfactory condition.

Heavy damage was done to citrus fruits in California by high winds the first part of the month, while frost did considerable harm to new foliage in that State. Navel oranges colored nicely, however, and a generally good crop of lemons was being gathered, while citrus ripened well in Florida. Strawberries did well also in the latter State and some were going to market during the last part of the month, when citrus fruits were moving in large quantities.

MONTHLY AND ANNUAL TEMPERATURE AND PRECIPITATION ANOMALIES, 1921.

Below are given the temperature and precipitation anomalies for the year 1921 by climatic districts published month by month in Table 1 of the REVIEW, thus reviving a practice that was abandoned in 1909.

The temperature table shows at a glance that the year just closed was especially warm over the greater portion of the United States and indeed was warmer than the normal in all parts of the country. The Pacific Coast States alone had the least excess; the Missouri Valley had the greatest.

Precipitation on the average of the year was almost universally deficient by small amounts, the Ohio Valley and Tennessee, the Upper Mississippi Valley, the north Pacific coast and the south Pacific coast only showing a small positive anomaly. The deficit was greatest in Florida, the East Gulf and South Atlantic States, New England, and California.

Monthly temperature departures, 1921 (degrees and tenths).

Stations.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Annual.
New England.....	+ 3.1	+ 2.8	+ 8.7	+5.3	+0.9	+0.7	+2.5	-0.6	+4.5	+1.8	-0.4	-1.6	+2.3
Middle Atlantic States.....	+ 3.3	+ 3.9	+10.6	+5.8	-0.7	+1.4	+2.7	-1.1	+5.7	+0.5	+2.4	+0.6	+2.9
South Atlantic States.....	+ 2.7	+ 2.6	+ 9.1	+2.1	-2.1	+1.6	-0.2	0.0	+6.3	-0.2	+4.5	+4.0	+2.5
Florida Peninsula.....	+ 1.8	+ 0.7	+ 3.9	+0.8	-2.1	-0.1	-0.9	0.0	+0.7	+0.4	+2.3	+3.4	+0.9
East Gulf States.....	+ 5.1	+ 2.4	+ 8.6	-0.8	-1.2	+2.5	+0.9	+1.7	+6.7	-0.5	+4.6	+4.8	+2.9
West Gulf States.....	+ 7.4	+ 3.7	+ 7.4	-1.9	+0.3	+0.2	+0.4	+2.2	+5.1	+0.9	+5.6	+4.8	+3.0
Ohio Valley and Tennessee.....	+ 5.4	+ 3.9	+10.5	+2.8	+0.6	+3.4	+3.4	-0.2	+5.7	-0.4	+3.3	+2.7	+3.4
Lower Lake Region.....	+ 4.9	+ 5.2	+10.1	+7.5	+2.1	+2.2	+5.9	-0.3	+5.0	+0.6	-0.3	+0.7	+3.6
Upper Lake Region.....	+ 7.3	+ 6.5	+ 7.0	+6.6	+3.4	+5.3	+7.6	+0.6	+5.3	+1.9	-1.4	+0.8	+4.2
North Dakota.....	+11.8	+12.9	+ 3.8	+1.1	+0.6	+5.6	+2.6	+1.2	+0.5	+5.2	-3.0	+5.0	+3.9

Monthly temperature departures, 1921 (degrees and tenths)—Continued.

Stations.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Annual.
Upper Mississippi Valley....	+ 9.5	+ 8.7	+ 9.0	+3.4	+2.6	+5.0	+4.5	+0.5	+4.3	+2.1	0.0	+3.1	+4.4
Missouri Valley....	+11.6	+11.5	+ 9.2	+2.0	+1.3	+4.7	+2.7	+1.1	+3.8	+3.9	+0.4	+4.3	+4.7
Northern Slope.....	+ 7.0	+ 8.4	+ 4.8	-0.9	+0.2	+3.0	+1.4	+0.9	-2.4	+6.1	+0.8	-0.3	+2.4
Middle Slope.....	+ 7.8	+ 7.6	+ 6.9	-1.0	+1.7	+0.7	+0.8	+2.0	+4.2	+3.9	+3.0	+3.1	+3.4
Southern Slope.....	+ 6.2	+ 3.9	+ 5.4	-1.4	+0.2	-1.7	-0.8	+2.0	+5.4	+3.9	+4.8	+5.4	+2.8
Southern Plateau.....	+ 1.4	+ 2.4	+ 3.1	-2.3	-2.4	-0.5	-0.3	-0.3	+1.7	+3.0	+3.0	+3.9	+1.1
Middle Plateau.....	+ 4.1	+ 4.7	+ 3.8	-2.1	-0.5	+1.9	+1.1	-0.5	-0.7	+4.6	+3.7	+3.7	+2.0
Northern Plateau.....	+ 4.5	+ 2.6	+ 3.0	-3.1	0.0	+2.0	+0.7	+1.4	-5.0	+4.9	+2.8	-0.6	+1.1
North Pacific coast.....	+ 1.4	+ 2.6	+ 1.2	-0.9	-0.7	+1.6	-1.4	-0.4	-0.2	+2.4	+2.4	-2.2	+0.5
Middle Pacific coast.....	- 1.1	+ 1.0	+ 1.3	-0.6	-2.3	+1.8	+0.8	-0.7	+0.7	+1.7	+1.1	+1.4	+0.4
Southern Pacific coast.....	- 0.2	+ 1.8	+ 2.0	-0.8	-2.8	+0.6	+1.8	-0.3	+0.3	+2.6	+2.3	+3.4	+0.9

Precipitation departures, 1921 (inches and tenths).

Stations.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Annual.
New England.....	-1.5	-0.6	-1.3	+0.5	-0.6	-0.4	+1.2	-1.7	-1.2	-1.6	+1.8	-1.2	-0.6
Middle Atlantic States.....	-1.1	-0.6	-1.2	0.0	+0.4	-1.5	-0.7	-1.0	-1.0	+1.6	+1.0	-1.1	-0.4
South Atlantic States.....	-0.8	-1.0	-2.5	-0.9	+0.7	-2.0	+2.4	-1.8	-1.9	-1.4	-0.4	-2.0	-1.0
Florida Peninsula.....	-1.5	-1.0	-0.1	-0.2	+1.2	-3.2	+0.2	-3.6	-4.6	+5.6	-0.6	-1.2	-0.8
East Gulf States.....	-2.3	-0.6	-0.8	+1.1	-1.1	-1.5	+0.2	-0.6	-1.4	-0.9	0.0	-1.3	-0.8
West Gulf States.....	-0.7	-0.7	+1.3	+0.9	-1.6	+1.7	-0.9	-1.0	+2.3	-2.1	-1.3	-1.2	-0.3
Ohio Valley and Tennessee.....	-1.1	-0.2	+1.0	+0.4	-1.2	-1.2	-0.9	+1.3	+1.2	-0.4	+2.7	+0.4	+0.2
Lower Lake.....	-1.6	-0.4	+1.1	+0.6	-1.2	-1.4	-0.6	0.0	+0.1	-0.2	+1.1	-1.4	-0.3
Upper Lake.....	-1.1	-0.7	+1.0	+1.5	-1.7	-1.4	-0.4	+1.4	+0.6	0.0	-0.1	+0.7	0.0
North Dakota.....	-0.4	-0.2	+0.2	+0.1	-0.4	-0.5	+0.1	+0.4	+1.6	-0.3	-0.2	-0.2	0.0
Upper Mississippi Valley.....	-0.8	-0.9	+0.8	+1.3	-1.0	-1.0	-1.5	+1.1	+2.9	-0.5	+0.5	+0.2	+0.1
Missouri Valley.....	-0.1	-0.6	+0.4	-0.4	-0.1	0.0	-0.5	-1.2	+2.0	-0.5	-0.7	-0.5	-0.2
Northern Slope.....	-0.1	-0.4	-0.2	-0.2	+0.3	-0.2	-0.6	-0.2	-0.3	-0.6	+0.4	-0.2	-0.2
Middle Slope.....	+0.2	-0.3	-0.6	+0.3	-2.4	+1.2	+0.3	+0.1	-1.0	-1.0	-0.7	-0.2	-0.3
Southern Slope.....	+0.1	+1.4	+0.2	-1.1	-1.2	+3.5	-0.7	-0.2	-2.0	-1.8	-1.1	-0.8	-0.3
Southern Plateau.....	-0.1	-0.5	-0.3	-0.2	+0.3	+0.4	+0.1	+0.6	+0.4	-0.2	-0.5	+0.4	0.0
Middle Plateau.....	-0.3	-0.7	-0.7	-0.5	+0.6	-0.2	+0.2	+0.6	-0.5	0.0	-0.4	+0.7	-0.1
Northern Plateau.....	0.0	-0.2	-0.4	0.0	-0.1	-0.3	-0.2	0.0	-0.1	-0.6	+1.2	-0.5	-0.1
North Pacific coast.....	+1.6	+1.7	-1.3	-0.4	-0.8	+0.3	-0.6	+0.5	+0.6	+1.7	+1.5	-1.8	+0.2
Middle Pacific coast.....	+1.3	-2.0	-3.8	-1.6	+0.1	-0.1	0.0	0.0	-0.4	-0.7	-0.7	+0.8	-0.6
Southern Pacific coast.....	+0.7	-1.4	-0.8	-0.8	+1.4	-0.1	0.0	0.0	+0.4	-0.5	-1.0	+4.8	+0.2