Index, Volume 87

A

Agricultural meteorology:
A modulated soil moisture budget. (5 figs.) R. M. Holmes and G. W. Robertson. 101–105.
The relation of weather factors to the yield of winter wheat in Box Elder County, Utah. (2 figs.) Merle J. Brown. 97–99.

ANDREWS, JAMES F.:
The weather and circulation of April 1959—Including the role played by an index cycle. (11 figs.) 153–161.
The weather and circulation of November 1959—Unusually high persistence from October. (12 figs.) 418–425.

ANGELL, J. K.:
A climatological analysis of two years of routine transosonde flights from Japan. (15 figs.) 427–439.
Some statistics on the magnitude of the ageostrophic wind obtained from constant level balloon data. (11 figs.) 163–170.

Antarctica:
Comparison of various conditioning methods for rawinsonde balloons—Results from the South Pole station, Antarctica, 1957. (8 figs.) E. C. Flowers and H. Hansen. 261–267.
The lowest temperature in Antarctica. Nina A. Stepanova. 145–146.
Note on lowest Antarctic temperature estimated by Shliakhov. H. Wexler. 147.

Arizona:
Forecasting minimum temperatures on clear winter nights in an arid region—A comparison of several climatological aids. (7 figs.) Paul C. Kangieser. 19–28.

'ARNASON, G.:
and L. P. Carstensen. The effects of vertical vorticity advection and turning of the vortex tubes in hemispheric forecasts with a two-level model. (6 figs.) 119–127.

Atmospheric turbidity at Athens, Greece. (5 figs.) George Jac. Macris. 401–408.

B

BERNSTEIN, ABRAM B.
and Charles R. Hosler. Temperature patterns along the Atlantic and Gulf coasts. (11 figs.) 395–400.

BRANCATO, G. N.:
and Howard H. Engelbrecht. World record one-minute rainfall at Unionville, Md. (2 figs.) [Weather note] 303–306.

BREWER, ROBERT D.:
and Ferguson Hall. A sequence of tornado damage patterns. (11 figs.) 207–216.

BRISTOR, CHARLES L.:
Zonal wind errors in the barotropic model. (7 figs.) 57–63.

BROWN, MERLE J.:
The relation of weather factors to the yield of winter wheat in Box Elder County, Utah. (2 figs.) 97–99.

C

California:
A note on visibility at Sacramento, Calif. (3 figs.) George C. Holzworth. 148–152.

CARLSTEAD, EDWARD M.:
Forecasting middle cloudiness and precipitation areas by numerical methods. (4 figs.) 375–381.

CARSTENSEN, L. P.:
and G. 'Arnason. The effect of vertical vorticity advection and turning of the vortex tubes in hemispheric forecasts with a two-level model. (6 figs.) 119–127.

Ceiling:
Monthly percentage frequency of ceilings 2,000 feet or higher over the United States. (2 figs.) M. N. Hunter, R. I. Foster, and H. A. Scott. 351–356.

Climatology:
A climatological analysis of two years of routine transosonde flights from Japan. (15 figs.) J. K. Angell. 427–439.
Comments on "Power spectrum analysis of climatological data for Woodstock College, Maryland." J. K. Angell. 417. Reply. H. E. Landsberg, J. M. Mitchell, Jr., and H. L. Crutcher. 417.
The distribution of freeze-date and freeze-free period for climatological series with freezeless years. (4 figs.) H. C. S. Thom. 136–144.
Frontal passages over the north Atlantic Ocean. (7 figs.) Georgia C. Whiting. 409–416.
The hurricane season of 1959. (4 figs.) Gordon E. Dunn and Staff. 441–450.
The lowest temperature in Antarctica. Nina A. Stepanova. 145–146.
Mean soundings for the Gulf of Mexico area. (3 figs.) Paul J. Hebert and C. L. Jordan. 217–221.

Climatology—Continued
Mean upper-air data for selected world stations. James E. McDonald. 299–300.
Minimum temperatures in the lower stratosphere. (5 figs.) Nina A. Stepanova. 269–274.
Monthly percentage frequency of ceilings 2,000 feet or higher over the United States. (2 figs.) M. N. Hunter, R. I. Foster, and H. A. Scott. 351–356.
Note on frequency of high winds over the United States. (3 figs.) H. E. Landsberg and B. Ratner. 185–187.
Power spectrum analysis of climatological data for Woodstock College, Maryland. (9 figs.) H. E. Landsberg, J. M. Mitchell, Jr., and H. L. Crutcher. 283–298.
A reported sea level pressure of 877 mb. [Weather note] C. L. Jordan. 365–366.
Temperature patterns along the Atlantic and Gulf coasts. (11 figs.) Abram B. Bernstein and Charles R. Hosler. 395–400.
World record one-minute rainfall at Unionville, Maryland. (2 figs.) [Weather note] Howard H. Engelbrecht and G. N. Brancato. 303–306.
Clouds:
Forecasting middle cloudiness and precipitation areas by numerical methods. (4 figs.) Edward M. Carlstead. 375–381.
Unusual wave cloud over Washington, D.C., November 30, 1959. (2 figs.) [Weather note] DeVer Colson and Charles V. Lindsay. 451–452.
COLÓN, JOSÉ A.:
Meteorological conditions over Puerto Rico during hurricane Betsy, 1956. (19 figs.) 69–80.
COLSON, DEVER:
and Charles V. Lindsay. Unusual wave cloud over Washington, D.C., November 30, 1959. (2 figs.) [Weather note]. 451–452.
Comments on "Power spectrum analysis of climatological data for Woodstock College, Maryland." J. K. Angell. 417. Reply. H. E. Landsberg, J. M. Mitchell, Jr., and H. L. Crutcher. 417.
Comments on "The hurricane season of 1958." Eugene W. Hoover. 184.
Comparison of barotropic and baroclinic numerical forecasts and contributions of various effects. (8 figs.) Lloyd W. Vanderman, William J. Drewes, and Leo E. Hopp. 43–56.
Comparison of various conditioning methods for rawinsonde ballons—Results from the South Pole station, Antarctica, 1957. (8 figs.) E. C. Flowers and H. Hansen. 261–267.
Correspondence:
Comments on "Power spectrum analysis of climatological data for Woodstock College, Maryland." J. K. Angell. 417. Reply. H. E. Landsberg, J. M. Mitchell, Jr., and H. L. Crutcher. 417.
Correspondence—Continued
Comments on "The hurricane season of 1958." Eugene W. Hoover. 184.
Discussion of "A modulated soil moisture budget." M. A. Kohler. 106. Reply. R. M. Holmes and G. W. Robertson. 106.
CRESSMAN, GEORGE P.:
An operational objective analysis system. (5 figs.) 367–374.
CRUTCHER, H. L.:
and H. E. Landsberg and J. M. Mitchell, Jr. Power spectrum analysis of climatological data for Woodstock College, Maryland. (9 figs.) 283–298.

D

DARKOW, G. L.:
and P. M. Kuhn and V. E. Suomi. Soundings of terrestrial radiation flux over Wisconsin. (5 figs.) 129–135.
DICKSON, ROBERT R.:
Tornadoes of January 21, 1959—A feature of a weather singularity? (4 figs.) 40–42.
DINWIDDIE, FRANK B.:
Tornadoes near Nags Head, N.C., July 1959. (17 figs.) [Weather note] 346–350.
Waterspout-tornado structure and behavior at Nags Head, N.C., August 12, 1952. (20 figs.) 239–250.
Discussion of "A modulated soil moisture budget." M. A. Kohler. 106. Reply. R. M. Holmes and G. W. Robertson. 106.
The distribution of freeze-date and freeze-free period for climatological series with freezeless years. (4 figs.) H. C. S. Thom. 136–144.
DREWES, WILLIAM J.:
and Lloyd W. Vanderman and Leo E. Hopp. Comparison of barotropic and baroclinic numerical forecasts and contributions of various effects. (8 figs.) 43–56.
DUNN, CARLOS R.:
The weather and circulation of March 1959—Record cold in Alaska but mild temperatures in the remainder of the United States. (12 figs.) 111–118.
The weather and circulation of July 1959—The second consecutive July with an unusual circulation pattern. (13 figs.) 275–282.
DUNN, GORDON E.:
and Staff. The hurricane season of 1959. (4 figs.) 441–450.

E

The effect of vertical vorticity advection and turning of the vortex tubes in hemispheric forecasts with a two-level model. (6 figs.) G. 'Arnason and L. P. Carstensen. 119–127.

An empirical study of vertical velocities in the lower stratosphere. (7 figs.) Edward S. Epstein. 91–96.

ENGELBRECHT, HOWARD H.:
and G. N. Brancato. World record one-minute rainfall at Unionville, Maryland. (2 figs.) [Weather note] 303–306.

EPSTEIN, EDWARD S.:
An empirical study of vertical velocities in the lower stratosphere. (7 figs.) 91–96.

Evapotranspiration:
A nomogram to determine monthly potential evapotranspiration. (1 fig.) T. E. A. van Hylckama. 107–110.

F

Fire weather:
The relation of monthly fire occurrence in Georgia to mean monthly values of weather elements. (7 figs.) Daniel W. Krueger. 383–387.

FLOWERS, E. C.:
and H. Hansen. Comparison of various conditioning methods for rawinsonde balloons—Results from the South Pole station, Antarctica, 1957. (8 figs.) 261–267.

Forecasting middle cloudiness and precipitation areas by numerical methods. (4 figs.) Edward M. Carlstead. 375–381.

Forecasting minimum temperatures on clear winter nights in an arid region—A comparison of several climatological aids. (7 figs.) Paul C. Kangieser. 19–28.

Forecasting, Numerical:
Comparison of barotropic and baroclinic numerical forecasts and contributions of various effects. (8 figs.) Lloyd W. Vanderman, William J. Drewes, and Leo E. Hopp. 43–56.
The effects of vertical vorticity advection and turning of the vortex tubes in hemispheric forecasts with a two-level model. (6 figs.) G. 'Arnason and L. P. Carstensen. 119–127.
Forecasting middle cloudiness and precipitation areas by numerical methods. (4 figs.) Edward M. Carlstead. 375–381.
Numerical integration of the primitive equations on the hemisphere. (7 figs.) Norman A. Phillips. 333–345.
On barotropic and baroclinic models, with special emphasis on ultra-long waves. (13 figs.) A. Wiin-Nielsen. 171–183.
An operational objective analysis system. (5 figs.) George P. Cressman. 367–374.
An operational test of a numerical prediction method for hurricanes. (21 figs.) Lester F. Hubert. 222–230.
Zonal wind errors in the barotropic model. (7 figs.) Charles L. Bristor. 57–63.

Forest fires:
The relation of monthly fire occurrence in Georgia to mean monthly values of weather elements. (7 figs.) Daniel W. Krueger. 383–387.

FOSTER, R. I.:
and M. N. Hunter and H. A. Scott. Monthly percentage frequency of ceilings 2,000 feet or higher over the United States. (2 figs.) 351–356.

Frontal passages over the north Atlantic Ocean. (7 figs.) Georgia C. Whiting. 409–416.

Fronts:
Frontal passages over the north Atlantic Ocean. (7 figs.) Georgia C. Whiting. 409–416.

G

GELHARD, ROBERT H.:
The weather and circulation of October 1959—A predominantly cold, wet month in the United States. (12 figs.) 388–394.

General circulation:
A study of energy conversion and meridional circulation for the large-scale motion in the atmosphere. (9 figs.) A. Wiin-Nielsen. 319–332.

Georgia:
The relation of monthly fire occurrence in Georgia to mean monthly values of weather elements. (7 figs.) Daniel W. Krueger. 383–387.

GODSON, W. L.:
and C. L. Mateer. A nomogram for the determination of solar altitude and azimuth. (3 figs.) 15–18.

GOODYEAR, HUGO V.:
A graphical method for computing horizontal trajectories in the atmosphere. (8 figs.) 188–195.

A graphical method for computing horizontal trajectories in the atmosphere. (8 figs.) Hugo V. Goodyear. 188–195.

GREEN, RAYMOND A.:
The weather and circulation of June 1959—A month with an unusual blocking wave. (11 figs.) 231–238.

H

Hail:
Severe hail, Selden, Kans., June 3, 1959. (3 figs.) [Weather note] A. D. Robb. 301–303.

HALL, FERGUSON:
and Robert D. Brewer. A sequence of tornado damage patterns. (11 figs.) 207–216.

HANSEN, H.:
and E. C. Flowers. Comparison of various conditioning methods for rawinsonde balloons—Results from the South Pole station, Antarctica, 1957. (8 figs.) 261–267.

Hawaii:
The Mauna Loa high-altitude observatory. (13 figs.) Saul Price and Jack C. Pales. 1–14.

HEBERT, PAUL J.:
and C. L. Jordan. Mean soundings for the Gulf of Mexico area. (3 figs.) 217–221.

HOLMES, R. M.:
and G. W. Robertson. A modulated soil moisture budget. (5 figs.) 101–105.

HOLZWORTH, GEORGE C.:
A note on visibility at Sacramento, Calif. (3 figs.) 148–152.

HOPP, LEO E.:
and Lloyd W. Vanderman and William J. Drewes. Comparison of barotropic and baroclinic numerical forecasts and contributions of various effects. (8 figs.) 43–56.

HOSLER, CHARLES R.:
and Abram B. Bernstein. Temperature patterns along the Atlantic and Gulf coasts. (11 figs.) 395–400.

HUBERT, LESTER F.:
An operational test of a numerical prediction method for hurricanes. (21 figs.) 222–230.

HUNTER, M. N.:
and R. I. Foster and H. A. Scott. Monthly percentage frequency of ceilings 2,000 feet or higher over the United States. (2 figs.) 351–356.

Hurricanes:
Comments on "The hurricane season of 1958." Eugene W. Hoover. 184.
The hurricane season of 1959. (4 figs.) Gordon E. Dunn and Staff. 441–450.
Meteorological conditions over Puerto Rico during hurricane Betsy, 1956. (19 figs.) José A. Colón. 69–80.
An operational test of a numerical prediction method for hurricanes. (21 figs.) Lester F. Hubert. 222–230.
Surface friction in a hurricane. (5 figs.) Vance A. Myers. 307–311.
The weather and circulation of September 1959—Quasi-periodic oscillations in zonal index and centers of action. (8 figs.) J. F. O'Connor. 357–365.

I

Instruments:
Comparison of various conditioning methods for rawinsonde balloons—Results from the South Pole station, Antarctica, 1957. (8 figs.) E. C. Flowers and H. Hansen. 261–267.

J

JORDAN, C. L.:
A reported sea level pressure of 877 mb. [Weather note] 365–366
and Paul J. Hebert. Mean soundings for the Gulf of Mexico area. (3 figs.) 217–221.

JULIAN, PAUL R.:
and Lowell Krawitz and Hans A. Panofsky. The relation between height patterns at 500 mb. and 100 mb. (20 figs.) 251–260.

K

KANGIESER, PAUL C.:
Forecasting minimum temperatures on clear winter nights in an arid region—A comparison of several climatological aids. (7 figs.) 19–28.

KRAWITZ, LOWELL:
and Paul R. Julian and Hans A. Panofsky. The relation between height patterns at 500 mb. and 100 mb. (20 figs.) 251–260.

KRUEGER, DANIEL W.:
The relation of monthly fire occurrence in Georgia to mean monthly values of weather elements. (7 figs.) 383–387.

KUHN, P. M.:
and V. E. Suomi and G. L. Darkow. Soundings of terrestrial radiation flux over Wisconsin. (5 figs.) 129–135.

L

LANDSBERG, H. E.:
and B. Ratner. Note on frequency of high winds over the United States. (3 figs.) 185–187.
and J. M. Mitchell, Jr. and H. L. Crutcher. Power spectrum analysis of climatological data for Woodstock College, Maryland. (9 figs.) 283–298.

LAUTZENHEISER, ROBERT E.:
Tinted rain at Dunstable, Mass., June 6, 1959. [Weather note] 238.

LINDSAY, CHARLES V.:
and DeVer Colson. Unusual wave cloud over Washington, D. C., November 30, 1959. (2 figs.) [Weather note] 451–452.

The lowest temperature in Antarctica. Nina A. Stepanova. 145–146.

Luminosity accompanying St. Louis tornado—February 10, 1959. [Weather note] Bernard Vonnegut. 64.

M

MACRIS, GEORGE JAC.:
Atmospheric turbidity at Athens, Greece. (5 figs.) 401–408.
Solar energy and sunshine hours at Athens, Greece. (5 figs.) 29–32.

MATEER, C. L.:
and W. L. Godson. A nomogram for the determination of solar altitude and azimuth. (3 figs.) 15–18.

The Mauna Loa high-altitude observatory. (13 figs.) Saul Price and Jack C. Pales. 1–14.

McCRABB, HAROLD S.:
Snowfall at San Antonio on March 16, 1959. [Weather note] 100.

MCDONALD, JAMES E.:
Mean upper-air data for selected world stations. 299–300.

Mean soundings for the Gulf of Mexico area. (3 figs.) Paul J. Hebert and C. L. Jordan. 217–221.

Mean upper-air data for selected world stations. James E. McDonald. 299–300.
Measurement of wind speeds near a tornado funnel. [Weather note] Research Unit, U.S. Weather Bureau Kansas City, Mo. 382.
Meteorological conditions over Puerto Rico during hurricane Betsy, 1956. (19 figs.) José A. Colón. 69–80.
Minimum temperatures in the lower stratosphere. (5 figs.) Nina A. Stepanova. 269–274.
MITCHELL, J. M., JR.:
and H. E. Landsberg and H. L. Crutcher. Power spectrum analysis of climatological data for Woodstock College, Maryland. (9 figs.) 283–298.
A modulated soil moisture budget. (5 figs.) R. M. Holmes and G. W. Robertson. 101–105.
Monthly percentage frequency of ceilings 2,000 feet or higher over the United States. (2 figs.) M. N. Hunter, R. I. Foster, and H. A. Scott. 351–356.
MYERS, VANCE A.:
Surface friction in a hurricane. (5 figs.) 307–311.

N

New Weather Bureau publications. 128, 250, 382, 416.
A nomogram for the determination of solar altitude and azimuth. (3 figs.) C. L. Mateer and W. L. Godson. 15–18.
A nomogram to determine monthly potential evapotranspiration. (1 fig.) T. E. A. van Hylckama. 107–110.
Note on frequency of high winds over the United States. (3 figs.) H. E. Landsberg and B. Ratner. 185–187.
Note on lowest Antarctic temperature estimated by Shliakhov. H. Wexler. 147.
A note on visibility at Sacramento, Calif. (3 figs.) George C. Holzworth. 148–152.
Numerical integration of the primitive equations on the hemisphere. (7 figs.) Norman A. Phillips. 333–345.

O

Observations:
The Mauna Loa high-altitude observatory. (13 figs.) Saul Price and Jack C. Pales. 1–14.
O'CONNOR, J. F.:
The weather and circulation of February 1959. (10 figs.) 81–90.
The weather and circulation of September 1959—Quasi-periodic oscillations in zonal index and centers of action. (8 figs.) 357–365.
On barotropic and baroclinic models, with special emphasis on ultra-long waves. (13 figs.) A. Wiin-Nielsen. 171–183.
An operational objective analysis system. (5 figs.) George P. Cressman. 367–374.
An operational test of a numerical prediction method for hurricanes. (21 figs.) Lester F. Hubert. 222–230.

P

PALES, JACK C.:
and Saul Price. The Mauna Loa high-altitude observatory. (13 figs.) 1–14.
PANOFSKY, HANS A.:
and Paul R. Julian and Lowell Krawitz. The relation between height patterns at 500 mb. and 100 mb. (20 figs.) 251–260.
PHILLIPS, NORMAN A.:
Numerical integration of the primitive equations on the hemisphere. (7 figs.) 333–345.
Periodicities:
Comments on "Power spectrum analysis of climatological data for Woodstock College, Maryland." J. K. Angell. 417. Reply. H. E. Landsberg, J. M. Mitchell, Jr., and H. L. Crutcher. 417.
Power spectrum analysis of climatological data for Woodstock College, Maryland. (9 figs.) H.E. Landsberg, J. M. Mitchell, Jr., and H. L. Crutcher. 283–298.
Power spectrum analysis of climatological data for Woodstock College, Maryland. (9 figs.) H. E. Landsberg, J. M. Mitchell, Jr., and H. L. Crutcher. 283–298.
Pressure:
A reported sea level pressure of 877 mb. [Weather note] C. L. Jordan. 365–366.
Pressure-height:
Mean soundings for the Gulf of Mexico area. (3 figs.) Paul J. Hebert and C. L. Jordan. 217–221.
The relation between height at 500 mb. and 100 mb. (20 figs.) Paul R. Julian, Lowell Krawitz, and Hans A. Panofsky. 251–260.
Precipitation:
Forecasting middle cloudiness and precipitation by numerical methods. (4 figs.) Edward M. Carlstead. 375–381.
Severe hail, Selden, Kans., June 3, 1959. (3 figs.) [Weather note] A. D. Robb. 301–303.
Tinted rain at Dunstable, Mass., June 6, 1959. [Weather note] Robert E. Lautzenheiser. 238.
The weather and circulation of May 1959—Including an analysis of precipitation in relation to vertical motion. (12 figs.) Charles M. Woffinden. 188–195.
World record one-minute rainfall at Unionville, Maryland. (2 figs.) [Weather note] Howard H. Engelbrecht and G. N. Brancato. 303–306.
PRICE, SAUL:
and Jack C. Pales. The Mauna Loa high-altitude observatory. (13 figs.) 1–14.
Publications by Weather Bureau authors. 426, 440.
Publications, New Weather Bureau. 128, 250, 382, 416.
Puerto Rico:
Meteorological conditions over Puerto Rico during hurricane Betsy, 1956. (19 figs.) José A. Colón. 69–80.

R

RATNER, B.:
and H. E. Landsberg. Note on frequency of high winds over the United States. (3 figs.) 185–187.

Radiation, solar:
Solar energy and sunshine hours at Athens, Greece. (5 figs.) George Jac. Macris. 29–32.

Radiation, terrestrial:
Soundings of terrestrial radiation flux over Wisconsin. (5 figs.) P. M. Kuhn, V. E. Suomi, and G. L. Darkow. 129–135.

The relation between height patterns at 500 mb. and 100 mb. (20 figs.) Paul R. Julian, Lowell Krawitz, and Hans A. Panofsky. 251–260.

The relation of monthly fire occurrence in Georgia to mean monthly values of weather elements. (7 figs.) Daniel W. Krueger. 383–387.

The relation of weather factors to the yield of winter wheat in Box Elder County, Utah. (2 figs.) Merle J. Brown. 97–99.

A reported sea level pressure of 877 mb. [Weather note] C. L. Jordan. 365–366.

RESEARCH UNIT, U.S. WEATHER BUREAU, KANSAS CITY, MO.:
Measurement of wind speeds near a tornado funnel. [Weather note] 382.

ROBB, A. D.:
Severe hail, Selden, Kans., June 3, 1959. (3 figs.) [Weather note] 301–303.

ROBERTSON, G. W.:
and R. M. Holmes. A modulated soil moisture budget. (5 figs.) 101–105.

S

SCOTT, H. A.:
and M. N. Hunter and R. I. Foster. Monthly percentage frequency of ceilings 2,000 feet or higher over the United States. (2 figs.) 351–356.

A sequence of tornado damage patterns. (11 figs.) Ferguson Hall and Robert D. Brewer. 207–216.

Severe hail, Selden, Kans., June 3, 1959. (3 figs.) [Weather note] A. D. Robb. 301–303.

Singularity.
Tornadoes of January 21, 1959—A feature of a weather singularity? (4 figs.) Robert R. Dickson. 40–42.

Soil moisture:
Discussion of "A modulated soil moisture budget." M. A. Kohler. 106. Reply. R. M. Holmes and G. W. Robertson. 106.
A modulated soil moisture budget. (5 figs.) R. M. Holmes and G. W. Robertson. 101–105.

Snowfall at San Antonio on March 16, 1959. [Weather note] Harold S. McCrabb. 100.

Solar energy and sunshine hours at Athens, Greece. (5 figs.) George Jac. Macris. 29–32.

Solar observations:
A nomogram for the determination of solar altitude and azimuth. (3 figs.) C. L. Mateer and W. L. Godson. 15–18.
Solar energy and sunshine hours at Athens, Greece. (5 figs.) George Jac. Macris. 29–32.

Some statistics on the magnitude of the ageostrophic wind obtained from constant level balloon data. (11 figs.) J. K. Angell. 163–170.

Soundings of terrestrial radiation flux over Wisconsin. (5 figs.) P. M. Kuhn, V. E. Suomi, and G. L. Darkow. 129–135.

STARK, L, P.:
The weather and circulation of January 1959—A month of exceptional persistence from the preceding December. (10 figs.) 33–39.
The weather and circulation of August 1959—A hot month from the central Plains to the Atlantic coast. (9 figs.) 312–318.

STEPANOVA, NINA A.:
The lowest temperature in Antarctica. 145–146.
Minimum temperatures in the lower stratosphere. (5 figs.) 269–274.

A study of energy conversion and meridional circulation for the large-scale motion in the atmosphere. (9 figs.) A. Wiin-Nielsen. 319–332.

Suggestions for authors. 162, 268.

SUOMI, V. E.:
and P. M. Kuhn and G. L. Darkow. Soundings of terrestrial radiation flux over Wisconsin. (5 figs.) 129–135.

Surface friction in a hurricane. (5 figs.) Vance A. Myers. 307–311.

T

Temperature patterns along the Atlantic and Gulf coasts. (11 figs.) Abram B. Bernstein and Charles R. Hosler. 395–400.

Temperature:
The distribution of freeze-date and freeze-free period for climatological series with freezeless years. (4 figs.) H. C. S. Thom. 136–144.
Forecasting minimum temperatures on clear winter nights in an arid region—A comparison of several climatological aids. (7 figs.) Paul C. Kangieser. 19–28.
The lowest temperature in Antarctica. Nina A. Stepanova. 145–146.
Mean soundings for the Gulf of Mexico area. (3 figs.) Paul J. Hebert and C. L. Jordan. 217–221.
Minimum temperatures in the lower stratosphere. (5 figs.) Nina A. Stepanova. 269–274.
Note on lowest Antarctic temperature estimated by Shliakhov. H. Wexler. 147.
Temperature patterns along the Atlantic and Gulf

coasts. (11 figs.) Abram B. Bernstein and Charles R. Hosler. 395–400.

Texas:

Snowfall at San Antonio on March 16, 1959. [Weather note] Harold S. McCrabb. 100.

A theoretical estimate of draft velocities in a severe thunderstorn. (4 figs.) Dansy T. Williams. 65–68.

THOM, H. C. S.:

The distribution of freeze-date and freeze-free period for climatological series with freezeless years. (4 figs.) 136–144.

Thunderstorms:

A theoretical estimate of draft velocities in a severe thunderstorn. (4 figs.) Dansy T. Williams. 65–68.

Tinted rain at Dunstable, Mass., June 6, 1959. [Weather note] Robert E. Lautzenheiser. 238.

Tornadoes near Nags Head, N.C., July 1959. (17 figs.) [Weather note] Frank B. Dinwiddie. 346–350.

Tornadoes of January 21, 1959—A feature of a weather singularity? (4 figs.) Robert R. Dickson. 40–42.

Tornadoes:

Luminosity accompanying St. Louis tornado—February 10, 1959. [Weather note] Bernard Vonnegut 64.

Measurement of wind speeds near a tornado funnel. [Weather note] Research Unit, U.S. Weather Bureau, Kansas City, Mo. 382.

A sequence of tornado damage patterns. (11 figs.) Ferguson Hall and Robert D. Brewer. 207–216.

Tornadoes near Nags Head, N.C., July 1959. (17 figs.) [Weather note] Frank B. Dinwiddie. 346–350.

Tornadoes of January 21, 1959—A feature of a weather singularity? (4 figs.) Robert R. Dickson. 40–42.

Waterspout-tornado structure and behavior at Nags Head, N.C., August 12, 1952. (20 figs.) Frank B. Dinwiddie. 239–250.

Trajectories:

A graphical method for computing horizontal trajectories in the atmosphere. (8 figs.) Hugo V. Goodyear. 188–195.

Typhoons:

The weather and circulation of September 1959—Quasi-periodic oscillations in zonal index and centers of action. (8 figs.) J. F. O'Connor. 357–365.

The weather and circulation of October 1959—A predominantly cold, wet month in the United States. (12 figs.) Robert H. Gelhard. 388–394.

U

Unusual wave cloud over Washington, D.C., November 30, 1959. (2 figs.) [Weather note] DeVer Colson and Charles V. Lindsay. 451–452.

Upper air:

A climatological analysis of two years of routine transosonde flights from Japan. (15 figs.) J. K. Angell. 427–439.

Mean soundings for the Gulf of Mexico area. (3 figs.) Paul J. Hebert and C. L. Jordan. 217–221.

Mean upper-air data for selected world stations. James E. McDonald. 299–300.

Minimum temperatures in the lower stratosphere. (5 figs.) Nina. A. Stepanova. 269–274.

Note on frequency of high winds over the United States. (3 figs.) H. E. Landsberg and B. Ratner. 185–187.

The relation between height patterns at 500 mb. and 100 mb. (20 figs.) Paul R. Julian, Lowell Krawitz, and Hans A. Panofsky. 251–260.

Utah:

The relation of weather factors to the yield of winter wheat in Box Elder County, Utah. (2 figs.) Merle J. Brown. 97–99.

V

VANDERMAN, LLOYD W.:

and William J. Drewes and Leo E. Hopp. Comparison of barotropic and baroclinic numerical forecasts and contributions of various effects. (8 figs.) 43–56.

VAN HYLCKAMA, T. E. A.:

A nomogram to determine monthly potential evapotranspiration. (1 fig.) 107–110.

Vertical motion:

An empirical study of vertical velocities in the lower stratosphere. (7 figs.) Edward S. Epstein. 91–96.

A theoretical estimate of draft velocities in a severe thunderstorm. (4 figs.) Dansy T. Williams. 65–68.

The weather and circulation of May 1959—Including an analysis of precipitation in relation to vertical motion (12 figs.) Charles M. Woffinden. 188–195.

Visibility:

Atmospheric turbidity at Athens, Greece. (5 figs.) George Jac. Macris. 401–408.

A note on visibility at Sacramento, Calif. (3 figs.) George C. Holzworth. 148–152.

VONNEGUT, BERNARD:

Luminosity accompanying St. Louis tornado—February 10, 1959. [Weather note] 64.

W

Waterspout-tornado structure and behavior at Nags Head, N.C., August 12, 1952. (20 figs.) Frank B. Dinwiddie. 239–250.

Weather notes:
Luminosity accompanying St. Louis tornado—February 10, 1959. Bernard Vonnegut. 64.
Measurement of wind speeds near a tornado funnel. Research Unit, U.S. Weather Bureau, Kansas City, Mo. 382.
A reported sea level pressure of 877 mb. C. L. Jordan. 365–366.
Severe hail, Selden, Kans., June 3, 1959. (3 figs.) A. D. Robb. 301–303.
Snowfall at San Antonio on March 16, 1959. Harold S. McCrabb. 100.
Tinted rain at Dunstable, Mass, June 6, 1959. Robert E. Lautzenheiser. 238.
Tornadoes near Nags Head, N.C., July 1959. (17 figs.) Frank B. Dinwiddie. 346–350.
Tornadoes of January 21, 1959—A feature of a weather singularity? (4 figs.) Robert R. Dickson. 40–42.
Unusual wave cloud over Washington, D.C., November 30, 1959. (2 figs.) DeVer Colson and Charles V. Lindsay. 451–452.
World record one-minute rainfall at Unionville, Maryland. (2 figs.) Howard H. Engelbrecht and G. N. Brancato. 303–306.
Weather, U.S., 1959:
The hurricane season of 1959. (4 figs.) Gordon E. Dunn and staff. 441–450.
Severe hail, Selden, Kans., June 3, 1959. (3 figs.) [Weather note] A. D. Robb. 301–303.
Snowfall at San Antonio on March 16, 1959. [Weather note] Harold S. McCrabb. 100.
Tornadoes near Nags Head, N.C., July 1959. (17 figs.) [Weather note] Frank B. Dinwiddie. 346–350.
The weather and circulation of January 1959—A month of exceptional persistence from the preceding December. (10 figs.) L. P. Stark. 33–39.
The weather and circulation of February 1959. (10 figs.) J. F. O'Connor. 81–90.
The weather and circulation of March 1959—Record cold in Alaska but mild temperatures in the remainder of the United States. (12 figs.) Carlos R. Dunn. 111–118.
The weather and circulation of April 1959—Including the role played by an index cycle. (11 figs.) James F. Andrews. 153–161.
The weather and circulation of May 1959—Including an analysis of precipitation in relation to vertical motion. (12 figs.) Charles M. Woffinden. 188–195.
The weather and circulation of June 1959—A month with an unusual blocking wave. (11 figs.) Raymond A. Green. 231–238.
The weather and circulation of July 1959—The second consecutive July with an unusual circulation pattern. (13 figs.) Carlos R. Dunn. 275–282.
The weather and circulation of August 1959—A hot month from the Central Plains to the Atlantic coast. (9 figs.) L. P. Stark. 312–318.
The weather and circulation of September 1959—Quasi-periodic oscillation in zonal index and centers of action. (8 figs.) J. F. O'Connor. 357–365.
The weather and circulation of October 1959—A predominantly cold, wet month in the United States. (12 figs.) Robert H. Gelhard. 388–394.
The weather and circulation of November 1959—Unusually high persistence from October. (12 figs.) James F. Andrews. 418–425.
The weather and circulation of December 1959—An abrupt change from a cold fall season. (7 figs.) Charles M. Woffinden. 453–458.
WEXLER, H.:
Note on lowest Antarctic temperature estimated by Shliakhov. 147.
WHITING, GEORGIA C.:
Frontal passages over the north Atlantic Ocean. (7 figs.) 409–416.
WIIN-NIELSEN, A.:
On barotropic and baroclinic models, with special emphasis on ultra-long waves. (13 figs.) 171–183.
A study of energy conversion and meridional circulation for the large-scale motion in the atmosphere. (9 figs.) 319–332.
WILLIAMS, DANSY T.:
A theoretical estimate of draft velocities in a severe thunderstorm. (4 figs.) 65–68.
Winds:
A climatological analysis of two years of routine transosonde flights from Japan. (15 figs.) J. K. Angell. 427–439.
Measurement of wind speeds near a tornado funnel. [Weather note] Research Unit, U.S. Weather Bureau, Kansas City, Mo. 382.
Note on frequency of high winds over the United States. (3 figs.) H. E. Landsberg and B. Ratner. 185–187.
Some statistics on the magnitude of the ageostrophic wind obtained from constant level balloon data. (11 figs.) J. K. Angell. 163–170.
Zonal wind errors in the barotropic model. (7 figs.) Charles L. Bristor. 57–63.
WOFFINDEN, CHARLES M.:
The weather and circulation of May 1959—Including an analysis of precipitation in relation to vertical motion. (12 figs.) 188–195.
The weather and circulation of December 1959—An

abrupt change from a cold fall season. (7 figs.) 453–458.

World record one-minute rainfall at Unionville, Maryland. (2 figs.) [Weather note] Howard H. Engelbrecht and G. N. Brancato. 303–306.

Z

Zonal wind errors in the barotropic model. (7 figs.) Charles L. Bristor. 57–63.

U.S. GOVERNMENT PRINTING OFFICE: 1960